

Deaths registered in the principal Public Institutions of England in the Year 1888

Serial	Year	Sex	Age	Profession	Place of Birth	Place of Death	Duration of Illness	Cause of Death
1	1888	Male	45	Labourer	Worcestershire	Worcester	14 days	Stroke
2	1888	Female	62	Domestic	Worcestershire	Worcester	7 days	Stroke
3	1888	Male	58	Labourer	Worcestershire	Worcester	10 days	Stroke
4	1888	Female	75	Domestic	Worcestershire	Worcester	12 days	Stroke
5	1888	Male	70	Labourer	Worcestershire	Worcester	15 days	Stroke
6	1888	Female	80	Domestic	Worcestershire	Worcester	18 days	Stroke
7	1888	Male	85	Labourer	Worcestershire	Worcester	21 days	Stroke
8	1888	Female	90	Domestic	Worcestershire	Worcester	24 days	Stroke
9	1888	Male	95	Labourer	Worcestershire	Worcester	27 days	Stroke
10	1888	Female	100	Domestic	Worcestershire	Worcester	30 days	Stroke

APPENDIX.

Page	
LETTER to the REGISTRAR GENERAL on the CAUSES of DEATH in ENGLAND	
in 1869, by WILLIAM FARR, Esq., M.D., F.R.S., D.C.L.	215-220
TABLES	221-238

LETTER to the REGISTRAR GENERAL on the CAUSES of DEATH in ENGLAND, by WILLIAM FARR, Esq., M.D., F.R.S.

YEAR 1869.

SIR,

It is shown in your Report that the population of England increased somewhat more rapidly between 1861 and 1871 than it had increased in the previous decenniad; and that the rate of mortality has consequently been slightly overstated.

This correction being made, the year is found to be healthier than usual; and the mortality, in fact, from the class of zymotic diseases was below the average of the fifteen preceding years, although the formidable scarlet fever was both prevalent and fatal. The diseases of the respiratory organs owing to the cold weather in winter were unusually fatal.

I.—ZYMOTIC DISEASES.

Small-pox was not generally active; in London it was incubating, in Lancashire it was more active, and in Yorkshire the registers contain 610 deaths by the epidemic, of which 100 were recorded in the Sheffield, and 218 in the Dewsbury districts. In Hull and Sculcoates 71 deaths by small-pox were registered. Ipswich, in the Eastern Division, saw 32 die of small-pox. The prevalence of these outbreaks was chiefly on the East side of the Island. Measles, croup, and whooping-cough levied their customary toll, chiefly on children. Measles was most fatal in the North-Western, South-Western, and West-Midland Divisions, and London. Scarlet fever was terribly fatal: 27,641, chiefly children and young people, died of this disease (see Table 3, p. 221), 5841 in London, and 5234 in Lancashire and Cheshire.

Continued fevers have been for the first time distinguished in conformity with the decision of the Nomenclature Committee; and enteric fever (*typhia*) is found to be the prevailing form of the year, as to it 8659 deaths were referred against 4279 deaths by typhus; 5449 deaths were registered under the rather vague name of simple continued fever.

Diarrhœa, cholera, and dysentery, were as is usual, prevalent, but to a less degree than usual: yet to diarrhœa 19,903 deaths were referred, it being still one of the most fatal of zymotic diseases.

Though ague and rheumatism are less fatal, they cause much protracted sickness, to be diminished by drainage.

Under syphilis 1859 deaths were returned; the number of such deaths is rapidly increasing. The mortality thus designated has in 17 years risen in the ratio of 35 to 85. Some more effective steps are required to stop the ravages of this insidious disease which lies concealed by its remoteness but is the primary cause of many deaths returned under its ultimate transformations. The bones, the brain, the bowels are all infested by it. Innocent children are the chief but not the sole sufferers. Stricture of the urethra is inserted in this class because it is commonly the consequence of contagious disease.

Hydrophobia had been reduced to a low ebb until in the years 1865-6 it made a sudden start, and this canine infection was the death of 19 and 36 persons; the deaths in the two following years were 10 and 7; in 1869 they rose to 18.

Glanders is fatal to rather more than 4 persons annually; and 6 and 3 were the deaths ascribed to this equine infection in the two last years.

Under the system of Poor Laws only 52 deaths by privation chiefly adults were recorded in 1869: the deaths under this head have happily declined during the last three years from 109 to 96 and to 52. The annual mor-

tality to 1,000,000 was 5 and 4 and 2 : the average of the last three years has been 3.7. Want of food in its various forms causes indirectly a variety of diseases under which its agency is masked in the registers : but it may be safely affirmed that in no country in Europe is death by starvation less common than in England under its Poor Laws, imperfect though they be. Even statisticians are misled by an obvious fallacy. It has been often inferred that because many people are relieved to a more or less extent, and figure as paupers in official returns, England has a greater proportion of starving people than other countries. Now to make a pauper in the official sense two things are required ; suffering or poverty in one class, sympathy or wealth in another : in the absence of a legal system of relief, though there are no paupers, beggars and starvation abound.

The accompanying Table shows several important particulars respecting the deaths under this head. The deaths of females (137) are fewer than the deaths of males, 194. One third of the deaths occurred in London. The greatest number of deaths in any period of life is between 45 and 55.

DEATHS FROM PRIVATION, distinguishing Localities, Sexes, and Ages.

DEATHS IN EACH OF THE 11 REGISTRATION DIVISIONS.										
	TOTAL in the 4 Years 1866-69.		1866.		1867.		1868.		1869.	
	Males.	Fe- males.	Males.	Fe- males.	Males.	Fe- males.	Males.	Fe- males.	Males.	Fe- males.
England and Wales	194	137	40	34	63	46	61	35	30	22
Divisions.										
I. London	74	58	12	15	27	19	29	15	6	9
II. South Eastern	15	6	3	3	2	-	5	2	5	1
III. South Midland	5	3	1	-	1	-	2	1	1	2
IV. Eastern	3	3	1	-	1	-	-	1	1	2
V. South Western	5	4	1	-	-	1	3	2	1	1
VI. West Midland	22	13	3	4	11	6	7	2	1	1
VII. North Midland	12	9	4	3	3	3	2	1	3	2
VIII. North Western	30	26	5	7	9	9	10	8	6	2
IX. York	14	8	5	2	4	2	3	2	2	2
X. Northern	7	5	2	-	2	5	-	-	3	-
XI. Welsh	7	2	3	-	3	1	-	1	1	-
DEATHS IN ENGLAND AND WALES AT THE SEVERAL AGES.										
	TOTAL in the 4 Years 1866-69.		1866.		1867.		1868.		1869.	
	Males.	Fe- males.	Males.	Fe- males.	Males.	Fe- males.	Males.	Fe- males.	Males.	Fe- males.
All Ages	194	137	40	34	63	46	61	35	30	22
Under 1										
1	5	4	2	1	1	1	-	1	2	1
2	3	5	1	2	1	1	-	1	-	1
3	2	1	-	-	2	-	-	1	-	-
4	-	2	-	-	-	1	-	1	2	-
Under 5	12	13	4	3	4	3	-	5	4	2
5	6	3	1	-	2	2	3	-	-	1
10	-	1	-	-	-	-	-	1	-	-
15	9	1	2	-	4	-	3	-	-	1
20	4	3	1	1	1	-	1	1	1	1
25	11	9	4	1	4	4	2	2	1	2
35	28	18	4	6	7	5	10	5	7	2
45	39	36	6	9	13	11	15	12	5	4
55	42	17	7	3	15	7	15	3	5	4
65	35	25	8	10	9	7	11	4	7	4
75	8	9	3	1	4	6	1	2	-	-
85	-	2	-	-	-	1	-	-	-	1
95 and upwards	-	-	-	-	-	-	-	-	-	-

The natural food for children is the breast-milk of the mother ; and its want is justly considered a cause of death ; to it and inanition of infancy 1408 deaths are referred.

Scurvy is warded off by the abundance of potatoes and other vegetables, but it has latterly increased in prevalence.

To delirium tremens, usually a form of alcoholic poisoning, 433 deaths were referred, to intemperance in drinking 331 ; making in the aggregate 764 deaths by one form or other of alcoholism : within the last three years the annual deaths by the poison of drink have happily declined to a considerable extent. We may hope ere long to see these cases further decline until drunkenness and excess in drink are no longer indulged in by any but the unfortunate monomaniacs who, for their own protection, and for the sake of society, require restraint.

Parasites, including hydatids, itch insect, tape worms, and worms of all descriptions still cause a certain number of deaths, which will probably diminish as the water-supply becomes purer, and the meat-supply is watched. The deaths by these creatures are induced by trains of maladies which are not always discriminated from other affections. The means of personal cleanliness, soap and abundance of pure water, should be placed within the reach of the whole population ; at many factories workmen may be well supplied with water ; and some means of personal coercion, if necessary, might well be employed, to prevent unclean vagrants carrying and spreading infection among their race. They do incalculably more mischief than scabby sheep.

II.—DIATHETIC DISEASES.

This class is divided into two orders ; at the head of the first is gout, at the head of the second scrofula. They are connected to some extent with the dietetic order of the first class : for gout is usually caused by luxurious living, and scrofula by defective dietary. But in other diseases of this class such as cancer and phthisis, the seeds of disease appear to be often inborn ; and it is certainly impossible to trace, at present, their origin to external agencies. All these inquiries, however, are still in their infancy. Gout is, like syphilis, becoming more fatal ; the deaths registered to its account are rapidly increasing and loudly proclaim the necessity of beginning at least some reform in the dinners and habits of the wealthier classes, if they would avoid not only the pangs of this painful disease, but its disorganizing ravages of their vital organs. Refined gluttony is as fatal as intoxicating drink. When will the culinary art be kept within its due limits, by simple elegant means please the taste, satisfy appetite, and sustain health ? Who will take the lead in this cultivated temperance, and make an effort to put a stop to the annual sacrifice of so many precious lives ? Women have hitherto, and we may hope, will still continue, to set men good examples ; for the deaths of 352 men, and of but 96 women were referred to gout.

There is an increase of deaths ascribed to cancer, a decrease in the deaths by dropsy and by mortification.

Tubercular diseases are still heavy, but phthisis, hydrocephalus, and scrofula were less fatal than in former years.

III. LOCAL DISEASES

Diseases of nervous system.—The nervous system, especially in its brain development, plays so important a part in man, that its diseases in their intense forms put an end to life. The deaths under this head are 61,550 ; which, after deducting 26,015 by convulsions, including probably many vague undeveloped maladies, leave 35,535 referable severally to cephalitis, apoplexy, paralysis, insanity, chorea, epilepsy, and some other affections

of the brain, spinal marrow, nerves, and senses. The progress of Pathology reveals an organic change of the structure of the brain, which has only in these later years found a place in the tables: the deaths in the year by *neceencephalus*, or by softening, which is a sort of mortification of the brain, were 2135; of men 1317, of women 818. These organic changes of the organ of the mind are attended by functional derangements of various kinds, such as imbecility and paralysis of the nerves suppressing the muscular energy.

Diseases of the organs of circulation.—The blood plays so important a part in the individual life, that interference with the general current of its circulation from any cause is often fatal; under this head 24,899 deaths were classed. By pericarditis 676 deaths are said to have been caused; by aneurism 595. The great peculiarity in respect of aneurism is that 457 men and only 138 women died of it.

The influence of sex is felt at every age; but no children under 10 and no man or woman above the age of 85 died of aneurism in the year.

	10—	15—	25—	35—	45—	55—	65—	75—
Deaths by Aneurism—								
Of men - -	1	9	83	144	104	72	36	8
Of women - -	—	5	19	34	30	23	19	8
Excess of men -	1	4	64	110	74	49	17	—

This disparity may throw some light on the causes of aneurism, which has been associated by some observers with gout and syphilis.* The deaths referred to aneurism increased, and no effect of the improved methods of treatment by compression are apparent in the returns. Angina pectoris, syncope, and hypertrophy caused a considerable number of deaths in both sexes. To the newly discovered cause of death, *embolism*, the deaths of 27 males and 66 females were referred; only 2 males and one female were under 5 years of age; 46 of the women, 13 of the men, were of the ages 20–55; so that the excess in women is probably connected with the period of child-bearing. Previous to 1866 this cause of death was not returned separately; in 1866 the number was 18, which increased to 32, 28, and 93 respectively in the three following years 1867–9.

Diseases of respiratory organs.—The delicacy, the extent, and the exposure of these organs to atmospheric vicissitudes, as well as the vital importance of respiration, prepares us to expect to find them the seat of many fatal diseases; and in fact the deaths under this head amount to 80,397, including 43,180 males and 37,217 females of all ages. Young children under the age of 5 years are the greatest sufferers from pneumonia, and people of 65 and upwards from bronchitis, which is the greatest enemy they have to encounter. They die of the disease especially when the temperature falls below the freezing point of water. Phthisis predominates in the earlier periods of manhood. The mortality from bronchitis has gradually risen since the year 1852, from 1.0 in 1000 living to 1.7, and in the year 1869 it became 2.0. Pneumonia and phthisis grew a little less fatal; but not to an extent to compensate for the increase of bronchitis. It is probable that the dust and smoke in the air of cities and workshops irritates irreparably the living member of the air tubes, and thus lays the foundation of bronchitis in the chronic form. Could not manufactories and kitchens largely consume their

* See Science and Practice of Medicine, by W. Aitken, M.D., 3rd ed., vol. II., pp. 721–2.

own smoke, and thus diminish the smoke nuisance, which begrimes the faces of the people, their clothes, and their furniture?

Diseases of digestive organs.—The death-toll paid in these diseases is very constant. The deaths by rare diseases, such as hernia, ileus, and intussusception, showing little variation. Liver disease increased.

Diseases of urinary organs.—Not only nephria (Bright's disease) but nephritis became a more frequent entry on the death register; so the annual death-rate rose in 17 years from 191 to 337 deaths in a million living.

Diabetes is rare in childhood, but it is a mistake to suppose that it never occurs; and it is twice as fatal in men as it is in women. The deaths in the year 1869 show this.

Diseases of reproductive system.—Sixty-five deaths only occurred in men, 1218 in women; ovarian dropsy killed 234, notwithstanding the bold new operation, which has been practised successfully in so many cases. At the hospitals it may everywhere now be brought home to the poor women who suffer. The disease is probably one that is too long concealed by the patient, while the operation is too long deferred by the surgeon; within the last five years an encouraging diminution in its fatality has been observed.

The organs of locomotion are not often affected by spontaneous fatal diseases; they suffer more from injuries.

The integumentary system is the seat of many troublesome but of few fatal affections. Of the deaths here registered, it is worthy of note, that 355 were caused by pyæmia. Eczema is now the most fatal of the skin diseases.

IV.—DEVELOPMENTAL DISEASES.

The reproduction and growth of the human race are interrupted in various ways, and the interruption proves fatal in a certain number of cases. The first order of fatal causes concerns children: Still-born children are not registered; but many of the infants that are born before term are born alive, and some survive. In the year, 8666 children born alive prematurely died, and are so returned, without any reference to any specific disease; 1454 deaths are referred to malformations. The teeth are cut with pain and difficulty; and in weakly children the consequent irritation is sometimes fatal; but it is probable that some of the 4083 deaths referred to teething are due to latent causes at work during the period of teething.

Of women, 122 are stated to have died of paramenia; while 2102 died of childbirth, exclusive of 1181 who died of metria, sometimes called puerperal fever.

The mortality, calculated by comparing the deaths from childbirth with the population, was lower in 1869 than the average; but metria showed no decline.

The question of the mortality of mothers in child-bearing is of the highest importance, and it is further illustrated by the series of Tables 14, 15, 16 (pp. 235–7). On comparing the annual deaths of mothers to children born alive it will be noted that the deaths of mothers averaged 49 to 10,000 children born alive in the 23 years 1847–69; the highest proportion, 61, was in the year 1848, the lowest, 42, in the last year of the series; thus it rose 12 above the average, and fell 9 below it. The range above the average exceeds the range below. This is a characteristic of death by epidemic disease.

Deaths of child-bearing women are sometimes caused by diseases, such as small-pox, under which heads they are then classed.

This subject is now undergoing investigation by a most competent inquirer, and the issue will lead to the diminution of this fatality, the most deplorable of all that happens to us. Senility has its special diseases; but of old age 27,932 persons are said to have died.

V.—VIOLENT DEATHS.

16,497 deaths are referred to several evident causes which it has been usual to classify as violent. The proportion to population is much what it was in the year 1852; but it is much lower than it was some years ago, when the forces at man's disposal, employed recklessly, raised the number of deaths by violence every year, until in the year 1865 they attained the high pitch of 835 to a million living.

To the deaths by burning I have every year called attention, as the number can be controlled to a considerable extent, and the number of victims of fire has been lessened; the deaths by burning and scalds were 3166 in the year 1860 and 2545 in the year 1869. Still further reductions in these deaths may be made, and are required.*

Railways and mines are still the causes of many deaths which may be prevented.

I have the honour to be,

Sir,

Your obedient servant,

WILLIAM FARR.

To
The Registrar General.

* NOTE.—Subjoined are the suggestions for preventing death by fire, which I reprint from the letter in your 24th report, published in 1863 :—

“ 1. *Open fires*, lights, and kettles of hot water should be surrounded by GOOD GUARDS. This precaution is of capital importance.

“ 2. Children and young people, and old women, should be systematically taught the danger of fire.

“ 3. The dresses of young children and old women should be made as much as possible of worsted or wool; which will protect them against cold, as well as against fire.

“ 4. The muslin dresses, and cotton and linen clothes, might very properly be starched with the chemical materials which are found by experience to render them, to a certain extent, incombustible.

“ 5. Private houses should all be provided on each floor of the sleeping apartments with the means of escape, in the event of the lower apartments taking fire during the night. Especial provision to be made for women and children.

“ 6. Fireworks, powderworks, and chemical manufactories require special precautions.

“ 7. Persons falling asleep near the fire, or near lights, in a state of intoxication, or in fits, are frequently burnt to death.

“ 8. Young children drink scalding water out of the spout of the tea kettle, or fall into scalding water. This happens often in the lower classes, when the mother is out at work, and the young children are left at home alone. The means of obviating this danger are evident.

“ 9. Special arrangements are, it is scarcely necessary to add, required for preventing the explosions of mines or of steam engines.”

TABLE 1.—Deaths in England from Scarlet Fever, Cynanche Maligna, and Diphtheria, for each of the Years 1855 to 1869.*

YEARS.	TOTAL.	SCARLET FEVER.	CYNANCHE MALIGNA, and DIPHTHERIA.	CYNANCHE MALIGNA.	DIPHTHERIA.
1855 - -	17,314	16,929	385	199	186
1856 - -	14,160	13,557	603	374	229
1857 - -	14,229	12,646	1,583	1,273	310
1858 - -	30,317	23,711	6,606	1,770	4,836
1859 - -	29,494	19,310	10,184	597	9,587
1860 - -	14,517	9,305	5,212	376	4,836
1861 - -	13,594	9,077	4,517	303	4,214
1862 - -	19,737	14,834	4,903	341	4,562
1863 - -	36,982	30,475	6,507	384	6,123
1864 - -	35,164	29,700	5,464	366	5,098
1865 - -	21,845	17,700	4,145	193	3,952
1866 - -	14,685	11,685	3,000	226	2,774
1867 - -	15,063	12,300	2,763	163	2,600
1868 - -	24,925	21,912	3,013	166	2,847
1869 - -	30,247	27,641	2,606	195	2,411
Total - -	332,273	270,782	61,491	6,926	54,565

* Previously to 1859 Diphtheria was referred to Scarlatina. Previously to 1861 Cynanche Maligna was referred to Scarlatina; since that time to Diphtheria.

TABLE 2.—Deaths in England from Diphtheria and Cynanche Maligna, at different AGES, in each of the Years 1855-69.

YEARS.	ALL AGES.	Under 1 Year.	1-	2-	3-	4-	Under 5 Years.	5-	10-	15-	25-	35-	45-	55-	65-	75-	85-	95 and upwards.
1855 -	385	56	52	47	45	33	233	84	17	20	8	7	8	7	1	-	-	-
1856 -	603	44	62	81	54	57	298	175	65	33	8	11	6	4	3	-	-	-
1857 -	1583	109	138	137	152	160	696	512	224	86	31	19	8	6	-	1	-	-
1858 -	6606	552	741	692	695	635	3315	1897	686	361	134	80	56	42	26	7	2	-
1859 -	10184	878	1122	1103	1116	1081	5300	2751	1091	536	213	122	69	50	37	11	4	-
1860 -	5212	448	558	500	621	551	2678	1413	542	321	79	69	43	36	17	14	-	-
1861 -	4517	361	528	501	507	471	2368	1217	419	258	93	60	41	35	16	10	-	-
1862 -	4903	412	645	594	560	513	2724	1242	432	264	91	54	39	29	18	9	1	-
1863 -	6507	585	903	744	813	664	3709	1651	515	291	121	78	61	48	27	6	-	-
1864 -	5464	527	694	681	661	535	3098	1292	425	300	130	82	60	46	26	4	1	-
1865 -	4145	387	518	459	476	446	2286	1053	328	227	95	43	41	38	20	11	3	-
1866 -	3000	232	420	404	355	296	1757	706	194	135	71	44	38	27	21	6	1	-
1867 -	2763	317	394	325	332	250	1618	690	154	122	65	29	35	23	20	5	2	-
1868 -	3013	299	431	363	331	325	1749	740	200	79	60	58	45	32	34	13	3	-
1869 -	2606	274	324	276	311	296	1481	650	189	106	55	42	34	26	13	10	-	-
Total -	61,491	5,581	7,530	6,907	7,029	6,313	33,310	16,073	5481	3139	1254	798	584	449	279	107	17	-

TABLE 3.—Deaths in England from Scarlet Fever (exclusive of Deaths by Diphtheria and Cynanche Maligna), at different AGES, in each of the Years 1855-69.

YEARS.	ALL AGES.	Under 1 Year.	1-	2-	3-	4-	Under 5 Years.	5-	10-	15-	25-	35-	45-	55-	65-	75-	85-	95 and upwards.
1855 -	16929	1131	2306	2700	2537	1957	10631	4523	1078	438	128	71	36	15	8	1	-	-
1856 -	13557	985	1930	2161	2085	1669	8830	3419	800	332	88	55	20	10	3	-	-	-
1857 -	12846	855	1790	2032	1988	1462	8127	3232	766	321	104	40	23	7	3	3	-	-
1858 -	23711	1444	3468	3980	3638	2860	15390	6160	1325	557	159	69	33	10	6	2	-	-
1859 -	19310	1294	2824	3062	2992	2379	12551	4937	1050	469	174	80	25	12	7	4	-	-
1860 -	9305	636	1378	1499	1409	1146	6068	2329	477	287	77	37	19	7	4	-	-	-
1861 -	9077	572	1288	1490	1423	1119	5892	2317	447	264	91	31	21	10	4	-	-	-
1862 -	14834	903	2158	2454	2268	1786	9569	3833	818	364	117	42	16	9	2	3	1	-
1863 -	30475	1761	4050	4886	4683	3842	19222	8192	1820	805	267	113	34	15	5	2	-	-
1864 -	29700	1778	3915	4682	4571	3763	18709	8027	1711	796	280	102	44	20	7	4	-	-
1865 -	17700	1118	2497	2914	2613	2140	11282	4759	953	448	158	56	23	14	7	-	-	-
1866 -	11685	690	1741	2038	1835	1415	7719	2964	571	267	109	30	19	5	1	-	-	-
1867 -	12300	805	1806	2064	1961	1457	8093	3269	551	251	97	28	9	1	2	1	-	-
1868 -	21912	1390	3209	3533	3368	2695	14195	5939	1099	408	179	66	18	6	2	-	-	-
1869 -	27641	1792	4073	4698	4110	3405	18078	7194	1419	538	266	91	40	9	5	1	-	-
Total -	270782	17,154	38,433	44,193	41,481	33,095	174,356	71,174	14885	6545	2294	909	381	150	62	25	1	-

TABLE 4.—Deaths in each of the Counties of England from Scarlet Fever for each of the Years 1854-1869.

REGISTRATION COUNTIES.	DEATHS BY SCARLET FEVER. (See Note.)															
	1854	1855	1856	1857	1858	1859	1860	1861	1862	1863	1864	1865	1866	1867	1868	1869
ENGLAND.	18,528	17,314	14,160	14,229	30,317	19,907	9,681	9,077	14,834	30,475	29,700	17,700	11,685	12,300	21,912	27,641
I.—LONDON	3,477	2,611	1,819	1,599	4,184	3,481	2,017	2,381	3,492	4,955	3,244	2,179	1,892	1,451	2,916	5,841
II.—SOUTH EASTERN COUNTIES.																
1 Surrey (extra-metropol.)	118	137	103	89	355	188	79	53	151	390	314	246	71	67	276	351
2 Kent (extra-metropol.)	444	404	393	218	651	423	259	287	297	687	709	374	130	157	399	333
3 Sussex	188	337	153	173	514	283	85	40	71	363	483	251	138	43	135	237
4 Hampshire	303	727	378	311	444	350	83	24	388	744	238	337	184	81	250	594
5 Berkshire	161	153	136	122	353	93	18	17	70	153	151	236	32	25	103	361
III.—SOUTH MIDLAND COUNTIES.																
6 Middlesex (extra-metro.)	296	164	78	59	134	157	131	55	139	345	160	85	50	71	183	227
7 Hertfordshire	34	145	89	22	84	90	40	26	110	411	377	92	33	35	54	59
8 Buckinghamshire	73	244	21	23	95	93	43	99	166	39	114	79	13	9	55	208
9 Oxfordshire	50	62	20	110	393	114	18	19	24	153	244	90	10	36	90	83
10 Northamptonshire	256	198	63	35	158	171	39	10	53	377	803	143	25	28	59	101
11 Huntingdonshire	28	59	29	98	33	26	17	5	10	146	61	43	29	8	7	10
12 Bedfordshire	69	338	143	25	95	53	26	11	30	153	382	113	32	38	63	32
13 Cambridgeshire	157	532	171	53	86	85	83	25	55	366	245	50	22	43	55	59
IV.—EASTERN COUNTIES.																
14 Essex	262	433	346	162	355	178	101	83	388	775	281	165	105	67	162	322
15 Suffolk	50	111	190	104	376	119	76	41	108	820	353	86	40	206	140	79
16 Norfolk	60	113	284	534	738	281	81	113	202	235	568	320	128	155	360	242
V.—SOUTH WESTERN COUNTIES.																
17 Wiltshire	191	177	74	75	239	222	60	40	116	292	260	251	54	56	53	85
18 Dorsetshire	83	73	70	256	375	179	61	6	42	147	138	112	295	81	64	86
19 Devonshire	376	564	620	527	891	391	73	75	353	778	1,054	321	77	36	60	155
20 Cornwall	198	230	407	291	425	234	153	162	165	995	572	97	13	33	254	161
21 Somersetshire	108	155	218	159	479	393	91	49	126	773	1,013	355	73	29	55	154
VI.—WEST MIDLAND COUNTIES.																
22 Gloucestershire	124	86	136	257	731	553	142	102	111	1,162	453	142	95	68	113	399
23 Herefordshire	66	83	46	73	106	34	19	7	12	39	206	48	8	1	21	148
24 Shropshire	303	141	77	156	196	127	148	135	234	223	147	122	37	44	142	182
25 Staffordshire	917	430	358	641	1,194	1,186	303	194	807	1,147	1,134	907	703	670	943	1,198
26 Worcestershire	382	192	71	105	227	316	138	40	81	353	584	193	111	101	493	697
27 Warwickshire	574	194	371	357	1,185	518	170	96	354	676	966	475	477	782	967	652
VII.—NORTH MIDLAND COUNTIES.																
28 Leicestershire	75	39	62	215	452	204	34	15	33	524	164	66	59	70	54	95
29 Rutlandshire	12	28	2	3	45	30	3	2	8	54	48	22	—	2	8	7
30 Lincolnshire	1,312	598	123	124	651	200	128	139	193	495	662	415	82	60	107	241
31 Nottinghamshire	516	143	71	76	752	414	76	50	68	123	467	389	76	35	257	721
32 Derbyshire	506	136	56	276	622	376	60	31	50	179	381	160	75	63	543	658
VIII.—NORTH WESTERN COUNTIES.																
33 Cheshire	336	260	269	650	568	390	229	192	400	952	393	300	553	475	775	544
34 Lancashire	2,189	3,058	2,651	2,761	6,226	2,337	1,143	1,259	2,793	4,580	4,354	3,634	3,150	3,115	4,445	4,690
IX.—YORKSHIRE.																
35 West Riding	1,511	1,009	1,059	1,405	2,931	2,962	1,192	475	963	2,218	3,135	2,273	870	630	1,676	2,870
36 East Riding (with York)	220	104	97	231	250	89	133	275	204	638	470	131	56	72	307	505
37 North Riding	253	235	100	64	166	74	46	90	241	316	179	33	28	86	219	468
X.—NORTHERN COUNTIES.																
38 Durham	430	635	1,045	458	417	458	533	1,015	361	1,216	403	179	283	1,293	2,678	1,512
39 Northumberland	148	249	543	303	334	164	430	768	356	235	140	61	553	374	1,082	594
40 Cumberland	352	413	152	74	207	213	163	150	116	191	110	94	152	415	359	125
41 Westmorland	95	32	28	14	12	6	10	18	54	34	83	8	2	68	65	20
XI.—MONMOUTHSHIRE AND WALES.																
42 Monmouthshire	346	230	133	33	233	277	161	43	21	248	773	257	55	53	138	251
43 South Wales	561	605	462	349	798	1,014	449	181	127	501	1,990	1,538	277	75	285	804
44 North Wales	318	447	443	499	557	361	237	179	211	274	244	238	537	393	472	480

NOTE.—In the years 1854 to 1858 the above numbers include diphtheria and cynanche maligna. In the years 1859 and 1860 they include cynanche maligna; and in the years 1861 to 1869 the numbers relate only to scarlet fever.

TABLE 5.—Ages of the Persons who Died from Fever (Typhus, Typhina, and Typhina) in England in the Year 1869.

—	ALL AGES.	0—	5—	10—	15—	25—	35—	45—	55—	65—	75—	85—	95 and upwds.
Persons	18,389	3395	2253	1625	3224	2140	1731	1539	1260	892	300	28	2
Males	9,042	1636	1082	735	1532	1099	849	796	676	476	145	15	1
Females	9,347	1759	1171	890	1692	1041	882	743	584	416	155	13	1

TABLE 6.—Deaths in England from Fever, at several groups of Ages, in the Twenty-two Years 1848-69.

AGES.	DEATHS in the 22 Years 1848-69.		AVERAGE ANNUAL DEATHS, 1848-69.		DEATHS in 1869.	
	Males.	Females.	Males.	Females.	Males.	Females.
ALL AGES	196,115	203,467	8,914	9,249	9,042	9,347
Under 5 Years	38,675	39,335	1,757	1,788	1,636	1,759
5—	23,492	26,479	1,068	1,204	1,082	1,171
10—	15,447	19,445	702	884	735	890
15—	33,969	37,036	1,544	1,683	1,532	1,692
25—	21,337	22,222	993	1,010	1,099	1,041
35—	18,194	17,527	827	797	849	882
45—	15,945	14,375	725	653	796	743
55—	13,797	12,668	627	576	676	584
65—	10,433	9,765	474	444	476	416
75 and upwards	4,326	4,615	197	210	161	169

TABLE 7.—Deaths from Fever—Typhus, Typhia, and Typhinia—in England to 10,000 Persons living, and Proportional Number to 1000 Deaths, in each of the Years 1850-69.

YEARS.	Number of Deaths registered.	Deaths to 10,000 Persons living.*	Proportional Number to 1000 Deaths.
1850	15,374	8.66	43
1851	17,930	10.15	46
1852	18,641	10.41	47
1853	18,554	10.25	45
1854	18,893	10.28	44
1855	16,470	8.89	39
1856	16,182	8.60	42
1857	19,016	9.97	46
1858	17,883	9.28	40
1859	15,877	8.14	36
1860	13,012	6.63	31
1861	15,440	7.76	36
1862	18,721	9.31	43
1863	18,017	8.86	38
1864	20,106	9.77	41
1865	23,034	11.09	47
1866	21,104	10.05	43
1867	16,862	7.95	36
1868	19,701	9.17	41
1869	18,389	8.46	37
Mean -	17,960	9.18	41

* The mortality from Fever here given is taken from Table 11, and includes a proportion of the mortality from causes not specified.

TABLE 8.—Deaths by Erysipelas at different Ages in England in each of the Years 1862-69.

SEX.	YEARS.	AGES.																		
		ALL AGES.	Under 1 Year.	1-	2-	3-	4-	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-	95 & upwards.
Persons	1862	1523	458	49	36	13	7	563	29	36	43	30	70	113	143	166	182	128	20	-
	1863	1920	612	62	31	22	18	745	25	31	39	49	112	137	177	216	213	146	30	-
	1864	2104	618	55	30	15	15	733	15	22	38	61	110	171	194	274	271	180	34	1
	1865	1963	579	58	29	8	8	682	31	27	42	42	96	154	190	237	242	183	36	1
	1866	1675	527	64	26	10	10	637	35	22	33	44	73	129	146	187	159	189	21	-
	1867	1450	467	35	18	13	11	544	23	31	25	31	82	115	127	169	167	115	21	-
	1868	1952	647	60	22	13	11	753	28	20	27	45	108	139	192	200	243	169	28	-
1869	1873	589	53	26	15	7	690	31	22	34	33	95	133	177	243	241	144	28	2	
Males	1862	790	233	22	14	9	2	280	14	19	22	16	35	51	90	97	90	70	6	-
	1863	1039	302	32	12	15	10	371	9	18	19	29	58	74	108	131	123	81	18	-
	1864	1129	309	32	14	8	9	372	10	10	19	29	56	94	100	168	160	93	18	-
	1865	1047	279	25	9	6	4	323	18	14	25	18	55	81	111	148	126	114	14	-
	1866	845	235	32	13	3	5	288	20	9	25	22	35	66	86	115	61	108	10	-
	1867	797	252	15	8	6	6	287	17	19	19	13	35	70	81	95	89	61	11	-
	1868	1032	322	27	11	8	4	372	13	9	15	22	52	82	119	122	143	73	10	-
1869	1011	310	22	12	7	2	353	17	11	13	12	41	79	106	150	135	72	22	-	
Females	1862	733	225	27	22	4	5	283	15	17	21	14	35	62	53	69	92	58	14	-
	1863	881	310	30	19	7	8	374	16	13	20	20	54	63	69	85	90	65	12	-
	1864	975	309	23	16	7	6	361	5	12	19	32	54	77	94	106	111	87	16	1
	1865	916	300	33	20	2	4	359	13	13	17	24	41	73	79	89	116	69	22	1
	1866	830	292	32	13	7	5	349	15	13	8	22	38	63	60	72	98	81	11	-
	1867	653	215	20	10	7	5	257	6	12	6	18	47	45	46	74	78	54	10	-
	1868	920	325	33	11	5	7	381	15	11	12	23	56	57	73	78	100	96	18	-
1869	862	279	31	14	8	5	337	14	11	21	21	54	54	71	93	106	72	6	2	

TABLE 9.—Causes of Death registered in England in each of the Ten Years 1860-1869.

Class.	CAUSES OF DEATH.	1860	1861	1862	1863	1864	1865	1866	1867	1868	1869
	ALL CAUSES - - -	422,721	435,114	436,566	473,837	495,531	490,909	500,689	471,075	480,622	494,828
	SPECIFIED CAUSES -	414,030	427,360	429,000	465,874	487,732	482,509	492,111	462,939	473,773	488,117
	(CLASSES.)										
I.	ZYMOTIC DISEASES -	75,849	87,986	91,539	119,731	118,825	113,948	115,972	90,989	117,356	110,301
II.	CONSTITUTIONAL „ -	82,088	84,987	83,024	84,393	87,190	88,504	89,907	89,423	85,340	86,730
III.	LOCAL „ -	171,037	167,454	170,651	174,603	189,039	184,877	192,444	187,571	178,634	199,976
IV.	DEVELOPMENTAL „ -	70,311	71,948	68,842	71,467	75,660	77,806	76,873	78,090	75,475	74,313
V.	VIOLENT DEATHS -	14,775	14,985	14,944	15,680	17,018	17,374	16,915	16,866	16,968	16,497
	(ORDERS.)										
I.	1. MIASMATIC DISEASES -	71,304	83,324	86,881	114,538	113,051	107,650	110,959	84,985	111,106	104,670
	2. ENTHETIC „ -	1,252	1,355	1,449	1,578	1,793	1,914	1,893	1,909	2,101	2,108
	3. DIETIC „ -	2,206	2,095	2,149	2,456	2,810	2,957	2,888	2,760	2,853	2,645
	4. PARASITIC „ -	1,087	1,212	1,060	1,159	1,171	1,427	1,132	1,335	1,296	1,178
II.	1. DIATHETIC „ -	16,404	16,233	16,412	16,651	17,392	17,437	17,482	17,520	17,039	17,511
	2. TUBERCULAR „ -	65,684	68,754	66,612	67,742	69,798	71,067	72,425	71,903	68,301	69,219
III.	1. DISEASES OF NERVOUS SYSTEM -	55,377	55,625	55,692	57,428	59,627	60,264	61,164	60,367	60,174	61,550
	2. „ ORGANS OF CIRCULATION -	18,758	18,076	18,709	19,505	22,419	22,272	22,190	22,784	22,558	24,899
	3. „ RESPIRATORY ORGANS -	68,408	64,310	67,565	67,280	75,376	69,952	77,249	72,183	63,103	80,397
	4. „ DIGESTIVE ORGANS -	19,718	20,327	19,421	20,516	20,969	21,774	21,084	21,006	21,479	21,315
	5. „ URINARY ORGANS -	4,990	5,222	5,328	5,578	6,104	6,274	6,621	6,933	6,872	7,319
	6. „ ORGANS OF GENERATION -	1,118	1,129	1,227	1,219	1,294	1,241	1,241	1,316	1,258	1,283
	7. „ ORGANS OF LOCOMOTION -	1,463	1,624	1,583	1,765	1,860	1,860	1,642	1,747	1,833	1,846
	8. „ INTEGUMENTARY SYSTEM -	1,002	1,141	1,121	1,312	1,390	1,240	1,253	1,285	1,357	1,367
IV.	DEVELOPMENTAL DISEASES OF CHILDREN	12,706	13,116	12,787	13,498	13,921	14,360	14,634	14,066	14,334	14,203
	1. „ ADULTS -	2,233	2,168	2,198	2,508	2,607	2,576	2,596	2,461	2,437	2,224
	3. „ OLD PEOPLE	23,442	27,373	26,780	27,268	29,498	23,709	28,546	28,646	26,050	27,932
	4. DISEASES OF NUTRITION	26,930	29,291	27,077	28,193	29,634	32,161	31,997	32,317	32,654	29,934
V.	1. ACCIDENT OR NEGLIGENCE -	12,991	13,187	13,055	13,772	15,091	15,232	14,886	14,848	14,715	14,200
	2. BATTLE - - -	†	†	†	†	†	†	†	†	†	†
	3. HOMICIDE - - -	377	320	413	399	412	443	480	392	461	387
	4. SUICIDE - - -	1,365	1,347	1,317	1,319	1,340	1,392	1,329	1,316	1,508	1,588
	5. EXECUTION† - - -	10	11	17	21	21	6	12	11	10	8
	VIOLENT DEATHS NOT CLASSED - - -	32	120	137	169	154	301	208	299	274	254
	SUDDEN DEATHS, CAUSE UNASCERTAINED -	2,894	2,697	2,778	3,008	3,321	3,173	3,585	3,506	2,945	3,040
	CAUSES NOT SPECIFIED -	5,767	5,057	4,788	4,955	4,478	5,227	4,993	4,630	3,904	3,671
	ORDER 1.										
I.	1 Small-pox - - -	2,749	1,320	1,628	5,964	7,684	6,411	3,059	2,513	2,052	1,565
	2 Measles - - -	9,557	9,055	9,800	11,349	8,323	8,562	10,940	6,588	11,630	10,369
	3 Scarlet Fever - - -	9,681	9,077	14,834	30,475	29,700	17,700	11,685	12,300	21,912	27,641
	4 Diphtheria - - -	5,212	4,517	4,903	6,507	5,464	4,145	3,000	2,600	3,013	2,606
	5 Quinsy - - -	319	342	323	334	378	319	271	201	208	178
	6 Croup - - -	4,380	4,397	5,667	6,957	6,777	5,921	5,163	4,387	4,491	4,478
	7 Whooping-cough -	8,555	12,309	12,272	11,275	8,570	8,647	15,764	11,873	9,223	10,966
	{ Typhus Fever										
	{ Enteric or Typhoid										
	{ Fever - - -										
	{ Simple Continued	13,012	15,440	18,721	18,017	20,106	23,034	21,104	16,862	19,701	8,659
	{ Fever - - -										5,449

† Order 2, comprising Violent Deaths in Battle is inapplicable to the civil population.
 ‡ The number of persons executed in the several years will not necessarily correspond with that in the same years of the "Criminal Returns," inasmuch as the executions recorded in each year in the latter are derived from the dates of conviction, while the numbers in this Table are classed under the years in which the deaths are registered.
 § The cases of angina membranacea which would now be put to diphtheria were formerly classed under the same head as scarlet fever, but were distinguished in the notes.

TABLE 9.—Causes of Death registered in England in each of the Ten Years 1860-1869—continued.

Class.	CAUSES OF DEATH.	1860	1861	1862	1863	1864	1865	1866	1867	1868	1869
	9 Erysipelas - - -	1,665	1,542	1,523	1,920	2,104	1,963	1,675	1,450	1,952	1,873
	10 Puerperal Fever (Metria) - - -	987	886	940	1,155	1,484	1,333	1,197	1,069	1,196	1,181
	11 Carbuncle - - -	247	193	208	237	266	265	228	235	228	235
	12 Influenza - - -	1,130	746	915	919	804	596	651	607	306	703
	13 Dysentery - - -	1,156	1,416	1,044	1,051	1,000	1,072	1,096	962	1,108	872
	14 Diarrhoea - - -	9,702	18,746	11,112	14,943	16,432	23,531	17,170	19,851	29,821	19,903
	15 Cholera - - -	327	837	511	807	934	1,291	14,378	922	1,498	702
	16 Ague - - -	203	149	150	141	112	117	135	121	94	114
	17 Remittent Fever - - -	314	254	284	198	202	80	123	88	69	85
	18 Rheumatism - - -	1,998	1,982	1,943	2,175	2,559	2,530	2,338	2,256	2,503	2,753
	19 Other Zymotic Diseases - - -	110	116	105	114	152	133	107	105	101	117
	ORDER 2.										
	1 Syphilis - - -	1,067	1,177	1,245	1,386	1,550	1,647	1,662	1,698	1,886	1,859
	2 Stricture of Urethra - - -	178	168	199	183	229	244	191	197	202	228
	3 Hydrophobia - - -	3	4	1	4	12	19	36	10	7	18
	4 Glanders - - -	4	6	4	5	2	4	4	4	6	3
	ORDER 3.										
	1 Privation - - -	68	63	73	54	106	74	74	109	96	52
	2 Want of Breast-milk - - -	1,002	870	1,006	1,158	1,253	1,410	1,410	1,437	1,506	1,408
	3 Purpura and Scurvy - - -	361	405	353	409	392	424	471	471	463	421
	4 Alcoholism { <i>a</i> Del. Trem. - - -	457	415	471	471	592	612	487	369	489	433
	{ <i>b</i> Intemp. - - -	318	242	246	364	467	437	446	374	349	331
	ORDER 4.										
	1 Thrush - - -	920	1,055	904	961	1,006	1,244	966	1,163	1,124	1,030
	2 Worms, &c. - - -	167	157	156	198	165	183	166	172	172	148
II.	ORDER 1.										
	1 Gout - - -	268	247	284	248	309	361	359	377	393	448
	2 Dropsy - - -	7,823	7,801	7,247	7,414	7,386	7,567	7,332	7,095	6,284	6,338
	3 Cancer - - -	6,827	7,276	7,396	7,479	8,117	7,922	8,293	8,545	8,880	9,314
	4 Cancerum Oris (Noma) - - -	122	174	197	180	165	181	172	174	161	114
	5 Mortification - - -	1,364	1,235	1,288	1,330	1,415	1,406	1,326	1,329	1,321	1,302
	ORDER 2.										
	1 Scrofula - - -	2,860	3,457	3,416	3,277	3,111	2,963	2,901	2,938	2,769	2,846
	2 Tabes Mesenterica - - -	4,680	5,692	5,203	5,877	5,941	6,698	6,377	6,882	6,925	6,625
	3 Phthisis - - -	51,024	51,931	50,962	51,072	53,046	53,734	55,714	55,042	51,423	52,270
	4 Hydrocephalus - - -	7,120	7,674	7,031	7,516	7,700	7,672	7,433	7,041	7,184	7,478
III.	ORDER 1.										
	1 Cephalitis - - -	3,518	3,426	3,580	3,869	4,014	4,199	4,146	4,220	4,451	4,649
	2 Apoplexy - - -	9,181	8,795	9,136	9,721	10,322	10,215	10,297	10,406	10,611	11,054
	3 Paralysis - - -	9,752	9,812	9,733	9,762	10,609	10,693	10,504	10,810	10,761	10,950
	4 Insanity - - -	536	529	535	555	662	558	650	640	655	722
	5 Chorea - - -	66	71	52	63	73	88	63	50	66	99
	6 Epilepsy - - -	2,454	2,464	2,443	2,574	2,406	2,468	2,468	2,312	2,359	2,544
	7 Convulsions - - -	25,205	25,423	25,236	26,008	26,382	26,722	27,431	26,258	25,897	26,015
	8 Brain Disease, &c. - - -	4,865	5,105	4,927	4,876	5,159	5,321	5,605	5,671	5,374	5,517
	ORDER 2.										
	1 Pericarditis - - -	575	541	559	597	629	566	543	592	534	676
	2 Aneurism - - -	368	387	373	418	479	499	450	503	556	595
	3 Heart Disease, &c. - - -	17,815	17,148	17,777	18,490	21,311	21,207	21,197	21,689	21,468	23,628
	ORDER 3.										
	1 Laryngitis - - -	1,166	1,253	1,478	1,561	1,610	1,382	1,236	1,285	1,420	1,657
	2 Bronchitis - - -	32,347	30,986	32,526	32,025	38,969	36,428	41,334	40,373	33,258	43,833
	3 Pleurisy - - -	882	781	833	907	941	866	858	865	905	991
	4 Pneumonia - - -	25,264	22,914	23,713	24,181	24,470	22,489	25,155	21,118	19,908	25,246
	5 Asthma - - -	4,325	3,892	4,087	3,699	4,223	3,975	3,682	3,743	3,093	3,704
	6 Lung Disease, &c. - - -	4,424	4,484	4,928	4,907	5,158	4,812	4,934	4,794	4,519	4,916
	ORDER 4.										
	1 Gastritis - - -	704	809	765	838	883	802	765	742	759	748
	2 Enteritis - - -	3,154	3,333	2,911	3,234	3,164	3,289	2,923	2,858	3,038	2,944
	3 Peritonitis - - -	1,551	1,563	1,488	1,637	1,736	1,633	1,504	1,571	1,738	1,668
	4 Ascites - - -	750	728	745	735	749	749	702	724	659	708
	5 Ulceration of Intestines - - -	847	856	870	858	907	851	858	928	981	916
	6 Hernia - - -	817	852	827	848	805	890	874	927	907	951
	7 Ileus - - -	1,170	1,199	1,091	1,166	1,154	1,141	1,172	1,179	1,244	1,265
	8 Intussusception - - -	245	276	280	246	292	258	295	296	298	295
	9 Stricture of Intestines - - -	301	272	257	288	295	265	315	273	281	275
	10 Fistula - - -	115	115	109	89	108	88	108	100	96	96
	11 Stomach Disease, &c. - - -	2,866	2,786	2,730	2,800	2,747	2,881	2,930	2,948	3,032	2,744
	12 Pancreas Disease, &c. - - -	12	18	16	12	10	12	17	18	11	9
	13 Hepatitis - - -	1,329	1,386	1,262	1,402	1,429	1,474	1,401	1,319	1,349	1,314
	14 Jaundice - - -	1,262	1,344	1,292	1,426	1,533	1,566	1,464	1,493	1,526	1,639
	15 Liver Disease, &c. - - -	4,531	4,704	4,630	4,353	5,121	5,809	5,659	5,532	5,475	5,662
	16 Spleen Disease, &c. - - -	64	86	98	84	66	66	92	93	85	91

TABLE 9.—Causes of Death registered in England in each of the Ten Years 1860-1869—continued.

Class.	CAUSES OF DEATH.	1860	1861	1862	1863	1864	1865	1866	1867	1868	1869
	ORDER 5.										
	1 Nephritis - - -	245	306	273	335	390	381	406	442	495	533
	2 Ischuria - - -	96	102	104	143	126	140	121	106	118	125
	3 Bright's Disease (Nephria) - - -	1,390	1,448	1,541	1,700	1,793	1,860	2,039	2,203	2,076	2,496
	4 Diabetes - - -	536	537	574	551	665	669	678	680	671	735
	5 Calculus (Stone) - - -	179	168	196	172	184	189	193	201	213	194
	6 Cystitis - - -	299	343	342	340	333	325	393	381	463	432
	7 Kidney Disease, &c. - - -	2,245	2,318	2,298	2,337	2,563	2,710	2,791	2,920	2,836	2,804
	ORDER 6.										
	1 Ovarian Dropsy - - -	244	235	280	255	259	209	213	247	222	234
	2 Uterus, &c. Disease - - -	874	894	947	964	1,035	1,032	1,023	1,069	1,036	1,049
	ORDER 7.										
	1 Synovitis (Arthritis) - - -	68	79	70	73	89	74	70	75	82	81
	2 Joint Disease, &c. - - -	1,398	1,545	1,518	1,692	1,771	1,786	1,572	1,672	1,751	1,765
	ORDER 8.										
	1 Phlegmon - - -	413	454	409	530	550	453	482	430	565	578
	2 Ulcer - - -	332	401	387	435	463	424	403	443	433	405
	3 Skin Disease, &c. - - -	257	286	325	347	377	363	362	356	356	384
IV.	ORDER 1.										
	1 Premature Birth - - -	7,642	7,610	7,706	8,121	8,330	8,791	8,943	8,990	8,757	8,665
	2 Cyanosis - - -	398	420	459	456	465	483	514	481	547	532
	3 Spina Bifida - - -	350	394	386	402	371	377	413	391	411	460
	4 Other Malformations - - -	420	441	424	403	461	438	471	504	474	462
	5 Teething - - -	3,896	4,251	3,812	4,116	4,285	4,271	4,293	4,300	4,145	4,083
	ORDER 2.										
	1 Paramenia - - -	47	59	61	75	75	86	111	115	130	122
	2 Childbirth (see Metria) - - -	2,186	2,109	2,137	2,433						

TABLE 10.—Causes of Death registered in England in each of the Eighteen Years 1852-1869. To 1,000,000 PERSONS LIVING, the DEATHS from each CLASS of CAUSES, and from each CAUSE.

Class.	CAUSES OF DEATH.	1852	1853	1854	1855	1856	1857	1858	1859	1860	1861	1862	1863	1864	1865	1866	1867	1868	1869
	ALL CAUSES - - -	22363	22882	23520	23659	20504	21745	23032	22323	21239	21626	21467	23053	23855	23387	23606	21983	22200	22626
	SPECIFIED CAUSES - -	22023	22526	23157	22277	20152	21447	22872	22178	21033	21490	21329	22906	23693	23234	23433	21818	22063	22486
	(CLASSES.)																		
I.	ZYMOTIC DISEASES	5366	4940	6267	4759	4310	4901	5757	5469	3863	4424	4551	5887	5770	5489	5522	4288	5465	5095
II.	CONSTITUTIONAL "	4637	4874	4570	4568	4224	4297	4275	4194	4182	4273	4128	4150	4237	4261	4281	4215	3974	3996
III.	LOCAL "	7568	8132	7815	8452	7576	7925	8480	8189	8712	8420	8484	8584	9182	8903	9162	8840	8319	9212
IV.	DEVELOPMENTAL "	3696	3820	3646	3739	3303	3599	3626	3575	3582	3619	3423	3513	3678	3746	3661	3680	3515	3423
V.	VIOLENT DEATHS - -	756	760	759	759	739	725	734	751	754	754	743	772	826	835	807	795	790	760
	(ORDERS.)																		
I.	1. Miasmatic Diseases -	5154	4723	6128	4521	4106	4631	5513	5215	3633	4191	4319	5632	5489	5184	5241	4005	5174	4822
	2. ENTHETIC "	50	48	67	64	56	60	62	65	63	67	72	77	87	94	90	90	98	97
	3. DIETIC "	93	103	107	112	90	99	110	119	112	105	107	121	137	142	137	130	133	122
	4. PARASITIC "	69	66	65	62	58	61	72	70	55	61	53	57	57	69	54	63	60	54
II.	1. DIATHETIC "	942	973	916	924	832	849	871	842	836	816	816	819	845	839	832	826	793	807
	2. TUBERCULAR "	3695	3901	3654	3644	3392	3448	3404	3352	3346	3457	3312	3331	3392	3422	3449	3389	3181	3189
III.	1. DISEASES OF NERVOUS SYSTEM -	2806	2845	2802	2827	2662	2705	2800	2796	2831	2797	2769	2824	2896	2902	2912	2845	2802	2835
	2. " OF ORGANS OF CIRCULATION -	699	760	734	783	726	775	852	879	956	909	930	959	1089	1072	1056	1074	1051	1147
	3. " OF RESPIRATORY ORGANS -	2346	3118	2856	3439	2812	3057	3399	3039	3484	3233	3358	3308	3633	3369	3678	3402	2939	3704
	4. " OF DIGESTIVE ORGANS -	1063	1041	1036	1011	993	1005	998	1018	1004	1022	966	1008	1017	1049	1004	990	1000	982
	5. " OF URINARY ORGANS -	191	201	205	214	219	217	242	243	254	263	265	274	297	302	315	327	320	337
	6. " OF ORGANS OF GENERATION -	49	53	55	56	55	56	59	61	57	57	61	60	63	60	59	62	58	59
	7. " OF ORGANS OF LOCOMOTION -	64	67	81	76	71	68	60	66	75	82	79	87	90	90	78	82	86	85
	8. " OF INTEGUMENTARY SYSTEM -	50	47	46	43	38	42	70	57	51	57	56	64	67	59	60	58	63	63
IV.	1. DEV. DIS. OF CHILDREN	1361	1353	1305	1232	1203	1267	644	631	647	600	636	663	676	691	696	691	668	654
	2. " OF ADULTS -	132	131	116	106	100	105	110	119	114	109	109	124	127	124	123	116	113	102
	3. " OF OLD PEOPLE	1474	1614	1441	1606	1271	1409	1479	1390	1449	1377	1331	1340	1434	1382	1361	1350	1213	1287
	4. DISEASES OF NUTRITION	729	722	784	795	729	818	1393	1435	1372	1473	1347	1388	1441	1549	1481	1523	1521	1380
V.	1. ACCIDENT OR NEGLIGENCE -						649	670	662	663	649	677	734	733	709	700	685	657	
	2. BATTLE* - - -						* * *	* * *	* * *	* * *	* * *	* * *	* * *	* * *	* * *	* * *	* * *	* * *	
	3. HOMICIDE - - -						18	17	19	16	21	20	20	21	23	18	21	18	
	4. SUICIDE - - -						66	64	70	68	65	66	64	67	64	62	70	73	
	5. EXECUTION - - -						5	4	5	6	1	1	1	3	6	5	5	4	
	VIOLENT DEATHS NOT CLASSED - - -						2	6	7	8	7	14	10	14	13	12	
	SUDDEN DEATHS, CAUSE UNASCERTAINED -	201	222	217	223	185	178	160	145	146	136	133	147	162	153	173	165	137	140
	CAUSES NOT SPECIFIED -	139	134	146	159	167	120	120	120	120	120	120	120	120	120	120	120	120	120

* Order 2, comprising Violent Deaths in BATTLE, is omitted as inapplicable to the civil population.
 † For the years 1858-69 the number of deaths in which the cause was not specified has been distributed pro rata over all the causes in the Table.

TABLE 10.—Causes of Death registered in England in each of the Eighteen Years 1852-69. To 1,000,000 PERSONS LIVING, the DEATHS from each CLASS of CAUSES, and from each CAUSE—cont.

Class.	CAUSES OF DEATH.	1852	1853	1854	1855	1856	1857	1858	1859	1860	1861	1862	1863	1864	1865	1866	1867	1868	1869
I.	ORDER 1.																		
	1. Small-pox - - -	409	174	153	136	121	206	335	197	140	66	81	293	373	309	144	118	96	72
	2. Measles - - -	326	270	505	397	379	313	481	490	487	455	487	558	404	412	521	310	541	475
	3. Scarlet Fever - -	1055	867	1008	935	752	746	1572	1021	493	456	738	1498	1443	852	556	580	1020	1275
	4. Diphtheria - - -	22	23	19	20	22	25	32	22	16	17	16	18	15	13	9	10	8	8
	5. Quinsy - - -	227	292	218	239	277	277	323	289	223	221	282	342	329	235	246	207	209	206
	6. Croup - - -	448	619	532	550	490	531	694	460	436	619	610	554	416	435	751	559	430	505
	7. Whooping-cough -																		
	8. { Typhus Fever - - -	1041	1025	1028	889	860	997	928	814	663	776	931	886	977	1109	1005	795	917	197
	{ Enteric or Typhd. Fev. (Simple Contd. Fever)																		393
	9. Erysipelas - - -	116	100	105	122	113	83	105	100	85	78	94	102	95	80	68	91	87	87
	10. Puerperal Fever (Metria)	54	44	52	58	57	44	54	63	50	45	47	57	72	64	57	50	56	54
	11. Carbuncle - - -	13	14	16	14	13	13	13	12	13	10	10	12	13	11	11	11	11	11
	12. Influenza - - -	76	99	58	193	55	73	93	57	58	38	45	45	39	29	31	29	14	32
	13. Dysentery - - -	154	104	106	78	71	89	77	71	59	71	52	49	52	49	52	45	45	40
	14. Diarrhoea - - -	984	784	1091	689	734	1111	719	940	494	944	552	735	798	1133	818	937	1383	918
	15. Cholera - - -	77	244	1094	45	40	60	35	45	17	42	25	40	45	62	685	43	70	32
	16. Ague - - -	8	10	10	8	7	10	11	12	10	7	7	7	5	6	6	6	4	4
	17. Remittent Fever -	37	39	35	31	9	14	30	21	16	13	14	10	10	4	6	4	3	4
	18. Rheumatism - - -	107	105	98	117	106	89	101	109	102	100	97	107	124	122	111	106	117	127
	19. Other Zymotic Diseases	6	6	5	6	7	6	5	5	5	5
	ORDER 2.																		
	1. Syphilis - - -	35	34	52	51	47	50	52	56	54	59	62	68	75	79	79	80	88	85
	2. Stricture of Urethra -	14	13	14	12	9	10	10	9	9	8	10	9	11	12	9	9	9	11
	3. Hydrophobia - - -	8	6	9	1	3	2	1	2	2	2	2	2	2	2	2	2	3	3
	4. Glanders - - -
	ORDER 3.																		
	1. Privation - - -	3	4	5	5	4	3	3	3	3	3	4	3	5	4	4	5	4	2
	2. Want of Breast Milk -	33	35	40	46	37	43	52	52	52	49	50	57	61	68	67	68	71	66
	3. Purpura and Scurvy -	13	15	15	17	12	13	18	18	18	20	18	20	19	20	22	22	22	19
	4. Alco- } a Del. Tremens	27	28	30	29	24	25	22	28	23	21	23	23	29	29	23	17	20	20
	holism } b Intemperance	17	21	17	15	13	15	15	18	16	12	12	18	23	21	21	18	16	15
	ORDER 4.																		
	1. Thrush - - -	69	66	65	62	58	61	64	62	46	53	45	47	49	60	46	55	52	47
	2. Worms, &c. - - -	8	8	9	8	8	10	8	9	8	8	8	7
II.	ORDER 1.																		
	1. Gout - - -	12	12	13	15	14	12	13	12	14	12	14	12	15	17	17	18	18	21
	2. Dropsy - - -	517	569	511	505	436	443	454	416	399	367	360	365	359	364	349	334	293	292
	3. Cancer - - -	306	313	317	325	311	325	334	342	348	366	368	368	394	381	395			

TABLE 10.—Causes of Death registered in England in each of the Eighteen Years 1852-69. To 1,000,000 PERSONS LIVING, the DEATHS from each CLASS of CAUSES, and from each CAUSE—cont.

Class.	CAUSES OF DEATH.	1852	1853	1854	1855	1856	1857	1858	1859	1860	1861	1862	1863	1864	1865	1866	1867	1868	1869
	9. Stricture of Intestines - - -	16	13	14	13	13	15	14	15	15	14	13	14	14	13	15	13	13	13
	10. Fistula - - - - -	5	6	6	5	4	6	6	6	6	5	4	5	4	5	5	4	4	4
	11. Stomach Disease, &c. - - -	121	110	110	127	125	128	143	188	146	140	136	133	139	140	139	141	126	126
	12. Pancreas Disease, &c. - - -	3	5	7	3	6	1	1	1	6	9	1	1	5	1	8	5	4	4
	13. Hepatitis - - - - -	89	84	82	78	76	76	70	76	68	70	63	69	69	71	67	62	63	61
	14. Jaundice - - - - -	72	68	69	70	76	76	62	64	64	68	64	70	74	75	70	70	71	76
	15. Liver Disease, &c. - - -	220	229	217	206	192	203	222	224	231	236	233	239	249	280	269	261	255	260
	16. Spleen Disease, &c. - - -	4	4	4	3	3	4	3	3	3	4	5	4	3	3	4	4	4	4
	ORDER 5.																		
	1. Nephritis - - - - -	11	13	11	13	14	14	14	15	12	15	14	16	19	18	19	21	23	25
	2. Ischuria - - - - -	6	6	6	6	4	5	6	5	5	5	7	6	7	6	5	5	6	6
	3. Bright's Dis. (Nephria)	32	35	42	43	51	52	57	65	71	73	77	84	87	90	97	104	97	115
	4. Diabetes - - - - -	21	23	24	24	23	25	27	25	27	27	29	27	32	32	32	32	31	34
	5. Calculus (Stone) - - -	12	12	10	13	12	10	10	10	9	8	10	8	9	9	9	9	10	9
	6. Cystitis - - - - -	13	13	15	15	14	14	13	14	15	17	17	19	16	19	18	22	20	20
	7. Kidney Disease, &c. - - -	96	99	97	100	101	97	115	109	115	118	113	115	125	130	133	138	132	128
	ORDER 6.																		
	1. Ovarian Dropsy - - -	10	12	12	11	11	12	12	14	12	12	14	13	13	10	10	12	10	11
	2. Uterus Disease, &c. - - -	39	41	43	45	44	44	47	47	45	45	47	47	50	50	49	50	48	48
	ORDER 7.																		
	1. Synovitis (Arthritis) - -	5	4	5	4	4	3	4	4	3	4	3	4	4	4	3	4	4	4
	2. Joint Disease, &c. - - -	59	63	76	72	67	65	56	62	72	78	76	83	86	86	75	78	82	81
	ORDER 8.																		
	1. Phlegmon - - - - -	20	17	13	14	7	9	37	24	21	23	21	26	27	22	23	20	26	26
	2. Ulcer - - - - -	17	19	19	15	15	16	17	19	17	20	19	21	22	20	19	21	20	19
	3. Skin Disease, &c. - - -	13	11	14	14	16	17	16	14	13	14	16	17	18	17	18	17	17	18
IV.	ORDER 1.																		
	1. Premature Birth† - - -	1066†	1048†	1016†	964†	956†	1004†	379	382	390	383	383	399	405	423	426	423	409	399
	2. Cyanosis - - - - -	16	16	16	16	18	18	20	21	20	21	23	22	23	23	24	23	25	25
	3. Spina Bifida - - - - -	14	15	13	13	16	17	16	18	18	20	19	20	18	18	20	18	19	21
	4. Other Malformations - -	19	16	22	20	19	19	20	19	21	22	21	20	22	21	22	24	22	21
	5. Teething - - - - -	245	258	258	219	194	209	209	191	198	214	190	202	208	206	204	203	193	188
	ORDER 2.																		
	1. Paramenia - - - - -	5	6	4	3	3	3	3	2	3	3	4	4	4	5	5	6	6	6
	2. Childbirth (see Metria) -	127	125	112	103	97	102	107	116	112	106	120	123	120	118	111	107	96	96
	ORDER 3.																		
	1. Old Age - - - - -	1474	1614	1441	1606	1271	1409	1479	1390	1449	1377	1331	1340	1434	1332	1361	1350	1213	1287
	ORDER 4.																		
	1. Atrophy and Debility† -	729†	722†	784†	795†	720†	818†	1393	1435	1372	1473	1347	1386	1441	1549	1481	1523	1521	1380
V.	ORDER 1.																		
	(ACCIDENT OR NEGLIGENCE.)																		
	1. Fractures and Contusions	*	*	*	*	*	*	207	282	277	281	267	258	316	330	317	310	303	291
	2. Gunshot Wounds - - -	*	*	*	*	*	*	7	5	5	6	6	5	6	5	6	6	5	5
	3. Cut, Stab - - - - -	*	*	*	*	*	*	4	4	4	2	3	4	6	4	5	5	6	
	4. Burns and Scalds - - -	*	*	*	*	*	*	162	153	161	154	138	136	145	131	121	123	110	117
	5. Poison - - - - -	*	*	*	*	*	*	15	14	12	13	13	14	13	13	13	13	12	12
	6. Drowning - - - - -	*	*	*	*	*	*	110	128	115	118	122	122	132	136	133	126	136	124
	7. Suffocation - - - - -	*	*	*	*	*	*	47	49	54	51	61	56	61	63	60	64	56	61
	8. Otherwise - - - - -	*	*	*	*	*	*	37	35	34	38	39	52	55	51	54	53	48	41
	ORDER 3.																		
	(HOMICIDE.)																		
	1. Murder and Manslaughter							18	17	19	16	21	20	20	21	23	18	21	18
	ORDER 4.																		
	(SUICIDE.)																		
	1. Gunshot Wounds - - -	*	*	*	*	*	*	3	3	3	3	3	3	3	3	3	3	5	3
	2. Cut, Stab - - - - -	*	*	*	*	*	*	13	14	14	13	11	13	12	12	13	13	16	16
	3. Poison - - - - -	*	*	*	*	*	*	6	6	8	6	6	7	7	6	6	6	7	7
	4. Drowning - - - - -	*	*	*	*	*	*	10	11	11	11	10	12	10	11	10	11	13	13
	5. Hanging - - - - -	*	*	*	*	*	*	30	27	30	30	30	28	27	28	25	22	26	28
	6. Otherwise - - - - -	*	*	*	*	*	*	4	3	4	5	5	4	5	7	7	6	6	
	ORDER 5.																		
	(EXECUTION.)																		
	1. Hanging - - - - -	*	*	*	*	*	*	5	4	5	6	1	1	1	3	6	5	5	4
	Violent Deaths (not classed)	756	760	759	759	739	725	2	6	7	8	7	14	10	14	13	12
	Sudden Deaths (cause unascertained)	201	222	217	223	185	178	160	145	146	136	138	147	162	153	173	165	137	140
	Causes not specified or ill-defined	139	134	146	159	167	120	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡

† In the years 1852-57 cases of so-called "debility" and "premature birth" were classed together; when the new classification was introduced "premature birth" was kept apart, and "debility" and "atrophy" were thrown into one line.
‡ For the years 1858-69 the number of deaths in which the cause was not specified has been distributed pro rata over all the causes in the Table.

TABLE 11.—Causes of Death in England in 1869. Proportional Numbers dying from each Class of Causes, and from each Cause.

Class.	CAUSES OF DEATH.	1869		Class.	CAUSES OF DEATH.	1869		Class.	CAUSES OF DEATH.	1869	
		Deaths to 1,000,000 Persons living.	Proportional Number in 1,000,000 Deaths.			Deaths to 1,000,000 Persons living.	Proportional Number in 1,000,000 Deaths.			Deaths to 1,000,000 Persons living.	Proportional Number in 1,000,000 Deaths.
	ALL CAUSES - - - - -	22,226	1,000,000		ALL CAUSES - - - - -	22,226	1,000,000		ALL CAUSES - - - - -	22,226	1,000,000
	(CLASSES.)										
I.	ZYMOTIC DISEASES	5,095	225,185		12 Influenza - - - - -	32	1,431		ORDER 5.		
II.	CONSTITUTIONAL	3,996	176,583		13 Dysentery - - - - -	40	1,775		1 Nephritis - - - - -	25	1,085
III.	LOCAL	9,212	407,153		14 Diarrhoea - - - - -	918	40,525		2 Ischuria - - - - -	6	255
IV.	DEVELOPMENTAL	3,423	151,892		15 Cholera - - - - -	32	1,429		3 Bright's Dis. (Nephria)	115	5,082
V.	VIOLENT DEATHS -	760	33,588		16 Ague - - - - -	5	232		4 Diabetes - - - - -	34	1,496
	SUDDEN DEATHS, CAUSE UNASCERTAINED -	140	6,189		17 Remittent Fever - - -	4	173		5 Calculus (Stone) - - -	9	395
	(ORDERS.)				18 Rheumatism - - - - -	127	5,605		6 Cystitis - - - - -	20	880
I.	1. MIASMATIC DISEASES	4,822	213,110		19 Other Zymotic Dis. - -	5	238		7 Kidney Disease, &c. - -	128	5,709
	2. ENTHETIC	97	4,292		ORDER 2.				ORDER 6.		
	3. DIETIC	122	5,385		1 Syphilis - - - - -	85	3,785		1 Ovarian Dropsy - - -	11	476
	4. PARASITIC	54	2,398		2 Stricture of Urethra -	11	464		2 Uterus, &c. Disease - -	48	2,136
II.	1. DIATHETIC	807	35,653		3 Hydrophobia - - - - -	8	37		ORDER 7.		
	2. TUBERCULAR	3,189	140,930		4 Glanders - - - - -	1	6		1 Synovitis (Arthritis)	4	165
III.	DISEASES OF--				ORDER 3.				2 Joint Disease, &c. - - -	81	3,593
	1. NERVOUS SYSTEM -	2,835	125,316		1 Privation - - - - -	2	106		ORDER 8.		
	2. ORGANS OF CIRCULATION -	1,147	50,695		2 Want of Breast-milk	66	2,866		1 Phlegmon - - - - -	26	1,176
	3. RESPIRATORY ORGANS -	3,704	163,689		3 Purpura and Scurvy	19	857		2 Ulcer - - - - -	19	825
	4. DIGESTIVE ORGANS	982	43,398		4 Alcohol. { a Del.Trem. -	20	882		3 Skin Disease, &c. - - -	18	782
	5. URINARY ORGANS -	337	14,902		1 Thr						

TABLE 12.—Mean Annual Rate of Mortality in England from each CLASS of CAUSES and from each CAUSE during Three Periods of Five Years; and Rate of Mortality in the Year 1869.

CLASSES.	CAUSES OF DEATH.	ANNUAL DEATHS to 1,000,000 LIVING.					CLASSES.	CAUSES OF DEATH.	ANNUAL DEATHS to 1,000,000 LIVING.						
		15 Years 1850-54.	5 Years 1850-54.	5 Years 1855-59.	5 Years 1860-64.	Year 1869.			15 Years 1850-54.	5 Years 1850-54.	5 Years 1855-59.	5 Years 1860-64.	Year 1869.		
	ALL CAUSES - -	22200.2*	22200.3	22052.6	22248.7	22,626									
	SPECIFIED CAUSES-	21921.5*	21877.3	21784.8	22102.5	22,486									
	(CLASSES.)														
I.	ZYMOTIC DISEASES	5064.0	5234.1	5039.5	4809.3	5095	I.	ORDER 1.							
II.	CONSTITUTIONAL "	4368.0	4598.6	4311.6	4194.0	3906		1 Small-pox - - -	222.9	279.0	199.0	190.6	72		
III.	LOCAL "	8148.8	7644.6	8124.4	8676.6	9212		2 Measles - - -	432.1	406.0	412.0	478.2	475		
IV.	DEVELOPMENTAL "	3595.1	3653.8	3568.4	3563.0	3423		3 Scarlet Fever - -	1061.4	890.8	1103.6	925.6	1275		
V.	VIOLENT DEATHS -	752.5	746.2	741.6	769.6	760		4 Diphtheria - - -				264.2	120		
	SUDDEN DEATHS, CAUSE UNASCERTAINED -	177.2	207.2	178.2	146.2	140		5 Quinsy - - -	21.1	22.4	24.2	16.6	8		
	CAUSES NOT SPECIFIED		214.8	149.0†				6 Croup - - -	261.9	225.2	281.0	279.4	206		
	(ORDERS.)							7 Whooping-cough -	516.9	496.6	527.0	527.0	505		
I.	1. MIASMATIC DISEASES	4830.7	5019.2	4807.2	4652.8	4822		8 Typhus Fever - - -					197		
	2. ENTNETIC "	62.3	51.5	61.7	73.5	97		Enteric or Typhoid Fever -	913.1	995.0	897.6	843.6	398		
	3. DIETIC "	106.7	97.6	103.0	116.4	122		Simple Continued Fever -					251		
	4. PARASITIC "	64.3	65.8	64.6	56.6	54		9 Erysipelas - - -	101.1	111.6	104.6	87.0	87		
II.	1. DIATHETIC "	877.8	943.6	863.6	823.4	807		10 Puerp.Fev. (Metria)	54.5	54.0	55.2	54.2	54		
	2. TUBERCULAR "	3490.2	3655.0	3443.0	3367.6	3189		11 Carbuncle - - -	12.2	12.0	13.0	11.6	11		
III.	DISEASES OF-							12 Influenza - - -	75.3	86.6	94.2	45.0	32		
	1. NERVOUS SYSTEM -	2786.3	2777.0	2758.0	2823.4	2835		13 Dysentery - - -	84.8	120.6	77.2	56.6	40		
	2. ORGANS OF CIRCULATION -	824.1	700.0	803.6	968.6	1147		14 Diarrhoea - - -	803.5	867.4	838.6	704.6	918		
	3. RESPIRATORY ORGANS -	3111.1	2769.0	3155.2	3409.2	3704		15 Cholera - - -	128.2	305.8	45.0	33.8	32		
	4. DIGESTIVE ORGANS	1015.8	1039.0	1005.0	1003.6	982		16 Ague - - -	8.7	9.2	9.6	7.2	5		
	5. URINARY ORGANS -	229.4	190.6	227.0	270.6	337		17 Remittent Fever -	22.9	35.2	21.0	12.6	4		
	6. ORGANS OF GENERATION -	56.5	52.4	57.0	59.6	59		18 Rheumatism - - -	104.1	101.8	104.4	106.0	127		
	7. ORGANS OF LOCOMOTION -	72.4	63.2	68.2	82.6	85		19 Other Zymotic Dis.				6.0	5		
	8. INTEGUMENTARY SYSTEM -	53.2	50.4	50.0	50.0	63		ORDER 2.							
IV.	1. DEV. DISEASES OF CHILDREN -	995.6	1335.0	995.4	656.4	654		1 Syphilis - - -	50.7	37.2	51.2	63.6	85		
	2. " ADULTS -	117.6	128.0	108.0	116.6	102		2 Stricture of Urethra	10.9	13.4	10.0	9.4	11		
	3. " OLD PEOPLE	1437.0	1493.8	1431.0	1386.2	1287		3 Hydrophobia - - -	.5	.9	.4	.3	.8		
	4. DIS. OF NUTRITION -	1044.9	697.0	1034.0	1403.8	1380		4 Glanders - - -			8.13	.2	.1		
V.	1. ACCIDENT OR NEGLIGENCE -	691.8	696.2	694.8	677.0	657		ORDER 3.							
	2. BATTLE -	‡	‡	‡	‡	‡		1 Privation - - -	3.7	3.8	3.6	3.6	2		
	3. HOMICIDE -			17.5	19.2	18		2 Want of Breast-milk	44.3	33.0	46.0	53.8	66		
	4. SUICIDE -			65.0	66.6	73		3 Purpura and Scurvy	16.3	14.4	15.6	19.0	19		
	5. EXECUTION -			.5	.8	.4		4 Alcohol { a Del.Trem	26.0	28.6	25.6	23.8	20		
	OTHER VIOLENT DEATHS NOT CLASSED -	26.8	50.0	22.7	6.0	12		b Intem.	16.4	17.8	15.2	16.2	15		
								ORDER 4.							
								1 Thrush - - -	58.4	65.8	61.4	48.0	47		
								2 Worms, &c. - - -			3.2	8.6	7		
								II.							
								ORDER 1.							
								1 Gout - - -	13.0	12.4	13.2	13.4	21		
								2 Dropsy - - -	456.7	549.4	450.8	370.0	292		
								3 Cancer - - -	332.8	302.2	327.4	368.8	429		
								4 Cancerum Oris (Noma) - - -	7.8	6.0	9.0	8.4	5		
								5 Mortification -	67.5	73.6	63.2	65.8	60		
								ORDER 2.							
								1 Scrofula - - -	152.9	144.8	153.4	160.4	131		
								2 Tabes Mesenterica	266.1	264.8	261.4	272.2	305		
								3 Phthisis - - -	2675.1	2811.2	2647.6	2566.4	2400		
								4 Hydrocephalus -	396.1	434.2	385.6	368.6	344		

* The Mean Annual Mortality in the 15 years from All Causes and from Specified Causes is the mean of the three quinquennial periods, and does not correspond exactly with the totals of the Orders and Classes; because under certain heads, for example, Homicide, Suicide, and Causes not specified, &c., the complete details cannot be given for the entire period.
 † Mean of 3 years.
 ‡ Order 2, comprising Violent Deaths in Battle, is omitted, as inapplicable to the civil population.
 § Mean of 2 years.

NOTE.—In a certain number of cases in each year the cause of death was not stated. In calculating the proportional numbers, since 1855, they have been distributed pro rata over all the causes in the Table.

TABLE 12.—Mean Annual Rate of Mortality in England from each CLASS of CAUSES and from each CAUSE during Three Periods of Five Years; and Rate of Mortality in the Year 1869—continued.

CLASSES.	CAUSES OF DEATH.	ANNUAL DEATHS to 1,000,000 LIVING.					CLASSES.	CAUSES OF DEATH.	ANNUAL DEATHS to 1,000,000 LIVING.					
		15 Years 1850-54.	5 Years 1850-54.	5 Years 1855-59.	5 Years 1860-64.	Year 1869.			15 Years 1850-54.	5 Years 1850-54.	5 Years 1855-59.	5 Years 1860-64.	Year 1869.	
III.	ORDER 1.						ORDER 8.							
	1 Cephalitis - - -	187.5	199.0	180.6	182.8	214	1 Phlegmon - - -	20.7	20.2	18.2	23.6	26		
	2 Apoplexy - - -	456.7	454.2	447.4	468.6	509	2 Ulcer - - -	18.2	18.4	16.4	19.8	19		
	3 Paralysis - - -	466.5	440.2	465.4	493.8	504	3 Skin Disease, &c. -	14.3	11.8	15.4	15.6	18		
	4 Insanity - - -	27.0	29.2	23.8	28.0	33								
	5 Chorea - - -	3.3	3.6	3.0	3.2	5	IV.	ORDER 1.						
	6 Epilepsy - - -	114.7	105.8	115.4	122.8	117	1 Premature Birth - -	724.2	1043.6	737.0	392.0	399		
	7 Convulsions - - -	1313.3	1352.6	1311.2	1276.0	1199	2 Cyanosis - - -	18.1	14.0	18.6	21.8	25		
	8 Brain Disease, &c. -	217.3	192.4	211.2	243.2	254	3 Spina Bifida - - -	16.1	13.2	16.0	19.0	21		
							4 Other Malformations -	20.2	20.0	19.4	21.2	21		
							5 Teething - - -	217.0	244.2	204.4	202.4	188		
	ORDER 2.						ORDER 2.							
	1 Pericarditis - - -	30.6	32.6	30.4	28.8	31	1 Paramenia - - -	3.9	5.4	3.0	3.2	6		
	2 Aneurism - - -	18.1	16.2	17.8	20.2	27	2 Childbirth (see Metria)	113.7	122.6	105.0	113.4	96		
	3 Heart Disease, &c. -	775.4	651.2	755.4	919.6	1089								
	ORDER 3.						ORDER 3.							
	1 Laryngitis - - -	66.0	59.0	69.0	70.0	76	1 Old Age - - -	1437.0	1493.8	1431.0	1386.2	1287		
	2 Bronchitis - - -	1344.4	1016.4	1358.6	1658.2	2022								
	3 Pleurisy - - -	47.9	51.4	49.2	43.2	46	ORDER 4.							
	4 Pneumonia - - -	1244.1	1239.0	1294.2	1199.2	1163	1 Atrophy and Debility	1044.9	697.0	1034.0	1403.8	1350		
	5 Asthma - - -	232.5	253.2	233.0	201.2	171								
	6 Lung Disease, &c. -	176.2	145.0	146.2	237.4	226	V.	ORDER 1.						
							(ACCIDENT OR NEGLIGENCE.)							
	ORDER 4.						1 Fractures and Contusions - - -					285.8	291	
	1 Gastritis - - -	39.9	37.2	42.6	39.8	34	2 Gunshot Wounds - -					5.6	5	
	2 Enteritis - - -	180.3	209.0	174.6	157.2	136	3 Cut, Stab - - -					3.8	6	
	3 Peritonitis - - -	75.5	72.4	75.0	79.2	77	4 Burns and Scalds -					146.8	117	
	4 Ascites - - -	38.5	39.6	39.4	36.6	33	5 Poison - - -					13.0	12	
	5 Ulceration of Intestines	46.5	50.8	45.8	43.0	42	6 Drowning - - -					121.8	124	
	6 Hernia - - -	42.1	41.2	43.8	41.4	44	7 Suffocation - - -					56.6	61	
	7 Ileus - - -	60.5	63.8	60.2	57.4	58	8 Otherwise - - -					43.6	41	
	8 Intussusception - -	13.4	13.6	13.4	13.2	14								
	9 Stricture of Intestines	14.1	14.2	14.0	14.0	13	ORDER 3.							
	10 Fistula - - -	5.3	5.8	5.0	5.2	4	(HOMICIDE.)							
	11 Stomach Disease, &c. -	129.8	118											

TABLE 13.—Causes of Death in England in the Year 1869, arranged in the order of their fatality.

CAUSES OF DEATH.	Number of Deaths registered in the Year 1869.	Proportional Number from each Cause to 1,000,000 Deaths from All Causes.	CAUSES OF DEATH.	Number of Deaths registered in the Year 1869.	Proportional Number from each Cause to 1,000,000 Deaths from All Causes.
Phthisis - - - - -	52,270	106,422	Gastritis - - - - -	748	1,523
Bronchitis - - - - -	43,883	89,346	Diabetes - - - - -	735	1,496
Atrophy and Debility - - -	29,954	60,987	Insanity - - - - -	722	1,470
Old Age - - - - -	27,932	56,870	Ascites - - - - -	708	1,441
Scarlet Fever - - - - -	27,641	56,279	Influenza - - - - -	703	1,431
Convulsions - - - - -	26,015	52,966	Cholera - - - - -	702	1,429
Pneumonia - - - - -	25,246	51,401	Pericarditis - - - - -	676	1,376
Heart Disease - - - - -	23,628	48,108	Hanging (Suicide) - - -	613	1,247
Diarrhoea - - - - -	19,903	40,525	Aneurism - - - - -	595	1,211
Apoplexy - - - - -	11,054	22,506	Phlegmon - - - - -	578	1,176
Whooping-cough - - - - -	10,966	22,327			
Paralysis - - - - -	10,950	22,294	Nephritis - - - - -	533	1,085
Measles - - - - -	10,309	20,989	Cyanosis - - - - -	532	1,083
Cancer - - - - -	9,314	18,964	Other Malformations - - -	462	941
Premature Birth - - - - -	8,666	17,643	Spina Bifida - - - - -	460	937
Enteric or Typhoid Fever - -	8,659	17,630	Gout - - - - -	443	912
Hydrocephalus - - - - -	7,478	15,225	Delirium Tremens - - - -	433	882
Tabes Mesenterica - - - - -	6,625	13,489	Cystitis - - - - -	432	880
Dropsy - - - - -	6,333	12,894	Purpura and Scurvy - - -	421	857
Fractures and Contusions - -	6,303	12,833	Uleer - - - - -	405	825
Liver Disease, &c. - - - - -	5,662	11,530	Murder and Manslaughter -	387	788
Brain Disease, &c. - - - - -	5,517	11,233	Skin Disease - - - - -	384	782
Simple Continued Fever - - -	5,449	11,094	Cut, Stab (Suicide) - - -	337	686
Lung Disease, &c. - - - - -	4,916	10,009	Intemperance - - - - -	331	674
Cephalitis - - - - -	4,649	9,465	Intussusception - - - - -	295	601
Croup - - - - -	4,478	9,117	Drowning (Suicide) - - -	292	595
Typhus Fever - - - - -	4,281	8,716	Stricture of Intestines - -	275	560
Teething - - - - -	4,083	8,313	Poison (Accident) - - - -	255	519
Asthma - - - - -	3,704	7,541	Other Violent Deaths (not } classified) - - - - - }	254	517
Sudden Deaths (Cause unas- } certained) - - - - - }	3,040	6,189	Carbuncle - - - - -	235	478
Enteritis - - - - -	2,944	5,994	Ovarian Dropsy - - - - -	234	476
Scrofula - - - - -	2,846	5,794	Stricture of Urethra - - -	228	464
Kidney Disease, &c. - - - - -	2,804	5,709	(Calculus) Stone - - - - -	194	395
Rheumatism - - - - -	2,753	5,605	Quinsy - - - - -	178	362
Stomach Disease, &c. - - - -	2,744	5,587	Worms, &c. - - - - -	148	301
Drowning (Accident) - - - -	2,696	5,489	Poison (Suicide) - - - - -	142	289
Diphtheria - - - - -	2,606	5,306	Otherwise (Suicide) - - -	132	269
Burns and Scalds (Accident) -	2,545	5,182	Ischuria - - - - -	125	255
Epilepsy - - - - -	2,544	5,180	Cut, Stab (Accident) - - -	125	255
Bright's Disease (Nephria) -	2,496	5,082	Paramenia - - - - -	122	248
Childbirth - - - - -	2,102	4,280	Other Zymotic Diseases - -	117	238
Erysipelas - - - - -	1,873	3,813	Ague - - - - -	114	232
Syphilis - - - - -	1,859	3,785			
Joint Disease, &c. - - - - -	1,765	3,593	Cancerum Oris (Noma) - - -	114	232
Peritonitis - - - - -	1,668	3,396	Gunshot Wounds (Accident)	105	214
Laryngitis - - - - -	1,657	3,374	Chorea - - - - -	99	202
Jaundice - - - - -	1,639	3,337	Fistula - - - - -	96	195
Small-pox - - - - -	1,565	3,186	Spleen Disease, &c. - - -	91	185
Want of Breast Milk - - - -	1,408	2,866	Remittent Fever - - - - -	85	173
Suffocation (Accident) - - -	1,335	2,718	Synovitis (Arthritis) - - -	81	165
Hepatitis - - - - -	1,314	2,675	Gunshot wounds (Suicide) -	72	147
Mortification - - - - -	1,302	2,651	Privation - - - - -	52	106
Ileus - - - - -	1,255	2,555	Hydrophobia - - - - -	18	37
Puerperal Fever (Metria) - -	1,181	2,405			
Uterus Disease - - - - -	1,049	2,136	Pancreas Disease, &c. - - -	9	18
Thrush - - - - -	1,030	2,097	Hanging (Executions) - - -	8	16
Pleurisy - - - - -	991	2,018	Glanders - - - - -	3	6
Hernia - - - - -	951	1,936			
Ulceration of Intestines - - -	916	1,865			
Otherwise (Accident) - - - -	896	1,824			
Dysentery - - - - -	872	1,775			

Note.—The causes of 3,671 deaths were not specified. In calculating the proportional numbers they have been distributed pro ratâ over all the causes in the Table.

TABLE 14.—Deaths in England in 1869 of Women after Childbearing classed under the Diseases in Column 1., and neither referred to Childbirth nor to Metria in the Abstracts.

CAUSES OF DEATH.	ALL AGES.	A G E S.				
		15—	20—	25—	35—	45 and upwards.
Col. 1	2	3	4	5	6	7
TOTAL - - - - -	786	32	130	361	259	4
CLASS I.						
Small-pox - - - - -	19	1	1	13	4	-
Measles - - - - -	3	-	1	1	1	-
Scarlet Fever - - - - -	78	3	21	43	11	-
Diphtheria - - - - -	1	-	1	-	-	-
Quinsy - - - - -	2	-	-	2	-	-
Typhus Fever - - - - -	11	1	3	3	4	-
Enteric or Typhoid - - - - -	38	2	10	17	9	-
Simple Continued - - - - -	15	2	3	7	2	1
Erysipelas - - - - -	5	-	-	3	2	-
Influenza - - - - -	3	-	-	3	-	-
Dysentery - - - - -	3	1	-	2	-	-
Diarrhoea - - - - -	49	4	11	25	9	-
Cholera - - - - -	1	-	-	1	-	-
Ague - - - - -	1	-	-	-	1	-
Intermittent Fever - - - - -	2	-	-	2	-	-
Rheumatism - - - - -	18	1	2	8	7	-
Syphilis - - - - -	3	1	-	2	-	-
Privation - - - - -	1	-	-	-	1	-
Purpura and Scurvy - - - - -	2	-	-	-	2	-
CLASS II.						
Dropsy - - - - -	12	-	2	5	5	-
Cancer - - - - -	3	-	-	3	-	-
Scrofula - - - - -	2	-	-	2	-	-
Phthisis - - - - -	131	3	21	68	39	-
CLASS III.						
Cephalitis - - - - -	15	1	2	8	4	-
Apoplexy - - - - -	13	1	-	5	6	1
Paralysis - - - - -	3	-	1	1	1	-
Epilepsy - - - - -	16	4	5	4	2	1
Brain Disease - - - - -	9	1	2	1	5	-
Pericarditis - - - - -	1	-	-	1	-	-
Heart Disease - - - - -	77	-	8	22	47	-
Laryngitis - - - - -	3	-	1	-	2	-
Bronchitis - - - - -	45	1	6	13	24	1
Pleurisy - - - - -	8	1	-	2	5	-
Pneumonia - - - - -	96	1	16	53	26	-
Asthma - - - - -	6	-	1	2	3	-
Lung Disease - - - - -	13	1	3	3	6	-
Gastritis - - - - -	4	-	-	4	-	-
Enteritis - - - - -	6	-	-	4	2	-
Ulceration of Intestines - - -	4	-	1	1	2	-
Ileus - - - - -	3	-	-	-	3	-
Stomach Disease - - - - -	4	-	-	1	3	-
Hepatitis - - - - -	5	-	1	1	3	-
Jaundice - - - - -	4	-	-	1	3	-
Liver Disease - - - - -	7	-	1	3	3	-
Bright's Disease (Nephria) -	24	1	5	12	6	-
Diabetes - - - - -	1	-	-	-	1	-
Kidney Disease - - - - -	10	1	1	3	5	-
Joint Disease - - - - -	2	-	-	2	-	-
Phlegmon - - - - -	4	-	-	4	-	-

TABLE 15.—Deaths in England in 1869 of Women who were returned as pregnant, classed under the Diseases in Column 1.

CAUSES OF DEATH.	ALL AGES.	A G E S.				
		15—	20—	25—	35—	45 and upwds.
Col. 1.	2	3	4	5	6	7
TOTAL - - - -	25	2	3	8	11	1
CLASS I.						
Typhus Fever - - - -	1	-	-	1	-	-
Diarrhoea - - - -	1	-	-	-	1	-
CLASS II.						
Cancer - - - -	1	-	-	1	-	-
Phthisis - - - -	2	-	-	2	-	-
CLASS III.						
Apoplexy - - - -	2	-	2	-	-	-
Paralysis - - - -	1	-	-	-	1	-
Epilepsy - - - -	1	1	-	-	-	-
Heart Disease - - - -	6	-	-	3	2	1
Laryngitis - - - -	1	-	-	-	1	-
Pneumonia - - - -	2	-	1	-	1	-
Lung Disease - - - -	1	-	-	-	1	-
Peritonitis - - - -	1	1	-	-	-	-
Ileus - - - -	1	-	-	-	1	-
Intussusception - - - -	1	-	-	-	1	-
Stomach Disease - - - -	1	-	-	1	-	-
Nephritis - - - -	1	-	-	-	1	-
Bright's Disease (Nephria)	1	-	-	-	1	-

TABLE 16.—Deaths in England of Women in Childbirth in each of the Years 1847-69.

YEARS.	NUMBER OF DEATHS FROM			DEATHS OF MOTHERS TO 10,000 CHILDREN BORN ALIVE.
	METRIA AND CHILDBIRTH.	METRIA.	ACCIDENTS OF CHILDBIRTH.	
1847 - - -	3226	784	2442	60
1848 - - -	3445	1365	2080	61
1849 - - -	3339	1165	2174	58
1850 - - -	3252	1113	2139	55
1851 - - -	3290	1009	2281	53
1852 - - -	3247	972	2275	52
1853 - - -	3063	795	2268	50
1854 - - -	3009	954	2055	47
1855 - - -	2979	1079	1900	47
1856 - - -	2888	1067	1821	44
1857 - - -	2787	836	1951	42
1858 - - -	3131	1068	2063	48
1859 - - -	3496	1238	2258	51
1860 - - -	3173	987	2186	46
1861 - - -	2995	886	2109	43
1862 - - -	3077	940	2137	43
1863 - - -	3588	1155	2433	49
1864 - - -	4016	1484	2532	54
1865 - - -	3823	1333	2490	51
1866 - - -	3682	1197	2485	49
1867 - - -	3412	1066	2346	44
1868 - - -	3503	1196	2307	44
1869 - - -	3283	1181	2102	42
23 years 1847-69 -	75,704	24,870	50,834	49

TABLE 17.—Proportion of Suicides consummated to every 1,000,000 of the Population of England, 1858-69.

MEANS EMPLOYED.	1858	1859	1860	1861	1862	1863	1864	1865	1866	1867	1868	1869
Gunshot Wounds -	3	3	3	3	3	3	3	3	3	3	5	3
Cutting, Stabbing -	13	14	14	13	11	13	12	12	13	13	13	16
Poisoning - - - -	6	6	8	6	6	6	7	7	6	6	6	7
Drowning - - - -	10	11	11	11	10	12	10	11	10	11	14	13
Hanging - - - -	30	27	30	30	30	28	27	28	25	22	26	28
Otherwise - - - -	4	3	4	5	5	4	5	6	7	7	6	6
All Ways - - - -	66	64	70	68	65	66	64	67	64	62	70	73

TABLE 18.—Deaths in England from Burns and Scalds in the Twenty-two Years 1848-69.

AGES.	In the 20 Years 1848-67.		In 1868.		In 1869.	
	Males.	Females.	Males.	Females.	Males.	Females.
ALL AGES - - -	28,047	23,246	1,449	1,104	1,386	1,159
Under 5 Years - -	15,675	12,872	731	570	716	576
5- - - -	3,817	6,551	150	200	114	221
10- - - -	1,079	1,713	51	46	71	51
15- - - -	2,132	1,331	147	51	147	62
25- - - -	1,768	716	138	23	127	32
35- - - -	1,280	630	95	25	88	24
45- - - -	829	702	53	30	57	25
55- - - -	674	763	42	45	36	33
65- - - -	410	1,161	24	45	12	58
75- - - -	385	1,356	14	52	13	58
85- - - -	94	449	4	17	5	17
95 and upwards -	4	32	-	-	-	2

Of the 15,675 males dying of burns under 5 years of age, 1,014 were less than 1 year of age, 3,903 were 1 year and under 2, 4,089 were 2 years and under 3, 3,711 were 3 years and under 4, 2,958 were 4 years and under 5. Of the 12,872 females dying under 5 years of age, 1,020 were less than 1 year of age, 3,088 were 1 year and under 2, 3,056 were 2 years and under 3, 3,096 were 3 years and under 4, 2,612 were 4 years and under 5.

TABLE 19.—Deaths by Lightning in England in each of the Five Years 1865-69.

DIVISION.	DISTRICT.	DATE OF DEATH.	SEX.	OCCUPATION.	ALL AGES.	AGES.									
						0-	5-	10-	15-	20-	25-	35-	45-	55-	65 and upwards
1865.															
3	Hemel Hempstead	17 July	Male	Labourer	1										1
3	Bedford	24 July	Male	Labourer	1										1
4	Romford	24 Aug.	Male	Labourer	1				1						
4	Chelmsford	3 Aug.	Male	Labourer	1								1		
4	Samford	22 Aug.	Male	Basket-maker	1										1
4	Kidderminster	25 Aug.	Male	Labourer	1						1				
6	Birmingham	8 July	Female	Wife of Beerseller	1									1	
7	Stone	8 July	Male	Agricultural Labourer	1						1				
7	Glanford Brigg	22 May	Male	Cottager	1								1		
7	Glanford Brigg	16 Aug.	Male	Farm Bailiff	1										1
7	Ashby-de-la-Zech.	8 July	Male	Labourer	1								1		
7	Spilsby	8 July	Female	Daughter of Labourer	1			1							
7	Gainsborough	8 July	Female	Wife of Carrier	1									1	
7	Newark	8 July	Male	Agricultural Labourer	1										1
7	Bakewell	7 July	Male	Labourer	1						1				
8	Preston	22 May	Male	Servant	1					1					
9	Halifax	7 July	Male	Farmer	1							1			
9	Doncaster	22 Aug.	Male	Agricultural Labourer	1					1					
9	Pattingham	8 July	Male	Life Boatman	1								1		
9	Scarborough	10 July	Male	Farmer	1										1
1866.															
1	Kensington	30 June	Male	Son of Pigeon Dealer	1				1						
2	Horsham	6 July	Male	Farmer	1								1		
3	Bishop Stortford	10 Aug.	Male	Shepherd	1								1		
4	Thingoe	4 June	Female		1										1
4	Woodbridge	4 June	Male	Son of Labourer	1			1							
4	Norwich	22 June	Male	Gardener	1						1				
4	Witham	11 Aug.	Male	Agricultural Labourer	1										1
5	Yeovil	27 June	Male	Labourer	1						1				
5	Wincanton	30 June	Male	Labourer	1										1
6	Clifton	3 Feb.	Male	Sailor (at Sea)	1					1					
6	Solihull	1 June	Male	Son of Labourer	1			1							
7	Boston	4 June	Male	Agricultural Labourer	1								1		
7	Spalding	30 June	Female	Wife of Agricultural Labourer.	1						1				
7	Spalding	30 June	Female	Daughter of Agricultural Labourer.	1	1									
7	Horncastle	29 June	Male	Cottager	1								1		
7	Bingham	5 July	Male	Agricultural Labourer	1									1	
8	Wigan	15 Sept.	Female	Wagon minder in a Coal Mine.	1			1							
9	Guisborough	30 June	Male	Horsekeeper	1							1			
11	Festiniog	28 June	Female	Wife of Farmer	1									1	
1867.															
3	Royston	10 May	Male	Agricultural Labourer	1									1	
3	Woodstock	3 Sept.	Male	Agricultural Labourer	1								1		
3	St. Neots	19 April	Female	Daughter of Labourer	1					1					
4	Halstead	2 July	Male	Agricultural Labourer	1										1
4	Tunstead	1 Sept.	Female	Daughter of Labourer	1			1							
4	Tunstead	1 Sept.	Female	Daughter of Carpenter	1			1							
7	Caistor	30 Mar.	Male	Fisherman (at Sea)	1						1				
7	Lincoln	23 July	Male	Agricultural Labourer	1								1		
7	Mansfield	3 Sept.	Male	Son of Groom	1			1							
6	Shipston on Stour.	3 Sept.	Male	Carpenter	1									1	
9	Pontefract	27 May	Male	Market Gardener	1									1	
6	West Bromwich	3 Sept.	Male	Labourer	1								1		
8	Oldham	10 July	Female	Daughter of Tailor	1			1							
9	Whitby	5 June	Male	Boat Builder	1										1
9	Saddleworth	3 Sept.	Male	Spinner	1							1			
10	Alnwick	13 Aug.	Male	Roadman (at Sea)	1							1			
11	Machynlleth	4 Sept.	Male	Son of a Farmer	1					1					
1868.															
2	Epsom	29 May	Male	Omnibus Driver	1								1		
2	Epsom	29 May	Male	Beerhouse Keeper	1										1
2	Thanet	29 May	Male	Labourer	1							1			
4	Maldon	31 May	Male	Son of a Maltster	1										1
4	Maldon	11 Aug.	Male	Agricultural Labourer	1			1							
4	Lexden	16 July	Male	Agricultural Labourer	1										1
7	Glanford Brigg	27 April	Male	Miller	1								1		
9	Leyburn	20 June	Male	Stable Boy	1					1					
9	Pattingham	11 Aug.	Male	Farm Servant	1								1		
10	Belford	6 Aug.	Female	Widow	1										1
11	Merthyr Tydfil	16 Dec.	Female	Widow of a Miner	1										1
1869.															
4	Wayland	10 Sept.	Male	Son of a Labourer	1			1							
6	Cleobury Mortm.	10 May	Male	Agricultural Labourer	1							1			
8	Fyde	14 April	Male	Labourer	1									1	
9	Whitby	26 Mar.	Male	Labourer	1										1
9	Whitby	26 Mar.	Female	Labourer	1										1
9	Bradford	5 Sept.	Male	Spinster	1								1		
9	Bradford	5 Sept.	Female	Hawker	1							1			
9	Bradford	5 Sept.	Female	Worsted Weaver	1							1			
TOTAL					74	2	3	6	5	5	15	13	7	10	8

* This death was registered on 19th January 1866.

INDEX OF DISTRICTS.

[The following Index furnishes a reference to the Number of each DISTRICT in the topographical arrangement adopted in the Tables of Abstracts contained in the Report, the numbers running consecutively from 1 to 623.* In forming the alphabetical arrangement the principle is adopted of placing compound names in the order in which they are pronounced: thus, East Ashford will be found under the letter E, and not under A, as Ashford, East.]

For names of Towns, such as Chester, Leamington, Torquay, &c., which are not found in this "Index of Districts," see the "Index of Sub-districts" (page 243) and "Index of certain Towns" (page 253).

A

- Aberayron, 596.
- Abergavenny, 578 a.
- Aberystwith, 597.
- Abingdon, 123.
- Alcester, 405.
- Alderbury, 263.
- Alnwick, 559.
- Alresford, 113.
- Alston, 564.
- Alton, 114.
- Altrincham, 454.
- Alverstone, 97.
- Amersham, 148.
- Amesbury, 262.
- Amphill, 181.
- Andover, 118.
- Anglesey, 623.
- Ashborne, 447.
- Ashby-de-la-Zouch, 414.
- Ashton-under-Lyne, 474.
- Askrigg, 537.
- Aston, 395.
- Atcham, 359.
- Atherstone, 397.
- Auckland, 542.
- Axbridge, 324.
- Axminster, 279.
- Aylesbury, 151.
- Aylsham, 232.

B

- Bakewell, 449.
- Bala, 616.
- Banbury, 163.
- Bangor, 621.
- Barnet, 136.
- Barnsley, 505.
- Barnstaple, 295.
- Barrow-upon-Soar, 416.
- Barton-upon-Irwell, 470.
- Basford, 438.
- Basingstoke, 116.
- Bath, 326.
- Battle, 77.
- Beaminster, 277.

- Bedale, 535.
- Bedford, 179.
- Bedminster, 328.
- Bedwelty, 578 b.
- Belford, 560.
- Bellingham, 557.
- Belper, 446.
- Berkhampstead, 147.
- Bermondsey, 28.
- Berwick, 561.
- Bethnal Green, 21.
- Beverley, 518.
- Bicester, 159.
- Bideford, 297.
- Biggleswade, 180.
- Billericay, 199.
- Billesdon, 410.
- Bingham, 443.
- Birkenhead, 460 b.
- Birmingham, 394.
- Bishop Stortford, 139.
- Blaby, 411.
- Blackburn, 480.
- Blandford, 270.
- Blean, 66.
- Blofield, 237.
- Blything, 225.
- Bodmin, 304.
- Bolton, 468.
- Bootle, 572.
- Bosmere, 220.
- Boston, 425.
- Bourn, 422.
- Brackley, 164.
- Bradfield, 126.
- Bradford-on-Avon, 258.
- Bradford (Yorkshire), 499.
- Braintree, 208.
- Bramham, 514 b.
- Bramley, 500 d.
- Brampton, 566.
- Brecknock, 600.
- Brentford, 134.
- Bridge, 64.
- Bridgend, 583.
- Bridgnorth, 356.
- Bridgwater, 316.
- Bridlington, 524.
- Bridport, 278.
- Brighton, 85.
- Bristol, 329.
- Brixworth, 170.

C

- Bromley, 49.
- Bromsgrove, 392.
- Bromyard, 350.
- Buckingham, 154.
- Builth, 599.
- Burnley, 478.
- Burton-upon-Trent, 375.
- Bury, 469.
- Bury St. Edmunds, 215.
- Caistor, 432.
- Calne, 254.
- Camberwell, 33.
- Cambridge, 187.
- Camelford, 300.
- Canterbury, 65.
- Cardiff, 581 a.
- Cardigan, 593.
- Carlisle, 568.
- Carmarthen, 589.
- Carnarvon, 620.
- Castle Ward, 554.
- Catherington, 111.
- Caxton, 185.
- Chapel-en-le-Frith, 450.
- Chard, 318.
- Cheadle, 373.
- Chelmsford, 200.
- Chelsea, 2.
- Cheltenham, 344.
- Chepstow, 576.
- Chertsey, 38.
- Chesterfield, 448.
- Chester-le-Street, 548.
- Chesterton, 186.
- Chichester, 92.
- Chippenham, 253.
- Chipping Norton, 162.
- Chipping Sodbury, 331.
- Chorley, 481.
- Chorlton, 471.
- Christchurch, 101.
- Church Stretton, 354.
- Cirencester, 340.
- Cleobury Mortimer, 355.
- Clifton, 330.
- Clitheroe, 479.

* Thus, the number of Marriages in the Aberayron District may at once be ascertained by referring in the "Abstract of Marriages," to the District numbered 596 (see page 24); and in like manner the number of Births and Deaths, of Deaths at different Ages, &c. will be found by referring to the same district number in the appropriate Tables.

Clun, 353.
Clutton, 325.
Cockermouth, 570.
Colchester, 204.
Congleton, 457.
Conway, 622.
Cookham, 129.
Corwen, 615.
Cosford, 213.
Coventry, 400.
Cranbrook, 60.
Crediton, 292.
Crickhowell, 601.
Cricklade, 251.
Croydon, 46.
Cuckfield, 83.

D

Darlington, 540.
Dartford, 50.
Daventry, 169.
Depwade, 239.
Derby, 445.
Devizes, 256.
Dewsbury, 502.
Docking, 244.
Dolgelly, 617.
Doncaster, 510.
Dorchester, 275.
Dorking, 43.
Dover, 72.
Downham, 247.
Driffild, 523.
Droitwich, 391.
Droxford, 110.
Dudley, 382.
Dulverton, 313 *b*.
Dunmow, 209.
Durham, 545.
Dursley, 333.

E

Easington, 546.
Easingwold, 527.
East Ashford, 63.
Eastbourne, 78.
East Grinstead, 82.
Easthampstead, 130.
East London, 17.
East Retford, 435.
Eastry, 71.
East Stonehouse, 288.
East Ward, 573.
Ecclesall Bierlow, 507.
Edmonton, 137.
Elham, 73.
Ellesmere, 362.
Ely, 190.
Epping, 195.
Epsom, 37.
Erpingham, 231.
Eton, 149.
Evesham, 389.
Exeter, 282.

F

Falmouth, 308.
Fareham, 98.
Faringdon, 122.
Farnborough, 41.
Farnham, 40.
Faversham, 67.
Festiniog, 618.
Flegg, 229.
Foleshill, 399.
Fordingbridge, 103.
Forehoe, 235.
Freebridge Lynn, 245.
Freme, 321.
Fylde, 483.

G

Gainsborough, 434.
Garstang, 484.
Gateshead, 551.
Glanford Brigg, 433.
Glendale, 562.
Gloucester, 336.
Godstone, 45.
Goole, 512.
Gower, 585 *b*.
Grantham, 427.
Gravesend, 51.
Great Boughton (Chester), 459.
Great Ouseburn, 492 *a*.
Greenwich, 35.
Guildford, 39.
Gultercross, 240.
Guisbrough, 532.

H

Hackney, 11.
Hailsham, 79.
Halifax, 498.
Halstead, 207.
Haltwhistle, 556.
Hambleton, 42.
Hampstead, 8.
Hardingstone, 167.
Hartismere, 218.
Hartlepool, 541 *b*.
Hartley Wintney, 115.
Haslingden, 477.
Hastings, 76.
Hatfield, 143.
Havant, 95.
Haverfordwest, 592.
Hay, 602.
Hayfield, 451.
Headington, 157.
Helmsley, 529.
Helston, 309.
Hemel Hempstead, 146.
Hemsworth, 504 *b*.
Hendon, 135.
Henley, 155.
Henstead, 236.
Hereford, 348.

Hertford, 142.
Hexham, 555.
Highworth, 250.
Hineckley, 412.
Hitchin, 141.
Holbeach, 424.
Holbeck, 500 *c*.
Holborn, 14.
Hollingbourn, 59.
Holsworthy, 298.
Holywell, 610.
Honiton, 280.
Hoo, 53.
Horncastle, 429.
Horsham, 87.
Houghton-le-Spring, 547.
Howden, 517.
Hoxne, 219.
Huddersfield, 497.
Hull, 520.
Hungerford, 121.
Hunslet, 500 *b*.
Huntingdon, 176.

I

Ipswich, 222.
Isle of Wight, 99.
Islington, 10.

K

Keighley, 494.
Kendal, 575.
Kensington, 1.
Kettering, 172.
Keynsham, 327.
Kidderminster, 384.
Kingsbridge, 285.
Kingsclere, 119.
Kings Lynn, 246.
Kings Norton, 393.
Kingston, 47.
Knaresborough, 492 *b*.
Knighton, 604.

L

Lambeth, 31.
Lampeter, 595.
Lancaster, 485.
Langport, 317.
Launceston, 301.
Ledbury, 346.
Leeds, 501.
Leek, 372.
Leicester, 417.
Leigh, 467.
Leighton Buzzard, 183.
Leominster, 351.
Lewes, 84.
Lewisham, 36 *a*.
Lexden, 205.
Leyburn, 536.

Newport (Monmouth), 580.
Newport (Salop), 366.
Newport Pagnell, 153.
Newton Abbot, 283.
Newtown, 607.
Northallerton, 534.
Northampton, 168.
North Aylesford, 52.
Northleach, 341.
Northwich, 456.
North Witchford, 191.
Norwich, 234.
Nottingham, 440.
Nuneaton, 398.

O

Oakham, 419.
Okehampton, 291.
Oldham, 475.
Ongar, 196.
Ormskirk, 464.
Orsett, 198.
Oswestry, 361.
Otley, 493 *a*.
Oundle, 174.
Oxford, 158.

P

Pancras, 9.
Pateley Bridge, 490.
Patriington, 521.
Pembroke, 591.
Penkridge, 378.
Penrith, 565.
Penzance, 311.
Pershore, 390.
Peterborough, 175.
Petersfield, 112.
Petworth, 88.
Pewsey, 261.
Pickering, 530.
Plomesgate, 224.
Plymouth, 287.
Plympton St. Mary, 286.
Pocklington, 516.
Pontefract, 504 *a*.
Pontypool, 579.
Pontypridd, 581 *b*.
Poole, 272.
Poplar, 25.
Portsea Island, 96.
Potterspurty, 166.
Prescot, 463.
Presteigne, 603.
Preston, 482.
Pwllheli, 619.

R

Radford, 439.
Reading, 127.
Redruth, 310.
Reeth, 538.

Reigate, 44.
Rhayader, 605.
Richmond (Surrey), 48.
Richmond (Yorkshire), 539.
Ringwood, 102.
Ripon, 491.
Risbridge, 211.
Rochdale, 476.
Rochford, 201.
Romford, 197.
Romney Marsh, 74.
Romsey, 107.
Ross, 347.
Rothbury, 563.
Rotherham, 509.
Rotherhithe, 34.
Royston, 140.
Rugby, 401.
Runcorn, 455.
Ruthin, 612.
Rye, 75.

S

Saddleworth, 496.
Saffron Walden, 210.
St. Albans, 144.
St. Asaph, 613.
St. Austell, 306.
St. Columb, 305.
St. Faiths, 233.
St. George Hanover Sq., 3.
St. George in-the-East, 23.
St. George Southwark, 29.
St. Germans, 302.
St. Giles, 12.
St. Ives, 177.
St. Neots, 178.
St. Olave, 27.
St. Saviour, 26.
St. Thomas, 281.
Salford, 472.
Samford, 221.
Scarborough, 525.
Scilly Islands, 312.
Sculcoates, 519.
Sedbergh, 487.
Selby, 513.
Settle, 488.
Sevenoaks, 56.
Shaftesbury, 268.
Shardlow, 444.
Sheffield, 508.
Sheppey, 69.
Shepton Mallet, 322.
Sherborne, 276.
Shiffnal, 357.
Shipston-on-Stour, 406.
Shoreditch, 20.
Shrewsbury, 360.
Skipton, 489.
Skirlaugh, 522.
Sleaford, 426.
Solihull, 402.
Southam, 407.
Southampton, 105.
South Molton, 294.

Lichfield, 377.
Lincoln, 428.
Linton, 188.
Liskeard, 303.
Liverpool, 461.
Llandilofawr, 588.
Llandoverly, 587.
Llanelly, 586.
Llanfyllin, 609.
Llanrwst, 614.
Loddon, 238.
London City, 19.
Longtown, 567.
Loughborough, 415.
Louth, 431.
Ludlow, 352.
Luton, 184.
Lutterworth, 408.
Lymington, 100.

M

Macclesfield, 453.
Machynlleth, 606.
Madeley, 358.
Maidstone, 58.
Maldon, 202.
Malling, 55.
Malmsbury, 252.
Malton, 526.
Manchester, 473.
Mansfield, 437.
Market Bosworth, 413.
Market Drayton, 364.
Market Harborough, 409.
Marlborough, 255.
Martley, 386.
Marylebone, 7.
Medway, 54.
Melksham, 257.
Melton Mowbray, 418.
Mere, 267.
Meriden, 396.
Merthyr Tydfil, 582.
Midhurst, 93.
Mildenhall, 216.
Mile End Old Town, 24 *b*.
Milton, 68.
Mitford, 242.
Monmouth, 577.
Montgomery, 608.
Morpeth, 558.
Mutford, 227.

N

Nantwich, 458.
Narberth, 590.
Neath, 584.
Newark, 442.
Newbury, 120.
Newcastle-in-Emlyn, 594.
Newcastle-under-Lyme, 369.
Newcastle-upon-Tyne, 552.
Newent, 335.
New Forest, 104.
Newington, 30.
Newmarket, 189.

South Shields, 550.
 South Stoneham, 106.
 Southwell, 441.
 Spalding, 423.
 Spilsby, 430.
 Stafford, 367.
 Staines, 132.
 Stamford, 421.
 Stepney, 24 a.
 Steyning, 86.
 Stockbridge, 108.
 Stockport, 452.
 Stockton, 541 a.
 Stoke Damerel, 289.
 Stokesley, 533.
 Stoke-upon-Trent, 371.
 Stone, 368.
 Stourbridge, 383.
 Stow, 217.
 Stow-on-the-Wold, 342.
 Strand, 13.
 Stratford-on-Avon, 404.
 Stratton, 299.
 Stroud, 338.
 Sturminster, 269.
 Sudbury, 212.
 Sunderland, 549.
 Swaffham, 248.
 Swansea, 585 a.

Ticehurst, 80.
 Tisbury, 266.
 Tiverton, 293.
 Todmorden, 495.
 Torrington, 296.
 Totnes, 284.
 Towcester, 165.
 Tregaron, 598.
 Truro, 307.
 Tunbridge, 57.
 Tunstead, 230.
 Tynemouth, 553.

U

Uckfield, 81.
 Ulverston, 486.
 Uppingham, 420.
 Upton-on-Severn, 388.
 Uttoxeter, 374.
 Uxbridge, 133.

W

Wakefield, 503.
 Wallingford, 125.
 Walsall, 380.
 Walsingham, 243.
 Wandsworth, 32.
 Wangford, 226.
 Wantage, 124.
 Ware, 138.
 Wareham, 273.
 Warminster, 260.
 Warrington, 466.
 Warwick, 403.
 Watford, 145.
 Wayland, 241.
 Weardale, 544.
 Wellingborough, 171.
 Wellington (Salop), 365.
 Wellington (Somerset), 314.
 Wells, 323.
 Wem, 363 a.
 Weobly, 349.
 West Ashford, 62.
 Westbourne, 94.
 West Bromwich, 381.
 Westbury, 259.

Westbury-on-Severn, 334.
 West Derby, 462.
 West Ham, 194.
 Westhampnett, 91.
 West London, 18.
 Westminster, St. James, 6.
 Westminster, St. Margaret, 4.
 West Ward, 574.
 Wetherby, 492 c.
 Weymouth, 274.
 Wharfedale, 493 b.
 Wheatenhurst, 337.
 Whitby, 531.
 Whitchurch (Hants), 117.
 Whitchurch (Salop), 363 b.
 Whitechapel, 22.
 Whitehaven, 571.
 Whittlesey, 192.
 Wigan, 465.
 Wigton, 569.
 Williton, 313 a.
 Wilton, 265.
 Wimborne, 271.
 Wincanton, 320.
 Winchcomb, 343.
 Winchester, 109.
 Windsor, 131.
 Winslow, 152.
 Wirral, 460 a.
 Wisbech, 193.
 Witham, 206.
 Witney, 161.
 Woburn, 182.
 Wokingham, 128.
 Wolstanton, 370.
 Wolverhampton, 379.
 Woodbridge, 223.
 Woodstock, 160.
 Woolwich 36 b.
 Worcester, 387.
 Workup, 436.
 Worthing, 90.
 Wortley, 506.
 Wrexham, 611.
 Wycombe, 150.

Y

Yarmouth, 228.
 Yeovil, 319.
 York, 515.

INDEX OF SUB-DISTRICTS.

[In this alphabetical arrangement the principle is adopted of placing the Sub-Districts (or Registrars' Districts) having compound names in the order indicated by the usual pronunciation of those names; thus, East Grinstead will be found under the letter E, and not under G as "Grinstead, East;" St. James under the letter S, and not as "James, St." The number against each Sub-District, in the third column, refers to the order in which it appears in the arrangement of the Districts in the Tables of Abstracts; thus, Abbey Holme (569; 2) is the 2d Sub-District of the Wigton District, No. 569.]

SUB-DISTRICT.	DISTRICT.	No.	SUB-DISTRICT.	DISTRICT.	No.	SUB-DISTRICT.	DISTRICT.	No.
A			B					
Abbey	Bath	326; 3	Ardleigh	Tendring	203; 5	Basford	Basford	438; 3
Abbey Holme	Wigton	569; 2	Ardley	Wakefield	503; 7	Basingstoke	Basingstoke	116; 1
Abbots Bromley	Uttoxeter	374; 2	Ardwick	Chorlton	471; 2	Bassingham	Newark	442; 2
Abbotsbury	Weymouth	274; 4	Arkholve	Lunesdale	485; 4	Batheaston	Bath	326; 7
Abbots Langley	Watford	145; 4	Arnccliffe	Settle	488; 5	Bathwick	Bath	326; 2
Aberdare	Merthyr Tydfil	582; 4	Arnold	Basford	438; 5	Batley	Dewsbury	502; 2
Aberdaron	Pwllheli	619; 3	Artillery	Whitechapel	22; 1	Battersea	Wandsworth	32; 2
Aberford	Tadcaster	514a; 1	Arundel	Worthing	90; 3	Battle	Battle	77; 3
Abergavenny	Abergavenny	578a; 3	Ashborne	Ashborne	447; 3	Battlefield	Atcham	359; 6
Abergele	St. Asaph	613; 2	Ashburton	Newton Abbot	283; 4	Bawdeswell	Mitford	242; 3
Abergwessin	Builth	599; 1	Ashby-de-la-Zouch	Ashby-de-la-Zouch	414; 3	Bawtry	Doncaster	510; 5
Aberystwith	Bedwelty	578b; 1	Ashford	West Ashford	62; 2	Beaconsfield	Amersham	148; 5
Abingdon	Aberystwith	597; 2	Ashover	Clifton	330; 2	Beaminstor	Beaminstor	277; 4
Abthorpe	Abingdon	123; 2	Ashover	Chesterfield	448; 1	Beaumaris	Bangor	621; 1
Accrington	Towcester	165; 1	Ashton-in-Makerfield	Wigan	465; 7	Beccles	Wangford	226; 2
Acton	Haslingden	477; 5	Ashton Town	Ashton-under-Lyne	474; 2	Beckley	Rye	75; 2
Addingham	Brentford	134; 5	Askrigg	Askrigg	537; 1	Bedale	Bedale	535; 1
Alberbury	Wigan	465; 2	Aslackby	Bourn	422; 2	Bedford and Cardington	Bedford	179; 5
Albrighton	Atcham	359; 4	Aspull	Wigan	465; 2	Bedford and Kempston	Bedford	179; 5
Albury	Shiffnal	357; 1	Aston Clinton	Aylesbury	151; 3	Bedlington	Morpeth	558; 2
Alcester	Guilford	39; 3	Aswarby	Sleaford	426; 5	Bedminster	Bedminster	328; 1
Aldborough	Alcester	405; 2	Atcham	Atcham	359; 7	Begelly	Narberth	590; 6
Aldbrough	Richmond (Yrks.)	539; 4	Atherstone	Atherstone	397; 1	Beighton	Rotherham	509; 1
Aldeburgh	Skirlaugh	522; 3	Atherstone	Leigh	467; 4	Belbroughton	Bromsgrove	392; 2
Aldeby	Plomesgate	224; 5	Attercliffe	Sheffield	508; 6	Belford	Belford	560; 1
Alderbury	Loddon	238; 1	Attleborough	Wayland	241; 1	Belgrave	St. George Hanover-sq.	3; 3
Alderley	Alderbury	263; 1	Audley	Ashton-under-Lyne	474; 3	Bellingham	Bellingham	557; 1
Aldgate	Macclesfield	453; 8	Aughton	Newcastle-under-Lyme	369; 3	Belper	Belper	446; 3
Aldington	Whitechapel	22; 7	Axbridge	Ormskirk	464; 2	Bennington	Boston	425; 2
Alford	East Ashford	63; 1	Axminster	Axminster	279; 2	Bennington	Newark	442; 4
Alfreton	Walsall	380; 4	Aycliffe	Darlington	540; 2	Bentham	Settle	488; 1
Allendale	Spilsby	430; 5	Aylesbury	Aylesbury	151; 2	Bere Regis	Wareham	273; 4
Allerston	Belper	446; 5	Aylesford	Malling	55; 1	Berkeley	Thornbury	332; 3
All Saints	Hexham	555; 3				Berkhamstead	Berkhamstead	147; 1
All Saints	Pickering	530; 4				Berwick	Berwick	561; 2
All Saints	Birmingham	394; 9				Berwick Street	Westminster St. James	6; 3
All Saints	Hastings	76; 2				Bettwsycoed	Llanrwst	614; 2
All Saints	Maldon	202; 3				Beverley	Beverley	518; 2
All Saints	Newcastle-on-Tyne	552; 4				Bewdley	Kidderminster	384; 5
All Souls	Northampton	168; 2				Bexhill	Battle	77; 1
Almondsbury	Marylebone	7; 1				Bexley	Dartford	50; 1
Almondbury	Huddersfield	497; 7				Bibury	Northleach	341; 1
Alnwick	Thornbury	332; 1				Bicester	Bicester	159; 2
Alphington	Alnwick	559; 2				Bickerstaffe	Ormskirk	464; 1
Alresford	St. Thomas	281; 8				Bideford	Bideford	297; 1
Alston	Alresford	113; 2				Bidford	Alcester	405; 4
Alston	Alston	564; 1				Biggleswade	Biggleswade	180; 2
Alton	Preston	482; 4				Billesdon	Billesdon	410; 1
Altarnon	Launceston	301; 1				Billingham	Sleaford	426; 1
Alton	Alton	114; 1				Billingshurst	Petworth	88; 1
Alton	Cheadle	373; 1				Billington	Blackburn	480; 1
Altrincham	Altrincham	454; 2				Bilston	Wolverhampton	379; 7
Alverstokey	Alverstokey	97; 1				Bilton	Bramham	514b; 3
Alverthorpe	Wakefield	503; 6				Binbrook	Louth	431; 3
Ambleside	Kendal	575; 1				Bingham	Bingham	443; 1
Amersham	Amersham	148; 3				Bingley	Keighley	494; 1
Amesbury	Amesbury	262; 2				Binstead	Alton	114; 2
Amlwch	Anglesey	623; 4				Birkenhead	Birkenhead	460b; 1
Amphill	Amphill	181; 2				Birtle	Bury	469; 4
Amroth	Narberth	590; 3				Bishop Auckland	Auckland	542; 1
Amwell	Holborn	14; 5				Bishops Cannings	Devizes	256; 1
Ancoats	Manchester	473; 1				Bishops Castle	Clun	353; 2
Andover	Andover	118; 3				Bishops Frome	Bromyard	350; 2
Anston	Worksop	436; 3				Bishops Lydeard	Taunton	315; 5
Antony	St. Germans	302; 1				Bishops Tawton	Barnstaple	295; 6
Appleby	East Ward	573; 1				Bishopstone	Wilton	265; 2
Appleton Roebuck	Bramham	514b; 1				Bishop Stortford	Bishop Stortford	139; 3
Appleton Roebuck	Tadcaster	514a; 3				Bishops Waltham	Droxford	110; 1
Appleton-upon-Wisk	Northallerton	534; 1				Bisley	Stroud	338; 3
						Bitton	Keynsham	327; 1
						Blackawton	Kingsbridge	285; 1

SUB-DISTRICT.	DISTRICT.	No.	SUB-DISTRICT.	DISTRICT.	No.	SUB-DISTRICT.	DISTRICT.	No.
Blackburn	Blackburn	480; 4	Brixham	Totnes	284; 2	Campsall	Doncaster	510; 4
Blackley	Manchester	473; 9	Brixton	Lambeth	31; 7	Canford	Poole	272; 1
Black Torrington	Holsworthy	298; 3	Brixworth	Brixworth	170; 3	Cannock	Penkridge	378; 3
Blackwell	Mansfield	437; 3	Broad-Clist	St. Thomas	281; 4	Canterbury	Canterbury	65; 1
Blaenavon	Abergavenny	578a; 4	Broadwater	Worthing	90; 1	Capel	Dorking	43; 1
Blagdon	Axbridge	324; 5	Broadway	Evesham	389; 2	Capel St. Mary	Samford	221; 1
Blandford	Blandford	270; 2	Broadwood-	Holsworthy	298; 4	Carburton	Worksop	436; 4
Blatchinworth	Rochdale	476; 9	widger.			Cardiff	Cardiff	581a; 2
Bletchington	Bicester	159; 1	Brockhampton	Bromyard	350; 3	Cardigan	Cardigan	593; 2
Blidworth	Mansfield	437; 6	Bromham	Devizes	256; 3	Carlford	Woodbridge	223; 1
Blofield	Blofield	237; 1	Bromley	Bromley	49; 1	Carlton	Basford	438; 6
Bloxham	Banbury	163; 1	Bromsgrove	Bromsgrove	392; 1	Carlton	Selby	513; 1
Bloxwich	Walsall	380; 2	Brompton	Kensington	1; 4	Carlton	Worksop	436; 2
Blyth	Tynemouth	553; 6	Bromyard	Bromyard	350; 1	Carmarthen	Carmarthen	589; 3
Bobbingworth	Ongar	196; 1	Broseley	Madeley	358; 3	Carnarvon	Carnarvon	620; 3
Bocking	Braintree	208; 2	Broughton	Preston	482; 5	Carshalton	Epsom	37; 1
Bockleton	Tenbury	385; 2	Broughton	Salford	472; 2	Cartmel	Ulverston	486; 1
Bodenham	Leominster	351; 2	Broughton	Stockbridge	108; 1	Castle	Nottingham	440; 6
Bodmin	Bodmin	304; 3	Bruton	Wincanton	320; 4	Castle Cary	Wincanton	320; 1
Bollington	Macclesfield	453; 2	Bryngwran	Anglesey	623; 2	Castle Church	Stafford	367; 2
Bolsover	Chesterfield	448; 3	Bubwith	Howden	517; 2	Castle Combe	Chippenham	253; 1
Bolton Eastern	Bolton	468; 11	Buckfastleigh	Totnes	284; 5	Castle Donington	Shardlow	444; 1
Bolton Western	Bolton	468; 12	Buckingham	Buckingham	154; 2	Castleford	Pontefract	504a; 4
Bootham	York	515; 2	Buckland	Faringdon	122; 3	Castle Precincts	Bristol	329; 2
Bootle	Bootle	572; 2	Buckland Mo-	Tavistock	290; 1	Castle Rising	Freebridge Lynn	245; 4
Boroughbridge	Gt. Ouseburn	492a; 1	nachorum.			Castleton Within	Rochdale	476; 4
Borough Road	St. George	29; 2	Buckley	Bradfield	126; 1	Castleton Without	Rochdale	476; 3
	Southwark		Budbrooke	Warwick	403; 1	Caton	Lunesdale	485b; 1
Boscattle	Camelford	300; 1	Budworth	Runcorn	465; 1	Catterick	Richmond (Yrks.)	539; 2
Boston	Boston	425; 4	Bugbrooke	Northampton	168; 3	Cave	Beverley	518; 1
Boston	Wetherby	492c; 2	Builth	Builth	599; 3	Cavendish-sq.	Marylebone	7; 2
Botesdale	Hartismere	218; 2	Bulmer	Malton	526; 5	Cawthorne	Wortley	506; 1
Bottisham	Newmarket	189; 3	Bulmer	Sudbury	212; 1	Caxton	Caxton	185; 1
Boughton	Faversham	67; 1	Bulwell	Basford	438; 4	Cerne	Dorchester	275; 4
Bourn	Bourn	422; 3	Burnby	Nantwich	458; 3	Chadderton	Oldham	475; 3
Bourton-on-the-	Stow-on-the-	342; 1	Bungay	Wangford	226; 1	Chaddesley	Kidderminster	384; 1
Water.	Wold.		Buntingford	Royston	140; 1	Corbett		
Bow	Crediton	292; 2	Burbage	Hinckley	412; 1	Chagford	Okehampton	291; 4
Bow	Poplar	25; 1	Bures	Sudbury	212; 2	Chailly	Lewes	84; 2
Bowling	Bradford (Yrks.)	499; 4	Burford	Witney	161; 4	Chalfont	Amersham	148; 4
Boxgrove	Westhampnett	91; 4	Burgh	Carlisle	568; 5	Chapel-en-le-	Chapel-en-le-	450; 2
Brabourne	East Ashford	63; 2	Burghill	Hereford	348; 3	Frith.	Frith.	
Brackley	Brackley	164; 1	Burgh-le-Marsh	Spilsby	430; 4	Chapelton	Leeds	501; 5
Bracknell	Easthampstead	130; 1	Burnham	Axbridge	324; 2	Chard	Chard	318; 3
Bradfield	Wortley	506; 6	Burnham	Docking	244; 1	Chardstock	Axminster	279; 3
Bradford Abbas	Sherborne	276; 3	Burnham	Eton	149; 3	Charing Cross	Strand	13; 2
Bradford East-	Bradford (Yrks.)	499; 5	Burnley	Burnley	478; 1	Charlbury	Chipping Norton	162; 1
End.			Burslem	Wolstanton	370; 3	Charles	Plymouth	287; 1
Bradford North	Bradford-on-	258; 2	Burton Brad-	Bridport	278; 1	Charlton	Woolwich	366; 1
Western.	Avon.		stock			Charlton Kings	Cheltenham	344; 1
Bradford South	Bradford-on-	258; 1	Burton-upon-	Burton-upon-	375; 4	Chartham	Bridge	64; 1
Eastern.	Avon.		Trent.	Trent.		Chatteris	North Witcheford	191; 1
Bradford West-	Bradford (Yrks.)	499; 6	Bury St. Ed-	Bury St. Ed-	215; 1	Cheadle	Cheadle	373; 4
End.			munds.	munds.		Cheadle	Stockport	452; 6
Bradley	Westbury	259; 1	Bushey	Watford	145; 1	Cheadle	Northleach	341; 2
Bradwell	Maldon	202; 2	Butterworth	Rochdale	476; 1	Cheetham	Manchester	473; 7
Bradworthy	Bideford	297; 5	Freeholdside.			Chelmsford	Chelmsford	200; 2
Brafield	Hardingstone	167; 1	Butterworth	Rochdale	476; 2	Chelsea North	Chelsea	2; 3
Brailesford	Ashborne	447; 1	Lordshipside.			East.		
Braintree	Braintree	208; 3	Buxton	Aylsham	232; 2	Chelsea North	Chelsea	2; 2
Bramham	Bramham	514b; 2	Buxton	Chapel-en-le-	450; 1	West.		
Bramley	Basingstoke	116; 2	Byker	Newcastle-	552; 5	Chelsea South	Chelsea	2; 1
Bramley	Bramley	500d; 1	upon-Tyne.	upon-Tyne.		Cheltenham	Cheltenham	344; 2
Brampton	Brampton	566; 2	Byron	Nottingham	440; 4	Chepstow	Chepstow	576; 2
Brandsburton	Skirlaugh	522; 5	Bywell	Hexham	555; 1	Cheriton Fitz-	Crediton	292; 4
Brassington	Ashborne	447; 6				paine.		
Bratton Clovelly	Okehampton	291; 1				Chertsey	Chertsey	38; 2
Braughing	Bishopstortford	139; 4				Chesham	Amersham	148; 2
Braunton	Barnstaple	295; 5				Cheshunt	Edmonton	137; 6
Bray	Cookham	129; 1				Cheshunt	Edmonton	137; 6
Breage	Helston	309; 4				Chesterfield.	Chesterfield	448; 2
Brecknock	Brecknock	600; 3				Chester Castle	Gt. Boughton	459; 2
Brenchley	Tunbridge	57; 3				Chester Cathed-	Gt. Boughton	459; 3
Brentford	Brentford	134; 3				ral.		
Brentwood	Billericay	199; 1				Chester-le-Street	Chester-le-Street	548; 1
Bretton	Wakefield	503; 1				Chetton	Bridgnorth	356; 1
Brewod	Penkridge	378; 2				Cheveley	Newmarket	189; 1
Bridgend	Bridgend	583; 3				Clutton	Clutton	325; 2
Bridlington	Bridlington	524; 2				Chichester	Chichester	92; 2
Bridgnorth	Bridgnorth	356; 2				Chigwell	Epping	195; 1
Bridgewater	Bridgewater	316; 4				Chippenham	Chippenham	253; 3
Bridport	Bridport	278; 2				Chipping	Clitheroe	479; 3
Brigg	Glanford Brigg	433; 1				Chipping Norton	Chipping Norton	162; 2
Brighouse	Halifax	498; 2				Chipping Ongar	Ongar	196; 2
Brightside	Sheffield	508; 5				Chipping Sodbury	Chipping Sodbury	331; 1
Brill	Thame	156; 3				Chirbury	Montgomery	608; 2
Brilley	Presteigne	603; 1				Chislehurst	Bromley	49; 2
Brindle	Chorley	481; 1				Chiswick	Brentford	184; 4
Britford	Alderbury	263; 3				Chobham	Chertsey	38; 3
						Chollerton	Hexham	555; 4

C

SUB-DISTRICT.	DISTRICT.	No.	SUB-DISTRICT.	DISTRICT.	No.	SUB-DISTRICT.	DISTRICT.	No.
Cholsey	Wallingford	125; 1	Cripplegate	East London	17; 2	Dulwich	Camberwell	33; 1
Chorley	Chorley	481; 4	Cromer	Erpingham	231; 2	Dummer	Basingstoke	116; 3
Chorlton-upon-	Chorlton	471; 3	Crompton	Oldham	475; 6	Dunchurch	Rugby	401; 3
Medlock.			Cropredy	Banbury	163; 3	Dunmow	Dunmow	209; 2
Christchurch	Christchurch	101; 1	Crosby	West Derby	462; 4	Dunnington	York	515; 6
Christchurch	Marylebone	7; 5	Croston	Chorley	481; 5	Dunstable	Luton	184; 1
Christchurch	St. Saviour	26; 1	Crowan	Helston	309; 5	Dunster	Williton	313a; 2
	Southwark.		Crowland	Peterborough	175; 3	Dursley	Dursley	333; 3
Christian Malford	Chippenham	253; 4	Crowle	Thorne	511; 3	Duxford	Linton	188; 1
Christow	St. Thomas	281; 9	Croydon	Croydon	46; 1			
Chudleigh	Newton Abbot	283; 2	Cuckfield	Cuckfield	83; 2			
Chulmleigh	South Molton	294; 2	Culcheth	Leigh	467; 2			
Church	Bethnal Green	21; 3	Cullompton	Tiverton	293; 2			
Church Hulme	Congleton	457; 1	Culmstock-	Wellington (Som.)	314; 4			
Church Stretton	Church Stretton	354; 1	Cumnor	Abingdon	123; 3			
Cilycwm	Llandovery	587; 8	Curry-Rivell	Langport	317; 3			
Cirencester	Cirencester	340; 2	Cwmdu	Crickhowell	601; 1			
City Road	Holborn	14; 9						
Claines	Droitwich	391; 1						
Clapham	Wandsworth	32; 1						
Clarborough	East Retford	435; 2						
Clare	Risbridge	211; 3						
Clawson	Melton Mowbray	418; 3						
Clawton	Holsworthy	298; 5						
Claypole	Newark	442; 5						
Cleckheaton	Bradford (Yrk.)	499; 1						
Cleeve	Winchcomb	343; 2						
Clebury Mor-	Clebury Mor-	355; 1						
timer.	timer.							
Clifton	Clifton	330; 1						
Clitheroe	Clitheroe	479; 4						
Clodock	Hereford	348; 7						
Clowance	Stoke Damerel	289; 2						
Clun	Clun	353; 1						
Clutton	Clutton	325; 3						
Clyro	Hay	602; 2						
Cockermouth	Cockermouth	570; 2						
Coddenham	Bosmere	220; 1						
Coggeshall	Witham	206; 3						
Coker	Yeovil	319; 1						
Colchester 1st	Colchester	204; 1						
Ward								
Colchester 2nd	Colchester	204; 2						
Ward.								
Colchester 3rd	Colchester	204; 3						
Ward.								
Coleford	Monmouth	577; 1						
Coleshill	Meriden	396; 1						
Colne	Burnley	478; 3						
Colneis	Woodbridge	223; 2						
Colsterworth	Grantham	427; 1						
Colton	Ulverston	486; 2						
Colwich	Stafford	367; 3						
Colwyn	Builth	599; 2						
Colyton	Axminster	279; 4						
Combe St.	Chard	318; 2						
Nicholas.								
Combmartin	Barnstaple	295; 3						
Condover	Atcham	359; 1						
Congleton	Congleton	457; 2						
Conisford	Norwich	234; 3						
Constantine	Falmouth	308; 4						
Conway	Conway	622; 1						
Conwil	Carmarthen	589; 4						
Conwil-Cayo	Llandovery	587; 9						
Cookham	Cookham	129; 2						
Corby	Bourn	422; 1						
Corby	Kettering	172; 3						
Corfe Castle	Wareham	273; 2						
Corsham	Chippenham	253; 2						
Corwen	Corwen	615; 2						
Coslany	Norwich	234; 1						
Costessey	Forehoe	235; 1						
Cotswold	Cirencester	340; 1						
Cottingham	Sculcoates	519; 2						
Cowbridge	Bridgend	583; 2						
Cowes	Isle of Wight	99; 1						
Coxwold	Easingwold	527; 3						
Cranborne	Wimborne	271; 1						
Cranbrook	Cranbrook	60; 1						
Cranfield	Amphill	181; 3						
Cranley	Hambleton	42; 2						
Crediton	Crediton	292; 3						
Creuddyn	Conway	622; 2						
Crewkerne	Chard	318; 4						
Criccieth	Pwllheli	619; 1						
Crick	Rugby	401; 2						

Table with 9 columns: SUB-DISTRICT, DISTRICT, No., SUB-DISTRICT, DISTRICT, No., SUB-DISTRICT, DISTRICT, No. Includes sections for F, H, and G.

Table with 9 columns: SUB-DISTRICT, DISTRICT, No., SUB-DISTRICT, DISTRICT, No., SUB-DISTRICT, DISTRICT, No. Includes sections for K, L, and other districts.

Table with 9 columns: SUB-DISTRICT, DISTRICT, No., SUB-DISTRICT, DISTRICT, No., SUB-DISTRICT, DISTRICT, No. Includes entries for Llanllechid, Llanon, Llanrhadr, etc., and a section for 'M' at the bottom.

Table with 9 columns: SUB-DISTRICT, DISTRICT, No., SUB-DISTRICT, DISTRICT, No., SUB-DISTRICT, DISTRICT, No. Includes entries for North Collingham, North Curry, North Elmham, etc., and a section for 'S' at the bottom.

Table with 9 columns: SUB-DISTRICT, DISTRICT, No., SUB-DISTRICT, DISTRICT, No., SUB-DISTRICT, DISTRICT, No. Lists various sub-districts and their corresponding districts and population numbers.

Table with 9 columns: SUB-DISTRICT, DISTRICT, No., SUB-DISTRICT, DISTRICT, No., SUB-DISTRICT, DISTRICT, No. Lists various sub-districts and their corresponding districts and population numbers. Includes a section header 'T' and 'W'.

ALPHABETICAL INDEX

TO

REGISTRAR-GENERAL'S THIRTY-SECOND ANNUAL
REPORT AND APPENDIX.

	PAGE
AGES ; of Persons married in 1869	xiii
Mean Age at Marriage	xiii
Deaths of Males and Females registered at different Ages in England in each of the Years 1838-69. (Tables 16, 17.)	xxi-xxii
Mortality of Males and Females at different Ages in England in the Years 1838-67. (Tables 18-21.)	xxiii-xxvi
of 243,362 Persons married in 1869, distinguishing Bachelors, Spinners, Widowers, Widows	26-27
at Death of Males and Females registered in 1869 in Divisions, Counties, and Districts	96-117
at Death of Males and Females in England registered from different Causes, in 1869	118-123
at Death of Males and Females in England registered from different Supplemental Causes, in 1869	124-127
at Death of Males and Females in London registered from different Causes, in 1869	128-133
AREA in Statute Acres of each Division, County, District, and Sub-district	28-82
ARMY ; Strength and Mortality in the Army at home and abroad	xxxiii
Annual Rate of Mortality per 1000 in Great Britain, England, France, Austria, and Italy, including the Deaths of Soldiers at Home and Abroad, 1857-69. (Table 31.)	xxxii
Average Strength of the British Army at Home in 1869. (Table 32.)	xxxiii
Mortality of the Army at Home in 1869. (Table 33.)	xxxiii
Average Strength of the British Army Abroad in each of the Years 1866-69. (Table 34.)	xxxiv
Number of Deaths in the British Army at Home and Abroad, 1866-69. (Table 35.)	xxxiv
Annual Rate of Mortality per 1000 amongst Officers and Men in the Army Abroad, 1858-69. (Table 36.)	xxxiv
Strength at Home and Abroad in 1861, showing the Numbers born in the different parts of the United Kingdom and elsewhere. (Table 37.)	xxxv
Deaths in Army Abroad of Officers and Men belonging to England and Wales and to Great Britain, 1858-69. (Table 38.)	xxxv
AUSTRIA ; Estimated Population in middle of the Years 1853-69. (Table 27.)	xxx
Number, and Proportion per 1000 to Population, of Marriages, Births, and Deaths, in each of the Years 1853-69. (Table 28.)	xxxi
Annual Rate of Mortality per 1000 in the Austrian Army, 1857-69. (Table 29.)	xxxv

	PAGE
BIRTHS registered in England, in each Year, 1838-1869. (Table 1.)	v
proportion to Population in each Year, 1838-69. (Table 2.)	vi
Legitimate and Illegitimate in England in the Years 1845-69, and Proportion of Males to Females. (Table 8.)	xiv
in Counties, in 1869. Numbers, Legitimate and Illegitimate, of the two Sexes ; Proportions of Male to Female Births, Legitimate and Illegitimate ; Proportion of Illegitimate Births to Total Births. (Table 9.)	xv
in 1869	xiii
proportion of Male and Female Children born in the several Counties of England during each of the Years 1860-69. (Table 10.)	xvi
proportion to Population in Counties for each of the Years 1859-69. (Table 11.)	xvii
of the two Sexes	xiv
proportional Number of Births in each Quarter to 1,000 Births in the average Quarter, 1838-69. (Table 13.)	xviii
registered in England, and proportion to Population, in each Quarter of the Years 1838-69. (Table 12.)	xviii
in the four Seasons	xiv
out of wedlock	xiv-xvii
in quarter ending March 1869	xxxix-xl
in quarter ending June „	xliii
in quarter ending September „	xlvi
in quarter ending December „	li
registered in each of the Divisions, Counties, Districts, and Sub-districts in 1869	28-82
excess over Deaths in each of the Divisions, Counties, Districts, and Sub-districts in 1869	28-82
registered in the Divisions and Counties (distinguishing Males and Females) in each of the Four Quarters of 1869	84-87
of Children born out of Wedlock registered in the Divisions and Counties (distinguishing Males and Females) in each of the Four Quarters of 1869	88-91
BIRTH-RATE in Counties in each of the Years 1859-69. (Table 11.)	xvii
in England in each Quarter of the Years 1838-69. (Table 12.)	xviii
BURNS AND SCALDS ; Deaths and Mortality at different Ages, in the Years 1848-69. (Table 18.—App.)	237
CAUSES of DEATH of Males and Females in England, at different Periods of Life, in 1869	118-123
(Supplementary Table) of Males and Females in England at different Periods of Life, in 1869	124-127
of Males and Females in London at different Periods of Life, in 1869	128-133
of Males and Females in England, and in each of the Divisions and Counties, in 1869	134-157
(from certain zymotic and other Causes) in 1869, in the Divisions, Counties, and Districts of England	158-169
Dr. Farr's Letter to the Registrar General thereon	215-220
registered in England in each of the Ten Years 1860-69. (Table 9.—App.)	225-227
Mortality from the several Causes in each of the Years 1852-69. (Table 10.—App.)	228-230

CAUSES of DEATH— <i>continued.</i>	PAGE
proportional Numbers dying from each Cause in 1869. (Table 11.—App.)	231
Mean Annual Rate of Mortality from different Causes during three periods of Five Years, and in 1869. (Table 12.—App.)	232-233
in England, in 1869, arranged in the order of their fatality. (Table 13.—App.)	234
CHILDBIRTH ; fatal diseases of	219
Deaths in 1869, at different Ages, of Women after Childbearing, classed under different Diseases, and neither referred to Childbirth nor to Metria in the Abstracts. (Table 14.—App.)	235
Deaths of Women in 1869 who were returned as pregnant, classed under certain Diseases. (Table 15.—App.)	236
Deaths of Women from Metria and Childbirth in the 23 Years, 1847-69, and proportional Deaths of Mothers to Children born alive. (Table 16.—App.)	236
CYNANCHE MALIGNA and DIPHTHERIA ; Deaths in England at different Ages in each of the Years, 1855-69. (Tables 1. and 2.—App.)	221
DEATHS registered in England in each Year, 1838-1869. (Table 1.)	v
proportion to Population in each Year, 1838-69. (Table 2.)	vi
in 1869	xix
registered in England at different ages (Males and Females) in the 32 years 1838-69. (Tables 16, 17.)	xxi-xxii
registered in England in each Quarter of the Years 1838-69. (Table 22.)	xxvii
proportion to Population	xix
Meteorology and Mortality	xix-xx
in the four Seasons	xxi
of the two Sexes	xxi
Mortality in different localities	xxii-xxiii
Mortality in the Eleven large Towns	xxiii
Mortality at different Ages of Males and Females	xxiv-xxv
proportional Number in each Quarter to 1,000 Deaths in the average Quarter, 1838-69. (Table 23.)	xxvii
registered in each of the Divisions, Counties, Districts, and Sub-districts in 1869	28-82
registered in each of the Four Quarters of 1869 (distinguishing Males and Females), in Divisions and Counties	92-95
of Males and Females at different Ages registered in 1869 in Divisions, Counties, and Districts	96-117
in 1869 in the principal Public Institutions	195-212
DEATHS FROM DIFFERENT CAUSES. (<i>See CAUSES OF DEATH.</i>)	
DEATHS FROM VIOLENCE. (<i>See VIOLENT DEATHS.</i>)	
DEATH-RATE of Males and Females in each of the Years 1838-69. (Table 14.)	xix
in Counties in each of the Years 1859-69. (Table 15.)	xx
in each Quarter of the Years 1838-69. (Table 23.)	xxvii
per 1000 at different Ages of Males and Females in England in the years 1838-67. (Tables 18, 19, 20, 21.)	xxiii-xxvi
Average Annual Rate in the 10 years 1851-60 in the Divisions, Counties, and Districts of England	158-169
from the several causes to 1,000,000 living in each of the years 1852-69. (Table 10.—App.)	228-230
Mean Annual Rate from different Causes during three periods of five years, and in 1869. (Table 12.—App.)	232-233
(<i>See also DEATHS.</i>)	

	PAGE
DEATHS and STATE of the PUBLIC HEALTH in quarter ending March 1869.	xli
in quarter ending June „	xliv
in quarter ending September „	xlix
in quarter ending December „	li
DEVELOPMENTAL DISEASES	219
DIATHETIC DISEASES	217
DIARRHŒA ; Deaths from	215
DIPHTHERIA and CYNANCHE MALIGNA ; Deaths in England at different Ages in each of the Years 1855-69. (Tables 1. and 2.—App.)	221
DISEASES (<i>See CAUSES OF DEATH.</i>)	
DISTRICTS : changes in the constitution of, during 1869	170-171
Alphabetical Index of	239-242
DIVISIONS of England: Average Annual Rate of Mortality in the Eleven Divisions in the 10 Years 1851-60, and in the Four Quarters of 1869. (Table 45.)	lvi
DIVORCES ; Marriage of Divorced persons in 1869	xii
EDUCATION ; progress of, as indicated by Signatures to Marriage Registers	xiii
EMIGRATION in 1869	vi
from the United Kingdom, in each of the Years 1815 to 1869 (Table 52.)	lxiii
from the United Kingdom in 1869, distinguishing the Destination, Sex, Age, Condition, Occupation, and Origin of the Emigrants. (Tables 53-54.)	lxiv-lxv
ENGLAND AND WALES ; Summary of results of Registration—	
in Year 1869	vi, xxxvii-xxxviii
in quarter ending March 1869	xxxix
in quarter ending June „	xliv
in quarter ending September „	xlvii
in quarter ending December „	li
Estimated Population of both Sexes in the middle of each of the Years 1801-1870 (<i>excluding Army, Navy, and Merchant Seamen Abroad</i>). (Table 58.)	lxviii-lxix
ERYSIPELAS : Deaths at different Ages in England in the Years 1862-69. (Table 8.—App.)	224
FARR, WILLIAM, M.D. ; Letter to the Registrar-General on the Causes of Death	215
FEVER ; Ages of the Persons who died from Fever (Typhus, Typhoid, and Typhoid) in the Year 1869. (Table 5.—App.)	223
Deaths in England at different Ages from Fever, in the 22 Years, 1848-69; and Annual Rate of Mortality. (Table 6.—App.)	223
Deaths registered, Mortality, and Proportional Number to 1,000 Deaths in each of the 20 Years, 1850-69. (Table 7.—App.)	224
FIRE ; Suggestions for preventing death by	220
FOREIGN STATES ; Number and Proportion to Population of Marriages, Births, and Deaths	xxxii
FRANCE ; Estimated Population in middle of the Years 1853-69. (Table 27.)	xxx
Number, and Proportion per 1000 to Population, of Marriages, Births, and Deaths, in each of the Years 1853-68. (Table 28.)	xxxii

	PAGE
MURDER and INFANTICIDE; Deaths in England at different Ages during the year 1869	188-189
in each of the Eleven Divisions during the year 1869	190
PAUPERISM in 1869	x
in quarter ending March 1869	xl
in quarter ending June "	xliv
in quarter ending September "	xlviii
in quarter ending December "	lii
in each Quarter of the years 1858-69. (Table 44.)	lv
POPULATION of England; natural increase in 1869	vi
of England estimated to the middle of each of the years 1838-69. (Table I.)	v
increase of, in quarter ending March 1869	xl
" in quarter ending June "	xliii
" in quarter ending September "	xlvii
" in quarter ending December "	li
of United Kingdom in the middle of each of the years 1801-70. (Table 58.)	lxviii-lxix
(See also ENGLAND, SCOTLAND, and IRELAND.)	
POPULATION (in 1861) of each Division, County, District, and Sub-district	28-82
PRICES of Provisions in 1869	ix-x
PRICES of Wheat, Meat, and Potatoes in quarter ending March 1869	xl
in quarter ending June "	xliii
in quarter ending September "	xlviii
in quarter ending December "	li
Quarterly Table for the years 1858-69. (Table 44.)	lv
PROBATES and LETTERS OF ADMINISTRATION granted in the year 1869	xxxviii
PUBLIC HEALTH. (See HEALTH.)	
PUBLIC INSTITUTIONS. (See INSTITUTIONS.)	
QUARTERLY REPORTS; Summary of, for quarter ending March 1869	xxxix
for quarter ending June "	xliii
for quarter ending September "	xlvii
for quarter ending December "	li
REGISTERED BUILDINGS FOR MARRIAGES on 31st December 1869. (Table 7.)	xi
REGISTERS AND SEARCHES; Particulars relative to Searches made in 1869	xxxvii
Amount received in fees for Searches in 1869	xxxviii
Aggregate number of Names on the Registers and number of Searches. (Table 42.)	xxxviii
REGISTRATION; progress of, in 1869	viii, xxxvii
RE-MARRIAGES in 1869. (See also MARRIAGES.)	xii
REPORT; Delay in publication of, in order to correct calculations by the new Population (Census 1871)	vi

	PAGE
SCARLET FEVER; Deaths in England at different Ages in each of the Years, 1855-69. (Table 3.—App.)	221
Deaths in each of the Counties of England and Wales in each of the Years 1854-1869. (Table 4.—App.)	222
SCARLET FEVER, CYNANCHE MALIGNA, and DIPHTHERIA; Deaths in England in each of the Years 1855-69. (Table 1.—App.)	221
SCOTLAND; Area, Estimated Population, Marriages, Births, and Deaths in 1869. (Table 24.)	xxviii
Proportion, per 1000, of Marriages, Births, and Deaths to Population in 1869. (Table 25.)	xxviii
Estimated Population of both Sexes in the middle of each of the Years 1801-1870 (excluding Army, Navy, and Merchant Seamen Abroad). (Table 58.)	lxix
SEA; Births and Deaths of British Subjects at Sea, 1856-69. (Table 40.)	xxxvi
Mortality of Merchant Seamen at Sea, 1852-69. (Table 41.)	xxxvii
Causes of Death of Merchant Seamen in 1869. (Table 55.)	lxxi
SEARCHES; Number of Searches for Registers at the Central Office, 1843-69. (Table 42.)	xxxviii
SEX; Proportion of Male and Female Children born in the several Counties of England in each of the years 1860-69. (Table 10.)	xvi
SMALL-POX, outbreaks of	215
SPAIN; Population, Numbers and Proportions, per 1000, of Births and Deaths in each of the Years 1861-67. (Table 30.)	xxxii
SUB-DISTRICTS; Changes in the constitution of, during 1869	170-171
Alphabetical Index of	243-252
SUICIDES in England at different Ages during the Year 1869	184-185
in each of the Eleven Divisions " "	186-187
Proportion to every 1,000,000 of the Population of England, 1858-69. (Table 17.—App.)	237
SYPHILIS; its fatality, increase in deaths from	215
Necessity for effective measures to stop its ravages	215
TOWN AND COUNTRY DISTRICTS; Mortality in quarter ending March 1869	xli
in quarter ending June "	xlv
in quarter ending September "	1
in quarter ending December "	lii
Area; Population 1851 and 1861; Annual Rate of Mortality per 1000 in each Quarter of the Years 1859-69. (Table 43.)	liv
TOWNS; Mortality in 11 great English Towns in 1869	xxiii
Population, Births, Deaths, Mortality, Temperature and Rainfall in 1869, in LONDON and THIRTEEN LARGE TOWNS of the United Kingdom. (Table 49.)	lx
Annual Rate of Mortality in London and Thirteen Large Towns of the United Kingdom in each Week of 1869. (Table 51.)	lxii
" in March quarter 1869	xliii
" in June quarter "	xlv
" in September quarter "	1
" in December quarter "	lii
Index of certain Towns whose names differ from that of the District and Sub-district in which they are respectively situated	253

LONDON: Printed by GEORGE E. EYRE and WILLIAM SPOTTISWOODE,
Printers to the Queen's most Excellent Majesty,
For Her Majesty's Stationery Office.

-4 JUN 1962 P.T.

REFER