STATISTICS
BACK-UP

BRITISH LIBRARY
OF POLITICAL AND
ECONOMIC SCIENCE

LONDON SCHOOL OF
ECONOMICS AND
POLITICAL SCIENCE

STATISTICS
BACK-UP

)S [12 (HA 161)]
(2) 42 STATISTICS BACK-UP

GENERAL REGISTER OFFICE

THE REGISTRAR GENERAL'S STATISTICAL REVIEW OF ENGLAND AND WALES FOR THE YEAR 1962

PART I

TABLES, MEDICAL

BRITISH LIBRARY
22 JAN 1964
OF POLITICAL AND
ECONOMIC SCIENCE.

LONDON

HER MAJESTY'S STATIONERY OFFICE

PRICE £1 5s. 0d. NET

8771/10/R

GENERAL REGISTER OFFICE

The Registrar General's Statistical Review of England and Wales

Part III: Commentary

This annual volume contains detailed analyses of the statistics of life and death already presented in Parts I and II of the Review which are designed to assist, in their administration or research, demographers, statisticians, medical research organisations, public health authorities, and all other individuals and organisations who have to take account of the vital statistics of England and Wales.

A feature of the volume for 1961, published recently, is comment on the first full year's information on causes of stillbirth which doctors and midwives have been providing since 1st October 1960. This new information, which has been analysed by cause, sex and number, and in relation to such factors as length of gestation, birth weight and place of confinement, should prove of special interest to all those engaged in the struggle to reduce the incidence of stillbirth in this country.

Also of particular interest in the Commentary for 1961 is a survey of suicide over the past 60 years.

Obtainable from
HER MAJESTY'S STATIONERY OFFICE
at the addresses shown on cover page iv
or through any bookseller

GENERAL REGISTER OFFICE

THE REGISTRAR GENERAL'S STATISTICAL REVIEW OF ENGLAND AND WALES FOR THE YEAR 1962

PART I

TABLES, MEDICAL

LONDON
HER MAJESTY'S STATIONERY OFFICE
1964

TABLE OF CONTENTS

		Page
Explanatory notes		v
Corrections		xi
Population		
Table 1.	Estimated population, total, home and civilian, by sex and age, as at 30th June 1962. England and Wales	2
Table 2.	Estimated home population by sex and age, as at 30th June 1962. England and Wales, standard regions, Wales, conurbations, urban and rural aggregates outside conurbations	3
Serial mortality records		
Table 3.	Deaths, death rates, mortality comparisons, infant mortality, and live and still birth rates, 1841 to 1962. England and Wales	4
Table 4.	Death rates in age-groups and infant mortality, 1841 to 1962. England and Wales	6
Table 5.	Deaths registered and death rates in each quarter, 1841 to 1962. England and Wales	9
Table 6.	Standardised Mortality Ratios (all ages) and death rates at ages under 15 years from the principal epidemic and general diseases, 1851 to 1962. England and Wales	10
Table 7.	Deaths by cause and sex at all ages, 1952 to 1962. England and Wales	11
Table 8.	Crude death rates from certain causes, by sex at all ages, 1952 to 1962. England and Wales	43
Table 9.	Standardised Mortality Ratios (base years 1950–1952) by sex for certain causes of death, 1952 to 1962. England and Wales	58
Table 10.	Death rates by sex and age, and infant mortality from certain causes, 1958 to 1962. England and Wales	62
Table 11.	Deaths of infants under one year from certain causes, 1952 to 1962. England and Wales	66
Table 12.	Infant mortality from certain causes, 1952 to 1962. England and Wales	67
Vital statistics by local areas		
Table 13.	Home population, births, deaths, infant mortality and perinatal mortality, 1962. England and Wales, standard regions, Wales, conurbations, counties, boroughs, urban and rural districts	68
Deaths by age		
Table 14.	Deaths by sex at each year of age (with marital condition), 1962. England and Wales	118
Table 15.	Constructed analysis of 1962 deaths by age and marital condition. England and Wales	120
Table 16.	Deaths at different ages by month of occurrence, January to December, 1962. England and Wales	121

		Page
Cause analyses		
Table 17.	Causes of death at different age periods, 1962. England and Wales	122
Table 18A.	Accidental poisoning and other non-transport accidents by place of occurrence, sex and age, 1962. England and Wales	167
Table 18B.	Deaths from violent causes according to nature of injury, sex and age, 1962. England and Wales	174
Table 18C.	Deaths from violent causes—Nature of injury according to external cause, 1962. England and Wales	178
Table 18D.	Deaths from road traffic accidents and from accidental falls—Nature of injury according to external cause, sex and age, 1962. England and Wales	179
Table 19.	Causes of death by sex at different periods of life, 1962 (including, for England and Wales only, crude death rates per million living) (International Abbreviated List). England and Wales, standard regions, Wales, conurbations, urban and rural aggregates outside conurbations	182
Table 20.	Suspended. (*See headnote to Table 21*)	
Table 21.	Causes of death by sex, 1962 (Abridged List and Supplementary Abridged List). England and Wales, standard regions, Wales, conurbations, London A.C., City of London, metropolitan and county boroughs, administrative counties	230
Table 22.	Causes of death by month of occurrence, January to December, 1962. England and Wales	258
Stillbirths and infant mortality		
Table 23.	Stillbirths by sex and legitimacy, 1962. England and Wales, standard regions, Wales, conurbations, London A.C., City of London, metropolitan and county boroughs, urban and rural aggregates in each administrative county	267
Table 23A.	Stillbirths by cause, sex and mother's age at maternity (with, for certain selected causes, rate per 1,000 total births), 1962. England and Wales	270
Table 23B.	Legitimate stillbirths by cause and parity of mother (with, for certain selected causes, rate per 1,000 total births), 1962. England and Wales	275
Table 23C.	Stillbirths by cause and month of occurrence (with, for certain selected causes, rate per 1,000 total births), 1962. England and Wales	278
Table 23D.	Stillbirths by cause and area of residence of mother (with, for certain selected causes, rate per 1,000 total births), 1962. England and Wales, standard regions, urban and rural aggregates	283
Table 23E.	Stillbirths by cause and length of gestation, 1962. England and Wales	288
Table 23F.	Stillbirths by cause and birth weight, 1962. England and Wales	292
Table 23G.	Stillbirths by cause and place of confinement (with, for certain selected causes, rate per 1,000 total births), 1962. England and Wales	296
Table 23H.	Legitimate stillbirths by certain selected causes, parity of mother and number of previous stillbirths (with rate per 1,000 total births), 1962. England and Wales	300
Table 24.	Deaths at various periods in the first year of life by legitimacy. Death rates per 1,000 live births, 1962. England and Wales, standard regions, Wales, conurbations, urban and rural aggregates outside conurbations	302

Page

Table 25. Deaths at various periods in the first year of life, 1962, and the four quarters thereof. England and Wales, standard regions, Wales, conurbations, urban and rural aggregates outside conurbations 304

Table 26. Infant mortality from certain causes, 1962. Deaths of infants under one year and various sub-divisions of the first year, and deaths of illegitimate infants. England and Wales, standard regions, Wales, conurbations, urban and rural aggregates outside conurbations 306

Table 27. Causes of death at various ages under five years, 1962. England and Wales 310

Infectious diseases

Table 28. Weekly notifications of certain infectious diseases and deaths from certain causes, 1962. England and Wales 322

Table 29. Cases of certain infectious diseases notified, 1952 to 1962. England and Wales 323

Table 30. Cases of certain infectious diseases notified, by sex and age, 1962. England and Wales, standard regions, Wales, conurbations, urban and rural aggregates outside conurbations .. 324

Table 31. Cases of certain infectious diseases notified, 1962 (including, for England and Wales only, case rates per 100,000 population). England and Wales, standard regions, Wales, conurbations, counties, metropolitan and county boroughs, urban and rural aggregates outside conurbations 342

Weather

Table 32. Quarterly air temperature, rainfall and sunshine, 1962. England and Wales 352

Table 33. Rainfall, mean temperature and sunshine, 1913 to 1962. England and Wales 353

Table 34. Meteorological observations, 1962. Kew Observatory, Richmond 354

Appendices

Appendix A. Standardised Mortality Ratios, age specific death rates and infant mortality rates from selected causes, 1962. England and Wales, Scotland, Northern Ireland and Irish Republic 356

Appendix B. Abridged life table, 1962. England and Wales 364

EXPLANATORY NOTES

1. New or recent changes in presentation

New tables which relate to stillbirth by cause were introduced in the 1961 volume of the Statistical Review. Classification is according to the Supplementary List for causes of stillbirth, set out on pages 336–348 of the *International Statistical Classification of Diseases, Injuries and Causes of Death, 1955** (Seventh Revision), with further sub-division of certain rubrics, and as modified by the following changes of assignment:

Cause of stillbirth	Rubrics to which cause is assigned (i) in International Classification	Rubrics to which cause is assigned (ii) in tables listed below
Patent ductus arteriosus	39·5	38·41
Patent foramen ovale		38·43
Congenital heart condition NOS		38·45
Foetal heart condition NOS		38·45

The tables are as follows:

Table 23A. Stillbirths by cause, sex, and age of mother at maternity
Table 23B. Legitimate stillbirths by cause and parity of mother
Table 23C. Stillbirths by cause and month of occurrence
Table 23D. Stillbirths by cause and area of residence
Table 23E. Stillbirths by cause and length of gestation
Table 23F. Stillbirths by cause and birth-weight
Table 23G. Stillbirths by cause and place of confinement
Table 23H. Legitimate stillbirths by certain selected causes, parity of mother and number of previous stillbirths

Tables 23A, 23B, 23C, 23D, 23G and 23H show stillbirth rates for certain selected causes.

2. Populations

The estimates of population appearing in this volume and described as " home " or " total " populations have the following content:

Home population —the population, of all types, actually in England and Wales, distributed by area according to residence.

Total population —the home population *plus* members of H.M. Forces belonging to England and Wales and serving overseas but *minus* the Forces of other countries temporarily in England and Wales.

Civilian population—the total population *minus* members of H.M. Forces belonging to England and Wales at home or overseas.

3. Deaths

The deaths recorded in this volume are those registered in England and Wales. No distinction is made between deaths of civilians and deaths of non-civilians, except where stated for past years in serial tables.

Except in **Tables 16** and **22** the deaths recorded are those registered in the calendar period, the time lag between the date of occurrence and the date of registration being usually only a day or two. In **Tables 16** and **22** deaths are classified by calendar month of occurrence, but they exclude deaths occurring in the current year which are not registered until after 31st March in the following year.

In all tables deaths are classified according to the area of usual residence of the deceased. Accommodation provided under Parts III and IV of the National Assistance Act, 1948, is regarded as the place of residence of persons dying there. Before 1st January 1958 chronic sick and psychiatric hospitals were similarly treated for this purpose but from that date the method of classification was modified, the main change being that a death in such a hospital is now assigned to the area of occurrence only if the deceased had been there six months or more. If the deceased had been there less than six months the death is transferred to the area of previous usual residence.

In some small areas the number of deaths may also have been appreciably affected by the *opening*, *closing* or *change of use* of certain institutions, so that figures may not be comparable with those of earlier years.

---

* Manual obtainable from Her Majesty's Stationery Office, price 35s. 0d. net.

4. Causes of death

The classification of causes of death is that prescribed in the *International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955** (Seventh Revision) operating from the year 1958 in accordance with international agreement. In the tables this classification is referred to as ICD. Violent deaths are generally classified according to the External Cause of Injury (E codes), but the alternative method of classification by Nature of Injury (N codes) is also used in **Tables 7, 8, 18B, 18C, 18D, 19** and **27.** The Abridged List used for separate areas in **Table 21** is an adaptation of the International List and was adopted by the Registrar General in consultation with the Ministry of Health; it is extended by the Supplementary Abridged List in the same table. The list used in **Table 19** is designed so that it can be condensed into either the International Abbreviated List or the Abridged List of **Table 21. Tables 18C** and **18D** employ both of the alternative classifications for violent deaths in the International Intermediate List.

The 1955 International Classification differs very slightly from that for 1948. For most causes of death, therefore, statistics compiled according to the 1955 Classification should be comparable with those compiled according to that for 1948. (*See* Appendix B of the 1957 *Statistical Review, Part III, Commentary*†.)

Where more than one cause of death is mentioned on the medical certificate the choice of the assigned cause is in accordance with international procedure, determined in the main from the statement of the certifier, and not by arbitrary rules of precedence.

5. Death rates

The death rates for 1950 and on (except for infant mortality and maternal mortality) are derived from the total deaths registered in this country and are based on the home population, while those for 1940–49 are derived from civilian deaths and populations (*see* note 2 above). All death rates for years prior to 1958 have been revised so far as possible to the new method of classification. Death rates for the years 1951 to 1953 shown in this volume are in some cases slightly different from corresponding rates published in Parts I and II for these years because the estimated populations on which they are based have been revised in the light of final data from the 1951 Census.

The crude death rates for local areas in **Table 13** (col. 12) may not be comparable one with another. In the first place, the populations on which they are based may have widely different structures by sex and age. In order to eliminate differences between local death rates due to this cause an Area Comparability Factor is calculated (as described on page 57 of the 1954 *Statistical Review, Part III, Commentary*‡).

In the second place, the populations on which the crude death rates are based may include a disproportionate number of invalids if there are certain types of hospital in the area. In order to eliminate differences between local death rates due to this cause, the Area Comparability Factors mentioned in the previous paragraph are adjusted so that they also spread the deaths and the populations in chronic sick and psychiatric hospitals over all areas of the country in proportion to the non-institutional populations.

The product of the crude death rate and this adjusted Area Comparability Factor (col. 13 in **Table 13**) is a rate which is standardised for sex and age structure and, at the same time, makes allowance for the presence in or absence from the area of chronic sick or psychiatric hospitals.

Infant mortality rates are based upon the live births occurring in the year, except in the years 1931 to 1956 when they were based upon related live births, i.e. the combined live births of the associated and preceding year to which they relate. Maternal mortality rates are based upon live and still births occurring in the calendar year, except in the case of deaths from abortion which are based on the estimated numbers of women aged 15–44. Perinatal mortality rates are based on the number of deaths under one week plus stillbirths per thousand total live and still births.

6. Standard mortality comparisons

The Comparative Mortality Index introduced in 1942 has since 1958 been replaced by a Standardised Mortality Ratio (S.M.R.) which shows the number of deaths registered in the year of experience as a percentage of those which would have been expected in that year had the sex/age mortality of a standard period (1950–52) operated on the sex/age population of the year of experience. S.M.R.s are shown in **Tables 3, 6** and **9.**

7. Births and birth rates

The births recorded are those occurring in the calendar year. Births are allocated to the area of usual residence of the mother.

* Manual obtainable from Her Majesty's Stationery Office, price 35s. 0d. net
† Obtainable from Her Majesty's Stationery Office, price 16s. 6d. net.
‡ Obtainable from Her Majesty's Stationery Office, price 8s. 0d. net.

The crude birth rates for local areas in **Table 13** (col. 6) may not be comparable one with another. In the first place, the populations on which they are based may contain different relative numbers of women of childbearing ages. In order to eliminate differences between local birth rates due to this cause an Area Comparability Factor is calculated (as described on page 30 of the 1954 *Statistical Review, Part III, Commentary**).

In the second place, the crude birth rates for local areas may differ because disproportionate numbers of women of childbearing ages are in psychiatric hospitals for long periods, where they are not, in fact, 'exposed to risk ' of childbearing. In order to eliminate differences between local birth rates due to this cause also, the Area Comparability Factors mentioned in the previous paragraph are adjusted so that they also spread the numbers of women of childbearing ages in psychiatric hospitals over all areas of the country in proportion to the non-institutional populations.

The product of the crude birth rate and this adjusted Area Comparability Factor (col. 7 in **Table 13**) is a rate which is standardised for sex and age structure—in particular for the relative numbers of women of childbearing ages—and, at the same time, makes allowance for the presence in or absence from the area of psychiatric hospitals with female patients of childbearing ages.

8. Notification of infectious diseases

Tables 29, 30 and **31** are based on notifications corrected for subsequent amendments of diagnosis by the notifying medical practitioner or by the medical superintendent of the infectious diseases hospital. Non-civilians are included unless otherwise stated.

9. Changes in boundaries

Areas which have undergone a change of boundary on 1st April are identified in **Table 13** by an asterisk (*); areas created during the year are identified by the sign †, while areas abolished are indicated by the sign ‡. Statistics shown for the year for such an area relate to the area as constituted in the respective parts of the year before and after the boundary change; in consequence the base population used in **Table 13** for the calculation of birth and death rates, which must be a weighted average of the populations for these two parts of the year, may differ from **Table 2** which relates to the area as constituted *after* the boundary change. An appendix showing details of changes in boundaries is published in Part II.

10. Indication of reliability

Rates given as 0 indicate that the actual rate is less than one half of a unit. A dash (—) in any column indicates that there were no events. Where a cell has been left blank no denominator is available.

Rates based upon less than 20 births, deaths or notifications are distinguished by italic type as a warning to the user that the smallness of the experiences may affect their reliability as a measure of the underlying mortality.

Numbers

If d represents the deaths in an area and p the population in that area then, if d/p is small, the standard error (s.e.) of d is approximately $\sqrt{d}$ assuming that the deaths are independent of one another. Clearly, the larger the number of deaths the smaller will be the proportionate variability. A deviation either way of twice the s.e. may be expected about once in 20 times. Using this criterion one might expect towns each averaging 20 deaths per year to yield in the same year numbers ranging between 11 and 29 without such differences having any statistical significance. Alternatively it could be said that if 20 deaths were recorded for a town, this number would have a 95 per cent confidence interval of approximately $\pm$ 9, there being a 95 per cent chance that the underlying mortality is represented by a number of deaths within this interval.

If d is thought to be an extreme variation it would be more reliable to use as the standard error not $\sqrt{d}$ but $\sqrt{d'}$ where d' is the number of deaths expected if some standard rate (e.g. the national rate) were applied.

Rates

The appropriate standard error of a death rate when d represents the number of deaths and p the population is

$$\frac{\sqrt{d}}{p} \text{ or } \frac{m}{\sqrt{d}}$$

* Obtainable from Her Majesty's Stationery Office, price 8s. 0d. net.

(88065) A*

where m is the death rate. The difference between two local death rates m_1 and m_2 can only be regarded as significant if it amounts to more than twice the standard error of the difference, viz.

$$2\sqrt{\left(\frac{m_1^2}{d_1}+\frac{m_2^2}{d_2}\right)}.$$

Comparison of adjusted rates

Before comparisons are made, other known sources of variation (such as differences in the sex and age composition of the population) must be removed. If C is the local death Area Comparability Factor, then mC is to be compared with m', the national death rate. The s.e. of mC is

$$C\sqrt{\left(\frac{m}{p}\right)}^{*}$$

and

$$mC\pm 2C\sqrt{\left(\frac{m}{p}\right)}^{*}$$

is to be compared with m'. As already indicated, m' can be used instead of m in the calculation of the s.e.; m' has the advantage of itself having a small sampling error.

11. Abbreviations

A.C. —administrative county (the administrative county of London consists of the City of London (including the Inner and Middle Temples) and the metropolitan boroughs).
C.B. —county borough.
M.B. —municipal borough.
Met. B.—metropolitan borough.
U.D. —urban district.
R.D. —rural district.

12. Standard regions

The constitution of the standard regions of England and Wales used in this volume is as follows:

Northern	Midland	Southern	Wales II (remainder)
Cumberland	Herefordshire	Berkshire	Anglesey
Durham	Shropshire	Buckinghamshire	Caernarvonshire
Northumberland	Staffordshire	Dorset, Part of[7]	Cardiganshire
Westmorland	Warwickshire	Hampshire	Denbighshire
Yorkshire, North Riding	Worcestershire	Oxfordshire	Flintshire
		Wight, Isle of	Merionethshire
East and West Ridings	**Eastern**		Montgomeryshire
Yorkshire, East Riding	Bedfordshire	**South Western**	Pembrokeshire
Yorkshire, West Riding	Cambridgeshire	Cornwall	Radnorshire
	Ely, Isle of	Devon	
North Western	Essex, Part of[3]	Dorset, Part of[8]	
Cheshire	Hertfordshire, Part of[4]	Gloucestershire	
Derbyshire, Part of[1]	Huntingdonshire	Somerset	
Lancashire	Norfolk	Wiltshire	
	Suffolk, East		
North Midland	Suffolk, West	**Wales I (South East)**	
Derbyshire, Part of[2]		Breconshire	
Leicestershire	**London and South Eastern**	Carmarthenshire	
Lincolnshire	Essex, Part of[5]	Glamorgan	
Parts of Holland	Hertfordshire, Part of[6]	Monmouthshire	
Parts of Kesteven	Kent		
Parts of Lindsey	London A.C.		
Northamptonshire	Middlesex		
Nottinghamshire	Surrey		
Peterborough, Soke of	Sussex, East		
Rutland	Sussex, West		

[1] Buxton M.B., Glossop M.B., New Mills U.D., Whaley Bridge U.D. and Chapel en le Frith R.D.
[2] All except the areas stated in [1] above.
[3] All except East Ham C.B., West Ham C.B., Chingford M.B., Wanstead and Woodford M.B., Leyton M.B., Walthamstow M.B., Ilford M.B., Barking M.B., Dagenham M.B., Waltham Holy Cross U.D. and Chigwell U.D.
[4] All except Barnet U.D., Bushey U.D., Cheshunt U.D., East Barnet U.D. and Elstree R.D.
[5] All areas stated in [3] above.
[6] All areas stated in [4] above.
[7] Poole M.B. only.
[8] All areas except Poole M.B.

* It is regretted that these formulae were given as $\sqrt{\left(\frac{mC}{p}\right)}$ and $mC\pm 2\sqrt{\left(\frac{mC}{p}\right)}$ in previous editions of this Review.

13. Conurbations

The conurbation areas each consist of an aggregation of entire local authority areas and are constituted as follows:

Tyneside

Durham (*part*)		*Northumberland* (*part*)	
Gateshead C.B.	Felling U.D.	Newcastle upon Tyne C.B.	Longbenton U.D.
South Shields C.B.	Hebburn U.D.	Tynemouth C.B.	Newburn U.D.
	Jarrow M.B.		Wallsend M.B.
	Whickham U.D.	Gosforth U.D.	Whitley Bay M.B.

West Yorkshire

Yorkshire, West Riding (*part*)

Bradford C.B.	Aireborough U.D.	Heckmondwike U.D.	Ossett M.B.
Dewsbury C.B.	Baildon U.D.	Holmfirth U.D.	Pudsey M.B.
Halifax C.B.	Batley M.B.	Horbury U.D.	Queensbury and Shelf U.D.
Huddersfield C.B.	Bingley U.D.	Horsforth U.D.	Ripponden U.D.
Leeds C.B.	Brighouse M.B.	Keighley M.B.	Rothwell U.D.
Wakefield C.B.	Colne Valley U.D.	Kirkburton U.D.	Shipley U.D.
	Denby Dale U.D.	Meltham U.D.	Sowerby Bridge U.D.
	Denholme U.D.	Mirfield U.D.	Spenborough M.B.
	Elland U.D.	Morley M.B.	Stanley U.D.

South East Lancashire

Cheshire (*part*)	*Lancashire* (*part*)		
Stockport C.B.	Bolton C.B.	Horwich U.D.	Urmston U.D.
	Bury C.B.	Irlam U.D.	Wardle U.D.
Alderley Edge U.D.	Manchester C.B.	Kearsley U.D.	Westhoughton U.D.
Altrincham M.B.	Oldham C.B.	Lees U.D.	Whitefield U.D.
Bowdon U.D.	Rochdale C.B.	Littleborough U.D.	Whitworth U.D.
Bredbury and Romiley U.D.	Salford C.B.	Little Lever U.D.	Worsley U.D.
Cheadle and Gatley U.D.	Ashton-under-Lyne M.B.	Middleton M.B.	
Dukinfield M.B.	Audenshaw U.D.	Milnrow U.D.	
Hale U.D.	Chadderton U.D.	Mossley M.B.	
Hazel Grove and Bramhall U.D.	Crompton U.D.	Prestwich M.B.	
Hyde M.B.	Denton U.D.	Radcliffe M.B.	
Marple U.D.	Droylsden U.D.	Royton U.D.	
Sale M.B.	Eccles M.B.	Stretford M.B.	
Stalybridge M.B.	Failsworth U.D.	Swinton and Pendlebury M.B.	
Wilmslow U.D.	Farnworth M.B.	Tottington U.D.	
Disley R.D.	Heywood M.B.		

Merseyside

Cheshire (*part*)		*Lancashire* (*part*)	
Birkenhead C.B.	Ellesmere Port M.B.	Bootle C.B.	Huyton-with-Roby U.D.
Wallasey C.B.	Hoylake U.D.	Liverpool C.B.	Litherland U.D.
	Neston U.D.		
Bebington M.B.	Wirral U.D.	Crosby M.B.	

West Midlands

Staffordshire (*part*)		*Warwickshire* (*part*)	*Worcestershire* (*part*)
Smethwick C.B.	Darlaston U.D.	Birmingham C.B.	Dudley C.B.
Walsall C.B.	Rowley Regis M.B.		
West Bromwich C.B.	Sedgley U.D.	Solihull M.B.	Halesowen M.B.
Wolverhampton C.B.	Tettenhall U.D.	Sutton Coldfield M.B.	Oldbury M.B.
	Tipton M.B.		Stourbridge M.B.
Aldridge U.D.			
Amblecote U.D.	Wednesbury M.B.		
Bilston M.B.	Wednesfield U.D.		
Brierley Hill U.D.	Willenhall U.D.		
Coseley U.D.			

Greater London

London	*Kent* (*part*)	*Essex* (*part*)
	Beckenham M.B.	East Ham C.B.
Middlesex	Bexley M.B.	West Ham C.B.
	Bromley M.B.	
Surrey (*part*)	Chislehurst and Sidcup U.D.	Barking M.B.
Croydon C.B.	Crayford U.D.	Chigwell U.D.
	Erith M.B.	Chingford M.B.
Banstead U.D.	Orpington U.D.	Dagenham M.B.
Barnes M.B.	Penge U.D.	Ilford M.B.
Beddington and Wallington M.B.		Leyton M.B.
Carshalton U.D.	*Hertfordshire* (*part*)	Waltham Holy Cross U.D.
	Barnet U.D.	Walthamstow M.B.
Coulsdon and Purley U.D.	Bushey U.D.	Wanstead and Woodford M.B.
Epsom and Ewell M.B.	Cheshunt U.D.	
Esher U.D.	East Barnet U.D.	
	Elstree R.D	

(88065)

14. Urban and rural aggregates

Urban and rural aggregates relate to groups of local authority areas by type (all those within conurbations, urban areas, rural districts) and, in the case of urban areas, by size of their resident population as estimated at Census Day (23rd April 1961). ' Urban areas ' include boroughs and urban districts as defined under the Local Government Acts, and rural districts are also as defined by those Acts.

CORRECTIONS

Statistical Review, 1961: Part I, Tables, Medical

Page 71. Table 13, Northwich U.D., cols. 13 and 14, *for* 1·67 *read* 1·04.

Page 86. Table 13, symbol * should appear against Eccles M.B. and not against Droylsden U.D.

Page 155. Table 17, cause 691, *for 3 read 0.*

Page 224. Table 19, B18. Uterus (171–174) age 75 and over, *for* 50 *read* 59.

Page 277. Table 23B,
Page 300. Table 23H,
Page 301. Table 23H,
} See page 65 for corrected legitimate live and still births and stillbirth rates.

Page 328. Table 30, acute poliomyelitis (paralytic), England and Wales totals. Reading from left to right, *for* **382, 23, 2, 4, 0, 7, 2, 0, 4, 5, 3, 2, 19, 18, 1, 29, 68, 4,** —, —, *read* **382, 323, 22, 24, 63, 34, 40, 47, 42, 40, 34, 25, 63, 62, 19, 18, 31, 29, 68, 44,** —, —.

Page 343. Table 31, (b) Final numbers after correction, insert the following line of rates below Total line (England and Wales) at head of table: **Rates** (per 100,000 population) **0, 1, 1, 43, 53, 0, 5, 2, 44, 1,654, 2, 0, 0, 0, 40, 18, 17, 42, 0, 6.**

Page 352. Table 32, Year 1961 (bottom of page), col. Rainfall, Number of days difference from average should read from top to bottom —11, —4, —11, —14, —9, —9, —10.

PART I

TABLES, MEDICAL

TABLE 1. Estimated population, total, home and civilian, by sex and age, as at 30th June 1962 — England and Wales

See explanatory note 2.

(Figures in thousands)

Age	Total population			Home population			Civilian population		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
0	807	413	394	807	413	394	807	413	394
1	782	402	380	782	402	380	782	402	380
2	744	383	361	744	383	361	744	383	361
3	735	377	358	735	377	358	735	377	358
4	715	367	348	715	367	348	715	367	348
0—4	**3,783**	**1,942**	**1,841**	**3,783**	**1,942**	**1,841**	**3,783**	**1,942**	**1,841**
5	692	355	337	692	355	337	692	355	337
6	666	343	323	666	343	323	666	343	323
7	644	330	314	644	330	314	644	330	314
8	658	337	321	658	337	321	658	337	321
9	654	336	318	654	336	318	654	336	318
5—9	**3,314**	**1,701**	**1,613**	**3,314**	**1,701**	**1,613**	**3,314**	**1,701**	**1,613**
10	642	328	314	642	328	314	642	328	314
11	659	338	321	659	338	321	659	338	321
12	680	348	332	680	348	332	680	348	332
13	713	366	347	713	366	347	713	366	347
14	768	392	376	768	392	376	768	392	376
10—14	**3,462**	**1,772**	**1,690**	**3,462**	**1,772**	**1,690**	**3,462**	**1,772**	**1,690**
15	859	440	419	859	440	419	857	438	419
16	667	341	326	667	341	326	662	336	326
17	663	340	323	664	341	323	653	331	322
18	675	345	330	672	342	330	652	325	327
19	643	327	316	636	320	316	618	304	314
15—19	**3,507**	**1,793**	**1,714**	**3,498**	**1,784**	**1,714**	**3,442**	**1,734**	**1,708**
20	595	301	294	587	294	293	571	279	292
All ages under 21	**14,661**	**7,509**	**7,152**	**14,644**	**7,493**	**7,151**	**14,572**	**7,428**	**7,144**
20—24	2,975	1,518	1,457	2,923	1,467	1,456	2,822	1,370	1,452
25—29	2,901	1,490	1,411	2,885	1,474	1,411	2,836	1,426	1,410
30—34	2,988	1,516	1,472	2,978	1,506	1,472	2,948	1,477	1,471
35—39	3,154	1,576	1,578	3,148	1,570	1,578	3,127	1,550	1,577
40—44	3,195	1,590	1,605	3,191	1,587	1,604	3,172	1,568	1,604
45—49	3,169	1,564	1,605	3,167	1,562	1,605	3,157	1,552	1,605
50—54	3,205	1,570	1,635	3,205	1,570	1,635	3,201	1,566	1,635
55—59	2,996	1,434	1,562	2,996	1,434	1,562	2,996	1,434	1,562
60—64	2,517	1,134	1,383	2,517	1,134	1,383	2,517	1,134	1,383
65—69	2,036	851	1,185	2,036	851	1,185	2,036	851	1,185
70—74	1,557	606	951	1,557	606	951	1,557	606	951
75—79	1,097	398	699	1,097	398	699	1,097	398	699
80—84	608	201	407	608	201	407	608	201	407
85 and over	304	92	212	304	92	212	304	92	212
All ages	**46,768**	**22,748**	**24,020**	**46,669**	**22,651**	**24,018**	**46,379**	**22,374**	**24,005**

TABLE 2. Estimated home population by sex and age, as at 30th June 1962 — England and Wales, standard regions, Wales, conurbations, urban and rural aggregates outside conurbations

(Figures in thousands)

		All ages	0—	5—	15—	25—	35—	45—	55—	65—	75 and over
ENGLAND AND WALES	M	**22,651**	**1,942**	**3,473**	**3,251**	**2,980**	**3,157**	**3,132**	**2,568**	**1,457**	**691**
	F	**24,018**	**1,841**	**3,303**	**3,170**	**2,883**	**3,182**	**3,240**	**2,945**	**2,136**	**1,318**
Regions and conurbations:											
Northern	M	**1,626**	**148**	**261**	**249**	**217**	**212**	**214**	**177**	**102**	**46**
	F	**1,656**	**140**	**250**	**240**	**204**	**208**	**215**	**193**	**134**	**73**
Tyneside Conurbation	M	416	39	64	61	58	55	56	47	26	11
	F	440	37	62	64	56	56	59	52	35	19
Remainder of Northern	M	1,209	109	197	188	159	157	158	130	76	35
	F	1,216	103	188	176	148	151	156	141	99	54
East and West Ridings	M	**2,044**	**177**	**313**	**279**	**274**	**285**	**290**	**237**	**131**	**58**
	F	**2,163**	**167**	**300**	**289**	**259**	**286**	**298**	**269**	**189**	**105**
West Yorkshire Conurbation	M	815	71	123	102	109	114	121	99	53	23
	F	902	67	118	113	103	118	131	120	85	47
Remainder of East and West Ridings	M	1,229	106	190	177	165	171	170	138	78	35
	F	1,262	100	182	177	156	168	167	149	104	58
North Western	M	**3,169**	**284**	**497**	**428**	**408**	**442**	**450**	**372**	**201**	**87**
	F	**3,453**	**270**	**477**	**447**	**403**	**456**	**477**	**442**	**313**	**168**
South East Lancashire Conurbation	M	1,165	105	181	149	154	168	168	137	73	30
	F	1,277	100	174	159	151	173	180	165	116	60
Merseyside Conurbation	M	663	68	114	101	86	88	85	69	36	15
	F	728	65	110	110	88	93	91	82	59	32
Remainder of North Western	M	1,342	111	202	178	168	186	196	166	93	42
	F	1,447	105	193	179	165	189	207	195	138	76
North Midland	M	**1,832**	**158**	**282**	**264**	**249**	**253**	**251**	**202**	**116**	**56**
	F	**1,864**	**149**	**269**	**253**	**227**	**246**	**249**	**220**	**157**	**94**
Midland	M	**2,396**	**207**	**371**	**353**	**337**	**347**	**328**	**252**	**138**	**63**
	F	**2,449**	**197**	**352**	**343**	**317**	**330**	**323**	**277**	**194**	**116**
West Midlands Conurbation	M	1,162	103	178	163	170	173	161	122	64	28
	F	1,215	98	171	172	161	166	162	137	94	54
Remainder of Midland	M	1,233	104	193	190	167	174	167	130	74	35
	F	1,234	99	182	170	156	164	161	141	100	62
Eastern	M	**1,896**	**168**	**284**	**290**	**248**	**262**	**249**	**205**	**125**	**65**
	F	**1,945**	**159**	**267**	**252**	**235**	**257**	**250**	**232**	**175**	**118**
London and South Eastern	M	**5,255**	**430**	**772**	**686**	**697**	**778**	**762**	**619**	**346**	**165**
	F	**5,894**	**407**	**734**	**749**	**707**	**817**	**823**	**744**	**551**	**362**
Greater London	M	3,873	317	555	502	535	591	573	455	238	107
	F	4,304	301	532	557	537	614	611	535	377	240
Remainder of South Eastern	M	1,382	113	217	184	162	187	189	164	108	58
	F	1,590	107	201	193	170	202	212	209	174	122
Southern	M	**1,449**	**124**	**226**	**260**	**177**	**186**	**181**	**153**	**93**	**48**
	F	**1,472**	**118**	**212**	**191**	**169**	**188**	**187**	**177**	**137**	**94**
South Western	M	**1,675**	**137**	**259**	**255**	**204**	**221**	**227**	**196**	**116**	**61**
	F	**1,780**	**129**	**244**	**224**	**200**	**224**	**237**	**228**	**172**	**121**
Wales	M	**1,310**	**110**	**208**	**187**	**169**	**172**	**180**	**155**	**88**	**42**
	F	**1,341**	**104**	**199**	**183**	**161**	**170**	**181**	**163**	**113**	**67**
Wales I (South East)	M	949	80	151	133	126	126	131	113	61	28
	F	959	76	144	132	120	123	130	115	76	43
Wales II (remainder)	M	361	30	57	54	43	46	49	42	27	14
	F	382	28	55	50	41	47	51	48	37	24
Urban/Rural aggregates:											
Conurbations	M	8,094	703	1,214	1,078	1,112	1,190	1,165	928	489	215
	F	8,866	667	1,167	1,174	1,095	1,221	1,234	1,090	766	452
Areas outside conurbations:											
Urban areas with populations of 100,000 and over	M	3,035	265	469	429	409	418	420	348	190	87
	F	3,250	253	452	435	391	422	437	401	288	171
Urban areas with populations of 50,000 and under 100,000	M	2,078	178	318	299	276	283	284	236	137	66
	F	2,255	168	304	291	268	292	300	281	213	138
Urban areas with populations under 50,000	M	4,655	402	732	637	597	635	641	535	318	157
	F	4,968	382	691	653	584	642	660	613	454	288
Rural districts	M	4,789	393	740	807	587	631	623	520	322	166
	F	4,679	372	689	617	544	605	609	560	414	269

TABLE 3. Deaths, death rates, mortality comparisons, infant mortality, and live and still birth rates, 1841 to 1962 } **England and Wales**

See explanatory notes. For explanation of Standardised Mortality Ratios see note 6.

Period	Deaths			Crude rates per 1,000 living			Standardised Mortality Ratios (1950–52 = 100)			Deaths of infants under 1 year per 1,000 live births†			Live birth rates per 1,000 population	Stillbirth rates per 1,000 total (live and still) births
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females	Total	Legitimate	Illegitimate		
1841–1850	3,769,396	1,909,125	1,860,271	22·4	23·1	21·6	357	320	396	153			32·6	
1851–1860	4,210,715	2,138,536	2,072,179	22·2	23·1	21·4	348	313	384	154			34·1	
1861–1870	4,794,498	2,459,489	2,335,009	22·5	23·7	21·4	351	319	383	154			35·2	
1871–1880	5,178,311	2,679,416	2,498,895	21·4	22·7	20·1	335	308	362	149			35·4	
1881–1890	5,244,770	2,698,316	2,546,454	19·1	20·3	18·1	304	281	327	142			32·4	
1891–1900	5,575,375	2,865,226	2,710,149	18·2	19·3	17·1	288	268	307	153			29·9	
1901–1910	5,248,774	2,706,356	2,542,418	15·4	16·4	14·4	235	221	248	128			27·2	
1911–1920*	5,188,052	2,684,511	2,503,541	14·4	15·9	13·0	197	187	207	100	96	194	22·7	
1921–1930	4,722,991	2,407,475	2,315,516	12·1	12·9	11·4	151	142	159	72	70	130	18·3	
1931–1940*	4,992,208	2,551,612	2,440,596	12·3	13·1	11·5	131	125	136	59	57	95	14·9	40
1941–1950*	4,997,653	2,586,188	2,411,465	12·4	14·1	11·0	106	104	107	43	41	61	18·0	27
1951–1960	5,188,116	2,669,747	2,518,369	11·6	12·4	10·9	94	96	92	25	24	31	15·8	22
1841–1845	1,746,110	885,168	860,942	21·4	22·1	20·6	344	307	381	148			32·3	
1846–1850	2,023,286	1,023,957	999,329	23·3	24·1	22·6	369	331	409	157			32·8	
1851–1855	2,087,236	1,061,271	1,025,965	22·7	23·5	21·8	356	321	392	156			33·9	
1856–1860	2,123,479	1,077,265	1,046,214	21·8	22·6	21·0	341	306	377	152			34·4	
1861–1865	2,331,957	1,192,943	1,139,014	22·6	23·7	21·5	353	320	387	151			35·1	
1866–1870	2,462,541	1,266,546	1,195,995	22·4	23·7	21·2	349	318	380	157			35·3	
1871–1875	2,572,749	1,330,063	1,242,686	22·0	23·3	20·7	342	314	371	153			35·5	
1876–1880	2,605,562	1,349,353	1,256,209	20·8	22·1	19·5	328	302	354	145			35·3	
1881–1885	2,585,164	1,330,461	1,254,703	19·4	20·5	18·3	308	284	333	139			33·5	
1886–1890	2,659,606	1,367,855	1,291,751	18·9	20·0	17·8	300	278	322	145			31·4	
1891–1895	2,785,391	1,427,164	1,358,227	18·7	19·8	17·7	296	275	318	151			30·5	
1896–1900	2,789,984	1,438,062	1,351,922	17·7	18·8	16·6	279	262	297	156			29·3	
1901–1905	2,671,566	1,379,931	1,291,635	16·0	17·1	15·0	249	234	264	138			28·2	
1906–1910	2,577,208	1,326,425	1,250,783	14·7	15·6	13·8	221	208	234	117	113	224	26·3	
1911–1915*	2,598,719	1,344,171	1,254,548	14·3	15·4	13·3	205	195	215	110	105	210	23·9	
1916–1920*	2,589,333	1,340,340	1,248,993	14·4	16·5	12·8	190	180	199	90	85	179	21·5	
1921–1925	2,336,270	1,189,865	1,146,405	12·1	12·9	11·4	157	147	166	76	73	140	19·9	
1926–1930	2,386,721	1,217,610	1,169,111	12·1	12·9	11·4	145	137	153	68	65	119	16·7	
1931–1935	2,426,435	1,232,370	1,194,065	12·0	12·7	11·4	134	127	141	62	60	103	15·0	41
1936–1940*	2,565,773	1,319,242	1,246,531	12·5	13·5	11·6	128	123	132	55	54	86	14·9	38
1941–1945*	2,497,013	1,301,357	1,195,656	12·8	15·1	11·1	112	110	113	50	48	71	17·6	30
1946–1950*	2,500,640	1,284,831	1,215,809	11·8	12·8	10·9	101	99	102	36	36	51	18·4	24
1951–1955	2,571,153	1,325,747	1,245,406	11·7	12·5	10·9	97	98	95	27	27	34	15·2	23
1956–1960	2,616,963	1,344,000	1,272,963	11·6	12·3	10·9	91	94	89	23	22	28	16·4	21
1909	518,003	265,203	252,800	14·6	15·5	13·8	219	205	233	109	104	211	25·8	
1910	483,247	249,016	234,231	13·5	14·4	12·7	201	190	212	105	102	195	25·1	
1911	527,810	272,512	255,298	14·6	15·6	13·7	216	204	227	130	125	245	24·4	
1912	486,939	250,232	236,707	13·4	14·2	12·6	196	184	207	95	91	181	24·0	
1913	504,975	261,687	243,288	13·8	14·8	12·9	200	190	209	108	104	213	24·1	

* For the years 1915–20 and from 3rd September 1939 to 31st December 1949, for males, and from 1st June 1941 to 31st December 1949, for females, the mortality rates are based upon civilians only, but, as in other years, the numbers of deaths include those of non-civilians registered in England and Wales.

† Based on related live births from 1931 to 1956.

‡ Based on half year's figures only.

TABLE 3—*continued*

Period	Deaths			Crude rates per 1,000 living			Standardised Mortality Ratios (1950–52 = 100)			Deaths of infants under 1 year per 1,000 live births†			Live birth rates per 1,000 population	Stillbirth rates per 1,000 total (live and still) births
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females	Total	Legitimate	Illegitimate		
1914	516,742	267,359	249,383	14·0	14·9	13·1	201	191	211	105	100	207	23·8	
1915*	562,253	292,381	269,872	15·7	17·7	14·0	215	205	224	110	105	203	23·1	
1916*	508,217	265,030	243,187	14·3	16·7	12·5	191	183	200	91	87	183	22·7	
1917*	498,922	262,215	236,707	14·2	17·1	12·1	186	180	192	96	90	201	19·5	
1918*	611,861	314,704	297,157	17·3	20·1	15·2	222	208	238	97	91	186	19·5	
1919*	504,203	258,089	246,114	14·0	15·7	12·6	183	173	194	89	84	173	19·5	
1920*	466,130	240,302	225,828	12·4	13·5	11·5	166	159	174	80	76	156	28·0	
1921	458,629	234,291	224,338	12·1	12·9	11·3	160	151	169	83	79	158	22·4	
1922	486,780	247,221	239,559	12·7	13·5	12·0	167	157	177	77	74	139	20·4	
1923	444,785	226,858	217,927	11·6	12·4	10·9	149	140	157	69	67	132	19·7	
1924	473,235	240,620	232,615	12·2	13·0	11·5	155	146	164	75	73	133	18·8	
1925	472,841	240,875	231,966	12·1	12·9	11·4	153	144	162	75	72	136	18·3	
1926	453,804	231,549	222,255	11·6	12·4	10·9	143	135	151	70	68	130	17·8	
1927	484,609	246,606	238,003	12·3	13·1	11·6	150	142	159	70	67	120	16·7	38‡
1928	460,389	235,542	224,847	11·7	12·5	10·9	139	132	146	65	63	115	16·7	40
1929	532,492	269,903	262,589	13·4	14·2	12·7	160	150	170	74	72	126	16·3	40
1930	455,427	234,010	221,417	11·4	12·3	10·7	134	127	140	60	58	105	16·3	41
1931	491,630	249,717	241,913	12·3	13·0	11·6	142	133	150	66	64	109	15·8	41
1932	484,129	245,715	238,414	12·0	12·7	11·4	137	129	144	64	62	112	15·3	41
1933	496,465	250,625	245,840	12·3	12·9	11·7	138	129	146	63	61	106	14·4	41
1934	476,810	242,855	233,955	11·8	12·5	11·1	129	123	136	59	58	96	14·8	40
1935	477,401	243,458	233,943	11·7	12·5	11·1	127	120	132	57	56	89	14·7	41
1936	495,764	253,319	242,445	12·1	12·9	11·4	129	123	134	59	57	88	14·8	40
1937	509,574	260,057	249,517	12·4	13·2	11·7	130	124	135	58	56	88	14·9	39
1938	478,996	246,898	232,098	11·6	12·5	10·8	119	116	123	53	52	81	15·1	38
1939*	499,902	255,879	244,023	12·1	13·0	11·3	122	117	126	51	49	90	14·9	38
1940*	581,537	303,089	278,448	14·4	16·1	12·9	139	135	141	57	55	82	14·8	37
1941*	535,180	281,035	254,145	13·5	15·7	11·8	126	124	127	60	59	82	14·9	35
1942*	480,137	251,333	228,804	12·3	14·4	10·7	110	109	111	51	49	75	17·0	33
1943*	501,412	259,206	242,206	13·0	15·3	11·3	112	109	114	49	48	71	18·1	30
1944*	492,176	257,705	234,471	12·7	15·3	10·8	107	106	108	45	44	69	19·9	28
1945*	488,108	252,078	236,030	12·6	15·0	10·8	104	103	106	46	44	65	17·9	28
1946*	492,090	252,380	239,710	12·0	13·4	10·9	103	101	106	43	42	60	20·2	27
1947*	517,615	267,714	249,901	12·3	13·6	11·3	107	106	108	41	40	58	21·1	24
1948*	469,898	242,899	226,999	11·0	11·9	10·1	94	93	95	34	33	45	18·1	23
1949*	510,736	260,686	250,050	11·8	12·6	11·1	101	99	103	32	32	45	16·9	23
1950	510,301	261,152	249,149	11·6	12·3	11·0	99	98	101	30	29	39	15·8	23
1951	549,380	281,724	267,656	12·5	13·4	11·8	106	106	106	30	29	38	15·4	23
1952	497,484	257,760	239,724	11·3	12·2	10·5	95	96	93	28	27	35	15·3	23
1953	503,529	259,490	244,039	11·4	12·2	10·7	95	96	94	27	27	33	15·4	22
1954	501,896	259,797	242,099	11·3	12·2	10·5	93	95	91	25	25	32	15·1	23
1955	518,864	266,976	251,888	11·7	12·5	10·9	95	97	93	25	25	32	15·0	23
1956	521,331	267,904	253,427	11·7	12·5	10·9	94	96	92	24	23	29	15·6	23
1957	514,870	266,407	248,463	11·5	12·3	10·7	91	94	88	23	23	30	16·1	22
1958	526,843	270,639	256,204	11·7	12·4	11·0	92	95	90	23	22	28	16·4	22
1959	527,651	269,878	257,773	11·6	12·3	11·0	91	94	89	22	22	27	16·5	21
1960	526,268	269,172	257,096	11·5	12·2	10·9	89	92	87	22	22	26	17·2	20
1961	551,752	280,782	270,970	12·0	12·6	11·4	92	95	90	21	21	25	17·6	19
1962	557,636	285,154	272,482	11·9	12·6	11·3	92	96	89	22	21	27	18·0	18

* † ‡ See footnotes on first page of this table.

TABLE 4. Death rates per 1,000 living in age-groups and infant mortality per 1,000 live births, 1841 to 1962 } **England and Wales**

See explanatory notes.

PERSONS

Period	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and over	Deaths under 1 year per 1,000 live births†
1841–1850		9·05	5·29	7·48	9·29	10·3	12·9	17·0	29·9	63·6	141·5	301·0	153
1851–1860		8·46	4·97	7·04	8·67	9·76	12·3	16·5	28·9	61·7	139·9	296·5	154
1861–1870		7·99	4·49	6·42	8·21	9·83	12·7	17·4	30·4	62·8	140·4	296·6	154
1871–1880		6·47	3·71	5·35	7·07	8·96	12·7	17·8	31·6	65·0	142·2	308·3	149
1881–1890		5·30	3·03	4·37	5·63	7·56	11·5	17·1	31·4	65·0	137·6	284·0	142
1891–1900		4·34	2·51	3·73	4·74	6·40	10·5	16·8	31·5	65·0	137·2	270·8	153
1901–1910		3·56	2·11	2·99	3·82	5·13	8·31	14·3	28·1	58·8	127·2	260·8	128
1911–1920*		3·60	2·28	3·32	4·29	5·47	7·41	12·6	25·0	55·8	125·5	254·2	100
1921–1930		2·42	1·64	2·55	3·21	3·64	5·54	10·0	21·3	50·8	120·9	260·2	72
1931–1940*	5·65	2·01	1·31	2·17	2·85	3·04	4·58	9·26	20·2	48·8	119·5	259·8	59
1941–1950*	2·55	1·13	0·85	1·58	2·24	2·37	3·38	7·44	17·6	42·4	104·0	216·5	43
1951–1960	1·02	0·44	0·37	0·65	0·89	1·12	2·27	6·11	16·2	41·0	102·5	227·5	25
1841–1845		8·69	5·01	7·21	8·81	9·66	12·2	16·1	28·7	62·0	137·2	295·3	148
1846–1850		9·39	5·56	7·74	9·77	10·9	13·6	18·1	31·4	65·9	145·7	306·5	157
1851–1855		8·64	5·23	7·48	9·06	10·1	12·7	17·2	29·6	62·9	143·2	299·6	156
1856–1860		8·33	4·72	6·74	8·33	9·38	12·0	16·1	28·4	61·0	136·7	293·4	152
1861–1865		8·39	4·72	6·64	8·39	9·79	12·6	17·2	30·3	62·5	139·1	299·0	151
1866–1870		7·62	4·28	6·21	8·03	9·86	12·9	17·6	30·6	63·2	141·7	294·3	157
1871–1875		6·86	3·97	5·81	7·74	9·61	13·1	18·0	31·6	65·3	141·7	305·2	153
1876–1880		6·10	3·47	4·93	6·46	8·35	12·3	17·5	31·6	64·7	142·9	311·5	145
1881–1885		5·76	3·23	4·63	5·96	8·01	11·8	17·2	31·0	63·5	136·2	277·9	139
1886–1890		4·86	2·84	4·13	5·32	7·15	11·1	17·1	31·8	66·4	139·0	290·1	145
1891–1895		4·56	2·65	3·98	5·01	6·81	11·0	17·3	32·5	67·3	140·7	273·9	151
1896–1900		4·12	2·36	3·48	4·50	6·03	10·1	16·2	30·5	62·9	133·8	267·7	156
1901–1905		3·74	2·19	3·11	4·00	5·44	8·86	14·9	28·7	59·4	127·3	258·6	138
1906–1910		3·38	2·03	2·87	3·64	4·84	7·81	13·7	27·5	58·1	127·0	262·4	117
1911–1915*		3·39	2·08	2·88	3·58	4·57	7·28	13·1	26·2	57·3	126·2	257·9	110
1916–1920*		3·81	2·48	3·77	5·16	6·55	7·54	12·1	24·0	54·5	124·8	250·7	90
1921–1925		2·48	1·71	2·61	3·30	3·79	5·71	10·1	21·6	51·1	121·8	251·4	76
1926–1930		2·37	1·57	2·49	3·11	3·49	5·37	9·94	21·0	50·6	120·2	268·2	68
1931–1935	6·56	2·18	1·41	2·33	2·96	3·20	4·82	9·44	20·1	49·0	119·3	255·7	62
1936–1940*	4·70	1·84	1·20	2·01	2·72	2·87	4·35	9·09	20·4	48·5	119·7	263·4	55
1941–1945*	3·50	1·50	1·08	1·96	3·06	3·04	3·95	8·00	18·1	43·0	104·5	213·0	50
1946–1950*	1·77	0·77	0·62	1·18	1·63	1·84	2·89	6·94	17·1	41·9	103·5	219·3	36
1951–1955	1·14	0·47	0·41	0·68	0·96	1·24	2·40	6·36	16·6	42·0	105·7	235·7	27
1956–1960	0·91	0·41	0·34	0·63	0·82	0·99	2·13	5·87	15·9	40·1	99·7	221·0	23
1933	6·56	2·20	1·43	2·41	3·09	3·34	5·15	9·89	20·4	49·5	123·8	266·2	63
1934	6·59	2·44	1·43	2·28	2·85	3·10	4·60	9·19	19·7	47·9	113·2	236·4	59
1935	5·08	2·04	1·32	2·07	2·72	2·99	4·49	8·99	19·6	47·5	114·6	245·4	57
1936	5·50	1·99	1·21	1·95	2·69	2·82	4·39	9·09	20·1	48·5	118·3	265·5	59
1937	5·11	1·87	1·18	1·97	2·66	2·89	4·47	9·23	20·6	49·0	120·0	271·7	58
1938	4·59	1·87	1·19	1·86	2·49	2·65	4·05	8·47	19·0	45·5	110·6	240·0	53
1939*	3·49	1·48	1·03	1·75	2·45	2·60	3·94	8·56	19·7	47·2	119·0	260·6	51
1940*	4·83	1·96	1·40	2·54	3·50	3·44	4·92	10·1	22·6	52·3	130·1	278·7	57
1941*	5·30	2·06	1·37	2·59	3·55	3·53	4·62	8·97	19·8	46·5	114·3	247·2	60
1942*	3·42	1·50	1·04	1·91	3·02	2·92	3·87	7·82	17·8	42·4	102·6	216·8	51
1943*	3·34	1·40	1·04	1·88	3·02	2·97	3·95	8·02	18·0	43·1	106·4	220·2	49
1944*	2·84	1·38	1·05	1·73	2·96	3·01	3·82	7·73	17·6	41·7	100·3	196·5	45
1945*	2·64	1·18	0·91	1·56	2·73	2·67	3·48	7·36	17·3	41·5	100·3	194·5	46
1946*	2·08	0·86	0·76	1·33	2·07	2·10	3·15	7·25	17·4	41·3	102·4	214·5	43
1947*	2·18	0·90	0·70	1·39	1·92	2·03	3·08	7·24	17·5	42·8	108·3	234·4	41
1948*	1·75	0·75	0·60	1·20	1·55	1·82	2·79	6·70	16·4	39·4	94·1	191·9	34
1949*	1·56	0·69	0·56	1·10	1·51	1·70	2·80	6·81	17·2	43·1	105·7	227·5	32
1950	1·35	0·64	0·48	0·90	1·24	1·57	2·62	6·72	17·0	42·7	106·9	227·6	30
1951	1·35	0·55	0·47	0·76	1·12	1·45	2·63	6·90	18·0	46·1	117·2	266·9	30
1952	1·18	0·49	0·43	0·71	1·03	1·26	2·42	6·35	16·5	41·0	102·3	228·4	28
1953	1·18	0·49	0·41	0·64	0·92	1·22	2·35	6·26	16·3	41·1	103·3	230·9	27
1954	0·94	0·41	0·37	0·63	0·87	1·15	2·37	6·19	16·1	40·6	101·0	222·2	25
1955	1·00	0·43	0·38	0·64	0·86	1·10	2·23	6·14	16·1	41·4	105·1	233·5	25
1956	0·91	0·40	0·34	0·57	0·80	1·04	2·19	5·95	16·1	41·0	104·1	233·3	24
1957	0·97	0·41	0·38	0·68	0·84	1·03	2·20	6·00	16·2	40·4	97·4	208·0	23
1958	0·88	0·40	0·32	0·60	0·80	0·98	2·27	5·92	15·9	40·4	101·0	224·2	23
1959	0·91	0·41	0·34	0·65	0·83	0·96	2·09	5·77	15·9	39·9	99·2	223·2	22
1960	0·87	0·44	0·32	0·64	0·81	0·93	2·07	5·73	15·6	38·8	97·0	217·3	22
1961	0·92	0·41	0·32	0·67	0·81	0·95	2·08	5·82	15·9	40·4	100·2	236·5	21
1962	0·86	0·38	0·34	0·65	0·80	0·92	2·09	5·80	16·1	39·9	99·4	239·1	22

* Civilian mortality only in 1915–20 and from 3rd September 1939 to 31st December 1949 for males, and from 1st June 1941 to 31st December 1949, for females.
† Based on related live births from 1931 to 1956.

TABLE 4—*continued*

MALES

Period	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and over	Deaths under 1 year per 1,000 live births†
1841–1850		9·17	5·13	7·05	9·51	9·94	12·9	18·2	31·8	67·5	148·3	312·3	167
1851–1860		8·51	4·88	6·69	8·83	9·57	12·5	18·0	30·9	65·3	146·7	308·2	168
1861–1870		8·19	4·48	6·19	8·48	9·94	13·5	19·3	33·1	67·1	147·2	315·0	168
1871–1880		6·71	3·71	5·25	7·36	9·34	13·8	20·1	34·9	69·7	150·8	327·4	163
1881–1890		5·35	2·95	4·32	5·73	7·77	12·4	19·4	34·7	70·5	146·6	305·8	155
1891–1900		4·31	2·45	3·79	5·06	6·76	11·5	18·9	34·9	70·4	146·1	286·8	168
1901–1910		3·50	2·05	3·09	4·18	5·57	9·15	16·2	31·8	64·8	137·7	279·2	140
1911–1920*		3·61	2·23	3·44	4·94	6·46	8·61	14·5	29·0	63·5	139·3	274·5	112
1921–1930		2·52	1·65	2·62	3·41	3·86	6·34	11·6	24·6	58·2	135·4	285·8	81
1931–1940*	5·96	2·13	1·36	2·30	3·08	3·20	5·17	11·1	24·3	56·8	137·5	282·9	66
1941–1950*	2·72	1·28	0·95	1·79	2·72	2·72	3·93	9·16	22·7	51·6	120·2	234·7	48
1951–1960	1·11	0·52	0·44	0·87	1·18	1·28	2·58	7·63	22·2	54·2	124·7	251·0	28
1841–1845		8·82	4·84	6·76	8·99	9·37	12·2	17·2	30·3	65·5	143·7	350·1	162
1846–1850		9·54	5·39	7·35	10·0	10·5	13·6	19·2	33·2	69·5	152·9	319·5	172
1851–1855		8·75	5·15	6·98	9·24	9·95	12·9	18·6	31·6	66·7	150·9	310·9	172
1856–1860		8·30	4·63	6·42	8·44	9·17	12·2	17·5	30·4	64·3	142·7	305·3	166
1861–1865		8·53	4·68	6·39	8·65	9·76	13·2	18·9	32·8	66·4	145·9	316·6	166
1866–1870		7·88	4·30	5·99	8·31	10·1	13·7	19·6	33·5	67·8	148·7	313·5	170
1871–1875		7·10	3·99	5·71	8·07	10·0	14·3	20·3	34·8	70·1	149·6	323·3	167
1876–1880		6·34	3·44	4·84	6·70	8·70	13·4	19·8	34·9	69·4	152·2	331·5	159
1881–1885		5·85	3·16	4·53	6·00	8·16	12·8	19·3	34·2	68·8	145·4	297·9	152
1886–1890		4·86	2·76	4·12	5·48	7·40	12·1	19·4	35·2	72·1	147·9	313·7	159
1891–1895		4·53	2·57	4·00	5·23	7·07	11·9	19·5	35·8	72·5	149·2	290·8	165
1896–1900		4·09	2·32	3·59	4·90	6·47	11·1	18·4	34·1	68·3	143·1	282·8	170
1901–1905		3·68	2·14	3·20	4·39	5·89	9·74	17·0	32·4	65·3	137·6	274·6	151
1906–1910		3·33	1·97	2·97	3·97	5·25	8·62	15·5	31·2	64·4	137·7	283·0	129
1911–1915*		3·42	2·05	3·01	3·98	5·15	8·20	14·9	30·2	64·1	139·2	281·6	121
1916–1920*		3·81	2·41	3·91	6·60	8·58	9·07	14·0	27·9	63·0	139·4	267·8	101
1921–1925		2·55	1·69	2·66	3·53	4·05	6·51	11·6	24·9	58·2	135·5	272·7	86
1926–1930		2·48	1·61	2·58	3·30	3·68	6·18	11·6	24·4	58·3	135·4	298·1	77
1931–1935	6·88	2·28	1·44	2·45	3·15	3·31	5·40	11·2	23·6	56·7	135·2	278·9	70
1936–1940*	5·00	1·96	1·27	2·15	2·99	3·09	4·95	11·0	25·0	56·8	139·5	286·3	62
1941–1945*	3·72	1·69	1·20	2·22	5·00	4·16	4·81	9·85	23·1	51·7	121·6	226·1	56
1946–1950*	1·90	0·88	0·69	1·33	1·75	1·92	3·23	8·55	22·4	51·6	119·0	241·6	41
1951–1955	1·23	0·55	0·48	0·86	1·23	1·39	2·71	7·93	22·5	54·6	126·7	265·9	30
1956–1960	0·99	0·49	0·40	0·88	1·12	1·17	2·45	7·35	21·9	53·7	122·7	239·2	25
1933	6·88	2·27	1·49	2·56	3·27	3·49	5·74	11·7	23·8	56·6	139·4	286·3	71
1934	6·91	2·49	1·45	2·38	3·07	3·19	5·14	10·9	23·4	55·4	129·3	256·4	66
1935	5·30	2·14	1·35	2·14	2·88	3·10	5·02	10·8	23·3	55·2	131·8	268·9	64
1936	5·82	2·12	1·29	2·06	2·87	2·94	4·91	10·8	24·2	56·3	137·3	291·8	66
1937	5·42	1·98	1·23	2·12	2·81	3·02	5·03	11·1	24·9	57·1	138·5	292·3	65
1938	4·89	1·93	1·28	2·01	2·73	2·83	4·57	10·2	23·1	53·7	130·1	263·6	60
1939*	3·72	1·65	1·08	1·87	2·64	2·74	4·42	10·3	24·3	55·4	139·1	280·8	56
1940*	5·16	2·12	1·48	2·76	4·80	4·08	5·84	12·5	28·3	61·3	151·8	303·2	64
1941*	5·58	2·25	1·50	2·94	5·57	4·64	5·64	11·0	25·1	55·2	134·6	258·8	67
1942*	3·69	1·68	1·16	2·12	4·75	3·85	4·67	9·58	22·4	51·2	120·7	232·9	57
1943*	3·50	1·61	1·10	2·12	5·04	4·04	4·76	9·95	22·8	51·4	122·6	234·1	55
1944*	3·06	1·58	1·18	1·95	4·79	4·29	4·75	9·62	22·7	50·6	116·5	212·0	50
1945*	2·84	1·35	1·03	1·79	4·75	3·84	4·20	9·10	22·3	50·3	115·7	204·7	51
1946*	2·26	0·97	0·86	1·52	2·66	2·24	3·55	8·94	22·3	49·7	117·4	232·3	48
1947*	2·38	1·04	0·78	1·62	2·05	2·12	3·44	8·98	22·9	52·5	125·9	266·5	46
1948*	1·87	0·88	0·64	1·30	1·54	1·87	3·15	8·24	21·6	49·0	108·6	210·2	38
1949*	1·69	0·80	0·63	1·27	1·59	1·75	3·12	8·39	22·6	53·2	120·7	249·0	36
1950	1·42	0·75	0·56	1·01	1·39	1·69	2·92	8·26	22·5	53·3	122·5	250·4	34
1951	1·44	0·65	0·57	0·89	1·36	1·61	2·96	8·62	24·3	58·8	136·9	307·8	34
1952	1·32	0·57	0·50	0·90	1·33	1·43	2·75	7·91	22·2	53·1	122·1	265·1	31
1953	1·26	0·56	0·46	0·82	1·18	1·37	2·61	7·81	22·2	53·7	123·4	258·1	30
1954	1·06	0·48	0·43	0·81	1·12	1·29	2·66	7·69	21·9	53·3	123·0	249·6	29
1955	1·04	0·49	0·45	0·88	1·18	1·25	2·53	7·66	22·0	54·2	128·5	256·2	28
1956	0·98	0·46	0·41	0·79	1·07	1·21	2·49	7·45	22·1	54·2	127·5	256·2	27
1957	1·04	0·48	0·44	0·91	1·15	1·19	2·50	7·51	22·3	54·0	119·9	226·8	26
1958	0·99	0·49	0·39	0·83	1·07	1·17	2·43	7·40	21·9	54·3	124·6	242·6	25
1959	1·00	0·49	0·39	0·94	1·14	1·13	2·42	7·23	21·8	53·6	122·2	240·0	25
1960	0·95	0·53	0·38	0·91	1·17	1·12	2·41	7·17	21·4	52·5	119·6	232·1	25
1961	1·04	0·48	0·40	0·93	1·10	1·15	2·42	7·25	22·0	54·3	124·0	257·4	24
1962	0·94	0·44	0·43	0·92	1·10	1·07	2·40	7·25	22·2	54·3	123·9	267·3	24

* Civilian mortality only in 1915–20 and from 3rd September 1939 to 31st December 1949.
† Based on related live births from 1931 to 1956.

TABLE 4—*continued*

FEMALES

Period	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and over	Deaths under 1 year per 1,000 live births†
1841–1850		8·90	5·44	7·89	9·09	10·6	12·9	16·0	28·4	61·0	135·9	293·3	137
1851–1860		8·42	5·06	7·39	8·53	9·93	12·1	15·2	27·0	58·7	134·5	288·9	139
1861–1870		7·80	4·51	6·65	7·97	9·72	12·1	15·6	27·9	59·1	134·9	285·1	139
1871–1880		6·23	3·72	5·45	6·81	8·61	11·6	15·6	28·7	61·0	135·4	296·4	134
1881–1890		5·26	3·11	4·42	5·54	7·38	10·6	15·1	28·5	60·4	130·6	270·8	128
1891–1900		4·37	2·57	3·67	4·46	6·08	9·59	14·7	28·4	60·7	130·6	261·4	138
1901–1910		3·61	2·17	2·89	3·50	4·74	7·53	12·5	24·8	53·9	119·8	250·3	114
1911–1920		3·59	2·34	3·21	3·87	4·78	6·42	10·9	21·5	49·6	116·3	243·6	89
1921–1930		2·33	1·63	2·48	3·02	3·45	4·85	8·61	18·3	44·9	111·6	248·2	63
1931–1940	5·34	1·90	1·26	2·04	2·63	2·88	4·07	7·71	16·7	42·3	107·9	249·1	51
1941–1950*	2·36	0·97	0·76	1·40	1·97	2·11	2·91	5·96	13·4	35·2	93·3	207·9	37
1951–1960	0·93	0·36	0·30	0·43	0·61	0·95	1·97	4·67	11·4	31·8	89·2	216·8	21
1841–1845		8·56	5·17	7·65	8·64	9·92	12·1	15·1	27·2	59·1	131·8	288·6	133
1846–1850		9·23	5·72	8·12	9·57	11·2	13·7	17·0	29·7	62·7	140·0	297·7	142
1851–1855		8·54	5·32	7·75	8·90	10·3	12·6	15·8	27·8	59·7	137·2	292·1	141
1856–1860		8·35	4·82	7·06	8·24	9·57	11·8	14·8	26·5	58·1	131·9	285·8	137
1861–1865		8·26	4·76	6·89	8·17	9·82	12·1	15·5	27·9	59·1	133·8	287·9	136
1866–1870		7·37	4·27	6·42	7·78	9·63	12·1	15·8	27·9	59·1	136·1	282·3	142
1871–1875		6·61	3·95	5·92	7·43	9·23	12·0	15·9	28·7	61·3	135·3	293·9	138
1876–1880		5·87	3·50	5·02	6·23	8·03	11·3	15·3	28·6	60·8	135·5	299·0	130
1881–1885		5·68	3·30	4·72	5·93	7·86	10·9	15·2	28·1	59·1	129·0	265·5	125
1886–1890		4·85	2·93	4·15	5·17	6·92	10·3	15·0	28·8	61·7	132·3	276·1	131
1891–1895		4·59	2·73	3·97	4·81	6·57	10·1	15·2	29·5	63·0	134·3	264·0	135
1896–1900		4·15	2·40	3·37	4·14	5·63	9·10	14·3	27·4	58·5	127·0	258·7	141
1901–1905		3·79	2·24	3·02	3·66	5·04	8·05	13·1	25·4	54·8	119·9	249·4	124
1906–1910		3·44	2·09	2·76	3·34	4·46	7·05	12·0	24·3	53·1	119·6	250·9	105
1911–1915		3·37	2·11	2·75	3·25	4·08	6·46	11·4	22·7	51·7	117·5	245·4	97
1916–1920		3·81	2·56	3·66	4·47	5·48	6·39	10·4	20·4	47·7	115·1	241·9	79
1921–1925		2·41	1·72	2·56	3·11	3·58	5·03	8·79	18·7	45·5	112·9	241·2	66
1926–1930		2·25	1·53	2·41	2·94	3·33	4·69	8·44	18·0	44·4	110·4	254·4	59
1931–1935	6·23	2·07	1·37	2·22	2·77	3·09	4·33	7·96	17·0	42·8	108·9	245·0	54
1936–1940	4·40	1·71	1·13	1·87	2·49	2·68	3·83	7·47	16·5	41·8	107·1	252·7	48
1941–1945*	3·26	1·31	0·97	1·74	2·41	2·46	3·27	6·43	14·0	36·0	93·5	206·6	44
1946–1950*	1·62	0·64	0·54	1·05	1·54	1·76	2·56	5·51	12·8	34·4	93·2	208·9	32
1951–1955	1·04	0·39	0·34	0·50	0·70	1·09	2·11	4·89	11·8	33·1	92·4	222·0	23
1956–1960	0·82	0·33	0·27	0·38	0·52	0·81	1·83	4·46	10·9	30·7	86·4	212·5	20
1933	6·23	2·12	1·38	2·27	2·91	3·20	4·65	8·35	17·4	43·8	113·5	256·9	54
1934	6·26	2·39	1·40	2·18	2·64	3·02	4·13	7·69	16·5	41·7	102·8	227·1	52
1935	4·84	1·94	1·29	1·99	2·57	2·88	4·04	7·48	16·4	41·2	103·4	234·4	50
1936	5·18	1·86	1·13	1·84	2·52	2·71	3·94	7·60	16·5	42·2	106·2	253·2	51
1937	4·80	1·75	1·13	1·83	2·52	2·77	3·98	7·67	16·9	42·5	108·2	261·9	50
1938	4·28	1·80	1·09	1·71	2·25	2·49	3·59	6·97	15·5	38·8	98·1	228·9	46
1939	3·26	1·31	0·97	1·64	2·27	2·47	3·51	7·05	15·7	40·5	106·2	251·1	44
1940	4·48	1·80	1·31	2·32	2·87	2·94	4·14	8·04	17·7	45·0	116·4	267·5	49
1941*	5·00	1·86	1·24	2·28	2·81	2·85	3·77	7·26	15·4	39·5	101·5	241·7	52
1942*	3·15	1·31	0·91	1·73	2·41	2·41	3·22	6·37	13·9	35·4	91·0	209·2	44
1943*	3·18	1·18	0·98	1·69	2·36	2·45	3·32	6·43	13·9	36·4	95·9	213·5	43
1944*	2·61	1·17	0·92	1·55	2·36	2·44	3·11	6·19	13·4	34·6	89·7	188·8	40
1945*	2·44	1·01	0·79	1·38	2·09	2·13	2·92	5·92	13·3	34·6	90·2	189·5	40
1946*	1·90	0·75	0·67	1·17	1·78	1·99	2·79	5·82	13·3	34·6	92·4	206·2	37
1947*	1·96	0·75	0·61	1·21	1·82	1·94	2·74	5·72	13·1	35·2	96·6	219·8	36
1948*	1·63	0·62	0·55	1·12	1·56	1·77	2·45	5·33	12·2	32·1	84·5	183·5	30
1949*	1·43	0·57	0·49	0·96	1·43	1·65	2·48	5·39	12·8	35·5	95·8	217·5	28
1950	1·27	0·53	0·41	0·78	1·09	1·45	2·32	5·30	12·6	34·7	96·6	216·9	26
1951	1·26	0·46	0·37	0·64	0·90	1·30	2·32	5·32	13·0	36·9	104·4	249·1	26
1952	1·03	0·41	0·34	0·52	0·76	1·10	2·09	4·90	11·9	32·3	89·6	212·3	24
1953	1·09	0·41	0·35	0·46	0·67	1·07	2·11	4·79	11·6	32·1	90·7	218·8	24
1954	0·82	0·34	0·31	0·46	0·63	1·01	2·09	4·75	11·4	31·6	87·4	209·7	22
1955	0·97	0·36	0·32	0·40	0·55	0·94	1·93	4·70	11·3	32·3	90·9	222·9	21
1956	0·83	0·33	0·27	0·36	0·53	0·87	1·90	4·52	11·2	31·8	90·1	222·7	20
1957	0·90	0·34	0·30	0·45	0·54	0·86	1·92	4·56	11·2	30·9	84·2	199·2	20
1958	0·77	0·31	0·24	0·35	0·54	0·80	1·80	4·50	10·9	30·9	87·5	215·6	20
1959	0·81	0·33	0·29	0·37	0·53	0·79	1·78	4·36	10·8	30·5	86·3	215·4	20
1960	0·78	0·34	0·26	0·36	0·44	0·73	1·73	4·35	10·6	29·5	84·4	210·4	19
1961	0·80	0·33	0·25	0·39	0·52	0·73	1·76	4·45	10·7	30·9	87·1	227·1	19
1962	0·77	0·32	0·25	0·36	0·49	0·76	1·78	4·39	10·8	30·1	86·2	226·8	19

* Civilian mortality only from 1st June 1941 to 31st December 1949.
† Based on related live births from 1931 to 1956.

TABLE 5. Deaths registered and death rates in each quarter, 1841 to 1962 — England and Wales

See explanatory notes.

Period	Quarter ended							
	March	June	Sept.	Dec.	March	June	Sept.	Dec.
	Deaths : Males				Deaths : Females			
1841–1850	522,415	471,969	452,208	462,533	507,070	454,122	440,756	458,323
1851–1860	587,846	532,002	491,400	527,288	570,070	508,594	474,524	518,991
1861–1870	677,517	597,458	578,694	605,820	645,889	559,376	547,594	582,150
1871–1880	731,877	658,545	621,924	667,070	690,899	600,519	573,079	634,398
1881–1890	744,679	661,355	618,271	674,011	714,871	610,420	575,831	645,332
1891–1900	790,553	697,093	682,542	695,038	771,792	640,661	629,133	668,563
1901–1910	756,871	648,442	621,683	679,360	733,364	598,293	563,732	647,029
1911–1920*	785,560	638,473	565,071	695,407	746,774	582,169	509,764	664,834
1921–1930	746,920	585,095	484,852	590,608	743,076	551,336	451,409	569,695
1931–1940*	798,598	604,458	518,256	630,300	780,376	573,530	487,622	599,068
1941–1950*	801,980	612,766	519,908	651,534	751,419	566,731	484,757	608,558
1951–1960	840,969	615,560	534,854	678,364	799,333	584,431	503,824	630,781
1953	87,706	59,119	50,977	61,688	83,644	55,525	47,568	57,302
1954	79,372	60,528	53,851	66,046	73,748	56,677	50,263	61,411
1955	86,465	63,433	52,582	64,496	82,180	60,797	49,095	59,816
1956	87,175	61,748	53,381	65,600	83,117	58,311	50,750	61,249
1957	68,995	60,972	56,828	79,612	65,562	57,150	53,209	72,542
1958	84,474	63,140	53,762	69,263	79,121	61,029	51,867	64,187
1959	90,251	61,404	52,919	65,304	86,629	58,768	50,479	61,897
1960	76,121	63,324	57,799	71,928	72,916	61,014	54,678	68,488
1961	90,012	63,669	56,141	70,960	87,031	61,525	54,606	67,808
1962	89,956	65,508	57,137	72,553	88,254	63,173	53,551	67,504
	Deaths : Persons				Annual death rates per 1,000 persons living			
1841–1850	1,029,485	926,091	892,964	920,856	24·7	22·0	21·0	21·7
1851–1860	1,157,916	1,040,596	965,924	1,046,279	24·7	22·1	20·3	21·9
1861–1870	1,323,406	1,156,834	1,126,288	1,187,970	25·2	21·8	21·0	22·1
1871–1880	1,422,776	1,259,064	1,195,003	1,301,468	23·7	20·9	19·6	21·3
1881–1890	1,459,550	1,271,775	1,194,102	1,319,343	21·6	18·7	17·3	19·1
1891–1900	1,562,345	1,337,754	1,311,675	1,363,601	20·7	17·6	17·0	17·7
1901–1910	1,490,235	1,246,735	1,185,415	1,326,389	17·7	14·6	13·8	15·4
1911–1920*	1,532,334	1,220,642	1,074,835	1,360,241	17·2	13·6	11·8	14·9
1921–1930	1,489,996	1,136,431	936,261	1,160,303	15·5	11·7	9·5	11·8
1931–1940*	1,578,974	1,177,988	1,005,878	1,229,368	15·8	11·6	9·8	12·0
1941–1950*	1,553,399	1,179,497	1,004,665	1,260,092	15·5	11·6	9·8	12·3
1951–1960	1,640,302	1,199,991	1,038,678	1,309,145	14·9	10·8	9·2	11·6
1953	171,350	114,644	98,545	118,990	15·8	10·4	8·9	10·7
1954	153,120	117,205	104,114	127,457	14·0	10·6	9·3	11·4
1955	168,645	124,230	101,677	124,312	15·4	11·2	9·1	11·1
1956	170,292	120,059	104,131	126,849	15·3	10·8	9·3	11·3
1957	134,557	118,122	110,037	152,154	12·2	10·6	9·7	13·4
1958	163,595	124,169	105,629	133,450	14·7	11·0	9·3	11·7
1959	176,880	120,172	103,398	127,201	15·8	10·6	9·0	11·1
1960	149,037	124,338	112,477	140,416	13·1	10·9	9·8	12·2
1961	177,043	125,194	110,747	138,768	15·6	10·9	9·5	11·9
1962	178,210	128,681	110,688	140,057	15·5	11·1	9·4	11·9

* See footnote to Table 3.

TABLE 6. Standardised Mortality Ratios (all ages) and death rates per million population at ages under 15 years from the principal epidemic and general diseases, 1851 to 1962 — England and Wales

Note. 1 For explanation of Standardised Mortality Ratio see explanatory note 6.
2 Changes in cause assignment are allowed for throughout as far as possible.
3 See explanatory notes.

Period	Standardised Mortality Ratios (base years 1950–1952 taken as 100)											Death rates per million population at ages under 15 years				
	Tuberculosis (all forms) 001–019	Syphilis 020–029	Typhoid and paratyphoid fevers 040, 041	Meningococcal infections 057	Cancer 140–205	Diabetes mellitus 260	Diseases of heart 410–443	Influenza 480–483	Pneumonia (all forms) 490–493, 763	Peptic ulcer 540–542	Suicide E970–E979	Scarlet fever 050	Diphtheria 055	Whooping cough 056	Poliomyelitis 080, 081	Measles 085
1851–1860	1,438													1,319		1,082
1861–1870	1,346										102	2,282	1,122	1,372		1,148
1871–1880	1,190		85,518								109	1,664	747	1,316		976
1881–1890	1,004		52,087								121	787	804	1,171		1,153
1891–1900	815		45,789					446			136	383	873	1,037		1,144
1901–1910	649		23,581			156		254			147	271	571	815		915
1911–1920*	541		8,926	246		162		605		90	120	123	437	554	13	838
1921–1930	362		2,729	157		154		345		99	136	64	298	405	11	389
1931–1939*	245		1,180	343	97	176		222		110	142	46	290	197	11	217
1940–1949*	196	150	387	355	98	129	91	90	125	102	100	7	112	111	11	62
1950–1959	60	80	59	82	101	88	94	69	105	93	108	0	1	17	9	13
1851–1855	1,502													1,338		1,047
1856–1860	1,377											1,919	1,347	1,300		1,114
1861–1865	1,370										101	2,307	1,389	1,336		1,189
1866–1870	1,323										103	2,258	871	1,405		1,109
1871–1875	1,217		98,690								103	1,760	788	1,282		962
1876–1880	1,165		73,165								116	1,575	709	1,349		988
1881–1885	1,053		57,187								117	1,012	828	1,180		1,070
1886–1890	958		47,292								124	572	781	1,163		1,234
1891–1895	867		45,643					514			137	434	875	1,070		1,104
1896–1900	767		45,934					383			135	331	872	1,003		1,184
1901–1905	690		29,456			148		233			149	319	653	874		955
1906–1910	610		18,029			163		274			146	224	491	756		874
1911–1915*	542		12,044	214		177		198		93	132	161	434	633	14	1,043
1916–1920*	540		5,734	281		148		985		88	109	84	439	473	12	625
1921–1925	393		3,147	125		149		359		89	125	79	302	448	11	420
1926–1930	333		2,331	191		159		333		109	145	48	294	360	12	357
1931–1935	270		1,277	407	97	172		260		109	150	50	293	223	11	270
1936–1939*	216		1,063	261	97	181		178		111	133	27	287	163	11	149
1940–1944*	221	178	564	585	97	153	92	129	146	109	95	11	192	140	7	78
1945–1949*	174	123	224	155	98	107	91	54	107	95	104	3	30	81	16	47
1950–1954	85	93	72	100	100	94	97	82	99	98	104	1	2	29	14	19
1955–1959	36	71	45	64	101	83	91	58	110	88	113	0	0	6	5	8
1934	254		948	303	98	174		113		110	151	72	393	199	9	368
1935	238		1,027	259	97	175		144		108	140	41	345	159	11	134
1936	226		1,500	269	98	190		116		113	134	38	311	210	7	281
1937	226		1,192	296	97	186		349		110	134	27	305	179	8	106
1938	206		935	274	98	169		89		107	136	27	305	119	18	169
1939*	205		642	208	97	180		162		112	128	15	228	140	10	34
1940*	229	203	742	1,028	98	185	106	202	182	126	116	12	266	78	9	95
1941*	238	195	873	877	97	166	93	120	164	119	95	11	280	279	9	128
1942*	214	179	486	485	97	148	87	58	126	100	88	9	192	94	7	53
1943*	217	168	404	312	98	140	87	208	146	99	91	11	134	129	4	86
1944*	204	149	306	233	96	129	87	63	115	101	88	9	92	121	4	28
1945*	200	138	262	210	97	125	87	42	112	102	93	7	67	79	4	80
1946*	178	138	285	187	97	113	89	81	110	96	104	3	40	91	5	22
1947*	179	125	158	188	98	106	95	50	120	95	104	3	23	99	33	69
1948*	165	110	255	103	98	95	86	18	91	91	110	2	14	80	8	33
1949*	149	107	169	99	99	99	97	80	105	93	109	*1*	7	55	29	30
1950	119	102	83	96	100	104	101	55	91	96	102	*1*	4	41	33	22
1951	103	104	115	101	100	104	106	222	114	105	101	*1*	*2*	46	8	30
1952	79	94	102	103	100	92	94	24	95	99	97	*1*	*2*	18	10	14
1953	66	83	24	105	100	87	92	88	105	93	106	*0*	*2*	24	14	24
1954	58	81	36	94	101	81	92	24	90	98	112	*1*	*1*	13	5	5
1955	48	78	83	75	101	87	93	39	103	98	110	*0*	*1*	9	8	17
1956	39	76	41	69	101	85	93	34	108	94	115	*0*	*0*	9	4	2
1957	35	71	47	67	101	81	89	85	107	86	115	*0*	*0*	8	6	9
1958	32	68	23	52	101	84	92	30	111	84	113	*0*	*0*	3	4	5
1959	28	61	29	56	102	80	88	98	122	77	111	*0*	—	2	2	8
1960	24	60	17	33	102	88	89	13	110	78	107	—	*0*	3	*1*	3
1961	24	56	11	44	102	94	91	86	129	73	108	*0*	*1*	3	3	13
1962	22	51	39	45	102	92	91	39	134	76	115	*0*	*0*	2	*1*	4

* Civilian mortality only in 1915–20 and from 3rd September 1939 to 31st December 1949, for males, and from 1st June 1941 to 31st December 1949, for females.

TABLE 7. Deaths by cause and sex at all ages, 1952 to 1962 — England and Wales

Note. 1 The following categories of the 1955 International Statistical Classification are not applicable to primary death tabulation and are therefore omitted from this table: 306, 308, 649, 775.
2 Deaths due to certain underlying causes where the interval since onset was stated to exceed one year have for certain years been assigned to other conditions mentioned on the certificate. The numbers of such "late effects" are given in footnotes. The years and categories affected are as follows:
1952 and on: 040–043, 050, 055, 056, 058, 084–087, 100–108, 640–689.
1958 and on: 051, 052, 057·0, 057·1, 057·3, 059, 061, 089, 091, 094, 480–483, 490–493.
3 For causes from which there have been few deaths from 1952, see list at end of table.
4 See explanatory notes.

ICD No.	Causes of death		1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962
	ALL CAUSES	M	257,760	259,490	259,797	266,976	267,904	266,407	270,639	269,878	269,172	280,782	285,154
		F	239,724	244,039	242,099	251,888	253,427	248,463	256,204	257,773	257,096	270,970	272,482
001–138	**I INFECTIVE AND PARASITIC DISEASES**	M	9,129	8,042	7,066	6,249	5,340	4,976	4,543	4,142	3,762	3,674	3,455
		F	4,922	4,407	3,679	3,180	2,678	2,501	2,317	1,991	1,868	1,965	1,716
001–019	**Tuberculosis (all forms)**	M	7,114	5,964	5,392	4,533	3,804	3,414	3,207	2,810	2,502	2,406	2,282
		F	3,471	2,938	2,505	1,959	1,571	1,370	1,273	1,044	933	928	806
001–008	**Tuberculosis of respiratory system**	M	6,421	5,447	4,944	4,172	3,534	3,150	2,949	2,620	2,342	2,240	2,101
		F	2,914	2,466	2,125	1,665	1,319	1,099	1,050	854	763	762	673
001	With mention of occupational disease	M	292	298	276	296	247	215	215	199	215	171	166
		F	3	6	4	6	6	—	6	4	7	5	6
002	Pulmonary	M	6,066	5,107	4,630	3,844	3,263	2,899	2,706	2,402	2,117	2,060	1,922
		F	2,868	2,426	2,083	1,630	1,291	1,085	1,028	839	746	751	662
003	Pleural	M	53	34	30	25	18	31	23	13	5	7	10
		F	35	29	33	25	19	11	11	8	7	4	2
	0 Pleurisy specified as tuberculous	M	22	11	15	10	6	12	8	7	4	6	8
		F	7	12	10	4	4	1	2	1	1	2	1
	1 Pleurisy with effusion without mention of cause	M	31	23	15	15	12	19	15	6	1	1	2
		F	28	17	23	21	15	10	9	7	6	2	1
004	Primary, complex with symptoms	M	2	—	—	—	—	—	—	—	—	—	—
		F	—	1	1	—	—	—	—	—	—	—	—
005	Tracheobronchial glandular, with symptoms	M	4	3	5	4	4	1	4	2	2	—	—
		F	7	2	3	4	2	1	3	—	—	—	1
007	Other respiratory	M	4	3	1	—	—	1	—	—	2	—	—
		F	1	1	—	—	—	1	—	3	—	1	—
008	Unspecified site	M	—	2	2	3	2	3	1	4	1	2	3
		F	—	1	1	—	1	1	2	—	3	1	2
010–019	**Tuberculosis, other forms**	M	693	517	448	361	270	264	258	190	160	166	181
		F	557	472	380	294	252	271	223	190	170	166	133
010	Meninges and central nervous system	M	265	177	96	67	39	47	44	50	26	35	39
		F	246	168	95	65	52	63	49	37	35	30	24
011	Intestines, peritoneum, and mesenteric glands	M	67	60	38	45	35	28	25	17	17	20	13
		F	66	59	58	41	35	27	35	21	15	25	19
012	Bones and joints, active or unspecified	M	110	68	75	67	48	42	49	37	31	33	39
		F	70	71	65	44	36	49	43	48	35	30	19
	0 Vertebral column	M	81	47	58	52	37	33	38	26	27	26	36
		F	54	51	56	35	28	39	34	40	26	22	15
	1-3 Other	M	29	21	17	15	11	9	11	11	4	7	3
		F	16	20	9	9	8	10	9	8	9	8	4
013	Late effects, bones and joints	M	5	3	2	6	4	2	2	—	2	2	4
		F	2	2	2	2	5	3	—	5	4	3	1
014	Skin and subcutaneous cellular tissue	M	1	2	—	1	—	2	2	—	—	—	—
		F	3	3	7	3	4	2	6	3	2	2	1
015	Lymphatic system	M	15	9	10	11	9	5	3	5	3	1	2
		F	14	15	10	10	6	13	4	9	5	4	5
016	Genito-urinary system	M	144	109	121	87	82	81	64	44	45	37	48
		F	66	79	64	52	64	44	36	43	34	37	28
017	Adrenal glands	M	13	19	14	6	11	9	13	8	5	4	7
		F	18	12	9	7	5	9	7	5	7	4	
018	Other organs	M	13	8	9	11	6	10	7	5	8	9	7
		F	11	7	4	13	6	13	9	5	3	5	5

TABLE 7—*continued*

ICD No.	Causes of death		1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962
019	Disseminated	M	60	62	83	60	36	38	49	24	23	25	22
		F	61	56	66	57	39	48	34	14	30	26	26
	0-1 Acute miliary tuberculosis	M	4	3	5	4	2	3	5	2	1	1	—
		F	2	5	7	3	1	5	5	3	1	1	1
	2 Other forms	M	56	59	78	56	34	35	44	22	22	24	22
		F	59	51	59	54	38	43	29	11	29	25	25
020–029	**Syphilis and its sequelae**	M	**935**	**850**	**808**	**795**	**772**	**728**	**653**	**627**	**623**	**556**	**509**
		F	**445**	**375**	**398**	**368**	**378**	**344**	**388**	**331**	**321**	**344**	**313**
020	Congenital syphilis	M	17	10	6	2	6	3	10	5	4	3	3
		F	15	3	6	4	8	7	3	2	2	2	5
021	Early syphilis	M	1	—	—	—	—	—	—	—	—	—	—
		F	2	1	—	—	1	—	—	—	—	1	—
022	Aneurysm of aorta	M	341	319	307	332	329	358	306	295	312	286	303
		F	175	149	166	173	171	183	219	190	186	194	198
023	Other cardiovascular syphilis	M	320	282	278	281	271	231	208	181	186	159	126
		F	143	131	115	112	126	88	94	68	75	92	71
024	Tabes dorsalis	M	100	87	70	53	66	53	41	50	44	41	23
		F	27	26	26	24	15	22	16	22	17	19	6
025	General paralysis of insane	M	78	91	89	84	56	48	57	62	56	37	28
		F	45	26	37	36	28	20	28	27	22	17	16
026	Other syphilis of central nervous system	M	50	37	47	27	33	26	17	22	12	21	23
		F	21	25	32	13	19	18	20	16	14	12	13
027	Other forms of late syphilis	M	23	18	8	13	10	7	10	9	7	6	2
		F	13	13	15	5	9	4	6	6	4	7	3
029	Syphilis, unqualified	M	5	6	3	3	1	2	4	3	2	3	1
		F	4	1	1	1	1	2	2	—	1	—	1
030–039	**Gonococcal infection and other venereal diseases**	M	**12**	**6**	**13**	**3**	**8**	**5**	**21**	**24**	**29**	**14**	**9**
		F	**1**	—	—	**2**	—	**1**	**1**	—	**2**	—	—
030	Acute or unspecified gonorrhoea	M	2	—	2	—	1	2	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—
034	Gonococcal infection of other sites	M	—	—	2	—	1	—	—	—	—	1	—
		F	1	—	—	—	—	—	—	—	—	—	—
035	Late effects of gonococcal infection	M	8	6	7	2	6	3	18	23	28	12	
		F	—	—	—	—	—	—	—	—	—	—	— 9
040–049	**Infectious diseases commonly arising in intestinal tract**	M	**62**	**53**	**48**	**58**	**46**	**42**	**42**	**40**	**40**	**34**	**38**
		F	**40**	**47**	**33**	**51**	**55**	**38**	**36**	**42**	**41**	**34**	**20**
040	Typhoid fever*	M	4	1	—	4	—	1	2	2	2	1	2
		F	1	2	3	2	2	5	—	1	—	—	2
041	Paratyphoid fever*	M	5	—	1	3	2	—	1	—	—	1	3
		F	7	1	2	5	3	2	1	2	1	—	—
042	Other Salmonella infections*	M	27	23	22	25	20	29	21	18	20	17	10
		F	16	20	11	19	26	20	15	18	17	14	11
044	Brucellosis (undulant fever)	M	2	2	—	—	2	—	1	—	—	—	1
		F	—	2	—	1	1	—	—	1	—	—	—
045	Bacillary dysentery	M	11	13	12	15	13	7	12	14	9	11	16
		F	10	15	13	12	13	8	14	12	17	17	5
046	Amoebiasis	M	11	5	6	7	2	4	3	4	5	4	4
		F	—	1	2	1	1	1	1	2	2	—	—
048	Unspecified forms of dysentery	M	2	1	4	1	2	—	1	—	1	—	1
		F	2	1	2	4	2	2	—	1	2	2	2
049	Food poisoning (infection and intoxication)	M	—	8	3	3	5	1	1	2	3	—	1
		F	4	5	—	7	7	—	4	5	2	1	—
050–064	**Other bacterial diseases**	M	**384**	**419**	**321**	**241**	**257**	**208**	**169**	**180**	**148**	**169**	**190**
		F	**365**	**388**	**294**	**216**	**209**	**208**	**159**	**134**	**125**	**144**	**132**
050	Scarlet fever*	M	4	2	2	—	—	1	3	—	—	—	—
		F	4	2	2	2	1	2	1	1	—	3	2

* Excluding the following "late effects" (see note 2 at head of table):

		1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962
040 Typhoid fever	M	1	—	1	1	—	—	2	—	1	—	—
	F	3	—	—	—	—	2	1	1	—	1	—
041 Paratyphoid fever	M	—	—	—	—	—	—	—	—	1	—	—
	F	—	1	1	—	—	—	—	—	—	—	—
042 Other Salmonella infections	M	—	—	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1
050 Scarlet fever	M	5	6	8	8	8	3	1	5	3	3	2
	F	10	17	15	11	6	4	3	4	5	5	3

TABLE 7—*continued*

ICD No.	Causes of death		1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962
051	Streptococcal sore throat*	M	21	15	13	14	15	7	4	12	10	2	2
		F	20	19	12	10	13	9	6	8	13	6	6
052	Erysipelas*	M	6	9	9	7	3	5	2	3	4	—	—
		F	10	13	5	6	4	1	5	3	3	3	7
053	Septicaemia and pyaemia	M	44	67	55	37	57	38	45	38	47	63	64
		F	64	52	66	39	40	39	36	32	29	39	45
	0 Streptococcus	M	4	12	6	4	8	4	6	6	4	10	4
		F	9	9	7	4	6	5	6	5	3	3	4
	1 Staphylococcus	M	18	20	15	12	16	10	23	17	21	28	24
		F	13	15	26	16	12	11	9	13	9	10	18
	2 Pneumococcus	M	7	3	4	5	3	3	3	—	1	5	5
		F	7	6	1	1	2	2	2	—	—	3	3
	3 Other specified organism	M	—	3	6	6	3	1	1	1	1	4	8
		F	3	3	3	2	2	2	1	1	3	4	1
	4 Organism unspecified	M	15	29	24	10	27	20	12	14	20	16	23
		F	32	19	29	16	18	19	18	13	14	19	19
054	Bacterial toxaemia	M	—	2	—	—	—	1	—	—	—	—	—
		F	—	—	—	1	1	—	—	—	1	—	1
055	Diphtheria*	M	13	10	3	6	2	2	4	—	2	3	2
		F	10	10	5	6	1	2	4	—	3	7	—
056	Whooping cough*	M	82	104	66	45	41	32	13	11	20	17	15
		F	99	139	73	42	51	55	14	14	17	10	9
057	Meningococcal infections*	M	160	166	138	105	109	94	71	97	46	65	88
		F	130	125	121	100	80	90	74	62	49	65	50
061	Tetanus	M	42	37	28	23	22	23	10	17	15	15	13
		F	21	24	9	10	15	5	10	8	3	9	6
062	Anthrax	M	2	1	1	1	3	1	—	—	1	—	1
		F	—	—	—	—	—	—	—	—	—	—	—
063	Gas gangrene	M	10	4	5	3	4	4	5	1	2	3	3
		F	6	3	1	—	1	4	4	1	4	1	3
064	Other bacterial diseases	M	—	2	1	—	1	—	12	1	1	1	1
		F	1	1	—	—	2	1	5	5	3	—	3
070–074	**Spirochaetal diseases, except syphilis**	M	**32**	**28**	**25**	**27**	**11**	**18**	**19**	**11**	**10**	**14**	**14**
		F	**1**	**5**	**2**	**2**	**1**	**3**	**1**	**2**	**1**	—	**2**
070	Vincent's infection	M	2	2	—	2	—	1	—	1	—	—	—
		F	—	2	—	1	1	2	—	2	—	—	1
072	Leptospirosis	M	29	26	25	24	11	17	18	10	10	14	14
		F	1	2	2	1	—	—	1	—	—	—	1
080–096	**Diseases attributable to viruses**	M	**535**	**680**	**395**	**536**	**382**	**493**	**380**	**381**	**344**	**415**	**337**
		F	**546**	**607**	**401**	**529**	**402**	**478**	**399**	**380**	**389**	**448**	**375**
080	Acute poliomyelitis	M	167	199	73	150	68	143	71	41	19	44	12
		F	108	121	39	91	46	83	58	25	4	15	6
	0 Specified as bulbar or polio-encephalitis	M	72	102	29	73	25	63	34	14	7	11	2
		F	42	52	17	41	15	30	18	15	3	5	3
	1 With other paralysis	M	30	28	13	23	14	21	14	6	6	9	5
		F	12	15	4	17	9	16	14	1	—	1	2
	3 Unspecified	M	63	69	31	54	29	59	23	21	6	24	5
		F	54	54	18	33	22	37	26	9	1	9	1
081	Late effects of acute poliomyelitis	M	9	8	11	11	9	21	11	11	12	12	14
		F	11	10	11	18	14	8	14	10	11	8	13
082	Acute infectious encephalitis	M	52	70	51	49	58	59	52	55	62	56	60
		F	53	64	37	38	48	50	40	53	62	64	57
083	Late effects of acute infectious encephalitis	M	79	99	80	81	82	55	72	64	54	48	46
		F	95	84	95	77	67	50	63	44	60	38	43

* Excluding the following "late effects" (see note 2 at head of table):

		1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962
051 Streptococcal sore throat	M	—	—	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—
052 Erysipelas	M	—	—	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—
055 Diphtheria	M	1	1	—	—	3	—	2	—	1	2	—
	F	8	2	1	1	2	2	—	3	2	4	1
056 Whooping cough	M	2	—	—	—	1	1	—	—	—	1	—
	F	1	—	—	1	2	—	1	1	1	—	2
057 Meningococcal infections	M	—	—	—	—	—	—	1	1	—	—	—
	F	—	—	—	—	—	—	2	2	—	—	1

TABLE 7—*continued*

ICD No.	Causes of death		1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962
084	Smallpox*	M	—	6	—	—	—	1	1	—	—	—	7
		F	—	2	—	—	—	1	—	—	—	—	19
085	Measles*	M	71	140	24	85	14	53	23	49	13	79	20
		F	70	102	21	89	14	41	26	49	18	73	19
086	Rubella (German measles)*	M	2	3	2	—	—	1	1	—	2	1	2
		F	1	3	—	—	1	1	1	—	1	1	4
087	Chickenpox	M	8	10	8	4	4	5	7	10	8	10	17
		F	5	2	9	5	8	9	5	6	11	8	6
088	Herpes zoster	M	18	8	17	25	17	24	21	16	14	18	22
		F	42	38	30	41	45	49	44	33	34	48	30
089	Mumps	M	4	4	7	3	4	3	4	1	4	6	2
		F	6	5	2	8	—	6	4	7	6	7	1
092	Infectious hepatitis	M	116	126	108	116	116	119	110	119	139	123	113
		F	148	162	151	159	156	173	135	145	169	173	168
093	Glandular fever (infectious mononucleosis)	M	4	1	2	3	5	3	2	2	4	5	4
		F	1	2	2	—	1	2	2	1	2	3	2
096	Other diseases attributable to viruses	M	4	6	12	8	4	6	5	13	13	13	18
		F	6	11	4	3	2	5	7	7	11	10	7
100–108	**Typhus and other rickettsial diseases***	M	—	—	—	—	—	—	—	1	1	—	—
		F	—	1	—	—	—	—	—	—	—	—	—
110–117	**Malaria**	M	**8**	**4**	**9**	**5**	**3**	**3**	**2**	—	**3**	**6**	4
		F	**1**	—	—	—	**1**	**1**	**2**	**2**	—	—	1
112	Falciparum malaria (malignant tertian)	M	4	4	5	4	1	1	2	—	1	—	4
		F	—	—	—	—	1	1	2	1	—	—	1
116	Other and unspecified forms of malaria	M	3	—	4	1	2	1	—	—	2	5	—
		F	—	—	—	—	—	—	—	1	—	—	—
120–138	**Other infective and parasitic diseases**	M	**47**	**38**	**55**	**51**	**57**	**65**	**50**	**68**	**62**	**60**	72
		F	**52**	**46**	**46**	**53**	**61**	**58**	**58**	**56**	**56**	**67**	67
122	Other protozoal diseases	M	3	2	5	1	1	3	1	1	2	1	1
		F	2	4	5	1	1	1	—	2	—	—	3
123	Schistosomiasis	M	—	1	1	2	—	—	1	1	1	1	2
		F	—	—	—	—	1	—	1	—	1	—	1
125	Hydatid disease	M	7	6	5	6	4	11	2	7	5	3	9
		F	5	7	3	6	6	8	2	8	8	5	7
126	Other cestode infestation	M	2	1	2	3	5	5	—	4	1	2	1
		F	—	—	2	1	—	1	1	—	—	—	—
131	Dermatophytosis	M	1	2	—	—	1	—	—	—	—	—	—
		F	—	—	—	—	1	—	—	—	—	—	—
132	Actinomycosis	M	6	2	5	4	1	4	3	4	1	2	5
		F	6	5	2	—	4	2	4	—	1	—	—
134	Other fungus infections	M	10	12	13	9	14	13	9	16	21	17	13
		F	9	7	6	5	7	8	11	7	15	13	10
138	Other infective and parasitic diseases	M	17	9	21	24	31	27	33	35	30	34	39
		F	30	23	28	39	41	38	39	39	31	48	45
140–239	**II NEOPLASMS**	M	**46,220**	**46,773**	**48,104**	**48,907**	**49,675**	**50,792**	**51,273**	**52,324**	**53,392**	**54,045**	55,292
		F	**43,138**	**42,907**	**43,727**	**44,097**	**44,679**	**44,853**	**45,727**	**46,069**	**46,777**	**47,188**	47,560
140–205	**Malignant neoplasms including neoplasms of lymphatic and haematopoietic tissues**	M	**45,429**	**45,935**	**47,313**	**48,160**	**48,935**	**50,056**	**50,735**	**51,783**	**52,779**	**53,441**	**54,735**
		F	**42,213**	**41,989**	**42,782**	**43,180**	**43,775**	**43,961**	**45,069**	**45,334**	**46,009**	**46,474**	**46,873**
140–148	**Malignant neoplasm of buccal cavity and pharynx**	M	**1,472**	**1,402**	**1,516**	**1,421**	**1,234**	**1,259**	**1,267**	**1,249**	**1,120**	**1,070**	**1,061**
		F	**646**	**568**	**641**	**650**	**654**	**669**	**657**	**613**	**666**	**645**	**631**
140	Lip	M	96	116	104	109	80	83	83	74	68	85	63
		F	18	8	13	13	13	9	4	10	13	9	7
	0 Upper lip	M	?	?	?	?	?	?	8	10	1	9	5
		F							—	2	8	3	3

* Excluding the following "late effects" (see note 2 at head of table):

		1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962
084 Smallpox	M	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	—	—	—
085 Measles	M	—	2	5	2	1	1	1	—	1	1	—
	F	—	1	—	—	1	—	1	1	1	—	—
086 Rubella (German measles)	M	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	1	—	—	—	—	—	—	—	—
102 Brill's disease	M	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	—	—	—

TABLE 7—*continued*

ICD No.	Causes of death		1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962
	1 Lower lip	M	?	?	?	?	?	?	71	53	54	70	51
		F							4	7	10	4	3
	8, 9 Both lips, unspecified	M							4	11	6	6	7
		F							—	1	2	2	1
141	Tongue	M	451	424	442	393	359	336	359	363	307	273	289
		F	135	143	146	150	165	158	143	152	134	145	128
	0 Base of tongue	M	?	?	?	?	?	?	137	134	103	99	113
		F							47	34	39	44	29
	7 Other specified parts of tongue	M							180	180	158	135	132
		F							77	98	80	77	81
	8, 9 Multiple and unspecified parts of tongue	M							42	49	46	39	44
		F							19	20	15	24	18
142	Salivary gland	M	99	80	80	75	78	81	90	67	77	86	74
		F	70	51	60	65	57	64	76	77	64	54	73
	0 Parotid gland	M	?	?	?	?	?	?	74	55	58	69	62
		F							68	62	51	44	59
	7 Other salivary gland	M							14	10	16	13	12
		F							8	13	13	8	13
	8, 9 Multiple and unspecified salivary gland	M							2	2	3	4	—
		F							—	2	—	2	1
143	Floor of mouth	M	65	80	85	90	78	63	57	71	73	71	63
		F	18	16	23	22	21	20	21	23	23	21	18
144	Other parts of mouth and mouth unspecified	M	219	193	226	223	199	186	208	185	173	158	153
		F	74	66	63	71	82	71	84	49	95	81	72
145	Oral mesopharynx	M	178	167	180	141	110	153	183	154	143	118	142
		F	55	32	46	46	44	47	42	55	49	48	61
	0 Tonsil (excluding pillars)	M	?	?	?	?	?	?	144	121	112	87	98
		F							39	46	43	37	53
	7-9 Other multiple and unspecified parts of oral mesopharynx	M							39	33	31	31	44
		F							3	9	6	11	8
146	Nasopharynx	M	76	69	100	83	73	78	86	98	83	91	92
		F	42	31	38	30	42	45	42	33	39	47	41
147	Hypopharynx	M	87	100	98	106	83	85	133	169	142	133	125
		F	148	146	153	154	152	157	209	180	218	210	211
148	Pharynx, unspecified	M	201	173	201	201	174	194	68	68	54	55	60
		F	86	75	99	99	78	98	36	34	31	30	20
150–159	**Malignant neoplasm of digestive organs and peritoneum**	M	**20,112**	**19,740**	**19,545**	**19,376**	**19,077**	**19,348**	**19,136**	**19,160**	**19,023**	**19,030**	**19,061**
		F	**18,331**	**18,052**	**18,227**	**18,226**	**18,060**	**17,882**	**18,365**	**18,585**	**18,440**	**18,330**	**18,412**
150	Oesophagus	M	1,470	1,330	1,301	1,352	1,372	1,306	1,300	1,369	1,301	1,356	1,391
		F	846	860	925	951	952	956	993	955	1,007	1,055	1,050
151	Stomach	M	8,039	8,016	7,818	7,942	7,712	7,951	7,934	7,930	7,846	7,784	7,722
		F	6,316	6,176	6,232	6,146	6,163	5,966	6,178	6,146	6,107	6,004	5,874
152	Small intestine, including duodenum	M	109	110	101	104	111	97	110	104	117	136	121
		F	93	99	93	101	98	75	108	104	133	102	106
	0 Duodenum	M	?	?	?	?	?	?	23	33	36	38	39
		F							25	32	36	26	19
	7-9 Other multiple and unspecified parts of small intestine	M							87	71	81	98	82
		F							83	72	97	76	87
153	Large intestine, except rectum	M	4,151	4,148	4,031	3,904	3,795	3,793	3,698	3,611	3,612	3,678	3,693
		F	5,633	5,527	5,451	5,505	5,433	5,388	5,431	5,542	5,448	5,455	5,473
	3 Sigmoid colon	M	?	?	?	?	?	?	1,418	1,306	1,297	1,336	1,314
		F							1,827	1,854	1,765	1,711	1,782
	0-2, 7, 8 Other parts of large intestine	M							2,238	2,262	2,281	2,302	2,343
		F							3,551	3,628	3,634	3,693	3,627
	9 Intestinal tract, part unspecified	M							42	43	34	40	36
		F							53	60	49	51	64
154	Rectum	M	3,401	3,236	3,321	3,173	3,152	3,102	3,132	3,059	3,029	2,919	2,953
		F	2,386	2,416	2,461	2,380	2,368	2,275	2,501	2,602	2,444	2,428	2,440
155	Biliary passages and of liver (stated to be primary site)	M	506	458	516	462	486	535	579	603	575	609	619
		F	745	732	761	760	812	784	909	871	883	862	935
	0 Liver	M	?	?	?	?	?	?	213	243	230	272	256
		F							178	180	212	188	205
	1, 8 Gall bladder, other and multiple sites	M							366	360	345	337	363
		F							731	691	671	674	730

TABLE 7—*continued*

ICD No.	Causes of death		1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962
156	Liver (secondary and unspecified)*	M	585	561	514	476	457	494	273	287	319	317	325
		F	516	516	548	508	489	474	297	314	292	298	298
157	Pancreas	M	1,717	1,718	1,766	1,822	1,839	1,885	1,980	2,081	2,077	2,075	2,103
		F	1,555	1,483	1,522	1,619	1,546	1,710	1,747	1,851	1,882	1,904	2,017
158	Peritoneum	M	121	148	162	126	130	163	95	80	108	124	102
		F	224	225	216	231	180	230	156	163	200	177	186
159	Unspecified digestive organs	M	13	15	15	15	23	22	35	36	39	32	32
		F	17	18	18	25	19	24	45	37	44	45	33
160–165	**Malignant neoplasm of respiratory system**	M	**12,932**	**13,816**	**14,834**	**15,669**	**16,452**	**17,212**	**17,899**	**19,026**	**19,759**	**20,289**	**21,064**
		F	**2,570**	**2,565**	**2,668**	**2,781**	**2,879**	**2,983**	**3,092**	**3,202**	**3,441**	**3,652**	**3,806**
160	Nose, nasal cavities, middle ear, and accessory sinuses	M	118	130	125	118	134	114	123	121	120	99	114
		F	85	99	104	82	97	86	96	96	126	91	115
	0 Nose (internal) and nasal cavities	M							16	30	24	13	24
		F							14	7	21	12	21
	1 Eustachian tube and middle ear	M							8	11	9	22	15
		F							12	14	18	14	13
	2 Maxillary sinus	M	?	?	?	?	?	?	84	72	79	60	64
		F							63	71	80	63	72
	7 Other specified sinus (accessory)	M							10	6	5	4	10
		F							6	4	5	—	8
	8, 9 Multiple and unspecified sites of nose, etc.	M							5	2	3	—	1
		F							1	—	2	2	1
161	Larynx	M	752	737	662	695	675	661	662	643	689	652	626
		F	189	168	181	202	169	174	171	180	157	165	153
162, 163	Trachea, bronchus and lung	M	11,942	12,835	13,941	14,761	15,544	16,358	17,040	18,181	18,882	19,460	20,278
		F	2,228	2,239	2,323	2,438	2,553	2,670	2,780	2,882	3,118	3,350	3,501
162	Bronchus and trachea, and lung specified as primary	M	?	?	?	9,520	10,141	10,740	11,432	12,231	12,843	13,360	13,912
		F				1,553	1,665	1,744	1,847	1,881	2,101	2,190	2,335
	0 Trachea	M							27	27	17	33	24
		F							9	11	8	11	11
	1 Bronchus and lung	M							11,397	12,198	12,824	13,323	13,882
		F	?	?	?	?	?	?	1,838	1,866	2,091	2,178	2,321
	2 Pleura	M							6	3	1	4	4
		F							—	4	2	1	1
	8 Multiple sites	M							2	3	1	—	2
		F							—	—	—	—	2
163	Lung, unspecified as to whether primary or secondary	M	?	?	?	5,241	5,403	5,618	5,608	5,950	6,039	6,100	6,366
		F				885	888	926	933	1,001	1,017	1,160	1,166
164	Mediastinum	M	100	99	82	76	68	57	58	66	50	58	32
		F	54	39	43	39	42	36	29	29	28	24	20
165	Thoracic organs (secondary)	M	20	15	24	19	31	22	16	15	18	20	14
		F	14	20	17	20	18	17	16	15	12	22	17
170–181	**Malignant neoplasm of breast and genito-urinary organs**	M	**5,940**	**6,031**	**6,281**	**6,373**	**6,657**	**6,591**	**6,800**	**6,704**	**6,903**	**6,975**	**7,414**
		F	**16,432**	**16,304**	**16,528**	**16,810**	**17,028**	**17,139**	**17,840**	**17,593**	**18,098**	**18,261**	**18,414**
170	Breast	M	59	81	80	77	69	70	73	62	63	81	79
		F	8,251	8,115	8,315	8,449	8,522	8,552	8,949	8,708	9.059	9,286	9,351
171	Cervix uteri	F	2,536	2,488	2,397	2,472	2,494	2,456	2,702	2,555	2,599	2,504	2,511
172	Corpus uteri	F	1,232	1,197	1,179	1,141	1,176	1,207	1,189	1,214	1,245	1,245	1,255
173	Other parts of uterus, including chorionepithelioma	F	27	41	48	28	39	36	34	39	38	21	40
174	Uterus, unspecified	F	213	200	203	203	212	213	190	195	206	211	209
175	Ovary, Fallopian tube, and broad ligament	F	2,492	2,551	2,601	2,771	2,791	2,854	2,890	2,939	2,959	3,057	3,061
	0 Ovary	F							2,866	2,919	2,933	3,031	3,032
	1 Fallopian tube and broad ligament	F	?	?	?	?	?	?	21	19	24	25	27
	8, 9 Multiple and unspecified sites of ovary, etc.	F							3	1	2	1	2
176	Other and unspecified female genital organs	F	471	472	488	477	475	519	519	530	541	492	520
	0 Vulva	F							365	373	390	360	376
	1 Vagina	F	?	?	?	?	?	?	143	150	141	124	138
	7-9 Other multiple and unspecified sites of female genital organs	F							11	7	10	8	6

* 156. Enquiries made from 1958 onwards.

TABLE 7—*continued*

ICD No.	Causes of death		1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962
177	Prostate	M	2,997	3,157	3,327	3,315	3,538	3,460	3,614	3,590	3,655	3,658	3,820
178	Testis	M	208	197	217	165	201	175	203	193	224	185	207
179	Other and unspecified male genital organs	M	154	123	127	162	140	139	140	143	111	149	129
	0 Penis	M							110	106	86	121	105
	1 Scrotum	M							28	30	22	25	19
	7-9 Other multiple and unspecified sites of male genital organs	M	?	?	?	?	?	?	2	7	3	3	5
180	Kidney	M	638	655	676	706	700	704	761	704	710	750	842
		F	471	443	455	421	463	433	504	459	518	518	501
181	Bladder and other urinary organs	M	1,884	1,818	1,854	1,948	2,009	2,043	2,009	2,012	2,140	2,152	2,337
		F	739	797	842	848	856	869	863	954	933	927	966
	0, 8 Bladder	M							1,997	1,993	2,125	2,137	2,323
		F	?	?	?	?	?	?	849	932	912	898	941
	7 Other urinary organs and sites	M							12	19	15	15	14
		F							14	22	21	29	25
190–199	**Malignant neoplasm of other and unspecified sites**	M	**2,664**	**2,605**	**2,715**	**2,834**	**2,975**	**2,919**	**2,926**	**2,853**	**2,954**	**3,108**	3,141
		F	**2,503**	**2,681**	**2,784**	**2,727**	**3,039**	**3,124**	**2,904**	**2,952**	**2,902**	**3,060**	3,027
190	Malignant melanoma of skin	M	115	132	144	164	166	145	125	161	168	155	171
		F	178	168	185	213	181	247	206	220	224	232	250
191	Other malignant neoplasm of skin	M	369	337	325	312	310	316	282	265	269	276	248
		F	298	292	264	262	249	254	235	228	232	218	206
192	Eye	M	49	51	53	53	57	60	63	61	60	61	87
		F	60	57	69	44	56	51	62	70	67	77	64
193	Brain and other parts of nervous system	M	833	811	831	903	889	894	1,079	1,046	1,102	1,135	1,137
		F	525	589	624	611	659	667	794	823	788	847	783
	0 Brain	M							998	983	1,029	1,042	1,024
		F							743	750	722	757	700
	1 Spinal cord	M							15	11	14	13	17
		F							10	23	13	11	14
	2 Meninges	M							7	7	2	2	6
		F							3	8	5	5	12
	3 Peripheral nerves	M	?	?	?	?	?	?	2	3	5	1	7
		F							2	4	5	3	1
	4 Sympathetic nervous system	M							35	29	27	39	40
		F							17	27	29	37	25
	8, 9 Multiple and unspecified sites of brain, etc.	M							22	13	25	38	43
		F							19	11	14	34	31
194	Thyroid gland	M	104	91	99	95	113	89	92	100	102	97	110
		F	260	264	268	268	272	264	244	280	274	278	275
195	Other endocrine glands	M	74	52	60	62	66	71	67	58	51	45	59
		F	49	49	38	46	55	54	45	38	42	48	37
	0 Suprarenal gland	M							46	40	40	33	42
		F							29	21	30	28	25
	3 Pituitary gland and craniopharyngeal duct	M							6	4	4	5	6
		F	?	?	?	?	?	?	7	6	2	5	4
	1, 2, 4-8 Other and multiple endocrine glands	M							15	14	7	7	11
		F							9	11	10	15	8
196	Bone	M	395	396	356	346	385	351	354	330	337	349	322
		F	326	300	319	266	304	288	300	265	255	262	259
197	Connective tissue	M	122	92	119	111	121	125	113	110	108	133	141
		F	94	82	105	102	111	103	112	93	96	109	149
198	Secondary and unspecified malignant neoplasm of lymph nodes	M	46	38	43	43	37	37	45	43	39	35	51
		F	29	29	29	17	14	22	21	16	29	26	25
199	Other and unspecified sites	M	557	605	685	745	831	831	706	679	718	822	815
		F	684	851	883	898	1,138	1,174	885	919	895	963	979
200–205	**Neoplasms of lymphatic and haematopoietic tissues**	M	**2,309**	**2,341**	**2,422**	**2,487**	**2,540**	**2,727**	**2,707**	**2,791**	**3,020**	**2,969**	**2,994**
		F	**1,731**	**1,819**	**1,934**	**1,986**	**2,115**	**2,164**	**2,211**	**2,389**	**2,462**	**2,526**	**2,583**
200	Lymphosarcoma and reticulosarcoma	M	453	454	460	466	459	486	517	552	591	580	613
		F	286	301	338	382	372	381	429	442	451	516	473
	0 Reticulum-cell sarcoma	M	137	131	127	167	169	170	195	203	222	215	229
		F	79	111	108	130	144	157	175	171	176	218	186

TABLE 7—*continued*

ICD No.	Causes of death		1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962
	1 Lymphosarcoma ..	M	271	283	286	270	266	284	298	322	332	343	360
		F	175	166	203	221	194	207	235	243	252	275	252
	2 Other primary malignant neoplasms of lymphoid tissue	M	45	40	47	29	24	32	24	27	37	22	24
		F	32	24	27	31	34	17	19	28	23	23	35
201	Hodgkin's disease	M	483	488	493	495	507	584	472	543	508	545	550
		F	278	287	288	284	309	288	314	332	355	307	352
202	Other forms of lymphoma (reticulosis)	M	90	82	93	75	78	78	110	70	93	92	93
		F	46	64	59	52	62	76	87	72	80	86	79
	0 Giant follicular lymphoma (Brill-Symmers' disease)	M	12	16	13	11	13	7	14	17	21	16	13
		F	6	6	7	18	7	13	17	19	21	12	15
	1 Other	M	78	66	80	64	65	71	96	53	72	76	80
		F	40	58	52	34	55	63	70	53	59	74	64
203	Multiple myeloma (plasmocytoma)	M	161	190	218	217	250	268	298	295	335	330	334
		F	175	149	217	261	277	314	290	311	350	369	356
204	Leukaemia and aleukaemia ..	M	1,102	1,116	1,142	1,223	1,229	1,301	1,301	1,315	1,476	1,408	1,392
		F	941	1,005	1,018	1,001	1,086	1,093	1,085	1,219	1,218	1,237	1,315
	0 Lymphatic leukaemia ..	M	284	278	296	310	288	339	270	284	309	306	320
		F	184	201	224	214	211	222	184	228	220	225	217
	1 Myeloid leukaemia ..	M	248	261	260	284	296	299	229	243	225	253	239
		F	255	270	265	273	296	307	247	285	294	278	291
	2 Monocytic leukaemia ..	M	86	100	99	92	119	103	105	114	118	94	108
		F	86	96	82	93	111	112	110	82	94	98	114
	3 Acute leukaemia ..	M	451	446	458	498	487	519	662	631	788	708	691
		F	383	408	414	394	428	420	512	592	583	603	655
	4 Other and unspecified leukaemia	M	33	31	29	39	39	41	35	43	36	47	34
		F	33	30	33	27	40	32	32	32	27	33	38
205	Mycosis fungoides	M	20	11	16	11	17	10	9	16	17	14	12
		F	5	13	14	6	9	12	6	13	8	11	8
210–229	**Benign neoplasm .. ..**	**M**	**346**	**363**	**328**	**328**	**305**	**329**	**319**	**316**	**356**	**327**	**284**
		F	**584**	**555**	**598**	**571**	**548**	**555**	**499**	**524**	**546**	**479**	**470**
210	Buccal cavity and pharynx ..	M	3	1	1	2	3	2	1	1	—	2	3
		F	2	1	2	1	1	1	1	—	4	1	3
211	Other parts of digestive system	M	32	25	23	22	23	17	16	24	29	26	26
		F	18	17	24	32	29	28	19	15	32	24	28
212	Respiratory system	M	15	16	17	12	13	10	11	15	12	13	13
		F	9	7	8	10	6	10	8	12	7	6	3
213	Breast	M	—	—	—	—	—	—	—	—	—	—	—
		F	2	1	3	—	1	—	2	2	1	2	—
214	Uterine fibromyoma	F	127	117	126	99	93	87	81	84	71	51	54
215	Other benign neoplasm of uterus	F	9	13	11	25	17	12	7	11	7	10	7
216	Ovary	F	125	113	121	103	122	112	93	86	95	79	78
217	Other female genital organs	F	4	4	2	3	1	1	1	3	3	1	—
218	Male genital organs	M	2	—	—	—	—	—	—	1	—	—	—
219	Kidney and other urinary organs	M	99	100	98	87	67	91	75	73	86	82	51
		F	31	28	34	34	34	41	34	36	25	29	26
220	Benign melanoma of skin ..	M	—	—	—	—	—	—	—	—	—	1	—
		F	—	—	—	—	—	—	—	—	—	—	—
221	Pilonidal cyst	M	—	—	1	—	—	2	1	—	—	—	—
		F	—	2	—	1	—	—	1	1	1	1	—
222	Other benign neoplasm of skin	M	1	—	—	1	1	1	—	—	1	1	2
		F	—	1	—	1	—	3	1	1	—	1	—
223	Brain and other parts of nervous system	M	115	141	125	133	125	131	138	129	139	130	125
		F	164	168	177	178	163	179	158	187	193	180	173
224	Endocrine glands	M	48	37	37	38	39	38	48	40	51	40	45
		F	49	46	52	48	45	44	55	51	61	60	58
225	Bone and cartilage	M	5	18	9	7	6	12	5	5	5	2	1
		F	7	7	4	10	11	8	7	4	9	5	3
226	Lipoma	M	3	6	3	4	3	3	1	2	2	3	—
		F	6	6	11	3	1	4	3	3	4	3	3
227	Other benign neoplasm of muscular and connective tissue	M	7	6	4	5	5	5	7	9	11	9	7
		F	11	5	9	9	12	5	6	9	13	12	11

TABLE 7—*continued*

ICD No.	Causes of death		1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962
228	Haemangioma and lymphangioma	M	13	11	9	12	17	14	13	15	15	15	8
		F	19	12	11	11	8	13	18	15	17	8	15
229	Other and unspecified organs and tissues	M	3	2	1	5	3	3	3	2	5	3	3
		F	1	7	3	3	4	7	4	4	3	6	8
230–239	**Neoplasm of unspecified nature**	**M**	**445**	**475**	**463**	**419**	**435**	**407**	**219**	**225**	**257**	**277**	**273**
		F	**341**	**363**	**347**	**346**	**356**	**337**	**159**	**211**	**222**	**235**	**217**
230	Digestive organs	M	16	23	31	20	18	26	13	21	15	21	24
		F	37	19	19	23	26	23	26	19	25	30	22
231	Respiratory organs	M	36	36	27	21	23	14	30	15	34	23	13
		F	17	9	11	11	10	10	8	10	8	10	8
232	Breast	M	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	1	1	—	—	—	—	—	—	2
233	Uterus	F	1	2	3	1	1	—	1	2	—	4	2
234	Ovary	F	2	2	7	4	7	1	2	2	4	3	5
235	Other female genital organs ..	F	—	—	—	—	—	—	—	—	—	—	—
236	Other genito-urinary organs ..	M	6	11	9	6	5	6	4	6	4	8	3
		F	7	6	8	—	4	2	7	5	5	6	3
237	Brain and other parts of nervous system	M	372	390	383	360	375	344	160	171	183	203	210
		F	260	304	274	279	295	279	97	156	163	165	159
238	Skin and musculo-skeletal system	M	4	6	3	1	1	5	3	7	8	4	9
		F	7	4	6	1	3	5	4	4	3	3	4
239	Other and unspecified organs	M	11	9	10	11	13	12	9	5	13	18	14
		F	10	17	18	26	10	17	14	13	14	14	12
240–289	**III ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES**	**M**	**2,530**	**2,404**	**2,359**	**2,365**	**2,335**	**2,138**	**2,217**	**2,032**	**2,133**	**2,303**	**2,396**
		F	**4,228**	**4,041**	**3,947**	**4,100**	**4,022**	**3,924**	**3,980**	**3,824**	**4,111**	**4,364**	**4,439**
240–245	**Allergic disorders .. ..**	**M**	**1,005**	**976**	**891**	**889**	**812**	**720**	**625**	**539**	**528**	**566**	**605**
		F	**882**	**967**	**881**	**840**	**907**	**798**	**840**	**689**	**684**	**719**	**777**
241	Asthma	M	1,001	971	886	887	806	715	617	534	516	560	587
		F	878	964	877	833	902	792	836	680	672	709	765
242	Angioneurotic oedema ..	M	2	4	3	2	5	3	7	—	4	1	1
		F	3	1	2	2	2	4	2	6	6	2	1
245	Other allergic disorders ..	M	1	1	—	—	—	2	—	5	8	4	16
		F	1	1	1	3	2	2	1	3	5	8	11
250–254	**Diseases of thyroid gland .. ..**	**M**	**104**	**104**	**98**	**95**	**99**	**89**	**96**	**114**	**99**	**90**	**120**
		F	**679**	**525**	**623**	**643**	**597**	**590**	**589**	**621**	**646**	**665**	**697**
250	Simple goitre	M	9	6	10	7	7	4	4	7	3	1	2
		F	18	18	26	21	20	22	17	15	10	13	8
251	Non-toxic nodular goitre ..	M	4	6	6	6	5	2	11	5	3	2	1
		F	38	31	21	42	27	22	25	18	19	27	16
252	Thyrotoxicosis with or without goitre	M	61	65	52	50	50	59	40	55	40	42	64
		F	397	317	342	320	300	314	282	296	311	286	277
	0 Toxic diffuse goitre ..	M	58	61	51	49	48	57	39	54	40	40	64
		F	375	296	324	303	286	292	262	281	287	278	260
	1 Toxic nodular goitre ..	M	3	4	1	1	2	2	1	1	—	2	—
		F	22	21	18	17	14	22	20	15	24	8	17
253	Myxoedema and cretinism ..	M	27	22	27	29	34	22	37	42	50	41	48
		F	213	148	225	249	241	223	250	279	289	327	378
254	Other diseases of thyroid gland	M	3	5	3	3	3	2	4	5	3	4	5
		F	13	11	9	11	9	9	15	13	17	12	18
260	**Diabetes mellitus .. ..**	**M**	**1,091**	**1,066**	**1,048**	**1,084**	**1,108**	**1,013**	**1,152**	**1,100**	**1,193**	**1,331**	**1,330**
		F	**2,247**	**2,128**	**1,980**	**2,207**	**2,134**	**2,124**	**2,163**	**2,093**	**2,366**	**2,538**	**2,481**
270–277	**Diseases of other endocrine glands .. .. ..**	**M**	**138**	**136**	**134**	**114**	**124**	**112**	**135**	**97**	**121**	**119**	**134**
		F	**211**	**194**	**201**	**156**	**146**	**156**	**132**	**141**	**151**	**144**	**152**
270	Disorders of pancreatic internal secretion other than diabetes mellitus	M	3	3	5	7	8	4	10	3	6	8	4
		F	3	2	2	4	4	5	—	3	5	6	7
271	Diseases of parathyroid gland	M	4	3	3	5	1	2	2	3	3	2	6
		F	3	5	4	7	11	11	7	12	9	4	9
272	Diseases of pituitary gland ..	M	39	30	31	36	37	40	38	37	40	45	38
		F	64	80	80	60	58	65	55	55	50	58	49
273	Diseases of thymus gland ..	M	18	15	11	9	13	6	4	7	1	4	4
		F	7	8	3	4	2	5	4	2	3	3	4

(88065) B

TABLE 7—*continued*

ICD No.	Causes of death		1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962
274	Diseases of adrenal glands	M	52	67	70	52	49	42	63	33	57	45	69
		F	106	74	75	52	49	50	48	48	57	54	69
277	Polyglandular dysfunction and other diseases of endocrine glands	M	22	18	14	5	16	18	18	14	14	15	13
		F	28	25	37	29	21	20	18	21	27	19	14
280–289	**Avitaminoses and other metabolic diseases**	M	**192**	**122**	**188**	**183**	**192**	**204**	**209**	**182**	**192**	**197**	**207**
		F	**209**	**227**	**262**	**254**	**238**	**256**	**256**	**280**	**264**	**298**	**332**
280	Beriberi	M	—	—	1	1	4	2	1	2	2	1	—
		F	—	3	—	1	—	1	—	—	2	1	1
281	Pellagra	M	1	1	2	—	—	—	1	—	—	1	—
		F	3	4	4	2	1	2	—	1	—	2	—
282	Scurvy	M	2	5	—	3	1	1	4	2	1	1	—
		F	2	2	2	3	1	4	1	—	1	3	—
283	Active rickets	M	2	—	2	—	1	—	—	—	—	—	1
		F	1	—	1	1	2	—	—	—	—	—	—
284	Late effects of rickets	M	4	—	—	2	—	1	—	2	—	—	—
		F	1	1	—	1	2	3	1	—	—	—	—
285	Osteomalacia	M	1	—	—	1	1	—	2	—	—	1	—
		F	4	4	3	1	2	1	1	2	5	6	3
286	Other avitaminoses and nutritional deficiency states	M	64	36	63	48	50	41	50	46	38	53	67
		F	61	58	60	69	69	56	62	64	58	64	84
	0 Steatorrhoea and sprue	M	36	21	27	22	15	22	20	19	22	26	34
		F	20	22	21	22	28	24	22	21	20	25	36
	5 Malnutrition, unqualified	M	16	10	20	17	22	14	24	20	10	14	20
		F	32	25	29	38	31	21	31	28	28	31	32
	1-4, 6, 7 Other deficiency states	M	12	5	16	9	13	5	6	7	6	13	13
		F	9	11	10	9	10	11	9	15	10	8	16
287	Obesity, not specified as of endocrine origin	M	34	30	45	30	41	55	52	41	46	36	46
		F	76	100	136	110	101	127	123	146	127	158	160
288	Gout	M	21	10	17	16	16	17	10	15	14	17	12
		F	5	3	4	2	2	3	6	1	4	5	—
289	Other metabolic diseases	M	63	40	58	82	78	87	89	74	91	87	81
		F	56	52	52	64	58	59	62	66	67	59	84
	0 Lipidosis (disturbance of lipid metabolism)	M	11	5	15	19	16	15	18	7	11	13	16
		F	12	10	14	10	12	7	10	7	9	14	14
	1 Amyloidosis	M	14	12	14	17	18	36	23	30	37	30	21
		F	10	12	12	16	12	21	14	27	24	15	28
	2 Other	M	38	23	29	46	44	36	48	37	43	44	44
		F	34	30	26	38	34	31	38	32	34	30	42
290–299	**IV DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS**	M	**848**	**772**	**817**	**796**	**707**	**741**	**742**	**756**	**777**	**764**	776
		F	**1,401**	**1,256**	**1,381**	**1,344**	**1,379**	**1,348**	**1,308**	**1,313**	**1,248**	**1,344**	1,318
290	Pernicious and other hyperchromic anaemias	M	322	282	279	283	262	260	247	227	253	218	205
		F	661	587	639	628	650	622	578	582	517	544	514
	0 Pernicious anaemia	M	282	246	246	241	218	216	214	195	198	171	175
		F	584	519	569	547	567	551	502	489	445	471	447
	1 Subacute combined degeneration of spinal cord	M	33	27	13	24	18	13	16	11	14	19	10
		F	48	39	37	34	36	28	25	32	20	19	20
	2 Other hyperchromic anaemias	M	7	9	20	18	26	31	17	21	41	28	20
		F	29	29	33	47	47	43	51	61	52	54	47
291	Iron deficiency anaemias (hypochromic anaemias)	M	61	59	64	66	70	70	73	100	78	81	95
		F	147	157	180	169	192	193	194	223	221	252	218
292	Other anaemias of specified type	M	181	191	222	207	189	181	203	203	191	205	210
		F	232	202	242	225	216	237	225	219	196	219	229
	4 Aplastic anaemia	M	137	145	159	143	128	107	128	118	108	116	126
		F	175	147	173	144	138	151	133	118	105	116	128
	0-3, 5-7 Other specified anaemias	M	44	46	63	64	61	74	75	85	83	89	84
		F	57	55	69	81	78	86	92	101	91	103	101
293	Anaemia of unspecified type	M	39	48	47	47	46	48	53	52	71	69	69
		F	108	78	91	105	108	115	112	85	132	121	140
294	Polycythaemia	M	35	34	35	45	20	37	45	50	60	47	57
		F	25	18	19	26	32	28	28	42	31	40	49
295	Haemophilia	M	19	13	15	12	9	19	8	16	9	14	17
		F	1	—	—	—	--	—	—	—	—	—	—

TABLE 7—*continued*

ICD No.	Causes of death		1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962
296	Purpura and other haemorrhagic conditions	M	74	66	76	71	59	70	62	52	60	66	67
		F	88	92	81	85	63	73	82	79	62	95	93
297	Agranulocytosis	M	17	6	14	10	12	8	10	7	12	10	10
		F	26	21	21	17	20	8	12	13	12	12	20
298	Diseases of spleen	M	95	69	58	52	33	38	30	36	22	33	28
		F	110	97	103	87	87	62	60	56	59	42	39
299	Other diseases of blood and blood-forming organs	M	5	4	7	3	7	10	11	13	21	21	18
		F	3	4	5	2	11	10	17	14	18	19	16
300–326	**V MENTAL, PSYCHONEUROTIC AND PERSONALITY DISORDERS**	M	**476**	**415**	**458**	**438**	**374**	**347**	**341**	**364**	**401**	**392**	**461**
		F	**675**	**708**	**715**	**709**	**764**	**698**	**565**	**644**	**643**	**682**	**708**
300–309	**Psychoses**	M	**344**	**306**	**346**	**313**	**278**	**259**	**243**	**254**	**298**	**305**	**329**
		F	**527**	**575**	**611**	**570**	**643**	**593**	**475**	**519**	**534**	**572**	**571**
300	Schizophrenic disorders (dementia praecox)	M	39	25	44	24	28	27	22	21	10	22	19
		F	31	37	39	37	24	23	19	23	17	18	22
301	Manic-depressive reaction	M	20	26	27	27	17	9	14	8	6	6	7
		F	53	36	46	37	52	30	27	18	17	8	14
302	Involutional melancholia	M	5	3	3	4	3	5	1	2	2	—	2
		F	4	8	2	5	1	5	3	1	6	2	2
303	Paranoia and paranoid states	M	1	—	—	1	2	—	1	3	—	1	1
		F	1	—	4	—	4	3	—	3	—	1	—
304	Senile psychosis	M	220	204	216	202	176	161	151	155	204	212	233
		F	381	416	450	415	500	440	339	381	390	437	436
305	Presenile psychosis	M	35	29	28	34	37	43	30	48	46	41	49
		F	29	37	39	42	47	61	66	71	69	69	70
307	Alcoholic psychosis	M	1	3	2	6	—	3	5	2	7	6	1
		F	2	3	1	—	2	4	1	—	3	2	1
309	Other and unspecified psychoses	M	23	16	26	15	15	11	19	15	23	17	17
		F	26	38	30	34	13	27	20	22	32	35	26
310–318	**Psychoneurotic disorders**	M	**15**	**11**	**20**	**17**	**16**	**14**	**15**	**23**	**14**	**11**	**15**
		F	**37**	**43**	**35**	**42**	**38**	**36**	**31**	**54**	**39**	**33**	**51**
310	Anxiety reaction without mention of somatic symptoms	M	3	—	1	2	2	—	3	3	1	1	—
		F	1	4	2	5	3	1	2	5	2	2	3
311	Hysterical reaction without mention of anxiety reaction	M	7	5	8	4	4	7	3	6	7	7	4
		F	26	29	26	27	22	23	23	36	26	23	34
314	Neurotic-depressive reaction	M	—	2	1	2	2	—	3	2	2	1	8
		F	3	—	1	4	5	8	1	5	6	4	7
316	Psychoneurosis with somatic symptoms (somatization reaction) affecting digestive system	M	—	—	2	1	—	1	—	—	1	—	1
		F	1	2	1	1	1	2	—	3	3	1	—
317	Psychoneurosis with somatic symptoms (somatization reaction) affecting other systems	M	1	—	1	4	5	2	2	4	1	—	—
		F	—	1	1	—	2	—	—	—	—	—	1
318	Psychoneurotic disorders, other, mixed and unspecified types	M	4	3	5	4	3	2	2	6	2	2	2
		F	2	6	4	5	4	2	4	5	2	3	5
320–326	**Disorders of character, behaviour, and intelligence**	M	**117**	**98**	**92**	**108**	**80**	**74**	**83**	**87**	**89**	**76**	**117**
		F	**111**	**90**	**69**	**97**	**83**	**69**	**59**	**71**	**70**	**77**	**86**
322	Alcoholism	M	21	24	20	22	20	15	25	33	23	24	31
		F	23	13	11	16	18	8	17	15	20	17	20
	0 Acute	M	3	5	3	3	2	1	5	6	2	3	6
		F	2	1	1	2	—	2	—	3	3	2	2
	1 Chronic	M	16	14	15	16	12	10	15	20	15	16	21
		F	19	6	10	9	18	5	15	11	16	13	16
	2 Unspecified	M	2	5	2	3	6	4	5	7	6	5	4
		F	2	6	—	5	—	1	2	1	1	2	2
323	Other drug addiction	M	10	2	1	2	—	—	2	4	—	1	4
		F	4	3	3	—	1	1	1	1	3	1	2
325	Mental deficiency	M	86	72	71	84	56	59	55	50	66	51	82
		F	83	73	55	81	62	60	39	55	44	58	63
330–398	**VI DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS**	M	31,955	31,481	33,086	33,967	33,707	33,242	33,915	33,593	33,644	33,893	34,443
		F	43,066	42,230	44,386	46,011	46,334	45,959	47,763	47,184	48,191	49,019	49,657
330–334	**Vascular lesions affecting central nervous system**	M	**29,158**	**28,762**	**30,516**	**31,098**	**31,034**	**30,537**	**31,298**	**30,897**	**31,006**	**31,160**	**31,673**
		F	**40,230**	**39,307**	**41,626**	**43,054**	**43,453**	**43,132**	**44,879**	**44,253**	**45,216**	**45,863**	**46,624**
330	Subarachnoid haemorrhage	M	1,014	1,058	1,211	1,094	1,244	1,193	1,214	1,231	1,310	1,328	1,387
		F	1,633	1,618	1,747	1,856	1,902	1,902	2,039	1,934	2,137	2,105	2,299

(88065) B 2

TABLE 7—*continued*

ICD No.	Causes of death		1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962
331	Cerebral haemorrhage ..	M	13,122	12,831	13,326	12,861	12,562	11,970	11,923	11,493	11,688	11,444	11,550
		F	18,784	18,274	18,833	18,629	18,192	17,408	17,784	16,791	17,305	16,827	17,136
332	Cerebral embolism and thrombosis	M	13,072	12,916	13,795	14,813	14,791	14,914	15,452	15,341	15,250	15,311	15,408
		F	17,413	17,025	18,292	19,649	20,366	20,806	21,670	21,863	22,042	22,368	22,464
333	Spasm of cerebral arteries ..	M	2	2	1	1	—	1	1	1	1	1	3
		F	—	2	—	3	—	—	2	1	1	1	—
334	Other and ill-defined vascular lesions affecting central nervous system	M	1,948	1,955	2,183	2,329	2,437	2,459	2,708	2,831	2,757	3,076	3,325
		F	2,400	2,388	2,754	2,917	2,993	3,016	3,384	3,664	3,731	4,562	4,725
340–345	**Inflammatory diseases of central nervous system .. ..**	M	**649**	**662**	**661**	**717**	**653**	**736**	**689**	**685**	**703**	**690**	**700**
		F	**722**	**791**	**729**	**779**	**793**	**787**	**820**	**795**	**818**	**847**	**826**
340	Meningitis, except meningococcal and tuberculous ..	M	178	209	190	213	191	233	197	180	209	208	234
		F	132	167	127	143	153	143	142	134	160	164	186
	0 H. influenzae	M	24	25	15	24	22	29	11	23	25	23	23
		F	15	12	15	20	20	14	10	10	12	13	18
	1 Pneumococcus	M	72	80	85	95	98	112	80	79	64	75	84
		F	51	67	56	58	71	60	66	56	65	57	75
	2 Due to other specified organism	M	24	48	41	42	35	39	55	42	49	48	42
		F	16	45	20	28	27	35	29	24	30	41	30
	3 With no organism specified as cause	M	58	56	49	52	36	53	51	36	71	62	85
		F	50	43	36	37	35	34	37	44	53	53	63
341	Phlebitis and thrombophlebitis of intracranial venous sinuses	M	12	10	12	10	6	15	10	9	7	13	8
		F	11	15	10	11	11	16	7	12	13	7	12
342	Intracranial and intraspinal abscess	M	52	54	53	53	57	71	41	49	34	37	47
		F	38	27	31	26	32	26	39	16	26	31	15
343	Encephalitis, myelitis, and encephalomyelitis (except acute infectious)	M	69	69	58	67	49	74	68	60	64	58	59
		F	55	46	42	65	66	62	56	48	43	54	45
344	Late effects of intracranial abscess or pyogenic infection	M	26	40	36	30	37	33	47	47	42	38	44
		F	19	25	32	30	38	38	37	34	42	41	50
345	Multiple sclerosis	M	312	280	312	344	313	310	326	340	347	336	308
		F	467	511	487	504	493	502	539	551	534	550	518
350–357	**Other diseases of central nervous system .. .. ..**	M	**1,859**	**1,761**	**1,651**	**1,916**	**1,812**	**1,788**	**1,761**	**1,809**	**1,791**	**1,871**	**1,865**
		F	**1,913**	**1,925**	**1,833**	**2,010**	**1,925**	**1,903**	**1,941**	**2,005**	**1,988**	**2,161**	**2,081**
350	Paralysis agitans	M	665	655	599	775	675	685	686	726	696	699	697
		F	864	829	812	924	891	838	867	952	946	1,001	936
351	Cerebral spastic infantile paralysis	M	64	59	60	66	79	61	65	61	73	62	66
		F	54	50	66	59	61	56	47	53	51	51	61
352	Other cerebral paralysis ..	M	244	200	216	233	237	206	214	232	238	240	270
		F	253	272	259	299	295	310	306	301	310	383	341
353	Epilepsy	M	456	406	337	404	387	374	358	346	327	388	373
		F	408	418	348	373	341	319	343	280	312	324	328
	2 Status epilepticus ..	M	185	140	172	163	144	134	124	136	118	140	148
		F	179	176	176	154	131	132	143	115	141	140	148
	0, 1, 3 Other epilepsy ..	M	271	266	165	241	243	240	234	210	209	248	225
		F	229	242	172	219	210	187	200	165	171	184	180
355	Other diseases of brain ..	M	70	93	103	98	97	115	104	96	111	135	118
		F	89	105	97	99	111	126	128	121	115	136	157
356	Motor neurone disease and muscular atrophy	M	318	303	307	295	297	317	298	308	311	306	311
		F	202	216	221	218	199	223	231	260	227	230	228
	0 Progressive muscular atrophy	M	208	225	221	183	172	197	184	187	161	165	150
		F	148	141	166	151	138	148	141	147	136	118	122
	1 Amyotrophic lateral sclerosis	M	83	51	56	64	56	44	46	47	36	33	41
		F	37	40	27	36	25	25	40	40	26	26	21
	2, 3 Other motor neurone disease	M	27	27	30	48	69	76	68	74	114	108	120
		F	17	35	28	31	36	50	50	73	65	86	85
357	Other diseases of spinal cord ..	M	41	44	29	45	40	30	36	40	35	40	29
		F	43	35	30	38	26	30	19	35	27	36	29
360–369	**Diseases of nerves and peripheral ganglia .. .. ..**	M	**54**	**54**	**62**	**40**	**38**	**33**	**49**	**36**	**29**	**52**	**50**
		F	**48**	**49**	**53**	**35**	**42**	**29**	**20**	**35**	**69**	**33**	**39**
361	Trigeminal neuralgia ..	M	3	3	3	2	3	1	2	1	—	—	1
		F	7	7	4	3	5	2	2	4	9	3	2
363	Sciatica	M	—	—	2	1	1	1	2	—	1	—	1
		F	2	1	1	2	1	1	—	—	—	—	1

TABLE 7—*continued*

ICD No.	Causes of death		1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962
364	Polyneuritis and polyradiculitis	M	22	25	38	27	28	25	37	22	21	36	39
		F	18	19	30	18	23	19	11	19	43	20	24
365	Erythroedema polyneuritica ..	M	15	19	8	4	3	2	—	1	1	—	—
		F	13	17	7	3	1	1	1	1	1	—	—
366	Other and unspecified forms of neuralgia and neuritis ..	M	13	7	9	5	3	2	5	10	3	7	4
		F	6	4	6	5	9	5	5	9	11	7	4
367	Other diseases of cranial nerves	M	—	—	—	—	—	—	—	—	—	—	2
		F	1	—	1	—	1	—	1	1	—	—	—
368	Other diseases of peripheral nerves except autonomic ..	M	1	—	2	1	—	1	2	1	3	7	2
		F	1	—	3	1	1	1	—	1	2	1	5
370–379	**Inflammatory diseases of eye**	M	**7**	**1**	**1**	**8**	**2**	**1**	**1**	**2**	**2**	**2**	6
		F	**5**	**9**	**4**	**3**	**7**	**5**	**6**	**3**	**4**	—	**4**
372	Hordeolum (stye)	M	2	—	—	—	—	—	—	1	1	—	1
		F	1	1	1	—	1	—	—	—	—	—	—
376	Other inflammation of uveal tract	M	—	—	—	2	—	1	1	—	—	—	2
		F	2	1	—	2	3	3	—	—	—	—	—
377	Inflammation of optic nerve and retina	M	1	—	—	1	1	—	—	—	—	—	3
		F	—	1	1	—	1	1	3	3	2	—	1
378	Inflammation of lachrymal glands and ducts	M	—	—	—	2	—	—	—	—	—	—	—
		F	1	1	—	—	—	—	—	—	1	—	2
379	Other inflammatory diseases of eye	M	2	1	1	2	—	—	—	—	—	—	—
		F	1	1	1	—	2	1	2	—	1	—	—
380–389	**Other diseases and conditions of eye .. .. ..**	M	**9**	**17**	**20**	**18**	**18**	**23**	**14**	**26**	**19**	**24**	**24**
		F	**30**	**37**	**32**	**32**	**34**	**34**	**40**	**36**	**34**	**43**	**31**
381	Corneal ulcer	M	1	—	1	1	—	1	1	—	—	—	—
		F	—	3	—	—	—	—	2	1	2	2	—
384	Strabismus	M	2	1	3	2	1	2	1	1	2	1	2
		F	—	2	4	2	1	—	—	3	3	2	1
385	Cataract	M	3	9	8	7	9	11	6	15	10	8	8
		F	16	17	15	23	21	22	15	22	19	27	15
386	Detachment of retina ..	M	1	—	2	—	3	2	—	2	1	3	3
		F	1	1	3	2	3	5	3	2	1	3	2
387	Glaucoma	M	—	1	2	1	2	3	3	4	1	7	5
		F	9	6	6	1	4	2	14	5	7	7	10
388	Other diseases of eye	M	—	2	1	2	1	3	1	2	5	2	2
		F	1	2	3	1	3	2	4	3	1	1	2
389	Blindness	M	2	3	3	5	2	1	2	2	—	2	1
		F	3	6	1	3	2	3	2	—	1	1	—
390–398	**Diseases of ear and mastoid process .. .. ..**	M	**219**	**224**	**175**	**170**	**150**	**124**	**103**	**138**	**94**	**94**	**125**
		F	**118**	**112**	**109**	**98**	**80**	**69**	**57**	**57**	**62**	**72**	**52**
391	Otitis media without mention of mastoiditis	M	156	172	142	137	121	95	79	109	73	78	98
		F	93	88	91	67	61	52	47	45	48	57	49
392	Otitis media with mastoiditis	M	20	12	6	8	3	6	6	11	7	4	6
		F	6	8	4	10	4	5	2	4	1	—	1
393	Mastoiditis without mention of otitis media	M	36	38	23	24	24	21	16	17	13	9	14
		F	16	14	12	20	14	8	6	5	9	10	2
394	Other inflammatory diseases of ear	M	1	—	1	—	2	—	2	—	—	2	1
		F	—	—	—	—	—	—	—	—	1	—	—
395	Ménière's disease	M	—	—	1	—	—	1	—	—	—	—	1
		F	1	—	—	—	—	1	1	—	—	2	—
396	Other diseases of ear and mastoid process	M	5	1	2	1	—	1	—	—	1	—	4
		F	2	1	1	1	1	1	1	2	3	3	—
400–468	**VII DISEASES OF THE CIRCULATORY SYSTEM**	M	**92,513**	**91,423**	**94,637**	**96,704**	**98,065**	**95,784**	**99,907**	**96,306**	**100,244**	**102,364**	**105,466**
		F	**90,151**	**90,477**	**91,331**	**95,222**	**95,470**	**92,566**	**97,738**	**95,526**	**98,319**	**102,394**	**102,857**
400–402	**Rheumatic fever .. .. ..**	M	**144**	**143**	**152**	**103**	**102**	**78**	**70**	**63**	**61**	**56**	**62**
		F	**184**	**167**	**147**	**114**	**106**	**96**	**61**	**63**	**64**	**47**	**44**
400	Rheumatic fever without mention of heart involvement ..	M	7	13	8	9	5	3	3	1	2	—	2
		F	18	13	11	5	7	2	3	4	3	3	2
401	Rheumatic fever with heart involvement	M	128	123	141	87	92	68	63	57	54	56	59
		F	140	135	113	89	81	81	51	47	46	38	39
	0 Active rheumatic pericarditis	M	33	39	42	30	29	23	27	21	30	32	31
		F	39	35	27	24	22	14	23	28	22	18	22
	1 Active rheumatic endocarditis	M	37	34	31	13	15	10	10	19	5	5	10
		F	45	38	18	16	15	17	11	5	6	6	8

TABLE 7—*continued*

ICD No.	Causes of death		1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962
	2 Active rheumatic myocarditis	M	10	7	7	5	2	2	4	4	5	—	1
		F	5	8	8	3	4	9	—	2	1	—	—
	3 Active rheumatic fever with other and multiple types of heart involvement	M	48	43	61	39	46	33	22	13	14	19	17
		F	51	54	60	46	40	41	17	12	17	14	9
402	Chorea	M	9	7	3	7	5	7	4	5	5	—	1
		F	26	19	23	20	18	13	7	12	15	6	3
	0 Without mention of heart involvement	M	7	7	3	6	5	6	1	2	4	—	—
		F	22	17	18	18	17	12	4	8	13	3	—
	1 With heart involvement	M	2	—	—	1	—	1	3	3	1	—	1
		F	4	2	5	2	1	1	3	4	2	3	3
410–416	**Chronic rheumatic heart disease**	M	**3,469**	**3,334**	**3,144**	**2,991**	**3,049**	**2,989**	**2,567**	**2,482**	**2,469**	**2,580**	2,529
		F	**5,637**	**5,503**	**5,452**	**5,356**	**5,161**	**5,228**	**4,867**	**4,589**	**4,652**	**4,892**	4,783
410	Diseases of mitral valve	M	2,385	2,296	2,139	2,035	1,989	1,937	1,633	1,551	1,504	1,592	1,549
		F	4,371	4,267	4,241	4,066	3,926	3,933	3,629	3,381	3,433	3,538	3,492
411	Diseases of aortic valve specified as rheumatic	M	305	290	302	272	325	342	343	313	332	362	379
		F	128	140	172	156	177	171	187	172	179	198	174
412	Diseases of tricuspid valve	M	3	2	6	4	11	3	7	4	11	11	10
		F	4	2	4	12	6	8	6	11	10	12	15
414	Other endocarditis specified as rheumatic	M	317	276	255	243	259	236	182	163	146	152	147
		F	499	415	361	404	344	347	282	277	266	276	236
415	Other myocarditis specified as rheumatic	M	125	124	96	79	96	77	67	62	46	55	44
		F	173	160	150	151	128	141	112	93	62	89	95
416	Other heart disease specified as rheumatic	M	334	346	346	358	369	394	335	389	430	408	400
		F	462	519	524	567	580	628	651	655	702	779	771
420–422	**Arteriosclerotic and degenerative heart disease**	M	**68,631**	**67,022**	**69,683**	**71,677**	**73,012**	**71,151**	**75,237**	**72,700**	**76,064**	**77,639**	81,063
		F	**61,480**	**61,265**	**61,519**	**63,918**	**64,175**	**61,598**	**65,770**	**64,224**	**66,194**	**68,368**	69,548
420	Arteriosclerotic heart disease, including coronary disease	M	39,568	39,449	42,919	44,857	47,476	48,266	52,085	52,193	56,514	58,396	62,686
		F	22,827	23,175	24,925	26,813	28,300	28,910	31,956	32,729	35,447	37,379	39,792
	0 Arteriosclerotic heart disease so described	M	170	198	247	296	273	344	454	406	516	608	676
		F	151	180	247	263	286	364	541	498	623	805	911
	1 Heart disease specified as involving coronary arteries	M	38,765	38,764	42,246	44,199	46,909	47,655	51,389	51,576	55,815	57,611	61,864
		F	22,303	22,688	24,411	26,254	27,781	28,339	31,223	32,059	34,657	36,438	38,731
	2 Angina pectoris without mention of coronary disease	M	633	487	426	362	294	267	242	211	183	177	146
		F	373	307	267	296	233	207	192	172	167	136	150
421	Chronic endocarditis not specified as rheumatic	M	1,557	1,497	1,714	1,606	1,612	1,757	1,675	1,506	1,687	1,611	1,697
		F	1,449	1,372	1,482	1,383	1,371	1,631	1,519	1,520	1,570	1,654	1,645
	0 Of mitral valve, specified as non-rheumatic	M	86	64	54	45	71	97	110	103	96	103	127
		F	98	99	73	80	109	183	195	217	216	219	243
	1 Of aortic valve, not specified as rheumatic	M	931	956	1,170	1,163	1,148	1,313	1,257	1,137	1,327	1,308	1,350
		F	539	577	734	723	773	913	879	910	986	1,073	1,079
	2 Of tricuspid valve, specified as non-rheumatic	M	—	1	2	1	3	1	—	—	2	2	1
		F	3	2	—	1	1	1	1	1	—	—	2
	3 Of pulmonary valve, not specified as rheumatic	M	1	2	1	3	—	1	7	4	8	2	5
		F	3	1	1	1	2	3	1	1	7	2	7
	4 Other and ill-defined, not specified as rheumatic	M	539	474	487	394	390	345	301	262	254	196	214
		F	806	693	674	578	486	531	443	391	361	360	314
422	Other myocardial degeneration	M	27,506	26,076	25,050	25,214	23,924	21,128	21,477	19,001	17,863	17,632	16,680
		F	37,204	36,718	35,112	35,722	34,504	31,057	32,295	29,975	29,177	29,335	28,111
	0 Fatty degeneration	M	113	109	113	101	92	85	78	66	35	53	33
		F	218	212	195	185	166	141	122	128	108	107	77
	1 With arteriosclerosis	M	11,484	11,100	10,771	11,093	10,791	9,448	9,830	8,899	8,400	8,350	8,036
		F	14,433	14,611	14,124	14,623	14,375	13,444	14,162	13,440	13,285	13,423	12,872
	2 Other	M	15,909	14,867	14,166	14,020	13,041	11,595	11,569	10,036	9,428	9,229	8,611
		F	22,553	21,895	20,793	20,914	19,963	17,472	18,011	16,407	15,784	15,805	15,162
430–434	**Other diseases of heart**	M	**4,451**	**4,781**	**5,116**	**5,127**	**5,252**	**5,666**	**5,845**	**5,644**	**6,019**	**6,429**	6,389
		F	**5,579**	**5,814**	**5,875**	**6,126**	**6,435**	**6,772**	**7,150**	**7,120**	**7,479**	**8,232**	8,213
430	Acute and subacute endocarditis	M	182	199	198	208	196	195	187	196	174	198	188
		F	133	140	118	119	121	128	135	112	138	114	120
	0 Acute and subacute bacterial endocarditis	M	182	195	196	204	194	193	185	193	168	196	184
		F	129	138	114	116	119	127	129	111	133	111	118
	1 Other acute endocarditis	M	—	4	2	4	2	2	2	3	6	2	4
		F	4	2	4	3	2	1	6	1	5	3	2

TABLE 7—*continued*

ICD No.	Causes of death		1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962
431	Acute myocarditis not specified as rheumatic	M	77	84	80	59	77	66	53	74	63	71	78
		F	77	83	65	57	60	72	67	70	65	72	80
432	Acute pericarditis specified as non-rheumatic	M	11	14	17	13	12	15	6	5	13	12	9
		F	18	11	12	17	9	8	13	11	10	8	14
433	Functional disease of heart	M	2,407	2,468	2,321	2,080	2,157	2,113	2,164	1,927	1,927	1,868	1,860
		F	3,740	3,706	3,557	3,433	3,441	3,351	3,422	3,268	3,174	3,309	3,083
434	Other and unspecified diseases of heart	M	1,774	2,016	2,500	2,767	2,810	3,277	3,435	3,442	3,842	4,280	4,254
		F	1,611	1,874	2,123	2,500	2,804	3,213	3,513	3,659	4,092	4,729	4,916
440–443	**Hypertensive heart disease**	M	**5,225**	**5,353**	**5,686**	**5,834**	**5,782**	**5,491**	**5,173**	**4,656**	**4,678**	**4,495**	**4,266**
		F	**6,094**	**6,263**	**6,667**	**7,320**	**7,251**	**7,101**	**7,110**	**6,719**	**6,616**	**6,730**	**6,265**
440	Essential benign hypertensive heart disease	M	82	80	95	104	97	106	98	95	78	84	83
		F	86	107	108	124	138	150	129	122	135	159	119
441	Essential malignant hypertensive heart disease	M	107	120	104	126	121	110	106	94	107	95	105
		F	74	63	81	46	65	77	80	67	52	58	58
442	Hypertensive heart disease with arteriolar nephrosclerosis	M	155	165	123	129	143	125	116	98	75	68	74
		F	189	175	157	184	138	130	129	107	96	101	72
443	Other and unspecified hypertensive heart disease	M	4,881	4,988	5,364	5,475	5,421	5,150	4,853	4,369	4,418	4,248	4,004
		F	5,745	5,918	6,321	6,966	6,910	6,744	6,772	6,423	6,333	6,412	6,016
444–447	**Other hypertensive disease**	M	**4,072**	**4,214**	**4,044**	**3,966**	**3,776**	**3,570**	**3,524**	**3,269**	**3,123**	**2,897**	**2,599**
		F	**4,058**	**4,106**	**4,176**	**4,152**	**3,994**	**3,684**	**3,839**	**3,555**	**3,407**	**3,372**	**3,022**
444	Essential benign hypertension	M	2,832	2,799	2,809	2,726	2,628	2,482	2,421	2,166	2,080	2,035	1,768
		F	3,111	3,190	3,228	3,330	3,154	2,932	3,037	2,784	2,737	2,733	2,417
445	Essential malignant hypertension	M	716	848	718	738	721	704	701	724	711	559	484
		F	442	420	450	333	378	365	400	379	345	297	253
446	Hypertension with arteriolar nephrosclerosis	M	522	565	515	500	425	382	398	377	331	300	347
		F	503	494	496	487	460	385	399	391	322	341	351
447	Other hypertensive disease without mention of heart	M	2	2	2	2	2	2	4	2	1	3	—
		F	2	2	2	2	2	2	3	1	3	1	1
450–456	**Diseases of arteries**	M	**5,766**	**5,764**	**5,895**	**6,000**	**6,006**	**5,727**	**6,411**	**6,208**	**6,428**	**6,713**	**6,959**
		F	**5,953**	**6,088**	**6,148**	**6,763**	**6,689**	**6,457**	**7,173**	**7,368**	**7,814**	**8,356**	**8,549**
450	General arteriosclerosis	M	4,839	4,751	4,783	4,804	4,723	4,297	4,801	4,578	4,655	4,867	4,816
		F	5,184	5,325	5,252	5,790	5,596	5,367	5,913	6,130	6,378	6,896	6,854
	0 Without mention of gangrene	M	4,227	4,171	4,198	4,225	4,145	3,827	4,273	4,082	4,087	4,355	4,237
		F	4,677	4,829	4,766	5,276	5,106	4,876	5,414	5,611	5,830	6,255	6,273
	1 With mention of gangrene as a consequence	M	612	580	585	579	578	470	528	496	568	512	579
		F	507	496	486	514	490	491	499	519	548	641	581
451	Aortic aneurysm, non-syphilitic, and dissecting aneurysm	M	678	730	844	924	1,001	1,135	1,312	1,310	1,425	1,466	1,753
		F	564	526	663	711	834	836	1,003	946	1,106	1,083	1,289
452	Other aneurysm, except of heart and aorta	M	44	64	69	74	61	63	62	79	56	62	66
		F	44	48	28	45	55	48	36	47	44	36	44
453	Peripheral vascular disease	M	71	70	55	63	63	59	54	62	69	72	79
		F	26	22	30	16	31	12	21	25	37	35	37
	0 Raynaud's disease	M	5	2	4	8	5	3	1	1	2	2	3
		F	9	8	15	3	10	5	4	7	10	8	7
	1 Thrombo-angiitis obliterans	M	51	52	39	40	45	39	34	32	31	32	27
		F	11	6	8	9	6	1	7	5	11	2	4
	2, 3 Other peripheral vascular disease	M	15	16	12	15	13	17	19	29	36	38	49
		F	6	8	7	4	15	6	10	13	16	25	26
454	Arterial embolism and thrombosis	M	31	30	21	32	34	36	35	27	48	62	49
		F	23	38	44	53	51	40	43	57	64	67	85
455	Gangrene of unspecified cause	M	17	25	9	11	23	12	19	17	26	26	35
		F	20	24	22	25	6	12	13	22	18	35	25
456	Other diseases of arteries	M	86	94	114	92	101	125	128	135	149	158	161
		F	92	105	109	123	116	142	144	141	167	204	215
460–468	**Diseases of veins and other diseases of circulatory system**	M	**755**	**812**	**917**	**1,006**	**1,086**	**1,112**	**1,080**	**1,284**	**1,402**	**1,555**	**1,599**
		F	**1,166**	**1,271**	**1,347**	**1,473**	**1,659**	**1,630**	**1,768**	**1,888**	**2,093**	**2,397**	**2,433**
460	Varicose veins of lower extremities	M	74	50	52	51	55	53	48	61	57	57	68
		F	218	169	201	196	197	172	172	168	180	173	156
461	Haemorrhoids	M	21	12	24	22	23	19	18	16	20	15	19
		F	10	13	9	14	13	8	14	11	12	18	10

TABLE 7—*continued*

ICD No.	Causes of death		1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962
462	Varicose veins of other specified sites	M	18	20	20	20	17	27	26	20	17	30	26
		F	21	25	12	20	24	26	16	24	25	28	21
463	Phlebitis and thrombophlebitis of lower extremities	M	138	120	101	141	156	132	131	138	141	134	133
		F	224	236	230	223	261	254	247	256	261	300	280
464	Phlebitis and thrombophlebitis of other sites	M	10	10	12	14	13	14	12	15	20	27	14
		F	17	20	20	20	20	24	17	25	30	23	26
465	Pulmonary embolism and infarction	M	316	377	413	465	457	486	486	630	698	761	784
		F	360	428	433	484	574	565	675	723	807	908	952
466	Other venous embolism and thrombosis	M	150	189	261	253	332	359	324	371	415	492	521
		F	284	341	399	469	535	545	592	647	735	904	942
467	Other diseases of circulatory system	M	21	23	29	31	26	19	26	24	28	35	28
		F	26	31	31	38	29	26	30	25	37	33	36
468	Certain diseases of lymph nodes and lymph channels	M	7	11	5	9	7	3	9	9	6	4	6
		F	6	8	12	9	6	10	5	9	6	10	10
470–527	**VIII DISEASES OF THE RESPIRATORY SYSTEM**	M	**31,951**	**36,799**	**31,090**	**35,381**	**36,080**	**37,939**	**37,024**	**40,756**	**34,833**	**43,372**	42,923
		F	**21,038**	**26,364**	**20,056**	**23,345**	**24,428**	**24,066**	**23,784**	**27,796**	**22,122**	**29,732**	29,871
470–475	**Acute upper respiratory infections**	M	**81**	**81**	**78**	**67**	**68**	**68**	**59**	**57**	**68**	**65**	**60**
		F	**81**	**86**	**83**	**69**	**70**	**72**	**59**	**62**	**57**	**71**	**56**
470	Acute nasopharyngitis (common cold)	M	10	12	8	8	3	6	2	4	5	3	3
		F	15	15	16	6	4	8	8	4	3	3	10
471	Acute sinusitis	M	1	4	2	1	3	2	2	1	2	5	—
		F	4	2	4	1	3	1	—	1	3	—	—
472	Acute pharyngitis	M	7	9	9	8	13	7	12	11	9	7	4
		F	11	10	9	8	14	7	4	13	7	12	9
473	Acute tonsillitis	M	21	16	18	14	13	17	14	12	17	10	13
		F	27	19	23	18	18	14	12	10	12	14	8
474	Acute laryngitis and tracheitis	M	29	23	27	26	24	24	19	22	30	32	33
		F	12	25	17	27	18	29	27	21	26	36	27
475	Acute upper resp: infection of multiple or unspecified sites	M	13	17	14	10	12	12	10	7	5	8	7
		F	12	15	14	9	13	13	8	13	6	6	2
480–483	**Influenza**	M	**879**	**2,905**	**878**	**1,460**	**1,272**	**3,553**	**1,216**	**3,898**	**553**	**3,487**	1,511
		F	**871**	**3,560**	**933**	**1,523**	**1,354**	**3,163**	**1,185**	**3,964**	**545**	**3,615**	1,797
480	Influenza with pneumonia†	M	449	1,442	459	776	661	2,516	767	2,605	330	2,167	941
		F	429	1,756	446	774	645	2,236	706	2,533	322	2,227	1,104
481	'Flu: with other resp: manifestations, and 'flu: unqualified†	M	404	1,427	410	664	597	1,009	433	1,280	215	1,305	559
		F	417	1,753	463	725	693	892	463	1,408	204	1,366	673
482	'Flu: with digestive manifestations, but without resp: symptoms	M	16	28	5	12	6	9	8	8	7	8	8
		F	22	38	23	19	14	18	9	16	16	16	17
483	'Flu: with nerv: manifestns: but without dig: or resp: symptoms†	M	10	8	4	8	8	19	8	5	1	7	3
		F	3	13	1	5	2	17	7	7	3	6	3
490–493	**Pneumonia***	M	**9,801**	**10,719**	**9,277**	**10,618**	**11,169**	**11,645**	**11,799**	**13,203**	**11,818**	**14,087**	14,472
		F	**8,839**	**10,078**	**8,838**	**10,415**	**11,245**	**11,203**	**11,939**	**13,387**	**12,525**	**15,188**	16,437
490	Lobar pneumonia†	M	2,175	2,175	1,874	1,999	1,977	1,889	1,746	1,778	1,635	1,878	1,900
		F	1,445	1,524	1,469	1,474	1,451	1,354	1,351	1,412	1,357	1,469	1,565
491	Bronchopneumonia†	M	6,903	7,776	6,721	7,894	8,439	8,906	9,321	10,628	9,374	11,281	11,694
		F	6,733	7,914	6,801	8,332	9,156	9,156	9,991	11,214	10,440	12,831	14,019
492	Primary atypical pneumonia†	M	76	59	89	59	86	145	98	133	140	183	170
		F	45	57	79	67	76	115	94	119	140	148	134
493	Pneumonia, other and unspecified†	M	647	709	593	666	667	705	634	664	669	745	708
		F	616	583	489	542	562	578	503	642	588	740	719
500–502	**Bronchitis**	M	**17,781**	**19,567**	**17,163**	**19,318**	**19,890**	**18,956**	**20,326**	**20,193**	**18,997**	**22,203**	23,351
		F	**9,787**	**11,141**	**8,625**	**9,675**	**10,019**	**8,141**	**9,070**	**8,858**	**7,488**	**9,160**	9,942

* 490-493. See 763 (Pneumonia of newborn) for pneumonia deaths at ages under 4 weeks.

† Excluding the following "late effects" (see note 2 at head of table):

			1958	1959	1960	1961	1962
480	Influenza with pneumonia	M	—	2	2	—	1
		F	—	—	1	—	—
481	'Flu: with other resp: manifestations, and 'flu: unqualified	M	—	2	1	1	2
		F	—	—	1	1	—
483	'Flu: with nerv. manifestations: but without dig: or resp: symptoms	M	—	—	—	—	1
		F	—	—	—	—	—
490	Lobar pneumonia	M	1	1	1	—	2
		F	2	—	2	2	3
491	Bronchopneumonia	M	1	3	3	4	2
		F	1	3	—	1	—
492	Primary atypical pneumonia	M	—	—	—	—	—
		F	—	—	—	1	—
493	Pneumonia, other and unspecified	M	8	8	3	7	1
		F	2	4	2	3	2

TABLE 7—*continued*

ICD No.	Causes of death		1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962
500	Acute bronchitis	M	1,894	2,156	1,496	1,699	1,678	1,397	1,494	1,487	1,149	1,365	1,448
		F	2,097	2,522	1,722	1,893	2,009	1,453	1,599	1,577	1,164	1,500	1,587
501	Bronchitis, unqualified	M	1,122	1,245	1,065	1,079	1,057	884	969	917	767	907	886
		F	1,121	1,189	1,045	1,052	1,123	845	1,003	932	712	923	983
502	Chronic bronchitis	M	14,765	16,166	14,602	16,540	17,155	16,675	17,863	17,789	17,081	19,931	21,017
		F	6,569	7,430	5,858	6,730	6,887	5,843	6,468	6,349	5,612	6,737	7,372
	0 Bronchitis with emphysema	M	6,056	6,792	6,537	7,959	8,369	8,529	9,316	9,223	8,998	10,255	10,724
		F	1,307	1,454	1,293	1,609	1,820	1,563	1,815	1,845	1,682	1,969	2,112
	1 Other	M	8,709	9,374	8,065	8,581	8,786	8,146	8,547	8,566	8,083	9,676	10,293
		F	5,262	5,976	4,565	5,121	5,067	4,280	4,653	4,504	3,930	4,768	5,260
510–527	**Other diseases of respiratory system**	M	**3,409**	**3,527**	**3,694**	**3,918**	**3,681**	**3,717**	**3,624**	**3,405**	**3,397**	**3,530**	**3,529**
		F	**1,460**	**1,499**	**1,577**	**1,663**	**1,740**	**1,487**	**1,531**	**1,525**	**1,507**	**1,698**	**1,639**
510	Hypertrophy of tonsils and adenoids	M	28	24	21	22	16	17	17	13	9	10	11
		F	19	18	12	15	13	5	18	8	8	6	11
511	Peritonsillar abscess (quinsy)	M	8	7	10	4	4	5	5	5	4	1	2
		F	13	4	8	5	6	6	8	4	8	2	—
512	Chronic pharyngitis and nasopharyngitis	M	2	1	4	—	3	2	1	1	1	1	—
		F	3	4	1	3	2	2	2	2	1	4	1
513	Chronic sinusitis	M	39	38	31	32	25	28	27	31	17	28	20
		F	16	19	19	13	18	11	20	18	9	12	6
515	Nasal polyp	M	3	3	2	4	4	3	2	1	—	6	1
		F	3	2	4	—	4	2	—	1	1	2	1
516	Chronic laryngitis	M	1	—	1	1	—	1	—	1	—	—	—
		F	1	2	—	—	—	1	2	—	—	1	—
517	Other diseases of upper respiratory tract	M	16	14	18	10	14	17	20	22	23	32	25
		F	10	12	18	6	10	14	9	14	15	18	17
518	Empyema	M	82	104	110	87	86	72	83	73	66	63	56
		F	56	58	41	51	44	35	52	38	45	35	29
519	Pleurisy	M	65	57	51	49	59	30	23	27	50	46	43
		F	37	44	45	28	40	24	25	27	54	33	40
520	Spontaneous pneumothorax	M	6	4	6	14	6	5	7	5	5	7	8
		F	1	2	1	1	1	2	2	1	3	4	5
521	Abscess of lung	M	46	54	55	53	43	58	46	39	55	58	66
		F	24	28	25	29	24	32	16	22	29	29	22
522	Pulmonary congestion and hypostasis	M	209	158	264	247	255	167	198	195	240	215	249
		F	349	378	438	467	474	339	354	382	414	482	489
523	Pneumoconiosis due to silica and silicates (occupational)	M	557	573	647	714	666	760	713	637	650	700	667
		F	3	6	5	6	9	7	10	9	16	12	15
524	Other spec'd: pneumoconiosis and pul: fibrosis of occupational origin	M	6	11	12	23	17	16	28	25	12	24	23
		F	—	—	1	1	6	3	2	7	3	3	6
525	Other chronic interstitial pneumonia	M	180	174	163	199	204	175	190	169	195	218	225
		F	87	69	92	94	73	93	106	114	97	118	120
526	Bronchiectasis	M	1,405	1,447	1,405	1,479	1,273	1,305	1,199	1,133	1,060	1,079	1,025
		F	631	619	662	712	724	677	615	586	543	628	580
527	Other diseases of lung and pleural cavity	M	755	858	894	980	1,004	1,056	1,064	1,027	1,009	1,039	1,108
		F	207	233	205	232	291	233	290	292	261	309	297
	0 Pulmonary collapse (1 year and over)	M	7	4	7	5	6	6	4	11	5	6	14
		F	2	8	7	3	7	3	10	6	8	8	9
	1 Emphysema without mention of bronchitis	M	712	798	822	917	926	981	997	939	927	955	1,008
		F	158	179	159	186	234	182	216	223	211	221	243
	2 Other	M	36	56	65	58	72	69	63	77	77	78	86
		F	47	46	39	43	50	48	64	63	42	80	45
530–587	**IX DISEASES OF THE DIGESTIVE SYSTEM**	M	**9,248**	**8,849**	**8,966**	**8,948**	**8,554**	**8,336**	**8,215**	**7,748**	**8,002**	**7,951**	**8,018**
		F	**7,026**	**6,988**	**7,121**	**7,251**	**7,177**	**7,010**	**6,948**	**7,159**	**7,414**	**7,488**	**7,540**
530–539	**Diseases of buccal cavity and oesophagus**	M	**116**	**126**	**120**	**129**	**95**	**125**	**110**	**97**	**106**	**105**	**123**
		F	**134**	**121**	**152**	**134**	**138**	**129**	**146**	**150**	**154**	**152**	**160**
530	Dental caries	M	—	2	2	—	1	—	1	1	—	1	—
		F	—	—	—	—	—	—	—	1	—	3	—
531	Abscesses of supporting structures of teeth	M	—	1	2	2	2	2	3	1	—	1	3
		F	—	1	—	—	4	1	3	—	—	1	1
532	Other inflammatory diseases of supporting structures of teeth	M	6	8	6	8	6	8	—	3	1	2	1
		F	8	6	8	4	3	3	1	1	—	1	1

(88065) B*

TABLE 7—*continued*

ICD No.	Causes of death		1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962
533	Disorders of occlusion, eruption, and tooth development	M	23	18	11	10	6	8	1	—	—	—	2
		F	11	7	15	7	8	8	1	1	1	1	—
536	Stomatitis	M	7	8	6	2	2	3	2	2	1	3	3
		F	9	5	7	3	4	2	—	2	3	5	1
537	Diseases of salivary glands ..	M	18	21	19	31	13	25	22	22	27	15	20
		F	46	56	48	43	58	56	64	74	59	61	69
538	Other diseases of buccal cavity	M	9	10	9	11	6	9	8	7	5	2	2
		F	8	6	14	5	6	9	1	1	6	5	4
539	Diseases of oesophagus ..	M	52	58	65	65	59	70	70	55	65	76	89
		F	52	40	60	72	55	50	70	64	78	74	84
540–545	**Diseases of stomach and duodenum .. .. ..**	M	**4,253**	**3,982**	**4,196**	**4,154**	**3,962**	**3,693**	**3,552**	**3,232**	**3,323**	**3,109**	**3,253**
		F	**1,461**	**1,463**	**1,604**	**1,670**	**1,671**	**1,547**	**1,570**	**1,576**	**1,636**	**1,550**	**1,679**
540	Ulcer of stomach	M	1,967	1,818	1,873	1,864	1,803	1,665	1,608	1,455	1,487	1,386	1,398
		F	904	883	913	967	998	960	944	959	988	939	978
	0 Without mention of perforation	M	1,374	1,310	1,353	1,356	1,318	1,214	1,189	1,102	1,119	1,044	1,004
		F	696	677	701	735	776	725	770	765	760	740	767
	1 With perforation ..	M	593	508	520	508	485	451	419	353	368	342	394
		F	208	206	212	232	222	235	174	194	228	199	211
541	Ulcer of duodenum	M	2,092	1,977	2,138	2,111	1,975	1,903	1,817	1,635	1,678	1,564	1,697
		F	421	448	554	575	566	501	529	514	552	516	619
	0 Without mention of perforation	M	1,350	1,253	1,334	1,318	1,263	1,194	1,133	1,040	1,031	1,000	1,104
		F	251	275	328	337	349	304	315	307	330	304	353
	1 With perforation ..	M	742	724	804	793	712	709	684	595	647	564	593
		F	170	173	226	238	217	197	214	207	222	212	266
542	Gastrojejunal ulcer	M	47	34	46	65	50	33	41	50	55	51	39
		F	7	8	18	14	15	7	10	10	9	11	12
	0 Without mention of perforation	M	34	27	35	49	36	24	27	33	33	42	28
		F	4	6	14	10	9	5	7	8	7	8	10
	1 With perforation ..	M	13	7	11	16	14	9	14	17	22	9	11
		F	3	2	4	4	6	2	3	2	2	3	2
543	Gastritis and duodenitis ..	M	63	62	49	41	49	34	34	31	30	38	34
		F	98	85	75	81	51	38	54	47	46	40	35
544	Disorders of function of stomach	M	6	14	8	13	11	9	9	5	5	6	9
		F	13	6	16	10	7	6	13	11	8	8	6
545	Other diseases of stomach and duodenum	M	78	77	82	60	74	49	43	56	68	64	76
		F	18	33	28	23	34	35	20	35	33	36	29
550–553	**Appendicitis .. .. ..**	M	**598**	**550**	**547**	**485**	**522**	**497**	**462**	**430**	**367**	**361**	347
		F	**447**	**356**	**422**	**360**	**331**	**302**	**328**	**271**	**271**	**284**	259
550	Acute appendicitis	M	517	465	456	415	425	415	395	371	304	304	302
		F	367	304	347	301	250	252	272	223	225	235	215
	0 Without mention of peritonitis	M	82	71	70	66	74	74	58	54	42	49	41
		F	46	45	47	42	41	30	37	31	28	37	29
	1 With peritonitis ..	M	435	394	386	349	351	341	337	317	262	255	261
		F	321	259	300	259	209	222	235	192	197	198	186
551	Appendicitis, unqualified ..	M	79	83	86	67	93	79	62	52	60	55	42
		F	75	50	72	55	75	49	50	45	45	47	40
552	Other appendicitis	M	2	—	2	2	3	2	1	4	2	2	—
		F	2	2	1	3	4	—	6	1	1	2	1
553	Other diseases of appendix ..	M	—	2	3	1	1	1	4	3	1	—	3
		F	3	—	2	1	2	1	—	2	—	—	3
560–561	**Hernia of abdominal cavity .. .. ..**	M	**822**	**758**	**761**	**830**	**768**	**769**	**707**	**705**	**700**	**747**	740
		F	**842**	**821**	**804**	**798**	**865**	**806**	**742**	**839**	**767**	**827**	848
560	Hernia of abdom'l cavity without mention of obstruction	M	186	182	192	216	188	210	195	223	217	215	233
		F	145	147	168	159	182	158	179	207	201	236	248
	0 Inguinal	M	76	66	67	78	69	84	66	82	55	64	62
		F	6	6	10	8	7	9	6	10	7	9	14
	1 Femoral	M	6	3	4	7	4	8	5	5	5	4	6
		F	12	9	17	13	10	9	8	16	17	8	7
	2 Umbilical	M	24	35	40	30	17	31	26	25	26	36	29
		F	29	33	33	28	36	16	26	24	26	38	39
	3 Ventral (incisional) ..	M	12	9	11	11	9	6	5	10	10	8	9
		F	26	23	18	22	32	15	19	24	5	21	19
	4, 5 Other sites	M	68	69	70	90	89	81	93	101	121	103	127
		F	72	76	90	88	97	109	120	133	146	160	169

TABLE 7—*continued*

ICD No.	Causes of death		1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962
561	Hernia of abdominal cavity with obstruction	M	636	576	569	614	580	559	512	482	483	532	507
		F	697	674	636	639	683	648	563	632	566	591	600
	0 Inguinal	M	364	355	342	362	357	330	305	301	301	327	302
		F	87	60	68	58	72	71	66	74	78	68	67
	1 Femoral	M	113	75	90	101	91	96	81	65	62	73	69
		F	325	341	312	321	308	312	271	298	259	275	275
	2 Umbilical	M	37	39	38	40	42	36	41	31	30	33	39
		F	111	98	77	101	104	93	75	85	75	58	93
	3 Ventral (incisional) ..	M	27	23	32	37	35	33	25	31	36	33	40
		F	109	108	106	90	109	86	77	96	80	95	78
	4, 5 Other sites	M	95	84	67	74	55	64	60	54	54	66	57
		F	65	67	73	69	90	86	74	79	74	95	87
570–578	**Other diseases of intestines and peritoneum .. .. ..**	M	**2,005**	**1,991**	**1,873**	**1,884**	**1,781**	**1,806**	**1,863**	**1,814**	**1,947**	**2,012**	**1,979**
		F	**2,203**	**2,197**	**2,065**	**2,174**	**2,157**	**2,207**	**2,215**	**2,276**	**2,498**	**2,585**	**2,556**
570	Intestinal obstruction without mention of hernia	M	766	726	701	653	713	673	693	708	752	778	705
		F	714	685	634	707	720	658	722	731	832	837	848
	0 Intussusception	M	75	65	54	49	32	30	39	31	31	26	33
		F	45	34	40	33	35	27	27	26	25	20	25
	1 Paralytic ileus	M	10	23	6	10	19	6	14	9	13	27	14
		F	8	9	7	4	8	10	11	8	12	16	8
	2 Mesenteric infarction	M	187	184	211	170	203	186	205	206	242	274	259
		F	174	177	187	206	200	240	243	275	323	344	333
	3 Volvulus	M	227	188	188	184	221	201	178	215	168	205	152
		F	165	176	143	163	189	147	156	154	161	141	159
	4 Impaction of intestine ..	M	30	29	44	35	48	24	22	17	40	20	34
		F	74	63	68	84	79	53	49	50	56	62	62
	5 Other	M	237	237	198	205	190	226	235	230	258	226	213
		F	248	226	189	217	209	181	236	218	255	254	261
571	Gastro-enteritis and colitis, exc: ulcerative age 4 weeks and over	M	590	546	433	458	357	355	380	359	382	404	455
		F	561	549	467	445	366	397	344	365	439	478	484
572	Chronic enteritis and ulcerative colitis	M	426	465	501	529	493	542	582	561	603	594	589
		F	689	712	739	767	829	887	947	969	996	1,028	967
	0 Regional enteritis ..	M	22	28	24	34	29	39	26	34	36	35	49
		F	20	29	31	34	31	32	46	54	46	40	48
	1 Diverticulitis	M	242	257	323	313	288	318	379	365	391	401	373
		F	345	391	409	450	484	562	617	672	676	739	663
	2 Ulcerative colitis ..	M	149	162	138	173	162	176	173	157	172	152	161
		F	306	269	289	265	302	280	270	230	258	238	247
	3 Other	M	13	18	16	9	14	9	4	5	4	6	6
		F	18	23	10	18	12	13	14	13	16	11	9
573	Functional disorders of intestines	M	18	21	7	12	15	10	11	10	10	13	9
		F	20	19	17	19	19	15	18	22	17	25	12
574	Anal fissure and fistula ..	M	1	—	—	1	1	3	—	—	1	—	1
		F	2	—	—	3	1	1	2	2	1	—	3
575	Abscess of anal and rectal regions	M	26	17	16	12	8	20	15	15	11	11	6
		F	15	12	9	10	9	11	4	10	7	4	13
576	Peritonitis	M	52	68	57	50	47	56	55	40	50	48	45
		F	59	41	50	46	48	57	46	48	45	56	48
577	Peritoneal adhesion	M	4	9	6	6	6	5	5	6	7	6	5
		F	9	11	5	5	4	4	13	7	6	9	11
578	Other diseases of intestines and peritoneum	M	122	139	152	163	141	142	122	115	131	158	164
		F	134	168	144	172	161	177	119	122	155	148	170
580–587	**Diseases of liver, gall bladder and pancreas .. .. ..**	M	**1,454**	**1,442**	**1,469**	**1,466**	**1,426**	**1,446**	**1,521**	**1,470**	**1,559**	**1,617**	**1,576**
		F	**1,939**	**2,030**	**2,074**	**2,115**	**2,015**	**2,019**	**1,947**	**2,047**	**2,088**	**2,090**	**2,038**
580	Acute and subacute yellow atrophy of liver	M	47	56	63	49	37	45	31	40	40	46	42
		F	78	79	75	67	66	66	62	62	52	67	65
581	Cirrhosis of liver	M	645	650	632	617	618	667	644	617	685	737	697
		F	479	505	535	542	535	539	532	586	587	633	605
582	Suppurative hepatitis and liver abscess	M	23	20	19	12	14	9	13	14	20	19	17
		F	12	13	21	17	11	10	9	11	12	11	6
583	Other diseases of liver ..	M	29	25	18	25	28	24	45	41	55	52	43
		F	27	30	30	38	33	36	41	34	58	65	58
584	Cholelithiasis	M	239	239	273	278	275	246	276	274	235	213	239
		F	569	613	590	606	572	581	526	543	518	497	461

(88065) B*2

TABLE 7—*continued*

ICD No.	Causes of death		1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962
585	Cholecystitis and cholangitis, without mention of calculi	M	191	206	192	188	191	183	187	173	160	172	149
		F	443	426	452	431	412	386	382	367	393	374	337
586	Other diseases of gallbladder and biliary ducts	M	30	43	33	26	27	29	31	23	43	45	50
		F	61	57	62	50	49	59	59	76	89	88	92
587	Diseases of pancreas	M	250	203	239	271	236	243	294	288	321	333	339
		F	270	307	309	364	337	342	336	368	379	355	414
	0 Acute pancreatitis ..	M	158	134	162	172	142	136	176	166	191	197	220
		F	191	218	224	245	235	238	220	241	244	254	283
	1 Chronic pancreatitis ..	M	32	21	24	22	22	33	26	32	16	40	26
		F	31	30	36	41	28	31	33	22	36	30	27
	2 Other diseases of pancreas ..	M	60	48	53	77	72	74	92	90	114	96	93
		F	48	59	49	78	74	73	83	105	99	71	104
590–637	**X DISEASES OF THE GENITO-URINARY SYSTEM**	M	**8,561**	**8,234**	**8,370**	**7,906**	**7,761**	**7,336**	**7,106**	**6,888**	**6,821**	**6,551**	**6,300**
		F	**4,083**	**3,926**	**3,911**	**3,893**	**3,775**	**3,664**	**3,677**	**3,676**	**3,725**	**3,849**	**3,903**
590–594	**Nephritis and nephrosis** ..	M	**2,898**	**2,706**	**2,645**	**2,448**	**2,554**	**2,250**	**2,158**	**1,923**	**2,005**	**1,866**	**1,769**
		F	**2,795**	**2,549**	**2,453**	**2,294**	**2,125**	**1,945**	**1,920**	**1,762**	**1,709**	**1,632**	**1,654**
590	Acute nephritis	M	128	139	116	97	121	89	89	72	99	77	70
		F	95	93	95	54	67	68	65	50	62	61	60
591	Nephritis with oedema, including nephrosis	M	199	193	179	186	207	196	188	144	149	118	136
		F	148	136	147	180	154	143	127	120	120	92	86
592	Chronic nephritis	M	2,355	2,168	2,144	1,929	2,004	1,736	1,663	1,512	1,529	1,424	1,277
		F	2,344	2,151	2,035	1,894	1,738	1,572	1,572	1,402	1,347	1,278	1,265
593	Nephritis not specified as acute or chronic	M	199	192	195	218	208	218	204	189	215	234	275
		F	184	157	162	150	148	151	148	187	168	195	238
594	Other renal sclerosis	M	17	14	11	18	14	11	14	6	13	13	11
		F	24	12	14	16	18	11	8	3	12	6	5
600–609	**Other diseases of urinary system**	M	**1,159**	**1,243**	**1,286**	**1,261**	**1,264**	**1,335**	**1,274**	**1,367**	**1,459**	**1,523**	**1,563**
		F	**1,018**	**1,081**	**1,229**	**1,375**	**1,430**	**1,519**	**1,542**	**1,722**	**1,829**	**2,035**	**2,077**
600	Infections of kidney	M	498	550	578	608	651	716	722	803	907	964	988
		F	582	637	738	873	909	995	1,013	1,217	1,288	1,525	1,567
	0 Pyelitis, pyelocystitis, and pyelonephritis	M	470	520	547	572	622	685	704	779	868	942	961
		F	551	610	707	838	884	968	981	1,184	1,255	1,493	1,551
	1 Abscess of kidney and perirenal tissue ..	M	23	23	25	29	18	27	15	22	24	17	17
		F	26	24	25	29	19	20	27	26	24	22	13
	2 Other	M	5	7	6	7	11	4	3	2	15	5	10
		F	5	3	6	6	6	7	5	7	9	10	3
601	Hydronephrosis	M	79	73	79	80	64	71	75	68	67	82	76
		F	70	61	69	76	86	80	61	58	80	51	57
602	Calculi of kidney and ureter	M	149	151	161	147	136	139	122	135	130	142	136
		F	138	140	146	154	152	154	140	135	134	126	133
603	Other diseases of kidney and ureter	M	36	40	42	46	42	44	33	48	35	47	61
		F	40	35	27	36	41	38	38	50	44	62	57
604	Calculi of other parts of urinary system	M	36	45	42	29	33	36	32	33	38	25	26
		F	5	7	9	11	6	14	9	9	11	10	6
605	Cystitis	M	168	179	168	142	147	119	148	122	139	105	109
		F	154	161	190	183	186	179	215	195	190	184	180
606	Other diseases of bladder ..	M	54	85	67	70	61	78	67	72	55	73	56
		F	15	23	25	23	18	27	22	23	26	28	26
607	Urethritis (non-venereal) ..	M	2	—	2	1	2	3	2	3	4	4	2
		F	—	—	—	—	1	1	—	1	1	1	—
608	Stricture of urethra	M	114	93	118	101	103	94	42	57	46	44	48
		F	2	—	2	3	2	1	3	1	6	3	—
609	Other diseases of urethra ..	M	23	27	29	37	25	35	31	26	38	37	61
		F	12	17	23	16	29	30	41	33	49	45	51
610–617	**Diseases of male genital organs**	M	**4,504**	**4,285**	**4,439**	**4,197**	**3,943**	**3,751**	**3,674**	**3,597**	**3,356**	**3,162**	**2,968**
610	Hyperplasia of prostate ..	M	4,351	4,173	4,334	4,090	3,852	3,645	3,577	3,505	3,259	3,075	2,901
611	Prostatitis	M	99	82	68	75	50	72	69	56	55	48	37
612	Other diseases of prostate ..	M	22	9	14	11	16	14	13	11	15	15	12
613	Hydrocele	M	6	3	3	3	3	2	3	1	1	4	1
614	Orchitis and epididymitis ..	M	2	1	2	2	1	4	4	2	2	2	1
615	Redundant prepuce and phimosis	M	11	4	3	7	8	3	4	6	7	8	7

TABLE 7—*continued*

ICD No.	Causes of death		1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962
617	Other diseases of male genital organs	M	13	13	15	9	13	11	4	16	16	10	9
620–626	**Diseases of breast, ovary, Fallopian tube, and parametrium**	M	—	—	—	—	—	—	—	1	1	—	—
		F	**58**	**58**	**56**	**61**	**54**	**41**	**28**	**44**	**34**	**38**	**39**
621	Other diseases of breast ..	M	—	—	—	—	—	—	—	1	1	—	—
		F	4	3	3	3	3	3	2	7	2	2	2
622	Acute salpingitis and oophoritis	F	3	1	2	1	1	5	—	3	4	—	1
623	Chronic salpingitis and oophoritis	F	4	1	5	4	2	3	2	—	2	2	4
624	Salpingitis and oophoritis, unqualified	F	34	29	24	36	28	18	13	25	14	19	17
625	Other diseases of ovary and Fallopian tube	F	4	7	7	5	4	2	1	3	3	2	2
626	Diseases of parametrium and pelvic peritoneum (female)	F	8	17	15	12	16	10	10	6	9	13	13
630–637	**Diseases of uterus and other female genital organs**	F	**212**	**238**	**173**	**163**	**166**	**159**	**187**	**148**	**153**	**144**	**133**
630	Infective disease of uterus, vagina, and vulva	F	15	20	15	15	12	8	17	14	9	11	10
631	Uterovaginal prolapse ..	F	129	134	101	96	108	106	119	89	103	78	68
632	Malposition of uterus ..	F	2	1	1	1	1	—	3	3	2	—	2
633	Other diseases of uterus ..	F	28	41	24	26	18	30	25	15	19	29	28
634	Disorders of menstruation ..	F	24	25	24	19	17	12	17	19	14	17	15
635	Menopausal symptoms ..	F	4	5	3	1	—	1	1	—	1	3	—
637	Other diseases of female genital organs	F	9	12	5	3	9	2	4	8	5	10	8
640–689	**XI DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM**	F	***463**	***495**	***446**	***405**	***374**	***333**	***328**	***290**	***310**	***274**	***299**
640–648	**Complications of pregnancy**	F	**154**	**186**	**140**	**135**	**144**	**114**	**105**	**96**	**99**	**82**	**105**
640	Pyelitis and pyelonephritis of pregnancy	F	3	3	2	2	5	—	4	2	1	—	3
642	Toxaemias of pregnancy ..	F	107	132	90	82	82	72	58	50	60	46	50
643	Placenta praevia	F	1	—	2	1	—	—	—	—	—	—	—
644	Other haemorrhage of pregnancy	F	4	6	1	2	10	7	9	3	1	2	4
645	Ectopic pregnancy	F	19	35	24	20	21	21	13	12	17	12	22
646	Anaemia of pregnancy ..	F	4	4	3	3	3	3	2	1	2	1	—
648	Other complications arising from pregnancy	F	13	6	18	23	23	9	19	27	18	19	26
650–652	**Abortion**	F	**90**	**76**	**76**	**66**	**72**	**61**	**63**	**47**	**62**	**54**	**57**
650	Abortion without mention of sepsis or toxaemia	F	31	30	33	27	24	24	25	16	23	18	28
651	Abortion with sepsis	F	47	39	32	36	40	33	35	29	33	32	28
652	Abortion with toxaemia, without mention of sepsis	F	12	7	11	3	8	4	3	2	6	4	1
660	**Delivery without mention of complication**	F	**5**	**3**	**5**	**1**	**1**	**7**	**6**	**4**	**3**	**7**	**4**
670–678	**Delivery with specified complication**	F	**128**	**149**	**146**	**116**	**96**	**92**	**90**	**85**	**105**	**88**	**82**
670	Placenta praevia or antepartum haemorrhage	F	14	33	29	21	23	20	16	18	24	18	19
671	Retained placenta	F	15	27	19	16	10	5	8	3	7	8	3
672	Other postpartum haemorrhage	F	24	24	25	25	14	17	25	20	12	15	17
673	Abnormality of bony pelvis ..	F	4	3	2	3	1	1	—	1	2	—	2
674	Disproportion or malposition of foetus	F	8	6	9	10	15	10	11	7	10	8	8
675	Prolonged labour of other origin	F	20	22	21	18	18	16	10	10	14	7	10
677	With other trauma	F	17	13	15	12	10	14	10	7	16	12	8
678	With other complications of childbirth	F	26	21	26	11	5	9	10	19	20	20	15
680–689	**Complications of the puerperium**	F	**86**	**81**	**79**	**87**	**61**	**59**	**64**	**58**	**41**	**43**	**51**
681	Sepsis of childbirth and the puerperium	F	4	14	11	13	8	16	9	14	7	4	9
682	Puerperal phlebitis and thrombosis	F	27	27	38	32	27	24	23	19	19	23	25
684	Puerperal pulmonary embolism	F	25	22	13	23	5	8	17	11	8	1	9

* Excluding the following cases in which it was stated that death followed the maternal condition after an interval of more than 12 months: 1952—35; 1953—32; 1954—34; 1955—34; 1956—25; 1957—16; 1958—22; 1959—21; 1960—26; 1961—11; 1962—20.

TABLE 7—*continued*

ICD No.	Causes of death		1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962
685	Puerperal eclampsia	F	12	7	10	8	8	5	6	6	2	8	3
686	Other forms of puerperal toxaemia	F	3	4	4	1	3	—	2	1	1	1	—
687	Cerebral haemorrhage in the puerperium	F	8	4	—	6	5	4	5	3	2	5	2
688	Other and unspecified complications of the puerperium	F	2	2	1	3	1	2	2	4	1	—	2
689	Mastitis and other disorders of lactation	F	5	—	2	1	4	—	—	—	—	1	1
690–716	**XII DISEASES OF THE SKIN AND CELLULAR TISSUE**	M	**247**	**279**	**230**	**187**	**183**	**194**	**204**	**173**	**170**	**197**	161
		F	**356**	**356**	**322**	**321**	**292**	**247**	**283**	**282**	**294**	**315**	248
690–698	**Infections of skin and subcutaneous tissue**	M	**93**	**96**	**92**	**94**	**72**	**74**	**89**	**83**	**72**	**81**	61
		F	**113**	**116**	**102**	**95**	**91**	**74**	**90**	**90**	**88**	**93**	90
690	Boil and carbuncle	M	24	26	18	22	26	25	28	26	21	27	7
		F	25	21	19	12	26	20	16	21	13	15	13
691	Cellulitis of finger and toe ..	M	3	2	3	3	—	2	3	4	1	3	2
		F	3	10	3	3	1	1	2	5	4	1	1
692	Other cellulitis and abscess w'out ment: of lymphangitis	M	55	58	59	57	42	38	53	44	45	47	40
		F	62	77	69	70	56	43	64	46	59	60	65
693	Other cellulitis and abscess with lymphangitis ..	M	—	2	—	—	—	—	—	1	—	—	—
		F	5	—	2	—	1	3	1	—	—	—	1
695	Impetigo	M	2	2	1	1	—	—	—	—	—	1	1
		F	—	—	1	1	2	1	—	—	2	—	1
698	Other local infections of skin and subcutaneous tissue ..	M	9	6	10	11	4	9	3	8	5	3	10
		F	17	7	7	9	5	6	7	17	10	16	9
700–716	**Other diseases of skin and subcutaneous tissue**	M	**154**	**183**	**138**	**93**	**111**	**120**	**115**	**90**	**98**	**116**	100
		F	**243**	**240**	**220**	**226**	**201**	**173**	**193**	**192**	**206**	**222**	158
700	Seborrhoeic dermatitis ..	M	1	3	1	1	1	—	—	1	—	—	—
		F	1	4	3	1	1	—	2	2	1	—	—
701	Eczema	M	12	15	11	6	7	7	11	4	5	6	6
		F	11	13	4	15	9	6	7	3	6	6	5
703	Other dermatitis	M	6	8	4	2	4	1	2	3	—	3	3
		F	4	8	6	3	2	4	—	1	4	7	2
704	Pemphigus	M	61	51	41	19	28	27	28	20	29	24	16
		F	60	55	56	36	42	40	36	37	31	37	24
705	Erythematous conditions ..	M	31	43	28	27	23	29	17	22	21	27	23
		F	46	31	30	47	30	24	23	27	26	20	21
706	Psoriasis and similar disorders	M	5	1	5	4	2	3	2	6	4	5	4
		F	9	7	10	4	5	2	5	4	4	7	6
708	Pruritus and related conditions	M	1	2	1	1	1	—	1	—	—	—	1
		F	2	2	2	2	3	1	3	1	1	—	—
710	Other hypertrophic and atrophic conditions of skin ..	M	13	22	9	11	18	22	24	14	18	26	21
		F	33	36	30	38	47	38	51	59	55	57	48
714	Diseases of sweat and sebaceous glands	M	—	1	—	2	—	2	1	1	1	—	1
		F	1	1	1	—	—	—	—	1	1	1	—
715	Chronic ulcer of skin ..	M	21	34	34	17	24	23	22	17	19	23	22
		F	71	81	75	77	58	58	64	55	74	85	52
716	Other diseases of skin ..	M	2	—	1	2	2	1	3	1	—	—	2
		F	1	2	2	1	4	—	—	2	1	2	—
720–749	**XIII DISEASES OF THE BONES AND ORGANS OF MOVEMENT**	M	**536**	**578**	**619**	**614**	**624**	**584**	**613**	**613**	**661**	**669**	672
		F	**957**	**982**	**1,156**	**1,352**	**1,236**	**1,225**	**1,307**	**1,331**	**1,334**	**1,370**	1,382
720–727	**Arthritis and rheumatism, except rheumatic fever** ..	M	**247**	**296**	**355**	**338**	**351**	**309**	**353**	**355**	**388**	**353**	356
		F	**739**	**768**	**890**	**1,076**	**951**	**941**	**1,019**	**1,027**	**1,066**	**1,053**	1,059
720	Acute arthritis due to pyogenic organisms	M	12	11	11	9	15	10	16	13	8	8	6
		F	11	18	11	13	5	11	12	18	18	9	15
722	Rheumatoid arthritis and allied conditions	M	155	184	223	214	206	183	222	221	252	246	230
		F	546	558	683	814	729	705	757	754	799	771	798
	0 Rheumatoid arthritis ..	M	136	173	196	192	189	169	206	208	225	225	209
		F	545	556	680	809	727	700	753	746	791	764	792
	1 Spondylitis ankylopoietica	M	19	11	27	22	17	14	16	13	26	21	21
		F	1	2	3	5	2	5	4	8	7	7	6
723	Osteo-arthritis (arthrosis) and allied conditions	M	70	86	111	107	122	107	103	111	120	84	111
		F	160	171	180	237	212	208	235	240	226	257	231

TABLE 7—*continued*

ICD No.	Causes of death		1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962
724	Other specified forms of arthritis	M	3	—	1	1	—	1	4	3	1	—	2
		F	5	2	3	1	2	3	3	6	5	3	3
725	Arthritis, unspecified ..	M	4	7	3	1	2	—	2	—	4	8	4
		F	12	15	10	3	2	3	7	5	11	4	7
726	Muscular rheumatism ..	M	3	4	4	6	3	6	4	5	3	7	3
		F	1	1	2	3	—	8	3	4	6	9	4
727	Rheumatism, unspecified ..	M	—	4	2	—	3	2	2	2	—	—	—
		F	4	3	1	5	1	3	2	—	1	—	1
730–738	**Osteomyelitis and other diseases of bone and joint**	M	**170**	**180**	**162**	**167**	**156**	**157**	**137**	**143**	**148**	**167**	**158**
		F	**148**	**136**	**178**	**178**	**189**	**187**	**197**	**206**	**195**	**206**	**204**
730	Osteomyelitis and periostitis ..	M	52	59	51	48	37	43	45	36	38	33	32
		F	30	33	36	27	42	35	28	31	27	17	11
731	Osteitis deformans	M	87	80	87	88	93	76	68	68	68	87	67
		F	79	59	80	102	83	87	93	81	83	81	98
733	Other diseases of bone ..	M	15	24	11	10	19	18	16	28	27	30	43
		F	27	31	52	43	52	54	66	77	68	95	86
735	Displacement of intervertebral disc	M	11	8	7	16	4	15	5	5	10	9	9
		F	4	7	4	4	7	6	5	7	6	5	6
737	Ankylosis of joint	M	1	—	2	—	1	1	1	—	—	2	3
		F	2	2	—	1	1	1	—	4	—	—	—
738	Other diseases of joint ..	M	3	9	3	3	2	4	1	6	3	3	4
		F	6	4	6	1	3	3	5	6	9	7	3
740–749	**Other diseases of musculoskeletal system**	M	**119**	**102**	**102**	**109**	**117**	**118**	**123**	**115**	**125**	**149**	**158**
		F	**70**	**78**	**88**	**98**	**96**	**97**	**91**	**98**	**73**	**111**	**119**
740	Bunion	M	1	—	1	—	—	—	—	—	1	—	1
		F	1	—	1	—	1	—	1	5	1	2	3
741	Synovitis, bursitis, and tenosynovitis, w'out mention of occupational origin	M	1	1	1	2	4	—	3	—	2	1	—
		F	2	3	2	1	4	1	2	3	1	—	2
743	Infective myositis and other inflammatory diseases of tendon and fascia	M	2	—	—	1	—	1	—	1	1	—	1
		F	—	3	—	—	1	—	1	2	—	—	1
744	Other diseases of muscle, tendon and fascia	M	90	82	81	91	87	92	105	96	104	126	132
		F	51	52	56	73	63	57	60	62	57	73	79
745	Curvature of spine	M	16	11	14	10	21	22	12	13	14	18	17
		F	14	13	26	16	21	31	18	21	11	29	27
747	Hallux valgus and varus ..	M	1	—	—	—	—	—	—	—	2	—	1
		F	1	2	1	2	2	2	3	2	1	2	1
748	Clubfoot	M	1	1	2	—	2	1	—	—	1	—	2
		F	—	1	—	1	—	2	1	—	—	1	—
749	Other deformities	M	7	7	3	5	3	2	3	5	—	4	4
		F	1	4	2	5	4	4	5	3	2	4	6
750–759	**XIV CONGENITAL MALFORMATIONS**	M	**2,323**	**2,216**	**2,349**	**2,431**	**2,442**	**2,589**	**2,589**	**2,503**	**2,696**	**2,671**	**2,836**
		F	**2,130**	**2,045**	**2,144**	**2,132**	**2,133**	**2,341**	**2,301**	**2,408**	**2,426**	**2,525**	**2,590**
750	Monstrosity	M	54	33	51	41	59	57	59	50	80	67	75
		F	66	77	72	77	73	96	106	115	110	118	130
751	Spina bifida and meningocele	M	294	279	328	343	348	328	340	301	294	258	245
		F	428	394	477	477	462	462	458	411	399	395	368
752	Congenital hydrocephalus ..	M	195	170	201	185	209	201	201	237	245	265	227
		F	217	198	222	235	221	223	243	275	299	304	310
753	Other congen: malformations of nerv: sys'm and sense organs	M	62	43	65	50	48	83	61	69	83	68	60
		F	41	62	62	63	67	74	68	76	78	73	79
754	Congenital malformations of circulatory system ..	M	890	913	948	1,007	1,017	1,126	1,124	1,102	1,161	1,214	1,330
		F	804	786	767	756	791	911	870	921	1,009	1,056	1,087
755	Cleft palate and harelip ..	M	24	13	16	11	16	12	11	11	5	5	8
		F	7	9	8	13	15	10	6	7	5	8	4
756	Congenital malformations of digestive system	M	344	321	292	296	288	294	286	274	295	285	311
		F	197	201	179	164	172	173	179	194	167	185	190
	0 Congenital hypertrophic pyloric stenosis	M	67	52	46	38	25	27	24	20	31	22	30
		F	12	12	5	3	10	7	6	4	5	3	3
	1 Imperforate anus ..	M	28	28	31	26	27	30	11	21	21	24	23
		F	12	13	8	9	6	11	4	6	9	4	6
	2 Other	M	249	241	215	232	236	237	251	233	243	239	258
		F	173	176	166	152	156	155	169	184	153	178	181

TABLE 7—*continued*

ICD No.	Causes of death		1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962
757	Congenital malformations of genito-urinary system	M	265	265	260	279	267	274	261	248	307	273	321
		F	191	161	189	187	178	223	182	224	185	210	201
	1 Polycystic disease of kidney	M	163	147	138	158	141	130	142	131	152	162	165
		F	143	129	139	135	114	170	133	167	131	150	146
	0, 2, 3 Other	M	102	118	122	121	126	144	119	117	155	111	156
		F	48	32	50	52	64	53	49	57	54	60	55
758	Congenital malformations of bone and joint	M	31	27	30	27	30	32	39	29	33	36	41
		F	31	21	28	32	21	39	33	34	27	24	42
759	Other and unspec'd congenital malformations, not elsewhere classified	M	164	152	158	192	160	182	207	182	193	200	218
		F	148	136	140	128	133	130	156	151	147	152	179
760–776	**XV CERTAIN DISEASES OF EARLY INFANCY**	M	**5,953**	**5,820**	**5,690**	**5,448**	**5,575**	**5,616**	**5,618**	**5,506**	**5,698**	**5,828**	**5,862**
		F	**4,103**	**4,037**	**3,784**	**3,719**	**3,778**	**3,812**	**3,800**	**3,807**	**3,822**	**3,925**	**3,833**
760–773	5 with immaturity	M	1,670	1,659	1,713	1,670	1,761	1,886	1,950	1,982	1,986	2,158	2,131
		F	1,154	1,072	1,107	1,083	1,119	1,237	1,227	1,272	1,315	1,321	1,303
760–769	**Birth injuries, asphyxia, and infections of newborn**	M	**3,287**	**3,271**	**3,232**	**3,141**	**3,238**	**3,322**	**3,381**	**3,404**	**3,356**	**3,537**	**3,465**
		F	**2,130**	**2,096**	**2,001**	**1,950**	**2,057**	**2,158**	**2,158**	**2,140**	**2,123**	**2,211**	**2,181**
760	Intracranial and spinal injury at birth	M	967	938	936	901	922	885	914	929	902	968	871
		F	521	539	535	506	539	542	536	529	516	540	464
761	Other birth injury	M	204	195	214	238	219	255	221	243	250	336	304
		F	149	137	145	151	176	159	134	150	157	199	223
762	Postnatal asphyxia and atelectasis	M	1,409	1,432	1,478	1,407	1,460	1,628	1,590	1,646	1,597	1,602	1,623
		F	945	957	916	901	924	1,068	1,057	1,064	1,080	1,045	1,052
763	Pneumonia of newborn	M	534	554	473	483	502	429	512	445	451	426	470
		F	379	336	288	300	304	285	325	305	281	278	293
764	Diarrhoea of newborn	M	40	36	22	25	27	22	21	30	33	32	32
		F	26	24	18	15	21	13	13	14	13	31	23
766	Pemphigus neonatorum	M	4	5	2	2	4	4	2	4	3	1	—
		F	1	2	6	5	4	4	8	1	1	1	3
767	Umbilical sepsis	M	14	8	9	9	12	17	9	10	10	13	7
		F	7	7	15	8	12	11	3	3	6	7	5
768	Other sepsis of newborn	M	26	20	25	20	19	22	29	20	27	31	22
		F	17	33	20	14	17	22	19	15	16	25	22
769	Neonatal disorders arising from certain diseases of the mother during pregnancy	M	89	83	72	55	73	60	83	75	83	128	136
		F	85	61	56	49	57	54	63	59	52	85	96
770–776	**Other diseases peculiar to early infancy**	M	**2,666**	**2,549**	**2,458**	**2,307**	**2,337**	**2,294**	**2,237**	**2,102**	**2,342**	**2,291**	**2,397**
		F	**1,973**	**1,941**	**1,783**	**1,769**	**1,721**	**1,654**	**1,642**	**1,667**	**1,699**	**1,714**	**1,652**
770	Haemolytic disease of newborn (erythroblastosis)	M	239	225	282	196	182	203	182	184	201	172	191
		F	203	185	186	170	171	175	197	176	174	163	164
771	Haemorrhagic disease of newborn	M	103	116	132	120	142	120	162	127	124	111	156
		F	78	81	88	90	82	64	87	92	80	79	76
772	Nutritional maladjustment	M	14	6	5	4	8	6	9	3	4	1	5
		F	5	3	6	3	3	1	2	—	—	1	2
773	Ill-defined diseases peculiar to early infancy	M	235	203	182	196	178	155	172	180	229	294	301
		F	160	125	151	126	110	114	107	123	161	159	167
774	Immaturity with mention of any other subsidiary condition	M	98	73	68	67	64	81	73	76	66	71	72
		F	71	67	58	64	63	48	72	78	60	60	57
776	Immaturity, unqualified	M	1,977	1,926	1,789	1,724	1,763	1,729	1,639	1,532	1,718	1,642	1,672
		F	1,456	1,480	1,294	1,316	1,292	1,252	1,177	1,198	1,224	1,252	1,186
780–795	**XVI SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS**	M	**3,278**	**3,072**	**3,326**	**3,703**	**3,490**	**2,935**	**2,989**	**2,718**	**2,435**	**2,454**	**2,281**
		F	**5,177**	**5,289**	**5,754**	**6,270**	**6,030**	**5,213**	**5,265**	**5,094**	**4,873**	**4,876**	**4,476**
780–789	**Symptoms referable to systems or organs**	M	**156**	**142**	**146**	**158**	**124**	**114**	**96**	**69**	**88**	**106**	**81**
		F	**130**	**163**	**119**	**130**	**140**	**126**	**91**	**65**	**99**	**113**	**83**
780	Certain symptoms referable to nerv: system and special senses	M	13	17	18	14	11	7	7	4	2	7	5
		F	16	15	13	8	5	4	8	4	4	8	4
	2 Convulsions	M	12	15	17	12	10	5	6	4	2	5	5
		F	15	14	13	8	4	3	8	4	4	6	3
	0, 1, 3-9 Others included under 780	M	1	2	1	2	1	2	1	—	—	2	—
		F	1	1	—	—	1	1	—	—	—	2	1
782	Symptoms referable to cardio-vascular & lymphatic system	M	101	109	98	105	91	90	41	32	46	53	46
		F	88	125	92	100	109	107	54	31	59	69	53
	4 Acute heart failure, undefined	M	96	105	96	105	88	85	40	29	44	46	39
		F	85	121	88	96	107	102	50	30	56	63	49

TABLE 7—*continued*

ICD No.	Causes of death		1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962
	0-3, 5-9 Other symptoms referable to cardio-vascular and lymphatic system	M	5	4	2	—	3	5	1	3	2	7	7
		F	3	4	4	4	2	5	4	1	3	6	4
783	Symptoms referable to respiratory system	M	6	—	4	3	3	2	1	2	4	2	3
		F	2	2	1	2	4	—	4	1	7	5	4
784	Symptoms referable to upper gastro-intestinal tract	M	13	5	8	15	7	5	26	18	11	21	17
		F	14	6	4	16	11	8	16	18	14	18	11
785	Syms: referable to abdomen & lower gastro-intestinal tract	M	13	2	9	9	2	3	7	4	8	8	5
		F	4	5	5	1	5	4	2	6	7	7	6
786	Symptoms referable to genito-urinary system	M	7	7	8	8	6	4	9	6	12	7	3
		F	1	4	1	—	2	—	3	1	2	2	1
788	Other general symptoms	M	1	1	1	2	2	3	4	3	3	3	2
		F	2	4	1	1	3	3	3	4	5	3	3
789	Abnormal urinary constituents of unspecified cause	M	2	—	—	2	2	—	—	—	—	4	—
		F	3	2	1	1	1	—	1	—	1	1	1
790–795	**Senility and ill-defined diseases**	M	**3,122**	**2,930**	**3,180**	**3,545**	**3,366**	**2,821**	**2,893**	**2,649**	**2,347**	**2,348**	**2,200**
		F	**5,047**	**5,126**	**5,635**	**6,140**	**5,890**	**5,087**	**5,174**	**5,029**	**4,774**	**4,763**	**4,393**
790	Nervousness and debility	M	3	—	—	1	—	—	—	—	—	1	—
		F	1	—	—	—	1	—	—	1	—	—	1
792	Uraemia	M	18	15	21	20	26	12	27	22	20	39	27
		F	12	13	10	10	15	15	16	19	27	19	27
794	Senility without mention of psychosis	M	3,056	2,868	3,094	3,475	3,275	2,750	2,817	2,578	2,269	2,253	2,125
		F	5,001	5,085	5,590	6,098	5,844	5,034	5,132	4,970	4,716	4,710	4,335
795	Ill-defined and unknown causes of mortality	M	45	47	65	49	65	59	49	49	58	55	48
		F	33	28	35	32	30	38	26	39	31	34	30
E800–E999	**XVII ACCIDENTS, POISONINGS, AND VIOLENCE**	M	**11,992**	**12,333**	**12,630**	**12,932**	**12,992**	**12,858**	**13,343**	**13,456**	**13,503**	**13,654**	**13,812**
		F	**6,810**	**7,531**	**8,239**	**8,537**	**8,878**	**8,703**	**9,113**	**9,379**	**9,619**	**9,660**	**10,085**
E800-E802	**Railway accidents**	M	**390**	**342**	**249**	**283**	**292**	**288**	**300**	**250**	**219**	**254**	**209**
		F	**59**	**25**	**31**	**34**	**39**	**21**	**46**	**30**	**28**	**29**	**22**
E800	Involving railroad employee	M	184	193	148	166	164	162	119	140	115	139	94
		F	3	—	1	—	—	1	2	2	3	1	—
E801	Involving passenger	M	107	40	19	35	44	19	97	20	20	30	25
		F	34	8	7	10	19	3	33	11	8	9	7
E802	Involving other and unspecified person	M	99	109	82	82	84	107	84	90	84	85	90
		F	22	17	23	24	20	17	11	17	17	19	15
E810-E825	**Motor vehicle traffic accidents***	M	**3,013**	**3,225**	**3,289**	**3,552**	**3,655**	**3,608**	**3,966**	**4,345**	**4,676**	**4,669**	**4,451**
		F	**958**	**1,021**	**1,158**	**1,256**	**1,284**	**1,219**	**1,400**	**1,607**	**1,881**	**1,875**	**1,779**
E810	Involving collision with railway train	M	10	12	7	10	11	13	15	8	6	20	6
		F	1	4	1	—	3	2	4	—	—	5	4
E812	To pedestrian	M	1,099	1,182	1,201	1,210	1,275	1,219	1,323	1,299	1,488	1,512	1,421
		F	663	674	807	813	844	753	900	979	1,174	1,129	1,076
E813	To pedal cyclist	M	443	461	457	437	458	428	446	524	477	481	412
		F	74	73	79	84	67	68	56	90	91	74	68
E814	To rider or pass'r: of m/cycle in collision with non-motor vehicle or object	M	60	65	49	60	59	62	57	57	65	48	44
		F	5	4	1	2	8	4	3	4	8	2	3
E815	To rider or pass'r: of m/cycle in collision with other m: v:	M	662	689	696	797	746	730	862	977	1,054	925	840
		F	48	57	38	59	57	60	63	77	99	85	65
E816	Other m:v: traffic acc: involv'g two or more motor vehicles	M	191	286	302	389	437	370	533	626	659	746	797
		F	70	91	107	153	165	171	204	253	276	370	339
E817	To occupant of m: v: in coll: with pedestrian or pedal cycle	M	2	—	2	1	1	—	—	1	2	2	1
		F	—	—	—	—	1	—	1	—	1	—	1
E818	Involving collision with animal or animal-drawn vehicle	M	7	3	3	6	2	1	—	3	—	3	1
		F	—	—	—	—	—	1	1	3	1	2	5
E819	Involving collision with fixed or unspecified object	M	4	3	4	2	3	10	10	9	10	9	16
		F	3	1	1	1	2	—	3	—	5	1	6
E820	While boarding and alighting	M	15	20	6	12	21	24	11	22	13	7	10
		F	14	19	9	18	8	10	7	13	21	8	10
E821	To rider of motor cycle without antecedent collision	M	280	286	304	322	327	387	332	396	410	409	306
		F	25	34	31	28	23	32	38	51	44	38	25
E822	Involving overturning in roadway	M	57	49	47	72	48	53	54	55	42	47	82
		F	11	12	15	14	10	16	16	20	13	16	13

* E810-E835. Motor vehicle accidents. An analysis of these deaths for years 1952 and on according to the types of vehicle involved (as provided for in the 1955 International Statistical Classification) is not included in this table, but details are available at the General Register Office.

TABLE 7—*continued*

ICD No.	Causes of death		1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962
E823	Involving running off roadway	M	96	107	130	165	190	231	238	271	349	349	405
		F	20	32	40	49	61	57	61	75	97	101	114
E824	Other non-collision motor vehicle traffic accident	M	78	54	75	62	63	62	64	61	58	66	76
		F	22	19	28	34	31	32	23	26	31	30	25
E825	Of unspecified nature ..	M	9	8	6	7	13	17	21	36	43	45	34
		F	2	1	1	1	4	13	20	16	20	14	25
E830-E835	**Motor vehicle non-traffic accidents***	**M**	**134**	**117**	**134**	**104**	**84**	**65**	**68**	**69**	**78**	**84**	**71**
		F	**12**	**12**	**8**	**11**	**13**	**6**	**5**	**5**	**8**	**6**	**5**
E830	To pedestrian	M	54	32	55	52	47	40	37	39	36	50	34
		F	8	10	8	9	9	6	4	4	6	4	5
E832	To rider or passenger of motor-cycle	M	10	10	8	18	5	5	7	9	10	12	15
		F	1	1	—	—	—	—	—	1	—	—	—
E833	Other m:v: non-traffic acc: involving two or more m: vehicles	M	1	1	1	3	1	1	3	2	—	—	2
		F	—	—	—	—	—	—	—	—	—	—	—
E834	While boarding and alighting..	M	—	1	—	—	—	1	1	—	1	2	1
		F	1	—	—	1	1	—	—	—	2	1	—
E835	Of other and unspecified nature	M	69	73	70	30	30	16	20	18	29	19	18
		F	2	1	—	1	3	—	1	—	—	1	—
E840-E845	**Other road vehicle accidents** ..	**M**	**229**	**181**	**198**	**191**	**157**	**170**	**152**	**112**	**114**	**98**	**99**
		F	**76**	**66**	**60**	**56**	**43**	**50**	**66**	**54**	**46**	**46**	**40**
E840	Street car accident to pedestrian	M	5	6	5	3	6	—	—	1	—	1	1
		F	4	1	3	2	3	1	1	1	1	—	1
E841	Other street car accident, exc: collision with motor vehicle	M	3	3	1	—	—	—	1	—	—	—	—
		F	1	—	1	—	2	—	—	—	—	—	—
E842	Accident to pedestrian caused by pedal cycle	M	56	32	46	38	35	38	24	15	19	18	14
		F	23	20	24	27	25	21	32	25	23	22	22
E843	Acc: to rider of p: cycle not involving collision with m: v:	M	125	113	126	131	101	126	119	81	88	71	77
		F	31	30	23	19	9	21	17	21	14	11	9
E844	Accident to pedestrian caused by other non-motor road v:	M	12	10	6	2	4	—	1	1	1	—	—
		F	4	5	—	2	1	—	—	—	1	1	1
E845	Other non-motor road vehicle accidents	M	28	17	14	17	11	6	7	14	6	8	7
		F	13	10	9	6	3	7	16	7	7	12	7
E850-E858	**Water transport accidents** ..	**M**	**137**	**147**	**127**	**135**	**140**	**156**	**134**	**147**	**168**	**172**	**164**
		F	**7**	**6**	**5**	**4**	**6**	**5**	**4**	**5**	**6**	**13**	**8**
E850	Submersion of occupant of small boat	M	54	56	38	43	52	62	66	64	86	81	67
		F	3	3	2	3	4	4	3	4	2	7	5
E851	Other water transport injury by submersion	M	28	36	42	32	44	41	33	31	35	58	46
		F	4	3	1	—	—	—	1	—	1	4	2
E852	Fall on stairs and ladders in water transport	M	5	6	7	4	9	3	3	7	5	2	6
		F	—	—	—	—	—	—	—	—	1	—	—
E853	Other falls from one level to another in water transport	M	23	22	13	20	12	15	11	16	18	16	11
		F	—	—	—	1	—	—	—	—	1	—	—
E854	Falls on same level in water transport	M	4	2	2	1	—	3	2	1	—	2	1
		F	—	—	—	—	1	—	—	1	—	—	—
E855	Unspecified falls in water transport	M	—	1	2	2	1	1	2	1	—	1	—
		F	—	—	—	—	—	—	—	—	—	—	—
E856	Machinery accident in water transport	M	2	9	3	2	3	7	6	9	6	4	7
		F	—	—	—	—	—	—	—	—	—	—	—
E857	Other specified accidents in water transport	M	20	15	20	30	19	23	9	18	18	8	25
		F	—	—	1	—	1	1	—	—	1	2	1
E860-E866	**Aircraft accidents**	**M**	**291**	**190**	**222**	**139**	**130**	**145**	**170**	**75**	**51**	**35**	**68**
		F	**20**	**2**	**3**	**5**	**6**	**12**	**27**	**3**	—	**2**	**12**
E860	Accident to personnel in military aircraft	M	222	175	194	106	100	81	63	36	37	13	28
		F	—	—	—	—	1	—	—	—	—	—	—
E861	Inj: to occupant by acc: to comm: "transport" aircraft	M	22	3	2	1	7	49	82	25	1	7	18
		F	8	1	2	—	1	7	22	—	—	1	7
E863	Injury to occupant by accident to other specified aircraft ..	M	13	4	13	8	5	6	11	2	4	8	15
		F	1	—	—	—	1	1	1	—	—	1	3
E864	Aircraft accident at airfield to person not in aircraft ..	M	28	3	4	7	3	1	5	1	2	—	2
		F	8	—	—	1	—	—	—	—	—	—	—
E865	Aircraft accident elsewhere to person not in aircraft ..	M	3	—	1	7	5	2	2	4	—	1	1
		F	3	1	—	4	3	3	3	3	—	—	2

* See footnote to page 35.

TABLE 7—*continued*

ICD No.	Causes of death		1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962
E866	Other and unspecified aircraft accidents	M	3	5	8	10	10	6	7	7	7	6	4
		F	—	—	1	—	—	1	1	—	—	—	—
E870-E888	**Accidental poisoning by solid and liquid substances** ..	**M**	**154**	**136**	**150**	**152**	**165**	**176**	**158**	**175**	**195**	**223**	**260**
		F	**141**	**152**	**165**	**169**	**191**	**177**	**191**	**197**	**253**	**241**	**313**
E870	Morphine and other opium derivatives	M	8	1	2	3	—	1	—	3	—	1	1
		F	1	4	—	—	1	1	1	—	1	2	1
E871	Barbituric acid and derivatives	M	61	84	67	77	91	96	88	96	115	144	176
		F	79	85	117	115	132	112	117	136	178	159	217
E872	Aspirin and salicylates ..	M	24	9	18	16	18	18	13	18	24	30	18
		F	26	23	14	15	21	26	29	25	41	37	36
E874	Other analgesic and soporific drugs	M	11	3	11	7	5	10	10	17	8	3	7
		F	5	9	8	7	6	14	14	10	10	6	9
E876	Strychnine	M	2	2	1	2	—	2	—	1	—	—	—
		F	3	2	—	1	3	—	2	—	1	1	2
E877	Belladonna, hyocine, and atropine	M	—	1	—	1	—	—	—	—	—	—	—
		F	3	—	—	1	—	—	—	—	—	—	—
E878	Other and unspecified drugs ..	M	4	5	11	7	14	16	16	16	13	15	28
		F	6	9	10	12	11	7	9	12	14	24	36
E880	Alcohol	M	8	10	11	11	13	15	5	5	15	11	7
		F	—	1	1	6	4	5	4	3	—	1	6
E881	Petroleum products	M	2	1	1	5	—	—	—	—	1	2	2
		F	—	1	—	1	—	1	—	—	—	—	—
E882	Industrial solvents	M	1	1	4	2	3	4	2	3	—	2	2
		F	1	1	—	1	2	—	1	1	—	—	1
E883	Corrosive aromatics, acids, and caustic alkalis	M	9	6	6	8	4	4	8	9	4	8	11
		F	4	5	6	2	6	6	8	7	4	4	2
E884	Mercury and its compounds	M	1	3	—	1	1	—	1	1	—	1	—
		F	—	3	—	2	—	—	1	—	—	—	—
E885	Lead and its compounds ..	M	3	1	4	2	3	—	5	1	2	1	—
		F	1	1	1	—	—	—	—	1	—	2	—
E886	Arsenic and antimony, and their compounds	M	1	—	1	1	—	—	—	—	—	—	—
		F	—	—	1	—	—	—	1	1	—	1	—
E888	Other and unspecified solid and liquid substances	M	18	8	11	8	12	10	10	4	12	4	7
		F	12	8	7	5	3	3	4	1	3	3	3
E890-E895	**Accidental poisoning by gases and vapours**	**M**	**246**	**322**	**326**	**376**	**360**	**369**	**430**	**433**	**464**	**444**	**562**
		F	**302**	**322**	**391**	**476**	**452**	**464**	**525**	**553**	**560**	**570**	**696**
E890	Utility (illuminating gas) ..	M	203	279	280	320	301	309	368	377	412	375	481
		F	295	312	380	464	440	448	502	538	536	550	665
E891	Motor vehicle exhaust gas ..	M	8	17	8	15	15	9	13	10	11	15	17
		F	—	—	2	—	—	1	—	1	1	—	—
E892	Other carbon monoxide gas ..	M	24	18	23	23	29	27	33	30	28	29	47
		F	7	9	8	10	11	14	21	12	22	20	29
E894	Other specified gases and vapours	M	9	8	15	17	14	22	14	16	11	16	15
		F	—	1	1	1	1	1	2	2	1	—	2
E900-E904	**Accidental falls**	**M**	**1,676**	**1,787**	**2,118**	**2,019**	**2,124**	**1,991**	**2,010**	**2,105**	**1,906**	**1,889**	**2,006**
		F	**2,402**	**2,812**	**3,235**	**3,310**	**3,459**	**3,305**	**3,474**	**3,538**	**3,559**	**3,487**	**3,490**
E900	Fall on stairs	M	321	326	381	405	412	371	373	385	368	343	345
		F	488	495	555	565	536	545	557	544	529	491	510
E901	Fall from ladders	M	88	87	95	81	82	74	78	82	69	77	64
		F	13	5	7	7	11	9	6	11	10	12	14
E902	Other falls from one level to another	M	507	512	503	498	457	450	458	497	447	429	478
		F	267	222	261	214	254	246	236	279	229	213	246
E903	Fall on same level	M	485	562	566	461	482	498	585	627	640	621	799
		F	1,004	1,183	1,021	991	1,024	1,100	1,307	1,521	1,652	1,684	1,923
E904	Unspecified falls	M	275	300	573	574	691	598	516	514	382	419	320
		F	630	907	1,391	1,533	1,634	1,405	1,368	1,183	1,139	1,087	797
E910-E936	**Other accidents**	**M**	**2,635**	**2,569**	**2,347**	**2,600**	**2,413**	**2,414**	**2,504**	**2,360**	**2,305**	**2,450**	**2,375**
		F	**1,151**	**1,221**	**1,151**	**1,143**	**1,153**	**1,100**	**1,113**	**1,118**	**1,078**	**1,071**	**1,217**
E910	Blow from falling or projected object or missile	M	365	349	295	297	285	299	319	266	277	252	222
		F	13	16	13	18	20	7	18	14	19	15	16
E911	Caused by vehicle	M	105	83	75	98	67	83	86	59	55	60	59
		F	—	—	—	—	—	—	1	—	—	—	—

TABLE 7—*continued*

ICD No.	Causes of death		1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962
E912	Caused by machinery	M	186	167	173	243	233	245	254	211	207	241	224
		F	3	5	7	4	10	3	6	5	7	7	6
E913	Caused by cutting and piercing instruments	M	15	17	19	21	15	13	21	13	13	18	8
		F	7	8	14	3	3	6	6	5	5	7	4
E914	Caused by electric current	M	94	86	82	92	109	106	101	92	97	111	93
		F	18	25	20	18	14	19	21	29	20	22	19
E915	Caused by explosion of pressure vessel	M	9	9	8	14	7	8	5	7	4	10	9
		F	2	1	—	1	1	1	—	—	—	—	1
E916	Caused by fire and explosion of combustible material†	M	*266	220	221	257	233	232	226	268	228	297	315
		F	439	359	437	435	439	398	404	422	413	382	494
E917	Caused by hot substance, corrosive liquid and steam†	M	55	71	54	65	70	52	76	52	47	66	46
		F	71	53	69	60	80	54	63	64	42	38	52
E919	Caused by firearm	M	104	87	83	66	74	74	82	75	59	77	78
		F	3	5	4	5	3	7	1	6	6	6	2
E921	Inhalat'n and ingest'n of food, causing obstr: or suffocation	M	242	205	256	259	249	230	228	212	223	271	278
		F	159	163	173	165	185	157	141	154	180	179	210
E922	Inhalat'n and ingest'n of other obj: causing obstr: or suff'n	M	10	11	16	21	16	18	35	18	26	8	20
		F	6	3	3	14	11	12	3	14	6	11	5
E923	Foreign body entering other orifice	M	20	22	14	7	9	7	15	12	12	10	13
		F	21	22	23	14	15	5	9	16	16	13	7
E924	Acc: mechanical suffocation in bed and cradle†	M	154	125	132	118	118	93	103	82	76	71	94
		F	93	99	90	70	95	74	77	59	55	51	72
E925	Acc: mechanical suffocation in other and unspecified circs:	M	48	46	71	65	56	39	31	49	52	63	64
		F	9	3	5	4	1	5	9	7	5	10	14
E926	Lack of care of infants under 1 year of age	M	50	53	28	31	28	26	19	30	20	26	23
		F	46	30	28	30	16	34	36	23	12	24	20
E927	Acc: caused by bites and stings of ven: animals and insects	M	2	2	1	3	1	3	4	3	3	3	5
		F	3	4	2	2	4	3	5	1	1	4	—
E928	Other accidents caused by animals	M	17	13	13	20	12	14	12	12	12	14	17
		F	5	3	5	7	3	5	7	8	3	8	3
E929	Accidental drowning and submersion	M	713	719	646	759	637	703	695	719	677	680	591
		F	182	194	189	225	188	227	220	214	197	197	187
E930	High and low air pressure	M	1	—	1	1	—	—	—	—	—	—	2
		F	—	—	—	—	—	—	—	—	—	—	—
E931	Excessive heat and insolation	M	4	3	4	3	—	1	—	3	3	2	—
		F	5	1	—	2	1	4	—	2	1	—	—
E932	Excessive cold	M	7	3	17	12	11	4	8	3	9	6	27
		F	3	2	7	10	9	3	2	6	6	2	13
E933	Hunger, thirst, and exposure	M	11	14	10	18	24	14	14	16	23	19	24
		F	9	9	9	11	10	12	18	11	7	10	17
E934	Cataclysm	M	17	122	2	—	7	—	—	2	1	—	4
		F	12	175	3	1	2	1	1	—	—	—	4
E935	Lightning	M	11	12	5	12	7	7	9	6	6	4	4
		F	—	2	3	3	2	—	2	1	3	3	1
E936	Other and unspecified accidents	M	129	130	121	118	145	143	161	150	175	141	155
		F	42	39	47	41	41	62	63	57	74	82	70
E940-E946	**Complications due to non-therapeutic medical and surgical procedures**	M	**2**	**5**	**5**	**3**	**4**	**6**	**6**	**1**	**6**	**7**	**5**
		F	**4**	**3**	**2**	**2**	**5**	**7**	**7**	**2**	**4**	**2**	**7**
E941	Postvaccinal encephalitis	M	1	3	1	1	1	1	3	1	3	2	2
		F	—	1	—	—	2	2	2	—	1	—	2
E944	Other complications of prophylactic inoculation	M	—	2	4	2	2	3	3	—	1	3	1
		F	1	1	1	1	2	1	2	—	1	1	1
E946	Other compli'ns due to non-therap: med: & surg: procs:	M	—	—	—	—	—	—	—	—	1	—	—
		F	1	—	1	—	—	2	—	1	2	—	—
E950-E959	**Therapeutic misadventure and late complications of therapeutic procedures**	M	**5**	**29**	**35**	**28**	**27**	**23**	**8**	**10**	**4**	**12**	**12**
		F	**8**	**26**	**29**	**28**	**23**	**28**	**5**	**8**	**3**	**8**	**9**
E950	Therapeutic misadventure in surgical treatment	M	2	13	32	23	22	17	4	5	1	5	2
		F	1	15	22	20	19	20	3	2	—	3	3

* E916, 80 male deaths which occurred in the Creswell Colliery disaster on the 26th September 1950, were registered in 1952, and are therefore included in the 1952 deaths for this cause.

† E916, E917, E924. See footnotes to these causes in Table 18A.

TABLE 7—*continued*

ICD No.	Causes of death		1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962
E951	Therapeutic misadventure in infusion or transfusion	M	—	4	—	1	—	1	1	1	—	1	3
		F	1	1	1	1	—	3	—	1	3	1	—
E952	Therapeutic misadventure in local applications	M	—	1	—	—	—	—	—	—	—	1	—
		F	1	—	—	1	1	—	1	1	—	—	—
E953	Therapeutic misadv: in admin: of drugs or biologicals	M	2	3	—	2	2	2	1	—	1	3	5
		F	1	5	3	—	—	2	1	4	—	1	4
E954	Therapeutic misadventure in anaethesia	M	—	1	—	—	—	—	—	—	—	1	1
		F	1	1	1	—	1	2	—	—	—	1	—
E955	Other and unspecified therapeutic misadventure	M	1	7	3	2	3	2	1	3	1	1	1
		F	3	4	2	2	2	—	—	—	—	2	1
E960-E965	**Late effects of injury and poisoning**	M	**188**	**179**	**154**	**184**	**153**	**159**	**154**	**155**	**136**	**142**	**138**
		F	**27**	**31**	**32**	**19**	**29**	**37**	**25**	**26**	**31**	**30**	**25**
E960	Late effect of motor vehicle accident	M	6	8	11	11	9	10	12	13	20	21	22
		F	2	1	2	—	4	2	3	5	6	7	5
E961	Late effect of accidental poisoning	M	—	1	—	1	—	1	1	1	1	1	—
		F	2	—	2	—	—	—	—	1	1	—	—
E962	Late effect of other accidental injury	M	79	76	64	66	44	48	70	63	57	69	73
		F	21	29	28	18	23	32	22	19	23	22	19
E965	Late effects of injury due to war operations	M	103	94	79	106	100	100	71	78	57	51	43
		F	2	1	—	1	2	2	—	1	—	—	—
E970-E979	**Suicide and self-inflicted injury**	M	**2,788**	**3,020**	**3,178**	**3,060**	**3,198**	**3,170**	**3,175**	**3,116**	**3,058**	**3,025**	**3,264**
		F	**1,550**	**1,734**	**1,865**	**1,940**	**2,084**	**2,145**	**2,123**	**2,091**	**2,054**	**2,175**	**2,324**
E970	Poisoning by analgesic and soporific substances	M	241	193	222	241	314	294	330	327	335	385	544
		F	295	254	312	354	388	401	445	451	504	634	761
E971	Poisoning by other solid and liquid substances	M	113	101	82	90	104	85	69	75	56	76	78
		F	62	79	51	42	54	55	33	46	48	36	58
E972	Poisoning by gases in domestic use	M	1,092	1,271	1,356	1,261	1,347	1,399	1,448	1,417	1,421	1,319	1,396
		F	780	942	1,072	1,073	1,183	1,202	1,189	1,177	1,078	1,060	1,073
E973	Poisoning by other gases	M	24	43	39	41	45	67	67	58	94	109	107
		F	3	3	5	2	8	5	7	6	8	10	10
E974	Injury by hanging and strangulation	M	531	531	612	573	562	553	485	438	417	456	465
		F	119	126	128	124	117	132	128	120	124	132	145
E975	Injury by submersion (drowning)	M	270	258	290	282	271	264	251	249	256	232	224
		F	189	216	178	206	213	211	205	197	182	177	172
E976	Injury by firearms and explosives	M	170	208	197	218	210	189	187	212	168	174	187
		F	4	11	6	10	9	14	8	8	9	12	5
E977	Injury by cutting and piercing instruments	M	155	195	160	162	138	130	131	119	107	97	71
		F	29	25	27	22	35	30	31	17	18	24	14
E978	Injury by jumping from high place	M	54	74	76	59	63	70	68	74	60	70	59
		F	38	47	51	57	43	58	38	41	43	36	35
E979	Injury by other and unspecified means	M	138	146	144	133	144	119	139	147	144	107	133
		F	31	31	35	50	34	37	39	28	40	54	51
E980-E985	**Homicide and injury purposely inflicted by other persons (not in war)**	M	**102**	**83**	**97**	**101**	**90**	**116**	**108**	**103**	**123**	**150**	**123**
		F	**93**	**98**	**104**	**84**	**91**	**127**	**102**	**142**	**108**	**105**	**138**
E980	Non-accidental poisoning by another person	M	17	10	14	13	21	24	11	9	11	12	16
		F	12	14	23	11	14	29	15	26	11	11	15
E981	Assault by firearm and explosive	M	10	9	15	6	10	14	4	7	9	14	14
		F	9	10	8	4	10	13	11	13	10	6	15
E982	Assault by cutting and piercing instruments	M	12	9	10	12	10	17	19	17	25	29	20
		F	18	18	16	17	15	19	14	22	20	26	21
E983	Assault by other means	M	40	43	44	59	49	59	70	64	75	88	70
		F	54	55	56	51	52	66	62	81	67	62	87
E985	Execution	M	23	12	14	11	—	2	4	6	3	7	3
		F	—	1	1	1	—	—	—	—	—	—	—
E990-E999	**Injury resulting from operations of war**	M	**2**	**1**	**1**	**5**	—	**2**	—	—	—	—	***5**
		F	—	—	—	—	—	—	—	—	—	—	—
E999	Inj: due to war ops: but occurring after cess'n: of hostilities	M	2	—	1	5	—	2	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—

* See footnote to page 42.

TABLE 7—*continued*

ICD No.	Causes of death		1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962
N800-N999	**XVII ALTERNATIVE CLASSIFICATION OF ACCIDENTS, POISONINGS, AND VIOLENCE (NATURE OF INJURY)**	M	**11,992**	**12,333**	**12,630**	**12,932**	**12,992**	**12,858**	**13,343**	**13,456**	**13,503**	**13,654**	**13,812**
		F	**6,810**	**7,531**	**8,239**	**8,537**	**8,878**	**8,703**	**9,113**	**9,379**	**9,619**	**9,660**	**10,085**
N800-N804	Fracture of skull	M	3,189	3,143	3,057	3,169	3,125	3,064	3,210	3,233	3,317	3,249	3,068
		F	847	855	877	910	972	903	952	1,017	1,136	1,090	1,047
N805-N809	Fracture of spine and trunk ..	M	677	716	759	766	793	782	855	855	888	873	855
		F	271	294	372	389	408	406	449	481	555	550	511
N810-N829	Fracture of limbs	M	808	957	1,191	1,127	1,243	1,205	1,166	1,157	1,142	1,151	1,165
		F	1,786	2,169	2,511	2,599	2,787	2,594	2,825	2,836	2,893	2,822	2,847
N830-N839	Dislocation without fracture ..	M	43	43	40	58	42	43	50	46	39	49	47
		F	19	13	24	30	23	25	27	22	21	21	21
N840-N848	Sprains and strains of joints and adjacent muscles ..	M	1	2	2	2	4	3	6	6	3	3	7
		F	2	1	1	2	—	3	4	1	4	1	5
N850-N856	Head injury (excluding skull fracture)	M	839	862	932	962	916	896	957	1,067	1,016	1,056	1,072
		F	361	360	429	446	432	446	400	495	486	536	526
N860-N869	Internal injury of chest, abdomen, and pelvis	M	955	854	885	934	933	937	1,057	1,150	1,158	1,235	1,206
		F	173	200	173	175	186	186	242	294	316	333	329
N870-N908	Laceration and open wounds ..	M	468	502	429	458	398	395	425	402	372	350	347
		F	109	89	107	108	94	96	104	104	129	133	98
N910-N929	Superficial injury, contusion & crushing with intact skin surface	M	34	40	42	59	54	48	46	43	42	18	38
		F	58	73	90	92	56	58	53	45	60	46	41
N930-N936	Effects of foreign body entering through orifice	M	275	247	289	291	281	265	278	246	265	292	320
		F	189	191	201	193	213	176	156	186	201	201	226
N940-N949	Burns	M	245	288	251	297	265	272	278	269	227	271	278
		F	492	393	480	475	464	406	437	444	402	359	485
N960-N979	Effects of poisons	M	2,042	2,155	2,271	2,287	2,458	2,509	2,603	2,614	2,667	2,697	3,079
		F	1,624	1,800	2,057	2,159	2,356	2,391	2,450	2,508	2,524	2,639	3,006
N950-N959 N980-N999	All other & unspecified effects of external causes	M	2,416	2,524	2,482	2,522	2,480	2,439	2,412	2,368	2,367	2,410	2,330
		F	879	1,093	917	959	887	1,013	1,014	946	892	929	943

TABLE 7—*continued.* Causes of death not included in the tabular series

006 Radiological evidence suggestive of active respiratory tuberculosis not classifiable elsewhere, —.
028 Latent syphilis, —.
031 Chronic gonococcal infection of genito-urinary system, 1952, 1M; 1954, 1M; 1958, 1M.
032 Gonococcal infection of joint, —.
033 Gonococcal infection of eye, —.
036 Chancroid, —.
037 Lymphogranuloma venereum, 1952, 1M; 1955, 1F; 1957, 1F; 1958, 1F; 1959, 1M; 1960, 1M, 1F.
038 Granuloma inguinale, venereal, 1954, 1M; 1961, 1M.
039 Other and unspecified venereal diseases, 1955, 1M, 1F; 1958, 1M; 1960, 1F.
043 Cholera, —.
047 Other protozoal dysentery, 1958, 1F.
058 Plague, 1962, 1M.
059 Tularaemia, —.
060 Leprosy, 1961, 1F.
071 Relapsing fever, —.
073 Yaws, —.
074 Other spirochaetal infections, 1952, 1M; 1953, 1F; 1955, 1M; 1957, 1F; 1958, 1M; 1960, 1F.
080·2 Acute poliomyelitis specified as non-paralytic, 1952, 2M.
090 Dengue, 1953, 1F.
091 Yellow fever, —.
094 Rabies, 1955, 1M; 1956, 1M.
095 Trachoma, 1952, 1M.
100 Louse-borne epidemic typhus, —.
101 Flea-borne endemic typhus (murine), —.
102 Brill's disease, not specified as louse- or flea-borne typhus, 1959, 1M.
103 Tabardillo (Mexican typhus), not specified as louse- or flea-borne, —.
104 Tick-borne typhus, —.
105 Mite-borne typhus, 1953, 1F.
106 Volhynian fever (trench fever), —.
107 Typhus, unspecified, —.
108 Other rickettsial diseases, 1960, 1M.
110 Vivax malaria (benign tertian), 1952, 1F; 1957, 1M; 1961, 1M.
111 Malariae malaria (quartan), —.
113 Ovale malaria, —.
114 Mixed malarial infections, —.
115 Blackwater fever, 1952, 1M.
117 Recurrent induced malaria, —.
120 Leishmaniasis, 1953, 1M; 1958, 1M; 1960, 1M.
121 Trypanosomiasis, 1954, 1M; 1957, 2M.
124 Other trematode infestation, 1954, 1M; 1961, 1F.
127 Filariasis, —.
128 Trichiniasis, 1953, 1M.
129 Ankylostomiasis, 1962, 1M.
130 Infestation with worms of other, mixed and unspecified type, 1953, 1M; 1954, 1M; 1955, 2M; 1962, 1M, 1F.
133 Coccidioidomycosis, —.
135 Scabies, 1952, 1M.
136 Pediculosis, 1955, 1F.
137 Other arthropod infestation, —.
240 Hay fever, 1952, 1M; 1955, 2F; 1956, 1M, 1F; 1958, 1F; 1960, 1F; 1961, 1M; 1962, 1M.
243 Urticaria, 1953, 1F; 1954, 1F; 1958, 1M.
244 Allergic eczema, 1954, 2M.
275 Ovarian dysfunction, 1956, 1F.
276 Testicular dysfunction, —.
312 Phobic reaction, 1957, 1M.
313 Obsessive-compulsive reaction, 1952, 3F; 1954, 2M; 1957, 1M; 1958, 1M; 1959, 2M; 1962, 1F.
315 Psychoneurosis with somatic symptoms (somatization reaction) affecting circulatory system, 1952, 1F; 1953, 1M, 1F; 1956, 1F; 1958, 1M, 1F.
320 Pathological personality, 1952, 1F; 1953, 1F; 1956, 4M, 1F; 1958, 1M, 2F; 1962, 1F.
321 Immature personality, 1960, 2F; 1961, 1F.
324 Primary childhood behaviour disorders, —.
326 Other and unspecified character, behaviour and intelligence disorders, 1956, 1F; 1960, 1F.
354 Migraine, 1952, 1M; 1953, 1M; 1956, 1F; 1957, 1F; 1959, 3F; 1961, 1M; 1962, 1M, 1F.
360 Facial paralysis, 1953, 1F; 1954, 1F; 1955, 1F; 1959, 1M; 1960, 1F; 1961, 1M; 1962, 1F.
362 Brachial neuritis, 1955, 2F.
369 Diseases of peripheral autonomic nervous system, 1956, 1F; 1957, 1M; 1958, 1M; 1960, 2F; 1961, 1M, 2F; 1962, 1M, 2F.
370 Conjunctivitis and ophthalmia, 1952, 2M; 1953, 4F; 1959, 1M; 1961, 1M.
371 Blepharitis, 1954, 1F; 1955, 1M; 1961, 1M.
373 Iritis, 1956, 1M; 1958, 1F.
374 Keratitis, 1955, 1F; 1960, 1M.
375 Choroiditis, 1962, 1F.
380 Refractive errors, 1953, 1M.
382 Corneal opacity, 1961, 1M; 1962, 3M, 1F.
383 Pterygium, —.
390 Otitis externa, 1952, 1M; 1953, 1M; 1959, 1M; 1961, 1M; 1962, 1M.
397 Deaf mutism, 1957, 1F.
398 Other deafness, 1953, 1F; 1954, 1F; 1957, 1F; 1959, 1F,
413 Diseases of pulmonary valve specified as rheumatic, —.
514 Deflected nasal septum, 1952, 1M; 1953, 1F; 1956 2M, 1F; 1957, 1F; 1958, 1M; 1959, 1M; 1960, 1M; 1961, 3M.
534 Toothache from unspecified cause, —.
535 Other diseases of teeth and supporting structures, 1952, 1M; 1958, 3M, 6F; 1959, 6M, 6F; 1960, 7M, 7F; 1961, 5M, 1F; 1962, 3M.
616 Sterility, male, 1960, 1M.
620 Chronic cystic disease of breast, 1952, 1F.
636 Sterility, female, 1952, 1F; 1955, 2F; 1956, 1F; 1958, 1F; 1961, 1F; 1962, 2F.
641 Other infections of genito-urinary tract during pregnancy, 1952, 3F; 1955, 2F; 1957, 2F; 1959, 1F; 1961, 2F.
647 Pregnancy with malposition of foetus in uterus, —.
676 Delivery with laceration of perineum, without mention of other laceration, —.
680 Puerperal urinary infection without other sepsis, 1960, 1F.
683 Pyrexia of unknown origin during the puerperium, 1953, 1F.
694 Acute lymphadenitis, 1954, 1M, 1F; 1959, 1F; 1961, 1F.
696 Infectious warts, 1952, 1F; 1953, 1F; 1958, 2M; 1962, 1M.
697 Molluscum contagiosum, —.
702 Occupational dermatitis, 1954, 1M; 1960, 1M; 1961, 1M.
707 Lichen planus, 1952, 1F; 1954, 1F; 1958, 2M; 1962, 1M.
709 Corns and callosities, 1952, 1M; 1953, 1M; 1954, 1M; 1955, 1M, 1F; 1957, 1M; 1958, 1M.
711 Other dermatoses, 1952, 1F; 1955, 1F; 1957, 2M; 1959, 1M; 1960, 1F.
712 Diseases of nail, 1952, 1F; 1953, 1M; 1954, 1M; 1956, 1M; 1957, 1M; 1958, 1F; 1960, 1F; 1961, 1M.
713 Diseases of hair and hair follicles, 1952, 1F; 1953, 1M; 1957, 1M; 1958, 1M, 1F.
721 Acute non-pyogenic arthritis, —.
722·2 Chronic rheumatoid nodular fibrositis, 1960, 1M, 1F.
732 Osteochondrosis, 1955, 1M; 1956, 1F; 1958, 1M; 1960, 1F; 1961, 1M, 1F.
734 Internal derangement of knee joint, 1952, 1M; 1957, 1F; 1960, 2M, 1F; 1961, 2M.
736 Affection of sacro-iliac joint, 1954, 1M; 1955, 1M.
742 Synovitis, bursitis and tenosynovitis, of occupational origin, —.
746 Flat foot, —.
765 Ophthalmia neonatorum, 1954, 1M, 2F; 1955, 1M, 1F; 1956, 3F; 1959, 2M; 1960, 1F.

TABLE 7—*continued.* Causes of death not included in the tabular series

781 Other symptoms referable to nervous system and special senses, 1953, 1M; 1954, 1F; 1955, 1F; 1958, 1M; 1960, 2M; 1961, 1M.

787 Symptoms referable to limbs and back, —.

791 Headache, —.

793 Observation, without need for further medical care, —.

E811 Motor vehicle traffic accident involving collision with streetcar, 1956, 1M; 1957, 1M.

E831 Motor vehicle nontraffic accident to pedal cyclist, 1955, 1M; 1956, 1M; 1957, 2M; 1959, 1M; 1960, 2M; 1961, 1M; 1962, 1M.

E858 Water transport accident of unspecified cause, 1952, 1M; 1954, 1F; 1955, 1M; 1957, 1M; 1958, 2M; 1962, 1M.

E862 Other injury in commercial "transport" aircraft, —.

E873 Accidental poisoning by bromides, 1952, 1M; 1954, 2M; 1956, 1F; 1957, 1F; 1959, 1M; 1960, 1M; 1961, 1M, 1F; 1962, 1M.

E875 Accidental poisoning by sulfonamides, 1953, 1M.

E879 Accidental poisoning by noxious foodstuffs, 1955, 1M; 1956, 1M; 1957, 1F; 1960, 1F.

E887 Accidental poisoning by fluorides, 1955, 1F; 1956, 1F.

E893 Accidental poisoning by cyanide gas, 1955, 1F; 1956, 1M; 1957, 1M; 1960, 1M; 1961, 5M; 1962, 1M.

E895 Accidental poisoning by unspecified gases and vapours, 1952, 2M; 1955, 1M; 1957, 1M; 1958, 2M; 1960, 1M; 1961, 4M; 1962, 1M.

E918 Accident caused by radiation, —.

E920 Foreign body entering the eye and adnexa, 1957, 1F.

E940 Generalized vaccinia following vaccination, 1952, 1M, 2F; 1956, 1M; 1957, 1M; 1958, 1F; 1959, 1F; 1960, 1M; 1961, 2M, 1F; 1962, 2M, 1F.

E942 Other complications of smallpox vaccination, 1953, 1F; 1957, 1M, 1F; 1958, 1F; 1962, 3F.

E943 Post-immunization jaundice and hepatitis, 1957, 1F,

E945 Complications of anaesthesia for nontherapeutic purpose, 1955, 1F; 1956, 1F; 1958, 1F.

E956 Late complication of surgical operation, 1955, 3F; 1957, 1F; 1962, 1F.

E957 Late complication of amputation stump, —

E958 Late complication of irradiation, 1958, 1M.

E959 Late complications of other forms of treatment, 1955, 1F; 1957, 1M; 1959, 1M; 1960, 1M.

E963 Late effect of self-inflicted injury, 1957, 1F; 1960, 1M; 1961, 1F; 1962, 1F.

E964 Late effect of injury purposely inflicted by another person (not in war), 1960, 1F.

E984 Injury by intervention of police, —.

E990 War injury by gas and chemicals, —.

E991 War injury by gunshot, —.

E992 War injury by grenade and land mine, —.

E993 War injury by bomb, —.

E994 War injury by marine mine, depth charge and torpedo,—

E995 War injury by explosion of artillery shell, 1953, 1M.

E996 War injury by explosion of undetermined origin, —

E997 War injury by aircraft destruction, 1962, *5M.

E998 War injury by other and unspecified means, —.

*E997. These deaths which occurred on the 11th November 1944 were registered in 1962, and are therefore included in the 1962 deaths.

TABLE 8. Crude death rates per million living from certain causes, by sex at all ages, 1952 to 1962 } **England and Wales**

Note. 1 Rates are based on total deaths and home populations. See explanatory notes.
2 Footnotes to individual causes in Table 7 apply also to those causes in this table.
3 The symbols M, F and P in the second column indicate " Males ", " Females ", and all " Persons " respectively.

ICD No.	Causes of death		1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962
	Estimated mid-year population (in thousands)	M	21,110	21,206	21,288	21,389	21,517	21,648	21,744	21,885	22,070	22,346	22,651
		F	22,845	22,903	22,986	23,052	23,150	23,259	23,365	23,501	23,685	23,820	24,018
		P	43,955	44,109	44,274	44,441	44,667	44,907	45,109	45,386	45,755	46,166	46,669
	ALL CAUSES	M	**12,210**	**12,237**	**12,204**	**12,482**	**12,451**	**12,306**	**12,447**	**12,332**	**12,196**	**12,565**	**12,589**
		F	**10,493**	**10,655**	**10,532**	**10,927**	**10,947**	**10,682**	**10,965**	**10,969**	**10,855**	**11,376**	**11,345**
		P	**11,318**	**11,416**	**11,336**	**11,675**	**11,672**	**11,465**	**11,679**	**11,626**	**11,502**	**11,951**	**11,949**
001-138	**I INFECTIVE AND PARASITIC DISEASES**	M	**432**	**379**	**332**	**292**	**248**	**230**	**209**	**189**	**170**	**164**	**153**
		F	**215**	**192**	**160**	**138**	**116**	**108**	**99**	**85**	**79**	**82**	**71**
		P	**320**	**282**	**243**	**212**	**180**	**166**	**152**	**135**	**123**	**122**	**111**
001–019	Tuberculosis (all forms)	M	337	281	253	212	177	158	147	128	113	108	101
		F	152	128	109	85	68	59	54	44	39	39	34
		P	241	202	178	146	120	107	99	85	75	72	66
001–008	Respiratory system	M	304	257	232	195	164	146	136	120	106	100	93
		F	128	108	92	72	57	47	45	36	32	32	28
		P	212	179	160	131	109	95	89	77	68	65	59
010–019	Other forms	M	33	24	21	17	13	12	12	9	7	7	8
		F	24	21	17	13	11	12	10	8	7	7	6
		P	28	22	19	15	12	12	11	8	7	7	7
010	Meninges and central nervous system	M	13	8	5	3	2	2	2	2	1	2	2
		F	11	7	4	3	2	3	2	2	1	1	1
		P	12	8	4	3	2	2	2	2	1	1	1
011	Intestines, peritoneum and mesenteric glands	M	3	3	2	2	2	1	1	*1*	*1*	1	*1*
		F	3	3	3	2	2	1	1	1	*1*	1	*1*
		P	3	3	2	2	2	1	1	1	1	1	1
012, 013	Bones and joints	M	5	3	4	3	2	2	2	2	1	2	2
		F	3	3	3	2	2	2	2	2	2	1	1
		P	4	3	3	3	2	2	2	2	2	1	1
016	Genito-urinary system	M	7	5	6	4	4	4	3	2	2	2	2
		F	3	3	3	2	3	2	2	2	1	2	1
		P	5	4	4	3	3	3	2	2	2	2	2
019	Disseminated tuberculosis	M	3	3	4	3	2	2	2	*1*	1	1	1
		F	3	2	3	2	2	2	1	*1*	1	1	1
		P	3	3	3	3	2	2	2	1	1	1	1
020–029	Syphilis and its sequelae	M	44	40	38	37	36	34	30	29	28	25	22
		F	19	16	17	16	16	15	17	14	14	14	13
		P	31	28	27	26	26	24	23	21	21	19	18
022	Aneurysm of aorta	M	16	15	14	16	15	17	14	13	14	13	13
		F	8	7	7	8	7	8	9	8	8	8	8
		P	12	11	11	11	11	12	12	11	11	10	11
023	Other cardiovascular syphilis	M	15	13	13	13	13	11	10	8	8	7	6
		F	6	6	5	5	5	4	4	3	3	4	3
		P	11	9	9	9	9	7	7	5	6	5	4
024	Tabes dorsalis	M	5	4	3	2	3	2	2	2	2	2	1
		F	1	1	1	1	*1*	1	*1*	1	*1*	*1*	*0*
		P	3	3	2	2	2	2	1	2	1	1	1
025	General paralysis of insane	M	4	4	4	4	3	2	3	3	3	2	1
		F	2	1	2	2	1	1	1	1	1	*1*	*1*
		P	3	3	3	3	2	2	2	2	2	1	1
026	Other syphilis of central nervous system	M	2	2	2	1	2	*1*	*1*	1	*1*	1	1
		F	1	1	1	*1*	*1*	*1*	1	*1*	*1*	*1*	*1*
		P	2	1	2	1	1	1	1	1	1	1	1
040–049	Infectious diseases commonly arising in intestinal tract	M	3	2	2	3	2	2	2	2	2	2	2
		F	2	2	1	2	2	2	2	2	2	1	1
		P	2	2	2	2	2	2	2	2	2	1	1
050–064	Other bacterial diseases	M	18	20	15	11	12	10	8	8	7	8	8
		F	16	17	13	9	9	9	7	6	5	6	5
		P	17	18	14	10	10	9	7	7	6	7	7
053	Septicaemia and pyaemia	M	2	3	3	2	3	2	2	2	2	3	3
		F	3	2	3	2	2	2	2	1	2	2	2
		P	2	3	3	2	2	2	2	2	2	2	2
056	Whooping cough	M	4	5	3	2	2	1	*1*	*1*	1	*1*	*1*
		F	4	6	3	2	2	2	*1*	*1*	*1*	*0*	*0*
		P	4	6	3	2	2	2	1	1	1	1	1

TABLE 8—*continued*

ICD No.	Causes of death		1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962
057	Meningococcal infections	M	8	8	6	5	5	4	3	4	2	3	4
		F	6	5	5	4	3	4	3	3	2	3	2
		P	7	7	6	5	4	4	3	4	2	3	3
080–096	Diseases attributable to viruses	M	25	32	19	25	18	23	17	17	16	19	15
		F	24	27	17	23	17	21	17	16	16	19	16
		P	25	29	18	24	18	22	17	17	16	19	15
080, 081	Acute poliomyelitis including late effects	M	8	10	4	8	4	8	4	2	1	3	1
		F	5	6	2	5	3	4	3	1	*1*	1	*1*
		P	7	8	3	6	3	6	3	2	1	2	1
082, 083	Acute infectious encephalitis including late effects	M	6	8	6	6	7	5	6	5	5	5	5
		F	6	6	6	5	5	4	4	4	5	4	4
		P	6	7	6	6	6	5	5	5	5	4	4
085	Measles	M	3	7	1	4	*1*	2	1	2	*1*	4	1
		F	3	4	1	4	*1*	2	1	2	*1*	3	*1*
		P	3	5	1	4	1	2	1	2	1	3	1
092	Infectious hepatitis	M	5	6	5	5	5	5	5	5	6	6	5
		F	6	7	7	7	7	7	6	6	7	7	7
		P	6	7	6	6	6	7	5	6	7	6	6
140-239	**II NEOPLASMS**	**M**	**2,189**	**2,206**	**2,260**	**2,287**	**2,309**	**2,346**	**2,358**	**2,391**	**2,419**	**2,419**	**2,441**
		F	**1,888**	**1,873**	**1,902**	**1,913**	**1,930**	**1,928**	**1,957**	**1,960**	**1,975**	**1,981**	**1,980**
		P	**2,033**	**2,033**	**2,074**	**2,093**	**2,112**	**2,130**	**2,150**	**2,168**	**2,189**	**2,193**	**2,204**
140–205	Cancer, including Hodgkin's disease, leukaemia and aleukaemia	M	2,152	2,166	2,223	2,252	2,274	2,312	2,333	2,366	2,391	2,392	2,416
		F	1,848	1,833	1,861	1,873	1,891	1,890	1,929	1,929	1,943	1,951	1,952
		P	1,994	1,993	2,035	2,055	2,076	2,094	2,124	2,140	2,159	2,164	2,177
140–200, 202, 203, 205	Cancer, excluding Hodgkin's disease, leukaemia and aleukaemia	M	2,077	2,090	2,146	2,171	2,194	2,225	2,252	2,281	2,302	2,304	2,331
		F	1,794	1,777	1,804	1,817	1,831	1,831	1,869	1,863	1,876	1,886	1,882
		P	1,930	1,928	1,969	1,988	2,005	2,021	2,054	2,065	2,081	2,089	2,100
140-148	Malignant neoplasm of buccal cavity and pharynx	M	70	66	71	66	57	58	58	57	51	48	47
		F	28	25	28	28	28	29	28	26	28	27	26
		P	48	45	49	47	42	43	43	41	39	37	36
140	Lip	M	5	5	5	5	4	4	4	3	3	4	3
		F	*1*	*0*	*1*	*1*	*1*	*0*	*0*	*0*	*1*	*0*	*0*
		P	3	3	3	3	2	2	2	2	2	2	1
141	Tongue	M	21	20	21	18	17	16	17	17	14	12	13
		F	6	6	6	7	7	7	6	6	6	6	5
		P	13	13	13	12	12	11	11	11	10	9	9
142	Salivary gland	M	5	4	4	4	4	4	4	3	3	4	3
		F	3	2	3	3	2	3	3	3	3	2	3
		P	4	3	3	3	3	3	4	3	3	3	3
143–148	Other or unspecified parts of buccal cavity and pharynx	M	39	37	42	39	33	35	34	34	30	28	28
		F	19	16	18	18	18	19	19	16	19	18	18
		P	28	26	30	28	25	27	26	25	25	23	23
150–159	Malignant neoplasm of digestive organs and peritoneum	M	953	931	918	906	887	894	880	875	862	852	842
		F	802	788	793	791	780	769	786	791	779	770	767
		P	875	857	853	846	831	829	831	832	819	809	803
150	Oesophagus	M	70	63	61	63	64	60	60	63	59	61	61
		F	37	38	40	41	41	41	42	41	43	44	44
		P	53	50	50	52	52	50	51	51	50	52	52
151	Stomach	M	381	378	367	371	358	367	365	362	356	348	341
		F	276	270	271	267	266	257	264	262	258	252	245
		P	327	322	317	317	311	310	313	310	305	299	291
152	Small intestine, including duodenum	M	5	5	5	5	5	4	5	5	5	6	5
		F	4	4	4	4	4	3	5	4	6	4	4
		P	5	5	4	5	5	4	5	5	5	5	5
153	Large intestine, except rectum	M	197	196	189	183	176	175	170	165	164	165	163
		F	247	241	237	239	235	232	232	236	230	229	228
		P	223	219	214	212	207	204	202	202	198	198	196
154	Rectum	M	161	153	156	148	146	143	144	140	137	131	130
		F	104	105	107	103	102	98	107	111	103	102	102
		P	132	128	131	125	124	120	125	125	120	116	116
155	Biliary passages and of liver (stated to be primary site)	M	24	22	24	22	23	25	27	28	26	27	27
		F	33	32	33	33	35	34	39	37	37	36	39
		P	28	27	29	27	29	29	33	32	32	32	33
156	Liver (secondary and unspecified)	M	28	26	24	22	21	23	13	13	14	14	14
		F	23	23	24	22	21	20	13	13	12	13	12
		P	25	24	24	22	21	22	13	13	13	13	13
157	Pancreas	M	81	81	83	85	85	87	91	95	94	93	93
		F	68	65	66	70	67	74	75	79	79	80	84
		P	74	73	74	77	76	80	83	87	87	86	88

TABLE 8—*continued*

ICD No.	Causes of death		1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962
158	Peritoneum	M	6	7	8	6	6	8	4	4	5	6	5
		F	10	10	9	10	8	10	7	7	8	7	8
		P	8	8	9	8	7	9	6	5	7	7	6
160–165	Malignant neoplasm of respiratory system	M	613	652	697	733	765	795	823	869	895	908	930
		F	112	112	116	121	124	128	132	136	145	153	158
		P	353	371	395	415	433	450	465	490	507	519	533
160	Nose, nasal cavities, middle ear and accessory sinuses	M	6	6	6	6	6	5	6	6	5	4	5
		F	4	4	5	4	4	4	4	4	5	4	5
		P	5	5	5	5	5	4	5	5	5	4	5
161	Larynx	M	36	35	31	32	31	31	30	29	31	29	28
		F	8	7	8	9	7	7	7	8	7	7	6
		P	21	21	19	20	19	19	18	18	18	18	17
162	Bronchus and trachea, and of lung specified as primary	M				445	471	496	526	559	582	598	614
		F				67	72	75	79	80	89	92	97
		P				249	264	278	294	311	327	337	348
163	Lung, unspecified as to whether primary or secondary	M	?	?	?	245	251	260	258	272	274	273	281
		F				38	38	40	40	43	43	49	49
		P				138	141	146	145	153	154	157	161
164	Mediastinum	M	5	5	4	4	3	3	3	3	2	3	1
		F	2	2	2	2	2	2	1	1	1	1	1
		P	4	3	3	3	2	2	2	2	2	2	1
170–181	Malignant neoplasm of breast and genito-urinary organs	M	281	284	295	298	309	304	313	306	313	312	327
		F	719	712	719	729	736	737	764	749	764	767	767
		P	509	506	515	522	530	528	546	535	546	547	553
170	Breast	M	3	4	4	4	3	3	3	3	3	4	3
		F	361	354	362	367	368	368	383	371	382	390	389
		P	189	186	190	192	192	192	200	193	199	203	202
171–174	Uterus	F	175	171	166	167	169	168	176	170	173	167	167
171	Cervix uteri	F	111	109	104	107	108	106	116	109	110	105	105
172	Corpus uteri	F	54	52	51	49	51	52	51	52	53	52	52
173, 174	Other and unspecified parts of uterus	F	11	11	11	10	11	11	10	10	10	10	10
175	Ovary, Fallopian tube and broad ligament	F	109	111	113	120	121	123	124	125	125	128	127
176	Other and unspecified female genital organs	F	21	21	21	21	21	22	22	23	23	21	22
177	Prostate	M	142	149	156	155	164	160	166	164	166	164	169
178	Testis	M	10	9	10	8	9	8	9	9	10	8	9
179	Other and unspecified male genital organs	M	7	6	6	8	7	6	6	7	5	7	6
180	Kidney	M	30	31	32	33	33	33	35	32	32	34	37
		F	21	19	20	18	20	19	22	20	22	22	21
		P	25	25	26	25	26	25	28	26	27	27	29
181	Bladder and other urinary organs	M	89	86	87	91	93	94	92	92	97	96	103
		F	32	35	37	37	37	37	37	41	39	39	40
		P	60	59	61	63	64	65	64	65	67	67	71
190–199	Malignant neoplasm of other and unspecified sites	M	126	123	128	132	138	135	135	130	134	139	139
		F	110	117	121	118	131	134	124	126	123	128	126
		P	118	120	124	125	135	135	129	128	128	134	132
190, 191	Skin	M	23	22	22	22	22	21	19	19	20	19	18
		F	21	20	20	21	19	22	19	19	19	19	19
		P	22	21	21	21	20	21	19	19	20	19	19
192	Eye	M	2	2	2	2	3	3	3	3	3	3	4
		F	3	2	3	2	2	2	3	3	3	3	3
		P	2	2	3	2	3	2	3	3	3	3	3
193	Brain and other parts of nervous system	M	39	38	39	42	41	41	50	48	50	51	50
		F	23	26	27	27	28	29	34	35	33	36	33
		P	31	32	33	34	35	35	42	41	41	43	41
194	Thyroid gland	M	5	4	5	4	5	4	4	5	5	4	5
		F	11	12	12	12	12	11	10	12	12	12	11
		P	8	8	8	8	9	8	7	8	8	8	8
195	Other endocrine glands	M	4	2	3	3	3	3	3	3	2	2	3
		F	2	2	2	2	2	2	2	2	2	2	2
		P	3	2	2	2	3	3	2	2	2	2	2
196	Bone	M	19	19	17	16	18	16	16	15	15	16	14
		F	14	13	14	12	13	12	13	11	11	11	11
		P	16	16	15	14	15	14	14	13	13	13	12

TABLE 8—*continued*

ICD No.	Causes of death		1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962
197	Connective tissue	M	6	4	6	5	6	6	5	5	5	6	6
		F	4	4	5	4	5	4	5	4	4	5	6
		P	5	4	5	5	5	5	5	4	4	5	6
198, 199	Other and unspecified sites	M	29	30	34	37	40	40	35	33	34	38	38
		F	31	38	40	40	50	51	39	40	39	42	42
		P	30	35	37	38	45	46	37	37	37	40	40
200–205	Neoplasms of lymphatic and haemato-poietic tissues	M	109	110	114	116	118	126	124	128	137	133	132
		F	76	79	84	86	91	93	95	102	104	106	108
		P	92	94	98	101	104	109	109	114	120	119	120
200	Lymphosarcoma and reticulosar-coma	M	21	21	22	22	21	22	24	25	27	26	27
		F	13	13	15	17	16	16	18	19	19	22	20
		P	17	17	18	19	19	19	21	22	23	24	23
201	Hodgkin's disease	M	23	23	23	23	24	27	22	25	23	24	24
		F	12	13	13	12	13	12	13	14	15	13	15
		P	17	18	18	18	18	19	17	19	19	18	19
202	Other forms of lymphoma (reticu-losis)	M	4	4	4	4	4	4	5	3	4	4	4
		F	2	3	3	2	3	3	4	3	3	4	3
		P	3	3	3	3	3	3	4	3	4	4	4
203	Multiple myeloma (plasmocytoma)	M	8	9	10	10	12	12	14	13	15	15	15
		F	8	7	9	11	12	14	12	13	15	15	15
		P	8	8	10	11	12	13	13	13	15	15	15
204	Leukaemia and aleukaemia	M	52	53	54	57	57	60	60	60	67	63	61
		F	41	44	44	43	47	47	46	52	51	52	55
		P	46	48	49	50	52	53	53	56	59	57	58
	0 Lymphatic leukaemia	M	13	13	14	14	13	16	12	13	14	14	14
		F	8	9	10	9	9	10	8	10	9	9	9
		P	11	11	12	12	11	12	10	11	12	12	12
	1 Myeloid leukaemia	M	12	12	12	13	14	14	11	11	10	11	11
		F	11	12	12	12	13	13	11	12	12	12	12
		P	11	12	12	13	13	13	11	12	11	12	11
	2–4 Other and unspecified leu-kaemia	M	27	27	28	29	30	31	37	36	43	38	37
		F	22	23	23	22	25	24	28	30	30	31	34
		P	24	25	25	26	27	27	32	33	36	34	35
210–229	Benign neoplasm	M	16	17	15	15	14	15	15	14	16	15	13
		F	26	24	26	25	24	24	21	22	23	20	20
		P	21	21	21	20	19	20	18	19	20	17	16
214	Uterine fibromyoma	F	6	5	5	4	4	4	3	4	3	2	2
216	Ovary	F	5	5	5	4	5	5	4	4	4	3	3
219	Kidney and other urinary organs	M	5	5	5	4	3	4	3	3	4	4	2
		F	1	1	1	1	1	2	1	2	1	1	1
		P	3	3	3	3	2	3	2	2	2	2	2
223	Brain and other parts of nervous system	M	5	7	6	6	6	6	6	6	6	6	6
		F	7	7	8	8	7	8	7	8	8	8	7
		P	6	7	7	7	6	7	7	7	7	7	6
230–239	Neoplasm of unspecified nature	M	21	22	22	20	20	19	10	10	12	12	12
		F	15	16	15	15	15	14	7	9	9	10	9
		P	18	19	18	17	18	17	8	10	10	11	10
237	Brain and other parts of nervous system	M	18	18	18	17	17	16	7	8	8	9	9
		F	11	13	12	12	13	12	4	7	7	7	7
		P	14	16	15	14	15	14	6	7	8	8	8
240–289	**III ALLERGIC, ENDOCRINE SYSTEM, METABOLIC AND NUTRITIONAL DISEASES**	M	**120**	**113**	**111**	**111**	**109**	**99**	**102**	**93**	**97**	**103**	**106**
		F	**185**	**176**	**172**	**178**	**174**	**169**	**170**	**163**	**174**	**183**	**185**
		P	**154**	**146**	**142**	**145**	**142**	**135**	**137**	**129**	**136**	**144**	**146**
240–245	Allergic disorders	M	48	46	42	42	38	33	29	25	24	25	27
		F	39	42	38	36	39	34	36	29	29	30	32
		P	43	44	40	39	38	34	32	27	26	28	30
241	Asthma	M	47	46	42	41	37	33	28	24	23	25	26
		F	38	42	38	36	39	34	36	29	28	30	32
		P	43	44	40	39	38	34	32	27	26	27	29
250–254	Diseases of thyroid gland	M	5	5	5	4	5	4	4	5	4	4	5
		F	30	23	27	28	26	25	25	26	27	28	29
		P	18	14	16	17	16	15	15	16	16	16	18
252	Thyrotoxicosis with or without goitre	M	3	3	2	2	2	3	2	3	2	2	3
		F	17	14	15	14	13	14	12	13	13	12	12
		P	10	9	9	8	8	8	7	8	8	7	7
253	Myxoedema and cretinism	M	1	1	1	1	2	1	2	2	2	2	2
		F	9	6	10	11	10	10	11	12	12	14	16
		P	5	4	6	6	6	5	6	7	7	8	9

TABLE 8—*continued*

ICD No.	Causes of death		1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962
260	Diabetes mellitus	M	52	50	49	51	51	47	53	50	54	60	59
		F	98	93	86	96	92	91	93	89	100	107	103
		P	76	72	68	74	73	70	73	70	78	84	82
270–277	Diseases of other endocrine glands	M	7	6	6	5	6	5	6	4	5	5	6
		F	9	8	9	7	6	7	6	6	6	6	6
		P	8	7	8	6	6	6	6	5	6	6	6
272	Diseases of pituitary gland	M	2	1	1	2	2	2	2	2	2	2	2
		F	3	3	3	3	3	3	2	2	2	2	2
		P	2	2	3	2	2	2	2	2	2	2	2
274	Diseases of adrenal glands	M	2	3	3	2	2	2	3	2	3	2	3
		F	5	3	3	2	2	2	2	2	2	2	3
		P	4	3	3	2	2	2	2	2	2	2	3
280–289	Avitaminoses, and other metabolic diseases	M	9	6	9	9	9	9	10	8	9	9	9
		F	9	10	11	11	10	11	11	12	11	13	14
		P	9	8	10	10	10	10	10	10	10	11	12
290–299	**IV DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS**	M	**40**	**36**	**38**	**37**	**33**	**34**	**34**	**35**	**35**	**34**	**34**
		F	**61**	**55**	**60**	**58**	**60**	**58**	**56**	**56**	**53**	**56**	**55**
		P	**51**	**46**	**50**	**48**	**47**	**47**	**45**	**46**	**44**	**46**	**45**
290	Pernicious and other hyperchromic anaemias	M	15	13	13	13	12	12	11	10	11	10	9
		F	29	26	28	27	28	27	25	25	22	23	21
		P	22	20	21	20	20	20	18	18	17	17	15
	0 Pernicious anaemia	M	13	12	12	11	10	10	10	9	9	8	8
		F	26	23	25	24	24	24	21	21	19	20	19
		P	20	17	18	18	18	17	16	15	14	14	13
	1 Subacute combined degeneration of spinal cord	M	2	1	*1*	1	*1*	*1*	*1*	*1*	*1*	*1*	*0*
		F	2	2	2	1	2	1	1	1	1	*1*	1
		P	2	1	1	1	1	1	1	1	1	1	1
291	Iron deficiency anaemias (hypo-chromic anaemias)	M	3	3	3	3	3	3	3	5	4	4	4
		F	6	7	8	7	8	8	8	9	9	11	9
		P	5	5	6	5	6	6	6	7	7	7	7
292	Other anaemias of specified type	M	9	9	10	10	9	8	9	9	9	9	9
		F	10	9	11	10	9	10	10	9	8	9	10
		P	9	9	10	10	9	9	9	9	8	9	9
	4 Aplastic anaemia	M	6	7	7	7	6	5	6	5	5	5	6
		F	8	6	8	6	6	6	6	5	4	5	5
		P	7	7	7	6	6	6	6	5	5	5	5
	0–3, 5–7 Other	M	2	2	3	3	3	3	3	4	4	4	4
		F	2	2	3	4	3	4	4	4	4	4	4
		P	2	2	3	3	3	4	4	4	4	4	4
293	Anaemia of unspecified type	M	2	2	2	2	2	2	2	2	3	3	3
		F	5	3	4	5	5	5	5	4	6	5	6
		P	3	3	3	3	3	4	4	3	4	4	4
300–326	**V MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS**	M	**23**	**20**	**22**	**20**	**17**	**16**	**16**	**17**	**18**	**18**	**20**
		F	**30**	**31**	**31**	**31**	**33**	**30**	**24**	**27**	**27**	**29**	**29**
		P	**26**	**25**	**26**	**26**	**25**	**23**	**20**	**22**	**23**	**23**	**25**
300–309	Psychoses	M	16	14	16	15	13	12	11	12	14	14	15
		F	23	25	27	25	28	25	20	22	23	24	24
		P	20	20	22	20	21	19	16	17	18	19	19
304	Senile psychosis	M	10	10	10	9	8	7	7	7	9	9	10
		F	17	18	20	18	22	19	15	16	16	18	18
		P	14	14	15	14	15	13	11	12	13	14	14
320–326	Disorders of character, behaviour, and intelligence	M	6	5	4	5	4	3	4	4	4	3	5
		F	5	4	3	4	4	3	3	3	3	3	4
		P	5	4	4	5	4	3	3	3	3	3	4
325	Mental deficiency	M	4	3	3	4	3	3	3	2	3	2	4
		F	4	3	2	4	3	3	2	2	2	2	3
		P	4	3	3	4	3	3	2	2	2	2	3
330–398	**VI DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS**	M	**1,514**	**1,485**	**1,554**	**1,588**	**1,567**	**1,536**	**1,560**	**1,535**	**1,524**	**1,517**	**1,521**
		F	**1,885**	**1,844**	**1,931**	**1,996**	**2,001**	**1,976**	**2,044**	**2,008**	**2,035**	**2,058**	**2,067**
		P	**1,707**	**1,671**	**1,750**	**1,800**	**1,792**	**1,764**	**1,811**	**1,780**	**1,789**	**1,796**	**1,802**
330–334	Vascular lesions affecting central nervous system	M	1,381	1,356	1,433	1,454	1,442	1,411	1,439	1,412	1,405	1,394	1,398
		F	1,761	1,716	1,811	1,868	1,877	1,854	1,921	1,883	1,909	1,925	1,941
		P	1,579	1,543	1,629	1,669	1,668	1,640	1,689	1,656	1,666	1,668	1,678
330	Subarachnoid haemorrhage	M	48	50	57	51	58	55	56	56	59	59	61
		F	71	71	76	81	82	82	87	82	90	88	96
		P	60	61	67	66	70	69	72	70	75	74	79
331	Cerebral haemorrhage	M	622	605	626	601	584	553	548	525	530	512	510
		F	822	798	819	808	786	748	761	714	731	706	713
		P	726	705	726	709	689	654	659	623	634	612	615

TABLE 8—*continued*

ICD No.	Causes of death		1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962
332	Cerebral embolism and thrombosis	M	619	609	648	693	687	689	711	701	691	685	680
		F	762	743	796	852	880	895	927	930	931	939	935
		P	694	679	725	775	787	795	823	820	815	816	812
333, 334	Spasm of cerebral arteries and other and ill-defined vascular lesions affecting central nervous system ..	M	92	92	103	109	113	114	125	129	125	138	147
		F	105	104	120	127	129	130	145	156	158	192	197
		P	99	99	112	118	122	122	135	143	142	165	173
340–345	Inflammatory diseases of central nervous system	M	31	31	31	34	30	34	32	31	32	31	31
		F	32	35	32	34	34	34	35	34	34	36	34
		P	31	33	31	34	32	34	33	33	33	33	33
340	Meningitis, except meningococcal and tuberculous	M	8	10	9	10	9	11	9	8	9	9	10
		F	6	7	6	6	7	6	6	6	7	7	8
		P	7	9	7	8	8	8	8	7	8	8	9
343	Encephalitis, myelitis, and encephalomyelitis (except acute infectious)	M	3	3	3	3	2	3	3	3	3	3	3
		F	2	2	2	3	3	3	2	2	2	2	2
		P	3	3	2	3	3	3	3	2	2	2	2
345	Multiple sclerosis	M	15	13	15	16	15	14	15	16	16	15	14
		F	20	22	21	22	21	22	23	23	23	23	22
		P	18	18	18	19	18	18	19	20	19	19	18
350–357	Other diseases of central nervous system	M	88	83	78	90	84	83	81	83	81	84	82
		F	84	84	80	87	83	82	83	85	84	91	87
		P	86	84	79	88	84	82	82	84	83	87	85
350	Paralysis agitans	M	32	31	28	36	31	32	32	33	32	31	31
		F	38	36	35	40	38	36	37	41	40	42	39
		P	35	34	32	38	35	34	34	37	36	37	35
351	Cerebral spastic infantile paralysis	M	3	3	3	3	4	3	3	3	3	3	3
		F	2	2	3	3	3	2	2	2	2	2	3
		P	3	2	3	3	3	3	2	3	3	2	3
352	Other cerebral paralysis	M	12	9	10	11	11	10	10	11	11	11	12
		F	11	12	11	13	13	13	13	13	13	16	14
		P	11	11	11	12	12	11	12	12	12	13	13
353	Epilepsy	M	22	19	16	19	18	17	16	16	15	17	16
		F	18	18	15	16	15	14	15	12	13	14	14
		P	20	19	15	17	16	15	16	14	14	15	15
355	Other diseases of brain	M	3	4	5	5	5	5	5	4	5	6	5
		F	4	5	4	4	5	5	5	5	5	6	7
		P	4	4	5	4	5	5	5	5	5	6	6
356	Motor neurone disease and muscular atrophy	M	15	14	14	14	14	15	14	14	14	14	14
		F	9	9	10	9	9	10	10	11	10	10	9
		P	12	12	12	12	11	12	12	13	12	12	12
	0 Progressive muscular atrophy ..	M	10	11	10	9	8	9	8	9	7	7	7
		F	6	6	7	7	6	6	6	6	6	5	5
		P	8	8	9	8	7	8	7	7	6	6	6
360–369	Diseases of nerves and peripheral ganglia	M	3	3	3	2	2	2	2	2	1	2	2
		F	2	2	2	2	2	1	1	1	3	1	2
		P	2	2	3	2	2	1	2	2	2	2	2
390–398	Diseases of ear and mastoid process	M	10	11	8	8	7	6	5	6	4	4	6
		F	5	5	5	4	3	3	2	2	3	3	2
		P	8	8	6	6	5	4	4	4	3	4	4
391	Otitis media without mention of mastoiditis	M	7	8	7	6	6	4	4	5	3	3	4
		F	4	4	4	3	3	2	2	2	2	2	2
		P	6	6	5	5	4	3	3	3	3	3	3
400–468	**VII DISEASES OF THE CIRCULATORY SYSTEM .. ..

TABLE 8—*continued*

ICD No.	Causes of death		1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962
442	Hypertensive heart disease with arteriolar nephrosclerosis	M	7	8	6	6	7	6	5	4	3	3	3
		F	8	8	7	8	6	6	6	5	4	4	3
		P	8	8	6	7	6	6	5	5	4	4	3
443	Other and unspecified hypertensive heart disease	M	231	235	252	256	252	238	223	200	200	190	177
		F	251	258	275	302	298	290	290	273	267	269	250
		P	242	247	264	280	276	265	258	238	235	231	215
444–447	Other hypertensive disease	M	193	199	190	185	175	165	162	149	142	130	115
		F	178	179	182	180	173	158	164	151	144	142	126
		P	185	189	186	183	174	162	163	150	143	136	120
444	Essential benign hypertension	M	134	132	132	127	122	115	111	99	94	91	78
		F	136	139	140	144	136	126	130	118	116	115	101
		P	135	136	136	136	129	121	121	109	105	103	90
445	Essential malignant hypertension	M	34	40	34	35	34	33	32	33	32	25	21
		F	19	18	20	14	16	16	17	16	15	12	11
		P	26	29	26	24	25	24	24	24	23	19	16
446	Hypertension with arteriolar nephrosclerosis	M	25	27	24	23	20	18	18	17	15	13	15
		F	22	22	22	21	20	17	17	17	14	14	15
		P	23	24	23	22	20	17	18	17	14	14	15
447	Other hypertensive disease without mention of heart	M	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*
		F	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*
		P	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*
450–456	Diseases of arteries	M	273	272	277	281	279	265	295	284	291	300	307
		F	261	266	267	293	289	278	307	314	330	351	356
		P	267	269	272	287	284	271	301	299	311	326	332
450	General arteriosclerosis	M	229	224	225	225	220	198	221	209	211	218	213
		F	227	233	228	251	242	231	253	261	269	290	285
		P	228	228	227	238	231	215	238	236	241	255	250
	0 Without mention of gangrene	M	200	197	197	198	193	177	197	187	185	195	187
		F	205	211	207	229	221	210	232	239	246	263	261
		P	203	204	202	214	207	194	215	214	217	230	225
	1 With mention of gangrene as a consequence	M	29	27	27	27	27	22	24	23	26	23	26
		F	22	22	21	22	21	21	21	22	23	27	24
		P	25	24	24	25	24	21	23	22	24	25	25
451	Aortic aneurysm, non-syphilitic, and dissecting aneurysm	M	32	34	40	43	47	52	60	60	65	66	77
		F	25	23	29	31	36	36	43	40	47	45	54
		P	28	28	34	37	41	44	51	50	55	55	65
452–456	Other diseases of arteries	M	12	13	13	13	13	14	14	15	16	17	17
		F	9	10	10	11	11	11	11	12	14	16	17
		P	10	12	11	12	12	12	12	13	15	16	17
460–468	Diseases of veins and other diseases of circulatory system	M	36	38	43	47	50	51	50	59	64	70	71
		F	51	55	59	64	72	70	76	80	88	101	101
		P	44	47	51	56	61	61	63	70	76	86	86
460	Varicose veins of lower extremities	M	4	2	2	2	3	2	2	3	3	3	3
		F	10	7	9	9	9	7	7	7	8	7	6
		P	7	5	6	6	6	5	5	5	5	5	5
463	Phlebitis and thrombo-phlebitis of lower extremities	M	7	6	5	7	7	6	6	6	6	6	6
		F	10	10	10	10	11	11	11	11	11	13	12
		P	8	8	7	8	9	9	8	9	9	9	9
465	Pulmonary embolism and infarction	M	15	18	19	22	21	22	22	29	32	34	35
		F	16	19	19	21	25	24	29	31	34	38	40
		P	15	18	19	21	23	23	26	30	33	36	37
466	Other venous embolism and thrombosis	M	7	9	12	12	15	17	15	17	19	22	23
		F	12	15	17	20	23	23	25	28	31	38	39
		P	10	12	15	16	19	20	20	22	25	30	31
470–527	**VIII DISEASES OF THE RESPIRATORY SYSTEM**	M	**1,514**	**1,735**	**1,460**	**1,654**	**1,677**	**1,753**	**1,703**	**1,862**	**1,578**	**1,941**	**1,895**
		F	**921**	**1,151**	**873**	**1,013**	**1,055**	**1,035**	**1,018**	**1,183**	**934**	**1,248**	**1,244**
		P	**1,206**	**1,432**	**1,155**	**1,321**	**1,355**	**1,381**	**1,348**	**1,510**	**1,245**	**1,584**	**1,560**
470–475	Acute upper respiratory infections	M	4	4	4	3	3	3	3	3	3	3	3
		F	4	4	4	3	3	3	3	3	2	3	2
		P	4	4	4	3	3	3	3	3	3	3	2
480–483	Influenza	M	42	137	41	68	59	164	56	178	25	156	67
		F	38	155	41	66	58	136	51	169	23	152	75
		P	40	147	41	67	59	150	53	173	24	154	71
480	Influenza with pneumonia	M	21	68	22	36	31	116	35	119	15	97	42
		F	19	77	19	34	28	96	30	108	14	93	46
		P	20	73	20	35	29	106	33	113	14	95	44
481	Influenza with other respiratory manifestations, and influenza unqualified	M	19	67	19	31	28	47	20	58	10	58	25
		F	18	77	20	31	30	38	20	60	9	57	28
		P	19	72	20	31	29	42	20	59	9	58	26
490–493, 763	Pneumonia	M	490	532	458	519	542	558	566	624	556	649	660
		F	404	455	397	465	499	494	525	583	541	649	697
		P	445	492	426	491	520	525	545	602	548	649	679

TABLE 8—*continued*

ICD No.	Causes of death		1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962
490	Lobar pneumonia (age 4 weeks and over)	M	103	103	88	93	92	87	80	81	74	84	84
		F	63	67	64	64	63	58	58	60	57	62	65
		P	82	84	76	78	77	72	69	70	65	72	74
491	Bronchopneumonia (age 4 weeks and over)	M	327	367	316	369	392	411	429	486	425	505	516
		F	295	346	296	361	396	394	428	477	441	539	584
		P	310	356	305	365	394	402	428	481	433	522	551
492	Primary atypical pneumonia (age 4 weeks and over)	M	4	3	4	3	4	7	5	6	6	8	8
		F	2	2	3	3	3	5	4	5	6	6	6
		P	3	3	4	3	4	6	4	6	6	7	7
493	Pneumonia, other and unspecified	M	31	33	28	31	31	33	29	30	30	33	31
		F	27	25	21	24	24	25	22	27	25	31	30
		P	29	29	24	27	28	29	25	29	27	32	31
763	Pneumonia of the newborn*	M	1·54	1·57	1·37	1·41	1·40	1·15	1·34	1·15	1·12	1·02	1·09
		F	1·16	1·01	0·88	0·93	0·89	0·81	0·90	1·84	0·74	0·71	0·72
		P	1·36	1·30	1·13	1·17	1·15	0·99	1·13	1·00	0·93	0·87	0·91
500–502	Bronchitis	M	842	923	806	903	924	876	935	923	861	994	1,031
		F	428	486	375	420	433	350	388	377	316	385	414
		P	627	696	582	652	670	603	652	640	579	679	713
500	Acute bronchitis	M	90	102	70	79	78	65	69	68	52	61	64
		F	92	110	75	82	87	62	68	67	49	63	66
		P	91	106	73	81	83	63	69	68	51	62	65
501	Bronchitis, unqualified	M	53	59	50	50	49	41	45	42	35	41	39
		F	49	52	45	46	49	36	43	40	30	39	41
		P	51	55	48	48	49	39	44	41	32	40	40
502	Chronic bronchitis	M	699	762	686	773	797	770	822	813	774	892	928
		F	288	324	255	292	297	251	277	270	237	283	307
		P	485	535	462	524	538	501	539	532	496	578	608
	0 Bronchitis with emphysema	M	287	320	307	372	389	394	428	421	408	459	473
		F	57	63	56	70	79	67	78	79	71	83	88
		P	168	187	177	215	228	225	247	244	233	265	275
	1 Other	M	413	442	379	401	408	376	393	391	366	433	454
		F	230	261	199	222	219	184	199	192	166	200	219
		P	318	348	285	308	310	277	293	288	263	313	333
510–527	Other diseases of respiratory system	M	161	166	174	183	171	172	167	156	154	158	156
		F	64	65	69	72	75	64	66	65	64	71	68
		P	111	114	119	126	121	116	114	109	107	113	111
518	Empyema	M	4	5	5	4	4	3	4	3	3	3	2
		F	2	3	2	2	2	2	2	2	2	1	1
		P	3	4	3	3	3	2	3	2	2	2	2
519	Pleurisy	M	3	3	2	2	3	1	1	1	2	2	2
		F	2	2	2	1	2	1	1	1	2	1	2
		P	2	2	2	2	2	1	1	1	2	2	2
522	Pulmonary congestion and hypostasis	M	10	7	12	12	12	8	9	9	11	10	11
		F	15	17	19	20	20	15	15	16	17	20	20
		P	13	12	16	16	16	11	12	13	14	15	16
523, 524	Silicosis, and occupational pulmonary fibrosis	M	27	28	31	34	32	36	34	30	30	32	30
		F	*0*	*0*	*0*	*0*	*1*	*0*	*1*	*1*	*1*	*1*	1
		P	13	13	15	17	16	18	17	15	15	16	15
525	Other chronic interstitial pneumonia	M	9	8	8	9	9	8	9	8	9	10	10
		F	4	3	4	4	3	4	5	5	4	5	5
		P	6	6	6	7	6	6	7	6	6	7	7
526	Bronchiectasis	M	67	68	66	69	59	60	55	52	48	48	45
		F	28	27	29	31	31	29	26	25	23	26	24
		P	46	47	47	49	45	44	40	38	35	37	34
527	Other diseases of lung and pleural cavity	M	36	40	42	46	47	49	49	47	46	46	49
		F	9	10	9	10	13	10	12	12	11	13	12
		P	22	25	25	27	29	29	30	29	28	29	30
	1 Emphysema without mention of bronchitis	M	34	38	39	43	43	45	46	43	42	43	45
		F	7	8	7	8	10	8	9	9	9	9	10
		P	20	22	22	25	26	26	27	26	25	25	27
530–587	**IX DISEASES OF THE DIGESTIVE SYSTEM**	M	**438**	**417**	**421**	**418**	**398**	**385**	**378**	**354**	**363**	**356**	**354**
		F	**308**	**305**	**310**	**315**	**310**	**301**	**297**	**305**	**313**	**314**	**314**
		P	**370**	**359**	**363**	**365**	**352**	**342**	**336**	**328**	**337**	**334**	**333**
530–539	Diseases of buccal cavity and oesophagus	M	5	6	6	6	4	6	5	4	5	5	5
		F	6	5	7	6	6	6	6	6	6	6	7
		P	6	6	6	6	5	6	6	5	6	6	6
540–545	Diseases of stomach and duodenum	M	201	188	197	194	184	171	163	148	151	139	144
		F	64	64	70	72	72	67	67	67	69	65	70
		P	130	123	131	131	126	117	114	106	108	101	106

* 763. Rates per 1,000 live births (related live births prior to 1957; live birth occurrences from 1957).

(88065)

TABLE 8—*continued*

ICD No.	Causes of death		1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962
540	Ulcer of stomach	M	93	86	88	87	84	77	74	66	67	62	62
		F	40	39	40	42	43	41	40	41	42	39	41
		P	65	61	63	64	63	58	57	53	54	50	51
	0 Without mention of perforation	M	65	62	64	63	61	56	55	50	51	47	44
		F	30	30	30	32	34	31	33	33	32	31	32
		P	47	45	46	47	47	43	43	41	41	39	38
	1 With perforation	M	28	24	24	24	23	21	19	16	17	15	17
		F	9	9	9	10	10	10	7	8	10	8	9
		P	18	16	17	17	16	15	13	12	13	12	13
541	Ulcer of duodenum	M	99	93	100	99	92	88	84	75	76	70	75
		F	18	20	24	25	24	22	23	22	23	22	26
		P	57	55	61	60	57	54	52	47	49	45	50
	0 Without mention of perforation	M	64	59	63	62	59	55	52	48	47	45	49
		F	11	12	14	15	15	13	13	13	14	13	15
		P	36	35	38	37	36	33	32	30	30	28	31
	1 With perforation	M	35	34	38	37	33	33	31	27	29	25	26
		F	7	8	10	10	9	8	9	9	9	9	11
		P	21	20	23	23	21	20	20	18	19	17	18
550–553	Appendicitis	M	28	26	26	23	24	23	21	20	17	16	15
		F	20	16	18	16	14	13	14	12	11	12	11
		P	24	21	22	19	19	18	18	15	14	14	13
550	Acute appendicitis	M	24	22	21	19	20	19	18	17	14	14	13
		F	16	13	15	13	11	11	12	9	9	10	9
		P	20	17	18	16	15	15	15	13	12	12	11
	0 Without mention of peritonitis	M	4	3	3	3	3	3	3	2	2	2	2
		F	2	2	2	2	2	1	2	1	1	2	1
		P	3	3	3	2	3	2	2	2	2	2	1
	1 With peritonitis	M	21	19	18	16	16	16	15	14	12	11	12
		F	14	11	13	11	9	10	10	8	8	8	8
		P	17	15	15	14	13	13	13	11	10	10	10
551–553	Other and unqualified appendicitis	M	4	4	4	3	5	4	3	3	3	3	2
		F	4	2	3	3	3	2	2	2	2	2	2
		P	4	3	4	3	4	3	3	2	2	2	2
560, 561	Hernia of abdominal cavity	M	39	36	36	39	36	36	33	32	32	33	33
		F	37	36	35	35	37	35	32	36	32	35	35
		P	38	36	35	37	37	35	32	34	32	34	34
560	Hernia of abdominal cavity without mention of obstruction	M	9	9	9	10	9	10	9	10	10	10	10
		F	6	6	7	7	8	7	8	9	8	10	10
		P	8	7	8	8	8	8	8	9	9	10	10
561	Hernia of abdominal cavity with obstruction	M	30	27	27	29	27	26	24	22	22	24	22
		F	31	29	28	28	30	28	24	27	24	25	25
		P	30	28	27	28	28	27	24	25	23	24	24
570–578	Other diseases of intestines and peritoneum	M	95	94	88	88	83	83	86	83	88	90	87
		F	96	96	90	94	93	95	95	97	105	109	106
		P	96	95	89	91	88	89	90	90	97	100	97
570	Intestinal obstruction without mention of hernia	M	36	34	33	31	33	31	32	32	34	35	31
		F	31	30	28	31	31	28	31	31	35	35	35
		P	34	32	30	31	32	30	31	32	35	35	33
	2 Mesenteric infarction	M	9	9	10	8	9	9	9	9	11	12	11
		F	8	8	8	9	9	10	10	12	14	14	14
		P	8	8	9	8	9	9	10	11	12	13	13
	3 Volvulus	M	11	9	9	9	10	9	8	10	8	9	7
		F	7	8	6	7	8	6	7	7	7	6	7
		P	9	8	7	8	9	8	7	8	7	7	7
	4 Impaction of intestine	M	1	1	2	2	2	1	1	*1*	2	1	2
		F	3	3	3	4	3	2	2	2	2	3	3
		P	2	2	3	3	3	2	2	1	2	2	2
	5 Other	M	11	11	9	10	9	10	11	11	12	10	9
		F	11	10	8	9	9	8	10	9	11	11	11
		P	11	10	9	9	9	9	10	10	11	10	10
571	Gastro-enteritis and colitis except ulcerative (age 4 weeks and over) ..	M	28	26	20	21	17	16	17	16	17	18	20
		F	25	24	20	19	16	17	15	16	19	20	20
		P	26	25	20	20	16	17	16	16	18	19	20
	0 Ages between 4 weeks and 2 years*	M	593	574	406	409	266	278	243	252	285	280	335
		F	444	411	313	287	195	197	163	163	196	230	273
		P	519	494	361	350	231	239	204	209	242	256	305
	1 Ages 2 years and over	M	9	8	7	9	8	7	9	8	8	8	8
		F	12	12	11	12	11	11	10	11	13	13	11
		P	11	10	9	10	10	9	10	10	10	11	10

* 571·0 Rates per million population aged under 2 years.

TABLE 8—*continued*

ICD No.	Causes of death		1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962
572	Chronic enteritis and ulcerative colitis	M	20	22	24	25	23	25	27	26	27	27	26
		F	30	31	32	33	36	38	41	41	42	43	40
		P	25	27	28	29	30	32	34	34	35	35	33
	1 Diverticulitis	M	11	12	15	15	13	15	17	17	18	18	16
		F	15	17	18	20	21	24	26	29	29	31	28
		P	13	15	17	17	17	20	22	23	23	25	22
	2 Ulcerative colitis	M	7	8	6	8	8	8	8	7	8	7	7
		F	13	12	13	11	13	12	12	10	11	10	10
		P	10	10	10	10	10	10	10	9	9	8	9
573–578	Other diseases of intestines and peritoneum	M	11	12	11	11	10	11	10	8	10	11	10
		F	10	11	10	11	10	11	9	9	10	10	11
		P	11	11	10	11	10	11	9	9	10	10	10
580–587	Diseases of liver, gallbladder and pancreas	M	69	68	69	69	66	67	70	67	71	72	70
		F	85	89	90	92	87	87	83	87	88	88	85
		P	77	79	80	81	77	77	77	77	80	80	77
581	Cirrhosis of liver	M	31	31	30	29	29	31	30	28	31	33	31
		F	21	22	23	24	23	23	23	25	25	27	25
		P	26	26	26	26	26	27	26	27	28	30	28
584	Cholelithiasis	M	11	11	13	13	13	11	13	13	11	10	11
		F	25	27	26	26	25	25	23	23	22	21	19
		P	18	19	19	20	19	18	18	18	16	15	15
585	Cholecystitis and cholangitis, without mention of calculi	M	9	10	9	9	9	8	9	8	7	8	7
		F	19	19	20	19	18	17	16	16	17	16	14
		P	14	14	15	14	13	13	13	12	12	12	10
587	Diseases of pancreas	M	12	10	11	13	11	11	14	13	15	15	15
		F	12	13	13	16	15	15	14	16	16	15	17
		P	12	12	12	14	13	13	14	14	15	15	16
	0 Acute pancreatitis	M	7	6	8	8	7	6	8	8	9	9	10
		F	8	10	10	11	10	10	9	10	10	11	12
		P	8	8	9	9	8	8	9	9	10	10	11
590–637	**X DISEASES OF THE GENITO-URINARY SYSTEM .. ..**	**M**	**406**	**388**	**393**	**370**	**361**	**339**	**327**	**315**	**309**	**293**	**278**
		F	**179**	**171**	**170**	**169**	**163**	**158**	**157**	**156**	**157**	**162**	**163**
		P	**288**	**276**	**277**	**265**	**258**	**245**	**239**	**233**	**230**	**225**	**219**
590–594	Nephritis and nephrosis	M	137	128	124	114	119	104	99	88	91	84	78
		F	122	111	107	100	92	84	82	75	72	69	69
		P	130	119	115	107	105	93	90	81	81	76	73
590	Acute nephritis	M	6	7	5	5	6	4	4	3	4	3	3
		F	4	4	4	2	3	3	3	2	3	3	2
		P	5	5	5	3	4	3	3	3	4	3	3
591	Nephritis with oedema	M	9	9	8	9	10	9	9	7	7	5	6
		F	6	6	6	8	7	6	5	5	5	4	4
		P	8	7	7	8	8	8	7	6	6	5	5
592	Chronic nephritis	M	112	102	101	90	93	80	76	69	69	64	56
		F	103	94	89	82	75	68	67	60	57	54	53
		P	107	98	94	86	84	74	72	64	63	59	54
593	Nephritis not specified as acute or chronic	M	9	9	9	10	10	10	9	9	10	10	12
		F	8	7	7	7	6	6	6	8	7	8	10
		P	9	8	8	8	8	8	8	8	8	9	11
600–609	Other diseases of urinary system ..	M	55	59	60	59	59	62	59	62	66	68	69
		F	45	47	53	60	62	65	66	73	77	85	86
		P	50	53	57	59	60	64	62	68	72	77	78
600	Infections of kidney	M	24	26	27	28	30	33	33	37	41	43	44
		F	25	28	32	38	39	43	43	52	54	64	65
		P	25	27	30	33	35	38	38	45	48	54	55
	0 Pyelitis, pyelocystitis and pyelonephritis	M	22	25	26	27	29	32	32	36	39	42	42
		F	24	27	31	36	38	42	42	50	53	63	65
		P	23	26	28	32	34	37	37	43	46	53	54
602	Calculi of kidney and ureter ..	M	7	7	8	7	6	6	6	6	6	6	6
		F	6	6	6	7	7	7	6	6	6	5	6
		P	7	7	7	7	6	7	6	6	6	6	6
605	Cystitis	M	8	8	8	7	7	5	7	6	6	5	5
		F	7	7	8	8	8	8	9	8	8	8	7
		P	7	8	8	7	7	7	8	7	7	6	6
608	Stricture of urethra	M	5	4	6	5	5	4	2	3	2	2	2
		F	*0*	—	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*	—
		P	3	2	3	2	2	2	1	1	1	1	1
610–617	Diseases of male genital organs ..	M	213	202	209	196	183	173	169	164	152	142	131
610	Hyperplasia of prostate	M	206	197	204	191	79	168	165	160	148	138	128
611	Prostatitis	M	5	4	3	4	2	3	3	3	2	2	2

(88065) C2

TABLE 8—*continued*

ICD No.	Causes of death		1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962
620–626	Diseases of breast, ovary, Fallopian tube, and parametrium	M	—	—	—	—	—	—	—	*0*	*0*	—	—
		F	3	3	2	3	2	2	1	2	1	2	2
		P	1	1	1	1	1	1	1	1	1	1	1
630–637	Diseases of uterus and other female genital organs	F	9	10	8	7	7	7	8	6	6	6	6
631	Uterovaginal prolapse	F	6	6	4	4	5	5	5	4	4	3	3
640–689	**XI DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM .. ..**	**F**	**0·67**	**0·71**	**0·65**	**0·59**	**0·52**	**0·45**	**0·43**	**0·38**	**0·39**	**0·33**	**0·35**
640–649	Deliveries and complications of pregnancy, childbirth and the puerperium, excl. abortion	F	0·54	0·60	0·54	0·50	0·42	0·37	0·35	0·32	0·31	0·27	0·28
660–689													
640–648	Complications of pregnancy	F	0·22	0·27	0·20	0·20	0·20	0·15	0·14	0·13	0·12	0·10	0·12
642	Toxaemias of pregnancy	F	0·16	0·19	0·13	0·12	0·11	0·10	0·08	0·07	0·07	0·06	0·06
645	Ectopic pregnancy	F	0·03	0·05	0·03	0·03	0·03	0·03	*0·02*	*0·02*	*0·02*	0·01	0·03
650–652	Abortion	F	10	8	8	7	8	7	7	5	7	6	6
650	Without mention of sepsis or toxaemia	F	3	3	4	3	3	3	3	*2*	3	*2*	3
651	With sepsis	F	5	4	3	4	4	4	4	3	4	4	3
652	With toxaemia, without mention of sepsis	F	*1*	*1*	*1*	*0*	*1*	*0*	*0*	*0*	*1*	*0*	*0*
670–678	Delivery with specified complication	F	0·19	0·21	0·21	0·17	0·13	0·12	0·12	0·11	0·13	0·11	0·10
670	Placenta praevia or antepartum haemorrhage	F	*0·02*	0·05	0·04	0·03	0·03	0·03	*0·02*	*0·02*	0·03	0·02	*0·02*
671, 672	Retained placenta, and other postpartum haemorrhage	F	0·06	0·07	0·06	0·06	0·03	0·03	0·04	0·03	*0·02*	0·03	0·02
673–675	Abnormality of bony pelvis, disproportion or malposition of foetus, and prolonged labour of other origin	F	0·05	0·04	0·05	0·05	0·05	0·04	0·03	*0·02*	0·03	*0·02*	0·02
680–689	Complications of the puerperium ..	F	0·12	0·12	0·11	0·13	0·09	0·08	0·08	0·08	0·05	0·05	0·06
681	Sepsis of childbirth and the puerperium	F	*0·01*	*0·02*	*0·02*	*0·02*	*0·01*	*0·02*	*0·01*	*0·02*	*0·01*	*0·00*	*0·01*
682	Puerperal phlebitis and thrombosis	F	0·04	0·04	0·06	0·05	0·04	0·03	0·03	*0·02*	*0·02*	0·03	*0·03*
684	Puerperal pulmonary embolism ..	F	0·04	0·03	*0·02*	0·03	*0·01*	*0·01*	*0·02*	*0·01*	*0·01*	*0·00*	*0·01*
685	Puerperal eclampsia	F	*0·02*	*0·01*	*0·01*	*0·01*	*0·01*	*0·01*	*0·01*	*0·01*	*0·00*	*0·01*	*0·00*
690–716	**XII DISEASES OF THE SKIN AND CELLULAR TISSUE .. ..**	**M**	**12**	**13**	**11**	**9**	**9**	**9**	**9**	**8**	**8**	**9**	**7**
		F	**16**	**16**	**14**	**14**	**13**	**11**	**12**	**12**	**12**	**13**	**10**
		P	**14**	**14**	**12**	**11**	**11**	**10**	**11**	**10**	**10**	**11**	**9**
690–698	Infections of skin and subcutaneous tissue	M	4	5	4	4	3	3	4	4	3	4	3
		F	5	5	4	4	4	3	4	4	4	4	4
		P	5	5	4	4	4	3	4	4	3	4	3
700–716	Other diseases of skin and subcutaneous tissue	M	7	9	6	4	5	6	5	4	4	5	4
		F	11	10	10	10	9	7	8	8	9	9	7
		P	9	10	8	7	7	7	7	6	7	7	6
720–749	**XIII DISEASES OF THE BONES AND ORGANS OF MOVEMENT**	**M**	**25**	**27**	**29**	**29**	**29**	**27**	**28**	**28**	**30**	**30**	**30**
		F	**42**	**43**	**50**	**59**	**53**	**53**	**56**	**57**	**56**	**58**	**58**
		P	**34**	**35**	**40**	**44**	**42**	**40**	**43**	**43**	**44**	**44**	**44**
720–727	Arthritis and rheumatism except rheumatic fever	M	12	14	17	16	16	14	16	16	18	16	16
		F	32	34	39	47	41	40	44	44	45	44	44
		P	22	24	28	32	29	28	30	30	32	30	30
722	Rheumatoid arthritis and allied conditions	M	7	9	10	10	10	8	10	10	11	11	10
		F	24	24	30	35	31	30	32	32	34	32	33
		P	16	17	20	23	21	20	22	21	23	22	22
	0 Rheumatoid arthritis	M	6	8	9	9	9	8	9	10	10	10	9
		F	24	24	30	35	31	30	32	32	33	32	33
		P	15	17	20	23	21	19	21	21	22	21	21
723	Osteo-arthritis (arthrosis) and allied conditions	M	3	4	5	5	6	5	5	5	5	4	5
		F	7	7	8	10	9	9	10	10	10	11	10
		P	5	6	7	8	7	7	7	8	8	7	7
	0 Osteo-arthritis (arthrosis) ..	M	2	3	4	4	4	4	4	3	3	3	3
		F	6	7	7	9	8	8	8	9	9	9	8
		P	4	5	5	7	6	6	6	6	6	6	6
730–738	Osteomyelitis and other diseases of bone and joint	M	8	8	8	8	7	7	6	7	7	7	7
		F	6	6	8	8	8	8	8	8	8	9	8
		P	7	7	8	8	8	8	7	8	7	8	8
730	Osteomyelitis and periostitis ..	M	2	3	2	2	2	2	2	2	2	1	1
		F	1	1	2	1	2	2	1	1	1	*1*	*0*
		P	2	2	2	2	2	2	2	1	1	1	1
731	Osteitis deformans	M	4	4	4	4	4	4	3	3	3	4	3
		F	3	3	3	4	4	4	4	3	4	3	4
		P	4	3	4	4	4	4	4	3	3	4	4

* Rates per 1,000 total (live and still) births.
† Rates per million women aged 15–44 years

TABLE 8—*continued*

ICD No.	Causes of death		1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962
740–749	Other diseases of musculoskeletal system	M	6	5	5	5	5	5	6	5	6	7	7
		F	3	3	4	4	4	4	4	4	3	5	5
		P	4	4	4	5	5	5	5	5	4	6	6
750–759	**XIV CONGENITAL MALFORMATIONS .. ..**	**M**	**110**	**104**	**110**	**114**	**113**	**120**	**119**	**114**	**122**	**120**	**125**
		F	**93**	**89**	**93**	**92**	**92**	**101**	**98**	**102**	**102**	**106**	**108**
		P	**101**	**97**	**101**	**103**	**102**	**110**	**108**	**108**	**112**	**113**	**116**
750	Monstrosity	M	3	2	2	2	3	3	3	2	4	3	3
		F	3	3	3	3	3	4	5	5	5	5	5
		P	3	2	3	3	3	3	4	4	4	4	4
751	Spina bifida and meningocele ..	M	14	13	15	16	16	15	16	14	13	12	11
		F	19	17	21	21	20	20	20	17	17	17	15
		P	16	15	18	18	18	18	18	16	15	14	13
752	Congenital hydrocephalus	M	9	8	9	9	10	9	9	11	11	12	10
		F	9	9	10	10	10	10	10	12	13	13	13
		P	9	8	10	9	10	9	10	11	12	12	12
753	Other congenital malformations of nervous system and sense organs ..	M	3	2	3	2	2	4	3	3	4	3	3
		F	2	3	3	3	3	3	3	3	3	3	3
		P	2	2	3	3	3	3	3	3	4	3	3
754	Congenital malformations of circulatory system	M	42	43	45	47	47	52	52	50	53	54	59
		F	35	34	33	33	34	39	37	39	43	44	45
		P	39	39	39	40	40	45	44	45	47	49	52
756	Congenital malformations of digestive system	M	16	15	14	14	13	14	13	13	13	13	14
		F	9	9	8	7	7	7	8	8	7	8	8
		P	12	12	11	10	10	10	10	10	10	10	11
757	Congenital malformations of genito-urinary system	M	13	12	12	13	12	13	12	11	14	12	14
		F	8	7	8	8	8	10	8	10	8	9	8
		P	10	10	10	10	10	11	10	10	11	10	11
760–776*	**XV CERTAIN DISEASES OF EARLY INFANCY† .. ..**	**M**	**17·24**	**16·56**	**16·39**	**15·87**	**15·55**	**15·08**	**14·75**	**14·28**	**14·10**	**13·95**	**13·58**
		F	**12·54**	**12·19**	**11·54**	**11·48**	**11·16**	**10·86**	**10·56**	**10·49**	**10·04**	**9·97**	**9·42**
		P	**14·96**	**14·43**	**14·03**	**13·74**	**13·43**	**13·03**	**12·71**	**12·44**	**12·13**	**12·02**	**11·56**
780–795	**XVI SYMPTOMS, SENILITY AND ILL-DEFINED CONDITIONS ..**	**M**	**155**	**145**	**156**	**173**	**162**	**136**	**137**	**124**	**110**	**110**	**101**
		F	**227**	**231**	**250**	**272**	**260**	**224**	**225**	**217**	**206**	**205**	**186**
		P	**192**	**190**	**205**	**224**	**213**	**181**	**183**	**172**	**160**	**159**	**145**
780–789	Symptoms referable to systems or organs	M	7	7	7	7	6	5	4	3	4	5	4
		F	6	7	5	6	6	5	4	3	4	5	3
		P	7	7	6	6	6	5	4	3	4	5	4
790–795	Senility and ill-defined diseases ..	M	148	138	149	166	156	130	133	121	106	105	97
		F	221	224	245	266	254	219	221	214	202	200	183
		P	186	183	199	218	207	176	179	169	156	154	141
794	Senility without mention of psychosis	M	145	135	145	162	152	127	130	118	103	101	94
		F	219	222	243	265	252	216	220	211	199	198	180
		P	183	180	196	215	204	173	176	166	153	151	138
E800–E999	**XVII ACCIDENTS, POISONINGS AND VIOLENCE (EXTERNAL CAUSE) .. ..**	**M**	**568**	**582**	**593**	**605**	**604**	**594**	**614**	**615**	**612**	**611**	**610**
		F	**298**	**329**	**358**	**370**	**383**	**374**	**390**	**399**	**406**	**406**	**420**
		P	**428**	**450**	**471**	**483**	**490**	**480**	**498**	**503**	**505**	**505**	**512**
E800–E802	Railway accidents	M	18	16	12	13	14	13	14	11	10	11	9
		F	3	*1*	1	1	2	1	2	1	1	1	1
		P	10	8	6	7	7	7	8	6	5	6	5
E810–E835	Motor vehicle accidents	M	149	158	161	171	174	170	186	202	215	213	200
		F	42	45	51	55	56	53	60	69	80	79	74
		P	94	99	104	111	113	109	121	132	145	144	135
E812	To pedestrian	M	52	56	56	57	59	56	61	59	67	68	63
		F	29	29	35	35	36	32	39	42	50	47	45
		P	40	42	45	46	47	44	49	50	58	57	54
E813	To pedal cyclist	M	21	22	21	20	21	20	21	24	22	22	18
		F	3	3	3	4	3	3	2	4	4	3	3
		P	12	12	12	12	12	11	11	14	12	12	10
E815	To rider or pass'r of m/cycle in collision with other motor vehicle	M	31	32	33	37	35	34	40	45	48	41	37
		F	2	2	2	3	2	3	3	3	4	4	3
		P	16	17	17	19	18	18	21	23	25	22	19
E816	Other m: v: traffic acc. involv'g two or more motor vehicles	M	9	13	14	18	20	17	25	29	30	33	35
		F	3	4	5	7	7	7	9	11	12	16	14
		P	6	9	9	12	13	12	16	19	20	24	24
E821	To rider of motor cycle without antecedent collision	M	13	13	14	15	15	18	15	18	19	18	14
		F	1	1	1	1	1	1	2	2	2	2	1
		P	7	7	8	8	8	9	8	10	10	10	7

* For details of causes 760–776, see Table 12.
† Rates per 1,000 live births (related live births prior to 1957; live birth occurrences from 1957).

TABLE 8—*continued*

ICD No.	Causes of death		1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962
E823	Involving running off roadway ..	M	5	5	6	8	9	11	11	12	16	16	18
		F	1	1	2	2	3	2	3	3	4	4	5
		P	3	3	4	5	6	6	7	8	10	10	11
E840–E845	Other road vehicle accidents	M	11	9	9	9	7	8	7	5	5	4	4
		F	3	3	3	2	2	2	3	2	2	2	2
		P	7	6	6	6	4	5	5	4	3	3	3
E843	Acc. to rider of p: cycle not involving collision with motor vehicle ..	M	6	5	6	6	5	6	5	4	4	3	3
		F	1	1	1	*1*	*0*	1	*1*	1	*1*	*0*	*0*
		P	4	3	3	3	2	3	3	2	2	2	2
E850–E858	Water transport accidents	M	6	7	6	6	7	7	6	7	8	8	7
		F	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*1*	*0*
		P	3	3	3	3	3	4	3	3	4	4	4
E860–E866	Aircraft accidents	M	14	9	10	6	6	7	8	3	2	2	3
		F	1	*0*	*0*	*0*	*0*	*1*	1	*0*	*0*	*0*	*0*
		P	7	4	5	3	3	3	4	2	1	1	2
E870–E888	Accidental poisoning by solid and liquid substances	M	7	6	7	7	8	8	7	8	9	10	11
		F	6	7	7	7	8	8	8	8	11	10	13
		P	7	7	7	7	8	8	8	8	10	10	12
E871	Barbituric acid and derivatives ..	M	3	4	3	4	4	4	4	4	5	6	8
		F	3	4	5	5	6	5	5	6	8	7	9
		P	3	4	4	4	5	5	5	5	6	7	8
E870, E872–E888	Remainder, accidental poisoning by solid and liquid substances ..	M	4	2	4	4	3	4	3	4	4	4	4
		F	3	3	2	2	3	3	3	3	3	3	4
		P	4	3	3	3	3	3	3	3	3	3	4
E890–E895	Accidental poisoning by gases and vapours	M	12	15	15	18	17	17	20	20	21	20	25
		F	13	14	17	21	20	20	22	24	24	24	29
		P	12	15	16	19	18	19	21	22	22	22	27
E890	Utility (illuminating) gas	M	10	13	13	15	14	14	17	17	19	17	21
		F	13	14	17	20	19	19	21	23	23	23	28
		P	11	13	15	18	17	17	19	20	21	20	25
E900–E904	Accidental falls	M	79	84	99	94	99	92	92	96	86	85	89
		F	105	123	141	144	149	142	149	151	150	146	145
		P	93	104	121	120	125	118	122	124	119	116	118
E910–E936	Other accidents	M	125	121	110	122	112	112	115	108	104	110	105
		F	50	53	50	50	50	47	48	48	46	45	51
		P	86	86	79	84	80	78	80	77	74	76	77
E910	Blow from falling or projected object or missile	M	17	16	14	14	13	14	15	12	13	11	10
		F	*1*	*1*	*1*	*1*	1	*0*	*1*	*1*	*1*	*1*	*1*
		P	9	8	7	7	7	7	7	6	6	6	5
E912	Caused by machinery	M	9	8	8	11	11	11	12	10	9	11	10
		F	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*
		P	4	4	4	6	5	6	6	5	5	5	5
E914	Caused by electric current	M	4	4	4	4	5	5	5	4	4	5	4
		F	*1*	1	1	*1*	*1*	*1*	1	1	1	1	*1*
		P	3	3	2	2	3	3	3	3	3	3	2
E916	Caused by fire and explosion of combustible material	M	*13	10	10	12	11	11	10	12	10	13	14
		F	19	16	19	19	19	17	17	18	17	16	21
		P	16	13	15	16	15	14	14	15	14	15	17
E917	Caused by hot substance, corrosive liquid, and steam	M	3	3	3	3	3	2	3	2	2	3	2
		F	3	2	3	3	3	2	3	3	2	2	2
		P	3	3	3	3	3	2	3	3	2	2	2
E921–E925	Accidental mechanical obstruction or suffocation	M	22	19	23	22	21	18	19	17	18	19	21
		F	13	13	13	12	13	11	10	11	11	11	13
		P	17	16	18	17	17	14	14	14	14	15	17
E921	Inhalation and ingestion of food causing obstr: or suffocation ..	M	11	10	12	12	12	11	10	10	10	12	12
		F	7	7	8	7	8	7	6	7	8	8	9
		P	9	8	10	10	10	9	8	8	9	10	10
E924	Acc. mechanical suffocation in bed and cradle	M	7	6	6	6	5	4	5	4	3	3	4
		F	4	4	4	3	4	3	3	3	2	2	3
		P	6	5	5	4	5	4	4	3	3	3	4
E929	Accidental drowning and submersion	M	34	34	30	35	30	32	32	33	31	30	26
		F	8	8	8	10	8	10	9	9	8	8	8
		P	20	21	19	22	18	21	20	21	19	19	17
E960–E965	Late effects of injury and poisoning	M	9	8	7	9	7	7	7	7	6	6	6
		F	1	1	1	1	1	2	1	1	1	1	1
		P	5	5	4	5	4	4	4	4	4	4	3
E970–E979	Suicide and self-inflicted injury ..	M	132	142	149	143	149	146	146	142	139	135	144
		F	68	76	81	84	90	92	91	89	87	91	97
		P	99	108	114	113	118	118	117	115	112	113	120

* E916. See footnote to this cause in Table 7.

TABLE 8—*continued*

ICD No.	Causes of death		1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962
E970	Poisoning by analgesic and soporific substances	M	11	9	10	11	15	14	15	15	15	17	24
		F	13	11	14	15	17	17	19	19	21	27	32
		P	12	10	12	13	16	15	17	17	18	22	28
E971	Poisoning by other solid and liquid substances	M	5	5	4	4	5	4	3	3	3	3	3
		F	3	3	2	2	2	2	1	2	2	2	2
		P	4	4	3	3	4	3	2	3	2	2	3
E972	Poisoning by gases in domestic use	M	52	60	64	59	63	65	67	65	64	59	62
		F	34	41	47	47	51	52	51	50	46	45	45
		P	43	50	55	53	57	58	58	57	55	52	53
E974	Hanging and strangulation ..	M	25	25	29	27	26	26	22	20	19	20	21
		F	5	6	6	5	5	6	5	5	5	6	6
		P	15	15	17	16	15	15	14	12	12	13	13
E975	Submersion (drowning)	M	13	12	14	13	13	12	12	11	12	10	10
		F	8	9	8	9	9	9	9	8	8	7	7
		P	10	11	11	11	11	11	10	10	10	9	8
E976	Firearms and explosives	M	8	10	9	10	10	9	9	10	8	8	8
		F	*0*	*0*	*0*	*0*	*0*	*1*	*0*	*0*	*0*	*1*	*0*
		P	4	5	5	5	5	5	4	5	4	4	4
E977	Cutting and piercing instruments ..	M	7	9	8	8	6	6	6	5	5	4	3
		F	1	1	1	1	2	1	1	*1*	*1*	1	*1*
		P	4	5	4	4	4	4	4	3	3	3	2
E978	Jumping from high place	M	3	3	4	3	3	3	3	3	3	3	3
		F	2	2	2	2	2	2	2	2	2	2	1
		P	2	3	3	3	2	3	2	3	2	2	2
E979	Other and unspecified means ..	M	7	7	7	6	7	5	6	7	7	5	6
		F	1	1	2	2	1	2	2	1	2	2	2
		P	4	4	4	4	4	3	4	4	4	3	4
E980–E985	Homicide and injury purposely inflicted by other persons (not in war)	M	5	4	5	5	4	5	5	5	6	7	5
		F	4	4	5	4	4	5	4	6	5	4	6
		P	4	4	5	4	4	5	5	5	5	6	6
N800–N999	**NXVII ALTERNATIVE CLASSIFICATION OF ACCIDENTS, POISONINGS, AND VIOLENCE (NATURE OF INJURY)**	**M**	**568**	**582**	**593**	**605**	**604**	**594**	**614**	**615**	**612**	**611**	**610**
		F	**298**	**329**	**358**	**370**	**383**	**374**	**390**	**399**	**406**	**406**	**420**
		P	**428**	**450**	**471**	**483**	**490**	**480**	**498**	**503**	**505**	**505**	**512**
N800-N804	Fracture of skull	M	151	148	144	148	145	142	148	148	150	145	135
		F	37	37	38	39	42	39	41	43	48	46	44
		P	92	91	89	92	92	88	92	94	97	94	88
N805-N809	Fracture of spine and trunk	M	32	34	36	36	37	36	39	39	40	39	38
		F	12	13	16	17	18	17	19	20	23	23	21
		P	22	23	26	26	27	26	29	29	32	31	29
N810-N829	Fracture of limbs	M	38	45	56	53	58	56	54	53	52	52	51
		F	78	95	109	113	120	112	121	121	122	118	119
		P	59	71	84	84	90	85	88	88	88	86	86
N830-N839	Dislocation without fracture	M	2	2	2	3	2	2	2	2	2	2	2
		F	*1*	*1*	1	1	1	1	1	1	1	1	1
		P	1	1	1	2	1	2	2	1	1	2	1
N840-N848	Sprains and strains of joints and adjacent muscles	M	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*
		F	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*
		P	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*
N850-N856	Head injury (excluding skull fracture)	M	40	41	44	45	43	41	44	49	46	47	47
		F	16	16	19	19	19	19	17	21	21	23	22
		P	27	28	31	32	30	30	30	34	33	34	34
N860-N869	Internal injury of chest, abdomen and pelvis	M	45	40	42	44	43	43	49	53	52	55	53
		F	8	9	8	8	8	8	10	13	13	14	14
		P	26	24	24	25	25	25	29	32	32	34	33
N870-N908	Laceration and open wounds ..	M	22	24	20	21	18	18	20	18	17	16	15
		F	5	4	5	5	4	4	4	4	5	6	4
		P	13	13	12	13	11	11	12	11	11	10	10
N910-N929	Superficial injury, contusion and crushing with intact skin surface ..	M	2	2	2	3	3	2	2	2	2	*1*	2
		F	3	3	4	4	2	2	2	2	3	2	2
		P	2	3	3	3	2	2	2	2	2	1	2
N930-N936	Effects of foreign body entering through orifice	M	13	12	14	14	13	12	13	11	12	13	14
		F	8	8	9	8	9	8	7	8	8	8	9
		P	11	10	11	11	11	10	10	10	10	11	12
N940-N949	Burns	M	12	14	12	14	12	13	13	12	10	12	12
		F	22	17	21	21	20	17	19	19	17	15	20
		P	17	15	17	17	16	15	16	16	14	14	16
N960-N979	Effects of poisons	M	97	102	107	107	114	116	120	119	121	121	136
		F	71	79	89	94	102	103	105	107	107	111	125
		P	83	90	98	100	108	109	112	113	113	116	130
N950-N959, N980-N999	All other and unspecified effects of external causes	M	114	119	117	118	115	113	111	108	107	108	103
		F	38	48	40	42	38	44	43	40	38	39	39
		P	75	82	77	78	75	77	76	73	71	72	70

TABLE 9. Standardised Mortality Ratios (base years 1950–1952) by sex for certain causes of death, 1952 to 1962 } England and Wales

Note. 1 The S.M.R. shows the number of deaths registered in each of the years to which the table refers as a percentage of the numbers which would have been expected in those years had the sex/age mortality of a standard period (1950–1952) been experienced in those years. For years to 1957 inclusive causes of death were classified according to the sixth (1948) revision of the International Statistical Classification; from 1958 the seventh (1955) revision has been used, necessary adjustments being made for the standard period to make the figures comparable with those for other years.

2 Footnotes to Table 7 for individual causes apply also to this table.

3 See explanatory notes.

ICD No.	Causes of death		1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962
	ALL CAUSES	**M**	**96**	**96**	**95**	**97**	**96**	**94**	**95**	**94**	**92**	**95**	**96**
		F	**93**	**94**	**91**	**93**	**92**	**88**	**90**	**89**	**87**	**90**	**89**
		P	**95**	**95**	**93**	**95**	**94**	**91**	**92**	**91**	**89**	**92**	**92**
001–138	Infective and parasitic diseases	M	83	73	64	56	48	44	40	36	33	32	29
		F	76	68	57	49	42	39	36	31	28	30	26
001–019	Tuberculosis, all forms	M	82	69	62	52	43	38	36	31	27	26	24
		F	72	61	52	41	33	28	26	21	19	19	16
001–008	Tuberculosis, respiratory	M	83	70	63	53	44	39	36	32	28	27	25
		F	72	61	52	41	32	27	26	21	19	19	16
010–019	Tuberculosis, other forms	M	80	60	52	42	31	30	29	21	18	18	19
		F	73	62	50	38	33	34	29	24	21	21	16
020–029	Syphilis and its sequelae	M	92	83	79	77	74	70	62	58	57	50	45
		F	99	84	87	80	82	73	82	69	66	70	63
053	Septicaemia and pyaemia	M	69	105	86	58	88	58	68	57	69	91	91
		F	106	86	109	64	65	63	58	51	46	61	69
057	Meningococcal infections	M	105	112	94	72	74	63	47	63	29	40	53
		F	100	98	95	79	63	70	57	47	37	47	36
080, 081	Acute poliomyelitis, including late effects	M	74	87	35	68	32	69	34	22	13	23	10
		F	65	72	27	60	33	50	40	19	8	12	10
082, 083	Acute infectious encephalitis, including late effects	M	83	107	83	82	87	71	76	73	70	62	63
		F	88	89	79	68	68	58	60	56	70	58	56
092	Infectious hepatitis	M	90	97	83	88	87	89	81	87	101	88	80
		F	106	116	107	111	108	119	92	98	112	114	109
140–239	Neoplasms	M	101	102	103	104	104	105	105	106	107	107	108
		F	99	97	98	97	97	96	97	96	96	96	95
140–205	Malignant neoplasms including neoplasms of lymphatic and haematopoietic tissues	M	101	102	103	104	105	106	106	107	108	108	109
		F	99	98	98	98	97	96	97	97	97	96	96
140–148	Buccal cavity and pharynx	M	95	90	95	89	76	77	77	75	66	63	61
		F	101	87	97	97	96	97	94	87	92	88	86
150–159	Digestive organs and peritoneum	M	99	96	94	92	90	90	88	87	85	84	84
		F	98	95	94	93	90	88	88	88	86	84	83
150	Oesophagus	M	98	88	85	88	88	82	81	85	79	82	83
		F	99	99	104	106	104	103	104	99	102	106	104
151	Stomach	M	99	98	95	95	91	93	92	91	88	87	85
		F	97	93	92	90	89	84	85	83	81	79	76
153	Large intestine, except rectum	M	97	97	93	89	86	84	81	79	78	79	78
		F	98	95	92	91	89	86	85	85	82	81	80
154	Rectum	M	95	90	91	86	84	82	82	79	77	74	74
		F	96	96	96	91	90	84	91	93	86	84	84
157	Pancreas	M	105	104	105	108	107	108	113	117	115	114	114
		F	105	99	100	105	98	107	107	111	111	111	116
160–165	Respiratory system	M	106	112	119	124	129	133	136	143	146	148	152
		F	104	102	105	108	111	113	115	118	125	131	135
162, 163	Lung, bronchus and trachea	M	107	114	122	128	133	138	142	149	153	156	160
		F	105	104	107	111	115	118	121	124	132	140	145
170–181	Breast and genito-urinary organs	M	101	102	104	105	109	106	108	106	108	108	113
		F	100	98	98	99	99	98	100	98	99	99	99
170	Breast	M	94	128	125	119	105	105	109	92	92	117	113
		F	101	99	100	100	100	99	101	97	100	102	101
171	Cervix uteri	F	97	94	90	92	91	89	96	90	90	86	86
172	Corpus uteri	F	102	98	95	91	92	93	90	91	92	91	90
175	Ovary, Fallopian tube, and broad ligament	F	98	100	101	106	106	107	106	107	107	109	109

TABLE 9—*continued*

ICD No.	Causes of death		1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962
177	Prostate	M	98	103	107	105	111	107	111	109	110	109	113
180	Kidney	M	104	106	108	112	110	109	117	107	106	111	123
		F	110	103	104	95	103	95	109	98	109	107	103
181	Bladder and other urinary organs	M	105	101	101	106	108	108	105	104	109	108	116
		F	97	103	107	106	105	104	101	110	106	104	107
190–199	Other and unspecified sites	M	102	98	101	104	108	104	103	99	102	106	106
		F	101	106	108	105	114	115	107	108	104	109	107
190	Malignant melanoma of skin	M	107	123	133	150	150	130	112	143	147	135	147
		F	119	111	122	139	117	157	130	138	139	143	153
193	Brain and other parts of nervous system	M	111	107	109	117	114	114	136	131	136	139	138
		F	102	114	120	117	125	126	149	153	146	156	143
194	Thyroid gland	M	114	99	107	101	119	93	95	102	103	97	108
		F	101	101	101	100	100	95	87	98	94	95	92
196	Bone, including jaw bone	M	91	90	81	78	86	77	77	71	72	73	67
		F	100	91	95	79	89	83	86	75	71	72	70
200–205	Neoplasms of lymphatic and haematopoietic tissues	M	108	109	112	114	116	123	121	124	133	129	128
		F	104	109	115	117	123	125	126	135	138	140	142
201	Hodgkin's disease	M	106	106	107	106	108	124	100	114	106	112	112
		F	103	106	105	104	112	104	113	118	125	108	122
204	Leukaemia and aleukaemia	M	107	108	110	117	116	122	121	121	134	126	123
		F	103	109	110	107	115	115	113	125	124	125	131
210–229	Benign neoplasm	M	93	98	87	87	80	85	82	81	90	81	70
		F	94	89	95	89	85	85	76	79	81	71	69
230–239	Neoplasm of unspecified nature	M	92	97	94	84	86	80	43	43	49	52	51
		F	85	89	85	84	85	80	37	49	51	53	49
240–289	Allergic endocrine system, metabolic and nutritional diseases	M	91	86	83	82	79	71	71	65	67	71	73
		F	90	86	82	84	82	78	79	75	80	84	84
240–245	Allergic disorders	M	86	83	75	74	67	59	50	43	41	44	46
		F	83	90	81	76	81	71	74	60	58	61	65
250–254	Diseases of thyroid gland	M	91	91	85	81	84	74	80	93	80	72	94
		F	89	68	79	81	74	72	71	74	76	77	80
252	Thyrotoxicosis, with or without goitre	M	90	95	75	72	71	82	55	75	54	56	84
		F	85	67	72	67	62	64	57	59	61	55	53
260	Diabetes mellitus	M	92	89	87	89	90	81	92	87	93	103	102
		F	92	86	78	86	82	80	80	77	85	90	87
270–277	Diseases of other endocrine glands	M	96	95	93	79	85	76	91	65	79	77	85
		F	102	94	97	75	70	74	62	66	70	66	69
290–299	Diseases of the blood and blood forming organs	M	99	90	95	92	81	84	85	86	87	85	85
		F	92	82	88	85	86	82	80	79	74	79	76
290	Pernicious and other hyperchromic anaemias	M	86	75	73	73	67	66	62	57	62	53	50
		F	85	74	79	76	77	72	66	65	57	59	55
300–326	Mental, psychoneurotic and personality disorders	M	97	84	92	87	74	67	66	70	76	73	85
		F	87	90	89	87	92	83	66	74	72	76	78
330–398	Diseases of the nervous system and sense organs	M	101	99	102	104	102	99	101	99	98	98	98
		F	100	96	99	101	99	96	99	96	96	96	96
330–334	Vascular lesions affecting central nervous system	M	102	99	104	105	104	100	102	100	99	99	99
		F	101	97	100	101	100	97	99	96	96	96	97
340–345	Inflammatory diseases of central nervous system	M	91	94	94	101	92	103	92	90	92	88	88
		F	92	102	93	99	101	99	100	97	98	101	98
345	Multiple sclerosis	M	94	84	94	102	92	90	95	98	99	95	86
		F	94	103	97	100	97	98	105	107	103	106	99
350–357	Other diseases of central nervous system	M	95	89	83	95	89	87	86	88	86	89	87
		F	92	91	85	93	87	85	86	88	85	92	87
350	Paralysis agitans	M	99	96	87	112	96	96	96	101	95	95	94
		F	99	93	89	100	95	87	89	96	93	97	90
353	Epilepsy	M	98	87	72	86	82	79	75	72	68	80	75
		F	95	97	81	86	79	73	78	64	70	73	73
356	Motor neurone disease and muscular atrophy	M	102	96	97	92	92	96	90	92	91	89	89
		F	98	104	105	103	93	102	105	117	100	100	99
390–398	Diseases of ear and mastoid process	M	87	90	70	68	60	49	40	54	36	35	46
		F	81	77	75	68	55	47	39	38	41	47	33

(88065) C*

TABLE 9—*continued*

ICD No.	Causes of death		1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962
400–468	Diseases of circulatory system	M	97	95	97	98	99	95	98	94	96	98	100
		F	93	92	90	92	91	86	89	85	86	88	87
400–402	Rheumatic fever	M	76	74	78	53	52	39	35	31	30	27	30
		F	77	69	61	47	43	39	25	25	25	19	17
410–416	Chronic rheumatic heart disease	M	88	84	78	74	75	72	62	59	58	60	58
		F	86	83	82	79	76	75	70	65	65	68	66
420–422	Arteriosclerotic and degenerative heart disease	M	98	95	97	99	99	95	100	96	99	100	104
		F	93	91	89	90	88	82	86	82	83	84	84
420	Arteriosclerotic heart disease, including coronary disease	M	105	104	112	116	121	122	129	128	137	140	149
		F	103	103	108	115	119	119	129	130	138	144	151
421	Chronic endocarditis not specified as rheumatic	M	104	99	113	105	104	112	105	93	103	97	101
		F	112	105	112	102	100	116	107	105	107	111	109
422	Other myocardial degeneration	M	90	84	80	79	75	65	65	57	53	52	49
		F	88	85	79	78	74	64	66	60	57	56	53
430–434	Other diseases of heart	M	106	115	128	131	133	145	143	137	144	152	150
		F	103	109	110	117	124	131	144	141	145	158	155
440–443	Hypertension with mention of heart disease	M	74	75	79	80	79	74	69	61	61	58	54
		F	75	76	79	85	83	79	78	73	70	70	64
444–447	Hypertension without mention of heart	M	147	149	143	140	131	121	121	112	105	97	86
		F	147	147	148	147	136	125	122	111	104	102	90
450–456	Diseases of arteries	M	96	95	95	96	95	88	99	95	97	101	104
		F	95	95	93	100	96	90	97	98	101	106	107
460–468	Diseases of veins and other diseases of circulatory system	M	96	103	115	124	133	134	129	152	164	180	183
		F	100	108	113	121	135	130	139	147	160	182	182
470–527	Diseases of the respiratory system	M	87	100	83	94	95	98	96	104	88	108	106
		F	77	96	71	81	83	80	79	91	71	94	93
480–483	Influenza	M	26	85	25	42	36	99	34	107	15	93	40
		F	23	91	23	37	33	74	27	90	12	79	39
490–493, 763	Pneumonia (including newborn)	M	97	105	90	102	107	109	110	121	107	125	127
		F	93	104	90	104	110	107	112	123	113	134	143
490	Lobar pneumonia	M	96	95	81	86	84	79	73	73	66	75	75
		F	90	94	89	88	85	78	77	79	75	80	84
491	Bronchopneumonia	M	97	109	93	109	115	120	125	141	122	146	149
		F	92	107	90	109	118	115	124	136	124	150	161
500–502	Bronchitis	M	91	99	86	96	98	92	98	96	89	103	107
		F	81	91	68	76	77	61	68	65	54	65	69
510–527	Other diseases of respiratory system	M	96	98	103	108	101	100	96	90	88	90	89
		F	91	93	96	99	102	85	88	86	84	93	89
530–587	Diseases of the digestive system	M	98	93	94	93	88	84	83	77	78	77	77
		F	97	95	96	96	94	90	88	89	91	91	90
540–545	Diseases of stomach and duodenum	M	99	92	96	94	88	81	78	70	71	66	68
		F	100	98	106	109	107	97	97	96	98	91	98
540	Ulcer of stomach	M	96	88	90	89	85	77	74	66	67	62	61
		F	100	96	97	101	103	97	94	94	95	89	92
541	Ulcer of duodenum	M	102	96	102	100	93	88	83	74	75	70	75
		F	101	106	128	131	127	111	115	111	117	108	128
550–553	Appendicitis	M	88	81	80	70	75	71	65	60	51	49	47
		F	89	70	82	69	63	57	61	50	49	51	46
560–561	Hernia of abdominal cavity	M	99	91	90	98	90	88	81	80	78	82	80
		F	96	92	88	86	92	84	76	85	76	81	82
570–578	Other diseases of intestines and peritoneum	M	93	93	87	88	82	82	84	81	85	87	84
		F	97	96	90	93	91	92	91	92	99	101	99
580–587	Diseases of liver, gallbladder and pancreas	M	106	105	105	104	100	100	105	100	105	108	104
		F	97	101	101	102	95	94	89	93	93	92	89
581	Cirrhosis of liver	M	105	105	101	98	97	103	99	94	103	109	102
		F	100	104	109	110	107	106	104	113	112	119	113
584	Cholelithiasis	M	102	101	114	115	113	99	111	109	92	83	92
		F	95	100	95	96	89	88	79	80	75	71	65
585	Cholecystitis without mention of calculi	M	107	115	106	102	103	97	99	90	82	88	75
		F	96	91	94	88	82	76	74	70	73	69	61
587	Diseases of pancreas	M	118	96	112	126	109	111	133	129	142	145	145
		F	101	114	114	133	121	121	118	127	129	119	137

TABLE 9—*continued*

ICD No.	Causes of death		1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962
590–637	Diseases of the genito-urinary system	M	94	89	90	84	82	76	72	70	68	65	62
		F	91	86	85	83	80	76	74	73	73	75	75
590–594	Nephritis and nephrosis	M	92	86	83	76	79	69	66	58	60	55	52
		F	89	80	76	70	64	58	57	51	49	46	46
600–609	Other diseases of urinary system	M	97	103	106	103	102	106	100	107	112	116	118
		F	97	102	114	126	129	134	135	148	155	170	172
610–617	Diseases of male genital organs	M	94	88	90	84	78	73	71	70	64	60	56
610	Hyperplasia of prostate	M	95	90	92	86	80	74	73	71	65	61	57
640–689	Deliveries and complications of pregnancy, childbirth and the puerperium	F	89	96	87	80	74	67	66	59	63	56	60
690–716	Diseases of the skin and cellular tissue	M	90	101	83	67	65	68	71	59	57	66	53
		F	101	100	89	87	78	65	73	72	73	78	60
720–749	Diseases of the bones and organs of movement	M	100	107	113	111	112	103	108	107	113	114	113
		F	95	96	111	127	114	111	116	117	115	116	116
720–727	Arthritis and rheumatism except rheumatic fever	M	88	104	123	116	120	104	118	117	126	114	114
		F	96	98	111	131	114	110	117	116	118	115	114
722	Rheumatoid arthritis and allied conditions	M	91	108	129	123	117	102	123	122	137	132	122
		F	95	96	115	134	118	111	118	116	120	114	117
723	Osteo-arthritis (arthrosis and allied conditions)	M	85	103	131	125	141	121	116	124	132	92	120
		F	97	102	104	134	117	112	124	124	114	128	113
730–738	Osteomyelitis and other diseases of bone and joint	M	104	109	97	99	92	91	79	82	83	93	87
		F	96	87	112	111	115	112	116	120	111	116	113
750–759	Congenital malformations	M	99	96	103	107	107	112	111	106	111	107	111
		F	100	98	104	104	104	113	110	113	112	113	114
E800–E999	Accidents, poisonings and violence	M	99	101	103	105	105	103	106	106	105	105	105
		F	96	104	112	115	118	113	117	119	120	119	122
E810–E835	Motor vehicle accidents	M	97	103	105	111	113	111	121	131	140	138	129
		F	92	97	109	117	119	111	126	143	165	163	152
E890–E895	Accidental poisoning by gases and vapours	M	104	135	136	156	148	150	173	173	184	174	217
		F	103	109	129	155	144	145	162	168	167	168	203
E900–E904	Accidental falls	M	99	104	122	115	120	111	112	116	104	102	108
		F	92	106	118	118	120	111	115	115	113	109	107
E910–E936	Other accidents	M	99	97	89	98	90	89	92	86	83	87	83
		F	100	106	100	98	98	92	92	91	86	84	94
E970–E979	Suicide and self-inflicted injury	M	98	106	110	105	109	107	106	104	101	98	105
		F	97	108	115	119	126	129	127	124	121	127	135

(88065)

TABLE 10. Death rates per 100,000 population at all ages and at ages over one year and infant mortality rates (deaths under 1 year per 1,000 live births) from certain causes, by sex, in each year 1958 to 1962 — England and Wales

Age	Males					Females				
	1958	1959	1960	1961	1962	1958	1959	1960	1961	1962
All causes										
All ages	**1,245**	**1,233**	**1,220**	**1,257**	**1,259**	**1,097**	**1,097**	**1,085**	**1,138**	**1,134**
1–4 years	99	100	95	104	94	77	81	78	80	77
5–14 ,,	44	43	45	44	44	27	31	30	28	29
15–24 ,,	95	103	103	101	100	45	44	40	45	42
25–44 ,,	181	179	179	181	176	132	130	125	127	129
45–64 ,,	1,351	1,350	1,337	1,377	1,398	745	734	723	740	743
65–74 ,,	5,425	5,362	5,246	5,432	5,432	3,088	3,053	2,947	3,087	3,010
75 and over	13,993	13,786	13,496	14,182	14,298	10,735	10,641	10,446	10,928	10,881
Infant mortality	25·29	24·51	24·52	23·91	24·50	19·60	19·78	18·92	18·81	18·70
All diseases (ICD Nos. 001-795)										
All ages	**1,183**	**1,172**	**1,158**	**1,195**	**1,198**	**1,058**	**1,057**	**1,045**	**1,097**	**1,093**
1–4 years	75	75	71	78	69	61	64	64	63	61
5–14 ,,	26	26	27	26	26	21	23	22	23	21
15–24 ,,	39	40	37	37	39	34	33	28	31	30
25–44 ,,	134	135	133	133	130	119	117	111	111	113
45–64 ,,	1,282	1,282	1,268	1,311	1,330	713	701	688	707	707
65–74 ,,	5,312	5,236	5,139	5,321	5,318	3,009	2,975	2,869	3,007	2,932
75 and over	13,666	13,468	13,190	13,874	13,976	10,418	10,325	10,138	10,627	10,566
Infant mortality	24·49	23·79	23·85	23·20	23·74	19·00	19·19	18·41	18·31	18·08
Tuberculosis, all forms (ICD Nos. 001-019)										
All ages	**15**	**13**	**11**	**11**	**10**	**5·4**	**4·4**	**3·9**	**3·9**	**3·4**
1–4 years	*1·1*	1·5	*0·56*	*0·47*	*0·65*	*1·2*	*1·1*	0·51	*0·50*	*0·55*
5–14 ,,	*0·51*	*0·25*	*0·08*	*0·08*	*0·29*	*0·41*	*0·35*	0·24	*0·18*	*0·09*
15–24 ,,	1·6	*0·62*	*0·40*	*0·59*	0·68	1·3	0·73	0·54	0·73	*0·47*
25–44 ,,	7·1	5·9	4·4	4·2	3·4	5·9	4·4	3·8	3·4	2·8
45–64 ,,	28	23	21	20	18	7·2	5·8	5·1	5·5	5·1
65–74 ,,	60	55	52	49	50	12	10	9·5	8·6	7·5
75 and over	45	51	45	44	43	13	12	12	12	10
Infant mortality	*0·02*	*0·02*	*0·01*	*0·01*	*0·01*	*0·02*	*0·02*	*0·02*	*0·02*	*0·01*
All malignant neoplasms (ICD Nos. 140-205)										
All ages	**233**	**237**	**239**	**239**	**242**	**193**	**193**	**194**	**195**	**195**
1–4 years	12	11	10	12	10	8·9	9·4	10	9·0	9·5
5–14 ,,	8·0	6·7	8·0	6·7	6·4	5·2	6·3	5·9	6·1	5·7
15–24 ,,	9·0	9·8	9·9	10	11	7·2	6·9	6·2	6·3	6·7
25–44 ,,	36	37	37	36	34	46	46	45	43	47
45–64 ,,	366	372	376	377	385	263	260	261	268	268
65–74 ,,	1,150	1,162	1,166	1,171	1,189	624	611	620	614	609
75 and over	1,730	1,751	1,762	1,781	1,826	1,085	1,091	1,077	1,063	1,056
Infant mortality	0·09	0·06	0·07	0·09	0·06	0·08	0·07	0·07	*0·04*	0·07
Malignant neoplasm of stomach (ICD No. 151)										
All ages	**36**	**36**	**36**	**35**	**34**	**26**	**26**	**26**	**25**	**24**
1–4 years	—	—	—	—	—	—	—	—	—	—
5–14 ,,	—	—	*0·03*	—	—	—	—	—	—	—
15–24 ,,	*0·18*	*0·10*	*0·20*	*0·10*	*0·12*	*0·07*	*0·14*	*0·07*	*0·07*	*0·13*
25–44 ,,	4·0	3·9	3·8	3·9	3·4	2·7	2·4	2·4	2·5	2·5
45–64 ,,	55	54	54	53	53	24	23	23	22	22
65–74 ,,	193	193	185	180	175	100	95	95	93	85
75 and over	294	295	285	285	282	210	212	202	195	193
Infant mortality	—	—	—	—	—	—	—	—	—	—
Malignant neoplasm of trachea, bronchus and lung (ICD Nos. 162, 163)										
All ages	**78**	**83**	**86**	**87**	**90**	**12**	**12**	**13**	**14**	**15**
1–4 years	*0·07*	—	—	—	*0·07*	*0·08*	*0·08*	—	*0·07*	*0·07*
5–14 ,,	*0·03*	*0·06*	—	*0·06*	—	—	*0·06*	*0·03*	—	—
15–24 ,,	*0·25*	*0·35*	*0·20*	*0·36*	*0·34*	*0·18*	*0·21*	*0·10*	*0·10*	*0·09*
25–44 ,,	9·6	10	9·5	9·6	9·4	3·0	2·9	3·1	3·1	3·1
45–64 ,,	166	174	176	177	182	20	21	22	24	25
65–74 ,,	392	417	432	449	470	40	41	46	48	48
75 and over	274	297	333	345	358	46	45	50	53	55
Infant mortality	—	—	—	—	—	—	—	—	—	—
Malignant neoplasm of breast (ICD No. 170)										
All ages	**0·34**	**0·28**	**0·29**	**0·36**	**0·35**	**38**	**37**	**38**	**39**	**39**
1–4 years	—	—	—	—	—	—	—	—	—	—
5–14 ,,	—	—	—	—	—	*0·07*	*0·07*	*0·20*	*0·03*	*0·09*
15–24 ,,	—	—	—	—	—	13	12	12	11	13
25–44 ,,	*0·08*	*0·02*	*0·03*	*0·03*	*0·08*	65	64	66	69	69
45–64 ,,	0·44	0·43	*0·32*	0·56	0·54	*1·1*	105	105	104	104
65–74 ,,	*1·4*	*1·3*	1·6	2·0	*1·1*	109	153	161	165	158
75 and over	3·7	*2·8*	2·9	*2·6*	3·9	165	—	—	—	—
Infant mortality	—	—	—	—	—	—	—	—	—	—

TABLE 10—*continued*

Age	Males					Females				
	1958	1959	1960	1961	1962	1958	1959	1960	1961	1962
Malignant neoplasm of uterus (ICD Nos. 171-174)										
All ages						**18**	**17**	**17**	**17**	**17**
1–4 years						—	*0·15*	—	*0·14*	—
5–14 ,,						*0·03*	*0·06*	*0·03*	—	—
15–24 ,,						*0·07*	*0·28*	*0·17*	*0·13*	*0·06*
25–44 ,,						7·0	7·0	7·4	6·3	7·0
45–64 ,,						31	28	29	29	28
65–74 ,,						51	51	50	48	50
75 and over						63	65	65	62	59
Infant mortality						*0·00*	—	—	—	—
Leukaemia and aleukaemia (ICD No. 204)										
All ages	**6·0**	**6·0**	**6·7**	**6·3**	**6·1**	**4·6**	**5·2**	**5·1**	**5·2**	**5·5**
1–4 years	5·1	5·5	4·9	6·0	5·0	3·9	4·5	4·6	3·9	4·0
5–14 ,,	3·5	3·4	3·6	3·0	2·7	2·0	3·0	2·4	2·4	2·4
15–24 ,,	2·2	2·4	2·5	2·7	2·6	1·1	1·9	1·6	1·6	1·8
25–44 ,,	2·9	3·1	3·3	2·7	2·5	2·1	2·4	2·0	2·2	2·7
45–64 ,,	7·6	6·9	7·6	7·8	7·6	5·2	6·0	6·0	6·1	6·0
65–74 ,,	19	19	23	21	21	12	13	14	13	15
75 and over	25	30	35	30	35	19	18	19	20	20
Infant mortality	*0·03*	*0·02*	*0·03*	*0·04*	*0·01*	*0·03*	*0·02*	*0·02*	*0·02*	*0·03*
Diabetes mellitus (ICD No. 260)										
All ages	**5·3**	**5·0**	**5·4**	**6·0**	**5·9**	**9·3**	**8·9**	**10**	**11**	**10**
1–4 years	*0·44*	*0·07*	*0·14*	*0·41*	—	*0·31*	*0·15*	*0·51*	*0·07*	*0·28*
5–14 ,,	*0·08*	*0·11*	*0·17*	*0·28*	*0·23*	*0·21*	*0·35*	*0·21*	*0·38*	*0·15*
15–24 ,,	*0·39*	*0·41*	*0·37*	*0·33*	*0·37*	*0·32*	*0·31*	*0·44*	*0·43*	*0·28*
25–44 ,,	1·3	1·3	1·2	1·4	1·3	0·90	0·54	1·0	0·78	1·2
45–64 ,,	4·9	4·8	5·3	5·4	5·6	7·0	6·9	7·0	7·3	7·1
65–74 ,,	26	25	27	29	29	39	37	39	43	42
75 and over	63	56	61	73	70	72	69	81	85	80
Infant mortality	*0·01*	*0·00*	*0·01*	*0·00*	*0·01*	*0·01*	*0·01*	*0·00*	*0·01*	*0·01*
Vascular lesions of central nervous system (ICD Nos. 330-334)										
All ages	**144**	**141**	**140**	**139**	**140**	**192**	**188**	**191**	**193**	**194**
1–4 years	*0·29*	*0·65*	*0·69*	*0·27*	*0·39*	*0·39*	*0·38*	*0·51*	*0·21*	*0·14*
5–14 ,,	*0·31*	*0·48*	0·65	0·76	0·66	*0·50*	*0·50*	*0·44*	*0·24*	0·70
15–24 ,,	1·7	1·3	1·3	1·8	1·7	1·1	1·1	1·3	1·1	1·4
25–44 ,,	8·0	7·4	7·9	8·0	7·7	7·9	8·0	8·3	7·5	8·0
45–64 ,,	106	108	109	106	105	101	97	96	92	93
65–74 ,,	698	667	671	657	660	599	567	559	558	547
75 and over	2,242	2,215	2,146	2,198	2,245	2,153	2,115	2,127	2,154	2,173
Infant mortality	*0·04*	*0·03*	*0·04*	*0·04*	*0·04*	*0·01*	*0·02*	*0·03*	*0·01*	*0·01*
Arteriosclerotic heart disease (ICD No. 420)										
All ages	**240**	**238**	**256**	**261**	**277**	**137**	**139**	**150**	**157**	**166**
1–4 years	—	—	—	—	—	—	—	*0·07*	—	—
5–14 ,,	*0·03*	—	*0·03*	*0·06*	—	—	—	—	—	*0·03*
15–24 ,,	*0·39*	*0·28*	*0·27*	*0·42*	*0·40*	*0·04*	*0·14*	*0·14*	*0·07*	*0·13*
25–44 ,,	24	25	28	27	31	3·2	3·4	3·4	3·8	4·2
45–64 ,,	346	346	367	381	405	88	88	92	94	101
65–74 ,,	1,233	1,236	1,307	1,323	1,395	549	554	578	594	613
75 and over	2,134	2,083	2,274	2,344	2,514	1,263	1,277	1,374	1,451	1,534
Infant mortality	*0·00*	*0·01*	—	*0·00*	*0·01*	—	—	—	*0·00*	*0·00*
All cardiovascular diseases (ICD Nos. 401-468)										
All ages	**459**	**440**	**454**	**458**	**466**	**418**	**406**	**415**	**430**	**428**
1–4 years	*0·88*	*0·72*	*0·56*	*0·54*	*0·65*	*0·62*	*0·45*	*1·0*	*0·64*	*0·97*
5–14 ,,	0·98	0·73	1·2	0·90	0·60	*0·50*	0·80	0·89	0·62	0·64
15–24 ,,	4·4	4·8	4·1	3·9	4·3	3·6	3·8	2·7	3·3	3·5
25–44 ,,	41	42	44	44	47	21	20	20	20	20
45–64 ,,	478	473	494	505	529	195	189	191	195	198
65–74 ,,	2,108	2,016	2,067	2,071	2,113	1,197	1,159	1,155	1,186	1,171
75 and over	6,149	5,754	5,853	5,980	6,005	4,968	4,755	4,800	4,936	4,874
Infant mortality	0·06	*0·03*	0·05	*0·04*	*0·04*	0·06	*0·05*	*0·04*	*0·03*	0·05
All diseases of respiratory system (ICD Nos. 470-527)										
All ages	**170**	**186**	**158**	**194**	**189**	**102**	**118**	**93**	**125**	**124**
1–4 years	23	23	23	25	19	18	20	17	18	18
5–14 ,,	3·6	4·4	4·0	3·5	4·8	3·7	4·1	2·5	3·4	3·8
15–24 ,,	5·3	5·8	4·2	4·8	5·0	3·4	5·3	2·5	4·1	3·2
25–44 ,,	13	14	11	13	12	8·2	11	6·3	9·7	7·8
45–64 ,,	183	192	155	190	184	55	59	44	57	53
65–74 ,,	831	904	745	945	889	265	315	222	317	296
75 and over	1,918	2,181	1,902	2,396	2,423	1,095	1,265	1,030	1,354	1,392
Infant mortality	2·82	2·95	3·05	2·81	3·26	2·42	2·45	2·43	2·27	2·42

TABLE 10—*continued*

Age	Males					Females				
	1958	1959	1960	1961	1962	1958	1959	1960	1961	1962
Influenza (ICD Nos. 480-483)										
All ages	**5·6**	**18**	**2·5**	**16**	**6·7**	**5·1**	**17**	**2·3**	**15**	**7·5**
1–4 years	*1·0*	1·5	*0·76*	*1·1*	*0·46*	*0·69*	*1·3*	*0·59*	*0·86*	*0·90*
5–14 ,,	*0·28*	0·85	*0·11*	*0·51*	0·58	*0·29*	0·97	*0·18*	*0·41*	*0·36*
15–24 ,,	*0·64*	1·9	*0·47*	1·2	0·92	*0·60*	1·6	*0·17*	1·0	0·79
25–44 ,,	1·4	2·7	0·78	2·3	1·1	1·0	2·4	0·39	2·0	1·0
45–64 ,,	7·2	18	2·9	15	6·3	3·5	9·6	1·5	7·5	3·5
65–74 ,,	23	85	9·3	73	26	14	49	6·1	43	18
75 and over	52	203	24	195	90	47	170	21	159	81
Infant mortality	*0·04*	0·10	*0·03*	0·05	0·05	*0·05*	0·09	*0·03*	*0·03*	*0·04*
Pneumonia (ICD Nos. 490-493, 763)										
All ages	**57**	**62**	**56**	**65**	**66**	**52**	**58**	**54**	**65**	**70**
1–4 years	16	15	15	15	13	12	13	12	12	12
5–14 ,,	1·7	2·0	2·6	2·0	2·9	2·1	2·1	1·7	2·0	2·1
15–24 ,,	2·7	2·6	2·4	2·2	2·7	1·4	2·5	1·5	2·0	1·8
25–44 ,,	4·6	5·3	4·4	4·7	5·0	3·4	4·6	3·1	4·0	3·4
45–64 ,,	38	43	32	40	37	21	21	19	23	21
65–74 ,,	207	229	191	236	221	118	134	109	138	139
75 and over	796	898	831	1,002	1,068	586	654	621	746	826
Infant mortality	3·42	3·32	3·46	3·19	3·57	**2·77**	2·60	2·65	2·49	2·61
Bronchitis (ICD Nos. 500-502)										
All ages	**93**	**92**	**86**	**99**	**103**	**39**	**38**	**32**	**38**	**41**
1–4 years	4·0	4·0	4·4	5·6	3·5	3·2	3·2	2·8	3·4	3·5
5–14 ,,	0·73	0·62	0·56	*0·54*	0·63	*0·53*	*0·35*	*0·33*	*0·50*	*0·54*
15–24 ,,	0·93	*0·52*	*0·47*	*0·52*	*0·55*	*0·64*	*0·45*	*0·24*	*0·50*	*0·35*
25–44 ,,	4·0	3·3	3·5	3·2	3·5	2·1	1·9	1·5	2·0	1·9
45–64 ,,	112	107	99	112	118	23	21	18	21	23
65–74 ,,	518	513	466	555	566	117	116	92	119	123
75 and over	951	962	916	1,072	1,132	407	388	328	385	421
Infant mortality	0·54	0·57	0·52	0·44	0·57	0·40	0·47	0·40	0·34	0·41
Ulcer of stomach and duodenum (ICD Nos. 540-541)										
All ages	**16**	**14**	**14**	**13**	**14**	**6·3**	**6·3**	**6·5**	**6·1**	**6·6**
1–4 years	—	*0·07*	*0·07*	—	*0·07*	—	*0·03*	*0·03*	*0·03*	—
5–14 ,,	*0·08*	*0·06*	—	—	—	*0·03*	*0·07*	*0·10*	—	*0·03*
15–24 ,,	*0·28*	*0·28*	*0·20*	*0·20*	*0·31*	*0·07*	*0·10*	*0·10*	—	*0·03*
25–44 ,,	2·2	2·2	2·3	1·6	1·8	0·89	0·54	0·57	0·46	0·48
45–64 ,,	20	19	17	17	16	4·5	4·7	4·2	4·4	4·5
65–74 ,,	78	67	71	65	70	21	18	19	18	21
75 and over	158	143	149	142	149	59	62	66	60	64
Infant mortality	*0·02*	*0·01*	*0·00*	*0·01*	*0·01*	*0·01*	*0·01*	*0·01*	—	*0·01*
Appendicitis (ICD Nos. 550-553)										
All ages	**2·1**	**2·0**	**1·7**	**1·6**	**1·5**	**1·4**	**1·2**	**1·1**	**1·2**	**1·1**
1–4 years	1·7	*0·93*	*0·76*	*0·61*	*1·0*	*0·62*	*1·2*	*0·81*	*0·43*	*0·21*
5–14 ,,	0·73	0·96	0·90	*0·54*	*0·46*	*0·53*	*0·53*	*0·47*	*0·36*	*0·42*
15–24 ,,	*0·61*	0·76	*0·57*	0·65	*0·58*	*0·43*	*0·14*	*0·37*	*0·27*	*0·41*
25–44 ,,	0·77	0·83	0·50	0·64	0·55	*0·39*	*0·24*	0·34	0·36	*0·30*
45–64 ,,	2·6	2·1	2·2	2·0	2·0	1·3	0·95	0·91	1·2	0·82
65–74 ,,	8·0	7·4	4·8	5·1	5·3	3·6	3·5	2·8	3·3	2·9
75 and over	14	13	12	12	10	9·2	7·0	7·7	6·9	7·5
Infant mortality	*0·01*	*0·01*	*0·01*	*0·01*	*0·01*	*0·01*	*0·01*	—	*0·00*	—
Nephritis and nephrosis (ICD Nos. 590-594)										
All ages	**9·9**	**8·8**	**9·1**	**8·4**	**7·8**	**8·2**	**7·5**	**7·2**	**6·9**	**6·9**
1–4 years	*0·44*	*0·50*	*0·76*	*0·61*	*0·39*	*0·39*	*0·45*	*0·73*	*0·36*	*0·41*
5–14 ,,	0·93	0·82	1·2	0·59	0·58	0·74	0·91	0·80	0·77	0·61
15–24 ,,	2·7	2·9	2·9	2·1	2·3	2·4	1·7	1·8	1·8	1·7
25–44 ,,	5·1	4·6	5·0	4·3	4·1	3·5	3·0	2·6	2·3	2·8
45–64 ,,	14	12	12	12	11	7·6	7·6	8·1	6·8	7·4
65–74 ,,	32	30	28	26	26	25	23	19	20	17
75 and over	77	63	69	67	59	53	44	44	43	44
Infant mortality	*0·03*	*0·04*	*0·02*	*0·02*	*0·02*	*0·01*	*0·01*	*0·02*	*0·01*	*0·01*
All violent causes (ICD Nos. E800-E999)										
All ages	**61**	**61**	**61**	**61**	**61**	**39**	**40**	**41**	**41**	**42**
1–4 years	24	25	23	26	25	16	17	14	18	16
5–14 ,,	18	17	18	18	18	6·8	7·4	7·9	5·7	7·1
15–24 ,,	56	64	67	64	62	10	12	12	14	12
25–44 ,,	48	44	40	48	45	13	13	15	15	16
45–64 ,,	70	68	69	66	67	32	33	35	34	36
65–74 ,,	113	126	107	111	114	79	78	78	80	78
75 and over	327	318	306	308	322	317	316	308	301	315
Infant mortality	0·80	0·72	0·67	0·71	0·75	0·60	0·58	0·51	0·51	0·62

TABLE 10—*continued*

Age	Males					Females				
	1958	1959	1960	1961	1962	1958	1959	1960	1961	1962
Motor vehicle traffic accidents (ICD Nos. E810-E825)										
All ages	**18**	**20**	**21**	**21**	**20**	**6·0**	**6·8**	**7·9**	**7·9**	**7·4**
1–4 years	8·0	9·1	7·6	8·9	8·0	5·2	6·5	4·9	7·6	5·6
5–14 ,,	8·1	6·9	8·2	7·9	8·4	3·2	3·2	4·1	3·0	4·1
15–24 ,,	34	42	44	42	39	4·9	6·3	7·0	7·9	6·2
25–44 ,,	15	15	17	17	15	2·6	3·0	3·7	3·9	3·3
45–64 ,,	16	17	19	17	17	5·3	6·3	7·9	6·7	6·8
65–74 ,,	27	32	30	32	29	14	15	17	18	16
75 and over	63	62	67	74	63	25	29	31	30	31
Infant mortality	*0·01*	*0·02*	*0·01*	*0·02*	*0·02*	*0·01*	*0·01*	*0·01*	*0·03*	*0·01*
Accidents in the home and residential institutions (ICD Nos. E870·0 and 7—E936·0 and 7)										
All ages	**12**	**12**	**11**	**11**	**12**	**19**	**19**	**19**	**18**	**20**
1–4 years	9·0	8·3	8·3	9·1	9·6	7·6	7·3	6·1	6·9	7·6
5–14 ,,	1·6	1·8	1·6	1·6	1·7	1·7	1·6	1·8	1·0	1·3
15–24 ,,	1·8	1·8	2·4	2·1	2·3	1·0	1·1	1·3	1·8	1·5
25–44 ,,	2·8	2·5	3·6	3·3	3·8	1·6	1·8	1·9	2·0	2·5
45–64 ,,	7·2	7·3	7·7	7·5	8·0	6·5	6·6	8·0	6·2	7·5
65–74 ,,	27	28	23	24	30	34	36	33	34	34
75 and over	166	162	154	147	165	239	234	229	219	232
Infant mortality	0·69	0·60	0·56	0·58	0·63	0·49	0·45	0·42	0·40	0·52
Suicide and self-inflicted injury (ICD Nos. E970-E979)										
All ages	**15**	**14**	**14**	**14**	**14**	**9·1**	**8·9**	**8·7**	**9·1**	**9·7**
1–4 years	—	—	—	—	—	—	—	—	—	—
5–14 ,,	*0·08*	*0·08*	*0·11*	*0·06*	0·17	—	*0·03*	*0·09*	*0·06*	*0·09*
15–24 ,,	4·6	4·1	5·7	5·1	6·5	2·3	2·3	2·6	2·3	2·3
25–44 ,,	13	12	13	13	14	6·7	7·0	7·1	7·5	8·2
45–64 ,,	27	25	25	24	24	17	17	16	17	18
65–74 ,,	37	42	33	33	35	21	19	19	19	21
75 and over	46	41	38	39	44	16	14	12	13	15
Infant mortality	—	—	—	—	—	—	—	—	—	—

TABLE 11. Deaths of infants under 1 year from certain causes, 1952 to 1962

England and Wales

See explanatory notes.

ICD No.	Causes of death	1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962
	ALL CAUSES	**18,555**	**18,324**	**17,160**	**16,613**	**16,554**	**16,720**	**16,685**	**16,629**	**17,118**	**17,393**	**18,187**
010	Tuberculosis of meninges and central nervous system	38	16	10	11	5	3	3	4	3	7	5
001-008, 011-019	Other tuberculosis	30	47	26	17	8	10	9	11	7	5	1
020	Congenital syphilis	20	8	2	—	3	—	3	2	—	—	1
056	Whooping cough	111	167	95	60	63	68	18	16	26	19	18
057	Meningococcal infections	115	123	105	77	71	76	72	62	47	57	60
080, 081	Acute poliomyelitis	12	6	4	6	5	4	—	1	—	1	—
085	Measles	37	57	14	38	4	20	15	23	6	29	4
Rem. of 001-138	Other infective and parasitic diseases	77	99	85	56	71	59	71	73	78	67	85
140-205	Malignant neoplasms (including neoplasm of lymphatic and haematopoietic tissues)	60	50	49	46	43	55	61	51	55	53	57
250-277	Diseases of the endocrine glands	53	56	53	47	47	40	45	37	32	38	55
295,296,771	Haemorrhagic conditions	190	207	233	222	234	192	256	225	214	196	247
330-334	Vascular lesions affecting central nervous system	20	17	14	18	26	24	17	22	30	20	20
340-343	Inflammatory diseases of central nervous system	141	180	142	149	149	166	175	131	140	187	195
390-398	Diseases of ear and mastoid process	68	100	73	68	61	43	36	49	41	34	56
480-483	Influenza	37	77	31	48	30	77	33	71	26	33	38
490-493,763	Pneumonia	3,009	2,940	2,390	2,315	2,301	2,178	2,298	2,222	2,408	2,310	2,605
500-502	Bronchitis	375	430	335	357	311	291	348	389	364	319	412
470-475, 510-527	Other respiratory diseases	91	95	99	94	90	86	103	92	89	108	97
543	Gastritis and duodenitis	21	14	6	6	2	1	3	1	1	6	2
571, 764	Gastro-enteritis	676	665	461	439	319	318	270	301	343	387	450
690-716	Diseases of the skin and subcutaneous tissue	46	34	21	23	21	20	17	8	10	15	11
751	Spina bifida and meningocele	671	629	759	758	758	733	737	666	654	613	572
752	Congenital hydrocephalus	336	294	342	342	351	342	351	414	451	455	448
754·0-754·5	Congenital malformations of heart	1,009	1,045	1,069	984	848	1,151	1,117	1,130	1,173	1,236	1,368
757	Congenital malformations of genito-urinary system	104	97	107	128	116	145	135	115	161	142	180
Rem. of 750-759	Other congenital malformations	946	869	889	881	1,142	977	1,049	1,073	1,110	1,158	1,270
760, 761	Injury at birth	1,830	1,797	1,818	1,786	1,845	1,830	1,805	1,851	1,825	2,043	1,862
762	Postnatal asphyxia and atelectasis	2,351	2,388	2,392	2,306	2,381	2,694	2,645	2,709	2,676	2,647	2,673
766-768	Pemphigus and sepsis of newborn	69	75	76	57	68	80	70	53	63	78	59
770	Haemolytic disease of newborn	435	408	461	363	349	371	377	360	372	334	353
774, 776	Immaturity	3,602	3,546	3,208	3,171	3,181	3,108	2,960	2,884	3,068	3,024	2,987
E900-E904	Accidental falls	16	9	8	14	11	17	13	23	19	21	22
E916, E917	Accident by fire or hot substance	23	14	23	17	10	9	13	20	19	15	22
E921, E922	Obstruction by inhalation or ingestion	263	219	251	238	249	200	200	186	186	223	252
E924, E925	Accidental mechanical suffocation	243	202	183	179	192	162	175	140	134	118	160
E926	Lack of care of newborn	96	83	56	61	44	60	55	53	32	50	43
Rem. of E800-E965	Other accidents	37	44	28	39	33	36	42	41	48	48	47
	All other causes	1,297	1,217	1,242	1,192	1,112	1,074	1,088	1,120	1,207	1,297	1,450

TABLE 12. Infant mortality rates (deaths under 1 year per 1,000 live births*) from certain causes, 1952 to 1962

England and Wales

See explanatory notes.

ICD No.	Causes of death	1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962
	ALL CAUSES	**27·59**	**26·82**	**25·42**	**24·91**	**23·75**	**23·11**	**22·53**	**22·22**	**21·81**	**21·44**	**21·68**
010	Tuberculosis of meninges and central nervous system	0·06	*0·02*	*0·01*	*0·02*	*0·01*	*0·00*	*0·00*	*0·01*	*0·00*	*0·01*	*0·01*
001-008, 011-019	Other tuberculosis	0·04	0·07	0·04	*0·02*	*0·01*	*0·01*	*0·01*	*0·01*	*0·01*	*0·01*	*0·00*
020	Congenital syphilis	0·03	*0·01*	*0·00*	—	*0·00*	—	*0·00*	*0·00*	—	—	*0·00*
056	Whooping cough	0·17	0·24	0·14	0·09	0·09	0·09	*0·02*	*0·02*	0·03	*0·02*	*0·02*
057	Meningococcal infections	0·17	0·18	0·15	0·11	0·10	0·11	0·10	0·08	0·06	0·07	0·07
080, 081	Acute poliomyelitis	*0·02*	*0·01*	*0·00*	*0·01*	*0·01*	*0·01*	—	*0·00*	—	*0·00*	—
085	Measles	0·05	0·08	*0·02*	0·06	*0·00*	0·03	*0·02*	0·03	*0·01*	0·04	*0·00*
Rem. of 001-138	Other infective and parasitic diseases	0·11	0·14	0·12	0·08	0·10	0·08	0·10	0·10	0·10	0·08	0·10
140-205	Malignant neoplasms (including neoplasm of lymphatic and haematopoietic tissues)	0·09	0·07	0·07	0·07	0·06	0·08	0·08	0·07	0·07	0·07	0·07
250-277	Diseases of the endocrine glands	0·08	0·08	0·08	0·07	0·06	0·06	0·06	0·05	0·04	0·05	0·07
295,296,771	Haemorrhagic conditions	0·28	0·30	0·34	0·33	0·33	0·27	0·35	0·30	0·27	0·24	0·29
330-334	Vascular lesions affecting central nervous system	0·02	*0·02*	*0·02*	*0·02*	0·04	0·03	*0·02*	0·03	0·04	*0·02*	0·02
340-343	Inflammatory diseases of central nervous system	0·21	0·26	0·21	0·22	0·21	0·23	0·24	0·18	0·18	0·23	0·23
390-398	Diseases of ear and mastoid process	0·10	0·14	0·10	0·10	0·09	0·06	0·05	0·07	0·05	0·04	0·07
480-483	Influenza	0·05	0·11	0·04	0·07	0·04	0·11	0·04	0·09	0·03	0·04	0·05
490-493, 763	Pneumonia	4·48	4·31	3·53	3·47	3·31	3·01	3·10	2·97	3·07	2·85	3·11
500-502	Bronchitis	0·56	0·63	0·49	0·53	0·45	0·40	0·47	0·52	0·46	0·39	0·49
470-475, 510-527	Other respiratory diseases	0·13	0·14	0·14	0·14	0·13	0·12	0·14	0·12	0·11	0·13	0·12
543	Gastritis and duodenitis	0·03	*0·02*	*0·01*	*0·01*	*0·00*	*0·00*	*0·00*	*0·00*	*0·00*	*0·01*	*0·00*
571, 764	Gastro-enteritis	1·01	0·97	0·68	0·66	0·46	0·44	0·36	0·40	0·44	0·48	0·54
690-716	Diseases of the skin and subcutaneous tissue	0·07	0·05	0·03	0·03	0·03	0·03	*0·02*	*0·01*	*0·01*	*0·02*	*0·01*
751	Spina bifida and meningocele	1·00	0·92	1·12	1·13	1·09	1·01	0·99	0·89	0·83	0·76	0·68
752	Congenital hydrocephalus	0·50	0·43	0·50	0·51	0·50	0·47	0·47	0·55	0·57	0·56	0·53
754·0-754·5	Congenital malformations of heart	1·50	1·53	1·58	1·47	1·59	1·59	1·51	1·51	1·49	1·52	1·63
757	Congenital malformations of genito-urinary system	0·15	0·14	0·16	0·19	0·16	0·20	0·18	0·15	0·21	0·18	0·21
Rem. of 750-759	Other congenital malformations	1·41	1·27	1·32	1·32	1·26	1·35	1·42	1·43	1·41	1·43	1·51
760, 761	Injury at birth	2·72	2·62	2·70	2·68	2·64	2·53	2·44	2·47	2·32	2·52	2·22
762	Postnatal asphyxia and atelectasis	3·49	3·49	3·55	3·45	3·40	3·72	3·57	3·62	3·41	3·26	3·19
766-768	Pemphigus and sepsis of newborn	0·10	0·11	0·11	0·08	0·10	0·11	0·09	0·07	0·08	0·10	0·07
770	Haemolytic disease of newborn	0·65	0·59	0·68	0·54	0·50	0·51	0·51	0·48	0·47	0·41	0·42
774, 776	Immaturity	5·35	5·18	4·76	4·75	4·55	4·30	4·00	3·85	3·91	3·73	3·56
E900-E904	Accidental falls	*0·02*	*0·01*	*0·01*	*0·02*	*0·01*	*0·02*	*0·02*	0·03	*0·02*	0·03	0·03
E916, E917	Accident by fire or hot substance	0·03	*0·02*	0·03	*0·02*	*0·01*	*0·01*	*0·02*	0·03	*0·02*	*0·02*	0·03
E921, E922	Obstruction by inhalation or ingestion	0·39	0·32	0·37	0·36	0·36	0·28	0·27	0·25	0·24	0·27	0·30
E924, E925	Accidental mechanical suffocation	0·36	0·29	0·27	0·27	0·27	0·22	0·24	0·19	0·17	0·15	0·19
E926	Lack of care of newborn	0·14	0·12	0·08	0·09	0·06	0·08	0·07	0·07	0·04	0·06	0·05
Rem. of E800-E965	Other accidents	0·05	0·06	0·04	0·06	0·05	0·05	0·06	0·05	0·06	0·06	0·06
	All other causes	1·93	1·78	1·84	1·78	1·60	1·35	1·47	1·50	1·54	1·60	1·73

* Based on related live births prior to 1957.

TABLE 13. Home population, births, deaths, infant mortality and perinatal mortality, 1962

{England and Wales, standard regions, Wales, conurbations, counties, boroughs, urban and rural districts}

Note. The perinatal mortality rate is the number of deaths under one week plus stillbirths per 1,000 total live and still births.

*See explanatory notes. For explanation of symbols *, †, ‡ used in this table see note 9.*

Area	Estimated home population as at 30th June 1962	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
ENGLAND AND WALES ..	**46,669,000**	**431,633**	**407,103**	**838,736**	**18·0**	**1·00**	**1·00**	**285,154**	**272,482**	**557,636**	**11·9**	**1·00**	**1·00**	**18,187**	**22**	**12,656**	**10,888**	**15,464**	**31**
Regions and conurbations:																			
Northern	**3,281,930**	**31,307**	**29,628**	**60,935**	**18·6**	**0·97**	**1·00**	**20,766**	**17,907**	**38,673**	**11·8**	**1·14**	**1·13**	**1,479**	**24**	**1,024**	**863**	**1,228**	**34**
Tyneside Conurbation ..	856,410	8,144	7,734	15,878	18·5	0·95	0·98	5,539	4,668	10,207	11·9	1·17	1·17	385	24	260	219	317	33
Remainder of Northern ..	2,425,520	23,163	21,894	45,057	18·6	0·98	1·01	15,227	13,239	28,466	11·7	1·14	1·12	1,094	24	764	644	911	34
East and West Ridings	**4,207,390**	**39,175**	**36,538**	**75,713**	**18·0**	**1·00**	**1·00**	**26,695**	**25,174**	**51,869**	**12·3**	**1·09**	**1·13**	**1,757**	**23**	**1,201**	**1,011**	**1,420**	**32**
West Yorkshire Conurbation	1,716,670	16,150	14,975	31,125	18·1	1·01	1·02	11,469	11,439	22,908	13·3	1·04	1·16	734	24	495	429	575	32
Remainder of East and West Ridings	2,490,720	23,025	21,563	44,588	17·9	0·99	0·98	15,226	13,735	28,961	11·6	1·15	1·12	1,023	23	706	582	845	31
North Western	**6,621,770**	**63,998**	**60,151**	**124,149**	**18·7**	**0·99**	**1·03**	**43,888**	**42,725**	**86,613**	**13·1**	**1·10**	**1·21**	**3,222**	**26**	**2,150**	**1,869**	**2,526**	**35**
South East Lancashire Conurbation	2,442,090	23,467	22,389	45,856	18·8	0·99	1·03	16,245	16,123	32,368	13·3	1·12	1·25	1,233	27	801	691	908	34
Merseyside Conurbation ..	1,391,170	15,161	14,152	29,313	21·1	0·95	1·11	8,316	8,182	16,498	11·9	1·20	1·20	823	28	546	489	607	37
Remainder of North Western	2,788,510	25,370	23,610	48,980	17·6	1·01	0·99	19,327	18,420	37,747	13·5	1·05	1·19	1,166	24	803	689	1,011	34
North Midland	**3,695,500**	**35,127**	**32,982**	**68,109**	**18·4**	**0·99**	**1·01**	**21,767**	**19,934**	**41,701**	**11·3**	**1·09**	**1·04**	**1,452**	**21**	**992**	**833**	**1,297**	**31**
Midland	**4,844,590**	**47,154**	**44,185**	**91,339**	**18·9**	**0·95**	**1·00**	**27,454**	**24,915**	**52,369**	**10·8**	**1·18**	**1·07**	**2,020**	**22**	**1,391**	**1,202**	**1,819**	**32**
West Midlands Conurbation	2,377,230	23,855	22,471	46,326	18·5	0·94	1·02	13,223	12,024	25,247	10·6	1·23	1·10	1,020	22	688	595	911	32
Remainder of Midland ..	2,467,360	23,299	21,714	45,013	18·2	0·97	0·98	14,231	12,891	27,122	11·0	1·14	1·05	1,000	22	703	607	908	33
Eastern	**3,841,230**	**35,870**	**33,540**	**69,410**	**18·1**	**0·97**	**0·98**	**21,001**	**20,244**	**41,245**	**10·7**	**1·04**	**0·94**	**1,222**	**18**	**902**	**792**	**1,109**	**27**
London and South Eastern ..	**11,149,370**	**98,088**	**93,120**	**191,208**	**17·1**	**0·97**	**0·92**	**66,801**	**68,019**	**134,820**	**12·1**	**0·97**	**0·99**	**3,687**	**19**	**2,673**	**2,330**	**3,136**	**28**
Greater London	8,176,810	73,469	69,862	143,331	17·5	0·96	0·93	47,336	47,009	94,345	11·5	1·02	0·99	2,803	20	2,060	1,794	2,370	29
Remainder of South Eastern	2,972,560	24,619	23,258	47,877	16·1	1·02	0·91	19,465	21,010	40,475	13·6	0·87	0·99	884	18	613	536	766	27
Southern	**2,920,370**	**27,591**	**26,534**	**54,125**	**18·5**	**0·99**	**1·02**	**16,729**	**16,072**	**32,801**	**11·2**	**1·00**	**0·94**	**1,057**	**20**	**739**	**637**	**850**	**27**
South Western	**3,455,510**	**30,044**	**28,322**	**58,366**	**16·9**	**1·04**	**0·98**	**21,893**	**21,871**	**43,764**	**12·7**	**0·92**	**0·98**	**1,141**	**20**	**815**	**693**	**1,060**	**29**
Wales	**2,651,340**	**23,279**	**22,103**	**45,382**	**17·1**	**1·01**	**0·96**	**18,160**	**15,621**	**33,781**	**12·7**	**1·07**	**1·14**	**1,150**	**25**	**769**	**658**	**1,019**	**36**
Wales I (South East) ..	1,907,920	16,934	16,244	33,178	17·4	0·98	0·95	12,830	10,672	23,502	12·3	1·13	1·17	848	26	571	483	770	37
Wales II (remainder) ..	743,420	6,345	5,859	12,204	16·4	1·08	0·98	5,330	4,949	10,279	13·8	0·94	1·09	302	25	198	175	249	34
Urban/Rural aggregates:																			
Conurbations	16,960,380	160,246	151,583	311,829	18·4	0·96	0·98	102,128	99,445	201,573	11·9	1·08	1·08	6,998	22	4,850	4,217	5,688	31
Areas outside conurbations:																			
Urban areas with populations of 100,000 and over	6,285,330	57,806	54,398	112,204	17·9	0·99	0·98	39,338	37,115	76,453	12·2	1·07	1·10	2,556	23	1,761	1,497	2,110	32
Urban areas with populations of 50,000 and under 100,000 ..	4,332,480	41,203	38,414	79,617	18·4	0·96	0·98	25,937	25,189	51,126	11·8	1·04	1·03	1,696	21	1,165	1,010	1,507	31
*Urban areas with populations under 50,000	9,622,890	86,290	81,888	168,178	17·5	0·99	0·96	61,785	59,971	121,756	12·7	1·01	1·08	3,593	21	2,498	2,111	3,160	31
*Rural districts	9,467,920	86,088	80,820	166,908	17·6	1·03	1·01	55,966	50,762	106,728	11·3	1·03	0·98	3,344	20	2,382	2,053	2,999	30
ENGLAND																			
BEDFORDSHIRE	**395,990**	**4,516**	**4,273**	**8,789**	**22·2**	**0·96**	**1·18**	**1,909**	**1,944**	**3,853**	**9·7**	**1·14**	**0·93**	**188**	**21**	**139**	**129**	**151**	**31**
Municipal boroughs and urban districts	**263,940**	**3,043**	**2,826**	**5,869**	**22·2**	**0·95**	**1·17**	**1,276**	**1,329**	**2,605**	**9·9**	**1·17**	**0·97**	**128**	**22**	**94**	**86**	**104**	**32**
Ampthill	4,020	47	36	83	20·6	0·96	1·10	26	19	45	11·2	0·82	0·77	—	—	—	—	—	—
Bedford M.B.	64,740	741	703	1,444	22·3	0·96	1·19	312	351	663	10·2	1·01	0·87	46	32	39	33	32	44
Biggleswade	8,460	75	60	135	16·0	0·96	0·85	63	55	118	13·9	0·75	0·88	3	*22*	—	—	1	*7*
Dunstable M.B.	26,480	318	274	592	22·4	0·89	1·11	101	114	215	8·1	1·38	0·94	9	*15*	6	6	11	*28*
Kempston	9,370	89	68	157	16·8	1·04	0·97	51	62	113	12·1	1·08	1·10	1	*6*	—	—	—	—
Leighton Buzzard	12,060	156	154	310	25·7	0·91	1·30	41	54	95	7·9	1·21	0·80	4	*13*	3	2	8	*31*
Luton M.B.	134,820	1,584	1,498	3,082	22·9	0·95	1·21	660	651	1,311	9·7	1·28	1·04	65	21	46	45	52	31
Sandy	3,990	33	33	66	16·5	1·02	0·94	22	23	45	11·3	0·97	0·92	—	—	—	—	—	—
Rural districts	**132,050**	**1,473**	**1,447**	**2,920**	**22·1**	**1·00**	**1·23**	**633**	**615**	**1,248**	**9·5**	**1·07**	**0·85**	**60**	**21**	**45**	**43**	**47**	**30**
Ampthill	27,110	270	254	524	19·3	0·99	1·06	152	148	300	11·1	0·98	0·91	8	*15*	6	6	11	*32*
Bedford	34,460	352	350	702	20·4	1·18	1·34	187	185	372	10·8	0·94	0·85	16	*23*	14	12	10	31
Biggleswade	29,390	291	260	551	18·7	1·05	1·09	151	155	306	10·4	0·91	0·80	7	*13*	5	5	8	*23*
Luton	41,090	560	583	1,143	27·8	0·85	1·31	143	127	270	6·6	1·51	0·84	29	25	20	20	18	33
BERKSHIRE	**527,320**	**5,343**	**5,192**	**10,535**	**20·0**	**0·95**	**1·06**	**2,796**	**2,707**	**5,503**	**10·4**	**1·03**	**0·90**	**219**	**21**	**160**	**136**	**144**	**26**
Reading C.B.	121,420	1,108	1,107	2,215	18·2	1·01	1·02	757	751	1,508	12·4	0·95	0·99	45	20	32	26	45	31
Administrative county	**405,900**	**4,235**	**4,085**	**8,320**	**20·5**	**0·93**	**1·06**	**2,039**	**1,956**	**3,995**	**9·8**	**1·05**	**0·86**	**174**	**21**	**128**	**110**	**99**	**25**
Municipal boroughs and urban districts	**123,550**	**1,212**	**1,232**	**2,444**	**19·8**	**0·92**	**1·01**	**685**	**791**	**1,476**	**11·9**	**0·91**	**0·91**	**48**	**20**	**36**	**28**	**25**	**21**
Abingdon M.B.	14,940	134	156	290	19·4	0·89	0·96	63	84	147	9·8	1·29	1·06	3	*10*	3	3	3	*20*
Maidenhead M.B.	35,850	358	334	692	19·3	0·92	0·99	199	253	452	12·6	0·91	0·96	15	*22*	12	11	7	*26*
Newbury M.B.	20,700	208	217	425	20·5	0·99	1·13	145	136	281	13·6	0·86	0·98	5	*12*	5	3	4	*16*
New Windsor M.B.	28,350	276	287	563	19·9	0·89	0·98	123	120	243	8·6	1·12	0·81	13	*23*	10	7	5	*21*
Wallingford M.B.	5,100	55	62	117	22·9	0·90	1·14	32	53	85	16·7	0·48	0·67	4	*34*	2	—	1	*8*
Wantage	6,350	67	64	131	20·6	0·91	1·04	23	42	65	10·2	0·79	0·68	4	*31*	3	3	1	*30*
Wokingham M.B.	12,260	114	112	226	18·4	0·98	1·00	100	103	203	16·6	0·64	0·89	4	*18*	1	1	4	*22*

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1962	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
BERKSHIRE—*continued*																			
Rural districts	**282,350**	**3,023**	**2,853**	**5,876**	**20·8**	**0·94**	**1·09**	**1,354**	**1,165**	**2,519**	**8·9**	**1·13**	**0·85**	**126**	**21**	**92**	**82**	**74**	**26**
Abingdon	32,510	363	318	681	20·9	0·98	1·14	147	115	262	8·1	1·29	0·88	13	*19*	9	8	8	*23*
Bradfield	30,180	358	314	672	22·3	0·89	1·10	127	109	236	7·8	1·11	0·73	17	*25*	11	10	6	*24*
Cookham	17,110	155	159	314	18·4	0·96	0·98	82	64	146	8·5	1·12	0·80	7	*22*	7	7	2	*28*
Easthampstead	47,500	535	525	1.060	22·3	0·85	1·05	178	152	330	6·9	1·33	0·77	19	*18*	13	13	14	25
Faringdon	14,420	162	181	343	23·8	1·03	1·36	58	66	124	8·6	1·10	0·79	4	*12*	2	2	7	*26*
Hungerford	10,270	89	70	159	15·5	1·12	0·96	83	54	137	13·3	0·85	0·95	7	*44*	4	4	4	*49*
Newbury	21,650	209	199	408	18·8	0·99	1·03	114	88	202	9·3	1·01	0·79	9	*22*	9	7	4	*27*
Wallingford	19,770	210	191	401	20·3	1·03	1·16	106	122	228	11·5	0·87	0·84	18	*45*	13	12	3	*37*
Wantage	17,050	203	175	378	22·2	0·98	1·21	78	57	135	7·9	1·08	0·72	3	*8*	—	—	6	*16*
Windsor	15,940	153	124	277	17·4	0·90	0·87	118	94	212	13·3	0·85	0·95	5	*18*	4	4	3	*25*
Wokingham	55,950	586	597	1,183	21·1	0·95	1·11	263	244	507	9·1	1·25	0·96	24	20	20	15	17	**27**
BUCKINGHAMSHIRE	**505,130**	**4,905**	**4,771**	**9,676**	**19·2**	**0·94**	**1·00**	**2,575**	**2,290**	**4,865**	**9·6**	**1·13**	**0·91**	**174**	**18**	**121**	**106**	**144**	**25**
Municipal boroughs and urban districts	**251,590**	**2,562**	**2,546**	**5,108**	**20·3**	**0·92**	**1·04**	**1,285**	**1,017**	**2,302**	**9·1**	**1·22**	**0·93**	**84**	**16**	**55**	**51**	**83**	**26**
Aylesbury M.B.	29,090	298	334	632	21·7	0·83	1·00	155	98	253	8·7	1·29	0·94	10	*16*	7	6	13	*29*
Beaconsfield	10,330	88	89	177	17·1	0·94	0·89	50	45	95	9·2	1·15	0·89	2	*11*	—	—	2	*11*
Bletchley	18,290	213	206	419	22·9	0·88	1·12	83	56	139	7·6	1·52	0·97	8	*19*	5	5	10	*35*
Buckingham M.B.	4,390	44	45	89	20·3	1·06	1·20	27	14	41	9·3	0·98	0·77	—	—	—	—	—	—
Chesham	17,510	192	216	408	23·3	0·91	1·18	95	82	177	10·1	1·15	0·98	8	*20*	7	4	5	*22*
Eton	5,450	42	41	83	15·2	1·10	0·93	14	22	36	6·6	1·47	0·82	—	—	—	—	1	*12*
High Wycombe M.B.	52,880	513	521	1,034	19·6	0·93	1·01	270	221	491	9·3	1·23	0·96	17	*16*	10	10	17	26
Linslade	4,310	38	41	79	18·3	0·95	0·97	29	15	44	10·2	1·01	0·87	—	—	—	—	—	—
Marlow	8,930	110	102	212	23·7	0·91	1·20	44	37	81	9·1	1·14	0·87	4	*19*	4	4	3	*33*
Newport Pagnell	4,720	44	37	81	17·2	1·00	0·96	37	48	85	18·0	0·51	0·77	—	—	—	—	1	*12*
Slough M.B.	82,700	881	823	1,704	20·6	0·89	1·02	381	276	657	7·9	1·40	0·93	23	13	13	13	29	24
Wolverton	12,990	99	91	190	14·6	1·13	0·92	100	103	203	15·6	0·81	1·06	12	*63*	9	9	2	*57*
Rural districts	**253,540**	**2,343**	**2,225**	**4,568**	**18·0**	**0·96**	**0·96**	**1,290**	**1,273**	**2,563**	**10·1**	**1·05**	**0·89**	**90**	**20**	**66**	**55**	**61**	**25**
Amersham	56,980	507	555	1,062	18·6	0·96	0·99	243	285	528	9·3	1·04	0·81	13	*12*	9	9	13	20
Aylesbury	34,250	329	289	618	18·0	1·07	1·07	203	179	382	11·2	0·95	0·89	10	*16*	9	7	7	*22*
Buckingham	9,430	86	60	146	15·5	1·11	0·96	52	40	92	9·8	0·91	0·75	4	*27*	3	1	4	*33*
Eton	68,630	654	616	1,270	18·5	0·86	0·88	317	279	596	8·7	1·28	0·94	30	24	22	16	16	25
Newport Pagnell	14,130	99	113	212	15·0	1·16	0·97	85	109	194	13·7	0·78	0·90	4	*19*	3	3	2	*23*
Wing	9,040	80	78	158	17·5	1·07	1·04	57	56	113	12·5	0·98	1·03	5	*32*	3	3	1	*25*
Winslow	7,980	64	54	118	14·8	1·13	0·93	72	79	151	18·9	0·65	1·03	7	*59*	3	3	2	*42*
Wycombe	53,100	524	460	984	18·5	0·95	0·98	261	246	507	9·5	1·12	0·89	17	*17*	14	13	16	29
CAMBRIDGESHIRE	**193,390**	**1,695**	**1,517**	**3,212**	**16·6**	**1·05**	**0·97**	**1,025**	**1,016**	**2,041**	**10·6**	**0·98**	**0·87**	**40**	**12**	**32**	**28**	**43**	**22**
Cambridge M.B.	95,380	777	685	1,462	15·3	1·03	0·88	467	491	958	10·0	1·03	0·87	22	15	19	18	23	28
Rural districts	**98,010**	**918**	**832**	**1,750**	**17·9**	**1·05**	**1·04**	**558**	**525**	**1,083**	**11·0**	**0·91**	**0·84**	**18**	*10*	**13**	**10**	**20**	**17**
Chesterton	46,970	437	413	850	18·1	1·03	1·04	232	243	475	10·1	0·95	0·81	6	*7*	5	5	12	*20*
Newmarket	21,100	200	175	375	17·8	1·09	1·08	145	98	243	11·5	0·92	0·89	7	*19*	4	2	4	*16*
South Cambridgeshire	29,940	281	244	525	17·5	1·07	1·04	181	184	365	12·2	0·85	0·87	5	*10*	4	3	4	*13*
CHESHIRE	**1,392,220**	**13,226**	**12,354**	**25,580**	**18·4**	**0·99**	**1·01**	**8,583**	**8,566**	**17,149**	**12·3**	**1·08**	**1·12**	**643**	**25**	**410**	**348**	**496**	**32**
County boroughs	**448,030**	**4,455**	**4,175**	**8,630**	**19·3**	**0·99**	**1·06**	**2,845**	**2,842**	**5,687**	**12·7**	**1·08**	**1·15**	**242**	**28**	**163**	**143**	**189**	**38**
Birkenhead	142,940	1,435	1,428	2,863	20·0	0·97	1·08	908	798	1,706	11·9	1·14	1·14	79	28	57	48	76	42
Chester	59,030	594	539	1,133	19·2	0·94	1·00	355	355	710	12·0	1·10	1·11	34	30	22	19	22	35
Stockport	142,570	1,405	1,290	2,695	18·9	1·03	1·08	917	996	1,913	13·4	1·06	1·19	68	25	42	36	51	32
Wallasey	103,490	1,021	918	1,939	18·7	1·00	1·04	665	693	1,358	13·1	1·01	1·11	61	31	42	40	40	40
Administrative county	**944,190**	**8,771**	**8,179**	**16,950**	**18·0**	**0·99**	**0·99**	**5,738**	**5,724**	**11,462**	**12·1**	**1·08**	**1·10**	**401**	**24**	**247**	**205**	**307**	**30**
Municipal boroughs and urban districts	**727,700**	**6,838**	**6,378**	**13,216**	**18·2**	**0·99**	**1·00**	**4,401**	**4,441**	**8,842**	**12·2**	**1·10**	**1·13**	**305**	**23**	**178**	**147**	**233**	**28**
Alderley Edge	3,670	30	31	61	16·6	0·94	0·87	33	26	59	16·1	0·88	1·19	3	*49*	3	2	—	*33*
Alsager	8,310	76	84	160	19·3	0·86	0·92	38	38	76	9·1	1·37	1·05	3	*19*	1	1	—	*6*
Altrincham M.B.	41,300	368	334	702	17·0	1·03	0·97	276	201	477	11·5	1·08	1·04	8	*11*	5	4	12	*22*
Bebington M.B.	52,980	441	418	859	16·2	1·01	0·91	295	346	641	12·1	1·14	1·16	16	*19*	10	9	18	31
Bollington	5,690	49	48	97	17·0	1·08	1·02	32	53	85	14·9	0·98	1·23	2	*21*	—	—	2	*20*
Bowdon	4,440	24	43	67	15·1	0·88	0·74	22	42	64	14·4	0·85	1·03	2	*30*	2	1	1	*29*
Bredbury and Romiley	23,020	202	175	377	16·4	0·98	0·89	134	119	253	11·0	1·26	1·16	10	*27*	4	3	14	*43*
Cheadle and Gatley	47,940	554	485	1,039	21·7	0·95	1·15	215	293	508	10·6	1·24	1·10	17	*16*	13	12	16	27
Congleton M.B.	17,020	149	136	285	16·7	0·96	0·89	95	119	214	12·6	1·07	1·13	4	*14*	4	2	5	*24*
Crewe M.B.	53,580	491	465	956	17·8	1·00	0·99	348	317	665	12·4	1·14	1·19	30	31	9	8	15	24
Dukinfield M.B.	17,410	142	127	269	15·5	1·00	0·86	135	136	271	15·6	1·13	1·48	5	*19*	2	2	5	*26*
Ellesmere Port M.B.	46,120	580	521	1,101	23·9	0·90	1·20	208	145	353	7·7	1·62	1·05	30	27	17	14	15	26
Hale	15,270	127	120	247	16·2	1·02	0·92	96	104	200	13·1	0·94	1·03	2	*8*	2	2	5	*28*
Hazel Grove and Bramhall	30,800	284	244	528	17·1	0·95	0·90	140	161	301	9·8	1·27	1·05	9	*17*	9	7	5	*23*
Hoylake	32,220	242	276	518	16·1	1·02	0·91	194	239	433	13·4	0·91	1·02	10	*19*	7	7	4	*21*
Hyde M.B.	31,960	297	238	535	16·7	1·07	0·99	220	225	445	13·9	0·96	1·12	13	*24*	9	7	7	*26*
Knutsford	9,670	81	77	158	16·3	0·93	0·84	117	134	251	26·0	0·56	1·22	3	*19*	2	2	2	*25*
Longdendale	4,710	37	28	65	13·8	1·12	0·86	41	32	73	15·5	0·83	1·08	—	—	—	—	—	—
Lymm	7,600	86	70	156	20·5	0·94	1·07	48	49	97	12·8	1·08	1·16	4	*26*	1	1	5	*37*
Macclesfield M.B.	37,610	322	281	603	16·0	1·07	0·95	286	279	565	15·0	0·86	1·08	14	*23*	9	6	10	*26*
Marple	17,860	145	157	302	16·9	0·96	0·90	97	116	213	11·9	1·08	1·08	6	*20*	4	4	3	*23*
Middlewich	7,060	63	47	110	15·6	0·99	0·86	48	32	80	11·3	1·21	1·15	2	*18*	—	—	4	*35*
Nantwich	10,790	106	95	201	18·6	0·96	0·99	85	85	170	15·8	0·92	1·22	10	*50*	5	3	6	*43*
Neston	12,760	121	133	254	19·9	0·96	1·06	71	81	152	11·9	1·10	1·10	4	*16*	4	4	8	*46*
Northwich	19,530	160	132	292	15·0	1·01	0·84	130	121	251	12·9	1·04	1·13	12	*41*	5	5	4	*30*
Runcorn	26,640	296	290	586	22·0	0·96	1·17	159	126	285	10·7	1·30	1·17	15	*26*	9	9	13	37

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1962	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*17*	*19*	*20*
CHESHIRE—*continued*																			
Municipal boroughs and urban districts—*continued*																			
Sale M.B.	52,160	486	505	991	19·0	1·00	1·06	313	304	617	11·8	1·17	1·16	29	29	16	12	16	28
Sandbach	10,090	97	85	182	18·0	1·00	1·00	57	48	105	10·4	1·09	0·95	3	*16*	3	3	6	*48*
Stalybridge M.B.	22,140	200	182	382	17·3	1·01	0·97	160	172	332	15·0	1·08	1·36	11	*29*	4	2	15	*43*
Wilmslow	22,420	227	237	464	20·7	0·87	1·00	110	102	212	9·5	1·09	0·87	10	*22*	6	5	7	*25*
Winsford	12,860	115	107	222	17·3	0·95	0·91	84	70	154	12·0	1·16	1·17	9	*41*	4	3	5	*35*
Wirral	22,070	240	207	447	20·3	1·00	1·13	114	126	240	10·9	1·06	0·97	9	*20*	9	7	5	*27*
Rural districts	**216,490**	**1,933**	**1,801**	**3,734**	**17·2**	**1·02**	**0·97**	**1,337**	**1,283**	**2,620**	**12·1**	**1·02**	**1·04**	**96**	**26**	**69**	**58**	**74**	**35**
Bucklow	19,090	207	174	381	20·0	0·90	1·00	94	76	170	8·9	1·40	1·05	8	*21*	6	5	6	*28*
Chester	30,190	298	249	547	18·1	1·13	1·14	178	233	411	13·6	0·86	0·98	12	*22*	8	6	13	*34*
Congleton	14,750	116	110	226	15·3	1·01	0·86	122	102	224	15·2	0·64	0·82	4	*18*	4	4	4	*35*
Disley	3,250	19	16	35	10·8	1·10	0·66	21	21	42	12·9	0·96	1·04	—	—	—	—	2	*54*
Macclesfield	23,910	196	223	419	17·5	1·01	0·98	143	156	299	12·5	1·02	1·07	13	*31*	10	9	7	*38*
Nantwich	28,560	254	215	469	16·4	1·06	0·97	185	146	331	11·6	1·03	1·00	14	*30*	6	4	4	*17*
Northwich	39,980	326	316	642	16·2	0·95	0·85	231	198	429	10·7	1·18	1·06	19	*30*	15	12	14	40
Runcorn	40,670	392	367	759	18·7	1·00	1·04	243	247	490	12·0	1·03	1·04	16	*21*	12	11	16	35
Tarvin	14,610	114	121	235	16·1	1·06	0·95	106	91	197	13·5	0·98	1·11	8	*34*	7	6	8	*58*
Tintwistle	1,480	11	10	21	14·2	1·04	0·82	14	13	27	18·2	0·91	1·39	2	*95*	1	1	—	*48*
CORNWALL	**340,880**	**2,676**	**2,565**	**5,241**	**15·4**	**1·07**	**0·92**	**2,403**	**2,465**	**4,868**	**14·3**	**0·85**	**1·02**	**105**	**20**	**78**	**65**	**124**	**35**
Municipal boroughs and urban districts	**190,790**	**1,532**	**1,431**	**2,963**	**15·5**	**1·05**	**0·90**	**1,384**	**1,519**	**2,903**	**15·2**	**0·82**	**1·05**	**60**	**20**	**40**	**32**	**71**	**34**
Bodmin M.B.	6,170	45	51	96	15·6	1·37	1·19	74	107	181	29·3	0·39	0·96	3	*31*	1	1	1	*21*
Bude-Stratton	4,940	45	28	73	14·8	1·11	0·91	38	53	91	18·4	0·72	1·11	—	—	—	—	—	—
Camborne-Redruth	36,000	280	280	560	15·6	1·00	0·87	240	270	510	14·2	0·93	1·11	13	*23*	8	8	18	45
Falmouth M.B.	17,330	127	104	231	13·3	1·08	0·80	113	126	239	13·8	0·91	1·06	4	*17*	3	2	9	*46*
Fowey M.B.	2,090	21	19	40	19·1	1·06	1·12	18	15	33	15·8	0·86	1·14	2	*50*	2	1	—	*25*
Helston M.B.	7,130	123	88	211	29·6	0·90	1·48	48	65	113	15·8	0·78	1·04	2	*9*	1	1	4	*23*
Launceston M.B.	4,510	39	29	68	15·1	1·06	0·89	37	40	77	17·1	0·65	0·93	1	*15*	1	—	2	*29*
Liskeard M.B.	4,560	24	37	61	13·4	1·10	0·82	45	59	104	22·8	0·50	0·96	1	*16*	1	1	—	*16*

1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
Looe	3,720	31	16	47	12·6	1·15	0·80	32	26	58	15·6	0·76	1·00	2	*43*	1	1	—	*21*
Lostwithiel M.B.	1,900	21	12	33	17·4	1·13	1·09	12	13	25	13·2	0·66	0·73	—	—	—	—	—	—
Newquay	11,560	105	98	203	17·6	0·98	0·96	73	89	162	14·0	0·83	0·98	7	*34*	5	3	4	*34*
Padstow	2,570	21	19	40	15·6	0·97	0·84	19	21	40	15·6	0·84	1·10	—	—	—	—	1	*24*
Penryn M.B.	4,780	57	39	96	20·1	0·93	1·04	33	21	54	11·3	1·18	1·12	1	*10*	1	1	3	*40*
Penzance M.B.	18,960	124	124	248	13·1	1·08	0·79	157	132	289	15·2	0·85	1·09	6	*24*	4	2	6	*31*
St. Austell	25,140	184	193	377	15·0	1·09	0·91	184	189	373	14·8	0·80	0·99	5	*13*	4	4	11	*39*
St. Ives M.B.	8,870	61	57	118	13·3	1·07	0·79	81	82	163	18·4	0·67	1·04	4	*34*	2	2	2	*33*
St. Just	3,580	21	23	44	12·3	1·20	0·82	23	31	54	15·1	0·81	1·03	1	*23*	1	1	2	*65*
Saltash M.B.	7,450	71	53	124	16·6	1·03	0·95	53	42	95	12·8	0·85	0·91	2	*16*	1	—	3	*24*
Torpoint	5,910	39	45	84	14·2	1·11	0·88	27	33	60	10·2	1·38	1·18	1	*12*	1	1	1	*24*
Truro M.B.	13,620	93	116	209	15·3	0·99	0·84	77	105	182	13·4	0·90	1·01	5	*24*	3	3	4	*33*
Rural districts	**150,090**	**1,144**	**1,134**	**2,278**	**15·2**	**1·10**	**0·93**	**1,019**	**946**	**1,965**	**13·1**	**0·90**	**0·99**	**45**	**20**	**38**	**33**	**53**	**37**
Camelford	6,870	41	58	99	14·4	1·13	0·90	50	62	112	16·3	0·89	1·22	2	*20*	1	1	1	*20*
Kerrier	22,200	159	159	318	14·3	1·06	0·84	115	124	239	10·8	0·99	0·90	7	*22*	6	6	5	*34*
Launceston	5,980	42	36	78	13·0	1·12	0·81	35	37	72	12·0	0·88	0·89	4	*51*	3	3	2	*62*
Liskeard	13,430	100	95	195	14·5	1·13	0·91	103	83	186	13·8	0·86	1·00	3	*15*	3	2	4	*30*
St. Austell	21,610	173	175	348	16·1	1·05	0·94	121	111	232	10·7	0·98	0·88	5	*14*	5	4	12	*44*
St. Germans	14,700	123	100	223	15·2	1·28	1·08	115	92	207	14·1	0·83	0·98	4	*18*	3	3	3	*27*
Scilly, Isles of	1,770	22	13	35	19·8	0·94	1·03	10	6	16	9·0	1·09	0·82	—	—	—	—	—	—
Stratton	4,720	28	32	60	12·7	1·48	1·04	28	19	47	10·0	0·99	0·83	1	*17*	1	1	2	*48*
Truro	27,320	201	193	394	14·4	1·12	0·90	202	192	394	14·4	0·81	0·98	6	*15*	6	3	13	*39*
Wadebridge	14,540	129	142	271	18·6	0·94	0·97	101	89	190	13·1	0·85	0·94	10	*37*	7	7	6	*47*
West Penwith	16,950	126	131	257	15·2	1·05	0·89	139	131	270	15·9	0·89	1·19	3	*12*	3	3	5	*31*
CUMBERLAND	**294,130**	**2,793**	**2,627**	**5,420**	**18·4**	**1·00**	**1·02**	**1,887**	**1,734**	**3,621**	**12·3**	**1·09**	**1·13**	**137**	**25**	**104**	**88**	**105**	**35**
Carlisle C.B.	70,800	693	659	1,352	19·1	0·95	1·01	454	444	898	12·7	1·12	1·20	29	21	21	17	28	33
Administrative county	**223,330**	**2,100**	**1,968**	**4,068**	**18·2**	**1·01**	**1·02**	**1,433**	**1,290**	**2,723**	**12·2**	**1·08**	**1·11**	**108**	**27**	**83**	**71**	**77**	**36**
Municipal boroughs and urban districts	**90,920**	**834**	**824**	**1,658**	**18·2**	**0·97**	**0·98**	**581**	**535**	**1,116**	**12·3**	**1·10**	**1·14**	**34**	**21**	**29**	**23**	**29**	**31**
Cockermouth	5,900	56	56	112	19·0	0·99	1·04	31	43	74	12·5	1·05	1·10	—	—	—	—	—	—
Keswick	4,590	20	21	41	8·9	1·00	0·49	37	35	72	15·7	0·86	1·13	—	—	—	—	2	*47*
Maryport	12,320	103	104	207	16·8	0·95	0·89	94	50	144	11·7	1·16	1·14	9	*43*	8	8	2	*48*
Penrith	10,790	86	89	175	16·2	1·01	0·91	78	73	151	14·0	0·91	1·07	4	*23*	4	4	2	*34*
Whitehaven M.B.	27,610	298	300	598	21·7	0·96	1·16	157	153	310	11·2	1·12	1·05	15	*25*	13	9	13	36
Workington M.B.	29,710	271	254	525	17·7	0·97	0·95	184	181	365	12·3	1·18	1·22	6	*11*	4	2	10	*22*
Rural districts	**132,410**	**1,266**	**1,144**	**2,410**	**18·2**	**1·04**	**1·05**	**852**	**755**	**1,607**	**12·1**	**1·06**	**1·08**	**74**	**31**	**54**	**48**	**48**	**39**
Alston with Garrigill ..	2,180	13	21	34	15·6	1·09	0·94	17	16	33	15·1	0·94	1·19	1	*29*	—	—	3	*81*
Border	30,190	258	239	497	16·5	1·15	1·05	202	173	375	12·4	0·96	1·00	15	*30*	12	11	11	43
Cockermouth	20,460	178	168	346	16·9	0·99	0·93	136	114	250	12·2	1·07	1·10	4	*12*	1	1	6	*20*
Ennerdale	31,450	388	304	692	22·0	1·01	1·23	195	159	354	11·3	1·19	1·13	23	33	17	15	12	38
Millom	15,070	144	120	264	17·5	1·02	0·99	78	76	154	10·2	1·13	0·97	9	*34*	8	7	5	*45*
Penrith	11,390	86	106	192	16·9	1·03	0·97	79	60	139	12·2	1·00	1·03	5	*26*	2	1	4	*26*
Wigton	21,670	199	186	385	17·8	1·02	1·01	145	157	302	13·9	1·02	1·19	17	*44*	14	13	7	51

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1962	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
DERBYSHIRE	**890,180**	**8,079**	**7,513**	**15,592**	**17·5**	**0·98**	**0·95**	**5,327**	**4,852**	**10,179**	**11·4**	**1·13**	**1·08**	**333**	**21**	**231**	**196**	**341**	**34**
Derby C.B.	131,910	1,240	1,117	2,357	17·9	1·00	0·99	852	889	1,741	13·2	1·01	1·12	47	20	33	25	56	34
Administrative county	**758,270**	**6,839**	**6,396**	**13,235**	**17·5**	**0·97**	**0·94**	**4,475**	**3,963**	**8,438**	**11·1**	**1·15**	**1·07**	**286**	**22**	**198**	**171**	**285**	**34**
Municipal boroughs and urban districts	**369,970**	**3,135**	**3,014**	**6,149**	**16·6**	**0·99**	**0·91**	**2,329**	**2,121**	**4,450**	**12·0**	**1·09**	**1·10**	**128**	**21**	**88**	**75**	**136**	**34**
Alfreton	23,050	182	153	335	14·5	0·97	0·78	148	120	268	11·6	1·18	1·15	11	*33*	5	5	7	*35*
Ashbourne	5,660	44	53	97	17·1	1·03	0·98	49	28	77	13·6	0·92	1·05	1	*10*	1	—	2	*20*
Bakewell	3,820	24	36	60	15·7	1·00	0·87	38	47	85	22·3	0·57	1·07	1	*17*	1	1	—	*17*
Belper	15,600	117	109	226	14·5	0·99	0·80	120	125	245	15·7	0·79	1·04	3	*13*	2	1	6	*30*
Bolsover	11,820	112	119	231	19·5	1·00	1·08	62	52	114	9·6	1·32	1·06	6	*26*	4	2	7	*38*
Buxton M.B.	19,370	178	173	351	18·1	1·04	1·05	130	192	322	16·6	0·91	1·27	8	*23*	6	6	5	*31*
Chesterfield M.B.	68,000	523	524	1,047	15·4	0·96	0·82	420	379	799	11·8	1·02	1·01	21	20	16	12	25	35
Clay Cross	9,320	71	73	144	15·4	0·96	0·82	52	38	90	9·7	1·18	0·96	2	*14*	1	1	4	*34*
Dronfield	12,170	142	127	269	22·1	0·85	1·04	60	44	104	8·5	1·42	1·01	2	*7*	2	2	3	*18*
Glossop M.B.	17,440	167	151	318	18·2	1·03	1·04	137	144	281	16·1	0·88	1·19	8	*25*	6	5	9	*43*
Heanor	24,200	214	227	441	18·2	0·98	0·99	131	131	262	10·8	1·24	1·13	10	*23*	7	6	8	*31*
Ilkeston M.B.	34,960	316	278	594	17·0	0·99	0·94	190	157	347	9·9	1·29	1·07	14	*24*	10	9	16	41
Long Eaton	31,230	279	292	571	18·3	0·99	1·01	180	175	355	11·4	1·14	1·09	7	*12*	5	4	12	*27*
Matlock	19,060	145	141	286	15·0	1·02	0·85	134	115	249	13·1	1·00	1·10	7	*24*	7	7	4	*38*
New Mills	8,650	85	84	169	19·5	1·06	1·15	75	66	141	16·3	0·96	1·31	2	*12*	2	2	4	*35*
Ripley	17,700	118	114	232	13·1	1·00	0·73	102	84	186	10·5	1·15	1·01	4	*17*	3	3	5	*34*
Staveley	18,200	181	139	320	17·6	0·98	0·96	113	84	197	10·8	1·34	1·22	9	*28*	4	4	7	*34*
Swadlincote	19,430	152	135	287	14·8	0·99	0·81	116	89	205	10·6	1·17	1·04	12	*42*	6	5	6	*38*
Whaley Bridge	5,310	50	44	94	17·7	1·03	1·01	41	26	67	12·6	1·04	1·10	—	—	—	—	3	*31*
Wirksworth	4,980	35	42	77	15·5	1·03	0·89	31	25	56	11·2	1·03	0·97	—	—	—	—	3	*38*
Rural districts	**388,300**	**3,704**	**3,382**	**7,086**	**18·2**	**0·96**	**0·97**	**2,146**	**1,842**	**3,988**	**10·3**	**1·22**	**1·06**	**158**	**22**	**110**	**96**	**149**	**34**
Ashbourne	11,260	84	90	174	15·5	1·11	0·96	59	72	131	11·6	1·08	1·05	3	*17*	3	2	2	*23*
Bakewell	18,560	154	135	289	15·6	1·10	0·95	128	121	249	13·4	0·90	1·01	10	*35*	9	8	1	*31*
Belper	35,150	283	325	608	17·3	0·99	0·95	191	195	386	11·0	1·13	1·04	11	*18*	10	9	17	42
Blackwell	44,130	411	381	792	17·9	0·97	0·96	260	195	455	10·3	1·25	1·08	15	*19*	7	5	17	27
Chapel en le Frith	18,120	155	116	271	15·0	1·12	0·93	136	109	245	13·5	0·99	1·12	8	*30*	6	6	7	*47*
Chesterfield	102,930	976	863	1,839	17·9	0·91	0·90	527	433	960	9·3	1·42	1·11	49	27	32	30	41	38
Clowne	19,900	186	172	358	18·0	1·01	1·01	112	103	215	10·8	1·17	1·06	10	*28*	6	6	9	*41*
Repton	39,110	353	315	668	17·1	1·00	0·95	229	215	444	11·4	1·04	1·00	15	*22*	11	9	18	39
South East Derbyshire	99,140	1,102	985	2,087	21·1	0·91	1·07	504	399	903	9·1	1·32	1·01	37	18	26	21	37	27
DEVON	**825,340**	**6,583**	**6,174**	**12,757**	**15·5**	**1·08**	**0·93**	**5,564**	**5,976**	**11,540**	**14·0**	**0·85**	**1·00**	**231**	**18**	**167**	**141**	**210**	**27**
County boroughs	**288,850**	**2,628**	**2,383**	**5,011**	**17·3**	**1·02**	**0·98**	**1,788**	**1,798**	**3,586**	**12·4**	**1·01**	**1·05**	**104**	**21**	**77**	**67**	**92**	**31**
Exeter	78,950	669	564	1,233	15·6	1·01	0·88	506	521	1,027	13·0	0·84	0·92	25	20	18	16	27	34
Plymouth	209,900	1,959	1,819	3,778	18·0	1·01	1·01	1,282	1,277	2,559	12·2	1·08	1·11	79	21	59	51	65	30
Administrative county	**536,490**	**3,955**	**3,791**	**7,746**	**14·4**	**1·11**	**0·89**	**3,776**	**4,178**	**7,954**	**14·8**	**0·79**	**0·98**	**127**	**16**	**90**	**74**	**118**	**24**
Municipal boroughs and urban districts	**275,450**	**1,880**	**1,827**	**3,707**	**13·5**	**1·10**	**0·82**	**2,083**	**2,496**	**4,579**	**16·6**	**0·73**	**1·02**	**55**	**15**	**37**	**32**	**47**	**21**
Ashburton	2,720	19	19	38	14·0	1·08	0·84	27	24	51	18·8	0·70	1·11	—	—	—	—	—	—
Barnstaple M.B.	15,650	133	152	285	18·2	1·03	1·04	91	137	228	14·6	0·81	0·99	3	*11*	3	3	5	*28*
Bideford M.B.	10,820	85	64	149	13·8	1·05	0·80	65	73	138	12·8	0·78	0·84	2	*13*	2	2	2	*26*
Brixham	10,870	77	89	166	15·3	1·00	0·85	89	79	168	15·5	0·90	1·17	2	*12*	1	1	2	*18*
Buckfastleigh	2,520	18	12	30	11·9	1·17	0·77	21	18	39	15·5	0·77	1·00	—	—	—	—	—	—
Budleigh Salterton	3,720	20	22	42	11·3	1·37	0·86	32	34	66	17·7	0·55	0·82	—	—	—	—	—	—
Crediton	4,420	28	33	61	13·8	0·96	0·74	31	47	78	17·6	0·80	1·18	1	*16*	1	1	—	*16*
Dartmouth M.B.	6,360	45	38	83	13·0	1·09	0·79	43	43	86	13·5	0·87	0·99	2	*24*	1	—	1	*12*
Dawlish	7,530	49	34	83	11·0	1·19	0·73	56	60	116	15·4	0·74	0·96	—	—	—	—	1	*12*
Exmouth	19,890	161	140	301	15·1	1·09	0·91	167	183	350	17·6	0·72	1·06	5	*17*	5	5	4	*30*
Great Torrington M.B.	2,880	17	22	39	13·5	1·13	0·85	25	34	59	20·5	0·69	1·19	1	*26*	—	—	—	—
Holsworthy	1,580	8	9	17	10·8	0·96	0·58	10	12	22	13·9	0·73	0·85	—	—	—	—	1	*56*
Honiton M.B.	4,550	36	33	69	15·2	1·34	1·13	33	37	70	15·4	0·68	0·88	2	*29*	1	1	—	*14*
Ilfracombe	8,510	54	46	100	11·8	1·14	0·75	70	75	145	17·0	0·73	1·04	2	*20*	2	2	—	*20*
Kingsbridge	3,210	23	19	42	13·1	1·08	0·79	19	28	47	14·6	0·87	1·07	1	*24*	1	1	—	*24*
Lynton	1,700	11	9	20	11·8	1·01	0·66	15	15	30	17·6	0·76	1·12	—	—	—	—	—	—
Newton Abbot	18,080	137	153	290	16·0	1·02	0·91	131	161	292	16·2	0·72	0·98	5	*17*	4	4	3	*24*
Northam	6,530	44	42	86	13·2	1·10	0·81	49	60	109	16·7	0·77	1·08	1	*12*	1	—	2	*23*
Okehampton M.B.	3,800	20	29	49	12·9	1·06	0·76	40	41	81	21·3	0·72	1·29	—	—	—	—	1	*20*
Ottery St. Mary	4,080	28	30	58	14·2	1·04	0·82	30	36	66	16·2	0·80	1·09	—	—	—	—	1	*17*
Paignton	29,810	175	189	364	12·2	1·09	0·74	246	273	519	17·4	0·73	1·07	6	*16*	5	3	1	*11*
Salcombe	2,370	14	10	24	10·1	1·20	0·67	19	20	39	16·5	0·68	0·94	—	—	—	—	—	—
Seaton	3,360	17	17	34	10·1	1·09	0·61	31	45	76	22·6	0·62	1·18	—	—	—	—	—	—
Sidmouth	10,220	54	47	101	9·9	1·32	0·73	81	128	209	20·5	0·55	0·95	3	*30*	3	3	1	*39*
South Molton M.B.	2,950	19	20	39	13·2	1·09	0·80	40	35	75	25·4	0·74	1·58	2	*51*	1	—	1	*25*
Tavistock	6,310	45	37	82	13·0	1·15	0·83	40	47	87	13·3	0·70	0·81	2	*24*	1	1	1	*24*
Teignmouth	11,230	49	63	112	10·0	1·19	0·66	80	122	202	18·0	0·61	0·92	—	—	—	—	—	—
Tiverton M.B.	12,770	122	126	248	19·4	0·99	1·07	83	80	163	12·8	0·84	0·90	4	*16*	2	2	5	*28*
Torquay M.B.	51,700	333	292	625	12·1	1·10	0·74	379	499	878	17·0	0·70	1·00	10	*16*	3	3	13	*25*
Totnes M.B.	5,310	39	31	70	13·2	1·06	0·78	40	50	90	16·9	0·68	0·97	1	*14*	—	—	2	*28*
Rural districts	**261,040**	**2,075**	**1,964**	**4,039**	**15·5**	**1·14**	**0·98**	**1,693**	**1,682**	**3,375**	**12·9**	**0·87**	**0·94**	**72**	**18**	**53**	**42**	**71**	**27**
Axminster	14,510	86	95	181	12·5	1·15	0·80	79	100	179	12·3	0·80	0·83	1	*6*	1	1	3	*22*
Barnstaple	25,580	184	163	347	13·6	1·09	0·82	158	178	336	13·1	0·92	1·01	6	*17*	4	3	10	*36*
Bideford	4,800	33	42	75	15·6	1·23	1·07	27	27	54	11·3	0·81	0·77	1	*13*	1	1	3	*51*

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1962	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
DEVON—*continued*																			
Rural districts—*continued*																			
Broadwoodwidger	2,020	15	12	27	13·4	1·05	0·78	5	7	12	5·9	1·18	0·59	—	—	—	—	—	—
Crediton	9,710	90	80	170	17·5	1·13	1·10	48	56	104	10·7	0·92	0·83	4	*24*	3	—	4	*40*
Holsworthy	5,780	39	51	90	15·6	1·12	0·97	41	34	75	13·0	0·88	0·96	1	*11*	—	—	2	*22*
Honiton	6,970	56	45	101	14·5	1·12	0·90	45	39	84	12·1	0·94	0·96	4	*40*	4	2	3	*48*
Kingsbridge	11,350	89	74	163	14·4	1·15	0·92	80	68	148	13·0	0·84	0·92	6	*37*	5	4	2	*36*
Newton Abbot	26,280	201	160	361	13·7	1·16	0·88	200	176	376	14·3	0·82	0·99	6	*17*	3	3	6	*25*
Okehampton	11,270	89	99	188	16·7	1·18	1·09	87	86	173	15·4	0·83	1·07	2	*11*	1	1	1	*11*
Plympton St. Mary	40,450	397	365	762	18·8	1·04	1·09	231	225	456	11·3	1·01	0·96	12	*16*	9	7	7	*18*
St. Thomas	35,940	284	283	567	15·8	1·15	1·01	236	235	471	13·1	0·74	0·81	13	*23*	12	8	11	*33*
South Molton	8,400	65	67	132	15·7	1·15	1·00	51	42	93	11·1	0·93	0·87	3	*23*	3	2	3	*37*
Tavistock	15,250	132	130	262	17·2	1·22	1·17	89	123	212	13·9	0·88	1·03	2	*8*	—	—	3	*11*
Tiverton	20,660	160	161	321	15·5	1·09	0·94	123	121	244	11·8	0·90	0·89	6	*19*	3	3	9	*36*
Torrington	7,190	57	37	94	13·1	1·18	0·86	52	39	91	12·7	0·89	0·95	4	*43*	3	3	3	*62*
Totnes	14,880	98	100	198	13·3	1·20	0·89	141	126	267	17·9	0·62	0·93	1	*5*	1	1	1	*10*
DORSET	**319,800**	**2,649**	**2,425**	**5,074**	**15·9**	**1·07**	**0·95**	**2,101**	**2,169**	**4,270**	**13·4**	**0·91**	**1·02**	**111**	**22**	**81**	**68**	**102**	**33**
Municipal boroughs and urban districts	**197,780**	**1,606**	**1,463**	**3,069**	**15·5**	**1·06**	**0·91**	**1,337**	**1,407**	**2,744**	**13·9**	**0·92**	**1·07**	**69**	**22**	**48**	**42**	**55**	**31**
Blandford Forum M.B. ..	3,490	41	23	64	18·3	1·03	1·05	34	27	61	17·5	0·73	1·07	4	*62*	3	3	3	*90*
Bridport M.B.	6,520	44	35	79	12·1	1·07	0·72	49	66	115	17·6	0·77	1·14	1	*13*	1	1	—	*13*
Dorchester M.B.	12,750	109	98	207	16·2	1·01	0·91	108	102	210	16·5	0·89	1·23	5	*24*	2	2	2	*19*
Lyme Regis M.B.	3,510	22	18	40	11·4	1·05	0·66	38	26	64	18·2	0·86	1·32	1	*25*	—	—	1	*24*
Poole M.B.	92,920	758	689	1,447	15·6	1·02	0·88	613	634	1,247	13·4	0·93	1·05	30	21	23	19	33	35
Portland	12,120	100	101	201	16·6	1·40	1·29	79	49	128	10·6	1·34	1·19	5	*25*	3	3	2	*25*
Shaftesbury M.B.	3,280	21	21	42	12·8	1·04	0·74	16	28	44	13·4	0·77	0·87	—	—	—	—	—	—
Sherborne	7,140	42	31	73	10·2	1·27	0·72	51	48	99	13·9	0·91	1·06	—	—	—	—	—	—
Swanage	7,410	45	42	87	11·7	1·15	0·75	48	62	110	14·8	0·75	0·93	5	*57*	4	3	1	*45*
Wareham M.B.	3,110	32	35	67	21·5	1·04	1·24	23	29	52	16·7	0·65	0·91	—	—	—	—	1	*15*
Weymouth and Melcombe Regis M.B.	41,390	362	345	707	17·1	1·00	0·95	253	301	554	13·4	0·95	1·07	17	*24*	12	11	12	32
Wimborne Minster	4,140	30	25	55	13·3	1·14	0·84	25	35	60	14·5	0·70	0·85	1	*18*	—	—	—	—

1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
Rural districts	**122,020**	**1,043**	**962**	**2,005**	**16·4**	**1·10**	**1·00**	**764**	**762**	**1,526**	**12·5**	**0·92**	**0·97**	**42**	**21**	**33**	**26**	**47**	**36**
Beaminster	8,270	59	62	121	14·6	1·14	0·92	62	57	119	14·4	0·85	1·03	3	*25*	3	1	2	*24*
Blandford	11,360	99	86	185	16·3	0·99	0·90	58	51	109	9·6	1·08	0·87	6	*32*	4	4	3	*37*
Bridport	7,800	43	42	85	10·9	1·21	0·73	62	39	101	12·9	0·75	0·81	—	—	—	—	3	*34*
Dorchester	18,110	156	130	286	15·8	1·25	1·10	132	145	277	15·3	0·72	0·93	6	*21*	5	3	9	*41*
Shaftesbury	9,600	74	67	141	14·7	1·15	0·94	64	81	145	15·1	0·84	1·07	5	*35*	4	4	2	*42*
Sherborne	6,090	60	50	110	18·1	1·04	1·05	37	16	53	8·7	1·01	0·74	1	*9*	1	1	2	*27*
Sturminster	9,930	72	64	136	13·7	1·07	0·81	80	88	168	16·9	0·72	1·02	4	*29*	4	2	4	*43*
Wareham and Purbeck	22,170	226	217	443	20·0	1·07	1·19	91	111	202	9·1	1·21	0·93	10	*23*	6	5	12	*37*
Wimborne and Cranborne ..	28,690	254	244	498	17·4	1·03	1·00	178	174	352	12·3	0·94	0·97	7	*14*	6	6	10	*31*
DURHAM	**1,530,170**	**14,931**	**13,854**	**28,785**	**18·8**	**0·96**	**1·00**	**9,714**	**8,034**	**17,748**	**11·6**	**1·20**	**1·17**	**748**	**26**	**529**	**454**	**563**	**35**
County boroughs	**565,620**	**5,701**	**5,266**	**10,967**	**19·4**	**0·96**	**1·03**	**3,663**	**2,859**	**6,522**	**11·5**	**1·17**	**1·13**	**283**	**26**	**185**	**164**	**207**	**33**
Darlington	84,400	728	722	1,450	17·2	0·99	0·95	563	481	1,044	12·4	1·04	1·08	29	20	17	15	19	23
Gateshead	103,120	1,071	955	2,026	19·6	1·00	1·09	666	547	1,213	11·8	1·10	1·09	59	29	35	29	33	30
South Shields	109,300	1,044	943	1,987	18·2	0·93	0·94	747	570	1,317	12·0	1·19	1·20	45	23	30	29	45	36
Sunderland	190,580	2,003	1,844	3,847	20·2	0·94	1·05	1,216	906	2,122	11·1	1·24	1·16	102	27	73	67	73	36
West Hartlepool	78,220	855	802	1,657	21·2	0·97	1·14	471	355	826	10·6	1·21	1·08	48	29	30	24	37	36
Administrative county	**964,550**	**9,230**	**8,588**	**17,818**	**18·5**	**0·96**	**0·99**	**6,051**	**5,175**	**11,226**	**11·6**	**1·23**	**1·20**	**465**	**26**	**344**	**290**	**356**	**36**
Municipal boroughs and urban districts	**658,770**	**6,297**	**5,860**	**12,157**	**18·5**	**0·95**	**0·98**	**4,060**	**3,523**	**7,583**	**11·5**	**1·24**	**1·20**	**332**	**27**	**243**	**205**	**248**	**37**
Barnard Castle	5,280	52	54	106	20·1	0·95	1·06	54	40	94	17·8	0·73	1·09	3	*28*	2	2	3	*46*
Billingham	32,480	380	343	723	22·3	0·87	1·08	140	106	246	7·6	1·80	1·15	33	46	21	15	12	37
Bishop Auckland	35,410	327	330	657	18·6	0·96	0·99	223	209	432	12·2	1·16	1·19	27	41	20	15	10	37
Blaydon	31,120	262	241	503	16·2	0·96	0·86	207	182	389	12·5	1·23	1·29	13	*26*	7	7	9	*31*
Boldon	23,280	226	225	451	19·4	0·90	0·97	122	137	259	11·1	1·26	1·18	10	*22*	8	8	18	55
Brandon and Byshottles ..	19,920	213	171	384	19·3	0·99	1·06	131	102	233	11·7	1·19	1·17	8	*21*	7	7	6	*33*
Chester-le-Street	19,070	157	150	307	16·1	1·00	0·89	142	123	265	13·9	1·06	1·24	3	*10*	2	1	4	*16*
Consett	38,780	344	290	634	16·3	0·99	0·90	248	216	464	12·0	1·26	1·27	18	*28*	15	13	19	48
Crook and Willington ..	25,050	182	179	361	14·4	1·01	0·81	224	169	393	15·7	1·08	1·42	11	*30*	9	8	7	*41*
Durham M.B.	22,010	158	149	307	13·9	0·97	0·75	159	172	331	15·0	0·89	1·12	8	*26*	6	4	4	*26*
Felling	37,100	402	390	792	21·3	0·87	1·03	193	177	370	10·0	1·49	1·25	19	*24*	16	13	24	45
Hartlepool M.B.	17,990	206	157	363	20·2	0·91	1·02	97	84	181	10·1	1·38	1·17	13	*36*	9	7	9	*43*
Hebburn	25,020	269	227	496	19·8	0·89	0·98	172	120	292	11·7	1·37	1·35	18	*36*	16	13	10	45
Hetton	17,470	125	123	248	14·2	1·02	0·80	102	103	205	11·7	1·34	1·32	10	*40*	8	8	10	*70*
Houghton-le-Spring	30,760	306	292	598	19·4	0·93	1·00	213	154	367	11·9	1·20	1·20	15	*25*	14	14	15	47
Jarrow M.B.	28,370	284	252	536	18·9	0·91	0·96	193	199	392	13·8	1·23	1·43	11	*21*	7	7	9	*29*
Ryton	13,920	113	93	206	14·8	1·00	0·82	80	74	154	11·1	1·11	1·04	2	*10*	2	2	3	*24*
Seaham	25,630	242	242	484	18·9	0·99	1·04	161	121	282	11·0	1·37	1·27	11	*23*	8	7	6	*27*
Shildon	14,130	125	123	248	17·6	0·97	0·95	72	72	144	10·2	1·17	1·00	4	*16*	3	2	4	*24*
Spennymoor	19,100	166	146	312	16·3	0·92	0·83	96	105	201	10·5	1·25	1·10	10	*32*	8	7	5	*38*
Stanley	46,480	385	359	744	16·0	1·00	0·89	324	251	575	12·4	1·20	1·25	18	*24*	13	9	18	35
Stockton-on-Tees M.B. ..	82,890	934	874	1,808	21·8	0·95	1·15	446	400	846	10·2	1·25	1·07	49	27	31	26	29	30
Tow Law	2,930	24	34	58	19·8	1·00	1·10	14	12	26	8·9	1·14	0·85	—	—	—	—	1	*17*
Washington	19,220	177	192	369	19·2	0·93	0·99	100	74	174	9·1	1·35	1·03	8	*22*	4	3	8	*29*
Whickham	25,360	238	224	462	18·2	0·96	0·97	147	121	268	10·6	1·28	1·14	10	*22*	7	7	5	*26*

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1962	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
DURHAM—*continued*																			
Rural districts	**305,780**	**2,933**	**2,728**	**5,661**	**18·5**	**0·97**	**1·00**	**1,991**	**1,652**	**3,643**	**11·9**	**1·20**	**1·20**	**133**	**23**	**101**	**85**	**108**	**33**
Barnard Castle	16,780	130	152	282	16·8	1·08	1·01	115	103	218	13·0	1·14	1·25	3	*11*	2	1	6	*24*
Chester-le-Street	41,980	390	363	753	17·9	0·97	0·96	254	196	450	10·7	1·27	1·14	16	*21*	11	9	13	29
Darlington	25,440	313	267	580	22·8	0·76	0·96	108	120	228	9·0	1·66	1·26	13	*22*	8	8	8	*27*
Durham	36,710	312	329	641	17·5	0·98	0·95	209	168	377	10·3	1·26	1·09	17	*27*	14	10	12	34
Easington	86,410	887	889	1,776	20·6	0·98	1·12	530	427	957	11·1	1·36	1·27	47	26	39	33	36	38
Lanchester	14,620	132	107	239	16·3	1·03	0·93	131	120	251	17·2	0·88	1·27	4	*17*	2	1	2	*12*
Sedgefield	37,030	321	239	560	15·1	1·04	0·87	314	263	577	15·6	0·96	1·26	15	*27*	10	10	17	47
Stockton	10,200	79	72	151	14·8	0·95	0·78	52	33	85	8·3	1·17	0·82	2	*13*	2	2	2	26
Sunderland	28,450	308	257	565	19·9	0·96	1·06	203	162	365	12·8	1·03	1·11	15	*27*	12	10	10	35
Weardale	8,160	61	53	114	14·0	1·23	0·96	75	60	135	16·5	0·83	1·15	1	*9*	1	1	2	*26*
ELY, ISLE OF	**89,420**	**732**	**725**	**1,457**	**16·3**	**1·01**	**0·91**	**576**	**474**	**1,050**	**11·7**	**0·97**	**0·95**	**37**	**25**	**25**	**22**	**20**	**28**
Municipal boroughs and urban districts	**55,560**	**453**	**429**	**882**	**15·9**	**1·00**	**0·88**	**377**	**326**	**703**	**12·7**	**0·91**	**0·97**	**23**	**26**	**16**	**13**	**9**	**25**
Chatteris	5,520	48	31	79	14·3	1·00	0·79	32	24	56	10·1	0·99	0·84	1	*13*	1	1	1	*25*
Ely	9,800	76	76	152	15·5	0·99	0·85	75	68	143	14·6	0·74	0·91	5	*33*	4	3	1	*26*
March	13,230	95	102	197	14·9	1·02	0·84	88	59	147	11·1	1·09	1·02	7	*36*	5	5	1	*30*
Whittlesey	9,460	81	86	167	17·7	1·00	0·98	49	51	100	10·6	1·11	0·99	3	*18*	2	1	2	*18*
Wisbech M.B.	17,550	153	134	287	16·4	0·99	0·90	133	124	257	14·6	0·78	0·96	7	*24*	4	3	4	*24*
Rural districts	**33,860**	**279**	**296**	**575**	**17·0**	**1·02**	**0·96**	**199**	**148**	**347**	**10·2**	**1·03**	**0·88**	**14**	*24*	**9**	**9**	**11**	**34**
Ely	14,370	125	115	240	16·7	1·03	0·96	83	61	144	10·0	0·98	0·82	5	*21*	3	3	6	*37*
North Witchford	4,650	30	49	79	17·0	1·03	0·97	37	24	61	13·1	0·99	1·09	4	*51*	3	3	2	*62*
Thorney	2,170	21	19	40	18·4	1·03	1·05	12	8	20	9·2	1·28	0·99	1	*25*	1	1	2	*71*
Wisbech	12,670	103	113	216	17·0	1·00	0·94	67	55	122	9·6	1·08	0·87	4	*19*	2	2	1	*14*
ESSEX	**2,324,120**	**20,282**	**19,104**	**39,386**	**16·9**	**0·95**	**0·89**	**12,938**	**12,333**	**25,271**	**10·9**	**1·09**	**1·00**	**714**	**18**	**523**	**460**	**666**	**28**
County boroughs	**428,520**	**3,673**	**3,558**	**7,231**	**16·9**	**1·01**	**0·95**	**2,674**	**2,652**	**5,326**	**12·4**	**1·00**	**1·04**	**148**	**20**	**101**	**89**	**125**	**29**
East Ham	105,430	856	909	1,765	16·7	1·01	0·94	610	591	1,201	11·4	1·04	1·00	28	16	20	20	32	29
Southend-on-Sea	166,130	1,260	1,120	2,380	14·3	1·06	0·84	1,140	1,274	2,414	14·5	0·83	1·01	48	20	31	29	27	23
West Ham	156,960	1,557	1,529	3,086	19·7	0·95	1·04	924	787	1,711	10·9	1·19	1·09	72	23	50	40	66	34

1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
Administrative county	**1,895,600**	**16,609**	**15,546**	**32,155**	**17·0**	**0·94**	**0·89**	**10,264**	**9,681**	**19,945**	**10·5**	**1·12**	**0·99**	**566**	**18**	**422**	**371**	**541**	**28**
Municipal boroughs and urban districts	**1,632,510**	**14,156**	**13,267**	**27,423**	**16·8**	**0·93**	**0·87**	**8,640**	**8,211**	**16,851**	**10·3**	**1·17**	**1·01**	**500**	**18**	**376**	**329**	**473**	**29**
Barking M.B.	72,440	517	524	1,041	14·4	0·95	0·76	415	317	732	10·1	1·37	1·16	5	*5*	2	2	16	*17*
Basildon	95,360	1,213	1,046	2,259	23·7	0·80	1·05	349	317	666	7·0	1·38	0·81	40	18	31	27	60	38
Benfleet	34,520	359	323	682	19·8	0·91	1·00	213	194	407	11·8	1·11	1·10	12	*18*	11	10	7	*25*
Braintree and Bocking	20,760	190	185	375	18·1	0·98	0·99	127	141	268	12·9	0·86	0·93	4	*11*	2	1	4	*13*
Brentwood	51,450	502	458	960	18·7	0·91	0·95	266	293	559	10·9	0·87	0·80	12	*12*	9	8	15	24
Brightlingsea	4,770	39	37	76	15·9	1·18	1·04	43	44	87	18·2	0·70	1·07	—	—	—	—	3	*38*
Burnham-on-Crouch	4,180	41	36	77	18·4	1·18	1·21	30	36	66	15·8	0·79	1·05	2	*26*	1	1	—	*13*
Canvey Island	16,890	183	169	352	20·8	0·95	1·10	113	85	198	11·7	1·14	1·12	10	*28*	7	6	2	*23*
Chelmsford M.B.	51,180	568	487	1,055	20·6	0·90	1·03	248	212	460	9·0	1·27	0·96	17	*16*	13	12	9	20
Chigwell	62,070	366	373	739	11·9	0·92	0·61	238	241	479	7·7	1·50	0·97	12	*16*	10	8	17	33
Chingford M.B.	46,350	311	293	604	13·0	1·04	0·75	215	238	453	9·8	1·28	1·05	7	*12*	5	5	10	*24*
Clacton	28,390	198	179	377	13·3	1·08	0·80	261	271	532	18·7	0·84	1·32	6	*16*	2	2	7	*23*
Colchester M.B.	67,010	666	565	1,231	18·4	1·01	1·03	408	423	831	12·4	0·88	0·92	28	23	23	22	14	29
Dagenham M.B.	109,470	774	741	1,515	13·8	0·95	0·73	535	414	949	8·7	1·70	1·24	33	22	21	18	34	34
Epping	9,970	90	94	184	18·5	0·89	0·91	57	52	109	10·9	1·09	1·00	5	*27*	5	4	3	*37*
Frinton and Walton	9,550	50	54	104	10·9	1·11	0·67	88	112	200	20·9	0·77	1·35	2	*19*	2	2	—	*19*
Halstead	6,580	59	38	97	14·7	1·06	0·87	47	38	85	12·9	0·87	0·94	2	*21*	2	2	5	*69*
Harlow	58,180	809	745	1,554	26·7	0·64	0·95	126	116	242	4·2	2·75	0·97	23	15	17	13	19	20
Harwich M.B.	13,570	127	138	265	19·5	0·94	1·02	90	77	167	12·3	1·06	1·10	5	*19*	3	3	2	*19*
Hornchurch	132,400	1,235	1,205	2,440	18·4	0·93	0·95	634	586	1,220	9·2	1·22	0·94	49	20	38	33	31	26
Ilford M.B.	177,460	1,343	1,230	2,573	14·5	1·00	0·81	1,028	1,115	2,143	12·1	1·00	1·02	45	17	35	29	54	32
Leyton M.B.	92,970	719	675	1,394	15·0	1·01	0·84	672	722	1,394	15·0	0·79	1·00	34	24	27	27	25	37
Maldon M.B.	10,720	114	109	223	20·8	1·02	1·18	70	90	160	14·9	0·58	0·73	1	*4*	—	—	4	*18*
Rayleigh	19,840	176	210	386	19·5	0·86	0·93	102	98	200	10·1	1·24	1·05	5	*13*	5	5	4	*23*
Romford M.B.	115,600	955	933	1,888	16·3	0·84	0·76	436	386	822	7·1	1·54	0·92	43	23	35	30	30	31
Saffron Walden M.B.	8,110	70	59	129	15·9	1·00	0·88	66	61	127	15·7	0·54	0·71	1	*8*	—	—	—	—
Thurrock	115,430	985	936	1,921	16·6	0·88	0·81	545	401	946	8·2	1·44	0·99	42	22	27	21	48	35
Waltham Holy Cross	11,900	139	118	257	21·6	0·87	1·04	66	50	116	9·7	1·30	1·06	9	*35*	6	5	6	*42*
Walthamstow M.B.	108,190	818	731	1,549	14·3	1·03	0·82	650	623	1,273	11·8	1·03	1·02	25	16	20	20	26	29
Wanstead and Woodford M.B.	61,410	409	436	845	13·8	1·00	0·77	391	373	764	12·4	0·97	1·01	17	*20*	14	11	13	28
West Mersea	3,110	24	25	49	15·8	1·24	1·09	27	24	51	16·4	0·70	0·96	1	*20*	1	1	2	*59*
Witham	9,650	84	83	167	17·3	1·09	1·05	65	46	111	11·5	1·07	1·03	2	*12*	1	—	3	*18*
Wivenhoe	3,030	23	32	55	18·2	1·00	1·01	19	15	34	11·2	0·96	0·90	1	*18*	1	1	—	*18*
Rural districts	**263,090**	**2,453**	**2,279**	**4,732**	**18·0**	**1·04**	**1·04**	**1,624**	**1,470**	**3,094**	**11·8**	**0·89**	**0·88**	**66**	**14**	**46**	**42**	**68**	**23**
Braintree	23,140	190	194	384	16·6	1·08	1·00	144	123	267	11·5	0·99	0·96	7	*18*	5	5	6	*28*
Chelmsford	49,720	506	461	967	19·4	0·99	1·07	276	284	560	11·3	0·92	0·87	10	*10*	7	6	15	21
Dunmow	20,760	197	185	382	18·4	1·01	1·03	135	111	246	11·8	0·93	0·92	10	*26*	10	9	2	*29*
Epping and Ongar	37,790	410	367	777	20·6	0·99	1·13	168	154	322	8·5	1·14	0·81	12	*15*	6	5	11	*20*
Halstead	16,390	139	120	259	15·8	1·17	1·03	102	120	222	13·5	0·82	0·93	2	*8*	2	2	3	*19*
Lexden and Winstree	23,230	204	185	389	16·7	1·15	1·07	164	139	303	13·0	0·72	0·79	2	*5*	2	2	10	*30*
Maldon	16,380	132	142	274	16·7	1·09	1·01	118	75	193	11·8	0·86	0·85	3	*11*	—	—	2	*7*
Rochford	32,500	349	312	661	20·3	0·93	1·05	218	207	425	13·1	0·85	0·94	9	*14*	7	7	7	*21*
Saffron Walden	18,160	138	153	291	16·0	1·12	1·00	111	103	214	11·8	0·87	0·86	7	*24*	5	4	4	*27*
Tendring	25,020	188	160	348	13·9	1·13	0·87	188	154	342	13·7	0·70	0·81	4	*11*	2	2	8	*28*

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1962	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
GLOUCESTERSHIRE	**1,013,740**	**9,269**	**8,925**	**18,194**	**17·9**	**0·99**	**0·98**	**6,101**	**5,826**	**11,927**	**11·8**	**1·01**	**1·00**	**366**	**20**	**256**	**222**	**321**	**29**
County boroughs	**504,440**	**4,463**	**4,215**	**8,678**	**17·2**	**1·00**	**0·96**	**3,166**	**3,116**	**6,282**	**12·5**	**0·98**	**1·03**	**179**	**21**	**123**	**106**	**148**	**29**
Bristol	434,260	3,742	3,547	7,289	16·8	1·00	0·93	2,762	2,733	5,495	12·7	0·97	1·04	151	21	99	87	119	28
Gloucester	70,180	721	668	1,389	19·8	0·99	1·09	404	383	787	11·2	1·04	0·98	28	20	24	19	29	34
Administrative county	**509,300**	**4,806**	**4,710**	**9,516**	**18·7**	**0·99**	**1·03**	**2,935**	**2,710**	**5,645**	**11·1**	**1·04**	**0·97**	**187**	**20**	**133**	**116**	**173**	**30**
Municipal boroughs and urban districts	**171,980**	**1,615**	**1,610**	**3,225**	**18·8**	**0·96**	**1·00**	**1,048**	**1,026**	**2,074**	**12·1**	**0·98**	**1·00**	**79**	**24**	**53**	**50**	**57**	**33**
Charlton Kings	7,770	45	53	98	12·6	1·00	0·70	42	54	96	12·4	0·97	1·01	2	*20*	1	1	1	*20*
Cheltenham M.B.	73,770	732	683	1,415	19·2	0·94	1·00	460	495	955	12·9	0·91	0·99	40	28	26	24	19	30
Cirencester	12,600	82	110	192	15·2	1·02	0·86	73	90	163	12·9	0·71	0·77	8	*42*	6	6	2	*41*
Kingswood	26,410	321	320	641	24·3	0·95	1·28	147	111	258	9·8	1·30	1·07	9	*14*	7	7	17	36
Mangotsfield	24,230	195	217	412	17·0	0·94	0·89	126	103	229	9·5	1·24	0·99	8	*19*	5	5	9	*33*
Nailsworth	3,700	24	26	50	13·5	1·09	0·82	29	20	49	13·2	0·83	0·92	2	*40*	1	1	2	*58*
Stroud	17,620	166	151	317	18·0	1·00	1·00	126	113	239	13·6	0·93	1·06	7	*22*	6	5	6	*34*
Tewkesbury M.B.	5,880	50	50	100	17·0	0·91	0·86	45	40	85	14·5	0·83	1·01	3	*30*	1	1	1	*20*
Rural districts	**337,320**	**3,191**	**3,100**	**6,291**	**18·6**	**1·01**	**1·04**	**1,887**	**1,684**	**3,571**	**10·6**	**1·09**	**0·97**	**108**	**17**	**80**	**66**	**116**	**28**
Cheltenham	32,440	315	302	617	19·0	0·96	1·01	161	132	293	9·0	1·18	0·89	18	*29*	14	9	8	*27*
Cirencester	15,630	132	153	285	18·2	1·00	1·01	80	62	142	9·1	1·05	0·80	4	*14*	3	2	4	*21*
Dursley	18,650	152	137	289	15·5	1·03	0·89	111	81	192	10·3	1·05	0·91	6	*21*	2	2	7	*30*
East Dean	20,800	172	195	367	17·6	1·03	1·01	128	128	256	12·3	1·05	1·09	10	*27*	8	7	5	*32*
Gloucester	48,050	479	474	953	19·8	0·98	1·08	252	260	512	10·7	1·08	0·97	20	21	14	13	17	31
Lydney	12,930	105	114	219	16·9	1·11	1·04	74	64	138	10·7	1·11	1·00	3	*14*	3	1	6	*31*
Newent	8,850	79	88	167	18·9	1·15	1·21	47	44	91	10·3	0·93	0·80	1	*6*	1	1	1	*12*
North Cotswold	20,040	161	173	334	16·7	1·08	1·00	130	105	235	11·7	1·00	0·98	2	*6*	2	2	10	*35*
Northleach	7,880	67	53	120	15·2	1·05	0·89	61	46	107	13·6	0·92	1·05	2	*17*	2	1	—	*8*
Sodbury	46,870	503	459	962	20·5	0·96	1·09	223	203	426	9·1	1·27	0·97	10	*10*	6	4	13	*17*
Stroud	28,200	228	224	452	16·0	1·07	0·95	191	182	373	13·2	0·89	0·99	11	*24*	11	11	11	48
Tetbury	6,920	69	57	126	18·2	1·10	1·11	51	53	104	15·0	0·90	1·13	5	*40*	4	4	4	*62*
Thornbury	30,970	314	297	611	19·7	1·06	1·16	157	154	311	10·0	1·08	0·91	11	*18*	7	7	16	37
Warmley	21,500	243	230	473	22·0	0·86	1·05	88	67	155	7·2	1·52	0·92	1	*2*	1	1	11	*25*
West Dean	17,590	172	144	316	18·0	1·05	1·05	133	103	236	13·4	1·01	1·14	4	*13*	2	1	3	*13*

1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
HAMPSHIRE	**1,384,030**	**12,847**	**12,318**	**25,165**	**18·2**	**1·02**	**1·03**	**8,315**	**8,117**	**16,432**	**11·9**	**0·97**	**0·97**	**499**	**20**	**341**	**291**	**415**	**28**
County boroughs	**582,290**	**4,883**	**4,718**	**9,601**	**16·5**	**1·06**	**0·97**	**3,894**	**3,818**	**7,712**	**13·2**	**0·89**	**0·99**	**203**	**21**	**144**	**125**	**181**	**31**
Bournemouth	149,830	932	892	1,824	12·2	1·15	0·78	1,156	1,407	2,563	17·1	0·68	0·98	40	22	26	21	23	24
Portsmouth	226,670	2,012	1,913	3,925	17·3	1·07	1·03	1,516	1,444	2,960	13·1	0·93	1·02	85	22	67	60	85	36
Southampton	205,790	1,939	1,913	3,852	18·7	0·99	1·03	1,222	967	2,189	10·6	1·10	0·98	78	20	51	44	73	30
Administrative county	**801,740**	**7,964**	**7,600**	**15,564**	**19·4**	**0·99**	**1·07**	**4,421**	**4,299**	**8,720**	**10·9**	**1·04**	**0·95**	**296**	**19**	**197**	**166**	**234**	**25**
Municipal boroughs and urban districts	**481,310**	**4,880**	**4,661**	**9,541**	**19·8**	**0·94**	**1·03**	**2,587**	**2,468**	**5,055**	**10·5**	**1·14**	**1·01**	**185**	**19**	**126**	**108**	**153**	**27**
Aldershot M.B.	32,810	424	383	807	24·6	0·90	1·23	167	135	302	9·2	1·38	1·07	18	*22*	7	6	19	30
Alton	9,080	77	72	149	16·4	1·01	0·92	51	63	114	12·6	0·97	1·03	3	*20*	3	3	2	*33*
Andover M.B.	17,960	183	157	340	18·9	0·97	1·02	121	116	237	13·2	0·88	0·98	8	*24*	5	5	9	*40*
Basingstoke M.B.	26,990	299	324	623	23·1	0·89	1·14	136	132	268	9·9	1·25	1·04	13	*21*	11	8	12	31
Christchurch M.B.	26,640	163	169	332	12·5	0·98	0·68	202	200	402	15·1	0·86	1·09	4	*12*	3	3	2	*15*
Eastleigh M.B.	38,080	341	321	662	17·4	0·94	0·91	208	163	371	9·7	1·14	0·93	18	*27*	13	13	13	39
Fareham	63,170	615	645	1,260	19·9	0·95	1·05	343	317	660	10·4	1·21	1·06	26	21	20	15	15	24
Farnborough	33,430	370	390	760	22·7	1·00	1·26	116	120	236	7·1	1·59	0·95	15	*20*	10	10	13	30
Fleet	14,180	172	165	337	23·8	0·95	1·26	63	70	133	9·4	1·08	0·85	2	*6*	—	—	6	*17*
Gosport M.B.	68,850	795	708	1,503	21·8	0·98	1·19	308	262	570	8·3	1·33	0·93	30	20	19	17	21	25
Havant and Waterloo ..	78,120	914	831	1,745	22·3	0·85	1·05	369	343	712	9·1	1·34	1·02	33	19	24	21	21	24
Lymington M.B.	29,220	203	185	388	13·3	1·03	0·76	207	235	442	15·1	0·80	1·02	7	*18*	6	5	10	*38*
Petersfield	7,730	66	67	133	17·2	1·00	0·96	58	53	111	14·4	0·85	1·03	2	*15*	1	—	—	—
Romsey M.B.	6,400	43	39	82	12·8	1·08	0·77	43	42	85	13·3	0·80	0·89	2	*24*	2	1	1	*24*
Winchester M.B.	28,650	215	205	420	14·7	0·98	0·80	195	217	412	14·4	0·80	0·97	4	*10*	2	1	9	*23*
Rural districts	**320,430**	**3,084**	**2,939**	**6,023**	**18·8**	**1·07**	**1·12**	**1,834**	**1,831**	**3,665**	**11·4**	**0·92**	**0·88**	**111**	**18**	**71**	**58**	**81**	**23**
Alton	25,090	314	297	611	24·4	1·15	1·56	156	137	293	11·7	1·07	1·05	10	*16*	6	5	9	*23*
Andover	19,760	212	160	372	18·8	1·09	1·14	90	63	153	7·7	1·33	0·86	11	*30*	6	5	6	*29*
Basingstoke	19,640	165	151	316	16·1	1·15	1·03	148	164	312	15·9	0·58	0·77	5	*16*	3	3	2	*16*
Droxford	23,300	204	192	396	17·0	1·16	1·10	154	169	323	13·9	0·68	0·79	6	*15*	5	4	6	*25*
Hartley Wintney	26,950	310	226	536	19·9	1·10	1·22	134	173	307	11·4	0·98	0·94	14	*26*	8	7	6	*24*
Kingsclere and Whitchurch ..	23,710	233	242	475	20·0	1·00	1·11	120	97	217	9·2	1·05	0·81	6	*13*	5	3	5	*17*
New Forest	59,750	622	610	1,232	20·6	0·99	1·13	310	256	566	9·5	1·13	0·90	18	*15*	12	8	17	20
Petersfield	23,930	205	206	411	17·2	1·03	0·98	128	134	262	10·9	0·96	0·88	10	*24*	7	6	6	*29*
Ringwood and Fordingbridge	27,380	205	211	416	15·2	1·06	0·90	193	247	440	16·1	0·74	1·00	12	*29*	8	8	6	*33*
Romsey and Stockbridge ..	22,500	211	201	412	18·3	1·06	1·08	130	110	240	10·7	1·08	0·97	6	*15*	2	2	7	*21*
Winchester	48,420	403	443	846	17·5	1·10	1·07	271	281	552	11·4	0·80	0·77	13	*15*	9	7	11	*21*
HEREFORDSHIRE	**132,670**	**1,195**	**1,060**	**2,255**	**17·0**	**1·05**	**0·99**	**801**	**800**	**1,601**	**12·1**	**0·93**	**0·95**	**37**	**16**	**26**	**18**	**38**	**24**
Municipal boroughs and urban districts	**60,620**	**601**	**538**	**1,139**	**18·8**	**0·94**	**0·98**	**373**	**356**	**729**	**12·0**	**0·98**	**0·99**	**19**	*17*	**15**	**12**	**19**	**27**
Bromyard	1,670	17	7	24	14·4	1·06	0·85	15	9	24	14·4	0·89	1·08	—	—	—	—	—	—
Hereford M.B.	41,300	422	398	820	19·9	0·90	1·00	236	225	461	11·2	1·10	1·04	13	*16*	10	7	16	28
Kington	1,890	12	14	26	13·8	1·08	0·83	13	13	26	13·8	0·76	0·88	—	—	—	—	—	—
Ledbury	3,630	27	26	53	14·6	0·99	0·80	26	24	50	13·8	0·79	0·92	—	—	—	—	—	—
Leominster M.B.	6,430	57	47	104	16·2	0·98	0·88	44	53	97	15·1	0·70	0·89	—	—	—	—	1	*10*
Ross-on-Wye	5,700	66	46	112	19·6	1·03	1·12	39	32	71	12·5	0·85	0·89	6	*54*	5	5	2	61

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1962	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
HEREFORDSHIRE—*continued*																			
Rural districts	**72,050**	**594**	**522**	**1,116**	**15·5**	**1·15**	**0·99**	**428**	**444**	**872**	**12·1**	**0·89**	**0·90**	**18**	*16*	**11**	**6**	**19**	**22**
Bromyard	6,810	45	68	113	16·6	1·12	1·03	51	42	93	13·7	0·74	0·85	1	*9*	—	—	2	*17*
Dore and Bredwardine	7,890	87	57	144	18·3	1·07	1·09	38	34	72	9·1	1·01	0·77	1	*7*	—	—	2	*14*
Hereford	18,470	140	126	266	14·4	1·15	0·92	101	113	214	11·6	0·90	0·88	3	*11*	2	1	6	*26*
Kington	4,410	40	32	72	16·3	1·28	1·16	30	35	65	14·7	0·81	1·00	1	*14*	1	—	—	—
Ledbury	7,920	62	61	123	15·5	1·12	0·96	44	60	104	13·1	0·92	1·01	5	*41*	4	2	4	*47*
Leominster and Wigmore	9,580	80	63	143	14·9	1·17	0·97	61	65	126	13·2	0·85	0·94	2	*14*	1	1	2	*21*
Ross and Whitchurch	11,440	92	77	169	14·8	1·14	0·94	74	68	142	12·4	0·88	0·92	4	*24*	2	1	1	*12*
Weobley	5,530	48	38	86	15·6	1·27	1·10	29	27	56	10·1	0·76	0·65	1	*12*	1	1	2	*34*
HERTFORDSHIRE	**857,200**	**8,003**	**7,564**	**15,567**	**18·2**	**0·90**	**0·91**	**4,015**	**4,192**	**8,207**	**9·6**	**1·13**	**0·91**	**277**	**18**	**203**	**177**	**232**	**26**
Municipal boroughs and urban districts	**604,500**	**5,902**	**5,553**	**11,455**	**18·9**	**0·89**	**0·93**	**2,793**	**2,838**	**5,631**	**9·3**	**1·19**	**0·93**	**212**	**19**	**155**	**134**	**174**	**26**
Baldock	6,780	69	43	112	16·5	0·89	0·82	24	39	63	9·3	1·34	1·05	2	*18*	2	1	7	*67*
Barnet	27,460	234	182	416	15·1	1·00	0·84	160	142	302	11·0	1·02	0·94	7	*17*	5	5	9	*33*
Berkhamsted	13,760	108	129	237	17·2	0·98	0·94	69	76	145	10·5	1·08	0·95	1	*4*	1	—	—	—
Bishop's Stortford	19,590	214	214	428	21·8	0·90	1·09	101	121	222	11·3	0·96	0·91	10	*23*	8	7	8	*34*
Bushey	22,080	197	180	377	17·1	0·89	0·85	98	94	192	8·7	1·10	0·80	4	*11*	3	3	3	*16*
Cheshunt	36,630	406	380	786	21·5	0·86	1·03	138	146	284	7·8	1·47	0·96	23	29	16	13	10	29
Chorleywood	7,050	42	45	87	12·3	0·94	0·64	25	19	44	6·2	1·10	0·57	1	*11*	1	1	1	*23*
East Barnet	40,890	290	267	557	13·6	1·06	0·80	187	228	415	10·1	1·08	0·92	14	*25*	11	11	9	35
Harpenden	18,960	178	157	335	17·7	0·98	0·96	97	82	179	9·4	1·09	0·86	5	*15*	3	3	6	*26*
Hemel Hempstead M.B.	58,270	608	619	1,227	21·1	0·74	0·87	206	216	422	7·2	1·57	0·95	24	20	16	16	21	30
Hertford M.B.	16,670	124	148	272	16·3	0·96	0·87	79	96	175	10·5	1·09	0·96	7	*26*	5	4	1	*18*
Hitchin	24,070	230	253	483	20·1	0·93	1·04	161	161	322	13·4	0·77	0·87	11	*23*	10	6	8	*29*
Hoddesdon	18,370	175	181	356	19·4	0·96	1·03	94	87	181	9·9	1·17	0·97	5	*14*	3	3	1	*11*
Letchworth	26,230	233	207	440	16·8	0·94	0·88	116	121	237	9·0	1·21	0·92	2	*5*	1	—	4	*9*
Rickmansworth	29,320	222	234	456	15·6	1·00	0·87	144	127	271	9·2	1·25	0·97	11	*24*	9	8	4	*26*
Royston	6,450	57	58	115	17·8	0·98	0·97	37	32	69	10·7	1·02	0·92	2	*17*	2	2	1	*26*
St. Albans M.B.	50,450	486	431	917	18·2	0·96	0·97	275	269	544	10·8	1·01	0·92	14	*15*	11	10	18	30
Sawbridgeworth	4,770	41	32	73	15·3	0·97	0·82	20	20	40	8·4	1·03	0·73	1	*14*	—	—	1	*14*
Stevenage	46,710	671	612	1,283	27·5	0·66	1·01	101	89	190	4·1	2·41	0·83	25	19	18	17	18	27

1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
Tring	6,740	77	67	144	21·4	0·96	1·14	36	37	73	10·8	0·96	0·87	3	*21*	3	1	1	*14*
Ware	10,850	120	116	236	21·8	0·97	1·17	84	111	195	18·0	0·60	0·91	5	*21*	2	2	3	*21*
Watford M.B.	75,540	728	622	1,350	17·9	1·00	0·99	436	423	859	11·4	1·00	0·96	24	18	18	15	26	30
Welwyn Garden City	36,860	392	376	768	20·8	0·75	0·87	105	102	207	5·6	2·00	0·94	11	*14*	7	6	14	26
Rural districts	**252,700**	**2,101**	**2,011**	**4,112**	**16·3**	**0·93**	**0·84**	**1,222**	**1,354**	**2,576**	**10·2**	**1·04**	**0·89**	**65**	**16**	**48**	**43**	**58**	**24**
Berkhamsted	6,400	75	47	122	19·1	0·98	1·04	34	36	70	10·9	0·97	0·89	1	*8*	1	1	1	*16*
Braughing	10,150	87	60	147	14·5	1·03	0·83	47	76	123	12·1	0·92	0·94	2	*14*	2	2	3	*33*
Elstree	29,490	229	223	452	15·3	0·90	0·76	144	182	326	11·1	1·00	0·93	9	*20*	6	5	6	*24*
Hatfield	41,350	404	387	791	19·1	0·83	0·88	160	178	338	8·2	1·33	0·92	6	*8*	5	4	11	*19*
Hemel Hempstead	13,870	127	120	247	17·8	1·00	0·99	63	64	127	9·2	1·14	0·88	2	*8*	2	2	2	*16*
Hertford	10,270	94	84	178	17·3	0·97	0·93	50	41	91	8·9	1·11	0·83	6	*34*	4	4	1	*28*
Hitchin	23,060	167	182	349	15·1	1·03	0·86	116	110	226	9·8	0·94	0·77	3	*9*	2	2	8	*28*
St. Albans	39,210	363	360	723	18·4	1·04	1·06	213	283	496	12·6	0·72	0·76	15	*21*	10	9	7	*22*
Ware	12,300	82	78	160	13·0	1·00	0·72	101	57	158	12·8	0·91	0·98	4	*25*	4	4	5	*55*
Watford	59,560	404	413	817	13·7	0·88	0·67	255	298	553	9·3	1·21	0·95	15	*18*	10	8	9	*21*
Welwyn	7,040	69	57	126	17·9	0·85	0·85	39	29	68	9·7	1·18	0·96	2	*16*	2	2	5	*53*
HUNTINGDONSHIRE	**85,520**	**855**	**850**	**1,705**	**19·9**	**1·08**	**1·19**	**403**	**387**	**790**	**9·2**	**1·13**	**0·87**	**25**	**15**	**20**	**18**	**23**	**24**
Municipal boroughs and urban districts	**37,700**	**407**	**397**	**804**	**21·3**	**0·98**	**1·16**	**184**	**206**	**390**	**10·3**	**1·04**	**0·90**	**12**	*15*	**9**	**8**	**13**	**26**
Huntingdon and Godmanchester M.B.	9,800	133	124	257	26·2	0·96	1·40	55	62	117	11·9	0·77	0·77	2	*8*	1	—	3	*12*
Old Fletton	11,890	102	109	211	17·7	0·99	0·97	54	48	102	8·6	1·28	0·93	2	*9*	2	2	6	*37*
Ramsey	5,700	57	49	106	18·6	1·00	1·03	32	40	72	12·6	1·08	1·14	3	*28*	2	2	3	*46*
St. Ives M.B.	4,320	54	56	110	25·5	0·94	1·33	18	22	40	9·3	1·04	0·81	4	*36*	3	3	1	*36*
St. Neots	5,990	61	59	120	20·0	0·99	1·10	25	34	59	9·8	0·98	0·81	1	*8*	1	1	—	*8*
Rural districts	**47,820**	**448**	**453**	**901**	**18·8**	**1·17**	**1·22**	**219**	**181**	**400**	**8·4**	**1·20**	**0·85**	**13**	*14*	**11**	**10**	**10**	**22**
Huntingdon	15,490	160	166	326	21·0	1·38	1·61	66	52	118	7·6	1·48	0·95	6	*18*	5	5	4	*27*
Norman Cross	8,920	79	74	153	17·2	1·06	1·01	45	35	80	9·0	1·21	0·92	3	*20*	3	2	4	*38*
St. Ives	15,570	136	154	290	18·6	1·07	1·11	70	53	123	7·9	1·19	0·79	4	*14*	3	3	2	*17*
St. Neots	7,840	73	59	132	16·8	1·13	1·05	38	41	79	10·1	0·91	0·77	—	—	—	—	—	—
KENT	**1,726,280**	**15,139**	**14,296**	**29,435**	**17·1**	**1·00**	**0·95**	**10,652**	**10,528**	**21,180**	**12·3**	**0·96**	**0·99**	**548**	**19**	**378**	**327**	**497**	**28**
Canterbury C.B.	30,720	265	228	493	16·0	1·00	0·89	176	242	418	13·6	0·87	0·99	12	*24*	10	7	2	*18*
Administrative county	**1,695,560**	**14,874**	**14,068**	**28,942**	**17·1**	**1·00**	**0·95**	**10,476**	**10,286**	**20,762**	**12·2**	**0·96**	**0·98**	**536**	**19**	**368**	**320**	**495**	**28**
***Municipal boroughs and urban districts**	**1,318,500**	**11,327**	**10,784**	**22,111**	**16·8**	**1·00**	**0·93**	**8,097**	**8,163**	**16,260**	**12·3**	**0·96**	**0·99**	**413**	**19**	**280**	**242**	**378**	**28**
Ashford	28,450	238	239	477	16·8	0·89	0·83	189	169	358	12·6	0·99	1·05	14	*29*	10	8	6	*29*
Beckenham M.B.	76,930	540	499	1,039	13·5	1·05	0·79	415	529	944	12·3	0·94	0·97	16	*15*	13	11	16	26
Bexley M.B.	89,910	680	648	1,328	14·8	1·03	0·85	468	383	851	9·5	1·22	0·97	20	15	13	12	29	30
Broadstairs and St. Peter's	17,630	104	101	205	11·6	1·07	0·69	148	153	301	17·1	0·80	1·15	4	*20*	2	1	4	*24*
Bromley M.B.	68,730	526	505	1,031	15·0	1·00	0·83	391	441	832	12·1	0·96	0·98	21	20	15	13	14	26
Chatham M.B.	49,520	540	530	1,070	21·6	0·87	1·04	275	215	490	9·9	0·99	0·82	26	24	16	15	19	31
Chislehurst and Sidcup	88,560	693	660	1,353	15·3	0·98	0·83	439	398	837	9·5	1·27	1·01	28	21	19	17	20	27

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1962	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
KENT—*continued*																			
Municipal boroughs and urban districts—*continued*																			
Crayford	31,980	283	264	547	17·1	0·94	0·89	144	113	257	8·0	1·34	0·90	11	*20*	5	4	4	*15*
Dartford M.B.	46,180	372	410	782	16·9	0·97	0·91	319	312	631	13·7	0·78	0·90	16	*20*	11	11	17	35
Deal M.B.	25,510	230	191	421	16·5	1·06	0·97	195	170	365	14·3	0·97	1·17	8	*19*	6	6	9	*35*
Dover M.B.	35,650	318	299	617	17·3	1·00	0·96	229	203	432	12·1	0·99	1·01	9	*15*	4	3	14	*27*
Erith M.B.	45,300	414	376	790	17·4	1·01	0·98	257	217	474	10·5	1·13	1·00	8	*10*	8	7	12	*24*
Faversham M.B.	13,130	110	104	214	16·3	1·04	0·94	106	131	237	18·1	0·55	0·84	4	*19*	4	4	1	*23*
Folkestone M.B.	44,390	379	318	697	15·7	1·05	0·92	293	351	644	14·5	0·86	1·05	8	*11*	5	4	13	*24*
Gillingham M.B.	73,970	683	688	1,371	18·5	0·92	0·95	459	376	835	11·3	1·02	0·97	27	20	17	16	28	31
Gravesend M.B.	51,950	614	575	1,189	22·9	0·95	1·21	277	250	527	10·1	1·11	0·94	21	18	14	13	21	28
Herne Bay	21,100	125	128	253	12·0	1·08	0·72	197	254	451	21·4	0·71	1·28	4	*16*	4	4	7	*42*
Hythe M.B.	10,000	62	68	130	13·0	1·11	0·80	94	109	203	20·3	0·74	1·26	5	*38*	4	4	1	*38*
Lydd M.B.	3,440	31	25	56	16·3	0·99	0·90	20	12	32	9·3	1·25	0·98	1	*18*	1	1	—	*18*
Maidstone M.B.	60,570	539	526	1,065	17·6	1·00	0·98	353	329	682	11·3	0·94	0·89	22	21	15	11	21	29
Margate M.B.	44,930	301	273	574	12·8	1·09	0·78	400	428	828	18·4	0·74	1·14	10	*17*	5	4	9	*22*
New Romney M.B.	2,740	31	25	56	20·4	0·97	1·10	16	15	31	11·3	1·01	0·96	—	—	—	—	1	*18*
Northfleet	22,960	226	247	473	20·6	0·94	1·08	128	104	232	10·1	1·22	1·04	12	*25*	7	6	5	*23*
Orpington	80,950	720	673	1,393	17·2	0·96	0·92	385	386	771	9·5	1·08	0·86	20	14	15	10	24	24
Penge	26,020	325	343	668	25·7	0·91	1·30	148	154	302	11·6	0·96	0·94	14	*21*	11	8	10	*27*
Queenborough M.B.	3,080	37	35	72	23·4	1·02	1·33	18	17	35	11·4	1·12	1·07	1	*14*	1	1	—	*14*
Ramsgate M.B.	37,380	315	265	580	15·5	1·06	0·92	303	304	607	16·2	0·85	1·16	17	*29*	12	11	10	36
*Rochester M.B.	51,010	497	456	953	18·7	0·96	1·00	295	292	587	11·5	1·10	1·06	14	*15*	9	8	17	26
Royal Tunbridge Wells M.B.	40,340	297	293	590	14·6	1·09	0·88	262	422	684	17·0	0·63	0·90	12	*20*	9	7	9	*27*
Sandwich M.B.	4,370	37	32	69	15·8	1·15	1·01	39	30	69	15·8	0·83	1·10	1	*14*	1	1	2	*42*
Sevenoaks	17,610	141	115	256	14·5	1·02	0·82	108	109	217	12·3	0·86	0·89	4	*16*	1	1	4	*19*
Sheerness	13,620	137	141	278	20·4	1·02	1·16	106	77	183	13·4	0·82	0·92	2	*11*	1	—	7	*25*
Sittingbourne and Milton ..	24,270	232	188	420	17·3	1·00	0·96	161	161	322	13·3	0·90	1·01	8	*19*	4	3	11	*32*
Southborough	9,720	66	65	131	13·5	1·09	0·82	44	94	138	14·2	0·82	0·98	2	*15*	—	—	1	*8*
Swanscombe	9,040	78	78	156	17·3	0·93	0·89	46	46	92	10·2	1·23	1·05	4	*26*	3	3	2	*32*
Tenterden M.B.	4,970	41	33	74	14·9	1·02	0·84	47	58	105	21·1	0·53	0·94	1	*14*	1	1	2	*39*
Tonbridge	23,310	234	244	478	20·5	1·00	1·14	143	146	289	12·4	0·94	0·98	13	*27*	10	9	5	*29*
Whitstable	19,280	131	124	255	13·2	1·13	0·83	180	205	385	20·0	0·72	1·21	4	*16*	4	4	3	*27*
*Rural districts	377,060	3,547	3,284	6,831	18·1	1·03	1·04	2,379	2,123	4,502	11·9	0·91	0·91	123	18	88	78	117	28
Bridge-Blean	20,200	160	144	304	15·0	1·25	1·04	177	164	341	16·9	0·55	0·78	4	*13*	3	3	5	*26*
Cranbrook	15,230	127	94	221	14·5	1·04	0·84	93	100	193	12·7	0·82	0·88	4	*18*	3	3	3	*27*
Dartford	55,190	601	587	1,188	21·5	0·96	1·15	276	284	560	10·1	1·14	0·97	19	*16*	13	10	19	24
Dover	11,600	104	91	195	16·8	1·12	1·05	85	87	172	14·8	0·83	1·03	3	*15*	1	—	4	*20*
East Ashford	10,900	82	89	171	15·7	1·11	0·97	68	54	122	11·2	0·81	0·76	3	*18*	3	2	5	*40*
Eastry	22,540	195	190	385	17·1	1·18	1·12	181	147	328	14·6	0·82	1·01	7	*18*	5	5	9	*36*
Elham	9,900	66	68	134	13·5	1·00	0·75	126	97	223	22·5	0·51	0·96	4	*30*	4	4	3	*51*
Hollingbourn	17,330	164	137	301	17·4	1·05	1·02	110	99	209	12·1	0·94	0·96	2	*7*	1	1	6	*23*
Maidstone	20,890	193	162	355	17·0	1·01	0·95	159	130	289	13·8	0·69	0·80	11	*31*	8	7	3	*28*
Malling	42,380	456	426	882	20·8	1·00	1·16	234	189	423	10·0	1·10	0·92	17	*19*	13	13	17	33
Romney Marsh	4,680	37	44	81	17·3	1·15	1·11	36	24	60	12·8	0·92	0·99	2	*25*	1	1	—	*12*
Sevenoaks	40,640	348	311	659	16·2	1·00	0·90	197	202	399	9·8	1·02	0·84	7	*11*	7	7	7	*21*
Sheppey	10,590	90	83	173	16·3	1·06	0·96	72	56	128	12·1	1·05	1·07	7	*40*	5	5	3	*45*
*Strood	30,270	324	274	598	19·8	0·93	1·02	156	129	285	9·4	1·21	0·96	11	*18*	7	6	7	*21*
Swale	21,150	212	191	403	19·1	1·03	1·09	132	103	235	11·1	0·99	0·92	9	*22*	6	5	5	*25*
Tenterden	7,500	60	66	126	16·8	1·08	1·01	49	33	82	10·9	0·89	0·82	4	*32*	3	3	7	*75*
Tonbridge	25,240	234	234	468	18·5	0·96	0·99	159	134	293	11·6	0·95	0·93	8	*17*	5	3	10	*27*
West Ashford	10,830	94	93	187	17·3	1·05	1·01	69	91	160	14·8	0·58	0·72	1	*5*	—	—	4	*21*
LANCASHIRE	**5,160,660**	**50,137**	**47,229**	**97,366**	**18·9**	**0·99**	**1·04**	**34,786**	**33,622**	**68,408**	**13·3**	**1·11**	**1·24**	**2,553**	**26**	**1,720**	**1,502**	**2,002**	**35**
County boroughs	**2,922,850**	**29,270**	**27,396**	**56,666**	**19·4**	**0·98**	**1·06**	**20,094**	**19,550**	**39,644**	**13·6**	**1·12**	**1·28**	**1,569**	**28**	**1,015**	**886**	**1,184**	**36**
Barrow-in-Furness	64,890	623	534	1,157	17·8	1·01	1·00	446	380	826	12·7	1·09	1·16	27	23	20	19	12	27
Blackburn	105,740	947	867	1,814	17·2	1·06	1·01	858	856	1,714	16·2	0·94	1·28	41	23	28	24	43	36
Blackpool	151,250	1,033	956	1,989	13·2	1·11	0·81	1,344	1,318	2,662	17·6	0·84	1·24	50	25	36	30	47	38
Bolton	160,650	1,407	1,335	2,742	17·1	1·00	0·95	1,145	1,067	2,212	13·8	1·08	1·25	67	24	50	42	53	34
Bootle	83,220	1,017	926	1,943	23·3	0·94	1·22	423	357	780	9·4	1·51	1·19	55	28	35	34	38	36
Burnley	80,540	737	654	1,391	17·3	1·04	1·00	645	622	1,267	15·7	0·96	1·27	39	28	30	28	33	43
Bury	61,120	594	545	1,139	18·6	1·03	1·06	430	474	904	14·8	0·98	1·22	30	26	18	13	20	28
Liverpool	745,230	8,463	7,848	16,311	21·9	0·93	1·13	4,637	4,580	9,217	12·4	1·22	1·27	470	29	303	268	329	36
Manchester	659,170	6,981	6,525	13,506	20·5	0·96	1·09	4,416	4,351	8,767	13·3	1·17	1·31	413	31	263	228	303	38
Oldham	114,680	1,004	1,009	2,013	17·6	0·99	0·97	818	805	1,623	14·2	1·09	1·30	65	32	44	37	30	33
Preston	112,130	1,131	1,069	2,200	19·6	1·00	1·09	755	666	1,421	12·7	1·14	1·22	64	29	39	31	39	31
Rochdale	86,130	808	785	1,593	18·5	1·00	1·03	642	630	1,272	14·8	1·05	1·31	35	22	24	23	32	34
St. Helens	108,260	1,011	955	1,966	18·2	0·94	0·95	696	581	1,277	11·8	1·31	1·30	44	22	25	21	43	32
Salford	154,000	1,593	1,553	3,146	20·4	1·01	1·14	1,155	1,139	2,294	14·9	1·08	1·35	93	30	54	50	80	40
Southport	80,730	534	515	1,049	13·0	1·13	0·82	661	831	1,492	18·5	0·73	1·13	22	21	11	8	17	23
Warrington	76,200	744	673	1,417	18·6	0·95	0·98	504	420	924	12·1	1·23	1·25	33	23	22	19	26	31
Wigan	78,910	643	647	1,290	16·3	0·98	0·89	519	473	992	12·6	1·19	1·26	21	16	13	11	39	38
Administrative county	**2,237,810**	**20,867**	**19,833**	**40,700**	**18·2**	**1·00**	**1·01**	**14,692**	**14,072**	**28,764**	**12·9**	**1·11**	**1·20**	**984**	**24**	**705**	**616**	**818**	**35**
*Municipal boroughs and urban districts	**1,904,000**	**17,754**	**16,853**	**34,607**	**18·2**	**1·00**	**1·01**	**12,458**	**12,086**	**24,544**	**12·9**	**1·12**	**1·21**	**868**	**25**	**619**	**543**	**710**	**35**
Abram	6,160	67	51	118	19·2	0·95	1·01	29	33	62	10·1	1·35	1·15	3	*25*	2	2	2	*33*
Accrington M.B.	38,940	323	294	617	15·8	1·05	0·92	311	300	611	15·7	0·99	1·31	13	*21*	9	9	19	44
Adlington	4,550	43	35	78	17·1	1·02	0·97	25	16	41	9·0	1·17	0·88	3	*38*	3	3	2	*62*
Ashton-in-Makerfield ..	19,840	214	190	404	20·4	0·97	1·10	123	108	231	11·6	1·20	1·17	10	*25*	7	6	7	*32*

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1962	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
LANCASHIRE—*continued*																			
Municipal boroughs and urban districts—*continued*																			
Ashton-under-Lyne M.B. ..	49,810	369	407	776	15·6	1·00	0·87	414	373	787	15·8	1·05	1·39	23	30	14	14	13	34
Aspull	6,870	64	54	118	17·2	0·98	0·94	41	37	78	11·4	1·29	1·24	4	*34*	3	3	5	*65*
Atherton	19,830	175	184	359	18·1	1·00	1·01	154	162	316	15·9	0·96	1·28	8	*22*	5	4	9	*35*
Audenshaw	12,060	99	99	198	16·4	1·03	0·94	94	65	159	13·2	1·11	1·23	9	*45*	8	6	3	*45*
Bacup M.B.	17,240	153	135	288	16·7	1·01	0·94	131	131	262	15·2	1·10	1·41	10	*35*	7	7	10	*57*
Barrowford	4,590	36	18	54	11·8	1·12	0·73	41	40	81	17·6	0·89	1·32	1	*19*	1	1	—	*19*
Billinge-and-Winstanley ..	7,290	92	76	168	23·0	0·98	1·25	49	48	97	13·3	1·04	1·16	3	*18*	2	2	2	*24*
Blackrod	3,810	42	41	83	21·8	0·93	1·13	23	14	37	9·7	1·19	0·97	3	*36*	3	3	3	*70*
Brierfield	7,140	55	43	98	13·7	1·10	0·84	42	35	77	10·8	0·97	0·88	2	*20*	1	1	—	*10*
Carnforth	4,070	30	26	56	13·8	1·00	0·77	22	33	55	13·5	1·11	1·26	1	*18*	1	1	—	*18*
Chadderton	32,930	269	287	556	16·9	1·04	0·98	212	206	418	12·7	1·19	1·27	14	*25*	9	7	12	*33*
Chorley M.B.	31,210	299	254	553	17·7	1·01	0·99	215	228	443	14·2	1·10	1·31	15	*27*	12	11	20	54
Church	5,870	59	48	107	18·2	0·98	0·99	30	43	73	12·4	1·12	1·17	6	*56*	4	3	4	*63*
Clayton-le-Moors	6,510	53	61	114	17·5	1·05	1·02	46	41	87	13·4	1·09	1·23	3	*26*	3	3	3	*51*
Clitheroe M.B.	12,300	118	113	231	18·8	1·13	1·18	106	122	228	18·5	0·84	1·31	4	*17*	4	3	4	*30*
Colne M.B.	19,410	155	152	307	15·8	1·07	0·94	143	156	299	15·4	0·98	1·27	7	*23*	6	5	7	*38*
Crompton	13,130	141	102	243	18·5	1·04	1·07	98	85	183	13·9	1·08	1·26	3	*12*	—	—	4	*16*
Crosby M.B.	59,490	566	503	1,069	18·0	1·00	1·00	398	452	850	14·3	0·98	1·18	33	31	23	22	32	49
Dalton-in-Furness	10,320	91	71	162	15·7	1·02	0·89	77	58	135	13·1	1·04	1·14	6	*37*	5	5	3	*48*
Darwen M.B.	29,570	239	256	495	16·7	1·08	1·00	232	230	462	15·6	0·97	1·27	3	*6*	2	1	7	*16*
Denton	31,840	325	343	668	21·0	0·99	1·16	200	165	365	11·5	1·31	1·27	17	*25*	13	13	5	*27*
Droylsden	25,650	240	216	456	17·8	1·01	1·00	144	147	291	11·3	1·38	1·31	8	*18*	6	5	7	*26*
Eccles M.B.	43,060	371	344	715	16·6	1·00	0·92	291	348	639	14·8	1·01	1·26	19	*27*	13	12	12	*33*
Failsworth	20,530	199	209	408	19·9	0·97	1·07	131	96	227	11·1	1·25	1·17	11	*27*	8	8	6	*34*
Farnworth M.B.	27,290	264	278	542	19·9	0·99	1·09	237	233	470	17·2	0·94	1·36	15	*28*	7	5	12	*31*
Fleetwood M.B.	28,330	267	254	521	18·4	1·02	1·04	175	162	337	11·9	1·15	1·15	17	*33*	12	11	5	*30*
Formby	12,620	135	106	241	19·1	1·06	1·12	72	52	124	9·8	1·16	0·96	2	*8*	1	—	3	*12*
Fulwood	16,900	175	141	316	18·7	1·00	1·04	150	161	311	18·4	0·66	1·02	4	*13*	3	3	3	*19*
Golborne	22,240	249	247	496	22·3	0·89	1·10	133	93	226	10·2	1·43	1·23	14	*28*	11	10	10	40
Grange	2,810	17	8	25	8·9	1·46	0·72	24	26	50	17·8	0·54	0·81	1	*40*	1	1	1	*77*
Great Harwood	10,750	97	93	190	17·7	1·11	1·09	77	61	138	12·8	0·96	1·03	—	—	—	—	4	*21*
Haslingden M.B.	14,300	115	106	221	15·5	1·07	0·92	122	104	226	15·8	0·97	1·29	3	*14*	2	2	6	*35*
Haydock	12,310	128	93	221	18·0	0·96	0·96	65	73	138	11·2	1·20	1·13	5	*23*	3	3	7	*44*
Heywood M.B.	24,220	223	226	449	18·5	1·01	1·04	172	153	325	13·4	1·11	1·25	12	*27*	8	8	10	*39*
Hindley	20,090	173	183	356	17·7	1·00	0·98	124	126	250	12·4	1·21	1·26	10	*28*	5	5	6	*30*
Horwich	16,170	122	126	248	15·3	1·00	0·85	94	84	178	11·0	1·06	0·98	5	*20*	5	4	5	*36*
Huyton-with-Roby	65,630	755	751	1,506	22·9	1·00	1·27	274	245	519	7·9	1·76	1·17	44	29	30	27	32	38
Ince-in-Makerfield	18,060	148	148	296	16·4	1·02	0·93	109	110	219	12·1	1·29	1·31	10	*34*	9	8	9	*56*
Irlam	15,820	140	153	293	18·5	1·03	1·06	97	82	179	11·3	1·27	1·21	11	*38*	9	7	7	*47*
Kearsley	10,410	89	76	165	15·9	1·00	0·88	72	71	143	13·7	1·17	1·35	7	*42*	2	2	2	*24*
Kirkby	54,900	726	669	1,395	25·4	0·72	1·02	132	120	252	4·6	2·70	1·04	43	31	30	28	35	44
Kirkham	5,290	43	48	91	17·2	0·90	0·86	28	28	56	10·6	1·15	1·02	3	*33*	2	2	2	*43*
*Lancaster M.B.	48,480	422	381	803	16·6	1·08	1·00	388	429	817	16·9	0·78	1·11	22	27	16	14	26	48
Lees	3,750	19	28	47	12·5	1·15	0·80	38	28	66	17·6	0·91	1·35	1	*21*	—	—	—	—
Leigh M.B.	46,500	416	384	800	17·2	0·99	0·95	324	280	604	13·0	1·24	1·35	22	28	17	16	24	49
Leyland	19,790	216	196	412	20·8	0·94	1·09	102	91	193	9·8	1·35	1·11	10	*24*	6	6	9	*36*
Litherland	25,020	280	223	503	20·1	0·94	1·05	129	120	249	10·0	1·44	1·21	12	*24*	9	9	10	*37*
Littleborough	10,630	91	105	196	18·4	1·00	1·02	72	63	135	12·7	1·10	1·17	4	*20*	3	1	1	*10*
Little Lever	5,320	64	46	110	20·7	1·00	1·15	30	41	71	13·3	1·25	1·40	5	*45*	2	2	—	*18*
Longridge	4,830	53	51	104	21·5	1·07	1·28	30	28	58	12·0	1·16	1·17	1	*10*	1	1	—	*10*
Lytham St. Anne's M.B. ..	36,110	278	230	508	14·1	1·02	0·80	284	321	605	16·8	0·83	1·17	10	*20*	9	5	8	*25*
Middleton M.B.	58,460	563	568	1,131	19·3	0·88	0·94	248	293	541	9·3	1·47	1·15	31	27	22	19	26	39
Milnrow	8,160	59	54	113	13·8	1·01	0·77	63	72	135	16·5	1·03	1·43	3	*27*	3	2	2	*35*
Morecambe and Heysham M.B.	40,100	253	262	515	12·8	1·22	0·87	328	395	723	18·0	0·76	1·15	13	*25*	12	9	6	*29*
Mossley M.B.	9,860	92	88	180	18·3	1·03	1·05	53	78	131	13·3	1·09	1·22	5	*28*	5	5	3	*44*
Nelson M.B.	32,000	267	274	541	16·9	1·08	1·01	247	268	515	16·1	0·95	1·29	9	*17*	8	4	12	*29*
Newton-le-Willows	21,910	202	178	380	17·3	0·98	0·94	142	101	243	11·1	1·15	1·07	13	*34*	8	7	6	*34*
Ormskirk	22,880	200	190	390	17·0	1·00	0·94	134	133	267	11·7	1·05	1·03	9	*23*	6	5	6	*28*
Orrell	11,140	98	78	176	15·8	0·95	0·83	70	56	126	11·3	1·28	1·22	1	*6*	1	1	1	*11*
Oswaldtwistle	12,190	98	89	187	15·3	1·06	0·90	86	89	175	14·4	0·99	1·20	1	*5*	—	—	2	*11*
Padiham	9,950	87	78	165	16·6	1·03	0·95	93	77	170	17·1	1·02	1·47	6	*36*	5	5	4	*53*
Poulton-le-Fylde	13,530	130	111	241	17·8	0·91	0·90	101	86	187	13·8	1·28	1·48	5	*21*	5	3	4	*29*
Preesall	2,570	16	15	31	12·1	1·11	0·75	27	12	39	15·2	0·78	1·00	2	*65*	2	2	—	*65*
Prescot	13,190	114	147	261	19·8	0·91	1·00	86	55	141	10·7	1·20	1·08	3	*11*	2	1	9	*37*
Prestwich M.B.	34,160	242	223	465	13·6	1·13	0·85	272	298	570	16·7	0·78	1·09	8	*17*	6	5	9	*30*
Radcliffe M.B.	26,860	256	210	466	17·3	1·05	1·01	200	197	397	14·8	1·08	1·34	17	*36*	13	11	11	46
Rainford	5,690	53	45	98	17·2	0·90	0·86	24	20	44	7·7	1·36	0·88	1	*10*	1	1	5	*58*
Ramsbottom	13,890	118	95	213	15·3	1·08	0·92	122	104	226	16·3	0·96	1·31	6	*28*	5	4	1	*23*
Rawtenstall M.B.	23,860	204	199	403	16·9	1·06	1·00	181	182	363	15·2	0·92	1·18	11	*27*	6	4	4	*20*
Rishton	5,450	46	47	93	17·1	1·12	1·06	44	43	87	16·0	1·01	1·36	3	*32*	3	3	1	*43*
Royton	14,760	155	149	304	20·6	1·04	1·19	114	97	211	14·3	1·12	1·35	7	*23*	6	5	3	*26*
Skelmersdale	6,380	59	57	116	18·2	1·00	1·01	39	19	58	9·1	1·27	0·97	2	*17*	2	2	4	*50*
Standish-with-Langtree ..	9,810	86	84	170	17·3	1·06	1·02	60	46	106	10·8	1·13	1·03	3	*18*	2	2	4	*34*
Stretford M.B.	60,610	585	596	1,181	19·5	0·95	1·03	380	307	687	11·3	1·21	1·15	32	27	20	19	19	32
Swinton and Pendlebury M.B.	41,020	347	346	693	16·9	1·05	0·99	260	253	513	12·5	1·20	1·26	15	*22*	10	7	12	*27*
Thornton Cleveleys	20,890	157	145	302	14·5	1·00	0·81	182	162	344	16·5	0·97	1·34	3	*10*	3	3	4	*23*
Tottington	5,810	60	46	106	18·2	1·24	1·25	38	49	87	15·0	0·86	1·08	2	*19*	2	2	1	*28*

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1962	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
LANCASHIRE—*continued*																			
Municipal boroughs and urban districts—*continued*																			
Trawden	1,930	19	9	28	14·5	1·15	0·93	17	18	35	18·1	0·94	1·43	—	—	—	—	—	—
Turton	14,790	175	180	355	24·0	0·97	1·29	82	80	162	11·0	1·09	1·01	1	*3*	—	—	6	*17*
Tyldesley	17,000	141	149	290	17·1	0·99	0·94	114	103	217	12·8	1·19	1·28	6	*21*	3	2	9	*37*
Ulverston	10,480	86	66	152	14·5	1·01	0·81	75	86	161	15·4	0·88	1·14	5	*33*	4	4	1	*33*
Up Holland	8,360	77	86	163	19·5	0·93	1·01	34	44	78	9·3	1·44	1·13	5	*31*	4	4	3	*42*
Urmston	43,110	423	411	834	19·3	0·99	1·06	231	235	466	10·8	1·22	1·11	22	26	13	12	12	28
Walton-le-Dale	19,770	263	250	513	25·9	0·95	1·37	111	93	204	10·3	1·30	1·13	14	*27*	11	7	10	*33*
Wardle	4,400	34	21	55	12·5	0·91	0·63	30	32	62	14·1	0·66	0·78	—	—	—	—	—	—
Westhoughton	16,620	152	130	282	17·0	1·00	0·94	92	107	199	12·0	1·18	1·19	7	*25*	3	3	6	*31*
Whitefield	14,800	141	140	281	19·0	1·00	1·06	90	88	178	12·0	1·22	1·23	5	*18*	3	3	6	*31*
Whitworth	7,060	89	81	170	24·1	1·01	1·35	51	46	97	13·7	1·10	1·27	6	*35*	5	5	5	*57*
Widnes M.B.	53,300	652	627	1,279	24·0	0·95	1·27	311	240	551	10·3	1·37	1·19	37	29	29	25	35	46
Withnell	2,840	16	22	38	13·4	1·11	0·83	18	18	36	12·7	1·02	1·09	1	*26*	—	—	3	*73*
Worsley	41,820	347	345	692	16·5	0·93	0·85	232	247	479	11·5	1·36	1·31	13	*19*	9	7	17	34
***Rural districts**	**333,810**	**3,113**	**2,980**	**6,093**	**18·3**	**1·02**	**1·04**	**2,234**	**1,986**	**4,220**	**12·6**	**1·03**	**1·09**	**116**	**19**	**86**	**73**	**108**	**29**
Blackburn	15,630	119	110	229	14·7	1·10	0·90	103	101	204	13·1	1·01	1·11	7	*31*	5	5	2	*30*
Burnley	16,090	132	116	248	15·4	1·15	0·98	148	124	272	16·9	0·91	1·29	3	*12*	2	2	1	*12*
Chorley	29,110	255	279	534	18·3	1·07	1·09	250	143	393	13·5	1·12	1·27	4	*7*	3	3	15	*33*
Clitheroe	9,430	71	56	127	13·5	1·23	0·92	80	58	138	14·6	0·74	0·91	2	*16*	—	—	4	*31*
Fylde	17,040	169	172	341	20·0	0·97	1·08	94	133	227	13·3	0·79	0·88	6	*18*	4	4	4	*23*
Garstang	14,620	129	132	261	17·9	1·03	1·02	113	96	209	14·3	1·07	1·29	8	*31*	8	6	1	*27*
*Lancaster	14,450	118	76	194	13·4	1·01	0·75	122	112	234	16·2	0·97	1·32	4	*21*	4	4	4	*40*
Lunesdale	8,600	86	81	167	19·4	0·99	1·07	56	47	103	12·0	1·01	1·02	2	*12*	1	1	2	*18*
North Lonsdale	16,030	100	102	202	12·6	1·13	0·79	119	114	233	14·5	0·89	1·08	2	*10*	1	—	4	*19*
Preston	44,510	366	382	748	16·8	1·11	1·04	309	297	606	13·6	0·88	1·01	17	*23*	14	12	17	38
Warrington	33,230	411	344	755	22·7	0·96	1·21	191	191	382	11·5	1·01	0·98	14	*19*	8	7	7	*18*
West Lancashire	58,400	599	549	1,148	19·7	0·94	1·03	325	281	606	10·4	1·26	1·10	18	*16*	15	13	21	29
Whiston	46,200	456	467	923	20·0	1·00	1·11	268	241	509	11·0	1·07	0·99	23	25	18	15	23	40
Wigan	10,470	102	114	216	20·6	0·95	1·09	56	48	104	9·9	1·27	1·06	6	*28*	3	1	3	*18*
LEICESTERSHIRE	**691,530**	**6,749**	**6,151**	**12,900**	**18·7**	**0·99**	**1·03**	**4,002**	**3,759**	**7,761**	**11·2**	**1·08**	**1·02**	**254**	**20**	**169**	**135**	**229**	**28**
Leicester C.B.	272,500	2,622	2,435	5,057	18·6	1·01	1·04	1,717	1,772	3,489	12·8	1·00	1·08	118	23	73	57	92	29
Administrative county	**419,030**	**4,127**	**3,716**	**7,843**	**18·7**	**0·97**	**1·01**	**2,285**	**1,987**	**4,272**	**10·2**	**1·13**	**0·97**	**136**	**17**	**96**	**78**	**137**	**27**
Municipal borough and urban districts	**189,520**	**1,813**	**1,682**	**3,495**	**18·4**	**0·96**	**0·98**	**1,016**	**876**	**1,892**	**10·0**	**1·16**	**0·97**	**79**	**23**	**58**	**46**	**60**	**30**
Ashby de la Zouch	7,480	76	59	135	18·0	0·96	0·96	37	34	71	9·5	1·10	0·88	3	*22*	3	2	5	*50*
Ashby Woulds	3,370	37	28	65	19·3	0·98	1·05	22	19	41	12·2	1·23	1·26	1	*15*	—	—	1	*15*
Coalville	26,510	213	189	402	15·2	0·97	0·82	166	117	283	10·7	1·15	1·03	7	*17*	5	4	15	*46*
Hinckley	41,840	401	350	751	17·9	0·98	0·97	234	179	413	9·9	1·24	1·03	24	32	16	14	8	29
Loughborough M.B.	38,730	336	321	657	17·0	1·00	0·94	215	191	406	10·5	1·05	0·93	11	*17*	6	6	12	*27*
Market Harborough	11,800	103	99	202	17·1	1·03	0·98	69	72	141	11·9	0·90	0·90	1	*5*	1	—	3	*15*
Melton Mowbray	15,980	150	146	296	18·5	0·96	0·99	88	94	182	11·4	0·96	0·92	7	*24*	6	3	4	*23*
Oadby	13,510	172	139	311	23·0	0·84	1·07	48	54	102	7·5	1·51	0·95	8	*26*	6	6	3	*29*
Shepshed	7,310	71	66	137	18·7	0·97	1·01	37	28	65	8·9	1·14	0·85	2	*15*	2	2	—	*15*
Wigston	22,990	254	285	539	23·4	0·92	1·20	100	88	188	8·2	1·40	0·96	15	*28*	13	9	9	*33*
Rural districts	**229,510**	**2,314**	**2,034**	**4,348**	**18·9**	**0·98**	**1·03**	**1,269**	**1,111**	**2,380**	**10·4**	**1·11**	**0·97**	**57**	**13**	**38**	**32**	**77**	**25**
Ashby de la Zouch	13,660	104	82	186	13·6	1·00	0·76	92	65	157	11·5	1·11	1·07	4	*22*	3	2	8	*52*
Barrow upon Soar	58,570	619	542	1,161	19·8	0·98	1·08	292	263	555	9·5	1·20	0·96	20	17	11	10	13	20
Billesdon	19,740	210	184	394	20·0	0·84	0·93	82	63	145	7·3	1·61	0·99	8	*20*	4	4	9	*32*
Blaby	58,490	703	624	1,327	22·7	0·94	1·19	323	299	622	10·6	1·10	0·98	8	*6*	6	5	24	21
Castle Donington	10,000	86	67	153	15·3	1·05	0·89	53	48	101	10·1	1·07	0·91	1	*7*	1	—	4	*25*
Lutterworth	13,350	119	120	239	17·9	1·05	1·04	86	84	170	12·7	0·91	0·97	9	*38*	8	7	5	*49*
Market Bosworth	27,780	232	206	438	15·8	0·99	0·87	168	157	325	11·7	0·97	0·95	4	*9*	3	2	3	*11*
Market Harborough	9,260	71	67	138	14·9	1·05	0·87	69	46	115	12·4	0·91	0·95	1	*7*	—	—	4	*28*
Melton and Belvoir	18,660	170	142	312	16·7	1·06	0·98	104	86	190	10·2	0·99	0·85	2	*6*	2	2	7	*28*
LINCOLNSHIRE (PARTS OF HOLLAND)	**104,030**	**825**	**779**	**1,604**	**15·4**	**1·00**	**0·86**	**601**	**519**	**1,120**	**10·8**	**1·01**	**0·92**	**38**	**24**	**27**	**23**	**45**	**41**
Municipal borough and urban district	**39,870**	**335**	**307**	**642**	**16·1**	**0·99**	**0·89**	**258**	**207**	**465**	**11·7**	**0·93**	**0·91**	**12**	*19*	**10**	**8**	**14**	**34**
Boston M.B.	24,930	214	194	408	16·4	0·98	0·89	148	117	265	10·6	1·05	0·94	10	*25*	8	7	8	*36*
Spalding	14,940	121	113	234	15·7	1·00	0·87	110	90	200	13·4	0·73	0·82	2	*9*	2	1	6	*29*
Rural districts	**64,160**	**490**	**472**	**962**	**15·0**	**1·00**	**0·83**	**343**	**312**	**655**	**10·2**	**1·05**	**0·90**	**26**	**27**	**17**	**15**	**31**	**46**
Boston	22,630	152	176	328	14·5	0·99	0·80	108	119	227	10·0	1·07	0·90	7	*21*	4	3	13	*47*
East Elloe	22,090	187	148	335	15·2	1·03	0·87	119	102	221	10·0	1·01	0·85	5	*15*	3	3	11	*40*
Spalding	19,440	151	148	299	15·4	0·98	0·84	116	91	207	10·6	1·08	0·96	14	*47*	10	9	7	*52*
LINCOLNSHIRE (PARTS OF KESTEVEN)	**140,260**	**1,297**	**1,189**	**2,486**	**17·7**	**1·03**	**1·01**	**824**	**815**	**1,639**	**11·7**	**0·95**	**0·93**	**50**	**20**	**31**	**26**	**53**	**31**
Municipal boroughs and urban districts	**50,530**	**435**	**392**	**827**	**16·4**	**0·99**	**0·90**	**339**	**343**	**682**	**13·5**	**0·86**	**0·98**	**11**	*13*	**7**	**5**	**15**	**24**
Bourne	5,370	36	41	77	14·3	0·99	0·79	35	37	72	13·4	0·92	1·04	1	*13*	1	1	—	*13*
Grantham M.B.	25,170	235	191	426	16·9	1·00	0·94	164	150	314	12·5	0·99	1·04	8	*19*	5	4	10	*32*
Sleaford	7,680	69	51	120	15·6	1·02	0·88	65	76	141	18·4	0·55	0·85	—	—	—	—	2	*16*
Stamford M.B.	12,310	95	109	204	16·6	0·99	0·91	75	80	155	12·6	0·83	0·88	2	*10*	1	—	3	*14*
Rural districts	**89,730**	**862**	**797**	**1,659**	**18·5**	**1·05**	**1·08**	**485**	**472**	**957**	**10·7**	**1·01**	**0·91**	**39**	**24**	**24**	**21**	**38**	**35**
East Kesteven	21,020	178	172	350	16·7	1·13	1·05	102	90	192	9·1	1·27	0·97	11	*31*	7	6	8	*39*

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1962	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability Factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
LINCOLNSHIRE (PARTS OF KESTEVEN)—*continued*																			
Rural districts—*continued*																			
North Kesteven	35,080	377	332	709	20·2	1·03	1·16	188	199	387	11·0	0·79	0·73	15	*21*	11	9	16	34
South Kesteven	15,170	142	136	278	18·3	1·04	1·06	100	74	174	11·5	0·98	0·95	5	*18*	2	2	6	*28*
West Kesteven	18,460	165	157	322	17·4	0·99	0·96	95	109	204	11·1	1·09	1·02	8	*25*	4	4	8	*36*
LINCOLNSHIRE (PARTS OF LINDSEY)	**512,210**	**5,063**	**4,828**	**9,891**	**19·3**	**1·02**	**1·09**	**3,174**	**2,798**	**5,972**	**11·7**	**1·05**	**1·03**	**236**	**24**	**165**	**140**	**185**	**32**
County boroughs	**173,710**	**1,738**	**1,670**	**3,408**	**19·6**	**0·99**	**1·08**	**1,082**	**1,006**	**2,088**	**12·0**	**1·06**	**1·07**	**82**	**24**	**48**	**38**	**50**	**25**
Grimsby	96,780	1,025	978	2,003	20·7	1·00	1·15	593	560	1,153	11·9	1·12	1·12	48	24	27	23	26	24
Lincoln	76,930	713	692	1,405	18·3	0·97	0·99	489	446	935	12·2	1·00	1·03	34	24	21	15	24	27
Administrative county	**338,500**	**3,325**	**3,158**	**6,483**	**19·2**	**1·03**	**1·10**	**2,092**	**1,792**	**3,884**	**11·5**	**1·04**	**1·01**	**154**	**24**	**117**	**102**	**135**	**36**
Municipal boroughs and urban districts	**169,340**	**1,674**	**1,564**	**3,238**	**19·1**	**0·98**	**1·04**	**1,068**	**958**	**2,026**	**12·0**	**1·08**	**1·09**	**84**	**26**	**65**	**57**	**71**	**39**
Alford	2,150	17	14	31	14·4	1·13	0·90	13	20	33	15·3	0·68	0·87	1	*32*	—	—	3	*88*
Barton-upon-Humber ..	6,610	51	63	114	17·2	1·02	0·97	48	57	105	15·9	0·96	1·28	4	*35*	3	2	6	*67*
Brigg	4,910	41	41	82	16·7	1·00	0·93	56	39	95	19·3	0·76	1·23	4	*49*	2	2	3	*59*
Cleethorpes M.B.	32,990	326	303	629	19·1	1·00	1·06	203	194	397	12·0	1·03	1·04	16	*25*	13	12	8	31
Gainsborough	17,210	163	161	324	18·8	1·03	1·08	135	118	253	14·7	0·87	1·07	9	*28*	7	5	5	*30*
Horncastle	3,790	39	30	69	18·2	1·08	1·09	19	21	40	10·6	0·88	0·78	1	*14*	1	—	—	—
Louth M.B.	11,390	92	89	181	15·9	1·03	0·91	75	98	173	15·2	0·84	1·07	3	*17*	3	3	3	*33*
Mablethorpe and Sutton ..	5,260	45	49	94	17·9	1·21	1·20	40	38	78	14·8	0·79	0·98	1	*11*	1	1	1	*21*
Market Rasen	2,280	23	23	46	20·2	1·08	1·21	14	22	36	15·8	0·67	0·89	1	*22*	1	1	2	*62*
Scunthorpe M.B.	68,130	771	681	1,452	21·3	0·91	1·08	343	227	570	8·4	1·56	1·10	37	25	28	25	35	40
Skegness	12,370	91	90	181	14·6	1·00	0·81	105	95	200	16·2	0·94	1·28	5	*28*	4	4	5	*48*
Woodhall Spa	2,250	15	20	35	15·6	1·15	1·00	17	29	46	20·4	0·67	1·15	2	*57*	2	2	—	*57*
Rural districts	**169,160**	**1,651**	**1,594**	**3,245**	**19·2**	**1·08**	**1·15**	**1,024**	**834**	**1,858**	**11·0**	**1·02**	**0·94**	**70**	**22**	**52**	**45**	**64**	**33**
Caistor	13,710	140	132	272	19·8	1·15	1·26	67	78	145	10·6	0·98	0·87	7	*26*	4	3	7	*36*
Gainsborough	13,270	122	124	246	18·5	1·10	1·13	68	61	129	9·7	1·08	0·88	6	*24*	4	4	5	*36*
Glanford Brigg	36,090	367	356	723	20·0	1·05	1·17	235	172	407	11·3	1·06	1·01	13	*18*	10	9	15	33
Grimsby	18,500	194	209	403	21·8	0·97	1·17	92	79	171	9·2	1·19	0·92	4	*10*	4	4	11	*36*
Horncastle	13,830	128	121	249	18·0	1·12	1·12	66	60	126	9·1	1·00	0·76	3	*12*	3	3	3	*24*
Isle of Axholme	14,160	139	129	268	18·9	1·02	1·07	90	70	160	11·3	1·04	0·99	8	*30*	7	4	6	*36*
Louth	18,290	167	167	334	18·3	1·14	1·16	117	100	217	11·9	0·93	0·93	9	*27*	6	6	4	*30*
Spilsby	22,180	169	156	325	14·7	1·10	0·90	192	143	335	15·1	0·83	1·05	10	*31*	8	6	6	*36*
Welton	19,130	225	200	425	22·2	1·02	1·26	97	71	168	8·8	1·21	0·89	10	*24*	6	6	7	*30*
LONDON A.C.	**3,185,770**	**32,127**	**30,397**	**62,524**	**19·6**	**0·90**	**0·98**	**19,464**	**18,882**	**38,346**	**12·0**	**0·97**	**0·98**	**1,316**	**21**	**953**	**840**	**1,054**	**30**
City of London	4,610	17	13	30	6·5	0·92	0·33	30	9	39	8·5	0·99	0·71	—	—	—	—	—	—
Metropolitan boroughs:																			
Battersea	104,020	1,151	1,019	2,170	20·9	0·99	1·15	670	675	1,345	12·9	0·92	1·00	45	21	30	27	46	33
Bermondsey	51,000	491	387	878	17·2	0·98	0·94	323	265	588	11·5	1·03	1·00	13	*15*	9	8	18	29
Bethnal Green	46,230	420	416	836	18·1	0·97	0·98	303	263	566	12·2	0·93	0·95	12	*14*	11	9	17	30
Camberwell	173,720	1,789	1,717	3,506	20·2	0·94	1·05	999	983	1,982	11·4	0·98	0·94	84	24	62	49	61	31
Chelsea	48,550	318	306	624	12·9	0·76	0·54	319	389	708	14·6	0·67	0·82	16	*26*	11	7	12	*30*
Deptford	68,980	812	781	1,593	23·1	0·98	1·26	440	367	807	11·7	1·01	0·99	28	18	22	19	24	27
Finsbury	32,540	307	266	573	17·6	0·91	0·89	206	181	387	11·9	0·98	0·98	16	*28*	14	12	10	38
Fulham	110,570	973	939	1,912	17·3	0·99	0·95	721	654	1,375	12·4	0·96	1·00	50	26	40	33	31	33
Greenwich	84,730	672	675	1,347	15·9	0·96	0·85	528	437	965	11·4	1·09	1·04	44	33	30	26	22	35
Hackney	163,400	1,916	1,887	3,803	23·3	0·94	1·22	958	958	1,916	11·7	1·06	1·04	76	20	55	51	66	30
Hammersmith	108,120	1,208	1,130	2,338	21·6	0·95	1·14	686	601	1,287	11·9	1·02	1·02	51	22	42	41	36	32
Hampstead	98,240	905	870	1,775	18·1	0·76	0·76	467	583	1,050	10·7	1·00	0·90	28	16	21	16	23	22
Holborn	20,640	86	102	188	9·1	0·71	0·36	130	140	270	13·1	1·06	1·17	13	*69*	3	2	3	*26*
Islington	227,870	2,976	2,822	5,798	25·4	0·92	1·30	1,297	1,284	2,581	11·3	0·97	0·92	111	19	83	74	101	30
Kensington	172,020	1,744	1,596	3,340	19·4	0·72	0·78	791	965	1,756	10·2	1·00	0·86	76	23	52	46	60	31
Lambeth	223,370	2,614	2,720	5,334	23·9	0·92	1·22	1,298	1,181	2,479	11·1	1·00	0·93	102	19	71	69	101	31
Lewisham	222,170	2,031	1,860	3,891	17·5	0·96	0·93	1,365	1,204	2,569	11·6	0·99	0·97	74	19	51	46	50	24
Paddington	113,600	1,399	1,299	2,698	23·8	0·81	1·07	647	601	1,248	11·0	1·00	0·92	70	26	57	49	45	34
Poplar	67,340	718	685	1,403	20·8	0·95	1·10	396	381	777	11·5	1·13	1·09	34	24	20	19	15	24
St. Marylebone	68,070	369	398	767	11·3	0·79	0·50	583	552	1,135	16·7	0·73	1·02	17	*22*	12	11	9	26
St. Pancras	124,470	1,316	1,218	2,534	20·4	0·89	1·01	773	658	1,431	11·5	0·98	0·95	58	23	43	36	41	30
Shoreditch	39,580	355	311	666	16·8	0·95	0·89	279	252	531	13·4	0·84	0·95	14	*21*	9	8	19	39
Southwark	86,440	900	757	1,657	19·2	0·91	0·97	649	584	1,233	14·3	0·84	1·01	34	*21*	22	20	29	29
Stepney	90,480	950	899	1,849	20·4	0·91	1·03	655	478	1,133	12·5	1·01	1·06	33	18	24	22	35	30
Stoke Newington	52,950	677	616	1,293	24·4	0·89	1·21	286	275	561	10·6	1·16	1·03	23	18	16	12	28	30
Wandsworth	347,810	3,235	3,103	6,338	18·2	0·96	0·97	2,272	2,739	5,011	14·4	0·78	0·94	124	20	94	83	97	28
Westminster	86,110	561	486	1,047	12·2	0·84	0·57	551	485	1,036	12·0	0·98	0·99	26	25	19	17	23	37
Woolwich	148,140	1,217	1,119	2,336	15·8	0·99	0·87	842	738	1,580	10·7	1·07	0·96	44	19	30	28	32	25
MIDDLESEX	**2,239,770**	**19,654**	**18,882**	**38,536**	**17·2**	**0·99**	**0·95**	**12,355**	**12,213**	**24,568**	**11·0**	**1·07**	**0·99**	**732**	**19**	**542**	**456**	**619**	**27**
Municipal boroughs and urban districts:																			
Acton M.B.	64,960	629	554	1,183	18·2	0·95	0·96	378	352	730	11·2	1·01	0·95	17	*14*	11	8	23	26
Brentford and Chiswick M.B.	55,200	511	488	999	18·1	0·96	0·97	328	359	687	12·4	0·96	1·00	21	21	13	11	14	25
Ealing M.B.	183,200	1,481	1,471	2,952	16·1	0·97	0·87	1,038	1,026	2,064	11·3	1·06	1·01	36	12	28	25	35	20
Edmonton M.B.	91,440	730	652	1,382	15·1	1·01	0·85	522	487	1,009	11·0	1·06	0·98	26	19	17	14	31	32
Enfield M.B.	109,670	873	818	1,691	15·4	1·01	0·86	629	543	1,172	10·7	1·09	0·98	35	21	27	24	24	28

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1962	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
MIDDLESEX—*continued*																			
Municipal boroughs and urban districts—*continued*																			
Feltham	51,710	492	484	976	18·9	0·98	1·03	232	191	423	8·2	1·61	1·11	19	*19*	16	12	14	26
Finchley M.B.	69,150	573	563	1,136	16·4	0·96	0·87	371	444	815	11·8	0·90	0·89	15	*13*	13	11	10	18
Friern Barnet	28,370	194	169	363	12·8	1·12	0·80	199	246	445	15·7	0·71	0·94	8	*22*	7	6	6	*33*
Harrow M.B.	209,600	1,699	1,588	3,287	15·7	1·04	0·91	1,134	1,056	2,190	10·4	1·16	1·01	73	22	57	49	40	27
Hayes and Harlington	68,310	616	620	1,236	18·1	0·96	0·97	283	228	511	7·5	1·59	1·00	25	20	21	18	23	33
Hendon M.B.	150,720	1,054	1,106	2,160	14·3	0·96	0·76	832	797	1,629	10·8	1·05	0·95	40	19	33	28	30	26
Heston and Isleworth M.B.	102,680	727	692	1,419	13·8	1·00	0·77	578	544	1,122	10·9	1·06	0·97	29	20	24	19	23	29
Hornsey M.B.	97,720	1,152	1,136	2,288	23·4	0·94	1·22	498	680	1,178	12·1	0·89	0·90	50	22	35	30	40	30
Potters Bar	23,530	188	217	405	17·2	0·89	0·85	96	102	198	8·4	1·37	0·97	4	*10*	2	2	5	*17*
Ruislip-Northwood	74,820	503	530	1,033	13·8	1·01	0·77	339	356	695	9·3	1·23	0·96	21	20	14	11	16	26
Southall M.B.	54,120	575	500	1,075	19·9	1·04	1·15	353	383	736	13·6	0·90	1·03	24	22	16	11	20	28
Southgate M.B.	71,370	494	457	951	13·3	1·08	0·80	475	509	984	13·8	0·84	0·97	14	*15*	11	9	10	*20*
Staines	51,000	513	442	955	18·7	0·91	0·95	212	196	408	8·0	1·29	0·87	20	21	15	13	15	29
Sunbury-on-Thames	34,540	368	384	752	21·8	0·87	1·05	146	182	328	9·5	1·18	0·94	10	*13*	7	6	12	*24*
Tottenham M.B.	113,020	1,172	1,074	2,246	19·9	1·00	1·11	716	708	1,424	12·6	1·03	1·09	51	23	41	38	40	34
Twickenham M.B.	102,500	837	767	1,604	15·6	1·04	0·90	594	612	1,206	11·8	0·95	0·94	26	16	16	14	20	21
Uxbridge M.B.	64,470	589	578	1,167	18·1	0·91	0·92	316	318	634	9·8	1·28	1·05	16	*14*	9	8	16	20
Wembley M.B.	124,900	883	868	1,751	14·0	1·02	0·79	691	597	1,288	10·3	1·15	1·00	34	19	21	15	24	22
Willesden M.B.	171,230	2,130	2,113	4,243	24·8	0·94	1·30	985	914	1,899	11·1	1·09	1·02	87	21	65	56	94	35
Wood Green M.B.	47,510	431	387	818	17·2	1·02	0·97	299	282	581	12·2	0·94	0·96	21	26	16	13	23	43
Yiewsley and West Drayton	23,930	240	224	464	19·4	0·90	0·97	111	101	212	8·9	1·44	1·08	10	*22*	7	5	11	*34*
NORFOLK	**568,420**	**4,655**	**4,344**	**8,999**	**15·8**	**1·07**	**0·94**	**3,594**	**3,370**	**6,964**	**12·3**	**0·89**	**0·92**	**142**	**16**	**104**	**86**	**153**	**26**
County boroughs	**172,210**	**1,409**	**1,262**	**2,671**	**15·5**	**1·01**	**0·87**	**1,121**	**1,063**	**2,184**	**12·7**	**0·92**	**0·98**	**50**	**19**	**36**	**30**	**38**	**25**
Great Yarmouth	52,450	411	386	797	15·2	1·02	0·86	348	310	658	12·5	0·84	0·88	12	*15*	12	12	12	30
Norwich	119,760	998	876	1,874	15·6	1·01	0·88	773	753	1,526	12·7	0·95	1·01	38	20	24	18	26	23
Administrative county	**396,210**	**3,246**	**3,082**	**6,328**	**16·0**	**1·09**	**0·97**	**2,473**	**2,307**	**4,780**	**12·1**	**0·88**	**0·89**	**92**	**15**	**68**	**56**	**115**	**27**
Municipal boroughs and urban districts	**78,030**	**701**	**660**	**1,361**	**17·4**	**1·02**	**0·99**	**548**	**542**	**1,090**	**14·0**	**0·83**	**0·98**	**26**	**19**	**19**	**15**	**34**	**35**
Cromer	4,780	30	41	71	14·9	1·09	0·90	54	46	100	20·9	0·73	1·28	2	*28*	2	2	3	*68*
Diss	3,660	37	43	80	21·9	1·04	1·27	25	23	48	13·1	0·85	0·94	2	*25*	2	1	—	*12*
Downham Market	2,850	24	25	49	17·2	1·04	0·99	24	28	52	18·2	0·52	0·80	3	*61*	2	2	1	*60*
East Dereham	7,250	63	44	107	14·8	0·99	0·81	62	55	117	16·1	0·89	1·20	1	*9*	1	1	3	*36*
Hunstanton	4,900	63	56	119	24·3	0·92	1·24	31	41	72	14·7	0·83	1·03	1	*8*	—	—	—	—
King's Lynn M.B.	27,460	240	244	484	17·6	1·00	0·98	164	161	325	11·8	0·97	0·96	9	*19*	7	4	13	*34*
North Walsham	5,000	40	28	68	13·6	1·13	0·85	33	27	60	12·0	0·76	0·77	—	—	—	—	3	*42*
Sheringham	4,600	29	31	60	13·0	1·27	0·92	31	52	83	18·0	0·65	0·98	1	*17*	—	—	2	*32*
Swaffham	3,220	32	27	59	18·3	1·00	1·02	21	22	43	13·4	0·75	0·84	—	—	—	—	1	*17*
Thetford M.B.	5,920	82	80	162	27·4	0·97	1·48	46	41	87	14·7	0·69	0·85	4	*25*	2	2	6	*48*
Wells-next-the-Sea	2,450	20	12	32	13·1	1·10	0·80	20	10	30	12·2	0·84	0·86	3	*94*	3	3	—	*94*
Wymondham	5,940	41	29	70	11·8	1·06	0·69	37	36	73	12·3	0·91	0·94	—	—	—	—	2	*28*
Rural districts	**318,180**	**2,545**	**2,422**	**4,967**	**15·6**	**1·11**	**0·96**	**1,925**	**1,765**	**3,690**	**11·6**	**0·90**	**0·88**	**66**	**13**	**49**	**41**	**81**	**24**
Blofield and Flegg	35,340	230	235	465	13·2	1·10	0·81	257	289	546	15·4	0·69	0·89	6	*13*	5	5	9	*30*
Depwade	17,470	119	107	226	12·9	1·15	0·82	106	105	211	12·1	0·77	0·78	3	*13*	2	2	5	*30*
Docking	18,500	142	136	278	15·0	1·10	0·92	112	107	219	11·8	0·83	0·82	5	*18*	4	3	3	*21*
Downham	25,580	223	224	447	17·5	1·13	1·10	121	90	211	8·2	1·17	0·81	5	*11*	5	5	6	*24*
Erpingham	18,660	127	121	248	13·3	1·21	0·89	139	104	243	13·0	0·81	0·88	1	*4*	1	1	3	*16*
Forehoe and Henstead	27,270	224	209	433	15·9	1·02	0·90	169	198	367	13·5	0·73	0·83	7	*16*	5	4	7	*25*
Freebridge Lynn	12,180	99	112	211	17·3	1·07	1·03	57	65	122	10·0	0·93	0·78	7	*33*	5	4	2	*28*
Loddon	12,260	93	89	182	14·8	1·09	0·90	85	59	144	11·7	0·91	0·89	3	*16*	1	—	5	*27*
Marshland	17,170	139	122	261	15·2	1·02	0·86	72	61	133	7·7	1·13	0·73	1	*4*	1	—	3	*11*
Mitford and Launditch	17,970	131	120	251	14·0	1·16	0·90	133	103	236	13·1	0·75	0·83	2	*8*	1	1	7	*31*
St. Faith's and Aylsham	46,890	457	429	886	18·9	1·02	1·07	249	246	495	10·6	0·99	0·88	4	*5*	4	4	14	*20*
Smallburgh	17,320	102	102	204	11·8	1·15	0·75	113	112	225	13·0	0·90	0·98	6	*29*	5	4	5	*43*
Swaffham	9,140	91	90	181	19·8	1·07	1·18	55	44	99	10·8	1·00	0·91	3	*17*	2	2	3	*27*
Walsingham	22,390	188	149	337	15·0	1·28	1·07	127	84	211	9·4	1·11	0·88	6	*18*	6	4	6	*29*
Wayland	20,040	180	177	357	17·8	1·28	1·27	130	98	228	11·4	1·02	0·98	7	*20*	2	2	3	*14*
NORTHAMPTONSHIRE	**405,870**	**3,753**	**3,636**	**7,389**	**18·2**	**1·02**	**1·03**	**2,389**	**2,294**	**4,683**	**11·5**	**0·98**	**0·95**	**138**	**19**	**97**	**84**	**109**	**26**
Northampton C.B.	104,910	983	935	1,918	18·3	1·03	1·05	684	666	1,350	12·9	0·91	0·99	30	16	21	18	30	25
Administrative county	**300,960**	**2,770**	**2,701**	**5,471**	**18·2**	**1·02**	**1·03**	**1,705**	**1,628**	**3,333**	**11·1**	**1·00**	**0·93**	**108**	**20**	**76**	**66**	**79**	**26**
Municipal boroughs and urban districts	**166,950**	**1,593**	**1,542**	**3,135**	**18·8**	**1·00**	**1·04**	**925**	**899**	**1,824**	**10·9**	**1·07**	**0·98**	**69**	**22**	**48**	**41**	**48**	**28**
Brackley M.B.	3,520	42	45	87	24·7	0·96	1·32	26	25	51	14·5	1·01	1·23	5	*57*	4	4	1	*57*
Burton Latimer	4,410	30	33	63	14·3	1·01	0·80	15	27	42	9·5	1·04	0·83	1	*16*	1	1	—	*16*
Corby	39,460	533	478	1,011	25·6	0·80	1·14	107	86	193	4·9	2·60	1·07	26	26	15	14	19	32
Daventry M.B.	5,980	53	54	107	17·9	0·94	0·93	57	45	102	17·1	0·69	0·99	2	*19*	1	1	3	*36*
Desborough	4,620	24	34	58	12·6	1·05	0·74	29	38	67	14·5	0·94	1·15	—	—	—	—	1	*17*
Higham Ferrers M.B.	3,830	22	26	48	12·5	1·04	0·72	21	19	40	10·4	1·00	0·87	—	—	—	—	3	*59*
Irthlingborough	5,210	36	37	73	14·0	1·08	0·84	27	35	62	11·9	1·04	1·04	1	*14*	1	1	—	*14*
Kettering M.B.	38,650	330	313	643	16·6	1·07	0·99	234	223	457	11·8	0·93	0·92	7	*11*	6	4	7	*17*
Oundle	3,350	22	29	51	15·2	1·37	1·16	16	34	50	14·9	0·64	0·80	2	*39*	1	1	—	*20*
Raunds	4,610	34	29	63	13·7	1·16	0·88	27	37	64	13·9	0·85	0·99	1	*16*	1	1	1	*31*
Rothwell	4,790	35	28	63	13·2	1·13	0·83	33	32	65	13·6	0·92	1·05	1	*16*	1	1	2	*46*
Rushden	17,470	141	151	292	16·7	1·12	1·04	108	95	203	11·6	0·95	0·93	8	*27*	4	1	3	*14*
Wellingborough	31,050	291	285	576	18·6	1·05	1·08	225	203	428	13·8	0·87	1·01	15	*26*	13	12	8	34

(88065)

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1962	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
NORTHAMPTONSHIRE —*continued*																			
Rural districts	**134,010**	**1,177**	**1,159**	**2,336**	**17·4**	**1·05**	**1·02**	**780**	**729**	**1,509**	**11·3**	**0·92**	**0·87**	**39**	**17**	**28**	**25**	**31**	**24**
Brackley	11,300	100	114	214	18·9	1·04	1·09	60	58	118	10·4	0·94	0·82	4	*19*	3	2	2	*19*
Brixworth	18,620	158	132	290	15·6	1·04	0·90	100	129	229	12·3	0·74	0·76	2	*7*	2	1	3	*14*
Daventry	16,050	117	154	271	16·9	1·08	1·01	103	85	188	11·7	0·93	0·91	2	*7*	2	2	5	*25*
Kettering	11,670	87	90	177	15·2	1·11	0·94	58	67	125	10·7	1·02	0·92	3	*17*	2	2	3	*28*
Northampton	28,250	279	264	543	19·2	0·99	1·06	176	155	331	11·7	0·91	0·89	10	*18*	7	7	9	*29*
Oundle and Thrapston	18,890	189	167	356	18·8	1·08	1·13	117	89	206	10·9	0·98	0·90	8	*22*	5	4	6	*28*
Towcester	15,460	129	117	246	15·9	1·08	0·95	84	89	173	11·2	0·91	0·86	6	*24*	3	3	2	*20*
Wellingborough	13,770	118	121	239	17·4	1·08	1·04	82	57	139	10·1	0·89	0·76	4	*17*	4	4	1	*21*
NORTHUMBERLAND	**825,650**	**7,377**	**7,202**	**14,579**	**17·7**	**0·97**	**0·95**	**5,414**	**4,690**	**10,104**	**12·2**	**1·11**	**1·14**	**334**	**23**	**223**	**181**	**293**	**32**
County boroughs	**338,480**	**3,112**	**3,096**	**6,208**	**18·3**	**0·97**	**0·99**	**2,279**	**1,868**	**4,147**	**12·3**	**1·12**	**1·16**	**139**	**22**	**85**	**72**	**128**	**32**
Newcastle upon Tyne	267,090	2,380	2,393	4,773	17·9	0·97	0·96	1,821	1,509	3,330	12·5	1·12	1·18	106	22	64	59	101	33
Tynemouth	71,390	732	703	1,435	20·1	0·95	1·06	458	359	817	11·4	1·13	1·08	33	23	21	13	27	27
Administrative county	**487,170**	**4,265**	**4,106**	**8,371**	**17·2**	**0·98**	**0·94**	**3,135**	**2,822**	**5,957**	**12·2**	**1·11**	**1·14**	**195**	**23**	**138**	**109**	**165**	**32**
Municipal boroughs and urban districts	**377,160**	**3,359**	**3,291**	**6,650**	**17·6**	**0·96**	**0·94**	**2,366**	**2,106**	**4,472**	**11·9**	**1·17**	**1·17**	**160**	**24**	**115**	**92**	**132**	**33**
Alnwick	7,600	81	60	141	18·6	0·99	1·02	48	57	105	13·8	1·05	1·22	9	*64*	5	5	5	*68*
Amble	4,920	58	71	129	26·2	1·07	1·56	36	31	67	13·6	1·05	1·20	1	*8*	1	—	3	*23*
Ashington	27,170	249	204	453	16·7	0·98	0·91	198	140	338	12·4	1·29	1·34	8	*18*	4	3	14	*36*
Bedlingtonshire	30,110	246	293	539	17·9	0·97	0·96	176	143	319	10·6	1·27	1·13	18	*33*	14	13	9	40
Berwick-upon-Tweed M.B.	12,280	131	161	292	23·8	1·01	1·34	84	104	188	15·3	0·89	1·14	6	*21*	4	4	6	*34*
Blyth M.B.	36,400	305	309	614	16·9	1·00	0·94	206	163	369	10·1	1·28	1·09	15	*24*	10	6	12	*29*
Gosforth	26,780	217	230	447	16·7	1·06	0·98	195	196	391	14·6	0·82	1·01	15	*34*	12	*9*	9	*39*
Hexham	9,690	71	68	139	14·3	0·99	0·79	63	72	135	13·9	0·93	1·09	1	*7*	—	—	3	*21*
Longbenton	47,460	446	410	856	18·0	0·86	0·86	231	201	432	9·1	1·54	1·18	21	25	17	13	9	25
Morpeth M.B.	13,160	140	123	263	20·0	1·00	1·11	83	107	190	14·4	0·80	0·97	5	*19*	3	3	3	*23*
Newbiggin-by-the-Sea	10,040	88	77	165	16·4	0·99	0·90	71	46	117	11·7	1·26	1·24	1	*6*	1	1	1	*12*
Newburn	29,000	266	289	555	19·1	0·91	0·97	157	148	305	10·5	1·31	1·16	8	*14*	7	6	12	*32*
Prudhoe	10,180	85	85	170	16·7	0·99	0·92	67	56	123	12·1	1·14	1·16	3	*18*	2	2	2	*23*
Seaton Valley	25,950	181	193	374	14·4	1·00	0·80	192	121	313	12·1	1·14	1·16	9	*24*	7	6	11	*44*
Wallsend M.B.	49,690	488	442	930	18·7	0·92	0·96	327	231	558	11·2	1·36	1·28	25	27	18	12	20	34
Whitley Bay M.B.	36,730	307	276	583	15·9	1·02	0·90	232	290	522	14·2	0·93	1·11	15	*26*	10	9	13	37
Rural districts	**110,010**	**906**	**815**	**1,721**	**15·6**	**1·04**	**0·90**	**769**	**716**	**1,485**	**13·5**	**0·92**	**1·04**	**35**	**20**	**23**	**17**	**33**	**29**
Alnwick	12,290	110	89	199	16·2	1·09	0·98	79	67	146	11·9	0·91	0·91	4	*20*	1	1	5	*29*
Belford	4,790	38	17	55	11·5	1·16	0·74	32	52	84	17·5	0·84	1·24	2	*36*	2	2	2	*70*
Bellingham	5,380	29	48	77	14·3	1·12	0·89	38	22	60	11·2	1·00	0·94	1	*13*	1	—	1	*13*
Castle Ward	26,590	236	205	441	16·6	0·94	0·87	248	217	465	17·5	0·75	1·10	11	*25*	8	5	6	*25*
Glendale	6,930	47	48	95	13·7	1·10	0·84	41	29	70	10·1	0·99	0·84	3	*32*	2	1	1	*21*
Haltwhistle	6,850	46	51	97	14·2	1·06	0·84	52	46	98	14·3	0·97	1·17	4	*41*	4	3	3	*60*
Hexham	20,240	170	161	331	16·4	1·01	0·92	120	146	266	13·1	0·92	1·01	4	*12*	3	3	6	*27*
Morpeth	17,510	161	135	296	16·9	1·06	1·00	94	72	166	9·5	1·22	0·97	5	*17*	2	2	7	*30*
Norham and Islandshires	4,100	28	19	47	11·5	1·09	0·70	20	25	45	11·0	0·88	0·81	1	*21*	—	—	2	*41*
Rothbury	5,330	41	42	83	15·6	1·13	0·98	45	40	85	15·9	0·86	1·15	—	—	—	—	—	—
NOTTINGHAMSHIRE	**916,520**	**9,004**	**8,520**	**17,524**	**19·1**	**0·98**	**1·04**	**5,372**	**4,971**	**10,343**	**11·3**	**1·16**	**1·10**	**402**	**23**	**272**	**229**	**328**	**31**
Nottingham C.B.	314,360	3,228	2,991	6,219	19·8	0·96	1·06	1,925	1,892	3,817	12·1	1·12	1·14	154	25	97	86	116	32
Administrative county	**602,160**	**5,776**	**5,529**	**11,305**	**18·8**	**0·99**	**1·03**	**3,447**	**3,079**	**6,526**	**10·8**	**1·19**	**1·08**	**248**	**22**	**175**	**143**	**212**	**31**
Municipal boroughs and urban districts	**412,120**	**3,918**	**3,752**	**7,670**	**18·6**	**0·98**	**1·01**	**2,388**	**2,181**	**4,569**	**11·1**	**1·20**	**1·12**	**170**	**22**	**117**	**92**	**139**	**30**
Arnold	27,940	277	290	567	20·3	0·94	1·06	127	148	275	9·8	1·34	1·10	9	*16*	6	5	2	*12*
Beeston and Stapleford	57,380	555	554	1,109	19·3	0·97	1·04	299	285	584	10·2	1·37	1·17	13	*12*	13	10	12	20
Carlton	38,950	360	340	700	18·0	0·97	0·97	230	211	441	11·3	1·18	1·12	22	31	16	13	14	38
East Retford M.B.	18,020	150	135	285	15·8	0·99	0·87	113	106	219	12·2	0·94	0·96	7	*25*	6	4	10	*47*
Eastwood	10,770	134	97	231	21·4	1·00	1·19	64	49	113	10·5	1·34	1·18	4	*17*	4	3	3	*26*
Hucknall	23,800	222	226	448	18·8	1·00	1·04	117	115	232	9·7	1·36	1·11	10	*22*	7	4	9	*28*
Kirkby in Ashfield	21,820	220	217	437	20·0	0·98	1·09	125	111	236	10·8	1·27	1·15	12	*27*	11	9	10	*43*
Mansfield M.B.	53,610	493	430	923	17·2	0·97	0·93	329	338	667	12·4	1·07	1·11	24	26	11	10	18	30
Mansfield Woodhouse	21,220	249	246	495	23·3	0·97	1·26	122	89	211	9·9	1·44	1·20	12	*24*	5	5	15	39
Newark M.B.	24,580	249	231	480	19·5	1·00	1·08	168	142	310	12·6	1·02	1·08	9	*19*	6	5	6	*23*
Sutton in Ashfield	40,540	349	343	692	17·1	1·00	0·95	233	197	430	10·6	1·29	1·15	17	*25*	10	7	18	35
Warsop	11,700	93	107	200	17·1	0·97	0·92	79	58	137	11·7	1·36	1·34	5	*25*	5	5	3	*39*
West Bridgford	26,950	226	213	439	16·3	1·03	0·93	182	181	363	13·5	0·85	0·96	9	*21*	8	5	6	*25*
Worksop M.B.	34,840	341	323	664	19·1	0·96	1·02	200	151	351	10·1	1·26	1·07	17	*26*	9	7	13	30
Rural districts	**190,040**	**1,858**	**1,777**	**3,635**	**19·1**	**1·00**	**1·06**	**1,059**	**898**	**1,957**	**10·3**	**1·17**	**1·01**	**78**	**21**	**58**	**51**	**73**	**33**
Basford	61,530	582	573	1,155	18·8	0·96	1·00	320	282	602	9·8	1·25	1·03	19	*16*	11	8	30	32
Bingham	26,430	250	251	501	19·0	1·05	1·11	180	158	338	12·8	0·87	0·94	10	*20*	9	9	5	*28*
East Retford	22,720	191	170	361	15·9	1·10	0·97	135	95	230	10·1	0·98	0·83	9	*25*	7	7	3	*27*
Newark	14,320	167	149	316	22·1	0·99	1·22	70	60	130	9·1	1·08	0·83	7	*22*	6	6	3	*28*
Southwell	46,980	490	444	934	20·0	1·00	1·11	246	216	462	9·8	1·26	1·04	21	22	18	15	24	41
Worksop	18,060	178	190	368	20·4	1·04	1·18	108	87	195	10·8	1·49	1·35	12	*33*	7	6	8	*37*
OXFORDSHIRE	**317,880**	**3,104**	**2,961**	**6,065**	**19·1**	**0·99**	**1·05**	**1,694**	**1,629**	**3,323**	**10·5**	**1·02**	**0·90**	**107**	**18**	**74**	**68**	**84**	**25**
Oxford C.B.	106,560	852	867	1,719	16·1	0·97	0·87	585	577	1,162	10·9	0·95	0·87	28	16	23	21	20	24

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1962	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
OXFORDSHIRE—*continued*																			
Administrative county	**211,320**	**2,252**	**2,094**	**4,346**	**20·6**	**1·00**	**1·14**	**1,109**	**1,052**	**2,161**	**10·2**	**1·05**	**0·90**	**79**	**18**	**51**	**47**	**64**	**25**
Municipal boroughs and urban districts	**56,760**	**655**	**540**	**1,195**	**21·1**	**0·98**	**1·15**	**305**	**330**	**635**	**11·2**	**0·89**	**0·84**	**20**	**17**	**10**	**10**	**15**	**21**
Banbury M.B.	21,410	235	204	439	20·5	0·98	1·12	119	112	231	10·8	0·95	0·86	5	*11*	2	2	5	*16*
Bicester	6,240	98	71	169	27·1	0·87	1·31	22	14	36	5·8	1·28	0·62	3	*18*	1	1	3	*23*
Chipping Norton M.B. ..	4,200	46	39	85	20·2	0·69	0·77	24	26	50	11·9	0·72	0·72	3	*35*	2	2	3	*57*
Henley-on-Thames M.B. ..	9,270	107	86	193	20·8	1·01	1·17	49	87	136	14·7	0·70	0·86	4	*21*	—	—	1	*5*
Thame	4,500	55	52	107	23·8	0·96	1·27	32	24	56	12·4	1·04	1·08	2	*19*	2	2	1	*28*
Witney	9,320	100	66	166	17·8	0·93	0·92	39	39	78	8·4	1·23	0·87	3	*18*	3	3	1	*24*
Woodstock M.B.	1,820	14	22	36	19·8	1·02	1·12	20	28	48	26·4	0·38	0·84	—	—	—	—	1	*27*
Rural districts	**154,560**	**1,597**	**1,554**	**3,151**	**20·4**	**1·01**	**1·14**	**804**	**722**	**1,526**	**9·9**	**1·11**	**0·92**	**59**	**19**	**41**	**37**	**49**	**27**
Banbury	15,750	133	118	251	15·9	1·13	1·00	95	99	194	12·3	0·89	0·92	6	*24*	4	3	6	*35*
Bullingdon	42,910	492	480	972	22·7	0·97	1·22	216	191	407	9·5	1·17	0·93	16	*16*	13	13	12	25
Chipping Norton	16,230	145	160	305	18·8	1·06	1·11	101	88	189	11·6	0·95	0·93	13	*43*	9	8	6	*45*
Henley	22,990	197	192	389	16·9	0·99	0·93	126	126	252	11·0	1·03	0·95	4	*10*	4	3	6	*23*
Ploughley	30,750	365	346	711	23·1	1·00	1·28	116	104	220	7·2	1·42	0·86	12	*17*	6	5	12	*24*
Witney	25,930	265	258	523	20·2	1·00	1·12	150	114	264	10·2	1·09	0·93	8	*15*	5	5	7	*23*
PETERBOROUGH, SOKE OF	**77,400**	**742**	**700**	**1,442**	**18·6**	**0·98**	**1·01**	**446**	**355**	**801**	**10·3**	**1·08**	**0·93**	**19**	*13*	**16**	**15**	**29**	**30**
Peterborough M.B.	63,430	614	587	1,201	18·9	0·96	1·01	390	315	705	11·1	1·04	0·97	17	*14*	15	14	25	32
Rural districts	**13,970**	**128**	**113**	**241**	**17·3**	**1·05**	**1·01**	**56**	**40**	**96**	**6·9**	**1·30**	**0·75**	**2**	*8*	**1**	**1**	**4**	*20*
Barnack	5,740	49	40	89	15·5	1·27	1·09	16	8	24	4·2	1·74	0·61	1	*11*	—	—	3	*33*
Peterborough	8,230	79	73	152	18·5	0·95	0·98	40	32	72	8·7	1·12	0·82	1	*7*	1	1	1	*13*
RUTLAND	**26,390**	**250**	**234**	**484**	**18·3**	**1·16**	**1·18**	**151**	**108**	**259**	**9·8**	**1·02**	**0·84**	**8**	*17*	**4**	**4**	**6**	*20*
Oakham U.D.	4,440	43	40	83	18·7	1·00	1·04	41	20	61	13·7	0·61	0·70	2	*24*	2	2	1	*36*
Rural districts	**21,950**	**207**	**194**	**401**	**18·3**	**1·19**	**1·21**	**110**	**88**	**198**	**9·0**	**1·16**	**0·88**	**6**	*15*	**2**	**2**	**5**	*17*
Ketton	3,460	29	33	62	17·9	1·04	1·03	16	20	36	10·4	1·08	0·94	1	*16*	—	—	—	—
Oakham	12,350	126	116	242	19·6	1·20	1·31	50	40	90	7·3	1·34	0·82	3	*12*	1	1	3	*16*
Uppingham	6,140	52	45	97	15·8	1·28	1·12	44	28	72	11·7	0·92	0·90	2	*21*	1	1	2	*30*
SHROPSHIRE	**306,150**	**2,739**	**2,547**	**5,286**	**17·3**	**1·05**	**1·01**	**1,810**	**1,675**	**3,485**	**11·4**	**1·03**	**0·99**	**136**	**26**	**89**	**79**	**103**	**34**
Municipal boroughs and urban districts	**154,540**	**1,430**	**1,315**	**2,745**	**17·8**	**0·98**	**0·97**	**988**	**961**	**1,949**	**12·6**	**0·96**	**1·02**	**72**	**26**	**52**	**45**	**61**	**38**
Bishop's Castle M.B. ..	1,220	9	9	18	14·8	1·13	0·93	19	17	36	29·5	0·37	0·92	—	—	—	—	—	—
Bridgnorth M.B.	7,840	105	75	180	23·0	0·95	1·21	36	41	77	9·8	0·91	0·75	3	*17*	2	2	—	*11*
Church Stretton	2,760	16	21	37	13·4	1·17	0·87	19	36	55	19·9	0·60	1·00	1	*27*	—	—	1	*26*
Dawley	9,870	95	100	195	19·8	0·97	1·07	76	57	133	13·5	1·23	1·40	7	*36*	6	5	5	*50*
Ellesmere	2,290	21	12	33	14·4	1·00	0·80	20	20	40	17·5	0·86	1·26	—	—	—	—	1	*29*
Ludlow M.B.	6,760	62	57	119	17·6	1·00	0·98	48	61	109	16·1	0·72	0·97	4	*34*	4	3	3	*49*
Market Drayton	5,920	59	51	110	18·6	1·03	1·06	40	33	73	12·3	0·89	0·92	1	*9*	—	—	2	*18*
Newport	4,710	59	46	105	22·3	0·98	1·21	33	29	62	13·2	0·94	1·04	4	*38*	3	3	—	*29*
Oakengates	12,380	128	98	226	18·3	1·00	1·02	78	56	134	10·8	1·09	0·99	6	*27*	5	5	4	*39*
Oswestry M.B.	11,520	122	102	224	19·4	0·99	1·07	60	55	115	10·0	1·00	0·84	4	*18*	2	2	2	*18*
Shrewsbury M.B.	50,120	431	408	839	16·7	0·96	0·89	305	297	602	12·0	1·05	1·06	23	27	17	15	23	44
Wellington	14,430	129	133	262	18·2	0·95	0·96	91	71	162	11·2	1·12	1·05	5	*19*	5	4	8	*44*
Wem	2,600	19	14	33	12·7	1·06	0·75	20	19	39	15·0	0·88	1·11	—	—	—	—	1	*29*
Wenlock M.B.	14,970	102	121	223	14·9	1·01	0·84	88	103	191	12·8	0·92	0·99	9	*40*	4	3	8	*48*
Whitchurch	7,150	73	68	141	19·7	1·05	1·15	55	66	121	16·9	0·75	1·07	5	*35*	4	3	3	*42*
Rural districts	**151,610**	**1,309**	**1,232**	**2,541**	**16·8**	**1·11**	**1·04**	**822**	**714**	**1,536**	**10·1**	**1·09**	**0·93**	**64**	**25**	**37**	**34**	**42**	**29**
Atcham	22,950	219	200	419	18·3	1·09	1·11	119	116	235	10·2	1·01	0·87	10	*24*	7	6	7	*31*
Bridgnorth	16,130	107	115	222	13·8	1·23	0·94	73	66	139	8·6	1·28	0·93	8	*36*	3	3	3	*27*
Clun	8,690	76	60	136	15·7	1·30	1·13	55	42	97	11·2	0·83	0·78	2	*15*	2	2	—	*15*
Drayton	9,650	90	121	211	21·9	0·97	1·18	53	43	96	9·9	1·07	0·89	10	*47*	5	5	1	*28*
Ellesmere	7,620	78	54	132	17·3	1·13	1·09	39	33	72	9·4	1·16	0·92	3	*23*	1	1	3	*30*
Ludlow	13,420	119	89	208	15·5	1·15	0·99	81	79	160	11·9	0·94	0·94	4	*19*	3	2	4	*28*
Oswestry	20,090	149	153	302	15·0	1·17	0·98	132	123	255	12·7	0·92	0·98	7	*23*	5	5	4	*29*
Shifnal	15,140	128	97	225	14·9	1·11	0·92	56	61	117	7·7	1·39	0·90	3	*13*	1	1	7	*34*
Wellington	26,200	236	240	476	18·2	1·02	1·03	129	102	231	8·8	1·22	0·90	15	*32*	10	9	11	41
Wem	11,720	107	103	210	17·9	1·07	1·06	85	49	134	11·4	1·04	1·00	2	*10*	—	—	2	*9*
SOMERSET	**609,410**	**5,241**	**4,812**	**10,053**	**16·5**	**1·05**	**0·96**	**3,800**	**3,852**	**7,652**	**12·6**	**0·86**	**0·91**	**182**	**18**	**136**	**118**	**177**	**29**
Bath C.B.	82,170	692	649	1,341	16·3	1·02	0·92	541	582	1,123	13·7	0·80	0·92	31	23	21	20	27	34
Administrative county	**527,240**	**4,549**	**4,163**	**8,712**	**16·5**	**1·05**	**0·96**	**3,259**	**3,270**	**6,529**	**12·4**	**0·87**	**0·91**	**151**	**17**	**115**	**98**	**150**	**28**
Municipal boroughs and urban districts	**253,950**	**2,164**	**2,023**	**4,187**	**16·5**	**1·03**	**0·94**	**1,641**	**1,683**	**3,324**	**13·1**	**0·86**	**0·95**	**71**	**17**	**52**	**45**	**78**	**29**
Bridgwater M.B.	25,930	228	254	482	18·6	0·95	0·98	146	145	291	11·2	0·92	0·87	5	*10*	4	4	10	*28*
Burnham-on-Sea	10,240	90	84	174	17·0	1·13	1·07	71	78	149	14·6	0·72	0·88	4	*23*	3	3	3	*34*
Chard M.B.	6,020	53	55	108	17·9	0·96	0·95	37	45	82	13·6	0·94	1·07	2	*19*	2	2	2	*36*
Clevedon	11,080	80	84	164	14·8	1·08	0·89	88	108	196	17·7	0·70	1·04	4	*24*	2	1	3	*24*
Crewkerne	4,350	44	35	79	18·2	1·01	1·02	26	22	48	11·0	0·96	0·89	—	—	—	—	1	*12*

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1962	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
SOMERSET—*continued*																			
Municipal boroughs and urban districts—*continued*																			
Frome	11,570	109	113	222	19·2	1·09	1·16	83	108	191	16·5	0·75	1·04	4	*18*	2	2	7	*39*
Glastonbury M.B.	5,940	44	50	94	15·8	0·92	0·81	28	35	63	10·6	0·97	0·86	2	*21*	2	1	1	*21*
Ilminster	2,790	24	20	44	15·8	1·00	0·88	12	16	28	10·0	0·94	0·79	1	*23*	1	1	1	*44*
Keynsham	15,650	147	121	268	17·1	0·87	0·83	72	59	131	8·4	1·16	0·82	3	*11*	2	1	4	*18*
Minehead	7,520	49	45	94	12·5	1·14	0·79	68	88	156	20·7	0·62	1·08	1	*11*	1	1	1	*21*
Norton-Radstock	12,850	115	101	216	16·8	1·04	0·97	85	68	153	11·9	1·01	1·01	6	*28*	4	4	5	*41*
Portishead	6,730	80	70	150	22·3	0·97	1·20	35	30	65	9·7	1·04	0·85	—	—	—	—	3	*20*
Shepton Mallet	5,570	51	35	86	15·4	1·02	0·87	41	41	82	14·7	0·83	1·03	1	*12*	1	—	—	—
Street	6,940	57	64	121	17·4	0·94	0·91	34	27	61	8·8	1·00	0·74	3	*25*	1	1	3	*32*
Taunton M.B.	36,230	305	261	566	15·6	0·99	0·86	213	198	411	11·3	0·98	0·93	12	*21*	10	9	9	*31*
Watchet	2,600	23	19	42	16·2	1·05	0·94	9	22	31	11·9	0·91	0·91	—	—	—	—	2	*45*
Wellington	7,680	62	56	118	15·4	1·10	0·94	45	51	96	12·5	0·78	0·82	—	—	—	—	1	*8*
Wells M.B.	6,960	67	62	129	18·5	1·01	1·04	53	65	118	17·0	0·60	0·86	2	*16*	2	2	1	*23*
Weston-super-Mare M.B.	42,750	338	302	640	15·0	1·13	0·94	337	337	674	15·8	0·71	0·94	14	*22*	9	9	9	*28*
Yeovil M.B.	24,550	198	192	390	15·9	1·02	0·90	158	140	298	12·1	0·96	0·98	7	*18*	6	4	12	*40*
Rural districts	**273,290**	**2,385**	**2,140**	**4,525**	**16·6**	**1·08**	**1·00**	**1,618**	**1,587**	**3,205**	**11·7**	**0·90**	**0·88**	**80**	**18**	**63**	**53**	**72**	**27**
*Axbridge	31,620	295	266	561	17·7	1·07	1·05	185	193	378	12·0	0·92	0·93	8	*14*	8	8	9	*30*
Bathavon	20,910	180	133	313	15·0	1·05	0·88	131	114	245	11·7	0·89	0·88	7	*22*	5	3	8	*34*
Bridgwater	22,500	209	194	403	17·9	1·03	1·02	131	108	239	10·6	0·98	0·87	1	*2*	—	—	6	*15*
Chard	12,410	85	87	172	13·9	1·07	0·83	74	76	150	12·1	0·93	0·95	2	*12*	2	2	—	*12*
Clutton	18,020	150	129	279	15·5	1·04	0·90	126	92	218	12·1	0·94	0·96	7	*25*	5	4	9	*45*
Dulverton	4,320	15	30	45	10·4	1·14	0·66	27	25	52	12·0	0·97	0·98	1	*22*	1	1	1	43
Frome	10,970	90	73	163	14·9	1·07	0·89	51	60	111	10·1	0·94	0·80	6	*37*	6	5	3	*48*
Langport	13,380	109	109	218	16·3	1·09	0·99	81	67	148	11·1	0·85	0·79	2	*9*	2	2	2	*18*
*Long Ashton	30,610	309	283	592	19·3	1·00	1·07	161	180	341	11·1	1·00	0·93	9	*15*	7	6	11	*28*
Shepton Mallet	10,510	81	67	148	14·1	1·12	0·88	65	61	126	12·0	0·83	0·84	6	*41*	5	5	5	*65*
Taunton	22,390	191	175	366	16·3	1·16	1·05	148	130	278	12·4	0·78	0·81	10	*27*	7	6	8	*37*
Wellington	8,190	71	70	141	17·2	1·14	1·09	41	48	89	10·9	0·87	0·80	4	*28*	3	1	2	*21*
Wells	10,650	97	78	175	16·4	1·15	1·05	73	110	183	17·2	0·55	0·79	1	*6*	1	1	1	*11*
Williton	13,650	125	85	210	15·4	1·16	0·99	82	107	189	13·8	0·81	0·94	4	*19*	3	3	—	*14*
Wincanton	16,650	147	125	272	16·3	1·11	1·01	129	113	242	14·5	0·75	0·91	7	*26*	5	4	4	*29*
Yeovil	26,510	231	236	467	17·6	1·04	1·02	113	103	216	8·1	1·11	0·76	5	*11*	3	2	3	*11*
STAFFORDSHIRE	**1,765,550**	**17,026**	**15,945**	**32,971**	**18·7**	**0·94**	**0·98**	**10,122**	**8,796**	**18,918**	**10·7**	**1·24**	**1·11**	**760**	**23**	**513**	**442**	**712**	**34**
County boroughs	**751,880**	**7,194**	**6,809**	**14,003**	**18·6**	**0·96**	**0·99**	**4,610**	**3,996**	**8,606**	**11·4**	**1·19**	**1·14**	**333**	**24**	**219**	**191**	**308**	**35**
Burton upon Trent	50,610	486	493	979	19·3	0·98	1·05	354	310	664	13·1	1·02	1·12	19	*19*	10	10	28	38
Smethwick	68,680	687	626	1,313	19·1	1·00	1·06	460	404	864	12·6	1·05	1·11	31	24	23	19	26	34
Stoke-on-Trent	266,130	2,303	2,123	4,426	16·6	0·94	0·87	1,687	1,444	3,131	11·8	1·29	1·28	101	23	67	60	113	38
Walsall	119,700	1,195	1,139	2,334	19·5	0·95	1·03	681	618	1,299	10·9	1·21	1·11	61	26	41	36	43	33
West Bromwich	97,050	928	920	1,848	19·0	0·92	0·97	486	466	952	9·8	1·36	1·12	47	25	27	24	28	28
Wolverhampton	149,710	1,595	1,508	3,103	20·7	0·99	1·14	942	754	1,696	11·3	1·08	1·03	74	24	51	42	70	35
Administrative county	**1,013,670**	**9,832**	**9,136**	**18,968**	**18·7**	**0·93**	**0·97**	**5,512**	**4,800**	**10,312**	**10·2**	**1·28**	**1·10**	**427**	**23**	**294**	**251**	**404**	**34**
Municipal boroughs and urban districts	**756,420**	**7,407**	**6,882**	**14,289**	**18·9**	**0·92**	**0·97**	**4,141**	**3,553**	**7,694**	**10·2**	**1·32**	**1·13**	**313**	**22**	**208**	**181**	**303**	**33**
Aldridge	54,480	673	615	1,288	23·6	0·86	1·13	208	147	355	6·5	1·82	0·99	21	16	14	13	26	30
Amblecote	3,060	25	20	45	14·7	0·94	0·77	16	20	36	11·8	0·97	0·96	—	—	—	—	1	*22*
Biddulph	14,140	129	120	249	17·6	0·94	0·92	68	69	137	9·7	1·40	1·14	5	*20*	5	4	5	*35*
Bilston M.B.	33,340	325	315	640	19·2	0·89	0·95	190	183	373	11·2	1·44	1·36	20	31	13	11	17	43
Brierley Hill	57,430	548	503	1,051	18·3	0·94	0·96	291	235	526	9·2	1·30	1·01	18	*17*	13	13	16	27
Brownhills	27,450	293	307	600	21·9	0·91	1·11	174	115	289	10·5	1·45	1·28	16	*27*	14	13	12	41
Cannock	43,160	400	364	764	17·7	0·96	0·94	249	206	455	10·5	1·19	1·05	29	38	20	14	17	40
Coseley	40,620	411	391	802	19·7	0·89	0·97	196	153	349	8·6	1·59	1·15	17	*21*	9	9	21	36
Darlaston	21,920	178	153	331	15·1	0·91	0·76	122	111	233	10·6	1·46	1·30	9	*27*	7	5	11	*47*
Kidsgrove	20,150	210	198	408	20·2	0·89	1·00	94	88	182	9·0	1·40	1·06	10	*25*	6	5	12	*40*
Leek	19,310	154	115	269	13·9	1·03	0·80	139	129	268	13·9	0·94	1·10	5	*19*	5	5	9	*50*
Lichfield M.B.	15,350	150	156	306	19·9	0·88	0·97	82	84	166	10·8	0·94	0·85	6	*20*	4	4	6	*32*
Newcastle-under-Lyme M.B.	77,210	724	658	1,382	17·9	0·98	0·97	441	408	849	11·0	1·27	1·17	37	27	29	25	33	41
Rowley Regis M.B.	49,030	376	328	704	14·4	0·95	0·76	289	230	519	10·6	1·39	1·24	13	*18*	8	6	15	29
Rugeley	13,650	186	164	350	25·6	0·89	1·27	73	58	131	9·6	1·43	1·15	9	*26*	5	5	10	*42*
Sedgley	29,940	309	275	584	19·5	0·92	1·00	196	202	398	13·3	0·95	1·06	11	*19*	7	7	11	*30*
Stafford M.B.	48,280	478	409	887	18·4	0·96	0·98	284	279	563	11·7	1·05	1·03	15	*17*	14	13	17	33
Stone	9,290	76	88	164	17·7	0·95	0·93	50	78	128	13·8	0·85	0·99	1	*6*	1	1	3	*24*
Tamworth M.B.	13,780	114	98	212	15·4	0·98	0·84	105	75	180	13·1	0·89	0·98	2	*9*	—	—	3	*14*
Tettenhall	15,360	109	112	221	14·4	0·85	0·68	66	74	140	9·1	1·34	1·02	4	*18*	3	3	4	*31*
Tipton M.B.	38,300	361	366	727	19·0	0·89	0·94	244	167	411	10·7	1·49	1·34	14	*19*	9	7	13	27
Uttoxeter	8,290	73	79	152	18·3	0·98	1·00	39	43	82	9·9	1·13	0·94	5	*33*	3	2	3	*32*
Wednesbury M.B.	34,930	336	316	652	18·7	0·92	0·96	198	158	356	10·2	1·38	1·18	15	*23*	5	4	13	*26*
Wednesfield	34,200	400	392	792	23·2	0·84	1·08	133	106	239	7·0	1·86	1·09	17	*21*	8	6	16	27
Willenhall	33,750	369	340	709	21·0	0·93	1·08	194	135	329	9·7	1·48	1·21	14	*20*	6	6	9	*21*
Rural districts	**257,250**	**2,425**	**2,254**	**4,679**	**18·2**	**0·96**	**0·97**	**1,371**	**1,247**	**2,618**	**10·2**	**1·16**	**0·99**	**114**	**24**	**86**	**70**	**101**	**36**
Cannock	31,540	393	352	745	23·6	0·92	1·21	144	133	277	8·8	1·27	0·94	17	*23*	13	9	15	32
Cheadle	40,130	340	323	663	16·5	1·00	0·92	229	276	505	12·6	1·02	1·08	13	*20*	6	5	17	32
Leek	19,940	190	170	360	18·1	0·98	0·99	113	91	204	10·2	1·25	1·07	7	*19*	6	6	11	*46*
Lichfield	40,710	365	368	733	18·0	0·99	0·99	244	224	468	11·5	0·93	0·90	23	31	18	15	11	35
Newcastle-under-Lyme	18,340	137	129	266	14·5	1·00	0·81	114	102	216	11·8	1·04	1·03	6	*23*	5	5	10	*54*
Seisdon	38,860	418	337	755	19·4	0·89	0·96	155	120	275	7·1	1·47	0·88	20	26	15	11	11	29
Stafford	19,030	188	179	367	19·3	0·93	1·00	103	76	179	9·4	1·14	0·90	10	*27*	9	6	5	*30*
Stone	18,890	144	149	293	15·5	0·95	0·82	114	69	183	9·7	1·19	0·97	6	*20*	4	4	5	*30*
Tutbury	18,100	152	153	305	16·9	0·99	0·93	104	100	204	11·3	1·16	1·10	7	*23*	6	5	11	*51*
Uttoxeter	11,710	98	94	192	16·4	1·12	1·02	51	56	107	9·1	1·11	0·85	5	*26*	4	4	5	*46*

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1962	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
SUFFOLK, EAST	**353,290**	**3,059**	**2,830**	**5,889**	**16·7**	**1·05**	**0·97**	**2,188**	**2,078**	**4,266**	**12·1**	**0·89**	**0·90**	**89**	**15**	**65**	**59**	**112**	**28**
Ipswich C.B.	118,410	1,096	1,025	2,121	17·9	0·97	0·96	665	642	1,307	11·0	1·00	0·92	33	16	19	18	36	25
Administrative county	**234,880**	**1,963**	**1,805**	**3,768**	**16·0**	**1·09**	**0·97**	**1,523**	**1,436**	**2,959**	**12·6**	**0·84**	**0·89**	**56**	**15**	**46**	**41**	**76**	**30**
Municipal boroughs and urban districts	**103,990**	**870**	**820**	**1,690**	**16·3**	**1·03**	**0·93**	**705**	**696**	**1,401**	**13·5**	**0·87**	**0·99**	**27**	**16**	**22**	**20**	**40**	**35**
Aldeburgh M.B.	2,920	25	20	45	15·4	1·03	0·88	27	27	54	18·5	0·79	1·23	—	—	—	—	—	—
Beccles M.B.	7,400	56	60	116	15·7	1·06	0·92	53	51	104	14·1	0·82	0·97	2	*17*	2	2	3	*42*
Bungay	3,630	29	28	57	15·7	1·01	0·88	31	34	65	17·9	0·67	1·01	2	*35*	2	2	—	*35*
Eye M.B.	1,550	11	13	24	15·5	1·25	1·08	14	27	41	26·5	0·30	0·67	1	*42*	1	1	—	*42*
Felixstowe	17,440	171	160	331	19·0	1·00	1·06	109	107	216	12·4	0·82	0·85	8	*24*	7	7	7	*41*
Halesworth	2,290	17	19	36	15·7	1·16	1·01	15	12	27	11·8	0·89	0·88	1	*28*	—	—	—	—
Leiston-cum-Sizewell ..	4,770	52	42	94	19·7	1·04	1·14	32	31	63	13·2	0·89	0·99	2	*21*	2	2	3	*52*
Lowestoft M.B.	46,340	382	357	739	15·9	1·01	0·89	306	305	611	13·2	0·96	1·06	8	*11*	5	4	20	32
Saxmundham	1,510	13	15	28	18·5	1·22	1·25	13	7	20	13·2	0·73	0·81	—	—	—	—	4	*125*
Southwold M.B.	2,200	6	11	17	7·7	1·51	0·65	15	20	35	15·9	0·62	0·83	—	—	—	—	—	—
Stowmarket	7,870	62	53	115	14·6	1·01	0·82	39	42	81	10·3	1·01	0·87	2	*17*	2	1	1	*17*
Woodbridge	6,070	46	42	88	14·5	0·99	0·80	51	33	84	13·8	0·85	0·99	1	*11*	1	1	2	*33*
Rural districts	**130,890**	**1,093**	**985**	**2,078**	**15·9**	**1·13**	**1·00**	**818**	**740**	**1,558**	**11·9**	**0·82**	**0·82**	**29**	**14**	**24**	**21**	**36**	**27**
Blyth	18,920	160	139	299	15·8	1·17	1·03	132	144	276	14·6	0·66	0·81	5	*17*	4	4	6	*33*
Deben	34,300	313	286	599	17·5	1·12	1·09	224	198	422	12·3	0·80	0·83	11	*18*	8	7	5	*20*
Gipping	20,160	162	143	305	15·1	1·09	0·91	116	105	221	11·0	0·86	0·79	2	*7*	2	2	2	*13*
Hartismere	16,240	149	111	260	16·0	1·16	1·03	103	103	206	12·7	0·87	0·93	4	*15*	3	1	6	*26*
Lothingland	16,600	134	131	265	16·0	1·08	0·96	105	82	187	11·3	0·96	0·91	3	*11*	3	3	7	*37*
Samford	18,380	133	119	252	13·7	1·18	0·90	97	88	185	10·1	0·85	0·72	2	*8*	2	2	8	*38*
Wainford	6,290	42	56	98	15·6	1·25	1·08	41	20	61	9·7	0·79	0·64	2	*20*	2	2	2	*40*
SUFFOLK, WEST	**135,080**	**1,238**	**1,124**	**2,362**	**17·5**	**1·07**	**1·04**	**824**	**713**	**1,537**	**11·4**	**0·93**	**0·89**	**54**	**23**	**42**	**35**	**45**	**33**
Municipal boroughs and urban districts	**48,920**	**434**	**426**	**860**	**17·6**	**1·01**	**0·99**	**334**	**356**	**690**	**14·1**	**0·86**	**1·02**	**18**	*21*	**12**	**9**	**11**	**23**
Bury St. Edmunds M.B. ..	21,680	181	194	375	17·3	1·01	0·97	120	144	264	12·2	0·85	0·87	8	*21*	7	5	6	*29*
Hadleigh	3,450	35	24	59	17·1	1·04	0·99	29	21	50	14·5	0·99	1·21	1	*17*	1	1	—	*17*
Haverhill	6,040	60	59	119	19·7	0·90	0·98	37	29	66	10·9	1·04	0·95	1	*8*	1	—	—	—

1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
Newmarket	11,200	108	95	203	18·1	0·99	1·00	83	69	152	13·6	0·99	1·13	3	*15*	2	2	3	*24*
Sudbury M.B.	6,550	50	54	104	15·9	1·10	0·97	65	93	158	24·1	0·57	1·15	5	*48*	1	1	2	*28*
Rural districts	**86,160**	**804**	**698**	**1,502**	**17·4**	**1·11**	**1·07**	**490**	**357**	**847**	**9·8**	**0·98**	**0·81**	**36**	**24**	**30**	**26**	**34**	**39**
Clare	9,380	83	41	124	13·2	1·21	0·89	57	44	101	10·8	0·84	0·76	4	*32*	4	3	5	*62*
Cosford	9,060	75	52	127	14·0	1·14	0·89	70	42	112	12·4	0·81	0·84	1	*8*	1	1	1	*16*
Melford	13,650	95	113	208	15·2	1·00	0·84	75	80	155	11·4	0·88	0·84	5	*24*	4	4	4	*38*
Mildenhall	23,070	267	235	502	21·8	1·12	1·36	110	54	164	7·1	1·36	0·81	13	*26*	10	9	13	43
Thedwastre	9,380	94	83	177	18·9	1·13	1·19	60	66	126	13·4	0·79	0·89	4	*23*	3	2	5	*38*
Thingoe	21,620	190	174	364	16·8	1·10	1·03	118	71	189	8·7	1·01	0·74	9	*25*	8	7	6	*35*
SURREY	**1,744,690**	**14,125**	**13,381**	**27,506**	**15·8**	**1·01**	**0·89**	**9,877**	**10,797**	**20,674**	**11·8**	**0·95**	**0·94**	**457**	**17**	**343**	**307**	**390**	**25**
Croydon C.B.	253,690	2,294	2,143	4,437	17·5	0·99	0·96	1,506	1,673	3,179	12·5	0·94	0·99	75	17	63	57	65	27
Administrative county	**1,491,000**	**11,831**	**11,238**	**23,069**	**15·5**	**1·01**	**0·87**	**8,371**	**9,124**	**17,495**	**11·7**	**0·95**	**0·93**	**382**	**17**	**280**	**250**	**325**	**25**
Municipal boroughs and urban districts	**1,309,640**	**10,218**	**9,715**	**19,933**	**15·2**	**1·01**	**0·85**	**7,431**	**8,165**	**15,596**	**11·9**	**0·95**	**0·95**	**327**	**16**	**242**	**216**	**275**	**24**
Banstead	41,370	258	280	538	13·0	1·08	0·78	242	286	528	12·8	0·82	0·88	10	*19*	8	8	7	*28*
Barnes M.B.	38,950	261	303	564	14·5	1·00	0·81	235	288	523	13·4	0·85	0·96	13	*23*	10	9	9	*31*
Beddington and Wallington M.B.	32,600	252	213	465	14·3	1·05	0·83	200	172	372	11·4	0·96	0·92	9	*19*	7	7	4	*23*
Carshalton	56,380	361	354	715	12·7	1·00	0·71	320	282	602	10·7	1·20	1·08	15	*21*	13	12	5	*24*
Caterham and Warlingham ..	35,110	312	283	595	16·9	1·04	0·98	160	189	349	9·9	1·02	0·85	7	*12*	6	5	5	*17*
Chertsey	41,790	467	412	879	21·0	0·92	1·07	198	175	373	8·9	1·25	0·93	12	*14*	10	8	11	*21*
Coulsdon and Purley ..	74,260	543	483	1,026	13·8	1·08	0·83	411	583	994	13·4	0·78	0·88	16	*16*	13	12	16	27
Dorking	22,540	171	194	365	16·2	1·02	0·92	147	151	298	13·2	0·93	1·03	6	*16*	6	5	4	*24*
Egham	31,150	234	243	477	15·3	0·94	0·80	149	183	332	10·7	0·96	0·86	2	*4*	1	1	7	*17*
Epsom and Ewell M.B. ..	70,380	454	426	880	12·5	1·18	0·82	480	603	1,083	15·4	0·66	0·85	12	*14*	6	4	17	23
Esher	60,970	434	440	874	14·3	0·98	0·78	307	324	631	10·3	1·04	0·90	12	*14*	12	12	7	*22*
Farnham	27,520	237	205	442	16·1	1·00	0·89	178	213	391	14·2	0·77	0·92	8	*18*	7	6	6	*27*
Frimley and Camberley ..	31,650	395	370	765	24·2	0·92	1·24	121	133	254	8·0	1·35	0·91	21	27	11	9	8	*22*
Godalming M.B.	16,940	163	139	302	17·8	1·00	0·99	80	87	167	9·9	1·00	0·83	7	*23*	4	3	3	*20*
Guildford M.B.	54,100	436	407	843	15·6	0·95	0·82	338	316	654	12·1	0·96	0·98	15	*18*	9	7	17	28
Haslemere	12,990	87	77	164	12·6	0·99	0·69	75	92	167	12·9	0·79	0·86	4	*24*	2	2	1	*18*
Kingston-upon-Thames M.B.	35,990	303	310	613	17·0	1·00	0·94	237	226	463	12·9	0·88	0·95	18	*29*	13	10	7	*27*
Leatherhead	36,650	281	279	560	15·3	0·97	0·82	166	194	360	9·8	1·06	0·87	9	*16*	5	5	7	*21*
Malden and Coombe M.B. ..	46,750	287	265	552	11·8	1·04	0·68	246	315	561	12·0	1·01	1·02	14	*25*	11	10	20	52
Merton and Morden ..	67,560	423	442	865	12·8	1·07	0·76	437	361	798	11·8	1·12	1·11	12	*14*	8	7	11	*21*
Mitcham M.B.	63,660	510	427	937	14·7	0·98	0·80	370	292	662	10·4	1·19	1·04	14	*15*	11	9	19	29
Reigate M.B.	54,680	421	424	845	15·5	0·97	0·84	350	355	705	12·9	0·84	0·91	15	*18*	13	13	19	37
Richmond M.B.	40,680	338	291	629	15·5	0·95	0·82	273	334	607	14·9	0·70	0·88	4	*6*	4	4	8	*19*
Surbiton M.B.	63,170	505	468	973	15·4	1·00	0·86	308	346	654	10·4	1·06	0·93	17	*17*	14	14	8	22
Sutton and Cheam M.B. ..	78,430	629	545	1,174	15·0	1·04	0·87	460	556	1,016	13·0	0·93	1·02	19	*16*	12	10	16	22
Walton and Weybridge ..	45,910	331	375	706	15·4	0·95	0·81	226	286	512	11·2	0·99	0·93	9	*13*	6	6	8	*20*
Wimbledon M.B.	56,850	490	434	924	16·3	0·97	0·88	367	389	756	13·3	0·83	0·93	13	*14*	10	9	13	23
Woking	70,610	635	626	1,261	17·9	0·95	0·94	350	434	784	11·1	0·91	0·85	14	*11*	10	9	12	16

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1962	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
SURREY—*continued*																			
Rural districts	**181,360**	**1,613**	**1,523**	**3,136**	**17·3**	**1·01**	**0·97**	**940**	**959**	**1,899**	**10·5**	**1·00**	**0·88**	**55**	**18**	**38**	**34**	**50**	**26**
Bagshot	16,610	161	119	280	16·9	1·02	0·96	73	72	145	8·7	0·98	0·72	6	*21*	3	2	3	*18*
Dorking and Horley	32,400	324	291	615	19·0	1·00	1·06	177	130	307	9·5	1·05	0·84	8	*13*	6	6	13	*30*
Godstone	40,940	348	343	691	16·9	1·02	0·96	209	285	494	12·1	0·91	0·93	17	*25*	14	13	13	37
Guildford	55,830	516	506	1,022	18·3	1·02	1·04	285	247	532	9·5	1·08	0·86	22	22	13	11	12	22
Hambledon	35,580	264	264	528	14·8	1·00	0·82	196	225	421	11·8	0·93	0·92	2	*4*	2	2	9	*20*
SUSSEX, EAST	**673,190**	**4,682**	**4,365**	**9,047**	**13·4**	**1·10**	**0·82**	**5,072**	**6,124**	**11,196**	**16·6**	**0·73**	**1·02**	**166**	**18**	**114**	**97**	**135**	**25**
County boroughs	**290,090**	**2,015**	**1,880**	**3,895**	**13·4**	**1·10**	**0·82**	**2,254**	**2,773**	**5,027**	**17·3**	**0·70**	**1·02**	**79**	**20**	**54**	**45**	**56**	**26**
Brighton	162,200	1,207	1,123	2,330	14·4	1·06	0·85	1,186	1,366	2,552	15·7	0·77	1·02	44	19	30	24	29	22
Eastbourne	61,250	376	321	697	11·4	1·14	0·72	511	613	1,124	18·4	0·64	0·99	20	29	15	14	12	37
Hastings	66,640	432	436	868	13·0	1·17	0·84	557	794	1,351	20·3	0·61	1·04	15	*17*	9	7	15	25
Administrative county	**383,100**	**2,667**	**2,485**	**5,152**	**13·4**	**1·10**	**0·82**	**2,818**	**3,351**	**6,169**	**16·1**	**0·75**	**1·01**	**87**	**17**	**60**	**52**	**79**	**25**
Municipal boroughs and urban districts	**209,590**	**1,432**	**1,295**	**2,727**	**13·0**	**1·09**	**0·79**	**1,549**	**1,988**	**3,537**	**16·9**	**0·74**	**1·05**	**48**	**18**	**31**	**27**	**44**	**26**
Bexhill M.B.	30,680	134	129	263	8·6	1·12	0·54	272	344	616	20·1	0·69	1·17	4	*15*	2	2	5	*26*
Burgess Hill	14,660	165	132	297	20·3	0·94	1·06	69	71	140	9·5	1·12	0·89	3	*10*	2	2	5	*23*
Cuckfield	20,840	160	137	297	14·3	1·07	0·85	129	183	312	15·0	0·69	0·87	2	*7*	1	1	5	*20*
East Grinstead	15,860	121	120	241	15·2	0·94	0·79	101	134	235	14·8	0·84	1·04	2	*8*	1	—	3	*12*
Hove M.B.	71,980	407	374	781	10·9	1·17	0·71	625	889	1,514	21·0	0·61	1·08	14	*18*	9	9	13	28
Lewes M.B.	13,810	111	85	196	14·2	1·09	0·86	88	78	166	12·0	0·90	0·91	5	*26*	3	2	2	*20*
Newhaven	8,520	74	78	152	17·8	1·03	1·02	63	71	134	15·7	0·85	1·12	5	*33*	4	3	2	*32*
Portslade-by-Sea	16,650	172	146	318	19·1	1·02	1·08	93	89	182	10·9	1·12	1·03	9	*28*	6	5	6	*34*
Rye M.B.	4,360	26	29	55	12·6	1·02	0·71	30	26	56	12·8	0·86	0·93	—	—	—	—	—	—
Seaford	12,230	62	65	127	10·4	1·11	0·64	79	103	182	14·9	0·84	1·05	4	*31*	3	3	3	*46*
Rural districts	**173,510**	**1,235**	**1,190**	**2,425**	**14·0**	**1·12**	**0·87**	**1,269**	**1,363**	**2,632**	**15·2**	**0·77**	**0·98**	**39**	**16**	**29**	**25**	**35**	**24**
Battle	30,710	194	196	390	12·7	1·18	0·83	227	248	475	15·5	0·67	0·87	7	*18*	6	5	4	*23*
Chailey	23,500	162	176	338	14·4	1·05	0·84	192	224	416	17·7	0·69	1·03	5	*15*	2	2	3	*15*
Cuckfield	30,770	254	247	501	16·3	1·04	0·94	190	190	380	12·3	0·86	0·89	11	*22*	7	7	10	*33*
Hailsham	43,760	270	276	546	12·5	1·10	0·76	357	370	727	16·6	0·81	1·13	8	*15*	7	6	12	*32*
Uckfield	44,770	355	295	650	14·5	1·21	0·97	303	331	634	14·2	0·77	0·92	8	*12*	7	5	6	*17*

1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
SUSSEX, WEST	**418,470**	**3,196**	**3,008**	**6,204**	**14·8**	**1·00**	**0·82**	**2,910**	**3,212**	**6,122**	**14·6**	**0·88**	**1·08**	**124**	**20**	**92**	**81**	**105**	**29**
Municipal boroughs and urban districts	**252,630**	**1,918**	**1,856**	**3,774**	**14·9**	**0·96**	**0·79**	**1,696**	**2,075**	**3,771**	**14·9**	**0·87**	**1·09**	**70**	**19**	**51**	**45**	**63**	**28**
Arundel M.B.	2,650	18	22	40	15·1	1·21	1·02	25	19	44	16·6	0·74	1·03	—	—	—	—	—	—
Bognor Regis	28,070	191	177	368	13·1	1·09	0·79	201	252	453	16·1	0·81	1·10	7	*19*	7	5	8	*35*
Chichester M.B.	19,540	136	132	268	13·7	1·06	0·81	117	185	302	15·5	0·65	0·85	4	*15*	3	3	8	*40*
Crawley	55,360	614	617	1,231	22·2	0·69	0·85	160	138	298	5·4	2·20	1·00	19	*15*	16	16	21	30
Horsham	21,950	189	180	369	16·8	0·98	0·91	134	136	270	12·3	0·97	1·00	3	*8*	2	2	9	*29*
Littlehampton	15,920	133	125	258	16·2	1·00	0·90	98	117	215	13·5	0·92	1·04	11	*43*	7	5	2	*27*
Shoreham-by-Sea	17,520	135	127	262	15·0	0·96	0·80	117	91	208	11·9	1·05	1·05	7	*27*	3	3	4	*26*
Southwick	11,870	83	70	153	12·9	1·07	0·77	73	101	174	14·7	0·89	1·10	3	*20*	1	—	3	*19*
Worthing M.B.	79,750	419	406	825	10·3	1·11	0·64	771	1,036	1,807	22·7	0·65	1·24	16	*19*	12	11	8	*23*
Rural districts	**165,840**	**1,278**	**1,152**	**2,430**	**14·7**	**1·06**	**0·87**	**1,214**	**1,137**	**2,351**	**14·2**	**0·89**	**1·06**	**54**	**22**	**41**	**36**	**42**	**32**
Chanctonbury	23,070	202	188	390	16·9	1·08	1·01	168	145	313	13·6	0·88	1·01	19	*49*	15	12	5	*43*
Chichester	51,520	419	351	770	14·9	1·03	0·85	324	270	594	11·5	1·09	1·05	20	26	14	12	17	37
Horsham	24,590	200	186	386	15·7	1·02	0·89	130	104	234	9·5	1·01	0·81	5	*13*	3	3	5	*20*
Midhurst	17,890	112	115	227	12·7	1·08	0·76	132	168	300	16·8	0·56	0·79	—	—	—	—	3	*13*
Petworth	9,770	83	73	156	16·0	1·14	1·01	70	65	135	13·8	0·77	0·89	2	*13*	2	2	1	*19*
Worthing	39,000	262	239	501	12·8	1·05	0·75	390	385	775	19·9	0·77	1·29	8	*16*	7	7	11	*35*
WARWICKSHIRE	**2,058,950**	**21,064**	**19,780**	**40,844**	**19·8**	**0·94**	**1·03**	**11,318**	**10,384**	**21,702**	**10·5**	**1·21**	**1·07**	**872**	**21**	**600**	**526**	**784**	**31**
County boroughs	**1,425,720**	**14,878**	**14,042**	**28,920**	**20·3**	**0·94**	**1·06**	**8,026**	**7,473**	**15,499**	**10·9**	**1·21**	**1·11**	**668**	**23**	**466**	**403**	**566**	**33**
Birmingham	1,115,080	11,519	10,915	22,434	20·1	0·95	1·06	6,373	6,177	12,550	11·3	1·16	1·10	508	23	358	311	432	32
Coventry	310,640	3,359	3,127	6,486	20·9	0·92	1·07	1,653	1,296	2,949	9·5	1·43	1·14	160	25	108	92	134	34
Administrative county	**633,230**	**6,186**	**5,738**	**11,924**	**18·8**	**0·94**	**0·98**	**3,292**	**2,911**	**6,203**	**9·8**	**1·19**	**0·98**	**204**	**17**	**134**	**123**	**218**	**28**
Municipal boroughs and urban districts	**410,830**	**4,064**	**3,740**	**7,804**	**19·0**	**0·93**	**0·98**	**2,132**	**1,953**	**4,085**	**9·9**	**1·19**	**0·99**	**124**	**16**	**84**	**75**	**136**	**27**
Bedworth	33,380	325	329	654	19·6	0·88	0·96	228	188	416	12·5	1·09	1·14	13	*20*	10	9	15	36
Kenilworth	15,330	135	132	267	17·4	0·89	0·86	81	80	161	10·5	1·30	1·15	3	*11*	2	1	4	*18*
Nuneaton M.B.	58,770	539	469	1,008	17·2	0·97	0·93	300	271	571	9·7	1·26	1·03	15	*15*	11	10	24	33
Royal Leamington Spa M.B	42,950	505	434	939	21·9	0·94	1·14	226	313	539	12·5	0·96	1·01	17	*18*	10	8	10	*19*
Rugby M.B.	53,510	556	524	1,080	20·2	0·96	1·08	326	243	569	10·6	1·13	1·01	21	19	16	14	21	32
Solihull M.B.	98,670	957	896	1,853	18·8	0·92	0·96	430	360	790	8·0	1·40	0·94	34	18	21	20	29	26
Stratford-upon-Avon M.B.	16,700	116	137	253	15·1	0·95	0·80	107	100	207	12·4	0·97	1·01	1	*4*	1	1	3	*16*
Sutton Coldfield M.B.	75,220	788	683	1,471	19·6	0·91	0·99	315	312	627	8·3	1·26	0·88	15	*10*	9	8	24	21
Warwick M.B.	16,300	143	136	279	17·1	0·98	0·93	119	86	205	12·6	1·00	1·06	5	*18*	4	4	6	*35*
Rural districts	**222,400**	**2,122**	**1,998**	**4,120**	**18·5**	**0·96**	**0·99**	**1,160**	**958**	**2,118**	**9·5**	**1·20**	**0·96**	**80**	**19**	**50**	**48**	**82**	**31**
Alcester	16,350	142	161	303	18·5	0·94	0·97	98	83	181	11·1	0·94	0·88	2	*7*	—	—	4	*13*
Atherstone	25,070	206	226	432	17·2	0·96	0·92	158	124	282	11·2	1·19	1·12	10	*23*	2	2	13	*34*
Meriden	60,430	583	559	1,142	18·9	0·88	0·92	233	194	427	7·1	1·52	0·91	22	19	15	14	23	32
Rugby	23,100	206	188	394	17·1	1·00	0·95	94	90	184	8·0	1·26	0·85	8	*20*	6	6	7	*32*
Shipston on Stour	8,710	91	72	163	18·7	1·08	1·12	90	65	155	17·8	0·67	1·00	—	—	—	—	5	*30*
Southam	16,450	185	148	333	20·2	1·04	1·17	97	58	155	9·4	1·18	0·93	10	*30*	8	8	5	*38*
Stratford-on-Avon	25,060	233	215	448	17·9	1·02	1·01	127	108	235	9·4	0·77	0·61	10	*22*	9	8	8	*35*
Tamworth	19,690	210	188	398	20·2	0·98	1·10	102	76	178	9·0	1·25	0·95	11	*28*	7	7	7	*35*
Warwick	27,540	266	241	507	18·4	1·00	1·02	161	160	321	11·7	0·96	0·94	7	*14*	3	3	10	*25*

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1962	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
WESTMORLAND	**66,900**	**519**	**479**	**998**	**14·9**	**1·06**	**0·88**	**450**	**440**	**890**	**13·3**	**0·91**	**1·02**	**23**	**23**	**18**	**13**	**22**	**34**
Municipal boroughs and urban districts	**32,550**	**261**	**216**	**477**	**14·7**	**1·02**	**0·83**	**229**	**231**	**460**	**14·1**	**0·88**	**1·04**	**10**	*21*	**8**	**7**	**10**	*35*
Appleby M.B.	1,770	13	11	24	13·6	1·07	0·81	6	5	11	*6·2*	0·94	*0·49*	1	*42*	1	1	—	*42*
Kendal M.B.	18,630	175	133	308	16·5	1·00	0·92	135	136	271	14·5	0·92	1·12	6	*19*	5	4	5	*29*
Lakes	5,510	26	32	58	10·5	1·03	0·60	48	44	92	16·7	0·84	1·18	—	—	—	—	1	*17*
Windermere	6,640	47	40	87	13·1	1·07	0·78	40	46	86	13·0	0·78	0·85	3	*34*	2	2	4	*66*
Rural districts	**34,350**	**258**	**263**	**521**	**15·2**	**1·10**	**0·93**	**221**	**209**	**430**	**12·5**	**0·94**	**0·99**	**13**	*25*	**10**	**6**	**12**	*34*
North Westmorland	15,240	134	127	261	17·1	1·10	1·04	122	110	232	15·2	1·00	1·28	8	*31*	6	3	5	*30*
South Westmorland	19,110	124	136	260	13·6	1·09	0·82	99	99	198	10·4	0·89	0·78	5	*19*	4	3	7	*37*
WIGHT, ISLE OF	**93,090**	**634**	**603**	**1,237**	**13·3**	**1·12**	**0·83**	**736**	**695**	**1,431**	**15·4**	**0·77**	**1·00**	**28**	**23**	**20**	**17**	**30**	**37**
Municipal boroughs and urban districts	**74,990**	**522**	**504**	**1,026**	**13·7**	**1·11**	**0·84**	**588**	**586**	**1,174**	**15·7**	**0·77**	**1·02**	**25**	**24**	**18**	**15**	**24**	**37**
Cowes	17,000	138	132	270	15·9	1·07	0·95	126	124	250	14·7	0·88	1·09	7	*26*	6	5	6	*40*
Newport M.B.	18,950	132	126	258	13·6	1·15	0·87	167	177	344	18·2	0·70	1·07	6	*23*	4	3	3	*23*
Ryde M.B.	19,690	143	137	280	14·2	1·08	0·85	149	119	268	13·6	0·76	0·87	6	*21*	4	3	7	*35*
Sandown-Shanklin	13,250	69	71	140	10·6	1·19	0·70	84	107	191	14·4	0·71	0·86	4	*29*	2	2	7	*61*
Ventnor	6,100	40	38	78	12·8	1·08	0·77	62	59	121	19·8	0·71	1·18	2	*26*	2	2	1	*38*
Isle of Wight R.D.	18,100	112	99	211	11·7	1·15	0·75	148	109	257	14·2	0·75	0·89	3	*14*	2	2	6	*37*
WILTSHIRE	**439,260**	**4,384**	**4,110**	**8,494**	**19·3**	**1·01**	**1·08**	**2,537**	**2,217**	**4,754**	**10·8**	**1·00**	**0·91**	**176**	**21**	**120**	**98**	**159**	**30**
Municipal boroughs and urban districts	**221,130**	**2,280**	**2,109**	**4,389**	**19·8**	**0·97**	**1·07**	**1,303**	**1,173**	**2,476**	**11·2**	**0·95**	**0·89**	**82**	**19**	**56**	**43**	**75**	**26**
Bradford-on-Avon	5,860	62	50	112	19·1	1·05	1·11	39	34	73	12·5	0·92	0·97	3	*27*	3	2	1	*27*
Calne M.B.	6,680	65	59	124	18·6	0·99	1·02	41	36	77	11·5	1·01	0·98	1	*8*	1	1	2	*24*
Chippenham M.B.	17,930	191	175	366	20·4	1·00	1·13	123	117	240	13·4	0·80	0·90	2	*5*	—	—	6	*16*
Devizes M.B.	8,680	70	80	150	17·3	1·02	0·98	51	59	110	12·7	0·72	0·77	2	*13*	1	1	3	*26*
Malmesbury M.B.	2,600	24	19	43	16·5	1·14	1·04	16	19	35	13·5	0·87	0·99	1	*23*	1	1	3	*87*
Marlborough M.B.	5,650	46	42	88	15·6	1·28	1·11	34	28	62	11·0	1·07	0·99	1	*11*	1	—	3	*33*
Melksham	8,560	76	81	157	18·3	0·93	0·95	44	36	80	9·3	1·23	0·96	4	*25*	2	2	2	*25*
Salisbury M.B.	35,440	322	283	605	17·1	0·98	0·93	284	289	573	16·2	0·63	0·86	15	*25*	13	9	10	*31*
Swindon M.B.	94,560	1,084	1,021	2,105	22·3	0·93	1·15	470	356	826	8·7	1·15	0·84	45	21	28	21	35	26
Trowbridge	16,020	140	143	283	17·7	1·00	0·98	88	92	180	11·2	1·00	0·94	3	*11*	3	3	6	*31*
Warminster	9,780	110	86	196	20·0	0·91	1·01	57	61	118	12·1	0·78	0·79	2	*10*	1	1	4	*25*
Westbury	5,440	59	36	95	17·5	1·04	1·01	34	25	59	10·8	1·01	0·92	1	*11*	—	—	—	—
Wilton M.B.	3,930	31	34	65	16·5	0·91	0·83	22	21	43	10·9	1·16	1·06	2	*31*	2	2	—	*31*
Rural districts	**218,130**	**2,104**	**2,001**	**4,105**	**18·8**	**1·06**	**1·11**	**1,234**	**1,044**	**2,278**	**10·4**	**1·07**	**0·94**	**94**	**23**	**64**	**55**	**84**	**33**
Amesbury	24,750	333	309	642	25·9	0·98	1·41	117	81	198	8·0	1·56	1·05	19	*30*	12	11	13	37
Bradford and Melksham	13,000	96	87	183	14·1	1·07	0·84	97	73	170	13·1	0·91	1·00	4	*22*	3	3	3	*32*
Calne and Chippenham	33,510	290	285	575	17·2	1·06	1·01	136	121	257	7·7	1·28	0·83	7	*12*	6	5	10	*26*
Cricklade and Wootton Bassett	19,550	194	151	345	17·6	1·00	0·98	95	62	157	8·0	1·22	0·82	8	*23*	4	4	4	*23*
Devizes	14,230	124	113	237	16·7	1·15	1·07	117	130	247	17·4	0·57	0·83	7	*30*	5	5	6	*45*
Highworth	28,330	304	313	617	21·8	0·98	1·19	171	152	323	11·4	1·02	0·98	11	*18*	9	7	15	35
Malmesbury	10,700	116	110	226	21·1	1·03	1·21	72	41	113	10·6	1·02	0·91	7	*31*	4	4	5	*39*
Marlborough and Ramsbury	10,050	102	76	178	17·7	1·20	1·18	65	65	130	12·9	0·99	1·07	5	*28*	2	2	2	*22*
Mere and Tisbury	11,480	71	103	174	15·2	1·14	0·96	71	71	142	12·4	0·84	0·88	2	*11*	2	2	3	*28*
Pewsey	19,890	213	218	431	21·7	1·18	1·42	82	72	154	7·7	1·30	0·84	9	*21*	6	5	13	*41*
Salisbury and Wilton	19,270	168	145	313	16·2	1·02	0·92	115	108	223	11·6	0·96	0·94	8	*26*	7	4	7	*34*
Warminster and Westbury	13,370	93	91	184	13·8	1·19	0·91	96	68	164	12·3	0·96	0·99	7	*38*	4	3	3	*32*
WORCESTERSHIRE	**581,270**	**5,130**	**4,853**	**9,983**	**17·2**	**0·98**	**0·94**	**3,403**	**3,260**	**6,663**	**11·5**	**1·10**	**1·06**	**215**	**22**	**163**	**137**	**182**	**31**
County boroughs	**130,870**	**1,160**	**1,121**	**2,281**	**17·4**	**0·95**	**0·92**	**775**	**713**	**1,488**	**11·4**	**1·15**	**1·10**	**56**	**25**	**37**	**30**	**52**	**35**
Dudley	63,820	569	540	1,109	17·4	0·95	0·92	373	329	702	11·0	1·30	1·20	31	28	20	15	33	42
Worcester	67,050	591	581	1,172	17·5	0·96	0·93	402	384	786	11·7	1·03	1·01	25	21	17	15	19	29
Administrative county	**450,400**	**3,970**	**3,732**	**7,702**	**17·1**	**0·99**	**0·94**	**2,628**	**2,547**	**5,175**	**11·5**	**1·10**	**1·06**	**159**	**21**	**126**	**107**	**130**	**30**
Municipal boroughs and urban districts	**320,600**	**2,823**	**2,690**	**5,513**	**17·2**	**0·97**	**0·93**	**1,871**	**1,779**	**3,650**	**11·4**	**1·14**	**1·09**	**110**	**20**	**87**	**73**	**99**	**31**
Bewdley M.B.	5,140	51	45	96	18·7	1·02	1·06	41	33	74	14·4	0·99	1·20	2	*21*	1	1	2	*31*
Bromsgrove	35,300	346	281	627	17·8	0·97	0·96	207	207	414	11·7	1·03	1·01	10	*16*	7	5	7	*19*
Droitwich M.B.	8,100	54	80	134	16·5	0·92	0·84	46	61	107	13·2	0·90	1·00	3	*22*	3	3	—	*22*
Evesham M.B.	12,600	101	110	211	16·7	1·03	0·96	111	97	208	16·5	0·68	0·94	7	*33*	6	5	3	*37*
Halesowen M.B.	44,510	377	359	736	16·5	0·94	0·86	279	217	496	11·1	1·30	1·21	9	*12*	8	7	16	31
Kidderminster M.B.	42,470	393	385	778	18·3	0·98	1·00	249	268	517	12·2	1·05	1·08	20	26	17	17	12	37
Malvern	27,040	232	185	417	15·4	1·06	0·91	131	176	307	11·4	0·92	0·88	3	*7*	3	3	4	*17*
Oldbury M.B.	54,420	420	397	817	15·0	0·96	0·80	277	246	523	9·6	1·42	1·15	18	*22*	16	14	24	45
Redditch	34,780	333	365	698	20·1	0·95	1·06	195	201	396	11·4	1·20	1·15	17	*24*	12	8	14	31
Stourbridge M.B.	44,010	400	362	762	17·3	0·96	0·92	264	220	484	11·0	1·79	1·65	19	*25*	12	9	13	28
Stourport-on-Severn	12,230	116	121	237	19·4	0·93	1·00	71	53	124	10·1	1·26	1·07	2	*8*	2	1	4	*21*
Rural districts	**129,800**	**1,147**	**1,042**	**2,189**	**16·9**	**1·05**	**0·99**	**757**	**768**	**1,525**	**11·7**	**0·98**	**0·96**	**49**	**22**	**39**	**34**	**31**	**29**
Bromsgrove	36,040	379	309	688	19·1	0·97	1·03	178	182	360	10·0	1·24	1·04	14	*20*	11	9	12	30
Droitwich	14,200	121	127	248	17·5	1·08	1·05	81	82	163	11·5	1·03	1·00	6	*24*	5	4	8	*47*
Evesham	17,610	139	147	286	16·2	1·09	0·98	117	88	205	11·6	0·96	0·94	6	*21*	4	4	3	*24*
Kidderminster	11,990	98	104	202	16·8	1·01	0·94	56	59	115	9·6	1·12	0·90	10	*50*	8	6	1	*34*
Martley	12,080	103	94	197	16·3	1·03	0·93	78	68	146	12·1	0·97	0·99	3	*15*	3	3	2	*25*
Pershore	18,230	172	147	319	17·5	1·02	0·99	107	93	200	11·0	1·05	0·97	5	*16*	4	4	3	*22*
Tenbury	5,330	40	38	78	14·6	1·08	0·88	29	29	58	10·9	0·96	0·88	4	*51*	3	3	—	*38*
Upton upon Severn	14,320	95	76	171	11·9	1·34	0·89	111	167	278	19·4	0·54	0·88	1	*6*	1	1	2	*17*

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1962	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
YORKSHIRE, EAST RIDING	**530,170**	**5,020**	**4,683**	**9,703**	**18·3**	**1·00**	**1·02**	**3,151**	**3,024**	**6,175**	**11·6**	**1·08**	**1·05**	**235**	**24**	**160**	**117**	**191**	**31**
Kingston upon Hull C.B. ..	301,640	3,095	2,880	5,975	19·8	0·96	1·06	1,712	1,606	3,318	11·0	1·23	1·14	170	28	119	85	126	35
Administrative county	**228,530**	**1,925**	**1,803**	**3,728**	**16·3**	**1·06**	**0·96**	**1,439**	**1,418**	**2,857**	**12·5**	**0·94**	**0·99**	**65**	**17**	**41**	**32**	**65**	**26**
Municipal boroughs and urban districts	**114,720**	**967**	**880**	**1,847**	**16·1**	**1·04**	**0·93**	**757**	**848**	**1,605**	**14·0**	**0·90**	**1·06**	**31**	**17**	**19**	**15**	**35**	**27**
Beverley M.B.	16,010	153	128	281	17·6	1·00	0·98	87	107	194	12·1	0·99	1·01	3	*11*	2	1	2	*11*
Bridlington M.B.	25,730	203	198	401	15·6	1·13	0·98	197	240	437	17·0	0·75	1·07	9	*22*	5	3	7	*25*
Driffield	6,880	72	45	117	17·0	0·97	0·92	60	70	130	18·9	0·56	0·89	1	*9*	1	1	2	*25*
Filey	4,490	25	26	51	11·4	1·05	0·66	40	29	69	15·4	0·93	1·20	—	—	—	—	2	*38*
Haltemprice	43,650	346	336	682	15·6	1·03	0·89	236	255	491	11·2	1·03	0·97	10	*15*	5	5	22	38
Hedon M.B.	2,380	25	23	48	20·2	0·99	1·11	25	21	46	19·3	1·02	1·65	4	*83*	3	2	—	*42*
Hornsea	5,880	57	45	102	17·3	1·05	1·01	49	38	87	14·8	0·80	0·99	—	—	—	—	—	—
Norton	4,850	50	32	82	16·9	1·09	1·02	31	34	65	13·4	1·01	1·14	1	*12*	1	1	—	*12*
Withernsea	4,850	36	47	83	17·1	1·09	1·04	32	54	86	17·7	0·84	1·25	3	*36*	2	2	—	*24*
Rural districts	**113,810**	**958**	**923**	**1,881**	**16·5**	**1·09**	**1·00**	**682**	**570**	**1,252**	**11·0**	**0·98**	**0·91**	**34**	**18**	**22**	**17**	**30**	**25**
Beverley	24,460	211	219	430	17·6	1·09	1·07	123	128	251	10·3	0·95	0·82	6	*14*	5	4	6	*23*
Bridlington	9,080	58	58	116	12·8	1·12	0·80	62	47	109	12·0	0·96	0·97	2	*17*	1	1	1	*17*
Derwent	13,870	100	115	215	15·5	1·05	0·90	94	95	189	13·6	0·85	0·97	2	*9*	2	1	8	*40*
Driffield	11,370	99	91	190	16·7	1·13	1·05	60	42	102	9·0	1·02	0·77	2	*11*	—	—	2	*10*
Holderness	21,580	211	168	379	17·6	1·09	1·07	149	93	242	11·2	1·01	0·95	11	*29*	6	4	4	*21*
Howden	12,120	97	99	196	16·2	1·08	0·97	66	62	128	10·6	0·91	0·81	4	*20*	2	1	5	*30*
Norton	7,060	60	48	108	15·3	1·07	0·91	39	41	80	11·3	1·02	0·97	2	*19*	1	1	3	*36*
Pocklington	14,270	122	125	247	17·3	1·07	1·03	89	62	151	10·6	0·98	0·87	5	*20*	5	5	1	*24*
YORKSHIRE, NORTH RIDING	**565,080**	**5,687**	**5,466**	**11,153**	**19·7**	**1·00**	**1·09**	**3,301**	**3,009**	**6,310**	**11·2**	**1·11**	**1·04**	**237**	**21**	**150**	**127**	**245**	**33**
Middlesbrough C.B.	157,690	1,752	1,731	3,483	22·1	0·95	1·17	873	794	1,667	10·6	1·24	1·10	87	25	54	39	79	33
Administrative county	**407,390**	**3,935**	**3,735**	**7,670**	**18·8**	**1·02**	**1·07**	**2,428**	**2,215**	**4,643**	**11·4**	**1·06**	**1·02**	**150**	**20**	**96**	**88**	**166**	**32**
Municipal boroughs and urban districts	**222,350**	**2,168**	**2,101**	**4,269**	**19·2**	**0·99**	**1·06**	**1,414**	**1,296**	**2,710**	**12·2**	**1·05**	**1·08**	**97**	**23**	**57**	**50**	**94**	**33**
Eston	37,410	458	445	903	24·1	0·96	1·29	217	158	375	10·0	1·39	1·17	30	33	18	15	23	41
Guisborough	12,520	166	136	302	24·1	0·92	1·23	66	66	132	10·5	1·10	0·97	5	*17*	3	3	5	*26*
Loftus	8,050	74	79	153	19·0	1·00	1·06	57	38	95	11·8	1·14	1·13	3	*20*	1	1	—	*7*
Malton	4,250	36	27	63	14·8	1·09	0·90	29	33	62	14·6	0·98	1·20	2	*32*	1	1	—	16
Northallerton	6,430	61	57	118	18·4	0·98	1·00	32	35	67	10·4	1·15	1·01	5	*42*	3	3	1	*34*
Pickering	4,200	26	33	59	14·0	1·14	0·89	30	23	53	12·6	0·92	0·97	1	*17*	—	—	1	*17*
Redcar M.B.	32,520	295	299	594	16·7	1·00	0·93	162	163	325	10·0	1·19	1·00	11	*19*	4	3	15	*30*
Richmond M.B.	6,570	54	54	108	16·4	0·89	0·81	38	34	72	11·0	1·12	1·04	2	*19*	2	1	2	*27*
Saltburn and Marske-by-the-Sea	13,200	117	140	257	19·5	0·89	0·96	56	67	123	9·3	1·23	0·96	6	*23*	4	4	6	*38*
Scalby	7,360	61	54	115	15·6	1·02	0·88	58	49	107	14·5	0·88	1·07	2	*17*	2	1	1	*17*
Scarborough M.B.	41,900	306	294	600	14·3	1·06	0·84	323	341	664	15·8	0·76	1·01	7	*12*	5	5	17	36
Skelton and Brotton	13,270	134	114	248	18·7	1·02	1·06	85	72	157	11·8	1·17	1·16	5	*20*	3	3	11	*54*
Thornaby-on-Tees M.B. ..	22,950	250	249	499	21·7	0·94	1·13	166	107	273	11·9	1·42	1·42	11	*22*	6	5	9	*28*
Whitby	11,720	130	120	250	21·3	1·06	1·25	95	110	205	17·5	0·72	1·06	7	*28*	5	5	3	*32*
Rural districts	**185,040**	**1,767**	**1,634**	**3,401**	**18·4**	**1·05**	**1·07**	**1,014**	**919**	**1,933**	**10·4**	**1·08**	**0·94**	**53**	**16**	**39**	**38**	**72**	**32**
Aysgarth	3,250	25	22	47	14·5	1·13	0·91	21	30	51	15·7	0·77	1·02	1	*21*	1	1	1	*42*
Bedale	8,110	85	86	171	21·1	1·14	1·34	38	50	88	10·9	1·06	0·97	1	*6*	1	1	8	*50*
Croft	2,060	22	13	35	17·0	0·99	0·94	10	7	17	*8·3*	1·16	*0·81*	—	—	—	—	1	*28*
Easingwold	11,480	78	95	173	15·1	1·10	0·92	46	59	105	9·1	1·02	0·78	5	*29*	2	2	3	*28*
Flaxton	31,920	343	318	661	20·7	0·97	1·12	131	145	276	8·6	1·07	0·77	4	*6*	4	4	15	*28*
Helmsley	5,320	24	27	51	9·6	1·34	0·71	24	24	48	9·0	1·10	0·83	1	*20*	—	—	2	*38*
Kirkbymoorside	4,520	38	25	63	13·9	1·14	0·88	32	33	65	14·4	0·88	1·06	1	*16*	1	1	—	*16*
Leyburn	6,250	61	40	101	16·2	1·10	0·99	46	31	77	12·3	1·00	1·03	1	*10*	1	1	1	*20*
Malton	5,320	36	35	71	13·3	1·14	0·84	38	31	69	13·0	0·97	1·06	1	*14*	1	1	4	*67*
Masham	1,580	11	11	22	13·9	1·18	0·91	13	5	18	*11·4*	0·89	*0·85*	—	—	—	—	—	—
Northallerton	8,760	80	84	164	18·7	1·04	1·08	58	65	123	14·0	0·96	1·13	2	*12*	1	1	5	*36*
Pickering	4,780	32	28	60	12·6	1·20	0·84	32	31	63	13·2	0·84	0·93	1	*17*	1	1	2	*48*
Reeth	1,740	12	7	19	*10·9*	1·20	*0·73*	12	12	24	13·8	0·77	0·89	—	—	—	—	1	*50*
Richmond	22,350	272	250	522	23·4	0·98	1·27	84	56	140	6·3	1·77	0·94	7	*13*	5	5	9	*26*
Scarborough	7,820	48	50	98	12·5	1·20	0·83	61	59	120	15·3	0·84	1·08	3	*31*	2	2	1	*30*
Startforth	4,360	55	32	87	20·0	1·26	1·40	31	17	48	11·0	1·00	0·92	4	*46*	4	4	1	*57*
Stokesley	27,140	283	277	560	20·6	0·89	1·02	160	122	282	10·4	1·29	1·13	8	*14*	5	5	13	*31*
Thirsk	13,590	159	112	271	19·9	1·08	1·19	88	62	150	11·0	1·01	0·93	8	*30*	7	6	3	*33*
Wath	3,280	13	29	42	12·8	1·11	0·79	11	5	16	*4·9*	1·37	*0·56*	—	—	—	—	2	*45*
Whitby	11,410	90	93	183	16·0	1·21	1·08	78	75	153	13·4	0·82	0·92	5	*27*	3	3	—	*16*
YORKSHIRE, WEST RIDING	**3,677,220**	**34,155**	**31,855**	**66,010**	**18·0**	**1·00**	**1·00**	**23,544**	**22,150**	**45,694**	**12·4**	**1·10**	**1·15**	**1,522**	**23**	**1,041**	**894**	**1,229**	**32**
County boroughs	**1,999,960**	**18,740**	**17,495**	**36,235**	**18·1**	**1·00**	**1·01**	**13,184**	**12,449**	**25,633**	**12·8**	**1·08**	**1·16**	**827**	**23**	**574**	**499**	**673**	**32**
Barnsley	74,910	764	671	1,435	19·2	0·99	1·06	466	378	844	11·3	1·24	1·18	23	16	14	9	27	25
Bradford	296,220	3,028	2,755	5,783	19·5	1·00	1·08	2,069	2,093	4,162	14·1	0·98	1·16	156	27	90	78	110	32
Dewsbury	53,520	502	502	1,004	18·8	1·01	1·05	454	383	837	15·6	1·05	1·38	28	28	21	16	16	31
Doncaster	86,460	797	774	1,571	18·2	0·94	0·95	567	434	1,001	11·6	1·12	1·09	38	24	25	18	44	38
Halifax	96,250	865	796	1,661	17·3	1·02	0·98	690	732	1,422	14·8	0·95	1·18	33	20	23	19	36	32
Huddersfield	131,050	1,253	1,223	2,476	18·9	1·05	1·10	907	903	1,810	13·8	1·01	1·17	58	23	42	37	37	29
Leeds	514,640	4,837	4,567	9,404	18·3	0·98	1·00	3,120	3,053	6,173	12·0	1·13	1·14	222	24	160	146	182	34

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1962	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
YORKSHIRE, WEST RIDING—*continued*																			
County boroughs—*continued*																			
Rotherham	86,220	855	766	1,621	18·8	0·98	1·02	568	446	1,014	11·8	1·19	1·18	45	28	31	25	45	42
Sheffield	495,240	4,458	4,119	8,577	17·3	1·01	0·97	3,292	2,990	6,282	12·7	1·10	1·17	174	20	133	118	132	29
Wakefield	60,560	500	479	979	16·2	1·04	0·94	403	422	825	13·6	1·03	1·18	18	*18*	11	9	18	27
York	104,890	881	843	1,724	16·4	0·97	0·88	648	615	1,263	12·0	1·02	1·03	32	19	24	24	26	29
Administrative county	**1,677,260**	**15,415**	**14,360**	**29,775**	**17·8**	**1·00**	**0·99**	**10,360**	**9,701**	**20,061**	**12·0**	**1·11**	**1·12**	**695**	**23**	**467**	**395**	**556**	**31**
Municipal boroughs and urban districts	**1,200,410**	**10,925**	**10,100**	**21,025**	**17·5**	**1·01**	**0·98**	**7,714**	**7,504**	**15,218**	**12·7**	**1·06**	**1·13**	**479**	**23**	**322**	**270**	**385**	**31**
Adwick le Street	18,270	178	158	336	18·4	0·97	0·99	95	81	176	9·6	1·42	1·15	9	*27*	4	4	7	*32*
Aireborough	27,920	231	187	418	15·0	1·14	0·95	202	226	428	15·3	0·78	1·00	4	*10*	4	2	13	*35*
Baildon	12,380	123	91	214	17·3	1·00	0·96	83	63	146	11·8	1·15	1·14	4	*19*	3	3	7	*45*
Barnoldswick	10,250	87	78	165	16·1	1·09	0·97	73	61	134	13·1	1·00	1·10	4	*24*	3	3	2	*30*
Batley M.B.	39,890	395	354	749	18·8	1·01	1·05	260	251	511	12·8	1·09	1·17	8	*11*	4	4	11	*20*
Bentley with Arksey	23,160	275	228	503	21·7	0·93	1·12	128	104	232	10·0	1·45	1·22	12	*24*	8	6	12	*35*
Bingley	22,990	192	216	408	17·7	1·05	1·03	126	162	288	12·5	1·00	1·05	9	*22*	6	6	8	*34*
Brighouse M.B.	31,260	266	276	542	17·3	1·05	1·01	217	208	425	13·6	1·00	1·14	10	*18*	6	5	14	*34*
Castleford M.B.	40,420	344	385	729	18·0	0·97	0·97	266	228	494	12·2	1·32	1·35	24	33	13	11	14	34
Colne Valley	21,250	175	146	321	15·1	1·06	0·89	171	149	320	15·1	1·02	1·29	10	*31*	5	4	1	*16*
Conisbrough	17,740	187	191	378	21·3	0·96	1·14	87	111	198	11·2	1·16	1·09	8	*21*	7	6	4	*26*
Cudworth	9,100	84	106	190	20·9	0·96	1·11	49	46	95	10·4	1·37	1·20	4	*21*	2	2	5	*36*
Darfield	6,890	62	59	121	17·6	1·00	0·98	36	20	56	8·1	1·25	0·85	2	*17*	2	2	1	*25*
Darton	14,320	116	116	232	16·2	0·98	0·88	80	67	147	10·3	1·34	1·16	2	*9*	2	1	6	*29*
Dearne	26,640	260	252	512	19·2	0·97	1·03	150	106	256	9·6	1·43	1·15	11	*21*	7	7	9	*31*
Denby Dale	9,450	84	68	152	16·1	1·10	0·98	72	50	122	12·9	1·00	1·08	5	*33*	4	4	2	*39*
Denholme	2,580	25	12	37	14·3	1·09	0·87	16	14	30	11·6	0·97	0·95	6	*162*	6	5	2	*179*
Dodworth	4,120	32	29	61	14·8	0·98	0·81	29	25	54	13·1	1·41	1·55	—	—	—	—	2	*32*
Earby	5,150	47	37	84	16·3	1·07	0·97	40	18	58	11·3	1·06	1·01	5	*60*	4	4	4	*91*
Elland	18,320	171	157	328	17·9	1·05	1·04	152	143	295	16·1	0·96	1·30	4	*12*	2	1	4	*15*
Featherstone	14,820	148	137	285	19·2	0·94	1·00	77	72	149	10·1	1·39	1·18	9	*32*	6	3	6	*31*
Garforth	15,400	159	126	285	18·5	0·98	1·01	73	78	151	9·8	1·27	1·05	7	*25*	5	4	5	*31*
Goole M.B.	18,860	179	183	362	19·2	0·97	1·03	156	120	276	14·6	1·07	1·31	8	*22*	5	4	5	*25*
Harrogate M.B.	56,790	482	404	886	15·6	1·00	0·87	334	406	740	13·0	0·87	0·95	17	*19*	12	11	13	27
Hebden Royd	9,380	67	71	138	14·7	1·11	0·91	68	76	144	15·4	0·86	1·11	3	*22*	2	2	2	*29*
Heckmondwike	8,520	75	63	138	16·2	1·05	0·94	54	53	107	12·6	1·06	1·12	2	*14*	2	2	3	*35*
Hemsworth	14,530	135	151	286	19·7	0·93	1·02	83	92	175	12·0	0·98	0·99	8	*28*	6	4	8	*41*
Holmfirth	18,510	135	150	285	15·4	1·08	0·92	120	174	294	15·9	0·80	1·07	4	*14*	2	2	3	*17*
Horbury	8,710	85	72	157	18·0	1·00	1·00	57	61	118	13·5	0·99	1·12	6	*38*	5	5	3	*50*
Horsforth	15,530	135	135	270	17·4	0·99	0·96	66	88	154	9·9	1·12	0·93	5	*19*	4	3	4	*26*
Hoyland Nether	15,830	139	150	289	18·3	0·98	1·00	104	84	188	11·9	1·19	1·19	6	*21*	4	4	2	*21*
Ilkley	18,360	124	133	257	14·0	1·08	0·84	135	174	309	16·8	0·75	1·06	3	*12*	2	2	5	*27*
Keighley M.B.	56,070	532	493	1,025	18·3	1·00	1·02	412	427	839	15·0	0·96	1·21	31	30	18	16	17	32
Kirkburton	18,240	137	131	268	14·7	1·29	1·05	159	164	323	17·7	0·53	0·79	3	*11*	3	2	2	*15*
Knaresborough	9,360	84	72	156	16·7	0·91	0·84	102	88	190	20·3	0·69	1·18	1	*6*	—	—	2	*13*
Knottingley	11,420	112	121	233	20·4	0·90	1·02	43	51	94	8·2	1·46	1·01	9	*39*	6	3	2	*21*
Maltby	14,130	160	125	285	20·2	0·90	1·01	71	62	133	9·4	1·57	1·24	7	*25*	5	5	4	*31*
Meltham	5,510	56	53	109	19·8	1·04	1·14	38	33	71	12·9	1·00	1·08	2	*18*	2	2	1	*27*
Mexborough	16,900	145	144	289	17·1	0·97	0·92	123	96	219	13·0	1·29	1·41	4	*14*	4	3	5	*27*
Mirfield	12,810	119	108	227	17·7	1·01	0·99	88	77	165	12·9	1·04	1·13	5	*22*	3	3	5	*34*
Morley M.B.	41,400	399	365	764	18·5	1·03	1·06	232	253	485	11·7	1·14	1·12	22	29	14	13	11	31
Normanton	18,510	163	146	309	16·7	1·00	0·93	106	95	201	10·9	1·21	1·11	7	*23*	7	4	5	*29*
Ossett M.B.	15,180	170	149	319	21·0	1·03	1·20	93	85	178	11·7	1·15	1·13	4	*13*	3	1	4	*15*
Otley	11,750	102	104	206	17·5	1·04	1·01	73	82	155	13·2	1·03	1·14	4	*19*	2	2	1	*14*
Penistone	7,130	55	53	108	15·1	1·02	0·86	46	41	87	12·2	0·97	0·99	4	*37*	2	2	5	*62*
Pontefract M.B.	27,960	284	247	531	19·0	0·95	1·00	151	124	275	9·8	1·24	1·02	7	*13*	7	7	9	*30*
Pudsey M.B.	35,980	396	342	738	20·5	0·98	1·12	194	193	387	10·8	1·16	1·05	20	27	15	12	19	41
Queensbury and Shelf	9,370	89	80	169	18·0	0·96	0·96	64	61	125	13·3	1·05	1·17	6	*36*	3	1	3	*23*
Rawmarsh	19,640	207	171	378	19·2	0·99	1·06	99	99	198	10·1	1·27	1·08	12	*32*	6	5	6	*29*
Ripon M.B.	10,540	109	92	201	19·1	0·97	1·03	69	91	160	15·2	0·79	1·01	8	*40*	7	5	4	*44*
Ripponden	4,940	41	33	74	15·0	1·02	0·85	30	25	55	11·1	1·00	0·93	—	—	—	—	2	*26*
Rothwell	26,030	229	203	432	16·6	1·04	0·96	191	217	408	15·7	0·85	1·12	10	*23*	9	7	7	*32*
Royston	8,570	61	72	133	15·5	0·97	0·84	49	49	98	11·4	1·36	1·30	2	*15*	1	1	2	*22*
Saddleworth	17,320	135	127	262	15·1	1·10	0·92	144	118	262	15·1	0·96	1·22	7	*27*	5	4	—	*15*
Selby	10,500	94	72	166	15·8	1·00	0·88	60	67	127	12·1	0·98	1·00	4	*24*	2	2	5	*41*
Shipley	29,880	250	206	456	15·3	1·03	0·88	216	204	420	14·1	1·04	1·23	10	*22*	7	5	6	*24*
Silsden	5,230	35	28	63	12·0	0·92	0·61	32	30	62	11·9	1·18	1·18	—	—	—	—	5	*74*
Skipton	13,080	88	110	198	15·1	1·06	0·89	82	97	179	13·7	0·72	0·83	6	*30*	5	4	3	*35*
Sowerby Bridge	17,350	165	144	309	17·8	1·01	1·00	123	116	239	13·8	1·01	1·17	8	*26*	3	3	5	*25*
Spenborough M.B.	37,160	322	287	609	16·4	1·04	0·95	279	256	535	14·4	1·01	1·22	15	*25*	10	9	15	38
Stanley	17,200	168	132	300	17·4	0·98	0·95	111	100	211	12·3	1·24	1·28	6	*20*	5	4	4	*26*
Stocksbridge	11,110	82	91	173	15·6	0·98	0·85	55	40	95	8·6	1·29	0·93	2	*12*	1	1	5	*34*
Swinton	13,740	122	115	237	17·2	0·94	0·90	84	69	153	11·1	1·28	1·19	3	*13*	1	1	7	*33*
Tickhill	2,600	24	23	47	18·1	1·00	1·01	21	19	40	15·4	1·02	1·32	1	*21*	—	—	—	—
Todmorden M.B.	17,300	146	120	266	15·4	1·05	0·90	142	142	284	16·4	0·95	1·31	10	*38*	7	6	12	*65*
Wath upon Dearne	15,260	142	121	263	17·2	0·95	0·91	79	70	149	9·8	1·24	1·02	7	*27*	5	4	6	*37*
Wombwell	18,950	175	154	329	17·4	1·00	0·97	98	85	183	9·7	1·28	1·04	8	*24*	4	4	2	*18*
Worsbrough	14,950	130	145	275	18·4	1·00	1·02	96	67	163	10·9	1·36	1·25	5	*18*	3	3	7	*35*

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1962	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
YORKSHIRE, WEST RIDING—*continued*																			
Rural districts	**476,850**	**4,490**	**4,260**	**8,750**	**18·3**	**0·99**	**1·01**	**2,646**	**2,197**	**4,843**	**10·2**	**1·24**	**1·06**	**216**	**25**	**145**	**125**	**171**	**33**
Bowland	4,740	33	33	66	13·9	1·19	0·92	49	23	72	15·2	0·99	1·26	6	*91*	2	2	3	*72*
Doncaster	68,830	758	757	1,515	22·0	0·93	1·14	342	264	606	8·8	1·54	1·14	39	26	25	20	29	32
Goole	8,660	74	71	145	16·7	0·98	0·91	48	39	87	10·0	1·06	0·89	3	*21*	3	3	7	*66*
Hemsworth	52,400	533	536	1,069	20·4	0·98	1·11	235	204	439	8·4	1·46	1·03	28	26	18	15	24	36
Hepton	3,710	31	29	60	16·2	1·10	0·99	32	28	60	16·2	0·99	1·35	—	—	—	—	1	*16*
Kiveton Park	19,880	179	171	350	17·6	0·97	0·95	124	104	228	11·5	1·18	1·14	11	*31*	7	7	5	*34*
Nidderdale	15,900	129	92	221	13·9	1·19	0·92	80	65	145	9·1	1·11	0·85	3	*14*	1	—	5	*22*
Osgoldcross	8,050	64	64	128	15·9	1·00	0·88	55	27	82	10·2	1·13	0·97	4	*31*	2	1	2	*23*
Penistone	7,360	52	62	114	15·5	1·08	0·93	46	43	89	12·1	1·15	1·17	2	*18*	1	—	2	*17*
Ripon and Pateley Bridge	13,230	108	112	220	16·6	1·23	1·13	82	50	132	10·0	1·07	0·90	5	*23*	2	1	3	*18*
Rotherham	61,000	660	658	1,318	21·6	0·89	1·07	293	205	498	8·2	1·55	1·07	39	30	31	26	26	39
Sedbergh	3,710	31	33	64	17·3	1·24	1·19	28	25	53	14·3	0·99	1·19	4	*63*	3	3	2	*76*
Selby	6,580	64	54	118	17·9	1·09	1·08	33	26	59	9·0	1·08	0·82	1	*8*	—	—	2	*17*
Settle	13,780	102	94	196	14·2	1·09	0·86	80	115	195	14·2	0·94	1·12	5	*26*	3	3	4	*35*
Skipton	23,900	197	148	345	14·4	1·06	0·85	160	161	321	13·4	0·97	1·09	8	*23*	7	6	3	*26*
Tadcaster	27,960	243	216	459	16·4	1·03	0·94	171	123	294	10·5	1·13	1·00	8	*17*	6	5	10	*32*
Thorne	35,760	433	357	790	22·1	0·98	1·20	192	125	317	8·9	1·53	1·14	23	29	12	11	15	32
Wakefield	20,960	164	182	346	16·5	0·96	0·88	124	92	216	10·3	1·30	1·13	6	*17*	6	6	9	*42*
Wetherby	23,300	174	149	323	13·9	0·99	0·76	116	117	233	10·0	1·13	0·95	6	*19*	3	3	4	*21*
Wharfedale	7,090	54	48	102	14·4	0·98	0·78	47	58	105	14·8	0·89	1·11	3	*29*	3	3	2	*48*
Wortley	50,050	407	394	801	16·0	0·99	0·88	309	303	612	12·2	1·06	1·09	12	*15*	10	10	13	28
WALES																			
ANGLESEY	**51,430**	**468**	**468**	**936**	**18·2**	**1·09**	**1·10**	**383**	**353**	**736**	**14·3**	**0·89**	**1·07**	**22**	**24**	**12**	**10**	**16**	**27**
Municipal borough and urban districts	**20,350**	**206**	**205**	**411**	**20·2**	**1·00**	**1·12**	**161**	**138**	**299**	**14·7**	**0·95**	**1·17**	**7**	*17*	**4**	**3**	**6**	*22*
Amlwch	2,940	24	23	47	16·0	1·09	0·97	21	22	43	14·6	0·87	1·07	1	*21*	—	—	—	—
Beaumaris M.B.	1,920	13	21	34	17·7	1·09	1·07	21	11	32	16·7	0·77	1·08	—	—	—	—	—	—
Holyhead	10,320	110	103	213	20·6	1·00	1·14	89	70	159	15·4	0·96	1·24	3	*14*	3	3	5	*37*
Llangefni	3,100	35	40	75	24·2	0·86	1·16	11	15	26	8·4	1·18	0·83	2	*27*	—	—	—	—
Menai Bridge	2,070	24	18	42	20·3	0·98	1·11	19	20	39	18·8	0·94	1·49	1	*24*	1	—	1	*23*
Rural districts	**31,080**	**262**	**263**	**525**	**16·9**	**1·16**	**1·09**	**222**	**215**	**437**	**14·1**	**0·87**	**1·03**	**15**	*29*	**8**	**7**	**10**	*32*
Aethwy	10,490	98	96	194	18·5	1·18	1·21	77	86	163	15·5	0·84	1·09	6	*31*	5	4	2	*31*
Twrcelyn	7,890	50	51	101	12·8	1·22	0·87	61	55	116	14·7	0·85	1·05	3	*30*	—	—	2	*19*
Valley	12,700	114	116	230	18·1	1·11	1·12	84	74	158	12·4	0·92	0·96	6	*26*	3	3	6	*38*
BRECONSHIRE	**54,460**	**416**	**410**	**826**	**15·2**	**1·04**	**0·88**	**402**	**382**	**784**	**14·4**	**0·98**	**1·19**	**24**	**29**	**15**	**14**	**19**	**39**
Municipal borough and urban districts	**15,630**	**126**	**119**	**245**	**15·7**	**0·99**	**0·86**	**126**	**128**	**254**	**16·3**	**0·89**	**1·22**	**6**	*24*	**5**	**5**	**4**	*36*
Brecknock M.B.	5,830	51	43	94	16·1	0·90	0·80	38	56	94	16·1	0·83	1·12	4	*43*	4	4	1	*53*
Brynmawr	6,420	56	46	102	15·9	1·00	0·88	53	42	95	14·8	1·08	1·34	1	*10*	1	1	3	*38*
Builth Wells	1,570	7	12	19	*12·1*	1·07	*0·72*	16	18	34	21·7	0·83	1·51	1	*53*	—	—	—	—
Hay	1,310	11	14	25	19·1	1·13	1·20	12	8	20	15·3	0·60	0·77	—	—	—	—	—	—
Llanwrtyd Wells	500	1	4	5	*10·0*	1·17	*0·65*	7	4	11	*22·0*	0·67	*1·24*	—	—	—	—	—	—
Rural districts	**38,830**	**290**	**291**	**581**	**15·0**	**1·07**	**0·89**	**276**	**254**	**530**	**13·6**	**1·02**	**1·17**	**18**	*31*	**10**	**9**	**15**	**40**
Brecknock	6,960	51	49	100	14·4	1·15	0·92	52	44	96	13·8	0·93	1·08	1	*10*	1	1	—	*10*
Builth	3,270	29	24	53	16·2	1·24	1·12	25	16	41	12·5	0·89	0·93	—	—	—	—	2	*36*
Crickhowell	7,620	59	74	133	17·5	1·11	1·08	48	50	98	12·9	1·03	1·12	11	*83*	6	5	3	*59*
Hay	3,660	26	20	46	12·6	1·30	0·91	31	43	74	20·2	0·51	0·87	—	—	—	—	1	*21*
Vaynor and Penderyn	6,370	57	49	106	16·6	0·96	0·89	42	30	72	11·3	1·18	1·12	—	—	—	—	4	*36*
Ystradgynlais	10,950	68	75	143	13·1	0·98	0·71	78	71	149	13·6	1·27	1·45	6	*42*	3	3	5	*54*
CAERNARVONSHIRE	**120,460**	**941**	**851**	**1,792**	**14·9**	**1·10**	**0·91**	**978**	**914**	**1,892**	**15·7**	**0·86**	**1·13**	**44**	**25**	**25**	**23**	**24**	**26**
Municipal boroughs and urban districts	**72,450**	**576**	**526**	**1,102**	**15·2**	**1·06**	**0·90**	**548**	**544**	**1,092**	**15·1**	**0·87**	**1·10**	**24**	**22**	**12**	**11**	**17**	**25**
Bangor M.B.	14,420	122	117	239	16·6	0·96	0·89	94	76	170	11·8	1·05	1·04	8	*33*	4	3	3	*25*
Bethesda	4,190	39	36	75	17·9	1·12	1·11	24	26	50	11·9	0·98	0·98	4	*53*	1	1	2	*39*
Betws-y-Coed	770	5	11	16	*20·8*	1·00	*1·16*	3	5	8	*10·4*	0·98	*0·86*	1	*62*	1	1	—	*62*
Caernarvon M.B.	9,030	89	77	166	18·4	1·00	1·02	54	54	108	12·0	0·99	1·00	—	—	—	—	4	*24*
Conway M.B.	11,100	98	69	167	15·0	1·09	0·91	105	89	194	17·5	0·85	1·25	4	*24*	3	3	1	*24*
Criccieth	1,580	17	20	37	23·4	1·08	1·40	19	10	29	18·4	0·76	1·18	—	—	—	—	—	—
Llandudno	17,170	106	90	196	11·4	1·05	0·66	126	154	280	16·3	0·81	1·11	3	*15*	1	1	5	*30*
Llanfairfechan	2,930	11	23	34	11·6	1·19	0·77	20	20	40	13·7	0·82	0·94	—	—	—	—	—	—
Penmaenmawr	3,770	28	27	55	14·6	1·27	1·03	36	35	71	18·8	0·70	1·11	1	*18*	—	—	—	—
Portmadoc	3,880	33	34	67	17·3	1·04	1·00	33	35	68	17·5	0·84	1·24	2	*30*	1	1	—	*15*
Pwllheli M.B.	3,610	28	22	50	13·9	1·10	0·85	34	40	74	20·5	0·75	1·29	1	*20*	1	1	2	*58*

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1962	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
CAERNARVONSHIRE—*continued*																			
Rural districts	**48,010**	**365**	**325**	**690**	**14·4**	**1·16**	**0·93**	**430**	**370**	**800**	**16·7**	**0·85**	**1·19**	**20**	**29**	**13**	**12**	**7**	*27*
Gwyrfai	21,180	162	141	303	14·3	1·18	0·94	187	175	362	17·1	0·87	1·25	12	*40*	6	6	5	*36*
Lleyn	16,310	118	119	237	14·5	1·14	0·92	160	123	283	17·4	0·83	1·21	4	*17*	3	2	2	*17*
Nant Conway	5,910	55	33	88	14·9	1·14	0·94	32	33	65	11·0	0·94	0·87	1	*11*	1	1	—	*11*
Ogwen	4,610	30	32	62	13·4	1·14	0·85	51	39	90	19·5	0·75	1·23	3	*48*	3	3	—	*48*
CARDIGANSHIRE	**53,390**	**373**	**391**	**764**	**14·3**	**1·15**	**0·91**	**394**	**415**	**809**	**15·2**	**0·82**	**1·05**	**13**	*17*	**11**	**9**	**20**	**37**
Municipal boroughs and urban districts	**18,300**	**117**	**116**	**233**	**12·7**	**1·09**	**0·77**	**139**	**149**	**288**	**15·7**	**0·83**	**1·10**	**4**	*17*	**3**	**3**	**2**	*21*
Aberayron	1,190	2	9	11	*9·2*	1·33	*0·68*	9	9	18	*15·1*	0·65	*0·82*	—	—	—	—	—	—
Aberystwyth M.B.	10,480	66	64	130	12·4	1·08	0·74	77	79	156	14·9	0·84	1·05	4	*31*	3	3	2	*38*
Cardigan M.B.	3,700	32	29	61	16·5	1·00	0·92	33	26	59	15·9	0·99	1·32	—	—	—	—	—	—
Lampeter M.B.	2,010	12	13	25	12·4	1·03	0·71	14	24	38	18·9	0·71	1·13	—	—	—	—	—	—
New Quay	920	5	1	6	*6·5*	1·49	*0·54*	6	11	17	*18·5*	0·66	*1·03*	—	—	—	—	—	—
Rural districts	**35,090**	**256**	**275**	**531**	**15·1**	**1·18**	**0·99**	**255**	**266**	**521**	**14·8**	**0·81**	**1·01**	**9**	*17*	**8**	**6**	**18**	**44**
Aberayron	8,960	60	66	126	14·1	1·17	0·92	67	58	125	14·0	0·84	0·99	5	*40*	4	3	8	*82*
Aberystwyth	11,180	87	87	174	15·6	1·17	1·01	74	84	158	14·1	0·77	0·91	1	*6*	1	1	2	*17*
Teifiside	10,210	71	91	162	15·9	1·18	1·04	77	85	162	15·9	0·84	1·12	2	*12*	2	1	3	*24*
Tregaron	4,740	38	31	69	14·6	1·23	1·00	37	39	76	16·0	0·78	1·05	1	*14*	1	1	5	*81*
CARMARTHENSHIRE	**167,110**	**1,235**	**1,208**	**2,443**	**14·6**	**1·03**	**0·84**	**1,229**	**1,052**	**2,281**	**13·6**	**1·03**	**1·18**	**66**	**27**	**43**	**36**	**55**	**36**
Municipal boroughs and urban districts	**66,370**	**484**	**462**	**946**	**14·3**	**1·03**	**0·82**	**537**	**442**	**979**	**14·8**	**0·94**	**1·17**	**25**	**26**	**16**	**12**	**22**	**35**
Ammanford	6,250	48	32	80	12·8	1·01	0·72	54	43	97	15·5	1·03	1·34	6	*75*	5	4	—	*50*
Burry Port	5,840	37	49	86	14·7	0·96	0·78	46	39	85	14·6	1·12	1·37	2	*23*	1	1	3	*45*
Carmarthen M.B.	12,910	92	82	174	13·5	1·05	0·79	102	109	211	16·3	0·70	0·96	1	*6*	1	1	5	*34*
Cwmamman	4,210	40	29	69	16·4	0·99	0·90	28	25	53	12·6	1·05	1·11	2	*29*	—	—	2	*28*
Kidwelly M.B.	2,880	21	20	41	14·2	0·98	0·77	20	17	37	12·8	1·19	1·28	—	—	—	—	—	—
Llandeilo	1,880	16	11	27	14·4	1·08	0·86	18	10	28	14·9	0·89	1·11	—	—	—	—	1	*36*
Llandovery M.B.	1,990	13	23	36	18·1	1·23	1·24	8	14	22	11·1	1·04	0·97	—	—	—	—	—	—
Llanelly M.B.	29,800	214	214	428	14·4	1·03	0·82	261	179	440	14·8	0·95	1·18	14	*33*	9	6	11	*39*
Newcastle Emlyn	610	3	2	5	*8·2*	1·37	*0·62*	—	6	6	*9·8*	0·72	*0·59*	—	—	—	—	—	—
Rural districts	**100,740**	**751**	**746**	**1,497**	**14·9**	**1·03**	**0·85**	**692**	**610**	**1,302**	**12·9**	**1·10**	**1·19**	**41**	**27**	**27**	**24**	**33**	**37**
Carmarthen	27,940	226	203	429	15·4	1·05	0·90	168	184	352	12·6	1·11	1·18	14	*33*	8	6	8	*32*
Llandeilo	24,300	175	200	375	15·4	1·04	0·89	186	151	337	13·9	1·05	1·23	10	*27*	9	9	9	*47*
Llanelly	40,280	291	285	576	14·3	0·98	0·78	283	211	494	12·3	1·21	1·25	14	*24*	8	8	13	36
Newcastle Emlyn	8,220	59	58	117	14·2	1·15	0·91	55	64	119	14·5	0·84	1·02	3	*26*	2	1	3	*33*
DENBIGHSHIRE	**174,180**	**1,557**	**1,348**	**2,905**	**16·7**	**1·04**	**0·96**	**1,212**	**1,101**	**2,313**	**13·3**	**0·96**	**1·07**	**67**	**23**	**49**	**39**	**61**	**34**
Municipal boroughs and urban districts	**83,430**	**748**	**643**	**1,391**	**16·7**	**1·06**	**0·98**	**633**	**627**	**1,260**	**15·1**	**0·85**	**1·08**	**30**	**22**	**20**	**15**	**29**	**31**
Abergele	7,930	78	56	134	16·9	1·10	1·03	68	75	143	18·0	0·81	1·23	5	*37*	3	3	2	*37*
Colwyn Bay M.B.	22,400	143	160	303	13·5	1·21	0·91	209	228	437	19·5	0·65	1·07	3	*10*	1	—	8	*26*
Denbigh M.B.	8,130	62	47	109	13·4	1·24	0·92	82	71	153	18·8	0·52	0·82	3	*28*	2	2	2	*36*
Llangollen	3,010	27	22	49	16·3	1·02	0·92	17	27	44	14·6	0·87	1·07	2	*41*	2	2	—	*41*
Llanrwst	2,520	23	22	45	17·9	1·16	1·15	26	19	45	17·9	0·77	1·16	1	*22*	1	—	1	*22*
Ruthin M.B.	3,640	20	20	40	11·0	1·06	0·65	42	30	72	19·8	0·81	1·35	—	—	—	—	—	—
Wrexham M.B.	35,800	395	316	711	19·9	0·94	1·04	189	177	366	10·2	1·22	1·05	16	*23*	11	8	16	33
Rural districts	**90,750**	**809**	**705**	**1,514**	**16·7**	**1·03**	**0·96**	**579**	**474**	**1,053**	**11·6**	**1·09**	**1·06**	**37**	**24**	**29**	**24**	**32**	**36**
Aled	6,910	41	55	96	13·9	1·10	0·85	41	26	67	9·7	1·08	0·88	2	*21*	2	2	2	*41*
Ceiriog	7,270	58	73	131	18·0	1·09	1·09	51	44	95	13·1	1·03	1·13	4	*31*	3	1	3	*30*
Hiraethog	4,530	48	38	86	19·0	1·29	1·36	31	24	55	12·1	0·84	0·85	1	*12*	1	1	1	*23*
Ruthin	9,660	91	71	162	16·8	1·02	0·95	45	52	97	10·0	0·99	0·83	5	*31*	3	3	5	*48*
Wrexham	62,380	571	468	1,039	16·7	1·00	0·93	411	328	739	11·8	1·15	1·14	25	24	20	17	21	36
FLINTSHIRE	**150,430**	**1,377**	**1,276**	**2,653**	**17·2**	**1·03**	**0·98**	**1,024**	**909**	**1,933**	**12·8**	**1·05**	**1·13**	**66**	**25**	**45**	**42**	**50**	**34**
Municipal borough and urban districts	**78,070**	**715**	**654**	**1,369**	**17·5**	**1·01**	**0·98**	**588**	**505**	**1,093**	**14·0**	**1·04**	**1·22**	**42**	**31**	**29**	**27**	**22**	**35**
Buckley	7,720	65	74	139	18·0	1·04	1·04	57	50	107	13·9	1·12	1·31	2	*14*	2	2	2	*28*
Connah's Quay	8,630	90	88	178	20·6	0·94	1·08	49	32	81	9·4	1·40	1·11	2	*11*	1	1	4	*27*
Flint M.B.	13,790	128	113	241	17·5	0·98	0·95	82	52	134	9·7	1·34	1·09	11	*46*	8	7	2	*37*
Holywell	8,470	102	80	182	21·5	1·01	1·21	80	66	146	17·2	0·91	1·32	7	*38*	7	7	4	*59*
Mold	7,000	71	75	146	20·9	1·01	1·17	37	38	75	10·7	1·16	1·04	6	*41*	2	2	2	*27*
Prestatyn	11,170	79	63	142	12·7	1·03	0·73	100	104	204	18·3	0·84	1·29	3	*21*	3	3	3	*41*
Rhyl	21,290	180	161	341	16·0	1·02	0·91	183	163	346	16·3	0·90	1·23	11	*32*	6	5	5	*29*
Rural districts	**72,360**	**662**	**622**	**1,284**	**17·7**	**1·05**	**1·03**	**436**	**404**	**840**	**11·6**	**1·07**	**1·04**	**24**	**19**	**16**	**15**	**28**	**33**
Hawarden	36,840	359	347	706	19·2	1·01	1·08	223	198	421	11·4	1·26	1·21	12	*17*	10	10	10	28
Holywell	21,550	181	185	366	17·0	1·11	1·05	129	127	256	11·9	0·95	0·95	10	*27*	5	4	14	*47*
(a)Maelor	4,670	39	24	63	13·5	1·02	0·76	21	23	44	9·4	1·02	0·81	—	—	—	—	—	—
St Asaph	9,300	83	66	149	16·0	1·02	0·91	63	56	119	12·8	0·83	0·89	2	*13*	1	1	4	*33*

(a) The figures for this area include 8 deaths (7M., 1F.) in a Polish General Hospital, which could not be transferred to the area of residence.

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1962	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
GLAMORGAN	**1,236,980**	**11,049**	**10,589**	**21,638**	**17·5**	**0·97**	**0·94**	**8,299**	**6,863**	**15,162**	**12·3**	**1·14**	**1·18**	**549**	**25**	**379**	**316**	**490**	**36**
County boroughs	**488,280**	**4,482**	**4,322**	**8,804**	**18·0**	**0·97**	**0·97**	**3,169**	**2,810**	**5,979**	**12·2**	**1·11**	**1·14**	**232**	**26**	**167**	**147**	**174**	**36**
Cardiff	260,160	2,465	2,465	4,930	18·9	0·94	0·99	1,554	1,437	2,991	11·5	1·13	1·09	131	27	99	84	95	36
Merthyr Tydfil	58,940	525	487	1,012	17·2	1·00	0·96	449	377	826	14·0	1·09	1·28	32	32	19	17	21	37
Swansea	169,180	1,492	1,370	2,862	16·9	1·00	0·94	1,166	996	2,162	12·8	1·10	1·18	69	24	49	46	58	36
Administrative county	**748,700**	**6,567**	**6,267**	**12,834**	**17·1**	**0·98**	**0·93**	**5,130**	**4,053**	**9,183**	**12·3**	**1·17**	**1·21**	**317**	**25**	**212**	**169**	**316**	**37**
Municipal boroughs and urban districts	**524,770**	**4,622**	**4,423**	**9,045**	**17·2**	**0·98**	**0·94**	**3,675**	**2,938**	**6,613**	**12·6**	**1·16**	**1·23**	**229**	**25**	**152**	**118**	**230**	**38**
Aberdare	39,030	293	314	607	15·6	1·03	0·89	343	262	605	15·5	1·03	1·34	22	36	14	10	14	39
Barry M.B.	42,040	398	402	800	19·0	0·96	1·01	249	212	461	11·0	1·11	1·03	9	*11*	6	6	15	26
Bridgend	15,110	110	144	254	16·8	0·93	0·87	90	95	185	12·2	1·10	1·13	4	*16*	4	3	4	*27*
Caerphilly	36,230	381	348	729	20·1	0·95	1·06	225	187	412	11·4	1·31	1·25	15	*21*	9	7	16	31
Cowbridge M.B.	1,100	9	10	19	*17·3*	1·04	*1·00*	7	8	15	*13·6*	1·04	*1·19*	1	*53*	1	—	—	—
Gelligaer	34,990	354	320	674	19·3	1·03	1·10	257	166	423	12·1	1·26	1·28	15	*22*	7	5	18	33
Glyncorrwg	9,440	90	99	189	20·0	0·98	1·09	53	39	92	9·7	1·43	1·17	6	*32*	5	4	1	*26*
Llwchwr	25,050	167	202	369	14·7	1·02	0·83	183	140	323	12·9	1·17	1·27	5	*14*	4	4	12	*42*
Maesteg	21,710	188	191	379	17·5	1·00	0·97	135	114	249	11·5	1·26	1·22	7	*18*	5	4	9	*34*
Mountain Ash	29,520	232	238	470	15·9	0·99	0·87	224	141	365	12·4	1·21	1·26	13	*28*	9	6	15	43
Neath M.B.	30,670	245	234	479	15·6	0·93	0·81	249	196	445	14·5	1·13	1·38	12	*25*	8	8	14	45
Ogmore and Garw	21,050	193	166	359	17·1	1·00	0·95	136	103	239	11·4	1·21	1·16	13	*36*	8	7	10	*46*
Penarth	20,680	167	177	344	16·6	0·96	0·89	138	136	274	13·2	0·98	1·09	8	*23*	8	7	9	*45*
Pontypridd	35,480	310	255	565	15·9	0·96	0·85	275	239	514	14·5	1·04	1·27	16	*28*	12	7	12	*33*
Porthcawl	11,130	98	89	187	16·8	0·96	0·90	92	77	169	15·2	0·97	1·24	3	*16*	1	1	2	*16*
Port Talbot M.B.	51,150	514	465	979	19·1	0·95	1·01	290	210	500	9·8	1·32	1·09	20	20	11	10	22	32
Rhondda M.B.	100,390	873	769	1,642	16·4	0·98	0·89	729	613	1,342	13·4	1·16	1·31	60	37	40	29	57	51
Rural districts	**223,930**	**1,945**	**1,844**	**3,789**	**16·9**	**0·98**	**0·92**	**1,455**	**1,115**	**2,570**	**11·5**	**1·19**	**1·15**	**88**	**23**	**60**	**51**	**86**	**35**
Cardiff	50,130	453	403	856	17·1	0·96	0·91	312	260	572	11·4	1·09	1·04	11	*13*	9	8	15	26
Cowbridge	19,760	162	159	321	16·2	1·00	0·90	91	60	151	7·6	1·59	1·02	3	*9*	2	2	8	*30*
Gower	12,810	118	91	209	16·3	1·01	0·91	77	62	139	10·9	0·97	0·89	5	*24*	4	3	5	*37*
Llantrisant and Llantwit Fardre	27,080	254	253	507	18·7	0·96	1·00	176	120	296	10·9	1·28	1·17	17	*34*	8	6	13	*37*
Neath	40,970	332	295	627	15·3	0·98	0·83	280	204	484	11·8	1·27	1·26	17	*27*	15	14	19	51
Penybont	42,360	400	429	829	19·6	1·00	1·09	293	227	520	12·3	1·07	1·11	24	29	16	14	15	34
Pontardawe	30,820	226	214	440	14·3	1·01	0·80	226	182	408	13·2	1·11	1·23	11	*25*	6	4	11	*33*
MERIONETHSHIRE	**38,360**	**369**	**276**	**645**	**16·8**	**1·22**	**1·14**	**262**	**311**	**573**	**14·9**	**0·92**	**1·15**	**16**	*25*	**6**	**6**	**13**	*29*
Urban districts	**16,840**	**172**	**117**	**289**	**17·2**	**1·16**	**1·11**	**115**	**137**	**252**	**15·0**	**0·90**	**1·13**	**10**	*35*	**5**	**5**	**7**	*41*
Bala	1,610	16	12	28	17·4	1·08	1·04	14	21	35	21·7	0·88	1·60	2	*71*	1	1	—	*36*
Barmouth	2,190	24	17	41	18·7	1·09	1·13	20	26	46	21·0	0·75	1·32	—	—	—	—	—	—
Dolgellau	2,470	21	17	38	15·4	1·02	0·87	17	24	41	16·6	1·01	1·41	1	*26*	1	1	1	*51*
Ffestiniog	6,700	77	50	127	19·0	1·11	1·17	47	38	85	12·7	0·99	1·06	5	*39*	2	2	1	*23*
Towyn	3,870	34	21	55	14·2	1·47	1·16	17	28	45	11·6	0·81	0·79	2	*36*	1	1	5	*100*
Rural districts	**21,520**	**197**	**159**	**356**	**16·5**	**1·26**	**1·16**	**147**	**174**	**321**	**14·9**	**0·92**	**1·15**	**6**	*17*	**1**	**1**	**6**	*19*
Deudraeth	7,060	73	53	126	17·8	1·17	1·16	54	70	124	17·6	0·82	1·21	2	*16*	—	—	—	—
Dolgellau	7,720	50	51	101	13·1	1·48	1·08	51	56	107	13·9	1·03	1·20	1	*10*	—	—	3	*29*
Edeyrnion	3,940	48	33	81	20·6	1·12	1·28	25	32	57	15·5	0·86	1·05	2	*25*	1	1	3	*48*
Penllyn	2,800	26	22	48	17·1	1·10	1·04	17	16	33	11·8	0·99	0·98	1	*21*	—	—	—	—
MONMOUTHSHIRE	**449,370**	**4,234**	**4,037**	**8,271**	**18·4**	**0·98**	**1·00**	**2,900**	**2,375**	**5,275**	**11·7**	**1·16**	**1·14**	**209**	**25**	**134**	**117**	**206**	**38**
Newport C.B.	108,550	1,066	1,028	2,094	19·3	0·98	1·05	658	564	1,222	11·3	1·18	1·12	54	26	36	33	42	35
Administrative county	**340,820**	**3,168**	**3,009**	**6,177**	**18·1**	**0·99**	**1·00**	**2,242**	**1,811**	**4,053**	**11·9**	**1·15**	**1·15**	**155**	**25**	**98**	**84**	**164**	**39**
Municipal boroughs and urban districts	**280,170**	**2,522**	**2,438**	**4,960**	**17·7**	**1·00**	**0·98**	**1,893**	**1,490**	**3,383**	**12·1**	**1·16**	**1·18**	**132**	**27**	**82**	**70**	**143**	**42**
Abercarn	19,400	149	156	305	15·7	0·99	0·86	114	87	201	10·4	1·22	1·07	5	*16*	3	3	12	*47*
Abergavenny M.B.	9,700	100	68	168	17·3	1·00	0·96	68	52	120	12·4	0·97	1·01	3	*18*	2	2	9	*62*
Abertillery	25,020	221	236	457	18·3	1·03	1·05	178	130	308	12·3	1·15	1·19	17	*37*	7	5	16	44
Bedwas and Machen ..	10,310	109	104	213	20·7	0·95	1·09	59	53	112	10·9	1·26	1·15	10	*47*	6	5	2	*33*
Bedwellty	27,470	257	224	481	17·5	1·01	0·98	172	135	307	11·2	1·34	1·26	12	*25*	5	3	17	40
Blaenavon	8,390	64	67	131	15·6	1·12	0·97	62	62	124	14·8	1·05	1·31	5	*38*	3	3	2	*38*
Caerleon	4,420	33	28	61	13·8	1·04	0·80	50	37	87	19·7	0·64	1·06	1	*16*	—	—	1	*16*
Chepstow	7,250	84	87	171	23·6	0·94	1·23	71	55	126	17·4	0·68	0·99	5	*29*	4	3	2	*29*
Cwmbran	23,190	246	221	467	20·1	0·79	0·88	114	85	199	8·6	1·53	1·11	12	*26*	10	9	13	46
Ebbw Vale	28,350	240	240	480	16·9	1·05	0·99	201	139	340	12·0	1·23	1·24	8	*17*	6	6	13	*39*
Monmouth M.B.	5,780	60	41	101	17·5	1·01	0·98	28	48	76	13·1	0·84	0·92	2	*20*	—	—	—	—
Mynyddislwyn	15,540	131	129	260	16·7	1·00	0·93	86	76	162	10·4	1·34	1·17	5	*19*	4	4	6	*38*
Nantyglo and Blaina ..	10,970	107	117	224	20·4	1·05	1·19	83	59	142	12·9	1·11	1·20	9	*40*	6	5	5	*44*
Pontypool	39,750	329	320	649	16·3	1·04	0·94	272	209	481	12·1	1·12	1·14	20	31	16	13	22	52
Rhymney	8,850	76	92	168	19·0	1·03	1·09	78	54	132	14·9	1·16	1·45	4	*24*	2	2	5	*40*
Risca	14,110	112	104	216	15·3	1·01	0·86	97	77	174	12·3	1·08	1·12	2	*9*	2	2	3	*23*
Tredegar	19,820	189	181	370	18·7	1·00	1·04	151	119	270	13·6	1·14	1·30	10	*27*	6	5	13	*47*
Usk	1,850	15	23	38	20·5	1·03	1·17	9	13	22	11·9	1·10	1·10	2	*53*	—	—	2	*50*

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1962	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
MONMOUTHSHIRE—*continued*																			
Rural districts	**60,650**	**646**	**571**	**1,217**	**20·1**	**0·94**	**1·05**	**349**	**321**	**670**	**11·0**	**1·05**	**0·97**	**23**	**19**	**16**	**14**	**21**	**28**
Abergavenny	8,890	72	67	139	15·6	1·27	1·10	83	81	164	18·4	0·57	0·88	5	*36*	4	4	1	*36*
Chepstow	11,780	103	108	211	17·9	0·99	0·98	78	67	145	12·3	1·14	1·18	2	*9*	2	2	9	*50*
Magor and St. Mellons	18,850	233	213	446	23·7	0·91	1·20	90	86	176	9·3	1·22	0·95	13	*29*	7	5	4	*20*
Monmouth	6,000	46	40	86	14·3	1·08	0·86	43	35	78	13·0	0·88	0·96	1	*12*	1	1	3	*45*
Pontypool	15,130	192	143	335	22·1	0·75	0·92	55	52	107	7·1	1·48	0·88	2	*6*	2	2	4	*18*
MONTGOMERYSHIRE	**43,690**	**331**	**308**	**639**	**14·6**	**1·09**	**0·88**	**304**	**268**	**572**	**13·1**	**0·92**	**1·01**	**15**	*23*	**11**	**10**	**16**	**40**
Municipal boroughs and urban districts	**18,230**	**120**	**138**	**258**	**14·2**	**1·00**	**0·79**	**135**	**118**	**253**	**13·9**	**0·92**	**1·07**	**6**	*23*	**5**	**5**	**6**	*42*
Llanfyllin M.B.	1,230	10	6	16	*13·0*	1·32	*0·95*	13	4	17	*13·8*	0·63	*0·73*	—	—	—	—	—	—
Llanidloes M.B.	2,360	8	13	21	8·9	1·03	0·51	18	21	39	16·5	0·83	1·15	1	*48*	—	—	1	*45*
Machynlleth	1,840	12	20	32	17·4	1·01	0·98	18	11	29	15·8	0·79	1·05	3	*94*	3	3	1	*121*
Montgomery M.B.	950	8	12	20	21·1	1·10	1·29	8	6	14	*14·7*	0·83	*1·03*	1	*50*	1	1	—	*50*
Newtown and Llanllwchaiarn	5,430	42	36	78	14·4	0·97	0·78	43	41	84	15·5	0·96	1·25	—	—	—	—	2	*25*
Welshpool M.B.	6,420	40	51	91	14·2	0·96	0·76	35	35	70	10·9	1·03	0·94	1	*11*	1	1	2	*32*
Rural districts	**25,460**	**211**	**170**	**381**	**15·0**	**1·15**	**0·96**	**169**	**150**	**319**	**12·5**	**0·92**	**0·97**	**9**	*24*	**6**	**5**	**10**	*38*
Forden	5,010	46	29	75	15·0	1·11	0·92	43	28	71	14·2	0·84	1·00	2	*27*	1	1	3	*51*
Llanfyllin	9,150	60	62	122	13·3	1·17	0·86	53	52	105	11·5	0·96	0·93	1	*8*	1	1	2	*24*
Machynlleth	2,790	24	22	46	16·5	1·18	1·08	17	19	36	12·9	0·88	0·95	1	*22*	1	1	1	*43*
Newtown and Llanidloes	8,510	81	57	138	16·2	1·16	1·04	56	51	107	12·6	0·95	1·01	5	*36*	3	2	4	*42*
PEMBROKESHIRE	**93,050**	**793**	**823**	**1,616**	**17·4**	**1·03**	**1·00**	**652**	**543**	**1,195**	**12·8**	**1·05**	**1·13**	**51**	**32**	**34**	**31**	**41**	**43**
Municipal boroughs and urban districts	**46,250**	**434**	**473**	**907**	**19·6**	**1·00**	**1·09**	**302**	**293**	**595**	**12·9**	**1·09**	**1·18**	**32**	**35**	**19**	**18**	**31**	**52**
Fishguard and Goodwick	4,880	26	33	59	12·1	1·05	0·71	33	28	61	12·5	1·04	1·09	1	*17*	1	1	2	*49*
Haverfordwest M.B.	8,710	91	107	198	22·7	0·91	1·15	55	62	117	13·4	1·07	1·20	10	*51*	6	6	5	*54*
Milford Haven	12,850	135	124	259	20·2	1·00	1·12	79	62	141	11·0	1·44	1·33	7	*27*	4	4	10	*52*
Narberth	960	6	8	14	*14·6*	1·01	*0·82*	7	6	13	*13·5*	0·98	*1·11*	—	—	—	—	—	—
Neyland	2,150	18	24	42	19·5	1·03	1·12	18	17	35	16·3	1·00	1·37	1	*24*	—	—	1	*23*
Pembroke M.B.	12,220	126	135	261	21·4	1·03	1·22	75	86	161	13·2	1·02	1·13	11	*42*	6	6	10	*59*
Tenby M.B.	4,480	32	42	74	16·5	1·01	0·93	35	32	67	15·0	0·84	1·06	2	*27*	2	1	3	*52*
Rural districts	**46,800**	**359**	**350**	**709**	**15·1**	**1·06**	**0·89**	**350**	**250**	**600**	**12·8**	**1·01**	**1·09**	**19**	*27*	**15**	**13**	**10**	**32**
Cemaes	8,650	75	54	129	14·9	1·16	0·96	74	59	133	15·4	0·90	1·16	4	*31*	1	1	—	*8*
Haverfordwest	21,960	184	166	350	15·9	1·00	0·88	149	106	255	11·6	1·12	1·09	13	*37*	12	11	7	*50*
Narberth	9,950	69	77	146	14·7	1·12	0·91	77	47	124	12·5	0·91	0·96	1	*7*	1	—	2	*14*
Pembroke	6,240	31	53	84	13·5	1·06	0·80	50	38	88	14·1	1·01	1·20	1	*12*	1	1	1	*24*
RADNORSHIRE	**18,430**	**136**	**118**	**254**	**13·8**	**1·19**	**0·91**	**121**	**135**	**256**	**13·9**	**0·83**	**0·97**	**8**	*31*	**5**	**5**	**8**	*50*
Urban districts	**6,310**	**53**	**41**	**94**	**14·9**	**1·01**	**0·84**	**40**	**61**	**101**	**16·0**	**0·76**	**1·02**	**2**	*21*	**2**	**2**	**3**	*52*
Knighton	1,820	17	8	25	13·7	1·01	0·77	14	20	34	18·7	0·59	0·93	1	*40*	1	1	2	*111*
Llandrindod Wells	3,300	25	21	46	13·9	1·00	0·77	19	33	52	15·8	0·80	1·06	1	*22*	1	1	—	*22*
Presteigne	1,190	11	12	23	19·3	1·08	1·16	7	8	15	*12·6*	0·88	*0·93*	—	—	—	—	1	*42*
Rural districts	**12,120**	**83**	**77**	**160**	**13·2**	**1·31**	**0·96**	**81**	**74**	**155**	**12·8**	**0·88**	**0·95**	**6**	*38*	**3**	**3**	**5**	*48*
Colwyn	1,560	15	9	24	15·4	1·21	1·04	12	10	22	14·1	0·88	1·04	1	*42*	—	—	—	—
Knighton	2,760	20	11	31	11·2	1·43	0·89	20	14	34	12·3	0·91	0·94	1	*32*	—	—	4	*114*
New Radnor	2,050	14	19	33	16·1	1·19	1·06	11	13	24	11·7	0·90	0·88	1	*30*	1	1	—	*30*
Painscastle	1,690	8	9	17	*10·1*	1·19	*0·67*	11	5	16	*9·5*	0·90	*0·72*	—	—	—	—	—	—
Rhayader	4,060	26	29	55	13·5	1·43	1·07	27	32	59	14·5	0·84	1·02	3	*55*	2	2	1	*54*

TABLE 14. Deaths by sex at each year of age (with marital condition), 1962 } **England and Wales**

Included in this Table are 1,022 cases (461 males and 561 females) in which the age of deceased was not definitely stated; these have been allocated to particular ages in accordance with the best available information and with due regard to the circumstances and cause of death in each case. The deaths of divorced men and women are included with the deaths of widowed.

See explanatory notes.

Age last birthday	Persons	MALES					FEMALES				
		Total	Single	Married	Widowed	Not stated	Total	Single	Married	Widowed	Not stated
All ages	**557,636**	**285,154**	**40,720**	**174,200**	**67,387**	**2,847**	**272,482**	**51,814**	**80,598**	**139,755**	**315**
0–4	**20,737**	**12,008**	**12,008**	—	—	—	**8,729**	**8,729**	—	—	—
0	18,187	10,573	10,573	—	—	—	7,614	7,614	—	—	—
1	1,073	598	598	—	—	—	475	475	—	—	—
2	610	353	353	—	—	—	257	257	—	—	—
3	482	259	259	—	—	—	223	223	—	—	—
4	385	225	225	—	—	—	160	160	—	—	—
5–9	**1,271**	**753**	**753**	—	—	—	**518**	**518**	—	—	—
5	349	184	184	—	—	—	165	165	—	—	—
6	269	159	159	—	—	—	110	110	—	—	—
7	260	163	163	—	—	—	97	97	—	—	—
8	202	123	123	—	—	—	79	79	—	—	—
9	191	124	124	—	—	—	67	67	—	—	—
10–14	**1,183**	**759**	**759**	—	—	—	**424**	**424**	—	—	—
10	197	123	123	—	—	—	74	74	—	—	—
11	204	136	136	—	—	—	68	68	—	—	—
12	219	126	126	—	—	—	93	93	—	—	—
13	260	170	170	—	—	—	90	90	—	—	—
14	303	204	204	—	—	—	99	99	—	—	—
15–19	**2,257**	**1,648**	**1,574**	**18**	**1**	**55**	**609**	**576**	**31**	—	**2**
15	358	238	238	—	—	—	120	120	—	—	—
16	372	271	256	—	—	15	101	100	—	—	1
17	469	351	341	1	—	9	118	114	4	—	—
18	542	398	379	3	—	16	144	133	10	—	1
19	516	390	360	14	1	15	126	109	17	—	—
20–24	**2,325**	**1,614**	**1,203**	**331**	**4**	**76**	**711**	**379**	**324**	**6**	**2**
20	482	345	306	23	—	16	137	107	30	—	—
21	429	295	234	45	2	14	134	73	57	3	1
22	486	339	252	74	1	12	147	78	68	1	—
23	471	322	208	91	—	23	149	71	77	1	—
24	457	313	203	98	1	11	144	50	92	1	1
25–29	**2,271**	**1,392**	**613**	**724**	**15**	**40**	**879**	**244**	**623**	**12**	—
25	459	291	154	119	3	15	168	56	109	3	—
26	429	254	119	127	2	6	175	45	127	3	—
27	413	256	105	142	3	6	157	49	105	3	—
28	450	275	117	150	4	4	175	42	130	3	—
29	520	316	118	186	3	9	204	52	152	—	—
30–34	**3,106**	**1,792**	**578**	**1,121**	**36**	**57**	**1,314**	**260**	**1,026**	**26**	**2**
30	552	317	126	175	7	9	235	47	183	4	1
31	576	325	103	205	4	13	251	51	195	5	—
32	617	352	112	225	6	9	265	57	203	5	—
33	635	370	110	245	7	8	265	57	201	6	1
34	726	428	127	271	12	18	298	48	244	6	—
35–39	**5,106**	**2,906**	**655**	**2,127**	**61**	**63**	**2,200**	**371**	**1,754**	**71**	**4**
35	807	463	114	333	9	7	344	56	279	8	1
36	896	508	123	359	10	16	388	71	309	8	—
37	966	557	138	399	11	9	409	61	328	18	2
38	1,154	652	137	486	14	15	502	88	393	21	—
39	1,283	726	143	550	17	16	557	95	445	16	1
40–44	**8,133**	**4,682**	**887**	**3,579**	**124**	**92**	**3,451**	**468**	**2,777**	**205**	**1**
40	1,432	844	188	621	22	13	588	81	486	21	—
41	1,673	949	180	726	28	15	724	101	583	40	—
42	1,940	1,125	207	863	28	27	815	118	644	53	—
43	1,482	839	134	673	19	13	643	81	520	42	—
44	1,606	925	178	696	27	24	681	87	544	49	1
45–49	**13,678**	**8,149**	**1,185**	**6,541**	**314**	**109**	**5,529**	**753**	**4,284**	**485**	**7**
45	1,988	1,174	187	926	40	21	814	117	646	50	1
46	2,307	1,381	228	1,092	44	17	926	129	714	82	1
47	2,886	1,708	239	1,384	63	22	1,178	158	926	93	1
48	3,125	1,878	252	1,514	87	25	1,247	172	946	126	3
49	3,372	2,008	279	1,625	80	24	1,364	177	1,052	134	1

TABLE 14—*continued*

Age last birthday	Persons	MALES					FEMALES				
		Total	Single	Married	Widowed	Not stated	Total	Single	Married	Widowed	Not stated
50–54	**23,256**	**14,559**	**1,694**	**12,024**	**684**	**157**	**8,697**	**1,297**	**6,320**	**1,067**	**13**
50	3,730	2,267	245	1,907	76	39	1,463	217	1,104	139	3
51	4,148	2,615	320	2,136	125	34	1,533	231	1,133	169	—
52	4,660	2,914	340	2,400	150	24	1,746	239	1,307	198	2
53	5,136	3,218	363	2,659	167	29	1,918	300	1,349	266	3
54	5,582	3,545	426	2,922	166	31	2,037	310	1,427	295	5
55–59	**36,967**	**24,205**	**2,634**	**19,719**	**1,614**	**238**	**12,762**	**1,965**	**8,528**	**2,259**	**10**
55	6,007	3,879	441	3,160	233	45	2,128	340	1,471	316	1
56	6,758	4,399	481	3,613	263	42	2,359	372	1,601	384	2
57	7,435	4,918	557	3,986	329	46	2,517	386	1,725	404	2
58	8,067	5,258	563	4,290	361	44	2,809	440	1,859	510	—
59	8,700	5,751	592	4,670	428	61	2,949	427	1,872	645	5
60–64	**51,704**	**32,752**	**2,983**	**26,216**	**3,249**	**304**	**18,952**	**2,889**	**10,899**	**5,130**	**34**
60	9,033	5,884	529	4,824	472	59	3,149	513	1,938	689	9
61	10,031	6,531	640	5,231	598	62	3,500	549	2,065	882	4
62	10,926	6,878	646	5,476	695	61	4,048	594	2,341	1,103	10
63	10,608	6,666	603	5,353	650	60	3,942	568	2,231	1,136	7
64	11,106	6,793	565	5,332	834	62	4,313	665	2,324	1,320	4
65–69	**63,896**	**37,261**	**2,869**	**28,577**	**5,536**	**279**	**26,635**	**4,072**	**12,243**	**10,289**	**31**
65	11,525	6,977	551	5,543	828	55	4,548	711	2,290	1,542	5
66	11,622	6,832	543	5,321	919	49	4,790	768	2,320	1,696	6
67	12,948	7,611	562	5,907	1,080	62	5,337	792	2,551	1,991	3
68	13,461	7,686	602	5,772	1,251	61	5,775	862	2,498	2,406	9
69	14,340	8,155	611	6,034	1,458	52	6,185	939	2,584	2,654	8
70–74	**79,540**	**41,878**	**3,182**	**28,688**	**9,583**	**425**	**37,662**	**5,784**	**12,504**	**19,315**	**59**
70	14,487	7,999	597	5,832	1,482	88	6,488	1,014	2,472	2,990	12
71	14,840	8,049	591	5,692	1,689	77	6,791	1,033	2,564	3,187	7
72	16,165	8,653	691	5,901	1,982	79	7,512	1,168	2,493	3,841	10
73	16,641	8,457	623	5,678	2,067	89	8,184	1,257	2,498	4,419	10
74	17,407	8,720	680	5,585	2,363	92	8,687	1,312	2,477	4,878	20
75–79	**88,720**	**41,127**	**3,124**	**23,442**	**14,153**	**408**	**47,593**	**7,104**	**10,572**	**29,868**	**49**
75	17,321	8,451	649	5,254	2,462	86	8,870	1,332	2,344	5,187	7
76	17,891	8,471	689	5,037	2,674	71	9,420	1,354	2,292	5,762	12
77	17,870	8,361	602	4,775	2,903	81	9,509	1,391	2,125	5,981	12
78	17,830	8,065	590	4,355	3,030	90	9,765	1,498	1,931	6,327	9
79	17,808	7,779	594	4,021	3,084	80	10,029	1,529	1,880	6,611	9
80–84	**80,800**	**33,074**	**2,385**	**14,248**	**16,125**	**316**	**47,726**	**7,662**	**6,259**	**33,750**	**55**
80	17,148	7,439	557	3,661	3,131	90	9,709	1,537	1,644	6,520	8
81	16,826	6,884	560	3,129	3,138	57	9,942	1,571	1,463	6,896	12
82	16,751	6,885	476	2,934	3,412	63	9,866	1,639	1,267	6,942	18
83	15,187	6,073	390	2,421	3,214	48	9,114	1,428	1,039	6,638	9
84	14,888	5,793	402	2,103	3,230	58	9,095	1,487	846	6,754	8
85–89	**51,199**	**18,569**	**1,314**	**5,653**	**11,430**	**172**	**32,630**	**5,441**	**2,093**	**25,059**	**37**
85	13,269	5,039	389	1,712	2,896	42	8,230	1,357	675	6,184	14
86	12,123	4,515	323	1,438	2,713	41	7,608	1,223	531	5,845	9
87	10,558	3,867	262	1,160	2,411	34	6,691	1,135	408	5,144	4
88	8,298	2,825	196	790	1,810	29	5,473	949	273	4,247	4
89	6,951	2,323	144	553	1,600	26	4,628	777	206	3,639	6
90–94	**17,756**	**5,242**	**275**	**1,078**	**3,840**	**49**	**12,514**	**2,304**	**337**	**9,865**	**8**
90	5,568	1,726	78	399	1,236	13	3,842	724	139	2,976	3
91	4,311	1,306	70	277	948	11	3,005	543	98	2,364	—
92	3,448	1,056	69	209	768	10	2,392	454	44	1,892	2
93	2,565	674	37	112	517	8	1,891	331	37	1,522	1
94	1,864	480	21	81	371	7	1,384	252	19	1,111	2
95–99	**3,379**	**738**	**43**	**105**	**583**	**7**	**2,641**	**509**	**24**	**2,107**	**1**
95	1,257	311	19	49	238	5	946	174	14	757	1
96	937	208	13	33	162	—	729	136	4	589	—
97	574	119	4	13	101	1	455	89	5	361	—
98	392	64	4	6	54	—	328	71	—	257	—
99	219	36	3	4	28	1	183	39	1	143	—
100 and over	**352**	**46**	**2**	**9**	**35**	—	**306**	**65**	—	**241**	—

TABLE 15. Constructed analysis of 1962 deaths by age and marital condition } England and Wales

Note. In this table the deaths of unstated marital condition in each age-group (which are shown separately in Table 14) have been distributed proportionately among those of stated condition in the age-group.

Age-groups	Persons	MALES				FEMALES			
		Total	Single	Married	Widowed	Total	Single	Married	Widowed
All ages	**557,636**	**285,154**	**41,117**	**176,000**	**68,037**	**272,482**	**51,865**	**80,701**	**139,916**
0–4	20,737	12,008	12,008	—	—	8,729	8,729	—	—
5–9	1,271	753	753	—	—	518	518	—	—
10–14	1,183	759	759	—	—	424	424	—	—
15–19	2,257	1,648	1,628	19	1	609	578	31	—
20–24	2,325	1,614	1,263	347	4	711	380	325	6
25–29	2,271	1,392	631	745	16	879	244	623	12
30–34	3,106	1,792	597	1,158	37	1,314	260	1,028	26
35–39	5,106	2,906	670	2,174	62	2,200	372	1,757	71
40–44	8,133	4,682	905	3,651	126	3,451	468	2,778	205
45–49	13,678	8,149	1,201	6,630	318	5,529	754	4,289	486
50–54	23,256	14,559	1,713	12,155	691	8,697	1,299	6,329	1,069
55–59	36,967	24,205	2,660	19,915	1,630	12,762	1,966	8,535	2,261
60–64	51,704	32,752	3,011	26,461	3,280	18,952	2,894	10,919	5,139
65–69	63,896	37,261	2,891	28,792	5,578	26,635	4,077	12,257	10,301
70–74	79,540	41,878	3,215	28,982	9,681	37,662	5,793	12,524	19,345
75–79	88,720	41,127	3,155	23,677	14,295	47,593	7,111	10,583	29,899
80–84	80,800	33,074	2,408	14,385	16,281	47,726	7,671	6,266	33,789
85–89	51,199	18,569	1,326	5,706	11,537	32,630	5,447	2,096	25,087
90–94	17,756	5,242	278	1,088	3,876	12,514	2,306	337	9,871
95–99	3,379	738	43	106	589	2,641	509	24	2,108
100 and over	352	46	2	9	35	306	65	—	241

TABLE 16. Deaths at different ages by month of occurrence, January to December 1962 } England and Wales

See note at head of Table 22

Age		Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
All Ages	M	**35,592**	**23,747**	**28,206**	**23,380**	**21,686**	**20,046**	**19,686**	**19,088**	**19,182**	**20,928**	**23,317**	**28,756**
	F	**35,668**	**23,021**	**27,613**	**22,962**	**20,592**	**19,078**	**18,623**	**17,806**	**17,892**	**19,607**	**21,472**	**26,588**
Under 4 weeks	M	668	632	691	611	661	589	597	573	564	599	612	641
	F	457	429	474	430	486	467	410	408	391	387	401	449
4 weeks and under 1 year	M	404	312	347	292	222	201	191	171	169	207	271	316
	F	315	246	300	200	169	153	161	130	140	170	183	225
1—	M	57	60	65	50	37	55	43	32	49	60	41	57
	F	44	42	48	46	43	35	30	33	31	40	31	49
2—	M	78	74	84	68	75	70	61	55	58	74	65	78
	F	66	50	67	57	44	56	37	34	37	58	58	84
5—	M	61	62	69	54	73	76	83	50	60	59	45	66
	F	66	39	44	49	38	47	42	36	34	40	38	47
10—	M	80	45	58	63	66	52	70	84	57	53	66	54
	F	50	36	36	42	41	31	37	28	27	29	31	37
15—	M	129	98	124	130	109	139	180	158	130	173	136	131
	F	71	32	51	53	40	44	48	53	56	60	55	51
20—	M	157	106	132	122	126	140	155	138	130	157	120	124
	F	73	52	57	56	60	57	60	62	42	74	57	59
25—	M	137	105	123	112	108	84	120	112	118	128	116	129
	F	96	67	78	76	71	57	72	61	71	80	72	71
30—	M	175	129	153	151	135	140	162	145	139	147	142	168
	F	138	103	127	94	120	94	99	110	94	107	109	118
35—	M	329	223	245	261	235	215	221	233	213	226	232	258
	F	196	198	218	176	161	185	185	156	165	176	187	176
40—	M	458	348	425	380	377	377	322	351	379	369	413	468
	F	334	263	330	257	297	243	286	264	254	292	319	322
45—	M	879	608	754	684	696	616	690	640	553	593	666	743
	F	572	411	543	455	441	407	459	401	425	449	426	516
50—	M	1,605	1,209	1,308	1,204	1,168	1,030	1,083	1,048	1,076	1,110	1,249	1,437
	F	898	694	804	723	685	632	704	677	657	693	681	780
55—	M	2,768	1,939	2,280	1,900	1,914	1,738	1,789	1,758	1,731	1,845	2,059	2,364
	F	1,395	1,011	1,190	1,093	1,022	890	938	962	936	970	1,091	1,186
60—	M	3,879	2,544	3,169	2,681	2,431	2,349	2,346	2,135	2,332	2,510	2,745	3,489
	F	2,229	1,519	1,766	1,596	1,440	1,430	1,407	1,288	1,381	1,500	1,521	1,762
65—	M	4,590	3,093	3,580	2,945	2,824	2,611	2,602	2,526	2,594	2,815	3,051	3,809
	F	3,245	2,177	2,597	2,141	2,099	1,855	1,927	1,764	1,908	2,004	2,136	2,625
70—	M	5,335	3,485	4,074	3,432	3,242	2,997	2,813	2,846	2,725	3,085	3,386	4,173
	F	4,841	3,178	3,791	3,131	2,879	2,665	2,507	2,449	2,511	2,759	2,968	3,744
75—	M	5,458	3,534	4,336	3,390	3,056	2,819	2,686	2,644	2,567	2,876	3,322	4,234
	F	6,479	4,036	4,937	4,107	3,493	3,356	3,152	3,086	2,965	3,260	3,707	4,745
80—	M	4,704	2,895	3,528	2,741	2,357	2,133	2,050	1,985	2,059	2,232	2,663	3,500
	F	6,938	4,158	4,954	4,073	3,552	3,234	3,051	2,932	2,927	3,202	3,661	4,756
85 and over	M	3,641	2,246	2,661	2,109	1,774	1,615	1,422	1,404	1,479	1,610	1,917	2,517
	F	7,165	4,280	5,201	4,107	3,411	3,140	3,011	2,872	2,840	3,257	3,740	4,786

TABLE 17. Causes of death at different age periods, 1962 — England and Wales

Note. 1 The sequence of causes of death followed in this table is that of the detailed International Statistical Classification of Diseases, Injuries and Causes of Death (Seventh Revision, 1955), including the classification by External Cause of Injury (E codes) for violent deaths. Each three digit code is separately specified, except a few which are not applicable to primary death classification, and certain 4th digit splits of general interest are also shown. Table 18 should be consulted for further details of violent deaths.

2 Separate columns are not devoted to those causes to which, as a rule, few deaths are assigned. In order, however, to make the record complete, the classification numbers of such causes are printed as nearly as possible to the places where they would occur. The deaths, if any, from these causes are shown in footnotes in which the heavy-faced figures preceding the cause express the International Classification number, and the figures following it indicate the sex and age-group of the decedent, roman type for males and italic type for females. Thus **093**, glandular fever (infectious mononucleosis), 15, 20, 20, 25, *15*, *70*, denotes that four male deaths (one in age-group 15–, two in 20– and one in 25–) and two female deaths (one in age-group 15– and one in 70–) are assigned to this cause. A dash (—) indicates that no deaths are assigned.

(Continued on next page)

See explanatory notes.

Causes of death	All Causes		I 001-138 Infective and parasitic diseases		TUBERCULOSIS 001-019 All forms		001-008 Respiratory system		001 Respiratory tuberculosis with mention of occupational disease of lung		002 Pulmonary tuberculosis		003 Pleural tuberculosis		003·0 Pleurisy specified as tuberculous	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	285,154	272,482	3,455	1,716	2,282	806	2,101	673	166	6	1,922	662	10	2	8	1
0—	10,573	7,614	114	60	3	3	—	—	—	—	—	—	—	—	—	—
1—	1,435	1,115	96	64	10	8	1	1	—	—	1	1	—	—	—	—
5—	753	518	33	22	7	2	2	1	—	—	2	1	—	—	—	—
10—	759	424	20	12	3	1	—	—	—	—	—	—	—	—	—	—
15—	1,648	609	27	26	11	9	2	2	—	—	2	2	—	—	—	—
20—	1,614	711	25	13	11	6	5	3	—	—	5	2	—	—	—	—
25—	1,392	879	31	26	16	14	11	9	—	—	10	9	1	—	1	—
30—	1,792	1,314	51	62	27	46	23	40	—	—	23	40	—	—	—	—
35—	2,906	2,200	104	77	67	49	53	47	1	1	52	46	—	—	—	—
40—	4,682	3,451	138	96	100	58	89	52	4	—	84	51	1	—	1	—
45—	8,149	5,529	174	119	124	84	110	71	3	1	107	70	—	—	—	—
50—	14,559	8,697	269	111	200	64	186	53	12	1	170	51	2	1	2	—
55—	24,205	12,762	399	131	302	77	288	63	22	—	263	63	3	—	2	—
60—	32,752	18,952	480	176	372	92	353	79	31	2	319	77	2	—	1	—
65—	37,261	26,635	551	176	409	83	389	78	42	—	346	77	1	1	1	1
70—	41,878	37,662	453	185	323	77	308	66	31	—	277	66	—	—	—	—
75—	41,127	47,593	296	170	188	65	179	50	14	—	165	50	—	—	—	—
80—	33,074	47,726	139	101	83	37	78	32	6	—	72	31	—	—	—	—
85 and over	24,595	48,091	55	89	26	31	24	26	—	1	24	25	—	—	—	—

Causes of death	TUBERCULOSIS 003·1 Pleurisy with effusion without mention of cause		004-008* 010-019 Other forms		010 Meninges and central nervous system		011 Intestines, peritoneum, and mesenteric glands		012 Bones and joints, active or unspecified		012·0 Active or unspecified tuberculosis of vertebral column		012·1;2;3 Others included under 012		013, 014* 015 Lymphatic system	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	2	1	181	133	39	24	13	19	39	19	36	15	3	4	2	5
0—	—	—	3	3	3	2	—	—	—	—	—	—	—	—	—	—
1—	—	—	9	7	8	7	—	—	1	—	1	—	—	—	—	—
5—	—	—	5	1	4	1	1	—	—	—	—	—	—	—	—	—
10—	—	—	3	1	2	1	—	—	1	—	1	—	—	—	—	—
15—	—	—	9	7	2	5	—	1	1	—	1	—	—	—	—	—
20—	—	—	6	3	4	2	1	—	—	1	—	1	—	—	—	—
25—	—	—	5	5	1	—	—	—	2	1	2	1	—	—	—	—
30—	—	—	4	6	1	1	—	1	1	1	1	1	—	—	—	—
35—	—	—	14	2	3	—	—	1	1	—	1	—	—	—	—	—
40—	—	—	11	6	2	1	3	2	1	—	1	—	—	—	—	1
45—	—	—	14	13	2	3	—	—	2	—	2	—	—	—	—	—
50—	—	1	14	11	1	—	1	1	2	3	2	3	—	—	—	—
55—	1	—	14	14	1	—	2	2	3	1	3	1	—	—	—	2
60—	1	—	19	13	3	—	1	4	4	1	3	1	1	—	—	—
65—	—	—	20	5	1	—	1	2	7	—	6	—	1	—	2	1
70—	—	—	15	11	1	1	1	2	6	3	5	1	1	2	—	—
75—	—	—	9	15	—	—	2	2	4	6	4	6	—	—	—	1
80—	—	—	5	5	—	—	—	—	3	1	3	—	—	1	—	—
85 and over	—	—	2	5	—	—	—	1	—	1	—	—	—	1	—	—

* **004** Primary tuberculosis complex with symptoms —; **005** Tracheobronchial glandular tuberculosis with symptoms *20*; **006** Radiological evidence suggestive of active respiratory tuberculosis not classifiable elsewhere —; **007** Other respiratory tuberculosis —; **008** Tuberculosis, unspecified site 50, 50, 60, *40*, *80*; **013** Late effects of tuberculosis of bones and joints 50, 60, 70, 85, *70*; **014** Tuberculosis of skin and subcutaneous cellular tissue *80*.

TABLE 17—*continued*

3 Deaths are not assigned to any of the following categories as the underlying cause, where the interval between onset of the disease and death was stated to exceed one year:—040-043, 050-052, 055, 056, 057·0, 057·1, 057·3, 0·58, 059, 061, 084-087, 089, 091, 094, 100-108, 480-483, 490-493, 640-689. For details of these categories see Table 7.

Causes of death	TUBERCULOSIS 016 Genito-urinary system		017 Adrenal glands		018 Other organs		019 Disseminated tuberculosis		019·0;1* 019·2 Other forms of disseminated tuberculosis		020-029 Syphilis and its sequelae		020 Congenital syphilis		021* 022 Aneurysm of aorta	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	48	28	7	5	7	5	22	26	22	25	509	313	3	5	303	198
0—	—	1	—	—	—	—	—	—	—	—	—	1	—	1	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	5	—	—	—	—	1	1	—	1	—	—	—	—	—	—	—
20—	1	—	—	—	—	—	—	—	—	—	2	—	1	—	1	—
25—	2	2	—	—	—	1	—	1	—	1	1	1	—	—	—	1
30—	2	2	—	—	—	—	—	1	—	1	1	1	—	—	—	—
35—	6	1	2	—	—	—	2	—	2	—	12	3	1	—	2	1
40—	4	1	—	—	—	—	1	1	1	1	12	7	—	—	3	—
45—	5	3	1	1	1	2	3	4	3	4	15	5	—	—	7	2
50—	4	4	1	1	2	—	2	2	2	2	29	11	—	—	12	4
55—	3	6	1	—	1	—	3	3	3	3	48	15	1	—	25	4
60—	4	2	1	—	2	1	3	5	3	5	70	32	—	—	43	15
65—	6	2	—	—	—	—	3	—	3	—	97	43	—	3	61	21
70—	4	—	1	3	—	—	1	1	1	—	92	60	—	1	60	36
75—	1	1	—	—	1	—	1	5	1	5	78	61	—	—	54	49
80—	—	1	—	—	—	—	2	2	2	2	38	40	—	—	25	35
85 and over	1	2	—	—	—	—	—	1	—	1	14	33	—	—	10	30

Causes of death	023 Other cardio-vascular syphilis		024 Tabes dorsalis		025 General paralysis of insane		026 Other syphilis of central nervous system		027 Other forms of late syphilis		028, 029, 030-039* 030-039 Gonococcal infection and other venereal diseases		040-049 Infectious diseases commonly arising in intestinal tract		040, 041* 042 Other Salmonella infections	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	126	71	23	6	28	16	23	13	2	3	9	—	38	20	10	11
0—	—	—	—	—	—	—	—	—	—	—	—	—	9	3	2	1
1—	—	—	—	—	—	—	—	—	—	—	—	—	4	2	2	1
5—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
25—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
30—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
35—	5	1	1	—	3	—	—	1	—	—	—	—	3	—	—	—
40—	7	4	—	—	1	1	1	1	—	1	—	—	1	—	—	—
45—	4	3	1	—	2	—	—	—	1	—	—	—	1	1	—	1
50—	13	4	—	1	1	2	3	—	—	—	—	—	3	—	1	—
55—	13	6	3	—	2	3	3	2	—	—	—	—	3	1	1	—
60—	18	12	5	2	2	2	2	1	—	—	1	—	1	2	—	2
65—	19	11	4	1	10	3	3	2	—	1	1	—	1	2	1	1
70—	20	13	5	1	4	4	3	5	—	—	3	—	1	2	1	1
75—	13	9	2	1	3	1	5	—	1	1	2	—	3	2	1	1
80—	10	4	1	—	—	—	2	1	—	—	—	—	2	3	1	2
85 and over	2	3	1	—	—	—	1	—	—	—	2	—	3	1	—	1

* **019·0**; **1** Acute miliary tuberculosis *70*; **021** Early syphilis —; **028** Latent syphilis —; **029** Syphilis, unqualified 55, *65*; **030** Acute or unspecified gonorrhoea —; **031** Chronic gonococcal infection of genito-urinary system —; **032** Gonococcal infection of joint —; **033** Gonococcal infection of eye —; **034** Gonococcal infection of other sites —; **035** Late effects of gonococcal infection 60, 65, 70, 70, 70, 75, 75, 85, 85; **036** Chancroid —; **037** Lymphogranuloma venereum —; **038** Granuloma inguinale, venereal —; **039** Other and unspecified venereal diseases —; **040** Typhoid fever 45, 75, *55*, *65*; **041** Paratyphoid fever 0, 35, 40.

(88065)

TABLE 17—*continued*

Causes of death	043, 044* 045 Bacillary dysentery		046-049* 050-064 Other bacterial diseases		050 Scarlet fever		051 Streptococcal sore throat		052 Erysipelas		053 Septicaemia and pyaemia		053·0 Strepto-coccus		053·1 Staphylo-coccus	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	16	5	190	132	—	2	2	6	—	7	64	45	4	4	24	18
0—	5	2	69	33	—	—	1	—	—	—	15	8	—	2	5	1
1—	1	—	39	20	—	—	—	1	—	—	7	3	—	—	1	1
5—	2	—	8	6	—	1	1	1	—	—	1	1	1	—	—	—
10—	—	—	5	1	—	—	—	—	—	—	3	—	—	—	1	—
15—	—	—	6	6	—	—	—	2	—	—	3	1	—	—	1	1
20—	—	—	2	2	—	—	—	—	—	—	—	2	—	—	—	2
25—	—	1	2	2	—	—	—	1	—	—	1	—	—	—	1	—
30—	—	—	3	2	—	—	—	—	—	—	2	—	—	—	—	—
35—	—	—	3	3	—	—	—	—	—	—	1	3	—	—	—	2
40—	—	—	3	4	—	—	—	—	—	—	1	2	—	—	1	2
45—	—	—	2	2	—	—	—	—	—	—	1	2	—	—	—	—
50—	1	—	7	1	—	—	—	—	—	—	5	1	1	—	2	—
55—	2	—	9	9	—	—	—	—	—	2	4	4	—	1	1	1
60—	1	—	7	11	—	—	—	—	—	1	4	6	1	—	1	3
65—	—	—	8	7	—	—	—	1	—	—	4	2	—	1	3	1
70—	—	1	9	10	—	—	—	—	—	1	7	5	1	—	4	3
75—	—	—	5	9	—	1	—	—	—	2	3	3	—	—	2	1
80—	1	1	3	3	—	—	—	—	—	1	2	1	—	—	1	—
85 and over	3	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—

Causes of death	053·2 Pneumo-coccus		053·3 Other specified organism		053·4 Organism unspecified		054, 055* 056 Whooping cough		057 Meningo-coccal infections		058, 059, 060* 061 Tetanus		062, 063, 064* 070-074 Spirochaetal diseases except syphilis		070, 071* 072 Leptospirosis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	5	3	8	1	23	19	15	9	88	50	13	6	14	2	14	1
0—	2	—	1	—	7	5	10	8	43	17	—	—	—	—	—	—
1—	—	—	—	—	6	2	5	—	26	15	1	—	—	—	—	—
5—	—	—	—	—	—	1	—	—	1	3	3	—	—	—	—	—
10—	—	—	2	—	—	—	—	1	1	—	1	—	—	—	—	—
15—	1	—	—	—	1	—	—	—	3	3	—	—	—	—	—	—
20—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—
25—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—
30—	—	—	—	—	2	—	—	—	—	1	1	—	1	—	1	—
35—	—	—	1	—	—	1	—	—	2	—	—	—	1	—	—	—
40—	—	—	—	—	—	—	—	—	1	2	—	—	—	1	—	1
45—	—	1	1	1	—	—	—	—	—	—	1	—	1	—	1	—
50—	—	—	1	—	1	1	—	—	1	—	—	—	2	—	2	—
55—	1	1	2	—	—	1	—	—	2	1	—	1	3	—	3	—
60—	—	1	—	—	2	2	—	—	1	2	2	1	5	—	5	—
65—	—	—	—	—	1	—	—	—	3	3	1	1	—	—	—	—
70—	—	—	—	—	2	2	—	—	—	2	1	—	—	—	—	—
75—	1	—	—	—	—	2	—	—	1	—	1	2	1	—	1	—
80—	—	—	—	—	1	1	—	—	—	—	1	1	—	—	—	—
85 and over	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—

* **043** Cholera —; **044** Brucellosis (undulant fever) 75; **046** Amoebiasis 20, 35, 35, 50; **047** Other protozoal dysentery —; **048** Unspecified forms of dysentery 0, *1*, *75*; **049** Food poisoning (infection and intoxication) 1; **054** Bacterial toxaemia *30*; **055** Diphtheria 5, 5; **058** Plague 40; **059** Tularaemia —; **060** Leprosy —; **062** Anthrax 50; **063** Gas gangrene 55, 55, 70, *55*, *70*, *75*; **064** Other bacterial diseases 55, *1*, *60*, *70;* **070** Vincent's infection *85*; **071** Relapsing fever —.

TABLE 17—*continued*

Causes of death	073, 074* 080-096 Diseases attributable to viruses		080 Acute poliomyelitis		080·0 Specified as bulbar or polio-encephalitis		080·1 With other paralysis		080·2* 080·3 Unspecified		081 Late effects of acute poliomyelitis		082 Acute infectious encephalitis		083 Late effects of acute infectious encephalitis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	337	375	12	6	2	3	5	2	5	1	14	13	60	57	46	43
0—	30	18	—	—	—	—	—	—	—	—	—	—	13	10	—	—
1—	43	34	1	2	—	1	1	—	—	1	—	—	12	14	—	—
5—	16	14	—	1	—	1	—	—	—	—	—	1	4	2	—	—
10—	12	9	—	—	—	—	—	—	—	—	—	3	4	1	—	—
15—	10	10	2	—	—	—	—	—	2	—	—	—	3	3	—	—
20—	7	4	—	—	—	—	—	—	—	—	2	—	2	1	—	—
25—	7	6	2	1	—	—	2	1	—	—	1	1	2	—	—	—
30—	14	11	3	1	—	—	—	1	3	—	5	2	2	4	—	1
35—	14	20	1	—	1	—	—	—	—	—	2	2	3	5	1	2
40—	18	20	3	1	1	1	2	—	—	—	1	1	3	3	3	4
45—	22	24	—	—	—	—	—	—	—	—	1	—	1	2	6	5
50—	22	28	—	—	—	—	—	—	—	—	—	—	2	2	14	8
55—	23	20	—	—	—	—	—	—	—	—	—	—	3	—	8	3
60—	17	30	—	—	—	—	—	—	—	—	—	1	1	6	7	8
65—	27	32	—	—	—	—	—	—	—	—	1	1	1	2	3	8
70—	19	31	—	—	—	—	—	—	—	—	1	1	2	1	2	2
75—	16	29	—	—	—	—	—	—	—	—	—	—	2	—	2	1
80—	12	15	—	—	—	—	—	—	—	—	—	—	—	1	—	—
85 and over	8	20	—	—	—	—	—	—	—	—	—	—	—	—	—	1

Causes of death	084* 085 Measles		086* 087 Chickenpox		088 Herpes zoster		089, 090, 091* 092 Infectious hepatitis		093, 094, 095* 096 Other diseases attributable to viruses		100-108* 100-108 Typhus and other rickettsial diseases		110-117 Malaria		110-117* 120-138 Other infective and parasitic diseases	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	20	19	17	6	22	30	113	168	18	7	—	—	4	1	72	67
0—	3	1	2	1	—	—	2	1	10	4	—	—	—	—	3	2
1—	8	11	5	2	—	—	10	3	4	2	—	—	—	—	—	—
5—	8	6	3	—	—	—	1	2	—	—	—	—	—	—	—	—
10—	1	—	2	—	—	—	2	4	1	—	—	—	—	—	—	1
15—	—	—	—	—	—	—	4	5	—	—	—	—	—	—	—	1
20—	—	—	—	—	—	—	—	2	—	—	—	—	1	—	1	1
25—	—	—	—	—	—	—	1	3	—	—	—	—	—	—	5	2
30—	—	—	1	—	—	—	2	3	1	—	—	—	—	—	5	2
35—	—	1	—	—	—	—	6	10	—	—	—	—	1	—	3	2
40—	—	—	—	—	—	—	7	10	—	—	—	—	1	—	3	6
45—	—	—	1	—	—	1	12	14	—	—	—	—	1	—	8	3
50—	—	—	—	1	—	—	6	16	—	—	—	—	—	—	6	7
55—	—	—	1	—	1	1	9	14	—	—	—	—	—	—	11	9
60—	—	—	—	—	1	1	8	14	—	—	—	—	—	1	7	8
65—	—	—	1	1	—	1	21	17	—	—	—	—	—	—	8	9
70—	—	—	—	—	4	7	10	17	—	—	—	—	—	—	6	5
75—	—	—	—	—	5	5	5	18	1	1	—	—	—	—	3	4
80—	—	—	1	—	6	5	5	8	—	—	—	—	—	—	1	3
85 and over	—	—	—	1	5	9	2	7	1	—	—	—	—	—	2	2

* **073** Yaws —; **074** Other spirochaetal infections —; **080·2** Acute poliomyelitis specified as non-paralytic —; **084** Smallpox 1, 1, 20, 35, 40, 45, 55, *0*, *5*, *20*, *25*, *40*, *45*, *50*, *55*, *55*, *65*, *65*, *70*, *70*, *75*, *75*, *75*, *80*, *85*, *85*,; **086** Rubella (German measles) 1, 10, *5*, *10*, *15*, *45*; **089** Mumps 10, 75, *75*; **090** Dengue —; **091** Yellow fever —; **093** Glandular fever (infectious mononucleosis 15, 20, 20, 25, *15*, *70*,; **094** Rabies —; **095** Trachoma —; **100** Louse-borne epidemic typhus —; **101** Flea-borne endemic typhus (murine) —; **102** Brill's disease, not specified as louse- or flea-borne —; **103** Tabardillo (Mexican typhus), not specified as louse- or flea-borne —; **104** Tick-borne typhus —; **105** Mite-borne typhus —; **106** Volhynian fever (trench fever) —; **107** Typhus, unspecified —; **108** Other rickettsial diseases —; **110** Vivax malaria (benign tertian) —; **111** Malariae malaria (quartan) —; **112** Falciparum malaria (malignant tertian) 20, 35, 40, 45, *60*; **113** Ovale malaria —; **114** Mixed malarial infections —; **115** Blackwater fever —; **116** Other and unspecified forms of malaria —; **117** Recurrent induced malaria —.

(88065)

TABLE 17—*continued*

Causes of death	120-124*		126-133*		135, 136, 137*		NEOPLASMS									
	125 Hydatid disease		134 Other fungus infections		138 Other infective and parasitic diseases		II 140-239 Neoplasms		140-205 Malignant neoplasms including neoplasms of lymphatic and haemato-poietic tissues		140-148 Malignant neoplasm of buccal cavity and pharynx		140 Lip		140·0 Upper lip	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	9	7	13	10	39	45	55,292	47,560	54,735	46,873	1,061	631	63	7	5	3
0—	—	—	2	1	—	—	44	38	28	29	—	—	—	—	—	—
1—	—	—	—	—	—	—	171	147	154	138	2	—	—	—	—	—
5—	—	—	—	—	—	—	124	111	116	105	2	1	—	—	—	—
10—	—	—	—	—	—	—	123	90	107	83	2	1	—	—	—	—
15—	—	—	—	—	—	—	182	115	177	108	3	—	—	—	—	—
20—	—	—	—	—	—	1	185	112	176	103	2	1	—	—	—	—
25—	—	—	—	1	3	—	223	197	211	185	4	3	—	—	—	—
30—	—	—	1	—	3	2	331	373	311	349	2	4	—	—	—	—
35—	1	—	—	—	2	2	580	856	568	826	11	16	1	—	—	—
40—	—	1	—	2	3	3	1,039	1,504	1,016	1,465	23	9	—	—	—	—
45—	—	—	4	—	2	3	2,130	2,422	2,084	2,361	24	27	1	—	—	—
50—	2	1	2	1	1	5	4,180	3,751	4,111	3,688	56	42	1	—	—	—
55—	—	—	—	2	10	6	7,001	4,884	6,934	4,795	70	63	2	1	—	—
60—	1	—	1	—	5	8	8,872	5,783	8,805	5,716	110	72	4	—	—	—
65—	2	2	1	1	4	6	8,970	6,443	8,914	6,377	158	91	5	1	—	—
70—	1	—	1	—	4	5	8,461	6,694	8,406	6,633	180	95	12	1	2	1
75—	2	2	—	1	1	1	6,782	6,382	6,751	6,326	177	84	15	2	1	1
80—	—	1	1	—	—	2	4,022	4,618	4,003	4,584	145	63	13	2	—	1
85 and	—	—	—	1	1	1	1,872	3,040	1,863	3,002	90	59	9	—	2	—

Causes of death	NEOPLASMS															
	140·1 Lower lip		140·8; 9 Others included under 140		141 Tongue		141·0 Base of tongue		141·7 Other specified parts of tongue		141·8; 9 Others included under 141		142 Salivary gland		142·0 Parotid gland	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	51	3	7	1	289	128	113	29	132	81	44	18	74	73	62	59
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—
25—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—
35—	1	—	—	—	2	1	—	1	1	—	1	—	—	4	—	4
40—	—	—	—	—	5	1	2	—	1	1	2	—	3	1	1	1
45—	—	—	1	—	6	1	3	—	2	1	1	—	2	3	1	2
50—	1	—	—	—	17	6	5	2	10	3	2	1	4	5	3	5
55—	—	1	2	—	19	5	11	—	7	5	1	—	6	7	4	5
60—	2	—	2	—	28	14	11	5	13	7	4	2	8	8	8	7
65—	4	1	1	—	48	20	14	4	28	11	6	5	10	8	7	5
70—	9	—	1	—	41	20	15	3	20	15	6	2	14	6	14	5
75—	14	—	—	1	48	18	19	3	21	12	8	3	9	9	7	7
80—	13	1	—	—	45	20	24	7	13	11	8	2	7	10	7	8
85 and over	7	—	—	—	29	21	9	4	15	14	5	3	10	12	9	10

* **120** Leishmaniasis —; **121** Trypanosomiasis —; **122** Other protozoal diseases 0, *0*, *15*, *25*; **123** Schistomiasis 20, 25, *55*; **124** Other trematode infestation —; **126** Other cestode infestation 50; **127** Filariasis —; **128** Trichiniasis —; **129** Ankylostomiasis 45; **130** Infestation with worms of other, mixed and unspecified type 30, *10*; **131** Dermatophytosis —; **132** Actinomycosis 25, 45, 55, 65, 85; **133** Coccidioidomycosis —; **135** Scabies —; **136** Pediculosis —; **137** Other arthropod infestation —.

TABLE 17—*continued*

Causes of death	NEOPLASMS															
	142·7 Other salivary gland		142·8; 9 Others included under 142		143 Floor of mouth		144 Other parts of mouth and mouth unspecified		145 Oral meso-pharynx		145·0 Tonsil (excluding pillars)		145·7-9 Others included under 145		146 Naso-pharynx	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	12	13	—	1	63	18	153	72	142	61	98	53	44	8	92	41
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1
15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—
20—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—
25—	—	—	—	—	—	—	—	1	1	—	—	1	—	—	3	1
30—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	1	1
35—	—	—	—	—	1	1	1	1	2	1	2	1	—	—	3	1
40—	2	—	—	—	—	—	3	—	5	—	4	—	1	—	4	1
45—	1	1	—	—	—	—	2	2	1	2	—	1	1	1	6	2
50—	1	—	—	—	3	2	5	5	5	2	4	2	1	—	9	1
55—	2	2	—	—	5	2	9	4	8	6	6	6	2	—	8	4
60—	—	1	—	—	4	2	18	7	8	8	6	7	2	1	18	3
65—	3	3	—	—	11	3	19	9	25	12	19	10	6	2	10	10
70—	—	1	—	—	15	3	26	13	28	7	15	5	13	2	7	5
75—	2	2	—	—	8	3	28	14	30	10	22	9	8	1	9	5
80—	—	2	—	—	10	—	22	7	20	7	15	6	5	1	4	3
85 and	1	1	—	1	6	2	20	9	9	5	5	5	4	—	1	2

Causes of death	NEOPLASMS															
	147 Hypo-pharynx		148 Pharynx, unspecified		150-159 Malignant neoplasm of digestive organs and peritoneum		150 Oesophagus		151 Stomach		152 Small intestine, including duodenum		152·0 Duodenum		152·7-9 Others included under 152	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	125	211	60	20	19,061	18,412	1,391	1,050	7,722	5,874	121	106	39	19	82	87
0—	—	—	—	—	4	1	—	—	—	—	—	—	—	—	—	—
1—	—	—	—	—	4	3	—	—	—	—	1	—	—	—	1	—
5—	—	—	—	—	5	1	—	—	—	—	1	—	—	—	1	—
10—	—	—	—	—	2	6	—	—	—	—	—	1	—	—	—	1
15—	—	—	1	—	8	1	1	—	2	—	—	—	—	—	—	—
20—	—	—	—	—	11	11	1	—	2	4	1	—	1	—	—	—
25—	—	1	—	—	29	26	2	2	7	13	—	1	—	—	—	1
30—	—	2	—	—	64	54	3	2	19	17	—	—	—	—	—	—
35—	—	7	1	—	146	157	8	6	55	46	—	1	—	—	—	1
40—	2	5	1	1	291	255	13	15	125	75	4	3	—	—	4	3
45—	5	16	1	1	650	471	52	34	267	123	6	7	—	1	6	6
50—	10	18	2	3	1,227	882	82	44	552	254	10	9	6	1	4	8
55—	8	29	5	5	2,183	1,386	145	83	993	392	19	15	8	—	11	15
60—	12	29	10	1	2,782	1,970	191	110	1,198	588	16	12	7	4	9	8
65—	23	26	7	2	3,030	2,599	224	151	1,248	825	21	14	5	1	16	13
70—	25	37	12	3	3,139	3,012	225	157	1,308	992	20	14	6	4	14	10
75—	21	21	9	2	2,829	3,301	211	198	1,071	1,115	13	19	4	4	9	15
80—	14	14	10	—	1,805	2,563	141	145	624	881	6	3	1	2	5	1
85 and over	5	6	1	2	852	1,713	92	103	251	549	3	7	1	2	2	5

TABLE 17—*continued*

Causes of death	NEOPLASMS															
	153 Large intestine, except rectum		153·3 Sigmoid colon		153·8 Large intestine (including colon), part unspecified		153·0-2; 7; 9 Others included under 153		154 Rectum		155 Biliary passages and of liver (stated to be primary site)		155·0 Liver		155·1; 8 Others included under 155	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**3,693**	**5,473**	**1,314**	**1,782**	**450**	**605**	**1,929**	**3,086**	**2,953**	**2,440**	**619**	**935**	**256**	**205**	**363**	**730**
0—	—	—	—	—	—	—	—	—	—	—	4	—	4	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	1	3	1	3	—	—
5—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—
10—	—	2	—	—	—	—	—	2	—	—	—	1	—	1	—	—
15—	2	1	—	1	2	—	—	—	—	—	1	—	1	—	—	—
20—	4	3	2	—	—	—	2	3	2	3	1	1	1	1	—	—
25—	9	6	4	2	—	1	5	3	4	3	5	—	4	—	1	—
30—	16	15	3	6	1	1	12	8	12	7	5	4	3	—	2	4
35—	36	47	10	21	5	4	21	22	24	29	2	11	2	7	—	4
40—	52	81	17	29	4	7	31	45	43	41	10	11	7	6	3	5
45—	113	165	36	62	17	23	60	80	69	70	32	19	13	10	19	9
50—	199	265	85	94	23	34	91	137	157	152	41	29	21	8	20	21
55—	359	408	135	148	41	43	183	217	290	196	70	77	33	24	37	53
60—	496	589	184	236	50	58	262	295	398	250	103	118	51	21	52	97
65—	543	714	196	236	72	59	275	419	462	342	86	150	35	31	51	119
70—	597	850	207	280	76	119	314	451	487	372	84	177	28	28	56	149
75—	600	989	210	297	73	118	317	574	498	394	97	163	29	34	68	129
80—	447	793	158	227	60	77	229	489	338	340	53	114	17	24	36	90
85 and over	220	545	67	143	26	61	127	341	169	241	23	57	6	7	17	50

Causes of death	NEOPLASMS															
	156 Liver (secondary and unspecified)		157 Pancreas		158 Peritoneum		159 Unspecified digestive organs		160-165 Malignant neoplasm of respiratory system		160 Nose, nasal cavities, middle ear and accessory sinuses		160·0 Nose (internal) and nasal cavities		160·1 Eustachian tube and middle ear	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**325**	**298**	**2,103**	**2,017**	**102**	**186**	**32**	**33**	**21,064**	**3,806**	**114**	**115**	**24**	**21**	**15**	**13**
0—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	1	—	—	—	1	—	—	—	1	1	—	—	—	—	—	—
5—	1	1	—	—	2	—	—	—	1	1	—	1	—	—	—	—
10—	1	2	—	—	1	—	—	—	1	—	—	—	—	—	—	—
15—	1	—	—	—	1	—	—	—	6	3	1	—	1	—	—	—
20—	—	—	—	—	—	—	—	—	8	3	—	—	—	—	—	—
25—	—	—	1	—	1	1	—	—	16	5	—	—	—	—	—	—
30—	3	—	4	8	2	1	—	—	58	24	—	1	—	—	—	—
35—	4	1	11	11	6	4	—	1	157	56	2	—	1	—	—	—
40—	6	3	34	21	3	4	1	1	365	119	7	7	1	—	3	3
45—	10	7	92	36	6	9	3	1	888	213	3	5	—	2	1	—
50—	12	14	157	100	14	14	3	1	1,998	355	17	13	4	4	3	2
55—	28	20	261	171	15	21	3	3	3,460	480	12	7	5	—	1	1
60—	63	22	300	244	13	35	4	2	4,328	618	14	11	1	2	1	1
65—	67	52	362	311	12	34	5	6	4,004	585	9	12	1	1	1	3
70—	50	60	349	363	13	23	6	4	3,096	534	17	20	5	4	—	1
75—	46	59	284	339	5	19	4	6	1,786	442	18	10	3	—	4	1
80—	18	31	174	238	3	11	1	7	686	262	12	21	1	5	1	—
85 and over	14	25	74	175	4	10	2	1	205	105	2	7	1	3	—	1

TABLE 17—*continued*

Causes of death	NEOPLASMS															
	160·2 Maxillary sinus		160·7 Other specified sinus (accessory)		160·8; 9 Others included under 160		161 Larynx		162 Bronchus and trachea, and of lung specified as primary		162·0 Trachea		162·1 Bronchus and lung		162·2 Pleura	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**64**	**72**	**10**	**8**	**1**	**1**	**626**	**153**	**13,912**	**2,335**	**24**	**11**	**13,882**	**2,321**	**4**	**1**
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—
5—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	2	1	—	—	2	1	—	—
20—	—	—	—	—	—	—	—	—	6	—	—	—	6	—	—	—
25—	—	—	—	—	—	—	1	—	11	4	—	—	11	4	—	—
30—	—	1	—	—	—	—	2	2	40	12	—	—	40	12	—	—
35—	—	—	1	—	—	—	1	3	112	36	—	1	112	35	—	—
40—	2	2	1	1	—	1	7	4	260	80	—	1	259	79	1	—
45—	1	2	1	1	—	—	18	9	594	139	—	1	593	138	1	—
50—	6	7	3	—	1	—	38	14	1,358	215	5	—	1,353	215	—	—
55—	6	4	—	2	—	—	79	9	2,308	312	6	1	2,299	310	2	—
60—	11	7	1	1	—	—	104	32	2,915	387	5	1	2,910	385	—	1
65—	7	8	—	—	—	—	109	22	2,601	382	5	2	2,595	380	—	—
70—	12	14	—	1	—	—	106	18	2,020	309	2	3	2,018	306	—	—
75—	11	7	—	2	—	—	77	24	1,126	264	1	—	1,125	264	—	—
80—	7	16	3	—	—	—	56	11	432	138	—	—	432	138	—	—
85 and over	1	3	—	—	—	—	28	5	126	56	—	1	126	54	—	—

Causes of death	NEOPLASMS															
	162·8 Multiple sites		163 Lung, unspecified as to whether primary or secondary		164 Mediastinum		165 Thoracic organs (secondary)		170-181 Malignant neoplasm of breast and genito-urinary organs		170 Breast		171 Cervix uteri	172 Corpus uteri
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	F	F
All ages	**2**	**2**	**6,366**	**1,166**	**32**	**20**	**14**	**17**	**7,414**	**18,414**	**79**	**9,351**	**2,511**	**1,255**
0—	—	—	—	—	—	—	—	—	5	2	—	—	—	—
1—	—	—	—	1	—	—	—	—	20	20	—	—	—	—
5—	—	—	—	—	1	—	—	—	19	12	—	—	—	—
10—	—	—	—	—	1	—	—	—	2	5	—	—	—	—
15—	—	—	1	1	2	1	—	—	12	6	—	1	—	—
20—	—	—	2	1	—	2	—	—	26	15	—	2	1	—
25—	—	—	4	1	—	—	—	—	27	48	1	24	6	1
30—	—	—	16	9	—	—	—	—	35	147	—	84	23	1
35—	—	—	42	16	—	1	—	—	45	423	3	226	108	6
40—	—	—	90	27	1	1	—	—	63	856	1	427	228	29
45—	—	—	273	59	—	—	—	1	136	1,376	7	741	280	39
50—	—	—	581	111	2	1	2	1	258	1,976	2	1,103	284	87
55—	1	1	1,053	149	7	—	1	3	499	2,319	13	1,223	264	161
60—	—	—	1,291	184	3	2	1	2	785	2,419	9	1,203	321	209
65—	1	—	1,278	163	6	1	1	5	990	2,413	8	1,159	304	225
70—	—	—	944	176	4	7	5	4	1,369	2,274	8	1,072	253	208
75—	—	—	557	143	5	1	3	—	1,469	1,905	9	930	232	140
80—	—	—	186	92	—	—	—	—	1,086	1,310	13	668	123	90
85 and over	—	1	48	33	—	3	1	1	568	888	5	488	84	59

TABLE 17—*continued*

Causes of death	NEOPLASMS							
	173 Other parts of uterus, including chorion-epithelioma	174 Uterus unspecified	175 Ovary, Fallopian tube and broad ligament	175·0 Ovary	175·1 Fallopian tube and broad ligament	175·8; 9 Others included under 175	176 Other and unspecified female genital organs	176·0 Vulva
Ages at death	F	F	F	F	F	F	F	F
All ages	**40**	**209**	**3,061**	**3,032**	**27**	**2**	**520**	**376**
0—	—	—	—	—	—	—	—	—
1—	—	—	1	1	—	—	—	—
5—	—	—	1	1	—	—	—	—
10—	—	—	3	3	—	—	—	—
15—	—	—	4	4	—	—	—	—
20—	1	—	9	9	—	—	—	—
25—	2	—	13	13	—	—	1	—
30—	6	1	25	25	—	—	1	—
35—	2	5	59	55	3	1	5	4
40—	2	4	133	133	—	—	6	4
45—	6	15	235	233	2	—	14	9
50—	3	17	381	376	5	—	24	14
55—	7	19	498	495	3	—	31	24
60—	4	30	462	459	2	1	35	25
65—	2	39	424	417	7	—	75	49
70—	1	27	366	363	3	—	100	76
75—	2	26	229	227	2	—	85	65
80—	2	14	158	158	—	—	75	58
85 and over	—	12	60	60	—	—	68	48

Causes of death	NEOPLASMS							
	176·1 Vagina	176·7-9 Others included under 176	177 Prostate	178 Testis	179 Other and unspecified male genital organs	179·0 Penis	179·1 Scrotum	179·7-9 Others included under 179
Ages at death	F	F	M	M	M	M	M	M
All ages	**138**	**6**	**3,820**	**207**	**129**	**105**	**19**	**5**
0—	—	—	—	—	—	—	—	—
1—	—	—	—	3	—	—	—	—
5—	—	—	—	2	—	—	—	—
10—	—	—	1	—	—	—	—	—
15—	—	—	—	8	1	—	—	1
20—	—	—	—	20	—	—	—	—
25—	1	—	—	23	—	—	—	—
30—	1	—	—	30	—	—	—	—
35—	1	—	2	19	3	2	1	—
40—	2	—	3	12	—	—	—	—
45—	4	1	20	13	4	1	2	1
50—	9	1	41	19	7	5	1	1
55—	6	1	126	18	11	10	1	—
60—	9	1	286	10	18	15	2	1
65—	26	—	451	8	12	9	3	—
70—	23	1	768	10	22	17	4	1
75—	20	—	955	6	27	24	3	—
80—	16	1	773	5	16	14	2	—
85 and over	20	—	394	1	8	8	—	—

TABLE 17—*continued*

Causes of death	NEOPLASMS															
	180 Kidney		181 Bladder and other urinary organs		181 Bladder		181·7; 8 Others included under 181		190-199 Malignant neoplasm of other and unspecified sites		190 Malignant melanoma of skin		191 Other malignant neoplasm of skin		192 Eye	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**842**	**501**	**2,337**	**966**	**2,323**	**941**	**14**	**25**	**3,141**	**3,027**	**171**	**250**	**248**	**206**	**87**	**64**
0—	5	2	—	—	—	—	—	—	8	11	—	—	—	1	—	—
1—	16	17	1	2	1	2	—	—	40	48	—	—	—	—	2	1
5—	16	10	1	1	1	1	—	—	34	34	—	—	—	—	2	1
10—	1	2	—	—	—	—	—	—	38	35	—	1	—	—	—	—
15—	2	1	1	—	1	—	—	—	61	52	1	1	—	—	—	—
20—	6	2	—	—	—	—	—	—	54	23	7	4	—	1	—	—
25—	2	1	1	—	1	—	—	—	43	47	6	7	1	1	1	1
30—	2	5	3	1	3	1	—	—	55	58	11	16	1	—	2	—
35—	6	10	12	2	11	2	1	—	107	85	12	18	—	—	1	1
40—	24	16	23	11	23	9	—	2	131	124	9	27	1	2	5	4
45—	43	20	49	26	49	25	—	1	203	141	10	16	5	2	3	5
50—	92	38	97	39	95	38	2	1	333	251	21	26	13	7	11	3
55—	142	48	189	68	188	68	1	—	405	335	15	16	18	14	12	7
60—	131	63	331	92	328	91	3	1	455	354	19	19	17	17	12	7
65—	122	72	389	113	387	106	2	7	390	372	17	22	28	19	12	13
70—	109	70	452	177	451	174	1	3	287	358	21	30	35	27	10	7
75—	74	65	398	196	395	192	3	4	238	313	9	25	45	35	11	4
80—	31	37	248	143	248	138	—	5	152	229	9	14	40	41	2	7
85 and over	18	22	142	95	141	94	1	1	107	157	4	8	44	39	1	3

Causes of death	NEOPLASMS															
	193 Brain and other parts of nervous system		193·0 Brain		193·1 Spinal cord		193·2 Meninges		193·3 Peripheral nerves		193·4 Sympathetic nervous system		193·8; 9 Others included under 193		194 Thyroid gland	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**1,137**	**783**	**1,024**	**700**	**17**	**14**	**6**	**12**	**7**	**1**	**40**	**25**	**43**	**31**	**110**	**275**
0—	4	5	2	2	—	—	—	1	—	—	2	1	—	1	—	—
1—	27	33	13	22	1	1	—	—	—	—	13	9	—	1	—	—
5—	27	19	21	17	2	—	—	—	—	—	4	1	—	1	—	—
10—	24	20	19	14	—	1	—	1	—	—	3	4	2	—	—	—
15—	18	21	14	13	—	2	—	—	1	—	3	4	—	2	1	1
20—	26	10	21	8	1	1	—	—	—	—	2	—	2	1	—	—
25—	19	30	17	25	—	—	—	1	—	—	1	1	1	3	1	1
30—	25	25	22	22	1	—	—	—	—	—	—	—	2	3	—	4
35—	62	37	58	30	—	1	1	1	1	—	—	—	2	5	2	3
40—	90	55	87	51	—	2	—	—	—	—	3	2	—	—	—	4
45—	112	61	103	59	2	1	—	1	—	—	1	—	6	—	5	5
50—	170	97	160	92	2	1	—	—	2	1	1	2	5	1	16	9
55—	207	126	195	121	1	—	—	1	—	—	2	—	9	4	9	21
60—	170	103	156	99	4	—	2	1	—	—	1	—	7	3	18	42
65—	103	85	93	74	2	1	2	4	1	—	2	1	3	5	20	35
70—	34	40	27	37	—	2	1	—	1	—	2	—	3	1	15	61
75—	16	12	13	10	1	1	—	1	1	—	—	—	1	—	10	45
80—	2	1	2	1	—	—	—	—	—	—	—	—	—	—	8	32
85 and over	1	3	1	3	—	—	—	—	—	—	—	—	—	—	5	12

TABLE 17—*continued*

Causes of death	NEOPLASMS															
	195 Other endocrine glands		195·0 Suprarenal gland		195·3 Pituitary gland and cranio-pharyngeal duct		195·1; 2; 4-8 Others included under 195		196 Bone		197 Connective tissue		198 Secondary and unspecified malignant neoplasm of lymph nodes		199 Other and unspecified sites	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**59**	**37**	**42**	**25**	**6**	**4**	**11**	**8**	**322**	**259**	**141**	**149**	**51**	**25**	**815**	**979**
0—	4	2	4	2	—	—	—	—	—	3	—	—	—	—	—	—
1—	5	5	4	5	—	—	1	—	—	4	3	2	—	—	3	3
5—	2	1	2	1	—	—	—	—	2	8	1	3	—	—	—	2
10—	1	—	—	—	—	—	1	—	12	12	—	1	—	1	1	—
15—	4	1	2	—	2	1	—	—	29	20	6	5	—	—	2	3
20—	1	—	—	—	—	—	1	—	14	5	4	3	—	—	2	—
25—	1	1	—	—	—	1	1	—	7	1	3	2	—	—	4	3
30—	3	1	2	1	—	—	1	—	8	2	1	7	—	—	4	3
35—	3	1	—	—	1	—	2	1	10	6	4	5	2	—	11	14
40—	1	3	—	—	—	—	1	3	9	8	7	—	—	2	9	19
45—	2	3	2	2	—	—	—	1	15	8	10	13	—	1	41	27
50—	11	3	11	3	—	—	—	—	21	16	7	13	3	2	60	75
55—	3	7	3	4	—	1	—	2	31	15	16	10	1	3	93	116
60—	6	2	4	2	—	—	2	—	40	23	24	14	7	1	142	126
65—	8	3	5	2	2	—	1	1	31	30	25	15	10	3	136	147
70—	4	—	3	—	1	—	—	—	34	32	7	16	7	1	120	144
75—	—	4	—	3	—	1	—	—	32	27	8	13	6	3	101	145
80—	—	—	—	—	—	—	—	—	14	29	9	17	9	2	59	86
85 and over	—	—	—	—	—	—	—	—	13	10	6	10	6	6	27	66

Causes of death	NEOPLASMS															
	200-205 Neoplasms of lymphatic and haemato-poietic tissues		200 Lympho-sarcoma and reticulo-sarcoma		200·0 Reticulum-cell sarcoma		200·1 Lympho-sarcoma		200·2 Other primary malignant neoplasms of lymphoid tissue		201 Hodgkin's disease		202 Other forms of lymphoma (reticulosis)		202·0 Giant follicular lymphoma (Brill-Symmers' disease)	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**2,994**	**2,583**	**613**	**473**	**229**	**186**	**360**	**252**	**24**	**35**	**550**	**352**	**93**	**79**	**13**	**15**
0—	11	15	2	1	—	1	1	—	1	—	—	—	3	3	—	—
1—	87	66	7	5	2	2	5	2	—	1	2	—	2	2	1	—
5—	55	56	8	5	3	1	5	4	—	—	1	1	2	—	—	—
10—	62	36	8	7	4	1	4	6	—	—	3	1	2	—	—	—
15—	87	46	22	5	9	3	13	2	—	—	13	9	1	—	—	—
20—	75	50	12	6	7	1	5	5	—	—	30	20	—	—	—	—
25—	92	56	13	6	4	1	9	4	—	1	44	28	5	—	1	—
30—	97	62	10	10	6	4	4	6	—	—	48	18	2	—	1	—
35—	102	89	24	16	11	6	13	10	—	—	37	21	2	2	—	—
40—	143	102	29	15	12	11	16	4	1	—	42	20	2	1	—	—
45—	183	133	35	18	17	4	17	12	1	2	54	18	14	6	1	2
50—	239	182	51	39	23	19	24	18	4	2	49	26	8	4	2	—
55—	317	212	79	40	32	17	45	20	2	3	60	26	11	6	1	1
60—	345	283	75	58	28	20	41	33	6	5	46	38	15	12	3	6
65—	342	317	79	63	25	27	50	30	4	6	39	32	5	12	1	2
70—	335	360	88	71	26	34	58	33	4	4	41	48	7	11	1	2
75—	252	281	36	64	14	21	21	39	1	4	29	25	6	8	1	—
80—	129	157	25	24	3	9	22	13	—	2	11	18	5	8	—	2
85 and over	41	80	10	20	3	4	7	11	—	5	1	3	1	4	—	—

TABLE 17—*continued*

Causes of death	NEOPLASMS															
	202·1 Other		203 Multiple myeloma (plasmo-cytoma)		204 Leukaemia and aleukaemia		204·0 Lymphatic leukaemia		204·1 Myeloid leukaemia		204·2 Monocytic leukaemia		204·3 Acute leukaemia		204·4 Other and unspecified leukaemia	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**80**	**64**	**334**	**356**	**1,392**	**1,315**	**320**	**217**	**239**	**291**	**108**	**114**	**691**	**655**	**34**	**38**
0—	3	3	—	—	6	11	—	—	—	—	—	1	6	9	—	1
1—	1	2	—	1	76	58	4	—	3	3	3	2	65	51	1	2
5—	2	—	—	—	44	50	5	3	—	—	2	—	36	45	1	2
10—	2	—	—	—	49	28	—	2	4	2	3	3	42	21	—	—
15—	1	—	—	—	51	32	1	1	4	5	4	2	42	23	—	1
20—	—	—	—	—	33	24	—	—	6	1	3	4	24	18	—	1
25—	4	—	—	1	30	21	—	—	4	4	4	1	21	15	1	1
30—	1	—	2	—	35	34	2	—	12	6	2	4	19	24	—	—
35—	2	2	2	3	37	47	2	1	7	15	2	5	26	26	—	—
40—	2	1	15	6	54	59	4	—	16	17	5	10	28	32	1	—
45—	13	4	14	18	66	72	8	9	19	25	6	9	30	29	3	—
50—	6	4	35	28	95	85	22	7	23	27	7	6	41	44	2	1
55—	10	5	52	41	112	97	26	13	22	24	12	9	46	49	6	2
60—	12	6	51	53	158	120	47	22	28	25	14	14	65	53	4	6
65—	4	10	65	61	149	148	50	31	24	38	7	13	62	63	6	3
70—	6	9	43	66	155	164	52	42	24	37	16	12	57	66	6	7
75—	5	8	32	50	149	134	51	42	29	37	11	12	56	38	2	5
80—	5	6	15	24	72	83	35	26	10	16	5	6	22	31	—	4
85 and over	1	4	8	4	21	48	11	18	4	9	2	1	3	18	1	2

Causes of death	NEOPLASMS															
	205 Mycosis fungoides		210-229 Benign neoplasm		210* 211 Other parts of digestive system		212 Respiratory system		213* 214 Uterine fibromyoma	215 Uterus	216 Ovary	217, 218* 219 Kidney and other urinary organs				
Ages at death	M	F	M	F	M	F	M	F	F	F	F	M	F			
All ages	**12**	**8**	**284**	**470**	**26**	**28**	**13**	**3**	**54**	**7**	**78**	**51**	**26**			
0—	—	—	10	5	1	—	—	—	—	—	—	—	—			
1—	—	—	7	5	1	—	—	—	—	—	—	—	—			
5—	—	—	3	1	—	—	—	—	—	—	—	—	—			
10—	—	—	10	4	1	1	—	—	—	—	—	—	—			
15—	—	—	4	4	—	—	1	—	—	—	—	—	—			
20—	—	—	7	6	—	—	—	—	1	—	1	—	—			
25—	—	—	7	10	—	—	—	—	—	1	—	—	—			
30—	—	—	11	16	1	—	—	—	3	—	2	—	—			
35—	—	—	6	22	1	—	—	—	4	—	6	—	—			
40—	1	1	9	32	—	—	—	—	7	1	—	1	—			
45—	—	1	23	39	—	3	1	1	13	1	2	—	—			
50—	1	—	32	36	1	1	2	—	4	3	3	4	1			
55—	3	2	31	56	4	—	2	—	1	—	10	1	1			
60—	—	2	25	47	5	1	2	1	1	—	7	3	—			
65—	5	1	26	48	1	4	2	—	3	—	8	7	2			
70—	1	—	33	39	7	3	—	1	5	—	10	9	—			
75—	—	—	17	42	—	9	2	—	6	—	12	9	5			
80—	1	—	16	30	3	4	1	—	2	1	9	10	9			
85 and over	—	1	7	28	—	2	—	—	4	—	8	7	8			

* **210** Benign neoplasm of buccal cavity and pharynx 0, 65, 80, *60*, *65*, *85*; **213** Benign neoplasm of breast —; **217** Benign neoplasm of other female genital organs —; **218** Benign neoplasm of male genital organs —.

TABLE 17—*continued*

Causes of death	NEOPLASMS															
	220, 221, 222*		224		225		226*		228		229*		230		231	
	223 Brain and other parts of nervous system		Endocrine glands		Bone and cartilage		227 Muscular and connective tissue		Haem-angioma and lymph-angioma		230-239 Neoplasm of unspecified nature		Unspecified nature of digestive organs		Unspecified nature of respiratory organs	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**125**	**173**	**45**	**58**	**1**	**3**	**7**	**11**	**8**	**15**	**273**	**217**	**24**	**22**	**13**	**8**
0—	3	2	—	—	—	—	1	—	4	2	6	4	1	—	1	—
1—	3	4	2	—	—	—	1	—	—	1	10	4	—	—	—	—
5—	1	1	2	—	—	—	—	—	—	—	5	5	—	—	—	—
10—	4	2	5	1	—	—	—	—	—	—	6	3	—	—	—	—
15—	1	4	2	—	—	—	—	—	—	—	1	3	—	—	—	—
20—	4	2	3	1	—	—	—	—	—	—	2	3	—	—	—	—
25—	6	8	1	1	—	—	—	—	—	—	5	2	—	—	—	—
30—	7	5	3	2	—	—	—	1	—	3	9	8	—	—	—	—
35—	5	10	—	1	—	—	—	1	—	—	6	8	—	—	—	—
40—	6	15	2	9	—	—	—	—	—	—	14	7	1	—	1	—
45—	12	11	4	8	1	—	3	—	—	—	23	22	1	—	—	—
50—	19	16	6	6	—	—	—	1	—	1	37	27	1	—	2	—
55—	16	33	7	8	—	—	—	1	1	—	36	33	—	—	1	—
60—	11	24	2	9	—	—	1	1	1	1	42	20	4	1	1	1
65—	10	18	4	7	—	1	—	2	1	2	30	18	3	2	4	1
70—	15	10	1	3	—	—	—	2	—	2	22	22	4	6	2	2
75—	2	4	1	2	—	1	1	—	1	2	14	14	5	6	1	4
80—	—	2	—	—	—	—	—	1	—	1	3	4	3	2	—	—
85 and over	—	2	—	—	—	1	—	1	—	—	2	10	1	5	—	—

Causes of death	NEOPLASMS				III											
	232-236*		238*		**240-289**		240-245		240*		242-245*		250		251	
	237 Unspecified nature of brain and other parts of nervous system		239 Unspecified nature of other and unspecified organs		**Allergic, endocrine system, metabolic, and nutritional diseases**		Allergic disorders		241 Asthma		250-254 Diseases of thyroid gland		Simple goitre		Non-toxic nodular goitre	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**210**	**159**	**14**	**12**	**2,396**	**4,439**	**605**	**777**	**587**	**765**	**120**	**697**	**2**	**8**	**1**	**16**
0—	1	—	2	3	**60**	**39**	12	8	3	4	2	3	—	—	—	—
1—	9	4	—	—	**21**	**23**	8	8	7	7	—	—	—	—	—	—
5—	3	5	1	—	**12**	**9**	2	4	2	4	—	—	—	—	—	—
10—	4	3	2	—	**26**	**13**	20	9	20	9	—	—	—	—	—	—
15—	1	3	—	—	**31**	**31**	22	20	19	20	1	1	—	—	—	—
20—	1	2	1	1	**26**	**26**	14	18	14	18	—	1	—	—	—	—
25—	5	2	—	—	**33**	**42**	14	25	14	24	1	2	—	1	—	—
30—	8	8	1	—	**52**	**45**	28	19	28	19	—	6	—	—	—	—
35—	6	7	—	—	**51**	**66**	12	28	12	28	3	1	1	—	—	1
40—	11	6	—	—	**78**	**89**	30	36	30	33	5	8	—	—	—	—
45—	21	18	—	2	**80**	**142**	31	63	29	63	5	13	—	—	—	1
50—	34	23	—	—	**137**	**182**	47	63	47	63	9	24	—	—	—	1
55—	29	30	4	1	**209**	**287**	77	82	75	82	20	36	—	1	1	—
60—	37	18	—	—	**306**	**464**	96	97	96	97	19	81	—	—	—	2
65—	22	14	1	—	**317**	**681**	67	94	67	93	17	126	1	2	—	7
70—	13	13	2	1	**326**	**754**	48	89	48	88	13	129	—	2	—	1
75—	4	2	—	1	**312**	**795**	44	55	43	54	12	144	—	1	—	2
80—	—	1	—	1	**207**	**473**	21	29	21	29	10	78	—	1	—	1
85 and over	1	—	—	2	**112**	**278**	12	30	12	30	3	44	—	—	—	—

* **220** Benign melanoma of skin —; **221** Pilonidal cyst —; **222** Other benign neoplasm of skin 70, 80; **226** Lipoma *55, 70, 70*; **229** Benign neoplasm of other and unspecified organs and tissues 45, 45, 75, *0, 20, 55, 60, 70, 75, 80, 85*; **232** Neoplasm of unspecified nature of breast *50, 55*; **233** Neoplasm of unspecified nature of uterus *35, 40*; **234** Neoplasm of unspecified nature of ovary *50, 50, 65, 85, 85*; **235** Neoplasm of unspecified nature of other female genital organs —; **236** Neoplasm of unspecified nature of other genito-urinary organs 55, 70, 75, *45, 55, 85*; **238** Neoplasm of unspecified nature of skin and musculoskeletal system 0, 1, 5, 40, 45, 55, 75, 75, 75, *0, 45, 50, 75*; **240** Hay fever 75; **242** Angioneurotic oedema 1, *65*; **243** Urticaria —; **244** Allergic eczema —; **245** Other allergic disorders **0, 0, 0, 0, 0, 0, 0, 0, 0, 0,** 15, 15, 15, 45, 45, 55, 55, *0, 0, 0, 0, 1, 25, 40, 40, 40, 70, 75*.

TABLE 17—*continued*

Causes of death	252 Thyro-toxicosis with or without goitre		252·0 Toxic diffuse goitre		252·1 Toxic nodular goitre		253 Myxoedema and cretinism		254 Other diseases of thyroid gland		260 Diabetes mellitus		270-277 Diseases of other endocrine glands		270* 271 Diseases of parathyroid gland	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**64**	**277**	**64**	**260**	**—**	**17**	**48**	**378**	**5**	**18**	**1,330**	**2,481**	**134**	**152**	**6**	**9**
0—	1	—	1	—	—	—	1	2	—	1	4	5	28	13	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	4	5	4	—	—
5—	—	—	—	—	—	—	—	—	—	—	5	2	1	1	—	—
10—	—	—	—	—	—	—	—	—	—	—	3	3	1	—	—	—
15—	1	—	1	—	—	—	—	—	—	1	6	5	2	1	1	—
20—	—	—	—	—	—	—	—	1	—	—	6	4	—	1	—	—
25—	—	—	—	—	—	—	1	1	—	—	12	9	4	3	—	—
30—	—	4	—	4	—	—	—	—	—	2	12	12	6	5	—	—
35—	2	—	2	—	—	—	—	—	—	—	26	28	3	2	2	—
40—	3	6	3	6	—	—	2	1	—	1	29	25	4	7	—	—
45—	4	8	4	8	—	—	—	4	1	—	35	30	6	16	1	2
50—	7	17	7	17	—	—	2	5	—	1	55	52	7	18	1	—
55—	15	25	15	24	—	1	1	10	3	—	85	125	7	17	—	1
60—	14	47	14	45	—	2	5	29	—	3	143	230	21	18	—	1
65—	6	56	6	54	—	2	10	59	—	2	194	404	13	18	—	4
70—	5	51	5	44	—	7	7	71	1	4	232	484	10	14	1	1
75—	5	41	5	38	—	3	7	99	—	1	235	538	11	9	—	—
80—	1	14	1	13	—	1	9	60	—	2	161	336	3	4	—	—
85 and over	—	8	—	7	—	1	3	36	—	—	87	185	2	1	—	—

Causes of death	272 Diseases of pituitary gland		273 Diseases of thymus gland		274 Diseases of adrenal glands		275, 276* 277 Polyglandular dysfunction and other diseases of endocrine glands		280-289 Avitaminoses, and other metabolic diseases		280-285* 286 Other avitaminoses and nutritional deficiency states		286·0 Steatorrhoea and sprue		286·5 Malnutrition unqualified	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**38**	**49**	**4**	**4**	**69**	**69**	**13**	**14**	**207**	**332**	**67**	**84**	**34**	**36**	**20**	**32**
0—	—	—	3	1	19	10	5	1	14	10	4	3	2	3	2	—
1—	1	—	—	2	2	2	2	—	8	7	3	2	2	2	1	—
5—	—	—	—	1	1	—	—	—	4	2	—	1	—	1	—	—
10—	—	—	1	—	—	—	—	—	2	1	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	1	—	4	—	—	—	—	—	—
20—	—	1	—	—	—	—	—	—	6	2	—	—	—	—	—	—
25—	1	1	—	—	3	2	—	—	2	3	1	1	1	—	—	—
30—	1	1	—	—	5	2	—	1	6	3	1	—	1	—	—	—
35—	—	1	—	—	1	1	—	—	7	7	3	2	2	2	1	—
40—	3	2	—	—	—	3	1	2	10	13	3	—	2	—	1	—
45—	1	4	—	—	4	7	—	2	3	20	1	2	—	—	—	1
50—	3	5	—	—	3	9	—	3	19	25	6	7	4	4	—	2
55—	3	7	—	—	4	8	—	—	20	27	10	6	10	4	—	1
60—	9	8	—	—	8	7	3	1	27	38	8	9	4	4	2	2
65—	6	6	—	—	5	6	1	2	26	39	5	8	2	3	1	3
70—	2	7	—	—	6	5	1	1	23	38	7	11	2	5	3	5
75—	5	3	—	—	6	5	—	—	10	49	2	15	—	5	1	8
80—	3	2	—	—	—	2	—	—	12	26	8	7	—	1	5	4
85 and over	—	1	—	—	2	—	—	—	8	18	5	10	2	2	3	6

* **270** Disorders of pancreatic internal secretion other than diabetes mellitus 0, 15, 60, 65, *0, 30, 45, 50, 55, 60, 75*; **275** Ovarian dysfunction —; **276** Testicular dysfunction —; **280** Beriberi *40*; **281** Pellagra —; **282** Scurvy —; **283** Active ricketts 5; **284** Late effects of ricketts —; **285** Osteomalacia *80, 80, 85*.

TABLE 17—*continued*

Causes of death	286·1-4; 6; 7 Others included under 286		287 Obesity not specified as of endocrine origin		288 Gout		289 Other metabolic diseases		289·0 Lipidosis (disturbance of lipid metabolism)		289·1 Amyloid-osis		289·2 Other		IV 290-299 Diseases of the blood and blood-forming organs	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	13	16	46	160	12	—	81	84	16	14	21	28	44	42	776	1,318
0—	—	—	—	—	—	—	10	7	2	2	—	—	8	5	22	10
1—	—	—	—	—	—	—	5	5	5	3	—	—	—	2	16	6
5—	—	—	—	—	—	—	3	1	1	1	—	—	2	—	6	6
10—	—	—	—	—	—	—	2	1	—	—	—	—	2	1	12	4
15—	—	—	—	—	—	—	—	4	—	1	—	1	—	2	10	6
20—	—	—	1	—	—	—	5	2	1	—	1	—	3	2	7	14
25—	—	1	—	—	—	—	1	2	—	1	1	—	—	1	6	5
30—	—	—	2	1	—	—	3	2	—	—	1	—	2	2	12	8
35—	—	—	—	1	—	—	4	4	2	—	1	2	1	2	10	9
40—	—	—	2	6	—	—	5	6	1	—	1	3	3	3	7	20
45—	1	1	1	9	—	—	1	9	—	—	1	7	—	2	11	19
50—	2	1	1	11	1	—	11	7	1	1	4	3	6	3	24	24
55—	—	1	4	13	2	—	4	8	1	2	1	3	2	3	41	56
60—	2	3	7	20	1	—	11	9	1	2	5	1	5	6	77	80
65—	2	2	6	25	3	—	12	6	1	—	2	4	9	2	97	156
70—	2	1	12	21	2	—	2	6	—	1	2	2	—	3	119	197
75—	1	2	6	31	—	—	2	3	—	—	1	2	1	1	121	242
80—	3	2	2	15	2	—	—	2	—	—	—	—	—	2	98	258
85 and over	—	2	2	7	1	—	—	—	—	—	—	—	—	—	80	198

Causes of death	290 Pernicious and other hyperchromic anaemias		290·0 Pernicious anaemia		290·1 Subacute combined degeneration of spinal cord		290·2 Other hyperchromic anaemias		291 Iron deficiency anaemias (hypo-chromic anaemias)		292 Other anaemias of specified type		292·4 Aplastic anaemia		292·0-3; 5-7 Others included under 292	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	205	514	175	447	10	20	20	47	95	218	210	229	126	128	84	101
0—	1	—	—	—	—	—	1	—	—	—	2	2	—	—	2	2
1—	—	—	—	—	—	—	—	—	—	1	7	4	2	4	5	—
5—	—	—	—	—	—	—	—	—	—	—	1	2	1	2	—	—
10—	—	—	—	—	—	—	—	—	1	—	6	1	2	—	4	1
15—	—	—	—	—	—	—	—	—	—	—	5	4	5	4	—	—
20—	—	1	—	1	—	—	—	—	—	—	2	5	1	3	1	2
25—	—	—	—	—	—	—	—	—	—	—	5	3	4	1	1	2
30—	—	1	—	—	—	—	—	1	1	—	4	3	3	1	1	2
35—	1	—	1	—	—	—	—	—	—	2	5	2	4	1	1	1
40—	—	3	—	3	—	—	—	—	—	1	3	9	1	5	2	4
45—	2	1	2	1	—	—	—	—	1	1	1	8	1	3	—	5
50—	3	6	3	5	—	—	—	1	—	—	12	5	5	5	7	—
55—	7	14	6	12	—	2	1	—	2	3	10	13	8	10	2	3
60—	17	24	12	17	3	2	2	5	4	6	23	23	11	12	12	11
65—	28	49	18	40	3	2	7	7	11	20	30	40	21	15	9	25
70—	29	83	26	76	1	2	2	5	14	38	39	33	20	21	19	12
75—	45	102	40	86	2	8	3	8	20	39	27	39	17	23	10	16
80—	38	122	36	107	1	3	1	12	19	56	15	20	9	12	6	8
85 and over	34	108	31	99	—	1	3	8	22	51	13	13	11	6	2	7

TABLE 17—*continued*

Causes of death	293 Anaemia of unspecified type		294 Poly-cythaemia		295 Haemophilia		296 Purpura and other haemorr-hagic conditions		297 Agranulo-cytosis		298 Diseases of spleen		299 Other diseases of blood and blood-forming organs		V 300-326 Mental, psycho-neurotic and personality disorders	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	69	140	57	49	17	—	67	93	10	20	28	39	18	16	461	708
0—	2	2	—	—	—	—	10	5	—	—	—	—	7	1	25	21
1—	2	—	—	—	2	—	4	—	1	—	—	1	—	—	8	11
5—	—	1	—	—	2	—	2	3	—	—	1	—	—	—	6	1
10—	—	—	—	—	1	—	4	3	—	—	—	—	—	—	6	2
15—	—	—	—	—	2	—	3	2	—	—	—	—	—	—	4	4
20—	—	—	1	—	1	—	2	7	—	—	1	—	—	1	8	10
25—	—	1	—	—	—	—	1	—	—	—	—	1	—	—	5	4
30—	1	—	—	1	1	—	2	3	1	—	1	—	1	—	7	7
35—	—	—	1	—	—	—	2	2	—	1	1	1	—	1	6	12
40—	—	1	—	—	—	—	1	5	—	—	3	1	—	—	10	10
45—	2	1	3	1	1	—	—	3	—	1	1	1	—	2	14	14
50—	2	—	1	2	—	—	3	7	—	2	2	1	1	1	11	11
55—	5	5	8	4	3	—	3	6	3	1	—	9	—	1	36	29
60—	7	7	12	4	—	—	7	4	2	6	3	4	2	2	32	51
65—	3	17	10	6	2	—	6	9	2	6	3	5	2	4	42	59
70—	10	24	11	10	1	—	6	5	—	1	6	3	3	—	64	62
75—	13	30	6	9	—	—	4	13	1	2	4	7	1	1	56	111
80—	14	33	3	11	1	—	5	11	—	—	2	4	1	1	64	135
85 and over	8	18	1	1	—	—	2	5	—	—	—	1	—	1	57	154

Causes of death	300-309 Psychoses		300 Schizo-phrenic disorders (dementia praecox)		301 Manic-depressive reaction		302, 303* 304 Senile psychosis		305 Presenile psychosis		307* 309 Other and unspecified psychoses		310-318 Psycho-neurotic disorders		310* 311 Hysterical reaction without mention of anxiety reaction	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	329	571	19	22	7	14	233	436	49	70	17	26	15	51	4	34
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	1	—	—	—	—	—	—	—	—	—	1	—	1	—	1
20—	1	1	1	1	—	—	—	—	—	—	—	—	—	1	—	1
25—	2	—	—	—	—	—	—	—	—	—	2	—	—	1	—	1
30—	1	1	—	1	—	—	—	—	1	—	—	—	—	2	—	2
35—	3	5	2	3	1	1	—	—	—	—	—	1	—	2	—	1
40—	3	3	1	1	—	1	—	—	1	1	1	—	—	5	—	3
45—	6	4	1	—	1	1	—	—	3	1	1	2	—	6	—	5
50—	8	6	2	—	—	2	—	—	5	3	1	1	—	1	—	1
55—	22	18	4	2	—	1	1	2	12	12	4	1	3	6	2	4
60—	20	45	2	8	1	1	1	3	16	29	—	4	2	3	—	1
65—	35	49	—	3	2	3	21	22	11	17	—	3	3	5	—	4
70—	56	54	3	—	2	2	46	42	—	5	5	3	3	6	—	4
75—	54	102	1	1	—	1	53	92	—	2	—	6	2	5	1	3
80—	61	129	1	1	—	1	56	126	—	—	3	1	2	6	1	3
85 and over	57	153	1	1	—	—	55	149	—	—	—	3	—	1	—	—

* **302** Involutional melancholia 55, 85, *70*, *70*; **303** Paranoia and paranoid states 80; **307** Alchoholic psychosis 65, *65*; **310** Anxiety reaction without mention of somatic symptoms *40*, *55*, *80*.

TABLE 17—*continued*

Causes of death	312-318* 320-326 Disorders of character, behaviour and intelligence		320, 321* 322 Alcoholism		322·0* 322·1 Chronic		322·2, 323, 324* 325 Mental deficiency		326* VI 330-398 Diseases of the nervous system and sense organs		330-334 Vascular lesions affecting central nervous system		330 Subarachnoid haemorrhage		331 Cerebral haemorrhage	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	117	86	31	20	21	16	82	63	34,443	49,657	31,673	46,624	1,387	2,299	11,550	17,136
0—	25	21	—	—	—	—	25	21	207	145	16	4	7	1	9	2
1—	8	11	—	—	—	—	8	11	115	84	6	2	3	—	1	—
5—	6	1	—	—	—	—	6	1	57	45	6	7	5	4	1	1
10—	6	2	—	—	—	—	6	2	66	52	17	16	14	9	1	5
15—	4	2	—	—	—	—	4	2	72	51	26	18	22	13	1	4
20—	7	8	—	1	—	1	6	7	71	62	28	26	22	16	6	6
25—	3	3	—	—	—	—	2	3	85	78	45	40	33	27	8	12
30—	6	4	2	1	—	1	4	3	141	126	69	68	49	47	16	14
35—	3	5	2	—	1	—	1	4	212	184	125	116	69	72	47	32
40—	7	2	3	2	2	1	3	—	322	373	233	259	87	125	109	100
45—	8	4	5	—	3	—	3	4	590	634	451	493	134	189	237	244
50—	3	4	2	3	2	3	1	—	1,107	1,111	936	929	183	228	527	534
55—	11	5	6	3	5	2	5	2	1,981	1,818	1,775	1,594	191	292	946	884
60—	10	3	8	3	5	2	2	—	3,065	3,008	2,801	2,735	198	325	1,349	1,461
65—	4	5	—	4	—	3	4	1	4,405	4,620	4,119	4,313	146	277	1,822	2,046
70—	5	2	3	1	3	1	1	—	5,860	7,732	5,504	7,370	98	277	2,062	3,035
75—	—	4	—	2	—	2	—	2	6,558	10,158	6,268	9,732	70	223	2,035	3,501
80—	1	—	—	—	—	—	1	—	5,554	10,137	5,381	9,834	35	118	1,458	3,004
85 and over	—	—	—	—	—	—	—	—	3,975	9,239	3,867	9,068	21	56	915	2,251

Causes of death	332 Cerebral embolism and thrombosis		333* 334 Other and ill-defined vascular lesions affecting central nervous system		340-345 Inflammatory diseases of central nervous system		340 Meningitis except meningo-coccal and tuberculous		340·0 H. influenzae		340·1 Pneumo-coccus		340·2 Due to other specified organism		340·3 With no organism specified as cause	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	15,408	22,464	3,325	4,725	700	826	234	186	23	18	84	75	42	30	85	63
0—	—	—	—	1	129	92	96	67	9	8	24	15	27	19	36	25
1—	—	—	2	2	48	36	30	19	9	7	9	6	3	1	9	5
5—	—	—	—	2	11	7	5	4	3	1	2	3	—	—	—	—
10—	2	1	—	1	14	10	3	5	—	—	—	2	1	—	2	3
15—	3	1	—	—	13	8	6	2	—	—	4	1	—	—	2	1
20—	—	3	—	1	10	4	4	1	1	—	1	—	—	—	2	1
25—	3	1	—	—	13	13	3	1	—	—	1	—	1	—	1	1
30—	3	6	1	1	20	24	2	2	—	—	1	1	—	—	1	1
35—	8	11	1	1	31	35	6	2	—	—	3	2	—	—	3	—
40—	34	32	3	2	37	60	7	3	—	—	4	2	—	—	3	1
45—	66	51	14	9	60	78	6	2	—	—	1	1	1	—	4	1
50—	211	146	15	21	62	94	4	12	—	—	2	4	1	3	1	5
55—	580	368	57	50	67	109	7	13	—	—	2	7	1	1	4	5
60—	1,103	848	151	101	68	90	13	16	—	—	12	7	—	4	1	5
65—	1,859	1,768	292	222	52	70	18	10	—	—	8	9	4	—	6	1
70—	2,853	3,506	490	552	31	48	9	13	—	—	5	8	2	—	2	5
75—	3,385	5,031	778	977	19	27	5	5	1	2	3	1	—	1	1	1
80—	3,087	5,436	801	1,276	9	18	4	9	—	—	2	6	—	1	2	2
85 and over	2,211	5,255	720	1,506	6	3	6	—	—	—	—	—	1	—	5	—

* **312** Phobic reaction —; **313** Obsessive-compulsive reaction *35*; **314** Neurotic-depressive reaction 55, 60, 60, 65, 65, 65, 70, 80, *55*, *60*, *70*, *70*, *75*, *80*, *85*; **315** Psychoneurosis with somatic symptoms (somatization reaction) affecting circulatory system —; **316** Psychoneurosis with somatic symptoms (somatization reaction) affecting digestive system 70; **317** Psychoneurosis with somatic symptoms (somatization reaction) affecting other systems *65*; **318** Psychoneurotic disorders, other, mixed and unspecified types 70, 75, *40*, *45*, *60*, *75*, *80*; **320** Pathological personality *70*; **321** Immature personality —; **322·0** Alcoholism, acute 30, 35, 40, 45, 45, 60, *40*, *60*; **322·2** Alcoholism unspecified 30, 55, 60, 60, *55*, *65*; **323** Other drug addiction 20, 25, 40, 70, *35*, *50*; **324** Primary childhood behaviour disorders —; **326** Other and unspecified character, behaviour, and intelligence disorders —; **333** Spasm of cerebal arteries 25, 55, 70.

TABLE 17—*continued*

Causes of death	341 Phlebitis and thrombo-phlebitis of intra-cranial venous sinuses		342 Intra-cranial and intra-spinal abscess		343 Encephal-itis, myelitis and encephalo-myelitis (except acute infectious)		344 Late effects of intra-cranial abscess or pyogenic infection		345 Multiple sclerosis		350-357 Other diseases of central nervous system		350 Paralysis agitans		351 Cerebral spastic infantile paralysis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	8	12	47	15	59	45	44	50	308	518	1,865	2,081	697	936	66	61
0—	5	6	3	1	12	5	13	13	—	—	28	26	—	—	10	10
1—	1	—	—	1	5	8	12	8	—	—	53	42	—	—	24	9
5—	—	—	2	—	2	—	2	3	—	—	33	29	—	—	6	7
10—	—	—	3	3	4	1	4	1	—	—	31	25	—	—	4	8
15—	—	—	3	—	4	1	—	4	—	1	30	23	—	—	5	3
20—	—	—	2	—	2	2	—	1	2	—	30	30	—	—	1	4
25—	—	—	1	1	1	3	2	—	6	8	24	24	—	—	2	4
30—	—	—	4	4	—	2	1	3	13	13	44	32	—	1	2	2
35—	—	—	2	—	—	1	—	2	23	30	41	31	—	1	2	1
40—	—	—	1	1	2	5	2	1	25	50	43	49	3	—	—	2
45—	—	1	4	—	4	2	1	3	45	70	66	55	1	4	2	2
50—	—	—	3	—	2	3	—	1	53	78	95	83	14	12	2	1
55—	—	—	5	1	6	—	3	2	46	93	127	107	31	21	2	—
60—	—	—	7	3	1	4	2	1	45	66	177	175	58	61	—	3
65—	—	3	4	—	6	2	—	4	24	51	220	224	108	124	1	3
70—	—	—	1	—	4	3	1	—	16	32	306	302	170	201	1	2
75—	—	—	2	—	3	2	1	1	8	19	264	388	166	271	1	—
80—	2	2	—	—	1	1	—	2	2	4	158	279	92	168	—	—
85 and over	—	—	—	—	—	—	—	—	—	3	95	157	54	72	1	—

Causes of death	352 Other cerebral paralysis		353 Epilepsy		353·2 Status epilepticus		353·0; 1; 3 Others included under 353		354* 355 Other diseases of brain		356 Motor neurone disease and muscular atrophy		356·0 Progressive muscular atrophy		356·1 Amyotrophic lateral sclerosis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	270	341	373	328	148	148	225	180	118	157	311	228	150	122	41	21
0—	1	1	7	7	5	3	2	4	3	2	7	6	2	1	—	—
1—	—	—	23	24	14	19	9	5	3	9	2	—	—	—	—	—
5—	2	—	19	19	8	15	11	4	5	2	1	—	—	1	—	—
10—	—	—	23	15	8	9	15	6	2	2	1	1	1	—	—	—
15—	—	2	22	15	10	8	12	7	—	2	2	—	2	—	—	—
20—	—	2	25	18	12	10	13	8	2	5	2	—	—	—	—	—
25—	—	—	20	16	5	11	15	5	1	1	1	1	1	—	—	—
30—	—	—	34	23	15	8	19	15	3	4	2	1	1	—	—	—
35—	—	—	28	23	11	13	17	10	6	3	3	2	1	2	1	—
40—	1	1	24	31	8	10	16	21	4	8	8	3	6	2	—	—
45—	2	4	34	22	12	9	22	13	6	10	20	12	5	7	7	—
50—	8	4	25	29	8	10	17	19	12	12	31	23	12	9	1	2
55—	8	9	22	26	12	9	10	17	17	15	45	34	21	18	8	3
60—	30	13	18	21	6	6	12	15	23	23	45	50	23	28	3	5
65—	39	35	12	12	5	1	7	11	6	9	51	38	26	20	8	6
70—	59	38	16	11	5	3	11	8	6	16	48	30	26	16	7	2
75—	58	85	11	5	3	1	8	4	3	8	25	17	13	10	4	2
80—	41	87	4	7	—	3	4	4	10	8	11	7	7	5	1	1
85 and over	21	60	6	4	1	—	5	4	6	18	6	3	3	3	1	—

* **354** Migraine 30, *55*.

TABLE 17—*continued*

Causes of death	356·2; 3 Others included under 356		357 Other diseases of spinal cord		360-369 Diseases of nerves and peripheral ganglia		360-363* 364 Poly-neuritis and poly-radiculitis		365* 366 Other and unspecified forms of neuralgia and neuritis		367-369* 370-379 Inflammatory diseases of eye		370-379* 380-389 Other diseases and conditions of eye		380-384* 385 Cataract	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**120**	**85**	**29**	**29**	**50**	**39**	**39**	**24**	**4**	**4**	**6**	**4**	**24**	**31**	**8**	**15**
0—	5	5	—	—	1	—	—	—	—	—	—	—	—	—	—	—
1—	2	—	1	—	1	1	1	—	—	—	—	—	—	—	—	—
5—	1	—	—	—	1	—	1	—	—	—	—	—	2	1	—	—
10—	—	—	1	—	1	—	1	—	—	—	—	—	—	—	—	—
15—	—	—	1	1	1	—	1	—	—	—	—	—	—	—	—	—
20—	2	—	—	1	1	2	1	1	—	1	—	—	—	—	—	—
25—	—	1	—	2	1	—	1	—	—	—	1	—	—	—	—	—
30—	1	1	2	1	1	—	1	—	—	—	—	—	—	—	—	—
35—	1	—	2	1	5	—	5	—	—	—	—	1	1	—	—	—
40—	2	1	3	4	1	3	1	2	—	—	—	—	—	—	—	—
45—	8	5	1	1	6	4	4	3	2	1	1	—	—	—	—	—
50—	18	12	3	2	3	2	3	1	—	—	1	—	1	—	—	—
55—	16	13	2	1	4	4	3	3	—	—	—	—	1	1	1	1
60—	19	17	3	4	8	5	6	2	—	—	1	—	—	1	—	1
65—	17	12	3	3	2	7	1	6	—	1	1	—	5	4	2	2
70—	15	12	6	4	9	3	7	3	1	—	1	2	2	6	—	4
75—	8	5	—	2	2	5	2	3	—	—	—	—	5	6	3	4
80—	3	1	—	2	—	—	—	—	—	—	—	1	3	4	1	1
85 and over	2	—	1	—	2	3	—	—	1	1	—	—	4	8	1	2

Causes of death	386-389* 390-398 Diseases of ear and mastoid process		390* 391 Otitis media without mention of mastoiditis		392 Otitis media without mastoiditis		393 Mastoiditis without mention of otitis media		394–398* VII 400-468 Diseases of the circulatory system		400-402 Rheumatic fever		400* 401 Rheumatic fever with heart involvement		401·0 Active rheumatic pericarditis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**125**	**52**	**98**	**49**	**6**	**1**	**14**	**2**	**105,466**	**102,857**	**62**	**44**	**59**	**39**	**31**	**22**
0—	33	23	25	22	4	—	4	1	**19**	**20**	1	—	1	—	—	—
1—	7	3	7	3	—	—	—	—	**10**	**14**	1	2	1	2	—	—
5—	4	1	2	—	1	1	1	—	**8**	**6**	3	1	3	1	—	—
10—	3	1	2	1	—	—	1	—	**13**	**16**	5	6	5	5	1	1
15—	2	2	1	2	—	—	—	—	**48**	**36**	4	2	4	2	1	—
20—	2	—	2	—	—	—	—	—	**91**	**76**	5	2	4	2	—	—
25—	1	1	1	1	—	—	—	—	**133**	**96**	1	2	1	1	1	—
30—	7	2	6	2	—	—	—	—	**288**	**174**	2	2	—	2	—	2
35—	9	1	6	1	1	—	2	—	**829**	**335**	1	—	1	—	1	—
40—	8	2	8	2	—	—	—	—	**1,614**	**592**	4	4	4	2	—	1
45—	6	4	5	4	—	—	—	—	**3,057**	**1,037**	1	2	1	2	—	1
50—	9	3	8	3	—	—	—	—	**5,521**	**1,872**	3	1	3	1	3	1
55—	7	3	7	2	—	—	—	1	**9,250**	**3,295**	6	3	6	3	3	1
60—	10	2	7	2	—	—	2	—	**12,308**	**6,040**	4	3	4	3	3	2
65—	6	2	5	2	—	—	1	—	**14,236**	**9,834**	8	8	8	8	6	8
70—	7	1	3	1	—	—	2	—	**16,546**	**15,172**	8	4	8	3	7	3
75—	—	—	—	—	—	—	—	—	**16,549**	**20,355**	3	—	3	—	3	—
80—	3	1	3	1	—	—	—	—	**14,001**	**21,385**	2	1	2	1	2	1
85 and over	1	—	—	—	—	—	1	—	**10,945**	**22,502**	—	1	—	1	—	1

* **360** Facial paralysis *85*, **361** Trigeminal neuralgia 85, *60*, *85*; **362** Brachial neuritis —; **363** Sciatica 60, *40*; **365** Erythroedema polyneuritica —; **367** Other diseases of cranial nerves 60, 70; **368** Other diseases of peripheral nerves except autonomic 55, 65, *50*, *55*, *60*, *75*, *75*; **369** Diseases of peripheral autonomic nervous system 0, *1*, *60*; **370** Conjunctivitis and ophthalmia —; **371** Blepharitis —; **372** Hordeolum (stye) 50; **373** Iritis —; **374** Keratitis —; **375** Choroiditis *35*; **376** Other inflammation of uveal tract 65, 70; **377** Inflammation of optic nerve and retina 25, 45, 60, *70*; **378** Inflammation of lachrymal glands and ducts *70*, *80*; **379** Other inflammatory diseases of eye —; **380** Refractive errors —; **381** Corneal ulcer —; **382** Corneal opacity 70, 80, 85, *75*; **383** Pterygium —; **384** Strabismus 5, 5, *5*; **386** Detachment of retina 50, 65, 65, *70*, *75*; **387** Glaucoma 35, 70, 75, 80, 85, *65*, *70*, *80*, *80*, *80*, *85*, *85*, *85*, *85*, *85*; **388** Other diseases of eye 65, 75, *65*, *85*; **389** Blindness 85; **390** Otitis externia 70; **394** Other inflammatory diseases of ear 45; **395** Ménière's disease 70; **396** Other diseases of ear and mastoid process 15, 30, 50, 60; **397** Deaf mutism —; **398** Other deafness —; **400** Rheumatic fever without mention of heart involvement 30, 30, *10*, *25*.

TABLE 17—*continued*

Causes of death	401·1 Active rheumatic endocarditis		401·2 Active rheumatic myocarditis		401·3 Active rheumatic fever with other and multiple types of heart involvement		402 Chorea		402·0 Without mention of heart involvement		402·1* 410–416 Chronic rheumatic heart disease		410 Diseases of mitral valve		411 Diseases of aortic valve specified as rheumatic	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**10**	**8**	**1**	—	**17**	**9**	**1**	**3**	—	—	**2,529**	**4,783**	**1,549**	**3,492**	**379**	**174**
0—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
1—	—	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	3	1	—	—	—	—	—	—	—	—	—	—
10—	2	2	—	—	2	2	—	—	—	—	1	1	1	1	—	—
15—	1	2	1	—	1	—	—	—	—	—	14	6	3	4	4	1
20—	2	—	—	—	2	2	1	—	—	—	29	32	15	19	6	2
25—	—	1	—	—	—	—	—	—	—	—	35	42	20	35	6	1
30—	—	—	—	—	—	—	—	—	—	—	69	82	42	62	12	3
35—	—	—	—	—	—	—	—	—	—	—	117	157	71	122	17	3
40—	2	1	—	—	2	—	—	2	—	—	187	252	120	180	28	5
45—	—	—	—	—	1	1	—	—	—	—	220	343	129	258	44	7
50—	—	—	—	—	—	—	—	—	—	—	286	505	163	363	47	17
55—	1	—	—	—	2	2	—	—	—	—	368	551	229	407	55	16
60—	—	—	—	—	1	1	—	—	—	—	335	655	203	471	53	21
65—	1	—	—	—	1	—	—	—	—	—	277	600	167	421	34	28
70—	1	—	—	—	—	—	—	1	—	—	234	540	134	389	33	25
75—	—	—	—	—	—	—	—	—	—	—	194	457	139	333	20	19
80—	—	—	—	—	—	—	—	—	—	—	107	323	67	246	18	12
85 and over	—	—	—	—	—	—	—	—	—	—	56	237	46	181	2	14

Causes of death	412 Diseases of tricuspid valve		413* 414 Other endocarditis specified as rheumatic		415 Other myocarditis specified as rheumatic		416 Other heart disease specified as rheumatic		420-422 Arterio-sclerotic and degenerative heart disease		420 Arterio-sclerotic heart disease, including coronary disease		420·0 Arterio-sclerotic heart disease so described		420·1 Heart disease specified as involving coronary arteries	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**10**	**15**	**147**	**236**	**44**	**95**	**400**	**771**	**81,063**	**69,548**	**62,686**	**39,792**	**676**	**911**	**61,864**	**38,731**
0—	—	—	—	—	—	—	—	—	4	3	3	1	—	—	3	1
1—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	2	2	—	1	—	—	—	1
15—	—	—	3	—	—	—	4	1	12	10	1	2	—	—	1	2
20—	—	1	3	3	—	—	5	7	17	8	12	2	—	—	12	2
25—	1	—	—	2	1	—	7	4	50	16	39	5	—	—	39	4
30—	—	1	2	6	1	—	12	10	151	30	131	20	1	—	130	20
35—	—	—	5	10	2	3	22	19	576	81	538	73	2	—	536	73
40—	1	3	7	13	1	4	30	47	1,235	193	1,176	157	—	—	1,176	157
45—	—	1	15	20	3	4	29	53	2,452	408	2,341	349	2	2	2,337	347
50—	2	1	22	30	2	6	50	88	4,521	919	4,339	811	10	3	4,322	808
55—	2	1	21	24	7	12	54	91	7,591	1,937	7,183	1,703	13	11	7,157	1,690
60—	—	4	22	36	6	10	51	113	9,983	3,913	9,228	3,363	47	16	9,159	3,341
65—	—	1	13	32	5	11	58	107	11,292	6,726	10,004	5,444	65	51	9,917	5,374
70—	3	—	21	16	7	15	36	95	12,767	10,473	10,316	7,641	120	122	10,166	7,496
75—	—	2	8	25	4	12	23	66	12,292	13,974	8,634	8,458	149	216	8,462	8,198
80—	1	—	4	14	4	9	13	42	10,203	14,835	5,621	6,883	140	249	5,460	6,606
85 and over	—	—	1	5	1	9	6	28	7,914	16,018	3,120	4,879	127	241	2,987	4,611

* **402·1** With heart involvement 20, *40*, *40*, *70*; **413** Diseases of pulmonary valve specified as rheumatic —.

TABLE 17—*continued*

Causes of death	420·2 Angina pectoris without mention of coronary disease		421 Chronic endocarditis not specified as rheumatic		421·0 of mitral valve, specified as non-rheumatic		421·1 of aortic valve, not specified as rheumatic		421·2; 3* 421·4 Other and ill-defined, not specified as rheumatic		422 Other myocardial degeneration		422·0 Fatty degeneration		422·1 With arterio-sclerosis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	146	150	1,697	1,645	127	243	1,350	1,079	214	314	16,680	28,111	33	77	8,036	12,872
0—	—	—	1	1	—	—	—	—	1	—	—	1	—	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
5—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—
15—	—	—	5	3	—	1	4	1	—	—	6	5	—	—	—	—
20—	—	—	3	4	—	3	3	1	—	—	2	2	—	—	—	—
25—	—	1	6	3	—	—	5	2	—	1	5	8	—	—	—	—
30—	—	—	9	3	—	—	8	1	1	1	11	7	—	—	—	—
35—	—	—	17	3	—	1	16	—	1	2	21	5	2	—	1	1
40—	—	—	35	14	—	—	33	9	2	5	24	22	—	—	7	5
45—	2	—	72	24	—	2	60	14	12	8	39	35	—	3	8	6
50—	7	—	96	45	2	—	81	27	12	17	86	63	2	4	31	18
55—	13	2	188	57	6	3	161	33	21	21	220	177	4	10	83	48
60—	22	6	251	121	10	10	209	86	29	24	504	429	3	9	234	182
65—	22	19	277	238	26	31	222	159	29	47	1,011	1,044	2	17	512	511
70—	30	23	279	295	30	46	220	205	29	43	2,172	2,537	6	15	1,143	1,245
75—	23	44	219	335	23	56	155	223	41	56	3,439	5,181	6	6	1,718	2,512
80—	21	28	147	271	13	43	108	173	26	54	4,435	7,681	7	9	2,123	3,651
85 and over	6	27	92	227	17	47	65	145	10	35	4,702	10,912	1	4	2,176	4,693

Causes of death	422·2 Other diseases included under 422		430-434 Other diseases of heart		430 Acute and subacute endocarditis		430·0 Acute and subacute bacterial endocarditis		430·1 Other acute endocarditis		431 Acute myocarditis not specified as rheumatic		432 Acute pericarditis specified as non-rheumatic		433 Functional disease of heart	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	8,611	15,162	6,389	8,213	188	120	184	118	4	2	78	80	9	14	1,860	3,083
0—	—	1	11	14	—	—	—	—	—	—	4	4	—	2	3	5
1—	1	1	6	7	—	—	—	—	—	—	2	1	—	—	2	1
5—	—	—	4	2	2	—	1	—	1	—	—	—	—	—	—	1
10—	2	1	5	3	—	1	—	1	—	—	2	—	—	—	1	1
15—	6	5	9	3	2	—	2	—	—	—	5	—	—	—	—	—
20—	2	2	19	16	5	10	5	10	—	—	4	2	—	1	1	—
25—	5	8	16	12	3	2	3	2	—	—	7	2	—	—	2	3
30—	11	7	19	15	3	1	3	1	—	—	4	3	—	—	3	1
35—	18	4	37	23	11	8	11	8	—	—	5	6	—	—	6	1
40—	17	17	39	36	12	9	12	8	—	1	2	6	—	—	4	8
45—	31	26	104	76	19	5	19	5	—	—	2	5	2	—	8	22
50—	53	41	191	117	23	12	23	12	—	—	6	3	2	1	25	23
55—	133	119	350	211	23	16	23	15	—	1	6	7	1	—	61	60
60—	267	238	551	408	27	14	26	14	1	—	1	4	—	1	119	143
65—	497	516	781	715	19	16	18	16	1	—	7	3	2	3	217	242
70—	1,023	1,277	1,054	1,192	20	11	19	11	1	—	3	10	—	3	336	426
75—	1,715	2,663	1,221	1,719	11	5	11	5	—	—	7	11	2	1	449	694
80—	2,305	4,021	1,127	1,888	4	4	4	4	—	—	8	6	—	1	376	750
85 and over	2,525	6,215	845	1,756	4	6	4	6	—	—	3	7	—	1	247	702

* **421·2** Of tricuspid valve, specified as non-rheumatic 60, *65*, *80*; **421·3** Of pulmonary valve, not specified as rheumatic 15, 25, 50, 60, 60, *0*, *5*, *15*, *30*, *50*, *60*, *70*.

TABLE 17—*continued*

Causes of death	434 Other and unspecified diseases of heart		434·0 Kypho-scoliotic heart disease		434·1 Congestive heart failure		434·2 Left ventricular failure		434·3; 4 Others included under 434		440-443 Hypertensive heart disease		440 Essential benign hypertensive heart disease		441 Essential malignant hypertensive heart disease	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	4,254	4,916	22	73	2,909	3,906	513	534	810	403	4,266	6,265	83	119	105	58
0—	4	3	—	—	—	1	1	—	3	2	—	—	—	—	—	—
1—	2	5	—	—	1	3	—	—	1	2	—	—	—	—	—	—
5—	2	1	—	—	—	1	—	—	2	—	—	—	—	—	—	—
10—	2	1	—	—	—	—	—	1	2	—	—	—	—	—	—	—
15—	2	3	—	1	—	1	1	—	1	1	2	—	—	—	—	—
20—	9	3	1	—	4	1	1	—	3	2	3	—	—	—	2	—
25—	4	5	—	1	1	3	1	—	2	1	3	1	—	—	2	1
30—	9	10	2	1	2	2	—	2	5	5	7	2	—	—	4	2
35—	15	8	—	3	5	3	4	1	6	1	13	9	—	—	3	1
40—	21	13	1	3	9	3	2	3	9	4	27	21	—	—	9	5
45—	73	44	5	5	29	14	11	4	28	21	70	36	2	2	14	1
50—	135	78	1	12	61	38	18	10	55	18	124	81	—	2	15	9
55—	259	128	3	8	128	73	32	10	96	37	284	196	4	1	19	6
60—	404	246	2	7	197	176	45	26	160	37	508	382	8	5	25	8
65—	536	451	1	6	315	330	83	53	137	62	625	690	19	10	6	5
70—	695	742	4	10	484	570	95	92	112	70	823	1,158	13	17	2	8
75—	752	1,008	—	6	575	841	76	105	101	56	822	1,427	18	29	1	9
80—	739	1,127	1	7	598	962	71	110	69	48	617	1,299	13	32	1	1
85 and over	591	1,040	1	3	500	884	72	117	18	36	338	963	6	21	2	2

Causes of death	442 Hypertensive heart disease with arteriolar nephro-sclerosis		443 Other and unspecified hypertensive heart disease		444-447 Other hypertensive disease		444 Essential benign hypertension		445 Essential malignant hypertension		446 Hypertension with arteriolar nephro-sclerosis		447 Other hypertensive disease without mention of heart		450-456 Diseases of arteries	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	74	72	4,004	6,016	2,599	3,022	1,768	2,417	484	253	347	351	—	1	6,959	8,549
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1
1—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2
10—	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—	2
15—	—	—	2	—	3	1	—	—	3	1	—	—	—	—	3	11
20—	—	—	1	—	5	7	—	—	5	6	—	1	—	—	10	7
25—	—	—	1	—	9	5	—	1	9	4	—	—	—	—	10	7
30—	—	—	3	—	26	11	5	1	21	8	—	2	—	—	7	13
35—	1	1	9	7	39	16	5	3	32	13	2	—	—	—	22	21
40—	—	—	18	16	55	18	13	5	39	11	3	2	—	—	36	36
45—	1	—	53	33	87	65	26	22	57	34	4	9	—	—	74	45
50—	2	—	107	70	181	83	79	34	92	42	10	7	—	—	127	74
55—	6	3	255	186	246	141	143	101	97	31	6	9	—	—	264	125
60—	4	5	471	364	281	183	197	138	57	33	27	12	—	—	437	248
65—	5	6	595	669	310	304	241	249	44	28	25	27	—	—	675	464
70—	18	7	790	1,126	365	471	302	411	14	19	49	41	—	—	1,036	922
75—	12	16	791	1,373	402	632	313	574	11	10	78	48	—	—	1,368	1,657
80—	11	20	592	1,246	330	589	264	502	2	7	64	80	—	—	1,450	2,111
85 and over	14	14	316	926	260	493	180	376	1	3	79	113	—	1	1,438	2,802

TABLE 17—*continued*

Causes of death	450 General arterio-sclerosis		450·0 Without mention of gangrene		450·1 With mention of gangrene as a consequence		451 Aortic aneurysm, non-syphilitic and dissecting aneurysm		452 Other aneurysm, except of heart and aorta		453 Peripheral vascular disease		453·0 Raynaud's disease		453·1 Thrombo-angiitis obliterans	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**4,816**	**6,854**	**4,237**	**6,273**	**579**	**581**	**1,753**	**1,289**	**66**	**44**	**79**	**37**	**3**	**7**	**27**	**4**
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
15—	—	—	—	—	—	—	6	1	—	—	—	—	—	—	—	—
20—	—	—	—	—	—	—	5	2	—	—	2	—	—	—	2	—
25—	—	—	—	—	—	—	2	2	—	1	—	—	—	—	—	—
30—	—	—	—	—	—	—	9	4	3	2	1	—	—	—	1	—
35—	2	1	2	1	—	—	15	7	4	5	1	1	—	—	1	1
40—	3	3	1	3	2	—	35	15	7	2	2	1	—	—	1	—
45—	7	4	7	3	—	1	79	40	8	5	3	1	—	1	2	—
50—	12	8	12	7	—	1	170	66	5	6	6	1	1	—	1	1
55—	58	25	45	25	13	—	247	99	7	5	18	2	—	1	8	—
60—	138	109	116	99	22	10	323	167	7	7	12	3	2	2	3	—
65—	304	259	262	237	42	22	366	234	5	5	10	8	—	2	3	1
70—	626	648	545	591	81	57	283	303	11	2	9	7	—	1	2	1
75—	1,045	1,312	919	1,196	126	116	156	207	6	3	9	7	—	—	2	—
80—	1,259	1,862	1,108	1,697	151	165	57	142	3	—	6	6	—	—	1	—
85 and over	1,362	2,623	1,220	2,414	142	209										

Causes of death	453·2; 3 Others included under 453		454 Arterial embolism and thrombosis		455 Gangrene of unspecified cause		456 Other diseases of arteries		460-468 Diseases of veins and other diseases of circulatory system		460 Varicose veins of lower extremities		461 Haemorr-hoids		462 Varicose veins of other specified sites	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**49**	**26**	**49**	**85**	**35**	**25**	**161**	**215**	**1,599**	**2,433**	**68**	**156**	**19**	**10**	**26**	**21**
0—	—	—	1	1	—	—	—	—	2	2	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	1	2	2	—	—	—	—	—	—
5—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	3	10	1	3	—	—	—	—	—	—
20—	—	—	—	—	—	—	4	6	3	4	—	—	—	—	1	—
25—	—	—	1	—	—	—	2	5	9	11	—	1	—	—	2	1
30—	—	—	—	1	—	—	5	9	7	19	—	4	—	—	—	—
35—	—	—	—	—	—	—	7	14	24	28	—	5	2	—	—	—
40—	—	—	1	2	1	—	11	18	31	32	2	3	—	—	—	—
45—	1	1	4	1	1	1	18	21	49	62	4	8	1	—	—	—
50—	1	—	3	—	—	—	22	20	88	92	6	10	1	—	5	—
55—	4	—	5	4	—	—	20	23	141	131	9	5	2	1	2	—
60—	10	1	6	6	2	1	19	26	209	248	7	22	2	—	2	2
65—	7	1	3	10	8	2	18	16	268	327	6	18	3	4	3	5
70—	7	5	8	9	5	1	16	17	259	412	8	31	2	1	3	2
75—	7	5	5	18	8	4	7	11	247	489	15	26	1	1	4	4
80—	7	7	7	17	6	7	7	8	165	339	6	15	4	2	3	5
85 and over	5	6	5	16	4	9	1	6	94	232	5	8	1	1	1	2

TABLE 17—*continued*

Causes of death	463 Phlebitis and thrombo-phlebitis of lower extremities		464 Phlebitis and thrombo-phlebitis of other sites		465 Pulmonary embolism and infarction		466 Other venous embolism and thrombosis		467 Other diseases of circulatory system		468 Certain diseases of lymph nodes and lymph channels		VIII 470-527 Diseases of the respiratory system		470-475 Acute upper respiratory infections	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**133**	**280**	**14**	**26**	**784**	**952**	**521**	**942**	**28**	**36**	**6**	**10**	**42,923**	**29,871**	**60**	**56**
0—	—	—	—	—	1	—	—	—	—	1	1	1	1,405	984	20	8
1—	—	—	—	—	—	—	—	1	—	—	2	1	296	267	12	12
5—	—	—	—	—	—	—	—	—	—	—	—	—	91	78	—	4
10—	—	—	—	—	—	—	—	—	—	—	—	—	76	46	1	3
15—	—	2	—	—	—	1	1	—	—	—	—	—	82	47	2	—
20—	—	—	—	1	1	1	1	2	—	—	—	—	79	56	—	—
25—	1	—	1	—	4	1	1	7	—	—	—	1	80	52	3	1
30—	1	1	—	—	1	6	5	7	—	1	—	—	119	90	2	—
35—	3	4	—	1	10	10	7	8	2	—	—	—	178	149	4	—
40—	3	4	1	—	13	16	11	9	1	—	—	—	334	183	—	—
45—	1	6	—	2	24	22	18	23	1	1	—	—	702	338	—	—
50—	10	8	1	—	36	43	26	30	3	1	—	—	1,504	551	—	1
55—	10	21	1	1	66	62	47	39	4	2	—	—	3,121	844	1	2
60—	20	36	2	5	104	101	69	78	2	3	1	1	5,157	1,532	2	—
65—	21	41	3	5	136	125	91	125	5	4	—	—	6,049	2,441	4	1
70—	17	36	1	3	143	164	82	167	3	8	—	—	6,907	3,872	3	3
75—	20	56	1	2	125	187	75	203	5	6	1	4	6,968	5,495	2	7
80—	23	39	1	3	73	126	54	145	—	3	1	1	5,580	6,087	2	6
85 and over	3	26	2	3	47	87	33	98	2	6	—	1	4,195	6,759	2	8

Causes of death	470 Acute naso-pharyngitis (common cold)		471* 472 Acute pharyngitis		473 Acute tonsillitis		474 Acute laryngitis and tracheitis		475 Acute upper respiratory infection of multiple or unspecified sites		480-483 Influenza		480 Influenza with pneumonia		481 Influenza with other respiratory manifest'ns and influenza unqualified	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**3**	**10**	**4**	**9**	**13**	**8**	**33**	**27**	**7**	**2**	**1,511**	**1,797**	**941**	**1,104**	**559**	**673**
0—	1	—	—	—	2	—	14	7	3	1	23	15	13	12	7	2
1—	1	—	—	1	—	1	10	10	1	—	7	13	6	11	—	2
5—	—	—	—	—	—	2	—	2	—	—	11	4	9	3	2	—
10—	—	—	—	1	—	1	1	—	—	1	9	8	4	6	5	2
15—	—	—	—	—	2	—	—	—	—	—	15	10	13	10	2	—
20—	—	—	—	—	—	—	—	—	—	—	15	15	11	14	4	1
25—	—	—	—	—	1	1	1	—	1	—	16	11	11	10	5	—
30—	—	—	—	—	1	—	1	—	—	—	16	19	10	14	6	5
35—	—	—	1	—	2	—	1	—	—	—	13	13	9	11	4	2
40—	—	—	—	—	—	—	—	—	—	—	20	20	18	17	2	3
45—	—	—	—	—	—	—	—	—	—	—	35	29	21	20	14	9
50—	—	—	—	—	—	1	—	—	—	—	52	33	37	23	15	10
55—	—	—	1	1	—	—	—	1	—	—	113	62	68	44	45	17
60—	—	—	—	—	1	—	1	—	—	—	160	90	88	60	70	29
65—	—	—	1	—	1	—	1	1	1	—	168	162	104	95	64	67
70—	—	—	1	1	1	—	1	2	—	—	214	224	131	134	80	85
75—	—	2	—	2	1	1	1	2	—	—	214	286	141	177	73	108
80—	—	3	—	2	—	—	1	1	1	—	220	375	140	211	78	162
85 and over	1	5	—	1	1	1	—	1	—	—	190	408	107	232	83	169

* **471** Acute sinusitis —.

TABLE 17—*continued*

Causes of death	482 Influenza with digestive manifest'ns, but without respiratory symptoms		483 Influenza with nervous manifest'ns, but without digestive or respiratory symptoms		490-493 Pneumonia		490 Lobar pneumonia		491 Broncho-pneumonia		492 Primary atypical pneumonia		493 Pneumonia, other and unspecified		500-502 Bronchitis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**8**	**17**	**3**	**3**	**14,472**	**16,437**	**1,900**	**1,565**	**11,694**	**14,019**	**170**	**134**	**708**	**719**	**23,351**	**9,942**
0—	—	1	3	—	1,073	769	43	36	909	652	60	39	61	42	245	167
1—	1	—	—	—	198	180	7	13	172	151	7	8	12	8	53	51
5—	—	—	—	1	48	45	2	3	45	37	1	1	—	4	16	11
10—	—	—	—	—	51	24	8	3	40	16	1	2	2	3	6	7
15—	—	—	—	—	49	28	10	2	31	25	1	1	7	—	10	5
20—	—	—	—	—	40	28	4	4	29	23	—	—	7	1	8	6
25—	—	—	—	1	39	20	5	4	25	10	2	2	7	4	15	8
30—	—	—	—	—	55	47	11	8	37	37	2	—	5	2	23	13
35—	—	—	—	—	76	65	20	12	50	45	5	4	1	4	51	36
40—	—	—	—	—	135	73	42	16	78	47	4	4	11	6	128	56
45—	—	—	—	—	188	133	60	31	117	85	3	2	8	15	370	132
50—	—	—	—	—	338	207	91	39	217	150	7	7	23	11	896	222
55—	—	1	—	—	636	337	158	75	433	237	13	6	32	19	1,997	356
60—	2	1	—	—	944	631	203	102	675	496	12	8	54	25	3,473	689
65—	—	—	—	—	1,271	1,066	207	139	970	868	12	7	82	52	4,039	1,065
70—	3	4	—	1	1,949	1,898	288	231	1,545	1,579	12	8	104	80	4,201	1,563
75—	—	1	—	—	2,576	3,024	312	259	2,141	2,625	13	10	110	130	3,740	1,945
80—	2	2	—	—	2,568	3,594	245	276	2,217	3,159	8	14	98	145	2,502	1,861
85 and over	—	7	—	—	2,238	4,268	184	312	1,963	3,777	7	11	84	168	1,578	1,749

Causes of death	500 Acute bronchitis		501 Bronchitis, unqualified		502 Chronic bronchitis		502·0 Bronchitis with emphysema		502·1 Other		510-527 Other diseases of respiratory system		510 Hypertrophy of tonsils and adenoids		511 Peri-tonsillar abscess (quinsy)	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**1,448**	**1,587**	**886**	**983**	**21,017**	**7,372**	**10,724**	**2,112**	**10,293**	**5,260**	**3,529**	**1,639**	**11**	**11**	**2**	—
0—	194	137	39	23	12	7	—	—	12	7	44	25	—	—	—	—
1—	37	36	10	8	6	7	—	1	6	6	26	11	—	1	—	—
5—	3	5	4	3	9	3	1	1	8	2	16	14	8	9	—	—
10—	2	3	4	—	—	4	—	—	—	4	9	4	1	1	—	—
15—	4	1	4	3	2	1	—	—	2	1	6	4	—	—	—	—
20—	3	3	4	3	1	—	—	—	1	—	16	7	1	—	—	—
25—	7	4	2	2	6	2	3	1	3	1	7	12	—	—	—	—
30—	7	2	—	3	16	8	7	5	9	3	23	11	—	—	1	—
35—	7	7	4	6	40	23	21	10	19	13	34	35	—	—	—	—
40—	12	8	7	7	109	41	59	24	50	17	51	34	1	—	—	—
45—	25	23	8	9	337	100	188	44	149	56	109	44	—	—	—	—
50—	29	21	29	15	838	186	519	81	319	105	218	88	—	—	—	—
55—	75	29	42	17	1,880	310	1,115	125	765	185	374	87	—	—	1	—
60—	109	64	90	42	3,274	583	1,959	210	1,315	373	578	122	—	—	—	—
65—	152	105	103	73	3,784	887	2,127	286	1,657	601	567	147	—	—	—	—
70—	179	166	127	131	3,895	1,266	1,990	388	1,905	878	540	184	—	—	—	—
75—	196	259	148	170	3,396	1,516	1,513	402	1,883	1,114	436	233	—	—	—	—
80—	208	325	128	202	2,166	1,334	843	315	1,323	1,019	288	251	—	—	—	—
85 and over	199	389	133	266	1,246	1,094	379	219	867	875	187	326	—	—	—	—

TABLE 17—*continued*

Causes of death	512* 513 Chronic sinusitis		514, 515, 516* 517 Other diseases of upper respiratory tract		518 Empyema		519 Pleurisy		520 Spontaneous pneumo-thorax		521 Abscess of lung		522 Pulmonary congestion and hypostasis		523 Pneumo-coniosis due to silica and silicates (occupa-tional)	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**20**	**6**	**25**	**17**	**56**	**29**	**43**	**40**	**8**	**5**	**66**	**22**	**249**	**489**	**667**	**15**
0—	2	—	2	2	1	1	1	—	1	—	—	—	1	—	—	—
1—	—	1	10	4	1	—	—	—	—	1	2	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
10—	3	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
20—	2	1	1	—	—	—	—	—	—	—	—	—	1	—	—	—
25—	—	1	—	1	—	—	—	—	—	1	—	1	—	—	—	—
30—	1	—	—	—	1	—	—	1	1	—	2	1	—	—	—	—
35—	3	—	2	—	—	—	—	—	—	1	—	1	—	1	—	—
40—	1	—	—	—	1	1	—	—	—	—	1	—	—	1	4	—
45—	2	—	1	—	3	—	—	—	—	—	4	—	—	1	18	—
50—	1	—	1	1	9	2	1	—	1	—	5	1	1	4	51	1
55—	1	1	—	1	3	2	4	3	—	—	7	2	—	1	106	6
60—	1	—	1	1	6	5	2	3	1	—	16	1	3	4	141	1
65—	—	—	1	—	3	—	3	2	1	1	10	2	4	4	127	3
70—	2	1	1	—	11	5	11	7	2	—	7	3	19	17	95	3
75—	—	—	1	2	7	5	7	7	—	1	5	2	36	72	88	1
80—	—	—	2	4	8	3	8	13	—	—	4	4	79	123	31	—
85 and over	—	—	1	1	2	5	6	4	—	—	3	3	105	261	6	—

Causes of death	524 Other specified pneumo-coniosis and pulmonary fibrosis of occupational origin		525 Other chronic interstitial pneumonia		526 Bronchi-ectasis		527 Other diseases of lung and pleural cavity		527·0 Pulmonary collapse (1 year and over)		527·1 Emphysema without mention of bronchitis		527·2 Other		IX 530-587 Diseases of the digestive system	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**23**	**6**	**225**	**120**	**1,025**	**580**	**1,108**	**297**	**14**	**9**	**1,008**	**243**	**86**	**45**	**8,018**	**7,540**
0—	—	—	6	4	2	—	28	18	—	—	8	9	20	9	**412**	**335**
1—	—	—	2	1	1	—	10	3	3	—	1	—	6	3	**127**	**75**
5—	—	—	—	1	5	2	3	—	—	—	1	—	2	—	**30**	**31**
10—	—	—	—	—	3	2	1	—	—	—	—	—	1	—	**20**	**21**
15—	—	—	—	—	4	4	—	—	—	—	—	—	—	—	**40**	**29**
20—	—	—	1	—	8	6	2	—	—	—	—	—	2	—	**37**	**25**
25—	—	—	—	—	6	7	1	1	—	—	1	1	—	—	**36**	**43**
30—	—	—	—	2	11	7	6	—	—	—	4	—	2	—	**66**	**41**
35—	—	—	2	3	21	25	6	4	—	1	6	3	—	—	**96**	**76**
40—	—	—	3	4	27	22	13	6	—	—	11	4	2	2	**157**	**102**
45—	—	1	5	3	43	31	33	8	—	—	29	5	4	3	**286**	**163**
50—	—	1	17	9	64	48	67	21	2	1	59	17	6	3	**469**	**267**
55—	—	—	25	12	105	47	122	12	1	—	113	9	8	3	**694**	**387**
60—	7	1	37	17	165	68	198	21	2	—	187	20	9	1	**877**	**631**
65—	6	2	44	22	170	78	197	33	3	2	185	27	9	4	**1,051**	**832**
70—	5	—	37	12	169	83	181	53	1	2	174	46	6	5	**1,194**	**1,144**
75—	3	1	27	16	117	77	145	48	1	1	139	43	5	4	**1,111**	**1,303**
80—	2	—	12	11	74	48	68	45	—	1	65	41	3	3	**824**	**1,148**
85 and over	—	—	7	3	30	25	27	24	1	1	25	18	1	5	**491**	**887**

* **512** Chronic pharyngitis and nasopharyngitis *75*; **514** Deflected nasal septum —; **515** Nasal polyp 65, *5*; **516** Chronic laryngitis —.

(88065

TABLE 17—*continued*

Causes of death	530-539 Diseases of buccal cavity and oesophagus		530, 531* / 532 Other inflammatory diseases of supporting structures of teeth		533 Disorders of occlusion, eruption and tooth development		534, 535, 536* / 537 Diseases of salivary glands		538* / 539 Diseases of oesophagus		540-545 Diseases of stomach and duodenum		540 Ulcer of stomach		540·0 Without mention of perforation	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**123**	**160**	**1**	**1**	**2**	—	**20**	**69**	**89**	**84**	**3,253**	**1,679**	**1,398**	**978**	**1,004**	**767**
0—	—	3	—	—	—	—	—	2	—	1	7	5	3	3	—	2
1—	2	—	—	—	1	—	—	—	—	—	2	—	1	—	—	—
5—	1	1	—	—	—	—	—	—	1	1	—	1	—	—	—	—
10—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—	—	5	—	1	—	1	—
20—	1	—	—	—	1	—	—	—	—	—	7	1	4	—	4	—
25—	3	—	1	—	—	—	—	—	1	—	6	4	1	2	1	1
30—	1	—	—	—	—	—	—	—	1	—	23	6	10	4	7	1
35—	—	1	—	—	—	—	—	—	—	1	33	12	7	3	6	2
40—	2	1	—	—	—	—	—	—	1	1	58	11	23	4	17	2
45—	4	3	—	—	—	—	—	—	3	3	123	38	49	19	34	13
50—	7	4	—	—	—	—	1	—	6	4	178	49	77	27	51	20
55—	10	5	—	—	—	—	1	1	6	4	296	80	126	44	83	29
60—	5	13	—	—	—	—	—	3	5	10	385	127	173	76	110	59
65—	14	12	—	—	—	—	2	2	11	9	491	181	225	95	163	76
70—	19	21	—	—	—	—	2	7	15	13	569	278	247	163	173	124
75—	20	26	—	—	—	—	3	13	17	12	474	331	191	190	143	150
80—	19	38	—	1	—	—	5	19	14	16	384	305	167	180	135	151
85 and over	15	32	—	—	—	—	6	22	8	9	211	250	93	168	76	137

Causes of death	540·1 With perforation		541 Ulcer of duodenum		541·0 Without mention of perforation		541·1 With perforation		542 Gastro-jejunal ulcer		542·0 Without mention of perforation		542·1 With perforation		543 Gastritis and duodenitis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**394**	**211**	**1,697**	**619**	**1,104**	**353**	**593**	**266**	**39**	**12**	**28**	**10**	**11**	**2**	**34**	**35**
0—	3	1	1	1	—	—	1	1	—	—	—	—	—	—	1	1
1—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	2	—	2	—	—	—	—	—	—	—	—	—	—	—
20—	—	—	3	1	1	1	2	—	—	—	—	—	—	—	—	—
25—	—	1	5	2	3	2	2	—	—	—	—	—	—	—	—	—
30—	3	3	12	2	8	1	4	1	—	—	—	—	—	—	—	—
35—	1	1	23	7	16	3	7	4	1	—	—	—	1	—	—	—
40—	6	2	31	5	22	2	9	3	1	1	1	1	—	—	1	—
45—	15	6	66	19	43	9	23	10	2	—	2	—	—	—	2	—
50—	26	7	86	19	57	10	29	9	2	1	—	—	2	1	3	—
55—	43	15	152	30	93	10	59	20	5	1	3	1	2	—	1	3
60—	63	17	195	45	117	25	78	20	1	3	1	2	—	1	1	—
65—	62	19	241	75	154	43	87	32	6	—	4	—	2	—	9	3
70—	74	39	304	107	196	57	108	50	4	1	2	1	2	—	4	7
75—	48	40	264	124	174	71	90	53	9	—	8	—	1	—	4	8
80—	32	29	205	113	150	70	55	43	7	3	6	3	1	—	1	5
85 and over	17	31	107	69	68	49	39	20	1	2	1	2	—	—	6	7

* **530** Dental caries —; **531** Abcesses of supporting structure of teeth 45, 55, 85, *75*; **534** Toothache from unspecified cause —; **535** Other diseases of teeth and supporting structures 1, 25, 70; **536** Stomatitis 55, 65, 70, *80*; **538** Other diseases of buccal cavity 40, 55, *65*, *70*, *80*, *85*.

TABLE 17—*continued*

Causes of death	544 Disorders of function of stomach		545 Other diseases of stomach and duodenum		550-553 Appendicitis		550 Acute appendicitis		550·0 Without mention of peritonitis		550·1 With peritonitis		551 Appendicitis unqualified		552, 553* / 560, 561 Hernia of abdominal cavity	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**9**	**6**	**76**	**29**	**347**	**259**	**302**	**215**	**41**	**29**	**261**	**186**	**42**	**40**	**740**	**848**
0—	1	—	1	—	3	—	3	—	—	—	3	—	—	—	80	62
1—	—	—	—	—	16	3	14	3	1	1	13	2	2	—	3	—
5—	—	—	—	—	10	7	10	6	2	—	8	6	—	1	—	2
10—	1	—	—	—	6	7	6	6	—	—	6	6	—	1	2	—
15—	1	—	1	—	11	7	10	6	2	3	8	3	1	1	—	1
20—	—	—	—	—	8	6	7	3	2	—	5	3	1	3	1	1
25—	—	—	—	—	8	6	7	4	3	—	4	4	1	2	1	—
30—	—	—	1	—	9	1	7	1	1	—	6	1	2	—	—	—
35—	—	—	2	2	9	3	9	2	1	—	8	2	—	—	4	4
40—	—	—	2	1	8	8	6	5	—	—	6	5	2	3	4	3
45—	—	—	4	—	19	5	12	3	1	—	11	3	7	1	8	12
50—	2	—	8	2	26	4	20	2	1	—	19	2	6	2	19	17
55—	—	—	12	2	32	15	28	13	6	1	22	12	3	2	43	33
60—	—	—	15	3	36	27	33	23	3	4	30	19	3	4	58	58
65—	1	3	9	5	34	29	28	26	3	3	25	23	6	3	88	89
70—	—	—	10	—	43	32	39	29	5	3	34	26	4	2	113	140
75—	—	2	6	7	37	45	33	34	8	5	25	29	3	10	132	167
80—	1	—	3	4	27	32	25	30	2	6	23	24	1	2	106	152
85 and over	2	1	2	3	5	22	5	19	—	3	5	16	—	3	78	107

Causes of death	560 Hernia of abdominal cavity without mention of obstruction		560·0 Inguinal		560·1 Femoral		560·2 Umbilical		560·3 Ventral (incisional)		560·4; 5 Others included under 560		561 Hernia of abdominal cavity with obstruction		561·0 Inguinal	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**233**	**248**	**62**	**14**	**6**	**7**	**29**	**39**	**9**	**19**	**127**	**169**	**507**	**600**	**302**	**67**
0—	67	60	1	—	—	—	23	30	—	—	43	30	13	2	5	—
1—	1	—	—	—	—	—	1	—	—	—	—	—	2	—	1	—
5—	—	2	—	—	—	—	—	1	—	—	—	1	—	—	—	—
10—	1	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—
15—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
20—	—	1	—	—	—	—	—	—	—	—	—	1	1	—	—	—
25—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—
30—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
35—	—	1	—	—	—	—	—	—	—	1	—	—	4	3	2	—
40—	1	1	1	—	—	—	—	—	—	—	—	1	3	2	1	—
45—	2	5	—	1	—	—	—	—	—	—	2	4	6	7	1	—
50—	8	6	2	1	—	1	1	1	1	1	4	2	11	11	5	1
55—	12	6	8	—	—	1	—	—	1	2	3	3	31	27	18	4
60—	19	16	8	3	2	—	2	—	—	4	7	9	39	42	19	—
65—	21	25	10	2	—	—	—	—	1	6	10	17	67	64	41	9
70—	31	31	9	1	1	1	1	3	—	1	20	25	82	109	42	13
75—	32	34	6	2	1	1	1	1	5	3	19	27	100	133	61	15
80—	16	35	7	2	1	1	—	1	1	1	7	30	90	117	64	15
85 and over	22	25	10	2	1	2	—	2	—	—	11	19	56	82	41	10

* **552** Other appendicitis *45*; **553** Other diseases of appendix 55, 75, 80, *35*, *70*, *75*.

(88065)

TABLE 17—*continued*

Causes of death	561·1 Femoral		561·2 Umbilical		561·3 Ventral (incisional)		561·4; 5 Others included under 561		570-578 Other diseases of intestines and peritoneum		570 Intestinal obstruction without mention of hernia		570·0 Intus-susception		570·1 Paralytic ileus	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**69**	**275**	**39**	**93**	**40**	**78**	**57**	**87**	**1,979**	**2,556**	**705**	**848**	**33**	**25**	**14**	**8**
0—	—	—	5	1	—	—	3	1	256	207	34	18	22	15	1	—
1—	—	—	—	—	—	—	1	—	89	48	7	7	4	4	—	—
5—	—	—	—	—	—	—	—	—	8	8	5	—	1	—	—	—
10—	—	—	—	—	—	—	1	—	3	5	—	2	—	1	—	—
15—	—	—	—	—	—	—	—	1	22	13	6	3	—	—	—	—
20—	—	—	—	—	—	—	1	—	12	13	2	3	—	—	—	1
25—	—	—	—	—	—	—	—	—	11	16	2	1	—	—	—	—
30—	—	—	—	—	—	—	—	—	18	25	4	4	—	—	—	—
35—	—	1	—	—	1	—	1	2	27	35	11	7	1	—	—	—
40—	—	—	1	1	1	—	—	1	39	42	13	16	—	—	—	—
45—	1	1	1	4	1	1	2	1	53	50	19	19	—	—	1	1
50—	—	4	2	5	—	—	4	1	106	94	44	21	—	—	1	—
55—	2	6	4	5	2	4	5	8	137	108	40	36	—	—	2	1
60—	11	9	1	19	3	11	5	3	191	163	81	58	—	—	1	1
65—	8	21	5	8	6	15	7	11	210	255	80	90	1	1	3	—
70—	15	54	8	18	9	14	8	10	249	373	116	138	2	2	2	—
75—	16	65	4	17	10	17	9	19	265	429	125	164	—	—	1	—
80—	9	67	5	9	7	9	5	17	172	379	75	141	2	1	1	2
85 and over	7	47	3	6	—	7	5	12	111	293	41	120	—	1	1	2

Causes of death	570·2 Mesenteric infarction		570·3 Volvulus		570·4 Impaction of intestine		570·5 Others included under 570		571 Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over		572 Chronic enteritis and ulcerative colitis		572·0 Regional enteritis		572·1 Divertic-ulitis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**259**	**333**	**152**	**159**	**34**	**62**	**213**	**261**	**455**	**484**	**589**	**967**	**49**	**48**	**373**	**663**
0—	2	1	6	1	1	1	2	—	214	181	1	—	—	—	—	—
1—	—	—	3	3	—	—	—	—	82	40	—	—	—	—	—	—
5—	—	—	2	—	—	—	2	—	2	7	—	1	—	—	—	—
10—	—	—	—	—	—	—	—	1	1	—	1	1	1	—	—	—
15—	1	—	3	2	—	—	2	1	1	—	12	10	3	1	—	—
20—	—	—	1	—	1	1	—	1	2	2	6	5	—	1	—	—
25—	—	1	—	—	1	—	1	—	—	4	9	9	2	3	—	—
30—	3	1	1	—	—	—	—	3	3	4	8	15	5	3	—	—
35—	7	3	—	2	—	1	3	1	3	2	7	17	2	4	—	1
40—	11	3	1	5	1	—	—	8	2	2	13	19	4	7	3	1
45—	10	5	4	2	1	—	3	11	6	2	21	22	6	6	5	3
50—	18	6	13	2	1	3	11	10	9	12	42	49	4	6	21	18
55—	18	18	10	5	2	—	8	12	10	7	65	51	9	3	40	27
60—	38	33	18	10	3	4	21	10	12	15	70	71	4	3	42	49
65—	32	40	19	19	—	4	25	26	21	24	76	112	2	1	55	92
70—	32	56	23	22	5	11	52	47	16	35	86	161	4	4	69	130
75—	51	66	28	36	10	9	35	53	27	52	82	169	3	4	63	130
80—	26	59	9	30	6	11	31	38	20	52	55	155	—	1	42	130
85 and over	10	41	11	20	2	17	17	39	24	43	35	100	—	1	33	82

TABLE 17—*continued*

Causes of death	572·2 Ulcerative colitis		572·3 Other		573 Functional disorders of intestines		574* 575 Abscess of anal and rectal regions		576 Peritonitis		577 Peritoneal adhesion		578 Other diseases of intestines and peritoneum		580-587 Diseases of liver, gallbladder and pancreas	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**161**	**247**	**6**	**9**	**9**	**12**	**6**	**13**	**45**	**48**	**5**	**11**	**164**	**170**	**1,576**	**2,038**
0—	1	—	—	—	—	—	—	—	2	4	—	—	5	4	66	58
1—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	15	24
5—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	11	12
10—	—	1	—	—	—	—	—	—	—	—	—	—	1	2	8	9
15—	9	9	—	—	—	—	—	—	1	—	—	—	2	—	2	8
20—	6	4	—	—	—	—	—	—	—	—	—	—	2	3	8	4
25—	7	6	—	—	—	—	—	—	—	1	—	—	—	1	7	17
30—	3	12	—	—	—	—	—	—	1	1	—	—	2	1	15	9
35—	5	12	—	—	—	1	—	—	2	2	—	—	4	6	23	21
40—	6	10	—	1	—	—	—	—	1	1	—	—	10	4	46	37
45—	9	13	1	—	—	—	—	—	2	4	—	1	5	2	79	55
50—	16	25	1	—	1	—	—	—	3	3	1	1	6	8	133	99
55—	16	20	—	1	—	—	—	1	3	1	1	—	18	12	176	146
60—	24	19	—	—	1	—	3	3	11	5	—	1	13	9	202	243
65—	18	18	1	1	1	2	—	2	6	4	1	1	24	20	214	266
70—	12	27	1	—	1	—	2	1	7	9	—	2	21	26	201	300
75—	16	32	—	3	1	4	1	1	3	5	—	3	26	31	183	305
80—	11	23	2	1	1	3	—	1	3	6	1	1	17	19	116	242
85 and over	2	15	—	2	3	1	—	4	—	2	1	1	7	22	71	183

Causes of death	580 Acute and subacute yellow atrophy of liver		581 Cirrhosis of liver		582 Suppurative hepatitis and liver abscess		583 Other diseases of liver		584 Cholelithiasis		585 Cholecystitis and cholangitis, without mention of calculi		586 Other diseases of gallbladder and biliary ducts		587 Diseases of pancreas	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**42**	**65**	**697**	**605**	**17**	**6**	**43**	**58**	**239**	**461**	**149**	**337**	**50**	**92**	**339**	**414**
0—	3	1	5	1	1	—	2	2	—	—	—	1	1	—	54	53
1—	1	—	1	1	—	—	—	1	—	—	—	—	—	—	13	22
5—	—	—	—	1	—	—	1	—	—	—	1	—	—	—	9	11
10—	2	1	3	2	—	—	—	1	—	—	—	—	—	—	3	5
15—	—	—	1	3	—	—	—	1	—	—	—	—	—	—	1	4
20—	1	—	4	—	—	—	—	—	—	1	—	—	—	—	3	3
25—	2	5	2	1	—	—	—	2	—	3	—	1	—	—	3	5
30—	2	1	7	3	1	—	—	1	—	—	—	—	—	1	5	3
35—	2	3	12	8	1	—	—	1	1	4	1	—	—	1	6	4
40—	3	6	29	18	—	—	—	1	1	4	2	1	1	2	10	5
45—	2	4	45	28	1	—	6	1	1	6	—	4	2	2	22	10
50—	6	4	84	58	3	—	2	3	8	10	3	6	2	4	25	14
55—	2	11	104	68	3	—	6	3	19	19	9	15	1	6	32	24
60—	5	10	117	114	2	—	4	5	20	46	14	18	6	13	34	37
65—	2	8	107	97	1	2	4	7	31	56	21	37	10	11	38	48
70—	2	5	79	95	—	2	6	16	48	79	25	43	11	14	30	46
75—	6	3	58	59	3	—	10	3	45	99	31	71	7	17	23	53
80—	1	—	27	32	1	2	1	4	40	79	19	73	5	14	22	38
85 and over	—	3	12	16	—	—	1	6	25	55	23	67	4	7	6	29

* **574** Anal fissure and fistula 65, *60*, *70*, *80*.

TABLE 17—*continued*

Causes of death	587·0 Acute pancreatitis		587·1 Chronic pancreatitis		587·2 Other diseases of pancreas		X 590-637 Diseases of the genito-urinary system		590-594 Nephritis and nephrosis		590 Acute nephritis		591 Nephritis with oedema, including nephrosis		592 Chronic nephritis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**220**	**283**	**26**	**27**	**93**	**104**	**6,300**	**3,903**	**1,769**	**1,654**	**70**	**60**	**136**	**86**	**1,277**	**1,265**
0—	—	—	—	—	54	53	**47**	**14**	7	4	1	3	5	1	—	—
1—	—	—	—	—	13	22	**10**	**11**	6	6	2	2	4	2	—	1
5—	1	—	—	—	8	11	**13**	**10**	10	4	2	—	3	1	5	3
10—	—	1	—	—	3	4	**19**	**22**	10	16	2	3	4	6	3	6
15—	—	3	—	—	1	1	**35**	**36**	30	26	3	5	3	3	20	18
20—	1	3	—	—	2	—	**53**	**45**	45	29	8	1	3	5	32	21
25—	3	4	—	1	—	—	**50**	**48**	44	31	1	2	4	2	37	26
30—	5	3	—	—	—	—	**64**	**57**	50	28	3	—	9	2	37	22
35—	6	4	—	—	—	—	**88**	**87**	64	54	3	1	6	4	48	46
40—	10	5	—	—	—	—	**118**	**105**	94	57	7	5	8	3	65	44
45—	19	10	2	—	1	—	**143**	**153**	103	80	3	3	7	5	85	67
50—	22	13	2	1	1	—	**254**	**198**	165	99	8	3	16	5	118	73
55—	24	21	4	1	4	2	**328**	**268**	171	132	6	2	15	8	122	102
60—	28	30	5	3	1	4	**447**	**338**	187	147	5	5	10	9	140	113
65—	33	45	3	3	2	—	**618**	**419**	193	169	6	4	14	5	133	133
70—	24	44	4	1	2	1	**872**	**536**	184	190	6	3	13	11	127	149
75—	19	41	4	7	—	5	**1,120**	**574**	165	218	3	8	5	5	133	167
80—	19	30	2	7	1	1	**1,109**	**548**	130	201	1	6	3	5	97	161
85 and over	6	26	—	3	—	—	**912**	**434**	111	163	—	4	4	4	75	113

Causes of death	593 Nephritis not specified as acute or chronic		594 Other renal sclerosis		600-609 Other diseases of urinary system		600 Infections of kidney		600·0 Pyelitis, pyelocystitis and pyelo-nephritis		600·1 Abscess of kidney and perirenal tissue		600·2 Other		601 Hydro-nephrosis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**275**	**238**	**11**	**5**	**1,563**	**2,077**	**988**	**1,567**	**961**	**1,551**	**17**	**13**	**10**	**3**	**76**	**57**
0—	1	—	—	—	38	10	17	5	13	5	4	—	—	—	5	—
1—	—	1	—	—	4	4	2	1	1	1	—	—	1	—	—	—
5—	—	—	—	—	3	6	1	4	1	4	—	—	—	—	1	2
10—	1	1	—	—	9	6	8	5	7	5	—	—	1	—	1	1
15—	2	—	2	—	4	10	3	9	3	9	—	—	—	—	1	1
20—	2	2	—	—	8	16	6	12	6	12	—	—	—	—	2	2
25—	2	1	—	—	6	13	3	10	3	10	—	—	—	—	—	1
30—	1	4	—	—	14	25	10	19	10	19	—	—	—	—	1	—
35—	6	3	1	—	23	27	11	22	9	21	1	1	1	—	3	2
40—	13	5	1	—	22	40	17	34	17	34	—	—	—	—	2	1
45—	7	5	1	—	40	58	27	46	24	46	2	—	1	—	1	2
50—	23	17	—	1	74	88	51	66	49	66	2	—	—	—	4	3
55—	28	20	—	—	103	120	67	95	66	94	1	1	—	—	6	3
60—	30	20	2	—	140	173	89	137	87	135	1	1	1	1	5	2
65—	39	27	1	—	176	231	121	174	120	173	1	1	—	—	8	8
70—	37	27	1	—	205	320	129	254	124	251	4	3	1	—	7	10
75—	24	37	—	1	280	332	159	245	158	242	—	3	1	—	13	9
80—	29	27	—	2	234	336	152	238	152	236	—	1	—	1	10	8
85 and over	30	41	2	1	180	262	115	191	111	188	1	2	3	1	6	2

TABLE 17—*continued*

Causes of death	602 Calculi of kidney and ureter		603 Other diseases of kidney and ureter		604 Calculi of other parts of urinary system		605 Cystitis		606 Other diseases of bladder		607* 608 Stricture of urethra		609 Other diseases of urethra		610-617 Diseases of male genital organs
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M
All ages	**136**	**133**	**61**	**57**	**26**	**6**	**109**	**180**	**56**	**26**	**48**	—	**61**	**51**	**2,968**
0—	—	—	7	4	1	—	—	—	3	—	—	—	5	1	2
1—	—	—	1	2	—	—	—	—	—	1	1	—	—	—	—
5—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
20—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—
25—	2	—	—	—	—	—	—	1	—	1	1	—	—	—	—
30—	2	3	—	2	—	—	—	—	—	1	1	—	—	—	—
35—	6	—	2	1	—	—	—	2	1	—	—	—	—	—	1
40—	2	4	1	1	—	—	—	—	—	—	—	—	—	—	2
45—	5	8	5	—	—	—	1	1	—	1	—	—	1	—	—
50—	10	10	7	7	—	—	1	1	1	—	—	—	—	1	15
55—	14	10	6	4	1	1	3	2	2	2	1	—	3	3	54
60—	15	20	9	5	3	—	7	6	6	2	3	—	3	1	120
65—	19	19	4	6	4	—	5	16	11	3	1	—	3	5	249
70—	22	18	4	11	2	—	14	20	7	3	11	—	9	4	483
75—	22	21	9	10	5	1	34	32	9	2	10	—	17	12	675
80—	15	12	3	2	6	1	20	55	7	7	9	—	12	13	745
85 and over	2	7	3	2	4	3	24	44	8	3	10	—	8	10	621

Causes of death	610 Hyperplasia of prostate	611 Prostatitis	612 Other diseases of prostate	613-616* 617 Other diseases of male genital organs	620-626 Diseases of breast, ovary, Fallopian tube and parametrium	620-623* 624 Salpingitis and oophoritis, unqualified	625* 626 Diseases of parametrium and pelvic peritoneum (female)	630-637 Diseases of uterus and other female genital organs
Ages at death	M	M	M	M	F	F	F	F
All ages	**2,901**	**37**	**12**	**9**	**39**	**17**	**13**	**133**
0—	—	—	—	—	—	—	—	—
1—	—	—	—	—	1	—	1	—
5—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—
20—	—	—	—	—	—	—	—	—
25—	—	—	—	—	2	1	—	2
30—	—	—	—	—	2	1	—	2
35—	1	—	—	—	4	3	1	2
40—	2	—	—	—	—	—	—	8
45—	—	—	—	—	5	3	1	10
50—	14	—	1	—	2	2	—	9
55—	50	1	1	1	5	2	2	11
60—	116	2	—	2	3	2	1	15
65—	241	5	—	2	3	1	—	16
70—	474	6	2	1	4	1	1	22
75—	658	9	4	2	4	1	3	20
80—	734	8	1	1	3	—	2	8
85 and over	611	6	3	—	1	—	1	8

* **607** Urethritis (non-venereal) 75, 75; **613** Hydrocele 15; **614** Orchitis and epididymitis 75; **615** Redundant prepuce and phimosis 0, 0, 55, 65, 75, 80, 85; **616** Sterility, male —; **620** Chronic cystic disease of breast —; **621** Other diseases of breast *55*, *70*; **622** Acute salpingitis and oopharitis *30*; **623** Chronic salpingitis and oopharitis *25*, *65*, *65*, *70*; **625** Other diseases of ovary and Fallopian tube *45*, *80*.

TABLE 17—*continued*

Causes of death	630 Infective disease of uterus, vagina and vulva	631 Utero-vaginal prolapse	632* 633 Other diseases of uterus	634 Disorders of menstruation	635, 636, 637* XI 640-689 Deliveries and complications of pregnancy, childbirth and the puerperium	640-649 Complications of pregnancy	640, 641* 642 Toxaemias of pregnancy	643, 644* 645 Ectopic pregnancy
Ages at death	F	F	F	F	F	F	F	F
All ages	**10**	**68**	**28**	**15**	**299**	**105**	**50**	**22**
0—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—
15—	—	—	—	—	**7**	3	2	—
20—	—	—	—	—	**53**	22	11	5
25—	—	—	—	—	**68**	24	11	3
30—	—	—	2	—	**76**	23	10	8
35—	—	—	—	1	**54**	20	10	3
40—	2	1	2	3	**40**	12	6	3
45—	—	1	3	5	**1**	1	—	—
50—	—	2	4	3	—	—	—	—
55—	—	6	2	—	—	—	—	—
60—	2	6	5	—	—	—	—	—
65—	—	14	1	—	—	—	—	—
70—	2	15	3	2	—	—	—	—
75—	3	12	3	—	—	—	—	—
80—	—	4	3	1	—	—	—	—
85 and over	1	7	—	—	—	—	—	—

Causes of death	646, 647* 648 Other complications arising from pregnancy	650-652 Abortion	650 Abortion without mention of sepsis or toxaemia	651 Abortion with sepsis	652, 660* 670-678 Delivery with specified complication	670 Delivery complicated by placenta praevia or antepartum haemorrhage	671 Delivery complicated by retained placenta	672 Delivery complicated by other postpartum haemorrhage
Ages at death	F	F	F	F	F	F	F	F
All ages	**26**	**57**	**28**	**28**	**82**	**19**	**3**	**17**
0—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—
15—	1	3	1	2	—	—	—	—
20—	3	11	4	7	13	1	1	4
25—	9	14	5	8	18	1	1	4
30—	3	14	9	5	22	8	—	6
35—	6	9	3	6	15	6	—	1
40—	3	6	6	—	14	3	1	2
45—	1	—	—	—	—	—	—	—
50—	—	—	—	—	—	—	—	—
55—	—	—	—	—	—	—	—	—
60—	—	—	—	—	—	—	—	—
65—	—	—	—	—	—	—	—	—
70—	—	—	—	—	—	—	—	—
75—	—	—	—	—	—	—	—	—
80—	—	—	—	—	—	—	—	—
85 and over	—	—	—	—	—	—	—	—

* **632** Malposition of uterus *25*, *75*; **635** Menopausal symptoms —; **636** Sterility, female *25*, *35*; **637** Other diseases of female genital organs *45*, *55*, *55*, *55*, *60*, *60*, *65*, *75*; **640** Pyelitis and pyelyonephritis of pregnancy *20*, *30*, *35*; **641** Other infections of genito-urinary tract during pregnancy —; **643** Placenta praevia —; **644** Other haemorrhage of pregnancy *20*, *20*, *25*, *30*; **646** Anaemia of pregnancy —; **647** Pregnancy with malposition of foetus in uterus —; **652** Abortion without mention of sepsis *25*; **660** Delivery without mention of complications *25*, *30*, *40*, *40*.

TABLE 17—*continued*

Causes of death	673* 674 Delivery complicated by disproportion or malposition of foetus	675 Delivery complicated by prolonged labour of other origin	676* 677 Delivery with other trauma	678 Delivery with other complications of childbirth	680-689 Complications of the puerperium	680* 681 Sepsis of childbirth and the puerperium	682 Puerperal phlebitis and thrombosis	683* 684 Puerperal pulmonary embolism
Ages at death	F	F	F	F	F	F	F	F
All ages	**8**	**10**	**8**	**15**	**51**	**9**	**25**	**9**
0—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—
15—	—	—	—	—	1	1	—	—
20—	1	1	2	3	7	2	2	—
25—	3	4	—	3	11	1	8	2
30—	1	3	1	3	16	2	7	3
35—	2	1	3	2	10	3	3	3
40—	1	1	2	4	6	—	5	1
45—	—	—	—	—	—	—	—	—
50—	—	—	—	—	—	—	—	—
55—	—	—	—	—	—	—	—	—
60—	—	—	—	—	—	—	—	—
65—	—	—	—	—	—	—	—	—
70—	—	—	—	—	—	—	—	—
75—	—	—	—	—	—	—	—	—
80—	—	—	—	—	—	—	—	—
85 and over	—	—	—	—	—	—	—	—

Causes of death	685-689* XII 690-716 Diseases of the skin and cellular tissue		690-698 Infections of skin and subcutaneous tissue		690 Boil and carbuncle		691* 692 Other cellulitis and abscess without mention of lymphangitis		693-697* 698 Other local infections of skin and subcutaneous tissue		700–716 Other diseases of skin and subcutaneous tissue		700* 701 Eczema		702, 703* 704 Pemphigus	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**161**	**248**	**61**	**90**	**7**	**13**	**40**	**65**	**10**	**9**	**100**	**158**	**6**	**5**	**16**	**24**
0—	**8**	**3**	3	1	—	—	2	1	—	—	5	2	3	1	—	—
1—	—	**1**	—	1	—	—	—	—	—	—	—	—	—	—	—	—
5—	**1**	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
10—	**2**	**2**	1	2	1	—	—	2	—	—	1	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20—	**1**	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
25—	**1**	**2**	—	—	—	—	—	—	—	—	1	2	—	—	—	—
30—	**1**	**2**	—	1	—	1	—	—	—	—	1	1	—	—	—	—
35—	**2**	**2**	—	2	—	—	—	2	—	—	2	—	—	—	—	—
40—	**3**	**7**	1	1	—	—	1	1	—	—	2	6	—	—	—	—
45—	**3**	**11**	2	6	—	1	1	4	1	—	1	5	—	—	—	—
50—	**9**	**21**	4	4	—	1	2	3	1	—	5	17	—	1	—	5
55—	**15**	**11**	4	2	2	—	2	1	—	1	11	9	1	—	2	1
60—	**14**	**20**	6	5	—	—	4	4	1	1	8	15	—	1	—	3
65—	**13**	**21**	6	7	—	—	4	4	2	2	7	14	—	—	3	3
70—	**21**	**29**	6	10	2	2	3	7	—	1	15	19	—	—	4	3
75—	**20**	**39**	9	20	1	5	6	14	2	1	11	19	—	1	2	3
80—	**20**	**39**	8	15	—	3	8	10	—	2	12	24	—	—	1	4
85 and over	**27**	**38**	10	13	1	—	6	12	3	1	17	25	2	1	4	2

* **673** Delivery complicated by abnormality of bony pelvis *25*, *25*; **676** Delivery with laceration of perineum —; **680** Puerperal urinary infection without other sepsis —; **683** Pyrexia of unknown origin during the puerperium —; **685** Puerperal eclampsia *20*, *20*, *35*; **686** Other forms of puerperal toxaemia —; **687** Cerebral haemorrhage in the puerperium *30*, *30*; **688** Other and unspecified complications of the puerperium *20*, *30*; **689** Mastitis and other disorders of lactation *30*; **691** Cellulitis of finger and toe 50, 60, *45*; **693** Other cellulitis and abscess with lymphangitis *65*; **694** Acute lymphadenitis —; **695** Impetigo 0, *1*; **696** Infectious warts 70; **697** Molluscum contagiosum —; **700** Seborrhoeic dermatitis —; **702** Occupational dermatitis —; **703** Other dermatitis 0, 75, 80, *0*, *85*.

TABLE 17—*continued*

Causes of death	705 Erythema-tous conditions		706-709* 710 Other hypertrophic and atrophic conditions of skin		711-714* 715 Chronic ulcer of skin		716* XIII 720-749 Diseases of the bones and organs of movement		720-727 Arthritis and rheumatism except rheumatic fever		720 Acute arthritis due to pyogenic organisms		721* 722 Rheumatoid arthritis and allied conditions		722·0 Rheumatoid arthritis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**23**	**21**	**21**	**48**	**22**	**52**	**672**	**1,382**	**356**	**1,059**	**6**	**15**	**230**	**798**	**209**	**792**
0—	1	—	—	—	—	—	**16**	**7**	—	1	—	—	—	—	—	—
1—	—	—	—	—	—	—	**4**	**1**	—	—	—	—	—	—	—	—
5—	1	—	—	—	—	—	**2**	**2**	1	1	—	—	1	1	1	1
10—	—	—	1	—	—	—	**16**	**2**	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	**34**	**3**	—	—	—	—	—	—	—	—
20—	—	—	—	—	—	—	**11**	**3**	—	1	—	—	—	1	—	1
25—	—	2	—	—	—	—	**6**	**5**	1	1	—	—	1	1	1	—
30—	—	—	1	1	—	—	**10**	**6**	2	3	—	—	2	3	1	3
35—	1	—	—	—	—	—	**9**	**7**	5	2	—	—	4	1	3	1
40—	1	—	—	4	—	—	**14**	**8**	3	4	—	—	3	4	2	3
45—	1	2	—	3	—	—	**25**	**19**	14	14	—	—	10	10	9	10
50—	1	1	2	7	1	—	**44**	**40**	37	29	—	1	28	25	21	25
55—	2	—	6	8	—	—	**50**	**82**	30	57	1	2	24	52	21	51
60—	2	2	4	9	1	—	**82**	**105**	54	90	1	1	38	81	34	81
65—	2	—	2	7	—	4	**60**	**160**	36	130	2	3	28	110	27	110
70—	6	7	2	3	2	6	**79**	**215**	55	179	2	4	36	145	34	143
75—	3	5	2	2	3	8	**90**	**260**	49	204	—	4	26	141	26	141
80—	2	2	1	4	6	13	**72**	**242**	41	187	—	—	16	128	16	128
85 and over	—	—	—	—	9	21	**48**	**215**	28	156	—	—	13	95	13	94

Causes of death	722·1 Spondylitis ankylo-poietica		723 Osteo-arthritis (arthrosis) and allied conditions		724, 725* 726 Muscular rheumatism		727* 730-738 Osteo-myelitis and other diseases of bone and joint		730 Osteo-myelitis and periostitis		731 Osteitis deformans		732* 733 Other diseases of bone		734* 735 Displace-ment of intervertebral disc	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**21**	**6**	**111**	**231**	**3**	**4**	**158**	**204**	**32**	**11**	**67**	**98**	**43**	**86**	**9**	**6**
0—	—	—	—	—	—	1	3	1	1	—	—	—	2	1	—	—
1—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
5—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
20—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25—	—	1	—	—	—	—	2	—	2	—	—	—	—	—	—	—
30—	1	—	—	—	—	—	3	—	1	—	—	—	1	—	—	—
35—	1	—	1	—	—	—	3	1	2	—	—	—	—	—	1	1
40—	1	1	—	—	—	—	3	1	2	—	—	—	1	—	—	1
45—	1	—	3	4	—	—	5	1	—	—	—	1	1	—	2	—
50—	7	—	8	3	1	—	2	2	1	—	—	—	—	2	1	—
55—	3	1	5	2	—	—	4	6	—	3	1	2	2	—	—	—
60—	4	—	12	7	2	—	16	6	7	1	5	2	1	2	2	1
65—	1	—	6	16	—	1	15	18	2	2	6	9	5	7	—	—
70—	2	2	15	26	—	1	20	23	5	1	11	12	4	8	—	2
75—	—	—	22	54	—	1	34	40	4	—	21	21	7	18	2	1
80—	—	—	24	59	—	—	24	50	2	1	11	26	11	22	—	—
85 and over	—	1	15	60	—	—	20	55	1	3	12	25	6	26	1	—

* **706** Psoriasis and similar disorders 35, 60, 70, 80, *40*, *40*, *50*, *50*, *50*, *80*; **707** Lichen planus 50; **708** Pruritus and related conditions 85; **709** Corns and callosities —; **711** Other dermatoses —; **712** Diseases of nail —; **713** Diseases of hair and hair follicles —; **714** Diseases of sweat and sebaceous glands 85; **716** Other diseases of skin 25, 40; **721** Acute non-pyogenic arthritis —; **724** Other specified forms of arthritis 60, 80, *55*, *60*, *70*; **725** Arthritis unspecified 45, 70, 70, 75, *35*, *70*, *70*, *75*, *75*, *75*, *85*; **727** Rheumatism unspecified *75*; **732** Osteochondrosis —; **734** Internal derangement of knee joint —.

TABLE 17—*continued*

Causes of death	736, 737, 738* 740-749 Other diseases of musculo-skeletal system		740-743* 744 Other diseases of muscle, tendon and fascia		745 Curvature of spine		746-749* XIV 750-759 Congenital malforma-tions		750 Monstrosity		751 Spina bifida and meningocele		752 Congenital hydro-cephalus		753 Other congenital malforma-tions of nervous system and sense organs	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**158**	**119**	**132**	**79**	**17**	**27**	**2,836**	**2,590**	**75**	**130**	**245**	**368**	**227**	**310**	**60**	**79**
0—	13	5	11	5	—	—	**1,998**	**1,840**	74	130	227	345	182	266	32	44
1—	3	1	2	1	1	—	**181**	**179**	—	—	9	16	29	31	16	18
5—	—	1	—	1	—	—	**67**	**55**	—	—	1	3	3	3	1	8
10—	15	2	15	2	—	—	**48**	**48**	—	—	2	1	4	1	1	2
15—	33	3	33	3	—	—	**55**	**33**	—	—	1	—	1	2	2	1
20—	11	2	11	1	—	—	**38**	**26**	—	—	1	—	1	1	3	1
25—	3	4	2	4	—	—	**28**	**24**	—	—	1	1	—	3	2	1
30—	5	3	5	2	—	1	**32**	**20**	—	—	—	—	1	—	—	2
35—	1	4	1	3	—	1	**33**	**27**	—	—	—	—	1	1	1	—
40—	8	3	6	2	1	—	**53**	**27**	—	—	—	—	1	1	—	—
45—	6	4	6	3	—	1	**58**	**37**	—	—	—	—	1	—	1	—
50—	5	9	3	6	1	2	**58**	**46**	—	—	1	1	1	—	1	1
55—	16	19	12	13	4	4	**50**	**59**	1	—	1	—	—	—	—	1
60—	12	9	10	7	2	1	**42**	**47**	—	—	—	—	1	1	—	—
65—	9	12	8	9	1	1	**31**	**40**	—	—	—	—	1	—	—	—
70—	4	13	2	4	1	4	**26**	**27**	—	—	—	—	—	—	—	—
75—	7	16	4	9	2	7	**23**	**33**	—	—	1	—	—	—	—	—
80—	7	5	1	3	4	2	**13**	**14**	—	—	—	1	—	—	—	—
85 and over	—	4	—	1	—	3	**2**	**8**	—	—	—	—	—	—	—	—

Causes of death	754 Congenital mal-formations of circulatory system		755 Cleft palate and harelip		756 Congenital mal-formations of digestive system		756·0 Congenital hypertrophic pyloric stenosis		756·1 Imperforate anus		756·2 Other		757 Congenital mal-formations of genito-urinary system		757·1 Polycystic disease of kidney	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**1,330**	**1,087**	**8**	**4**	**311**	**190**	**30**	**3**	**23**	**6**	**258**	**181**	**321**	**201**	**165**	**146**
0—	887	687	7	2	261	149	30	3	22	6	209	140	133	47	31	14
1—	89	90	1	1	19	9	—	—	1	—	18	9	9	5	—	1
5—	54	34	—	—	4	2	—	—	—	—	4	2	2	1	—	—
10—	31	41	—	1	1	—	—	—	—	—	1	—	4	2	—	—
15—	38	27	—	—	3	—	—	—	—	—	3	—	6	2	1	—
20—	26	21	—	—	1	—	—	—	—	—	1	—	3	1	—	—
25—	20	14	—	—	1	1	—	—	—	—	1	1	3	2	—	1
30—	18	12	—	—	—	2	—	—	—	—	—	2	9	4	5	2
35—	20	14	—	—	—	1	—	—	—	—	—	1	9	7	6	6
40—	30	14	—	—	2	—	—	—	—	—	2	—	16	9	13	9
45—	26	17	—	—	1	1	—	—	—	—	1	1	24	14	23	14
50—	18	20	—	—	2	—	—	—	—	—	2	—	32	22	27	19
55—	23	27	—	—	—	2	—	—	—	—	—	2	20	25	18	23
60—	21	22	—	—	1	1	—	—	—	—	1	1	14	19	10	18
65—	11	19	—	—	2	3	—	—	—	—	2	3	12	13	10	13
70—	8	9	—	—	3	4	—	—	—	—	3	4	12	12	9	11
75—	6	13	—	—	6	9	—	—	—	—	6	9	6	10	5	9
80—	4	4	—	—	2	4	—	—	—	—	2	4	7	3	7	3
85 and over	—	2	—	—	2	2	—	—	—	—	2	2	—	3	—	3

* **736** Affection of sacro-iliac joint —; **737** Ankylosis of joint 30, 45, 65; **738** Other diseases of joint 45, 55, 60, 65, *55*, *80*, *85*; **740** Bunion 75, *40*, *70*, *70*; **741** Synovitis, burstitis and tenosynovitis without mention of occupational origin *55*, *65*; **742** Synovitis, burstitis and tenosynovitis of occupational origin —; **743** Infective myositis and other inflammatory diseases of tendon and fascia 80, *50*; **746** Flatfoot —; **747** Hallux valgus and varus 80, *60*; **748** Clubfoot 0, 0; **749** Other deformities 25, 40, 50, 70, *20*, *55*, *65*, *70*, *70*, *70*.

(88065)

TABLE 17—*continued*

Causes of death	757·0; 2; 3 Others included under 757		758 Congenital malformations of bone and joint		759 Other and unspecified congenital malformations not elsewhere classified		XV **760-776‡** Certain diseases of early infancy		760·5-773·5 With immaturity		760-769 Birth injuries, asphyxia and infections of newborn		760 Intracranial and spinal injury at birth		761 Other birth injury	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**156**	**55**	**41**	**42**	**218**	**179**	**5,862**	**3,833**	**2,131**	**1,303**	**3,465**	**2,181**	**871**	**464**	**304**	**223**
0—	102	33	23	25	172	145	**5,859**	**3,832**	2.130	1,303	3,463	2,181	871	464	304	223
1—	9	4	2	2	7	7	**3**	—	1	—	2	—	—	—	—	—
5—	2	1	—	2	2	2	—	**1**	—	—	—	—	—	—	—	—
10—	4	2	2	—	3	—	—	—	—	—	—	—	—	—	—	—
15—	5	2	2	—	2	1	—	—	—	—	—	—	—	—	—	—
20—	3	1	2	1	1	1	—	—	—	—	—	—	—	—	—	—
25—	3	1	1	1	—	1	—	—	—	—	—	—	—	—	—	—
30—	4	2	4	—	—	—	—	—	—	—	—	—	—	—	—	—
35—	3	1	1	1	1	3	—	—	—	—	—	—	—	—	—	—
40—	3	—	2	1	2	2	—	—	—	—	—	—	—	—	—	—
45—	1	—	—	2	5	3	—	—	—	—	—	—	—	—	—	—
50—	5	3	1	1	2	1	—	—	—	—	—	—	—	—	—	—
55—	2	2	—	1	5	3	—	—	—	—	—	—	—	—	—	—
60—	4	1	—	—	5	4	—	—	—	—	—	—	—	—	—	—
65—	2	—	1	4	4	1	—	—	—	—	—	—	—	—	—	—
70—	3	1	—	—	3	2	—	—	—	—	—	—	—	—	—	—
75—	1	1	—	—	4	1	—	—	—	—	—	—	—	—	—	—
80—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
85 and over	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—

Causes of death	762 Postnatal asphyxia and atelectasis		763 Pneumonia of newborn		764 Diarrhoea of newborn		765, 766* 767 Umbilical sepsis		768 Other sepsis of newborn		769 Neonatal disorders arising from maternal toxaemia		770-776 Other diseases peculiar to early infancy		770 Haemolytic disease of newborn (erythroblastosis)	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**1,623**	**1,052**	**470**	**293**	**32**	**23**	**7**	**5**	**22**	**22**	**136**	**96**	**2,397**	**1,652**	**191**	**164**
0—	1,621	1,052	470	293	32	23	7	5	22	22	136	96	2,396	1,651	190	163
1—	2	—	—	—	—	—	—	—	—	—	—	—	1	1	1	1
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
35—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
40—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
50—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
55—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
60—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
70—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
85 and over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

* **765** Ophthalmia neonatorum —; **766** Pemphigus neonatorum *0*, *0*, *0*.

‡ Note: The group 760-776 relates particularly to the causes of death within the first 28 days of life, but it includes also some deaths from the causes specified at all ages.

TABLE 17—*continued*

Causes of death	771 Haemorrhagic disease of newborn		772 Nutritional maladjustment		773 Ill-defined diseases peculiar to early infancy		774 Immaturity with mention of any other subsidiary condition		776 Immaturity unqualified		XVI **780-795 Symptoms, senility and ill-defined conditions**		780-789 Symptoms referable to systems or organs		780 Certain symptoms referable to nervous system and special senses	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**156**	**76**	**5**	**2**	**301**	**167**	**72**	**57**	**1,672**	**1,186**	**2,281**	**4,476**	**81**	**83**	**5**	**4**
0—	156	76	5	2	301	167	72	57	1,672	1,186	**13**	**12**	3	2	2	2
1—	—	—	—	—	—	—	—	—	—	—	**2**	**1**	—	1	—	1
5—	—	—	—	—	—	—	—	—	—	—	**2**	—	1	—	1	—
10—	—	—	—	—	—	—	—	—	—	—	**1**	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—	—	**2**	—	2	—	1	—
20—	—	—	—	—	—	—	—	—	—	—	**2**	**3**	1	—	1	—
25—	—	—	—	—	—	—	—	—	—	—	**3**	—	—	—	—	—
30—	—	—	—	—	—	—	—	—	—	—	**6**	**1**	1	—	—	—
35—	—	—	—	—	—	—	—	—	—	—	**3**	**1**	1	1	—	—
40—	—	—	—	—	—	—	—	—	—	—	**4**	**4**	2	2	—	—
45—	—	—	—	—	—	—	—	—	—	—	**5**	**5**	3	2	—	—
50—	—	—	—	—	—	—	—	—	—	—	**8**	**6**	4	—	—	—
55—	—	—	—	—	—	—	—	—	—	—	**10**	**3**	6	3	—	—
60—	—	—	—	—	—	—	—	—	—	—	**12**	**8**	5	5	—	—
65—	—	—	—	—	—	—	—	—	—	—	**25**	**25**	8	11	—	1
70—	—	—	—	—	—	—	—	—	—	—	**91**	**96**	10	8	—	—
75—	—	—	—	—	—	—	—	—	—	—	**283**	**409**	8	14	—	—
80—	—	—	—	—	—	—	—	—	—	—	**600**	**1,168**	14	17	—	—
85 and over	—	—	—	—	—	—	—	—	—	—	**1,209**	**2,734**	12	17	—	—

Causes of death	780·2 Convulsions		780·0; 1; 3; 4; 5; 6; 7; 8; 9, 781* 782 Symptoms referable to cardiovascular and lymphatic system		782·4 Acute heart failure, undefined		782·0; 1; 2; 3; 5; 6; 7; 8; 9, 783* 784 Symptoms referable to upper gastro-intestinal tract		785-789* 790-795 Senility and ill-defined diseases		790, 791* 792 Uraemia		793* 794 Senility without mention of psychosis		795 Ill-defined and unknown causes of mortality	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**5**	**3**	**46**	**53**	**39**	**49**	**17**	**11**	**2,200**	**4,393**	**27**	**27**	**2,125**	**4,335**	**48**	**30**
0—	2	2	—	—	—	—	—	—	10	10	—	—	—	—	10	10
1—	—	1	—	—	—	—	—	—	2	—	—	—	—	—	2	—
5—	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—
15—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
20—	1	—	—	—	—	—	—	—	1	3	—	1	—	—	1	2
25—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	3	—
30—	—	—	1	—	1	—	—	—	5	1	—	—	—	—	5	1
35—	—	—	1	1	1	1	—	—	2	—	—	—	—	—	2	—
40—	—	—	1	2	1	2	1	—	2	2	—	—	—	—	2	2
45—	—	—	1	2	1	2	2	—	2	3	—	—	—	—	2	3
50—	—	—	1	—	1	—	1	—	4	6	1	3	—	—	3	3
55—	—	—	3	1	3	1	2	—	4	—	—	—	—	—	4	—
60—	—	—	3	3	3	2	—	—	7	3	1	1	3	1	3	1
65—	—	—	5	7	4	7	1	1	17	14	3	4	9	8	5	2
70—	—	—	8	6	7	6	2	1	81	88	5	2	73	82	3	3
75—	—	—	6	11	5	10	1	3	275	395	8	6	265	388	2	1
80—	—	—	9	8	9	6	3	3	586	1,151	4	1	582	*1,150	—	—
85 and over	—	—	6	12	3	12	4	3	1,197	2,717	4	9	1,193	2,706	—	2

* **780·0**; **1**; **3**; **4**; **5**; **6**; **7**; **8**; **9** Others included under 780 *65*; **781** Other symptoms referable to nervous system and special senses —; **782·0**; **1**; **2**; **3**; **5**; **6**; **7**; **8**; **9**. Others included under 782 15, 65, 70, 75, 85, 85, 85, *60*, *75*, *80*, *80*; **783** Symptoms referable to respiratory system 0, 55, 65, *55*, *65*, *70*, *85*; **785** Symptoms referable to abdomen and lower gastro-intestinal tract 60, 60, 75, 80, 85, *60*, *65*, *80*, *80*, *80*, *80*; **786** Symptoms referable to genito-urinary system 50, 65, 80, *80*; **787** Symptoms referable to limbs and back —; **788** Other general symptoms 50, 85, *55*, *60*, *85*; **789** Abnormal urinary constituents of unspecified cause *80*; **790** Nervousness and debility *70*; **791** Headache —; **793** Observation without need for further medical care —;

TABLE 17—*continued*

Causes of death	XVII E800-E999 Accidents, poisonings and violence (external cause)		RAILWAY ACCIDENTS								M.V. TRAFFIC ACCIDENTS					
			E800-E802 Railway accidents		E800 involving railroad employee		E801 involving passenger		E802 involving other and unspecified person		E810-E825 Motor vehicle traffic accidents		E810 involving collision with railway train		E811* E812 to pedestrian	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	13,812	10,035	209	22	94	—	25	7	90	15	4,451	1,779	6	4	1,421	1,076
0—	324	254	—	—	—	—	—	—	—	—	7	3	—	—	—	—
1—	375	231	3	1	—	—	1	—	2	1	122	81	—	—	108	69
5—	301	141	—	2	—	—	—	1	—	1	159	77	—	—	127	62
10—	311	94	7	—	—	—	3	—	4	—	132	58	—	—	44	33
15—	1,026	185	8	2	4	—	1	—	3	2	670	121	—	2	39	20
20—	980	187	14	2	4	—	3	1	7	1	587	74	—	—	34	5
25—	672	189	16	—	6	—	3	—	7	—	304	50	1	—	25	7
30—	612	226	7	4	4	—	—	1	3	3	196	39	—	—	25	11
35—	705	258	20	3	11	—	1	—	8	3	214	50	3	—	30	10
40—	791	291	14	—	8	—	—	—	6	—	212	59	1	—	50	15
45—	871	415	17	—	9	—	2	—	6	—	231	76	—	1	51	25
50—	964	506	21	3	10	—	2	2	9	1	257	99	—	—	64	36
55—	1,020	608	34	2	20	—	4	1	10	1	257	115	—	—	83	64
60—	981	669	28	1	14	—	3	—	11	1	244	128	—	—	105	89
65—	796	728	6	—	3	—	—	—	3	—	198	154	1	1	115	121
70—	859	947	6	1	—	—	1	1	5	—	223	193	—	—	157	160
75—	838	1,267	6	1	1	—	1	—	4	1	201	192	—	—	155	171
80—	771	1,373	2	—	—	—	—	—	2	—	159	143	—	—	139	126
85 and over	615	1,516	—	—	—	—	—	—	—	—	78	67	—	—	70	52

Causes of death	MOTOR VEHICLE TRAFFIC ACCIDENTS															
	E813 to pedal cyclist		E814 to rider or passenger of motorcycle in collision with non-motor vehicle or object		E815 to rider or passenger of motorcycle in collision with other motor vehicle		E816 Other motor vehicle traffic accident involving two or more motor vehicles		E817, E818, E819* E820 while boarding and alighting		E821 to rider of motorcycle not involving collision		E822 involving overturning in roadway		E823 involving running off roadway	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	412	68	44	3	840	65	797	339	10	10	306	25	82	13	405	114
0—	—	—	—	—	2	1	5	1	—	—	—	—	—	—	—	1
1—	6	2	—	—	—	—	4	8	—	—	—	—	—	1	1	—
5—	21	4	—	—	—	1	5	8	1	—	—	—	—	—	2	—
10—	69	8	—	—	2	2	7	8	—	—	—	3	2	—	3	1
15—	52	10	13	—	327	24	53	24	—	—	106	12	15	2	50	24
20—	16	4	7	1	178	15	130	24	—	—	71	2	23	3	105	11
25—	6	4	3	—	76	2	76	19	—	—	34	2	6	2	69	9
30—	9	2	2	2	38	1	61	18	—	—	20	—	2	—	33	5
35—	11	3	2	—	32	3	77	23	—	—	13	1	9	1	32	3
40—	16	3	1	—	26	3	73	23	—	1	13	1	5	—	21	8
45—	26	7	3	—	41	3	67	26	1	—	9	2	3	—	19	9
50—	35	6	4	—	38	6	56	32	—	—	18	—	9	—	26	12
55—	40	7	3	—	35	2	63	32	1	—	8	1	2	1	15	5
60—	37	4	5	—	22	1	43	23	2	—	8	1	2	1	9	5
65—	24	2	—	—	8	—	21	19	2	—	4	—	2	1	11	7
70—	27	2	—	—	8	—	25	25	1	1	1	—	—	—	2	3
75—	13	—	—	—	6	1	16	9	1	2	1	—	2	1	2	5
80—	3	—	1	—	1	—	11	9	—	3	—	—	—	—	3	3
85 and over	1	—	—	—	—	—	4	8	1	3	—	—	—	—	2	3

* **E811** Motor vehicle traffic accident involving collision with streetcar —; **E817** Motor vehicle traffic accident to occupant of motor vehicle in collision with pedestrian or pedal cycle 35, *25*; **E818** Motor vehicle traffic accident involving collision with animal or animal-drawn vehicle 70, *10*, *10*, *20*, *20*, *20*; **E819** Motor vehicle traffic accident involving collision with fixed or unspecified object 15, 15, 20, 20, 20, 20, 20, 25, 25, 30, 35, 35, 35, 40, 50, 65, *15*, *20*, *20*, *20*, *40*, *60*.

TABLE 17—*continued*

Causes of death	M.V. TRAFFIC ACCIDENTS				MOTOR VEHICLE NON-TRAFFIC ACCIDENTS								E840-E845 Other road vehicle accidents	
	E824 Other non-collision motor vehicle traffic accident		E825 of unspecified nature		E830-E835 Motor vehicle non-traffic accidents		E830 to pedestrian		E831* E832 to rider or passenger of motorcycle		E833, E834* E835 of other and unspecified nature			
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	76	25	34	25	71	5	34	5	15	—	18	—	99	40
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	3	1	—	—	3	2	2	2	—	—	—	—	—	—
5—	2	1	1	1	1	—	1	—	—	—	—	—	5	—
10—	5	—	—	1	2	—	1	—	1	—	—	—	7	2
15—	7	1	6	1	5	—	—	—	1	—	4	—	11	3
20—	8	—	10	3	9	—	2	—	3	—	2	—	1	—
25—	3	—	3	4	7	—	2	—	2	—	3	—	1	1
30—	5	—	—	—	8	1	2	1	4	—	2	—	3	3
35—	1	3	—	3	2	—	—	—	2	—	—	—	3	—
40—	2	2	3	2	4	—	3	—	—	—	1	—	7	—
45—	3	2	8	1	9	—	5	—	1	—	3	—	5	1
50—	5	6	1	1	5	2	4	2	—	—	1	—	11	3
55—	7	2	—	1	5	—	4	—	1	—	—	—	5	4
60—	10	1	1	2	6	—	5	—	—	—	1	—	11	4
65—	9	3	—	—	—	—	—	—	—	—	—	—	7	3
70—	1	1	—	1	1	—	—	—	—	—	—	—	11	1
75—	4	—	1	3	2	—	1	—	—	—	1	—	4	8
80—	1	1	—	1	2	—	2	—	—	—	—	—	4	4
85 and over	—	1	—	—	—	—	—	—	—	—	—	—	3	3

Causes of death	E840, E841* E842 Accident to pedestrian caused by pedal cycle		E843 Accident to rider of pedal cycle not involving collision with motor vehicle		E844* E845 Other non-motor road vehicle accidents		E850-E858 Water transport accidents		E850 Submersion of occupant of small boat		E851 Other water transport injury by submersion		E852* E853 Other falls from one level to another in water transport	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	14	22	77	9	7	7	164	8	67	5	46	2	11	—
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	2	—	—	—	2	—	—	—
5—	1	—	4	—	—	—	5	—	4	—	1	—	—	—
10—	—	—	7	1	—	1	8	—	7	—	—	—	—	—
15—	—	—	11	1	—	2	29	3	23	3	4	—	—	—
20—	—	—	1	—	—	—	16	1	7	—	5	1	1	—
25—	—	—	1	1	—	—	12	—	3	—	6	—	—	—
30—	—	—	3	—	—	3	7	—	4	—	1	—	—	—
35—	—	—	2	—	1	—	17	—	4	—	6	—	1	—
40—	1	—	6	—	—	—	16	—	2	—	6	—	3	—
45—	—	1	4	—	1	—	14	2	3	1	6	—	2	—
50—	—	1	10	1	—	1	16	2	2	1	5	1	3	—
55—	—	2	5	2	—	—	4	—	2	—	—	—	1	—
60—	—	3	11	1	—	—	13	—	4	—	3	—	—	—
65—	1	2	5	1	1	—	2	—	1	—	—	—	—	—
70—	4	—	5	1	2	—	3	—	1	—	1	—	—	—
75—	2	8	1	—	1	—	—	—	—	—	—	—	—	—
80—	3	2	—	—	1	—	—	—	—	—	—	—	—	—
85 and over	2	3	1	—	—	—	—	—	—	—	—	—	—	—

* **E831** Motor vehicle non-traffic accident to pedal cyclist 1; **E833** Other motor vehicle non-traffic accident involving two or more motor vehicles 20, 20; **E834** Motor vehicle non-traffic accident while boarding and alighting 70; **E840** Street car accident to pedestrian 50, *80*; **E841** Other street car accident, except collision with motor vehicle —; **E844** Accident to pedestrian caused by other non-motor road vehicle *80*; **E852** Fall on stairs and ladders in water transport 20, 25, 35, 50, 60, 60

TABLE 17—*continued*

Causes of death	E854, E855, E856*		E858*				E862-E866*		ACCIDENTAL POISONING					
	E857 Other specified accidents in water transport		E860-E866 Aircraft accidents		E860 Accident to personnel in military aircraft		E861 Injury to occupant by accident to commercial "transport" aircraft		E870-E888 Accidental poisoning by solid and liquid substances		E870* E871 by barbituric acid and derivatives		E872 by aspirin and salicylates	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**25**	**1**	**68**	**12**	**28**	—	**18**	**7**	**260**	**313**	**176**	**217**	**18**	**36**
0—	—	—	1	—	—	—	1	—	1	—	—	—	1	—
1—	—	—	2	—	—	—	2	—	19	11	—	2	4	3
5—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
10—	1	—	—	1	—	—	—	—	—	1	—	—	—	1
15—	2	—	4	2	2	—	1	1	3	3	—	1	—	1
20—	2	—	15	3	7	—	4	1	8	5	4	3	1	—
25—	2	—	10	2	4	—	2	2	12	11	8	9	—	—
30—	2	—	6	1	3	—	2	1	11	18	6	13	—	—
35—	4	—	15	1	8	—	3	1	22	23	12	18	2	—
40—	5	—	6	—	4	—	—	—	31	18	27	13	1	3
45—	3	1	4	—	—	—	1	—	26	33	20	22	1	2
50—	—	—	1	—	—	—	—	—	33	35	27	24	3	2
55—	—	—	1	2	—	—	—	1	27	48	24	37	1	3
60—	3	—	1	—	—	—	1	—	21	28	16	22	1	3
65—	1	—	1	—	—	—	1	—	19	25	15	18	—	4
70—	—	—	—	—	—	—	—	—	16	24	9	15	3	6
75—	—	—	—	—	—	—	—	—	6	16	6	12	—	4
80—	—	—	—	—	—	—	—	—	3	10	1	7	—	1
85 and over	—	—	—	—	—	—	—	—	2	4	1	1	—	3

Causes of death	ACCIDENTAL POISONING E873* E874 by other analgesic and soporific drugs		E875, E876, E877* E878 by other and unspecified drugs		E879* E880 by alcohol		E881-E887* E888 by other and unspecified solid and liquid substances		E890-E895 Accidental poisoning by gases and vapours		E890 by utility (illuminating) gas		E891 by motor vehicle exhaust gas	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**7**	**9**	**28**	**36**	**7**	**6**	**7**	**3**	**562**	**696**	**481**	**665**	**17**	—
0—	—	—	—	—	—	—	—	—	4	—	1	—	—	—
1—	—	—	9	3	—	—	3	2	3	3	2	2	—	—
5—	—	—	—	—	—	—	—	—	3	—	2	—	—	—
10—	—	—	—	—	—	—	—	—	5	1	4	1	—	—
15—	—	1	1	—	—	—	1	—	21	3	18	3	—	—
20—	2	—	1	2	—	—	—	—	19	8	14	5	—	—
25—	—	—	2	1	2	1	—	—	23	8	17	6	1	—
30—	1	—	2	5	1	—	—	—	16	8	12	7	—	—
35—	2	2	3	2	2	1	—	—	19	8	9	7	4	—
40—	—	—	2	1	—	—	—	—	18	11	14	9	1	—
45—	—	1	2	5	1	1	—	—	24	8	20	7	—	—
50—	1	1	1	6	—	2	—	—	35	23	29	23	5	—
55—	—	3	1	5	1	—	—	—	42	24	33	22	3	—
60—	—	1	2	2	—	—	1	—	44	40	38	35	1	—
65—	—	—	1	2	—	—	1	1	46	55	40	51	1	—
70—	1	—	—	2	—	—	1	—	51	103	48	99	—	—
75—	—	—	—	—	—	—	—	—	72	148	67	145	1	—
80—	—	—	1	—	—	1	—	—	66	138	64	136	—	—
85 and over	—	—	—	—	—	—	—	—	51	107	49	107	—	—

* **E854** Falls on same level in water transport 60; **E855** Unspecified falls in water transport —; **E856** Machinery accident in water transport 35, 50, 50, 50, 50, 50, 70; **E858** Water transport accident of unspecified cause 55; **E862** Other injury in commercial transport aircraft —; **E863** Injury to occupant by accident to other specified aircraft 5, 15, 20, 25, 25, 30, 35, 35, 35, 35, 40, 40, 45, 45, 55, *10, 15, 20*; **E864** Aircraft accident at airfield to person not in aircraft 45, 50; **E865** Aircraft accident elsewhere to person not in aircraft 20, *20, 55*; **E866** Other and unspecified aircraft accidents 20, 20, 25, 25; **E870** Accidental poisoning by morphine and other opium derivatives 45, *45*; **E873** Accidental poisoning by bromides 65; **E875** Accidental poisoning by sulfonomides —; **E876** Accidental poisoning by strychnine *1, 40*; **E877** Accidental poisoning by belladonna, hyoscine, and atrophine —; **E879** Accidental poisoning by noxious foodstuffs —; **E881** Accidental poisoning by petroleum products 1, 50; **E882** Accidental poisoning by industrial solvents 45, 60, *80*; **E883** Accidental poisoning by corrosive aromatics, acids and caustic alkalis 1, 1, 15, 30, 35, 40, 65, 70, 70, 80, 85, *45, 70*; **E884** Accidental poisoning by mercury and its compounds —; **E885** Accidental poisoning by lead and its compounds —; **E886** Accidental poisoning by arsenic and antimony, and their compounds —; **E887** Accidental poisoning by fluorides —.

TABLE 17—*continued*

Causes of death	ACCIDENTAL POISONING E892 by other carbon monoxide gas		E893, E895* E894 by other specified gases and vapours		E900-E904 Accidental falls		E900 Fall on stairs		E901 Fall from ladders		E902 Other falls from one level to another		E903 Fall on same level	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**47**	**29**	**15**	**2**	**2,006**	**3,490**	**345**	**510**	**64**	**14**	**478**	**246**	**799**	**1,923**
0—	1	—	1	—	14	8	2	1	—	—	8	5	—	1
1—	1	1	—	—	23	21	2	4	—	—	16	10	3	4
5—	—	—	1	—	14	12	1	2	—	—	7	7	4	1
10—	1	—	—	—	35	4	—	—	—	—	28	1	6	2
15—	—	—	3	—	41	1	1	—	2	—	32	—	2	1
20—	3	1	2	2	48	2	4	—	4	—	36	1	1	1
25—	3	2	2	—	30	1	3	1	3	—	21	—	1	—
30—	4	1	—	—	33	3	—	1	1	—	26	1	2	—
35—	4	1	2	—	47	5	6	3	4	1	29	—	4	—
40—	2	2	1	—	43	9	12	5	2	—	21	1	5	2
45—	3	1	1	—	66	14	13	6	5	—	34	1	11	7
50—	—	—	1	—	72	33	19	10	8	1	32	7	9	11
55—	6	2	—	—	88	44	19	13	5	1	35	3	25	22
60—	5	5	—	—	113	93	29	27	8	—	32	9	32	37
65—	4	4	1	—	114	161	29	40	6	1	13	11	53	77
70—	3	4	—	—	200	336	32	68	6	4	24	17	100	175
75—	3	3	—	—	268	629	58	107	6	3	26	49	122	329
80—	2	2	—	—	363	916	69	112	4	3	31	42	190	544
85 and over	2	—	—	—	394	1,198	46	110	—	—	27	81	229	709

Causes of death	E904 Unspecified falls		E910-E936 Other accidents		E910 Blow from falling or projected object or missile		E911 Accident caused by vehicle		E912 Accident caused by machinery		E913 Accident caused by cutting and piercing instruments		E914 Accident caused by electric current	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**320**	**797**	**2,375**	**1,217**	**222**	**16**	**59**	—	**224**	**6**	**8**	**4**	**93**	**19**
0—	4	1	282	225	—	—	—	—	—	—	—	—	1	—
1—	2	3	186	100	7	2	—	—	3	2	—	—	4	1
5—	2	2	108	39	4	1	—	—	4	—	—	—	8	2
10—	1	1	105	19	3	—	—	—	6	—	4	—	5	1
15—	4	—	158	22	9	—	5	—	18	—	2	—	14	1
20—	3	—	100	22	10	2	2	—	13	—	—	—	10	3
25—	2	—	108	14	28	—	4	—	12	—	—	—	9	1
30—	4	1	120	22	27	2	1	—	23	—	—	—	11	—
35—	4	1	108	31	18	—	3	—	19	—	—	—	5	—
40—	3	1	127	25	20	1	5	—	25	1	1	1	5	1
45—	3	—	139	35	24	1	6	—	29	—	—	—	9	1
50—	4	4	137	43	25	1	12	—	24	1	—	1	3	2
55—	4	5	142	46	21	—	15	—	12	1	1	1	3	1
60—	12	20	146	60	14	2	6	—	23	1	—	—	3	2
65—	13	32	93	79	7	—	—	—	6	—	—	1	1	—
70—	38	72	103	84	2	1	—	—	3	—	—	—	—	—
75—	56	141	95	135	1	3	—	—	4	—	—	—	1	2
80—	69	215	71	108	1	—	—	—	—	—	—	—	1	—
85 and over	92	298	47	108	1	—	—	—	—	—	—	—	—	1

* **E893** Accidental poisoning by cyanide gas 75; **E895** Accidental poisoning by unspecified gases and vapours 0.

Causes of death	E915 Accident caused by explosion of pressure vessel		E916 Accident caused by fire and explosion of combustible material		E917 Accident caused by hot substance, corrosive liquid, and steam		E918* E919 Accident caused by firearm		E920* E921 Inhalation and ingestion of food causing obstruction or suffocation		E922 Inhalation and ingestion of other object causing obstruction or suffocation		E923 Foreign body entering other orifice	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**9**	**1**	**315**	**494**	**46**	**52**	**78**	**2**	**278**	**210**	**20**	**5**	**13**	**7**
0—	—	—	5	11	3	3	—	—	128	113	7	4	—	—
1—	—	—	27	39	10	9	1	1	17	11	3	—	2	—
5—	—	—	12	23	—	—	1	1	4	3	1	—	—	—
10—	—	—	6	8	1	—	11	—	1	—	—	—	—	—
15—	—	—	14	11	—	—	23	—	3	2	1	1	—	—
20—	—	—	6	6	—	—	6	—	4	2	—	—	—	—
25—	1	—	11	4	—	—	5	—	4	1	1	—	—	2
30—	—	—	11	8	—	1	2	—	5	4	1	—	—	1
35—	—	—	14	9	2	1	4	—	12	7	1	—	1	—
40—	1	—	11	6	3	1	1	—	16	2	—	—	2	—
45—	—	—	10	15	3	1	3	—	8	6	—	—	2	—
50—	2	—	14	15	5	—	2	—	10	5	1	—	1	—
55—	3	—	22	13	1	1	4	—	14	7	1	—	—	—
60—	—	1	19	24	3	2	7	—	8	8	1	—	—	—
65—	1	—	21	36	1	—	1	—	4	9	1	—	1	1
70—	—	—	21	47	5	6	4	—	19	8	—	—	3	1
75—	—	—	34	81	2	11	3	—	12	12	—	—	—	1
80—	—	—	33	71	4	9	—	—	4	4	1	—	—	1
85 and over	1	—	24	67	3	7	—	—	5	6	—	—	1	—

Causes of death	E924 Accidental mechanical suffocation in bed and cradle		E925 Accidental mechanical suffocation in other and unspecified circumstances		E926 Lack of care of infants under 1 year of age		E927* E928 Other accidents caused by animals		E929 Accidental drowning and submersion		E930, E931* E932 Excessive cold		E933 Hunger, thirst and exposure	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**94**	**72**	**64**	**14**	**23**	**20**	**17**	**3**	**591**	**187**	**27**	**13**	**24**	**17**
0—	87	57	9	7	23	20	—	—	2	2	1	—	1	—
1—	3	6	13	4	—	—	1	1	86	20	—	—	—	—
5—	—	—	—	—	—	—	—	—	71	8	1	—	—	—
10—	—	—	5	—	—	—	—	—	40	7	—	1	2	—
15—	—	—	3	—	—	—	2	—	43	4	1	—	—	—
20—	2	2	5	—	—	—	1	—	29	6	1	—	—	—
25—	—	—	2	—	—	—	1	—	18	3	2	—	—	—
30—	—	—	6	—	—	—	—	—	21	5	—	—	1	—
35—	—	2	6	—	—	—	2	—	17	8	1	1	—	—
40—	1	—	4	2	—	—	—	—	21	8	2	—	1	1
45—	1	1	5	—	—	—	1	—	32	8	1	—	1	—
50—	—	1	1	—	—	—	1	—	24	16	—	—	2	—
55—	—	—	4	—	—	—	—	1	30	15	6	—	2	3
60—	—	—	—	1	—	—	2	—	39	14	3	—	4	1
65—	—	1	—	—	—	—	2	1	35	23	—	—	—	2
70—	—	—	1	—	—	—	1	—	32	10	2	5	3	3
75—	—	1	—	—	—	—	2	—	29	13	—	1	1	1
80—	—	—	—	—	—	—	—	—	18	7	4	1	4	3
85 and over	—	1	—	—	—	—	1	—	4	10	2	4	2	3

* **E918** Accident caused by radiation —; **E920** Foreign body entering eye and adnexa —; **E927** Accidents caused by bites and stings of venomous animals and insects 45, 45, 55, 60, 70; **E930** High and low air pressure 30, 30; **E931** Excessive heat and insulation —.

Causes of death	E934* E935 Lightning		E936 Other and unspecified accidents		E940-E946* E940-E946 Complications due to non-therapeutic medical and surgical procedures		E950-E959 Therapeutic misadventure and late complications of therapeutic procedures		E950 Therapeutic misadventure in surgical treatment		E951-E959* E960-E965 Late effects of injury and poisoning		E960 Late effect of motor vehicle accident	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**4**	**1**	**155**	**70**	**5**	**7**	**12**	**9**	**2**	**3**	**138**	**25**	**22**	**5**
0—	—	—	15	8	—	1	—	—	—	—	—	—	—	—
1—	—	—	9	4	1	—	—	—	—	—	—	—	—	—
5—	—	—	2	1	—	2	—	2	—	1	1	—	—	—
10—	1	—	20	2	—	—	—	—	—	—	1	1	—	—
15—	1	—	19	2	2	—	2	—	1	—	1	—	1	—
20—	—	—	11	1	—	—	—	—	—	—	2	1	—	1
25—	—	1	9	1	—	1	2	—	—	—	2	—	1	—
30—	—	—	8	—	—	—	—	1	—	—	3	—	2	—
35—	—	—	3	3	—	—	1	—	—	—	7	—	2	—
40—	1	—	6	1	—	1	—	—	—	—	9	1	1	—
45—	—	—	2	2	2	1	1	—	—	—	13	3	2	2
50—	—	—	10	1	—	—	—	1	—	—	11	1	7	—
55—	1	—	1	2	—	1	3	—	1	—	17	—	2	—
60—	—	—	13	4	—	—	1	1	—	—	19	1	3	1
65—	—	—	12	5	—	—	—	2	—	1	22	3	—	1
70—	—	—	6	3	—	—	1	—	—	—	14	1	1	—
75—	—	—	6	9	—	—	—	2	—	1	14	3	—	—
80—	—	—	1	12	—	—	—	—	—	—	2	3	—	—
85 and over	—	—	2	9	—	—	1	—	—	—	—	7	—	—

Causes of death	E961* E962 Late effect of other accidental injury		E963, E964* E965 Late effects of injuries due to war operations		E970-E979 Suicide and self-inflicted injury		E970 Suicide and self-inflicted poisoning by analgesic and soporific substances		E971 Suicide and self-inflicted poisoning by other solid and liquid substances		E972 Suicide and self-inflicted poisoning by gases in domestic use		E973 Suicide and self-inflicted poisoning by other gases	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**73**	**19**	**43**	**—**	**3,264**	**2,324**	**544**	**761**	**78**	**58**	**1,396**	**1,073**	**107**	**10**
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	1	1	—	—	6	3	—	—	—	—	6	3	—	—
15—	—	—	—	—	63	20	7	5	2	—	28	12	1	—
20—	2	—	—	—	149	53	19	12	3	2	68	29	11	—
25—	1	—	—	—	140	90	17	30	4	4	63	39	5	—
30—	1	—	—	—	187	120	30	33	2	4	80	61	7	—
35—	5	—	—	—	223	129	51	49	6	6	89	46	11	1
40—	5	1	3	—	290	157	58	57	12	2	112	66	15	—
45—	8	—	3	—	309	238	73	83	6	8	117	101	17	2
50—	4	1	—	—	359	257	70	91	8	6	149	112	16	2
55—	14	—	1	—	392	312	63	113	12	6	174	137	10	1
60—	9	—	7	—	331	305	63	90	4	9	143	156	11	1
65—	9	2	13	—	282	242	43	89	9	4	112	103	2	1
70—	3	1	10	—	228	199	24	55	4	4	99	96	—	1
75—	8	3	6	—	167	129	15	39	3	2	92	68	—	—
80—	2	3	—	—	99	48	9	9	3	1	48	30	1	1
85 and over	—	7	—	—	39	22	2	6	—	—	16	14	—	—

* **E934** Cataclysm 25, 30, 40, 85, *15, 25, 30, 55*; **E940** Generalized vaccinia following vaccination 15, 45, *40*; **E941** Post-vaccinal encephalitis 15, 45, *5*, 55; **E942** Other complications of smallpox vaccination *5, 25, 45*; **E943** Post-immunization jaundice and hepatitis —; **E944** Other complications of prophylactic inoculation 1, *0*; **E945** Complications of anaesthesia for non-therapeutic purpose —; **E946** Other complications due to non-therapeutic medical and surgical procedures —; **E951** Therapeutic misadventure in infusion or transfusion 15, 55, 85; **E952** Therapeutic misadventure in local applications —; **E953** Therapeutic misadventure in administration of drugs or biologicals 25, 25, 45, 55, 70, *5, 30, 50, 60*; **E954** Therapeutic misadventure in aneasthesia 35; **E955** Other and unspecified therapeutic misadventure 60, *75*; **E956** Late complications of surgical operation *65*; **E957** Late complication of amputation stump —; **E958** Late complication of irradiation —; **E959** Late complications of other forms of treatment —; **E961** Late effect of accidental poisoning —; **E963** Late effect of self-inflicted injury *45*; **E964** Late effect of injury purposely inflicted by another person (not in war) —.

TABLE 17—*continued*

Causes of death	E974 Suicide and self-inflicted injury by hanging and strangulation		E975 Suicide and self-inflicted injury by submersion (drowning)		E976 Suicide and self-inflicted injury by firearms and explosives		E977 Suicide and self-inflicted injury by cutting and piercing instruments		E978 Suicide and self-inflicted injury by jumping from high place		E979 Suicide and self-inflicted injury by other and unspecified means		E980-E985 Homicide and injury purposely inflicted by other persons (not in war)	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**465**	**145**	**224**	**172**	**187**	**5**	**71**	**14**	**59**	**35**	**133**	**51**	**123**	**138**
0—	—	—	—	—	—	—	—	—	—	—	—	—	15	17
1—	—	—	—	—	—	—	—	—	—	—	—	—	11	12
5—	—	—	—	—	—	—	—	—	—	—	—	—	4	7
10—	—	—	—	—	—	—	—	—	—	—	—	—	3	4
15—	12	2	1	—	7	—	—	—	—	—	5	1	8	5
20—	12	1	4	7	14	—	—	—	6	—	12	2	10	16
25—	17	7	5	3	14	—	2	—	3	2	10	5	4	11
30—	28	5	7	7	18	2	3	—	2	2	10	6	13	6
35—	24	12	12	5	12	1	3	2	3	—	12	7	7	8
40—	36	13	15	12	14	—	6	1	4	1	18	5	14	10
45—	40	14	20	15	9	2	9	4	6	2	12	7	11	4
50—	52	13	20	22	22	—	5	—	4	8	13	3	6	4
55—	64	25	27	22	19	—	10	3	3	3	10	2	3	10
60—	39	19	33	20	17	—	6	1	5	3	10	6	3	8
65—	52	15	26	22	15	—	7	1	9	3	7	4	6	4
70—	40	8	24	24	15	—	9	1	8	7	5	3	2	5
75—	30	9	9	9	6	—	7	—	1	2	4	—	3	4
80—	12	1	11	4	4	—	3	1	4	1	4	—	—	3
85 and over	7	1	10	—	1	—	1	—	1	1	1	—	—	—

Causes of death	E980 Non-accidental poisoning by another person		E981 Assault by firearm and explosive		E982 Assault by cutting and piercing instruments		E983 Assault by other means		E984* E985 Execution		E990-E999* E990-E999 Injury resulting from operations of war	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**16**	**15**	**14**	**15**	**20**	**21**	**70**	**87**	**3**	—	**5**	—
0—	3	2	—	—	1	1	11	14	—	—	—	—
1—	6	7	—	—	—	1	5	4	—	—	—	—
5—	3	3	—	—	—	—	1	4	—	—	—	—
10—	—	—	—	—	2	—	1	4	—	—	—	—
15—	1	—	1	2	2	1	4	2	—	—	—	—
20—	—	—	2	2	4	5	3	9	1	—	2	—
25—	—	—	1	3	—	3	1	5	2	—	1	—
30—	—	—	2	—	2	4	9	2	—	—	2	—
35—	—	—	—	1	3	1	4	6	—	—	—	—
40—	—	—	2	2	5	2	7	6	—	—	—	—
45—	1	—	1	—	—	2	9	2	—	—	—	—
50—	—	—	2	—	1	—	3	4	—	—	—	—
55—	—	1	1	—	—	—	2	9	—	—	—	—
60—	—	—	1	4	—	—	2	4	—	—	—	—
65—	1	—	1	—	—	1	4	3	—	—	—	—
70—	—	—	—	1	—	—	2	4	—	—	—	—
75—	1	1	—	—	—	—	2	3	—	—	—	—
80—	—	1	—	—	—	—	—	2	—	—	—	—
85 and over	—	—	—	—	—	—	—	—	—	—	—	—

* **E984** Injury by intervention of police —; **E990** Injury due to war operations by gas and chemicals —; **E991** Injury due to war operations by gunshot —; **E992** Injury due to war operations by grenade and land mine —; **E993** Injury due to war operations by bomb —; **E994** Injury due to war operations by marine mine, depth charge and torpedo —; **E995** injury due to war operations by explosion of artillery shell —; **E996** Injury due to war operations by explosion of undetermined origin —; **E997** Injury due to war operations by aircraft destruction 20, 20, 25, 30, 30; (These deaths of Polish airmen, which occurred on the 11th November, 1944, are included since they were not registered until 1962), **E998** Injury due to war operations by other and unspecified means —; **E999** Injury due to war operations but occurring after cessation of hostilities —.

TABLE 18A. Accidental poisoning and other non-transport accidents by place of occurrence, age and sex, 1962 — England and Wales

ICD Nos. E870-E936

Note. The deaths in this table have been classified to the several forms of violence in accordance with the information furnished by H.M. Coroners. "Open verdicts" are normally included with accidental deaths.

Deaths from poisoning will be analysed periodically in the *Statistical Review, Part III, Commentary*, to distinguish individual poisons stated to be responsible. These details can be obtained on request from the General Register Office.

See explanatory notes.

E 870—E 936. Non-transport accidents

Age-groups	Total		At work		Home		Farm		Mine and quarry		Industrial place and premises		Place for recreation and sport		Street and highway		Public building		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**5,203**	**5,716**	**1,013**	**34**	**2,432**	**4,072**	**122**	**7**	**240**	—	**547**	**10**	**47**	**11**	**210**	**162**	**129**	**54**	**386**	**737**	**777**	**215**	**313**	**448**
0–	532	368	—	—	406	314	5	2	2	—	3	—	6	—	2	1	3	2	11	7	73	23	21	19
5–	270	76	—	—	56	44	11	—	8	—	7	1	12	6	7	—	14	3	4	—	144	20	7	2
15–	1,166	281	499	10	286	180	52	—	108	—	274	3	21	—	27	3	44	4	24	20	271	41	59	30
45–	1,155	607	458	17	403	430	35	4	121	—	233	4	6	4	49	21	35	11	51	36	157	48	65	49
65 & over	2,080	4,384	56	7	1,281	3,104	19	1	1	—	30	2	2	1	125	137	33	34	296	674	132	83	161	348

Age-groups	Total		At work		Home		Industrial place and premises		Public building		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 870—E 895. Accidental poisoning																
All ages	**822**	**1,009**	**36**	**1**	**687**	**919**	**20**	—	**18**	**5**	**9**	**4**	**30**	**9**	**58**	**72**
0–	27	14	—	—	26	12	—	—	—	—	—	—	—	2	1	—
5–	8	2	—	—	8	1	—	—	—	—	—	—	—	—	—	1
15–	203	124	14	1	146	99	9	—	7	2	2	1	19	3	20	19
45–	252	239	17	—	198	206	8	—	9	1	4	1	9	2	24	29
65 & over	332	630	5	—	309	601	3	—	2	2	3	2	2	2	13	23
E 870. Accidental poisoning by morphine and other opium derivatives																
All ages	**1**	**1**	—	—	**1**	**1**	—	—	—	—	—	—	—	—	—	—
0–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45–	1	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—
65 & over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E 871. Accidental poisoning by barbituric acid and derivatives																
All ages	**176**	**217**	—	—	**135**	**179**	—	—	**6**	**2**	**1**	**1**	**5**	**3**	**29**	**32**
0–	—	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—
5–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15–	57	57	—	—	39	43	—	—	3	2	1	—	4	2	10	10
45–	87	105	—	—	68	90	—	—	2	—	—	1	1	1	16	13
65 & over	32	53	—	—	28	44	—	—	1	—	—	—	—	—	3	9
E 872. Accidental poisoning by aspirin and salicylates																
All ages	**18**	**36**	**1**	—	**10**	**22**	—	—	—	—	**1**	—	**1**	—	**6**	**14**
0–	5	3	—	—	5	3	—	—	—	—	—	—	—	—	—	—
5–	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1
15–	4	4	—	—	1	3	—	—	—	—	—	—	1	—	2	1
45–	6	10	1	—	2	5	—	—	—	—	1	—	—	—	3	5
65 & over	3	18	—	—	2	11	—	—	—	—	—	—	—	—	1	7
E 873*																
E 874. Accidental poisoning by other analgesic and soporific drugs																
All ages	**7**	**9**	—	—	**5**	**7**	—	—	—	—	—	—	**1**	**1**	**1**	**1**
0–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15–	5	3	—	—	3	2	—	—	—	—	—	—	1	1	1	—
45–	1	6	—	—	1	5	—	—	—	—	—	—	—	—	—	1
65 & over	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—

* **E873** Accidental poisoning by bromides: IM, 65 yrs. and over " Place not specified ".

TABLE 18A—*continued*

Age-groups	Total		At work		Home		Industrial place and premises		Public building		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 875, E 876, E 877*																
E 878. Accidental poisoning by other and unspecified drugs																
All ages	**28**	**36**	—	—	**22**	**24**	—	—	—	—	**2**	—	—	**1**	**4**	**11**
0–	9	3	—	—	8	3	—	—	—	—	—	—	—	—	1	—
5–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15–	11	11	—	—	8	7	—	—	—	—	1	—	—	—	2	4
45–	6	18	—	—	5	12	—	—	—	—	1	—	—	1	—	5
65 & over	2	4	—	—	1	2	—	—	—	—	—	—	—	—	1	2
E 879*																
E 880. Accidental poisoning by alcohol																
All ages	**7**	**6**	—	—	**5**	**4**	—	—	**1**	—	**1**	—	—	—	—	**2**
0–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15–	5	2	—	—	4	—	—	—	1	—	—	—	—	—	—	2
45–	2	3	—	—	1	3	—	—	—	—	1	—	—	—	—	—
65 & over	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
E 881. Accidental poisoning by petroleum products																
All ages	**2**	—	—	—	**1**	—	—	—	—	—	—	—	—	—	**1**	—
0–	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
5–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45–	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
65 & over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E 882. Accidental poisoning by industrial solvents																
All ages	**2**	**1**	**1**	—	**1**	**1**	**1**	—	—	—	—	—	—	—	—	—
0–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45–	**2**	—	1	—	1	—	1	—	—	—	—	—	—	—	—	—
65 & over	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
E 883. Accidental poisoning by corrosive aromatics, acids and caustic alkalis																
All ages	**11**	**2**	—	—	**7**	**2**	—	—	—	—	—	—	**1**	—	**3**	—
0–	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
5–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15–	4	—	—	—	2	—	—	—	—	—	—	—	1	—	1	—
45–	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
65 & over	5	1	—	—	3	1	—	—	—	—	—	—	—	—	2	—
E 884, E 885, E 886, E 887*																
E 888. Accidental poisoning by other and unspecified solid and liquid substances																
All ages	**7**	**3**	**1**	—	**4**	**1**	—	—	—	—	—	—	**1**	**2**	**2**	—
0–	3	2	—	—	3	—	—	—	—	—	—	—	—	2	—	—
5–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15–	1	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—
45–	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
65 & over	2	1	—	—	—	1	—	—	—	—	—	—	—	—	2	—
E 890. Accidental poisoning by utility (illuminating) gas																
All ages	**481**	**665**	**16**	—	**445**	**649**	**8**	—	**7**	**3**	**3**	**2**	**9**	**2**	**9**	**9**
0–	3	2	—	—	3	2	—	—	—	—	—	—	—	—	—	—
5–	6	1	—	—	6	1	—	—	—	—	—	—	—	—	—	—
15–	84	37	3	—	72	35	2	—	2	—	—	—	5	—	3	2
45–	120	87	9	—	106	81	4	—	4	1	—	—	2	—	4	5
65 & over	268	538	4	—	258	530	2	—	1	2	3	2	2	2	2	2

* **E875** Accidental poisoning by sulphonamides: Nil; **E876** Accidental poisoning by strychnine: IF, 0–4 yrs. "Home", IF, 15–44 yrs. "Home"; **E877** Accidental poisoning by belladonna, hyoscine and atropine: Nil; **E879** Accidental poisoning by noxious foodstuffs: Nil; **E884** Accidental poisoning by mercury and its compounds: Nil; **E885** Accidental poisoning by lead and its compounds: Nil; **E886** Accidental poisoning by arsenic and antimony and their compounds: Nil; **E887** Accidental poisoning by fluorides: Nil.

TABLE 18A—*continued*

Age-groups	Total		At work		Home		Industrial place and premises		Public building		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 891. Accidental poisoning by motor vehicle exhaust gas																
All ages	**17**	—	**1**	—	**12**	—	**1**	—	**1**	—	—	—	**3**	—	—	—
0–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15–	6	—	—	—	6	—	—	—	—	—	—	—	—	—	—	—
45–	9	—	1	—	4	—	1	—	1	—	—	—	3	—	—	—
65 & over	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
E 892. Accidental poisoning by other carbon monoxide gas																
All ages	**47**	**29**	**6**	—	**33**	**26**	**5**	—	**3**	—	**1**	—	**4**	—	**1**	**3**
0–	2	1	—	—	2	1	—	—	—	—	—	—	—	—	—	—
5–	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
15–	16	7	3	—	9	7	3	—	1	—	—	—	3	—	—	—
45–	14	8	3	—	8	8	2	—	2	—	1	—	1	—	—	—
65 & over	14	13	—	—	13	10	—	—	—	—	—	—	—	—	1	3
E 893*																
E 894. Accidental poisoning by other specified gases and vapours																
All ages	**15**	**2**	**9**	**1**	**5**	**1**	**4**	—	—	—	—	**1**	**5**	—	**1**	—
0–	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
5–	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
15–	10	2	7	1	2	1	4	—	—	—	—	1	3	—	1	—
45–	2	—	2	—	—	—	—	—	—	—	—	—	2	—	—	—
65 & over	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—

E 895*

Age-groups	Total		At work		Home		Industrial place and premises		Street and Highway		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 900—E 904. Accidental falls																
All ages	**2,006**	**3,490**	**301**	**17**	**963**	**2,285**	**209**	**5**	**171**	**155**	**292**	**644**	**217**	**85**	**154**	**316**
0–	37	29	—	—	29	26	—	—	2	—	—	—	1	—	5	3
5–	49	16	—	—	6	6	4	1	5	—	—	—	32	8	2	1
15–	242	21	129	1	36	15	100	—	8	2	6	1	76	2	16	1
45–	339	184	144	9	113	123	93	2	36	20	28	15	53	14	16	10
65 & over	1,339	3,240	28	7	779	2,115	12	2	120	133	258	628	55	61	115	301
E 900. Fall on stairs																
All ages	**345**	**510**	**13**	**7**	**289**	**442**	**4**	**4**	**4**	**3**	**12**	**21**	**33**	**37**	**3**	**3**
0–	4	5	—	—	4	5	—	—	—	—	—	—	—	—	—	—
5–	1	2	—	—	—	1	—	1	—	—	—	—	1	—	—	—
15–	26	10	2	—	19	9	1	—	—	—	1	1	5	—	—	—
45–	80	56	7	4	60	47	2	2	2	1	2	1	13	5	1	—
65 & over	234	437	4	3	206	380	1	1	2	2	9	19	14	32	2	3
E 901. Fall from ladders																
All ages	**64**	**14**	**39**	**2**	**25**	**12**	**16**	—	**3**	—	—	—	**19**	**2**	**1**	—
0–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15–	16	1	15	—	—	1	8	—	2	—	—	—	6	—	—	—
45–	26	2	20	2	7	—	7	—	1	—	—	—	10	2	1	—
65 & over	22	11	4	—	18	11	1	—	—	—	—	—	3	—	—	—

* **E893** Accidental poisoning by cyanide gas: 1M, 65 yrs. and over "Industrial place and premises" (at work); **E895** Accidental poisoning by unspecified gases and vapours: 1M, 0–4 yrs. "Home".

Age-groups	Total		At work		Home		Industrial place and premises		Street and highway		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 902. Other falls from one level to another																
All ages	**478**	**246**	**224**	**1**	**114**	**155**	**176**	**—**	**14**	**2**	**48**	**76**	**120**	**9**	**6**	**4**
0–	24	15	—	—	22	15	—	—	1	—	—	—	—	—	1	—
5–	35	8	—	—	4	4	4	—	2	—	—	—	25	4	—	—
15–	165	3	107	—	13	2	89	—	2	—	2	—	59	1	—	—
45–	133	20	107	—	17	15	78	—	4	1	8	3	23	—	3	1
65 & over	121	200	10	1	58	119	5	—	5	1	38	73	13	4	2	3
E 903. Fall on same level																
All ages	**799**	**1,923**	**15**	**6**	**397**	**1,250**	**9**	**1**	**149**	**150**	**208**	**485**	**35**	**33**	**1**	**4**
0–	3	5	—	—	2	5	—	—	1	—	—	—	—	—	—	—
5–	10	3	—	—	2	—	—	—	3	—	—	—	5	3	—	—
15–	15	4	2	1	4	1	1	—	3	2	3	—	3	1	1	—
45–	77	77	7	2	20	43	4	—	29	18	17	10	7	6	—	—
65 & over	694	1,834	6	3	369	1,201	4	1	113	130	188	475	20	23	—	4
E 904. Unspecified falls																
All ages	**320**	**797**	**10**	**1**	**138**	**426**	**4**	**—**	**1**	**—**	**24**	**62**	**10**	**4**	**143**	**305**
0–	6	4	—	—	1	1	—	—	—	—	—	—	1	—	4	3
5–	3	3	—	—	—	1	—	—	—	—	—	—	1	1	2	1
15–	20	3	3	—	—	2	1	—	1	—	—	—	3	—	15	1
45–	23	29	3	1	9	18	2	—	—	—	1	1	—	1	11	9
65 & over	268	758	4	—	128	404	1	—	—	—	23	61	5	2	111	291

Age-groups	Total		At work		Home		Farm		Mine and quarry		Industrial place and premises		Place for recreation and sport		Street and highway		Public building		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 910—E 936. Other accidents																								
All ages	**2,375**	**1,217**	**676**	**16**	**782**	**868**	**115**	**7**	**224**	**—**	**318**	**5**	**31**	**6**	**37**	**7**	**48**	**9**	**85**	**89**	**634**	**166**	**101**	**60**
0–	468	325	—	—	351	276	5	2	2	—	3	—	6	—	—	1	3	2	11	7	72	21	15	16
5–	213	58	—	—	42	37	9	—	6	—	3	—	7	3	2	—	10	—	4	—	125	18	5	—
15–	721	136	356	8	104	66	52	—	104	—	165	3	16	—	18	1	22	1	16	18	201	37	23	10
45–	564	184	297	8	92	101	32	4	112	—	132	2	2	2	12	1	10	2	19	20	128	42	25	10
65 & over	409	514	23	—	193	388	17	1	—	—	15	—	—	1	5	4	3	4	35	44	108	48	33	24

Age-groups	Total		At work		Home		Mine and quarry		Industrial place and premises		Street and highway		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 910. Blow from falling object																
All ages	**222**	**16**	**187**	**2**	**15**	**8**	**72**	**—**	**86**	**1**	**10**	**4**	**38**	**3**	**1**	**—**
0–	7	2	—	—	5	1	—	—	1	—	—	1	1	—	—	—
5–	7	1	—	—	2	—	—	—	—	—	—	—	5	1	—	—
15–	112	5	100	1	3	2	36	—	44	1	4	1	24	1	1	—
45–	84	4	81	1	3	2	36	—	36	—	4	1	5	1	—	—
65 & over	12	4	6	—	2	3	—	—	5	—	2	1	3	—	—	—

Age-groups	Total		At work		Home		Farm		Mine and quarry		Industrial place and premises		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 911. Accident caused by vehicle																
All ages	**59**	**—**	**55**	**—**	**2**	**—**	**1**	**—**	**45**	**—**	**11**	**—**	**—**	**—**	**—**	**—**
0–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15–	20	—	16	—	2	—	1	—	11	—	6	—	—	—	—	—
45–	39	—	39	—	—	—	—	—	34	—	5	—	—	—	—	—
65 & over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Age. groups	Total		At work		Home		Farm		Mine and quarry		Industrial place and premises		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 912. Accident caused by machinery																
All ages	**224**	**6**	**206**	**3**	**3**	**—**	**58**	**4**	**48**	**—**	**98**	**1**	**15**	**1**	**2**	**—**
0–	3	2	—	—	1	—	2	2	—	—	—	—	—	—	—	—
5–	10	—	—	—	—	—	6	—	1	—	—	—	3	—	—	—
15–	110	1	106	1	—	—	27	—	24	—	52	1	7	—	—	—
45–	88	3	88	2	1	—	17	2	23	—	41	—	4	1	2	—
65 & over	13	—	12	—	1	—	6	—	—	—	5	—	1	—	—	—
E 913. Accident caused by cutting and piercing instruments																
All ages	**8**	**4**	**1**	**1**	**1**	**2**	**—**	**1**	**—**	**—**	**1**	**1**	**3**	**—**	**3**	**—**
0–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5–	4	—	—	—	—	—	—	—	—	—	—	—	2	—	2	—
15–	3	1	1	—	—	1	—	—	—	—	1	—	1	—	1	—
45–	1	2	—	1	1	—	—	1	—	—	—	1	—	—	—	—
65 & over	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
E 914. Accident caused by electric current																
All ages	**93**	**19**	**48**	**2**	**31**	**18**	**7**	**—**	**1**	**—**	**29**	**—**	**23**	**1**	**2**	**—**
0–	5	1	—	—	3	1	—	—	—	—	—	—	2	—	—	—
5–	13	3	—	—	4	2	—	—	—	—	1	—	8	1	—	—
15–	54	6	37	1	14	6	6	—	—	—	20	—	12	—	2	—
45–	18	6	11	1	7	6	1	—	1	—	8	—	1	—	—	—
65 & over	3	3	—	—	3	3	—	—	—	—	—	—	—	—	—	—
E 915. Accident caused by explosion of pressure vessel																
All ages	**9**	**1**	**7**	**—**	**2**	**1**	**—**	**—**	**—**	**—**	**7**	**—**	**—**	**—**	**—**	**—**
0–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15–	2	—	2	—	—	—	—	—	—	—	2	—	—	—	—	—
45–	5	1	4	—	1	1	—	—	—	—	4	—	—	—	—	—
65 & over	2	—	1	—	1	—	—	—	—	—	1	—	—	—	—	—

Age-groups	Total		At work		Home		Mine and quarry		Industrial place and premises		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 916. Accident caused by fire and explosion of combustible material																
All ages	**315**	**494**	**63**	**4**	**223**	**467**	**30**	**—**	**28**	**—**	**14**	**18**	**19**	**8**	**1**	**1**
0–	32	50	—	—	32	50	—	—	—	—	—	—	—	—	—	—
5–	18	31	—	—	15	30	—	—	—	—	—	—	3	1	—	—
15–	67	44	38	3	23	34	21	—	16	—	—	7	7	3	—	—
45–	65	67	25	1	35	63	9	—	12	—	2	3	7	1	—	—
65 & over	133	302	—	—	118	290	—	—	—	—	12	8	2	3	1	1
E 917. Accident caused by hot substance, corrosive liquid, and steam																
All ages	**46**	**52**	**11**	**1**	**30**	**42**	**—**	**—**	**10**	**1**	**3**	**2**	**3**	**1**	**—**	**6**
0–	13	12	—	—	11	11	—	—	—	—	—	—	2	—	—	1
5–	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
15–	5	3	4	—	1	1	—	—	4	—	—	—	—	1	—	1
45–	12	4	7	1	4	3	—	—	6	1	1	—	1	—	—	—
65 & over	15	33	—	—	14	27	—	—	—	—	1	2	—	—	—	4

E 918*

Age-groups	Total		At work		Home		Farm		Mine and quarry		Industrial place and premises		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 919. Accident caused by firearm																
All ages	**78**	**2**	**11**	**—**	**21**	**1**	**11**	**—**	**2**	**—**	**—**	**—**	**41**	**1**	**3**	**—**
0–	1	1	—	—	—	—	1	—	—	—	—	—	—	1	—	—
5–	12	1	—	—	2	1	—	—	—	—	—	—	10	—	—	—
15–	41	—	4	—	7	—	5	—	1	—	—	—	26	—	2	—
45–	16	—	6	—	8	—	3	—	1	—	—	—	4	—	—	—
65 & over	8	—	1	—	4	—	2	—	—	—	—	—	1	—	1	—

E 920*

‡ **E916** Including burns by clothing: domestic fire M12, F80, gas fire M6, F24, electric fire M5, F65, other M34, F98. Burns by falling into fire: open fire M22, F31, gas fire M—, F1, electric fire M9, F7, other M2, F1. Conflagration M99, F85. Other and unspecified means M126, F102.

† **E917** Including scalds M24, F38.

* **E918** Accident caused by radiation: Nil. **E920** Foreign body entering eye and adnexa: Nil.

Age-groups	Total		At work		Home		Industrial place and premises		Public building		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 921. Inhalation and ingestion of food causing obstruction or suffocation																
All ages	**278**	**210**	**2**	**1**	**196**	**145**	**2**	**1**	**5**	**1**	**46**	**49**	**13**	**3**	**16**	**11**
0–	145	124	—	—	129	113	—	—	—	—	6	5	3	1	7	5
5–	5	3	—	—	3	2	—	—	—	—	2	—	—	1	—	—
15–	44	18	—	1	23	8	1	1	2	—	9	8	6	—	3	1
45–	40	26	2	—	16	9	1	—	3	1	13	14	3	1	4	1
65 & over	44	39	—	—	25	13	—	—	—	—	16	22	1	—	2	4
E 922. Inhalation and ingestion of other object causing obstruction or suffocation																
All ages	**20**	**5**	**3**	—	**13**	**3**	**1**	—	—	—	**2**	**2**	**3**	—	**1**	—
0–	10	4	—	—	10	3	—	—	—	—	—	1	—	—	—	—
5–	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
15–	4	1	1	—	1	—	—	—	—	—	2	1	1	—	—	—
45–	3	—	2	—	1	—	1	—	—	—	—	—	1	—	—	—
65 & over	2	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—
E 923. Foreign body entering other orifice																
All ages	**13**	**7**	—	—	**8**	**1**	—	—	—	—	**4**	**1**	—	—	**1**	**5**
0–	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
5–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15–	3	3	—	—	—	—	—	—	—	—	3	—	—	—	—	3
45–	3	—	—	—	1	—	—	—	—	—	1	—	—	—	1	—
65 & over	5	4	—	—	5	1	—	—	—	—	—	1	—	—	—	2
E 924. Accidental mechanical suffocation in bed and cradle																
All ages	**94**	**72**	—	—	**88**	**70**	—	—	—	—	**5**	—	**1**	**1**	—	**1**
0–	90	63	—	—	86	62	—	—	—	—	4	—	—	—	—	1
5–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15–	3	4	—	—	1	3	—	—	—	—	1	—	1	1	—	—
45–	1	2	—	—	1	2	—	—	—	—	—	—	—	—	—	—
65 & over	—	3	—	—	—	3	—	—	—	—	—	—	—	—	—	—
E 925. Accidental mechanical suffocation in other and unspecified circumstances																
All ages	**64**	**14**	**26**	—	**30**	**13**	**10**	—	**1**	—	**2**	**1**	**21**	—	—	—
0–	22	11	—	—	21	11	—	—	—	—	—	—	1	—	—	—
5–	5	—	—	—	1	—	1	—	1	—	—	—	2	—	—	—
15–	26	2	18	—	6	1	6	—	—	—	1	1	13	—	—	—
45–	10	1	8	—	2	1	3	—	—	—	—	—	5	—	—	—
65 & over	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—

Age-groups	Total		At work		Home		Street and highway		Public building		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 926. Lack of care of infants under 1 year of age																
All ages	**23**	**20**	—	—	**15**	**8**	—	—	**3**	**2**	—	**1**	**3**	**4**	**2**	**5**
0–	23	20	—	—	15	8	—	—	3	2	—	1	3	4	2	5
5–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65 & over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Age-groups	Total		At work		Home		Farm		Place for recreation and sport		Street and highway		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 927*																
E 928. Other accidents caused by animals																
All ages	**17**	**3**	**10**	**1**	**1**	**1**	**10**	**1**	**1**	—	**2**	**1**	**3**	—	—	—
0–	1	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—
5–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15–	6	—	4	—	—	—	2	—	1	—	1	—	2	—	—	—
45–	4	1	4	1	—	—	3	1	—	—	—	—	1	—	—	—
65 & over	6	1	2	—	—	—	5	—	—	—	1	1	—	—	—	—

† **E924** Including accidental mechanical suffocation: In bed, M39, F36; In cot, cradle etc. M55, F36.
* **E927** Accidents caused by bites and stings of venomous animals and insects: 1M, 45–64 yrs. "Public building" (at work), 3M, 45–64 yrs. "Other specified places" (at work), 1M, 65 yrs. and over "Place not specified".

Age-groups	Total		At work		Home		Farm		Mine and quarry		Industrial place and premises		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 929. Accidental drowning and submersion																
All ages	**591**	**187**	**22**	**1**	**32**	**37**	**4**	—	**12**	—	**26**	—	**506**	**145**	**11**	**5**
0–	88	22	—	—	16	8	2	—	2	—	2	—	66	14	—	—
5–	111	15	—	—	—	1	1	—	5	—	1	—	102	14	2	—
15–	149	34	12	1	—	5	—	—	2	—	10	—	136	29	1	—
45–	125	53	9	—	8	8	—	—	3	—	9	—	102	41	3	4
65 & over	118	63	1	—	8	15	1	—	—	—	4	—	100	47	5	1

Age-groups	Total		At work		Home		Farm		Industrial place and premises		Street and highway		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 930*																
E 931. Excessive heat and insolation																
All ages	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
0–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65 & over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E 932. Excessive cold																
All ages	**27**	**13**	**2**	—	**7**	**7**	**1**	—	**1**	—	**1**	**1**	**15**	**3**	**2**	**2**
0–	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
5–	1	1	—	—	—	—	—	—	—	—	—	—	1	1	—	—
15–	7	1	2	—	—	—	—	—	—	—	—	—	7	1	—	—
45–	10	—	—	—	1	—	1	—	1	—	1	—	5	—	1	—
65 & over	8	11	—	—	5	7	—	—	—	—	—	1	2	1	1	2
E 933. Hunger, thirst, and exposure																
All ages	**24**	**17**	—	—	**3**	**8**	**1**	**1**	—	—	**2**	—	**11**	**5**	**7**	**3**
0–	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
5–	2	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—
15–	2	1	—	—	—	—	—	—	—	—	1	—	1	1	—	—
45–	9	4	—	—	1	1	—	—	—	—	1	—	6	1	1	2
65 & over	10	12	—	—	1	7	1	1	—	—	—	—	2	3	6	1

Age-groups	Total		At work		Home		Industrial place and premises		Place for recreation and sport		Street and highway		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 934*																
E 935. Lightning																
All ages	**4**	**1**	**2**	—	—	—	—	—	**1**	—	—	—	**3**	**1**	—	—
0–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5–	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
15–	2	1	1	—	—	—	—	—	—	—	—	—	2	1	—	—
45–	1	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—
65 & over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E 936. Other and unspecified accidents																
All ages	**155**	**70**	**14**	—	**59**	**32**	**6**	—	**1**	**2**	**6**	**1**	**35**	**14**	**48**	**21**
0–	24	12	—	—	17	7	—	—	—	—	—	—	1	1	6	4
5–	22	3	—	—	14	1	—	—	—	2	—	—	7	—	1	—
15–	56	8	8	—	22	2	2	—	1	—	2	—	16	1	13	5
45–	26	9	6	—	1	4	4	—	—	—	2	—	6	2	13	3
65 & over	27	38	—	—	5	18	—	—	—	—	2	1	5	10	15	9

* **E930** High and low air pressure: 1M, 15–44 yrs. "Industrial place and premises" (at work), 1M, 15–44 yrs. "Other specified places"; **E934** Cataclysm 1M, 15–44 yrs. "Home", 1M, 15–44 yrs. "Street and highway", 1M, 15–44 yrs. "Other specified places" (at work), 1M, 65 yrs. and over "Home", 3F, 15–44 yrs. "Home", 1F, 45–64 yrs. "Home".

TABLE 18B. Deaths from violent causes according to nature of injury, sex and age, 1962 } **England and Wales**

ICD Nos. N800—N999

Note. 1 Headings to which no deaths were assigned during the year have been omitted from the table.

2 See note at head of Table 18A.

ICD No.	Nature of injury		All ages	0—	1—	5—	15—	25—	35—	45—	55—	65—	75—	85 and over
N800–N999	**TOTAL**	M	**13,812**	**324**	**375**	**612**	**2,006**	**1,284**	**1,496**	**1,835**	**2,001**	**1,655**	**1,609**	**615**
		F	**10,085**	**254**	**231**	**235**	**372**	**415**	**549**	**921**	**1,277**	**1,675**	**2,640**	**1,516**
N800–N809	**Fracture of skull, spine and trunk**	M	**3,923**	**20**	**108**	**240**	**857**	**417**	**414**	**486**	**512**	**391**	**366**	**112**
		F	**1,558**	**13**	**68**	**101**	**135**	**57**	**82**	**136**	**191**	**279**	**378**	**118**
N800	Fracture of vault of skull	M	**75**	1	7	4	15	1	10	7	10	14	5	1
		F	**22**	—	2	1	2	1	2	2	2	5	4	1
N801	Fracture of base of skull	M	**467**	—	16	40	136	58	45	47	60	36	24	5
		F	**164**	—	14	16	22	9	9	19	16	19	33	7
N802	Fracture of face bones	M	**31**	—	—	—	12	2	2	5	5	1	4	—
		F	**9**	1	—	1	—	—	2	—	2	3	—	—
N803	Other and unqualified skull fractures	M	**1,691**	19	68	131	422	196	185	213	207	125	94	31
		F	**567**	11	40	59	71	30	36	62	66	89	85	18
N804	Multiple fractures involving skull or face with other bones	M	**804**	—	9	42	188	107	99	93	99	81	68	18
		F	**285**	—	10	14	27	8	18	21	49	64	67	7
N805	Fracture and fracture dislocation of vertebral column, without mention of spinal cord lesion	M	**240**	—	2	10	44	13	28	38	35	29	30	11
		F	**120**	—	1	1	6	5	5	10	12	27	41	12
N806	Fracture and fracture dislocation of vertebral column with spinal cord lesion	M	**79**	—	2	2	7	13	12	19	11	6	6	1
		F	**34**	1	—	3	2	1	2	6	6	6	5	2
N807	Fracture of rib(s), sternum, and larynx	M	**192**	—	—	2	7	4	12	28	30	38	51	20
		F	**72**	—	—	—	2	—	1	3	6	6	31	23
N808	Fracture of pelvis	M	**121**	—	1	3	5	8	5	10	10	27	38	14
		F	**137**	—	—	—	—	1	2	5	14	24	63	28
N809	Multiple and ill-defined fractures of trunk	M	**223**	—	3	6	21	15	16	26	45	34	46	11
		F	**148**	—	1	6	3	2	5	8	18	36	49	20
N810–N819	**Fracture of upper limb**	M	**63**	—	—	—	**2**	—	**2**	**7**	**10**	**10**	**24**	**8**
		F	**135**	—	**1**	—	—	—	**1**	**1**	**8**	**26**	**57**	**41**
N810	Fracture of clavicle	M	**3**	—	—	—	—	—	—	—	1	—	2	—
		F	**5**	—	—	—	—	—	—	—	—	1	2	2
N812	Fracture of humerus	M	**33**	—	—	—	—	—	—	1	5	7	13	7
		F	**75**	—	—	—	—	—	—	—	2	14	31	28
N813	Fracture of radius and ulna	M	**4**	—	—	—	—	—	—	1	—	1	2	—
		F	**11**	—	—	—	—	—	—	1	1	1	4	4
N814	Fracture of carpal bone(s)	M	**1**	—	—	—	—	—	—	—	1	—	—	—
		F	**11**	—	—	—	—	—	—	—	—	3	6	2
N815	Fracture of metacarpal bone(s)	M	—	—	—	—	—	—	—	—	—	—	—	—
		F	**2**	—	—	—	—	—	—	—	1	—	—	1
N818	Other, multiple, and ill-defined fractures of upper limb	M	**3**	—	—	—	—	—	—	—	1	—	2	—
		F	**11**	—	—	—	—	—	—	—	1	2	8	—
N819	Multiple fractures involving both upper limbs, and upper limb with rib(s) and sternum	M	**19**	—	—	—	2	—	2	5	2	2	5	1
		F	**20**	—	1	—	—	—	1	—	3	5	6	4
N820–N829	**Fracture of lower limb**	M	**1,102**	**1**	**3**	**1**	**29**	**16**	**15**	**30**	**71**	**199**	**435**	**302**
		F	**2,712**	—	—	**1**	**4**	**3**	**2**	**18**	**71**	**366**	**1,236**	**1,011**
N820	Fracture of neck of femur	M	**459**	—	—	—	—	—	1	1	19	79	206	153
		F	**1,320**	—	—	—	—	—	—	5	26	174	623	492
N821	Fracture of other and unspecified parts of femur	M	**425**	—	2	1	4	3	1	11	12	77	182	132
		F	**1,130**	—	—	—	2	—	—	6	21	126	511	464
N822	Fracture of patella	M	**6**	—	—	—	—	1	—	2	—	2	1	—
		F	**12**	—	—	—	—	—	—	—	2	5	3	2
N823	Fracture of tibia and fibula	M	**54**	—	—	—	2	1	2	3	12	17	11	6
		F	**99**	—	—	—	—	—	1	6	12	27	35	18
N824	Fracture of ankle	M	**6**	—	—	—	—	—	1	1	—	—	3	1
		F	**15**	—	—	—	—	—	—	—	1	7	6	1
N825	Fracture of one or more tarsal and metatarsal bones	M	**1**	—	—	—	—	—	—	—	1	—	—	—
		F	**1**	—	—	—	—	—	—	—	1	—	—	—
N827	Other, multiple, and ill-defined fractures of lower limb	M	**28**	—	—	—	4	2	1	2	6	5	5	3
		F	**19**	—	—	—	1	—	—	1	2	7	6	2
N828	Multiple fractures involving both lower limbs, lower with upper limb, and lower limb(s) with rib(s) and sternum	M	**109**	—	1	—	14	6	7	9	20	18	27	7
		F	**106**	—	—	1	1	1	1	—	5	18	48	31
N829	Fracture of unspecified bones	M	**14**	1	—	—	5	3	2	1	1	1	—	—
		F	**10**	—	—	—	—	2	—	—	1	2	4	1
N830–N839	**Dislocation without fracture**	M	**47**	**1**	—	**5**	**7**	**7**	—	**5**	**6**	**7**	**7**	**2**
		F	**21**	—	**1**	—	**2**	**2**	—	**2**	**2**	**2**	**7**	**3**
N840–N848	**Sprains and strains of joints and adjacent muscles**	M	**7**	—	—	—	—	—	**1**	**2**	**4**	—	—	—
		F	**5**	—	—	—	—	—	—	—	—	**1**	**3**	**1**

TABLE 18B—*continued*

ICD No.	Nature of injury		All ages	0—	1—	5—	15—	25—	35—	45—	55—	65—	75—	85 and over
N850–N856	**Head injury (excluding skull fracture)**	M	**1,072**	**16**	**23**	**52**	**238**	**103**	**89**	**131**	**142**	**119**	**125**	**34**
		F	**526**	**12**	**15**	**33**	**30**	**16**	**25**	**30**	**60**	**90**	**141**	**74**
N850 N851	Open wound, contusion and haematoma of scalp	M	**33**	—	—	—	3	1	3	7	3	3	8	5
		F	**38**	—	1	—	2	1	1	—	4	2	14	13
N852	Concussion	M	**71**	—	3	3	11	11	4	6	12	8	12	1
		F	**40**	—	—	1	1	1	—	3	2	7	10	15
N853	Cerebral laceration and contusion	M	**372**	6	6	17	111	25	27	43	47	42	39	9
		F	**159**	—	6	14	9	3	14	9	22	27	42	13
N854	Subarachnoid, subdural, and extradural haemorrhage following injury (without mention of cerebral laceration or contusion)	M	**140**	8	4	13	10	7	8	15	15	25	24	11
		F	**128**	9	4	9	2	1	1	5	11	23	44	19
N855	Other and unspecified intracranial haemorrhage following injury (without mention of cerebral laceration or contusion)	M	**87**	1	—	5	22	9	6	6	15	9	10	4
		F	**48**	1	1	1	3	4	4	3	3	9	13	6
N856	Head injury of other and unspecified nature	M	**369**	1	10	14	81	50	41	54	50	32	32	4
		F	**113**	2	3	8	13	6	5	10	18	22	18	8
N860–N869	**Internal injury of chest, abdomen, and pelvis**	M	**1,206**	**3**	**20**	**62**	**311**	**169**	**180**	**182**	**149**	**82**	**39**	**9**
		F	**329**	**2**	**22**	**21**	**29**	**31**	**24**	**44**	**49**	**54**	**42**	**11**
N860	Traumatic pneumothorax and haemothorax	M	**72**	—	1	2	14	4	11	12	11	11	6	—
		F	**21**	—	—	2	3	—	1	1	3	5	4	2
N861	Injury to heart and lung	M	**223**	—	2	10	56	36	31	33	26	14	14	1
		F	**60**	—	3	—	6	6	4	10	11	8	10	2
N862	Injury to other and unspecified intrathoracic organs	M	**352**	—	4	12	69	57	51	64	56	28	8	3
		F	**97**	—	4	3	9	10	10	17	20	16	8	—
N863	Injury to gastro-intestinal tract	M	**41**	1	—	1	5	6	6	10	8	1	—	3
		F	**6**	—	1	—	1	—	—	—	2	2	—	—
N864	Injury to liver	M	**94**	2	1	8	29	15	16	10	7	4	2	—
		F	**31**	2	3	3	2	6	—	3	5	1	4	2
N865	Injury to spleen	M	**36**	—	1	2	16	5	5	3	1	3	—	—
		F	**29**	—	2	2	2	2	1	2	5	9	2	2
N866	Injury to kidney	M	**11**	—	—	1	1	—	1	3	1	4	—	—
		F	**2**	—	—	—	—	—	—	—	—	1	—	1
N867	Injury to pelvic organs	M	**10**	—	1	—	1	1	1	3	1	1	1	—
		F	**4**	—	—	—	—	1	—	1	—	1	1	—
N868	Injury to other and unspecified intra-abdominal organs	M	**142**	—	3	10	43	14	22	19	19	8	3	1
		F	**28**	—	6	4	2	2	2	5	—	2	4	1
N869	Internal injury, unspecified or involving intrathoracic with intra-abdominal organs	M	**225**	—	7	16	77	31	36	25	19	8	5	1
		F	**51**	—	3	7	4	4	6	5	3	9	9	1
N870–N879	**Laceration and open wound of face, neck, and trunk**	M	**175**	**1**	**2**	**9**	**19**	**18**	**26**	**29**	**27**	**26**	**18**	—
		F	**35**	**1**	**2**	**1**	**6**	**4**	**6**	**4**	**4**	**3**	**2**	**2**
N874	Open wound of neck	M	**105**	1	1	3	8	12	17	19	18	16	10	—
		F	**21**	1	1	—	4	1	4	3	3	3	1	—
N875	Open wound of chest	M	**25**	—	—	2	6	—	3	6	3	4	1	—
		F	**5**	—	1	—	2	1	1	—	—	—	—	—
Rem. of N870–N879	Open wound of other sites of face, neck and trunk	M	**45**	—	1	4	5	6	6	4	6	6	7	—
		F	**9**	—	—	1	—	2	1	1	1	—	1	2
N880–N888	**Laceration and open wound of upper limb**	M	**14**	—	**1**	**1**	**2**	—	**2**	**2**	**3**	**2**	—	**1**
		F	**3**	—	—	—	—	—	—	—	**1**	**1**	—	—
N890–N898	**Laceration and open wound of lower limb**	M	**26**	—	—	**5**	**5**	**2**	**2**	**2**	**5**	**4**	**1**	—
		F	**10**	—	—	—	—	—	**1**	—	**2**	**3**	**4**	—
N900–N908	**Laceration and open wounds of multiple location**	M	**132**	—	—	**8**	**22**	**18**	**18**	**26**	**18**	**12**	**9**	**1**
		F	**50**	**1**	—	**3**	**4**	**4**	**3**	**5**	**11**	**8**	**8**	**3**
N910–N918	**Superficial injury**	M	**5**	—	—	—	—	—	—	—	**2**	**1**	**2**	—
		F	**7**	—	—	—	—	—	**1**	—	—	**2**	—	**4**
N920–N929	**Contusion and crushing with intact skin surface**	M	**33**	—	**1**	**3**	**2**	**1**	**3**	**2**	**6**	**4**	**4**	**7**
		F	**34**	—	—	—	—	**1**	—	**1**	**5**	**11**	**12**	**4**
N930–N936	**Effects of foreign body entering through orifice**	M	**320**	**136**	**24**	**6**	**10**	**10**	**32**	**24**	**25**	**28**	**19**	**6**
		F	**226**	**117**	**11**	**3**	**5**	**8**	**10**	**11**	**15**	**22**	**18**	**6**
N933	Foreign body in pharynx and larynx	M	**301**	134	22	6	10	10	27	19	25	24	18	6
		F	**209**	115	10	3	3	4	10	11	15	18	14	6
N934	Foreign body in bronchus and lung	M	**6**	2	1	—	—	—	—	1	—	2	—	—
		F	**5**	1	1	—	1	—	—	—	—	1	1	—
N935	Foreign body in digestive tract	M	**13**	—	1	—	—	—	5	4	—	2	1	—
		F	**10**	1	—	—	1	2	—	—	—	3	3	—
N936	Foreign body in genito-urinary tract	M	—	—	—	—	—	—	—	—	—	—	—	—
		F	**2**	—	—	—	—	2	—	—	—	—	—	—

TABLE 18B—*continued*

ICD No.	Nature of injury		All ages	0—	1—	5—	15—	25—	35—	45—	55—	65—	75—	85 and over
N940–N949	**Burns**	M	**278**	**6**	**24**	**13**	**14**	**17**	**24**	**21**	**32**	**39**	**63**	**25**
		F	**485**	**12**	**37**	**30**	**21**	**15**	**16**	**28**	**34**	**77**	**147**	**68**
N941	Burn confined to face, head, and neck	M	**11**	2	—	—	—	—	—	—	1	3	4	1
		F	**9**	1	—	1	—	—	—	1	—	2	1	3
N942	Burn confined to trunk	M	**16**	—	3	—	—	—	1	1	2	2	4	3
		F	**33**	—	1	—	—	—	2	4	4	4	10	8
N943	Burn confined to upper limb(s), except wrist and hand	M	**8**	—	—	—	—	—	1	—	2	1	1	3
		F	**9**	—	1	—	—	—	—	—	—	2	2	4
N944	Burn confined to wrist(s) and hand(s)	M	—	—	—	—	—	—	—	—	—	—	—	—
		F	**1**	—	—	—	—	—	1	—	—	—	—	—
N945	Burn confined to lower limb(s)	M	**17**	—	—	—	1	—	1	2	1	4	7	1
		F	**23**	—	—	—	—	—	—	—	2	7	12	2
N946	Burn involving face, head, and neck, with limb(s)	M	**13**	—	1	—	1	2	1	2	1	—	4	1
		F	**14**	—	—	1	1	—	—	1	1	2	7	1
N947	Burn involving trunk with limb(s)	M	**58**	—	3	2	1	—	6	5	10	12	16	3
		F	**129**	3	10	7	4	5	3	5	8	17	47	20
N948	Burn involving face, head, and neck, with trunk and limb(s)	M	**78**	3	10	7	7	8	8	4	7	7	12	5
		F	**119**	5	7	10	7	4	2	9	8	23	31	13
N949	Burn involving other and unspecified parts	M	**77**	1	7	4	4	7	6	7	8	10	15	8
		F	**148**	3	18	11	9	6	8	8	11	20	37	17
N950–N959	**Injury to nerves and spinal cord, without bone injury**	M	**46**	—	—	**2**	**3**	**3**	**3**	**8**	**12**	**8**	**7**	—
		F	**10**	—	—	—	**1**	—	—	**1**	**3**	**2**	**3**	—
N960–N979	**Effects of poisons**	M	**3,079**	**10**	**42**	**23**	**198**	**280**	**452**	**584**	**634**	**450**	**333**	**73**
		F	**3,006**	**3**	**34**	**9**	**80**	**219**	**292**	**512**	**663**	**573**	**485**	**136**
N961	Poisoning by alcohol	M	**7**	—	—	—	—	3	2	1	1	—	—	—
		F	**7**	—	—	—	—	1	1	3	—	1	1	—
N962	Poisoning by petroleum products	M	**2**	—	1	—	—	—	—	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
N963	Poisoning by industrial solvents	M	**2**	—	—	—	—	—	—	1	1	—	—	—
		F	**1**	—	—	—	—	—	—	—	—	—	1	—
N964	Poisoning by corrosive aromatics, acids, and caustic alkalis	M	**34**	—	2	—	2	2	8	2	6	9	2	1
		F	**29**	—	—	—	—	3	4	6	11	4	1	—
N966	Poisoning by lead and its compounds	M	—	—	—	—	—	—	—	—	—	—	—	—
		F	**1**	—	—	—	—	—	—	—	—	—	1	—
N967	Poisoning by arsenic and antimony and their compounds	M	**2**	—	—	—	—	—	—	1	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
N968	Poisoning by carbon monoxide	M	**2,116**	6	18	18	148	199	267	361	433	313	285	68
		F	**1,841**	2	18	8	51	118	135	252	367	370	395	125
N969	Poisoning by other gases and vapours	M	**75**	3	5	5	9	4	5	6	8	21	8	1
		F	**29**	1	5	—	2	—	—	3	2	4	11	1
N970	Poisoning by morphine and other opium derivatives	M	**10**	—	—	—	1	1	2	2	1	2	1	—
		F	**8**	—	—	—	1	1	2	2	1	—	1	—
N971	Poisoning by barbituric acid and derivatives	M	**616**	—	—	—	24	54	126	167	141	74	27	3
		F	**860**	—	3	—	15	74	119	200	231	157	55	6
N972	Poisoning by aspirin and salicylates	M	**106**	1	4	—	6	6	21	23	25	17	3	—
		F	**157**	—	3	1	5	14	18	31	37	30	14	4
N973	Poisoning by bromides	M	**1**	—	—	—	—	—	—	—	—	—	1	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
N974	Poisoning by other analgesic and soporific drugs	M	**30**	—	—	—	3	5	7	8	5	2	—	—
		F	**31**	—	—	—	2	4	5	6	9	2	3	—
N975	Poisoning by sulfonamides	M	**1**	—	—	—	—	1	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
N976	Poisoning by strychnine	M	**2**	—	—	—	—	1	1	—	—	—	—	—
		F	**2**	—	1	—	—	—	1	—	—	—	—	—
N978	Poisoning by venom	M	**5**	—	—	—	—	—	—	2	2	1	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
N979	Poisoning by other and unspecified substances	M	**70**	—	12	—	5	4	13	9	11	9	7	—
		F	**40**	—	4	—	4	4	7	9	5	5	2	—
N980–N989	**Effects of weather, exposure, and related conditions**	M	**61**	**2**	—	**4**	**3**	**6**	**5**	**5**	**15**	**7**	**8**	**6**
		F	**35**	—	—	**1**	—	**1**	**2**	**1**	**5**	**9**	**8**	**8**
N980	Effects of reduced temperature	M	**26**	1	—	1	2	2	2	1	7	3	4	3
		F	**14**	—	—	1	—	—	1	—	1	5	4	2
N983	Caisson disease	M	**2**	—	—	—	—	2	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
N984	Effects of lightning	M	**4**	—	—	1	1	—	1	—	1	—	—	—
		F	**1**	—	—	—	—	1	—	—	—	—	—	—
N985	Effects of hunger	M	**1**	1	—	—	—	—	—	—	—	—	—	—
		F	**3**	—	—	—	—	—	—	—	1	2	—	—
N987	Effects of exposure, not elsewhere classified	M	**28**	—	—	2	—	2	2	4	7	4	4	3
		F	**17**	—	—	—	—	—	1	1	3	2	4	6

TABLE 18B—*continued*

ICD No.	Nature of injury		All ages	0—	1—	5—	15—	25—	35—	45—	55—	65—	75—	85 and over
N990–N999	**Other and unspecified injuries and reactions**	M	**2,223**	**128**	**127**	**178**	**284**	**217**	**228**	**289**	**328**	**266**	**149**	**29**
		F	**898**	**93**	**40**	**32**	**55**	**54**	**84**	**126**	**153**	**146**	**89**	**26**
N990	Drowning	M	**950**	6	88	124	119	72	85	115	139	121	67	14
		F	**370**	3	21	15	21	20	33	65	70	79	33	10
N991	Asphyxia and strangulation	M	**689**	102	26	24	52	66	75	98	105	93	41	7
		F	**283**	69	15	6	16	18	33	30	53	26	15	2
N992	Electrocution	M	**103**	1	4	13	24	24	14	12	7	2	2	—
		F	**20**	—	1	3	4	1	1	4	3	—	2	1
N994	Other general effects of external causes	M	**21**	18	1	—	—	—	—	—	1	—	1	—
		F	**18**	18	—	—	—	—	—	—	—	—	—	—
N996	Injury of other and unspecified nature	M	**442**	1	7	17	85	53	53	60	72	49	38	7
		F	**191**	2	3	4	14	13	16	25	25	39	37	13
N997	Reactions and complications due to non-therapeutic medical and surgical procedures	M	**6**	—	1	—	3	—	—	2	—	—	—	—
		F	**7**	1	—	2	—	1	1	1	1	—	—	—
N998	Adverse reaction to injections, infusions, and transfusions for therapeutic purposes	M	**3**	—	—	—	—	—	—	1	1	—	—	1
		F	—	—	—	—	—	—	—	—	—	—	—	—
N999	Adverse reaction to other therapeutic procedures	M	**9**	—	—	—	1	2	1	1	3	1	—	—
		F	**9**	—	—	2	—	1	—	1	1	2	2	—

TABLE 18C. Deaths from violent causes—Nature of injury according to external cause, 1962 **England and Wales**

ICD Nos. AE 138–AE 150; AN 138–AN 150

See note at head of Table 18A

Nature of injury (Intermediate List)			External cause of injury (Intermediate List)													
			Total	AE 138 Motor vehicle accidents	AE 139 Other transport accidents	AE 140 Accidental poisoning	AE 141 Accidental falls	AE 142 Accident caused by machinery	AE 143 Accident caused by fire and explosion of combustible material	AE 144 Accident caused by hot substance corrosive liquid, steam, and radiation	AE 145 Accident caused by firearm	AE 146 Accidental drowning and submersion	AE 147 All other accidental causes	AE 148 Suicide and self-inflicted injury	AE 149 Homicide and injury purposely inflicted by other persons (not in war)	AE 150 Injury resulting from operations of war
	Total	M	**13,812**	**4,522**	**540**	**822**	**2,006**	**224**	**315**	**46**	**78**	**591**	**1,233**	**3,264**	**123**	**48**
		F	**10,085**	**1,784**	**82**	**1,009**	**3,490**	**6**	**494**	**52**	**2**	**187**	**516**	**2,325**	**138**	—
AN 138	Fracture of skull	M	**3,068**	2,111	162	—	518	59	15	—	5	—	110	64	23	1
		F	**1,047**	747	22	—	231	2	2	—	—	—	11	13	19	—
AN 139	Fracture of spine and trunk	M	**855**	453	27	—	233	34	2	—	1	—	81	19	5	—
		F	**511**	265	12	—	220	—	—	—	—	—	4	9	1	—
AN 140	Fracture of limbs	M	**1,165**	183	22	—	917	12	—	—	—	—	29	1	1	—
		F	**2,847**	135	8	—	2,663	1	—	—	—	—	37	3	—	—
AN 141	Dislocation without fracture	M	**47**	22	1	—	13	1	—	—	—	—	5	3	2	—
		F	**21**	9	—	—	9	—	—	—	—	—	1	2	—	—
AN 142	Sprains and strains of joints and adjacent muscles	M	**7**	—	—	—	5	—	—	—	—	—	2	—	—	—
		F	**5**	—	—	—	4	—	—	—	—	—	1	—	—	—
AN 143	Head injury (excluding fracture)	M	**1,072**	578	51	—	180	8	—	—	27	—	82	125	19	2
		F	**526**	229	13	—	235	—	—	—	1	—	25	4	19	—
AN 144	Internal injury of chest, abdomen and pelvis	M	**1,206**	811	61	—	65	70	7	—	19	—	116	33	21	3
		F	**329**	249	5	—	37	1	—	—	—	—	15	11	11	—
AN 145	Laceration and open wounds	M	**347**	89	28	—	11	14	1	—	24	—	14	142	15	9
		F	**98**	31	2	3	10	—	—	—	1	—	6	27	18	—
AN 146	Superficial injury, contusion and crushing with intact skin surface	M	**38**	12	2	—	13	—	—	—	—	—	10	—	1	—
		F	**41**	8	—	—	30	1	—	—	—	—	2	—	—	—
AN 147	Effects of foreign body entering through orifice	M	**320**	2	1	—	1	1	—	—	—	—	313	2	—	—
		F	**226**	—	—	—	3	—	—	—	—	—	221	—	2	—
AN 148	Burns	M	**278**	6	10	—	—	1	210	46	—	—	3	1	1	—
		F	**485**	3	5	—	—	1	414	52	—	—	—	8	2	—
AN 149	Effects of poisons	M	**3,079**	—	8	822	—	—	79	—	—	—	6	2,127	16	21
		F	**3,006**	—	—	1,006	—	—	77	—	—	—	—	1,906	17	—
AN 150	All other and unspecified effects of external causes	M	**2,330**	255	167	—	50	24	1	—	2	591	462	747	19	12
		F	**943**	108	15	—	48	—	1	—	—	187	193	342	49	—

TABLE 18D. Deaths from road traffic accidents and from accidental falls— Nature of injury according to external cause, sex and age, 1962 } England and Wales

See note at head of Table 18A

	Nature of injury (Intermediate List)		External cause of injury by age							
			All ages	0–	5–	15–	25–	45–	65–	75 and over
	Road vehicle accidents to pedestrians (ICD Nos. E812, E840, E842, E844)									
	Total	M	**1,436**	**108**	**172**	**73**	**131**	**304**	**277**	**371**
		F	**1,100**	**69**	**95**	**25**	**43**	**221**	**283**	**364**
AN138	Fracture of skull	M	656	70	82	45	62	149	110	138
		F	459	43	53	17	24	96	106	120
AN139	Fracture of spine and trunk	M	220	6	12	6	16	44	50	86
		F	200	2	8	2	8	46	58	76
AN140	Fracture of limbs	M	113	1	1	1	5	19	32	54
		F	106	1	—	—	1	10	26	68
AN141	Dislocation without fracture	M	3	—	3	—	—	—	—	—
		F	3	1	—	—	—	—	1	1
AN142	Sprains and strains of joints and adjacent muscle ..	M	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—
AN143	Head injury (excluding fracture)	M	171	12	16	11	13	35	32	52
		F	145	2	18	3	4	29	37	52
AN144	Internal injury of chest, abdomen, and pelvis ..	M	156	17	36	7	20	31	28	17
		F	106	18	11	2	4	18	24	29
AN145	Laceration and open wounds	M	31	—	9	1	2	7	5	7
		F	18	—	2	—	—	4	6	6
AN146	Superficial injury, contusion and crushing with intact skin surface	M	6	—	1	—	1	1	1	2
		F	3	—	—	—	—	1	2	—
AN147	Effects of foreign body entering through orifice ..	M	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—
AN148	Burns	M	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—
AN149	Effects of poisons	M	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—
AN150	All other and unspecified effects of external causes	M	80	2	12	2	12	18	19	15
		F	60	2	3	1	2	17	23	12
	Road accidents to pedal cyclists (ICD Nos. E813, E843)									
	Total	M	**489**	**6**	**101**	**80**	**54**	**168**	**61**	**19**
		F	**77**	**2**	**13**	**15**	**13**	**28**	**6**	—
AN138	Fracture of skull	M	292	5	74	47	38	87	32	9
		F	46	1	8	14	3	19	1	—
AN139	Fracture of spine and trunk	M	33	1	3	2	3	15	8	1
		F	7	—	—	—	3	4	—	—
AN140	Fracture of limbs	M	16	—	—	2	—	7	4	3
		F	1	—	—	—	—	—	1	—
AN141	Dislocation without fracture	M	2	—	—	—	—	2	—	—
		F	—	—	—	—	—	—	—	—
AN142	Sprains and strains of joints and adjacent muscle ..	M	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—
AN143	Head injury (excluding fracture)	M	77	—	16	15	5	30	6	5
		F	9	—	—	1	4	4	—	—
AN144	Internal injury of chest, abdomen, and pelvis ..	M	47	—	3	13	7	15	8	1
		F	7	1	3	—	1	1	1	—
AN145	Laceration and open wounds	M	8	—	—	—	—	7	1	—
		F	1	—	1	—	—	—	—	—
AN146	Superficial injury, contusion and crushing with intact skin surface	M	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	2	—
AN147	Effects of foreign body entering through orifice ..	M	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—
AN148	Burns	M	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—
AN149	Effects of poisons	M	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—
AN150	All other and unspecified effects of external causes	M	14	—	5	1	1	5	2	—
		F	4	—	1	—	2	—	1	—

TABLE 18D—*continued*

	Nature of injury (Intermediate List)		External cause of injury by age: All ages	0–	5–	15–	25–	45–	65–	75 and over
	Accident to rider or passenger of motor cycle (ICD Nos. E814, E815, E821)									
	Total	M	**1,190**	**2**	**2**	**702**	**260**	**194**	**21**	**9**
		F	**93**	**1**	**6**	**54**	**15**	**16**	—	**1**
AN138	Fracture of skull	M	653	2	2	363	153	124	5	4
		F	55	1	4	32	9	9	—	—
AN139	Fracture of spine and trunk	M	64	—	—	38	13	10	1	2
		F	4	—	—	4	—	—	—	—
AN140	Fracture of limbs	M	27	—	—	13	7	6	1	—
		F	5	—	—	3	1	1	—	—
AN141	Dislocation without fracture	M	6	—	—	4	1	—	—	1
		F	—	—	—	—	—	—	—	—
AN142	Sprains and strains of joints and adjacent muscle ..	M	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—
AN143	Head injury (excluding fracture)	M	175	—	—	103	36	28	6	2
		F	13	—	1	6	3	2	—	1
AN144	Internal injury of chest, abdomen, and pelvis ..	M	184	—	—	127	35	18	4	—
		F	9	—	1	6	1	1	—	—
AN145	Laceration and open wounds	M	25	—	—	18	6	—	1	—
		F	—	—	—	—	—	—	—	—
AN146	Superficial injury, contusion and crushing with intact skin surface	M	2	—	—	1	—	—	1	—
		F	—	—	—	—	—	—	—	—
AN147	Effects of foreign body entering through orifice ..	M	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—
AN148	Burns	M	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—
AN149	Effects of poisons	M	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—
AN150	All other and unspecified effects of external causes..	M	54	—	—	35	9	8	2	—
		F	7	—	—	3	1	3	—	—
	Motor vehicle traffic accidents (ICD Nos. E810, E811, E816–E819, E822, E823)									
	Total	M	**1,308**	**10**	**19**	**383**	**477**	**315**	**64**	**40**
		F	**482**	**11**	**19**	**97**	**113**	**148**	**56**	**38**
AN138	Fracture of skull	M	482	6	8	184	193	73	12	6
		F	165	7	11	45	43	43	11	5
AN139	Fracture of spine and trunk	M	122	—	1	17	33	52	8	11
		F	57	—	1	7	9	16	16	8
AN140	Fracture of limbs	M	24	—	—	8	5	7	2	2
		F	20	—	—	—	3	4	5	8
AN141	Dislocation without fracture	M	10	—	—	1	4	2	3	—
		F	5	—	—	1	1	3	—	—
AN142	Sprains and strains of joints and adjacent muscle ..	M	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—
AN143	Head injury (excluding fracture)	M	154	3	4	56	42	34	9	6
		F	65	2	2	16	16	17	7	5
AN144	Internal injury of chest, abdomen, and pelvis ..	M	383	—	4	90	152	110	16	11
		F	120	1	5	15	29	49	12	9
AN145	Laceration and open wounds	M	23	—	1	3	11	8	—	—
		F	11	—	—	3	—	7	1	—
AN146	Superficial injury, contusion and crushing with intact skin surface	M	2	—	—	1	—	—	—	1
		F	—	—	—	—	—	—	—	—
AN147	Effects of foreign body entering through orifice ..	M	2	—	—	1	—	1	—	—
		F	—	—	—	—	—	—	—	—
AN148	Burns	M	5	—	—	2	3	—	—	—
		F	3	—	—	2	1	—	—	—
AN149	Effects of poisons	M	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—
AN150	All other and unspecified effects of external causes	M	101	1	1	20	34	28	14	3
		F	36	1	—	8	11	9	4	3

TABLE 18D—*continued*

	Nature of injury (Intermediate List)		External cause of injury by age: All ages	0–	5–	15–	25–	45–	65–	75 and over
	Accidental falls (ICD Nos. E900–E904)									
	Total	M	**2,006**	**37**	**49**	**89**	**153**	**339**	**314**	**1,025**
		F	**3,490**	**29**	**16**	**3**	**18**	**184**	**497**	**2,743**
AN138	Fracture of skull	M	518	20	30	57	105	157	67	82
		F	231	13	9	2	13	53	54	87
AN139	Fracture of spine and trunk	M	233	—	2	8	11	48	45	119
		F	220	1	—	—	1	10	21	187
AN140	Fracture of limbs	M	917	—	—	3	5	50	161	698
		F	2,663	—	1	—	—	76	353	2,233
AN141	Dislocation without fracture	M	13	—	1	2	—	1	2	7
		F	9	—	—	—	—	—	—	9
AN142	Sprains and strains of joints and adjacent muscle ..	M	5	—	—	—	—	5	—	—
		F	4	—	—	—	—	—	—	4
AN143	Head injury (excluding fracture)	M	180	12	7	6	17	35	26	77
		F	235	14	5	1	2	25	40	148
AN144	Internal injury of chest, abdomen, and pelvis ..	M	65	1	4	9	12	20	9	10
		F	37	1	1	—	1	7	13	14
AN145	Laceration and open wounds	M	11	1	2	1	—	3	—	4
		F	10	—	—	—	—	2	2	6
AN146	Superficial injury, contusion and crushing with intact skin surface	M	13	—	1	—	—	2	1	9
		F	30	—	—	—	—	4	7	19
AN147	Effects of foreign body entering through orifice ..	M	1	—	—	—	—	—	—	1
		F	3	—	—	—	—	1	2	—
AN148	Burns	M	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—
AN149	Effects of poisons	M	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—
AN150	All other and unspecified effects of external causes	M	50	3	2	3	3	18	3	18
		F	48	—	—	—	1	6	5	36

(88065)

TABLE 19. Causes of death by sex at different periods of life, 1962 (including, for England and Wales only, crude death rates per million living)

England and Wales, standard regions, Wales, conurbations, urban and rural aggregates outside conurbations

Abbreviated List No.	Causes of death		England and Wales — Age									
					Years							
			All ages	Under 1 year	1–	5–	15–	25–	45–	55–	65–	75 and over
	ALL CAUSES	M	285,154	10,573	1,435	1,512	3,262	10,772	22,708	56,957	79,139	98,796
		F	272,482	7,614	1,115	942	1,320	7,844	14,226	31,714	64,297	143,410
B1	Tuberculosis of respiratory system	M	2,101	—	1	2	7	176	296	641	697	281
		F	673	—	1	1	5	148	124	142	144	108
B2	Tuberculosis, other forms	M	181	3	9	8	15	34	28	33	35	16
		F	133	3	7	2	10	19	24	27	16	25
B3	Syphilis and its sequelae	M	509	—	—	—	2	26	44	118	189	130
		F	313	1	—	—	—	12	16	47	103	134
B4	Typhoid fever	M	2	—	—	—	—	—	1	—	—	1
		F	2	—	—	—	—	—	—	1	1	—
B5	Cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	M	21	6	1	2	1	2	2	3	—	4
		F	7	2	1	—	—	1	—	—	1	2
B7	Scarlet fever and streptococcal sore throat	M	2	1	—	1	—	—	—	—	—	—
		F	8	—	1	2	2	1	—	—	1	1
B8	Diphtheria	M	2	—	—	2	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B9	Whooping cough	M	15	10	5	—	—	—	—	—	—	—
		F	9	8	—	1	—	—	—	—	—	—
B10	Meningococcal infections	M	88	43	26	2	5	4	1	3	3	1
		F	50	17	15	3	3	4	—	3	5	—
B11	Plague	M	1	—	—	—	—	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	M	12	—	1	—	2	9	—	—	—	—
		F	6	—	2	1	—	3	—	—	—	—
B13	Smallpox	M	7	—	2	—	1	2	1	1	—	—
		F	19	1	—	1	1	2	2	2	4	6
B14	Measles	M	20	3	8	9	—	—	—	—	—	—
		F	19	1	11	6	—	1	—	—	—	—
B15	Typhus and other rickettsial diseases	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	M	4	—	—	—	1	2	1	—	—	—
		F	1	—	—	—	—	—	—	1	—	—
B17	All other diseases classified as infective and parasitic	M	490	48	43	27	18	68	69	80	80	57
		F	476	27	26	17	18	70	64	84	86	84
B18	Malignant neoplasm: (140-205)	M	54,735	28	154	223	353	2,106	6,195	15,739	17,320	12,617
		F	46,873	29	138	188	211	2,825	6,049	10,511	13,010	13,912
	stomach (151)	M	7,722	—	—	—	4	206	819	2,191	2,556	1,946
		F	5,874	—	—	—	4	151	377	980	1,817	2,545
	trachea, bronchus and lung (162, 163)	M	20,278	—	1	—	11	575	2,806	7,567	6,843	2,475
		F	3,501	—	1	—	3	185	524	1,032	1,030	726
	breast (170)	M	79	—	—	—	—	5	9	22	16	27
		F	9,351	—	—	—	3	761	1,844	2,426	2,231	2,086
	uterus (171-174)	F	4,015	—	—	—	2	424	731	1,015	1,059	784
	Leukaemia and aleukaemia (204)	M	1,392	6	76	93	84	156	161	270	304	242
		F	1,315	11	58	78	56	161	157	217	312	265
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	M	25,264	22	77	130	254	1,164	2,400	5,689	7,601	7,927
		F	22,817	18	79	110	143	1,143	2,416	4,841	6,561	7,506
B19	Benign and unspecified neoplasms	M	557	16	17	24	14	67	115	134	111	59
		F	687	9	9	13	16	105	124	156	127	128
B20	Diabetes mellitus	M	1,330	4	—	8	12	79	90	228	426	483
		F	2,481	5	4	5	9	74	82	355	888	1,059
B21	Anaemias	M	579	5	9	8	7	20	23	75	164	268
		F	1,101	4	5	4	10	26	22	95	304	631
B22	Vascular lesions affecting central nervous system	M	31,673	16	6	23	54	472	1,387	4,576	9,623	15,516
		F	46,624	4	2	23	44	483	1,422	4,329	11,683	28,634
B23	Non-meningococcal meningitis	M	234	96	30	8	10	18	10	20	27	15
		F	186	67	19	9	3	8	14	29	23	14
B24	Rheumatic fever	M	62	1	1	8	9	8	4	10	16	5
		F	44	—	2	7	4	8	3	6	12	2
B25	Chronic rheumatic heart disease	M	2,529	—	—	1	43	408	506	703	511	357
		F	4,783	—	—	1	38	533	848	1,206	1,140	1,017

Abbreviated List No.	Causes of death		England and Wales—*continued* — Age									
					Years							
			All ages	Under 1 year	1–	5–	15–	25–	45–	55–	65–	75 and over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420)	M	62,686	3	—	—	13	1,884	6,680	16,411	20,320	17,375
		F	39,792	1	—	1	4	255	1,160	5,066	13,085	20,220
	Degenerative heart disease (421, 422)	M	18,377	1	1	2	16	128	293	1,163	3,739	13,034
		F	29,756	2	1	2	14	65	167	784	4,114	24,607
B27	Other diseases of heart	M	6,389	11	6	9	28	111	295	901	1,835	3,193
		F	8,213	14	7	5	19	86	193	619	1,907	5,363
B28	Hypertension with heart disease	M	4,266	—	—	—	5	50	194	792	1,448	1,777
		F	6,265	—	—	—	—	33	117	578	1,848	3,689
B29	Hypertension without mention of heart	M	2,599	—	—	—	8	129	268	527	675	992
		F	3,022	—	1	2	8	50	148	324	775	1,714
B46 (Pt.)	Other circulatory diseases (450-468)	M	8,558	3	2	1	17	146	338	1,051	2,238	4,762
		F	10,982	3	3	4	25	167	273	752	2,125	7,630
B30	Influenza	M	1,511	23	7	20	30	65	87	273	382	624
		F	1,797	15	13	12	25	63	62	152	386	1,069
B31	Pneumonia	M	14,[illegible]	1,073	198	99	89	305	526	1,580	3,220	7,382
		F	16,437	769	180	69	56	205	340	968	2,964	10,886
B32	Bronchitis	M	23,351	245	53	22	18	217	1,266	5,470	8,240	7,820
		F	9,942	167	51	18	11	113	354	1,045	2,628	5,555
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	3,589	64	38	26	24	124	327	955	1,114	917
		F	1,695	33	23	25	11	93	133	211	335	831
B33	Ulcer of stomach and duodenum	M	3,095	4	1	—	10	112	278	646	1,017	1,027
		F	1,597	4	—	—	1	29	84	195	440	844
B34	Appendicitis	M	347	3	16	16	19	34	45	68	77	69
		F	259	—	3	14	13	18	9	42	61	99
B35	Intestinal obstruction and hernia	M	1,445	114	10	7	9	39	90	222	397	557
		F	1,696	80	7	4	8	35	69	185	457	851
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	1,078	216	83	4	21	46	83	159	212	254
		F	1,486	182	40	10	17	72	85	147	342	591
B37	Cirrhosis of liver	M	697	5	1	3	5	50	129	221	186	97
		F	605	1	1	3	3	30	86	182	192	107
B38	Nephritis and nephrosis	M	1,769	7	6	20	75	252	268	358	377	406
		F	1,654	4	6	20	55	170	179	279	359	582
B39	Hyperplasia of prostate	M	2,901	—	—	—	—	3	14	166	715	2,003
B40	Complications of pregnancy, childbirth and puerperium	F	299	—	—	—	60	238	1	—	—	—
B41	Congenital malformations	M	2,836	1,998	181	115	93	146	116	92	57	38
		F	2,590	1,840	179	103	59	98	83	106	67	55
B42	Birth injuries, postnatal asphyxia and atelectasis	M	2,798	2,796	2	—	—	—	—	—	—	—
		F	1,739	1,739	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	32	32	—	—	—	—	—	—	—	—
		F	23	23	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	499	499	—	—	—	—	—	—	—	—
		F	323	323	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified	M	2,533	2,532	1	—	—	—	—	—	—	—
		F	1,748	1,747	—	1	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	2,281	13	2	3	4	16	13	22	116	2,092
		F	4,476	12	1	—	3	6	11	11	121	4,311
B46 (Rem.)	All other diseases (Remainder 001-795)	M	8,079	327	139	197	218	633	790	1,515	1,917	2,343
		F	11,506	223	125	130	182	731	957	1,797	2,868	4,493
BE47	Motor vehicle accidents	M	4,522	7	125	294	1,271	947	502	512	422	442
		F	1,784	3	83	135	195	199	177	243	347	402
BE48	All other accidents	M	5,855	302	239	305	503	949	645	752	692	1,468
		F	5,838	234	136	86	83	234	240	399	878	3,548
BE49	Suicide and self-inflicted injury	M	3,264	—	—	6	212	840	668	723	510	305
		F	2,325	—	—	3	73	496	496	617	441	199
BE50	Homicide and operations of war	M	171	15	11	7	20	44	20	14	31	9
		F	138	17	12	11	21	35	8	18	9	7
BN47	Fractures, head injuries and internal injuries	M	7,366	40	154	355	1,437	1,405	836	884	801	1,454
		F	5,260	27	106	156	198	241	229	379	815	3,109
BN48	Burns	M	278	6	24	13	14	41	21	32	39	88
		F	485	12	37	30	21	31	28	34	77	215
BN49	Effects of poisons	M	3,079	10	42	23	198	732	584	634	450	406
		F	3,006	3	34	9	80	511	512	663	573	621
BN50	All other injuries	M	3,089	268	155	221	357	602	394	451	365	276
		F	1,334	212	54	40	73	181	152	201	210	211

TABLE 19—*continued*

Abbreviated List No.	Causes of death		All ages	Under 1 year	1–	5–	15–	25–	45–	55–	65–	75 and over
			England and Wales—*continued*									
			Age									
					Years							
			Rates per million living	Rates per 1,000 live births	Rates per million living							
	Estimated mid-year population (in thousands)	M	22,651	431,633*	1,529	3,473	3,251	6,137	3,132	2,568	1,457	691
		F	24,018	407,103*	1,447	3,303	3,170	6,065	3,240	2,945	2,136	1,318
	ALL CAUSES	M	**12,589**	**24·50**	**939**	**435**	**1,003**	**1,755**	**7,250**	**22,180**	**54,316**	**142,975**
		F	**11,345**	**18·70**	**771**	**285**	**416**	**1,293**	**4,391**	**10,769**	**30,102**	**108,809**
B1	Tuberculosis of respiratory system	M	**93**	—	*1*	*1*	*2*	29	95	250	478	407
		F	**28**	—	*1*	*0*	*2*	24	38	48	67	82
B2	Tuberculosis, other forms ..	M	**8**	*0·01*	6	*2*	*5*	6	9	13	24	*23*
		F	**6**	*0·01*	5	*1*	*3*	*3*	7	9	*7*	19
B3	Syphilis and its sequelae ..	M	**22**	—	—	—	*1*	4	14	46	130	188
		F	**13**	*0·00*	—	—	—	*2*	*5*	16	48	102
B4	Typhoid fever	M	*0*	—	—	—	—	—	*0*	—	—	*1*
		F	*0*	—	—	—	—	—	—	*0*	*0*	—
B5	Cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	M	**1**	*0·01*	*1*	*1*	*0*	*0*	*1*	*1*	—	*6*
		F	*0*	*0·00*	*1*	—	—	*0*	—	—	*0*	*2*
B7	Scarlet fever and streptococcal sore throat	M	*0*	*0·00*	—	*0*	—	—	—	—	—	—
		F	*0*	—	*1*	*1*	*1*	*0*	—	—	*0*	*1*
B8	Diphtheria	M	*0*	—	—	*1*	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B9	Whooping cough	M	*1*	*0·02*	*3*	—	—	—	—	—	—	—
		F	*0*	*0·02*	—	*0*	—	—	—	—	—	—
B10	Meningococcal infections ..	M	**4**	*0·10*	17	*1*	*2*	*1*	*0*	*1*	*2*	*1*
		F	**2**	*0·04*	*10*	*1*	*1*	*1*	—	*1*	*2*	—
B11	Plague	M	*0*	—	—	—	—	*0*	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	M	*1*	—	*1*	—	*1*	*1*	—	—	—	—
		F	*0*	—	*1*	*0*	—	*0*	—	—	—	—
B13	Smallpox	M	*0*	—	*1*	—	*0*	*0*	*0*	*0*	—	—
		F	*1*	*0·00*	—	*0*	*0*	*0*	*1*	*1*	*2*	*5*
B14	Measles	M	**1**	*0·01*	*5*	*3*	—	—	—	—	—	—
		F	*1*	*0·00*	*8*	*2*	—	*0*	—	—	—	—
B15	Typhus and other rickettsial diseases	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	M	*0*	—	—	—	*0*	*0*	*0*	—	—	—
		F	*0*	—	—	—	—	—	—	*0*	—	—
B17	All other diseases classified as infective and parasitic ..	M	**22**	0·11	28	8	*6*	11	22	31	55	82
		F	**20**	0·07	18	*5*	*6*	12	20	29	40	64
	Malignant neoplasm: (140-205)	M	**2,416**	0·06	101	64	109	343	1,978	6,129	11,887	18,259
		F	**1,952**	0·07	95	57	67	466	1,867	3,569	6,091	10,555
	stomach (151)	M	**341**	—	—	—	*1*	34	261	853	1,754	2,816
		F	**245**	—	—	—	*1*	25	116	333	851	1,931
	trachea, bronchus and lung (162, 163)	M	**895**	—	*1*	—	*3*	94	896	2,947	4,697	3,582
		F	**146**	—	*1*	—	*1*	31	162	350	482	551
B18	breast (170)	M	**3**	—	—	—	—	*1*	*3*	9	*11*	39
		F	**389**	—	—	—	*1*	125	569	824	1,044	1,583
	uterus (171-174)	F	**167**	—	—	—	*1*	70	226	345	496	595
	Leukaemia and aleukaemia (204)	M	**61**	*0·01*	50	27	26	25	51	105	209	350
		F	**55**	*0·03*	40	24	18	27	48	74	146	201
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	M	**1,115**	0·05	50	37	78	190	766	2,215	5,217	11,472
		F	**950**	*0·04*	55	33	45	188	746	1,644	3,072	5,695
B19	Benign and unspecified neoplasms	M	**25**	*0·04*	*11*	7	*4*	11	37	52	76	85
		F	**29**	*0·02*	*6*	*4*	*5*	17	38	53	59	97
B20	Diabetes mellitus	M	**59**	*0·01*	—	*2*	*4*	13	29	89	292	699
		F	**103**	*0·01*	*3*	*2*	*3*	12	25	121	416	803
B21	Anaemias	M	**26**	*0·01*	*6*	*2*	*2*	3	7	29	113	388
		F	**46**	*0·01*	*3*	*1*	*3*	4	7	32	142	479
B22	Vascular lesions affecting central nervous system ..	M	**1,398**	*0·04*	*4*	7	17	77	443	1,782	6,605	22,454
		F	**1,941**	*0·01*	*1*	7	14	80	439	1,470	5,470	21,725
B23	Non-meningococcal meningitis	M	**10**	0·22	20	*2*	*3*	*3*	*3*	8	19	*22*
		F	**8**	0·16	*13*	*3*	*1*	*1*	*4*	10	11	*11*
B24	Rheumatic fever	M	**3**	*0·00*	*1*	*2*	*3*	*1*	*1*	4	*11*	*7*
		F	**2**	—	*1*	*2*	*1*	*1*	*1*	*2*	*6*	*2*
B25	Chronic rheumatic heart disease	M	**112**	—	—	*0*	13	66	162	274	351	517
		F	**199**	—	—	*0*	12	88	262	410	534	772

* Live birth occurrences.

TABLE 19—*continued*

Abbreviated List No.	Causes of death		All ages	Under 1 year	1–	5–	15–	25–	45–	55–	65–	75 and over
			England and Wales—*continued*									
			Age									
					Years							
			Rates per million living	Rates per 1,000 live births	Rates per million living							
	Estimated mid-year population (in thousands)	M	22,651	431,633*	1,529	3,473	3,251	6,137	3,132	2,568	1,457	691
		F	24,018	407,103*	1,447	3,303	3,170	6,065	3,240	2,945	2,136	1,318
B26	Arteriosclerotic heart dis. incl. coronary dis. (420)	M	**2,767**	*0·01*	—	—	*4*	307	2,133	6,391	13,946	25,145
		F	**1,657**	*0·00*	—	*0*	*1*	42	358	1,720	6,126	15,341
	Degenerative heart disease (421, 422)	M	**811**	*0·00*	*1*	*1*	*5*	21	94	453	2,566	18,863
		F	**1,239**	*0·00*	*1*	*1*	*4*	11	52	266	1,926	18,670
B27	Other diseases of heart ..	M	**282**	*0·03*	*4*	*3*	9	18	94	351	1,259	4,621
		F	**342**	*0·03*	*5*	*2*	*6*	14	60	210	893	4,069
B28	Hypertension with heart disease	M	**188**	—	—	—	*2*	8	62	308	994	2,572
		F	**261**	—	—	—	—	5	36	196	865	2,799
B29	Hypertension without mention of heart	M	**115**	—	—	—	*2*	21	86	205	463	1,436
		F	**126**	—	*1*	*1*	*3*	8	46	110	363	1,300
B46 (Pt.)	Other circulatory diseases (450-468)	M	**378**	*0·01*	*1*	*0*	*5*	24	108	409	1,536	6,891
		F	**457**	*0·01*	*2*	*1*	8	28	84	255	995	5,789
B30	Influenza	M	**67**	0·05	*5*	6	9	11	28	106	262	903
		F	**75**	*0·04*	*9*	*4*	8	10	19	52	181	811
B31	Pneumonia	M	**639**	2·49	129	29	27	50	168	615	2,210	10,683
		F	**684**	1·89	124	21	18	34	105	329	1,388	8,259
B32	Bronchitis	M	**1,031**	0·57	35	6	*6*	35	404	2,130	5,655	11,317
		F	**414**	0·41	35	*5*	*3*	19	109	355	1,230	4,215
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527) ..	M	**158**	0·15	25	7	7	20	104	372	765	1,327
		F	**71**	0·08	16	8	*3*	15	41	72	157	631
B33	Ulcer of stomach and duodenum	M	**137**	*0·01*	*1*	—	*3*	18	89	252	698	1,486
		F	**66**	*0·01*	—	—	*0*	5	26	66	206	640
B34	Appendicitis	M	**15**	*0·01*	*10*	*5*	*6*	6	14	26	53	100
		F	**11**	—	*2*	*4*	*4*	*3*	*3*	14	29	75
B35	Intestinal obstruction and hernia	M	**64**	0·26	7	*2*	*3*	6	29	86	272	806
		F	**71**	0·20	*5*	*1*	*3*	6	21	63	214	646
B36	Gastritis, enteritis and diarrhoea, except diarrhoea of the newborn	M	**48**	0·50	54	*1*	6	7	27	62	146	368
		F	**62**	0·45	28	*3*	*5*	12	26	50	160	448
B37	Cirrhosis of liver	M	**31**	*0·01*	*1*	*1*	*2*	8	41	86	128	140
		F	**25**	*0·00*	*1*	*1*	*1*	5	27	62	90	81
B38	Nephritis and nephrosis ..	M	**78**	*0·02*	*4*	6	23	41	86	139	259	588
		F	**69**	*0·01*	*4*	6	17	28	55	95	168	442
B39	Hyperplasia of prostate ..	M	**128**	—	—	—	—	*0*	*4*	65	491	2,899
B40	Complications of pregnancy, childbirth and puerperium	F	**12**	—	—	—	19	39	*0*	—	—	—
B41	Congenital malformations ..	M	**125**	4·63	118	33	29	24	37	36	39	55
		F	**108**	4·52	124	31	19	16	26	36	31	42
B42	Birth injuries, postnatal asphyxia and atelectasis ..	M	**124**	6·48	*1*	—	—	—	—	—	—	—
		F	**72**	4·27	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764) ..	M	**1**	0·07	—	—	—	—	—	—	—	—
		F	**1**	0·06	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	**22**	1·16	—	—	—	—	—	—	—	—
		F	**13**	0·79	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified ..	M	**112**	5·87	*1*	—	—	—	—	—	—	—
		F	**73**	4·29	—	*0*	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	**101**	*0·03*	*1*	*1*	*1*	*3*	*4*	9	80	3,027
		F	**186**	*0·03*	*1*	—	*1*	*1*	*3*	*4*	57	3,271
B46 (Rem.)	All other diseases (Remainder 001-795) ..	M	**357**	0·76	91	57	67	103	252	590	1,316	3,391
		F	**479**	0·55	86	39	57	121	295	610	1,343	3,409
BE47	Motor vehicle accidents ..	M	**200**	*0·02*	82	85	391	154	160	199	290	640
		F	**74**	*0·01*	57	41	62	33	55	83	162	305
BE48	All other accidents	M	**258**	0·70	156	88	155	155	206	293	475	2,124
		F	**243**	0·57	94	26	26	39	74	135	411	2,692
BE49	Suicide and self-inflicted injury	M	**144**	—	—	—	*2*	65	137	213	282	350	441
		F	**97**	—	—	—	*1*	23	82	153	210	206	151
BE50	Homicide and operations of war	M	**8**	*0·03*	*7*	*2*	6	7	6	*5*	21	*13*
		F	**6**	*0·04*	*8*	*3*	7	6	*2*	*6*	*4*	*5*
BN47	Fractures, head injuries and internal injuries	M	**325**	0·09	101	102	442	229	267	344	550	2,104
		F	**219**	0·07	73	47	62	40	71	129	382	2,359
BN48	Burns	M	**12**	*0·01*	16	*4*	*4*	7	7	12	27	127
		F	**20**	*0·03*	26	9	7	5	9	12	36	163
BN49	Effects of poisons	M	**136**	*0·02*	27	7	61	119	186	247	309	588
		F	**125**	*0·01*	23	*3*	25	84	158	225	268	471
BN50	All other injuries	M	**136**	0·62	101	64	110	98	126	176	251	399
		F	**56**	0·52	37	12	23	30	47	68	98	160

* Live birth occurrences.

TABLE 19—*continued*

Abbreviated List No.	Causes of death		Northern Region — Age									
			All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
	ALL CAUSES	M	20,766	812	104	122	223	945	1,744	4,266	5,743	6,807
		F	17,907	667	87	52	90	589	923	2,320	4,615	8,564
B1	Tuberculosis of respiratory system	M	175	—	—	—	—	18	27	64	50	16
		F	48	—	—	—	2	14	7	8	10	7
B2	Tuberculosis, other forms ..	M	9	1	—	1	1	2	—	2	2	—
		F	11	1	1	—	2	2	1	3	—	1
B3	Syphilis and its sequelae ..	M	41	—	—	—	—	3	4	9	13	12
		F	25	—	—	—	—	2	—	7	10	6
B4	Typhoid fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B5	Cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	M	1	—	—	—	—	—	—	1	—	—
		F	2	1	—	—	—	1	—	—	—	—
B7	Scarlet fever and streptococcal sore throat	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B8	Diphtheria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B9	Whooping cough	M	3	2	1	—	—	—	—	—	—	—
		F	2	2	—	—	—	—	—	—	—	—
B10	Meningococcal infections ..	M	8	6	1	—	—	—	—	—	1	—
		F	3	1	1	—	—	1	—	—	—	—
B11	Plague	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	M	1	—	1	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B13	Smallpox	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B14	Measles	M	1	—	—	1	—	—	—	—	—	—
		F	1	—	—	1	—	—	—	—	—	—
B15	Typhus and other rickettsial diseases	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic ..	M	27	3	2	4	—	4	4	3	4	3
		F	26	1	—	1	—	5	2	5	7	5
B18	Malignant neoplasm: (140-205)	M	3,877	2	11	19	28	195	446	1,124	1,181	871
		F	3,017	2	9	8	18	205	381	714	866	814
	stomach (151)	M	628	—	—	—	1	21	81	175	196	154
		F	458	—	—	—	—	14	29	87	145	183
	trachea, bronchus and lung (162, 163) ..	M	1,388	—	—	—	2	53	199	528	465	141
		F	212	—	—	—	—	25	39	47	60	41
	breast (170)	M	1	—	—	—	—	—	—	—	1	—
		F	496	—	—	—	1	57	100	137	110	91
	uterus (171-174)	F	272	—	—	—	—	29	53	81	67	42
	Leukaemia and aleukaemia (204)	M	97	—	7	5	6	12	12	20	19	16
		F	81	2	4	3	6	13	10	7	19	17
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	M	1,763	2	4	14	19	109	154	401	500	560
		F	1,498	—	5	5	11	67	150	355	465	440
B19	Benign and unspecified neoplasms	M	41	—	2	4	1	6	7	13	7	1
		F	42	1	—	—	—	6	7	13	5	10
B20	Diabetes mellitus	M	92	1	—	—	2	8	7	11	26	37
		F	186	—	—	1	1	4	7	29	86	58
B21	Anaemias	M	38	—	—	1	—	1	1	4	10	21
		F	81	—	1	1	1	1	1	10	22	44
B22	Vascular lesions affecting central nervous system ..	M	2,609	2	—	3	6	53	116	384	832	1,213
		F	3,375	—	2	—	4	38	102	339	933	1,957
B23	Non-meningococcal meningitis	M	12	8	1	—	—	2	—	—	1	—
		F	15	5	1	—	—	1	—	3	3	2
B24	Rheumatic fever	M	5	—	—	2	—	1	1	1	—	—
		F	2	—	—	—	—	1	—	—	1	—
B25	Chronic rheumatic heart disease	M	173	—	—	—	4	38	32	44	28	27
		F	308	—	—	—	5	49	56	75	77	46

TABLE 19—*continued*

Abbreviated List No.	Causes of death		Northern Region—*continued* — Age									
			All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) ..	M	4,843	—	—	—	1	173	527	1,347	1,561	1,234
		F	2,943	1	—	—	—	28	103	480	1,068	1,263
	Degenerative heart disease (421, 422)	M	1,135	1	—	—	3	9	13	66	242	801
		F	1,705	1	—	—	2	4	9	49	258	1,382
B27	Other diseases of heart ..	M	488	—	—	1	1	6	29	58	164	229
		F	516	1	1	—	1	8	8	37	137	323
B28	Hypertension with heart disease	M	266	—	—	—	—	3	7	54	89	113
		F	398	—	—	—	—	1	1	47	135	214
B29	Hypertension without mention of heart	M	156	—	—	—	1	14	15	25	46	55
		F	166	—	—	—	—	2	12	18	53	81
B46 (Pt.)	Other circulatory diseases (450-468)	M	620	1	—	—	2	11	14	63	132	397
		F	644	—	—	—	2	4	19	47	127	445
B30	Influenza	M	96	2	—	1	1	4	7	12	26	43
		F	75	3	1	2	1	4	4	9	14	37
B31	Pneumonia	M	908	79	11	11	6	16	38	110	205	432
		F	859	73	12	3	4	14	13	62	181	497
B32	Bronchitis	M	1,546	11	2	2	1	20	110	405	561	434
		F	522	13	3	—	1	11	22	63	147	262
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	250	2	2	2	2	4	40	78	65	55
		F	118	3	2	—	—	10	8	11	21	63
B33	Ulcer of stomach and duodenum	M	223	1	—	—	4	13	26	54	67	58
		F	94	—	—	—	—	4	7	17	25	41
B34	Appendicitis	M	29	2	1	—	2	4	4	4	6	6
		F	13	—	—	—	3	—	—	1	2	7
B35	Intestinal obstruction and hernia	M	94	7	—	1	—	2	7	13	26	38
		F	109	5	2	—	—	2	8	9	34	49
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	68	14	4	—	1	8	6	9	11	15
		F	79	11	2	1	—	5	1	5	21	33
B37	Cirrhosis of liver	M	51	—	—	—	—	5	10	20	10	6
		F	50	—	—	—	—	2	3	19	14	12
B38	Nephritis and nephrosis ..	M	136	—	1	4	5	17	23	25	33	28
		F	132	1	1	3	4	17	16	22	25	43
B39	Hyperplasia of prostate ..	M	202	—	—	—	—	—	2	10	54	136
B40	Complications of pregnancy, childbirth and puerperium	F	29	—	—	—	3	26	—	—	—	—
B41	Congenital malformations ..	M	205	160	13	7	6	6	4	4	4	1
		F	203	158	11	7	3	8	3	6	5	2
B42	Birth injuries, postnatal asphyxia and atelectasis ..	M	212	212	—	—	—	—	—	—	—	—
		F	139	139	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	5	5	—	—	—	—	—	—	—	—
		F	1	1	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	35	35	—	—	—	—	—	—	—	—
		F	29	29	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified ..	M	203	203	—	—	—	—	—	—	—	—
		F	157	157	—	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	189	—	—	—	—	—	2	2	13	170
		F	286	—	—	—	—	—	—	1	1	11	273
B46 (Rem.)	All other diseases (Remainder 001-795) ..	M	593	22	17	11	14	56	58	110	145	160
		F	791	24	11	9	14	55	75	120	207	276
BE47	Motor vehicle accidents ..	M	310	—	11	19	81	74	37	29	23	36
		F	97	—	9	8	6	10	6	22	17	19
BE48	All other accidents	M	541	30	21	28	37	95	62	61	71	136
		F	486	32	15	6	6	18	17	36	75	281
BE49	Suicide and self-inflicted injury	M	237	—	—	—	12	69	57	44	32	23
		F	108	—	—	—	3	23	22	31	18	11
BE50	Homicide and operations of war	M	12	—	2	—	1	3	1	3	2	—
		F	14	1	2	1	4	3	1	2	—	—
BN47	Fractures, head injuries and internal injuries	M	606	2	14	26	96	124	74	69	70	131
		F	404	2	9	9	7	12	14	36	68	247
BN48	Burns	M	36	1	3	2	—	6	5	2	3	14
		F	39	1	8	3	—	1	—	3	10	13
BN49	Effects of poisons	M	211	—	2	—	10	63	50	41	23	22
		F	153	—	6	—	5	30	28	32	23	29
BN50	All other injuries	M	247	27	15	19	25	48	28	25	32	28
		F	109	30	3	3	7	11	4	20	9	22

(88065)

TABLE 19—*continued*

Abbreviated List No.	Causes of death	Tyneside Conurbation									
		Age									
				Years							
		All ages	Under 1 year	1–	5–	15–	25–	45–	55–	65–	75 and over
	ALL CAUSES .. .. M	5,539	227	21	22	47	262	489	1,246	1,548	1,677
	F	4,668	158	23	12	25	170	250	646	1,233	2,151
B1	Tuberculosis of respiratory system .. .. .. M	61	—	—	—	—	5	6	26	16	8
	F	16	—	—	—	2	2	2	1	6	3
B2	Tuberculosis, other forms .. M	3	—	—	—	—	2	—	—	1	—
	F	5	—	1	—	1	2	—	—	—	1
B3	Syphilis and its sequelae .. M	16	—	—	—	—	—	1	3	9	3
	F	11	—	—	—	—	2	—	3	4	2
B4	Typhoid fever .. .. .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B5	Cholera .. .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms .. .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B7	Scarlet fever and streptococcal sore throat .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B8	Diphtheria .. .. .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B9	Whooping cough .. .. M	2	2	—	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—
B10	Meningococcal infections .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B11	Plague .. .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis .. .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B13	Smallpox .. .. .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B14	Measles .. .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B15	Typhus and other rickettsial diseases .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B16	Malaria .. .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic M	7	2	1	—	—	2	—	1	—	1
	F	4	—	—	—	—	2	—	—	1	1
B18	Malignant neoplasm: (140-205) .. .. .. M	1,135	1	1	4	4	57	140	354	339	235
	F	825	1	1	2	3	53	120	185	238	222
	stomach (151) .. .. M	171	—	—	—	—	7	22	59	44	39
	F	122	—	—	—	—	4	6	29	35	48
	trachea, bronchus and lung (162, 163) .. M	460	—	—	—	1	14	73	174	159	39
	F	70	—	—	—	—	5	16	14	19	16
	breast (170) .. .. M	1	—	—	—	—	—	—	—	1	—
	F	124	—	—	—	—	19	24	27	27	27
	uterus (171-174) .. .. F	74	—	—	—	—	4	23	22	17	8
	Leukaemia and aleukaemia (204) .. .. M	18	—	—	2	—	4	2	2	5	3
	F	20	1	1	1	1	1	5	2	2	6
	Other malig. and lymphatic neoplasms (Rem. of 140-205) M	485	1	1	2	3	32	43	119	130	154
	F	415	—	—	1	2	20	46	91	138	117
B19	Benign and unspecified neoplasms .. .. .. M	8	—	1	1	—	1	3	1	1	—
	F	8	—	—	—	—	1	2	3	1	1
B20	Diabetes mellitus .. .. M	19	1	—	—	1	2	2	2	4	7
	F	45	—	—	—	—	1	4	8	15	17
B21	Anaemias .. .. M	10	—	—	—	—	1	—	—	5	4
	F	21	—	—	—	—	—	—	3	6	12
B22	Vascular lesions affecting central nervous system .. M	685	1	—	1	4	18	37	101	231	292
	F	818	—	1	—	1	15	17	98	240	446
B23	Non-meningococcal meningitis .. .. .. M	4	3	—	—	—	1	—	—	—	—
	F	3	1	—	—	—	1	—	—	1	—
B24	Rheumatic fever .. .. M	1	—	—	—	—	1	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—
B25	Chronic rheumatic heart disease .. .. .. M	53	—	—	—	1	13	8	17	8	6
	F	99	—	—	—	1	20	12	23	23	20

TABLE 19—*continued*

Abbreviated List No.	Causes of death	Tyneside Conurbation—*continued*									
		Age									
				Years							
		All ages	Under 1 year	1–	5–	15–	25–	45–	55–	65–	75 and over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) .. M	1,244	—	—	—	—	43	139	368	423	271
	F	761	—	—	—	—	5	29	136	273	318
	Degenerative heart disease (421, 422) .. .. .. M	264	—	—	—	2	4	4	12	64	178
	F	399	1	—	—	1	—	2	12	62	321
B27	Other diseases of heart .. M	107	—	—	—	—	3	7	13	34	50
	F	128	1	—	—	1	2	1	7	33	83
B28	Hypertension with heart disease .. .. .. M	75	—	—	—	—	—	—	15	25	35
	F	122	—	—	—	—	1	—	13	41	67
B29	Hypertension without mention of heart .. .. M	43	—	—	—	—	2	5	6	11	19
	F	54	—	—	—	—	—	4	5	19	26
B46 (Pt.)	Other circulatory diseases (450-468) .. .. .. M	172	—	—	—	—	1	6	22	32	111
	F	163	—	—	—	2	2	6	12	30	111
B30	Influenza .. .. .. M	11	—	—	—	—	1	1	2	3	4
	F	17	1	—	—	—	1	2	2	5	6
B31	Pneumonia .. .. .. M	225	25	1	1	—	7	6	25	53	107
	F	232	13	4	—	1	5	2	18	61	128
B32	Bronchitis .. .. .. M	497	5	—	—	—	6	35	138	164	149
	F	173	3	—	—	—	6	9	26	45	84
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527) .. M	63	1	2	—	1	1	4	20	16	18
	F	34	1	—	—	—	4	2	2	6	19
B33	Ulcer of stomach and duodenum .. .. .. M	57	1	—	—	2	1	11	14	11	17
	F	24	—	—	—	—	—	1	4	9	10
B34	Appendicitis .. .. .. M	2	—	—	—	—	1	1	—	—	—
	F	5	—	—	—	2	—	—	—	—	3
B35	Intestinal obstruction and hernia .. .. .. M	26	1	—	—	—	—	3	2	8	12
	F	24	—	2	—	—	2	—	2	10	8
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn M	18	5	1	—	—	2	2	1	3	4
	F	24	5	1	—	—	3	—	—	5	10
B37	Cirrhosis of liver .. .. M	16	—	—	—	—	2	3	9	2	—
	F	12	—	—	—	—	—	—	7	3	2
B38	Nephritis and nephrosis .. M	31	—	—	1	—	6	7	5	7	5
	F	35	—	1	1	1	2	3	6	7	14
B39	Hyperplasia of prostate .. M	39	—	—	—	—	—	1	3	12	23
B40	Complications of pregnancy, childbirth and puerperium F	4	—	—	—	1	3	—	—	—	—
B41	Congenital malformations .. M	50	41	4	1	—	1	1	1	1	—
	F	36	27	1	1	—	2	1	3	1	—
B42	Birth injuries, postnatal asphyxia and atelectasis .. M	45	45	—	—	—	—	—	—	—	—
	F	24	24	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764) .. .. M	2	2	—	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768) .. .. M	9	9	—	—	—	—	—	—	—	—
	F	3	3	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified .. M	61	61	—	—	—	—	—	—	—	—
	F	54	54	—	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes M	33	—	—	—	—	—	1	1	2	28
	F	69	—	—	—	—	—	1	—	2	66
B46 (Rem.)	All other diseases (Remainder 001-795) .. M	151	7	6	1	1	13	16	39	25	43
	F	211	10	5	3	4	14	18	35	57	65
BE47	Motor vehicle accidents .. M	76	—	1	5	18	17	10	12	5	8
	F	32	—	4	2	—	2	2	10	5	7
BE48	All other accidents .. .. M	146	14	2	7	10	25	15	17	22	34
	F	133	11	2	2	4	5	5	11	20	73
BE49	Suicide and self-inflicted injury .. .. .. M	69	—	—	—	3	21	14	15	11	5
	F	35	—	—	—	—	10	5	11	4	5
BE50	Homicide and operations of war .. .. M	3	—	1	—	—	1	—	1	—	—
	F	2	—	—	1	—	1	—	—	—	—
BN47	Fractures, head injuries and internal injuries .. .. M	150	2	1	7	21	30	20	24	18	27
	F	107	1	3	2	1	3	4	11	17	65
BN48	Burns .. .. M	10	—	1	—	—	1	1	—	1	6
	F	10	—	1	2	—	—	—	1	4	2
BN49	Effects of poisons .. .. M	77	—	—	—	4	23	15	13	9	13
	F	50	—	1	—	2	12	6	12	4	13
BN50	All other injuries .. .. M	57	12	2	5	6	10	3	8	10	1
	F	35	10	1	1	1	3	2	8	4	5

(88065)

TABLE 19—*continued*

Abbreviated List No.	Causes of death		East and West Ridings Region — Age									
			All ages	Under 1 year	1–	5–	15–	25–	45–	55–	65–	75 and over
	ALL CAUSES	M	26,695	1,048	149	137	299	1,057	2,246	5,637	7,629	8,493
		F	25,174	709	105	107	117	788	1,364	3,032	6,360	12,592
B1	Tuberculosis of respiratory system	M	206	—	—	—	1	16	36	57	69	27
		F	58	—	—	—	—	24	11	6	9	8
B2	Tuberculosis, other forms	M	20	—	—	1	2	2	2	3	9	1
		F	11	—	—	—	2	2	2	—	3	2
B3	Syphilis and its sequelae	M	40	—	—	—	—	2	3	6	20	9
		F	28	—	—	—	—	1	2	5	12	8
B4	Typhoid fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B5	Cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	M	5	2	1	1	—	—	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	—
B7	Scarlet fever and streptococcal sore throat	M	1	1	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B8	Diphtheria	M	1	—	—	1	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B9	Whooping cough	M	—	—	—	—	—	—	—	—	—	—
		F	1	1	—	—	—	—	—	—	—	—
B10	Meningococcal infections	M	6	3	2	—	1	—	—	—	—	—
		F	6	2	2	—	1	1	—	—	—	—
B11	Plague	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	M	2	—	—	—	—	2	—	—	—	—
		F	1	—	—	—	—	1	—	—	—	—
B13	Smallpox	M	4	—	2	—	—	2	—	—	—	—
		F	2	—	—	1	—	—	1	—	—	—
B14	Measles	M	4	1	1	2	—	—	—	—	—	—
		F	2	—	1	1	—	—	—	—	—	—
B15	Typhus and other rickettsial diseases	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic	M	32	6	2	3	1	3	3	7	3	4
		F	42	3	2	—	—	9	7	7	8	6
B18	Malignant neoplasm: (140-205)	M	4,925	5	14	12	37	204	572	1,505	1,567	1,009
		F	4,082	3	15	21	23	267	535	933	1,197	1,088
	stomach (151)	M	715	—	—	—	—	21	86	225	221	162
		F	557	—	—	—	—	16	31	109	194	207
	trachea, bronchus and lung (162, 163)	M	1,816	—	—	—	2	58	238	698	625	195
		F	298	—	—	—	1	13	53	88	81	62
	breast (170)	M	11	—	—	—	—	1	2	1	4	3
		F	791	—	—	—	—	69	161	189	203	169
	uterus (171-174)	F	348	—	—	—	—	44	79	87	89	49
	Leukaemia and aleukaemia (204)	M	131	—	8	4	7	10	13	32	36	21
		F	137	1	6	11	6	15	17	14	37	30
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	M	2,252	5	6	8	28	114	233	549	681	628
		F	1,951	2	9	10	16	110	194	446	593	571
B19	Benign and unspecified neoplasms	M	56	3	1	1	3	5	16	10	13	4
		F	52	1	1	2	2	5	13	13	6	9
B20	Diabetes mellitus	M	127	—	—	1	1	6	7	22	45	45
		F	239	—	—	1	—	3	9	43	91	92
B21	Anaemias	M	65	—	—	2	2	3	2	9	18	29
		F	99	—	1	—	1	2	1	9	25	60
B22	Vascular lesions affecting central nervous system	M	3,095	2	1	2	5	44	150	463	1,016	1,412
		F	4,397	—	—	2	6	50	137	435	1,143	2,624
B23	Non-meningococcal meningitis	M	28	14	2	1	1	3	1	3	2	1
		F	13	6	2	—	—	1	1	2	1	—
B24	Rheumatic fever	M	5	—	—	—	2	1	—	2	—	—
		F	2	—	—	1	—	—	—	—	1	—
B25	Chronic rheumatic heart disease	M	241	—	—	—	5	38	68	65	38	27
		F	471	—	—	1	2	77	97	117	101	76

TABLE 19—*continued*

Abbreviated List No.	Causes of death		East and West Ridings Region—*continued* — Age									
			All ages	Under 1 year	1–	5–	15–	25–	45–	55–	65–	75 and over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420)	M	6,068	1	—	—	1	188	681	1,666	2,021	1,510
		F	4,114	—	—	—	1	21	127	549	1,454	1,962
	Degenerative heart disease (421, 422)	M	1,587	—	—	—	—	7	24	125	361	1,070
		F	2,400	—	—	1	—	6	13	74	395	1,911
B27	Other diseases of heart	M	541	—	—	—	1	8	32	90	163	247
		F	749	3	1	—	—	9	22	65	195	454
B28	Hypertension with heart disease	M	326	—	—	—	1	3	16	57	117	132
		F	596	—	—	—	—	4	13	61	174	344
B29	Hypertension without mention of heart	M	203	—	—	—	2	9	32	31	50	79
		F	217	—	—	—	—	5	10	18	60	124
B46 (Pt.)	Other circulatory diseases (450-468)	M	772	—	1	1	1	17	19	76	202	455
		F	1,116	1	—	1	1	16	26	74	216	781
B30	Influenza	M	107	3	—	2	5	3	5	35	28	26
		F	112	2	1	1	3	3	4	10	29	59
B31	Pneumonia	M	1,344	127	26	11	9	29	55	162	312	613
		F	1,489	88	18	11	5	23	35	72	292	945
B32	Bronchitis	M	2,485	27	3	—	4	32	151	644	871	753
		F	1,093	25	5	6	1	22	37	125	300	572
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	285	5	3	1	—	16	29	83	91	57
		F	130	4	1	1	—	6	14	21	22	61
B33	Ulcer of stomach and duodenum	M	256	—	—	—	—	10	34	52	91	69
		F	105	—	—	—	—	4	9	15	35	42
B34	Appendicitis	M	32	—	—	—	2	3	6	10	4	7
		F	27	—	—	1	—	1	1	8	6	10
B35	Intestinal obstruction and hernia	M	136	18	2	1	1	3	8	23	34	46
		F	144	7	2	—	1	5	5	17	39	68
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	104	22	8	1	4	4	6	16	22	21
		F	150	24	8	1	—	7	9	17	31	53
B37	Cirrhosis of liver	M	62	1	—	1	1	4	14	21	9	11
		F	55	—	1	—	—	2	6	19	15	12
B38	Nephritis and nephrosis	M	177	—	—	2	6	25	22	44	35	43
		F	188	1	1	3	6	30	24	27	43	53
B39	Hyperplasia of prostate	M	287	—	—	—	—	1	2	18	82	184
B40	Complications of pregnancy, childbirth and puerperium	F	21	—	—	—	2	19	—	—	—	—
B41	Congenital malformations	M	251	168	18	16	8	12	13	5	7	4
		F	234	176	14	7	8	4	8	7	5	5
B42	Birth injuries, postnatal asphyxia and atelectasis	M	255	255	—	—	—	—	—	—	—	—
		F	137	137	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	2	2	—	—	—	—	—	—	—	—
		F	5	5	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	47	47	—	—	—	—	—	—	—	—
		F	25	25	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified	M	281	281	—	—	—	—	—	—	—	—
		F	163	163	—	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	177	—	—	—	—	1	—	—	9	167
		F	345	—	—	—	—	—	—	1	2	20	322
B46 (Rem.)	All other diseases (Remainder 001-795)	M	712	31	20	16	20	74	63	124	161	203
		F	1,036	15	8	16	16	74	104	175	237	391
BE47	Motor vehicle accidents	M	426	—	23	29	103	97	60	49	31	34
		F	171	—	9	13	21	26	19	18	32	33
BE48	All other accidents	M	584	20	17	29	46	104	61	75	70	162
		F	648	16	12	15	8	23	21	35	121	397
BE49	Suicide and self-inflicted injury	M	303	—	—	—	19	71	53	78	52	30
		F	186	—	—	—	5	31	40	51	40	19
BE50	Homicide and operations of war	M	22	3	2	—	3	6	—	—	6	2
		F	12	1	—	—	2	4	—	2	2	1
BN47	Fractures, head injuries and internal injuries	M	730	3	29	34	121	166	84	76	70	147
		F	580	1	11	15	22	28	23	34	98	348
BN48	Burns	M	38	1	2	4	—	6	3	5	3	14
		F	56	—	6	3	2	4	5	2	11	23
BN49	Effects of poisons	M	286	1	2	—	17	56	53	71	52	34
		F	254	—	1	—	4	36	42	48	63	60
BN50	All other injuries	M	281	18	9	20	33	50	34	50	34	33
		F	127	16	3	10	8	16	10	22	23	19

TABLE 19—*continued*

Abbreviated List No.	Causes of death		West Yorkshire Conurbation — Age — All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
	ALL CAUSES	M	11,469	444	65	52	143	448	982	2,511	3,334	3,490
		F	11,439	290	48	44	57	363	548	1,371	2,972	5,746
B1	Tuberculosis of respiratory system	M	89	—	—	—	1	8	16	23	33	8
		F	21	—	—	—	—	8	3	3	4	3
B2	Tuberculosis, other forms	M	10	—	—	—	2	—	1	1	5	1
		F	3	—	—	—	1	1	1	—	—	—
B3	Syphilis and its sequelae	M	21	—	—	—	—	2	3	4	7	5
		F	13	—	—	—	—	—	—	3	6	4
B4	Typhoid fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B5	Cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	M	1	—	—	—	—	—	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	—
B7	Scarlet fever and streptococcal sore throat	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B8	Diphtheria	M	1	—	—	1	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B9	Whooping cough	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B10	Meningococcal infections	M	5	3	1	—	1	—	—	—	—	—
		F	4	2	1	—	—	1	—	—	—	—
B11	Plague	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	M	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	1	—	—	—	—
B13	Smallpox	M	4	—	2	—	—	2	—	—	—	—
		F	2	—	—	1	—	—	1	—	—	—
B14	Measles	M	2	—	1	1	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B15	Typhus and other rickettsial diseases	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic	M	15	2	2	1	—	2	1	2	2	3
		F	15	1	2	—	—	2	2	1	6	1
B18	Malignant neoplasm: (140-205)	M	2,117	2	6	3	17	86	243	664	667	429
		F	1,816	2	5	14	7	119	210	394	563	502
	stomach (151)	M	304	—	—	—	—	8	34	94	93	75
		F	260	—	—	—	—	8	12	50	92	98
	trachea, bronchus and lung (162, 163)	M	807	—	—	—	2	31	104	313	263	94
		F	141	—	—	—	1	4	22	43	43	28
	breast (170)	M	7	—	—	—	—	1	—	1	3	2
		F	353	—	—	—	—	33	64	79	95	82
	uterus (171-174)	F	160	—	—	—	—	21	30	41	47	21
	Leukaemia and aleukaemia (204)	M	49	—	3	1	1	2	7	11	13	11
		F	61	1	3	9	3	4	4	6	16	15
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	M	950	2	3	2	14	44	98	245	295	247
		F	841	1	2	5	3	49	78	175	270	258
B19	Benign and unspecified neoplasms	M	30	2	—	1	—	2	9	9	6	1
		F	25	—	—	1	1	4	6	6	3	4
B20	Diabetes mellitus	M	42	—	—	1	—	1	3	9	15	13
		F	107	—	—	1	—	1	5	15	41	44
B21	Anaemias	M	31	—	—	—	1	1	1	5	7	16
		F	45	—	1	—	1	1	—	6	8	28
B22	Vascular lesions affecting central nervous system	M	1,333	2	1	1	1	18	75	222	451	562
		F	1,968	—	—	—	4	23	56	202	518	1,165
B23	Non-meningococcal meningitis	M	11	6	—	—	—	1	1	1	2	—
		F	3	—	1	—	—	—	—	2	—	—
B24	Rheumatic fever	M	2	—	—	—	1	—	—	1	—	—
		F	1	—	—	—	—	—	—	—	1	—
B25	Chronic rheumatic heart disease	M	93	—	—	—	3	12	27	34	8	9
		F	207	—	—	—	1	35	31	43	51	46

TABLE 19—*continued*

Abbreviated List No.	Causes of death		West Yorkshire Conurbation—*continued* — Age — All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420)	M	2,785	1	—	—	—	84	316	778	910	696
		F	2,100	—	—	—	—	13	66	288	738	995
	Degenerative heart disease (421, 422)	M	639	—	—	—	—	5	9	52	138	435
		F	980	—	—	—	—	2	4	33	147	794
B27	Other diseases of heart	M	277	—	—	—	1	5	18	49	80	124
		F	356	2	—	—	—	2	11	30	98	213
B28	Hypertension with heart disease	M	137	—	—	—	1	2	7	31	43	53
		F	237	—	—	—	—	3	3	22	74	135
B29	Hypertension without mention of heart	M	73	—	—	—	—	4	15	12	21	21
		F	87	—	—	—	—	2	1	10	28	46
B46 (Pt.)	Other circulatory diseases (450-468)	M	292	—	—	—	1	8	10	31	103	139
		F	484	—	—	1	1	6	10	40	104	322
B30	Influenza	M	26	3	—	—	1	—	1	7	6	8
		F	33	1	—	—	2	2	1	4	9	14
B31	Pneumonia	M	624	72	10	6	6	11	22	61	149	287
		F	739	37	11	3	3	10	12	31	145	487
B32	Bronchitis	M	1,021	7	1	—	1	12	51	271	386	292
		F	496	6	3	2	—	11	14	55	137	268
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	92	3	1	—	—	4	11	25	29	19
		F	51	1	—	—	—	1	4	9	11	25
B33	Ulcer of stomach and duodenum	M	122	—	—	—	—	5	15	26	47	29
		F	47	—	—	—	—	3	4	5	15	20
B34	Appendicitis	M	10	—	—	—	—	1	1	4	2	2
		F	13	—	—	1	—	—	—	4	3	5
B35	Intestinal obstruction and hernia	M	59	7	2	1	1	—	6	10	12	20
		F	69	2	2	—	1	2	—	8	19	35
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	41	7	3	1	4	1	4	2	9	10
		F	68	5	3	1	—	5	3	6	15	30
B37	Cirrhosis of liver	M	29	—	—	—	1	—	8	10	6	4
		F	28	—	1	—	—	2	3	8	7	7
B38	Nephritis and nephrosis	M	75	—	—	2	1	11	8	20	20	13
		F	73	1	1	3	4	12	10	7	16	19
B39	Hyperplasia of prostate	M	98	—	—	—	—	1	1	5	22	69
B40	Complications of pregnancy, childbirth and puerperium	F	8	—	—	—	1	7	—	—	—	—
B41	Congenital malformations	M	95	59	9	6	5	5	4	3	3	1
		F	103	73	7	4	4	3	4	3	5	—
B42	Birth injuries, postnatal asphyxia and atelectasis	M	103	103	—	—	—	—	—	—	—	—
		F	63	63	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	1	1	—	—	—	—	—	—	—	—
		F	2	2	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	25	25	—	—	—	—	—	—	—	—
		F	11	11	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified	M	118	118	—	—	—	—	—	—	—	—
		F	65	65	—	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	67	—	—	—	—	—	—	—	4	63
		F	176	—	—	—	—	—	1	2	14	159
B46 (Rem.)	All other diseases (Remainder 001-795)	M	306	12	8	4	10	33	23	65	70	81
		F	497	7	1	2	7	40	47	78	105	210
BE47	Motor vehicle accidents	M	167	—	7	12	53	37	20	13	16	9
		F	74	—	5	2	12	14	8	8	14	11
BE48	All other accidents	M	231	8	10	11	20	47	27	23	30	55
		F	248	8	4	8	4	9	6	19	46	144
BE49	Suicide and self-inflicted injury	M	135	—	—	—	9	32	25	37	20	12
		F	95	—	—	—	3	15	21	26	20	10
BE50	Homicide and operations of war	M	14	1	1	—	1	5	—	—	5	1
		F	5	1	—	—	—	3	—	—	1	—
BN47	Fractures, head injuries and internal injuries	M	286	1	12	11	59	71	29	20	34	49
		F	211	1	5	4	10	15	9	18	38	111
BN48	Burns	M	16	1	1	2	—	2	2	2	2	4
		F	22	—	1	1	2	1	—	2	4	11
BN49	Effects of poisons	M	139	1	1	—	10	26	26	32	26	17
		F	136	—	1	—	3	18	23	23	30	38
BN50	All other injuries	M	106	6	4	10	14	22	15	19	9	7
		F	53	8	2	5	4	7	3	10	9	5

TABLE 19—*continued*

Abbreviated List No.	Causes of death		North Western Region — Age — All ages	Under 1 year	1–	5–	15–	25–	45–	55–	65–	75 and over
	ALL CAUSES	M	43,888	1,890	231	246	403	1,727	3,880	9,475	12,637	13,399
		F	42,725	1,332	175	145	193	1,223	2,405	5,398	10,830	21,024
B1	Tuberculosis of respiratory system	M	374	—	—	—	—	36	50	116	132	40
		F	103	—	—	—	1	26	24	20	23	9
B2	Tuberculosis, other forms	M	25	1	2	1	1	6	6	3	3	2
		F	20	1	1	1	2	2	4	6	—	3
B3	Syphilis and its sequelae	M	77	—	—	—	—	5	7	20	34	11
		F	48	—	—	—	—	2	3	9	16	18
B4	Typhoid fever	M	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	1	—	—
B5	Cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	M	8	2	—	1	1	—	1	1	—	2
		F	3	1	1	—	—	—	—	—	1	—
B7	Scarlet fever and streptococcal sore throat	M	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	1	—	—	—	—
B8	Diphtheria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B9	Whooping cough	M	3	1	2	—	—	—	—	—	—	—
		F	1	1	—	—	—	—	—	—	—	—
B10	Meningococcal infections	M	15	7	5	1	—	1	—	—	1	—
		F	8	2	1	1	1	1	—	1	1	—
B11	Plague	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	M	3	—	—	—	—	3	—	—	—	—
		F	2	—	—	—	—	2	—	—	—	—
B13	Smallpox	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B14	Measles	M	6	—	4	2	—	—	—	—	—	—
		F	7	1	3	2	—	1	—	—	—	—
B15	Typhus and other rickettsial diseases	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	M	2	—	—	—	1	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic	M	68	12	7	3	—	9	13	8	12	4
		F	75	6	5	5	4	9	7	15	13	11
	Malignant neoplasm: (140-205)	M	7,967	2	16	33	41	332	969	2,415	2,547	1,612
		F	6,888	2	17	26	25	407	927	1,607	1,962	1,915
	stomach (151)	M	1,262	—	—	—	—	38	141	374	405	304
		F	939	—	—	—	—	22	60	165	294	398
	trachea, bronchus and lung (162, 163)	M	2,987	—	—	—	2	103	457	1,171	964	290
		F	504	—	—	—	—	32	87	155	134	96
B18	breast (170)	M	13	—	—	—	—	1	—	4	2	6
		F	1,301	—	—	—	—	101	260	383	299	258
	uterus (171-174)	F	647	—	—	—	—	67	130	157	161	132
	Leukaemia and aleukaemia (204)	M	182	—	8	17	10	27	23	31	40	26
		F	167	2	5	9	3	19	17	35	46	31
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	M	3,523	2	8	16	29	163	348	835	1,136	986
		F	3,330	—	12	17	22	166	373	712	1,028	1,000
B19	Benign and unspecified neoplasms	M	76	4	4	8	—	12	9	22	13	4
		F	85	2	1	1	—	10	15	20	20	16
B20	Diabetes mellitus	M	183	1	—	—	1	17	11	42	68	43
		F	371	—	—	—	—	11	17	60	143	140
B21	Anaemias	M	113	2	—	1	1	3	5	15	34	52
		F	215	1	—	—	2	5	3	21	66	117
B22	Vascular lesions affecting central nervous system	M	5,020	3	1	4	10	87	223	794	1,654	2,244
		F	7,337	1	—	4	10	73	229	792	2,034	4,194
B23	Non-meningococcal meningitis	M	42	12	8	1	3	3	—	4	7	4
		F	21	5	2	2	1	1	3	3	3	1
B24	Rheumatic fever	M	8	1	—	—	1	1	—	1	3	1
		F	4	—	—	—	1	2	—	1	—	—
B25	Chronic rheumatic heart disease	M	381	—	—	—	4	71	91	110	64	41
		F	851	—	—	—	5	128	166	237	184	131

TABLE 19—*continued*

Abbreviated List No.	Causes of death		North Western Region—*continued* — Age — All ages	Under 1 year	1–	5–	15–	25–	45–	55–	65–	75 and over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420)	M	9,623	—	—	—	—	332	1,265	2,767	3,140	2,119
		F	6,054	—	—	—	—	66	235	907	2,135	2,711
	Degenerative heart disease (421, 422)	M	2,740	—	1	1	2	16	50	201	644	1,825
		F	4,608	—	—	—	5	9	39	147	758	3,650
B27	Other diseases of heart	M	1,014	3	—	—	6	15	57	184	315	434
		F	1,359	2	—	—	5	12	39	115	352	834
B28	Hypertension with heart disease	M	622	—	—	—	1	9	37	141	207	227
		F	910	—	—	—	—	6	23	87	286	508
B29	Hypertension without mention of heart	M	318	—	—	—	1	24	29	77	88	99
		F	362	—	—	—	2	8	27	47	97	181
B46 (Pt.)	Other circulatory diseases (450-468)	M	1,245	1	—	—	—	20	47	147	357	673
		F	1,688	1	1	—	5	19	40	126	365	1,131
B30	Influenza	M	386	7	2	3	5	18	25	79	102	145
		F	464	3	3	—	5	8	14	49	119	263
B31	Pneumonia	M	2,111	228	30	12	17	64	95	267	498	900
		F	2,482	155	33	15	15	35	67	188	493	1,481
B32	Bronchitis	M	4,232	59	3	4	1	42	279	1,086	1,532	1,226
		F	2,043	35	7	5	2	21	95	241	621	1,016
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	500	10	2	5	6	20	47	136	158	116
		F	251	4	1	4	5	10	29	39	53	106
B33	Ulcer of stomach and duodenum	M	469	3	1	—	3	18	50	108	160	126
		F	239	2	—	—	—	2	16	36	80	103
B34	Appendicitis	M	49	—	3	6	2	5	7	14	7	5
		F	48	—	—	5	2	7	—	9	12	13
B35	Intestinal obstruction and hernia	M	187	24	1	—	—	8	15	30	52	57
		F	264	10	1	—	1	8	8	40	79	117
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	176	60	13	1	5	4	15	24	27	27
		F	250	63	5	2	2	8	20	21	57	72
B37	Cirrhosis of liver	M	99	—	—	—	—	6	22	33	27	11
		F	94	1	—	—	1	6	14	33	26	13
B38	Nephritis and nephrosis	M	265	1	—	3	10	35	40	66	49	61
		F	248	—	—	4	9	21	31	54	42	87
B39	Hyperplasia of prostate	M	362	—	—	—	—	1	2	21	103	235
B40	Complications of pregnancy, childbirth and puerperium	F	57	—	—	—	11	46	—	—	—	—
B41	Congenital malformations	M	428	321	32	12	8	20	13	11	5	6
		F	410	299	30	14	7	17	12	16	5	10
B42	Birth injuries, postnatal asphyxia and atelectasis	M	539	539	—	—	—	—	—	—	—	—
		F	322	322	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	5	5	—	—	—	—	—	—	—	—
		F	4	4	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	86	86	—	—	—	—	—	—	—	—
		F	48	48	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified	M	376	376	—	—	—	—	—	—	—	—
		F	259	259	—	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	486	4	—	2	2	—	1	4	32	441
		F	948	2	1	—	—	2	1	2	25	915
B46 (Rem.)	All other diseases (Remainder 001-795)	M	1,168	59	20	34	30	81	130	238	287	289
		F	1,706	46	25	22	26	109	156	251	453	618
BE47	Motor vehicle accidents	M	598	—	23	48	143	134	70	54	66	60
		F	265	—	16	16	22	16	28	44	68	55
BE48	All other accidents	M	903	55	51	59	69	128	95	111	121	214
		F	917	51	19	14	8	24	36	63	155	547
BE49	Suicide and self-inflicted injury	M	503	—	—	1	26	132	100	121	80	43
		F	364	—	—	—	6	75	77	87	83	36
BE50	Homicide and operations of war	M	27	1	—	—	2	8	4	4	8	—
		F	20	2	2	2	2	7	—	3	—	2
BN47	Fractures, head injuries and internal injuries	M	1,034	8	30	58	173	191	123	113	131	207
		F	816	3	19	20	24	23	35	67	150	475
BN48	Burns	M	46	1	5	2	6	8	1	3	7	13
		F	72	3	6	4	1	4	4	3	13	34
BN49	Effects of poisons	M	491	3	8	1	26	112	77	121	82	61
		F	473	—	5	2	9	72	78	106	112	89
BN50	All other injuries	M	460	44	31	47	35	91	68	53	55	36
		F	205	47	7	6	4	23	24	21	31	42

TABLE 19—*continued*

Abbreviated List No.	Causes of death	South East Lancashire Conurbation									
		Age									
				Years							
		All ages	Under 1 year	1–	5–	15–	25–	45–	55–	65–	75 and over
	ALL CAUSES .. .. M	16,245	717	93	93	142	630	1,498	3,702	4,593	4,777
	F	16,123	516	74	47	81	453	965	2,094	4,133	7,760
B1	Tuberculosis of respiratory system .. .. .. M	131	—	—	—	—	15	16	41	46	13
	F	42	—	—	—	—	9	13	7	9	4
B2	Tuberculosis, other forms .. M	12	—	—	—	1	2	4	2	1	2
	F	6	1	1	—	2	—	1	1	—	—
B3	Syphilis and its sequelae .. M	32	—	—	—	—	2	3	9	15	3
	F	22	—	—	—	—	1	2	4	10	5
B4	Typhoid fever .. .. .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B5	Cholera .. .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms .. .. M	2	2	—	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—
B7	Scarlet fever and streptococcal sore throat .. M	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—
B8	Diphtheria .. .. .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B9	Whooping cough .. .. M	1	—	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B10	Meningococcal infections .. M	7	2	3	1	—	—	—	—	1	—
	F	3	2	—	—	—	—	—	1	—	—
B11	Plague .. .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis .. .. M	1	—	—	—	—	1	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—
B13	Smallpox .. .. .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B14	Measles .. .. M	3	—	3	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B15	Typhus and other rickettsial diseases .. .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B16	Malaria .. .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic M	14	2	1	—	—	2	4	1	4	—
	F	29	1	1	3	1	3	6	6	3	5
B18	Malignant neoplasm: (140-205) .. .. .. M	2,982	1	8	14	10	130	371	947	928	573
	F	2,579	1	9	8	16	146	376	609	755	659
	stomach (151) .. .. M	464	—	—	—	—	10	49	148	132	125
	F	341	—	—	—	—	13	23	61	116	128
	trachea, bronchus and lung (162, 163) .. M	1,179	—	—	—	—	43	189	474	370	103
	F	185	—	—	—	—	8	30	53	53	41
	breast (170) .. .. M	4	—	—	—	—	—	—	1	—	3
	F	506	—	—	—	—	33	116	135	122	100
	uterus (171-174) .. .. F	256	—	—	—	—	26	64	62	68	36
	Leukaemia and aleukaemia (204) .. .. M	70	—	5	8	2	13	7	13	14	8
	F	71	1	4	3	2	10	5	14	19	13
	Other malig. and lymphatic neoplasms (Rem. of 140-205) M	1,265	1	3	6	8	64	126	311	412	334
	F	1,220	—	5	5	14	56	138	284	377	341
B19	Benign and unspecified neoplasms .. .. .. M	32	2	2	2	—	5	5	9	6	1
	F	30	—	1	1	—	3	6	4	10	5
B20	Diabetes mellitus .. .. M	77	—	—	—	—	9	3	15	32	18
	F	126	—	—	—	—	—	3	10	58	55
B21	Anaemias .. .. .. M	37	1	—	—	—	2	2	3	11	18
	F	90	1	—	—	1	3	3	10	26	46
B22	Vascular lesions affecting central nervous system .. M	1,889	3	—	2	6	30	87	322	622	817
	F	2,745	1	—	2	7	25	86	292	793	1,539
B23	Non-meningococcal meningitis .. .. .. M	7	3	2	—	—	—	—	—	1	1
	F	5	1	—	1	—	—	1	2	—	—
B24	Rheumatic fever .. .. M	1	—	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B25	Chronic rheumatic heart disease .. .. .. M	145	—	—	—	1	22	35	50	22	15
	F	333	—	—	—	2	45	75	99	64	48

TABLE 19—*continued*

Abbreviated List No.	Causes of death	South East Lancashire Conurbation—*continued*									
		Age									
				Years							
		All ages	Under 1 year	1–	5–	15–	25–	45–	55–	65–	75 and over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) .. M	3,312	—	—	—	—	—	131	458	1,022	1,023	678
	F	2,066	—	—	—	—	—	23	90	340	726	887
	Degenerative heart disease (421, 422) .. .. .. M	1,017	—	1	1	1	1	8	24	75	260	647
	F	1,847	—	—	—	—	1	2	15	57	310	1,462
B27	Other diseases of heart .. M	370	2	—	—	—	2	7	16	71	117	155
	F	462	1	—	—	—	1	5	16	55	114	270
B28	Hypertension with heart disease .. .. .. M	209	—	—	—	—	—	4	17	49	73	66
	F	303	—	—	—	—	—	—	8	39	107	149
B29	Hypertension without mention of heart .. M	118	—	—	—	—	—	8	14	33	31	32
	F	122	—	—	—	—	—	4	11	12	33	62
B46 (Pt.)	Other circulatory diseases (450-468) .. .. .. M	492	—	—	—	—	—	8	15	55	117	297
	F	750	—	—	—	—	2	8	13	57	139	531
B30	Influenza .. .. .. M	186	2	2	1	1	8	14	41	44	73
	F	211	1	1	—	2	1	5	22	53	126
B31	Pneumonia .. .. .. M	787	100	12	1	5	19	37	99	179	335
	F	869	66	13	4	6	16	27	66	194	477
B32	Bronchitis .. .. .. M	1,828	13	2	3	1	13	126	491	676	503
	F	993	11	3	1	1	9	48	126	299	495
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527) .. M	171	3	—	1	3	8	13	57	45	41
	F	92	2	1	1	1	4	12	17	18	36
B33	Ulcer of stomach and duodenum .. .. .. M	166	1	—	—	2	7	17	45	54	40
	F	97	—	—	—	—	—	7	13	35	42
B34	Appendicitis .. .. .. M	16	—	1	3	2	1	1	2	3	3
	F	16	—	—	2	—	3	—	2	6	3
B35	Intestinal obstruction and hernia .. .. .. M	80	6	1	—	—	2	7	13	25	26
	F	115	4	1	—	—	3	5	19	35	48
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn M	80	35	5	—	2	3	8	10	8	9
	F	104	25	1	2	1	5	7	11	23	29
B37	Cirrhosis of liver .. .. M	44	—	—	—	—	3	12	16	12	1
	F	41	1	—	—	—	5	2	14	11	8
B38	Nephritis and nephrosis .. M	77	—	—	2	5	10	15	18	13	14
	F	83	—	—	1	2	9	9	21	14	27
B39	Hyperplasia of prostate .. M	103	—	—	—	—	—	—	2	6	31	64
B40	Complications of pregnancy, childbirth and puerperium F	24	—	—	—	—	7	17	—	—	—	—
B41	Congenital malformations .. M	144	107	13	5	1	6	5	4	1	2
	F	145	103	11	5	4	3	7	6	2	4
B42	Birth injuries, postnatal asphyxia and atelectasis .. M	200	200	—	—	—	—	—	—	—	—
	F	131	131	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764) .. .. M	3	3	—	—	—	—	—	—	—	—
	F	2	2	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768) .. .. M	30	30	—	—	—	—	—	—	—	—
	F	19	19	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified .. M	145	145	—	—	—	—	—	—	—	—
	F	95	95	—	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes M	141	1	—	1	1	—	—	3	9	126
	F	313	1	1	—	—	—	—	1	5	305
B46 (Rem.)	All other diseases (Remainder 001-795) .. M	417	27	10	16	9	22	55	91	99	88
	F	629	23	12	7	9	45	54	95	168	216
BE47	Motor vehicle accidents .. M	237	—	7	20	56	55	35	14	24	26
	F	109	—	8	6	11	5	14	17	27	21
BE48	All other accidents .. .. M	287	26	19	20	18	28	34	37	29	76
	F	310	20	8	3	2	13	11	22	51	180
BE49	Suicide and self-inflicted injury .. .. .. M	198	—	—	—	13	55	39	48	29	14
	F	151	—	—	—	1	33	32	35	35	15
BE50	Homicide and operations of war .. .. M	14	—	—	—	2	3	4	3	2	—
	F	11	2	2	—	1	3	—	2	—	1
BN47	Fractures, head injuries and internal injuries .. .. M	371	5	9	24	62	68	52	34	39	78
	F	286	2	9	6	11	6	15	28	55	154
BN48	Burns .. .. M	14	—	2	—	—	3	—	2	1	6
	F	32	3	3	—	1	3	—	3	5	14
BN49	Effects of poisons .. .. M	189	2	2	—	14	46	34	45	26	20
	F	195	—	5	1	1	33	32	38	45	40
BN50	All other injuries .. .. M	162	19	13	16	13	24	26	21	18	12
	F	68	17	1	2	2	12	10	7	8	9

TABLE 19—*continued*

Abbreviated List No.	Causes of death		Merseyside Conurbation — Age — All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
	ALL CAUSES	M	8,316	488	61	47	70	346	783	1,898	2,290	2,333
		F	8,182	335	35	25	35	270	455	1,059	1,949	4,019
B1	Tuberculosis of respiratory system	M	100	—	—	—	—	9	15	31	36	9
		F	26	—	—	—	—	7	5	6	6	2
B2	Tuberculosis, other forms	M	8	1	—	1	—	3	1	1	1	—
		F	4	—	—	1	—	1	—	1	—	1
B3	Syphilis and its sequelae	M	12	—	—	—	—	1	—	4	5	2
		F	11	—	—	—	—	—	—	2	1	8
B4	Typhoid fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B5	Cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	M	1	—	—	—	1	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B7	Scarlet fever and streptococcal sore throat	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B8	Diphtheria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B9	Whooping cough	M	—	—	—	—	—	—	—	—	—	—
		F	1	1	—	—	—	—	—	—	—	—
B10	Meningococcal infections	M	3	2	1	—	—	—	—	—	—	—
		F	1	—	1	—	—	—	—	—	—	—
B11	Plague	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B13	Smallpox	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B14	Measles	M	—	—	—	—	—	—	—	—	—	—
		F	4	1	3	—	—	—	—	—	—	—
B15	Typhus and other rickettsial diseases	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	M	2	—	—	—	1	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic	M	19	5	4	1	—	4	1	3	1	—
		F	12	—	1	—	1	2	—	4	4	—
B18	Malignant neoplasm: (140-205)	M	1,707	1	4	5	12	76	226	540	520	323
		F	1,418	—	3	5	4	86	178	349	381	412
	stomach (151)	M	244	—	—	—	—	11	34	76	66	57
		F	179	—	—	—	—	2	8	39	42	88
	trachea, bronchus and lung (162, 163)	M	704	—	—	—	2	28	109	268	223	74
		F	125	—	—	—	—	6	21	36	34	28
	breast (170)	M	4	—	—	—	—	—	—	1	1	2
		F	251	—	—	—	—	18	44	90	60	39
	uterus (171-174)	F	115	—	—	—	—	15	18	31	21	30
	Leukaemia and aleukaemia (204)	M	31	—	2	5	1	2	4	6	9	2
		F	28	—	1	1	1	3	4	5	5	8
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	M	724	1	2	—	9	35	79	189	221	188
		F	720	—	2	4	3	42	83	148	219	219
B19	Benign and unspecified neoplasms	M	15	1	1	3	—	2	1	2	2	3
		F	16	1	—	—	—	2	3	5	5	—
B20	Diabetes mellitus	M	31	—	—	—	—	3	1	8	12	7
		F	74	—	—	—	—	3	7	16	24	24
B21	Anaemias	M	28	—	—	—	—	—	—	5	8	15
		F	40	—	—	—	1	1	—	1	14	23
B22	Vascular lesions affecting central nervous system	M	758	—	—	—	2	17	34	128	247	330
		F	1,221	—	—	1	2	18	50	131	300	719
B23	Non-meningococcal meningitis	M	13	4	4	—	—	1	—	1	2	1
		F	8	2	1	1	1	—	—	1	2	—
B24	Rheumatic fever	M	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	1	—	1	—	—
B25	Chronic rheumatic heart disease	M	65	—	—	—	2	19	19	10	13	2
		F	183	—	—	—	—	35	41	49	32	26

TABLE 19—*continued*

Abbreviated List No.	Causes of death		Merseyside Conurbation—*continued* — Age — All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420)	M	1,885	—	—	—	—	64	264	548	592	417
		F	1,272	—	—	—	—	13	55	184	426	594
	Degenerative heart disease (421, 422)	M	363	—	—	—	—	2	8	20	71	262
		F	641	—	—	—	2	2	5	23	87	522
B27	Other diseases of heart	M	199	1	—	—	2	3	10	40	57	86
		F	275	1	—	—	3	2	7	17	71	174
B28	Hypertension with heart disease	M	125	—	—	—	1	2	4	35	33	50
		F	201	—	—	—	—	2	5	13	47	134
B29	Hypertension without mention of heart	M	42	—	—	—	—	2	3	12	11	14
		F	67	—	—	—	—	3	4	9	20	31
B46 (Pt.)	Other circulatory diseases (450-468)	M	152	—	—	—	—	4	7	21	52	68
		F	218	—	—	—	1	2	6	18	56	135
B30	Influenza	M	45	2	—	1	1	2	2	8	12	17
		F	63	—	—	—	1	1	3	5	15	38
B31	Pneumonia	M	511	45	7	3	4	10	23	63	127	229
		F	720	40	5	2	1	8	12	47	120	485
B32	Bronchitis	M	870	33	—	1	—	13	66	231	283	243
		F	397	18	1	2	1	4	19	39	110	203
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	80	3	—	1	1	3	10	26	19	17
		F	62	—	—	—	1	3	2	13	15	28
B33	Ulcer of stomach and duodenum	M	89	1	1	—	—	1	11	19	31	25
		F	52	2	—	—	—	2	3	9	11	25
B34	Appendicitis	M	5	—	—	2	—	1	—	2	—	—
		F	9	—	—	—	—	—	—	3	2	4
B35	Intestinal obstruction and hernia	M	34	7	—	—	—	3	4	5	7	8
		F	42	1	—	—	—	1	—	6	14	20
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	34	11	1	—	—	—	1	4	10	7
		F	52	10	—	—	1	—	3	1	16	21
B37	Cirrhosis of liver	M	21	—	—	—	—	2	4	9	3	3
		F	15	—	—	—	—	—	4	5	4	2
B38	Nephritis and nephrosis	M	56	1	—	—	—	9	5	17	10	14
		F	44	—	—	1	2	4	3	12	7	15
B39	Hyperplasia of prostate	M	43	—	—	—	—	—	—	2	8	33
B40	Complications of pregnancy, childbirth and puerperium	F	13	—	—	—	2	11	—	—	—	—
B41	Congenital malformations	M	104	76	13	4	2	1	2	1	3	2
		F	106	76	8	1	1	5	2	6	2	5
B42	Birth injuries, postnatal asphyxia and atelectasis	M	138	138	—	—	—	—	—	—	—	—
		F	76	76	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	1	1	—	—	—	—	—	—	—	—
		F	2	2	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	21	21	—	—	—	—	—	—	—	—
		F	13	13	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified	M	106	106	—	—	—	—	—	—	—	—
		F	67	67	—	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	24	1	—	—	—	—	—	—	1	22
		F	77	—	—	—	—	—	1	1	—	75
B46 (Rem.)	All other diseases (Remainder 001-795)	M	238	12	5	7	3	14	22	37	62	76
		F	358	7	4	5	5	23	21	44	94	155
BE47	Motor vehicle accidents	M	99	—	6	10	19	19	8	13	16	8
		F	54	—	4	2	1	5	3	8	15	16
BE48	All other accidents	M	188	15	14	7	16	30	19	27	29	31
		F	208	17	4	3	3	5	5	16	39	116
BE49	Suicide and self-inflicted injury	M	79	—	—	1	3	23	12	25	6	9
		F	53	—	—	—	1	15	8	15	9	5
BE50	Homicide and operations of war	M	2	—	—	—	—	2	—	—	—	—
		F	4	—	—	1	—	2	—	—	—	1
BN47	Fractures, head injuries and internal injuries	M	189	2	7	10	28	35	19	26	31	31
		F	180	1	4	4	1	7	4	14	36	109
BN48	Burns	M	12	—	3	2	—	—	—	1	4	2
		F	15	—	2	2	—	—	1	—	2	8
BN49	Effects of poisons	M	88	1	3	1	5	22	10	26	10	10
		F	85	—	—	—	3	15	8	23	20	16
BN50	All other injuries	M	79	12	7	5	5	17	10	12	6	5
		F	39	16	2	—	1	5	3	2	5	5

TABLE 19—*continued*

Abbreviated List No.	Causes of death		North Midland Region — Age									
			All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
	ALL CAUSES	M	21,767	850	109	137	242	823	1,692	4,047	6,001	7,866
		F	19,934	602	71	86	119	602	1,048	2,229	4,679	10,498
B1	Tuberculosis of respiratory system	M	140	—	—	—	—	14	22	37	43	24
		F	45	—	—	—	1	11	8	13	9	3
B2	Tuberculosis, other forms	M	13	—	—	2	2	3	—	1	3	2
		F	9	—	—	—	1	1	—	2	1	4
B3	Syphilis and its sequelae	M	36	—	—	—	1	3	4	6	10	12
		F	24	1	—	—	—	1	3	1	10	8
B4	Typhoid fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B5	Cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	M	1	1	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B7	Scarlet fever and streptococcal sore throat	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B8	Diphtheria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B9	Whooping cough	M	1	1	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B10	Meningococcal infections	M	5	—	3	—	—	1	—	—	—	1
		F	5	3	1	—	—	—	—	—	1	—
B11	Plague	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B13	Smallpox	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B14	Measles	M	3	1	1	1	—	—	—	—	—	—
		F	1	—	1	—	—	—	—	—	—	—
B15	Typhus and other rickettsial diseases	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic	M	37	4	3	3	2	6	4	8	3	4
		F	33	1	4	2	—	5	6	9	3	3
B18	Malignant neoplasm: (140-205)	M	3,992	1	10	19	26	168	451	1,073	1,296	948
		F	3,311	1	3	13	19	229	451	733	906	956
	stomach (151)	M	569	—	—	—	—	20	63	133	215	138
		F	397	—	—	—	1	12	33	64	117	170
	trachea, bronchus and lung (162, 163)	M	1,459	—	—	—	1	56	190	547	474	191
		F	212	—	—	—	—	12	36	66	60	38
	breast (170)	M	7	—	—	—	—	2	—	3	1	1
		F	670	—	—	—	—	60	117	170	163	160
	uterus (171-174)	F	324	—	—	—	—	35	66	77	87	59
	Leukaemia and aleukaemia (204)	M	94	—	5	6	6	5	9	18	27	18
		F	82	—	1	5	4	14	7	18	17	16
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	M	1,863	1	5	13	19	85	189	372	579	600
		F	1,626	1	2	8	14	96	192	338	462	513
B19	Benign and unspecified neoplasms	M	36	—	2	1	2	2	8	7	8	6
		F	59	1	2	2	3	12	6	14	9	10
B20	Diabetes mellitus	M	128	—	—	4	1	3	9	28	34	49
		F	172	1	—	2	—	6	7	29	55	72
B21	Anaemias	M	42	1	—	—	—	1	2	5	12	21
		F	79	—	—	1	—	3	1	9	30	35
B22	Vascular lesions affecting central nervous system	M	2,545	1	—	3	6	34	116	351	781	1,253
		F	3,491	—	—	3	6	31	107	313	885	2,146
B23	Non-meningococcal meningitis	M	25	10	3	2	1	2	1	1	4	1
		F	16	8	1	1	—	—	1	4	—	1
B24	Rheumatic fever	M	10	—	—	1	—	3	1	1	2	2
		F	3	—	—	—	—	2	—	—	1	—
B25	Chronic rheumatic heart disease	M	197	—	—	—	7	37	35	47	39	32
		F	318	—	—	—	2	41	63	80	65	67

TABLE 19—*continued*

Abbreviated List No.	Causes of death		North Midland Region—*continued* — Age									
			All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420)	M	4,377	—	—	—	2	129	479	1,102	1,394	1,271
		F	2,612	—	—	—	—	16	71	322	874	1,329
	Degenerative heart disease (421, 422)	M	1,643	—	—	—	1	8	33	116	326	1,159
		F	2,406	—	—	—	—	3	10	64	348	1,981
B27	Other diseases of heart	M	589	—	2	—	—	6	29	67	190	295
		F	743	—	—	1	2	10	18	57	190	465
B28	Hypertension with heart disease	M	406	—	—	—	—	6	19	72	141	168
		F	518	—	—	—	—	2	6	50	166	294
B29	Hypertension without mention of heart	M	212	—	—	—	—	12	29	37	49	85
		F	206	—	—	—	2	2	10	17	56	119
B46 (Pt.)	Other circulatory diseases (450-468)	M	684	—	—	—	1	9	24	74	181	395
		F	814	—	—	—	1	17	20	53	148	575
B30	Influenza	M	93	3	—	4	—	3	2	18	18	45
		F	110	1	3	1	3	2	3	12	27	58
B31	Pneumonia	M	948	69	15	7	4	14	32	101	215	491
		F	1,098	60	15	5	10	15	26	54	204	709
B32	Bronchitis	M	1,838	33	6	2	2	19	85	426	647	618
		F	684	20	3	2	1	12	28	69	180	369
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	285	14	6	2	1	12	24	65	84	77
		F	160	3	1	3	1	16	8	18	25	85
B33	Ulcer of stomach and duodenum	M	234	—	—	—	—	8	23	38	81	84
		F	116	1	—	—	—	3	7	20	32	53
B34	Appendicitis	M	21	—	—	1	2	5	—	4	2	7
		F	21	—	—	3	—	1	2	5	5	5
B35	Intestinal obstruction and hernia	M	118	10	—	1	—	3	9	17	27	51
		F	110	6	—	1	—	3	7	12	26	55
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	79	17	7	—	—	3	5	13	21	13
		F	101	10	3	—	3	4	5	13	24	39
B37	Cirrhosis of liver	M	53	—	—	—	—	3	7	14	16	13
		F	45	—	—	—	—	2	6	13	15	9
B38	Nephritis and nephrosis	M	138	—	1	1	7	17	14	23	37	38
		F	145	—	—	2	6	12	10	24	40	51
B39	Hyperplasia of prostate	M	228	—	—	—	—	—	—	19	44	165
B40	Complications of pregnancy, childbirth and puerperium	F	24	—	—	—	3	21	—	—	—	—
B41	Congenital malformations	M	241	181	15	14	4	8	3	6	7	3
		F	212	162	7	7	4	12	7	9	4	—
B42	Birth injuries, postnatal asphyxia and atelectasis	M	209	209	—	—	—	—	—	—	—	—
		F	126	126	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	1	1	—	—	—	—	—	—	—	—
		F	3	3	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	46	46	—	—	—	—	—	—	—	—
		F	30	30	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified	M	197	197	—	—	—	—	—	—	—	—
		F	127	127	—	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	235	1	—	—	—	—	1	3	12	218
		F	411	—	—	—	1	—	1	1	8	400
B46 (Rem.)	All other diseases (Remainder 001-795)	M	571	21	9	22	17	52	58	100	142	150
		F	838	15	11	10	16	53	79	123	213	318
BE47	Motor vehicle accidents	M	424	2	10	24	113	94	55	54	34	38
		F	133	—	9	11	21	15	12	15	24	26
BE48	All other accidents	M	437	25	15	23	30	63	58	61	54	108
		F	403	16	7	13	7	10	22	28	60	240
BE49	Suicide and self-inflicted injury	M	240	—	—	—	7	69	50	52	43	19
		F	155	—	—	2	5	26	35	43	31	13
BE50	Homicide and operations of war	M	9	1	1	—	3	3	—	—	1	—
		F	17	6	—	1	1	3	2	—	4	—
BN47	Fractures, head injuries and internal injuries	M	633	3	10	27	122	118	81	81	70	121
		F	363	3	9	14	22	20	17	20	53	205
BN48	Burns	M	16	—	2	—	—	1	—	5	2	6
		F	37	1	1	7	—	1	2	3	5	17
BN49	Effects of poisons	M	189	1	3	—	5	49	42	35	33	21
		F	206	2	1	3	7	22	43	46	41	41
BN50	All other injuries	M	272	24	11	20	26	61	40	46	27	17
		F	102	16	5	3	5	11	9	17	20	16

TABLE 19—*continued*

Abbreviated List No.	Causes of death	Midland Region — Age — All ages	Under 1 year	Years: 1–	5–	15–	25–	45–	55–	65–	75 and over
	ALL CAUSES .. .. M	27,454	1,158	166	157	386	1,185	2,357	5,876	7,275	8,894
	ALL CAUSES .. .. F	24,915	862	127	94	139	854	1,464	3,073	5,830	12,472
B1	Tuberculosis of respiratory system .. .. .. M	226	—	1	—	2	19	37	63	78	26
	F	65	—	1	1	—	9	13	16	16	9
B2	Tuberculosis, other forms .. M	22	—	2	—	2	7	3	5	3	—
	F	13	—	—	1	—	2	2	5	1	2
B3	Syphilis and its sequelae .. M	41	—	—	—	—	2	6	7	16	10
	F	19	—	—	—	—	—	1	4	5	9
B4	Typhoid fever .. .. .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B5	Cholera .. .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms .. .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B7	Scarlet fever and streptococcal sore throat .. M	1	—	—	1	—	—	—	—	—	—
	F	3	—	—	1	1	—	—	—	1	—
B8	Diphtheria .. .. .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B9	Whooping cough .. .. M	3	1	2	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—
B10	Meningococcal infections .. M	14	10	1	—	2	1	—	—	—	—
	F	8	2	5	—	1	—	—	—	—	—
B11	Plague .. .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis .. .. M	2	—	—	—	2	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B13	Smallpox .. .. .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B14	Measles .. .. M	1	1	—	—	—	—	—	—	—	—
	F	3	—	3	—	—	—	—	—	—	—
B15	Typhus and other rickettsial diseases .. .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B16	Malaria .. .. M	1	—	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic M	62	4	3	2	9	5	7	10	14	8
	F	60	6	5	4	3	13	5	7	11	6
B18	Malignant neoplasm: (140-205) .. .. .. M	5,171	2	14	16	35	245	678	1,593	1,506	1,082
	F	4,255	5	13	13	24	299	603	983	1,167	1,148
	stomach (151) .. .. M	711	—	—	—	—	23	85	220	223	160
	F	551	—	—	—	—	23	41	100	188	199
	trachea, bronchus and lung (162, 163) .. M	1,899	—	—	—	—	71	313	752	577	186
	F	287	—	—	—	1	20	54	81	78	53
	breast (170) .. .. M	9	—	—	—	—	—	3	—	2	4
	F	876	—	—	—	2	81	185	240	199	169
	uterus (171-174) .. .. F	386	—	—	—	—	42	57	115	100	72
	Leukaemia and aleukaemia (204) .. .. M	110	1	8	6	10	14	17	17	14	23
	F	118	2	5	3	5	29	18	14	25	17
	Other malig. and lymphatic neoplasms (Rem. of 140-205) M	2,442	1	6	10	25	137	260	604	690	709
	F	2,038	3	8	10	16	104	248	433	577	639
B19	Benign and unspecified neoplasms .. .. .. M	53	2	1	2	1	5	16	12	7	7
	F	76	1	—	2	2	9	18	16	13	15
B20	Diabetes mellitus .. .. M	133	—	—	1	1	9	5	29	42	46
	F	235	—	—	—	1	8	6	35	74	111
B21	Anaemias .. .. M	48	—	4	—	—	2	2	3	15	22
	F	96	2	—	—	1	2	3	7	27	54
B22	Vascular lesions affecting central nervous system .. M	3,075	2	1	1	5	51	131	499	946	1,439
	F	4,225	1	—	4	—	53	153	428	1,124	2,462
B23	Non-meningococcal meningitis M	21	8	5	—	1	—	1	4	1	1
	F	25	12	4	1	—	1	2	2	1	2
B24	Rheumatic fever .. .. M	8	—	—	1	1	—	—	1	4	1
	F	1	—	—	—	—	—	—	—	—	1
B25	Chronic rheumatic heart disease .. .. .. M	266	—	—	1	4	49	52	79	45	36
	F	495	—	—	—	6	48	106	139	109	87

TABLE 19—*continued*

Abbreviated List No.	Causes of death	Midland Region—*continued* — Age — All ages	Under 1 year	Years: 1–	5–	15–	25–	45–	55–	65–	75 and over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) .. M	5,456	—	—	—	—	194	631	1,530	1,701	1,400
	F	3,287	—	—	1	—	23	103	426	1,097	1,637
	Degenerative heart disease (421, 422) .. .. .. M	1,825	—	—	—	1	14	27	135	379	1,269
	F	2,766	—	—	—	—	8	19	83	412	2,244
B27	Other diseases of heart .. M	605	—	1	—	3	12	32	101	152	304
	F	718	2	1	1	—	11	25	73	151	454
B28	Hypertension with heart disease .. .. .. M	453	—	—	—	1	7	29	76	161	179
	F	610	—	—	—	—	4	16	64	185	341
B29	Hypertension without mention of heart .. M	248	—	—	—	—	14	33	62	68	71
	F	257	—	—	1	—	10	17	35	57	137
B46 (Pt.)	Other circulatory diseases (450-468) .. .. .. M	717	—	—	—	4	14	31	109	207	352
	F	814	1	1	—	3	21	36	67	156	529
B30	Influenza .. .. .. M	202	2	2	1	6	14	14	44	47	72
	F	236	2	1	1	6	13	11	28	56	118
B31	Pneumonia .. .. .. M	1,465	126	30	13	14	38	57	187	341	659
	F	1,566	85	21	2	3	24	32	106	277	1,016
B32	Bronchitis .. .. .. M	2,480	12	9	3	2	34	164	642	801	813
	F	1,016	9	4	1	—	14	48	124	256	560
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527) .. M	379	6	4	5	2	18	35	98	123	88
	F	149	4	1	2	2	9	17	26	33	55
B33	Ulcer of stomach and duodenum .. .. .. M	294	—	—	—	1	12	26	62	93	100
	F	166	—	—	—	—	3	10	18	42	93
B34	Appendicitis .. .. .. M	33	—	—	3	1	4	7	6	9	3
	F	25	—	1	3	1	2	—	3	6	9
B35	Intestinal obstruction and hernia .. .. .. M	164	11	—	2	1	5	15	29	52	49
	F	157	15	—	1	—	4	7	21	38	71
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn M	113	29	14	1	—	6	8	20	15	20
	F	137	29	4	—	2	10	6	14	26	46
B37	Cirrhosis of liver .. .. M	84	2	—	1	—	8	12	30	20	11
	F	64	—	—	1	2	6	8	22	18	7
B38	Nephritis and nephrosis .. M	171	3	1	2	11	38	30	39	25	22
	F	146	—	2	3	1	23	17	33	28	39
B39	Hyperplasia of prostate .. M	259	—	—	—	—	—	1	13	67	178
B40	Complications of pregnancy, childbirth and puerperium F	39	—	—	—	10	29	—	—	—	—
B41	Congenital malformations .. M	319	229	20	10	14	16	13	13	3	1
	F	285	212	22	10	7	18	5	4	3	4
B42	Birth injuries, postnatal asphyxia and atelectasis .. M	320	320	—	—	—	—	—	—	—	—
	F	201	201	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764) .. .. M	7	7	—	—	—	—	—	—	—	—
	F	4	4	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768) .. .. M	66	66	—	—	—	—	—	—	—	—
	F	48	48	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified .. M	242	242	—	—	—	—	—	—	—	—
	F	161	161	—	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes M	198	—	—	—	—	1	1	1	8	187
	F	380	1	—	—	—	—	1	1	10	367
B46 (Rem.)	All other diseases (Remainder 001-795 .. M	738	39	11	16	26	70	66	163	143	204
	F	1,086	28	12	18	19	97	90	157	270	395
BE47	Motor vehicle accidents .. M	518	—	14	42	157	93	58	57	49	48
	F	174	—	4	13	25	17	15	28	37	35
BE48	All other accidents .. .. M	606	32	24	30	42	104	59	81	83	151
	F	626	29	21	7	11	17	21	42	91	387
BE49	Suicide and self-inflicted injury .. .. .. M	322	—	—	2	30	70	68	71	48	33
	F	203	—	—	—	4	46	47	56	31	19
BE50	Homicide and operations of war .. .. M	22	2	2	1	5	3	2	2	3	2
	F	13	1	1	2	4	1	1	—	1	2
BN47	Fractures, head injuries and internal injuries .. .. M	843	1	14	50	185	152	89	96	91	165
	F	580	3	12	14	25	21	24	46	93	342
BN48	Burns .. .. M	25	—	2	—	—	1	2	4	10	6
	F	52	—	6	3	7	3	3	6	7	17
BN49	Effects of poisons .. .. M	326	1	8	6	25	70	62	69	42	43
	F	266	—	4	1	8	45	44	61	35	68
BN50	All other injuries .. .. M	274	32	16	19	24	47	34	42	40	20
	F	118	27	4	4	4	12	13	13	25	16

TABLE 19—*continued*

Abbreviated List No.	Causes of death		West Midlands Conurbation — Age									
			All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
	ALL CAUSES	M	13,223	580	74	72	178	586	1,237	2,997	3,512	3,987
		F	12,024	440	63	40	59	452	707	1,473	2,847	5,943
B1	Tuberculosis of respiratory system	M	116	—	1	—	1	12	18	40	38	6
		F	39	—	—	1	—	3	9	11	10	5
B2	Tuberculosis, other forms	M	14	—	2	—	—	5	3	2	2	—
		F	6	—	—	1	—	2	1	1	1	—
B3	Syphilis and its sequelae	M	15	—	—	—	—	2	3	2	5	3
		F	7	—	—	—	—	—	—	2	2	3
B4	Typhoid fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B5	Cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B7	Scarlet fever and streptococcal sore throat	M	1	—	—	1	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B8	Diphtheria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B9	Whooping cough	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B10	Meningococcal infections	M	10	8	1	—	1	—	—	—	—	—
		F	7	2	4	—	1	—	—	—	—	—
B11	Plague	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	M	1	—	—	—	1	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B13	Smallpox	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B14	Measles	M	1	1	—	—	—	—	—	—	—	—
		F	2	—	2	—	—	—	—	—	—	—
B15	Typhus and other rickettsial diseases	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic	M	27	1	—	1	5	3	5	6	4	2
		F	22	3	1	1	2	8	—	1	5	1
B18	Malignant neoplasm: (140-205)	M	2,609	—	7	5	18	124	377	823	770	485
		F	2,118	5	4	6	12	149	316	476	595	555
	stomach (151)	M	355	—	—	—	—	9	55	106	120	65
		F	277	—	—	—	—	14	19	55	97	92
	trachea, bronchus and lung (162, 163)	M	1,050	—	—	—	—	44	174	421	314	97
		F	155	—	—	—	—	15	34	37	43	26
	breast (170)	M	3	—	—	—	—	—	—	—	1	2
		F	447	—	—	—	1	45	93	121	96	91
	uterus (171-174)	F	171	—	—	—	—	12	20	47	60	32
	Leukaemia and aleukaemia (204)	M	48	—	3	2	3	9	7	9	4	11
		F	51	2	1	2	4	13	10	5	10	4
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	M	1,153	—	4	3	15	62	141	287	331	310
		F	1,018	3	3	4	7	50	140	211	289	311
B19	Benign and unspecified neoplasms	M	30	1	—	2	—	3	8	8	4	4
		F	38	1	—	—	—	5	6	9	10	7
B20	Diabetes mellitus	M	60	—	—	1	—	3	4	11	24	17
		F	104	—	—	—	—	2	1	20	36	45
B21	Anaemias	M	15	—	—	—	—	2	2	1	4	6
		F	40	2	—	—	—	1	2	5	12	18
B22	Vascular lesions affecting central nervous system	M	1,412	2	—	1	4	22	60	242	432	649
		F	2,047	—	—	3	—	22	68	198	540	1,216
B23	Non-meningococcal meningitis	M	15	4	4	—	1	—	—	4	1	1
		F	14	8	—	—	—	—	2	2	1	1
B24	Rheumatic fever	M	5	—	—	1	1	—	—	—	2	1
		F	1	—	—	—	—	—	—	—	—	1
B25	Chronic rheumatic heart disease	M	148	—	—	1	4	25	32	42	24	20
		F	275	—	—	—	3	41	57	74	58	42

TABLE 19—*continued*

Abbreviated List No.	Causes of death		West Midlands Conurbation—*continued* — Age									
			All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420)	M	2,577	—	—	—	—	97	313	750	778	639
		F	1,599	—	—	1	—	9	47	196	529	817
	Degenerative heart disease (421, 422)	M	837	—	—	—	—	5	14	62	181	575
		F	1,295	—	—	—	—	6	7	34	187	1,061
B27	Other diseases of heart	M	248	—	—	—	2	10	16	59	61	100
		F	327	1	1	1	—	8	12	39	74	191
B28	Hypertension with heart disease	M	233	—	—	—	1	6	13	45	84	84
		F	296	—	—	—	—	1	9	37	93	156
B29	Hypertension without mention of heart	M	133	—	—	—	—	10	15	43	32	33
		F	119	—	—	1	—	5	3	18	24	68
B46 (Pt.)	Other circulatory diseases (450-468)	M	291	—	—	—	1	6	11	46	79	148
		F	351	1	—	—	1	15	15	34	67	218
B30	Influenza	M	78	2	1	—	5	7	5	22	16	20
		F	92	2	—	—	5	8	8	6	22	41
B31	Pneumonia	M	726	55	18	5	7	22	36	97	181	305
		F	784	46	13	—	—	13	13	47	136	516
B32	Bronchitis	M	1,365	6	5	—	1	17	116	363	431	426
		F	560	4	2	—	—	8	28	69	138	311
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	146	2	2	3	2	10	9	43	43	32
		F	74	4	1	—	1	3	8	14	13	30
B33	Ulcer of stomach and duodenum	M	159	—	—	—	1	6	14	35	60	43
		F	77	—	—	—	—	2	5	5	21	44
B34	Appendicitis	M	18	—	—	2	—	4	4	2	4	2
		F	13	—	1	2	1	2	—	3	1	3
B35	Intestinal obstruction and hernia	M	87	5	—	2	—	3	10	18	27	22
		F	82	7	—	—	—	3	2	11	25	34
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	54	18	3	—	—	4	5	11	7	6
		F	67	22	1	—	2	5	2	4	9	22
B37	Cirrhosis of liver	M	48	1	—	1	—	6	5	18	12	5
		F	39	—	—	—	—	2	6	12	12	7
B38	Nephritis and nephrosis	M	84	—	—	1	6	16	19	21	12	9
		F	56	—	—	1	1	9	10	13	12	10
B39	Hyperplasia of prostate	M	122	—	—	—	—	—	—	5	34	83
B40	Complications of pregnancy, childbirth and puerperium	F	24	—	—	—	5	19	—	—	—	—
B41	Congenital malformations	M	155	107	8	6	9	9	7	6	2	1
		F	137	100	12	3	3	9	1	3	3	3
B42	Birth injuries, postnatal asphyxia and atelectasis	M	175	175	—	—	—	—	—	—	—	—
		F	105	105	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	5	5	—	—	—	—	—	—	—	—
		F	4	4	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	27	27	—	—	—	—	—	—	—	—
		F	28	28	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified	M	119	119	—	—	—	—	—	—	—	—
		F	66	66	—	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	59	—	—	—	—	—	1	—	1	57
		F	137	—	—	—	—	—	—	—	4	133
B46 (Rem.)	All other diseases (Remainder 001-795)	M	359	20	4	7	12	36	34	80	76	90
		F	477	17	6	9	9	48	32	69	127	160
BE47	Motor vehicle accidents	M	199	—	5	15	56	32	22	23	21	25
		F	76	—	1	5	5	5	5	12	21	22
BE48	All other accidents	M	276	20	11	16	18	41	23	31	44	72
		F	293	12	13	4	2	10	7	17	38	190
BE49	Suicide and self-inflicted injury	M	154	—	—	1	18	36	32	36	16	15
		F	118	—	—	—	3	28	25	31	21	10
BE50	Homicide and operations of war	M	10	1	2	—	3	2	1	—	—	1
		F	7	—	1	1	3	1	—	—	—	1
BN47	Fractures, head injuries and internal injuries	M	345	—	5	17	68	57	36	35	47	80
		F	258	—	5	6	5	6	8	18	47	163
BN48	Burns	M	15	—	1	—	—	1	1	2	7	3
		F	27	—	5	2	1	2	—	2	4	11
BN49	Effects of poisons	M	174	—	5	2	17	36	31	38	18	27
		F	156	—	4	1	4	27	23	34	21	42
BN50	All other injuries	M	105	21	7	13	10	17	10	15	9	3
		F	53	12	1	1	3	9	6	6	8	7

TABLE 19—*continued*

Abbreviated List No.	Causes of death		Eastern Region									
			Age									
			All ages	Under 1 year	Years 1–	5–	15	25–	45–	55–	65–	75 and over
	ALL CAUSES	M	21,001	705	105	133	281	718	1,492	3,661	5,646	8,260
		F	20,244	517	95	76	84	534	987	2,132	4,481	11,338
B1	Tuberculosis of respiratory system	M	111	—	—	2	2	8	14	33	38	14
		F	40	—	—	—	—	9	7	7	6	11
B2	Tuberculosis, other forms ..	M	13	1	—	—	—	5	2	3	—	2
		F	10	—	2	—	—	1	1	2	2	2
B3	Syphilis and its sequelae ..	M	43	—	—	—	—	1	4	10	17	11
		F	21	—	—	—	—	1	1	—	7	12
B4	Typhoid fever	M	1	—	—	—	—	—	1	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B5	Cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	M	3	—	—	—	—	1	1	—	—	1
		F	1	—	—	—	—	—	—	—	—	1
B7	Scarlet fever and streptococcal sore throat ..	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B8	Diphtheria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B9	Whooping cough	M	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	1	—	—	—	—	—	—
B10	Meningococcal infections ..	M	7	1	6	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	1	—
B11	Plague	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	M	1	—	—	—	—	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B13	Smallpox	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B14	Measles	M	2	—	1	1	—	—	—	—	—	—
		F	3	—	3	—	—	—	—	—	—	—
B15	Typhus and other rickettsial diseases	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic	M	44	2	4	1	2	6	8	6	7	8
		F	37	—	—	1	2	5	6	7	8	8
B18	Malignant neoplasm: (140-205)	M	4,233	3	19	12	28	136	443	1,113	1,332	1,147
		F	3,537	3	17	13	13	209	439	760	953	1,130
	stomach (151)	M	562	—	—	—	1	11	46	135	185	184
		F	412	—	—	—	—	8	26	64	126	188
	trachea, bronchus and lung (162, 163) ..	M	1,498	—	—	—	1	33	209	531	519	205
		F	259	—	—	—	—	6	23	82	88	60
	breast (170)	M	4	—	—	—	—	—	—	2	—	2
		F	728	—	—	—	—	60	148	183	167	170
	uterus (171-174)	F	287	—	—	—	—	36	50	62	75	64
	Leukaemia and aleukaemia (204)	M	96	1	10	7	5	11	11	18	19	14
		F	98	1	10	3	3	9	16	21	21	14
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	M	2,073	2	9	5	21	81	177	427	609	742
		F	1,753	2	7	10	10	90	176	348	476	634
B19	Benign and unspecified neoplasms	M	57	2	3	3	1	4	8	14	12	10
		F	62	1	1	—	1	10	15	14	11	9
B20	Diabetes mellitus	M	106	—	—	—	2	9	13	8	33	41
		F	192	1	—	1	—	5	2	30	65	88
B21	Anaemias	M	47	1	—	1	1	—	4	8	14	18
		F	66	—	—	—	—	3	1	—	18	44
B22	Vascular lesions affecting central nervous system ..	M	2,524	—	—	1	4	26	90	298	730	1,375
		F	3,779	—	—	2	1	31	99	321	837	2,488
B23	Non-meningococcal meningitis	M	15	8	1	—	1	3	1	—	1	—
		F	13	6	2	—	—	—	1	2	1	1
B24	Rheumatic fever	M	5	—	1	—	1	1	—	—	2	—
		F	7	—	—	2	—	1	—	2	2	—
B25	Chronic rheumatic heart disease	M	141	—	—	—	1	19	21	41	39	20
		F	293	—	—	—	2	31	50	75	67	68

TABLE 19—*continued*

Abbreviated List No.	Causes of death		Eastern Region—*continued*									
			Age									
			All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) ..	M	4,722	—	—	—	2	127	424	1,052	1,521	1,596
		F	3,041	—	—	—	1	11	70	305	917	1,737
	Degenerative heart disease (421, 422)	M	1,223	—	—	—	1	8	19	57	256	882
		F	1,962	—	—	1	2	6	8	43	234	1,668
B27	Other diseases of heart ..	M	500	2	—	—	2	13	29	59	136	259
		F	602	—	—	—	—	7	15	42	124	414
B28	Hypertension with heart disease	M	278	—	—	—	1	4	6	46	90	131
		F	403	—	—	—	—	4	6	29	101	263
B29	Hypertension without mention of heart ..	M	167	—	—	—	1	10	16	33	44	63
		F	201	—	—	—	1	1	15	17	50	117
B46 (Pt.)	Other circulatory diseases (450-468)	M	627	—	—	—	1	10	27	82	153	354
		F	842	—	—	—	—	17	26	56	171	572
B30	Influenza	M	100	1	1	1	2	1	5	11	19	59
		F	124	—	1	3	1	3	1	4	28	83
B31	Pneumonia	M	1,285	50	10	12	7	20	48	119	251	768
		F	1,383	35	16	6	3	21	34	68	247	953
B32	Bronchitis	M	1,278	9	6	1	—	8	45	257	450	502
		F	576	11	8	—	—	5	15	51	130	356
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527) ..	M	203	8	—	5	1	5	14	37	69	64
		F	127	5	2	5	—	7	5	18	17	68
B33	Ulcer of stomach and duodenum	M	238	—	—	—	2	7	15	46	73	95
		F	121	—	—	—	—	2	8	10	31	70
B34	Appendicitis	M	30	—	1	3	1	5	6	4	6	4
		F	18	—	—	—	2	—	1	2	4	9
B35	Intestinal obstruction and hernia	M	114	8	—	—	2	4	5	13	19	63
		F	127	5	—	1	1	3	6	16	25	70
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	76	11	9	—	3	2	5	13	12	21
		F	113	7	4	1	—	6	9	12	34	40
B37	Cirrhosis of liver ..	M	40	—	—	1	—	1	6	11	12	9
		F	38	—	—	—	—	3	2	11	13	9
B38	Nephritis and nephrosis ..	M	112	1	1	—	10	14	12	18	25	31
		F	110	—	—	1	4	7	8	21	24	45
B39	Hyperplasia of prostate ..	M	234	—	—	—	—	—	2	11	31	190
B40	Complications of pregnancy, childbirth and puerperium	F	13	—	—	—	2	11	—	—	—	—
B41	Congenital malformations ..	M	194	138	14	8	8	9	9	6	1	1
		F	195	137	13	8	4	9	6	9	6	3
B42	Birth injuries, postnatal asphyxia and atelectasis ..	M	190	190	—	—	—	—	—	—	—	—
		F	141	141	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	1	1	—	—	—	—	—	—	—	—
		F	2	2	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	27	27	—	—	—	—	—	—	—	—
		F	12	12	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified ..	M	198	197	1	—	—	—	—	—	—	—
		F	119	119	—	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	174	1	—	—	—	3	2	1	9	158
		F	324	2	—	—	—	1	—	1	9	311
B46 (Rem.)	All other diseases (Remainder 001-795) ..	M	625	16	5	18	18	51	63	114	146	194
		F	850	18	12	11	11	47	65	109	234	343
BE47	Motor vehicle accidents ..	M	379	1	5	33	124	88	41	30	30	27
		F	138	—	4	16	21	19	12	12	17	37
BE48	All other accidents	M	413	25	17	30	39	52	39	57	37	117
		F	433	11	9	2	5	12	13	27	59	295
BE49	Suicide and self-inflicted injury	M	208	—	—	—	13	52	40	49	30	24
		F	162	—	—	1	6	26	40	49	27	13
BE50	Homicide and operations of war	M	12	1	—	—	—	4	4	1	1	1
		F	4	1	1	—	1	—	—	—	1	—
BN47	Fractures, head injuries and internal injuries	M	584	5	6	40	126	110	66	60	50	121
		F	425	2	6	17	17	17	14	19	47	286
BN48	Burns	M	16	—	2	—	2	3	1	1	3	4
		F	36	1	—	—	2	4	3	1	6	19
BN49	Effects of poison	M	156	—	—	2	12	42	30	30	20	20
		F	181	—	3	1	6	26	31	49	36	29
BN50	All other injuries	M	256	22	14	21	36	41	27	46	25	24
		F	95	9	5	1	8	10	17	19	15	11

TABLE 19—*continued*

Abbreviated List No.	Causes of death		London and South Eastern Region — Age									
			All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
	ALL CAUSES	M	66,801	2,183	288	302	717	2,372	5,247	13,468	18,241	23,983
		F	68,019	1,504	216	184	344	1,833	3,391	7,536	15,071	37,940
B1	Tuberculosis of respiratory system	M	479	—	—	—	2	35	60	155	149	78
		F	185	—	—	—	1	27	31	44	40	42
B2	Tuberculosis, other forms ..	M	35	—	3	2	4	7	7	2	4	6
		F	36	—	2	—	2	8	5	4	6	9
B3	Syphilis and its sequelae ..	M	144	—	—	—	1	4	5	35	52	47
		F	103	—	—	—	—	5	2	13	32	51
B4	Typhoid fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B5	Cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	M	1	1	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B7	Scarlet fever and streptococcal sore throat ..	M	—	—	—	—	—	—	—	—	—	—
		F	3	—	1	—	1	—	—	—	—	1
B8	Diphtheria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B9	Whooping cough	M	2	2	—	—	—	—	—	—	—	—
		F	1	1	—	—	—	—	—	—	—	—
B10	Meningococcal infections ..	M	17	8	7	—	—	1	—	1	—	—
		F	7	3	2	1	—	—	—	1	—	—
B11	Plague	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	M	1	—	—	—	—	1	—	—	—	—
		F	2	—	1	1	—	—	—	—	—	—
B13	Smallpox	M	1	—	—	—	1	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B14	Measles	M	2	—	—	2	—	—	—	—	—	—
		F	1	—	—	1	—	—	—	—	—	—
B15	Typhus and other rickettsial diseases	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic	M	110	7	9	6	2	18	21	15	21	11
		F	113	5	5	3	7	15	19	15	16	28
B18	Malignant neoplasm: (140-205)	M	14,228	6	41	62	92	479	1,591	4,158	4,454	3,345
		F	12,640	6	39	47	50	689	1,588	2,830	3,425	3,966
	stomach (151)	M	1,692	—	—	—	1	42	179	517	546	407
		F	1,358	—	—	—	2	35	89	223	404	605
	trachea, bronchus and lung (162, 163) ..	M	5,826	—	1	—	3	115	761	2,140	1,967	839
		F	1,159	—	1	—	1	49	155	347	346	260
	breast (170)	M	20	—	—	—	—	1	2	8	2	7
		F	2,666	—	—	—	—	189	530	686	628	633
	uterus (171-174)	F	931	—	—	—	1	86	139	237	268	200
	Leukaemia and aleukaemia (204)	M	386	2	17	24	21	42	43	83	83	71
		F	381	—	17	21	19	43	38	68	85	90
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	M	6,304	4	23	38	67	279	606	1,410	1,856	2,021
		F	6,145	6	21	26	27	287	637	1,269	1,694	2,178
B19	Benign and unspecified neoplasms	M	137	3	3	3	6	18	28	26	34	16
		F	173	1	1	3	6	30	26	37	35	34
B20	Diabetes mellitus	M	296	—	—	1	4	15	19	41	86	130
		F	583	2	3	—	2	20	22	68	198	268
B21	Anaemias	M	118	1	4	2	3	6	4	20	30	48
		F	229	1	3	2	4	7	6	16	52	138
B22	Vascular lesions affecting central nervous system	M	6,284	2	2	5	11	98	299	900	1,737	3,230
		F	10,322	1	—	3	11	98	303	833	2,360	6,713
B23	Non-meningococcal meningitis	M	50	18	6	1	2	1	4	3	10	5
		F	39	12	3	—	1	—	1	7	9	6
B24	Rheumatic fever	M	14	—	—	2	2	1	2	3	3	1
		F	12	—	1	1	1	—	2	2	5	—
B25	Chronic rheumatic heart disease	M	652	—	—	—	10	80	117	191	145	109
		F	1,224	—	—	—	9	94	159	280	319	363

TABLE 19—*continued*

Abbreviated List No.	Causes of death		London and South Eastern Region—*continued* Age									
			All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) ..	M	15,036	2	—	—	6	406	1,491	3,859	4,808	4,464
		F	10,132	—	—	—	1	54	244	1,122	3,044	5,667
	Degenerative heart disease (421, 422)	M	3,865	—	—	—	6	28	61	239	673	2,858
		F	7,369	1	—	—	4	18	35	141	828	6,342
B27	Other diseases of heart ..	M	1,426	5	2	5	7	31	42	176	372	786
		F	2,001	2	2	2	7	14	36	113	402	1,423
B28	Hypertension with heart disease	M	908	—	—	—	1	10	33	159	288	417
		F	1,474	—	—	—	—	5	20	91	392	966
B29	Hypertension without mention of heart	M	745	—	—	—	3	16	63	145	197	321
		F	980	—	—	1	1	13	29	97	246	593
B46 (Pt.)	Other circulatory diseases (450-468)	M	2,057	—	1	—	1	35	108	272	570	1,070
		F	2,870	—	1	3	8	48	58	203	545	2,004
B30	Influenza	M	231	2	—	5	5	10	15	29	61	104
		F	333	3	2	1	5	16	11	23	47	225
B31	Pneumonia	M	3,752	201	36	14	16	70	118	355	815	2,127
		F	4,697	139	24	15	7	33	72	267	772	3,368
B32	Bronchitis	M	5,532	64	13	5	2	33	239	1,143	1,908	2,125
		F	2,536	30	9	3	4	15	64	233	608	1,570
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527) ..	M	764	10	11	4	2	21	60	198	229	229
		F	443	4	7	6	2	20	32	39	95	238
B33	Ulcer of stomach and duodenum	M	816	—	—	—	—	23	57	185	251	300
		F	496	—	—	—	1	7	20	46	125	297
B34	Appendicitis	M	81	—	5	1	6	5	7	15	22	20
		F	71	—	2	2	4	3	2	8	18	32
B35	Intestinal obstruction and hernia	M	339	21	3	2	2	7	18	59	100	127
		F	465	17	1	1	2	7	16	33	128	260
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	230	24	11	—	3	13	18	42	57	62
		F	381	20	2	—	7	17	22	32	87	194
B37	Cirrhosis of liver	M	168	—	1	—	2	16	34	48	48	19
		F	150	—	—	1	—	5	27	33	59	25
B38	Nephritis and nephrosis ..	M	379	1	1	4	11	58	57	71	88	88
		F	343	1	1	3	14	32	36	49	72	135
B39	Hyperplasia of prostate ..	M	630	—	—	—	—	1	2	41	151	435
B40	Complications of pregnancy, childbirth and puerperium	F	68	—	—	—	21	46	1	—	—	—
B41	Congenital malformations ..	M	669	426	37	29	26	45	37	34	23	12
		F	491	312	36	25	11	15	19	27	25	21
B42	Birth injuries, postnatal asphyxia and atelectasis ..	M	590	588	2	—	—	—	—	—	—	—
		F	366	366	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	7	7	—	—	—	—	—	—	—	—
		F	3	3	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	101	101	—	—	—	—	—	—	—	—
		F	68	68	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified ..	M	552	552	—	—	—	—	—	—	—	—
		F	421	420	—	1	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	324	4	1	—	—	6	6	5	16	286
		F	769	6	—	—	2	1	2	2	11	745
B46 (Rem.)	All other diseases (Remainder 001-795) ..	M	1,982	78	27	37	54	149	189	367	470	611
		F	2,929	44	21	21	40	162	216	467	680	1,278
BE47	Motor vehicle accidents ..	M	950	3	15	54	243	173	100	139	104	119
		F	460	—	12	22	48	48	47	60	88	135
BE48	All other accidents	M	1,181	41	45	50	107	205	147	144	136	306
		F	1,246	32	32	12	22	70	68	98	171	741
BE49	Suicide and self-inflicted injury	M	877	—	—	2	69	237	182	191	125	71
		F	747	—	—	—	34	178	148	196	131	60
BE50	Homicide and operations of war	M	38	5	2	4	5	10	6	2	4	—
		F	37	4	3	3	4	13	2	6	—	2
BN47	Fractures, head injuries and internal injuries	M	1,474	11	21	65	260	265	176	201	171	304
		F	1,121	3	18	27	47	62	60	93	164	647
BN48	Burns	M	45	2	1	—	4	6	8	3	4	17
		F	99	4	9	3	7	9	6	9	9	43
BN49	Effects of poisons	M	944	3	13	11	68	225	182	180	133	129
		F	981	1	10	2	33	193	158	208	175	201
BN50	All other injuries	M	583	33	27	34	92	129	69	92	61	46
		F	289	28	10	5	21	45	41	50	42	47

TABLE 19—*continued*

Abbreviated List No.	Causes of death		Greater London — Age									
			All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
	ALL CAUSES	M	47,336	1,665	202	205	486	1,858	4,065	10,109	12,803	15,943
		F	47,009	1,138	155	128	261	1,378	2,562	5,464	10,470	25,453
B1	Tuberculosis of respiratory system	M	369	—	—	—	2	28	48	116	116	59
		F	144	—	—	—	1	24	24	31	30	34
B2	Tuberculosis, other forms	M	22	—	1	—	4	4	4	1	3	5
		F	24	—	2	—	2	5	4	2	4	5
B3	Syphilis and its sequelae	M	114	—	—	—	1	4	4	30	42	33
		F	78	—	—	—	—	4	2	7	23	42
B4	Typhoid fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B5	Cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery all forms	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B7	Scarlet fever and streptococcal sore throat	M	—	—	—	—	—	—	—	—	—	—
		F	3	—	1	—	1	—	—	—	—	1
B8	Diphtheria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B9	Whooping cough	M	1	1	—	—	—	—	—	—	—	—
		F	1	1	—	—	—	—	—	—	—	—
B10	Meningococcal infections	M	15	8	5	—	—	1	—	1	—	—
		F	5	1	2	1	—	—	—	1	—	—
B11	Plague	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	M	1	—	—	—	—	1	—	—	—	—
		F	1	—	1	—	—	—	—	—	—	—
B13	Smallpox	M	1	—	—	—	1	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B14	Measles	M	2	—	—	2	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B15	Typhus and other rickettsial diseases	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic	M	70	4	5	3	1	14	17	9	15	2
		F	78	4	3	2	4	11	15	10	12	17
B18	Malignant neoplasm: (140-205)	M	10,378	5	29	47	70	373	1,242	3,161	3,169	2,282
		F	9,041	3	24	35	36	505	1,197	2,071	2,404	2,766
	stomach (151)	M	1,249	—	—	—	1	33	143	400	393	279
		F	1,010	—	—	—	2	26	76	169	297	440
	trachea, bronchus and lung (162, 163)	M	4,403	—	1	—	1	96	599	1,654	1,433	619
		F	870	—	—	—	1	37	118	252	263	199
	breast (170)	M	13	—	—	—	—	—	2	7	1	3
		F	1,907	—	—	—	—	147	386	515	417	442
	uterus (171-174)	F	665	—	—	—	1	67	104	173	182	138
	Leukaemia and aleukaemia (204)	M	265	1	12	19	17	30	28	54	57	47
		F	269	—	12	16	14	32	29	41	60	65
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	M	4,448	4	16	28	51	214	470	1,046	1,285	1,334
		F	4,320	3	12	19	18	196	484	921	1,185	1,482
B19	Benign and unspecified neoplasms	M	92	1	1	2	5	13	18	17	24	11
		F	129	1	1	3	3	23	24	25	25	24
B20	Diabetes mellitus	M	195	—	—	—	3	14	16	28	58	76
		F	420	2	1	—	2	15	18	56	139	187
B21	Anaemias	M	83	—	4	2	—	5	4	14	20	34
		F	160	1	2	1	3	6	3	12	32	100
B22	Vascular lesions affecting central nervous system	M	4,014	1	2	5	9	74	239	633	1,121	1,930
		F	6,498	1	—	2	9	74	234	556	1,544	4,078
B23	Non-meningococcal meningitis	M	38	13	4	1	2	1	2	3	8	4
		F	27	9	3	—	1	—	1	5	3	5
B24	Rheumatic fever	M	9	—	—	2	2	1	1	1	1	1
		F	10	—	1	1	1	—	1	2	4	—
B25	Chronic rheumatic heart disease	M	504	—	—	—	9	66	95	149	106	79
		F	966	—	—	—	7	77	136	218	247	281

TABLE 19—*continued*

Abbreviated List No.	Causes of death		Greater London—*continued* — Age									
			All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420)	M	10,924	2	—	—	5	333	1,179	2,938	3,377	3,090
		F	7,204	—	—	—	1	36	186	848	2,170	3,963
	Degenerative heart disease (421, 422)	M	2,308	—	—	—	5	27	43	154	416	1,663
		F	4,554	1	—	—	4	13	22	90	498	3,926
B27	Other diseases of heart	M	934	5	1	4	7	27	29	131	247	483
		F	1,332	1	1	2	5	11	25	77	282	928
B28	Hypertension with heart disease	M	641	—	—	—	1	9	21	116	206	288
		F	1,009	—	—	—	—	2	14	66	265	662
B29	Hypertension without mention of heart	M	573	—	—	—	3	12	52	108	149	249
		F	768	—	—	—	1	11	20	81	184	471
B46 (Pt.)	Other circulatory diseases (450-468)	M	1,426	—	1	—	—	30	84	213	391	707
		F	2,027	—	1	3	7	37	46	144	371	1,418
B30	Influenza	M	157	2	—	4	4	7	9	23	39	69
		F	213	1	2	—	3	13	7	15	24	148
B31	Pneumonia	M	2,650	149	27	9	8	47	80	267	597	1,466
		F	3,390	111	16	9	5	24	52	196	533	2,444
B32	Bronchitis	M	4,284	52	9	3	1	22	188	894	1,463	1,652
		F	1,956	19	7	1	4	11	47	183	482	1,202
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	525	5	6	2	2	14	49	144	150	153
		F	286	4	6	3	2	15	22	22	64	148
B33	Ulcer of stomach and duodenum	M	579	—	—	—	—	19	43	131	177	209
		F	332	—	—	—	1	5	11	27	82	206
B34	Appendicitis	M	56	—	5	—	4	5	4	13	14	11
		F	54	—	2	2	4	2	2	7	14	21
B35	Intestinal obstruction and hernia	M	230	15	3	2	1	6	12	44	59	88
		F	333	14	—	1	2	6	7	21	89	193
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	157	20	6	—	2	11	9	26	43	40
		F	275	13	2	—	4	13	18	18	68	139
B37	Cirrhosis of liver	M	113	—	1	—	2	11	24	34	30	11
		F	99	—	—	1	—	3	17	25	38	15
B38	Nephritis and nephrosis	M	258	—	—	2	6	46	42	53	60	49
		F	232	1	1	3	11	24	26	30	46	90
B39	Hyperplasia of prostate	M	427	—	—	—	—	1	2	33	101	290
B40	Complications of pregnancy, childbirth and puerperium	F	57	—	—	—	14	42	1	—	—	—
B41	Congenital malformations	M	507	323	27	24	16	31	31	26	19	10
		F	361	233	25	17	8	8	17	23	18	12
B42	Birth injuries, postnatal asphyxia and atelectasis	M	466	465	1	—	—	—	—	—	—	—
		F	288	288	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	6	6	—	—	—	—	—	—	—	—
		F	3	3	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	77	77	—	—	—	—	—	—	—	—
		F	52	52	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified	M	417	417	—	—	—	—	—	—	—	—
		F	315	314	—	1	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	173	4	1	—	—	5	5	3	8	147
		F	466	5	—	—	2	1	2	2	9	445
E46 (Rem.)	All other diseases (Remainder 001-795)	M	1,340	59	20	20	35	108	144	254	312	388
		F	2,083	34	16	15	27	122	164	329	490	886
BE47	Motor vehicle accidents	M	651	1	12	38	147	121	70	100	67	95
		F	330	—	8	14	38	33	33	44	60	100
BE48	All other accidents	M	850	27	31	28	77	154	111	103	97	222
		F	803	19	26	8	16	51	47	69	116	451
BE49	Suicide and self-inflicted injury	M	671	—	—	1	47	206	139	136	95	47
		F	571	—	—	—	28	139	116	145	100	43
BE50	Homicide and operations of war	M	28	3	—	4	4	7	5	2	3	—
		F	31	2	1	3	4	12	1	6	—	2
BN47	Fractures, head injuries and internal injuries	M	1,036	7	15	43	167	195	127	149	114	219
		F	725	2	14	18	38	42	41	68	111	391
BN48	Burns	M	34	2	—	—	3	5	7	1	3	13
		F	68	1	7	2	5	6	5	4	8	30
BN49	Effects of poisons	M	731	1	11	8	49	189	140	136	103	94
		F	738	1	8	2	26	151	123	153	131	143
BN50	All other injuries	M	399	21	17	20	56	99	51	55	42	38
		F	204	17	6	3	17	36	28	39	26	32

(88065)

TABLE 19—*continued*

Abbreviated List No.	Causes of death		Southern Region									
			Age									
			All ages	Under 1 year	Years 1–	5–	15–	25	45–	55–	65–	75 and over
	ALL CAUSES	M	16,729	595	87	84	230	564	1,187	3,006	4,504	6,472
		F	16,072	462	82	75	69	440	761	1,670	3,453	9,060
B1	Tuberculosis of respiratory system	M	90	—	—	—	—	5	12	25	27	21
		F	33	—	—	—	—	9	6	7	5	6
B2	Tuberculosis, other forms	M	9	—	1	—	—	—	2	4	2	—
		F	8	—	1	—	1	—	3	2	—	1
B3	Syphilis and its sequelae	M	28	—	—	—	—	2	3	9	8	6
		F	19	—	—	—	—	—	—	4	2	13
B4	Typhoid fever	M	1	—	—	—	—	—	—	—	—	1
		F	—	—	—	—	—	—	—	—	—	—
B5	Cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B7	Scarlet fever and streptococcal sore throat	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B8	Diphtheria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B9	Whooping cough	M	1	1	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B10	Meningococcal infections	M	2	2	—	—	—	—	—	—	—	—
		F	3	1	1	—	—	—	—	—	1	—
B11	Plague	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	M	1	—	—	—	—	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B13	Smallpox	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B14	Measles	M	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	1	—	—	—	—	—	—
B15	Typhus and other rickettsial diseases	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	M	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	1	—	—
B17	All other diseases classified as infective and parasitic	M	25	3	3	2	1	2	3	3	5	3
		F	32	3	3	1	—	3	3	7	5	7
B18	Malignant neoplasm: (140-205)	M	3,181	4	6	17	17	116	335	853	1,021	812
		F	2,755	2	7	22	8	155	342	564	740	915
	stomach (151)	M	385	—	—	—	1	9	37	93	128	117
		F	297	—	—	—	—	5	19	32	85	156
	trachea, bronchus and lung (162, 163)	M	1,167	—	—	—	—	28	149	417	421	152
		F	214	—	—	—	—	6	39	61	63	45
	breast (170)	M	4	—	—	—	—	—	—	2	1	1
		F	538	—	—	—	—	37	100	142	126	133
	uterus (171-174)	F	241	—	—	—	—	23	47	60	60	51
	Leukaemia and aleukaemia (204)	M	93	1	4	11	5	14	10	18	14	16
		F	81	2	2	9	2	6	10	11	19	20
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	M	1,532	3	2	6	11	65	139	323	457	526
		F	1,384	—	5	13	6	78	127	258	387	510
B19	Benign and unspecified neoplasms	M	38	1	—	1	—	6	7	12	4	7
		F	48	—	1	3	—	7	12	7	8	10
B20	Diabetes mellitus	M	66	1	—	—	—	5	4	11	22	23
		F	140	—	—	—	1	5	5	14	41	74
B21	Anaemias	M	33	—	1	1	—	1	2	2	8	18
		F	66	—	—	—	—	—	3	4	15	44
B22	Vascular lesions affecting central nervous system	M	1,824	1	1	1	1	21	75	229	476	1,019
		F	2,806	—	—	1	—	34	77	217	608	1,869
B23	Non-meningococcal meningitis	M	13	4	1	1	1	1	1	2	—	2
		F	15	4	1	1	—	—	3	2	3	1
B24	Rheumatic fever	M	2	—	—	1	—	—	—	1	—	—
		F	3	—	—	—	—	—	—	1	1	1
B25	Chronic rheumatic heart disease	M	128	—	—	—	2	18	17	31	45	15
		F	234	—	—	—	2	17	35	53	71	56

TABLE 19—*continued*

Abbreviated List No.	Causes of death		Southern Region—*continued*									
			Age									
			All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420)	M	3,758	—	—	—	—	90	353	892	1,220	1,203
		F	2,319	—	—	—	—	4	54	240	688	1,333
	Degenerative heart disease (421, 422)	M	1,193	—	—	—	1	13	14	53	211	901
		F	1,842	—	1	—	1	2	12	53	237	1,536
B27	Other diseases of heart	M	407	—	—	2	4	9	12	55	123	202
		F	459	1	—	1	1	8	4	31	90	323
B28	Hypertension with heart disease	M	285	—	—	—	—	3	14	53	86	129
		F	389	—	—	—	—	1	5	36	113	234
B29	Hypertension without mention of heart	M	133	—	—	—	—	12	17	28	29	47
		F	169	—	—	—	1	3	6	26	31	102
B46 (Pt.)	Other circulatory diseases (450-468)	M	502	—	—	—	1	5	15	72	140	269
		F	582	—	—	—	1	8	13	36	113	411
B30	Influenza	M	86	—	1	1	3	4	3	16	21	37
		F	112	1	1	—	1	3	4	5	21	76
B31	Pneumonia	M	976	49	12	9	6	20	34	81	206	559
		F	1,029	35	11	6	1	11	17	51	166	731
B32	Bronchitis	M	1,115	11	3	1	2	11	52	232	388	415
		F	477	8	8	—	—	4	15	47	123	272
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	177	4	3	1	2	10	12	47	55	43
		F	86	1	4	1	—	4	3	10	19	44
B33	Ulcer of stomach and duodenum	M	191	—	—	—	—	1	19	31	64	76
		F	87	—	—	—	—	2	2	11	16	56
B34	Appendicitis	M	19	1	1	—	1	2	1	3	5	5
		F	10	—	—	—	—	1	1	—	2	6
B35	Intestinal obstruction and hernia	M	92	2	1	—	1	1	7	10	29	41
		F	95	3	—	—	—	—	3	11	27	51
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	71	8	6	—	1	2	5	6	19	24
		F	94	4	5	3	—	4	3	10	18	47
B37	Cirrhosis of liver	M	40	1	—	—	1	3	6	12	13	4
		F	36	—	—	—	—	2	4	10	9	11
B38	Nephritis and nephrosis	M	96	1	1	2	4	11	12	20	14	31
		F	87	1	—	—	3	8	12	14	15	34
B39	Hyperplasia of prostate	M	168	—	—	—	—	—	1	10	32	125
B40	Complications of pregnancy, childbirth and puerperium	F	13	—	—	—	4	9	—	—	—	—
B41	Congenital malformations	M	166	118	15	9	10	5	3	3	—	3
		F	192	141	16	8	5	4	5	4	4	5
B42	Birth injuries, postnatal asphyxia and atelectasis	M	172	172	—	—	—	—	—	—	—	—
		F	93	93	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	—	—	—	—	—	—	—	—	—	—
		F	1	1	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	29	29	—	—	—	—	—	—	—	—
		F	20	20	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified	M	132	132	—	—	—	—	—	—	—	—
		F	118	118	—	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	103	1	1	—	—	—	—	5	1	95
		F	230	1	—	—	—	1	1	1	2	224
B46 (Rem.)	All other diseases (Remainder 001-795)	M	532	23	8	7	13	22	52	85	132	190
		F	723	9	8	8	12	47	45	116	165	313
BE47	Motor vehicle accidents	M	321	—	5	13	114	65	29	34	30	31
		F	124	—	4	15	14	18	15	14	22	22
BE48	All other accidents	M	331	26	17	15	33	44	26	37	41	92
		F	351	15	10	4	8	18	12	21	47	216
BE49	Suicide and self-inflicted injury	M	185	—	—	—	11	52	39	37	24	22
		F	163	—	—	—	5	45	35	38	24	16
BE50	Homicide and operations of war	M	7	—	—	—	—	1	—	2	3	1
		F	7	—	—	—	—	3	1	2	1	—
BN47	Fractures, head injuries and internal injuries	M	438	3	7	14	123	77	38	46	47	83
		F	319	2	5	16	16	23	16	20	41	180
BN48	Burns	M	19	—	4	1	2	2	—	1	2	7
		F	30	—	1	1	1	2	1	—	8	16
BN49	Effects of poisons	M	172	1	1	—	12	39	35	27	23	34
		F	202	—	1	—	3	39	35	44	36	44
BN50	All other injuries	M	215	22	10	13	21	44	21	36	26	22
		F	94	13	7	2	7	20	11	11	9	14

TABLE 19—*continued*

Abbreviated List No.	Causes of death		South Western Region — Age									
			All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
	ALL CAUSES	M	21,893	657	110	103	285	688	1,446	3,883	6,104	8,617
		F	21,871	484	97	69	74	526	1,003	2,346	5,007	12,265
B1	Tuberculosis of respiratory system	M	120	—	—	—	—	12	17	38	42	11
		F	48	—	—	—	—	5	8	12	15	8
B2	Tuberculosis, other forms	M	17	—	1	1	2	2	2	4	3	2
		F	9	1	—	—	—	1	3	2	2	—
B3	Syphilis and its sequelae	M	35	—	—	—	—	1	4	11	10	9
		F	16	—	—	—	—	—	2	2	5	7
B4	Typhoid fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B5	Cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B7	Scarlet fever and streptococcal sore throat	M	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	1	—	—	—	—	—	—
B8	Diphtheria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B9	Whooping cough	M	2	2	—	—	—	—	—	—	—	—
		F	2	2	—	—	—	—	—	—	—	—
B10	Meningococcal infections	M	6	1	1	1	2	—	—	1	—	—
		F	4	2	—	1	—	—	—	1	—	—
B11	Plague	M	1	—	—	—	—	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B13	Smallpox	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B14	Measles	M	1	—	1	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B15	Typhus and other rickettsial diseases	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	M	1	—	—	—	—	—	1	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic	M	49	4	7	2	1	7	3	11	7	7
		F	38	2	1	—	2	5	4	8	7	9
B18	Malignant neoplasm: (140-205)	M	4,012	1	12	18	27	122	389	1,060	1,317	1,066
		F	3,703	3	8	14	12	201	431	783	1,037	1,214
	stomach (151)	M	572	—	—	—	—	10	43	145	207	167
		F	443	—	—	—	—	5	15	58	132	233
	trachea, bronchus and lung (162, 163)	M	1,280	—	—	—	—	31	171	461	458	159
		F	229	—	—	—	—	9	23	66	89	42
	breast (170)	M	4	—	—	—	—	—	1	1	1	1
		F	762	—	—	—	—	57	127	180	205	193
	uterus (171-174)	F	330	—	—	—	—	39	61	76	79	75
	Leukaemia and aleukaemia (204)	M	120	1	5	6	9	14	11	20	32	22
		F	104	1	3	8	5	10	13	19	25	20
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	M	2,036	—	7	12	18	67	163	433	619	717
		F	1,834	2	5	6	7	81	192	384	507	650
B19	Benign and unspecified neoplasms	M	31	1	1	—	—	3	11	10	5	—
		F	46	—	1	—	1	10	5	13	9	7
B20	Diabetes mellitus	M	113	1	—	—	—	3	7	23	38	41
		F	202	—	1	—	—	7	2	26	76	90
B21	Anaemias	M	33	—	—	—	—	—	—	4	13	16
		F	84	—	—	—	1	—	1	6	25	51
B22	Vascular lesions affecting central nervous system	M	2,592	1	—	—	3	35	98	346	775	1,334
		F	3,926	—	—	3	2	44	125	349	957	2,446
B23	Non-meningococcal meningitis	M	13	4	3	2	—	2	—	2	—	—
		F	16	3	2	3	1	3	2	1	1	—
B24	Rheumatic fever	M	1	—	—	—	—	—	—	—	1	—
		F	4	—	1	1	—	1	—	—	1	—
B25	Chronic rheumatic heart disease	M	174	—	—	—	2	22	34	44	44	28
		F	291	—	—	—	2	19	59	69	75	67

TABLE 19—*continued*

Abbreviated List No.	Causes of death		South Western Region—*continued* — Age									
			All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420)	M	4,683	—	—	—	—	107	399	1,093	1,602	1,482
		F	3,024	—	—	—	—	15	72	355	975	1,607
	Degenerative heart disease (421, 422)	M	2,019	—	—	—	1	9	33	107	395	1,474
		F	2,942	—	—	—	—	6	13	79	375	2,469
B27	Other diseases of heart	M	506	1	—	—	1	7	19	59	134	285
		F	620	1	1	—	1	4	11	42	155	405
B28	Hypertension with heart disease	M	392	—	—	—	—	4	16	71	148	153
		F	539	—	—	—	—	2	12	53	167	305
B29	Hypertension without mention of heart	M	238	—	—	—	—	7	21	53	59	98
		F	249	—	1	—	1	5	9	26	60	147
B46 (Pt.)	Other circulatory diseases (450-468)	M	800	—	—	—	5	14	30	95	168	488
		F	995	—	—	—	1	9	19	49	175	742
B30	Influenza	M	114	—	1	2	2	6	2	16	39	46
		F	154	—	—	3	—	7	5	9	28	102
B31	Pneumonia	M	1,033	67	17	6	5	15	26	116	224	557
		F	1,223	46	20	3	6	20	27	65	213	823
B32	Bronchitis	M	1,268	6	3	3	1	10	53	282	450	460
		F	547	2	2	1	1	3	14	49	137	338
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	267	1	4	—	5	2	26	65	75	89
		F	133	—	1	1	1	8	8	16	27	71
B33	Ulcer of stomach and duodenum	M	210	—	—	—	—	9	14	34	76	77
		F	113	1	—	—	—	1	2	11	34	64
B34	Appendicitis	M	26	—	—	—	—	1	6	5	7	7
		F	17	—	—	—	1	2	2	4	4	4
B35	Intestinal obstruction and hernia	M	115	4	2	—	2	3	3	10	36	55
		F	138	7	—	—	—	1	5	15	34	76
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	83	9	6	1	3	2	8	10	14	30
		F	103	5	4	1	2	7	5	14	28	37
B37	Cirrhosis of liver	M	48	—	—	—	1	2	7	19	15	4
		F	31	—	—	—	—	—	8	10	8	5
B38	Nephritis and nephrosis	M	149	—	—	2	6	19	24	22	40	36
		F	121	—	1	—	2	9	10	14	32	53
B39	Hyperplasia of prostate	M	293	—	—	—	—	—	2	10	77	204
B40	Complications of pregnancy, childbirth and puerperium	F	16	—	—	—	2	14	—	—	—	—
B41	Congenital malformations	M	197	137	8	8	4	18	12	5	4	1
		F	217	132	23	10	5	8	13	16	6	4
B42	Birth injuries, postnatal asphyxia and atelectasis	M	178	178	—	—	—	—	—	—	—	—
		F	118	118	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	3	3	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	24	24	—	—	—	—	—	—	—	—
		F	16	16	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified	M	166	166	—	—	—	—	—	—	—	—
		F	111	111	—	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	218	—	—	—	1	—	1	—	5	211
		F	495	—	—	—	—	—	1	2	13	479
B46 (Rem.)	All other diseases (Remainder 001-795)	M	620	17	14	17	15	37	61	117	159	183
		F	870	10	13	9	13	45	67	156	217	340
BE47	Motor vehicle accidents	M	366	1	12	16	129	78	28	40	34	28
		F	138	2	9	10	10	17	19	20	25	26
BE48	All other accidents	M	439	27	16	20	52	72	48	52	46	106
		F	403	20	6	6	4	20	11	26	50	260
BE49	Suicide and self-inflicted injury	M	225	—	—	1	16	51	41	48	40	28
		F	140	—	—	—	2	25	26	43	34	10
BE50	Homicide and operations of war	M	12	1	1	2	—	4	1	—	2	1
		F	9	—	2	2	1	1	1	2	—	—
BN47	Fractures, head injuries and internal injuries	M	575	2	13	21	150	109	59	69	58	94
		F	374	5	10	13	11	24	19	28	53	211
BN48	Burns	M	19	—	2	—	—	7	—	1	4	5
		F	30	2	—	2	—	—	—	4	4	18
BN49	Effects of poisons	M	202	—	3	3	16	45	28	41	31	35
		F	183	—	2	—	2	23	27	44	33	52
BN50	All other injuries	M	246	27	11	15	31	44	31	29	29	29
		F	103	15	5	3	4	16	11	15	19	15

TABLE 19—*continued*

Abbreviated List No.	Causes of death		Wales I (South East) Age All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
	ALL CAUSES	M	12,830	490	60	65	136	527	1,049	2,644	3,809	4,050
		F	10,672	358	43	50	68	338	647	1,421	2,787	4,960
B1	Tuberculosis of respiratory system	M	138	—	—	—	—	9	19	39	51	20
		F	34	—	—	—	—	11	6	8	7	2
B2	Tuberculosis, other forms ..	M	15	—	—	—	1	—	3	5	5	1
		F	5	—	—	—	—	—	2	1	1	1
B3	Syphilis and its sequelae ..	M	17	—	—	—	—	2	2	4	6	3
		F	6	—	—	—	—	—	1	1	3	1
B4	Typhoid fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B5	Cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	M	1	—	—	—	—	1	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	1
B7	Scarlet fever and streptococcal sore throat ..	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B8	Diphtheria	M	1	—	—	1	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B9	Whooping cough	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B10	Meningococcal infections ..	M	7	4	—	—	—	—	1	1	1	—
		F	3	1	1	—	—	—	—	—	1	—
B11	Plague	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	M	—	—	—	—	—	—	—	—	—	—
		F	1	—	1	—	—	—	—	—	—	—
B13	Smallpox	M	2	—	—	—	—	—	1	1	—	—
		F	17	1	—	—	1	2	1	2	4	6
B14	Measles	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B15	Typhus and other rickettsial diseases	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic	M	21	2	3	—	—	5	2	5	2	2
		F	16	—	1	—	—	—	5	3	6	1
B18	Malignant neoplasm: (140-205)	M	2,195	1	9	14	18	76	231	603	758	485
		F	1,826	1	7	10	13	120	252	425	500	498
	stomach (151)	M	427	—	—	—	—	8	41	124	153	101
		F	333	—	—	—	1	7	31	62	90	142
	trachea, bronchus and lung (162, 163) ..	M	716	—	—	—	—	21	90	250	276	79
		F	80	—	—	—	—	9	9	24	21	17
	breast (170)	M	5	—	—	—	—	—	1	1	1	2
		F	355	—	—	—	—	36	76	79	88	76
	uterus (171-174)	F	182	—	—	—	—	20	36	49	52	25
	Leukaemia and aleukaemia (204)	M	54	—	3	6	4	5	7	11	12	6
		F	44	—	5	5	2	1	7	6	13	5
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	M	993	1	6	8	14	42	92	217	316	297
		F	832	1	2	5	10	47	93	205	236	233
B19	Benign and unspecified neoplasms	M	23	—	—	—	—	6	4	4	6	3
		F	35	1	1	—	1	4	4	8	8	8
B20	Diabetes mellitus	M	53	—	—	1	—	3	4	8	21	16
		F	118	1	—	—	4	3	3	17	47	43
B21	Anaemias	M	23	—	—	—	—	3	1	2	5	12
		F	57	—	—	—	—	1	1	10	16	29
B22	Vascular lesions affecting central nervous system ..	M	1,354	2	—	1	2	19	64	225	420	621
		F	1,949	1	—	1	2	25	64	212	567	1,077
B23	Non-meningococcal meningitis	M	12	7	—	—	—	1	1	1	1	1
		F	11	4	1	1	—	1	—	3	1	—
B24	Rheumatic fever	M	4	—	—	1	2	—	—	—	1	—
		F	4	—	—	2	1	1	—	—	—	—
B25	Chronic rheumatic heart disease	M	134	—	—	—	4	28	28	41	18	15
		F	220	—	—	—	2	21	45	60	55	37

TABLE 19—*continued*

Abbreviated List No.	Causes of death		Wales I (South East)—*continued* Age All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) ..	M	2,971	—	—	—	1	106	325	799	982	758
		F	1,635	—	—	—	1	15	64	265	612	678
	Degenerative heart disease (421, 422)	M	774	—	—	1	—	13	12	44	176	528
		F	1,126	—	—	—	—	3	6	38	186	893
B27	Other diseases of heart ..	M	220	—	1	1	3	4	12	40	54	105
		F	293	2	—	—	2	1	11	31	76	170
B28	Hypertension with heart disease	M	257	—	—	—	—	1	13	51	97	95
		F	293	—	—	—	—	3	10	51	87	142
B29	Hypertension without mention of heart	M	123	—	—	—	—	8	12	23	30	50
		F	147	—	—	—	—	—	11	12	50	74
B46 (Pt.)	Other circulatory diseases (450-468)	M	373	1	—	—	1	8	15	47	97	204
		F	431	—	—	—	2	5	11	28	79	306
B30	Influenza	M	60	2	—	—	1	—	4	10	12	31
		F	57	—	—	—	—	3	4	3	10	37
B31	Pneumonia	M	470	60	7	2	4	15	19	53	116	194
		F	417	41	9	3	2	8	16	26	78	234
B32	Bronchitis	M	1,262	9	4	1	3	8	68	269	515	385
		F	333	14	2	—	1	5	11	30	100	170
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	386	3	1	1	3	11	38	123	127	79
		F	75	3	2	2	—	2	8	10	16	32
B33	Ulcer of stomach and duodenum	M	107	—	—	—	—	10	10	25	32	30
		F	37	—	—	—	—	1	1	9	11	15
B34	Appendicitis	M	16	—	3	1	2	—	1	2	5	2
		F	5	—	—	—	—	1	—	1	1	2
B35	Intestinal obstruction and hernia	M	52	7	—	—	—	3	2	13	11	16
		F	47	3	1	—	2	2	2	6	17	14
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	52	14	4	—	1	2	5	4	9	13
		F	49	5	1	1	1	3	5	5	10	18
B37	Cirrhosis of liver	M	39	1	—	—	—	2	8	12	10	6
		F	35	—	—	—	1	—	2	6	10	13	3
B38	Nephritis and nephrosis ..	M	100	—	—	—	—	3	17	22	20	24	14
		F	91	—	—	—	1	5	11	13	16	20	25
B39	Hyperplasia of prostate ..	M	147	—	—	—	—	—	—	—	10	50	87
B40	Complications of pregnancy, childbirth and puerperium	F	11	—	—	—	—	2	9	—	—	—	—
B41	Congenital malformations ..	M	122	86	7	—	—	5	7	8	3	2	4
		F	105	78	5	5	—	4	3	5	2	2	1
B42	Birth injuries, postnatal asphyxia and atelectasis ..	M	94	94	—	—	—	—	—	—	—	—	—
		F	71	71	—	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	34	34	—	—	—	—	—	—	—	—	—
		F	22	22	—	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified ..	M	137	137	—	—	—	—	—	—	—	—	—
		F	88	88	—	—	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	113	2	—	—	—	—	1	—	—	10	100
		F	183	—	—	—	—	—	—	1	—	7	175
B46 (Rem.)	All other diseases (Remainder 001-795) ..	M	364	13	5	13	8	32	34	66	95	98
		F	474	13	4	5	11	32	44	88	143	134
BE47	Motor vehicle accidents ..	M	153	—	6	12	40	33	14	23	13	12
		F	62	1	5	11	5	10	2	6	12	10
BE48	All other accidents	M	287	11	10	15	30	65	38	49	23	46
		F	213	7	2	7	3	14	13	16	30	121
BE49	Suicide and self-inflicted injury	M	110	—	—	—	—	4	26	26	19	23	12
		F	69	—	—	—	—	3	16	19	18	11	2
BE50	Homicide and operations of war	M	7	—	—	—	—	—	2	2	—	1	2
		F	—	—	—	—	—	—	—	—	—	—	—
BN47	Fractures, head injuries and internal injuries	M	310	2	9	16	51	69	33	54	26	50
		F	191	1	5	11	3	8	4	11	33	115
BN48	Burns	M	17	1	1	4	—	1	1	7	1	1
		F	24	—	—	4	1	2	3	2	3	9
BN49	Effects of poisons	M	74	—	1	—	4	23	18	15	6	7
		F	73	—	—	—	3	17	20	19	11	3
BN50	All other injuries	M	156	8	5	7	19	33	28	15	27	14
		F	56	7	2	3	4	13	7	8	6	6

TABLE 19—*continued*

Abbreviated List No.	Causes of death		Wales II (remainder) Age All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
	ALL CAUSES	M	5,330	185	26	26	60	166	368	994	1,550	1,955
		F	4,949	117	17	4	23	117	233	557	1,184	2,697
B1	Tuberculosis of respiratory system	M	42	—	—	—	—	4	2	14	18	4
		F	14	—	—	—	—	3	3	1	4	3
B2	Tuberculosis, other forms ..	M	3	—	—	—	—	—	1	1	1	—
		F	1	—	—	—	—	—	1	—	—	—
B3	Syphilis and its sequelae ..	M	7	—	—	—	—	1	2	1	3	—
		F	4	—	—	—	—	—	1	1	1	1
B4	Typhoid fever	M	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	1	—
B5	Cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	M	1	—	—	—	—	—	—	—	—	1
		F	—	—	—	—	—	—	—	—	—	—
B7	Scarlet fever and streptococcal sore throat ..	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B8	Diphtheria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B9	Whooping cough	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B10	Meningococcal infections ..	M	1	1	—	—	—	—	—	—	—	—
		F	2	—	1	—	—	1	—	—	—	—
B11	Plague	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	M	1	—	—	—	—	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B13	Smallpox	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B14	Measles	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B15	Typhus and other rickettsial diseases	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic	M	15	1	—	1	—	3	1	4	2	3
		F	4	—	—	—	—	1	—	1	2	—
B18	Malignant neoplasm: (140-205)	M	954	1	2	1	4	33	90	242	341	240
		F	859	1	3	1	6	44	100	179	257	268
	stomach (151)	M	199	—	—	—	—	3	17	50	77	52
		F	129	—	—	—	—	4	3	16	42	64
	trachea, bronchus and lung (162, 163) ..	M	242	—	—	—	—	6	29	72	97	38
		F	47	—	—	—	—	4	6	15	10	12
	breast (170)	M	1	—	—	—	—	—	—	—	1	—
		F	168	—	—	—	—	14	40	37	43	34
	uterus (171-174)	F	67	—	—	—	1	3	13	14	21	15
	Leukaemia and aleukaemia (204)	M	29	—	1	1	1	2	5	2	8	9
		F	22	—	—	1	1	2	4	4	5	5
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	M	483	1	1	—	3	22	39	118	158	141
		F	426	1	3	—	4	17	34	93	136	138
B19	Benign and unspecified neoplasms	M	9	—	—	1	—	—	1	4	2	1
		F	9	—	—	—	—	2	3	1	3	—
B20	Diabetes mellitus	M	33	—	—	—	—	1	4	5	11	12
		F	43	—	—	—	—	2	2	4	12	23
B21	Anaemias	M	19	—	—	—	—	—	—	3	5	11
		F	29	—	—	—	—	2	1	3	8	15
B22	Vascular lesions affecting central nervous system ..	M	751	—	—	2	1	4	25	87	256	376
		F	1,017	—	—	—	2	6	26	90	235	658
B23	Non-meningococcal meningitis	M	3	3	—	—	—	—	—	—	—	—
		F	2	2	—	—	—	—	—	—	—	—
B24	Rheumatic fever	M	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	1	—	1	—	—	—
B25	Chronic rheumatic heart disease	M	42	—	—	—	—	8	11	10	6	7
		F	78	—	—	—	1	8	12	21	17	19

TABLE 19—*continued*

Abbreviated List No.	Causes of death		Wales II (remainder)—*continued* Age All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) ..	M	1,149	—	—	—	—	32	105	304	370	338
		F	631	—	—	—	—	2	17	95	221	296
	Degenerative heart disease (421, 422)	M	373	—	—	—	—	3	7	20	76	267
		F	630	—	—	—	—	—	3	13	83	531
B27	Other diseases of heart ..	M	93	—	—	—	—	—	2	12	32	47
		F	153	—	1	—	—	2	4	13	35	98
B28	Hypertension with heart disease	M	73	—	—	—	—	—	4	12	24	33
		F	135	—	—	—	—	1	5	9	42	78
B29	Hypertension without mention of heart	M	56	—	—	—	—	3	1	13	15	24
		F	68	—	—	—	—	1	2	11	15	39
B46 (Pt.)	Other circulatory diseases (450-468)	M	161	—	—	—	—	3	8	14	31	105
		F	186	—	—	—	1	3	5	13	30	134
B30	Influenza	M	36	1	—	—	—	2	5	3	9	16
		F	20	—	—	—	—	1	1	—	7	11
B31	Pneumonia	M	180	17	4	2	1	4	4	29	37	82
		F	194	12	1	—	—	1	1	9	41	129
B32	Bronchitis	M	315	4	1	—	—	—	20	84	117	89
		F	115	—	—	—	—	1	5	13	26	70
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	93	1	2	—	—	5	2	25	38	20
		F	23	2	1	—	—	1	1	3	7	8
B33	Ulcer of stomach and duodenum	M	57	—	—	—	—	1	4	11	29	12
		F	23	—	—	—	—	—	2	2	9	10
B34	Appendicitis	M	11	—	2	1	—	—	—	1	4	3
		F	4	—	—	—	—	—	—	1	1	2
B35	Intestinal obstruction and hernia	M	34	2	1	—	—	—	1	5	11	14
		F	40	2	—	—	1	—	2	5	10	20
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	26	8	1	—	—	—	2	2	5	8
		F	29	4	2	—	—	1	—	4	6	12
B37	Cirrhosis of liver	M	13	—	—	—	—	—	3	1	6	3
		F	7	—	—	—	—	—	2	2	2	1
B38	Nephritis and nephrosis ..	M	46	—	—	—	2	1	12	10	7	14
		F	43	—	—	—	1	—	2	5	18	17
B39	Hyperplasia of prostate ..	M	91	—	—	—	—	—	—	3	24	64
B40	Complications of pregnancy, childbirth and puerperium	F	8	—	—	—	—	8	—	—	—	—
B41	Congenital malformations ..	M	44	34	2	2	—	—	1	2	1	2
		F	46	33	2	2	1	—	—	6	2	—
B42	Birth injuries, postnatal asphyxia and atelectasis ..	M	39	39	—	—	—	—	—	—	—	—
		F	25	25	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	1	1	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	4	4	—	—	—	—	—	—	—	—
		F	5	5	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified ..	M	49	49	—	—	—	—	—	—	—	—
		F	24	24	—	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	64	—	—	—	—	1	2	—	1	59
		F	105	—	—	—	—	—	—	—	5	100
B46 (Rem.)	All other diseases (Remainder 001-795) ..	M	174	8	3	6	3	9	16	31	37	61
		F	203	1	—	1	4	10	16	35	49	87
BE47	Motor vehicle accidents ..	M	77	—	1	4	24	18	10	3	8	9
		F	22	—	2	—	2	3	2	4	5	4
BE48	All other accidents	M	133	10	6	6	18	17	12	24	10	30
		F	112	5	3	—	1	8	6	7	19	63
BE49	Suicide and self-inflicted injury	M	54	—	—	—	5	11	12	13	13	—
		F	28	—	—	—	—	5	7	5	11	—
BE50	Homicide and operations of war	M	3	1	1	—	1	—	—	—	—	—
		F	5	1	1	—	2	—	—	1	—	—
BN47	Fractures, head injuries and internal injuries	M	139	—	1	4	30	24	13	19	17	31
		F	87	2	2	—	4	3	3	5	15	53
BN48	Burns	M	1	—	—	—	—	—	—	—	—	1
		F	10	—	—	—	—	1	1	1	1	6
BN49	Effects of poisons	M	28	—	1	—	3	8	7	4	5	—
		F	34	—	1	—	—	8	6	6	8	5
BN50	All other injuries	M	99	11	6	6	15	14	14	17	9	7
		F	36	4	3	—	1	4	5	5	11	3

(88065) H*

TABLE 19—*continued*

Abbreviated List No.	Causes of death	Conurbations									
		Age									
				Years							
		All ages	Under 1 year	1–	5–	15–	25–	45–	55–	65–	75 and over
	ALL CAUSES .. .. M	102,128	4,121	516	491	1,066	4,130	9,054	22,463	28,080	32,207
	F	99,445	2,877	398	296	518	3,086	5,487	12,107	23,604	51,072
B1	Tuberculosis of respiratory system .. .. .. M	866	—	1	—	4	77	119	277	285	103
	F	288	—	—	1	3	53	56	59	65	51
B2	Tuberculosis, other forms .. M	69	1	3	1	7	16	13	7	13	8
	F	48	1	4	2	6	11	7	5	5	7
B3	Syphilis and its sequelae .. M	210	—	—	—	1	11	14	52	83	49
	F	142	—	—	—	—	7	4	21	46	64
B4	Typhoid fever .. .. .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B5	Cholera .. .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms .. .. M	4	2	—	—	1	—	—	1	—	—
	F	1	1	—	—	—	—	—	—	—	—
B7	Scarlet fever and streptococcal sore throat .. M	1	—	—	1	—	—	—	—	—	—
	F	4	—	1	—	1	1	—	—	—	1
B8	Diphtheria .. .. .. M	1	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B9	Whooping cough .. .. M	4	3	1	—	—	—	—	—	—	—
	F	3	3	—	—	—	—	—	—	—	—
B10	Meningococcal infections .. M	40	23	11	1	2	1	—	1	1	—
	F	20	7	8	1	1	1	—	2	—	—
B11	Plague .. .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis .. .. M	3	—	—	—	1	2	—	—	—	—
	F	3	—	1	—	—	2	—	—	—	—
B13	Smallpox .. .. .. M	5	—	2	—	1	2	—	—	—	—
	F	2	—	—	1	—	—	1	—	—	—
B14	Measles .. .. M	8	1	4	3	—	—	—	—	—	—
	F	6	1	5	—	—	—	—	—	—	—
B15	Typhus and other rickettsial diseases .. .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B16	Malaria .. .. M	2	—	—	—	1	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic M	152	16	13	6	6	27	28	22	26	8
	F	160	9	8	6	8	28	23	22	31	25
B18	Malignant neoplasm: (140-205) .. .. .. M	20,928	10	55	78	131	846	2,599	6,489	6,393	4,327
	F	17,797	12	46	70	78	1,058	2,397	4,084	4,936	5,116
	stomach (151) .. .. M	2,787	—	—	—	1	78	337	883	848	640
	F	2,189	—	—	—	2	67	144	403	679	894
	trachea, bronchus and lung (162, 163) .. M	8,603	—	1	—	6	256	1,248	3,304	2,762	1,026
	F	1,546	—	—	—	2	75	241	435	455	338
	breast (170) .. .. M	32	—	—	—	—	1	2	10	7	12
	F	3,588	—	—	—	1	295	727	967	817	781
	uterus (171-174) .. .. F	1,441	—	—	—	1	145	259	376	395	265
	Leukaemia and aleukaemia (204) .. .. M	481	1	25	37	24	60	55	95	102	82
	F	500	5	22	32	25	63	57	73	112	111
	Other malig. and lymphatic neoplasms (Rem. of 140-205) M	9,025	9	29	41	100	451	957	2,197	2,674	2,567
	F	8,534	7	24	38	47	413	969	1,830	2,478	2,728
B19	Benign and unspecified neoplasms .. .. .. M	207	7	5	11	5	26	44	46	43	20
	F	246	3	2	5	4	38	47	52	54	41
B20	Diabetes mellitus .. .. M	424	1	—	2	4	32	29	73	145	138
	F	876	2	1	1	2	22	38	125	313	372
B21	Anaemias .. .. .. M	204	1	4	2	1	11	9	28	55	93
	F	396	4	3	1	6	12	8	37	98	227
B22	Vascular lesions affecting central nervous system .. M	10,091	9	3	10	26	179	532	1,648	3,104	4,580
	F	15,297	2	1	8	23	177	511	1,477	3,935	9,163
B23	Non-meningococcal meningitis .. .. .. M	88	33	14	1	3	4	3	9	14	7
	F	60	21	5	2	2	1	4	12	7	6
B24	Rheumatic fever .. .. M	18	—	—	3	4	3	1	2	3	2
	F	15	—	1	1	1	2	1	3	5	1
B25	Chronic rheumatic heart disease .. .. .. M	1,008	—	—	1	20	157	216	302	181	131
	F	2,063	—	—	—	14	253	352	506	475	463

TABLE 19—*continued*

Abbreviated List No.	Causes of death	Conurbations—*continued*									
		Age									
				Years							
		All ages	Under 1 year	1–	5–	15–	25–	45–	55–	65–	75 and over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) .. M	22,727	3	—	—	5	752	2,669	6,404	7,103	5,791
	F	15,002	—	—	1	1	99	473	1,992	4,862	7,574
	Degenerative heart disease (421, 422) .. .. M	5,428	—	1	1	8	51	102	375	1,130	3,760
	F	9,716	2	—	—	8	25	55	249	1,291	8,086
B27	Other diseases of heart .. M	2,135	8	1	4	14	55	96	363	596	998
	F	2,880	7	2	3	10	30	72	225	672	1,859
B28	Hypertension with heart disease .. .. .. M	1,420	—	—	—	4	23	62	291	464	576
	F	2,168	—	—	—	—	9	39	190	627	1,303
B29	Hypertension without mention of heart .. .. M	982	—	—	—	3	38	104	214	255	368
	F	1,217	—	—	1	1	25	43	135	308	704
B46 (Pt.)	Other circulatory diseases (450-468) .. .. .. M	2,825	—	1	—	2	57	133	388	774	1,470
	F	3,993	1	1	4	14	70	96	305	767	2,735
B30	Influenza .. .. .. M	503	11	3	6	12	25	32	103	120	191
	F	629	6	3	—	13	26	26	54	128	373
B31	Pneumonia .. .. .. M	5,523	446	75	25	30	116	204	612	1,286	2,729
	F	6,734	313	62	18	16	76	118	405	1,189	4,537
B32	Bronchitis .. .. .. M	9,865	116	17	7	4	83	582	2,388	3,403	3,265
	F	4,575	61	16	6	6	49	165	498	1,211	2,563
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527) M	1,077	17	11	7	9	40	96	315	302	280
	F	599	12	8	4	5	30	50	77	127	286
B33	Ulcer of stomach and duodenum .. .. .. M	1,172	3	1	—	5	39	111	270	380	363
	F	629	2	—	—	1	12	31	63	173	347
B34	Appendicitis .. .. .. M	107	—	6	7	6	13	11	23	23	18
	F	110	—	3	7	7	7	2	19	26	39
B35	Intestinal obstruction and hernia .. .. .. M	516	41	6	5	2	14	42	92	138	176
	F	665	28	5	1	3	17	14	67	192	338
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn M	384	96	19	1	8	21	29	54	80	76
	F	590	80	8	3	8	31	33	40	136	251
B37	Cirrhosis of liver .. .. M	271	1	1	1	3	24	56	96	65	24
	F	234	1	1	1	—	12	32	71	75	41
B38	Nephritis and nephrosis .. M	581	1	—	8	18	98	96	134	122	104
	F	523	2	3	10	21	60	61	89	102	175
B39	Hyperplasia of prostate .. M	832	—	—	—	—	2	6	54	208	562
B40	Complications of pregnancy, childbirth and puerperium F	130	—	—	—	30	99	1	—	—	—
B41	Congenital malformations .. M	1,055	713	74	46	33	53	50	41	29	16
	F	888	612	64	31	20	30	32	44	31	24
B42	Birth injuries, postnatal asphyxia and atelectasis .. M	1,127	1,126	1	—	—	—	—	—	—	—
	F	687	687	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764) .. .. M	18	18	—	—	—	—	—	—	—	—
	F	14	14	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768) .. .. M	189	189	—	—	—	—	—	—	—	—
	F	126	126	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified .. M	966	966	—	—	—	—	—	—	—	—
	F	662	661	—	1	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes M	497	6	1	1	1	6	7	7	25	443
	F	1,238	6	1	—	2	2	5	5	34	1,183
B46 (Rem.)	All other diseases (Remainder 001-795) .. M	2,811	137	53	55	70	226	294	566	644	766
	F	4,255	98	44	41	61	292	336	650	1,041	1,692
BE47	Motor vehicle accidents .. M	1,429	1	38	100	349	281	165	175	149	171
	F	675	—	30	31	67	64	65	99	142	177
BE48	All other accidents .. .. M	1,978	110	87	89	159	325	229	238	251	490
	F	1,995	87	57	28	31	93	81	154	310	1,154
BE49	Suicide and self-inflicted injury .. .. .. M	1,306	—	—	3	93	373	261	297	177	102
	F	1,023	—	—	—	36	240	207	263	189	88
BE50	Homicide and operations of war .. .. M	71	5	4	4	10	20	10	6	10	2
	F	60	5	4	6	8	22	1	8	1	5
BN47	Fractures, head injuries and internal injuries .. .. M	2,377	17	49	112	405	456	283	288	283	484
	F	1,767	7	40	40	66	79	81	157	304	993
BN48	Burns .. .. M	101	3	8	4	3	12	11	8	18	34
	F	174	4	19	9	9	12	6	12	27	76
BN49	Effects of poisons .. .. M	1,398	5	22	11	99	342	256	290	192	181
	F	1,360	1	19	4	39	256	215	283	251	292
BN50	All other injuries .. .. M	908	91	50	69	104	189	115	130	94	66
	F	452	80	13	12	28	72	52	72	60	63

(88065) H* 2

TABLE 19—*continued*

Abbreviated List No.	Causes of death		Urban areas outside conurbations with populations of 100,000 and over									
			Age									
			All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
	ALL CAUSES	M	39,338	1,464	182	193	411	1,468	3,274	8,260	11,359	12,727
		F	37,115	1,092	140	114	183	1,026	1,976	4,450	8,974	19,160
B1	Tuberculosis of respiratory system	M	362	—	—	1	2	26	49	110	126	48
		F	113	—	—	—	—	27	17	31	22	16
B2	Tuberculosis, other forms	M	32	1	—	1	3	6	3	7	7	4
		F	24	—	1	—	2	4	4	8	2	3
B3	Syphilis and its sequelae	M	73	—	—	—	—	5	8	17	25	18
		F	32	1	—	—	—	1	1	9	7	13
B4	Typhoid fever	M	1	—	—	—	—	—	—	—	—	1
		F	—	—	—	—	—	—	—	—	—	—
B5	Cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	M	4	1	1	—	—	1	—	—	—	1
		F	3	—	—	—	—	—	—	—	1	2
B7	Scarlet fever and streptococcal sore throat	M	1	1	—	—	—	—	—	—	—	—
		F	1	—	—	1	—	—	—	—	—	—
B8	Diphtheria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B9	Whooping cough	M	2	2	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B10	Meningococcal infections	M	14	7	6	—	—	—	—	—	—	1
		F	7	2	1	1	1	1	—	—	1	—
B11	Plague	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	M	3	—	—	—	—	3	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B13	Smallpox	M	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	1	2	—	—	—	—
B14	Measles	M	4	1	1	2	—	—	—	—	—	—
		F	1	—	—	—	—	1	—	—	—	—
B15	Typhus and other rickettsial diseases	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic	M	53	4	5	4	2	5	7	7	12	7
		F	59	3	3	2	3	8	7	13	10	10
B18	Malignant neoplasm: (140-205)	M	7,697	5	20	27	53	287	841	2,277	2,514	1,673
		F	6,315	3	12	23	26	349	812	1,475	1,770	1,845
	stomach (151)	M	1,078	—	—	—	2	27	110	321	375	243
		F	842	—	—	—	2	14	65	150	262	349
	trachea, bronchus and lung (162, 163)	M	2,991	—	—	—	—	77	389	1,111	1,043	371
		F	439	—	—	—	1	16	68	128	138	88
	breast (170)	M	10	—	—	—	—	—	1	1	4	4
		F	1,202	—	—	—	1	83	235	324	281	278
	uterus (171-174)	F	610	—	—	—	—	62	116	157	156	119
	Leukaemia and aleukaemia (204)	M	185	2	6	11	11	29	22	33	38	33
		F	151	1	2	9	4	18	17	24	45	31
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	M	3,433	3	14	16	40	154	319	811	1,054	1,022
		F	3,070	2	10	14	18	156	311	692	888	979
B19	Benign and unspecified neoplasms	M	72	2	3	1	4	11	13	15	14	9
		F	102	1	2	2	1	15	19	29	12	21
B20	Diabetes mellitus	M	172	—	—	3	1	12	17	35	48	56
		F	336	1	—	—	—	11	10	43	136	135
B21	Anaemias	M	79	—	1	2	—	5	3	11	20	37
		F	141	—	—	—	—	4	1	12	46	78
B22	Vascular lesions affecting central nervous system	M	4,356	1	1	1	7	67	227	627	1,327	2,098
		F	6,641	1	—	3	4	64	207	618	1,626	4,118
B23	Non-meningococcal meningitis	M	33	12	4	2	2	3	1	2	1	6
		F	28	12	1	—	1	2	1	2	6	3
B24	Rheumatic fever	M	12	1	—	—	1	3	1	3	2	1
		F	7	—	—	4	—	1	—	1	—	1
B25	Chronic rheumatic heart disease	M	330	—	—	—	5	65	66	81	75	38
		F	698	—	—	—	8	69	125	193	173	130

TABLE 19—*continued*

Abbreviated List No.	Causes of death		Urban areas outside conurbations with populations of 100,000 and over—*continued*									
			Age									
			All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420)	M	8,657	—	—	—	—	255	980	2,306	2,858	2,258
		F	5,454	—	—	—	1	30	170	685	1,838	2,730
	Degenerative heart disease (421, 422)	M	2,220	—	—	1	2	17	39	168	482	1,511
		F	3,791	—	1	2	—	7	26	111	551	3,093
B27	Other diseases of heart	M	775	—	1	1	3	9	34	119	241	367
		F	1,074	2	—	1	3	10	32	89	251	686
B28	Hypertension with heart disease	M	720	—	—	—	—	7	45	146	246	276
		F	932	—	—	—	—	6	14	102	268	542
B29	Hypertension without mention of heart	M	342	—	—	—	2	18	51	67	84	120
		F	392	—	—	—	2	7	25	41	93	224
B46 (Pt.)	Other circulatory diseases (450-468)	M	1,204	—	—	1	2	26	49	166	318	642
		F	1,542	—	—	—	1	17	47	97	301	1,079
B30	Influenza	M	221	4	1	3	6	10	5	52	69	71
		F	216	—	1	1	2	7	6	21	53	125
B31	Pneumonia	M	1,983	159	27	12	5	51	79	244	487	919
		F	2,187	124	27	6	10	25	53	132	405	1,405
B32	Bronchitis	M	3,572	30	10	5	5	33	195	928	1,308	1,058
		F	1,411	29	8	5	2	14	51	156	382	764
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	487	12	6	3	4	18	43	134	150	117
		F	197	7	3	4	3	15	15	32	35	83
B33	Ulcer of stomach and duodenum	M	416	—	—	—	1	22	35	87	147	124
		F	206	—	—	—	—	3	8	24	69	102
B34	Appendicitis	M	38	—	1	1	2	5	2	9	9	9
		F	27	—	—	1	1	1	—	4	7	13
B35	Intestinal obstruction and hernia	M	194	19	—	—	1	5	13	27	50	79
		F	221	12	1	1	1	8	7	19	61	111
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	138	26	11	—	—	3	11	22	28	37
		F	200	24	6	2	1	13	12	24	59	59
B37	Cirrhosis of liver	M	74	—	—	1	1	6	12	23	20	11
		F	81	—	—	—	—	2	13	24	27	15
B38	Nephritis and nephrosis	M	251	2	—	2	10	39	35	43	55	65
		F	243	—	1	—	9	29	27	46	66	65
B39	Hyperplasia of prostate	M	412	—	—	—	—	—	—	3	30	106	273
B40	Complications of pregnancy, childbirth and puerperium	F	38	—	—	—	7	31	—	—	—	—	—
B41	Congenital malformations	M	393	288	25	11	14	20	11	10	9	5
		F	362	277	22	13	8	15	6	10	5	6
B42	Birth injuries, postnatal asphyxia and atelectasis	M	372	372	—	—	—	—	—	—	—	—
		F	237	237	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	2	2	—	—	—	—	—	—	—	—
		F	2	2	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	71	71	—	—	—	—	—	—	—	—
		F	47	47	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified	M	356	356	—	—	—	—	—	—	—	—
		F	249	249	—	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	195	1	—	1	—	1	2	4	12	174
		F	442	1	—	—	—	—	1	—	13	427
B46 (Rem.)	All other diseases (Remainder 001-795)	M	1,100	43	17	24	31	83	130	208	271	293
		F	1,570	24	17	21	28	95	134	207	418	626
BE47	Motor vehicle accidents	M	582	—	16	41	157	115	65	65	56	67
		F	250	—	11	10	31	30	23	29	56	60
BE48	All other accidents	M	775	37	22	40	59	117	93	118	93	196
		F	860	29	21	9	11	34	32	54	136	534
BE49	Suicide and self-inflicted injury	M	458	—	—	2	24	104	102	90	82	54
		F	348	—	—	—	11	63	67	107	64	36
BE50	Homicide and operations of war	M	30	4	3	—	2	5	4	2	7	3
		F	26	4	1	2	4	5	3	2	4	1
BN47	Fractures, head injuries and internal injuries	M	973	3	19	49	183	180	116	121	102	200
		F	779	5	16	13	32	40	36	44	122	471
BN48	Burns	M	39	1	5	3	1	4	—	7	4	14
		F	79	—	6	4	2	7	6	6	12	36
BN49	Effects of poisons	M	468	1	5	4	21	94	95	99	84	65
		F	448	1	3	1	10	64	64	118	94	93
BN50	All other injuries	M	365	36	12	27	37	63	53	48	48	41
		F	178	27	8	3	13	21	19	24	32	31

TABLE 19—*continued*

Abbreviated List No.	Causes of death	Urban areas outside conurbations with populations of 50,000 and under 100,000									
		Age									
		All ages	Under 1 year	Years							
				1–	5–	15–	25–	45–	55–	65–	75 and over
	ALL CAUSES .. .. M	25,937	998	139	148	290	996	1,988	4,926	7,307	9,145
	F	25,189	698	113	93	101	717	1,293	2,867	5,880	13,427
B1	Tuberculosis of respiratory system .. .. .. M	210	—	—	—	—	19	33	63	64	31
	F	69	—	—	—	—	22	7	11	16	13
B2	Tuberculosis, other forms .. M	11	—	1	2	1	2	—	—	5	—
	F	15	—	—	—	—	1	4	1	5	4
B3	Syphilis and its sequelae .. M	45	—	—	—	—	2	3	9	15	16
	F	28	—	—	—	—	1	2	2	12	11
B4	Typhoid fever .. .. .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B5	Cholera .. .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms .. .. M	2	—	—	—	—	1	—	—	—	1
	F	—	—	—	—	—	—	—	—	—	—
B7	Scarlet fever and streptococcal sore throat .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B8	Diphtheria .. .. .. M	1	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B9	Whooping cough .. .. M	1	1	—	—	—	—	—	—	—	—
	F	2	2	—	—	—	—	—	—	—	—
B10	Meningococcal infections .. M	9	4	4	—	—	—	—	—	1	—
	F	6	2	2	1	—	—	—	1	—	—
B11	Plague .. .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis .. .. M	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—
B13	Smallpox .. .. .. M	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	—	—	1	2	2
B14	Measles .. .. M	—	—	—	—	—	—	—	—	—	—
	F	2	—	1	1	—	—	—	—	—	—
B15	Typhus and other rickettsial diseases .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B16	Malaria .. .. M	1	—	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic M	49	6	6	5	3	9	6	2	4	8
	F	39	1	4	2	2	3	3	9	8	7
	Malignant neoplasm: (140-205) .. .. .. M	4,895	3	14	21	33	214	537	1,366	1,543	1,164
	F	4,271	2	11	23	15	264	556	943	1,178	1,279
	stomach (151) .. .. M	665	—	—	—	—	29	74	162	239	161
	F	527	—	—	—	—	15	45	60	160	247
	trachea, bronchus and lung (162, 163) .. M	1,824	—	—	—	2	63	239	673	638	209
	F	343	—	—	—	—	16	38	122	106	61
B18	breast (170) .. .. M	6	—	—	—	—	—	1	4	1	—
	F	862	—	—	—	—	83	167	209	186	217
	uterus (171-174) .. .. F	366	—	—	—	—	45	73	85	100	63
	Leukaemia and aleukaemia (204) .. .. .. M	124	—	7	12	10	10	15	14	25	31
	F	109	1	3	7	6	8	13	23	22	26
	Other malig. and lymphatic neoplasms (Rem. of 140-205) M	2,276	3	7	9	21	112	208	513	640	763
	F	2,064	1	8	16	9	97	220	444	604	665
B19	Benign and unspecified neoplasms .. .. .. M	48	2	5	—	1	8	11	10	9	2
	F	56	—	—	—	1	6	8	18	13	10
B20	Diabetes mellitus .. .. M	131	3	—	—	—	8	10	24	41	45
	F	204	—	1	1	—	6	6	38	61	91
B21	Anaemias .. .. .. M	51	1	—	—	3	—	1	8	13	25
	F	100	—	—	1	—	1	5	9	24	60
B22	Vascular lesions affecting central nervous system .. M	2,946	—	—	5	5	40	124	469	866	1,437
	F	4,430	—	—	5	3	32	137	385	1,101	2,767
B23	Non-meningococcal meningitis .. .. .. M	24	7	4	2	1	5	2	1	2	—
	F	22	7	4	2	—	1	1	3	2	2
B24	Rheumatic fever .. .. M	4	—	—	—	—	1	—	—	2	1
	F	2	—	—	—	—	1	—	—	1	—
B25	Chronic rheumatic heart disease .. .. .. M	206	—	—	—	2	32	41	52	53	26
	F	385	—	—	—	4	56	64	105	86	70

TABLE 19—*continued*

Abbreviated List No.	Causes of death	Urban areas outside conurbations with populations of 50,000 and under 100,000—*continued*									
		Age									
		All ages	Under 1 year	Years							
				1–	5–	15–	25–	45–	55–	65–	75 and over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) .. M	5,664	—	—	—	1	170	587	1,369	1,931	1,606
	F	3,645	—	—	—	—	26	88	458	1,168	1,905
	Degenerative heart disease (421, 422) .. .. .. M	1,691	—	—	—	1	11	26	100	356	1,197
	F	2,831	—	—	—	3	4	20	93	408	2,303
B27	Other diseases of heart .. M	588	—	—	1	1	9	35	82	159	301
	F	784	1	1	1	2	10	17	59	179	514
B28	Hypertension with heart disease .. .. .. M	382	—	—	—	—	3	14	60	151	154
	F	555	—	—	—	—	3	12	42	174	324
B29	Hypertension without mention of heart .. M	201	—	—	—	1	10	14	42	57	77
	F	247	—	—	1	—	1	16	27	61	141
B46 (Pt.)	Other circulatory diseases (450-468) .. .. .. M	778	—	—	—	1	12	27	93	213	432
	F	1,023	—	—	—	2	14	24	57	212	714
B30	Influenza .. .. .. M	106	1	—	1	1	2	7	21	31	42
	F	122	1	1	1	1	5	3	10	23	77
B31	Pneumonia .. .. .. M	1,417	111	12	8	5	23	53	154	287	764
	F	1,497	69	18	11	3	17	30	91	294	964
B32	Bronchitis .. .. .. M	2,027	27	8	2	—	21	114	448	735	672
	F	798	13	8	1	1	15	27	78	211	444
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527) M	318	12	2	4	—	10	29	78	108	75
	F	167	1	4	3	—	7	11	17	35	89
B33	Ulcer of stomach and duodenum .. .. .. M	288	—	—	—	2	9	22	58	95	102
	F	143	1	—	—	—	3	4	23	38	74
B34	Appendicitis .. .. .. M	32	—	—	1	1	2	5	7	9	7
	F	24	—	—	—	—	2	2	2	6	12
B35	Intestinal obstruction and hernia .. .. .. M	137	8	2	—	2	1	5	21	39	59
	F	148	3	—	1	—	3	11	16	34	80
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn M	109	18	11	—	5	2	11	20	15	27
	F	150	19	4	2	3	7	13	19	23	60
B37	Cirrhosis of liver .. .. M	64	—	—	—	—	4	10	22	23	5
	F	58	—	—	—	1	3	6	16	23	9
B38	Nephritis and nephrosis .. M	163	2	1	2	9	20	34	20	35	40
	F	151	—	—	2	1	14	20	27	28	59
B39	Hyperplasia of prostate .. M	278	—	—	—	—	—	—	21	70	187
B40	Complications of pregnancy, childbirth and puerperium F	32	—	—	—	10	22	—	—	—	—
B41	Congenital malformations .. M	280	196	24	15	3	14	13	8	3	4
	F	257	175	24	6	12	6	10	7	7	10
B42	Birth injuries, postnatal asphyxia and atelectasis M	285	284	1	—	—	—	—	—	—	—
	F	160	160	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764) .. .. M	—	—	—	—	—	—	—	—	—	—
	F	2	2	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768) .. .. M	51	51	—	—	—	—	—	—	—	—
	F	30	30	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified .. M	210	209	1	—	—	—	—	—	—	—
	F	164	164	—	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes M	218	—	—	—	1	—	1	3	12	201
	F	429	2	—	—	—	3	1	3	10	410
B46 (Rem.)	All other diseases (Remainder 001-795) .. M	722	22	5	14	19	65	62	125	195	215
	F	1,107	18	14	10	13	60	92	183	260	457
BE47	Motor vehicle accidents .. M	446	1	14	29	121	102	47	44	47	41
	F	162	1	8	10	12	19	13	15	34	50
BE48	All other accidents .. .. M	563	28	24	33	50	83	55	69	74	147
	F	603	24	8	8	5	24	20	30	89	395
BE49	Suicide and self-inflicted injury .. .. .. M	274	—	—	1	16	76	48	56	43	34
	F	254	—	—	—	5	50	59	67	53	20
BE50	Homicide and operations of war .. .. M	11	1	—	1	1	5	1	1	1	—
	F	9	—	—	—	2	4	1	1	1	—
BN47	Fractures, head injuries and internal injuries .. .. M	693	2	20	34	138	130	70	71	82	146
	F	531	4	9	12	15	24	18	23	74	352
BN48	Burns .. .. M	34	1	2	—	6	7	2	2	4	10
	F	35	4	2	5	—	1	1	3	4	15
BN49	Effects of poisons .. .. M	292	—	3	2	11	81	48	61	41	45
	F	335	—	—	—	6	56	62	71	71	69
BN50	All other injuries .. .. M	275	27	13	28	33	48	31	36	38	21
	F	127	17	5	1	3	16	12	16	28	29

TABLE 19—*continued*

Abbreviated List No.	Causes of death		Urban areas outside conurbations with populations under 50,000									
			Age									
			All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
	ALL CAUSES	M	61,785	2,037	274	333	646	2,145	4,536	11,515	17,360	22,939
		F	59,971	1,556	235	197	265	1,582	2,901	6,644	14,093	32,498
B1	Tuberculosis of respiratory system	M	382	—	—	—	1	31	55	116	129	50
		F	110	—	—	—	1	25	28	18	24	14
B2	Tuberculosis, other forms ..	M	38	1	3	2	2	3	10	11	3	3
		F	35	2	2	—	2	3	7	10	3	6
B3	Syphilis and its sequelae ..	M	103	—	—	—	—	4	13	23	39	24
		F	58	—	—	—	—	3	4	5	20	26
B4	Typhoid fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B5	Cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	M	8	2	—	2	—	—	1	1	—	2
		F	2	1	1	—	—	—	—	—	—	—
B7	Scarlet fever and streptococcal sore throat ..	M	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	1	—
B8	Diphtheria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B9	Whooping cough	M	6	4	2	—	—	—	—	—	—	—
		F	2	2	—	—	—	—	—	—	—	—
B10	Meningococcal infections ..	M	13	7	2	—	2	1	—	1	—	—
		F	7	2	2	—	—	1	—	—	2	—
B11	Plague	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	M	4	—	—	—	1	3	—	—	—	—
		F	2	—	1	1	—	—	—	—	—	—
B13	Smallpox	M	—	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	—	—	—	1	—	3
B14	Measles	M	4	—	1	3	—	—	—	—	—	—
		F	6	—	3	3	—	—	—	—	—	—
B15	Typhus and other rickettsial diseases	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic	M	110	16	11	5	1	11	9	26	15	16
		F	105	7	3	2	3	12	16	22	18	22
	Malignant neoplasm: (140-205)	M	11,151	3	32	50	67	382	1,175	2,994	3,659	2,789
		F	10,037	7	38	25	56	606	1,181	2,248	2,761	3,115
	stomach (151)	M	1,684	—	—	—	—	35	183	437	587	442
		F	1,300	—	—	—	—	33	72	223	377	595
	trachea, bronchus and lung (162, 163) ..	M	3,693	—	—	—	3	89	485	1,342	1,305	469
		F	646	—	—	—	—	45	91	197	175	138
B18	breast (170)	M	12	—	—	—	—	2	2	2	2	4
		F	1,976	—	—	—	1	145	363	504	519	444
	uterus (171-174)	F	876	—	—	—	—	91	154	224	219	188
	Leukaemia and aleukaemia (204)	M	290	1	20	16	18	27	37	67	60	44
		F	287	2	16	15	11	36	38	57	61	51
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	M	5,472	2	12	34	46	229	468	1,146	1,705	1,830
		F	4,952	5	22	10	44	256	463	1,043	1,410	1,699
B19	Benign and unspecified neoplasms	M	118	2	3	9	3	4	25	36	22	14
		F	137	1	2	4	5	20	26	30	27	22
B20	Diabetes mellitus	M	318	—	—	2	6	14	18	44	109	125
		F	537	1	1	2	3	21	12	74	188	235
B21	Anaemias	M	137	2	1	3	2	1	7	18	41	62
		F	253	—	1	1	3	4	6	20	75	143
B22	Vascular lesions affecting central nervous system ..	M	7,578	3	1	4	7	98	276	979	2,346	3,864
		F	11,025	—	—	4	8	126	303	950	2,725	6,909
B23	Non-meningococcal meningitis	M	47	18	6	1	2	4	2	5	7	2
		F	39	14	6	3	—	2	3	6	4	1
B24	Rheumatic fever	M	17	—	1	3	3	1	1	4	4	—
		F	12	—	—	2	—	4	1	2	3	—
B25	Chronic rheumatic heart disease	M	540	—	—	—	12	84	103	153	95	93
		F	900	—	—	1	6	84	185	237	212	175

TABLE 19—*continued*

Abbreviated List No.	Causes of death		Urban areas outside conurbations with populations under 50,000—*continued*									
			Age									
			All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) ..	M	13,687	—	—	—	4	397	1,367	3,427	4,518	3,974
		F	8,664	—	—	—	—	53	230	1,038	2,908	4,435
	Degenerative heart disease (421, 422)	M	4,642	1	—	—	2	25	60	267	904	3,383
		F	7,330	—	—	—	1	14	36	164	1,025	6,090
B27	Other diseases of heart ..	M	1,399	1	2	1	4	20	69	188	438	676
		F	1,877	2	3	—	4	15	37	129	453	1,234
B28	Hypertension with heart disease	M	896	—	—	—	—	14	36	154	305	387
		F	1,372	—	—	—	—	9	26	135	404	798
B29	Hypertension without mention of heart	M	584	—	—	—	2	31	51	111	160	229
		F	641	—	1	—	3	5	31	63	183	355
B46 (Pt.)	Other circulatory diseases (450-468)	M	1,875	1	1	—	7	28	72	219	469	1,078
		F	2,322	1	1	—	5	24	50	155	452	1,634
B30	Influenza	M	345	6	2	3	3	16	23	53	68	171
		F	440	4	5	2	3	10	13	37	85	281
B31	Pneumonia	M	2,784	186	43	27	19	57	92	286	596	1,478
		F	3,059	146	38	15	9	32	60	168	565	2,026
B32	Bronchitis	M	4,545	40	7	3	6	53	226	1,005	1,655	1,550
		F	1,833	33	8	3	2	20	73	179	497	1,018
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	930	10	9	5	9	29	87	242	314	225
		F	396	9	4	6	2	19	37	49	74	196
B33	Ulcer of stomach and duodenum	M	665	—	—	—	1	24	57	138	213	232
		F	337	—	—	—	—	5	21	56	92	163
B34	Appendicitis	M	82	2	3	4	6	7	12	17	14	17
		F	57	—	—	5	4	4	5	5	13	21
B35	Intestinal obstruction and hernia	M	282	25	1	2	1	9	16	35	86	107
		F	333	13	1	1	1	3	20	46	88	160
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	229	40	23	2	5	14	14	27	46	58
		F	305	40	13	1	1	12	14	34	67	123
B37	Cirrhosis of liver	M	134	1	—	—	1	4	30	41	31	26
		F	125	—	—	1	2	8	18	35	39	22
B38	Nephritis and nephrosis ..	M	413	—	3	4	20	52	59	84	90	101
		F	404	—	—	4	10	46	39	60	94	151
B39	Hyperplasia of prostate ..	M	719	—	—	—	—	1	2	35	190	491
B40	Complications of pregnancy, childbirth and puerperium	F	56	—	—	—	6	50	—	—	—	—
B41	Congenital malformations ..	M	562	411	25	15	23	27	25	17	11	8
		F	568	411	39	27	12	25	18	22	10	4
B42	Birth injuries, postnatal asphyxia and atelectasis	M	492	492	—	—	—	—	—	—	—	—
		F	330	330	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	4	4	—	—	—	—	—	—	—	—
		F	4	4	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	100	100	—	—	—	—	—	—	—	—
		F	68	68	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified ..	M	518	518	—	—	—	—	—	—	—	—
		F	351	351	—	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	722	3	—	—	2	4	—	4	41	668
		F	1,331	1	—	—	—	1	2	1	32	1,294
B46 (Rem.)	All other diseases (Remainder 001-795) ..	M	1,741	61	27	50	41	129	165	325	412	531
		F	2,381	44	21	23	39	147	213	390	605	899
BE47	Motor vehicle accidents ..	M	876	3	26	60	236	200	96	96	73	86
		F	351	—	18	37	38	38	35	54	66	65
BE48	All other accidents	M	1,301	73	36	71	104	196	136	173	151	361
		F	1,321	56	21	19	20	46	59	89	191	820
BE49	Suicide and self-inflicted injury	M	654	—	—	—	38	163	143	156	97	57
		F	416	—	—	2	10	83	91	108	85	37
BE50	Homicide and operations of war	M	30	1	3	2	3	4	3	4	9	1
		F	27	6	2	3	6	2	1	4	2	1
BN47	Fractures, head injuries and internal injuries	M	1,503	9	28	72	258	295	162	179	150	350
		F	1,164	6	19	40	40	45	45	86	171	712
BN48	Burns	M	54	—	5	4	2	7	5	9	8	14
		F	107	2	7	6	5	4	9	3	19	52
BN49	Effects of poisons	M	579	2	6	5	36	133	121	115	87	74
		F	559	1	6	3	13	89	100	119	110	118
BN50	All other injuries	M	725	66	26	52	85	128	90	126	85	67
		F	285	53	9	12	16	31	32	47	44	41

TABLE 19—*continued*

Abbreviated List No.	Causes of death		Rural districts — Age — All ages	Under 1 year	Years: 1–	5–	15–	25–	45–	55–	65–	75 and over
	ALL CAUSES	M	55,966	1,953	324	347	849	2,033	3,856	9,793	15,033	21,778
		F	50,762	1,391	229	242	253	1,433	2,569	5,646	11,746	27,253
B1	Tuberculosis of respiratory system	M	281	—	—	1	—	23	40	75	93	49
		F	93	—	1	—	1	21	16	23	17	14
B2	Tuberculosis, other forms	M	31	—	2	2	2	7	2	8	7	1
		F	11	—	—	—	—	—	2	3	1	5
B3	Syphilis and its sequelae	M	78	—	—	—	1	4	6	17	27	23
		F	53	—	—	—	—	—	5	10	18	20
B4	Typhoid fever	M	1	—	—	—	—	—	1	—	—	—
		F	2	—	—	—	—	—	—	1	1	—
B5	Cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	M	3	1	—	—	—	—	1	1	—	—
		F	1	—	—	—	—	1	—	—	—	—
B7	Scarlet fever and streptococcal sore throat	M	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	1	1	—	—	—	—	—
B8	Diphtheria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B9	Whooping cough	M	2	—	2	—	—	—	—	—	—	—
		F	2	1	—	1	—	—	—	—	—	—
B10	Meningococcal infections	M	12	2	3	1	1	2	1	1	1	—
		F	10	4	2	—	1	1	—	—	2	—
B11	Plague	M	1	—	—	—	—	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	M	2	—	1	—	—	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B13	Smallpox	M	2	—	—	—	—	—	1	1	—	—
		F	5	1	—	—	—	—	1	—	2	1
B14	Measles	M	4	1	2	1	—	—	—	—	—	—
		F	4	—	2	2	—	—	—	—	—	—
B15	Typhus and other rickettsial diseases	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	M	1	—	—	—	—	—	1	—	—	—
		F	1	—	—	—	—	—	—	1	—	—
B17	All other diseases classified as infective and parasitic	M	126	6	8	7	6	16	19	23	23	18
		F	113	7	8	5	2	19	15	18	19	20
B18	Malignant neoplasm: (140-205)	M	10,064	7	33	47	69	377	1,043	2,613	3,211	2,664
		F	8,453	5	31	47	36	548	1,103	1,761	2,365	2,557
	stomach (151)	M	1,508	—	—	—	1	37	115	388	507	460
		F	1,016	—	—	—	—	22	51	144	339	460
	trachea, bronchus and lung (162, 163)	M	3,167	—	—	—	—	90	445	1,137	1,095	400
		F	527	—	1	—	—	33	86	150	156	101
	breast (170)	M	19	—	—	—	—	2	3	5	2	7
		F	1,723	—	—	—	—	155	352	422	428	366
	uterus (171-174)	F	722	—	—	—	1	81	129	173	189	149
	Leukaemia and aleukaemia (204)	M	312	2	18	17	21	30	32	61	79	52
		F	268	2	15	15	10	36	32	40	72	46
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	M	5,058	5	15	30	47	218	448	1,022	1,528	1,745
		F	4,197	3	15	32	25	221	453	832	1,181	1,435
B19	Benign and unspecified neoplasms	M	112	3	1	3	1	18	22	27	23	14
		F	146	4	3	2	5	26	24	27	21	34
B20	Diabetes mellitus	M	285	—	—	1	1	13	16	52	83	119
		F	528	1	1	1	4	14	16	75	190	226
B21	Anaemias	M	108	1	3	1	1	3	3	10	35	51
		F	211	—	1	1	1	5	2	17	61	123
B22	Vascular lesions affecting central nervous system	M	6,702	3	1	3	9	88	228	853	1,980	3,537
		F	9,231	1	1	3	6	84	264	899	2,296	5,677
B23	Non-meningococcal meningitis	M	42	26	2	2	2	2	2	3	3	—
		F	37	13	3	2	—	2	5	6	4	2
B24	Rheumatic fever	M	11	—	—	2	1	—	1	1	5	1
		F	8	—	1	—	3	—	1	—	3	—
B25	Chronic rheumatic heart disease	M	445	—	—	—	4	70	80	115	107	69
		F	737	—	—	—	6	71	122	165	194	179

TABLE 19—*continued*

Abbreviated List No.	Causes of death		Rural districts—*continued* — Age — All ages	Under 1 year	Years: 1–	5–	15–	25–	45–	55–	65–	75 and over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420)	M	11,951	—	—	—	3	310	1,077	2,905	3,910	3,746
		F	7,027	1	—	—	2	47	199	893	2,309	3,576
	Degenerative heart disease (421, 422)	M	4,396	—	—	—	3	24	66	253	867	3,183
		F	6,088	—	—	—	2	15	30	167	839	5,035
B27	Other diseases of heart	M	1,492	2	2	2	6	18	61	149	401	851
		F	1,598	2	1	—	—	21	35	117	352	1,070
B28	Hypertension with heart disease	M	848	—	—	—	1	3	37	141	282	384
		F	1,238	—	—	—	—	6	26	109	375	722
B29	Hypertension without mention of heart	M	490	—	—	—	—	32	48	93	119	198
		F	525	—	—	—	2	12	33	58	130	290
B46 (Pt.)	Other circulatory diseases (450-468)	M	1,876	2	—	—	5	23	57	185	464	1,140
		F	2,102	1	1	—	3	42	56	138	393	1,468
B30	Influenza	M	336	1	1	7	8	12	20	44	94	149
		F	390	4	3	8	6	15	14	30	97	213
B31	Pneumonia	M	2,765	171	41	27	30	58	98	284	564	1,492
		F	2,960	117	35	19	18	55	79	172	511	1,954
B32	Bronchitis	M	3,342	32	11	5	3	27	149	701	1,139	1,275
		F	1,325	31	11	3	—	15	38	134	327	766
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	777	13	10	7	2	27	72	186	240	220
		F	336	4	4	8	1	22	20	36	64	177
B33	Ulcer of stomach and duodenum	M	554	1	—	—	1	18	53	93	182	206
		F	282	1	—	—	—	6	20	29	68	158
B34	Appendicitis	M	88	1	6	3	4	7	15	12	22	18
		F	41	—	—	1	1	4	—	12	9	14
B35	Intestinal obstruction and hernia	M	316	21	1	—	3	10	14	47	84	136
		F	329	24	—	—	3	4	17	37	82	162
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	218	36	19	1	3	6	18	36	43	56
		F	241	19	9	2	4	9	13	30	57	98
B37	Cirrhosis of liver	M	154	3	—	1	—	12	21	39	47	31
		F	107	—	—	1	—	5	17	36	28	20
B38	Nephritis and nephrosis	M	361	2	2	4	18	43	44	77	75	96
		F	333	2	2	4	14	21	32	57	69	132
B39	Hyperplasia of prostate	M	660	—	—	—	—	—	3	26	141	490
B40	Complications of pregnancy, childbirth and puerperium	F	43	—	—	—	7	36	—	—	—	—
B41	Congenital malformations	M	546	390	33	28	20	32	17	16	5	5
		F	515	365	30	26	7	22	17	23	14	11
B42	Birth injuries, postnatal asphyxia and atelectasis	M	522	522	—	—	—	—	—	—	—	—
		F	325	325	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	8	8	—	—	—	—	—	—	—	—
		F	1	1	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	88	88	—	—	—	—	—	—	—	—
		F	52	52	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified	M	483	483	—	—	—	—	—	—	—	—
		F	322	322	—	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	649	3	1	1	—	5	3	4	26	606
		F	1,036	2	—	—	1	—	2	2	32	997
B46 (Rem.)	All other diseases (Remainder 001-795)	M	1,705	64	37	54	57	130	139	291	395	538
		F	2,193	39	29	35	41	137	182	367	544	819
BE47	Motor vehicle accidents	M	1,189	2	31	64	408	249	129	132	97	77
		F	346	2	16	47	47	48	41	46	49	50
BE48	All other accidents	M	1,238	54	70	72	131	228	132	154	123	274
		F	1,059	38	29	22	16	37	48	72	152	645
BE49	Suicide and self-inflicted injury	M	572	—	—	—	41	124	114	124	111	58
		F	284	—	—	1	11	60	72	72	50	18
BE50	Homicide and operations of war	M	29	4	1	—	4	10	2	1	4	3
		F	16	2	5	—	1	2	2	3	1	—
BN47	Fractures, head injuries and internal injuries	M	1,820	9	38	88	453	344	205	225	184	274
		F	1,019	5	22	51	45	53	49	69	144	581
BN48	Burns	M	50	1	4	2	2	11	3	6	5	16
		F	90	2	3	6	5	7	6	10	15	36
BN49	Effects of poisons	M	342	2	6	1	31	82	64	69	46	41
		F	304	—	6	1	12	46	71	72	47	49
BN50	All other injuries	M	816	48	54	45	98	174	105	111	100	81
		F	292	35	19	12	13	41	37	42	46	47

TABLE 20. Suspended

TABLE 21. Causes of Death by Sex, 1962, classified in accordance with the Abridged List and Supplementary Abridged List (see statement below)

Note. Publication of Table 20 has been suspended. Instead, Table 21 has been enlarged to include a cause analysis according to the Registrar General's Abridged List as well as the Registrar General's Supplementary Abridged List, but with no age details. A further cause analysis by detail of age is given for England and Wales, standard regions, conurbations and national aggregates by type of area in Table 19.

All details which prior to this change appeared in Table 20 and also figures (based on the Registrar General's Abridged List, without age detail) for administrative areas not separately shown in Table 21 are available at the General Register Office.

THE ABRIDGED LIST OF CAUSES OF DEATH adopted by the Registrar General in consultation with the Ministry of Health, and its relation to the Detailed International Statistical Classification.

No.	Registrar General's List	ICD No.
1.	Tuberculosis, respiratory	001–008.
2.	Tuberculosis, other	010–019.
3.	Syphilitic disease	020–029.
4.	Diphtheria	055.
5.	Whooping cough	056.
6.	Meningococcal infections	057.
7.	Acute poliomyelitis	080.
8.	Measles	085.
9.	Other infective and parasitic diseases	030–054, 058–074, 081–084, 086–138.
10.	Malignant neoplasm, stomach	151.
11.	Malignant neoplasm, lung, bronchus	162, 163.
12.	Malignant neoplasm, breast	170.
13.	Malignant neoplasm, uterus	171–174.
14.	Other malignant and lymphatic neoplasms	140–150, 152–161, 164, 165, 175–203, 205.
15.	Leukaemia, aleukaemia	204.
16.	Diabetes	260.
17.	Vascular lesions of nervous system	330–334.
18.	Coronary disease, angina	420.
19.	Hypertension with heart disease	440–443.
20.	Other heart disease	410–416, 421–434.
21.	Other circulatory disease	444–468.
22.	Influenza	480–483.
23.	Pneumonia	490–493, 763.
24.	Bronchitis	500–502.
25.	Other diseases of respiratory system	470–475, 510–527.
26.	Ulcer of stomach and duodenum	540, 541.
27.	Gastritis, enteritis and diarrhoea	543, 571, 572, 764.
28.	Nephritis and nephrosis	590–594.
29.	Hyperplasia of prostate	610.
30.	Pregnancy, childbirth, abortion	640–689.
31.	Congenital malformations	750–759.
32.	Other defined and ill-defined diseases	210–254, 270–326, 340–402, 530–539, 542, 544–570, 573–587, 600–609, 611–637, 690–749, 760–762, 765–795.
33.	Motor vehicle accidents	E810–835.
34.	All other accidents	E800–802, 840–962.
35.	Suicide	E963, 970–979.
36.	Homicide and operations of war	E964, 965, 980–999.

England and Wales, standard regions, Wales, conurbations, London A.C., City of London, metropolitan and county boroughs, administrative counties

See also explanatory notes.

THE SUPPLEMENTARY LIST OF SUBDIVISIONS OF THE REGISTRAR GENERAL'S ABRIDGED LIST OF CAUSES OF DEATH and its relation to the Detailed International Statistical Classification

No.	Registrar General's Abridged List	ICD No.
9 (1)	Infectious hepatitis	092.
14 (1)	Malignant neoplasm, mouth and pharynx	140–148.
14 (2)	,, ,, oesophagus	150.
14 (3)	,, ,, intestine and rectum	152–154.
14 (4)	,, ,, larynx	161.
13 (1)	,, ,, cervix uteri	171.
14 (5)	,, ,, prostate	177.
14 (6)	,, ,, bladder	181·0, 181·8.
14 (7)	,, ,, bone (including jawbone)	196.
14 (8)	Lymphosarcoma, reticulosarcoma	200.
14 (9)	Hodgkin's disease	201.
32 (1)	Thyrotoxicosis	252.
32 (2)	Multiple sclerosis	345.
32 (3)	Rheumatic fever	400–402.
20 (1)	Chronic rheumatic heart disease	410–416.
21 (1)	Hypertension without mention of heart	444–447.
25 (1)	Pneumoconiosis and chronic interstitial pneumonia	523–525.
26 (1)	Ulcer of stomach	540.
32 (4)	Appendicitis	550–553.
32 (5)	Intestinal obstruction and hernia	560, 561 570.
32 (6)	Cirrhosis of liver	581.
32 (7)	Cholelithiasis, cholecystitis	584, 585.
30 (1)	Maternal sepsis (not abortion)	640, 641, 681, 682, 684
30 (2)	Toxaemias of pregnancy and puerperium	642, 685, 686.
30 (3)	Abortion	650–652.
32 (8)	Rheumatoid arthritis and allied conditions	722.
32 (9)	Birth injury	760, 761.
32 (10)	Postnatal asphyxia and atelectasis	762.
23 (1)	Pneumonia of newborn	763.
32 (11)	Ophthalmia, pemphigus, sepsis of newborn	765–768.
32 (12)	Haemolytic disease of newborn	770.
32 (13)	Immaturity (without other disease peculiar to early infancy)	774, 776.
32 (14)	Senility without psychosis	794.
32 (15)	Ill-defined and unknown cause	780–789, 790–793, 795.

TABLE 21—*continued.* England and Wales, standard regions and conurbations

Registrar General's Abridged List		England and Wales	Northern			East & West Ridings			North Western				North Midland	Midland		
			Total	Tyneside Conurbation	Remainder of Northern	Total	West Yorkshire Conurbation	Remainder of East and West Ridings	Total	S.E. Lancashire Conurbation	Merseyside Conurbation	Remainder of North Western		Total	West Midlands Conurbation	Remainder of Midland
1	Tuberculosis, respiratory	M	2,101	175	61	114	206	89	117	374	131	100	143	140	226	116	110
		F	673	48	16	32	58	21	37	103	42	26	35	45	65	39	26
2	Tuberculosis, other	M	181	9	3	6	20	10	10	25	12	8	5	13	22	14	8
		F	133	11	5	6	11	3	8	20	6	4	10	9	13	6	7
3	Syphilitic disease	M	509	41	16	25	40	21	19	77	32	12	33	36	41	15	26
		F	313	25	11	14	28	13	15	48	22	11	15	24	19	7	12
4	Diphtheria	M	2	—	—	—	1	1	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough	M	15	3	2	1	—	—	—	3	1	—	2	1	3	—	3
		F	9	2	1	1	1	—	1	1	—	1	—	—	1	—	1
6	Meningococcal infections	M	88	8	—	8	6	5	1	15	7	3	5	5	14	10	4
		F	50	3	—	3	6	4	2	8	3	1	4	5	8	7	1
7	Acute poliomyelitis	M	12	1	—	1	2	—	2	3	1	—	2	—	2	1	1
		F	6	—	—	—	1	1	—	2	1	—	1	—	—	—	—
8	Measles	M	20	1	—	1	4	2	2	6	3	—	3	3	1	1	—
		F	19	1	—	1	2	—	2	7	—	4	3	1	3	2	1
9	Other infective, etc., diseases	M	527	28	7	21	42	20	22	78	16	22	40	38	64	28	36
		F	513	28	4	24	44	17	27	80	31	12	37	33	63	22	41
10	Malignant neoplasm: stomach	M	7,722	628	171	457	715	304	411	1,262	464	244	554	569	711	355	356
		F	5,874	458	122	336	557	260	297	939	341	179	419	397	551	277	274
11	lung, bronchus	M	20,278	1,388	460	928	1,816	807	1,009	2,987	1,179	704	1,104	1,459	1,899	1,050	849
		F	3,501	212	70	142	298	141	157	504	185	125	194	212	287	155	132
12	breast	M	79	1	1	—	11	7	4	13	4	4	5	7	9	3	6
		F	9,351	496	124	372	791	353	438	1,301	506	251	544	670	876	447	429
13	uterus	F	4,015	272	74	198	348	160	188	647	256	115	276	324	386	171	215
14	Other malignant and lymphatic neoplasms	M	25,264	1,763	485	1,278	2,252	950	1,302	3,523	1,265	724	1,534	1,863	2,442	1,153	1,289
		F	22,817	1,498	415	1,083	1,951	841	1,110	3,330	1,220	720	1,390	1,626	2,038	1,018	1,020
15	Leukaemia, aleukaemia	M	1,392	97	18	79	131	49	82	182	70	31	81	94	110	48	62
		F	1,315	81	20	61	137	61	76	167	71	28	68	82	118	51	67
16	Diabetes	M	1,330	92	19	73	127	42	85	183	77	31	75	128	133	60	73
		F	2,481	186	45	141	239	107	132	371	126	74	171	172	235	104	131
17	Vascular lesions of nervous system	M	31,673	2,609	685	1,924	3,095	1,333	1,762	5,020	1,889	758	2,373	2,545	3,075	1,412	1,663
		F	46,624	3,375	818	2,557	4,397	1,968	2,429	7,337	2,745	1,221	3,371	3,491	4,225	2,047	2,178
18	Coronary disease, angina	M	62,686	4,843	1,244	3,599	6,068	2,785	3,283	9,623	3,312	1,885	4,426	4,377	5,456	2,577	2,879
		F	39,792	2,943	761	2,182	4,114	2,100	2,014	6,054	2,066	1,272	2,716	2,612	3,287	1,599	1,688
19	Hypertension with heart disease	M	4,266	266	75	191	326	137	189	622	209	125	288	406	453	233	220
		F	6,265	398	122	276	596	237	359	910	303	201	406	518	610	296	314
20	Other heart disease	M	27,295	1,796	424	1,372	2,369	1,009	1,360	4,135	1,532	627	1,976	2,429	2,696	1,233	1,463
		F	42,752	2,529	626	1,903	3,620	1,543	2,077	6,818	2,642	1,099	3,077	3,467	3,979	1,897	2,082
21	Other circulatory disease	M	11,157	776	215	561	975	365	610	1,563	610	194	759	896	965	424	541
		F	14,004	810	217	593	1,333	571	762	2,050	872	285	893	1,020	1,071	470	601
22	Influenza	M	1,511	96	11	85	107	26	81	386	186	45	155	93	202	78	124
		F	1,797	75	17	58	112	33	79	464	211	63	190	110	236	92	144
23	Pneumonia	M	14,942	941	233	708	1,390	648	742	2,193	814	532	847	993	1,523	748	775
		F	16,730	886	235	651	1,514	750	764	2,527	888	731	908	1,125	1,609	807	802
24	Bronchitis	M	23,351	1,546	497	1,049	2,485	1,021	1,464	4,232	1,828	870	1,534	1,838	2,480	1,365	1,115
		F	9,942	522	173	349	1,093	496	597	2,043	993	397	653	684	1,016	560	456
25	Other diseases of respiratory system	M	3,589	250	63	187	285	92	193	500	171	80	249	285	379	146	233
		F	1,695	118	34	84	130	51	79	251	92	62	97	160	149	74	75
26	Ulcer of stomach and duodenum	M	3,095	223	57	166	256	122	134	469	166	89	214	234	294	159	135
		F	1,597	94	24	70	105	47	58	239	97	52	90	116	166	77	89
27	Gastritis, enteritis and diarrhoea	M	1,110	73	20	53	106	42	64	181	83	35	63	80	120	59	61
		F	1,509	80	25	55	155	70	85	254	106	54	94	104	141	71	70
28	Nephritis and nephrosis	M	1,769	136	31	105	177	75	102	265	77	56	132	138	171	84	87
		F	1,654	132	35	97	188	73	115	248	83	44	121	145	146	56	90
29	Hyperplasia of prostate	M	2,901	202	39	163	287	98	189	362	103	43	216	228	259	122	137
30	Pregnancy, childbirth, abortion	F	299	29	4	25	21	8	13	57	24	13	20	24	39	24	15
31	Congenital malformations	M	2,836	205	50	155	251	95	156	428	144	104	180	241	319	155	164
		F	2,590	203	36	167	234	103	131	410	145	106	159	212	285	137	148
32	Other defined and ill-defined diseases	M	19,641	1,469	358	1,111	1,810	767	1,043	3,147	1,123	622	1,402	1,518	1,917	935	982
		F	24,077	1,687	432	1,255	2,073	985	1,088	3,969	1,465	712	1,792	1,838	2,277	1,017	1,260
33	Motor vehicle accidents	M	4,522	310	76	234	426	167	259	598	237	99	262	424	518	199	319
		F	1,784	97	32	65	171	74	97	265	109	54	102	133	174	76	98
34	All other accidents	M	5,855	541	146	395	584	231	353	903	287	188	428	437	606	276	330
		F	5,838	486	133	353	648	248	400	917	310	208	399	403	626	293	333
35	Suicide	M	3,264	237	69	168	303	135	168	503	198	79	226	240	322	154	168
		F	2,325	108	35	73	186	95	91	364	151	53	160	155	203	118	85
36	Homicide, operations of war	M	171	12	3	9	22	14	8	27	14	2	11	9	22	10	12
		F	138	14	2	12	12	5	7	20	11	4	5	17	13	7	6

TABLE 21—*continued.* England and Wales, standard regions and conurbations

Registrar General's Supplementary Abridged List		England and Wales	Northern			East & West Ridings			North Western				North Midland	Midland		
			Total	Tyneside Conurbation	Remainder of Northern	Total	West Yorkshire Conurbation	Remainder of East and West Ridings	Total	S.E. Lancashire Conurbation	Merseyside Conurbation	Remainder of North Western		Total	West Midlands Conurbation	Remainder of Midland
9(1)	Infectious hepatitis	M	113	5	1	4	7	4	3	15	4	2	9	12	10	7	3
		F	168	12	3	9	16	4	12	26	11	5	10	6	18	7	11
14(1)	Malignant neoplasm, mouth and pharynx	M	1,061	77	18	59	103	45	58	164	62	35	67	71	115	52	63
		F	631	41	11	30	59	27	32	95	37	10	48	37	54	27	27
14(2)	Malignant neoplasm, oesophagus	M	1,391	86	17	69	113	38	75	230	79	52	99	104	139	63	76
		F	1,050	76	21	55	78	36	42	188	69	40	79	62	79	32	47
14(3)	Malignant neoplasm, intestine and rectum	M	6,767	494	151	343	617	255	362	971	353	203	415	517	679	334	345
		F	8,019	554	143	411	714	294	420	1,236	453	285	498	593	718	354	364
14(4)	Malignant neoplasm, larynx	M	626	37	12	25	53	19	34	91	36	24	31	42	73	33	40
		F	153	13	7	6	18	10	8	34	13	7	14	11	10	8	2
13(1)	Malignant neoplasm, cervix uteri	F	2,511	184	54	130	231	111	120	421	178	76	167	206	245	101	144
14(5)	Malignant neoplasm, prostate	M	3,820	260	66	194	292	128	164	498	163	90	245	304	320	145	175
14(6)	Malignant neoplasm, bladder	M	2,323	146	37	109	216	96	120	326	124	73	129	167	221	115	106
		F	941	50	13	37	72	33	39	143	44	33	66	70	91	50	41
14(7)	Malignant neoplasm, bone (including jaw-bone)	M	322	31	7	24	27	12	15	55	20	13	22	23	37	21	16
		F	259	17	3	14	25	13	12	49	18	8	23	16	21	8	13
14(8)	Lymphosarcoma, reticulosarcoma	M	613	37	14	23	59	23	36	72	25	18	29	32	51	20	31
		F	473	25	11	14	38	16	22	44	14	11	19	30	44	20	24
14(9)	Hodgkin's disease	M	550	44	14	30	46	19	27	78	29	15	34	41	59	23	36
		F	352	20	1	19	38	16	22	62	35	11	16	21	24	13	11
32(1)	Thyrotoxicosis	M	64	5	1	4	1	1	—	10	2	1	7	5	9	5	4
		F	277	15	3	12	21	8	13	49	19	10	20	20	35	15	20
32(2)	Multiple sclerosis	M	308	25	10	15	27	10	17	55	20	10	25	18	29	12	17
		F	518	29	11	18	51	17	34	80	32	11	37	39	54	26	28
32(3)	Rheumatic fever	M	62	5	1	4	5	2	3	8	1	—	7	10	8	5	3
		F	44	2	1	1	2	1	1	4	—	2	2	3	1	1	—
20(1)	Chronic rheumatic heart disease	M	2,529	173	53	120	241	93	148	381	145	65	171	197	266	148	118
		F	4,783	308	99	209	471	207	264	851	333	183	335	318	495	275	220
21(1)	Hypertension without mention of heart	M	2,599	156	43	113	203	73	130	318	118	42	158	212	248	133	115
		F	3,022	166	54	112	217	87	130	362	122	67	173	206	257	119	138
25(1)	Pneumoconiosis and chronic interstitial pneumonia	M	915	84	12	72	76	21	55	128	35	8	85	34	133	30	103
		F	141	5	1	4	11	—	11	25	12	11	2	5	24	5	19
26(1)	Ulcer of stomach	M	1,398	90	20	70	101	50	51	200	77	37	86	93	136	78	58
		F	978	56	14	42	59	22	37	132	50	30	52	65	102	45	57
32(4)	Appendicitis	M	347	29	2	27	32	10	22	49	16	5	28	21	33	18	15
		F	259	13	5	8	27	13	14	48	16	9	23	21	25	13	12
32(5)	Intestinal obstruction and hernia	M	1,445	94	26	68	136	59	77	187	80	34	73	118	164	87	77
		F	1,696	109	24	85	144	69	75	264	115	42	107	110	157	82	75
32(6)	Cirrhosis of liver	M	697	51	16	35	62	29	33	99	44	21	34	53	84	48	36
		F	605	50	12	38	55	28	27	94	41	15	38	45	64	39	25
32(7)	Cholelithiasis, cholecystitis	M	388	33	8	25	35	16	19	55	24	6	25	31	34	22	12
		F	798	62	12	50	78	39	39	123	44	20	59	53	79	38	41
30(1)	Maternal sepsis (not abortion)	F	46	5	1	4	5	—	5	12	3	1	8	2	4	2	2
30(2)	Toxaemias of pregnancy and puerperium	F	53	7	2	5	9	5	4	7	4	2	1	3	6	2	4
30(3)	Abortion	F	57	3	—	3	2	—	2	10	1	5	4	7	11	8	3
32(8)	Rheumatoid arthritis and allied conditions	M	230	14	3	11	24	8	16	48	29	4	15	15	18	10	8
		F	798	41	8	33	70	33	37	137	55	21	61	58	76	39	37
32(9)	Birth injury	M	1,175	85	27	58	115	38	77	220	84	63	73	85	150	77	73
		F	687	57	14	43	55	26	29	117	50	28	39	49	94	48	46
32(10)	Postnatal asphyxia and atelectasis	M	1,623	127	18	109	140	65	75	319	116	75	128	124	170	98	72
		F	1,052	82	10	72	82	37	45	205	81	48	76	77	107	57	50
23(1)	Pneumonia of newborn	M	470	33	8	25	46	24	22	82	27	21	34	45	58	22	36
		F	293	27	3	24	25	11	14	45	19	11	15	27	43	23	20
32(11)	Ophthalmia, pemphigus, sepsis of newborn	M	29	2	1	1	1	1	—	4	3	—	1	1	8	5	3
		F	30	2	—	2	—	—	—	3	—	2	1	3	5	5	—
32(12)	Haemolytic disease of newborn	M	191	7	2	5	22	8	14	28	9	8	11	15	21	11	10
		F	164	12	5	7	14	4	10	26	9	10	7	10	14	6	8
32(13)	Immaturity (without other disease peculiar to early infancy)	M	1,744	151	45	106	217	95	122	261	107	80	74	126	146	68	78
		F	1,243	103	33	70	127	55	72	199	73	48	78	87	108	42	66
32(14)	Senility without psychosis	M	2,125	175	29	146	170	65	105	466	130	23	313	219	190	56	134
		F	4,335	273	66	207	336	171	165	928	308	73	547	394	370	132	238
32(15)	Ill-defined and unknown cause	M	156	14	4	10	7	2	5	20	11	1	8	16	8	3	5
		F	141	13	3	10	9	5	4	20	5	4	11	17	10	5	5

TABLE 21—*continued.* Standard regions and conurbations. Urban and rural aggregates

Registrar General's Abridged List		Eastern	London & South Eastern			Southern	South Western	Wales			Conurbations	Areas outside conurbations			
			Total	Greater London	Remainder of South Eastern			Total	Wales I (South East)	Wales II (remainder)		Urban areas with populations of 100,000 and over	Urban areas with poplns. of 50,000 & under 100,000	Urban areas with populations under 50,000	Rural districts
1	Tuberculosis, respiratory	M	111	479	369	110	90	120	180	138	42	866	362	210	382	281
		F	40	185	144	41	33	48	48	34	14	288	113	69	110	93
2	Tuberculosis, other	M	13	35	22	13	9	17	18	15	3	69	32	11	38	31
		F	10	36	24	12	8	9	6	5	1	48	24	15	35	11
3	Syphilitic disease	M	43	144	114	30	28	35	24	17	7	210	73	45	103	78
		F	21	103	78	25	19	16	10	6	4	142	32	28	58	53
4	Diphtheria	M	—	—	—	—	—	—	1	1	—	1	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough	M	—	2	1	1	1	2	—	—	—	4	2	1	6	2
		F	1	1	1	—	—	2	—	—	—	3	—	2	2	2
6	Meningococcal infections	M	7	17	15	2	2	6	8	7	1	40	14	9	13	12
		F	1	7	5	2	3	4	5	3	2	20	7	6	7	10
7	Acute poliomyelitis	M	1	1	1	—	1	—	1	—	1	3	3	—	4	2
		F	—	2	1	1	—	—	1	1	—	3	—	1	2	—
8	Measles	M	2	2	2	—	—	1	—	—	—	8	4	—	4	4
		F	3	1	—	1	1	—	—	—	—	6	1	2	6	4
9	Other infective, etc., diseases	M	48	112	71	41	26	51	40	24	16	164	59	52	118	134
		F	38	116	81	35	33	39	39	34	5	167	66	44	112	124
10	Malignant neoplasm: stomach	M	562	1,692	1,249	443	385	572	626	427	199	2,787	1,078	665	1,684	1,508
		F	412	1,358	1,010	348	297	443	462	333	129	2,189	842	527	1,300	1,016
11	lung, bronchus	M	1,498	5,826	4,403	1,423	1,167	1,280	958	716	242	8,603	2,991	1,824	3,693	3,167
		F	259	1,159	870	289	214	229	127	80	47	1,546	439	343	646	527
12	breast	M	4	20	13	7	4	4	6	5	1	32	10	6	12	19
		F	728	2,666	1,907	759	538	762	523	355	168	3,588	1,202	862	1,976	1,723
13	uterus	F	287	931	665	266	241	330	249	182	67	1,441	610	366	876	722
14	Other malignant and lymphatic neoplasms	M	2,073	6,304	4,448	1,856	1,532	2,036	1,476	993	483	9,025	3,433	2,276	5,472	5,058
		F	1,753	6,145	4,320	1,825	1,384	1,834	1,258	832	426	8,534	3,070	2,064	4,952	4,197
15	Leukaemia, aleukaemia	M	96	386	265	121	93	120	83	54	29	481	185	124	290	312
		F	98	381	269	112	81	104	66	44	22	500	151	109	287	268
16	Diabetes	M	106	296	195	101	66	113	86	53	33	424	172	131	318	285
		F	192	583	420	163	140	202	161	118	43	876	336	204	537	528
17	Vascular lesions of nervous system	M	2,524	6,284	4,014	2,270	1,824	2,592	2,105	1,354	751	10,091	4,356	2,946	7,578	6,702
		F	3,779	10,322	6,498	3,824	2,806	3,926	2,966	1,949	1,017	15,297	6,641	4,430	11,025	9,231
18	Coronary disease, angina	M	4,722	15,036	10,924	4,112	3,758	4,683	4,120	2,971	1,149	22,727	8,657	5,664	13,687	11,951
		F	3,041	10,132	7,204	2,928	2,319	3,024	2,266	1,635	631	15,002	5,454	3,645	8,664	7,027
19	Hypertension with heart disease	M	278	908	641	267	285	392	330	257	73	1,420	720	382	896	848
		F	403	1,474	1,009	465	389	539	428	293	135	2,168	932	555	1,372	1,238
20	Other heart disease	M	1,864	5,943	3,746	2,197	1,728	2,699	1,636	1,128	508	8,571	3,325	2,485	6,581	6,333
		F	2,857	10,594	6,852	3,742	2,535	3,853	2,500	1,639	861	14,659	5,563	4,000	10,107	8,423
21	Other circulatory disease	M	794	2,802	1,999	803	635	1,308	713	496	217	3,807	1,546	979	2,459	2,366
		F	1,043	3,850	2,795	1,055	751	1,244	832	578	254	5,210	1,934	1,270	2,963	2,627
22	Influenza	M	100	231	157	74	86	114	96	60	36	503	221	106	345	336
		F	124	333	213	120	112	154	77	57	20	629	216	122	440	390
23	Pneumonia	M	1,310	3,849	2,723	1,126	1,004	1,055	684	500	184	5,698	2,052	1,464	2,879	2,849
		F	1,393	4,758	3,435	1,323	1,046	1,237	635	437	198	6,846	2,231	1,523	3,125	3,005
24	Bronchitis	M	1,278	5,532	4,284	1,248	1,115	1,268	1,577	1,262	315	9,865	3,572	2,027	4,545	3,342
		F	576	2,536	1,956	580	477	547	448	333	115	4,575	1,411	798	1,833	1,325
25	Other diseases of respiratory system	M	203	764	525	239	177	267	479	386	93	1,077	487	318	930	777
		F	127	443	286	157	86	133	98	75	23	599	197	167	396	336
26	Ulcer of stomach and duodenum	M	238	816	579	237	191	210	164	107	57	1,172	416	288	665	554
		F	121	496	332	164	87	113	60	37	23	629	206	143	337	282
27	Gastritis, enteritis and diarrhoea	M	77	237	163	74	71	86	79	52	27	402	140	109	233	226
		F	115	384	278	106	95	103	78	49	29	604	202	152	309	242
28	Nephritis and nephrosis	M	112	379	258	121	96	149	146	100	46	581	251	163	413	361
		F	110	343	232	111	87	121	134	91	43	523	243	151	404	333
29	Hyperplasia of prostate	M	234	630	427	203	168	293	238	147	91	832	412	278	719	660
30	Pregnancy, childbirth, abortion	F	13	68	57	11	13	16	19	11	8	130	38	32	56	43
31	Congenital malformations	M	194	669	507	162	166	197	166	122	44	1,055	393	280	562	546
		F	195	491	361	130	192	217	151	105	46	888	362	257	568	515
32	Other defined and ill-defined diseases	M	1,497	4,359	3,021	1,338	1,177	1,451	1,296	881	415	6,826	2,527	1,799	4,295	4,194
		F	1,767	5,631	3,971	1,660	1,440	1,932	1,463	1,012	451	8,582	3,108	2,274	5,351	4,762
33	Motor vehicle accidents	M	379	950	651	299	321	366	230	153	77	1,429	582	446	876	1,189
		F	138	460	330	130	124	138	84	62	22	675	250	162	351	346
34	All other accidents	M	413	1,181	850	331	331	439	420	287	133	1,978	775	563	1,301	1,238
		F	433	1,246	803	443	351	403	325	213	112	1,995	860	603	1,321	1,059
35	Suicide	M	208	877	671	206	185	225	164	110	54	1,306	458	274	654	572
		F	162	747	571	176	163	140	97	69	28	1,023	348	254	416	284
36	Homicide, operations of war	M	12	38	28	10	7	12	10	7	3	71	30	11	30	29
		F	4	37	31	6	7	9	5	—	5	60	26	9	27	16

TABLE 21—*continued.* Standard regions and conurbations. Urban and rural aggregates

Registrar General's Supplementary Abridged List		Eastern	London & South Eastern			Southern	South Western	Wales			Conurbations	Areas outside conurbations			
			Total	Greater London	Remainder of South Eastern			Total	Wales I (South East)	Wales II (remainder)		Urban areas with populations of 100,000 and over	Urban areas with poplns. of 50,000 & under 100,000	Urban areas with populations under 50,000	Rural districts
9(1)	Infectious hepatitis	M	10	27	18	9	6	14	7	4	3	36	13	13	18	33
		F	13	45	31	14	7	19	6	4	2	61	18	11	45	33
14(1)	Malignant neoplasm, mouth and pharynx	M	77	235	169	66	62	89	68	42	26	381	141	100	229	210
		F	47	160	103	57	30	63	45	27	18	215	75	67	154	120
14(2)	Malignant neoplasm, oesophagus	M	99	339	245	94	81	109	91	58	33	494	159	130	279	329
		F	71	242	174	68	67	98	89	53	36	372	134	95	233	216
14(3)	Malignant neoplasm, intestine and rectum	M	586	1,571	1,079	492	392	532	408	265	143	2,375	916	602	1,523	1,351
		F	601	2,074	1,450	624	471	616	442	302	140	2,979	1,101	722	1,744	1,473
14(4)	Malignant neoplasm, larynx	M	40	151	104	47	49	49	41	29	12	228	103	65	132	98
		F	5	40	30	10	3	9	10	6	4	75	16	10	29	23
13(1)	Malignant neoplasm, cervix uteri	F	179	535	384	151	143	205	162	117	45	904	387	228	556	436
14(5)	Malignant neoplasm, prostate	M	331	962	633	329	272	364	217	147	70	1,225	498	357	863	877
14(6)	Malignant neoplasm, bladder	M	185	614	443	171	149	184	115	77	38	888	296	216	506	417
		F	64	288	209	79	60	68	35	25	10	382	134	92	199	134
14(7)	Malignant neoplasm, bone (including jaw-bone)	M	25	74	50	24	13	16	21	17	4	123	57	22	69	51
		F	16	64	43	21	14	17	20	12	8	93	30	19	67	50
14(8)	Lymphosarcoma, reticulosarcoma	M	49	190	133	57	29	60	34	24	10	233	75	55	133	117
		F	35	150	107	43	42	47	18	15	3	179	59	42	113	80
14(9)	Hodgkin's disease	M	39	141	97	44	30	37	35	20	15	197	59	57	106	131
		F	22	93	62	31	14	33	25	16	9	138	41	26	85	62
32(1)	Thyrotoxicosis	M	3	17	7	10	1	8	5	4	1	17	10	1	20	16
		F	14	57	35	22	14	25	27	21	6	90	44	25	55	63
32(2)	Multiple sclerosis	M	35	69	50	19	14	25	11	7	4	112	51	30	77	38
		F	36	129	94	35	39	40	21	16	5	191	65	62	113	87
32(3)	Rheumatic fever	M	5	14	9	5	2	1	4	4	—	18	12	4	17	11
		F	7	12	10	2	3	4	6	4	2	15	7	2	12	8
20(1)	Chronic rheumatic heart disease	M	141	652	504	148	128	174	176	134	42	1,008	330	206	540	445
		F	293	1,224	966	258	234	291	298	220	78	2,063	698	385	900	737
21(1)	Hypertension without mention of heart	M	167	745	573	172	133	238	179	123	56	982	342	201	584	490
		F	201	980	768	212	169	249	215	147	68	1,217	392	247	641	525
25(1)	Pneumoconiosis and chronic interstitial pneumonia	M	23	100	85	15	19	46	272	236	36	191	151	67	268	238
		F	9	40	30	10	9	3	10	6	4	59	17	14	27	24
26(1)	Ulcer of stomach	M	117	398	285	113	86	103	74	47	27	547	198	120	299	234
		F	78	312	203	109	57	72	45	24	21	364	146	80	219	169
32(4)	Appendicitis	M	30	81	56	25	19	26	27	16	11	107	38	32	82	88
		F	18	71	54	17	10	17	9	5	4	110	27	24	57	41
32(5)	Intestinal obstruction and hernia	M	114	339	230	109	92	115	86	52	34	516	194	137	282	316
		F	127	465	333	132	95	138	87	47	40	665	221	148	333	329
32(6)	Cirrhosis of liver	M	40	168	113	55	40	48	52	39	13	271	74	64	134	154
		F	38	150	99	51	36	31	42	35	7	234	81	58	125	107
32(7)	Cholelithiasis, cholecystitis	M	25	93	61	32	22	35	25	18	7	137	49	28	85	89
		F	51	184	133	51	48	63	57	37	20	286	100	75	182	155
30(1)	Maternal sepsis (not abortion)	F	2	7	5	2	—	4	5	3	2	12	7	4	14	9
30(2)	Toxaemias of pregnancy and puerperium	F	2	7	4	3	3	4	5	2	3	19	7	8	11	8
30(3)	Abortion	F	2	17	17	—	2	1	2	2	—	31	9	5	6	6
32(8)	Rheumatoid arthritis and allied conditions	M	14	60	44	16	4	14	19	12	7	98	28	18	48	38
		F	72	176	123	53	40	66	62	43	19	279	95	92	186	146
32(9)	Birth injury	M	80	242	187	55	69	76	53	41	12	476	147	118	216	218
		F	56	143	109	34	37	43	36	27	9	275	96	64	120	132
32(10)	Postnatal asphyxia and atelectasis	M	110	348	279	69	103	102	80	53	27	651	225	167	276	304
		F	85	223	179	44	56	75	60	44	16	412	141	96	210	193
23(1)	Pneumonia of newborn	M	25	97	73	24	28	22	34	30	4	175	69	47	95	84
		F	10	61	45	16	17	14	24	20	4	112	44	26	66	45
32(11)	Ophthalmia, pemphigus, sepsis of newborn	M	2	4	4	—	1	2	4	4	—	14	2	4	5	4
		F	2	7	7	—	3	2	3	2	1	14	3	4	2	7
32(12)	Haemolytic disease of newborn	M	24	45	36	9	12	9	8	4	4	74	26	22	31	38
		F	19	33	29	4	11	14	11	7	4	63	24	13	26	38
32(13)	Immaturity (without other disease peculiar to early infancy)	M	128	377	281	96	92	107	139	110	29	676	261	142	358	307
		F	82	298	224	74	82	83	74	59	15	475	186	119	251	212
32(14)	Senility without psychosis	M	162	280	144	136	91	211	161	102	59	447	178	206	686	608
		F	310	737	442	295	224	486	277	177	100	1,192	424	410	1,305	1,004
32(15)	Ill-defined and unknown cause	M	12	44	29	15	12	7	16	11	5	50	17	12	36	41
		F	14	32	24	8	6	9	11	6	5	46	18	19	26	32

TABLE 21—*continued.* **London A.C., City of London, metropolitan boroughs**

Registrar General's Abridged List		London Administrative County	City of London	Battersea	Bermondsey	Bethnal Green	Camberwell	Chelsea	Deptford	Finsbury	Fulham	Greenwich	Hackney	Hammersmith	Hampstead
1	Tuberculosis, respiratory	M	189	1	9	4	2	6	2	3	1	4	3	10	6	2
		F	63	—	3	—	1	2	—	2	2	—	2	1	2	2
2	Tuberculosis, other	M	12	—	—	—	—	—	1	1	1	—	—	1	—	—
		F	15	—	—	—	1	—	1	—	—	2	1	1	1	1
3	Syphilitic disease	M	48	—	1	2	—	2	—	2	—	1	1	1	—	2
		F	30	—	—	1	1	1	—	—	—	—	—	—	—	—
4	Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough	M	1	—	—	—	—	—	—	—	—	—	1	—	—	—
		F	1	—	—	—	—	—	—	—	—	—	—	—	—	—
6	Meningococcal infections	M	9	—	—	—	—	1	—	—	—	1	—	—	—	—
		F	3	—	—	—	—	—	1	—	—	—	—	—	—	—
7	Acute poliomyelitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—	—	—	—	—
8	Measles	M	1	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	Other infective, etc., diseases	M	31	—	1	—	—	2	—	2	1	1	1	2	2	—
		F	30	—	1	1	1	—	—	—	—	1	—	3	—	2
10	Malignant neoplasm: stomach	M	535	1	21	10	9	23	6	14	10	24	16	24	18	7
		F	392	—	12	5	6	34	8	7	4	9	14	24	18	13
11	lung, bronchus	M	1,801	6	66	29	31	112	22	31	19	65	48	85	72	38
		F	356	—	10	3	5	14	10	5	5	12	12	12	10	13
12	breast	M	4	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	720	1	30	17	15	29	6	17	1	21	22	40	24	28
13	uterus	F	277	—	8	4	2	16	8	6	2	7	5	16	8	8
14	Other malignant and lymphatic neoplasms	M	1,774	4	49	34	31	96	39	37	13	68	48	96	70	43
		F	1,709	1	51	25	25	93	24	27	23	71	41	104	57	70
15	Leukaemia, aleukaemia	M	104	1	5	4	1	4	2	2	—	3	3	—	5	4
		F	115	—	5	—	—	11	4	—	2	5	—	8	2	6
16	Diabetes	M	68	1	6	1	1	2	1	—	3	—	—	3	4	4
		F	181	—	4	2	1	6	3	1	5	7	2	16	5	3
17	Vascular lesions of nervous system	M	1,502	1	67	25	16	77	29	37	17	67	45	57	45	29
		F	2,400	—	116	28	24	127	56	42	22	99	51	114	81	68
18	Coronary disease, angina	M	4,246	3	145	61	72	207	63	117	41	138	101	230	150	159
		F	2,947	1	88	44	58	164	49	46	26	97	69	162	94	104
19	Hypertension with heart disease	M	247	—	3	6	1	26	2	7	—	8	10	10	5	4
		F	376	—	11	6	7	16	6	7	2	9	10	16	14	11
20	Other heart disease	M	1,530	—	49	27	12	67	36	36	12	64	53	58	56	20
		F	2,610	—	116	33	22	100	74	53	21	81	71	127	70	63
21	Other circulatory disease	M	771	—	15	18	4	43	12	7	9	38	13	44	21	14
		F	1,155	—	34	26	18	68	23	27	9	45	13	70	36	31
22	Influenza	M	63	—	2	—	1	—	1	—	1	1	1	4	—	2
		F	81	—	8	—	—	4	3	2	—	—	1	2	7	3
23	Pneumonia	M	1,233	5	48	11	30	68	26	27	19	37	37	44	32	26
		F	1,410	3	53	12	23	100	43	29	15	37	33	56	42	37
24	Bronchitis	M	1,979	2	63	29	48	101	30	46	29	75	64	130	78	35
		F	946	1	34	18	19	53	14	24	15	39	28	46	22	21
25	Other diseases of respiratory system	M	228	1	8	8	2	11	4	4	1	8	2	10	9	5
		F	125	—	3	3	1	6	4	2	—	6	4	5	3	3
26	Ulcer of stomach and duodenum	M	232	—	8	2	2	11	3	5	1	11	6	17	6	4
		F	139	—	9	2	3	4	1	4	2	7	2	8	4	3
27	Gastritis, enteritis and diarrhoea	M	71	—	2	1	1	6	1	2	—	1	—	4	3	1
		F	130	—	5	2	5	4	1	3	3	6	2	8	8	2
28	Nephritis and nephrosis	M	114	—	3	1	3	5	—	1	2	2	6	10	—	3
		F	93	—	2	5	3	6	—	4	—	3	2	3	4	4
29	Hyperplasia of prostate	M	142	1	11	2	1	7	2	5	1	8	4	4	5	4
30	Pregnancy, childbirth, abortion	F	33	—	1	—	—	2	—	1	—	—	—	5	3	—
31	Congenital malformations	M	215	—	6	8	3	17	7	2	5	7	5	8	3	4
		F	148	—	2	4	1	4	4	5	1	5	5	8	5	3
32	Other defined and ill-defined diseases	M	1,294	—	42	19	21	57	19	31	12	57	30	65	62	26
		F	1,643	1	42	17	17	84	29	40	15	60	31	77	59	55
33	Motor vehicle accidents	M	244	1	12	3	2	14	1	7	—	4	10	11	11	10
		F	152	—	7	—	3	6	2	4	1	5	5	7	3	8
34	All other accidents	M	412	1	19	11	6	17	5	7	7	10	11	15	11	11
		F	336	—	13	5	1	13	9	5	3	13	6	10	14	5
35	Suicide	M	342	1	9	7	3	16	5	6	1	17	9	12	12	10
		F	247	1	6	2	—	15	6	4	2	7	5	9	5	16
36	Homicide, operations of war	M	22	—	—	—	—	1	—	1	—	1	—	3	—	—
		F	18	—	1	—	—	1	—	—	—	—	—	—	—	—

TABLE 21—*continued.* **London A.C., City of London, metropolitan boroughs**

Registrar General's Supplementary Abridged List		London Administrative County	City of London	Battersea	Bermondsey	Bethnal Green	Camberwell	Chelsea	Deptford	Finsbury	Fulham	Greenwich	Hackney	Hammersmith	Hampstead
9(1)	Infectious hepatitis	M	5	—	1	—	—	—	—	—	—	—	1	2	—	—
		F	14	—	1	1	1	—	—	—	—	—	—	2	—	2
14(1)	Malignant neoplasm, mouth and pharynx	M	77	—	5	1	2	6	4	1	1	1	1	3	3	—
		F	47	—	3	2	1	2	1	—	—	—	—	4	1	2
14(2)	Malignant neoplasm, oesophagus	M	108	1	3	1	4	6	7	3	2	3	4	4	3	3
		F	74	—	3	1	—	2	1	—	—	4	—	3	5	2
14(3)	Malignant neoplasm, intestine and rectum	M	408	—	13	6	7	20	10	10	1	17	13	25	19	13
		F	555	1	18	9	12	29	7	6	6	28	9	39	23	19
14(4)	Malignant neoplasm, larynx	M	48	1	3	1	1	4	1	3	—	3	1	3	1	1
		F	13	—	—	—	—	2	—	1	—	—	—	1	1	—
13(1)	Malignant neoplasm, cervix uteri	F	167	—	6	1	1	11	4	2	2	5	3	8	5	4
14(5)	Malignant neoplasm, prostate	M	250	—	6	10	7	14	4	8	3	13	11	12	6	5
14(6)	Malignant neoplasm, bladder	M	179	—	1	3	2	9	4	4	1	5	3	6	13	2
		F	88	—	1	—	2	2	2	5	—	2	3	6	6	3
14(7)	Malignant neoplasm, bone (including jaw-bone)	M	15	—	—	1	—	—	—	1	—	1	—	1	—	—
		F	14	—	2	—	—	1	1	—	—	—	—	—	—	1
14(8)	Lymphosarcoma, reticulosarcoma	M	60	—	3	1	—	1	1	3	—	2	1	4	3	3
		F	42	—	2	1	—	—	—	—	1	1	2	3	1	2
14(9)	Hodgkin's disease	M	40	—	1	—	2	3	1	—	1	2	1	6	2	—
		F	26	—	—	1	—	3	1	—	—	1	1	1	1	2
32(1)	Thyrotoxicosis	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—
		F	14	—	—	—	—	—	—	—	—	—	1	—	1	1
32(2)	Multiple sclerosis	M	17	—	1	—	1	—	—	—	—	—	—	1	—	—
		F	45	—	3	—	1	—	—	—	—	3	—	1	1	1
32(3)	Rheumatic fever	M	5	—	—	—	—	2	—	—	—	—	—	1	—	—
		F	7	—	1	—	—	—	—	1	—	1	—	—	—	—
20(1)	Chronic rheumatic heart disease	M	247	—	7	7	4	19	6	1	3	10	8	9	10	3
		F	417	—	18	9	9	18	4	9	5	11	12	28	11	16
21(1)	Hypertension without mention of heart	M	233	—	5	—	1	20	5	1	2	12	4	10	10	7
		F	349	—	9	14	7	17	4	3	—	14	5	6	15	10
25(1)	Pneumoconiosis and chronic interstitial pneumonia	M	39	—	2	1	—	—	—	1	—	1	—	—	1	2
		F	11	—	—	—	—	1	—	—	—	—	—	—	—	1
26(1)	Ulcer of stomach	M	111	—	4	2	—	5	2	1	1	5	4	10	3	2
		F	82	—	3	2	3	1	—	3	2	6	1	3	2	2
32(4)	Appendicitis	M	24	—	—	—	—	1	—	1	—	2	1	—	1	—
		F	23	—	1	—	—	1	1	—	2	2	2	1	—	—
32(5)	Intestinal obstruction and hernia	M	94	—	2	2	3	1	2	3	1	3	2	3	3	3
		F	141	—	4	1	—	9	—	5	—	5	1	11	6	6
32(6)	Cirrhosis of liver	M	57	—	1	—	—	2	—	1	—	4	2	1	1	—
		F	36	—	1	—	—	—	—	—	1	1	1	2	—	2
32(7)	Cholelithiasis, cholecystitis	M	25	—	1	1	1	—	—	—	—	—	—	—	5	1
		F	49	—	—	1	1	2	1	2	2	—	1	—	3	2
30(1)	Maternal sepsis (not abortion)	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—
30(2)	Toxaemias of pregnancy and puerperium	F	2	—	—	—	—	—	—	—	—	—	—	1	—	—
30(3)	Abortion	F	12	—	1	—	—	2	—	1	—	—	—	—	1	—
32(8)	Rheumatoid arthritis and allied conditions	M	13	—	1	—	—	1	1	—	—	—	—	—	—	—
		F	37	—	1	1	1	1	1	2	1	1	2	1	1	3
32(9)	Birth injury	M	102	—	4	2	2	5	2	—	3	7	3	9	4	2
		F	51	—	2	—	—	2	1	1	2	2	1	5	3	—
32(10)	Postnatal asphyxia and atelectasis	M	131	—	3	2	2	6	—	4	1	5	2	11	6	1
		F	97	—	—	—	3	7	—	1	2	3	4	8	6	4
23(1)	Pneumonia of newborn	M	36	—	—	—	—	1	1	1	—	1	—	1	2	1
		F	23	—	—	—	1	1	1	—	—	1	2	—	2	—
32(11)	Ophthalmia, pemphigus, sepsis of newborn	M	1	—	—	—	—	—	—	—	—	—	1	—	—	—
		F	3	—	—	—	—	1	—	—	—	—	—	1	—	—
32(12)	Haemolytic disease of newborn	M	12	—	1	—	—	2	—	—	—	—	1	1	1	—
		F	9	—	—	—	—	1	—	—	—	1	1	1	—	—
32(13)	Immaturity (without other disease peculiar to early infancy)	M	125	—	6	2	1	10	—	4	1	3	7	2	8	1
		F	92	—	1	1	2	7	1	3	1	—	3	3	1	5
32(14)	Senility without psychosis	M	64	—	—	—	—	2	1	2	—	4	—	1	6	2
		F	202	—	3	—	—	10	5	5	—	8	—	5	5	2
32(15)	Ill-defined and unknown cause	M	16	—	—	—	1	—	—	—	—	1	—	—	2	—
		F	9	—	—	—	—	—	—	—	—	—	1	—	—	—

TABLE 21—*continued.* **Metropolitan boroughs**

Registrar General's Abridged List		Holborn	Islington	Kensington	Lambeth	Lewisham	Paddington	Poplar	St. Marylebone	St. Pancras	Shoreditch	Southwark	Stepney	Stoke Newington	Wandsworth	Westminster	Woolwich
1 Tuberculosis, respiratory	M	2	10	7	20	18	6	8	4	5	8	7	7	2	17	9	6
	F	1	3	4	2	4	3	—	3	1	1	1	5	1	9	5	3
2 Tuberculosis, other	M	1	1	—	1	1	—	—	—	1	—	1	—	—	—	1	1
	F	—	2	1	1	—	—	—	2	—	—	—	—	—	1	—	—
3 Syphilitic disease	M	1	4	2	3	4	1	1	1	4	1	1	3	1	4	1	4
	F	—	2	—	3	3	—	—	—	3	—	2	2	—	6	3	3
4 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
6 Meningococcal infections	M	—	—	—	2	1	—	—	—	1	—	—	2	—	1	—	—
	F	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
7 Acute poliomyelitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
8 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Other infective, etc., diseases	M	2	2	1	2	1	—	—	—	2	—	—	1	1	2	2	3
	F	1	1	—	1	4	—	2	—	—	—	—	1	—	11	—	—
10 Malignant neoplasm: stomach	M	6	47	25	36	34	21	16	7	19	7	18	18	8	55	11	24
	F	4	25	12	24	28	6	11	4	18	6	11	13	12	38	11	15
11 lung, bronchus	M	10	144	57	111	155	53	36	38	92	30	52	55	19	206	49	70
	F	3	22	18	27	19	17	5	4	19	5	11	11	6	46	18	14
12 breast	M	—	1	—	—	—	—	—	—	1	—	—	—	1	—	1	—
	F	7	38	43	48	54	34	12	28	17	5	18	10	10	86	31	28
13 uterus	F	3	12	21	27	17	13	6	12	9	2	6	4	4	39	3	9
14 Other malignant and lymphatic neoplasms	M	18	113	73	102	127	72	32	54	65	13	47	50	26	209	59	86
	F	17	122	104	98	100	50	37	50	52	24	62	45	24	203	50	59
15 Leukaemia, aleukaemia	M	2	7	6	3	8	1	3	6	4	—	2	4	1	20	—	3
	F	1	10	3	5	6	4	3	2	3	2	2	4	1	18	4	4
16 Diabetes	M	1	1	2	5	5	1	1	2	3	1	2	3	1	7	4	3
	F	1	10	10	11	18	2	6	5	7	3	7	10	7	20	3	6
17 Vascular lesions of nervous system	M	6	96	63	92	106	49	28	78	42	22	48	38	27	199	36	60
	F	13	150	138	146	182	75	40	85	79	31	58	42	26	361	53	93
18 Coronary disease, angina	M	25	269	175	265	290	151	82	133	159	57	111	126	82	494	129	211
	F	21	186	155	188	204	101	62	98	127	32	75	80	52	362	75	127
19 Hypertension with heart disease	M	—	18	7	20	22	6	12	13	7	3	3	9	2	19	9	15
	F	—	24	13	23	30	8	11	14	19	7	14	13	4	54	6	21
20 Other heart disease	M	8	80	51	89	103	32	24	58	44	13	89	50	18	302	29	50
	F	13	140	95	143	159	48	26	79	56	29	128	55	35	625	52	96
21 Other circulatory disease	M	5	42	37	61	62	38	10	24	20	10	33	24	13	88	34	32
	F	11	124	66	75	49	36	24	33	45	8	28	27	15	135	32	47
22 Influenza	M	1	5	7	4	4	2	1	2	1	1	4	5	—	11	—	2
	F	—	4	6	3	3	5	4	2	—	2	1	3	—	13	5	—
23 Pneumonia	M	10	85	47	105	62	30	26	25	68	15	50	68	16	127	25	64
	F	6	111	62	97	74	44	36	22	57	25	45	54	17	185	27	65
24 Bronchitis	M	9	135	45	146	147	49	44	54	71	54	86	97	33	165	37	77
	F	6	87	35	60	63	32	24	32	32	25	30	31	14	106	13	22
25 Other diseases of respiratory system	M	—	27	9	24	12	8	6	7	11	2	5	11	2	16	8	7
	F	1	13	4	5	14	1	4	3	4	—	6	5	—	15	4	6
26 Ulcer of stomach and duodenum	M	—	31	7	12	12	7	4	3	17	4	13	8	1	23	3	11
	F	2	17	4	6	8	7	5	3	6	1	3	4	—	14	3	7
27 Gastritis, enteritis and diarrhoea	M	2	6	2	5	1	6	1	3	2	1	4	1	2	9	1	3
	F	1	7	7	9	8	8	1	3	6	5	3	2	2	15	1	3
28 Nephritis and nephrosis	M	—	13	6	12	9	5	4	3	4	—	1	3	2	11	3	2
	F	—	6	3	7	12	1	2	1	5	3	1	2	—	11	—	3
29 Hyperplasia of prostate	M	1	5	4	4	10	3	3	3	7	6	4	1	3	19	8	6
30 Pregnancy, childbirth, abortion	F	—	3	1	5	2	3	—	—	1	—	1	—	2	2	—	1
31 Congenital malformations	M	4	16	6	16	15	15	5	5	8	3	9	5	3	16	5	9
	F	6	12	7	6	7	7	5	6	3	4	5	2	5	16	2	8
32 Other defined and ill-defined diseases	M	8	80	80	80	94	48	26	33	59	16	31	35	13	156	45	49
	F	12	103	90	118	95	59	42	39	57	21	42	36	25	266	46	65
33 Motor vehicle accidents	M	1	7	13	20	20	9	5	3	8	4	6	6	1	32	8	15
	F	—	14	7	7	8	5	3	3	3	2	5	3	5	23	5	8
34 All other accidents	M	2	32	28	24	26	18	13	11	24	5	11	13	4	33	18	19
	F	4	27	26	23	21	14	5	9	15	6	11	9	5	30	19	15
35 Suicide	M	5	16	31	32	16	14	4	13	23	3	10	10	4	30	14	9
	F	5	9	26	11	10	14	4	8	14	3	8	4	2	29	13	9
36 Homicide, operations of war	M	—	4	—	2	—	2	1	—	1	—	1	2	—	1	1	1
	F	—	—	4	2	2	2	1	2	—	—	—	1	—	—	1	1

TABLE 21—*continued.* **Metropolitan boroughs**

Registrar General's Supplementary Abridged List		Holborn	Islington	Kensington	Lambeth	Lewisham	Paddington	Poplar	St. Marylebone	St. Pancras	Shoreditch	Southwark	Stepney	Stoke Newington	Wandsworth	Westminster	Woolwich
9(1) Infectious hepatitis	M	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
	F	—	—	—	1	2	—	1	—	—	—	—	—	—	—	—	—
14(1) Malignant neoplasm, mouth and pharynx	M	—	3	4	5	8	2	2	2	2	—	2	2	1	7	5	4
	F	1	5	3	5	1	—	2	1	1	—	2	—	1	5	—	4
14(2) Malignant neoplasm, oesophagus	M	2	7	5	4	9	4	1	3	5	—	2	3	1	7	4	7
	F	1	3	4	2	4	6	1	2	5	3	3	2	2	12	—	3
14(3) Malignant neoplasm, intestine and rectum	M	1	16	9	31	25	17	6	9	16	2	7	13	11	49	14	28
	F	7	39	37	33	29	21	5	15	14	7	19	15	8	68	14	18
14(4) Malignant neoplasm, larynx	M	1	5	1	—	2	3	—	2	1	1	—	—	—	5	1	3
	F	—	1	1	—	—	2	1	—	—	—	1	1	—	—	1	—
13(1) Malignant neoplasm, cervix uteri	F	2	7	11	16	7	11	4	9	7	2	4	3	2	25	—	5
14(5) Malignant neoplasm, prostate	M	1	19	6	20	12	9	3	7	6	3	10	6	2	31	5	11
14(6) Malignant neoplasm, bladder	M	2	8	11	4	14	6	7	6	7	2	6	6	1	32	7	7
	F	—	7	7	5	3	1	3	3	1	2	4	2	2	8	3	5
14(7) Malignant neoplasm, bone (including jaw-bone)	M	—	1	4	—	2	—	—	—	1	—	—	—	—	—	1	2
	F	—	1	—	3	2	—	—	—	1	—	—	—	—	1	1	—
14(8) Lymphosarcoma, reticulosarcoma	M	1	4	2	2	3	3	—	1	2	2	2	1	2	5	3	5
	F	1	6	2	—	2	1	1	2	2	—	2	2	—	6	—	2
14(9) Hodgkin's disease	M	—	4	1	1	3	2	—	3	1	—	—	—	—	4	—	2
	F	—	2	1	1	1	1	1	—	—	1	—	—	1	4	2	—
32(1) Thyrotoxicosis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	2	—	—	—	1	—	—	1	—	5	—	1
32(2) Multiple sclerosis	M	—	1	—	2	2	2	—	—	1	—	—	—	—	6	—	—
	F	—	3	4	3	1	2	1	—	—	1	2	2	—	13	1	2
32(3) Rheumatic fever	M	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—
	F	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—	1
20(1) Chronic rheumatic heart disease	M	1	15	11	18	11	8	5	5	16	—	12	12	5	27	5	9
	F	5	48	16	27	20	8	4	9	14	5	15	11	8	44	11	22
21(1) Hypertension without mention of heart	M	1	23	12	20	12	6	3	7	5	3	11	9	2	23	12	7
	F	3	59	22	27	12	11	8	15	12	1	12	12	3	28	8	12
25(1) Pneumoconiosis and chronic interstitial pneumonia	M	—	6	1	5	—	4	1	3	5	—	3	—	—	2	—	1
	F	—	4	—	1	—	—	1	—	1	—	—	1	—	—	—	1
26(1) Ulcer of stomach	M	—	14	3	7	6	3	—	1	8	3	6	4	1	10	1	5
	F	1	11	1	4	6	4	2	1	3	1	2	3	—	9	2	4
32(4) Appendicitis	M	1	—	2	2	3	—	1	—	2	—	1	1	—	2	1	2
	F	—	—	2	—	1	—	—	—	3	—	1	2	—	2	—	2
32(5) Intestinal obstruction and hernia	M	2	6	7	3	7	4	4	2	5	1	7	4	3	5	2	4
	F	—	6	10	6	12	8	1	5	6	—	3	6	1	17	6	6
32(6) Cirrhosis of liver	M	—	5	3	6	2	6	—	2	3	—	—	3	—	6	7	2
	F	—	2	4	1	2	2	1	5	4	—	1	—	—	3	1	2
32(7) Cholelithiasis, cholecystitis	M	—	2	—	—	2	—	1	—	1	1	—	—	—	7	1	1
	F	—	7	2	3	3	1	2	1	3	1	—	1	—	6	1	3
30(1) Maternal sepsis (not abortion)	F	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30(2) Toxaemias of pregnancy and puerperium	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
30(3) Abortion	F	—	2	1	1	1	1	—	—	—	—	—	—	—	1	—	—
32(8) Rheumatoid arthritis and allied conditions	M	—	1	1	2	3	—	—	—	1	—	—	—	—	2	1	1
	F	—	2	1	2	1	—	2	—	—	3	1	—	1	7	—	1
32(9) Birth injury	M	1	—	6	9	6	7	4	—	2	—	2	4	—	13	3	2
	F	—	7	2	6	1	3	2	1	2	—	1	3	1	2	—	1
32(10) Postnatal asphyxia and atelectasis	M	—	19	10	8	8	4	2	2	10	2	—	5	1	6	3	8
	F	—	11	6	10	3	4	1	—	6	—	1	—	5	6	1	5
23(1) Pneumonia of newborn	M	—	6	1	5	—	5	—	—	3	—	—	—	1	6	1	—
	F	—	2	1	1	2	3	1	—	1	—	—	1	—	3	—	—
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
32(12) Haemolytic disease of newborn	M	—	1	—	1	2	—	—	—	—	—	1	—	—	1	—	—
	F	—	1	2	1	—	—	—	—	—	—	—	—	—	—	1	—
32(13) Immaturity (without other disease peculiar to early infancy)	M	—	3	12	4	8	8	—	1	6	1	7	2	1	21	3	3
	F	2	8	2	10	5	7	2	3	1	—	5	3	—	12	2	2
32(14) Senility without psychosis	M	—	2	5	2	7	—	1	2	—	—	—	—	—	22	3	2
	F	—	7	18	7	11	2	—	—	2	1	1	3	—	95	2	10
32(15) Ill-defined and unknown cause	M	—	—	3	—	2	1	1	1	1	—	—	—	—	—	—	1
	F	1	1	1	1	—	1	1	—	2	—	—	—	—	—	—	—

TABLE 21—*continued.* County boroughs

Registrar General's Abridged List		Barnsley	Barrow-in-Furness	Bath	Birkenhead	Birmingham	Blackburn	Blackpool	Bolton	Bootle	Bournemouth	Bradford	Brighton	Bristol	Burnley	Burton upon Trent	Bury
1 Tuberculosis, respiratory	M	15	4	2	10	48	6	11	7	13	5	23	8	14	3	3	1
	F	3	1	3	1	19	3	1	—	2	2	5	5	9	—	—	1
2 Tuberculosis, other	M	—	—	—	1	7	—	1	—	—	1	4	—	2	—	—	—
	F	—	1	—	—	2	1	—	—	—	1	—	1	4	1	—	—
3 Syphilitic disease	M	2	—	3	3	11	2	4	—	1	—	4	2	4	1	—	1
	F	—	—	—	1	3	—	—	—	2	1	—	2	2	—	—	1
4 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Meningococcal infections	M	—	—	—	—	3	—	1	1	1	1	1	1	1	—	—	—
	F	—	1	—	—	1	—	—	—	1	1	3	—	1	—	—	—
7 Acute poliomyelitis	M	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8 Measles	M	—	—	—	—	1	—	—	—	—	—	2	—	1	—	—	—
	F	1	—	—	—	2	—	—	—	1	—	—	—	—	—	—	—
9 Other infective, etc., diseases	M	—	—	1	2	10	2	3	2	—	1	5	3	4	1	1	—
	F	2	—	1	1	13	—	—	1	2	4	5	3	2	3	2	1
10 Malignant neoplasm: stomach	M	22	12	14	21	173	21	56	39	10	29	50	28	69	21	7	13
	F	6	10	11	21	136	14	35	34	9	28	38	31	57	14	4	8
11 lung, bronchus	M	16	35	28	68	518	50	80	85	25	85	143	88	188	31	27	27
	F	2	5	6	8	78	6	19	13	11	16	24	23	23	4	4	3
12 breast	M	—	—	—	—	1	—	1	—	—	1	3	—	1	—	—	—
	F	11	10	20	29	220	28	40	40	13	52	59	47	88	10	14	13
13 uterus	F	7	4	4	11	99	10	23	21	9	19	30	16	36	4	3	13
14 Other malignant and lymphatic neoplasms	M	27	26	52	80	562	61	116	81	43	109	157	110	227	50	33	35
	F	27	26	51	73	514	55	117	91	27	126	140	106	212	51	21	28
15 Leukaemia, aleukaemia	M	5	2	3	7	25	6	2	7	1	3	5	8	11	4	2	1
	F	1	1	5	1	29	2	2	3	1	8	9	8	12	4	—	3
16 Diabetes	M	3	—	1	3	29	3	4	8	1	5	11	6	13	2	1	2
	F	3	2	5	10	49	6	17	10	4	10	14	4	26	9	3	4
17 Vascular lesions of nervous system	M	56	55	58	94	680	119	175	135	39	135	255	173	300	65	44	57
	F	53	81	111	129	1,013	178	255	188	42	254	344	283	483	97	55	95
18 Coronary disease, angina	M	87	130	145	193	1,214	169	316	238	89	315	479	229	630	130	57	83
	F	61	51	83	140	795	150	211	148	50	223	415	186	388	102	29	54
19 Hypertension with heart disease	M	5	4	7	7	126	13	18	17	3	17	25	14	98	6	5	3
	F	8	4	12	9	144	21	17	27	7	24	39	26	104	10	8	13
20 Other heart disease	M	58	56	40	82	590	85	164	78	29	113	192	98	249	55	48	57
	F	78	81	88	124	1,017	120	241	118	37	250	280	231	402	99	59	87
21 Other circulatory disease	M	13	11	24	20	218	29	48	66	14	44	52	43	192	33	12	18
	F	12	10	37	27	238	35	61	67	25	61	113	59	278	32	11	37
22 Influenza	M	2	2	3	4	28	5	10	18	—	7	5	5	18	—	—	6
	F	3	1	8	7	42	7	7	15	—	9	7	4	15	1	1	2
23 Pneumonia	M	35	34	30	60	354	38	43	68	26	67	147	57	139	19	18	17
	F	25	26	50	48	454	50	36	54	29	72	180	67	158	22	10	19
24 Bronchitis	M	49	19	34	88	650	107	112	115	51	65	183	88	211	59	47	45
	F	21	11	11	32	287	44	31	61	22	36	98	43	87	28	15	22
25 Other diseases of respiratory system	M	5	1	16	11	64	8	13	10	4	8	18	12	24	9	4	3
	F	—	3	5	5	37	7	6	5	—	6	8	12	12	1	—	2
26 Ulcer of stomach and duodenum	M	4	4	7	9	85	11	12	10	7	15	11	21	31	8	3	5
	F	1	3	5	5	40	2	5	10	2	11	2	22	15	1	4	1
27 Gastritis, enteritis and diarrhoea	M	1	1	—	3	29	3	2	1	1	5	8	4	12	—	—	4
	F	7	1	2	4	40	7	2	3	2	7	17	10	10	2	—	2
28 Nephritis and nephrosis	M	2	2	4	6	38	2	14	6	2	5	12	6	11	5	1	—
	F	4	1	—	3	32	5	10	8	2	10	12	7	11	4	5	5
29 Hyperplasia of prostate	M	5	4	6	3	57	10	15	7	—	12	23	19	24	5	1	8
30 Pregnancy, childbirth, abortion	F	1	1	—	2	14	2	—	2	1	—	1	1	1	1	1	—
31 Congenital malformations	M	3	3	8	9	72	7	2	9	10	7	11	9	31	4	5	2
	F	4	5	1	12	65	1	10	7	3	11	12	4	31	4	1	—
32 Other defined and ill-defined diseases	M	29	21	32	74	465	54	66	79	31	62	146	86	152	84	23	25
	F	23	27	41	68	527	63	127	88	36	96	179	96	185	91	53	33
33 Motor vehicle accidents	M	5	4	5	12	96	12	17	16	5	10	36	11	45	5	3	6
	F	2	1	4	3	41	5	8	8	3	8	11	6	22	4	2	2
34 All other accidents	M	10	13	12	29	134	23	21	27	11	16	40	35	39	39	6	7
	F	9	9	16	20	167	22	22	37	12	42	37	42	36	13	3	19
35 Suicide	M	6	3	6	9	77	9	16	14	5	12	15	22	20	6	3	4
	F	2	3	2	4	57	12	15	7	2	19	11	21	22	9	2	6
36 Homicide, operations of war	M	1	—	—	—	8	2	1	1	1	1	3	—	1	—	—	—
	F	1	—	—	—	2	—	—	1	—	—	—	—	1	1	—	—

TABLE 21—*continued.* County boroughs

Registrar General's Supplementary Abridged List		Barnsley	Barrow-in-Furness	Bath	Birkenhead	Birmingham	Blackburn	Blackpool	Bolton	Bootle	Bournemouth	Bradford	Brighton	Bristol	Burnley	Burton upon Trent	Bury
9(1) Infectious hepatitis	M	—	—	1	—	3	1	1	—	—	—	—	2	1	—	—	—
	F	1	—	1	—	3	—	—	1	1	1	—	2	1	1	—	—
14(1) Malignant neoplasm, mouth and pharynx	M	2	—	3	4	24	—	4	2	5	3	7	4	8	1	3	4
	F	1	1	—	—	14	—	3	1	—	1	4	4	4	3	1	1
14(2) Malignant neoplasm, oesophagus	M	2	2	2	6	29	4	1	4	2	7	10	5	8	3	1	2
	F	—	2	5	5	14	2	6	3	2	11	7	6	5	2	—	1
14(3) Malignant neoplasm, intestine and rectum	M	9	8	14	18	178	17	46	19	11	23	34	32	54	13	11	9
	F	14	12	14	25	178	26	38	36	12	46	52	30	69	21	11	12
14(4) Malignant neoplasm, larynx	M	—	—	2	4	17	—	1	3	—	1	6	3	10	2	3	1
	F	—	—	—	1	4	—	1	—	—	—	1	2	—	2	—	—
13(1) Malignant neoplasm, cervix uteri	F	4	3	1	7	58	8	11	14	7	14	15	10	15	—	2	8
14(5) Malignant neoplasm, prostate	M	2	4	14	11	64	14	13	9	4	17	22	18	31	7	3	5
14(6) Malignant neoplasm, bladder	M	2	3	6	6	52	5	15	15	4	7	19	16	26	5	3	1
	F	2	1	1	4	30	5	4	7	1	6	5	1	11	1	1	2
14(7) Malignant neoplasm, bone (including jaw-bone)	M	—	—	—	2	10	1	2	1	2	1	1	1	4	1	1	2
	F	—	—	—	—	4	2	—	3	1	3	1	2	3	1	—	—
14(8) Lymphosarcoma, reticulosarcoma	M	1	—	3	2	10	1	1	4	—	2	6	2	5	2	—	—
	F	—	2	3	2	11	2	1	1	—	—	3	1	7	—	—	—
14(9) Hodgkin's disease	M	—	1	—	1	11	—	1	1	2	2	4	1	4	5	—	1
	F	—	—	—	1	7	1	1	3	—	1	3	3	2	—	—	2
32(1) Thyrotoxicosis	M	—	—	—	—	3	—	—	—	—	—	1	—	2	—	—	—
	F	—	—	—	—	6	—	2	1	—	3	1	—	3	—	1	1
32(2) Multiple sclerosis	M	1	—	2	3	9	1	—	—	—	—	2	2	2	2	—	—
	F	—	—	2	1	14	1	3	3	—	2	5	1	4	4	—	1
32(3) Rheumatic fever	M	—	—	—	—	1	—	1	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
20(1) Chronic rheumatic heart disease	M	8	5	3	7	71	11	10	21	5	7	14	4	36	3	4	11
	F	10	8	8	19	141	16	20	21	8	24	34	23	60	13	4	15
21(1) Hypertension without mention of heart	M	2	2	6	4	68	8	7	11	4	3	7	12	28	3	1	1
	F	2	1	5	2	64	7	11	8	6	20	9	9	46	4	5	2
25(1) Pneumoconiosis and chronic interstitial pneumonia	M	1	1	2	2	7	2	3	2	—	—	2	—	5	1	—	—
	F	—	—	—	2	3	—	—	—	—	1	—	—	1	—	—	—
26(1) Ulcer of stomach	M	1	1	1	2	44	5	6	2	2	6	7	12	10	2	1	3
	F	—	3	4	3	24	2	2	6	1	7	2	12	11	1	3	—
32(4) Appendicitis	M	1	—	—	1	8	1	4	3	—	3	2	1	1	1	1	1
	F	—	1	1	—	7	1	2	1	1	2	1	2	—	—	1	1
32(5) Intestinal obstruction and hernia	M	—	2	5	3	37	3	7	3	1	4	7	6	13	4	1	2
	F	2	5	1	6	39	8	6	12	1	7	13	9	21	4	4	6
32(6) Cirrhosis of liver	M	2	3	2	1	25	1	2	6	—	2	5	5	4	1	4	—
	F	—	1	—	1	19	3	5	3	1	5	7	6	2	1	1	1
32(7) Cholelithiasis, cholecystitis	M	—	1	1	1	12	3	1	3	—	—	1	1	2	1	—	3
	F	—	1	1	1	21	2	3	2	3	6	5	2	5	—	—	2
30(1) Maternal sepsis (not abortion)	F	—	1	—	—	1	1	—	—	1	—	—	1	—	1	—	—
30(2) Toxaemias of pregnancy and puerperium	F	—	—	—	1	1	—	—	1	—	—	—	—	—	—	1	—
30(3) Abortion	F	1	—	—	1	4	—	—	—	—	—	—	—	—	—	—	—
32(8) Rheumatoid arthritis and allied conditions	M	—	—	—	—	6	—	—	—	1	—	2	—	1	—	—	—
	F	1	1	—	4	23	3	5	4	—	1	6	3	10	3	3	3
32(9) Birth injury	M	2	1	4	15	39	2	5	3	—	3	4	2	6	4	2	2
	F	—	2	2	3	27	—	3	2	—	—	6	—	7	4	—	—
32(10) Postnatal asphyxia and atelectasis	M	4	5	1	6	58	9	6	12	3	1	10	—	9	6	1	2
	F	3	2	2	4	34	4	2	12	1	1	3	1	11	2	1	8
23(1) Pneumonia of newborn	M	1	1	1	7	13	—	2	2	2	1	3	1	1	2	—	1
	F	1	1	—	—	12	2	1	—	1	2	6	1	2	2	—	—
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	—	—	—	—	3	—	—	1	—	—	—	—	1	—	—	—
	F	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—
32(12) Haemolytic disease of newborn	M	—	—	—	1	3	1	1	—	1	—	1	—	—	—	—	—
	F	—	1	—	—	3	—	1	—	2	—	—	—	1	—	1	—
32(13) Immaturity (without other disease peculiar to early infancy)	M	—	3	4	6	31	—	—	4	12	2	25	9	16	3	2	—
	F	1	—	4	1	20	2	2	1	4	6	11	3	10	1	1	—
32(14) Senility without psychosis	M	4	—	1	5	22	2	15	7	—	3	9	8	7	40	4	—
	F	3	—	2	6	67	9	41	12	1	8	32	19	15	53	19	—
32(15) Ill-defined and unknown cause	M	—	—	—	—	1	1	—	—	—	—	1	—	3	—	—	1
	F	—	—	1	2	4	—	—	—	—	—	—	—	—	—	—	—

TABLE 21—*continued.* County boroughs

Registrar General's Abridged List		Canterbury	Carlisle	Chester	Coventry	Croydon	Darlington	Derby	Dewsbury	Doncaster	Dudley	Eastbourne	East Ham	Exeter	Gateshead	Gloucester	Great Yarmouth
1 Tuberculosis, respiratory	M	1	2	2	17	8	8	13	3	2	6	4	4	5	11	8	3
	F	—	1	3	8	3	7	1	2	2	1	1	1	2	2	2	—
2 Tuberculosis, other	M	—	—	—	1	1	—	—	—	—	—	1	—	1	1	—	—
	F	—	—	—	—	1	1	—	—	—	1	—	—	—	1	—	—
3 Syphilitic disease	M	—	—	1	4	8	1	—	1	—	1	—	—	1	4	1	—
	F	1	—	2	2	9	—	—	—	1	—	—	—	—	1	1	—
4 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	—	—	—	1	—	—	—	—	—	—	—	—	—	1	1	—
	F	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—
6 Meningococcal infections	M	—	1	—	—	1	1	—	1	—	—	—	—	—	—	—	—
	F	—	—	—	1	—	—	—	—	—	—	—	—	2	—	—	—
7 Acute poliomyelitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—
8 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Other infective, etc., diseases	M	1	1	3	2	2	—	—	—	—	1	—	1	1	—	—	—
	F	—	—	1	7	4	2	2	—	1	2	1	2	1	—	—	—
10 Malignant neoplasm: stomach	M	2	9	7	43	45	10	18	12	24	6	11	21	12	21	9	7
	F	6	13	11	34	31	2	22	14	9	8	6	18	13	12	8	5
11 lung, bronchus	M	13	37	29	111	146	29	56	31	40	31	28	84	33	55	31	24
	F	2	1	6	18	30	6	8	5	1	3	11	9	7	10	5	3
12 breast	M	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—
	F	11	6	7	45	67	19	31	9	12	9	26	25	21	17	14	9
13 uterus	F	2	9	3	24	13	4	15	5	7	4	4	9	7	12	5	5
14 Other malignant and lymphatic neoplasms	M	12	26	35	156	140	47	60	35	42	31	62	57	57	60	38	29
	F	20	32	29	114	142	42	54	26	28	26	58	57	46	44	22	27
15 Leukaemia, aleukaemia	M	—	3	2	8	8	4	3	1	1	3	5	2	3	1	2	1
	F	2	4	1	9	6	3	2	2	2	1	1	3	3	5	1	2
16 Diabetes	M	—	2	4	7	5	3	5	1	4	1	3	5	1	1	—	—
	F	1	5	1	15	16	7	8	4	4	4	3	8	6	2	1	1
17 Vascular lesions of nervous system	M	32	51	37	170	185	97	76	63	68	38	75	63	60	70	50	42
	F	39	85	67	201	332	87	124	63	69	55	134	82	86	89	60	66
18 Coronary disease, angina	M	31	112	80	381	316	121	178	111	94	71	126	148	111	144	74	85
	F	59	75	53	222	259	56	142	61	44	57	113	97	68	67	57	46
19 Hypertension with heart disease	M	8	5	9	28	16	11	17	8	5	8	6	5	8	6	8	5
	F	8	10	6	31	43	11	20	10	9	7	11	13	12	12	9	7
20 Other heart disease	M	19	48	17	122	93	53	106	33	38	38	51	42	42	51	43	33
	F	28	79	47	143	222	73	161	49	63	41	97	83	91	79	59	50
21 Other circulaory disease	M	14	18	18	47	53	26	31	32	31	18	18	24	24	18	7	20
	F	14	23	24	46	96	32	48	32	25	21	20	24	19	20	22	25
22 Influenza	M	—	2	4	12	6	1	3	1	2	1	1	1	1	—	2	—
	F	3	2	1	13	7	1	2	2	2	2	4	2	5	1	1	—
23 Pneumonia	M	10	12	14	93	83	21	72	14	51	20	19	32	29	32	26	29
	F	10	18	15	71	124	20	80	22	40	15	28	41	23	46	26	14
24 Bronchitis	M	9	32	32	139	145	39	86	43	47	39	28	45	33	70	27	22
	F	8	10	19	44	61	9	35	16	31	15	12	27	14	19	18	6
25 Other diseases of respiratory system	M	1	5	4	31	12	3	6	5	12	6	9	11	3	8	4	4
	F	2	1	3	8	9	4	8	3	6	3	2	3	3	9	5	4
26 Ulcer of stomach and duodenum	M	1	8	4	13	20	1	9	2	5	—	9	4	7	7	5	2
	F	4	7	5	6	8	1	3	—	1	2	6	7	6	1	1	1
27 Gastritis, enteritis and diarrhoea	M	—	5	1	9	5	3	7	1	1	—	3	—	3	3	2	—
	F	1	5	2	11	10	1	3	1	3	—	4	8	5	2	4	—
28 Nephritis and nephrosis	M	—	2	1	11	9	3	5	3	5	2	3	5	2	3	4	5
	F	3	1	2	10	4	2	8	3	4	1	3	2	2	4	4	—
29 Hyperplasia of prostate	M	—	7	7	14	25	3	7	1	9	5	8	3	5	10	5	7
30 Pregnancy, childbirth, abortion	F	1	—	—	—	—	6	3	—	1	1	—	1	1	—	—	—
31 Congenital malformations	M	3	10	9	19	8	2	9	3	8	7	4	7	7	6	2	2
	F	—	3	6	16	10	6	10	5	6	3	5	5	10	5	6	3
32 Other defined and ill-defined diseases	M	11	27	19	96	105	40	43	27	38	24	22	26	26	48	37	14
	F	11	34	27	119	127	61	67	36	43	26	37	50	45	61	32	21
33 Motor vehicle accidents	M	2	12	5	53	24	15	21	5	13	6	4	5	11	8	8	1
	F	2	3	—	13	10	3	4	2	4	7	2	3	4	6	3	1
34 All other accidents	M	4	12	7	41	18	13	15	11	21	8	10	8	11	18	6	8
	F	1	8	8	45	16	9	26	7	10	10	14	10	11	9	11	10
35 Suicide	M	2	5	3	23	19	8	5	6	5	2	1	7	9	8	4	5
	F	3	9	5	16	13	5	1	1	6	4	10	—	8	9	5	4
36 Homicide, operations of war	M	—	—	—	1	—	—	1	—	—	—	—	1	—	1	—	—
	F	—	—	—	4	—	—	1	2	—	—	—	—	—	1	1	—

TABLE—21 *continued.* County boroughs

Registrar General's Supplementary Abridged List		Canterbury	Carlisle	Chester	Coventry	Croydon	Darlington	Derby	Dewsbury	Doncaster	Dudley	Eastbourne	East Ham	Exeter	Gateshead	Gloucester	Great Yarmouth
9(1) Infectious hepatitis	M	—	1	1	1	—	—	—	—	—	—	—	1	1	—	—	—
	F	—	—	—	2	1	1	—	—	—	—	—	—	—	—	—	—
14(1) Malignant neoplasm, mouth and pharynx	M	1	1	3	7	2	2	1	2	1	1	1	2	2	1	5	1
	F	—	—	—	2	4	1	1	1	2	1	1	2	2	3	—	1
14(2) Malignant neoplasm, oesophagus	M	1	—	4	6	11	2	—	1	3	1	3	5	7	4	1	3
	F	—	4	2	4	7	3	—	1	1	1	2	—	1	1	1	—
14(3) Malignant neoplasm, intestine and rectum	M	4	6	5	41	26	10	14	13	12	11	22	17	14	16	12	6
	F	13	10	11	47	51	22	23	10	9	11	25	22	14	12	8	10
14(4) Malignant neoplasm, larynx	M	—	3	—	9	4	1	6	—	3	2	—	1	—	1	2	—
	F	1	—	—	—	1	—	1	1	1	—	—	1	—	2	—	—
13(1) Malignant neoplasm, cervix uteri	F	2	6	3	18	7	3	5	2	4	2	2	8	6	10	3	5
14(5) Malignant neoplasm, prostate	M	1	6	10	23	28	9	10	4	6	7	10	6	10	4	4	3
14(6) Malignant neoplasm, bladder	M	1	2	1	9	15	4	7	6	4	2	3	8	6	4	1	1
	F	—	2	2	6	4	—	3	1	2	—	4	5	1	—	—	1
14(7) Malignant neoplasm, bone (including jaw-bone)	M	—	—	1	1	2	—	—	—	—	—	—	1	—	—	—	1
	F	1	—	1	1	2	1	—	—	1	—	—	1	—	—	—	1
14(8) Lymphosarcoma, reticulosarcoma	M	1	—	2	2	4	1	—	1	2	—	1	—	1	4	1	1
	F	1	—	—	3	—	1	1	—	—	—	2	1	1	2	1	—
14(9) Hodgkin's disease	M	—	—	—	5	3	2	1	—	1	—	—	—	—	1	1	—
	F	—	—	—	—	2	—	1	1	—	—	1	—	1	—	—	—
32(1) Thyrotoxicosis	M	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	2	3	2	2	—	1	—	—	—	1	—	—	—
32(2) Multiple sclerosis	M	—	—	—	1	—	—	1	1	2	—	—	1	—	—	—	—
	F	1	1	1	1	2	5	2	1	—	1	2	—	—	—	—	2
32(3) Rheumatic fever	M	—	—	—	1	—	—	2	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
20(1) Chronic rheumatic heart disease	M	2	3	1	13	10	1	4	1	2	2	4	5	5	10	3	1
	F	5	7	7	29	25	7	20	6	1	9	6	14	4	22	3	3
21(1) Hypertension without mention of heart	M	9	5	3	12	12	5	6	8	7	10	3	3	6	4	—	4
	F	2	2	5	12	16	6	2	7	6	9	5	5	4	4	2	4
25(1) Pneumoconiosis and chronic interstitial pneumonia	M	—	1	2	15	2	—	—	1	6	2	1	2	—	4	—	1
	F	—	—	—	2	—	—	—	—	3	1	1	—	—	—	—	—
26(1) Ulcer of stomach	M	—	4	3	7	10	—	4	—	3	—	5	4	2	5	4	1
	F	3	2	3	4	3	1	2	—	—	1	3	4	2	1	1	1
32(4) Appendicitis	M	2	—	—	1	3	1	2	—	1	—	—	—	—	—	1	—
	F	—	—	—	2	—	1	1	—	—	—	2	1	1	2	—	—
32(5) Intestinal obstruction and hernia	M	2	2	—	9	8	1	6	2	4	1	2	1	2	5	4	1
	F	—	4	3	9	15	1	7	4	4	2	8	7	4	5	5	—
32(6) Cirrhosis of liver	M	—	2	1	6	3	4	2	—	1	1	—	1	1	4	1	—
	F	—	—	1	2	3	3	3	1	1	2	1	1	—	2	—	1
32(7) Cholelithiasis, cholecystitis	M	—	—	—	1	3	3	—	—	—	—	—	2	—	2	—	—
	F	2	2	1	7	5	1	4	1	1	2	3	4	1	1	—	1
30(1) Maternal sepsis (not abortion)	F	1	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—
30(2) Toxaemias of pregnancy and puerperium	F	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—
30(3) Abortion	F	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—
32(8) Rheumatoid arthritis and allied conditions	M	—	1	—	2	3	1	—	—	1	—	1	—	1	1	1	1
	F	—	—	1	2	7	5	4	1	1	—	1	1	2	1	1	1
32(9) Birth injury	M	—	2	3	20	8	3	3	1	—	2	1	—	1	1	2	—
	F	1	3	3	14	—	3	—	2	1	1	—	1	—	1	1	2
32(10) Postnatal asphyxia and atelectasis	M	—	1	3	6	7	2	3	1	3	4	1	2	6	3	2	
	F	—	2	—	2	6	1	4	3	1	2	—	1	1	2	5	—
23(1) Pneumonia of newborn	M	2	2	—	9	2	—	—	1	1	—	—	—	—	2	1	1
	F	—	1	—	4	2	—	2	—	1	—	—	—	—	—	—	—
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
32(12) Haemolytic disease of newborn	M	—	—	—	3	—	—	1	1	—	—	—	1	1	—	1	—
	F	—	—	—	2	1	—	—	—	—	—	1	—	1	—	1	1
32(13) Immaturity (without other disease peculiar to early infancy)	M	1	2	3	10	14	4	1	3	4	1	—	4	—	4	4	3
	F	3	2	2	12	6	—	5	2	3	1	1	7	2	8	—	1
32(14) Senility without psychosis	M	—	2	—	4	7	3	—	2	6	1	1	—	2	6	1	1
	F	1	2	1	10	12	7	9	2	9	—	1	4	9	9	1	4
32(15) Ill-defined and unknown cause	M	—	—	—	1	—	—	—	—	—	—	—	1	—	—	1	—
	F	—	—	—	1	—	—	1	1	—	—	1	—	—	—	1	—

(88065)

TABLE 21—*continued.* **County boroughs**

Registrar General's Abridged List		Grimsby	Halifax	Hastings	Huddersfield	Ipswich	Kingston upon Hull	Leeds	Leicester	Lincoln	Liverpool	Manchester	Middlesbrough	Newcastle upon Tyne	Northampton	Norwich	Nottingham
1 Tuberculosis, respiratory	M	6	3	5	8	3	14	21	16	4	64	49	6	13	7	2	20
	F	—	3	1	2	2	4	4	1	2	18	21	5	9	2	—	6
2 Tuberculosis, other	M	1	1	1	1	1	3	2	3	—	5	5	1	—	—	1	2
	F	—	1	1	—	1	—	1	1	—	3	3	2	2	1	—	—
3 Syphilitic disease	M	—	1	—	2	3	3	5	7	—	4	2	3	5	2	1	1
	F	4	2	—	2	2	1	5	1	—	3	3	—	4	1	—	—
4 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Meningococcal infections	M	—	—	1	—	1	—	1	—	—	1	3	—	—	—	—	2
	F	—	—	—	1	—	—	—	1	—	—	1	1	—	—	—	—
7 Acute poliomyelitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8 Measles	M	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	1
	F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—
9 Other infective, etc., diseases	M	5	—	1	1	2	1	1	3	1	14	4	—	—	2	2	—
	F	—	—	—	1	2	1	4	1	—	6	8	—	2	1	1	—
10 Malignant neoplasm: stomach	M	13	18	7	36	21	42	70	46	11	145	125	22	54	21	20	46
	F	8	17	6	13	7	32	55	43	10	91	81	13	33	17	21	30
11 lung, bronchus	M	50	41	46	55	44	152	278	129	41	415	414	91	180	63	56	159
	F	5	8	9	15	9	17	48	19	7	76	61	9	25	9	6	27
12 breast	M	—	1	—	—	—	—	3	2	—	3	1	—	1	—	—	—
	F	21	24	26	23	31	64	108	59	9	133	131	15	37	19	28	44
13 uterus	F	9	15	10	12	11	29	40	26	1	58	60	9	23	14	15	40
14 Other malignant and lymphatic neoplasms	M	50	52	54	77	71	158	277	144	43	381	353	75	175	75	81	147
	F	36	59	60	85	65	139	228	133	46	414	340	56	144	55	58	171
15 Leukaemia, aleukaemia	M	2	3	1	3	4	7	15	6	4	17	17	5	2	—	3	3
	F	2	4	4	5	3	7	13	6	2	22	14	3	7	4	1	6
16 Diabetes	M	1	1	4	4	5	6	13	8	5	15	15	3	5	1	2	8
	F	5	12	1	8	5	17	27	15	3	39	43	7	15	3	6	14
17 Vascular lesions of nervous system	M	60	76	77	96	78	158	286	246	47	410	444	109	223	74	78	190
	F	90	135	178	151	116	280	477	376	91	600	678	151	283	102	137	306
18 Coronary disease, angina	M	144	179	113	244	131	333	748	362	106	1,011	770	167	429	171	167	324
	F	131	172	97	146	89	221	585	187	76	705	523	107	234	109	102	172
19 Hypertension with heart disease	M	19	8	12	9	13	12	32	40	8	80	62	10	27	13	9	30
	F	23	11	15	13	2	25	48	59	12	133	84	7	49	21	22	44
20 Other heart disease	M	53	59	55	91	39	122	203	196	48	339	415	84	118	57	77	200
	F	68	91	161	153	68	238	332	334	60	600	734	148	189	129	120	334
21 Other circulatory disease	M	11	23	28	24	35	65	90	36	19	87	135	29	75	22	35	74
	F	34	35	39	45	36	72	145	68	19	128	185	26	94	23	31	100
22 Influenza	M	6	1	—	—	4	14	10	6	—	30	61	1	4	4	1	14
	F	1	—	2	2	5	12	8	8	—	38	65	2	4	7	1	15
23 Pneumonia	M	23	57	41	32	65	108	210	71	32	292	216	52	71	24	70	77
	F	24	30	64	36	59	96	241	93	22	454	250	60	57	34	65	140
24 Bronchitis	M	53	67	37	55	28	187	330	144	44	538	608	68	164	56	55	284
	F	16	26	20	26	19	96	159	73	15	259	341	24	53	22	15	119
25 Other diseases of respiratory system	M	7	6	2	6	8	16	16	18	4	48	34	4	17	5	6	27
	F	3	4	4	7	1	4	8	14	2	43	30	9	8	1	5	12
26 Ulcer of stomach and duodenum	M	4	8	7	17	10	22	40	16	2	53	50	7	22	6	6	19
	F	7	1	5	6	2	10	20	5	2	36	31	10	8	4	5	9
27 Gastritis, enteritis and diarrhoea	M	5	2	2	6	3	6	8	—	1	23	30	—	6	2	2	9
	F	1	3	3	9	5	10	18	7	2	34	36	1	8	9	4	14
28 Nephritis and nephrosis	M	2	3	2	7	4	22	23	12	3	25	14	4	13	1	4	15
	F	1	3	4	9	7	20	15	20	4	22	21	6	17	—	2	7
29 Hyperplasia of prostate	M	6	9	7	11	5	28	12	9	11	28	24	11	9	5	13	18
30 Pregnancy, childbirth, abortion	F	—	—	—	—	2	3	6	2	—	6	7	3	2	—	1	3
31 Congenital malformations	M	4	2	4	6	8	28	26	22	6	54	43	8	17	3	6	19
	F	6	5	3	11	9	18	38	22	3	57	41	25	5	2	10	22
32 Other defined and ill-defined diseases	M	43	41	33	74	50	115	235	97	31	350	327	59	101	36	42	147
	F	44	52	53	78	54	129	294	116	41	399	425	64	137	53	58	194
33 Motor vehicle accidents	M	7	8	8	14	6	23	46	28	8	52	67	13	22	12	10	28
	F	3	3	4	10	8	12	22	18	3	35	32	3	7	6	10	13
34 All other accidents	M	12	14	6	19	15	36	60	25	5	105	68	23	43	13	14	29
	F	13	13	20	23	15	34	71	48	8	133	58	23	43	12	19	35
35 Suicide	M	6	5	3	9	8	29	50	24	5	47	52	18	23	8	9	31
	F	4	3	4	9	5	15	33	14	6	29	38	4	9	5	10	11
36 Homicide, operations of war	M	—	1	—	—	—	2	9	—	—	1	7	—	1	1	1	—
	F	1	—	—	2	2	—	—	2	—	3	6	1	1	1	—	4

TABLE 21—*continued.* **County boroughs**

Registrar General's Supplementary Abridged List		Grimsby	Halifax	Hastings	Huddersfield	Ipswich	Kingston upon Hull	Leeds	Leicester	Lincoln	Liverpool	Manchester	Middlesbrough	Newcastle upon Tyne	Northampton	Norwich	Nottingham
9(1) Infectious hepatitis	M	—	—	—	1	—	—	—	1	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	3	—	—	—	3	—	2	—	—	—
14(1) Malignant neoplasm, mouth and pharynx	M	2	1	1	7	3	3	11	6	1	21	22	5	3	2	3	9
	F	—	1	—	2	—	3	9	1	1	7	14	2	1	1	1	2
14(2) Malignant neoplasm, oesophagus	M	4	1	2	—	3	9	12	9	3	24	25	5	6	5	2	4
	F	1	1	2	4	3	4	10	5	2	22	18	1	13	—	2	9
14(3) Malignant neoplasm, intestine and rectum	M	14	21	12	18	17	34	58	43	11	107	97	17	55	18	24	36
	F	14	16	20	35	21	49	91	47	18	171	123	20	60	20	19	64
14(4) Malignant neoplasm, larynx	M	1	1	2	1	2	2	8	1	1	14	11	2	4	3	2	2
	F	—	—	—	1	—	1	3	—	—	5	3	—	3	—	—	2
13(1) Malignant neoplasm, cervix uteri	F	7	13	5	9	6	15	30	17	1	40	41	5	14	8	10	32
14(5) Malignant neoplasm, prostate	M	8	8	14	9	10	25	41	20	10	41	40	8	31	10	12	26
14(6) Malignant neoplasm, bladder	M	6	5	7	12	10	15	24	16	8	43	31	9	14	5	6	12
	F	4	3	1	3	5	7	11	6	1	18	10	—	4	3	3	8
14(7) Malignant neoplasm, bone (including jaw-bone)	M	—	2	1	1	2	1	3	6	—	6	6	2	2	3	1	1
	F	—	3	2	1	—	—	3	—	—	4	1	2	—	1	1	1
14(8) Lymphosarcoma, reticulosarcoma	M	1	2	2	1	—	6	10	2	—	10	13	1	6	3	4	2
	F	1	1	3	—	1	4	6	2	1	5	6	—	4	2	—	4
14(9) Hodgkin's disease	M	1	3	—	2	1	3	5	1	1	10	10	—	5	2	3	1
	F	—	3	2	—	—	4	4	2	—	8	6	—	1	3	—	4
32(1) Thyrotoxicosis	M	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	3
32(2) Multiple sclerosis	M	—	—	—	1	1	3	2	2	—	4	6	2	2	—	1	—
	F	1	1	1	2	3	5	4	5	—	5	7	—	7	1	1	4
32(3) Rheumatic fever	M	—	1	1	—	—	1	1	—	—	—	—	—	—	—	—	1
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20(1) Chronic rheumatic heart disease	M	3	3	1	6	7	11	32	18	2	38	29	9	10	9	5	16
	F	4	8	10	25	7	26	68	27	5	109	80	15	36	12	7	28
21(1) Hypertension without mention of heart	M	2	2	5	7	9	12	23	12	3	20	26	9	19	5	7	19
	F	5	4	2	8	6	14	23	22	6	36	34	2	21	4	7	27
25(1) Pneumoconiosis and chronic interstitial pneumonia	M	—	2	—	2	2	2	3	—	—	2	5	—	3	—	—	3
	F	—	—	1	—	1	—	—	—	—	7	1	—	1	—	—	—
26(1) Ulcer of stomach	M	1	3	3	6	4	4	17	6	—	24	24	4	7	6	6	12
	F	6	—	3	3	2	8	8	3	2	23	14	8	3	4	4	6
32(4) Appendicitis	M	—	2	2	—	—	—	4	3	—	2	3	2	1	1	—	2
	F	—	—	1	1	—	1	6	1	—	6	3	—	1	—	—	2
32(5) Intestinal obstruction and hernia	M	9	8	4	4	7	9	13	8	2	16	18	1	7	6	4	8
	F	4	8	6	6	2	6	16	6	5	19	30	6	6	4	2	9
32(6) Cirrhosis of liver	M	2	2	—	3	—	2	8	4	—	15	13	2	4	2	2	2
	F	3	3	1	—	1	3	4	7	1	7	13	4	3	1	—	5
32(7) Cholelithiasis, cholecystitis	M	2	1	2	—	—	4	3	—	—	3	6	3	4	4	—	—
	F	1	1	1	6	2	1	9	1	1	9	8	2	8	2	1	1
30(1) Maternal sepsis (not abortion)	F	—	—	—	—	—	1	—	1	—	—	1	—	1	—	—	—
30(2) Toxaemias of pregnancy and puerperium	F	—	—	—	—	—	1	4	—	—	1	—	1	1	—	—	—
30(3) Abortion	F	—	—	—	—	—	—	—	—	—	2	1	1	—	—	—	3
32(8) Rheumatoid arthritis and allied conditions	M	—	1	—	1	—	3	2	—	—	—	5	1	—	—	1	2
	F	—	4	—	5	1	2	5	3	—	10	15	—	1	3	1	3
32(9) Birth injury	M	3	3	1	1	2	1	18	6	3	32	30	1	8	1	2	8
	F	—	—	2	2	1	4	8	8	1	12	16	3	2	1	1	3
32(10) Postnatal asphyxia and atelectasis	M	2	3	—	3	3	15	26	10	6	51	34	7	4	1	1	25
	F	—	1	1	1	1	7	16	3	1	30	17	2	1	5	—	13
23(1) Pneumonia of newborn	M	—	1	2	3	—	8	8	2	2	7	6	1	1	4	1	3
	F	—	1	—	1	—	5	2	4	—	8	7	2	—	—	—	1
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
32(12) Haemolytic disease of newborn	M	1	1	—	1	—	2	2	1	3	2	1	1	—	—	1	1
	F	—	1	—	—	—	2	1	2	—	5	2	1	2	—	1	1
32(13) Immaturity (without other disease peculiar to early infancy)	M	8	2	1	10	3	23	26	7	2	47	43	6	9	2	3	16
	F	3	3	1	8	4	19	17	6	1	24	22	7	12	3	2	3
32(14) Senility without psychosis	M	3	—	4	10	8	3	26	4	4	5	40	7	6	—	7	18
	F	9	6	13	8	5	3	70	12	9	34	101	13	24	1	15	52
32(15) Ill-defined and unknown cause	M	—	—	—	—	—	—	—	1	—	1	3	1	3	—	—	1
	F	—	1	—	1	1	1	1	—	—	2	2	—	3	—	1	4

TABLE 21—*continued.* **County boroughs**

Registrar General's Abridged List		Oldham	Oxford	Plymouth	Portsmouth	Preston	Reading	Rochdale	Rotherham	St. Helens	Salford	Sheffield	Smethwick	Southampton	Southend-on-Sea	Southport	South Shields
1 Tuberculosis, respiratory	M	6	3	11	9	6	6	2	2	10	12	41	7	12	10	3	14
	F	4	—	4	2	2	1	2	2	2	1	14	2	5	4	1	2
2 Tuberculosis, other	M	1	—	1	—	—	1	1	—	—	1	3	1	—	1	—	1
	F	—	1	—	1	1	—	—	—	—	—	3	1	1	—	—	—
3 Syphilitic disease	M	—	—	2	2	1	1	3	1	—	3	4	—	7	5	4	1
	F	2	2	—	2	1	1	1	2	—	3	4	2	—	—	2	1
4 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Meningococcal infections	M	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
7 Acute poliomyelitis	M	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8 Measles	M	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
9 Other infective, etc., diseases	M	1	2	2	2	2	—	1	—	—	3	5	—	3	3	—	4
	F	1	1	3	3	4	2	1	—	1	—	7	1	3	4	1	1
10 Malignant neoplasm: stomach	M	24	13	35	38	17	18	18	13	26	33	104	9	28	29	15	34
	F	16	15	34	27	7	14	15	15	15	25	69	11	17	19	23	21
11 lung, bronchus	M	46	53	79	117	49	48	39	38	43	96	286	34	103	111	46	43
	F	8	9	9	15	8	7	5	4	3	14	40	6	15	22	15	10
12 breast	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
	F	25	21	37	37	24	25	24	14	19	28	96	12	32	31	31	15
13 uterus	F	9	5	25	23	13	12	15	4	11	19	44	5	21	19	13	10
14 Other malignant and lymphatic neoplasms	M	67	60	116	128	67	59	51	43	38	72	286	49	129	111	50	63
	F	41	48	115	100	60	44	44	35	48	87	275	34	87	116	63	47
15 Leukaemia, aleukaemia	M	3	4	6	10	1	4	2	2	3	2	15	—	10	7	4	3
	F	4	1	5	3	1	5	5	2	2	7	13	2	3	8	2	4
16 Diabetes	M	1	1	2	7	2	2	2	2	2	6	15	2	5	11	2	4
	F	3	6	17	16	3	5	1	3	8	8	19	4	14	7	6	4
17 Vascular lesions of nervous system	M	107	69	143	166	86	80	84	66	67	112	419	62	103	133	79	96
	F	146	103	243	246	100	155	97	71	92	182	549	58	141	290	148	110
18 Coronary disease, angina	M	164	120	308	306	189	179	141	110	144	235	708	84	299	277	150	161
	F	76	111	180	199	103	107	81	62	77	134	437	53	153	211	110	94
19 Hypertension with heart disease	M	11	6	20	29	15	12	3	8	8	16	49	10	27	23	5	11
	F	13	6	24	47	14	14	3	17	10	19	71	7	39	31	13	13
20 Other heart disease	M	61	38	127	147	54	81	71	52	56	73	230	54	94	97	87	59
	F	129	69	195	228	111	88	122	65	78	174	415	70	137	186	170	70
21 Other circulatory disease	M	37	23	54	47	23	40	25	19	25	28	149	10	51	50	26	27
	F	54	15	62	64	35	36	38	30	22	59	215	9	52	74	64	20
22 Influenza	M	5	2	1	10	8	2	4	5	17	16	21	3	—	2	3	2
	F	11	2	4	11	8	5	7	1	7	21	15	7	2	3	8	3
23 Pneumonia	M	35	43	86	102	39	51	36	25	53	74	96	29	61	35	31	37
	F	62	52	92	122	25	78	48	29	53	67	127	21	46	46	35	33
24 Bronchitis	M	109	42	98	131	66	70	55	86	85	162	360	41	98	62	52	57
	F	49	16	33	52	33	38	27	20	25	96	140	36	45	38	18	22
25 Other diseases of respiratory system	M	10	12	10	13	12	5	8	6	15	12	36	5	17	6	4	14
	F	5	2	7	5	4	4	3	7	3	6	14	2	4	6	2	5
26 Ulcer of stomach and duodenum	M	9	6	15	16	8	9	6	10	7	15	28	10	16	15	12	6
	F	2	4	5	8	7	2	1	3	2	8	11	—	4	11	4	3
27 Gastritis, enteritis and diarrhoea	M	2	2	5	5	2	3	4	3	1	7	13	1	2	7	6	3
	F	6	2	10	9	3	7	6	5	4	8	18	3	3	5	8	3
28 Nephritis and nephrosis	M	2	3	11	12	1	7	3	5	5	4	17	2	5	6	—	1
	F	2	3	9	13	4	6	—	2	5	3	17	1	1	2	3	3
29 Hyperplasia of prostate	M	6	4	15	11	7	6	6	4	7	5	37	4	11	17	14	9
30 Pregnancy, childbirth, abortion	F	—	—	—	1	—	1	—	—	2	2	2	1	2	—	1	1
31 Congenital malformations	M	11	8	8	19	14	8	4	7	6	11	26	4	16	7	3	6
	F	12	5	11	13	9	8	3	1	7	13	22	4	12	8	2	6
32 Other defined and ill-defined diseases	M	56	33	76	107	43	37	38	31	52	94	197	25	78	69	36	38
	F	80	50	124	122	54	60	52	34	58	121	201	28	98	89	57	46
33 Motor vehicle accidents	M	10	14	17	23	12	7	11	6	2	16	50	6	21	11	10	13
	F	5	4	5	11	4	5	4	4	1	7	18	3	5	2	1	8
34 All other accidents	M	21	16	22	39	15	15	13	19	14	31	59	4	10	19	15	26
	F	32	18	14	43	13	16	16	14	19	19	110	16	10	22	22	13
35 Suicide	M	13	7	12	19	13	6	10	5	10	14	35	4	16	15	4	14
	F	8	6	10	20	11	5	6	—	5	8	22	5	14	19	8	2
36 Homicide, operations of war	M	—	—	—	—	2	—	1	—	—	—	1	—	—	1	—	—
	F	—	—	—	1	3	—	3	—	1	—	2	—	1	1	—	—

TABLE 21—*continued.* **County boroughs**

Registrar General's Supplementary Abridged List		Oldham	Oxford	Plymouth	Portsmouth	Preston	Reading	Rochdale	Rotherham	St. Helens	Salford	Sheffield	Smethwick	Southampton	Southend-on-Sea	Southport	South Shields
9(1) Infectious hepatitis	M	1	—	1	1	—	—	—	—	—	—	2	—	—	—	—	1
	F	—	1	1	—	1	1	—	—	—	—	5	1	—	—	1	—
14(1) Malignant neoplasm, mouth and pharynx	M	—	1	3	9	7	3	—	5	3	5	12	1	5	4	1	4
	F	1	—	6	5	5	1	1	1	1	1	7	2	2	5	3	1
14(2) Malignant neoplasm, oesophagus	M	3	5	8	7	4	3	3	2	3	3	8	5	6	5	2	2
	F	3	2	12	4	3	1	1	3	4	8	11	—	3	4	3	1
14(3) Malignant neoplasm, intestine and rectum	M	18	14	36	36	16	17	18	10	7	16	78	14	42	33	14	24
	F	16	19	38	26	18	18	14	16	13	32	109	9	25	32	27	13
14(4) Malignant neoplasm, larynx	M	2	2	3	2	2	4	—	2	—	4	9	3	5	5	2	2
	F	1	1	—	—	1	1	—	—	2	—	1	—	—	—	—	1
13(1) Malignant neoplasm, cervix uteri	F	6	2	20	14	9	8	11	3	6	12	29	1	12	8	8	8
14(5) Malignant neoplasm, prostate	M	9	11	14	28	11	6	6	4	5	9	34	6	16	18	5	4
14(6) Malignant neoplasm, bladder	M	6	2	8	7	6	2	7	3	4	4	31	5	10	10	1	2
	F	2	1	4	9	2	3	2	—	1	3	11	3	4	6	2	2
14(7) Malignant neoplasm, bone (including jaw-bone)	M	1	3	—	2	—	—	1	—	—	1	9	—	—	1	1	3
	F	—	—	—	1	—	—	—	—	—	2	3	—	1	1	2	—
14(8) Lymphosarcoma, reticulosarcoma	M	1	1	3	—	1	1	1	1	1	1	8	—	3	3	1	1
	F	1	—	1	6	1	—	—	1	1	1	5	1	6	2	—	3
14(9) Hodgkin's disease	M	—	—	1	4	—	2	3	1	1	1	5	—	3	1	2	1
	F	1	—	—	—	1	—	1	—	—	1	4	—	3	1	2	—
32(1) Thyrotoxicosis	M	—	—	1	—	—	—	—	—	—	1	—	—	—	1	—	1
	F	2	2	2	—	2	—	1	1	1	2	3	1	1	1	1	1
32(2) Multiple sclerosis	M	—	1	2	1	3	1	1	—	1	2	5	1	2	5	—	—
	F	—	—	3	4	—	1	2	2	2	2	8	—	1	1	1	2
32(3) Rheumatic fever	M	1	—	—	—	1	—	—	—	—	1	—	—	—	—	—	1
	F	—	1	—	—	—	—	—	—	—	—	1	—	—	—	1	—
20(1) Chronic rheumatic heart disease	M	5	5	7	9	12	4	3	6	8	5	30	7	10	6	3	7
	F	20	9	18	26	27	10	15	16	8	31	70	8	14	19	4	7
21(1) Hypertension without mention of heart	M	13	7	15	6	6	11	5	3	3	6	36	2	18	11	5	2
	F	5	1	19	15	9	7	7	5	9	11	27	2	13	17	9	4
25(1) Pneumoconiosis and chronic interstitial pneumonia	M	3	—	—	2	2	—	3	1	10	—	10	2	4	1	1	2
	F	4	—	—	1	—	—	1	—	—	—	2	—	1	—	—	—
26(1) Ulcer of stomach	M	4	3	12	6	2	4	4	6	2	9	12	7	9	9	6	1
	F	1	3	3	6	5	1	1	1	2	4	8	—	2	10	1	2
32(4) Appendicitis	M	2	—	1	—	—	1	1	—	2	1	5	—	1	1	—	—
	F	1	—	—	1	1	—	—	2	—	1	3	—	—	1	1	2
32(5) Intestinal obstruction and hernia	M	9	2	2	7	4	2	4	1	2	7	17	4	10	7	2	3
	F	4	5	6	6	8	5	3	1	2	11	13	1	9	14	3	2
32(6) Cirrhosis of liver	M	3	1	3	4	—	—	2	1	—	2	9	2	2	3	1	3
	F	—	1	2	2	1	—	4	2	1	2	3	1	3	3	—	1
32(7) Cholelithiasis, cholecystitis	M	—	—	2	4	3	—	—	—	3	2	6	1	1	—	—	1
	F	3	1	7	4	3	2	—	2	1	6	8	1	4	5	4	1
30(1) Maternal sepsis (not abortion)	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
30(2) Toxaemias of pregnancy and puerperium	F	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	1
30(3) Abortion	F	—	—	—	—	—	1	—	—	1	—	—	1	—	—	1	—
32(8) Rheumatoid arthritis and allied conditions	M	2	1	2	—	—	1	1	1	—	3	5	1	1	—	1	1
	F	3	—	4	6	—	2	2	3	—	3	7	2	2	8	—	2
32(9) Birth injury	M	3	2	5	3	3	3	3	7	1	5	14	—	3	2	1	6
	F	8	4	2	2	1	2	2	2	2	2	5	1	2	—	—	4
32(10) Postnatal asphyxia and atelectasis	M	4	1	5	12	6	2	6	4	2	7	8	2	9	9	1	2
	F	6	3	3	2	1	2	3	1	5	6	6	—	10	5	—	—
23(1) Pneumonia of newborn	M	—	—	3	2	3	2	1	—	—	2	—	1	4	1	1	—
	F	3	1	1	2	2	—	—	1	1	3	—	5	—	1	—	—
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—
32(12) Haemolytic disease of newborn	M	—	—	—	3	—	—	1	—	—	—	4	—	2	—	—	1
	F	1	—	3	—	—	1	1	1	—	—	2	—	2	—	—	—
32(13) Immaturity (without other disease peculiar to early infancy)	M	6	1	10	10	3	3	2	4	3	8	31	4	3	4	2	4
	F	2	1	8	5	3	7	—	5	1	7	15	3	1	1	3	4
32(14) Senility without psychosis	M	3	1	11	6	3	4	3	—	7	23	5	3	3	1	10	3
	F	9	5	22	16	7	11	7	—	12	38	13	8	3	3	13	3
32(15) Ill-defined and unknown cause	M	—	1	—	—	—	2	—	1	—	1	1	—	—	—	2	1
	F	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—

TABLE 21—*continued.* **County boroughs**

Registrar General's Abridged List		Stockport	Stoke-on-Trent	Sunderland	Tynemouth	Wakefield	Wallasey	Walsall	Warrington	West Bromwich	West Ham	West Hartlepool	Wigan	Wolverhampton	Worcester	York	Cardiff
1 Tuberculosis, respiratory	M	9	33	15	8	4	5	5	10	7	9	5	4	14	5	—	19
	F	2	2	3	—	1	2	3	1	4	2	2	1	1	2	—	6
2 Tuberculosis, other	M	—	1	1	—	—	—	1	—	1	—	—	—	1	—	1	1
	F	1	2	—	—	—	1	1	2	—	—	—	—	—	—	—	—
3 Syphilitic disease	M	2	3	1	1	1	—	—	—	1	2	1	1	1	—	—	2
	F	1	2	2	1	—	1	—	—	—	1	—	—	—	—	2	1
4 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Meningococcal infections	M	—	1	1	—	—	—	1	—	—	—	1	1	3	—	—	—
	F	1	—	1	—	—	—	2	—	—	1	—	—	1	—	—	—
7 Acute poliomyelitis	M	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Other infective, etc., diseases	M	—	1	2	2	1	4	2	2	2	2	2	2	2	—	3	4
	F	2	4	—	—	—	1	1	1	—	—	1	2	1	1	—	3
10 Malignant neoplasm: stomach	M	26	48	49	12	9	25	19	15	17	39	15	12	23	4	13	43
	F	26	46	24	6	10	13	22	5	10	25	15	9	19	4	7	48
11 lung, bronchus	M	65	131	87	35	23	62	63	36	41	108	48	21	59	33	52	122
	F	14	22	9	7	6	10	15	5	7	18	4	1	10	3	13	10
12 breast	M	—	2	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	F	35	50	22	5	5	30	24	14	16	32	8	12	38	11	13	43
13 uterus	F	17	32	10	4	6	12	10	9	4	15	9	8	7	6	8	39
14 Other malignant and lymphatic neoplasms	M	75	145	98	34	22	56	52	46	34	80	32	45	72	32	64	131
	F	80	92	91	29	29	51	49	29	25	81	27	32	67	33	49	113
15 Leukaemia, aleukaemia	M	2	10	5	2	2	2	1	—	1	5	—	5	4	2	7	10
	F	2	7	2	2	1	—	5	—	—	5	1	1	3	3	4	4
16 Diabetes	M	3	11	3	2	1	3	3	5	4	3	3	—	6	2	6	9
	F	7	15	8	4	2	11	3	8	3	10	2	1	2	3	11	11
17 Vascular lesions of nervous system	M	116	177	130	48	46	49	54	42	46	54	46	51	101	45	62	128
	F	195	221	137	64	58	151	102	51	62	105	63	67	147	61	106	255
18 Coronary disease, angina	M	201	308	292	117	106	150	141	107	83	179	99	119	145	84	154	406
	F	134	212	194	63	61	92	86	72	59	107	60	66	84	43	97	271
19 Hypertension with heart disease	M	12	24	17	10	6	11	14	10	15	17	7	6	15	8	6	43
	F	22	35	31	9	15	13	25	14	13	23	7	8	20	11	21	43
20 Other heart disease	M	83	127	51	38	37	61	56	43	36	83	26	66	113	30	56	91
	F	155	199	72	62	82	81	91	55	76	118	39	100	118	51	95	175
21 Other circulatory disease	M	32	73	33	14	16	22	18	24	15	38	14	24	30	8	20	44
	F	58	94	28	11	15	32	13	34	16	38	11	17	30	24	23	71
22 Influenza	M	8	17	17	2	2	5	7	2	7	2	1	1	7	8	—	9
	F	5	12	9	3	2	9	5	4	9	9	—	1	5	7	5	5
23 Pneumonia	M	57	80	84	15	18	44	44	30	26	52	43	17	83	21	51	81
	F	43	88	61	16	41	48	49	21	47	40	25	23	55	18	57	81
24 Bronchitis	M	88	157	107	46	42	45	82	43	43	93	44	55	93	43	53	156
	F	49	52	40	12	13	19	32	19	26	33	16	27	36	19	15	41
25 Other diseases of respiratory system	M	15	59	9	4	1	7	9	7	12	15	9	13	9	4	5	17
	F	8	15	2	3	2	4	2	1	1	8	5	2	3	2	4	3
26 Ulcer of stomach and duodenum	M	6	22	14	6	4	8	7	8	6	10	3	4	7	5	7	17
	F	8	8	5	3	4	3	2	4	4	5	1	1	6	1	1	8
27 Gastritis, enteritis and diarrhoea	M	5	6	2	2	3	3	1	3	4	1	1	1	7	1	3	3
	F	7	8	3	3	2	5	5	2	—	5	4	2	5	1	1	5
28 Nephritis and nephrosis	M	2	11	10	3	6	6	6	2	2	6	4	6	9	4	3	15
	F	4	18	4	—	2	6	4	8	—	5	2	7	2	—	3	9
29 Hyperplasia of prostate	M	5	18	13	2	9	6	3	3	8	6	5	7	7	2	10	18
30 Pregnancy, childbirth, abortion	F	2	—	1	1	—	—	1	1	1	2	1	—	—	—	1	—
31 Congenital malformations	M	4	18	11	2	2	11	10	3	6	13	1	2	11	4	4	16
	F	7	14	7	2	2	11	8	5	8	7	4	3	4	5	2	14
32 Other defined and ill-defined diseases	M	71	102	92	31	23	53	45	40	44	63	34	32	70	34	39	100
	F	82	133	89	30	38	76	45	39	54	68	36	67	62	55	52	124
33 Motor vehicle accidents	M	14	23	20	5	3	4	12	10	7	20	6	4	13	7	5	22
	F	6	13	11	1	4	4	2	3	4	6	2	4	2	—	3	11
34 All other accidents	M	11	49	35	10	15	17	18	11	13	12	15	13	24	9	15	27
	F	10	39	32	16	17	4	4	11	11	5	6	8	20	16	20	26
35 Suicide	M	5	25	13	7	1	5	7	2	5	12	6	6	11	7	8	17
	F	13	9	7	2	4	2	7	2	5	13	4	3	6	3	2	17
36 Homicide, operations of war	M	—	5	4	—	—	—	—	—	—	—	—	1	1	—	1	3
	F	—	—	1	—	—	1	—	—	1	—	—	—	—	1	—	—

TABLE 21—*continued.* **County boroughs**

Registrar General's Supplementary Abridged List		Stockport	Stoke-on-Trent	Sunderland	Tynemouth	Wakefield	Wallasey	Walsall	Warrington	West Bromwich	West Ham	West Hartlepool	Wigan	Wolverhampton	Worcester	York	Cardiff
9(1) Infectious hepatitis	M	—	—	—	—	—	1	1	1	1	—	1	1	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
14(1) Malignant neoplasm, mouth and pharynx	M	3	3	2	5	2	2	1	4	4	3	—	2	5	—	4	5
	F	2	5	1	—	—	2	1	2	—	1	1	1	2	—	—	2
14(2) Malignant neoplasm, oesophagus	M	4	8	5	1	1	5	5	5	1	3	1	4	3	—	3	7
	F	7	5	5	1	3	2	2	4	1	2	1	1	3	1	2	6
14(3) Malignant neoplasm, intestine and rectum	M	22	33	28	8	8	20	11	13	7	14	10	11	23	11	19	30
	F	29	33	43	10	8	13	15	8	12	29	7	6	20	12	22	42
14(4) Malignant neoplasm, larynx	M	1	7	2	—	—	1	—	2	—	3	—	1	3	2	2	6
	F	2	—	—	—	—	—	—	—	—	—	1	—	1	—	—	1
13(1) Malignant neoplasm, cervix uteri	F	12	24	8	2	4	8	8	6	4	8	6	4	5	2	5	28
14(5) Malignant neoplasm, prostate	M	13	21	13	5	4	7	10	2	3	8	5	3	7	7	5	21
14(6) Malignant neoplasm, bladder	M	8	6	6	8	1	4	8	3	3	12	2	9	7	3	10	7
	F	2	6	1	1	—	—	5	—	—	4	1	5	1	3	1	4
14(7) Malignant neoplasm, bone (including jaw-bone)	M	—	3	1	—	1	2	—	—	1	—	2	2	2	—	1	3
	F	2	2	—	1	—	—	—	—	—	—	—	—	—	1	—	1
14(8) Lymphosarcoma, reticulosarcoma	M	—	6	1	—	1	1	1	1	—	2	1	—	3	2	3	2
	F	2	1	1	—	2	1	—	—	—	2	—	—	2	—	—	3
14(9) Hodgkin's disease	M	—	2	5	—	—	1	—	1	1	3	—	2	—	—	—	5
	F	3	1	3	—	—	—	—	1	—	3	1	1	2	—	1	1
32(1) Thyrotoxicosis	M	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	1
	F	1	1	1	—	1	—	2	1	3	1	1	1	—	2	2	4
32(2) Multiple sclerosis	M	3	2	1	—	1	1	—	1	—	1	2	1	—	2	—	1
	F	3	1	1	—	—	2	—	1	3	—	1	2	3	—	5	3
32(3) Rheumatic fever	M	—	1	1	—	—	—	—	—	—	—	—	—	—	1	—	—
	F	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—
20(1) Chronic rheumatic heart disease	M	13	15	12	3	5	6	5	4	6	11	3	8	7	2	4	13
	F	30	33	18	3	10	13	15	10	13	13	4	15	18	4	11	30
21(1) Hypertension without mention of heart	M	9	13	9	6	6	5	3	4	6	8	6	7	14	2	3	17
	F	11	22	7	4	4	7	1	6	5	11	2	3	11	7	3	12
25(1) Pneumoconiosis and chronic interstitial pneumonia	M	3	43	2	—	—	1	1	—	8	3	—	10	2	—	—	3
	F	2	7	—	—	—	—	—	—	—	—	1	—	—	1	1	—
26(1) Ulcer of stomach	M	3	10	7	1	1	4	2	4	5	6	2	1	1	2	3	9
	F	4	8	4	2	3	1	2	1	1	4	—	—	4	1	—	6
32(4) Appendicitis	M	1	1	—	—	1	—	1	—	—	1	1	1	—	1	—	—
	F	2	2	—	—	1	—	1	1	2	—	—	—	—	1	1	—
32(5) Intestinal obstruction and hernia	M	9	5	5	1	5	2	4	4	4	2	1	1	13	2	3	5
	F	5	8	5	3	6	7	5	2	3	5	—	2	5	—	8	4
32(6) Cirrhosis of liver	M	1	—	1	2	—	1	1	2	2	2	—	—	3	2	1	3
	F	1	2	2	2	4	1	3	2	2	4	3	1	1	—	1	2
32(7) Cholelithiasis, cholecystitis	M	1	—	2	—	—	1	1	—	1	2	1	—	2	—	2	1
	F	4	9	2	—	1	2	3	1	2	2	1	1	1	2	3	3
30(1) Maternal sepsis (not abortion)	F	1	—	1	—	—	—	1	—	—	1	—	—	—	—	—	—
30(2) Toxaemias of pregnancy and puerperium	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
30(3) Abortion	F	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
32(8) Rheumatoid arthritis and allied conditions	M	6	1	1	—	—	1	—	—	—	—	—	—	1	1	—	3
	F	5	2	1	—	1	4	3	1	1	—	1	5	4	2	2	4
32(9) Birth injury	M	3	4	12	3	2	6	8	2	—	1	1	2	8	2	5	6
	F	4	3	4	1	1	3	1	1	1	3	1	2	4	1	—	6
32(10) Postnatal asphyxia and atelectasis	M	5	11	22	—	1	8	4	2	4	10	9	—	6	2	—	8
	F	4	2	11	1	—	5	2	3	5	2	5	1	4	3	—	10
23(1) Pneumonia of newborn	M	1	6	5	—	—	1	—	1	1	—	—	—	—	—	1	1
	F	—	2	1	1	—	—	1	—	1	2	1	—	1	—	—	5
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
32(12) Haemolytic disease of newborn	M	2	1	—	—	—	—	—	—	2	1	—	—	1	—	1	—
	F	—	1	—	—	—	—	—	—	—	1	—	—	2	—	—	—
32(13) Immaturity (without other disease peculiar to early infancy)	M	8	10	3	5	4	2	6	5	4	12	4	—	4	—	8	19
	F	5	4	5	3	1	5	4	2	—	6	3	2	3	2	4	11
32(14) Senility without psychosis	M	4	12	—	2	—	9	—	6	8	3	—	13	1	4	1	4
	F	18	20	2	2	—	17	4	3	9	7	4	26	7	7	2	13
32(15) Ill-defined and unknown cause	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	1	1	—	—	—	—	1	—	1	—	—	—	—	2	—

TABLE 21—*continued.* **County boroughs and administrative counties**

Registrar General's Abridged List		Merthyr Tydfil	Newport (Mon.)	Swansea	Bedfordshire	Berkshire	Buckinghamshire	Cambridgeshire	Cheshire	Cornwall	Cumberland	Derbyshire	Devon	Dorset	Durham	Ely, Isle of	Essex
1	Tuberculosis, respiratory	M	2	4	13	10	10	15	5	33	14	11	25	17	7	49	2	66
		F	1	1	4	3	7	6	—	7	2	1	8	7	3	10	2	33
2	Tuberculosis, other	M	—	—	3	2	—	2	—	1	1	—	2	1	2	4	1	5
		F	—	—	2	—	—	—	—	2	3	—	1	1	—	2	—	5
3	Syphilitic disease	M	2	1	2	6	4	3	3	14	6	3	3	4	3	11	2	17
		F	1	—	—	5	6	—	—	9	3	1	8	2	—	6	1	7
4	Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough	M	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—
6	Meningococcal infections	M	—	—	1	2	—	—	—	3	—	—	—	—	—	2	—	4
		F	—	—	—	1	—	1	—	1	—	1	2	—	1	—	—	—
7	Acute poliomyelitis	M	—	—	—	1	—	—	—	2	—	1	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8	Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	1
	Other infective, etc., diseases	M	—	1	1	5	3	2	3	7	9	—	5	9	4	11	1	11
		F	1	1	1	2	5	3	2	13	4	1	10	10	2	13	1	13
10	Malignant neoplasm: stomach	M	21	30	32	44	42	60	31	158	67	49	126	103	44	204	16	302
		F	13	15	36	43	38	48	17	144	54	42	75	85	43	163	15	225
11	lung, bronchus	M	16	62	73	163	136	181	98	349	106	54	242	205	125	375	42	785
		F	4	13	3	34	24	40	12	57	19	12	34	53	28	57	1	165
12	breast	M	—	1	—	—	1	1	—	1	—	—	2	1	2	—	1	3
		F	15	17	41	77	63	74	43	188	93	46	138	139	103	128	7	373
13	uterus	F	5	6	22	28	22	40	11	87	48	19	60	59	35	90	9	128
14	Other malignant and lymphatic neoplasms	M	30	62	89	191	177	245	113	480	222	123	373	383	204	510	50	1,014
		F	25	63	82	170	151	214	92	439	192	89	302	353	178	428	47	911
15	Leukaemia, aleukaemia	M	1	3	7	9	9	22	5	23	10	6	18	28	11	34	4	55
		F	2	3	1	8	9	17	2	19	12	6	18	20	10	22	1	44
16	Diabetes	M	1	3	7	8	5	12	7	29	18	8	27	12	14	29	4	50
		F	6	2	7	29	16	25	6	59	28	19	34	36	19	60	5	93
17	Vascular lesions of nervous system	M	39	57	124	243	247	230	116	712	273	181	546	487	241	731	65	1,078
		F	73	97	196	352	374	374	188	1,081	440	268	692	828	359	918	93	1,621
18	Coronary disease, angina	M	104	140	266	414	438	575	206	1,285	473	357	934	806	458	1,425	117	2,479
		F	33	77	143	281	253	354	156	851	303	183	586	586	320	872	69	1,444
19	Hypertension with heart disease	M	14	11	45	20	27	43	13	83	36	26	66	52	26	74	9	138
		F	14	16	48	26	41	46	23	125	61	27	72	105	47	132	11	211
20	Other heart disease	M	44	71	83	139	218	245	80	564	475	142	481	534	255	489	56	784
		F	69	98	132	268	314	320	126	816	595	170	672	745	347	645	76	1,333
21	Other circulatory disease	M	15	23	50	68	70	102	31	232	101	62	228	165	102	222	14	395
		F	23	24	51	92	100	102	54	306	110	82	212	214	142	227	16	507
22	Influenza	M	1	1	—	2	16	11	5	44	11	5	22	14	11	39	12	49
		F	1	1	7	9	13	14	7	42	7	7	34	10	17	25	7	44
23	Pneumonia	M	16	17	40	84	129	162	73	290	72	41	230	165	106	303	30	650
		F	11	15	40	121	123	153	83	358	116	44	225	187	126	277	25	703
24	Bronchitis	M	41	49	131	132	131	191	65	441	90	78	359	208	115	441	53	759
		F	14	14	32	59	47	71	28	191	50	18	132	84	56	157	16	317
25	Other diseases of respiratory system	M	12	10	7	27	21	25	8	55	30	16	96	47	25	105	8	94
		F	4	6	5	10	14	9	5	29	9	11	28	23	17	33	4	57
26	Ulcer of stomach and duodenum	M	2	1	16	20	21	26	16	56	24	23	64	34	22	61	3	124
		F	—	2	3	12	15	15	6	25	11	9	26	24	11	19	5	57
27	Gastritis, enteritis and diarrhoea	M	3	6	6	8	5	13	1	24	8	3	20	10	10	28	—	29
		F	2	3	7	10	11	16	10	35	7	2	19	17	10	28	1	59
28	Nephritis and nephrosis	M	4	3	6	7	8	18	7	38	17	13	34	23	16	46	2	49
		F	4	3	8	4	8	12	5	37	17	10	33	27	12	43	5	47
29	Hyperplasia of prostate	M	10	9	17	19	17	29	8	49	41	11	29	58	40	47	8	89
30	Pregnancy, childbirth, abortion	F	2	1	1	—	2	1	—	10	—	1	4	2	3	6	—	12
31	Congenital malformations	M	10	8	12	25	23	26	9	65	21	15	53	22	22	64	9	100
		F	3	4	9	19	31	28	7	51	20	20	46	39	17	64	7	90
32	Other defined and ill-defined diseases	M	40	56	103	148	176	184	72	436	147	134	268	214	152	429	28	726
		F	40	69	95	205	187	225	81	579	181	145	341	375	197	566	39	878
33	Motor vehicle accidents	M	3	12	7	48	48	72	28	86	36	21	73	38	28	96	11	166
		F	—	2	6	9	19	24	10	37	18	5	26	18	22	28	2	49
34	All other accidents	M	11	15	22	42	41	50	12	111	73	32	102	79	32	161	17	160
		F	7	11	8	48	48	37	32	77	53	36	88	96	30	128	7	157
35	Suicide	M	7	2	3	20	16	29	10	65	18	18	46	52	23	57	10	80
		F	4	—	6	19	14	19	10	49	7	5	34	27	13	22	2	96
36	Homicide, operations of war	M	—	—	—	2	—	1	—	—	3	—	1	5	1	4	—	3
		F	—	—	—	—	1	1	—	—	1	—	3	5	1	5	—	1

TABLE 21—*continued.* **County boroughs and administrative counties**

Registrar General's Supplementary Abridged List		Merthyr Tydfil	Newport (Mon.)	Swansea	Bedfordshire	Berkshire	Buckinghamshire	Cambridgeshire	Cheshire	Cornwall	Cumberland	Derbyshire	Devon	Dorset	Durham	Ely, Isle of	Essex
9(1)	Infectious hepatitis	M	—	—	1	2	2	1	—	2	2	—	3	1	2	2	—	4
		F	—	1	—	—	2	—	1	7	1	—	4	6	1	5	—	2
14(1)	Malignant neoplasm, mouth and pharynx	M	2	3	4	5	5	7	6	16	11	9	10	8	11	25	—	40
		F	—	3	3	5	6	4	4	15	10	1	10	5	9	11	2	25
14(2)	Malignant neoplasm, oesophagus	M	1	4	2	15	13	9	5	32	12	9	25	18	12	25	1	50
		F	2	3	4	7	5	10	4	20	12	4	14	25	8	20	2	35
14(3)	Malignant neoplasm, intestine and rectum	M	10	19	21	55	40	75	22	123	63	35	95	90	57	140	15	289
		F	4	34	33	68	59	78	35	188	63	35	107	120	64	158	15	293
14(4)	Malignant neoplasm, larynx	M	1	3	4	2	3	4	4	11	3	2	10	6	5	13	1	17
		F	—	—	1	—	—	1	—	3	1	—	3	4	1	3	—	2
13(1)	Malignant neoplasm, cervix uteri	F	3	4	14	13	17	26	6	58	28	11	32	41	23	65	8	82
14(5)	Malignant neoplasm, prostate	M	4	7	13	32	35	46	29	83	37	18	66	79	35	63	6	143
14(6)	Malignant neoplasm, bladder	M	1	5	8	13	24	27	9	39	12	6	35	32	27	46	3	96
		F	1	—	3	7	2	14	—	21	5	3	11	15	6	21	1	49
14(7)	Malignant neoplasm, bone (including jaw-bone)	M	—	1	5	2	1	2	—	4	2	4	7	3	—	7	—	21
		F	—	1	2	3	—	2	—	11	1	1	4	5	1	7	1	10
14(8)	Lymphosarcoma, reticulosarcoma	M	—	—	4	4	3	5	1	4	5	1	6	13	5	11	1	20
		F	1	1	—	1	3	13	1	8	5	1	8	8	5	9	1	23
14(9)	Hodgkin's disease	M	—	2	1	7	3	6	—	8	3	3	8	9	1	15	4	15
		F	—	—	—	2	2	1	1	6	4	3	2	8	5	8	1	11
32(1)	Thyrotoxicosis	M	—	—	—	—	—	1	—	2	—	—	—	2	—	1	—	1
		F	3	1	—	1	3	4	—	6	3	1	5	4	1	6	—	5
32(2)	Multiple sclerosis	M	—	1	2	4	—	2	2	9	4	2	3	6	1	6	—	17
		F	—	1	1	—	5	4	3	12	5	—	6	7	2	9	—	18
32(3)	Rheumatic fever	M	—	—	—	1	—	1	—	1	—	—	6	—	—	2	—	5
		F	—	—	—	1	1	1	—	2	—	—	1	1	—	—	—	3
20(1)	Chronic rheumatic heart disease	M	7	3	13	19	12	31	3	49	11	14	42	33	10	63	3	74
		F	12	9	15	24	24	42	14	96	29	12	79	46	19	100	8	188
21(1)	Hypertension without mention of heart	M	1	4	9	16	11	19	9	36	26	7	50	51	28	49	4	106
		F	6	7	11	19	24	17	11	48	27	13	36	52	24	46	3	106
25(1)	Pneumoconiosis and chronic interstitial pneumonia	M	10	1	3	6	2	4	—	4	14	4	15	3	3	57	1	14
		F	1	—	—	—	1	3	—	2	1	2	1	—	—	1	—	4
26(1)	Ulcer of stomach	M	1	1	5	14	11	13	7	27	10	3	23	18	12	28	2	48
		F	—	—	2	8	10	9	3	14	7	4	11	15	4	10	2	37
32(4)	Appendicitis	M	—	1	1	3	3	6	2	13	2	2	3	8	2	12	—	15
		F	—	1	1	1	1	3	2	8	4	—	8	4	1	4	—	16
32(5)	Intestinal obstruction and hernia	M	—	4	9	12	13	20	3	27	11	5	21	18	8	32	2	59
		F	—	3	5	16	5	22	9	34	12	13	21	23	13	41	3	61
32(6)	Cirrhosis of liver	M	—	2	4	6	4	7	2	14	6	2	9	11	2	13	—	21
		F	—	5	2	—	4	6	6	14	—	3	7	9	4	16	2	17
32(7)	Cholelithiasis, cholecystitis	M	1	2	2	2	3	4	—	6	5	2	5	8	1	10	—	15
		F	2	2	1	6	7	13	2	19	7	6	12	15	5	14	2	23
30(1)	Maternal sepsis (not abortion)	F	—	—	—	—	—	—	—	2	—	1	1	—	—	1	—	2
30(2)	Toxaemias of pregnancy and puerperium	F	—	—	—	—	1	—	—	1	—	—	—	2	2	1	—	3
30(3)	Abortion	F	1	1	—	—	—	—	—	1	—	—	—	—	—	—	—	3
32(8)	Rheumatoid arthritis and allied conditions	M	—	1	—	2	—	—	1	8	1	—	5	—	2	—	1	3
		F	2	—	2	8	5	6	4	21	6	4	14	10	11	12	3	30
32(9)	Birth injury	M	2	3	5	13	14	12	6	25	12	8	12	4	11	22	—	34
		F	2	1	3	13	9	6	—	15	5	5	9	3	6	15	—	25
32(10)	Postnatal asphyxia and atelectasis	M	1	3	7	11	20	19	4	25	6	13	16	11	8	32	2	64
		F	—	5	3	17	5	9	1	14	4	4	12	12	3	29	4	37
23(1)	Pneumonia of newborn	M	—	2	1	6	5	2	1	8	2	2	10	3	—	11	—	9
		F	1	—	—	1	1	1	—	5	4	1	8	2	2	14	—	5
32(11)	Ophthalmia, pemphigus, sepsis of newborn	M	1	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—
		F	—	—	—	—	—	—	—	2	—	—	—	1	—	1	—	—
32(12)	Haemolytic disease of newborn	M	—	1	—	—	3	2	1	5	1	—	1	2	1	2	2	13
		F	—	1	2	—	4	2	1	5	2	2	3	2	3	4	—	8
32(13)	Immaturity (without other disease peculiar to early infancy)	M	5	10	12	20	16	23	8	22	7	11	19	8	12	63	1	57
		F	1	6	4	23	16	10	1	35	8	7	15	6	9	36	3	48
32(14)	Senility without psychosis	M	9	7	11	7	13	16	8	111	17	36	48	32	11	58	3	64
		F	12	15	32	37	41	20	5	179	53	45	60	115	31	90	9	128
32(15)	Ill-defined and unknown cause	M	1	1	—	1	—	2	—	3	—	2	—	2	2	4	—	9
		F	1	—	2	2	—	2	1	4	—	1	2	1	1	5	1	6

(88065)

TABLE 21—*continued.* **Administrative counties**

Registrar General's Abridged List		Gloucestershire	Hampshire	Herefordshire	Hertfordshire	Huntingdonshire	Kent	Lancashire	Leicestershire	Lincolnshire (Parts of Holland)	Lincolnshire (Parts of Kesteven)	Lincolnshire (Parts of Lindsey)	Middlesex	Norfolk	Northamptonshire	Northumberland	Nottinghamshire
1	Tuberculosis, respiratory	M	11	16	2	27	3	64	104	10	4	4	8	73	9	9	17	10
		F	9	7	1	7	—	21	26	5	3	—	6	38	3	4	6	7
2	Tuberculosis, other	M	2	3	—	2	—	9	9	1	—	—	—	6	1	1	—	3
		F	—	4	—	—	2	9	4	1	—	—	—	4	2	1	3	3
3	Syphilitic disease	M	3	8	1	7	—	19	30	4	—	3	2	21	5	5	6	9
		F	5	7	2	4	2	14	16	1	—	1	1	17	2	1	5	6
4	Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough	M	—	—	—	—	—	1	1	—	—	—	—	—	—	1	—	—
		F	—	—	—	—	—		1	—	—	—	—	—	1	—	—	—
6	Meningococcal infections	M	2	—	—	1	—	1	3	1	—	1	—	2	—	1	2	—
		F	—	1	—	—	—	2	1	—	—	—	1	—	—	1	—	1
7	Acute poliomyelitis	M	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
		F	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—
8	Measles	M	—	—	—	2	—	—	3	—	—	—	—	1	—	—	—	1
		F	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—	—
9	Other infective, etc., diseases	M	7	10	2	10	—	17	24	1	2	1	5	21	11	6	2	7
		F	6	7	2	5	1	23	28	10	2	1	5	23	6	2	2	1
10	Malignant neoplasm: stomach	M	82	99	16	104	13	285	410	62	16	19	54	283	68	43	71	96
		F	43	68	20	88	12	177	300	34	13	22	34	287	42	29	64	62
11	lung, bronchus	M	172	283	46	309	29	823	861	139	35	55	127	1,164	133	118	210	221
		F	36	56	11	58	4	143	144	28	7	7	16	224	17	14	32	34
12	breast	M	1	—	—	—	—	6	5	—	—	—	—	2	1	—	—	2
		F	88	147	28	185	8	364	400	75	16	22	64	539	77	66	88	109
13	uterus	F	43	59	12	53	7	143	210	29	8	6	31	173	27	19	41	62
14	Other malignant and lymphatic neoplasms	M	246	403	64	394	55	967	1,164	197	65	72	191	1,204	247	149	250	294
		F	242	385	59	354	29	890	1,063	149	48	57	176	1,118	192	134	258	269
15	Leukaemia, aleukaemia	M	19	20	6	23	2	71	69	9	3	2	10	60	4	14	11	17
		F	9	21	1	24	1	52	66	8	2	7	10	77	11	8	14	9
16	Diabetes	M	22	21	5	26	2	58	69	13	4	8	17	57	6	8	12	21
		F	19	34	9	45	4	102	105	17	9	5	20	100	27	12	22	28
17	Vascular lesions of nervous system	M	338	510	83	465	40	1,097	1,826	293	77	104	245	1,087	332	190	458	397
		F	476	732	141	712	70	1,730	2,521	383	69	141	319	1,717	447	260	564	564
18	Coronary disease, angina	M	643	987	159	861	86	2,240	3,394	451	108	161	444	3,009	495	336	698	653
		F	392	586	105	580	57	1,511	1,977	233	63	90	228	1,892	315	224	500	396
19	Hypertension with heart disease	M	41	83	19	62	6	151	217	37	15	10	48	180	19	28	35	71
		F	58	125	19	116	6	254	321	59	10	13	56	274	38	62	48	66
20	Other heart disease	M	357	502	92	374	36	1,124	1,475	267	66	114	214	965	319	208	330	421
		F	466	758	167	571	56	1,764	2,436	361	100	178	285	1,793	430	292	408	538
21	Other circulatory disease	M	108	155	42	143	7	469	563	110	34	43	84	566	93	72	127	139
		F	117	176	26	201	17	573	671	99	38	41	123	746	111	82	132	134
22	Influenza	M	19	27	3	15	1	36	126	7	1	3	7	37	22	7	5	20
		F	27	44	6	27	4	45	190	9	1	3	16	48	34	7	7	13
23	Pneumonia	M	164	243	59	207	20	585	633	98	22	47	88	634	159	54	104	145
		F	194	275	59	290	31	634	726	77	33	68	78	823	168	70	100	164
24	Bronchitis	M	176	252	45	264	20	747	1,213	162	27	45	128	1,027	136	126	240	335
		F	62	113	24	136	11	350	596	43	7	18	38	464	52	56	86	127
25	Other diseases of respiratory system	M	37	47	12	37	6	129	191	28	8	7	14	128	20	16	36	48
		F	17	26	7	25	4	73	78	20	3	4	17	77	14	13	14	32
26	Ulcer of stomach and duodenum	M	29	55	11	43	6	141	154	24	5	5	15	152	35	27	26	35
		F	11	19	5	26	2	75	71	12	6	6	8	98	9	10	12	19
27	Gastritis, enteritis and diarrhoea	M	17	24	3	16	1	47	52	5	—	1	9	39	8	10	10	8
		F	15	29	7	33	2	41	71	11	1	1	11	68	5	9	12	17
28	Nephritis and nephrosis	M	19	26	6	24	2	72	112	23	5	3	12	62	17	8	16	17
		F	15	23	6	30	6	57	80	18	3	3	14	67	10	12	20	23
29	Hyperplasia of prostate	M	38	43	13	39	6	94	134	28	7	7	24	123	31	20	30	51
30	Pregnancy, childbirth, abortion	F	3	4	—	3	—	8	16	2	—	—	2	11	—	4	2	4
31	Congenital malformations	M	29	46	10	42	1	93	140	31	8	11	23	151	16	15	39	37
		F	35	59	4	42	1	83	137	27	5	4	13	101	20	15	37	33
32	Other defined and ill-defined diseases	M	215	307	55	314	29	705	1,035	177	54	64	193	759	167	136	240	199
		F	241	380	49	410	37	811	1,288	197	56	84	179	986	168	162	227	282
33	Motor vehicle accidents	M	60	77	18	77	9	156	210	40	20	20	57	194	46	28	42	74
		F	20	33	4	33	1	63	85	11	3	5	7	83	16	9	11	24
34	All other accidents	M	52	104	16	79	18	152	274	45	10	10	45	210	44	50	90	73
		F	46	81	19	99	10	191	326	48	9	20	26	208	46	38	93	21
35	Suicide	M	26	66	13	45	5	113	181	22	5	4	22	133	29	20	26	43
		F	15	39	6	35	2	77	114	19	4	8	8	150	15	11	14	28
36	Homicide, operations of war	M	—	4	—	3	—	4	10	—	—	—	6	4	—	—	1	—
		F	—	1	1	—	—	5	1	1	—	—	—	7	1	—	—	3

TABLE 21—*continued.* **Administrative counties**

Registrar General's Supplementary Abridged List		Gloucestershire	Hampshire	Herefordshire	Hertfordshire	Huntingdonshire	Kent	Lancashire	Leicestershire	Lincolnshire (Parts of Holland)	Lincolnshire (Parts of Kesteven)	Lincolnshire (Parts of Lindsey)	Middlesex	Norfolk	Northamptonshire	Northumberland	Nottinghamshire
9(1)	Infectious hepatitis	M	1	1	—	1	—	4	4	1	1	—	3	8	4	2	—	2
		F	3	1	1	—	1	5	6	—	—	—	2	11	4	1	1	1
14(1)	Malignant neoplasm, mouth and pharynx	M	8	21	2	9	1	41	54	7	2	3	14	49	9	5	9	9
		F	11	7	—	10	—	26	29	2	—	2	3	21	4	5	11	7
14(2)	Malignant neoplasm, oesophagus	M	12	22	3	27	1	43	82	9	6	7	9	47	12	6	8	20
		F	6	19	6	8	1	32	64	7	3	2	9	46	7	4	13	6
14(3)	Malignant neoplasm, intestine and rectum	M	62	95	25	96	16	253	332	57	14	27	61	304	89	41	75	81
		F	91	124	20	127	9	301	373	51	14	23	57	381	72	51	92	103
14(4)	Malignant neoplasm, larynx	M	6	17	2	8	2	24	27	5	2	3	2	28	1	2	4	5
		F	—	—	—	2	—	5	12	1	—	—	3	9	—	1	2	—
13(1)	Malignant neoplasm, cervix uteri	F	31	26	8	26	6	84	136	14	7	4	27	99	17	10	28	37
14(5)	Malignant neoplasm, prostate	M	49	70	10	60	14	175	172	35	16	8	22	181	38	30	36	47
14(6)	Malignant neoplasm, bladder	M	26	43	6	45	1	83	99	14	2	3	21	112	19	11	24	27
		F	11	14	3	9	2	36	47	12	1	1	7	48	3	4	4	10
14(7)	Malignant neoplasm, bone (including jaw-bone)	M	4	4	3	1	1	17	16	1	—	1	3	10	3	1	5	3
		F	4	5	—	5	1	8	18	—	1	1	2	9	1	4	3	3
14(8)	Lymphosarcoma, reticulosarcoma	M	4	10	—	11	1	26	25	7	2	—	2	36	5	4	5	3
		F	6	10	2	10	—	13	10	1	—	2	1	29	—	2	2	4
14(9)	Hodgkin's disease	M	6	6	2	5	—	24	27	4	1	2	5	28	4	1	7	10
		F	5	6	2	9	—	20	22	2	—	—	2	11	2	—	3	5
32(1)	Thyrotoxicosis	M	1	—	—	1	—	6	7	1	—	—	1	3	1	1	—	1
		F	4	—	2	3	1	13	14	4	—	—	—	7	2	2	1	4
32(2)	Multiple sclerosis	M	2	4	1	5	—	11	16	2	3	1	4	11	5	1	10	1
		F	5	13	3	10	1	29	26	4	1	3	3	22	3	1	2	8
32(3)	Rheumatic fever	M	—	—	—	1	—	1	1	1	—	—	1	1	—	—	1	—
		F	2	—	—	3	1	1	1	1	—	—	—	1	—	—	—	—
20(1)	Chronic rheumatic heart disease	M	21	38	5	36	4	85	121	20	3	6	14	116	13	18	21	39
		F	45	66	12	77	7	147	257	31	7	9	17	243	21	21	39	58
21(1)	Hypertension without mention of heart	M	16	29	6	33	1	97	126	32	4	12	16	157	16	14	19	38
		F	16	40	7	40	6	104	117	22	6	7	23	210	18	19	36	24
25(1)	Pneumoconiosis and chronic interstitial pneumonia	M	11	4	4	2	1	11	70	5	—	—	1	26	2	—	9	11
		F	1	2	2	2	—	6	6	1	—	—	1	11	1	—	—	2
26(1)	Ulcer of stomach	M	13	23	4	19	2	70	60	7	3	1	2	79	18	10	12	14
		F	6	16	2	12	1	48	39	6	1	3	5	66	7	7	8	9
32(4)	Appendicitis	M	5	3	—	8	1	14	12	3	—	—	3	10	4	1	4	2
		F	2	2	—	3	—	9	15	3	1	1	1	13	2	1	—	4
32(5)	Intestinal obstruction and hernia	M	22	20	4	20	3	51	55	9	2	6	13	62	13	12	15	8
		F	11	16	2	24	1	65	80	12	2	2	12	85	14	7	8	21
32(6)	Cirrhosis of liver	M	12	14	2	3	1	25	30	9	—	5	4	24	6	2	9	9
		F	5	11	1	12	3	18	30	2	1	2	5	27	2	3	7	5
32(7)	Cholelithiasis, cholecystitis	M	5	7	—	6	—	15	17	1	—	—	10	15	5	3	2	5
		F	11	6	2	10	1	22	45	7	1	3	9	35	11	6	10	7
30(1)	Maternal sepsis (not abortion)	F	2	—	—	—	—	1	3	—	—	—	1	1	—	—	—	—
30(2)	Toxaemias of pregnancy and puerperium	F	1	—	—	1	—	1	3	—	—	—	1	—	—	1	1	—
30(3)	Abortion	F	—	1	—	1	—	—	3	—	—	—	—	2	—	2	—	1
32(8)	Rheumatoid arthritis and allied conditions	M	2	1	—	5	—	6	19	3	—	—	2	21	1	2	4	1
		F	8	14	2	8	2	21	43	6	3	2	5	47	5	3	5	12
32(9)	Birth injury	M	12	16	1	21	3	30	65	14	2	1	13	45	8	8	11	13
		F	3	8	—	14	—	18	30	3	2	2	9	28	7	—	9	10
32(10)	Postnatal asphyxia and atelectasis	M	28	24	2	19	3	48	114	10	6	1	10	81	8	13	4	21
		F	14	17	1	23	—	31	75	3	1	2	4	36	6	12	13	16
23(1)	Pneumonia of newborn	M	1	9	2	3	—	16	34	7	—	2	4	24	1	2	4	9
		F	3	6	—	7	—	13	9	—	—	2	2	10	—	2	1	6
32(11)	Ophthalmia, pemphigus, sepsis of newborn	M	1	1	—	—	1	—	2	1	—	—	—	3	—	—	1	—
		F	—	—	—	1	—	—	—	—	—	—	1	2	—	—	1	1
32(12)	Haemolytic disease of newborn	M	1	1	—	5	1	7	13	1	1	1	2	10	2	1	1	1
		F	1	2	—	5	1	2	7	1	—	—	2	8	—	—	2	2
32(13)	Immaturity (without other disease peculiar to early infancy)	M	15	22	5	20	2	46	78	9	1	—	23	64	9	13	22	24
		F	17	26	3	10	2	40	71	7	2	5	11	52	2	9	11	20
32(14)	Senility without psychosis	M	18	28	10	52	3	73	156	35	17	18	41	18	24	4	28	23
		F	45	93	14	90	10	128	338	49	21	30	55	82	42	16	36	50
32(15)	Ill-defined and unknown cause	M	—	5	—	2	—	6	7	1	2	1	1	7	—	6	2	2
		F	2	2	—	2	1	5	7	2	—	1	1	10	1	3	1	2

(88065)

TABLE 21—*continued.* **Administrative counties**

Registrar General' Abridged List		Oxfordshire	Peterborough, Soke of	Rutland	Shropshire	Somerset	Staffordshire	Suffolk, East	Suffolk, West	Surrey	Sussex, East	Sussex, West	Warwickshire	Westmorland	Wight, Isle of	Wiltshire	Worcestershire
1	Tuberculosis, respiratory	M	4	4	—	6	15	39	8	2	46	18	11	22	1	5	21	12
		F	—	—	1	—	7	12	2	3	13	5	13	6	—	1	2	4
2	Tuberculosis, other	M	2	—	—	1	4	4	—	—	3	1	—	3	—	—	3	1
		F	—	1	—	1	—	2	1	1	3	—	—	1	—	—	1	2
3	Syphilitic disease	M	3	—	—	4	5	6	2	—	25	5	6	5	—	—	3	4
		F	—	—	—	1	2	1	4	1	14	5	3	4	—	—	1	2
4	Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough	M	1	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—
		F	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
6	Meningococcal infections	M	—	—	—	—	1	4	—	1	—	—	—	1	—	—	2	1
		F	—	—	—	—	—	3	—	—	1	—	—	—	—	—	—	—
7	Acute poliomyelitis	M	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8	Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	1	—	—	1	—	1	—	—	—	—	—	—	—
9	Other infective, etc., diseases	M	2	1	—	4	9	15	3	—	17	7	6	14	—	1	5	8
		F	1	—	—	5	7	10	1	4	18	4	4	7	1	3	4	7
10	Malignant neoplasm: stomach	M	21	9	2	39	97	150	31	16	177	53	66	93	10	22	55	64
		F	17	10	1	36	62	102	29	8	145	61	54	58	9	14	44	41
11	lung, bronchus	M	73	31	8	93	203	345	87	55	691	184	212	217	24	44	154	150
		F	15	2	3	16	34	44	21	5	136	45	55	33	5	10	16	17
12	breast	M	—	1	—	2	—	1	1	—	4	1	1	—	—	—	—	3
		F	37	12	2	51	115	166	45	21	360	111	131	108	15	26	68	84
13	uterus	F	14	9	3	28	45	66	20	14	137	38	34	52	3	15	34	34
14	Other malignant and lymphatic neoplasms	M	87	38	16	184	321	459	144	64	805	278	270	342	39	80	225	227
		F	100	30	8	143	266	405	122	60	807	322	285	235	32	75	211	221
15	Leukaemia, aleukaemia	M	5	3	—	6	13	17	5	4	59	12	21	15	5	5	15	10
		F	6	2	—	14	18	19	7	5	54	15	20	16	1	6	11	9
16	Diabetes	M	3	3	1	12	18	23	4	3	37	16	12	16	4	2	15	11
		F	6	5	—	13	33	53	10	4	64	23	20	33	5	4	16	26
17	Vascular lesions of nervous system	M	138	45	14	234	439	653	193	129	793	337	341	338	53	74	275	350
		F	208	60	10	327	593	819	249	141	1,435	653	531	505	121	120	346	458
18	Coronary disease, angina	M	254	113	27	353	708	1,142	374	187	1,976	638	628	707	129	147	465	527
		F	167	50	19	214	458	601	214	116	1,375	422	428	412	75	74	281	315
19	Hypertension with heart disease	M	16	4	3	30	61	73	20	10	114	37	32	40	4	15	45	38
		F	17	4	1	27	80	125	23	9	175	77	57	74	6	17	40	64
20	Other heart disease	M	113	32	30	237	311	577	160	71	800	354	328	288	36	112	331	288
		F	131	34	24	280	559	842	239	102	1,471	634	614	383	55	128	418	442
21	Other circulatory disease	M	39	12	4	61	162	179	66	31	347	127	110	132	19	35	128	102
		F	51	23	5	63	188	203	102	28	524	153	158	147	19	46	103	130
22	Influenza	M	4	—	—	17	19	46	4	6	36	10	11	23	2	3	19	23
		F	6	1	—	16	27	53	9	4	54	19	25	27	3	2	37	31
23	Pneumonia	M	78	29	8	87	129	288	113	61	462	143	212	210	22	33	144	111
		F	73	21	11	90	163	245	92	64	699	233	217	228	20	26	128	159
24	Bronchitis	M	60	26	7	117	167	527	50	40	601	148	177	213	28	35	149	244
		F	16	6	1	45	98	186	19	17	260	72	83	84	6	21	56	115
25	Other diseases of respiratory system	M	12	6	1	22	56	84	13	10	92	34	47	44	4	8	24	14
		F	5	3	1	6	26	30	9	7	59	22	23	14	3	6	14	19
26	Ulcer of stomach and duodenum	M	6	4	2	5	25	57	19	9	86	31	32	35	9	11	21	28
		F	2	1	—	11	20	34	9	4	60	13	26	24	1	1	10	19
27	Gastritis, enteritis and diarrhoea	M	4	3	2	9	13	22	10	5	32	8	12	17	1	6	8	11
		F	4	—	1	8	18	23	9	2	34	17	23	21	2	2	10	9
28	Nephritis and nephrosis	M	3	3	2	13	29	30	8	3	41	17	16	18	1	6	16	18
		F	7	3	2	8	15	36	14	3	36	19	18	17	4	1	12	6
29	Hyperplasia of prostate	M	9	7	1	23	40	42	20	11	99	32	33	26	6	17	30	36
30	Pregnancy, childbirth, abortion	F	—	1	—	1	3	11	—	1	2	1	2	4	2	—	5	4
31	Congenital malformations	M	6	2	—	22	28	62	9	7	70	21	24	39	4	3	23	30
		F	17	5	3	26	31	63	11	7	49	14	23	33	6	2	22	31
32	Other defined and ill-defined diseases	M	93	46	15	146	235	378	101	57	552	203	180	236	29	58	207	174
		F	103	47	7	188	310	462	117	59	793	259	248	262	26	68	252	214
33	Motor vehicle accidents	M	37	11	5	33	62	104	26	16	134	31	41	83	9	5	63	54
		F	9	4	—	14	16	37	11	8	61	17	29	17	—	2	10	15
34	All other accidents	M	29	9	1	36	56	117	35	21	153	49	41	76	6	5	63	55
		F	29	14	4	37	57	100	38	12	184	72	65	87	16	17	43	52
35	Suicide	M	6	4	2	13	31	64	15	5	115	21	39	35	5	4	28	33
		F	10	6	1	4	19	44	8	3	96	24	23	18	3	7	22	17
36	Homicide, operations of war	M	1	—	—	—	2	3	2	—	4	2	1	3	—	—	—	1
		F	1	1	—	—	—	3	—	—	4	1	—	1	1	1	—	—

TABLE 21—*continued.* **Administrative counties**

Registrar General's Supplementary Abridged List		Oxfordshire	Peterborough, Soke of	Rutland	Shropshire	Somerset	Staffordshire	Suffolk, East	Suffolk, West	Surrey	Sussex, East	Sussex, West	Warwickshire	Westmorland	Wight, Isle of	Wiltshire	Worcestershire
9(1)	Infectious hepatitis	M	—	—	—	—	2	1	—	—	5	—	1	1	—	1	2	1
		F	—	—	—	2	4	2	1	2	10	1	1	2	—	1	1	3
14(1)	Malignant neoplasm, mouth and pharynx	M	2	1	—	13	20	24	4	1	28	6	11	18	1	3	13	9
		F	2	3	1	3	10	11	2	—	20	7	15	8	—	1	7	4
14(2)	Malignant neoplasm, oesophagus	M	4	—	—	13	18	30	8	1	44	17	16	19	1	4	12	15
		F	7	2	1	8	19	11	9	4	37	11	8	11	1	4	5	12
14(3)	Malignant neoplasm, intestine and rectum	M	22	13	3	48	74	108	42	12	208	81	60	94	9	19	65	64
		F	33	10	3	48	89	137	45	17	277	116	92	89	6	22	67	76
14(4)	Malignant neoplasm, larynx	M	6	—	1	6	9	10	1	2	16	10	5	7	2	4	4	2
		F	—	1	—	1	3	3	2	—	5	1	1	1	—	—	—	—
13(1)	Malignant neoplasm, cervix uteri	F	12	6	2	21	22	40	13	9	76	20	17	28	—	5	22	24
14(5)	Malignant neoplasm, prostate	M	11	8	3	34	60	56	18	9	116	47	47	43	9	20	43	26
14(6)	Malignant neoplasm, bladder	M	12	5	2	14	30	46	16	9	72	26	27	34	1	6	19	23
		F	3	—	—	3	5	10	5	2	29	18	21	9	5	4	9	11
14(7)	Malignant neoplasm, bone (including jaw-bone)	M	—	—	—	1	2	6	3	2	11	2	1	5	—	—	1	4
		F	2	—	—	—	2	8	2	—	8	4	3	1	—	—	1	4
14(8)	Lymphosarcoma, reticulosarcoma	M	1	—	—	4	14	7	4	2	34	9	5	9	1	1	8	7
		F	2	1	—	8	7	9	4	1	31	8	8	4	—	1	4	3
14(9)	Hodgkin's disease	M	2	2	1	1	6	21	4	—	22	7	8	10	—	1	7	5
		F	—	—	1	4	5	6	2	—	10	2	6	2	—	—	4	—
32(1)	Thyrotoxicosis	M	—	—	—	1	2	1	1	—	4	1	—	1	—	—	—	1
		F	—	—	—	2	3	6	2	—	9	4	2	5	—	1	4	2
32(2)	Multiple sclerosis	M	1	1	—	2	6	1	2	1	14	—	4	8	—	1	1	2
		F	4	1	—	5	5	7	3	1	9	3	4	8	—	4	8	8
32(3)	Rheumatic fever	M	—	—	1	—	—	—	1	—	1	—	2	1	—	—	1	2
		F	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—
20(1)	Chronic rheumatic heart disease	M	4	5	1	18	25	49	10	4	82	19	22	36	3	6	22	26
		F	11	7	2	19	37	102	16	8	150	38	27	50	2	4	26	38
21(1)	Hypertension without mention of heart	M	6	2	1	15	41	38	11	5	99	26	16	37	2	11	33	21
		F	8	4	3	11	40	39	19	4	141	32	35	36	4	10	28	26
25(1)	Pneumoconiosis and chronic interstitial pneumonia	M	1	—	—	2	9	30	—	1	3	1	4	15	—	—	1	2
		F	—	—	—	—	—	4	3	1	3	1	3	—	—	—	—	4
26(1)	Ulcer of stomach	M	4	2	2	1	16	26	10	3	47	11	14	14	2	4	8	12
		F	2	1	—	5	14	22	6	1	38	10	20	15	—	—	6	10
32(4)	Appendicitis	M	1	1	—	4	4	9	3	—	6	5	6	4	—	1	2	3
		F	—	—	—	1	3	1	1	—	9	2	1	1	—	1	1	6
32(5)	Intestinal obstruction and hernia	M	8	7	3	13	23	25	10	5	46	16	13	28	4	4	9	14
		F	10	1	—	9	31	33	9	3	47	28	18	20	5	7	14	17
32(6)	Cirrhosis of liver	M	2	3	—	6	4	14	1	2	20	14	10	12	—	2	4	4
		F	2	—	—	5	5	11	3	3	18	16	4	7	—	1	5	7
32(7)	Cholelithiasis, cholecystitis	M	2	1	—	2	4	5	2	1	10	3	9	4	1	1	7	5
		F	2	—	—	2	9	12	2	1	28	7	8	10	—	—	5	5
30(1)	Maternal sepsis (not abortion)	F	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—	—
30(2)	Toxaemias of pregnancy and puerperium	F	—	1	—	—	—	1	—	—	—	1	1	1	—	—	—	2
30(3)	Abortion	F	—	—	—	—	1	3	—	—	1	—	—	1	—	—	—	1
32(8)	Rheumatoid arthritis and allied conditions	M	—	1	—	1	3	2	1	1	8	3	2	1	2	—	1	2
		F	1	1	—	4	9	15	5	7	29	6	13	9	2	2	6	4
32(9)	Birth injury	M	7	2	—	9	6	31	4	4	19	5	9	13	2	5	14	11
		F	2	1	1	7	7	17	2	2	19	2	7	12	—	1	9	5
32(10)	Postnatal asphyxia and atelectasis	M	12	—	2	9	16	25	4	5	32	4	5	21	2	1	15	16
		F	6	1	—	4	9	32	1	4	23	4	7	5	—	—	12	10
23(1)	Pneumonia of newborn	M	3	—	—	2	3	13	2	3	7	—	4	5	3	—	7	5
		F	—	—	—	—	2	9	—	—	5	1	—	4	2	2	—	4
32(11)	Ophthalmia, pemphigus, sepsis of newborn	M	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	3	—	1	1	—	—	—	—	—	1	—
32(12)	Haemolytic disease of newborn	M	—	—	—	1	3	6	3	2	4	3	1	2	1	—	—	2
		F	—	—	—	2	—	—	3	4	4	2	—	1	—	—	—	2
32(13)	Immaturity (without other disease peculiar to early infancy)	M	4	1	1	11	18	34	9	8	48	14	20	14	2	5	16	10
		F	3	1	—	8	13	24	6	2	42	5	17	16	2	3	10	7
32(14)	Senility without psychosis	M	10	6	2	30	56	54	7	—	43	21	15	14	10	6	56	23
		F	13	23	1	53	100	81	14	4	141	39	32	33	8	10	97	38
32(15)	Ill-defined and unknown cause	M	—	1	—	2	—	1	2	1	5	1	2	1	—	1	2	1
		F	—	1	—	—	—	2	—	1	1	1	1	1	—	2	2	1

TABLE 21—*continued.* **Administrative counties**

Registrar General's Abridged List		Yorkshire, East Riding	Yorkshire, North Riding	Yorkshire, West Riding	Anglesey	Breconshire	Caernarvonshire	Cardiganshire	Carmarthenshire	Denbighshire	*Flintshire	Glamorgan	Merionethshire	Monmouthshire	Montgomeryshire	Pembrokeshire	Radnorshire
1	Tuberculosis, respiratory	M	3	15	67	2	6	9	—	9	14	7	68	4	17	—	5	1
		F	3	—	13	1	—	1	1	1	5	3	17	—	4	—	3	—
2	Tuberculosis, other	M	—	1	5	1	—	—	1	1	—	1	8	—	2	—	—	—
		F	—	—	6	—	—	1	—	—	—	—	3	—	—	—	—	—
3	Syphilitic disease	M	2	4	14	1	—	2	—	3	1	3	5	—	2	—	—	—
		F	—	4	9	—	—	—	—	—	3	—	4	1	—	—	—	—
4	Diphtheria	M	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
6	Meningococcal infections	M	—	—	2	—	—	1	—	2	—	—	2	—	2	—	—	—
		F	—	—	2	—	—	1	—	—	1	—	3	—	—	—	—	—
7	Acute poliomyelitis	M	1	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
8	Measles	M	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
9	Other infective, etc., diseases	M	2	4	23	—	—	3	—	4	2	5	9	2	5	—	2	2
		F	5	5	18	2	—	—	—	4	—	—	21	2	3	1	—	—
10	Malignant neoplasm: stomach	M	28	68	274	18	10	38	12	40	51	31	175	11	76	13	19	6
		F	24	41	248	11	11	29	9	28	26	24	118	8	64	7	11	4
11	lung, bronchus	M	77	120	584	20	14	52	13	45	59	52	270	7	114	11	25	3
		F	20	25	95	4	1	5	3	7	8	12	25	5	17	—	8	2
12	breast	M	1	—	1	—	—	—	—	1	—	1	2	—	1	—	—	—
		F	49	75	304	13	9	26	13	43	40	34	131	7	56	8	20	7
13	uterus	F	15	29	126	5	9	14	8	7	16	13	64	1	30	2	7	1
14	Other malignant and lymphatic neoplasms	M	141	231	871	40	29	77	35	93	126	83	389	24	170	22	70	6
		F	103	179	728	36	29	73	32	85	105	74	291	19	144	22	56	9
15	Leukaemia, aleukaemia	M	11	16	54	2	2	8	3	5	6	5	20	—	6	1	4	—
		F	6	7	68	—	3	4	2	2	6	4	22	3	7	—	2	1
16	Diabetes	M	8	13	52	2	2	8	5	10	6	8	16	2	5	—	2	—
		F	11	26	104	6	7	10	1	9	5	4	53	4	23	2	10	1
17	Vascular lesions of nervous system	M	160	316	1,284	56	48	141	59	152	167	136	577	38	229	41	86	27
		F	240	435	1,801	74	76	183	81	211	223	198	715	64	326	58	99	37
18	Coronary disease, angina	M	328	592	2,387	73	95	216	98	291	250	219	1,173	49	496	48	176	20
		F	211	353	1,541	27	36	108	60	155	145	136	645	33	275	33	73	16
19	Hypertension with heart disease	M	12	23	141	3	7	9	5	17	12	20	81	3	39	5	13	3
		F	27	36	282	9	7	19	14	28	27	29	84	8	53	6	21	2
20	Other heart disease	M	189	271	1,009	45	65	88	45	134	104	67	415	29	225	53	66	11
		F	274	440	1,405	75	81	182	96	154	180	107	622	69	308	49	80	23
21	Other circulatory disease	M	60	92	381	24	13	51	10	56	40	39	202	8	93	15	21	9
		F	66	85	505	16	27	63	5	93	57	47	211	12	78	13	27	14
22	Influenza	M	10	15	34	1	4	—	1	3	17	10	30	1	12	1	4	1
		F	9	8	44	—	5	4	—	6	9	3	26	1	6	2	1	—
23	Pneumonia	M	69	104	477	10	10	29	13	46	59	40	209	10	81	8	10	5
		F	87	109	503	2	12	26	25	25	60	39	190	12	63	11	22	1
24	Bronchitis	M	88	132	895	25	27	59	15	90	76	71	529	12	239	11	41	5
		F	46	50	386	11	9	26	10	21	30	19	129	5	73	7	6	1
25	Other diseases of respiratory system	M	9	16	144	2	15	32	12	70	16	19	188	6	67	1	5	—
		F	4	11	59	2	3	3	3	6	2	6	33	—	15	2	5	—
26	Ulcer of stomach and duodenum	M	18	30	80	3	3	7	5	11	16	13	37	2	20	5	5	1
		F	6	14	39	2	1	3	5	1	6	3	17	2	5	1	1	—
27	Gastritis, enteritis and diarrhoea	M	6	6	45	—	3	7	1	6	2	7	17	5	8	2	3	—
		F	11	6	50	4	2	5	2	5	6	7	13	—	12	—	3	2
28	Nephritis and nephrosis	M	9	17	60	4	—	8	4	10	15	4	34	1	28	5	5	—
		F	5	16	89	3	4	7	1	17	7	10	26	6	20	5	2	2
29	Hyperplasia of prostate	M	23	39	106	6	9	16	12	8	23	14	54	2	22	—	11	7
30	Pregnancy, childbirth, abortion	F	—	3	6	1	—	1	1	1	2	1	3	2	3	—	—	—
31	Congenital malformations	M	9	20	116	1	2	6	2	7	7	14	49	5	18	3	6	—
		F	11	13	97	1	3	8	5	7	10	9	47	1	18	—	11	1
32	Other defined and ill-defined diseases	M	95	167	720	30	19	75	24	67	91	81	340	18	156	39	46	11
		F	137	165	777	37	32	79	32	108	81	89	406	35	138	37	52	9
33	Motor vehicle accidents	M	23	28	189	5	9	14	6	15	18	22	55	5	30	2	5	—
		F	11	9	65	—	2	5	—	4	4	7	24	4	13	1	1	—
34	All other accidents	M	34	57	231	9	6	16	5	23	22	40	125	13	58	10	16	2
		F	31	54	252	7	11	21	3	20	29	25	81	5	49	—	21	1
35	Suicide	M	23	29	106	—	4	6	7	10	12	11	46	5	21	7	5	1
		F	6	13	72	3	2	6	2	4	7	5	29	2	7	1	1	1
36	Homicide, operations of war	M	—	1	4	—	—	—	1	—	—	1	4	—	—	—	1	—
		F	—	4	5	1	—	1	1	—	1	1	—	—	—	—	—	—

* The figures for this area include 8 deaths (7M, 1F) (including 1M death from tuberculosis of the respiratory system) in a Polish General Hospital which could not be transferred to the area of residence.

TABLE 21—*continued.* **Administrative counties**

Registrar General's Supplementary Abridged List		Yorkshire, East Riding	Yorkshire, North Riding	Yorkshire, West Riding	Anglesey	Breconshire	Caernarvonshire	Cardiganshire	Carmarthenshire	Denbighshire	Flintshire	Glamorgan	Merionethshire	Monmouthshire	Montgomeryshire	Pembrokeshire	Radnorshire
9(1)	Infectious hepatitis	M	1	—	3	—	—	1	—	—	1	1	1	—	2	—	—	—
		F	5	3	2	1	—	—	—	2	—	—	1	1	—	—	—	—
14(1)	Malignant neoplasm, mouth and pharynx	M	3	10	43	1	2	5	2	4	7	5	11	2	11	1	3	—
		F	3	8	25	1	1	2	3	3	5	3	11	—	4	—	2	2
14(2)	Malignant neoplasm, oesophagus	M	9	17	52	2	4	3	3	6	5	10	28	2	6	2	6	—
		F	4	8	27	1	5	6	3	7	5	10	16	2	10	1	7	1
14(3)	Malignant neoplasm, intestine and rectum	M	41	61	262	11	11	28	13	23	29	24	100	8	51	7	19	4
		F	44	66	239	14	7	28	9	32	31	26	95	8	55	8	13	3
14(4)	Malignant neoplasm, larynx	M	4	1	15	—	2	1	1	3	3	5	9	—	1	—	2	—
		F	—	1	9	2	1	—	—	—	1	—	3	—	—	1	—	—
13(1)	Malignant neoplasm, cervix uteri	F	9	18	89	5	4	8	4	4	11	9	37	—	23	1	6	1
14(5)	Malignant neoplasm, prostate	M	19	49	109	7	1	14	6	12	21	5	63	3	26	4	9	1
14(6)	Malignant neoplasm, bladder	M	5	18	79	3	3	5	4	6	11	9	30	1	17	1	4	—
		F	2	6	24	2	—	1	—	4	4	1	9	—	4	—	2	—
14(7)	Malignant neoplasm, bone (including jaw-bone)	M	2	5	7	—	—	1	—	1	—	1	4	—	3	—	2	—
		F	—	2	13	—	—	1	—	—	2	2	4	—	4	1	2	—
14(8)	Lymphosarcoma, reticulosarcoma	M	4	4	13	2	—	1	—	1	2	3	14	—	3	—	2	—
		F	4	2	13	—	—	1	—	3	—	1	3	—	4	1	—	—
14(9)	Hodgkin's disease	M	4	5	19	3	—	2	1	2	—	3	7	—	3	—	5	1
		F	4	1	14	—	—	2	1	2	4	1	9	—	4	—	1	—
32(1)	Thyrotoxicosis	M	—	1	—	—	—	1	—	—	—	—	3	—	—	—	—	—
		F	1	2	7	1	1	—	—	2	1	1	7	—	3	3	—	—
32(2)	Multiple sclerosis	M	1	—	8	—	—	1	1	—	1	—	3	—	—	—	1	—
		F	6	1	12	—	1	1	1	3	2	—	4	—	3	1	—	—
32(3)	Rheumatic fever	M	—	—	2	—	—	—	—	—	—	—	2	—	2	—	—	—
		F	—	—	1	—	—	—	—	1	—	—	1	—	2	1	1	—
20(1)	Chronic rheumatic heart disease	M	14	14	105	—	4	6	1	18	13	12	54	3	22	2	5	—
		F	21	36	165	5	8	15	5	19	18	19	103	6	24	3	4	3
21(1)	Hypertension without mention of heart	M	11	14	76	6	3	14	2	14	9	10	42	4	33	4	5	2
		F	13	15	92	7	6	18	1	21	13	13	57	5	27	3	4	4
25(1)	Pneumoconiosis and chronic interstitial pneumonia	M	1	2	45	1	7	14	7	51	5	5	122	1	39	1	2	—
		F	—	—	5	—	—	1	—	3	—	2	1	—	1	—	1	—
26(1)	Ulcer of stomach	M	8	14	30	1	1	3	1	5	9	6	15	1	10	1	4	1
		F	3	11	23	2	—	3	4	1	6	2	11	2	4	1	1	—
32(4)	Appendicitis	M	1	6	15	—	1	5	1	—	4	—	7	—	6	—	1	—
		F	3	3	8	—	—	2	—	—	—	—	2	—	1	—	2	—
32(5)	Intestinal obstruction and hernia	M	10	12	53	4	2	5	2	5	5	12	20	—	7	2	3	1
		F	9	10	48	4	1	6	5	7	7	7	17	2	10	5	3	1
32(6)	Cirrhosis of liver	M	1	5	27	—	1	3	2	7	4	1	21	—	1	—	3	—
		F	4	4	22	—	1	—	3	2	1	3	21	—	2	—	—	—
32(7)	Cholelithiasis, cholecystitis	M	4	2	14	2	—	—	1	—	1	2	9	—	3	1	—	—
		F	8	14	32	3	1	7	3	—	3	2	22	—	6	1	1	—
30(1)	Maternal sepsis (not abortion)	F	—	—	3	—	—	—	1	—	1	—	—	—	3	—	—	—
30(2)	Toxaemias of pregnancy and puerperium	F	—	1	1	—	—	1	—	—	—	1	2	1	—	—	—	—
30(3)	Abortion	F	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
32(8)	Rheumatoid arthritis and allied conditions	M	—	2	8	—	—	2	1	1	2	—	5	—	2	—	2	—
		F	1	7	31	1	1	4	—	8	5	3	22	2	4	1	2	1
32(9)	Birth injury	M	6	5	51	2	—	1	—	5	6	2	12	—	8	—	1	—
		F	1	6	23	—	1	—	1	—	3	2	13	—	1	—	2	1
32(10)	Postnatal asphyxia and atelectasis	M	—	23	62	3	2	5	1	1	6	7	17	1	14	—	4	—
		F	2	11	38	—	2	4	—	4	3	4	13	—	7	1	4	—
23(1)	Pneumonia of newborn	M	3	2	17	—	1	—	1	4	2	—	14	—	7	—	—	1
		F	1	3	6	—	—	—	—	2	2	1	9	—	3	1	—	—
32(11)	Ophthalmia, pemphigus, sepsis of newborn	M	—	—	—	—	1	—	—	—	—	—	2	—	—	—	—	—
		F	—	—	—	1	—	—	—	—	—	—	1	—	1	—	—	—
32(12)	Haemolytic disease of newborn	M	—	1	9	1	—	1	1	1	—	1	2	—	—	—	—	—
		F	1	1	6	—	—	—	—	—	2	1	2	—	1	1	—	—
32(13)	Immaturity (without other disease peculiar to early infancy)	M	6	12	71	3	2	5	1	5	7	5	35	1	22	1	5	1
		F	6	3	32	1	2	2	2	6	—	3	22	—	7	1	6	—
32(14)	Senility without psychosis	M	22	14	82	3	1	10	5	9	11	7	46	6	15	12	5	—
		F	37	28	151	3	2	13	7	13	18	20	76	17	14	10	12	—
32(15)	Ill-defined and unknown cause	M	2	1	3	1	—	—	1	4	—	2	4	1	1	—	—	—
		F	1	2	1	—	1	—	1	—	1	2	2	1	—	—	—	—

TABLE 22. Causes of death by month of occurrence January to December 1962 — England and Wales

Note. 1 Totals for any period made up from this table will differ from the corresponding figures shown in other tables (except Table 16) which are tabulated according to date of registration.
2 Deaths occurring in the year but which were registered after 31st March of the following year are excluded.
3 See explanatory notes.

ICD No	Causes of death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
	ALL CAUSES	M	35,592	23,747	28,206	23,380	21,686	20,046	19,686	19,088	19,182	20,928	23,317	28,756
		F	35,668	23,021	27,613	22,962	20,592	19,078	18,623	17,806	17,892	19,607	21,472	26,588
001-138	I Infective and parasitic diseases	M	464	266	387	281	292	246	205	232	205	236	309	313
		F	200	154	165	140	122	119	115	109	121	123	157	188
001-008	Tuberculosis of respiratory system	M	299	164	241	160	178	151	139	119	120	134	184	191
		F	89	72	62	46	42	45	48	41	51	38	63	72
010	Tuberculosis of meninges & central nervous system	M	7	1	6	2	3	3	1	5	1	3	2	4
		F	3	1	4	1	2	—	2	1	3	2	2	3
011	Tuberculosis of intestines, peritoneum, and mesenteric glands	M	2	2	—	—	1	—	3	2	—	1	—	1
		F	2	2	1	2	—	1	—	1	1	3	5	1
012, 013	Tuberculosis of bones and joints	M	2	3	4	7	4	3	1	3	3	2	4	6
		F	5	—	1	2	1	2	—	1	2	1	3	2
014-019	Tuberculosis, all other forms	M	9	4	8	5	4	5	6	11	4	9	10	12
		F	7	4	8	4	11	8	3	8	4	6	4	3
020-029	Syphilis and its sequelae	M	55	35	58	46	51	38	25	35	32	43	52	42
		F	38	28	32	21	21	20	17	26	17	27	29	41
030-039	Gonococcal infection and other venereal diseases	M	1	—	2	—	—	—	1	2	—	2	1	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
040	Typhoid fever	M	—	1	—	—	—	—	1	—	—	—	—	—
		F	—	1	1	—	—	—	—	—	—	—	—	—
041	Paratyphoid fever	M	—	—	1	—	—	—	—	1	—	—	1	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
042	Other Salmonella infections	M	—	1	—	—	—	2	4	—	—	1	1	1
		F	—	—	1	—	1	—	3	1	3	—	—	1
044	Brucellosis (undulant fever)	M	—	—	—	—	—	—	1	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
045	Bacillary dysentery	M	2	1	—	3	1	1	—	2	1	4	—	1
		F	1	—	1	3	—	—	—	—	—	—	—	—
048	Unspecified forms of dysentery	M	—	—	—	—	—	—	—	—	—	—	—	1
		F	—	2	—	—	—	—	—	—	—	—	—	—
049	Food poisoning (infection and intoxication)	M	—	—	—	—	—	1	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
050	Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	1	—	—	—	—	—	1
051	Streptococcal sore throat	M	—	—	—	1	—	—	—	1	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	1	2	2
052	Erysipelas	M	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	1	1	1	—	1	1	1	1
053, 054	Septicaemia, pyaemia, and bacterial toxaemia	M	8	5	7	9	3	6	—	4	4	6	6	7
		F	5	3	5	3	3	5	2	4	3	2	3	8
055	Diphtheria	M	—	—	2	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
056	Whooping cough	M	2	4	1	1	—	—	—	—	—	2	3	2
		F	1	—	1	1	1	—	—	—	1	1	2	1
057	Meningococcal infections	M	13	9	10	12	11	5	3	3	5	3	6	8
		F	7	4	1	7	4	6	1	4	1	6	5	4
061	Tetanus	M	2	—	1	—	1	2	—	—	2	2	2	—
		F	1	—	1	1	—	1	1	—	1	—	—	—
070	Vincent's infection	M	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	1	—	—	—	—
072	Leptospirosis icterohaemorrhagica (Weil's disease)	M	5	2	—	—	2	—	—	1	—	2	1	1
		F	1	—	—	—	—	—	—	—	—	—	—	—
080	Acute poliomyelitis	M	5	—	2	1	—	1	—	1	—	—	—	2
		F	—	—	—	—	1	2	1	—	—	1	—	1
081	Late effects of acute poliomyelitis	M	2	—	4	4	—	—	—	2	—	—	1	1
		F	2	2	2	2	1	1	1	—	1	—	—	1

TABLE 22—*continued*

ICD No.	Causes of death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
082	Acute infectious encephalitis	M	7	7	—	6	9	5	1	4	4	2	8	9
		F	5	1	6	3	6	6	12	2	1	8	4	4
083	Late effects of acute infectious encephalitis	M	3	6	9	3	5	3	3	4	4	3	1	2
		F	4	3	4	6	4	4	3	1	5	2	1	5
084	Smallpox	M	5	—	2	—	—	—	—	—	—	—	—	—
		F	1	1	4	12	—	—	—	—	—	—	—	—
085	Measles	M	—	—	1	1	1	1	—	4	—	1	5	6
		F	—	—	1	1	—	—	—	1	1	3	5	7
086	Rubella (German measles)	M	—	—	—	1	—	—	1	—	—	—	—	—
		F	—	—	2	1	—	1	—	—	—	—	—	—
087	Chickenpox	M	2	—	1	1	2	3	4	1	1	—	1	—
		F	—	4	—	—	—	—	—	1	—	1	—	—
088	Herpes zoster	M	1	3	2	3	1	—	2	—	2	3	3	2
		F	4	2	4	1	1	—	3	4	3	2	1	4
089	Mumps	M	—	1	—	—	—	—	—	—	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	1
092	Infectious hepatitis	M	13	6	10	9	9	10	4	17	12	5	9	9
		F	15	14	17	13	18	11	11	10	15	9	22	13
093	Glandular fever (infectious mononucleosis)	M	—	—	2	—	—	1	—	—	1	—	—	—
		F	—	—	—	—	—	—	—	1	—	—	1	—
096	Other diseases attributable to viruses	M	2	4	2	—	3	2	—	1	—	2	2	—
		F	—	1	—	1	—	2	1	—	—	—	1	1
100-108	Typhus and other rickettsial diseases	M	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
110-117	Malaria	M	1	—	1	—	1	—	—	—	1	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	—
Remainder of 001-138	All other diseases classified as infective and parasitic	M	16	7	10	6	2	3	5	9	8	5	6	5
		F	8	9	6	9	4	2	5	1	7	9	2	11
140-239	II Neoplasms	M	4,807	4,155	4,713	4,328	4,551	4,446	4,564	4,621	4,582	4,616	4,796	4,935
		F	4,216	3,488	4,068	3,725	3,945	3,800	4,047	3,926	3,917	4,151	4,016	4,111
140-148	Malignant neoplasm of buccal cavity and pharynx	M	104	92	106	97	72	87	80	80	70	88	84	102
		F	72	47	48	46	63	38	47	54	51	60	56	52
150	Malignant neoplasm of oesophagus	M	107	111	114	100	115	113	118	127	129	115	121	113
		F	98	70	91	70	95	81	94	78	91	100	90	91
151	Malignant neoplasm of stomach	M	720	586	658	572	645	660	622	649	653	614	655	663
		F	534	481	512	477	490	479	490	471	471	470	475	499
152-154	Malignant neoplasm of intestine, incl. rectum	M	550	494	561	531	508	573	549	630	564	548	606	624
		F	670	573	695	660	632	668	694	668	645	735	666	685
155, 156	Malignant neoplasm of biliary passages & of liver	M	79	67	78	72	80	75	89	83	72	81	85	80
		F	104	107	87	90	100	107	102	98	99	121	101	114
157-159	Malignant neoplasm of pancreas, peritoneum, & unspecified digestive organs	M	219	155	219	166	203	169	184	166	184	205	188	169
		F	181	165	210	178	198	189	187	195	184	174	161	212
160	Malignant neoplasm of nose, nasal cavities, middle ear, and accessory sinuses	M	13	10	12	8	13	6	10	9	11	8	6	7
		F	8	7	7	12	9	15	12	12	2	8	13	10
161	Malignant neoplasm of larynx	M	62	54	55	38	64	44	45	51	43	54	53	65
		F	15	9	12	15	18	13	12	12	11	11	9	16
162-165	Malignant neoplasm of lung and bronchus, trachea, mediastinum, and of thoracic organs (sec'd'ry)	M	1,757	1,510	1,702	1,640	1,690	1,588	1,670	1,650	1,713	1,702	1,812	1,838
		F	314	279	306	255	273	262	301	291	307	316	305	315
170	Malignant neoplasm of breast	M	6	8	10	10	8	4	5	5	3	6	11	3
		F	845	654	793	740	796	697	802	771	785	808	824	803
171-174	Malignant neoplasm of uterus	F	351	285	329	316	318	313	330	350	335	384	348	339
175, 176	Malignant neoplasm of other and unspecified female genital organs	F	322	249	320	288	317	284	298	316	306	306	270	292
177	Malignant neoplasm of prostate	M	328	324	343	316	280	293	330	305	278	331	331	347
178, 179	Malignant neoplasm of other and unspecified male genital organs	M	28	30	34	27	25	32	19	28	29	27	29	27

TABLE 22—*continued*

ICD No.	Causes of death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
180	Malignant neoplasm of kidney	M	86	68	68	58	71	65	64	75	65	72	69	79
		F	36	35	38	52	42	42	48	40	37	41	40	49
181	Malignant neoplasm of bladder and other urinary organs	M	232	182	185	163	193	209	171	188	202	193	194	210
		F	84	79	98	68	73	78	85	64	79	86	83	85
190, 191	Malignant neoplasm of skin	M	26	26	33	30	42	40	38	42	35	34	22	47
		F	36	30	36	31	46	35	34	29	41	39	53	46
193	Malignant neoplasm of brain and other parts of nervous system	M	98	76	84	94	96	103	91	96	95	97	98	103
		F	84	54	67	52	62	66	66	56	65	78	71	63
196	Malignant neoplasm of bone (including jaw bone)	M	22	30	28	25	25	23	33	24	23	32	32	28
		F	23	19	21	19	18	19	23	21	20	28	25	22
201	Hodgkin's disease	M	39	46	44	50	50	47	47	47	49	48	36	40
		F	27	25	25	33	33	40	24	38	30	28	25	27
204	Leukaemia and aleukaemia	M	110	102	137	94	127	98	133	116	116	112	120	129
		F	128	86	119	92	119	106	126	116	101	100	100	119
Remainder of 140-205	Malignant neoplasm of all other & unspecified sites, incl. other neoplasms of lymphatic and haemato-poietic tissues	M	180	149	200	192	202	170	209	194	194	205	198	213
		F	212	177	212	180	179	207	217	195	208	211	223	212
210	Benign neoplasm of buccal cavity and pharynx	M	1	1	—	—	—	—	—	1	—	—	—	—
		F	1	1	—	—	—	—	—	—	—	—	1	—
211	Benign neoplasm of other parts of digestive system	M	5	4	—	1	2	2	3	—	4	1	1	4
		F	4	3	5	3	2	2	1	1	—	3	4	1
212	Benign neoplasm of respiratory system	M	1	—	—	1	4	2	2	—	1	—	1	1
		F	—	1	1	—	—	—	—	—	—	—	1	—
213	Benign neoplasm of breast	M	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
214-217	Benign neoplasm of female genital organs	F	16	9	6	6	17	11	10	15	9	12	18	8
218	Benign neoplasm of male genital organs	M	—	—	—	—	—	—	—	—	—	—	—	—
219	Benign neoplasm of kidney and other urinary organs	M	2	3	5	6	4	4	7	6	2	4	5	3
		F	4	2	1	2	2	2	2	1	1	1	4	4
220-222	Benign neoplasm of skin	M	—	—	—	—	—	—	—	—	1	1	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
223	Benign neoplasm of brain & other parts of nervous system	M	8	12	9	14	11	14	6	10	14	8	11	7
		F	12	15	11	13	13	17	19	14	13	17	13	17
224-229	Benign neoplasm of all other and unspecified organs and tissues	M	2	6	4	6	4	5	5	7	9	3	5	7
		F	15	11	6	7	10	10	5	4	8	4	9	10
230-239	Neoplasm of unspecified nature	M	22	9	24	17	17	20	34	32	23	27	23	26
		F	20	15	12	20	20	19	18	16	18	10	28	20
240-289	**III Allergic, endocrine system, metabolic, and nutritional diseases**	M	**302**	**201**	**242**	**201**	**182**	**179**	**176**	**154**	**148**	**168**	**189**	**242**
		F	**516**	**385**	**465**	**359**	**375**	**315**	**300**	**291**	**288**	**315**	**342**	**456**
241	Asthma	M	69	36	50	51	41	46	55	47	36	44	53	52
		F	78	59	64	50	65	61	57	68	56	60	57	86
Remainder 240-245	Other allergic disorders	M	—	—	1	—	—	5	1	2	3	3	1	2
		F	—	1	1	2	2	—	—	1	—	2	2	1
250	Simple goitre	M	—	1	—	—	—	1	—	—	—	—	—	—
		F	—	1	—	—	1	1	—	—	2	—	1	1
251	Non-toxic nodular goitre	M	—	—	—	—	—	—	—	1	—	—	—	—
		F	1	—	1	1	4	—	2	—	1	2	1	2
252	Thyrotoxicosis with or without goitre	M	7	4	5	10	3	5	8	2	5	4	4	7
		F	29	28	29	25	27	25	22	16	19	18	11	26
253, 254	Other diseases of thyroid gland	M	9	7	8	2	3	1	3	1	5	4	3	7
		F	70	39	56	38	24	22	13	11	13	26	33	44
260	Diabetes mellitus	M	175	119	134	112	102	98	90	81	78	92	107	138
		F	289	198	256	204	210	181	174	171	165	179	195	241
270-277	Diseases of other endocrine glands	M	11	21	15	9	13	10	5	6	8	12	9	14
		F	12	15	15	16	17	13	15	8	11	8	9	14

TABLE 22—*continued*

ICD No.	Causes of death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
280-286	Avitaminoses, and other deficiency states	M	11	5	11	4	6	5	7	5	4	3	4	4
		F	12	11	14	4	8	2	6	2	6	4	5	11
287	Obesity, not specified as of endocrine origin	M	9	4	5	5	3	2	5	1	2	2	3	4
		F	21	25	20	15	9	7	6	9	10	6	16	18
288	Gout	M	3	2	—	—	3	2	—	2	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
289	Other metabolic diseases	M	8	2	13	8	8	4	2	6	7	4	5	14
		F	4	8	9	4	8	3	5	5	5	10	12	12
290-299	**IV Diseases of the blood and blood-forming organs**	M	**92**	**56**	**71**	**66**	**70**	**56**	**60**	**56**	**68**	**62**	**58**	**55**
		F	**137**	**86**	**144**	**112**	**112**	**108**	**94**	**89**	**112**	**94**	**97**	**130**
290	Pernicious and other hyperchromic anaemias	M	28	18	17	15	17	14	14	16	25	10	15	14
		F	51	30	64	40	43	46	40	37	42	33	35	50
291	Iron deficiency anaemias (hyperchromic anaemias)	M	13	5	13	6	9	10	5	5	5	9	7	6
		F	24	20	27	16	22	16	14	10	13	11	24	20
292,293	Other anaemias	M	29	20	27	23	25	22	26	17	20	28	20	22
		F	40	21	31	30	26	33	30	26	29	33	27	43
294-299	Other diseases of blood and blood-forming organs	M	22	13	14	22	19	10	15	18	18	15	16	13
		F	22	15	22	26	21	13	10	16	28	17	11	17
300-326	**V Mental, psychoneurotic, and personality disorders**	M	**53**	**35**	**43**	**36**	**27**	**29**	**38**	**42**	**25**	**40**	**34**	**57**
		F	**83**	**59**	**75**	**74**	**51**	**52**	**68**	**39**	**38**	**49**	**48**	**69**
300-309	Psychoses	M	41	28	34	26	17	16	28	27	22	25	20	45
		F	68	50	66	61	39	43	54	31	26	37	39	56
310-326	Psychoneuroses, and disorders of personality, including mental deficiency	M	12	7	9	10	10	13	10	15	3	15	14	12
		F	15	9	9	13	12	9	14	8	12	12	9	13
330-398	**VI Diseases of the nervous system and sense organs**	M	**4,009**	**2,897**	**3,575**	**2,996**	**2,765**	**2,402**	**2,394**	**2,275**	**2,366**	**2,448**	**2,813**	**3,336**
		F	**5,838**	**4,217**	**5,323**	**4,349**	**3,971**	**3,501**	**3,437**	**3,278**	**3,278**	**3,571**	**3,916**	**4,715**
330-334	Vascular lesions affecting central nervous system	M	3,711	2,666	3,293	2,771	2,538	2,178	2,218	2,090	2,161	2,222	2,598	3,070
		F	5,479	3,940	5,016	4,063	3,730	3,303	3,223	3,076	3,079	3,337	3,686	4,450
340	Meningitis, except meningococcal and tuberculous													
340·0	H. influenzae	M	—	—	3	2	3	3	—	1	1	7	1	2
		F	2	3	3	—	1	—	2	1	1	1	3	1
340·1	Pneumococcus	M	13	3	12	7	6	6	6	6	7	7	3	7
		F	9	4	9	12	7	1	6	4	3	8	5	8
340·2	Due to other specified organism	M	5	5	2	5	4	4	5	—	4	5	2	3
		F	2	1	2	5	3	3	—	2	3	5	2	2
340·3	Unspecified cause	M	10	8	12	6	7	4	4	3	9	7	7	7
		F	9	6	9	7	6	5	4	1	3	1	8	4
341-344	Other inflammatory diseases of central nervous system	M	19	8	16	11	12	17	15	8	16	9	7	19
		F	17	11	11	9	7	10	12	13	7	5	7	12
345	Multiple sclerosis	M	28	31	32	25	23	24	18	28	32	15	23	30
		F	61	56	42	51	46	35	35	35	22	32	52	46
350	Paralysis agitans	M	81	55	72	57	41	58	56	51	39	55	57	68
		F	113	74	108	85	66	63	61	68	73	75	63	81
351, 352	Cerebral spastic infantile paralysis, and other cerebral paralysis	M	35	29	32	34	39	33	18	19	16	26	19	36
		F	46	36	46	37	38	25	27	22	20	40	30	33
353	Epilepsy	M	27	34	33	36	34	30	20	28	26	34	34	37
		F	30	32	31	34	30	20	29	21	28	23	19	26
354-357	Other diseases of central nervous system	M	52	39	43	29	35	35	21	35	38	44	44	41
		F	53	39	39	32	25	30	24	25	33	37	33	42
365	Erythroedema polyneuritica	M	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
360-364, 366-369	Other diseases of nerves and peripheral ganglia	M	11	2	9	2	3	3	2	1	2	3	4	8
		F	3	3	3	6	5	1	7	1	1	2	3	4
370-379	Inflammatory diseases of eye	M	3	1	—	—	1	—	1	—	—	—	—	—
		F	—	1	—	—	2	—	—	—	—	1	—	—
380-389	Other diseases and conditions of eye	M	3	1	1	—	5	1	2	—	4	4	2	—
		F	3	4	—	4	3	2	3	4	3	2	1	2
390-398	Diseases of ear and mastoid process	M	11	15	15	11	14	6	8	5	11	10	12	8
		F	11	7	4	4	2	3	4	5	2	2	4	4

TABLE 22—*continued*

ICD No.	Causes of death		Jan.	Feb.	Mar	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
400-468	**VII Diseases of the circulatory system**	M	**12,116**	**8,794**	**10,556**	**8,831**	**8,129**	**7,632**	**7,202**	**7,007**	**7,171**	**7,805**	**8,821**	**10,886**
		F	**13,136**	**8,934**	**10,795**	**8,760**	**7,704**	**7,225**	**6,828**	**6,573**	**6,622**	**7,138**	**8,190**	**10,324**
400-402	Rheumatic fever	M	8	7	7	12	4	2	—	4	5	7	4	4
		F	6	2	6	2	3	3	3	4	3	2	7	3
410-416	Chronic rheumatic heart disease	M	287	198	252	224	207	195	170	168	198	171	192	255
		F	593	419	512	408	334	320	350	334	312	330	367	477
420	Arteriosclerotic heart disease, including coronary disease	M	6,409	5,056	5,977	5,024	4,923	4,717	4,506	4,332	4,490	4,942	5,522	6,575
		F	4,335	3,240	3,919	3,259	3,029	2,907	2,705	2,712	2,785	2,980	3,428	4,259
421	Chronic endocarditis not specified as rheumatic	M	185	140	162	132	149	118	126	129	124	116	160	155
		F	231	121	163	138	131	107	130	100	103	116	130	159
422	Other myocardial degeneration	M	2,422	1,511	1,915	1,525	1,246	1,121	927	962	982	1,025	1,245	1,674
		F	4,140	2,595	3,095	2,499	2,089	1,946	1,776	1,631	1,649	1,820	2,020	2,667
430	Acute and sub-acute endocarditis	M	13	10	14	16	19	12	22	14	20	13	17	15
		F	12	12	8	14	8	7	11	8	9	11	10	9
431	Acute myocarditis not specified as rheumatic	M	13	6	6	7	8	7	6	3	2	9	4	5
		F	7	5	10	8	4	6	5	9	5	6	7	6
432	Acute pericarditis specified as non-rheumatic	M	1	—	—	1	1	—	—	—	1	1	1	3
		F	1	1	2	1	2	—	2	—	1	2	—	2
433	Functional disease of heart	M	265	168	197	156	127	151	109	101	116	124	151	181
		F	438	293	330	248	234	210	196	185	173	194	249	307
434	Other and unspecified diseases of heart	M	615	375	444	357	311	248	280	263	238	259	341	465
		F	700	440	565	386	359	329	294	275	288	302	405	543
440-447	Hypertensive disease	M	900	564	694	608	495	476	478	432	438	507	531	689
		F	1,278	822	1,035	790	728	636	599	587	571	616	691	869
450	General arteriosclerosis	M	636	443	553	430	356	341	310	329	274	321	326	466
		F	956	632	732	670	473	474	456	439	412	438	517	623
451-456	Other diseases of arteries	M	195	199	178	198	182	126	153	147	158	166	177	264
		F	166	140	173	133	142	116	120	116	126	131	158	174
460-466	Diseases of veins	M	163	115	149	137	100	115	115	120	124	140	149	131
		F	266	206	240	203	161	161	180	172	183	190	195	220
467	Other diseases of circulatory system	M	3	2	8	4	1	1	—	3	1	3	1	2
		F	5	6	5	—	5	2	1	1	2	—	5	3
468	Certain diseases of lymph nodes & lymph channels	M	1	—	—	—	—	2	—	—	—	1	—	2
		F	2	—	—	1	2	1	—	—	—	—	1	3
470-527	**VIII Diseases of the respiratory system**	M	**9,622**	**4,068**	**4,834**	**3,308**	**2,516**	**2,054**	**1,845**	**1,722**	**1,732**	**2,341**	**3,040**	**5,258**
		F	**7,825**	**2,893**	**3,270**	**2,483**	**1,536**	**1,369**	**1,139**	**1,155**	**1,097**	**1,496**	**1,878**	**3,353**
470-475	Acute upper respiratory infections	M	6	4	10	6	4	3	3	2	2	3	6	10
		F	10	9	8	5	4	1	1	4	2	3	3	6
480-483	Influenza	M	993	146	95	33	21	11	13	6	10	27	32	57
		F	1,239	158	103	53	15	7	6	11	8	21	32	84
490	Lobar pneumonia	M	368	195	221	171	127	98	101	81	69	105	118	213
		F	316	161	182	156	100	86	63	73	60	100	90	159
491	Bronchopneumonia	M	2,356	1,149	1,292	970	714	556	589	548	507	736	849	1,327
		F	3,162	1,313	1,585	1,226	794	721	617	600	598	788	939	1,533
492	Primary atypical pneumonia	M	35	17	10	10	10	13	9	7	6	7	21	23
		F	19	11	15	11	6	11	10	8	5	11	9	13
493	Pneumonia, other and unspecified	M	135	73	79	71	40	48	41	28	33	42	50	66
		F	144	70	84	75	42	38	45	39	32	37	41	67
500	Acute bronchitis	M	408	124	196	105	62	53	33	29	29	53	104	230
		F	537	170	160	116	57	34	38	34	36	58	89	223
501	Bronchitis unqualified	M	225	89	134	65	48	30	32	19	36	34	55	108
		F	284	104	125	63	40	34	28	25	28	46	67	123
502	Chronic bronchitis	M	4,499	1,979	2,395	1,596	1,234	1,030	836	824	838	1,121	1,553	2,816
		F	1,831	750	819	633	384	332	248	262	227	339	490	972
510	Hypertrophy of tonsils and adenoids	M	—	—	2	1	—	1	1	1	2	—	2	1
		F	2	1	1	1	—	1	1	1	—	—	2	1
511-517	Other diseases of upper respiratory tract	M	3	1	7	9	3	2	2	6	3	3	1	8
		F	4	3	5	5	1	1	2	—	1	2	—	1
518-522	Empyema, pleurisy, and pneumothorax	M	46	40	34	34	36	28	28	33	28	31	32	51
		F	85	40	79	56	40	47	38	36	44	29	36	56

TABLE 22—*continued*

ICD No.	Causes of death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
523, 524	Silicosis and occupational pulmonary fibrosis	M	122	42	72	49	47	32	38	37	50	40	60	82
		F	5	3	1	1	1	2	1	—	—	3	1	4
525	Other chronic interstitial pneumonia	M	33	22	28	13	21	14	15	8	5	13	12	43
		F	20	8	13	12	6	11	6	9	5	3	8	19
526	Bronchiectasis	M	189	88	130	96	75	64	46	39	63	61	66	100
		F	113	55	67	47	38	29	24	26	34	34	40	63
527	Other diseases of lung and pleural cavity	M	204	99	129	79	74	71	58	54	51	65	79	123
		F	54	37	23	23	8	14	11	27	17	22	31	29
530-587	**IX Diseases of the digestive system**	M	**934**	**656**	**815**	**711**	**595**	**606**	**581**	**529**	**536**	**617**	**641**	**758**
		F	**739**	**673**	**688**	**665**	**608**	**575**	**579**	**531**	**555**	**572**	**652**	**704**
530-539	Diseases of buccal cavity and oesophagus	M	10	12	16	11	9	5	15	8	11	3	9	17
		F	16	13	14	11	17	12	13	12	10	14	12	15
540	Ulcer of stomach	M	201	109	169	117	74	98	98	90	80	98	113	140
		F	123	70	109	80	71	73	66	75	59	68	81	108
541	Ulcer of duodenum	M	224	147	172	157	136	111	102	101	96	110	157	177
		F	85	51	64	62	45	41	44	33	31	46	47	67
542	Gastrojejunal ulcer	M	4	1	7	1	3	3	4	4	4	3	2	3
		F	—	2	3	1	—	1	2	—	—	—	—	2
543	Gastritis and duodenitis	M	3	3	2	3	2	5	3	2	2	2	5	1
		F	5	3	2	5	3	3	3	—	3	4	3	1
544	Disorders of function of stomach	M	2	—	1	1	—	1	1	—	1	—	—	2
		F	1	—	—	—	—	1	—	1	1	1	2	—
545	Other diseases of stomach and duodenum	M	9	9	7	10	7	8	3	4	4	3	2	9
		F	2	5	1	6	—	3	3	1	3	2	2	2
550-553	Appendicitis	M	40	29	28	22	24	32	26	22	34	39	22	29
		F	22	17	18	34	25	20	18	21	22	18	24	18
560, 561	Hernia of abdominal cavity	M	76	69	66	68	58	55	50	51	51	58	65	58
		F	94	102	80	77	71	56	46	56	57	60	72	77
570	Intestinal obstruction, without mention of hernia	M	87	49	66	62	60	47	67	45	41	53	68	62
		F	82	81	72	73	71	68	67	63	65	60	70	78
571	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	M	57	46	57	45	38	50	29	25	17	28	24	39
		F	55	45	54	51	31	25	29	24	37	41	42	49
572-578	Other diseases of intestines and peritoneum	M	76	68	83	71	56	75	68	60	61	76	55	71
		F	95	107	99	92	100	96	107	102	100	99	108	113
580-583	Diseases of liver	M	81	60	66	69	67	56	57	59	68	78	52	78
		F	72	70	75	56	57	62	60	52	49	58	58	68
584-586	Diseases of gall bladder and biliary ducts	M	31	35	40	49	42	37	34	36	29	35	34	35
		F	49	73	66	84	82	86	83	69	82	64	84	70
587	Diseases of pancreas	M	33	19	35	25	19	23	24	22	37	31	33	37
		F	38	34	31	33	35	28	38	22	36	37	47	36
590-637	**X Diseases of the genito-urinary system**	M	**693**	**575**	**606**	**490**	**515**	**448**	**464**	**482**	**428**	**478**	**498**	**576**
		F	**394**	**317**	**357**	**328**	**328**	**302**	**303**	**272**	**279**	**296**	**341**	**367**
590	Acute nephritis	M	11	9	9	1	6	3	12	3	3	5	3	5
		F	1	5	7	3	7	7	3	1	6	6	4	7
591-594	Chronic, other and unspecified nephritis	M	184	150	175	133	147	109	129	131	112	125	145	137
		F	190	120	154	119	133	111	128	114	105	110	136	161
600-609	Other diseases of urinary system	M	151	138	143	137	134	106	115	116	117	121	123	153
		F	184	182	182	188	173	166	162	142	150	167	193	185
610	Hyperplasia of prostate	M	341	274	277	216	225	221	205	224	190	218	222	273
611-617	Other diseases of male genital organs	M	6	4	2	3	3	9	3	8	6	9	5	8
620, 621	Diseases of breast	F	1	—	—	—	—	—	1	—	—	—	—	—
622-626	Diseases of ovary, Fallopian tube, and parametrium	F	4	—	2	4	4	6	2	4	3	3	1	4
630-637	Diseases of uterus and other female genital organs	F	14	10	12	14	11	12	7	11	15	10	7	10

TABLE 22—*continued*

ICD No.	Causes of death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
640-689	**XI Deliveries and complications of pregnancy, childbirth and the puerperium**	F	**21**	**24**	**35**	**30**	**28**	**27**	**22**	**22**	**23**	**20**	**22**	**25**
640	Pyelitis and pyelonephritis of pregnancy	F	—	—	1	—	1	—	—	—	—	—	1	—
641	Other infections of genito-urinary tract during pregnancy	F	—	—	—	—	—	—	—	—	—	—	—	—
642	Toxaemias of pregnancy ..	F	5	6	5	4	3	2	4	7	4	3	2	6
643-649	Other complications of pregnancy	F	2	4	8	4	7	4	2	3	4	4	5	5
650-652	Abortion	F	6	3	3	7	4	6	3	7	6	3	3	5
660-678	Delivery	F	5	5	7	9	6	12	10	4	8	7	8	5
680	Puerperal urinary infection without other sepsis	F	—	—	—	—	—	—	—	—	—	—	—	—
681, 683	Sepsis of childbirth and the puerperium, and pyrexia of unknown origin during the puerperium	F	—	3	3	2	1	—	—	—	—	—	—	—
682	Puerperal phlebitis and thrombosis	F	2	1	4	2	4	2	2	1	—	2	2	3
684	Puerperal pulmonary embolism	F	1	1	1	1	1	—	1	—	1	1	1	—
685, 686	Puerperal toxaemia ..	F	—	—	1	—	—	1	—	—	—	—	—	1
687	Cerebral haemorrhage in the puerperium	F	—	—	1	—	1	—	—	—	—	—	—	—
688, 689	Other complications of puerperium	F	—	1	1	1	—	—	—	—	—	—	—	—
690-716	**XII Diseases of the skin and cellular tissue ..**	M	**24**	**14**	**14**	**13**	**13**	**12**	**14**	**11**	**9**	**12**	**12**	12
		F	**25**	**10**	**24**	**24**	**25**	**16**	**23**	**21**	**17**	**22**	**20**	18
690-698	Infections of skin and subcutaneous tissue ..	M	11	6	5	7	4	5	7	2	3	5	3	3
		F	7	5	7	10	6	9	6	8	6	10	8	7
700-716	Other diseases of skin and subcutaneous tissue ..	M	13	8	9	6	9	7	7	9	6	7	9	9
		F	18	5	17	14	19	7	17	13	11	12	12	11
720-749	**XIII Diseases of the bones and organs of movement**	M	**79**	**53**	**61**	**62**	**58**	**44**	**48**	**43**	**59**	**51**	**49**	68
		F	**154**	**110**	**154**	**115**	**122**	**90**	**104**	**98**	**91**	**113**	**103**	120
720, 721	Acute arthritis	M	1	2	—	—	—	—	1	1	—	—	1	—
		F	1	—	3	1	1	1	1	1	1	1	3	1
722	Rheumatoid arthritis and allied conditions ..	M	26	19	19	22	27	19	13	13	21	14	17	19
		F	79	68	89	70	64	51	55	63	54	58	66	75
723	Osteo-arthritis (arthrosis) & allied conditions ..	M	10	10	14	9	9	9	6	8	9	7	8	12
		F	30	19	32	10	30	13	22	16	12	19	11	17
724, 725	Other and unspecified forms of arthritis	M	—	1	—	1	1	—	1	—	—	1	—	1
		F	—	1	1	1	—	2	3	—	1	1	—	—
726, 727	Muscular rheumatism, and rheumatism unspecified	M	—	—	1	—	—	—	1	—	—	—	—	2
		F	—	1	—	—	—	1	1	—	—	1	1	—
730	Osteomyelitis & periostitis	M	2	3	3	1	2	—	3	3	1	5	2	7
		F	1	3	2	1	1	—	—	—	2	1	—	—
731-749	Other diseases of musculo-skeletal system	M	40	18	24	29	19	16	23	18	28	24	21	27
		F	43	18	27	32	26	22	22	18	21	32	22	27
750-759	**XIV Congenital malformations .. ..**	M	**233**	**245**	**268**	**253**	**235**	**212**	**243**	**213**	**213**	**247**	**235**	225
		F	**234**	**228**	**250**	**227**	**222**	**208**	**204**	**182**	**195**	**216**	**215**	211
750	Monstrosity	M	5	9	8	5	5	9	8	3	2	5	8	7
		F	14	6	14	19	14	11	11	10	9	9	8	8

TABLE 22—*continued*

ICD No.	Causes of death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
751	Spina bifida and meningocele	M	20	17	27	20	23	12	21	18	17	24	21	25
		F	35	34	38	31	35	32	39	18	26	29	20	32
752	Congenital hydrocephalus	M	23	22	19	22	17	15	23	15	17	21	17	12
		F	20	24	38	25	35	18	21	24	26	34	24	19
753	Other congenital malformation of nervous system and sense organs	M	3	6	13	7	4	4	5	1	6	4	3	5
		F	8	4	7	9	7	9	4	6	4	4	8	7
754	Congenital malformations of circulatory system ..	M	114	106	109	101	112	112	123	105	106	118	103	111
		F	91	108	99	96	78	88	90	77	80	94	99	88
755	Cleft palate and harelip ..	M	—	2	—	1	—	1	—	—	—	1	3	—
		F	1	1	—	—	—	—	—	1	1	—	—	1
756	Congenital malformations of digestive system ..	M	23	31	40	35	22	14	22	22	28	24	29	23
		F	16	19	16	16	23	13	17	15	16	11	13	17
757	Congenital malformations of genito-urinary system	M	28	33	24	29	29	25	21	28	23	35	27	19
		F	26	18	18	17	13	19	9	10	17	16	18	20
758	Congenital malformations of bone and joint ..	M	3	4	6	2	2	4	3	7	3	2	3	3
		F	4	2	6	2	2	2	1	4	3	4	8	4
759	Other and unspecified congenital malformations, not elsewhere classified	M	14	15	22	31	21	16	17	14	11	13	21	20
		F	19	12	14	12	15	16	12	17	13	15	17	15
760-776	**XV Certain diseases of early infancy .. ..**	M	**540**	**498**	**535**	**469**	**516**	**446**	**464**	**458**	**466**	**463**	**479**	**517**
		F	**346**	**300**	**349**	**314**	**351**	**341**	**303**	**306**	**265**	**287**	**310**	**335**
760	Intracranial and spinal injury at birth	M	81	80	82	76	59	68	70	65	70	75	71	78
		F	45	33	43	37	48	45	29	35	30	28	48	42
761	Other birth injury	M	27	17	33	27	27	20	22	22	30	28	26	28
		F	19	17	28	16	13	25	21	19	15	13	17	20
762	Postnatal asphyxia and atelectasis	M	143	131	133	126	168	127	136	145	116	112	141	138
		F	88	80	102	97	92	78	85	87	59	92	87	99
763	Pneumonia of newborn ..	M	58	49	53	35	37	30	25	29	31	32	39	48
		F	29	23	33	27	22	23	33	16	15	19	20	28
764	Diarrhoea of newborn ..	M	2	6	1	2	—	3	1	2	3	8	1	3
		F	1	—	3	2	3	4	2	4	—	1	2	—
765-769	Other infections of newborn	M	16	20	23	11	13	8	8	11	16	13	9	15
		F	6	10	8	13	10	14	9	15	9	7	11	11
770	Haemolytic disease of newborn	M	15	19	20	13	19	14	22	21	11	10	14	16
		F	11	17	14	7	21	17	8	18	16	14	12	10
771	Haemorrhagic disease of newborn	M	12	20	20	12	10	12	15	7	11	10	11	17
		F	11	4	7	8	9	3	7	5	6	4	4	7
772, 773	Nutritional maladjustment and ill-defined diseases peculiar to early infancy	M	29	28	31	20	30	17	22	22	21	24	32	27
		F	23	16	17	15	9	13	9	8	10	16	10	18
774-776	Immaturity unqualified ..	M	157	128	139	147	153	147	143	134	157	151	135	147
		F	113	100	94	92	124	119	100	99	105	93	99	100
780-795	**XVI Symptoms, senility and ill-defined conditions**	M	**341**	**229**	**285**	**205**	**159**	**141**	**130**	**129**	**132**	**142**	**148**	**217**
		F	**674**	**395**	**488**	**428**	**330**	**295**	**300**	**254**	**265**	**306**	**297**	**396**
780-789	Symptoms referable to systems or organs ..	M	7	4	6	13	5	2	5	7	6	8	9	10
		F	7	6	8	13	3	8	6	6	9	10	3	4
792	Uraemia unqualified ..	M	3	1	4	2	1	2	—	3	3	4	2	2
		F	1	—	6	3	2	3	4	1	2	1	2	2
794	Senility without mention of psychosis	M	322	219	272	185	150	136	122	117	118	126	134	201
		F	661	386	470	411	323	281	287	245	252	291	292	389
790, 791, 793 ,795.	Ill-defined and unknown causes of mortality ..	M	9	5	3	5	3	1	3	2	5	4	3	4
		F	5	3	4	1	2	3	3	2	2	4	—	1

TABLE 22—*continued*

ICD No.	Causes of death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
E800-E999	**XVII Accidents, poisonings & violence (external cause)**	M	**1,283**	**1,005**	**1,201**	**1,130**	**1,063**	**1,093**	**1,258**	**1,114**	**1,042**	**1,202**	**1,195**	**1,301**
		F	**1,130**	**748**	**963**	**829**	**762**	**735**	**757**	**660**	**729**	**838**	**868**	**1,066**
E800-E802	Railway accidents	M	27	18	21	20	17	14	16	14	15	10	18	32
		F	3	1	1	2	1	1	3	3	2	2	1	8
E810-E825	Motor vehicle traffic accidents	M	363	295	319	347	302	336	451	384	377	472	416	423
		F	188	114	126	141	119	113	163	139	159	176	158	210
E830-E835	Motor vehicle non-traffic accidents	M	1	4	5	5	6	3	13	9	7	9	5	2
		F	—	—	—	—	—	2	1	—	2	—	—	—
E840-E845	Other road vehicle accidents	M	9	15	3	3	5	4	13	15	10	7	7	2
		F	6	1	4	1	4	4	1	6	4	2	5	1
E850-E858	Water transport accidents	M	7	15	12	11	10	20	21	19	9	12	26	8
		F	1	—	—	—	—	2	2	1	—	1	1	—
E860-E866	Aircraft accidents	M	5	—	5	—	9	5	7	13	8	7	5	—
		F	—	—	3	—	1	—	5	1	1	—	1	—
E870-E895	Accidental poisoning	M	123	59	98	59	48	34	44	53	50	57	85	126
		F	137	76	115	70	57	59	50	47	50	71	121	142
E900-E904	Accidental falls	M	237	172	155	168	145	165	176	143	133	141	162	206
		F	443	275	367	286	279	255	248	213	246	254	247	356
E910-E936	Other accidents	M	198	184	269	207	183	213	231	179	160	171	191	206
		F	149	117	143	112	86	86	70	49	71	71	108	156
E940-E959	Complications due to medical & surgical procedures	M	3	1	2	2	2	1	1	1	1	—	2	—
		F	3	3	2	3	1	—	1	2	1	—	—	1
E960-E965	Late effects of injury and poisoning	M	15	10	10	8	13	8	15	6	10	14	10	19
		F	4	—	3	2	4	2	2	2	1	2	1	2
E970-E973	Suicide by poisoning	M	190	138	201	200	199	178	152	176	157	188	176	185
		F	149	140	161	159	158	149	169	168	138	192	175	150
E974	Suicide and self-inflicted injury by hanging and strangulation	M	30	37	44	33	47	45	50	37	31	35	31	41
		F	10	3	8	16	16	18	9	8	17	14	13	12
E975	Suicide and self-inflicted injury by submersion (drowning)	M	18	21	11	24	26	17	11	22	24	19	17	14
		F	19	4	13	14	16	19	14	10	11	23	14	11
E976-E979	Suicide by other and unspecified means	M	44	28	36	33	43	37	45	35	43	41	29	33
		F	7	5	7	10	9	9	12	2	7	18	14	6
*E980-E985	Homicide and injury purposely inflicted by other persons (not in war)	M	13	8	10	10	8	13	12	8	7	19	15	4
		F	11	9	10	13	11	16	7	9	19	12	9	11
E999	Injury resulting from operations of war	M	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—

* The number of deaths assigned to this cause which occurred in 1961 and were registered after 31st March 1962 were: Aug. 1M, Sept. 1F, Oct. 1F, Nov. 1F, Dec. 5M, 3F. These numbers should therefore be added to those shown in this table in the Review for 1961.

TABLE 23. Stillbirths by sex and legitimacy (with rates per 1,000 total births), 1962 — **England and Wales, standard regions, Wales, conurbations, London A.C., City of London, metropolitan and county boroughs; urban and rural aggregates in each administrative county**

Area	Legitimate		Illegitimate		Total	Stillbirths per 1,000 total births
	M	F	M	F		
SUMMARY						
ENGLAND AND WALES	**7,281**	**6,894**	**676**	**613**	**15,464**	**18**
Regions and conurbations						
Northern	**594**	**556**	**35**	**43**	**1,228**	**20**
Tyneside Conurbation	152	148	7	10	317	20
Remainder of Northern	442	408	28	33	911	20
East and West Ridings	**691**	**620**	**53**	**56**	**1,420**	**18**
West Yorkshire Conurbation	276	240	31	28	575	18
Remainder of East and West Ridings	415	380	22	28	845	19
North Western	**1,226**	**1,109**	**106**	**85**	**2,526**	**20**
South East Lancashire Conurbation	441	370	51	46	908	19
Merseyside Conurbation	312	268	18	9	607	20
Remainder of North Western	473	471	37	30	1,011	20
North Midland	**613**	**594**	**47**	**43**	**1,297**	**19**
Midland	**831**	**841**	**84**	**63**	**1,819**	**20**
West Midlands Conurbation	408	414	51	38	911	19
Remainder of Midland	423	427	33	25	908	20
Eastern	**521**	**520**	**34**	**34**	**1,109**	**16**
London and South Eastern	**1,417**	**1,317**	**213**	**189**	**3,136**	**16**
Greater London	1,042	980	179	169	2,370	16
Remainder of South Eastern	375	337	34	20	766	16
Southern	**392**	**395**	**35**	**28**	**850**	**15**
South Western	**510**	**477**	**39**	**34**	**1,060**	**18**
Wales (including Monmouthshire)	**486**	**465**	**30**	**38**	**1,019**	**22**
Wales I (South East)	377	339	28	26	770	23
Wales II (remainder)	109	126	2	12	249	20
Urban/Rural aggregates:						
Conurbations	2,631	2,420	337	300	5,688	18
Areas outside conurbations:						
Urban areas with populations of 100,000 and over	954	968	96	92	2,110	18
Urban areas with populations of 50,000 and under 100,000	707	694	61	45	1,507	19
Urban areas with populations under 50,000	1,538	1,425	109	88	3,160	18
Rural districts	1,451	1,387	73	88	2,999	18

Area	Legitimate M	Legitimate F	Illegitimate M	Illegitimate F	Total	Still-births per 1,000 total births
LONDON A.C., CITY OF LONDON, METROPOLITAN BOROUGHS AND COUNTY BOROUGHS						
London A.C.	**447**	**401**	**108**	**98**	**1,054**	**16**
City of London ..	—	—	—	—	—	—
Metropolitan boroughs:						
Battersea	23	14	4	5	46	21
Bermondsey	8	6	—	4	18	*20*
Bethnal Green	11	5	1	—	17	*20*
Camberwell	26	21	9	5	61	17
Chelsea	5	4	1	2	12	*19*
Deptford	12	10	1	1	24	15
Finsbury	3	5	2	—	10	*17*
Fulham	17	11	1	2	31	16
Greenwich	11	11	—	—	22	16
Hackney	27	26	6	7	66	17
Hammersmith	11	14	4	7	36	15
Hampstead	11	5	6	1	23	13
Holborn	—	3	—	—	3	*16*
Islington	40	35	12	14	101	17
Kensington	23	19	11	7	60	18
Lambeth	39	38	12	12	101	19
Lewisham	21	28	—	1	50	13
Paddington	20	12	7	6	45	16
Poplar	4	7	3	1	15	*11*
St. Marylebone ..	1	7	1	—	9	*12*
St. Pancras	19	11	10	1	41	16
Shoreditch	7	11	1	—	19	*28*
Southwark	10	15	3	1	29	17
Stepney	16	14	2	3	35	19
Stoke Newington ..	12	9	3	4	28	21
Wandsworth	47	40	5	5	97	15
Westminster	7	6	3	7	23	21
Woolwich	16	14	—	2	32	14
County boroughs ..	**2,278**	**2,181**	**255**	**221**	**4,935**	**19**
Barnsley	17	10	—	—	27	18
Barrow-in-Furness ..	6	3	2	1	12	*10*
Bath	13	11	1	2	27	20
Birkenhead	41	31	3	1	76	26
Birmingham	194	187	29	22	432	19
Blackburn	16	23	3	1	43	23
Blackpool	19	21	3	4	47	23
Bolton	21	24	5	3	53	19
Bootle	26	12	—	—	38	19
Bournemouth	12	8	1	2	23	12
Bradford	56	36	10	8	110	19
Brighton	16	11	1	1	29	12
Bristol	57	55	3	4	119	16
Burnley	18	13	—	2	33	23
Burton upon Trent ..	13	13	2	—	28	28
Bury	7	12	1	—	20	17
Canterbury	—	2	—	—	2	*4*
Carlisle	12	12	3	1	28	20
Chester	8	11	1	2	22	19
Coventry	53	65	12	4	134	20
Croydon	27	28	3	7	65	14
Darlington	7	10	—	2	19	*13*
Derby	31	22	3	—	56	23
Dewsbury	10	6	—	—	16	*16*
Doncaster	23	18	1	2	44	27
County boroughs —continued						
Dudley	14	18	—	1	33	29
Eastbourne	4	8	—	—	12	*17*
East Ham	19	9	2	2	32	18
Exeter	12	13	—	2	27	21
Gateshead	11	17	1	4	33	16
Gloucester	14	9	1	5	29	20
Great Yarmouth ..	5	7	—	—	12	*15*
Grimsby	15	9	2	—	26	13
Halifax	15	18	2	1	36	21
Hastings	6	8	1	—	15	*17*
Huddersfield	18	16	2	1	37	15
Ipswich	18	17	1	—	36	17
Kingston upon Hull ..	58	55	5	8	126	21
Leeds	81	77	12	12	182	19
Leicester	43	40	4	5	92	18
Lincoln	8	15	1	—	24	17
Liverpool	164	148	11	6	329	20
Manchester	139	118	28	18	303	22
Middlesbrough ..	39	34	3	3	79	22
Newcastle upon Tyne ..	52	42	5	2	101	21
Northampton	12	13	1	4	30	15
Norwich	15	8	1	2	26	14
Nottingham	55	47	5	9	116	18
Oldham	13	14	2	1	30	15
Oxford	12	6	1	1	20	12
Plymouth	31	25	6	3	65	17
Portsmouth	32	43	6	4	85	21
Preston	17	18	2	2	39	17
Reading	20	22	2	1	45	20
Rochdale	13	16	1	2	32	20
Rotherham	16	27	2	—	45	27
St. Helens	18	22	1	2	43	21
Salford	46	28	1	5	80	25
Sheffield	60	58	6	8	132	15
Smethwick	10	13	—	3	26	19
Southampton	21	39	5	8	73	19
Southend-on-Sea ..	14	12	1	—	27	11
Southport	7	8	1	1	17	*16*
South Shields	18	26	1	—	45	22
Stockport	23	23	1	4	51	19
Stoke-on-Trent ..	55	54	3	1	113	25
Sunderland	31	38	2	2	73	19
Tynemouth	17	10	—	—	27	18
Wakefield	11	5	2	—	18	*18*
Wallasey	14	25	1	—	40	20
Walsall	19	18	4	2	43	18
Warrington	10	15	1	—	26	18
West Bromwich ..	17	10	—	1	28	15
West Ham	34	21	8	3	66	21
West Hartlepool ..	22	15	—	—	37	22
Wigan	16	21	1	1	39	29
Wolverhampton ..	30	30	8	2	70	22
Worcester	8	11	—	—	19	*16*
York	10	15	—	1	26	15
Cardiff	40	47	4	4	95	19
Merthyr Tydfil ..	11	9	1	—	21	20
Newport, Mon. ..	17	19	3	3	42	20
Swansea	25	28	3	2	58	20

Area	Legitimate M	Legitimate F	Illegitimate M	Illegitimate F	Total	Still-births per 1,000 total births
ADMINISTRATIVE COUNTIES						

Note. The following figures relate to aggregates of urban districts (including municipal boroughs, but excluding county boroughs) and of rural districts in each administrative county.

Bedfordshire	U.D.	39	56	3	6	104	17
	R.D.	25	20	1	1	47	16
Berkshire	U.D.	10	11	1	3	25	10
	R.D.	36	34	2	2	74	12
Buckinghamshire	U.D.	41	38	4	—	83	16
	R.D.	33	27	1	—	61	13
Cambridgeshire ..	U.D.	5	14	2	2	23	15
	R.D.	12	6	—	2	20	11
Cheshire	U.D.	114	105	9	5	233	17
	R.D.	32	37	3	2	74	19
Cornwall	U.D.	31	34	4	2	71	23
	R.D.	26	21	3	3	53	23
Cumberland ..	U.D.	11	13	2	3	29	17
	R.D.	21	23	—	4	48	20
Derbyshire ..	U.D.	64	63	5	4	136	22
	R.D.	66	76	4	3	149	21
Devon	U.D.	20	24	2	1	47	13
	R.D.	39	29	2	1	71	17
Dorset	U.D.	27	26	2	—	55	18
	R.D.	24	21	2	—	47	23
Durham	U.D.	120	116	5	7	248	20
	R.D.	52	48	3	5	108	19
Ely, Isle of ..	U.D.	2	6	—	1	9	*10*
	R.D.	6	4	—	1	11	*19*
Essex	U.D.	222	218	18	15	473	17
	R.D.	38	27	3	—	68	14
Gloucestershire ..	U.D.	30	26	1	—	57	17
	R.D.	55	53	1	7	116	18
Hampshire ..	U.D.	65	78	6	4	153	16
	R.D.	42	38	—	1	81	13
Herefordshire ..	U.D.	11	6	1	1	19	*16*
	R.D.	10	6	1	2	19	*17*
Hertfordshire ..	U.D.	79	79	11	5	174	15
	R.D.	20	33	2	3	58	14
Huntingdonshire ..	U.D.	6	7	—	—	13	*16*
	R.D.	5	5	—	—	10	*11*
Kent	U.D.	198	148	15	17	378	17
	R.D.	60	52	3	2	117	17
Lancashire ..	U.D.	367	300	24	19	710	20
	R.D.	54	51	1	2	108	17
Leicestershire ..	U.D.	26	30	2	2	60	17
	R.D.	32	40	3	2	77	17
Lincolnshire ..	U.D.	5	9	—	—	14	*21*
(Holland) ..	R.D.	10	14	3	4	31	31
Lincolnshire ..	U.D.	9	5	—	1	15	*18*
(Kesteven) ..	R.D.	27	11	—	—	38	22
Lincolnshire ..	U.D.	40	27	1	3	71	21
(Lindsey) ..	R.D.	27	35	1	1	64	19
Middlesex ..	U.D.	274	273	34	38	619	19
Norfolk	U.D.	14	16	1	3	34	24
	R.D.	41	38	1	1	81	16
Northamptonshire	U.D.	23	21	3	1	48	15
	R.D.	14	15	1	1	31	13
Northumberland	U.D.	61	65	1	5	132	19
	R.D.	20	12	1	—	33	19
Nottinghamshire	U.D.	72	58	8	1	139	18
	R.D.	34	37	—	2	73	20
Oxfordshire ..	U.D.	10	5	—	—	15	*12*
	R.D.	28	18	2	1	49	15
Peterborough, Soke of ..	U.D.	13	12	—	—	25	20
	R.D.	1	2	—	1	4	*16*
Rutland	U.D.	1	—	—	—	1	*12*
	R.D.	2	3	—	—	5	*12*
Shropshire	U.D.	31	29	—	1	61	22
	R.D.	24	17	—	1	42	16
Somerset	U.D.	41	35	2	—	78	18
	R.D.	34	35	1	2	72	16
Staffordshire ..	U.D.	149	137	10	7	303	21
	R.D.	42	53	1	5	101	21
Suffolk, East ..	U.D.	15	23	1	1	40	23
	R.D.	17	18	1	—	36	17
Suffolk, West ..	U.D.	6	5	—	—	11	*11*
	R.D.	21	12	—	1	34	22
Surrey	U.D.	117	136	15	7	275	14
	R.D.	30	15	5	—	50	16
Sussex, East ..	U.D.	20	22	1	1	44	16
	R.D.	19	15	1	—	35	14
Sussex, West ..	U.D.	28	34	1	—	63	16
	R.D.	13	23	3	3	42	17
Warwickshire ..	U.D.	60	66	5	5	136	17
	R.D.	39	40	2	1	82	20
Westmorland ..	U.D	3	6	1	—	10	*21*
	R.D.	9	2	—	1	12	*23*
Wight, Isle of ..	U.D.	10	11	2	1	24	23
	R.D.	2	3	1	—	6	*28*
Wiltshire	U.D.	31	37	6	1	75	17
	R.D.	43	37	3	1	84	20
Worcestershire ..	U.D.	41	50	4	4	99	18
	R.D.	11	18	2	—	31	14
Yorkshire, E.R. ..	U.D.	24	11	—	—	35	19
	R.D.	15	15	—	—	30	16
Yorkshire, N.R. ..	U.D.	51	36	4	3	94	22
	R.D.	37	31	3	1	72	21
Yorkshire, W.R.	U.D.	199	165	10	11	385	18
	R.D.	78	88	1	4	171	19
Anglesey	U.D.	4	2	—	—	6	*14*
	R.D.	3	5	1	1	10	*19*
Breckonshire ..	U.D.	1	3	—	—	4	*16*
	R.D.	6	7	—	2	15	*25*
Caernarvonshire	U.D.	11	4	—	2	17	*15*
	R.D.	2	5	—	—	7	*10*
Cardiganshire ..	U.D.	2	—	—	—	2	*9*
	R.D.	6	11	—	1	18	*33*
Carmarthenshire	U.D.	9	9	2	2	22	23
	R.D.	21	10	1	1	33	22
Denbighshire ..	U.D.	9	20	—	—	29	20
	R.D.	12	19	—	1	32	21
Flintshire ..	U.D.	9	13	—	—	22	16
	R.D.	12	14	1	1	28	21
Glamorgan ..	U.D.	126	93	5	6	230	25
	R.D.	39	42	2	3	86	22
Merionethshire ..	U.D.	5	1	—	1	7	*24*
	R.D.	3	1	—	2	6	*17*
Monmouthshire ..	U.D.	69	64	7	3	143	28
	R.D.	13	8	—	—	21	17
Montgomeryshire	U.D.	2	3	—	1	6	*23*
	R.D.	6	4	—	—	10	*26*
Pembrokeshire ..	U.D.	17	14	—	—	31	33
	R.D.	2	6	—	2	10	*14*
Radnorshire ..	U.D.	—	3	—	—	3	*31*
	R.D.	4	1	—	—	5	*30*

TABLE 23A. Stillbirths by cause, sex, and mother's age at maternity (with, for certain selected causes, rates per 1,000 total births), 1962 } **England and Wales**

Note. For the calculation of stillbirth rates, the births to mothers whose age was not stated have been distributed proportionately and included with those to mothers of stated ages.

ICD No.	Cause		Age of mother: All ages	Under 20*	20—	25—	30—	35—	40—	45 and over†	Not stated
Y30–Y39	**ALL CAUSES**	M	**7,957**	**532**	**2,048**	**2,084**	**1,595**	**1,150**	**451**	**42**	**55**
		F	**7,507**	**537**	**1,915**	**1,964**	**1,547**	**1,051**	**415**	**37**	**41**
		P	**15,464**	**1,069**	**3,963**	**4,048**	**3,142**	**2,201**	**866**	**79**	**96**
Y30	**Chronic disease in mother**	M	**245**	**12**	**46**	**50**	**42**	**60**	**29**	**4**	**2**
		F	**219**	**6**	**39**	**40**	**48**	**51**	**34**	**1**	—
Y30.0	Syphilis	M	**6**	—	1	—	1	3	—	—	1
		F	**3**	—	—	—	1	1	1	—	—
Y30.1	Tuberculosis (any form)	M	**1**	—	—	1	—	—	—	—	—
		F	**2**	—	1	1	—	—	—	—	—
Y30.2	Diabetes mellitus	M	**63**	2	13	18	11	13	6	—	—
		F	**52**	1	14	10	13	11	3	—	—
Y30.3	Chronic disease of circulatory system	M	**137**	5	20	26	23	36	22	4	1
		F	**124**	2	16	25	23	32	25	1	—
Y30.4	Chronic disease of genito-urinary system	M	**10**	2	—	2	3	3	—	—	—
		F	**11**	—	5	—	4	1	1	—	—
Y30.5	Other chronic disease	M	**28**	3	12	3	4	5	1	—	—
		F	**27**	3	3	4	7	6	4	—	—
Y31	**Acute disease in mother**	M	**37**	**6**	**7**	**9**	**11**	**3**	**1**	—	—
		F	**35**	**3**	**8**	**15**	**6**	**3**	—	—	—
Y31.0	Typhoid fever	M	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—
Y31.1	Influenza	M	**12**	1	4	3	2	1	1	—	—
		F	**11**	—	2	7	2	—	—	—	—
Y31.2	Pneumonia (any form)	M	**3**	—	—	1	—	2	—	—	—
		F	**1**	—	1	—	—	—	—	—	—
Y31.3	Other acute respiratory disease	M	**2**	—	1	—	1	—	—	—	—
		F	**4**	1	—	1	1	1	—	—	—
Y31.4	Other acute disease or condition	M	**20**	5	2	5	8	—	—	—	—
		F	**19**	2	5	7	3	2	—	—	—
	0 Rubella	M	**11**	4	1	1	5	—	—	—	—
		F	**12**	2	4	4	1	1	—	—	—
	1 Other virus diseases	M	**2**	1	—	—	1	—	—	—	—
		F	**4**	—	1	1	1	1	—	—	—
	2 Others	M	**7**	—	1	4	2	—	—	—	—
		F	**3**	—	—	2	1	—	—	—	—
Y32	**Diseases and conditions of pregnancy and childbirth**	M	**1,475**	**99**	**389**	**393**	**285**	**207**	**88**	**11**	**3**
		F	**1,154**	**81**	**281**	**280**	**235**	**203**	**68**	**6**	—
Y32.0	Pregnancy interrupted by self or other person for non-therapeutic purposes	M	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—
Y32.1	Ectopic gestation	M	—	—	—	—	—	—	—	—	—
		F	**1**	—	—	—	—	1	—	—	—
Y32.2	Haemorrhage without mention of placental condition	M	**244**	11	66	61	58	34	12	2	—
		F	**188**	15	42	47	43	34	7	—	—
Y32.3	Toxaemia with convulsions during pregnancy or labour (eclampsia)	M	**38**	8	10	5	7	5	2	—	1
		F	**24**	—	8	6	6	2	1	1	—
Y32.4	Other toxaemias of pregnancy	M	**1,176**	77	309	324	215	167	73	9	2
		F	**928**	64	230	221	184	165	59	5	—
Y32.5	Infection (ante- and intra-partum)	M	**17**	3	4	3	5	1	1	—	—
		F	**13**	2	1	6	2	1	1	—	—
	0 Urinary infection	M	**4**	1	2	—	1	—	—	—	—
		F	**4**	1	—	—	2	—	1	—	—
	1 Others	M	**13**	2	2	3	4	1	1	—	—
		F	**9**	1	1	6	—	1	—	—	—

* † See footnotes at end of this table.

TABLE 23A—*continued*

ICD No.	Cause		Age of mother: All ages	Under 20*	20—	25—	30—	35—	40—	45 and over†	Not stated
Y33	**Absorption of toxic substance from mother**	M	**1**	—	—	—	**1**	—	—	—	—
		F	**2**	—	**1**	—	**1**	—	—	—	—
Y33.0	Narcotic	M	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—
Y33.1	Quinine	M	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—
Y33.2	Other toxic substance	M	**1**	—	—	—	1	—	—	—	—
		F	**2**	—	1	—	1	—	—	—	—
Y34	**Difficulties in labour**	M	**654**	**46**	**160**	**151**	**161**	**89**	**41**	**6**	—
		F	**509**	**44**	**137**	**111**	**123**	**69**	**21**	**1**	**3**
Y34.0	Difficult labour with abnormality of bones of pelvis	M	**11**	1	3	2	4	—	1	—	—
		F	**7**	2	—	3	2	—	—	—	—
Y34.1	Difficult labour with disproportion, but no mention of abnormality, of pelvis	M	**148**	13	35	38	33	18	9	2	—
		F	**108**	8	32	24	32	11	—	—	1
Y34.2	Difficult labour with malposition of foetus	M	**322**	24	81	69	80	43	22	3	—
		F	**258**	21	68	59	59	34	15	1	1
Y34.3	Difficult labour with abnormality of forces of labour	M	**84**	3	20	19	20	15	6	1	—
		F	**58**	6	18	12	10	9	2	—	1
Y34.4	Difficult labour with operative delivery	M	**25**	2	4	8	8	1	2	—	—
		F	**19**	1	8	3	4	1	2	—	—
Y34.5	Difficult labour with abnormality of organs or tissues of pelvis	M	**14**	—	3	3	3	5	—	—	—
		F	**21**	1	3	4	8	5	—	—	—
Y34.6	Difficult labour without mention of underlying condition	M	**50**	3	14	12	13	7	1	—	—
		F	**38**	5	8	6	8	9	2	—	—
Y35	**Other causes in mother**	M	**19**	**3**	**7**	**2**	**4**	**3**	—	—	—
		F	**32**	**4**	**9**	**7**	**8**	**4**	—	—	—
Y35.0	Fall	M	**4**	2	2	—	—	—	—	—	—
		F	**10**	1	4	4	1	—	—	—	—
Y35.1	Other accident or violence	M	**5**	—	2	1	1	1	—	—	—
		F	**6**	2	3	—	1	—	—	—	—
Y35.2	Overexertion	M	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—
Y35.3	Other and ill-defined causes in mother	M	**10**	1	3	1	3	2	—	—	—
		F	**16**	1	2	3	6	4	—	—	—
Y36	**Placental and cord conditions**	M	**2,370**	**140**	**587**	**621**	**493**	**378**	**139**	**5**	**7**
		F	**1,944**	**127**	**425**	**539**	**430**	**287**	**124**	**10**	**2**
Y36.0	Cord condition without mention of placental abnormality	M	**664**	42	161	171	142	113	33	1	1
		F.	**575**	44	134	151	122	83	36	4	1
	0 Pressure on cord, compression of cord, strangulation of cord, thrombosis of cord	M	**103**	8	35	30	13	10	6	—	1
		F	**101**	9	29	22	21	17	3	—	—
	1 Prolapse of cord	M	**207**	10	40	54	52	39	11	1	—
		F	**134**	8	25	35	29	25	11	—	1
	2 Others	M	**354**	24	86	87	77	64	16	—	—
		F	**340**	27	80	94	72	41	22	4	—
Y36.1	Placenta praevia	M	**89**	2	23	14	23	15	10	1	1
		F	**80**	4	16	18	21	16	5	—	—
Y36.2	Premature separation of normally implanted placenta	M	**746**	41	178	202	166	117	37	2	3
		F	**499**	26	105	142	116	80	29	1	—
Y36.3	Placenta praevia with cord abnormality	M	**5**	—	1	1	2	1	—	—	—
		F	**2**	1	1	—	—	—	—	—	—
Y36.4	Premature separation of normally implanted placenta with cord abnormality	M	**5**	—	2	2	1	—	—	—	—
		F	**8**	—	3	2	2	—	—	—	1

* † See footnotes at end of this table.

TABLE 23A—*continued*

ICD No.	Cause		Age of mother								
			All ages	Under 20*	20—	25—	30—	35—	40—	45 and over†	Not stated
Y36.5	Placental infarct	M	187	16	50	51	37	21	10	1	1
		F	162	14	30	53	33	22	9	1	—
Y36.6	Other abnormality of placenta and cord	M	674	39	172	180	122	111	49	—	1
		F	618	38	136	173	136	86	45	4	—
Y37	**Birth injury**	M	**220**	**21**	**50**	**68**	**38**	**30**	**8**	**3**	**2**
		F	**181**	**14**	**45**	**57**	**31**	**23**	**6**	**2**	**3**
Y37.0	Birth injury with abnormality of bones of pelvis	M	1	—	—	1	—	—	—	—	—
		F	1	—	1	—	—	—	—	—	—
Y37.1	Birth injury with abnormality of organs or tissues of pelvis	M	4	—	—	3	—	1	—	—	—
		F	1	—	—	—	—	1	—	—	—
Y37·2	Birth injury with disproportion but no mention of abnormality of pelvis	M	19	—	9	6	1	2	1	—	—
		F	12	—	2	3	4	3	—	—	—
Y37·3	Birth injury with malposition of foetus	M	63	4	16	16	15	9	1	2	—
		F	50	1	9	20	12	4	2	1	1
Y37·4	Birth injury with abnormality of forces of labour	M	17	—	3	7	4	3	—	—	—
		F	21	2	4	5	3	5	2	—	—
Y37·5	Operation causing mutilation of foetus	M	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—
Y37·6	Other operation for delivery	M	14	2	1	4	4	2	1	—	—
		F	11	2	3	4	1	1	—	—	—
Y37·7	Birth injury with difficult labour but without mention of underlying condition	M	7	1	1	4	—	1	—	—	—
		F	3	2	—	—	1	—	—	—	—
Y37·8	Birth injury due to other or unspecified cause	M	95	14	20	27	14	12	5	1	2
		F	82	7	26	25	10	9	2	1	2
Y38	**Congenital malformations of foetus**	M	**1,119**	**85**	**358**	**281**	**204**	**136**	**46**	**7**	**2**
		F	**1,738**	**163**	**534**	**498**	**304**	**165**	**60**	**11**	**3**
Y38·0	Anencephalus	M	452	33	164	115	81	41	15	1	2
		F	1,103	115	354	318	181	100	27	5	3
	0 With mention of spina bifida or synonym	M	55	4	16	17	10	5	2	—	1
		F	121	14	43	33	19	8	4	—	—
	1 Without mention of spina bifida or synonym	M	397	29	148	98	71	36	13	1	1
		F	982	101	311	285	162	92	23	5	3
Y38·1	Hydrocephalus	M	298	23	78	72	61	49	13	2	—
		F	229	14	62	69	48	24	10	2	—
Y38·2	Spina bifida	M	137	17	42	37	26	12	3	—	—
		F	174	15	63	50	28	9	9	—	—
	0 With mention of hydrocephalus	M	102	10	33	24	23	11	1	—	—
		F	127	11	48	37	18	8	5	—	—
	1 Without mention of hydrocephalus	M	35	7	9	13	3	1	2	—	—
		F	47	4	15	13	10	1	4	—	—
Y38·3	Other malformation of the central nervous system	M	40	1	15	10	8	3	2	1	—
		F	72	4	21	16	12	14	3	2	—
	0 Mongolism	M	8	—	3	3	—	—	1	1	—
		F	17	—	—	2	—	11	2	2	—
	1 Microcephaly	M	8	—	4	1	2	—	1	—	—
		F	10	—	6	1	3	—	—	—	—
	2 Others	M	24	1	8	6	6	3	—	—	—
		F	45	4	15	13	9	3	1	—	—
Y38.4	Malformation of the cardiovascular system	M	36	2	7	8	9	7	3	—	—
		F	26	—	3	9	6	6	2	—	—
	0 Tetralogy of Fallot	M	1	—	—	1	—	—	—	—	—
		F	1	—	—	1	—	—	—	—	—
	1 Patent ductus arteriosus	M	3	—	—	—	3	—	—	—	—
		F	3	—	—	1	—	2	—	—	—
	2 Interventricular septal defect	M	11	2	2	—	3	1	3	—	—
		F	6	—	1	1	1	2	1	—	—

* † See footnotes at end of this table.

TABLE 23A—*continued*

ICD No.	Cause		Age of mother								
			All ages	Under 20*	20—	25—	30—	35—	40—	45 and over†	Not stated
	3 Interauricular septal defect	M	2	—	1	1	—	—	—	—	—
		F	1	—	—	—	1	—	—	—	—
	4 Fibroelastosis cordis	M	1	—	—	1	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—
	5 Other malformations of heart	M	16	—	4	4	2	6	—	—	—
		F	14	—	2	5	4	2	1	—	—
	6 Coarctation of aorta	M	1	—	—	—	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—
	7 Other circulatory malformations	M	1	—	—	1	—	—	—	—	—
		F	1	—	—	1	—	—	—	—	—
Y38·5	Malformation of other specified system or part	M	110	6	35	26	14	17	9	3	—
		F	93	8	19	25	24	7	9	1	—
	0 Digestive system	M	20	3	6	6	1	2	2	—	—
		F	15	2	1	3	7	1	1	—	—
	1 Genito-urinary system	M	23	—	11	3	6	1	2	—	—
		F	14	2	1	4	4	2	1	—	—
	2 Dwarf	M	3	1	1	—	1	—	—	—	—
		F	3	—	1	2	—	—	—	—	—
	3 Other skeletal	M	10	1	1	4	1	1	1	1	—
		F	17	1	3	4	4	2	2	1	—
	4 Respiratory system	M	4	1	2	—	—	1	—	—	—
		F	13	1	3	6	1	2	—	—	—
	5 Skin	M	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	1	—	—	—	—
	6 Muscle	M	3	—	—	2	—	1	—	—	—
		F	—	—	—	—	—	—	—	—	—
	7 Others	M	47	—	14	11	5	11	4	2	—
		F	30	2	10	6	7	—	5	—	—
Y38·6	Monster	M	6	—	3	2	1	—	—	—	—
		F	7	—	2	2	2	1	—	—	—
	0 Double monster	M	3	—	3	—	—	—	—	—	—
		F	2	—	—	1	—	1	—	—	—
	1 Monster N.O.S.	M	—	—	—	—	—	—	—	—	—
		F	1	—	1	—	—	—	—	—	—
	2 Others	M	3	—	—	2	1	—	—	—	—
		F	4	—	1	1	2	—	—	—	—
Y38·7	Other and unspecified malformations	M	40	3	14	11	4	7	1	—	—
		F	34	7	10	9	3	4	—	1	—
Y39	**Diseases of foetus and ill-defined causes**	M	**1,817**	**120**	**444**	**509**	**356**	**244**	**99**	**6**	**39**
		F	**1,693**	**95**	**436**	**417**	**361**	**246**	**102**	**6**	**30**
Y39·0	Syphilis	M	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	1	—	—	—
Y39·1	Infection other than syphilis	M	7	—	1	1	2	3	—	—	—
		F	9	1	1	2	2	2	1	—	—
Y39·2	Erythroblastosis	M	359	6	57	114	97	62	20	2	1
		F	312	2	60	105	70	55	17	2	1
Y39·3	Other cause originated in the foetus	M	24	—	6	4	7	6	1	—	—
		F	19	2	7	4	4	1	1	—	—

* † See footnotes at end of this table.

TABLE 23A—*continued*

ICD No.	Cause		Age of mother: All ages	Under 20*	20—	25—	30—	35—	40—	45 and over†	Not stated
Y39.4	Maceration, cause not specified	M	513	41	146	142	90	60	31	1	2
		F	484	23	133	112	110	68	33	2	3
Y39.5	Other ill-defined cause	M	504	38	132	132	100	71	24	2	5
		F	497	42	144	93	111	66	30	2	9
	0 Asphyxia	M	196	10	54	47	45	29	9	1	1
		F	192	17	59	30	48	26	10	—	2
	1 Atelectasis	M	64	7	16	13	13	13	2	—	—
		F	57	6	20	9	13	4	4	—	1
	2 Post-maturity	M	63	3	15	23	11	6	4	—	1
		F	57	1	10	11	19	9	6	—	1
	3 Prematurity	M	116	14	31	31	20	11	5	1	3
		F	106	14	30	22	18	17	3	1	1
	4 Others	M	65	4	16	18	11	12	4	—	—
		F	85	4	25	21	13	10	7	1	4
Y39.6	Cause unspecified	M	410	35	102	116	60	42	23	1	31
		F	371	25	91	101	64	53	20	—	17
Total live and still births		M	439,590	35,277	136,299	133,792	80,764	40,448	11,980	710	320
		F	414,610	33,057	128,384	126,504	76,276	37,926	11,487	684	292
		P	854,200	68,334	264,683	260,296	157,040	78,374	23,467	1,394	612

Stillbirths per 1,000 total births

Y30–Y39	**All causes**	M	18·1	15·2	15·1	15·7	19·9	28·6	37·9	59·1
		F	18·1	16·3	15·0	15·6	20·4	27·9	36·4	54·1
		P	18·1	15·7	15·1	15·6	20·1	28·2	37·1	56·6
Y30–Y35	**Maternal conditions**		5·1	4·4	4·1	4·1	5·9	8·8	12·0	20·8
Y30·2	Diabetes		0·1	*0·0*	0·1	0·1	0·2	0·3	*0·4*	—
Y30·3	Circulatory		0·3	*0·1*	0·1	0·2	0·3	0·9	2·0	*3·6*
Y32	Diseases of pregnancy		3·1	2·6	2·5	2·6	3·3	5·2	6·6	*12·2*
Y32·2	Haemorrhage N.E.C.		0·5	0·4	0·4	0·4	0·6	0·9	*0·8*	*1·4*
Y32·4	Other toxaemia		2·5	2·1	2·0	2·1	2·5	4·2	5·6	*10·0*
Y34	Difficulties in labour		1·4	1·3	1·1	1·0	1·8	2·0	2·6	*5·0*
Y34·2	Malposition		0·7	0·7	0·6	0·5	0·9	1·0	1·6	*2·9*
Y34·3	Abnormal forces		0·2	*0·1*	0·1	0·1	0·2	0·3	*0·3*	*0·7*
Y36	**Placental and cord conditions**		5·1	3·9	3·8	4·5	5·9	8·5	11·2	*10·8*
Y36·1	Placenta praevia		0·2	*0·1*	0·1	0·1	0·3	0·4	*0·6*	*0·7*
Y36·2	Placenta and placental separation		1·5	1·0	1·1	1·3	1·8	2·5	2·8	*2·2*
Y36·5	Placental infarct		0·4	0·4	0·3	0·4	0·4	0·5	*0·8*	*1·4*
Y37–Y39	**Foetal conditions**		7·9	7·3	7·1	7·1	8·3	10·9	13·8	25·1
Y37	Birth injury		0·5	0·5	0·4	0·5	0·4	0·7	*0·6*	*3·6*
Y38	Congenital malformation		3·3	3·6	3·4	3·0	3·2	3·8	4·5	*12·9*
Y38·0	Anencephalus		1·8	2·2	2·0	1·7	1·7	1·8	1·8	*4·3*
Y38·1	Hydrocephalus		0·6	0·5	0·5	0·5	0·7	0·9	1·0	*2·9*
Y38·2	Spina bifida		0·4	0·5	0·4	0·3	0·3	0·3	*0·5*	—
Y39	Other and ill-defined causes		4·1	3·2	3·4	3·6	4·7	6·4	8·7	*8·6*
Y39·2	Erythroblastosis		0·8	*0·1*	0·4	0·8	1·1	1·5	1·6	*2·9*
Y39·6	Unspecified		0·9	0·9	0·8	0·9	0·8	1·3	1·9	*0·7*

* Including the following stillbirths where the mother's age was under 16 years: **Y32·4** Other toxaemias of pregnancy 3M, 2F; **Y34·1** Difficult labour with disproportion, but no mention of abnormality, of pelvis 2M; **Y34·6** Difficult labour without mention of underlying condition 1M; **Y35·3** Other and ill-defined causes in mother 1M, 1F; **Y36·0** Cord condition without mention of placental abnormality 4M; **Y36·2** Premature separation of normally implanted placenta 1M, 1F; **Y36·6** Other abnormality of placenta and cord 1M; **Y37·4** Birth injury with abnormality of forces of labour 1F; **Y38·1** Hydrocephalus 4M; **Y38·2** Spina bifida 1M; **Y38·3** Other malformation of the central nervous system 1F; **Y38·7** Other and unspecified malformations 1M; **Y39·4** Maceration, cause not specified 1M; **Y39·5** Other ill-defined cause 1F; **Y39·6** Cause unspecified 1M.

† Including the following stillbirths where the mother's age was 50 years or over: **Y30·3** Chronic disease of circulatory system 1M.

TABLE 23B. Legitimate stillbirths by cause and parity of mother (with, for certain selected causes, rates per 1,000 total births), 1962 — England and Wales

ICD No.	Cause		Number of previous children of all marriages, live and still born: Total	0	1	2	3	4	5	6	7	8	9	10 and over
Y30–Y39	**All causes**	M	7,281	2,850	1,519	1,123	709	444	268	126	103	60	38	41
		F	6,894	2,651	1,512	1,072	641	433	264	137	80	39	30	35
		P	14,175	5,501	3,031	2,195	1,350	877	532	263	183	99	68	76
Y30	**Chronic disease in mother**		424	141	99	66	35	43	14	5	7	5	4	5
Y30·0	Syphilis		5	—	3	1	—	—	—	1	—	—	—	—
Y30·1	Tuberculosis (any form)		3	1	2	—	—	—	—	—	—	—	—	—
Y30·2	Diabetes mellitus		111	36	34	16	10	7	2	—	—	4	1	1
Y30·3	Chronic disease of circulatory system		239	82	49	37	18	31	9	2	6	1	1	3
Y30·4	Chronic disease of genito-urinary system		16	5	5	3	1	1	1	—	—	—	—	—
Y30·5	Other chronic disease		50	17	6	9	6	4	2	2	1	—	2	1
Y31	**Acute disease in mother**		66	29	18	9	3	2	3	1	—	1	—	—
Y31·0	Typhoid fever		—	—	—	—	—	—	—	—	—	—	—	—
Y31·1	Influenza		22	6	8	5	1	—	2	—	—	—	—	—
Y31·2	Pneumonia (any form)		4	—	2	1	—	—	—	—	—	1	—	—
Y31·3	Other acute respiratory disease		5	3	1	1	—	—	—	—	—	—	—	—
Y31·4	Other acute disease or condition		35	20	7	2	2	2	1	1	—	—	—	—
	0. Rubella		21	13	3	1	1	2	—	1	—	—	—	—
	1. Other virus diseases		5	3	1	—	1	—	—	—	—	—	—	—
	2. Others		9	4	3	1	—	—	1	—	—	—	—	—
Y32	**Diseases and conditions of pregnancy and childbirth**		2,402	1,107	434	322	216	136	79	49	17	14	6	22
Y32·0	Pregnancy interrupted by self or other person for non-therapeutic purposes		—	—	—	—	—	—	—	—	—	—	—	—
Y32·1	Ectopic gestation		1	1	—	—	—	—	—	—	—	—	—	—
Y32·2	Haemorrhage without mention of placental condition		385	112	78	62	48	26	27	14	3	6	—	9
Y32·3	Toxaemia with convulsions during pregnancy or labour (eclampsia)		56	34	9	5	5	1	—	—	1	—	—	1
Y32·4	Other toxaemias of pregnancy		1,935	950	343	251	159	109	50	35	13	8	5	12
Y32·5	Infection (ante- and intra-partum)		25	10	4	4	4	—	2	—	—	—	1	—
	0. Urinary infection		8	3	1	1	2	—	1	—	—	—	—	—
	1. Others		17	7	3	3	2	—	1	—	—	—	1	—
Y33	**Absorption of toxic substance from mother**		3	2	—	1	—	—	—	—	—	—	—	—
Y33·0	Narcotic		—	—	—	—	—	—	—	—	—	—	—	—
Y33·1	Quinine		—	—	—	—	—	—	—	—	—	—	—	—
Y33·2	Other toxic substance		3	2	—	1	—	—	—	—	—	—	—	—
Y34	**Difficulties in labour**		1,060	402	213	162	98	74	49	21	20	10	6	5
Y34·0	Difficult labour with abnormality of bones of pelvis		17	12	3	2	—	—	—	—	—	—	—	—
Y34·1	Difficult labour with disproportion, but no mention of abnormality, of pelvis		234	97	56	25	18	16	11	—	6	2	2	1
Y34·2	Difficult labour with malposition of foetus		526	167	109	95	54	38	26	18	8	5	3	3
Y34·3	Difficult labour with abnormality of forces of labour		130	58	21	17	10	9	6	3	3	1	1	1
Y34·4	Difficult labour with operative delivery		42	22	4	6	6	2	1	—	—	1	—	—
Y34·5	Difficult labour with abnormality of organs or tissues of pelvis		35	9	12	6	3	3	1	—	1	—	—	—
Y34·6	Difficult labour without mention of underlying condition		76	37	8	11	7	6	4	—	2	1	—	—
Y35	**Other causes in mother**		40	16	10	6	3	2	1	—	—	2	—	—
Y35·0	Fall		12	6	3	1	—	2	—	—	—	—	—	—
Y35·1	Other accident or violence		7	5	1	1	—	—	—	—	—	—	—	—
Y35·2	Overexertion		—	—	—	—	—	—	—	—	—	—	—	—
Y35·3	Other and ill-defined causes in mother		21	5	6	4	3	—	1	—	—	2	—	—
Y36	**Placental and cord conditions**		3,994	1,435	875	633	377	266	172	83	66	33	30	24
Y36·0	Cord condition without mention of placental abnormality		1,146	402	262	188	102	78	40	29	20	13	7	5
	0. Pressure on cord, compression of cord, strangulation of cord, thrombosis of cord		192	81	49	28	13	9	3	2	3	2	—	2
	1. Prolapse of cord		312	90	62	62	35	23	17	9	4	6	3	1
	2. Others		642	231	151	98	54	46	20	18	13	5	4	2

(88065)

TABLE 23B—*continued*

ICD No.	Cause	Number of previous children of all marriages, live and still born											
		Total	0	1	2	3	4	5	6	7	8	9	10 and over
Y36·1	Placenta praevia	**154**	33	28	28	22	12	16	5	2	1	1	6
Y36·2	Premature separation of normally implanted placenta	**1,142**	331	241	199	135	84	76	21	18	14	13	10
Y36·3	Placenta praevia with cord abnormality	**7**	2	1	3	1	—	—	—	—	—	—	—
Y36·4	Premature separation of normally implanted placenta with cord abnormality	**12**	4	5	3	—	—	—	—	—	—	—	—
Y36·5	Placental infarct	**323**	140	66	55	21	18	8	6	7	—	2	—
Y36·6	Other abnormality of placenta and cord	**1,210**	523	272	157	96	74	32	22	19	5	7	3
Y37	**Birth injury .. ..**	**355**	**169**	**59**	**48**	**33**	**24**	**9**	**2**	**3**	**3**	**1**	4
Y37·0	Birth injury with abnormality of bones of pelvis	**2**	2	—	—	—	—	—	—	—	—	—	—
Y37·1	Birth injury with abnormality of organs or tissues of pelvis	**5**	1	—	2	—	—	1	—	—	—	—	1
Y37·2	Birth injury with disproportion but no mention of abnormality of pelvis	**28**	14	2	4	4	2	2	—	—	—	—	—
Y37·3	Birth injury with malposition of foetus	**102**	40	24	11	10	10	2	1	1	2	—	1
Y37·4	Birth injury with abnormality of forces of labour	**34**	13	7	7	3	4	—	—	—	—	—	—
Y37·5	Operation causing mutilation of foetus	—	—	—	—	—	—	—	—	—	—	—	—
Y37·6	Other operation for delivery	**21**	16	3	—	1	1	—	—	—	—	—	—
Y37·7	Birth injury with difficult labour but without mention of underlying condition	**10**	6	2	1	—	—	—	—	—	—	—	1
Y37·8	Birth injury due to other or unspecified cause	**153**	77	21	23	15	7	4	1	2	1	1	1
Y38	**Congenital malformation of foetus**	**2,656**	**1,091**	**617**	**397**	**238**	**125**	**88**	**48**	**27**	**13**	**10**	2
Y38·0	Anencephalus	**1,452**	645	326	198	124	63	47	27	12	4	4	2
	0. With mention of spina bifida or synonym	**168**	75	42	19	12	9	6	2	—	2	—	1
	1. Without mention of spina bifida or synonym	**1,284**	570	284	179	112	54	41	25	12	2	4	1
Y38·1	Hydrocephalus	**475**	154	121	85	42	25	23	10	8	5	2	—
Y38·2	Spina bifida	**297**	132	70	37	25	13	8	6	3	1	2	—
	0. With mention of hydrocephalus	**219**	99	52	25	20	9	7	4	1	1	1	—
	1. Without mention of hydrocephalus	**78**	33	18	12	5	4	1	2	2	—	1	—
Y38·3	Other malformation of the central nervous system	**106**	36	21	22	14	4	3	3	2	1	—	—
	0. Mongolism	**25**	4	2	8	4	1	—	3	2	1	—	—
	1. Microcephaly	**17**	7	5	3	1	1	—	—	—	—	—	—
	2. Others	**64**	25	14	11	9	2	3	—	—	—	—	—
Y38·4	Malformation of the cardiovascular system	**58**	29	10	10	4	3	—	1	—	1	—	—
	0. Tetralogy of Fallot ..	**2**	2	—	—	—	—	—	—	—	—	—	—
	1. Patent ductus arteriosus	**6**	3	—	2	—	—	—	—	—	1	—	—
	2. Interventricular septal defect	**14**	6	1	3	2	1	—	1	—	—	—	—
	3. Interauricular septal defect	**3**	2	1	—	—	—	—	—	—	—	—	—
	4. Fibroelastosis cordis ..	**1**	—	1	—	—	—	—	—	—	—	—	—
	5. Other malformations of heart	**29**	16	7	3	1	2	—	—	—	—	—	—
	6. Coarctation of aorta ..	**1**	—	—	1	—	—	—	—	—	—	—	—
	7. Other circulatory malformations	**2**	—	—	1	1	—	—	—	—	—	—	—
Y38·5	Malformation of other specified system or part	**188**	66	45	38	19	10	5	1	1	1	2	—
	0. Digestive system ..	**31**	10	9	3	5	—	2	—	1	—	1	—
	1. Genito-urinary system	**34**	16	4	7	1	5	1	—	—	—	—	—
	2. Dwarf	**6**	1	4	1	—	—	—	—	—	—	—	—
	3. Other skeletal	**25**	5	10	4	1	2	1	—	—	1	1	—
	4. Respiratory system ..	**15**	3	4	4	3	—	1	—	—	—	—	—
	5. Skin	**1**	—	—	1	—	—	—	—	—	—	—	—
	6. Muscle	**3**	—	1	—	2	—	—	—	—	—	—	—
	7. Others	**73**	31	13	18	7	3	—	1	—	—	—	—
Y38·6	Monster	**13**	5	6	1	1	—	—	—	—	—	—	—
	0. Double monster ..	**5**	2	3	—	—	—	—	—	—	—	—	—
	1. Monster N.O.S. ..	**1**	1	—	—	—	—	—	—	—	—	—	—
	2. Others	**7**	2	3	1	1	—	—	—	—	—	—	—
Y38·7	Other and unspecified malformations	**67**	24	18	6	9	7	2	—	1	—	—	—

TABLE 23B—*continued*

ICD No.	Cause	Number of previous children of all marriages, live and still born											
		Total	0	1	2	3	4	5	6	7	8	9	10 and over
Y39	**Diseases of foetus and ill-defined causes**	**3,175**	**1,109**	**706**	**551**	**347**	**205**	**117**	**54**	**43**	**18**	**11**	**14**
Y39·0	Syphilis	**1**	—	—	—	—	1	—	—	—	—	—	—
Y39·1	Infection other than syphilis	**15**	6	1	2	1	—	3	—	2	—	—	—
Y39·2	Erythroblastosis	**647**	40	153	189	118	66	38	16	15	6	3	3
Y39·3	Other cause originated in the foetus	**39**	19	6	5	6	1	1	1	—	—	—	—
Y39·4	Maceration, cause not specified	**899**	362	214	138	78	49	27	13	7	4	4	3
Y39·5	Other ill-defined cause ..	**914**	413	178	123	96	47	26	16	7	2	2	4
	0. Asphyxia	**357**	172	60	49	37	14	12	6	2	1	1	3
	1. Atelectasis	**111**	53	21	17	12	3	1	2	2	—	—	—
	2. Post-maturity	**115**	59	15	13	12	6	3	5	—	—	1	1
	3. Prematurity	**200**	77	54	21	21	15	7	2	3	—	—	—
	4. Others	**131**	52	28	23	14	9	3	1	—	1	—	—
Y39·6	Cause unspecified	**660**	269	154	94	48	41	22	8	12	6	2	4
Total legitimate live and still births ..	M	410,440	148,017	124,034	68,371	33,579	16,700	8,946	4,685	2,741	1,541	849	977
	F	387,095	138,329	116,991	64,794	32,200	16,083	8,400	4,596	2,542	1,400	811	949
	P	797,535	286,346	241,025	133,165	65,779	32,783	17,346	9,281	5,283	2,941	1,660	1,926

Stillbirths per 1,000 total births

Y30-Y39	**All causes .. ..**	M	**17·7**	**19·2**	**12·2**	**16·4**	**21·1**	**26·6**	**30·0**	**26·9**	**37·6**	**38·9**	**44·8**	**42·0**
		F	**17·8**	**19·2**	**12·9**	**16·5**	**19·9**	**26·9**	**31·4**	**29·8**	**31·5**	**27·9**	**37·0**	**36·9**
		P	**17·8**	**19·2**	**12·6**	**16·5**	**20·5**	**26·8**	**30·7**	**28·3**	**34·6**	**33·7**	**41·0**	**39·5**
Y30-Y35	**Maternal conditions .. .. ..

TABLE 23C. Stillbirths by cause and month of occurrence (with, for certain selected causes, rates per 1,000 total births), 1962

England and Wales

ICD No.	Cause		Total	Month of occurrence											
				Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Y30–Y39	ALL CAUSES	M	7,957	711	664	721	633	722	667	661	668	603	643	639	625
		F	7,507	674	610	726	605	683	626	621	641	573	570	579	599
		P	15,464	1,385	1,274	1,447	1,238	1,405	1,293	1,282	1,309	1,176	1,213	1,218	1,224
Y30	**Chronic disease in mother**		**464**	**47**	**31**	**36**	**37**	**42**	**35**	**38**	**51**	**35**	**38**	**35**	**39**
Y30·0	Syphilis		9	1	—	1	—	—	—	1	—	1	—	1	4
Y30·1	Tuberculosis (any form)		3	—	—	—	—	—	—	1	—	1	—	—	1
Y30·2	Diabetes mellitus		115	14	9	9	7	5	9	9	14	9	9	11	10
Y30·3	Chronic disease of circulatory system		261	26	16	20	21	29	18	18	30	22	24	19	18
Y30·4	Chronic disease of genito-urinary system		21	—	3	1	2	3	2	2	2	—	4	1	1
Y30·5	Other chronic disease		55	6	3	5	7	5	6	7	5	2	1	3	5
Y31	**Acute disease in mother**		**72**	**16**	**10**	**5**	**3**	**4**	**2**	**2**	**3**	**3**	**5**	**13**	**6**
Y31·0	Typhoid fever		—	—	—	—	—	—	—	—	—	—	—	—	—
Y31·1	Influenza		23	14	4	1	1	—	—	—	—	1	—	1	1
Y31·2	Pneumonia (any form)		4	1	—	—	—	1	—	—	1	—	1	—	—
Y31·3	Other acute respiratory disease		6	1	1	2	—	—	—	—	—	—	—	—	2
Y31·4	Other acute disease or condition		39	—	5	2	2	3	2	2	2	2	4	12	3
	0 Rubella		23	—	2	—	—	1	1	2	1	1	3	10	2
	1 Other virus diseases		6	—	1	1	—	1	—	—	1	—	—	1	1
	2 Others		10	—	2	1	2	1	1	—	—	1	1	1	—
Y32	**Diseases and conditions of pregnancy and childbirth**		**2,629**	**249**	**248**	**218**	**217**	**219**	**209**	**227**	**227**	**212**	**177**	**201**	**225**
Y32·0	Pregnancy interrupted by self or other person for non-therapeutic purposes		—	—	—	—	—	—	—	—	—	—	—	—	—
Y32·1	Ectopic gestation		1	—	—	—	1	—	—	—	—	—	—	—	—
Y32·2	Haemorrhage without mention of placental condition		432	43	31	31	31	47	33	30	40	35	35	42	34
Y32·3	Toxaemia with convulsions during pregnancy or labour (eclampsia)		62	6	14	9	7	2	3	1	6	6	1	2	5
Y32·4	Other toxaemias of pregnancy		2,104	199	199	175	177	167	169	194	179	169	139	153	184
Y32·5	Infection (ante- and intra-partum)		30	1	4	3	1	3	4	2	2	2	2	4	2
	0 Urinary infection		8	1	1	—	—	—	—	1	1	—	—	4	—
	1 Others		22	—	3	3	1	3	4	1	1	2	2	—	2
Y33	**Absorption of toxic substance from mother**		**3**	**1**	**1**	—	—	—	—	—	—	—	—	—	**1**
Y33·0	Narcotic		—	—	—	—	—	—	—	—	—	—	—	—	—
Y33·1	Quinine		—	—	—	—	—	—	—	—	—	—	—	—	—
Y33·2	Other toxic substance		3	1	1	—	—	—	—	—	—	—	—	—	1
Y34	**Difficulties in labour**		**1,163**	**98**	**101**	**139**	**82**	**107**	**103**	**94**	**103**	**78**	**97**	**77**	**84**
Y34·0	Difficult labour with abnormality of bones of pelvis		18	5	3	—	1	—	2	3	—	—	2	1	1
Y34·1	Difficult labour with disproportion, but no mention of abnormality, of pelvis		256	20	22	29	24	24	28	18	24	11	23	14	19
Y34·2	Difficult labour with malposition of foetus		580	48	49	80	37	52	54	44	50	45	37	40	44
Y34·3	Difficult labour with abnormality of forces of labour		142	9	16	13	9	18	9	14	8	9	17	10	10
Y34·4	Difficult labour with operative delivery		44	2	2	6	2	1	2	4	9	1	3	8	4
Y34·5	Difficult labour with abnormality of organs or tissues of pelvis		35	2	4	3	2	4	2	2	2	2	8	2	2
Y34·6	Difficult labour without mention of underlying condition		88	12	5	8	7	8	6	9	10	10	7	2	4
Y35	**Other causes in mother**		**51**	**6**	**1**	**3**	**5**	**10**	**1**	**1**	**6**	**2**	**5**	**5**	**6**
Y35·0	Fall		14	4	1	3	1	2	—	—	1	1	—	1	—
Y35·1	Other accident or violence		11	1	—	—	1	2	—	1	4	1	1	—	—
Y35·2	Overexertion		—	—	—	—	—	—	—	—	—	—	—	—	—
Y35·3	Other and ill-defined causes in mother		26	1	—	—	3	6	1	—	1	—	4	4	6
Y36	**Placental and cord conditions**		**4,314**	**374**	**350**	**387**	**343**	**407**	**379**	**351**	**373**	**341**	**333**	**322**	**354**
Y36·0	Cord condition without mention of placental abnormality		1,239	100	100	107	106	99	121	100	112	94	98	93	109
	0 Pressure on cord, compression of cord, strangulation of cord, thrombosis of cord		204	16	20	12	17	15	18	24	23	15	12	8	24
	1 Prolapse of cord		341	22	28	34	31	37	25	23	27	28	30	21	35
	2 Others		694	62	52	61	58	47	78	53	62	51	56	64	50
Y36·1	Placenta praevia		169	18	10	18	19	11	15	19	11	7	8	16	17
Y36·2	Premature separation of normally implanted placenta		1,245	106	90	121	94	119	104	103	106	122	105	90	85
Y36·3	Placenta praevia with cord abnormality		7	2	—	1	—	—	—	—	—	2	—	1	1

TABLE 23C—*continued*

ICD No.	Cause	Total	Month of occurrence											
			Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Y36·4	Premature separation of normally implanted placenta with cord abnormality	**13**	2	3	2	—	—	1	2	2	—	—	—	1
Y36·5	Placental infarct	**349**	37	33	29	37	35	30	27	23	24	23	24	27
Y36·6	Other abnormality of placenta and cord	**1,292**	109	114	109	87	143	108	100	119	92	99	98	114
Y37	**Birth injury**	**401**	**33**	**37**	**36**	**45**	**33**	**37**	**31**	**27**	**36**	**28**	**37**	**21**
Y37·0	Birth injury with abnormality of bones of pelvis	**2**	1	—	—	—	—	—	—	—	1	—	—	—
Y37·1	Birth injury with abnormality of organs or tissues of pelvis	**5**	1	—	—	—	—	—	—	2	—	—	2	—
Y37·2	Birth injury with disproportion but no mention of abnormality of pelvis	**31**	3	4	2	3	5	3	3	3	2	—	3	—
Y37·3	Birth injury with malposition of foetus	**113**	7	9	13	13	8	11	13	9	9	9	8	4
Y37·4	Birth injury with abnormality of forces of labour	**38**	7	1	3	6	2	3	2	1	7	3	2	1
Y37·5	Operation causing mutilation of foetus	—	—	—	—	—	—	—	—	—	—	—	—	—
Y37·6	Other operation for delivery	**25**	1	—	2	3	4	3	1	1	4	2	2	2
Y37·7	Birth injury with difficult labour but without mention of underlying condition	**10**	—	1	2	2	1	1	—	—	1	1	—	1
Y37·8	Birth injury due to other or unspecified cause	**177**	13	22	14	18	13	16	12	11	12	13	20	13
Y38	**Congenital malformation of foetus**	**2,857**	**260**	**207**	**300**	**235**	**271**	**230**	**248**	**230**	**200**	**223**	**239**	**214**
Y38·0	Anencephalus	**1,555**	143	104	158	117	160	113	132	135	105	138	138	112
	0 With mention of spina bifida or synonym	**176**	23	16	10	13	11	15	20	18	11	11	18	10
	1 Without mention of spina bifida or synonym	**1,379**	120	88	148	104	149	98	112	117	94	127	120	102
Y38·1	Hydrocephalus	**527**	40	44	58	48	37	50	52	34	40	32	43	49
Y38·2	Spina bifida	**311**	32	24	29	28	30	27	24	18	23	21	26	29
	0 With mention of hydrocephalus	**229**	23	20	17	23	21	22	18	14	18	13	19	21
	1 Without mention of hydrocephalus	**82**	9	4	12	5	9	5	6	4	5	8	7	8
Y38·3	Other malformation of the central nervous system	**112**	12	6	12	15	8	10	8	12	8	6	7	8
	0 Mongolism	**25**	4	1	3	3	2	1	—	3	2	—	2	4
	1 Microcephaly	**18**	2	1	1	4	1	3	1	3	1	—	—	1
	2 Others	**69**	6	4	8	8	5	6	7	6	5	6	5	3
Y38·4	Malformation of the cardiovascular system	**62**	8	3	6	8	2	6	6	8	6	6	2	1
	0 Tetralogy of Fallot	**2**	—	—	—	—	1	—	—	—	1	—	—	—
	1 Patent ductus arteriosus	**6**	2	—	—	1	1	—	—	2	—	—	—	—
	2 Interventricular septal defect	**17**	2	1	2	3	—	2	—	1	3	1	2	—
	3 Interauricular septal defect	**3**	—	—	—	—	—	—	1	1	1	—	—	—
	4 Fibroelastosis cordis	**1**	1	—	—	—	—	—	—	—	—	—	—	—
	5 Other malformations of heart	**30**	3	1	4	3	—	3	5	4	1	5	—	1
	6 Coarctation of aorta	**1**	—	—	—	1	—	—	—	—	—	—	—	—
	7 Other circulatory malformations	**2**	—	1	—	—	—	1	—	—	—	—	—	—
Y38·5	Malformation of other specified system or part	**203**	20	16	25	16	27	19	20	16	14	12	11	7
	0 Digestive system	**35**	2	8	5	1	5	2	1	2	—	3	4	2
	1 Genito-urinary system	**37**	6	1	4	4	5	2	5	3	2	3	1	1
	2 Dwarf	**6**	1	—	—	—	1	2	1	1	—	—	—	—
	3 Other skeletal	**27**	2	2	3	3	2	—	5	2	5	1	1	1
	4 Respiratory system	**17**	1	2	2	2	1	3	2	—	2	1	—	1
	5 Skin	**1**	—	—	1	—	—	—	—	—	—	—	—	—
	6 Muscle	**3**	1	—	—	—	—	1	—	—	—	—	1	—
	7 Others	**77**	7	3	10	6	13	9	6	8	5	4	4	2
Y38·6	Monster	**13**	1	2	2	—	1	1	1	1	—	1	3	—
	0 Double monster	**5**	—	—	1	—	—	—	—	1	—	1	2	—
	1 Monster N.O.S.	**1**	—	—	—	—	1	—	—	—	—	—	—	—
	2 Others	**7**	1	2	1	—	—	1	1	—	—	—	1	—
Y38·7	Other and unspecified malformations	**74**	4	8	10	3	6	4	5	6	4	7	9	8
Y39	**Diseases of foetus, and ill-defined causes**	**3,510**	**301**	**288**	**323**	**271**	**312**	**297**	**290**	**289**	**269**	**307**	**289**	**274**
Y39·0	Syphilis	**1**	—	—	—	—	—	1	—	—	—	—	—	—
Y39·1	Infection other than syphilis	**16**	3	—	1	—	1	2	1	1	3	2	1	1
Y39·2	Erythroblastosis	**671**	55	52	53	51	64	59	54	62	42	57	61	61
Y39·3	Other cause originated in the foetus	**43**	3	2	5	4	5	5	6	2	1	4	4	2
Y39·4	Maceration, cause not specified	**997**	89	63	111	78	85	76	81	88	87	96	71	72
Y39·5	Other ill-defined cause	**1,001**	96	92	84	74	91	93	84	79	73	85	75	75
	0 Asphyxia	**388**	32	40	30	32	26	44	38	27	29	37	32	21
	1 Atelectasis	**121**	15	8	7	13	12	5	7	18	12	11	8	5
	2 Post-maturity	**120**	13	4	18	8	13	10	11	12	4	7	11	9
	3 Prematurity	**222**	21	19	16	11	23	22	16	16	19	16	15	28
	4 Others	**150**	15	21	13	10	17	12	12	6	9	14	9	12
Y39·6	Cause unspecified	**781**	55	79	69	64	66	61	64	57	63	63	77	63
Total live and still births		M **439,590**	36,991	34,829	40,388	37,201	39,335	36,791	37,089	36,861	35,546	35,148	32,883	35,528
		F 414,610	34,321	32.798	38,369	35,361	37,355	34,807	34,822	34,694	33,726	33,157	32,027	33,173
		P 854,200	71,312	67,627	78,757	72,562	76,690	71,598	72,911	71,555	69,272	68,305	65,910	68,701

TABLE 23C—*continued*

ICD No.	Cause		Total	Month of occurrence											
				Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
			Stillbirths per 1,000 total births												
Y30–Y39	**All causes**	M	18·1	19·2	19·1	17·9	17·0	18·4	18·1	17·8	18·1	17·0	18·3	18·9	17·6
		F	18·1	19·6	18·6	18·9	17·1	18·3	18·0	17·8	18·5	17·0	17·2	18·1	18·1
		P	18·1	19·4	18·8	18·4	17·1	18·3	18·1	17·6	18·3	17·0	17·8	18·5	17·8
Y30–Y35	**Maternal conditions**		5·1	5·8	5·8	5·1	4·7	5·0	4·9	5·0	5·5	4·8	4·7	5·0	5·3
Y30·2	Diabetes		0·1	*0·2*	*0·1*	*0·1*	*0·1*	*0·1*	*0·1*	*0·1*	*0·2*	*0·1*	*0·1*	*0·2*	*0·1*
Y30·3	Circulatory		0·3	0·4	*0·2*	0·3	0·3	0·4	*0·3*	*0·2*	0·4	0·3	0·4	*0·3*	*0·3*
Y32	Diseases of pregnancy		3·1	3·5	3·7	2·8	3·0	2·9	2·9	3·1	3·2	3·1	2·6	3·0	3·3
Y32·2	Haemorrhage N.E.C.		0·5	0·6	0·5	0·4	0·4	0·6	0·5	0·4	0·6	0·5	0·5	0·6	0·5
Y32·4	Other toxaemia		2·5	2·8	2·9	2·2	2·4	2·2	2·4	2·7	2·5	2·4	2·0	2·3	2·7
Y34	Difficulties in labour		1·4	1·4	1·5	1·8	1·1	1·4	1·4	1·3	1·4	1·1	1·4	1·2	1·2
Y34·2	Malposition		0·7	0·7	0·7	1·0	0·5	0·7	0·8	0·6	0·7	0·6	0·5	0·6	0·6
Y34·3	Abnormal forces		0·2	*0·1*	*0·2*	*0·2*	*0·1*	*0·2*	*0·1*	*0·2*	*0·1*	*0·1*	*0·2*	*0·2*	*0·1*
Y36	**Placental and cord conditions**		5·1	5·2	5·2	4·9	4·7	5·3	5·3	4·8	5·2	4·9	4·9	4·9	5·2
Y36·1	Placenta praevia		0·2	*0·3*	*0·1*	*0·2*	*0·3*	*0·1*	*0·2*	*0·3*	*0·2*	*0·1*	*0·1*	*0·2*	*0·2*
Y36·2	Placenta and placental separation		1·5	1·5	1·3	1·5	1·3	1·6	1·5	1·4	1·5	1·8	1·5	1·4	1·2
Y36·5	Placental infarct		0·4	0·5	0·5	0·4	0·5	0·5	0·4	0·4	0·3	0·3	0·3	0·4	0·4
Y37–Y39	**Foetal conditions**		7·9	8·3	7·9	8·4	7·6	8·0	7·9	7·8	7·6	7·3	8·2	8·6	7·4
Y37	Birth injury		0·5	0·5	0·5	0·5	0·6	0·4	0·5	0·4	0·4	0·5	0·4	0·6	0·3
Y38	Congenital malformation		3·3	3·6	3·1	3·8	3·2	3·5	3·2	3·4	3·2	2·9	3·3	3·6	3·1
Y38·0	Anencephalus		1·8	2·0	1·5	2·0	1·6	2·1	1·6	1·8	1·9	1·5	2·0	2·1	1·6
Y38·1	Hydrocephalus		0·6	0·6	0·7	0·7	0·7	0·5	0·7	0·7	0·5	0·6	0·5	0·7	0·7
Y38·2	Spina bifida		0·4	0·4	0·4	0·4	0·4	0·4	0·4	0·3	*0·3*	0·3	0·3	0·4	0·4
Y39	Other and ill-defined causes		4·1	4·2	4·3	4·1	3·7	4·1	4·1	4·0	4·0	3·9	4·5	4·4	4·0
Y39·2	Erythroblastosis		0·8	0·8	0·8	0·7	0·7	0·8	0·8	0·7	0·9	0·6	0·8	0·9	0·9
Y39·6	Unspecified		0·9	0·8	1·2	0·9	0·9	0·9	0·9	0·9	0·8	0·9	0·9	1·2	0·9

(89065)

TABLE 23D. Stillbirths by cause and area of residence of mother (with, for certain selected causes, rate per 1,000 total births), 1962

England and Wales, standard regions urban and rural aggregates

ICD No.	Cause		England and Wales	Standard Regions										Urban/Rural aggregates				
				Northern	East and West Ridings	North Western	North Midland	Midland	Eastern	London and South Eastern	Southern	South Western	Wales	Conurbations	Areas outside conurbations: Urban areas with populations of 100,000 and over	Areas outside conurbations: Urban areas with popln. of 50,000 & under 100,000	Areas outside conurbations: Urban areas with populations under 50,000	Areas outside conurbations: Rural districts
Y30–Y39	**ALL CAUSES**	M	7,957	629	744	1,332	660	915	555	1,630	427	549	516	2,968	1,050	768	1,647	1,524
		F	7,507	599	676	1,194	637	904	554	1,506	423	511	503	2,720	1,060	739	1,513	1,475
		P	15,464	1,228	1,420	2,526	1,297	1,819	1,109	3,136	850	1,060	1,019	5,688	2,110	1,507	3,160	2,999
Y30	**Chronic disease in mother**		464	34	46	85	35	49	31	106	18	32	28	189	57	47	86	85
Y30·0	Syphilis		9	2	1	—	—	3	—	3	—	—	—	8	1	—	—	—
Y30·1	Tuberculosis (any form)		3	—	—	1	—	—	—	—	—	2	—	1	—	—	1	1
Y30·2	Diabetes mellitus		115	9	13	21	12	11	11	19	6	6	7	38	16	12	27	22
Y30·3	Chronic disease of circulatory system		261	18	29	50	20	22	11	71	10	15	15	116	24	24	48	49
Y30·4	Chronic disease of genito-urinary system		21	—	—	2	1	2	3	6	1	3	3	6	5	2	4	4
Y30·5	Other chronic disease		55	5	3	11	2	11	6	7	1	6	3	20	11	9	6	9
Y31	**Acute disease in mother**		72	4	2	11	7	5	4	25	5	6	3	25	7	9	17	14
Y31·0	Typhoid fever		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Y31·1	Influenza		23	1	1	7	2	2	—	6	2	—	2	8	2	2	10	1
Y31·2	Pneumonia (any form)		4	—	—	2	—	1	—	1	—	—	—	3	—	—	—	1
Y31·3	Other acute respiratory disease		6	—	1	—	—	1	—	2	1	1	—	2	2	—	1	1
Y31·4	Other acute disease or condition		39	3	—	2	5	1	4	16	2	5	1	12	3	7	6	11
	0 Rubella		23	—	—	—	3	1	3	10	1	4	1	7	3	2	5	6
	1 Other virus diseases		6	1	—	—	—	—	1	3	1	—	—	2	—	2	1	1
	2 Others		10	2	—	2	2	—	—	3	—	1	—	3	—	3	—	4
Y32	**Diseases and conditions of pregnancy and childbirth**		2,629	216	200	381	239	315	208	535	180	173	182	900	368	259	558	544
Y32·0	Pregnancy interrupted by self or other person for non-therapeutic purposes		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 23D—*continued*

ICD No.	Cause	England and Wales	Standard regions										Urban/Rural aggregates				
			Northern	East and West Ridings	North Western	North Midland	Midland	Eastern	London and South Eastern	Southern	South Western	Wales	Conurbations	Areas outside conurbations			
														Urban areas with populations of 100,000 and over	Urban areas with popIns. of 50,000 & under 100,000	Urban areas with populations under 50,000	Rural districts
Y32·1	Ectopic gestation	1	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—
Y32·2	Haemorrhage without mention of placental condition	432	37	35	67	55	52	19	93	20	26	28	173	65	32	71	91
Y32·3	Toxaemia with convulsions during pregnancy or labour (eclampsia)	62	5	2	10	5	10	4	11	4	6	5	20	5	10	16	11
Y32·4	Other toxaemias of pregnancy	2,104	173	159	299	174	251	183	426	152	139	148	696	294	215	464	435
Y32·5	Infection (ante- and intra-partum)	30	1	4	4	5	2	2	5	4	2	1	10	4	2	7	7
	0 Urinary infection	8	—	1	—	1	—	2	3	1	—	—	3	—	2	1	2
	1 Others	22	1	3	4	4	2	—	2	3	2	1	7	4	—	6	5
Y33	**Absorption of toxic substance from mother**	3	2	—	—	—	—	—	—	—	—	1	—	—	1	1	1
Y33·0	Narcotic	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Y33·1	Quinine	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Y33·2	Other toxic substance	3	2	—	—	—	—	—	—	—	—	1	—	—	1	1	1
Y34	**Difficulties in labour**	1,163	125	108	149	85	126	95	234	62	93	86	414	142	102	246	259
Y34·0	Difficult labour with abnormality of bones of pelvis	18	3	3	1	1	1	1	2	2	—	4	7	4	—	4	3
Y34·1	Difficult labour with disproportion, but no mention of abnormality, of pelvis	256	24	29	39	15	30	30	47	10	12	20	94	30	34	56	42
Y34·2	Difficult labour with malposition of foetus	580	66	50	60	46	61	46	126	32	50	43	192	64	40	135	149
Y34·3	Difficult labour with abnormality of forces of labour	142	17	14	24	15	14	5	25	5	15	8	57	16	13	26	30
Y34·4	Difficult labour with operative delivery	44	2	3	4	2	7	5	12	1	4	4	14	8	5	6	11
Y34·5	Difficult labour with abnormality of organs or tissues of pelvis	35	2	4	4	4	4	3	5	—	6	3	12	6	4	6	7
Y34·6	Difficult labour without mention of underlying condition	88	11	5	17	2	9	5	17	12	6	4	38	14	6	13	17
Y35	**Other causes in mother**	51	1	4	8	1	7	6	11	—	6	7	19	10	2	5	15
Y35·0	Fall	14	1	—	1	1	4	2	2	—	1	2	4	2	1	2	5
Y35·1	Other accident or violence	11	—	—	1	—	1	1	2	—	3	3	4	5	—	1	1
Y35·2	Overexertion	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Y35·3	Other and ill-defined causes in mother	26	—	4	6	—	2	3	7	—	2	2	11	3	1	2	9
Y36	**Placental and cord conditions**	4,314	352	410	739	344	513	294	876	222	297	267	1,611	566	430	887	820
Y36·0	Cord condition without mention of placental abnormality	1,239	105	119	196	91	164	107	231	68	93	65	434	160	129	296	220
	0 Pressure on cord, compression of cord, strangulation of cord, thrombosis of cord	204	17	27	42	12	24	20	26	10	18	8	61	21	25	57	40
	1 Prolapse of cord	341	37	33	33	29	44	24	76	17	28	20	125	56	34	75	51
	2 Others	694	51	59	121	50	96	63	129	41	47	37	248	83	70	164	129
Y36·1	Placenta praevia	169	14	14	31	14	16	11	36	4	14	15	65	23	20	19	42
Y36·2	Premature separation of normally implanted placenta	1,245	98	131	242	108	134	74	258	50	77	73	507	166	105	255	212
Y36·3	Placenta praevia with cord abnormality	7	1	—	—	1	1	1	1	2	—	—	1	4	—	1	1
Y36·4	Premature separation of normally implanted placenta with cord abnormality	13	1	—	2	1	1	1	3	1	2	1	4	1	3	3	2
Y36·5	Placental infarct	349	30	28	57	31	44	20	62	23	27	27	109	42	36	77	85
Y36·6	Other abnormality of placenta and cord	1,292	103	118	211	98	153	80	285	74	84	86	491	170	137	236	258
Y37	**Birth injury**	401	28	41	64	39	52	32	86	18	31	10	173	49	25	83	71
Y37·0	Birth injury with abnormality of bones of pelvis	2	1	1	—	—	—	—	—	—	—	—	—	1	—	—	1
Y37·1	Birth injury with abnormality of organs or tissues of pelvis	5	1	—	—	1	1	—	1	1	—	—	2	—	1	1	1
Y37·2	Birth injury with disproportion but no mention of abnormality of pelvis	31	1	3	6	4	7	—	6	1	2	1	14	3	3	5	6
Y37·3	Birth injury with malposition of foetus	113	8	15	11	12	14	12	24	1	12	4	39	14	8	35	17
Y37·4	Birth injury with abnormality of forces of labour	38	4	2	3	3	8	2	7	4	3	2	12	2	3	9	12
Y37·5	Operation causing mutilation of foetus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Y37·6	Other operation for delivery	25	2	2	1	1	4	4	7	1	3	—	10	3	3	4	5
Y37·7	Birth injury with difficult labour but without mention of underlying condition	10	—	—	2	1	1	2	1	2	—	1	3	5	—	1	1
Y37·8	Birth injury due to other or unspecified cause	177	11	18	41	17	17	12	40	8	11	2	93	21	7	28	28

(88065)

TABLE 23D—*continued*

ICD No.	Cause	England and Wales	Standard regions: Northern	East and West Ridings	North Western	North Midland	Midland	Eastern	London and South Eastern	Southern	South Western	Wales	Urban/Rural aggregates: Conurbations	Areas outside conurbations: Urban areas with populations of 100,000 and over	Urban areas with popln. of 50,000 & under 100,000	Urban areas with populations under 50,000	Rural districts
Y38	**Congenital malformation of foetus**	**2,857**	**228**	**278**	**522**	**265**	**346**	**172**	**489**	**147**	**191**	**219**	**986**	**384**	**301**	**633**	**553**
Y38·0	Anencephalus	**1,555**	142	150	284	144	185	86	253	83	97	131	513	211	172	369	290
	0 With mention of spina bifida or synonym	**176**	16	19	27	10	34	10	30	10	6	14	62	22	22	44	26
	1 Without mention of spina bifida or synonym	**1,379**	126	131	257	134	151	76	223	73	91	117	451	189	150	325	264
Y38·1	Hydrocephalus	**527**	42	52	93	53	66	39	89	25	37	31	187	77	53	105	105
Y38·2	Spina bifida	**311**	15	34	71	30	39	12	50	14	18	28	123	40	28	65	55
	0 With mention of hydrocephalus	**229**	12	21	56	23	27	5	42	10	12	21	100	23	19	50	37
	1 Without mention of hydrocephalus	**82**	3	13	15	7	12	7	8	4	6	7	23	17	9	15	18
Y38·3	Other malformation of the central nervous system	**112**	8	7	24	13	12	7	16	6	9	10	33	14	13	22	30
	0 Mongolism	**25**	2	1	5	2	3	2	3	2	3	2	8	3	3	4	7
	1 Microcephaly	**18**	2	—	7	1	2	—	4	1	1	—	7	3	3	1	4
	2 Others	**69**	4	6	12	10	7	5	9	3	5	8	18	8	7	17	19
Y38·4	Malformation of the cardiovascular system	**62**	2	11	10	2	7	9	12	2	5	2	19	7	6	19	11
	0 Tetralogy of Fallot	**2**	—	—	—	—	—	1	1	—	—	—	1	—	1	—	—
	1 Patent ductus arteriosus	**6**	—	2	2	—	—	2	—	—	—	—	3	—	1	1	1
	2 Interventricular septal defect	**17**	—	3	3	—	4	2	3	1	1	—	6	1	1	7	2
	3 Interauricular septal defect	**3**	—	1	—	—	—	—	1	—	—	1	—	—	—	2	1
	4 Fibroelastosis cordis	**1**	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
	5 Other malformations of heart	**30**	2	2	5	2	3	4	6	1	4	1	9	6	2	7	6
	6 Coarctation of aorta	**1**	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—
	7 Other circulatory malformations	**2**	—	2	—	—	—	—	—	—	—	—	—	—	1	1	—
Y38·5	Malformation of other specified system or part	**203**	14	11	27	16	29	15	45	11	23	12	74	24	21	37	47
	0 Digestive system	**35**	2	2	3	2	5	3	10	—	6	2	12	2	3	7	11
	1 Genito-urinary system	**37**	2	2	5	4	4	3	10	3	2	2	16	6	2	5	8
	2 Dwarf	**6**	1	—	1	—	2	—	2	—	—	—	2	1	1	1	1
	3 Other skeletal	**27**	1	—	5	1	3	2	4	4	5	2	7	5	5	3	7
	4 Respiratory system	**17**	—	—	—	3	5	1	3	2	2	1	6	—	—	7	4
	5 Skin	**1**	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
	6 Muscle	**3**	—	—	—	1	1	1	—	—	—	—	1	1	1	—	—
	7 Others	**77**	8	7	13	5	9	5	15	2	8	5	29	9	9	14	16
Y38·6	Monster	**13**	—	3	2	1	—	—	4	1	1	1	3	1	1	3	5
	0 Double monster	**5**	—	—	1	1	—	—	2	1	—	—	2	—	—	1	2
	1 Monster N.O.S.	**1**	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1
	2 Others	**7**	—	3	1	—	—	—	2	—	1	—	1	1	1	2	2
Y38·7	Other and unspecified malformations	**74**	5	10	11	6	8	4	20	5	1	4	34	10	7	13	10
Y39	**Diseases of foetus, and ill-defined causes**	**3,510**	**238**	**331**	**567**	**282**	**406**	**267**	**774**	**198**	**231**	**216**	**1,371**	**527**	**331**	**644**	**637**
Y39·0	Syphilis	**1**	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—
Y39·1	Infection other than syphilis	**16**	2	—	1	1	2	1	5	—	2	2	5	2	2	5	2
Y39·2	Erythroblastosis	**671**	58	68	117	59	67	64	127	37	46	28	245	81	83	137	125
Y39·3	Other cause originated in the foetus	**43**	2	4	5	4	4	3	12	2	3	4	16	8	6	5	8
Y39·4	Maceration, cause not specified	**997**	88	79	155	92	148	68	186	40	69	72	358	168	94	192	185
Y39·5	Other ill-defined cause	**1,001**	55	105	162	82	106	67	231	59	65	69	417	159	80	188	157
	0 Asphyxia	**388**	13	34	75	27	31	37	99	19	21	32	173	64	28	64	59
	1 Atelectasis	**121**	12	14	16	10	9	7	38	2	7	6	60	20	10	17	14
	2 Post-maturity	**120**	7	14	13	13	15	6	27	10	8	7	38	24	11	23	24
	3 Prematurity	**222**	17	37	36	17	28	9	32	18	16	12	87	30	17	47	41
	4 Others	**150**	6	6	22	15	23	8	35	10	13	12	59	21	14	37	19
Y39·6	Cause unspecified	**781**	33	75	126	44	79	64	213	60	46	41	330	109	66	116	160
Total live and still births		M 439,590	31,936	39,919	65,330	35,787	48,069	36,425	99,718	28,018	30,593	23,795	163,214	58,856	41,971	87,937	87,612
		F 414,610	30,227	37,214	61,345	33,619	45,089	34,094	94,626	26,957	28,833	22,606	154,303	55,458	39,153	83,401	82,295
		P 854,200	62,163	77,133	126,675	69,406	93,158	70,519	194,344	54,975	59,426	46,401	317,517	114,314	81,124	171,338	169,907
	Stillbirths per 1,000 total births																
Y30–Y39	**All Causes**	M **18·1**	**19·7**	**18·6**	**20·4**	**18·4**	**19·0**	**15·2**	**16·3**	**15·2**	**17·9**	**21·7**	**18·2**	**17·8**	**18·3**	**18·7**	**17·4**
		F **18·1**	**19·8**	**18·2**	**19·5**	**18·9**	**20·0**	**16·2**	**15·9**	**15·7**	**17·7**	**22·3**	**17·6**	**19·1**	**18·9**	**18·1**	**17·9**
		P **18·1**	**19·8**	**18·4**	**19·9**	**18·7**	**19·5**	**15·7**	**16·1**	**15·5**	**17·8**	**22·0**	**17·9**	**18·5**	**18·6**	**18·4**	**17·7**
Y30–Y35	**Maternal conditions**	**5·1**	**6·1**	**4·7**	**5·0**	**5·3**	**5·4**	**4·9**	**4·7**	**4·8**	**5·2**	**6·6**	**4·9**	**5·1**	**5·2**	**5·3**	**5·4**
Y30·2	Diabetes	0·1	*0·1*	*0·2*	0·2	*0·2*	*0·1*	*0·2*	*0·1*	*0·1*	*0·1*	*0·2*	0·1	*0·1*	*0·1*	0·2	0·1
Y30·3	Circulatory	0·3	*0·3*	0·4	0·4	0·3	0·2	*0·2*	0·4	*0·2*	*0·3*	*0·3*	0·4	0·2	0·3	0·3	0·3
Y32	Diseases of pregnancy	3·1	3·5	2·6	3·0	3·4	3·4	2·9	2·8	3·3	2·9	3·9	2·8	3·2	3·2	3·3	3·2
Y32·2	Haemorrhage N.E.C.	0·5	0·6	0·5	0·5	0·8	0·6	*0·3*	0·5	0·4	0·4	0·6	0·5	0·6	0·4	0·4	0·5
Y32·4	Other toxaemia	2·5	2·8	2·1	2·4	2·5	2·7	2·6	2·2	2·8	2·3	3·2	2·2	2·6	2·7	2·7	2·6
Y34	Difficulties in labour	1·4	2·0	1·4	1·2	1·2	1·4	1·3	1·2	1·1	1·6	1·9	1·3	1·2	1·3	1·4	1·5
Y34·2	Malposition	0·7	1·1	0·6	0·5	0·7	0·7	0·7	0·6	0·6	0·8	0·9	0·6	0·6	0·5	0·8	0·9
Y34·3	Abnormal forces	0·2	*0·3*	*0·2*	0·2	*0·2*	*0·2*	*0·1*	0·1	*0·1*	*0·3*	*0·2*	0·2	*0·1*	*0·2*	0·2	0·2
Y36	**Placental and cord conditions**	**5·1**	**5·7**	**5·3**	**5·8**	**5·0**	**5·5**	**4·2**	**4·5**	**4·0**	**5·0**	**5·8**	**5·1**	**5·0**	**5·3**	**5·2**	**4·8**
Y36·1	Placenta praevia	0·2	*0·2*	*0·2*	0·2	*0·2*	*0·2*	*0·2*	0·2	*0·1*	*0·2*	*0·3*	0·2	0·2	0·2	*0·1*	0·2
Y36·2	Placenta and placental separation	1·5	1·6	1·7	1·9	1·6	1·4	1·0	1·3	0·9	1·3	1·6	1·6	1·5	1·3	1·5	1·2
Y36·5	Placental infarct	0·4	0·5	0·4	0·4	0·4	0·5	0·3	0·3	0·4	0·5	0·6	0·3	0·4	0·4	0·4	0·5
Y37–Y39	**Foetal conditions**	**7·9**	**7·9**	**8·4**	**9·1**	**8·4**	**8·6**	**6·7**	**6·9**	**6·6**	**7·6**	**9·6**	**8·0**	**8·4**	**8·1**	**7·9**	**7·4**
Y37	Birth injury	0·5	0·5	0·5	0·5	0·6	0·6	0·5	0·4	0·3	0·5	0·2	0·5	0·4	0·3	0·5	0·4
Y38	Congenital malformations	3·3	3·7	3·6	4·1	3·8	3·7	2·4	2·5	2·7	3·2	4·7	3·1	3·4	3·7	3·7	3·3
Y38·0	Anencephalus	1·8	2·3	1·9	2·2	2·1	2·0	1·2	1·3	1·5	1·6	2·8	1·6	1·8	2·1	2·2	1·7
Y38·1	Hydrocephalus	0·6	0·7	0·7	0·7	0·8	0·7	0·6	0·5	0·5	0·6	0·7	0·6	0·7	0·7	0·6	0·6
Y38·2	Spina bifida	0·4	*0·2*	0·4	0·6	0·4	0·4	*0·2*	0·3	*0·3*	*0·3*	0·6	0·4	0·3	0·3	0·4	0·3
Y39	Other ill-defined causes	4·1	3·8	4·3	4·5	4·1	4·4	3·8	4·0	3·6	3·9	4·7	4·3	4·6	4·1	3·8	3·7
Y39·2	Erythroblastosis	0·8	0·9	0·9	0·9	0·9	0·7	0·9	0·7	0·7	0·8	0·6	0·8	0·7	1·0	0·8	0·7
Y39·6	Unspecified	0·9	0·5	1·0	1·0	0·6	0·8	0·9	1·1	1·1	0·8	0·9	1·0	1·0	0·8	0·7	0·9

TABLE 23E. Stillbirths by cause and length of gestation, 1962

England and Wales

ICD No.	Cause		Total	Duration of pregnancy (weeks)									
				28–29	30–31	32–33	34–35	36–37	38–39	40	41–42	43 and over	Not stated
Y30–Y39	**ALL CAUSES**	M	**7,957**	**439**	**559**	**791**	**791**	**1,216**	**1,112**	**1,793**	**658**	**144**	**454**
		F	**7,507**	**335**	**524**	**793**	**823**	**1,131**	**1,013**	**1,641**	**644**	**129**	**474**
		P	**15,464**	**774**	**1,083**	**1,584**	**1,614**	**2,347**	**2,125**	**3,434**	**1,302**	**273**	**928**
Y30	**Chronic disease in mother**		**464**	**25**	**42**	**63**	**60**	**87**	**68**	**60**	**24**	**7**	**28**
Y30·0	Syphilis		**9**	1	2	1	1	1	2	1	—	—	—
Y30·1	Tuberculosis (any form)		**3**	—	—	2	—	1	—	—	—	—	—
Y30·2	Diabetes mellitus		**115**	3	8	14	11	32	18	18	3	1	7
Y30·3	Chronic disease of circulatory system		**261**	18	28	35	34	40	34	34	18	6	14
Y30·4	Chronic disease of genito-urinary system		**21**	1	1	3	6	5	2	1	—	—	2
Y30·5	Other chronic disease		**55**	2	3	8	8	8	12	6	3	—	5
Y31	**Acute disease in mother**		**72**	**5**	**7**	**7**	**11**	**13**	**7**	**13**	**6**	—	**3**
Y31·0	Typhoid fever		—	—	—	—	—	—	—	—	—	—	—
Y31·1	Influenza		**23**	2	2	—	2	5	3	5	2	—	2
Y31·2	Pneumonia (any form)		**4**	—	1	—	1	—	1	—	1	—	—
Y31·3	Other acute respiratory disease		**6**	2	—	—	1	—	—	1	2	—	—
Y31·4	Other acute disease or condition		**39**	1	4	7	7	8	3	7	1	—	1
	0 Rubella		**23**	—	2	4	5	4	2	4	1	—	1
	1 Other virus diseases		**6**	—	—	1	1	1	1	2	—	—	—
	2 Others		**10**	1	2	2	1	3	—	1	—	—	—
Y32	**Diseases and conditions of pregnancy and childbirth**		**2,629**	**168**	**247**	**347**	**382**	**484**	**387**	**353**	**106**	**16**	**139**
Y32·0	Pregnancy interrupted by self or other person for non-therapeutic purposes		—	—	—	—	—	—	—	—	—	—	—
Y32·1	Ectopic gestation		**1**	—	—	—	—	—	—	—	—	—	1
Y32·2	Haemorrhage without mention of placental condition		**432**	54	42	56	61	67	51	56	8	1	36
Y32·3	Toxaemia with convulsions during pregnancy or labour (eclampsia)		**62**	2	8	12	8	12	8	5	2	—	5
Y32·4	Other toxaemias of pregnancy		**2,104**	112	195	277	312	399	324	283	91	15	96
Y32·5	Infection (ante- and intra-partum)		**30**	—	2	2	1	6	4	9	5	—	1
	0 Urinary infection		**8**	—	1	1	—	2	1	1	2	—	—
	1 Others		**22**	—	1	1	1	4	3	8	3	—	1
Y33	**Absorption of toxic substance from mother**		**3**	—	—	—	—	—	**1**	**2**	—	—	—
Y33·0	Narcotic		—	—	—	—	—	—	—	—	—	—	—
Y33·1	Quinine		—	—	—	—	—	—	—	—	—	—	—
Y33·2	Other toxic substance		**3**	—	—	—	—	—	1	2	—	—	—
Y34	**Difficulties in labour**		**1,163**	**40**	**54**	**52**	**68**	**112**	**153**	**432**	**162**	**20**	**70**
Y34·0	Difficult labour with abnormality of bones of pelvis		**18**	1	—	—	1	—	1	8	7	—	—
Y34·1	Difficult labour with disproportion, but no mention of abnormality, of pelvis		**256**	24	21	24	20	26	33	63	19	6	20
Y34·2	Difficult labour with malposition of foetus		**580**	10	25	22	31	65	81	241	66	8	31
Y34·3	Difficult labour with abnormality of forces of labour		**142**	3	4	3	3	10	15	61	31	1	11
Y34·4	Difficult labour with operative delivery		**44**	—	1	—	6	3	6	14	9	1	4
Y34·5	Difficult labour with abnormality of organs or tissues of pelvis		**35**	2	3	1	1	4	5	12	5	1	1
Y34·6	Difficult labour without mention of underlying condition		**88**	—	—	2	6	4	12	33	25	3	3
Y35	**Other causes in mother**		**51**	**6**	**7**	**4**	**6**	**11**	**8**	**7**	**1**	—	**1**
Y35·0	Fall		**14**	2	1	—	2	5	4	—	—	—	—
Y35·1	Other accident or violence		**11**	—	3	2	2	1	1	1	—	—	1
Y35·2	Overexertion		—	—	—	—	—	—	—	—	—	—	—
Y35·3	Other and ill-defined causes in mother		**26**	4	3	2	2	5	3	6	1	—	—
Y36	**Placental and cord conditions**		**4,314**	**197**	**239**	**362**	**356**	**588**	**662**	**1,115**	**444**	**98**	**253**
Y36·0	Cord condition without mention of placental abnormality		**1,239**	23	27	43	40	100	206	528	183	24	65
	0 Pressure on cord, compression of cord, strangulation of cord, thrombosis of cord		**204**	1	1	2	4	20	39	101	28	1	7
	1 Prolapse of cord		**341**	12	9	16	11	26	54	160	31	2	20
	2 Others		**694**	10	17	25	25	54	113	267	124	21	38

TABLE 23E—*continued*

ICD No.	Cause	Total	Duration of pregnancy (weeks)									
			28–29	30–31	32–33	34–35	36–37	38–39	40	41–42	43 and over	Not stated
Y36·1	Placenta praevia	**169**	17	24	22	14	28	18	25	9	—	12
Y36·2	Premature separation of normally implanted placenta	**1,245**	101	102	172	162	220	179	190	37	7	75
Y36·3	Placenta praevia with cord abnormality	**7**	1	1	1	—	2	—	1	—	—	1
Y36·4	Premature separation of normally implanted placenta with cord abnormality	**13**	—	—	1	2	1	2	4	3	—	—
Y36·5	Placental infarct	**349**	17	14	36	38	53	53	75	34	8	21
Y36·6	Other abnormality of placenta and cord	**1,292**	38	71	87	100	184	204	292	178	59	79
Y37	**Birth injury**	**401**	**6**	**9**	**9**	**18**	**30**	**52**	**172**	**64**	**9**	**32**
Y37·0	Birth injury with abnormality of bones of pelvis	**2**	—	—	—	—	—	1	1	—	—	—
Y37·1	Birth injury with abnormality of organs or tissues of pelvis	**5**	—	—	—	1	—	—	1	1	2	—
Y37·2	Birth injury with disproportion, but no mention of abnormality, of pelvis	**31**	—	—	1	—	1	2	16	9	—	2
Y37·3	Birth injury with malposition of foetus	**113**	—	2	3	2	8	11	60	10	4	13
Y37·4	Birth injury with abnormality of forces of labour	**38**	—	—	—	1	—	8	19	7	1	2
Y37·5	Operation causing mutilation of foetus	**—**	—	—	—	—	—	—	—	—	—	—
Y37·6	Other operation for delivery	**25**	—	1	—	1	2	4	11	4	1	1
Y37·7	Birth injury with difficult labour but without mention of underlying condition	**10**	—	—	—	—	—	—	5	3	—	2
Y37·8	Birth injury due to other or unspecified cause	**177**	6	6	5	13	19	26	59	30	1	12
Y38	**Congenital malformation of foetus**	**2,857**	**111**	**202**	**379**	**370**	**524**	**371**	**540**	**172**	**28**	**160**
Y38·0	Anencephalus	**1,555**	65	145	261	273	318	155	169	57	16	96
	0 With mention of spina bifida or synonym	**176**	10	25	35	33	25	12	17	6	1	12
	1 Without mention of spina bifida or synonym	**1,379**	55	120	226	240	293	143	152	51	15	84
Y38·1	Hydrocephalus	**527**	17	19	42	36	87	89	169	37	5	26
Y38·2	Spina bifida	**311**	7	12	18	13	41	55	104	39	6	16
	0 With mention of hydrocephalus	**229**	3	5	8	4	28	43	85	35	6	12
	1 Without mention of hydrocephalus	**82**	4	7	10	9	13	12	19	4	—	4
Y38·3	Other malformation of the central nervous system	**112**	7	6	12	8	16	22	28	11	—	2
	0 Mongolism	**25**	—	—	—	2	4	6	9	4	—	—
	1 Microcephaly	**18**	—	2	4	1	3	7	1	—	—	—
	2 Others	**69**	7	4	8	5	9	9	18	7	—	2
Y38·4	Malformation of the cardiovascular system	**62**	1	1	2	5	6	7	24	11	1	4
	0 Tetralogy of Fallot	**2**	—	—	—	1	1	—	—	—	—	—
	1 Patent ductus arteriosus	**6**	—	—	—	—	—	—	4	1	—	1
	2 Interventricular septal defect	**17**	1	1	1	1	2	1	6	3	1	—
	3 Interauricular septal defect	**3**	—	—	—	—	—	—	2	1	—	—
	4 Fibroelastosis cordis	**1**	—	—	—	—	—	—	—	—	—	1
	5 Other malformations of heart	**30**	—	—	1	2	3	6	10	6	—	2
	6 Coarctation of aorta	**1**	—	—	—	1	—	—	—	—	—	—
	7 Other circulatory malformations	**2**	—	—	—	—	—	—	2	—	—	—
Y38·5	Malformation of other specified system or part	**203**	5	11	34	27	35	32	35	14	—	10
	0 Digestive system	**35**	1	2	4	5	6	6	7	2	—	2
	1 Genito-urinary system	**37**	—	—	5	4	10	6	8	2	—	2
	2 Dwarf	**6**	—	1	—	2	2	—	—	1	—	—
	3 Other skeletal	**27**	1	1	7	2	2	4	7	2	—	1
	4 Respiratory system	**17**	1	—	4	3	2	3	2	2	—	—
	5 Skin	**1**	—	—	1	—	—	—	—	—	—	—
	6 Muscle	**3**	—	—	—	1	—	1	1	—	—	—
	7 Others	**77**	2	7	13	10	13	12	10	5	—	5
Y38·6	Monster	**13**	1	—	3	1	2	2	3	—	—	1
	0 Double monster	**5**	—	—	1	—	—	1	2	—	—	1
	1 Monster N.O.S.	**1**	—	—	—	1	—	—	—	—	—	—
	2 Others	**7**	1	—	2	—	2	1	1	—	—	—
Y38·7	Other and unspecified malformations	**74**	8	8	7	7	19	9	8	3	—	5
Y39	**Diseases of foetus, and ill-defined causes**	**3,510**	**216**	**276**	**361**	**343**	**498**	**416**	**740**	**323**	**95**	**242**
Y39·0	Syphilis	**1**	—	—	—	—	—	1	—	—	—	—
Y39·1	Infection other than syphilis	**16**	—	—	2	—	2	1	5	4	2	—
Y39·2	Erythroblastosis	**671**	35	56	92	94	157	104	86	5	—	42
Y39·3	Other cause originated in the foetus	**43**	2	3	2	7	3	3	14	7	—	2
Y39·4	Maceration, cause not specified	**997**	49	90	114	134	160	125	199	67	17	42
Y39·5	Other ill-defined cause	**1,001**	100	74	69	51	79	73	241	184	68	62
	0 Asphyxia	**388**	9	14	14	20	30	43	129	81	25	23
	1 Atelectasis	**121**	6	3	4	10	10	15	40	16	6	11
	2 Post-maturity	**120**	—	1	—	—	1	—	16	64	31	7
	3 Prematurity	**222**	75	46	40	14	25	5	4	1	1	11
	4 Others	**150**	10	10	11	7	13	10	52	22	5	10
Y39·6	Cause unspecified	**781**	30	53	82	57	96	110	195	56	8	94

TABLE 23F. Stillbirths by cause and birth weight, 1962

England and Wales

ICD No.	Cause		Total	Birth weight: under 1½ lbs 682 g.	1½ lbs–682 g.–	2½ lbs–1,136 g.–	3½ lbs–1,591 g.–	4½ lbs–2,045 g.–	5½ lbs–2,500 g.–	6½ lbs–2,955 g.–	7½ lbs–3,409 g.–	8½ lbs–3,864 g.–	9½ lbs–4,318 g.–	10½ lbs–4,773 g.–	Not stated
Y30–Y39	**ALL CAUSES**	M	**7,957**	**173**	**610**	**934**	**932**	**885**	**869**	**938**	**668**	**336**	**128**	**82**	**1,402**
		F	**7,507**	**197**	**745**	**978**	**854**	**844**	**819**	**883**	**484**	**196**	**63**	**30**	**1,414**
		P	**15,464**	**370**	**1,355**	**1,912**	**1,786**	**1,729**	**1,688**	**1,821**	**1,152**	**532**	**191**	**112**	**2,816**
Y30	**Chronic disease in mother**		**464**	**14**	**58**	**72**	**77**	**45**	**33**	**42**	**23**	**12**	**11**	**7**	**70**
Y30·0	Syphilis		**9**	—	1	5	2	1	—	—	—	—	—	—	—
Y30·1	Tuberculosis (any form)		**3**	—	2	—	—	—	—	—	—	—	—	—	1
Y30·2	Diabetes mellitus		**115**	2	7	11	11	9	13	13	11	10	10	5	13
Y30·3	Chronic disease of circulatory system		**261**	11	41	45	48	28	15	22	11	2	1	2	35
Y30·4	Chronic disease of genito-urinary system		**21**	—	4	1	7	2	—	1	—	—	—	—	6
Y30·5	Other chronic disease		**55**	1	3	10	9	5	5	6	1	—	—	—	15
Y31	**Acute disease in mother**		**72**	**3**	**8**	**8**	**7**	**10**	**8**	**5**	**3**	**2**	—	—	**18**
Y31·0	Typhoid fever		—	—	—	—	—	—	—	—	—	—	—	—	—
Y31·1	Influenza		**23**	1	1	2	1	2	5	3	—	—	—	—	8
Y31·2	Pneumonia (any form)		**4**	—	—	—	—	1	—	—	—	1	—	—	2
Y31·3	Other acute respiratory disease		**6**	—	1	1	—	1	—	1	1	—	—	—	1
Y31·4	Other acute disease or condition		**39**	2	6	5	6	6	3	1	2	1	—	—	7
	0 Rubella		**23**	1	5	3	3	1	1	1	1	—	—	—	7
	1 Other virus diseases		**6**	1	—	—	1	2	1	—	1	—	—	—	—
	2 Others		**10**	—	1	2	2	3	1	—	—	1	—	—	—
Y32	**Diseases and conditions of pregnancy and childbirth**		**2,629**	**57**	**283**	**471**	**462**	**347**	**233**	**197**	**121**	**53**	**12**	**11**	**382**
Y32·0	Pregnancy interrupted by self or other person for non-therapeutic purposes		—	—	—	—	—	—	—	—	—	—	—	—	—
Y32·1	Ectopic gestation		**1**	—	—	1	—	—	—	—	—	—	—	—	—
Y32·2	Haemorrhage without mention of placental condition		**432**	8	40	70	71	46	46	37	23	8	1	1	81
Y32·3	Toxaemia with convulsions during pregnancy or labour (eclampsia)		**62**	—	9	10	11	11	4	2	3	2	—	1	9
Y32·4	Other toxaemias of pregnancy		**2,104**	48	231	390	377	287	180	152	91	41	10	8	289
Y32·5	Infection (ante- and intra-partum)		**30**	1	3	—	3	3	3	6	4	2	1	1	3
	0 Urinary infection		**8**	1	1	—	2	—	—	—	1	1	—	—	2
	1 Others		**22**	—	2	—	1	3	3	6	3	1	1	1	1
Y33	**Absorption of toxic substance from mother**		**3**	—	—	—	—	—	—	1	—	—	1	—	1
Y33·0	Narcotic		—	—	—	—	—	—	—	—	—	—	—	—	—
Y33·1	Quinine		—	—	—	—	—	—	—	—	—	—	—	—	—
Y33·2	Other toxic substance		**3**	—	—	—	—	—	—	1	—	—	1	—	1
Y34	**Difficulties in labour**		**1,163**	**24**	**54**	**68**	**71**	**105**	**123**	**200**	**146**	**94**	**46**	**37**	**195**
Y34·0	Difficult labour with abnormality of bones of pelvis		**18**	—	1	—	—	1	2	4	4	1	3	—	2
Y34·1	Difficult labour with disproportion, but no mention of abnormality, of pelvis		**256**	21	38	30	20	18	22	10	10	16	11	15	45
Y34·2	Difficult labour with malposition of foetus		**580**	2	11	28	40	56	67	120	75	47	17	18	99
Y34·3	Difficult labour with abnormality of forces of labour		**142**	—	1	3	5	12	16	32	32	11	1	2	27
Y34·4	Difficult labour with operative delivery		**44**	—	1	2	3	4	4	10	7	4	1	—	8
Y34·5	Difficult labour with abnormality of organs or tissues of pelvis		**35**	1	1	4	1	2	4	5	8	2	1	—	6
Y34·6	Difficult labour without mention of underlying condition		**88**	—	1	1	2	12	8	19	10	13	12	2	8
Y35	**Other causes in mother**		**51**	**2**	**3**	**3**	**9**	**9**	**10**	**2**	**3**	**3**	**1**	—	**6**
Y35·0	Fall		**14**	—	3	2	2	1	4	—	1	—	—	—	1
Y35·1	Other accident or violence		**11**	1	—	—	4	3	1	1	—	—	—	—	1
Y35·2	Overexertion		—	—	—	—	—	—	—	—	—	—	—	—	—
Y35·3	Other and ill-defined causes in mother		**26**	1	—	1	3	5	5	1	2	3	1	—	4
Y36	**Placental and cord conditions**		**4,314**	**66**	**257**	**408**	**468**	**562**	**578**	**635**	**364**	**152**	**50**	**20**	**754**
Y36·0	Cord condition without mention of placental abnormality		**1,239**	8	32	48	57	128	215	272	170	79	19	9	202
	0 Pressure on cord, compression of cord, strangulation of cord, thrombosis of cord		**204**	—	2	7	9	20	44	43	28	13	6	3	29
	1 Prolapse of cord		**341**	1	12	13	20	37	63	73	45	25	5	3	44
	2 Others		**694**	7	18	28	28	71	108	156	97	41	8	3	129

TABLE 23F—*continued*

ICD No.	Cause	Total	Birth weight										
			under 1½ lbs 682 g.	1½ lbs–682 g.–	2½ lbs–1,136 g.–	3½ lbs–1,591 g.–	4½ lbs–2,045 g.–	5½ lbs–2,500 g.–	6½ lbs–2,955 g.–	7½ lbs–3,409 g.–	8½ lbs–3,864 g.–	9½ lbs–4,318 g.–	10½ lbs–4,773 g.–	Not stated
Y36·1	Placenta praevia	**169**	2	10	26	20	18	22	18	12	3	2	—	36
Y36·2	Premature separation of normally implanted placenta	**1,245**	13	79	146	190	194	142	158	71	24	12	5	211
Y36·3	Placenta praevia with cord abnormality	**7**	—	—	—	4	—	1	1	—	—	—	—	1
Y36·4	Premature separation of normally implanted placenta with cord abnormality	**13**	—	—	1	2	4	2	3	—	1	—	—	—
Y36·5	Placental infarct	**349**	6	31	49	40	49	42	35	22	5	4	2	64
Y36·6	Other abnormality of placenta and cord	**1,292**	37	105	138	155	169	154	148	89	40	13	4	240
Y37	**Birth injury**	**401**	**1**	**5**	**8**	**20**	**30**	**50**	**80**	**77**	**33**	**17**	**11**	**69**
Y37·0	Birth injury with abnormality of bones of pelvis	**2**	—	—	—	—	—	—	—	2	—	—	—	—
Y37·1	Birth injury with abnormality of organs or tissues of pelvis	**5**	—	—	—	1	—	—	1	2	1	—	—	—
Y37·2	Birth injury with disproportion but no mention of abnormality, of pelvis	**31**	—	—	—	2	—	3	4	3	6	4	4	5
Y37·3	Birth injury with malposition of foetus	**113**	—	—	—	6	8	14	22	23	13	5	5	17
Y37·4	Birth injury with abnormality of forces of labour	**38**	—	—	—	—	4	5	10	8	—	—	1	10
Y37·5	Operation causing mutilation of foetus	—	—	—	—	—	—	—	—	—	—	—	—	—
Y37·6	Other operation for delivery	**25**	—	—	—	1	1	3	5	6	1	3	—	5
Y37·7	Birth injury with difficult labour but without mention of underlying condition	**10**	—	—	1	—	—	—	2	3	1	—	—	3
Y37·8	Birth injury due to other or unspecified cause	**177**	1	5	7	10	17	25	36	30	11	5	1	29
Y38	**Congenital malformation of foetus**	**2,857**	**66**	**395**	**503**	**365**	**266**	**240**	**221**	**141**	**44**	**12**	**5**	**599**
Y38·0	Anencephalus	**1,555**	43	329	395	246	110	58	31	26	5	1	—	311
	0 With mention of spina bifida or synonym	**176**	8	47	50	21	8	4	1	2	1	—	—	34
	1 Without mention of spina bifida or synonym	**1,379**	35	282	345	225	102	54	30	24	4	1	—	277
Y38·1	Hydrocephalus	**527**	11	26	41	41	64	72	77	52	24	5	2	112
Y38·2	Spina bifida	**311**	3	8	19	19	28	47	64	34	9	3	2	75
	0 With mention of hydrocephalus	**229**	1	4	6	8	22	39	56	29	8	2	1	53
	1 Without mention of hydrocephalus	**82**	2	4	13	11	6	8	8	5	1	1	1	22
Y38·3	Other malformation of the central nervous system	**112**	2	9	13	10	11	19	15	5	1	1	1	25
	0 Mongolism	**25**	—	—	—	2	2	5	7	4	—	—	1	4
	1 Microcephaly	**18**	—	2	4	1	2	3	—	—	—	1	—	5
	2 Others	**69**	2	7	9	7	7	11	8	1	1	—	—	16
Y38·4	Malformation of the cardiovascular system	**62**	—	1	3	4	9	10	10	14	1	1	—	9
	0 Tetralogy of Fallot	**2**	—	—	—	—	1	1	—	—	—	—	—	—
	1 Patent ductus arteriosus	**6**	—	—	—	—	—	—	1	3	1	—	—	1
	2 Interventricular septal defect	**17**	—	1	1	3	3	3	1	4	—	1	—	—
	3 Interauricular septal defect	**3**	—	—	—	—	—	—	1	2	—	—	—	—
	4 Fibroelastosis cordis	**1**	—	—	—	—	—	—	—	—	—	—	—	1
	5 Other malformations of heart	**30**	—	—	2	1	5	5	7	5	—	—	—	5
	6 Coarctation of aorta	**1**	—	—	—	—	—	—	—	—	—	—	—	1
	7 Other circulatory malformations	**2**	—	—	—	—	—	1	—	—	—	—	—	1
Y38·5	Malformation of other specified system or part	**203**	2	12	22	31	30	26	20	8	4	1	—	47
	0 Digestive system	**35**	—	2	3	6	7	4	3	2	—	—	—	8
	1 Genito-urinary system	**37**	—	—	3	6	4	7	5	1	2	—	—	9
	2 Dwarf	**6**	—	—	2	2	—	1	1	—	—	—	—	—
	3 Other skeletal	**27**	1	2	3	3	4	2	2	2	1	1	—	6
	4 Respiratory system	**17**	—	—	1	2	5	2	3	1	—	—	—	3
	5 Skin	**1**	—	—	—	—	—	—	—	—	—	—	—	1
	6 Muscle	**3**	—	—	—	—	—	1	1	1	—	—	—	—
	7 Others	**77**	1	8	10	12	9	9	5	2	1	—	—	20
Y38·6	Monster	**13**	—	1	1	1	3	3	—	1	—	—	—	3
	0 Double monster	**5**	—	—	—	1	1	1	—	1	—	—	—	1
	1 Monster N.O.S.	**1**	—	—	—	—	—	—	—	—	—	—	—	1
	2 Others	**7**	—	1	1	—	2	2	—	—	—	—	—	1
Y38·7	Other and unspecified malformations	**74**	5	9	9	13	11	5	4	1	—	—	—	17
Y39	**Diseases of foetus, and ill-defined causes**	**3,510**	**137**	**292**	**371**	**307**	**355**	**413**	**438**	**274**	**139**	**41**	**21**	**722**
Y39·0	Syphilis	**1**	—	1	—	—	—	—	—	—	—	—	—	—
Y39·1	Infection other than syphilis	**16**	—	1	—	1	—	4	4	3	1	—	—	2
Y39·2	Erythroblastosis	**671**	41	49	50	52	83	107	94	43	23	6	1	122
Y39·3	Other cause originated in the foetus	**43**	2	2	2	2	4	5	5	5	4	1	1	10
Y39·4	Maceration, cause not specified	**997**	50	104	142	111	120	105	87	54	24	1	2	197
Y39·5	Other ill-defined cause	**1,001**	16	71	93	75	75	104	158	111	65	26	11	196
	0 Asphyxia	**388**	3	14	14	28	25	49	82	57	23	12	5	76
	1 Atelectasis	**121**	—	3	9	7	13	21	19	20	8	3	2	16
	2 Post-maturity	**120**	—	—	1	—	6	10	29	20	21	7	4	22
	3 Prematurity	**222**	12	49	58	31	19	6	3	—	1	—	—	43
	4 Others	**150**	1	5	11	9	12	18	25	14	12	4	—	39
Y39·6	Cause unspecified	**781**	28	64	84	66	73	88	90	58	22	7	6	195

TABLE 23G. Stillbirths by cause and place of confinement (with, for certain selected causes, rates per 1,000 total births), 1962 — **England and Wales**

Note. Institutions described as other hospitals are mainly maternity homes.

ICD No.	Cause		Total	Place of occurrence			
				N.H.S. hospital	Other hospital	At home	Elsewhere
Y30–Y39	**ALL CAUSES**	**M**	**7,957**	**6,654**	**125**	**1,070**	**108**
		F	**7,507**	**6,251**	**100**	**1,047**	**109**
		P	**15,464**	**12,905**	**225**	**2,117**	**217**
Y30	**Chronic disease in mother**		**464**	**413**	**6**	**42**	**3**
Y30·0	Syphilis		**9**	8	—	1	—
Y30·1	Tuberculosis (any form)		**3**	2	—	1	—
Y30·2	Diabetes mellitus		**115**	110	1	4	—
Y30·3	Chronic disease of circulatory system		**261**	237	2	20	2
Y30·4	Chronic disease of genito-urinary system		**21**	18	2	1	—
Y30·5	Other chronic disease		**55**	38	1	15	1
Y31	**Acute disease in mother**		**72**	**42**	**1**	**29**	—
Y31·0	Typhoid fever		—	—	—	—	—
Y31·1	Influenza		**23**	10	—	13	—
Y31·2	Pneumonia (any form)		**4**	2	—	2	—
Y31·3	Other acute respiratory disease		**6**	2	1	3	—
Y31·4	Other acute disease or condition		**39**	28	—	11	—
	0 Rubella		**23**	16	—	7	—
	1 Other virus diseases		**6**	4	—	2	—
	2 Others		**10**	8	—	2	—
Y32	**Diseases and conditions of pregnancy and childbirth**		**2,629**	**2,436**	**26**	**160**	**7**
Y32·0	Pregnancy interrupted by self or other person for non-therapeutic purposes		—	—	—	—	—
Y32·1	Ectopic gestation		**1**	1	—	—	—
Y32·2	Haemorrhage without mention of placental condition		**432**	392	5	35	—
Y32·3	Toxaemia with convulsions during pregnancy or labour (eclampsia)		**62**	60	1	1	—
Y32·4	Other toxaemias of pregnancy		**2,104**	1,958	19	120	7
Y32·5	Infection (ante- and intra-partum)		**30**	25	1	4	—
	0 Urinary infection		**8**	6	—	2	—
	1 Others		**22**	19	1	2	—
Y33	**Absorption of toxic substance from mother**		**3**	**1**	—	**2**	—
Y33·0	Narcotic		—	—	—	—	—
Y33·1	Quinine		—	—	—	—	—
Y33·2	Other toxic substance		**3**	1	—	2	—
Y34	**Difficulties in labour**		**1,163**	**886**	**18**	**241**	**18**
Y34·0	Difficult labour with abnormality of bones of pelvis		**18**	17	—	1	—
Y34·1	Difficult labour with disproportion, but no mention of abnormality, of pelvis		**256**	207	3	43	3
Y34·2	Difficult labour with malposition of foetus		**580**	430	13	125	12
Y34·3	Difficult labour with abnormality of forces of labour		**142**	81	1	58	2
Y34·4	Difficult labour with operative delivery		**44**	41	1	2	—
Y34·5	Difficult labour with abnormality of organs or tissues of pelvis		**35**	32	—	2	1
Y34·6	Difficult labour without mention of underlying condition		**88**	78	—	10	—

TABLE 23G—*continued*

ICD No.	Cause	Total	Place of occurrence			
			N.H.S. hospital	Other hospital	At home	Elsewhere
Y35	**Other causes in mother**	**51**	**43**	**1**	**6**	**1**
Y35·0	Fall	**14**	12	—	2	—
Y35·1	Other accident or violence	**11**	10	1	—	—
Y35·2	Overexertion	—	—	—	—	—
Y35·3	Other and ill-defined causes in mother	**26**	21	—	4	1
Y36	**Placental and cord conditions**	**4,314**	**3,660**	**72**	**537**	**45**
Y36·0	Cord condition without mention of placental abnormality	**1,239**	960	24	238	17
	0 Pressure on cord, compression of cord, strangulation of cord, thrombosis of cord	**204**	135	4	58	7
	1 Prolapse of cord	**341**	293	6	42	—
	2 Others	**694**	532	14	138	10
Y36·1	Placenta praevia	**169**	159	1	9	—
Y36·2	Premature separation of normally implanted placenta	**1,245**	1,150	20	68	7
Y36·3	Placenta praevia with cord abnormality	**7**	6	1	—	—
Y36·4	Premature separation of normally implanted placenta with cord abnormality	**13**	11	1	1	—
Y36·5	Placental infarct	**349**	237	4	97	11
Y36·6	Other abnormality of placenta and cord	**1,292**	1,137	21	124	10
Y37	**Birth injury**	**401**	**325**	**9**	**56**	**11**
Y37·0	Birth injury with abnormality of bones of pelvis	**2**	1	—	—	1
Y37·1	Birth injury with abnormality of organs or tissues of pelvis	**5**	4	—	1	—
Y37·2	Birth injury with disproportion, but no mention of abnormality, of pelvis	**31**	25	1	5	—
Y37·3	Birth injury with malposition of foetus	**113**	99	—	12	2
Y37·4	Birth injury with abnormality of forces of labour	**38**	21	2	13	2
Y37·5	Operation causing mutilation of foetus	—	—	—	—	—
Y37·6	Other operation for delivery	**25**	22	2	1	—
Y37·7	Birth injury with difficult labour but without mention of underlying condition	**10**	7	1	1	1
Y37·8	Birth injury due to other or unspecified cause	**177**	146	3	23	5
Y38	**Congenital malformation of foetus**	**2,857**	**2,406**	**41**	**375**	**35**
Y38·0	Anencephalus	**1,555**	1,378	19	140	18
	0 With mention of spina bifida or synonym	**176**	151	1	22	2
	1 Without mention of spina bifida or synonym	**1,379**	1,227	18	118	16
Y38·1	Hydrocephalus	**527**	398	10	113	6
Y38·2	Spina bifida	**311**	267	5	34	5
	0 With mention of hydrocephalus	**229**	206	4	18	1
	1 Without mention of hydrocephalus	**82**	61	1	16	4
Y38·3	Other malformation of the central nervous system	**112**	81	2	28	1
	0 Mongolism	**25**	10	2	12	1
	1 Microcephaly	**18**	11	—	7	—
	2 Others	**69**	60	—	9	—

TABLE 23G—*continued*

ICD No.	Cause		Total	Place of occurrence			
				N.H.S. hospital	Other hospital	At home	Elsewhere
Y38·4	Malformation of the cardiovascular system		**62**	53	—	8	1
	0 Tetralogy of Fallot		**2**	2	—	—	—
	1 Patent ductus arteriosus		**6**	5	—	1	—
	2 Interventricular septal defect		**17**	16	—	1	—
	3 Interauricular septal defect		**3**	3	—	—	—
	4 Fibroelastosis cordis		**1**	1	—	—	—
	5 Other malformations of heart		**30**	25	—	4	1
	6 Coarctation of aorta		**1**	—	—	1	—
	7 Other circulatory malformations		**2**	1	—	1	—
Y38·5	Malformation of other specified system or part		**203**	155	4	40	4
	0 Digestive system		**35**	29	—	5	1
	1 Genito-urinary system		**37**	29	—	8	—
	2 Dwarf		**6**	5	—	1	—
	3 Other skeletal		**27**	20	—	6	1
	4 Respiratory system		**17**	12	—	4	1
	5 Skin		**1**	—	—	1	—
	6 Muscle		**3**	2	—	1	—
	7 Others		**77**	58	4	14	1
Y38·6	Monster		**13**	11	—	2	—
	0 Double monster		**5**	5	—	—	—
	1 Monster N.O.S.		**1**	1	—	—	—
	2 Others		**7**	5	—	2	—
Y38·7	Other and unspecified malformations		**74**	63	1	10	—
Y39	**Diseases of foetus, and ill-defined causes**		**3,510**	**2,693**	**51**	**669**	**97**
Y39·0	Syphilis		**1**	1	—	—	—
Y39·1	Infection other than syphilis		**16**	13	1	2	—
Y39·2	Erythroblastosis		**671**	605	10	52	4
Y39·3	Other cause originated in the foetus		**43**	35	2	6	—
Y39·4	Maceration, cause not specified		**997**	738	17	219	23
Y39·5	Other ill-defined cause		**1,001**	756	13	212	20
	0 Asphyxia		**388**	303	9	69	7
	1 Atelectasis		**121**	88	2	29	2
	2 Post-maturity		**120**	103	1	16	—
	3 Prematurity		**222**	152	1	64	5
	4 Others		**150**	110	—	34	6
Y39·6	Cause unspecified		**781**	545	8	178	50
Total live and still births		M	439,590	277,529	13,707	139,848	8,506
		F	414,610	258,966	12,946	134,542	8,156
		P	854,200	536,495	26,653	274,390	16,662

TABLE 23G—*continued*

ICD No.	Cause		Total	Place of occurrence			
				N.H.S. hospital	Other hospital	At home	Elsewhere
			Stillbirths per 1,000 total births				
Y30–Y39	**All causes**	M	**18·1**	**24·0**	**9·1**	**7·7**	**12·7**
		F	**18·1**	**24·1**	**7·7**	**7·8**	**13·4**
		P	**18·1**	**24·1**	**8·4**	**7·7**	**13·0**
Y30–Y35	**Maternal conditions**		**5·1**	**7·1**	**2·0**	**1·7**	**1·7**
Y30·2	Diabetes		0·1	0·2	*0·0*	*0·0*	—
Y30·3	Circulatory		0·3	0·4	*0·1*	0·1	*0·1*
Y32	Diseases of pregnancy		3·1	4·5	1·0	0·6	*0·4*
Y32·2	Haemorrhage N.E.C.		0·5	0·7	*0·2*	0·1	—
Y32·4	Other toxaemia		2·5	3·6	*0·7*	0·4	*0·4*
Y34	Difficulties in labour		1·4	1·7	*0·7*	0·9	*1·1*
Y34·2	Malposition		0·7	0·8	*0·5*	0·5	*0·7*
Y34·3	Abnormal forces		0·2	0·2	*0·0*	0·2	*0·1*
Y36	**Placental and cord conditions**		**5·1**	**6·8**	**2·7**	**2·0**	**2·7**
Y36·1	Placenta praevia		0·2	0·3	*0·0*	*0·0*	—
Y36·2	Placenta and placental separation		1·5	2·1	0·8	0·2	*0·4*
Y36·5	Placental infarct		0·4	0·4	*0·2*	0·4	*0·7*
Y37–Y39	**Foetal conditions**		**7·9**	**10·1**	**3·8**	**4·0**	**8·6**
Y37	Birth injury		0·5	0·6	*0·3*	0·2	*0·7*
Y38	Congenital malformation		3·3	4·5	1·5	1·4	2·1
Y38·0	Anencephalus		1·8	2·6	*0·7*	0·5	*1·1*
Y38·1	Hydrocephalus		0·6	0·7	*0·4*	0·4	*0·4*
Y38·2	Spina bifida		0·4	0·5	*0·2*	0·1	*0·3*
Y39	Other and ill-defined causes		4·1	5·0	1·9	2·4	5·8
Y39·2	Erythroblastosis		0·8	1·1	*0·4*	0·2	*0·2*
Y39·6	Unspecified		0·9	1·0	*0·3*	0·6	3·0

TABLE 23H Legitimate stillbirths by certain selected causes, parity of mother and number of previous stillbirths, with rates per 1,000 total births, 1962 — England and Wales

Parity—previous live and still births of all marriages	Number of previous stillbirths							Number of previous stillbirths						
	0	1	2	3	4	5–9	Total	0	1	2	3	4	5–9	Total
	All causes (Y30–Y39)							**Chronic and acute disease in mother (Y30, Y31)**						
0	5,501	—	—	—	—	—	5,501	170	—	—	—	—	—	170
1	2,821	210	—	—	—	—	3,031	104	13	—	—	—	—	117
2	1,909	253	33	—	—	—	2,195	63	11	1	—	—	—	75
3	1,108	198	38	6	—	—	1,350	35	3	—	—	—	—	38
4	679	145	36	14	3	—	877	32	6	5	1	1	—	45
5–9	848	192	59	26	14	6	1,145	33	4	2	—	1	—	40
10 and over	47	20	8	—	1	—	76	4	1	—	—	—	—	5
Total	**12,913**	**1,018**	**174**	**46**	**18**	**6**	**14,175**	**441**	**38**	**8**	**1**	**2**	—	**490**
	Haemorrhage without mention of placental condition (Y32·2)							**Toxaemia and infection of pregnancy (Y32·3–·5)**						
0	112	—	—	—	—	—	112	994	—	—	—	—	—	994
1	74	4	—	—	—	—	78	318	38	—	—	—	—	356
2	57	4	1	—	—	—	62	207	45	8	—	—	—	260
3	44	2	2	—	—	—	48	129	28	10	1	—	—	168
4	21	4	—	1	—	—	26	80	23	4	2	1	—	110
5–9	40	8	1	1	—	—	50	73	26	8	5	1	2	115
10 and over	4	5	—	—	—	—	9	9	4	—	—	—	—	13
Total	**352**	**27**	**4**	**2**	—	—	**385**	**1,810**	**164**	**30**	**8**	**2**	**2**	**2,016**
	Difficult labour, birth injury (Y34, Y37)							**Placental and cord conditions (Y36)**						
0	571	—	—	—	—	—	571	1,435	—	—	—	—	—	1,435
1	255	17	—	—	—	—	272	811	64	—	—	—	—	875
2	190	17	3	—	—	—	210	553	72	8	—	—	—	633
3	115	14	2	—	—	—	131	314	51	8	4	—	—	377
4	82	16	—	—	—	—	98	214	38	11	3	—	—	266
5–9	98	18	6	2	—	—	124	295	61	14	7	6	1	384
10 and over	4	4	1	—	—	—	9	17	3	4	—	—	—	24
Total	**1,315**	**86**	**12**	**2**	—	—	**1,415**	**3,639**	**289**	**45**	**14**	**6**	**1**	**3,994**
	Anencephalus (Y38·0)							**Hydrocephalus, spina bifida, and other malformation of the central nervous system (Y38·1–·3)**						
0	645	—	—	—	—	—	645	322	—	—	—	—	—	322
1	302	24	—	—	—	—	326	204	8	—	—	—	—	212
2	174	21	3	—	—	—	198	132	11	1	—	—	—	144
3	99	21	3	1	—	—	124	70	10	1	—	—	—	81
4	48	13	2	—	—	—	63	36	5	1	—	—	—	42
5–9	70	18	5	1	—	—	94	61	12	3	1	—	—	77
10 and over	2	—	—	—	—	—	2	—	—	—	—	—	—	—
Total	**1,340**	**97**	**13**	**2**	—	—	**1,452**	**825**	**46**	**6**	**1**	—	—	**878**
	Other congenital malformation of foetus (Y38·4–·7)							**Erythroblastosis (Y39·2)**						
0	124	—	—	—	—	—	124	40	—	—	—	—	—	40
1	77	2	—	—	—	—	79	150	3	—	—	—	—	153
2	55	—	—	—	—	—	55	145	40	4	—	—	—	189
3	29	2	2	—	—	—	33	79	34	5	—	—	—	118
4	14	4	2	—	—	—	20	38	16	6	6	—	—	66
5–9	12	1	1	1	—	—	15	33	21	11	5	5	3	78
10 and over	—	—	—	—	—	—	—	—	1	1	—	1	—	3
Total	**311**	**9**	**5**	**1**	—	—	**326**	**485**	**115**	**27**	**11**	**6**	**3**	**647**
	Legitimate live and still births													
0	286,346	—	—	—	—	—	286,346							
1	236,614	4,411	—	—	—	—	241,025							
2	127,934	4,976	255	—	—	—	133,165							
3	61,924	3,506	328	21	—	—	65,779							
4	30,357	2,093	289	38	6	—	32,783							
5–9	32,555	3,220	561	119	41	15	36,511							
10 and over	1,537	288	55	27	8	11	1,926							
Total	**777,267**	**18,494**	**1,488**	**205**	**55**	**26**	**797,535**							

TABLE 23H—*continued*

Parity—previous live and still births of all marriages	Number of previous stillbirths							Number of previous stillbirths						
	0	1	2	3	4	5–9	Total	0	1	2	3	4	5–9	Total
	Stillbirths per 1,000 total births.													
	All causes (Y30–Y39)							**Chronic and acute disease in mother (Y30, Y31)**						
0	19·2	—	—	—	—	—	19·2	0·6	—	—	—	—	—	0·6
1	11·9	47·6	—	—	—	—	12·6	0·4	*2·9*	—	—	—	—	0·5
2	14·9	50·8	129·4	—	—	—	16·5	0·5	*2·2*	*3·9*	—	—	—	0·6
3	17·9	56·5	115·9	*285·7*	—	—	20·5	0·6	*0·9*	—	—	—	—	0·6
4	22·4	69·3	124·6	*368·4*	*500·0*	—	26·8	1·1	*2·9*	*17·3*	*26·3*	*166·7*	—	1·4
5–9	26·0	59·6	105·2	218·5	*341·5*	*400·0*	31·4	1·0	*1·2*	*3·6*	—	*24·4*	—	1·1
10 and over	30·6	69·4	*145·5*	—	*125·0*	—	39·5	*2·6*	*3·5*	—	—	—	—	*2·6*
Total	**16·6**	**55·0**	**116·9**	**224·4**	*327·3*	*230·8*	**17·8**	**0·6**	**2·1**	*5·4*	*4·9*	*36·4*	—	**0·6**
	Haemorrhage without mention of placental condition (Y32·2)							**Toxaemia and infection of pregnancy (Y32·3–·5)**						
0	0·4	—	—	—	—	—	0·4	3·5	—	—	—	—	—	3·5
1	0·3	*0·9*	—	—	—	—	0·3	1·3	8·6	—	—	—	—	1·5
2	0·4	*0·8*	*3·9*	—	—	—	0·5	1·6	9·0	*31·4*	—	—	—	2·0
3	0·7	*0·6*	*6·1*	—	—	—	0·7	2·1	8·0	*30·5*	*47·6*	—	—	2·6
4	0·7	*1·9*	—	*26·3*	—	—	0·8	2·6	11·0	*13·8*	*52·6*	*166·7*	—	3·4
5–9	1·2	*2·5*	*1·8*	*8·4*	—	—	1·4	2·2	8·1	*14·3*	*42·0*	*24·4*	*133·3*	3·1
10 and over	*2·6*	*17·4*	—	—	—	—	*4·7*	*5·9*	*13·9*	—	—	—	—	*6·7*
Total	**0·5**	**1·5**	*2·7*	*9·8*	—	—	**0·5**	**2·3**	**8·9**	**20·2**	*39·0*	*36·4*	*76·9*	**2·5**
	Difficult labour, birth injury (Y34, Y37)							**Placental and cord conditions (Y36)**						
0	2·0	—	—	—	—	—	2·0	5·0	—	—	—	—	—	5·0
1	1·1	*3·9*	—	—	—	—	1·1	3·4	14·5	—	—	—	—	3·6
2	1·5	*3·4*	*11·8*	—	—	—	1·6	4·3	14·5	*31·4*	—	—	—	4·8
3	1·9	*4·0*	*6·1*	—	—	—	2·0	5·1	14·5	*24·4*	*190·5*	—	—	5·7
4	2·7	*7·6*	—	—	—	—	3·0	7·0	18·2	*38·1*	*78·9*	—	—	8·1
5–9	3·0	*5·6*	*10·7*	*16·8*	—	—	3·4	9·1	18·9	*25·0*	*58·8*	*146·3*	*66·7*	10·5
10 and over	*2·6*	*13·9*	*18·2*	—	—	—	*4·7*	*11·1*	*10·4*	*72·7*	—	—	—	12·5
Total	**1·7**	**4·7**	*8·1*	*9·8*	—	—	**1·8**	**4·7**	**15·6**	**30·2**	*68·3*	*109·1*	*38·5*	**5·0**
	Anencephalus (Y38·0)							**Hydrocephalus, spina bifida, and other malformation of the central nervous system (Y38·1—·3)**						
0	2·3	—	—	—	—	—	2·3	1·1	—	—	—	—	—	1·1
1	1·3	5·4	—	—	—	—	1·4	0·9	*1·8*	—	—	—	—	0·9
2	1·4	4·2	*11·8*	—	—	—	1·5	1·0	*2·2*	*3·9*	—	—	—	1·1
3	1·6	6·0	*9·1*	*47·6*	—	—	1·9	1·1	*2·9*	*3·0*	—	—	—	1·2
4	1·6	*6·2*	*6·9*	—	—	—	1·9	1·2	*2·4*	*3·5*	—	—	—	1·3
5–9	2·2	*5·6*	*8·9*	*8·4*	—	—	2·6	1·9	*3·7*	*5·3*	*8·4*	—	—	2·1
10 and over	*1·3*	—	—	—	—	—	*1·0*	—	—	—	—	—	—	—
Total	**1·7**	**5·2**	*8·7*	*9·8*	—	—	**1·8**	**1·1**	**2·5**	*4·0*	*4·9*	—	—	**1·1**
	Other congenital malformation of foetus (Y38·4—·7)							**Erythroblastosis (Y39·2)**						
0	0·4	—	—	—	—	—	0·4	0·1	—	—	—	—	—	0·1
1	0·3	*0·5*	—	—	—	—	0·3	0·6	*0·7*	—	—	—	—	0·6
2	0·4	—	—	—	—	—	0·4	1·1	8·0	*15·7*	—	—	—	1·4
3	0·5	*0·6*	*6·1*	—	—	—	0·5	1·3	9·7	*15·2*	—	—	—	1·8
4	*0·5*	*1·9*	*6·9*	—	—	—	0·6	1·3	*7·6*	*20·8*	*157·9*	—	—	2·0
5–9	*0·4*	*0·3*	*1·8*	*8·4*	—	—	*0·4*	1·0	6·5	*19·6*	*42·0*	*122·0*	*200·0*	2·1
10 and over	—	—	—	—	—	—	—	—	*3·5*	*18·2*	—	*125·0*	—	*1·6*
Total	**0·4**	*0·5*	*3·4*	*4·9*	—	—	**0·4**	**0·6**	**6·2**	**18·1**	*53·7*	*109·1*	*115·4*	**0·8**

Note. See table on page 366 for corrected 1961 figures.

TABLE 24. Deaths at various periods in the first year of life by legitimacy
Death rates per 1,000 live births, 1962

England and Wales, standard regions, Wales, conurbations, urban and rural aggregates outside conurbations

Area	All infants									
	Deaths								Deaths per 1,000 live births	
	Under 1 day	1-6 days	1-3 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Total under 1 year	Under 4 weeks	Total under 1 year
ENGLAND AND WALES	**6,212**	**4,676**	**1,768**	**2,127**	**1,931**	**905**	**568**	**18,187**	**15**	**22**
Regions and conurbations:										
Northern	**504**	**359**	**161**	**186**	**152**	**66**	**51**	**1,479**	**17**	**24**
Tyneside Conurbation	123	96	41	56	44	17	8	385	16	24
Remainder of Northern	381	263	120	130	108	49	43	1,094	17	24
East and West Ridings	**598**	**413**	**190**	**180**	**225**	**97**	**54**	**1,757**	**16**	**23**
West Yorkshire Conurbation	266	163	66	75	106	35	23	734	16	24
Remainder of East and West Ridings	332	250	124	105	119	62	31	1,023	16	23
North Western	**1,043**	**826**	**281**	**446**	**362**	**160**	**104**	**3,222**	**17**	**26**
South East Lancashire Conurbation	397	294	110	182	143	61	46	1,233	17	27
Merseyside Conurbation	300	189	57	123	91	40	23	823	19	28
Remainder of North Western	346	343	114	141	128	59	35	1,166	16	24
North Midland	**474**	**359**	**159**	**182**	**154**	**78**	**46**	**1,452**	**15**	**21**
Midland	**667**	**535**	**189**	**245**	**226**	**101**	**57**	**2,020**	**15**	**22**
West Midlands Conurbation	330	265	93	126	116	60	30	1,020	15	22
Remainder of Midland	337	270	96	119	110	41	27	1,000	16	22
Eastern	**435**	**357**	**110**	**110**	**114**	**56**	**40**	**1,222**	**13**	**18**
London and South Eastern	**1,406**	**924**	**343**	**393**	**362**	**160**	**99**	**3,687**	**14**	**19**
Greater London	1,085	709	266	286	263	125	69	2,803	14	20
Remainder of South Eastern	321	215	77	107	99	35	30	884	13	18
Southern	**361**	**276**	**102**	**112**	**96**	**66**	**44**	**1,057**	**14**	**20**
South Western	**390**	**303**	**122**	**126**	**102**	**66**	**32**	**1,141**	**14**	**20**
Wales	**334**	**324**	**111**	**147**	**138**	**55**	**41**	**1,150**	**17**	**25**
Wales I (South East)	238	245	88	112	99	39	27	848	17	26
Wales II (remainder)	96	79	23	35	39	16	14	302	16	25
Urban/Rural aggregates:										
Conurbations	2,501	1,716	633	848	763	338	199	6,998	16	22
Areas outside conurbations:										
Urban areas with populations of 100,000 and over	854	643	264	302	289	129	75	2,556	16	23
Urban areas with populations of 50,000 and under 100,000	548	462	155	210	175	90	56	1,696	15	21
Urban areas with populations under 50,000	1,144	967	387	414	368	188	125	3,593	15	21
Rural districts	1,165	888	329	353	336	160	113	3,344	14	20

Area	Legitimate infants										Illegitimate infants									
	Deaths								Deaths per 1,000 live births		Deaths								Deaths per 1,000 live births	
	Under 1 day	1-6 days	1-3 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Total under 1 year	Under 4 weeks	Total under 1 year	Under 1 day	1-6 days	1-3 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Total under 1 year	Under 4 weeks	Total under 1 year
5,616	**4,273**	**1,634**	**1,968**	**1,796**	**852**	**538**	**16,677**	**15**	**21**	**596**	**403**	**134**	**159**	**135**	**53**	**30**	**1,510**	**20**	**27**
473	**330**	**149**	**177**	**145**	**64**	**48**	**1,386**	**16**	**24**	**31**	**29**	**12**	**9**	**7**	**2**	**3**	**93**	**26**	**33**
116	83	37	52	41	17	7	353	16	23	7	13	4	4	3	—	1	32	29	38
357	247	112	125	104	47	41	1,033	17	24	24	16	8	5	4	2	2	61	24	31
537	**383**	**177**	**157**	**206**	**94**	**52**	**1,606**	**15**	**23**	**61**	**30**	**13**	**23**	**19**	**3**	**2**	**151**	**21**	**31**
231	157	62	64	93	33	22	662	16	23	35	6	4	11	13	2	1	72	18	29
306	226	115	93	113	61	30	944	15	22	26	24	9	12	6	1	1	79	25	33
949	**757**	**257**	**422**	**347**	**152**	**99**	**2,983**	**17**	**26**	**94**	**69**	**24**	**24**	**15**	**8**	**5**	**239**	**24**	**31**
349	264	96	168	137	57	43	1,114	17	26	48	30	14	14	6	4	3	119	25	33
278	177	51	118	87	38	22	771	18	28	22	12	6	5	4	2	1	52	25	32
322	316	110	136	123	57	34	1,098	16	24	24	27	4	5	5	2	1	68	22	27
434	**336**	**147**	**165**	**143**	**73**	**44**	**1,342**	**14**	**21**	**40**	**23**	**12**	**17**	**11**	**5**	**2**	**110**	**18**	**27**
601	**490**	**172**	**231**	**209**	**93**	**55**	**1,851**	**15**	**22**	**66**	**45**	**17**	**14**	**17**	**8**	**2**	**169**	**21**	**28**
290	234	85	115	102	53	30	909	14	21	40	31	8	11	14	7	—	111	21	30
311	256	87	116	107	40	25	942	15	22	26	14	9	3	3	1	2	58	21	24
398	**331**	**106**	**101**	**106**	**51**	**40**	**1,133**	**13**	**17**	**37**	**26**	**4**	**9**	**8**	**5**	**—**	**89**	**19**	**25**
1,219	**803**	**309**	**351**	**318**	**149**	**92**	**3,241**	**13**	**19**	**187**	**121**	**34**	**42**	**44**	**11**	**7**	**446**	**20**	**26**
933	611	236	253	231	115	62	2,441	14	19	152	98	30	33	32	10	7	362	19	25
286	192	73	98	87	34	30	800	12	18	35	23	4	9	12	1	—	84	22	30
337	**248**	**97**	**104**	**93**	**61**	**39**	**979**	**13**	**19**	**24**	**28**	**5**	**8**	**3**	**5**	**5**	**78**	**17**	**23**
351	**288**	**119**	**120**	**94**	**65**	**30**	**1,067**	**14**	**19**	**39**	**15**	**3**	**6**	**8**	**1**	**2**	**74**	**17**	**22**
317	**307**	**101**	**140**	**135**	**50**	**39**	**1,089**	**17**	**25**	**17**	**17**	**10**	**7**	**3**	**5**	**2**	**61**	**21**	**29**
226	232	79	105	97	36	26	801	17	25	12	13	9	7	2	3	1	47	23	32
91	75	22	35	38	14	13	288	16	25	5	4	1	—	1	2	1	14	16	23
2,197	1,526	567	770	691	313	186	6,250	15	22	304	190	66	78	72	25	13	748	21	28
775	581	240	276	262	120	70	2,324	15	22	79	62	24	26	27	9	5	232	19	27
497	421	142	191	170	87	52	1,560	14	21	51	41	13	19	5	3	4	136	22	29
1,048	901	367	393	352	176	123	3,360	14	21	96	66	20	21	16	12	2	233	22	28
1,099	844	318	338	321	156	107	3,183	14	20	66	44	11	15	15	4	6	161	17	22

TABLE 25. Deaths at various periods in the first year of life, 1962, and the four quarters thereof

England and Wales, standard regions, Wales, conurbations, urban and rural aggregates outside conurbations

Area		Total under 1 year	Under 30 minutes	30 minutes and under 1 day	Total under 1 day	Days 1	2	3	4	5	6	1 day and under 1 week
England and Wales — All infants	M	**10,573**	**424**	**3,214**	**3,638**	**1,021**	**806**	**497**	**228**	**138**	**120**	**2,810**
	F	**7,614**	**353**	**2,221**	**2,574**	**754**	**478**	**268**	**162**	**119**	**85**	**1,866**
	P	**18,187**	**777**	**5,435**	**6,212**	**1,775**	**1,284**	**765**	**390**	**257**	**205**	**4,676**
Legitimate	M	9,709	357	2,940	3,297	930	736	468	210	129	109	2,582
	F	6,968	291	2,028	2,319	668	448	247	148	107	73	1,691
	P	16,677	648	4,968	5,616	1,598	1,184	715	358	236	182	4,273
Illegitimate	M	864	67	274	341	91	70	29	18	9	11	228
	F	646	62	193	255	86	30	21	14	12	12	175
	P	1,510	129	467	596	177	100	50	32	21	23	403
Regions and conurbations:												
Northern		**1,479**	**54**	**450**	**504**	**152**	**105**	**47**	**17**	**21**	**17**	**359**
Tyneside Conurbation		385	13	110	123	41	29	13	6	3	4	96
Remainder of Northern		1,094	41	340	381	111	76	34	11	18	13	263
East and West Ridings		**1,757**	**68**	**530**	**598**	**156**	**91**	**70**	**45**	**31**	**20**	**413**
West Yorkshire Conurbation		734	29	237	266	53	44	25	14	20	7	163
Remainder of East and West Ridings		1,023	39	293	332	103	47	45	31	11	13	250
North Western		**3,222**	**135**	**908**	**1,043**	**304**	**260**	**129**	**63**	**40**	**30**	**826**
South East Lancashire Conurbation		1,233	62	335	397	101	94	48	23	15	13	294
Merseyside Conurbation		823	35	265	300	72	63	24	13	8	9	189
Remainder of North Western		1,166	38	308	346	131	103	57	27	17	8	343
North Midland		**1,452**	**62**	**412**	**474**	**149**	**90**	**67**	**21**	**20**	**12**	**359**
Midland		**2,020**	**71**	**596**	**667**	**214**	**132**	**92**	**41**	**37**	**19**	**535**
West Midlands Conurbation		1,020	38	292	330	105	66	44	16	21	13	265
Remainder of Midland		1,000	33	304	337	109	66	48	25	16	6	270
Eastern		**1,222**	**58**	**377**	**435**	**131**	**97**	**54**	**34**	**24**	**17**	**357**
London and South Eastern		**3,687**	**198**	**1,208**	**1,406**	**342**	**266**	**158**	**79**	**30**	**49**	**924**
Greater London		2,803	156	929	1,085	264	205	115	61	24	40	709
Remainder of South Eastern		884	42	279	321	78	61	43	18	6	9	215
Southern		**1,057**	**50**	**311**	**361**	**99**	**68**	**47**	**31**	**16**	**15**	**276**
South Western		**1,141**	**40**	**350**	**390**	**117**	**88**	**46**	**26**	**12**	**14**	**303**
Wales		**1,150**	**41**	**293**	**334**	**111**	**87**	**55**	**33**	**26**	**12**	**324**
Wales I (South East)		848	28	210	238	87	62	40	28	20	8	245
Wales II (remainder)		302	13	83	96	24	25	15	5	6	4	79
Urban/Rural aggregates:												
Conurbations		6,998	333	2,168	2,501	636	501	269	133	91	86	1,716
Areas outside conurbations:												
Urban areas with populations of 100,000 and over		2,556	115	739	854	250	162	108	50	48	25	643
Urban areas with populations of 50,000 and under 100,000		1,696	61	487	548	174	119	77	45	22	25	462
Urban areas with populations under 50,000		3,593	134	1,010	1,144	368	263	161	86	55	34	967
Rural districts		3,344	134	1,031	1,165	347	239	150	76	41	35	888
England and Wales — March Quarter		5,397	200	1,446	1,646	468	347	212	103	78	61	1,269
June Quarter		4,527	201	1,378	1,579	443	345	214	106	69	45	1,222
September Quarter		3,854	196	1,269	1,465	445	291	174	84	54	43	1,091
December Quarter		4,409	180	1,342	1,522	419	301	165	97	56	56	1,094

Area		Weeks 0	1	2	3	Months Total under 4 weeks	1	2	3	4	5	6	7	8	9	10	11
England and Wales — All infants	M	**6,448**	**507**	**287**	**205**	**7,447**	**684**	**539**	**509**	**356**	**254**	**180**	**158**	**135**	**128**	**89**	**94**
	F	**4,440**	**368**	**222**	**179**	**5,209**	**500**	**404**	**363**	**243**	**206**	**182**	**155**	**95**	**91**	**103**	**63**
	P	**10,888**	**875**	**509**	**384**	**12,656**	**1,184**	**943**	**872**	**599**	**460**	**362**	**313**	**230**	**219**	**192**	**157**
Legitimate	M	5,879	464	268	183	6,794	633	505	471	330	232	173	149	128	118	85	91
	F	4,010	340	216	163	4,729	459	371	341	229	193	165	148	89	87	97	60
	P	9,889	804	484	346	11,523	1,092	876	812	559	425	338	297	217	205	182	151
Illegitimate	M	569	43	19	22	653	51	34	38	26	22	7	9	7	10	4	3
	F	430	28	6	16	480	41	33	22	14	13	17	7	6	4	6	3
	P	999	71	25	38	1,133	92	67	60	40	35	24	16	13	14	10	6
Regions and conurbations:																	
Northern		**863**	**87**	**44**	**30**	**1,024**	**84**	**102**	**66**	**52**	**34**	**22**	**30**	**14**	**21**	**18**	**12**
Tyneside Conurbation		219	21	12	8	260	26	30	23	12	9	5	8	4	3	4	1
Remainder of Northern		644	66	32	22	764	58	72	43	40	25	17	22	10	18	14	11
East and West Ridings		**1,011**	**99**	**43**	**48**	**1,201**	**90**	**90**	**97**	**80**	**48**	**42**	**31**	**24**	**20**	**17**	**17**
West Yorkshire Conurbation		429	27	23	16	495	41	34	44	36	26	13	9	13	8	6	9
Remainder of East and West Ridings		582	72	20	32	706	49	56	53	44	22	29	22	11	12	11	8
North Western		**1,869**	**130**	**99**	**52**	**2,150**	**262**	**184**	**172**	**106**	**84**	**59**	**55**	**46**	**43**	**35**	**26**
South East Lancashire Conurbation		691	49	38	23	801	112	70	62	45	36	20	20	21	19	14	13
Merseyside Conurbation		489	24	24	9	546	69	54	50	22	19	13	16	11	9	9	5
Remainder of North Western		689	57	37	20	803	81	60	60	39	29	26	19	14	15	12	8
North Midland		**833**	**78**	**37**	**44**	**992**	**101**	**81**	**70**	**50**	**34**	**28**	**26**	**24**	**16**	**16**	**14**
Midland		**1,202**	**85**	**57**	**47**	**1,391**	**141**	**104**	**99**	**66**	**61**	**53**	**27**	**21**	**17**	**22**	**18**
West Midlands Conurbation		595	45	26	22	688	71	55	49	35	32	30	14	16	9	9	12
Remainder of Midland		607	40	31	25	703	70	49	50	31	29	23	13	5	8	13	6
Eastern		**792**	**46**	**39**	**25**	**902**	**68**	**42**	**47**	**38**	**29**	**19**	**24**	**13**	**16**	**13**	**11**
London and South Eastern		**2,330**	**173**	**100**	**70**	**2,673**	**227**	**166**	**170**	**103**	**89**	**58**	**60**	**42**	**38**	**34**	**27**
Greater London		1,794	138	70	58	2,060	161	125	126	71	66	52	44	29	24	22	23
Remainder of South Eastern		536	35	30	12	613	66	41	44	32	23	6	16	13	14	12	4
Southern		**637**	**50**	**28**	**24**	**739**	**56**	**56**	**42**	**33**	**21**	**27**	**20**	**19**	**16**	**18**	**10**
South Western		**693**	**61**	**35**	**26**	**815**	**79**	**47**	**47**	**32**	**23**	**22**	**28**	**16**	**13**	**7**	**12**
Wales		**658**	**66**	**27**	**18**	**769**	**76**	**71**	**62**	**39**	**37**	**32**	**12**	**11**	**19**	**12**	**10**
Wales I (South East)		483	54	21	13	571	57	55	41	29	29	24	8	7	14	10	3
Wales II (remainder)		175	12	6	5	198	19	16	21	10	8	8	4	4	5	2	7
Urban/Rural aggregates:																	
Conurbations		4,217	304	193	136	4,850	480	368	354	221	188	133	111	94	72	64	63
Areas outside conurbations:																	
Urban areas with populations of 100,000 and over		1,497	117	70	77	1,761	172	130	142	83	64	57	50	22	31	24	20
Urban areas with populations of 50,000 and under 100,000		1,010	71	51	33	1,165	114	96	82	61	32	36	32	22	16	23	17
Urban areas with populations under 50,000		2,111	197	111	79	2,498	219	195	152	121	95	70	73	45	52	47	26
Rural districts		2,053	186	84	59	2,382	199	154	142	113	81	66	47	47	48	34	31
England and Wales — March Quarter		2,915	258	143	117	3,433	353	351	324	225	177	128	115	82	85	64	60
June Quarter		2,801	221	138	86	3,246	299	202	201	143	95	78	68	64	40	54	37
September Quarter		2,556	169	110	82	2,917	245	169	134	101	67	60	50	27	37	24	23
December Quarter		2,616	227	118	99	3,060	287	221	213	130	121	96	80	57	57	50	37

TABLE 26. Infant mortality from certain causes, 1962. Deaths of infants under one year and various sub-divisions of the first year, and deaths of illegitimate infants — **England and Wales, standard regions, Wales, conurbations, urban and rural aggregates outside conurbations**

See explanatory notes.

Area	Total under 1 year	Under 4 weeks	4 weeks and under 3 mths.	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)
	All causes						
ENGLAND AND WALES	18,187	12,656	2,127	1,931	905	568	1,510
Regions and conurbations:							
Northern	1,479	1,024	186	152	66	51	93
Tyneside Conurbation	385	260	56	44	17	8	32
Remainder of Northern	1,094	764	130	108	49	43	61
East and West Ridings	1,757	1,201	180	225	97	54	151
West Yorkshire Conurbation	734	495	75	106	35	23	72
Remainder of E. & W. Ridings	1,023	706	105	119	62	31	79
North Western	3,222	2,150	446	362	160	104	239
S.E. Lancashire Conurbation	1,233	801	182	143	61	46	119
Merseyside Conurbation	823	546	123	91	40	23	52
Remainder of North Western	1,166	803	141	128	59	35	68
North Midland	1,452	992	182	154	78	46	110
Midland	2,020	1,391	245	226	101	57	169
West Midlands Conurbation	1,020	688	126	116	60	30	111
Remainder of Midland	1,000	703	119	110	41	27	58
Eastern	1,222	902	110	114	56	40	89
London and South Eastern	3,687	2,673	393	362	160	99	446
Greater London	2,803	2,060	286	263	125	69	362
Remainder of South Eastern	884	613	107	99	35	30	84
Southern	1,057	739	112	96	66	44	78
South Western	1,141	815	126	102	66	32	74
Wales	1,150	769	147	138	55	41	61
Wales I (South East)	848	571	112	99	39	27	47
Wales II (remainder)	302	198	35	39	16	14	14
Urban/Rural aggregates:							
Conurbations	6,998	4,850	848	763	338	199	748
Areas outside conurbations:							
Urban areas with populations of 100,000 and over	2,556	1,761	302	289	129	75	232
Urban areas with populations of 50,000 and under 100,000	1,696	1,165	210	175	90	56	136
Urban areas with populations under 50,000	3,593	2,498	414	368	188	125	233
Rural districts	3,344	2,382	353	336	160	113	161

Area	Total under 1 year	Under 4 weeks	4 weeks and under 3 mths.	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)
	Pneumonia (490-493, 763)						
ENGLAND AND WALES	2,605	763	704	692	291	155	206
Regions and conurbations:							
Northern	212	60	59	63	15	15	17
Tyneside Conurbation	49	11	19	18	—	1	5
Remainder of Northern	163	49	40	45	15	14	12
East and West Ridings	286	71	71	99	31	14	33
West Yorkshire Conurbation	144	35	36	53	13	7	18
Remainder of E. & W. Ridings	142	36	35	46	18	7	15
North Western	510	127	164	130	58	31	28
S.E. Lancashire Conurbation	212	46	66	57	29	14	16
Merseyside Conurbation	117	32	42	26	11	6	4
Remainder of North Western	181	49	56	47	18	11	8
North Midland	201	72	51	42	26	10	12
Midland	312	101	84	83	30	14	26
West Midlands Conurbation	146	45	41	39	16	5	15
Remainder of Midland	166	56	43	44	14	9	11
Eastern	120	35	24	35	15	11	6
London and South Eastern	498	158	130	123	55	32	58
Greater London	378	118	100	93	45	22	50
Remainder of South Eastern	120	40	30	30	10	10	8
Southern	129	45	33	26	16	9	7
South Western	149	36	40	39	26	8	8
Wales	188	58	48	52	19	11	11
Wales I (South East)	151	50	43	37	12	9	9
Wales II (remainder)	37	8	5	15	7	2	2
Urban/Rural aggregates:							
Conurbations	1,046	287	304	286	114	55	108
Areas outside conurbations:							
Urban areas with populations of 100,000 and over	396	113	107	116	39	21	36
Urban areas with populations of 50,000 and under 100,000	253	73	74	59	28	19	18
Urban areas with populations under 50,000	493	161	121	124	62	25	28
Rural districts	417	129	98	107	48	35	16

Area	Total under 1 year	Under 4 weeks	4 weeks and under 3 mths.	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)
	Bronchitis (500–502)						
ENGLAND AND WALES	412	36	118	159	66	33	38
Regions and conurbations:							
Northern	24	2	10	6	3	3	4
Tyneside Conurbation	8	—	4	3	—	1	1
Remainder of Northern	16	2	6	3	3	2	3
East and West Ridings	52	5	15	19	11	2	4
West Yorkshire Conurbation	13	1	2	7	2	1	2
Remainder of E. & W. Ridings	39	4	13	12	9	1	2
North Western	94	9	30	39	11	5	7
S.E. Lancashire Conurbation	24	3	11	5	3	2	4
Merseyside Conurbation	51	2	17	24	6	2	3
Remainder of North Western	19	4	2	10	2	1	—
North Midland	53	5	13	22	9	4	2
Midland	21	2	7	6	6	—	2
West Midlands Conurbation	10	1	2	4	3	—	2
Remainder of Midland	11	1	5	2	3	—	—
Eastern	20	3	4	7	4	2	2
London and South Eastern	94	7	24	43	8	12	14
Greater London	71	5	19	32	7	8	12
Remainder of South Eastern	23	2	5	11	1	4	2
Southern	19	1	8	5	3	2	1
South Western	8	1	—	3	1	3	—
Wales	27	1	7	9	10	—	2
Wales I (South East)	23	1	7	8	7	—	1
Wales II (remainder)	4	—	—	1	3	—	1
Urban/Rural aggregates:							
Conurbations	177	12	55	75	21	14	24
Areas outside conurbations:							
Urban areas with populations of 100,000 and over	59	4	13	21	15	6	3
Urban areas with populations of 50,000 and under 100,000	40	5	8	14	11	2	2
Urban areas with populations under 50,000	73	9	25	24	10	5	6
Rural districts	63	6	17	25	9	6	3

Area	Total under 1 year	Under 4 weeks	4 weeks and under 3 mths.	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)
	Gastro-enteritis (571,764)						
ENGLAND AND WALES	450	55	135	109	86	65	35
Regions and conurbations:							
Northern	30	6	10	6	5	3	2
Tyneside Conurbation	12	3	3	2	4	—	1
Remainder of Northern	18	3	7	4	1	3	1
East and West Ridings	53	7	8	15	15	8	3
West Yorkshire Conurbation	15	3	1	4	2	5	1
Remainder of E. & W. Ridings	38	4	7	11	13	3	2
North Western	131	9	53	36	20	13	7
S.E. Lancashire Conurbation	65	5	29	15	9	7	5
Merseyside Conurbation	24	3	9	7	4	1	—
Remainder of North Western	42	1	15	14	7	5	2
North Midland	31	4	5	7	8	7	1
Midland	69	11	20	21	9	8	8
West Midlands Conurbation	49	9	14	15	6	5	7
Remainder of Midland	20	2	6	6	3	3	1
Eastern	21	3	2	4	7	5	2
London and South Eastern	53	10	14	13	10	6	10
Greater London	41	9	12	11	7	2	9
Remainder of South Eastern	12	1	2	2	3	4	1
Southern	13	1	3	1	3	5	1
South Western	17	3	7	2	4	1	—
Wales	32	1	13	4	5	9	1
Wales I (South East)	19	—	5	4	3	7	1
Wales II (remainder)	13	1	8	—	2	2	—
Urban/Rural aggregates:							
Conurbations	206	32	68	54	32	20	23
Areas outside conurbations:							
Urban areas with populations of 100,000 and over	54	4	13	15	12	10	2
Urban areas with populations of 50,000 and under 100,000	39	2	14	11	6	6	2
Urban areas with populations under 50,000	87	8	27	18	19	15	5
Rural districts	64	9	13	11	17	14	3

TABLE 26—*continued*

Area	Total under 1 year	Under 4 weeks	4 weeks and under 3 mths.	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)
	Other diseases of infective origin (001–138, 340, 470–483, 518, 519, 690–698, 765–768)						
ENGLAND AND WALES	469	149	90	110	67	53	26
Regions and conurbations:							
Northern	46	13	7	11	8	7	1
Tyneside Conurbation	13	4	3	3	2	1	—
Remainder of Northern	33	9	4	8	6	6	1
East and West Ridings	48	12	9	12	6	9	1
West Yorkshire Conurbation	21	6	3	6	3	3	—
Remainder of E. & W. Ridings	27	6	6	6	3	6	1
North Western	76	21	16	17	12	10	4
S.E. Lancashire Conurbation	24	6	5	6	3	4	1
Merseyside Conurbation	22	8	4	4	2	4	2
Remainder of North Western	30	7	7	7	7	2	1
North Midland	39	9	14	10	4	2	5
Midland	67	24	8	20	9	6	4
West Midlands Conurbation	44	17	3	13	7	4	4
Remainder of Midland	23	7	5	7	2	2	—
Eastern	27	8	5	6	5	3	1
London and South Eastern	78	28	15	18	13	4	6
Greater London	57	23	8	14	9	3	5
Remainder of South Eastern	21	5	7	4	4	1	1
Southern	25	8	2	6	5	4	1
South Western	26	10	5	5	2	4	—
Wales	37	16	9	5	3	4	3
Wales I (South East)	27	12	6	3	2	4	2
Wales II (remainder)	10	4	3	2	1	—	1
Urban/Rural aggregates:							
Conurbations	181	64	26	46	26	19	12
Areas outside conurbations:							
Urban areas with populations of 100,000 and over	63	16	17	18	6	6	4
Urban areas with populations of 50,000 and under 100,000	43	16	9	8	5	5	1
Urban areas with populations under 50,000	98	26	20	23	17	12	8
Rural districts	84	27	18	15	13	11	1

Area	Total under 1 year	Under 4 weeks	4 weeks and under 3 mths.	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)
	Congenital malformations (750–759)						
ENGLAND AND WALES	3,838	2,482	639	405	197	115	235
Regions and conurbations:							
Northern	318	209	57	25	20	7	14
Tyneside Conurbation	68	52	10	2	3	1	6
Remainder of Northern	250	157	47	23	17	6	8
East and West Ridings	344	232	49	38	14	11	23
West Yorkshire Conurbation	132	87	17	17	6	5	9
Remainder of E. & W. Ridings	212	145	32	21	8	6	14
North Western	620	425	100	58	22	15	33
S.E. Lancashire Conurbation	210	145	34	22	4	5	14
Merseyside Conurbation	152	100	29	12	6	5	10
Remainder of North Western	258	180	37	24	12	5	9
North Midland	343	220	65	34	14	10	26
Midland	441	280	74	49	24	14	26
West Midlands Conurbation	207	125	37	26	14	5	17
Remainder of Midland	234	155	37	23	10	9	9
Eastern	275	182	40	32	12	9	14
London and South Eastern	738	456	131	88	40	23	62
Greater London	556	350	93	64	32	17	51
Remainder of South Eastern	182	106	38	24	8	6	11
Southern	259	157	39	28	22	13	19
South Western	269	167	52	22	22	6	11
Wales	231	154	32	31	7	7	7
Wales I (South East)	164	107	23	24	6	4	6
Wales II (remainder)	67	47	9	7	1	3	1
Urban/Rural aggregates:							
Conurbations	1,325	859	220	143	65	38	107
Areas outside conurbations:							
Urban areas with populations of 100,000 and over	565	363	91	61	31	19	42
Urban areas with populations of 50,000 and under 100,000	371	235	68	36	25	7	28
Urban areas with populations under 50,000	822	536	134	82	38	32	25
Rural districts	755	489	126	83	38	19	33

Area	Total under 1 year	Under 4 weeks	4 weeks and under 3 mths.	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)
	Accidental mechanical suffocation (E921–E925)						
ENGLAND AND WALES	412	36	133	158	56	29	30
Regions and conurbations:							
Northern	54	4	20	24	3	3	3
Tyneside Conurbation	20	2	8	8	1	1	3
Remainder of Northern	34	2	12	16	2	2	—
East and West Ridings	30	2	5	14	6	3	3
West Yorkshire Conurbation	13	1	2	7	2	1	1
Remainder of E. & W. Ridings	17	1	3	7	4	2	2
North Western	80	5	26	33	10	6	4
S.E. Lancashire Conurbation	30	1	9	13	4	3	2
Merseyside Conurbation	26	—	9	13	3	1	1
Remainder of North Western	24	4	8	7	3	2	1
North Midland	32	2	12	8	6	4	3
Midland	47	6	17	13	8	3	—
West Midlands Conurbation	25	5	7	6	5	2	—
Remainder of Midland	22	1	10	7	3	1	—
Eastern	29	3	11	8	4	3	4
London and South Eastern	41	4	11	16	8	2	7
Greater London	27	4	8	7	6	2	5
Remainder of South Eastern	14	—	3	9	2	—	2
Southern	33	3	10	14	4	2	3
South Western	38	5	12	14	6	1	3
Wales	28	2	9	14	1	2	—
Wales I (South East)	14	1	6	7	—	—	—
Wales II (remainder)	14	1	3	7	1	2	—
Urban/Rural aggregates:							
Conurbations	141	13	43	54	21	10	12
Areas outside conurbations:							
Urban areas with populations of 100,000 and over	50	4	21	16	6	3	7
Urban areas with populations of 50,000 and under 100,000	40	1	13	17	7	2	4
Urban areas with populations under 50,000	107	12	37	36	11	11	6
Rural districts	74	6	19	35	11	3	1

Area	Total under 1 year	Under 4 weeks	4 weeks and under 3 mths.	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)
	Injury at birth (760, 761)						
ENGLAND AND WALES	1,862	1,862	—	—	—	—	152
Regions and conurbations:							
Northern	142	142	—	—	—	—	9
Tyneside Conurbation	41	41	—	—	—	—	3
Remainder of Northern	101	101	—	—	—	—	6
East and West Ridings	170	170	—	—	—	—	14
West Yorkshire Conurbation	64	64	—	—	—	—	9
Remainder of E. & W. Ridings	106	106	—	—	—	—	5
North Western	337	337	—	—	—	—	26
S.E. Lancashire Conurbation	134	134	—	—	—	—	10
Merseyside Conurbation	91	91	—	—	—	—	8
Remainder of North Western	112	112	—	—	—	—	8
North Midland	134	134	—	—	—	—	8
Midland	244	244	—	—	—	—	25
West Midlands Conurbation	125	125	—	—	—	—	19
Remainder of Midland	119	119	—	—	—	—	6
Eastern	136	136	—	—	—	—	12
London and South Eastern	385	385	—	—	—	—	42
Greater London	296	296	—	—	—	—	35
Remainder of South Eastern	89	89	—	—	—	—	7
Southern	106	106	—	—	—	—	6
South Western	119	119	—	—	—	—	7
Wales	89	89	—	—	—	—	3
Wales I (South East)	68	68	—	—	—	—	2
Wales II (remainder)	21	21	—	—	—	—	1
Urban/Rural aggregates:							
Conurbations	751	751	—	—	—	—	84
Areas outside conurbations:							
Urban areas with populations of 100,000 and over	243	243	—	—	—	—	15
Urban areas with populations of 50,000 and under 100,000	182	182	—	—	—	—	18
Urban areas with populations under 50,000	336	336	—	—	—	—	21
Rural districts	350	350	—	—	—	—	14

(88065)

TABLE 26—*continued*

Area	Total under 1 year	Under 4 weeks	4 weeks and under 3 mths.	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)	Total under 1 year	Under 4 weeks	4 weeks and under 3 mths.	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)
	Post-natal asphyxia, atelectasis (762)							Haemolytic disease of newborn (770)						
ENGLAND AND WALES	**2,673**	**2,649**	**13**	**9**	**1**	**1**	**218**	**353**	**348**	**4**	—	**1**	—	**19**
Regions and conurbations:														
Northern	**209**	**209**	—	—	—	—	**8**	**19**	**19**	—	—	—	—	**1**
Tyneside Conurbation	28	28	—	—	—	—	1	7	7	—	—	—	—	—
Remainder of Northern	181	181	—	—	—	—	7	12	12	—	—	—	—	1
East and West Ridings	**222**	**218**	—	**4**	—	—	**16**	**36**	**36**	—	—	—	—	**2**
West Yorkshire Conurbation	102	101	—	1	—	—	7	12	12	—	—	—	—	1
Remainder of E. & W. Ridings	120	117	—	3	—	—	9	24	24	—	—	—	—	1
North Western	**524**	**519**	**4**	**1**	—	—	**38**	**54**	**54**	—	—	—	—	**1**
S.E. Lancashire Conurbation	197	195	2	—	—	—	16	18	18	—	—	—	—	—
Merseyside Conurbation	123	121	2	—	—	—	8	18	18	—	—	—	—	1
Remainder of North Western	204	203	—	1	—	—	14	18	18	—	—	—	—	—
North Midland	**201**	**200**	**1**	—	—	—	**14**	**25**	**24**	—	—	**1**	—	**3**
Midland	**277**	**276**	**1**	—	—	—	**25**	**35**	**35**	—	—	—	—	**3**
West Midlands Conurbation	155	154	1	—	—	—	16	17	17	—	—	—	—	2
Remainder of Midland	122	122	—	—	—	—	9	18	18	—	—	—	—	1
Eastern	**195**	**193**	—	—	**1**	**1**	**17**	**42**	**42**	—	—	—	—	—
London and South Eastern	**569**	**563**	**4**	**2**	—	—	**67**	**77**	**75**	**2**	—	—	—	**6**
Greater London	457	453	3	1	—	—	59	64	63	1	—	—	—	6
Remainder of South Eastern	112	110	1	1	—	—	8	13	12	1	—	—	—	—
Southern	**159**	**159**	—	—	—	—	**13**	**23**	**21**	**2**	—	—	—	—
South Western	**177**	**174**	**1**	**2**	—	—	**12**	**23**	**23**	—	—	—	—	**1**
Wales	**140**	**138**	**2**	—	—	—	**8**	**19**	**19**	—	—	—	—	**2**
Wales I (South East)	97	95	2	—	—	—	3	11	11	—	—	—	—	1
Wales II (remainder)	43	43	—	—	—	—	5	8	8	—	—	—	—	1
Urban/Rural aggregates:														
Conurbations	1,062	1,052	8	2	—	—	107	136	135	1	—	—	—	10
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	366	362	1	3	—	—	27	50	50	—	—	—	—	4
Urban areas with populations of 50,000 and under 100,000	262	260	1	1	—	—	16	34	32	2	—	—	—	—
Urban areas with populations under 50,000	486	483	—	1	1	1	38	57	56	1	—	—	—	5
Rural districts	497	492	3	2	—	—	30	76	75	—	—	1	—	—
	Immaturity associated with *diseases of early infancy* (760–773)*							Immaturity (774–776)						
ENGLAND AND WALES	**3,473**	**3,464**	**6**	**2**	**1**	—	**293**	**2,987**	**2,946**	**33**	**7**	**1**	—	**333**
Regions and conurbations:														
Northern	**315**	**315**	—	—	—	—	**18**	**254**	**253**	**1**	—	—	—	**25**
Tyneside Conurbation	77	77	—	—	—	—	7	78	78	—	—	—	—	9
Remainder of Northern	238	238	—	—	—	—	11	176	175	1	—	—	—	16
East and West Ridings	**288**	**287**	—	**1**	—	—	**26**	**344**	**342**	**2**	—	—	—	**37**
West Yorkshire Conurbation	131	131	—	—	—	—	12	150	149	1	—	—	—	19
Remainder of E. & W. Ridings	157	156	—	1	—	—	14	194	193	1	—	—	—	18
North Western	**619**	**617**	**1**	—	**1**	—	**47**	**460**	**455**	**5**	—	—	—	**55**
S.E. Lancashire Conurbation	227	226	1	—	—	—	15	180	177	3	—	—	—	31
Merseyside Conurbation	149	149	—	—	—	—	14	128	128	—	—	—	—	10
Remainder of North Western	243	242	—	—	1	—	18	152	150	2	—	—	—	14
North Midland	**270**	**270**	—	—	—	—	**21**	**213**	**208**	**5**	—	—	—	**15**
Midland	**414**	**413**	**1**	—	—	—	**31**	**254**	**248**	**4**	**2**	—	—	**25**
West Midlands Conurbation	218	217	1	—	—	—	19	110	107	2	1	—	—	14
Remainder of Midland	196	196	—	—	—	—	12	144	141	2	1	—	—	11
Eastern	**240**	**240**	—	—	—	—	**14**	**210**	**205**	**4**	**1**	—	—	**20**
London and South Eastern	**744**	**740**	**3**	**1**	—	—	**91**	**675**	**665**	**7**	**3**	—	—	**102**
Greater London	578	576	1	1	—	—	78	505	497	6	2	—	—	75
Remainder of South Eastern	166	164	2	—	—	—	13	170	168	1	1	—	—	27
Southern	**205**	**205**	—	—	—	—	**13**	**174**	**172**	**1**	—	**1**	—	**20**
South Western	**201**	**201**	—	—	—	—	**17**	**190**	**188**	**2**	—	—	—	**21**
Wales	**177**	**176**	**1**	—	—	—	**15**	**213**	**210**	**2**	**1**	—	—	**13**
Wales I (South East)	126	125	1	—	—	—	8	169	167	2	—	—	—	12
Wales II (remainder)	51	51	—	—	—	—	7	44	43	—	1	—	—	1
Urban/Rural aggregates:														
Conurbations	1,380	1,376	3	1	—	—	145	1,151	1,136	12	3	—	—	158
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	452	451	—	1	—	—	38	447	439	8	—	—	—	52
Urban areas with populations of 50,000 and under 100,000	319	317	2	—	—	—	20	261	257	3	1	—	—	32
Urban areas with populations under 50,000	648	647	—	—	1	—	53	609	601	5	3	—	—	57
Rural districts	674	673	1	—	—	—	37	519	513	5	—	1	—	34

*Including some deaths shown elsewhere in this table.

TABLE 27. Causes of death at various ages under five years, 1962

England and Wales

ICD No.	Causes of death		Total under 5 years	Days		Weeks				Months					Years				
				0	1–6	0	1	2	3	0	1–2	3–5	6–8	9–11	0	1	2	3	4
	ALL CAUSES	M	12,008	3,638	2,810	6,448	507	287	205	7,447	1,223	1,119	473	311	10,573	598	353	259	225
		F	8,729	2,574	1,866	4,440	368	222	179	5,209	904	812	432	257	7,614	475	257	223	160
001–008	Tuberculosis of respiratory system	M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
		F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
010	Tuberculosis of meninges and central nervous system	M	11	—	1	1	—	—	—	1	—	—	1	1	3	4	3	1	—
		F	9	—	—	—	—	—	—	—	—	—	—	2	2	4	1	—	2
011	Tuberculosis of intestines, peritoneum, and mesenteric glands	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
012, 013	Tuberculosis of bones and joints	M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
014–018	Tuberculosis, all other organs	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
019	Disseminated tuberculosis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
020–029	Syphilis and its sequelae	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	1	—	1	—	—	—	1	—	—	—	—	1	—	—	—	—
030–039	Gonococcal infection and other venereal diseases	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
040–049	Infectious diseases commonly arising in intestinal tract	M	13	—	3	3	1	—	1	5	—	1	2	1	9	2	1	—	1
		F	5	—	—	—	—	—	—	—	—	1	1	1	3	—	1	1	—
045–048	Dysentery, all forms	M	7	—	1	1	—	—	1	2	—	1	2	1	6	—	—	—	1
		F	3	—	—	—	—	—	—	—	—	1	—	1	2	—	1	—	—
050–064	Other bacterial diseases	M	108	1	1	2	1	1	1	5	10	27	16	11	69	13	12	7	7
		F	53	—	—	—	1	1	—	2	4	12	10	5	33	12	2	4	2
050	Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
055	Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056·0	Whooping cough, without mention of pneumonia	M	3	—	—	—	—	—	1	1	—	—	—	1	2	1	—	—	—
		F	3	—	—	—	—	—	—	—	1	2	—	—	3	—	—	—	—
056·1	Whooping cough, with pneumonia	M	12	—	—	—	—	—	—	—	1	4	2	1	8	1	1	1	1
		F	5	—	—	—	—	—	—	—	1	2	1	1	5	—	—	—	—

ICD No.	Causes of death		Total under 5 years	Days		Weeks				Months					Years				
				0	1–6	0	1	2	3	0	1–2	3–5	6–8	9–11	0	1	2	3	4
057·0	Meningococcal meningitis	M	21	—	1	1	1	—	—	2	1	6	3	—	12	1	3	2	3
		F	14	—	—	—	1	—	—	1	—	3	2	1	7	3	—	2	2
057·1	Acute and unspecified meningococcaemia	M	47	1	—	1	—	1	—	2	2	9	10	7	30	7	6	2	2
		F	18	—	—	—	—	1	—	1	1	2	4	2	10	5	1	2	—
057·2	Chronic meningococcaemia	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
057·3	Other forms of meningococcal infection	M	1	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
061	Tetanus	M	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
080, 081	Acute poliomyelitis, including late effects	M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
		F	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1
082, 083	Acute infectious encephalitis, including late effects	M	25	—	—	—	—	—	—	—	1	5	4	3	13	7	3	2	—
		F	24	—	—	—	—	—	—	—	2	3	2	3	10	5	4	4	1
085·0	Measles, without mention of pneumonia	M	4	—	—	—	—	—	—	—	1	—	—	—	1	2	—	—	1
		F	4	—	—	—	—	—	—	—	—	—	—	—	—	2	—	1	1
085·1	Measles, with pneumonia	M	7	—	—	—	—	—	—	—	—	—	1	1	2	2	—	1	2
		F	8	—	—	—	—	—	—	—	—	—	—	1	1	4	1	1	1
086	Rubella (German measles)	M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
087	Chickenpox	M	7	—	—	—	—	1	—	1	—	—	1	—	2	3	—	—	2
		F	3	—	—	—	—	—	—	—	—	—	1	—	1	1	1	—	—
089	Mumps	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rem. of 001–138	Other infective and parasitic diseases	M	31	1	1	2	1	3	—	6	—	5	1	3	15	4	7	3	2
		F	13	1	—	1	—	1	—	2	1	1	2	2	8	2	2	1	—
140–239	Neoplasms	M	215	2	3	5	3	1	—	9	7	10	8	10	44	43	47	47	34
		F	185	3	4	7	—	—	2	9	4	8	8	9	38	35	43	40	29
140–199	Malignant neoplasms	M	84	2	—	2	—	1	—	3	2	2	5	5	17	23	18	16	10
		F	86	1	—	1	—	—	2	3	—	6	4	1	14	16	25	20	11
150–159	of digestive organs and peritoneum	M	8	—	—	—	—	—	—	—	—	1	2	1	4	1	2	1	—
		F	4	—	—	—	—	—	1	1	—	—	—	—	1	—	2	1	—
170–181	of breast and genito-urinary organs	M	25	1	—	1	—	1	—	2	—	—	1	2	5	4	9	4	3
		F	22	—	—	—	—	—	—	—	—	2	—	—	2	6	5	5	4
180	of kidney	M	21	1	—	1	—	1	—	2	—	—	1	2	5	4	6	3	3
		F	19	—	—	—	—	—	—	—	—	2	—	—	2	6	4	3	4

TABLE 27—*continued*

ICD No.	Causes of death		Total under 5 years	Days		Weeks				Months					Years				
				0	1–6	0	1	2	3	0	1–2	3–5	6–8	9–11	0	1	2	3	4
140–199	Malignant neoplasms—continued																		
192	of eye	M	2	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—
		F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
193	of brain and other parts of nervous system	M	31	—	—	—	—	—	—	—	2	1	1	—	4	14	3	7	3
		F	38	—	—	—	—	—	1	1	—	3	1	—	5	6	12	11	4
195	of endocrine glands	M	9	1	—	1	—	—	—	1	—	—	1	2	4	3	—	—	2
		F	7	—	—	—	—	—	—	—	—	1	—	1	2	2	2	—	1
	195·0 of suprarenal	M	8	1	—	1	—	—	—	1	—	—	1	2	4	3	—	—	1
		F	7	—	—	—	—	—	—	—	—	1	—	1	2	2	2	—	1
	195·1 of parathyroid	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	195·2 of thymus	M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	195·3 of pituitary	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
196	of bone	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	7	1	—	1	—	—	—	1	—	—	2	—	3	1	—	2	1
197	of connective tissue	M	3	—	—	—	—	—	—	—	—	—	—	—	—	1	—	2	—
		F	2	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—
200–205	Leukaemia, aleukaemia and reticuloses	M	98	—	—	—	1	—	—	1	1	4	2	3	11	13	25	26	23
		F	81	—	—	—	—	—	—	—	3	1	4	7	15	16	17	17	16
200	lymphosarcoma and reticulosarcoma	M	9	—	—	—	—	—	—	—	—	1	—	1	2	2	—	3	2
		F	6	—	—	—	—	—	—	—	—	—	1	—	1	2	1	—	2
204·0	lymphatic leukaemia	M	4	—	—	—	—	—	—	—	—	—	—	—	—	1	—	3	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
204·1	myeloid leukaemia	M	3	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	1
		F	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1
204·2	monocytic leukaemia	M	3	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	1
		F	3	—	—	—	—	—	—	—	1	—	—	—	1	—	1	—	1
204·3	acute leukaemia	M	71	—	—	—	1	—	—	1	1	2	1	1	6	7	22	18	18
		F	60	—	—	—	—	—	—	—	1	1	3	4	9	12	14	14	11
204·4	other and unspecified leukaemia	M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
		F	3	—	—	—	—	—	—	—	—	—	—	1	1	—	—	1	1

210–239	Benign and unspecified neoplasms	M	33	—	3	3	2	—	—	5	4	4	1	2	16	7	4	5	1
		F	18	2	4	6	—	—	—	6	1	1	—	1	9	3	1	3	2
223, 237	of brain and central nervous system	M	16	—	1	1	—	—	—	1	1	1	1	—	4	5	4	2	1
		F	10	—	1	1	—	—	—	1	—	1	—	—	2	3	1	3	1
240–245	Allergic disorders	M	20	—	—	—	—	—	1	1	7	3	—	1	12	5	2	—	1
		F	16	—	1	1	—	—	—	1	2	2	2	1	8	3	1	1	3
250–254	Diseases of thyroid gland	M	2	—	—	—	1	—	—	1	—	1	—	—	2	—	—	—	—
		F	3	1	—	1	—	—	—	1	1	1	—	—	3	—	—	—	—
260	Diabetes mellitus	M	4	—	—	—	—	—	—	—	1	1	1	1	4	—	—	—	—
		F	9	—	1	1	—	—	—	1	—	—	3	1	5	1	2	—	1
270–277	Diseases of other endocrine glands	M	33	9	3	12	2	1	3	18	7	2	1	—	28	1	1	2	1
		F	17	3	1	4	1	2	1	8	—	3	2	—	13	2	—	1	1
280–289	Avitaminoses and other metabolic diseases	M	22	—	—	—	1	—	—	1	3	5	2	3	14	4	1	2	1
		F	17	—	—	—	—	—	—	—	1	5	2	2	10	3	1	2	1
283	active rickets	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
286·0	steatorrhoea and sprue	M	4	—	—	—	—	—	—	—	—	1	—	1	2	2	—	—	—
		F	5	—	—	—	—	—	—	—	1	1	1	—	3	2	—	—	—
290–293	Anaemias	M	14	1	—	1	—	—	—	1	3	1	—	—	5	3	3	1	2
		F	9	—	—	—	—	—	—	—	2	1	—	1	4	1	2	1	1
294–299	Other diseases of blood and blood-forming organs	M	24	1	1	2	2	1	—	5	4	3	—	5	17	2	1	2	2
		F	7	2	—	2	—	1	—	3	1	1	—	1	6	—	1	—	—
320–326	Mental, psychoneurotic, and personality disorders	M	33	5	6	11	4	—	—	15	2	4	3	1	25	2	1	1	4
		F	32	2	4	6	—	—	—	6	8	4	2	1	21	4	3	3	1
325	mental deficiency	M	33	5	6	11	4	—	—	15	2	4	3	1	25	2	1	1	4
		F	32	2	4	6	—	—	—	6	8	4	2	1	21	4	3	3	1
330–334	Vascular lesions affecting central nervous system	M	22	—	1	1	—	—	—	1	7	5	2	1	16	3	2	1	—
		F	6	—	—	—	—	—	—	—	3	1	—	—	4	2	—	—	—
340–345	Inflammatory diseases of central nervous system	M	177	—	7	7	15	17	7	46	29	20	15	19	129	30	9	6	3
		F	128	—	7	7	11	3	2	23	23	28	11	7	92	17	10	5	4
340	meningitis, except meningococcal and tuberculous	M	126	—	7	7	14	16	6	43	22	12	8	11	96	20	5	3	2
		F	86	—	7	7	11	2	2	22	18	16	7	4	67	10	5	2	2
350–357	Other diseases of central nervous system	M	81	—	—	—	—	1	—	1	10	7	6	4	28	21	10	14	8
		F	68	—	—	—	1	—	—	1	5	7	10	3	26	20	10	9	3
351	cerebral spastic infantile paralysis	M	34	—	—	—	—	—	—	—	6	3	—	1	10	10	5	6	3
		F	19	—	—	—	1	—	—	1	4	2	2	1	10	3	2	3	1
353	epilepsy	M	30	—	—	—	—	—	—	—	1	3	2	1	7	8	3	7	5
		F	31	—	—	—	—	—	—	—	—	3	3	1	7	13	5	5	1

TABLE 27—*continued*

ICD No.	Causes of death		Total under 5 years	Days		Weeks				Months					Years				
				0	1–6	0	1	2	3	0	1–2	3–5	6–8	9–11	0	1	2	3	4
390–398	Diseases of ear and mastoid process	M	40	—	—	—	1	2	—	3	8	16	3	3	33	3	3	—	1
		F	26	—	—	—	1	—	2	3	9	8	2	1	23	2	—	—	1
Rem. of 330–398	Other diseases of nerves and sense organs	M	2	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	1
		F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
400–402	Rheumatic fever	M	2	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	1
		F	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
410–434	Diseases of the heart	M	22	—	2	2	1	2	—	5	2	8	—	—	15	2	2	3	—
		F	25	1	1	2	1	1	—	4	3	4	5	1	17	3	2	1	2
440–468	Other diseases of the circulatory system	M	5	—	—	—	—	—	—	—	2	1	—	—	3	2	—	—	—
		F	7	—	1	1	—	—	—	1	1	—	—	1	3	—	2	2	—
470–475	Acute upper respiratory infections	M	32	—	—	—	—	—	—	—	8	5	4	3	20	4	2	3	3
		F	20	—	—	—	—	—	—	—	3	5	—	—	8	4	3	3	2
480–483	Influenza	M	30	—	—	—	—	—	—	—	12	8	2	1	23	5	2	—	—
		F	28	—	—	—	—	—	1	1	3	8	3	—	15	6	2	4	1
490	Lobar pneumonia	M	50	—	—	—	—	—	—	—	17	16	8	2	43	5	2	—	—
		F	49	—	—	—	—	—	—	—	16	12	5	3	36	10	3	—	—
491	Bronchopneumonia	M	1,081	—	—	—	—	—	—	—	347	351	131	80	909	100	36	19	17
		F	803	—	—	—	—	—	—	—	246	239	113	54	652	77	37	23	14
492–493	Primary atypical, other and unspecified pneumonia	M	140	—	—	—	—	—	—	—	45	43	23	10	121	11	4	2	2
		F	97	—	—	—	—	—	—	—	33	31	11	6	81	10	4	1	1
500–502	Bronchitis	M	298	1	5	6	8	6	3	23	61	104	37	20	245	29	10	8	6
		F	218	—	1	1	4	2	6	13	57	55	29	13	167	25	14	7	5
510–527	Other diseases of respiratory system	M	70	4	2	6	3	1	1	11	14	15	4	—	44	10	7	4	5
		F	36	4	6	10	—	—	—	10	6	5	2	2	25	5	1	4	1
518	empyema	M	2	—	—	—	—	—	1	1	—	—	—	—	1	—	—	—	1
		F	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
519	pleurisy	M	1	1	—	1	—	—	—	1	—	—	—	—	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
530–539	Diseases of buccal cavity and oesophagus	M	2	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—
		F	3	—	—	—	—	—	1	1	—	1	1	—	3	—	—	—	—
543	Gastritis and duodenitis	M	2	—	—	—	—	—	—	—	—	—	1	—	1	—	1	—	—
		F	1	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—

544	Disorders of function of stomach	M	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rem. of 540–545	Diseases of stomach and duodenum, others	M	6	—	1	1	1	—	—	2	1	1	1	—	5	1	—	—	—
		F	4	—	2	2	—	—	—	2	1	—	—	1	4	—	—	—	—
550–553	Appendicitis	M	19	—	1	1	1	—	—	2	—	—	—	1	3	3	3	5	5
		F	3	—	—	—	—	—	—	—	—	—	—	—	—	2	1	—	—
560–561	Hernia of abdominal cavity	M	83	40	24	64	5	2	2	73	5	2	—	—	80	2	1	—	—
		F	62	33	23	56	—	1	—	57	4	—	1	—	62	—	—	—	—
570	Intestinal obstruction, without mention of hernia	M	41	—	—	—	4	—	—	4	8	12	6	4	34	3	3	1	—
		F	25	—	1	1	—	1	—	2	2	6	5	3	18	3	—	3	1
570·0	intussusception	M	26	—	—	—	—	—	—	—	3	11	5	3	22	2	1	1	—
		F	19	—	—	—	—	—	—	—	1	6	5	3	15	2	—	2	—
570·3	volvulus	M	9	—	—	—	1	—	—	1	3	1	1	—	6	1	2	—	—
		F	4	—	1	1	—	—	—	1	—	—	—	—	1	1	—	1	1
571	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	M	296	—	—	—	—	—	—	—	80	56	39	39	214	59	14	4	5
		F	221	—	—	—	—	—	—	—	55	53	47	26	181	30	8	2	—
Rem. of 570–578	Other diseases of intestines and peritoneum	M	8	—	1	1	1	—	—	2	5	—	1	—	8	—	—	—	—
		F	9	—	1	1	—	—	—	1	2	2	1	2	8	1	—	—	—
580–587	Diseases of liver, gallbladder and pancreas	M	81	—	10	10	3	4	3	20	14	19	9	4	66	5	4	2	4
		F	82	1	6	7	5	2	4	18	13	15	8	4	58	10	5	3	6
587	diseases of pancreas	M	67	—	9	9	3	3	2	17	9	18	7	3	54	5	3	1	4
		F	75	1	6	7	3	2	4	16	13	14	7	3	53	10	5	3	4
590–594	Nephritis and nephrosis	M	13	—	—	—	—	—	1	1	2	3	1	—	7	1	1	4	—
		F	10	—	—	—	—	—	—	—	1	2	1	—	4	1	3	1	1
600–609	Other diseases of urinary system	M	42	2	1	3	3	4	4	14	10	5	4	5	38	3	—	—	1
		F	14	—	1	1	1	—	—	2	4	2	1	1	10	1	1	—	2
610–617	Diseases of male genital organs	M	2	—	1	1	1	—	—	2	—	—	—	—	2	—	—	—	—
615	redundant prepuce and phimosis	M	2	—	1	1	1	—	—	2	—	—	—	—	2	—	—	—	—
620–637	Diseases of female genital organs	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
690–698	Infections of skin and subcutaneous tissue	M	3	—	—	—	—	—	—	—	2	—	1	—	3	—	—	—	—
		F	2	—	—	—	—	—	1	1	—	—	—	—	1	1	—	—	—
700–716	Other diseases of skin and subcutaneous tissue	M	5	—	—	—	—	—	—	—	1	3	1	—	5	—	—	—	—
		F	2	—	—	—	—	—	—	—	—	—	2	—	2	—	—	—	—
720–749	Diseases of the bones and organs of movement	M	20	2	—	2	—	—	1	3	3	5	2	3	16	1	1	1	1
		F	8	—	—	—	—	—	—	—	1	3	3	—	7	—	—	1	—
730	osteomyelitis and periostitis	M	1	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
750	Monstrosity	M	74	60	13	73	—	—	—	73	1	—	—	—	74	—	—	—	—
		F	130	92	32	124	3	1	1	129	—	—	—	1	130	—	—	—	—

TABLE 27—*continued*

ICD No.	Causes of death		Total under 5 years	Days		Weeks				Months					Years				
				0	1–6	0	1	2	3	0	1–2	3–5	6–8	9–11	0	1	2	3	4
751	Spina bifida and meningocele	M	236	22	43	65	35	19	14	133	58	23	9	4	227	6	—	3	—
		F	361	45	65	110	50	33	32	225	67	27	16	10	345	8	5	1	2
752	Congenital hydrocephalus	M	211	37	22	59	26	7	5	97	30	28	17	10	182	16	8	1	4
		F	297	57	32	89	29	16	17	151	45	34	22	14	266	15	6	5	5
753·0	Congenital cataract	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
753·1	Other congenital malformations of nervous system and sense organs	M	48	9	5	14	3	—	1	18	4	7	2	1	32	4	7	3	2
		F	62	16	11	27	4	3	2	36	3	3	1	1	44	9	5	2	2
754·0	Tetralogy of Fallot	M	43	2	5	7	2	3	—	12	4	5	4	—	25	7	4	4	3
		F	30	—	1	1	1	3	—	5	2	8	3	4	22	5	1	—	2
754·1	Patent ductus arteriosus (Botalli)	M	59	8	18	26	3	5	3	37	12	4	1	2	56	2	—	—	1
		F	48	2	10	12	2	4	2	20	9	8	4	1	42	1	2	1	2
754·2	Interventricular septal defect	M	110	3	20	23	17	6	6	52	17	17	10	2	98	5	3	3	1
		F	106	5	29	34	8	6	—	48	16	16	6	5	91	7	3	3	2
754·3	Interauricular septal defect	M	69	8	24	32	4	1	5	42	9	8	3	1	63	—	2	3	1
		F	68	11	21	32	—	1	3	36	10	11	4	1	62	2	1	2	1
754·4	Fibroelastosis cordis	M	49	3	11	14	2	—	2	18	7	13	5	1	44	3	2	—	—
		F	36	—	6	6	2	—	—	8	3	10	3	5	29	4	1	2	—
754·5	Other and unspecified malformations of heart	M	504	45	153	198	50	32	21	301	80	50	26	11	468	20	7	6	3
		F	412	38	98	136	38	25	16	215	66	51	20	16	368	21	5	9	9
754·6	Coarctation of aorta	M	29	—	12	12	4	3	—	19	6	3	1	—	29	—	—	—	—
		F	15	3	2	5	1	—	2	8	2	3	1	1	15	—	—	—	—
754·7	Other circulatory malformations	M	113	7	36	43	11	7	4	65	21	13	4	1	104	1	4	3	1
		F	62	1	12	13	5	4	1	23	20	8	4	3	58	2	2	—	—
755	Cleft palate and harelip	M	8	2	2	4	1	1	1	7	—	—	—	—	7	1	—	—	—
		F	3	—	—	—	—	—	1	1	—	1	—	—	2	—	—	1	—
756·0	Congenital hypertrophic pyloric stenosis	M	30	—	—	—	—	—	2	2	24	4	—	—	30	—	—	—	—
		F	3	—	—	—	—	1	1	2	—	1	—	—	3	—	—	—	—
756·1	Imperforate anus	M	23	4	9	13	1	1	2	17	5	—	—	—	22	1	—	—	—
		F	6	1	4	5	1	—	—	6	—	—	—	—	6	—	—	—	—

756·2	Other congenital malformations of digestive system	M	227	11	78	89	25	22	8	144	34	20	7	4	209	12	4	1	1
		F	149	4	58	62	21	11	4	98	22	8	4	8	140	7	—	2	—
757·0	Undescended testicle	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
757·1	Polycystic disease of kidney	M	31	23	—	23	—	1	1	25	5	—	1	—	31	—	—	—	—
		F	15	8	1	9	1	—	—	10	1	2	1	—	14	1	—	—	—
757·2	Congenital malformations of external genital organs	M	3	—	1	1	—	1	1	3	—	—	—	—	3	—	—	—	—
		F	1	—	—	—	—	1	—	1	—	—	—	—	1	—	—	—	—
757·3	Other congenital malformations of genito-urinary system	M	108	41	8	49	10	5	6	70	20	4	5	—	99	5	2	1	1
		F	36	12	4	16	5	3	—	24	6	—	1	1	32	2	1	—	1
758·0	Congenital dislocation of hip	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
758·1	Chondrodystrophy	M	8	7	—	7	—	—	—	7	—	1	—	—	8	—	—	—	—
		F	3	2	—	2	—	1	—	3	—	—	—	—	3	—	—	—	—
758·2	Congenital malformations of skull	M	5	—	3	3	—	—	—	3	1	—	—	—	4	1	—	—	—
		F	6	1	1	2	2	—	—	4	1	—	—	—	5	—	1	—	—
758·3	Brittle bones	M	3	—	1	1	1	1	—	3	—	—	—	—	3	—	—	—	—
		F	5	1	1	2	2	—	—	4	—	—	—	1	5	—	—	—	—
758·4	Cervical rib	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
758·5	Congenital abnormalities of lumbo-sacral region	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—
758·6	Other congenital malformations of bone and joint	M	9	2	2	4	1	1	—	6	1	1	—	—	8	—	1	—	—
		F	12	4	1	5	2	—	—	7	2	—	1	1	11	1	—	—	—
759·0	Congenital malformations of respiratory system	M	38	20	7	27	1	—	—	28	1	1	2	2	34	1	1	1	1
		F	37	11	6	17	2	1	—	20	4	2	5	1	32	—	3	2	—
759·1	Congenital malformations of skin	M	5	—	—	—	1	—	—	1	3	1	—	—	5	—	—	—	—
		F	3	1	—	1	—	—	—	1	2	—	—	—	3	—	—	—	—
759·2	Congenital malformations of muscle	M	8	8	—	8	—	—	—	8	—	—	—	—	8	—	—	—	—
		F	15	14	—	14	—	—	1	15	—	—	—	—	15	—	—	—	—
759·3	Other and unspecified congenital malformations	M	128	71	21	92	11	2	2	107	9	6	3	—	125	—	2	1	—
		F	97	39	24	63	12	2	7	84	6	2	1	2	95	2	—	—	—
760·0	Intracranial and spinal injury at birth, without mention of immaturity	M	514	234	243	477	24	8	5	514	—	—	—	—	514	—	—	—	—
		F	286	147	124	271	8	4	3	286	—	—	—	—	286	—	—	—	—
760·5	Intracranial and spinal injury at birth, with immaturity	M	357	159	180	339	13	4	1	357	—	—	—	—	357	—	—	—	—
		F	178	73	98	171	4	2	1	178	—	—	—	—	178	—	—	—	—

TABLE 27—*continued*

ICD No.	Causes of death		Total under 5 years	Days		Weeks				Months					Years				
				0	1–6	0	1	2	3	0	1–2	3–5	6–8	9–11	0	1	2	3	4
761·0	Other birth injury, without mention of immaturity	M	124	90	32	122	1	—	1	124	—	—	—	—	124	—	—	—	—
		F	96	80	14	94	2	—	—	96	—	—	—	—	96	—	—	—	—
761·5	Other birth injury, with immaturity	M	180	136	42	178	2	—	—	180	—	—	—	—	180	—	—	—	—
		F	127	104	21	125	1	1	—	127	—	—	—	—	127	—	—	—	—
762·0	Postnatal asphyxia and atelectasis, without mention of immaturity	M	559	330	206	536	7	4	1	548	5	4	—	1	558	1	—	—	—
		F	409	251	137	388	4	5	1	398	6	4	1	—	409	—	—	—	—
762·5	Postnatal asphyxia and atelectasis, with immaturity	M	1,064	624	414	1,038	17	3	3	1,061	1	1	—	—	1,063	1	—	—	—
		F	643	395	234	629	11	2	—	642	1	—	—	—	643	—	—	—	—
763·0	Pneumonia of newborn, without mention of immaturity	M	365	31	163	194	65	63	43	365	—	—	—	—	365	—	—	—	—
		F	214	27	65	92	51	36	35	214	—	—	—	—	214	—	—	—	—
763·5	Pneumonia of newborn, with immaturity	M	105	11	66	77	19	3	6	105	—	—	—	—	105	—	—	—	—
		F	79	8	37	45	14	14	6	79	—	—	—	—	79	—	—	—	—
764·0	Diarrhoea of newborn, without mention of immaturity	M	27	—	2	2	9	8	8	27	—	—	—	—	27	—	—	—	—
		F	17	—	3	3	4	6	4	17	—	—	—	—	17	—	—	—	—
764·5	Diarrhoea of newborn, with immaturity	M	5	—	—	—	1	2	2	5	—	—	—	—	5	—	—	—	—
		F	6	—	1	1	—	2	3	6	—	—	—	—	6	—	—	—	—
765·0	Ophthalmia neonatorum, without mention of immaturity	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
765·5	Ophthalmia neonatorum, with immaturity	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
766·0	Pemphigus neonatorum, without mention of immaturity	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	1	—	1	2	—	1	—	—	3	—	—	—	—
766·5	Pemphigus neonatorum, with immaturity	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
767·0	Umbilical sepsis, without mention of immaturity	M	7	—	—	—	4	3	—	7	—	—	—	—	7	—	—	—	—
		F	3	—	1	1	1	1	—	3	—	—	—	—	3	—	—	—	—
767·5	Umbilical sepsis, with immaturity	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	1	1	1	—	—	2	—	—	—	—	2	—	—	—	—
768·0	Other sepsis of newborn, without mention of immaturity	M	14	—	6	6	4	—	4	14	—	—	—	—	14	—	—	—	—
		F	16	—	6	6	6	2	2	16	—	—	—	—	16	—	—	—	—
768·5	Other sepsis of newborn, with immaturity	M	8	—	2	2	3	1	1	7	1	—	—	—	8	—	—	—	—
		F	6	—	—	—	3	3	—	6	—	—	—	—	6	—	—	—	—
769·0	Neonatal disorders attributed to "toxaemia of pregnancy" without mention of immaturity	M	10	7	3	10	—	—	—	10	—	—	—	—	10	—	—	—	—
		F	10	7	3	10	—	—	—	10	—	—	—	—	10	—	—	—	—
769·1	Neonatal disorders attributed to maternal diabetes, without mention of immaturity	M	6	4	2	6	—	—	—	6	—	—	—	—	6	—	—	—	—
		F	2	1	1	2	—	—	—	2	—	—	—	—	2	—	—	—	—
769·2	Neonatal disorders attributed to maternal rubella, without mention of immaturity	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
769·3	Neonatal disorders attributed to toxoplasmosis, without mention of immaturity	M	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
769·4	Neonatal disorders attributed to other or unspecified maternal toxaemia, without mention of immaturity	M	2	—	2	2	—	—	—	2	—	—	—	—	2	—	—	—	—
		F	1	—	1	1	—	—	—	1	—	—	—	—	1	—	—	—	—
769·5	Neonatal disorders attributed to "toxaemia of pregnancy" with immaturity	M	96	54	41	95	1	—	—	96	—	—	—	—	96	—	—	—	—
		F	73	45	28	73	—	—	—	73	—	—	—	—	73	—	—	—	—
769·6	Neonatal disorders attributed to maternal diabetes, with immaturity	M	15	6	9	15	—	—	—	15	—	—	—	—	15	—	—	—	—
		F	6	3	3	6	—	—	—	6	—	—	—	—	6	—	—	—	—
769·7	Neonatal disorders attributed to maternal rubella, with immaturity	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
769·8	Neonatal disorders attributed to toxoplasmosis, with immaturity	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
769·9	Neonatal disorders attributed to other or unspecified maternal toxaemia, with immaturity	M	6	6	—	6	—	—	—	6	—	—	—	—	6	—	—	—	—
		F	4	4	—	4	—	—	—	4	—	—	—	—	4	—	—	—	—
770·0	Erythroblastosis, without mention of nervous affection or immaturity	M	140	92	44	136	1	1	—	138	2	—	—	—	140	—	—	—	—
		F	124	94	28	122	1	1	—	124	—	—	—	—	124	—	—	—	—
770·1	Kernicterus, without mention of immaturity	M	9	—	4	4	2	—	—	6	1	—	1	—	8	—	—	—	1
		F	2	1	1	2	—	—	—	2	—	—	—	—	2	—	—	—	—

TABLE 27—*continued*

ICD No.	Causes of death		Total under 5 years	Days		Weeks				Months					Years				
				0	1–6	0	1	2	3	0	1–2	3–5	6–8	9–11	0	1	2	3	4
770·2	Erythroblastosis, with disorder of liver other than icterus gravis, without mention of immaturity	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
770·5	Erythroblastosis, without mention of nervous affection but with immaturity	M	35	18	15	33	—	—	1	34	1	—	—	—	35	—	—	—	—
		F	35	21	13	34	1	—	—	35	—	—	—	—	35	—	—	—	—
770·6	Kernicterus with immaturity	M	7	—	3	3	4	—	—	7	—	—	—	—	7	—	—	—	—
		F	2	—	2	2	—	—	—	2	—	—	—	—	2	—	—	—	—
770·7	Erythroblastosis with disorder of liver	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
771·0	Haemorrhagic disease of newborn, without mention of immaturity	M	99	15	71	86	7	1	2	96	3	—	—	—	99	—	—	—	—
		F	52	13	32	45	6	1	—	52	—	—	—	—	52	—	—	—	—
771·5	Haemorrhagic disease of newborn, with immaturity	M	57	10	40	50	6	1	—	57	—	—	—	—	57	—	—	—	—
		F	24	4	18	22	1	1	—	24	—	—	—	—	24	—	—	—	—
772·0	Nutritional maladjustment, without mention of immaturity	M	5	—	—	—	—	—	—	—	3	2	—	—	5	—	—	—	—
		F	2	—	—	—	—	—	1	1	1	—	—	—	2	—	—	—	—
772·5	Nutritional maladjustment, with immaturity	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
773·0	Ill-defined diseases peculiar to early infancy, without mention of immaturity	M	77	25	39	64	6	3	3	76	1	—	—	—	77	—	—	—	—
		F	37	16	13	29	1	1	1	32	4	1	—	—	37	—	—	—	—
773·5	Ill-defined diseases peculiar to early infancy, with immaturity	M	224	128	91	219	2	—	—	221	1	1	1	—	224	—	—	—	—
		F	130	64	64	128	1	—	—	129	1	—	—	—	130	—	—	—	—
774	Immaturity with mention of any other subsidiary condition	M	72	30	20	50	1	1	1	53	14	4	1	—	72	—	—	—	—
		F	57	22	14	36	4	3	2	45	10	2	—	—	57	—	—	—	—
776	Immaturity unqualified	M	1,672	1,131	492	1,623	31	8	4	1,666	6	—	—	—	1,672	—	—	—	—
		F	1,186	741	414	1,155	22	4	1	1,182	3	1	—	—	1,186	—	—	—	—
780–795	Symptoms, and ill-defined conditions	M	15	7	—	7	—	—	—	7	3	2	—	1	13	1	—	1	—
		F	13	8	1	9	—	—	—	9	1	2	—	—	12	—	1	—	—
780·2	Convulsions	M	2	—	—	—	—	—	—	—	1	1	—	—	2	—	—	—	—
		F	3	—	1	1	—	—	—	1	1	—	—	—	2	—	1	—	—
785·2	Jaundice	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

E800–E999	Accidents, poisonings, and violence	M	699	28	9	37	5	8	7	57	88	122	28	29	324	109	103	81	82
		F	485	25	8	33	3	2	8	46	72	75	38	23	254	79	47	62	43
E800–E866	Transport accidents	M	140	—	—	—	—	—	—	—	1	4	1	2	8	23	34	31	44
		F	87	—	—	—	—	—	—	—	3	—	—	—	3	17	22	28	17
E810–E825	Motor vehicle traffic accidents	M	129	—	—	—	—	—	—	—	1	4	—	2	7	20	31	30	41
		F	84	—	—	—	—	—	—	—	3	—	—	—	3	16	21	27	17
E812	to pedestrian	M	108	—	—	—	—	—	—	—	—	—	—	—	—	17	26	27	38
		F	69	—	—	—	—	—	—	—	—	—	—	—	—	12	20	22	15
E870–E895	Accidental poisoning	M	27	1	—	1	—	—	—	1	1	2	—	1	5	18	2	2	—
		F	14	—	—	—	—	—	—	—	—	—	—	—	—	6	5	3	—
E900–E904	Accidental falls	M	37	2	1	3	—	1	—	4	1	3	2	4	14	11	5	5	2
		F	29	—	—	—	—	—	1	1	2	4	—	1	8	13	1	6	1
E910–E936	Other accidents	M	468	22	8	30	5	7	6	48	81	108	24	21	282	55	60	39	32
		F	325	18	8	26	2	2	7	37	63	69	37	19	225	40	15	21	24
E916	Accident caused by fire and explosion of combustible material	M	32	—	—	—	—	—	—	—	—	2	1	2	5	6	6	9	6
		F	50	—	—	—	1	—	1	2	—	5	1	3	11	10	7	10	12
E917	Accident caused by hot substance, corrosive liquid and steam	M	13	1	—	1	—	—	—	1	—	1	—	1	3	6	3	—	1
		F	12	—	1	1	—	—	—	1	—	1	—	1	3	2	4	2	1
E921–E925	Accidental mechanical suffocation	M	269	1	6	7	4	5	6	22	75	98	21	15	231	21	10	2	5
		F	202	—	5	5	1	2	6	14	58	60	35	14	181	15	1	2	3
E926	Lack of care of infants under 1 year of age	M	23	18	2	20	—	—	—	20	1	2	—	—	23	—	—	—	—
		F	20	17	2	19	—	—	—	19	1	—	—	—	20	—	—	—	—
E929	Accidental drowning and submersion	M	88	—	—	—	—	—	—	—	—	2	—	—	2	12	34	23	17
		F	22	1	—	1	—	—	—	1	—	—	1	—	2	7	2	6	5
E940–E959	Accidents due to medical and surgical intervention	M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
		F	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
E980–E985	Homicide and injury purposely inflicted by other person (not in war)	M	26	3	—	3	—	—	1	4	4	5	1	1	15	2	2	4	3
		F	29	7	—	7	1	—	—	8	3	2	1	3	17	3	4	4	1
Rem. of E800–E999	Other violence	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
N800–N829	Fractures	M	132	5	—	5	—	2	—	7	4	4	3	3	21	22	27	27	35
		F	82	2	—	2	—	—	—	2	5	5	—	1	13	20	15	22	12
N850–N856	Head injury (excluding skull fracture)	M	39	1	1	2	—	—	—	2	4	5	1	4	16	6	8	5	4
		F	27	—	—	—	—	—	1	1	7	3	—	1	12	8	1	5	1
N860–N869	Internal injury of chest, abdomen and pelvis	M	23	—	—	—	1	—	—	1	1	—	—	1	3	1	7	5	7
		F	24	—	—	—	—	—	—	—	—	1	—	1	2	3	7	7	5
N940–N949	Burns	M	30	1	—	1	—	—	—	1	—	2	1	2	6	11	6	4	3
		F	49	—	1	1	1	—	1	3	—	4	1	4	12	6	9	11	11
Rem. of N800–N999	Other injuries	M	475	21	8	29	4	6	7	46	79	111	23	19	278	69	55	40	33
		F	303	23	7	30	2	2	6	40	60	62	37	16	215	42	15	17	14

TABLE 28. Weekly notifications of certain infectious diseases and deaths from certain causes, 1962 — England and Wales

Week ended	Original notifications (including Port Health Districts)										Deaths*		
	Typhoid fever	Paratyphoid fever	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Measles	Acute poliomyelitis: Paralytic	Acute poliomyelitis: Non-paralytic	Food poisoning	Influenza	Pneumonia	Bronchitis
Jan. 6	1	2	14	315	129	—	1,248	4	2	49	532	2,094	2,550
13	5	—	29	232	98	2	1,136	7	1	68	783	2,486	2,394
20	—	—	25	380	93	1	866	3	—	69	548	1,720	1,506
27	2	—	22	425	124	4	895	4	1	82	283	1,313	1,216
Feb. 3	—	—	25	470	141	—	1,016	4	—	87	168	982	822
10	4	1	28	376	153	—	1,134	—	1	127	108	972	898
17	12	1	23	389	190	1	1,291	3	2	70	62	814	771
24	—	—	12	476	142	—	1,388	5	1	88	55	850	742
Mar. 3	3	1	13	356	149	—	1,419	6	—	77	49	850	697
10	4	2	18	400	129	—	1,601	3	1	74	48	891	848
17	3	2	18	430	130	5	1,639	3	2	92	44	893	892
24	3	—	18	482	150	5	1,639	5	1	94	43	926	841
31	2	1	18	484	133	1	1,739	2	1	154	45	912	837
Apr. 7	4	1	24	445	125	3	1,907	1	1	189	29	845	750
14	—	1	24	390	97	4	1,988	6	1	107	23	753	625
21	1	—	16	275	89	3	1,529	3	2	52	15	755	552
28	1	9	20	218	85	1	1,732	3	—	78	11	674	535
May 5	1	6	16	229	150	2	1,848	4	—	69	13	595	474
12	1	3	12	223	130	2	1,388	3	—	87	7	554	465
19	2	4	19	220	155	1	1,371	5	1	95	4	508	396
26	2	2	15	259	143	—	1,532	5	—	165	10	494	350
June 2	1	3	7	258	172	—	1,765	2	—	117	8	469	364
9	—	1	8	249	129	—	2,150	4	3	120	3	504	375
16	2	3	13	180	123	2	2,301	9	2	111	2	454	398
23	1	1	23	145	125	—	2,810	10	3	169	3	472	329
30	3	1	9	199	101	1	2,568	15	11	234	5	402	292
July 7	1	7	8	198	160	2	2,489	19	5	214	9	421	249
14	3	5	9	245	147	—	2,659	10	7	221	4	448	299
21	4	4	13	217	167	1	3,535	9	5	164	4	449	265
28	6	1	14	206	165	1	3,622	4	1	145	6	400	257
Aug. 4	6	2	18	210	201	—	3,945	11	2	172	2	392	270
11	2	3	14	162	144	2	3,843	9	4	118	5	341	272
18	3	3	16	155	177	1	3,708	10	3	216	6	408	265
25	2	5	14	113	185	1	2,776	7	2	230	6	390	268
Sept. 1	7	3	14	124	167	1	2,013	5	1	147	2	378	252
8	4	3	13	116	199	2	1,638	4	4	162	—	364	247
15	4	6	12	128	221	1	1,206	4	—	232	1	366	249
22	4	8	17	179	290	—	1,317	3	—	163	1	381	263
29	5	8	18	183	208	—	1,853	7	1	228	9	432	280
Oct. 6	3	5	16	263	175	—	2,577	2	3	188	16	469	350
13	6	3	25	273	185	1	3,649	2	1	306	9	467	324
20	1	1	18	301	188	—	4,518	2	—	263	10	499	366
27	2	3	9	318	175	—	5,652	2	2	205	13	509	366
Nov. 3	1	—	14	327	163	4	5,853	4	1	269	5	547	393
10	1	4	15	321	186	3	7,281	3	1	158	13	540	434
17	1	2	13	357	231	—	7,066	3	2	158	9	561	458
24	1	—	11	365	214	1	8,229	2	—	127	19	595	560
Dec. 1	3	1	19	420	194	2	9,339	2	—	207	21	743	689
8	1	1	11	464	267	—	11,034	1	1	134	24	772	963
15	—	8	15	402	196	1	12,781	—	—	77	29	949	1,106
22	—	1	8	419	202	—	13,225	2	—	147	37	928	860
29	1	2	17	297	149	—	11,272	2	—	64	32	838	895
Totals	**130**	**134**	**840**	**15,268**	**8,341**	**62**	**178,980**	**248**	**83**	**7,439**	**3,193**	**36,769**	**32,119**
	Corrected notifications (excluding Port Health Districts)										Deaths†		
Totals‡	**127**	**118**	**575**	**15,303**	**8,347**	**16**	**184,757**	**211**	**59**	**5,150**	**3,308**	**31,672**	**33,293**

* The weekly deaths are compiled from returns furnished by Registrars of Births and Deaths.
† Classified according to the International Classification of Diseases (7th Revision 1955).
‡ These totals are for the period 1st January to 31st December.

TABLE 29. Cases of certain infectious diseases notified, 1952 to 1962 — England and Wales

Final numbers after correction (including original cases in Port Health Districts)*

Diseases	1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962
Typhoid fever	135	101	122	193	136	125	147	123	90	97	130
Paratyphoid fever	1,039	353	548	876	440	310	200	379	241	254	126
Plague	—	—	—	—	—	—	—	—	—	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—
Meningococcal infection	1,327	1,354	1,246	1,126	1,168	1,016	836	746	632	651	576
Scarlet fever	67,261	61,180	43,026	32,619	33,103	29,547	38,853	47,919	32,170	19,990	15,306
Whooping cough	114,869	157,842	105,912	79,133	92,410	85,018	33,404	33,253	58,030	24,470	8,348
Diphtheria	376	266	173	155	53	37	80	102	49	52	16
Erysipelas	5,999	5,999	5,375	4,614	4,382	3,589	3,293	3,203	2,956	2,237	1,789
Ophthalmia neonatorum	1,788	1,772	1,684	1,771	1,515	1,483	1,304	1,179	1,063	932	1,017
Dysentery	14,535	18,426	31,858	36,718	49,009	28,910	38,107	35,626	43,285	20,418	30,924
Malaria (contracted in England and Wales)	—	†3	—	—	—	1	—	—	—	—	—
Relapsing fever	—	1	—	—	—	1	1	2	1	—	—
Smallpox	135	30	—	—	—	4	(1) 6	1	1	1	66
Measles	389,502	545,050	146,995	693,803	160,556	633,678	259,308	539,524	159,364	763,531	184,895
Ac. Poliomyelitis (paralytic)	2,747	2,976	1,319	3,712	1,717	3,177	1,419	739	257	707	212
Ac. Poliomyelitis (non-paralytic)	1,163	1,571	641	2,619	1,483	1,667	575	289	121	169	59
Ac. Encephalitis (infective)	113	166	118	150	173	172	171	140	144	118	113
Ac. Encephalitis (post-infectious)	91	92	101	118	106	155	119	140	117	158	119
Typhus fever	‡1	‡1	§1	‡1	1	—	—	—	—	‡1	—
Pneumonia (acute primary and acute influenzal)	31,736	37,214	26,562	27,930	25,460	32,732	22,323	26,816	14,563	18,466	12,542
‖Puerperal fever and pyrexia	12,351	12,718	12,239	12,109	11,682	11,834	10,814	10,699	8,896	8,337	7,147
Food poisoning	5,872	10,376	9,001	12,719	10,998	9,180	8,801	9,971	7,738	7,842	5,151
Anthrax	?	?	?	?	?	?	?	?	?	8	8

* Cases notified in Port Health Districts are not corrected for subsequent changes of diagnosis. When these notifications relate to quarantine diseases, they are distinguished in this table in brackets alongside the figures in which they are included.
† 1 case unconfirmed. ‡ Not louse borne. § Type undetermined.
‖ The Puerperal Pyrexia Regulations 1951, which came into operation on the 1st August 1951 and which apply throughout England and Wales including London, contain a revised definition of puerperal pyrexia. From the 1st August 1951 puerperal fever was no longer separately notifiable in London.

TABLE 30. Cases of certain infectious diseases notified, by sex and age, 1962

England and Wales, standard regions, Wales, conurbations, and urban and rural aggregates outside conurbations

Final numbers after correction.

Area	All ages		0–		1–		2–		3–		4–		5–		10–		15–		25 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Scarlet fever																					
ENGLAND AND WALES (excluding Port Health Districts)	**7,822**	**7,481**	**34**	**24**	**138**	**130**	**437**	**378**	**658**	**579**	**945**	**882**	**4,021**	**4,028**	**940**	**1,014**	**486**	**289**	**141**	**137**	**22**	**20**
Regions and conurbations:																						
Northern	**274**	**254**	**2**	**5**	**10**	**12**	**20**	**15**	**27**	**23**	**36**	**30**	**135**	**134**	**25**	**24**	**15**	**8**	**4**	**2**	—	**1**
Tyneside Conurbation	44	61	—	3	1	4	3	1	5	2	6	8	23	33	4	9	1	—	1	1	—	—
Remainder of Northern	230	193	2	2	9	8	17	14	22	21	30	22	112	101	21	15	14	8	3	1	—	1
East and West Ridings	**994**	**982**	**8**	**2**	**17**	**13**	**57**	**40**	**81**	**76**	**121**	**117**	**527**	**548**	**115**	**147**	**58**	**24**	**9**	**12**	**1**	**3**
West Yorkshire Conurbation	267	254	1	1	8	4	21	18	19	20	34	33	126	136	26	34	26	4	6	4	—	—
Remainder of East and West Ridings	727	728	7	1	9	9	36	22	62	56	87	84	401	412	89	113	32	20	3	8	1	3
North Western	**1,195**	**1,170**	**6**	**2**	**25**	**15**	**75**	**83**	**121**	**112**	**163**	**177**	**602**	**580**	**103**	**153**	**65**	**35**	**30**	**11**	**5**	**2**
South East Lancashire Conurbation	438	444	—	1	10	5	36	35	51	44	67	80	221	211	36	56	10	9	5	2	2	1
Merseyside Conurbation	187	216	1	—	5	3	2	17	20	17	21	22	94	111	24	31	16	11	4	4	—	—
Remainder of North Western	570	510	5	1	10	7	37	31	50	51	75	75	287	258	43	66	39	15	21	5	3	1
North Midland	**632**	**631**	**1**	**1**	**9**	**10**	**32**	**32**	**64**	**44**	**60**	**74**	**357**	**332**	**75**	**108**	**26**	**16**	**7**	**11**	**1**	**3**
Midland	**877**	**871**	**2**	**2**	**12**	**12**	**57**	**44**	**58**	**67**	**102**	**111**	**441**	**445**	**115**	**135**	**66**	**32**	**22**	**20**	**2**	**3**
West Midlands Conurbation	436	481	1	2	7	9	21	19	30	29	53	68	229	246	65	80	18	15	12	13	—	—
Remainder of Midland	441	390	1	—	5	3	36	25	28	38	49	43	212	199	50	55	48	17	10	7	2	3
Eastern	**901**	**804**	—	**6**	**14**	**14**	**42**	**34**	**66**	**54**	**100**	**78**	**489**	**448**	**127**	**113**	**47**	**35**	**13**	**18**	**3**	**4**
London and South Eastern	**1,845**	**1,776**	**8**	**2**	**33**	**42**	**107**	**81**	**155**	**140**	**219**	**182**	**925**	**996**	**231**	**198**	**132**	**100**	**34**	**33**	**1**	**2**
Greater London	1,471	1,437	8	2	29	37	87	69	121	110	182	157	728	798	179	153	112	82	24	28	1	1
Remainder of South Eastern	374	339	—	—	4	5	20	12	34	30	37	25	197	198	52	45	20	18	10	5	—	1
Southern	**319**	**316**	**2**	**2**	**5**	**5**	**20**	**16**	**23**	**24**	**39**	**35**	**153**	**186**	**44**	**32**	**26**	**9**	**5**	**7**	**2**	—
South Western	**446**	**395**	**2**	**1**	**6**	**3**	**16**	**12**	**30**	**23**	**54**	**43**	**243**	**209**	**52**	**65**	**28**	**21**	**9**	**17**	**6**	**1**
Wales	**339**	**282**	**3**	**1**	**7**	**4**	**11**	**21**	**33**	**16**	**51**	**35**	**149**	**150**	**53**	**39**	**23**	**9**	**8**	**6**	**1**	**1**
Wales I (South East)	253	210	3	1	6	2	9	16	29	9	38	21	107	118	41	32	15	8	4	3	1	—
Wales II (remainder)	86	72	—	—	1	2	2	5	4	7	13	14	42	32	12	7	8	1	4	3	—	1
Urban/Rural aggregates:																						
Conurbations	2,843	2,893	11	9	60	62	170	159	246	222	363	368	1,421	1,535	334	363	183	121	52	52	3	2
Areas outside conurbations:																						
Urban areas with populations of 100,000 and over	1,308	1,201	11	5	18	25	69	67	121	95	171	148	675	641	166	162	65	34	9	22	3	2
Urban areas with populations of 50,000 and under 100,000	792	739	3	1	13	10	38	30	75	64	106	86	389	401	106	106	45	27	13	14	4	—
Urban areas with populations under 50,000	1,431	1,292	3	5	26	16	84	63	108	107	153	155	795	700	132	170	86	54	37	16	7	6
Rural districts	1,448	1,356	6	4	21	17	76	59	108	91	152	125	741	751	202	213	107	53	30	33	5	10

TABLE 30—*continued*

Area	All ages		0–		1–		2–		3–		4–		5–		10–		15–		25 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Whooping cough																					
ENGLAND AND WALES (excluding Port Health Districts)	**3,935**	**4,412**	**515**	**511**	**483**	**477**	**505**	**574**	**457**	**551**	**433**	**483**	**1,285**	**1,490**	**175**	**188**	**30**	**48**	**39**	**83**	**13**	**7**
Regions and conurbations:																						
Northern	**651**	**694**	**85**	**94**	**106**	**93**	**87**	**94**	**86**	**97**	**65**	**79**	**205**	**219**	**11**	**11**	**4**	**4**	**2**	**3**	—	—
Tyneside Conurbation	339	367	48	53	62	52	40	50	48	48	37	47	99	112	4	1	1	2	—	2	—	—
Remainder of Northern	312	327	37	41	44	41	47	44	38	49	28	32	106	107	7	10	3	2	2	1	—	—
East and West Ridings	**257**	**260**	**37**	**33**	**27**	**28**	**34**	**46**	**38**	**38**	**24**	**30**	**86**	**77**	**9**	**6**	—	—	**2**	**2**	—	—
West Yorkshire Conurbation	84	72	13	14	10	5	12	9	17	15	5	8	23	21	3	—	—	—	1	—	—	—
Remainder of East and West Ridings	173	188	24	19	17	23	22	37	21	23	19	22	63	56	6	6	—	—	1	2	—	—
North Western	**401**	**471**	**64**	**60**	**52**	**64**	**66**	**73**	**49**	**69**	**48**	**52**	**109**	**127**	**13**	**14**	—	**4**	—	**8**	—	—
South East Lancashire Conurbation	106	122	23	14	13	20	18	14	16	20	11	14	25	30	—	4	—	1	—	5	—	—
Merseyside Conurbation	168	222	23	34	26	28	27	36	24	30	14	27	48	58	6	5	—	2	—	2	—	—
Remainder of North Western	127	127	18	12	13	16	21	23	9	19	23	11	36	39	7	5	—	1	—	1	—	—
North Midland	**230**	**286**	**36**	**35**	**32**	**38**	**33**	**32**	**26**	**29**	**27**	**32**	**54**	**97**	**13**	**19**	**4**	**3**	**2**	—	**3**	**1**
Midland	**406**	**490**	**56**	**61**	**44**	**53**	**49**	**58**	**54**	**60**	**41**	**51**	**136**	**171**	**13**	**21**	**3**	**5**	**6**	**8**	**4**	**2**
West Midlands Conurbation	278	322	39	40	28	39	32	42	36	40	24	33	101	112	9	10	3	4	6	2	—	—
Remainder of Midland	128	168	17	21	16	14	17	16	18	20	17	18	35	59	4	11	—	1	—	6	4	2
Eastern	**448**	**505**	**35**	**42**	**47**	**32**	**49**	**60**	**35**	**67**	**58**	**51**	**179**	**198**	**28**	**26**	**6**	**7**	**8**	**22**	**3**	—
London and South Eastern	**921**	**1,066**	**124**	**117**	**111**	**104**	**119**	**123**	**94**	**121**	**101**	**119**	**302**	**371**	**52**	**61**	**8**	**18**	**9**	**31**	**1**	**1**
Greater London	665	793	99	96	92	82	94	97	70	89	71	91	205	267	26	43	6	13	2	14	—	1
Remainder of South Eastern	256	273	25	21	19	22	25	26	24	32	30	28	97	104	26	18	2	5	7	17	1	—
Southern	**184**	**165**	**26**	**13**	**17**	**15**	**24**	**27**	**26**	**20**	**24**	**22**	**55**	**60**	**10**	**5**	—	**1**	**2**	**2**	—	—
South Western	**382**	**391**	**44**	**43**	**40**	**41**	**39**	**46**	**41**	**38**	**37**	**36**	**144**	**149**	**24**	**22**	**4**	**6**	**8**	**7**	**1**	**3**
Wales	**55**	**84**	**8**	**13**	**7**	**9**	**5**	**15**	**8**	**12**	**8**	**11**	**15**	**21**	**2**	**3**	**1**	—	—	—	**1**	—
Wales I (South East)	41	62	6	12	6	9	5	12	5	9	6	6	10	13	2	1	1	—	—	—	—	—
Wales II (remainder)	14	22	2	1	1	—	—	3	3	3	2	5	5	8	—	2	—	—	—	—	1	—
Urban/Rural aggregates:																						
Conurbations	1,640	1,898	245	251	231	226	223	248	211	242	162	220	501	600	48	63	10	22	9	25	—	1
Areas outside conurbations:																						
Urban areas with populations of 100,000 and over	586	642	95	91	79	85	82	85	70	84	70	68	154	192	26	23	5	3	2	9	3	2
Urban areas with populations of 50,000 and under 100,000	261	306	31	36	26	36	22	45	26	43	39	28	100	97	13	12	1	4	2	5	1	—
Urban areas with populations under 50,000	629	678	73	60	70	66	90	95	79	86	70	79	202	241	26	25	5	9	13	15	1	2
Rural districts	819	888	71	73	77	64	88	101	71	96	92	88	328	360	62	65	9	10	13	29	8	2

TABLE 30—*continued*

Area	All ages		0–		1–		2–		3–		4–		5–		10–		15–		25 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Diphtheria																					
ENGLAND AND WALES (excluding Port Health Districts)	9	7	—	—	—	—	—	—	1	—	—	—	5	—	—	5	2	—	1	2	—	—
Regions and conurbations:																						
Northern	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tyneside Conurbation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Remainder of Northern	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
East and West Ridings	3	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—
West Yorkshire Conurbation	3	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—
Remainder of East and West Ridings	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
North Western	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
South East Lancashire Conurbation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Merseyside Conurbation	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Remainder of North Western	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
North Midland	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Midland	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
West Midlands Conurbation	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Remainder of Midland	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Eastern	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
London and South Eastern	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—
Greater London	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—
Remainder of South Eastern	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Southern	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
South Western	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Wales	4	4	—	—	—	—	—	—	—	—	—	—	3	—	—	2	—	—	1	2	—	—
Wales I (South East)	4	4	—	—	—	—	—	—	—	—	—	—	3	—	—	2	—	—	1	2	—	—
Wales II (remainder)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Urban/Rural aggregates:																						
Conurbations	4	3	—	—	—	—	—	—	1	—	—	—	2	—	—	3	1	—	—	—	—	—
Areas outside conurbations:																						
Urban areas with populations of 100,000 and over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Urban areas with populations of 50,000 and under 100,000	3	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	1	1	—	—
Urban areas with populations under 50,000	2	3	—	—	—	—	—	—	—	—	—	—	2	—	—	2	—	—	—	1	—	—
Rural districts	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 30—*continued*

Area	All ages		0–		1–		2–		3–		4–		5–		10–		15–		25 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Measles																					
ENGLAND AND WALES (excluding Port Health Districts)	**93,879**	**90,878**	**3,073**	**3,075**	**9,346**	**8,825**	**11,429**	**11,212**	**12,250**	**12,092**	**12,631**	**11,972**	**40,851**	**38,915**	**2,624**	**2,777**	**983**	**1,118**	**382**	**601**	**310**	**291**
Regions and conurbations:																						
Northern	**7,550**	**7,288**	**284**	**298**	**782**	**768**	**948**	**964**	**1,088**	**1,036**	**1,018**	**1,003**	**3,227**	**2,994**	**135**	**145**	**30**	**30**	**23**	**26**	**15**	**24**
Tyneside Conurbation	1,604	1,488	63	60	145	152	176	204	251	208	230	208	719	624	13	22	6	5	1	5	—	—
Remainder of Northern	5,946	5,800	221	238	637	616	772	760	837	828	788	795	2,508	2,370	122	123	24	25	22	21	15	24
East and West Ridings	**12,677**	**12,184**	**454**	**409**	**1,305**	**1,235**	**1,602**	**1,561**	**1,725**	**1,740**	**1,850**	**1,790**	**5,388**	**5,030**	**248**	**285**	**46**	**77**	**35**	**37**	**24**	**20**
West Yorkshire Conurbation	5,582	5,376	210	178	585	595	762	769	833	817	824	825	2,246	2,040	79	94	15	39	18	13	10	6
Remainder of East and West Ridings	7,095	6,808	244	231	720	640	840	792	892	923	1,026	965	3,142	2,990	169	191	31	38	17	24	14	14
North Western	**22,353**	**21,832**	**860**	**908**	**2,507**	**2,367**	**3,069**	**3,086**	**3,234**	**3,149**	**3,273**	**3,017**	**8,831**	**8,603**	**395**	**402**	**96**	**162**	**31**	**72**	**57**	**66**
South East Lancashire Conurbation	6,423	6,347	211	246	718	688	847	913	956	947	1,042	922	2,508	2,455	105	109	24	34	6	22	6	11
Merseyside Conurbation	8,515	8,286	406	390	1,044	992	1,238	1,215	1,252	1,176	1,114	1,057	3,260	3,217	148	143	34	65	14	25	5	6
Remainder of North Western	7,415	7,199	243	272	745	687	984	958	1,026	1,026	1,117	1,038	3,063	2,931	142	150	38	63	11	25	46	49
North Midland	**7,668**	**7,371**	**242**	**205**	**727**	**651**	**909**	**844**	**919**	**972**	**947**	**958**	**3,523**	**3,330**	**254**	**256**	**69**	**93**	**37**	**33**	**41**	**29**
Midland	**5,669**	**5,588**	**197**	**185**	**590**	**520**	**632**	**651**	**673**	**662**	**708**	**632**	**2,524**	**2,552**	**198**	**228**	**92**	**93**	**34**	**49**	**21**	**16**
West Midlands Conurbation	2,710	2,646	125	96	305	264	336	332	366	330	313	274	1,142	1,181	77	96	34	48	11	25	1	—
Remainder of Midland	2,959	2,942	72	89	285	256	296	319	307	332	395	358	1,382	1,371	121	132	58	45	23	24	20	16
Eastern	**10,757**	**10,346**	**288**	**303**	**911**	**900**	**1,212**	**1,193**	**1,371**	**1,344**	**1,371**	**1,280**	**5,125**	**4,741**	**309**	**376**	**98**	**111**	**38**	**66**	**34**	**32**
London and South Eastern	**14,834**	**14,163**	**392**	**436**	**1,502**	**1,351**	**1,702**	**1,595**	**1,805**	**1,734**	**1,952**	**1,835**	**6,528**	**6,177**	**508**	**496**	**304**	**323**	**106**	**183**	**35**	**33**
Greater London	11,289	10,825	340	353	1,205	1,101	1,326	1,239	1,386	1,299	1,527	1,450	4,822	4,630	345	336	232	260	88	134	18	23
Remainder of South Eastern	3,545	3,338	52	83	297	250	376	356	419	435	425	385	1,706	1,547	163	160	72	63	18	49	17	10
Southern	**3,797**	**3,592**	**84**	**74**	**277**	**297**	**408**	**365**	**450**	**433**	**440**	**421**	**1,836**	**1,756**	**187**	**120**	**63**	**59**	**29**	**49**	**23**	**18**
South Western	**5,721**	**5,744**	**174**	**156**	**456**	**451**	**622**	**605**	**637**	**645**	**648**	**688**	**2,744**	**2,627**	**282**	**360**	**86**	**118**	**35**	**59**	**37**	**35**
Wales	**2,853**	**2,770**	**98**	**101**	**289**	**285**	**325**	**348**	**348**	**377**	**424**	**348**	**1,125**	**1,105**	**108**	**109**	**99**	**52**	**14**	**27**	**23**	**18**
Wales I (South East)	1,779	1,719	73	72	185	198	228	240	225	248	247	204	680	664	53	54	74	20	8	16	6	3
Wales II (remainder)	1,074	1,051	25	29	104	87	97	108	123	129	177	144	445	441	55	55	25	32	6	11	17	15
Urban/Rural aggregates:																						
Conurbations	36,123	34,968	1,355	1,323	4,002	3,792	4,685	4,672	5,044	4,777	5,050	4,736	14,697	14,147	767	800	345	451	138	224	40	46
Areas outside conurbations:																						
Urban areas with populations of 100,000 and over	12,410	11,968	459	436	1,324	1,284	1,618	1,567	1,641	1,679	1,874	1,701	5,129	4,896	221	224	77	103	36	42	31	36
Urban areas with populations of 50,000 and under 100,000	7,661	7,509	266	224	785	749	932	965	1,035	1,073	1,018	973	3,378	3,201	135	171	65	92	24	42	23	19
Urban areas with populations under 50,000	20,198	19,248	572	613	1,909	1,644	2,410	2,282	2,651	2,604	2,739	2,554	9,116	8,685	449	456	155	187	80	109	117	114
Rural Districts	17,487	17,185	421	479	1,326	1,356	1,784	1,726	1,879	1,959	1,950	2,008	8,531	7,986	1,052	1,126	341	285	104	184	99	76

TABLE 30—*continued*

Area	All ages		0–		1–		2–		3–		4–		5–		10–		15–		25 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Acute poliomyelitis (paralytic)																					
ENGLAND AND WALES (excluding Port Health Districts)	**112**	**99**	**3**	**6**	**11**	**13**	**12**	**8**	**13**	**7**	**7**	**15**	**22**	**20**	**4**	**5**	**12**	**6**	**28**	**19**	—	—
Regions and conurbations:																						
Northern	**15**	**12**	—	**1**	**3**	**1**	**4**	**2**	**2**	**1**	—	**2**	**2**	—	—	**1**	—	—	**4**	**4**	—	—
Tyneside Conurbation	3	2	—	1	1	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
Remainder of Northern	12	10	—	—	2	1	3	2	1	—	—	2	2	—	—	1	—	—	4	4	—	—
East and West Ridings	**18**	**23**	—	**3**	—	**6**	**1**	—	**2**	**1**	**1**	**2**	**5**	**3**	**2**	**2**	**3**	**2**	**4**	**4**	—	—
West Yorkshire Conurbation	9	16	—	3	—	4	1	—	1	1	1	1	1	1	1	2	1	1	3	3	—	—
Remainder of East and West Ridings	9	7	—	—	—	2	—	—	1	—	—	1	4	2	1	—	2	1	1	1	—	—
North Western	**13**	**11**	—	**1**	**1**	**1**	**3**	**1**	**1**	**2**	**2**	**2**	**3**	**4**	—	—	**1**	—	**2**	—	—	—
South East Lancashire Conurbation	6	5	—	—	1	1	—	1	1	1	1	1	1	1	—	—	1	—	1	—	—	—
Merseyside Conurbation	2	3	—	—	—	—	1	—	—	—	—	—	1	2	—	—	—	—	1	—	—	—
Remainder of North Western	5	3	—	1	—	—	2	—	—	1	1	—	2	1	—	—	—	—	—	—	—	—
North Midland	**8**	**5**	**2**	—	**1**	—	**1**	**1**	—	—	—	**1**	—	**2**	—	—	**3**	**1**	**1**	—	—	—
Midland	**12**	**6**	**1**	—	**2**	**1**	—	**1**	**2**	**1**	—	—	**3**	—	—	—	**3**	**2**	**1**	**1**	—	—
West Midlands Conurbation	3	2	—	—	—	1	—	—	—	—	—	—	2	—	—	—	1	—	—	1	—	—
Remainder of Midland	9	4	1	—	2	—	—	1	2	1	—	—	1	—	—	—	2	2	1	—	—	—
Eastern	**7**	**4**	—	—	—	—	—	—	**1**	—	—	**1**	**3**	**1**	—	—	—	—	**3**	**2**	—	—
London and South Eastern	**16**	**18**	—	**1**	**2**	**1**	**1**	**1**	**2**	**1**	—	**1**	**1**	**4**	**1**	**2**	**1**	—	**8**	**7**	—	—
Greater London	15	15	—	1	2	1	1	1	2	1	—	1	1	3	1	2	1	—	7	5	—	—
Remainder of South Eastern	1	3	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	2	—	—
Southern	**4**	**1**	—	—	—	—	—	—	—	—	—	—	**3**	**1**	—	—	—	—	**1**	—	—	—
South Western	**2**	**4**	—	—	—	—	—	**1**	—	—	—	**2**	—	—	—	—	—	—	**2**	**1**	—	—
Wales	**17**	**15**	—	—	**2**	**3**	**2**	**1**	**3**	**1**	**4**	**4**	**2**	**5**	**1**	—	**1**	**1**	**2**	—	—	—
Wales I (South East)	16	14	—	—	2	3	2	1	3	1	4	3	2	5	1	—	1	1	1	—	—	—
Wales II (remainder)	1	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—
Urban/Rural aggregates:																						
Conurbations	38	43	—	5	4	7	4	2	5	4	2	4	5	7	2	4	4	1	12	9	—	—
Areas outside conurbations:																						
Urban areas with populations of 100,000 and over	13	10	1	1	2	2	2	3	—	—	—	2	3	1	—	—	2	1	3	—	—	—
Urban areas with populations of 50,000 and under 100,000	12	10	1	—	—	1	—	1	2	—	1	2	3	2	—	1	2	—	3	3	—	—
Urban areas with populations under 50,000	34	28	—	—	5	3	3	2	6	2	3	5	10	10	1	—	1	3	5	3	—	—
Rural districts	15	8	1	—	—	—	3	—	—	1	1	2	1	—	1	—	3	1	5	4	—	—

TABLE 30—*continued*

Area	All ages		0–		1–		2–		3–		4–		5–		10–		15–		25 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Acute poliomyelitis (non-paralytic)																					
ENGLAND AND WALES (excluding Port Health Districts)	**33**	**26**	**1**	—	**1**	**2**	**2**	**2**	**1**	**4**	**3**	**1**	**16**	**8**	**3**	—	**3**	**5**	**3**	**4**	—	—
Regions and conurbations:																						
Northern	**5**	**4**	**1**	—	**1**	**1**	**1**	—	**1**	—	**1**	**1**	—	**1**	—	—	—	**1**	—	—	—	—
Tyneside Conurbation	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Remainder of Northern	4	4	—	—	1	1	1	—	1	—	1	1	—	1	—	—	—	1	—	—	—	—
East and West Ridings	**2**	**3**	—	—	—	—	—	**1**	—	**1**	—	—	**2**	**1**	—	—	—	—	—	—	—	—
West Yorkshire Conurbation	1	2	—	—	—	—	—	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—
Remainder of East and West Ridings	1	1	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—
North Western	**1**	—	—	—	—	—	—	—	—	—	—	—	**1**	—	—	—	—	—	—	—	—	—
South East Lancashire Conurbation	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Merseyside Conurbation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Remainder of North Western	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
North Midland	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Midland	**2**	**3**	—	—	—	—	—	—	—	—	—	—	**2**	**1**	—	—	—	—	—	**2**	—	—
West Midlands Conurbation	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Remainder of Midland	2	2	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	1	—	—
Eastern	**4**	**1**	—	—	—	—	—	—	—	**1**	—	—	**1**	—	**1**	—	—	—	**2**	—	—	—
London and South Eastern	**6**	**7**	—	—	—	**1**	—	**1**	—	**2**	—	—	**3**	**1**	**1**	—	**2**	**2**	—	—	—	—
Greater London	3	6	—	—	—	1	—	1	—	2	—	—	2	—	—	—	1	2	—	—	—	—
Remainder of South Eastern	3	1	—	—	—	—	—	—	—	—	—	—	1	1	1	—	1	—	—	—	—	—
Southern	**2**	**3**	—	—	—	—	—	—	—	—	—	—	**2**	**2**	—	—	—	—	—	**1**	—	—
South Western	**1**	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	**1**	—	—	—
Wales	**10**	**5**	—	—	—	—	**1**	—	—	—	**2**	—	**5**	**2**	**1**	—	**1**	**2**	—	**1**	—	—
Wales I (South East)	10	5	—	—	—	—	1	—	—	—	2	—	5	2	1	—	1	2	—	1	—	—
Wales II (remainder)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Urban/Rural aggregates:																						
Conurbations	6	9	1	—	—	1	—	2	—	2	—	—	4	1	—	—	1	2	—	1	—	—
Areas outside conurbations:																						
Urban areas with populations of 100,000 and over	6	4	—	—	—	—	—	—	1	1	—	—	3	2	2	—	—	—	—	1	—	—
Urban areas with populations of 50,000 and under 100,000	4	4	—	—	—	—	1	—	—	1	—	1	1	1	—	—	—	1	2	—	—	—
Urban areas with populations under 50,000	14	8	—	—	1	1	1	—	—	—	3	—	6	3	—	—	2	2	1	2	—	—
Rural districts	3	1	—	—	—	—	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—

TABLE 30—*continued*

Area	All ages		0–		5–		15–		45–		65 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Typhoid fever													
ENGLAND AND WALES (excluding Port Health Districts)	**72**	**55**	**4**	**5**	**14**	**10**	**36**	**27**	**15**	**12**	**2**	**1**	**1**	—
Regions and conurbations:														
Northern	**2**	**1**	**1**	—	**1**	**1**	—	—	—	—	—	—	—	—
Tyneside Conurbation	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Remainder of Northern	2	1	1	—	1	1	—	—	—	—	—	—	—	—
East and West Ridings	**3**	**3**	—	—	**1**	**2**	**2**	—	—	**1**	—	—	—	—
West Yorkshire Conurbation	3	1	—	—	1	1	2	—	—	—	—	—	—	—
Remainder of East and West Ridings	—	2	—	—	—	1	—	—	—	1	—	—	—	—
North Western	**7**	**6**	—	—	**1**	**2**	**5**	**2**	**1**	**1**	—	**1**	—	—
South East Lancashire Conurbation	1	1	—	—	—	—	—	—	1	—	—	1	—	—
Merseyside Conurbation	2	1	—	—	—	—	2	1	—	—	—	—	—	—
Remainder of North Western	4	4	—	—	1	2	3	1	—	1	—	—	—	—
North Midland	**5**	**2**	—	**2**	**1**	—	**2**	—	—	—	**1**	—	**1**	—
Midland	**7**	**7**	**1**	**1**	**1**	—	**3**	**4**	**2**	**2**	—	—	—	—
West Midlands Conurbation	5	5	1	1	1	—	2	2	1	2	—	—	—	—
Remainder of Midland	2	2	—	—	—	—	1	2	1	—	—	—	—	—
Eastern	**13**	**1**	—	—	**4**	—	**5**	**1**	**4**	—	—	—	—	—
London and South Eastern	**27**	**24**	**2**	**1**	**2**	**5**	**16**	**15**	**7**	**3**	—	—	—	—
Greater London	21	23	2	1	1	5	13	15	5	2	—	—	—	—
Remainder of South Eastern	6	1	—	—	1	—	3	—	2	1	—	—	—	—
Southern	**3**	**2**	—	—	**1**	—	**1**	**2**	—	—	**1**	—	—	—
South Western	**2**	**6**	—	**1**	—	—	**2**	**3**	—	**2**	—	—	—	—
Wales	**3**	**3**	—	—	**2**	—	—	—	**1**	**3**	—	—	—	—
Wales I (South East)	2	2	—	—	1	—	—	—	1	2	—	—	—	—
Wales II (remainder)	1	1	—	—	1	—	—	—	—	1	—	—	—	—
Urban/Rural aggregates:														
Conurbations	32	31	3	2	3	6	19	18	7	4	—	1	—	—
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	8	5	—	2	2	1	2	1	3	1	1	—	—	—
Urban areas with populations of 50,000 and under 100,000	6	5	—	—	2	2	4	2	—	1	—	—	—	—
Urban areas with populations under 50,000	10	6	—	—	3	1	4	2	3	3	—	—	—	—
Rural districts	16	8	1	1	4	—	7	4	2	3	1	—	1	—

TABLE 30—*continued*

Area	All ages		0–		5–		15–		45–		65 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Paratyphoid fever													
ENGLAND AND WALES (excluding Port Health Districts)	**61**	**57**	**9**	**9**	**18**	**12**	**27**	**22**	**6**	**10**	**1**	**3**	—	**1**
Regions and conurbations:														
Northern	**5**	**6**	—	—	**1**	—	**4**	**4**	—	**2**	—	—	—	—
Tyneside Conurbation	3	1	—	—	—	—	3	1	—	—	—	—	—	—
Remainder of Northern	2	5	—	—	1	—	1	3	—	2	—	—	—	—
East and West Ridings	**4**	**10**	**1**	**3**	**2**	**3**	**1**	**2**	—	**1**	—	—	—	**1**
West Yorkshire Conurbation	1	5	—	—	1	2	—	1	—	1	—	—	—	1
Remainder of East and West Ridings	3	5	1	3	1	1	1	1	—	—	—	—	—	—
North Western	**5**	**5**	**2**	—	**2**	**2**	**1**	**2**	—	**1**	—	—	—	—
South East Lancashire Conurbation	3	4	1	—	1	2	1	1	—	1	—	—	—	—
Merseyside Conurbation	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Remainder of North Western	2	1	1	—	1	—	—	1	—	—	—	—	—	—
North Midland	**4**	**3**	**1**	—	**1**	—	**2**	**1**	—	**1**	—	**1**	—	—
Midland	**2**	**2**	—	—	—	—	**2**	—	—	**1**	—	**1**	—	—
West Midlands Conurbation	1	—	—	—	—	—	1	—	—	—	—	—	—	—
Remainder of Midland	1	2	—	—	—	—	1	—	—	1	—	1	—	—
Eastern	**6**	**4**	—	**1**	**1**	—	**3**	—	**2**	**2**	—	**1**	—	—
London and South Eastern	**21**	**21**	**2**	**4**	**5**	**6**	**9**	**10**	**4**	**1**	**1**	—	—	—
Greater London	18	18	2	4	4	4	9	9	3	1	—	—	—	—
Remainder of South Eastern	3	3	—	—	1	2	—	1	1	—	1	—	—	—
Southern	**4**	**1**	—	**1**	**2**	—	**2**	—	—	—	—	—	—	—
South Western	**2**	—	—	—	**1**	—	**1**	—	—	—	—	—	—	—
Wales	**8**	**5**	**3**	—	**3**	**1**	**2**	**3**	—	**1**	—	—	—	—
Wales I (South East)	6	1	1	—	3	1	2	—	—	—	—	—	—	—
Wales II (remainder)	2	4	2	—	—	—	—	3	—	1	—	—	—	—
Urban/Rural aggregates:														
Conurbations	26	28	3	4	6	8	14	12	3	3	—	—	—	1
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	8	1	1	—	3	—	4	—	—	1	—	—	—	—
Urban areas with populations of 50,000 and under 100,000	4	4	—	—	2	—	2	2	—	2	—	—	—	—
Urban areas with populations under 50,000	14	13	3	1	4	3	4	6	2	2	1	1	—	—
Rural districts	9	11	2	4	3	1	3	2	1	2	—	2	—	—

TABLE 30—*continued*

Area	All ages		0–		1–		2–		3–		4–		5–		10–		15–		25 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Meningococcal infection																					
ENGLAND AND WALES (excluding Port Health Districts)	**333**	**242**	**90**	**65**	**49**	**34**	**24**	**20**	**23**	**10**	**20**	**7**	**33**	**29**	**22**	**11**	**31**	**30**	**41**	**36**	—	—
Regions and conurbations:																						
Northern	**30**	**20**	**6**	**4**	**7**	**5**	**3**	**3**	**2**	**1**	—	—	**4**	—	**4**	**1**	**1**	**2**	**3**	**4**	—	—
Tyneside Conurbation	8	6	2	1	2	2	1	1	—	1	—	—	1	—	1	1	—	—	1	—	—	—
Remainder of Northern	22	14	4	3	5	3	2	2	2	—	—	—	3	—	3	—	1	2	2	4	—	—
East and West Ridings	**40**	**25**	**12**	**9**	**8**	**1**	**2**	**1**	**4**	**1**	**3**	**1**	**3**	**2**	**3**	**2**	**2**	**4**	**3**	**4**	—	—
West Yorkshire Conurbation	16	11	5	5	3	—	—	1	3	—	2	—	—	1	2	1	1	2	—	1	—	—
Remainder of East and West Ridings	24	14	7	4	5	1	2	—	1	1	1	1	3	1	1	1	1	2	3	3	—	—
North Western	**69**	**54**	**24**	**21**	**8**	**10**	**3**	**4**	**2**	**2**	**5**	**3**	**9**	**5**	**4**	—	**8**	**3**	**6**	**6**	—	—
South East Lancashire Conurbation	24	21	4	8	3	5	1	2	1	—	—	2	4	1	3	—	5	—	3	3	—	—
Merseyside Conurbation	11	9	5	4	2	1	—	1	—	1	1	—	—	1	—	—	2	1	1	—	—	—
Remainder of North Western	34	24	15	9	3	4	2	1	1	1	4	1	5	3	1	—	1	2	2	3	—	—
North Midland	**27**	**16**	**4**	**4**	**5**	**2**	**1**	**2**	**1**	**1**	—	—	**1**	**1**	**4**	**4**	**5**	—	**6**	**2**	—	—
Midland	**29**	**27**	**10**	**8**	**4**	**1**	**3**	—	**2**	—	**3**	**3**	**3**	**6**	**1**	**2**	**3**	**4**	—	**3**	—	—
West Midlands Conurbation	17	12	7	2	2	1	2	—	1	—	1	2	2	4	—	1	2	—	—	2	—	—
Remainder of Midland	12	15	3	6	2	—	1	—	1	—	2	1	1	2	1	1	1	4	—	1	—	—
Eastern	**18**	**7**	**8**	**3**	**2**	—	—	**2**	**1**	—	**3**	—	**2**	—	—	—	**1**	**2**	**1**	—	—	—
London and South Eastern	**73**	**52**	**13**	**8**	**11**	**12**	**9**	**4**	**6**	**3**	**3**	—	**8**	**9**	**3**	**1**	**4**	**9**	**16**	**6**	—	—
Greater London	59	43	13	7	9	11	6	4	3	1	2	—	7	7	2	1	4	8	13	4	—	—
Remainder of South Eastern	14	9	—	1	2	1	3	—	3	2	1	—	1	2	1	—	—	1	3	2	—	—
Southern	**12**	**15**	**1**	**2**	—	**1**	—	**2**	**2**	—	**1**	—	**2**	**3**	**2**	—	**2**	**4**	**2**	**3**	—	—
South Western	**20**	**17**	**6**	**3**	**3**	—	**1**	**1**	**1**	—	**1**	—	—	**3**	**1**	**1**	**4**	**2**	**3**	**7**	—	—
Wales	**15**	**9**	**6**	**3**	**1**	**2**	**2**	**1**	**2**	**2**	**1**	—	**1**	—	—	—	**1**	—	**1**	**1**	—	—
Wales I (South East)	11	8	6	3	1	1	1	1	2	2	—	—	—	—	—	—	—	—	1	1	—	—
Wales II (remainder)	4	1	—	—	—	1	1	—	—	—	1	—	1	—	—	—	1	—	—	—	—	—
Urban/Rural aggregates:																						
Conurbations	135	102	36	27	21	20	10	9	8	3	6	4	14	14	8	4	14	11	18	10	—	—
Areas outside conurbations:																						
Urban areas with populations of 100,000 and over	50	35	16	8	10	3	5	2	2	2	2	1	3	2	3	1	5	9	4	7	—	—
Urban areas with populations of 50,000 and under 100,000	33	25	13	9	2	1	2	4	3	1	3	—	5	2	1	1	2	3	2	4	—	—
Urban areas with populations under 50,000	63	47	16	12	11	6	4	1	4	4	2	1	7	6	4	3	7	5	8	9	—	—
Rural districts	52	33	9	9	5	4	3	4	6	—	7	1	4	5	6	2	3	2	9	6	—	—

TABLE 30—*continued*

Area	All ages		0–		5–		15–		45–		65 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Erysipelas													
ENGLAND AND WALES (excluding Port Health Districts)	**822**	**967**	**13**	**8**	**32**	**20**	**184**	**191**	**410**	**476**	**173**	**257**	**10**	**15**
Regions and conurbations:														
Northern	**39**	**48**	**1**	—	**1**	—	**5**	**12**	**20**	**23**	**11**	**12**	**1**	**1**
Tyneside Conurbation	12	12	1	—	—	—	2	5	5	5	4	2	—	—
Remainder of Northern	27	36	—	—	1	—	3	7	15	18	7	10	1	1
East and West Ridings	**95**	**102**	—	—	**5**	**1**	**27**	**21**	**44**	**51**	**19**	**29**	—	—
West Yorkshire Conurbation	39	46	—	—	2	—	14	12	17	25	6	9	—	—
Remainder of East and West Ridings	56	56	—	—	3	1	13	9	27	26	13	20	—	—
North Western	**105**	**104**	—	**1**	**1**	**2**	**21**	**22**	**56**	**51**	**27**	**27**	—	**1**
South East Lancashire Conurbation	46	42	—	1	1	2	6	9	25	20	14	9	—	1
Merseyside Conurbation	23	27	—	—	—	—	8	8	11	14	4	5	—	—
Remainder of North Western	36	35	—	—	—	—	7	5	20	17	9	13	—	—
North Midland	**79**	**56**	—	**2**	**6**	**5**	**17**	**8**	**40**	**29**	**11**	**11**	**5**	**1**
Midland	**95**	**95**	**2**	**2**	**7**	**2**	**21**	**12**	**55**	**44**	**10**	**33**	—	**2**
West Midlands Conurbation	41	51	1	2	5	1	9	7	21	24	5	16	—	1
Remainder of Midland	54	44	1	—	2	1	12	5	34	20	5	17	—	1
Eastern	**78**	**86**	**3**	—	**2**	—	**21**	**22**	**33**	**42**	**18**	**21**	**1**	**1**
London and South Eastern	**191**	**268**	**3**	**2**	**8**	**6**	**35**	**55**	**98**	**132**	**45**	**69**	**2**	**4**
Greater London	153	204	3	2	7	5	31	46	78	104	33	45	1	2
Remainder of South Eastern	38	64	—	—	1	1	4	9	20	28	12	24	1	2
Southern	**38**	**43**	**1**	—	**1**	**1**	**7**	**10**	**20**	**18**	**8**	**10**	**1**	**4**
South Western	**72**	**112**	**2**	**1**	**1**	**1**	**22**	**24**	**30**	**56**	**17**	**29**	—	**1**
Wales	**30**	**53**	**1**	—	—	**2**	**8**	**5**	**14**	**30**	**7**	**16**	—	—
Wales I (South East)	25	40	1	—	—	2	8	5	10	24	6	9	—	—
Wales II (remainder)	5	13	—	—	—	—	—	—	4	6	1	7	—	—
Urban/Rural aggregates:														
Conurbations	314	382	5	5	15	8	70	87	157	192	66	86	1	4
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	138	171	3	2	2	3	34	35	71	88	27	40	1	3
Urban areas with populations of 50,000 and under 100,000	66	85	1	1	2	1	15	22	31	34	16	26	1	1
Urban areas with populations under 50,000	155	158	1	—	6	5	32	21	75	86	38	42	3	4
Rural districts	149	171	3	—	7	3	33	26	76	76	26	63	4	3

TABLE 30—*continued*

Area	All ages		0–		1–		2–		3–		4–		5–		10–		15–		25 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Dysentery																					
ENGLAND AND WALES (excluding Port Health Districts)	**14,977**	**15,912**	**859**	**672**	**1,269**	**1,161**	**1,407**	**1,258**	**1,232**	**1,054**	**1,034**	**940**	**4,288**	**3,815**	**1,384**	**1,199**	**658**	**1,393**	**2,587**	**4,090**	**259**	**330**
Regions and conurbations:																						
Northern	**854**	**856**	**79**	**48**	**83**	**56**	**79**	**78**	**74**	**62**	**48**	**52**	**220**	**183**	**76**	**58**	**39**	**65**	**143**	**235**	**13**	**19**
Tyneside Conurbation	67	89	5	8	6	3	7	5	4	10	5	4	14	22	4	4	5	5	17	28	—	—
Remainder of Northern	787	767	74	40	77	53	72	73	70	52	43	48	206	161	72	54	34	60	126	207	13	19
East and West Ridings	**2,573**	**2,777**	**184**	**134**	**281**	**242**	**306**	**273**	**237**	**174**	**214**	**153**	**585**	**555**	**173**	**186**	**101**	**262**	**448**	**733**	**44**	**65**
West Yorkshire Conurbation	1,432	1,607	107	77	193	168	199	165	145	99	116	80	260	263	86	91	56	174	270	488	—	2
Remainder of East and West Ridings	1,141	1,170	77	57	88	74	107	108	92	75	98	73	325	292	87	95	45	88	178	245	44	63
North Western	**3,342**	**3,649**	**163**	**151**	**296**	**277**	**336**	**304**	**302**	**278**	**197**	**209**	**971**	**884**	**288**	**251**	**143**	**302**	**589**	**903**	**57**	**90**
South East Lancashire Conurbation	1,626	1,783	86	70	156	164	194	163	159	171	113	117	426	411	127	94	63	152	281	415	21	26
Merseyside Conurbation	499	523	28	43	47	37	53	49	42	35	22	28	187	163	43	34	23	34	54	100	—	—
Remainder of North Western	1,217	1,343	49	38	93	76	89	92	101	72	62	64	358	310	118	123	57	116	254	388	36	64
North Midland	**1,632**	**1,593**	**68**	**36**	**106**	**78**	**118**	**96**	**105**	**97**	**103**	**87**	**531**	**391**	**194**	**171**	**73**	**131**	**277**	**432**	**57**	**74**
Midland	**1,734**	**1,772**	**104**	**86**	**119**	**118**	**160**	**138**	**129**	**99**	**130**	**116**	**540**	**510**	**150**	**129**	**66**	**146**	**327**	**424**	**9**	**6**
West Midlands Conurbation	555	628	56	41	46	55	49	43	43	34	35	37	164	166	38	27	22	71	100	154	2	—
Remainder of Midland	1,179	1,144	48	45	73	63	111	95	86	65	95	79	376	344	112	102	44	75	227	270	7	6
Eastern	**481**	**587**	**28**	**29**	**49**	**44**	**39**	**43**	**32**	**40**	**34**	**35**	**128**	**135**	**31**	**37**	**27**	**50**	**97**	**165**	**16**	**9**
London and South Eastern	**2,856**	**3,140**	**164**	**139**	**258**	**253**	**270**	**231**	**226**	**208**	**206**	**204**	**822**	**721**	**291**	**228**	**135**	**311**	**464**	**818**	**20**	**27**
Greater London	2,389	2,639	150	131	232	223	232	204	195	192	174	178	674	626	207	171	115	244	397	655	13	15
Remainder of South Eastern	467	501	14	8	26	30	38	27	31	16	32	26	148	95	84	57	20	67	67	163	7	12
Southern	**255**	**213**	**10**	**6**	**10**	**8**	**14**	**12**	**10**	**11**	**15**	**7**	**90**	**70**	**47**	**21**	**14**	**16**	**40**	**60**	**5**	**2**
South Western	**762**	**817**	**35**	**19**	**34**	**42**	**51**	**55**	**73**	**57**	**58**	**53**	**292**	**264**	**77**	**83**	**31**	**56**	**103**	**172**	**8**	**16**
Wales	**488**	**508**	**24**	**24**	**33**	**43**	**34**	**28**	**44**	**28**	**29**	**24**	**109**	**102**	**57**	**35**	**29**	**54**	**99**	**148**	**30**	**22**
Wales I (South East)	378	390	19	17	28	38	28	22	36	24	24	21	94	79	44	24	26	38	78	122	1	5
Wales II (remainder)	110	118	5	7	5	5	6	6	8	4	5	3	15	23	13	11	3	16	21	26	29	17
Urban/Rural aggregates:																						
Conurbations	6,568	7,269	432	370	680	650	734	629	588	541	465	444	1,725	1,651	505	421	284	680	1,119	1,840	36	43
Areas outside conurbations:																						
Urban areas with populations of 100,000 and over	2,680	2,607	181	115	233	180	268	247	270	174	223	187	718	615	232	177	129	206	418	686	8	20
Urban areas with populations of 50,000 and under 100,000	1,205	1,308	79	67	105	104	117	113	107	96	85	68	338	300	108	105	50	102	200	344	16	9
Urban areas with populations under 50,000	2,753	2,923	104	73	154	147	176	171	175	147	158	141	962	790	294	300	95	248	528	747	107	159
Rural districts	1,771	1,805	63	47	97	80	112	98	92	96	103	100	545	459	245	196	100	157	322	473	92	99

TABLE 30—*continued*

Area	All ages		0–		5–		15–		45–		65 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Acute encephalitis (infective)													
ENGLAND AND WALES (excluding Port Health Districts)	**56**	**57**	**12**	**10**	**21**	**16**	**20**	**28**	**2**	**1**	**1**	**1**	—	**1**
Regions and conurbations:														
Northern	**9**	**9**	**1**	**1**	**4**	**4**	**4**	**4**	—	—	—	—	—	—
Tyneside Conurbation	5	6	1	1	2	3	2	2	—	—	—	—	—	—
Remainder of Northern	4	3	—	—	2	1	2	2	—	—	—	—	—	—
East and West Ridings	**3**	**5**	**2**	**1**	—	**1**	**1**	**2**	—	—	—	**1**	—	—
West Yorkshire Conurbation	—	1	—	—	—	1	—	—	—	—	—	—	—	—
Remainder of East and West Ridings	3	4	2	1	—	—	1	2	—	—	—	1	—	—
North Western	**7**	**5**	**1**	**2**	**3**	**2**	**3**	**1**	—	—	—	—	—	—
South East Lancashire Conurbation	—	1	—	1	—	—	—	—	—	—	—	—	—	—
Merseyside Conurbation	4	1	—	—	1	1	3	—	—	—	—	—	—	—
Remainder of North Western	3	3	1	1	2	1	—	1	—	—	—	—	—	—
North Midland	**3**	**4**	—	—	**1**	**2**	**1**	**2**	**1**	—	—	—	—	—
Midland	**10**	**12**	**3**	**4**	**5**	**3**	**1**	**5**	—	—	**1**	—	—	—
West Midlands Conurbation	5	7	1	2	2	1	1	4	—	—	1	—	—	—
Remainder of Midland	5	5	2	2	3	2	—	1	—	—	—	—	—	—
Eastern	**5**	**4**	**2**	**1**	—	—	**3**	**2**	—	**1**	—	—	—	—
London and South Eastern	**14**	**12**	**2**	**1**	**6**	**2**	**6**	**9**	—	—	—	—	—	—
Greater London	10	11	1	1	5	2	4	8	—	—	—	—	—	—
Remainder of South Eastern	4	1	1	—	1	—	2	1	—	—	—	—	—	—
Southern	**1**	**2**	—	—	—	**1**	**1**	**1**	—	—	—	—	—	—
South Western	**2**	**2**	**1**	—	**1**	—	—	**2**	—	—	—	—	—	—
Wales	**2**	**2**	—	—	**1**	**1**	—	—	**1**	—	—	—	—	**1**
Wales I (South East)	1	1	—	—	—	1	—	—	1	—	—	—	—	—
Wales II (remainder)	1	1	—	—	1	—	—	—	—	—	—	—	—	1
Urban/Rural aggregates:														
Conurbations	24	27	3	5	10	8	10	14	—	—	1	—	—	—
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	7	8	2	1	3	1	2	5	—	—	—	1	—	—
Urban areas with populations of 50,000 and under 100,000	5	7	—	—	1	1	3	5	1	1	—	—	—	—
Urban areas with populations under 50,000	14	6	5	2	6	2	2	1	1	—	—	—	—	1
Rural districts	6	9	2	2	1	4	3	3	—	—	—	—	—	—

TABLE 30—*continued*

Area	All ages		0–		5–		15–		45–		65 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Acute encephalitis (post infectious)													
ENGLAND AND WALES (excluding Port Health Districts)	**63**	**56**	**16**	**13**	**30**	**20**	**17**	**20**	—	**3**	—	—	—	—
Regions and conurbations:														
Northern	**5**	**4**	**4**	**1**	**1**	**3**	—	—	—	—	—	—	—	—
Tyneside Conurbation	2	1	1	—	1	1	—	—	—	—	—	—	—	—
Remainder of Northern	3	3	3	1	—	2	—	—	—	—	—	—	—	—
East and West Ridings	**7**	**5**	**1**	**3**	**4**	**2**	**2**	—	—	—	—	—	—	—
West Yorkshire Conurbation	4	4	1	3	1	1	2	—	—	—	—	—	—	—
Remainder of East and West Ridings	3	1	—	—	3	1	—	—	—	—	—	—	—	—
North Western	**4**	**3**	**1**	**1**	**2**	**1**	**1**	**1**	—	—	—	—	—	—
South East Lancashire Conurbation	1	—	1	—	—	—	—	—	—	—	—	—	—	—
Merseyside Conurbation	—	2	—	1	—	—	—	1	—	—	—	—	—	—
Remainder of North Western	3	1	—	—	2	1	1	—	—	—	—	—	—	—
North Midland	**5**	**2**	**1**	—	**3**	**1**	**1**	**1**	—	—	—	—	—	—
Midland	**6**	**8**	**2**	**3**	**3**	**3**	**1**	**2**	—	—	—	—	—	—
West Midlands Conurbation	3	5	1	2	2	2	—	1	—	—	—	—	—	—
Remainder of Midland	3	3	1	1	1	1	1	1	—	—	—	—	—	—
Eastern	**5**	**4**	**2**	**1**	**1**	**1**	**2**	**2**	—	—	—	—	—	—
London and South Eastern	**24**	**24**	**4**	**3**	**13**	**7**	**7**	**12**	—	**2**	—	—	—	—
Greater London	20	19	4	3	11	6	5	9	—	1	—	—	—	—
Remainder of South Eastern	4	5	—	—	2	1	2	3	—	1	—	—	—	—
Southern	**3**	**1**	**1**	—	—	—	**2**	—	—	**1**	—	—	—	—
South Western	**2**	**3**	—	**1**	**2**	—	—	**2**	—	—	—	—	—	—
Wales	**2**	**2**	—	—	**1**	**2**	**1**	—	—	—	—	—	—	—
Wales I (South East)	1	1	—	—	—	1	1	—	—	—	—	—	—	—
Wales II (remainder)	1	1	—	—	1	1	—	—	—	—	—	—	—	—
Urban/Rural aggregates:														
Conurbations	30	31	8	9	15	10	7	11	—	1	—	—	—	—
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	7	8	1	—	4	7	2	1	—	—	—	—	—	—
Urban areas with populations of 50,000 and under 100,000	4	—	—	—	2	—	2	—	—	—	—	—	—	—
Urban areas with populations under 50,000	13	13	4	4	4	3	5	4	—	2	—	—	—	—
Rural districts	9	4	3	—	5	—	1	4	—	—	—	—	—	—

TABLE 30—*continued*

Area	All ages		0–		5–		15–		45–		65 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Acute pneumonia													
ENGLAND AND WALES (excluding Port Health Districts)	**6,829**	**5,700**	**1,077**	**766**	**647**	**455**	**1,361**	**1,165**	**2,080**	**1,333**	**1,615**	**1,928**	**49**	**53**
Regions and conurbations:														
Northern	**608**	**460**	**118**	**87**	**49**	**35**	**102**	**80**	**180**	**102**	**155**	**154**	**4**	**2**
Tyneside Conurbation	262	159	55	32	21	12	41	37	85	36	60	42	—	—
Remainder of Northern	346	301	63	55	28	23	61	43	95	66	95	112	4	2
East and West Ridings	**1,426**	**1,139**	**282**	**206**	**113**	**81**	**273**	**215**	**398**	**250**	**356**	**384**	**4**	**3**
West Yorkshire Conurbation	603	487	140	94	44	31	103	73	165	104	151	184	—	1
Remainder of East and West Ridings	823	652	142	112	69	50	170	142	233	146	205	200	4	2
North Western	**882**	**772**	**207**	**135**	**77**	**72**	**156**	**163**	**264**	**164**	**167**	**229**	**11**	**9**
South East Lancashire Conurbation	301	295	41	41	24	27	61	58	102	63	66	103	7	3
Merseyside Conurbation	345	257	117	65	33	32	53	53	92	52	47	55	3	—
Remainder of North Western	236	220	49	29	20	13	42	52	70	49	54	71	1	6
North Midland	**482**	**362**	**65**	**44**	**50**	**38**	**108**	**89**	**142**	**78**	**106**	**110**	**11**	**3**
Midland	**794**	**611**	**81**	**73**	**70**	**39**	**193**	**153**	**271**	**146**	**178**	**196**	**1**	**4**
West Midlands Conurbation	387	275	45	40	23	17	97	71	153	68	69	77	—	2
Remainder of Midland	407	336	36	33	47	22	96	82	118	78	109	119	1	2
Eastern	**394**	**385**	**67**	**31**	**65**	**42**	**77**	**86**	**101**	**92**	**80**	**120**	**4**	**14**
London and South Eastern	**1,314**	**1,171**	**138**	**86**	**111**	**83**	**251**	**237**	**464**	**317**	**347**	**440**	**3**	**8**
Greater London	985	854	101	64	77	59	195	174	358	236	253	315	1	6
Remainder of South Eastern	329	317	37	22	34	24	56	63	106	81	94	125	2	2
Southern	**188**	**159**	**18**	**19**	**24**	**17**	**48**	**34**	**46**	**36**	**51**	**52**	**1**	**1**
South Western	**416**	**370**	**42**	**44**	**46**	**23**	**97**	**64**	**123**	**86**	**100**	**146**	**8**	**7**
Wales	**325**	**271**	**59**	**41**	**42**	**25**	**56**	**44**	**91**	**62**	**75**	**97**	**2**	**2**
Wales I (South East)	234	199	39	35	27	18	51	33	58	44	57	67	2	2
Wales II (remainder)	91	72	20	6	15	7	5	11	33	18	18	30	—	—
Urban/Rural aggregates:														
Conurbations	2,883	2,327	499	336	222	178	550	466	955	559	646	776	11	12
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	1,227	1,037	213	158	102	68	245	213	333	209	332	386	2	3
Urban areas with populations of 50,000 and under 100,000	410	419	85	65	41	21	77	107	110	102	92	119	5	5
Urban areas with populations under 50,000	1,109	925	160	100	123	87	206	171	336	250	268	304	16	13
Rural districts	1,200	992	120	107	159	101	283	208	346	213	277	343	15	20

TABLE 30—*continued*

Area	All ages		0–		5–		15–		45–		65 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Food poisoning													
ENGLAND AND WALES (excluding Port Health Districts)	**2,588**	**2,562**	**576**	**439**	**579**	**422**	**935**	**1,009**	**309**	**355**	**112**	**226**	**77**	**111**
Regions and conurbations:														
Northern	**173**	**159**	**20**	**22**	**50**	**32**	**53**	**56**	**20**	**24**	**27**	**21**	**3**	**4**
Tyneside Conurbation	13	17	7	6	2	4	2	3	1	4	1	—	—	—
Remainder of Northern	160	142	13	16	48	28	51	53	19	20	26	21	3	4
East and West Ridings	**189**	**187**	**66**	**49**	**37**	**31**	**60**	**67**	**16**	**24**	**6**	**9**	**4**	**7**
West Yorkshire Conurbation	103	117	29	30	20	19	42	44	8	18	3	5	1	1
Remainder of East and West Ridings	86	70	37	19	17	12	18	23	8	6	3	4	3	6
North Western	**344**	**343**	**68**	**60**	**54**	**48**	**137**	**134**	**43**	**44**	**3**	**14**	**39**	**43**
South East Lancashire Conurbation	149	188	33	29	25	28	55	85	30	28	1	8	5	10
Merseyside Conurbation	37	42	14	13	10	7	7	15	5	6	—	1	1	—
Remainder of North Western	158	113	21	18	19	13	75	34	8	10	2	5	33	33
North Midland	**160**	**154**	**46**	**37**	**40**	**36**	**53**	**46**	**14**	**22**	**4**	**11**	**3**	**2**
Midland	**238**	**261**	**60**	**46**	**52**	**44**	**80**	**126**	**35**	**28**	**7**	**13**	**4**	**4**
West Midlands Conurbation	83	108	19	10	11	10	34	65	14	17	5	6	—	—
Remainder of Midland	155	153	41	36	41	34	46	61	21	11	2	7	4	4
Eastern	**209**	**193**	**40**	**29**	**37**	**28**	**97**	**70**	**25**	**37**	**5**	**23**	**5**	**6**
London and South Eastern	**789**	**831**	**183**	**129**	**138**	**141**	**309**	**331**	**113**	**120**	**41**	**98**	**5**	**12**
Greater London	657	683	154	113	113	102	265	286	98	100	22	74	5	8
Remainder of South Eastern	132	148	29	16	25	39	44	45	15	20	19	24	—	4
Southern	**139**	**133**	**22**	**18**	**56**	**26**	**37**	**40**	**9**	**11**	**4**	**6**	**11**	**32**
South Western	**149**	**177**	**37**	**24**	**34**	**24**	**48**	**85**	**17**	**24**	**11**	**20**	**2**	—
Wales	**198**	**124**	**34**	**25**	**81**	**12**	**61**	**54**	**17**	**21**	**4**	**11**	**1**	**1**
Wales I (South East)	135	114	34	24	30	12	53	47	14	20	4	10	—	1
Wales II (remainder)	63	10	—	1	51	—	8	7	3	1	—	1	1	—
Urban/Rural aggregates:														
Conurbations	1,042	1,155	256	201	181	170	405	498	156	173	32	94	12	19
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	395	390	115	76	78	57	124	158	28	44	15	24	35	31
Urban areas with populations of 50,000 and under 100,000	191	184	37	27	43	40	64	73	19	19	26	23	2	2
Urban areas with populations under 50,000	551	462	101	75	132	80	216	158	64	66	17	38	21	45
Rural districts	409	371	67	60	145	75	126	122	42	53	22	47	7	14

(88065)

TABLE 30—*continued*

Area	All ages		0–		5–		15–		25–		45–		65 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	†Tuberculosis, respiratory															
ENGLAND AND WALES (excluding Port Health Districts)	**11,800**	**6,175**	**351**	**337**	**480**	**520**	**1,440**	**1,373**	**3,665**	**2,302**	**4,370**	**1,154**	**1,466**	**478**	**28**	**11**
Regions and conurbations:																
Northern	**921**	**581**	**35**	**37**	**52**	**54**	**107**	**120**	**293**	**226**	**333**	**105**	**101**	**39**	—	—
Tyneside Conurbation	359	203	14	18	22	17	42	49	118	71	125	36	38	12	—	—
Remainder of Northern	562	378	21	19	30	37	65	71	175	155	208	69	63	27	—	—
East and West Ridings	**1,205**	**539**	**30**	**23**	**37**	**54**	**149**	**125**	**460**	**199**	**399**	**101**	**129**	**36**	**1**	**1**
West Yorkshire Conurbation	659	253	19	15	15	26	89	63	295	89	189	44	51	16	1	—
Remainder of East and West Ridings	546	286	11	8	22	28	60	62	165	110	210	57	78	20	—	1
North Western	**1,650**	**947**	**40**	**45**	**64**	**66**	**218**	**222**	**481**	**363**	**633**	**186**	**210**	**63**	**4**	**2**
South East Lancashire Conurbation	669	344	19	15	28	29	107	81	194	146	244	58	76	15	1	—
Merseyside Conurbation	467	291	13	14	15	16	42	61	128	101	201	71	67	28	1	—
Remainder of North Western	514	312	8	16	21	21	69	80	159	116	188	57	67	20	2	2
North Midland	**744**	**425**	**25**	**22**	**31**	**39**	**92**	**119**	**214**	**160**	**281**	**68**	**97**	**17**	**4**	—
Midland	**1,330**	**624**	**49**	**54**	**72**	**76**	**150**	**143**	**447**	**208**	**479**	**95**	**132**	**48**	**1**	—
West Midlands Conurbation	869	401	39	45	52	54	93	86	307	130	304	56	73	30	1	—
Remainder of Midland	461	223	10	9	20	22	57	57	140	78	175	39	59	18	—	—
Eastern	**755**	**405**	**21**	**14**	**29**	**33**	**97**	**86**	**244**	**148**	**269**	**79**	**92**	**43**	**3**	**2**
London and South Eastern	**3,173**	**1,602**	**88**	**89**	**97**	**115**	**386**	**335**	**975**	**620**	**1,207**	**322**	**414**	**120**	**6**	**1**
Greater London	2,634	1,279	76	76	82	96	327	269	832	506	984	245	328	86	5	1
Remainder of South Eastern	539	323	12	13	15	19	59	66	143	114	223	77	86	34	1	—
Southern	**630**	**308**	**21**	**15**	**25**	**21**	**84**	**75**	**194**	**96**	**229**	**66**	**76**	**34**	**1**	**1**
South Western	**633**	**363**	**18**	**15**	**35**	**33**	**80**	**52**	**183**	**136**	**218**	**79**	**95**	**45**	**4**	**3**
Wales	**759**	**381**	**24**	**23**	**38**	**29**	**77**	**96**	**174**	**146**	**322**	**53**	**120**	**33**	**4**	**1**
Wales I (South East)	524	267	17	17	27	20	53	74	117	103	234	33	76	19	—	1
Wales II (remainder)	235	114	7	6	11	9	24	22	57	43	88	20	44	14	4	—
Urban/Rural aggregates:																
Conurbations	5,657	2,771	180	183	214	238	700	609	1,874	1,043	2,047	510	633	187	9	1
Areas outside conurbations:																
Urban areas with populations of 100,000 and over	1,817	908	58	52	73	91	222	201	531	325	708	176	222	61	3	2
Urban areas with populations of 50,000 and under 100,000	1,002	567	19	23	38	51	118	117	339	213	363	112	122	50	3	1
Urban areas with populations under 50,000	1,870	1,093	53	46	86	86	219	261	518	391	719	199	270	106	5	4
Rural districts	1,454	836	41	33	69	54	181	185	403	330	533	157	219	74	8	3

† See note at end of Table 31.

TABLE 30—*continued*

Area	All ages		0–		5–		15–		25–		45–		65 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	†Tuberculosis of meninges and central nervous system															
ENGLAND AND WALES (excluding Port Health Districts)	88	76	22	18	23	14	14	19	18	17	7	4	3	4	1	—
Regions and conurbations:																
Northern	6	11	2	2	—	4	2	3	1	2	—	—	1	—	—	
Tyneside Conurbation	1	4	—	—	—	2	1	2	—	—	—	—	—	—	—	—
Remainder of Northern	5	7	2	2	—	2	1	1	1	2	—	—	1	—	—	—
East and West Ridings	14	5	2	1	5	1	1	3	3	—	2	—	—	—	1	—
West Yorkshire Conurbation	9	3	—	1	4	—	1	2	2	—	1	—	—	—	1	—
Remainder of East and West Ridings	5	2	2	—	1	1	—	1	1	—	1	—	—	—	—	—
North Western	21	15	7	3	7	2	2	6	3	3	1	—	1	1	—	—
South East Lancashire Conurbation	10	8	4	2	4	2	1	3	1	1	—	—	—	—	—	—
Merseyside Conurbation	3	2	2	—	1	—	—	2	—	—	—	—	—	—	—	—
Remainder of North Western	8	5	1	1	2	—	1	1	2	2	1	—	1	1	—	—
North Midland	10	8	—	3	2	1	4	2	4	1	—	1	—	—	—	—
Midland	7	3	3	—	1	2	—	—	3	1	—	—	—	—	—	—
West Midlands Conurbation	5	2	2	—	1	2	—	—	2	—	—	—	—	—	—	—
Remainder of Midland	2	1	1	—	—	—	—	—	1	1	—	—	—	—	—	—
Eastern	4	6	1	2	2	—	—	1	—	2	1	—	—	1	—	—
London and South Eastern	12	12	4	2	3	3	2	1	1	5	2	1	—	—	—	—
Greater London	7	8	1	2	2	2	2	1	1	2	1	1	—	—	—	—
Remainder of South Eastern	5	4	3	—	1	1	—	—	—	3	1	—	—	—	—	—
Southern	5	8	1	2	1	1	1	3	2	—	—	1	—	1	—	—
South Western	4	5	1	1	—	—	1	—	—	2	1	1	1	1	—	—
Wales (including Monmouthshire)	5	3	1	2	2	—	1	—	1	1	—	—	—	—	—	—
Wales I (South East)	2	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—
Wales II (remainder)	3	2	—	1	1	—	1	—	1	1	—	—	—	—	—	—
Urban/Rural aggregates:																
Conurbations	35	27	9	5	12	8	5	10	6	3	2	1	—	—	1	—
Areas outside conurbations:																
Urban areas with populations of 100,000 and over	10	7	4	—	2	3	1	3	3	—	—	1	—	—	—	—
Urban areas with populations of 50,000 and under 100,000	11	9	4	4	3	1	—	1	2	2	1	—	1	1	—	—
Urban areas with populations under 50,000	17	15	—	6	3	1	4	2	6	4	2	1	2	1	—	—
Rural districts	15	18	5	3	3	1	4	3	1	8	2	1	—	2	—	—

† See note at end of Table 31.

TABLE 30—*continued*

Area	All ages		0–		5–		15–		25–		45–		65 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	†Tuberculosis, other forms															
ENGLAND AND WALES (excluding Port Health Districts)	1,112	1,410	39	38	120	114	177	253	479	568	217	279	73	151	7	7
Regions and conurbations:																
Northern	80	122	3	2	11	9	16	21	32	51	11	32	7	6	—	1
Tyneside Conurbation	27	54	2	1	3	4	5	8	12	22	4	17	1	2	—	—
Remainder of Northern	53	68	1	1	8	5	11	13	20	29	7	15	6	4	—	1
East and West Ridings	129	88	4	6	7	9	25	26	74	28	14	11	5	8	—	—
West Yorkshire Conurbation	89	48	3	4	2	5	18	14	57	13	7	5	2	7	—	—
Remainder of East and West Ridings	40	40	1	2	5	4	7	12	17	15	7	6	3	1	—	—
North Western	122	142	8	2	13	17	10	33	52	54	30	18	8	17	1	1
South East Lancashire Conurbation	52	47	5	2	7	7	4	13	22	14	11	5	2	6	1	—
Merseyside Conurbation	23	46	1	—	1	1	4	13	9	19	7	7	1	6	—	—
Remainder of North Western	47	49	2	—	5	9	2	7	21	21	12	6	5	5	—	1
North Midland	96	129	2	4	11	8	18	26	36	50	25	27	4	12	—	2
Midland	157	140	5	5	18	18	24	22	75	60	31	27	3	8	1	—
West Midlands Conurbation	104	73	2	2	10	11	14	10	52	35	23	13	2	2	1	—
Remainder of Midland	53	67	3	3	8	7	10	12	23	25	8	14	1	6	—	—
Eastern	73	118	3	—	9	4	14	21	29	50	11	22	6	20	1	1
London and South Eastern	259	383	3	10	27	27	43	59	119	160	48	79	19	48	—	—
Greater London	207	295	3	9	19	23	39	45	99	130	37	58	10	30	—	—
Remainder of South Eastern	52	88	—	1	8	4	4	14	20	30	11	21	9	18	—	—
Southern	54	66	1	3	5	4	8	13	20	28	11	12	7	5	2	1
South Western	84	111	6	2	15	10	12	14	22	44	22	21	7	19	—	1
Wales	58	111	4	4	4	8	7	18	20	43	14	30	7	8	2	—
Wales I (South East)	32	64	2	2	3	4	5	12	13	24	6	18	3	4	—	—
Wales II (remainder)	26	47	2	2	1	4	2	6	7	19	8	12	4	4	2	—
Urban/Rural aggregates:																
Conurbations	502	563	16	18	42	51	84	103	251	233	89	105	18	53	2	—
Areas outside conurbations:																
Urban areas with populations of 100,000 and over	126	199	5	6	11	11	22	32	44	82	26	42	18	24	—	2
Urban areas with populations of 50,000 and under 100,000	84	101	2	2	11	8	16	14	39	44	8	14	7	19	1	—
Urban areas with populations under 50,000	205	286	7	7	23	23	31	53	80	113	51	61	13	26	—	3
Rural districts	195	261	9	5	33	21	24	51	65	96	43	57	17	29	4	2

† See note at end of Table 31.

TABLE 31. Cases of certain infectious diseases notified, 1962 (including, for England and Wales only, case rates per 100,000 population)

See explanatory notes.

England and Wales, standard regions, Wales, conurbations, counties, county and metropolitan boroughs, and urban and rural aggregates outside conurbations

Area	Typhoid fever	Paratyphoid fever	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute poliomyelitis: Paralytic	Acute poliomyelitis: Non-paralytic	Acute encephalitis: Infective	Acute encephalitis: Post-infectious	Acute pneumonia (primary and influenzal)	Puerperal pyrexia	Food poisoning	Tuberculosis†: Respiratory	Tuberculosis†: Meninges and C.N.S.	Tuberculosis†: Other
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
(a) Numbers originally notified																				
***ENGLAND AND WALES** (including Port Health Districts): **Total**	**127**	**133**	**844**	**15,417**	**8,406**	**70**	**1,788**	**1,027**	**34,171**	**184,716**	**260**	**80**	**111**	**121**	**12,793**	**7,191**	**7,505**	**18,180**	**168**	**2,552**
Total (excluding Port Health Districts)	124	130	843	15,414	8,405	70	1,788	1,027	34,136	184,578	259	80	111	121	12,780	7,190	7,504	18,120	168	2,548
*Port Health Districts	3	8	1	3	1	—	—	—	35	138	1	—	—	—	13	1	1	60	—	4
Regions and conurbations:																				
Northern	**3**	**14**	**58**	**529**	**1,339**	**1**	**88**	**13**	**1,881**	**14,803**	**30**	**8**	**15**	**8**	**1,090**	**281**	**448**	**1,506**	**16**	**202**
Tyneside Conurbation	—	5	16	105	698	—	25	2	282	3,095	6	1	9	2	445	33	78	563	5	83
Remainder of Northern	3	9	42	424	641	1	63	11	1,599	11,708	24	7	6	6	645	248	370	943	11	119
***East and West Ridings**	**7**	**19**	**71**	**1,996**	**538**	**14**	**197**	**46**	**5,744**	**24,790**	**58**	**3**	**8**	**13**	**2,758**	**387**	**507**	**1,755**	**19**	**218**
*West Yorkshire Conurbation	5	8	24	522	164	11	86	28	3,109	10,847	38	2	1	8	1,045	169	265	918	12	137
Remainder of East and West Ridings	2	11	47	1,474	374	3	111	18	2,635	13,943	20	1	7	5	1,713	218	242	837	7	81
***North Western**	**11**	**11**	**146**	**2,385**	**895**	**7**	**212**	**179**	**8,642**	**44,147**	**27**	**4**	**12**	**7**	**1,658**	**1,167**	**1,641**	**2,629**	**36**	**269**
*South East Lancashire Conurbation	2	7	47	888	232	2	88	49	4,135	12,732	13	1	1	1	597	416	641	1,010	18	100
Merseyside Conurbation	2	1	21	409	391	4	52	94	1,581	16,804	5	—	5	2	603	526	540	784	5	70
Remainder of North Western	7	3	78	1,088	272	1	72	36	2,926	14,611	9	3	6	4	458	225	460	835	13	99
***North Midland**	**6**	**7**	**52**	**1,275**	**517**	**—**	**136**	**22**	**3,058**	**15,045**	**17**	**1**	**9**	**7**	**840**	**197**	**390**	**1,174**	**17**	**231**
***Midland**	**14**	**4**	**260**	**1,755**	**896**	**18**	**188**	**391**	**3,854**	**11,244**	**16**	**11**	**21**	**14**	**1,409**	**614**	**605**	**1,967**	**14**	**298**
*West Midlands Conurbation	9	1	231	926	600	18	91	346	1,316	5,357	2	7	9	8	663	272	239	1,279	7	178
Remainder of Midland	5	3	29	829	296	—	97	45	2,538	5,887	14	4	12	6	746	342	366	688	7	120
***Eastern**	**14**	**9**	**25**	**1,711**	**964**	**1**	**164**	**19**	**1,156**	**21,098**	**12**	**6**	**8**	**9**	**781**	**452**	**805**	**1,172**	**11**	**192**
***London and South Eastern**	**50**	**46**	**130**	**3,657**	**1,989**	**6**	**460**	**245**	**6,603**	**28,963**	**44**	**16**	**26**	**50**	**2,489**	**3,015**	**2,092**	**4,825**	**24**	**649**
*Greater London	43	37	105	2,941	1,455	5	359	223	5,599	22,094	39	11	21	41	1,844	2,605	1,712	3,960	15	506
Remainder of South Eastern	7	9	25	716	534	1	101	22	1,004	6,869	5	5	5	9	645	410	380	865	9	143
***Southern**	**5**	**5**	**28**	**640**	**349**	**—**	**81**	**21**	**543**	**7,392**	**5**	**7**	**3**	**4**	**347**	**438**	**266**	**951**	**13**	**120**
South Western	**9**	**2**	**49**	**844**	**776**	**9**	**184**	**72**	**1,675**	**11,467**	**10**	**1**	**5**	**5**	**797**	**495**	**402**	**995**	**9**	**196**
***Wales**	**5**	**13**	**24**	**622**	**142**	**14**	**78**	**19**	**980**	**5,629**	**40**	**23**	**4**	**4**	**611**	**144**	**348**	**1,146**	**9**	**173**
*Wales (South East)	3	7	19	464	106	14	60	16	748	3,505	36	23	2	2	449	116	274	795	4	97
Wales (remainder)	2	6	5	158	36	—	18	3	232	2,124	4	—	2	2	162	28	74	351	5	76
Urban/Rural aggregates:																				
Conurbations	61	59	444	5,791	3,540	40	701	742	16,022	70,929	103	22	46	62	5,197	4,021	3,475	8,514	62	1,074
Areas outside conurbations:																				
Urban areas with populations of 100,000 and over	12	11	121	2,544	1,254	8	309	132	5,553	24,432	24	13	15	15	2,496	1,000	1,236	2,744	19	328
Urban areas with populations of 50,000 and under 100,000	10	7	74	1,536	576	9	150	40	2,784	15,174	28	7	10	4	863	822	577	1,588	20	187
Urban areas with populations under 50,000	17	31	115	2,733	1,313	11	311	62	5,732	39,397	76	31	24	27	2,029	727	1,304	2,967	34	500
Rural districts	24	22	89	2,810	1,722	2	317	51	4,045	34,646	28	7	16	13	2,195	620	912	2,307	33	459

* For smallpox and anthrax cases notified see summary at end of Table. † See note at end of Table.

TABLE 31—*continued*

Area	Typhoid fever	Paratyphoid fever	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute poliomyelitis: Paralytic	Acute poliomyelitis: Non-paralytic	Acute encephalitis: Infective	Acute encephalitis: Post-infectious	Acute pneumonia (primary and influenzal)	Puerperal pyrexia	Food poisoning	Tuberculosis†: Respiratory	Tuberculosis†: Meninges and C.N.S.	Tuberculosis†: Other
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
(b) Final numbers after correction																				
***ENGLAND AND WALES** (excluding Port Health Districts): **Total**	**127**	**118**	**575**	**15,303**	**8,347**	**16**	**1,789**	**1,017**	**30,889**	**184,757**	**211**	**59**	**113**	**119**	**12,529**	**7,146**	**5,150**	**17,975**	**164**	**2,522**
Rates (per 100,000 population)	**0**	**0**	**1**	**33**	**18**	**0**	**4**	**2**	**66**	**396**	**0**	**0**	**0**	**0**	**27**	**15**	**11**	**39**	**0**	**5**
Regions and conurbations:																				
Northern	**3**	**11**	**50**	**528**	**1,345**	**—**	**87**	**14**	**1,710**	**14,838**	**27**	**9**	**18**	**9**	**1,068**	**272**	**332**	**1,502**	**17**	**202**
Tyneside Conurbation	—	4	14	105	706	—	24	2	156	3,092	5	1	11	3	421	32	30	562	5	81
Remainder of Northern	3	7	36	423	639	—	63	12	1,554	11,746	22	8	7	6	647	240	302	940	12	121
***East and West Ridings**	**6**	**14**	**65**	**1,976**	**517**	**3**	**197**	**49**	**5,350**	**24,861**	**41**	**5**	**8**	**12**	**2,565**	**410**	**376**	**1,744**	**19**	**217**
*West Yorkshire Conurbation	4	6	27	521	156	3	85	29	3,039	10,958	25	3	1	8	1,090	170	220	912	12	137
Remainder of East and West Ridings	2	8	38	1,455	361	—	112	20	2,311	13,903	16	2	7	4	1,475	240	156	832	7	80
***North Western**	**13**	**10**	**123**	**2,365**	**872**	**1**	**209**	**177**	**6,991**	**44,185**	**24**	**1**	**12**	**7**	**1,654**	**1,158**	**687**	**2,597**	**36**	**264**
*South East Lancashire Conurbation	2	7	45	882	228	—	88	49	3,409	12,770	11	1	1	1	596	418	337	1,013	18	99
Merseyside Conurbation	3	—	20	403	390	1	50	94	1,022	16,801	5	—	5	2	602	526	79	758	5	69
Remainder of North Western	8	3	58	1,080	254	—	71	34	2,560	14,614	8	—	6	4	456	214	271	826	13	96
***North Midland**	**7**	**7**	**43**	**1,263**	**516**	**—**	**135**	**23**	**3,225**	**15,039**	**13**	**—**	**7**	**7**	**844**	**197**	**314**	**1,169**	**18**	**225**
***Midland**	**14**	**4**	**56**	**1,748**	**896**	**1**	**190**	**387**	**3,506**	**11,257**	**18**	**5**	**22**	**14**	**1,405**	**612**	**499**	**1,954**	**10**	**297**
*West Midlands Conurbation	10	1	29	917	600	1	92	342	1,183	5,356	5	1	12	8	662	271	191	1,270	7	177
Remainder of Midland	4	3	27	831	296	—	98	45	2,323	5,901	13	4	10	6	743	341	308	684	3	120
***Eastern**	**14**	**10**	**25**	**1,705**	**953**	**1**	**164**	**17**	**1,068**	**21,103**	**11**	**5**	**9**	**9**	**779**	**432**	**402**	**1,160**	**10**	**191**
***London and South Eastern**	**51**	**42**	**125**	**3,621**	**1,987**	**2**	**459**	**245**	**5,996**	**28,997**	**34**	**13**	**26**	**48**	**2,485**	**3,003**	**1,620**	**4,775**	**24**	**642**
*Greater London	44	36	102	2,908	1,458	2	357	223	5,028	22,114	30	9	21	39	1,839	2,601	1,340	3,913	15	502
Remainder of South Eastern	7	6	23	713	529	—	102	22	968	6,883	4	4	5	9	646	402	280	862	9	140
***Southern**	**5**	**5**	**27**	**635**	**349**	**—**	**81**	**21**	**468**	**7,389**	**5**	**5**	**3**	**4**	**347**	**433**	**272**	**938**	**13**	**120**
South Western	**8**	**2**	**37**	**841**	**773**	**—**	**184**	**72**	**1,579**	**11,465**	**6**	**1**	**4**	**5**	**786**	**494**	**326**	**996**	**9**	**195**
***Wales**	**6**	**13**	**24**	**621**	**139**	**8**	**83**	**12**	**996**	**5,623**	**32**	**15**	**4**	**4**	**596**	**135**	**322**	**1,140**	**8**	**169**
*Wales I (South East)	4	7	19	463	103	8	65	11	768	3,498	30	15	2	2	433	109	249	791	3	96
Wales II (remainder)	2	6	5	158	36	—	18	1	228	2,125	2	—	2	2	163	26	73	349	5	73
Urban/Rural aggregates:																				
Conurbations	63	54	237	5,736	3,538	7	696	739	13,837	71,091	81	15	51	61	5,210	4,018	2,197	8,428	62	1,065
Areas outside conurbations:																				
Urban areas with populations of 100,000 and over	13	9	85	2,509	1,228	—	309	133	5,287	24,378	23	10	15	15	2,264	1,012	785	2,725	17	325
Urban areas with populations of 50,000 and under 100,000	11	8	58	1,531	567	4	151	38	2,513	15,170	22	8	12	4	829	804	375	1,569	20	185
Urban areas with populations under 50,000	16	27	110	2,723	1,307	5	313	58	5,676	39,446	62	22	20	26	2,034	719	1,013	2,963	32	491
Rural districts	24	20	85	2,804	1,707	—	320	49	3,576	34,672	23	4	15	13	2,192	593	780	2,290	33	456

* For smallpox and anthrax cases notified see summary at end of Table. † See note at end of Table.

TABLE 31—*continued*

Area	Typhoid fever	Paratyphoid fever	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute poliomyelitis: Paralytic	Acute poliomyelitis: Non-paralytic	Acute encephalitis: Infective	Acute encephalitis: Post-infectious	Acute pneumonia (primary and influenzal)	Puerperal pyrexia	Food poisoning	Tuberculosis†: Respiratory	Tuberculosis†: Meninges and C.N.S.	Tuberculosis†: Other
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
ENGLAND	**121**	**105**	**551**	**14,682**	**8,208**	**8**	**1,706**	**1,005**	**29,893**	**179,134**	**179**	**44**	**109**	**115**	**11,933**	**7,011**	**4,828**	**16,835**	**156**	**2,353**
Bedfordshire	—	**1**	**4**	**108**	**126**	—	**7**	**1**	**27**	**4,122**	**4**	**2**	—	—	**62**	**110**	**17**	**181**	**3**	**45**
Total M.B.s and U.D.s	—	1	2	73	33	—	3	1	16	2,648	4	2	—	—	41	109	14	139	—	35
Total R.D.s	—	—	2	35	93	—	4	—	11	1,474	—	—	—	—	21	1	3	42	3	10
Berkshire	**1**	—	**6**	**199**	**48**	—	**7**	**2**	**239**	**2,147**	—	—	**1**	**1**	**74**	**14**	**51**	**208**	**2**	**27**
Reading C.B.	—	—	1	31	4	—	2	—	13	362	—	—	—	—	10	5	2	97	1	5
Total M.B.s and U.D.	—	—	—	31	12	—	—	—	132	769	—	—	—	1	18	1	10	46	—	10
Total R.D.s	1	—	5	137	32	—	5	2	94	1,016	—	—	1	—	46	8	39	65	1	12
§**Buckinghamshire**	**1**	—	**4**	**121**	**94**	—	**12**	**3**	**30**	**2,071**	**1**	—	**1**	**2**	**62**	**72**	**10**	**111**	**1**	**36**
§Total M.B.s and U.D.s	—	—	1	36	43	—	8	2	13	1,120	1	—	—	2	20	18	1	69	1	22
Total R.D.s	1	—	3	85	51	—	4	1	17	951	—	—	1	—	42	54	9	42	—	14
Cambridgeshire	**6**	—	**1**	**101**	**13**	—	**13**	—	**122**	**892**	—	—	**1**	—	**16**	**37**	**22**	**38**	—	**6**
Cambridge M.B.	1	—	1	36	—	—	6	—	95	238	—	—	—	—	3	35	—	20	—	4
Total R.D.s	5	—	—	65	13	—	7	—	27	654	—	—	1	—	13	2	22	18	—	2
§**Cheshire**	**3**	—	**15**	**484**	**222**	—	**48**	**2**	**1,292**	**7,234**	**6**	—	**8**	**2**	**274**	**120**	**43**	**416**	**3**	**47**
Total C.B.s	—	—	7	98	97	—	21	2	203	2,495	1	—	7	2	148	96	10	189	—	19
§Birkenhead C.B.	—	—	1	38	42	—	9	—	142	574	1	—	2	—	90	27	—	71	—	4
Chester C.B.	—	—	1	14	6	—	1	—	14	37	—	—	2	—	2	1	5	23	—	2
Stockport C.B.	—	—	3	35	11	—	8	—	32	933	—	—	—	—	11	60	3	57	—	8
Wallasey C.B.	—	—	2	11	38	—	3	2	15	951	—	—	3	2	45	8	2	38	—	5
Total M.B.s and U.D.s	2	—	8	312	110	—	21	—	989	4,267	4	—	—	—	93	22	26	197	1	24
Total R.D.s	1	—	—	74	15	—	6	—	100	472	1	—	1	—	33	2	7	30	2	4
Cornwall	—	—	**9**	**49**	**176**	—	**18**	**4**	**29**	**1,606**	**3**	**1**	—	**2**	**98**	**82**	**27**	**119**	—	**12**
Total M.B.s and U.D.s	—	—	4	17	107	—	12	3	21	857	1	1	—	—	59	80	18	71	—	5
Total R.D.s	—	—	5	32	69	—	6	1	8	749	2	—	—	2	39	2	9	48	—	7
Cumberland	—	—	**7**	**61**	**47**	—	**5**	—	**256**	**2,795**	**2**	—	—	**1**	**45**	**34**	**68**	**123**	**1**	**12**
Carlisle C.B.	—	—	1	26	8	—	1	—	107	310	—	—	—	—	3	2	28	29	—	—
Total M.B.s and U.D.s	—	—	5	14	—	—	2	—	9	1,684	2	—	—	1	12	24	2	53	1	7
Total R.D.s	—	—	1	21	39	—	2	—	140	801	—	—	—	—	30	8	38	41	—	5
Derbyshire	**1**	**2**	**9**	**459**	**34**	—	**43**	**8**	**451**	**2,558**	**4**	—	—	**1**	**211**	**10**	**86**	**213**	**2**	**45**
Derby C.B.	—	—	1	40	5	—	15	4	229	273	1	—	—	—	36	1	3	57	—	6
Total M.B.s and U.D.s	—	—	1	214	13	—	18	2	84	963	3	—	—	1	97	3	36	89	1	14
Total R.D.s	1	2	7	205	16	—	10	2	138	1,322	—	—	—	—	78	6	47	67	1	25
Devon	**4**	—	**6**	**210**	**142**	—	**58**	**59**	**822**	**3,401**	**1**	—	**1**	**2**	**212**	**101**	**64**	**241**	**2**	**51**
Total C.B.s	2	—	5	110	75	—	36	55	403	719	1	—	1	2	85	88	44	121	1	18
Exeter C.B.	1	—	2	70	7	—	14	13	88	109	—	—	—	—	17	40	13	29	1	8

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
Devon—*continued*																				
Plymouth C.B.	1	—	3	40	68	—	22	42	315	610	1	—	1	2	68	48	31	92	—	10
Total M.B.s and U.D.s	—	—	1	30	21	—	13	4	384	1,276	—	—	—	—	59	9	14	64	1	17
Total R.D.s	2	—	—	70	46	—	9	—	35	1,406	—	—	—	—	68	4	6	56	—	16
Dorset	**1**	**1**	—	**53**	**38**	—	**13**	**1**	**8**	**606**	—	—	**2**	**1**	**76**	**118**	**17**	**82**	—	**14**
Total M.B.s and U.D.s	1	1	—	28	22	—	5	1	4	471	—	—	2	1	24	116	7	57	—	10
Total R.D.s	—	—	—	25	16	—	8	—	4	135	—	—	—	—	52	2	10	25	—	4
Durham	**1**	**8**	**29**	**245**	**790**	—	**34**	**9**	**443**	**3,617**	**14**	**4**	**13**	**4**	**690**	**186**	**92**	**787**	**8**	**92**
Total C.B.s	—	4	21	100	366	—	14	8	160	1,069	6	—	12	3	456	101	65	345	3	40
Darlington C.B.	—	—	3	21	14	—	1	1	4	49	—	—	3	—	10	4	40	30	—	1
Gateshead C.B.	—	1	2	27	198	—	2	—	14	314	1	—	8	1	129	13	7	76	—	6
South Shields C.B.	—	2	3	15	66	—	2	2	30	494	—	—	1	—	102	1	4	95	—	11
Sunderland C.B.	—	1	10	32	77	—	9	4	89	200	2	—	—	2	208	79	12	90	3	20
West Hartlepool C.B.	—	—	3	5	11	—	—	1	23	12	3	—	—	—	7	4	2	54	—	2
Total M.B.s and U.D.s	1	3	6	96	321	—	12	1	236	1,883	5	4	1	1	176	64	19	331	3	35
Total R.D.s	—	1	2	49	103	—	8	—	47	665	3	—	—	—	58	21	8	111	2	17
Ely, Isle of	—	—	—	**40**	**4**	—	**5**	—	**1**	**714**	—	—	—	—	**17**	—	**3**	**12**	—	**1**
Total M.B. and U.D.s	—	—	—	15	4	—	1	—	—	502	—	—	—	—	13	—	—	10	—	—
Total R.D.s	—	—	—	25	—	—	4	—	1	212	—	—	—	—	4	—	3	2	—	1
***Essex**	**7**	**5**	**16**	**1,368**	**655**	**1**	**124**	**14**	**871**	**10,108**	**3**	**5**	**9**	**8**	**576**	**349**	**316**	**810**	**5**	**104**
Total C.B.s	3	1	2	232	106	—	19	2	220	2,332	—	—	1	—	88	22	50	201	—	34
East Ham C.B.	1	—	—	33	7	—	2	—	5	279	—	—	1	—	8	1	10	74	—	9
Southend-on-Sea C.B.	2	1	1	136	45	—	14	1	31	1,510	—	—	—	—	32	3	23	59	—	12
West Ham C.B.	—	—	1	63	54	—	3	1	184	543	—	—	—	—	48	18	17	68	—	13
*Total M.B.s and U.D.s	4	4	14	992	458	1	99	10	603	7,003	3	5	8	8	422	200	250	563	5	65
Total R.D.s	—	—	—	144	91	—	6	2	48	773	—	—	—	—	66	127	16	46	—	5
Gloucestershire	**2**	—	**11**	**229**	**285**	—	**58**	**3**	**493**	**3,862**	**2**	—	**1**	—	**179**	**126**	**148**	**345**	**2**	**46**
Total C.B.s	1	—	5	114	180	—	34	2	446	594	2	—	—	—	102	52	134	153	—	12
Bristol C.B.	1	—	4	106	163	—	31	2	442	140	—	—	—	—	86	25	133	132	—	10
Gloucester C.B.	—	—	1	8	17	—	3	—	4	454	2	—	—	—	16	27	1	21	—	2
Total M.B.s and U.D.s	—	—	3	49	44	—	5	1	17	1,447	—	—	—	—	19	49	—	72	—	12
Total R.D.s	1	—	3	66	61	—	19	—	30	1,821	—	—	1	—	58	25	14	120	2	22
Hampshire	**1**	**4**	**14**	**193**	**173**	—	**45**	**9**	**155**	**1,570**	**4**	**5**	—	**1**	**128**	**246**	**94**	**453**	**8**	**40**
Total C.B.s	1	1	5	88	90	—	20	7	70	263	3	5	—	—	63	162	33	238	1	16
Bournemouth C.B.	1	—	—	17	2	—	6	—	13	43	—	1	—	—	21	3	17	50	—	4
Portsmouth C.B.	—	1	2	43	9	—	10	4	38	65	2	1	—	—	28	50	8	80	—	2
Southampton C.B.	—	—	3	28	79	—	4	3	19	155	1	3	—	—	14	109	8	108	1	10
Total M.B.s and U.D.s	—	2	7	70	22	—	16	—	52	944	1	—	—	1	43	62	49	122	3	8
Total R.D.s	—	1	2	35	61	—	9	2	33	363	—	—	—	—	22	22	12	93	4	16
Herefordshire	—	**1**	**1**	**32**	**20**	—	**14**	—	**20**	**875**	**4**	**2**	**4**	**2**	**51**	**7**	**10**	**21**	—	**9**
Total M.B.s and U.D.s	—	—	—	12	3	—	4	—	1	533	3	1	—	—	22	4	4	14	—	4
Total R.D.s	—	1	1	20	17	—	10	—	19	342	1	1	4	2	29	3	6	7	—	5
Hertfordshire	**4**	**1**	**4**	**255**	**74**	**2**	**30**	**3**	**218**	**3,697**	**6**	—	—	**3**	**71**	**65**	**124**	**276**	**2**	**46**
Total M.B.s and U.D.s	3	—	3	165	44	—	20	2	190	2,874	6	—	—	1	49	63	53	212	1	36
Total R.D.s	1	1	1	90	30	2	10	1	28	823	—	—	—	2	22	2	71	64	1	10

* Smallpox case notified : **Essex 1**: Hornchurch U.D.1.

§ Anthrax cases notified : **Buckinghamshire 1**: Buckingham M.B.1. **Cheshire 1**: Birkenhead C.B.1.

† See note at end of Table.

TABLE 31—*continued*

Area	Typhoid fever	Paratyphoid fever	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute poliomyelitis		Acute encephalitis		Acute pneumonia (primary and influenzal)	Puerperal pyrexia	Food poisoning	Tuberculosis†		
											Paralytic	Non-paralytic	Infective	Post-infectious				Respiratory	Meninges and C.N.S.	Other
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
Huntingdonshire	—	—	—	**46**	**11**	—	**2**	—	**4**	**421**	—	—	—	—	**36**	**11**	**4**	**22**	**1**	**6**
Total M.B.s and U.D.s	—	—	—	33	4	—	—	—	—	215	—	—	—	—	22	1	4	10	1	3
Total R.D.s	—	—	—	13	7	—	2	—	4	206	—	—	—	—	14	10	—	12	—	3
Kent	**5**	**5**	**12**	**498**	**196**	—	**61**	**3**	**268**	**3,989**	**4**	**2**	**2**	**4**	**359**	**181**	**137**	**624**	**8**	**107**
Canterbury C.B.	—	—	—	8	2	—	—	—	3	7	—	—	—	—	7	17	—	9	—	1
Total M.B.s and U.D.s	3	4	12	374	126	—	51	2	200	3,233	2	—	1	3	239	156	114	498	6	86
Total R.D.s	2	1	—	116	68	—	10	1	65	749	2	2	1	1	113	8	23	117	2	20
Lancashire	**10**	**10**	**106**	**1,871**	**649**	**1**	**161**	**173**	**5,644**	**36,858**	**17**	**1**	**4**	**5**	**1,372**	**1,037**	**634**	**2,174**	**32**	**216**
Total C.B.s	6	5	62	1,096	389	1	85	159	2,649	23,407	12	1	1	4	870	976	335	1,418	19	129
Barrow-in-Furness C.B.	2	—	2	44	—	—	—	—	—	289	—	—	—	—	5	1	—	29	—	1
Blackburn C.B.	—	1	—	92	4	—	3	13	246	1,364	1	—	—	—	11	57	5	33	—	4
Blackpool C.B.	—	—	4	36	8	—	4	7	159	1,050	1	—	1	—	8	23	8	54	—	4
Bolton C.B.	—	2	—	59	2	—	3	1	331	575	1	—	—	—	95	2	66	53	3	2
Bootle C.B.	—	—	—	13	6	—	1	1	20	987	—	—	—	—	19	—	1	83	—	3
Burnley C.B.	—	—	—	72	3	—	2	—	7	509	—	—	—	—	16	21	1	27	—	2
Bury C.B.	—	—	1	12	14	—	5	—	138	111	—	—	—	—	6	—	3	10	—	1
Liverpool C.B.	1	—	16	250	208	1	27	91	296	10,711	2	—	—	—	379	489	37	438	4	46
Manchester C.B.	1	1	14	241	69	—	14	34	605	2,745	5	—	—	1	167	280	110	392	5	31
Oldham C.B.	—	—	2	55	5	—	7	8	166	593	1	—	—	—	11	3	9	40	1	5
Preston C.B.	—	1	2	36	22	—	4	3	258	1,698	—	—	—	1	32	35	14	45	—	5
Rochdale C.B.	—	—	3	13	7	—	—	—	16	717	—	1	—	—	13	2	2	31	—	8
St. Helens C.B.	—	—	11	103	16	—	4	—	39	500	—	—	—	1	10	4	6	49	1	9
Salford C.B.	—	—	1	25	4	—	5	1	287	811	1	—	—	—	48	38	8	61	2	4
Southport C.B.	2	—	1	25	15	—	6	—	69	546	—	—	—	1	32	—	3	27	2	1
Warrington C.B.	—	—	—	14	5	—	—	—	6	162	—	—	—	—	18	20	—	21	1	1
Wigan C.B.	—	—	5	6	1	—	—	—	6	39	—	—	—	—	—	1	4	25	—	2
Total M.B.s and U.D.s	4	5	40	694	242	—	74	10	2,663	10,872	4	—	3	1	441	50	293	693	10	75
Total R.D.s	—	—	4	81	18	—	2	4	332	2,579	1	—	—	—	61	11	6	63	3	12
Leicestershire	**2**	—	**7**	**156**	**188**	—	**21**	**6**	**208**	**3,915**	**4**	—	**2**	**2**	**84**	**31**	**41**	**195**	**3**	**44**
Leicester C.B.	1	—	4	62	92	—	11	5	85	1,615	2	—	2	—	31	15	26	122	3	23
Total M.B. and U.D.s	—	—	2	47	10	—	3	1	93	452	—	—	—	1	20	3	4	28	—	8
Total R.D.s	1	—	1	47	86	—	7	—	30	1,848	2	—	—	1	33	13	11	45	—	13
Lincolnshire (Parts of Holland)	—	**2**	**4**	**64**	**8**	—	**7**	—	**742**	**518**	—	—	—	—	**43**	**1**	**8**	**13**	—	**6**
Total M.B. and U.D.	—	1	4	47	2	—	2	—	580	252	—	—	—	—	34	—	7	5	—	4
Total R.D.s	—	1	—	17	6	—	5	—	162	266	—	—	—	—	9	1	1	8	—	2
Lincolnshire (Parts of Kesteven)	—	—	**3**	**38**	**44**	—	**5**	—	**341**	**403**	—	—	—	—	**43**	**9**	**17**	**37**	**1**	**7**
Total M.B.s and U.D.s	—	—	—	25	44	—	2	—	292	235	—	—	—	—	29	9	7	20	—	4
Total R.D.s	—	—	3	13	—	—	3	—	49	168	—	—	—	—	14	—	10	17	1	3
Lincolnshire (Parts of Lindsey)	1	2	7	113	39	—	19	2	924	1,381	4	—	1	1	78	24	76	200	2	24
Total C.B.s	—	—	2	36	8	—	1	1	539	407	3	—	—	—	13	7	3	100	1	15

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
Lincolnshire (Parts of Lindsey)—*continued*																				
Grimsby C.B.	—	—	1	24	6	—	1	1	396	337	3	—	—	—	10	3	3	61	1	7
Lincoln C.B.	—	—	1	12	2	—	—	—	143	70	—	—	—	—	3	4	—	39	—	8
Total M.B.s and U.D.s	—	—	3	30	16	—	7	—	270	538	1	—	1	—	27	15	25	63	1	6
Total R.D.s	1	2	2	47	15	—	11	1	115	436	—	—	—	1	38	2	48	37	—	3
***§London A.C.**	**26**	**22**	**67**	**863**	**619**	—	**140**	**187**	**2,813**	**9,538**	**17**	**6**	**5**	**18**	**823**	**1,374**	**676**	**2,096**	**8**	**237**
City of London	—	—	—	4	—	—	2	—	—	4	—	—	—	—	1	3	—	4	—	1
Metropolitan Boroughs:																				
Battersea	—	1	3	17	9	—	5	1	94	165	—	—	—	—	30	1	20	69	—	6
Bermondsey	—	—	—	19	7	—	2	3	46	239	—	—	—	—	8	46	30	27	—	4
Bethnal Green	—	—	—	37	20	—	3	—	9	560	—	—	—	—	2	—	5	20	—	6
Camberwell	—	1	3	57	53	—	11	5	111	337	—	—	—	—	40	174	26	137	—	15
Chelsea	1	—	1	3	6	—	—	—	67	63	1	—	—	—	1	3	2	25	—	1
§ Deptford	1	—	—	18	13	—	1	—	72	121	—	—	—	—	13	3	6	82	—	6
Finsbury	—	—	1	17	15	—	4	7	43	171	—	—	—	—	60	1	43	21	1	1
Fulham	—	2	2	16	32	—	3	2	138	165	—	—	—	—	10	5	52	71	—	8
Greenwich	—	—	—	33	13	—	1	—	29	57	—	—	—	—	5	—	7	29	—	4
Hackney	—	1	1	70	59	—	15	9	399	1,188	1	—	1	1	24	82	21	79	1	7
Hammersmith	—	—	3	25	14	—	5	—	44	192	1	—	—	—	22	133	22	68	1	9
Hampstead	4	3	1	20	17	—	4	43	62	193	—	1	1	3	22	28	12	43	—	11
Holborn	—	—	1	1	2	—	—	—	7	22	1	1	—	1	2	—	2	16	—	1
Islington	4	2	7	65	51	—	17	58	241	1,331	2	—	1	3	27	230	67	224	—	20
Kensington	2	—	—	15	22	—	7	3	57	269	3	1	—	1	20	103	18	150	1	9
Lambeth	5	2	5	65	64	—	3	31	171	523	—	1	1	—	35	62	15	122	—	10
Lewisham	2	1	13	53	41	—	1	1	193	423	—	—	—	1	23	77	18	83	3	17
Paddington	3	1	1	9	15	—	—	1	32	343	1	1	—	—	12	150	102	144	—	20
Poplar	—	—	5	30	23	—	4	1	31	232	—	—	—	2	37	4	17	28	—	7
St. Marylebone	—	—	—	9	2	—	—	—	81	107	1	—	—	2	3	8	6	42	—	10
St. Pancras	2	—	5	23	14	—	—	1	217	588	1	1	—	1	36	54	51	106	—	15
Shoreditch	—	—	—	17	6	—	2	—	35	125	—	—	—	—	14	1	4	24	1	2
Southwark	—	—	1	71	16	—	4	2	380	463	1	—	—	—	56	2	24	62	—	5
Stepney	—	—	—	24	18	—	4	1	31	438	1	—	1	—	95	15	10	92	—	9
Stoke Newington	—	—	5	8	6	—	6	2	25	349	1	—	—	—	3	17	9	14	—	4
Wandsworth	—	4	6	109	54	—	21	5	175	715	2	—	—	2	146	71	70	171	—	18
Westminster	2	3	2	5	6	—	2	1	20	89	—	—	—	1	4	14	16	85	—	4
*Woolwich	—	1	1	23	21	—	13	10	3	66	—	—	—	—	72	87	1	58	—	7
Middlesex	**10**	**9**	**16**	**894**	**251**	—	**93**	**21**	**1,300**	**4,986**	**8**	—	**13**	**17**	**460**	**729**	**253**	**786**	**1**	**133**
Total M.B.s and U.D.s	10	9	16	894	251	—	93	21	1,300	4,986	8	—	13	17	460	729	253	786	1	133
Norfolk	—	**2**	**4**	**250**	**283**	—	**27**	**10**	**270**	**2,174**	—	—	**1**	—	**195**	**38**	**150**	**152**	**3**	**21**
Total C.B.s	—	1	2	91	57	—	9	6	204	825	—	—	—	—	45	27	38	45	—	10
Great Yarmouth C.B.	—	—	—	—	9	—	1	—	11	539	—	—	—	—	1	4	—	6	—	3
Norwich C.B.	—	1	2	91	48	—	8	6	193	286	—	—	—	—	44	23	38	39	—	7
Total M.B.s and U.D.s	—	—	—	34	44	—	3	3	3	209	—	—	—	—	11	1	1	16	1	3
Total R.D.s	—	1	2	125	182	—	15	1	63	1,140	—	—	1	—	139	10	111	91	2	8
§ Northamptonshire	—	—	**3**	**186**	**91**	—	**15**	**1**	**97**	**1,993**	**1**	—	—	—	**127**	**35**	**17**	**115**	**1**	**23**
§ Northampton C.B.	—	—	—	25	49	—	6	—	25	60	1	—	—	—	21	29	3	35	—	10
Total M.B.s and U.D.s	—	—	3	100	7	—	4	1	64	1,626	—	—	—	—	66	4	5	66	—	9
Total R.D.s	—	—	—	61	35	—	5	—	8	307	—	—	—	—	40	2	9	14	1	4
Northumberland	**1**	**2**	**9**	**92**	**370**	—	**38**	—	**381**	**2,198**	**5**	**1**	**2**	**3**	**191**	**12**	**62**	**396**	**6**	**80**
Total C.B.s	—	1	6	36	247	—	9	—	59	1,350	2	1	2	2	76	9	11	184	4	44

* Smallpox case notified: **London A.C.1**: Woolwich. Met.B.1.

§ Anthrax cases notified: **London A.C.1**: Deptford Met.B.1. **Nothamptonshire 1**: Northampton C.B.1.

† See note at end of Table.

TABLE 31—*continued*

Area	Typhoid fever	Paratyphoid fever	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute poliomyelitis: Paralytic	Acute poliomyelitis: Non-paralytic	Acute encephalitis: Infective	Acute encephalitis: Post-infectious	Acute pneumonia (primary and influenzal)	Puerperal pyrexia	Food poisoning	Tuberculosis†: Respiratory	Tuberculosis†: Meninges and C.N.S.	Tuberculosis†: Other
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
Northumberland—*continued*																				
Newcastle upon Tyne C.B.	—	1	6	32	244	—	8	—	59	508	2	1	2	2	75	8	11	150	2	36
Tynemouth C.B.	—	—	—	4	3	—	1	—	—	842	—	—	—	—	1	1	—	34	2	8
Total M.B.s and U.D.s	—	—	2	40	96	—	23	—	184	764	3	—	—	1	73	3	11	192	2	28
Total R.D.s	1	1	1	16	27	—	6	—	138	84	—	—	—	—	42	—	40	20	—	8
Nottinghamshire	**3**	**1**	**11**	**242**	**92**	—	**24**	**8**	**457**	**3,829**	**1**	—	**4**	**3**	**225**	**32**	**78**	**374**	**9**	**66**
Nottingham C.B.	1	1	4	69	70	—	9	5	51	1,873	—	—	—	1	99	20	29	179	1	27
Total M.B.s and U.D.s	1	—	6	123	13	—	12	2	204	1,295	1	—	2	1	112	12	42	125	7	22
Total R.D.s	1	—	1	50	9	—	3	1	202	661	—	—	2	1	14	—	7	70	1	17
Oxfordshire	**1**	**1**	**1**	**104**	**14**	—	**10**	**6**	**41**	**1,023**	—	—	**1**	—	**70**	**28**	**24**	**126**	**2**	**13**
Oxford C.B.	1	—	—	70	2	—	8	4	20	429	—	—	—	—	22	26	13	71	—	5
Total M.B.s and U.D.s	—	—	1	2	1	—	2	—	1	190	—	—	—	—	—	—	1	16	—	3
Total R.D.s	—	1	—	32	11	—	—	2	20	404	—	—	1	—	48	2	10	39	2	5
Peterborough, Soke of	—	—	—	**1**	—	—	**1**	—	**24**	**313**	—	—	—	—	**24**	**56**	**1**	**23**	**1**	**10**
Peterborough M.B.	—	—	—	—	—	—	1	—	16	310	—	—	—	—	24	56	1	20	1	4
Total R.D.s	—	—	—	1	—	—	—	—	8	3	—	—	—	—	—	—	—	3	—	6
Rutland	—	—	**1**	**14**	**21**	—	—	—	**36**	**222**	—	—	—	—	**17**	—	—	**6**	—	**1**
Oakham U.D.	—	—	—	1	—	—	—	—	—	44	—	—	—	—	4	—	—	3	—	—
Total R.D.s	—	—	1	13	21	—	—	—	36	178	—	—	—	—	13	—	—	3	—	1
Shropshire	**1**	—	**8**	**193**	**71**	—	**9**	—	**99**	**781**	**2**	—	**2**	—	**80**	**2**	**15**	**48**	**1**	**13**
Total M.B.s and U.D.s	—	—	3	57	16	—	4	—	76	475	1	—	2	—	31	1	10	30	1	7
Total R.D.s	1	—	5	136	55	—	5	—	23	306	1	—	—	—	49	1	5	18	—	6
Somerset	**1**	**1**	**3**	**148**	**102**	—	**30**	**6**	**49**	**1,689**	—	—	—	—	**171**	**41**	**30**	**136**	—	**33**
Bath C.B.	—	—	—	41	10	—	5	5	23	13	—	—	—	—	19	14	19	14	—	5
Total M.B.s and U.D.s	1	—	2	43	29	—	8	1	7	711	—	—	—	—	29	20	8	72	—	11
Total R.D.s	—	1	1	64	63	—	17	—	19	965	—	—	—	—	123	7	3	50	—	17
***Staffordshire**	**1**	**1**	**16**	**555**	**316**	—	**49**	**23**	**1,095**	**2,795**	**5**	**1**	**2**	**4**	**507**	**230**	**227**	**665**	**3**	**111**
Total C.B.s	1	1	10	212	156	—	20	15	229	1,466	3	—	1	3	318	208	38	382	1	55
Burton upon Trent C.B.	—	—	—	7	3	—	3	4	—	380	—	—	—	—	6	6	—	14	—	1
Smethwick C.B.	1	—	2	24	77	—	2	2	35	130	—	—	—	—	13	—	2	50	—	11
Stoke-on-Trent C.B.	—	1	3	81	4	—	7	8	116	498	2	—	1	1	138	171	9	94	1	10
Walsall C.B.	—	—	—	49	23	—	3	—	60	240	—	—	—	—	130	7	26	58	—	14
*West Bromwich C.B.	—	—	—	17	5	—	3	1	3	188	—	—	—	—	3	—	—	72	—	15
Wolverhampton C.B.	—	—	5	34	44	—	2	—	15	30	1	—	—	2	28	24	1	94	—	4
Total M.B.s and U.D.s	—	—	4	298	130	—	21	8	706	954	2	1	—	1	126	18	161	248	2	48
Total R.D.s	—	—	2	45	30	—	8	—	160	375	—	—	1	—	63	4	28	35	—	8

Area	Typhoid fever	Paratyphoid fever	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute poliomyelitis: Paralytic	Acute poliomyelitis: Non-paralytic	Acute encephalitis: Infective	Acute encephalitis: Post-infectious	Acute pneumonia (primary and influenzal)	Puerperal pyrexia	Food poisoning	Tuberculosis†: Respiratory	Tuberculosis†: Meninges and C.N.S.	Tuberculosis†: Other
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
Suffolk, East	—	**1**	**5**	**83**	**134**	—	**15**	—	**66**	**2,078**	**1**	—	—	—	**73**	**23**	**20**	**94**	—	**21**
Ipswich C.B.	—	—	1	20	32	—	2	—	52	395	—	—	—	—	15	15	9	37	—	7
Total M.B.s and U.D.s	—	1	—	25	77	—	6	—	2	1,040	1	—	—	—	28	5	7	23	—	7
Total R.D.s	—	—	4	38	25	—	7	—	12	643	—	—	—	—	30	3	4	34	—	7
Suffolk, West	—	**1**	—	**50**	**10**	—	**3**	—	**3**	**236**	—	—	—	—	**50**	**8**	**2**	**38**	—	**9**
Total M.B.s and U.D.s	—	—	—	16	5	—	1	—	2	57	—	—	—	—	20	2	—	18	—	4
Total R.D.s	—	1	—	34	5	—	2	—	1	179	—	—	—	—	30	6	2	20	—	5
Surrey	**5**	**5**	**11**	**550**	**321**	—	**57**	**13**	**739**	**4,967**	**2**	**3**	**1**	**5**	**321**	**304**	**181**	**551**	**2**	**62**
Croydon C.B.	2	1	—	149	51	—	4	1	50	848	—	—	—	—	30	9	38	105	—	11
Total M.B.s and U.D.s	3	3	11	350	238	—	48	12	560	3,750	1	2	1	5	250	293	126	406	2	42
Total R.D.s	—	1	—	51	32	—	5	—	129	369	1	1	—	—	41	2	17	40	—	9
Sussex, East	**2**	—	**7**	**167**	**200**	—	**39**	**9**	**236**	**1,769**	—	—	**1**	**2**	**159**	**134**	**89**	**182**	—	**26**
Total C.B.s	1	—	6	72	72	—	19	6	182	406	—	—	1	1	73	71	59	90	—	14
Brighton C.B.	1	—	6	59	72	—	8	6	93	260	—	—	—	1	50	44	58	45	—	8
Eastbourne C.B.	—	—	—	8	—	—	4	—	82	56	—	—	1	—	1	8	—	11	—	1
Hastings C.B.	—	—	—	5	—	—	7	—	7	90	—	—	—	—	22	19	1	34	—	5
Total M.B.s and U.D.s	1	—	1	53	93	—	13	1	41	820	—	—	—	—	47	56	18	54	—	6
Total R.D.s	—	—	—	42	35	—	7	2	13	543	—	—	—	1	39	7	12	38	—	6
Sussex, West	—	—	**3**	**53**	**43**	—	**7**	**1**	**126**	**409**	—	—	**2**	—	**46**	**72**	**28**	**73**	**1**	**9**
Total M.B.s and U.D.s	—	—	2	34	20	—	3	1	102	126	—	—	2	—	13	51	23	44	1	8
Total R.D.s	—	—	1	19	23	—	4	—	24	283	—	—	—	—	33	21	5	29	—	1
***Warwickshire**	**9**	**2**	**28**	**780**	**429**	**1**	**103**	**361**	**1,936**	**6,078**	**4**	**1**	**14**	**8**	**573**	**334**	**215**	**1,014**	**4**	**144**
Total C.B.s	8	1	21	568	359	1	89	333	1,432	3,941	4	1	14	8	429	237	142	819	3	112
*Birmingham C.B.	8	1	19	442	319	1	67	329	739	3,457	4	1	12	6	315	223	115	679	3	87
Coventry C.B.	—	—	2	126	40	—	22	4	693	484	—	—	2	2	114	14	27	140	—	25
*Total M.B.s and U.D.s	1	1	4	164	53	—	7	6	219	1,656	—	—	—	—	88	13	49	139	1	24
Total R.D.s	—	—	3	48	17	—	7	22	285	481	—	—	—	—	56	84	24	56	—	8
Westmorland	**1**	—	—	**6**	**3**	—	**1**	—	**11**	**122**	—	—	—	—	**19**	**4**	**1**	**12**	—	**1**
Total M.B.s and U.D.s	—	—	—	2	3	—	1	—	7	57	—	—	—	—	1	4	—	8	—	—
Total R.D.s	1	—	—	4	—	—	—	—	4	65	—	—	—	—	18	—	1	4	—	1
Wight, Isle of	**1**	—	**2**	**10**	**9**	—	**2**	—	**1**	**166**	—	—	—	—	**5**	—	**93**	**19**	—	**3**
Total M.B.s and U.D.s	1	—	1	6	1	—	2	—	1	152	—	—	—	—	4	—	93	17	—	2
Isle of Wight R.D.	—	—	1	4	8	—	—	—	—	14	—	—	—	—	1	—	—	2	—	1
Wiltshire	—	—	**8**	**160**	**41**	—	**12**	—	**180**	**713**	—	—	—	—	**58**	**99**	**40**	**94**	**5**	**40**
Total M.B.s and U.D.s	—	—	2	88	30	—	6	—	102	218	—	—	—	—	25	39	27	50	2	18
Total R.D.s	—	—	6	72	11	—	6	—	78	495	—	—	—	—	33	60	13	44	3	22
§**Worcestershire**	**3**	—	**3**	**188**	**60**	—	**15**	**3**	**356**	**728**	**3**	**1**	—	—	**194**	**39**	**32**	**206**	**2**	**20**
Total C.B.s	1	—	—	23	3	—	—	1	23	331	1	—	—	—	47	20	18	69	—	7
§Dudley C.B.	1	—	—	9	1	—	—	—	10	5	—	—	—	—	4	—	6	35	—	5
§Worcester C.B.	—	—	—	14	2	—	—	1	13	326	1	—	—	—	43	20	12	34	—	2
Total M.B.s and U.D.s	1	—	3	132	43	—	8	2	291	191	1	1	—	—	102	17	12	117	2	8
Total R.D.s	1	—	—	33	14	—	7	—	42	206	1	—	—	—	45	2	2	20	—	5
Yorkshire, East Riding	—	**1**	**10**	**165**	**82**	—	**19**	**7**	**724**	**1,092**	**3**	—	**3**	**3**	**426**	**42**	**67**	**170**	**1**	**10**
Kingston upon Hull C.B.	—	—	6	126	74	—	10	5	447	342	1	—	2	3	366	27	12	129	1	5
Total M.B.s and U.D.s	—	1	4	18	2	—	—	2	270	255	1	—	1	—	14	5	54	28	—	3
Total R.D.s	—	—	—	21	6	—	9	—	7	495	1	—	—	—	46	10	1	13	—	2

* Smallpox cases notified: **Staffordshire 1**: West Bromwich C.B.1. **Warwickshire 2**: Birmingham C.B.1. Solihull M.B.1.

§ Anthrax case notified: **Worcestershire 1**: Dudley C.B.1.

†See note at end of Table.

TABLE 31—*continued*

Area	Typhoid fever	Paratyphoid fever	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute poliomyelitis: Paralytic	Acute poliomyelitis: Non-paralytic	Acute encephalitis: Infective	Acute encephalitis: Post-infectious	Acute pneumonia (primary and influenzal)	Puerperal pyrexia	Food poisoning	Tuberculosis†: Respiratory	Tuberculosis†: Meninges and C.N.S.	Tuberculosis†: Other
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
Yorkshire, North Riding	—	**1**	**5**	**124**	**135**	—	**9**	**5**	**619**	**6,106**	**6**	**4**	**3**	**1**	**123**	**36**	**109**	**184**	**2**	**17**
Middlesbrough C.B.	—	—	2	49	97	—	—	5	429	2,762	1	1	3	—	39	18	32	88	—	8
Total M.B.s and U.D.s	—	1	1	51	34	—	7	—	109	1,291	2	3	—	—	38	16	64	64	2	2
Total R.D.s	—	—	2	24	4	—	2	—	81	2,053	3	—	—	1	46	2	13	32	—	7
*§ **Yorkshire, West Riding**	**6**	**13**	**55**	**1,811**	**435**	**3**	**178**	**42**	**4,626**	**23,769**	**38**	**5**	**5**	**9**	**2,139**	**368**	**309**	**1,574**	**18**	**207**
Total C.B.s	4	2	35	1,159	194	2	121	39	3,716	12,284	31	2	3	5	1,562	317	254	1,122	15	154
Barnsley C.B.	—	—	2	66	19	—	7	1	89	633	3	1	—	—	150	17	4	25	1	2
*Bradford C.B.	3	—	11	132	29	—	19	7	732	3,139	6	—	—	4	226	14	12	259	4	57
*§ Dewsbury C.B.	—	—	1	6	3	—	3	—	14	289	3	—	—	—	2	4	—	33	1	17
Doncaster C.B.	—	—	2	65	5	—	2	3	35	401	1	—	—	—	4	40	1	39	1	3
Halifax C.B.	—	—	1	7	6	—	2	1	20	1,079	—	—	—	—	13	—	4	70	—	10
Huddersfield C.B.	—	2	3	39	17	—	6	1	288	644	2	—	—	—	54	—	9	71	—	8
Leeds C.B.	—	—	6	183	81	2	44	21	1,749	2,436	11	1	—	1	629	140	169	300	5	21
Rotherham C.B.	—	—	2	69	2	—	6	—	60	27	—	—	—	—	25	27	1	27	—	7
Sheffield C.B.	—	—	4	544	31	—	31	5	582	2,454	4	—	3	—	427	66	32	251	3	28
Wakefield C.B.	—	—	—	7	—	—	—	—	54	399	—	—	—	—	5	6	3	13	—	—
York C.B.	1	—	3	41	1	—	1	—	93	783	1	—	—	—	27	3	19	34	—	1
§ Total M.B.s and U.D.s	2	9	15	439	117	1	31	2	433	8,492	6	3	2	4	427	29	41	344	3	41
Total R.D.s	—	2	5	213	124	—	26	1	477	2,993	1	—	—	—	150	22	14	108	—	12
WALES	**6**	**13**	**24**	**621**	**139**	**8**	**83**	**12**	**996**	**5,623**	**32**	**15**	**4**	**4**	**596**	**135**	**322**	**1,140**	**8**	**169**
Anglesey	—	—	—	**19**	—	—	**1**	—	**9**	**394**	—	—	—	—	**2**	**1**	**1**	**34**	—	**5**
Total M.B. and U.D.s	—	—	—	3	—	—	—	—	7	134	—	—	—	—	1	—	—	21	—	3
Total R.D.s	—	—	—	16	—	—	1	—	2	260	—	—	—	—	1	1	1	13	—	2
Breconshire	—	**1**	—	—	—	—	**2**	—	—	**8**	**1**	**1**	—	—	**3**	—	**9**	**20**	—	**3**
Total M.B. and U.D.s	—	—	—	—	—	—	2	—	—	8	1	1	—	—	2	—	9	3	—	—
Total R.D.s	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	17	—	3
Caernarvonshire	**1**	**6**	—	**53**	**13**	—	**3**	—	**32**	**539**	—	—	—	**1**	**22**	**8**	**6**	**57**	**1**	**18**
Total M.B.s and U.D.s	1	6	—	38	13	—	—	—	28	458	—	—	—	1	20	8	6	27	1	11
Total R.D.s	—	—	—	15	—	—	3	—	4	81	—	—	—	—	2	—	—	30	—	7
Cardiganshire	—	—	—	**10**	—	—	**2**	—	**7**	**9**	—	—	—	—	**3**	—	**50**	**18**	—	**7**
Total M.B.s and U.D.s	—	—	—	5	—	—	—	—	2	1	—	—	—	—	3	—	—	4	—	3
Total R.D.s	—	—	—	5	—	—	2	—	5	8	—	—	—	—	—	—	50	14	—	4
Carmarthenshire	—	—	**1**	**44**	**2**	—	**6**	—	**131**	**327**	**2**	—	**1**	—	**55**	—	**15**	**78**	—	**11**
Total M.B.s and U.D.s	—	—	—	20	—	—	5	—	79	198	1	—	1	—	38	—	8	29	—	6
Total R.D.s	—	—	1	24	2	—	1	—	52	129	1	—	—	—	17	—	7	49	—	5
Denbighshire	—	—	**1**	**20**	**10**	—	**1**	—	**86**	**414**	**2**	—	**1**	—	**11**	**19**	**5**	**108**	**1**	**10**
Total M.B.s and U.D.s	—	—	—	7	7	—	1	—	35	313	1	—	1	—	5	13	2	46	—	3
Total R.D.s	—	—	1	13	3	—	—	—	51	101	1	—	—	—	6	6	3	62	1	7

Area	Typhoid fever	Paratyphoid fever	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute poliomyelitis: Paralytic	Acute poliomyelitis: Non-paralytic	Acute encephalitis: Infective	Acute encephalitis: Post-infectious	Acute pneumonia (primary and influenzal)	Puerperal pyrexia	Food poisoning	Tuberculosis†: Respiratory	Tuberculosis†: Meninges and C.N.S.	Tuberculosis†: Other
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
Flintshire	**1**	—	**1**	**23**	**9**	—	**6**	**1**	**90**	**549**	—	—	—	—	**81**	**2**	**5**	**52**	—	**20**
Total M.B. and U.D.s	—	—	1	9	—	—	5	—	59	432	—	—	—	—	50	—	3	31	—	6
Total R.D.s	1	—	—	14	9	—	1	1	31	117	—	—	—	—	31	2	2	21	—	14
***Glamorgan**	**4**	**6**	**16**	**343**	**69**	**8**	**46**	**11**	**569**	**3,011**	**2**	**2**	**1**	**1**	**326**	**95**	**127**	**566**	**3**	**65**
Total C.B.s	2	—	3	164	45	—	25	5	302	1,285	—	2	—	1	124	62	56	246	2	22
*Cardiff C.B.	2	—	2	69	21	—	16	3	207	1,028	—	2	—	—	114	35	46	136	—	13
Merthyr Tydfil C.B.	—	—	—	14	6	—	1	—	5	5	—	—	—	—	—	—	8	37	—	4
Swansea C.B.	—	—	1	81	18	—	8	2	90	252	—	—	—	1	10	27	2	73	2	5
*Total M.B.s and U.D.s	1	5	11	134	21	8	18	3	207	1,307	1	—	1	—	164	28	50	233	—	33
*Total R.D.s	1	1	2	45	3	—	3	3	60	419	1	—	—	—	38	5	21	87	1	10
Merionethshire	—	—	—	**2**	—	—	—	—	—	**87**	—	—	—	—	**8**	—	—	**25**	—	**1**
Total U.D.s	—	—	—	—	—	—	—	—	—	25	—	—	—	—	—	—	—	15	—	1
Total R.D.s	—	—	—	2	—	—	—	—	—	62	—	—	—	—	8	—	—	10	—	—
Monmouthshire	—	—	**2**	**76**	**32**	—	**11**	—	**68**	**152**	**25**	**12**	—	**1**	**49**	**6**	**98**	**127**	—	**17**
Newport C.B.	—	—	—	19	8	—	3	—	40	11	1	—	—	—	3	1	25	34	—	6
Total M.B.s and U.D.s	—	—	1	50	21	—	8	—	22	97	24	12	—	1	38	5	73	76	—	9
Total R.D.s	—	—	1	7	3	—	—	—	6	44	—	—	—	—	8	—	—	17	—	2
Montgomeryshire	—	—	**1**	4	**2**	—	**1**	—	—	**19**	—	—	—	—	**22**	—	—	**14**	**1**	**7**
Total M.B.s and U.D.s	—	—	—	2	—	—	—	—	—	6	—	—	—	—	8	—	—	3	1	3
Total R.D.s	—	—	1	2	2	—	1	—	—	13	—	—	—	—	14	—	—	11	—	4
Pembrokeshire	—	—	**2**	**24**	**2**	—	**4**	—	**4**	**102**	—	—	—	—	**13**	—	**6**	**34**	**1**	**3**
Total M.B.s and U.D.s	—	—	—	11	1	—	3	—	4	71	—	—	—	—	10	—	6	21	1	2
Total R.D.s	—	—	2	13	1	—	1	—	—	31	—	—	—	—	3	—	—	13	—	1
Radnorshire	—	—	—	**3**	—	—	—	—	—	**12**	—	—	**1**	**1**	**1**	**4**	—	**7**	**1**	**2**
Total U.D.s	—	—	—	—	—	—	—	—	—	12	—	—	1	—	—	4	—	1	—	—
Total R.D.s	—	—	—	3	—	—	—	—	—	—	—	—	—	1	1	—	—	6	1	2

* Smallpox cases notified: **Yorkshire, West Riding 13:** Bradford C.B. 11. Ilkley U.D. 2. **Glamorgan 45:** Cardiff C.B. I. Rhondda M.B. 9. Llantrisant and Llantwit Fardre R.D. 15. Penybont R.D. 20.

§ Anthrax cases notified: **Yorkshire West Riding 3;** Dewsbury C.B. 2. Batley M.B. 1.

SUMMARY

Smallpox cases notified: Original—**England and Wales 66. East and West Ridings 13:** West Yorkshire Conurbation 11. Ilkley U.D. 2. **London and South Eastern 1:** Greater London 1. **Eastern 1. Midland 3:** West Midlands Conurbation 3. **Wales** (South East) **45. London** (Port Health Distsict) **3.**
Final —**England and Wales 66. East and West Ridings 13:** West Yorkshire Conurbation 11. Ilkley U.D. 2. **London and South Eastern 1:** Greater London 1. **Eastern 1. Midland 3:** West Midlands Conurbation 3. **Wales** (South East) **45. London** (Port Health District) **3.**

Anthrax cases notified: Original—**England and Wales 9. East and West Ridings 3:** West Yorkshire Conurbation 3. **North Western 1:** South East Lancashire Conurbation 1. **North Midland 2. London and South Eastern 1:** Greater London 1. **Southern 1. Midland: 1** West Midlands Conurbation 1.
Final —**England and Wales 8. East and West Ridings 3:** West Yorkshire Conurbation 3. **North Western 1:** South East Lancashire Conurbation 1. **North Midland 2. London and South Eastern 1:** Greater London, 1. **Midland 1:** West Midlands Conurbations 1.

† Notifications of tuberculosis have for some years been recorded on annual returns submitted by local authorities to the Ministry of Health and figures have been published in the annual reports of the Chief Medical Officer of the Ministry of Health. In 1954 for the first time, weekly and quarterly reurns of notifications of infectious diseases sent by Medical Officers of Health to the General Register Office were extended to include tuberculosis notifications. Figures derived from the quarterly returns are included in Tables 30 and 31 of this volume.

The total of 20,661 cases recorded on these returns compares with a total of 20,519 formal primary notifications recorded on the annual returns to the Ministry of Health for 1962.

TABLE 32. Quarterly air temperature, rainfall and sunshine, 1962 — **England and Wales**

Note. The averages used for rainfall and rain-days are for the period 1916–50, while those for temperature and sunshine are for 1921–50.

District	Air temperature: Highest	Air temperature: Lowest	Air temperature: Difference from average daily mean	Rainfall: Percentage of average	Rainfall: Number of days difference from average	Sunshine: Percentage of average	Air temperature: Highest	Air temperature: Lowest	Air temperature: Difference from average daily mean	Rainfall: Percentage of average	Rainfall: Number of days difference from average	Sunshine: Percentage of average
	Quarter ended 31st March						Quarter ended 30th June					
	°F	°F	°F	%		%	°F	°F	°F	%		%
England N.E.	59	5	−1·3	66	0	126	78	20	−1·0	84	− 3	108
England E.	60	4	−1·6	88	0	109	79	22	−1·5	65	− 1	99
Midland Counties	59	3	−1·5	74	− 4	126	80	23	−1·2	73	− 1	105
England S.E.	59	1	−1·4	78	− 7	109	80	26	−1·8	65	0	98
England N.W. and North Wales	57	− 6	−1·3	88	− 1	127	78	18	−1·2	99	− 1	106
England S.W. and South Wales	58	2	−1·8	91	− 4	101	76	26	−1·6	80	+ 1	107
Mean	—	—	−1·5	81	− 3	116	—	—	−1·4	78	− 1	104
	Quarter ended 30th September						Quarter ended 31st December					
England N.E.	76	31	−2·6	118	+ 4	82	69	6	−1·8	65	− 10	119
England E.	82	29	−2·5	110	+ 1	86	72	5	−1·8	76	− 11	111
Midland Counties	80	32	−2·3	131	+ 3	81	68	8	−1·9	56	− 12	106
England S.E.	79	30	−2·0	114	+ 2	90	73	13	−1·3	83	− 10	120
England N.W. and North Wales	78	29	−2·1	103	− 2	83	73	4	−1·4	64	− 16	128
England S.W. and South Wales	81	30	−2·1	119	+ 5	86	69	15	−2·1	58	− 10	102
Mean	—	—	−2·3	116	+ 2	85	—	—	−1·7	67	− 11	114
	Year 1962											
England N.E.	78	5	−1·6	83	− 9	109						
England E.	82	4	−1·8	85	− 11	101						
Midland Counties	80	3	−1·8	83	− 14	105						
England S.E.	80	1	−1·6	86	− 15	104						
England N.W. and North Wales	78	− 6	−1·4	89	− 20	111						
England S.W. and South Wales	81	2	−2·0	87	− 8	99						
Mean	—	—	−1·7	85	− 13	105						

TABLE 33. Rainfall, mean temperature and sunshine, 1913–1962 — **England and Wales**

Year	Fall of rain in inches	Departure from average of 35 years (1916–50)	Mean temperature of the air at sea-level	Departure from average of 30 years (1921–50)	Mean daily sunshine	Departure from average of 30 years (1921–50)
	ins.	ins.	°F.	°F.	hours	hours
1913	34·5	− 1·9	50·5	+0·4	3·61	−0·36
1914	38·1	+ 1·7	50·7	+0·6	4·27	+0·30
1915	38·8	+ 2·4	49·0	−1·1	4·10	+0·13
1916	40·1	+ 3·7	49·4	−0·7	3·61	−0·36
1917	34·5	− 1·9	48·3	−1·8	4·03	+0·06
1918	37·7	+ 1·3	50·0	−0·1	4·08	+0·11
1919	37·0	+ 0·6	48·2	−1·9	4·01	+0·04
1920	38·4	+ 2·0	50·2	+0·1	3·66	−0·31
1921	24·7	−11·7	51·8	+1·7	4·60	+0·63
1922	37·1	+ 0·7	47·8	−2·3	4·02	+0·05
1923	39·8	+ 3·4	49·2	−0·9	3·87	−0·10
1924	42·3	+ 5·9	49·5	−0·6	3·75	−0·22
1925	37·3	+ 0·9	49·4	−0·7	4·09	+0·12
1926	35·9	− 0·5	50·3	+0·2	3·77	−0·20
1927	43·3	+ 6·9	49·4	−0·7	3·61	−0·36
1928	40·4	+ 4·0	50·1	0·0	4·12	+0·15
1929	35·2	− 1·2	49·1	−1·0	4·52	+0·55
1930	41·4	+ 5·0	50·0	−0·1	3·84	−0·13
1931	38·4	+ 2·0	49·2	−0·9	3·60	−0·37
1932	36·3	− 0·1	49·9	−0·2	3·53	−0·44
1933	28·6	− 7·9	50·6	+0·5	4·42	+0·45
1934	33·5	− 2·9	50·9	+0·8	4·08	+0·11
1935	39·8	+ 3·4	50·5	+0·4	4·13	+0·16
1936	38·4	+ 2·0	49·8	−0·3	3·56	−0·41
1937	38·8	+ 2·4	50·1	0·0	3·46	−0·51
1938	34·9	− 1·5	51·0	+0·9	3·84	−0·13
1939	39·9	+ 3·5	50·3	+0·2	3·97	0·00
1940	35·6	− 0·8	49·3	−0·8	4·18	+0·21
1941	33·8	− 2·6	49·2	−0·9	3·67	−0·30
1942	33·1	− 3·3	49·2	−0·9	3·90	−0·07
1943	32·8	− 3·6	51·0	+0·9	4·25	+0·29
1944	35·3	− 1·1	50·1	0·0	3·73	−0·24
1945	32·8	− 3·6	51·4	+1·3	3·81	−0·15
1946	41·6	+ 5·2	50·0	−0·1	3·83	−0·14
1947	32·4	− 4·0	50·1	0·0	3·97	0·00
1948	37·5	+ 1·1	50·9	+0·8	4·12	+0·16
1949	30·9	− 5·5	51·9	+1·8	4·63	+0·66
1950	40·2	+ 3·8	50·1	0·0	3·94	−0·02
1951	43·7	+ 7·3	49·7	−0·4	3·98	+0·01
1952	35·5	− 0·9	49·5	−0·6	4·10	+0·13
1953	29·8	− 6·6	50·7	+0·6	4·04	+0·08
1954	42·7	+ 6·3	49·6	−0·5	3·52	−0·44
1955	30·9	− 5·5	49·7	−0·4	4·47	+0·51
1956	34·0	− 2·4	48·9	−1·2	3·88	−0·08
1957	35·7	− 0·7	51·0	+0·9	4·04	+0·08
1958	41·6	+ 5·1	49·8	−0·3	3·52	−0·44
1959	32·0	− 4·5	51·8	+1·7	4·63	+0·67
1960	47·5	+11·0	50·4	+0·3	3·84	−0·12
1961	35·6	− 0·9	50·9	+0·8	4·12	+0·16
1962	31·9	— 4·6	48·5	—1·6	4·16	+0·20

TABLE 34. Meteorological observations, 1962 **Kew Observatory, Richmond**

Month	Temperature of the air				Rain collected in a gauge having a receiving surface 10 inches above the ground		Sunshine registered in hours		Atmospheric pollution	
	Highest for month	Lowest for month	Mean daily value	Departure from average of 80 years	Total	Departure from average of 80 years	Total	Departure from average of 70 years	Maximum for month	Mean
	°F.	°F.	°F.	°F.	ins.	ins.	hours	hours	mg/m_3	mg/m_3
January	54·1	19·4	41·9	+2·2	2·81	+0·85	66·1	+24·3	0·912	0·122
February	54·1	26·8	41·5	+1·2	0·63	−0·92	67·9	+ 9·5	0·699	0·086
March	55·8	23·2	38·5	−4·3	1·35	−0·19	112·8	+ 6·1	0·781	0·109
April	68·9	34·9	47·3	−0·2	1·66	−0·05	140·7	−8·5	0·237	0·045
May	63·7	37·6	51·6	−2·0	1·56	−0·19	159·1	−38·4	0·291	0·033
June	77·0	38·3	58·5	−0·9	0·28	−1·70	261·8	+61·3	0·131	0·022
July	74·8	48·9	60·8	−1·9	2·33	−0·05	133·3	−62·2	0·176	0·022
August	73·2	45·7	60·4	−1·4	2·43	+0·19	172·8	−12·2	0·152	0·015
September	73·8	41·7	56·5	−0·9	2·84	+0·85	152·2	+11·3	0·250	0·032
October	65·7	34·3	52·5	+2·2	2·15	−0·36	117·0	+23·8	0·933	0·118
November	56·5	29·8	44·2	0·0	1·99	−0·35	36·7	−14·5	0·807	0·122
December	55·8	23·5	36·9	−3·8	2·20	+0·04	68·3	+31·0	3·451	0·183
Means	—	—	49·2	−0·8	sum 22·23	−1·88	sum 1488·7	+31·5	—	0·076

Additional meteorological information may be obtained from the Monthly Weather Reports and Annual Report on the Meteorological Office, and the annual volume of the British Rainfall Organisation, published by Her Majesty's Stationery Office.

APPENDICES

APPENDIX A. Standardised Mortality Ratios (based on United Kingdom and Irish Republic experience), age specific death rates and infant mortality rates from selected causes and estimated mid-year populations, 1962

England and Wales
Scotland
Northern Ireland
Irish Republic

ICD No.	Causes of death	Country	S.M.R. All ages M	S.M.R. All ages F	Death rates per million population: All ages M	All ages F	1–4 M	1–4 F	5–14 M	5–14 F	15–24 M	15–24 F
	All causes	**England and Wales**	**99**	**98**	**12,589**	**11,345**	**938·5**	**770·6**	**435·4**	**285·2**	**1,003**	**416·4**
		Scotland	**111**	**112**	**13,102**	**11,289**	**1,081**	**989·2**	**542·9**	**333·7**	**920·5**	**443·0**
		Northern Ireland	**95**	**105**	**11,332**	**9,919**	**1,088**	**1,148**	**390·0**	**263·6**	**659·5**	**443·7**
		Irish Republic	**96**	**111**	**12,935**	**11,020**	**1,148**	**1,026**	**469·6**	**329·8**	**905·5**	**458·3**
001-008	Tuberculosis of respiratory system	England and Wales	91	87	92·8	28·0	*0·65*	*0·69*	*0·58*	*0·30*	*2·15*	*1·58*
		Scotland	130	118	121·8	35·5	*5·20*	—	—	—	*5·46*	*5·34*
		Northern Ireland	114	127	101·5	35·3	—	—	—	—	—	*9·06*
		Irish Republic	191	320	186·0	87·5	—	*8·55*	*3·38*	—	*24·9*	*15·6*
010-019	Tuberculosis, other forms	England and Wales	99	91	7·99	5·54	*5·89*	*4·84*	*2·30*	*0·61*	*4·61*	*3·15*
		Scotland	72	128	*5·61*	7·41	—	*5·41*	*2·31*	*2·42*	*2·73*	*2·67*
		Northern Ireland	38	74	*2·86*	*4·08*	—	—	—	—	—	—
		Irish Republic	197	221	15·5	*12·1*	—	*8·55*	*10·1*	—	*14·9*	*5·21*
020-029	Syphilis and its sequelae	England and Wales	106	107	22·5	13·0	—	—	—	—	*0·62*	—
		Scotland	74	55	14·4	*5·92*	—	—	—	—	*2·73*	—
		Northern Ireland	157	165	30·0	*16·31*	—	—	—	—	—	—
		Irish Republic	23	14	*4·93*	*1·42*	—	—	—	—	*4·98*	*5·21*
057	Meningococcal infections	England and Wales	103	96	3·89	2·08	17·0	*10·4*	*0·58*	*0·91*	*1·54*	*0·95*
		Scotland	126	127	*5·21*	*2·96*	*31·2*	*5·41*	—	*2·42*	—	*2·67*
		Northern Ireland	32	213	*1·43*	*5·44*	*16·5*	*17·4*	—	—	—	—
		Irish Republic	47	53	*2·11*	*1·42*	—	*8·55*	—	—	—	—
080	Acute poliomyelitis	England and Wales	79	82	*0·53*	*0·25*	*0·65*	*1·38*	—	*0·30*	*0·62*	—
		Scotland	242	—	*1·60*	—	—	—	—	—	—	—
		Northern Ireland	—	385	—	*1·36*	—	—	—	*7·75*	—	—
		Irish Republic	238	377	*1·41*	*1·42*	*8·20*	—	—	*7·09*	—	—
Rem. 001—138	Other infective and parasitic diseases	England and Wales	97	94	24·9	22·5	38·6	27·0	11·8	8·17	6·46	6·62
		Scotland	89	126	22·8	29·3	*31·2*	*32·4*	*11·6*	*9·67*	*2·73*	*5·34*
		Northern Ireland	160	107	41·5	*24·5*	*33·0*	*17·4*	*14·7*	*7·75*	—	—
		Irish Republic	136	154	36·6	35·6	*57·4*	*85·5*	*13·5*	*17·7*	*29·9*	*20·8*
140-148	Malignant neoplasm of—buccal cavity and pharynx	England and Wales	95	97	46·8	26·3	*1·31*	—	*1·15*	*0·61*	*1·54*	*0·32*
		Scotland	104	103	46·9	24·8	—	*5·41*	—	—	*2·73*	—
		Northern Ireland	81	141	37·2	31·3	—	—	—	—	—	—
		Irish Republic	171	136	90·2	30·6	—	—	—	—	*4·98*	—
150	oesophagus	England and Wales	96	95	61·4	43·7	—	—	—	—	*0·62*	—
		Scotland	132	145	77·7	58·5	—	—	—	—	—	—
		Northern Ireland	59	81	34·3	29·9	—	—	—	—	—	—
		Irish Republic	129	126	85·3	47·7	—	—	—	—	—	—
151	stomach	England and Wales	99	96	340·9	244·6	—	—	—	—	*1·23*	*1·26*
		Scotland	106	125	335·7	277·7	—	—	—	—	—	—
		Northern Ireland	110	109	340·2	221·5	—	—	—	—	—	*9·06*
		Irish Republic	104	121	360·8	252·7	—	—	—	—	—	—
153	large intestine	England and Wales	98	98	163·0	227·9	—	—	—	—	*0·61*	*1·85*	*1·26*
		Scotland	133	129	203·9	263·3	—	—	—	—	—	*5·46*	*2·67*
		Northern Ireland	72	84	110·1	157·6	—	—	—	—	*7·75*	—	—
		Irish Republic	92	97	160·0	187·2	—	—	—	—	—	—	*10·4*
154	rectum	England and Wales	101	102	130·4	101·6	—	—	—	—	*0·62*	*0·95*
		Scotland	106	98	125·8	85·9	—	*5·41*	—	—	*2·73*	—
		Northern Ireland	80	87	94·3	70·7	—	—	—	—	—	—
		Irish Republic	79	76	105·7	62·6	—	—	—	—	*4·98*	—
161	larynx	England and Wales	100	93	27·6	6·37	—	—	—	—	—	—
		Scotland	103	95	26·0	*5·92*	—	—	—	—	—	—
		Northern Ireland	98	169	*24·3*	*9·51*	—	—	—	—	—	—
		Irish Republic	89	228	24·7	*12·8*	—	—	—	—	—	—
162, 163	trachea, bronchus, and lung	England and Wales	103	101	895·2	145·8	*0·65*	*0·69*	—	—	*3·38*	*0·95*
		Scotland	112	108	890·2	141·5	—	—	*2·31*	—	*5·46*	—
		Northern Ireland	56	73	423·1	87·0	—	—	—	—	—	—
		Irish Republic	42	85	350·2	101·1	—	—	—	—	*4·98*	—
170	breast	England and Wales	105	102	3·49	389·3	—	—	—	—	—	*0·95*
		Scotland	78	97	*2·40*	338·4	—	—	—	—	—	*2·67*
		Northern Ireland	95	73	*2·86*	232·4	—	—	—	—	—	—
		Irish Republic	63	84	*2·11*	265·5	—	—	—	—	—	—
171	cervix uteri	England and Wales	—	104	—	104·5	—	—	—	—	—	*0·32*
		Scotland	—	101	—	92·9	—	—	—	—	—	—
		Northern Ireland	—	66	—	55·7	—	—	—	—	—	—
		Irish Republic	—	35	—	29·2	—	—	—	—	—	—
172	corpus uteri	England and Wales	—	112	—	52·3	—	—	—	—	—	—
		Scotland	—	37	—	15·6	—	—	—	—	—	—
		Northern Ireland	—	25	—	9·51	—	—	—	—	—	—
		Irish Republic	—	17	—	*6·41*	—	—	—	—	—	—

Death rates per million population

25–34 M	25–34 F	35–44 M	35–44 F	45–54 M	45–54 F	55–64 M	55–64 F	65–74 M	65–74 F	75–84 M	75–84 F	85 and over M	85 and over F	Deaths under 1 year per thousand live births M	Deaths under 1 year per thousand live births F	ICD No.
1,068	**760·7**	**2,404**	**1,776**	**7,250**	**4,391**	**22,180**	**10,769**	**54,316**	**30,102**	**123,875**	**86,184**	**267,337**	**226,844**	**24·5**	**18·7**	
1,333	**870·7**	**3,278**	**2,239**	**9,151**	**5,345**	**25,468**	**13,305**	**60,590**	**35,485**	**130,347**	**96,951**	**250,400**	**231,823**	**31·0**	**21·7**	
1,176	**684·5**	**2,380**	**1,989**	**7,752**	**4,705**	**21,807**	**11,224**	**50,550**	**33,464**	**116,681**	**92,051**	**231,066**	**212,465**	**27·3**	**25·7**	
1,365	**900·7**	**2,713**	**2,199**	**7,404**	**5,559**	**19,940**	**12,500**	**48,432**	**34,772**	**118,435**	**96,463**	**279,375**	**237,818**	**32·8**	**25·3**	
11·4	17·0	45·0	31·1	94·5	38·3	249·6	48·2	478·4	67·4	429·0	74·1	260·9	122·6	—	—	001–008
30·5	*44·3*	107·7	58·2	174·1	*43·1*	334·7	*54·4*	533·7	92·9	561·1	*38·8*	*100·0*	*165·7*	—	—	
12·1	*11·4*	*23·2*	*76·9*	*198·1*	*57·9*	323·4	*67·0*	564·7	*56·2*	*445·6*	*118·5*	—	*186·0*	—	—	
74·3	*59·6*	203·6	134·5	333·3	*105·6*	511·3	194·0	589·5	277·2	608·7	*277·8*	*375·0*	*90·9*	*0·03*	—	
3·02	*3·82*	7·92	*2·51*	8·94	7·41	12·9	9·17	24·0	*7·49*	*23·4*	18·1	*21·7*	*23·6*	*0·01*	*0·01*	010–019
6·10	*2·95*	*6·16*	*11·6*	*3·11*	*5·75*	*18·8*	*12·8*	*7·02*	*9·29*	*16·5*	*29·1*	—	—	—	*0·02*	
—	—	—	—	—	—	—	*26·8*	*24·6*	*18·7*	*55·7*	—	—	—	—	—	
13·5	*13·2*	*24·0*	*5·85*	*29·2*	*31·1*	*30·1*	*14·9*	*10·5*	*9·90*	—	*37·0*	—	—	—	*0·07*	
0·67	*0·69*	7·60	*3·14*	14·0	*4·94*	46·0	16·0	129·7	48·2	193·7	91·3	*152·2*	155·7	—	*0·00*	020–029
—	*2·95*	*6·16*	—	*12·4*	*20·1*	*26·3*	*6·40*	*112·4*	*23·2*	*82·5*	*9·71*	*100·0*	—	—	—	
—	—	*11·6*	—	*49·5*	*23·2*	*77·0*	—	*196·4*	*131·1*	*111·4*	*39·5*	—	*186·0*	*0·06*	*0·06*	
—	—	—	—	*5·85*	*6·21*	*7·52*	—	*31·6*	—	*21·7*	—	—	—	—	—	
0·34	*0·69*	*0·95*	*0·63*	*0·32*	—	*1·17*	*1·02*	*2·06*	*2·34*	*1·67*	—	—	—	0·10	*0·04*	057
—	—	—	—	—	—	*3·76*	—	*7·02*	—	—	—	—	—	*0·09*	*0·10*	
—	—	—	*11·0*	—	—	—	—	—	*37·5*	—	—	—	—	—	—	
—	—	—	—	*5·85*	—	—	—	—	—	—	—	—	—	*0·06*	*0·03*	
1·68	*0·69*	*1·27*	*0·31*	—	—	—	—	—	—	—	—	—	—	—	—	080
6·10	—	*6·16*	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	*5·85*	—	—	—	—	—	—	—	—	—	—	—	
10·4	7·63	13·9	16·7	23·6	20·4	32·7	29·9	54·9	43·5	78·5	61·5	*163·0*	117·9	0·16	*0·10*	Rem. 001–138
—	*8·85*	*18·5*	*34·9*	*34·2*	*20·1*	*33·8*	*35·2*	*49·2*	*46·4*	*66·0*	*68·0*	—	*110·5*	*0·15*	*0·30*	
12·1	—	*23·2*	—	*61·9*	*34·8*	*61·6*	*40·2*	*49·1*	*56·2*	*111·4*	*39·5*	—	—	*0·54*	*0·38*	
27·0	*13·2*	*12·0*	*17·5*	*23·4*	*31·1*	*45·1*	*52·2*	*52·6*	*49·5*	*152·2*	*55·6*	—	*181·8*	*0·22*	*0·13*	
2·01	*2·43*	10·8	7·86	25·5	21·3	70·1	45·8	232·0	87·1	537·6	132·9	978·3	278·3	—	—	140–148
—	—	*6·16*	*8·74*	*18·7*	*14·4*	*67·7*	*51·2*	224·7	*88·2*	759·1	194·2	*1,200*	*165·7*	—	—	
—	—	—	*22·0*	*37·2*	*57·9*	*107·8*	—	*122·8*	*131·1*	*445·6*	*276·4*	*891·0*	*372·1*	—	—	
13·5	—	*12·0*	*23·4*	*70·2*	*6·21*	*67·7*	*104·5*	400·0	*138·6*	978·3	*148·1*	*2,375*	*181·8*	—	—	
1·68	*1·39*	6·65	6·60	42·8	24·1	130·8	65·5	308·2	144·2	587·6	310·1	1,000	485·8	—	—	150
3·05	*2·95*	*18·5*	*8·74*	*71·5*	*34·5*	176·8	124·8	484·6	227·6	660·1	368·9	*800·0*	*884·0*	—	—	
12·1	—	*11·6*	—	—	*11·6*	*107·8*	*67·0*	*196·4*	*168·5*	*389·9*	*276·4*	—	—	—	—	
—	*6·62*	*5·99*	*5·85*	*40·9*	*31·1*	233·1	*126·9*	431·6	257·4	804·3	*185·2*	*500·0*	*636·4*	—	—	
8·72	10·4	57·0	38·0	261·5	116·4	853·2	332·8	1,754	850·7	2,830	1,805	2,728	2,590	—	—	151
12·2	*11·8*	117·0	*43·7*	329·5	137·9	797·3	390·3	1,924	1,096	2,805	2,427	3,400	4,144	—	—	
12·1	*11·4*	*104·5*	*65·9*	408·7	*115·9*	939·4	401·8	1,964	1,105	2,395	1,817	3,267	*1,860*	—	—	
13·5	—	*77·8*	*64·3*	409·4	124·2	864·7	373·1	1,737	1,059	2,674	2,556	3,000	2,636	—	—	
8·39	7·28	27·9	40·2	99·6	132·7	332·9	338·5	782·4	732·2	1,748	1,611	2,391	2,571	—	—	153
9·15	*14·8*	*40·0*	*46·6*	118·1	163·8	447·5	451·1	1,152	975·4	2,277	2,136	3,200	3,370	—	—	
—	*22·8*	*23·2*	*33·0*	*74·3*	*115·9*	*246·4*	*200·9*	*712·0*	730·3	1,170	1,343	*891·0*	*2,233*	—	—	
20·3	*6·62*	*24·0*	*58·5*	117·0	136·6	345·9	313·4	821·1	772·3	1,391	1,519	1,500	2,364	—	—	
5·37	*3·47*	21·2	22·0	72·2	68·5	267·9	151·4	651·3	334·3	1,396	663·7	1,837	1,137	—	—	154
—	*2·95*	*24·6*	*17·5*	62·2	80·5	255·7	169·5	772·5	315·8	1,436	553·4	2,000	*994·5*	—	—	
—	—	*11·6*	*22·0*	*37·2*	*92·7*	*231·0*	*200·9*	613·8	*224·7*	*779·7*	*473·9*	*2,376*	*558·1*	—	—	
—	*13·2*	*5·99*	*11·7*	*29·2*	*80·7*	225·6	*89·6*	694·7	247·5	826·1	444·4	*112·5*	*909·1*	—	—	
1·01	*0·69*	*2·53*	*2·20*	17·9	7·10	71·3	13·9	147·6	18·7	222·0	31·6	304·3	*23·6*	—	—	161
—	—	*3·08*	*5·82*	*34·2*	*2·87*	*67·7*	*22·4*	154·5	*23·2*	*181·5*	*9·71*	*200·0*	—	—	—	
—	—	—	—	*37·2*	—	*46·2*	*53·6*	*122·8*	*37·5*	*278·5*	*39·5*	*297·0*	—	—	—	
—	—	*5·99*	*11·7*	*35·1*	*12·4*	*52·6*	*52·2*	*136·8*	*49·5*	*173·9*	*37·0*	—	—	—	—	
23·8	9·02	159·6	50·0	895·9	161·7	2,947	350·4	4,697	482·2	3,841	575·9	1,891	419·8	—	—	162, 163
33·5	*2·95*	206·2	72·8	1,094	189·7	3,321	300·7	4,754	529·5	3,515	708·7	*1,600*	*497·2*	—	—	
24·3	*11·4*	*162·5*	*44·0*	606·8	*127·5*	1,555	*214·3*	2,357	*355·8*	1,838	*394·9*	*297·0*	*558·1*	—	—	
27·0	*13·2*	*95·8*	*35·1*	567·3	173·9	1,323	328·4	1,684	415·8	847·8	*314·8*	*500·0*	*272·7*	—	—	
0·34	37·5	*1·27*	205·2	*2·87*	569·1	8·57	823·8	*11·0*	1,044	36·7	1,445	*54·3*	2,302	—	—	170
—	*29·5*	*3·08*	244·6	*6·22*	617·8	*3·76*	719·8	*14·0*	891·8	—	1,456	—	2,044	—	—	
—	*34·2*	—	*175·8*	*12·4*	440·3	—	629·5	—	599·3	*55·7*	1,106	—	*1,302*	—	—	
—	*19·9*	—	245·6	*5·85*	577·6	—	649·3	*10·5*	851·5	*21·7*	888·9	—	*1,273*	—	—	
—	10·1	—	105·6	—	174·1	—	198·6	—	260·8	—	321·0	—	396·2	—	—	171
—	*8·85*	—	136·9	—	189·7	—	207·9	—	153·3	—	301·0	—	*331·5*	—	—	
—	*22·8*	—	*98·9*	—	*115·9*	—	*107·1*	—	*187·3*	—	*79·0*	—	—	—	—	
—	*6·62*	—	*52·6*	—	*99·4*	—	*44·8*	—	*59·4*	—	*37·0*	—	*90·9*	—	—	
—	*0·69*	—	11·0	—	38·9	—	125·6	—	202·7	—	208·0	—	278·3	—	—	172
—	—	—	*2·91*	—	*8·62*	—	*44·8*	—	*51·1*	—	*106·8*	—	*110·5*	—	—	
—	—	—	—	—	—	—	*26·8*	—	*56·2*	—	*39·5*	—	*186·0*	—	—	
—	—	—	—	—	*6·21*	—	*29·9*	—	*19·8*	—	37·0	—	—	—	—	

ICD No.	Causes of death	Country	S.M.R. All ages M	S.M.R. All ages F	Death rates per million population All ages M	All ages F	1–4 M	1–4 F	5–14 M	5–14 F	15–24 M	15–24 F
177	Malignant neoplasm of—prostate	England and Wales	101	—	168·6	—	—	—	*0·29*	—	—	—
		Scotland	104	—	159·5	—	—	—	—	—	—	—
		Northern Ireland	102	—	163·0	—	—	—	—	—	—	—
		Irish Republic	82	—	155·7	—	—	—	—	—	*4·98*	—
181	bladder and other urinary organs	England and Wales	106	99	103·2	40·2	*0·65*	*1·38*	*0·29*	*0·30*	*0·31*	—
		Scotland	90	121	80·5	43·0	*5·20*	—	—	—	—	—
		Northern Ireland	50	84	44·3	27·2	—	—	—	—	—	—
		Irish Republic	52	83	52·9	27·8	—	—	—	—	—	—
204	Leukaemia and aleukaemia	England and Wales	100	102	61·5	54·8	49·7	40·1	26·8	23·6	25·8	17·7
		Scotland	102	102	60·1	51·5	*36·4*	*32·4*	*18·5*	*38·7*	*35·5*	*10·7*
		Northern Ireland	112	84	65·8	40·8	*33·0*	—	*36·8*	*7·75*	*27·1*	*27·2*
		Irish Republic	92	73	57·8	35·6	*49·2*	*17·1*	*40·5*	*14·2*	*24·9*	*26·0*
Rem. 140-205	Other malignant neoplasms	England and Wales	98	97	414·2	514·3	48·4	53·2	35·7	31·8	73·2	42·9
		Scotland	116	119	458·7	569·9	*57·2*	*54·1*	*37·0*	*33·8*	68·3	*37·4*
		Northern Ireland	110	112	421·7	493·3	*82·4*	*52·2*	*29·4*	*38·8*	*90·3*	*72·4*
		Irish Republic	109	114	456·7	505·3	*32·8*	*34·2*	*37·2*	*17·7*	*54·7*	*52·1*
140-205	All malignant neoplasms and neoplasms of the lymphatic and haemato-poietic tissues	England and Wales	101	99	2,416	1,952	100·7	95·4	64·2	56·9	108·6	66·6
		Scotland	111	112	2,468	1,969	*98·8*	*97·3*	57·8	72·5	120·2	53·4
		Northern Ireland	82	91	1,761	1,466	*115·3*	*52·2*	*66·2*	*54·3*	*117·4*	*108·7*
		Irish Republic	79	96	1,902	1,564	*82·0*	*51·3*	77·7	*31·9*	99·5	*88·5*
260	Diabetes mellitus	England and Wales	97	95	58·7	103·3	—	*2·76*	*2·30*	*1·51*	*3·69*	*2·83*
		Scotland	112	146	62·5	138·5	—	—	—	*2·42*	*2·73*	—
		Northern Ireland	100	78	55·8	67·9	*16·5*	—	—	—	—	—
		Irish Republic	122	111	77·5	98·9	*8·20*	—	—	—	*9·95*	*10·4*
290-293	Anaemias	England and Wales	93	94	25·6	45·8	*5·89*	*3·46*	*2·30*	*1·21*	*2·15*	*3·15*
		Scotland	116	134	29·6	55·9	—	*21·6*	*2·31*	—	—	—
		Northern Ireland	168	104	44·3	40·8	—	*17·4*	*14·7*	*7·75*	—	—
		Irish Republic	148	148	45·1	60·5	—	*17·1*	—	—	*9·95*	—
330-334	Vascular lesions affecting central nervous system	England and Wales	99	98	1,398	1,941	*3·92*	*1·38*	6·62	6·96	16·6	13·9
		Scotland	126	125	1,640	2,117	*5·20*	—	*6·93*	*16·9*	*8·19*	*21·4*
		Northern Ireland	99	110	1,325	1,734	—	—	*7·36*	*7·75*	*9·03*	*18·1*
		Irish Republic	81	95	1,276	1,578	*8·20*	*8·55*	*10·1*	*17·7*	*39·8*	*20·8*
345	Multiple sclerosis	England and Wales	82	92	13·6	21·6	—	—	—	—	*0·62*	*0·32*
		Scotland	168	157	26·0	34·8	—	—	—	—	*2·73*	*2·67*
		Northern Ireland	271	114	38·6	*23·1*	—	—	—	—	*9·03*	*9·06*
		Irish Republic	215	141	31·7	27·8	—	—	—	—	*4·98*	*5·21*
400-402, 410-416	Rheumatic fever and chronic rheumatic heart disease	England and Wales	101	101	114·4	201·0	*0·65*	*1·38*	*2·59*	*2·42*	16·0	13·2
		Scotland	92	107	97·0	194·8	—	—	*4·62*	*4·84*	*8·19*	*18·7*
		Northern Ireland	96	95	95·8	159·0	—	—	—	—	*18·1*	*45·3*
		Irish Republic	98	66	104·3	109·6	—	*8·55*	*3·38*	*3·55*	*24·9*	*15·6*
420	Arteriosclerotic heart disease, including coronary disease	England and Wales	99	98	2,767	1,657	—	—	—	*0·30*	*4·00*	*1·26*
		Scotland	119	121	3,051	1,754	—	—	—	—	—	—
		Northern Ireland	111	123	2,792	1,653	—	—	—	—	—	—
		Irish Republic	73	82	2,070	1,140	—	—	—	—	*4·98*	—
421, 422, 430-434	Other heart diseases	England and Wales	94	95	1,093	1,581	*4·58*	*5·53*	*3·17*	*2·12*	13·5	10·4
		Scotland	112	120	1,212	1,650	—	—	*6·93*	*2·42*	*10·9*	*5·34*
		Northern Ireland	114	120	1,315	1,580	*16·5*	—	—	*7·75*	—	*9·06*
		Irish Republic	159	153	2,175	2,160	*8·20*	—	—	*7·09*	*44·8*	*15·6*
440-447	Hypertensive disease	England and Wales	99	98	303·1	386·7	—	*0·69*	—	*0·61*	*4·00*	*2·52*
		Scotland	105	105	293·3	352·5	—	—	—	—	—	—
		Northern Ireland	95	117	268·7	365·6	—	*17·4*	—	—	*9·03*	—
		Irish Republic	104	118	338·3	385·8	—	—	*3·38*	—	—	*5·21*
450-468	Other circulatory diseases	England and Wales	101	100	377·8	457·2	*1·31*	*2·07*	*0·29*	*1·21*	*5·23*	*7·89*
		Scotland	107	111	369·4	424·0	—	—	*4·62*	—	—	*8·01*
		Northern Ireland	83	86	301·6	313·9	—	—	—	*15·5*	—	—
		Irish Republic	82	88	349·5	340·2	—	—	—	—	*4·98*	*5·21*
480-483	Influenza	England and Wales	102	101	66·7	74·8	*4·58*	*8·98*	5·76	*3·63*	9·23	*7·89*
		Scotland	43	49	26·4	31·5	—	*5·41*	*2·31*	*4·84*	—	*13·3*
		Northern Ireland	96	130	60·0	78·8	—	*34·8*	—	—	—	—
		Irish Republic	162	171	116·3	108·9	*16·4*	*8·55*	*3·38*	—	—	*10·4*
490-493	Pneumonia	England and Wales	105	105	638·9	684·4	129·5	124·4	28·5	20·9	27·4	17·7
		Scotland	81	69	465·1	388·4	129·9	194·6	*9·24*	*21·8*	*24·6*	*18·7*
		Northern Ireland	61	72	370·2	390·0	*197·7*	*226·2*	*14·7*	*7·75*	*36·1*	*27·2*
		Irish Republic	68	82	474·3	472·6	229·5	179·5	*30·4*	*24·8*	*34·8*	*31·2*
500-502	Bronchitis	England and Wales	106	103	1,031	413·9	34·7	35·2	6·33	*5·45*	*5·54*	*3·47*
		Scotland	79	75	708·3	261·4	*26·0*	*32·4*	*6·93*	*2·42*	*2·73*	*2·67*
		Northern Ireland	71	90	641·9	293·5	*33·0*	*34·8*	—	—	*18·1*	—
		Irish Republic	60	95	618·0	323·1	*16·4*	*25·6*	—	*17·7*	*4·98*	—

Death rates per million population 25–34 M	25–34 F	35–44 M	35–44 F	45–54 M	45–54 F	55–64 M	55–64 F	65–74 M	65–74 F	75–84 M	75–84 F	85 and over M	85 and over F	Deaths under 1 year per thousand live births M	Deaths under 1 year per thousand live births F	ICD No.
—	—	*1·58*	—	19·5	—	160·4	—	836·7	—	2,885	—	4,283	—	—	—	177
—	—	*3·08*	—	*18·7*	—	112·8	—	912·9	—	3,053	—	4,600	—	—	—	
—	—	—	—	—	—	*154·0*	—	1,154	—	2,395	—	*4,158*	—	—	—	
—	—	*12·0*	—	*17·5*	—	188·0	—	747·4	—	1,978	—	3,500	—	—	—	
1·34	*0·35*	11·1	*4·09*	46·6	20·1	202·5	54·3	577·2	135·8	1,078	306·5	1,543	448·1	—	—	181
—	—	*6·16*	*5·82*	68·4	*20·1*	154·2	80·0	505·6	153·3	825·1	388·3	*1,300*	*497·2*	—	—	
—	—	—	—	—	*11·6*	*169·4*	*80·4*	*122·8*	*112·4*	*556·9*	*236·9*	*1,485*	*186·0*	—	—	
—	—	—	—	*29·2*	*18·6*	*127·8*	*44·8*	242·1	*108·9*	587·0	*259·3*	*375·0*	*454·5*	—	—	
21·8	19·1	28·8	33·3	51·4	48·5	105·1	73·7	208·6	146·1	368·9	196·2	228·3	226·4	*0·01*	*0·03*	204
9·15	*11·8*	*40·0*	*17·5*	*49·7*	*37·4*	*67·7*	105·6	316·0	139·3	*280·5*	203·9	*800·0*	*221·0*	*0·04*	*0·04*	
24·3	*34·2*	*69·7*	*54·9*	*24·8*	*23·2*	*107·8*	*80·4*	*171·9*	*112·4*	*668·3*	*118·5*	—	—	—	*0·06*	
6·76	*6·62*	*41·9*	*40·9*	*52·6*	*43·5*	*105·3*	*37·3*	*189·5*	*128·7*	*195·7*	*74·1*	—	—	*0·03*	*0·07*	
100·7	82·9	173·3	193·9	442·2	484·6	979·4	994·6	1,682	1,652	2,422	2,258	3,011	3,005	0·05	*0·04*	Rem. 140–205
118·9	91·5	209·3	206·8	478·7	655·2	1,185	1,187	2,072	2,062	2,970	2,971	3,900	2,597	*0·06*	*0·06*	
121·3	*102·7*	*104·5*	230·8	421·0	544·6	1,155	977·7	2,062	1,910	2,618	3,041	*4,455*	*2,977*	*0·12*	*0·13*	
114·9	*92·7*	239·5	193·0	584·8	639·8	1,068	1,239	1,695	2,188	2,891	2,148	3,625	3,364	—	*0·03*	
175·2	185·2	501·7	720·0	1,978	1,867	6,129	3,569	11,887	6,091	17,953	9,864	20,250	14,160	0·06	0·07	140–205
186·0	177·1	677·1	818·3	2,350	2,152	6,657	3,855	15,287	6,707	18,762	11,825	23,000	15,856	*0·09*	*0·10*	
194·0	239·6	487·6	747·3	1,659	1,657	4,820	3,040	9,599	5,730	13,590	9,241	18,117	10,233	*0·12*	*0·19*	
195·9	165·6	521·0	742·7	1,959	1,950	4,602	3,433	8,789	6,297	13,370	8,648	16,500	12,182	*0·03*	*0·10*	
8·05	7·28	17·4	16·7	28·7	25·3	88·8	120·5	292·4	415·7	661·1	790·2	945·7	872·6	*0·01*	*0·01*	260
18·3	—	*15·4*	*20·4*	*37·3*	*46·0*	135·4	201·5	266·9	682·8	792·1	1,165	*1,000*	*1,050*	—	*0·02*	
12·1	*11·4*	*11·6*	—	*111·5*	*11·6*	*107·8*	*147·3*	*294·6*	*262·2*	*389·9*	*631·8*	*297·0*	*1,302*	—	—	
13·5	*6·62*	*41·9*	*5·85*	*35·1*	*37·3*	*127·8*	*126·9*	357·9	574·3	673·9	888·9	*1,125*	*545·5*	*0·03*	—	
3·69	*2·77*	*2·85*	*5·66*	7·34	6·79	29·2	32·3	112·6	142·3	318·9	398·7	837·0	896·2	*0·01*	*0·01*	290–293
3·05	*2·95*	—	*5·82*	*12·4*	*20·1*	*33·8*	*44·8*	*112·4*	195·1	462·0	553·4	*1,300*	1,215	*0·04*	*0·04*	
—	*11·4*	*11·6*	—	*24·8*	*23·2*	*77·0*	*80·4*	*171·9*	*149·8*	*724·0*	*315·9*	*297·0*	*558·1*	—	—	
20·3	*19·9*	*12·0*	*5·85*	*40·9*	*12·4*	*67·7*	*52·2*	*178·9*	346·5	478·3	555·6	*250·0*	*454·5*	—	—	
38·3	37·5	113·4	117·9	442·8	438·9	1,782	1,470	6,605	5,470	19,447	17,691	42,033	42,774	*0·04*	*0·01*	330–334
82·3	*38·4*	132·3	134·0	497·4	517·2	2,332	1,974	8,287	7,278	26,238	23,553	46,500	47,017	*0·02*	*0·06*	
24·3	*11·4*	*81·3*	*197·8*	557·3	521·5	2,079	1,647	6,825	6,105	17,989	21,009	39,798	42,419	*0·06*	—	
81·1	*53·0*	125·7	175·4	438·6	683·2	1,707	1,896	5,611	6,416	15,043	15,574	29,500	28,455	*0·06*	*0·10*	
6·38	7·28	15·2	25·1	31·3	45·7	35·4	54·0	27·5	38·9	16·7	20·8	—	*14·2*	—	—	345
9·15	*32·5*	*27·7*	*37·9*	*59·1*	74·7	*71·5*	89·6	*84·3*	*46·4*	*33·0*	*38·8*	—	*55·2*	—	—	
36·4	—	*69·7*	*33·0*	*49·5*	*34·8*	*138·6*	*93·8*	*73·7*	*56·2*	*55·7*	—	—	—	—	—	
6·76	*26·5*	*53·9*	*23·4*	*58·5*	*93·2*	*97·7*	*59·7*	*63·2*	*49·5*	*87·0*	*37·0*	*125·0*	—	—	—	
35·9	44·4	97·9	129·8	162·8	262·7	277·6	411·5	361·7	539·3	510·9	706·1	608·7	1,123	*0·00*	—	400–402, 410–416
39·6	*16·7*	101·6	177·6	177·2	347·7	252·0	425·5	323·0	492·3	*297·0*	592·2	*300·0*	*497·2*	—	—	
84·9	*68·5*	*92·9*	*208·8*	*173·4*	*220·2*	*200·2*	495·6	*221·0*	*280·9*	*556·9*	*434·4*	*1,188*	*744·2*	—	*0·06*	
33·8	*72·8*	*77·8*	*99·4*	181·3	142·9	233·1	223·9	336·8	316·8	565·2	500·0	*500·0*	*818·2*	—	—	
57·0	8·67	542·9	72·3	2,133	358·0	6,391	1,720	13,946	6,126	23,798	13,871	33,913	23,014	*0·01*	*0·00*	420
85·4	*17·7*	794·1	122·3	3,059	629·3	8,236	2,818	16,636	7,863	24,538	14,825	29,900	20,331	—	—	
97·0	—	673·3	*153·9*	2,675	776·4	7,608	2,371	16,056	7,921	24,116	16,033	26,730	24,000	—	—	
81·1	*46·4*	521·0	187·1	1,830	608·7	5,015	1,858	10,095	5,337	16,152	9,759	19,375	13,636	—	—	
22·1	16·6	54·8	32·4	187·7	111·1	803·7	476·4	3,826	2,819	17,676	15,439	61,293	60,825	*0·03*	*0·04*	421, 422, 430–434
33·5	*17·7*	61·6	*40·8*	251·8	152·3	838·7	684·6	4,754	3,911	21,782	19,204	68,600	74,420	—	—	
36·4	*34·2*	*58·0*	*11·0*	247·7	*139·1*	970·2	709·9	4,051	3,708	23,837	19,942	69,498	72,186	*0·06*	*0·06*	
60·8	*13·2*	*101·8*	*70·2*	362·6	298·1	1,759	1,231	7,653	5,663	30,174	25,963	79,750	75,364	*0·03*	—	
15·1	*6·59*	42·4	20·1	147·5	81·8	513·6	306·3	1,457	1,228	3,624	3,569	6,500	6,868	—	—	440–447
18·3	*8·85*	61·6	*20·4*	177·2	100·6	473·9	428·7	1,622	1,314	3,828	3,641	5,900	6,354	*0·02*	—	
12·1	—	*69·7*	*22·0*	*136·2*	*162·2*	477·4	468·8	1,547	1,592	3,119	3,752	*5,643*	6,884	—	—	
33·8	*13·2*	*18·0*	*46·8*	163·7	136·6	691·7	477·6	1,421	1,317	3,783	4,352	5,250	7,000	—	—	
11·1	17·3	35·8	36·8	107·9	84·3	409·3	255·3	1,536	994·9	5,392	4,156	16,652	14,311	*0·01*	*0·01*	450–468
15·2	*20·7*	*30·8*	*34·9*	99·5	*48·9*	394·9	233·5	1,447	961·4	6,188	4,942	18,700	17,459	—	*0·02*	
24·3	*34·2*	*23·2*	*33·0*	*123·8*	*81·1*	323·4	*174·1*	1,228	1,161	4,288	3,120	14,256	11,535	*0·06*	—	
13·5	—	*35·9*	*40·9*	*58·5*	*87·0*	278·2	231·3	1,221	871·3	4,630	3,796	13,875	12,000	—	—	
10·7	10·4	10·5	10·4	27·8	19·1	106·3	51·6	262·2	180·7	724·5	597·6	2,065	1,925	0·05	*0·04*	480–483
9·15	*2·95*	*18·5*	*14·6*	*21·8*	*5·75*	*41·4*	*25·6*	*84·3*	*55·7*	*247·5*	233·0	*900·0*	1,105	*0·04*	*0·10*	
24·3	*11·4*	—	—	*49·5*	*23·2*	*77·0*	*26·8*	*147·3*	*280·9*	*835·4*	868·8	*2,673*	*2,605*	*0·06*	—	
6·76	—	*18·0*	*5·85*	*52·6*	*43·5*	*97·7*	*104·5*	315·8	306·9	1,565	1,148	4,000	2,818	*0·06*	*0·13*	
31·5	23·2	66·8	43·4	167·9	104·9	615·3	328·7	2,210	1,388	8,588	5,984	24,326	20,132	2·49	1·89	490–493
15·2	*23·6*	*58·5*	*52·4*	143·0	74·7	556·6	265·5	1,643	831·4	6,089	3,592	13,900	11,326	3·02	2·14	
24·3	*11·4*	*11·6*	*44·0*	*99·1*	*69·5*	*292·6*	*160·7*	883·8	674·2	4,901	3,909	15,741	11,907	2·02	3·05	
47·3	*19·9*	*41·9*	*58·5*	187·1	*111·8*	436·1	298·5	1,463	1,356	3,652	3,907	11,250	10,182	4·04	3·29	
12·8	7·28	56·7	28·9	404·2	109·3	2,130	354·8	5,655	1,230	10,421	3,441	17,152	8,250	0·57	0·41	500–502
15·2	*8·85*	*36·9*	*29·1*	429·0	112·1	1,790	351·9	4,586	9,243	6,155	2,262	8,400	4,807	*0·33*	*0·34*	
12·1	—	*58·0*	*22·0*	470·6	*173·8*	1,802	388·4	3,535	1,348	6,349	2,646	6,237	4,279	*0·30*	*0·38*	
33·8	*19·9*	*77·8*	*40·9*	321·6	124·2	1,226	514·9	3,116	1,109	5,239	2,778	12,250	7,000	*0·09*	*0·27*	

ICD No.	Causes of death	Country	S.M.R. All ages M	S.M.R. All ages F	Death rates per million population: All ages M	All ages F	1–4 M	1–4 F	5–14 M	5–14 F	15–24 M	15–24 F
470-475, 510-527	Other respiratory diseases	England and Wales	101	97	158·4	70·6	24·9	15·9	7·49	7·57	7·38	*3·47*
		Scotland	105	76	154·2	48·1	*31·2*	*27·0*	*2·31*	—	*5·46*	*5·34*
		Northern Ireland	73	105	105·8	63·9	*16·5*	—	—	*7·75*	*18·1*	*9·06*
		Irish Republic	92	200	149·4	126·0	*24·6*	*17·1*	*10·1*	—	—	*10·4*
540, 541	Ulcer of stomach and duodenum	England and Wales	100	100	136·6	66·5	*0·65*	—	—	—	*3·08*	*0·32*
		Scotland	118	110	148·2	63·3	—	—	—	—	—	—
		Northern Ireland	84	76	105·8	40·8	—	—	—	—	—	—
		Irish Republic	80	96	114·9	53·4	—	—	—	—	—	*5·21*
550-553	Appendicitis	England and Wales	100	100	15·3	10·8	*10·5*	*2·07*	*4·61*	*4·24*	*5·84*	*4·10*
		Scotland	102	106	14·8	10·4	—	*5·41*	*4·62*	*2·42*	*5·46*	*2·67*
		Northern Ireland	109	87	*15·7*	*8·15*	—	—	—	—	—	—
		Irish Republic	95	104	14·8	*9·96*	*32·8*	*8·55*	*3·38*	*10·6*	*4·98*	*5·21*
560, 561, 570	Intestinal obstruction and hernia	England and Wales	98	97	63·8	70·6	*6·54*	*4·84*	*2·02*	*1·21*	*2·77*	*2·52*
		Scotland	119	124	72·5	78·9	*5·20*	*5·41*	*2·31*	—	*2·73*	*5·34*
		Northern Ireland	105	123	65·8	73·4	*33·0*	—	—	*7·75*	—	—
		Irish Republic	97	98	69·1	61·2	*8·20*	—	*3·38*	—	*9·95*	*10·4*
543, 571, 572	Gastritis and duodenitis, enteritis and colitis (except diarrhoea of newborn)	England and Wales	100	100	47·6	61·9	54·3	27·6	*1·15*	*3·03*	6·46	*5·36*
		Scotland	96	114	44·9	64·4	*31·2*	*32·4*	*6·93*	*12·1*	*2·73*	*8·01*
		Northern Ireland	112	99	54·3	54·4	*33·0*	*69·6*	*7·36*	—	—	*18·1*
		Irish Republic	97	75	50·7	42·7	*41·0*	*68·4*	*3·38*	*3·55*	—	*5·21*
581	Cirrhosis of liver	England and Wales	92	93	30·8	25·2	*0·65*	*0·69*	*0·86*	*0·91*	*1·54*	*0·95*
		Scotland	178	163	55·3	40·0	—	—	—	—	*2·73*	*2·67*
		Northern Ireland	97	115	28·6	*25·8*	—	—	—	—	—	—
		Irish Republic	110	96	35·2	21·4	—	—	*3·38*	*10·6*	—	—
584, 585	Cholelithiasis, cholecystitis	England and Wales	97	97	17·1	33·2	—	—	*0·29*	—	—	*0·32*
		Scotland	167	144	27·2	42·6	—	—	—	—	—	—
		Northern Ireland	60	94	*10·0*	*25·8*	—	—	—	—	—	—
		Irish Republic	65	87	*12·7*	24·9	—	—	—	—	—	—
Rem. 530-587	Other digestive diseases	England and Wales	98	95	42·7	45·8	*10·5*	16·6	*5·47*	6·36	*4·00*	*3·47*
		Scotland	94	114	38·9	49·6	*15·6*	*27·0*	*4·62*	*4·84*	—	*2·67*
		Northern Ireland	153	128	62·9	53·0	*16·5*	*17·4*	—	*7·75*	—	*27·2*
		Irish Republic	118	145	53·6	61·2	—	*25·6*	—	*3·55*	*4·98*	*5·21*
590-594	Nephritis and nephrosis	England and Wales	95	96	78·1	68·9	*3·92*	*4·15*	5·76	6·06	23·1	17·4
		Scotland	107	102	82·1	66·3	*10·4*	*5·41*	*16·2*	*7·25*	*35·5*	*24·0*
		Northern Ireland	93	101	70·0	61·2	—	*17·4*	*22·1*	*7·75*	*27·1*	*27·2*
		Irish Republic	168	182	137·4	111·7	—	*8·55*	*6·76*	*17·7*	*39·8*	*36·5*
610	Hyperplasia of prostate	England and Wales	102	—	128·1	—	—	—	—	—	—	—
		Scotland	91	—	106·6	—	—	—	—	—	—	—
		Northern Ireland	101	—	125·8	—	—	—	—	—	—	—
		Irish Republic	89	—	133·2	—	—	—	—	—	—	—
600-609, 611-637	Other diseases of the genito-urinary system	England and Wales	98	99	72·0	93·6	*2·62*	*3·46*	*3·46*	*3·63*	*4·00*	8·20
		Scotland	122	133	83·7	111·1	—	*5·41*	*2·31*	*4·84*	*5·46*	*10·7*
		Northern Ireland	114	98	80·1	76·1	—	—	—	*7·75*	—	—
		Irish Republic	95	55	76·8	43·4	—	*17·1*	*10·1*	—	*4·98*	—
640-689	Complications of pregnancy, childbirth, and the puerperium	England and Wales	—	95	—	12·4	—	—	—	—	—	18·9
		Scotland	—	117	—	15·6	—	—	—	—	—	—
		Northern Ireland	—	104	—	*13·6*	—	—	—	—	—	*18·1*
		Irish Republic	—	158	—	19·2	—	—	—	—	—	*10·4*
750-759	Congenital malformations	England and Wales	96	94	125·2	107·8	118·4	123·7	33·1	31·2	28·6	18·6
		Scotland	109	114	156·2	143·3	145·5	210·8	*39·3*	*31·4*	*21·9*	*16·0*
		Northern Ireland	112	127	177·3	178·0	*230·7*	*156·6*	*44·2*	*23·3*	*9·03*	*9·06*
		Irish Republic	132	142	207·9	210·0	237·7	222·2	*37·2*	*39·0*	*19·9*	*15·6*
760-776	Certain diseases of early infancy	England and Wales	96	98	258·8	159·6	*1·96*	—	—	*0·30*	—	—
		Scotland	122	103	372·6	189·2	—	—	—	—	—	—
		Northern Ireland	105	119	361·7	250·1	—	—	—	—	—	—
		Irish Republic	113	109	386·2	244·8	—	—	—	—	—	—
Rem. 210-795	All other diseases	England and Wales	88	92	346·9	507·6	109·9	86·4	57·6	36·0	67·1	52·1
		Scotland	100	100	376·6	473·2	140·3	118·9	76·2	*38·7*	92·9	106·8
		Northern Ireland	93	86	363·1	394·1	*181·3*	*243·6*	*58·9*	*23·3*	*72·3*	*36·2*
		Irish Republic	276	258	1,219	1,233	*155·7*	*119·7*	81·1	*42·6*	99·5	*46·9*
E963, E970-E979	Suicide	England and Wales	107	108	144·1	96·8	—	—	*1·73*	*0·91*	65·2	23·0
		Scotland	92	80	116·6	67·4	—	—	—	—	*46·4*	*16·0*
		Northern Ireland	43	44	51·5	34·0	—	—	—	—	*9·03*	*9·06*
		Irish Republic	23	10	28·9	*7·83*	—	—	—	—	*14·9*	*5·21*
E810-E845	Motor vehicle and other road transport accidents	England and Wales	101	102	204·0	75·9	81·8	57·4	88·1	41·5	394·6	62·5
		Scotland	103	93	202·7	65·5	150·7	*75·7*	129·4	60·4	273·1	*42·7*
		Northern Ireland	77	95	153·0	65·2	*49·4*	*156·6*	*51·5*	*46·5*	189·7	*36·2*
		Irish Republic	85	72	169·1	49·8	*73·8*	*59·8*	74·3	*53·2*	204·0	*31·2*

Death rates per million population: 25–34 M	25–34 F	35–44 M	35–44 F	45–54 M	45–54 F	55–64 M	55–64 F	65–74 M	65–74 F	75–84 M	75–84 F	85 and over M	85 and over F	Deaths under 1 year per thousand live births M	Deaths under 1 year per thousand live births F	ICD No.
11·7	8·32	28·2	21·7	104·4	41·0	371·9	71·6	764·6	156·8	1,215	449·4	2,054	1,575	0·15	0·08	470–475, 510–527
18·3	*8·85*	*30·8*	*23·3*	*52·8*	*25·9*	364·8	67·2	912·9	144·0	1,386	330·1	*1,600*	*607·7*	*0·30*	*0·12*	
—	*11·4*	*34·8*	*22·0*	*37·2*	*11·6*	*277·2*	*93·8*	*466·5*	*262·2*	*389·9*	*197·4*	*1,485*	*1,674*	*0·95*	*0·38*	
33·8	—	*41·9*	*35·1*	*93·6*	*80·7*	263·2	*126·9*	663·2	336·6	1,000	1,296	3,875	2,636	*0·09*	*0·13*	
9·40	*3·47*	26·6	*5·97*	88·8	25·9	251·6	66·2	698·0	206·0	1,381	548·8	2,174	1,118	*0·01*	*0·01*	540, 541
18·3	*8·85*	*36·9*	*5·82*	74·6	*25·9*	297·1	112·0	856·7	218·3	1,700	601·9	2,400	*718·2*	—	—	
—	—	*34·8*	—	*49·5*	*46·4*	*138·6*	*67·0*	*441·9*	*112·4*	1,448	*473·9*	*3,861*	*558·1*	*0·06*	—	
6·76	*6·62*	*41·9*	*5·85*	117·0	*24·8*	263·2	*134·3*	536·8	217·8	891·3	407·4	*1,000*	*545·5*	—	—	
5·70	*2·43*	*5·38*	*3·46*	14·4	*2·78*	26·5	14·3	52·8	28·6	106·8	69·6	*54·3*	103·8	*0·01*	—	550–553
9·15	—	*3·08*	*5·82*	*12·4*	*8·62*	*33·8*	*16·0*	*56·2*	*27·9*	*115·5*	*48·5*	*100·0*	*221·0*	—	—	
12·1	*11·4*	—	*11·0*	*12·4*	*11·6*	*46·2*	—	*24·6*	*18·7*	*167·1*	*79·0*	*594·0*	—	—	—	
—	—	*12·0*	*11·7*	*11·7*	*6·21*	*30·1*	*7·46*	*21·1*	*19·8*	*65·2*	*37·0*	*125·0*	*90·9*	*0·03*	—	
2·35	*1·73*	10·1	9·43	28·7	21·3	86·4	62·8	272·5	214·0	731·2	564·2	1,293	1,071	0·26	0·20	560, 561, 570
3·05	*8·85*	*9·23*	*26·2*	*37·3*	*25·9*	109·1	121·6	386·2	278·7	825·1	611·7	*1,000*	1,105	*0·33*	*0·16*	
—	—	*23·2*	*11·0*	*49·5*	*34·8*	*92·4*	*53·6*	*294·6*	*337·1*	*946·8*	*631·8*	*297·0*	*930·2*	*0·12*	*0·38*	
—	—	*24·0*	—	*40·9*	*12·4*	*142·9*	*82·1*	210·5	207·9	608·7	759·3	*750·0*	*636·4*	*0·32*	*0·07*	
6·71	11·1	8·24	12·6	26·5	26·2	61·9	49·9	145·5	160·1	315·5	398·7	706·5	707·5	0·50	0·45	543, 571, 572
—	*8·85*	*6·16*	*20·4*	*18·7*	*23·0*	82·7	76·8	140·4	227·6	*297·0*	398·1	*300·0*	*552·5*	0·57	*0·36*	
12·1	—	*34·8*	—	*24·8*	*34·8*	*46·2*	*26·8*	*147·3*	*56·2*	*334·2*	*394·9*	*297·0*	*372·1*	*0·77*	*0·89*	
6·76	*19·9*	*12·0*	*11·7*	*17·5*	*31·1*	*45·1*	*44·8*	*136·8*	*79·2*	*173·9*	*185·2*	*375·0*	*363·6*	0·95	*0·40*	
3·02	*1·39*	13·0	8·17	41·2	26·5	86·1	61·8	127·7	89·9	141·9	82·3	*130·4*	*75·5*	*0·01*	*0·00*	581
3·05	*5·90*	*15·4*	*17·5*	87·0	*46·0*	146·7	70·4	379·2	190·4	*148·5*	*155·3*	*100·0*	*165·7*	—	*0·02*	
—	—	*23·2*	—	*37·2*	*23·2*	*123·2*	*53·6*	*147·3*	*168·5*	*55·7*	*158·0*	—	—	—	—	
6·76	—	*24·0*	*17·5*	*52·6*	*31·1*	150·4	*67·2*	*63·2*	*79·2*	*152·2*	*37·0*	*250·0*	—	—	—	
—	*1·39*	*1·58*	*2·83*	*3·83*	8·02	24·1	33·3	85·8	100·7	225·4	291·1	521·7	575·5	—	*0·00*	584, 585
—	*5·90*	—	*8·74*	*6·22*	*23·0*	*41·4*	60·8	*133·4*	125·4	528·1	398·1	*400·0*	*828·7*	—	—	
—	—	—	—	*12·4*	*11·6*	*30·8*	*26·8*	*49·1*	*187·3*	*111·4*	*236·9*	—	—	—	—	
—	*6·62*	*5·99*	—	*5·85*	*37·3*	*15·0*	*52·2*	*94·7*	*69·3*	*108·7*	*185·2*	—	*363·6*	—	—	
7·05	7·63	15·2	13·5	37·7	21·9	75·2	57·4	158·5	125·9	3,289	261·3	456·5	533·0	0·16	0·16	Rem. 530–587
12·2	*8·85*	*24·6*	*26·2*	*34·2*	*25·9*	86·5	80·0	*119·4*	167·2	*297·0*	291·3	*100·0*	*497·2*	*0·19*	*0·10*	
—	—	*11·6*	*11·0*	*49·5*	*46·4*	*92·4*	*147·3*	*270·1*	*149·8*	*779·7*	*276·4*	*891·0*	*186·0*	*0·24*	*0·13*	
13·5	*13·2*	*35·9*	*23·4*	*46·8*	*68·3*	*97·7*	*141·8*	221·1	*168·3*	*304·3*	388·9	*750·0*	*454·5*	*0·16*	*0·07*	
31·5	20·5	50·0	34·9	85·6	55·2	139·4	94·7	258·8	168·1	492·5	378·8	1,207	768·9	*0·02*	*0·01*	590–594
30·5	*20·7*	64·6	*37·9*	96·4	66·1	169·2	86·4	273·9	209·0	429·0	349·5	*1,000*	*773·5*	*0·02*	*0·02*	
48·5	—	*46·4*	*22·0*	*86·7*	*46·4*	*30·8*	*80·4*	*270·1*	*262·2*	*612·6*	*394·9*	*1,188*	*744·2*	—	—	
54·1	*13·2*	*71·9*	*46·8*	*105·3*	*80·7*	255·6	149·3	578·9	366·3	804·3	833·3	2,625	*1,727*	—	—	
—	—	*0·95*	—	*4·47*	—	64·6	—	490·7	—	2,324	—	6,641	—	—	—	610
—	—	—	—	*3·11*	—	*52·7*	—	477·5	—	2,063	—	5,800	—	—	—	
—	—	—	—	—	—	*46·2*	—	589·2	—	2,228	—	6,237	—	—	—	
—	—	—	—	—	—	*90·2*	—	505·3	—	2,065	—	4,250	—	—	—	
6·71	16·0	14·3	25·5	36·7	53·1	97·7	111·0	273·2	279·0	904·8	635·6	2,065	1,278	0·09	*0·02*	600–609, 611–637
9·15	*11·8*	*21·5*	*26·2*	*37·3*	92·0	150·4	147·2	379·2	469·1	1,073	776·7	2,100	1,105	*0·07*	*0·02*	
12·1	*22·8*	*11·6*	*44·0*	*49·5*	*46·4*	*123·2*	*80·4*	*245·5*	*187·3*	1,504	868·8	891·0	*1,116*	*0·12*	*0·06*	
6·76	*26·5*	*29·9*	*11·7*	*52·6*	*68·3*	*67·7*	*52·2*	294·7	*138·6*	847·8	*277·8*	*1,000*	*454·5*	*0·19*	*0·03*	
—	49·9	—	29·5	—	*0·31*	—	—	—	—	—	—	—	—	—	—	640–689
—	*29·5*	—	*52·4*	—	*40·2*	—	—	—	—	—	—	—	—	—	—	
—	*68·5*	—	*22·0*	—	—	—	—	—	—	—	—	—	—	—	—	
—	*72·8*	—	*76·0*	—	*6·21*	—	—	—	—	—	—	—	—	—	—	
20·1	15·3	27·2	17·0	37·0	25·6	35·8	36·0	39·1	31·4	60·1	42·5	*21·7*	*37·7*	4·63	4·52	750–759
21·3	*29·5*	*40·0*	*23·3*	*21·8*	*23·0*	*18·8*	*44·8*	*14·0*	*9·29*	—	*9·71*	—	—	5·62	5·68	
12·1	*11·4*	*23·2*	*65·9*	*37·2*	*23·2*	*30·8*	*40·2*	—	—	—	*39·5*	—	—	5·65	6·66	
20·3	*19·9*	*29·9*	*40·9*	*23·4*	*24·8*	*30·1*	*22·4*	*10·5*	—	—	—	—	—	7·39	7·90	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	13·6	9·41	760–776
—	—	—	—	—	—	—	—	—	—	—	—	—	—	17·2	10·1	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	15·1	11·7	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	17·3	11·4	
77·9	72·5	93·8	105·3	186·8	212·7	426·0	421·1	945·1	925·1	3,104	3,302	16,152	16,264	0·79	0·57	Rem. 210–795
57·9	106·3	169·3	90·3	304·6	209·8	609·3	518·2	1,433	1,157	2,558	3,495	9,000	13,923	1·17	0·73	
97·0	*57·0*	*139·3*	*87·9*	*148·6*	*162·2*	631·4	361·6	1,277	1,273	3,509	3,436	8,316	8,000	*0·65*	*1·08*	
128·4	*86·1*	131·7	187·1	327·5	441·0	842·1	686·6	2,811	2,149	13,717	11,889	65,750	55,182	1·07	0·80	
109·7	72·8	162·5	89·9	213·3	153·1	281·5	209·5	350·0	206·5	444·1	160·0	423·9	103·8	—	—	E963, E970–E979
115·9	62·0	153·9	90·3	202·1	137·9	282·1	121·6	210·7	125·4	*214·5*	*106·8*	*300·0*	—	—	—	
36·4	*11·4*	*104·5*	*65·9*	*123·8*	*92·7*	*92·4*	*67·0*	*98·2*	*74·9*	*167·1*	—	—	—	—	—	
33·8	*6·62*	*59·9*	*5·85*	*40·9*	*24·8*	*67·7*	*22·4*	*52·6*	*9·90*	*43·5*	—	—	—	—	—	
174·2	32·6	140·0	34·3	165·4	55·9	205·6	85·2	302·0	164·3	621·0	313·7	880·4	330·2	*0·02*	*0·01*	E810–E845
207·4	*26·6*	144·7	*32·0*	192·7	60·3	240·7	80·0	266·9	134·7	495·0	213·6	*1,100*	*221·0*	*0·02*	*0·02*	
206·2	*22·8*	*92·9*	*22·0*	*173·4*	*57·9*	*200·2*	*80·4*	*270·1*	*168·5*	*724·0*	*158·0*	—	*186·0*	—	—	
168·9	*53·0*	137·7	*29·2*	204·7	*31·1*	270·7	*22·4*	357·9	*138·6*	*304·3*	*111·1*	*125·0*	*90·9*	—	—	

ICD No.	Causes of death	Country	S.M.R. All ages M	S.M.R. All ages F	Death rates per million population: All ages M	All ages F	1–4 M	1–4 F	5–14 M	5–14 F	15–24 M	15–24 F
E870-E936 pt.	Accidents in the home and residential institutions	England and Wales	96	98	124·4	200·2	96·1	76·0	17·3	13·3	23·1	15·5
		Scotland	178	155	224·4	272·9	150·7	*37·8*	*30·0*	*19·3*	*21·9*	*26·7*
		Northern Ireland	87	100	114·4	169·9	*33·0*	*52·2*	*22·1*	—	*9·03*	—
		Irish Republic	43	28	62·7	50·5	*73·8*	*34·2*	*23·6*	*10·6*	*9·95*	*15·6*
Rem. E800-E999	Other violence	England and Wales	93	90	137·3	46·9	67·4	26·3	69·1	15·4	134·1	16·4
		Scotland	143	73	204·7	34·1	*72·8*	*43·2*	113·2	*9·67*	210·3	*13·3*
		Northern Ireland	98	173	138·7	78·8	*65·9*	*17·4*	*66·2*	*15·5*	*108·4*	*27·2*
		Irish Republic	131	294	189·6	138·8	*65·6*	*34·2*	*57·4*	*10·6*	134·3	—
Estimated mid-year population (in thousands)		England and Wales			22,651	24,018	1,529	1,447	3,473	3,303	3,251	3,170
		Scotland			2,496	2,701	192	185	433	414	366	375
		Northern Ireland			700	736	61	57	136	129	111	110
		Irish Republic			1,419	1,405	122	117	296	282	201	192

Death rates per million population: 25–34 M	25–34 F	35–44 M	35–44 F	45–54 M	45–54 F	55–64 M	55–64 F	65–74 M	65–74 F	75–84 M	75–84 F	85 and over M	85 and over F	Deaths under 1 year per thousand live births M	Deaths under 1 year per thousand live births F	ICD No.
29·2	20·8	46·9	28·6	59·4	54·0	104·4	98·8	298·6	336·1	1,235	1,661	4,370	5,769	0·63	0·52	E870–E936 pt.
79·3	*23·6*	153·9	104·8	183·4	114·9	248·2	156·7	442·4	487·7	1,667	2,515	6,100	8,950	1·56	1·05	
36·4	*22·8*	*23·2*	—	*37·2*	*34·8*	*138·6*	*93·8*	*270·1*	449·4	1,504	2,014	*3,861*	6,326	*0·36*	*0·06*	
27·0	*13·2*	*24·0*	*17·5*	*40·9*	*18·6*	*60·2*	*52·2*	*157·9*	*148·5*	*260·9*	370·4	*1,000*	*454·5*	*0·41*	*0·20*	
117·8	17·7	124·5	19·8	147·8	21·3	187·7	40·1	185·3	77·2	385·6	252·3	1,011	948·1	0·11	0·10	Rem. E800-E999
173·8	*17·7*	243·2	*34·9*	248·7	*25·9*	304·6	*38·4*	266·9	*79·0*	412·5	*77·7*	*400·0*	*386·7*	*0·13*	*0·08*	
97·0	—	*69·7*	*44·0*	*136·2*	*11·6*	*231·0*	*13·4*	*221·0*	*187·3*	*724·0*	*592·3*	*2,673*	3,349	*0·06*	*0·19*	
114·9	*19·9*	143·7	*17·5*	128·7	*68·3*	315·8	*67·2*	410·5	346·5	891·3	1,407	3,375	4,091	*0·16*	*0·20*	
2,980	2,883	3,157	3,182	3,132	3,240	2,568	2,945	1,457	2,136	599	1,106	92	212			
328	339	325	343	322	348	266	313	142	215	61	103	10	18			
82	88	86	91	81	86	65	75	41	53	18	25	3	5			
148	151	167	171	171	161	133	134	95	101	46	54	8	11			

APPENDIX B

Abridged life table, 1962, England and Wales

Apart from its use as a basis for calculations of probabilities of death or survival, the life table represents one useful way of providing summary indices of mortality free from peculiarities in the sex and age structure of the population. These summary indices, whether it be the number surviving out of a specified number of births or the expectation of life beyond a specified age, are sex and age standardised. They summarise the individual age death rates for each sex. For this particular purpose the following life table has been constructed from the mortality experience of 1962. Though the functions are summary indices of the mortality of a particular year they will by the same token be sensitive to fluctuations in mortality from one year to another as a result of changes in the weather conditions, irregular incidence of epidemics, etc., and they are not reliable as a basis for calculations of the probability of survival over a period of years. Life table functions for use in such computations should be representative of the current level of mortality and should therefore be based on more than one year's experience. For this latter purpose another life table has been constructed based on the three years 1960 to 1962, a larger body of data more representative of the general mortality of recent years; this has been published in the *Registrar General's Quarterly Return* for the June Quarter 1963, No. 458 and will be published in Part III of the *Statistical Review* for 1962.

Males		Age	Females	
l_x	$\mathring{e}_x$	x	l_x	$\mathring{e}_x$
10,000	68·0	0	10,000	73·9
9,755	68·7	1	9,813	74·3
9,740	67·8	2	9,801	73·4
9,732	66·9	3	9,794	72·5
9,725	65·9	4	9,788	71·5
9,719	65·0	5	9,784	70·5
9,698	60·1	10	9,768	65·7
9,677	55·2	15	9,755	60·7
9,633	50·5	20	9,738	55·8
9,580	45·8	25	9,714	51·0
9,535	41·0	30	9.684	46·1
9 479	36·2	35	9,641	41·3
9,391	31·5	40	9,574	36·6
9,254	26·9	45	9,472	32·0
9,016	22·6	50	9,310	27·5
8,608	18·5	55	9,066	23·1
7,911	14·9	60	8,703	19·0
6,845	11·9	65	8,127	15·2
5,495	9·2	70	7,262	11·7
3,876	7·0	75	5,954	8·7
2,285	5·1	80	4,222	6·3
953	3·7	85	2,307	4·4

This abridged life table is constructed from the estimated *home* population and the total deaths in the year 1962.

The column headed l_x shows, for each sex, the numbers who would survive to exact age x out of 10,000 born who were subject throughout their lives to the recorded age death rates of the period.

Column $\mathring{e}_x$ is the "expectation of life", that is, the average future lifetime which would be lived by persons aged exactly x, if likewise subject to those death rates.

CORRECTIONS—*continued*

Table 23B, **1961**, page 277.

Substitute the following for Total live and still births and Stillbirths per 1,000 total births in published table.

ICD No.	Cause		Number of previous children of all marriages, live and stillborn										
			Total	0	1	2	3	4	5	6	7	8	9	10 and over
	Total legitimate live and still births	M	400,208	145,604	120,805	66,049	32,321	16,254	8,577	4,675	2,700	1,521	756	946
		F	377,109	136,149	113,901	62,617	30,716	15,568	8,143	4,459	2,481	1,456	731	888
		P	777,317	281,753	234,706	128,666	63,037	31,822	16,720	9,134	5,181	2,977	1,487	1,834
	Stillbirths per 1,000 total births													
Y30-Y39	**All causes**	M	**18·6**	**20·3**	**12·6**	**17·3**	**21·8**	**29·0**	**29·6**	**34·7**	**33·3**	**34·8**	**52·9**	**39·1**
		F	**18·8**	**20·0**	**13·8**	**18·3**	**21·7**	**26·0**	**28·4**	**33·4**	**35·1**	**39·1**	**49·2**	**31·5**
		P	**18·7**	**20·1**	**13·2**	**17·8**	**21·7**	**27·5**	**29·0**	**34·0**	**34·2**	**36·9**	**51·1**	**35·4**
Y30-Y35	**Maternal conditions**		**5·5**	**6·5**	**3·5**	**4·9**	**5·9**	**8·1**	**7·9**	**11·8**	**10·2**	**10·7**	**14·1**	**15·8**
Y30·2	Diabetes		0·1	0·1	0·1	*0·1*	*0·1*	*0·2*	*0·1*	—	*0·2*	—	*0·7*	*1·6*
Y30·3	Circulatory		0·3	0·3	0·2	0·3	0·3	*0·4*	*0·2*	*1·2*	*1·0*	*0·3*	—	*0·5*
Y32	Diseases of pregnancy		3·3	4·2	2·1	2·8	3·3	4·8	4·3	6·1	5·4	6·7	*8·1*	*10·4*
Y32·2	Haemorrhage N.E.C.		0·6	0·5	0·5	0·7	0·8	1·2	1·2	*1·3*	*1·2*	*1·7*	*3·4*	*2·7*
Y32·4	Other toxaemia		2·6	3·5	1·6	2·0	2·4	3·5	3·1	4·7	4·2	*5·0*	*4·7*	*7·6*
Y34	Difficulties in labour		1·5	1·6	1·0	1·3	1·9	2·2	2·8	3·7	*3·5*	*3·0*	*4·0*	*3·3*
Y34·2	Malposition		0·8	0·7	0·6	0·8	1·1	1·5	1·7	2·7	*1·9*	*2·4*	*3·4*	*2·2*
Y34·3	Abnormal forces		0·2	0·2	*0·1*	*0·1*	*0·1*	*0·3*	*0·2*	*0·2*	*0·4*	—	—	—
Y36	**Placental and cord conditions**		**4·9**	**4·9**	**3·4**	**4·8**	**6·0**	**8·0**	**8·4**	**10·0**	**9·3**	**11·4**	**18·8**	**8·2**
Y36·1	Placenta praevia		0·3	0·1	0·2	0·3	0·3	0·7	*0·4*	*1·2*	*0·8*	*0·7*	*3·4*	*1·1*
Y36·2	Placenta and placental separation		1·3	1·1	1·0	1·3	2·2	2·5	2·7	3·4	4·1	*3·0*	*8·1*	*2·2*
Y36·5	Placenta infarct		0·5	0·5	0·3	0·5	0·3	*0·5*	1·2	*0·8*	*0·4*	*0·7*	*0·7*	*1·6*
Y37-Y39	**Foetal conditions**		**8·3**	**8·8**	**6·2**	**8·1**	**9·8**	**11·4**	**12·7**	**12·3**	**14·7**	**14·8**	**18·2**	**11·5**
Y37	Birth injury		0·5	0·7	0·3	0·3	0·5	*0·6*	*0·8*	*0·3*	*1·0*	*0·3*	*1·3*	*0·5*
Y38	Congenital malformation		3·7	4·4	2·9	3·3	3·6	4·3	5·0	4·6	5·0	*5·4*	*4·7*	*2·7*
Y38·0	Anencephalus		2·0	2·5	1·6	1·7	2·1	1·8	2·5	2·3	*2·7*	*3·0*	*1·3*	*1·1*
Y38·1	Hydrocephalus		0·7	0·8	0·5	0·6	0·6	1·2	1·2	*1·3*	*0·4*	*1·0*	*0·7*	*0·5*
Y38·2	Spina bifida		0·5	0·6	0·3	0·5	0·4	0·7	*0·5*	*0·3*	*1·4*	*1·0*	*1·3*	*0·5*
Y39	Other and ill-defined causes		4·1	3·7	3·0	4·5	5·7	6·5	6·8	7·3	8·7	9·1	*12·1*	*8·2*
Y39·2	Erythroblastosis		0·9	0·2	0·7	1·6	2·0	2·0	2·2	2·6	*3·3*	*3·7*	*5·4*	*3·8*
Y39·6	Unspecified		0·9	0·9	0·7	0·8	1·1	1·3	*1·1*	*1·2*	*1·0*	*1·7*	*2·0*	*1·6*

CORRECTIONS—*continued*

Table 23H, **1961,** pages 300, 301

Substitute the following for the corresponding panels of the published table :

Parity—previous live and still births of all marriages	Number of previous stillbirths							Number of previous stillbirths						
	0	1	2	3	4	5–9	Total	0	1	2	3	4	5–9	Total
	Legitimate live and still births													
0	281,753	—	—	—	—	—	281,753							
1	230,353	4,353	—	—	—	—	234,706							
2	123,204	5,204	258	—	—	—	128,666							
3	59,196	3,493	314	34	—	—	63,037							
4	29,234	2,221	311	46	10	—	31,822							
5–9	31,565	3,175	572	130	37	20	35,499							
10 and over	1,433	272	85	25	9	10	1,834							
Total	**756,738**	**18,718**	**1,540**	**235**	**56**	**30**	**777,317**							
	Stillbirths per 1,000 total births													
	All causes (Y30–Y39)							**Chronic and acute disease in mother (Y30, Y31)**						
0	20·1	—	—	—	—	—	20·1	0·7	—	—	—	—	—	0·7
1	12·5	49·9	—	—	—	—	13·2	0·3	*4·4*	—	—	—	—	0·4
2	15·9	56·5	135·7	—	—	—	17·8	0·6	*1·5*	*16·0*	—	—	—	0·7
3	18·8	63·3	98·7	*176·5*	—	—	21·7	0·6	*1·7*	*3·2*	*58·8*	—	—	0·7
4	23·7	61·2	122·2	*130·4*	*300·0*	—	27·5	0·9	*1·4*	*6·4*	*21·7*	—	—	1·0
5–9	26·8	64·3	101·4	253·8	*297·3*	*300·0*	32·6	0·7	*3·1*	*3·5*	*23·1*	*27·0*	—	1·1
10 and over	24·4	*62·5*	*82·4*	*120·0*	*222·2*	*100·0*	35·4	0·7	*7·4*	*11·8*	—	—	—	*2·2*
Total	**17·4**	**58·2**	**109·7**	**204·3**	*285·7*	*233·3*	**18·7**	**0·5**	**2·6**	*6·5*	*25·5*	*17·9*	—	**0·6**
	Haemorrhage without mention of placental condition (Y32·2)							**Toxaemia and infection of pregnancy (Y32·3–·5)**						
0	0·5	—	—	—	—	—	0·5	3·6	—	—	—	—	—	3·6
1	0·4	*1·1*	—	—	—	—	0·5	1·5	10·6	—	—	—	—	1·6
2	0·6	*1·9*	*11·6*	—	—	—	0·7	1·8	8·8	*19·4*	—	—	—	2·1
3	0·7	*2·3*	—	—	—	—	0·8	2·2	8·3	*19·1*	—	—	—	2·6
4	1·1	*2·2*	—	—	—	—	1·2	2·7	10·8	*22·5*	*43·5*	*200·0*	—	3·6
5–9	1·1	*2·5*	*7·0*	*7·7*	*27·0*	—	1·4	3·0	11·0	*8·7*	*38·5*	*27·0*	—	3·9
10 and over	—	*11·0*	*11·8*	—	*111·1*	—	*2·7*	6·3	*7·4*	*23·5*	—	*111·1*	—	*7·6*
Total	**0·6**	**2·1**	*5·2*	*4·3*	*35·7*	—	**0·6**	**2·5**	**9·7**	**16·2**	*29·8*	*71·4*	—	**2·7**
	Difficult labour, birth injury (Y34, Y37)							**Placental and cord conditions (Y36)**						
0	2·3	—	—	—	—	—	2·3	4·9	—	—	—	—	—	4·9
1	1·3	1·8	—	—	—	—	1·3	3·2	14·0	—	—	—	—	3·4
2	1·6	*3·3*	*7·8*	—	—	—	1·7	4·4	12·1	*38·8*	—	—	—	4·8
3	2·2	6·0	—	—	—	—	2·4	5·3	16·6	*19·1*	*29·4*	—	—	6·0
4	2·6	*5·0*	—	—	—	—	2·8	7·0	17·6	*35·4*	—	—	—	8·0
5–9	3·6	*5·4*	*7·0*	*15·4*	*54·1*	*50·0*	3·9	8·6	15·1	*26·2*	*38·5*	*27·0*	*150·0*	9·6
10 and over	*4·2*	*3·7*	—	—	—	—	*3·8*	*5·6*	*11·0*	*23·5*	*80·0*	—	—	*8·2*
Total	**1·9**	**4·0**	*3·9*	*8·5*	*35·7*	*33·3*	**2·0**	**4·6**	**14·5**	**28·6**	*34·0*	*17·9*	*100·0*	**4·9**
	Anencephalus (Y38·0)							**Hydrocephalus, spina bifida, and other malformation of the central nervous system (Y38·1–·3)**						
0	2·5	—	—	—	—	—	2·5	1·5	—	—	—	—	—	1·5
1	1·5	5·7	—	—	—	—	1·6	0·9	*2·3*	—	—	—	—	0·9
2	1·6	5·8	—	—	—	—	1·7	1·1	*3·1*	—	—	—	—	1·2
3	1·8	6·0	*12·7*	*58·8*	—	—	2·1	1·1	*2·3*	*6·4*	—	—	—	1·2
4	1·6	*3·6*	*9·6*	—	—	—	1·8	1·8	*3·6*	*3·2*	—	—	—	1·9
5–9	1·8	7·6	*5·2*	*15·4*	—	—	2·5	1·6	*3·8*	*1·7*	*15·4*	—	—	1·9
10 and over	*1·4*	—	—	—	—	—	*1·1*	*0·7*	—	*11·8*	—	—	—	*1·1*
Total	**1·9**	**5·8**	*6·5*	*17·0*	—	—	**2·0**	**1·2**	**2·9**	*3·2*	*8·5*	—	—	**1·3**
	Other congenital malformation of foetus (Y38·4–·7)							**Erythroblastosis (Y39·2)**						
0	0·5	—	—	—	—	—	0·5	0·2	—	—	—	—	—	0·2
1	0·3	*0·9*	—	—	—	—	0·3	0·7	*1·4*	—	—	—	—	0·7
2	0·4	*0·6*	—	—	—	—	0·4	1·2	10·0	*16·0*	—	—	—	1·6
3	0·3	*1·1*	—	—	—	—	0·3	1·4	9·4	*35·0*	—	—	—	2·0
4	0·5	*1·4*	—	—	—	—	0·6	1·3	*6·3*	*32·2*	*65·2*	*100·0*	—	2·0
5–9	0·5	*1·3*	*1·7*	—	—	—	0·6	1·4	7·6	*26·2*	*61·5*	*108·1*	*50·0*	2·7
10 and over	*0·7*	—	—	—	—	—	*0·5*	*1·4*	*11·0*	—	*40·0*	—	*100·0*	*3·8*
Total	**0·4**	*1·0*	*0·6*	—	—	—	**0·4**	**0·7**	**7·1**	**26·0**	*51·1*	*89·3*	*66·7*	**0·9**

(88065) Wt .2668 K9 12/63 Hw.

GENERAL REGISTER OFFICE

STUDIES ON MEDICAL AND POPULATION SUBJECTS

No. 18

A Cohort Study of Patients first admitted to Mental Hospitals in 1954 and 1955

by

EILEEN M. BROOKE, M.SC., D.P.A.

This volume, to be published early in 1964, marks a new point of departure in the annual statistics of the admission and discharge of psychiatric patients which the General Register Office has been collecting and publishing since 1949. The scope of these statistics has been extended to provide a record of the hospitalisation of individual patients. In this volume Miss Brooke has analysed the hospital experience of statutory patients first admitted to designated mental hospitals in 1954 and 1955, covering a period of two years from their first admission and recording their subsequent admissions and discharges even if they have been treated in more than one hospital.

This study, which it is intended should be the precursor of further cohort studies, makes a fresh and valuable contribution to the knowledge of in-patient services in England and Wales and particularly of the use to which they are being put by different groups of the population. It should be of value not only for those concerned with the problems of planning mental health services but also for those concerned with the care and treatment of psychiatric patients.

Obtainable from

HER MAJESTY'S STATIONERY OFFICE

at the addresses shown on cover page iv

or through any bookseller

GENERAL REGISTER OFFICE

STUDIES ON
MEDICAL AND POPULATION SUBJECTS

No. 14

Morbidity Statistics from General Practice

Volume III (Disease in General Practice)

This is the last of three volumes presenting the results of a statistical study, carried out jointly by the College of General Practitioners and the General Register Office, of the clinical records of over a hundred general medical practices widely distributed throughout England and Wales for the twelve months May 1955 to April 1956. The study, undertaken for the purpose of measuring the prevalence and the distribution of sickness as seen by general practitioners, provides data of value to the medical research worker, the sociologist, the administrator and the general practitioner.

Volume III is intended primarily for the reader who is not so familiar with the mathematical presentation of the first two volumes and provides an introduction to the various pattern of disease to be found in general practice. General practitioners who themselves took part either in the planning of the study or in the collection of material have taken sections of the tables and translated them into more familiar clinical terms.

Price **16s. 6d.** *net.* *By post* **17s. 1d.**

Obtainable from
HER MAJESTY'S STATIONERY OFFICE
at the addresses shown on cover page iv
or through any bookseller

MINISTRY OF HEALTH
AND GENERAL REGISTER OFFICE

Report on Hospital In-patient Enquiry for the year 1960

Part II: Detailed Tables

This volume contains the detailed tables for 1960, including analyses of the diagnosis, age and sex of hospital patients and the region in which they were treated. Several tables are concerned with duration of stay in hospital and include calculations of the number of beds in use on any one day by particular groups of patients. A series of tables relates especially to children. The Enquiry is based on a 10 per cent sample of discharges (including deaths) from National Health Service hospitals (other than psychiatric hospitals) in England and Wales.

Price **17s. 0d.** *net.* *By post* **17s. 9d.**

Obtainable from
HER MAJESTY'S STATIONERY OFFICE
at the addresses shown on cover page iv
or through any bookseller

© *Crown copyright 1964*

Printed and published by
HER MAJESTY'S STATIONERY OFFICE

To be purchased from
York House, Kingsway, London w.c.2
423 Oxford Street, London w.1
13A Castle Street, Edinburgh 2
109 St. Mary Street, Cardiff
39 King Street, Manchester 2
50 Fairfax Street, Bristol 1
35 Smallbrook, Ringway, Birmingham 5
80 Chichester Street, Belfast 1
or through any bookseller

Printed in England

S.O. Code No. 70-141-1-62