

BRITISH LIBRARY
OF POLITICAL AND
ECONOMIC SCIENCE



LONDON SCHOOL OF
ECONOMICS AND
POLITICAL SCIENCE

10, PORTUGAL STREET,
LONDON WC2A 2HD

Tel. 01-405 7686

**BRITISH LIBRARY OF
POLITICAL AND ECONOMIC SCIENCE**

The London School of Economics & Political Science

10 Portugal Street, London WC2A 2HD


Telephone: 01 - 405 7686

GENERAL REGISTER OFFICE

OS[42(HA161)]
② 42(R7)

THE
REGISTRAR GENERAL'S
STATISTICAL REVIEW
OF
ENGLAND AND WALES
FOR THE THREE YEARS
1962-1964

SUPPLEMENT ON CANCER



LONDON
HER MAJESTY'S STATIONERY OFFICE

PRICE 12s. 6d. NET

1818/5

GENERAL REGISTER OFFICE

The Registrar General's Statistical Review of England and Wales

Part III: Commentary

This annual volume contains detailed analyses of the statistics of life and death already presented in Parts I and II of the Review which are designed to assist, in their administration or research, demographers, statisticians, medical research organisations, public health authorities, and all other individuals and organisations who have to take account of the vital statistics of England and Wales.

The Commentary for 1965 contains a discussion of the effect of the changes in local government arrangements for the Greater London Area and compares statistics for the component administrative areas before and after the changes, a study of illegitimate births by generation and a discussion on methods of calculating area comparability factors.

Price 33s. 6d. net (By post 38s.)

Published by
HER MAJESTY'S STATIONERY OFFICE

and obtainable from the Government Bookshops in London (by post to P.O. Box 569, S.E.1), Edinburgh, Cardiff, Belfast, Manchester, Birmingham and Bristol, or through any bookseller

THE REGISTRAR GENERAL'S STATISTICAL REVIEW OF ENGLAND AND WALES FOR THE THREE YEARS 1962-1964 SUPPLEMENT ON CANCER

LONDON
HER MAJESTY'S STATIONERY OFFICE
1968

TABLE OF CONTENTS

	Page
Cancer Registration in England and Wales, 1962-1964	
Introduction	1
Definitions	
Cancer	1
Hospital regions	1
Urban and rural areas	1
Populations	2
Area comparisons	2
Text table A	
Cancer registrations for years 1962-1964 inclusive by sex, age and hospital region of residence	6
Tables	
Table 1 Registrations of newly diagnosed cases of cancer by sex, site and age. 1962 England and Wales	8
Table 2 Registrations of newly diagnosed cases of cancer by sex, site and age. 1962 Urban areas of England and Wales	12
Table 3 Registrations of newly diagnosed cases of cancer by sex, site and age. 1962 Rural areas of England and Wales	16
Table 4 Registrations of newly diagnosed cases of cancer by sex and site. 1962 Hospital region of residence	20
Table 5 Rates per 100,000 population, by sex, site and age of newly diagnosed cases of cancer. 1962 England and Wales	24
Table 6 Rates per 100,000 population, by sex, site and age of newly diagnosed cases of cancer. 1962 Urban areas of England and Wales	26
Table 7 Rates per 100,000 population, by sex, site and age of newly diagnosed cases of cancer. 1962 Rural areas of England and Wales	28

	<i>Page</i>
Table 8 Rates per 100,000 population, by sex and site of newly diagnosed cases of cancer. 1962 Hospital region of residence	30
Table 9 Registrations of newly diagnosed cases of cancer by sex, site and age. 1963 England and Wales	34
Table 10 Registrations of newly diagnosed cases of cancer by sex, site and age. 1963 Urban areas of England and Wales	38
Table 11 Registrations of newly diagnosed cases of cancer by sex, site and age. 1963 Rural areas of England and Wales	42
Table 12 Registrations of newly diagnosed cases of cancer by sex and site. 1963 Hospital region of residence	46
Table 13 Rates per 100,000 population, by sex, site and age of newly diagnosed cases of cancer. 1963 England and Wales	50
Table 14 Rates per 100,000 population, by sex, site and age of newly diagnosed cases of cancer. 1963 Urban areas of England and Wales	52
Table 15 Rates per 100,000 population, by sex, site and age of newly diagnosed cases of cancer. 1963 Rural areas of England and Wales	54
Table 16 Rates per 100,000 population, by sex and site of newly diagnosed cases of cancer. 1963 Hospital region of residence	56
Table 17 Registrations of newly diagnosed cases of cancer by sex, site and age. 1964 England and Wales	60
Table 18 Registrations of newly diagnosed cases of cancer by sex, site and age. 1964 Urban areas of England and Wales	64
Table 19 Registrations of newly diagnosed cases of cancer by sex, site and age. 1964 Rural areas of England and Wales	68
Table 20 Registrations of newly diagnosed cases of cancer by sex and site. 1964 Hospital region of residence	72
Table 21 Rates per 100,000 population, by sex, site and age of newly diagnosed cases of cancer. 1964 England and Wales	76
Table 22 Rates per 100,000 population, by sex, site and age of newly diagnosed cases of cancer. 1964 Urban areas of England and Wales	78
Table 23 Rates per 100,000 population, by sex, site and age of newly diagnosed cases of cancer. 1964 Rural areas of England and Wales	80
Table 24 Rates per 100,000 population, by sex and site of newly diagnosed cases of cancer. 1964 Hospital region of residence	82

CANCER REGISTRATION IN ENGLAND AND WALES, 1962-1964

Introduction

Cancer registration in England and Wales began with the records collected by the Radium Commission before the second World War. These statistics referred only to patients treated with radiotherapy. Following the introduction of the National Health Service registration has been gradually extended to cover all hospital patients suffering from cancer.

Since 1962 all fifteen hospital regions in England and Wales have been included in the scheme and figures are given on this basis although, for administrative convenience, some regions have combined for the purpose of cancer registration. The two South Metropolitan regions and the Wessex region all share the same Registry, and the Liverpool Registry covers part of North Wales. The method of collecting data from hospital case notes, and the extent to which it is analysed locally, varies among the different Registries, but in every case a uniform abstract card is completed and sent to the General Register Office for analysis.

National tabulations for cases registered in 1961 were included in the *Registrar General's Statistical Review of England and Wales for the year 1961, Supplement on Cancer*, published in 1967. The present tables are based on registrations in the years 1962 to 1964.

Definitions

Cancer:

For the purposes of the registration scheme the term cancer includes all malignant neoplasms and the reticulos, i.e. conditions listed under numbers 140-205 of the *International Statistical Classification of Diseases, Injuries and Causes of Death, 7th Revision, 1955*. Benign neoplasms and neoplasms of unspecified nature of the brain, including the pineal and pituitary bodies, are also registered since it is often difficult to decide whether such cases are benign or malignant. Premalignant cases of carcinoma of the uterus, "carcinoma-in-situ", are also registered.

Hospital Regions:

The fifteen hospital regions used here consist of aggregations of entire local authority areas, and are identical with the areas of regional hospital boards except where the boundaries of the latter divide local authority areas. Any such divided local authority area is allocated to the hospital region containing the greater proportion of the population. The composition of the hospital regions is published regularly in the *Registrar General's annual Statistical Review of England and Wales* (see for example that for the year 1964, Part I, pages xiii to xvi).

Urban and Rural Areas:

Urban areas include all county and municipal boroughs and urban districts as defined by the Local Government Acts. Rural areas are the rural districts as similarly defined. Disley Rural District and Elstree Rural District have been included in rural aggregates, though by definition they are contained in the South East Lancashire and Greater London conurbations respectively.

Populations:

For the calculation of incidence rates the estimated mid-year home populations have been used. These are as given in Table 2 of the appropriate annual Statistical Review, with slight adjustment for the exclusion of the two rural districts from the conurbations. (If using the 1964 table of populations of hospital regions for the calculation of standardised rates it should be noted that the sum of the estimates for males aged 55-59 exceeds the England and Wales total by 3 thousand; this makes no material difference to the results but can cause confusion in checking).

Area comparisons:

The systematic biases which may make comparisons of the incidence rates from cancer registration in different areas misleading have been outlined in a recent report of the International Union against Cancer.* The chief sources of error arise from local differences in:-

(1) *The proportion of cases which are diagnosed at all*

This depends on the type of tumour, the age of the patient, the health services available and the extent to which patients partake of these services. For comparisons between the hospital regions of England and Wales these differences are probably not very important.

(2) *The proportion of cases which are referred to hospital*

In England and Wales it is probable that all malignant disease which is diagnosed by the general practitioner is referred to hospital at some stage. Exceptions might be the very old patients with advanced disease and those patients who are treated outside the National Health Service. An estimate of the size of this error can be obtained from the percentage of registrations of rapidly fatal tumours which are made in retrospect from information on death certificates. Such a check is carried out routinely by all regions with the co-operation of the General Register Office. Figures from the Liverpool region suggest that the proportion of cases registered in this way is of the order of five per cent or less, slightly higher in women than in men, probably because of the greater number of female patients of advanced age. Again it is likely that this error is fairly uniform throughout the country when age differences are taken into account.

(3) *The proportion of cases referred to hospital which are registered*

There is no doubt that the proportion of cases which, although diagnosed as cancer in hospital, are subsequently registered, varies from region to region and this is probably the greatest source of error in making area comparisons. Some idea of the variability in reporting can be gained from comparing the number of cases of a rapidly fatal tumour registered in a particular region over a given period with the number of deaths in the same interval attributed to the disease. Carcinoma of the oesophagus (ICD 150) is suitable for this purpose, since the incidence of this tumour is reasonably stable. The registrations for cancer of the oesophagus in both sexes in 1962-64, expressed as a percentage of the deaths attributed to the disease in those years in the fifteen hospital regions are as follows:-

Registration of carcinoma of the oesophagus (ICD No. 150) - 1962-64

Region	Registrations as percentage of deaths
Newcastle	91
Leeds	99
Sheffield	92
East Anglia	103
N.W. Metropolitan	76
N.E. Metropolitan	91
S.E. Metropolitan	95
S.W. Metropolitan	86
Wessex	91
Oxford	104
South Western	95
Wales	85
Birmingham	97
Manchester	84
Liverpool	90
All Regions	91

On this basis it appears that reporting is above average in the East Anglian and Oxford regions, and below average in the North West Metropolitan region. These differences must be borne in mind when comparisons of incidence rates are made.

(4) *Age distribution*

Inference from comparison of age-specific rates in different regions is complicated by the small numbers involved, even when several years experience is combined. Crude rates for all ages are biased by differences in age structure of the regions, so that some form of standardisation must be used. The most convenient method is the indirect one, in which the observed deaths in a particular region are compared with an expected figure calculated by multiplying the mid-period estimates of population in the region by the age-specific rates for England and Wales as a whole. When this is done with mortality rates, the ratio of observed to expected deaths, expressed as a percentage, is called the standardised mortality ratio (SMR); similarly, the ratio of observed to expected registrations, multiplied by 100, could be called the standardised registration ratio (SRR).

The SRR will be affected by differences in reporting in the regions, and inferences about variation in incidence are distorted. If one assumes that the completeness of registration is the same for all types of cancer, a second index, which is not subject to this distortion, can be calculated, and might be called the proportional registration ratio (PRR). For a given type of cancer an expected number of registrations is calculated by multiplying the total registrations at a particular age in the region by the fraction of all registrations in England and Wales at that age which were of the given type, and summing over the age groups. The ratio of observed to expected is used as before. The SMR, SRR and PRR for carcinoma of the stomach in males for the years 1962-64 are shown below. The populations used for the SMR and SRR are those estimated for mid-1963.

* *Cancer Incidence in Five Continents. A Technical Report.* Ed. Doll R., Payne P. M., Waterhouse J. A. H. (Distributed for International Union against Cancer by Springer-Verlag, Berlin, New York, 1967).

Carcinoma of stomach (ICD No. 151) - Males - Standardised mortality ratios, registration ratios and proportional registration ratios,
England and Wales = 100

Hospital regions, 1962-64

Region	SMR	SRR	PRR
Newcastle	123	138	126
Leeds	100	101	101
Sheffield	100	99	105
East Anglia	94	95	87
N.W. Metropolitan	78	64	79
N.E. Metropolitan	96	95	94
S.E. Metropolitan	97	97	86
S.W. Metropolitan	81	79	79
Wessex	91	84	86
Oxford	82	89	94
South Western	90	96	94
Wales	131	126	136
Birmingham	101	113	104
Manchester	118	102	109
Liverpool	117	140	112

The PRR is on the whole closer to the SMR than is the SRR, and probably gives a more accurate picture of the variation in incidence.

Tables of all the cancer registrations by age, sex and hospital region, 1962-64, required for the calculation of proportional registration ratios, are given in Text Table A following:-

TABLES

Text Table A. Cancer registrations for the years 1962-1964
inclusive by sex, age and hospital region of residence

Hospital region of residence	Age-group										Age-group									
	0-	5-	10-	15-	20-	25-	30-	35-	40-	45- +	50- +	55-	60-	65-	70-	75-	80-	85- +		
Newcastle	M	61	26	40	53	58	78	117	207	453	665	1,226	1,924	2,348	2,271	2,016	1,396	786	366	
	F	38	20	32	49	55	85	189	417	726	874	1,117	1,350	1,675	1,661	1,556	1,255	820	393	
Leeds	M	60	31	27	43	52	74	101	201	370	596	1,152	1,788	2,294	2,203	1,961	1,394	747	356	
	F	42	24	20	31	54	75	200	396	648	894	1,267	1,483	1,752	1,829	1,770	1,509	949	472	
Sheffield	M	75	45	45	76	77	123	184	279	567	884	1,572	2,547	3,153	2,867	2,512	1,850	964	435	
	F	67	38	35	66	84	122	276	589	1,100	1,334	1,685	1,973	2,271	2,306	2,121	1,692	999	488	
East Anglia	M	37	17	7	29	29	48	64	106	166	258	533	845	1,160	1,140	1,104	971	596	289	
	F	35	16	17	21	27	42	91	167	348	448	577	786	893	925	918	763	524	328	
North West Metropolitan	M	53	48	35	75	94	98	152	270	483	753	1,513	2,236	2,678	2,257	1,874	1,481	833	394	
	F	43	32	38	49	75	127	243	457	917	1,297	1,711	1,897	1,997	1,886	1,774	1,452	1,105	575	
North East Metropolitan	M	74	38	35	72	78	97	149	231	383	685	1,284	1,934	2,426	2,312	2,054	1,544	874	409	
	F	42	18	33	48	45	94	195	411	777	950	1,330	1,573	1,730	1,840	1,736	1,495	979	550	
South East Metropolitan	M	72	38	40	57	60	88	133	228	453	641	1,317	2,006	2,718	2,682	2,562	1,919	1,139	605	
	F	52	25	31	56	37	95	194	392	799	1,045	1,468	1,776	2,081	2,208	2,202	1,911	1,353	812	
South West Metropolitan	M	57	34	32	44	68	74	117	190	386	617	1,198	1,827	2,414	2,223	1,994	1,610	947	456	
	F	44	21	29	56	57	98	158	415	726	1,042	1,420	1,574	1,832	1,847	1,791	1,634	1,218	705	
Wessex	M	14	18	18	27	30	36	55	107	182	304	593	854	1,164	1,252	1,237	904	503	252	
	F	32	14	12	20	20	51	76	173	369	508	683	760	929	992	987	827	550	285	
Oxford	M	39	25	8	26	36	38	59	109	193	298	530	849	1,123	1,087	1,011	821	553	247	
	F	28	10	17	29	23	52	96	186	374	446	615	713	825	905	876	798	540	283	
South Western	M	45	31	33	49	72	84	99	184	346	531	1,033	1,696	2,227	2,357	2,211	1,672	1,004	492	
	F	36	25	25	36	46	89	154	360	676	959	1,246	1,597	1,884	1,881	1,891	1,593	1,022	597	
Wales	M	60	16	22	41	43	68	99	176	332	449	923	1,472	1,874	1,949	1,701	1,260	597	289	
	F	31	18	23	43	39	64	128	275	586	772	950	1,207	1,428	1,402	1,395	1,095	629	339	
Birmingham	M	72	50	59	100	102	134	195	350	656	1,124	2,000	3,021	3,715	3,144	2,753	1,996	1,090	478	
	F	71	36	44	75	101	162	339	659	1,251	1,656	1,989	2,376	2,549	2,530	2,311	1,827	1,174	666	
Manchester	M	87	52	37	73	59	90	159	287	542	831	1,660	2,664	3,214	2,972	2,638	1,716	912	374	
	F	71	44	26	46	56	103	228	490	937	1,191	1,722	2,064	2,359	2,484	2,300	1,925	1,107	475	
Liverpool	M	50	36	29	56	54	54	95	162	291	510	925	1,471	1,797	1,647	1,442	977	507	256	
	F	39	18	20	41	41	69	147	276	525	702	912	1,123	1,209	1,186	1,184	1,008	703	347	
All regions	M	856	505	467	821	912	1,184	1,778	3,087	5,803	9,146	17,459	27,134	34,305	32,363	29,070	21,511	12,052	5,698	
	F	671	359	402	666	760	1,328	2,714	5,663	10,759	14,118	18,672	22,252	25,414	25,882	24,812	20,784	13,672	7,315	

Table I Registrations of newly diagnosed cases of cancer by sex, site and age. 1962

England and Wales

ICD (7th Revision) number and site description	M	Age-group																			Age not stated	All ages
		0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over			
140 Lip	M	-	-	-	-	-	-	1	2	6	20	30	45	72	68	93	93	72	61	26	-	589
	F	-	1	-	-	-	-	-	2	-	4	3	2	6	8	9	11	13	9	8	-	76
	Persons	-	1	-	-	-	-	1	4	6	24	33	47	78	76	102	104	85	70	34	-	665
141 Tongue	M	-	-	-	-	2	1	2	5	9	12	29	40	40	50	49	52	42	26	-	359	
	F	-	-	-	-	2	-	1	6	5	8	18	17	18	24	28	30	35	14	-	206	
	Persons	-	-	-	-	4	1	3	11	14	20	47	57	58	74	77	82	77	40	-	565	
142 Salivary gland	M	2	-	1	3	1	5	11	20	20	22	20	31	22	21	16	18	12	8	-	233	
	F	-	1	1	7	9	16	14	19	19	22	31	32	26	20	15	8	15	11	-	266	
	Persons	2	1	2	10	10	21	25	39	39	44	51	63	48	41	31	26	27	19	-	499	
143 Floor of mouth	M	-	-	-	-	-	-	-	1	3	4	7	19	28	28	30	22	18	10	-	170	
	F	-	-	-	-	-	-	-	-	-	2	6	4	6	6	10	6	5	2	-	47	
	Persons	-	-	-	-	-	-	-	1	3	6	13	23	34	34	40	28	23	12	-	217	
144 Other mouth (specified and unspecified)	M	-	-	2	-	1	-	1	5	7	4	16	18	34	29	47	47	41	12	1	265	
	F	-	-	-	-	1	2	-	5	7	10	10	13	16	22	31	25	25	14	1	182	
	Persons	-	-	2	-	2	2	1	10	14	14	26	31	50	51	78	72	66	26	2	447	
145 Oral mesopharynx	M	-	-	-	-	-	-	2	1	3	5	18	20	29	34	36	25	23	7	-	203	
	F	-	-	-	1	-	-	1	2	2	7	5	6	9	7	9	13	11	3	-	76	
	Persons	-	-	-	1	-	-	3	3	5	12	23	26	38	41	45	38	34	10	-	279	
146 Nasopharynx	M	1	1	1	1	1	2	-	4	12	11	20	18	9	19	15	8	1	1	-	123	
	F	-	-	-	2	1	-	2	2	4	3	4	6	3	8	6	6	5	1	-	53	
	Persons	1	1	1	3	2	2	2	6	16	14	24	22	12	27	21	14	6	2	-	176	
147 Hypopharynx	M	-	-	-	-	1	-	1	1	3	2	14	31	38	44	30	28	19	6	1	219	
	F	-	-	-	-	-	-	2	6	6	19	34	37	46	32	38	25	12	3	-	260	
	Persons	-	-	-	-	1	-	3	7	9	21	48	68	84	76	68	53	31	9	1	479	
148 Pharynx (unspecified)	M	-	-	-	-	1	-	1	2	4	4	10	11	16	16	8	10	5	3	-	91	
	F	-	-	-	-	-	-	1	-	2	6	6	6	8	14	7	2	6	2	-	60	
	Persons	-	-	-	-	1	-	2	2	6	10	16	17	24	30	15	12	11	5	-	151	
150 Oesophagus	M	-	-	-	1	1	2	1	10	14	44	76	125	170	181	206	168	113	61	-	1,173	
	F	-	-	-	-	-	1	4	6	23	36	47	87	120	141	158	172	105	53	-	953	
	Persons	-	-	-	1	1	3	5	16	37	80	123	212	290	322	364	340	218	114	-	2,126	
151 Stomach	M	1	-	-	1	2	7	26	68	142	256	518	900	1,095	1,087	1,042	746	333	129	2	6,355	
	F	-	-	-	1	4	9	22	37	66	129	253	345	528	704	727	685	466	192	2	4,170	
	Persons	1	-	-	2	6	16	48	105	208	385	771	1,245	1,623	1,791	1,769	1,431	799	321	4	10,525	
152 Small intestine, including duodenum	M	1	-	-	-	-	1	4	3	6	6	11	10	19	25	11	15	5	-	-	117	
	F	-	-	-	-	-	-	1	2	1	9	12	20	11	21	10	20	5	6	-	118	
	Persons	1	-	-	-	-	1	5	5	7	15	23	30	30	46	21	35	10	6	-	235	

153 Large intestine, except rectum	M	-	2	2	9	11	11	25	46	81	136	248	410	534	576	543	502	349	141	3	3,629
	F	-	2	15	10	11	11	32	74	115	190	360	488	701	737	829	801	515	260	2	5,142
	Persons	-	2	4	24	21	22	57	120	196	326	608	898	1,235	1,313	1,372	1,303	864	401	5	8,771
154 Rectum	M	1	-	-	2	3	6	18	38	79	134	246	441	590	584	579	520	272	117	2	3,632
	F	-	-	-	1	3	7	16	32	64	126	190	282	385	450	455	402	271	147	3	2,834
	Persons	1	-	-	3	6	13	34	70	143	260	436	723	975	1,034	1,034	922	543	264	5	6,466
155 Biliary passages and liver (specified primary)	M																				

Table I - continued

England and Wales, 1962

ICD (7th Revision) number and site description		Age-group																		Age not stated	All ages
		0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over		
172-174 Other parts of uterus (including pre-malignant cases)	F	-	2	-	3	8	15	11	43	111	238	446	567	575	447	327	203	100	42	2	3,140
171-174 Uterus (pre-malignant)	F	-	-	-	-	3	12	17	51	49	52	22	9	6	7	3	3	-	-	-	234
175 Ovary, Fallopian tube and broad ligament	F	2	2	6	14	21	35	50	95	190	337	458	499	437	378	310	189	93	41	5	3,162
176 Other and unspecified female genital organs	F	1	-	1	-	1	1	6	12	24	36	35	55	103	141	137	133	99	65	2	852
177 Prostate	M	-	-	1	-	-	-	-	1	6	25	74	237	458	721	1,057	1,013	744	391	3	4,731
178 Testis	M	8	2	4	16	42	61	76	66	60	41	34	22	13	10	5	6	2	3	-	471
179 Other and unspecified male genital organs	M	-	-	1	-	-	2	2	15	11	28	28	55	43	56	53	38	20	17	-	369
180 Kidney	M	25	12	-	2	-	2	6	13	48	69	112	153	145	124	93	73	32	11	1	921
	F	28	4	1	3	1	1	6	8	20	28	44	70	76	86	82	58	28	21	-	565
	Persons	53	16	1	5	1	3	12	21	68	97	156	223	221	210	175	131	60	32	1	1,486
181 Bladder and other urinary organs	M	2	-	-	-	10	14	36	55	132	258	413	545	572	587	476	265	126	6	3,497	
	F	-	-	1	-	-	2	5	12	20	25	71	108	148	209	245	237	143	80	-	1,306
	Persons	2	-	1	-	-	12	19	48	75	157	329	521	693	781	832	713	408	206	6	4,803
190 Melanoma of skin	M	1	-	-	5	10	15	16	24	21	21	22	30	25	15	18	20	8	11	1	263
	F	-	-	3	10	21	28	36	48	50	68	53	42	52	37	31	36	23	14	-	552
	Persons	1	-	3	15	31	43	52	72	71	89	75	72	77	52	49	56	31	25	1	815
191 Other malignant neoplasm of skin	M	-	1	3	4	12	28	58	134	268	408	639	754	880	840	929	811	586	332	24	6,711
	F	2	1	5	4	7	24	44	121	187	289	431	506	636	728	846	774	656	437	25	5,723
	Persons	2	2	8	8	19	52	102	255	455	697	1,070	1,260	1,516	1,568	1,775	1,585	1,242	769	49	12,434
192 Eye	M	21	1	-	-	1	1	3	8	7	8	11	21	22	10	11	12	3	2	1	143
	F	14	3	-	1	-	1	4	2	9	12	9	18	14	21	15	4	3	4	1	135
	Persons	35	4	-	1	1	2	7	10	16	20	20	39	36	31	26	16	6	6	2	278
193 Brain and other parts of nervous system (including benign neoplasm)	M	78	41	34	43	24	41	71	84	111	141	195	242	208	120	51	15	3	2	3	1,507
	F	56	27	26	31	32	42	55	87	94	122	146	158	158	121	56	24	11	4	-	1,250
	Persons	134	68	60	74	56	83	126	171	205	263	341	400	366	241	107	39	14	6	3	2,757
193 Brain and other parts of nervous system (excluding benign neoplasm)	M	68	33	30	33	20	37	61	73	97	115	157	203	171	93	33	9	1	1	3	1,238
	F	50	25	20	26	23	28	43	60	73	89	104	123	113	87	38	16	9	2	-	929
	Persons	118	58	50	59	43	65	104	133	170	204	261	326	284	180	71	25	10	3	3	2,167
194 Thyroid gland	M	-	-	-	1	2	4	3	10	3	9	12	18	19	15	18	11	7	4	-	136
	F	-	-	-	3	2	11	18	17	13	27	40	40	52	45	59	47	32	19	-	425
	Persons	-	-	-	4	4	15	21	27	16	36	52	58	71	60	77	58	39	23	-	561

195 Other endocrine glands (including benign neoplasm)	M	15	8	3	4	7	4	4	13	10	23	20	18	16	8	6	4	1	-	-	164
	F	15	3	5	4	5	2	8	6	12	10	17	12	15	13	8	2	1	1	-	139
	Persons	30	11	8	8	12	6	12	19	22	33	37	30	31	21	14	6	2	1	-	303
195 Other endocrine glands (excluding benign neoplasm)	M	11	6	2	3	4	2	1	8	4	14	15	10	11	5	5	4	1	-	-	106
	F	15	-	4	4	5	1	6	3	4	6	12	9	7	6	6	2	-	-	-	90
	Persons	26	6	6	7	9	3	7	11	8	20	27	19	18	11	6	1	-	-	-	196
196 Bone	M	1	8	13	30	7	3	7	9	16	15	12	21	24	21	24	20	4	6	-	241
	F	4	5	12	14	12	5	7	4	3	6	7	16	13	23	27	18	13	9	1	199
	Persons	5	13	25	44	19	8	14	13	19	21	19	37	44	51	38	17	15	1	440	
197 Connective tissue	M	2	3	11	14	10	8	16	23	21	15	26	25	27	31	24	18	10	9	-	293
	F	5	2	4	11	5	10	13	18	16	16	21	12	26	29	21	30	25	4	-	268
	Persons	7	5																		

Table 2 Registrations of newly diagnosed cases of cancer by sex, site and age. 1962

Urban areas of England and Wales

ICD (7th Revision) number and site description		Age-group																		Age not stated	All ages
		0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over		
140 Lip	M	-	-	-	-	-	1	2	5	14	19	33	42	42	60	59	41	39	17	-	374
	F	-	1	-	-	-	-	1	-	3	3	2	3	7	8	10	11	8	7	-	64
	Persons	-	1	-	-	-	1	3	5	17	22	35	45	49	68	69	52	47	24	-	438
141 Tongue	M	-	-	-	-	2	-	2	5	8	11	25	37	34	40	37	43	36	24	-	304
	F	-	-	-	-	2	-	1	5	4	7	12	14	12	22	22	23	26	13	-	163
	Persons	-	-	-	-	4	-	3	10	12	18	37	51	46	62	59	66	62	37	-	467
142 Salivary gland	M	2	-	-	2	-	5	10	15	19	18	13	24	16	18	11	13	9	8	-	183
	F	-	1	-	5	8	15	13	18	14	16	26	29	23	15	13	7	12	7	-	222
	Persons	2	1	-	7	8	20	23	33	33	34	39	53	39	33	24	20	21	15	-	405
143 Floor of mouth	M	-	-	-	-	-	-	-	1	3	3	5	18	22	22	25	22	14	7	-	142
	F	-	-	-	-	-	-	-	-	-	2	6	3	4	6	6	6	4	1	-	38
	Persons	-	-	-	-	-	-	-	1	3	5	11	21	26	28	31	28	18	8	-	180
144 Other mouth (specified and unspecified)	M	-	-	2	-	1	-	-	4	6	3	15	17	31	24	37	40	34	9	1	224
	F	-	-	-	-	1	2	-	5	6	9	9	10	13	18	23	22	20	14	1	153
	Persons	-	-	2	-	2	2	-	9	12	12	24	27	44	42	60	62	54	23	2	377
145 Oral mesopharynx	M	-	-	-	-	-	-	2	1	3	4	16	18	23	26	30	17	19	4	-	163
	F	-	-	-	1	-	-	1	2	2	6	5	5	7	6	7	9	10	2	-	63
	Persons	-	-	-	1	-	-	3	3	5	10	21	23	30	32	37	26	29	6	-	226
146 Nasopharynx	M	1	1	1	1	1	1	-	4	9	11	17	15	8	16	14	7	1	-	-	108
	F	-	-	-	2	1	-	1	1	4	3	3	6	2	7	6	5	4	1	-	46
	Persons	1	1	1	3	2	1	1	5	13	14	20	21	10	23	20	12	5	1	-	154
147 Hypopharynx	M	-	-	-	-	1	-	1	1	3	2	11	24	32	39	25	23	18	5	1	186
	F	-	-	-	-	-	-	2	6	5	15	23	33	34	28	27	15	8	3	-	199
	Persons	-	-	-	-	1	-	3	7	8	17	34	57	66	67	52	38	26	8	1	385
148 Pharynx (unspecified)	M	-	-	-	-	-	-	1	2	3	4	10	9	15	15	7	9	5	2	-	82
	F	-	-	-	-	-	-	1	-	2	6	6	6	6	12	5	1	3	2	-	50
	Persons	-	-	-	-	-	-	2	2	5	10	16	15	21	27	12	10	8	4	-	132
150 Oesophagus	M	-	-	-	-	1	2	-	7	12	35	64	101	140	147	161	126	86	49	-	931
	F	-	-	-	-	1	4	4	5	21	27	43	71	101	109	133	137	76	40	-	768
	Persons	-	-	-	1	3	4	12	33	62	107	172	241	256	294	263	162	89	-	1,699	
151 Stomach	M	1	-	-	1	1	7	20	60	113	215	450	768	907	888	824	598	256	99	1	5,209
	F	-	-	-	1	4	8	18	30	55	115	225	304	460	601	597	570	383	162	2	3,535
	Persons	1	-	-	2	5	15	38	90	168	330	675	1,072	1,367	1,421	1,168	639	261	3	8,744	
152 Small intestine, including duodenum	M	1	-	-	-	-	1	3	3	6	5	11	10	17	19	7	14	4	-	-	101
	F	-	-	-	-	-	-	1	1	1	9	9	19	10	15	7	17	4	6	-	99
	Persons	1	-	-	-	-	1	4	4	7	14	20	29	27	34	14	31	8	6	-	200

153 Large intestine, except rectum	M	-	1	2	7	9	8	22	38	68	104	196	338	437	463	433	395	293	109	3	2,926
	F	-	-	2	12	8	7	25	66	97	162	301	414	580	606	675	669	435	211	2	4,272
	Persons	-	1	4	19	17	15	47	104	165	266	497	752	1,017	1,069	1,108	1,064	728	320	5	7,198
154 Rectum	M	1	-	-	2	2	6	16	36	63	107	200	362	500	483	456	429	214	96	2	2,975
	F	-	-	-	1	2	5	14	30	51	112	152	242	338	380	389	336	219	131	3	2,405
	Persons	1	-	-	3	4	11	30	66	114	219	352	604	838	863	845	765	433	227	5	5,380
155 Biliary passages and liver (specified primary)	M	4	1	-	1	2	2	5	4	14	23	36	63	81	80	76	76	31	21	-	520

Table 2 - continued

Urban areas of
England and Wales, 1962

ICD (7th Revision) number and site description		Age-group																		Age not stated	All ages
		0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over		
172-174 Other parts of uterus (including pre-malignant cases)	F	-	2	-	2	8	14	8	40	91	195	359	463	472	358	269	158	86	36	2	2,563
171-174 Uterus (pre-malignant)	F	-	-	-	-	3	10	12	43	40	46	22	7	3	5	1	1	-	-	-	193
175 Ovary, Fallopian tube and broad ligament	F	1	2	6	12	19	31	39	81	150	277	381	420	352	313	253	160	81	35	5	2,618
176 Other and unspecified female genital organs	F	1	-	1	-	1	1	4	10	19	28	26	49	82	115	116	100	80	52	-	685
177 Prostate	M	-	-	1	-	-	-	-	1	5	20	52	187	379	579	861	797	593	295	3	3,773
178 Testis	M	5	2	2	14	34	47	58	48	45	32	24	10	9	9	5	4	1	3	-	352
179 Other and unspecified male genital organs	M	-	-	1	-	-	2	2	14	9	26	26	42	34	46	44	25	13	13	-	297
180 Kidney	M	22	9	-	1	-	2	5	11	40	56	92	127	131	106	76	61	25	10	-	774
	F	26	4	-	3	1	1	5	7	17	24	30	60	64	71	69	50	24	17	-	473
	Persons	48	13	-	4	1	3	10	18	57	80	122	187	195	177	145	111	49	27	-	1,247
181 Bladder and other urinary organs	M	1	-	-	-	-	10	11	32	49	119	228	354	466	478	483	398	214	101	6	2,950
	F	-	-	1	-	-	2	5	12	19	21	65	91	133	178	212	209	119	63	-	1,130
	Persons	1	-	1	-	-	12	16	44	68	140	293	445	599	656	695	607	333	164	6	4,080
190 Melanoma of skin	M	1	-	-	3	10	10	15	20	16	18	19	26	21	11	13	16	6	9	1	215
	F	-	-	3	10	17	21	27	38	38	53	41	33	46	32	25	27	19	12	-	442
	Persons	1	-	3	13	27	31	42	58	54	71	60	59	67	43	38	43	25	21	1	657
191 Other malignant neoplasm of skin	M	-	1	3	3	7	21	51	111	224	344	530	604	719	650	744	622	433	262	18	5,347
	F	2	1	5	2	6	17	35	98	166	235	358	413	532	577	701	627	541	339	16	4,671
	Persons	2	2	8	5	13	38	86	209	390	579	888	1,017	1,251	1,227	1,445	1,249	974	601	34	10,018
192 Eye	M	19	1	-	-	1	1	3	8	6	4	8	16	19	8	11	10	3	2	1	121
	F	11	3	-	1	-	1	4	2	6	10	6	16	11	17	13	3	2	1	1	108
	Persons	30	4	-	1	1	2	7	10	12	14	14	32	30	25	24	18	5	3	2	229
193 Brain and other parts of nervous system (including benign neoplasm)	M	60	34	30	36	21	37	54	67	86	107	164	193	166	97	41	13	3	2	3	1,214
	F	47	24	24	27	25	34	42	66	72	100	123	138	133	92	43	19	8	3	-	1,020
	Persons	107	58	54	63	46	71	96	133	158	207	287	331	299	189	84	32	11	5	3	2,234
193 Brain and other parts of nervous system (excluding benign neoplasm)	M	53	27	27	28	17	33	46	61	76	87	130	163	134	72	26	8	1	3	993	
	F	41	23	18	23	20	22	34	47	57	76	90	111	96	67	30	13	6	2	-	776
	Persons	94	50	45	51	37	55	80	108	133	163	220	274	230	139	56	21	7	3	-	1,769
194 Thyroid gland	M	-	-	-	-	2	4	3	6	3	8	10	16	12	9	14	7	4	3	-	101
	F	-	-	-	3	1	11	12	14	12	20	36	32	40	39	49	36	28	15	-	348
	Persons	-	-	-	3	3	15	15	20	15	28	46	48	52	48	63	43	32	18	-	449

195 Other endocrine glands (including benign neoplasm)	M	13	4	3	3	7	4	4	8	7	19	16	18	15	8	6	2	-	-	-	137	
	F	13	7	4	3	2	2	6	6	11	10	14	10	13	12	6	1	1	-	-	118	
	Persons	26	7	7	6	9	6	10	14	18	29	30	28	28	20	12	3	1	1	-	255	
195 Other endocrine glands (excluding benign neoplasm)	M	9	3	2	2	4	2	1	5	3	12	14	10	10	5	2	-	-	-	-	89	
	F	13	-	3	3	2	1	5	3	3	6	11	7	5	5	4	1	-	-	-	72	
	Persons	22	3	5	5	6	3	6	8	6	18	25	17	15	10	9	3	-	-	-	161	
196 Bone	M	1	5	12	25	7	3	3	8	14	11	7	15	22	20	19	16	4	6	-	198	
	F	4	4	10	12	10	4	7	2	2	5	6	15	9	16	24	16	12	7	1	166	
	Persons	5	9	22	37	17	7	10	10	16	16	13	30	31	36	43	32	16	13	1	364	
197 Connective tissue	M	2	3	7	12	7	7	12	18	19	12	22	21	20	23	18	16	8	6	-	233	
	F	4	2	4	11	4	8	11	16	13	12	16	10	12	22	24	17	26	20	4	-	224
	Persons	6	5	11	23																	

Table 3 Registrations of newly diagnosed cases of cancer by sex, site and age. 1962

Rural areas of
England and Wales

ICD (7th Revision) number and Site Description	M F Persons	Age-group																		Age not stated	All ages	
		0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over			
140 Lip	M	-	-	-	-	-	-	-	1	6	11	12	30	26	33	34	31	22	9	-	215	
	F	-	-	-	-	-	-	-	1	1	1	12	33	27	34	1	2	1	1	-	12	
	Persons	-	-	-	-	-	-	-	1	1	7	11	12	33	27	34	33	23	10	-	227	
141 Tongue	M	-	-	-	-	-	-	1	-	1	1	4	3	6	10	12	9	6	2	-	55	
	F	-	-	-	-	-	-	-	1	1	1	1	6	3	6	2	6	7	9	1	-	43
	Persons	-	-	-	-	-	-	1	-	1	2	2	10	6	12	12	18	16	15	3	-	98
142 Salivary gland	M	-	-	1	1	1	-	1	5	1	4	7	7	6	3	5	5	5	3	-	50	
	F	-	-	1	2	1	1	1	1	5	6	5	3	3	5	2	1	3	4	-	44	
	Persons	-	-	2	3	2	1	2	6	6	10	12	10	9	8	7	6	6	4	-	94	
143 Floor of mouth	M	-	-	-	-	-	-	-	-	-	1	2	1	6	6	5	-	4	3	-	28	
	F	-	-	-	-	-	-	-	-	-	1	2	1	2	8	6	9	-	1	1	-	9
	Persons	-	-	-	-	-	-	-	-	-	1	2	2	8	6	9	18	10	12	3	-	37
144 Other mouth (specified and unspecified)	M	-	-	-	-	-	-	-	1	1	1	1	1	3	5	10	7	7	3	-	41	
	F	-	-	-	-	-	-	-	-	1	1	1	1	3	4	8	3	5	-	-	29	
	Persons	-	-	-	-	-	-	-	1	1	2	2	2	4	6	9	18	10	12	3	-	70
145 Oral mesopharynx	M	-	-	-	-	-	-	-	-	-	1	2	2	2	6	8	6	8	4	3	-	40
	F	-	-	-	-	-	-	-	-	-	1	2	1	2	1	2	4	1	1	1	-	13
	Persons	-	-	-	-	-	-	-	-	-	2	2	3	8	9	8	12	5	4	-	-	53
146 Nasopharynx	M	-	-	-	-	-	-	1	-	3	-	3	1	1	3	1	1	1	1	-	15	
	F	-	-	-	-	-	-	-	1	1	-	-	1	-	1	1	1	1	1	-	-	7
	Persons	-	-	-	-	-	-	1	1	1	3	-	4	1	2	4	1	2	1	1	-	22
147 Hypopharynx	M	-	-	-	-	-	-	-	-	-	-	3	7	6	5	5	5	1	1	-	-	33
	F	-	-	-	-	-	-	-	-	-	1	4	11	4	12	4	11	10	4	-	-	61
	Persons	-	-	-	-	-	-	-	-	-	1	4	14	11	18	9	16	15	5	1	-	94
148 Pharynx (unspecified)	M	-	-	-	-	1	-	-	-	1	-	-	2	1	1	1	1	-	1	-	-	9
	F	-	-	-	-	1	-	-	-	1	-	-	2	2	3	3	2	3	3	1	-	10
	Persons	-	-	-	-	1	-	-	-	1	-	-	2	3	3	3	2	3	3	1	-	19
150 Oesophagus	M	-	-	-	1	-	-	1	3	2	9	12	24	30	34	45	42	27	12	-	242	
	F	-	-	-	-	-	-	-	1	2	9	4	16	19	32	25	35	29	13	-	185	
	Persons	-	-	-	1	-	-	1	4	4	18	16	40	49	66	70	77	56	25	-	427	
151 Stomach	M	-	-	-	-	1	-	6	8	29	41	68	132	188	199	218	148	77	30	1	1,146	
	F	-	-	-	-	-	1	4	7	11	14	28	41	68	103	130	115	83	30	-	635	
	Persons	-	-	-	-	1	1	10	15	40	55	96	173	256	302	348	263	160	60	1	1,781	
152 Small intestine, including duodenum	M	-	-	-	-	-	-	1	-	-	1	-	-	2	6	4	1	1	-	-	16	
	F	-	-	-	-	-	-	-	1	1	-	-	1	3	1	6	3	3	1	-	19	
	Persons	-	-	-	-	-	-	1	1	-	1	1	3	1	3	12	7	4	2	-	35	

153 Large intestine, except rectum	M	-	1	-	2	2	3	3	8	13	32	52	72	97	113	110	107	56	32	-	703
	F	-	-	-	3	2	4	7	8	18	28	59	74	121	131	154	132	80	49	-	870
	Persons	-	1	-	5	4	7	10	16	31	60	111	146	218	244	264	239	136	81	-	1,573
154 Rectum	M	-	-	-	-	1	-	2	2	16	27	46	79	90	101	123	91	58	21	-	657
	F	-	-	-	-	1	2	2	2	13	14	38	40	47	70	66	66	52	16	-	429
	Persons	-	-	-	-	2	2	4	4	29	41	84	119	137	171	189	157	110	37	-	1,086
155 Biliary passages and liver (specified primary)	M	-	-	-	1	-	1	-	1	2	3	8	11	19	19	17	18	12	1	-	113
	F	-	-	1	-	1	-	1	1	1	5	6	10	23	23	31	24	23	8	-	158
	Persons	-	-	1	1	1	1	1	2	3	8	14	21	42	42	48	42	35	9	-	271

Table 3 - continued

Rural areas of
England and Wales, 1962

ICD (7th Revision) number and Site Description		F	Age-group																			Age not stated	All ages
			0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over			
171-174 Uterus (pre-malignant)	F	-	-	-	-	-	-	2	5	8	9	6	-	2	3	2	2	2	-	-	-	41	
175 Ovary, Fallopian tube and broad ligament	F	1	-	-	2	2	4	11	14	40	60	77	79	85	65	57	29	12	6	-	544		
176 Other and unspecified female genital organs	F	-	-	-	-	-	-	2	2	5	8	9	6	21	26	21	33	19	13	2	167		
177 Prostate	M	-	-	-	-	-	-	-	-	1	5	22	50	79	142	196	216	151	96	-	958		
178 Testis	M	3	-	2	2	8	14	18	18	15	9	10	12	4	1	-	2	1	-	-	119		
179 Other and unspecified male genital organs	M	-	-	-	-	-	-	-	1	2	2	2	13	9	10	9	13	7	4	-	72		
180 Kidney	M F Persons	3 2 5	3 1 3	-	1	-	-	1	2	8	13	20	26	14	18	17	12	7	1	1	147 92 239		
181 Bladder and other urinary organs	M F Persons	1 - 1	-	-	-	-	-	3	4	6	13	30	59	79	94	104	78	51	25	-	547 176 723		
190 Melanoma of skin	M F Persons	-	-	-	2	-	5	1	4	5	3	3	4	4	4	5	4	2	2	-	48 110 158		
191 Other malignant neoplasm of skin	M F Persons	-	-	-	1	5	7	7	23	44	64	109	150	161	190	185	189	153	70	6	1,364 1,052 2,416		
192 Eye	M F Persons	2 3 5	-	-	-	-	-	-	-	1	4	3	5	3	2	-	2	-	-	-	22 27 49		
193 Brain and other parts of nervous system (including benign neoplasm)	M F Persons	18 9 27	7 3 10	4 2 6	7 8 11	3 10	12	30	38	47	56	54	69	67	52	23	10	2	-	-	293 230 523		
193 Brain and other parts of nervous system (excluding benign neoplasm)	M F Persons	15 9 24	6 2 8	3 2 5	5 3 6	3 10	15	12	21	28	27	40	37	21	7	1	-	-	-	-	245 153 398		
194 Thyroid gland	M F Persons	-	-	-	1	-	-	-	4	-	1	2	2	7	6	4	4	3	1	-	35 77 112		

195 Other endocrine glands (including benign neoplasm)	M F Persons	2 2 4	4 - 4	- 1 1	1 1 2	- 3 3	- - -	5 2 5	3 1 4	4 - 4	4 3 7	- 2 2	1 2 3	- 1 1	2 2 3	1 1 1	- 2 3	2 1 1	1 1 1	- - -	27 21 48		
195 Other endocrine glands (excluding benign neoplasm)	M F Persons	2 2 4	3 - 3	- 1 1	1 1 2	- 3 3	- - -	3 1 3	1 - 2	2 - 2	1 - 2	- 1 2	1 2 2	- 1 1	2 1 3	1 2 1	- 2 3	1 1 1	- - -	17 18 35			
196 Bone	M F Persons	- 1 -4	3 2 3	1 2 7	5 2 2	- 1 1	4 - 4	1 2 3	2 1 3	4 1 5	3 1 6	31 1 7	1 1 6	2 1 8	1 4 8	1 3 6	5 4 8	4 3 6	- 1 2	- - -	43 33 76		
197 Connective tissue	M F Persons	- 1 1	4 - 4	2 - 2	3 1 4	1 2 3	4 2 6	5 2 7	2 3 5	3 4 7	4 2 9	4 5 6	7 2 11	8 4 13	6 4 10	7 5 6	2 4 6	2 3 7	- - -	- - -	60 44 104		
198 Lymph nodes (secondary and unspecified)	M F Persons	- - -	- 1 1	- 1 1	- - -	- 1 1	1 2 2	2 2 2	1 1 1	5 2 1	5 - 7	6 2 5	7 1 11	4 4 8	8 4 11	6 4 8	2 4 8	2 4 5	- - -	- - -	40 22 62		
199 Other and unspecified sites	M F Persons	2 - 2	- - -	- - -	- - -	3 - 3	1 - 1	1 - 6	1 - 13	7 6 17	5 12 38	19 19 38	23 23 46	30 24 54	32 35 67	18 30 48	21 27 48	6 13 19	7 11 18	- 2 2	- - -	175 207 382	
200 Lymphosarcoma and reticulosarcoma	M F Persons	3 1 4	1 2 2	3 2 5	10 2 12	3 1 4	3 2 5	4 2 6	9 5 14	9 5 10	6 4 23	16 7 23	18 14 32	15 15 30	13 14 27	16 16 32	12 12 24	10 5 15	5 5 10	- 1 1	- - -	156 114 270	
201 Hodgkin's disease	M F Persons	- - -1	1 - 4	8 4 12	11 6 17	7 7 14	8 1 9	8 1 9	5 2 11	9 2 11	9 2 11	9 2 11	8 2 16	8 2 11	4 5 11	5 5 8	5 3 8	1 2 3	- - -	- - -	102 62 164		
202 Other forms of lymphoma (reticulosarcoma)	M F Persons	2 - 2	1 - 1	- 1 3	- - 1	2 - 2	1 - 4	3 2 3	1 2 6	4 2 4	2 - 6	6 - 6	3 1 20	1 1 16	1 1 16	1 1 16	1 1 16	1 1 6	1 1 6	- - -	- - -	34 20 54	
203 Multiple myeloma (plasmacytoma)	M F Persons	- - -	- - -	- - -	- - -	- - -	2 - 1	1 - 2	1 - 3	1 - 1	1 - 2	8 12 20	7 12 16	7 9 26	13 13 30	17 13 16	8 8 16	5 5 16	4 2 6	- - -	- - -	73 71 144	
204 Leukaemia and aleukaemia	M F Persons	20 21 41	10 9 19	11 7 18	10 5 15	9 8 17	5 2 7	10 10 20	7 10 17	7 13 29	16 10 22	12 16 38	18 16 35	46 24 70	32 22 54	37 29 66	29 22 51	21 16 37	3 5 8	- 1 1	- - -	318 247 565	
205 Mycosis fungoides	M F Persons	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - 1	2 1 2	2 1 3	2 1 1	1 1 1	- - -	- - -	- - -	5 2 7	- - -	8 21 29	11,341 10,459 21,800
All sites	M F Persons	59 41	31 15	30 19	58 31	50 44	58 72	116 173	164 287	297 559	487 740	904 1,033	1,388 1,112	1,764 1,347	1,745 1,399	1,685 1,295	1,346 1,124	787 728	364 419	8 21	- - -	- - -	11,341 10,459 21,800

Table 4 Registrations of newly diagnosed cases of cancer by sex and site. 1962

Hospital region of residence

		Region of residence														All regions		
		Newcastle	Leeds	Sheffield	East Anglia	North West Metropolitan	North East Metropolitan	South East Metropolitan	South West Metropolitan	Wessex	Oxford	South Western	Wales	Birmingham	Manchester	Liverpool	All regions	
140	Lip	M Persons	41 3	25 31	51 61	60 62	27 39	23 30	42 51	22 26	27 33	35 39	64 66	54 57	58 60	39 43	21 23	589 76 665
		F Persons	3 44	6 33	10 50	16 22	33 54	22 35	37 50	15 31	6 13	13 28	18 35	16 28	43 61	39 55	16 26	359 206 565
141	Tongue	M Persons	32 12	20 13	33 17	16 6	33 21	22 13	37 13	15 16	6 7	13 15	18 17	16 12	43 18	39 16	16 10	359 206 565
		F Persons	12 44	13 33	17 50	22 22	54 35	35 50	31 31	13 13	13 28	18 35	25 35	16 28	61 61	55 55	16 26	359 206 565
142	Salivary gland	M Persons	16 18	17 17	26 22	11 9	11 13	18 19	22 25	18 25	5 6	10 16	25 26	11 16	25 26	9 21	9 21	233 266 499
		F Persons	4 34	5 34	5 48	3 20	6 24	7 37	47 43	43 43	11 16	16 16	47 47	11 13	25 26	9 21	9 21	233 266 499
143	Floor of mouth	M Persons	18 22	14 19	10 15	3 5	6 7	3 9	1 7	10 13	6 5	4 6	9 6	8 11	24 13	21 21	18 22	170 47 217
		F Persons	4 22	5 19	5 15	3 7	3 9	1 7	1 7	10 13	5 18	2 6	2 6	5 11	24 13	21 21	18 22	170 47 217
144	Other mouth (specified and unspecified)	M Persons	23 35	20 36	21 32	12 20	21 34	12 26	14 29	20 30	14 23	5 13	14 13	18 19	25 30	30 39	16 47	265 182 447
		F Persons	12 35	16 36	11 32	8 20	13 34	14 28	15 19	10 19	9 10	1 1	8 9	13 19	18 16	25 31	30 31	16 16
145	Oral mesopharynx	M Persons	11 15	12 16	16 22	9 5	21 28	12 14	14 19	13 19	5 6	8 10	10 9	13 19	24 31	23 31	12 16	203 76 279
		F Persons	4 15	4 16	6 22	5 14	7 28	2 14	5 19	6 19	5 10	1 9	9 9	3 19	7 16	8 31	4 31	12 16
146	Nasopharynx	M Persons	3 3	10 18	13 19	5 5	6 14	14 18	7 12	5 12	2 3	5 6	7 11	4 9	21 26	4 8	8 8	123 53 176
		F Persons	- 3	8 18	6 19	- 5	8 14	4 18	2 12	5 12	1 3	1 6	4 11	5 9	5 26	4 8	8 8	123 53 176
147	Hypopharynx	M Persons	11 26	12 35	13 39	7 20	11 24	14 15	15 24	15 27	9 19	12 20	24 43	20 46	26 55	20 66	10 20	219 260 479
		F Persons	15 9	23 4	26 13	13 20	13 18	1 13	1 8	1 15	1 6	1 8	8 6	3 6	12 19	9 15	11 13	91 60 151
148	Pharynx (unspecified)	M Persons	2 9	1 4	8 13	- 22	11 18	5 13	5 8	6 8	4 5	1 2	3 2	6 8	12 19	9 15	11 13	91 60 151
		F Persons	7 9	3 4	5 13	5 22	7 18	8 13	8 8	3 15	6 6	2 2	3 6	6 8	12 19	9 15	11 13	91 60 151
150	Oesophagus	M Persons	76 146	77 141	102 171	29 74	86 142	75 135	95 148	88 151	41 79	38 72	84 172	75 149	133 216	112 195	62 135	1,173 953 2,126
		F Persons	70 146	64 141	69 171	45 74	56 142	60 135	53 148	58 151	38 79	34 72	88 149	74 216	83 195	62 135	62 135	1,173 953 2,126
151	Stomach	M Persons	543 877	445 772	622 991	234 392	298 545	454 735	420 684	330 567	210 318	217 355	428 698	491 813	707 1,156	553 945	403 677	6,355 4,170 10,525
		F Persons	334 877	327 772	369 991	158 392	247 545	281 735	264 684	237 567	108 318	138 355	270 698	322 813	449 1,156	392 945	274 677	6,355 4,170 10,525
152	Small intestine, including duodenum	M Persons	9 16	12 26	9 18	2 6	9 17	11 25	16 24	5 16	3 5	5 9	7 14	5 9	14 27	6 15	4 8	117 118 235
		F Persons	7 16	14 26	9 18	4 6	8 17	14 25	8 24	11 16	2 5	4 9	7 14	4 9	13 27	6 15	4 8	117 118 235

153	Large intestine, except rectum	M Persons	278 623	267 658	328 781	159 337	208 513	252 638	264 687	204 547	109 280	148 355	282 670	217 511	414 923	295 750	204 493	3,629 5,142 8,771
		F Persons	345 623	453 658	178 781	305 337	386 513	423 638	343 687	207 547	171 280	207 355	388 670	294 511	509 923	294 750	204 493	3,632 2,834 6,466
154	Rectum	M Persons	282 452	249 454	395 653	141 272	205 385	258 460	240 484	206 395	123 229	140 235	269 465	203 359	443 737	309 555	169 331	3,632 2,834 6,466
		F Persons	170 452	205 454	258 653	131 272	180 385	202 460	244 484	189 395	106 229	95 235	196 465	156 359	294 737	246 555	162 331	3,632 2,834 6,466
155	Biliary passages and liver (specified primary)	M Persons	40 95	47 110	62 145	27 58	45 91	45 113	40 103	45 109	19 44	29 74	51 119	37 82	60 154	47 104	36 86	633 854 1,487

Table 4 - continued

Hospital region of residence. 1962

ICD (7th Revision) number and site description			Region of residence														All regions
			Newcastle	Leeds	Sheffield	East Anglia	North West Metropolitan	North East Metropolitan	South East Metropolitan	South West Metropolitan	Wessex	Oxford	South Western	Wales	Birmingham	Manchester	Liverpool
176 Other and unspecified female genital organs	F	49	88	84	28	56	52	68	51	37	24	58	45	92	87	33	852
177 Prostate	M	282	353	426	219	270	336	371	297	187	209	437	256	510	384	194	4,731
178 Testis	M	18	39	44	22	38	27	34	36	24	20	33	31	41	34	30	471
179 Other and unspecified male genital organs	M	36	26	35	15	30	23	18	13	10	13	18	20	47	42	23	369
180 Kidney	M	77	72	83	30	66	62	63	63	33	24	66	59	105	89	29	921
	F	39	38	47	12	40	44	67	41	23	19	35	30	62	40	28	565
	Persons	116	110	130	42	106	106	130	104	56	43	101	89	167	129	57	1,486
181 Bladder and other urinary organs	M	223	260	363	132	235	244	299	265	151	107	287	179	317	284	151	3,497
	F	59	102	120	42	110	114	125	114	46	46	105	44	104	105	70	1,306
	Persons	282	362	483	174	345	358	424	379	197	153	392	223	421	389	221	4,803
190 Melanoma of skin	M	18	13	24	11	24	18	29	14	9	7	23	13	30	18	12	263
	F	32	29	44	25	42	31	53	39	25	21	48	33	58	49	23	552
	Persons	50	42	68	36	66	49	82	53	34	28	71	46	88	67	35	815
191 Other malignant neoplasm of skin	M	469	420	554	316	447	436	512	401	289	226	584	415	672	608	362	6,711
	F	432	374	433	215	371	380	464	361	210	175	438	351	584	625	310	5,723
	Persons	901	794	987	531	818	816	976	762	499	401	1,022	766	1,256	1,233	672	12,434
192 Eye	M	8	8	13	5	14	14	9	9	6	9	7	10	18	6	7	143
	F	12	8	11	5	14	9	10	9	3	3	5	9	22	8	7	135
	Persons	20	16	24	10	28	23	19	18	9	12	12	19	40	14	14	278
193 Brain and other parts of nervous system (including benign neoplasm)	M	101	89	160	40	114	120	108	109	62	43	103	88	163	130	77	1,507
	F	74	57	109	57	102	81	97	111	63	47	93	69	125	103	62	1,250
	Persons	175	146	269	97	216	201	205	220	90	196	157	288	233	139	139	2,757
193 Brain and other parts of nervous system (excluding benign neoplasm)	M	74	69	131	30	80	103	92	89	53	41	86	72	158	106	54	1,238
	F	44	48	72	38	76	64	79	78	45	40	64	43	117	81	40	929
	Persons	118	117	203	68	156	167	171	167	98	81	150	115	275	187	94	2,167
194 Thyroid gland	M	6	10	11	6	9	11	16	7	6	6	6	10	17	9	6	136
	F	23	24	40	17	38	32	34	23	15	24	34	26	42	27	26	425
	Persons	29	34	51	23	47	43	50	30	21	30	40	36	59	36	32	561
195 Other endocrine glands (including benign neoplasm)	M	6	13	12	6	14	11	12	8	6	5	11	9	30	13	8	164
	F	4	8	13	8	11	6	17	7	4	2	9	3	20	17	10	139
	Persons	10	21	25	14	25	17	29	15	10	7	20	12	50	30	18	303

195 Other endocrine glands (excluding benign neoplasm)	M	6	5	8	5	8	5	5	6	7	4	4	5	6	27	5	106
	F	3	4	9	7	4	12	6	19	11	7	2	9	8	47	10	90
	Persons	9	9	13	12	12	6	19	11	7	6	9	8	47	15	13	196
196 Bone	M	22	14	17	9	16	24	12	9	9	10	23	16	24	23	13	241
	F	9	20	19	6	14	11	17	13	9	9	17	9	19	19	8	199
	Persons	31	34	36	15	30	35	29	22	18	19	40	25	43	42	21	440
197 Connective tissue	M	18	18	36	12	25	17	20	19	8	9	18	12	43	30	8	293
	F	13	15	22	10	24	20	23	16	6	10	19	6	40	25	19	268
	Persons	31	33	58	22	49	37	43	35	14	19	37	18	83	55	27	561
198 Lymph nodes (secondary and unspecified)	M	28	20	21	5	14	13	10	11	9	1	10	16	28	30	12	228
	F	10	13	11	4	13	11	16	10	10	2	14	10	20	20	5	169
	Persons	38	33	32	9	27	24	26	21	19	3	24	26	48	50	17	397
199 Other and unspecified sites	M	53	86	115	54	74	109	65	71	31	43	62	52	85	66	28	994
	F	76	98	120	74	100	135	89	103	40	45	86	58	122	81	57	1,284
	Persons	129	184	235	128	174	244	154	174	71	88	148	110	207	147	85	2,278
200 Lymphosarcoma and reticulosarcomaa	M	58	60	77	23	74	60	63	62	34	29	63	45	90	67	38	843
	F	32	40	39	17	66	51	52	65	21	25	62	27	77	54	32	660
	Persons	90	100	116	40	140	111	115	127	55	54	125	72	167	121	70	1,503
201 Hodgkin's disease	M	36	37	56	17	46	48	41	42	12	23	30	30	72	46	31	567
	F	24	34	42	10	3											

Table 5 Rates per 100,000 population, by sex, site and age, of newly diagnosed cases of cancer. 1962

(rates based on under 20 registrations are shown in italics)

England and Wales

ICD (7th Revision) number and site description	Age-group									All ages
	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	
140 Lip	M F	- -	- 0	0.1 0.1	0.8 0.1	2.4 0.2	5.5 0.5	12.8 0.9	23.0 2.3	2.6 0.3
141 Tongue	M F	- -	- 0.1	0.1 0	0.4 0.3	1.3 0.8	3.1 1.2	6.8 2.4	17.4 6.0	1.6 0.9
142 Salivary gland	M F	0.1 -	0 0.1	0.5 1.0	1.3 1.2	2.1 1.6	2.5 2.0	6.9 1.6	2.6 2.6	1.0 1.1
143 Floor of mouth	M F	- -	- -	- -	0.1 0.2	0.4 0.3	1.8 0.7	4.0 0.7	7.2 1.0	0.8 0.2
144 Other mouth (specified and unspecified)	M F	- -	0 0	0 0.1	0.4 0.4	0.6 0.6	2.0 1.0	5.3 2.5	14.5 4.9	1.2 0.8
145 Oral mesopharynx	M F	- -	- 0	0.1 0.1	0.1 0.4	0.7 0.5	1.9 0.7	4.8 2.0	8.0 2.0	0.9 0.3
146 Nasopharynx	M F	0.1 -	0.1 0.1	0.1 0.2	0.5 0.2	1.0 0.3	2.3 0.7	1.4 0.9	0.5 0.2	
147 Hypopharynx	M F	- -	0 -	0 0.1	0.1 0.4	0.5 1.6	2.7 2.8	5.1 3.3	7.7 3.0	1.0 1.1
148 Pharynx (unspecified)	M F	- -	0 -	0 0.1	0.2 0.4	0.4 0.5	1.1 1.0	1.6 0.8	2.6 0.8	0.4 0.2
150 Oesophagus	M F	- -	- -	0.1 0.2	0.8 0.9	3.8 2.6	11.5 7.0	26.6 14.0	49.5 25.0	5.2 4.0
151 Stomach	M F	0.1 -	- 0.2	0.1 1.1	6.7 3.2	24.7 11.8	77.7 29.6	146.2 67.0	174.8 102.0	28.1 17.4
152 Small intestine, including duodenum	M F	0.1 -	- 0	0.2 0.1	0.3 0.6	0.5 1.1	1.1 1.5	2.5 2.4	2.9 2.4	0.5 0.5
153 Large intestine, except rectum	M F	- 0.1	0.1 0.8	1.2 1.5	4.0 5.9	12.3 17.0	36.8 40.4	76.9 73.4	143.7 119.7	16.0 21.4
154 Rectum	M F	0.1 -	- 0.1	0.2 0.8	3.7 3.1	12.1 9.8	40.2 22.6	79.9 42.5	131.5 62.2	16.0 11.8
155 Biliary passages and liver (specified primary)	M F	0.2 0.2	0 0.1	0.1 0.2	0.3 0.1	0.7 1.8	2.2 6.7	6.8 14.5	13.2 20.0	2.8 3.6
156 Liver (secondary and unspecified)	M F	- 0	0 0	0 0.1	0.3 0.4	1.1 0.9	5.0 2.8	7.6 4.6	8.1 5.9	1.5 1.3
157 Pancreas	M F	- -	0 -	0.3 0.2	1.4 1.1	6.3 3.4	18.9 10.9	39.0 23.1	53.0 32.9	7.4 5.8
158 Peritoneum	M F	0.1 0.1	0.1 0.1	0.1 0	0.3 0.3	0.5 0.5	1.2 1.5	1.3 2.2	0.7 2.3	0.4 0.6
159 Unspecified digestive organs	M F	- -	- -	0 -	0.1 -	- -	0.3 0.1	0.2 0.3	0.3 0	0.1
160 Nose, nasal cavities, middle ear, and accessory sinuses	M F	0.1 -	- 0	0 0.1	0.4 0.4	0.8 1.2	2.3 1.3	2.7 2.2	3.3 2.7	0.7 0.7
161 Larynx	M F	0.1 -	- 0	0.2 0.1	1.3 0.4	5.1 0.7	13.6 1.6	25.0 2.1	19.8 2.5	4.7 0.7
162-163 Lung (primary and unspecified)	M F	0.1 -	0.1 0.2	0.4 0.8	2.2 4.7	17.6 16.0	96.0 32.1	294.6 41.8	392.3 35.6	82.5 12.5
164 Mediastinum	M F	0.1 -	0 0	- 0.1	0.2 0.2	0.3 0.1	0.4 0.1	0.5 0.2	0.3 0.1	0.2 0.1
165 Thoracic organs (secondary)	M F	0.1 -	- 0	0.1 0.2	0.2 0.5	0.6 0.7	1.3 1.3	2.3 0.8	2.5 0.3	0.5 0.3
170 Breast	M F	- 0	- 0.4	0 11.2	0.3 56.8	0.6 105.5	1.6 125.7	2.5 145.6	4.2 176.8	0.6 61.2
171 Cervix uteri (including pre-malignant cases)	F	- -	- 0.3	0.3 5.6	32.2 37.5	31.4 32.9	32.9 25.6	25.6 18.2		

Table 5 - continued

England and Wales, 1962

ICD (7th Revision) number and site description	Age-group									All ages
	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	
172-174 Other parts of uterus (including pre-malignant cases)	F	-	0.1	0.3	0.9	4.8	21.1	38.8	36.2	13.1
171-174 Uterus (pre-malignant)	F	-	-	0.1	1.0	3.1	2.3	0.5	0.5	1.0
175 Ovary, Fallopian tube and broad ligament	F	0.1	0.2	1.1	2.9	9.0	24.6	31.9	32.3	24.5
176 Other and unspecified female genital organs	F	0.1	0	0	0.2	1.1	2.2	5.4	13.1	3.5
177 Prostate	M	-	0	-	-	0.2	3.2	27.1	122.0	166.6
178 Testis	M	0.4	0.2	1.8	4.6	4.0	2.4	1.4	1.0	2.1
179 Other and unspecified male genital organs	M	-	0	-	0.1	0.8	1.8	3.8	7.5	10.9
180 Kidney	M F	1.3 1.5	0.3 0.2	0.1 0.1	0.3 0.2	1.9 0.9	5.8 2.2	11.6 5.0	14.9 8.1	4.1 2.4
181 Bladder and other urinary organs	M F	- 0	- -	- 0	0.8 0.2	2.9 1.0	12.5 3.0	37.3 8.7	79.8 21.3	125.6 34.9
190 Melanoma of skin	M F	0.1 -	- 0.1	0.5 1.0	1.0 2.2	1.4 3.1	1.4 3.7	2.2 3.2	2.3 5.5	1.2 2.3
191 Other malignant neoplasm of skin	M F	- 0.1	0.1 0.2	0.5 0.3	2.9 2.4	12.7 9.7	33.4 22.3	64.0 38.9	122.0 74.2	251.1 142.3
192 Eye	M F	1.1 0.8	0 0.1	0 0	0.1 0.2	0.5 0.3	0.6 0.6	1.7 1.1	1.4 1.1	2.5 0.8
193 Brain and other parts of nervous system (including benign neoplasm)	M F	4.0 3.0	2.2 1.6	2.1 2.0	3.8 3.4	6.2 5.7	10.8 8.3	17.6 10.7	11.7 8.3	6.7 5.2
193 Brain and other parts of nervous system (excluding benign neoplasm)	M F	3.5 2.7	1.8 1.4	1.6 1.5	3.3 2.5	5.4 4.2	8.7 6.0	14.6 8.0	8.6 5.9	1.6 2.0
194 Thyroid gland	M F	- -	- -	0.1 0.2	0.2 1.0	0.4 0.9	0.7 2.1	1.4 3.1	2.3 4.9	0.6 1.8
195 Other endocrine glands (including benign neoplasm)	M F	0.8 0.8	0.3 0.2	0.3 0.3	0.3 0.6	0.7 0.8	1.4 1.3	1.0 0.9	0.7 1.0	0.7 0.6
195 Other endocrine glands (excluding benign neoplasm)	M F	0.6 0.8	0.2 0.1	0.2 0.3	0.1 0.2	0.4 0.2	0.9 0.6	0.8 0.5	0.7 0.6	0.5 0.4
196 Bone	M F	0.1 0.2	0.6 0.5	1.1 0.8	0.3 0.4	0.8 0.2	0.9 0.4	1.8 1.0	3.1 2.4	1.1 0.8
197 Connective tissue	M F	0.1 0.3	0.4 0.2	0.7 0.5	0.8 0.8	1.4 1.1	1.3 1.1	2.0 1.1	3.8 2.3	1.3 1.1
198 Lymph nodes (secondary and unspecified)	M F	- 0	- 0.1	0.3 0.1	0.3 0.3	0.3 0.3	1.1 0.9	2.5 1.3	4.7 2.0	1.0 0.7
199 Other and unspecified sites	M F	0.2 0.1	0.1 0.2	0.1 0	0.5 0.4	1.1 1.7	4.4<br			

Table 6 Rates per 100,000 population, by sex, site and age of newly diagnosed cases of cancer. 1962

(rates based on under 20 registrations are shown in italics)

ICD (7th Revision) number and site description	Age-group									All ages
	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	
140 Lip	M F	- 0	- 0	0.1 0.1	0.8 0.1	2.1 0.2	4.1 0.4	10.5 1.0	18.5 2.5	2.1 0.3
141 Tongue	M F	- -	0.1 0.1	0.1 0	0.5 0.3	1.4 0.7	3.5 1.1	6.8 2.6	19.6 5.9	1.7 0.8
142 Salivary gland	M F	0.1 -	- 0	0.1 0.5	0.6 1.2	1.3 1.2	1.2 1.6	2.0 2.2	5.7 1.6	1.0 1.1
143 Floor of mouth	M F	- -	- -	- -	0.2 0.3	0.3 0.3	2.0 0.7	4.1 1.0	8.2 1.0	0.8 0.2
144 Other mouth (specified and unspecified)	M F	- -	0.1 0	0 0.1	0.4 0.4	0.7 0.7	2.3 1.0	5.5 2.4	15.8 5.4	1.3 0.8
145 Oral mesopharynx	M F	- -	- 0	0.1 0	0.2 0.2	0.8 0.4	2.0 0.5	4.9 0.8	7.6 2.0	0.9 0.3
146 Nasopharynx	M F	0.1 -	0.1 0.1	0 0	0.5 0.2	1.1 0.2	1.1 0.3	2.6 0.8	1.5 1.0	0.6 0.2
147 Hypopharynx	M F	- -	- 0	0 0.1	0.2 0.4	0.5 1.4	2.8 2.8	5.6 3.2	8.8 2.5	1.0 1.0
148 Pharynx (unspecified)	M F	- -	- -	0 0	0.2 0.1	0.6 0.5	1.2 0.5	1.9 1.0	3.1 0.6	0.5 0.3
150 Oesophagus	M F	- -	- 0	0.1 0.2	0.8 1.0	3.9 2.7	11.8 7.2	27.2 14.1	49.8 24.1	5.2 4.0
151 Stomach	M F	0.1 -	- 0.2	0.1 1.1	6.9 3.3	26.5 12.9	81.9 32.1	151.0 69.7	181.7 106.5	29.2 18.3
152 Small intestine, including duodenum	M F	0.1 -	- 0	0.2 0.1	0.4 0.7	0.6 1.2	1.3 1.3	2.3 2.6	3.4 2.6	0.6 0.5
153 Large intestine, except rectum	M F	- 0.1	0.1 0.8	0.7 1.4	1.3 6.3	4.2 17.6	12.0 41.7	37.9 74.5	79.1 125.6	16.4 22.1
154 Rectum	M F	0.1 -	- 0.1	0.2 0.8	0.9 3.1	3.9 10.0	12.2 24.3	42.2 44.9	82.9 65.5	16.7 12.4
155 Biliary passages and liver (specified primary)	M F	0.3 0.2	0 0	0.1 0.2	0.3 0.1	0.7 0.5	2.4 1.7	7.0 6.8	13.8 14.9	2.9 3.6
156 Liver (secondary and unspecified)	M F	- -	0 -	0 -	0.1 0.3	1.1 0.9	5.6 2.7	7.7 4.9	8.6 6.3	1.6 1.3
157 Pancreas	M F	- -	- -	0 0.2	0.4 1.0	1.5 3.6	6.6 11.3	19.9 24.2	42.4 34.7	55.1 57.8
158 Peritoneum	M F	0.1 0.1	0.1 -	0.1 0.3	0.1 0.6	0.6 1.5	1.3 2.2	1.2 2.2	0.8 2.2	0.4 0.6
159 Unspecified digestive organs	M F	- -	- -	0 -	0 -	0.3 0.2	0.2 0.4	0.4 0.2	0.1 0	0.1
160 Nose, nasal cavities, middle ear, and accessory sinuses	M F	- -	0 0	- 0.1	0.5 0.4	0.8 1.3	2.5 1.3	3.0 2.3	3.8 2.8	0.8 0.8
161 Larynx	M F	0.1 -	- 0	0 0	0.3 0.4	1.4 0.8	5.2 1.7	14.7 2.3	27.6 2.3	5.0 0.7
162-163 Lung (primary and unspecified)	M F	- 0.1	0.1 0.2	0.5 0.9	2.1 4.8	19.3 16.7	102.4 33.4	314.7 45.0	428.3 39.2	89.3 13.3
164 Mediastinum	M F	0.1 -	0 -	- 0.2	0.1 0.2	0.3 0.3	0.3 0.1	0.6 0.2	0.4 0.1	0.2
165 Thoracic organs (secondary)	M F	- -	- -	0 -	0.2 0.2	0.7 0.5	1.4 0.6	2.5 1.3	2.9 0.9	0.5 0.3
170 Breast	M F	- 0	- 0.4	- 11.0	0.4 59.1	0.7 107.0	1.7 127.9	2.5 149.4	4.4 185.1	0.6 62.9
171 Cervix uteri (including pre-malignant cases)	F	- -	- 0.4	0.4 5.7	32.9 39.4	39.4 32.9	32.9 35.0	35.0 26.9	19.1	

Urban areas of
England and Wales

Table 6 - continued

Urban areas of
England and Wales, 1962

ICD (7th Revision) number and site description	Age-group									All ages	
	0-	5-	15-	25-	35-	45-	55-	65-	75 and over		
172-174 Other parts of uterus (including pre-malignant cases)	F	-	0.1	0.4	0.9	5.1	21.1	39.3	36.4	28.7	13.3
171-174 Uterus (pre-malignant)	F	-	-	0.1	0.9	3.2	2.6	0.4	0.3	0.1	1.0
175 Ovary, Fallopian tube and broad ligament	F	0.1	0.3	1.2	3.0	9.0	25.1	32.5	33.0	26.3	13.5
176 Other and unspecified female genital organs	F	0.1	0	0	0.2	1.1	2.1	5.5	13.4	22.1	3.5
177 Prostate	M	-	0	-	-	0.2	2.9	27.7	127.0	321.9	21.1
178 Testis	M	0.3	0.1	2.0	4.4	3.7	2.2	0.9	1.2	1.5	2.0
179 Other and unspecified male genital organs	M	-	0	-	0.2	0.9	2.1	3.7	7.9	9.7	1.7
180 Kidney	M	1.4	0.3	0	0.3	2.0	5.9	12.6	16.1	18.3	4.3
181 Bladder and other urinary organs	M	1.8	0.2	0.2	0.3	0.9	2.1	5.2	8.1	8.7	2.4
190 Melanoma of skin	M	0.1	-	0.5	1.0	1.4	1.5	2.3	2.1	5.9	1.2
191 Other malignant neoplasm of skin	M	-	0.1	0.4	3.0	13.3	34.9	65.0	123.6	251.9	30.0
192 Eye	M	1.2	0	0	0.2	0.6	0.5	1.8	1.7	2.9	0.7
193 Brain and other parts of nervous system (including benign neoplasm)	M	3.9	2.3	2.3	3.8	6.1	10.9	17.6	12.2	3.4	6.8
193 Brain and other parts of nervous system (excluding benign neoplasm)	M	3.4	2.0	1.8	3.3	5.4	8.7	14.6	8.6	1.9	5.6
194 Thyroid gland	M	-	-	0.1	0.3	0.4	0.7	1.4	2.0	2.7	0.6
195 Other endocrine glands (including benign neoplasm)	M	0.8	0.3	0.4	0.3	0.6	1.4	1.6	1.2	0.4	0.8
195 Other endocrine glands (excluding benign neoplasm)	M	0.9	0.3	0.2	0.3	0.7	0.9	1.0	1.0	0.3	0.6
196 Bone	M	0.1	0.6	1.3	0.3	0.9	0.7	1.8	3.4	5.0	1.1
197 Connective tissue	M	0.1	0.4	0.8	0.8	1.5	1.4	2.0	3.6	5.7	1.3
198 Lymph nodes (secondary and unspecified)	M	-	-	0.1	0	0.3	1.2	2.6	5.1	6.1	1.1
199 Other and unspecified sites	M	0.1	0.1	0.1	0.4	1.1	4.5	13.0	22.9	25.0	4.6
200 Lymphosarcoma and reticulosarcoma	M	0.6	0.7	1.7	1.7	2.3	4.6	8.2	13.7	14.5	3.8
201 Hodgkin's disease	M	0.3	0.6	3.1	3.2	2.4	3.1	3.9	4.4	4.4	2.6
202 Other forms of lymphoma (reticulosisis)	M	0.1	0.3	2.0	1.6	1.0	1.7	2.0	4.0	3.1	1.6
203 Multiple myeloma (plasmacytoma)	M	-	-	0	0	0.6	1.0	1.6	1.1	1.5	0.8
204 Leukaemia and aleukaemia	M	3.8	2.4	2.3	1.						

Table 7 Rates per 100,000 population, by sex, site and age, of newly diagnosed cases of cancer. 1962

(rates based on under 20 registrations are shown in italics)

ICD (7th Revision) number and site description	Age-group									All ages
	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	
140 Lip	M -	-	-	-	1.1	3.7	10.7	20.7	37.2	4.5
	F -	-	-	0.2	0.2	0.8	0.7	0.5	1.5	0.3
141 Tongue	M -	-	-	0.2	0.2	1.1	1.6	6.8	10.2	1.1
	F -	-	-	-	0.3	1.1	1.9	6.3	0.9	
142 Salivary gland	M -	0.1	0.2	0.2	0.9	1.8	2.5	2.5	4.8	1.0
	F -	0.1	0.5	0.4	1.0	1.8	1.1	1.7	3.0	0.9
143 Floor of mouth	M -	-	-	-	-	0.5	1.3	3.4	4.2	0.6
	F -	-	-	-	-	0.5	1.0	0.7	0.7	0.2
144 Other mouth (specified and unspecified)	M -	-	-	0.2	0.3	0.3	0.8	4.6	10.2	0.9
	F -	-	-	-	0.2	0.3	1.1	2.9	3.0	0.6
145 Oral mesopharynx	M -	-	-	-	-	0.5	1.5	4.3	9.0	0.8
	F -	-	-	-	-	0.2	0.5	0.7	2.2	0.3
146 Nasopharynx	M -	-	-	0.2	0.5	0.5	0.4	1.2	1.2	0.3
	F -	-	-	0.2	0.2	0.2	0.2	0.2	0.7	0.1
147 Hypopharynx	M -	-	-	-	0.5	2.5	3.1	4.2	0.7	
	F -	-	-	-	0.2	2.5	2.8	3.6	5.2	1.3
148 Pharynx (unspecified)	M -	-	0.1	-	0.2	-	0.6	0.6	1.2	0.2
	F -	-	-	-	-	-	0.4	1.0	1.5	0.2
150 Oesophagus	M -	-	0.1	0.2	0.8	3.4	10.3	24.5	48.6	5.0
	F -	-	-	-	0.5	2.1	6.2	13.7	28.5	3.9
151 Stomach	M -	-	0.1	1.0	5.8	17.4	61.3	129.4	153.1	23.8
	F -	-	-	0.9	3.0	6.9	19.4	56.1	84.5	13.5
152 Small intestine, including duodenum	M -	-	-	0.2	-	0.2	0.4	3.1	1.2	0.3
	F -	-	-	-	0.2	0.5	0.4	2.2	1.5	0.4
153 Large intestine, except rectum	M -	0.1	0.5	1.0	3.3	13.4	32.4	69.0	117.0	14.6
	F -	-	0.8	2.0	4.3	14.2	34.7	68.6	96.7	18.5
154 Rectum	M -	-	0.1	0.3	2.8	11.7	32.4	69.3	102.0	13.7
	F -	-	0.2	0.7	2.5	8.5	15.5	32.7	49.6	9.1
155 Biliary passages and liver (specified primary)	M -	-	0.1	0.2	0.5	1.8	5.7	11.1	18.6	2.4
	F -	0.1	0.2	0.2	0.3	1.8	5.9	13.0	20.4	3.4
156 Liver (secondary and unspecified)	M -	-	-	0.2	0.2	0.8	2.7	7.4	6.6	1.2
	F -	0.1	0.2	-	1.0	0.7	3.0	3.4	4.4	1.2
157 Pancreas	M -	-	-	-	0.9	5.1	14.9	26.9	46.2	5.8
	F -	-	-	0.4	1.3	2.8	9.3	18.5	25.9	4.8
158 Peritoneum	M -	-	-	-	0.2	0.2	0.8	1.5	0.6	0.2
	F -	-	-	-	0.2	0.7	-	1.8	2.6	0.7
159 Unspecified digestive organs	M -	-	-	-	0.2	-	0.2	0.3	-	0.1
	F -	-	-	-	-	-	-	0.7	0	
160 Nose, nasal cavities, middle ear, and accessory sinuses	M -	0.3	-	-	0.2	0.2	0.6	1.5	1.9	0.5
	F -	-	-	-	-	0.5	1.0	1.2	1.9	0.6
161 Larynx	M -	-	-	-	0.8	4.8	9.0	15.8	19.8	3.5
	F -	-	-	-	0.2	0.2	0.5	1.4	1.2	0.6
162-163 Lung (primary and unspecified)	M -	0.5	-	0.1	2.7	11.1	70.4	216.0	266.2	144.1
	F -	-	-	0.4	4.3	12.9	28.7	28.4	21.5	9.2
164 Mediastinum	M -	-	0.1	-	0.3	0.2	0.4	0.3	-	0.1
	F -	-	-	0.2	-	0.2	-	0.4	0.1	
165 Thoracic organs (secondary)	M -	0.3	-	-	0.2	-	0.2	1.0	1.2	0.3
	F -	-	-	0.2	-	0.2	1.1	1.2	0.7	0.3
170 Breast	M -	-	0.1	0.2	-	-	1.1	2.5	3.6	0.5
	F -	-	0.3	12.1	45.8	99.3	116.2	129.5	144.5	54.0
171 Cervix uteri (including pre-malignant cases)	F -	-	0.2	5.1	29.0	29.3	25.3	24.1	20.4	14.5

Rural areas of England and Wales

Table 7 - continued

Rural areas of England and Wales, 1962

ICD (7th Revision) number and site description	Age-group									All ages	
	0-	5-	15-	25-	35-	45-	55-	65-	75 and over		
172-174 Other parts of uterus (including pre-malignant cases)	F -	-	-	0.2	0.7	3.8	21.3	36.8	35.4	24.1	12.3
171-174 Uterus (pre-malignant)	F -	-	-	-	1.3	2.8	1.0	0.9	1.0	0.7	0.9
175 Ovary, Fallopian tube and broad ligament	F 0.3	-	-	0.6	2.7	8.9	22.4	29.2	29.4	17.4	11.6
176 Other and unspecified female genital organs	F -	-	-	-	0.4	1.2	2.8	4.8	11.8	24.1	3.6
177 Prostate	M -	-	-	-	-	0.2	4.3	24.7	104.6	277.9	19.9
178 Testis	M 0.8	0.3	1.2	5.4	5.2	3.0	3.1	0.3	1.8	2.5	2.5
179 Other and unspecified male genital organs	M -	-	-	-	0.5	0.6	4.2	5.9	14.4	1.5	
180 Kidney	M 0.8	0.4	0.1	0.2	1.6	5.3	7.9	10.8	12.0	3.1	
	F 0.5	0.1	-	0.2	0.7	2.9	3.9	6.7	5.9	2.0	
181 Bladder and other urinary organs	M 0.3	-	-	0.5	1.6	6.9	26.4	61.3	92.4	11.4	
	F -	-	-	-	0.2	1.6	5.7	15.4	25.6	3.7	
190 Melanoma of skin	M -	-	0.2	1.0	1.4	1.0	1.5	2.8	4.8	1.0	
	F -	-	0.6	2.9	3.6	4.4	2.7	2.6	5.6	2.3	
191 Other malignant neoplasm of skin	M -	-	0.7	2.4	10.6	27.7	60.0	116.7	248.5	28.4	
	F -	-	0.5	2.9	7.2	20.8	35.2	72.5	134.5	22.4	
192 Eye	M 0.5	-	-	0.2	0.5	0.2	1.1	0.9	1.4	0.5	
	F 0.8	-	-	-	0.5	0.8	0.9	1.4	1.9	0.6	
193 Brain and other parts of nervous system (including benign neoplasm)	M 4.6	1.5	1.2	3.6	6.6	10.4	17.4	10.2	1.2	6.1	
	F 2.4	0.7	1.8	3.8	7.1	7.4	8.0	10.1	3.3	4.9	
193 Brain and other part of nervous system (excluding benign neoplasm)	M 3.8	1.2	1.0	3.2	5.2	8.8	14.8	8.7	0.6	5.1	

Table 8 Rates per 100,000 population, by sex and site,
of newly diagnosed cases of cancer. 1962

Hospital region of
residence

(rates based on under 20 registrations are shown in italics)

	ICD (7th Revision) number and site description	Region of residence														All regions	
		Newcastle	Leeds	Sheffield	East Anglia	North West Metropolitan	North East Metropolitan	South East Metropolitan	South West Metropolitan	Wessex	Oxford	South Western	Wales	Birmingham	Manchester	Liverpool	
140 Lip	M	2.7	1.6	2.3	7.7	1.4	1.5	2.7	1.5	3.0	4.2	4.5	4.1	2.4	1.8	2.0	2.6
	F	0.2	0.4	0.4	0.3	0.5	0.4	0.5	0.2	0.7	0.5	0.1	0.2	0.1	0.2	0.2	0.3
141 Tongue	M	2.1	1.3	1.5	2.1	1.7	1.4	2.3	0.1	0.7	1.5	1.3	1.2	1.8	1.8	1.5	1.6
	F	0.8	0.8	0.8	0.8	1.0	0.8	0.7	0.9	0.8	0.8	0.1	0.9	0.7	0.7	0.9	0.9
142 Salivary gland	M	1.1	1.1	1.2	1.4	0.6	1.2	1.4	1.2	0.6	1.2	1.8	0.8	1.0	0.4	0.9	1.0
	F	1.2	1.1	1.0	1.1	0.6	1.1	1.4	1.5	0.7	0.7	1.5	1.1	1.5	0.5	1.8	1.1
143 Floor of mouth	M	1.2	0.9	0.5	0.4	0.3	0.4	0.6	0.9	0.7	0.5	0.6	0.6	1.0	1.0	1.7	0.8
	F	0.3	0.3	0.2	0.5	0.1	0.1	0.2	0.3	-	0.2	0.1	0.4	0.2	-	0.3	0.2
144 Other mouth (specified and unspecified)	M	1.5	1.3	1.0	1.5	1.1	0.8	0.9	1.3	1.6	0.6	1.0	1.4	1.0	1.4	1.5	1.2
	F	0.8	1.0	0.5	1.0	0.6	0.8	0.8	0.6	1.0	0.9	1.0	0.9	0.6	0.7	0.7	0.8
145 Oral mesopharynx	M	0.7	0.8	0.7	1.2	1.1	0.8	0.9	0.9	0.6	1.0	0.7	1.0	1.0	1.1	1.1	0.9
	F	0.3	0.2	0.3	0.6	0.3	0.1	0.3	0.4	0.6	0.1	0.6	0.2	0.3	0.3	0.3	0.3
146 Nasopharynx	M	0.2	0.7	0.6	0.6	0.3	0.9	0.9	0.5	0.2	0.6	0.5	0.3	0.9	0.2	0.8	0.5
	F	-	0.5	0.3	-	0.4	0.2	0.1	0.3	0.1	0.1	0.3	0.4	0.2	0.2	-	0.2
147 Hypopharynx	M	0.7	0.8	0.6	0.9	0.6	0.9	0.9	1.0	1.0	1.4	1.7	1.5	1.1	0.9	1.0	1.0
	F	1.0	1.4	1.2	1.6	0.6	0.1	0.5	0.7	1.1	0.9	1.3	1.9	1.2	2.0	0.9	1.1
148 Pharynx (unspecified)	M	0.1	0.1	0.4	-	0.6	0.3	0.4	0.8	0.5	0.1	0.2	0.5	0.5	0.4	1.0	0.4
	F	0.5	0.2	0.2	0.3	0.3	0.5	0.1	0.2	0.2	0.1	0.2	0.1	0.3	0.2	0.2	0.2
150 Oesophagus	M	5.0	5.0	4.6	3.7	4.4	4.9	6.0	5.8	4.6	4.6	6.0	5.7	5.6	5.2	5.9	5.2
	F	4.6	4.0	3.1	5.7	2.6	3.5	3.0	3.7	4.2	4.0	5.9	5.5	3.4	3.6	6.4	4.0
151 Stomach	M	35.9	29.2	28.2	30.1	15.2	29.6	26.5	21.9	23.7	26.0	30.3	37.5	29.5	25.7	38.3	28.1
	F	21.8	20.4	16.5	19.9	11.3	16.4	14.9	14.1	12.1	16.4	18.1	24.0	18.3	16.9	23.8	17.4

152 Small intestine, including duodenum	M	0.6	0.8	0.4	0.3	0.5	0.7	1.0	0.3	0.3	0.6	0.5	0.4	0.6	0.3	0.4	0.5
153 Large intestine, except rectum	M	18.4	17.5	14.9	20.4	10.6	16.4	16.7	13.5	12.3	17.7	20.0	16.6	17.3	13.7	19.4	16.0
154 Rectum	F	22.5	24.3	20.3	22.4	13.9	22.5	23.9	20.3	19.1	24.5	26.0	21.9	20.8	19.6	25.6	21.4
155 Biliary passages and liver (specified primary)	M	2.6	3.1	2.8	3.5	2.3	2.9	2.5	3.2	2.1	3.5	3.6	2.8	2.5	2.2	3.4	2.8
156 Liver (secondary and unspecified)	F	3.6	3.9	3.7	3.9	2.1	4.0	3.6	3.6	2.8	5.3	4.6	3.4	3.8	2.5	4.4	3.6
157 Pancreas	M	2.6	1.8	1.4	1.0	1.2	1.8	1.8	0.7	1.2	1.8	0.9	1.1	1.8	1.4	1.9	1.5
158 Peritoneum	F	2.2	0.9	1.3	0.4	0.9	0.8	1.3	0.9	1.3	1.5	1.3	1.1	1.6	1.8	1.0	1.3
159 Unspecified digestive organs	M	0.1	-	0.1	-	0.2	0.1	-	-	0.1	-	0.2	-	-	0	-	0.1
159 Unspecified digestive organs	F	0.1	0.1	0	-	0	-	-	-	0.2	-	-	-	-	-	-	0
160 Nose, nasal cavities, middle ear and accessory sinuses	M	0.7	0.7	0.4	0.8	0.6	0.7	0.8	0.3	0.5	1.0	1.0	0.8	1.2	0.7	0.8	0.7
161 Larynx	F	0.9	0.9	0.4	1.1	0.7	0.6	0.7	0.9	0.4	0.7	0.8	0.7	0.7	0.8	0.7	0.7
162-163 Lung (primary and unspecified)	M	86.0	85.4	76.8	81.2	75.1	97.5	96.0	82.8	68.4	74.7	76.1	73.7	84.6	76.2	102.9	82.5
162-163 Lung (primary and unspecified)	F	11.2	13.3	10.1	9.9	13.1	15.3	15.4	14.8	12.5	13.9	13.8	7.9	11.7	10.8	14.2	12.5
164 Mediastinum	M	0.1	0.1	0.2	0.4	0.2	0.3	0.3	0.4	-	0.1	0.1	0.1	0	0	0.1	0.2
164 Mediastinum	F	0.2	0.1	0.1	0.1	0.1	-	0.1	0.4	0.1	0.2	0.1	0.1	0	-	0.1	0.1
165 Thoracic organs (secondary)	M	0.4	0.9	0.4	0.5	0.5	0.6	0.4	0.2	0.1	0.6	0.3	0.3	0.6	0.8	0.4	0.5
165 Thoracic organs (secondary)	F	0.5	0.3	0.3	0.4	0.5	0.5	0.3	0.4	0.4	0.4	0.4	0.3	0.4	0.1	0.1	0.3
170 Breast	M	0.5	0.7	0.5	0.8	0.5	0.7	0.9	0.8	1.1	0.8	0.5	0.3	0.5	0.4	0.6	0.6
170 Breast	F	54.0	61.7	57.7	70.0	55.3	67.7	66.0	64.0	64.5	62.9	75.5	56.2	65.8	52.6	51.4	61.2
171 Cervix uteri (including pre-malignant cases)	F	21.9	22.5	22.3	18.5	16.9	14.9	12.6	12.3	15.4	17.7	18.1	18.6	18.6	21.3	19.5	18.2
172-174 Other parts of uterus (including pre-malignant cases)	F	11.6	12.1	13.3	16.1	11.1	14.4	13.6	13.5	11.7	12.						

Table 8 - continued

Hospital region of residence, 1962

			Region of residence														All regions	
			Newcastle	Leeds	Sheffield	East Anglia	North West Metropolitan	North East Metropolitan	South East Metropolitan	South West Metropolitan	Wessex	Oxford	South Western	Wales	Birmingham	Manchester	Liverpool	
171-174	Uterus (pre-malignant)	F	0.8	0.5	1.4	0.5	1.1	0.6	0.2	0.7	0.1	2.0	0.1	0.6	2.4	0.9	1.5	1.0
175	Ovary, Fallopian tube and broad ligament	F	12.3	16.0	14.2	13.9	10.5	11.2	13.5	14.5	12.1	10.8	16.4	11.7	16.0	11.4	10.7	13.2
176	Other and unspecified female genital organs	F	3.2	5.5	3.8	3.5	2.6	3.0	3.8	3.0	4.1	2.8	3.9	3.4	3.8	3.7	2.9	3.5
177	Prostate	M	18.7	23.1	19.3	28.1	13.7	21.9	23.4	19.7	21.1	25.0	31.0	19.5	21.3	17.9	18.5	20.9
178	Testis	M	1.2	2.6	2.0	2.8	1.9	1.8	2.1	3.4	2.7	2.4	2.3	2.4	1.7	1.6	2.9	2.1
179	Other and unspecified male genital organs	M	2.4	1.7	1.6	1.9	1.5	1.5	1.1	0.9	1.1	1.6	1.3	1.5	2.0	2.0	2.2	1.6
180	Kidney	M	5.1	4.7	3.8	3.9	3.4	4.0	4.0	4.2	3.7	2.9	4.7	4.5	4.4	4.1	2.8	4.1
		F	2.5	2.4	2.1	1.5	1.8	2.6	3.8	2.4	2.6	2.3	2.3	2.2	2.5	1.7	2.4	2.4
181	Bladder and other urinary organs	M	14.7	17.0	16.5	17.0	12.0	15.9	18.9	17.5	17.0	12.8	20.3	13.7	13.2	13.2	14.4	15.4
		F	3.9	6.4	5.4	5.3	5.0	6.7	7.1	6.8	5.1	5.5	7.0	3.3	4.2	4.5	6.1	5.4
190	Melanoma of skin	M	1.2	0.9	1.9	1.4	1.2	1.2	1.8	0.9	1.0	0.8	1.6	1.0	1.3	0.8	1.1	1.2
		F	2.1	1.8	2.0	3.1	1.9	1.8	3.0	2.3	2.8	2.5	3.2	2.5	2.4	2.1	2.0	2.3
191	Other malignant neoplasm of skin	M	31.0	27.5	25.1	40.6	22.8	28.4	32.3	26.6	32.6	27.1	41.4	31.7	28.0	28.3	34.4	29.6
		F	28.2	23.3	19.4	27.1	16.9	22.2	26.3	21.4	23.5	20.7	29.4	26.2	23.8	26.9	27.0	23.8
192	Eye	M	0.5	0.5	0.6	0.6	0.7	0.9	0.6	0.6	0.7	1.1	0.5	0.8	0.8	0.3	0.7	0.6
		F	0.8	0.5	0.5	0.6	0.6	0.5	0.6	0.5	0.3	0.4	0.3	0.7	0.9	0.3	0.6	0.6
193	Brain and other parts of nervous system (including benign neoplasm)	M	6.7	5.8	7.3	5.1	5.8	7.8	6.8	7.2	7.0	5.1	7.3	6.7	6.8	6.1	7.3	6.7
		F	4.8	3.5	4.9	7.2	4.7	4.7	5.5	6.6	7.0	5.6	6.2	5.1	4.4	5.4	5.2	

193	Brain and other parts of nervous system (excluding benign neoplasm)	M	4.9	4.5	5.9	3.9	4.1	6.7	5.8	5.9	6.0	4.9	6.1	5.5	6.6	4.9	5.1	5.5
		F	2.9	3.0	3.2	4.8	3.5	3.7	4.5	4.6	5.0	4.7	4.3	3.2	4.8	3.5	3.5	3.9
194	Thyroid gland	M	0.4	0.7	0.5	0.8	0.5	0.7	1.0	0.5	0.7	0.7	0.4	0.8	0.7	0.4	0.6	0.6
		F	1.5	1.5	1.8	2.1	1.7	1.9	1.9	1.4	1.7	2.8	2.3	1.9	1.7	1.2	2.3	1.8
195	Other endocrine glands (including benign neoplasm)	M	0.4	0.9	0.5	0.8	0.7	0.7	0.8	0.5	0.7	0.6	0.8	0.7	1.3	0.6	0.8	0.7
		F	0.3	0.5	0.6	1.0	0.5	0.4	1.0	0.4	0.4	0.2	0.6	0.2	0.8	0.7	0.9	0.6
195	Other endocrine glands (excluding benign neoplasm)	M	0.4	0.3	0.4	0.6	0.4	0.3	0.4	0.5	0.5	0.5	0.4	0.5	1.1	0.2	0.5	0.5
		F	0.2	0.2	0.2	0.9	0.2	0.1	0.7	0.2	0.3	0.2	0.3	0.1	0.8	0.4	0.7	0.4
196	Bone	M	1.5	0.9	0.8	1.2	0.8	1.6	0.8	0.6	1.0	1.2	1.6	1.2	1.0	1.1	1.2	1.1
		F	0.6	1.2	0.9	0.8	0.6	0.6	1.0	0.8	1.0	1.1	1.1	0.7	0.8	0.8	0.7	0.8
197	Connective tissue	M	1.2	1.2	1.6	1.5	1.3	1.1	1.3	1.3	0.9	1.1	1.3	0.9	1.8	1.4	0.8	1.3
		F	0.8	0.9	1.0	1.3	1.1	1.2	1.3	0.9	0.7	1.2	1.3	0.4	1.6	1.1	1.7	1.1
198	Lymph nodes (secondary and unspecified)	M	1.9	1.3	1.0	0.6	0.7	0.8	0.6	0.7	1.0	0.1	0.7	1.2	1.7	1.4	1.1	1.0
		F	0.7	0.8	0.5	0.5	0.6	0.6	0.9	0.6	1.1	0.2	0.9	0.7	0.8	0.9	0.4	0.7
199	Other and unspecified sites	M	3.5	5.6	5.2	6.9	3.8	7.1	4.1	4.7	3.5	5.1	4.4	4.0	3.5	3.1	2.7	4.4
		F	5.0	6.1	5.4	9.3	4.6	7.9	5.0	6.1	4.5	5.3	5.8	4.3	5.0	3.5	5.0	5.3
200	Lymphosarcoma and reticulosarcoma	M	3.8	3.9	3.5	3.0	3.8	3.9	4.0	4.1	3.8	3.5	4.5	3.4	3.8	3.1	3.6	3.7
		F	2.1	2.5	1.7	2.1	3.0	3.0	2.9	3.9	2.3	3.0	4.2	2.0	3.1	2.3	2.8	2.7
201	Hodgkin's disease	M	2.4	2.4	2.5	2.2	2.3	3.1	2.6	2.8	1.4	2.8	2.1	2.3	3.0	2.1	2.9	2.5
		F	1.6	2.1	1.9	1.3	1.4	1.3	1.4	1.7	1.3	1.0	1.8	1.7	1.6	1.2	2.3	1.6
202	Other forms of lymphoma (reticulososis)	M	0.6	0.6	0.7	1.2	0.9	1.5	0.5	0.8	0.9	0.7	0.9	0.5	0.8	0.6	0.6	0.8
		F	0.4	0.2	0.7	0.9	0.7	0.5	0.5	0.6	0.6	0.6	0.5	0.4	0.7	0.3	0.6	0.5
203	Multiple myeloma (plasmacytoma)	M	1.8	1.8	1.6	2.3	1.8	1.6	2.0	1.3	2.0	0.8	2.4	1.8	1.8	1.1	0.8	1.7
		F	1.9	1.9	1.4	1.6	0.9	1.6	1.6	2.8	1.6	2.0	2.1	1.9	1.5	1.1	1.7	1.6
204	Leukaemia and aleukaemia	M	6.7	5.5	6.4	4.5	4.5	6.3	5.9	6.3	5.2	8.4	7.7	6.8	6.0	5.7	6.8	6.1

Table 9 Registrations of newly diagnosed cases of cancer
by sex, site and age. 1963

England and Wales

ICD (7th Revision) number and site description	M	Age-group																			Age not stated	All ages
		0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over			
140 Lip	M	-	-	1	-	-	4	3	10	25	32	37	72	89	77	81	80	59	22	3	595	
	F	-	-	-	-	-	-	1	-	1	2	4	5	11	8	7	16	8	6	-	69	
	Persons	-	-	1	-	-	4	4	10	26	34	41	77	100	85	88	96	67	28	3	664	
141 Tongue	M	-	-	-	-	-	2	1	5	8	11	23	29	47	39	61	50	39	22	-	337	
	F	-	-	1	-	-	1	1	6	3	6	9	13	22	35	33	29	28	15	-	202	
	Persons	-	-	1	-	-	3	2	11	11	17	32	42	69	74	94	79	67	37	-	539	
142 Salivary gland	M	-	-	-	4	11	10	25	20	19	30	27	24	31	24	17	11	16	3	-	272	
	F	-	1	2	2	8	9	14	22	25	29	25	37	29	22	16	21	19	9	1	291	
	Persons	-	1	2	6	19	19	39	42	44	59	52	61	60	46	33	32	35	12	1	563	
143 Floor of mouth	M	-	-	-	-	-	-	-	-	-	7	5	19	26	19	31	26	16	8	-	157	
	F	-	-	-	-	-	-	-	-	2	3	4	8	6	5	5	8	4	5	-	50	
	Persons	-	-	-	-	-	-	-	-	2	10	9	27	32	24	36	34	20	13	-	207	
144 Other mouth (specified and unspecified)	M	-	-	-	-	1	-	4	-	12	6	12	23	33	45	44	39	29	18	1	267	
	F	-	-	-	-	1	2	2	4	5	3	13	25	25	23	26	29	16	14	-	188	
	Persons	-	-	-	-	2	2	6	4	17	9	25	48	58	68	70	68	45	32	1	455	
145 Oral mesopharynx	M	1	-	-	2	-	1	2	1	5	5	19	17	38	30	26	27	21	15	1	211	
	F	-	-	-	1	-	-	-	1	2	5	9	6	10	10	16	9	3	2	-	74	
	Persons	1	-	-	3	-	1	2	2	7	10	28	23	48	40	42	36	24	17	1	285	
146 Nasopharynx	M	-	1	1	4	2	4	1	4	11	7	11	16	21	13	9	1	1	2	-	109	
	F	-	-	-	1	2	-	1	1	2	1	4	12	11	5	11	5	3	2	-	61	
	Persons	-	1	1	5	4	4	2	5	13	8	15	28	32	18	20	6	4	4	-	170	
147 Hypopharynx	M	-	1	-	1	-	1	-	1	2	3	13	33	31	44	44	35	12	7	-	228	
	F	-	-	-	-	-	1	6	8	15	17	24	35	34	33	34	31	12	6	-	256	
	Persons	-	1	-	1	-	2	6	9	17	20	37	68	65	77	78	66	24	13	-	484	
148 Pharynx (unspecified)	M	-	-	-	-	-	1	-	2	-	1	8	14	14	16	12	11	9	4	-	92	
	F	-	-	-	-	-	-	1	4	1	9	3	3	9	9	11	5	9	3	-	67	
	Persons	-	-	-	-	-	1	1	6	1	10	11	17	23	25	23	16	18	7	-	159	
150 Oesophagus	M	-	-	-	-	-	1	2	4	21	37	89	128	205	188	241	183	114	56	2	1,251	
	F	-	-	-	-	1	-	2	5	16	43	56	80	122	167	161	157	117	59	2	988	
	Persons	-	-	-	-	1	1	4	9	37	80	145	208	327	355	402	320	231	115	4	2,239	
151 Stomach	M	-	-	-	1	3	6	22	74	126	284	556	887	1,126	1,186	1,056	780	380	140	3	6,630	
	F	-	-	-	-	2	9	21	28	76	116	243	345	531	682	788	716	493	250	-	4,300	
	Persons	-	-	-	1	5	15	43	102	202	400	799	1,232	1,657	1,868	1,844	1,496	873	390	3	10,930	
152 Small intestine, including duodenum	M	-	-	-	2	-	-	4	4	4	9	12	10	26	16	13	9	3	-	-	112	
	F	-	-	-	-	2	-	3	2	1	7	10	6	16	21	23	17	15	2	-	125	
	Persons	-	-	-	2	2	-	7	6	5	16	22	16	42	37	36	26	18	2	-	237	

153 Large intestine, except rectum	M	-	-	2	7	6	18	25	54	114	161	310	417	575	623	648	546	344	155	1	4,006
	F	-	1	5	14	10	21	34	59	135	221	339	525	658	841	909	809	555	310	8	5,454
	Persons	-	1	7	21	16	39	59	113	249	382	649	942	1,233	1,464	1,557	1,355	899	465	9	9,460
154 Rectum	M	-	-	-	2	5	6	18	34	72	135	274	428	630	631	672	533	307	147	4	3,898
	F	-	-	-	1	2	4	17	36	83	110	235	319	442	478	489	454	326	174	3	3,173
	Persons	-	-	-	3	7	10	35	70	155	245	509	747	1,072	1,109	1,161	987	633	321	7	7,071
155 Biliary passages and liver (specified primary)	M	5	-	-	-</																

Table 9 - continued

England and Wales, 1963

ICD (7th Revision) number and site description		Age-group																	Age not stated	All ages	
		0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over		
172-174 Other parts of uterus (including pre-malignant cases)	F	1	-	-	1	6	9	17	40	110	255	458	615	583	470	335	177	97	31	3	3,208
171-174 Uterus (pre-malignant)	F	-	-	-	1	8	24	55	62	94	75	48	17	13	14	2	1	-	2	-	416
175 Ovary, Fallopian tube and broad ligament	F	3	2	2	24	16	28	50	94	232	336	465	513	514	446	328	212	110	43	6	3,424
176 Other and unspecified female genital organs	F	1	-	-	-	1	3	9	19	31	28	48	77	110	144	146	134	117	55	1	924
177 Prostate	M	-	1	-	1	1	-	-	2	5	28	83	242	488	747	1,071	1,019	745	399	8	4,840
178 Testis	M	9	1	-	16	40	68	83	74	45	42	33	31	18	8	11	3	2	-	-	484
179 Other and unspecified male genital organs	M	-	-	-	1	-	-	1	3	9	16	25	41	45	47	45	35	25	16	-	309
180 Kidney	M	42	8	1	2	1	6	9	18	46	81	127	161	151	137	120	56	38	16	2	1,022
	F	26	8	2	-	2	3	4	7	23	28	45	61	73	93	70	68	40	21	-	574
	Persons	68	16	3	2	3	9	13	25	69	109	172	222	224	230	190	124	78	37	2	1,596
181 Bladder and other urinary organs	M	4	-	-	2	4	3	11	29	57	127	250	456	654	660	623	482	268	149	14	3,793
	F	1	-	-	1	1	1	5	13	20	35	81	125	152	184	236	205	159	76	4	1,299
	Persons	5	-	-	3	5	4	16	42	77	162	331	581	806	844	859	687	427	225	18	5,092
190 Melanoma of skin	M	-	2	-	9	9	11	19	14	32	23	20	25	17	28	31	11	19	7	-	277
	F	1	1	2	16	20	21	29	50	52	48	57	50	51	39	41	38	23	13	2	554
	Persons	1	3	2	25	29	32	48	64	84	71	77	75	68	67	72	49	42	20	2	831
191 Other malignant neoplasm of skin	M	-	-	1	3	7	25	58	163	345	445	734	925	1,036	991	953	860	499	370	42	7,457
	F	-	2	-	3	10	15	63	113	220	313	458	556	681	786	908	852	635	436	30	6,081
	Persons	-	2	1	6	17	40	121	276	565	758	1,192	1,481	1,717	1,777	1,861	1,712	1,134	806	72	13,538
192 Eye	M	18	3	-	3	-	5	2	7	8	14	15	14	14	15	7	11	1	3	-	140
	F	15	3	-	1	1	1	-	7	9	6	15	13	15	5	8	10	4	-	-	113
	Persons	33	6	-	4	1	6	2	14	17	20	30	27	29	20	15	21	5	3	-	253
193 Brain and other parts of nervous system (including benign neoplasm)	M	67	56	40	37	32	47	76	81	115	135	215	245	195	128	63	16	7	4	1	1,560
	F	56	41	37	25	19	29	50	63	88	110	165	172	149	125	67	23	13	3	4	1,239
	Persons	123	97	77	62	51	76	126	144	203	245	380	417	344	253	130	39	20	7	5	2,799
193 Brain and other parts of nervous system (excluding benign neoplasm)	M	66	55	37	29	26	40	63	65	96	121	194	222	172	112	55	10	4	4	1	1,372
	F	54	39	36	24	16	22	41	43	63	75	116	129	112	92	44	11	9	2	2	930
	Persons	120	94	73	53	42	62	104	108	159	196	310	351	284	204	99	21	13	6	3	2,302
194 Thyroid gland	M	1	-	1	3	-	6	6	4	8	12	15	21	11	15	21	15	8	2	1	150
	F	-	-	3	5	12	12	16	17	18	24	39	48	46	45	52	40	30	11	1	417
	Persons	1	-	4	8	12	18	22	21	24	36	54	69	57	60	73	55	38	13	2	567

195 Other endocrine glands (including benign neoplasm)	M	13	4	6	3	11	7	11	14	14	16	25	17	14	5	6	2	2	-	-	170
	F	10	5	1	5	5	10	8	8	13	8	21	18	14	18	5	5	1	-	-	155
	Persons	23	9	7	8	16	17	19	22	27	24	46	35	28	23	11	7	3	-	-	325
195 Other endocrine glands (excluding benign neoplasm)	M	13	3	4	2	5	2	5	5	7	6	9	8	7	4	1	2	2	-	-	85
	F	9	3	-	1	3	4	4	2	5	2	6	9	7	9	3	3	1	-	-	71
	Persons	22	6	4	3	8	6	9	7	12	8	15	17	14	13	4	5	3	-	-	156
196 Bone	M	3	4	12	31	27	9	7	13	11	16	16	25	26	14	25	13	10	9	-	271
	F	8	3	23	20	8	6	4	1	13	9	12	13	15	30	20	20	16	5	-	226
	Persons	11	7	35	51	35	15	11	14	24	25	28	38	41	44	45	33	28	14	-	497
197 Connective tissue	M	10	5	7	20	9	11	21	25	19	26	27	44	57	39	36	26	14	3	-	399
	F	11	3	6	11	9	6	9	8	18	14	25	31	35	31	24	18	15	5	1	280
	Persons	21	8	13	31																

Table 10 Registrations of newly diagnosed cases of cancer by sex, site and age. 1963

Urban areas of England and Wales

ICD (7th Revision) number and site description	Age-group																		Age not stated	All ages	
	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over			
140 Lip	M	-	-	1	-	-	3	3	8	19	23	30	50	65	51	53	48	34	16	1	405
	F	-	-	-	-	-	-	1	-	-	2	3	3	6	6	6	14	7	3	-	51
	Persons	-	-	1	-	-	3	4	8	19	25	33	53	71	57	59	62	41	19	1	456
141 Tongue	M	-	-	-	-	-	2	1	3	7	9	21	24	41	34	54	41	35	19	-	291
	F	-	-	1	-	-	1	-	5	3	6	8	12	19	29	23	24	25	13	-	169
	Persons	-	-	1	-	-	3	1	8	10	15	29	36	60	63	77	65	60	32	-	460
142 Salivary gland	M	-	-	-	4	10	9	22	15	13	22	24	17	28	19	10	9	11	2	-	215
	F	-	1	1	1	8	7	12	20	19	24	19	26	26	19	14	16	15	7	1	236
	Persons	-	1	1	5	18	16	34	35	32	46	43	43	54	38	24	25	26	9	1	451
143 Floor of mouth	M	-	-	-	-	-	-	-	-	-	5	3	13	22	18	23	19	10	6	-	119
	F	-	-	-	-	-	-	-	-	2	3	3	8	6	3	5	6	3	5	-	44
	Persons	-	-	-	-	-	-	-	-	2	8	6	21	28	21	28	25	13	11	-	163
144 Other mouth (specified and unspecified)	M	-	-	-	-	1	-	4	-	10	6	11	20	29	34	33	32	25	14	1	220
	F	-	-	-	-	1	2	2	3	3	3	9	21	17	20	23	27	11	14	-	156
	Persons	-	-	-	-	2	2	6	3	13	9	20	41	46	54	56	59	36	28	1	376
145 Oral mesopharynx	M	1	-	-	2	-	1	2	1	5	4	18	15	36	27	23	22	16	12	1	186
	F	-	-	-	1	-	-	-	1	1	2	8	2	8	8	9	2	1	-	51	
	Persons	1	-	-	3	-	1	2	2	6	6	28	17	44	35	31	31	18	13	1	237
146 Nasopharynx	M	-	1	-	1	1	4	1	3	11	6	11	14	18	9	8	1	1	2	-	92
	F	-	-	-	1	1	-	1	1	1	1	4	12	11	5	10	4	3	1	-	56
	Persons	-	1	-	2	2	4	2	4	12	7	15	26	29	14	18	5	4	3	-	148
147 Hypopharynx	M	-	1	-	1	-	1	-	-	1	3	9	26	24	37	33	30	10	6	-	182
	F	-	-	-	-	-	1	3	8	11	15	18	28	24	27	22	24	9	5	-	195
	Persons	-	1	-	1	-	2	3	8	12	18	27	54	48	64	55	54	19	11	-	377
148 Pharynx (unspecified)	M	-	-	-	-	-	1	-	2	-	1	7	13	12	11	12	9	8	4	-	80
	F	-	-	-	-	-	-	1	4	1	7	3	3	9	7	8	4	8	2	-	57
	Persons	-	-	-	-	-	1	1	6	1	8	10	16	21	18	20	13	16	6	-	137
150 Oesophagus	M	-	-	-	-	-	1	2	2	14	34	73	102	175	151	191	125	87	47	2	1,006
	F	-	-	-	-	1	-	2	5	11	36	50	70	95	141	121	128	97	47	1	805
	Persons	-	-	-	-	1	1	4	7	25	70	123	172	270	292	312	253	184	94	3	1,811
151 Stomach	M	-	-	-	3	4	18	65	114	257	461	759	935	988	877	618	307	111	2	5,519	
	F	-	-	-	2	8	16	21	63	91	216	300	455	584	659	606	412	218	-	3,651	
	Persons	-	-	-	5	12	34	86	177	348	677	1,059	1,390	1,572	1,536	1,224	719	329	2	9,170	
152 Small intestine, including duodenum	M	-	-	-	2	-	-	3	4	3	6	9	8	22	12	8	9	2	-	-	88
	F	-	-	-	2	-	-	3	2	-	5	7	5	14	20	18	15	11	1	-	103
	Persons	-	-	-	2	2	-	6	6	3	11	16	13	36	32	26	24	13	1	-	191

153 Large intestine, except rectum	M	-	-	2	7	5	17	21	46	90	136	262	337	483	508	516	437	263	124	1	3,255
	F	-	1	2	10	10	21	29	44	117	181	280	449	559	700	755	696	465	270	8	4,597
	Persons	-	1	4	17	15	38	50	90	207	317	542	786	1,042	1,208	1,271	1,133	728	394	9	7,852
154 Rectum	M	-	-	-	1	5	6	17	28	64	103	221	364	520	517	562	430	235	117	4	3,194
	F	-	-	-	1	2	4	16	31	67	94	196	274	375	397	416	391	275	137	3	2,679
	Persons	-	-	-	2	7	10	33	59	131	197	417	638	895	914	978	821	510	254	7	5,873
155 Biliary passages and liver (specified primary)	M	4	-	-	2	-	2	6	13	25	49	55	86	104	83	67	41	16	-	553	
	F	3	-	2	-	2	1	3	9												

Table 10 - continued

Urban areas of
England and Wales, 1963

ICD (7th Revision) number and site description		Age-group																	Age not stated	All ages	
		0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over		
172-174 Other parts of uterus (including pre-malignant cases)	F	1	-	-	1	6	6	14	37	89	219	368	494	467	387	261	142	85	27	3	2,607
171-174 Uterus (pre-malignant)	F	-	-	-	-	8	23	45	50	78	61	42	15	12	12	2	-	-	2	-	350
175 Ovary, Fallopian tube and broad ligament	F	3	1	2	16	14	24	43	81	203	277	389	412	419	366	268	166	99	37	5	2,825
176 Other and unspecified female genital organs	F	1	-	-	-	-	2	7	15	26	24	42	68	88	126	117	104	100	39	1	760
177 Prostate	M	-	-	-	-	1	-	-	2	5	22	68	203	403	616	863	790	561	314	5	3,853
178 Testis	M	7	1	-	14	31	52	68	61	35	35	28	21	15	4	8	3	1	-	-	384
179 Other and unspecified male genital organs	M	-	-	-	1	-	-	1	3	7	15	19	36	37	40	36	30	20	13	-	258
180 Kidney	M	28	6	1	1	1	6	9	15	34	60	111	131	121	118	103	49	32	12	2	840
	F	19	7	1	-	2	1	4	7	22	24	35	50	63	81	59	62	33	18	-	488
	Persons	47	13	2	1	3	7	13	22	56	84	146	181	184	199	162	111	65	30	2	1,328
181 Bladder and other urinary organs	M	4	-	-	2	4	2	10	27	50	107	204	395	550	554	521	395	222	115	12	3,174
	F	1	-	-	1	1	1	5	11	17	28	67	106	129	157	201	168	139	64	3	1,099
	Persons	5	-	-	3	5	3	15	38	67	135	271	501	679	711	722	563	361	179	15	4,273
190 Melanoma of skin	M	-	1	-	8	8	7	16	11	27	19	16	22	14	27	24	7	15	5	-	227
	F	1	1	2	12	15	15	20	42	42	44	45	44	43	33	30	28	19	9	1	446
	Persons	1	2	2	20	23	22	36	53	69	63	61	66	57	60	54	35	34	14	1	673
191 Other malignant neoplasm of skin	M	-	-	1	1	7	19	46	142	278	369	617	768	823	795	757	663	378	284	24	5,972
	F	-	2	-	3	6	15	49	91	176	263	382	480	589	681	759	716	521	339	24	5,076
	Persons	-	2	1	4	13	34	95	233	454	632	999	1,248	1,392	1,476	1,516	1,379	899	623	48	11,048
192 Eye	M	13	2	-	3	-	4	2	4	5	12	11	12	13	13	5	9	1	2	-	111
	F	13	2	-	-	1	1	-	5	8	6	13	10	13	5	6	7	4	-	-	94
	Persons	26	4	-	3	1	5	2	9	13	18	24	22	26	18	11	16	5	2	-	205
193 Brain and other parts of nervous system (including benign neoplasm)	M	53	44	35	33	29	40	67	58	93	111	184	203	165	106	54	13	4	4	1	1,297
	F	46	30	28	20	14	19	38	52	67	83	139	146	126	111	56	21	12	3	4	1,015
	Persons	99	74	63	53	43	59	105	110	160	194	323	349	291	217	110	34	16	7	5	2,312
193 Brain and other parts of nervous system (excluding benign neoplasm)	M	52	43	32	25	23	34	56	47	78	98	169	185	145	90	47	8	3	4	1	1,140
	F	44	28	27	19	11	15	29	36	47	54	98	108	96	80	35	9	8	2	2	748
	Persons	96	71	59	44	34	49	85	83	125	152	267	293	241	170	82	17	11	6	3	1,888
194 Thyroid gland	M	-	-	1	2	-	5	3	2	6	11	14	17	10	15	19	12	7	2	1	127
	F	-	-	2	4	12	10	14	14	15	19	29	42	37	40	47	33	21	10	1	350
	Persons	-	-	3	6	12	15	17	16	21	30	43	59	47	55	66	45	28	12	2	477

195 Other endocrine glands (including benign neoplasm)	M	11	3	6	1	10	7	10	9	12	14	22	16	13	5	6	2	2	-	-	149
	F	8	4	1	4	5	9	8	5	11	5	16	18	11	15	5	4	1	-	-	130
	Persons	19	7	7	5	15	16	18	14	23	19	38	34	24	20	11	6	3	-	-	279
195 Other endocrine glands (excluding benign neoplasm)	M	11	3	4	1	4	2	5	4	7	6	8	8	6	4	1	2	2	-	-	78
	F	7	2	-	1	3	3	4	2	4	1	4	9	5	8	3	3	1	-	-	60
	Persons	18	5	4	2	7	5	9	6	11	7	12	17	11	12	4	5	3	-	-	138
196 Bone	M	3	4	10	28	24	6	7	12	9	13	15	21	21	14	18	11	9	7	-	232
	F	8	3	18	16	6	6	3	1	13	7	10	13	11	27	11	16	15	5	-	189
	Persons	11	7	28	44	30	12	10	13	22	20	25	34	32	41	29	27	24	12	-	421
197 Connective tissue	M	8	5	5	16	8	9	18	23	16	21	24	36	49	35	28	21	10	3	-	335
	F	9	2	6	9	9	6	8	7	16	10	19	26	31	27	22	13	13	4	1	238
	Persons	17	7	11	25	17	15	26	30	32	31	43</td									

Table II Registrations of newly diagnosed cases of cancer by sex, site and age. 1963

Rural areas of England and Wales

ICD (7th Revision) number and site description	M	Age-group																	Age not stated	All ages			
		0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over				
140 Lip	M	-	-	-	-	-	-	1	-	2	6	9	7	22	24	26	28	32	25	6	2	190	
	F	-	-	-	-	-	-	-	-	1	1	9	1	2	5	2	1	2	1	3	-	18	
	Persons	-	-	-	-	-	-	1	-	2	7	9	8	24	29	28	29	34	26	9	2	208	
141 Tongue	M	-	-	-	-	-	-	-	-	2	1	2	2	5	6	5	7	9	4	3	-	46	
	F	-	-	-	-	-	-	-	-	1	1	-	1	1	3	6	10	5	3	2	-	33	
	Persons	-	-	-	-	-	-	-	-	1	3	1	2	3	6	9	11	17	14	7	5	79	
142 Salivary gland	M	-	-	-	-	1	1	3	5	6	8	3	7	3	5	7	2	5	4	1	-	57	
	F	-	-	1	1	1	1	2	2	6	5	6	11	3	3	2	5	4	2	3	-	55	
	Persons	-	-	1	1	1	1	3	5	7	12	13	9	18	6	8	9	7	9	4	3	112	
143 Floor of mouth	M	-	-	-	-	-	-	-	-	-	-	-	2	2	6	4	1	8	7	6	2	-	38
	F	-	-	-	-	-	-	-	-	-	-	-	2	3	6	4	3	8	2	1	-	6	
	Persons	-	-	-	-	-	-	-	-	-	-	-	2	3	6	4	3	8	9	7	2	-	44
144 Other mouth (specified and unspecified)	M	-	-	-	-	-	-	-	-	1	2	-	1	3	4	8	11	11	7	4	4	-	47
	F	-	-	-	-	-	-	-	-	1	2	-	4	4	8	13	13	2	5	4	-	32	
	Persons	-	-	-	-	-	-	-	-	1	4	-	5	7	12	14	14	9	9	4	-	79	
145 Oral mesopharynx	M	-	-	-	-	-	-	-	-	-	1	3	1	2	2	3	3	5	5	3	-	25	
	F	-	-	-	-	-	-	-	-	-	1	4	2	6	4	2	8	5	1	1	-	23	
	Persons	-	-	-	-	-	-	-	-	-	1	4	2	6	5	11	5	6	4	-	-	48	
146 Nasopharynx	M	-	-	1	3	1	-	-	1	-	1	-	2	3	4	1	-	-	-	-	-	17	
	F	-	-	-	-	-	-	-	-	1	1	-	2	3	4	2	1	-	1	-	-	5	
	Persons	-	-	1	3	2	-	-	1	1	1	-	2	3	4	2	1	-	1	-	-	22	
147 Hypopharynx	M	-	-	-	-	-	-	-	1	1	-	4	2	6	7	7	7	11	5	2	1	-	46
	F	-	-	-	-	-	-	-	3	-	4	2	10	14	17	13	23	12	5	2	-	61	
	Persons	-	-	-	-	-	-	-	3	1	5	2	10	14	17	13	23	12	5	2	-	107	
148 Pharynx (unspecified)	M	-	-	-	-	-	-	-	-	-	-	-	1	1	2	5	-	2	1	1	-	-	12
	F	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	3	3	2	1	-	-	10
	Persons	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	3	3	2	1	-	-	22
150 Oesophagus	M	-	-	-	-	-	-	-	2	7	3	16	26	30	37	50	38	27	9	-	-	245	
	F	-	-	-	-	-	-	-	5	7	6	10	27	26	40	29	20	12	1	-	-	183	
	Persons	-	-	-	-	-	-	-	2	12	10	22	36	57	63	90	67	47	21	1	-	428	
151 Stomach	M	-	-	1	-	2	4	9	12	27	95	128	191	198	179	162	73	29	1	-	-	1,111	
	F	-	-	-	-	1	5	7	13	25	27	45	76	98	129	110	81	32	1	-	-	649	
	Persons	-	-	-	-	1	3	9	16	25	52	122	173	267	296	308	272	154	61	1	-	-	1,760
152 Small intestine, including duodenum	M	-	-	-	-	-	-	1	-	1	3	3	2	4	4	5	-	1	4	1	-	-	24
	F	-	-	-	-	-	-	1	-	2	5	5	6	3	6	5	10	2	5	1	-	-	22
	Persons	-	-	-	-	-	-	1	-	2	5	5	6	3	6	5	10	2	5	1	-	-	46

42

153 Large intestine, except rectum	M	-	-	-	-	1	1	4	8	24	25	48	80	92	115	132	109	81	31	-	-	751
	F	-	-	3	4	-	5	15	18	40	40	59	76	99	141	154	113	90	40	-	-	857
	Persons	-	-	3	4	1	1	9	23	42	65	107	156	191	256	286	222	171	71	-	-	1,608
154 Rectum	M	-	-	-	1	-	-	1	6	8	32	53	64	110	114	110	103	72	30	-	-	704
	F	-	-	-	1	-	-	1	5	16	16	39	45	67	81	73	63	51	37	-	-	494
	Persons	-	-	-	1	-	-	2	11	24	48	92	109	177	195	183	166	123	67	-	-	1,198
155 Biliary passages and liver (specified primary)	M	1	-	-	-	-	1	2	-	5	5	4	12	20	24	14	9	6	1	-	-	104
	F	2	-	1	-	1	-	1	1	1	4	5	10	17	32	29	25	22				

Table II - continued

Rural areas of
England and Wales, 1963

ICD (7th Revision) number and site description		Age-group																			Age not stated	All ages
		0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over			
171-174 Uterus (pre-malignant)	F	-	-	-	1	-	1	10	12	16	14	6	2	1	2	-	1	-	-	-	-	66
175 Ovary, Fallopian tube and broad ligament	F	-	1	-	8	2	4	7	13	29	59	76	101	95	80	60	46	11	6	1	599	
176 Other and unspecified female genital organs	F	-	-	-	-	1	1	2	4	5	4	6	9	22	18	29	30	17	16	-	164	
177 Prostate	M	-	1	-	1	-	-	-	-	-	6	15	39	85	131	208	229	184	85	3	987	
178 Testis	M	2	-	-	2	9	16	15	13	10	7	5	10	3	4	3	-	1	-	-	100	
179 Other and unspecified male genital organs	M	-	-	-	-	-	-	-	-	2	1	6	5	8	7	9	5	5	3	-	51	
180 Kidney	M	14	2	-	1	-	-	-	3	12	21	16	30	30	19	17	7	6	4	-	182	
	F	7	1	1	-	-	2	-	-	1	4	10	11	10	12	11	6	7	3	-	86	
	Persons	21	3	1	1	-	2	-	3	13	25	26	41	40	31	28	13	13	7	-	268	
181 Bladder and other urinary organs	M	-	-	-	-	-	1	1	2	7	20	46	61	104	106	102	87	46	34	2	619	
	F	-	-	-	-	-	-	-	2	3	7	14	19	23	27	35	37	20	12	1	200	
	Persons	-	-	-	-	-	1	1	4	10	27	60	80	127	133	137	124	66	46	3	819	
190 Melanoma of skin	M	-	1	-	1	1	4	3	3	5	4	4	3	3	1	7	4	4	2	-	50	
	F	-	-	-	4	5	6	10	12	11	15	8	16	9	11	6	11	10	4	4	1	108
	Persons	-	1	-	5	6	10	12	11	15	8	16	9	11	7	18	14	8	6	1	1	158
191 Other malignant neoplasm of skin	M	-	-	-	2	-	6	12	21	67	76	117	157	213	196	197	121	86	18	1,485		
	F	-	-	-	-	4	-	14	22	44	50	76	76	112	105	149	136	114	97	6	1,005	
	Persons	-	-	-	2	4	6	26	43	111	128	193	233	325	301	345	333	235	183	24	2,490	
192 Eye	M	5	1	-	-	1	-	3	3	2	4	2	1	2	2	2	2	2	-	1	29	
	F	2	1	-	1	-	-	2	1	-	2	3	2	2	3	2	2	3	-	-	19	
	Persons	7	2	-	1	-	1	-	5	4	2	6	5	3	2	4	5	-	1	-	48	
193 Brain and other parts of nervous system (includ- ing benign neoplasm)	M	14	12	5	4	3	7	9	23	22	24	31	42	30	22	9	3	3	-	-	263	
	F	10	11	9	5	5	10	12	11	21	27	26	23	14	11	2	1	-	-	-	224	
	Persons	24	23	14	9	8	17	21	34	43	51	57	68	53	36	20	5	4	-	-	487	
193 Brain and other parts of nervous system (exclud- ing benign neoplasm)	M	14	12	5	4	3	6	7	18	18	23	25	37	27	22	8	2	1	-	-	232	
	F	10	11	9	5	5	7	12	7	16	21	18	21	16	12	9	2	1	-	-	182	
	Persons	24	23	14	9	8	13	19	25	34	44	43	58	43	34	17	4	2	-	-	414	
194 Thyroid gland	M	1	-	-	1	-	1	3	2	2	1	1	4	1	-	2	3	1	-	-	23	
	F	-	-	1	1	-	2	2	3	1	5	10	6	9	5	7	10	10	1	-	67	
	Persons	1	-	1	2	-	3	5	5	3	6	11	10	10	5	7	10	10	1	-	90	
195 Other endocrine glands (including benign neoplasm)	M	2	1	-	2	1	-	1	5	2	2	3	1	1	-	-	-	-	-	-	21	
	F	2	1	-	1	-	1	1	1	8	4	5	5	1	3	-	1	-	-	-	25	
	Persons	4	2	-	3	1	1	1	1	8	4	5	8	1	4	3	3	1	-	-	46	
195 Other endocrine glands (excluding benign neoplasm)	M	2	-	-	1	1	-	-	1	-	-	1	1	-	-	-	-	-	-	-	7	
	F	2	1	-	-	1	1	1	-	1	1	1	1	1	-	-	-	-	-	-	11	
	Persons	4	1	-	1	1	1	1	-	1	1	1	1	1	-	-	-	-	-	-	18	
196 Bone	M	-	-	2	3	3	3	3	-	1	2	3	1	4	5	-	7	2	1	2	39	
	F	-	-	5	4	2	-	1	-	1	2	2	2	4	3	9	4	1	1	-	37	
	Persons	-	-	7	7	5	3	1	1	2	5	3	4	9	3	16	6	2	2	-	76	
197 Connective tissue	M	2	-	2	4	1	2	3	2	3	5	3	8	8	4	8	5	4	-	-	64	
	F	2	1	-	2	2	-	1	1	2	4	6	5	4	4	2	5	2	1	-	42	
	Persons	4	1	2	6	1	2	4	3	5	9	9	13	12	8	10	6	6	1	-	106	
198 Lymph nodes (secondary and unspecified)	M	-	-	-	1	-	-	1	-	1	3	2	5	12	11	10	4	2	1	-	52	
	F	-	-	-	-	-	1	1	1	2	1	2	2	2	2	5	1	1	1	-	28	
	Persons	-	-	-	1	-	1	2	2	4	4	7	14	16	15	9	3	2	-	-	80	
199 Other and unspecified sites	M	1	-	-	-	-	-	-	3	3	6	17	21	26	28	23	17	8	2	-	155	
	F	1	-	1	-	-	-	2	2	3	10	18	29	37	34	33	25	14	7	-	216	
	Persons	2	-	1	-	-	2	2	6	3	16	50	63	62	56	42	22	9	-	-	371	
200 Lymphosarcoma and reticulosarcoma	M	1	4	7	6	5	6	5	3	11	13											

Table 12 Registrations of newly diagnosed cases of cancer by sex and site. 1963

Hospital region of residence

	ICD (7th Revision) number and site description	Region of residence															All regions
		Newcastle	Leeds	Sheffield	East Anglia	North West Metropolitan	North East Metropolitan	South East Metropolitan	South West Metropolitan	Wessex	Oxford	South Western	Wales	Birmingham	Manchester	Liverpool	
140 Lip	M	33	26	53	59	29	27	52	41	37	33	68	39	46	37	15	595
	F	2	4	4	5	2	9	7	8	4	2	9	5	3	1	4	69
Persons	M	35	30	57	64	31	36	59	49	41	35	77	44	49	38	19	664
	F																
141 Tongue	M	25	38	24	7	27	19	15	28	10	7	30	17	30	43	17	337
	F	9	18	22	9	10	14	17	12	5	9	13	13	18	22	11	202
Persons	M	34	56	46	16	37	33	32	40	15	18	43	30	48	65	28	539
	F																
142 Salivary gland	M	23	13	29	13	19	15	19	22	10	16	15	12	39	9	18	272
	F	32	15	25	8	24	20	25	27	7	13	14	17	34	12	18	291
Persons	M	55	28	54	21	43	35	44	49	17	29	29	29	73	21	36	563
	F																
143 Floor of mouth	M	15	17	12	7	9	7	12	7	7	2	18	16	9	14	5	157
	F	3	4	3	2	4	-	9	2	3	1	1	1	5	6	4	50
Persons	M	18	21	15	9	13	7	21	9	10	5	19	17	14	20	9	207
	F																
144 Other mouth (specified and unspecified)	M	22	22	23	10	12	12	13	21	12	4	20	20	27	34	15	267
	F	7	15	24	4	15	22	8	11	9	8	4	13	24	19	5	188
Persons	M	29	37	47	14	27	34	21	32	21	12	24	33	51	53	20	455
	F																
145 Oral mesopharynx	M	16	16	26	1	29	6	12	20	7	2	13	6	28	21	8	211
	F	6	3	6	6	2	2	8	8	3	7	7	8	2	3	3	74
Persons	M	22	19	32	7	31	8	20	28	10	9	20	14	30	24	11	285
	F																
146 Nasopharynx	M	8	8	10	5	9	6	9	8	8	2	3	6	17	8	2	109
	F	2	6	7	2	4	4	7	6	4	2	2	5	22	6	2	61
Persons	M	10	14	17	7	13	10	16	14	12	4	5	8	14	4	4	170
	F																
147 Hypopharynx	M	9	18	17	6	19	11	22	17	14	4	18	10	19	28	13	228
	F	16	12	25	11	8	11	14	15	14	7	20	28	40	14	14	256
Persons	M	25	30	42	17	27	22	36	32	31	11	38	38	40	68	27	484
	F																
148 Pharynx (unspecified)	M	8	7	2	-	14	7	5	13	-	4	8	4	13	6	1	92
	F	5	3	3	-	6	9	6	7	2	-	2	5	8	4	7	67
Persons	M	13	10	5	-	20	16	11	20	4	4	10	9	21	10	8	159
	F																
150 Oesophagus	M	83	81	96	50	81	83	105	80	57	39	89	82	147	125	53	1,251
	F	70	65	68	29	60	63	76	63	41	32	92	79	108	96	46	988
Persons	M	153	146	164	79	141	146	181	143	98	71	181	161	255	221	99	2,239
	F																
151 Stomach	M	555	444	638	207	369	474	471	374	223	229	425	505	680	674	362	6,630
	F	394	333	371	122	261	276	320	259	139	140	265	295	404	451	270	4,300
Persons	M	949	777	1,009	329	630	750	791	633	362	369	690	800	1,084	1,125	632	10,930
	F																
152 Small intestine, including duodenum	M	6	8	10	-	8	10	8	9	7	4	8	6	14	12	2	112
	F	7	4	7	4	11	8	7	13	5	7	9	13	13	13	4	125
	Persons	13	12	17	4	19	18	15	22	12	11	17	19	27	25	6	237

153 Large intestine, except rectum	M	291	245	358	145	292	259	314	279	160	148	280	202	435	401	197	4,006
	F	363	336	444	219	392	416	520	408	201	229	398	308	508	468	244	5,454
Persons	M	654	581	802	364	684	675	834	687	361	377	678	510	943	869	441	9,460
	F																
154 Rectum	M	282	226	395	183	247	269	272	287	115	153	259	226	471	322	191	3,898
	F	185	244	268	115	233	244	271	253	123	116	193	169	340	281	158	3,173
Persons	M	467	470	663	2												

Table 12 - continued

Hospital region of residence, 1963

ICD (7th Revision) number and site description			Region of residence														All regions
			Newcastle	Leeds	Sheffield	East Anglia	North West Metropolitan	North East Metropolitan	South East Metropolitan	South West Metropolitan	Wessex	Oxford	South Western	Wales	Birmingham	Manchester	Liverpool
176 Other and unspecified female genital organs	F	61	72	80	37	62	65	80	67	35	29	64	54	92	93	33	924
177 Prostate	M	310	309	400	211	339	362	402	317	190	189	467	243	483	421	197	4,840
178 Testis	M	20	45	43	26	37	36	37	40	20	15	30	16	56	36	27	484
179 Other and unspecified male genital organs	M	25	18	29	15	18	16	22	15	12	13	17	16	27	52	14	309
180 Kidney	M	68	88	90	38	71	92	71	69	45	29	82	62	104	72	41	1,022
	F	33	37	44	24	34	36	49	55	18	19	47	29	65	47	37	574
	Persons	101	125	134	62	105	128	120	124	63	48	129	91	169	119	78	1,596
181 Bladder and other urinary organs	M	230	242	359	126	309	271	327	355	198	121	246	185	346	316	162	3,793
	F	81	92	127	45	97	100	128	135	63	38	91	40	95	100	67	1,299
	Persons	311	334	486	171	406	371	455	490	281	159	337	225	441	416	229	5,092
190 Melanoma of skin	M	17	8	27	16	24	20	32	26	8	6	27	11	32	17	6	277
	F	28	22	45	26	49	34	50	53	23	19	62	29	56	33	25	554
	Persons	45	30	72	42	73	54	82	79	31	25	89	40	88	50	31	831
191 Other malignant neoplasm of skin	M	516	441	583	304	489	488	694	496	349	258	586	476	753	625	399	7,457
	F	434	407	494	204	403	375	569	411	273	200	420	385	566	636	304	6,081
	Persons	950	848	1,077	508	892	863	1,263	907	622	458	1,006	861	1,319	1,261	703	13,538
192 Eye	M	11	11	13	4	15	5	11	13	5	7	12	7	16	8	2	140
	F	6	6	9	3	9	12	10	11	5	5	9	5	15	7	4	113
	Persons	17	17	22	7	24	17	21	24	7	12	21	12	31	15	6	253
193 Brain and other parts of nervous system (including benign neoplasm)	M	102	72	138	51	130	110	117	137	70	53	104	88	156	147	85	1,560
	F	88	53	94	59	110	91	91	105	61	37	101	52	115	115	67	1,239
	Persons	190	125	232	110	240	201	208	242	131	90	205	140	271	262	152	2,799
193 Brain and other parts of nervous system (excluding benign neoplasm)	M	91	65	126	47	108	103	96	120	62	50	87	76	135	124	82	1,372
	F	68	47	68	45	71	72	73	80	50	33	68	38	88	82	47	930
	Persons	159	112	194	92	179	175	169	200	112	83	155	114	223	206	129	2,302
194 Thyroid gland	M	11	8	13	10	7	19	15	6	6	3	10	9	16	9	8	150
	F	19	31	31	13	46	37	37	31	15	9	23	21	51	34	19	417
	Persons	30	39	44	23	53	56	52	37	21	12	33	30	67	43	27	567
195 Other endocrine glands (including benign neoplasm)	M	5	2	15	4	18	12	18	18	11	3	7	12	17	19	9	170
	F	9	8	12	6	14	12	20	16	8	2	3	7	14	15	9	155
	Persons	14	10	27	10	32	24	38	34	19	5	14	15	31	34	18	225

84

195 Other endocrine glands (excluding benign neoplasm)	M	3	2	4	3	11	6	9	9	3	2	5	4	11	10	3	85
	F	8	2	3	7	15	16	12	13	11	4	8	6	19	15	7	71
	Persons	8	4	7	5	16	21	13	18	11	4	8	6	19	15	7	156
196 Bone	M	15	22	14	8	23	25	22	18	9	11	21	17	29	27	10	271
	F	13	21	12	10	15	23	19	27	9	8	14	8	22	12	13	226
	Persons	28	43	26	18	38	48	41	45	18	19	35	25	51	39	23	497
197 Connective tissue	M	25	19	30	7	35	35	37	41	14	15	31	19	39	35	17	399
	F	6	14	26	9	21	30	26	21	7	11	17	17	36	40	9	280
	Persons	31	33	56	16	56	65	63	62	21	22	42	36	75	75	26	679
198 Lymph nodes (secondary and unspecified)	M	26	24	19	11	21	20	21	20	11	10	17	18	20	24	12	274
	F	22	13	29	5	20	14	12	25	7	6	9	17	21	16	6	222
	Persons	48	37	48	16	41	34	33	45	18	16	26	35	41	40	18	496
199 Other and unspecified sites	M	56	45	131	18	52	85	74	73	30	39	79	50	71	74	34	911
	F	88	80	132	49	104	112	136	101	50	41	92	53	113	97	47	1,293
	Persons	142	125	263	67	156	197	210	174	80	80	171	103	184	171	81	2,204
200 Lymphosarcoma and reticulosarcoma	M	52	69	74	28	75	65	70	65	34	39	80	50	81	60	35	877
	F	39	42	48	30	70	55	67	62	26	30	58	39	60	61	50	737
	Persons	91	111	122	58	145	120	137	127	60	69	138	89	141	121	85	1,614
201 Hodgkin's disease	M	31	41	94	19	57	58	46	66	21	19	47	29	71	66	23	397

Table 13 Rates per 100,000 population by sex, site and age,
of newly diagnosed cases of cancer. 1963

(rates based on under 20 registrations are shown in italics)

ICD (7th Revision) number and site description	Age-group									All ages	
	0-	5-	15-	25-	35-	45-	55-	65-	75 and over		
140 Lip	M F	- -	0 -	- 0	0.2 0	1.1 0.2	2.3 0.5	6.2 0.7	10.9 2.2	23.7 0.2	2.6 0.3
141 Tongue	M F	- -	- 0	- 0.1	1.0 0.3	0.4 0.5	1.1 1.2	2.9 3.1	6.8 5.4	16.2 1.3	1.5 0.8
142 Salivary gland	M F	- -	0.4 0.1	1.2 0.3	1.2 0.8	1.9 1.5	2.1 1.7	2.8 2.3	4.4 1.8	3.7 3.7	1.2 1.2
143 Floor of mouth	M F	- -	- -	- 0.1	0.4 0.2	1.7 0.5	3.4 0.5	7.3 1.3	0.7 1.3	0.7 0.2	
144 Other mouth (specified and unspecified)	M F	- -	0 0	0.1 0.1	0.4 0.3	0.6 0.5	2.1 1.7	6.2 2.3	12.6 4.4	1.2 0.8	
145 Oral mesopharynx	M F	0 -	- 0	0.1 0	0.1 0.1	0.2 0.4	0.8 0.5	2.1 1.2	3.8 1.0	9.2 0.9	0.9 0.3
146 Nasopharynx	M F	- -	0.1 0.1	0.2 0	0.5 0.1	0.6 0.2	1.4 0.8	1.5 0.7	0.6 0.7	0.5 0.3	
147 Hypopharynx	M F	- -	0 -	0 0.2	0.1 0.7	0.5 1.3	2.4 2.3	6.0 3.1	7.9 3.7	1.0 1.1	
148 Pharynx (unspecified)	M F	- -	- -	0 0	0.1 0.2	0.3 0.4	1.1 0.4	1.9 0.9	3.5 1.3	0.4 0.3	
150 Oesophagus	M F	- -	- 0	0.1 0.1	0.8 0.7	4.1 3.1	12.7 6.8	29.5 15.2	48.7 24.9	5.5 4.1	
151 Stomach	M F	- -	- 0.1	0.1 1.0	0.9 3.2	6.2 11.3	27.6 29.6	77.1 68.0	153.5 125.1	190.0 108.9	29.0 17.8
152 Small intestine, including duodenum	M F	- -	0.1 0.1	0.1 0.1	0.2 0.5	0.7 0.7	1.4 2.0	2.0 2.0	1.8 2.5	0.5 0.5	
153 Large intestine, except rectum	M F	- -	0.1 0.2	0.4 0.7	1.4 1.9	5.2 6.1	15.5 17.7	38.0 40.0	87.0 81.1	152.7 125.1	17.5 22.5
154 Rectum	M F	- -	- 0.2	0.8 0.1	3.3 0.7	13.5 10.9	40.6 25.8	89.2 44.8	144.3 71.2	17.1 13.1	
155 Biliary passages and liver (specified primary)	M F	0.2 0.3	- 0.1	0.1 0.1	0.2 0.2	0.7 0.7	2.7 1.9	6.6 6.1	15.4 12.9	20.5 21.9	2.9 3.5
156 Liver (secondary and unspecified)	M F	0 -	- -	0.1 0.2	0.5 0.3	1.9 1.5	5.4 2.9	10.5 5.9	9.9 7.4	1.9 1.6	
157 Pancreas	M F	0 -	- -	0.2 0.2	1.9 0.9	7.5 4.3	22.8 11.6	41.6 25.5	59.0 38.2	8.3 6.5	
158 Peritoneum	M F	0.3 0.1	0 -0	0.1 0.1	0.2 0.2	0.5 0.5	0.9 1.2	1.0 2.0	2.0 1.9	0.4 0.6	
159 Unspecified digestive organs	M F	- -	- -	- -	0 0.1	0.1 0.2	0.3 0.1	0.3 0.1	0.6 0.1	0.1 0.1	
160 Nose, nasal cavities, middle ear and accessory sinuses	M F	- 0.1	0 0	- 0.1	0.3 0.5	1.1 1.6	2.4 2.0	4.2 3.0	4.1 0.7	0.9 0.7	
161 Larynx	M F	- -	0 -	0.1 0.3	1.3 1.0	4.4 1.7	14.8 2.5	22.4 1.8	22.1 0.7	4.6 0.7	
162-163 Lung (primary and unspecified)	M F	0.1 -0.1	- 0.1	0.2 0.7	2.8 4.9	19.0 19.3	100.5 35.6	301.3 45.3	430.5 40.9	289.8 13.9	87.2 13.9
164 Mediastinum	M F	0.1 -	0 -	0.1 0	0.2 0	0.3 0.2	0.7 0.2	0.4 0.1	0.2 0.1	0.2 0.1	
165 Thoracic organs (secondary)	M F	- -	- 0	0.1 0.1	0.2 0.4	0.5 0.8	1.4 1.1	2.9 1.5	2.9 1.5	0.5 0.4	
170 Breast	M F	- -	- 0.5	0 11.2	0.2 62.5	0.7 114.5	1.5 137.3	3.1 160.2	4.7 178.1	0.6 65.6	
171 Cervix uteri (including pre-malignant cases)	F	- -	- 0.5	0.5 8.1	34.0 34.0	41.8 33.9	33.9 31.7	28.7 28.7	19.6		

England and Wales

Table 13 - continued

England and Wales, 1963

ICD (7th Revision) number and site description	Age-group									All ages
	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	
172-174 Other parts of uterus (including pre-malignant cases)	M F	- 0.1	- -	0.2 0.2	0.9 4.7	22.5 40.6	40.6 37.2	22.8 22.8	13.3	
171-174 Uterus (pre-malignant)	F	- -	- 0.3	2.7 4.9	4.9 3.9	1.0 0.7	0.7 0.2	0.2 0.2	1.7	
175 Ovary, Fallopian tube and broad ligament	F	0.2 0.1	1.2 2.7	2.7 10.2	25.4 34.9	34.9 35.8	35.8 27.2	27.2 27.2	14.2	
176 Other and unspecified female genital organs	F	0.1 0	- 0	0.4 1.6	2.4 6.3	6.3 13.4	13.4 22.9	22.9 22.9	3.8	
177 Prostate	M	- 0	0.1 0.1	- -0.2	0.2 3.7	3.7 2.5	2.5 1.9	1.9 1.3	1.3 0.7	21.2
178 Testis	M	0.4 0	0 1.7	5.0 3.7	3.7 2.5	2.5 1.9	1.9 1.3	1.3 0.7	0.7 0.2	2.1
179 Other and unspecified male genital organs	M	- -	- 0	0 0.4	1.3 3.3	3.3 6.3	6.3 11.1	11.1 11.1	1.4	
180 Kidney	M F	2.1 1.4	0.3 0.3	0.1 0.2	0.5 0.9	2.0 2.3	12.0 4.5	17.6 7.5	16.1 9.6	4.5 2.4
181 Bladder and other urinary organs	M F	0.2 0.1	- -0.1	0.2 0.2	0.5 1.0	2.7 3.7	12.4 9.4	42.7 19.4	88.3 33.1	16.6 5.4
190 Melanoma of skin	M F	- 0.1	0.1 0.1	0.5 1.1	1.0 1.7	1.4 3.2	1.4 3.4	1.6 3.4	4.0 3.7	1.2 5.5
191 Other malignant neoplasm of skin	M F	- 0.1	0 0.4	0.3 2.7	2.8 10.4	15.9 24.4	38.8 41.9	75.7 79.1	134.2 144.3	32.7 25.1
192 Eye	M F	0.9 0.8	0.1 0.1	0.1 0	0.2 0.5	0.5 0.7	1.0 0.9	1.1 0.9	1.5 1.0	2.2 0.5
193 Brain and other parts of nervous system (including benign neoplasm)	M F	3.3 3.0	2.8 2.4	2.1 1.3	4.1 2.7	6.1 4.7	11.5 8.7	16.9 10.9	13.1 8.9	3.9 2.9
193 Brain and other parts of nervous system (excluding benign neoplasm)	M F	3.3 2.8	2.6 2.3	1.6 1.2	3.4 2.2	5.0 6.0	10.4 8.2	15.1 11.4	11.4 10.6	6.8 6.0
194 Thyroid gland	M F	0 -	0 0.1	0.1 0.5	0.4 1.0	0.4 1.0	0.9 2.0	1.2 3.2	2.5 4.5	0.7 1.7
195 Other endocrine glands (including benign neoplasm)	M F	0.6 0.5	0.3 0.2	0.4 0.3	0.6 0.6	0.9 0.7	1.3 0.9	1.2 1.1	0.8 1.1	0.6 0.4
195 Other endocrine glands (excluding benign neoplasm)	M F	0.6 0.5	0.2 0.1	0.2 0.3	0.2 0.2	0.4 0.3	0.5 0.3	0.6 0.5	0.3 0.3	0.4 0.3
196 Bone	M F	0.1 0.4	0.5 0.8	1.7 0.9	0.5 0.3	0.7 0.4	1.1 0.7	2.0 0.9	2.7 2.3	4.7

Table 14 Rates per 100,000 population, by sex, site and age of newly diagnosed cases of cancer. 1963

Urban areas of
England and Wales

(rates based on under 20 registrations are shown in italics)

ICD (7th Revision) number and site description	Age-group									All ages	
	0-	5-	15-	25-	35-	45-	55-	65-	75 and over		
140 Lip	M F	- -	0 -	- 0	0.2 0.1	1.1 0.2	2.2 0.4	5.5 0.7	9.1 2.3	19.0 2.3	2.3 <i>0.3</i>
141 Tongue	M F	- -	- 0	- 0	0.1 0.3	0.4 0.5	1.2 1.3	3.1 2.2	7.7 1.9	18.3 3.6	1.6 <i>0.9</i>
142 Salivary gland	M F	- -	0.1 0.3	0.6 0.8	1.3 1.5	1.1 1.7	1.9 2.2	2.5 1.9	4.2 3.6	1.2 <i>1.2</i>	
143 Floor of mouth	M F	- -	- -	- -	0.1 0.2	0.3 0.2	1.7 0.6	3.6 0.5	6.7 1.3	0.7 <i>0.2</i>	
144 Other mouth (specified and unspecified)	M F	- -	0 0	0.2 0.2	0.4 0.2	0.7 0.5	2.4 1.8	6.0 2.5	13.7 4.9	1.2 <i>0.8</i>	
145 Oral mesopharynx	M F	0.1 -	- 0	0.1 0.1	0.2 0.1	0.9 0.4	2.5 0.9	4.4 0.9	9.6 1.1	1.0 <i>0.3</i>	
146 Nasopharynx	M F	- -	0 0.1	0.2 0	0.5 0.1	0.7 0.2	1.5 1.0	1.5 0.9	0.8 0.8	0.5 <i>0.3</i>	
147 Hypopharynx	M F	- -	0 -	0 0.2	0 0.7	0.5 1.3	2.4 2.2	6.2 2.8	8.9 3.6	1.0 <i>1.0</i>	
148 Pharynx (unspecified)	M F	- -	- -	0 0	0.1 0.2	0.3 0.4	1.2 0.5	2.0 0.9	4.0 1.3	0.4 <i>0.3</i>	
150 Oesophagus	M F	- -	- 0	0.1 0.1	0.6 0.6	4.4 3.4	13.3 6.9	30.2 15.1	49.8 25.5	5.6 <i>4.1</i>	
151 Stomach	M F	- -	0.1 0.1	0.9 1.0	7.0 3.3	29.6 12.0	81.6 31.6	164.1 71.3	199.3 115.9	30.8 <i>18.8</i>	
152 Small intestine, including duodenum	M F	- -	0.1 0.1	0.1 0.1	0.3 0.1	0.6 0.5	1.4 0.8	1.8 2.2	2.1 2.5	0.5 <i>0.5</i>	
153 Large intestine, except rectum	M F	0.1 0.1	0.5 0.8	1.6 2.1	5.3 6.2	16.4 18.0	39.5 42.2	90.1 83.7	158.6 134.5	18.1 <i>23.7</i>	
154 Rectum	M F	- -	0.2 0.1	1.0 0.9	3.6 3.8	13.3 11.3	42.7 27.2	95.0 46.7	150.5 75.3	17.8 <i>13.8</i>	
155 Biliary passages and liver (specified primary)	M F	0.3 0.2	- 0.1	0.1 0.1	0.7 0.2	3.0 2.0	6.8 6.4	18.4 12.6	23.9 22.2	3.1 <i>3.6</i>	
156 Liver (secondary and unspecified)	M F	- -	- -	0.1 0.1	0.5 0.3	2.0 1.5	5.6 3.0	10.4 6.1	11.0 7.8	2.0 <i>1.6</i>	
157 Pancreas	M F	0.1 -	- -	- 0.2	0.2 1.0	7.6 4.8	24.1 12.3	44.4 28.5	63.5 40.1	8.8 <i>6.9</i>	
158 Peritoneum	M F	0.3 0.1	0 -	0 0	0.1 0.1	0.2 0.2	0.5 1.3	1.1 2.2	1.3 1.8	0.4 <i>0.6</i>	
159 Unspecified digestive organs	M F	- -	- -	- -	0 0.1	0.1 0.3	0.4 0.1	0.4 0.2	0.8 0.2	0.1 <i>0.1</i>	
160 Nose, nasal cavities, middle ear, and accessory sinuses	M F	- 0.1	0 0	0 0.1	0.3 0.6	1.0 0.8	2.4 1.7	4.7 2.1	3.3 3.3	0.9 <i>0.8</i>	
161 Larynx	M F	- -	0 -	0.1 -	1.4 0.3	4.4 1.1	16.4 1.9	23.7 2.8	25.4 2.1	5.0 <i>0.8</i>	
162-163 Lung (primary and unspecified)	M F	0.1 -	0.3 0.1	3.1 0.1	19.5 5.6	109.5 20.3	323.7 38.3	472.2 48.2	325.8 43.9	94.8 <i>15.0</i>	
164 Mediastinum	M F	0.1 -	0 -	0.1 0	0.1 -	0.2 0	0.4 0.3	0.8 0.2	0.4 0.2	0.2 <i>0.1</i>	
165 Thoracic organs (secondary)	M F	- -	- 0	0.1 -0.1	0.2 0.4	0.6 0.8	1.6 0.9	2.5 1.7	3.5 1.7	0.6 <i>0.3</i>	
170 Breast	M F	- -	- 0.6	0 11.6	0.2 64.1	0.7 117.1	1.3 140.7	3.4 187.9	5.0 187.0	0.6 <i>68.1</i>	
171 Cervix uteri (including pre-malignant cases)	F	- -	- 0.5	8.6 34.1	43.7	35.8	33.7	30.6	30.6	20.5	

Table 14 - continued

Urban areas of
England and Wales, 1963

ICD (7th Revision) number and site description	Age-group									All ages
	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	
172-174 Other parts of uterus (including pre-malignant cases)	M F	0.1 -	- 0.3	0.3 0.9	4.9 22.9	22.9 40.3	40.3 37.2	37.2 23.8	23.8 13.4	13.4
171-174 Uterus (pre-malignant)	F	- -	- 0.3	2.9 5.0	5.0 4.0	4.0 1.1	1.1 0.8	0.8 0.2	0.2 1.8	1.8
175 Ovary, Fallopian tube and broad ligament	F	0.2 0.1	0.1 1.1	2.9 11.0	11.0 26.0	26.0 34.9	34.9 36.4	36.4 28.3	28.3 14.5	14.5
176 Other and unspecified female genital organs	F	0.1 -	- -	0.4 1.6	1.6 2.6	2.6 6.5	6.5 13.9	13.9 22.9	22.9 3.9	3.9
177 Prostate	M F	- 0.4	- 0	0 1.8	0.3 5.0	0.3 3.8	3.8 2.6	2.6 1.7	1.7 1.1	21.5 <i>0.8</i>
178 Testis	M F	0.4 0	0 1.8	5.0 0.0	3.8 2.6	2.6 1.7	1.7 1.1	1.1 0.8	0.8 2.1	2.1
179 Other and unspecified male genital organs	M F	- -	- 0	0 0.4	0.4 1.4	0.4 3.5	3.5 6.7	6.7 12.1	12.1 1.4	1.4
180 Kidney	M F	1.8 1.3	0.3 0.3	0.1 0.2	0.6 1.1	1.9 2.3	7.0 4.7	12.2 8.0	19.4 10.6	4.7 <i>2.5</i>
181 Bladder and other urinary organs	M F	0.3 0.1	- 0.1	0.2 0.3	0.5 1.1	3.0 3.7	12.8 9.8	45.8 20.5	95.0 35.1	17.7 <i>5.7</i>
190 Melanoma of skin	M F	- 0.1	0 0.1	0.6 1.0	1.0 1.5	1.5 3.3	1.4 3.5	1.7 3.6	4.5 3.6	1.3 <i>2.3</i>
191 Other malignant neoplasm of skin	M F	- -	0 0.1	0.3 0.3	2.7 2.7	16.4 10.3	40.6 25.2	77.2 44.0	137.4 83.4	255.3 <i>148.7</i>
192 Eye	M F	0.8 0.9	0.1 0.1	0.1 0	0.2 0.5	0.4 0.7	0.9 1.0	1.2 0.6	1.6 1.0	0.6 <i>0.5</i>
193 Brain and other parts of nervous system (including benign neoplasm)	M F	3.3 3.0	2.9 2.2	2.5 1.3	4.4 2.4	5.9 4.6	12.2 8.7	17.8 11.5	14.1 9.6	7.2 <i>3.4</i>
193 Brain and other parts of nervous system (excluding benign neoplasm)	M F	3.3 2.9	2.8 2.1	1.9 1.1	3.7 3.2	4.9 5.9	11.0 8.6	15.9 8.6	12.0 6.7	6.4 <i>1.8</i>
194 Thyroid gland	M F	- 0.1	0 0.6	0.1 1.0	0.3 1.1	0.3 1.9	1.0 3.3	1.3 5.0	3.1 6.1	0.7 <i>1.8</i>
195 Other endocrine glands (including benign neoplasm)	M F	0.7 0.5	0.3 0.2	0.4 0.3	0.7 0.7	0.8 0.6	1.5 1.2	1.4 1.1	1.0 0.5	0.8 <i>0.7</i>
195 Other endocrine glands (excluding benign neoplasm)	M F	0.7 0.5	0.3 0.1	0.2 0.2	0.3 0.3	0.4 0.2	0.6 0.2	0.7 0.6	0.4 0.6	0.4 <i>0.3</i>
196 Bone	M F	0.2 0.5	0.5 0.8	2.1 0.8	0.5 0.4	0.8 0.5	1.2 0.7	2.0 1.0	2.8 2.2	1.3 <i>1.0</i>

Table 15 Rates per 100,000 population, by sex, site and age, of newly diagnosed cases of cancer. 1963

(rates based on under 20 registrations are shown in italics)

ICD (7th Revision) number and site description	M	Age-group									All ages
		0-	5-	15-	25-	35-	45-	55-	65	75 and over	
140 Lip	M	-	-	-	0.2	1.2	2.6	8.8	16.9	38.3	3.9
	F	-	-	-	-	0.2	0.2	1.2	0.7	2.2	0.4
141 Tongue	M	-	-	-	-	0.5	0.7	2.1	3.7	9.7	0.9
	F	-	-	-	0.2	0.2	0.2	0.7	3.8	3.6	0.7
142 Salivary gland	M	-	0.1	0.2	0.7	1.7	1.8	1.9	3.7	4.9	1.2
	F	-	0.1	0.2	0.7	1.3	1.8	2.5	1.2	4.0	1.2
143 Floor of mouth	M	-	-	-	-	-	0.7	1.9	2.8	9.1	0.8
	F	-	-	-	-	-	0.2	-	0.5	1.1	0.1
144 Other mouth (specified and unspecified)	M	-	-	-	-	0.3	0.2	1.3	6.8	9.1	1.0
	F	-	-	-	-	0.5	0.7	2.1	1.4	2.6	0.7
145 Oral mesopharynx	M	-	-	-	-	-	0.3	0.7	1.8	7.9	0.5
	F	-	-	-	-	0.2	0.7	1.1	2.4	0.7	0.5
146 Nasopharynx	M	-	0.1	0.5	-	0.2	0.2	0.9	1.5	-	0.3
	F	-	-	0.2	-	0.2	-	-	0.2	0.7	0.1
147 Hypopharynx	M	-	-	-	-	0.3	0.7	2.6	5.5	4.9	0.9
	F	-	-	-	0.5	0.6	1.3	3.0	4.3	4.0	1.3
148 Pharynx (unspecified)	M	-	-	-	-	-	0.2	0.6	1.5	1.8	0.2
	F	-	-	-	-	-	0.3	-	1.2	1.1	0.2
150 Oesophagus	M	-	-	-	-	1.4	3.1	10.4	26.8	45.0	5.0
	F	-	-	-	-	0.8	2.2	6.5	15.7	22.6	3.8
151 Stomach	M	-	-	0.1	1.0	3.2	19.9	59.5	116.4	160.5	22.7
	F	-	-	-	1.1	3.2	8.6	21.2	54.1	81.4	13.6
152 Small intestine, including duodenum	M	-	-	-	0.2	0.2	1.0	1.1	2.8	0.6	0.5
	F	-	-	-	-	0.2	0.8	0.5	1.4	2.6	0.5
153 Large intestine, except rectum	M	-	-	0.1	0.8	4.9	11.9	32.1	76.0	134.3	15.4
	F	-	0.4	0.6	0.9	5.3	16.4	30.7	70.3	88.7	18.0
154 Rectum	M	-	-	0.1	0.2	2.2	13.9	32.5	69.0	124.6	14.4
	F	-	-	-	0.2	3.4	9.1	19.6	36.7	55.1	10.3
155 Biliary passages and liver (specified primary)	M	0.2	-	-	0.5	0.8	1.5	6.0	11.7	9.7	2.1
	F	0.5	0.1	0.2	0.2	0.3	1.5	4.7	14.5	20.4	3.4
156 Liver (secondary and unspecified)	M	0.2	-	-	-	0.5	1.8	4.7	10.8	6.7	1.8
	F	-	-	-	0.4	0.3	1.8	2.6	5.0	5.8	1.4
157 Pancreas	M	-	-	-	0.3	0.5	6.9	17.7	32.0	45.0	6.6
	F	-	-	-	0.2	0.3	2.5	8.6	21.4	31.0	5.1
158 Peritoneum	M	0.5	-	0.1	0.3	0.2	0.5	0.2	-	3.0	0.3
	F	-	-	-	-	0.3	0.8	1.1	1.2	2.2	0.5
159 Unspecified digestive organs	M	-	-	-	-	-	0.2	-	-	0	
	F	-	-	-	-	-	0.2	-	-	0	
160 Nose, nasal cavities, middle ear and accessory sinuses	M	-	-	-	-	0.5	1.3	2.4	2.2	6.7	0.9
	F	-	-	-	0.2	0.2	0.2	1.2	1.9	1.8	0.5
161 Larynx	M	-	-	-	-	0.8	4.1	8.6	17.5	11.6	3.1
	F	-	-	-	-	0.5	1.1	1.4	0.7	0.4	
162-163 Lung (primary and unspecified)	M	0.2	-	-	1.5	17.3	65.0	214.5	284.5	176.3	59.0
	F	-	0.1	-	0.4	1.8	14.8	24.0	33.1	29.2	9.6
164 Mediastinum	M	0.2	-	-	-	-	0.2	-	0.3	0.6	0.1
	F	-	-	-	-	0.2	-	-	-	0	
165 Thoracic organs (secondary)	M	-	-	0.1	-	0.2	-	0.6	1.2	0.4	0.4
	F	-	-	-	-	0.2	0.3	1.1	1.9	0.7	0.4
170 Breast	M	-	-	-	-	0.3	0.7	2.1	2.2	3.6	0.6
	F	-	-	0.3	9.4	55.9	103.6	123.2	128.4	143.8	55.7
171 Cervix uteri (including pre-malignant cases)	F	-	-	0.3	6.2	33.4	33.5	25.8	23.3	21.5	15.7

Rural areas of England and Wales

Table 15 - continued

Rural areas of England and Wales, 1963

ICD (7th Revision) number and site description	M	Age-group									All ages
		0-	5-	15-	25-	35-	45-	55-	65-	75 and over	
172-174 Other parts of uterus (including pre-malignant cases)	F	-	-	-	-	1.1	3.9	20.9	41.6	37.4	18.6
171-174 Uterus (pre-malignant)	F	-	-	0.2	2.0	4.5	3.3	0.5	0.5	0.4	1.4
175 Ovary, Fallopian tube and broad ligament	F	-	0.1	1.5	2.0	6.8	22.4	34.6	33.3	23.0	12.5
176 Other and unspecified female genital organs	F	-	-	0.2	0.5	1.5	1.7	5.4	11.2	23.0	3.4
177 Prostate	M	-	0.1	0.1	-	-	3.4	23.1	104.4	304.6	20.2
178 Testis	M	0.5	-	1.3	5.2	3.5	2.0	2.4	2.2	0.6	2.0
179 Other and unspecified male genital organs	M	-	-	-	-	0.3	1.1	2.4	4.9	7.9	1.0
180 Kidney	M	3.4	0.3	0.1	-	2.3	6.0	11.2	11.1	10.3	3.7
	F	1.8	0.3	-	0.4	0.2	2.3	3.7	5.5	5.8	1.8
181 Bladder and other urinary organs	M	-	-	-	0.3	1.4	10.8	30.8	64.7	101.5	12.7
	F	-	-	-	-	0.8	3.5	7.4	14.8	25.5	4.2
190 Melanoma of skin	M	-	0.1	0.2	1.2	1.3	1.1	2.5	6.1	6.1	1.0
	F	-	-	1.4	2.7	2.9	2.7	2.6	4.0	6.8	2.3
191 Other malignant neoplasm of skin	M	-	-	0.2	3.0	13.6	31.5	70.1	123.2	248.0	30.4
	F	-	-	0.6	2.5	10.7	20.9	33.2	61.2	127.4	21.1
192 Eye	M	1.2	0.1	-	0.2	0.9	1.0	0.6	1.2	1.8	0.6
	F	0.5	0.1	0.2	-	0.5	0.3	0.9	0.5	1.1	0.4
193 Brain and other parts of nervous system (including benign neoplasm)	M	3.4	2.3	0.8	2.7	6.9	9.0	13.4	9.5	3.6	5.4
	F	2.6	2.9	1.5	4.0	5.2	8.8	8.6	6.0	1.1	4.7
193 Brain and other parts of nervous system (excluding benign neoplasm)	M	3.4	2.3	0.8	2.2	5.6	7				

Table 16 Rates per 100,000 population, by sex and site,
of newly diagnosed cases of cancer. 1963

Hospital region of
residence

(rates based on under 20 registrations are shown in italics)

	ICD (7th Revision) number and site description	Region of residence														All regions	
		Newcastle	Leeds	Sheffield	East Anglia	North West Metropolitan	North East Metropolitan	South East Metropolitan	South West Metropolitan	Wessex	Oxford	South Western	Wales	Birmingham	Manchester	Liverpool	
140	Lip	M 2.2	1.7	2.4	7.5	1.5	1.7	3.3	2.7	4.1	3.9	4.8	3.0	1.9	1.7	1.4	2.6
		F 0.1	0.2	0.2	0.6	0.1	0.5	0.4	0.5	0.4	0.2	0.6	0.4	0.1	0.3	0.3	0.3
141	Tongue	M 1.7	2.5	1.1	0.9	1.4	1.2	0.9	1.8	1.1	0.8	2.1	1.3	1.2	2.0	1.6	1.5
		F 0.6	1.1	1.0	1.1	0.5	0.8	1.0	0.7	0.5	1.0	0.9	1.0	0.7	0.9	1.0	0.8
142	Salivary gland	M 1.5	0.8	1.3	1.7	1.0	1.0	1.2	1.5	1.1	1.9	1.0	0.9	1.6	0.4	1.7	1.2
		F 2.1	0.9	1.1	1.0	1.1	1.2	1.4	1.6	0.8	1.5	0.9	1.3	1.4	0.5	1.6	1.2
143	Floor of mouth	M 1.0	1.1	0.5	0.9	0.5	0.5	0.8	0.5	0.8	0.2	1.3	1.2	0.4	0.6	0.5	0.7
		F 0.2	0.2	0.1	0.3	0.2	-	0.5	0.1	0.3	0.3	0.1	0.1	0.2	0.3	0.3	0.2
144	Other mouth (specified and unspecified)	M 1.5	1.4	1.0	1.3	0.6	0.8	0.8	1.4	1.3	0.5	1.4	1.5	1.1	1.6	1.4	1.2
		F 0.5	0.9	1.1	0.5	0.7	1.3	0.4	0.7	1.0	0.9	0.3	1.0	1.0	0.8	0.4	0.8
145	Oral mesopharynx	M 1.1	1.0	1.2	0.1	1.5	0.4	0.8	1.3	0.8	0.2	0.9	0.5	1.2	1.0	0.8	0.9
		F 0.4	0.2	0.3	0.8	0.1	0.1	0.4	0.5	0.3	0.8	0.5	0.6	0.1	0.1	0.3	0.3
146	Nasopharynx	M 0.5	0.5	0.4	0.6	0.5	0.4	0.6	0.5	0.9	0.2	0.2	0.5	0.7	0.4	0.2	0.5
		F 0.1	0.4	0.3	0.3	0.2	0.2	0.4	0.4	0.4	0.2	0.1	0.1	0.2	0.3	0.2	0.3
147	Hypopharynx	M 0.6	1.2	0.8	0.8	1.0	0.7	1.4	1.1	1.9	0.5	1.3	0.8	0.8	1.3	1.2	1.0
		F 1.0	0.7	1.1	1.4	0.4	0.6	0.8	0.9	1.5	0.8	1.3	2.1	0.8	1.7	1.2	1.1
148	Pharynx (unspecified)	M 0.5	0.5	0.1	-	0.7	0.5	0.3	0.9	-	0.5	0.6	0.3	0.5	0.3	0.1	0.4
		F 0.3	0.2	0.1	-	0.3	0.5	0.3	0.4	0.2	-	0.1	0.4	0.3	0.2	0.6	0.3
150	Oesophagus	M 5.5	5.3	4.3	6.4	4.1	5.4	6.6	5.3	6.3	4.6	6.2	6.3	6.1	5.8	5.0	5.5
		F 4.5	4.0	3.0	3.6	2.7	3.7	4.3	3.7	4.5	3.7	6.1	5.8	4.4	4.1	4.0	4.1
151	Stomach	M 36.7	29.0	28.7	26.3	18.6	30.6	29.4	24.7	24.6	26.8	29.7	38.5	28.1	31.3	34.3	29.0
		F 25.6	20.6	16.5	15.3	11.8	16.0	18.0	15.4	15.3	16.3	17.7	21.8	16.3	19.3	23.3	17.8

152	Small intestine, including duodenum	M 0.4	0.5	0.4	-	0.4	0.6	0.5	0.6	0.8	0.5	0.6	0.5	0.6	0.6	0.2	0.5
		F 0.5	0.2	0.3	0.5	0.5	0.5	0.4	0.8	0.5	0.8	0.6	1.0	0.5	0.6	0.3	0.5
153	Large intestine, except rectum	M 19.2	16.0	16.1	18.4	14.7	16.7	19.6	18.4	17.6	17.3	19.6	15.4	18.0	18.6	18.7	17.5
		F 23.6	20.8	19.7	27.4	17.8	24.2	29.2	24.2	22.1	26.7	26.5	22.8	20.5	20.0	21.1	22.5
154	Rectum	M 18.6	14.8	17.8	23.3	12.5	17.4	17.0	18.9	12.7	17.9	18.1	17.2	19.5	14.9	18.1	17.1
		F 12.0	15.1	11.9	14.4	10.6	14.2	15.2	15.0	13.5	13.5	12.9	12.5	13.7	11.2	13.7	13.1
155	Biliary passages and liver (specified primary)	M 2.8	2.1	2.8	2.3	2.8	3.7	3.3	3.1	2.5	2.8	4.2	2.1	2.2	2.7	3.9	2.9
		F 4.2	3.0	3.9	3.9	2.9	4.2	3.9	3.8	2.2	3.7	4.2	3.4	3.2	3.6	2.3	3.5
156	Liver (secondary and unspecified)	M 2.7	1.8	1.4	2.5	0.8	1.7	2.1	1.6	1.8	2.8	1.3	2.4	2.5	2.0	2.5	1.9
		F 2.8	1.3	1.6	2.5	1.2	1.5	1.5	1.4	1.6	1.9	1.2	1.0	1.8	1.2	1.6	1.6
157	Pancreas	M 7.5	9.7	9.0	8.5	6.8	8.5	10.9	8.9	6.4	6.1	10.3	8.3	7.8	7.9	7.3	8.3
		F 7.3	8.1	6.7	5.9	5.0	5.6	8.2	7.1	7.9	7.0	7.9	5.6	5.1	5.7	6.7	6.5
158	Peritoneum	M 0.2	0.1	0.3	1.3	0.2	0.5	1.0	0.3	0.7	0.2	0.6	0.2	0.1	0.2	0.8	0.4
		F 0.2	0.2	0.8	1.0	0.5	1.1	1.1	0.7	1.4	0.7	0.5	0.3	0.2	0.2	0.2	0.6
159	Unspecified digestive organs	M 0.2	0.1	-	-	0.1	0.1	0.2	-	-	0.1	-	-	0.4	-	0.1	
		F -	0.1	-	0.1	-	0.1	0.1	-	-	0.1	0.1	-	0.2	-	0.1	
160	Nose, nasal cavities, middle ear and accessory sinuses	M 0.9	0.8	1.0	0.9	0.6	0.5	1.3	0.7	0.9	0.8	0.6	0.9	1.0	0.7	1.4	0.9
		F 0.6	0.8	0.8	0.8	0.9	1.0	0.9	0.6	0.9	0.3	0.6	0.1	0.8	0.7	0.6	0.7
161	Larynx	M 4.7	4.6	4.9	3.2	4.2	5.7	5.8	5.3	5.3	2.5	4.8	4.3	4.5	3.4	4.5	4.6
		F 0.6	1.1	0.5	0.6	0.7	1.0	0.7	0.9	0.4	0.2	0.5	0.9	0.9	0.4	0.8	0.7
162-163	Lung (primary and unspecified)	M 90.6	87.7	75.7	77.6	83.4	104.7	108.9	100.1	75.4	70.8	75.4	75.3	84.0	87.6	102.9	87.2
		F 12.3	15.5	10.6	12.0	16.1	15.6	19.1	20.3	13.2	11.8	12.7	8.4	11.4	13.0	15.6	13.9
164	Mediastinum	M															

Table 16 - continued

Hospital region of residence. 1963

			Region of Residence														All regions	
			Newcastle	Leeds	Sheffield	East Anglia	North West Metropolitan	North East Metropolitan	South East Metropolitan	South West Metropolitan	Wessex	Oxford	South Western	Wales	Birmingham	Manchester	Liverpool	
171-174	Uterus (pre-malignant)	F	1.2	1.5	3.1	0.5	2.0	0.8	0.6	1.4	0.4	3.3	0.3	1.6	3.3	1.5	2.6	1.7
175	Ovary, Fallopian tube and broad ligament	F	11.9	16.1	11.9	16.5	11.9	15.2	17.9	16.7	14.8	13.5	16.3	11.2	14.5	12.5	13.7	14.2
176	Other and unspecified female genital organs	F	4.0	4.5	3.5	4.6	2.8	3.8	4.5	4.0	3.8	3.4	4.3	4.0	3.7	4.0	2.9	3.8
177	Prostate	M	20.5	20.2	18.0	26.8	17.1	23.4	25.1	20.9	21.0	22.1	32.6	18.5	20.0	19.5	18.7	21.2
178	Testis	M	1.3	2.9	1.9	3.3	1.9	2.3	2.3	2.6	2.2	1.8	2.1	1.2	2.3	1.7	2.6	2.1
179	Other and unspecified male genital organs	M	1.7	1.2	1.3	1.9	0.9	1.0	1.4	1.0	1.3	1.5	1.2	1.2	1.1	2.4	1.3	1.4
180	Kidney	M	4.5	5.7	4.0	4.8	3.6	5.9	4.4	4.6	5.0	3.4	5.7	4.7	4.3	3.3	3.9	4.5
		F	2.1	2.3	2.0	3.0	1.5	2.1	2.8	3.3	2.0	2.2	3.1	2.1	2.6	2.0	3.2	2.4
181	Bladder and other urinary organs	M	15.2	15.8	16.2	16.0	15.6	17.5	20.4	23.4	21.8	14.2	17.2	14.1	14.3	14.7	15.3	16.6
		F	5.3	5.7	5.6	5.6	4.4	5.8	7.2	8.0	6.9	4.4	6.1	3.0	3.8	4.3	5.8	5.4
190	Melanoma of skin	M	1.1	0.5	1.2	2.0	1.2	1.3	2.0	1.7	0.9	0.7	1.9	0.8	1.3	0.8	0.6	1.2
		F	1.8	1.4	2.0	3.3	2.2	2.0	2.8	3.1	2.5	2.2	4.1	2.1	2.3	1.4	2.2	2.3
191	Other malignant neoplasm of skin	M	34.1	28.8	28.2	38.7	24.7	31.5	43.4	32.7	38.5	30.2	41.0	36.3	31.1	29.0	37.8	32.7
		F	28.2	25.2	21.9	25.5	18.3	21.8	32.0	24.4	30.0	23.3	28.0	28.5	22.9	27.2	26.3	25.1
192	Eye	M	0.7	0.7	0.6	0.5	0.8	0.3	0.7	0.9	0.6	0.8	0.8	0.5	0.7	0.4	0.2	0.6
		F	0.4	0.4	0.4	0.4	0.4	0.7	0.6	0.7	0.2	0.6	0.6	0.4	0.6	0.3	0.3	0.5
193	Brain and other parts of nervous system (including benign neoplasm)	M	6.7	4.7	6.2	6.5	6.6	7.1	7.3	9.0	7.7	6.2	7.3	6.7	6.4	6.8	8.1	6.8
		F	5.7	3.3	4.2	7.4	5.0	5.3	5.1	6.2	6.7	4.3	6.7	3.8	4.6	4.9	5.8	5.1

193	Brain and other parts of nervous system (excluding benign neoplasm)	M	6.0	4.2	5.7	6.0	5.5	6.7	6.0	7.9	6.8	5.9	6.1	5.8	5.6	5.8	7.8	6.0
		F	4.4	2.9	3.0	5.6	3.2	4.2	4.1	4.7	5.5	3.8	4.5	2.8	3.6	3.5	4.1	3.8
194	Thyroid gland	M	0.7	0.5	0.6	1.3	0.4	1.2	0.9	0.4	0.7	0.4	0.7	0.7	0.7	0.4	0.8	0.7
		F	1.2	1.9	1.4	1.6	2.1	2.1	2.1	1.8	1.6	1.0	1.5	1.6	2.1	1.5	1.6	1.7
195	Other endocrine glands (including benign neoplasm)	M	0.3	0.1	0.7	0.5	0.9	0.8	1.1	1.2	1.2	0.4	0.5	0.9	0.7	0.9	0.9	0.7
		F	0.6	0.5	0.5	0.8	0.6	0.7	1.1	0.9	0.9	0.2	0.5	0.2	0.6	0.6	0.8	0.6
195	Other endocrine glands (excluding benign neoplasm)	M	0.2	0.1	0.2	0.4	0.6	0.4	0.6	0.6	0.3	0.2	0.3	0.3	0.5	0.5	0.3	0.4
		F	0.3	0.1	0.1	0.3	0.2	0.3	0.7	0.2	0.9	0.2	0.2	0.1	0.3	0.2	0.3	0.3
196	Bone	M	1.0	1.4	0.6	1.0	1.2	1.6	1.4	1.2	1.0	1.3	1.5	1.3	1.3	1.3	0.9	1.2
		F	0.8	1.3	0.5	1.3	0.7	1.3	1.1	1.6	1.0	0.9	0.9	0.6	0.9	0.5	1.1	0.9
197	Connective tissue	M	1.7	1.2	1.3	0.9	1.8	2.3	2.3	2.7	1.5	1.8	2.2	1.5	1.6	1.6	1.6	1.7
		F	0.4	0.9	1.2	1.1	1.0	1.7	1.5	1.2	0.8	0.8	0.7	1.3	1.5	1.7	0.8	1.2
198	Lymph nodes (secondary and unspecified)	M	1.7	1.6	0.9	1.4	1.1	1.3	1.3	1.3	1.2	1.2	1.2	1.4	0.8	1.1	1.1	1.2
		F	1.4	0.8	1.3	0.6	0.9	0.8	0.7	1.5	0.8	0.7	0.6	1.3	0.8	0.7	0.5	0.9
199	Other and unspecified sites	M	3.7	2.9	5.9	2.3	2.6	5.5	4.6	4.8	3.3	4.6	5.5	3.8	2.9	3.4	3.2	4.0
		F	5.6	4.9	5.9	6.1	4.7	6.5	7.6	6.0	5.5	4.8	6.1	3.9	4.6	4.2	4.1	5.3
200	Lymphosarcoma and reticulosarcoma	M	3.4	4.5	3.3	3.6	3.8	4.2	4.4	4.3	3.7	4.6	5.6	3.8	3.3	2.8	3.3	3.8
		F	2.5	2.6	2.1	3.8	3.2	3.2	3.8	3.7	2.9	3.5	3.9	2.9	2.4	2.6	4.3	3.0
201	Hodgkin's disease	M	2.0	2.7	4.2	2.4	2.9	3.7	2.9	4.4	2.3	2.2	3.3	2.2	2.9	3.1	2.2	3.0
		F	1.9	1.7	1.3	2.1	1.7	1.2	2.0	2.1	1.0	1.3	1.9	1.5	1.3	1.8	1.8	1.6
202	Other forms of lymphoma (reticulososis)	M	1.1	0.7	0.8	1.7	0.6	1.2	0.9	0.8	0.9	1.1	0.8	0.5	1.1	0.3	0.9	0.8
		F	0.7	0.5	0.7	1.3	0.6	0.8	0.3	0.8	0.1	0.8	0.7	0.7	0.7	0.5	0.6	0.6
203	Multiple myeloma (plasmacytoma)	M	2.2	1.5	2.2	1.1	1.6	1.7	1.9	2.3	1.5	2.2	2.0	1.3	1.6	1.7	1.2	1.8
		F	1.6	1.1	1.4	2.6	1.1	1.7	1.6	1.6	1.1	1.0	2.3	1.6	1.3	0.9	1.5	1.4
204	Leukaemia and aleukaemia	M	6.7	6.1	6.4	7.3	6.2	6.6	8.8	9.1	6.8	6.2	7.0	5.3	5.3	6.1	7.4	6.7

Table 17 Registrations of newly diagnosed cases of cancer by sex, site and age. 1964

England and Wales

ICD (7th Revision) number and site description	M	Age-group																		Age not stated	All ages
		0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over		
140 Lip	M	-	-	-	1	1	-	4	7	21	21	50	74	61	70	82	74	50	20	2	538
	F	-	-	-	-	-	-	-	-	6	4	5	11	7	7	18	11	6	6	-	81
	Persons	-	-	-	1	1	-	4	7	27	25	55	85	68	77	100	85	56	26	2	619
141 Tongue	M	-	-	-	-	-	3	1	7	10	10	13	24	44	47	50	64	50	25	1	349
	F	-	-	-	-	-	-	2	4	5	11	14	19	28	35	25	32	28	7	-	210
	Persons	-	-	-	-	-	3	3	11	15	21	27	43	72	82	75	96	78	32	1	559
142 Salivary gland	M	-	-	2	9	14	17	7	14	26	9	28	32	26	26	15	17	10	12	2	266
	F	-	-	1	10	5	13	24	26	19	23	41	26	26	32	25	17	11	8	-	307
	Persons	-	-	3	19	19	30	31	40	45	32	69	58	52	58	40	34	21	20	2	573
143 Floor of mouth	M	-	-	-	-	-	-	1	-	2	8	6	14	21	22	28	18	16	13	-	149
	F	-	-	-	-	-	-	-	-	1	2	3	3	5	6	7	9	5	3	-	44
	Persons	-	-	-	-	-	-	1	-	3	10	9	17	26	28	35	27	21	16	-	193
144 Other mouth (specified and unspecified)	M	-	-	-	1	-	2	-	5	8	6	20	30	38	40	38	45	34	23	1	291
	F	-	-	-	1	-	-	1	3	5	11	15	20	24	23	26	25	20	12	1	187
	Persons	-	-	-	1	1	2	1	8	13	17	35	50	62	63	64	70	54	35	2	478
145 Oral mesopharynx	M	-	1	-	-	2	-	2	1	5	5	11	15	30	29	33	17	21	14	-	186
	F	-	-	-	1	-	-	-	1	2	6	2	7	11	6	8	4	5	3	-	56
	Persons	-	1	-	1	2	-	2	2	7	11	13	22	41	35	41	21	26	17	-	242
146 Nasopharynx	M	1	2	-	3	1	1	1	4	5	7	26	13	17	17	10	4	1	1	-	114
	F	1	-	-	1	-	-	2	-	3	2	3	10	5	7	11	1	5	1	-	52
	Persons	2	2	-	4	1	1	3	4	8	9	29	23	22	24	21	5	6	2	-	166
147 Hypopharynx	M	-	-	-	-	-	-	1	4	3	10	18	15	40	49	46	26	9	7	-	228
	F	-	-	-	-	-	-	1	1	6	10	18	25	31	52	39	25	17	7	-	271
	Persons	-	-	-	-	-	-	1	2	10	13	28	43	46	92	88	85	51	26	14	-
148 Pharynx (unspecified)	M	1	-	-	-	-	1	-	-	2	1	1	7	22	15	22	10	10	6	-	98
	F	-	-	-	-	-	-	1	1	2	1	8	6	9	17	5	7	12	2	-	71
	Persons	1	-	-	-	-	1	1	1	4	2	9	13	31	32	27	17	22	8	-	169
150 Oesophagus	M	-	-	-	-	-	1	3	11	21	44	91	158	234	206	222	191	124	56	1	1,363
	F	-	-	-	-	-	-	3	8	17	44	66	97	128	153	189	185	135	89	1	1,115
	Persons	-	-	-	-	-	1	6	19	38	88	157	255	362	359	411	376	259	145	2	2,478
151 Stomach	M	-	-	-	-	1	7	20	69	141	241	551	967	1,194	1,163	1,098	833	397	142	6	6,830
	F	-	-	-	3	-	5	12	48	56	135	244	353	528	689	802	786	503	240	2	4,406
	Persons	-	-	-	3	1	12	32	117	197	376	795	1,320	1,722	1,852	1,900	1,619	900	382	8	11,236
152 Small intestine, including duodenum	M	-	-	-	-	-	1	1	5	8	9	15	15	19	28	20	13	4	1	-	139
	F	-	-	1	-	-	1	-	2	2	4	8	15	21	25	19	11	10	3	-	122
	Persons	-	-	1	-	-	2	1	7	10	13	23	30	40	53	39	24	14	4	-	261

153 Large intestine, except rectum.	M	1	-	1	5	7	11	31	55	123	160	309	457	606	607	694	551	331	163	3	4,115
	F	1	4	10	12	27	29	74	146	177	365	551	771	884	962	850	589	323	2	5,777	
	Persons	1	1	5	15	19	38	60	129	269	337	674	1,008	1,377	1,491	1,656	1,401	920	486	5	9,892
154 Rectum	M	-	-	-	2	5	16	36	96	117	242	481	608	654	703	508	315	157	1	3,941	
	F	-	-	1	3	8	18	30	85	132	210	333	435	521	544	493	347	186	2	3,348	
	Persons	-	-	1	5	13	34	66	181	249	452	814	1,043	1,175	1,247	1,001	662	343	3	7,289	
155 Biliary passages and liver (specified primary)	M	2	2	-	6	-	3	5	12	33	23	51	85</								

Table 17 - continued

England and Wales, 1964

ICD (7th Revision) number and site description		Age-group																			Age not stated	All ages
		0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over			
172-174 Other parts of uterus (including pre-malignant cases)	F	1	-	-	1	13	11	24	53	136	227	455	622	642	463	381	235	123	45	2	3,434	
171-174 Uterus (pre-malignant)	F	-	-	-	6	13	63	99	158	215	126	55	34	21	22	12	10	-	1	-	835	
175 Ovary, Fallopian tube and broad ligament	F	-	1	8	15	25	28	56	121	227	343	482	516	526	446	356	216	120	56	5	3,547	
176 Other and unspecified female genital organs	F	1	-	-	2	-	4	5	19	19	26	37	79	109	134	152	140	120	68	1	916	
177 Prostate	M	-	-	1	-	1	1	-	1	9	17	95	231	526	766	1,088	1,152	800	438	6	5,132	
178 Testis	M	9	-	-	18	51	73	99	66	70	40	29	29	17	8	10	4	2	2	-	527	
179 Other and unspecified male genital organs	M	-	-	-	-	1	-	3	8	20	24	34	49	50	53	47	39	32	21	-	381	
180 Kidney	M	37	6	-	6	6	5	6	23	62	59	144	166	166	163	132	97	30	14	-	1,122	
	F	19	8	2	2	2	3	5	3	25	33	46	65	99	95	81	95	34	25	1	643	
	Persons	56	14	2	8	8	8	11	26	87	92	190	231	265	258	213	192	64	39	1	1,765	
181 Bladder and other urinary organs	M	2	-	-	1	1	9	12	34	95	140	295	491	672	708	656	505	329	134	4	4,088	
	F	-	-	1	1	1	2	2	11	22	46	74	118	175	222	243	242	175	113	1	1,449	
	Persons	2	-	1	2	2	11	14	45	117	186	369	609	847	930	899	747	504	247	5	5,537	
190 Melanoma of skin	M	1	2	4	3	10	9	15	30	22	27	34	39	30	24	22	19	9	6	2	303	
	F	-	-	-	9	19	29	42	54	69	63	57	49	62	43	42	35	26	10	3	612	
	Persons	1	2	4	12	29	38	57	84	91	90	91	88	92	67	64	54	35	16	5	920	
191 Other malignant neoplasm of skin	M	1	1	2	4	12	28	58	159	339	412	780	974	1,131	1,017	1,016	844	605	362	48	7,791	
	F	-	-	4	6	11	25	56	117	259	298	448	632	767	886	985	869	697	429	25	6,512	
	Persons	1	1	6	10	23	51	114	276	598	708	1,228	1,606	1,898	1,903	2,001	1,713	1,302	791	73	14,303	
192 Eye	M	14	4	2	-	1	2	3	3	6	18	11	14	16	10	6	8	4	2	-	124	
	F	17	1	1	2	1	1	3	3	8	8	16	14	16	16	13	7	6	4	-	137	
	Persons	31	5	3	2	2	3	6	6	14	26	27	28	32	26	19	15	10	6	-	261	
193 Brain and other parts of nervous system (including benign neoplasm)	M	67	52	38	39	37	42	68	91	135	125	190	254	242	135	66	22	6	6	2	1,617	
	F	70	52	30	39	29	43	37	64	77	108	181	167	187	144	78	31	14	6	-	1,357	
	Persons	137	104	68	78	66	85	105	155	212	233	371	421	429	279	144	53	20	12	2	2,974	
193 Brain and other parts of nervous system (excluding benign neoplasm)	M	65	52	38	35	33	35	58	80	114	111	160	227	215	120	57	16	5	5	1	1,427	
	F	67	52	26	32	24	38	24	49	62	75	138	119	144	101	59	19	9	2	-	1,038	
	Persons	132	104	64	67	57	71	82	129	176	186	298	346	359	221	116	35	14	7	1	2,465	
194 Thyroid gland	M	-	1	1	2	4	2	6	4	8	11	15	22	12	15	16	9	5	1	-	134	
	F	-	1	2	5	11	11	16	23	20	23	44	41	51	57	66	43	25	20	-	459	
	Persons	-	2	3	7	15	13	22	27	28	34	59	63	72	82	52	30	21	-	593		

195 Other endocrine glands (including benign neoplasm)	M	10	7	9	10	6	7	13	8	23	16	24	19	12	18	9	3	1	1	197	
	F	10	4	5	4	4	5	10	5	17	16	16	14	22	12	2	5	-	1	163	
	Persons	20	11	14	14	10	12	23	13	40	32	40	33	34	30	21	5	6	1	1	360
195 Other endocrine glands (excluding benign neoplasm)	M	10	4	5	3	2	2	2	3	14	4	7	7	5	11	5	2	1	1	88	
	F	10	2	2	2	-	-	4	3	12	10	6	8	10	4	7	2	4	-	86	
	Persons	20	6	7	5	2	2	6	6	26	14	13	15	15	15	12	4	5	1	174	
196 Bone	M	7	6	16	33	10	14	7	7	10	16	22	15	27	19	18	16	8	5	-	256
	F	1	5	18	18	5	5	6	6	11	7	11	16	16	21	20	12	10	-	200	
	Persons	8	11	34	51	15	19	13	13	21	23	33	31	43	40	38	28	20	15	-	456
197 Connective tissue	M	11	5	5	10	12	18	12	16	25	23	36	36	36	39	28	23	14	8	2	359
	F	3	7	9	8	7	10	14	18	28	31	32	37	31	44	46	26	17	16	1	385
	Persons	14																			

Table 18 Registrations of newly diagnosed cases of cancer by sex, site and age. 1964

Urban areas of England and Wales

ICD (7th Revision) number and site description	M	Age-group																		Age not stated	All ages	
		0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over			
140 Lip	M	-	-	-	1	-	-	4	6	16	13	36	53	41	49	46	45	33	16	1	360	
	F	-	-	-	-	-	-	-	-	6	3	2	10	3	5	14	8	6	5	-	62	
	Persons	-	-	-	1	-	-	4	6	22	16	38	63	44	54	60	53	39	21	1	422	
141 Tongue	M	-	-	-	-	-	1	1	3	9	9	11	17	38	44	43	47	44	22	1	290	
	F	-	-	-	-	-	-	2	3	5	8	11	14	26	27	21	27	24	7	-	175	
	Persons	-	-	-	-	-	1	3	6	14	17	22	31	64	71	64	74	68	29	1	465	
142 Salivary gland	M	-	-	2	8	11	16	7	9	21	9	24	29	19	24	13	15	6	10	1	224	
	F	-	-	1	9	5	11	20	20	17	20	32	21	23	25	20	13	9	7	-	253	
	Persons	-	-	3	17	16	27	27	29	38	29	56	50	42	49	33	28	15	17	1	477	
143 Floor of mouth	M	-	-	-	-	-	-	1	-	2	7	3	12	16	18	22	15	11	9	-	116	
	F	-	-	-	-	-	-	-	-	1	1	2	3	5	4	6	6	5	1	-	34	
	Persons	-	-	-	-	-	-	1	-	3	8	5	15	21	22	28	21	16	10	-	150	
144 Other mouth (specified and unspecified)	M	-	-	-	1	-	2	-	4	6	6	17	27	34	32	33	31	16	-	-	244	
	F	-	-	-	-	1	-	1	2	5	9	11	15	23	19	22	20	17	12	-	157	
	Persons	-	-	-	1	1	2	1	6	11	15	28	42	57	51	55	55	48	28	-	401	
145 Oral mesopharynx	M	-	1	-	-	2	-	2	1	4	5	9	14	25	25	27	11	15	12	-	153	
	F	-	-	-	1	-	-	-	-	2	6	2	7	5	6	6	3	5	3	-	46	
	Persons	-	1	-	1	2	-	2	1	6	11	11	21	30	31	33	14	20	15	-	199	
146 Nasopharynx	M	1	2	-	3	1	1	-	3	5	7	25	11	14	14	9	4	1	1	-	102	
	F	-	-	-	-	-	-	2	-	2	2	3	8	4	6	10	1	3	1	-	42	
	Persons	1	2	-	3	1	1	2	3	7	9	28	19	18	20	19	5	4	2	-	144	
147 Hypopharynx	M	-	-	-	-	-	-	1	4	3	8	14	14	32	42	42	22	7	4	-	193	
	F	-	-	-	-	-	-	1	-	6	8	16	20	25	47	35	33	21	13	6	-	231
	Persons	-	-	-	-	-	-	1	1	10	11	24	34	39	79	77	75	43	20	10	-	424
148 Pharynx (unspecified)	M	1	-	-	-	-	-	-	-	2	1	1	6	19	10	20	8	7	6	-	81	
	F	-	-	-	-	-	-	1	1	1	1	-	7	5	8	14	5	6	11	2	-	61
	Persons	1	-	-	-	-	-	1	1	3	1	8	11	27	24	25	14	18	8	-	142	
150 Oesophagus	M	-	-	-	-	-	-	3	7	19	37	78	128	196	168	175	149	97	47	1	1,105	
	F	-	-	-	-	-	-	2	6	17	34	52	77	107	123	141	145	119	75	1	899	
	Persons	-	-	-	-	-	-	5	13	36	71	130	205	303	291	316	294	216	122	2	2,004	
151 Stomach	M	-	-	-	-	-	7	19	53	130	201	465	826	986	985	893	687	314	110	3	5,679	
	F	-	-	-	2	-	5	9	40	52	114	219	300	454	598	673	674	432	192	1	3,765	
	Persons	-	-	-	2	-	12	28	93	182	315	684	1,126	1,440	1,583	1,566	1,361	746	302	4	9,444	
152 Small intestine, including duodenum	M	-	-	-	-	-	1	1	4	6	9	14	14	13	24	17	11	3	1	-	118	
	F	-	-	1	-	-	1	-	1	2	4	7	14	18	20	14	8	7	3	-	100	
	Persons	-	-	1	-	-	2	1	5	8	13	21	28	31	44	31	19	10	4	-	218	

153 Large intestine, except rectum	M	1	-	1	4	6	9	23	41	99	134	263	376	514	485	571	443	263	139	2	3,374
	F	-	1	4	8	11	21	22	66	123	150	292	453	659	746	788	705	511	276	2	4,838
	Persons	1	1	5	12	17	30	45	107	222	284	555	829	1,173	1,231	1,359	1,148	774	415	4	8,212
154 Rectum	M	-	-	-	-	2	4	10	26	81	101	197	391	493	533	567	396	244	121	-	3,166
	F	-	-	-	1	1	7	15	24	70	107	173	281	362	429	448	411	299	148	2	2,778
	Persons	-	-	-	1	3	11	25	50	151	208	370	672	855	962	1,015	807	543	269	2	5,944
155 Biliary passages and liver (specified primary)	M	1	1	-	6	-	2	5	9	23	21										

Table 18 - continued

Urban areas of
England and Wales, 1964

ICD (7th Revision) number and site description	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over	Age not stated	All ages		
172-174 Other parts of uterus (including pre-malignant cases)	F	1	-	-	1	11	7	18	37	106	184	363	502	529	375	308	199	93	38	1	2,773	
171-174 Uterus (pre-malignant)	F	-	-	-	5	13	52	77	136	177	105	45	23	18	17	10	7	-	1	-	686	
175 Ovary, Fallopian tube and broad ligament	F	-	1	7	14	19	26	50	98	189	281	406	416	425	376	296	178	102	46	5	2,935	
176 Other and unspecified female genital organs	F	1	-	-	2	-	4	4	16	18	20	29	58	77	115	122	114	97	49	1	727	
177 Prostate	M	-	-	1	-	1	1	-	1	9	13	75	189	432	615	847	916	610	336	6	4,052	
178 Testis	M	8	-	-	17	40	60	75	49	52	34	26	27	13	7	5	2	1	-	418		
179 Other and unspecified male genital organs	M	-	-	-	-	1	-	3	7	14	21	27	44	46	43	42	33	28	18	-	327	
180 Kidney	M	28	5	-	5	4	4	6	21	49	47	126	139	142	143	114	81	24	14	-	952	
	F	15	6	1	2	1	3	4	2	20	26	36	55	86	79	66	85	28	22	-	537	
	Persons	43	11	1	7	5	7	10	23	69	73	162	194	228	222	180	166	52	36	-	1,489	
181 Bladder and other urinary organs	M	1	-	-	1	1	6	12	30	84	130	245	416	567	601	545	421	263	111	3	3,437	
	F	-	-	1	1	1	2	1	6	21	37	70	100	150	191	208	208	148	92	1	1,238	
	Persons	1	-	1	2	2	8	13	36	105	167	315	516	717	792	753	629	411	203	4	4,675	
190 Melanoma of skin	M	-	-	3	3	10	8	14	25	16	21	31	29	23	21	15	17	7	4	-	247	
	F	-	-	-	9	15	21	38	49	61	53	54	39	50	32	38	24	21	8	3	515	
	Persons	-	-	3	12	25	29	52	74	77	74	85	68	73	53	41	28	12	3	762		
191 Other malignant neoplasm of skin	M	1	1	2	4	9	23	47	130	284	343	630	787	897	819	800	645	454	280	32	6,188	
	F	-	-	4	6	11	23	42	98	215	248	372	517	640	742	819	689	571	347	13	5,357	
	Persons	1	1	6	10	20	46	89	228	499	591	1,002	1,304	1,587	1,561	1,619	1,334	1,025	627	45	11,545	
192 Eye	M	13	3	2	-	1	1	1	2	5	12	8	11	15	15	8	3	7	4	1	-	97
	F	13	-	1	1	1	-	2	2	6	8	16	12	12	15	10	6	3	2	-	110	
	Persons	26	3	3	1	2	1	3	4	11	20	24	23	27	23	13	13	7	3	-	207	
193 Brain and other parts of nervous system (including benign neoplasm)	M	54	42	28	35	25	38	59	69	116	104	158	215	199	117	53	19	5	4	1	1,341	
	F	46	44	19	36	24	35	28	50	59	92	147	137	158	127	65	30	11	6	-	1,114	
	Persons	100	86	47	71	49	73	87	119	175	196	305	352	357	244	118	49	16	10	1	2,455	
193 Brain and other parts of nervous system (excluding benign neoplasm)	M	52	42	28	32	22	32	51	61	97	93	135	191	175	105	47	13	4	3	1	1,184	
	F	45	44	16	29	19	29	17	39	47	64	111	96	119	88	53	18	7	2	-	843	
	Persons	97	86	44	61	41	61	68	100	144	157	246	287	294	193	100	31	11	5	1	2,027	
194 Thyroid gland	M	-	1	1	1	3	2	6	2	8	8	10	17	8	15	14	9	3	1	-	109	
	F	-	1	2	4	10	10	15	19	20	17	37	33	46	46	56	40	22	17	-	395	
	Persons	-	2	3	5	13	12	21	21	28	25	47	50	54	61	70	49	25	18	-	504	
195 Other endocrine glands (including benign neoplasm)	M	10	7	6	10	5	5	11	7	18	15	19	17	11	13	8	3	1	1	1	168	
	F	9	4	5	3	3	5	9	4	10	12	12	12	19	11	11	1	5	-	-	135	
	Persons	19	11	11	13	8	10	20	11	28	27	31	29	30	24	19	4	6	1	1	303	
195 Other endocrine glands (excluding benign neoplasm)	M	10	4	3	3	2	2	1	2	11	4	5	6	5	7	5	2	1	1	-	74	
	F	9	2	2	2	-	-	4	2	9	8	5	8	8	4	6	1	4	-	-	74	
	Persons	19	6	5	5	2	2	5	4	20	12	10	14	13	11	11	3	5	1	-	148	
196 Bone	M	7	5	15	24	9	8	7	7	7	12	20	14	23	17	16	14	7	5	-	217	
	F	-	4	14	16	5	5	5	6	8	7	8	14	12	18	17	10	9	-	168		
	Persons	7	9	29	40	14	13	12	13	15	19	28	35	35	33	24	17	14	-	385		
197 Connective tissue	M	8	4	4	9	10	15	10	13	24	17	31	28	32	22	17	9	8	1	1	294	
	F	2	6	8	5	7	9	14	17	25	26	35	28	33	41	22	13	13	-	331		
	Persons	10	10	12	14	17	24	24	30	49	43	58	63	60	63	39	22	21	1	1	625	
198 Lymph nodes (secondary and unspecified)	M	-	1	1	1	1	3	-	3	8	8											

Table 19 Registrations of newly diagnosed cases of cancer by sex, site and age. 1964

Rural areas of
England and Wales

ICD (7th Revision) number and site description	M F Persons	Age-group																			Age not stated	All ages	
		0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over				
140 Lip	M	-	-	-	-	-	1	-	-	1	5	8	14	21	20	21	36	29	17	4	1	178	
	F	-	-	-	-	-	1	-	-	1	5	1	3	1	4	2	4	3	-	1	1	19	
	Persons	-	-	-	-	-	1	-	-	1	5	9	17	22	24	23	40	32	17	5	1	197	
141 Tongue	M	-	-	-	-	-	2	-	4	1	1	3	2	7	6	3	7	17	6	3	-	59	
	F	-	-	-	-	-	-	-	1	1	4	5	12	8	11	11	22	10	3	-	-	35	
	Persons	-	-	-	-	-	2	-	5	1	4	5	13	8	10	9	7	5	4	2	3	94	
142 Salivary gland	M	-	-	-	1	3	1	-	5	5	2	3	9	5	3	2	2	4	2	1	1	42	
	F	-	-	-	1	-	2	4	6	2	3	5	12	8	10	9	7	5	4	2	1	54	
	Persons	-	-	-	2	3	3	4	11	7	3	13	8	10	9	7	6	6	3	1	1	96	
143 Floor of mouth	M	-	-	-	-	-	-	-	-	-	1	3	2	5	4	6	3	5	4	-	-	33	
	F	-	-	-	-	-	-	-	-	-	1	1	2	4	2	5	6	7	5	2	-	10	
	Persons	-	-	-	-	-	-	-	-	-	2	4	5	11	11	7	6	5	6	6	-	43	
144 Other mouth (specified and unspecified)	M	-	-	-	-	-	-	-	-	1	2	1	3	4	5	4	8	5	10	3	1	1	47
	F	-	-	-	-	-	-	-	-	1	2	2	7	8	5	12	9	15	6	7	2	1	30
	Persons	-	-	-	-	-	-	-	-	2	2	7	8	5	12	9	15	6	7	2	1	77	
145 Oral mesopharynx	M	-	-	-	-	-	-	-	-	1	1	1	2	1	5	4	6	6	6	2	-	33	
	F	-	-	-	-	-	-	-	-	1	1	1	2	1	11	4	8	7	6	6	-	10	
	Persons	-	-	-	-	-	-	-	-	1	1	1	2	1	11	4	8	7	6	6	-	43	
146 Nasopharynx	M	-	-	-	-	-	-	-	-	1	1	1	1	2	1	5	4	6	6	2	-	12	
	F	1	-	-	1	-	-	-	-	1	1	1	1	1	4	4	2	1	1	2	-	10	
	Persons	1	-	-	1	-	-	-	-	1	1	1	1	1	4	4	2	1	1	2	-	22	
147 Hypopharynx	M	-	-	-	-	-	-	-	-	1	1	1	2	2	4	1	8	7	4	4	2	-	35
	F	-	-	-	-	-	-	-	-	1	1	1	2	2	4	9	7	13	11	10	8	-	40
	Persons	-	-	-	-	-	-	-	-	1	1	1	2	1	4	8	7	13	11	10	8	-	75
148 Pharynx (unspecified)	M	-	-	-	-	-	-	1	-	-	-	-	-	1	3	5	2	2	3	-	-	-	17
	F	-	-	-	-	-	-	1	-	-	-	-	-	1	1	3	2	1	1	-	-	-	10
	Persons	-	-	-	-	-	-	1	-	-	-	-	-	1	2	4	8	2	3	4	-	-	27
150 Oesophagus	M	-	-	-	-	-	-	1	-	4	2	2	7	13	30	38	38	47	42	27	9	-	258
	F	-	-	-	-	-	-	1	2	1	6	2	10	14	20	21	30	48	40	16	14	-	216
	Persons	-	-	-	-	-	-	1	1	1	6	2	17	27	50	59	68	95	82	43	23	-	474
151 Stomach	M	-	-	-	-	1	-	1	16	11	40	86	141	208	178	205	146	83	32	3	1	1,151	
	F	-	-	-	1	-	-	3	8	4	21	25	53	74	91	129	112	71	48	1	4	641	
	Persons	-	-	-	1	1	-	4	24	15	61	111	194	282	269	334	258	154	80	4	1	1,792	
152 Small intestine, including duodenum	M	-	-	-	-	-	-	-	-	1	2	-	-	1	1	6	4	3	2	1	-	-	21
	F	-	-	-	-	-	-	-	-	1	2	-	-	1	1	9	5	5	3	3	-	-	22
	Persons	-	-	-	-	-	-	-	-	2	2	-	-	2	2	9	8	5	4	-	-	-	43

153 Large intestine, except rectum	M	-	-	-	1	1	2	8	14	24	26	46	81	92	122	123	108	68	24	1	741
	F	-	-	-	2	1	6	7	8	23	27	73	98	112	138	174	145	78	47	1	939
	Persons	-	-	-	3	2	8	15	22	47	53	119	179	204	260	297	253	146	71	1	1,680
154 Rectum	M	-	-	-	-	1	6	10	15	16	45	90	115	121	136	112	71	36	1	775	
	F	-	-	-	-	2	1	3	6	15	25	37	52	73	92	96	82	48	38	1	1,345
	Persons	-	-	-	-	2	2	9	16	30	41	82	142	188	213	232	194	119	74	-	1
155 Biliary passages and liver (specified primary)	M	1	1	-	-	-	1	-	3	10	2	4	12	21	19	15	11	5	3	-	108
	F	-	-	-																	

Table 19 - continued

Rural areas of
England and Wales, 1964

ICD (7th Revision) number and site description		Age-group																			Age not stated	All ages
		0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over			
172-174 Other parts of uterus (including pre-malignant cases)	F	-	-	-	-	2	4	6	16	30	43	92	120	113	88	73	36	30	7	1	661	
171-174 Uterus (pre-malignant)	F	-	-	-	1	-	11	22	22	38	21	10	11	3	5	2	3	-	-	-	149	
175 Ovary, Fallopian tube and broad ligament	F	-	-	1	1	6	2	6	23	38	62	76	100	101	70	60	38	18	10	-	612	
176 Other and unspecified female genital organs	F	-	-	-	-	-	-	1	3	1	6	8	21	32	19	30	26	23	19	-	189	
177 Prostate	M	-	-	-	-	-	-	-	-	-	4	20	42	94	151	241	236	190	102	-	1,080	
178 Testis	M	1	-	-	1	11	13	24	17	18	6	3	2	4	1	5	2	-	1	-	109	
179 Other and unspecified male genital organs	M	-	-	-	-	-	-	-	1	6	3	7	5	4	10	5	6	4	3	-	54	
180 Kidney	M	9	1	-	1	2	1	-	2	13	12	18	27	24	20	18	16	6	-	-	170	
	F	4	2	1	-	1	-	1	1	5	7	10	10	13	16	15	10	6	3	1	106	
	Persons	13	3	1	1	3	1	1	3	18	19	28	37	37	36	33	26	12	3	1	276	
181 Bladder and other urinary organs	M	1	-	-	-	-	3	-	4	11	10	50	75	105	107	111	84	66	23	1	651	
	F	-	-	-	-	-	-	1	5	1	9	4	18	25	31	35	34	27	21	-	211	
	Persons	1	-	-	-	-	3	1	9	12	19	54	93	130	138	146	118	93	44	1	862	
190 Melanoma of skin	M	1	2	1	-	-	1	1	5	6	6	3	10	7	3	7	2	2	2	2	61	
	F	-	-	-	-	4	8	4	5	8	10	3	10	12	11	4	11	5	2	-	97	
	Persons	1	2	1	-	4	9	5	10	14	16	6	20	19	14	11	13	7	4	2	158	
191 Other malignant neoplasm of skin	M	-	-	-	-	3	3	11	29	55	69	150	187	234	198	216	199	151	82	16	1,603	
	F	-	-	-	-	2	14	19	44	48	76	115	127	144	166	180	277	126	82	12	1,155	
	Persons	-	-	-	-	3	5	25	48	99	117	226	302	361	342	382	379	164	28	28	2,758	
192 Eye	M	1	1	-	-	-	1	2	1	1	6	3	3	1	2	3	1	-	1	-	27	
	F	4	1	-	1	-	1	1	1	2	-	-	2	4	1	3	1	3	2	-	27	
	Persons	5	2	-	1	-	2	3	2	3	6	3	5	3	6	2	3	3	3	-	54	
193 Brain and other parts of nervous system (includ- ing benign neoplasm)	M	13	10	10	4	12	4	9	22	19	21	32	39	43	18	13	3	1	2	1	276	
	F	24	8	11	3	5	8	9	14	18	16	34	30	29	17	13	1	3	-	1	243	
	Persons	37	18	21	7	17	12	18	36	37	66	72	35	28	4	2	4	2	2	1	519	
193 Brain and other parts of nervous system (exclud- ing benign neoplasm)	M	13	10	10	3	11	3	7	19	17	18	25	36	40	15	10	3	1	2	-	243	
	F	22	8	10	3	5	7	7	10	15	11	27	23	25	13	6	1	2	-	-	195	
	Persons	35	18	20	6	16	10	14	29	32	29	52	59	65	28	16	4	3	2	-	438	

194 Thyroid gland	M	-	-	-	1	1	-	2	-	3	5	5	4	-	2	-	2	-	-	25		
	F	-	-	-	1	1	1	1	1	6	6	9	12	13	9	11	12	3	5	3	-	64
	Persons	-	-	-	2	2	1	1	6	-	9	12	13	9	11	12	3	5	3	-	89	
195 Other endocrine glands (including benign neoplasm)	M	-	-	3	-	1	2	2	1	5	1	5	2	1	5	1	-	-	-	-	29	
	F	1	-	-	1	1	1	-	1	1	4	4	4	4	4	1	1	-	-	-	28	
	Persons	1	-	3	1	2	2	3	2	12	5	9	4	6	2	1	-	-	-	-	57	
195 Other endocrine glands (excluding benign neoplasm)	M	-	-	2	-	-	-	-	1	1	3	-	2	1	4	-	-	-	-	-	14	
	F	1	-	-	-	-	-	-	1	1	3	2	2	1	2	1	1	-	-	-	12	
	Persons	1	-	2	-	-	-	-	1	2	6	2	3	1	2	1	1	-	-	-	26	
196 Bone	M	-	1	1	9	1	6	-	-	3	4	2	1	2	4	2	2	2	1	-	32	
	F	1	1	4	2	-	1	-	1	6	1	-	6	4	5	3	5	4	1	-	65	
	Persons	1	2	5	11	1	6	1	-	6	4	5	8	10	7	18	11	10	9	2	119	
197 Connective tissue	M	3	1	1	1	2	3	2	3	1	6	5	8	2	3	11	5	4	3	1	54	
	F	1	1	1	3	3	-	1	1	4	11	10	10	7	18	11	10	9	3	2	119	
198 Lymph nodes (secondary and unspecified)	M	-	-	1	2	-	-	-	2	-	1	3	4	5	4	11	8	7	4	1	57	
	F	-	-	1	2	-	-	-	2	-	4	5	10	13	14	15	8	9	3	-	86	
	Persons	-	-	1	2	-	-	-	2	-	4	5	10	13	14	15	8	9	3	-	181	
199 Other and unspecified sites	M	-	-	-	-	3	2	2	2	4	6											

Table 20 Registrations of newly diagnosed cases of cancer by sex and site. 1964

Hospital region of residence

	ICD (7th Revision) number and site description	Region of residence															All regions
		Newcastle	Leeds	Sheffield	East Anglia	North West Metropolitan	North East Metropolitan	South East Metropolitan	South West Metropolitan	Wessex	Oxford	South Western	Wales	Birmingham	Manchester	Liverpool	
140 Lip	M	39	34	38	43	27	34	34	28	31	27	56	51	46	30	20	538
	F	2	9	8	4	6	8	7	4	5	5	1	4	5	-	-	81
	Persons	41	43	46	47	33	42	44	35	35	32	64	52	50	35	20	619
141 Tongue	M	26	21	31	15	24	17	31	27	17	18	28	11	38	31	14	349
	F	13	11	18	8	26	13	13	12	4	3	15	16	27	21	10	210
	Persons	39	32	49	23	50	30	44	39	21	21	43	27	65	52	24	559
142 Salivary gland	M	24	13	23	8	18	19	21	29	7	13	24	8	29	16	14	266
	F	29	22	19	6	26	26	27	24	8	15	23	16	36	18	14	307
	Persons	53	35	42	14	44	45	48	53	15	28	47	24	65	32	28	573
143 Floor of mouth	M	17	13	11	5	9	7	10	4	3	6	12	8	14	22	8	149
	F	3	7	2	1	2	3	4	3	3	1	2	1	5	5	3	44
	Persons	20	20	13	5	11	10	14	7	6	7	14	9	19	27	11	193
144 Other mouth (specified and unspecified)	M	22	17	23	8	24	18	16	11	10	11	18	15	39	41	21	291
	F	5	17	9	8	12	12	17	12	7	7	11	13	16	30	16	187
	Persons	27	34	32	8	36	30	33	23	17	18	29	28	55	71	37	478
145 Oral mesopharynx	M	8	15	21	6	14	8	13	19	4	9	17	8	15	19	10	186
	F	1	4	5	3	6	7	8	1	4	-	2	4	2	7	2	56
	Persons	9	19	26	9	20	15	21	20	8	9	19	12	17	26	12	242
146 Nasopharynx	M	2	9	10	4	8	6	11	6	7	2	11	5	15	13	5	114
	F	5	3	8	1	5	5	4	5	1	1	5	6	2	-	1	52
	Persons	7	12	18	5	13	11	15	11	8	3	16	11	17	13	6	166
147 Hypopharynx	M	14	19	19	7	20	15	21	17	9	5	17	9	24	20	12	228
	F	22	17	25	7	17	15	17	17	5	5	23	28	14	46	13	271
	Persons	36	36	44	14	37	30	38	34	14	10	40	37	38	66	25	499
148 Pharynx (unspecified)	M	3	5	1	7	7	11	10	10	1	4	5	3	13	12	6	98
	F	7	6	6	2	5	6	4	6	1	-	5	8	8	5	2	71
	Persons	10	11	7	9	12	17	14	16	2	4	10	11	21	17	8	169
150 Oesophagus	M	75	101	100	51	101	89	120	100	81	42	96	88	119	131	69	1,363
	F	66	64	72	40	93	62	99	85	53	45	88	75	90	120	63	1,115
	Persons	141	165	172	91	194	151	219	185	134	87	184	163	209	251	132	2,478
151 Stomach	M	621	440	603	188	494	408	519	393	202	193	450	509	732	720	358	6,830
	F	359	300	392	124	321	286	338	264	143	137	281	255	460	483	263	4,406
	Persons	980	740	995	312	815	694	857	657	345	330	731	764	1,192	1,203	621	11,236
152 Small intestine, including duodenum	M	9	7	12	1	12	10	12	12	3	10	7	10	14	18	2	139
	F	3	12	11	2	19	7	12	10	-	3	8	3	15	15	2	122
	Persons	12	19	23	3	31	17	24	22	3	13	15	13	29	33	4	261

153 Large intestine, except rectum	M	309	287	377	154	344	243	347	249	134	153	303	223	401	410	181	4,115
	F	329	394	483	212	515	423	499	398	174	191	425	299	555	565	315	5,777
	Persons	638	681	860	366	859	666	846	647	308	344	728	522	956	975	496	9,892
154 Rectum	M	230	262	385	166	309	274	306	286	114	145	267	244	467	326	160	3,941
	F	183	242	264	118	256	220	321	269	120	131	243	136	341	328	176	3,348
	Persons	413	504	649	284	565	494	627	555	234	276	510	380	808	654	336	7,289
155 Biliary passages and liver (specified primary)	M	38	52	63	15	57	52	50	61	20	27	59	31	65	67	34	691
	F	54	76	89	29	92	34	63	76	37	35	74	45	73	80	39	896
	Persons	92	128	152	44	149	86	113	137	57	62	133	76	138	147	73	1,587
156 Liver (secondary and unspecified)	M	42	24	42	32	42	22	31	25	14	27	24	32	60	47	36	500
	F	38	27	30	22	39	32	27	37	19	15	19	31	52	32	33	453
	Persons	80	51	72	54	81	54	58	62	33	42	43	63	112	79	69	953
157 Pancreas	M	131	112	170	78	174	1										

Table 20 continued

Hospital region of residence, 1964

			Region of residence																		All regions
			Newcastle	Leeds	Sheffield	East Anglia	North West Metropolitan	North East Metropolitan	South East Metropolitan	South West Metropolitan	Wessex	Oxford	South Western	Wales	Birmingham	Manchester	Liverpool				
176	Other and unspecified female genital organs	F	52	51	83	36	76	60	70	70	21	36	80	51	98	103	29	916			
177	Prostate	M	300	300	411	203	446	335	442	405	181	209	495	256	520	407	222	5,132			
178	Testis	M	21	37	45	14	36	41	52	53	26	30	41	27	48	39	17	527			
179	Other and unspecified male genital organs	M	32	22	32	15	31	28	15	26	10	11	22	19	61	40	17	381			
180	Kidney	M	81	89	111	43	97	79	73	89	28	34	86	45	121	91	55	1,122			
		F	37	56	54	27	51	43	52	53	23	21	47	26	63	56	34	643			
		Persons	118	145	165	70	148	122	125	142	51	55	133	71	184	147	89	1,765			
181	Bladder and other urinary organs	M	265	277	372	144	369	283	424	368	193	124	260	178	315	326	190	4,088			
		F	83	104	111	44	142	102	163	135	65	50	89	62	113	113	73	1,449			
		Persons	348	381	483	188	511	385	587	503	258	174	349	240	428	439	263	5,537			
190	Melanoma of skin	M	15	11	32	14	36	22	28	17	11	16	29	21	20	23	13	308			
		F	29	22	37	17	60	50	61	46	21	34	69	32	51	51	32	612			
		Persons	44	33	69	31	96	72	89	63	32	50	98	53	71	74	45	920			
191	Other malignant neoplasm of skin	M	470	393	645	300	601	477	734	542	380	278	622	531	788	634	396	7,791			
		F	436	368	545	202	498	421	576	444	313	208	453	413	665	620	352	6,512			
		Persons	906	761	1,190	502	1,099	898	1,310	986	693	484	1,075	944	1,453	1,254	748	14,303			
192	Eye	M	10	8	13	7	13	13	13	7	5	3	8	7	6	5	6	124			
		F	16	5	8	10	17	8	14	14	-	3	9	3	17	10	3	137			
		Persons	28	13	21	17	30	21	27	21	5	6	17	10	23	15	9	261			
193	Brain and other parts of nervous system (including benign neoplasm)	M	92	81	148	57	147	102	139	131	58	48	123	87	162	159	83	1,617			
		F	80	80	88	53	115	77	95	130	64	54	106	73	120	148	74	1,357			
		Persons	172	161	236	110	262	179	234	261	122	102	229	160	282	307	157	2,974			
193	Brain and other parts of nervous system (excluding benign neoplasm)	M	84	77	129	49	124	92	123	115	52	45	103	75	153	127	79	1,427			
		F	67	66	71	40	87	60	90	89	44	52	83	55	96	94	60	1,038			
		Persons	151	143	200	89	211	152	196	205	96	97	186	130	249	221	139	2,465			
194	Thyroid gland	M	6	13	4	5	17	13	9	14	4	8	11	2	10	12	6	134			
		F	23	32	30	14	52	39	45	33	12	25	39	16	49	30	20	459			
		Persons	29	45	34	19	69	52	54	47	16	33	50	18	59	42	26	593			
195	Other endocrine glands (including benign neoplasm)	M	8	11	25	6	22	24	9	20	10	6	6	15	14	15	6	197			
		F	5	12	22	4	15	5	7	14	9	6	7	9	20	18	10	163			
		Persons	13	23	47	10	37	29	16	34	19	12	13	24	34	33	16	360			

195	Other endocrine glands (excluding benign neoplasm)	M	5	4	7	1	10	10	7	8	4	2	3	9	8	6	4	88			
		F	2	5	13	3	13	4	5	7	5	3	4	2	6	6	6	86			
		Persons	7	9	20	4	23	14	12	15	9	5	7	11	16	12	10	174			
196	Bone	M	21	21	18	12	18	20	21	9	14	9	11	19	23	27	13	256			
		F	19	14	15	8	16	13	18	12	5	7	18	8	28	12	9	200			
		Persons	40	35	33	20	34	33	37	21	19	16	29	27	51	39	22	456			
197	Connective tissue	M	22	34	25	9	28	47	37	20	9	14	26	15	26	24	23	359			
		F	18	22	28	9	39	31	35	16	13	13	32	23	33	39	21	385			
		Persons	40	56	53	18	67	78	72	47	25	27	58	37	59	63	44	744			
198	Lymph nodes (secondary and unspecified)	M	30	12	30	18	16	13	13	9	5	8	22	19	26	14	14	249			
		F	21	15	11	9	12	13	17	12	6	6	19	12	29	16	10	208			
		Persons	51	27	41	27	28	26	30	21	11	14	41	31	55	30	24	457			
199	Other and unspecified sites	M	78	59	80	30	79	83	75	57	38	45	77	49	112	69	33	964			
		F	91</td																		

Table 21 Rates per 100,000 population, by sex, site and age, of newly diagnosed cases of cancer. 1964

England and Wales

(rates based on under 20 registrations are shown in italics)

ICD (7th Revision) number and site description	Age-group									All ages	
	0-	5-	15-	25-	35-	45-	55-	65-	75 and over		
140 Lip	M F	- -	- -	0.1 -	0.1 -	0.9 0.2	2.4 0.3	5.0 0.6	10.5 1.1	20.8 1.7	2.3 0.3
141 Tongue	M F	- -	- -	- 0.1	0.1 0.3	0.5 0.8	0.8 1.6	2.5 2.8	6.6 4.9	20.2 0.9	1.5 0.9
142 Salivary gland	M F	- -	0.1 0	0.7 0.4	0.8 1.3	1.2 1.4	1.2 2.1	2.2 1.7	2.9 2.6	5.6 2.6	1.2 1.3
143 Floor of mouth	M F	- -	- -	- 0	0 0	0.1 0.2	0.5 0.3	1.3 0.6	3.4 1.2	6.8 1.2	0.6 0.2
144 Other mouth (specified and unspecified)	M F	- -	- 0	0 0	0.1 0.2	0.4 0.8	0.9 1.5	2.5 2.2	5.4 4.1	14.8 0.8	1.3 0.8
145 Oral mesopharynx	M F	- -	0 0	0.1 0.1	0.1 0.1	0.2 0.3	0.5 0.6	1.7 0.9	4.2 0.9	7.5 0.9	0.8 0.2
146 Nasopharynx	M F	0 0.1	0.1 -	0.1 0	0.3 0.1	1.1 0.2	1.1 0.5	1.8 0.8	0.9 0.5	0.9 0.2	0.5 0.2
147 Hypopharynx	M F	- -	- -	0 0.1	0.2 0.5	0.9 1.4	2.0 2.8	6.5 3.6	6.1 3.6	1.0 1.1	1.0 1.1
148 Pharynx (unspecified)	M F	0 -	- -	0 0	0.1 0.1	0.1 0.3	1.1 0.5	2.5 1.0	3.8 1.5	0.4 0.3	0.4 0.3
150 Oesophagus	M F	- -	- -	0.1 0.1	1.0 0.8	4.5 3.5	14.6 7.5	29.2 15.7	53.7 29.8	5.9 4.6	5.9 4.6
151 Stomach	M F	- -	- 0.1	0 0.6	0.9 3.2	6.5 12.2	26.7 29.4	80.5 68.4	154.4 111.1	198.4 111.1	29.6 18.1
152 Small intestine, including duodenum	M F	- -	- 0	0.1 0	0.4 0.1	0.8 0.4	1.3 1.2	3.3 2.0	2.6 1.7	0.6 0.5	0.6 0.5
153 Large intestine, except rectum	M F	0 -	0 0.2	0.3 0.7	1.4 1.9	5.5 6.8	15.8 17.5	39.6 44.2	88.9 84.6	151.1 128.1	17.9 23.7
154 Rectum	M F	- -	0.1 0.1	0.7 0.9	4.1 3.6	12.1 11.0	40.5 25.7	92.6 48.9	141.7 74.6	17.1 13.7	17.1 13.7
155 Biliary passages and liver (specified primary)	M F	0.1 -	0.1 0	0.2 0.2	0.3 0.3	1.4 2.0	2.5 6.7	6.8 12.2	14.6 25.5	22.6 3.7	3.0 3.7
156 Liver (secondary and unspecified)	M F	- -	0 0	0 0.2	0.1 0.4	0.6 1.6	2.1 4.5	5.1 6.4	11.5 8.0	15.8 1.9	2.2 1.9
157 Pancreas	M F	- 0.1	0 0	0.3 0.1	2.6 1.0	7.2 4.7	22.4 11.5	47.5 25.4	62.3 41.9	8.8 6.8	8.8 6.8
158 Peritoneum	M F	0 -	0 0	0 0.1	0 0.2	0.2 0.8	0.3 1.4	0.9 2.1	1.2 2.0	0.7 0.6	0.3 0.6
159 Unspecified digestive organs	M F	- -	- -	- 0	- 0.1	0.1 0.2	0.4 0.3	0.3 0.5	0.7 0.5	0.1 0.1	0.1 0.1
160 Nose, nasal cavities, middle ear and accessory sinuses	M F	- 0.1	- 0	0.2 0.1	0.3 0	1.5 0.8	3.0 1.0	3.9 1.6	5.9 3.7	1.0 0.6	1.0 0.6
161 Larynx	M F	- -	0 0	0.2 0.3	1.8 1.4	5.4 1.7	14.7 2.1	23.5 2.0	21.8 2.0	4.8 0.7	4.8 0.7
162-163 Lung (primary and unspecified)	M F	- -	0.3 0.2	2.2 0.9	18.6 6.6	102.9 19.5	310.5 39.1	465.4 51.2	333.8 46.8	92.1 15.5	92.1 15.5
164 Mediastinum	M F	0 -	0.1 -	- 0.1	0.1 0	0.4 -	0.3 0.1	1.2 0.2	0.1 0.2	0.1 0.1	0.1 0.1
165 Thoracic organs (secondary)	M F	- -	- 0	- 0.2	0.2 0.5	0.4 1.1	1.4 1.3	2.6 1.4	2.6 1.4	0.5 0.4	0.5 0.4
170 Breast	M F	- 0.1	- 0.4	0 11.0	0.1 63.3	0.7 113.8	1.2 134.0	3.4 160.3	4.6 190.9	0.6 65.8	0.6 65.8
171 Cervix uteri (including pre-malignant cases)	F	- -	0.9 0.9	11.0 42.1	42.1 45.4	35.3 32.2	32.2 31.4	31.4 21.8			21.8

Table 21 - continued

England and Wales, 1964

ICD (7th Revision) number and site description	Age-group									All ages	
	0-	5-	15-	25-	35-	45-	55-	65-	75 and over		
172-174 Other parts of uterus (including pre-malignant cases)	F	0.1	-	0.4	1.2	5.9	22.0	42.3	38.7	29.3	14.1
171-174 Uterus (pre-malignant)	F	-	-	0.6	5.6	11.6	5.8	1.8	1.6	0.8	3.4
175 Ovary, Fallopian tube and broad ligament	F	-	0.3	1.2	2.9	10.8	26.6	34.9	36.8	28.5	14.6
176 Other and unspecified female genital organs	F	0.1	-	0.1	0.3	1.2	2.0	6.3	13.1	23.9	3.8
177 Prostate	M	-	0	0	0	0.3	3.8	28.2	126.8	345.8	22.3
178 Testis	M	0.4	-	2.0	5.7	4.2	2.3	1.7	1.2	1.2	2.3
179 Other and unspecified male genital organs	M	-	-	0	0.1	0.9	2.0	3.7	6.8	13.3	1.7
180 Kidney	M F	1.8 1.0	0.2 0.3	0.3 0.1	0.4 0.9	2.6 2.5	6.8 5.5	12.4 8.1	20.1 11.2	20.4 2.6	4.9 2.6
181 Bladder and other urinary organs	M F	0.1 -	0	0.1	0.1	0.7	4.0	14.7	43.3	93.2	17.7 5.9
190 Melanoma of skin	M F	0 -	0.2 0.8	0.4 0.8	0.8 2.5	1.6 3.9	2.1 3.9	2.6 3.7	3.2 3.9	4.9 5.2	1.3 2.5
191 Other malignant neoplasm of skin	M F	0 -	0.1 0.1	0.5 0.5	2.8 2.8	15.4 11.7	40.3 24.1	79.0 46.8	139.6 86.3	263.2 145.5	33.8 26.7
192 Eye	M F	0.7 0.9	0.2 0.1	0	0.2	0.3	1.0	1.1	1.1	2.0	0.5 0.6
193 Brain and other parts of nervous system (including benign neoplasm)	M F	3.3 3.6	2.6 2.5	2.2 2.0	3.6 2.8	7.0 4.4	10.6 9.3	18.5 11.8	13.7 10.2	4.9 3.7	7.0 5.6
193 Brain and other parts of nervous system (excluding benign neoplasm)	M F	3.2 3.4	2.6 2.4	2.0 1.7	3.1 2.1	6.0 3.5	9.1 6.9	16.5 8.8	12.1 7.3	3.8 2.2	6.2 4.3
194 Thyroid gland	M F	- -	0.1 0.1	0.2 0.5	0.3 0.9	0.4 1.3	0.9 2.2	1.3 3.1	2.1 5.6	2.2 6.4	0.6 1.9
195 Other endocrine glands (including benign neoplasm)	M F	0.5 0.5	0.5 0.3	0.5 0.2	0.7 0.5	1.0 0.7	1.3 1.0	1.2 1.2	1.8 1.1	0.7 0.5	0.9 0.7
195 Other endocrine glands (excluding benign neoplasm)	M F	0.5 0.5	0.3 0.1	0.1 0.1	0.1 0.1	0.5 0.5	0.4 0.5	0.4 0.6	1.1 0.5	0.6 0.4	0.4 0

Table 22 Rates per 100,000 population, by sex,
site and age of newly diagnosed cases of cancer. 1964

(rates based on under 20 registrations are shown in italics)

ICD (7th Revision) number and site description	Age-group									All ages
	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	
140 Lip	M F	-	-	0	0.2	0.9	2.1	4.4	8.4	17.9 2.0 <i>0.3</i>
141 Tongue	M F	-	-	-	0.1	0.5	0.8	2.6	7.6	21.7 1.6 <i>0.9</i>
142 Salivary gland	M F	-	0.1	0.7	1.0	1.2	1.4	2.3	3.2	5.9 1.2 <i>1.3</i>
143 Floor of mouth	M F	-	-	-	0	0.1	0.4	1.3	3.5	6.7 0.6 <i>0.2</i>
144 Other mouth (specified and unspecified)	M F	-	-	0	0.1	0.4	1.0	2.9	5.7	15.6 1.3 <i>0.8</i>
145 Oral mesopharynx	M F	-	0	0.1	0.1	0.2	0.6	1.8	4.6	7.2 0.8 <i>0.2</i>
146 Nasopharynx	M F	0.1	0.1	0.1	0	0.3	1.4	1.2	2.0	1.1 0.6 <i>0.2</i>
147 Hypopharynx	M F	-	-	-	0	0.3	0.9	2.2	7.4	6.3 1.1 <i>1.2</i>
148 Pharynx (unspecified)	M F	0.1	-	-	-	0.1	0.1	1.2	2.6	4.0 0.4 <i>0.3</i>
150 Oesophagus	M F	-	-	-	0.1	1.0	4.9	15.3	30.1	55.7 6.1 <i>4.6</i>
151 Stomach	M F	-	-	-	0.1	0.6	3.6	13.3	31.2	165.0 31.4 <i>19.4</i>
152 Small intestine, including duodenum	M F	-	-	-	0.1	0.4	1.0	1.3	3.6	2.9 0.7 <i>0.5</i>
153 Large intestine, except rectum	M F	0.1	0	0.4	1.3	5.5	16.8	41.8	92.9	160.7 18.6 <i>24.9</i>
154 Rectum	M F	-	-	0.1	0.6	4.2	12.6	41.5	96.6	144.7 17.5 <i>14.3</i>
155 Biliary passages and liver (specified primary)	M F	0.1	0	0.2	0.3	1.2	2.9	7.1	15.8	26.1 3.2 <i>3.8</i>
156 Liver (secondary and unspecified)	M F	-	-	0	0.1	0.6	2.2	5.4	12.4	15.6 2.3 <i>1.9</i>
157 Pancreas	M F	-	0	-	0.4	2.2	7.3	23.6	49.6	67.3 9.2 <i>7.2</i>
158 Peritoneum	M F	0.1	0	0	-	0.2	0.4	0.9	1.2	1.5 0.3 <i>0.6</i>
159 Unspecified digestive organs	M F	-	-	-	-	0.1	0.4	0.3	0.6	0.8 0.1 <i>0.1</i>
160 Nose, nasal cavities, middle ear and accessory sinuses	M F	0.1	0	-	0.3	0.4	1.6	2.9	4.1	5.5 1.1 <i>0.7</i>
161 Larynx	M F	-	-	0	0.2	1.9	5.9	16.2	25.5	24.7 5.3 <i>0.8</i>
162-163 Lung (primary and unspecified)	M F	-	-	0.3	2.5	20.2	111.4	334.7	507.9	375.6 100.0 <i>16.7</i>
164 Mediastinum	M F	0.1	-	0.1	-	0.1	0.1	0.4	0.4	1.3 0.2 <i>0.1</i>
165 Thoracic organs (secondary)	M F	-	-	-	0	0.2	0.4	1.5	2.7	2.7 0.5 <i>0.4</i>
170 Breast	M F	0.1	-	0.4	10.6	66.3	117.8	136.9	162.2	195.5 67.9
171 Cervix uteri (including pre-malignant cases)	F	-	-	0.9	11.4	43.5	47.3	36.2	33.6	33.9 22.7

Urban areas of
England and Wales

Table 22 - continued

Urban areas of
England and Wales, 1964

ICD (7th Revision) number and site description	Age-group									All ages
	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	
172-174 Other parts of uterus (including pre-malignant cases)	F	0.1	-	0.4	1.1	5.6	21.9	42.8	38.9	29.9 14.3
175 Uterus (pre-malignant)	F	-	-	0.7	5.6	12.2	6.0	1.7	1.5	0.7 3.5
176 Ovary, Fallopian tube and broad ligament	F	-	0.3	1.2	3.3	11.2	27.6	35.0	38.2	29.5 15.1
177 Other and unspecified female genital organs	F	0.1	-	0.1	0.3	1.3	2.0	5.6	13.5	23.6 3.7
178 Prostate	M	-	0	0	0	0.4	3.7	29.2	128.8	354.3 22.4
179 Testis	M	0.5	-	2.1	5.7	3.9	2.5	1.9	1.1	1.0 2.3
180 Kidney	M F	1.7	0.2	0.3	0.4	2.7	7.3	13.2	22.6	22.6 5.3
181 Bladder and other urinary organs	M F	0.1	-	0.1	0.8	4.4	15.9	46.2	100.7	151.4 6.4
190 Melanoma of skin	M F	-	0.1	0.5	0.9	1.6	2.2	2.4	3.2	5.3 2.6
191 Other malignant neoplasm of skin	M F	0.1	0.1	0.5	2.9	16.2	41.3	79.7	142.9	263.2 34.2
192 Eye	M F	0.8	0.2	0	0.1	0.3	0.8	1.2	1.0	2.3 0.5
193 Brain and other parts of nervous system (including benign neoplasm)	M F	3.3	2.6	2.2	4.1	7.2	11.1	19.5	14.9	5.3 7.4
193 Brain and other parts of nervous system (excluding benign neoplasm)	M F	3.2	2.6	2.0	3.5	6.2	9.7	17.2	13.3	4.0 6.5
194 Thyroid gland	M F	-	0.1	0.1	0.3	0.4	0.8	1.2	2.5	2.5 2.0
195 Other endocrine glands (including benign neoplasm)	M F	0.6	0.5	0.6	0.7	1.0	1.4	1.3	1.8	1.0 0.9
195 Other endocrine glands (excluding benign neoplasm)	M F	0.6	0.3	0.2	0.1	0.5	0.4	0.5	0.5	0.8 0.4
196 Bone	M F	0.4	0.7	1.2	0.6	0.5	1.4	1.7	2.9	4.9 1.2
197 Connective tissue	M F	0.5	0.3	0.7	1.1	1.4	2.0	2.8	4.8	6.5 1.6
198 Lymph nodes (secondary and unspecified)	M F	-	0.1	0.1	0.1	0.1	0.4	1.2	2.5	5.1 1.1
199 Other and unspecified sites	M F	-	0.1	0.2	0.2	0.4	1.7	4.2	22.4	23.6 4.3
200 Lymphosarcoma and reticulosarcoma	M F	0.9	1.1	2.0	1.9	3.2	5.4	9.5	14.8	17.7 4.5
201 Hodgkin's disease	M F	0.3	0.7	2.5	3.5	2.9	3.2	4.1	5.3	3.6 2.7
202 Other forms of lymphoma (reticulososis)	M F	0.2	0.1	0.4	0.5	0.7	1.7	1.4	1.8	1.9 0.6
203 Multiple myeloma (plasmacytoma)	M F	-	-	-	0.2	0.5	0.8	1.1	1.9	2.1 1.9
204 Leukaemia and aleukaemia	M F	4.1	2.7	2.5	2.1	3.8	5.2	12.0	24.0	43.4 6.8
205 Mycosis fungoides	M F	-	-	-	-	0.1	0.1	0.2	0.4	0.4 0.1
All sites	M F	13.9	9.9	18.2	35.2	103.5	321.3	851.5	1573.3	2128.0 327.5
	M F	10.8	8.3	15.9	51.2	192.3	372.1	575.9	845.6	1131.3 295.5

Table 23 Rates per 100,000 population, by sex, site and age of newly diagnosed cases of cancer. 1964

Rural areas of England and Wales

(rates based on under 20 registrations are shown in italics)

ICD (7th Revision) number and site description	Age-group									All ages
	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	
140 Lip	M F	- -	- 0.1	- -	0.9 0.7	3.6 0.9	7.4 1.4	17.7 1.5	30.2 0.4	3.6 <i>0.4</i>
141 Tongue	M F	- -	- -	0.3 0.2	0.7 1.0	0.5 1.2	2.3 2.8	3.1 3.3	15.7 0.7	1.2 <i>0.7</i>
142 Salivary gland	M F	- -	0.5 0.2	0.2 1.0	1.5 1.2	0.7 2.0	1.8 1.4	1.5 2.8	4.8 2.6	0.9 <i>1.1</i>
143 Floor of mouth	M F	- -	- -	- -	0.7 0.3	1.3 -	3.1 0.7	7.2 1.8	0.7 <i>0.2</i>	
144 Other mouth (specified and unspecified)	M F	- -	- -	- -	0.4 0.2	0.5 1.0	1.3 1.2	4.3 1.9	12.1 2.9	1.0 <i>0.6</i>
145 Oral mesopharynx	M F	- -	- -	- -	0.1 0.2	0.3 -	1.1 1.0	3.1 0.5	8.5 0.4	0.7 <i>0.2</i>
146 Nasopharynx	M F	0.2 -	- 0.2	0.2 -	0.1 0.2	0.2 -	0.9 0.5	1.2 0.5	- 0.7	0.2 <i>0.2</i>
147 Hypopharynx	M F	- -	- -	- 0.2	- 0.3	1.0 1.2	1.6 1.9	3.4 2.4	5.4 3.3	0.7 <i>0.8</i>
148 Pharynx (unspecified)	M F	- -	- -	- 0.2	- 0.3	0.7 0.3	2.1 0.3	3.0 0.7	0.3 <i>0.2</i>	
150 Oesophagus	M F	- -	- -	0.2 0.2	0.9 0.3	3.3 4.0	12.2 7.1	28.0 18.4	47.1 25.8	5.2 <i>4.4</i>
151 Stomach	M F	- -	0.1 0.2	0.2 0.5	4.0 1.8	20.7 7.6	62.8 21.9	117.6 52.0	157.6 85.2	23.3 <i>13.1</i>
152 Small intestine, including duodenum	M F	- -	- -	- 0.2	0.4 0.2	0.2 0.7	1.3 2.1	2.1 1.8	0.4 <i>0.4</i>	
153 Large intestine, except rectum	M F	- -	0.3 0.5	1.5 2.1	5.6 4.8	11.8 16.5	31.0 36.3	75.1 73.4	120.8 99.6	15.0 <i>19.1</i>
154 Rectum	M F	- -	- 0.3	1.1 0.7	3.7 3.2	10.0 10.2	36.8 44.2	78.8 61.9	132.2 11.9	15.7 <i>11.6</i>
155 Biliary passages and liver (specified primary)	M F	0.2 -	0.1 -	- 0.2	1.9 0.8	1.0 2.0	5.9 5.7	10.4 12.0	11.5 19.9	2.2 <i>3.2</i>
156 Liver (secondary and unspecified)	M F	- -	- -	- 0.2	0.4 0.5	1.5 2.3	3.9 3.1	8.5 5.9	18.3 8.1	1.8 <i>1.7</i>
157 Pancreas	M F	- -	- -	- 0.2	4.0 1.1	6.9 4.5	17.9 8.8	40.3 20.0	46.5 35.8	7.7 <i>5.5</i>
158 Peritoneum	M F	- -	0.1 0.1	- -	0.2 0.2	0.1 0.7	0.2 1.0	1.1 1.4	2.4 1.1	0.3 <i>0.4</i>
159 Unspecified digestive organs	M F	- -	- -	- -	- 0.2	- 0.2	0.3 -	1.2 0.4	0.1 <i>0.1</i>	
160 Nose, nasal cavities, middle ear and accessory sinuses	M F	- -	- -	- 0.2	0.3 0.8	1.2 0.7	3.4 2.1	3.1 2.2	1.0 <i>0.5</i>	
161 Larynx	M F	- -	0.1 0.1	0.2 0.3	1.2 1.0	3.5 1.6	8.6 2.1	16.8 2.2	12.7 0.7	3.1 <i>0.7</i>
162-163 Lung (primary and unspecified)	M F	- -	0.3 0.3	1.2 3.7	12.3 14.7	70.2 30.2	218.4 37.7	317.6 31.0	201.1 10.9	63.0 <i>10.9</i>
164 Mediastinum	M F	- -	- -	- -	- -	0.2 -	- 0.7	0.6 0	0 <i>0</i>	
165 Thoracic organs (secondary)	M F	- -	- -	- 0.3	0.4 0.3	0.3 0.7	0.7 1.2	2.1 2.4	2.4 0.5	0.4 <i>0.5</i>
170 Breast	M F	- -	- 0.3	- 12.7	0.3 51.6	0.5 97.1	1.8 121.9	2.7 152.5	3.0 171.8	0.6 <i>57.5</i>
171 Cervix uteri (including pre-malignant cases)	F	- -	0.6 0.6	9.7 36.8	37.6 31.3	31.3 26.4	26.4 21.0	21.0 17.9		0 <i>0</i>

Table 23 - continued

Rural areas of England and Wales, 1964

ICD (7th Revision) number and site description	Age-group									All ages
	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	
172-174 Other parts of uterus (including pre-malignant cases)	M F	- -	- -	0.3 0.2	1.7 5.4	7.1 9.2	22.3 5.1	40.4 2.4	37.9 1.6	28.9 <i>1.1</i> 13.5
171-174 Uterus (pre-malignant) ^	M F	- -	- 0.1	0.2 1.1	1.6 1.3	- 9.4	- 22.7	- 34.7	- 30.6	3.0 <i>24.3</i> 12.5
175 Ovary, Fallopian tube and broad ligament	M F	- -	- -	- -	- -	- -	- -	- -	- -	3.8
176 Other and unspecified female genital organs	M F	- -	- -	- -	- -	- -	- -	- -	- -	1.1
177 Prostate	M F	- 0.2	- -	- 1.6	- 5.7	- 5.1	- 1.5	- 1.1	- 1.8	21.9 <i>2.2</i>
178 Testis	M F	- -	- -	- -	- -	- -	- -	- -	- -	2.2
179 Other and unspecified male genital organs	M F	- -	- -	- -	- -	- -	- -	- -	- -	1.1
180 Kidney	M F	2.0 1.0	0.1 0.4	0.4 0.2	0.2 0.9	2.2 4.1	4.9 7.3	9.1 7.3	11.6 7.0	3.4 <i>2.2</i>
181 Bladder and other urinary organs	M F	0.2 -	- -	- -	- -	0.5 0.2	2.2 2.1	9.9 7.4	32.3 15.5	13.2 <i>30.2</i> 4.3
190 Melanoma of skin	M F	0.2 -	0.4 -	- 0.6	0.3 2.0	1.6 2.0	1.5 2.1	3.2 3.8	3.4 3.5	3.6 <i>6.6</i> 1.2
191 Other malignant neoplasm of skin	M F	- -	- -	- -	- -	2.2 2.6	12.3 9.9	36.0 20.6	76.6 42.0	283.3 <i>144.5</i> 32.5 <i>23.5</i>
192 Eye	M F	0.2 1.0	0.1 0.1	- 0.2	0.2 0.3	0.5 0.5	1.5 1.0	0.7 1.0	1.5 0.9	0.5 <i>2.2</i> 0.5
193 Brain and other parts of nervous system (including benign neoplasm)	M F	2.9 5.7	2.7 2.7	2.1 1.2	2.0 2.8	6.0 4.9	8.7 8.2	14.9 10.2	9.5 7.1	5.6 <i>1.5</i> 4.9
193 Brain and other parts of nervous system (excluding benign neoplasm)	M F	2.9 5.3	2.7 2.6	1.9 1.2	1.5 2.3	5.3 3.9	7.1 6.3	13.6 8.3	7.6 4.5	3.8 <i>1.1</i> 4.0
194 Thyroid gland	M F	- -	- 0.3	0.3 0.3	- 0.3	0.3 0.3	1.3 0.6	1.6 2.1	0.6 2.2	1.2 <i>3.3</i> 0.5
195 Other endocrine glands (including benign neoplasm)	M F	- 0.2	0.4 -	0.1 0.3	0.6 0.2	0.9 1.2	1.0 1.3	0.5 0.9	1.8 0.5	0.6 <i>0.4</i> 0.6
195 Other endocrine glands (excluding benign neoplasm)	M F	- 0.2	0.3 -	- -	0.2 0.6	0.3 0.5	0.3 0.5	0.2 0.2	1.2 0.2	0.3 <i>0.2</i>
196 Bone	M F	- 0.2	0.3 0.7	1.3 0.3	0.4 0.2	0.9 0.5	0.4 0.5	1.0 0.5	0.9 1.0	1.8 <i>1.4</i> 0.7
197 Connective tissue	M F	0.7 0.2	0.3 0.3	0.4 0.5	0.8 0.2	0.6 0.6	1.8 1.6	2.2 0.9	4.3 4.0	6.6 <i>4.1</i> 1.1
198 Lymph nodes (secondary and unspecified)	M F	- -	0.1 -							

Table 24 Rates per 100,000 population, by sex and site,
of newly diagnosed cases of cancer. 1964

Hospital region of
residence

(rates based on under 20 registrations are shown in italics)

ICD (7th Revision) number and site description	Region of residence														All regions	
	Newcastle	Leeds	Sheffield	East Anglia	North West Metropolitan	North East Metropolitan	South East Metropolitan	South West Metropolitan	Wessex	Oxford	South Western	Wales	Birmingham	Manchester	Liverpool	
140 Lip	M 2.6	2.2	1.7	5.4	1.4	2.2	2.0	1.9	3.4	3.1	3.9	3.9	1.9	1.4	1.9	2.3
	F 0.1	0.6	0.4	0.5	0.3	0.5	0.5	0.4	0.4	0.6	0.5	0.1	0.2	0.2	-	0.3
141 Tongue	M 1.7	1.4	1.4	1.9	1.2	1.1	1.8	1.8	1.8	2.1	1.9	0.8	1.6	1.4	1.3	1.5
	F 0.8	0.7	0.8	1.0	1.2	0.8	0.7	0.7	0.4	0.3	1.0	1.2	1.1	0.9	0.9	0.9
142 Salivary gland	M 1.6	0.8	1.0	1.0	0.9	1.2	1.2	1.9	0.8	1.5	1.7	0.6	1.2	0.7	1.3	1.2
	F 1.9	1.4	0.8	0.7	1.2	1.5	1.5	1.4	0.9	1.7	1.5	1.2	1.4	0.7	1.2	1.3
143 Floor of mouth	M 1.1	0.8	0.5	0.6	0.5	0.4	0.6	0.3	0.3	0.7	0.8	0.6	0.6	1.0	0.8	0.6
	F 0.2	0.4	0.1	-	0.1	0.2	0.2	0.2	0.3	0.1	0.1	0.1	0.2	0.2	0.3	0.2
144 Other mouth (specified and unspecified)	M 1.5	1.1	1.0	0.6	1.2	1.1	1.0	0.7	1.1	1.3	1.2	1.1	1.6	1.9	2.0	1.3
	F 0.3	1.0	0.4	0.4	0.5	0.7	0.9	0.7	0.7	0.8	0.7	1.0	0.6	1.3	1.4	0.8
145 Oral mesopharynx	M 0.5	1.0	0.9	0.8	0.7	0.5	0.8	1.3	0.4	1.0	1.2	0.6	0.6	0.9	0.9	0.8
	F 0.1	0.2	0.2	0.4	0.3	0.4	0.4	0.1	0.4	-	0.1	0.3	0.1	0.3	0.2	0.2
146 Nasopharynx	M 0.1	0.6	0.4	0.5	0.4	0.4	0.7	0.4	0.8	0.2	0.8	0.4	0.6	0.6	0.5	0.5
	F 0.3	0.2	0.4	0.1	0.2	0.3	0.2	0.3	0.1	0.1	0.3	0.4	0.1	-	0.1	0.2
147 Hypopharynx	M 0.9	1.2	0.9	0.9	1.0	1.0	1.2	1.1	1.0	0.6	1.2	0.7	1.0	0.9	1.1	1.0
	F 1.4	1.0	1.1	0.9	0.8	0.9	0.9	1.0	0.5	0.6	1.5	2.0	0.6	2.0	1.1	1.1
148 Pharynx (unspecified)	M 0.2	0.3	0	0.9	0.4	0.7	0.6	0.7	0.1	0.5	0.3	0.2	0.5	0.6	0.6	0.4
	F 0.5	0.4	0.3	0.2	0.2	0.3	0.2	0.4	0.1	-	0.3	0.6	0.3	0.2	0.2	0.3
150 Oesophagus	M 5.0	6.6	4.5	6.4	5.1	5.7	7.1	6.6	8.8	4.8	6.6	6.7	4.9	6.0	6.5	5.9
	F 4.3	3.9	3.2	4.9	4.3	3.6	5.4	5.1	5.6	5.1	5.8	5.5	3.6	5.1	5.5	4.6
151 Stomach	M 41.2	28.6	27.0	23.7	24.8	26.0	30.8	26.1	21.8	22.2	30.9	38.9	30.0	33.2	33.8	29.6
	F 23.1	18.5	17.3	15.3	14.7	16.6	18.3	15.9	15.2	15.5	18.5	18.7	18.5	20.7	22.8	18.1

152 Small intestine, including duodenum	M 0.6	0.5	0.5	0.1	0.6	0.6	0.7	0.8	0.3	1.2	0.5	0.8	0.6	0.8	0.2	0.6
	F 0.2	0.7	0.5	0.2	0.9	0.4	0.6	0.6	-	0.3	0.5	0.2	0.6	0.6	0.2	0.5
153 Large intestine, except rectum	M 20.5	18.7	16.9	19.4	17.3	15.5	20.6	16.5	14.5	17.6	20.8	17.0	16.4	18.9	17.1	17.9
	F 21.2	24.3	21.3	26.1	23.6	24.5	27.0	24.0	18.5	21.6	27.9	21.9	22.3	24.2	27.3	23.7
154 Rectum	M 15.3	17.0	17.3	20.9	15.5	17.4	18.2	19.0	12.3	16.7	18.4	18.6	19.1	15.0	15.1	17.1
	F 11.8	14.9	11.6	14.5	11.7	12.7	17.4	16.2	12.8	14.8	16.0	10.0	13.7	14.1	15.2	13.7
155 Biliary passages and liver (specified primary)	M 2.5	3.4	2.8	1.9	2.9	3.3	3.0	4.0	2.2	3.1	4.1	2.4	2.7	3.1	3.2	3.0
	F 3.5	4.7	3.9	3.6	4.2	2.0	3.4	4.6	3.9	4.0	4.9	3.3	2.9	3.4	3.4	3.7
156 Liver (secondary and unspecified)	M 2.8	1.6	1.9	4.0	2.1	1.4	1.8	1.7	1.5	3.1	1.7	2.4	2.5	2.2	3.4	2.2
	F 2.4	1.7	1.3	2.7	1.8	1.9	1.5	2.2	2.0	1.7	1.2	2.3	2.1	1.4	2.9	1.9
157 Pancreas	M 8.7	7.3	7.6	9.8	8.8	8.1	11.8	10.0	7.2	5.6	10.3	7.8	8.4	9.3	11.6	8.8
	F 5.7	7.2	5.5	6.6	6.7	5.6	8.7	8.0	6.2	8.4	8.8	6.4	5.4	6.9	8.1	6.8
158 Peritoneum	M 0.3	0.5	0.6	0.3	0.4	0.3	0.5	0.4	0.2	0.1	0.7	0.1	0	0.3	0.1	0.3
	F 0.5	0.2	0.6	0.7	0.6	1.2	1.2	1.4	0.9	-	0.7	0.5	0	0.2	0.3	0.6
159 Unspecified digestive organs	M 0.1	0.3	0	-	-	0.1	0.1	0.1	-	0.2	0.1	0.2	-	0.2	-	0.1
	F 0.1	0.2	0	0.1	-	0.1	0.1	0.1	-	-	0.1	-	-	0.3	-	0.1
160 Nose, nasal cavities, middle ear and accessory sinuses	M 0.9	0.8	1.0	1.4	1.0	1.3	1.5	1.1	0.5	1.3	1.5	0.9	0.9	0.8	1.0	1.0
	F 0.5	0.8	0.7	0.5	0.7	0.6	0.6	0.6	1.0	0.2	0.6	0.6	0.6	0.9	0.6	0.6
161 Larynx	M 4.9	5.3	4.3	4.9	3.8	5.2	6.0	5.4	3.7	2.9	5.8	3.7	4.2	5.5	6.5	4.8
	F 1.0	1.0	0.4	0.7	0.7	0.6	0.9	0.5	0.9	0.9	0.6	0.6	0.5	1.1	1.2	0.7
162-163 Lung (primary and unspecified)	M 93.9	92.9	79.7	79.4	92.7	104.3	113.4	107.2	79.5	79.1	80.5	75.4	87.2	97.6	106.6	92.1
	F 15.1	14.6	11.6	15.3	19.2	16.2	21.5	21.8	16.3	16.2	13.2	8.9	12.4	14.7	16.9	15.5
164 Mediastinum	M -	-	0	-	0.3	0.1	0.2	0.3	-	0.1	0.1	0.2	0.2	0.3	0.1	0.1
	F -	-	-	-	0.2	0.1	0.1	0.1	0.1	-	0.1	-	0.1	0	0.1	0.1
165 Thoracic organs																

Table 24 - continued

Hospital region of residence. 1964

			Region of residence														All regions	
			Newcastle	Leeds	Sheffield	East Anglia	North West Metropolitan	North East Metropolitan	South East Metropolitan	South West Metropolitan	Wessex	Oxford	South Western	Wales	Birmingham	Manchester	Liverpool	
171-174	Uterus (pre-malignant)	F	5.5	2.7	6.6	2.1	3.0	1.3	2.1	2.9	1.8	6.1	0.8	1.6	5.0	4.6	2.4	3.4
175	Ovary, Fallopian tube and broad ligament	F	11.7	16.9	13.8	16.4	14.1	12.9	18.6	16.5	12.0	10.9	18.4	13.0	14.6	13.4	13.4	14.6
176	Other and unspecified female genital organs	F	3.3	3.1	3.7	4.4	3.5	3.5	3.8	4.2	2.2	4.1	5.3	3.7	3.9	4.4	2.5	3.8
177	Prostate	M	19.9	19.5	18.4	25.6	22.4	21.3	26.2	26.9	19.6	24.1	34.0	19.5	21.3	18.8	20.9	22.3
178	Testis	M	1.4	2.4	2.0	1.8	1.8	2.6	3.1	3.5	2.8	3.5	2.8	2.1	2.0	1.8	1.6	2.3
179	Other and unspecified male genital organs	M	2.1	1.4	1.4	1.9	1.6	1.8	0.9	1.7	1.1	1.3	1.5	1.5	2.5	1.8	1.6	1.7
180	Kidney	M	5.4	5.8	5.0	5.4	4.9	5.0	4.3	5.9	3.0	3.9	5.9	3.4	5.0	4.2	5.2	4.9
		F	2.4	3.5	2.4	3.3	2.3	2.5	2.8	3.2	2.4	2.4	3.1	1.9	2.5	2.4	2.9	2.6
181	Bladder and other urinary organs	M	17.6	18.0	16.7	18.2	18.6	18.0	25.2	24.4	20.9	14.3	17.9	13.6	12.9	15.0	17.9	17.7
		F	5.3	6.4	4.9	5.4	6.5	5.9	8.8	8.1	6.9	5.7	5.8	4.5	4.5	4.8	6.3	5.9
190	Melanoma of skin	M	1.0	0.7	1.4	1.8	1.8	1.4	1.7	1.1	1.2	1.8	2.0	1.6	0.8	1.1	1.2	1.3
		F	1.9	1.4	1.6	2.1	2.7	2.9	3.3	2.8	2.2	3.9	4.5	2.3	2.1	2.2	2.8	2.5
191	Other malignant neoplasm of skin	M	31.2	25.6	28.9	37.9	30.2	30.4	43.6	35.9	41.1	32.0	42.8	40.5	32.3	29.3	37.3	33.8
		F	28.1	22.7	24.0	24.9	22.8	24.4	31.1	26.8	33.3	23.3	29.8	30.2	26.8	26.6	30.5	26.7
192	Eye	M	0.7	0.5	0.6	0.9	0.7	0.8	0.8	0.5	0.5	0.3	0.6	0.5	0.2	0.2	0.6	0.5
		F	1.0	0.3	0.4	1.2	0.8	0.5	0.8	0.8	-	0.3	0.6	0.2	0.7	0.4	0.3	0.6
193	Brain and other parts of nervous system (including benign neoplasm)	M	6.1	5.3	6.6	7.2	7.4	6.5	8.3	8.7	6.3	5.5	8.5	6.6	6.6	7.3	7.8	7.0
		F	5.2	4.9	3.9	6.5	5.3	4.5	5.1	7.8	6.8	6.1	7.0	5.3	4.8	6.3	6.4	5.6
193	Brain and other parts of nervous system (excluding benign neoplasm)	M	5.6	5.0	5.8	6.2	6.2	5.9	7.3	7.6	5.6	5.2	7.1	5.7	6.3	5.9	7.4	6.2
		F	4.3	4.1	3.1	4.9	4.0	3.5	3.9	5.4	4.7	5.9	5.5	4.0	3.9	4.0	5.2	4.3

194	Thyroid gland	M	0.4	0.8	0.2	0.6	0.9	0.8	0.5	0.9	0.4	0.9	0.8	0.2	0.4	0.6	0.6	0.6
		F	1.5	2.0	1.3	1.7	2.4	2.3	2.4	2.0	1.3	2.8	2.6	1.2	2.0	1.3	1.7	1.9
195	Other endocrine glands (including benign neoplasm)	M	0.5	0.7	1.1	0.8	1.1	1.5	0.5	1.3	1.1	0.7	0.4	1.1	0.6	0.7	0.6	0.9
		F	0.3	0.7	1.0	0.5	0.7	0.3	0.4	0.8	1.0	0.7	0.5	0.7	0.8	0.8	0.9	0.7
195	Other endocrine glands (excluding benign neoplasm)	M	0.3	0.3	0.3	0.1	0.5	0.6	0.4	0.5	0.4	0.2	0.2	0.7	0.3	0.3	0.4	0.4
		F	0.1	0.3	0.6	0.4	0.6	0.2	0.3	0.4	0.5	0.3	0.3	0.1	0.3	0.3	0.5	0.4
196	Bone	M	1.4	1.4	0.8	1.5	0.9	1.3	1.2	0.6	1.5	1.0	0.8	1.5	0.9	1.2	1.2	1.1
		F	1.2	0.9	0.7	1.0	0.7	0.8	0.9	0.7	0.5	0.8	1.2	0.6	1.1	0.5	0.8	0.8
197	Connective tissue	M	1.5	2.2	1.1	1.1	1.4	3.0	2.2	1.3	1.0	1.6	1.8	1.1	1.1	1.1	2.2	1.6
		F	1.2	1.4	1.2	1.1	1.8	1.8	1.9	1.6	1.7	1.5	2.1	1.6	1.3	1.7	1.8	1.6
198	Lymph nodes (secondary and unspecified)	M	2.0	0.8	1.3	2.3	0.8	0.8	0.8	0.6	0.5	0.9	1.5	1.5	1.1	0.6	1.3	1.1
		F	1.4	0.9	0.5	1.1	0.5	0.8	0.9	0.7	0.6	0.7	1.2	0.9	1.2	0.7	0.9	0.9
199	Other and unspecified sites	M	5.2	3.8	3.6	3.8	4.0	5.3	4.5	3.8	4.1	5.2	5.3	3.7	4.6	3.2	3.1	4.2
		F	5.9	4.3	5.2	6.3	5.6	6.5	6.4	4.9	4.0	6.0	6.7	4.8	5.7	4.1	4.6	5.4
200	Lymphosarcoma and reticulosarcoma	M	4.6	3.3	3.9	3.4	5.2	3.3	6.1	5.0	4.6	4.4	5.8	3.4	3.2	4.1	4.1	4.3
		F	2.3	2.7	2.8	3.3	3.3	3.0	3.8	4.3	3.0	2.7	3.4	2.7	2.4	2.6	2.4	3.0
201	Hodgkin's disease	M	2.3	2.5	2.9	2.9	2.4	3.4	2.6	2.7	2.9	2.5	2.5	2.6	2.0	3.2	3.3	2.7
		F	1.9	2.0	1.8	2.0	1.7	2.1	2.1	1.7	2.0	1.5	1.6	1.4	2.0	2.5	1.8	1.9
202	Other forms of lymphoma (reticulosoma)	M	1.0	0.4	0.7	1.3	0.6	0.6	0.9	0.8	0.8	0.8	0.5	0.6	0.9	0.9	0.8	0.8
		F	0.7	0.4	0.4	1.4	0.7	0.5	0.5	0.6	0.3	0.9	0.7	0.6	0.8	0.6	0.6	0.6
203	Multiple myeloma (plasmacytoma)	M	2.1	2.0	1.1	2.7	2.5	1.2	2.2	2.6	1.7	2.4	2.0	1.4	1.8	1.7	2.4	1.9
		F	2.1	2.0	1.6	2.7	1.6	1.6	1.7	3.2	1.8	2.3	2.3	1.3	1.2	1.9	2.3	1.9
204	Leukaemia and aleukaemia	M	6.3	7.1	6.0	6.9	5.9	6.0	7.9	9.0	7.1	6.9	7.7	6.0	5.9	6.9	7.4	6.8
		F	5.4	5.2	5.4	5.5												

SAMPLE CENSUS 1966

ENGLAND AND WALES

COUNTY REPORTS

These reports give statistics derived from the 1966 Sample Census: this was not a complete enumeration of all the people in England and Wales but of a ten per cent sample of the population. The statistics given are for Administrative Counties, County Boroughs, local authority areas with populations of 15,000 or more, and county aggregates. (Figures for smaller areas will be made available at a charge on request to the General Register Office. For details send for Circular C.O. 66/5 to General Register Office, Census Branch, Segensworth Road, Titchfield, Fareham, Hants.)

Local populations are analysed by age, sex, marital condition, birthplace, and socio-economic groups; the analysis of local housing conditions includes the number of dwellings, households by rooms, size of household, tenure, household amenities, car usage and garaging.

(prices vary from 9s. 6d. to 36s. net.)

Published by
HER MAJESTY'S STATIONERY OFFICE

and obtainable from the Government Bookshops in London (by post to P.O. Box 569, S.E.1), Edinburgh, Cardiff, Belfast, Manchester, Birmingham and Bristol, or through any bookseller

**The Registrar General's
Annual Estimates of the Population
of England and Wales
and of
Local Authority Areas**

An annual publication issued to meet a general demand for the most recent figures of populations of local administrative area, county boroughs, administrative and geographical counties, the revised standard regions and conurbations. The latest estimates of the population of England and Wales as a whole, by sex, by single years of age to age 20 and by five-year age-groups thereafter, are also given.

Price 2s. 6d. (1967 edition). By post 2s. 9d.

Published by
HER MAJESTY'S STATIONERY OFFICE

*and obtainable from the Government Bookshops in London (by post to P.O. Box 569,
S.E.1), Edinburgh, Cardiff, Belfast, Manchester, Birmingham and Bristol, or
through any bookseller*

GENERAL REGISTER OFFICE

**STUDIES ON MEDICAL AND
POPULATION SUBJECTS**

No. 21

**Population Projections
for the
South East**

by

Eric J. Thompson, BSC (ECON), FSS

This report gives, in some detail, an account of the preparation of the population projections made by the General Register Office in 1966 for South East England and describes the assumptions behind those projections. The period discussed is for the years 1964 to 1981.

The report discusses the projected changes in the population of the region as a whole and of its major sub-divisions and the migration assumptions incorporated in the projections. The assumptions on both migration and natural increase are compared with those made in previous Government estimates.

Price 4s. 6d. (By post 4s. 9d.)

Published by
HER MAJESTY'S STATIONERY OFFICE

*and obtainable from the Government Bookshops in London (by post to P.O. Box 569,
S.E.1), Edinburgh, Cardiff, Belfast, Manchester, Birmingham and Bristol, or
through any bookseller*

© Crown copyright 1968

Printed and published by

HER MAJESTY'S STATIONERY OFFICE

To be purchased from

49 High Holborn, London w.c.1

423 Oxford Street, London w.1

13A Castle Street, Edinburgh 2

109 St. Mary Street, Cardiff CF1 1JW

Brazenose Street, Manchester 2

50 Fairfax Street, Bristol 1

258-259 Broad Street, Birmingham 1

7-11 Linenhall Street, Belfast BT2 8AY

or through any bookseller

Printed in England

