STATISTICS
BACK-UP

BRITISH LIBRARY
OF POLITICAL AND
ECONOMIC SCIENCE

LONDON SCHOOL OF
ECONOMICS AND
POLITICAL SCIENCE

STATISTICS
BACK-UP

DS 42(HA 161)
42 STATISTICS BACK-UP

THE REGISTRAR GENERAL'S STATISTICAL REVIEW OF ENGLAND AND WALES FOR THE YEAR 1958

PART I

TABLES, MEDICAL

BRITISH LIBRARY
21 APR 1960
OF POLITICAL AND ECONOMIC SCIENCE

LONDON
HER MAJESTY'S STATIONERY OFFICE
PRICE £1 0s. 0d. NET

6309/9/R

THE REGISTRAR GENERAL'S STATISTICAL REVIEW OF ENGLAND AND WALES FOR THE YEAR 1958

PART I

TABLES, MEDICAL

LONDON
HER MAJESTY'S STATIONERY OFFICE
1960

TABLE OF CONTENTS

		Page
Explanatory notes		v
Corrigenda		xi
Population		
Table 1.	Estimated population, total, home and civilian, by sex and age, as at 30th June 1958. England and Wales	2
Table 2.	Estimated home population by sex and age, as at 30th June 1958. England and Wales, standard regions, Wales, conurbations, urban and rural aggregates outside conurbations	3
Serial mortality records		
Table 3.	Deaths, death rates, mortality comparisons, infant mortality, and live and stillbirth rates, 1841 to 1958. England and Wales	4
Table 4.	Death rates in age-groups and infant mortality, 1841 to 1958. England and Wales	6
Table 5.	Deaths registered and death rates in each quarter, 1841 to 1958. England and Wales	9
Table 6.	Standardised Mortality Ratios (all ages) and death rates at ages under 15 years from the principal epidemic and general diseases, 1851 to 1958. England and Wales	10
Table 7.	Deaths by cause and sex at all ages, 1949 to 1958. England and Wales	11
Table 8.	Crude death rates from certain causes, by sex at all ages, 1949 to 1958. England and Wales	43
Table 9.	Standardised Mortality Ratios (base years 1950-1952) by sex for certain causes of death, 1949 to 1958. England and Wales	58
Table 10.	Death rates by sex and age, and infant mortality from certain causes, 1954 to 1958. England and Wales	62
Table 11.	Deaths of infants under one year from certain causes, 1949 to 1958. England and Wales	66
Table 12.	Infant mortality from certain causes, 1949 to 1958. England and Wales	67
Vital statistics by local areas		
Table 13.	Home population, births, deaths, infant mortality and perinatal mortality, 1958. England and Wales, standard regions, Wales, conurbations, counties, boroughs, urban and rural districts	68
Deaths by age		
Table 14.	Deaths by sex at each year of age (with marital condition), 1958. England and Wales	118
Table 15.	Constructed analysis of 1958 deaths by age and marital condition. England and Wales	120
Table 16.	Deaths at different ages by month of occurrence, January to December, 1958. England and Wales	121

		Page
Cause analyses		
Table 17.	Causes of death at different age periods, 1958. England and Wales	122
Table 18a.	Accidental poisoning and other non-transport accidents by place of occurrence, age and sex, 1958. England and Wales	167
Table 18b.	Deaths from violent causes according to nature of injury, sex and age, 1958. England and Wales	174
Table 18c.	Deaths from violent causes—Nature of injury according to external cause, 1958. England and Wales	178
Table 18d.	Deaths from road traffic accidents and from accidental falls—Nature of injury according to external cause, sex, and age, 1958. England and Wales	179
Table 19.	Causes of death by sex at different periods of life, 1958 (including for England and Wales only, crude death rates per million living) (International Abbreviated List). England and Wales, standard regions, Wales, conurbations, urban and rural aggregates outside conurbations	182
Table 20.	Suspended.	
Table 21.	Causes of death by sex, 1958 (Abridged List and Supplementary Abridged List). England and Wales, standard regions, Wales, conurbations, London A.C., City of London, metropolitan and county boroughs, administrative counties	230
Table 22.	Causes of death by month of occurrence, January to December, 1958. England and Wales	258
Stillbirths and infant mortality		
Table 23.	Stillbirths by sex and legitimacy, 1958. England and Wales, standard regions, Wales, conurbations, London A.C., City of London, metropolitan and county boroughs, urban and rural aggregates in each administrative county	267
Table 24.	Deaths at various periods in the first year of life by legitimacy. Death rates per 1,000 live births, 1958. England and Wales, standard regions, Wales, conurbations, urban and rural aggregates outside conurbations	270
Table 25.	Deaths at various periods in the first year of life, 1958 and the four quarters thereof. England and Wales, standard regions, Wales, conurbations, urban and rural aggregates outside conurbations	272
Table 26.	Infant mortality from certain causes, 1958. Deaths of infants under one year and various sub-divisions of the first year, and deaths of illegitimate infants. England and Wales, standard regions, Wales, conurbations, urban and rural aggregates outside conurbations	274
Table 27.	Causes of death at various ages under five years, 1958. England and Wales	278
Infectious diseases		
Table 28.	Weekly notifications of certain infectious diseases and deaths from certain causes, 1958. England and Wales	290

		Page
Table 29.	Cases of certain infectious diseases notified, 1948 to 1958. England and Wales	291
Table 30.	Cases of certain infectious diseases notified, by sex and age, 1958. England and Wales, standard regions, Wales, conurbations, urban and rural aggregates outside conurbations ..	292
Table 31.	Cases of certain infectious diseases notified, 1958 (including for England and Wales only, case rates per 100,000 population). England and Wales, standard regions, Wales, conurbations, counties, metropolitan and county boroughs, urban and rural aggregates outside conurbations	310
Weather		
Table 32.	Quarterly air temperature, rainfall and sunshine, 1958. England and Wales	320
Table 33.	Rainfall, mean temperature and sunshine, 1909 to 1958. England and Wales	321
Table 34.	Meteorological observations, 1958. Kew Observatory, Richmond	322
Appendices		
Appendix A.	Standardised Mortality Ratios, age specific death rates and infant mortality rates from selected causes, 1958. England and Wales, Scotland and Northern Ireland	323
Appendix B.	Abridged life table, 1958. England and Wales	329

EXPLANATORY NOTES

1. New or recent changes in presentation

Where changes have been made this year the appropriate passage in the explanatory notes below has been marked with a vertical bar in the margin.

(*a*) *Change in classification*

Causes of death are now classified according to the *International Statistical Classification of Diseases, Injuries, and Causes of Death*, 1955* (Seventh Revision).

(*b*) *New tables*

A new table (**Table 10**) has been introduced in this volume, showing death rates at all ages and at ages over one year, and infant mortality rates, from selected causes by sex.

A new table (**Table 18D**) has been introduced in this volume, showing deaths from road traffic accidents and from accidental falls by nature of injury, sex and age.

A new **Appendix A** has been introduced in this volume, showing rates by sex and age from selected causes in the three components of the United Kingdom (England and Wales, Scotland, and Northern Ireland) and a comparison of their mortality from each cause by means of a Standardised Mortality Ratio, United Kingdom experience being taken as the standard.

A new **Appendix B** has been introduced showing an Abridged Life table for England and Wales.

(*c*) *Tables omitted*

The former **Table 15,** showing deaths at different ages in England and Wales, standard regions, etc., has been omitted. A limited age analysis of deaths in various parts of England and Wales is still available in **Table 19** and the unpublished **Table 20.**

The former **Table 22** showing crude death rates from principal epidemic diseases and from certain other causes, and infant and maternal mortality, has been omitted. The rates for most causes are obtainable from **Tables 21** and **13.**

The former **Table 29** showing notification rates of certain infectious diseases has been omitted but England and Wales rates have been included in **Table 31.**

Appendix A has been replaced by a new United Kingdom table. (See note (*b*) above.)

The former **Appendix B** (showing details of changes in boundaries) has been omitted but will continue to be published in Part II.

(*d*) *Other table changes*

Owing to the introduction of new tables and the omission of others it has been necessary to re-number some of the regular tables.

Table 3	(1) Standardised Mortality Ratios have replaced Comparative Mortality Indices (see note 6). (2) The adjusted ratio of male to female mortality has been omitted. (3) Live birth rates per 1,000 population have been introduced. (4) Stillbirth rates per 1,000 total (live and still) births have been introduced.
Table 4	The mortality ratio has been omitted and age-group 1–4 substituted for 0–4.
Table 6	(1) Standardised Mortality Ratios have replaced Comparative Mortality Indices (see note 6). (2) Two causes have been omitted: tuberculosis of the respiratory system (001–008), and cancer (excluding Hodgkin's disease, leukaemia and aleukaemia) (140–200, 202, 203, 205). (3) Two causes have been introduced: peptic ulcer (540–542), and suicide (E970–E979).
Table 7	(1) Additional fourth digit sub-divisions have been introduced. (2) Causes showing few deaths have been transferred to the end of the table.
Table 8	(1) Some causes previously shown have been omitted. (2) Some causes not previously included have been introduced.
Table 9	Standardised Mortality Ratios have replaced Comparative Mortality Indices (see note 6).

* Manual obtainable from Her Majesty's Stationery Office, price 35s. 0d. net.

Tables 11 and 12 (previously numbered 10 and 11)	(1) Diphtheria (055), pink disease (365), and convulsions (780·2) have been omitted. (2) Malignant neoplasms (including neoplasms of lymphatic and haematopoietic tissues) (140–205), diseases of the endocrine glands (250–277), and vascular lesions affecting central nervous system (330–334) have been introduced.
Table 13 (previously numbered 12)	(1) The breakdown of births by legitimacy has been omitted but will continue to be shown in Table E of Part II. (2) Deaths under 1 week and perinatal mortality rates have been introduced.
Table 17	(1) Single ages are no longer shown. (2) Additional fourth digit sub-divisions have been introduced.
Table 18A	Additional group totals are now shown.
Table 18B	Some causes previously shown separately are now amalgamated.
Table 19	(1) The breakdown of deaths under 1 year has been omitted. (2) The age-group 45–64 has been broken down to show deaths at ages 45–54 and 55–64. (3) Death rates for England and Wales have been added to this table. These rates were previously published in a table in the Commentary volume.
Table 21	Some causes previously included (right-hand side of the table only), i.e. Supplementary Abridged List, have been omitted and others introduced.
Table 24 (previously numbered 25)	The table is now restricted to show only information relating to England and Wales, regions, and the urban and rural aggregates.
Table 26 (previously numbered 28)	(1) Two causes have been omitted: tuberculosis (001–019) and whooping cough (056). (2) Two causes have been introduced: other diseases of infective origin (001–138, 340, 470–483, 518, 519, 690–698, 765–768) and accidental mechanical suffocation (E921–E925).
Table 27	(1) Some causes previously included in groups are now shown separately, or the groups further broken down. (2) The age-groups under 1 week have been modified and the table extended to include ages under 5 years.
Table 28 (previously numbered 30)	(1) This table now shows weekly numbers of cases and includes weekly numbers of deaths from influenza, pneumonia and bronchitis. (2) As totals derived from weekly returns differ from other Part I tables a corrected annual total line is included.
Table 29 (previously numbered 31)	(1) The three sections are now amalgamated. (2) Port Health cases of quarantine diseases are distinguished in brackets alongside figures in which they are included.
Table 31 (previously numbered 33)	(1) This table is restricted to regions, national urban and rural aggregates, metropolitan boroughs, county boroughs, and county urban and rural aggregates, i.e. individual county districts have been omitted. (2) A line of rates for England and Wales has been included on the second page.

2. Populations

The estimates of population appearing in this volume and described as " home " or " total " populations have the following content:

Home population—the population, of all types, actually in England and Wales, distributed by area according to residence.

Total population —the home population *plus* members of H.M. Forces belonging to England and Wales and serving overseas but *excluding* the Forces of other countries temporarily in England and Wales.

The mid-1958 estimates of population, both national and local, have been based upon final figures from the full tabulations of the 1951 Census.

3. Deaths

The deaths recorded in this volume are those registered in England and Wales. No distinction is made between deaths of civilians and deaths of non-civilians, except where stated for past years in serial tables.

Except in **Tables 16** and **22** the deaths recorded are those registered in the calendar period, the time lag between the date of occurrence and the date of registration being usually only a day or two. In **Tables 16** and **22** deaths are classified by calendar month of occurrence, but they exclude deaths occurring in the current year which are not registered until after 31st March in the following year.

In all tables deaths are classified according to the area of usual residence of the deceased. Accommodation provided under Parts III and IV of the National Assistance Act, 1948, is regarded as the place of residence of persons dying there. Before 1st January 1958 chronic sick and mental and mental deficiency hospitals were similarly treated for this purpose but from that date the method of classification was modified, the main change being that a death in such a hospital is now assigned to the area of occurrence only if the deceased had been there six months or more. If the deceased had been there less than six months the death is transferred to the area of previous usual residence.

In some small areas the number of deaths may also have been appreciably affected by the *opening*, *closing* or *change of use* of certain institutions, so that figures may not be comparable with those of earlier years.

4. Causes of death

The classification of causes of death is that prescribed in the *International Statistical Classification of Diseases, Injuries and Causes of Death, 1955* (Seventh Revision) operating from the year 1958 in accordance with international agreement. In the tables this classification is referred to as ISC. Violent deaths are generally classified according to the External Cause of Injury (E codes), but the alternative method of classification by Nature of Injury (N codes) is also used in **Tables 7, 8, 18B, 18C, 18D, 19** and **27.** The Abridged List used for separate areas in **Table 21** is an adaptation of the International List and was adopted by the Registrar General in consultation with the Ministry of Health; it is extended by the Supplementary Abridged List in the same table. The list used in **Table 19** is designed so that it can be condensed into either the International Abbreviated List or the Abridged List of **Table 21. Tables 18C** and **18D** employ both of the alternative classifications for violent deaths in the International Intermediate List.

The 1955 International Classification differs very slightly from that for 1948. For most causes of death, therefore, statistics compiled according to the 1955 Classification should be comparable with those compiled according to that for 1948. (See Appendix B of the 1957 *Statistical Review, Part III, Commentary**.)

Where more than one cause of death is mentioned on the medical certificate the choice of the assigned cause is in accordance with international procedure, determined in the main from the statement of the certifier, and not by arbitrary rules of precedence.

5. Death rates

The death rates for 1950 and on (except for infant mortality and maternal mortality) are derived from the total deaths registered in this country and are based on the home population, while those for 1940–49 are derived from civilian deaths and populations (see note 2 above). All death rates for years prior to 1958 have been revised so far as possible to the new method of classification. Death rates for the years 1951 to 1953 shown in this volume are in some cases slightly different from corresponding rates published in Parts I and II for these years because the estimated populations on which they are based have been revised in the light of final data from the 1951 Census.

The crude death rates for local areas in **Table 13** (col. 12) may not be comparable one with another. In the first place, the populations on which they are based may have widely different structures by sex and age. In order to eliminate differences between local death rates due to this cause an Area Comparability Factor is calculated (as described on page 57 of the 1954 *Statistical Review, Part III, Commentary*†).

In the second place, the populations on which the crude death rates are based may include a disproportionate number of invalids if there are certain types of hospital in the area. In order to eliminate differences between local death rates due to this cause, the Area Comparability Factors mentioned in the previous paragraph are adjusted so that they also spread the deaths and the populations in chronic sick, mental and mental deficiency hospitals over all areas of the country in proportion to the non-institutional populations.

The product of the crude death rate and this adjusted Area Comparability Factor (col. 13 in **Table 13**) is a rate which is standardised for sex and age structure and, at the same time, makes allowance for the presence in or absence from the area of chronic sick, mental or mental deficiency hospitals.

Infant mortality rates are based upon the live births occurring in the year, except in the years 1931 to 1956 when they were based upon related live births, i.e. the combined live births of the associated and preceding year to which they relate. Maternal

* Obtainable from Her Majesty's Stationery Office, price 16s. 6d. net.
† Obtainable from Her Majesty's Stationery Office, price 8s. 0d. net.

mortality rates are based upon live and still births occurring in the calendar year, except in the case of deaths from abortion which are based on the estimated numbers of women aged 15–44. Perinatal mortality rates are based on the number of deaths under one week plus stillbirths per thousand total live and still births.

6. Standard mortality comparisons

The Comparative Mortality Index introduced in 1942 has now been replaced by a Standardised Mortality Ratio which shows the number of deaths registered in the year of experience as a percentage of those which would have been expected in that year had the sex/age mortality of a standard period (1950–52) operated on the sex/age population of the year of experience.

Tables 3, 6 and **9** are the tables affected by this change.

7. Births and birth rates

The births recorded are those occurring in the calendar year.

In **Table 13** births are allocated to the area of usual residence of the mother.

The crude birth rates for local areas in **Table 13** (col. 6) may not be comparable one with another. In the first place, the populations on which they are based may contain different relative numbers of women of childbearing ages. In order to eliminate differences between local birth rates due to this cause an Area Comparability Factor is calculated (as described on page 30 of the 1954 *Statistical Review, Part III, Commentary*).

In the second place, the crude birth rates for local areas may differ because disproportionate numbers of women of childbearing ages are resident in mental hospitals, where they are not, in fact, 'exposed to risk' of childbearing. In order to eliminate differences between local birth rates due to this cause also, the Area Comparability Factors mentioned in the previous paragraph are adjusted so that they also spread the numbers of women of childbearing ages in mental and mental deficiency hospitals over all areas of the country in proportion to the non-institutional populations.

The product of the crude birth rate and this adjusted Area Comparability Factor (col. 7 in **Table 13**) is a rate which is standardised for sex and age structure—in particular for the relative numbers of women of childbearing ages—and, at the same time, makes allowance for the presence in or absence from the area of mental or mental deficiency hospitals with female patients of childbearing ages.

8. Notification of infectious diseases

Tables 29, 30 and **31** are based on notifications corrected for subsequent amendments of diagnosis by the notifying medical practitioner or by the medical superintendent of the infectious diseases hospital. Non-civilians are included unless otherwise stated.

9. Changes in boundaries

Areas which have undergone a change of boundary during the year are identified in **Table 13** by an asterisk (*); areas created during the year are identified by the sign (†), while areas abolished are indicated by the sign (‡). Statistics shown for the year for such an area relate to the area as constituted in the respective parts of the year before and after the boundary change; in consequence the base population used in **Table 13** for the calculation of birth and death rates, which must be a weighted average of the populations for these two parts of the year, may differ from **Table 2** which relates to the area as constituted *after* the boundary change.

10. Indication of significance

Rates based upon less than 20 births, deaths or notifications are distinguished by italic type as a warning to the user that the smallness of the experiences may affect their significance (see page 9 of the 1936 *Statistical Review, Text*).

Rates given as 0 indicate that the rate is less than half the final digit shown. A dash (—) in any column indicates that there were no events.

11. Definition of areas

London A.C.=Administrative County of London, which consists of the City of London (including the Inner and Middle Temples) and the metropolitan boroughs.

C.B.=county borough; **M.B.**=municipal borough; **Met.B.**=metropolitan borough; **U.D.**=urban district; **R.D.**=rural district.

12. Standard regions

The constitution of the standard regions of England and Wales used in this volume is as follows:

REGION I *Northern*	REGION IV *Eastern*	REGION VI *Southern*	*Wales II (remainder)*
Cumberland	Bedfordshire	Berkshire	Anglesey
Durham	Cambridgeshire	Buckinghamshire	Caernarvonshire
Northumberland	Ely, Isle of	Dorset	Cardiganshire
Westmorland	Essex, Part of[2]	Oxfordshire	Denbighshire
Yorkshire, North Riding	Hertfordshire, Part of[3]	Southampton	Flintshire
	Huntingdonshire	Wight, Isle of	Merionethshire
REGION II *East and West Ridings*	Norfolk		Montgomeryshire
Yorkshire, East Riding	Suffolk, East	REGION VII *South Western*	Pembrokeshire
Yorkshire, West Riding	Suffolk, West	Cornwall	Radnorshire
	REGION V *London and South Eastern*	Devon	REGION IX *Midland*
REGION III *North Midland*	Essex, Part of[4]	Gloucestershire	Herefordshire
Derbyshire, Part of[1]	Hertfordshire, Part of[5]	Somerset	Shropshire
Leicestershire	Kent	Wiltshire	Staffordshire
Lincolnshire—	London Admin. County		Warwickshire
Parts of Holland	Middlesex	REGION VIII *Wales I (South East)*	Worcestershire
Parts of Kesteven	Surrey	Brecknockshire	
Parts of Lindsey	Sussex, East	Carmarthenshire	REGION X *North Western*
Northamptonshire	Sussex, West	Glamorganshire	Cheshire
Nottinghamshire		Monmouthshire	Derbyshire, Part of[6]
Peterborough, Soke of			Lancashire
Rutland			

1. All except Buxton M.B., Glossop M.B., New Mills U.D., Whaley Bridge U.D., and Chapel en le Frith R.D.
2. All except East Ham C.B., West Ham C.B., Chingford M.B., Wanstead and Woodford M.B., Leyton M.B., Walthamstow M.B., Ilford M.B., Barking M.B., Dagenham M.B., Waltham Holy Cross U.D., and Chigwell U.D.
3. All except Barnet U.D., Bushey U.D., Cheshunt U.D., East Barnet U.D., and Elstree R.D.
4. All areas stated in 2 above. 5. All areas stated in 3 above. 6. All areas stated in 1 above.

13. Conurbations

The conurbation areas used in this volume are those which were agreed in 1950, under the aegis of the Interdepartmental Committee on Social and Economic Research and the Central Statistical Office, for the presentation of official statistics generally*. They each consist of an aggregation of entire local authority areas and are constituted as follows:

Tyneside

Durham		*Northumberland*	
Gateshead C.B.	Felling U.D.	Newcastle upon Tyne C.B.	Longbenton U.D.
South Shields C.B.	Hebburn U.D.	Tynemouth C.B.	Newburn U.D.
	Jarrow M.B.		Wallsend M.B.
	Whickham U.D.	Gosforth U.D.	Whitley Bay M.B.

West Yorkshire

Yorkshire, West Riding

Bradford C.B.	Aireborough U.D.	Heckmondwike U.D.	Ossett M.B.
Dewsbury C.B.	Baildon U.D.	Holmfirth U.D.	Pudsey M.B.
Halifax C.B.	Batley M.B.	Horbury U.D.	Queensbury and Shelf U.D.
Huddersfield C.B.	Bingley U.D.	Horsforth U.D.	Ripponden U.D.
Leeds C.B.	Brighouse M.B.	Keighley M.B.	Rothwell U.D.
Wakefield C.B.	Colne Valley U.D.	Kirkburton U.D.	Shipley U.D.
	Denby Dale U.D.	Meltham U.D.	Sowerby Bridge U.D.
	Denholme U.D.	Mirfield U.D.	Spenborough M.B.
	Eiland U.D.	Morley M.B.	Stanley U.D.

* See *Census* 1951, *England and Wales, Preliminary Report*, page xxii, H.M.S.O. price 5s. 0d. net; also *Census* 1951, *England and Wales, Report on Greater London and Five Other Conurbations*, page xv, H.M.S.O. price £5 5s. 0d. net.

South East Lancashire

Cheshire		*Lancashire*	
Stockport C.B.	Bolton C.B.	Horwich U.D.	Urmston U.D.
	Bury C.B.	Irlam U.D.	Wardle U.D.
Alderley Edge U.D.	Manchester C.B.	Kearsley U.D.	Westhoughton U.D.
Altrincham M.B.	Oldham C.B.	Lees U.D.	Whitefield U.D.
Bowdon U.D.	Rochdale C.B.	Littleborough U.D.	Whitworth U.D.
Bredbury and Romiley U.D.	Salford C.B.	Little Lever U.D.	Worsley U.D.
Cheadle and Gatley U.D.	Ashton-under-Lyne M.B.	Middleton M.B.	
Dukinfield M.B.	Audenshaw U.D.	Milnrow U.D.	
Hale U.D.	Chadderton U.D.	Mossley M.B.	
Hazel Grove and Bramhall U.D.	Crompton U.D.	Prestwich M.B.	
Hyde M.B.	Denton U.D.	Radcliffe M.B.	
Marple U.D.	Droylsden U.D.	Royton U.D.	
Sale M.B.	Eccles M.B.	Stretford M.B.	
Stalybridge M.B.	Failsworth U.D.	Swinton and Pendlebury M.B.	
Wilmslow U.D.	Farnworth M.B.		
	Heywood M.B.	Tottington U.D.	
Disley R.D.			

Merseyside

Cheshire		*Lancashire*	
Birkenhead C.B.	Ellesmere Port M.B.	Bootle C.B.	Huyton-with-Roby U.D.
Wallasey C.B.	Hoylake U.D.	Liverpool C.B.	Litherland U.D.
	Neston U.D.		
Bebington M.B.	Wirral U.D.	Crosby M.B.	

West Midlands

Staffordshire		*Warwickshire*	*Worcestershire*
Smethwick C.B.	Darlaston U.D.	Birmingham C.B.	Dudley C.B.
Walsall C.B.	Rowley Regis M.B.		
West Bromwich C.B.	Sedgley U.D.	Solihull M.B.	Halesowen M.B.
Wolverhampton C.B.	Tettenhall U.D.	Sutton Coldfield M.B.	Oldbury M.B.
	Tipton M.B.		Stourbridge M.B.
Aldridge U.D.			
Amblecote U.D.	Wednesbury M.B.		
Bilston M.B.	Wednesfield U.D.		
Brierley Hill U.D.	Willenhall U.D.		
Coseley U.D.			

Greater London

London	*Kent*	*Essex*
(whole county)	Beckenham M.B.	East Ham C.B.
Middlesex	Bexley M.B.	West Ham C.B.
(whole county)	Bromley M.B.	
Surrey	Chislehurst and Sidcup U.D.	Barking M.B.
Croydon C.B.	Crayford U.D.	Chigwell U.D.
Kingston-upon-Thames M.B.	Erith M.B.	Chingford M.B.
Banstead U.D.	Orpington U.D.	Dagenham M.B.
Barnes M.B.	Penge U.D.	Ilford M.B.
Malden and Coombe M.B.		Leyton M.B.
Merton and Morden U.D.	*Hertfordshire*	Waltham Holy Cross U.D.
Beddington and Wallington M.B.	Barnet U.D.	Walthamstow M.B.
Mitcham M.B.	Bushey U.D.	Wanstead and Woodford M.B.
Carshalton U.D.	Cheshunt U.D.	
Richmond M.B.	East Barnet U.D.	
Surbiton M.B.		
Coulsdon and Purley U.D.	Elstree R.D.	
Sutton and Cheam M.B.		
Epsom and Ewell M.B.		
Wimbledon M.B.		
Esher U.D.		

14. Urban and rural aggregates

Urban and rural aggregates relate to aggregates of conurbations, and of areas outside conurbations. The latter are sub-divided into (a) urban areas with (i) populations of 100,000 and over, (ii) populations of 50,000 and under 100,000 and (iii) populations under 50,000 (for this purpose areas are allocated according to the size of their enumerated population at the 1951 Census) and (b) rural districts. " Urban areas " includes boroughs and urban districts as defined under the Loca Government Acts, and rural districts are as defined under those Acts.

CORRIGENDA

Statistical Review, 1956: Part I, Tables, Medical

Page 252. Table 21, Swansea, cause 11, females, *insert* 4.

Statistical Review, 1957: Part I, Tables, Medical

Page 15. Table 7, cause 122, males, 1956, *insert* 1.

Page 27. Table 7, causes 490–493, males, 1955, *for* 20594 *read* 10594.

Page 37. Table 7, cause E856, males, 1955, *insert* 2.

Page 37. Table 7, cause E858, males, 1955, *insert* 1.

Page 45. Table 8, cause 150, males, 1957, *for* 60 *read* 61.

Page 52. Table 8, cause 541, persons, 1957, *for* 53 *read* 54.

Page 53. Table 8, cause 587·0, females, 1949, *for* 7 *read* 8.

Page 53. Table 8, cause 600·0, females, 1949, *for* 21 *read* 22.

Page 55. Table 8, cause E970, persons, 1957, *for* 18 *read* 15.

Page 72. Table 12, Weardale R.D., col. 9, *for* 1·80 *read* 1·17.

Page 72. Table 12, Weardale R.D., col. 10, *for* 1·58 *read* 1·02.

Page 99. Table 12, Kidderminster R.D., col. 18, *for* 51 *read* 25.

Page 227. Table 19, cause B46 (rem.), all ages, males, *for* 2708 *read* 2788.

Page 227. Table 19, cause B46 (rem.), all ages, females, *for* 4183 *read* 4103.

Page 301. Table 29, meningococcal infections, 1957, col. 11, *for* 3 *read* 2.

Page 303. Table 29, dysentery, 1957, col. 6, *for* 54 *read* 47.

Page 303. Table 29, dysentery, 1957, col. 10, *for* 62 *read* 51.

Page 317. Table 32, urban areas with populations under 50,000, all ages, females, *for* 18 *read* 15.

Page 324. Table 33, remainder of North Western, col. 19, *for* 1430 *read* 1412.

Page 328. Table 33, Dukinfield M.B., col. 3, *for* — *read* 4.

Page 328. Table 33, Hale U.D., col. 3, *for* 4 *read* —.

Page 337. Table 33, Kent Administrative County, col. 6, *for* 5997 *read* 5977.

Page 339. Table 33, Swale R.D., col. 6, *for* 139 *read* 239.

Page 343. Table 33, Grimsby R.D., col. 9, *for* — *read* 1.

Page 354. Table 33, Chichester R.D., col. 10, *for* 48 *read* 49.

Page 355. Table 33, Alcester R.D., col. 4, *for* 2 *read* 1.

PART I

TABLES, MEDICAL

TABLE 1. Estimated population, total, home and civilian, by sex and age, as at 30th June 1958 } **England and Wales**

(*Figures in thousands*)

Note. The estimates of population described as " home " and " total " have the following content:—

Home population — the population, of all types, actually in England and Wales.

Total population — the home population *plus* members of H.M. Forces belonging to England and Wales and serving overseas but *excluding* the Forces of other countries temporarily in England and Wales.

Age	Total population			Home population			Civilian population		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
0	721	370	351	721	370	351	721	370	351
1	693	355	338	693	355	338	693	355	338
2	668	343	325	668	343	325	668	343	325
3	644	330	314	644	330	314	644	330	314
4	657	337	320	657	337	320	657	337	320
0—4	**3,383**	**1,735**	**1,648**	**3,383**	**1,735**	**1,648**	**3,383**	**1,735**	**1,648**
5	653	335	318	653	335	318	653	335	318
6	641	327	314	641	327	314	641	327	314
7	658	337	321	658	337	321	658	337	321
8	678	346	332	678	346	332	678	346	332
9	712	365	347	712	365	347	712	365	347
5—9	**3,342**	**1,710**	**1,632**	**3,342**	**1,710**	**1,632**	**3,342**	**1,710**	**1,632**
10	765	390	375	765	390	375	765	390	375
11	856	438	418	856	438	418	856	438	418
12	665	340	325	665	340	325	665	340	325
13	658	337	321	658	337	321	658	337	321
14	664	340	324	664	340	324	664	340	324
10–14	**3,608**	**1,845**	**1,763**	**3,608**	**1,845**	**1,763**	**3,608**	**1,845**	**1,763**
15	627	320	307	627	320	307	625	318	307
16	571	291	280	571	291	280	564	284	280
17	527	267	260	527	267	260	518	258	260
18	563	286	277	559	282	277	541	265	276
19	580	292	288	556	268	288	495	209	286
15–19	**2,868**	**1,456**	**1,412**	**2,840**	**1,428**	**1,412**	**2,743**	**1,334**	**1,409**
20	582	293	289	551	263	288	486	199	287
All ages under 21	**13,783**	**7,039**	**6,744**	**13,724**	**6,981**	**6,743**	**13,562**	**6,823**	**6,739**
20—24	2,847	1,445	1,402	2,782	1,380	1,402	2,598	1,200	1,398
25—29	2,917	1,467	1,450	2,901	1,452	1,449	2,858	1,410	1,448
30—34	3,082	1,541	1,541	3,074	1,533	1,541	3,050	1,510	1,540
35—39	3,325	1,644	1,681	3,317	1,636	1,681	3,288	1,608	1,680
40—44	3,011	1,479	1,532	3,005	1,474	1,531	2,987	1,456	1,531
45—49	3,282	1,620	1,662	3,280	1,618	1,662	3,270	1,608	1,662
50—54	3,166	1,544	1,622	3,165	1,543	1,622	3,162	1,540	1,622
55—59	2,794	1,315	1,479	2,793	1,314	1,479	2,793	1,314	1,479
60—64	2,308	1,004	1,304	2,308	1,004	1,304	2,308	1,004	1,304
65—69	1,918	800	1,118	1,918	800	1,118	1,918	800	1,118
70—74	1,506	596	910	1,506	596	910	1,506	596	910
75—79	1,047	392	655	1,047	392	655	1,047	392	655
80—84	564	196	368	564	196	368	564	196	368
85 and over	276	88	188	276	88	188	276	88	188
All ages	**45,244**	**21,877**	**23,367**	**45,109**	**21,744**	**23,365**	**44,701**	**21,346**	**23,355**

TABLE 2. Estimated home population by sex and age, as at 30th June 1958 } **England and Wales, standard regions, Wales, conurbations, urban and rural aggregates outside conurbations**

(*Figures in thousands*)

		All ages	0—	5—	15—	25—	35—	45—	55—	65—	75 and over
ENGLAND AND WALES	M	**21,744**	**1,735**	**3,555**	**2,808**	**2,985**	**3,110**	**3,161**	**2,318**	**1,396**	**676**
	F	**23,365**	**1,648**	**3,395**	**2,814**	**2,990**	**3,212**	**3,284**	**2,783**	**2,028**	**1,211**
Regions and conurbations:											
Northern	M	**1,575**	**138**	**264**	**218**	**220**	**211**	**219**	**162**	**98**	**45**
	F	**1,627**	**130**	**254**	**215**	**214**	**212**	**221**	**184**	**129**	**68**
Tyneside Conurbation	M	408	37	66	52	59	56	58	44	25	11
	F	440	35	65	58	60	59	61	50	34	18
Remainder of Northern	M	1,167	101	198	166	161	155	161	118	73	34
	F	1,187	95	189	157	154	153	160	134	95	50
East and West Ridings	M	**1,990**	**161**	**326**	**238**	**277**	**286**	**299**	**218**	**128**	**57**
	F	**2,144**	**153**	**314**	**261**	**273**	**294**	**308**	**259**	**183**	**99**
West Yorkshire Conurbation	M	794	64	126	88	110	115	125	91	52	23
	F	894	60	122	102	109	122	135	116	83	45
Remainder of East and West Ridings	M	1,196	97	200	150	167	171	174	127	76	34
	F	1,250	93	192	159	164	172	173	143	100	54
North Western	M	**3,078**	**256**	**508**	**372**	**415**	**442**	**461**	**341**	**196**	**87**
	F	**3,407**	**243**	**489**	**405**	**427**	**468**	**492**	**424**	**302**	**157**
South East Lancashire Conurbation	M	1,143	94	186	131	159	170	174	127	72	30
	F	1,273	89	179	145	161	180	188	160	114	57
Merseyside Conurbation	M	652	64	118	88	88	90	89	64	35	16
	F	731	61	115	101	94	97	96	80	57	30
Remainder of North Western	M	1,283	98	204	153	168	182	198	150	89	41
	F	1,403	93	195	159	172	191	208	184	131	70
North Midland	M	**1,737**	**140**	**289**	**222**	**246**	**246**	**250**	**180**	**110**	**54**
	F	**1,795**	**133**	**276**	**221**	**233**	**246**	**248**	**205**	**148**	**85**
Midland	M	**2,260**	**182**	**384**	**296**	**329**	**334**	**323**	**222**	**129**	**61**
	F	**2,345**	**173**	**366**	**297**	**321**	**326**	**320**	**257**	**180**	**105**
West Midlands Conurbation	M	1,106	91	189	135	167	168	160	108	60	28
	F	1,175	86	182	151	164	165	162	128	88	49
Remainder of Midland	M	1,154	91	195	161	162	166	163	114	69	33
	F	1,170	87	184	146	157	161	158	129	92	56
Eastern	M	**1,723**	**141**	**280**	**236**	**233**	**244**	**238**	**176**	**114**	**61**
	F	**1,793**	**134**	**263**	**212**	**229**	**245**	**240**	**208**	**158**	**104**
London and South Eastern	M	**5,164**	**387**	**816**	**612**	**716**	**782**	**782**	**568**	**337**	**164**
	F	**5,842**	**368**	**780**	**679**	**749**	**840**	**847**	**713**	**530**	**336**
Greater London	M	3,868	289	597	448	558	606	599	425	237	109
	F	4,354	274	575	516	580	644	642	523	372	228
Remainder of South Eastern	M	1,296	98	219	164	158	176	183	143	100	55
	F	1,488	94	205	163	169	196	205	190	158	108
Southern	M	**1,434**	**113**	**234**	**237**	**185**	**190**	**190**	**143**	**93**	**49**
	F	**1,474**	**108**	**221**	**175**	**181**	**195**	**195**	**174**	**135**	**90**
South Western	M	**1,501**	**116**	**246**	**213**	**190**	**200**	**212**	**164**	**104**	**56**
	F	**1,605**	**110**	**233**	**183**	**191**	**208**	**224**	**200**	**152**	**104**
Wales (including Monmouthshire)	M	**1,282**	**101**	**208**	**164**	**174**	**175**	**187**	**144**	**87**	**42**
	F	**1,333**	**96**	**199**	**166**	**172**	**178**	**189**	**159**	**111**	**63**
Wales I (South East)	M	924	74	150	115	129	127	136	105	60	28
	F	952	70	143	120	128	129	135	112	74	41
Wales II (remainder)	M	358	27	58	49	45	48	51	39	27	14
	F	381	26	56	46	44	49	54	47	37	22
Urban/Rural aggregates:											
Conurbations	M	7,971	639	1,282	942	1,141	1,205	1,205	859	481	217
	F	8,867	605	1,238	1,073	1,168	1,267	1,284	1,057	748	427
Areas outside conurbations:											
Urban areas with populations of 100,000 and over	M	2,805	230	462	353	394	397	409	303	176	81
	F	3,046	221	447	373	392	410	426	365	262	150
Urban areas with populations of 50,000 and under 100,000	M	1,655	134	271	214	230	232	237	177	107	53
	F	1,810	127	260	217	230	242	250	218	164	102
Urban areas with populations under 50,000	M	4,835	389	806	601	645	674	699	523	331	167
	F	5,227	370	764	620	653	701	726	630	472	291
Rural districts	M	4,478	343	734	698	575	602	611	456	301	158
	F	4,415	325	686	531	547	592	598	513	382	241

TABLE 3. Deaths, death rates, mortality comparisons, infant mortality, and live and still birth rates, 1841 to 1958 } **England and Wales**

See explanatory notes. For explanation of Standardised Mortality Ratios see note 6.

Period	Deaths			Crude rates per 1,000 living			Standardised Mortality Ratios (1950–52 = 100)			Deaths of infants under 1 year per 1,000 live births†			Live birth rates per 1,000 population	Stillbirth rates per 1,000 total (live and still) births
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females	Total	Legitimate	Illegitimate		
1841–1850	3,769,396	1,909,125	1,860,271	22·4	23·1	21·6	357	320	396	153			32·6	
1851–1860	4,210,715	2,138,536	2,072,179	22·2	23·1	21·4	348	313	384	154			34·1	
1861–1870	4,794,498	2,459,489	2,335,009	22·5	23·7	21·4	351	319	383	154			35·2	
1871–1880	5,178,311	2,679,416	2,498,895	21·4	22·7	20·1	335	308	362	149			35·4	
1881–1890	5,244,770	2,698,316	2,546,454	19·1	20·3	18·1	304	281	327	142			32·4	
1891–1900	5,575,375	2,865,226	2,710,149	18·2	19·3	17·1	288	268	307	153			29·9	
1901–1910	5,248,774	2,706,356	2,542,418	15·4	16·4	14·4	235	221	248	128			27·2	
1911–1920*	5,188,052	2,684,511	2,503,541	14·4	15·9	13·0	197	187	207	100	96	194	22·7	
1921–1930	4,722,991	2,407,475	2,315,516	12·1	12·9	11·4	151	142	159	72	70	130	18·3	
1931–1940*	4,992,208	2,551,612	2,440,596	12·3	13·1	11·5	131	125	136	59	57	95	14·9	40
1941–1950*	4,997,653	2,586,188	2,411,465	12·4	14·1	11·0	106	104	107	43	41	61	18·0	27
1841–1845	1,746,110	885,168	860,942	21·4	22·1	20·6	344	307	381	148			32·3	
1846–1850	2,023,286	1,023,957	999,329	23·3	24·1	22·6	369	331	409	157			32·8	
1851–1855	2,087,236	1,061,271	1,025,965	22·7	23·5	21·8	356	321	392	156			33·9	
1856–1860	2,123,479	1,077,265	1,046,214	21·8	22·6	21·0	341	306	377	152			34·4	
1861–1865	2,331,957	1,192,943	1,139,014	22·6	23·7	21·5	353	320	387	151			35·1	
1866–1870	2,462,541	1,266,546	1,195,995	22·4	23·7	21·2	349	318	380	157			35·3	
1871–1875	2,572,749	1,330,063	1,242,686	22·0	23·3	20·7	342	314	371	153			35·5	
1876–1880	2,605,562	1,349,353	1,256,209	20·8	22·1	19·5	328	302	354	145			35·3	
1881–1885	2,585,164	1,330,461	1,254,703	19·4	20·5	18·3	308	284	333	139			33·5	
1886–1890	2,659,606	1,367,855	1,291,751	18·9	20·0	17·8	300	278	322	145			31·4	
1891–1895	2,785,391	1,427,164	1,358,227	18·7	19·8	17·7	296	275	318	151			30·5	
1896–1900	2,789,984	1,438,062	1,351,922	17·7	18·8	16·6	279	262	297	156			29·3	
1901–1905	2,671,566	1,379,931	1,291,635	16·0	17·1	15·0	249	234	264	138			28·2	
1906–1910	2,577,208	1,326,425	1,250,783	14·7	15·6	13·8	221	208	234	117	113	224	26·3	
1911–1915*	2,598,719	1,344,171	1,254,548	14·3	15·4	13·3	205	195	215	110	105	210	23·9	
1916–1920*	2,589,333	1,340,340	1,248,993	14·4	16·5	12·8	190	180	199	90	85	179	21·5	
1921–1925	2,336,270	1,189,865	1,146,405	12·1	12·9	11·4	157	147	166	76	73	140	19·9	
1926–1930	2,386,721	1,217,610	1,169,111	12·1	12·9	11·4	145	137	153	68	65	119	16·7	
1931–1935	2,426,435	1,232,370	1,194,065	12·0	12·7	11·4	134	127	141	62	60	103	15·0	41
1936–1940*	2,565,773	1,319,242	1,246,531	12·5	13·5	11·6	128	123	132	55	54	86	14·9	38
1941–1945*	2,497,013	1,301,357	1,195,656	12·8	15·1	11·1	112	110	113	50	48	71	17·6	30
1946–1950*	2,500,640	1,284,831	1,215,809	11·8	12·8	10·9	101	99	102	36	36	51	18·4	24
1951–1955	2,571,153	1,325,747	1,245,406	11·7	12·5	10·9	97	98	95	27	27	34	15·2	23
1908	520,456	268,714	251,742	14·8	15·8	13·9	223	211	235	120	116	233	26·7	
1909	518,003	265,203	252,800	14·6	15·5	13·8	219	205	233	109	104	211	25·8	
1910	483,247	249,016	234,231	13·5	14·4	12·7	201	190	212	105	102	195	25·1	
1911	527,810	272,512	255,298	14·6	15·6	13·7	216	204	227	130	125	245	24·4	
1912	486,939	250,232	236,707	13·4	14·2	12·6	196	184	207	95	91	181	24·0	

* For the years 1915–20 and from 3rd September 1939 to 31st December 1949, for males, and from 1st June 1941 to 31st December 1949, for females, the mortality rates are based upon civilians only, but, as in other years, the numbers of deaths include those of non-civilians registered in England and Wales.

† Based on related live births from 1931 to 1956.

‡ Based on half year's figures only.

TABLE 3—*continued*

Period	Deaths			Crude rates per 1,000 living			Standardised Mortality Ratios (1950–52 = 100)			Deaths of infants under 1 year per 1,000 live births†			Live birth rates per 1,000 population	Stillbirth rates per 1,000 total (live and still) births
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females	Total	Legitimate	Illegitimate		
1913	504,975	261,687	243,288	13·8	14·8	12·9	200	190	209	108	104	213	24·1	
1914	516,742	267,359	249,383	14·0	14·9	13·1	201	191	211	105	100	207	23·8	
1915*	562,253	292,381	269,872	15·7	17·7	14·0	215	205	224	110	105	203	23·1	
1916*	508,217	265,030	243,187	14·3	16·7	12·5	191	183	200	91	87	183	22·7	
1917*	498,922	262,215	236,707	14·2	17·1	12·1	186	180	192	96	90	201	19·5	
1918*	611,861	314,704	297,157	17·3	20·1	15·2	222	208	238	97	91	186	19·5	
1919*	504,203	258,089	246,114	14·0	15·7	12·6	183	173	194	89	84	173	19·5	
1920*	466,130	240,302	225,828	12·4	13·5	11·5	166	159	174	80	76	156	28·0	
1921	458,629	234,291	224,338	12·1	12·9	11·3	160	151	169	83	79	158	22·4	
1922	486,780	247,221	239,559	12·7	13·5	12·0	167	157	177	77	74	139	20·4	
1923	444,785	226,858	217,927	11·6	12·4	10·9	149	140	157	69	67	132	19·7	
1924	473,235	240,620	232,615	12·2	13·0	11·5	155	146	164	75	73	133	18·8	
1925	472,841	240,875	231,966	12·1	12·9	11·4	153	144	162	75	72	136	18·3	
1926	453,804	231,549	222,255	11·6	12·4	10·9	143	135	151	70	68	130	17·8	
1927	484,609	246,606	238,003	12·3	13·1	11·6	150	142	159	70	67	120	16·7	38‡
1928	460,389	235,542	224,847	11·7	12·5	10·9	139	132	146	69	63	115	16·7	40
1929	532,492	269,903	262,589	13·4	14·2	12·7	160	150	170	74	72	126	16·3	40
1930	455,427	234,010	221,417	11·4	12·3	10·7	134	127	140	60	58	105	16·3	41
1931	491,630	249,717	241,913	12·3	13·0	11·6	142	133	150	66	64	109	15·8	41
1932	484,129	245,715	238,414	12·0	12·7	11·4	137	129	144	64	62	112	15·3	41
1933	496,465	250,625	245,840	12·3	12·9	11·7	138	129	146	63	61	106	14·4	41
1934	476,810	242,855	233,955	11·8	12·5	11·1	129	123	136	59	58	96	14·8	40
1935	477,401	243,458	233,943	11·7	12·5	11·1	127	120	132	57	56	89	14·7	41
1936	495,764	253,319	242,445	12·1	12·9	11·4	129	123	134	59	57	88	14·8	40
1937	509,574	260,057	249,517	12·4	13·2	11·7	130	124	135	58	56	88	14·9	39
1938	478,996	246,898	232,098	11·6	12·5	10·8	119	116	123	53	52	81	15·1	38
1939*	499,902	255,879	244,023	12·1	13·0	11·3	122	117	126	51	49	90	14·9	38
1940*	581,537	303,089	278,448	14·4	16·1	12·9	139	135	141	57	55	82	14·8	37
1941*	535,180	281,035	254,145	13·5	15·7	11·8	126	124	127	60	59	82	14·9	35
1942*	480,137	251,333	228,804	12·3	14·4	10·7	110	109	111	51	49	75	17·0	33
1943*	501,412	259,206	242,206	13·0	15·3	11·3	112	109	114	49	48	71	18·1	30
1944*	492,176	257,705	234,471	12·7	15·3	10·8	107	106	108	45	44	69	19·9	28
1945*	488,108	252,078	236,030	12·6	15·0	10·8	104	103	106	46	44	65	17·9	28
1946*	492,090	252,380	239,710	12·0	13·4	10·9	103	101	106	43	42	60	20·2	27
1947*	517,615	267,714	249,901	12·3	13·6	11·3	107	106	108	41	40	58	21·1	24
1948*	469,898	242,899	226,999	11·0	11·9	10·1	94	93	95	34	33	45	18·1	23
1949*	510,736	260,686	250,050	11·8	12·6	11·1	101	99	103	32	32	45	16·9	23
1950	510,301	261,152	249,149	11·6	12·3	11·0	99	98	101	30	29	39	15·8	23
1951	549,380	281,724	267,656	12·5	13·4	11·8	106	106	106	30	29	38	15·4	23
1952	497,484	257,760	239,724	11·3	12·2	10·5	95	96	93	28	27	35	15·3	23
1953	503,529	259,490	244,039	11·4	12·2	10·7	95	96	94	27	27	33	15·4	22
1954	501,896	259,797	242,099	11·3	12·2	10·5	93	95	91	25	25	32	15·1	23
1955	518,864	266,976	251,888	11·7	12·5	10·9	95	97	93	25	25	32	15·0	23
1956	521,331	267,904	253,427	11·7	12·5	10·9	94	96	92	24	23	29	15·6	23
1957	514,870	266,407	248,463	11·5	12·3	10·7	91	94	88	23	23	30	16·1	22
1958	526,843	270,639	256,204	11·7	12·4	11·0	92	95	90	23	22	28	16·4	22

*, †, ‡ See footnotes on first page of this table.

TABLE 4. Death rates per 1,000 living in age-groups and infant mortality per 1,000 live births, 1841 to 1958 } England and Wales

See explanatory notes.

PERSONS

Period	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and over	Deaths under 1 year per 1,000 live births†
1841–1850		9·05	5·29	7·48	9·29	10·3	12·9	17·0	29·9	63·6	141·5	301·0	153
1851–1860		8·46	4·97	7·04	8·67	9·76	12·3	16·5	28·9	61·7	139·9	296·5	154
1861–1870		7·99	4·49	6·42	8·21	9·83	12·7	17·4	30·4	62·8	140·4	296·6	154
1871–1880		6·47	3·71	5·35	7·07	8·96	12·7	17·8	31·6	65·0	142·2	308·3	149
1881–1890		5·30	3·03	4·37	5·63	7·56	11·5	17·1	31·4	65·0	137·6	284·0	142
1891–1900		4·34	2·51	3·73	4·74	6·40	10·5	16·8	31·5	65·0	137·2	270·8	153
1901–1910		3·56	2·11	2·99	3·82	5·13	8·31	14·3	28·1	58·8	127·2	260·8	128
1911–1920*		3·60	2·28	3·32	4·29	5·47	7·41	12·6	25·0	55·8	125·5	254·2	100
1921–1930		2·42	1·64	2·55	3·21	3·64	5·54	10·0	21·3	50·8	120·9	260·2	72
1931–1940*	5·65	2·01	1·31	2·17	2·85	3·04	4·58	9·26	20·2	48·8	119·5	259·8	59
1941–1950*	2·55	1·13	0·85	1·58	2·24	2·37	3·38	7·44	17·6	42·4	104·0	216·5	43
1841–1845		8·69	5·01	7·21	8·81	9·66	12·2	16·1	28·7	62·0	137·2	295·3	148
1846–1850		9·39	5·56	7·74	9·77	10·9	13·6	18·1	31·4	65·9	145·7	306·5	157
1851–1855		8·64	5·23	7·48	9·06	10·1	12·7	17·2	29·6	62·9	143·2	299·6	156
1856–1860		8·33	4·72	6·74	8·33	9·38	12·0	16·1	28·4	61·0	136·7	293·4	152
1861–1865		8·39	4·72	6·64	8·39	9·79	12·6	17·2	30·3	62·5	139·1	299·0	151
1866–1870		7·62	4·28	6·21	8·03	9·86	12·9	17·6	30·6	63·2	141·7	294·3	157
1871–1875		6·86	3·97	5·81	7·74	9·61	13·1	18·0	31·6	65·3	141·7	305·2	153
1876–1880		6·10	3·47	4·93	6·46	8·35	12·3	17·5	31·6	64·7	142·9	311·5	145
1881–1885		5·76	3·23	4·63	5·96	8·01	11·8	17·2	31·0	63·5	136·2	277·9	139
1886–1890		4·86	2·84	4·13	5·32	7·15	11·1	17·1	31·8	66·4	139·0	290·1	145
1891–1895		4·56	2·65	3·98	5·01	6·81	11·0	17·3	32·5	67·3	140·7	273·9	151
1896–1900		4·12	2·36	3·48	4·50	6·03	10·1	16·2	30·5	62·9	133·8	267·7	156
1901–1905		3·74	2·19	3·11	4·00	5·44	8·86	14·9	28·7	59·4	127·3	258·6	138
1906–1910		3·38	2·03	2·87	3·64	4·84	7·81	13·7	27·5	58·1	127·0	262·4	117
1911–1915*		3·39	2·08	2·88	3·58	4·57	7·28	13·1	26·2	57·3	126·2	257·9	110
1916–1920*		3·81	2·48	3·77	5·16	6·55	7·54	12·1	24·0	54·5	124·8	250·7	90
1921–1925		2·48	1·71	2·61	3·30	3·79	5·71	10·1	21·6	51·1	121·8	251·4	76
1926–1930		2·37	1·57	2·49	3·11	3·49	5·37	9·94	21·0	50·6	120·2	268·2	68
1931–1935	6·56	2·18	1·41	2·33	2·96	3·20	4·82	9·44	20·1	49·0	119·3	255·7	62
1936–1940*	4·70	1·84	1·20	2·01	2·72	2·87	4·35	9·09	20·4	48·5	119·7	263·4	55
1941–1945*	3·50	1·50	1·08	1·96	3·06	3·04	3·95	8·00	18·1	43·0	104·5	213·0	50
1946–1950*	1·77	0·77	0·62	1·18	1·63	1·84	2·89	6·94	17·1	41·9	103·5	219·3	36
1951–1955	1·14	0·47	0·41	0·68	0·96	1·24	2·40	6·36	16·6	42·0	105·7	235·7	27
1928		2·34	1·60	2·50	3·09	3·43	5·23	9·62	20·3	48·9	112·6	258·0	65
1929		2·47	1·70	2·61	3·28	3·65	5·74	10·9	22·8	56·2	136·5	312·3	74
1930		2·29	1·54	2·45	3·00	3·36	4·95	9·43	20·0	47·2	111·8	238·1	60
1931	7·55	2·14	1·47	2·50	3·10	3·36	5·45	9·80	20·6	50·8	123·9	268·2	66
1932	6·96	2·07	1·39	2·39	3·02	3·21	4·79	9·33	20·1	49·8	121·9	264·6	64
1933	6·56	2·20	1·43	2·41	3·09	3·34	5·15	9·89	20·4	49·5	123·8	266·2	63
1934	6·59	2·44	1·43	2·28	2·85	3·10	4·60	9·19	19·7	47·9	113·2	236·4	59
1935	5·08	2·04	1·32	2·07	2·72	2·99	4·49	8·99	19·6	47·5	114·6	245·4	57
1936	5·50	1·99	1·21	1·95	2·69	2·82	4·39	9·09	20·1	48·5	118·3	265·5	59
1937	5·11	1·87	1·18	1·97	2·66	2·89	4·47	9·23	20·6	49·0	120·0	271·7	58
1938	4·59	1·87	1·19	1·86	2·49	2·65	4·05	8·47	19·0	45·5	110·6	240·0	53
1939*	3·49	1·48	1·03	1·75	2·45	2·60	3·94	8·56	19·7	47·2	119·0	260·6	51
1940*	4·83	1·96	1·40	2·54	3·50	3·44	4·92	10·1	22·6	52·3	130·1	278·7	57
1941*	5·30	2·06	1·37	2·59	3·55	3·53	4·62	8·97	19·8	46·5	114·3	247·2	60
1942*	3·42	1·50	1·04	1·91	3·02	2·92	3·87	7·82	17·8	42·4	102·6	216·8	51
1943*	3·34	1·40	1·04	1·88	3·02	2·97	3·95	8·02	18·0	43·1	106·4	220·2	49
1944*	2·84	1·38	1·05	1·73	2·96	3·01	3·82	7·73	17·6	41·7	100·3	196·5	45
1945*	2·64	1·18	0·91	1·56	2·73	2·67	3·48	7·36	17·3	41·5	100·3	194·5	46
1946*	2·08	0·86	0·76	1·33	2·07	2·10	3·15	7·25	17·4	41·3	102·4	214·5	43
1947*	2·18	0·90	0·70	1·39	1·92	2·03	3·08	7·24	17·5	42·8	108·3	234·4	41
1948*	1·75	0·75	0·60	1·20	1·55	1·82	2·79	6·70	16·4	39·4	94·1	191·9	34
1949*	1·56	0·69	0·56	1·10	1·51	1·70	2·80	6·81	17·2	43·1	105·7	227·5	32
1950	1·35	0·64	0·48	0·90	1·24	1·57	2·62	6·72	17·0	42·7	106·9	227·6	30
1951	1·35	0·55	0·47	0·76	1·12	1·45	2·63	6·90	18·0	46·1	117·2	266·9	30
1952	1·18	0·49	0·43	0·71	1·03	1·26	2·42	6·35	16·5	41·0	102·3	228·4	28
1953	1·18	0·49	0·41	0·64	0·92	1·22	2·35	6·26	16·3	41·1	103·3	230·9	27
1954	0·94	0·41	0·37	0·63	0·87	1·15	2·37	6·19	16·1	40·6	101·0	222·2	25
1955	1·00	0·43	0·38	0·64	0·86	1·10	2·23	6·14	16·1	41·4	105·1	233·5	25
1956	0·91	0·40	0·34	0·57	0·80	1·04	2·19	5·95	16·1	41·0	104·1	233·3	24
1957	0·97	0·41	0·38	0·68	0·84	1·03	2·20	6·00	16·2	40·4	97·4	208·0	23
1958	0·88	0·40	0·32	0·60	0·80	0·98	2·27	5·92	15·9	40·4	101·0	224·2	23

* Civilian mortality only in 1915–20 and from 3rd September 1939 to 31st December 1949 for males, and from 1st June 1941 to 31st December 1949, for females.
† Based on related live births from 1931 to 1956.

TABLE 4—*continued*

MALES

Period	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and over	Deaths under 1 year per 1,000 live births†
1841–1850		9·17	5·13	7·05	9·51	9·94	12·9	18·2	31·8	67·5	148·3	312·3	167
1851–1860		8·51	4·88	6·69	8·83	9·57	12·5	18·0	30·9	65·3	146·7	308·2	168
1861–1870		8·19	4·48	6·19	8·48	9·94	13·5	19·3	33·1	67·1	147·2	315·0	168
1871–1880		6·71	3·71	5·25	7·36	9·34	13·8	20·1	34·9	69·7	150·8	327·4	163
1881–1890		5·35	2·95	4·32	5·73	7·77	12·4	19·4	34·7	70·5	146·6	305·8	155
1891–1900		4·31	2·45	3·79	5·06	6·76	11·5	18·9	34·9	70·4	146·1	286·8	168
1901–1910		3·50	2·05	3·09	4·18	5·57	9·15	16·2	31·8	64·8	137·7	279·2	140
1911–1920*		3·61	2·23	3·44	4·94	6·46	8·61	14·5	29·0	63·5	139·3	274·5	112
1921–1930		2·52	1·65	2·62	3·41	3·86	6·34	11·6	24·6	58·2	135·4	285·8	81
1931–1940*	5·96	2·13	1·36	2·30	3·08	3·20	5·17	11·1	24·3	56·8	137·5	282·9	66
1941–1950*	2·72	1·28	0·95	1·79	2·72	2·72	3·93	9·16	22·7	51·6	120·2	234·7	48
1841–1845		8·82	4·84	6·76	8·99	9·37	12·2	17·2	30·3	65·5	143·7	350·1	162
1846–1850		9·54	5·39	7·35	10·0	10·5	13·6	19·2	33·2	69·5	152·9	319·5	172
1851–1855		8·75	5·15	6·98	9·24	9·95	12·9	18·6	31·6	66·7	150·9	310·9	172
1856–1860		8·30	4·63	6·42	8·44	9·17	12·2	17·5	30·4	64·3	142·7	305·3	166
1861–1865		8·53	4·68	6·39	8·65	9·76	13·2	18·9	32·8	66·4	145·9	316·6	166
1866–1870		7·88	4·30	5·99	8·31	10·1	13·7	19·6	33·5	67·8	148·7	313·5	170
1871–1875		7·10	3·99	5·71	8·07	10·0	14·3	20·3	34·8	70·1	149·6	323·3	167
1876–1880		6·34	3·44	4·84	6·70	8·70	13·4	19·8	34·9	69·4	152·2	331·5	159
1881–1885		5·85	3·16	4·53	6·00	8·16	12·8	19·3	34·2	68·8	145·4	297·9	152
1886–1890		4·86	2·76	4·12	5·48	7·40	12·1	19·4	35·2	72·1	147·9	313·7	159
1891–1895		4·53	2·57	4·00	5·23	7·07	11·9	19·5	35·8	72·5	149·2	290·8	165
1896–1900		4·09	2·32	3·59	4·90	6·47	11·1	18·4	34·1	68·3	143·1	282·8	170
1901–1905		3·68	2·14	3·20	4·39	5·89	9·74	17·0	32·4	65·3	137·6	274·6	151
1906–1910		3·33	1·97	2·97	3·97	5·25	8·62	15·5	31·2	64·4	137·7	283·0	129
1911–1915*		3·42	2·05	3·01	3·98	5·15	8·20	14·9	30·2	64·1	139·2	281·6	121
1916–1920*		3·81	2·41	3·91	6·60	8·58	9·07	14·0	27·9	63·0	139·4	267·8	101
1921–1925		2·55	1·69	2·66	3·53	4·05	6·51	11·6	24·9	58·2	135·5	272·7	86
1926–1930		2·48	1·61	2·58	3·30	3·68	6·18	11·6	24·4	58·3	135·4	298·1	77
1931–1935	6·88	2·28	1·44	2·45	3·15	3·31	5·40	11·2	23·6	56·7	135·2	278·9	70
1936–1940*	5·00	1·96	1·27	2·15	2·99	3·09	4·95	11·0	25·0	56·8	139·5	286·3	62
1941–1945*	3·72	1·69	1·20	2·22	5·00	4·16	4·81	9·85	23·1	51·7	121·6	226·1	56
1946–1950*	1·90	0·88	0·69	1·33	1·75	1·92	3·23	8·55	22·4	51·6	119·0	241·6	41
1951–1955	1·23	0·55	0·48	0·86	1·23	1·39	2·71	7·93	22·5	54·6	126·7	265·9	30
1928		2·43	1·68	2·62	3·23	3·62	5·95	11·2	23·6	56·5	128·0	290·9	74
1929		2·61	1·74	2·69	3·48	3·86	6·70	12·9	26·3	64·1	151·5	343·6	83
1930		2·41	1·57	2·57	3·24	3·52	5·66	11·2	23·4	55·2	126·6	263·5	68
1931	8·05	2·29	1·46	2·60	3·31	3·46	5·76	11·6	23·9	58·7	138·4	295·9	74
1932	7·20	2·20	1·45	2·54	3·24	3·33	5·33	10·8	23·4	57·9	138·0	289·7	73
1933	6·88	2·27	1·49	2·56	3·27	3·49	5·74	11·7	23·8	56·6	139·4	286·3	71
1934	6·91	2·49	1·45	2·38	3·07	3·19	5·14	10·9	23·4	55·4	129·3	256·4	66
1935	5·30	2·14	1·35	2·14	2·88	3·10	5·02	10·8	23·3	55·2	131·8	268·9	64
1936	5·82	2·12	1·29	2·06	2·87	2·94	4·91	10·8	24·2	56·3	137·3	291·8	66
1937	5·42	1·98	1·23	2·12	2·81	3·02	5·03	11·1	24·9	57·1	138·5	292·3	65
1938	4·89	1·93	1·28	2·01	2·73	2·83	4·57	10·2	23·1	53·7	130·1	263·6	60
1939*	3·72	1·65	1·08	1·87	2·64	2·74	4·42	10·3	24·3	55·4	139·1	280·8	56
1940*	5·16	2·12	1·48	2·76	4·80	4·08	5·84	12·5	28·3	61·3	151·8	303·2	64
1941*	5·58	2·25	1·50	2·94	5·57	4·64	5·64	11·0	25·1	55·2	134·6	258·8	67
1942*	3·69	1·68	1·16	2·12	4·75	3·85	4·67	9·58	22·4	51·2	120·7	232·9	57
1943*	3·50	1·61	1·10	2·12	5·04	4·04	4·76	9·95	22·8	51·4	122·6	234·1	55
1944*	3·06	1·58	1·18	1·95	4·79	4·29	4·75	9·62	22·7	50·6	116·5	212·0	50
1945*	2·84	1·35	1·03	1·79	4·75	3·84	4·20	9·10	22·3	50·3	115·7	204·7	51
1946*	2·26	0·97	0·86	1·52	2·66	2·24	3·55	8·94	22·3	49·7	117·4	232·3	48
1947*	2·38	1·04	0·78	1·62	2·05	2·12	3·44	8·98	22·9	52·5	125·9	266·5	46
1948*	1·87	0·88	0·64	1·30	1·54	1·87	3·15	8·24	21·6	49·0	108·6	210·2	38
1949*	1·69	0·80	0·63	1·27	1·59	1·75	3·12	8·39	22·6	53·2	120·7	249·0	36
1950	1·42	0·75	0·56	1·01	1·39	1·69	2·92	8·26	22·5	53·3	122·5	250·4	34
1951	1·44	0·65	0·57	0·89	1·36	1·61	2·96	8·62	24·3	58·8	136·9	307·8	34
1952	1·32	0·57	0·50	0·90	1·33	1·43	2·75	7·91	22·2	53·1	122·1	265·1	31
1953	1·26	0·56	0·46	0·82	1·18	1·37	2·61	7·81	22·2	53·7	123·4	258·1	30
1954	1·06	0·48	0·43	0·81	1·12	1·29	2·66	7·69	21·9	53·3	123·0	249·6	29
1955	1·04	0·49	0·45	0·88	1·18	1·25	2·53	7·66	22·0	54·2	128·5	256·2	28
1956	0·98	0·46	0·41	0·79	1·07	1·21	2·49	7·45	22·1	54·2	127·5	256·2	27
1957	1·04	0·48	0·44	0·91	1·15	1·19	2·50	7·51	22·3	54·0	119·9	226·8	26
1958	0·99	0·49	0·39	0·83	1·07	1·17	2·43	7·40	21·9	54·3	124·6	242·6	25

* Civilian mortality only in 1915–20 and from 3rd September 1939 to 31st December 1949.
† Based on related live births from 1931 to 1956.

TABLE 4—*continued*

FEMALES

Period	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and over	Deaths under 1 year per 1,000 live births†
1841–1850		8·90	5·44	7·89	9·09	10·6	12·9	16·0	28·4	61·0	135·9	293·3	137
1851–1860		8·42	5·06	7·39	8·53	9·93	12·1	15·2	27·0	58·7	134·5	288·9	139
1861–1870		7·80	4·51	6·65	7·97	9·72	12·1	15·6	27·9	59·1	134·9	285·1	139
1871–1880		6·23	3·72	5·45	6·81	8·61	11·6	15·6	28·7	61·0	135·4	296·4	134
1881–1890		5·26	3·11	4·42	5·54	7·38	10·6	15·1	28·5	60·4	130·6	270·8	128
1891–1900		4·37	2·57	3·67	4·46	6·08	9·59	14·7	28·4	60·7	130·6	261·4	138
1901–1910		3·61	2·17	2·89	3·50	4·74	7·53	12·5	24·8	53·9	119·8	250·3	114
1911–1920		3·59	2·34	3·21	3·87	4·78	6·42	10·9	21·5	49·6	116·3	243·6	89
1921–1930		2·33	1·63	2·48	3·02	3·45	4·85	8·61	18·3	44·9	111·6	248·2	63
1931–1940	5·34	1·90	1·26	2·04	2·63	2·88	4·07	7·71	16·7	42·3	107·9	249·1	51
1941–1950*	2·36	0·97	0·76	1·40	1·97	2·11	2·91	5·96	13·4	35·2	93·3	207·9	37
1841–1845		8·56	5·17	7·65	8·64	9·92	12·1	15·1	27·2	59·1	131·8	288·6	133
1846–1850		9·23	5·72	8·12	9·57	11·2	13·7	17·0	29·7	62·7	140·0	297·7	142
1851–1855		8·54	5·32	7·75	8·90	10·3	12·6	15·8	27·8	59·7	137·2	292·1	141
1856–1860		8·35	4·82	7·06	8·24	9·57	11·8	14·8	26·5	58·1	131·9	285·8	137
1861–1865		8·26	4·76	6·89	8·17	9·82	12·1	15·5	27·9	59·1	133·8	287·9	136
1866–1870		7·37	4·27	6·42	7·78	9·63	12·1	15·8	27·9	59·1	136·1	282·3	142
1871–1875		6·61	3·95	5·92	7·43	9·23	12·0	15·9	28·7	61·3	135·3	293·9	138
1876–1880		5·87	3·50	5·02	6·23	8·03	11·3	15·3	28·6	60·8	135·5	299·0	130
1881–1885		5·68	3·30	4·72	5·93	7·86	10·9	15·2	28·1	59·1	129·0	265·5	125
1886–1890		4·85	2·93	4·15	5·17	6·92	10·3	15·0	28·8	61·7	132·3	276·1	131
1891–1895		4·59	2·73	3·97	4·81	6·57	10·1	15·2	29·5	63·0	134·3	264·0	135
1896–1900		4·15	2·40	3·37	4·14	5·63	9·10	14·3	27·4	58·5	127·0	258·7	141
1901–1905		3·79	2·24	3·02	3·66	5·04	8·05	13·1	25·4	54·8	119·9	249·4	124
1906–1910		3·44	2·09	2·76	3·34	4·46	7·05	12·0	24·3	53·1	119·6	250·9	105
1911–1915		3·37	2·11	2·75	3·25	4·08	6·46	11·4	22·7	51·7	117·5	245·4	97
1916–1920		3·81	2·56	3·66	4·47	5·48	6·39	10·4	20·4	47·7	115·1	241·9	79
1921–1925		2·41	1·72	2·56	3·11	3·58	5·03	8·79	18·7	45·5	112·9	241·2	66
1926–1930		2·25	1·53	2·41	2·94	3·33	4·69	8·44	18·0	44·4	110·4	254·4	59
1931–1935	6·23	2·07	1·37	2·22	2·77	3·09	4·33	7·96	17·0	42·8	108·9	245·0	54
1936–1940	4·40	1·71	1·13	1·87	2·49	2·68	3·83	7·47	16·5	41·8	107·1	252·7	48
1941–1945*	3·26	1·31	0·97	1·74	2·41	2·46	3·27	6·43	14·0	36·0	93·5	206·6	44
1946–1950*	1·62	0·64	0·54	1·05	1·54	1·76	2·56	5·51	12·8	34·4	93·2	208·9	32
1951–1955	1·04	0·39	0·34	0·50	0·70	1·09	2·11	4·89	11·8	33·1	92·4	222·0	23
1928		2·24	1·53	2·38	2·96	3·26	4·61	8·21	17·3	42·7	102·6	242·9	56
1929		2·33	1·66	2·53	3·09	3·46	4·93	9·05	19·6	49·9	126·7	298·2	65
1930		2·18	1·51	2·34	2·76	3·21	4·35	7·90	16·9	40·7	102·2	226·5	51
1931	7·04	1·99	1·47	2·40	2·90	3·27	4·51	8·27	17·6	44·4	114·4	255·3	57
1932	6·71	1·94	1·33	2·24	2·81	3·10	4·34	8·02	17·1	43·2	111·4	253·0	56
1933	6·23	2·12	1·38	2·27	2·91	3·20	4·65	8·35	17·4	43·8	113·5	256·9	54
1934	6·26	2·39	1·40	2·18	2·64	3·02	4·13	7·69	16·5	41·7	102·8	227·1	52
1935	4·84	1·94	1·29	1·99	2·57	2·88	4·04	7·48	16·4	41·2	103·4	234·4	50
1936	5·18	1·86	1·13	1·84	2·52	2·71	3·94	7·60	16·5	42·2	106·2	253·2	51
1937	4·80	1·75	1·13	1·83	2·52	2·77	3·98	7·67	16·9	42·5	108·2	261·9	50
1938	4·28	1·80	1·09	1·71	2·25	2·49	3·59	6·97	15·5	38·8	98·1	228·9	46
1939	3·26	1·31	0·97	1·64	2·27	2·47	3·51	7·05	15·7	40·5	106·2	251·1	44
1940	4·48	1·80	1·31	2·32	2·87	2·94	4·14	8·04	17·7	45·0	116·4	267·5	49
1941*	5·00	1·86	1·24	2·28	2·81	2·85	3·77	7·26	15·4	39·5	101·5	241·7	52
1942*	3·15	1·31	0·91	1·73	2·41	2·41	3·22	6·37	13·9	35·4	91·0	209·2	44
1943*	3·18	1·18	0·98	1·69	2·36	2·45	3·32	6·43	13·9	36·4	95·9	213·5	43
1944*	2·61	1·17	0·92	1·55	2·36	2·44	3·11	6·19	13·4	34·6	89·7	188·8	40
1945*	2·44	1·01	0·79	1·38	2·09	2·13	2·92	5·92	13·3	34·6	90·2	189·5	40
1946*	1·90	0·75	0·67	1·17	1·78	1·99	2·79	5·82	13·3	34·6	92·4	206·2	37
1947*	1·96	0·75	0·61	1·21	1·82	1·94	2·74	5·72	13·1	35·2	96·6	219·8	36
1948*	1·63	0·62	0·55	1·12	1·56	1·77	2·45	5·33	12·2	32·1	84·5	183·5	30
1949*	1·43	0·57	0·49	0·96	1·43	1·65	2·48	5·39	12·8	35·5	95·8	217·5	28
1950	1·27	0·53	0·41	0·78	1·09	1·45	2·32	5·30	12·6	34·7	96·6	216·9	26
1951	1·26	0·46	0·37	0·64	0·90	1·30	2·32	5·32	13·0	36·9	104·4	249·1	26
1952	1·03	0·41	0·34	0·52	0·76	1·10	2·09	4·90	11·9	32·3	89·6	212·3	24
1953	1·09	0·41	0·35	0·46	0·67	1·07	2·11	4·79	11·6	32·1	90·7	218·8	24
1954	0·82	0·34	0·31	0·46	0·63	1·01	2·09	4·75	11·4	31·6	87·4	209·7	22
1955	0·97	0·36	0·32	0·40	0·55	0·94	1·93	4·70	11·3	32·3	90·9	222·9	21
1956	0·83	0·33	0·27	0·36	0·53	0·87	1·90	4·52	11·2	31·8	90·1	222·7	20
1957	0·90	0·34	0·30	0·45	0·54	0·86	1·92	4·56	11·2	30·9	84·2	199·2	20
1958	0·77	0·31	0·24	0·35	0·54	0·80	2·11	4·50	10·9	30·9	87·5	215·6	20

* Civilian mortality only from 1st June 1941 to 31st December 1949.
† Based on related live births from 1931 to 1956.

TABLE 5. Deaths registered and death rates in each quarter, 1841 to 1958

England and Wales

See explanatory notes.

Period	Quarter ended							
	March	June	Sept.	Dec.	March	June	Sept.	Dec.
	Deaths : Males				Deaths : Females			
1841–1850	522,415	471,969	452,208	462,533	507,070	454,122	440,756	458,323
1851–1860	587,846	532,002	491,400	527,288	570,070	508,594	474,524	518,991
1861–1870	677,517	597,458	578,694	605,820	645,889	559,376	547,594	582,150
1871–1880	731,877	658,545	621,924	667,070	690,899	600,519	573,079	634,398
1881–1890	744,679	661,355	618,271	674,011	714,871	610,420	575,831	645,332
1891–1900	790,553	697,093	682,542	695,038	771,792	640,661	629,133	668,563
1901–1910	756,871	648,442	621,683	679,360	733,364	598,293	563,732	647,029
1911–1920*	785,560	638,473	565,071	695,407	746,774	582,169	509,764	664,834
1921–1930	746,920	585,095	484,852	590,608	743,076	551,336	451,409	569,695
1931–1940*	798,598	604,458	518,256	630,300	780,376	573,530	487,622	599,068
1941–1950*	801,980	612,766	519,908	651,534	751,419	566,731	484,757	608,558
1948*	69,356	57,223	52,059	64,261	63,272	53,034	49,489	61,204
1949*	82,234	61,287	51,480	65,685	79,031	58,685	49,710	62,624
1950	76,984	61,633	52,914	69,621	74,300	59,158	49,953	65,738
1951	104,298	62,560	51,658	63,208	101,580	59,123	48,399	58,554
1952	76,112	59,332	51,097	71,219	70,836	56,037	47,516	65,335
1953	87,706	59,119	50,977	61,688	83,644	55,525	47,568	57,302
1954	79,372	60,528	53,851	66,046	73,748	56,677	50,263	61,411
1955	86,465	63,433	52,582	64,496	82,180	60,797	49,095	59,816
1956	87,175	61,748	53,381	65,600	83,117	58,311	50,750	61,249
1957	68,995	60,972	56,828	79,612	65,562	57,150	53,209	72,542
1958	84,474	63,140	53,762	69,263	79,121	61,029	51,867	64,187
	Deaths : Persons				Annual death rates per 1,000 persons living			
1841–1850	1,029,485	926,091	892,964	920,856	24·7	22·0	21·0	21·7
1851–1860	1,157,916	1,040,596	965,924	1,046,279	24·7	22·1	20·3	21·9
1861–1870	1,323,406	1,156,834	1,126,288	1,187,970	25·2	21·8	21·0	22·1
1871–1880	1,422,776	1,259,064	1,195,003	1,301,468	23·7	20·9	19·6	21·3
1881–1890	1,459,550	1,271,775	1,194,102	1,319,343	21·6	18·7	17·3	19·1
1891–1900	1,562,345	1,337,754	1,311,675	1,363,601	20·7	17·6	17·0	17·7
1901–1910	1,490,235	1,246,735	1,185,415	1,326 389	17·7	14·6	13·8	15·4
1911–1920*	1,532,334	1,220,642	1,074,835	1,360,241	17·2	13·6	11·8	14·9
1921–1930	1,489,996	1,136,431	936,261	1,160,303	15·5	11·7	9·5	11·8
1931–1940*	1,578,974	1,177,988	1,005,878	1,229,368	15·8	11·6	9·8	12·0
1941–1950*	1,553,399	1,179,497	1,004,665	1,260,092	15·5	11·6	9·8	12·3
1948*	132,628	110,257	101,548	125,465	12·4	10·3	9·4	11·7
1949*	161,265	119,972	101,190	128,309	15·2	11·2	9·3	11·8
1950	151,284	120,791	102,867	135,359	14·0	11·1	9·3	12·3
1951	205,878	121,683	100,057	121,762	19·1	11·1	9·1	11·0
1952	146,948	115,369	98,613	136,554	13·4	10·6	8·9	12·4
1953	171,350	114,644	98,545	118,990	15·8	10·4	8·9	10·7
1954	153,120	117,205	104,114	127,457	14·0	10·6	9·3	11·4
1955	168,645	124,230	101,677	124,312	15·4	11·2	9·1	11·1
1956	170,292	120,059	104,131	126,849	15·3	10·8	9·3	11·3
1957	134,557	118,122	110,037	152,154	12·2	10·6	9·7	13·4
1958	163,595	124,169	105,629	133,450	14·7	11·0	9·3	11·7

* See footnote to Table 3.

TABLE 6. Standardised Mortality Ratios (all ages) and death rates per million population at ages under 15 years from the principal epidemic and general diseases, 1851 to 1958 — England and Wales

Note. 1 For explanation of Standardised Mortality Ratio see explanatory note 6.
2 Changes in cause assignment are allowed for throughout as far as possible.
3 See explanatory notes.

Period	Standardised Mortality Ratios (base years 1950–1952 taken as 100)											Death rates per million population at ages under 15 years				
	Tuberculosis (all forms) 001–019	Syphilis 020–029	Typhoid and paratyphoid fevers 040, 041	Meningococcal infections 057	Cancer 140–205	Diabetes mellitus 260	Diseases of heart 410–443	Influenza 480–483	Pneumonia (all forms) 490–493, 763	Peptic ulcer 540–542	Suicide E970–E979	Scarlet fever 050	Diphtheria 055	Whooping cough 056	Poliomyelitis 080, 081	Measles 085
1851–1860	1,438													1,319		1,082
1861–1870	1,346										102	2,282	1,122	1,372		1,148
1871–1880	1,190		85,518								109	1,664	747	1,316		976
1881–1890	1,004		52,087								121	787	804	1,171		1,153
1891–1900	815		45,789					446			136	383	873	1,037		1,144
1901–1910	649		23,581			156		254			147	271	571	815		915
1911–1920*	541		8,926	246		162		605		90	120	123	437	554	13	838
1921–1930	362		2,729	157		154		345		99	136	64	298	405	11	389
1931–1939*	245		1,180	343	97	176		222		110	142	46	290	197	11	217
1940–1949*	196	150	387	355	98	129	91	90	125	102	100	7	112	111	11	62
1851–1855	1,502													1,338		1,047
1856–1860	1,377											1,919	1,347	1,300		1,114
1861–1865	1,370										101	2,307	1,389	1,336		1,189
1866–1870	1,323										103	2,258	871	1,405		1,109
1871–1875	1,217		98,690								103	1,760	788	1,282		962
1876–1880	1,165		73,165								116	1,575	709	1,349		988
1881–1885	1,053		57,187								117	1,012	828	1,180		1,070
1886–1890	958		47,292								124	572	781	1,163		1,234
1891–1895	867		45,643					514			137	434	875	1,070		1,104
1896–1900	767		45,934					383			135	331	872	1,003		1,184
1901–1905	690		29,456			148		233			149	319	653	874		955
1906–1910	610		18,029			163		274			146	224	491	756		874
1911–1915*	542		12,044	214		177		198		93	132	161	434	633	14	1,043
1916–1920*	540		5,734	281		148		985		88	109	84	439	473	12	625
1921–1925	393		3,147	125		149		359		89	125	79	302	448	11	420
1926–1930	333		2,331	191		159		333		109	145	48	294	360	12	357
1931–1935	270		1,277	407	97	172		260		109	150	50	293	223	11	270
1936–1939*	216		1,063	261	97	181		178		111	133	27	287	163	11	149
1940–1944*	221	178	564	585	97	153	92	129	146	109	95	11	192	140	7	78
1945–1949*	174	123	224	155	98	107	91	54	107	95	104	3	30	81	16	47
1950–1954	85	93	72	100	100	94	97	82	99	98	104	1	2	29	14	19
1928	327		2,731	171		158		175		105	145	43	296	279	12	404
1929	337		2,368	233		170		652		111	147	50	320	604	10	324
1930	313		1,920	253		166		110		112	146	55	332	196	11	404
1931	303		1,530	582	97	167		308		114	146	39	252	244	7	320
1932	281		1,558	494	97	172		276		105	159	40	223	288	13	332
1933	276		1,332	387	97	173		470		107	156	55	255	221	13	190
1934	254		948	303	98	174		113		110	151	72	393	199	9	368
1935	238		1,027	259	97	175		144		108	140	41	345	159	11	134
1936	226		1,500	269	98	190		116		113	134	38	311	210	7	281
1937	226		1,192	296	97	186		349		110	134	27	305	179	8	106
1938	206		935	274	98	169		89		107	136	27	305	119	18	169
1939*	205		642	208	97	180		162		112	128	15	228	140	10	34
1940*	229	203	742	1,028	98	185	106	202	182	126	116	12	266	78	9	95
1941*	238	195	873	877	97	166	93	120	164	119	95	11	280	279	9	128
1942*	214	179	486	485	97	148	87	58	126	100	88	9	192	94	7	53
1943*	217	168	404	312	98	140	87	208	146	99	91	11	134	129	4	86
1944*	204	149	306	233	96	129	87	63	115	101	88	9	92	121	4	28
1945*	200	138	262	210	97	125	87	42	112	102	93	7	67	79	4	80
1946*	178	138	285	187	97	113	89	81	110	96	104	3	40	91	5	22
1947*	179	125	158	188	98	106	95	50	120	95	104	3	23	99	33	69
1948*	165	110	255	103	98	95	86	18	91	91	110	2	14	80	8	33
1949*	149	107	169	99	99	99	97	80	105	93	109	1	7	55	29	30
1950	119	102	83	96	100	104	101	55	91	96	102	1	4	41	33	22
1951	103	104	115	101	100	104	106	222	114	105	101	1	2	46	8	30
1952	79	94	102	103	100	92	94	24	95	99	97	1	2	18	10	14
1953	66	83	24	105	100	87	92	88	105	93	106	0	2	24	14	24
1954	58	81	36	94	101	81	92	24	90	98	112	1	1	13	5	5
1955	48	78	83	75	101	87	93	39	103	98	110	0	1	9	8	17
1956	39	76	41	69	101	85	93	34	108	94	115	0	0	9	4	2
1957	35	71	47	67	101	81	89	85	107	86	115	0	0	8	6	9
1958	32	68	23	52	101	84	92	30	111	84	113	0	0	3	4	5

* Civilian mortality only in 1915–20 and from 3rd September 1939 to 31st December 1949, for males, and from 1st June 1941 to 31st December 1949, for females.

TABLE 7. Deaths by cause and sex at all ages, 1949 to 1958 — England and Wales

(Excluding non-civilians for 1949)

Note. 1 The following categories of the 1955 International Statistical Classification are not applicable to primary death tabulation and are therefore omitted from this table: 306, 308, 649, 775.
2 An addendum to the 1948 International Statistical Classification was issued by the World Health Organization and put into effect in the General Register Office in 1951. Comparability before and after that year was affected for certain categories which are noted accordingly.
3 Deaths due to certain underlying causes where the interval since onset was stated to exceed one year have for certain years been assigned to other conditions mentioned on the certificate. The numbers of such "late effects" are given in footnotes. The years and categories affected are as follows:
1951 and on: 040–043, 050, 055, 056, 058, 084–087, 100–108, 640–689.
1958 and on: 051, 052, 057·0, 057·1, 057·3, 059, 061, 089, 091, 094, 480–483, 490–493.
4 For causes from which there have been few deaths from 1949, see list at end of table.
5 See explanatory notes.

ISC No.	Causes of death		1949	1950	1951	1952	1953	1954	1955	1956	1957	1958
	ALL CAUSES	M	259,942	261,152	281,724	257,760	259,490	259,797	266,976	267,904	266,407	270,639
		F	250,031	249,149	267,656	239,724	244,039	242,099	251,888	253,427	248,463	256,204
001–138	**I INFECTIVE AND PARASITIC DISEASES**	M	14,689	12,629	11,246	9,129	8,042	7,066	6,249	5,340	4,976	4,543
		F	9,849	7,962	6,643	4,922	4,407	3,679	3,180	2,678	2,501	2,317
001–019	**Tuberculosis (all forms)**	M	11,918	9,922	8,826	7,114	5,964	5,392	4,533	3,804	3,414	3,207
		F	7,879	6,047	4,980	3,471	2,938	2,505	1,959	1,571	1,370	1,273
001–008	**Tuberculosis of respiratory system**	M	10,655	8,934	7,903	6,421	5,447	4,944	4,172	3,534	3,150	2,949
		F	6,816	5,145	4,128	2,914	2,466	2,125	1,665	1,319	1,099	1,050
001	With mention of occupational disease	M	262	255	288	292	298	276	296	247	215	215
		F	9	7	6	3	6	4	6	6	—	6
002	Pulmonary	M	10,274	8,603	7,550	6,066	5,107	4,630	3,844	3,263	2,899	2,706
		F	6,731	5,084	4,081	2,868	2,426	2,083	1,630	1,291	1,085	1,028
003	Pleural	M	66	57	50	53	34	30	25	18	31	23
		F	47	38	33	35	29	33	25	19	11	11
	0 Pleurisy specified as tuberculous	M	24	26	19	22	11	15	10	6	12	8
		F	11	8	9	7	12	10	4	4	1	2
	1 Pleurisy with effusion without mention of cause	M	42	31	31	31	23	15	15	12	19	15
		F	36	30	24	28	17	23	21	15	10	9
004	Primary, complex with symptoms	M	—	1	2	2	—	—	—	—	—	—
		F	1	—	—	—	1	1	—	—	—	—
005	Tracheobronchial glandular, with symptoms	M	5	9	5	4	3	5	4	4	1	4
		F	7	7	7	7	2	3	4	2	1	3
007	Other respiratory	M	30	6	6	4	3	1	—	—	1	—
		F	6	9	1	1	1	—	—	—	1	—
008	Unspecified site	M	18	3	2	—	2	2	3	2	3	1
		F	15	—	—	—	1	1	—	1	1	2
010–019	**Tuberculosis, other forms**	M	1,263	988	923	693	517	448	361	270	264	258
		F	1,063	902	852	557	472	380	294	252	271	223
010	Meninges and central nervous system	M	558	432	440	265	177	96	67	39	47	44
		F	533	458	442	246	168	95	65	52	63	49
011	Intestines, peritoneum, and mesenteric glands	M	146	91	83	67	60	38	45	35	28	25
		F	148	100	99	66	59	58	41	35	27	35
012	Bones and joints, active or unspecified	M	146	146	114	110	68	75	67	48	42	49
		F	119	101	93	70	71	65	44	36	49	43
	0 Vertebral column	M	108	100	81	81	47	58	52	37	33	38
		F	99	78	67	54	51	56	35	28	39	34
	1-3 Other	M	38	46	33	29	21	17	15	11	9	11
		F	20	23	26	16	20	9	9	8	10	9
013	Late effects, bones and joints	M	1	5	3	5	3	2	6	4	2	2
		F	2	2	3	2	2	2	2	5	3	—
014	Skin and subcutaneous cellular tissue	M	5	5	5	1	2	—	1	—	2	2
		F	8	11	11	3	3	7	3	4	2	6
015	Lymphatic system	M	21	18	12	15	9	10	11	9	5	3
		F	36	31	19	14	15	10	10	6	13	4
016	Genito-urinary system	M	208	173	167	144	109	121	87	82	81	64
		F	93	89	88	66	79	64	52	64	44	36
017	Adrenal glands	M	18	13	8	13	19	14	6	11	9	13
		F	10	11	16	18	12	9	7	5	9	7
018	Other organs	M	5	10	17	13	8	9	11	6	10	7
		F	7	7	6	11	7	4	13	6	13	9

TABLE 7—*continued*

ISC No.	Causes of death		1949	1950	1951	1952	1953	1954	1955	1956	1957	1958
019	Disseminated	M	155	95	74	60	62	83	60	36	38	
		F	107	92	75	61	56	66	57	39	48	
	0-1 Acute miliary tuberculosis	M	22	22	7	4	3	5	4	2	3	
		F	13	10	11	2	5	7	3	1	5	
	2 Other forms	M	133	73	67	56	59	78	56	34	35	
		F	94	82	64	59	51	59	54	38	43	
020-029	**Syphilis and its sequelae**	M	**1,120**	**1,035**	**1,086**	**935**	**850**	**808**	**795**	**772**	**728**	
		F	**430**	**454**	**436**	**445**	**375**	**398**	**368**	**378**	**344**	
020	Congenital syphilis	M	45	25	17	17	10	6	2	6	3	
		F	38	20	15	15	3	6	4	8	7	
021	Early syphilis	M	—	—	—	1	—	—	—	—	—	
		F	1	1	1	2	1	—	—	1	—	
022	Aneurysm of aorta	M	406	340	375	341	319	307	332	329	358	
		F	151	178	161	175	149	166	173	171	183	
023	Other cardiovascular syphilis	M	292	372	379	320	282	278	281	271	231	
		F	105	125	130	143	131	115	112	126	88	
024	Tabes dorsalis	M	114	99	111	100	87	70	53	66	53	
		F	20	24	32	27	26	26	24	15	22	
025	General paralysis of insane	M	161	111	121	78	91	89	84	56	48	
		F	65	56	47	45	26	37	36	28	20	
026	Other syphilis of central nervous system	M	29	46	48	50	37	47	27	33	26	
		F	19	28	30	21	25	32	13	19	18	
027	Other forms of late syphilis	M	36	21	29	23	18	8	13	10	7	
		F	13	5	14	13	13	15	5	9	4	
029	Syphilis, unqualified	M	37	21	6	5	6	3	3	1	2	
		F	18	17	6	4	1	1	1	1	2	
030-039	**Gonococcal infection and other venereal diseases**	M	**3**	**9**	**6**	**12**	**6**	**13**	**3**	**8**	**5**	
		F	**2**	—	**1**	**1**	—	—	**2**	—	**1**	
030	Acute or unspecified gonorrhoea	M	2	5	2	2	—	2	—	1	2	
		F	—	—	1	—	—	—	—	—	—	
034	Gonococcal infection of other sites	M	1	2	1	—	—	2	—	1	—	
		F	1	—	—	1	—	—	—	—	—	
035	Late effects of gonococcal infection	M	—	1	1	8	6	7	2	6	3	
		F	—	—	—	—	—	—	—	—	—	
040-049	**Infectious diseases commonly arising in intestinal tract**	M	**75**	**84**	**75**	**62**	**53**	**48**	**58**	**46**	**42**	
		F	**69**	**68**	**57**	**40**	**47**	**33**	**51**	**55**	**38**	
040	Typhoid fever*	M	10	8	5	4	1	—	4	—	1	
		F	9	7	5	1	2	3	2	2	5	
041	Paratyphoid fever*	M	5	—	1	5	—	1	3	2	—	
		F	8	1	8	7	1	2	5	3	2	
042	Other Salmonella infections	M	24	31	27	27	23	22	25	20	29	
		F	31	27	9	16	20	11	19	26	20	
044	Brucellosis (undulant fever)	M	3	—	1	2	2	—	—	2	—	
		F	—	1	1	—	2	—	1	1	—	
045	Bacillary dysentery	M	17	22	27	11	13	12	15	13	7	
		F	8	21	30	10	15	13	12	13	8	
046	Amoebiasis	M	9	14	13	11	5	6	7	2	4	
		F	4	3	1	—	1	2	1	1	1	
048	Unspecified forms of dysentery	M	3	3	1	2	1	4	1	2	—	
		F	4	2	2	2	1	2	4	2	2	
049	Food poisoning (infection and intoxication)	M	4	6	—	—	8	3	3	5	1	
		F	5	6	1	4	5	—	7	7	—	
050-064	**Other bacterial diseases**	M	**651**	**574**	**537**	**384**	**419**	**321**	**241**	**257**	**208**	
		F	**622**	**531**	**504**	**365**	**388**	**294**	**216**	**209**	**208**	
050	Scarlet fever*	M	13	15	6	4	2	2	—	—	1	
		F	14	18	9	4	2	2	2	1	2	

* Excluding the following "late effects" (see note 3 at head of table):

		1951	1952	1953	1954	1955	1956	1957	1958
040 Typhoid fever	M	—	1	—	1	1	—	—	2
	F	2	3	—	—	—	—	2	1
041 Paratyphoid fever	M	—	—	—	—	—	—	—	—
	F	—	—	1	1	—	—	—	—
050 Scarlet fever	M	7	5	6	8	8	8	3	1
	F	15	10	17	15	11	6	4	3

TABLE 7—*continued*

ISC No.	Causes of death		1949	1950	1951	1952	1953	1954	1955	1956	1957	1958
051	Streptococcal sore throat	M	23	37	14	21	15	13	14	15	7	4
		F	43	24	15	20	19	12	10	13	9	6
052	Erysipelas	M	27	20	9	6	9	9	7	3	5	2
		F	27	21	8	10	13	5	6	4	1	5
053	Septicaemia and pyaemia	M	80	88	62	44	67	55	37	57	38	45
		F	55	73	45	64	52	66	39	40	39	36
	0 Streptococcus	M	13	12	8	4	12	6	4	8	4	6
		F	13	10	4	9	9	7	4	6	5	6
	1 Staphylococcus	M	32	24	14	18	20	15	12	16	10	23
		F	12	18	17	13	15	26	16	12	11	9
	2 Pneumococcus	M	4	10	9	7	3	4	5	3	3	3
		F	1	10	3	7	6	1	1	2	2	2
	3 Other specified organism	M	5	8	1	—	3	6	6	3	1	1
		F	—	4	3	3	3	3	2	2	2	1
	4 Organism unspecified	M	26	34	30	15	29	24	10	27	20	12
		F	29	31	18	32	19	29	16	18	19	18
054	Bacterial toxaemia	M	—	—	1	—	2	—	—	—	1	—
		F	2	2	—	—	—	—	1	1	—	—
055	Diphtheria*	M	45	31	14	13	10	3	6	2	2	4
		F	39	18	16	10	10	5	6	1	2	4
056	Whooping cough*	M	238	162	211	82	104	66	45	41	32	13
		F	289	232	242	99	139	73	42	51	55	14
057	Meningococcal coinfections	M	154	154	156	160	166	138	105	109	94	71
		F	133	129	142	130	125	121	100	80	90	74
061	Tetanus	M	61	61	59	42	37	28	23	22	23	10
		F	18	10	22	21	24	9	10	15	5	10
062	Anthrax	M	2	—	1	2	1	1	1	3	1	—
		F	—	—	—	—	—	—	—	—	—	—
063	Gas gangrene	M	7	4	2	10	4	5	3	4	4	5
		F	2	4	3	6	3	1	—	1	4	4
064	Other bacterial diseases	M	1	2	1	—	2	1	—	1	—	12
		F	—	—	1	1	1	—	—	2	1	5
070-074	**Spirochaetal diseases, except syphilis**	M	**39**	**45**	**37**	**32**	**28**	**25**	**27**	**11**	**18**	**19**
		F	**2**	**12**	**3**	**1**	**5**	**2**	**2**	**1**	**3**	**1**
070	Vincent's infection	M	3	2	1	2	2	—	2	—	1	—
		F	1	6	—	—	2	—	1	1	2	—
072	Leptospirosis	M	36	39	36	29	26	25	24	11	17	18
		F	1	5	3	1	2	2	1	—	—	1
080-096	**Diseases attributable to viruses**	M	**839**	**917**	**615**	**535**	**680**	**395**	**536**	**382**	**493**	**380**
		F	**809**	**811**	**617**	**546**	**607**	**401**	**529**	**402**	**478**	**399**
080	Acute poliomyelitis	M	355	411	110	167	199	73	150	68	143	71
		F	288	323	81	108	121	39	91	46	83	58
	0 Specified as bulbar or polio-encephalitis	M	155	164	35	72	102	29	73	25	63	34
		F	118	114	31	42	52	17	41	15	30	18
	1 With other paralysis	M	17	57	21	30	28	13	23	14	21	14
		F	12	44	14	12	15	4	17	9	16	14
	3 Unspecified	M	183	190	54	63	69	31	54	29	59	23
		F	158	165	36	54	54	18	33	22	37	26
081	Late effects of acute poliomyelitis	M	4	10	10	9	8	11	11	9	21	11
		F	4	11	16	11	10	11	18	14	8	14
082	Acute infectious encephalitis	M	105	58	63	52	70	51	49	58	59	52
		F	91	57	55	53	64	37	38	48	50	40
083	Late effects of acute infectious encephalitis	M	76	132	92	79	99	80	81	82	55	72
		F	95	118	124	95	84	95	77	67	50	63
084	Smallpox*	M	1	—	3	—	6	—	—	—	1	1
		F	4	—	7	—	2	—	—	—	1	—

* Excluding the following "late effects" (see note 3 at head of table):

		1951	1952	1953	1954	1955	1956	1957	1958
055 Diphtheria	M	1	1	1	—	—	3	—	2
	F	2	8	2	1	1	2	2	—
056 Whooping cough	M	1	2	—	—	—	1	1	—
	F	2	1	—	—	1	2	—	1
084 Smallpox	M	—	—	—	—	—	—	—	—
	F	—	1	—	—	—	—	—	—

TABLE 7—*continued*

ISC No.	Causes of death		1949	1950	1951	1952	1953	1954	1955	1956	1957	1958
085	Measles*	M	152	133	173	71	140	24	85	14	53	
		F	155	88	144	70	102	21	89	14	41	
086	Rubella (German measles)*	M	1	1	1	2	3	2	—	—	1	
		F	1	1	—	1	3	—	—	1	1	
087	Chickenpox	M	7	3	6	8	10	8	4	4	5	
		F	7	4	10	5	2	9	5	8	9	
088	Herpes zoster	M	20	20	19	18	8	17	25	17	24	
		F	36	53	39	42	38	30	41	45	49	
089	Mumps	M	—	5	5	4	4	7	3	4	3	
		F	3	3	8	6	5	2	8	—	6	
092	Infectious hepatitis	M	114	142	127	116	126	108	116	116	119	
		F	116	142	125	148	162	151	159	156	173	
093	Glandular fever (infectious mononucleosis)	M	1	1	1	4	1	2	3	5	3	
		F	—	1	1	1	2	2	—	1	2	
096	Other diseases attributable to viruses	M	3	1	5	4	6	12	8	4	6	
		F	9	10	7	6	11	4	3	2	5	
100-108	**Typhus and other rickettsial diseases***	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	1	—	—	—	—	—
110-117	**Malaria**	M	**5**	**9**	**10**	**8**	**4**	**9**	**5**	**3**	**3**	
		F	—	**3**	—	**1**	—	—	—	**1**	**1**	
112	Falciparum malaria (malignant tertian)	M	1	6	7	4	4	5	4	1	1	
		F	—	2	—	—	—	—	—	1	1	
116	Other and unspecified forms of malaria	M	—	3	1	3	—	4	1	2	1	—
		F	—	1	—	—	—	—	—	—	—	—
120-138	**Other infective and parasitic diseases**	M	**39**	**34**	**54**	**47**	**38**	**55**	**51**	**57**	**65**	
		F	**36**	**36**	**45**	**52**	**46**	**46**	**53**	**61**	**58**	
122	Other protozoal diseases	M	—	1	1	3	2	5	1	1	3	
		F	1	2	2	2	4	5	1	1	1	—
123	Schistosomiasis	M	1	—	—	—	1	1	2	—	—	
		F	—	1	—	—	—	—	—	1	—	
125	Hydatid disease	M	6	3	17	7	6	5	6	4	11	
		F	9	6	6	5	7	3	6	6	8	
126	Other cestode infestation	M	—	2	2	2	1	2	3	5	5	—
		F	—	2	—	—	—	2	1	—	1	
131	Dermatophytosis	M	1	—	—	1	2	—	—	1	—	—
		F	2	1	2	—	—	—	—	1	—	—
132	Actinomycosis	M	13	8	6	6	2	5	4	1	4	
		F	11	5	3	6	5	2	—	4	2	
134	Other fungus infections	M	11	9	9	10	12	13	9	14	13	
		F	8	3	9	9	7	6	5	7	8	
138	Other infective and parasitic diseases	M	4	11	17	17	9	21	24	31	27	
		F	5	13	21	30	23	28	39	41	38	
140-239	**II NEOPLASMS**	M	**43,124**	**44,436**	**45,531**	**46,220**	**46,773**	**48,104**	**48,907**	**49,675**	**50,792**	
		F	**42,054**	**42,838**	**42,436**	**43,138**	**42,907**	**43,727**	**44,097**	**44,679**	**44,853**	
140-205	**Malignant neoplasms including neoplasms of lymphatic and haematopoietic tissues**	M	**42,196**	**43,570**	**44,632**	**45,429**	**45,935**	**47,313**	**48,160**	**48,935**	**50,056**	
		F	**41,008**	**41,700**	**41,448**	**42,213**	**41,989**	**42,782**	**43,180**	**43,775**	**43,961**	
140-148	**Malignant neoplasm of buccal cavity and pharynx**	M	**1,560**	**1,584**	**1,566**	**1,472**	**1,402**	**1,516**	**1,421**	**1,234**	**1,259**	
		F	**580**	**618**	**630**	**646**	**568**	**641**	**650**	**654**	**669**	
140	Lip	M	160	148	136	96	116	104	109	80	83	
		F	19	13	12	18	8	13	13	13	9	
	0 Upper lip	M										
		F										
	1 Lower lip	M	?	?	?	?	?	?	?	?	?	
		F										
	8, 9 Both lips, unspecified	M										
		F										

* Excluding the following "late effects" (see note 3 at head of table):

		1952	1953	1954	1955	1956	1957	1958
085	Measles M	—	2	5	2	1	1	1
	F	—	1	—	—	1	—	1
086	Rubella (German measles) M	—	—	—	—	—	—	—
	F	—	—	1	—	—	—	—
102	Brill's disease M	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—

TABLE 7—*continued*

ISC No.	Causes of death		1949	1950	1951	1952	1953	1954	1955	1956	1957	1958
141	Tongue	M	499	525	492	451	424	442	393	359	336	359
		F	156	146	155	135	143	146	150	165	158	143
	0 Base of tongue	M										137
		F										47
	7 Other specified parts of tongue	M	?	?	?	?	?	?	?	?	?	180
		F										77
	8, 9 Multiple and unspecified parts of tongue	M										42
		F										19
142	Salivary gland	M	88	82	81	99	80	80	75	78	81	90
		F	56	51	58	70	51	60	65	57	64	76
	0 Parotid gland	M										74
		F										68
	7 Other salivary gland	M	?	?	?	?	?	?	?	?	?	14
		F										8
	8, 9 Multiple and unspecified salivary gland	M										2
		F										—
143	Floor of mouth	M	87	89	80	65	80	85	90	78	63	57
		F	16	22	22	18	16	23	22	21	20	21
144	Other parts of mouth and mouth unspecified	M	244	226	246	219	193	226	223	199	186	208
		F	65	77	85	74	66	63	71	82	71	84
145	Oral mesopharynx	M	157	172	188	178	167	180	141	110	153	183
		F	33	37	41	55	32	46	46	44	47	42
	0 Tonsil (excluding pillars)	M										144
		F										39
	7-9 Other multiple and unspecified parts of oral mesopharynx	M	?	?	?	?	?	?	?	?	?	39
		F										3
146	Nasopharynx	M	48	50	68	76	69	100	83	73	78	86
		F	34	37	42	42	31	38	30	42	45	42
147	Hypopharynx	M	56	99	73	87	100	98	106	83	85	133
		F	106	139	124	148	146	153	154	152	157	209
148	Pharynx, unspecified	M	221	193	202	201	173	201	201	174	194	68
		F	95	96	91	86	75	99	99	78	98	36
150-159	**Malignant neoplasm of digestive organs and peritoneum**	M	**20,547**	**20,354**	**20,342**	**20,112**	**19,740**	**19,545**	**19,376**	**19,077**	**19,348**	**19,136**
		F	**18,453**	**18,645**	**18,142**	**18,331**	**18,052**	**18,227**	**18,226**	**18,060**	**17,882**	**18,365**
150	Oesophagus	M	1,434	1,505	1,483	1,470	1,330	1,301	1,352	1,372	1,306	1,300
		F	783	831	848	846	860	925	951	952	956	993
151	Stomach	M	8,039	7,985	8,128	8,039	8,016	7,818	7,942	7,712	7,951	7,934
		F	6,113	6,404	6,478	6,316	6,176	6,232	6,146	6,163	5,966	6,178
152	Small intestine, including duodenum	M	113	96	92	109	110	101	104	111	97	110
		F	102	86	108	93	99	93	101	98	75	108
	0 Duodenum	M										23
		F										25
	7-9 Other multiple and unspecified parts of small intestine	M	?	?	?	?	?	?	?	?	?	87
		F										83
153	Large intestine, except rectum	M	4,495	4,304	4,232	4,151	4,148	4,031	3,904	3,795	3,793	3,698
		F	5,907	5,808	5,428	5,633	5,527	5,451	5,505	5,433	5,388	5,431
	3 Sigmoid colon	M										1,418
		F										1,827
	0-2, 7, 8 Other parts of large intestine	M	?	?	?	?	?	?	?	?	?	2.238
		F										3,551
	9 Intestinal tract, part unspecified	M										42
		F										53
154	Rectum	M	3,750	3,686	3,602	3,401	3,236	3,321	3,173	3,152	3,102	3,132
		F	2,598	2,526	2,404	2,386	2,416	2,461	2,380	2,368	2,275	2,501
155	Biliary passages and of liver (stated to be primary site)	M	434	451	451	506	458	516	462	486	535	579
		F	683	772	722	745	732	761	760	812	784	909
	0 Liver	M										213
		F										178
	1, 8 Gall bladder, other and multiple sites	M	?	?	?	?	?	?	?	?	?	366
		F										731
156	Liver (secondary and unspecified)	M	616	614	590	585	561	514	476	457	494	273
		F	692	610	589	516	516	548	508	489	474	297
157	Pancreas	M	1,509	1,562	1,615	1,717	1,718	1,766	1,822	1,839	1,885	1,980
		F	1,357	1,428	1,362	1,555	1,483	1,522	1,619	1,546	1,710	1,747

TABLE 7—*continued*

ISC No.	Causes of death		1949	1950	1951	1952	1953	1954	1955	1956	1957	1958
158	Peritoneum	M	153	143	143	121	148	162	126	130	163	
		F	212	173	192	224	225	216	231	180	230	
159	Unspecified digestive organs	M	4	8	6	13	15	15	15	23	22	
		F	6	7	11	17	18	18	25	19	24	
160-165	**Malignant neoplasm of respiratory system**	M	**10,160**	**11,305**	**12,198**	**12,932**	**13,816**	**14,834**	**15,669**	**16,452**	**17,212**	
		F	**2,199**	**2,344**	**2,425**	**2,570**	**2,565**	**2,668**	**2,781**	**2,879**	**2,983**	
160	Nose, nasal cavities, middle ear, and accessory sinuses	M	120	117	124	118	130	125	118	134	114	
		F	87	102	86	85	99	104	82	97	86	
	0 Nose (internal) and nasal cavities	M										
		F										
	1 Eustachian tube and middle ear	M										
		F										
	2 Maxillary sinus	M	?	?	?	?	?	?	?	?	?	
		F										
	7 Other specified sinus (accessory)	M										
		F										
	8, 9 Multiple and unspecified sites of nose, etc.	M										
		F										
161	Larynx	M	787	809	805	752	737	662	695	675	661	
		F	199	182	202	189	168	181	202	169	174	
162, 163	Trachea, lung and bronchus	M	9,101	10,219	11,127	11,942	12,835	13,941	14,761	15,544	16,358	
		F	1,837	1,978	2,072	2,228	2,239	2,323	2,438	2,553	2,670	
162	Bronchus and trachea, and of lung specified as primary	M	?	?	?	?	?	?	9,520	10,141	10,740	
		F							1,553	1,665	1,744	
	0 Trachea	M										
		F										
	1 Bronchus and lung	M										
		F										
	2 Pleura	M	?	?	?	?	?	?	?	?	?	
		F										
	8 Multiple sites	M										
		F										
163	Lung, unspecified as to whether primary or secondary	M	?	?	?	?	?	?	5,241	5,403	5,618	
		F							885	888	926	
164	Mediastinum	M	130	135	115	100	99	82	76	68	57	
		F	69	60	53	54	39	43	39	42	36	
165	Thoracic organs (secondary)	M	22	25	27	20	15	24	19	31	22	
		F	7	22	12	14	20	17	20	18	17	
170-181	**Malignant neoplasm of breast and genito-urinary organs**	M	**5,551**	**5,793**	**5,815**	**5,940**	**6,031**	**6,281**	**6,373**	**6,657**	**6,591**	
		F	**15,926**	**16,105**	**16,154**	**16,432**	**16,304**	**16,528**	**16,810**	**17,028**	**17,139**	
170	Breast	M	78	65	63	59	81	80	77	69	70	
		F	7,843	7,892	7,972	8,251	8,115	8,315	8,449	8,522	8,552	
171	Cervix uteri	F	2,129	2,642	2,574	2,536	2,488	2,397	2,472	2,494	2,456	
172	Corpus uteri	F	512	1,152	1,180	1,232	1,197	1,179	1,141	1,176	1,207	
173	Other parts of uterus, including chorionepithelioma	F	16	25	41	27	41	48	28	39	36	
174	Uterus, unspecified*	F	1,579	302	248	213	200	203	203	212	213	
175	Ovary, Fallopian tube, and broad ligament	F	2,340	2,490	2,531	2,492	2,551	2,601	2,771	2,791	2,854	
	0 Ovary	F										
	1 Fallopian tube and broad ligament	F	?	?	?	?	?	?	?	?	?	
	8, 9 Multiple and unspecified sites of ovary, etc.	F										
176	Other and unspecified female genital organs	F	425	466	443	471	472	488	477	475	519	
	0 Vulva	F										
	1 Vagina	F	?	?	?	?	?	?	?	?	?	
	7-9 Other multiple and unspecified sites of female genital organs	F										
177	Prostate	M	2,954	3,084	3,010	2,997	3,157	3,327	3,315	3,538	3,460	
178	Testis	M	187	217	195	208	197	217	165	201	175	

* 174. Enquiries made from 1950 onwards.

TABLE 7—*continued*

ISC No.	Causes of death		1949	1950	1951	1952	1953	1954	1955	1956	1957	1958
179	Other and unspecified male genital organs	M	158	160	169	154	123	127	162	140	139	140
	0 Penis	M										110
	1 Scrotum	M										28
	7-9 Other multiple and unspecified sites of male genital organs	M	?	?	?	?	?	?	?	?	?	2
180	Kidney	M	562	597	597	638	655	676	706	700	704	761
		F	384	366	430	471	443	455	421	463	433	504
181	Bladder and other urinary organs	M	1,612	1,670	1,781	1,884	1,818	1,854	1,948	2,009	2,043	2,009
		F	698	770	735	739	797	842	848	856	869	863
	0 Bladder	M										1,997
		F										849
	7, 8 Other urinary organs and sites	M	?	?	?	?	?	?	?	?	?	12
		F										14
190-199	**Malignant neoplasm of other and unspecified sites**	M	**2,486**	**2,584**	**2,587**	**2,664**	**2,605**	**2,715**	**2,834**	**2,975**	**2,919**	**2,926**
		F	**2,409**	**2,497**	**2,376**	**2,503**	**2,681**	**2,784**	**2,727**	**3,039**	**3,124**	**2,904**
190	Malignant melanoma of skin	M	71	93	112	115	132	144	164	166	145	125
		F	102	131	137	178	168	185	213	181	247	206
191	Other malignant neoplasm of skin	M	447	461	376	369	337	325	312	310	316	282
		F	351	343	281	298	292	264	262	249	254	235
192	Eye	M	60	60	58	49	51	53	53	57	60	63
		F	41	62	54	60	57	69	44	56	51	62
193	Brain and other parts of nervous system	M	654	678	738	833	811	831	903	889	894	1,079
		F	462	521	495	525	589	624	611	659	667	794
	0 Brain	M										998
		F										743
	1 Spinal cord	M										15
		F										10
	2 Meninges	M										7
		F	?	?	?	?	?	?	?	?	?	3
	3 Peripheral nerves	M										2
		F										2
	4 Sympathetic nervous system	M										35
		F										17
	8, 9 Multiple and unspecified sites of brain, etc.	M										22
		F										19
194	Thyroid gland	M	82	73	94	104	91	99	95	113	89	92
		F	254	241	257	260	264	268	268	272	264	244
195	Other endocrine glands	M	41	65	47	74	52	60	62	66	71	67
		F	63	50	45	49	49	38	46	55	54	45
	0 Suprarenal gland	M										46
		F										29
	3 Pituitary gland and craniopharyngeal duct	M										6
		F		?	?	?	?	?	?	?	?	7
	1, 2, 4-8 Other and multiple endocrine glands	M										15
		F										9
196	Bone	M	499	455	449	395	396	356	346	385	351	354
		F	409	325	315	326	300	319	266	304	288	300
197	Connective tissue	M	52	82	95	122	92	119	111	121	125	113
		F	50	85	93	94	82	105	102	111	103	112
198	Secondary and unspecified malignant neoplasm of lymph nodes	M	83	59	61	46	38	43	43	37	37	45
		F	41	32	20	29	29	29	17	14	22	21
199	Other and unspecified sites	M	497	558	557	557	605	685	745	831	831	706
		F	636	707	679	684	851	883	898	1,138	1,174	885
200-205	**Neoplasms of lymphatic and haematopoietic tissues**	M	**1,892**	**1,950**	**2,124**	**2,309**	**2,341**	**2,422**	**2,487**	**2,540**	**2,727**	**2,707**
		F	**1,441**	**1,491**	**1,721**	**1,731**	**1,819**	**1,934**	**1,986**	**2,115**	**2,164**	**2,211**
200	Lymphosarcoma and reticulosarcoma	M	394	381	421	453	454	460	466	459	486	517
		F	249	245	294	286	301	338	382	372	381	429
	0 Reticulum-cell sarcoma	M	61	103	107	137	131	127	167	169	170	195
		F	55	72	68	79	111	108	130	144	157	175
	1 Lymphosarcoma	M	274	241	272	271	283	286	270	266	284	298
		F	141	154	186	175	166	203	221	194	207	235
	2 Other primary malignant neoplasms of lymphoid tissue	M	59	37	42	45	40	47	29	24	32	24
		F	53	19	40	32	24	27	31	34	17	19

TABLE 7—*continued*

ISC No.	Causes of death		1949	1950	1951	1952	1953	1954	1955	1956	1957	1958
201	Hodgkin's disease	M	451	414	472	483	488	493	495	507	584	472
		F	246	249	277	278	287	288	284	309	288	314
202	Other forms of lymphoma (reticulosis)	M	41	45	82	90	82	93	75	78	78	110
		F	36	41	53	46	64	59	52	62	76	87
	0 Giant follicular lymphoma (Brill-Symmers' disease)	M	4	7	7	12	16	13	11	13	7	14
		F	2	6	13	6	6	7	18	7	13	17
	1 Other	M	37	38	75	78	66	80	64	65	71	96
		F	34	35	40	40	58	52	34	55	63	70
203	Multiple myeloma (plasmocytoma)	M	91	107	154	161	190	218	217	250	268	298
		F	105	110	150	175	149	217	261	277	314	290
204	Leukaemia and aleukaemia	M	905	994	984	1,102	1,116	1,142	1,223	1,229	1,301	1,301
		F	798	838	943	941	1,005	1,018	1,001	1,086	1,093	1,085
	0 Lymphatic leukaemia	M	206	266	275	284	278	296	310	288	339	270
		F	146	200	207	184	201	224	214	211	222	184
	1 Myeloid leukaemia	M	170	224	220	248	261	260	284	296	299	229
		F	172	220	262	255	270	265	273	296	307	247
	2 Monocytic leukaemia	M	46	96	83	86	100	99	92	119	103	105
		F	57	69	62	86	96	82	93	111	112	110
	3 Acute leukaemia	M	387	373	377	451	446	458	498	487	519	662
		F	335	325	377	383	408	414	394	428	420	512
	4 Other and unspecified leukaemia	M	96	35	29	33	31	29	39	39	41	35
		F	88	24	35	33	30	33	27	40	32	32
205	Mycosis fungoides	M	10	9	11	20	11	16	11	17	10	9
		F	7	8	4	5	13	14	6	9	12	6
210-229	**Benign neoplasm**	**M**	**371**	**375**	**386**	**346**	**363**	**328**	**328**	**305**	**329**	**319**
		F	**625**	**689**	**580**	**584**	**555**	**598**	**571**	**548**	**555**	**499**
210	Buccal cavity and pharynx	M	3	3	3	3	1	1	2	3	2	1
		F	3	3	1	2	1	2	1	1	1	1
211	Other parts of digestive system	M	36	30	28	32	25	23	22	23	17	16
		F	34	38	16	18	17	24	32	29	28	19
212	Respiratory system	M	25	16	9	15	16	17	12	13	10	11
		F	10	11	4	9	7	8	10	6	10	8
213	Breast	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	1	2	1	3	—	1	—	2
214	Uterine fibromyoma	F	169	174	135	127	117	126	99	93	87	81
215	Other benign neoplasm of uterus	F	17	16	14	9	13	11	25	17	12	7
216	Ovary	F	141	154	120	125	113	121	103	122	112	93
217	Other female genital organs	F	8	3	1	4	4	2	3	1	1	1
218	Male genital organs	M	4	—	1	2	—	—	—	—	—	—
219	Kidney and other urinary organs	M	120	118	121	99	100	98	87	67	91	75
		F	28	44	35	31	28	34	34	34	41	34
220	Benign melanoma of skin	M	1	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
221	Pilonidal cyst	M	—	—	—	—	—	1	—	—	2	1
		F	—	1	—	—	2	—	1	—	—	1
222	Other benign neoplasm of skin	M	3	—	1	1	—	—	1	1	1	—
		F	2	2	—	—	1	—	1	—	3	1
223	Brain and other parts of nervous system	M	120	133	136	115	141	125	133	125	131	138
		F	159	161	164	164	168	177	178	163	179	158
224	Endocrine glands	M	23	39	54	48	37	37	38	39	38	48
		F	20	44	52	49	46	52	48	45	44	55
225	Bone and cartilage	M	11	13	6	5	18	9	7	6	12	5
		F	7	11	14	7	7	4	10	11	8	7
226	Lipoma	M	2	2	3	3	6	3	4	3	3	1
		F	4	6	1	6	6	11	3	1	4	3
227	Other benign neoplasm of muscular and connective tissue	M	2	7	4	7	6	4	5	5	5	7
		F	4	6	7	11	5	9	9	12	5	6
228	Haemangioma and lymphangioma	M	8	12	20	13	11	9	12	17	14	13
		F	11	12	12	19	12	11	11	8	13	18
229	Other and unspecified organs and tissues	M	13	2	—	3	2	1	5	3	3	3
		F	8	3	3	1	7	3	3	4	7	4

TABLE 7—*continued*

ISC No.	Causes of death		1949	1950	1951	1952	1953	1954	1955	1956	1957	1958
230-239	**Neoplasm of unspecified nature**	**M**	**557**	**491**	**513**	**445**	**475**	**463**	**419**	**435**	**407**	**219**
		F	**421**	**449**	**408**	**341**	**363**	**347**	**346**	**356**	**337**	**159**
230	Digestive organs	M	27	27	30	16	23	31	20	18	26	13
		F	31	40	41	37	19	19	23	26	23	26
231	Respiratory organs	M	35	47	42	36	36	27	21	23	14	30
		F	8	19	18	17	9	11	11	10	10	8
232	Breast	M	—	—	—	—	—	—	—	—	—	—
		F	4	—	2	—	—	1	1	—	—	—
233	Uterus	F	1	1	1	1	2	3	1	1	—	1
234	Ovary	F	4	5	1	2	2	7	4	7	1	2
235	Other female genital organs	F	1	—	1	—	—	—	—	—	—	—
236	Other genito-urinary organs	M	11	7	8	6	11	9	6	5	6	4
		F	2	7	7	7	6	8	—	4	2	7
237	Brain and other parts of nervous system	M	443	391	405	372	390	383	360	375	344	160
		F	340	347	312	260	304	274	279	295	279	97
238	Skin and musculo-skeletal system	M	9	7	10	4	6	3	1	1	5	3
		F	3	4	3	7	4	6	1	3	5	4
239	Other and unspecified organs	M	32	12	18	11	9	10	11	13	12	9
		F	27	26	22	10	17	18	26	10	17	14
240-289	**III ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES**	**M**	**2,626**	**2,754**	**2,959**	**2,530**	**2,404**	**2,359**	**2,365**	**2,335**	**2,138**	**2,217**
		F	**4,393**	**4,639**	**4,884**	**4,228**	**4,041**	**3,947**	**4,100**	**4,022**	**3,924**	**3,980**
240-245	**Allergic disorders**	**M**	**1,197**	**1,156**	**1,318**	**1,005**	**976**	**891**	**889**	**812**	**720**	**625**
		F	**1,014**	**1,042**	**1,224**	**882**	**967**	**881**	**840**	**907**	**798**	**840**
241	Asthma	M	1,195	1,153	1,311	1,001	971	886	887	806	715	617
		F	1,013	1,040	1,219	878	964	877	833	902	792	836
242	Angioneurotic oedema	M	2	2	3	2	4	3	2	5	3	7
		F	—	2	4	3	1	2	2	2	4	2
245	Other allergic disorders	M	—	—	2	1	1	—	—	—	2	—
		F	—	—	1	1	1	1	3	2	2	1
250-254	**Diseases of thyroid gland**	**M**	**117**	**117**	**121**	**104**	**104**	**98**	**95**	**99**	**89**	**96**
		F	**761**	**804**	**783**	**679**	**525**	**623**	**643**	**597**	**590**	**589**
250	Simple goitre	M	10	15	5	9	6	10	7	7	4	4
		F	40	31	29	18	18	26	21	20	22	17
251	Non-toxic nodular goitre	M	6	8	6	4	6	6	6	5	2	11
		F	32	50	34	38	31	21	42	27	22	25
252	Thyrotoxicosis with or without goitre	M	77	61	81	61	65	52	50	50	59	40
		F	512	502	478	397	317	342	320	300	314	282
	0 Toxic diffuse goitre	M	72	56	77	58	61	51	49	48	57	39
		F	479	470	444	375	296	324	303	286	292	262
	1 Toxic nodular goitre	M	5	5	4	3	4	1	1	2	2	1
		F	33	32	34	22	21	18	17	14	22	20
253	Myxoedema and cretinism	M	20	28	25	27	22	27	29	34	22	37
		F	158	208	227	213	148	225	249	241	223	250
254	Other diseases of thyroid gland	M	4	5	4	3	5	3	3	3	2	4
		F	19	13	15	13	11	9	11	9	9	15
260	**Diabetes mellitus**	**M**	**1,100**	**1,221**	**1,219**	**1,091**	**1,066**	**1,048**	**1,084**	**1,108**	**1,013**	**1,152**
		F	**2,338**	**2,463**	**2,484**	**2,247**	**2,128**	**1,980**	**2,207**	**2,134**	**2,124**	**2,163**
270-277	**Diseases of other endocrine glands**	**M**	**121**	**140**	**158**	**138**	**136**	**134**	**114**	**124**	**112**	**135**
		F	**169**	**183**	**226**	**211**	**194**	**201**	**156**	**146**	**156**	**132**
270	Disorders of pancreatic internal secretion other than diabetes mellitus	M	2	3	8	3	3	5	7	8	4	10
		F	4	—	3	3	2	2	4	4	5	—
271	Diseases of parathyroid gland	M	—	4	—	4	3	3	5	1	2	2
		F	6	2	5	3	5	4	7	11	11	7
272	Diseases of pituitary gland	M	29	37	41	39	30	31	36	37	40	38
		F	36	55	71	64	80	80	60	58	65	55
273	Diseases of thymus gland	M	23	20	30	18	15	11	9	13	6	4
		F	7	12	13	7	8	3	4	2	5	4
274	Diseases of adrenal glands	M	63	63	58	52	67	70	52	49	42	63
		F	102	93	107	106	74	75	52	49	50	48
277	Polyglandular dysfunction and other diseases of endocrine glands	M	4	12	21	22	18	14	5	16	18	18
		F	14	21	27	28	25	37	29	21	20	18

TABLE 7—*continued*

ISC No.	Causes of death		1949	1950	1951	1952	1953	1954	1955	1956	1957	1958
280-289	**Avitaminoses and other metabolic diseases**	M	**91**	**120**	**143**	**192**	**122**	**188**	**183**	**192**	**204**	**20**
		F	**111**	**147**	**167**	**209**	**227**	**262**	**254**	**238**	**256**	**25**
280	Beriberi	M	1	2	3	—	—	1	1	4	2	
		F	2	2	—	—	3	—	1	—	1	—
281	Pellagra	M	—	2	—	1	1	2	—	—	—	
		F	2	—	2	3	4	4	2	1	2	—
282	Scurvy	M	6	8	2	2	5	—	3	1	1	
		F	1	2	1	2	2	2	3	1	4	
283	Active rickets	M	3	—	1	2	—	2	—	1	—	—
		F	4	5	3	1	—	1	1	2	—	—
284	Late effects of rickets	M	—	—	2	4	—	—	2	—	1	—
		F	—	1	—	1	1	—	1	2	3	
285	Osteomalacia	M	4	—	2	1	—	—	1	1	—	
		F	10	—	3	4	4	3	1	2	1	
286	Other avitaminoses and nutritional deficiency states	M	27	37	46	64	36	63	48	50	41	
		F	30	31	43	61	58	60	69	69	56	
	0 Steatorrhoea and sprue	M	18	23	32	36	21	27	22	15	22	
		F	22	13	23	20	22	21	22	28	24	
	5 Malnutrition, unqualified	M	3	8	8	16	10	20	17	22	14	
		F	2	11	13	32	25	29	38	31	21	
	1-4, 6, 7 Other deficiency states	M	6	6	6	12	5	16	9	13	5	
		F	6	7	7	9	11	10	9	10	11	
287	Obesity, not specified as of endocrine origin	M	4	15	30	34	30	45	30	41	55	
		F	24	60	79	76	100	136	110	101	127	
288	Gout	M	14	11	23	21	10	17	16	16	17	
		F	4	7	2	5	3	4	2	2	3	
289	Other metabolic diseases	M	32	45	34	63	40	58	82	78	87	
		F	34	39	34	56	52	52	64	58	59	
	0 Lipidosis (disturbance of lipid metabolism)	M	3	5	8	11	5	15	19	16	15	
		F	7	12	3	12	10	14	10	12	7	
	1 Amyloidosis	M	9	11	7	14	12	14	17	18	36	
		F	5	5	8	10	12	12	16	12	21	
	2 Other	M	20	29	19	38	23	29	46	44	36	
		F	22	22	23	34	30	26	38	34	31	
290-299	**IV DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS**	M	**906**	**831**	**867**	**848**	**772**	**817**	**796**	**707**	**741**	**74**
		F	**1,529**	**1,565**	**1,513**	**1,401**	**1,256**	**1,381**	**1,344**	**1,379**	**1,348**	**1,30**
290	Pernicious and other hyperchromic anaemias	M	441	412	380	322	282	279	283	262	260	
		F	844	836	783	661	587	639	628	650	622	
	0 Pernicious anaemia	M	409	346	333	282	246	246	241	218	216	
		F	780	751	703	584	519	569	547	567	551	
	1 Subacute combined degeneration of spinal cord	M	25	43	32	33	27	13	24	18	13	
		F	43	58	53	48	39	37	34	36	28	
	2 Other hyperchromic anaemias	M	7	23	15	7	9	20	18	26	31	
		F	21	27	27	29	29	33	47	47	43	
291	Iron deficiency anaemias (hypochromic anaemias)	M	35	48	41	61	59	64	66	70	70	
		F	90	137	160	147	157	180	169	192	193	
292	Other anaemias of specified type	M	140	131	153	181	191	222	207	189	181	
		F	185	208	182	232	202	242	225	216	237	
	4 Aplastic anaemia	M	103	100	111	137	145	159	143	128	107	
		F	121	140	126	175	147	173	144	138	151	
	0-3, 5-7 Other specified anaemias	M	37	31	42	44	46	63	64	61	74	
		F	64	68	56	57	55	69	81	78	86	
293	Anaemia of unspecified type	M	55	43	61	39	48	47	47	46	48	
		F	110	106	78	108	78	91	105	108	115	
294	Polycythaemia	M	27	22	31	35	34	35	45	20	37	
		F	24	32	28	25	18	19	26	32	28	
295	Haemophilia	M	18	14	23	19	13	15	12	9	19	
		F	—	—	—	1	—	—	—	—	—	—
296	Purpura and other haemorrhagic conditions	M	62	56	70	74	66	76	71	59	70	
		F	73	72	100	88	92	81	85	63	73	
297	Agranulocytosis	M	11	9	24	17	6	14	10	12	8	
		F	26	28	29	26	21	21	17	20	8	

TABLE 7—*continued*

ISC No.	Causes of death		1949	1950	1951	1952	1953	1954	1955	1956	1957	1958
298	Diseases of spleen	M	115	90	79	95	69	58	52	33	38	30
		F	174	140	150	110	97	103	87	87	62	60
299	Other diseases of blood and blood-forming organs	M	2	6	5	5	4	7	3	7	10	11
		F	3	6	3	3	4	5	2	11	10	17
300-326	**V MENTAL, PSYCHONEUROTIC AND PERSONALITY DISORDERS**	M	**451**	**479**	**521**	**476**	**415**	**458**	**438**	**374**	**347**	**341**
		F	**710**	**797**	**815**	**675**	**708**	**715**	**709**	**764**	**698**	**565**
300-309	**Psychoses**	M	**329**	**314**	**372**	**344**	**306**	**346**	**313**	**278**	**259**	**243**
		F	**553**	**645**	**641**	**527**	**575**	**611**	**570**	**643**	**593**	**475**
300	Schizophrenic disorders (dementia praecox)	M	27	27	35	39	25	44	24	28	27	22
		F	33	41	44	31	37	39	37	24	23	19
301	Manic-depressive reaction	M	48	39	30	20	26	27	27	17	9	14
		F	80	83	62	53	36	46	37	52	30	27
302	Involutional melancholia	M	1	2	2	5	3	3	4	3	5	1
		F	10	1	6	4	8	2	5	1	5	3
303	Paranoia and paranoid states	M	1	2	2	1	—	—	1	2	—	1
		F	2	1	3	1	—	4	—	4	3	—
304	Senile psychosis	M	214	202	261	220	204	216	202	176	161	151
		F	379	453	458	381	416	450	415	500	440	339
305	Presenile psychosis	M	14	25	21	35	29	28	34	37	43	30
		F	19	29	33	29	37	39	42	47	61	66
307	Alcoholic psychosis	M	2	5	5	1	3	2	6	—	3	5
		F	—	1	3	2	3	1	—	2	4	1
309	Other and unspecified psychoses	M	22	12	16	23	16	26	15	15	11	19
		F	30	36	32	26	38	30	34	13	27	20
310-318	**Psychoneurotic disorders**	M	**13**	**15**	**15**	**15**	**11**	**20**	**17**	**16**	**14**	**15**
		F	**34**	**52**	**52**	**37**	**43**	**35**	**42**	**38**	**36**	**31**
310	Anxiety reaction without mention of somatic symptoms	M	1	—	—	3	—	1	2	2	—	3
		F	1	3	1	1	4	2	5	3	1	2
311	Hysterical reaction without mention of anxiety reaction	M	3	6	6	7	5	8	4	4	7	3
		F	21	31	39	26	29	26	27	22	23	23
314	Neurotic-depressive reaction	M	—	—	—	—	2	1	2	2	—	3
		F	2	—	3	3	—	1	4	5	8	1
316	Psychoneurosis with somatic symptoms (somatization reaction) affecting digestive system	M	1	2	2	—	—	2	1	—	1	—
		F	2	2	1	1	2	1	1	1	2	—
317	Psychoneurosis with somatic symptoms (somatization reaction) affecting other systems	M	1	1	3	1	—	1	4	5	2	2
		F	—	1	1	—	1	1	—	2	—	—
318	Psychoneurotic disorders, other, mixed and unspecified types	M	6	3	4	4	3	5	4	3	2	2
		F	5	12	7	2	6	4	5	4	2	4
320-326	**Disorders of character, behaviour, and intelligence**	M	**109**	**150**	**134**	**117**	**98**	**92**	**108**	**80**	**74**	**83**
		F	**123**	**100**	**122**	**111**	**90**	**69**	**97**	**83**	**69**	**59**
322	Alcoholism	M	24	33	33	21	24	20	22	20	15	25
		F	24	16	18	23	13	11	16	18	8	17
	0 Acute	M	8	6	5	3	5	3	3	2	1	5
		F	3	2	—	2	1	1	2	—	2	—
	1 Chronic	M	11	20	23	16	14	15	16	12	10	15
		F	21	12	15	19	6	10	9	18	5	15
	2 Unspecified	M	5	7	5	2	5	2	3	6	4	5
		F	—	2	3	2	6	—	5	—	1	2
323	Other drug addiction	M	3	1	2	10	2	1	2	—	—	2
		F	1	1	11	4	3	3	—	1	1	1
325	Mental deficiency	M	82	115	99	86	72	71	84	56	59	55
		F	98	83	93	83	73	55	81	62	60	39
330-398	**VI DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS**	M	**28,365**	**30,401**	**32,018**	**31,955**	**31,481**	**33,086**	**33,967**	**33,707**	**33,242**	**33,915**
		F	**37,913**	**40,709**	**42,617**	**43,066**	**42,230**	**44,386**	**46,011**	**46,334**	**45,959**	**47,763**
330-334	**Vascular lesions affecting central nervous system**	M	**25,270**	**27,175**	**29,003**	**29,158**	**28,762**	**30,516**	**31,098**	**31,034**	**30,537**	**31,298**
		F	**34,781**	**37,528**	**39,443**	**40,230**	**39,307**	**41,626**	**43,054**	**43,453**	**43,132**	**44,879**
330	Subarachnoid haemorrhage*	M	536	670	831	1,014	1,058	1,211	1,094	1,244	1,193	1,214
		F	780	1,006	1,231	1,633	1,618	1,747	1,856	1,902	1,902	2,039
331	Cerebral haemorrhage	M	13,289	13,642	13,752	13,122	12,831	13,326	12,861	12,562	11,970	11,923
		F	18,983	19,587	19,507	18,784	18,274	18,833	18,629	18,192	17,408	17,784
332	Cerebral embolism and thrombosis	M	10,061	11,510	12,682	13,072	12,916	13,795	14,813	14,791	14,914	15,452
		F	13,398	15,331	16,520	17,413	17,025	18,292	19,649	20,366	20,806	21,670

*330. See note 2 at head of table.

B

TABLE 7—*continued*

ISC No.	Causes of death		1949	1950	1951	1952	1953	1954	1955	1956	1957	19
333	Spasm of cerebral arteries	M	—	2	1	2	2	1	1	—	1	
		F	2	—	1	—	2	—	3	—	—	
334	Other and ill-defined vascular lesions affecting central nervous system*	M	1,384	1,351	1,737	1,948	1,955	2,183	2,329	2,437	2,459	2,7
		F	1,618	1,604	2,184	2,400	2,388	2,754	2,917	2,993	3,016	3,3
340-345	**Inflammatory diseases of central nervous system**	**M**	**779**	**760**	**731**	**649**	**662**	**661**	**717**	**653**	**736**	
		F	**752**	**768**	**855**	**722**	**791**	**729**	**779**	**793**	**787**	
340	Meningitis, except meningococcal and tuberculous	M	254	215	204	178	209	190	213	191	233	
		F	186	159	154	132	167	127	143	153	143	
	0 H. influenzae	M	38	27	27	24	25	15	24	22	29	
		F	27	22	15	15	12	15	20	20	14	
	1 Pneumococcus	M	84	80	92	72	80	85	95	98	112	
		F	69	53	54	51	67	56	58	71	60	
	2 Due to other specified organism	M	35	35	30	24	48	41	42	35	39	
		F	22	23	29	16	45	20	28	27	35	
	3 With no organism specified as cause	M	97	73	55	58	56	49	52	36	53	
		F	68	61	56	50	43	36	37	35	34	
341	Phlebitis and thrombophlebitis of intracranial venous sinuses	M	5	14	12	12	10	12	10	6	15	
		F	2	19	6	11	15	10	11	11	16	
342	Intracranial and intraspinal abscess	M	77	81	63	52	54	53	53	57	71	
		F	38	37	38	38	27	31	26	32	26	
343	Encephalitis, myelitis, and encephalomyelitis (except acute infectious)	M	100	106	78	69	69	58	67	49	74	
		F	103	75	72	55	46	42	65	66	62	
344	Late effects of intracranial abscess or pyogenic infection	M	24	20	22	26	40	36	30	37	33	
		F	19	21	27	19	25	32	30	38	38	
345	Multiple sclerosis	M	319	324	352	312	280	312	344	313	310	32
		F	404	457	558	467	511	487	504	493	502	55
350-357	**Other diseases of central nervous system**	**M**	**1,895**	**2,075**	**1,932**	**1,859**	**1,761**	**1,651**	**1,916**	**1,812**	**1,788**	**1,7**
		F	**2,088**	**2,153**	**2,089**	**1,913**	**1,925**	**1,833**	**2,010**	**1,925**	**1,903**	**1,9**
350	Paralysis agitans	M	614	633	711	665	655	599	775	675	685	6
		F	803	813	896	864	829	812	924	891	838	8
351	Cerebral spastic infantile paralysis	M	60	67	80	64	59	60	66	79	61	
		F	37	53	60	54	50	66	59	61	56	
352	Other cerebral paralysis	M	278	443	239	244	200	216	233	237	206	2
		F	430	484	377	253	272	259	299	295	310	3
353	Epilepsy	M	483	472	467	456	406	337	404	387	374	3
		F	440	443	436	408	418	348	373	341	319	3
	2 Status epilepticus	M	169	181	185	185	140	172	163	144	134	1
		F	193	206	192	179	176	176	154	131	132	1
	0, 1, 3 Other epilepsy	M	314	291	282	271	266	165	241	243	240	2
		F	247	237	244	229	242	172	219	210	187	2
355	Other diseases of brain	M	87	82	85	70	93	103	98	97	115	1
		F	102	110	94	89	105	97	99	111	126	1
356	Motor neurone disease and muscular atrophy	M	335	315	300	318	303	307	295	297	317	2
		F	251	217	189	202	216	221	218	199	223	2
	0 Progressive muscular atrophy	M	254	211	214	208	225	221	183	172	197	1
		F	184	157	137	148	141	166	151	138	148	1
	1 Amyotrophic lateral sclerosis	M	64	82	59	83	51	56	64	56	44	
		F	50	45	39	37	40	27	36	25	25	
	2, 3 Other motor neurone disease	M	17	22	27	27	27	30	48	69	76	
		F	17	15	13	17	35	28	31	36	50	
357	Other diseases of spinal cord	M	36	62	50	41	44	29	45	40	30	
		F	25	33	37	43	35	30	38	26	30	
360-369	**Diseases of nerves and peripheral ganglia**	**M**	**91**	**83**	**80**	**54**	**54**	**62**	**40**	**38**	**33**	
		F	**81**	**68**	**48**	**48**	**49**	**53**	**35**	**42**	**29**	
361	Trigeminal neuralgia	M	4	1	4	3	3	3	2	3	1	
		F	4	8	2	7	7	4	3	5	2	
363	Sciatica	M	2	—	4	—	—	2	1	1	1	
		F	6	1	5	2	1	1	2	1	1	—
364	Polyneuritis and polyradiculitis	M	42	33	30	22	25	38	27	28	25	3
		F	22	23	13	18	19	30	18	23	19	1
365	Erythroedema polyneuritica	M	36	34	34	15	19	8	4	3	2	—
		F	30	23	19	13	17	7	3	1	1	1

* 334. See note 2 at head of table.

TABLE 7—*continued*

ISC No.	Causes of death		1949	1950	1951	1952	1953	1954	1955	1956	1957	1958
366	Other and unspecified forms of neuralgia and neuritis	M	6	15	7	13	7	9	5	3	2	5
		F	12	10	7	6	4	6	5	9	5	5
367	Other diseases of cranial nerves	M	—	—	1	—	—	—	—	—	—	—
		F	1	2	—	1	—	1	—	1	—	1
368	Other diseases of peripheral nerves except autonomic	M	—	—	—	1	—	2	1	—	1	2
		F	1	1	2	1	—	3	1	1	1	—
370-379	**Inflammatory diseases of eye**	**M**	**10**	**5**	**8**	**7**	**1**	**1**	**8**	**2**	**1**	**1**
		F	**16**	**8**	**9**	**5**	**9**	**4**	**3**	**7**	**5**	**6**
372	Hordeolum (stye)	M	—	—	—	2	—	—	—	—	—	—
		F	—	2	—	1	1	1	—	1	—	—
376	Other inflammation of uveal tract	M	4	—	—	—	—	—	2	—	1	1
		F	1	2	1	2	1	—	2	3	3	—
377	Inflammation of optic nerve and retina	M	1	—	1	1	—	—	1	1	—	—
		F	—	1	1	—	1	1	—	1	1	3
378	Inflammation of lachrymal glands and ducts	M	1	1	1	—	—	—	2	—	—	—
		F	3	—	—	1	1	—	—	—	—	—
379	Other inflammatory diseases of eye	M	2	3	2	2	1	1	2	—	—	—
		F	7	2	3	1	1	1	—	2	1	2
380-389	**Other diseases and conditions of eye**	**M**	**9**	**14**	**7**	**9**	**17**	**20**	**18**	**18**	**23**	**14**
		F	**14**	**16**	**18**	**30**	**37**	**32**	**32**	**34**	**34**	**40**
381	Corneal ulcer	M	2	2	1	1	—	1	1	—	1	1
		F	—	—	—	—	3	—	—	—	—	2
384	Strabismus	M	1	2	—	2	1	3	2	1	2	1
		F	—	2	1	—	2	4	2	1	—	—
385	Cataract	M	1	6	2	3	9	8	7	9	11	6
		F	8	10	13	16	17	15	23	21	22	15
386	Detachment of retina	M	—	1	—	1	—	2	—	3	2	—
		F	—	—	1	1	1	3	2	3	5	3
387	Glaucoma	M	2	3	3	—	1	2	1	2	3	3
		F	5	4	1	9	6	6	1	4	2	14
388	Other diseases of eye	M	1	—	—	—	2	1	2	1	3	1
		F	1	—	1	1	2	3	1	3	2	4
389	Blindness	M	2	—	1	2	3	3	5	2	1	2
		F	—	—	1	3	6	1	3	2	3	2
390-398	**Diseases of ear and mastoid process**	**M**	**311**	**289**	**257**	**219**	**224**	**175**	**170**	**150**	**124**	**103**
		F	**181**	**168**	**155**	**118**	**112**	**109**	**98**	**80**	**69**	**57**
391	Otitis media without mention of mastoiditis	M	229	207	186	156	172	142	137	121	95	79
		F	129	122	124	93	88	91	67	61	52	47
392	Otitis media with mastoiditis	M	18	15	21	20	12	6	8	3	6	6
		F	8	15	4	6	8	4	10	4	5	2
393	Mastoiditis without mention of otitis media	M	56	60	41	36	38	23	24	24	21	16
		F	42	28	23	16	14	12	20	14	8	6
394	Other inflammatory diseases of ear	M	2	1	1	1	—	1	—	2	—	2
		F	—	—	1	—	—	—	—	—	—	—
395	Ménière's disease	M	2	1	1	—	—	1	—	—	1	—
		F	—	1	2	1	—	—	—	—	1	1
396	Other diseases of ear and mastoid process	M	4	5	7	5	1	2	1	—	1	—
		F	2	1	1	2	1	1	1	1	1	1
400-468	**VII DISEASES OF THE CIRCULATORY SYSTEM**	**M**	**88,691**	**92,480**	**97,749**	**92,513**	**91,423**	**94,637**	**96,704**	**98,065**	**95,784**	**99,907**
		F	**90,921**	**93,396**	**98,922**	**90,151**	**90,477**	**91,331**	**95,222**	**95,470**	**92,566**	**97,738**
400-402	**Rheumatic fever**	**M**	**312**	**259**	**164**	**144**	**143**	**152**	**103**	**102**	**78**	**70**
		F	**391**	**310**	**214**	**184**	**167**	**147**	**114**	**106**	**96**	**61**
400	Rheumatic fever without mention of heart involvement	M	24	21	5	7	13	8	9	5	3	3
		F	23	15	11	18	13	11	5	7	2	3
401	Rheumatic fever with heart involvement	M	284	227	150	128	123	141	87	92	68	63
		F	355	259	169	140	135	113	89	81	81	51
	0 Active rheumatic pericarditis	M	60	36	35	33	39	42	30	29	23	27
		F	39	38	28	39	35	27	24	22	14	23
	1 Active rheumatic endocarditis	M	67	42	41	37	34	31	13	15	10	10
		F	80	46	43	45	38	18	16	15	17	11
	2 Active rheumatic myocarditis	M	11	10	5	10	7	7	5	2	2	4
		F	26	15	9	5	8	8	3	4	9	—
	3 Active rheumatic fever with other and multiple types of heart involvement	M	146	139	69	48	43	61	39	46	33	22
		F	210	160	89	51	54	60	46	40	41	17

TABLE 7—*continued*

ISC No.	Causes of death		1949	1950	1951	1952	1953	1954	1955	1956	1957	1958
402	Chorea	M	4	11	9	9	7	3	7	5	7	
		F	13	36	34	26	19	23	20	18	13	
	0 Without mention of heart involvement	M	1	3	6	7	7	3	6	5	6	
		F	7	17	31	22	17	18	18	17	12	
	1 With heart involvement	M	3	8	3	2	—	—	1	—	1	
		F	6	19	3	4	2	5	2	1	1	
410-416	**Chronic rheumatic heart disease**	M	**3,733**	**4,251**	**4,076**	**3,469**	**3,334**	**3,144**	**2,991**	**3,049**	**2,989**	**2,567**
		F	**6,075**	**6,940**	**6,777**	**5,637**	**5,503**	**5,452**	**5,356**	**5,161**	**5,228**	**4,867**
410	Diseases of mitral valve	M	2,726	2,843	2,736	2,385	2,296	2,139	2,035	1,989	1,937	1,633
		F	4,815	5,083	4,955	4,371	4,267	4,241	4,066	3,926	3,933	3,629
411	Diseases of aortic valve specified as rheumatic	M	198	272	290	305	290	302	272	325	342	343
		F	114	109	133	128	140	172	156	177	171	187
412	Diseases of tricuspid valve	M	6	3	3	3	2	6	4	11	3	7
		F	4	5	4	4	2	4	12	6	8	6
414	Other endocarditis specified as rheumatic	M	419	650	555	317	276	255	243	259	236	182
		F	629	1,049	907	499	415	361	404	344	347	282
415	Other myocarditis specified as rheumatic	M	174	192	147	125	124	96	79	96	77	67
		F	256	281	259	173	160	150	151	128	141	112
416	Other heart disease specified as rheumatic	M	210	289	345	334	346	346	358	369	394	339
		F	257	413	517	462	519	524	567	580	628	651
420-422	**Arteriosclerotic and degenerative heart disease**	M	**66,262**	**67,950**	**71,652**	**68,631**	**67,022**	**69,683**	**71,677**	**73,012**	**71,151**	**75,237**
		F	**63,507**	**63,587**	**67,455**	**61,480**	**61,265**	**61,519**	**63,918**	**64,175**	**61,598**	**65,770**
420	Arteriosclerotic heart disease, including coronary disease	M	30,460	35,379	37,654	39,568	39,449	42,919	44,857	47,476	48,266	52,085
		F	17,543	20,455	21,777	22,827	23,175	24,925	26,813	28,300	28,910	31,956
	0 Arteriosclerotic heart disease so described	M	97	91	161	170	198	247	296	273	344	454
		F	72	103	161	151	180	247	263	286	364	541
	1 Heart disease specified as involving coronary arteries	M	29,178	34,320	36,679	38,765	38,764	42,246	44,199	46,909	47,655	51,389
		F	16,806	19,807	21,132	22,303	22,688	24,411	26,254	27,781	28,339	31,223
	2 Angina pectoris without mention of coronary disease	M	1,185	968	814	633	487	426	362	294	267	242
		F	665	545	484	373	307	267	296	233	207	192
421	Chronic endocarditis not specified as rheumatic	M	2,409	1,576	1,340	1,557	1,497	1,714	1,606	1,612	1,757	1,675
		F	2,242	1,266	1,065	1,449	1,372	1,482	1,383	1,371	1,631	1,519
	0 Of mitral valve, specified as non-rheumatic*	M	7	34	16	86	64	54	45	71	97	110
		F	8	28	25	98	99	73	80	109	183	195
	1 Of aortic valve, not specified as rheumatic	M	1,053	1,003	951	931	956	1,170	1,163	1,148	1,313	1,257
		F	569	605	571	539	577	734	723	773	913	879
	2 Of tricuspid valve, specified as non-rheumatic	M	—	3	3	—	1	2	1	3	1	—
		F	—	—	2	3	2	—	1	1	1	1
	3 Of pulmonary valve, not specified as rheumatic	M	1	—	3	1	2	1	3	—	1	7
		F	—	—	2	3	1	1	1	2	3	1
	4 Other and ill-defined, not specified as rheumatic	M	1,348	536	367	539	474	487	394	390	345	301
		F	1,665	633	465	806	693	674	578	486	531	443
422	Other myocardial degeneration	M	33,393	30,995	32,658	27,506	26,076	25,050	25,214	23,924	21,128	21,477
		F	43,722	41,866	44,613	37,204	36,718	35,112	35,722	34,504	31,057	32,295
	0 Fatty degeneration	M	213	204	196	113	109	113	101	92	85	78
		F	445	366	292	218	212	195	185	166	141	122
	1 With arteriosclerosis	M	11,848	12,087	13,111	11,484	11,100	10,771	11,093	10,791	9,448	9,830
		F	14,323	14,885	16,434	14,433	14,611	14,124	14,623	14,375	13,444	14,162
	2 Other	M	21,332	18,704	19,351	15,909	14,867	14,166	14,020	13,041	11,595	11,569
		F	28,954	26,615	27,887	22,553	21,895	20,793	20,914	19,963	17,472	18,011
430-434	**Other diseases of heart**	M	**3,684**	**3,646**	**4,623**	**4,451**	**4,781**	**5,116**	**5,127**	**5,252**	**5,666**	**5,845**
		F	**4,902**	**4,873**	**5,810**	**5,579**	**5,814**	**5,875**	**6,126**	**6,435**	**6,772**	**7,150**
430	Acute and subacute endocarditis	M	255	232	212	182	199	198	208	196	195	187
		F	215	167	158	133	140	118	119	121	128	135
	0 Acute and subacute bacterial endocarditis	M	242	226	209	182	195	196	204	194	193	185
		F	206	160	156	129	138	114	116	119	127	129
	1 Other acute endocarditis	M	13	6	3	—	4	2	4	2	2	2
		F	9	7	2	4	2	4	3	2	1	6
431	Acute myocarditis not specified as rheumatic	M	96	107	98	77	84	80	59	77	66	53
		F	128	96	103	77	83	65	57	60	72	67
432	Acute pericarditis specified as non-rheumatic	M	19	18	15	11	14	17	13	12	15	6
		F	25	12	5	18	11	12	17	9	8	13

* 421·0. See note 2 at head of table.

TABLE 7—*continued*

ISC No.	Causes of death		1949	1950	1951	1952	1953	1954	1955	1956	1957	1958
433	Functional disease of heart	M	2,413	2,090	2,562	2,407	2,468	2,321	2,080	2,157	2,113	2,164
		F	3,701	3,487	4,006	3,740	3,706	3,557	3,433	3,441	3,351	3,422
434	Other and unspecified diseases of heart*	M	901	1,199	1,736	1,774	2,016	2,500	2,767	2,810	3,277	3,435
		F	833	1,111	1,538	1,611	1,874	2,123	2,500	2,804	3,213	3,513
440-443	**Hypertensive heart disease**	M	**4,291**	**7,626**	**8,278**	**5,225**	**5,353**	**5,686**	**5,834**	**5,782**	**5,491**	**5,173**
		F	**4,799**	**8,514**	**9,220**	**6,094**	**6,263**	**6,667**	**7,320**	**7,251**	**7,101**	**7,110**
440	Essential benign hypertensive heart disease	M	9	125	127	82	80	95	104	97	106	98
		F	13	138	123	86	107	108	124	138	150	129
441	Essential malignant hypertensive heart disease	M	37	165	201	107	120	104	126	121	110	106
		F	37	137	150	74	63	81	46	65	77	80
442	Hypertensive heart disease with arteriolar nephrosclerosis	M	271	245	315	155	165	123	129	143	125	116
		F	293	299	353	189	175	157	184	138	130	129
443	Other and unspecified hypertensive heart disease	M	3,974	7,091	7,635	4,881	4,988	5,364	5,475	5,421	5,150	4,853
		F	4,456	7,940	8,594	5,745	5,918	6,321	6,966	6,910	6,744	6,772
444-447	**Other hypertensive disease**	M	**3,986**	**2,132**	**2,076**	**4,072**	**4,214**	**4,044**	**3,966**	**3,776**	**3,570**	**3,524**
		F	**4,179**	**2,037**	**2,031**	**4,058**	**4,106**	**4,176**	**4,152**	**3,994**	**3,684**	**3,839**
444	Essential benign hypertension	M	2,730	935	973	2,832	2,799	2,809	2,726	2,628	2,482	2,421
		F	3,093	1,124	1,112	3,111	3,190	3,228	3,330	3,154	2,932	3,037
445	Essential malignant hypertension	M	639	584	540	716	848	718	738	721	704	701
		F	460	353	384	442	420	450	333	378	365	400
446	Hypertension with arteriolar nephrosclerosis	M	615	612	562	522	565	515	500	425	382	398
		F	624	559	534	503	494	496	487	460	385	399
447	Other hypertensive disease without mention of heart	M	2	1	1	2	2	2	2	2	2	4
		F	2	1	1	2	2	2	2	2	2	3
450-456	**Diseases of arteries**	M	**5,718**	**5,814**	**6,094**	**5,766**	**5,764**	**5,895**	**6,000**	**6,006**	**5,727**	**6,411**
		F	**6,020**	**5,958**	**6,331**	**5,953**	**6,088**	**6,148**	**6,763**	**6,689**	**6,457**	**7,173**
450	General arteriosclerosis	M	4,858	5,208	5,512	4,839	4,751	4,783	4,804	4,723	4,297	4,801
		F	5,109	5,374	5,806	5,184	5,325	5,252	5,790	5,596	5,367	5,913
	0 Without mention of gangrene	M	4,327	4,569	4,817	4,227	4,171	4,198	4,225	4,145	3,827	4,273
		F	4,701	4,840	5,239	4,677	4,829	4,766	5,276	5,106	4,876	5,414
	1 With mention of gangrene as a consequence	M	531	639	695	612	580	585	579	578	470	528
		F	408	534	567	507	496	486	514	490	491	499
451	Aortic aneurysm, non-syphilitic, and dissecting aneurysm†	M	214	262	290	678	730	844	924	1,001	1,135	1,312
		F	234	254	287	564	526	663	711	834	836	1,003
452	Other aneurysm, except of heart and aorta	M	286	134	52	44	64	69	74	61	63	62
		F	337	157	45	44	48	28	45	55	48	36
453	Peripheral vascular disease	M	60	52	73	71	70	55	63	63	59	54
		F	26	26	23	26	22	30	16	31	12	21
	0 Raynaud's disease	M	4	6	4	5	2	4	8	5	3	1
		F	10	12	13	9	8	15	3	10	5	4
	1 Thrombo-angiitis obliterans	M	55	41	52	51	52	39	40	45	39	34
		F	14	10	6	11	6	8	9	6	1	7
	2, 3 Other peripheral vascular disease	M	1	5	17	15	16	12	15	13	17	19
		F	2	4	4	6	8	7	4	15	6	10
454	Arterial embolism and thrombosis	M	18	38	51	31	30	21	32	34	36	35
		F	34	42	57	23	38	44	53	51	40	43
455	Gangrene of unspecified cause	M	206	47	27	17	25	9	11	23	12	19
		F	203	40	38	20	24	22	25	6	12	13
456	Other diseases of arteries	M	76	73	89	86	94	114	92	101	125	128
		F	77	65	75	92	105	109	123	116	142	144
460-468	**Diseases of veins and other diseases of circulatory system**	M	**705**	**802**	**786**	**755**	**812**	**917**	**1,006**	**1,086**	**1,112**	**1,080**
		F	**1,048**	**1,177**	**1,084**	**1,166**	**1,271**	**1,347**	**1,473**	**1,659**	**1,630**	**1,768**
460	Varicose veins of lower extremities	M	73	83	79	74	50	52	51	55	53	48
		F	212	235	225	218	169	201	196	197	172	172
461	Haemorrhoids	M	15	21	13	21	12	24	22	23	19	18
		F	16	13	10	10	13	9	14	13	8	14
462	Varicose veins of other specified sites	M	23	17	27	18	20	20	20	17	27	26
		F	23	19	14	21	25	12	20	24	26	16
463	Phlebitis and thrombophlebitis of lower extremities	M	87	147	119	138	120	101	141	156	132	131
		F	160	288	217	224	236	230	223	261	254	247

* 434, 440-447, 452. Certain changes in coding practice were introduced at the beginning of 1952 which resulted in a transfer of deaths in that year from codes (440-443) to codes (444-447).
† 451. See note 2 at head of table.

TABLE 7—*continued*

ISC No.	Causes of death		1949	1950	1951	1952	1953	1954	1955	1956	1957	1958
464	Phlebitis and thrombophlebitis of other sites	M	55	14	23	10	10	12	14	13	14	12
		F	81	24	21	17	20	20	20	20	24	17
465	Pulmonary embolism and infarction	M	284	308	335	316	377	413	465	457	486	486
		F	312	333	324	360	428	433	484	574	565	675
466	Other venous embolism and thrombosis	M	142	163	144	150	189	261	253	332	359	324
		F	209	227	239	284	341	399	469	535	545	592
467	Other diseases of circulatory system	M	12	36	39	21	23	29	31	26	19	26
		F	18	31	29	26	31	31	38	29	26	30
468	Certain diseases of lymph nodes and lymph channels	M	14	13	7	7	11	5	9	7	3	9
		F	17	7	5	6	8	12	9	6	10	5
470-527	**VIII DISEASES OF THE RESPIRATORY SYSTEM**	M	**34,324**	**32,263**	**45,783**	**31,951**	**36,799**	**31,090**	**35,381**	**36,080**	**37,939**	37,024
		F	**26,022**	**23,145**	**35,824**	**21,038**	**26,364**	**20,056**	**23,345**	**24,428**	**24,066**	23,784
470-475	**Acute upper respiratory infections**	M	**102**	**127**	**124**	**81**	**81**	**78**	**67**	**68**	**68**	**59**
		F	**75**	**146**	**137**	**81**	**86**	**83**	**69**	**70**	**72**	**59**
470	Acute nasopharyngitis (common cold)*	M	6	22	33	10	12	8	8	3	6	2
		F	7	47	48	15	15	16	6	4	8	8
471	Acute sinusitis	M	8	4	1	1	4	2	1	3	2	2
		F	3	6	4	4	2	4	1	3	1	—
472	Acute pharyngitis	M	9	14	14	7	9	9	8	13	7	12
		F	10	14	9	11	10	9	8	14	7	4
473	Acute tonsillitis	M	32	35	22	21	16	18	14	13	17	14
		F	30	32	29	27	19	23	18	18	14	12
474	Acute laryngitis and tracheitis	M	39	28	32	29	23	27	26	24	24	19
		F	18	23	23	12	25	17	27	18	29	27
475	Acute upper resp: infection of multiple or unspecified sites	M	8	24	22	13	17	14	10	12	12	10
		F	7	24	24	12	15	14	9	13	13	8
480-483	**Influenza**	M	**2,630**	**1,862**	**7,393**	**879**	**2,905**	**878**	**1,460**	**1,272**	**3,553**	**1,216**
		F	**2,962**	**2,040**	**8,416**	**871**	**3,560**	**933**	**1,523**	**1,354**	**3,163**	**1,185**
480	Influenza with pneumonia	M	1,209	941	3,708	449	1,442	459	776	661	2,516	767
		F	1,282	922	4,046	429	1,756	446	774	645	2,236	706
481	'Flu: with other resp: manifestations, and 'flu: unqualified	M	1,387	882	3,638	404	1,427	410	664	597	1,009	433
		F	1,634	1,071	4,310	417	1,753	463	725	693	892	463
482	'Flu: with digestive manifestations, but without resp: symptoms	M	24	30	41	16	28	5	12	6	9	8
		F	38	41	49	22	38	23	19	14	18	9
483	'Flu: with nerv: manifestns: but without dig: or resp: symptoms	M	10	9	6	10	8	4	8	8	19	8
		F	8	6	11	3	13	1	5	2	17	7
490-493	**Pneumonia†**	M	**10,518**	**9,096**	**11,619**	**9,801**	**10,719**	**9,277**	**10,618**	**11,169**	**11,645**	**11,799**
		F	**9,654**	**8,511**	**10,914**	**8,839**	**10,078**	**8,838**	**10,415**	**11,245**	**11,203**	**11,939**
490	Lobar pneumonia	M	2,404	2,234	2,387	2,175	2,175	1,874	1,999	1,977	1,889	1,746
		F	1,776	1,589	1,699	1,445	1,524	1,469	1,474	1,451	1,354	1,351
491	Bronchopneumonia	M	7,270	6,153	8,337	6,903	7,776	6,721	7,894	8,439	8,906	9,321
		F	7,149	6,355	8,470	6,733	7,914	6,801	8,332	9,156	9,156	9,991
492	Primary atypical pneumonia	M	19	55	86	76	59	89	59	86	145	98
		F	9	37	58	45	57	79	67	76	115	94
493	Pneumonia, other and unspecified	M	825	654	809	647	709	593	666	667	705	634
		F	720	530	687	616	583	489	542	562	578	503
500-502	**Bronchitis**	M	**17,662**	**17,703**	**22,910**	**17,781**	**19,567**	**17,163**	**19,318**	**19,890**	**18,956**	**20,326**
		F	**11,723**	**10,959**	**14,582**	**9,787**	**11,141**	**8,625**	**9,675**	**10,019**	**8,141**	**9,070**
500	Acute bronchitis	M	2,627	1,974	2,848	1,894	2,156	1,496	1,699	1,678	1,397	1,494
		F	3,110	2,559	3,630	2,097	2,522	1,722	1,893	2,009	1,453	1,599
501	Bronchitis, unqualified	M	1,747	1,387	1,683	1,122	1,245	1,065	1,079	1,057	884	969
		F	1,735	1,331	1,760	1,121	1,189	1,045	1,052	1,123	845	1,003
502	Chronic bronchitis	M	13,288	14,342	18,379	14,765	16,166	14,602	16,540	17,155	16,675	17,863
		F	6,878	7,069	9,192	6,569	7,430	5,858	6,730	6,887	5,843	6,468
	0 Bronchitis with emphysema	M	4,213	4,927	6,538	6,056	6,792	6,537	7,959	8,369	8,529	9,316
		F	953	1,026	1,492	1,307	1,454	1,293	1,609	1,820	1,563	1,815
	1 Other	M	9,075	9,415	11,841	8,709	9,374	8,065	8,581	8,786	8,146	8,547
		F	5,925	6,043	7,700	5,262	5,976	4,565	5,121	5,067	4,280	4,653
510-527	**Other diseases of respiratory system**	M	**3,412**	**3,475**	**3,737**	**3,409**	**3,527**	**3,694**	**3,918**	**3,681**	**3,717**	**3,624**
		F	**1,608**	**1,489**	**1,775**	**1,460**	**1,499**	**1,577**	**1,663**	**1,740**	**1,487**	**1,531**

* 470. See note 2 at head of table.

† 490-493. See 763 (Pneumonia of newborn) for pneumonia deaths at ages under 4 weeks.

TABLE 7—*continued*

ISC No.	Causes of death		1949	1950	1951	1952	1953	1954	1955	1956	1957	1958
510	Hypertrophy of tonsils and adenoids	M	18	28	17	28	24	21	22	16	17	17
		F	22	21	26	19	18	12	15	13	5	18
511	Peritonsillar abscess (quinsy)	M	9	6	13	8	7	10	4	4	5	5
		F	13	9	7	13	4	8	5	6	6	8
512	Chronic pharyngitis and nasopharyngitis	M	—	—	3	2	1	4	—	3	2	1
		F	1	2	—	3	4	1	3	2	2	2
513	Chronic sinusitis	M	40	45	31	39	38	31	32	25	28	27
		F	31	23	13	16	19	19	13	18	11	20
515	Nasal polyp	M	5	4	7	3	3	2	4	4	3	2
		F	2	3	4	3	2	4	—	4	2	—
516	Chronic laryngitis	M	3	4	1	1	—	1	1	—	1	—
		F	—	2	—	1	2	—	—	—	1	2
517	Other diseases of upper respiratory tract	M	21	22	18	16	14	18	10	14	17	20
		F	16	16	16	10	12	18	6	10	14	9
518	Empyema	M	116	105	81	82	104	110	87	86	72	83
		F	40	40	52	56	58	41	51	44	35	52
519	Pleurisy	M	85	83	78	65	57	51	49	59	30	23
		F	56	51	47	37	44	45	28	40	24	25
520	Spontaneous pneumothorax	M	11	7	5	6	4	6	14	6	5	7
		F	4	1	—	1	2	1	1	1	2	2
521	Abscess of lung	M	58	45	63	46	54	55	53	43	58	46
		F	28	24	28	24	28	25	29	24	32	16
522	Pulmonary congestion and hypostasis	M	328	262	322	209	158	264	247	255	167	198
		F	495	427	483	349	378	438	467	474	339	354
523	Pneumoconiosis due to silica and silicates (occupational)	M	526	559	594	557	573	647	714	666	760	713
		F	9	8	4	3	6	5	6	9	7	10
524	Other spec'd: pneumoconiosis and pul: fibrosis of occupational origin	M	7	18	10	6	11	12	23	17	16	28
		F	—	—	—	—	—	1	1	6	3	2
525	Other chronic interstitial pneumonia	M	171	201	188	180	174	163	199	204	175	190
		F	78	75	89	87	69	92	94	73	93	106
526	Bronchiectasis	M	1,484	1,480	1,492	1,405	1,447	1,405	1,479	1,273	1,305	1,199
		F	686	657	795	631	619	662	712	724	677	615
527	Other diseases of lung and pleural cavity	M	529	604	814	755	858	894	980	1,004	1,056	1,064
		F	127	130	211	207	233	205	232	291	233	290
	0 Pulmonary collapse (1 year and over)	M	12	5	6	7	4	7	5	6	6	4
		F	6	2	8	2	8	7	3	7	3	10
	1 Emphysema without mention of bronchitis	M	479	564	749	712	798	822	917	926	981	997
		F	96	96	171	158	179	159	186	234	182	216
	2 Other	M	38	35	59	36	56	65	58	72	69	63
		F	25	32	32	47	46	39	43	50	48	64
530-587	**IX DISEASES OF THE DIGESTIVE SYSTEM**	M	**9,665**	**9,446**	**9,608**	**9,248**	**8,849**	**8,966**	**8,948**	**8,554**	**8,336**	**8,215**
		F	**7,275**	**7,204**	**7,249**	**7,026**	**6,988**	**7,121**	**7,251**	**7,177**	**7,010**	**6,948**
530-539	**Diseases of buccal cavity and oesophagus**	M	**138**	**117**	**138**	**116**	**126**	**120**	**129**	**95**	**125**	**110**
		F	**138**	**171**	**134**	**134**	**121**	**152**	**134**	**138**	**129**	**146**
530	Dental caries	M	3	2	2	—	2	2	—	1	—	1
		F	6	1	—	—	—	—	—	—	—	—
531	Abscesses of supporting structures of teeth	M	2	3	1	—	1	2	2	2	2	3
		F	2	3	2	—	1	—	—	4	1	3
532	Other inflammatory diseases of supporting structures of teeth	M	17	9	14	6	8	6	8	6	8	—
		F	4	16	8	8	6	8	4	3	3	1
533	Disorders of occlusion, eruption, and tooth development	M	5	24	15	23	18	11	10	6	8	1
		F	5	24	12	11	7	15	7	8	8	1
536	Stomatitis	M	6	7	10	7	8	6	2	2	3	2
		F	9	20	14	9	5	7	3	4	2	—
537	Diseases of salivary glands	M	36	18	17	18	21	19	31	13	25	22
		F	46	42	46	46	56	48	43	58	56	64
538	Other diseases of buccal cavity	M	11	16	16	9	10	9	11	6	9	8
		F	12	8	16	8	6	14	5	6	9	1
539	Diseases of oesophagus	M	58	38	63	52	58	65	65	59	70	70
		F	53	57	35	52	40	60	72	55	50	70
540-545	**Diseases of stomach and duodenum**	M	**3,958**	**4,092**	**4,506**	**4,253**	**3,982**	**4,196**	**4,154**	**3,962**	**3,693**	**3,552**
		F	**1,291**	**1,365**	**1,486**	**1,461**	**1,463**	**1,604**	**1,670**	**1,671**	**1,547**	**1,570**

TABLE 7—*continued*

ISC No.	Causes of death		1949	1950	1951	1952	1953	1954	1955	1956	1957	1958
540	Ulcer of stomach	M	2,019	2,035	2,086	1,967	1,818	1,873	1,864	1,803	1,665	1,60
		F	792	843	917	904	883	913	967	998	960	94
	0 Without mention of perforation	M	1,363	1,630	1,466	1,374	1,310	1,353	1,356	1,318	1,214	1,18
		F	616	634	702	696	677	701	735	776	725	77
	1 With perforation	M	656	405	620	593	508	520	508	485	451	41
		F	176	209	215	208	206	212	232	222	235	17
541	Ulcer of duodenum	M	1,737	1,847	2,190	2,092	1,977	2,138	2,111	1,975	1,903	1,81
		F	310	375	437	421	448	554	575	566	501	52
	0 Without mention of perforation	M	1,087	1,170	1,355	1,350	1,253	1,334	1,318	1,263	1,194	1,13
		F	197	243	269	251	275	328	337	349	304	31
	1 With perforation	M	650	677	835	742	724	804	793	712	709	68
		F	113	132	168	170	173	226	238	217	197	21
542	Gastrojejunal ulcer	M	55	63	59	47	34	46	65	50	33	4
		F	16	11	10	7	8	18	14	15	7	1
	0 Without mention of perforation	M	38	43	42	34	27	35	49	36	24	2
		F	12	6	7	4	6	14	10	9	5	
	1 With perforation	M	17	20	17	13	7	11	16	14	9	1
		F	4	5	3	3	2	4	4	6	2	
543	Gastritis and duodenitis	M	79	68	76	63	62	49	41	49	34	3
		F	128	93	85	98	85	75	81	51	38	5
544	Disorders of function of stomach	M	18	10	11	6	14	8	13	11	9	
		F	19	16	10	13	6	16	10	7	6	1
545	Other diseases of stomach and duodenum	M	50	69	84	78	77	82	60	74	49	4
		F	26	27	27	18	33	28	23	34	35	2
550-553	**Appendicitis**	**M**	**739**	**744**	**679**	**598**	**550**	**547**	**485**	**522**	**497**	**46**
		F	**507**	**555**	**493**	**447**	**356**	**422**	**360**	**331**	**302**	**32**
550	Acute appendicitis	M	644	641	592	517	465	456	415	425	415	39
		F	451	469	418	367	304	347	301	250	252	27
	0 Without mention of peritonitis	M	89	101	89	82	71	70	66	74	74	5
		F	56	79	59	46	45	47	42	41	30	3
	1 With peritonitis	M	555	540	503	435	394	386	349	351	341	33
		F	395	390	359	321	259	300	259	209	222	23
551	Appendicitis, unqualified	M	91	61	79	79	83	86	67	93	79	6
		F	50	59	64	75	50	72	55	75	49	5
552	Other appendicitis	M	3	6	2	2	—	2	2	3	2	
		F	6	6	6	2	2	1	3	4	—	
553	Other diseases of appendix	M	1	36	6	—	2	3	1	1	1	
		F	—	21	5	3	—	2	1	2	1	—
560-561	**Hernia of abdominal cavity**	**M**	**842**	**832**	**821**	**822**	**758**	**761**	**830**	**768**	**769**	**70**
		F	**889**	**866**	**883**	**842**	**821**	**804**	**798**	**865**	**806**	**74**
560	Hernia of abdom'l cavity without mention of obstruction	M	191	151	170	186	182	192	216	188	210	19
		F	124	138	125	145	147	168	159	182	158	17
	0 Inguinal	M	69	76	76	76	66	67	78	69	84	6
		F	4	19	12	6	6	10	8	7	9	
	1 Femoral	M	6	8	4	6	3	4	7	4	8	
		F	9	11	13	12	9	17	13	10	9	
	2 Umbilical	M	33	22	25	24	35	40	30	17	31	2
		F	27	25	24	29	33	33	28	36	16	2
	3 Ventral (incisional)	M	8	8	8	12	9	11	11	9	6	
		F	29	30	24	26	23	18	22	32	15	1
	4, 5 Other sites	M	75	37	57	68	69	70	90	89	81	9
		F	55	53	52	72	76	90	88	97	109	12
561	Hernia of abdominal cavity with obstruction	M	651	681	651	636	576	569	614	580	559	51
		F	765	728	758	697	674	636	639	683	648	56
	0 Inguinal	M	332	444	402	364	355	342	362	357	330	30
		F	70	91	90	87	60	68	58	72	71	6
	1 Femoral	M	101	98	104	113	75	90	101	91	96	8
		F	319	342	349	325	341	312	321	308	312	27
	2 Umbilical	M	40	51	56	37	39	38	40	42	36	4
		F	136	129	121	111	98	77	101	104	93	7
	3 Ventral (incisional)	M	19	19	29	27	23	32	37	35	33	2
		F	115	112	129	109	108	106	90	109	86	7
	4, 5 Other sites	M	159	69	60	95	84	67	74	55	64	6
		F	125	54	69	65	67	73	69	90	86	7

TABLE 7—*continued*

ISC No.	Causes of death		1949	1950	1951	1952	1953	1954	1955	1956	1957	1958
570-578	**Other diseases of intestines and peritoneum**	**M**	**2,764**	**2,345**	**2,139**	**2,005**	**1,991**	**1,873**	**1,884**	**1,781**	**1,806**	**1,863**
		F	**2,676**	**2,290**	**2,267**	**2,203**	**2,197**	**2,065**	**2,174**	**2,157**	**2,207**	**2,215**
570	Intestinal obstruction without mention of hernia	M	827	732	721	766	726	701	653	713	673	693
		F	813	663	704	714	685	634	707	720	658	722
	0 Intussusception	M	115	73	85	75	65	54	49	32	30	39
		F	68	72	61	45	34	40	33	35	27	27
	1 Paralytic ileus	M	29	26	17	10	23	6	10	19	6	14
		F	25	15	18	8	9	7	4	8	10	11
	2 Mesenteric infarction	M	72	136	166	187	184	211	170	203	186	205
		F	67	136	150	174	177	187	206	200	240	243
	3 Volvulus	M	204	193	190	227	188	188	184	221	201	178
		F	170	143	149	165	176	143	163	189	147	156
	4 Impaction of intestine	M	16	35	25	30	29	44	35	48	24	22
		F	48	60	77	74	63	68	84	79	53	49
	5 Other	M	391	269	238	237	237	198	205	190	226	235
		F	435	237	249	248	226	189	217	209	181	236
571	Gastro-enteritis and colitis, exc: ulcerative age 4 weeks and over	M	1,328	922	721	590	546	433	458	357	355	380
		F	1,084	743	644	561	549	467	445	366	397	344
572	Chronic enteritis and ulcerative colitis	M	431	467	449	426	465	501	529	493	542	582
		F	595	679	690	689	712	739	767	829	887	947
	0 Regional enteritis	M	24	19	20	22	28	24	34	29	39	26
		F	24	24	19	20	29	31	34	31	32	46
	1 Diverticulitis	M	249	268	262	242	257	323	313	288	318	379
		F	295	348	364	345	391	409	450	484	562	617
	2 Ulcerative colitis	M	143	154	154	149	162	138	173	162	176	173
		F	251	273	283	306	269	289	265	302	280	270
	3 Other	M	15	26	13	13	18	16	9	14	9	4
		F	25	34	24	18	23	10	18	12	13	14
573	Functional disorders of intestines	M	3	17	15	18	21	7	12	15	10	11
		F	7	21	22	20	19	17	19	19	15	18
574	Anal fissure and fistula	M	2	6	4	1	—	—	1	1	3	—
		F	3	1	2	2	—	—	3	1	1	2
575	Abscess of anal and rectal regions	M	27	21	26	26	17	16	12	8	20	15
		F	12	14	7	15	12	9	10	9	11	4
576	Peritonitis	M	62	54	62	52	68	57	50	47	56	55
		F	40	53	52	59	41	50	46	48	57	46
577	Peritoneal adhesion	M	8	12	13	4	9	6	6	6	5	5
		F	14	7	15	9	11	5	5	4	4	13
578	Other diseases of intestines and peritoneum	M	76	114	128	122	139	152	163	141	142	122
		F	108	109	131	134	168	144	172	161	177	119
580-587	**Diseases of liver, gall bladder, and pancreas**	**M**	**1,224**	**1,316**	**1,325**	**1,454**	**1,442**	**1,469**	**1,466**	**1,426**	**1,446**	**1,521**
		F	**1,774**	**1,957**	**1,986**	**1,939**	**2,030**	**2,074**	**2,115**	**2,015**	**2,019**	**1,947**
580	Acute and subacute yellow atrophy of liver	M	54	52	59	47	56	63	49	37	45	31
		F	98	87	85	78	79	75	67	66	66	62
581	Cirrhosis of liver	M	556	574	615	645	650	632	617	618	667	644
		F	362	440	502	479	505	535	542	535	539	532
582	Suppurative hepatitis and liver abscess	M	24	23	22	23	20	19	12	14	9	13
		F	10	14	10	12	13	21	17	11	10	9
583	Other diseases of liver	M	10	28	22	29	25	18	25	28	24	45
		F	25	18	23	27	30	30	38	33	36	41
584	Cholelithiasis	M	211	245	213	239	239	273	278	275	246	276
		F	521	617	583	569	613	590	606	572	581	526
585	Cholecystitis and cholangitis, without mention of calculi	M	169	178	161	191	206	192	188	191	183	187
		F	472	461	454	443	426	452	431	412	386	382
586	Other diseases of gallbladder and biliary ducts	M	28	29	33	30	43	33	26	27	29	31
		F	53	57	67	61	57	62	50	49	59	59
587	Diseases of pancreas	M	172	187	200	250	203	239	271	236	243	294
		F	233	263	262	270	307	309	364	337	342	336
	0 Acute pancreatitis	M	115	122	133	158	134	162	172	142	136	176
		F	169	198	191	191	218	224	245	235	238	220
	1 Chronic pancreatitis	M	15	28	27	32	21	24	22	22	33	26
		F	24	21	27	31	30	36	41	28	31	33
	2 Other diseases of pancreas	M	42	37	40	60	48	53	77	72	74	92
		F	40	44	44	48	59	49	78	74	73	83

TABLE 7—*continued*

ISC No.	Causes of death		1949	1950	1951	1952	1953	1954	1955	1956	1957	1958
590-637	**X DISEASES OF THE GENITO-URINARY SYSTEM**	M	**9,514**	**9,548**	**9,157**	**8,561**	**8,234**	**8,370**	**7,906**	**7,761**	**7,336**	7,106
		F	**4,425**	**4,713**	**4,488**	**4,083**	**3,926**	**3,911**	**3,893**	**3,775**	**3,664**	3,677
590-594	**Nephritis and nephrosis** ..	M	**3,312**	**3,352**	**3,155**	**2,898**	**2,706**	**2,645**	**2,448**	**2,554**	**2,250**	2,158
		F	**3,234**	**3,368**	**3,193**	**2,795**	**2,549**	**2,453**	**2,294**	**2,125**	**1,945**	1,920
590	Acute nephritis	M	178	194	162	128	139	116	97	121	89	89
		F	147	157	142	95	93	95	54	67	68	65
591	Nephritis with oedema, including nephrosis	M	129	236	208	199	193	179	186	207	196	188
		F	117	231	192	148	136	147	180	154	143	127
592	Chronic nephritis	M	2,825	2,759	2,569	2,355	2,168	2,144	1,929	2,004	1,736	1,663
		F	2,763	2,843	2,691	2,344	2,151	2,035	1,894	1,738	1,572	1,572
593	Nephritis not specified as acute or chronic	M	180	136	197	199	192	195	218	208	218	204
		F	178	117	156	184	157	162	150	148	151	148
594	Other renal sclerosis	M	—	27	19	17	14	11	18	14	11	14
		F	29	20	12	24	12	14	16	18	11	8
600-609	**Other diseases of urinary system**	M	**1,117**	**1,181**	**1,222**	**1,159**	**1,243**	**1,286**	**1,261**	**1,264**	**1,335**	1,274
		F	**911**	**1,052**	**1,017**	**1,018**	**1,081**	**1,229**	**1,375**	**1,430**	**1,519**	1,542
600	Infections of kidney	M	421	464	501	498	550	578	608	651	716	722
		F	514	590	573	582	637	738	873	909	995	1,013
	0 Pyelitis, pyelocystitis, and pyelonephritis	M	397	433	473	470	520	547	572	622	685	704
		F	485	556	535	551	610	707	838	884	968	981
	1 Abscess of kidney and perirenal tissue	M	15	21	22	23	23	25	29	18	27	15
		F	23	28	32	26	24	25	29	19	20	27
	2 Other	M	9	10	6	5	7	6	7	11	4	3
		F	6	6	6	5	3	6	6	6	7	5
601	Hydronephrosis	M	62	80	91	79	73	79	80	64	71	75
		F	51	62	78	70	61	69	76	86	80	61
602	Calculi of kidney and ureter ..	M	135	140	167	149	151	161	147	136	139	122
		F	119	129	126	138	140	146	154	152	154	140
603	Other diseases of kidney and ureter	M	29	27	23	36	40	42	46	42	44	33
		F	18	31	29	40	35	27	36	41	38	38
604	Calculi of other parts of urinary system	M	30	49	38	36	45	42	29	33	36	32
		F	6	14	8	5	7	9	11	6	14	9
605	Cystitis	M	217	194	179	168	179	168	142	147	119	148
		F	177	188	167	154	161	190	183	186	179	215
606	Other diseases of bladder ..	M	54	63	83	54	85	67	70	61	78	67
		F	19	24	24	15	23	25	23	18	27	22
607	Urethritis (non-venereal) ..	M	—	2	1	2	—	2	1	2	3	2
		F	1	1	1	—	—	—	—	1	1	—
608	Stricture of urethra	M	161	131	117	114	93	118	101	103	94	42
		F	3	1	3	2	—	2	3	2	1	3
609	Other diseases of urethra ..	M	8	31	22	23	27	29	37	25	35	31
		F	3	12	8	12	17	23	16	29	30	41
610-617	**Diseases of male genital organs**	M	**5,085**	**5,015**	**4,780**	**4,504**	**4,285**	**4,439**	**4,197**	**3,943**	**3,751**	3,674
610	Hyperplasia of prostate ..	M	4,932	4,762	4,553	4,351	4,173	4,334	4,090	3,852	3,645	3,577
611	Prostatitis	M	110	124	120	99	82	68	75	50	72	69
612	Other diseases of prostate ..	M	13	94	89	22	9	14	11	16	14	13
613	Hydrocele	M	3	9	3	6	3	3	3	3	2	3
614	Orchitis and epididymitis ..	M	2	1	5	2	1	2	2	1	4	4
615	Redundant prepuce and phimosis	M	17	9	2	11	4	3	7	8	3	4
617	Other diseases of male genital organs	M	8	16	8	13	13	15	9	13	11	4
620-626	**Diseases of breast, ovary, Fallopian tube, and parametrium**	F	**81**	**64**	**60**	**58**	**58**	**56**	**61**	**54**	**41**	28
621	Other diseases of breast ..	F	4	—	2	4	3	3	3	3	3	2
622	Acute salpingitis and oophoritis	F	7	8	3	3	1	2	1	1	5	—
623	Chronic salpingitis and oophoritis	F	4	—	3	4	1	5	4	2	3	2
624	Salpingitis and oophoritis, unqualified	F	47	36	32	34	29	24	36	28	18	13
625	Other diseases of ovary and Fallopian tube	F	3	8	6	4	7	7	5	4	2	1
626	Diseases of parametrium and pelvic peritoneum (emale)	F	15	12	14	8	17	15	12	16	10	10

TABLE 7—*continued*

ISC No.	Causes of death		1949	1950	1951	1952	1953	1954	1955	1956	1957	1958
630-637	**Diseases of uterus and other female genital organs**	F	**199**	**229**	**218**	**212**	**238**	**173**	**163**	**166**	**159**	**187**
630	Infective disease of uterus, vagina, and vulva	F	12	13	15	15	20	15	15	12	8	17
631	Uterovaginal prolapse ..	F	119	138	128	129	134	101	96	108	106	119
632	Malposition of uterus ..	F	3	4	3	2	1	1	1	1	—	3
633	Other diseases of uterus ..	F	37	33	32	28	41	24	26	18	30	25
634	Disorders of menstruation ..	F	16	26	22	24	25	24	19	17	12	17
635	Menopausal symptoms ..	F	7	4	5	4	5	3	1	—	1	1
637	Other diseases of female genital organs	F	5	11	13	9	12	5	3	9	2	4
640-689	**XI DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM**	F	**727**	**620**	***526**	***463**	***495**	***446**	***405**	***374**	***333**	***328**
640-648	**Complications of pregnancy** ..	F	**198**	**225**	**179**	**154**	**186**	**140**	**135**	**144**	**114**	**105**
640	Pyelitis and pyelonephritis of pregnancy	F	5	5	4	3	3	2	2	5	—	4
642	Toxaemias of pregnancy ..	F	120	149	126	107	132	90	82	82	72	58
643	Placenta praevia	F	6	9	3	1	—	2	1	—	—	—
644	Other haemorrhage of pregnancy	F	10	11	5	4	6	1	2	10	7	9
645	Ectopic pregnancy	F	36	36	21	19	35	24	20	21	21	13
646	Anaemia of pregnancy ..	F	3	3	5	4	4	3	3	3	3	2
648	Other complications arising from pregnancy	F	15	12	14	13	6	18	23	23	9	19
650-652	**Abortion**	F	**118**	**103**	**107**	**90**	**76**	**76**	**66**	**72**	**61**	**63**
650	Abortion without mention of sepsis or toxaemia	F	32	32	37	31	30	33	27	24	24	25
651	Abortion with sepsis	F	78	64	67	47	39	32	36	40	33	35
652	Abortion with toxaemia, without mention of sepsis	F	8	7	3	12	7	11	3	8	4	3
660	**Delivery without mention of complication**	F	**1**	**5**	**2**	**5**	**3**	**5**	**1**	**1**	**7**	**6**
670-678	**Delivery with specified complication**	F	**241**	**158**	**155**	**128**	**149**	**146**	**116**	**96**	**92**	**90**
670	Placenta praevia or antepartum haemorrhage	F	22	24	27	14	33	29	21	23	20	16
671	Retained placenta	F	43	11	23	15	27	19	16	10	5	8
672	Other postpartum haemorrhage	F	47	27	30	24	24	25	25	14	17	25
673	Abnormality of bony pelvis ..	F	9	2	6	4	3	2	3	1	1	—
674	Disproportion or malposition of foetus	F	34	17	9	8	6	9	10	15	10	11
675	Prolonged labour of other origin	F	26	23	23	20	22	21	18	18	16	10
677	With other trauma	F	26	18	12	17	13	15	12	10	14	10
678	With other complications of childbirth	F	33	35	24	26	21	26	11	5	9	10
680-689	**Complications of the puerperium**	F	**169**	**129**	**83**	**86**	**81**	**79**	**87**	**61**	**59**	**64**
681	Sepsis of childbirth and the puerperium	F	25	21	11	4	14	11	13	8	16	9
682	Puerperal phlebitis and thrombosis	F	31	36	30	27	27	38	32	27	24	23
684	Puerperal pulmonary embolism	F	25	26	19	25	22	13	23	5	8	17
685	Puerperal eclampsia	F	60	31	13	12	7	10	8	8	5	6
686	Other forms of puerperal toxaemia	F	19	5	2	3	4	4	1	3	—	2
687	Cerebral haemorrhage in the puerperium	F	3	6	3	8	4	—	6	5	4	5
688	Other and unspecified complications of the puerperium	F	3	3	3	2	2	1	3	1	2	2
689	Mastitis and other disorders of lactation	F	1	—	—	5	—	2	1	4	—	—
690-716	**XII DISEASES OF THE SKIN AND CELLULAR TISSUE**	M	**288**	**287**	**288**	**247**	**279**	**230**	**187**	**183**	**194**	**204**
		F	**303**	**326**	**360**	**356**	**356**	**322**	**321**	**292**	**247**	**283**
690-698	**Infections of skin and subcutaneous tissue**	M	**137**	**124**	**110**	**93**	**96**	**92**	**94**	**72**	**74**	**89**
		F	**116**	**102**	**135**	**113**	**116**	**102**	**95**	**91**	**74**	**90**
690	Boil and carbuncle	M	58	27	29	24	26	18	22	26	25	28
		F	42	22	28	25	21	19	12	26	20	16

* Excluding the following cases in which it was stated that death followed the maternal condition after an interval of more than 12 months: 1951—40; 1952—35; 1953—32; 1954—34; 1955—34; 1956—25; 1957—16; 1958—22.

TABLE 7—*continued*

ISC No.	Causes of death		1949	1950	1951	1952	1953	1954	1955	1956	1957	1958
691	Cellulitis of finger and toe	M	2	4	1	3	2	3	3	—	2	3
		F	3	4	7	3	10	3	3	1	1	2
692	Other cellulitis and abscess w'out men: of lymphangitis	M	64	77	64	55	58	59	57	42	38	53
		F	58	58	84	62	77	69	70	56	43	64
693	Other cellulitis and abscess with lymphangitis	M	5	4	4	—	2	—	—	—	—	—
		F	6	1	3	5	—	2	—	1	3	1
695	Impetigo	M	2	1	1	2	2	1	1	—	—	—
		F	—	2	1	—	—	1	1	2	1	—
698	Other local infections of skin and subcutaneous tissue	M	6	8	10	9	6	10	11	4	9	3
		F	5	11	12	17	7	7	9	5	6	7
700-716	**Other diseases of skin and subcutaneous tissue**	**M**	**151**	**163**	**178**	**154**	**183**	**138**	**93**	**111**	**120**	**115**
		F	**187**	**224**	**225**	**243**	**240**	**220**	**226**	**201**	**173**	**193**
700	Seborrhoeic dermatitis	M	3	2	3	1	3	1	1	1	—	—
		F	3	6	2	1	4	3	1	1	—	2
701	Eczema	M	20	27	21	12	15	11	6	7	7	11
		F	12	12	8	11	13	4	15	9	6	7
703	Other dermatitis	M	36	2	7	6	8	4	2	4	1	2
		F	37	5	10	4	8	6	3	2	4	—
704	Pemphigus	M	44	46	55	61	51	41	19	28	27	28
		F	48	57	57	60	55	56	36	42	40	36
705	Erythematous conditions	M	11	46	34	31	43	28	27	23	29	17
		F	18	48	43	46	31	30	47	30	24	23
706	Psoriasis and similar disorders	M	5	2	5	5	1	5	4	2	3	2
		F	5	4	5	9	7	10	4	5	2	5
708	Pruritus and related conditions	M	—	—	1	1	2	1	1	1	—	1
		F	—	1	5	2	2	2	2	3	1	3
710	Other hypertrophic and atrophic conditions of skin	M	8	7	13	13	22	9	11	18	22	24
		F	7	23	28	33	36	30	38	47	38	51
714	Diseases of sweat and sebaceous glands	M	2	1	—	—	1	—	2	—	2	1
		F	1	—	—	1	1	1	—	—	—	—
715	Chronic ulcer of skin	M	21	24	34	21	34	34	17	24	23	22
		F	56	66	63	71	81	75	77	58	58	64
716	Other diseases of skin	M	—	2	1	2	—	1	2	2	1	3
		F	—	2	2	1	2	2	1	4	—	—
720-749	**XIII DISEASES OF THE BONES AND ORGANS OF MOVEMENT**	**M**	**685**	**522**	**547**	**536**	**578**	**619**	**614**	**624**	**584**	**613**
		F	**1,367**	**954**	**1,043**	**957**	**982**	**1,156**	**1,352**	**1,236**	**1,225**	**1,307**
720-727	**Arthritis and rheumatism, except rheumatic fever**	**M**	**456**	**289**	**302**	**247**	**296**	**355**	**338**	**351**	**309**	**353**
		F	**1,169**	**747**	**775**	**739**	**768**	**890**	**1,076**	**951**	**941**	**1,019**
720	Acute arthritis due to pyogenic organisms	M	19	15	18	12	11	11	9	15	10	16
		F	9	11	7	11	18	11	13	5	11	12
722	Rheumatoid arthritis and allied conditions	M	276	165	185	155	184	223	214	206	183	222
		F	902	562	574	546	558	683	814	729	705	757
	0 Rheumatoid arthritis	M	271	157	164	136	173	196	192	189	169	206
		F	901	559	568	545	556	680	809	727	700	753
	1 Spondylitis ankylopoietica	M	5	8	21	19	11	27	22	17	14	16
		F	1	2	6	1	2	3	5	2	5	4
723	Osteo-arthritis (arthrosis) and allied conditions	M	119	92	84	70	86	111	107	122	107	103
		F	186	149	171	160	171	180	237	212	208	235
724	Other specified forms of arthritis	M	5	2	4	3	—	1	1	—	1	4
		F	13	3	4	5	2	3	1	2	3	3
725	Arthritis, unspecified	M	7	9	7	4	7	3	1	2	—	2
		F	8	14	10	12	15	10	3	2	3	7
726	Muscular rheumatism	M	4	5	1	3	4	4	6	3	6	4
		F	3	3	3	1	1	2	3	—	8	3
727	Rheumatism, unspecified	M	26	1	3	—	4	2	—	3	2	2
		F	48	5	6	4	3	1	5	1	3	2
730-738	**Osteomyelitis and other diseases of bone and joint**	**M**	**151**	**155**	**164**	**170**	**180**	**162**	**167**	**156**	**157**	**137**
		F	**144**	**130**	**175**	**148**	**136**	**178**	**178**	**189**	**187**	**197**
730	Osteomyelitis and periostitis	M	70	73	52	52	59	51	48	37	43	45
		F	37	31	41	30	33	36	27	42	35	28
731	Osteitis deformans	M	63	61	81	87	80	87	88	93	76	68
		F	72	60	83	79	59	80	102	83	87	93

TABLE 7—*continued*

ISC No.	Causes of death		1949	1950	1951	1952	1953	1954	1955	1956	1957	1958
733	Other diseases of bone	M	10	11	15	15	24	11	10	19	18	16
		F	22	24	31	27	31	52	43	52	54	66
735	Displacement of intervertebral disc	M	6	10	9	11	8	7	16	4	15	5
		F	5	8	7	4	7	4	4	7	6	5
737	Ankylosis of joint	M	—	—	1	1	—	2	—	1	1	1
		F	3	2	1	2	2	—	1	1	1	—
738	Other diseases of joint	M	—	—	5	3	9	3	3	2	4	1
		F	4	4	10	6	4	6	1	3	3	5
740-749	**Other diseases of musculoskeletal system**	**M**	**78**	**78**	**81**	**119**	**102**	**102**	**109**	**117**	**118**	**123**
		F	**54**	**77**	**93**	**70**	**78**	**88**	**98**	**96**	**97**	**91**
740	Bunion	M	2	1	—	1	—	1	—	—	—	—
		F	—	1	2	1	—	1	—	1	—	1
741	Synovitis, bursitis, and tenosynovitis, w'out mention of occupational origin	M	3	3	4	1	1	1	2	4	—	3
		F	2	4	4	2	3	2	1	4	1	2
743	Infective myositis and other inflammatory diseases of tendon and fascia	M	—	—	1	2	—	—	1	—	1	—
		F	1	1	3	—	3	—	—	1	—	1
744	Other diseases of muscle, tendon and fascia	M	58	62	58	90	82	81	91	87	92	105
		F	39	55	61	51	52	56	73	63	57	60
745	Curvature of spine	M	10	3	12	16	11	14	10	21	22	12
		F	10	8	13	14	13	26	16	21	31	18
747	Hallux valgus and varus	M	—	—	—	1	—	—	—	—	—	—
		F	2	1	3	1	2	1	2	2	2	3
748	Clubfoot	M	3	1	—	1	1	2	—	2	1	—
		F	—	1	2	—	1	—	1	—	2	1
749	Other deformities	M	2	7	6	7	7	3	5	3	2	3
		F	—	6	5	1	4	2	5	4	4	5
750-759	**XIV CONGENITAL MALFORMATIONS**	**M**	**2,406**	**2,528**	**2,425**	**2,323**	**2,216**	**2,349**	**2,431**	**2,442**	**2,589**	**2,589**
		F	**2,238**	**2,220**	**2,204**	**2,130**	**2,045**	**2,144**	**2,132**	**2,133**	**2,341**	**2,301**
750	Monstrosity	M	32	34	37	54	33	51	41	59	57	59
		F	43	50	53	66	77	72	77	73	96	106
751	Spina bifida and meningocele	M	276	266	290	294	279	328	343	348	328	340
		F	433	348	382	428	394	477	477	462	462	458
752	Congenital hydrocephalus	M	189	202	180	195	170	201	185	209	201	201
		F	228	236	178	217	198	222	235	221	223	243
753	Other congen: malformations of nerv: sys'm and sense organs	M	48	50	52	62	43	65	50	48	83	61
		F	60	59	74	41	62	62	63	67	74	68
754	Congenital malformations of circulatory system	M	1,044	1,158	1,050	890	913	948	1,007	1,017	1,126	1,124
		F	923	975	963	804	786	767	756	791	911	870
755	Cleft palate and harelip	M	25	21	20	24	13	16	11	16	12	11
		F	24	20	14	7	9	8	13	15	10	6
756	Congenital malformations of digestive system	M	458	402	348	344	321	292	296	288	294	286
		F	245	218	207	197	201	179	164	172	173	179
	0 Congenital hypertrophic pyloric stenosis	M	152	96	63	67	52	46	38	25	27	24
		F	33	24	19	12	12	5	3	10	7	6
	1 Imperforate anus	M	24	38	33	28	28	31	26	27	30	11
		F	4	16	8	12	13	8	9	6	11	4
	2 Other	M	282	268	252	249	241	215	232	236	237	251
		F	208	178	180	173	176	166	152	156	155	169
757	Congenital malformations of genito-urinary system	M	197	247	255	265	265	260	279	267	274	261
		F	150	193	175	191	161	189	187	178	223	182
	1 Polycystic disease of kidney	M	104	139	138	163	147	138	158	141	130	142
		F	110	146	139	143	129	139	135	114	170	133
	0, 2, 3 Other	M	93	108	117	102	118	122	121	126	144	119
		F	40	47	36	48	32	50	52	64	53	49
758	Congenital malformations of bone and joint	M	15	30	32	31	27	30	27	30	32	39
		F	23	27	24	31	21	28	32	21	39	33
759	Other and unspec'd congenital malformations, not elsewhere classified	M	122	118	161	164	152	158	192	160	182	207
		F	109	94	134	148	136	140	128	133	130	156
760-776	**XV CERTAIN DISEASES OF EARLY INFANCY**	**M**	**7,033**	**6,406**	**6,433**	**5,953**	**5,820**	**5,690**	**5,448**	**5,575**	**5,616**	**5,618**
		F	**4,787**	**4,334**	**4,272**	**4,103**	**4,037**	**3,784**	**3,719**	**3,778**	**3,812**	**3,800**
760-773	5 with immaturity	M	1,469	1,635	1,707	1,670	1,659	1,713	1,670	1,761	1,886	1,950
		F	974	1,061	1,155	1,154	1,072	1,107	1,083	1,119	1,237	1,227
760-769	**Birth injuries, asphyxia, and infections of newborn**	**M**	**3,325**	**3,325**	**3,432**	**3,287**	**3,271**	**3,232**	**3,141**	**3,238**	**3,322**	**3,381**
		F	**2,157**	**2,007**	**2,195**	**2,130**	**2,096**	**2,001**	**1,950**	**2,057**	**2,158**	**2,158**

TABLE 7—*continued*

ISC No.	Causes of death		1949	1950	1951	1952	1953	1954	1955	1956	1957	1958
760	Intracranial and spinal injury at birth	M	927	887	1,016	967	938	936	901	922	885	914
		F	520	482	509	521	539	535	506	539	542	536
761	Other birth injury	M	261	251	221	204	195	214	238	219	255	221
		F	177	166	176	149	137	145	151	176	159	134
762	Postnatal asphyxia and atelectasis	M	1,355	1,401	1,395	1,409	1,432	1,478	1,407	1,460	1,628	1,590
		F	948	844	949	945	957	916	901	924	1,068	1,057
763	Pneumonia of newborn	M	521	512	570	534	554	473	483	502	429	512
		F	337	331	376	379	336	288	300	304	285	325
764	Diarrhoea of newborn	M	118	67	56	40	36	22	25	27	22	21
		F	76	33	36	26	24	18	15	21	13	13
766	Pemphigus neonatorum	M	3	6	1	4	5	2	2	4	4	2
		F	4	4	3	1	2	6	5	4	4	8
767	Umbilical sepsis	M	19	8	13	14	8	9	9	12	17	9
		F	7	6	9	7	7	15	8	12	11	3
768	Other sepsis of newborn	M	21	24	24	26	20	25	20	19	22	29
		F	15	19	15	17	33	20	14	17	22	19
769	Neonatal disorders arising from certain diseases of the mother during pregnancy	M	100	166	135	89	83	72	55	73	60	83
		F	73	122	122	85	61	56	49	57	54	63
770-776	**Other diseases peculiar to early infancy**	**M**	**3,708**	**3,081**	**3,001**	**2,666**	**2,549**	**2,458**	**2,307**	**2,337**	**2,294**	**2,237**
		F	**2,630**	**2,327**	**2,077**	**1,973**	**1,941**	**1,783**	**1,769**	**1,721**	**1,654**	**1,642**
770	Haemolytic disease of newborn (erythroblastosis)	M	321	286	325	239	225	282	196	182	203	182
		F	231	216	187	203	185	186	170	171	175	197
771	Haemolytic disease of newborn	M	108	122	125	103	116	132	120	142	120	162
		F	68	62	96	78	81	88	90	82	64	87
772	Nutritional maladjustment	M	14	18	18	14	6	5	4	8	6	9
		F	12	16	7	5	3	6	3	3	1	2
773	Ill-defined diseases peculiar to early infancy	M	378	285	268	235	203	182	196	178	155	172
		F	231	217	165	160	125	151	126	110	114	107
774	Immaturity with mention of any other subsidiary condition	M		130	106	98	73	68	67	64	81	73
		F		109	83	71	67	58	64	63	48	72
			2,887									
776	Immaturity, unqualified	M	2,088	2,240	2,159	1,977	1,926	1,789	1,724	1,763	1,729	1,639
		F		1,707	1,539	1,456	1,480	1,294	1,316	1,292	1,252	1,177
780-795	**XVI SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS**	**M**	**5,463**	**4,237**	**4,145**	**3,278**	**3,072**	**3,326**	**3,703**	**3,490**	**2,935**	**2,989**
		F	**8,717**	**6,743**	**6,551**	**5,177**	**5,289**	**5,754**	**6,270**	**6,030**	**5,213**	**5,265**
780-789	**Symptoms referable to systems or organs**	**M**	**406**	**249**	**244**	**156**	**142**	**146**	**158**	**124**	**114**	**96**
		F	**353**	**206**	**189**	**130**	**163**	**119**	**130**	**140**	**126**	**91**
780	Certain symptoms referable to nerv: system and special senses	M	77	33	40	13	17	18	14	11	7	7
		F	68	42	18	16	15	13	8	5	4	8
	2 Convulsions	M	77	30	35	12	15	17	12	10	5	6
		F	64	38	18	15	14	13	8	4	3	8
	0, 1, 3-9 Others included under 780	M	—	3	5	1	2	1	2	1	2	1
		F	4	4	—	1	1	—	—	1	1	—
782	Symptoms referable to cardio-vascular & lymphatic system	M	270	178	172	101	109	98	105	91	90	41
		F	235	139	147	88	125	92	100	109	107	54
	4 Acute heart failure, undefined	M	255	175	164	96	105	96	105	88	85	40
		F	224	133	142	85	121	88	96	107	102	50
	0-3, 5-9 Other symptoms referable to cardio-vascular and lymphatic system	M	15	3	8	5	4	2	—	3	5	1
		F	11	6	5	3	4	4	4	2	5	4
783	Symptoms referable to respiratory system	M	8	4	6	6	—	4	3	3	2	1
		F	—	5	5	2	2	1	2	4	—	4
784	Symptoms referable to upper gastro-intestinal tract	M	21	11	12	13	5	8	15	7	5	26
		F	11	12	9	14	6	4	16	11	8	16
785	Syms: referable to abdomen & lower gastro-intestinal tract	M	14	10	5	13	2	9	9	2	3	7
		F	23	5	9	4	5	5	1	5	4	2
786	Symptoms referable to genito-urinary system	M	13	8	6	7	7	8	8	6	4	9
		F	9	1	—	1	4	1	—	2	—	3
788	Other general symptoms	M	3	2	2	1	1	1	2	2	3	4
		F	6	2	1	2	4	1	1	3	3	3
789	Abnormal urinary constituents of unspecified cause	M	—	—	1	2	—	—	2	2	—	—
		F	1	—	—	3	2	1	1	1	—	1
790-795	**Senility and ill-defined diseases**	**M**	**5,057**	**3,988**	**3,901**	**3,122**	**2,930**	**3,180**	**3,545**	**3,366**	**2,821**	**2,893**
		F	**8,364**	**6,537**	**6,362**	**5,047**	**5,126**	**5,635**	**6,140**	**5,890**	**5,087**	**5,174**

TABLE 7—*continued*

ISC No.	Causes of death		1949	1950	1951	1952	1953	1954	1955	1956	1957	1958
790	Nervousness and debility	M	—	1	6	3	—	—	1	—	—	—
		F	3	1	—	1	—	—	—	1	—	—
792	Uraemia	M	63	13	19	18	15	21	20	26	12	27
		F	38	23	13	12	13	10	10	15	15	16
794	Senility without mention of psychosis	M	4,948	3,929	3,826	3,056	2,868	3,094	3,475	3,275	2,750	2,817
		F	8,304	6,494	6,325	5,001	5,085	5,590	6,098	5,844	5,034	5,132
795	Ill-defined and unknown causes of mortality	M	46	45	50	45	47	65	49	65	59	49
		F	18	19	24	33	28	35	32	30	38	26
E800-E999	**XVII ACCIDENTS, POISONINGS, AND VIOLENCE**	**M**	**11,712**	**11,905**	**12,447**	**11,992**	**12,333**	**12,630**	**12,932**	**12,992**	**12,858**	**13,343**
		F	**6,801**	**6,984**	**7,309**	**6,810**	**7,531**	**8,239**	**8,537**	**8,878**	**8,703**	**9,113**
E800-E802	**Railway accidents**	**M**	**329**	**331**	**301**	**390**	**342**	**249**	**283**	**292**	**288**	**300**
		F	**29**	**38**	**33**	**59**	**25**	**31**	**34**	**39**	**21**	**46**
E800	Involving railroad employee	M	181	203	166	184	193	148	166	164	162	119
		F	4	—	2	3	—	1	—	—	1	2
E801	Involving passenger	M	27	33	53	107	40	19	35	44	19	97
		F	5	16	19	34	8	7	10	19	3	33
E802	Involving other and unspecified person	M	121	95	82	99	109	82	82	84	107	84
		F	20	22	12	22	17	23	24	20	17	11
E810-E825	**Motor vehicle traffic accidents***	**M**	**2,841**	**3,099**	**3,293**	**3,013**	**3,225**	**3,289**	**3,552**	**3,655**	**3,608**	**3,966**
		F	**923**	**1,035**	**1,099**	**958**	**1,021**	**1,158**	**1,256**	**1,284**	**1,219**	**1,400**
E810	Involving collision with railway train	M	4	13	8	10	12	7	10	11	13	15
		F	—	2	2	1	4	1	—	3	2	4
E812	To pedestrian	M	1,205	1,140	1,302	1,099	1,182	1,201	1,210	1,275	1,219	1,323
		F	674	726	725	663	674	807	813	844	753	900
E813	To pedal cyclist	M	490	475	473	443	461	457	437	458	428	446
		F	78	80	80	74	73	79	84	67	68	56
E814	To rider or pass'r: of m/cycle in collision with non-motor vehicle or object	M	130	175	134	60	65	49	60	59	62	57
		F	12	9	14	5	4	1	2	8	4	3
E815	To rider or pass'r: of m/cycle in collision with other m: v:	M	425	640	624	662	689	696	797	746	730	862
		F	32	56	50	48	57	38	59	57	60	63
E816	Other m: v: traffic acc: involv'g two or more motor vehicles	M	190	216	245	191	286	302	389	437	370	533
		F	53	75	116	70	91	107	153	165	171	204
E817	To occupant of m: v: in coll: with pedestrian or pedal cycle	M	—	—	—	2	—	2	1	1	—	—
		F	1	—	—	—	—	—	—	1	—	1
E818	Involving collision with animal or animal-drawn vehicle	M	7	6	4	7	3	3	6	2	1	—
		F	—	1	2	—	—	—	—	—	1	1
E819	Involving collision with fixed or unspecified object	M	62	72	33	4	3	4	2	3	10	10
		F	13	21	4	3	1	1	1	2	—	3
E820	While boarding and alighting	M	20	22	21	15	20	6	12	21	24	11
		F	10	11	15	14	19	9	18	8	10	7
E821	To rider of motor cycle without antecedent collision	M	133	164	261	280	286	304	322	327	387	332
		F	12	14	30	25	34	31	28	23	32	38
E822	Involving overturning in roadway	M	48	64	54	57	49	47	72	48	53	54
		F	8	7	14	11	12	15	14	10	16	16
E823	Involving running off roadway	M	21	14	52	96	107	130	165	190	231	238
		F	4	3	19	20	32	40	49	61	57	61
E824	Other non-collision motor vehicle traffic accident	M	104	93	78	78	54	75	62	63	62	64
		F	26	28	27	22	19	28	34	31	32	23
E825	Of unspecified nature	M	1	4	4	9	8	6	7	13	17	21
		F	—	2	—	2	1	1	1	4	13	20
E830-E835	**Motor vehicle non-traffic accidents***	**M**	**69**	**88**	**103**	**134**	**117**	**134**	**104**	**84**	**65**	**68**
		F	**3**	**8**	**15**	**12**	**12**	**8**	**11**	**13**	**6**	**5**
E830	To pedestrian	M	13	32	43	54	32	55	52	47	40	37
		F	2	6	10	8	10	8	9	9	6	4
E832	To rider or passenger of motor-cycle	M	6	7	3	10	10	8	18	5	5	7
		F	—	—	—	1	1	—	—	—	—	—
E833	Other m:v: non-traffic acc: involving two or more m: vehicles	M	—	2	1	1	1	1	3	1	1	3
		F	—	—	—	—	—	—	—	—	—	—
E834	While boarding and alighting	M	1	1	2	—	1	—	—	—	1	1
		F	—	—	—	1	—	—	1	1	—	—

* E810-E835 Motor vehicle accidents. An analysis of these deaths for years 1950 and on according to the types of vehicle involved (as provided for in the 1955 International Statistical Classification) is not included in this table, but details are available at the General Register Office.

TABLE 7—*continued*

ISC No.	Causes of death		1949	1950	1951	1952	1953	1954	1955	1956	1957	1958
E835	Of other and unspecified nature	M	49	45	54	69	73	70	30	30	16	20
		F	1	2	5	2	1	—	1	3	—	1
E840-E845	**Other road vehicle accidents**	M	**251**	**294**	**238**	**229**	**181**	**198**	**191**	**157**	**170**	**152**
		F	**88**	**95**	**68**	**76**	**66**	**60**	**56**	**43**	**50**	**66**
E840	Street car accident to pedestrian	M	11	18	8	5	6	5	3	6	—	—
		F	13	8	10	4	1	3	2	3	1	1
E841	Other street car accident, exc: collision with motor vehicle	M	7	3	4	3	3	1	—	—	—	1
		F	3	—	—	1	—	1	—	2	—	—
E842	Accident to pedestrian caused by pedal cycle	M	43	47	40	56	32	46	38	35	38	24
		F	34	39	29	23	20	24	27	25	21	32
E843	Acc: to rider of p: cycle not involving collision with m: v:	M	152	168	160	125	113	126	131	101	126	119
		F	30	31	18	31	30	23	19	9	21	17
E844	Accident to pedestrian caused by other non-motor road v:	M	13	11	11	12	10	6	2	4	—	1
		F	4	4	4	4	5	—	2	1	—	—
E845	Other non-motor road vehicle accidents	M	25	47	15	28	17	14	17	11	6	7
		F	4	13	7	13	10	9	6	3	7	16
E850-E858	**Water transport accidents**	M	**142**	**186**	**145**	**137**	**147**	**127**	**135**	**140**	**156**	**134**
		F	**9**	**3**	**8**	**7**	**6**	**5**	**4**	**6**	**5**	**4**
E850	Submersion of occupant of small boat	M	48	57	39	54	56	38	43	52	62	66
		F	4	1	3	3	3	2	3	4	4	3
E851	Other water transport injury by submersion	M	33	59	44	28	36	42	32	44	41	33
		F	2	1	—	4	3	1	—	—	—	1
E852	Fall on stairs and ladders in water transport	M	7	10	6	5	6	7	4	9	3	3
		F	—	—	—	—	—	—	—	—	—	—
E853	Other falls from one level to another in water transport	M	28	25	19	23	22	13	20	12	15	11
		F	1	—	—	—	—	—	1	—	—	—
E854	Falls on same level in water transport	M	1	1	—	4	2	2	1	—	3	2
		F	—	—	—	—	—	—	—	1	—	—
E855	Unspecified falls in water transport	M	1	—	—	—	1	2	2	1	1	2
		F	—	—	—	—	—	—	—	—	—	—
E856	Machinery accident in water transport	M	8	6	7	2	9	3	2	3	7	6
		F	—	—	—	—	—	—	—	—	—	—
E857	Other specified accidents in water transport	M	16	28	30	20	15	20	30	19	23	9
		F	2	1	5	—	—	1	—	1	1	—
E860-E866	**Aircraft accidents**	M	**76**	**230**	**273**	**291**	**190**	**222**	**139**	**130**	**145**	**170**
		F	**19**	**10**	**23**	**20**	**2**	**3**	**5**	**6**	**12**	**27**
E860	Accident to personnel in military aircraft	M	11	128	198	222	175	194	106	100	81	63
		F	—	—	—	—	—	—	—	1	—	—
E861	Inj: to occupant by acc: to comm: "transport" aircraft	M	34	76	45	22	3	2	1	7	49	82
		F	14	10	20	8	1	2	—	1	7	22
E863	Injury to occupant by accident to other specified aircraft	M	18	21	15	13	4	13	8	5	6	11
		F	—	—	1	1	—	—	—	1	1	1
E864	Aircraft accident at airfield to person not in aircraft	M	3	4	5	28	3	4	7	3	1	5
		F	—	—	—	8	—	—	1	—	—	—
E865	Aircraft accident elsewhere to person not in aircraft	M	1	—	2	3	—	1	7	5	2	2
		F	5	—	2	3	1	—	4	3	3	3
E866	Other and unspecified aircraft accidents	M	8	1	8	3	5	8	10	10	6	7
		F	—	—	—	—	—	1	—	—	1	1
E870-E888	**Accidental poisoning by solid and liquid substances**	M	**93**	**113**	**121**	**154**	**136**	**150**	**152**	**165**	**176**	**158**
		F	**101**	**142**	**143**	**141**	**152**	**165**	**169**	**191**	**177**	**191**
E870	Morphine and other opium derivatives	M	2	3	4	8	1	2	3	—	1	—
		F	1	1	—	1	4	—	—	1	1	1
E871	Barbituric acid and derivatives	M	27	47	40	61	84	67	77	91	96	88
		F	50	80	77	79	85	117	115	132	112	117
E872	Aspirin and salicylates	M	10	14	18	24	9	18	16	18	18	13
		F	17	17	19	26	23	14	15	21	26	29
E874	Other analgesic and soporific drugs	M	8	5	6	11	3	11	7	5	10	10
		F	8	3	9	5	9	8	7	6	14	14
E876	Strychnine	M	3	2	2	2	2	1	2	—	2	—
		F	2	—	7	3	2	—	1	3	—	2
E877	Belladonna, hyocine, and atropine	M	5	1	1	—	1	—	1	—	—	—
		F	—	1	—	3	—	—	1	—	—	—

TABLE 7—*continued*

ISC No.	Causes of death		1949	1950	1951	1952	1953	1954	1955	1956	1957	1958
E878	Other and unspecified drugs	M	—	5	9	4	5	11	7	14	16	16
		F	4	6	3	6	9	10	12	11	7	9
E880	Alcohol	M	5	4	4	8	10	11	11	13	15	5
		F	—	2	2	—	1	1	6	4	5	4
E881	Petroleum products	M	—	1	—	2	1	1	5	—	—	—
		F	—	—	—	—	1	—	1	—	1	—
E882	Industrial solvents	M	3	5	4	1	1	4	2	3	4	2
		F	—	—	1	1	1	—	1	2	—	1
E883	Corrosive aromatics, acids, and caustic alkalis	M	10	15	8	9	6	6	8	4	4	8
		F	4	9	9	4	5	6	2	6	6	8
E884	Mercury and its compounds	M	1	—	1	1	3	—	1	1	—	1
		F	—	1	—	—	3	—	2	—	—	1
E885	Lead and its compounds	M	2	—	4	3	1	4	2	3	—	5
		F	1	2	—	1	1	1	—	—	—	—
E886	Arsenic and antimony, and their compounds	M	1	—	—	1	—	1	1	—	—	—
		F	—	3	—	—	—	1	—	—	—	1
E888	Other and unspecified solid and liquid substances	M	15	10	18	18	8	11	8	12	10	10
		F	12	16	13	12	8	7	5	3	3	4
E890-E895	**Accidental poisoning by gases and vapours**	M	**229**	**208**	**252**	**246**	**322**	**326**	**376**	**360**	**369**	**430**
		F	**235**	**255**	**304**	**302**	**322**	**391**	**476**	**452**	**464**	**525**
E890	Utility (illuminating gas)	M	195	158	215	203	279	280	320	301	309	368
		F	226	248	300	295	312	380	464	440	448	502
E891	Motor vehicle exhaust gas	M	7	7	11	8	17	8	15	15	9	13
		F	1	1	—	—	—	2	—	—	1	—
E892	Other carbon monoxide gas	M	13	27	16	24	18	23	23	29	27	33
		F	2	2	3	7	9	8	10	11	14	21
E894	Other specified gases and vapours	M	9	16	9	9	8	15	17	14	22	14
		F	4	4	1	—	1	1	1	1	1	2
E900-E904	**Accidental falls**	M	**1,661**	**1,577**	**1,816**	**1,676**	**1,787**	**2,118**	**2,019**	**2,124**	**1,991**	**2,010**
		F	**2,365**	**2,551**	**2,657**	**2,402**	**2,812**	**3,235**	**3,310**	**3,459**	**3,305**	**3,474**
E900	Fall on stairs	M	290	260	320	321	326	381	405	412	371	373
		F	463	458	502	488	495	555	565	536	545	557
E901	Fall from ladders	M	81	83	95	88	87	95	81	82	74	78
		F	10	6	5	13	5	7	7	11	9	6
E902	Other falls from one level to another	M	614	555	607	507	512	503	498	457	450	458
		F	355	365	423	267	222	261	214	254	246	236
E903	Fall on same level	M	509	448	516	485	562	566	461	482	498	585
		F	1,131	1,115	1,111	1,004	1,183	1,021	991	1,024	1,100	1,307
E904	Unspecified falls	M	167	231	278	275	300	573	574	691	598	516
		F	406	607	616	630	907	1,391	1,533	1,634	1,405	1,368
E910-E936	**Other accidents**	M	**2,801**	**2,596**	**2,766**	**2,635**	**2,569**	**2,347**	**2,600**	**2,413**	**2,414**	**2,504**
		F	**1,199**	**1,112**	**1,206**	**1,151**	**1,221**	**1,151**	**1,143**	**1,153**	**1,100**	**1,113**
E910	Blow from falling or projected object or missile	M	437	387	392	365	349	295	297	285	299	319
		F	17	10	17	13	16	13	18	20	7	18
E911	Caused by vehicle	M	98	90	101	105	83	75	98	67	83	86
		F	—	1	—	—	—	—	—	—	—	1
E912	Caused by machinery	M	198	176	181	186	167	173	243	233	245	254
		F	7	5	4	3	5	7	4	10	3	6
E913	Caused by cutting and piercing instruments	M	16	15	17	15	17	19	21	15	13	21
		F	2	11	6	7	8	14	3	3	6	6
E914	Caused by electric current	M	68	69	85	94	86	82	92	109	106	101
		F	21	20	17	18	25	20	18	14	19	21
E915	Caused by explosion of pressure vessel	M	19	8	12	9	9	8	14	7	8	5
		F	2	—	—	2	1	—	1	1	1	—
E916	Caused by fire and explosion of combustible material†	M	191	*180	311	*266	220	221	257	233	232	226
		F	367	366	440	439	359	437	435	439	398	404
E917	Caused by hot substance, corrosive liquid and steam†	M	80	78	73	55	71	54	65	70	52	76
		F	89	74	64	71	53	69	60	80	54	63
E919	Caused by firearm	M	84	93	87	104	87	83	66	74	74	82
		F	7	6	5	3	5	4	5	3	7	1

* E916, 80 male deaths which occurred in the Creswell Colliery disaster on the 26th September 1950, were registered in 1952, and are therefore included in the 1952 deaths for this cause.

† E916, E917, See footnotes to these causes in Table 18A.

TABLE 7—*continued*

ISC No.	Causes of death		1949	1950	1951	1952	1953	1954	1955	1956	1957	1958
E921	Inhalat'n and ingest'n of food, causing obstr: or suffocation	M	241	226	228	242	205	256	259	249	230	228
		F	169	181	163	159	163	173	165	185	157	141
E922	Inhalat'n and ingest'n of other obj: causing obstr: or suff'n:	M	21	23	14	10	11	16	21	16	18	35
		F	15	9	14	6	3	3	14	11	12	3
E923	Foreign body entering other orifice	M	17	17	14	20	22	14	7	9	7	15
		F	22	14	13	21	22	23	14	15	5	9
E924	Acc: mechanical suffocation in bed and cradle*	M	210	180	165	154	125	132	118	118	93	103
		F	138	106	130	93	99	90	70	95	74	77
E925	Acc: mechanical suffocation in other and unspecified circs:	M	30	49	56	48	46	71	65	56	39	31
		F	10	5	6	9	3	5	4	1	5	9
E926	Lack of care of infants under 1 year of age	M	65	51	63	50	53	28	31	28	26	19
		F	65	41	41	46	30	28	30	16	34	36
E927	Acc: caused by bites and stings of ven: animals and insects	M	2	2	1	2	2	1	3	1	3	4
		F	8	—	3	3	4	2	2	4	3	5
E928	Other accidents caused by animals	M	28	36	24	17	13	13	20	12	14	12
		F	5	6	4	5	3	5	7	3	5	7
E929	Accidental drowning and submersion	M	822	763	754	713	719	646	759	637	703	695
		F	185	200	214	182	194	189	225	188	227	220
E930	High and low air pressure	M	1	2	2	1	—	1	1	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
E931	Excessive heat and insolation	M	10	9	1	4	3	4	3	—	1	—
		F	5	3	4	5	1	—	2	1	4	—
E932	Excessive cold	M	4	4	6	7	3	17	12	11	4	8
		F	2	2	4	3	2	7	10	9	3	2
E933	Hunger, thirst, and exposure	M	16	23	22	11	14	10	18	24	14	14
		F	8	14	12	9	9	9	11	10	12	18
E934	Cataclysm	M	1	—	—	17	122	2	—	7	—	—
		F	3	—	—	12	175	3	1	2	1	1
E935	Lightning	M	9	11	3	11	12	5	12	7	7	9
		F	3	2	2	—	2	3	3	2	—	2
E936	Other and unspecified accidents	M	132	104	153	129	130	121	118	145	143	161
		F	49	36	43	42	39	47	41	41	62	63
E940-E946	**Complications due to non-therapeutic medical and surgical procedures**	M	**6**	**4**	**3**	**2**	**5**	**5**	**3**	**4**	**6**	**6**
		F	**6**	**4**	**5**	**4**	**3**	**2**	**2**	**5**	**7**	**7**
E941	Postvaccinal encephalitis	M	1	1	3	1	3	1	1	1	1	3
		F	—	—	1	—	1	—	—	2	2	2
E944	Other complications of prophylactic inoculation	M	2	2	—	—	2	4	2	2	3	3
		F	1	1	—	1	1	1	1	2	1	2
E946	Other compli'ns due to non-therap: med: & surg: procs:	M	1	—	—	—	—	—	—	—	—	—
		F	—	2	3	1	—	1	—	—	2	—
E950-E959	**Therapeutic misadventure and late complications of therapeutic procedures**	M	**1**	**10**	**2**	**5**	**29**	**35**	**28**	**27**	**23**	**8**
		F	**5**	**15**	**1**	**8**	**26**	**29**	**28**	**23**	**28**	**5**
E950	Therapeutic misadventure in surgical treatment	M	—	1	1	2	13	32	23	22	17	4
		F	—	5	—	1	15	22	20	19	20	3
E951	Therapeutic misadventure in infusion or transfusion	M	—	2	—	—	4	—	1	—	1	1
		F	2	3	—	1	1	1	1	—	3	—
E952	Therapeutic misadventure in local applications	M	—	—	—	—	1	—	—	—	—	—
		F	—	—	1	1	—	—	1	1	—	1
E953	Therapeutic misadv: in admin: of drugs or biologicals	M	1	3	—	2	3	—	2	2	2	1
		F	1	5	—	1	5	3	—	—	2	1
E954	Therapeutic misadventure in anaesthesia	M	—	1	1	—	1	—	—	—	—	—
		F	1	1	—	1	1	1	—	1	2	—
E955	Other and unspecified therapeutic misadventure	M	—	2	—	1	7	3	2	3	2	1
		F	1	1	—	3	4	2	2	2	—	—
E960-E965	**Late effects of injury and poisoning**	M	**80**	**175**	**204**	**188**	**179**	**154**	**184**	**153**	**159**	**154**
		F	**7**	**23**	**26**	**27**	**31**	**32**	**19**	**29**	**37**	**25**
E960	Late effect of motor vehicle accident	M	1	7	8	6	8	11	11	9	10	12
		F	1	3	1	2	1	2	—	4	2	3
E961	Late effect of accidental poisoning	M	1	1	3	—	1	—	1	—	1	1
		F	—	—	—	2	—	2	—	—	—	—
E962	Late effect of other accidental injury	M	3	47	62	79	76	64	66	44	48	70
		F	4	19	25	21	29	28	18	23	32	22

* E924. See footnotes to these causes in Table 18A.

TABLE 7—*continued*

ISC No.	Causes of death		1949	1950	1951	1952	1953	1954	1955	1956	1957	1958
E965	Late effects of injury due to war operations	M	74	120	131	103	94	79	106	100	100	71
		F	2	1	—	2	1	—	1	2	2	—
E970-E979	**Suicide and self-inflicted injury**	M	**3,023**	**2,885**	**2,831**	**2,788**	**3,020**	**3,178**	**3,060**	**3,198**	**3,170**	**3,175**
		F	**1,697**	**1,586**	**1,638**	**1,550**	**1,734**	**1,865**	**1,940**	**2,084**	**2,145**	**2,123**
E970	Poisoning by analgesic and soporific substances	M	148	176	152	241	193	222	241	314	294	330
		F	207	245	221	295	254	312	354	388	401	445
E971	Poisoning by other solid and liquid substances	M	119	110	111	113	101	82	90	104	85	69
		F	99	83	64	62	79	51	42	54	55	33
E972	Poisoning by gases in domestic use	M	1,081	1,034	1,080	1,092	1,271	1,356	1,261	1,347	1,399	1,448
		F	852	757	876	780	942	1,072	1,073	1,183	1,202	1,189
E973	Poisoning by other gases	M	21	24	33	24	43	39	41	45	67	67
		F	—	5	8	3	3	5	2	8	5	7
E974	Injury by hanging and strangulation	M	632	569	536	531	531	612	573	562	553	485
		F	143	128	133	119	126	128	124	117	132	128
E975	Injury by submersion (drowning)	M	357	330	326	270	258	290	282	271	264	251
		F	235	221	218	189	216	178	206	213	211	205
E976	Injury by firearms and explosives	M	220	198	189	170	208	197	218	210	189	187
		F	10	9	13	4	11	6	10	9	14	8
E977	Injury by cutting and piercing instruments	M	232	198	162	155	195	160	162	138	130	131
		F	38	40	25	29	25	27	22	35	30	31
E978	Injury by jumping from high place	M	80	84	90	54	74	76	59	63	70	68
		F	66	51	41	38	47	51	57	43	58	38
E979	Injury by other and unspecified means	M	133	162	152	138	146	144	133	144	119	139
		F	47	47	39	31	31	35	50	34	37	39
E980-E985	**Homicide and injury purposely inflicted by other persons (not in war)**	M	**86**	**107**	**99**	**102**	**83**	**97**	**101**	**90**	**116**	**108**
		F	**114**	**107**	**83**	**93**	**98**	**104**	**84**	**91**	**127**	**102**
E980	Non-accidental poisoning by another person	M	5	7	5	17	10	14	13	21	24	11
		F	18	8	10	12	14	23	11	14	29	15
E981	Assault by firearm and explosive	M	8	13	3	10	9	15	6	10	14	4
		F	7	11	13	9	10	8	4	10	13	11
E982	Assault by cutting and piercing instruments	M	8	7	3	12	9	10	12	10	17	19
		F	11	17	8	18	18	16	17	15	19	14
E983	Assault by other means	M	51	62	73	40	43	44	59	49	59	70
		F	77	71	52	54	55	56	51	52	66	62
E985	Execution	M	14	18	14	23	12	14	11	—	2	4
		F	1	—	—	—	1	1	1	—	—	—
E990-E999	**Injury resulting from operations of war**	M	**24**	**2**	**—**	**2**	**1**	**1**	**5**	**—**	**2**	**—**
		F	**1**	**—**	**—**	**—**	**—**	**—**	**—**	**—**	**—**	**—**
E999	Inj: due to war ops: but occurring after cess'n: of hostilities	M	24	2	—	2	—	1	5	—	2	—
		F	—	—	—	—	—	—	—	—	—	—
N800-N999	**XVII ALTERNATIVE CLASSIFICATION OF ACCIDENTS, POISONINGS, AND VIOLENCE (NATURE OF INJURY)**	M	**11,712**	**11,905**	**12,447**	**11,992**	**12,333**	**12,630**	**12,932**	**12,992**	**12,858**	**13,343**
		F	**6,801**	**6,984**	**7,309**	**6,810**	**7,531**	**8,239**	**8,537**	**8,878**	**8,703**	**9,113**
N800-N804	Fracture of skull	M	2,974	3,248	3,477	3,189	3,143	3,057	3,169	3,125	3,064	3,210
		F	890	961	965	847	855	877	910	972	903	952
N805-N809	Fracture of spine and trunk	M	759	703	674	677	716	759	766	793	782	855
		F	210	245	251	271	294	372	389	408	406	449
N810-N829	Fracture of limbs	M	836	837	960	808	957	1,191	1,127	1,243	1,205	1,166
		F	1,798	1,995	2,069	1,786	2,169	2,511	2,599	2,787	2,594	2,825
N830-N839	Dislocation without fracture	M	6	24	49	43	43	40	58	42	43	50
		F	5	9	24	19	13	24	30	23	25	27
N840-N848	Sprains and strains of joints and adjacent muscles	M	7	4	2	1	2	2	2	4	3	6
		F	1	1	4	2	1	1	2	—	3	4
N850-N856	Head injury (excluding skull fracture)	M	817	902	973	839	862	932	962	916	896	957
		F	373	387	405	361	360	429	446	432	446	400
N860-N869	Internal injury of chest, abdomen, and pelvis	M	580	746	839	955	854	885	934	933	937	1,057
		F	125	151	166	173	200	173	175	186	186	242
N870-N908	Laceration and open wounds	M	490	402	362	468	502	429	458	398	395	425
		F	89	94	77	109	89	107	108	94	96	104
N910-N929	Superficial injury, contusion & crushing with intact skin surface	M	55	38	52	34	40	42	59	54	48	46
		F	57	61	63	58	73	90	92	56	58	53

TABLE 7—*continued*

ISC No.	Causes of death		1949	1950	1951	1952	1953	1954	1955	1956	1957	1958
N930-N936	Effects of foreign body entering through orifice	M	280	271	265	275	247	289	291	281	265	278
		F	213	206	196	189	191	201	193	213	176	156
N940-N949	Burns	M	272	257	306	245	288	251	297	265	272	278
		F	449	426	485	492	393	480	475	464	406	437
N960-N979	Effects of poisons	M	1,759	1,752	1,893	2,042	2,155	2,271	2,287	2,458	2,509	2,603
		F	1,542	1,522	1,664	1,624	1,800	2,057	2,159	2,356	2,391	2,450
N950-N959 N980-N999	All other & unspecified effects of external causes	M	2,877	2,721	2,595	2,416	2,524	2,482	2,522	2,480	2,439	2,412
		F	1,049	926	940	879	1,093	917	959	887	1,013	1,014

TABLE 7—*continued.* Causes of death not included in the tabular series

006 Radiological evidence suggestive of active respiratory tuberculosis not classifiable elsewhere, —.
028 Latent syphilis, —.
031 Chronic gonococcal infection of genito-urinary system, 1949, 1F; 1951, 2M; 1952, 1M; 1954, 1M; 1958, 1M.
032 Gonococcal infection of joint, 1950, 1M.
033 Gonococcal infection of eye, —.
036 Chancroid, —.
037 Lymphogranuloma venereum, 1952, 1M; 1955, 1F; 1957, 1F; 1958, 1F.
038 Granuloma inguinale, venereal, 1954, 1M.
039 Other and unspecified venereal diseases, 1955, 1M, 1F; 1958, 1M.
043 Cholera, —.
047 Other protozoal dysentery, 1958, 1F.
058 Plague, —.
059 Tularaemia, —.
060 Leprosy, 1951, 1M, 1F.
071 Relapsing fever, —.
073 Yaws, —.
074 Other spirochaetal and leptospirochaetal infections, 1950, 4M, 1F; 1952, 1M; 1953, 1F; 1955, 1M; 1957, 1F; 1958, 1M.
080·2 Acute poliomyelitis specified as non-paralytic, 1952, 2M.
090 Dengue, 1953, 1F.
091 Yellow fever, —.
094 Rabies, 1955, 1M; 1956, 1M.
095 Trachoma, 1952, 1M.
100 Louse-borne epidemic typhus, —.
101 Flea-borne endemic typhus (murine), —.
102 Brill's disease, not specified as louse—or flea-borne typhus, —.
103 Tabardillo (Mexican typhus), not specified as louse- or flea-borne, —.
104 Tick-borne typhus, —.
105 Mite-borne typhus, 1953, 1F.
106 Wolhynian fever (trench fever), —.
107 Typhus, unspecified, —.
108 Other rickettsial diseases, —.
110 Vivax malaria (benign tertian), 1951, 1M; 1952, 1F; 1957, 1M.
111 Malariae malaria (quartan), —.
113 Ovale malaria, —.
114 Mixed malarial infections, —.
115 Blackwater fever, 1949, 4M; 1951, 1M; 1952, 1M.
117 Recurrent induced malaria, —.
120 Leishmaniasis, 1949, 3M; 1951, 2M; 1953, 1M; 1958, 1M.
121 Trypanosomiasis, 1954, 1M; 1957, 2M.
124 Other trematode infestation, 1954, 1M.
127 Filariasis, 1950, 1F.
128 Trichiniasis, 1953, 1M.
129 Ankylostomiasis, —.
130 Infestation with worms of other, mixed and unspecified type, 1951, 1F; 1953, 1M; 1954, 1M; 1955, 2M.
133 Coccidioidomycosis, —.
135 Scabies, 1950, 1F; 1951, 1F; 1952, 1M.
136 Pediculosis, 1950, 1F; 1955, 1F.
137 Other arthropod infestation, —.
240 Hay fever, 1951, 2M; 1952, 1M; 1955, 2F; 1956, 1M, 1F; 1958, 1F.
243 Urticaria, 1949, 1F; 1953, 1F; 1954, 1F; 1958, 1M.
244 Allergic eczema, 1950, 1M; 1954, 2M.
275 Ovarian dysfunction, 1956, 1F.
276 Testicular dysfunction, 1950, 1M.
312 Phobic reaction, 1957, 1M.
313 Obsessive-compulsive reaction, 1949, 1M, 3F; 1950, 2M, 1F; 1952, 3F; 1954, 2M; 1957, 1M; 1958, 1M.
315 Psychoneurosis with somatic symptoms (somatization reaction) affecting circulatory system, 1950, 1M, 2F; 1952, 1F; 1953, 1M, 1F; 1956, 1F; 1958,1M, 1F.
320 Pathological personality, 1950, 1M; 1952, 1F; 1953, 1F; 1956, 4M, 1F; 1958, 1M, 2F.
321 Immature personality, —.
324 Primary childhood behaviour disorders, —.
326 Other and unspecified character, behaviour and intelligence disorders, 1956, 1F.
354 Migraine, 1949, 2M; 1950, 1M; 1952, 1M; 1953, 1M; 1956, 1F; 1957, 1F.
360 Facial paralysis, 1949, 4F; 1953, 1F; 1954, 1F; 1955, 1F.
362 Brachial neuritis, 1955, 2F.
369 Diseases of peripheral automatic nervous system, 1949, 1M, 1F; 1956, 1F; 1957, 1M; 1958, 1M.
370 Conjunctivitis and ophthalmia, 1949, 2M, 2F; 1951, 1M, 2F; 1952, 2M; 1953, 4F.
371 Blepharitis, 1949, 1F; 1951, 1F; 1954, 1F; 1955, 1M.
373 Iritis, 1949, 1F; 1950, 1M; 1951, 1M; 1956, 1M; 1958, 1F.
374 Keratitis, 1949, 1F; 1950, 1F; 1951, 1F; 1955, 1F.
375 Choroiditis, 1951, 2M.
380 Refractive errors, 1953, 1M.
382 Corneal opacity, —.
383 Pterygium, —.
390 Otitis externa, 1950, 1F; 1952, 1M; 1953, 1M.
397 Deaf mutism, 1957, 1F.
398 Other deafness, 1953, 1F; 1954, 1F; 1957, 1F.
413 Diseases of pulmonary valve specified as rheumatic, 1950, 2M; 1951, 2F.
514 Deflected nasal septum, 1949, 1M; 1950, 2M; 1952, 1M; 1953, 1F; 1956, 2M, 1F; 1957, 1F; 1958, 1M.
534 Toothache from unspecified cause, —.
535 Other diseases of teeth and supporting structures, 1949, 1F; 1951, 1F; 1952, 1M; 1958, 3M, 6F.
616 Sterility, male, —.
620 Chronic cystic disease of breast, 1949, 1F; 1952, 1F.
636 Sterility, female, 1952, 1F; 1955, 2F; 1956, 1F; 1958, 1F.
641 Other infections of genito-urinary tract during pregnancy, 1949, 2F; 1951, 1F; 1952, 3F; 1955, 2F; 1957, 2F.
647 Pregnancy with malposition of foetus in uterus, 1949, 1F.
676 Delivery with laceration of perineum, without mention of other laceration, 1949, 1F; 1950, 1F; 1951, 1F.
680 Puerperal urinary infection without other sepsis, 1949, 2F; 1950, 1F.
683 Pyrexia of unknown origin during the puerperium, 1951, 2F; 1953, 1F.
694 Acute lymphadenitis, 1949, 2F; 1950, 2M, 3F; 1951, 1M; 1954, 1M, 1F.
696 Infectious warts, 1950, 1M, 1F; 1952, 1F; 1953, 1F; 1958, 2M.
697 Molluscum contagiosum, —.
702 Occupational dermatitis, 1949, 1M; 1950, 4M; 1951, 2M; 1954, 1M.
707 Lichen planus, 1951, 1M, 1F; 1952, 1F; 1954, 1F; 1958, 2M.
709 Corns and callosities, 1951, 1M; 1952, 1M; 1953, 1M; 1954, 1M; 1955, 1M, 1F; 1957, 1M; 1958, 1M.
711 Other dermatoses, 1952, 1F; 1955, 1F; 1957, 2M.
712 Diseases of nail, 1951, 1F; 1952, 1F; 1953, 1M; 1954, 1M; 1956, 1M; 1957, 1M; 1958, 1F.
713 Diseases of hair and hair follicles, 1952, 1F; 1953, 1M; 1957, 1M; 1958, 1M, 1F.
721 Acute nonpyogenic arthritis, —.
722·2 Chronic rheumatoid nodular fibrositis, 1950, 1F.
732 Osteochondrosis, 1950, 1F; 1951, 1F; 1955, 1M; 1956, 1F; 1958, 1M.
734 Internal derangement of knee joint, 1949, 1M; 1951, 1M, 1F; 1952, 1M; 1957, 1F.
736 Affection of sacro-iliac joint, 1949, 1M, 1F; 1954, 1M; 1955, 1M.
742 Synovitis, bursitis and tenosynovitis, without mention of occupational origin, 1950, 1M.
746 Flat foot, —.
765 Ophthalmia neonatorum, 1950, 3M; 1951, 1M; 1954, 1M, 2F; 1955, 1M, 1F; 1956, 3F.
781 Other symptoms referable to nervous system and special senses, 1950, 3M; 1953, 1M; 1954, 1F; 1955, 1F; 1958, 1M.

TABLE 7—*continued.* Causes of death not included in the tabular series

787 Symptoms referable to limbs and back, —.

791 Headache, 1949, 1F.

793 Observation, without need for further medical care, —.

E811 Motor vehicle traffic accident involving collision with streetcar, 1949, 1M; 1950, 1M; 1951, 1F; 1956, 1M; 1957, 1M.

E831 Motor vehicle nontraffic accident to pedal cyclist, 1950, 1M; 1955, 1M; 1956, 1M; 1957, 2M.

E858 Water transport accident of unspecified cause, 1952, 1M; 1954, 1F; 1955, 1M; 1957, 1M; 1958, 2M.

E862 Other injury in commercial "transport" aircraft, 1949, 1M.

E873 Accidental poisoning by bromides, 1951, 1M, 1F; 1952, 1M; 1954, 2M; 1956, 1F; 1957, 1F.

E875 Accidental poisoning by sulfonamides, 1949, 1M, 2F; 1951, 1F; 1953, 1M.

E879 Accidental poisoning by noxious foodstuffs, 1950, 1M, 1F; 1951, 1F; 1955, 1M; 1956, 1M; 1957, 1F.

E887 Accidental poisoning by fluorides, 1951, 1M; 1955, 1F; 1956, 1F.

E893 Accidental poisoning by cyanide gas, 1949, 1M, 1F; 1955, 1F; 1956, 1M; 1957, 1M.

E895 Accidental poisoning by unspecified gases and vapours, 1949, 4M, 1F; 1951, 1M; 1952, 2M; 1955, 1M; 1957, 1M; 1958, 2M.

E918 Accident caused by radiation, 1957, 1M.

E920 Foreign body entering the eye and adnexa, 1949, 1M; 1951, 1M; 1957, 1F.

E940 Generalized vaccinia following vaccination, 1951, 1F; 1952, 1M, 2F; 1956, 1M; 1957, 1M; 1958, 1F.

E942 Other complications of smallpox vaccination, 1950, 1M, 1F; 1953, 1F; 1957, 1M, 1F; 1958, 1F.

E943 Post-immunization jandice and hepatitis, 1949, 2M, 1F; 1957, 1F.

E945 Complications of anaesthesia for nontherapeutic purpose, 1949, 4F; 1955, 1F; 1956, 1F; 1958, 1F.

E956 Late complication of surgical operation, 1950, 1M; 1955, 3F; 1957, 1F.

E957 Late complication of amputation stump, —.

E958 Late complication of irradiation, 1958, 1M.

E959 Late complications of other forms of treatment, 1955, 1F; 1957, 1M.

E963 Late effect of self-inflicted injury, 1949, 1M; 1957, 1F.

E964 Late effect of injury purposely inflicted by another person (not in war), —.

E984 Injury by intervention of police, 1951, 1M.

E990 War injury by gas and chemicals, —.

E991 War injury by gunshot, —.

E992 War injury by grenade and land mine, —.

E993 War injury by bomb, 1949, 1F.

E994 War injury by marine bomb, depth charge and torpedo, —.

E995 War injury by explosion of artillery shell, 1953, 1M.

E996 War injury by explosion of undetermined origin, —.

E997 War injury by aircraft destruction, —.

E998 War injury by other and unspecified means, —.

TABLE 8. Crude death rates per million living from certain causes, by sex at all ages, 1949 to 1958 — England and Wales

Note. 1 Rates for 1949 are based on civilian deaths and civilian populations. Rates from 1950 are based on total deaths and home populations. See explanatory notes.

2 Footnotes to individual causes in Table 7 apply also to those causes in this table.

3 The symbols M, F and P in the second column indicate "Males", "Females", and all "Persons" respectively.

ISC No.	Causes of death		1949	1950	1951	1952	1953	1954	1955	1956	1957	1958
	Estimated mid-year population (in thousands)	M	20,580	21,169	21,044	21,110	21,206	21,288	21,389	21,517	21,648	21,744
		F	22,520	22,661	22,771	22,845	22,903	22,986	23,052	23,150	23,259	23,365
		P	43,100	43,830	43,815	43,955	44,109	44,274	44,441	44,667	44,907	45,109
	ALL CAUSES	M	**12,631**	**12,337**	**13,387**	**12,210**	**12,237**	**12,204**	**12,482**	**12,451**	**12,306**	**12,447**
		F	**11,103**	**10,995**	**11,754**	**10,493**	**10,655**	**10,532**	**10,927**	**10,947**	**10,682**	**10,965**
		P	**11,832**	**11,643**	**12,539**	**11,318**	**11,416**	**11,336**	**11,675**	**11,672**	**11,465**	**11,679**
001-138	**I INFECTIVE AND PARASITIC DISEASES**	M	**714**	**597**	**534**	**432**	**379**	**332**	**292**	**248**	**230**	**209**
		F	**437**	**351**	**292**	**215**	**192**	**160**	**138**	**116**	**108**	**99**
		P	**569**	**470**	**408**	**320**	**282**	**243**	**212**	**180**	**166**	**152**
001–019	Tuberculosis (all forms)	M	579	469	419	337	281	253	212	177	158	147
		F	350	267	219	152	128	109	85	68	59	54
		P	459	364	315	241	202	178	146	120	107	99
001–008	Respiratory system	M	518	422	376	304	257	232	195	164	146	136
		F	303	227	181	128	108	92	72	57	47	45
		P	405	321	275	212	179	160	131	109	95	89
010–019	Other forms	M	61	47	44	33	24	21	17	13	12	12
		F	47	40	37	24	21	17	13	11	12	10
		P	54	43	41	28	22	19	15	12	12	11
010	Meninges and central nervous system	M	27	20	21	13	8	5	3	2	2	2
		F	24	20	19	11	7	4	3	2	3	2
		P	25	20	20	12	8	4	3	2	2	2
011	Intestines, peritoneum and mesenteric glands	M	7	4	4	3	3	2	2	2	1	1
		F	7	4	4	3	3	3	2	2	1	1
		P	7	4	4	3	3	2	2	2	1	1
012, 013	Bones and joints	M	7	7	6	5	3	4	3	2	2	2
		F	5	5	4	3	3	3	2	2	2	2
		P	6	6	5	4	3	3	3	2	2	2
016	Genito-urinary system	M	10	8	8	7	5	6	4	4	4	3
		F	4	4	4	3	3	3	2	3	2	2
		P	7	6	6	5	4	4	3	3	3	2
019	Disseminated tuberculosis	M	8	4	4	3	3	4	3	2	2	2
		F	5	4	3	3	2	3	2	2	2	1
		P	6	4	3	3	3	3	3	2	2	2
020–029	Syphilis and its sequelae	M	54	49	52	44	40	38	37	36	34	30
		F	19	20	19	19	16	17	16	16	15	17
		P	36	34	35	31	28	27	26	26	24	23
022	Aneurysm of aorta	M	20	16	18	16	15	14	16	15	17	14
		F	7	8	7	8	7	7	8	7	8	9
		P	13	12	12	12	11	11	11	11	12	12
023	Other cardiovascular syphilis	M	14	18	18	15	13	13	13	13	11	10
		F	5	6	6	6	6	5	5	5	4	4
		P	9	11	12	11	9	9	9	9	7	7
024	Tabes dorsalis	M	6	5	5	5	4	3	2	3	2	2
		F	1	1	1	1	1	1	1	*1*	1	*1*
		P	3	3	3	3	3	2	2	2	2	1
025	General paralysis of insane	M	8	5	6	4	4	4	4	3	2	3
		F	3	2	2	2	1	2	2	1	1	1
		P	5	4	4	3	3	3	3	2	2	2
026	Other syphilis of central nervous system	M	1	2	2	2	2	2	1	2	*1*	*1*
		F	*1*	1	1	1	1	1	*1*	*1*	*1*	1
		P	1	2	2	2	1	2	1	1	1	1
040–049	Infectious diseases commonly arising in intestinal tract	M	4	4	4	3	2	2	3	2	2	2
		F	3	3	3	2	2	1	2	2	2	2
		P	3	3	3	2	2	2	2	2	2	2
050–064	Other bacterial diseases	M	32	27	26	18	20	15	11	12	10	8
		F	28	23	22	16	17	13	9	9	9	7
		P	30	25	24	17	18	14	10	10	9	7
053	Septicaemia and pyaemia	M	4	4	3	2	3	3	2	3	2	2
		F	2	3	2	3	2	3	2	2	2	2
		P	3	4	2	2	3	3	2	2	2	2
056	Whooping cough	M	12	8	10	4	5	3	2	2	1	*1*
		F	13	10	11	4	6	3	2	2	2	*1*
		P	12	9	10	4	6	3	2	2	2	1

TABLE 8—*continued*

ISC No.	Causes of death		1949	1950	1951	1952	1953	1954	1955	1956	1957	1958
057	Meningococcal infections	M	7	7	7	8	8	6	5	5	4	3
		F	6	6	6	6	5	5	4	3	4	3
		P	7	6	7	7	7	6	5	4	4	3
080–096	Diseases attributable to viruses	M	41	43	29	25	32	19	25	18	23	17
		F	36	36	27	24	27	17	23	17	21	17
		P	38	39	28	25	29	18	24	18	22	17
080, 081	Acute poliomyelitis including late effects	M	17	20	6	8	10	4	8	4	8	4
		F	13	15	4	5	6	2	5	3	4	3
		P	15	17	5	7	8	3	6	3	6	3
082, 083	Acute infectious encephalitis including late effects	M	9	9	7	6	8	6	6	7	5	6
		F	8	8	8	6	6	6	5	5	4	4
		P	9	8	8	6	7	6	6	6	5	5
085	Measles	M	7	6	8	3	7	1	4	*1*	2	1
		F	7	4	6	3	4	1	4	*1*	2	1
		P	7	5	7	3	5	1	4	1	2	1
092	Infectious hepatitis	M	6	7	6	5	6	5	5	5	5	5
		F	5	6	5	6	7	7	7	7	7	6
		P	5	6	6	6	7	6	6	6	7	5
140-239	**II NEOPLASMS**	M	**2,095**	**2,099**	**2,164**	**2,189**	**2,206**	**2,260**	**2,287**	**2,309**	**2,346**	**2,358**
		F	**1,867**	**1,890**	**1,864**	**1,888**	**1,873**	**1,902**	**1,913**	**1,930**	**1,928**	**1,957**
		P	**1,976**	**1,991**	**2,008**	**2,033**	**2,033**	**2,074**	**2,093**	**2,112**	**2,130**	**2,150**
140–205	Cancer, including Hodgkin's disease, leukaemia and aleukaemia	M	2,050	2,058	2,121	2,152	2,166	2,223	2,252	2,274	2,312	2,333
		F	1,821	1,840	1,820	1,848	1,833	1,861	1,873	1,891	1,890	1,929
		P	1,930	1,945	1,965	1,994	1,993	2,035	2,055	2,076	2,094	2,124
140–200, 202, 203, 205	Cancer, excluding Hodgkin's disease, leukaemia and aleukaemia	M	1,984	1,992	2,052	2,077	2,090	2,146	2,171	2,194	2,225	2,252
		F	1,775	1,792	1,767	1,794	1,777	1,804	1,817	1,831	1,831	1,869
		P	1,875	1,889	1,904	1,930	1,928	1,969	1,988	2,005	2,021	2,054
140–148	Malignant neoplasm of buccal cavity and pharynx	M	76	75	74	70	66	71	66	57	58	58
		F	26	27	28	28	25	28	28	28	29	28
		P	50	50	50	48	45	49	47	42	43	43
140	Lip	M	8	7	6	5	5	5	5	4	4	4
		F	*1*	*1*	*1*	*1*	*0*	*1*	*1*	*1*	*0*	*0*
		P	4	4	3	3	3	3	3	2	2	2
141	Tongue	M	24	25	23	21	20	21	18	17	16	17
		F	7	6	7	6	6	6	7	7	7	6
		P	15	15	15	13	13	13	12	12	11	11
142	Salivary gland	M	4	4	4	5	4	4	4	4	4	4
		F	2	2	3	3	2	3	3	2	3	3
		P	3	3	3	4	3	3	3	3	3	4
143–148	Other or unspecified parts of buccal cavity and pharynx	M	40	39	41	39	37	42	39	33	35	34
		F	15	18	18	19	16	18	18	18	19	19
		P	27	28	29	28	26	30	28	25	27	26
150–159	Malignant neoplasm of digestive organs and peritoneum	M	998	962	967	953	931	918	906	887	894	880
		F	819	823	797	802	788	793	791	780	769	786
		P	905	890	878	875	857	853	846	831	829	831
150	Oesophagus	M	70	71	70	70	63	61	63	64	60	60
		F	35	37	37	37	38	40	41	41	41	42
		P	51	53	53	53	50	50	52	52	50	51
151	Stomach	M	391	377	386	381	378	367	371	358	367	365
		F	271	283	284	276	270	271	267	266	257	264
		P	328	328	333	327	322	317	317	311	310	313
152	Small intestine, including duodenum	M	5	5	4	5	5	5	5	5	4	5
		F	5	4	5	4	4	4	4	4	3	5
		P	5	4	5	5	5	4	5	5	4	5
153	Large intestine, except rectum	M	218	203	201	197	196	189	183	176	175	170
		F	262	256	238	247	241	237	239	235	232	232
		P	241	231	220	223	219	214	212	207	204	202
154	Rectum	M	182	174	171	161	153	156	148	146	143	144
		F	115	111	106	104	105	107	103	102	98	107
		P	147	142	137	132	128	131	125	124	120	125
155	Biliary passages and of liver (stated to be primary site)	M	21	21	21	24	22	24	22	23	25	27
		F	30	34	32	33	32	33	33	35	34	39
		P	26	28	27	28	27	29	27	29	29	33
156	Liver (secondary and unspecified)	M	30	29	28	28	26	24	22	21	23	13
		F	31	27	26	23	23	24	22	21	20	13
		P	30	28	27	25	24	24	22	21	22	13
157	Pancreas	M	73	74	77	81	81	83	85	85	87	91
		F	60	63	60	68	65	66	70	67	74	75
		P	66	68	68	74	73	74	77	76	80	83

TABLE 8—*continued*

ISC No.	Causes of death		1949	1950	1951	1952	1953	1954	1955	1956	1957	1958
158	Peritoneum	M	7	7	7	6	7	8	6	6	8	4
		F	9	8	8	10	10	9	10	8	10	7
		P	8	7	8	8	8	9	8	7	9	6
160–165	Malignant neoplasm of respiratory system	M	494	534	580	613	652	697	733	765	795	823
		F	98	103	106	112	112	116	121	124	128	132
		P	287	311	334	353	371	395	415	433	450	465
160	Nose, nasal cavities, middle ear and accessory sinuses	M	6	6	6	6	6	6	6	6	5	6
		F	4	5	4	4	4	5	4	4	4	4
		P	5	5	5	5	5	5	5	5	4	5
161	Larynx	M	38	38	38	36	35	31	32	31	31	30
		F	9	8	9	8	7	8	9	7	7	7
		P	23	23	23	21	21	19	20	19	19	18
162	Bronchus and trachea, and of lung specified as primary	M	?	?	?	?	?	?	445	471	496	526
		F							67	72	75	79
		P							249	264	278	294
163	Lung, unspecified as to whether primary or secondary	M							245	251	260	258
		F							38	38	40	40
		P							138	141	146	145
164	Mediastinum	M	6	6	5	5	5	4	4	3	3	3
		F	3	3	2	2	2	2	2	2	2	1
		P	5	4	4	4	3	3	3	2	2	2
170–181	Malignant neoplasm of breast and genito-urinary organs	M	270	274	276	281	284	295	298	309	304	313
		F	707	711	709	719	712	719	729	736	737	764
		P	498	500	501	509	506	515	522	530	528	546
170	Breast	M	4	3	3	3	4	4	4	3	3	3
		F	348	348	350	361	354	362	367	368	368	383
		P	184	182	183	189	186	190	192	192	192	200
171–174	Uterus	F	188	182	178	175	171	166	167	169	168	176
171	Cervix uteri	F	95	117	113	111	109	104	107	108	106	116
172	Corpus uteri	F	23	51	52	54	52	51	49	51	52	51
173, 174	Other and unspecified parts of uterus	F	71	14	13	11	11	11	10	11	11	10
175	Ovary, Fallopian tube and broad ligament	F	104	110	111	109	111	113	120	121	123	124
176	Other and unspecified female genital organs	F	19	21	19	21	21	21	21	21	22	22
177	Prostate	M	144	146	143	142	149	156	155	164	160	166
178	Testis	M	9	10	9	10	9	10	8	9	8	9
179	Other and unspecified male genital organs	M	8	8	8	7	6	6	8	7	6	6
180	Kidney	M	27	28	28	30	31	32	33	33	33	35
		F	17	16	19	21	19	20	18	20	19	22
		P	22	22	23	25	25	26	25	26	25	28
181	Bladder and other urinary organs	M	78	79	85	89	86	87	91	93	94	92
		F	31	34	32	32	35	37	37	37	37	37
		P	54	56	57	60	59	61	63	64	65	64
190–199	Malignant neoplasm of other and unspecified sites	M	121	122	123	126	123	128	132	138	135	135
		F	107	110	104	110	117	121	118	131	134	124
		P	114	116	113	118	120	124	125	135	135	129
190, 191	Skin	M	25	26	23	23	22	22	22	22	21	19
		F	20	21	18	21	20	20	21	19	22	19
		P	23	23	21	22	21	21	21	20	21	19
192	Eye	M	3	3	3	2	2	2	2	3	3	3
		F	2	3	2	3	2	3	2	2	2	3
		P	2	3	3	2	2	3	2	3	2	3
193	Brain and other parts of nervous system	M	32	32	35	39	38	39	42	41	41	50
		F	21	23	22	23	26	27	27	28	29	34
		P	26	27	28	31	32	33	34	35	35	42
194	Thyroid gland	M	4	3	4	5	4	5	4	5	4	4
		F	11	11	11	11	12	12	12	12	11	10
		P	8	7	8	8	8	8	8	9	8	7
195	Other endocrine glands	M	2	3	2	4	2	3	3	3	3	3
		F	3	2	2	2	2	2	2	2	2	2
		P	2	3	2	3	2	2	2	3	3	2
196	Bone	M	24	21	21	19	19	17	16	18	16	16
		F	18	14	14	14	13	14	12	13	12	13
		P	21	18	17	16	16	15	14	15	14	14

TABLE 8—*continued*

ISC No.	Causes of death		1949	1950	1951	1952	1953	1954	1955	1956	1957	1958
197	Connective tissue	M	3	4	5	6	4	6	5	6	6	5
		F	2	4	4	4	4	5	4	5	4	5
		P	2	4	4	5	4	5	5	5	5	5
198, 199	Other and unspecified sites	M	28	29	29	29	30	34	37	40	40	35
		F	30	33	31	31	38	40	40	50	51	39
		P	29	31	30	30	35	37	38	45	46	37
200–205	Neoplasms of lymphatic and haematopoietic tissues	M	92	92	101	109	110	114	116	118	126	124
		F	64	66	76	76	79	84	86	91	93	95
		P	77	79	88	92	94	98	101	104	109	109
200	Lymphosarcoma and reticulosarcoma	M	19	18	20	21	21	22	22	21	22	24
		F	11	11	13	13	13	15	17	16	16	18
		P	15	14	16	17	17	18	19	19	19	21
201	Hodgkin's disease	M	22	20	22	23	23	23	23	24	27	22
		F	11	11	12	12	13	13	12	13	12	13
		P	16	15	17	17	18	18	18	18	19	17
202	Other forms of lymphoma (reticulosis)	M	2	2	4	4	4	4	4	4	4	5
		F	2	2	2	2	3	3	2	3	3	4
		P	2	2	3	3	3	3	3	3	3	4
203	Multiple myeloma (plasmocytoma)	M	4	5	7	8	9	10	10	12	12	14
		F	5	5	7	8	7	9	11	12	14	12
		P	5	5	7	8	8	10	11	12	13	13
204	Leukaemia and aleukaemia	M	44	47	47	52	53	54	57	57	60	60
		F	35	37	41	41	44	44	43	47	47	46
		P	40	42	44	46	48	49	50	52	53	53
	0 Lymphatic leukaemia	M	10	13	13	13	13	14	14	13	16	12
		F	6	9	9	8	9	10	9	9	10	8
		P	8	11	11	11	11	12	12	11	12	10
	1 Myeloid leukaemia	M	8	11	10	12	12	12	13	14	14	11
		F	8	10	12	11	12	12	12	13	13	11
		P	8	10	11	11	12	12	13	13	13	11
	2–4 Other and unspecified leukaemia	M	26	24	23	27	27	28	29	30	31	37
		F	21	18	21	22	23	23	22	25	24	28
		P	23	21	22	24	25	25	26	27	27	32
210–229	Benign neoplasm	M	18	18	18	16	17	15	15	14	15	15
		F	28	30	25	26	24	26	25	24	24	21
		P	23	24	22	21	21	21	20	19	20	18
214	Uterine fibromyoma	F	8	8	6	6	5	5	4	4	4	3
216	Ovary	F	6	7	5	5	5	5	4	5	5	4
219	Kidney and other urinary organs	M	6	6	6	5	5	5	4	3	4	3
		F	1	2	2	1	1	1	1	1	2	1
		P	3	4	4	3	3	3	3	2	3	2
223	Brain and other parts of nervous system	M	6	6	6	5	7	6	6	6	6	6
		F	7	7	7	7	7	8	8	7	8	7
		P	6	7	7	6	7	7	7	6	7	7
230–239	Neoplasm of unspecified nature	M	27	23	24	21	22	22	20	20	19	10
		F	19	20	18	15	16	15	15	15	14	7
		P	23	21	21	18	19	18	17	18	17	8
237	Brain and other parts of nervous system	M	22	18	19	18	18	18	17	17	16	7
		F	15	15	14	11	13	12	12	13	12	4
		P	18	17	16	14	16	15	14	15	14	6
240-289	**III ALLERGIC, ENDOCRINE SYSTEM, METABOLIC AND NUTRITIONAL DISEASES**	M	**128**	**130**	**141**	**120**	**113**	**111**	**111**	**109**	**99**	**102**
		F	**195**	**205**	**214**	**185**	**176**	**172**	**178**	**174**	**169**	**170**
		P	**163**	**169**	**179**	**154**	**146**	**142**	**145**	**142**	**135**	**137**
240–245	Allergic disorders	M	58	55	63	48	46	42	42	38	33	29
		F	45	46	54	39	42	38	36	39	34	36
		P	51	50	58	43	44	40	39	38	34	32
241	Asthma	M	58	54	62	47	46	42	41	37	33	28
		F	45	46	54	38	42	38	36	39	34	36
		P	51	50	58	43	44	40	39	38	34	32
250–254	Diseases of thyroid gland	M	6	6	6	5	5	5	4	5	4	4
		F	34	35	34	30	23	27	28	26	25	25
		P	20	21	21	18	14	16	17	16	15	15
252	Thyrotoxicosis with or without goitre	M	4	3	4	3	3	2	2	2	3	2
		F	23	22	21	17	14	15	14	13	14	12
		P	14	13	13	10	9	9	8	8	8	7
253	Myxoedema and cretinism	M	1	1	1	1	1	1	1	2	1	2
		F	7	9	10	9	6	10	11	10	10	11
		P	4	5	6	5	4	6	6	6	5	6

TABLE 8—*continued*

ISC No.	Causes of death		1949	1950	1951	1952	1953	1954	1955	1956	1957	1958
260	Diabetes mellitus	M	53	58	58	52	50	49	51	51	47	53
		F	104	109	109	98	93	86	96	92	91	93
		P	80	84	85	76	72	68	74	73	70	73
270–277	Diseases of other endocrine glands	M	6	7	8	7	6	6	5	6	5	6
		F	8	8	10	9	8	9	7	6	7	6
		P	7	7	9	8	7	8	6	6	6	6
272	Diseases of pituitary gland	M	1	2	2	2	1	1	2	2	2	2
		F	2	2	3	3	3	3	3	3	3	2
		P	2	2	3	2	2	3	2	2	2	2
274	Diseases of adrenal glands	M	3	3	3	2	3	3	2	2	2	3
		F	5	4	5	5	3	3	2	2	2	2
		P	4	4	4	4	3	3	2	2	2	2
280–289	Avitaminoses, and other metabolic diseases	M	4	6	7	9	6	9	9	9	9	10
		F	5	6	7	9	10	11	11	10	11	11
		P	5	6	7	9	8	10	10	10	10	10
290–299	**IV DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS**	M	**44**	**39**	**41**	**40**	**36**	**38**	**37**	**33**	**34**	**34**
		F	**68**	**69**	**66**	**61**	**55**	**60**	**58**	**60**	**58**	**56**
		P	**56**	**55**	**54**	**51**	**46**	**50**	**48**	**47**	**47**	**45**
290	Pernicious and other hyperchromic anaemias	M	21	19	18	15	13	13	13	12	12	11
		F	37	37	34	29	26	28	27	28	27	25
		P	30	28	27	22	20	21	20	20	20	18
	0 Pernicious anaemia	M	20	16	16	13	12	12	11	10	10	10
		F	35	33	31	26	23	25	24	24	24	21
		P	28	25	24	20	17	18	18	18	17	16
	1 Subacute combined degeneration of spinal cord	M	1	2	2	2	1	1	1	1	1	1
		F	2	3	2	2	2	2	1	2	1	1
		P	2	2	2	2	1	1	1	1	1	1
291	Iron deficiency anaemias (hypochromic anaemias)	M	2	2	2	3	3	3	3	3	3	3
		F	4	6	7	6	7	8	7	8	8	8
		P	3	4	5	5	5	6	5	6	6	6
292	Other anaemias of specified type	M	7	6	7	9	9	10	10	9	8	9
		F	8	9	8	10	9	11	10	9	10	10
		P	8	8	8	9	9	10	10	9	9	9
	4 Aplastic anaemia	M	5	5	5	6	7	7	7	6	5	6
		F	5	6	6	8	6	8	6	6	6	6
		P	5	5	5	7	7	7	6	6	6	6
	0–3, 5–7 Other	M	2	1	2	2	2	3	3	3	3	3
		F	3	3	2	2	2	3	4	3	4	4
		P	2	2	2	2	2	3	3	3	4	4
293	Anaemia of unspecified type	M	3	2	3	2	2	2	2	2	2	2
		F	5	5	3	5	3	4	5	5	5	5
		P	4	3	3	3	3	3	3	3	4	4
300–326	**V MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS**	M	**22**	**23**	**25**	**23**	**20**	**22**	**20**	**17**	**16**	**16**
		F	**32**	**35**	**36**	**30**	**31**	**31**	**31**	**33**	**30**	**24**
		P	**27**	**29**	**30**	**26**	**25**	**26**	**26**	**25**	**23**	**20**
300–309	Psychoses	M	16	15	18	16	14	16	15	13	12	11
		F	25	28	28	23	25	27	25	28	25	20
		P	20	22	23	20	20	22	20	21	19	16
304	Senile psychosis	M	10	10	12	10	10	10	9	8	7	7
		F	17	20	20	17	18	20	18	22	19	15
		P	14	15	16	14	14	15	14	15	13	11
320–326	Disorders of character, behaviour, and intelligence	M	5	7	6	6	5	4	5	4	3	4
		F	5	4	5	5	4	3	4	4	3	3
		P	5	6	6	5	4	4	5	4	3	3
325	Mental deficiency	M	4	5	5	4	3	3	4	3	3	3
		F	4	4	4	4	3	2	4	3	3	2
		P	4	5	4	4	3	3	4	3	3	2
330-398	**VI DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS**	M	**1,378**	**1,436**	**1,521**	**1,514**	**1,485**	**1,554**	**1,588**	**1,567**	**1,536**	**1,560**
		F	**1,684**	**1,796**	**1,872**	**1,885**	**1,844**	**1,931**	**1,996**	**2,001**	**1,976**	**2,044**
		P	**1,538**	**1,622**	**1,703**	**1,707**	**1,671**	**1,750**	**1,800**	**1,792**	**1,764**	**1,811**
330–334	Vascular lesions affecting central nervous system	M	1,228	1,284	1,378	1,381	1,356	1,433	1,454	1,442	1,411	1,439
		F	1,544	1,656	1,732	1,761	1,716	1,811	1,868	1,877	1,854	1,921
		P	1,393	1,476	1,562	1,579	1,543	1,629	1,669	1,668	1,640	1,689
330	Subarachnoid haemorrhage	M	26	32	39	48	50	57	51	58	55	56
		F	35	44	54	71	71	76	81	82	82	87
		P	31	38	47	60	61	67	66	70	69	72
331	Cerebral haemorrhage	M	646	644	653	622	605	626	601	584	553	548
		F	843	864	857	822	798	819	808	786	748	761
		P	749	758	759	726	705	726	709	689	654	659

TABLE 8—*continued*

ISC No.	Causes of death		1949	1950	1951	1952	1953	1954	1955	1956	1957	1958
332	Cerebral embolism and thrombosis	M	489	544	603	619	609	648	693	687	689	711
		F	595	677	725	762	743	796	852	880	895	927
		P	544	612	666	694	679	725	775	787	795	823
333, 334	Spasm of cerebral arteries and other and ill-defined vascular lesions affecting central nervous system	M	67	64	83	92	92	103	109	113	114	125
		F	72	71	96	105	104	120	127	129	130	145
		P	70	67	90	99	99	112	118	122	122	135
340–345	Inflammatory diseases of central nervous system	M	38	36	35	31	31	31	34	30	34	32
		F	33	34	38	32	35	32	34	34	34	35
		P	36	35	36	31	33	31	34	32	34	33
340	Meningitis, except meningococcal and tuberculous	M	12	10	10	8	10	9	10	9	11	9
		F	8	7	7	6	7	6	6	7	6	6
		P	10	9	8	7	9	7	8	8	8	8
343	Encephalitis, myelitis, and encephalomyelitis (except acute infectious)	M	5	5	4	3	3	3	3	2	3	3
		F	5	3	3	2	2	2	3	3	3	2
		P	5	4	3	3	3	2	3	3	3	3
345	Multiple sclerosis	M	16	15	17	15	13	15	16	15	14	15
		F	18	20	25	20	22	21	22	21	22	23
		P	17	18	21	18	18	18	19	18	18	19
350–357	Other diseases of central nervous system	M	92	98	92	88	83	78	90	84	83	81
		F	93	95	92	84	84	80	87	83	82	83
		P	92	96	92	86	84	79	88	84	82	82
350	Paralysis agitans	M	30	30	34	32	31	28	36	31	32	32
		F	36	36	39	38	36	35	40	38	36	37
		P	33	33	37	35	34	32	38	35	34	34
351	Cerebral spastic infantile paralysis	M	3	3	4	3	3	3	3	4	3	3
		F	2	2	3	2	2	3	3	3	2	2
		P	2	3	3	3	2	3	3	3	3	2
352	Other cerebral paralysis	M	14	21	11	12	9	10	11	11	10	10
		F	19	21	17	11	12	11	13	13	13	13
		P	16	21	14	11	11	11	12	12	11	12
353	Epilepsy	M	23	22	22	22	19	16	19	18	17	16
		F	20	20	19	18	18	15	16	15	14	15
		P	21	21	21	20	19	15	17	16	15	16
355	Other diseases of brain	M	4	4	4	3	4	5	5	5	5	5
		F	5	5	4	4	5	4	4	5	5	5
		P	4	4	4	4	4	5	4	5	5	5
356	Motor neurone disease and muscular atrophy	M	16	15	14	15	14	14	14	14	15	14
		F	11	10	8	9	9	10	9	9	10	10
		P	14	12	11	12	12	12	12	11	12	12
	0 Progressive muscular atrophy	M	12	10	10	10	11	10	9	8	9	8
		F	8	7	6	6	6	7	7	6	6	6
		P	10	8	8	8	8	9	8	7	8	7
360–369	Diseases of nerves and peripheral ganglia	M	4	4	4	3	3	3	2	2	2	2
		F	4	3	2	2	2	2	2	2	1	1
		P	4	3	3	2	2	3	2	2	1	2
390–398	Diseases of ear and mastoid process	M	15	14	12	10	11	8	8	7	6	5
		F	8	7	7	5	5	5	4	3	3	2
		P	11	10	9	8	8	6	6	5	4	4
391	Otitis media without mention of mastoiditis	M	11	10	9	7	8	7	6	6	4	4
		F	6	5	5	4	4	4	3	3	2	2
		P	8	8	7	6	6	5	5	4	3	3
400-468	**VII DISEASES OF THE CIRCULATORY SYSTEM**	M	**4,310**	**4,369**	**4,645**	**4,382**	**4,311**	**4,446**	**4,521**	**4,558**	**4,425**	**4,595**
		F	**4,037**	**4,121**	**4,344**	**3,946**	**3,950**	**3,973**	**4,131**	**4,124**	**3,980**	**4,183**
		P	**4,167**	**4,241**	**4,489**	**4,156**	**4,124**	**4,200**	**4,319**	**4,333**	**4,194**	**4,381**
400–402	Rheumatic fever	M	15	12	8	7	7	7	5	5	4	3
		F	17	14	9	8	7	6	5	5	4	3
		P	16	13	9	7	7	7	5	5	4	3
410–416	Chronic rheumatic heart disease	M	181	201	194	164	157	148	140	142	138	118
		F	270	306	298	247	240	237	232	223	225	208
		P	228	255	248	207	200	194	188	184	183	165
410	Diseases of mitral valve	M	132	134	130	113	108	100	95	92	89	75
		F	214	224	218	191	186	185	176	170	169	155
		P	175	181	176	154	149	144	137	132	131	117
411	Diseases of aortic valve specified as rheumatic	M	10	13	14	14	14	14	13	15	16	16
		F	5	5	6	6	6	7	7	8	7	8
		P	7	9	10	10	10	11	10	11	11	12
412–414	Dis: of tricuspid v: pulm: v: specified as rh: and other endocarditis specified as rh:	M	21	31	27	15	13	12	12	13	11	9
		F	28	47	40	22	18	16	18	15	15	12
		P	25	39	34	19	16	14	15	14	13	11

TABLE 8—*continued*

ISC No.	Causes of death		1949	1950	1951	1952	1953	1954	1955	1956	1957	1958
415	Other myocarditis specified as rheumatic	M	8	9	7	6	6	5	4	4	4	3
		F	11	12	11	8	7	7	7	6	6	5
		P	10	11	9	7	6	6	5	5	5	4
416	Other heart disease specified as rheumatic	M	10	14	16	16	16	16	17	17	18	15
		F	11	18	23	20	23	23	25	25	27	28
		P	11	16	20	18	20	20	21	21	23	22
420–422	Arteriosclerotic and degenerative heart disease	M	3,220	3,210	3,405	3,251	3,161	3,273	3,351	3,393	3,287	3,460
		F	2,820	2,806	2,962	2,691	2,675	2,676	2,773	2,772	2,648	2,815
		P	3,011	3,001	3,175	2,960	2,908	2,963	3,051	3,071	2,956	3,126
420	Arteriosclerotic heart disease, including coronary disease	M	1,480	1,671	1,789	1,874	1,860	2,016	2,097	2,206	2,230	2,395
		F	779	903	956	999	1,012	1,084	1,163	1,222	1,243	1,368
		P	1,114	1,274	1,356	1,420	1,420	1,532	1,613	1,696	1,719	1,863
	0 Arteriosclerotic heart disease so described	M	5	4	8	8	9	12	14	13	16	21
		F	3	5	7	7	8	11	11	12	16	23
		P	4	4	7	7	9	11	13	13	16	22
	1 Heart disease specified as involving coronary arteries	M	1,418	1,621	1,743	1,836	1,828	1,984	2,066	2,180	2,201	2,363
		F	746	874	928	976	991	1,062	1,139	1,200	1,218	1,336
		P	1,067	1,235	1,319	1,389	1,393	1,506	1,585	1,672	1,692	1,831
	2 Angina pectoris without mention of coronary disease	M	58	46	39	30	23	20	17	14	12	11
		F	30	24	21	16	13	12	13	10	9	8
		P	43	35	30	23	18	16	15	12	11	10
421	Chronic endocarditis not specified as rheumatic	M	117	74	64	74	71	81	75	75	81	77
		F	100	56	47	63	60	64	60	59	70	65
		P	108	65	55	68	65	72	67	67	75	71
	0 Of mitral valve, specified as non-rheumatic	M	*0*	2	*1*	4	3	3	2	3	4	5
		F	*0*	1	1	4	4	3	3	5	8	8
		P	*0*	1	1	4	4	3	3	4	6	7
	1 Of aortic valve, not specified as rheumatic	M	51	47	45	44	45	55	54	53	61	58
		F	25	27	25	24	25	32	31	33	39	38
		P	38	37	35	33	35	43	42	43	50	47
	2–4 Of tricusp: v: specified as non-rh: pulm: v: not specified as rh: and other and ill-def: not specified as rh:	M	66	25	18	26	22	23	19	18	16	14
		F	74	28	21	36	30	29	25	21	23	19
		P	70	27	19	31	27	26	22	20	20	17
422	Other myocardial degeneration	M	1,623	1,464	1,552	1,303	1,230	1,177	1,179	1,112	976	988
		F	1,941	1,847	1,959	1,629	1,603	1,528	1,550	1,490	1,335	1,382
		P	1,789	1,662	1,764	1,472	1,424	1,359	1,371	1,308	1,162	1,192
	0 Fatty degeneration	M	10	10	9	5	5	5	5	4	4	4
		F	20	16	13	10	9	8	8	7	6	5
		P	15	13	11	8	7	7	6	6	5	4
	1 With arteriosclerosis	M	576	571	623	544	523	506	519	502	436	452
		F	636	657	722	632	638	614	634	621	578	606
		P	607	615	674	590	583	562	579	563	510	532
	2 Other	M	1,037	884	920	754	701	665	655	606	536	532
		F	1,286	1,174	1,225	987	956	905	907	862	751	771
		P	1,167	1,034	1,078	875	833	790	786	739	647	656
430–434	Other diseases of heart	M	179	172	220	211	225	240	240	244	262	269
		F	218	215	255	244	254	256	266	278	291	306
		P	199	194	238	228	240	248	253	262	277	288
430	Acute and subacute endocarditis	M	12	11	10	9	9	9	10	9	9	9
		F	10	7	7	6	6	5	5	5	6	6
		P	11	9	8	7	8	7	7	7	7	7
431	Acute myocarditis not specified as rheumatic	M	5	5	5	4	4	4	3	4	3	2
		F	6	4	5	3	4	3	2	3	3	3
		P	5	5	5	4	4	3	3	3	3	3
433	Functional disease of heart	M	117	99	122	114	116	109	97	100	98	100
		F	164	154	176	164	162	155	149	149	144	146
		P	142	127	150	140	140	133	124	125	122	124
434	Other and unspecified diseases of heart	M	44	57	82	84	95	117	129	131	151	158
		F	37	49	68	71	82	92	108	121	138	150
		P	40	53	75	77	88	104	119	126	145	154
440–443	Hypertensive heart disease	M	209	360	393	248	252	267	273	269	254	238
		F	213	376	405	267	273	290	318	313	305	304
		P	211	368	399	258	263	279	296	292	280	272
440	Essential benign hypertensive heart disease	M	*0*	6	6	4	4	4	5	5	5	5
		F	*1*	6	5	4	5	5	5	6	6	6
		P	1	6	6	4	4	5	5	5	6	5
441	Essential malignant hypertensive heart disease	M	2	8	10	5	6	5	6	6	5	5
		F	2	6	7	3	3	4	2	3	3	3
		P	2	7	8	4	4	4	4	4	4	4

TABLE 8—*continued*

ISC No.	Causes of death		1949	1950	1951	1952	1953	1954	1955	1956	1957	1958
442	Hypertensive heart disease with arteriolar nephrosclerosis	M	13	12	15	7	8	6	6	7	6	5
		F	13	13	16	8	8	7	8	6	6	6
		P	13	12	15	8	8	6	7	6	6	5
443	Other and unspecified hypertensive heart disease	M	193	335	363	231	235	252	256	252	238	223
		F	198	350	377	251	258	275	302	298	290	290
		P	196	343	370	242	247	264	280	276	265	258
444–447	Other hypertensive disease	M	194	101	99	193	199	190	185	175	165	162
		F	186	90	89	178	179	182	180	173	158	164
		P	189	95	94	185	189	186	183	174	162	163
444	Essential benign hypertension	M	133	44	46	134	132	132	127	122	115	111
		F	137	50	49	136	139	140	144	136	126	130
		P	135	47	48	135	136	136	136	129	121	121
445	Essential malignant hypertension	M	31	28	26	34	40	34	35	34	33	32
		F	20	16	17	19	18	20	14	16	16	17
		P	25	21	21	26	29	26	24	25	24	24
446	Hypertension with arteriolar nephrosclerosis	M	30	29	27	25	27	24	23	20	18	18
		F	28	25	23	22	22	22	21	20	17	17
		P	29	27	25	23	24	23	22	20	17	18
447	Other hypertensive disease without mention of heart	M	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*
		F	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*
		P	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*
450–456	Diseases of arteries	M	278	275	290	273	272	277	281	279	265	295
		F	267	263	278	261	266	267	293	289	278	307
		P	272	269	284	267	269	272	287	284	271	301
450	General arteriosclerosis	M	236	246	262	229	224	225	225	220	198	221
		F	227	237	255	227	233	228	251	242	231	253
		P	231	241	258	228	228	227	238	231	215	238
	0 Without mention of gangrene	M	210	216	229	200	197	197	198	193	177	197
		F	209	214	230	205	211	207	229	221	210	232
		P	209	215	230	203	204	202	214	207	194	215
	1 With mention of gangrene as a consequence	M	26	30	33	29	27	27	27	27	22	24
		F	18	24	25	22	22	21	22	21	21	21
		P	22	27	29	25	24	24	25	24	21	23
451	Aortic aneurysm, non-syphilitic, and dissecting aneurysm	M	10	12	14	32	34	40	43	47	52	60
		F	10	11	13	25	23	29	31	36	36	43
		P	10	12	13	28	28	34	37	41	44	51
452–456	Other diseases of arteries	M	31	16	14	12	13	13	13	13	14	14
		F	30	15	10	9	10	10	11	11	11	11
		P	31	15	12	10	12	11	12	12	12	12
460–468	Diseases of veins and other diseases of circulatory system	M	34	38	37	36	38	43	47	50	51	50
		F	47	52	48	51	55	59	64	72	70	76
		P	41	45	43	44	47	51	56	61	61	63
460	Varicose veins of lower extremities	M	4	4	4	4	2	2	2	3	2	2
		F	9	10	10	10	7	9	9	9	7	7
		P	7	7	7	7	5	6	6	6	5	5
463	Phlebitis and thrombo-phlebitis of lower extremities	M	4	7	6	7	6	5	7	7	6	6
		F	7	13	10	10	10	10	10	11	11	11
		P	6	10	8	8	8	7	8	9	9	8
465	Pulmonary embolism and infarction	M	14	15	16	15	18	19	22	21	22	22
		F	14	15	14	16	19	19	21	25	24	29
		P	14	15	15	15	18	19	21	23	23	26
466	Other venous embolism and thrombosis	M	7	8	7	7	9	12	12	15	17	15
		F	9	10	10	12	15	17	20	23	23	25
		P	8	9	9	10	12	15	16	19	20	20
470-527	**VIII DISEASES OF THE RESPIRATORY SYSTEM**	M	**1,668**	**1,524**	**2,176**	**1,514**	**1,735**	**1,460**	**1,654**	**1,677**	**1,753**	**1,703**
		F	**1,156**	**1,021**	**1,573**	**921**	**1,151**	**873**	**1,013**	**1,055**	**1,035**	**1,018**
		P	**1,400**	**1,264**	**1,863**	**1,206**	**1,432**	**1,155**	**1,321**	**1,355**	**1,381**	**1,348**
470–475	Acute upper respiratory infections	M	5	6	6	4	4	4	3	3	3	3
		F	3	6	6	4	4	4	3	3	3	3
		P	4	6	6	4	4	4	3	3	3	3
480–483	Influenza	M	128	88	351	42	137	41	68	59	164	56
		F	132	90	370	38	155	41	66	58	136	51
		P	130	89	361	40	147	41	67	59	150	53
480	Influenza with pneumonia	M	59	44	176	21	68	22	36	31	116	35
		F	57	41	178	19	77	19	34	28	96	30
		P	58	43	177	20	73	20	35	29	106	33
481	Influenza with other respiratory manifestations, and influenza unqualified	M	67	42	173	19	67	19	31	28	47	20
		F	73	47	189	18	77	20	31	30	38	20
		P	70	45	181	19	72	20	31	29	42	20
490–493, 763	Pneumonia	M	536	454	579	490	532	458	519	542	558	566
		F	444	390	496	404	455	397	465	499	494	525
		P	488	421	536	445	492	426	491	520	525	545

TABLE 8—*continued*

ISC No.	Causes of death		1949	1950	1951	1952	1953	1954	1955	1956	1957	1958
490	Lobar pneumonia (age 4 weeks and over)	M	117	106	113	103	103	88	93	92	87	80
		F	79	70	75	63	67	64	64	63	58	58
		P	97	87	93	82	84	76	78	77	72	69
491	Bronchopneumonia (age 4 weeks and over)	M	353	291	396	327	367	316	369	392	411	429
		F	317	280	372	295	346	296	361	396	394	428
		P	335	285	384	310	356	305	365	394	402	428
492	Primary atypical pneumonia (age 4 weeks and over)	M	*1*	3	4	4	3	4	3	4	7	5
		F	*0*	2	3	2	2	3	3	3	5	4
		P	1	2	3	3	3	4	3	4	6	4
493	Pneumonia, other and unspecified	M	40	31	38	31	33	28	31	31	33	29
		F	32	23	30	27	25	21	24	24	25	22
		P	36	27	34	29	29	24	27	28	29	25
763	Pneumonia of the newborn*	M	1·39	1·43	1·64	1·54	1·57	1·37	1·41	1·40	1·15	1·34
		F	0·95	0·98	1·14	1·16	1·01	0·88	0·93	0·89	0·81	0·90
		P	1·16	1·21	1·40	1·36	1·30	1·13	1·17	1·15	0·99	1·13
500–502	Bronchitis	M	858	836	1,089	842	923	806	903	924	876	935
		F	521	484	640	428	486	375	420	433	350	388
		P	682	654	856	627	696	582	652	670	603	652
500	Acute bronchitis	M	128	93	135	90	102	70	79	78	65	69
		F	138	113	159	92	110	75	82	87	62	68
		P	133	103	148	91	106	73	81	83	63	69
501	Bronchitis, unqualified	M	85	66	80	53	59	50	50	49	41	45
		F	77	59	77	49	52	45	46	49	36	43
		P	81	62	79	51	55	48	48	49	39	44
502	Chronic bronchitis	M	646	678	873	699	762	686	773	797	770	822
		F	305	312	404	288	324	255	292	297	251	277
		P	468	489	629	485	535	462	524	538	501	539
	0 Bronchitis with emphysema	M	205	233	311	287	320	307	372	389	394	428
		F	42	45	66	57	63	56	70	79	67	78
		P	120	136	183	168	187	177	215	228	225	247
	1 Other	M	441	445	563	413	442	379	401	408	376	393
		F	263	267	338	230	261	199	222	219	184	199
		P	348	353	446	318	348	285	308	310	277	293
510–527	Other diseases of respiratory system	M	166	164	178	161	166	174	183	171	172	167
		F	71	66	78	64	65	69	72	75	64	66
		P	116	113	126	111	114	119	126	121	116	114
518	Empyema	M	6	5	4	4	5	5	4	4	3	4
		F	2	2	2	2	3	2	2	2	2	2
		P	4	3	3	3	4	3	3	3	2	3
519	Pleurisy	M	4	4	4	3	3	2	2	3	1	1
		F	2	2	2	2	2	2	1	2	1	1
		P	3	3	3	2	2	2	2	2	1	1
522	Pulmonary congestion and hypostasis	M	16	12	15	10	7	12	12	12	8	9
		F	22	19	21	15	17	19	20	20	15	15
		P	19	16	18	13	12	16	16	16	11	12
523, 524	Silicosis, and occupational pulmonary fibrosis	M	26	27	29	27	28	31	34	32	36	34
		F	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*1*	*0*	*1*
		P	13	13	14	13	13	15	17	16	18	17
525	Other chronic interstitial pneumonia	M	8	9	9	9	8	8	9	9	8	9
		F	3	3	4	4	3	4	4	3	4	5
		P	6	6	6	6	6	6	7	6	6	7
526	Bronchiectasis	M	72	70	71	67	68	66	69	59	60	55
		F	30	29	35	28	27	29	31	31	29	26
		P	50	49	52	46	47	47	49	45	44	40
527	Other diseases of lung and pleural cavity	M	26	29	39	36	40	42	46	47	49	49
		F	6	6	9	9	10	9	10	13	10	12
		P	15	17	23	22	25	25	27	29	29	30
	1 Emphysema without mention of bronchitis	M	23	27	36	34	38	39	43	43	45	46
		F	4	4	8	7	8	7	8	10	8	9
		P	13	15	21	20	22	22	25	26	26	27
530-587	**IX DISEASES OF THE DIGESTIVE SYSTEM**	M	**470**	**446**	**457**	**438**	**417**	**421**	**418**	**398**	**385**	**378**
		F	**323**	**318**	**318**	**308**	**305**	**310**	**315**	**310**	**301**	**297**
		P	**393**	**380**	**385**	**370**	**359**	**363**	**365**	**352**	**342**	**336**
530–539	Diseases of buccal cavity and oesophagus	M	7	6	7	5	6	6	6	4	6	5
		F	6	8	6	6	5	7	6	6	6	6
		P	6	7	6	6	6	6	6	5	6	6
540–545	Diseases of stomach and duodenum	M	192	193	214	201	188	197	194	184	171	163
		F	57	60	65	64	64	70	72	72	67	67
		P	122	125	137	130	123	131	131	126	117	114

* 763. Rates per 1,000 live births (related live births prior to 1957; live birth occurrences from 1957).

TABLE 8—*continued*

ISC No.	Causes of death		1949	1950	1951	1952	1953	1954	1955	1956	1957	1958
540	Ulcer of stomach	M	98	96	99	93	86	88	87	84	77	74
		F	35	37	40	40	39	40	42	43	41	40
		P	65	66	69	65	61	63	64	63	58	57
	0 Without mention of perforation	M	66	77	70	65	62	64	63	61	56	55
		F	27	28	31	30	30	30	32	34	31	33
		P	46	52	49	47	45	46	47	47	43	43
	1 With perforation	M	32	19	29	28	24	24	24	23	21	19
		F	8	9	9	9	9	9	10	10	10	7
		P	19	14	19	18	16	17	17	16	15	13
541	Ulcer of duodenum	M	84	87	104	99	93	100	99	92	88	84
		F	14	17	19	18	20	24	25	24	22	23
		P	47	51	60	57	55	61	60	57	54	52
	0 Without mention of perforation	M	53	55	64	64	59	63	62	59	55	52
		F	9	11	12	11	12	14	15	15	13	13
		P	30	32	37	36	35	38	37	36	33	32
	1 With perforation	M	32	32	40	35	34	38	37	33	33	31
		F	5	6	7	7	8	10	10	9	8	9
		P	18	18	23	21	20	23	23	21	20	20
550–553	Appendicitis	M	36	35	32	28	26	26	23	24	23	21
		F	23	24	22	20	16	18	16	14	13	14
		P	29	30	27	24	21	22	19	19	18	18
550	Acute appendicitis	M	31	30	28	24	22	21	19	20	19	18
		F	20	21	18	16	13	15	13	11	11	12
		P	25	25	23	20	17	18	16	15	15	15
	0 Without mention of peritonitis	M	4	5	4	4	3	3	3	3	3	3
		F	2	3	3	2	2	2	2	2	1	2
		P	3	4	3	3	3	3	2	3	2	2
	1 With peritonitis	M	27	26	24	21	19	18	16	16	16	15
		F	18	17	16	14	11	13	11	9	10	10
		P	22	21	20	17	15	15	14	13	13	13
551–553	Other and unqualified appendicitis	M	5	5	4	4	4	4	3	5	4	3
		F	2	4	3	4	2	3	3	3	2	2
		P	4	4	4	4	3	4	3	4	3	3
560, 561	Hernia of abdominal cavity	M	41	39	39	39	36	36	39	36	36	33
		F	39	38	39	37	36	35	35	37	35	32
		P	40	39	39	38	36	35	37	37	35	32
560	Hernia of abdominal cavity without mention of obstruction	M	9	7	8	9	9	9	10	9	10	9
		F	6	6	5	6	6	7	7	8	7	8
		P	7	7	7	8	7	8	8	8	8	8
561	Hernia of abdominal cavity with obstruction	M	32	32	31	30	27	27	29	27	26	24
		F	34	32	33	31	29	28	28	30	28	24
		P	33	32	32	30	28	27	28	28	27	24
570–578	Other diseases of intestines and peritoneum	M	134	111	102	95	94	88	88	83	83	86
		F	119	101	100	96	96	90	94	93	95	95
		P	126	106	101	96	95	89	91	88	89	90
570	Intestinal obstruction without mention of hernia	M	40	35	34	36	34	33	31	33	31	32
		F	36	29	31	31	30	28	31	31	28	31
		P	38	32	33	34	32	30	31	32	30	31
	2 Mesenteric infarction	M	3	6	8	9	9	10	8	9	9	9
		F	3	6	7	8	8	8	9	9	10	10
		P	3	6	7	8	8	9	8	9	9	10
	3 Volvulus	M	10	9	9	11	9	9	9	10	9	8
		F	8	6	7	7	8	6	7	8	6	7
		P	9	8	8	9	8	7	8	9	8	7
	4 Impaction of intestine	M	1	2	1	1	1	2	2	2	1	1
		F	2	3	3	3	3	3	4	3	2	2
		P	1	2	2	2	2	3	3	3	2	2
	5 Other	M	19	13	11	11	11	9	10	9	10	11
		F	19	10	11	11	10	8	9	9	8	10
		P	19	12	11	11	10	9	9	9	9	10
571	Gastro-enteritis and colitis except ulcerative (age 4 weeks and over)	M	65	44	34	28	26	20	21	17	16	17
		F	48	33	28	25	24	20	19	16	17	15
		P	56	38	31	26	25	20	20	16	17	16
	0 Ages between 4 weeks and 2 years*	M	1,434	971	690	593	574	406	409	266	278	243
		F	1,039	624	489	444	411	313	287	195	197	163
		P	1,242	802	592	519	494	361	350	231	239	204
	1 Ages 2 years and over	M	11	10	11	9	8	7	9	8	7	9
		F	15	14	14	12	12	11	12	11	11	10
		P	13	12	13	11	10	9	10	10	9	10

* 571·0 Rates per million population aged under 2 years.

TABLE 8—*continued*

ISC No.	Causes of death		1949	1950	1951	1952	1953	1954	1955	1956	1957	1958
572	Chronic enteritis and ulcerative colitis	M	21	22	21	20	22	24	25	23	25	27
		F	26	30	30	30	31	32	33	36	38	41
		P	24	26	26	25	27	28	29	30	32	34
	1 Diverticulitis	M	12	13	12	11	12	15	15	13	15	17
		F	13	15	16	15	17	18	20	21	24	26
		P	13	14	14	13	15	17	17	17	20	22
	2 Ulcerative colitis	M	7	7	7	7	8	6	8	8	8	8
		F	11	12	12	13	12	13	11	13	12	12
		P	9	10	10	10	10	10	10	10	10	10
573–578	Other diseases of intestines and peritoneum	M	9	11	12	11	12	11	11	10	11	10
		F	8	9	10	10	11	10	11	10	11	9
		P	8	10	11	11	11	10	11	10	11	9
580–587	Diseases of liver, gallbladder and pancreas	M	59	62	63	69	68	69	69	66	67	70
		F	79	86	87	85	89	90	92	87	87	83
		P	70	75	76	77	79	80	81	77	77	77
581	Cirrhosis of liver	M	27	27	29	31	31	30	29	29	31	30
		F	16	19	22	21	22	23	24	23	23	23
		P	21	23	25	26	26	26	26	26	27	26
584	Cholelithiasis	M	10	12	10	11	11	13	13	13	11	13
		F	23	27	26	25	27	26	26	25	25	23
		P	17	20	18	18	19	19	20	19	18	18
585	Cholecystitis and cholangitis, without mention of calculi	M	8	8	8	9	10	9	9	9	8	9
		F	21	20	20	19	19	20	19	18	17	16
		P	15	15	14	14	14	15	14	13	13	13
587	Diseases of pancreas	M	8	9	10	12	10	11	13	11	11	14
		F	10	12	12	12	13	13	16	15	15	14
		P	9	10	11	12	12	12	14	13	13	14
	0 Acute pancreatitis	M	6	6	6	7	6	8	8	7	6	8
		F	8	9	8	8	10	10	11	10	10	9
		P	7	7	7	8	8	9	9	8	8	9
590-637	**X DISEASES OF THE GENITO-URINARY SYSTEM**	**M**	**462**	**451**	**435**	**406**	**388**	**393**	**370**	**361**	**339**	**327**
		F	**196**	**208**	**197**	**179**	**171**	**170**	**169**	**163**	**158**	**157**
		P	**323**	**325**	**311**	**288**	**276**	**277**	**265**	**258**	**245**	**239**
590–594	Nephritis and nephrosis	M	161	158	150	137	128	124	114	119	104	99
		F	144	149	140	122	111	107	100	92	84	82
		P	152	153	145	130	119	115	107	105	93	90
590	Acute nephritis	M	9	9	8	6	7	5	5	6	4	4
		F	7	7	6	4	4	4	2	3	3	3
		P	8	8	7	5	5	5	3	4	3	3
591	Nephritis with oedema	M	6	11	10	9	9	8	9	10	9	9
		F	5	10	8	6	6	6	8	7	6	5
		P	6	11	9	8	7	7	8	8	8	7
592	Chronic nephritis	M	137	130	122	112	102	101	90	93	80	76
		F	123	125	118	103	94	89	82	75	68	67
		P	130	128	120	107	98	94	86	84	74	72
593	Nephritis not specified as acute or chronic	M	9	6	9	9	9	9	10	10	10	9
		F	8	5	7	8	7	7	7	6	6	6
		P	8	6	8	9	8	8	8	8	8	8
600–609	Other diseases of urinary system	M	54	56	58	55	59	60	59	59	62	59
		F	40	46	45	45	47	53	60	62	65	66
		P	47	51	51	50	53	57	59	60	64	62
600	Infections of kidney	M	20	22	24	24	26	27	28	30	33	33
		F	23	26	25	25	28	32	38	39	43	43
		P	22	24	25	25	27	30	33	35	38	38
	0 Pyelitis, pyelocystitis and pyelonephritis	M	19	20	22	22	25	26	27	29	32	32
		F	22	25	23	24	27	31	36	38	42	42
		P	20	23	23	23	26	28	32	34	37	37
602	Calculi of kidney and ureter	M	7	7	8	7	7	8	7	6	6	6
		F	5	6	6	6	6	6	7	7	7	6
		P	6	6	7	7	7	7	7	6	7	6
605	Cystitis	M	11	9	9	8	8	8	7	7	5	7
		F	8	8	7	7	7	8	8	8	8	9
		P	9	9	8	7	8	8	7	7	7	8
608	Stricture of urethra	M	8	6	6	5	4	6	5	5	4	2
		F	*0*	*0*	*0*	*0*	—	*0*	*0*	*0*	*0*	*0*
		P	4	3	3	3	2	3	2	2	2	1
610–617	Diseases of male genital organs	M	247	237	227	213	202	209	196	183	173	169
610	Hyperplasia of prostate	M	240	225	216	206	197	204	191	179	168	165
611	Prostatitis	M	5	6	6	5	4	3	4	2	3	3

C

TABLE 8—*continued*

ISC No.	Causes of death		1949	1950	1951	1952	1953	1954	1955	1956	1957	1958
620–626	Diseases of breast, ovary, Fallopian tube, and parametrium	F	4	3	3	3	3	2	3	2	2	1
630–637	Diseases of uterus and other female genital organs	F	9	10	10	9	10	8	7	7	7	8
631	Uterovaginal prolapse	F	5	6	6	6	6	4	4	5	5	5
640-689	XI DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	F	**0·97**	**0·87**	**0·76**	**0·67**	**0·71**	**0·65**	**0·59**	**0·52**	**0·45**	**0·43**
640–649	Deliveries and complications of pregnancy, childbirth and the puerperium, excl. abortion	F	0·81	0·72	0·60	0·54	0·60	0·54	0·50	0·42	0·37	0·35
660–689												
640–648	Complications of pregnancy	F	0·26	0·32	0·26	0·22	0·27	0·20	0·20	0·20	0·15	0·14
642	Toxaemias of pregnancy	F	0·16	0·21	0·18	0·16	0·19	0·13	0·12	0·11	0·10	0·08
645	Ectopic pregnancy	F	0·05	0·05	0·03	0·03	0·05	0·03	0·03	0·03	0·03	0·02
650–652	Abortion	F	12	11	11	10	8	8	7	8	7	7
650	Without mention of sepsis or toxaemia	F	3	3	4	3	3	4	3	3	3	3
651	With sepsis	F	8	7	7	5	4	3	4	4	4	4
652	With toxaemia, without mention of sepsis	F	*1*	*1*	*0*	*1*	*1*	*1*	*0*	*1*	*0*	*0*
670–678	Delivery with specified complication	F	0·32	0·22	0·22	0·19	0·21	0·21	0·17	0·13	0·12	0·12
670	Placenta praevia or antepartum haemorrhage	F	0·03	0·03	0·04	*0·02*	0·05	0·04	0·03	0·03	0·03	*0·02*
671, 672	Retained placenta, and other postpartum haemorrhage	F	0·12	0·05	0·08	0·06	0·07	0·06	0·06	0·03	0·03	0·04
673–675	Abnormality of bony pelvis, disproportion or malposition of foetus, and prolonged labour of other origin	F	0·09	0·06	0·05	0·05	0·04	0·05	0·05	0·05	0·04	0·03
680–689	Complications of the puerperium	F	0·23	0·18	0·12	0·12	0·12	0·11	0·13	0·09	0·08	0·08
681	Sepsis of childbirth and the puerperium	F	0·03	0·03	*0·02*	*0·01*	*0·02*	*0·02*	*0·02*	*0·01*	*0·02*	*0·01*
682	Puerperal phlebitis and thrombosis	F	0·04	0·05	0·04	0·04	0·04	0·06	0·05	0·04	0·03	0·03
684	Puerperal pulmonary embolism	F	0·03	0·04	*0·03*	0·04	0·03	*0·02*	0·03	*0·01*	*0·01*	*0·02*
685	Puerperal eclampsia	F	0·08	0·04	*0·02*	*0·02*	*0·01*	*0·01*	*0·01*	*0·01*	*0·01*	*0·01*
690-716	XII DISEASES OF THE SKIN AND CELLULAR TISSUE	M	**14**	**14**	**14**	**12**	**13**	**11**	**9**	**9**	**9**	**9**
		F	**13**	**14**	**16**	**16**	**16**	**14**	**14**	**13**	**11**	**12**
		P	**14**	**14**	**15**	**14**	**14**	**12**	**11**	**11**	**10**	**11**
690–698	Infections of skin and subcutaneous tissue	M	7	6	5	4	5	4	4	3	3	4
		F	5	5	6	5	5	4	4	4	3	4
		P	6	5	6	5	5	4	4	4	3	4
700–716	Other diseases of skin and subcutaneous tissue	M	7	8	8	7	9	6	4	5	6	5
		F	8	10	10	11	10	10	10	9	7	8
		P	8	9	9	9	10	8	7	7	7	7
720-749	XIII DISEASES OF THE BONES AND ORGANS OF MOVEMENT	M	**33**	**25**	**26**	**25**	**27**	**29**	**29**	**29**	**27**	**28**
		F	**61**	**42**	**46**	**42**	**43**	**50**	**59**	**53**	**53**	**56**
		P	**48**	**34**	**36**	**34**	**35**	**40**	**44**	**42**	**40**	**43**
720–727	Arthritis and rheumatism except rheumatic fever	M	22	14	14	12	14	17	16	16	14	16
		F	52	33	34	32	34	39	47	41	40	44
		P	38	24	25	22	24	28	32	29	28	30
722	Rheumatoid arthritis and allied conditions	M	13	8	9	7	9	10	10	10	8	10
		F	40	25	25	24	24	30	35	31	30	32
		P	27	17	17	16	17	20	23	21	20	22
	0 Rheumatoid arthritis	M	13	7	8	6	8	9	9	9	8	9
		F	40	25	25	24	24	30	35	31	30	32
		P	27	16	17	15	17	20	23	21	19	21
723	Osteo-arthritis (arthrosis) and allied conditions	M	6	4	4	3	4	5	5	6	5	5
		F	8	7	8	7	7	8	10	9	9	10
		P	7	5	6	5	6	7	8	7	7	7
	0 Osteo-arthritis (arthrosis)	M	5	4	3	2	3	4	4	4	4	4
		F	8	6	7	6	7	7	9	8	8	8
		P	6	5	5	4	5	5	7	6	6	6
730–738	Osteomyelitis and other diseases of bone and joint	M	7	7	8	8	8	8	8	7	7	6
		F	6	6	8	6	6	8	8	8	8	8
		P	7	7	8	7	7	8	8	8	8	7
730	Osteomyelitis and periostitis	M	3	3	2	2	3	2	2	2	2	2
		F	2	1	2	1	1	2	1	2	2	1
		P	2	2	2	2	2	2	2	2	2	2
731	Osteitis deformans	M	3	3	4	4	4	4	4	4	4	3
		F	3	3	4	3	3	3	4	4	4	4
		P	3	3	4	4	3	4	4	4	4	4

* Rates per 1,000 total (live and still) births.
† Rates per million women aged 15–44 years.

TABLE 8—*continued*

ISC No.	Causes of death		1949	1950	1951	1952	1953	1954	1955	1956	1957	1958
740–749	Other diseases of musculoskeletal system	M	4	4	4	6	5	5	5	5	5	6
		F	2	3	4	3	3	4	4	4	4	4
		P	3	4	4	4	4	4	5	5	5	5
750-759	XIV CONGENITAL MALFORMATIONS	M	**117**	**119**	**115**	**110**	**104**	**110**	**114**	**113**	**120**	**119**
		F	**99**	**98**	**97**	**93**	**89**	**93**	**92**	**92**	**101**	**98**
		P	**108**	**108**	**106**	**101**	**97**	**101**	**103**	**102**	**110**	**108**
750	Monstrosity	M	2	2	2	3	2	2	2	3	3	3
		F	2	2	2	3	3	3	3	3	4	5
		P	2	2	2	3	2	3	3	3	3	4
751	Spina bifida and meningocele	M	13	13	14	14	13	15	16	16	15	16
		F	19	15	17	19	17	21	21	20	20	20
		P	16	14	15	16	15	18	18	18	18	18
752	Congenital hydrocephalus	M	9	10	9	9	8	9	9	10	9	9
		F	10	10	8	9	9	10	10	10	10	10
		P	10	10	8	9	8	10	9	10	9	10
753	Other congenital malformations of nervous system and sense organs	M	2	2	2	3	2	3	2	2	4	3
		F	3	3	3	2	3	3	3	3	3	3
		P	3	2	3	2	2	3	3	3	3	3
754	Congenital malformations of circulatory system	M	51	55	50	42	43	45	47	47	52	52
		F	41	43	42	35	34	33	33	34	39	37
		P	46	49	46	39	39	39	40	40	45	44
756	Congenital malformations of digestive system	M	22	19	17	16	15	14	14	13	14	13
		F	11	10	9	9	9	8	7	7	7	8
		P	16	14	13	12	12	11	10	10	10	10
757	Congenital malformations of genito-urinary system	M	10	12	12	13	12	12	13	12	13	12
		F	7	9	8	8	7	8	8	8	10	8
		P	8	10	10	10	10	10	10	10	11	10
760-776*	XV CERTAIN DISEASES OF EARLY INFANCY†	M	**18·51**	**17·73**	**18·34**	**17·24**	**16·56**	**16·39**	**15·87**	**15·55**	**15·08**	**14·75**
		F	**13·36**	**12·69**	**12·91**	**12·54**	**12·19**	**11·54**	**11·48**	**11·16**	**10·86**	**10·56**
		P	**16·02**	**15·29**	**15·71**	**14·96**	**14·43**	**14·03**	**13·74**	**13·43**	**13·03**	**12·71**
780-795	XVI SYMPTOMS, SENILITY AND ILL-DEFINED CONDITIONS	M	**265**	**200**	**197**	**155**	**145**	**156**	**173**	**162**	**136**	**137**
		F	**387**	**298**	**288**	**227**	**231**	**250**	**272**	**260**	**224**	**225**
		P	**329**	**251**	**244**	**192**	**190**	**205**	**224**	**213**	**181**	**183**
780–789	Symptoms referable to systems or organs	M	20	12	12	7	7	7	7	6	5	4
		F	16	9	8	6	7	5	6	6	5	4
		P	18	10	10	7	7	6	6	6	5	4
790–795	Senility and ill-defined diseases	M	246	188	185	148	138	149	166	156	130	133
		F	371	288	279	221	224	245	266	254	219	221
		P	311	240	234	186	183	199	218	207	176	179
794	Senility without mention of psychosis	M	240	186	182	145	135	145	162	152	127	130
		F	369	287	278	219	222	243	265	252	216	220
		P	307	238	232	183	180	196	215	204	173	176
E800-E999	XVII ACCIDENTS, POISONINGS AND VIOLENCE (EXTERNAL CAUSE)	M	**569**	**562**	**591**	**568**	**582**	**593**	**605**	**604**	**594**	**614**
		F	**302**	**308**	**321**	**298**	**329**	**358**	**370**	**383**	**374**	**390**
		P	**430**	**431**	**451**	**428**	**450**	**471**	**483**	**490**	**480**	**498**
E800–E802	Railway accidents	M	16	16	14	18	16	12	13	14	13	14
		F	1	2	1	3	*1*	1	1	2	1	2
		P	8	8	8	10	8	6	7	7	7	8
E810–E835	Motor vehicle accidents	M	141	151	161	149	158	161	171	174	170	186
		F	41	46	49	42	45	51	55	56	53	60
		P	89	97	103	94	99	104	111	113	109	121
E812	To pedestrian	M	59	54	62	52	56	56	57	59	56	61
		F	30	32	32	29	29	35	35	36	32	39
		P	44	43	46	40	42	45	46	47	44	49
E813	To pedal cyclist	M	24	22	22	21	22	21	20	21	20	21
		F	3	4	4	3	3	3	4	3	3	2
		P	13	13	13	12	12	12	12	12	11	11
E815	To rider or pass'r of m/cycle in collision with other motor vehicle	M	21	30	30	31	32	33	37	35	34	40
		F	1	2	2	2	2	2	3	2	3	3
		P	11	16	15	16	17	17	19	18	18	21
E816	Other m: v: traffic acc. involv'g two or more motor vehicles	M	9	10	12	9	13	14	18	20	17	25
		F	2	3	5	3	4	5	7	7	7	9
		P	6	7	8	6	9	9	12	13	12	16
E821	To rider of motor cycle without antecedent collision	M	6	8	12	13	13	14	15	15	18	15
		F	*1*	*1*	1	1	1	1	1	1	1	2
		P	3	4	7	7	7	8	8	8	9	8

* For details of causes 760–776, see Table 12.
† Rates per 1,000 live births (related live births prior to 1957; live birth occurrences from 1957).

TABLE 8—*continued*

ISC No.	Causes of death		1949	1950	1951	1952	1953	1954	1955	1956	1957	1958
E823	Involving running off roadway	M	1	*1*	2	5	5	6	8	9	11	11
		F	*0*	*0*	*1*	1	1	2	2	3	2	3
		P	1	*0*	2	3	3	4	5	6	6	7
E840–E845	Other road vehicle accidents	M	12	14	11	11	9	9	9	7	8	7
		F	4	4	3	3	3	3	2	2	2	3
		P	8	9	7	7	6	6	6	4	5	5
E843	Acc. to rider of p: cycle not involving collision with motor vehicle	M	7	8	8	6	5	6	6	5	6	5
		F	1	1	*1*	1	1	1	*1*	*0*	1	*1*
		P	4	5	4	4	3	3	3	2	3	3
E850–E858	Water transport accidents	M	7	9	7	6	7	6	6	7	7	6
		F	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*
		P	4	4	3	3	3	3	3	3	4	3
E860–E866	Aircraft accidents	M	4	11	13	14	9	10	6	6	7	8
		F	*1*	*0*	1	1	*0*	*0*	*0*	*0*	*1*	1
		P	2	5	7	7	4	5	3	3	3	4
E870–E888	Accidental poisoning by solid and liquid substances	M	5	5	6	7	6	7	7	8	8	7
		F	4	6	6	6	7	7	7	8	8	8
		P	5	6	6	7	7	7	7	8	8	8
E871	Barbituric acid and derivatives	M	1	2	2	3	4	3	4	4	4	4
		F	2	4	3	3	4	5	5	6	5	5
		P	2	3	3	3	4	4	4	5	5	5
E870, E872–E888	Remainder, accidental poisoning by solid and liquid substances	M	3	3	4	4	2	4	4	3	4	3
		F	2	3	3	3	3	2	2	3	3	3
		P	3	3	3	4	3	3	3	3	3	3
E890–E895	Accidental poisoning by gases and vapours	M	11	10	12	12	15	15	18	17	17	20
		F	10	11	13	13	14	17	21	20	20	22
		P	11	11	13	12	15	16	19	18	19	21
E890	Utility (illuminating) gas	M	9	7	10	10	13	13	15	14	14	17
		F	10	11	13	13	14	17	20	19	19	21
		P	10	9	12	11	13	15	18	17	17	19
E900–E904	Accidental falls	M	81	74	86	79	84	99	94	99	92	92
		F	105	113	117	105	123	141	144	149	142	149
		P	93	94	102	93	104	121	120	125	118	122
E910–E936	Other accidents	M	136	123	131	125	121	110	122	112	112	115
		F	53	49	53	50	53	50	50	50	47	48
		P	93	85	91	86	86	79	84	80	78	80
E910	Blow from falling or projected object or missile	M	21	18	19	17	16	14	14	13	14	15
		F	*1*	*0*	*1*	*1*	*1*	*1*	*1*	1	*0*	*1*
		P	11	9	9	9	8	7	7	7	7	7
E912	Caused by machinery	M	10	8	9	9	8	8	11	11	11	12
		F	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*
		P	5	4	4	4	4	4	6	5	6	6
E914	Caused by electric current	M	3	3	4	4	4	4	4	5	5	5
		F	1	1	*1*	*1*	1	1	*1*	*1*	*1*	1
		P	2	2	2	3	3	2	2	3	3	3
E916	Caused by fire and explosion of combustible material	M	9	*9	15	*13	10	10	12	11	11	10
		F	16	16	19	19	16	19	19	19	17	17
		P	13	12	17	16	13	15	16	15	14	14
E917	Caused by hot substance, corrosive liquid, and steam	M	4	4	3	3	3	3	3	3	2	3
		F	4	3	3	3	2	3	3	3	2	3
		P	4	3	3	3	3	3	3	3	2	3
E921–E925	Accidental mechanical obstruction or suffocation	M	25	23	23	22	19	23	22	21	18	19
		F	16	14	14	13	13	13	12	13	11	10
		P	20	18	18	17	16	18	17	17	14	14
E921	Inhalation and ingestion of food causing obstr: or suffocation	M	12	11	11	11	10	12	12	12	11	10
		F	8	8	7	7	7	8	7	8	7	6
		P	10	9	9	9	8	10	10	10	9	8
E924	Acc. mechanical suffocation in bed and cradle	M	10	9	8	7	6	6	6	5	4	5
		F	6	5	6	4	4	4	3	4	3	3
		P	8	7	7	6	5	5	4	5	4	4
E929	Accidental drowning and submersion	M	40	36	36	34	34	30	35	30	32	32
		F	8	9	9	8	8	8	10	8	10	9
		P	23	22	22	20	21	19	22	18	21	20
E960–E965	Late effects of injury and poisoning	M	4	8	10	9	8	7	9	7	7	7
		F	*0*	1	1	1	1	1	1	1	2	1
		P	2	5	5	5	5	4	5	4	4	4
E970–E979	Suicide and self-inflicted injury	M	147	136	135	132	142	149	143	149	146	146
		F	75	70	72	68	76	81	84	90	92	91
		P	110	102	102	99	108	114	113	118	118	117

• E916. See footnote to this cause in Table 7.

TABLE 8—*continued*

ISC No.	Causes of death		1949	1950	1951	1952	1953	1954	1955	1956	1957	1958
E970	Poisoning by analgesic and soporific substances	M	7	8	7	11	9	10	11	15	14	15
		F	9	11	10	13	11	14	15	17	17	19
		P	8	10	9	12	10	12	13	16	15	17
E971	Poisoning by other solid and liquid substances	M	6	5	5	5	5	4	4	5	4	3
		F	4	4	3	3	3	2	2	2	2	1
		P	5	4	4	4	4	3	3	4	3	2
E972	Poisoning by gases in domestic use	M	53	49	51	52	60	64	59	63	65	67
		F	38	33	38	34	41	47	47	51	52	51
		P	45	41	45	43	50	55	53	57	58	58
E974	Hanging and strangulation	M	31	27	25	25	25	29	27	26	26	22
		F	6	6	6	5	6	6	5	5	6	5
		P	18	16	15	15	15	17	16	15	15	14
E975	Submersion (drowning)	M	17	16	15	13	12	14	13	13	12	12
		F	10	10	10	8	9	8	9	9	9	9
		P	14	13	12	10	11	11	11	11	11	10
E976	Firearms and explosives	M	11	9	9	8	10	9	10	10	9	9
		F	*0*	*0*	*1*	*0*	*0*	*0*	*0*	*0*	*1*	*0*
		P	5	5	5	4	5	5	5	5	5	4
E977	Cutting and piercing instruments	M	11	9	8	7	9	8	8	6	6	6
		F	2	2	1	1	1	1	1	2	1	1
		P	6	5	4	4	5	4	4	4	4	4
E978	Jumping from high place	M	4	4	4	3	3	4	3	3	3	3
		F	3	2	2	2	2	2	2	2	2	2
		P	3	3	3	2	3	3	3	2	3	2
E979	Other and unspecified means	M	6	8	7	7	7	7	6	7	5	6
		F	2	2	2	1	1	2	2	1	2	2
		P	4	5	4	4	4	4	4	4	3	4
E980–E985	Homicide and injury purposely inflicted by other persons (not in war)	M	4	5	5	5	4	5	5	4	5	5
		F	5	5	4	4	4	4	4	4	5	4
		P	5	5	4	4	4	5	4	4	5	5
N800–N999	**NXVII ALTERNATIVE CLASSIFICATION OF ACCIDENTS, POISONINGS, AND VIOLENCE (NATURE OF INJURY)**	**M**	**569**	**562**	**591**	**568**	**582**	**593**	**605**	**604**	**594**	**614**
		F	**302**	**308**	**321**	**298**	**329**	**358**	**370**	**383**	**374**	**390**
		P	**430**	**431**	**451**	**428**	**450**	**471**	**483**	**490**	**480**	**498**
N800–N804	Fracture of skull	M	145	153	165	151	148	144	148	145	142	148
		F	40	42	42	37	37	38	39	42	39	41
		P	90	96	101	92	91	89	92	92	88	92
N805–N809	Fracture of spine and trunk	M	37	33	32	32	34	36	36	37	36	39
		F	9	11	11	12	13	16	17	18	17	19
		P	22	22	21	22	23	26	26	27	26	29
N810–N829	Fracture of limbs	M	41	40	46	38	45	56	53	58	56	54
		F	80	88	91	78	95	109	113	120	112	121
		P	61	65	69	59	71	84	84	90	85	88
N830–N839	Dislocation without fracture	M	*0*	1	2	2	2	2	3	2	2	2
		F	*0*	*0*	1	*1*	*1*	1	1	1	1	1
		P	*0*	1	2	1	1	1	2	1	2	2
N840–N848	Sprains and strains of joints and adjacent muscles	M	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*
		F	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*
		P	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*
N850–N856	Head injury (excluding skull fracture)	M	40	43	46	40	41	44	45	43	41	44
		F	17	17	18	16	16	19	19	19	19	17
		P	28	29	31	27	28	31	32	30	30	30
N860–N869	Internal injury of chest, abdomen and pelvis	M	28	35	40	45	40	42	44	43	43	49
		F	6	7	7	8	9	8	8	8	8	10
		P	16	20	23	26	24	24	25	25	25	29
N870–N908	Laceration and open wounds	M	24	19	17	22	24	20	21	18	18	20
		F	4	4	3	5	4	5	5	4	4	4
		P	13	11	10	13	13	12	13	11	11	12
N910–N929	Superficial injury, contusion and crushing with intact skin surface	M	3	2	2	2	2	2	3	3	2	2
		F	3	3	3	3	3	4	4	2	2	2
		P	3	2	3	2	3	3	3	2	2	2
N930–N936	Effects of foreign body entering through orifice	M	14	13	13	13	12	14	14	13	12	13
		F	9	9	9	8	8	9	8	9	8	7
		P	11	11	11	11	10	11	11	11	10	10
N940–N949	Burns	M	13	12	15	12	14	12	14	12	13	13
		F	20	19	21	22	17	21	21	20	17	19
		P	17	16	18	17	15	17	17	16	15	16
N960–N979	Effects of poisons	M	85	83	90	97	102	107	107	114	116	120
		F	68	67	73	71	79	89	94	102	103	105
		P	77	75	81	83	90	98	100	108	109	112
N950–N959, N980–N999	All other and unspecified effects of external causes	M	140	129	123	114	119	117	118	115	113	111
		F	47	41	41	38	48	40	42	38	44	43
		P	91	83	81	75	82	77	78	75	77	76

TABLE 9. Standardised Mortality Ratios (base years 1950-1952) by sex for certain causes of death, 1949 to 1958 } England and Wales

Note. 1 The S.M.R. shows the number of deaths registered in each of the years to which the table refers as a percentage of the numbers which would have been expected in those years had the sex/age mortality of a standard period (1950–1952) been experienced in those years. For years to 1957 inclusive causes of death were classified according to the sixth (1948) revision of the International Statistical Classification; for the 1958 figures the seventh (1955) revision has been used, necessary adjustments being made for the standard period to make the figures comparable with those for other years.

2 Footnotes to Table 7 for individual causes apply also to this table.

3 Civilian deaths and populations have been used when calculating S.M.R.s for 1949.

4 See explanatory notes.

ISC No.	Causes of death		1949	1950	1951	1952	1953	1954	1955	1956	1957	1958
	ALL CAUSES	M	**99**	**98**	**106**	**96**	**96**	**95**	**97**	**96**	**94**	**95**
		F	**103**	**101**	**106**	**93**	**94**	**91**	**93**	**92**	**88**	**90**
		P	**101**	**99**	**106**	**95**	**95**	**93**	**95**	**94**	**91**	**92**
001–138	Infective and parasitic diseases	M	135	114	103	83	73	64	56	48	44	40
		F	151	122	102	76	68	57	49	42	39	36
001–019	Tuberculosis, all forms	M	141	115	103	82	69	62	52	43	38	36
		F	164	125	103	72	61	52	41	33	28	26
001–008	Tuberculosis, respiratory	M	140	115	102	83	70	63	53	44	39	36
		F	168	127	102	72	61	52	41	32	27	26
010–019	Tuberculosis, other forms	M	148	113	106	80	60	52	42	31	30	29
		F	139	117	110	73	62	50	38	33	34	29
020–029	Syphilis and its sequelae	M	110	101	107	92	83	79	77	74	70	62
		F	98	103	98	99	84	87	80	82	73	82
053	Septicaemia and pyaemia	M	125	135	96	69	105	86	58	88	58	68
		F	92	121	74	106	86	109	64	65	63	58
057	Meningococcal infections	M	98	97	98	105	112	94	72	74	63	47
		F	99	96	105	100	98	95	79	63	70	57
080, 081	Acute poliomyelitis, including late effects	M	154	175	50	74	87	35	68	32	69	34
		F	160	182	53	65	72	27	60	33	50	40
082, 083	Acute infectious encephalitis, including late effects	M	115	119	98	83	107	83	82	87	71	76
		F	113	105	107	88	89	79	68	68	58	60
092	Infectious hepatitis	M	91	111	99	90	97	83	88	87	89	81
		F	85	104	90	106	116	107	111	108	119	92
140–239	Neoplasms	M	97	98	101	101	102	103	104	104	105	105
		F	101	102	99	99	97	98	97	97	96	97
140–205	Malignant neoplasms including neoplasms of lymphatic and haematopoietic tissues	M	96	98	101	101	102	103	104	105	106	106
		F	101	101	99	99	98	98	98	97	96	97
140–148	Buccal cavity and pharynx	M	103	103	102	95	90	95	89	76	77	77
		F	95	100	100	101	87	97	97	96	97	94
150–159	Digestive organs and peritoneum	M	103	101	101	99	96	94	92	90	90	88
		F	104	103	99	98	95	94	93	90	88	88
150	Oesophagus	M	98	101	100	98	88	85	88	88	82	81
		F	96	101	101	99	99	104	106	104	103	104
151	Stomach	M	101	99	101	99	98	95	95	91	93	92
		F	99	102	101	97	93	92	90	89	84	85
153	Large intestine, except rectum	M	108	102	101	97	97	93	89	86	84	81
		F	109	105	97	98	95	92	91	89	86	85
154	Rectum	M	107	104	102	95	90	91	86	84	82	82
		F	110	106	99	96	96	96	91	90	84	91
157	Pancreas	M	94	96	100	105	104	105	108	107	108	113
		F	97	101	94	105	99	100	105	98	107	107
160–165	Respiratory system	M	85	93	101	106	112	119	124	129	133	136
		F	93	97	99	104	102	105	108	111	113	115
162, 163	Lung, bronchus and trachea	M	83	92	101	107	114	122	128	133	138	142
		F	90	96	99	105	104	107	111	115	118	121
170–181	Breast and genito-urinary organs	M	96	99	100	101	102	104	105	109	106	108
		F	101	101	99	100	98	98	99	99	98	100
170	Breast	M	127	105	102	94	128	125	119	105	105	109
		F	100	100	99	101	99	100	100	100	99	101
171	Cervix uteri	F	85	104	100	97	94	90	92	91	89	96
172	Corpus uteri	F	44	99	99	102	98	95	91	92	93	90
175	Ovary, Fallopian tube, and broad ligament	F	96	101	101	98	100	101	106	106	107	106

TABLE 9—*continued*

ISC No.	Causes of death		1949	1950	1951	1952	1953	1954	1955	1956	1957	1958
177	Prostate	M	99	102	100	98	103	107	105	111	107	111
180	Kidney	M	93	98	98	104	106	108	112	110	109	117
		F	94	88	102	110	103	104	95	103	95	109
181	Bladder and other urinary organs	M	92	94	101	105	101	101	106	108	108	105
		F	97	105	98	97	103	107	106	105	104	101
190–199	Other and unspecified sites	M	97	99	99	102	98	101	104	108	104	103
		F	101	103	96	101	106	108	105	114	115	107
190	Malignant melanoma of skin	M	68	87	105	107	123	133	150	150	130	112
		F	70	89	92	119	111	122	139	117	157	130
193	Brain and other parts of nervous system	M	89	91	99	111	107	109	117	114	114	136
		F	91	102	96	102	114	120	117	125	126	149
194	Thyroid gland	M	92	81	105	114	99	107	101	119	93	95
		F	104	97	102	101	101	101	100	100	95	87
196	Bone, including jaw bone	M	118	105	104	91	90	81	78	86	77	77
		F	130	102	98	100	91	95	79	89	83	86
200–205	Neoplasms of lymphatic and haematopoietic tissues	M	91	92	100	108	109	112	114	116	123	121
		F	89	91	104	104	109	115	117	123	125	126
201	Hodgkin's disease	M	101	91	104	106	106	107	106	108	124	100
		F	93	94	103	103	106	105	104	112	104	113
204	Leukaemia and aleukaemia	M	90	97	96	107	108	110	117	116	122	121
		F	90	93	104	103	109	110	107	115	115	113
210–229	Benign neoplasm	M	102	102	105	93	98	87	87	80	85	82
		F	103	113	94	94	89	95	89	85	85	76
230–239	Neoplasm of unspecified nature	M	118	102	107	92	97	94	84	86	80	43
		F	108	114	102	85	89	85	84	85	80	37
240–289	Allergic endocrine system, metabolic and nutritional diseases	M	98	100	109	91	86	83	82	79	71	71
		F	99	103	107	90	86	82	84	82	78	79
240–245	Allergic disorders	M	105	100	114	86	83	75	74	67	59	50
		F	99	101	117	83	90	81	76	81	71	74
250–254	Diseases of thyroid gland	M	104	103	106	91	91	85	81	84	74	80
		F	104	108	104	89	68	79	81	74	72	71
252	Thyrotoxicosis, with or without goitre	M	115	90	120	90	95	75	72	71	82	55
		F	115	111	104	85	67	72	67	62	64	57
260	Diabetes mellitus	M	95	104	104	92	89	87	89	90	81	92
		F	101	105	104	92	86	78	86	82	80	80
270–277	Diseases of other endocrine glands	M	84	96	108	96	95	93	79	85	76	91
		F	83	89	109	102	94	97	75	70	74	62
290–299	Diseases of the blood and blood forming organs	M	108	98	103	99	90	95	92	81	84	85
		F	105	107	101	92	82	88	85	86	82	80
290	Pernicious and other hyperchromic anaemias	M	121	111	103	86	75	73	73	67	66	62
		F	116	112	103	85	74	79	76	77	72	66
300–326	Mental, psychoneurotic and personality disorders	M	93	97	106	97	84	92	87	74	67	66
		F	96	106	107	87	90	89	87	92	83	66
330–398	Diseases of the nervous system and sense organs	M	92	97	102	101	99	102	104	102	99	101
		F	94	99	101	100	96	99	101	99	96	99
330–334	Vascular lesions affecting central nervous system	M	90	96	103	102	99	104	105	104	100	102
		F	93	98	101	101	97	100	101	100	97	99
340–345	Inflammatory diseases of central nervous system	M	110	106	103	91	94	94	101	92	103	92
		F	98	99	109	92	102	93	99	101	99	100
345	Multiple sclerosis	M	98	98	107	94	84	94	102	92	90	95
		F	83	93	113	94	103	97	100	97	98	105
350–357	Other diseases of central nervous system	M	99	106	99	95	89	83	95	89	87	86
		F	105	107	102	92	91	85	93	87	85	86
350	Paralysis agitans	M	93	95	107	99	96	87	112	96	96	96
		F	97	97	105	99	93	89	100	95	87	89
353	Epilepsy	M	107	101	101	98	87	72	86	82	79	75
		F	103	104	102	95	97	81	86	79	73	78
356	Motor neurone disease and muscular atrophy	M	109	101	97	102	96	97	92	92	96	90
		F	127	109	93	98	104	105	103	93	102	105
390–398	Diseases of ear and mastoid process	M	124	112	100	87	90	70	68	60	49	40
		F	124	114	105	81	77	75	68	55	47	39

TABLE 9—*continued*

ISC No.	Causes of death		1949	1950	1951	1952	1953	1954	1955	1956	1957	1958
400–468	Diseases of circulatory system	M	96	98	104	97	95	97	98	99	95	98
		F	101	102	105	93	92	90	92	91	86	89
400–402	Rheumatic fever	M	171	137	87	76	74	78	53	52	39	35
		F	169	133	91	77	69	61	47	43	39	25
410–416	Chronic rheumatic heart disease	M	97	108	104	88	84	78	74	75	72	62
		F	97	109	105	86	83	82	79	76	75	70
420–422	Arteriosclerotic and degenerative heart disease	M	98	98	104	98	95	97	99	99	95	100
		F	104	102	105	93	91	89	90	88	82	86
420	Arteriosclerotic heart disease, including coronary disease	M	82	94	101	105	104	112	116	121	122	129
		F	84	96	100	103	103	108	115	119	119	129
421	Chronic endocarditis not specified as rheumatic	M	163	106	91	104	99	113	105	104	112	105
		F	184	103	85	112	105	112	102	100	116	107
422	Other myocardial degeneration	M	113	102	108	90	84	80	79	75	65	65
		F	112	104	109	88	85	79	78	74	64	66
430–434	Other diseases of heart	M	81	85	110	106	115	128	131	133	145	143
		F	88	90	107	103	109	110	117	124	131	144
440–443	Hypertension with mention of heart disease	M	62	108	118	74	75	79	80	79	74	69
		F	63	109	116	75	76	79	85	83	79	78
444–447	Hypertension without mention of heart	M	147	77	76	147	149	143	140	131	121	121
		F	158	76	74	147	147	148	147	136	125	122
450–456	Diseases of arteries	M	98	99	105	96	95	95	96	95	88	99
		F	102	100	105	95	95	93	100	96	90	97
460–468	Diseases of veins and other diseases of circulatory system	M	92	103	101	96	103	115	124	133	134	129
		F	95	105	95	100	108	113	121	135	130	139
470–527	Diseases of the respiratory system	M	95	88	126	87	100	83	94	95	98	96
		F	101	88	135	77	96	71	81	83	80	79
480–483	Influenza	M	79	55	220	26	85	25	42	36	99	34
		F	82	55	223	23	91	23	37	33	74	27
490–493, 763	Pneumonia (including newborn)	M	104	89	114	97	105	90	102	107	109	110
		F	105	92	115	93	104	90	104	110	107	112
490	Lobar pneumonia	M	108	99	106	96	95	81	86	84	79	73
		F	116	102	108	90	94	89	88	85	78	77
491	Bronchopneumonia	M	103	86	117	97	109	93	109	115	120	125
		F	103	90	118	92	107	90	109	118	115	124
500–502	Bronchitis	M	92	91	118	91	99	86	96	98	92	98
		F	104	95	124	81	91	68	76	77	61	68
510–527	Other diseases of respiratory system	M	97	98	106	96	98	103	108	101	100	96
		F	106	96	113	91	93	96	99	102	85	88
530–587	Diseases of the digestive system	M	104	100	102	98	93	94	93	88	84	83
		F	105	102	101	97	95	96	96	94	90	88
540–545	Diseases of stomach and duodenum	M	94	96	106	99	92	96	94	88	81	78
		F	93	97	103	100	98	106	109	107	97	97
540	Ulcer of stomach	M	101	100	103	96	88	90	89	85	77	74
		F	93	97	103	100	96	97	101	103	97	94
541	Ulcer of duodenum	M	86	91	108	102	96	102	100	93	88	83
		F	78	93	106	101	106	128	131	127	111	115
550–553	Appendicitis	M	112	110	101	88	81	80	70	75	71	65
		F	104	113	99	89	70	82	69	63	57	61
560–561	Hernia of abdominal cavity	M	104	101	100	99	91	90	98	90	88	81
		F	107	102	102	96	92	88	86	92	84	76
570–578	Other diseases of intestines and peritoneum	M	129	108	99	93	93	87	88	82	82	84
		F	122	103	100	97	96	90	93	91	92	91
580–587	Diseases of liver, gallbladder and pancreas	M	91	96	97	106	105	105	104	100	100	105
		F	93	102	101	97	101	101	102	95	94	89
581	Cirrhosis of liver	M	92	94	101	105	105	101	98	97	103	99
		F	78	94	106	100	104	109	110	107	106	104
584	Cholelithiasis	M	92	106	92	102	101	114	115	113	99	111
		F	92	107	99	95	100	95	96	89	88	79
585	Cholecystitis without mention of calculi	M	97	101	92	107	115	106	102	103	97	99
		F	108	104	100	96	91	94	88	82	76	74
587	Diseases of pancreas	M	82	88	94	118	96	112	126	109	111	133
		F	90	100	99	101	114	114	133	121	121	118

TABLE 9—*continued*

ISC No.	Causes of death		1949	1950	1951	1952	1953	1954	1955	1956	1957	1958
590–637	Diseases of the genito-urinary system	M	107	105	101	94	89	90	84	82	76	72
		F	103	108	101	91	86	85	83	80	76	74
590–594	Nephritis and nephrosis	M	108	106	101	92	86	83	76	79	69	66
		F	107	109	102	89	80	76	70	64	58	57
600–609	Other diseases of urinary system	M	96	99	103	97	103	106	103	102	106	100
		F	91	104	99	97	102	114	126	129	134	135
610–617	Diseases of male genital organs	M	109	105	101	94	88	90	84	78	73	71
610	Hyperplasia of prostate	M	111	105	101	95	90	92	86	80	74	73
640–689	Deliveries and complications of pregnancy, childbirth and the puerperium	F	128	110	101	89	96	87	80	74	67	66
690–716	Diseases of the skin and cellular tissue	M	107	105	105	90	101	83	67	65	68	71
		F	90	95	104	101	100	89	87	78	65	73
720–749	Diseases of the bones and organs of movement	M	130	98	103	100	107	113	111	112	103	108
		F	144	99	106	95	96	111	127	114	111	116
720–727	Arthritis and rheumatism except rheumatic fever	M	166	104	109	88	104	123	116	120	104	118
		F	162	101	103	96	98	111	131	114	110	117
722	Rheumatoid arthritis and allied conditions	M	167	98	111	91	108	129	123	117	102	123
		F	167	102	102	95	96	115	134	118	111	118
723	Osteo-arthritis (arthrosis and allied conditions)	M	148	112	103	85	103	131	125	141	121	116
		F	122	95	107	97	102	104	134	117	112	124
730–738	Osteomyelitis and other diseases of bone and joint	M	94	95	101	104	109	97	99	92	91	79
		F	99	88	116	96	87	112	111	115	112	116
750–759	Congenital malformations	M	99	103	99	99	96	103	107	107	112	111
		F	102	100	99	100	98	104	104	104	113	110
E800–E999	Accidents, poisonings and violence	M	99	98	103	99	101	103	105	105	103	106
		F	100	101	104	96	104	112	115	118	113	117
E810–E835	Motor vehicle accidents	M	92	98	105	97	103	105	111	113	111	121
		F	91	101	107	92	97	109	117	119	111	126
E890–E895	Accidental poisoning by gases and vapours	M	99	88	108	104	135	136	156	148	150	173
		F	85	90	106	103	109	129	155	144	145	162
E900–E904	Accidental falls	M	101	93	108	99	104	122	115	120	111	112
		F	98	103	105	92	106	118	118	120	111	115
E910–E936	Other accidents	M	107	97	104	99	97	89	98	90	89	92
		F	105	96	104	100	106	100	98	98	92	92
E970–E979	Suicide and self-inflicted injury	M	109	102	100	98	106	110	105	109	107	106
		F	109	101	103	97	108	115	119	126	129	127

TABLE 10. Death rates per 100,000 population at all ages and at ages over one year and infant mortality rates (deaths under 1 year per 1,000 live births) from certain causes, by sex, in each year 1954 to 1958 — **England and Wales**

Age	Males					Females				
	1954	1955	1956	1957	1958	1954	1955	1956	1957	1958
All causes										
All ages	1,220	1,248	1,245	1,231	1,245	1,053	1,093	1,095	1,068	1,097
1–4 years	106	104	98	104	99	82	97	83	90	77
5–14 ,,	46	47	43	46	44	33	34	30	32	27
15–24 ,,	97	103	93	103	95	54	48	45	49	45
25–44 ,,	195	189	185	186	181	154	144	140	141	132
45–64 ,,	1,348	1,353	1,349	1,371	1,351	773	768	755	759	745
65–74 ,,	5,334	5,422	5,424	5,400	5,425	3,164	3,234	3,182	3,092	3,088
75 and over	13,748	14,380	14,313	13,353	13,993	10,559	11,071	11,014	10,206	10,735
Infant mortality	28·73	28·09	26·76	25·76	25·29	22·02	21·47	20·34	20·31	19·60
Tuberculosis, all forms (ISC Nos. 001-019)										
All ages	25	21	18	16	15	11	8·5	6·8	5·9	5·4
1–4 years	3·7	2·3	1·9	*1·3*	*1·1*	3·2	2·7	*1·5*	2·4	*1·2*
5–14 ,,	0·86	0·64	0·57	0·56	*0·51*	1·1	0·97	*0·36*	*0·44*	*0·41*
15–24 ,,	5·0	3·1	1·5	1·4	1·6	7·3	4·0	2·8	1·5	1·3
25–44 ,,	18	14	10	8·3	7·1	16	12	8·9	8·0	5·9
45–64 ,,	51	42	34	30	28	12	10	7·9	6·4	7·2
65–74 ,,	82	73	66	63	60	17	13	13	12	12
75 and over	45	45	50	46	45	14	15	15	12	13
Infant mortality	0·07	*0·03*	*0·03*	*0·02*	*0·02*	*0·04*	*0·06*	*0·01*	*0·01*	*0·02*
Malignant neoplasm of stomach (ISC No. 151)										
All ages	37	37	36	37	36	27	27	27	26	26
1–4 years	*0·07*	—	—	—	—	—	—	—	—	—
5–14 ,,	—	—	—	—	—	—	—	—	—	—
15–24 ,,	*0·11*	*0·07*	*0·11*	*0·11*	*0·18*	*0·18*	*0·21*	*0·22*	*0·11*	*0·07*
25–44 ,,	4·9	4·1	4·3	4·1	4·0	2·7	2·6	2·8	2·7	2·7
45–64 ,,	56	56	54	56	55	28	26	25	24	24
65–74 ,,	197	195	190	188	193	107	105	100	97	100
75 and over	292	312	290	306	294	214	215	217	202	210
Infant mortality	—	—	—	—	—	—	—	—	—	—
Malignant neoplasm of trachea, bronchus and lung (ISC Nos. 162, 163)										
All ages	65	69	72	76	78	10	11	11	11	12
1–4 years	*0·15*	—	—	*0·07*	*0·07*	—	—	*0·08*	—	*0·08*
5–14 ,,	*0·03*	*0·06*	*0·03*	*0·03*	*0·03*	—	—	*0·06*	—	—
15–24 ,,	*0·52*	*0·51*	*0·22*	*0·44*	*0·25*	*0·21*	*0·18*	*0·22*	*0·14*	*0·18*
25–44 ,,	10	9·8	9·8	9·5	9·6	2·5	2·4	2·5	2·4	3·0
45–64 ,,	153	156	162	166	166	17	18	19	20	20
65–74 ,,	303	330	346	364	392	38	39	39	39	40
75 and over	187	212	232	248	274	38	39	44	45	46
Infant mortality	—	—	—	—	—	—	*0·00*	—	—	—
Malignant neoplasm of breast (ISC No. 170)										
All ages	0·38	0·36	0·32	0·32	0·34	36	37	37	37	38
1–4 years	—	—	—	—	—	—	—	—	—	—
5–14 ,,	—	—	—	—	—	—	—	—	—	—
15–24 ,,	—	—	—	—	—	*0·11*	*0·04*	*0·14*	*0·18*	*0·07*
25–44 ,,	*0·10*	*0·06*	*0·06*	*0·02*	*0·08*	13	12	12	12	13
45–64 ,,	0·56	0·61	0·54	0·50	0·44	62	64	63	64	65
65–74 ,,	1·9	1·4	1·6	1·7	*1·4*	105	106	106	102	109
75 and over	*2·9*	3·2	*2·1*	*2·7*	3·7	165	164	166	163	165
Infant mortality	—	—	—	—	—	—	—	—	*0·00*	—
Malignant neoplasm of uterus (ISC Nos. 171-174)										
All ages						17	17	17	17	18
1–4 years						*0·08*	*0·08*	—	—	—
5–14 ,,						—	—	—	—	*0·03*
15–24 ,,						*0·14*	*0·14*	*0·25*	*0·18*	*0·07*
25–44 ,,						5·6	6·0	6·1	6·7	7·0
45–64 ,,						31	30	30	28	31
65–74 ,,						52	52	53	51	51
75 and over						61	60	58	64	63
Infant mortality						—	—	—	—	*0·00*
Leukaemia (ISC No. 204)										
All ages	5·4	5·7	5·7	6·0	6·0	4·4	4·3	4·7	4·7	4·6
1–4 years	5·6	4·4	5·7	5·5	5·1	3·6	5·8	4·5	4·2	3·9
5–14 ,,	2·8	2·6	2·9	2·8	3·5	2·1	2·3	2·9	2·1	2·0
15–24 ,,	2·4	2·5	2·9	2·7	2·2	2·0	1·6	1·9	1·2	1·1
25–44 ,,	2·8	2·8	2·8	2·7	2·9	2·1	2·2	2·1	2·5	2·1
45–64 ,,	6·8	7·6	6·8	7·4	7·6	5·4	5·1	5·5	5·6	5·2
65–74 ,,	18	21	18	19	19	13	11	12	12	12
75 and over	18	23	28	31	25	13	13	14	16	19
Infant mortality	*0·03*	*0·01*	*0·01*	*0·01*	*0·03*	*0·03*	*0·02*	*0·02*	*0·03*	*0·03*

TABLE 10—*continued*

Age	Males					Females				
	1954	1955	1956	1957	1958	1954	1955	1956	1957	1958
All malignant neoplasms (ISC Nos. 140-205)										
All ages	222	225	227	231	233	186	187	189	189	193
1–4 years	12	11	12	11	12	8·0	11	11	7·7	8·9
5–14 ,,	6·4	6·8	7·5	6·4	8·0	5·2	5·0	6·1	4·7	5·2
15–24 ,,	10	9·9	10	11	9·0	7·2	6·3	7·1	5·7	7·2
25–44 ,,	37	37	37	36	36	45	44	45	44	46
45–64 ,,	357	359	361	367	366	263	262	260	261	263
65–74 ,,	1,091	1,101	1,110	1,123	1,150	630	631	625	611	624
75 and over	1,672	1,706	1,709	1,720	1,730	1,082	1,076	1,085	1,075	1,085
Infant mortality	0·07	0·07	0·07	0·05	0·09	0·08	0·06	*0·05*	0·10	0·08
Diabetes mellitus (ISC No. 260)										
All ages	4·9	5·1	5·1	4·7	5·3	8·6	9·6	9·2	9·1	9·3
1–4 years	*0·15*	*0·22*	*0·37*	*0·22*	*0·44*	*0·39*	*0·31*	*0·16*	*0·31*	*0·31*
5–14 ,,	*0·09*	*0·20*	*0·20*	*0·20*	*0·08*	*0·31*	*0·30*	*0·21*	*0·32*	*0·21*
15–24 ,,	*0·63*	*0·47*	*0·44*	*0·44*	*0·39*	0·99	*0·43*	*0·40*	0·72	*0·32*
25–44 ,,	1·1	1·2	1·3	0·96	1·3	1·0	1·1	0·79	0·75	0·90
45–64 ,,	3·8	4·5	4·8	4·5	4·9	7·1	8·2	7·2	7·3	7·0
65–74 ,,	27	26	27	23	26	40	41	40	39	39
75 and over	61	60	56	55	63	63	73	74	68	72
Infant mortality	*0·01*	*0·01*	*0·01*	*0·00*	*0·01*	—	—	*0·00*	—	*0·01*
Vascular lesions of central nervous system (ISC Nos. 330-334)										
All ages	143	145	144	141	144	181	187	188	185	192
1–4 years	*0·15*	*0·15*	*0·15*	*0·37*	*0·29*	*0·31*	*0·16*	*0·31*	*0·47*	*0·39*
5–14 ,,	0·71	*0·52*	0·74	0·62	*0·31*	*0·46*	*0·27*	0·71	*0·47*	*0·50*
15–24 ,,	2·0	1·6	2·0	1·5	1·7	1·2	1·6	1·4	1·3	1·1
25–44 ,,	7·6	6·7	7·6	7·4	8·0	8·4	8·2	8·1	7·6	7·9
45–64 ,,	116	109	109	108	106	112	108	105	105	101
65–74 ,,	723	717	707	693	698	639	640	613	600	599
75 and over	2,167	2,296	2,254	2,152	2,242	2,034	2,115	2,136	2,042	2,153
Infant mortality	*0·03*	*0·04*	*0·05*	*0·04*	*0·04*	*0·01*	*0·01*	*0·03*	*0·02*	*0·01*
Arteriosclerotic heart disease (ISC No. 420)										
All ages	202	210	221	223	240	108	116	122	124	137
1–4 years	—	*0·07*	*0·07*	—	—	—	—	*0·16*	—	—
5–14 ,,	—	—	—	—	*0·03*	—	—	*0·03*	*0·03*	—
15–24 ,,	*0·33*	*0·66*	*0·44*	*0·29*	*0·39*	*0·04*	*0·21*	*0·11*	*0·04*	*0·04*
25–44 ,,	19	20	22	22	24	2·7	2·8	3·0	2·8	3·2
45–64 ,,	293	304	317	325	346	75	80	80	81	88
65–74 ,,	1,089	1,111	1,174	1,167	1,233	481	492	517	524	549
75 and over	1,787	1,880	1,967	1,933	2,134	1,014	1,102	1,140	1,122	1,263
Infant mortality	—	—	*0·00*	—	*0·00*	—	—	—	*0·00*	—
All cardiovascular diseases (ISC Nos. 401-468)										
All ages	445	452	456	442	459	397	413	412	398	418
1–4 years	*1·0*	*0·82*	*1·0*	*0·74*	*0·88*	*0·15*	*0·78*	*0·55*	*0·62*	*0·62*
5–14 ,,	1·9	1·2	1·5	1·1	0·98	2·2	2·0	1·2	1·1	*0·50*
15–24 ,,	7·1	7·1	6·2	5·5	4·4	6·7	5·7	5·6	5·3	3·6
25–44 ,,	41	39	41	41	41	27	23	23	23	21
45–64 ,,	444	449	460	467	478	199	199	196	195	195
65–74 ,,	2,081	2,082	2,106	2,065	2,108	1,221	1,235	1,235	1,187	1,197
75 and over	6,216	6,388	6,309	5,781	6,149	4,971	5,167	5,029	4,663	4,968
Infant mortality	*0·03*	*0·03*	*0·04*	*0·02*	0·06	*0·05*	*0·02*	*0·03*	*0·03*	0·06
Influenza (ISC Nos. 480-483)										
All ages	4·1	6·8	5·9	16	5·6	4·1	6·6	5·8	14	5·1
1–4 years	*0·44*	*0·97*	*0·60*	4·0	*1·0*	*0·77*	*1·2*	*0·86*	2·8	*0·69*
5–14 ,,	*0·32*	*0·26*	*0·23*	3·0	*0·28*	*0·25*	*0·39*	*0·24*	4·2	*0·29*
15–24 ,,	0·77	0·91	*0·37*	4·6	*0·64*	0·71	*0·50*	*0·25*	5·3	*0·60*
25–44 ,,	1·1	1·3	0·81	4·0	1·4	0·72	0·85	0·46	4·4	1·0
45–64 ,,	4·9	7·4	6·0	23	7·2	2·9	3·7	3·3	12	3·5
65–74 ,,	14	26	24	73	23	11	17	14	39	14
75 and over	46	85	78	106	52	42	77	71	85	47
Infant mortality	0·06	0·09	0·07	0·11	*0·04*	*0·03*	*0·05*	*0·02*	0·10	*0·05*
Pneumonia (ISC Nos. 490-493, 763)										
All ages	46	52	54	56	57	40	46	50	49	52
1–4 years	16	14	13	14	16	11	13	12	15	12
5–14 ,,	2·4	1·9	1·7	2·6	1·7	2·6	2·2	2·0	2·7	2·1
15–24 ,,	2·1	1·8	2·3	3·3	2·7	2·1	1·7	1·5	2·6	1·4
25–44 ,,	4·4	4·6	4·5	5·0	4·6	4·1	3·5	3·8	4·5	3·4
45–64 ,,	34	38	37	42	38	18	20	19	23	21
65–74 ,,	164	190	198	216	207	95	112	117	118	118
75 and over	572	695	758	716	796	430	528	585	521	586
Infant mortality	4·01	4·00	3·82	3·35	3·42	3·06	2·91	2·72	2·65	2·77

TABLE 10—*continued*

Age	Males					Females				
	1954	1955	1956	1957	1958	1954	1955	1956	1957	1958
Bronchitis (ISC Nos. 500-502)										
All ages	**81**	**90**	**92**	**88**	**93**	**38**	**42**	**43**	**35**	**39**
1–4 years	4·3	4·8	5·8	3·9	4·0	3·1	2·5	3·1	3·4	3·2
5–14 ,,	0·71	0·58	*0·54*	*0·48*	0·73	0·68	*0·36*	*0·45*	0·65	*0·53*
15–24 ,,	*0·59*	0·95	*0·55*	*0·40*	0·93	*0·53*	*0·46*	*0·40*	*0·50*	*0·64*
25–44 ,,	3·8	4·2	3·4	3·8	4·0	1·6	2·0	2·2	2·1	2·1
45–64 ,,	99	111	113	111	112	21	22	23	21	23
65–74 ,,	434	485	503	484	518	118	137	134	115	117
75 and over	856	950	973	846	951	442	480	494	358	407
Infant mortality	0·58	0·65	0·54	0·45	0·54	0·41	0·41	0·35	0·35	0·40
All diseases of respiratory system (ISC Nos. 470-527)										
All ages	**146**	**165**	**168**	**175**	**170**	**87**	**101**	**106**	**103**	**102**
1–4 years	24	21	21	24	23	16	19	18	23	18
5–14 ,,	4·5	3·6	3·3	6·9	3·6	4·8	3·9	3·5	8·2	3·7
15–24 ,,	4·5	4·6	4·0	9·3	5·3	4·3	3·4	3·1	9·0	3·4
25–44 ,,	13	13	12	16	13	8·7	8·5	8·8	13	8·2
45–64 ,,	167	186	182	204	183	49	53	52	62	55
65–74 ,,	696	791	812	860	831	240	282	281	288	265
75 and over	1,594	1,857	1,934	1,778	1,918	978	1,155	1,223	1,018	1,095
Infant mortality	3·46	3·49	3·17	2·88	2·82	2·74	2·56	2·31	2·41	2·42
Ulcer of stomach and duodenum (ISC Nos. 540-541)										
All ages	**19**	**19**	**18**	**16**	**16**	**6·4**	**6·7**	**6·8**	**6·3**	**6·3**
1–4 years	*0·22*	—	—	—	—	*0·08*	—	—	*0·08*	—
5–14 ,,	—	—	*0·03*	*0·06*	*0·08*	—	—	*0·03*	*0·03*	*0·03*
15–24 ,,	*0·48*	*0·26*	*0·29*	*0·44*	*0·28*	*0·14*	*0·07*	—	*0·18*	*0·07*
25–44 ,,	3·5	3·2	3·2	2·5	2·2	0·89	0·90	0·71	0·65	0·89
45–64 ,,	27	27	24	22	20	5·8	5·3	5·0	4·5	4·5
65–74 ,,	95	97	87	82	78	23	25	23	22	21
75 and over	166	158	163	155	158	56	61	66	60	59
Infant mortality	*0·02*	—	*0·01*	*0·01*	*0·02*	*0·01*	*0·01*	*0·01*	*0·00*	*0·01*
Appendicitis (ISC Nos. 550-553)										
All ages	**2·6**	**2·3**	**2·4**	**2·3**	**2·1**	**1·8**	**1·6**	**1·4**	**1·3**	**1·4**
1–4 years	1·8	*1·2*	*1·0*	*1·0*	1·7	*1·3*	*0·70*	*0·86*	*0·55*	*0·62*
5–14 ,,	1·3	1·1	1·2	0·85	0·73	0·90	0·70	*0·57*	*0·47*	*0·53*
15–24 ,,	1·1	1·2	*0·59*	0·87	*0·61*	*0·64*	*0·43*	0·36	*0·36*	*0·43*
25–44 ,,	1·0	1·0	1·1	0·94	0·77	0·53	0·53	0·35	0·40	*0·39*
45–64 ,,	3·3	2·9	3·1	2·9	2·6	1·7	1·7	1·4	1·3	1·3
65–74 ,,	8·5	6·2	8·0	9·0	8·0	5·5	5·0	4·4	3·8	3·6
75 and over	15	14	16	13	14	11	7·5	8·6	7·3	9·2
Infant mortality	*0·01*	*0·01*	*0·01*	*0·00*	*0·01*	—	—	—	*0·00*	*0·01*
Nephritis and nephrosis (ISC Nos. 590-594)										
All ages	**12**	**11**	**12**	**10**	**9·9**	**11**	**10**	**9·2**	**8·4**	**8·2**
1–4 years	*1·3*	*1·4*	*1·3*	*0·74*	*0·44*	*0·77*	*0·94*	*0·47*	*0·70*	*0·39*
5–14 ,,	1·6	1·3	1·5	1·3	0·93	1·3	1·4	1·1	0·77	0·74
15–24 ,,	4·0	4·6	3·7	4·0	2·7	3·5	2·4	2·8	2·6	2·4
25–44 ,,	6·3	5·9	6·0	5·8	5·1	4·1	4·0	3·8	3·5	3·5
45–64 ,,	17	14	15	13	14	12	11	9·6	9·0	7·6
65–74 ,,	44	40	41	34	32	32	28	28	24	25
75 and over	92	88	98	80	77	63	62	55	49	53
Infant mortality	*0·01*	*0·03*	*0·03*	*0·02*	*0·03*	*0·03*	*0·02*	*0·02*	*0·02*	*0·01*
All diseases (ISC Nos. 001-795)										
All ages	**1,161**	**1,188**	**1,185**	**1,171**	**1,183**	**1,017**	**1,056**	**1,056**	**1,031**	**1,058**
1–4 years	82	80	74	81	75	67	78	65	72	61
5–14 ,,	29	28	27	30	26	26	26	23	26	21
15–24 ,,	49	47	42	48	39	46	39	36	41	34
25–44 ,,	152	144	142	142	134	142	132	128	128	119
45–64 ,,	1,279	1,286	1,279	1,302	1,282	744	738	723	727	713
65–74 ,,	5,208	5,297	5,298	5,280	5,312	3,085	3,157	3,105	3,015	3,009
75 and over	13,427	14,063	13,981	13,041	13,666	10,253	10,758	10,690	9,907	10,418
Infant mortality	27·73	27·11	25·84	25·00	24·49	21·30	20·75	19·67	19·65	19·00
Motor vehicle traffic accidents (ISC Nos. E810-E825)										
All ages	**15**	**17**	**17**	**17**	**18**	**5·0**	**5·4**	**5·5**	**5·2**	**6·0**
1–4 years	8·6	7·7	10	7·6	8·0	5·2	6·9	6·3	5·3	5·2
5–14 ,,	6·8	8·1	7·3	7·1	8·1	3·2	3·6	3·2	3·0	3·2
15–24 ,,	25	30	29	31	34	3·7	5·1	4·1	4·4	4·9
25–44 ,,	13	14	15	14	15	2·3	2·4	2·6	2·3	2·6
45–64 ,,	14	14	15	14	16	4·5	4·3	4·9	4·7	5·3
65–74 ,,	26	27	26	26	27	12	12	13	12	14
75 and over	56	53	59	60	63	22	23	23	22	25
Infant mortality	*0·01*	*0·01*	*0·01*	*0·01*	*0·01*	*0·00*	*0·01*	*0·01*	*0·01*	*0·01*

TABLE 10—*continued*

Age	Males					Females				
	1954	1955	1956	1957	1958	1954	1955	1956	1957	1958
Accidents in the home and residential institutions (ISC Nos. E870·0 and 7—E936·0 and 7)										
All ages	**12**	**11**	**12**	**11**	**12**	**18**	**18**	**19**	**18**	**19**
1–4 years	8·2	7·9	6·6	8·4	9·0	6·6	8·3	9·3	8·0	7·6
5–14 ,,	1·5	1·6	1·4	1·4	1·6	1·8	1·9	1·8	1·3	1·7
15–24 ,,	1·8	1·7	2·1	1·7	1·8	1·3	0·78	0·94	0·97	1·0
25–44 ,,	2·3	2·5	2·6	2·9	2·8	1·8	1·9	1·8	1·6	1·6
45–64 ,,	6·1	6·2	6·3	6·6	7·2	6·4	5·8	6·4	6·5	6·5
65–74 ,,	30	27	29	29	27	37	35	33	33	34
75 and over	166	164	173	153	166	240	242	249	230	239
Infant mortality	0·87	0·85	0·79	0·63	0·69	0·57	0·58	0·58	0·53	0·49
Suicide and self-inflicted injury (ISC Nos. E970-E979)										
All ages	**15**	**14**	**15**	**15**	**15**	**8·1**	**8·4**	**9·0**	**9·2**	**9·1**
1–4 years	—	—	—	—	—	—	—	—	—	—
5–14 ,,	*0·12*	*0·17*	*0·09*	*0·08*	*0·08*	—	*0·06*	*0·06*	*0·03*	—
15–24 ,,	4·3	4·0	4·5	4·3	4·6	1·8	1·3	1·9	2·1	2·3
25–44 ,,	12	11	11	11	13	6·5	6·0	6·0	6·4	6·7
45–64 ,,	28	26	27	27	27	15	17	18	18	17
65–74 ,,	43	42	43	40	37	20	20	22	23	21
75 and over	44	46	49	47	46	13	13	14	14	16
Infant mortality	—	—	—	—	—	—	—	—	—	—
All violent causes (ISC Nos. E800-E999)										
All ages	**59**	**60**	**60**	**59**	**61**	**36**	**37**	**38**	**37**	**39**
1–4 years	24	23	25	23	24	15	19	18	17	16
5–14 ,,	16	20	16	16	18	6·9	7·8	7·1	6·4	6·8
15–24 ,,	48	56	51	55	56	8·6	8·9	8·4	8·9	10
25–44 ,,	44	45	44	44	48	12	12	12	12	13
45–64 ,,	69	67	70	68	70	29	30	33	32	32
65–74 ,,	126	124	126	120	113	78	77	76	76	79
75 and over	321	317	332	313	327	307	313	324	299	317
Infant mortality	1·01	0·98	0·92	0·76	0·80	0·72	0·72	0·67	0·66	0·60

TABLE 11. Deaths of infants under 1 year from certain causes, 1949 to 1958 — England and Wales

See explanatory notes.

ISC No.	Causes of death	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958
	ALL CAUSES	**23,882**	**20,817**	**20,223**	**18,555**	**18,324**	**17,160**	**16,613**	**16,554**	**16,720**	**16,685**
010	Tuberculosis of meninges and central nervous system	85	52	56	38	16	10	11	5	3	3
001-008, 011-019	Other tuberculosis	81	74	43	30	47	26	17	8	10	9
020	Congenital syphilis	62	31	19	20	8	2	—	3	—	3
056	Whooping cough	357	277	273	111	167	95	60	63	68	18
057	Meningococcal infections	112	103	104	115	123	105	77	71	76	72
080, 081	Acute poliomyelitis	25	48	6	12	6	4	6	5	4	—
085	Measles	86	70	98	37	57	14	38	4	20	15
Rem. of 001-138	Other infective and parasitic diseases	95	83	77	77	99	85	56	71	59	71
140-205	Malignant neoplasms (including neoplasm of lymphatic and haematopoietic tissues)	62	51	56	60	50	49	46	43	55	61
250-277	Diseases of the endocrine glands	48	43	58	53	56	53	47	47	40	45
295,296,771	Haemorrhagic conditions	192	198	239	190	207	233	222	234	192	256
330-334	Vascular lesions affecting central nervous system	38	31	17	20	17	14	18	26	24	17
340-343	Inflammatory diseases of central nervous system	197	203	171	141	180	142	149	149	166	175
390-396	Diseases of ear and mastoid process	151	146	114	68	100	73	68	61	43	36
480-483	Influenza	115	77	161	37	77	31	48	30	77	33
490-493,763	Pneumonia	4,012	3,276	3,469	3,009	2,940	2,390	2,315	2,301	2,178	2,298
500-502	Bronchitis	484	477	455	375	430	335	357	311	291	348
470-475, 510-527	Other respiratory diseases	91	119	114	91	95	99	94	90	86	103
543	Gastritis and duodenitis	25	17	16	21	14	6	6	2	1	3
571, 764	Gastro-enteritis	1,945	1,160	831	676	665	461	439	319	318	270
690-716	Diseases of the skin and subcutaneous tissue	45	51	43	46	34	21	23	21	20	17
751	Spina bifida and meningocele	662	571	626	671	629	759	758	758	733	737
752	Congenital hydrocephalus	345	354	288	336	294	342	342	351	342	351
754·0-754·5	Congenital malformations of heart	1,049	1,085	981	1,009	1,045	1,069	984	848	1,151	1,117
757	Congenital malformations of genito-urinary system	105	106	92	104	97	107	128	116	145	135
Rem. of 750-759	Other congenital malformations	993	920	877	946	869	889	881	1,142	977	1,049
760, 761	Injury at birth	1,875	1,782	1,912	1,830	1,797	1,818	1,786	1,845	1,830	1,805
762	Postnatal asphyxia and atelectasis	2,303	2,244	2,341	2,351	2,388	2,392	2,306	2,381	2,694	2,645
766-768	Pemphigus and sepsis of newborn	69	67	65	69	75	76	57	68	80	70
770	Haemolytic disease of newborn	552	502	505	435	408	461	363	349	371	377
774, 776	Immaturity	4,975	4,185	3,886	3,602	3,546	3,208	3,171	3,181	3,108	2,960
E900-E904	Accidental falls	16	13	14	16	9	8	14	11	17	13
E916, E917	Accident by fire or hot substance	34	19	18	23	14	23	17	10	9	13
E921, E922	Obstruction by inhalation or ingestion	309	306	281	263	219	251	238	249	200	200
E924, E925	Accidental mechanical suffocation	343	286	294	243	202	183	179	192	162	175
E926	Lack of care of newborn	130	92	104	96	83	56	61	44	60	55
Rem. of E800-E965	Other accidents	28	24	34	37	44	28	39	33	36	42
	All other causes	1,786	1,674	1,485	1,297	1,217	1,242	1,192	1,112	1,074	1,088

TABLE 12. Infant mortality rates (deaths under 1 year per 1,000 live births*) from certain causes, 1949 to 1958 — England and Wales

See explanatory notes.

ISC No.	Causes of death	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958
	ALL CAUSES	**32·37**	**29·63**	**29·66**	**27·59**	**26·82**	**25·42**	**24·91**	**23·75**	**23·11**	**22·53**
010	Tuberculosis of meninges and central nervous system	0·11	0·06	0·08	0·06	*0·02*	*0·01*	*0·02*	*0·01*	*0·00*	*0·00*
001-008, 011-019	Other tuberculosis	0·10	0·11	0·06	0·04	0·07	0·04	*0·02*	*0·01*	*0·01*	*0·01*
020	Congenital syphilis	0·08	0·04	*0·03*	0·03	*0·01*	*0·00*	—	*0·00*	—	*0·00*
056	Whooping cough	0·48	0·38	0·40	0·17	0·24	0·14	0·09	0·09	0·09	*0·02*
057	Meningococcal infections	0·15	0·14	0·15	0·17	0·18	0·15	0·11	0·10	0·11	0·10
080, 081	Acute poliomyelitis	0·03	0·08	*0·01*	*0·02*	*0·01*	*0·00*	*0·01*	*0·01*	*0·01*	—
085	Measles	0·11	0·10	0·14	0·05	0·08	*0·02*	0·06	*0·00*	0·03	*0·02*
Rem. of 001-138	Other infective and parasitic diseases	0·12	0·11	0·11	0·11	0·14	0·12	0·08	0·10	0·08	0·10
140-205	Malignant neoplasms (including neoplasm of lymphatic and haematopoietic tissues)	0·08	0·07	0·08	0·09	0·07	0·07	0·07	0·06	0·08	0·08
250-277	Diseases of the endocrine glands	0·06	0·06	0·08	0·08	0·08	0·08	0·07	0·06	0·06	0·06
295,296,771	Haemorrhagic conditions	0·27	0·29	0·35	0·28	0·30	0·34	0·33	0·33	0·27	0·35
330-334	Vascular lesions affecting central nervous system	0·05	0·04	*0·02*	0·02	*0·02*	*0·02*	*0·02*	0·04	0·03	*0·02*
340-343	Inflammatory diseases of central nervous system	0·26	0·28	0·25	0·21	0·26	0·21	0·22	0·21	0·23	0·24
390-396	Diseases of ear and mastoid process	0·21	0·20	0·17	0·10	0·14	0·10	0·10	0·09	0·06	0·05
480-483	Influenza	0·16	0·11	0·24	0·05	0·11	0·04	0·07	0·04	0·11	0·04
490-493 763	Pneumonia	5·40	4·63	5·09	4·48	4·31	3·53	3·47	3·31	3·01	3·10
500-502	Bronchitis	0·65	0·67	0·67	0·56	0·63	0·49	0·53	0·45	0·40	0·47
470-475, 510-527	Other respiratory diseases	0·13	0·17	0·17	0·13	0·14	0·14	0·14	0·13	0·12	0·14
543	Gastritis and duodenitis	0·03	*0·02*	*0·02*	0·03	*0·02*	*0·01*	*0·01*	*0·00*	*0·00*	*0·00*
571, 764	Gastro-enteritis	2·59	1·63	1·22	1·01	0·97	0·68	0·66	0·46	0·44	0·36
690-716	Diseases of the skin and subcutaneous tissue	0·06	0·07	0·06	0·07	0·05	0·03	0·03	0·03	0·03	*0·02*
751	Spina bifida and meningocele	0·90	0·81	0·92	1·00	0·92	1·12	1·13	1·09	1·01	0·99
752	Congenital hydrocephalus	0·46	0·50	0·42	0·50	0·43	0·50	0·51	0·50	0·47	0·47
754·0-754·5	Congenital malformations of heart	1·43	1·55	1·44	1·50	1·53	1·58	1·47	1·59	1·59	1·51
757	Congenital malformations of genito-urinary system	0·14	0·16	0·13	0·15	0·14	0·16	0·19	0·16	0·20	0·18
Rem. of 750-759	Other congenital malformations	1·34	1·31	1·29	1·41	1·27	1·32	1·32	1·26	1·35	1·42
760, 761	Injury at birth	2·56	2·55	2·82	2·72	2·62	2·70	2·68	2·64	2·53	2·44
762	Postnatal asphyxia and atelectasis	3·14	3·21	3·44	3·49	3·49	3·55	3·45	3·40	3·72	3·57
766-768	Pemphigus and sepsis of newborn	0·09	0·10	0·10	0·10	0·11	0·11	0·08	0·10	0·11	0·09
770	Haemolytic disease of newborn	0·75	0·71	0·74	0·65	0·59	0·68	0·54	0·50	0·51	0·51
774, 776	Immaturity	6·79	5·99	5·70	5·35	5·18	4·76	4·75	4·55	4·30	4·00
E900-E904	Accidental falls	*0·02*	*0·01*	*0·02*	*0·02*	*0·01*	*0·01*	*0·02*	*0·01*	*0·02*	*0·02*
E916, E917	Accident by fire or hot substance	0·04	*0·02*	*0·03*	0·03	*0·02*	0·03	*0·02*	*0·01*	*0·01*	*0·02*
E921, E922	Obstruction by inhalation or ingestion	0·41	0·44	0·41	0·39	0·32	0·37	0·36	0·36	0·28	0·27
E924, E925	Accidental mechanical suffocation	0·47	0·40	0·43	0·36	0·29	0·27	0·27	0·27	0·22	0·24
E926	Lack of care of newborn	0·18	0·12	0·15	0·14	0·12	0·08	0·09	0·06	0·08	0·07
Rem. of E800-E965	Other accidents	0·03	0·03	0·05	0·05	0·06	0·04	0·06	0·05	0·05	0·06
	All other causes	2·42	2·38	2·17	1·93	1·78	1·84	1·78	1·60	1·35	1·47

* Based on related live births prior to 1957.

TABLE 13. Home population, births, deaths, infant mortality and perinatal mortality, 1958 — **England and Wales, standard regions, Wales, conurbations, counties, boroughs, urban and rural districts**

Note. The perinatal mortality rate is the number of deaths under one week plus stillbirths per 1,000 total live and still births.

*See explanatory notes. For explanation of symbols *, †, ‡ used in this table see note 9.*

Area	Estimated home population as at 30th June 1958	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
ENGLAND AND WALES ..	**45,109,000**	**380,944**	**359,771**	**740,715**	**16·4**	**1·00**	**1·00**	**270,639**	**256,204**	**526,843**	**11·7**	**1·00**	**1·00**	**16,685**	**23**	**11,970**	**10,214**	**16,288**	**35**
Regions and conurbations:																			
Northern	**3,202,000**	**30,529**	**28,815**	**59,344**	**18·5**	**0·98**	**1·11**	**20,258**	**17,481**	**37,739**	**11·8**	**1·14**	**1·15**	**1,520**	**26**	**1,104**	**921**	**1,395**	**38**
Tyneside Conurbation ..	847,990	8,125	7,660	15,785	18·6	0·95	1·08	5,411	4,685	10,096	11·9	1·18	1·20	391	25	286	239	384	39
Remainder of Northern ..	2,354,010	22,404	21,155	43,559	18·5	0·99	1·12	14,847	12,796	27,643	11·7	1·13	1·13	1,129	26	818	682	1,011	38
East and West Ridings	**4,134,000**	**35,248**	**33,285**	**68,533**	**16·6**	**1·00**	**1·01**	**26,212**	**23,848**	**50,060**	**12·1**	**1·08**	**1·12**	**1,672**	**24**	**1,179**	**1,002**	**1,590**	**37**
West Yorkshire Conurbation	1,688,140	14,075	13,236	27,311	16·2	1·01	1·00	11,332	10,875	22,207	13·2	1·03	1·16	673	25	463	401	613	36
Remainder of East and West Ridings	2,445,860	21,173	20,049	41,222	16·9	1·00	1·03	14,880	12,973	27,853	11·4	1·12	1·09	999	24	716	601	977	37
North Western	**6,485,000**	**56,137**	**53,093**	**109,230**	**16·8**	**1·00**	**1·02**	**42,375**	**40,737**	**83,112**	**12·8**	**1·09**	**1·19**	**2,842**	**26**	**2,014**	**1,731**	**2,731**	**40**
South East Lancashire Conurbation	2,415,670	20,734	19,591	40,325	16·7	0·99	1·01	16,004	15,454	31,458	13·0	1·12	1·24	1,020	25	741	642	960	39
Merseyside Conurbation ..	1,383,090	14,054	13,421	27,475	19·9	0·96	1·16	8,015	7,909	15,924	11·5	1·20	1·18	771	28	520	456	713	41
Remainder of North Western	2,686,240	21,349	20,081	41,430	15·4	1·03	0·97	18,356	17,374	35,730	13·3	1·03	1·17	1,051	25	753	633	1,058	40
North Midland	**3,532,000**	**30,280**	**28,893**	**59,173**	**16·8**	**1·00**	**1·02**	**20,570**	**18,516**	**39,086**	**11·1**	**1·08**	**1·02**	**1,337**	**23**	**935**	**797**	**1,386**	**36**
Midland	**4,605,000**	**40,550**	**37,854**	**78,404**	**17·0**	**0·97**	**1·01**	**25,814**	**22,825**	**48,639**	**10·6**	**1·14**	**1·03**	**1,846**	**24**	**1,323**	**1,144**	**1,849**	**37**
West Midlands Conurbation	2,281,070	20,282	18,860	39,142	17·2	0·94	0·99	12,613	11,274	23,887	10·5	1·19	1·07	926	24	668	577	898	37
Remainder of Midland ..	2,323,930	20,268	18,994	39,262	16·9	0·99	1·02	13,201	11,551	24,752	10·7	1·09	1·00	920	23	655	567	951	38
Eastern	**3,515,500**	**30,788**	**29,277**	**60,065**	**17·1**	**1·00**	**1·04**	**19,250**	**18,469**	**37,719**	**10·7**	**0·97**	**0·89**	**1,084**	**18**	**784**	**660**	**1,153**	**30**
London and South Eastern ..	**11,006,000**	**85,646**	**80,693**	**166,339**	**15·1**	**0·97**	**0·89**	**63,177**	**63,830**	**127,007**	**11·5**	**0·98**	**0·96**	**3,258**	**20**	**2,394**	**2,074**	**3,170**	**31**
Greater London	8,222,340	64,422	60,572	124,994	15·2	0·95	0·88	45,517	44,855	90,372	11·0	1·03	0·97	2,486	20	1,841	1,603	2,404	31
Remainder of South Eastern	2,783,660	21,224	20,121	41,345	14·9	1·05	0·95	17,660	18,975	36,635	13·2	0·83	0·94	772	19	553	471	766	29
Southern	**2,908,000**	**25,036**	**23,535**	**48,571**	**16·7**	**1·03**	**1·05**	**16,288**	**16,274**	**32,562**	**11·2**	**0·96**	**0·92**	**983**	**20**	**717**	**617**	**858**	**30**
South Western	**3,106,500**	**24,867**	**23,729**	**48,596**	**15·6**	**1·06**	**1·01**	**19,091**	**19,186**	**38,277**	**12·3**	**0·90**	**0·95**	**1,017**	**21**	**716**	**606**	**1,010**	**33**
Wales (including Monmouthshire)	**2,615,000**	**21,863**	**20,597**	**42,460**	**16·2**	**1·01**	**1·00**	**17,604**	**15,038**	**32,642**	**12·5**	**1·06**	**1·13**	**1,126**	**27**	**804**	**662**	**1,146**	**41**
Wales I (South East) ..	1,876,000	16,046	15,061	31,107	16·6	0·99	1·00	12,399	10,170	22,569	12·0	1·12	1·15	870	28	619	505	862	43
Wales II (remainder) ..	739,000	5,817	5,536	11,353	15·4	1·08	1·01	5,205	4,868	10,073	13·6	0·94	1·09	256	23	185	157	284	38
Urban/Rural aggregates:																			
Conurbations	**16,838,300**	**141,692**	**133,340**	**275,032**	**16·3**	**0·96**	**0·95**	**98,892**	**95,052**	**193,944**	**11·5**	**1·08**	**1·06**	**6,267**	**23**	**4,519**	**3,918**	**5,972**	**35**
Areas outside conurbations:																			
Urban areas with populations of 100,000 and over	5,850,700	50,333	47,305	97,638	16·7	0·99	1·01	35,750	33,497	69,247	11·8	1·06	1·07	2,282	23	1,633	1,368	2,187	36
*Urban areas with populations of 50,000 and under 100,000 ..	3,464,600	28,646	27,411	56,057	16·2	1·00	0·99	21,145	20,801	41,946	12·1	1·06	1·10	1,309	23	946	789	1,264	36
*Urban areas with populations under 50,000	10,050,480	85,398	80,966	166,364	16·6	1·00	1·01	63,203	59,532	122,735	12·2	0·97	1·01	3,714	22	2,632	2,215	3,721	35
*Rural districts	8,904,920	74,875	70,749	145,624	16·4	1·05	1·05	51,649	47,322	98,971	11·1	0·98	0·93	3,113	21	2,240	1,924	3,144	34
ENGLAND (excluding Monmouthshire)																			
BEDFORDSHIRE	**344,000**	**3,200**	**3,111**	**6,311**	**18·3**	**1·01**	**1·13**	**1,767**	**1,592**	**3,359**	**9·8**	**1·06**	**0·89**	**114**	**18**	**89**	**79**	**116**	**30**
Municipal boroughs and urban districts	**234,300**	**2,243**	**2,189**	**4,432**	**18·9**	**0·99**	**1·14**	**1,183**	**1,058**	**2,241**	**9·6**	**1·10**	**0·90**	**77**	**17**	**62**	**55**	**86**	**31**
Ampthill	3,420	31	18	49	14·3	1·00	0·87	18	26	44	12·9	0·76	0·84	1	*20*	1	1	1	*40*
Bedford M.B.	59,480	592	572	1,164	19·6	0·97	1·16	307	288	595	10·0	0·99	0·85	16	*14*	15	13	20	28
Biggleswade	8,110	55	54	109	13·4	0·96	0·78	65	45	110	13·6	0·62	0·72	4	*37*	2	2	5	*61*
Dunstable M.B.	21,300	211	224	435	20·4	0·95	1·18	95	92	187	8·8	1·23	0·93	8	*18*	5	4	9	*29*
Kempston	9,390	67	88	155	16·5	1·07	1·08	34	48	82	8·7	1·06	0·79	2	*13*	2	2	4	*38*
Leighton Buzzard	10,460	128	119	247	23·6	0·95	1·37	54	57	111	10·6	1·11	1·01	5	*20*	3	3	1	*16*
Luton M.B.	118,300	1,116	1,081	2,197	18·6	1·00	1·13	589	488	1,077	9·1	1·21	0·94	40	18	33	29	45	33
Sandy	3,840	43	33	76	19·8	1·02	1·23	21	14	35	9·1	0·99	0·77	1	*13*	1	1	1	*26*
Rural districts	**109,700**	**957**	**922**	**1,879**	**17·1**	**1·07**	**1·12**	**584**	**534**	**1,118**	**10·2**	**0·95**	**0·83**	**37**	**20**	**27**	**24**	**30**	**28**
Ampthill	24,590	191	180	371	15·1	1·01	0·93	135	132	267	10·9	0·97	0·90	4	*11*	2	2	6	*21*
Bedford	32,890	271	267	538	16·4	1·19	1·19	171	152	323	9·8	0·87	0·73	12	*22*	8	6	11	*31*
Biggleswade	27,650	210	206	416	15·0	1·10	1·01	164	144	308	11·1	0·87	0·83	10	*24*	8	8	6	*33*
Luton	24,570	285	269	554	22·5	0·95	1·30	114	106	220	9·0	1·19	0·92	11	*20*	9	8	7	*27*
BERKSHIRE	**473,700**	**4,551**	**4,184**	**8,735**	**18·4**	**0·98**	**1·10**	**2,357**	**2,540**	**4,897**	**10·3**	**0·98**	**0·86**	**156**	**18**	**117**	**107**	**129**	**27**
Reading C.B.	117,900	1,027	941	1,968	16·7	1·01	1·03	595	660	1,255	10·6	0·95	0·86	43	22	33	29	38	33
Administrative county	**355,800**	**3,524**	**3,243**	**6,767**	**19·0**	**0·97**	**1·12**	**1,762**	**1,880**	**3,642**	**10·2**	**0·99**	**0·86**	**113**	**17**	**84**	**78**	**91**	**25**
Municipal boroughs and urban districts	**111,300**	**1,068**	**985**	**2,053**	**18·4**	**0·95**	**1·07**	**614**	**721**	**1,335**	**12·0**	**0·87**	**0·89**	**43**	**21**	**32**	**29**	**32**	**29**
Abingdon M.B.	13,420	137	167	304	22·7	0·91	1·26	60	60	120	8·9	1·24	0·94	2	*7*	1	1	6	*23*
Maidenhead M.B.	31,360	320	295	615	19·6	0·95	1·14	178	222	400	12·8	0·89	0·97	10	*16*	10	9	6	*24*
Newbury M.B.	20,170	207	172	379	18·8	0·99	1·13	112	154	266	13·2	0·84	0·95	17	*45*	12	11	5	*42*
New Windsor M.B.	26,250	221	190	411	15·7	0·90	0·86	126	137	263	10·0	1·08	0·92	7	*17*	3	3	8	*26*
Wallingford M.B.	4,210	35	42	77	18·3	0·94	1·05	31	36	67	15·9	0·28	0·38	1	*13*	1	1	1	*26*
Wantage	5,680	50	43	93	16·4	0·92	0·92	22	30	52	9·2	0·87	0·68	2	*22*	1	1	3	*42*
Wokingham M.B.	10,210	98	76	174	17·0	1·06	1·10	85	82	167	16·4	0·62	0·87	4	*23*	4	3	3	*34*

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1958	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
BERKSHIRE—*continued*																			
Rural districts	**244,500**	**2,456**	**2,258**	**4,714**	**19·3**	**0·98**	**1·15**	**1,148**	**1,159**	**2,307**	**9·4**	**1·05**	**0·84**	**70**	**15**	**52**	**49**	**59**	**23**
Abingdon	28,830	339	286	625	21·7	1·01	1·34	129	142	271	9·4	1·22	0·98	8	*13*	5	5	5	*16*
Bradfield	24,420	231	219	450	18·4	0·93	1·04	125	115	240	9·8	1·01	0·85	3	*7*	2	2	5	*15*
Cookham	15,970	141	169	310	19·4	0·98	1·16	76	60	136	8·5	1·10	0·80	5	*16*	4	4	5	*29*
Easthampstead	37,830	439	414	853	22·5	0·93	1·28	161	159	320	8·5	1·17	0·85	16	*19*	14	14	7	24
Faringdon	13,410	142	121	263	19·6	1·03	1·23	74	57	131	9·8	1·13	0·95	4	*15*	3	3	4	*26*
Hungerford	9,980	98	81	179	17·9	1·12	1·22	56	49	105	10·5	0·82	0·74	3	*17*	3	2	1	*17*
Newbury	20,100	172	162	334	16·6	1·01	1·02	90	73	163	8·1	0·99	0·69	3	*9*	2	2	3	*15*
Wallingford	17,370	154	172	326	18·8	1·06	1·22	104	126	230	13·2	0·76	0·86	8	*25*	6	5	5	*30*
Wantage	16,000	163	149	312	19·5	0·98	1·17	69	59	128	8·0	1·09	0·75	3	*10*	2	2	5	*22*
Windsor	15,020	179	124	303	20·2	0·90	1·11	82	99	181	12·1	0·82	0·85	3	*10*	2	2	5	*23*
Wokingham	45,570	398	361	759	16·7	1·03	1·05	182	220	402	8·8	1·09	0·82	14	*18*	9	8	14	28
BUCKINGHAMSHIRE	**440,600**	**3,910**	**3,709**	**7,619**	**17·3**	**0·97**	**1·02**	**2,174**	**2,149**	**4,323**	**9·8**	**1·07**	**0·90**	**125**	**16**	**97**	**86**	**132**	**28**
***Municipal boroughs and urban districts**	**216,560**	**1,882**	**1,804**	**3,686**	**17·0**	**0·95**	**0·98**	**1,105**	**1,032**	**2,137**	**9·9**	**1·13**	**0·96**	**54**	**15**	**39**	**36**	**69**	**28**
*Aylesbury M.B.	22,920	189	203	392	17·1	0·87	0·91	120	119	239	10·4	1·03	0·92	5	*13*	5	5	4	*23*
Beaconsfield	9,100	82	47	129	14·2	0·98	0·85	40	42	82	9·0	1·06	0·82	2	*16*	1	1	1	*15*
Bletchley	14,610	141	145	286	19·6	0·92	1·10	60	56	116	7·9	1·40	0·95	3	*10*	1	1	4	*17*
Buckingham M.B.	4,130	33	36	69	16·7	1·06	1·08	17	27	44	10·7	0·98	0·90	1	*14*	1	1	3	*56*
Chesham	13,060	112	138	250	19·1	0·98	1·14	76	80	156	11·9	1·00	1·02	3	*12*	2	2	1	*12*
Eton	4,980	32	24	56	11·2	1·14	0·78	30	20	50	10·0	1·39	1·19	4	*71*	3	3	2	*86*
High Wycombe M.B.	45,270	393	376	769	17·0	0·97	1·01	252	201	453	10·0	1·14	0·97	14	*18*	10	8	16	31
Linslade	3,740	35	37	72	19·3	0·98	1·15	24	20	44	11·8	0·97	0·98	—	—	—	—	1	*14*
Marlow	7,430	81	65	146	19·7	0·96	1·15	40	35	75	10·1	1·03	0·89	—	—	—	—	3	*20*
Newport Pagnell	4,400	28	33	61	13·9	1·05	0·89	48	76	124	28·2	0·40	0·96	—	—	—	—	—	—
Slough M.B.	73,620	670	615	1,285	17·5	0·91	0·97	309	261	570	7·7	1·36	0·90	19	*15*	13	12	31	33
Wolverton	13,300	86	85	171	12·9	1·13	0·89	89	95	184	13·8	0·81	0·96	3	*18*	3	3	3	*34*
***Rural districts**	**224,040**	**2,028**	**1,905**	**3,933**	**17·6**	**1·00**	**1·07**	**1,069**	**1,117**	**2,186**	**9·8**	**1·01**	**0·85**	**71**	**18**	**58**	**50**	**63**	**28**
Amersham	49,820	442	405	847	17·0	0·98	1·02	216	269	485	9·7	1·03	0·85	17	*20*	14	13	11	28
*Aylesbury	30,250	284	274	558	18·4	1·13	1·27	161	168	329	10·9	0·87	0·81	5	*9*	5	2	9	*19*
Buckingham	9,620	94	68	162	16·8	1·11	1·14	46	52	98	10·2	0·91	0·79	4	*25*	3	2	4	*36*
Eton	57,300	525	497	1,022	17·8	0·88	0·96	241	244	485	8·5	1·19	0·86	16	*16*	15	12	19	30
Newport Pagnell	14,630	112	109	221	15·1	1·16	1·07	90	90	180	12·3	0·81	0·85	4	*18*	3	3	5	*35*
Wing	8,840	74	78	152	17·2	1·07	1·12	50	30	80	9·0	1·00	0·77	7	*46*	6	6	3	*58*
Winslow	7,820	58	62	120	15·3	1·13	1·05	42	64	106	13·6	0·68	0·79	3	*25*	3	3	—	*25*
Wycombe	45,760	439	412	851	18·6	1·00	1·13	223	200	423	9·2	1·04	0·82	15	*18*	9	9	12	24
CAMBRIDGESHIRE	**183,200**	**1,444**	**1,436**	**2,880**	**15·7**	**1·06**	**1·01**	**981**	**1,003**	**1,984**	**10·8**	**0·91**	**0·84**	**52**	**18**	**38**	**31**	**41**	**25**
Cambridge M.B.	92,500	648	665	1,313	14·2	1·03	0·89	456	518	974	10·5	1·00	0·90	19	*14*	15	11	16	20
Rural districts	**90,700**	**796**	**771**	**1,567**	**17·3**	**1·08**	**1·14**	**525**	**485**	**1,010**	**11·1**	**0·84**	**0·80**	**33**	**21**	**23**	**20**	**25**	**28**
Chesterton	42,450	390	367	757	17·8	1·06	1·15	232	244	476	11·2	0·81	0·78	18	*24*	12	12	14	34
Newmarket	19,790	153	150	303	15·3	1·09	1·02	108	101	209	10·6	0·92	0·83	5	*17*	4	2	1	*10*
South Cambridgeshire	28,460	253	254	507	17·8	1·12	1·22	185	140	325	11·4	0·82	0·80	10	*20*	7	6	10	*31*
CHESHIRE	**1,315,000**	**10,999**	**10,519**	**21,518**	**16·4**	**1·02**	**1·02**	**8,159**	**8,030**	**16,189**	**12·3**	**1·04**	**1·09**	**507**	**24**	**355**	**301**	**533**	**38**
County boroughs	**446,200**	**3,917**	**3,755**	**7,672**	**17·2**	**0·99**	**1·04**	**2,906**	**2,766**	**5,672**	**12·7**	**1·07**	**1·16**	**197**	**26**	**132**	**113**	**214**	**41**
Birkenhead	142,600	1,357	1,275	2,632	18·5	0·97	1·09	889	869	1,758	12·3	1·08	1·14	77	29	45	41	91	48
Chester	59,300	512	461	973	16·4	0·94	0·94	327	320	647	10·9	1·10	1·02	18	*18*	11	10	25	35
Stockport	141,400	1,180	1,126	2,306	16·3	1·03	1·02	988	966	1,954	13·8	1·07	1·26	58	25	44	37	51	37
Wallasey	102,900	868	893	1,761	17·1	1·00	1·04	702	611	1,313	12·8	1·02	1·12	44	25	32	25	47	40
Administrative county	**868,800**	**7,082**	**6,764**	**13,846**	**15·9**	**1·03**	**1·00**	**5,253**	**5,264**	**10,517**	**12·1**	**1·04**	**1·08**	**310**	**22**	**223**	**188**	**319**	**36**
Municipal boroughs and urban districts	**669,000**	**5,476**	**5,245**	**10,721**	**16·0**	**1·02**	**1·00**	**4,038**	**4,075**	**8,113**	**12·1**	**1·06**	**1·10**	**248**	**23**	**176**	**149**	**241**	**36**
Alderley Edge	3,800	23	28	51	13·4	0·94	0·77	29	26	55	14·5	0·87	1·08	1	*20*	1	1	2	*57*
Alsager	6,910	52	62	114	16·5	0·89	0·90	35	38	73	10·6	1·29	1·17	2	*18*	2	2	5	*59*
Altrincham M.B.	40,890	317	351	668	16·3	1·03	1·02	238	245	483	11·8	1·08	1·09	13	*19*	10	8	11	*28*
Bebington M.B.	50,540	412	354	766	15·2	1·04	0·96	301	251	552	10·9	1·11	1·03	21	*27*	15	13	13	33
Bollington	5,410	43	39	82	15·2	1·08	1·00	46	35	81	15·0	0·98	1·26	1	*12*	1	1	2	*36*
Bowdon	3,970	26	21	47	11·8	0·91	0·65	21	48	69	17·4	0·76	1·13	1	*21*	—	—	—	—
Bredbury and Romiley	18,910	142	145	287	15·2	1·06	0·98	118	110	228	12·1	1·13	1·17	12	*42*	10	8	4	*41*
Cheadle and Gatley	37,450	342	331	673	18·0	1·01	1·11	218	227	445	11·9	1·10	1·12	9	*13*	4	3	9	*18*
Congleton M.B.	15,960	138	127	265	16·6	0·99	1·00	117	100	217	13·6	1·00	1·16	8	*30*	5	5	10	*55*
Crewe M.B.	51,370	412	396	808	15·7	1·00	0·96	332	287	619	12·0	1·14	1·17	19	*24*	11	10	30	48
Dukinfield M.B.	17,960	112	108	220	12·2	1·00	0·74	120	99	219	12·2	1·17	1·22	3	*14*	2	2	5	*31*
Ellesmere Port M.B.	38,420	410	433	843	21·9	0·95	1·27	172	151	323	8·4	1·50	1·08	25	30	19	16	21	43
Hale	12,650	73	81	154	12·2	1·15	0·86	83	100	183	14·5	0·80	0·99	2	*13*	1	1	3	*25*
Hazel Grove and Bramhall	24,730	252	216	468	18·9	1·02	1·18	125	157	282	11·4	1·13	1·10	10	*21*	8	6	10	*33*
Hoylake	30,010	265	225	490	16·3	1·10	1·09	166	220	386	12·9	0·82	0·90	17	*35*	9	7	18	49
Hyde M.B.	31,600	234	226	460	14·6	1·07	0·95	242	211	453	14·3	0·98	1·20	17	*37*	9	9	7	*34*
Knutsford	7,980	62	68	130	16·3	0·98	0·97	81	122	203	25·4	0·56	1·22	4	*31*	4	3	7	*73*
Longdendale	4,360	24	25	49	11·2	1·12	0·76	35	32	67	15·4	0·83	1·09	1	*20*	1	—	3	*58*
Lymm	6,890	53	58	111	16·1	0·98	0·96	45	43	88	12·8	0·99	1·08	3	*27*	3	2	2	*35*
Macclesfield M.B.	36,740	288	285	573	15·6	1·07	1·02	236	253	489	13·3	0·83	0·94	11	*19*	9	8	9	*29*
Marple	14,490	107	107	214	14·8	1·03	0·93	75	117	192	13·3	0·95	1·08	2	*9*	2	2	2	*19*
Middlewich	6,900	45	33	78	11·3	0·99	0·68	56	39	95	13·8	1·21	1·43	2	*26*	1	—	3	*37*
Nantwich	9,700	82	65	147	15·2	0·99	0·92	71	58	129	13·3	0·95	1·08	1	*7*	1	1	2	*20*
Neston	10,920	80	104	184	16·8	1·01	1·03	60	70	130	11·9	1·00	1·02	3	*16*	2	1	5	*32*
Northwich	19,470	104	107	211	10·8	1·01	0·67	119	103	222	11·4	1·04	1·01	8	*38*	7	5	10	*68*
Runcorn	25,800	243	215	458	17·8	0·98	1·06	126	120	246	9·5	1·27	1·03	9	*20*	5	4	9	*28*

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1958	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
CHESHIRE—*continued*																			
Municipal boroughs and urban districts—*continued*																			
Sale M.B.	47,980	425	383	808	16·8	1·01	1·03	270	302	572	11·9	1·14	1·16	18	*22*	15	14	12	32
Sandbach	9,840	78	72	150	15·2	1·00	0·93	67	67	134	13·6	1·09	1·27	4	*27*	3	2	3	*33*
Stalybridge M.B.	22,540	170	172	342	15·2	1·01	0·94	161	147	308	13·7	1·06	1·24	3	*9*	2	2	11	*37*
Wilmslow	22,360	188	167	355	15·9	1·00	0·97	96	114	210	9·4	1·18	0·95	7	*20*	6	6	6	*33*
Winsford	13,000	111	89	200	15·4	0·95	0·89	78	76	154	11·8	1·16	1·17	3	*15*	1	—	4	*20*
Wirral	19,450	163	152	315	16·2	1·02	1·01	99	107	206	10·6	1·02	0·92	8	*25*	7	7	3	*31*
Rural districts	**199,800**	**1,606**	**1,519**	**3,125**	**15·6**	**1·06**	**1·01**	**1,215**	**1,189**	**2,404**	**12·0**	**0·94**	**0·96**	**62**	**20**	**47**	**39**	**78**	**37**
Bucklow	11,730	98	93	191	16·3	1·05	1·04	64	50	114	9·7	1·06	0·88	6	*31*	5	5	6	*56*
Chester	27,380	221	194	415	15·2	1·20	1·11	188	232	420	15·3	0·70	0·92	7	*17*	6	4	6	*24*
Congleton	13,740	89	105	194	14·1	1·05	0·90	118	117	235	17·1	0·61	0·89	5	*26*	5	4	7	*55*
Disley	3,030	17	16	33	10·9	1·19	0·79	25	22	47	15·5	0·88	1·17	1	*30*	1	—	2	*57*
Macclesfield	20,810	150	138	288	13·8	1·08	0·91	123	158	281	13·5	0·93	1·07	5	*17*	5	5	7	*41*
Nantwich	28,570	191	186	377	13·2	1·06	0·85	173	135	308	10·8	1·03	0·95	11	*29*	9	6	12	*46*
Northwich	40,440	398	373	771	19·1	0·95	1·11	217	176	393	9·7	1·18	0·98	11	*14*	8	8	14	28
Runcorn	37,850	302	281	583	15·4	1·04	0·98	215	211	426	11·3	0·98	0·95	13	*22*	5	4	18	37
Tarvin	14,760	127	114	241	16·3	1·06	1·05	84	82	166	11·2	0·99	0·95	2	*8*	2	2	6	*32*
Tintwistle	1,490	13	19	32	21·5	1·04	1·36	8	6	14	*9·4*	0·91	0·73	1	*31*	1	1	—	*31*
CORNWALL	**339,200**	**2,586**	**2,306**	**4,892**	**14·4**	**1·08**	**0·95**	**2,323**	**2,330**	**4,653**	**13·7**	**0·85**	**1·00**	**94**	**19**	**62**	**54**	**129**	**36**
Municipal boroughs and urban districts	**186,600**	**1,433**	**1,250**	**2,683**	**14·4**	**1·06**	**0·93**	**1,305**	**1,401**	**2,706**	**14·5**	**0·80**	**0·99**	**51**	**19**	**35**	**30**	**73**	**37**
Bodmin M.B.	6,070	31	33	64	10·5	1·37	0·88	68	86	154	25·4	0·28	0·61	2	*31*	—	—	2	*30*
Bude-Stratton	5,190	32	22	54	10·4	1·11	0·70	45	56	101	19·5	0·73	1·22	—	—	—	—	1	*18*
Camborne-Redruth	35,120	292	239	531	15·1	1·00	0·92	229	283	512	14·6	0·90	1·12	13	*24*	9	7	21	51
Falmouth M.B.	16,570	119	126	245	14·8	1·08	0·97	108	116	224	13·5	0·88	1·02	3	*12*	2	2	3	*20*
Fowey M.B.	2,290	19	11	30	13·1	1·06	0·85	20	16	36	15·7	0·86	1·15	1	*33*	—	—	1	*32*
Helston M.B.	6,590	97	93	190	28·8	0·92	1·62	50	49	99	15·0	0·63	0·81	1	*5*	1	1	3	*21*
Launceston M.B.	4,670	31	24	55	11·8	1·06	0·76	28	40	68	14·6	0·59	0·74	—	—	—	—	—	—
Liskeard M.B.	4,320	28	32	60	13·9	1·10	0·93	51	56	107	24·8	0·41	0·87	2	*33*	2	2	2	*65*

1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
Looe	3,770	15	16	31	8·2	1·15	0·58	20	24	44	11·7	0·77	0·77	1	*32*	1	—	1	*31*
Lostwithiel M.B.	1,970	16	15	31	15·7	1·08	1·03	16	13	29	14·7	0·71	0·89	2	*65*	1	—	1	*31*
Newquay	10,140	81	69	150	14·8	1·04	0·94	54	57	111	10·9	0·75	0·70	2	*13*	2	2	1	*20*
Padstow	2,910	24	26	50	17·2	0·97	1·02	22	19	41	14·1	0·84	1·01	2	*40*	2	1	—	*20*
Penryn M.B.	4,330	36	39	75	17·3	0·95	1·00	29	20	49	11·3	1·14	1·10	3	*40*	2	2	6	*99*
Penzance M.B.	19,570	148	113	261	13·3	1·08	0·88	154	132	286	14·6	0·85	1·06	3	*11*	3	3	8	*41*
St. Austell	23,520	190	152	342	14·5	1·09	0·96	171	147	318	13·5	0·84	0·97	6	*18*	3	3	10	*37*
St. Ives M.B.	8,460	55	62	117	13·8	1·07	0·90	67	72	139	16·4	0·75	1·05	3	*26*	3	3	1	*34*
St. Just	4,010	17	31	48	12·0	1·13	0·83	23	37	60	15·0	0·86	1·10	1	*21*	—	—	1	*20*
Saltash M.B.	7,430	63	49	112	15·1	1·03	0·95	43	58	101	13·6	0·84	0·98	2	*18*	2	2	4	*52*
Torpoint	6,150	47	26	73	11·9	1·25	0·91	28	29	57	9·3	1·52	1·21	1	*14*	—	—	2	*27*
Truro M.B.	13,520	92	72	164	12·1	0·99	0·73	79	91	170	12·6	0·90	0·97	3	*18*	2	2	5	*41*
Rural districts	**152,600**	**1,153**	**1,056**	**2,209**	**14·5**	**1·11**	**0·98**	**1,018**	**929**	**1,947**	**12·8**	**0·91**	**1·00**	**43**	**19**	**27**	**24**	**56**	**35**
Camelford	7,220	59	50	109	15·1	1·13	1·04	52	53	105	14·5	0·90	1·12	7	*64*	6	6	—	*55*
Kerrier	21,980	178	160	338	15·4	1·06	1·00	129	121	250	11·4	0·99	0·96	8	*24*	3	3	9	*35*
Launceston	6,410	45	43	88	13·7	1·12	0·94	36	42	78	12·2	0·87	0·91	1	*11*	—	—	3	*33*
Liskeard	13,870	94	110	204	14·7	1·13	1·01	94	71	165	11·9	0·86	0·87	5	*25*	4	3	5	*38*
St. Austell	21,610	145	141	286	13·2	1·05	0·85	135	114	249	11·5	0·99	0·97	5	*17*	3	3	9	*41*
St. Germans	15,690	115	101	216	13·8	1·17	0·98	109	101	210	13·4	0·90	1·03	4	*19*	3	2	6	*36*
Scilly, Isles of	1,820	10	12	22	12·1	0·94	0·69	11	12	23	12·6	1·09	1·17	—	—	—	—	—	—
Stratton	5,230	33	40	73	14·0	1·30	1·11	27	32	59	11·3	1·08	1·04	1	*14*	1	1	—	*14*
Truro	26,590	211	174	385	14·5	1·12	0·99	205	178	383	14·4	0·80	0·98	5	*13*	2	2	11	*33*
Wadebridge	14,930	139	107	246	16·5	1·07	1·08	84	80	164	11·0	0·97	0·91	5	*20*	3	2	8	*39*
West Penwith	17,250	124	118	242	14·0	1·05	0·90	136	125	261	15·1	0·88	1·14	2	*8*	2	2	5	*28*
CUMBERLAND	**287,100**	**2,655**	**2,547**	**5,202**	**18·1**	**1·00**	**1·10**	**1,823**	**1,718**	**3,541**	**12·3**	**1·08**	**1·14**	**154**	**30**	**125**	**102**	**105**	**39**
Carlisle C.B.	69,400	690	646	1,336	19·3	0·95	1·12	407	491	898	12·9	1·11	1·22	46	34	40	33	26	43
Administrative county	**217,700**	**1,965**	**1,901**	**3,866**	**17·8**	**1·02**	**1·11**	**1,416**	**1,227**	**2,643**	**12·1**	**1·07**	**1·11**	**108**	**28**	**85**	**69**	**79**	**38**
Municipal boroughs and urban districts	**88,500**	**825**	**783**	**1,608**	**18·2**	**0·98**	**1·09**	**615**	**501**	**1,116**	**12·6**	**1·11**	**1·20**	**56**	**35**	**39**	**31**	**28**	**36**
Cockermouth	5,380	55	30	85	15·8	1·01	0·97	38	39	77	14·3	1·00	1·22	1	*12*	—	—	—	—
Keswick	4,680	33	32	65	13·9	1·00	0·85	39	33	72	15·4	0·86	1·13	2	*31*	—	—	2	*30*
Maryport	12,480	118	113	231	18·5	0·95	1·07	93	67	160	12·8	1·16	1·27	11	*48*	5	4	—	*17*
Penrith	10,600	91	80	171	16·1	1·01	0·99	77	72	149	14·1	0·93	1·12	—	—	—	—	2	*12*
Whitehaven M.B.	26,150	255	267	522	20·0	0·96	1·17	171	135	306	11·7	1·18	1·18	23	44	18	13	14	50
Workington M.B.	29,210	273	261	534	18·3	0·97	1·08	197	155	352	12·1	1·19	1·23	19	*36*	16	14	10	44
Rural districts	**129,200**	**1,140**	**1,118**	**2,258**	**17·5**	**1·04**	**1·11**	**801**	**726**	**1,527**	**11·8**	**1·05**	**1·06**	**52**	**23**	**46**	**38**	**51**	**39**
Alston with Garrigill	2,260	22	26	48	21·2	1·09	1·41	19	17	36	15·9	0·94	1·28	1	*21*	1	1	2	*60*
Border	29,990	230	229	459	15·3	1·15	1·07	200	199	399	13·3	0·89	1·01	12	*26*	11	9	14	49
Cockermouth	19,570	163	144	307	15·7	0·99	0·95	134	111	245	12·5	1·08	1·15	8	*26*	6	5	11	*50*
Ennerdale	29,050	290	282	572	19·7	1·01	1·21	172	144	316	10·9	1·20	1·12	12	*21*	10	8	10	*31*
Millom	14,310	140	140	280	19·6	1·04	1·24	74	67	141	9·9	1·11	0·94	6	*21*	6	6	3	*32*
Penrith	11,480	96	96	192	16·7	1·03	1·05	78	54	132	11·5	1·00	0·98	5	*26*	5	5	3	*41*
Wigton	22,540	199	201	400	17·7	1·02	1·10	124	134	258	11·4	1·03	1·00	8	*20*	7	4	8	*29*

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1958	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
DERBYSHIRE	**858,500**	**6,952**	**6,710**	**13,662**	**15·9**	**0·99**	**0·96**	**5,305**	**4,462**	**9,767**	**11·4**	**1·12**	**1·09**	**354**	**26**	**263**	**235**	**355**	**42**
Derby C.B.	133,900	1,077	1,023	2,100	15·7	1·00	0·96	926	763	1,689	12·6	1·00	1·08	54	26	35	33	52	39
Administrative county	**724,600**	**5,875**	**5,687**	**11,562**	**16·0**	**0·99**	**0·97**	**4,379**	**3,699**	**8,078**	**11·1**	**1·13**	**1·07**	**300**	**26**	**228**	**202**	**303**	**43**
Municipal boroughs and urban districts	**364,500**	**2,823**	**2,718**	**5,541**	**15·2**	**0·99**	**0·92**	**2,291**	**2,086**	**4,377**	**12·0**	**1·09**	**1·12**	**132**	**24**	**94**	**80**	**147**	**40**
Alfreton	23,190	178	162	340	14·7	0·97	0·87	136	102	238	10·3	1·18	1·04	6	*18*	4	3	7	*29*
Ashbourne	5,510	45	37	82	14·9	1·03	0·94	45	40	85	15·4	0·85	1·12	3	*37*	3	3	2	*60*
Bakewell	3,550	21	24	45	12·7	1·05	0·81	33	46	79	22·3	0·59	1·12	—	—	—	—	—	—
Belper	15,750	118	91	209	13·3	0·99	0·80	112	131	243	15·4	0·86	1·13	2	*10*	1	1	6	*33*
Bolsover	11,640	103	98	201	17·3	1·00	1·05	75	60	135	11·6	1·31	1·30	8	*40*	6	5	4	*44*
Buxton M.B.	19,250	159	144	303	15·7	1·04	1·00	129	166	295	15·3	0·93	1·22	8	*26*	6	6	7	*42*
Chesterfield M.B.	67,460	518	478	996	14·8	0·96	0·87	453	362	815	12·1	1·05	1·09	26	26	21	18	28	45
Clay Cross	9,450	83	69	152	16·1	0·93	0·91	56	39	95	10·1	1·23	1·06	5	*33*	5	4	5	*57*
Dronfield	9,500	106	83	189	19·9	0·89	1·08	55	51	106	11·2	1·28	1·23	3	*16*	3	2	3	*26*
Glossop M.B.	17,430	156	131	287	16·5	1·03	1·04	160	153	313	18·0	0·73	1·12	8	*28*	6	4	3	*24*
Heanor	23,990	175	172	347	14·5	0·98	0·87	147	127	274	11·4	1·24	1·21	8	*23*	5	4	11	*42*
Ilkeston M.B.	34,890	292	279	571	16·4	0·99	0·99	192	156	348	10·0	1·29	1·10	10	*18*	4	3	15	*31*
Long Eaton	30,620	215	224	439	14·3	0·99	0·86	167	157	324	10·6	1·15	1·04	8	*18*	7	7	14	46
Matlock	18,330	111	120	231	12·6	1·02	0·78	89	95	184	10·0	0·99	0·85	4	*17*	—	—	8	*33*
New Mills	8,500	66	73	139	16·4	1·06	1·06	62	58	120	14·1	0·99	1·19	4	*29*	1	1	6	*48*
Ripley	17,980	128	142	270	15·0	1·00	0·91	80	85	165	9·2	1·14	0·90	8	*30*	8	7	8	*54*
Staveley	17,510	151	165	316	18·0	0·98	1·08	114	86	200	11·4	1·35	1·32	9	*28*	6	6	8	*43*
Swadlincote	19,710	130	150	280	14·2	0·99	0·86	114	112	226	11·5	1·17	1·15	10	*36*	6	4	7	*38*
Whaley Bridge	5,280	38	35	73	13·8	1·03	0·87	33	31	64	12·1	1·04	1·08	1	*14*	1	1	2	*40*
Wirksworth	4,960	30	41	71	14·3	1·03	0·90	39	29	68	13·7	1·03	1·21	1	*14*	1	1	3	*54*
Rural districts	**360,100**	**3,052**	**2,969**	**6,021**	**16·7**	**0·98**	**1·00**	**2,088**	**1,613**	**3,701**	**10·3**	**1·19**	**1·05**	**168**	**28**	**134**	**122**	**156**	**45**
Ashbourne	11,740	80	78	158	13·5	1·11	0·91	55	62	117	10·0	1·06	0·91	3	*19*	3	3	8	*66*
Bakewell	18,740	109	145	254	13·6	1·10	0·91	132	113	245	13·1	0·92	1·03	7	*28*	6	6	7	*50*
Belper	29,950	218	217	435	14·5	1·05	0·93	181	156	337	11·3	1·02	0·99	12	*28*	10	8	11	*43*
Blackwell	43,370	378	368	746	17·2	0·97	1·02	260	179	439	10·1	1·26	1·09	30	40	22	21	23	57
Chapel en le Frith	18,540	118	131	249	13·4	1·12	0·92	124	113	237	12·8	0·99	1·08	8	*32*	7	6	2	*32*
Chesterfield	94,200	897	814	1,711	18·2	0·93	1·03	525	359	884	9·4	1·38	1·11	53	31	40	34	45	45
Clowne	19,340	154	164	318	16·4	1·01	1·01	111	70	181	9·4	1·18	0·95	9	*28*	8	8	10	55
Repton	36,940	302	279	581	15·7	1·02	0·98	227	177	404	10·9	1·02	0·95	14	*24*	12	11	12	39
Shardlow	87,280	796	773	1,569	18·0	0·95	1·04	473	384	857	9·8	1·24	1·04	32	20	26	25	38	39
DEVON	**811,100**	**5,998**	**5,673**	**11,671**	**14·4**	**1·09**	**0·96**	**5,342**	**5,606**	**10,948**	**13·5**	**0·85**	**0·98**	**249**	**21**	**181**	**161**	**244**	**34**
County boroughs	**293,200**	**2,479**	**2,372**	**4,851**	**16·5**	**1·02**	**1·03**	**1,799**	**1,737**	**3,536**	**12·1**	**1·02**	**1·05**	**93**	**19**	**66**	**56**	**97**	**31**
Exeter	76,900	604	560	1,164	15·1	1·01	0·93	489	557	1,046	13·6	0·87	1·01	20	17	18	15	23	32
Plymouth	216,300	1,875	1,812	3,687	17·0	1·01	1·05	1,310	1,180	2,490	11·5	1·09	1·07	73	20	48	41	74	31
Administrative county	**517,900**	**3,519**	**3,301**	**6,820**	**13·2**	**1·14**	**0·92**	**3,543**	**3,869**	**7,412**	**14·3**	**0·77**	**0·94**	**156**	**23**	**115**	**105**	**147**	**36**
Municipal boroughs and urban districts	**264,200**	**1,635**	**1,558**	**3,193**	**12·1**	**1·13**	**0·83**	**1,940**	**2,273**	**4,213**	**15·9**	**0·71**	**0·96**	**63**	**20**	**45**	**38**	**63**	**31**
Ashburton	2,690	18	19	37	13·8	1·08	0·91	19	25	44	16·4	0·71	1·00	—	—	—	—	—	—
Barnstaple M.B.	15,660	123	121	244	15·6	1·03	0·98	103	120	223	14·2	0·86	1·04	6	*25*	5	4	4	*32*
Bideford M.B.	10,340	71	70	141	13·6	1·05	0·87	66	72	138	13·3	0·81	0·92	4	*28*	1	1	3	*28*
Brixham	9,380	62	63	125	13·3	1·11	0·90	79	67	146	15·6	0·79	1·05	1	*8*	1	1	1	*16*
Buckfastleigh	2,470	15	18	33	13·4	1·17	0·96	20	18	38	15·4	0·76	1·00	1	*30*	1	1	—	*30*
Budleigh Salterton	3,820	21	16	37	9·7	1·37	0·81	38	37	75	19·6	0·55	0·92	1	*27*	1	1	—	*27*
Crediton	4,220	26	25	51	12·1	0·96	0·71	23	20	43	10·2	0·81	0·71	2	*39*	1	1	1	*38*
Dartmouth M.B.	6,210	57	38	95	15·3	1·09	1·02	33	38	71	11·4	0·86	0·84	1	*11*	1	1	1	*21*
Dawlish	7,180	35	33	68	9·5	1·19	0·69	49	62	111	15·5	0·71	0·94	4	*59*	4	4	2	*86*
Exmouth	18,180	117	142	259	14·2	1·20	1·04	155	182	337	18·5	0·62	0·98	4	*15*	3	3	2	*19*
Great Torrington M.B.	2,820	27	21	48	17·0	1·13	1·17	14	27	41	14·5	0·76	0·94	1	*21*	1	1	1	*41*
Holsworthy	1,610	18	6	24	14·9	0·96	0·87	14	14	28	17·4	0·58	0·86	1	*42*	1	1	—	*42*
Honiton M.B.	4,500	33	27	60	13·3	1·34	1·09	27	33	60	13·3	0·81	0·92	—	—	—	—	2	*32*
Ilfracombe	8,620	48	52	100	11·6	1·14	0·81	54	85	139	16·1	0·73	1·00	1	*10*	1	1	4	*48*
Kingsbridge	3,120	19	21	40	12·8	1·08	0·84	27	29	56	17·9	0·87	1·33	—	—	—	—	1	*24*
Lynton	1,710	8	10	18	*10·5*	1·01	0·65	6	9	15	*8·8*	0·76	0·57	—	—	—	—	—	—
Newton Abbot	17,200	107	90	197	11·5	1·02	0·72	122	124	246	14·3	0·79	0·97	6	*30*	4	2	8	*49*
Northam	6,590	16	34	50	7·6	1·10	0·51	48	55	103	15·6	0·76	1·01	—	—	—	—	1	*20*
Okehampton M.B.	3,890	23	19	42	10·8	1·06	0·70	31	33	64	16·5	0·79	1·11	—	—	—	—	3	67
Ottery St. Mary	4,200	28	19	47	11·2	1·04	0·71	33	34	67	16·0	0·80	1·09	—	—	—	—	1	*21*
Paignton	26,920	132	148	280	10·4	1·24	0·79	201	262	463	17·2	0·63	0·93	3	*11*	3	3	3	*21*
Salcombe	2,440	13	12	25	10·2	1·20	0·75	13	18	31	12·7	0·68	0·74	1	*40*	—	—	—	—
Seaton	2,960	15	12	27	9·1	1·26	0·70	30	41	71	24·0	0·57	1·17	—	—	—	—	1	*36*
Sidmouth	9,790	49	52	101	10·3	1·32	0·83	91	105	196	20·0	0·58	0·99	1	*10*	—	—	2	*19*
South Molton M.B.	3,100	16	9	25	8·1	1·09	0·54	20	36	56	18·1	0·72	1·11	1	*40*	1	1	—	*40*
Tavistock	6,180	39	26	65	10·5	1·15	0·74	55	46	101	16·3	0·61	0·85	3	*46*	3	3	—	*46*
Teignmouth	10,570	74	44	118	11·2	1·19	0·81	78	113	191	18·1	0·60	0·93	4	*34*	1	—	3	*25*
Tiverton M.B.	11,800	96	93	189	16·0	1·01	0·99	66	82	148	12·5	0·70	0·75	2	*11*	2	2	6	*41*
Torquay M.B.	50,510	307	285	592	11·7	1·10	0·78	385	420	805	15·9	0·71	0·96	15	*25*	10	7	13	33
Totnes M.B.	5,520	22	33	55	10·0	1·06	0·65	40	66	106	19·2	0·62	1·02	—	—	—	—	—	—
Rural districts	**253,700**	**1,884**	**1,743**	**3,627**	**14·3**	**1·16**	**1·01**	**1,603**	**1,596**	**3,199**	**12·6**	**0·85**	**0·92**	**93**	**26**	**70**	**67**	**84**	**41**
Axminster	14,130	70	72	142	10·0	1·15	0·70	100	80	180	12·7	0·80	0·87	6	*42*	5	5	3	*55*
Barnstaple	24,370	179	184	363	14·9	1·14	1·04	138	138	276	11·3	0·87	0·84	11	*30*	7	7	11	*48*
Bideford	5,230	50	40	90	17·2	1·11	1·16	31	42	73	14·0	0·91	1·09	5	*56*	4	3	—	*33*

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1958	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
DEVON—*continued*																			
Rural districts—*continued*																			
Broadwoodwidger	2,030	11	12	23	11·3	1·05	0·72	14	12	26	12·8	1·18	1·29	1	*43*	—	—	—	—
Crediton	9,800	85	76	161	16·4	1·13	1·13	63	54	117	11·9	0·92	0·94	3	*19*	3	3	5	*48*
Holsworthy	5,910	43	45	88	14·9	1·12	1·02	39	41	80	13·5	0·88	1·02	1	*11*	1	1	5	*65*
Honiton	6,920	58	40	98	14·2	1·12	0·97	39	25	64	9·2	0·94	0·74	2	*20*	1	1	2	*30*
Kingsbridge	11,920	100	66	166	13·9	1·15	0·97	74	68	142	11·9	0·85	0·86	2	*12*	1	1	3	*24*
Newton Abbot	25,720	164	142	306	11·9	1·16	0·84	173	177	350	13·6	0·82	0·95	6	*20*	6	6	10	*51*
Okehampton	12,010	80	69	149	12·4	1·18	0·89	85	85	170	14·2	0·83	1·01	6	*40*	6	6	6	*77*
Plympton St. Mary	35,740	270	283	553	15·5	1·10	1·04	211	223	434	12·1	0·95	0·98	11	*20*	8	6	11	*30*
St. Thomas	33,610	279	226	505	15·0	1·20	1·10	219	199	418	12·4	0·75	0·79	11	*22*	9	9	11	39
South Molton	8,840	60	57	117	13·2	1·15	0·93	49	46	95	10·7	0·93	0·85	2	*17*	1	1	1	*17*
Tavistock	15,700	125	126	251	16·0	1·22	1·19	103	109	212	13·5	0·88	1·02	7	*28*	3	3	5	*31*
Tiverton	20,480	152	157	309	15·1	1·09	1·00	111	120	231	11·3	0·91	0·88	11	*36*	10	10	6	*51*
Torrington	7,160	65	57	122	17·0	1·18	1·22	46	56	102	14·2	0·90	1·09	1	*8*	1	1	1	*16*
Totnes	14,130	93	91	184	13·0	1·20	0·95	108	121	229	16·2	0·56	0·78	7	*38*	4	4	4	*43*
DORSET	**304,000**	**2,339**	**2,154**	**4,493**	**14·8**	**1·11**	**1·00**	**1,894**	**1,939**	**3,833**	**12·6**	**0·89**	**0·96**	**84**	**19**	**66**	**53**	**78**	**29**
Municipal boroughs and urban districts	**187,500**	**1,377**	**1,288**	**2,665**	**14·2**	**1·09**	**0·94**	**1,185**	**1,209**	**2,394**	**12·8**	**0·87**	**0·95**	**50**	**19**	**38**	**33**	**44**	**28**
Blandford Forum M.B. ..	3,250	30	34	64	19·7	1·03	1·24	20	23	43	13·2	0·77	0·87	2	*31*	1	1	1	*31*
Bridport M.B.	6,630	46	45	91	13·7	1·07	0·89	46	71	117	17·6	0·73	1·10	—	—	—	—	2	*22*
Dorchester M.B.	11,930	79	73	152	12·7	1·07	0·83	77	81	158	13·2	0·92	1·04	1	*7*	—	—	4	*26*
Lyme Regis M.B.	3,130	28	24	52	16·6	1·14	1·15	18	22	40	12·8	0·77	0·84	—	—	—	—	—	—
Poole M.B.	88,390	679	577	1,256	14·2	1·07	0·93	530	535	1,065	12·0	0·86	0·88	28	22	22	20	24	34
Portland	11,400	67	80	147	12·9	1·30	1·02	69	42	111	9·7	1·26	1·04	5	*34*	4	3	3	*40*
Shaftesbury M.B.	3,420	24	33	57	16·7	1·04	1·06	15	25	40	11·7	0·77	0·77	1	*18*	1	1	1	*34*
Sherborne	7,280	47	37	84	11·5	1·27	0·89	45	36	81	11·1	0·96	0·91	1	*12*	—	—	—	—
Swanage	7,220	33	36	69	9·6	1·15	0·67	47	77	124	17·2	0·73	1·07	1	*14*	1	—	—	—
Wareham M.B.	2,790	14	24	38	13·6	1·10	0·91	26	28	54	19·4	0·51	0·85	1	*26*	1	—	—	—
Weymouth and Melcombe Regis M.B.	37,760	300	295	595	15·8	1·03	0·99	259	228	487	12·9	0·91	1·00	10	*17*	8	8	7	*25*
Wimborne Minster	4,300	30	30	60	14·0	1·14	0·97	33	41	74	17·2	0·73	1·07	—	—	—	—	2	*32*
Rural districts	**116,500**	**962**	**866**	**1,828**	**15·7**	**1·14**	**1·09**	**709**	**730**	**1,439**	**12·4**	**0·91**	**0·96**	**34**	**19**	**28**	**20**	**34**	**29**
Beaminster	8,150	70	51	121	14·8	1·14	1·03	65	50	115	14·1	0·84	1·01	1	*8*	1	1	1	*16*
Blandford	12,670	81	99	180	14·2	1·15	1·00	50	52	102	8·1	1·23	0·85	4	*22*	4	1	5	*32*
Bridport	7,560	53	42	95	12·6	1·21	0·93	67	54	121	16·0	0·75	1·03	1	*11*	1	1	1	*21*
Dorchester	17,190	155	113	268	15·6	1·25	1·19	113	145	258	15·0	0·75	0·96	5	*19*	3	2	10	*43*
Shaftesbury	9,780	59	78	137	14·0	1·15	0·98	40	71	111	11·3	0·86	0·83	4	*29*	4	2	4	*43*
Sherborne	5,710	44	46	90	15·8	1·04	1·00	32	36	68	11·9	1·01	1·03	1	*11*	1	1	—	*11*
Sturminster	9,710	86	75	161	16·6	1·07	1·08	59	63	122	12·6	0·80	0·86	3	*19*	3	2	1	*19*
Wareham and Purbeck ..	20,720	186	195	381	18·4	1·10	1·23	95	105	200	9·7	1·19	0·99	8	*21*	6	6	8	*36*
Wimborne and Cranborne ..	25,010	228	167	395	15·8	1·11	1·07	188	154	342	13·7	0·85	1·00	7	*18*	5	4	4	*20*
DURHAM	**1,497,000**	**14,532**	**13,820**	**28,352**	**18·9**	**0·96**	**1·11**	**9,364**	**7,699**	**17,063**	**11·4**	**1·20**	**1·17**	**731**	**26**	**514**	**431**	**687**	**38**
County boroughs	**561,200**	**5,604**	**5,286**	**10,890**	**19·4**	**0·95**	**1·12**	**3,515**	**2,987**	**6,502**	**11·6**	**1·19**	**1·18**	**286**	**26**	**203**	**172**	**268**	**40**
Darlington	83,170	680	648	1,328	16·0	0·99	0·97	518	506	1,024	12·3	1·04	1·09	38	29	25	19	39	42
Gateshead	109,900	1,031	961	1,992	18·1	0·96	1·06	704	590	1,294	11·8	1·19	1·20	60	30	46	42	60	50
South Shields	108,600	1,060	1,016	2,076	19·1	0·93	1·08	723	598	1,321	12·2	1·20	1·25	49	24	40	33	36	33
Sunderland	185,100	1,981	1,919	3,900	21·1	0·94	1·21	1,118	896	2,014	10·9	1·24	1·16	98	25	66	58	94	38
West Hartlepool	74,430	852	742	1,594	21·4	0·97	1·27	452	397	849	11·4	1·22	1·19	41	26	26	20	39	36
Administrative county	**935,800**	**8,928**	**8,534**	**17,462**	**18·7**	**0·96**	**1·09**	**5,849**	**4,712**	**10,561**	**11·3**	**1·21**	**1·17**	**445**	**25**	**311**	**259**	**419**	**38**
Municipal boroughs and urban districts	**638,500**	**6,206**	**5,885**	**12,091**	**18·9**	**0·96**	**1·11**	**4,091**	**3,217**	**7,308**	**11·4**	**1·22**	**1·19**	**303**	**25**	**208**	**171**	**300**	**38**
Barnard Castle	5,170	40	44	84	16·2	0·95	0·94	50	52	102	19·7	0·56	0·94	5	*60*	4	1	1	*24*
Billingham	28,090	382	379	761	27·1	0·89	1·47	139	87	226	8·0	1·73	1·18	18	*24*	12	11	15	34
Bishop Auckland	35,380	365	350	715	20·2	0·96	1·18	259	184	443	12·5	1·17	1·25	17	*24*	12	7	13	27
Blaydon	30,600	260	243	503	16·4	0·96	0·96	190	145	335	10·9	1·23	1·15	18	*36*	16	12	8	39
Boldon	19,540	212	196	408	20·9	0·94	1·20	134	113	247	12·6	1·13	1·22	7	*17*	2	2	5	*17*
Brandon and Byshottles ..	20,190	190	209	399	19·8	0·99	1·20	143	105	248	12·3	1·19	1·25	10	*25*	7	7	14	51
Chester-le-Street	18,640	159	142	301	16·1	1·00	0·98	137	105	242	13·0	1·12	1·24	8	*27*	5	4	10	*45*
Consett	38,890	341	341	682	17·5	0·99	1·06	262	228	490	12·6	1·26	1·36	28	41	23	18	16	49
Crook and Willington ..	26,640	214	200	414	15·5	1·01	0·95	194	190	384	14·4	0·97	1·19	13	*31*	9	9	10	*45*
Durham M.B.	21,140	151	163	314	14·9	0·97	0·88	132	134	266	12·6	0·89	0·96	5	*16*	3	3	8	*34*
Felling	29,980	353	277	630	21·0	0·92	1·18	168	143	311	10·4	1·34	1·19	8	*13*	5	5	20	38
Hartlepool M.B.	17,200	179	174	353	20·5	0·91	1·14	100	88	188	10·9	1·38	1·29	15	*42*	10	7	6	*36*
Hebburn	23,970	278	270	548	22·9	0·89	1·24	139	115	254	10·6	1·37	1·24	18	*33*	11	11	15	46
Hetton	18,460	170	154	324	17·6	1·02	1·09	112	83	195	10·6	1·33	1·20	5	*15*	3	3	8	*33*
Houghton-le-Spring	31,380	278	289	567	18·1	0·93	1·03	204	144	348	11·1	1·21	1·15	17	*30*	10	8	16	41
Jarrow M.B.	29,280	295	298	593	20·3	0·91	1·13	184	157	341	11·6	1·24	1·23	17	*29*	12	8	15	38
Ryton	13,670	102	101	203	14·9	1·00	0·91	100	65	165	12·1	1·11	1·15	4	*20*	1	1	8	*43*
Seaham	26,320	292	260	552	21·0	0·99	1·27	185	89	274	10·4	1·36	1·21	14	*25*	10	9	10	*34*
Shildon	13,920	121	134	255	18·3	0·97	1·08	85	71	156	11·2	1·17	1·12	3	*12*	1	1	9	*38*
Spennymoor	19,830	160	152	312	15·7	0·92	0·88	109	107	216	10·9	1·25	1·16	7	*22*	4	4	10	*43*
Stanley	47,760	403	383	786	16·5	1·00	1·01	308	227	535	11·2	1·20	1·15	16	*20*	12	11	26	46
Stockton-on-Tees M.B. ..	77,210	843	760	1,603	20·8	0·95	1·20	467	386	853	11·0	1·22	1·15	35	22	24	19	34	32
Tow Law	3,100	20	26	46	14·8	1·00	0·90	24	17	41	13·2	1·11	1·25	1	*22*	1	1	—	*22*
Washington	17,980	183	155	338	18·8	0·93	1·07	94	76	170	9·5	1·35	1·10	10	*30*	9	8	12	57
Whickham	24,160	215	185	400	16·6	0·98	0·99	172	106	278	11·5	1·24	1·22	4	*10*	2	1	11	*29*

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1958	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
DURHAM—*continued*																			
Rural districts	**297,300**	**2,722**	**2,649**	**5,371**	**18·1**	**0·98**	**1·08**	**1,758**	**1,495**	**3,253**	**10·9**	**1·18**	**1·10**	**142**	**26**	**103**	**88**	**119**	**38**
Barnard Castle	19,370	132	128	260	13·4	1·08	0·88	109	88	197	10·2	1·14	0·99	11	*42*	8	8	4	*45*
Chester-le-Street	41,240	321	311	632	15·3	0·97	0·90	261	219	480	11·6	1·26	1·25	21	33	18	15	15	46
Darlington	21,280	271	250	521	24·5	0·78	1·17	76	75	151	7·1	1·58	0·96	10	*19*	7	5	16	39
Durham	34,350	311	314	625	18·2	0·98	1·09	196	135	331	9·6	1·25	1·03	19	*30*	13	9	10	*30*
Easington	85,090	860	843	1,703	20·0	0·99	1·21	493	398	891	10·5	1·36	1·22	45	26	31	29	36	37
Lanchester	15,090	142	115	257	17·0	1·03	1·07	103	86	189	12·5	0·97	1·04	7	*27*	5	5	7	*45*
Sedgefield	36,120	307	274	581	16·1	1·04	1·02	241	230	471	13·0	0·94	1·04	17	*29*	14	10	15	42
Stockton	8,910	71	61	132	14·8	0·98	0·88	43	42	85	9·5	1·09	0·89	2	*15*	1	1	4	*37*
Sunderland	26,960	247	292	539	20·0	0·97	1·18	159	172	331	12·3	0·84	0·88	10	*19*	6	6	10	*29*
Weardale	8,890	60	61	121	13·6	1·17	0·97	77	50	127	14·3	0·93	1·14	—	—	—	—	2	*16*
ELY, ISLE OF	**89,300**	**674**	**711**	**1,385**	**15·5**	**1·01**	**0·95**	**529**	**468**	**997**	**11·2**	**0·88**	**0·84**	**25**	**18**	**18**	**17**	**28**	**32**
Municipal borough and urban districts	**54,940**	**402**	**473**	**875**	**15·9**	**1·01**	**0·98**	**348**	**319**	**667**	**12·1**	**0·80**	**0·83**	**14**	*16*	**8**	**8**	**13**	**24**
Chatteris	5,570	40	37	77	13·8	1·00	0·84	27	30	57	10·2	0·98	0·85	3	*39*	2	2	1	*38*
Ely	10,090	57	87	144	14·3	0·99	0·86	69	83	152	15·1	0·49	0·63	2	*14*	—	—	—	—
March	13,210	83	95	178	13·5	1·02	0·84	73	65	138	10·4	1·10	0·98	3	*17*	2	2	4	*33*
Whittlesey	8,940	85	93	178	19·9	1·00	1·21	39	35	74	8·3	1·10	0·78	—	—	—	—	2	*11*
Wisbech M.B.	17,130	137	161	298	17·4	0·99	1·05	140	106	246	14·4	0·70	0·86	6	*20*	4	4	6	*33*
Rural districts	**34,360**	**272**	**238**	**510**	**14·8**	**1·02**	**0·92**	**181**	**149**	**330**	**9·6**	**1·03**	**0·85**	**11**	*22*	**10**	**9**	**15**	**46**
Ely	14,500	113	102	215	14·8	1·03	0·93	82	60	142	9·8	0·98	0·82	4	*19*	4	3	5	*36*
North Witchford	4,800	33	33	66	13·8	1·03	0·87	28	25	53	11·0	1·01	0·95	—	—	—	—	—	—
Thorney	2,510	20	15	35	13·9	1·03	0·87	12	9	21	8·4	1·28	0·92	2	*57*	2	2	2	*108*
Wisbech	12,550	106	88	194	15·5	1·00	0·95	59	55	114	9·1	1·08	0·84	5	*26*	4	4	8	*59*
ESSEX	**2,217,000**	**17,887**	**16,739**	**34,626**	**15·6**	**0·96**	**0·91**	**11,885**	**11,150**	**23,035**	**10·4**	**1·08**	**0·96**	**615**	**18**	**440**	**378**	**682**	**30**
County boroughs	**434,000**	**3,297**	**3,090**	**6,387**	**14·7**	**0·98**	**0·88**	**2,550**	**2,433**	**4,983**	**11·5**	**1·03**	**1·01**	**115**	**18**	**75**	**64**	**158**	**34**
East Ham	110,900	783	725	1,508	13·6	0·98	0·81	613	521	1,134	10·2	1·09	0·95	27	18	19	17	30	31
Southend-on-Sea	158,100	1,106	1,071	2,177	13·8	1·06	0·89	1,066	1,173	2,239	14·2	0·84	1·02	36	17	23	20	44	29
West Ham	165,000	1,408	1,294	2,702	16·4	0·92	0·92	871	739	1,610	9·8	1·25	1·05	52	19	33	27	84	40
Administrative county	**1,783,000**	**14,590**	**13,649**	**28,239**	**15·8**	**0·96**	**0·92**	**9,335**	**8,717**	**18,052**	**10·1**	**1·09**	**0·94**	**500**	**18**	**365**	**314**	**524**	**29**
Municipal boroughs and urban districts	**1,542,000**	**12,587**	**11,725**	**24,312**	**15·8**	**0·94**	**0·91**	**7,832**	**7,358**	**15,190**	**9·9**	**1·13**	**0·96**	**427**	**18**	**317**	**271**	**437**	**29**
Barking M.B.	74,850	481	436	917	12·3	0·94	0·70	345	298	643	8·6	1·42	1·04	17	*19*	14	10	23	35
Basildon	72,540	911	866	1,777	24·5	0·85	1·27	326	298	624	8·6	1·18	0·87	37	21	28	26	23	27
Benfleet	26,340	239	234	473	18·0	1·00	1·10	162	164	326	12·4	0·93	0·99	5	*11*	4	4	7	*23*
Braintree and Bocking	19,230	172	177	349	18·1	1·00	1·10	119	96	215	11·2	0·90	0·86	10	*29*	8	4	3	*20*
Brentwood	44,170	377	366	743	16·8	0·94	0·96	227	261	488	11·0	0·84	0·79	7	*9*	5	5	20	33
Brightlingsea	4,650	30	37	67	14·4	1·18	1·04	33	36	69	14·8	0·70	0·89	3	*45*	2	1	—	*15*
Burnham-on-Crouch	3,890	39	33	72	18·5	1·18	1·33	39	20	59	15·2	0·79	1·03	2	*28*	2	2	2	*54*
Canvey Island	12,490	113	113	226	18·1	1·07	1·18	90	85	175	14·0	0·93	1·11	5	*22*	3	3	6	*39*
Chelmsford M.B.	43,110	374	346	720	16·7	0·93	0·95	230	199	429	10·0	1·17	1·00	15	*21*	14	12	13	34
Chigwell	61,150	429	358	787	12·9	0·92	0·72	241	162	403	6·6	1·50	0·85	13	*17*	9	9	8	*21*
Chingford M.B.	46,030	276	277	553	12·0	1·04	0·76	207	182	389	8·5	1·29	0·94	8	*14*	5	4	8	*21*
Clacton	25,100	164	131	295	11·8	1·23	0·88	202	208	410	16·3	0·71	0·99	7	*24*	5	4	4	*27*
Colchester M.B.	63,510	537	511	1,048	16·5	1·01	1·02	361	378	739	11·6	0·84	0·83	18	*17*	12	6	22	26
Dagenham M.B.	114,100	810	717	1,527	13·4	0·93	0·76	476	358	834	7·3	1·76	1·10	25	16	18	18	31	31
Epping	8,870	80	93	173	19·5	0·90	1·07	38	35	73	8·2	1·03	0·72	1	*6*	1	1	4	*28*
Frinton and Walton	8,830	38	48	86	9·7	1·29	0·76	77	86	163	18·5	0·68	1·08	1	*12*	—	—	4	*44*
Halstead	6,550	43	53	96	14·7	1·11	0·99	41	43	84	12·8	0·80	0·88	—	—	—	—	—	—
Harlow	40,890	673	649	1,322	32·3	0·64	1·26	94	84	178	4·4	2·57	0·97	27	20	18	16	16	24
Harwich M.B.	13,740	112	107	219	15·9	0·98	0·95	87	75	162	11·8	1·05	1·06	1	*5*	1	1	6	*31*
Hornchurch	120,300	1,218	1,162	2,380	19·8	0·94	1·13	611	555	1,166	9·7	1·06	0·88	33	14	28	22	27	20
Ilford M.B.	179,000	1,165	1,053	2,218	12·4	1·00	0·76	989	996	1,985	11·1	0·97	0·92	37	17	29	27	42	31
Leyton M.B.	98,760	652	606	1,258	12·7	0·98	0·76	682	656	1,338	13·5	0·87	1·00	31	25	24	21	28	38
Maldon M.B.	10,010	80	72	152	15·2	1·06	0·98	71	97	168	16·8	0·70	1·01	7	*46*	4	4	1	*33*
Rayleigh	16,290	149	152	301	18·5	0·90	1·02	87	79	166	10·2	1·14	0·99	4	*13*	3	3	6	*29*
Romford M.B.	113,700	1,056	995	2,051	18·0	0·84	0·92	439	376	815	7·2	1·57	0·97	40	20	32	29	49	37
Saffron Walden M.B.	7,510	69	36	105	14·0	1·05	0·90	60	50	110	14·6	0·53	0·66	1	*10*	1	1	—	*10*
Thurrock	105,600	978	922	1,900	18·0	0·88	0·97	474	378	852	8·1	1·45	1·00	38	20	24	18	35	27
Waltham Holy Cross	10,990	136	104	240	21·8	0·87	1·16	44	48	92	8·4	1·28	0·92	3	*13*	1	1	6	*28*
Walthamstow M.B.	114,000	685	617	1,302	11·4	1·00	0·70	583	587	1,170	10·3	1·07	0·94	20	15	11	10	27	28
Wanstead and Woodford M.B.	61,220	388	353	741	12·1	1·00	0·74	314	382	696	11·4	0·95	0·93	7	*9*	7	6	13	*25*
West Mersea	3,100	22	23	45	14·5	1·24	1·10	19	21	40	12·9	0·70	0·77	3	*67*	3	2	1	*65*
Witham	8,890	64	60	124	13·9	1·12	0·95	42	46	88	9·9	1·00	0·85	—	—	—	—	2	*16*
Wivenhoe	2,590	27	18	45	17·4	1·11	1·18	22	19	41	15·8	0·83	1·12	1	*22*	1	1	—	*22*
Rural districts	**241,000**	**2,003**	**1,924**	**3,927**	**16·3**	**1·07**	**1·06**	**1,503**	**1,359**	**2,862**	**11·9**	**0·85**	**0·86**	**73**	**19**	**48**	**43**	**87**	**32**
Braintree	21,110	201	184	385	18·2	1·11	1·23	108	104	212	10·0	0·94	0·80	5	*13*	5	3	6	*23*
Chelmsford	42,850	379	397	776	18·1	1·05	1·16	246	238	484	11·3	0·84	0·81	11	*14*	7	6	14	25
Dunmow	20,570	192	164	356	17·3	1·01	1·07	115	103	218	10·6	0·93	0·84	8	*22*	5	4	4	*22*
Epping and Ongar	33,890	300	280	580	17·1	1·00	1·04	188	146	334	9·9	1·08	0·91	14	*24*	6	6	19	42
Halstead	16,750	119	103	222	13·3	1·16	0·94	101	86	187	11·2	0·82	0·78	5	*23*	2	2	5	*31*
Lexden and Winstree	22,210	179	155	334	15·0	1·15	1·05	156	165	321	14·5	0·73	0·90	4	*12*	2	2	12	*40*
Maldon	15,650	118	102	220	14·1	1·14	0·98	110	92	202	12·9	0·82	0·90	4	*18*	4	4	5	*40*
Rochford	25,280	217	223	440	17·4	0·98	1·04	159	153	312	12·3	0·80	0·84	10	*23*	7	6	9	*33*
Saffron Walden	17,880	125	152	277	15·5	1·12	1·06	108	105	213	11·9	0·88	0·90	4	*14*	4	4	7	*39*
Tendring	24,810	173	164	337	13·6	1·13	0·94	212	167	379	15·3	0·64	0·84	8	*24*	6	6	6	*35*

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1958	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
GLOUCESTERSHIRE	**972,600**	**8,308**	**7,922**	**16,230**	**16·7**	**1·01**	**1·03**	**5,578**	**5,482**	**11,060**	**11·4**	**0·96**	**0·94**	**332**	**20**	**232**	**195**	**317**	**31**
County boroughs	**506,400**	**4,249**	**3,971**	**8,220**	**16·2**	**1·00**	**0·99**	**2,980**	**2,983**	**5,963**	**11·8**	**0·95**	**0·96**	**174**	**21**	**120**	**99**	**153**	**30**
Bristol	438,000	3,626	3,384	7,010	16·0	1·00	0·98	2,613	2,614	5,227	11·9	0·93	0·95	144	21	101	84	122	29
Gloucester	68,400	623	587	1,210	17·7	0·99	1·07	367	369	736	10·8	1·06	0·98	30	25	19	15	31	37
Administrative county	**466,200**	**4,059**	**3,951**	**8,010**	**17·2**	**1·02**	**1·07**	**2,598**	**2,499**	**5,097**	**10·9**	**0·99**	**0·92**	**158**	**20**	**112**	**96**	**164**	**32**
Municipal boroughs and urban districts	**156,800**	**1,313**	**1,346**	**2,659**	**17·0**	**0·99**	**1·03**	**943**	**956**	**1,899**	**12·1**	**0·93**	**0·96**	**59**	**22**	**44**	**40**	**59**	**36**
Charlton Kings	6,820	70	58	128	18·8	1·04	1·19	45	53	98	14·4	0·91	1·12	3	*23*	2	2	2	*31*
Cheltenham M.B.	68,610	571	578	1,149	16·7	0·97	0·99	409	480	889	13·0	0·85	0·94	24	21	17	17	24	35
Cirencester	12,190	73	100	173	14·2	1·02	0·88	81	88	169	13·9	0·67	0·80	4	*23*	4	4	3	*40*
Kingswood	22,100	200	203	403	18·2	1·01	1·12	114	95	209	9·5	1·21	0·98	7	*17*	7	6	11	*41*
Mangotsfield	21,600	193	201	394	18·2	0·96	1·07	121	97	218	10·1	1·17	1·01	9	*23*	6	4	7	*27*
Nailsworth	3,710	28	31	59	15·9	1·09	1·06	18	16	34	9·2	0·83	0·65	1	*17*	1	1	1	*33*
Stroud	16,240	118	126	244	15·0	1·02	0·93	113	93	206	12·7	0·91	0·99	8	*33*	6	5	7	*48*
Tewkesbury M.B.	5,530	60	49	109	19·7	0·93	1·12	42	34	76	13·7	0·90	1·05	3	*28*	1	1	4	*44*
Rural districts	**309,400**	**2,746**	**2,605**	**5,351**	**17·3**	**1·03**	**1·09**	**1,655**	**1,543**	**3,198**	**10·3**	**1·01**	**0·89**	**99**	**19**	**68**	**56**	**105**	**30**
Cheltenham	29,250	271	278	549	18·8	0·99	1·13	137	126	263	9·0	1·14	0·88	10	*18*	7	7	11	*32*
Cirencester	15,340	156	123	279	18·2	1·00	1·11	63	60	123	8·0	1·05	0·72	5	*18*	4	3	6	*32*
Dursley	17,150	137	125	262	15·3	1·06	0·99	82	80	162	9·4	1·02	0·82	4	*15*	2	2	5	*26*
East Dean	20,850	181	151	332	15·9	1·03	1·00	108	93	201	9·6	1·09	0·89	2	*6*	2	1	5	*18*
Gloucester	42,820	406	402	808	18·9	1·00	1·15	262	249	511	11·9	0·95	0·97	21	26	11	8	17	30
Lydney	12,240	105	96	201	16·4	1·11	1·11	73	65	138	11·3	1·12	1·08	7	*35*	6	5	5	*49*
Newent	8,470	76	71	147	17·4	1·15	1·22	43	45	88	10·4	0·94	0·84	3	*20*	2	1	4	*33*
North Cotswold	20,540	168	152	320	15·6	1·08	1·03	121	112	233	11·3	0·93	0·90	8	*25*	6	5	7	*37*
Northleach	8,170	58	62	120	14·7	1·05	0·94	41	49	90	11·0	0·69	0·65	4	*33*	3	3	2	*41*
Sodbury	41,220	343	386	729	17·7	1·00	1·08	177	169	346	8·4	1·18	0·85	12	*16*	10	8	20	37
Stroud	27,250	220	183	403	14·8	1·07	0·97	161	162	323	11·9	0·90	0·92	8	*20*	4	3	8	*27*
Tetbury	6,790	78	52	130	19·1	1·10	1·28	47	39	86	12·7	0·81	0·88	3	*23*	3	3	2	*38*
Thornbury	26,850	273	261	534	19·9	1·12	1·36	154	153	307	11·4	0·88	0·86	6	*11*	3	3	4	*13*
Warmley	14,500	131	140	271	18·7	0·94	1·07	60	52	112	7·7	1·25	0·82	1	*4*	1	1	4	*18*
West Dean	17,960	143	123	266	14·8	1·05	0·95	126	89	215	12·0	0·97	0·99	5	*19*	4	3	5	*30*
HEREFORDSHIRE	**128,200**	**1,093**	**999**	**2,092**	**16·3**	**1·06**	**1·05**	**817**	**756**	**1,573**	**12·3**	**0·89**	**0·94**	**56**	**27**	**40**	**31**	**55**	**40**
Municipal boroughs and urban districts	**52,500**	**465**	**440**	**905**	**17·2**	**0·97**	**1·02**	**333**	**356**	**689**	**13·1**	**0·90**	**1·01**	**21**	**23**	**15**	**10**	**22**	**35**
Bromyard	1,690	15	23	38	22·5	1·06	1·45	14	10	24	14·2	0·91	1·10	1	*26*	1	1	—	*26*
Hereford M.B.	33,820	313	287	600	17·7	0·95	1·03	195	218	413	12·2	1·00	1·04	13	*22*	9	6	17	37
Kington	1,850	14	12	26	14·1	1·08	0·93	14	16	30	16·2	0·76	1·05	2	*77*	1	1	2	*107*
Ledbury	3,720	26	26	52	14·0	0·99	0·85	24	21	45	12·1	0·80	0·83	1	*19*	1	—	—	—
Leominster M.B.	6,130	50	47	97	15·8	0·98	0·94	41	50	91	14·8	0·70	0·89	3	*31*	2	1	1	*20*
Ross-on-Wye	5,290	47	45	92	17·4	1·03	1·09	45	41	86	16·3	0·66	0·92	1	*11*	1	1	2	*32*
Rural districts	**75,700**	**628**	**559**	**1,187**	**15·7**	**1·14**	**1·09**	**484**	**400**	**884**	**11·7**	**0·89**	**0·89**	**35**	**29**	**25**	**21**	**33**	**44**
Bromyard	7,050	58	58	116	16·5	1·12	1·13	38	35	73	10·4	0·77	0·68	3	*26*	3	3	4	*58*
Dore and Bredwardine	8,300	60	58	118	14·2	1·07	0·93	49	44	93	11·2	1·01	0·97	4	*34*	4	3	3	*50*
Hereford	18,120	147	124	271	15·0	1·19	1·09	123	106	229	12·6	0·81	0·87	13	*48*	10	9	7	*58*
Kington	4,770	35	38	73	15·3	1·15	1·07	34	24	58	12·2	0·89	0·93	1	*14*	—	—	—	—
Ledbury	8,650	72	58	130	15·0	1·12	1·02	54	47	101	11·7	0·92	0·92	4	*31*	1	1	4	*37*
Leominster and Wigmore	10,050	77	66	143	14·2	1·17	1·01	69	64	133	13·2	0·85	0·96	3	*21*	2	2	7	*60*
Ross and Whitchurch	11,800	107	96	203	17·2	1·14	1·20	75	56	131	11·1	0·88	0·83	4	*20*	2	2	4	*29*
Weobley	6,960	72	61	133	19·1	1·05	1·22	42	24	66	9·5	0·96	0·78	3	*23*	3	1	4	*36*
HERTFORDSHIRE	**761,200**	**7,026**	**6,682**	**13,708**	**18·0**	**0·93**	**1·02**	**3,634**	**3,711**	**7,345**	**9·6**	**1·07**	**0·88**	**224**	**16**	**156**	**129**	**270**	**29**
Municipal boroughs and urban districts	**529,900**	**4,994**	**4,797**	**9,791**	**18·5**	**0·93**	**1·05**	**2,492**	**2,488**	**4,980**	**9·4**	**1·12**	**0·90**	**145**	**15**	**98**	**82**	**197**	**28**
Baldock	7,090	65	75	140	19·7	0·89	1·07	30	23	53	7·5	1·34	0·86	5	*36*	2	2	6	*55*
Barnet	26,100	204	190	394	15·1	1·01	0·93	108	131	239	9·2	0·99	0·78	6	*15*	5	5	7	*30*
Berkhamsted	12,200	118	97	215	17·6	1·03	1·11	68	49	117	9·6	0·98	0·80	6	*28*	5	5	9	*63*
Bishop's Stortford	16,290	155	141	296	18·2	0·94	1·04	81	80	161	9·9	0·93	0·79	1	*3*	1	1	5	*20*
Bushey	18,880	158	153	311	16·5	0·93	0·94	89	73	162	8·6	1·11	0·82	6	*19*	5	5	3	*25*
Cheshunt	29,450	315	305	620	21·1	0·90	1·16	132	104	236	8·0	1·34	0·92	8	*13*	4	3	13	*25*
Chorleywood	6,320	43	60	103	16·3	0·96	0·95	27	20	47	7·4	1·05	0·66	3	*29*	1	1	3	*38*
East Barnet	41,200	289	276	565	13·7	1·05	0·88	175	230	405	9·8	1·10	0·92	2	*4*	—	—	10	*17*
Harpenden	16,500	161	153	314	19·0	1·02	1·18	79	96	175	10·6	1·02	0·92	8	*25*	7	4	4	*25*
Hemel Hempstead M.B.	46,390	561	559	1,120	24·1	0·75	1·10	169	163	332	7·2	1·56	0·96	10	*9*	6	5	19	21
Hertford M.B.	15,090	126	92	218	14·4	0·99	0·87	59	73	132	8·7	1·03	0·77	3	*14*	1	—	2	*9*
Hitchin	21,990	188	178	366	16·6	0·94	0·95	158	162	320	14·6	0·90	1·12	5	*14*	1	1	12	*34*
Hoddesdon	16,440	149	145	294	17·9	1·00	1·09	90	80	170	10·3	1·11	0·98	5	*17*	4	3	5	*27*
Letchworth	22,840	212	178	390	17·1	0·98	1·02	97	106	203	8·9	1·14	0·87	5	*13*	3	3	10	*33*
Rickmansworth	27,450	239	210	449	16·4	1·03	1·03	116	120	236	8·6	1·21	0·89	8	*18*	5	3	6	*20*
Royston	5,500	53	42	95	17·3	1·00	1·05	31	30	61	11·1	0·94	0·89	2	*21*	1	1	2	*31*
St. Albans M.B.	47,880	418	400	818	17·1	0·98	1·02	269	234	503	10·5	0·98	0·88	18	*22*	17	13	24	44
Sawbridgeworth	4,390	22	28	50	11·4	1·00	0·70	15	15	30	6·8	0·97	0·56	2	*40*	1	1	—	*20*
Stevenage	30,140	442	465	907	30·1	0·68	1·25	82	74	156	5·2	2·14	0·95	12	*13*	9	8	16	26
Tring	5,380	37	29	66	12·3	1·05	0·79	27	30	57	10·6	0·83	0·75	1	*15*	1	1	—	*15*
Ware	9,320	72	82	154	16·5	1·01	1·02	66	63	129	13·8	0·47	0·55	1	*6*	1	1	2	*19*
Watford M.B.	73,350	547	553	1,100	15·0	1·00	0·91	425	459	884	12·1	0·98	1·01	20	18	13	12	27	35
Welwyn Garden City	29,710	420	386	806	27·1	0·78	1·29	99	73	172	5·8	1·85	0·92	8	*10*	5	4	12	*20*

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1958	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
HERTFORDSHIRE—*continued*																			
Rural districts	**231,300**	**2,032**	**1,885**	**3,917**	**16·9**	**0·94**	**0·97**	**1,142**	**1,223**	**2,365**	**10·2**	**0·94**	**0·82**	**79**	**20**	**58**	**47**	**73**	**30**
Berkhamsted	6,320	61	54	115	18·2	0·98	1·09	34	34	68	10·8	0·97	0·90	1	*9*	1	1	2	*26*
Braughing	10,430	76	72	148	14·2	1·03	0·89	59	63	122	11·7	0·91	0·91	6	*41*	6	4	2	*40*
Elstree	27,470	227	258	485	17·7	0·90	0·97	130	179	309	11·2	0·84	0·80	13	*27*	8	6	5	*22*
Hatfield	34,340	356	309	665	19·4	0·87	1·03	143	140	283	8·2	1·09	0·76	11	*17*	8	6	19	37
Hemel Hempstead	13,340	113	124	237	17·8	1·00	1·09	56	68	124	9·3	1·11	0·88	6	*25*	6	6	6	*49*
Hertford	9,160	72	78	150	16·4	1·01	1·01	52	40	92	10·0	1·04	0·89	4	*27*	3	2	—	*13*
Hitchin	22,400	188	168	356	15·9	1·03	1·00	131	103	234	10·4	0·95	0·84	6	*17*	5	4	14	*49*
St. Albans	34,480	337	267	604	17·5	1·06	1·13	209	261	470	13·6	0·65	0·76	11	*18*	10	10	13	37
Ware	11,720	88	72	160	13·7	1·02	0·85	61	58	119	10·2	0·86	0·75	1	*6*	—	—	1	*6*
Watford	55,490	452	414	866	15·6	0·89	0·85	224	246	470	8·5	1·17	0·85	18	*21*	10	7	10	*19*
Welwyn	6,150	62	69	131	21·3	0·87	1·13	43	31	74	12·0	1·11	1·14	2	*15*	1	1	1	*15*
HUNTINGDONSHIRE	**78,800**	**779**	**663**	**1,442**	**18·3**	**1·09**	**1·22**	**407**	**351**	**758**	**9·6**	**1·05**	**0·86**	**24**	**17**	**18**	**17**	**30**	**32**
Municipal boroughs and urban districts	**34,090**	**369**	**323**	**692**	**20·3**	**1·00**	**1·24**	**196**	**180**	**376**	**11·0**	**0·92**	**0·86**	**15**	*22*	**13**	**12**	**15**	**38**
Godmanchester M.B.	2,580	37	31	68	26·4	1·02	1·64	6	9	15	*5·8*	0·95	0·47	—	—	—	—	—	—
Huntingdon M.B.	5,960	55	56	111	18·6	0·98	1·11	48	48	96	16·1	0·47	0·65	2	*18*	2	2	4	*52*
Old Fletton	11,050	125	121	246	22·3	0·99	1·35	62	45	107	9·7	1·26	1·04	9	*37*	7	7	5	*48*
Ramsey	5,830	58	48	106	18·2	1·00	1·11	33	22	55	9·4	1·11	0·89	2	*19*	2	1	2	*28*
St. Ives M.B.	3,420	44	29	73	21·3	1·01	1·31	17	24	41	12·0	0·88	0·90	—	—	—	—	—	—
St. Neots	5,250	50	38	88	16·8	1·04	1·07	30	32	62	11·8	0·89	0·90	2	*23*	2	2	4	*65*
Rural districts	**44,710**	**410**	**340**	**750**	**16·8**	**1·16**	**1·19**	**211**	**171**	**382**	**8·5**	**1·14**	**0·83**	**9**	*12*	**5**	**5**	**15**	**26**
Huntingdon	12,960	134	108	242	18·7	1·33	1·52	40	42	82	6·3	1·31	0·71	2	*8*	1	1	2	*12*
Norman Cross	8,990	70	68	138	15·4	1·06	1·00	46	38	84	9·3	1·21	0·96	2	*14*	2	2	5	*49*
St. Ives	15,310	138	110	248	16·2	1·11	1·10	81	60	141	9·2	1·15	0·90	5	*20*	2	2	5	*28*
St. Neots	7,450	68	54	122	16·4	1·13	1·13	44	31	75	10·1	0·91	0·79	—	—	—	—	3	*24*
KENT	**1,654,000**	**13,263**	**12,390**	**25,653**	**15·5**	**1·03**	**0·97**	**9,898**	**9,729**	**19,627**	**11·9**	**0·94**	**0·96**	**515**	**20**	**374**	**318**	**492**	**31**
Canterbury C.B.	30,000	235	207	442	14·7	1·02	0·91	166	209	375	12·5	0·92	0·98	10	*23*	8	7	6	*29*
Administrative county	**1,624,000**	**13,028**	**12,183**	**25,211**	**15·5**	**1·03**	**0·97**	**9,732**	**9,520**	**19,252**	**11·9**	**0·94**	**0·96**	**505**	**20**	**366**	**311**	**486**	**31**
Municipal boroughs and urban districts	**1,275,200**	**10,126**	**9,505**	**19,631**	**15·4**	**1·02**	**0·96**	**7,575**	**7,465**	**15,040**	**11·8**	**0·97**	**0·98**	**400**	**20**	**294**	**245**	**379**	**31**
Ashford	26,310	207	192	399	15·2	1·02	0·95	168	148	316	12·0	0·94	0·96	4	*10*	2	1	6	*17*
Beckenham M.B.	75,380	505	450	955	12·7	1·06	0·82	456	512	968	12·8	0·92	1·01	14	*15*	10	10	21	32
Bexley M.B.	90,330	647	566	1,213	13·4	1·02	0·83	444	413	857	9·5	1·23	1·00	16	*13*	10	9	25	27
Broadstairs and St. Peter's	16,760	94	83	177	10·6	1·12	0·72	133	147	280	16·7	0·75	1·07	6	*34*	3	1	4	*28*
Bromley M.B.	66,030	449	456	905	13·7	1·00	0·84	359	390	749	11·3	0·94	0·91	18	*20*	17	16	12	31
Chatham M.B.	50,860	525	507	1,032	20·3	0·97	1·20	244	221	465	9·1	1·06	0·82	17	*16*	11	8	14	21
Chislehurst and Sidcup	88,540	680	659	1,339	15·1	0·97	0·89	402	354	756	8·5	1·31	0·95	28	21	20	14	27	30
Crayford	30,280	282	245	527	17·4	0·95	1·01	159	106	265	8·8	1·32	0·99	8	*15*	7	7	11	*33*
Dartford M.B.	43,140	355	344	699	16·2	0·98	0·97	291	315	606	14·0	0·76	0·91	20	29	15	15	12	38
Deal M.B.	25,670	240	193	433	16·9	1·06	1·09	157	148	305	11·9	0·98	1·00	10	*23*	7	6	3	*21*
Dover M.B.	35,140	305	281	586	16·7	1·00	1·02	198	183	381	10·8	0·99	0·91	13	*22*	12	11	14	42
Erith M.B.	45,880	333	327	660	14·4	1·00	0·88	282	224	506	11·0	1·17	1·10	13	*20*	10	7	14	31
Faversham M.B.	12,340	118	94	212	17·2	1·04	1·09	104	91	195	15·8	0·52	0·70	4	*19*	3	3	5	*37*
Folkestone M.B.	45,300	319	283	602	13·3	1·05	0·85	287	291	578	12·8	0·86	0·94	15	*25*	11	11	11	36
Gillingham M.B.	77,870	603	608	1,211	15·6	1·03	0·98	447	348	795	10·2	1·13	0·99	29	24	20	13	24	30
Gravesend M.B.	46,660	413	441	854	18·3	0·97	1·08	248	237	485	10·4	1·14	1·01	26	30	18	13	22	40
Herne Bay	18,410	99	102	201	10·9	1·26	0·84	154	201	355	19·3	0·56	0·92	—	—	—	—	3	*15*
Hythe M.B.	9,820	59	64	123	12·5	1·21	0·92	70	67	137	14·0	0·71	0·85	2	*16*	2	2	—	*16*
Lydd M.B.	3,140	21	22	43	13·7	1·24	1·04	9	14	23	7·3	1·22	0·76	—	—	—	—	—	—
Maidstone M.B.	56,500	432	426	858	15·2	1·04	0·96	315	309	624	11·0	0·88	0·83	23	27	18	18	15	38
Margate M.B.	43,410	308	272	580	13·4	1·09	0·89	333	340	673	15·5	0·79	1·05	9	*16*	9	8	10	*31*
New Romney M.B.	2,400	23	23	46	19·2	1·03	1·21	20	17	37	15·4	0·90	1·18	1	*22*	1	—	—	—
Northfleet	20,370	185	175	360	17·7	0·97	1·05	120	126	246	12·1	1·16	1·20	10	*28*	6	4	14	*48*
Orpington	73,640	684	633	1,317	17·9	0·99	1·08	388	359	747	10·1	1·12	0·97	27	21	20	19	24	32
Penge	25,620	273	264	537	21·0	0·90	1·15	140	168	308	12·0	0·98	1·01	8	*15*	8	6	14	36
Queenborough M.B.	3,200	36	21	57	17·8	1·02	1·11	17	17	34	10·6	1·12	1·01	—	—	—	—	1	*17*
Ramsgate M.B.	36,000	273	266	539	15·0	1·06	0·97	267	259	526	14·6	0·87	1·09	12	*22*	7	3	12	*27*
Rochester M.B.	47,470	420	371	791	16·7	0·98	1·00	268	231	499	10·5	1·10	0·99	20	25	15	13	22	43
Royal Tunbridge Wells M.B.	38,880	277	251	528	13·6	1·09	0·90	258	395	653	16·8	0·65	0·93	15	*28*	8	7	9	*30*
Sandwich M.B.	4,350	33	31	64	14·7	1·15	1·03	32	32	64	14·7	0·88	1·11	4	*63*	3	2	1	*46*
Sevenoaks	16,690	137	109	246	14·7	1·06	0·95	92	118	210	12·6	0·71	0·76	6	*24*	6	4	4	*32*
Sheerness	15,520	145	136	281	18·1	1·08	1·19	95	92	187	12·0	1·06	1·09	8	*28*	3	3	4	*25*
Sittingbourne and Milton	22,470	199	181	380	16·9	1·02	1·05	175	161	336	15·0	0·68	0·87	2	*5*	1	—	6	*16*
Southborough	8,970	54	74	128	14·3	1·16	1·01	61	71	132	14·7	0·74	0·93	2	*16*	2	2	3	*38*
Swanscombe	8,950	75	53	128	14·3	0·93	0·81	51	32	83	9·3	1·22	0·97	4	*31*	4	4	1	*39*
Tenterden M.B.	4,800	31	23	54	11·2	1·05	0·72	47	43	90	18·8	0·45	0·72	—	—	—	—	2	*36*
Tonbridge	20,680	170	161	331	16·0	1·03	1·00	133	124	257	12·4	0·90	0·95	4	*12*	4	4	5	*27*
Whitstable	17,420	117	118	235	13·5	1·27	1·05	151	161	312	17·9	0·63	0·96	2	*9*	1	1	4	*21*
Rural districts	**348,800**	**2,902**	**2,678**	**5,580**	**16·0**	**1·05**	**1·02**	**2,157**	**2,055**	**4,212**	**12·1**	**0·85**	**0·88**	**105**	**19**	**72**	**66**	**107**	**30**
Bridge-Blean	19,180	123	113	236	12·3	1·25	0·94	166	155	321	16·7	0·51	0·73	3	*13*	2	2	4	*25*
Cranbrook	15,130	95	108	203	13·4	1·04	0·85	81	130	211	13·9	0·78	0·93	4	*20*	1	1	2	*15*
Dartford	47,660	505	439	944	19·8	0·98	1·18	264	229	493	10·3	1·06	0·93	21	22	16	14	15	30
Dover	12,740	101	99	200	15·7	1·16	1·11	68	77	145	11·4	0·88	0·86	7	*35*	6	5	4	*44*
East Ashford	10,570	55	83	138	13·1	1·11	0·89	65	68	133	12·6	0·82	0·88	1	*7*	1	1	3	*28*

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1958	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
KENT—*continued*																			
Rural districts—*continued*																			
Eastry	22,840	204	173	377	16·5	1·18	1·19	152	133	285	12·5	0·73	0·78	11	*29*	7	7	9	*41*
Elham	9,490	61	76	137	14·4	1·06	0·93	124	89	213	22·4	0·43	0·82	1	*7*	1	1	6	*49*
Hollingbourn	16,770	162	119	281	16·8	1·05	1·08	109	85	194	11·6	0·94	0·93	6	*21*	4	3	6	*31*
Maidstone	19,040	162	138	300	15·8	1·05	1·01	145	141	286	15·0	0·57	0·73	3	*10*	2	2	3	*17*
Malling	37,110	314	279	593	16·0	1·05	1·02	200	190	390	10·5	1·02	0·92	12	*20*	7	7	10	*28*
Romney Marsh	4,550	47	26	73	16·0	1·15	1·12	31	31	62	13·6	0·92	1·07	1	*14*	1	—	1	*14*
Sevenoaks	36,500	281	244	525	14·4	1·04	0·91	183	215	398	10·9	0·95	0·89	11	*21*	5	5	11	*30*
Sheppey	9,570	75	75	150	15·7	1·13	1·08	59	59	118	12·3	0·98	1·03	4	*27*	4	4	2	*39*
Strood	25,730	247	254	501	19·5	0·97	1·15	124	95	219	8·5	1·13	0·82	7	*14*	5	5	8	*26*
Swale	20,350	157	147	304	14·9	1·03	0·94	102	84	186	9·1	0·99	0·77	5	*16*	4	3	8	*35*
Tenterden	7,320	60	64	124	16·9	1·08	1·11	46	31	77	10·5	0·89	0·80	3	*24*	1	1	2	*24*
Tonbridge	23,810	168	160	328	13·8	0·99	0·83	162	148	310	13·0	0·89	0·99	5	*15*	5	5	9	*42*
West Ashford	10,440	85	81	166	15·9	1·05	1·02	76	95	171	16·4	0·57	0·80	—	—	—	—	4	*24*
LANCASHIRE	**5,101,000**	**44,601**	**42,060**	**86,661**	**17·0**	**0·99**	**1·03**	**33,708**	**32,186**	**65,894**	**12·9**	**1·10**	**1·21**	**2,306**	**27**	**1,638**	**1,412**	**2,178**	**40**
County boroughs	**2,972,000**	**26,995**	**25,315**	**52,310**	**17·6**	**0·98**	**1·05**	**19,592**	**18,950**	**38,542**	**13·0**	**1·13**	**1·26**	**1,425**	**27**	**1,010**	**872**	**1,363**	**42**
Barrow-in-Furness	64,450	506	486	992	15·4	1·01	0·95	420	358	778	12·1	1·09	1·13	19	*19*	14	13	20	33
Blackburn	106,200	804	762	1,566	14·7	1·06	0·95	837	798	1,635	15·4	0·97	1·28	40	26	28	22	36	36
Blackpool	144,500	867	827	1,694	11·7	1·11	0·79	1,213	1,222	2,435	16·9	0·85	1·23	50	30	39	34	44	45
Bolton	161,500	1,268	1,271	2,539	15·7	1·00	0·96	1,066	1,053	2,119	13·1	1·09	1·22	69	27	52	41	52	36
Bootle	81,550	1,004	948	1,952	23·9	0·93	1·36	397	378	775	9·5	1·53	1·24	61	31	50	46	48	47
Burnley	81,360	657	619	1,276	15·7	1·04	1·00	589	656	1,245	15·3	0·98	1·28	36	28	29	27	39	50
Bury	58,090	467	441	908	15·6	1·03	0·98	415	464	879	15·1	1·02	1·32	22	24	15	12	24	39
Liverpool	762,400	8,062	7,611	15,673	20·6	0·93	1·17	4,519	4,424	8,943	11·7	1·22	1·22	436	28	288	255	407	41
Manchester	676,900	6,405	5,910	12,315	18·2	0·96	1·07	4,372	4,228	8,600	12·7	1·17	1·27	316	26	237	213	323	42
Oldham	118,300	952	856	1,808	15·3	0·99	0·92	919	782	1,701	14·4	1·10	1·35	49	27	31	26	45	38
Preston	115,100	970	899	1,869	16·2	1·00	0·99	766	691	1,457	12·7	1·15	1·25	58	31	41	32	37	36
Rochdale	84,890	736	676	1,412	16·6	1·00	1·01	639	654	1,293	15·2	1·06	1·38	32	23	19	14	34	33
St. Helens	110,600	982	884	1,866	16·9	0·94	0·97	704	557	1,261	11·4	1·33	1·30	67	36	42	34	73	55
Salford	163,600	1,478	1,408	2,886	17·6	0·96	1·03	1,112	1,057	2,169	13·3	1·20	1·36	84	29	66	53	70	42
Southport	81,760	501	491	992	12·1	1·13	0·83	646	777	1,423	17·4	0·73	1·09	21	21	17	17	30	46
Warrington	79,470	710	613	1,323	16·6	0·95	0·96	481	407	888	11·2	1·23	1·18	32	24	21	16	42	42
Wigan	81,330	626	613	1,239	15·2	0·98	0·91	497	444	941	11·6	1·21	1·20	33	27	21	17	39	44
Administrative county	**2,129,000**	**17,606**	**16,745**	**34,351**	**16·1**	**1·02**	**1·00**	**14,116**	**13,236**	**27,352**	**12·8**	**1·08**	**1·18**	**881**	**26**	**628**	**540**	**815**	**39**
***Municipal boroughs and urban districts**	**1,816,320**	**15,068**	**14,332**	**29,400**	**16·2**	**1·02**	**1·01**	**12,088**	**11,441**	**23,529**	**13·0**	**1·08**	**1·20**	**748**	**25**	**536**	**465**	**705**	**39**
Abram	6,190	66	37	103	16·6	0·95	0·96	31	26	57	9·2	1·35	1·06	2	*19*	1	1	4	*47*
Accrington M.B.	39,270	277	253	530	13·5	1·05	0·86	325	327	652	16·6	0·99	1·40	10	*19*	9	6	10	*30*
Adlington	4,230	32	30	62	14·7	1·07	0·96	28	19	47	11·1	1·11	1·05	1	*16*	1	1	—	*16*
Ashton-in-Makerfield	19,230	166	122	288	15·0	0·97	0·89	128	123	251	13·1	1·19	1·33	9	*31*	7	5	4	*31*
Ashton-under-Lyne M.B.	50,600	414	379	793	15·7	1·00	0·96	366	384	750	14·8	1·00	1·26	20	25	15	14	38	63
Aspull	6,670	54	50	104	15·6	0·98	0·93	43	34	77	11·5	1·29	1·27	—	—	—	—	2	*19*
Atherton	19,700	148	182	330	16·8	1·00	1·02	137	144	281	14·3	1·00	1·22	6	*18*	3	3	5	*24*
Audenshaw	12,450	84	93	177	14·2	1·03	0·89	76	67	143	11·5	1·11	1·09	3	*17*	3	3	4	*39*
Bacup M.B.	17,990	158	156	314	17·5	1·01	1·08	100	125	225	12·5	1·11	1·19	3	*10*	3	2	6	*25*
Barrowford	4,720	37	23	60	12·7	1·12	0·87	42	35	77	16·3	0·90	1·25	2	*33*	2	2	3	*79*
Billinge-and-Winstanley	6,350	44	46	90	14·2	1·07	0·93	46	46	92	14·5	0·49	0·61	1	*11*	—	—	—	—
Blackrod	3,360	27	27	54	16·1	0·98	0·96	22	14	36	10·7	1·10	1·01	1	*19*	1	1	1	*36*
Brierfield	6,790	47	47	94	13·8	1·10	0·93	50	31	81	11·9	0·97	0·99	—	—	—	—	—	—
Carnforth	3,870	35	37	72	18·6	1·00	1·13	20	24	44	11·4	1·11	1·08	1	*14*	1	1	1	*27*
Chadderton	32,240	235	278	513	15·9	1·04	1·01	215	196	411	12·7	1·19	1·29	15	*29*	12	12	7	*37*
Chorley M.B.	31,500	239	225	464	14·7	1·01	0·91	203	234	437	13·9	1·11	1·32	17	*37*	13	11	8	*40*
Church	5,730	52	48	100	17·5	1·00	1·07	31	36	67	11·7	1·06	1·06	6	*60*	3	2	5	*67*
Clayton-le-Moors	6,860	58	35	93	13·6	1·05	0·87	57	55	112	16·3	1·09	1·52	10	*108*	5	3	1	*43*
Clitheroe M.B.	11,940	93	62	155	13·0	1·13	0·90	78	110	188	15·7	0·66	0·89	3	*19*	3	3	4	*44*
Colne M.B.	19,780	143	110	253	12·8	1·07	0·84	127	148	275	13·9	0·98	1·16	2	*8*	1	1	4	*19*
Crompton	12,520	96	78	174	13·9	1·04	0·88	93	76	169	13·5	1·07	1·23	4	*23*	4	4	3	*40*
Crosby M.B.	58,520	513	538	1,051	18·0	1·00	1·10	331	469	800	13·7	0·98	1·15	25	24	17	15	18	31
Dalton-in-Furness	10,290	74	84	158	15·4	1·02	0·96	76	67	143	13·9	1·04	1·24	2	*13*	1	1	5	*37*
Darwen M.B.	29,680	231	218	449	15·1	1·08	0·99	267	240	507	17·1	0·98	1·43	9	*20*	7	5	10	*33*
Denton	27,540	238	235	473	17·2	1·06	1·11	151	138	289	10·5	1·19	1·07	11	*23*	4	2	8	*21*
Droylsden	26,290	194	200	394	15·0	1·01	0·92	139	117	256	9·7	1·41	1·17	8	*20*	5	5	6	*28*
Eccles M.B.	43,600	384	384	768	17·6	1·00	1·07	388	441	829	19·0	0·78	1·27	25	33	13	10	25	44
Failsworth	19,260	145	165	310	16·1	0·98	0·96	117	96	213	11·1	1·23	1·17	5	*16*	3	3	2	*16*
Farnworth M.B.	27,520	228	229	457	16·6	0·99	1·00	221	213	434	15·8	0·98	1·32	13	*28*	11	10	12	47
Fleetwood M.B.	28,370	243	236	479	16·9	1·02	1·05	205	167	372	13·1	1·11	1·24	15	*31*	10	10	14	49
Formby	10,790	83	86	169	15·7	1·15	1·10	63	72	135	12·5	1·04	1·11	1	*6*	—	—	2	*12*
Fulwood	14,800	99	95	194	13·1	1·05	0·84	115	141	256	17·3	0·62	0·92	2	*10*	2	2	5	*35*
Golborne	19,910	215	200	415	20·8	0·91	1·15	109	80	189	9·5	1·38	1·12	8	*19*	5	3	8	*26*
Grange	2,840	17	16	33	11·6	1·46	1·03	22	35	57	20·1	0·54	0·93	2	*61*	2	2	—	*61*
Great Harwood	10,670	72	75	147	13·8	1·11	0·93	89	85	174	16·3	0·96	1·34	4	*27*	3	3	4	*46*
Haslingden M.B.	14,090	106	104	210	14·9	1·07	0·97	122	111	233	16·5	0·99	1·40	3	*14*	3	2	4	*28*
Haydock	11,950	108	90	198	16·6	0·96	0·97	66	66	132	11·0	1·22	1·15	8	*40*	6	6	5	*54*
Heywood M.B.	24,810	210	162	372	15·0	1·01	0·92	196	173	369	14·9	1·12	1·43	12	*32*	8	7	7	*37*
Hindley	19,220	153	122	275	14·3	1·00	0·87	151	105	256	13·3	1·22	1·39	6	*22*	3	3	10	*46*
Horwich	15,840	119	134	253	16·0	1·00	0·98	94	95	189	11·9	1·11	1·13	6	*24*	5	5	4	*35*
Huyton-with-Roby	61,190	661	659	1,320	21·6	0·99	1·30	241	240	481	7·9	1·76	1·19	40	30	27	22	35	42

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1958	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
LANCASHIRE—*continued*																			
Municipal boroughs and urban districts—*continued*																			
Ince-in-Makerfield	20,020	163	139	302	15·1	0·96	0·88	126	90	216	10·8	1·41	1·30	11	*36*	7	5	16	66
Irlam	14,910	132	119	251	16·8	1·03	1·06	76	72	148	9·9	1·26	1·07	4	*16*	4	4	6	*39*
Kearsley	10,400	85	78	163	15·7	1·00	0·96	77	58	135	13·0	1·17	1·30	2	*12*	1	1	5	*36*
†Kirkby	31,810	478	494	972	30·6	0·73	1·36	82	59	141	4·4	2·67	1·00	32	33	22	19	31	50
Kirkham	4,830	27	35	62	12·8	0·95	0·74	32	24	56	11·6	1·11	1·10	—	—	—	—	1	*16*
Lancaster M.B.	49,150	382	384	766	15·6	1·08	1·03	383	370	753	15·3	0·78	1·02	14	*18*	10	8	11	*24*
Lees	3,970	20	22	42	10·6	1·10	0·71	24	29	53	13·4	1·04	1·19	2	*48*	1	1	1	*47*
Leigh M.B.	47,360	407	369	776	16·4	0·99	0·99	296	239	535	11·3	1·24	1·20	13	*17*	11	11	22	41
Leyland	18,030	191	171	362	20·1	0·96	1·18	117	77	194	10·8	1·34	1·24	11	*30*	9	9	4	*36*
Litherland	24,590	259	229	488	19·8	0·94	1·13	138	118	256	10·4	1·45	1·29	13	*27*	8	7	7	*28*
Littleborough	10,500	93	84	177	16·9	1·00	1·03	67	79	146	13·9	1·10	1·31	6	*34*	5	4	6	*55*
Little Lever	4,750	48	42	90	18·9	1·05	1·21	31	17	48	10·1	1·17	1·01	—	—	—	—	1	*11*
Longridge	4,570	39	55	94	20·6	1·09	1·37	24	23	47	10·3	1·14	1·00	3	*32*	3	3	1	*42*
Lytham St. Anne's M.B.	31,740	200	189	389	12·3	1·15	0·86	287	315	602	19·0	0·71	1·15	12	*31*	10	8	14	55
Middleton M.B.	52,620	497	501	998	19·0	0·89	1·03	283	233	516	9·8	1·44	1·21	17	*17*	11	11	15	26
Milnrow	8,360	67	57	124	14·8	1·01	0·91	56	52	108	12·9	1·03	1·14	7	*56*	4	2	4	*47*
Morecambe and Heysham M.B.	37,380	228	233	461	12·3	1·22	0·92	324	311	635	17·0	0·77	1·12	14	*30*	11	11	14	53
Mossley M.B.	10,050	92	66	158	15·7	1·03	0·99	76	65	141	14·0	1·09	1·30	7	*44*	6	6	5	*67*
Nelson M.B.	32,060	212	215	427	13·3	1·08	0·88	254	235	489	15·3	0·96	1·26	11	*26*	5	5	9	*32*
Newton-le-Willows	22,090	180	151	331	15·0	0·98	0·90	126	123	249	11·3	1·15	1·11	13	*39*	11	9	11	58
Ormskirk	21,450	161	130	291	13·6	1·03	0·85	137	132	269	12·5	0·98	1·05	5	*17*	4	4	7	*37*
Orrell	10,140	93	53	146	14·4	1·00	0·88	72	63	135	13·3	1·15	1·31	2	*14*	—	—	5	*33*
Oswaldtwistle	11,930	76	80	156	13·1	1·06	0·85	98	76	174	14·6	1·01	1·26	3	*19*	3	1	3	*25*
Padiham	9,910	73	83	156	15·7	1·03	0·99	79	68	147	14·8	1·02	1·29	2	*13*	2	2	3	*31*
Poulton-le-Fylde	10,970	93	74	167	15·2	0·97	0·90	50	68	118	10·8	1·13	1·04	6	*36*	3	3	5	*47*
Preesall	2,240	22	16	38	17·0	1·27	1·32	18	15	33	14·7	0·67	0·84	—	—	—	—	1	*26*
Prescot	12,620	117	132	249	19·7	0·91	1·09	74	63	137	10·9	1·20	1·12	9	*36*	8	6	6	*47*
Prestwich M.B.	33,550	225	210	435	13·0	1·13	0·90	256	265	521	15·5	0·78	1·03	8	*18*	8	6	7	*29*
Radcliffe M.B.	27,320	219	190	409	15·0	1·05	0·96	228	196	424	15·5	1·10	1·46	17	*42*	10	8	13	*50*
Rainford	4,570	41	36	77	16·8	0·95	0·97	23	14	37	8·1	1·22	0·84	4	*52*	4	4	3	*88*
Ramsbottom	13,770	89	112	201	14·6	1·08	0·96	96	111	207	15·0	0·95	1·22	1	*5*	1	1	3	*20*
Rawtenstall M.B.	24,230	176	157	333	13·7	1·06	0·89	180	200	380	15·7	0·99	1·33	6	*18*	4	2	11	*38*
Rishton	5,500	35	47	82	14·9	1·12	1·02	44	43	87	15·8	1·01	1·36	4	*49*	4	4	4	*93*
Royton	14,350	97	90	187	13·0	1·04	0·82	95	85	180	12·5	1·12	1·20	3	*16*	1	1	4	*26*
Skelmersdale	6,360	46	43	89	14·0	1·00	0·85	33	29	62	9·7	1·27	1·05	2	*22*	2	2	2	*44*
Standish-with-Langtree	9,110	71	56	127	13·9	1·06	0·90	57	53	110	12·1	1·13	1·17	2	*16*	2	2	7	*67*
Stretford M.B.	61,760	540	506	1,046	16·9	0·95	0·98	380	345	725	11·7	1·19	1·19	39	37	29	25	25	47
Swinton and Pendlebury M.B.	40,130	330	266	596	14·9	1·05	0·95	246	191	437	10·9	1·20	1·12	20	34	13	12	13	41
Thornton Cleveleys	16,850	110	107	217	12·9	1·21	0·95	162	131	293	17·4	0·77	1·15	5	*23*	2	—	4	*18*
Tottington	5,680	30	41	71	12·5	1·24	0·95	50	44	94	16·5	0·86	1·21	1	*14*	1	1	5	*79*
Trawden	1,980	14	7	21	10·6	1·15	0·74	20	19	39	19·7	0·94	1·58	—	—	—	—	1	*45*
Turton	11,620	81	82	163	14·0	1·11	0·95	116	84	200	17·2	0·90	1·32	5	*31*	3	2	3	*30*
Tyldesley	17,530	115	118	233	13·3	0·99	0·80	115	94	209	11·9	1·19	1·21	3	*13*	3	3	2	*21*
Ulverston	10,400	67	70	137	13·2	1·01	0·81	78	79	157	15·1	0·90	1·16	3	*22*	2	1	1	*14*
Up Holland	6,630	70	37	107	16·1	1·00	0·98	47	40	87	13·1	1·27	1·42	3	*28*	3	3	4	*63*
Urmston	40,700	369	332	701	17·2	1·00	1·05	213	184	397	9·8	1·20	1·01	11	*16*	11	9	18	38
Walton-le-Dale	16,330	141	146	287	17·6	1·00	1·07	101	90	191	11·7	1·22	1·22	8	28	7	5	7	*41*
Wardle	4,520	31	28	59	13·1	0·91	0·73	38	40	78	17·3	0·70	1·04	3	51	1	1	3	*65*
Westhoughton	15,300	107	119	226	14·8	1·04	0·94	84	73	157	10·3	1·14	1·00	3	13	2	2	6	*34*
Whitefield	13,170	91	105	196	14·9	1·04	0·94	76	98	174	13·2	1·15	1·30	2	10	2	2	5	*35*
Whitworth	7,420	68	44	112	15·1	1·01	0·93	60	44	104	14·0	1·11	1·33	5	45	3	3	6	*76*
Widnes M.B.	50,630	523	504	1,027	20·3	0·95	1·18	277	234	511	10·1	1·41	1·22	38	37	27	25	26	48
Withnell	2,790	17	14	31	11·1	1·11	0·75	25	17	42	15·1	1·03	1·33	—	—	—	—	1	*31*
Worsley	36,500	332	314	646	17·7	0·97	1·05	200	159	359	9·8	1·27	1·06	12	19	10	10	13	35
***Rural districts**	**312,680**	**2,538**	**2,413**	**4,951**	**15·8**	**1·04**	**1·00**	**2,028**	**1,795**	**3,823**	**12·2**	**1·05**	**1·09**	**133**	**27**	**92**	**75**	**110**	**37**
Blackburn	13,990	81	89	170	12·2	1·17	0·87	100	80	180	12·9	0·87	0·96	3	18	1	1	4	*29*
Burnley	16,170	107	116	223	13·8	1·15	0·97	119	106	225	13·9	0·92	1·09	9	40	9	7	4	*48*
Chorley	27,410	224	170	394	14·4	1·07	0·94	180	143	323	11·8	1·15	1·16	17	43	13	12	14	64
Clitheroe	9,340	37	37	74	7·9	1·23	0·59	59	33	92	10·0	0·98	0·84	3	41	1	1	—	*14*
Fylde	16,010	144	135	279	17·4	1·03	1·09	123	153	276	17·2	0·90	1·32	4	14	4	4	8	*42*
Garstang	13,490	110	94	204	15·1	1·08	0·99	111	76	187	13·9	1·01	1·20	3	15	2	1	6	*33*
Lancaster	13,130	97	84	181	13·8	1·08	0·91	88	77	165	12·6	0·85	0·92	5	28	2	2	1	*16*
Lunesdale	7,440	56	64	120	16·1	1·02	1·00	42	45	87	11·7	1·00	1·00	4	33	4	2	2	*33*
Preston	40,290	282	302	584	14·5	1·20	1·06	322	302	624	15·5	0·79	1·05	21	36	16	13	8	35
Ulverston	16,010	99	94	193	12·1	1·13	0·83	123	122	245	15·3	0·89	1·16	4	21	1	1	4	*25*
Warrington	33,790	259	227	486	14·4	1·02	0·90	178	145	323	9·6	0·96	0·79	4	8	4	4	15	*38*
*West Lancashire	48,740	487	466	953	19·6	0·99	1·18	271	234	505	10·4	1·18	1·05	17	18	12	10	20	31
*Whiston	47,550	461	437	898	18·9	1·04	1·20	253	223	476	10·0	1·11	0·95	28	31	15	11	20	34
Wigan	9,320	94	98	192	20·6	0·97	1·22	59	56	115	12·3	1·23	1·29	11	57	8	6	4	*51*
LEICESTERSHIRE	**659,100**	**5,536**	**5,328**	**10,864**	**16·5**	**1·00**	**1·01**	**3,693**	**3,488**	**7,181**	**10·9**	**1·07**	**1·00**	**223**	**21**	**152**	**122**	**262**	**35**
Leicester C.B.	277,700	2,326	2,175	4,501	16·2	1·01	1·00	1,650	1,683	3,333	12·0	1·03	1·06	113	25	82	65	98	35
Administrative county	**381,400**	**3,210**	**3,153**	**6,363**	**16·7**	**1·00**	**1·02**	**2,043**	**1,805**	**3,848**	**10·1**	**1·10**	**0·95**	**110**	**17**	**70**	**57**	**164**	**34**

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1958	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
LEICESTERSHIRE—*continued*																			
Municipal borough and urban districts	**174,200**	**1,436**	**1,471**	**2,907**	**16·7**	**0·98**	**1·00**	**947**	**798**	**1,745**	**10·0**	**1·15**	**0·98**	**51**	**18**	**30**	**27**	**65**	**31**
Ashby de la Zouch	6,980	45	71	116	16·6	0·99	1·00	39	31	70	10·0	1·08	0·92	3	26	2	2	2	*34*
Ashby Woulds	3,330	23	23	46	13·8	0·98	0·82	17	13	30	9·0	1·23	0·95	—	—	—	—	1	*21*
Coalville	26,300	183	195	378	14·4	0·97	0·85	152	98	250	9·5	1·17	0·95	6	16	2	2	11	*33*
Hinckley	40,450	333	331	664	16·4	0·98	0·98	219	191	410	10·1	1·25	1·08	10	15	8	7	12	*28*
Loughborough M.B.	36,070	288	299	587	16·3	1·01	1·00	210	198	408	11·3	1·06	1·02	12	20	4	4	13	*28*
Market Harborough	10,710	75	83	158	14·8	1·07	0·97	77	63	140	13·1	0·85	0·95	1	6	—	—	2	*12*
Melton Mowbray	14,860	120	123	243	16·4	0·98	0·98	83	77	160	10·8	1·04	0·96	6	25	4	3	7	*40*
Oadby	10,150	103	97	200	19·7	0·88	1·06	41	31	72	7·1	1·32	0·80	3	15	3	2	5	*34*
Shepshed	6,750	61	68	129	19·1	0·98	1·14	32	34	66	9·8	1·12	0·94	3	23	2	2	2	*31*
Wigston	18,600	205	181	386	20·8	0·96	1·22	77	62	139	7·5	1·32	0·85	7	18	5	5	10	*38*
Rural districts	**207,200**	**1,774**	**1,682**	**3,456**	**16·7**	**1·01**	**1·03**	**1,096**	**1,007**	**2,103**	**10·1**	**1·06**	**0·92**	**59**	**17**	**40**	**30**	**99**	**36**
Ashby de la Zouch	13,950	105	97	202	14·5	1·00	0·88	87	62	149	10·7	1·11	1·02	7	35	5	4	7	*53*
Barrow upon Soar	52,550	484	405	889	16·9	1·04	1·07	261	235	496	9·4	1·12	0·90	15	17	12	10	19	32
Billesdon	17,360	222	195	417	24·0	0·84	1·23	61	41	102	5·9	1·57	0·79	8	19	2	1	11	*28*
Blaby	44,720	403	392	795	17·8	1·02	1·11	267	262	529	11·8	0·90	0·91	15	19	12	10	21	38
Castle Donington	10,190	72	93	165	16·2	1·05	1·04	54	42	96	9·4	1·08	0·87	1	6	1	1	8	*52*
Lutterworth	12,500	112	102	214	17·1	1·05	1·09	74	49	123	9·8	0·92	0·77	4	19	2	—	2	*9*
Market Bosworth	27,330	183	185	368	13·5	0·99	0·81	138	135	273	10·0	1·07	0·91	5	14	3	2	12	*37*
Market Harborough	9,750	60	69	129	13·2	1·05	0·85	47	78	125	12·8	0·90	0·98	2	16	1	1	6	*52*
Melton and Belvoir	18,850	133	144	277	14·7	1·06	0·95	107	103	210	11·1	0·99	0·94	2	7	2	1	13	*48*
LINCOLNSHIRE (PARTS OF HOLLAND)	**102,500**	**871**	**762**	**1,633**	**15·9**	**1·00**	**0·97**	**561**	**524**	**1,085**	**10·6**	**1·00**	**0·91**	**43**	**26**	**32**	**23**	**36**	**35**
Municipal borough and urban district	**38,670**	**325**	**290**	**615**	**15·9**	**0·99**	**0·96**	**229**	**228**	**457**	**11·8**	**0·96**	**0·97**	**24**	**39**	**20**	**13**	**11**	**38**
Boston M.B.	24,150	215	182	397	16·4	0·98	0·98	127	135	262	10·8	1·04	0·96	15	38	14	8	7	*37*
Spalding	14,520	110	108	218	15·0	1·00	0·91	102	93	195	13·4	0·80	0·92	9	41	6	5	4	*41*
Rural districts	**63,830**	**546**	**472**	**1,018**	**15·9**	**1·00**	**0·97**	**332**	**296**	**628**	**9·8**	**1·02**	**0·85**	**19**	**19**	**12**	**10**	**25**	**34**
Boston	22,200	202	164	366	16·5	0·99	1·00	95	91	186	8·4	0·94	0·67	5	14	2	2	10	*32*
East Elloe	22,660	186	144	330	14·6	1·03	0·92	134	119	253	11·2	1·00	0·96	5	15	2	1	6	*21*
Spalding	18,970	158	164	322	17·0	0·98	1·02	103	86	189	10·0	1·10	0·94	9	28	8	7	9	*48*
LINCOLNSHIRE (PARTS OF KESTEVEN)	**133,500**	**1,140**	**1,068**	**2,208**	**16·5**	**1·03**	**1·04**	**796**	**747**	**1,543**	**11·6**	**0·89**	**0·88**	**45**	**20**	**34**	**28**	**44**	**32**
Municipal boroughs and urban districts	**48,330**	**350**	**332**	**682**	**14·1**	**1·00**	**0·86**	**348**	**319**	**667**	**13·8**	**0·75**	**0·88**	**12**	**18**	**10**	**9**	**14**	**33**
Bourne	5,010	44	34	78	15·6	0·99	0·94	34	29	63	12·6	0·93	1·00	1	13	—	—	1	*13*
Grantham M.B.	24,400	180	168	348	14·3	1·00	0·87	160	133	293	12·0	0·90	0·92	7	20	6	5	8	*37*
Sleaford	7,480	42	50	92	12·3	1·02	0·77	64	70	134	17·9	0·57	0·87	1	11	1	1	2	*32*
Stamford M.B.	11,440	84	80	164	14·3	1·02	0·89	90	87	177	15·5	0·59	0·78	3	18	3	3	3	*36*
Rural districts	**85,170**	**790**	**736**	**1,526**	**17·9**	**1·05**	**1·15**	**448**	**428**	**876**	**10·3**	**0·99**	**0·87**	**33**	**22**	**24**	**19**	**30**	**31**
East Kesteven	20,750	177	163	340	16·4	1·13	1·13	102	89	191	9·2	1·29	1·01	9	26	5	5	8	*37*
North Kesteven	31,640	323	285	608	19·2	1·03	1·21	174	196	370	11·7	0·78	0·78	8	13	7	5	15	32
South Kesteven	14,890	106	119	225	15·1	1·04	0·96	75	72	147	9·9	0·98	0·83	5	22	3	1	2	*13*
West Kesteven	17,890	184	169	353	19·7	0·99	1·19	97	71	168	9·4	1·09	0·88	11	31	9	8	5	*36*
LINCOLNSHIRE (PARTS OF LINDSEY)	**488,600**	**4,229**	**4,259**	**8,488**	**17·4**	**1·03**	**1·09**	**2,995**	**2,682**	**5,677**	**11·6**	**1·02**	**1·01**	**215**	**25**	**150**	**126**	**191**	**37**
***County boroughs**	**168,600**	**1,475**	**1,600**	**3,075**	**18·2**	**1·01**	**1·12**	**1,038**	**927**	**1,965**	**11·7**	**1·05**	**1·05**	**84**	**27**	**60**	**49**	**68**	**37**
*Grimsby	96,380	890	950	1,840	19·1	1·00	1·16	572	472	1,044	10·8	1·13	1·04	46	25	32	26	47	39
Lincoln	72,220	585	650	1,235	17·1	1·00	1·04	466	455	921	12·8	0·96	1·05	38	31	28	23	21	35
***Administrative county**	**320,000**	**2,754**	**2,659**	**5,413**	**16·9**	**1·04**	**1·07**	**1,957**	**1,755**	**3,712**	**11·6**	**1·01**	**1·00**	**131**	**24**	**90**	**77**	**123**	**36**
Municipal boroughs and urban districts	**159,200**	**1,392**	**1,344**	**2,736**	**17·2**	**1·00**	**1·05**	**1,019**	**899**	**1,918**	**12·0**	**1·06**	**1·09**	**66**	**24**	**47**	**40**	**62**	**36**
Alford	2,100	17	16	33	15·7	1·13	1·08	21	23	44	21·0	0·68	1·22	—	—	—	—	1	*29*
Barton-upon-Humber	6,410	50	45	95	14·8	1·02	0·92	36	41	77	12·0	0·92	0·94	—	—	—	—	5	*50*
Brigg	4,450	38	33	71	16·0	1·00	0·98	40	30	70	15·7	0·87	1·17	2	28	2	2	—	*28*
Cleethorpes M.B.	30,480	259	228	487	16·0	1·00	0·98	192	179	371	12·2	1·04	1·08	9	18	6	4	10	*28*
Gainsborough	17,490	141	147	288	16·5	1·03	1·04	143	104	247	14·1	0·91	1·10	7	24	5	3	10	*44*
Horncastle	3,900	27	30	57	14·6	1·08	0·96	18	15	33	8·5	0·89	0·65	1	18	1	1	3	*67*
Louth M.B.	11,500	90	92	182	15·8	1·03	0·99	78	111	189	16·4	0·82	1·15	5	27	4	4	2	*33*
Mablethorpe and Sutton	5,240	48	44	92	17·6	1·21	1·30	43	38	81	15·5	0·79	1·05	2	22	2	2	—	*22*
Market Rasen	2,150	16	19	35	16·3	1·08	1·07	15	21	36	16·7	0·67	0·96	2	57	—	—	4	*103*
Scunthorpe M.B.	60,700	586	585	1,171	19·3	0·93	1·09	328	226	554	9·1	1·49	1·16	30	26	22	19	23	35
Skegness	12,610	106	93	199	15·8	1·00	0·96	84	80	164	13·0	0·92	1·02	8	40	5	5	3	*40*
Woodhall Spa	2,170	14	12	26	12·0	1·18	0·86	21	31	52	24·0	0·66	1·35	—	—	—	—	1	*37*
***Rural districts**	**160,800**	**1,362**	**1,315**	**2,677**	**16·6**	**1·09**	**1·10**	**938**	**856**	**1,794**	**11·2**	**0·97**	**0·93**	**65**	**24**	**43**	**37**	**61**	**36**
Caistor	14,330	116	127	243	17·0	1·15	1·19	98	76	174	12·1	0·95	0·98	5	21	4	4	6	*40*
Gainsborough	12,490	105	101	206	16·5	1·10	1·11	60	65	125	10·0	1·04	0·89	4	19	2	2	3	*24*
Glanford Brigg	32,780	265	298	563	17·2	1·05	1·10	200	183	383	11·7	1·06	1·06	13	23	9	7	9	*28*
*Grimsby	15,040	157	123	280	18·6	1·02	1·16	72	75	147	9·8	1·09	0·91	5	18	3	2	8	*35*
Horncastle	13,480	105	124	229	17·0	1·12	1·16	68	81	149	11·1	1·00	0·95	10	44	6	6	6	*51*
Isle of Axholme	14,300	126	109	235	16·4	1·02	1·02	89	79	168	11·7	1·04	1·04	4	17	1	1	8	*37*
Louth	18,430	182	159	341	18·5	1·14	1·29	105	87	192	10·4	0·93	0·83	8	23	8	7	9	*46*
Spilsby	23,560	173	156	329	14·0	1·10	0·94	172	147	319	13·5	0·68	0·78	11	33	8	6	8	*42*
Welton	16,390	133	118	251	15·3	1·05	0·98	74	63	137	8·4	1·18	0·85	5	20	2	2	4	*24*

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1958	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability Factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
LONDON A.C.	**3,225,000**	**27,778**	**26,374**	**54,152**	**16·8**	**0·89**	**0·91**	**19,280**	**18,746**	**38,026**	**11·8**	**0·98**	**0·99**	**1,218**	**22**	**901**	**793**	**1,102**	**34**
City of London	5,000	15	17	32	6·4	0·90	0·35	35	23	58	11·6	1·02	1·01	2	63	2	2	—	*63*
Metropolitan boroughs:																			
Battersea	110,400	955	935	1,890	17·1	0·95	0·99	623	624	1,247	11·3	0·98	0·95	45	24	35	30	38	35
Bermondsey	54,450	466	426	892	16·4	0·94	0·94	329	303	632	11·6	1·09	1·08	18	20	15	13	24	40
Bethnal Green	49,830	460	406	866	17·4	0·93	0·99	308	264	572	11·5	1·00	0·98	16	18	10	8	18	29
Camberwell	177,300	1,568	1,493	3,061	17·3	0·92	0·97	1,062	980	2,042	11·5	1·02	1·00	65	21	46	39	55	30
Chelsea	50,190	382	354	736	14·7	0·76	0·68	322	408	730	14·5	0·72	0·89	24	33	20	17	18	46
Deptford	70,220	575	590	1,165	16·6	0·96	0·97	451	388	839	11·9	1·00	1·02	33	28	24	22	21	36
Finsbury	34,960	350	287	637	18·2	0·88	0·98	183	157	340	9·7	1·04	0·86	14	22	11	10	19	44
Fulham	114,700	882	897	1,779	15·5	0·96	0·91	641	691	1,332	11·6	1·00	0·99	32	18	24	20	34	30
Greenwich	89,180	662	658	1,320	14·8	0·94	0·85	478	441	919	10·3	1·14	1·00	20	15	15	13	29	31
Hackney	163,400	1,470	1,324	2,794	17·1	0·93	0·97	920	871	1,791	11·0	1·10	1·03	56	20	36	34	71	37
Hammersmith	110,200	1,011	1,019	2,030	18·4	0·93	1·04	667	574	1,241	11·3	1·06	1·02	49	24	34	33	35	33
Hampstead	96,480	821	716	1,537	15·9	0·75	0·73	486	589	1,075	11·1	1·00	0·95	30	20	24	21	25	29
Holborn	21,870	113	102	215	9·8	0·71	0·42	141	114	255	11·7	1·09	1·09	6	28	2	2	5	*32*
Islington	225,800	2,330	2,305	4,635	20·5	0·90	1·13	1,273	1,321	2,594	11·5	0·98	0·96	107	23	76	68	104	36
Kensington	165,700	1,570	1,412	2,982	18·0	0·72	0·79	760	899	1,659	10·0	1·01	0·86	68	23	58	51	47	32
Lambeth	223,600	2,304	2,190	4,494	20·1	0·90	1·10	1,304	1,225	2,529	11·3	1·03	0·99	111	25	76	64	93	34
Lewisham	221,000	1,636	1,636	3,272	14·8	0·95	0·86	1,329	1,104	2,433	11·0	1·00	0·94	80	24	61	54	59	34
Paddington	115,700	1,262	1,101	2,363	20·4	0·80	1·00	664	671	1,335	11·5	1·05	1·03	51	22	45	38	49	36
Poplar	64,780	569	532	1,101	17·0	0·95	0·98	399	328	727	11·2	1·13	1·08	37	34	28	25	35	53
St. Marylebone	71,410	408	373	781	10·9	0·78	0·52	580	591	1,171	16·4	0·69	0·97	26	33	19	19	8	34
St. Pancras	130,800	1,134	1,172	2,306	17·6	0·86	0·92	762	664	1,426	10·9	1·04	0·97	54	23	35	32	43	32
Shoreditch	43,330	377	337	714	16·5	0·91	0·92	235	238	473	10·9	0·81	0·75	15	21	11	8	19	37
Southwark	89,920	829	775	1,604	17·8	0·89	0·97	606	544	1,150	12·8	0·81	0·89	43	27	30	27	33	37
Stepney	96,360	958	854	1,812	18·8	0·88	1·01	698	463	1,161	12·0	1·08	1·11	36	20	21	19	36	30
Stoke Newington	50,480	462	483	945	18·7	0·89	1·01	277	258	535	10·6	1·13	1·02	21	22	17	14	19	34
Wandsworth	337,900	2,656	2,509	5,165	15·3	0·96	0·90	2,396	2,797	5,193	15·4	0·70	0·92	100	19	81	69	111	34
Westminster	95,440	534	484	1,018	10·7	0·82	0·54	546	507	1,053	11·0	1·04	0·98	19	19	14	12	22	33
Woolwich	144,600	1,019	987	2,006	13·9	1·00	0·85	805	709	1,514	10·5	1·06	0·95	40	20	31	29	32	30

1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
MIDDLESEX	**2,247,000**	**16,947**	**15,659**	**32,606**	**14·5**	**0·98**	**0·87**	**11,540**	**11,537**	**23,077**	**10·3**	**1·08**	**0·95**	**615**	**19**	**464**	**400**	**538**	**28**
Municipal boroughs and urban districts:																			
Acton M.B.	65,360	524	466	990	15·1	0·94	0·87	361	357	718	11·0	1·04	0·98	22	22	18	14	18	32
Brentford and Chiswick M.B.	57,150	419	372	791	13·8	0·94	0·79	320	321	641	11·2	1·00	0·96	14	18	10	9	11	25
Ealing M.B.	183,000	1,337	1,288	2,625	14·3	0·97	0·85	979	928	1,907	10·4	1·08	0·96	39	15	30	25	48	27
Edmonton M.B.	95,180	669	567	1,236	13·0	0·99	0·78	499	448	947	9·9	1·13	0·96	21	17	16	14	18	26
Enfield M.B.	109,300	804	693	1,497	13·7	1·00	0·84	564	594	1,158	10·6	0·99	0·90	29	19	23	19	41	39
Feltham	50,780	433	401	834	16·4	0·97	0·97	217	158	375	7·4	1·58	1·00	18	22	14	12	9	25
Finchley M.B.	69,080	460	434	894	12·9	0·96	0·76	392	433	825	11·9	0·91	0·93	18	20	9	7	14	23
Friern Barnet	28,540	166	164	330	11·6	1·12	0·79	166	237	403	14·1	0·64	0·77	4	12	1	1	6	*21*
Harrow M.B.	214,300	1,507	1,357	2,864	13·4	1·02	0·83	979	1,013	1,992	9·3	1·19	0·95	48	17	39	33	45	27
Hayes and Harlington	67,780	580	542	1,122	16·6	0·94	0·95	281	220	501	7·4	1·62	1·02	17	15	15	12	20	28
Hendon M B.	151,500	1,024	930	1,954	12·9	0·96	0·76	831	752	1,583	10·4	1·07	0·95	27	14	20	19	27	23
Heston and Isleworth M.B.	105,100	623	623	1,246	11·9	1·00	0·73	545	571	1,116	10·6	1·07	0·97	21	17	16	13	16	23
Hornsey M.B.	96,670	908	806	1,714	17·7	0·93	1·00	500	637	1,137	11·8	0·90	0·91	33	19	29	24	32	32
Potters Bar	22,000	204	191	395	18·0	0·90	0·99	93	76	169	7·7	1·38	0·91	4	10	2	2	10	*30*
Ruislip-Northwood	74,930	512	503	1,015	13·5	1·00	0·82	307	294	601	8·0	1·26	0·86	13	13	10	8	15	22
Southall M.B.	52,830	417	389	806	15·3	1·03	0·96	321	315	636	12·0	0·84	0·86	17	21	13	12	11	28
Southgate M.B.	70,940	453	360	813	11·5	1·08	0·76	393	550	943	13·3	0·82	0·93	17	21	13	11	11	27
Staines	46,850	461	395	856	18·3	0·92	1·03	209	203	412	8·8	1·27	0·96	20	23	13	13	14	31
Sunbury-on-Thames	28,440	290	259	549	19·3	0·90	1·06	138	161	299	10·5	1·13	1·01	8	15	3	3	8	*20*
Tottenham M.B.	117,700	899	859	1,758	14·9	0·98	0·89	687	632	1,319	11·2	1·07	1·02	38	22	28	23	29	29
Twickenham M.B.	103,500	682	682	1,364	13·2	1·03	0·83	580	598	1,178	11·4	0·95	0·93	33	24	24	21	14	25
Uxbridge M.B.	63,120	562	550	1,112	17·6	0·91	0·98	314	314	628	9·9	1·30	1·10	33	30	30	27	20	42
Wembley M.B.	126,800	780	744	1,524	12·0	1·01	0·74	612	502	1,114	8·8	1·17	0·88	29	19	19	16	24	26
Willesden M.B.	173,100	1,673	1,578	3,251	18·8	0·92	1·05	882	845	1,727	10·0	1·13	0·97	69	21	53	48	55	31
Wood Green M.B.	49,100	345	296	641	13·1	1·00	0·80	288	285	573	11·7	0·97	0·97	15	23	10	9	14	35
Yiewsley and West Drayton	23,950	215	210	425	17·7	0·90	0·97	82	93	175	7·3	1·44	0·90	8	19	6	5	8	*30*
NORFOLK	**557,500**	**4,312**	**4,124**	**8,436**	**15·1**	**1·08**	**0·99**	**3,348**	**3,156**	**6,504**	**11·7**	**0·86**	**0·86**	**155**	**18**	**116**	**89**	**172**	**30**
County boroughs	**170,200**	**1,242**	**1,230**	**2,472**	**14·5**	**1·01**	**0·89**	**1,006**	**1,009**	**2,015**	**11·8**	**0·93**	**0·94**	**42**	**17**	**32**	**24**	**60**	**33**
Great Yarmouth	51,400	354	348	702	13·7	1·02	0·85	346	314	660	12·8	0·90	0·98	13	19	11	8	16	33
Norwich	118,800	888	882	1,770	14·9	1·01	0·92	660	695	1,355	11·4	0·94	0·92	29	16	21	16	44	33
Administrative county	**387,300**	**3,070**	**2,894**	**5,964**	**15·4**	**1·11**	**1·04**	**2,342**	**2,147**	**4,489**	**11·6**	**0·84**	**0·83**	**113**	**19**	**84**	**65**	**112**	**29**
Municipal boroughs and urban districts	**75,000**	**651**	**631**	**1,282**	**17·1**	**1·03**	**1·07**	**488**	**469**	**957**	**12·8**	**0·81**	**0·89**	**30**	**23**	**22**	**18**	**27**	**34**
Cromer	4,900	30	32	62	12·7	1·09	0·84	48	39	87	17·8	0·54	0·82	3	48	1	1	1	*32*
Diss	3,610	38	27	65	18·0	1·04	1·14	25	20	45	12·5	0·85	0·91	2	31	1	—	—	—
Downham Market	2,680	17	12	29	10·8	1·04	0·68	36	26	62	23·1	0·44	0·87	1	34	1	1	2	*97*
East Dereham	6,810	48	40	88	12·9	1·00	0·79	30	38	68	10·0	0·88	0·75	1	11	1	1	1	*22*
Hunstanton	4,520	66	76	142	31·4	0·93	1·78	15	24	39	8·6	0·88	0·65	4	28	4	3	5	*54*
King's Lynn M.B.	26,590	247	211	458	17·2	1·00	1·05	150	135	285	10·7	0·98	0·90	10	22	8	6	9	*32*
North Walsham	4,800	30	33	63	13·1	1·13	0·90	35	38	73	15·2	0·77	1·00	3	48	3	3	1	*62*
Sheringham	4,640	45	55	100	21·6	1·27	1·67	45	40	85	18·3	0·65	1·02	2	20	1	1	3	*39*

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1958	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
NORFOLK—*continued*																			
Municipal boroughs and urban districts—*continued*																			
Swaffham	3,100	24	34	58	18·7	1·03	1·17	22	24	46	14·8	0·77	0·97	—	—	—	—	—	—
Thetford M.B.	4,790	36	40	76	15·9	1·06	1·03	33	41	74	15·4	0·66	0·87	3	39	1	1	3	*51*
Wells-next-the-Sea	2,700	20	25	45	16·7	1·10	1·12	16	15	31	11·5	0·84	0·83	1	22	1	1	1	*43*
Wymondham	5,860	50	46	96	16·4	1·06	1·06	33	29	62	10·6	0·91	0·82	—	—	—	—	1	*10*
Rural districts	**312,300**	**2,419**	**2,263**	**4,682**	**15·0**	**1·13**	**1·03**	**1,854**	**1,678**	**3,532**	**11·3**	**0·84**	**0·81**	**83**	**18**	**62**	**47**	**85**	**28**
Blofield and Flegg	33,800	209	192	401	11·9	1·15	0·83	200	226	426	12·6	0·63	0·68	5	12	5	2	9	*27*
Depwade	17,970	129	126	255	14·2	1·15	1·00	130	118	248	13·8	0·79	0·93	2	8	1	1	2	*12*
Docking	18,190	181	171	352	19·4	1·10	1·30	108	101	209	11·5	0·80	0·79	8	23	4	4	4	*22*
Downham	24,430	186	177	363	14·9	1·13	1·03	120	94	214	8·8	1·17	0·88	3	8	3	3	6	*24*
Erpingham	20,120	124	103	227	11·3	1·21	0·83	143	99	242	12·0	0·80	0·82	7	31	4	4	7	*47*
Forehoe and Henstead	24,910	166	199	365	14·7	1·07	0·96	190	186	376	15·1	0·52	0·67	4	11	3	3	9	*32*
Freebridge Lynn	11,440	103	97	200	17·5	1·09	1·16	74	62	136	11·9	0·86	0·87	1	5	1	1	5	*29*
Loddon	12,760	94	79	173	13·6	1·09	0·90	75	58	133	10·4	0·91	0·81	1	6	1	1	3	*23*
Marshland	16,710	160	132	292	17·5	1·02	1·09	92	74	166	9·9	1·13	0·96	4	14	3	2	5	*24*
Mitford and Launditch	18,070	124	145	269	14·9	1·16	1·05	106	99	205	11·3	0·79	0·76	5	19	4	—	6	*22*
St. Faith's and Aylsham	42,240	341	321	662	15·7	1·04	1·00	228	231	459	10·9	0·86	0·80	13	*20*	10	9	13	33
Smallburgh	18,110	123	111	234	12·9	1·15	0·90	115	92	207	11·4	0·90	0·88	7	*30*	5	3	2	*21*
Swaffham	9,230	101	65	166	18·0	1·06	1·16	55	42	97	10·5	1·00	0·90	3	*18*	2	2	4	*35*
Walsingham	24,680	195	169	364	14·7	1·28	1·15	120	94	214	8·7	1·11	0·83	10	*27*	7	6	4	*27*
Wayland	19,640	183	176	359	18·3	1·28	1·43	98	102	200	10·2	1·03	0·90	10	*28*	9	6	6	*33*
NORTHAMPTONSHIRE	**384,300**	**3,326**	**3,100**	**6,426**	**16·7**	**1·04**	**1·06**	**2,301**	**2,196**	**4,497**	**11·7**	**0·96**	**0·96**	**125**	**19**	**85**	**79**	**138**	**33**
Northampton C.B.	100,700	865	712	1,577	15·7	1·03	0·99	686	641	1,327	13·2	0·92	1·04	30	19	22	22	30	32
Administrative county	**283,600**	**2,461**	**2,388**	**4,849**	**17·1**	**1·04**	**1·08**	**1,615**	**1,555**	**3,170**	**11·2**	**0·98**	**0·94**	**95**	**20**	**63**	**57**	**108**	**33**
Municipal boroughs and urban districts	**152,900**	**1,336**	**1,311**	**2,647**	**17·3**	**1·01**	**1·07**	**862**	**822**	**1,684**	**11·0**	**1·04**	**0·98**	**42**	**16**	**23**	**19**	**61**	**30**
Brackley M.B.	3,110	33	27	60	19·3	0·99	1·17	7	17	24	7·7	0·99	0·65	—	—	—	—	1	*16*
Burton Latimer	4,340	36	33	69	15·9	1·01	0·98	18	22	40	9·2	1·04	0·82	1	*14*	1	1	—	*14*
Corby	30,620	394	416	810	26·5	0·83	1·34	80	68	148	4·8	2·50	1·03	17	*21*	5	4	18	27
Daventry M.B.	5,040	55	43	98	19·4	0·99	1·17	50	44	94	18·7	0·58	0·93	1	*10*	1	1	2	*30*

1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
Desborough	4,910	33	30	63	12·8	1·05	0·82	31	21	52	10·6	0·94	0·85	1	*16*	1	1	1	*31*
Higham Ferrers M.B.	3,700	21	30	51	13·8	1·04	0·88	17	32	49	13·2	1·00	1·13	1	*20*	—	—	1	*19*
Irthlingborough	5,140	39	37	76	14·8	1·08	0·97	24	24	48	9·3	1·05	0·83	2	*26*	2	2	1	*39*
Kettering M.B.	37,430	264	254	518	13·8	1·07	0·90	248	231	479	12·8	0·96	1·05	7	*14*	4	3	18	39
Oundle	3,070	24	19	43	14·0	1·45	1·24	23	25	48	15·6	0·63	0·84	—	—	—	—	—	—
Raunds	4,650	33	28	61	13·1	1·16	0·93	31	21	52	11·2	0·85	0·81	—	—	—	—	—	—
Rothwell	4,690	28	37	65	13·9	1·13	0·96	27	32	59	12·6	0·92	0·99	2	*31*	2	2	—	*31*
Rushden	16,760	110	132	242	14·4	1·12	0·98	104	71	175	10·4	0·96	0·85	3	*12*	3	2	5	*28*
Wellingborough	29,440	266	225	491	16·7	1·05	1·07	202	214	416	14·1	0·91	1·10	7	*14*	4	3	14	*34*
Rural districts	**130,700**	**1,125**	**1,077**	**2,202**	**16·8**	**1·06**	**1·09**	**753**	**733**	**1,486**	**11·4**	**0·91**	**0·89**	**53**	**24**	**40**	**38**	**47**	**38**
Brackley	11,210	107	85	192	17·1	1·04	1·08	56	64	120	10·7	0·94	0·86	4	*21*	2	1	3	*21*
Brixworth	19,170	160	147	307	16·0	1·04	1·01	98	128	226	11·8	0·71	0·72	5	*16*	2	2	4	*19*
Daventry	16,370	145	121	266	16·2	1·08	1·07	114	82	196	12·0	0·93	0·95	9	*34*	9	9	6	*55*
Kettering	12,020	77	90	167	13·9	1·11	0·94	73	60	133	11·1	1·02	0·97	3	*18*	2	2	6	*46*
Northampton	25,270	255	262	517	20·5	1·01	1·26	158	138	296	11·7	0·81	0·81	15	*29*	13	13	12	47
Oundle and Thrapston	18,250	155	153	308	16·9	1·08	1·11	84	82	166	9·1	0·99	0·77	8	*26*	6	6	6	*38*
Towcester	14,410	132	131	263	18·3	1·08	1·21	88	100	188	13·0	0·91	1·01	7	*27*	5	5	3	*30*
Wellingborough	14,000	94	88	182	13·0	1·08	0·86	82	79	161	11·5	0·89	0·87	2	*11*	1	—	7	*37*
NORTHUMBERLAND	**811,400**	**7,438**	**6,929**	**14,367**	**17·7**	**0·98**	**1·06**	**5,300**	**4,607**	**9,907**	**12·2**	**1·11**	**1·16**	**359**	**25**	**268**	**220**	**334**	**38**
County boroughs	**341,100**	**3,234**	**3,086**	**6,320**	**18·5**	**0·97**	**1·09**	**2,276**	**1,964**	**4,240**	**12·4**	**1·12**	**1·19**	**166**	**26**	**121**	**98**	**145**	**38**
Newcastle upon Tyne	272,400	2,623	2,464	5,087	18·7	0·97	1·11	1,825	1,583	3,408	12·5	1·13	1·21	126	25	85	66	113	34
Tynemouth	68,700	611	622	1,233	17·9	0·95	1·04	451	381	832	12·1	1·12	1·16	40	32	36	32	32	51
Administrative county	**470,300**	**4,204**	**3,843**	**8,047**	**17·1**	**0·98**	**1·02**	**3,024**	**2,643**	**5,667**	**12·0**	**1·10**	**1·13**	**193**	**24**	**147**	**122**	**189**	**38**
Municipal boroughs and urban districts	**365,200**	**3,304**	**3,034**	**6,338**	**17·4**	**0·96**	**1·02**	**2,290**	**2,010**	**4,300**	**11·8**	**1·15**	**1·16**	**156**	**25**	**121**	**100**	**156**	**39**
Alnwick	7,300	64	66	130	17·8	0·99	1·07	61	54	115	15·8	1·05	1·42	2	*15*	1	1	3	*30*
Amble	4,890	50	40	90	18·4	1·07	1·20	35	24	59	12·1	1·05	1·09	—	—	—	—	1	*11*
Ashington	28,340	240	199	439	15·5	0·98	0·93	177	128	305	10·8	1·29	1·19	11	*25*	9	4	11	*33*
Bedlingtonshire	29,290	235	226	461	15·7	0·97	0·93	190	107	297	10·1	1·27	1·10	18	*39*	16	13	9	47
Berwick-upon-Tweed M.B.	12,620	139	143	282	22·3	1·01	1·37	83	99	182	14·4	0·93	1·14	7	*25*	7	7	6	*45*
Blyth M.B.	34,620	320	290	610	17·6	1·00	1·07	212	153	365	10·5	1·28	1·15	23	38	18	16	15	50
Gosforth	25,430	188	180	368	14·5	1·06	0·94	159	187	346	13·6	0·82	0·95	4	*11*	4	4	12	*42*
Hexham	9,370	70	53	123	13·1	0·99	0·79	75	74	149	15·9	0·93	1·26	4	*33*	2	2	5	*55*
Longbenton	45,800	448	458	906	19·8	0·86	1·04	212	192	404	8·8	1·56	1·17	17	*19*	11	10	13	25
Morpeth M.B.	11,340	124	104	228	20·1	1·04	1·27	90	93	183	16·1	0·62	0·85	5	*22*	3	2	2	*17*
Newbiggin-by-the-Sea	10,050	90	75	165	16·4	0·99	0·99	58	61	119	11·8	1·26	1·27	4	*24*	3	3	5	*47*
Newburn	26,850	262	244	506	18·8	0·91	1·04	136	154	290	10·8	1·24	1·14	18	*36*	13	10	7	*33*
Prudhoe	10,140	92	90	182	17·9	0·99	1·08	66	55	121	11·9	1·08	1·10	4	*22*	4	4	3	*38*
Seaton Valley	26,240	221	181	402	15·3	1·00	0·93	198	150	348	13·3	1·13	1·28	9	*22*	9	7	14	50
Wallsend M.B.	49,980	490	446	936	18·7	0·92	1·05	328	233	561	11·2	1·35	1·29	22	24	16	13	35	49
Whitley Bay M.B.	32,940	271	239	510	15·5	1·07	1·01	210	246	456	13·8	0·90	1·06	8	*16*	5	4	15	*36*
Rural districts	**105,100**	**900**	**809**	**1,709**	**16·3**	**1·07**	**1·06**	**734**	**633**	**1,367**	**13·0**	**0·92**	**1·02**	**37**	**22**	**26**	**22**	**33**	**32**
Alnwick	12,460	113	88	201	16·2	1·09	1·08	86	60	146	11·7	0·96	0·96	8	*40*	6	4	1	*25*
Belford	5,010	38	29	67	13·4	1·16	0·95	32	36	68	13·6	0·87	1·01	1	*15*	—	—	—	—

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1958	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
NORTHUMBERLAND—*continued*																			
Rural districts—*continued*																			
Bellingham	5,530	49	37	86	15·6	1·12	1·07	26	19	45	8·1	1·00	0·69	—	—	—	—	2	*23*
Castle Ward	19,550	156	172	328	16·8	1·04	1·07	195	165	360	18·4	0·64	1·01	7	*21*	6	5	7	*36*
Glendale	7,440	58	45	103	13·8	1·10	0·93	41	37	78	10·5	0·99	0·89	2	*19*	1	1	1	*19*
Haltwhistle	7,310	50	51	101	13·8	1·06	0·89	44	32	76	10·4	0·98	0·87	1	*10*	1	1	3	*38*
Hexham	19,970	179	144	323	16·2	1·01	1·00	134	150	284	14·2	0·90	1·09	6	*19*	4	3	12	*45*
Morpeth	18,090	162	168	330	18·2	1·06	1·18	117	90	207	11·4	1·23	1·20	11	*33*	8	8	6	*42*
Norham and Islandshires	4,220	33	27	60	14·2	1·09	0·94	23	15	38	9·0	0·88	0·68	1	*17*	—	—	—	—
Rothbury	5,520	62	48	110	19·9	1·13	1·37	36	29	65	11·8	0·86	0·87	—	—	—	—	1	*9*
NOTTINGHAMSHIRE	**882,800**	**7,897**	**7,312**	**15,209**	**17·2**	**0·98**	**1·03**	**4,932**	**4,471**	**9,403**	**10·7**	**1·16**	**1·06**	**324**	**21**	**211**	**177**	**349**	**34**
Nottingham C.B.	313,000	2,844	2,686	5,530	17·7	0·96	1·04	1,717	1,704	3,421	10·9	1·14	1·06	123	22	86	67	137	36
Administrative county	**569,800**	**5,053**	**4,626**	**9,679**	**17·0**	**1·00**	**1·04**	**3,215**	**2,767**	**5,982**	**10·5**	**1·17**	**1·05**	**201**	**21**	**125**	**110**	**212**	**33**
Municipal boroughs and urban districts	**393,700**	**3,422**	**3,156**	**6,578**	**16·7**	**0·99**	**1·01**	**2,249**	**1,940**	**4,189**	**10·6**	**1·18**	**1·07**	**139**	**21**	**92**	**80**	**143**	**33**
Arnold	23,900	223	200	423	17·7	0·98	1·06	118	119	237	9·9	1·25	1·06	4	*9*	2	2	6	*19*
Beeston and Stapleford	54,130	456	440	896	16·6	0·99	1·00	290	256	546	10·1	1·32	1·14	23	26	13	12	19	34
Carlton	37,080	323	316	639	17·2	0·98	1·03	182	207	389	10·5	1·15	1·03	10	*16*	7	7	8	*23*
East Retford M.B.	17,000	142	128	270	15·9	0·99	0·96	114	95	209	12·3	1·00	1·05	4	*15*	3	1	7	*29*
Eastwood	10,720	88	74	162	15·1	1·01	0·93	58	48	106	9·9	1·30	1·10	2	*12*	2	2	6	*48*
Hucknall	23,260	204	145	349	15·0	1·00	0·91	117	110	227	9·8	1·36	1·14	12	*34*	10	9	9	*50*
Kirkby in Ashfield	21,080	192	185	377	17·9	0·98	1·07	108	95	203	9·6	1·28	1·05	17	*45*	14	14	13	69
Mansfield M.B.	52,320	428	404	832	15·9	0·97	0·94	342	272	614	11·7	1·08	1·08	14	*17*	5	5	15	24
Mansfield Woodhouse	18,550	191	190	381	20·5	0·98	1·23	87	66	153	8·2	1·42	1·00	5	*13*	3	3	7	*26*
Newark M.B.	23,870	225	200	425	17·8	1·00	1·09	169	155	324	13·6	0·93	1·08	12	*28*	8	7	4	*26*
Sutton in Ashfield	40,450	312	281	593	14·7	1·00	0·90	267	179	446	11·0	1·28	1·20	16	*27*	11	9	15	39
Warsop	12,020	104	112	216	18·0	0·95	1·04	62	44	106	8·8	1·40	1·05	2	*9*	2	1	6	*32*
West Bridgford	25,070	199	195	394	15·7	1·03	0·99	164	161	325	13·0	0·86	0·96	7	*18*	6	4	9	*32*
Worksop M.B.	34,250	335	286	621	18·1	0·97	1·07	171	133	304	8·9	1·24	0·94	11	*18*	6	4	19	36
Rural districts	**176,100**	**1,631**	**1,470**	**3,101**	**17·6**	**1·03**	**1·11**	**966**	**827**	**1,793**	**10·2**	**1·14**	**0·99**	**62**	**20**	**33**	**30**	**69**	**31**
Basford	55,660	562	515	1,077	19·3	0·98	1·15	273	248	521	9·4	1·21	0·97	24	*22*	*14*	*14*	*22*	*33*
Bingham	23,380	256	209	465	19·9	1·11	1·35	134	162	296	12·7	0·82	0·89	5	*11*	3	2	11	27
East Retford	22,990	158	144	302	13·1	1·10	0·88	121	105	226	9·8	0·97	0·81	7	*23*	3	2	9	*35*
Newark	13,000	104	88	192	14·8	1·02	0·92	65	53	118	9·1	1·06	0·82	4	*21*	3	3	4	*36*
Southwell	43,580	381	366	747	17·1	1·00	1·04	251	189	440	10·1	1·25	1·08	12	*16*	4	3	17	26
Worksop	17,490	170	148	318	18·2	1·04	1·15	122	70	192	11·0	1·47	1·38	10	*31*	6	6	6	*37*
OXFORDSHIRE	**298,100**	**2,541**	**2,413**	**4,954**	**16·6**	**1·02**	**1·03**	**1,522**	**1,444**	**2,966**	**9·9**	**1·00**	**0·85**	**91**	**18**	**65**	**59**	**92**	**30**
Oxford C.B.	104,100	747	696	1,443	13·9	0·97	0·82	513	544	1,057	10·2	0·95	0·83	30	21	23	20	32	35
Administrative county	**194,000**	**1,794**	**1,717**	**3,511**	**18·1**	**1·05**	**1·16**	**1,009**	**900**	**1,909**	**9·8**	**1·03**	**0·86**	**61**	**17**	**42**	**39**	**60**	**28**
Municipal boroughs and urban districts	**50,900**	**446**	**410**	**856**	**16·8**	**1·00**	**1·02**	**352**	**294**	**646**	**12·7**	**0·90**	**0·98**	**12**	*14*	**8**	**8**	**16**	**28**
Banbury M.B.	19,680	170	171	341	17·3	1·00	1·05	157	105	262	13·3	0·97	1·10	4	*12*	2	2	4	*17*
Bicester	5,860	65	55	120	20·5	0·88	1·10	26	21	47	8·0	1·27	0·87	1	*8*	—	—	1	*8*
Chipping Norton M.B.	3,920	33	34	67	17·1	1·07	1·12	19	21	40	10·2	0·79	0·69	—	—	—	—	2	*29*
Henley-on-Thames M.B.	8,020	48	37	85	10·6	1·06	0·69	57	65	122	15·2	0·76	0·99	1	*12*	—	—	5	*56*
Thame	3,720	28	21	49	13·2	1·02	0·82	19	21	40	10·8	0·93	0·86	2	*41*	2	2	—	*41*
Witney	7,870	76	74	150	19·1	0·96	1·12	48	35	83	10·5	1·15	1·03	4	*27*	4	4	3	*46*
Woodstock M.B.	1,830	26	18	44	24·0	1·05	1·54	26	26	52	28·4	0·30	0·73	—	—	—	—	1	*22*
Rural districts	**143,100**	**1,348**	**1,307**	**2,655**	**18·6**	**1·07**	**1·21**	**657**	**606**	**1,263**	**8·8**	**1·09**	**0·82**	**49**	**18**	**34**	**31**	**44**	**28**
Banbury	15,070	138	105	243	16·1	1·13	1·11	82	66	148	9·8	0·89	0·75	7	*29*	5	5	5	*40*
Bullingdon	39,600	371	365	736	18·6	0·99	1·12	198	184	382	9·6	1·00	0·82	15	*20*	10	8	11	*25*
Chipping Norton	16,110	142	120	262	16·3	1·06	1·05	86	81	167	10·4	0·95	0·84	4	*15*	1	—	9	*33*
Henley	20,880	167	189	356	17·0	1·01	1·05	108	117	225	10·8	0·98	0·90	6	*17*	4	4	7	*30*
Ploughley	27,910	290	285	575	20·6	1·17	1·47	83	69	152	5·4	1·54	0·71	9	*16*	6	6	7	*22*
Witney	23,530	240	243	483	20·5	1·14	1·42	100	89	189	8·0	1·16	0·79	8	*17*	8	8	5	*27*
PETERBOROUGH, SOKE OF	**68,500**	**632**	**680**	**1,312**	**19·2**	**1·01**	**1·18**	**401**	**348**	**749**	**10·9**	**1·05**	**0·98**	**33**	**25**	**26**	**22**	**21**	**32**
Peterborough M.B.	55,750	527	565	1,092	19·6	1·00	1·20	347	308	655	11·7	1·01	1·01	31	28	24	21	19	36
Rural districts	**12,750**	**105**	**115**	**220**	**17·3**	**1·07**	**1·13**	**54**	**40**	**94**	**7·4**	**1·25**	**0·79**	**2**	*9*	**2**	**1**	**2**	*14*
Barnack	4,980	34	46	80	16·1	1·36	1·34	7	8	15	*3·0*	1·64	0·42	1	*13*	1	—	—	—
Peterborough	7,770	71	69	140	18·0	0·96	1·05	47	32	79	10·2	1·10	0·96	1	*7*	1	1	2	*21*
RUTLAND	**23,200**	**234**	**188**	**422**	**18·2**	**1·11**	**1·23**	**94**	**119**	**213**	**9·2**	**0·91**	**0·72**	**4**	*9*	**3**	**3**	**10**	*30*
Oakham U.D.	4,180	35	31	66	15·8	1·02	0·98	20	41	61	14·6	0·50	0·62	1	*15*	1	1	1	*30*
Rural districts	**19,020**	**199**	**157**	**356**	**18·7**	**1·13**	**1·29**	**74**	**78**	**152**	**8·0**	**1·07**	**0·73**	**3**	*8*	**2**	**2**	**9**	*30*
Ketton	3,390	39	25	64	18·9	1·04	1·20	11	14	25	7·4	1·05	0·66	—	—	—	—	4	*59*
Oakham	9,360	109	93	202	21·6	1·08	1·42	32	32	64	6·8	1·22	0·71	1	*5*	1	1	5	*29*
Uppingham	6,270	51	39	90	14·4	1·28	1·12	31	32	63	10·0	0·92	0·79	2	*22*	1	1	—	*11*

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1958	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
SHROPSHIRE	**299,000**	**2,397**	**2,314**	**4,711**	**15·8**	**1·06**	**1·02**	**1,740**	**1,594**	**3,334**	**11·2**	**0·97**	**0·93**	**90**	**19**	**64**	**56**	**108**	**34**
Municipal boroughs and urban districts	**145,600**	**1,191**	**1,146**	**2,337**	**16·1**	**1·00**	**0·98**	**947**	**885**	**1,832**	**12·6**	**0·88**	**0·95**	**44**	**19**	**36**	**32**	**56**	**37**
Bishop's Castle M.B.	1,240	10	10	20	16·1	1·13	1·11	18	14	32	25·8	0·32	0·71	—	—	—	—	—	—
Bridgnorth M.B.	6,460	65	61	126	19·5	1·00	1·19	40	50	90	13·9	0·79	0·94	—	—	—	—	1	*8*
Church Stretton	2,760	17	14	31	11·2	1·17	0·80	20	18	38	13·8	0·65	0·77	—	—	—	—	—	—
Dawley	8,510	61	76	137	16·1	1·00	0·98	46	36	82	9·6	1·17	0·96	3	*22*	2	1	4	*35*
Ellesmere	2,250	8	18	26	11·6	1·00	0·71	18	20	38	16·9	0·84	1·21	—	—	—	—	1	*37*
Ludlow M.B.	6,590	58	49	107	16·2	1·00	0·99	58	69	127	19·3	0·72	1·19	—	—	—	—	2	*18*
Market Drayton	5,750	49	55	104	18·1	1·03	1·14	43	43	86	15·0	0·85	1·09	2	*19*	—	—	4	*37*
Newport	3,960	30	28	58	14·6	1·02	0·91	33	24	57	14·4	0·87	1·07	2	*34*	2	1	3	*66*
Oakengates	11,230	95	87	182	16·2	1·00	0·99	57	49	106	9·4	1·09	0·88	8	*44*	8	7	5	*64*
Oswestry M.B.	11,100	96	79	175	15·8	0·99	0·95	54	61	115	10·4	0·99	0·88	5	*29*	4	4	5	*50*
Shrewsbury M.B.	47,770	396	377	773	16·2	0·98	0·97	282	266	548	11·5	0·98	0·96	12	*16*	9	9	12	27
Wellington	13,330	112	104	216	16·2	0·97	0·96	82	70	152	11·4	1·07	1·04	6	*28*	6	6	8	*63*
Wem	2,550	20	14	34	13·3	1·06	0·86	13	16	29	11·4	0·88	0·86	—	—	—	—	1	*29*
Wenlock M.B.	15,070	111	114	225	14·9	1·01	0·92	122	103	225	14·9	0·68	0·87	3	*13*	2	2	6	*35*
Whitchurch	7,030	63	60	123	17·5	1·05	1·12	61	46	107	15·2	0·53	0·69	3	*24*	3	2	4	*47*
Rural districts	**153,400**	**1,206**	**1,168**	**2,374**	**15·5**	**1·11**	**1·05**	**793**	**709**	**1,502**	**9·8**	**1·07**	**0·90**	**46**	**19**	**28**	**24**	**52**	**31**
Atcham	22,180	170	153	323	14·6	1·09	0·97	121	94	215	9·7	1·04	0·86	6	*19*	4	4	6	*30*
Bridgnorth	17,080	112	120	232	13·6	1·23	1·02	73	56	129	7·6	1·28	0·83	7	*30*	2	1	8	*38*
Clun	9,230	71	72	143	15·5	1·15	1·09	46	63	109	11·8	0·94	0·95	2	*14*	1	1	3	*27*
Drayton	10,920	112	126	238	21·8	1·09	1·45	42	41	83	7·6	1·21	0·79	4	*17*	2	2	6	*33*
Ellesmere	8,720	64	59	123	14·1	1·29	1·11	43	45	88	10·1	1·28	1·10	4	*33*	3	3	1	*32*
Ludlow	13,690	99	98	197	14·4	1·15	1·01	84	82	166	12·1	0·94	0·97	2	*10*	2	2	2	*20*
Oswestry	21,030	155	145	300	14·3	1·17	1·02	123	126	249	11·8	0·81	0·82	5	*17*	5	4	6	*33*
Shifnal	12,900	118	121	239	18·5	0·98	1·11	66	62	128	9·9	0·94	0·80	4	*17*	1	1	2	*12*
Wellington	25,140	229	176	405	16·1	1·05	1·03	130	83	213	8·5	1·27	0·92	8	*20*	7	6	15	50
Wem	12,510	76	98	174	13·9	1·07	0·91	65	57	122	9·8	1·05	0·88	4	*23*	1	—	3	*17*
SOMERSET	**577,300**	**4,381**	**4,340**	**8,721**	**15·1**	**1·06**	**0·98**	**3,614**	**3,670**	**7,284**	**12·6**	**0·83**	**0·89**	**182**	**21**	**128**	**106**	**192**	**33**
Bath C.B.	80,400	593	556	1,149	14·3	1·02	0·89	487	550	1,037	12·9	0·81	0·89	25	22	19	12	35	40
Administrative county	**496,900**	**3,788**	**3,784**	**7,572**	**15·2**	**1·07**	**0·99**	**3,127**	**3,120**	**6,247**	**12·6**	**0·84**	**0·90**	**157**	**21**	**109**	**94**	**157**	**32**
***Municipal boroughs and urban districts**	**239,480**	**1,802**	**1,796**	**3,598**	**15·0**	**1·04**	**0·95**	**1,592**	**1,600**	**3,192**	**13·3**	**0·81**	**0·92**	**69**	**19**	**48**	**39**	**69**	**29**
Bridgwater M.B.	24,890	219	181	400	16·1	0·95	0·93	156	145	301	12·1	0·90	0·93	11	*28*	5	5	9	*34*
Burnham-on-Sea	9,710	65	67	132	13·6	1·13	0·94	61	58	119	12·3	0·74	0·78	—	—	—	—	4	*29*
Chard M.B.	5,390	35	39	74	13·7	1·00	0·84	35	36	71	13·2	0·80	0·90	3	*41*	3	1	—	*14*
Clevedon	9,770	71	77	148	15·1	1·19	1·10	62	81	143	14·6	0·62	0·77	—	—	—	—	1	*7*
Crewkerne	3,970	21	27	48	12·1	1·06	0·78	26	25	51	12·8	0·88	0·96	—	—	—	—	1	*20*
Frome	11,300	90	91	181	16·0	1·09	1·06	75	82	157	13·9	0·78	0·93	4	*22*	2	2	5	*38*
Glastonbury M.B.	5,370	39	44	83	15·5	0·95	0·90	30	28	58	10·1	0·91	0·79	1	*12*	1	1	4	*57*
Ilminster	2,570	24	15	39	15·2	1·00	0·93	18	19	37	14·4	0·94	1·16	1	*26*	1	1	—	*26*
Keynsham	13,590	159	163	322	23·7	0·89	1·29	64	75	139	10·2	0·96	0·84	3	*9*	2	2	7	*27*
Minehead	7,450	41	38	79	10·6	1·14	0·74	68	53	121	16·2	0·62	0·86	1	*13*	1	—	4	*48*
Norton-Radstock	12,370	102	83	185	15·0	1·04	0·95	85	57	142	11·5	1·01	0·99	5	*27*	3	2	2	*21*
Portishead	5,600	64	51	115	20·5	1·02	1·28	35	29	64	11·4	0·94	0·92	6	*52*	5	5	2	*60*
Shepton Mallet	5,250	39	36	75	14·3	1·02	0·89	34	29	63	12·0	0·90	0·92	1	*13*	—	—	1	*13*
Street	6,300	51	47	98	15·6	0·99	0·94	43	32	75	11·9	0·92	0·94	2	*20*	2	2	1	*30*
*Taunton M.B.	35,030	236	240	476	13·6	0·99	0·82	202	217	419	12·0	0·83	0·85	5	*11*	4	3	9	*25*
Watchet	2,570	21	16	37	14·4	1·05	0·92	20	17	37	14·4	0·91	1·12	2	*54*	1	1	2	*77*
Wellington	7,420	39	52	91	12·3	1·10	0·82	40	55	95	12·8	0·81	0·89	1	*11*	—	—	1	*11*
Wells M.B.	6,260	43	58	101	16·1	1·07	1·05	59	56	115	18·4	0·58	0·91	2	*20*	2	1	2	*29*
Weston-super-Mare M.B.	40,800	276	298	574	14·1	1·13	0·97	316	366	682	16·7	0·72	1·03	12	*21*	8	7	7	*24*
Yeovil M.B.	23,870	167	173	340	14·2	1·02	0·88	163	140	303	12·7	0·89	0·97	9	*26*	8	6	7	*37*
***Rural districts**	**257,420**	**1,986**	**1,988**	**3,974**	**15·4**	**1·10**	**1·03**	**1,535**	**1,520**	**3,055**	**11·9**	**0·86**	**0·87**	**88**	**22**	**61**	**55**	**88**	**35**
Axbridge	29,510	213	209	422	14·3	1·13	0·99	158	170	328	11·1	0·85	0·81	5	*12*	4	4	8	*28*
Bathavon	19,750	164	160	324	16·4	1·05	1·05	123	105	228	11·5	0·91	0·89	8	*25*	3	2	5	*21*
Bridgwater	19,990	170	184	354	17·7	1·08	1·17	110	104	214	10·7	0·91	0·83	10	*28*	4	4	5	*25*
Chard	12,350	80	68	148	12·0	1·07	0·78	72	67	139	11·3	0·93	0·90	5	*34*	4	4	2	*40*
*Clutton	17,890	128	143	271	15·1	1·04	0·96	116	101	217	12·1	0·92	0·95	4	*15*	4	3	9	*43*
Dulverton	4,440	37	25	62	14·0	1·14	0·97	25	20	45	10·1	0·97	0·84	1	*16*	1	1	1	*32*
Frome	10,570	74	86	160	15·1	1·07	0·99	65	69	134	12·7	0·94	1·02	6	*38*	4	4	4	*49*
Langport	12,890	94	104	198	15·4	1·09	1·02	79	72	151	11·7	0·85	0·85	4	*20*	2	2	5	*34*
Long Ashton	24,540	176	201	377	15·4	1·12	1·05	163	151	314	12·8	0·92	1·01	9	*24*	8	7	11	*46*
*Shepton Mallet	10,350	85	87	172	16·6	1·12	1·13	49	60	109	10·5	0·84	0·75	1	*6*	1	1	2	*17*
*Taunton	21,490	155	149	304	14·1	1·16	1·00	125	179	304	14·1	0·70	0·84	7	*23*	7	7	6	*42*
Wellington	8,040	90	67	157	19·5	1·14	1·36	51	39	90	11·2	0·88	0·84	4	*25*	3	2	1	*19*
Wells	10,220	99	82	181	17·7	1·15	1·24	76	69	145	14·2	0·51	0·62	3	*17*	1	1	5	*32*
Williton	13,350	91	95	186	13·9	1·24	1·05	81	93	174	13·0	0·74	0·82	2	*11*	2	2	2	*21*
Wincanton	17,500	134	137	271	15·5	1·11	1·05	123	105	228	13·0	0·76	0·84	10	*37*	6	5	7	*43*
Yeovil	24,540	196	191	387	15·8	1·06	1·02	119	116	235	9·6	1·10	0·90	9	*23*	7	6	15	52
SOUTHAMPTON	**1,298,000**	**11,045**	**10,513**	**21,558**	**16·6**	**1·05**	**1·06**	**7,663**	**7,476**	**15,139**	**11·7**	**0·95**	**0·95**	**499**	**23**	**354**	**298**	**402**	**32**
County boroughs	**565,800**	**4,424**	**4,312**	**8,736**	**15·4**	**1·06**	**1·00**	**3,591**	**3,553**	**7,144**	**12·6**	**0·90**	**0·97**	**203**	**23**	**142**	**114**	**171**	**32**
Bournemouth	143,600	833	805	1,638	11·4	1·15	0·80	1,063	1,257	2,320	16·2	0·68	0·94	36	22	22	18	24	25
Portsmouth	222,800	1,776	1,719	3,495	15·7	1·07	1·02	1,379	1,356	2,735	12·3	0·94	0·99	80	23	56	45	63	30
Southampton	199,400	1,815	1,788	3,603	18·1	0·99	1·09	1,149	940	2,089	10·5	1·10	0·99	87	24	64	51	84	37

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1958	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
SOUTHAMPTON—*continued*																			
Administrative county	**732,200**	**6,621**	**6,201**	**12,822**	**17·5**	**1·04**	**1·11**	**4,072**	**3,923**	**7,995**	**10·9**	**0·97**	**0·90**	**296**	**23**	**212**	**184**	**231**	**32**
***Municipal boroughs and urban districts**	**435,570**	**4,084**	**3,732**	**7,816**	**17·9**	**0·99**	**1·08**	**2,388**	**2,217**	**4,605**	**10·6**	**1·08**	**0·98**	**180**	**23**	**125**	**106**	**137**	**31**
Aldershot M.B.	40,220	334	284	618	15·4	1·08	1·01	167	119	286	7·1	1·63	0·99	17	*28*	12	11	10	33
Alton	8,760	80	77	157	17·9	1·01	1·10	49	44	93	10·6	0·96	0·87	6	*38*	4	4	—	*25*
Andover M.B.	16,070	137	116	253	15·7	1·01	0·97	98	101	199	12·4	0·81	0·86	5	*20*	3	3	3	*23*
Basingstoke M.B.	21,810	217	202	419	19·2	0·93	1·09	105	97	202	9·3	1·14	0·91	11	*26*	8	7	9	*37*
Christchurch M.B.	24,300	182	155	337	13·9	1·00	0·85	179	163	342	14·1	0·81	0·98	5	*15*	4	4	4	*23*
Eastleigh M.B.	34,460	294	260	554	16·1	0·96	0·94	200	163	363	10·5	1·10	0·99	7	*13*	7	6	14	35
Fareham	54,140	518	467	985	18·2	1·01	1·12	287	297	584	10·8	1·07	0·99	17	*17*	11	9	15	24
Farnborough	31,020	292	294	586	18·9	1·05	1·21	120	94	214	6·9	1·51	0·89	15	*26*	8	6	9	*25*
Fleet	10,710	106	99	205	19·1	1·08	1·26	61	68	129	12·0	0·87	0·89	5	*24*	4	3	7	*47*
Gosport M.B.	65,220	639	620	1,259	19·3	1·00	1·18	333	285	618	9·5	1·32	1·07	38	30	25	18	21	30
*Havant and Waterloo	62,910	791	712	1,503	23·9	0·87	1·27	294	282	576	9·2	1·25	0·98	37	25	25	23	28	33
Lymington M.B.	25,210	164	153	317	12·6	1·11	0·85	225	191	416	16·5	0·69	0·97	3	*9*	2	2	6	*25*
Petersfield	7,190	58	68	126	17·5	1·05	1·12	41	60	101	14·0	0·73	0·87	1	*8*	1	1	1	*16*
Romsey M.B.	6,480	47	37	84	13·0	1·08	0·86	44	52	96	14·8	0·72	0·91	1	*12*	1	1	3	*46*
Winchester M.B.	27,070	225	188	413	15·3	1·01	0·94	185	201	386	14·3	0·80	0·98	12	*29*	10	8	7	*36*
***Rural districts**	**296,630**	**2,537**	**2,469**	**5,006**	**16·9**	**1·11**	**1·14**	**1,684**	**1,706**	**3,390**	**11·4**	**0·84**	**0·82**	**116**	**23**	**87**	**78**	**94**	**34**
Alton	25,210	222	218	440	17·5	1·16	1·24	164	154	318	12·6	1·07	1·15	11	*25*	9	9	7	*36*
Andover	21,050	146	158	304	14·4	1·27	1·12	68	64	132	6·3	1·44	0·78	9	*30*	6	6	3	*29*
Basingstoke	17,560	129	140	269	15·3	1·20	1·12	168	190	358	20·4	0·50	0·87	15	*56*	11	11	3	*51*
*Droxford	21,320	191	173	364	17·1	1·16	1·21	153	156	309	14·5	0·57	0·71	7	*19*	5	4	4	*22*
Hartley Wintney	25,430	201	189	390	15·3	1·13	1·05	90	128	218	8·6	0·92	0·68	12	*31*	8	7	8	*38*
Kingsclere and Whitchurch	21,230	226	225	451	21·2	1·04	1·34	114	94	208	9·8	0·98	0·82	9	*20*	7	6	6	*26*
New Forest	51,710	513	490	1,003	19·4	1·05	1·24	272	243	515	10·0	1·03	0·88	16	*16*	12	11	23	33
Petersfield	22,920	162	167	329	14·4	1·03	0·90	117	112	229	10·0	0·95	0·81	4	*12*	3	3	3	*18*
Ringwood and Fordingbridge	25,310	201	176	377	14·9	1·12	1·02	159	200	359	14·2	0·60	0·73	7	*19*	6	5	12	*44*
Romsey and Stockbridge	20,880	171	173	344	16·5	1·09	1·10	101	101	202	9·7	1·03	0·85	7	*20*	5	4	10	*40*
Winchester	44,010	375	360	735	16·7	1·10	1·12	278	264	542	12·3	0·74	0·78	19	*26*	15	12	15	*36*
STAFFORDSHIRE	1,682,000	14,738	13,766	28,504	16·9	0·95	0·98	9,621	8,151	17,772	10·6	1·21	1·10	687	24	494	419	769	41
County boroughs	**749,200**	**6,478**	**6,010**	**12,488**	**16·7**	**0·95**	**0·97**	**4,436**	**3,753**	**8,189**	**10·9**	**1·20**	**1·12**	**302**	**24**	**227**	**196**	**329**	**41**
Burton upon Trent	49,230	439	429	868	17·6	0·98	1·05	364	276	640	13·0	0·90	1·00	26	30	19	17	20	42
Smethwick	72,690	493	505	998	13·7	0·95	0·79	441	372	813	11·2	1·15	1·10	18	*18*	12	9	25	33
Stoke-on-Trent	271,100	2,321	2,039	4,360	16·1	0·94	0·92	1,662	1,381	3,043	11·2	1·30	1·24	116	27	89	78	125	45
Walsall	115,000	1,098	1,031	2,129	18·5	0·95	1·07	635	536	1,171	10·2	1·19	1·04	58	27	46	38	51	41
West Bromwich	93,380	863	820	1,683	18·0	0·93	1·02	457	416	873	9·3	1·35	1·07	23	14	18	16	37	31
Wolverhampton	147,800	1,264	1,186	2,450	16·6	0·98	0·99	877	772	1,649	11·2	1·12	1·07	61	25	43	38	71	43
Administrative county	**932,800**	**8,260**	**7,756**	**16,016**	**17·2**	**0·95**	**1·00**	**5,185**	**4,398**	**9,583**	**10·3**	**1·21**	**1·07**	**385**	**24**	**267**	**223**	**440**	**40**
Municipal boroughs and urban districts	**698,600**	**6,189**	**5,826**	**12,015**	**17·2**	**0·93**	**0·98**	**3,962**	**3,274**	**7,236**	**10·4**	**1·26**	**1·12**	**302**	**25**	**206**	**167**	**343**	**41**
Aldridge	42,170	417	406	823	19·5	0·89	1·06	179	128	307	7·3	1·69	1·05	20	24	17	15	21	43
Amblecote	2,950	17	19	36	12·2	0·94	0·70	21	18	39	13·2	0·97	1·09	—	—	—	—	1	*27*
Biddulph	13,300	130	112	242	18·2	0·94	1·04	67	59	126	9·5	1·41	1·14	5	*21*	3	3	9	*48*
Bilston M.B.	33,760	310	276	586	17·4	0·89	0·94	180	130	310	9·2	1·44	1·13	12	*20*	7	6	21	44
Brierley Hill	52,060	426	434	860	16·5	0·96	0·97	299	253	552	10·6	1·25	1·13	23	27	13	10	21	35
Brownhills	23,800	237	262	499	21·0	0·94	1·20	145	108	253	10·6	1·39	1·26	17	*34*	13	10	7	*34*
Cannock	42,490	397	363	760	17·9	0·96	1·05	253	219	472	11·1	1·12	1·06	24	32	15	12	28	51
Coseley	35,590	361	267	628	17·6	0·92	0·99	184	139	323	9·1	1·51	1·17	21	33	14	10	20	46
Darlaston	22,210	168	170	338	15·2	0·91	0·84	120	79	199	9·0	1·46	1·12	7	*21*	6	5	6	*32*
Kidsgrove	18,820	175	176	351	18·7	0·89	1·01	87	82	169	9·0	1·40	1·08	6	*17*	3	3	15	*49*
Leek	18,990	153	145	298	15·7	1·03	0·99	126	108	234	12·3	0·99	1·04	5	*17*	4	3	11	*45*
Lichfield M.B.	11,510	122	99	221	19·2	0·96	1·12	83	60	143	12·4	0·83	0·88	6	*27*	3	3	10	*56*
Newcastle-under-Lyme M.B.	74,200	669	656	1,325	17·9	0·99	1·08	427	362	789	10·6	1·24	1·12	33	25	23	19	41	44
Rowley Regis M.B.	49,240	313	312	625	12·7	0·95	0·74	284	197	481	9·8	1·39	1·16	16	*26*	15	11	14	39
Rugeley	11,710	139	132	271	23·1	0·91	1·28	59	52	111	9·5	1·38	1·12	11	*41*	7	6	8	*50*
Sedgley	25,330	188	165	353	13·9	0·97	0·82	227	231	458	18·1	0·58	0·90	12	*34*	6	4	9	*36*
Stafford M.B.	43,060	356	345	701	16·3	1·00	0·99	262	262	524	12·2	0·99	1·03	13	*19*	8	5	20	35
Stone	8,800	65	53	118	13·4	0·98	0·80	50	63	113	12·8	0·70	0·77	1	*8*	—	—	1	*8*
Tamworth M.B.	13,370	92	92	184	13·8	0·98	0·82	100	77	177	13·2	0·71	0·80	4	*22*	3	3	8	*57*
Tettenhall	12,920	103	117	220	17·0	0·89	0·92	56	53	109	8·4	1·20	0·86	1	*5*	1	1	9	*44*
Tipton M.B.	39,550	373	281	654	16·5	0·89	0·90	223	151	374	9·5	1·49	1·21	15	*23*	10	10	15	37
Uttoxeter	7,940	70	69	139	17·5	1·00	1·07	56	41	97	12·2	1·09	1·14	2	*14*	1	1	3	*28*
Wednesbury M.B.	34,700	296	280	576	16·6	0·92	0·93	197	167	364	10·5	1·38	1·24	19	*33*	14	10	17	46
Wednesfield	28,280	356	331	687	24·3	0·85	1·26	109	92	201	7·1	1·81	1·10	16	*23*	12	9	14	33
Willenhall	31,850	256	264	520	16·3	0·94	0·93	168	143	311	9·8	1·46	1·22	13	*25*	8	8	14	41
Rural districts	**234,200**	**2,071**	**1,930**	**4,001**	**17·1**	**1·00**	**1·04**	**1,223**	**1,124**	**2,347**	**10·0**	**1·08**	**0·92**	**83**	**21**	**61**	**56**	**97**	**37**
Cannock	26,470	276	261	537	20·3	0·96	1·19	134	103	237	9·0	1·21	0·93	11	*20*	7	7	9	*29*
Cheadle	36,290	297	277	574	15·8	1·03	0·99	264	234	498	13·7	0·83	0·97	12	*21*	11	10	15	42
Leek	19,680	190	198	388	19·7	0·98	1·18	96	86	182	9·2	1·25	0·98	8	*21*	6	5	9	*35*
Lichfield	38,850	307	294	601	15·5	1·01	0·95	200	202	402	10·3	0·92	0·81	14	*23*	8	7	14	34
Newcastle-under-Lyme	17,640	128	104	232	13·2	1·00	0·80	99	90	189	10·7	1·04	0·95	8	*34*	6	6	8	*58*
Seisdon	31,650	361	299	660	20·9	0·93	1·19	137	120	257	8·1	1·35	0·93	8	*12*	7	5	19	35
Stafford	19,040	144	139	283	14·9	1·08	0·98	75	75	150	7·9	1·29	0·87	4	*14*	3	3	7	*34*
Stone	17,370	127	126	253	14·6	0·97	0·86	73	93	166	9·6	1·14	0·94	8	*32*	6	6	3	*35*
Tutbury	15,900	142	140	282	17·7	1·04	1·12	81	79	160	10·1	1·08	0·93	4	*14*	2	2	5	*24*
Uttoxeter	11,310	99	92	191	16·9	1·12	1·15	64	42	106	9·4	1·10	0·88	6	*31*	5	5	8	*65*

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1958	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
SUFFOLK, EAST	**336,700**	**2,791**	**2,569**	**5,360**	**15·9**	**1·06**	**1·03**	**1,999**	**1,946**	**3,945**	**11·7**	**0·86**	**0·86**	**92**	**17**	**64**	**57**	**108**	**30**
Ipswich C.B.	113,400	1,034	927	1,961	17·3	0·98	1·03	625	596	1,221	10·8	0·96	0·89	29	15	19	17	31	24
Administrative county	**223,300**	**1,757**	**1,642**	**3,399**	**15·2**	**1·11**	**1·03**	**1,374**	**1,350**	**2,724**	**12·2**	**0·81**	**0·84**	**63**	**19**	**45**	**40**	**77**	**34**
Municipal boroughs and urban districts	**98,600**	**763**	**671**	**1,434**	**14·5**	**1·04**	**0·92**	**617**	**609**	**1,226**	**12·4**	**0·87**	**0·92**	**23**	**16**	**15**	**15**	**30**	**31**
Aldeburgh M.B.	2,820	29	29	58	20·6	1·06	1·33	14	21	35	12·4	0·74	0·78	1	*17*	1	1	—	*17*
Beccles M.B.	6,980	48	50	98	14·0	1·06	0·90	55	40	95	13·6	0·83	0·96	—	—	—	—	2	*20*
Bungay	3,580	29	24	53	14·8	1·01	0·91	15	27	42	11·7	0·83	0·83	—	—	—	—	—	—
Eye M.B.	1,590	11	8	19	*11·9*	1·25	0·91	22	27	49	30·8	0·45	1·18	1	*53*	—	—	—	—
Felixstowe	15,680	160	139	299	19·1	1·03	1·20	104	108	212	13·5	0·78	0·90	8	*27*	4	4	6	*33*
Halesworth	2,350	17	10	27	11·5	1·16	0·81	11	10	21	8·9	0·89	0·68	—	—	—	—	—	—
Leiston-cum-Sizewell ..	4,140	27	31	58	14·0	1·13	0·96	25	17	42	10·1	0·79	0·68	2	*34*	1	1	1	*34*
Lowestoft M.B.	44,370	326	267	593	13·4	1·01	0·83	275	263	538	12·1	0·96	0·99	8	*13*	6	6	17	38
Saxmundham	1,450	14	12	26	17·9	1·22	1·33	5	7	12	*8·3*	0·73	0·52	—	—	—	—	—	—
Southwold M.B.	2,380	10	5	15	*6·3*	1·51	0·58	17	21	38	16·0	0·63	0·86	2	*133*	2	2	—	*133*
Stowmarket	7,580	34	47	81	10·7	1·01	0·66	41	39	80	10·6	1·02	0·92	—	—	—	—	3	36
Woodbridge	5,680	58	49	107	18·8	1·02	1·17	33	29	62	10·9	0·83	0·77	1	*9*	1	1	1	*19*
Rural districts	**124,700**	**994**	**971**	**1,965**	**15·8**	**1·16**	**1·12**	**757**	**741**	**1,498**	**12·0**	**0·76**	**0·78**	**40**	**20**	**30**	**25**	**47**	**36**
Blyth	19,100	165	158	323	16·9	1·17	1·21	132	151	283	14·8	0·68	0·86	4	*12*	1	1	9	*30*
Deben	31,000	274	254	528	17·0	1·19	1·23	180	213	393	12·7	0·71	0·77	16	*30*	11	8	13	39
Gipping	18,600	146	165	311	16·7	1·09	1·11	136	114	250	13·4	0·70	0·80	2	*6*	2	2	10	*37*
Hartismere	16,950	136	115	251	14·8	1·16	1·05	95	78	173	10·2	0·87	0·76	7	*28*	5	5	5	*39*
Lothingland	15,550	106	119	225	14·5	1·13	1·00	76	71	147	9·5	0·90	0·73	6	*27*	6	4	4	*35*
Samford	16,670	116	117	233	14·0	1·24	1·06	95	87	182	10·9	0·80	0·75	2	*9*	2	2	4	*25*
Wainford	6,830	51	43	94	13·8	1·10	0·93	43	27	70	10·2	0·91	0·79	3	*32*	3	3	2	*52*
SUFFOLK, WEST	**126,900**	**1,081**	**964**	**2,045**	**16·1**	**1·10**	**1·08**	**699**	**738**	**1,437**	**11·3**	**0·94**	**0·91**	**58**	**28**	**37**	**32**	**44**	**36**
Municipal boroughs and urban districts	**46,810**	**399**	**357**	**756**	**16·2**	**1·03**	**1·02**	**300**	**353**	**653**	**14·0**	**0·89**	**1·06**	**29**	**38**	**18**	**14**	**14**	**36**
Bury St. Edmunds M.B. ..	21,570	183	182	365	16·9	1·03	1·06	126	154	280	13·0	0·92	1·02	20	*55*	14	11	4	*41*
Hadleigh	3,270	29	21	50	15·3	1·08	1·01	24	25	49	15·0	0·94	1·21	1	*20*	—	—	3	*57*
Haverhill	4,540	37	36	73	16·1	0·98	0·96	27	31	58	12·8	0·88	0·96	2	*27*	2	1	—	*14*
Newmarket	11,200	93	75	168	15·0	0·99	0·91	74	81	155	13·8	1·01	1·19	6	*36*	2	2	6	*46*
Sudbury M.B.	6,230	57	43	100	16·1	1·10	1·08	49	62	111	17·8	0·67	1·02	—	—	—	—	1	*10*
Rural districts	**80,090**	**682**	**607**	**1,289**	**16·1**	**1·14**	**1·12**	**399**	**385**	**784**	**9·8**	**0·96**	**0·80**	**29**	**22**	**19**	**18**	**30**	**36**
Clare	9,280	57	58	115	12·4	1·21	0·91	60	44	104	11·2	0·86	0·82	1	*9*	1	1	3	*34*
Cosford	9,420	61	42	103	10·9	1·14	0·76	71	51	122	13·0	0·81	0·90	1	*10*	—	—	2	*19*
Melford	12,800	103	77	180	14·1	1·00	0·86	75	78	153	12·0	0·88	0·90	4	*22*	3	2	7	*48*
Mildenhall	19,120	210	195	405	21·2	1·20	1·55	62	66	128	6·7	1·28	0·73	11	*27*	7	7	7	*34*
Thedwastre	8,990	71	80	151	16·8	1·13	1·16	32	59	91	10·1	0·90	0·78	—	—	—	—	5	*32*
Thingoe	20,480	180	155	335	16·4	1·13	1·13	99	87	186	9·1	0·99	0·77	12	*36*	8	8	6	*41*
SURREY	**1,682,000**	**12,386**	**11,937**	**24,323**	**14·5**	**1·02**	**0·90**	**9,329**	**9,763**	**19,092**	**11·4**	**0·91**	**0·89**	**410**	**17**	**297**	**252**	**444**	**28**
Croydon C.B.	249,500	1,940	1,928	3,868	15·5	0·99	0·94	1,510	1,485	2,995	12·0	0·90	0·92	69	18	50	41	77	30
Administrative county	**1,432,500**	**10,446**	**10,009**	**20,455**	**14·3**	**1·02**	**0·89**	**7,819**	**8,278**	**16,097**	**11·2**	**0·92**	**0·88**	**341**	**17**	**247**	**211**	**367**	**28**
Municipal boroughs and urban districts	**1,266,000**	**9,144**	**8,706**	**17,850**	**14·1**	**1·01**	**0·87**	**6,946**	**7,405**	**14,351**	**11·3**	**0·91**	**0·88**	**303**	**17**	**217**	**186**	**324**	**28**
Banstead	38,840	260	264	524	13·5	1·10	0·91	183	294	477	12·3	0·72	0·76	8	*15*	5	4	8	*23*
Barnes M.B.	39,220	222	224	446	11·4	1·00	0·70	248	238	486	12·4	0·82	0·87	8	*18*	6	6	17	50
Beddington and Wallington M.B.	32,390	207	192	399	12·3	1·05	0·79	183	148	331	10·2	0·96	0·84	3	*8*	2	2	13	*36*
Carshalton	60,300	365	371	736	12·2	0·97	0·72	293	273	566	9·4	1·27	1·02	11	*15*	10	8	12	27
Caterham and Warlingham ..	34,800	281	245	526	15·1	1·04	0·96	173	182	355	10·2	0·99	0·86	11	*21*	5	4	8	*22*
Chertsey	37,690	396	369	765	20·3	0·93	1·15	156	155	311	8·3	1·17	0·83	15	*20*	14	14	12	33
Coulsdon and Purley ..	68,580	501	494	995	14·5	1·11	0·98	370	507	877	12·8	0·68	0·74	17	*17*	12	9	14	23
Dorking	20,730	151	145	296	14·3	1·07	0·93	126	128	254	12·3	0·88	0·93	4	*14*	4	4	8	*39*
Egham	29,250	251	257	508	17·4	0·96	1·02	159	131	290	9·9	0·96	0·81	7	*14*	4	4	8	*23*
Epsom and Ewell M.B. ..	67,590	379	372	751	11·1	1·20	0·81	487	580	1,067	15·8	0·57	0·77	16	*21*	12	10	13	30
Esher	56,660	425	425	850	15·0	1·00	0·91	239	315	554	9·8	0·99	0·83	12	*14*	10	8	13	24
Farnham	25,190	169	180	349	13·9	1·04	0·88	209	194	403	16·0	0·72	0·98	8	*23*	4	1	12	*36*
Frimley and Camberley ..	25,130	274	261	535	21·3	1·00	1·30	113	108	221	8·8	1·18	0·89	17	*32*	10	9	8	*31*
Godalming M.B.	15,750	116	106	222	14·1	1·04	0·89	86	84	170	10·8	0·93	0·86	3	*14*	3	3	4	*31*
Guildford M.B.	51,780	389	359	748	14·4	0·97	0·85	286	301	587	11·3	0·92	0·89	8	*11*	6	6	12	*24*
Haslemere	12,070	84	82	166	13·8	0·99	0·83	64	80	144	11·9	0·80	0·81	1	*6*	1	1	2	*18*
*Kingston-upon-Thames M.B.	38,800	268	273	541	13·9	0·96	0·81	228	206	434	11·2	0·92	0·88	8	*15*	5	5	15	36
Leatherhead	33,750	269	236	505	15·0	0·99	0·91	165	170	335	9·9	1·03	0·87	5	*10*	4	4	7	*21*
Malden and Coombe M.B. ..	45,540	284	255	539	11·8	1·05	0·76	195	224	419	9·2	1·04	0·82	8	*15*	6	4	11	*27*
Merton and Morden ..	70,810	422	391	813	11·5	1·04	0·73	393	370	763	10·8	1·15	1·06	8	*10*	6	5	12	*21*
Mitcham M.B.	64,700	453	474	927	14·3	0·97	0·85	337	282	619	9·6	1·20	0·98	19	*20*	13	11	15	28
Reigate M.B.	49,760	385	356	741	14·9	1·01	0·92	318	337	655	13·2	0·81	0·91	15	*20*	10	9	12	28
*Richmond M.B.	42,330	315	255	570	13·5	0·93	0·77	290	299	589	13·9	0·77	0·91	11	*19*	9	8	12	34
Surbiton M.B.	63,550	466	405	871	13·7	1·00	0·84	325	316	641	10·1	1·08	0·93	14	*16*	11	9	16	28
Sutton and Cheam M.B. ..	79,210	515	523	1,038	13·1	1·03	0·82	461	510	971	12·3	0·98	1·03	17	*16*	11	10	9	*18*
Walton and Weybridge ..	43,140	353	324	677	15·7	0·97	0·93	207	237	444	10·3	0·97	0·85	10	*15*	5	4	7	*16*
Wimbledon M.B.	57,520	416	371	787	13·7	0·96	0·80	317	353	670	11·6	0·85	0·84	16	*20*	13	12	21	41
Woking	60,920	528	497	1,025	16·8	0·99	1·01	335	383	718	11·8	0·79	0·80	23	22	16	12	23	33

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1958	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
SURREY—*continued*																			
Rural districts	**166,500**	**1,302**	**1,303**	**2,605**	**15·6**	**1·06**	**1·01**	**873**	**873**	**1,746**	**10·5**	**0·95**	**0·85**	**38**	**15**	**30**	**25**	**43**	**26**
Bagshot	15,340	112	104	216	14·1	1·06	0·91	82	86	168	11·0	0·94	0·88	4	*19*	2	2	3	*23*
Dorking and Horley	29,980	253	268	521	17·4	1·02	1·08	165	143	308	10·3	1·03	0·91	6	*12*	6	4	11	*28*
Godstone	35,930	297	314	611	17·0	1·08	1·12	196	244	440	12·2	0·79	0·82	11	*18*	9	8	12	32
Guildford	51,050	413	387	800	15·7	1·09	1·04	230	232	462	9·0	1·01	0·78	14	*18*	11	9	16	31
Hambledon	34,200	227	230	457	13·4	1·04	0·85	200	168	368	10·8	0·90	0·83	3	*7*	2	2	1	*7*
SUSSEX, EAST	**636,400**	**4,033**	**3,921**	**7,954**	**12·5**	**1·13**	**0·86**	**4,618**	**5,654**	**10,272**	**16·1**	**0·72**	**0·99**	**125**	**16**	**92**	**84**	**150**	**29**
County boroughs	**281,600**	**1,791**	**1,752**	**3,543**	**12·6**	**1·10**	**0·85**	**2,063**	**2,639**	**4,702**	**16·7**	**0·72**	**1·03**	**55**	**16**	**36**	**34**	**63**	**27**
Brighton	159,700	1,106	1,079	2,185	13·7	1·06	0·89	1,136	1,312	2,448	15·3	0·80	1·05	36	16	25	24	41	29
Eastbourne	57,680	310	301	611	10·6	1·14	0·74	438	578	1,016	17·6	0·66	0·99	6	*10*	3	2	8	*16*
Hastings	64,220	375	372	747	11·6	1·17	0·83	489	749	1,238	19·3	0·63	1·04	13	*17*	8	8	14	29
Administrative county	**354,800**	**2,242**	**2,169**	**4,411**	**12·4**	**1·16**	**0·88**	**2,555**	**3,015**	**5,570**	**15·7**	**0·71**	**0·95**	**70**	**16**	**56**	**50**	**87**	**30**
Municipal boroughs and urban districts	**193,600**	**1,260**	**1,205**	**2,465**	**12·7**	**1·14**	**0·88**	**1,413**	**1,774**	**3,187**	**16·5**	**0·70**	**0·99**	**42**	**17**	**34**	**32**	**48**	**32**
Bexhill M.B.	26,490	152	142	294	11·1	1·29	0·87	235	304	539	20·3	0·59	1·02	3	*10*	2	2	7	*30*
Burgess Hill	13,480	125	119	244	18·1	0·95	1·05	66	68	134	9·9	1·08	0·91	2	*8*	2	2	6	*32*
Cuckfield	18,010	105	138	243	13·5	1·18	0·97	121	182	303	16·8	0·55	0·79	4	*16*	3	2	3	*20*
East Grinstead	13,950	127	95	222	15·9	0·97	0·94	95	97	192	13·8	0·70	0·83	—	—	—	—	4	*18*
Hove M.B.	69,790	411	364	775	11·1	1·17	0·79	560	765	1,325	19·0	0·62	1·01	15	*19*	14	14	14	35
Lewes M.B.	13,510	90	106	196	14·5	1·09	0·96	78	101	179	13·2	0·91	1·03	2	*10*	2	2	3	*25*
Newhaven	8,020	64	58	122	15·2	1·03	0·95	60	47	107	13·3	0·86	0·98	5	*41*	4	3	2	*40*
Portslade-by-Sea	14,970	106	110	216	14·4	1·05	0·92	98	84	182	12·2	1·10	1·15	6	*28*	4	4	4	*36*
Rye M.B.	4,470	27	30	57	12·8	1·02	0·80	30	35	65	14·5	0·86	1·07	1	*18*	—	—	1	*17*
Seaford	10,910	53	43	96	8·8	1·31	0·70	70	91	161	14·8	0·70	0·89	4	*42*	3	3	4	*70*
Rural districts	**161,200**	**982**	**964**	**1,946**	**12·1**	**1·19**	**0·88**	**1,142**	**1,241**	**2,383**	**14·8**	**0·71**	**0·90**	**28**	**14**	**22**	**18**	**39**	**29**
Battle	29,630	164	179	343	11·6	1·18	0·83	209	225	434	14·6	0·68	0·85	3	*9*	2	2	3	*14*
Chailey	21,040	127	121	248	11·8	1·17	0·84	155	205	360	17·1	0·63	0·92	7	*28*	6	3	6	*35*
Cuckfield	27,880	185	204	389	14·0	1·10	0·94	159	181	340	12·2	0·80	0·83	7	*18*	5	5	10	*38*
Hailsham	39,350	231	211	442	11·2	1·25	0·85	324	334	658	16·7	0·65	0·93	5	*11*	5	4	7	*24*
Uckfield	43,300	275	249	524	12·1	1·21	0·89	295	296	591	13·6	0·78	0·91	6	*11*	4	4	13	*32*
SUSSEX, WEST	**382,500**	**2,833**	**2,690**	**5,523**	**14·4**	**1·06**	**0·93**	**2,512**	**2,755**	**5,267**	**13·8**	**0·80**	**0·94**	**100**	**18**	**74**	**58**	**106**	**29**
Municipal boroughs and urban districts	**230,400**	**1,828**	**1,713**	**3,541**	**15·4**	**1·03**	**0·97**	**1,515**	**1,761**	**3,276**	**14·2**	**0·78**	**0·95**	**62**	**18**	**46**	**34**	**62**	**27**
Arundel M.B.	2,620	22	18	40	15·3	1·21	1·13	26	20	46	17·6	0·75	1·13	1	*25*	1	1	2	*71*
Bognor Regis	26,080	159	151	310	11·9	1·20	0·87	199	224	423	16·2	0·72	1·00	10	*32*	4	4	7	*35*
Chichester M.B.	19,100	146	106	252	13·2	1·06	0·85	138	177	315	16·5	0·59	0·83	4	*16*	4	1	1	*8*
Crawley	46,970	616	623	1,239	26·4	0·70	1·13	136	125	261	5·6	2·09	1·00	17	*14*	13	7	23	24
Horsham	19,060	165	149	314	16·5	1·03	1·04	106	128	234	12·3	0·90	0·95	2	*6*	2	2	7	*28*
Littlehampton	15,050	123	117	240	15·9	1·04	1·01	95	107	202	13·4	0·87	1·00	6	*25*	5	4	6	*41*
Shoreham-by-Sea	15,470	133	136	269	17·4	1·00	1·06	79	70	149	9·6	0·95	0·78	4	*15*	4	3	6	*33*
Southwick	11,500	88	77	165	14·3	1·13	0·99	88	77	165	14·3	0·84	1·03	3	*18*	2	2	1	*18*
Worthing M B.	74,550	376	336	712	9·6	1·32	0·77	648	833	1,481	19·9	0·54	0·92	15	*21*	11	10	9	*26*
Rural districts	**152,100**	**1,005**	**977**	**1,982**	**13·0**	**1·11**	**0·88**	**997**	**994**	**1,991**	**13·1**	**0·82**	**0·92**	**38**	**19**	**28**	**24**	**44**	**34**
Chanctonbury	21,890	175	158	333	15·2	1·14	1·06	147	142	289	13·2	0·83	0·94	8	*24*	6	6	6	*35*
Chichester	48,260	334	344	678	14·0	1·08	0·92	254	223	477	9·9	1·03	0·87	13	*19*	9	9	19	40
Horsham	21,850	132	146	278	12·7	1·07	0·83	108	122	230	10·5	0·95	0·85	3	*11*	3	2	6	*28*
Midhurst	16,940	105	112	217	12·8	1·08	0·84	137	124	261	15·4	0·60	0·79	3	*14*	3	3	4	*32*
Petworth	9,690	70	59	129	13·3	1·14	0·92	65	68	133	13·7	0·75	0·88	4	*31*	3	2	1	*23*
Worthing	33,470	189	158	347	10·4	1·13	0·72	286	315	601	18·0	0·68	1·05	7	*20*	4	2	8	*28*
WARWICKSHIRE	**1,939,000**	**17,850**	**16,734**	**34,584**	**17·8**	**0·95**	**1·03**	**10,576**	**9,524**	**20,100**	**10·4**	**1·14**	**1·01**	**844**	**24**	**604**	**532**	**750**	**36**
County boroughs	**1,376,000**	**12,725**	**11,870**	**24,595**	**17·9**	**0·95**	**1·04**	**7,586**	**6,987**	**14,573**	**10·6**	**1·15**	**1·04**	**637**	**26**	**456**	**403**	**541**	**38**
Birmingham	1,095,000	10,039	9,333	19,372	17·7	0·95	1·03	6,186	5,901	12,087	11·0	1·10	1·03	481	25	350	313	432	38
Coventry	281,000	2,686	2,537	5,223	18·6	0·95	1·08	1,400	1,086	2,486	8·8	1·37	1·03	156	30	106	90	109	37
Administrative county	**563,000**	**5,125**	**4,864**	**9,989**	**17·7**	**0·97**	**1·05**	**2,990**	**2,537**	**5,527**	**9·8**	**1·12**	**0·94**	**207**	**21**	**148**	**129**	**209**	**33**
Municipal boroughs and urban districts	**361,300**	**3,277**	**3,154**	**6,431**	**17·8**	**0·96**	**1·04**	**1,896**	**1,642**	**3,538**	**9·8**	**1·13**	**0·95**	**133**	**21**	**94**	**82**	**117**	**30**
Bedworth	29,230	262	294	556	19·0	0·90	1·04	181	173	354	12·1	0·88	0·91	17	*31*	14	11	13	42
Kenilworth	13,020	101	98	199	15·3	0·94	0·88	67	53	120	9·2	1·17	0·92	3	*15*	2	2	2	*20*
Nuneaton M.B.	56,440	455	455	910	16·1	0·97	0·95	306	216	522	9·2	1·27	1·00	29	32	22	20	18	41
Royal Leamington Spa M.B.	39,220	405	411	816	20·8	0·97	1·23	220	213	433	11·0	0·90	0·85	19	*23*	13	11	16	32
Rugby M.B.	48,470	431	386	817	16·9	0·99	1·02	286	253	539	11·1	1·09	1·03	7	*9*	4	4	20	29
Solihull M.B.	85,150	815	698	1,513	17·8	0·96	1·04	387	306	693	8·1	1·33	0·92	28	19	16	14	23	24
Stratford-upon-Avon M.B.	15,200	105	128	233	15·3	0·98	0·91	89	97	186	12·2	0·92	0·96	7	*30*	5	5	2	*30*
Sutton Coldfield M.B.	58,670	594	575	1,169	19·9	0·97	1·18	270	260	530	9·0	1·13	0·87	21	18	17	14	15	24
Warwick M.B.	15,900	109	109	218	13·7	0·98	0·82	90	71	161	10·1	1·04	0·90	2	*9*	1	1	8	*40*
Rural districts	**201,700**	**1,848**	**1,710**	**3,558**	**17·6**	**1·01**	**1·08**	**1,094**	**895**	**1,989**	**9·9**	**1·11**	**0·94**	**74**	**21**	**54**	**47**	**92**	**38**
Alcester	13,850	122	109	231	16·7	0·99	1·01	81	85	166	12·0	0·94	0·96	5	*22*	3	1	7	*34*
Atherstone	24,750	182	193	375	15·2	0·96	0·89	158	87	245	9·9	1·18	1·00	9	*24*	5	5	13	*46*
Meriden	52,260	558	491	1,049	20·1	0·92	1·13	208	177	385	7·4	1·43	0·90	17	*16*	15	14	20	32
Rugby	22,400	207	210	417	18·6	1·00	1·13	97	86	183	8·2	1·27	0·89	11	*26*	8	7	12	*44*
Shipston on Stour	8,000	70	63	133	16·6	1·08	1·09	71	71	142	17·7	0·51	0·77	1	*8*	1	1	1	*15*
Southam	16,170	114	131	245	15·2	1·29	1·20	91	59	150	9·3	1·27	1·01	6	*24*	4	4	10	*55*
Stratford-on-Avon	23,230	198	185	383	16·5	1·06	1·07	133	96	229	9·9	1·09	0·92	12	*31*	8	8	12	51
Tamworth	17,520	165	139	304	17·4	1·00	1·06	102	71	173	9·9	1·18	1·00	7	*23*	5	2	9	*35*
Warwick	23,520	232	189	421	17·9	1·05	1·15	153	163	316	13·4	0·75	0·86	6	*14*	5	5	8	*30*

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1958	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
WESTMORLAND	**66,400**	**507**	**478**	**985**	**14·8**	**1·06**	**0·96**	**461**	**416**	**877**	**13·2**	**0·92**	**1·04**	**24**	**24**	**21**	**17**	**26**	**43**
Municipal boroughs and urban districts	**31,930**	**209**	**207**	**416**	**13·0**	**1·02**	**0·81**	**218**	**220**	**438**	**13·7**	**0·89**	**1·04**	**10**	*24*	**9**	**7**	**12**	*44*
Appleby M.B.	1,660	7	11	18	*10·8*	1·07	0·70	13	9	22	13·3	0·94	1·07	—	—	—	—	2	*100*
Kendal M.B.	18,460	153	139	292	15·8	1·00	0·96	142	118	260	14·1	0·96	1·16	6	*21*	6	4	6	*34*
Lakes	5,440	20	25	45	8·3	1·03	0·52	29	44	73	13·4	0·84	0·96	2	*44*	2	2	3	*104*
Windermere	6,370	29	32	61	9·6	1·07	0·63	34	49	83	13·0	0·76	0·84	2	*33*	1	1	1	*32*
Rural districts	**34,470**	**298**	**271**	**569**	**16·5**	**1·10**	**1·11**	**243**	**196**	**439**	**12·7**	**0·95**	**1·03**	**14**	*25*	**12**	**10**	**14**	**41**
North Westmorland	16,280	141	140	281	17·3	1·10	1·16	119	91	210	12·9	1·01	1·11	8	*28*	7	5	10	*52*
South Westmorland	18,190	157	131	288	15·8	1·09	1·05	124	105	229	12·6	0·90	0·97	6	*21*	5	5	4	*31*
WIGHT, ISLE OF	**93,600**	**650**	**562**	**1,212**	**12·9**	**1·12**	**0·88**	**678**	**726**	**1,404**	**15·0**	**0·76**	**0·97**	**28**	**23**	**18**	**14**	**25**	**32**
Municipal boroughs and urban districts	**76,040**	**530**	**444**	**974**	**12·8**	**1·11**	**0·87**	**555**	**591**	**1,146**	**15·1**	**0·75**	**0·97**	**22**	**23**	**14**	**11**	**19**	**30**
Cowes	16,950	128	112	240	14·2	1·07	0·93	124	114	238	14·0	0·88	1·05	5	*21*	3	2	6	*33*
Newport M.B.	19,730	115	124	239	12·1	1·15	0·85	157	181	338	17·1	0·67	0·98	3	*13*	2	2	5	*29*
Ryde M.B.	20,060	154	120	274	13·7	1·08	0·90	135	157	292	14·6	0·77	0·96	11	*40*	8	7	4	*40*
Sandown-Shanklin	12,580	93	52	145	11·5	1·19	0·83	100	99	199	15·8	0·71	0·96	2	*14*	—	—	2	*14*
Ventnor	6,720	40	36	76	11·3	1·08	0·74	39	40	79	11·8	0·73	0·74	1	*13*	1	—	2	*26*
Isle of Wight R.D.	17,560	120	118	238	13·6	1·15	0·95	123	135	258	14·7	0·76	0·95	6	*25*	4	3	6	*37*
WILTSHIRE	**406,300**	**3,594**	**3,488**	**7,082**	**17·4**	**1·07**	**1·14**	**2,235**	**2,098**	**4,333**	**10·7**	**0·98**	**0·90**	**160**	**23**	**113**	**90**	**128**	**30**
Municipal boroughs and urban districts	**198,700**	**1,790**	**1,748**	**3,538**	**17·8**	**1·00**	**1·09**	**1,229**	**1,151**	**2,380**	**12·0**	**0·89**	**0·91**	**101**	**29**	**72**	**57**	**60**	**33**
Bradford-on-Avon	5,700	36	47	83	14·6	1·05	0·93	30	26	56	9·8	0·92	0·77	2	*24*	—	—	3	*35*
Calne M.B.	6,420	60	58	118	18·4	0·99	1·11	30	26	56	8·7	1·01	0·75	3	*25*	1	1	2	*25*
Chippenham M.B.	15,790	133	132	265	16·8	1·02	1·04	112	118	230	14·6	0·66	0·82	7	*26*	5	5	5	*37*
Devizes M.B.	8,270	55	60	115	13·9	1·04	0·88	47	51	98	11·9	0·53	0·54	1	*9*	1	1	2	*26*
Malmesbury M.B.	2,690	22	20	42	15·6	1·14	1·08	19	14	33	12·3	0·87	0·91	—	—	—	—	—	—
Marlborough M.B.	5,560	33	50	83	14·9	1·28	1·16	28	35	63	11·3	1·06	1·02	—	—	—	—	—	—
Melksham	7,300	64	53	117	16·0	0·97	0·95	40	33	73	10·0	1·14	0·97	7	*60*	4	3	3	*50*
Salisbury M.B.	34,350	311	292	603	17·6	0·98	1·05	257	224	481	14·0	0·63	0·75	11	*18*	8	8	4	*20*
Swindon M.B.	80,260	824	775	1,599	19·9	0·97	1·18	462	409	871	10·9	1·08	1·01	57	*36*	43	33	31	*39*
Trowbridge	14,560	112	108	220	15·1	1·03	0·95	93	93	186	12·8	0·93	1·02	5	*23*	3	2	4	*27*
Warminster	8,890	80	85	165	18·6	1·07	1·21	56	71	127	14·3	0·72	0·88	4	*24*	4	4	3	*42*
Westbury	5,500	35	39	74	13·5	1·04	0·86	36	39	75	13·6	1·01	1·17	3	*41*	2	—	—	—
Wilton M.B.	3,410	25	29	54	15·8	0·95	0·92	19	12	31	9·1	1·06	0·82	1	*19*	1	—	3	*53*
Rural districts	**207,600**	**1,804**	**1,740**	**3,544**	**17·1**	**1·15**	**1·20**	**1,006**	**947**	**1,953**	**9·4**	**1·08**	**0·87**	**59**	**17**	**41**	**33**	**68**	**28**
Amesbury	24,680	242	238	480	19·4	1·33	1·57	90	54	144	5·8	1·87	0·93	9	*19*	7	6	4	*21*
Bradford and Melksham	12,660	85	82	167	13·2	1·08	0·87	66	74	140	11·1	0·73	0·69	1	*6*	1	—	4	*23*
Calne and Chippenham	33,640	269	260	529	15·7	1·28	1·23	126	134	260	7·7	1·43	0·94	7	*13*	4	4	18	40
Cricklade and Wootton Bassett	16,820	165	142	307	18·3	1·02	1·14	89	83	172	10·2	1·20	1·05	9	*29*	8	7	3	*32*
Devizes	15,860	123	101	224	14·1	1·36	1·17	90	102	192	12·1	0·59	0·61	3	*13*	3	3	9	*52*
Highworth	24,420	232	219	451	18·5	1·03	1·16	124	110	234	9·6	1·15	0·94	7	*16*	5	4	9	*28*
Malmesbury	10,200	93	103	196	19·2	1·03	1·21	40	38	78	7·6	1·02	0·66	4	*20*	2	1	4	*25*
Marlborough and Ramsbury	10,300	90	73	163	15·8	1·20	1·16	52	63	115	11·2	0·99	0·95	3	*18*	2	2	4	*36*
Mere and Tisbury	11,190	94	104	198	17·7	1·14	1·23	70	46	116	10·4	0·85	0·76	5	*25*	4	2	3	*25*
Pewsey	17,440	166	161	327	18·8	1·04	1·19	93	77	170	9·7	1·12	0·93	3	*9*	1	1	3	*12*
Salisbury and Wilton	17,820	167	159	326	18·3	1·04	1·16	100	91	191	10·7	0·93	0·85	5	*15*	4	3	5	*24*
Warminster and Westbury	12,570	78	98	176	14·0	1·19	1·02	66	75	141	11·2	0·96	0·92	3	*17*	—	—	2	*11*
WORCESTERSHIRE	**556,800**	**4,472**	**4,041**	**8,513**	**15·3**	**1·00**	**0·93**	**3,060**	**2,800**	**5,860**	**10·5**	**1·09**	**0·98**	**169**	**20**	**121**	**106**	**167**	**31**
County boroughs	**128,500**	**1,016**	**977**	**1,993**	**15·5**	**0·96**	**0·91**	**704**	**644**	**1,348**	**10·5**	**1·14**	**1·02**	**44**	**22**	**31**	**27**	**40**	**33**
Dudley	64,530	496	469	965	15·0	0·95	0·87	367	291	658	10·2	1·30	1·13	23	24	17	13	24	37
Worcester	63,970	520	508	1,028	16·1	0·96	0·94	337	353	690	10·8	1·01	0·93	21	20	14	14	16	29
Administrative county	**428,300**	**3,456**	**3,064**	**6,520**	**15·2**	**1·01**	**0·94**	**2,356**	**2,156**	**4,512**	**10·5**	**1·08**	**0·97**	**125**	**19**	**90**	**79**	**127**	**31**
Municipal boroughs and urban districts	**303,200**	**2,433**	**2,163**	**4,596**	**15·2**	**0·99**	**0·92**	**1,649**	**1,554**	**3,203**	**10·6**	**1·11**	**1·01**	**88**	**19**	**64**	**57**	**91**	**32**
Bewdley M.B.	4,950	36	31	67	13·5	1·02	0·84	29	32	61	12·3	0·99	1·04	2	*30*	2	2	1	*44*
Bromsgrove	31,700	288	260	548	17·3	1·00	1·05	167	184	351	11·1	0·95	0·90	6	*11*	5	3	7	*18*
Droitwich M.B.	7,060	56	58	114	16·1	0·97	0·95	30	31	61	8·6	0·81	0·60	1	*9*	1	1	4	*42*
Evesham M.B.	12,380	119	97	216	17·4	1·03	1·09	99	95	194	15·7	0·84	1·13	7	*32*	5	5	4	*41*
Halesowen M.B.	43,480	346	280	626	14·4	0·97	0·85	255	189	444	10·2	1·26	1·10	9	*14*	7	7	13	31
Kidderminster M.B.	39,660	341	290	631	15·9	1·00	0·97	258	229	487	12·3	1·01	1·06	16	*25*	10	10	18	43
Malvern	24,900	193	170	363	14·6	1·10	0·98	125	154	279	11·2	0·88	0·84	3	*8*	3	2	4	*16*
Oldbury M.B.	55,100	392	360	752	13·6	0·96	0·80	252	262	514	9·3	1·42	1·13	22	29	14	12	13	33
Redditch	33,120	278	255	533	16·1	0·95	0·93	145	146	291	8·8	1·20	0·90	12	*23*	9	8	11	*35*
Stourbridge M.B.	39,660	298	281	579	14·6	1·00	0·89	239	188	427	10·8	1·09	1·01	7	*12*	5	4	12	*27*
Stourport-on-Severn	11,190	86	81	167	14·9	0·95	0·86	50	44	94	8·4	1·21	0·87	3	*18*	3	3	4	*41*
Rural districts	**125,100**	**1,023**	**901**	**1,924**	**15·4**	**1·07**	**1·00**	**707**	**602**	**1,309**	**10·5**	**0·99**	**0·89**	**37**	**19**	**26**	**22**	**36**	**30**
Bromsgrove	33,470	297	284	581	17·4	0·98	1·04	181	134	315	9·4	1·19	0·96	13	*22*	11	9	7	*27*
Droitwich	13,690	111	110	221	16·1	1·11	1·09	73	63	136	9·9	1·00	0·85	2	*9*	2	2	9	*48*
Evesham	16,830	150	103	253	15·0	1·09	1·00	107	78	185	11·0	0·96	0·90	5	*20*	3	2	2	*16*
Kidderminster	12,080	97	86	183	15·1	1·01	0·93	57	43	100	8·3	1·14	0·81	5	*27*	3	3	4	*37*
Martley	11,990	86	80	166	13·8	1·03	0·87	70	53	123	10·3	0·97	0·85	6	*36*	2	2	4	*35*
Pershore	16,860	153	112	265	15·7	1·05	1·01	80	73	153	9·1	1·00	0·78	1	*4*	1	1	5	*22*
Tenbury	5,410	45	41	86	15·9	1·08	1·05	26	28	54	10·0	0·95	0·81	1	*12*	1	1	2	*34*
Upton upon Severn	14,770	84	85	169	11·4	1·34	0·93	113	130	243	16·5	0·60	0·85	4	*24*	3	2	3	*29*

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1958	Live births						Deaths						Deaths under 1 year					
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births	Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
YORKSHIRE, EAST RIDING	**520,000**	**4,524**	**4,320**	**8,844**	**17·0**	**1·01**	**1·05**	**3,150**	**2,922**	**6,072**	**11·7**	**1·08**	**1·08**	**209**	**24**	**148**	**116**	**219**	**37**
Kingston upon Hull C.B. ..	301,100	2,924	2,779	5,703	18·9	0·96	1·11	1,716	1,603	3,319	11·0	1·24	1·17	139	24	98	75	142	37
Administrative county	**218,900**	**1,600**	**1,541**	**3,141**	**14·3**	**1·08**	**0·94**	**1,434**	**1,319**	**2,753**	**12·6**	**0·93**	**1·00**	**70**	**22**	**50**	**41**	**77**	**37**
Municipal boroughs and urban districts	**110,100**	**815**	**740**	**1,555**	**14·1**	**1·06**	**0·91**	**770**	**734**	**1,504**	**13·7**	**0·88**	**1·03**	**32**	**21**	**24**	**22**	**41**	**39**
Beverley M.B.	15,660	134	108	242	15·5	1·00	0·95	86	80	166	10·6	0·99	0·90	2	*8*	2	2	8	*40*
Bridlington M.B.	24,960	127	135	262	10·5	1·13	0·72	213	220	433	17·3	0·76	1·12	4	*15*	2	1	6	*26*
Driffield	6,940	55	52	107	15·4	0·97	0·91	71	56	127	18·3	0·77	1·20	2	*19*	1	1	3	*36*
Filey	4,780	34	30	64	13·4	1·05	0·86	30	31	61	12·8	0·93	1·02	—	—	—	—	3	*45*
Haltemprice	40,130	338	292	630	15·7	1·06	1·01	250	212	462	11·5	0·93	0·91	16	*25*	14	13	16	45
Hedon M.B.	2,240	23	18	41	18·3	1·00	1·12	11	13	24	10·7	1·01	0·92	1	*24*	1	1	1	*48*
Hornsea	5,580	40	37	77	13·8	1·13	0·95	44	53	97	17·4	0·73	1·09	1	*13*	—	—	1	*13*
Norton	4,830	35	39	74	15·3	1·09	1·02	33	27	60	12·4	1·01	1·07	4	*54*	3	3	2	*66*
Withernsea	4,980	29	29	58	11·6	1·09	0·77	32	42	74	14·9	0·84	1·07	2	*34*	1	1	1	*34*
Rural districts	**108,800**	**785**	**801**	**1,586**	**14·6**	**1·11**	**0·99**	**664**	**585**	**1,249**	**11·5**	**0·97**	**0·95**	**38**	**24**	**26**	**19**	**36**	**34**
Beverley	21,140	155	169	324	15·3	1·15	1·07	112	118	230	10·9	0·94	0·88	5	*15*	3	2	4	*18*
Bridlington	9,380	54	53	107	11·4	1·12	0·78	56	49	105	11·2	0·96	0·92	8	*75*	5	3	3	*55*
Derwent	13,790	89	97	186	13·5	1·05	0·86	85	87	172	12·5	0·88	0·94	2	*11*	2	2	4	*32*
Driffield	10,630	97	80	177	16·7	1·13	1·15	69	41	110	10·3	1·02	0·90	6	*34*	6	6	5	*60*
Holderness	20,020	130	141	271	13·5	1·14	0·94	120	121	241	12·0	0·96	0·98	4	*15*	—	—	5	*18*
Howden	11,910	90	83	173	14·5	1·08	0·95	67	68	135	11·3	0·92	0·89	3	*17*	2	1	4	*28*
Norton	7,410	64	68	132	17·8	1·07	1·16	57	31	88	11·9	1·02	1·04	5	*38*	5	4	4	*59*
Pocklington	14,520	106	110	216	14·9	1·07	0·97	98	70	168	11·6	0·99	0·98	5	*23*	3	1	7	*36*
YORKSHIRE, NORTH RIDING	**540,100**	**5,397**	**5,041**	**10,438**	**19·3**	**1·02**	**1·20**	**3,310**	**3,041**	**6,351**	**11·8**	**1·09**	**1·10**	**252**	**24**	**176**	**151**	**243**	**37**
Middlesbrough C.B.	152,500	1,940	1,772	3,712	24·3	0·95	1·41	907	790	1,697	11·1	1·24	1·18	90	24	65	52	89	37
Administrative county	**387,600**	**3,457**	**3,269**	**6,726**	**17·4**	**1·06**	**1·12**	**2,403**	**2,251**	**4,654**	**12·0**	**1·04**	**1·07**	**162**	**24**	**111**	**99**	**154**	**37**
Municipal boroughs and urban districts	**209,200**	**1,985**	**1,836**	**3,821**	**18·3**	**1·01**	**1·13**	**1,404**	**1,345**	**2,749**	**13·1**	**1·03**	**1·15**	**110**	**29**	**76**	**68**	**93**	**41**
Eston	35,310	411	383	794	22·5	0·95	1·30	213	143	356	10·1	1·40	1·21	27	34	18	18	29	57
Guisborough	9,830	103	104	207	21·1	0·98	1·26	64	57	121	12·3	1·00	1·05	9	*43*	8	6	6	*56*
Loftus	7,620	81	60	141	18·5	1·00	1·13	51	44	95	12·5	1·15	1·23	6	*43*	4	4	3	*49*
Malton	4,160	45	23	68	16·3	1·09	1·08	34	29	63	15·1	0·98	1·26	2	*29*	1	1	1	*29*
Northallerton	6,230	53	47	100	16·1	1·00	0·98	44	38	82	13·2	1·10	1·24	6	*60*	5	4	2	*59*
Pickering	4,100	27	28	55	13·4	1·14	0·93	34	34	68	16·6	0·92	1·31	4	*73*	4	4	2	*105*
Redcar M.B.	28,410	280	254	534	18·8	1·03	1·18	199	141	340	12·0	1·12	1·15	9	*17*	5	5	4	*17*
Richmond M.B.	6,110	72	60	132	21·6	1·00	1·32	35	31	66	10·8	1·22	1·13	6	*45*	2	2	2	*30*
Saltburn and Marske-by-the-Sea	9,600	100	88	188	19·6	0·96	1·15	45	51	96	10·0	1·03	0·88	5	*27*	5	3	5	*41*
Scalby	6,580	43	36	79	12·0	1·14	0·83	46	49	95	14·4	0·76	0·94	3	*38*	2	2	2	*49*
Scarborough M.B.	43,180	303	284	587	13·6	1·06	0·88	328	436	764	17·7	0·80	1·21	9	*15*	8	6	14	33
Skelton and Brotton	12,870	111	116	227	17·6	1·02	1·09	90	70	160	12·4	1·17	1·24	6	*26*	3	3	4	*30*
Thornaby-on-Tees M.B. ..	23,720	246	267	513	21·6	0·94	1·24	119	123	242	10·2	1·41	1·23	13	*25*	6	5	13	*34*
Whitby	11,480	110	86	196	17·1	1·06	1·11	102	99	201	17·5	0·74	1·11	5	*26*	5	5	6	*54*
Rural districts	**178,400**	**1,472**	**1,433**	**2,905**	**16·3**	**1·11**	**1·10**	**999**	**906**	**1,905**	**10·7**	**1·04**	**0·95**	**52**	**18**	**35**	**31**	**61**	**31**
Aysgarth	3,350	24	22	46	13·7	1·13	0·94	22	21	43	12·8	0·83	0·91	2	*43*	1	1	1	*43*
Bedale	8,450	67	84	151	17·9	1·14	1·24	35	43	78	9·2	1·10	0·86	2	*13*	1	1	6	*45*
Croft	2,320	21	15	36	15·5	0·95	0·90	6	8	14	*6·0*	1·25	0·64	—	—	—	—	1	*27*
Easingwold	11,880	102	98	200	16·8	1·10	1·13	65	48	113	9·5	0·98	0·80	4	*20*	2	2	4	*29*
Flaxton	24,140	233	203	436	18·1	1·03	1·14	128	147	275	11·4	0·89	0·87	7	*16*	5	4	11	*34*
Helmsley	5,320	31	24	55	10·3	1·34	0·84	33	29	62	11·7	1·09	1·09	2	*36*	1	1	—	*18*
Kirkbymoorside	4,940	29	26	55	11·1	1·14	0·77	19	37	56	11·3	0·89	0·86	—	—	—	—	1	*18*
Leyburn	6,350	39	45	84	13·2	1·10	0·89	51	33	84	13·2	0·98	1·11	1	*12*	1	1	1	*24*
Malton	5,520	46	45	91	16·5	1·14	1·15	37	36	73	13·2	0·97	1·09	3	*33*	2	2	1	*33*
Masham	1,620	13	11	24	14·8	1·18	1·06	9	14	23	14·2	0·89	1·08	—	—	—	—	—	—
Northallerton	8,650	73	73	146	16·9	1·04	1·07	47	49	96	11·1	0·97	0·92	5	*34*	4	4	7	*72*
Pickering	5,050	35	21	56	11·1	1·20	0·81	29	35	64	12·7	0·84	0·91	—	—	—	—	2	*34*
Reeth	1,970	13	13	26	13·2	1·12	0·90	7	13	20	10·2	0·83	0·72	—	—	—	—	1	*37*
Richmond	26,260	234	246	480	18·3	1·18	1·32	145	46	191	7·3	1·50	0·94	7	*15*	6	5	8	*27*
Scarborough	7,620	49	38	87	11·4	1·20	0·83	56	46	102	13·4	0·87	1·00	3	*34*	2	2	—	*23*
Startforth	5,240	35	45	80	15·3	1·26	1·18	23	30	53	10·1	1·16	1·00	—	—	—	—	1	*12*
Stokesley	20,660	221	203	424	20·5	0·97	1·21	112	114	226	10·9	1·10	1·02	8	*19*	5	4	7	*26*
Thirsk	13,830	118	118	236	17·1	1·08	1·13	83	71	154	11·1	1·01	0·96	5	*21*	3	3	4	*29*
Wath	3,620	13	15	28	7·7	1·24	0·58	8	2	10	*2·8*	1·50	0·36	1	*36*	1	1	1	*69*
Whitby	11,610	76	88	164	14·1	1·21	1·04	84	84	168	14·5	0·83	1·03	2	*12*	1	—	4	*24*
YORKSHIRE, WEST RIDING	**3,614,000**	**30,724**	**28,965**	**59,689**	**16·5**	**1·00**	**1·01**	**23,062**	**20,926**	**43,988**	**12·2**	**1·08**	**1·13**	**1,463**	**25**	**1,031**	**886**	**1,371**	**37**
County boroughs	**1,984,000**	**16,634**	**15,743**	**32,377**	**16·3**	**1·00**	**0·99**	**12,828**	**11,709**	**24,537**	**12·4**	**1·08**	**1·14**	**796**	**25**	**570**	**497**	**734**	**37**
Barnsley	75,580	691	632	1,323	17·5	0·99	1·06	447	365	812	10·7	1·24	1·13	36	27	25	24	38	46
Bradford	287,800	2,553	2,453	5,006	17·4	1·00	1·06	1,983	2,012	3,995	13·9	0·97	1·15	151	30	93	82	124	40
Dewsbury	53,330	448	464	912	17·1	1·01	1·05	385	338	723	13·6	1·05	1·22	19	*21*	10	8	26	36
Doncaster	84,170	756	738	1,494	17·7	0·94	1·01	591	430	1,021	12·1	1·15	1·19	36	24	27	24	26	33
Halifax	95,250	781	749	1,530	16·1	1·02	1·00	678	744	1,422	14·9	0·90	1·15	42	27	30	25	23	31
Huddersfield	128,100	1,017	993	2,010	15·7	1·05	1·01	929	895	1,824	14·2	1·01	1·23	37	18	32	29	34	31
Leeds	511,600	4,371	4,056	8,427	16·5	0·98	0·99	3,107	2,825	5,932	11·6	1·13	1·12	218	26	152	130	202	38

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1958	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
YORKSHIRE, WEST RIDING—*continued*																			
County boroughs—*continued*																			
Rotherham	84,030	769	737	1,506	17·9	0·98	1·07	535	406	941	11·2	1·20	1·15	34	23	26	17	36	34
Sheffield	498,800	3,928	3,684	7,612	15·3	1·01	0·94	3,125	2,739	5,864	11·8	1·12	1·13	160	21	131	117	169	37
Wakefield	59,740	469	428	897	15·0	1·04	0·95	427	328	755	12·6	0·99	1·07	29	32	20	17	18	38
York	105,600	851	809	1,660	15·7	0·97	0·93	621	627	1,248	11·8	0·95	0·96	34	20	24	24	38	37
Administrative county	**1,630,000**	**14,090**	**13,222**	**27,312**	**16·8**	**1·01**	**1·03**	**10,234**	**9,217**	**19,451**	**11·9**	**1·09**	**1·11**	**667**	**24**	**461**	**389**	**637**	**37**
Municipal boroughs and urban districts	**1,175,600**	**9,870**	**9,241**	**19,111**	**16·3**	**1·01**	**1·00**	**7,761**	**7,237**	**14,998**	**12·8**	**1·04**	**1·14**	**443**	**23**	**309**	**261**	**452**	**36**
Adwick le Street	18,550	173	156	329	17·7	0·97	1·05	96	79	175	9·4	1·42	1·14	12	*36*	9	9	11	59
Aireborough	27,520	176	172	348	12·6	1·14	0·88	202	204	406	14·8	0·78	0·99	5	*14*	4	2	3	*14*
Baildon	11,130	84	67	151	13·6	1·02	0·85	67	71	138	12·4	1·10	1·17	3	*20*	1	—	1	*7*
Barnoldswick	10,820	77	59	136	12·6	1·09	0·84	62	65	127	11·7	1·00	1·00	1	*7*	1	1	2	*22*
Batley M.B.	39,630	350	339	689	17·4	1·01	1·07	258	258	516	13·0	1·09	1·21	7	*10*	3	2	15	*24*
Bentley with Arksey	21,880	204	240	444	20·3	0·93	1·15	110	101	211	9·6	1·46	1·20	14	*32*	8	5	14	*41*
Bingley	21,710	177	143	320	14·7	1·05	0·94	142	143	285	13·1	1·00	1·12	7	*22*	6	5	9	*43*
Brighouse M.B.	30,490	222	213	435	14·3	1·05	0·92	247	207	454	14·9	1·00	1·27	7	*16*	5	5	7	*27*
Castleford M.B.	41,650	362	337	699	16·8	0·97	0·99	253	150	403	9·7	1·32	1·09	15	*21*	12	12	15	38
Colne Valley	21,260	168	153	321	15·1	1·06	0·98	130	158	288	13·5	1·02	1·18	4	*12*	4	3	7	*30*
Conisbrough	17,700	190	164	354	20·0	0·96	1·17	105	76	181	10·2	1·41	1·23	11	*31*	4	2	12	*38*
Cudworth	8,870	71	92	163	18·4	0·96	1·08	47	43	90	10·1	1·37	1·18	9	*55*	7	6	1	*43*
Darfield	6,540	56	63	119	18·2	1·00	1·11	34	32	66	10·1	1·24	1·07	1	*8*	1	1	1	*17*
Darton	14,680	128	104	232	15·8	0·98	0·94	74	67	141	9·6	1·34	1·10	4	*17*	2	2	6	*34*
Dearne	27,100	292	290	582	21·5	0·95	1·25	125	99	224	8·3	1·49	1·06	18	*31*	15	13	12	42
Denby Dale	9,490	72	51	123	13·0	1·10	0·87	67	60	127	13·4	1·00	1·15	6	*49*	6	6	5	*86*
Denholme	2,610	15	16	31	11·9	1·09	0·79	18	21	39	14·9	0·97	1·24	—	—	—	—	1	*31*
Dodworth	4,190	32	35	67	16·0	0·98	0·96	26	19	45	10·7	1·41	1·29	2	*30*	2	—	2	*29*
Earby	5,170	42	51	93	18·0	1·07	1·17	44	36	80	15·5	1·06	1·40	2	*22*	2	2	2	*42*
Elland	18,670	156	110	266	14·2	1·05	0·91	143	116	259	13·9	0·96	1·14	2	*8*	1	1	3	*15*
Featherstone	14,480	139	120	259	17·9	0·94	1·03	68	47	115	7·9	1·39	0·94	5	*19*	5	4	4	*30*
Garforth	13,610	115	123	238	17·5	1·00	1·07	68	61	129	9·5	1·23	1·00	3	*13*	2	2	3	*21*
Goole M.B.	19,520	174	153	327	16·8	0·97	0·99	123	127	250	12·8	0·79	0·86	4	*12*	2	2	11	*38*
Harrogate M.B.	52,420	410	373	783	14·9	1·04	0·94	334	450	784	15·0	0·81	1·04	19	*24*	14	11	15	33
Hebden Royd	9,690	51	63	114	11·8	1·11	0·80	75	91	166	17·1	0·86	1·26	2	*18*	2	2	6	*67*
Heckmondwike	8,630	69	63	132	15·3	1·05	0·98	65	54	119	13·8	1·06	1·25	3	*23*	2	1	7	*58*
Hemsworth	14,150	155	144	299	21·1	0·93	1·20	91	79	170	12·0	0·76	0·78	8	*27*	6	6	7	*42*
Holmfirth	18,790	142	116	258	13·7	1·08	0·90	161	169	330	17·6	0·76	1·14	3	*12*	3	3	3	*23*
Horbury	8,300	69	71	140	16·9	1·00	1·03	53	44	97	11·7	1·01	1·01	1	*7*	1	1	4	*35*
Horsforth	14,930	121	109	230	15·4	1·01	0·95	93	73	166	11·1	1·06	1·01	2	*9*	1	1	5	*26*
Hoyland Nether	15,850	133	121	254	16·0	0·98	0·96	99	80	179	11·3	1·19	1·15	7	*28*	3	2	4	*23*
Ilkley	17,290	137	118	255	14·7	1·08	0·97	138	163	301	17·4	0·74	1·10	3	*12*	1	1	6	*27*
Keighley M.B.	55,260	474	419	893	16·2	1·00	0·99	404	454	858	15·5	0·98	1·30	26	29	21	20	17	41
Kirkburton	17,780	119	123	242	13·6	1·29	1·07	144	171	315	17·7	0·55	0·83	7	*29*	4	3	4	*28*
Knaresborough	8,650	67	64	131	15·1	0·93	0·86	69	73	142	16·4	0·67	0·94	4	*31*	4	2	5	*51*
Knottingley	10,900	105	105	210	19·3	0·90	1·06	50	37	87	8·0	1·44	0·98	4	*19*	3	2	8	*46*
Maltby	14,010	134	151	285	20·3	0·89	1·10	66	51	117	8·4	1·65	1·18	11	*39*	9	7	14	70
Meltham	5,140	34	40	74	14·4	1·04	0·91	41	22	63	12·3	1·00	1·05	3	*41*	3	3	1	*53*
Mexborough	18,630	170	126	296	15·9	0·97	0·94	113	90	203	10·9	1·29	1·20	11	*37*	10	8	3	*37*
Mirfield	11,900	92	84	176	14·8	1·01	0·91	79	86	165	13·9	1·04	1·24	2	*11*	2	2	4	*33*
Morley M.B.	39,800	318	331	649	16·3	1·03	1·02	273	187	460	11·6	1·14	1·13	15	*23*	12	11	19	45
Normanton	18,580	136	147	283	15·2	1·00	0·93	103	74	177	9·5	1·21	0·98	5	*18*	5	5	8	*45*
Ossett M.B.	14,550	124	135	259	17·8	1·03	1·12	82	84	166	11·4	1·15	1·12	6	*23*	4	4	8	*45*
Otley	11,310	77	83	160	14·1	1·04	0·89	94	72	166	14·7	1·06	1·33	3	*19*	3	2	2	*25*
Penistone	6,670	64	39	103	15·4	1·02	0·96	42	37	79	11·8	1·01	1·02	2	*19*	2	—	4	*37*
Pontefract M.B.	25,140	271	258	529	21·0	0·97	1·24	296	216	512	20·4	0·74	1·29	13	*25*	6	5	11	*30*
Pudsey M.B.	32,490	327	270	597	18·4	1·01	1·13	201	195	396	12·2	1·09	1·14	14	*23*	8	7	9	*26*
Queensbury and Shelf	8,930	86	76	162	18·1	0·96	1·06	67	55	122	13·7	1·05	1·23	2	*12*	1	1	6	*42*
Rawmarsh	19,700	179	165	344	17·5	0·99	1·06	122	88	210	10·7	1·27	1·16	12	*35*	5	4	11	*42*
Ripon M.B.	10,130	100	84	184	18·2	0·97	1·08	77	83	160	15·8	0·82	1·11	4	*22*	3	2	2	*22*
Ripponden	5,030	28	26	54	10·7	1·08	0·70	40	33	73	14·5	0·99	1·23	—	—	—	—	1	*18*
Rothwell	25,060	219	175	394	15·7	1·04	1·00	186	201	387	15·4	0·77	1·01	12	*30*	10	9	8	*42*
Royston	8,330	83	83	166	19·9	0·97	1·18	40	46	86	10·3	1·36	1·20	4	*24*	1	1	3	*24*
Saddleworth	16,730	120	106	226	13·5	1·10	0·91	123	132	255	15·2	0·95	1·23	4	*18*	3	3	9	*51*
Selby	10,250	71	73	144	14·0	1·00	0·85	78	59	137	13·4	0·95	1·09	4	*28*	3	3	7	*66*
Shipley	31,630	225	256	481	15·2	1·03	0·95	198	224	422	13·3	1·03	1·17	8	*17*	3	1	13	*28*
Silsden	5,360	36	34	70	13·1	0·92	0·73	37	38	75	14·0	1·18	1·41	3	*43*	—	—	1	*14*
Skipton	13,110	91	90	181	13·8	1·06	0·89	102	83	185	14·1	0·67	0·81	7	*39*	3	1	5	*32*
Sowerby Bridge	18,140	143	147	290	16·0	1·01	0·99	142	128	270	14·9	1·01	1·29	14	*48*	10	9	5	*47*
Spenborough M.B.	36,620	293	256	549	15·0	1·04	0·95	245	239	484	13·2	1·01	1·14	12	*22*	8	8	14	39
Stanley	16,830	133	132	265	15·7	0·98	0·94	75	76	151	9·0	1·24	0·95	6	*23*	3	2	7	*33*
Stocksbridge	10,480	114	69	183	17·5	0·98	1·05	74	44	118	11·3	1·29	1·25	4	*22*	3	3	2	*27*
Swinton	12,630	116	99	215	17·0	0·96	1·00	66	56	122	9·7	1·25	1·04	4	*19*	3	3	3	*28*
Tickhill	2,580	22	15	37	14·3	1·00	0·87	23	15	38	14·7	1·02	1·28	1	*27*	1	1	—	*27*
Todmorden M.B.	18,080	124	123	247	13·7	1·05	0·88	126	119	245	13·6	0·96	1·12	2	*8*	1	1	7	*31*
Wath upon Dearne	14,180	122	132	254	17·9	0·97	1·06	85	71	156	11·0	1·22	1·15	8	*31*	6	5	9	*53*
Wombwell	19,050	148	173	321	16·9	1·00	1·03	103	83	186	9·8	1·27	1·06	10	*31*	8	7	9	*48*
Worsbrough	14,620	143	123	266	18·2	1·00	1·11	77	72	149	10·2	1·37	1·19	6	*23*	3	3	9	*44*

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1958	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
YORKSHIRE, WEST RIDING—*continued*																			
Rural districts	**454,400**	**4,220**	**3,981**	**8,201**	**18·0**	**1·00**	**1·10**	**2,473**	**1,980**	**4,453**	**9·8**	**1·23**	**1·03**	**224**	**27**	**152**	**128**	**185**	**37**
Bowland	4,890	48	32	80	16·4	1·19	1·19	25	29	54	11·0	0·99	0·93	1	*13*	—	—	1	*12*
Doncaster	58,520	671	650	1,321	22·6	0·97	1·34	311	210	521	8·9	1·46	1·11	31	23	21	18	28	34
Goole	9,120	77	60	137	15·0	0·98	0·90	50	47	97	10·6	1·08	0·98	7	*51*	6	4	2	*43*
Hemsworth	51,800	584	539	1,123	21·7	0·98	1·30	272	183	455	8·8	1·46	1·10	28	25	17	11	28	34
Hepton	3,990	23	29	52	13·0	1·10	0·87	31	19	50	12·5	0·99	1·06	—	—	—	—	—	—
Kiveton Park	18,880	201	169	370	19·6	0·98	1·17	109	81	190	10·1	1·15	0·99	13	*35*	8	7	9	*42*
Nidderdale	16,330	118	94	212	13·0	1·25	0·99	86	84	170	10·4	1·06	0·94	9	*42*	8	8	5	*60*
Osgoldcross	7,880	68	66	134	17·0	1·00	1·04	51	32	83	10·5	1·13	1·01	5	*37*	3	3	2	*37*
Penistone	7,350	49	59	108	14·7	1·08	0·97	49	26	75	10·2	1·15	1·00	3	*28*	1	1	4	*45*
Ripon and Pateley Bridge	13,580	81	77	158	11·6	1·23	0·87	66	55	121	8·9	1·08	0·82	1	*6*	1	1	6	*43*
Rotherham	56,620	635	613	1,248	22·0	0·91	1·22	239	203	442	7·8	1·51	1·01	37	30	28	25	24	39
Sedbergh	3,830	26	17	43	11·2	1·24	0·85	20	17	37	9·7	0·99	0·82	—	—	—	—	2	*44*
Selby	6,690	47	50	97	14·5	1·09	0·96	36	26	62	9·3	1·08	0·86	3	*31*	2	1	3	*40*
Settle	13,970	98	120	218	15·6	1·09	1·04	101	90	191	13·7	0·95	1·11	2	*9*	1	—	3	*14*
Skipton	23,910	177	139	316	13·2	1·06	0·85	137	144	281	11·8	0·97	0·98	12	*38*	8	6	5	*34*
Tadcaster	26,920	187	228	415	15·4	1·03	0·97	162	120	282	10·5	1·12	1·01	12	*29*	9	9	6	*36*
Thorne	34,070	368	335	703	20·6	0·97	1·22	180	136	316	9·3	1·56	1·24	27	38	17	13	27	55
Wakefield	20,070	178	182	360	17·9	0·96	1·05	115	89	204	10·2	1·30	1·13	10	*28*	8	8	6	*38*
Wetherby	21,810	156	143	299	13·7	1·01	0·84	120	119	239	11·0	1·10	1·03	8	*27*	4	4	4	*26*
Wharfedale	6,500	54	46	100	15·4	1·01	0·95	34	33	67	10·3	1·11	0·98	1	*10*	—	—	1	*10*
Wortley	47,670	374	333	707	14·8	1·01	0·91	279	237	516	10·8	1·01	0·93	14	*20*	10	9	19	39
WALES (including Monmouthshire)																			
ANGLESEY	**52,100**	**437**	**423**	**860**	**16·5**	**1·09**	**1·10**	**355**	**336**	**691**	**13·3**	**0·88**	**1·00**	**14**	*16*	**10**	**9**	**17**	**30**
Municipal borough and urban districts	20,440	194	192	386	18·9	1·00	1·15	150	135	285	13·9	0·95	1·13	6	*16*	5	5	10	*38*
Amlwch	3,020	27	26	53	17·5	1·10	1·17	20	19	39	12·9	0·86	0·95	2	*38*	2	2	3	*89*
Beaumaris M.B.	2,220	15	14	29	13·1	1·02	0·81	17	9	26	11·7	0·85	0·85	—	—	—	—	—	—
Holyhead	10,360	105	92	197	19·0	1·00	1·16	83	75	158	15·3	0·96	1·26	2	*10*	1	1	6	*34*
Llangefni	2,830	35	49	84	29·7	0·86	1·56	15	18	33	11·7	1·18	1·18	2	*24*	2	2	1	*35*
Menai Bridge	2,010	12	11	23	11·4	1·00	0·70	15	14	29	14·4	0·89	1·10	—	—	—	—	—	—
Rural districts	**31,660**	**243**	**231**	**474**	**15·0**	**1·16**	**1·06**	**205**	**201**	**406**	**12·8**	**0·85**	**0·93**	**8**	*17*	**5**	**4**	**7**	*23*
Aethwy	10,640	75	64	139	13·1	1·18	0·94	54	69	123	11·6	0·83	0·82	1	*7*	1	1	—	*7*
Twrcelyn	8,420	59	59	118	14·0	1·22	1·04	73	62	135	16·0	0·85	1·16	4	*34*	2	2	3	*41*
Valley	12,600	109	108	217	17·2	1·11	1·16	78	70	148	11·7	0·84	0·84	3	*14*	2	1	4	*23*
BRECKNOCKSHIRE	**56,000**	**416**	**398**	**814**	**14·5**	**1·07**	**0·95**	**377**	**313**	**690**	**12·3**	**0·99**	**1·04**	**17**	*21*	**12**	**11**	**23**	**41**
Municipal borough and urban districts	15,970	120	122	242	15·2	1·04	0·96	124	105	229	14·3	0·94	1·15	7	*29*	5	4	6	*40*
Brecknock M.B.	6,080	48	47	95	15·6	1·04	0·99	40	36	76	12·5	0·92	0·98	2	*21*	1	1	1	*21*
Brynmawr	6,420	53	55	108	16·8	1·00	1·02	50	38	88	13·7	1·09	1·28	5	*46*	4	3	3	*54*
Builth Wells	1,540	7	13	20	13·0	1·07	0·85	12	10	22	14·3	0·83	1·01	—	—	—	—	1	*48*
Hay	1,430	9	5	14	*9·8*	1·13	0·68	14	13	27	18·9	0·62	1·00	—	—	—	—	1	67
Llanwrtyd Wells	500	3	2	5	*10·0*	1·21	0·74	8	8	16	*32·0*	0·65	1·78	—	—	—	—	—	—
Rural districts	**40,030**	**296**	**276**	**572**	**14·3**	**1·07**	**0·93**	**253**	**208**	**461**	**11·5**	**1·01**	**0·99**	**10**	*17*	**7**	**7**	**17**	**41**
Brecknock	7,410	56	37	93	12·6	1·15	0·88	51	37	88	11·9	0·94	0·96	4	*43*	3	3	1	*43*
Builth	3,360	14	25	39	11·6	1·24	0·88	19	17	36	10·7	0·89	0·81	—	—	—	—	3	*71*
Crickhowell	8,000	62	64	126	15·8	1·11	1·07	42	35	77	9·6	1·02	0·84	2	*16*	1	1	2	*23*
Hay	3,640	20	24	44	12·1	1·30	0·96	38	31	69	19·0	0·53	0·86	1	*23*	1	1	2	*65*
Vaynor and Penderyn	6,150	59	52	111	18·0	0·98	1·08	34	29	63	10·2	1·15	1·00	1	*9*	1	1	4	*43*
Ystradgynlais	11,470	85	74	159	13·9	0·98	0·83	69	59	128	11·2	1·28	1·23	2	*13*	1	1	5	*37*
CAERNARVONSHIRE	**121,600**	**776**	**765**	**1,541**	**12·7**	**1·10**	**0·85**	**974**	**926**	**1,900**	**15·6**	**0·87**	**1·16**	**30**	**19**	**20**	**16**	**34**	**32**
Municipal boroughs and urban districts	71,200	462	469	931	13·1	1·07	0·85	560	533	1,093	15·4	0·86	1·13	21	23	13	12	22	36
Bangor M.B.	13,690	99	93	192	14·0	0·96	0·82	84	78	162	11·8	1·05	1·06	6	*31*	4	4	3	*36*
Bethesda	4,220	41	32	73	17·3	1·12	1·18	45	27	72	17·1	0·98	1·43	1	*14*	—	—	2	*27*
Betws-y-Coed	740	9	9	18	*24·3*	1·00	1·48	3	4	7	*9·5*	0·98	0·80	—	—	—	—	—	—
Caernarvon M.B.	9,190	63	69	132	14·4	1·00	0·88	64	57	121	13·2	0·98	1·11	7	*53*	4	3	4	*51*
Conway M.B.	10,520	66	59	125	11·9	1·16	0·84	91	100	191	18·2	0·80	1·24	1	*8*	1	1	4	*39*
Criccieth	1,480	4	11	15	*10·1*	1·08	0·67	11	10	21	14·2	0·76	0·92	—	—	—	—	—	—
Llandudno	16,910	100	98	198	11·7	1·05	0·75	123	129	252	14·9	0·81	1·03	3	*15*	2	2	1	*15*
Llanfairfechan	2,980	17	10	27	9·1	1·19	0·66	27	20	47	15·8	0·78	1·05	1	*37*	1	1	1	*71*
Penmaenmawr	3,910	18	26	44	11·3	1·23	0·85	37	37	74	18·9	0·72	1·16	—	—	—	—	2	*43*
Portmadoc	3,850	18	26	44	11·4	1·04	0·72	32	24	56	14·5	0·84	1·04	1	*23*	—	—	3	*64*
Pwllheli M.B.	3,710	27	36	63	17·0	1·10	1·14	43	47	90	24·3	0·65	1·35	1	*16*	1	1	2	*46*

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1958	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
CAERNARVONSHIRE—*continued*																			
Rural districts	**50,400**	**314**	**296**	**610**	**12·1**	**1·14**	**0·84**	**414**	**393**	**807**	**16·0**	**0·87**	**1·19**	**9**	*15*	**7**	**4**	**12**	*26*
Gwyrfai	22,460	155	138	293	13·0	1·13	0·90	193	172	365	16·3	0·91	1·27	6	*20*	5	3	7	*33*
Lleyn	16,900	92	88	180	10·7	1·14	0·74	136	126	262	15·5	0·83	1·10	1	*6*	1	1	2	*16*
Nant Conway	6,210	39	44	83	13·4	1·14	0·93	45	46	91	14·7	0·93	1·17	2	*24*	1	—	1	*12*
Ogwen	4,830	28	26	54	11·2	1·14	0·78	40	49	89	18·4	0·74	1·16	—	—	—	—	2	*36*
CARDIGANSHIRE	**53,000**	**345**	**360**	**705**	**13·3**	**1·14**	**0·92**	**439**	**428**	**867**	**16·4**	**0·82**	**1·15**	**16**	*23*	**13**	**10**	**12**	**31**
Municipal boroughs and urban districts	**17,940**	**96**	**106**	**202**	**11·3**	**1·09**	**0·75**	**155**	**152**	**307**	**17·1**	**0·81**	**1·18**	**3**	*15*	**2**	**2**	**3**	*24*
Aberayron	1,170	1	9	10	*8·5*	1·33	0·69	17	9	26	22·2	0·65	1·23	—	—	—	—	—	—
Aberystwyth M.B.	10,300	57	48	105	10·2	1·08	0·67	76	79	155	15·0	0·83	1·06	1	*10*	1	1	1	*19*
Cardigan M.B.	3,580	25	30	55	15·4	1·00	0·94	28	32	60	16·8	0·95	1·36	1	*18*	1	1	2	*53*
Lampeter M.B.	1,950	10	11	21	10·8	1·03	0·68	22	22	44	22·6	0·71	1·37	1	*48*	—	—	—	—
New Quay	940	3	8	11	*11·7*	1·49	1·06	12	10	22	23·4	0·66	1·32	—	—	—	—	—	—
Rural districts	**35,060**	**249**	**254**	**503**	**14·3**	**1·17**	**1·02**	**284**	**276**	**560**	**16·0**	**0·83**	**1·14**	**13**	*26*	**11**	**8**	**9**	*33*
Aberayron	9,190	73	71	144	15·7	1·17	1·12	70	71	141	15·3	0·84	1·10	5	*35*	3	2	2	*27*
Aberystwyth	10,670	59	68	127	11·9	1·17	0·85	86	69	155	14·5	0·77	0·95	5	*39*	5	3	2	*39*
Teifiside	10,160	82	83	165	16·2	1·18	1·17	81	87	168	16·5	0·84	1·18	2	*12*	2	2	4	*36*
Tregaron	5,040	35	32	67	13·3	1·18	0·96	47	49	96	19·0	0·85	1·38	1	*15*	1	1	1	*29*
CARMARTHENSHIRE	**169,300**	**1,198**	**1,222**	**2,420**	**14·3**	**1·02**	**0·89**	**1,220**	**1,128**	**2,348**	**13·9**	**1·03**	**1·22**	**85**	**35**	**63**	**51**	**50**	**41**
Municipal boroughs and urban districts	**68,000**	**451**	**455**	**906**	**13·3**	**1·01**	**0·82**	**538**	**540**	**1,078**	**15·9**	**0·91**	**1·24**	**28**	**31**	**23**	**18**	**24**	**45**
Ammanford	6,620	48	51	99	15·0	1·01	0·92	57	43	100	15·1	1·03	1·33	4	*40*	4	4	—	*40*
Burry Port	5,970	26	30	56	9·4	0·96	0·55	55	43	98	16·4	1·13	1·58	3	*54*	3	3	1	*70*
Carmarthen M.B.	11,870	90	86	176	14·8	1·05	0·95	104	134	238	20·1	0·66	1·13	6	*34*	4	2	6	*44*
Cwmamman	4,280	35	17	52	12·1	0·99	0·73	26	38	64	15·0	1·05	1·35	2	*38*	1	—	3	*55*
Kidwelly M.B.	2,980	19	24	43	14·4	0·98	0·86	18	21	39	13·1	1·19	1·33	1	*23*	1	—	1	*23*
Llandeilo	1,830	13	12	25	13·7	1·08	0·90	15	24	39	21·3	0·89	1·62	1	*40*	1	—	1	38
Llandovery M.B.	1,960	15	16	31	15·8	1·23	1·18	8	16	24	12·2	1·04	1·08	—	—	—	—	—	—
Llanelly M.B.	31,770	204	217	421	13·3	0·99	0·80	247	214	461	14·5	0·93	1·15	11	*26*	9	9	12	48
Newcastle Emlyn	720	1	2	3	*4·2*	1·30	0·33	8	7	15	*20·8*	0·75	1·33	—	—	—	—	—	—
Rural districts	**101,300**	**747**	**767**	**1,514**	**14·9**	**1·03**	**0·94**	**682**	**588**	**1,270**	**12·5**	**1·10**	**1·18**	**57**	**38**	**40**	**33**	**26**	**38**
Carmarthen	28,230	221	218	439	15·6	1·05	1·00	192	168	360	12·8	1·12	1·23	14	*32*	10	9	6	*34*
Llandeilo	25,410	167	186	353	13·9	1·04	0·88	177	144	321	12·6	1·05	1·13	13	*37*	7	7	6	*36*
Llanelly	39,210	304	297	601	15·3	0·98	0·91	251	194	445	11·3	1·22	1·18	26	43	20	15	12	44
Newcastle Emlyn	8,450	55	66	121	14·3	1·15	1·00	62	82	144	17·0	0·84	1·22	4	*33*	3	2	2	*33*
DENBIGHSHIRE	**170,000**	**1,347**	**1,262**	**2,609**	**15·3**	**1·05**	**0·98**	**1,109**	**1,123**	**2,232**	**13·1**	**0·95**	**1·06**	**54**	**21**	**37**	**30**	**77**	**40**
Municipal boroughs and urban districts	**79,200**	**575**	**583**	**1,158**	**14·6**	**1·08**	**0·96**	**537**	**640**	**1,177**	**14·9**	**0·79**	**1·01**	**26**	**22**	**18**	**14**	**30**	**37**
Abergele	7,350	48	36	84	11·4	1·10	0·76	48	56	104	14·1	0·87	1·05	1	*12*	1	1	3	*46*
Colwyn Bay M.B.	21,910	112	116	228	10·4	1·21	0·77	162	262	424	19·4	0·64	1·06	2	*9*	2	2	6	*34*
Denbigh M.B.	7,900	61	70	131	16·6	1·24	1·26	81	103	184	23·3	0·37	0·74	2	*15*	1	1	3	*30*
Llangollen	3,120	23	19	42	13·5	1·02	0·84	24	18	42	13·5	0·87	1·00	2	*48*	2	2	2	*91*
Llanrwst	2,600	20	14	34	13·1	1·16	0·93	21	28	49	18·8	0·80	1·29	3	*88*	2	1	1	*57*
Ruthin M.B.	3,670	22	19	41	11·2	1·06	0·72	27	20	47	12·8	0·86	0·94	—	—	—	—	—	—
Wrexham M.B.	32,650	289	309	598	18·3	0·97	1·08	174	153	327	10·0	1·15	0·98	16	*27*	10	7	15	36
Rural districts	**90,800**	**772**	**679**	**1,451**	**16·0**	**1·03**	**1·00**	**572**	**483**	**1,055**	**11·6**	**1·10**	**1·09**	**28**	**19**	**19**	**16**	**47**	**42**
Aled	6,930	40	61	101	14·6	1·10	0·98	33	35	68	9·8	1·08	0·90	3	*30*	3	3	2	*49*
Ceiriog	7,350	49	54	103	14·0	1·09	0·93	46	41	87	11·8	1·03	1·04	4	*39*	2	2	4	*56*
Hiraethog	5,010	48	38	86	17·2	1·15	1·21	30	25	55	11·0	0·93	0·87	1	*12*	1	1	1	*23*
Ruthin	9,390	88	66	154	16·4	1·02	1·02	50	50	100	10·6	1·00	0·91	—	—	—	—	6	*38*
Wrexham	62,120	547	460	1,007	16·2	1·00	0·99	413	332	745	12·0	1·16	1·19	20	20	13	10	34	42
FLINTSHIRE	**146,600**	**1,247**	**1,162**	**2,409**	**16·4**	**1·06**	**1·06**	**985**	**845**	**1,830**	**12·5**	**1·04**	**1·11**	**60**	**25**	**47**	**42**	**60**	**41**
Municipal borough and urban districts	**73,920**	**675**	**628**	**1,303**	**17·6**	**1·04**	**1·12**	**525**	**461**	**986**	**13·3**	**1·01**	**1·15**	**32**	**25**	**26**	**22**	**28**	**38**
Buckley	7,690	64	52	116	15·1	1·04	0·96	60	30	90	11·7	1·12	1·12	5	*43*	3	3	3	*50*
Connah's Quay	7,850	87	79	166	21·1	0·95	1·22	40	31	71	9·0	1·38	1·06	3	*18*	3	3	4	*41*
Flint M.B.	14,270	154	117	271	19·0	0·98	1·14	88	70	158	11·1	1·34	1·27	5	*18*	3	3	6	*32*
Holywell	8,250	82	86	168	20·4	1·01	1·26	53	41	94	11·4	1·18	1·15	7	*42*	6	5	2	*41*
Mold	6,600	61	70	131	19·8	1·01	1·22	54	35	89	13·5	1·16	1·34	2	*15*	2	2	5	*51*
Prestatyn	9,550	69	74	143	15·0	1·23	1·12	72	95	167	17·5	0·68	1·02	1	*7*	1	1	3	*27*
Rhyl	19,710	158	150	308	15·6	1·08	1·03	158	159	317	16·1	0·84	1·16	9	*29*	8	5	5	*32*
Rural districts	**72,680**	**572**	**534**	**1,106**	**15·2**	**1·08**	**1·00**	**460**	**384**	**844**	**11·6**	**1·07**	**1·06**	**28**	**25**	**21**	**20**	**32**	**46**
Hawarden	35,360	282	269	551	15·6	1·02	0·97	197	160	357	10·1	1·26	1·09	14	*25*	10	10	19	51
Holywell	22,110	177	166	343	15·5	1·11	1·05	152	136	288	13·0	0·95	1·06	10	*29*	8	8	9	*48*
(a)Maelor	4,530	43	34	77	17·0	1·02	1·06	47	29	76	16·8	0·84	1·21	2	*26*	1	1	2	*38*
St. Asaph	10,680	70	65	135	12·6	1·23	0·95	64	59	123	11·5	0·95	0·93	2	*15*	2	1	2	*22*

(a) The figures for this area include 15 deaths (12M., 3F.) in a Polish General Hospital, which could not be transferred to the area of residence.

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1958	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
GLAMORGANSHIRE	**1,219,000**	**10,683**	**9,818**	**20,501**	**16·8**	**0·98**	**1·00**	**7,950**	**6,532**	**14,482**	**11·9**	**1·13**	**1·15**	**577**	**28**	**414**	**345**	**579**	**44**
County boroughs	**475,900**	**4,308**	**3,994**	**8,302**	**17·4**	**0·97**	**1·03**	**2,975**	**2,678**	**5,653**	**11·9**	**1·10**	**1·12**	**224**	**27**	**163**	**136**	**219**	**42**
Cardiff	253,300	2,421	2,190	4,611	18·2	0·94	1·04	1,423	1,354	2,777	11·0	1·12	1·05	116	25	84	68	99	35
Merthyr Tydfil	59,300	507	460	967	16·3	1·00	0·99	479	342	821	13·8	1·09	1·29	31	32	20	18	38	56
Swansea	163,300	1,380	1,344	2,724	16·7	1·00	1·02	1,073	982	2,055	12·6	1·08	1·16	77	28	59	50	82	47
Administrative county	**743,100**	**6,375**	**5,824**	**12,199**	**16·4**	**0·99**	**0·99**	**4,975**	**3,854**	**8,829**	**11·9**	**1·15**	**1·17**	**353**	**29**	**251**	**209**	**360**	**45**
Municipal boroughs and urban districts	**535,600**	**4,586**	**4,241**	**8,827**	**16·5**	**0·98**	**0·99**	**3,591**	**2,775**	**6,366**	**11·9**	**1·16**	**1·18**	**265**	**30**	**189**	**158**	**261**	**46**
Aberdare	39,860	304	255	559	14·0	1·03	0·88	343	248	591	14·8	1·03	1·30	16	*29*	13	12	17	50
Barry M.B.	42,160	396	364	760	18·0	0·96	1·05	232	208	440	10·4	1·10	0·98	21	28	13	13	18	40
Bridgend	14,580	135	128	263	18·0	0·95	1·04	99	71	170	11·7	1·07	1·07	6	*23*	5	4	7	*41*
Caerphilly	37,570	382	318	700	18·6	0·95	1·08	208	172	380	10·1	1·27	1·10	16	*23*	11	10	18	39
Cowbridge M.B.	1,000	8	2	10	*10·0*	1·04	0·63	7	7	14	*14·0*	1·04	1·24	—	—	—	—	2	*167*
Gelligaer	36,300	330	305	635	17·5	1·03	1·10	225	159	384	10·6	1·26	1·14	18	*28*	15	11	22	50
Glyncorrwg	9,900	108	101	209	21·1	0·98	1·26	57	47	104	10·5	1·43	1·28	7	*33*	5	5	7	*56*
Llwchwr	25,740	144	174	318	12·4	1·02	0·77	170	120	290	11·3	1·17	1·13	8	*25*	6	4	12	*48*
Maesteg	22,720	186	202	388	17·1	1·00	1·04	152	91	243	10·7	1·26	1·15	12	*31*	7	6	12	*45*
Mountain Ash	30,540	264	236	500	16·4	0·99	0·99	199	146	345	11·3	1·21	1·17	24	48	16	13	15	54
Neath M.B.	31,050	258	227	485	15·6	0·93	0·88	212	178	390	12·6	1·13	1·22	17	*35*	12	10	14	48
Ogmore and Garw	22,070	199	172	371	16·8	1·00	1·02	152	100	252	11·4	1·21	1·18	11	*30*	9	8	8	*42*
Penarth	19,280	158	154	312	16·2	0·99	0·98	129	118	247	12·8	0·91	1·00	7	*22*	6	4	3	*22*
Pontypridd	37,550	297	279	576	15·3	0·96	0·90	276	196	472	12·6	1·08	1·16	14	*24*	12	11	15	44
Porthcawl	10,500	65	88	153	14·6	0·99	0·88	85	75	160	15·2	0·92	1·20	2	*13*	2	1	7	*50*
Port Talbot M.B.	48,380	522	478	1,000	20·7	0·95	1·20	284	243	527	10·9	1·32	1·23	38	38	27	22	34	54
Rhondda M.B.	106,400	830	758	1,588	14·9	0·98	0·89	761	596	1,357	12·8	1·16	1·27	48	30	30	24	50	45
Rural districts	**207,500**	**1,789**	**1,583**	**3,372**	**16·3**	**1·02**	**1·01**	**1,384**	**1,079**	**2,463**	**11·9**	**1·11**	**1·13**	**88**	**26**	**62**	**51**	**99**	**43**
Cardiff	40,830	367	308	675	16·5	1·02	1·03	244	228	472	11·6	0·92	0·91	16	*24*	13	11	20	45
Cowbridge	19,050	190	160	350	18·4	1·11	1·25	73	60	133	7·0	1·74	1·04	10	*29*	7	5	9	*39*
Gower	12,000	111	84	195	16·3	1·05	1·04	86	74	160	13·3	0·92	1·05	4	*21*	2	—	4	*20*
Llantrisant and Llantwit Fardre	25,930	241	244	485	18·7	0·96	1·09	163	119	282	10·9	1·28	1·19	15	*31*	11	11	18	58
Neath	41,440	307	303	610	14·7	0·98	0·88	261	189	450	10·9	1·27	1·18	14	*23*	8	6	15	34
Penybont	36,500	335	300	635	17·4	1·04	1·10	284	231	515	14·1	0·95	1·14	21	33	14	11	17	43
Pontardawe	31,750	238	184	422	13·3	1·01	0·82	273	178	451	14·2	1·09	1·32	8	*19*	7	7	16	53
MERIONETHSHIRE	**38,100**	**273**	**265**	**538**	**14·1**	**1·17**	**1·01**	**290**	**294**	**584**	**15·3**	**0·88**	**1·15**	**14**	*26*	**8**	**6**	**16**	**40**
Urban districts	**16,900**	**124**	**124**	**248**	**14·7**	**1·14**	**1·02**	**123**	**138**	**261**	**15·4**	**0·94**	**1·24**	**8**	*32*	**3**	**2**	**7**	*35*
Bala	1,550	18	14	32	20·6	1·08	1·36	12	13	25	16·1	0·88	1·21	2	*62*	1	1	—	*31*
Barmouth	2,300	15	20	35	15·2	1·09	1·01	17	18	35	15·2	0·80	1·04	—	—	—	—	1	*28*
Dolgellau	2,470	22	21	43	17·4	1·02	1·08	14	14	28	11·3	1·01	0·98	2	*47*	1	1	—	*23*
Ffestiniog	6,430	48	47	95	14·8	1·11	1·00	59	64	123	19·1	0·99	1·62	3	*32*	—	—	3	*31*
Towyn	4,150	21	22	43	10·4	1·27	0·81	21	29	50	12·0	0·91	0·93	1	*23*	1	—	3	*65*
Rural districts	**21,200**	**149**	**141**	**290**	**13·7**	**1·20**	**1·00**	**167**	**156**	**323**	**15·2**	**0·83**	**1·08**	**6**	*21*	**5**	**4**	**9**	*43*
Deudraeth	6,580	37	57	94	14·3	1·17	1·02	57	64	121	18·4	0·64	1·01	1	*11*	1	1	1	*21*
Dolgellau	7,820	55	44	99	12·7	1·30	1·01	66	48	114	14·6	0·91	1·14	3	*30*	2	1	3	*39*
Edeyrnion	4,080	29	20	49	12·0	1·12	0·82	30	30	60	14·7	0·86	1·08	—	—	—	—	3	*58*
Penllyn	2,720	28	20	48	17·6	1·10	1·18	14	14	28	10·3	0·99	0·87	2	*42*	2	2	2	*80*
MONMOUTHSHIRE	**431,700**	**3,749**	**3,623**	**7,372**	**17·1**	**1·00**	**1·04**	**2,852**	**2,197**	**5,049**	**11·7**	**1·13**	**1·13**	**191**	**26**	**130**	**98**	**210**	**41**
Newport C.B.	104,200	916	855	1,771	17·0	0·98	1·02	649	558	1,207	11·6	1·18	1·17	47	27	33	27	46	40
Administrative county	**327,500**	**2,833**	**2,768**	**5,601**	**17·1**	**1·00**	**1·04**	**2,203**	**1,639**	**3,842**	**11·7**	**1·12**	**1·12**	**144**	**26**	**97**	**71**	**164**	**41**
Municipal boroughs and urban districts	**276,800**	**2,389**	**2,321**	**4,710**	**17·0**	**1·01**	**1·05**	**1,891**	**1,358**	**3,249**	**11·7**	**1·16**	**1·16**	**123**	**26**	**81**	**59**	**144**	**42**
Abercarn	18,620	156	163	319	17·1	0·99	1·03	126	101	227	12·2	1·22	1·27	5	*16*	4	4	8	*37*
Abergavenny M.B.	9,020	78	88	166	18·4	1·00	1·12	72	67	139	15·4	0·97	1·28	8	*48*	4	4	3	*41*
Abertillery	26,520	231	199	430	16·2	1·03	1·02	182	114	296	11·2	1·15	1·10	9	*21*	5	2	17	*43*
Bedwas and Machen ..	9,800	93	92	185	18·9	0·95	1·09	51	45	96	9·8	1·26	1·06	4	*22*	2	1	3	*21*
Bedwellty	28,080	246	249	495	17·6	1·01	1·08	169	116	285	10·1	1·34	1·16	13	*26*	10	8	18	51
Blaenavon	9,140	65	60	125	13·7	1·05	0·88	75	44	119	13·0	1·14	1·27	5	*40*	4	3	5	*62*
Caerleon	3,990	30	22	52	13·0	1·08	0·86	37	35	72	18·0	0·67	1·03	1	*19*	1	1	—	*19*
Chepstow	5,940	57	53	110	18·5	1·00	1·13	76	44	120	20·2	0·57	0·98	1	*9*	1	1	—	*9*
Cwmbran	19,740	238	236	474	24·0	0·82	1·20	100	69	169	8·6	1·40	1·03	11	*23*	8	6	10	*33*
Ebbw Vale	28,320	239	220	459	16·2	1·05	1·04	197	146	343	12·1	1·23	1·27	7	*15*	7	4	17	44
Monmouth M.B.	5,690	38	39	77	13·5	1·01	0·83	36	37	73	12·8	0·88	0·96	1	*13*	1	1	2	*38*
Mynyddislwyn	15,430	156	130	286	18·5	1·00	1·13	104	58	162	10·5	1·34	1·20	15	*52*	8	7	5	*41*
Nantyglo and Blaina ..	11,030	74	94	168	15·2	1·05	0·97	102	62	164	14·9	1·11	1·41	9	*54*	5	3	8	*63*
Pontypool	40,290	313	310	623	15·5	1·04	0·98	256	205	461	11·4	1·12	1·09	16	*26*	9	3	17	31
Rhymney	8,810	88	68	156	17·7	1·03	1·11	64	45	109	12·4	1·16	1·23	8	*51*	3	2	8	*61*
Risca	14,520	93	104	197	13·6	1·01	0·84	96	74	170	11·7	1·07	1·07	3	*15*	2	2	3	*25*
Tredegar	20,180	184	179	363	18·0	1·00	1·10	136	90	226	11·2	1·16	1·11	7	19	7	7	19	68
Usk	1,680	10	15	25	14·9	1·09	0·99	12	6	18	*10·7*	1·02	0·93	—	—	—	—	1	*38*

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1958	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
MONMOUTHSHIRE—*continued*																			
Rural districts	**50,700**	**444**	**447**	**891**	**17·6**	**1·00**	**1·07**	**312**	**281**	**593**	**11·7**	**0·90**	**0·90**	**21**	**24**	**16**	**12**	**20**	**35**
Abergavenny	8,660	67	57	124	14·3	1·27	1·11	69	89	158	18·2	0·46	0·72	2	*16*	1	1	—	*8*
Chepstow	10,870	101	85	186	17·1	1·02	1·06	56	47	103	9·5	1·09	0·89	2	*11*	2	2	7	*47*
Magor and St. Mellons	14,430	117	126	243	16·8	1·00	1·02	95	73	168	11·6	1·03	1·02	8	*33*	6	3	7	*40*
Monmouth	5,870	35	41	76	12·9	1·08	0·85	41	31	72	12·3	0·87	0·91	3	*39*	2	2	1	*39*
Pontypool	10,870	124	138	262	24·1	0·79	1·16	51	41	92	8·5	1·30	0·94	6	*23*	5	4	5	*34*
MONTGOMERYSHIRE	**44,800**	**364**	**360**	**724**	**16·2**	**1·09**	**1·08**	**293**	**271**	**564**	**12·6**	**0·92**	**0·99**	**18**	*25*	**15**	**14**	**15**	**39**
Municipal boroughs and urban districts	**17,760**	**147**	**142**	**289**	**16·3**	**1·00**	**0·99**	**109**	**108**	**217**	**12·2**	**0·93**	**0·97**	**7**	*24*	**5**	**4**	**3**	*24*
Llanfyllin M.B.	1,300	7	6	13	*10·0*	1·17	0·71	7	11	18	*13·8*	0·73	0·86	—	—	—	—	—	—
Llanidloes M.B.	2,340	15	15	30	12·8	1·03	0·80	15	21	36	15·4	0·83	1·09	—	—	—	—	2	*63*
Machynlleth	1,810	13	17	30	16·6	1·01	1·02	12	13	25	13·8	0·88	1·04	1	*33*	1	1	—	*33*
Montgomery M.B.	870	7	9	16	*18·4*	1·10	1·23	8	3	11	*12·6*	0·83	0·89	—	—	—	—	—	—
Newtown and Llanllwchaiarn	5,360	46	40	86	16·0	0·97	0·95	28	30	58	10·8	0·96	0·89	2	*23*	2	2	—	*23*
Welshpool M.B.	6,080	59	55	114	18·8	0·96	1·10	39	30	69	11·3	1·04	1·00	4	*35*	2	1	1	*17*
Rural districts	**27,040**	**217**	**218**	**435**	**16·1**	**1·15**	**1·13**	**184**	**163**	**347**	**12·8**	**0·91**	**1·00**	**11**	*25*	**10**	**10**	**12**	**49**
Forden	5,220	53	42	95	18·2	1·11	1·23	36	42	78	14·9	0·80	1·02	1	*11*	1	1	3	*41*
Llanfyllin	9,730	71	82	153	15·7	1·17	1·12	64	44	108	11·1	0·96	0·91	5	*33*	5	5	4	*57*
Machynlleth	3,010	22	17	39	13·0	1·18	0·94	23	24	47	15·6	0·88	1·17	2	*51*	1	1	1	*50*
Newtown and Llanidloes	9,080	71	77	148	16·3	1·16	1·15	61	53	114	12·6	0·89	0·96	3	*20*	3	3	4	*46*
PEMBROKESHIRE	**93,700**	**888**	**809**	**1,697**	**18·1**	**1·03**	**1·14**	**629**	**550**	**1,179**	**12·6**	**1·05**	**1·13**	**44**	**26**	**30**	**25**	**48**	**42**
Municipal boroughs and urban districts	**45,800**	**472**	**450**	**922**	**20·1**	**1·00**	**1·23**	**310**	**282**	**592**	**12·9**	**1·08**	**1·19**	**22**	**24**	**13**	**12**	**27**	**41**
Fishguard and Goodwick	4,760	28	36	64	13·4	1·05	0·86	32	36	68	14·3	1·02	1·25	1	*16*	1	1	4	*74*
Haverfordwest M.B.	8,230	100	92	192	23·3	0·91	1·29	53	55	108	13·1	1·07	1·20	3	*16*	2	2	3	*26*
Milford Haven	12,170	147	132	279	22·9	1·01	1·41	87	54	141	11·6	1·44	1·43	10	*36*	5	4	5	*32*
Narberth	1,050	6	7	13	*12·4*	1·01	0·76	10	6	16	*15·2*	0·98	1·27	—	—	—	—	2	*133*
Neyland	2,230	12	21	33	14·8	1·03	0·93	19	13	32	14·3	1·00	1·22	—	—	—	—	1	*29*
Pembroke M.B.	12,920	136	133	269	20·8	1·03	1·31	84	78	162	12·5	1·01	1·08	8	*30*	5	5	11	*57*
Tenby M.B.	4,440	43	29	72	16·2	1·01	1·00	25	40	65	14·6	0·85	1·06	—	—	—	—	1	*14*
Rural districts	**47,900**	**416**	**359**	**775**	**16·2**	**1·06**	**1·05**	**319**	**268**	**587**	**12·3**	**1·01**	**1·06**	**22**	**28**	**17**	**13**	**21**	**43**
Cemaes	8,880	65	55	120	13·5	1·16	0·95	68	56	124	14·0	0·90	1·08	3	*25*	3	2	7	*71*
Haverfordwest	22,670	217	178	395	17·4	1·00	1·06	140	121	261	11·5	1·14	1·12	12	*30*	11	9	9	*45*
Narberth	9,960	82	75	157	15·8	1·12	1·08	79	64	143	14·4	0·92	1·13	5	*32*	2	1	4	*31*
Pembroke	6,390	52	51	103	16·1	1·06	1·04	32	27	59	9·2	1·01	0·79	2	*19*	1	1	1	*19*
RADNORSHIRE	**19,100**	**140**	**130**	**270**	**14·1**	**1·15**	**0·99**	**131**	**95**	**226**	**11·8**	**0·88**	**0·89**	**6**	*22*	**5**	**5**	**5**	*36*
Urban districts	**6,380**	**50**	**45**	**95**	**14·9**	**1·01**	**0·92**	**55**	**41**	**96**	**15·0**	**0·79**	**1·01**	**4**	*42*	**3**	**3**	**1**	*42*
Knighton	1,820	21	9	30	16·5	1·01	1·02	23	11	34	18·7	0·73	1·17	2	*67*	1	1	—	*33*
Llandrindod Wells	3,320	19	31	50	15·1	1·00	0·92	21	24	45	13·6	0·80	0·93	2	*40*	2	2	1	*59*
Presteigne	1,240	10	5	15	*12·1*	1·08	0·80	11	6	17	*13·7*	0·88	1·03	—	—	—	—	—	—
Rural districts	**12,720**	**90**	**85**	**175**	**13·8**	**1·23**	**1·04**	**76**	**54**	**130**	**10·2**	**0·94**	**0·82**	**2**	*11*	**2**	**2**	**4**	*34*
Colwyn	1,580	14	12	26	16·5	1·21	1·22	8	3	11	*7·0*	0·98	0·59	—	—	—	—	1	*37*
Knighton	3,000	24	20	44	14·7	1·23	1·10	19	14	33	11·0	1·03	0·97	—	—	—	—	1	*22*
New Radnor	2,170	13	14	27	12·4	1·19	0·90	17	3	20	9·2	0·90	0·71	1	*37*	1	1	1	*71*
Painscastle	1,780	12	11	23	12·9	1·19	0·94	6	10	16	*9·0*	0·90	0·69	—	—	—	—	—	—
Rhayader	4,190	27	28	55	13·1	1·27	1·01	26	24	50	11·9	0·91	0·93	1	*18*	1	1	1	*36*

TABLE 14. Deaths by sex at each year of age (with marital condition), 1958 — England and Wales

Included in this Table are 643 cases (292 males and 351 females) in which the age of deceased was not definitely stated ; these have been allocated to particular ages in accordance with the best available information and with due regard to the circumstances and cause of death in each case. The deaths of divorced men and women are included with the deaths of widowed.

See explanatory notes.

Age last birthday	Persons	MALES					FEMALES				
		Total	Single	Married	Widowed	Not stated	Total	Single	Married	Widowed	Not stated
All ages	**526,843**	**270,639**	**37,307**	**158,816**	**64,651**	**9,865**	**256,204**	**48,911**	**78,023**	**129,143**	**127**
0–4	**19,033**	**10,987**	**10,987**	—	—	—	**8,046**	**8,046**	—	—	—
0	16,685	9,634	9,634	—	—	—	7,051	7,051	—	—	—
1	980	558	558	—	—	—	422	422	—	—	—
2	623	346	346	—	—	—	277	277	—	—	—
3	418	244	244	—	—	—	174	174	—	—	—
4	327	205	205	—	—	—	122	122	—	—	—
5–9	**1,351**	**837**	**837**	—	—	—	**514**	**514**	—	—	—
5	353	204	204	—	—	—	149	149	—	—	—
6	290	181	181	—	—	—	109	109	—	—	—
7	255	162	162	—	—	—	93	93	—	—	—
8	219	149	149	—	—	—	70	70	—	—	—
9	234	141	141	—	—	—	93	93	—	—	—
10–14	**1,144**	**725**	**725**	—	—	—	**419**	**419**	—	—	—
10	233	149	149	—	—	—	84	84	—	—	—
11	246	148	148	—	—	—	98	98	—	—	—
12	217	137	137	—	—	—	80	80	—	—	—
13	220	146	146	—	—	—	74	74	—	—	—
14	228	145	145	—	—	—	83	83	—	—	—
15–19	**1,690**	**1,192**	**1,060**	**6**	**1**	**125**	**498**	**465**	**32**	—	**1**
15	262	178	178	—	—	—	84	84	—	—	—
16	274	180	180	—	—	—	94	93	1	—	—
17	343	250	247	2	—	1	93	89	4	—	—
18	379	274	271	1	—	2	105	98	7	—	—
19	432	310	184	3	—	123	122	101	20	—	1
20–24	**2,232**	**1,472**	**744**	**179**	**1**	**548**	**760**	**400**	**346**	**7**	**7**
20	438	319	187	8	—	124	119	82	36	1	—
21	453	316	164	23	—	129	137	89	46	—	2
22	475	300	151	33	—	116	175	88	83	1	3
23	463	287	134	47	—	106	176	82	91	3	—
24	403	250	108	68	1	73	153	59	90	2	2
25–29	**2,488**	**1,559**	**487**	**611**	**9**	**452**	**929**	**265**	**642**	**17**	**5**
25	441	276	105	87	2	82	165	62	99	1	3
26	456	308	93	119	—	96	148	45	102	1	—
27	513	326	107	114	3	102	187	52	131	4	—
28	542	333	88	135	3	107	209	55	148	5	1
29	536	316	94	156	1	65	220	51	162	6	1
30–34	**3,386**	**1,930**	**501**	**982**	**24**	**423**	**1,456**	**290**	**1,124**	**38**	**4**
30	553	306	82	150	2	72	247	52	189	5	1
31	566	318	84	146	6	82	248	55	186	6	1
32	696	414	97	225	5	87	282	53	222	7	—
33	719	395	116	194	7	78	324	66	246	12	—
34	852	497	122	267	4	104	355	64	281	8	2
35–39	**5,410**	**3,061**	**647**	**1,929**	**42**	**443**	**2,349**	**383**	**1,883**	**77**	**6**
35	902	544	130	327	3	84	358	69	278	10	1
36	1,025	580	121	355	9	95	445	70	362	13	—
37	1,166	659	143	410	10	96	507	88	401	15	3
38	1,290	727	143	483	9	92	563	80	459	22	2
39	1,027	551	110	354	11	76	476	76	383	17	—
40–44	**7,934**	**4,502**	**708**	**3,186**	**120**	**488**	**3,432**	**541**	**2,697**	**188**	**6**
40	1,044	587	111	387	12	77	457	77	352	25	3
41	1,308	744	110	511	24	99	564	97	442	25	—
42	1,644	922	151	645	23	103	722	97	591	31	3
43	1,854	1,050	161	762	22	105	804	140	615	49	—
44	2,084	1,199	175	881	39	104	885	130	697	58	—
45–49	**14,475**	**8,535**	**1,122**	**6,524**	**293**	**596**	**5,940**	**984**	**4,487**	**467**	**2**
45	2,254	1,312	183	988	40	101	942	160	708	74	—
46	2,571	1,489	202	1,118	52	117	1,082	174	846	62	—
47	2,868	1,660	232	1,250	51	127	1,208	184	935	88	1
48	3,170	1,870	241	1,442	69	118	1,300	226	960	113	1
49	3,612	2,204	264	1,726	81	133	1,408	240	1,038	130	—

TABLE 14—*continued*

Age last birthday	Persons	MALES					FEMALES				
		Total	Single	Married	Widowed	Not stated	Total	Single	Married	Widowed	Not stated
50–54	**23,671**	**14,844**	**1,760**	**11,686**	**610**	**788**	**8,827**	**1,455**	**6,327**	**1,037**	**8**
50	3,962	2,403	315	1,856	67	165	1,559	257	1,158	142	2
51	4,202	2,609	325	2,042	104	138	1,593	261	1,153	178	1
52	4,679	2,959	344	2,334	115	166	1,720	285	1,213	220	2
53	5,229	3,312	381	2,626	156	149	1,917	320	1,369	227	1
54	5,599	3,561	395	2,828	168	170	2,038	332	1,434	270	2
55–59	**35,310**	**22,872**	**2,339**	**18,172**	**1,453**	**908**	**12,438**	**2,036**	**8,062**	**2,338**	**2**
55	5,905	3,809	398	3,068	185	158	2,096	364	1,395	336	1
56	6,437	4,184	427	3,348	242	167	2,253	371	1,514	367	1
57	7,314	4,801	514	3,789	304	194	2,513	411	1,621	481	—
58	7,894	5,142	536	4,056	351	199	2,752	428	1,768	556	—
59	7,760	4,936	464	3,911	371	190	2,824	462	1,764	598	—
60–64	**45,766**	**27,795**	**2,428**	**21,712**	**2,690**	**965**	**17,971**	**2,852**	**10,082**	**5,030**	**7**
60	7,958	5,009	457	3,947	398	207	2,949	498	1,756	695	—
61	8,343	5,108	454	4,064	419	171	3,235	489	1,940	805	1
62	9,088	5,497	499	4,320	490	188	3,591	592	1,984	1,013	2
63	9,850	5,854	484	4,541	643	186	3,996	641	2,195	1,158	2
64	10,527	6,327	534	4,840	740	213	4,200	632	2,207	1,359	2
65–69	**61,013**	**35,021**	**2,767**	**26,018**	**5,316**	**920**	**25,992**	**3,999**	**11,750**	**10,228**	**15**
65	11,114	6,580	539	5,013	828	200	4,534	712	2,302	1,516	4
66	11,042	6,465	497	4,906	895	167	4,577	706	2,180	1,691	—
67	12,512	7,270	553	5,467	1,070	180	5,242	799	2,374	2,065	4
68	12,719	7,200	568	5,253	1,200	179	5,519	855	2,384	2,277	3
69	13,626	7,506	610	5,379	1,323	194	6,120	927	2,510	2,679	4
70–74	**77,345**	**40,713**	**3,204**	**26,826**	**9,776**	**907**	**36,632**	**5,510**	**12,302**	**18,806**	**14**
70	14,115	7,739	577	5,416	1,546	200	6,376	1,040	2,421	2,912	3
71	14,505	7,761	610	5,313	1,683	155	6,744	1,004	2,515	3,224	1
72	15,747	8,404	677	5,575	1,988	164	7,343	1,095	2,464	3,780	4
73	16,232	8,397	696	5,357	2,138	206	7,835	1,133	2,487	4,211	4
74	16,746	8,412	644	5,165	2,421	182	8,334	1,238	2,415	4,679	2
75–79	**86,268**	**40,579**	**3,292**	**22,138**	**14,193**	**956**	**45,689**	**6,855**	**10,313**	**28,500**	**21**
75	17,084	8,384	673	5,008	2,506	197	8,700	1,330	2,368	4,996	6
76	17,367	8,366	701	4,755	2,713	197	9,001	1,353	2,199	5,446	3
77	17,395	8,237	680	4,500	2,874	183	9,158	1,342	2,114	5,699	3
78	17,410	7,900	596	4,082	3,010	212	9,510	1,411	1,925	6,168	6
79	17,012	7,692	642	3,793	3,090	167	9,320	1,419	1,707	6,191	3
80–84	**76,451**	**32,664**	**2,355**	**13,331**	**16,166**	**812**	**43,787**	**6,976**	**5,834**	**30,962**	**15**
80	16,848	7,401	562	3,424	3,247	168	9,447	1,480	1,516	6,448	3
81	15,844	6,984	522	2,907	3,362	193	8,860	1,403	1,352	6,103	2
82	15,830	6,807	462	2,818	3,360	167	9,023	1,467	1,181	6,372	3
83	14,735	6,141	438	2,311	3,247	145	8,594	1,361	1,010	6,220	3
84	13,194	5,331	371	1,871	2,950	139	7,863	1,265	775	5,819	4
85–89	**43,879**	**16,315**	**1,080**	**4,602**	**10,221**	**412**	**27,564**	**4,618**	**1,815**	**21,122**	**9**
85	11,612	4,559	324	1,406	2,740	89	7,053	1,113	618	5,319	3
86	10,316	3,902	242	1,192	2,358	110	6,414	1,151	456	4,805	2
87	8,939	3,307	227	883	2,104	93	5,632	908	339	4,383	2
88	7,231	2,615	180	651	1,717	67	4,616	787	228	3,599	2
89	5,781	1,932	107	470	1,302	53	3,849	659	174	3,016	—
90–94	**14,859**	**4,410**	**224**	**834**	**3,249**	**103**	**10,449**	**1,842**	**309**	**8,294**	**4**
90	4,706	1,511	83	325	1,066	37	3,195	532	108	2,553	2
91	3,593	1,093	55	216	797	25	2,500	421	86	1,991	2
92	2,882	824	42	142	620	20	2,058	373	60	1,625	—
93	2,096	587	22	106	449	10	1,509	298	27	1,184	—
94	1,582	395	22	45	317	11	1,187	218	28	941	—
95–99	**2,897**	**607**	**36**	**78**	**474**	**19**	**2,290**	**406**	**16**	**1,867**	**1**
95	1,110	253	17	36	189	11	857	150	10	696	1
96	730	160	12	20	126	2	570	91	3	476	—
97	540	100	4	10	83	3	440	83	2	355	—
98	329	61	1	9	50	1	268	53	—	215	—
99	188	33	2	3	26	2	155	29	1	125	—
100 and over	**241**	**19**	**4**	**2**	**13**	—	**222**	**55**	**2**	**165**	—

TABLE 15. Constructed analysis of 1958 deaths by age and marital condition } England and Wales

Note. In this table the deaths of unstated marital condition in each age-group (which are shown separately in Table 14) have been distributed proportionately among those of stated condition in the age-group.

Age-groups	Persons	MALES				FEMALES			
		Total	Single	Married	Widowed	Total	Single	Married	Widowed
All ages	**526,843**	**270,639**	**39,095**	**165,168**	**66,376**	**256,204**	**48,933**	**78,077**	**129,194**
0–4	19,033	10,987	10,987	—	—	8,046	8,046	—	—
5–9	1,351	837	837	—	—	514	514	—	—
10–14	1,144	725	725	—	—	419	419	—	—
15–19	1,690	1,192	1,184	7	1	498	466	32	—
20–24	2,232	1,472	1,185	285	2	760	404	349	7
25–29	2,488	1,559	686	860	13	929	266	646	17
30–34	3,386	1,930	642	1,257	31	1,456	291	1,127	38
35–39	5,410	3,061	756	2,256	49	2,349	384	1,888	77
40–44	7,934	4,502	794	3,573	135	3,432	542	2,702	188
45–49	14,475	8,535	1,206	7,014	315	5,940	984	4,489	467
50–54	23,671	14,844	1,859	12,341	644	8,827	1,456	6,333	1,038
55–59	35,310	22,872	2,436	18,923	1,513	12,438	2,036	8,064	2,338
60–64	45,766	27,795	2,515	22,493	2,787	17,971	2,853	10,086	5,032
65–69	61,013	35,021	2,842	26,720	5,459	25,992	4,001	11,757	10,234
70–74	77,345	40,713	3,277	27,437	9,999	36,632	5,512	12,307	18,813
75–79	86,268	40,579	3,371	22,673	14,535	45,689	6,858	10,318	28,513
80–84	76,451	32,664	2,415	13,671	16,578	43,787	6,978	5,836	30,973
85–89	43,879	16,315	1,108	4,721	10,486	27,564	4,619	1,816	21,129
90–94	14,859	4,410	229	854	3,327	10,449	1,843	309	8,297
95–99	2,897	607	37	81	489	2,290	406	16	1,868
100 and over	241	19	4	2	13	222	55	2	165

TABLE 16. Deaths at different ages by month of occurrence, January to December, 1958 } England and Wales

See notes at head of Table 22

Age		Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
All ages	M	**32,001**	**24,853**	**27,206**	**23,632**	**20,304**	**18,823**	**18,354**	**17,892**	**17,417**	**20,382**	**21,942**	**27,332**
	F	**29,429**	**23,682**	**25,844**	**23,233**	**19,403**	**17,917**	**17,713**	**17,334**	**16,786**	**18,810**	**20,507**	**25,257**
Under 4 weeks	M	668	568	626	575	584	582	559	521	546	543	565	650
	F	454	400	430	408	450	389	389	396	438	385	416	396
4 weeks and under 1 year	M	345	303	300	253	187	156	153	130	136	204	223	270
	F	281	285	217	186	132	130	124	116	123	154	131	196
1—	M	81	48	58	53	35	39	35	24	27	51	38	70
	F	61	40	32	42	26	26	34	23	23	27	46	42
2—	M	77	73	68	69	66	71	65	59	61	64	54	61
	F	63	46	56	59	42	39	44	34	42	46	43	59
5—	M	61	59	69	84	79	78	78	82	63	61	56	68
	F	57	40	51	45	46	44	45	30	40	46	43	31
10—	M	64	36	53	58	67	72	72	75	79	51	41	59
	F	41	34	38	47	25	26	37	32	37	37	32	42
15—	M	113	64	100	106	95	83	132	108	80	102	89	103
	F	53	48	41	46	36	41	46	37	40	43	31	38
20—	M	112	94	105	114	127	117	152	143	124	136	109	135
	F	72	67	66	70	52	59	45	61	76	51	56	76
25—	M	155	122	135	131	146	127	126	119	129	112	114	134
	F	109	75	83	88	78	72	81	82	55	70	58	78
30—	M	191	165	168	151	159	138	151	155	148	161	144	178
	F	158	124	145	127	124	104	113	98	104	114	128	107
35—	M	283	254	253	275	270	227	223	218	222	243	295	288
	F	229	182	198	207	200	192	172	173	180	212	191	218
40—	M	467	371	387	371	353	359	362	328	327	374	374	408
	F	360	298	266	284	288	267	282	269	269	261	269	311
45—	M	903	771	810	692	697	626	647	614	625	676	655	795
	F	605	495	548	487	467	498	469	469	460	473	458	504
50—	M	1,660	1,297	1,413	1,235	1,160	1,088	1,039	1,056	1,017	1,159	1,248	1,458
	F	878	746	826	705	737	692	669	680	594	698	778	815
55—	M	2,652	2,087	2,227	2,038	1,731	1,603	1,558	1,583	1,487	1,756	1,823	2,281
	F	1,284	1,082	1,179	1,127	1,004	945	908	936	862	927	1,004	1,166
60—	M	3,356	2,546	2,680	2,338	2,088	1,966	1,905	1,855	1,746	2,090	2,264	2,876
	F	2,008	1,617	1,722	1,565	1,484	1,248	1,296	1,286	1,223	1,327	1,468	1,724
65—	M	4,219	3,171	3,382	2,990	2,568	2,398	2,386	2,301	2,325	2,706	2,964	3,545
	F	2,921	2,347	2,561	2,348	1,960	1,854	1,838	1,779	1,768	1,921	2,122	2,531
70—	M	5,032	3,697	4,110	3,636	2,976	2,756	2,657	2,596	2,579	3,030	3,316	4,258
	F	4,374	3,250	3,698	3,298	2,779	2,595	2,506	2,466	2,388	2,660	2,949	3,612
75—	M	4,860	3,923	4,233	3,609	2,966	2,816	2,636	2,673	2,459	2,989	3,290	4,059
	F	5,350	4,263	4,850	4,244	3,324	3,089	2,985	2,973	2,903	3,421	3,669	4,572
80—	M	3,889	3,116	3,632	2,924	2,439	2,196	2,127	2,028	1,990	2,381	2,562	3,376
	F	5,050	4,223	4,542	4,047	3,252	2,927	3,020	2,860	2,750	3,121	3,405	4,541
85 and over	M	2,813	2,088	2,397	1,930	1,511	1,325	1,291	1,224	1,247	1,493	1,718	2,260
	F	5,021	4,020	4,295	3,803	2,897	2,680	2,610	2,534	2,411	2,816	3,210	4,198

TABLE 17. Causes of death at different age periods, 1958 — England and Wales

Note. 1 The sequence of causes of death followed in this table is that of the detailed International Statistical Classification of Diseases, Injuries and Causes of Death (Seventh Revision, 1955), including the classification by External Cause of Injury (E codes) for violent deaths. Each three digit code is separately specified, except a few which are not applicable to primary death classification, and certain 4th digit splits of general interest are also shown. Table 18 should be consulted for further details of violent deaths.

2 Separate columns are not devoted to those causes to which, as a rule, few deaths are assigned. In order, however, to make the record complete, the classification numbers of such causes are printed as nearly as possible to the places where they would occur. The deaths, if any, from these causes are shown in footnotes in which the heavy-faced figures preceding the cause express the International Classification number, and the figures following it indicate the sex and age-group of the decedent, roman type for males and italic type for females. Thus **093**, glandular fever (infectious mononucleosis), 10, 70, *10*, *20* denotes that two male deaths (one in age-group 10– and one in 70–) and two female deaths (one in age-group 10– and one in 20–) are assigned to this cause. A dash (—) indicates that no deaths are assigned.

(Continued on next page)

See explanatory notes.

Causes of death	All Causes		I 001-138 Infective and parasitic diseases		TUBERCULOSIS 001-019 All forms		001-008 Respiratory system		001 Respiratory tuberculosis with mention of occupational disease of lung		002 Pulmonary tuberculosis		003 Pleural tuberculosis		003·0 Pleurisy specified as tuberculous	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**270,639**	**256,204**	**4,543**	**2,317**	**3,207**	**1,273**	**2,949**	**1,050**	**215**	**6**	**2,706**	**1,028**	**23**	**11**	**8**	**2**
0—	**9,634**	**7,051**	**104**	**87**	6	6	3	3	—	—	2	2	1	—	—	—
1—	**1,353**	**995**	**81**	**76**	15	16	2	2	—	—	2	2	—	—	—	—
5—	**837**	**514**	**41**	**31**	7	6	1	1	—	—	1	1	—	—	—	—
10—	**725**	**419**	**36**	**29**	11	8	4	1	—	—	3	1	—	—	—	—
15—	**1,192**	**498**	**31**	**18**	15	12	8	9	—	—	7	9	—	—	—	—
20—	**1,472**	**760**	**45**	**53**	31	25	18	19	—	—	17	19	1	—	1	—
25—	**1,559**	**929**	**66**	**78**	41	55	33	50	—	—	33	50	—	—	—	—
30—	**1,930**	**1,456**	**126**	**139**	92	105	80	95	—	—	80	95	—	—	—	—
35—	**3,061**	**2,349**	**191**	**131**	146	105	126	97	1	—	125	96	—	1	—	1
40—	**4,502**	**3,432**	**196**	**130**	156	104	139	89	6	1	133	87	—	1	—	1
45—	**8,535**	**5,940**	**318**	**147**	239	99	220	86	7	1	211	85	2	—	—	—
50—	**14,844**	**8,827**	**407**	**160**	330	102	306	83	23	1	280	80	2	2	1	—
55—	**22,872**	**12,438**	**638**	**188**	516	107	495	88	36	1	458	86	1	1	1	—
60—	**27,795**	**17,971**	**588**	**224**	459	126	434	104	35	—	396	103	3	1	1	—
65—	**35,021**	**25,992**	**654**	**239**	477	137	453	117	54	1	397	113	2	2	—	—
70—	**40,713**	**36,632**	**543**	**217**	362	103	346	84	33	1	306	80	5	1	2	—
75—	**40,579**	**45,689**	**316**	**187**	222	95	210	77	19	—	186	77	5	—	2	—
80—	**32,664**	**43,787**	**117**	**109**	62	42	55	30	—	—	54	27	1	2	—	—
85 and over	**21,351**	**40,525**	**45**	**74**	20	20	16	15	1	—	15	15	—	—	—	—

Causes of death	TUBERCULOSIS 003·1 Pleurisy with effusion without mention of cause		004-008* 010-019 Other forms		010 Meninges and central nervous system		011 Intestines, peritoneum, and mesenteric glands		012 Bones and joints, active or unspecified		012·0 Active or unspecified tuberculosis of vertebral column		012·1;2;3 Others included under 012		013, 014* 015 Lymphatic system	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**15**	**9**	**258**	**223**	**44**	**49**	**25**	**35**	**49**	**43**	**38**	**34**	**11**	**9**	**3**	**4**
0—	1	—	3	3	1	2	1	—	—	—	—	—	—	—	—	—
1—	—	—	13	14	12	11	—	1	—	—	—	—	—	—	—	—
5—	—	—	6	5	6	4	—	—	—	—	—	—	—	—	—	1
10—	—	—	7	7	1	5	—	—	2	1	1	1	1	—	—	—
15—	—	—	7	3	4	2	—	—	1	—	1	—	—	—	—	—
20—	—	—	13	6	3	5	1	—	1	—	1	—	—	—	—	—
25—	—	—	8	5	1	2	—	1	1	—	—	—	1	—	—	—
30—	—	—	12	10	—	—	2	1	4	—	4	—	—	—	—	—
35—	—	—	20	8	3	4	1	1	7	—	6	—	1	—	—	—
40—	—	—	17	15	3	4	2	1	1	2	1	2	—	—	—	—
45—	2	—	19	13	3	1	1	5	6	2	6	1	—	1	—	—
50—	1	2	24	19	1	4	—	3	7	4	7	3	—	1	—	1
55—	—	1	21	19	3	—	5	2	3	7	1	6	2	1	1	—
60—	2	1	25	22	2	1	2	4	7	7	5	6	2	1	—	1
65—	2	2	24	20	1	1	4	6	4	4	3	4	1	—	—	—
70—	3	1	16	19	—	2	1	4	2	5	1	4	1	1	1	—
75—	3	—	12	18	—	1	4	1	1	6	—	4	1	2	—	1
80—	1	2	7	12	—	—	1	3	—	5	—	3	—	2	—	—
85 and over	—	—	4	5	—	—	—	2	2	—	1	—	1	—	1	—

* **004** Primary tuberculosis complex with symptoms —; **005** Tracheobronchial glandular tuberculosis with symptoms 10, 15, 70, 70, *0*, *70*, *80*; **006** Radiological evidence suggestive of active respiratory tuberculosis not classifiable elsewhere —; **007** Other respiratory tuberculosis —; **008** Tuberculosis, unspecified site 50, *65*, *70*; **013** Late effects of tuberculosis of bones and joints 35, 60; **014** Tuberculosis of skin and subcutaneous cellular tissue 70, 80, *25*, *30*, *40*, *80*, *85*, *85*.

TABLE 17—*continued*

3 Deaths are not assigned to any of the following categories as the underlying cause, where the interval between onset of the disease and death was stated to exceed one year:—040-043, 050, 055, 056, 058, 084-087, 100-108. For details of these categories see Table 7.

Causes of death	TUBERCULOSIS 016 Genito-urinary system		017 Adrenal glands		018 Other organs		019 Disseminated tuberculosis		019·0;1*, 019·2 Other forms of disseminated tuberculosis		020-029 Syphilis and its sequelae		020 Congenital syphilis		021* 022 Aneurysm of aorta	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**64**	**36**	**13**	**7**	**7**	**9**	**49**	**34**	**44**	**29**	**653**	**388**	**10**	**3**	**306**	**219**
0—	—	—	—	—	—	—	1	1	1	—	2	1	2	1	—	—
1—	—	—	—	—	—	1	1	1	1	1	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	1	1	1	—	—	—	2	—	2	—	1	—	1	—	—	—
15—	2	—	—	—	—	—	—	1	—	1	—	1	—	—	—	1
20—	7	—	1	—	—	1	—	—	—	—	—	1	—	1	—	—
25—	3	—	1	—	1	—	1	1	1	1	1	—	—	—	1	—
30—	6	4	—	1	—	—	—	3	—	2	6	1	1	—	—	—
35—	4	2	3	1	—	—	1	—	1	—	12	1	—	—	3	—
40—	7	3	—	1	—	—	4	3	2	3	15	5	1	—	5	—
45—	5	5	—	—	—	—	4	—	4	—	32	8	1	—	13	2
50—	11	3	1	—	—	1	4	3	4	3	36	22	2	—	16	7
55—	3	6	—	2	2	1	4	1	4	1	74	37	—	—	28	12
60—	3	4	5	—	1	—	4	5	3	4	96	61	2	1	48	23
65—	3	3	1	1	—	3	11	2	11	2	124	57	—	—	50	30
70—	5	2	—	—	2	1	4	5	3	3	141	73	—	—	69	42
75—	1	1	—	—	—	1	6	7	5	7	70	59	—	—	47	48
80—	3	2	—	1	1	—	1	—	1	—	31	31	—	—	16	24
85 and over	—	—	—	—	—	—	1	1	1	1	12	30	—	—	10	30

Causes of death	023 Other cardio-vascular syphilis		024 Tabes dorsalis		025 General paralysis of insane		026 Other syphilis of central nervous system		027 Other forms of late syphilis		028, 029, 030-039* 030-039 Gonococcal infection and other venereal diseases		040-049 Infectious diseases commonly arising in intestinal tract		040, 041* 042 Other salmonella infections	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**208**	**94**	**41**	**16**	**57**	**28**	**17**	**20**	**10**	**6**	**21**	**1**	**42**	**36**	**21**	**15**
0—	—	—	—	—	—	—	—	—	—	—	—	—	8	7	4	3
1—	—	—	—	—	—	—	—	—	—	—	—	—	2	2	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	2	2	—	—
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
15—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—
20—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—
30—	3	1	—	—	2	—	—	—	—	—	—	—	1	2	1	—
35—	6	—	—	—	3	1	—	—	—	—	—	—	2	1	—	—
40—	7	3	—	—	1	2	—	—	1	—	—	—	1	—	—	—
45—	11	3	—	—	5	2	1	1	—	—	2	—	2	1	1	1
50—	12	9	—	—	6	2	—	3	—	1	—	1	3	2	1	—
55—	32	15	4	4	8	4	1	1	1	1	3	—	4	—	3	—
60—	26	18	7	4	9	10	3	5	1	—	3	—	2	4	2	2
65—	46	16	11	4	10	2	4	3	2	2	1	—	8	3	4	2
70—	37	21	12	2	12	3	6	2	3	2	6	—	2	6	1	4
75—	14	4	5	2	1	2	2	3	1	—	3	—	2	1	1	—
80—	13	4	1	—	—	—	—	2	1	—	2	—	2	3	2	3
85 and over	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—

* **019·0; 1** Acute miliary tuberculosis 40, 40, 60, 70, 75, *0*, *30*, *60*, *70*, *70*; **021** Early syphilis —; **028** Latent syphilis —; **029** Syphilis, unqualified 45, 65, 70, 70, *70*, *80*; **030** Acute or unspecified gonorrhoea 70; **031** Chronic gonococcal infection of genito-urinary system 45; **032** Gonococcal infection of joint —; **033** Gonococcal infection of eye —; **034** Gonococcal infection of other sites —; **035** Late effects of gonococcal infection 25, 45, 55, 55, 55, 60, 60, 65, 70, 70, 70, 70, 70, 75, 75, 75, 80, 80; **036** Chancroid —; **037** Lymphogranuloma venereum *50*; **038** Granuloma inguinale, venereal —; **039** Other and unspecified venereal diseases 60; **040** Typhoid fever 35, 55; **041** Paratyphoid fever 50, *35*.

TABLE 17—*continued*

Causes of death	043, 044* 045 Bacillary dysentery		046-049* 050-064 Other bacterial diseases		050 Scarlet fever		051 Streptococcal sore throat		052 Erysipelas		053 Septicaemia and pyaemia		053·0 Strepto-coccus		053·1 Staphylo-coccus	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**12**	**14**	**169**	**159**	**3**	**1**	**4**	**6**	**2**	**5**	**45**	**36**	**6**	**6**	**23**	**9**
0—	4	4	60	60	—	—	—	3	—	—	14	9	1	1	7	—
1—	2	2	33	20	2	—	—	—	—	—	2	2	1	1	—	1
5—	2	2	11	5	1	1	—	—	—	—	2	1	—	1	1	—
10—	—	1	4	5	—	—	—	—	—	—	1	2	—	—	1	1
15—	—	—	4	—	—	—	—	—	—	—	1	—	1	—	—	—
20—	—	—	2	3	—	—	—	—	—	—	1	1	—	1	1	—
25—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
30—	—	1	2	5	—	—	1	1	—	—	—	1	—	—	—	1
35—	—	—	2	3	—	—	—	—	—	—	2	1	—	—	1	—
40—	—	—	5	4	—	—	—	—	—	—	4	1	—	—	3	1
45—	—	—	5	3	—	—	—	—	—	—	1	1	—	—	1	—
50—	—	1	5	6	—	—	—	—	—	1	2	1	1	—	1	—
55—	—	—	10	6	—	—	—	—	—	—	7	3	1	1	4	—
60—	—	1	4	7	—	—	—	—	—	1	—	2	—	—	—	1
65—	3	—	7	10	—	—	1	1	—	—	3	5	1	1	2	—
70—	—	2	6	7	—	—	2	1	—	1	1	2	—	—	1	1
75—	1	—	2	5	—	—	—	—	1	—	1	—	—	—	—	—
80—	—	—	5	7	—	—	—	—	1	2	3	3	—	—	—	2
85 and over	—	—	1	2	—	—	—	—	—	—	—	1	—	—	—	1

Causes of death	053·2 Pneumo-coccus		053·3 Other specified organism		053·4 Organism unspecified		054, 055* 056 Whooping cough		057 Meningo-coccal infections		058, 059, 060* 061 Tetanus		062, 063, 064* 070-074 Spirochaetal diseases except syphilis		070, 071* 072 Leptospirosis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**3**	**2**	**1**	**1**	**12**	**18**	**13**	**14**	**71**	**74**	**10**	**10**	**19**	**1**	**18**	**1**
0—	1	—	1	—	4	8	6	12	37	35	—	—	—	—	—	—
1—	—	—	—	—	1	—	6	1	22	16	—	—	—	—	—	—
5—	—	—	—	—	1	—	1	—	2	1	2	1	—	—	—	—
10—	—	—	—	—	—	1	—	—	—	2	2	—	1	—	1	—
15—	—	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—
20—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—
25—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30—	—	—	—	—	—	—	—	—	1	1	—	2	1	—	1	—
35—	—	—	—	1	1	—	—	—	—	2	—	—	3	—	3	—
40—	1	—	—	—	—	—	—	—	1	2	—	1	2	—	2	—
45—	—	1	—	—	—	—	—	—	1	1	1	1	4	—	4	—
50—	—	—	—	—	—	1	—	—	1	3	1	1	2	—	2	—
55—	—	1	—	—	2	1	—	—	2	1	—	1	1	—	1	—
60—	—	—	—	—	—	1	—	—	1	3	1	—	1	—	1	—
65—	—	—	—	—	—	4	—	—	1	2	—	1	2	—	2	—
70—	—	—	—	—	—	1	—	1	—	1	1	—	2	1	1	1
75—	—	—	—	—	1	—	—	—	—	2	—	2	—	—	—	—
80—	1	—	—	—	2	1	—	—	1	—	—	—	—	—	—	—
85 and over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

* **043** Cholera —; **044** Brucellosis (undulant fever) 35; **046** Amoebiasis 40, 45, 50, *65*; **047** Other protozoal dysentery *75*; **048** Unspecified forms of dysentery 70; **049** Food poisoning (infection and intoxication) 65, *25*, *30*, *50*, *60*; **054** Bacterial toxaemia —; **055** Diphtheria 5, 5, 10, 20, *5*, *10*, *25*, *55*; **058** Plague —; **059** Tularaemia —; **060** Leprosy —; **062** Anthrax —; **063** Gas gangrene 5, 45, 60, 65, 70, *1*, *60*, *65*, *70*; **064** Other bacterial diseases 0, 0, 0, 1, 25, 45, 50, 55, 60, 65, 70, 85, *0*, *75*, *80*, *80*, *85*; **070** Vincent's infection —; **071** Relapsing fever —

TABLE 17—*continued*

Causes of death	073, 074* 080-096 Diseases attributable to viruses		080 Acute poliomyelitis		080·0 Specified as bulbar or polio-encephalitis		080·1 With other paralysis		080·2* 080·3 Unspecified		081 Late effects of acute poliomyelitis		082 Acute infectious encephalitis		083 Late effects of acute infectious encephalitis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**380**	**399**	**71**	**58**	**34**	**18**	**14**	**14**	**23**	**26**	**11**	**14**	**52**	**40**	**72**	**63**
0—	25	13	—	—	—	—	—	—	—	—	—	—	6	3	—	—
1—	30	38	7	7	2	3	1	—	4	4	—	—	9	8	1	—
5—	20	18	3	5	1	2	2	—	—	3	—	1	5	2	—	—
10—	19	15	8	5	5	1	2	3	1	1	2	2	2	2	—	—
15—	10	5	5	3	2	1	1	1	2	1	2	1	1	—	—	1
20—	11	23	4	10	3	4	—	2	1	4	1	2	2	2	1	—
25—	19	19	10	11	3	2	4	2	3	7	1	1	4	3	—	—
30—	22	21	14	14	8	3	1	6	5	5	1	3	4	—	1	1
35—	22	16	8	2	5	1	2	—	1	1	1	1	4	3	2	4
40—	14	15	6	—	4	—	—	—	2	—	1	—	2	4	4	4
45—	30	31	4	—	1	—	1	—	2	—	—	3	2	5	17	12
50—	25	19	1	—	—	—	—	—	1	—	—	—	1	1	11	9
55—	22	24	—	1	—	1	—	—	—	—	1	—	4	3	5	7
60—	16	21	1	—	—	—	—	—	1	—	—	—	1	—	6	8
65—	33	28	—	—	—	—	—	—	—	—	—	—	4	2	14	6
70—	20	21	—	—	—	—	—	—	—	—	—	—	1	2	7	6
75—	16	27	—	—	—	—	—	—	—	—	—	—	—	—	3	2
80—	14	23	—	—	—	—	—	—	—	—	—	—	—	—	—	3
85 and over	12	22	—	—	—	—	—	—	—	—	1	—	—	—	—	—

Causes of death	084* 085 Measles		086* 087 Chickenpox		088 Herpes zoster		089, 090, 091* 092 Infectious hepatitis		093, 094, 095* 096 Other diseases attributable to viruses		100-108* 100-108 Typhus and other rickettsial diseases		110-117 Malaria		110-117* 120-138 Other infective and parasitic diseases	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**23**	**26**	**7**	**5**	**21**	**44**	**110**	**135**	**5**	**7**	—	—	**2**	**2**	**50**	**58**
0—	8	7	1	—	—	—	9	2	1	1	—	—	—	—	3	—
1—	8	15	—	1	—	—	3	3	—	3	—	—	—	—	1	—
5—	6	3	2	1	—	—	3	5	1	—	—	—	—	—	1	—
10—	—	—	4	2	—	—	1	3	—	—	—	—	—	—	—	—
15—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
20—	—	—	—	—	—	1	3	6	—	—	—	—	—	—	1	1
25—	—	—	—	—	1	—	3	4	—	—	—	—	—	—	3	2
30—	—	—	—	—	—	—	1	3	1	—	—	—	—	—	2	5
35—	—	—	—	—	—	—	6	6	—	—	—	—	1	1	3	4
40—	—	—	—	—	—	—	1	7	—	—	—	—	—	—	3	2
45—	—	—	—	—	—	—	7	11	—	—	—	—	1	—	3	5
50—	—	—	—	—	1	—	10	9	—	—	—	—	—	1	6	7
55—	—	—	—	—	—	—	11	12	—	1	—	—	—	—	8	14
60—	—	—	—	—	—	1	8	12	—	—	—	—	—	—	7	5
65—	—	—	—	—	2	2	13	17	—	—	—	—	—	—	2	4
70—	—	—	—	—	2	2	8	11	1	—	—	—	—	—	4	6
75—	—	1	—	—	6	9	7	15	—	—	—	—	—	—	1	—
80—	—	—	—	—	5	13	9	5	—	1	—	—	—	—	1	3
85 and over	—	—	—	1	4	16	6	4	1	1	—	—	—	—	—	—

* **073** Yaws —; **074** Other spirochaetal infections 70; **080·2** Acute poliomyelitis specified as non-paralytic —; **084** Smallpox 50; **086** Rubella (German measles) 10, *5*; **089** Mumps 1, 1, 35, 55, *1*, *20*, *65*, *80*; **090** Dengue —; **091** Yellow fever —; **093** Glandular fever (infectious mononucleosis) 10, 70, *10*, *20*; **094** Rabies —; **095** Trachoma —; **100** Louse-borne epidemic typhus —; **101** Flea-borne endemic typhus (murine) —; **102** Brill's disease, not specified as louse- or flea-borne —; **103** Tabardillo (Mexican typhus), not specified as louse- or flea-borne —; **104** Tick-borne typhus —; **105** Mite-borne typhus —; **106** Volhynian fever (trench fever) —; **107** Typhus, unspecified —; **108** Other rickettsial diseases —; **110** Vivax malaria (benign tertian) —; **111** Malariae malaria (quartan) —; **112** Falciparum malaria (malignant tertian) 35, 45, *35*, *50*; **113** Ovale malaria —; **114** Mixed malarial infections —; **115** Blackwater fever —; **116** Other and unspecified forms of malaria —; **117** Recurrent induced malaria —.

TABLE 17—*continued*

Causes of death	120-124*		126-133*		135, 136, 137*		NEOPLASMS									
	125 Hydatid disease		134 Other fungus infections		138 Other infective and parasitic diseases		II 140-239 Neoplasms		140-205 Malignant neoplasms including neoplasms of lymphatic and haemato-poietic tissues		140-148 Malignant neoplasm of buccal cavity and pharynx		140 Lip		140·0 Upper lip	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**2**	**2**	**9**	**11**	**33**	**39**	**51,273**	**45,727**	**50,735**	**45,069**	**1,267**	**657**	**83**	**4**	**8**	–
0—	—	—	1	—	1	—	**49**	**37**	33	28	1	—	—	—	—	–
1—	—	—	—	—	1	—	**178**	**127**	169	116	3	1	—	—	—	–
5—	—	—	1	—	—	—	**187**	**100**	172	91	—	—	—	—	—	–
10—	—	—	—	—	—	—	**119**	**93**	111	87	4	2	—	—	—	–
15—	—	—	—	—	1	—	**108**	**100**	105	92	—	1	—	—	—	–
20—	—	—	—	—	1	—	**163**	**121**	149	112	2	4	—	—	—	–
25—	—	—	1	—	1	2	**246**	**190**	230	179	2	3	—	—	—	–
30—	—	—	—	3	2	2	**328**	**405**	319	393	6	8	—	—	—	–
35—	—	—	—	—	3	4	**597**	**848**	572	819	10	9	—	—	—	–
40—	—	1	—	1	3	—	**1,068**	**1,479**	1,045	1,434	11	19	1	—	—	–
45—	—	—	—	—	3	5	**2,306**	**2,656**	2,278	2,595	32	33	2	—	—	–
50—	—	—	2	1	3	5	**4,248**	**3,596**	4,194	3,531	60	58	3	—	—	–
55—	—	1	1	2	6	9	**6,389**	**4,505**	6,324	4,444	102	57	5	—	1	–
60—	—	—	2	1	5	3	**7,356**	**5,421**	7,280	5,356	133	86	4	1	—	–
65—	1	—	—	1	1	3	**8,239**	**6,153**	8,187	6,092	157	80	12	—	—	–
70—	1	—	1	1	1	4	**7,923**	**6,612**	7,873	6,563	212	84	15	—	3	–
75—	—	—	—	—	1	—	**6,381**	**6,194**	6,352	6,132	243	97	11	1	—	–
80—	—	—	—	1	—	2	**3,810**	**4,447**	3,779	4,399	202	69	20	—	3	–
85 and over	—	—	—	—	—	—	**1,578**	**2,643**	1,563	2,606	87	46	10	2	1	–

Causes of death	NEOPLASMS															
	140·1 Lower lip		140·8; 9 Others included under 140		141 Tongue		141·0 Base of tongue		141·7 Other specified parts of tongue		141·8; 9 Others included under 141		142 Salivary gland		142·0 Parotid gland	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**71**	**4**	**4**	—	**359**	**143**	**137**	**47**	**180**	**77**	**42**	**19**	**90**	**76**	**74**	**68**
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	1	—	1	—	—	—	—	1	1	1	1
15—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—
20—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25—	—	—	—	—	—	1	—	—	—	1	—	—	2	—	2	—
30—	—	—	—	—	2	1	1	1	1	—	—	—	1	1	—	1
35—	—	—	—	—	2	—	1	—	1	—	—	—	2	1	1	1
40—	1	—	—	—	1	2	—	1	1	—	—	1	1	1	1	1
45—	2	—	—	—	12	2	4	—	6	1	2	1	3	1	3	1
50—	3	—	—	—	9	9	6	2	3	7	—	—	7	6	6	6
55—	4	—	—	—	25	5	10	—	12	4	3	1	11	7	9	5
60—	4	1	—	—	32	13	15	6	12	5	5	2	6	8	3	6
65—	11	—	1	—	45	21	14	10	29	7	2	4	8	10	7	9
70—	12	—	—	—	60	23	27	9	29	12	4	2	14	9	12	8
75—	10	1	1	—	72	32	25	8	37	21	10	3	16	14	13	13
80—	15	—	2	—	75	16	25	3	36	11	14	2	9	9	9	9
85 and over	9	2	—	—	24	17	9	6	13	8	2	3	6	7	5	6

* **120** Leishmaniasis 50; **121** Trypanosomiasis —; **122** Other protozoal diseases 0; **123** Schistosomiasis 25, *20*; **124** Other trematode infestation —; **126** Other cestode infestation *55*; **127** Filariasis —; **128** Trichiniasis —; **129** Ankylostomiasis —; **130** Infestation with worms of other, mixed, and unspecified type —; **131** Dermatophytosis —; **132** Actinomycosis 55, 70, 80, *50, 55, 60, 70*; **133** Coccidioidomycosis —; **135** Scabies —; **136** Pediculosis —; **137** Other arthropod infestation —.

TABLE 17—*continued*

Causes of death	NEOPLASMS															
	142·7 Other salivary gland		142·8; 9 Others included under 142		143 Floor of mouth		144 Other parts of mouth and mouth unspecified		145 Oral meso-pharynx		145·0 Tonsil (excluding pillars)		145·7-9 Others included under 145		146 Naso-pharynx	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**14**	**8**	**2**	—	**57**	**21**	**208**	**84**	**183**	**42**	**144**	**39**	**39**	**3**	**86**	**42**
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
1—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	1	—	1	—	1	—	—	—	1	—
15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
20—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	4
25—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	2	3
35—	1	—	—	—	—	—	—	—	1	—	1	—	—	—	4	2
40—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	3	2
45—	—	—	—	—	—	1	3	—	1	2	—	1	1	1	5	4
50—	1	—	—	—	2	1	10	5	9	—	7	—	2	—	13	6
55—	2	2	—	—	3	2	11	3	16	5	14	5	2	—	13	4
60—	2	2	1	—	4	2	20	11	25	5	20	5	5	—	18	5
65—	1	1	—	—	7	3	21	11	23	4	15	4	8	—	8	2
70—	2	1	—	—	11	1	42	13	29	7	22	6	7	1	8	3
75—	3	1	—	—	14	3	40	20	39	9	30	9	9	—	7	2
80—	—	—	—	—	11	8	36	11	27	8	25	7	2	1	1	2
85 and over	1	1	—	—	5	—	24	10	11	2	8	2	3	—	—	2

Causes of death	NEOPLASMS															
	147 Hypo-pharynx		148 Pharynx, unspecified		150-159 Malignant neoplasm of digestive organs and peritoneum		150 Oesophagus		151 Stomach		152 Small intestine, including duodenum		152·0 Duodenum		152·7-9 Others included under 152	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**133**	**209**	**68**	**36**	**19,136**	**18,365**	**1,300**	**993**	**7,934**	**6,178**	**110**	**108**	**23**	**25**	**87**	**83**
0—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
1—	—	—	—	—	8	2	—	—	—	—	1	—	—	—	1	—
5—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	1	4	—	1	—	—	—	—	—	—	—	—
20—	—	—	—	—	14	7	—	—	5	2	—	—	—	—	—	—
25—	—	2	—	—	33	29	1	2	12	9	—	1	—	—	—	1
30—	1	3	—	—	59	69	4	1	17	28	1	1	—	—	1	1
35—	1	3	—	3	165	147	7	6	65	47	2	6	1	—	1	6
40—	3	12	1	2	344	269	13	10	150	85	4	4	—	—	4	4
45—	5	23	1	—	706	539	32	19	321	145	6	7	3	—	3	7
50—	4	29	3	2	1,356	886	74	48	638	276	13	6	3	1	10	5
55—	11	27	7	4	2,047	1,391	116	74	939	422	23	14	5	3	18	11
60—	16	33	8	8	2,457	1,867	170	98	1,113	586	14	12	2	1	12	11
65—	18	24	15	5	3,054	2,569	226	144	1,308	885	12	19	3	4	9	15
70—	24	24	9	4	3,337	3,187	256	179	1,380	1,145	14	14	3	7	11	7
75—	32	13	12	3	2,937	3,302	219	196	1,080	1,172	8	16	—	7	8	9
80—	13	11	10	4	1,840	2,540	133	132	657	907	5	6	1	2	4	4
85 and over	5	5	2	1	774	1,555	49	83	249	469	7	2	2	—	5	2

TABLE 17—*continued*

Causes of death	NEOPLASMS															
	153 Large intestine, except rectum		153·3 Sigmoid colon		153·8 Large intestine (including colon), part unspecified		153·0-2; 7; 9 Others included under 153		154 Rectum		155 Biliary passages and of liver (stated to be primary site)		155·0 Liver		155·1; 8 Others included under 155	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	3,698	5,431	1,418	1,827	374	585	1,906	3,019	3,132	2,501	579	909	213	178	366	731
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	6	—	6	—	—	—
5—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	1	—	1	—	—	—	—	—	—	—	2	—	2	—	—
20—	2	2	—	—	1	—	1	2	3	1	1	1	1	1	—	—
25—	10	7	4	3	—	2	6	2	4	2	2	2	2	1	—	1
30—	15	24	4	5	—	2	11	17	9	10	4	—	3	—	1	—
35—	45	50	13	17	4	3	28	30	22	21	6	5	6	3	—	2
40—	69	79	27	33	5	6	37	40	48	46	10	13	4	5	6	8
45—	107	182	39	59	12	21	56	102	101	93	26	29	14	10	12	19
50—	220	267	82	112	23	15	115	140	186	134	51	38	25	7	26	31
55—	329	406	133	151	33	46	163	209	300	219	63	65	28	12	35	53
60—	380	527	156	189	40	62	184	276	374	257	78	121	26	29	52	92
65—	542	676	223	270	40	69	279	337	485	349	96	154	38	31	58	123
70—	661	880	255	302	72	96	334	482	541	396	97	150	28	27	69	123
75—	658	984	242	309	70	106	346	569	547	414	81	170	20	27	61	143
80—	442	801	153	239	45	85	244	477	373	334	41	93	11	14	30	79
85 and over	218	545	87	137	29	72	102	336	138	225	17	66	1	9	16	57

Causes of death	NEOPLASMS															
	156 Liver (secondary and unspecified)		157 Pancreas		158 Peritoneum		159 Unspecified digestive organs		160-165 Malignant neoplasm of respiratory system		160 Nose, nasal cavities, middle ear and accessory sinuses		160·0 Nose (internal) and nasal cavities		160·1 Eustachian tube and middle ear	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	273	297	1,980	1,747	95	156	35	45	17,899	3,092	123	96	16	14	8	12
0—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	1	1	—	—	—	1	—	—	2	1	—	—	—	—	—	—
5—	1	—	—	—	1	—	—	—	1	1	—	1	—	—	—	—
10—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—	—
15—	—	—	—	—	1	—	—	—	3	1	1	—	—	—	—	—
20—	—	—	2	1	1	—	—	—	6	4	—	—	—	—	—	—
25—	—	—	2	4	2	2	—	—	19	8	—	—	—	—	—	—
30—	2	1	7	1	—	3	—	—	58	25	1	—	—	—	—	—
35—	2	1	13	7	3	4	—	—	146	57	1	1	—	—	—	—
40—	4	6	38	21	6	3	2	2	391	113	5	4	1	1	—	1
45—	12	12	90	41	9	10	2	1	1,001	179	9	3	2	—	1	—
50—	14	12	146	92	12	9	2	4	1,997	310	8	4	2	—	—	1
55—	34	28	229	141	12	20	2	2	3,039	402	15	11	1	2	3	1
60—	44	30	268	199	9	28	7	9	3,386	438	15	7	2	—	—	2
65—	33	42	335	272	13	21	4	7	3,336	476	19	10	—	2	1	2
70—	44	46	324	346	15	25	5	6	2,437	425	14	19	1	2	1	1
75—	41	54	294	276	3	13	6	7	1,413	359	20	15	6	3	—	1
80—	27	40	154	211	6	12	2	4	521	201	11	13	—	3	2	2
85 and over	14	23	78	135	1	4	3	3	142	92	4	8	1	1	—	1

TABLE 17—*continued*

Causes of death	NEOPLASMS															
	160·2 Maxillary sinus		160·7 Other specified sinus (accessory)		160·8; 9 Others included under 160		161 Larynx		162 Bronchus and trachea, and of lung specified as primary		162·0 Trachea		162·1 Bronchus and lung		162·2 Pleura	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	84	63	10	6	5	1	662	171	11,432	1,847	27	9	11,397	1,838	6	—
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—
20—	—	—	—	—	—	—	—	—	4	1	—	—	4	1	—	—
25—	—	—	—	—	—	—	1	—	11	4	—	—	11	4	—	—
30—	—	—	1	—	—	—	3	—	34	18	—	—	34	18	—	—
35—	1	—	—	1	—	—	3	3	99	34	—	—	99	34	—	—
40—	3	2	1	—	—	—	8	5	274	72	1	—	272	72	1	—
45—	5	3	1	—	—	—	23	14	669	110	2	2	667	108	—	—
50—	6	3	—	—	—	—	47	16	1,342	190	3	—	1,338	190	1	—
55—	8	8	2	—	1	—	83	20	1,984	265	7	3	1,976	262	1	—
60—	11	5	1	—	1	—	70	19	2,206	291	5	2	2,200	289	1	—
65—	16	5	1	1	1	—	108	23	2,139	289	3	2	2,135	287	1	—
70—	12	13	—	2	—	1	134	19	1,482	247	3	—	1,478	247	—	—
75—	12	10	2	1	—	—	91	26	835	187	3	—	830	187	1	—
80—	7	8	—	—	2	—	58	19	290	97	—	—	290	97	—	—
85 and over	2	6	1	—	—	—	33	7	62	42	—	—	62	42	—	—

Causes of death	NEOPLASMS															
	162·8 Multiple sites		163 Lung, unspecified as to whether primary or secondary		164 Mediastinum		165 Thoracic organs (secondary)		170-181 Malignant neoplasm of breast and genito-urinary organs		170 Breast		171 Cervix uteri	172 Corpus uteri		
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	F	F		
All ages	2	—	5,608	933	58	29	16	16	6,800	17,840	73	8,949	2,702	1,189		
0—	—	—	—	—	—	—	—	—	3	3	—	—	—	—		
1—	—	—	1	1	1	—	—	—	27	26	—	—	—	—		
5—	—	—	1	—	—	—	—	—	8	10	—	—	—	—		
10—	—	—	—	—	1	—	—	—	1	3	—	—	1	—		
15—	—	—	—	1	1	—	—	—	3	13	—	—	—	—		
20—	—	—	2	3	—	—	—	—	20	17	—	2	—	—		
25—	—	—	5	4	2	—	—	—	37	43	—	22	10	—		
30—	—	—	20	7	—	—	—	—	40	189	—	94	61	2		
35—	—	—	41	16	2	1	—	2	40	430	2	223	123	9		
40—	—	—	103	32	1	—	—	—	66	828	3	464	196	16		
45—	—	—	297	45	3	6	—	1	140	1,527	5	850	277	52		
50—	—	—	589	99	9	—	2	1	250	1,872	6	976	307	95		
55—	—	—	946	103	9	2	2	1	440	2,076	4	1,037	331	135		
60—	—	—	1,085	116	8	2	2	3	652	2,354	9	1,070	353	229		
65—	—	—	1,060	148	9	5	1	1	992	2,347	8	1,102	316	178		
70—	1	—	795	129	10	9	2	2	1,327	2,218	11	1,107	300	183		
75—	1	—	462	126	—	2	5	3	1,356	1,862	12	916	217	167		
80—	—	—	159	69	2	2	1	1	969	1,277	10	644	139	87		
85 and over	—	—	42	34	—	—	1	1	429	745	3	442	71	36		

TABLE 17—*continued*

Causes of death	NEOPLASMS							
	173 Other parts of uterus, including chorion-epithelioma	174 Uterus unspecified	175 Ovary, Fallopian tube and broad ligament	175·0 Ovary	175·1 Fallopian tube and broad ligament	175·8; 9 Others included under 175	176 Other and unspecified female genital organs	176·0 Vulva
Ages at death	F	F	F	F	F	F	F	F
All ages	**34**	**190**	**2,890**	**2,866**	**21**	**3**	**519**	**365**
0—	—	1	—	—	—	—	—	—
1—	—	—	1	1	—	—	1	—
5—	—	—	2	2	—	—	—	—
10—	—	—	—	—	—	—	—	—
15—	1	—	10	9	—	1	—	—
20—	1	—	10	10	—	—	1	1
25—	2	—	8	8	—	—	—	—
30—	3	—	26	26	—	—	1	—
35—	1	3	51	50	1	—	8	5
40—	4	4	117	117	—	—	6	3
45—	2	10	270	268	2	—	16	9
50—	6	13	385	379	5	1	23	13
55—	6	19	422	419	2	1	40	27
60—	3	29	471	465	6	—	43	27
65—	2	31	426	422	4	—	74	54
70—	1	32	303	303	—	—	84	62
75—	1	23	199	199	—	—	98	69
80—	1	18	141	140	1	—	83	67
85 and over	—	7	48	48	—	—	41	28

Causes of death	NEOPLASMS							
	176·1 Vagina	176·7-9 Others included under 176	177 Prostate	178 Testis	179 Other and unspecified male genital organs	179·0 Penis	179·1 Scrotum	179·7-9 Others included under 179
Ages at death	F	F	M	M	M	M	M	M
All ages	**143**	**11**	**3,614**	**203**	**140**	**110**	**28**	**2**
0—	—	—	—	—	—	—	—	—
1—	—	1	3	2	—	—	—	—
5—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—
15—	—	—	—	1	—	—	—	—
20—	—	—	—	15	—	—	—	—
25—	—	—	—	33	1	1	—	—
30—	1	—	—	31	2	—	2	—
35—	3	—	—	21	1	1	—	—
40—	3	—	5	10	4	3	—	1
45—	6	1	9	23	3	3	—	—
50—	10	—	48	15	9	6	3	—
55—	9	4	119	10	11	7	4	—
60—	15	1	242	3	18	15	3	—
65—	18	2	465	16	28	19	8	1
70—	22	—	822	11	18	14	4	—
75—	28	1	902	8	21	20	1	—
80—	15	1	690	1	19	17	2	—
85 and over	13	—	309	3	5	4	1	—

TABLE 17—*continued*

Causes of death	NEOPLASMS															
	180 Kidney		181 Bladder and other urinary organs		181·0 Bladder		181·7; 8 Others included under 181		190-199 Malignant neoplasm of other and unspecified sites		190 Malignant melanoma of skin		191 Other malignant neoplasm of skin		192 Eye	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**761**	**504**	**2,009**	**863**	**1,997**	**849**	**12**	**14**	**2,926**	**2,904**	**125**	**206**	**282**	**235**	**63**	**62**
0—	3	2	—	—	—	—	—	—	14	11	—	—	—	—	—	—
1—	21	22	1	2	1	2	—	—	52	31	—	1	—	—	3	2
5—	7	8	1	—	1	—	—	—	65	37	—	—	—	—	—	1
10—	1	2	—	—	—	—	—	—	40	41	1	—	—	—	—	—
15—	2	2	—	—	—	—	—	—	42	38	1	1	1	2	—	—
20—	4	3	1	—	1	—	—	—	35	37	3	—	—	—	—	—
25—	2	1	1	—	1	—	—	—	49	41	7	8	—	—	1	—
30—	5	2	2	—	2	—	—	—	66	50	4	13	1	—	2	—
35—	10	8	6	4	6	4	—	—	95	92	15	17	3	—	3	1
40—	23	11	21	10	20	10	1	—	120	132	9	23	5	1	1	3
45—	51	29	49	21	49	21	—	—	220	183	12	21	9	10	4	2
50—	74	35	98	32	97	30	1	2	283	250	9	18	8	7	7	8
55—	90	44	206	42	205	40	1	2	398	330	11	15	21	14	10	6
60—	116	54	264	102	259	100	5	2	360	365	15	18	27	24	13	6
65—	123	63	352	155	350	153	2	2	345	352	14	21	38	26	5	13
70—	102	74	363	134	363	130	—	4	275	324	7	15	44	37	5	9
75—	82	67	331	174	330	174	1	—	219	285	7	17	43	29	6	7
80—	32	48	217	116	216	115	1	1	147	183	6	14	41	42	2	2
85 and over	13	29	96	71	96	70	—	1	101	122	4	4	41	43	1	2

Causes of death	NEOPLASMS															
	193 Brain and other parts of nervous system		193·0 Brain		193·1 Spinal cord		193·2 Meninges		193·3 Peripheral nerves		193·4 Sympathetic nervous system		193·8; 9 Others included under 193		194 Thyroid gland	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**1,079**	**794**	**998**	**743**	**15**	**10**	**7**	**3**	**2**	**2**	**35**	**17**	**22**	**19**	**92**	**244**
0—	8	8	5	6	—	—	—	—	—	—	3	2	—	—	—	—
1—	40	15	21	13	—	—	—	—	—	—	18	2	1	—	—	—
5—	51	26	44	22	1	—	—	—	—	—	4	2	2	2	—	—
10—	23	20	19	14	1	2	—	1	—	—	2	3	1	—	—	—
15—	20	12	16	10	1	1	1	—	—	—	1	1	1	—	—	—
20—	14	18	14	17	—	1	—	—	—	—	—	—	—	—	1	—
25—	25	18	21	17	1	1	1	—	—	—	2	—	—	—	—	1
30—	35	24	30	22	2	—	1	—	1	—	1	1	—	1	—	—
35—	54	40	51	39	—	—	1	—	—	—	1	—	1	1	3	4
40—	74	52	72	49	—	—	—	—	—	—	1	1	1	2	1	12
45—	123	81	117	76	3	2	1	—	—	—	—	1	2	2	6	9
50—	161	101	154	95	1	—	—	1	—	—	1	1	5	4	5	17
55—	187	137	179	134	1	—	1	1	1	—	1	—	4	2	12	27
60—	135	114	133	110	—	2	—	—	—	—	—	1	2	1	14	28
65—	73	76	70	71	1	—	1	—	—	—	—	2	1	3	10	38
70—	41	38	38	35	2	—	—	—	—	2	—	—	1	1	18	42
75—	10	11	9	10	1	1	—	—	—	—	—	—	—	—	15	40
80—	3	3	3	3	—	—	—	—	—	—	—	—	—	—	5	14
85 and over	2	—	2	—	—	—	—	—	—	—	—	—	—	—	2	12

TABLE 17—*continued*

Causes of death	NEOPLASMS															
	195 Other endocrine glands		195·0 Suprarenal gland		195·3 Pituitary gland and cranio-pharyngeal duct		195·1; 2; 4-8 Others included under 195		196 Bone		197 Connective tissue		198 Secondary and unspecified malignant neoplasm of lymph nodes		199 Other and unspecified sites	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**67**	**45**	**46**	**29**	**6**	**7**	**15**	**9**	**354**	**300**	**113**	**112**	**45**	**21**	**706**	**885**
0—	5	—	5	—	—	—	—	—	—	—	—	2	—	—	1	1
1—	2	3	2	3	—	—	—	—	5	5	1	1	—	—	1	4
5—	6	3	5	3	—	—	1	—	4	6	1	1	—	—	3	—
10—	2	1	1	1	—	—	1	—	12	15	1	3	—	—	1	2
15—	—	1	—	—	—	1	—	—	17	16	2	2	—	1	1	3
20—	—	2	—	—	—	1	—	1	14	13	2	4	—	—	1	—
25—	3	2	2	2	—	—	1	—	6	10	—	1	—	—	7	1
30—	2	—	—	—	—	—	2	—	11	4	4	3	—	—	7	6
35—	2	2	—	1	—	—	2	1	4	5	5	6	—	2	6	15
40—	2	4	2	3	—	1	—	—	7	10	3	5	2	—	16	22
45—	10	4	6	4	2	—	2	—	19	10	7	6	1	2	29	38
50—	6	2	6	2	—	—	—	—	22	14	9	7	1	—	55	76
55—	13	1	8	—	3	—	2	1	33	20	18	8	5	3	88	99
60—	1	8	1	6	—	1	—	1	41	22	9	8	5	1	100	136
65—	6	5	4	2	1	1	1	2	46	32	18	16	5	3	130	122
70—	2	5	1	1	—	2	1	2	41	41	12	13	11	2	94	122
75—	3	2	1	1	—	—	2	1	40	37	10	15	4	3	81	124
80—	1	—	1	—	—	—	—	—	20	21	7	8	7	2	55	77
85 and over	1	—	1	—	—	—	—	—	12	19	4	3	4	2	30	37

Causes of death	NEOPLASMS															
	200-205 Neoplasms of lymphatic and haemato-poietic tissues		200 Lympho-sarcoma and reticulo-sarcoma		200·0 Reticulum-cell sarcoma		200·1 Lympho-sarcoma		200·2 Other primary malignant neoplasms of lymphoid tissue		201 Hodgkin's disease		202 Other forms of lymphoma (reticulosis)		202·0 Giant follicular lymphoma (Brill-Symmers' disease)	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**2,707**	**2,211**	**517**	**429**	**195**	**175**	**298**	**235**	**24**	**19**	**472**	**314**	**110**	**87**	**14**	**17**
0—	15	13	—	—	—	—	—	—	—	—	—	—	4	2	—	—
1—	77	55	4	2	1	2	3	—	—	—	1	—	3	3	—	—
5—	95	43	10	3	1	2	9	1	—	—	5	1	3	1	—	—
10—	64	40	14	4	4	1	9	3	1	—	4	4	—	1	—	—
15—	56	35	11	7	6	2	5	5	—	—	14	11	2	1	1	—
20—	72	43	9	8	—	4	8	4	1	—	29	19	—	—	—	—
25—	90	55	13	9	7	4	6	5	—	—	40	20	2	1	—	—
30—	90	52	16	2	8	—	8	2	—	—	34	21	3	3	1	1
35—	116	84	18	16	10	5	8	11	—	—	40	23	3	1	—	—
40—	113	73	22	10	12	7	10	3	—	—	24	16	6	3	1	—
45—	179	134	39	23	16	12	22	8	1	3	45	21	8	9	3	3
50—	248	155	58	34	28	20	26	12	4	2	48	26	8	6	—	4
55—	298	188	58	39	18	18	34	19	6	2	51	26	8	7	1	2
60—	292	246	66	52	19	24	45	27	2	1	38	34	14	14	1	—
65—	303	268	56	60	27	23	26	36	3	1	37	29	18	13	1	4
70—	285	325	62	70	20	23	39	44	3	3	26	36	17	12	4	3
75—	184	227	36	47	13	14	21	31	2	2	23	17	6	5	1	—
80—	100	129	20	32	5	12	14	17	1	3	10	8	4	4	—	—
85 and over	30	46	5	11	—	2	5	7	—	2	3	2	1	1	—	—

TABLE 17—*continued*

Causes of death	NEOPLASMS															
	202·1 Other		203 Multiple myeloma (plasmo-cytoma		204 Leukaemia and aleukaemia		204·0 Lymphatic leukaemia		204·1 Myeloid leukaemia		204·2 Monocytic leukaemia		204·3 Acute leukaemia		204·4 Other and unspecified leukaemia	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**96**	**70**	**298**	**290**	**1,301**	**1,085**	**270**	**184**	**229**	**247**	**105**	**110**	**662**	**512**	**35**	**32**
0—	4	2	—	—	11	11	—	1	—	—	3	1	8	9	—	—
1—	3	3	—	—	69	50	3	5	—	1	—	—	64	42	2	2
5—	3	1	—	—	77	38	3	2	—	—	3	4	70	32	1	—
10—	—	1	—	—	46	31	2	2	1	—	2	3	41	25	—	1
15—	1	1	—	—	29	16	2	—	3	2	2	1	22	13	—	—
20—	—	—	—	—	34	16	2	1	3	3	4	1	25	11	—	—
25—	2	1	—	—	35	25	1	1	7	3	2	6	24	15	1	—
30—	2	2	1	2	36	24	1	1	4	8	5	3	25	11	1	1
35—	3	1	1	2	54	42	2	2	11	9	8	4	33	26	—	1
40—	5	3	11	6	50	38	6	1	14	7	5	7	25	20	—	3
45—	5	6	26	12	58	69	3	3	16	13	5	10	34	43	—	—
50—	8	2	39	24	95	65	19	8	15	20	15	9	45	26	1	2
55—	7	5	48	36	133	79	36	8	34	23	9	11	49	35	5	2
60—	13	14	41	41	132	105	49	12	24	35	6	9	48	46	5	3
65—	17	9	53	61	136	104	37	26	29	27	10	13	50	37	10	1
70—	13	9	46	58	134	147	51	40	24	34	10	12	46	55	3	6
75—	5	5	23	29	95	127	26	38	25	39	6	8	33	38	5	4
80—	4	4	6	17	59	68	23	22	14	13	5	5	16	24	1	4
85 and over	1	1	3	2	18	30	4	11	5	10	5	3	4	4	—	2

Causes of death	NEOPLASMS															
	205 Mycosis fungoides		210-229 Benign neoplasm		210* 211 Other parts of digestive system		212 Respiratory system		213* 214 Uterine fibromyoma	215 Uterus	216 Ovary		217, 218* 219 Kidney and other urinary organs			
Ages at death	M	F	M	F	M	F	M	F	F	F	F		M	F		
All ages	**9**	**6**	**319**	**499**	**16**	**19**	**11**	**8**	**81**	**7**	**93**		**75**	**34**		
0—	—	—	12	8	—	—	2	—	—	—	—		—	1		
1—	—	—	2	9	—	1	—	—	—	—	—		—	—		
5—	—	—	7	5	—	1	—	—	—	—	—		—	—		
10—	—	—	7	3	—	—	—	—	—	—	—		—	—		
15—	—	—	2	5	—	—	—	—	—	—	—		—	—		
20—	—	—	8	9	—	—	1	—	—	—	2		—	—		
25—	—	—	9	10	—	—	—	1	—	—	3		—	—		
30—	—	—	7	12	—	1	—	—	3	—	—		—	—		
35—	—	—	19	19	—	1	—	—	7	—	1		—	—		
40—	—	—	14	35	—	—	—	—	15	3	—		1	—		
45—	3	—	17	52	—	—	—	—	22	1	6		—	—		
50—	—	—	27	53	2	—	1	1	14	1	5		2	1		
55—	—	1	33	38	1	2	4	—	2	1	7		2	—		
60—	1	—	39	57	4	1	3	—	3	—	12		5	5		
65—	3	1	34	45	2	2	—	2	2	—	14		17	3		
70—	—	2	30	33	3	3	—	1	4	1	8		11	3		
75—	1	2	19	47	1	5	—	2	4	—	14		11	7		
80—	1	—	21	32	3	1	—	—	1	—	11		15	7		
85 and over	—	—	12	27	—	1	—	1	4	—	10		11	7		

* **210** Benign neoplasm of buccal cavity and pharynx 85, *55*; **213** Benign neoplasm of breast *35*, *80*; **217** Benign neoplasm of other female genital organs *70*; **218** Benign neoplasm of male genital organs —.

TABLE 17—*continued*

Causes of death	NEOPLASMS															
	220, 221, 222*						226*				229*					
	223 Brain and other parts of nervous system		224 Endocrine glands		225 Bone and cartilage		227 Muscular and connective tissue		228 Haem-angioma and lymph-angioma		230-239 Neoplasm of unspecified nature		230 Unspecified nature of digestive organs		231 Unspecified nature of respiratory organs	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**138**	**158**	**48**	**55**	**5**	**7**	**7**	**6**	**13**	**18**	**219**	**159**	**13**	**26**	**30**	**8**
0—	3	1	1	—	—	1	1	—	4	5	4	1	—	—	—	—
1—	2	5	—	—	—	1	—	—	—	2	7	2	—	—	1	—
5—	1	1	5	2	—	—	—	—	1	1	8	4	—	—	—	—
10—	3	2	4	—	—	—	—	—	—	—	1	3	—	—	—	—
15—	1	3	1	2	—	—	—	—	—	—	1	3	—	—	—	—
20—	3	7	2	—	—	—	—	—	1	—	6	—	—	—	—	—
25—	6	4	2	1	—	—	1	—	—	1	7	1	—	—	1	—
30—	5	4	1	3	—	—	1	1	—	—	2	—	—	—	—	—
35—	15	5	4	4	—	—	—	—	—	—	6	10	—	—	—	—
40—	9	12	3	5	—	—	—	—	1	—	9	10	—	—	—	—
45—	13	14	2	5	1	—	—	2	—	1	11	9	—	—	—	—
50—	17	21	4	8	—	—	1	2	—	—	27	12	—	1	2	1
55—	14	14	10	6	1	1	1	1	—	2	32	23	2	—	5	2
60—	21	26	4	9	—	—	—	—	2	1	37	8	1	—	4	2
65—	13	16	1	2	—	1	—	—	1	2	18	16	2	—	4	—
70—	10	7	3	3	1	1	1	—	1	—	20	16	4	4	4	2
75—	1	9	1	2	1	1	1	—	2	2	10	15	1	6	5	—
80—	1	6	—	2	1	1	—	—	—	—	10	16	2	9	3	1
85 and over	—	1	—	1	—	—	—	—	—	1	3	10	1	6	1	—

Causes of death	NEOPLASMS				III											
	232-236*		238*		240-289		240-245		240*		242-245*		250		251	
	237 Unspecified nature of brain and other parts of nervous system		239 Unspecified nature of other and unspecified organs		Allergic, endocrine system, metabolic, and nutritional diseases		Allergic disorders		241 Asthma		250-254 Diseases of thyroid gland		Simple goitre		Non-toxic nodular goitre	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**160**	**97**	**9**	**14**	**2,217**	**3,980**	**625**	**840**	**617**	**836**	**96**	**589**	**4**	**17**	**11**	**25**
0—	2	—	2	—	37	21	2	2	2	2	1	1	—	—	—	—
1—	5	2	1	—	36	16	11	8	11	8	—	—	—	—	—	—
5—	6	4	2	—	14	14	5	3	5	3	—	—	—	—	—	—
10—	1	2	—	1	14	12	9	4	9	4	—	—	—	—	—	—
15—	—	3	1	—	20	24	9	17	9	17	—	1	—	—	—	—
20—	6	—	—	—	25	42	17	25	17	25	1	2	—	—	—	—
25—	6	1	—	—	24	39	11	22	11	22	—	2	—	—	—	—
30—	2	—	—	—	46	46	17	24	17	24	2	7	1	—	1	—
35—	6	9	—	1	69	70	24	38	24	38	4	4	—	—	—	—
40—	9	8	—	1	63	89	32	50	30	50	1	8	—	—	—	—
45—	11	9	—	—	116	143	54	70	50	69	4	21	—	—	—	—
50—	25	10	—	—	142	186	61	62	61	60	5	34	—	—	—	1
55—	25	19	—	1	189	286	75	86	75	86	10	53	—	1	1	2
60—	32	5	—	1	241	434	75	106	73	106	15	71	1	1	1	4
65—	10	13	1	1	285	615	79	100	79	99	16	91	—	2	2	3
70—	11	7	—	1	332	665	76	93	76	93	21	112	1	4	1	6
75—	2	4	1	3	295	652	42	66	42	66	9	96	—	5	3	6
80—	1	1	—	2	195	425	21	46	21	46	5	55	—	2	1	3
85 and over	—	—	1	2	74	201	5	18	5	18	2	31	1	2	1	—

*** 220** Benign melanoma of skin —; **221** Pilonidal cyst 80, *55*; **222** Other benign neoplasm of skin *85*; **226** Lipoma 0, *70*, *75*, *80*; **229** Benign neoplasm of other and unspecified organs and tissues 20, 45, 75, *10*, *45*, *65*, *80*; **232** Neoplasm of unspecified nature of breast —; **233** Neoplasm of unspecified nature of uterus *75*; **234** Neoplasm of unspecified nature of ovary *55*, *70*; **235** Neoplasm of unspecified nature of other female genital organs —; **236** Neoplasm of unspecified nature of other genito-urinary organs 75, 80, 80, 80, *70*, *75*, *80*, *80*, *80*, *85*, *85*; **238** Neoplasm of unspecified nature of skin and musculo-skeletal system 65, 70, 80, *0*, *40*, *65*, *65*; **240** Hay fever *50*; **242** Angioneurotic oedema 40, 45, 45, 45, 45, 60, 60, *45*, *50*; **243** Urticaria 40; **244** Allergic eczema —; **245** Other allergic disorders *65*.

TABLE 17—*continued*

Causes of death	252 Thyro-toxicosis with or without goitre		252·0 Toxic diffuse goitre		252·1 Toxic nodular goitre		253 Myxoedema and cretinism		254 Other diseases of thyroid gland		260 Diabetes mellitus		270-277 Diseases of other endocrine glands		270* 271 Diseases of parathyroid gland	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**40**	**282**	**39**	**262**	**1**	**20**	**37**	**250**	**4**	**15**	**1,152**	**2,163**	**135**	**132**	**2**	**7**
0—	—	—	—	—	—	—	1	1	—	—	3	2	26	12	—	—
1—	—	—	—	—	—	—	—	—	—	—	6	4	9	2	—	—
5—	—	—	—	—	—	—	—	—	—	—	2	1	4	—	—	—
10—	—	—	—	—	—	—	—	—	—	—	1	6	—	1	—	—
15—	—	1	—	1	—	—	—	—	—	—	7	4	2	1	—	—
20—	1	2	1	2	—	—	—	—	—	—	4	5	2	1	—	—
25—	—	2	—	2	—	—	—	—	—	—	10	11	1	3	—	—
30—	—	4	—	3	—	1	—	1	—	2	19	8	4	3	—	—
35—	2	3	2	3	—	—	2	1	—	—	32	17	3	7	1	1
40—	1	7	1	7	—	—	—	—	—	1	20	20	3	5	—	—
45—	3	16	3	15	—	1	1	5	—	—	38	37	6	9	—	1
50—	4	28	4	28	—	—	1	5	—	—	50	59	8	16	1	1
55—	5	36	5	33	—	3	3	12	1	2	74	113	16	14	—	1
60—	7	43	7	37	—	6	5	21	1	2	105	217	12	16	—	2
65—	7	42	7	40	—	2	6	41	1	3	154	362	14	16	—	1
70—	8	44	7	41	1	3	10	57	1	1	204	429	14	9	—	—
75—	2	30	2	28	—	2	4	52	—	3	214	439	8	11	—	—
80—	—	19	—	17	—	2	4	30	—	1	151	296	3	3	—	—
85 and over	—	5	—	5	—	—	—	24	—	—	58	133	—	3	—	—

Causes of death	272 Diseases of pituitary gland		273 Diseases of thymus gland		274 Diseases of adrenal glands		275, 276* 277 Polygland-ular dysfunction and other diseases of endocrine glands		280-289 Avita-minoses, and other metabolic diseases		280-285* 286 Other avita-minoses and nutri-tional defici-ency states		286·0 Steatorrhoea and sprue		286·5 Malnutrition, unqualified	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**38**	**55**	**4**	**4**	**63**	**48**	**18**	**18**	**209**	**256**	**50**	**62**	**20**	**22**	**24**	**31**
0—	1	1	3	4	15	7	3	—	5	4	1	—	—	—	—	—
1—	—	—	—	—	5	2	1	—	10	2	2	1	2	1	—	—
5—	—	—	—	—	2	—	—	—	3	10	—	—	—	—	—	—
10—	—	—	—	—	—	1	—	—	4	1	—	—	—	—	—	—
15—	—	—	1	—	—	1	1	—	2	1	—	—	—	—	—	—
20—	2	—	—	—	—	1	—	—	1	9	—	—	—	—	—	—
25—	1	1	—	—	—	1	—	1	2	1	—	—	—	—	—	—
30—	1	—	—	—	3	2	—	1	4	4	1	—	1	—	—	—
35—	2	4	—	—	—	2	—	—	6	4	1	3	1	3	—	—
40—	—	4	—	—	2	1	1	—	7	6	2	2	2	2	—	—
45—	1	1	—	—	5	5	—	2	14	6	2	—	2	—	—	—
50—	5	7	—	—	2	6	—	2	18	15	3	3	3	2	—	1
55—	5	7	—	—	8	5	3	1	14	20	4	6	2	5	1	—
60—	5	7	—	—	5	4	2	3	34	24	8	8	4	3	3	3
65—	6	6	—	—	4	4	4	5	22	46	5	6	1	2	4	4
70—	4	6	—	—	7	2	2	1	17	22	4	3	1	—	1	2
75—	3	6	—	—	5	3	—	2	22	40	5	15	—	3	5	9
80—	2	3	—	—	—	—	1	—	15	25	8	10	1	1	6	7
85 and over	—	2	—	—	—	1	—	—	9	16	4	5	—	—	4	5

*** 270** Disorders of pancreatic internal secretion other than diabetes mellitus 0, 0, 0, 0, 1, 1, 1, 5, 5, 70; **275** Ovarian dysfunction —; **276** Testicular dysfunction —; **280** Beriberi 45; **281** Pellagra 75; **282** Scurvy 60, 60, 65, 70, *70*; **283** Active rickets —; **284** Late effects of rickets *20*; **285** Osteomalacia 70, 80, *75*.

TABLE 17—*continued*

Causes of death	286·1-4; 6; 7 Others included under 286		287 Obesity not specified as of endocrine origin		288 Gout		289 Other metabolic diseases		289·0 Lipidosis (disturbance of lipid metabolism)		289·1 Amyloid-osis		289·2 Other		IV 290-299 Diseases of the blood and blood-forming organs	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**6**	**9**	**52**	**123**	**10**	**6**	**89**	**62**	**18**	**10**	**23**	**14**	**48**	**38**	**742**	**1,308**
0—	1	—	—	—	—	—	4	4	2	1	—	—	2	3	12	7
1—	—	—	—	—	—	—	8	1	6	1	—	—	2	—	15	6
5—	—	—	—	—	—	—	3	10	2	5	—	—	1	5	10	10
10—	—	—	—	—	—	—	4	1	2	—	—	—	2	1	6	6
15—	—	—	—	—	—	—	2	1	—	—	—	—	2	1	6	5
20—	—	—	—	—	—	—	1	8	—	1	1	1	—	6	10	8
25—	—	—	—	1	—	—	2	—	1	—	—	—	1	—	2	12
30—	—	—	—	1	—	—	3	3	—	—	3	1	—	2	5	10
35—	—	—	2	—	—	—	3	1	—	—	2	—	1	1	8	10
40—	—	—	2	3	—	—	3	1	—	—	3	—	—	1	11	9
45—	—	—	2	5	—	—	9	1	—	1	3	—	6	—	14	25
50—	—	—	3	7	2	—	10	5	1	—	2	3	7	2	36	27
55—	1	1	4	10	—	—	6	4	1	—	3	2	2	2	49	60
60—	1	2	6	12	1	—	17	4	3	1	4	3	10	—	63	77
65—	—	—	8	33	3	—	5	7	—	—	—	3	5	4	78	166
70—	2	1	7	13	1	2	3	3	—	—	—	1	3	2	118	238
75—	—	3	9	17	1	1	6	6	—	—	2	—	4	6	136	255
80—	1	2	6	13	—	—	—	2	—	—	—	—	—	2	98	226
85 and over	—	—	3	8	2	3	—	—	—	—	—	—	—	—	65	151

Causes of death	290 Pernicious and other hyperchromic anaemias		290·0 Pernicious anaemia		290·1 Subacute combined degeneration of spinal cord		290·2 Other hyperchromic anaemias		291 Iron deficiency anaemias (hypo-chromic anaemias)		292 Other anaemias of specified type		292·4 Aplastic anaemia		292·0-3; 5-7 Others included under 292	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**247**	**578**	**214**	**502**	**16**	**25**	**17**	**51**	**73**	**194**	**203**	**225**	**128**	**133**	**75**	**92**
0—	—	—	—	—	—	—	—	—	—	—	4	1	—	—	4	1
1—	—	—	—	—	—	—	—	—	—	—	6	4	4	1	2	3
5—	—	—	—	—	—	—	—	—	—	—	4	6	3	6	1	—
10—	—	—	—	—	—	—	—	—	—	—	3	5	3	4	—	1
15—	—	—	—	—	—	—	—	—	—	—	3	3	2	3	1	—
20—	—	—	—	—	—	—	—	—	—	—	4	5	3	4	1	1
25—	—	1	—	1	—	—	—	—	—	—	1	5	1	4	—	1
30—	—	—	—	—	—	—	—	—	—	—	3	6	1	4	2	2
35—	1	1	—	1	—	—	1	—	—	—	2	5	1	5	1	—
40—	1	2	1	2	—	—	—	—	—	1	4	2	4	2	—	—
45—	1	6	1	5	—	—	—	1	1	1	3	8	1	3	2	5
50—	4	7	2	7	2	—	—	—	2	2	16	6	8	4	8	2
55—	8	12	7	10	1	1	—	1	5	5	22	15	14	5	8	10
60—	7	27	5	21	2	3	—	3	1	7	25	18	12	12	13	6
65—	31	64	23	53	4	4	4	7	5	20	11	26	10	13	1	13
70—	47	113	42	97	2	5	3	11	14	39	31	41	21	20	10	21
75—	54	133	46	111	3	6	5	16	22	49	33	32	18	23	15	9
80—	58	131	53	119	2	4	3	8	12	38	18	20	14	11	4	9
85 and over	35	81	34	75	—	2	1	4	11	32	10	17	8	9	2	8

TABLE 17—*continued*

Causes of death	293 Anaemia of unspecified type		294 Poly-cythaemia		295 Haemophilia		296 Purpura and other haemorr-hagic conditions		297 Agranulo-cytosis		298 Diseases of spleen		299 Other diseases of blood and blood-forming organs		V 300-326 Mental, psycho-neurotic and personality disorders	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**53**	**112**	**45**	**28**	**8**	—	**62**	**82**	**10**	**12**	**30**	**60**	**11**	**17**	**341**	**565**
0—	—	1	—	1	—	—	3	4	2	—	1	—	2	—	16	17
1—	2	1	1	—	—	—	5	1	—	—	1	—	—	—	6	4
5—	—	1	—	—	—	—	3	1	1	1	2	—	—	1	6	3
10—	—	—	—	—	1	—	2	1	—	—	—	—	—	—	2	3
15—	—	—	1	—	—	—	2	1	—	—	—	1	—	—	4	6
20—	1	—	1	—	1	—	2	3	—	—	—	—	1	—	7	2
25—	—	—	—	—	1	—	—	3	—	—	—	1	—	2	5	3
30—	—	2	—	—	—	—	2	2	—	—	—	—	—	—	5	2
35—	—	—	—	—	2	—	3	2	—	1	—	1	—	—	14	12
40—	—	1	4	—	—	—	—	1	—	—	2	1	—	1	15	8
45—	2	1	2	1	1	—	1	5	—	1	2	2	1	—	8	18
50—	1	6	2	1	—	—	4	3	—	—	7	2	—	—	15	13
55—	2	4	5	3	—	—	4	8	—	3	3	7	—	3	22	27
60—	5	5	5	6	2	—	8	5	2	—	6	7	2	2	29	43
65—	5	18	9	9	—	—	11	11	1	3	5	13	—	2	32	43
70—	10	13	9	4	—	—	3	11	1	—	1	13	2	4	30	81
75—	13	19	5	3	—	—	4	8	2	2	—	8	3	1	38	94
80—	4	26	1	—	—	—	4	6	1	1	—	3	—	1	46	91
85 and over	8	14	—	—	—	—	1	6	—	—	—	1	—	—	41	95

Causes of death	300-309 Psychoses		300 Schizo-phrenic disorders (dementia praecox)		301 Manic-depressive reaction		302, 303* 304 Senile psychosis		305 Presenile psychosis		307* 309 Other and unspecified psychoses		310-318 Psycho-neurotic disorders		310* 311 Hysterical reaction without mention of anxiety reaction	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**243**	**475**	**22**	**19**	**14**	**27**	**151**	**339**	**30**	**66**	**19**	**20**	**15**	**31**	**3**	**23**
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	1	—	1	—	—	—	—	—	—	—	—	—	1	—	1
20—	3	1	3	1	—	—	—	—	—	—	—	—	—	—	—	—
25—	3	1	3	—	—	1	—	—	—	—	—	—	—	—	—	—
30—	2	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—
35—	3	6	3	1	—	1	—	—	—	2	—	2	1	2	1	2
40—	9	4	3	2	—	—	—	—	5	—	1	2	1	2	—	2
45—	5	12	2	3	—	4	—	—	2	4	1	1	1	3	—	3
50—	8	9	1	1	3	3	—	—	1	4	1	—	1	3	—	2
55—	14	17	1	1	2	2	3	—	5	13	1	1	3	6	1	5
60—	23	38	3	2	1	7	4	—	12	28	3	—	1	1	—	—
65—	27	36	1	2	5	3	11	18	4	12	4	1	2	3	—	2
70—	26	75	—	3	—	3	22	62	1	2	3	4	2	4	—	2
75—	34	93	—	—	2	2	30	84	—	1	1	6	2	1	1	—
80—	45	89	—	1	—	—	43	87	—	—	2	1	1	2	—	2
85 and over	41	92	—	—	1	1	38	88	—	—	2	2	—	3	—	2

* **302** Involutional melancholia 65, *50*, *70*, *85*; **303** Paranoia and paranoid states 75; **307** Alcoholic psychosis 50, 50, 55, 55, 65, *60*; **310** Anxiety reaction without mention of somatic symptoms 40, 65, 70, *55*, *85*.

TABLE 17—*continued*

Causes of death	312-318* 320-326 Disorders of character, behaviour and intelligence		320, 321* 322 Alcoholism		322·0* 322·1 Chronic		322·2, 323, 324* 325 Mental deficiency		326* VI 330-398 Diseases of the nervous system and sense organs		330-334 Vascular lesions affecting central nervous system		330 Subarachnoid haemorrhage		331 Cerebral haemorrhage	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**83**	**59**	**25**	**17**	**15**	**15**	**55**	**39**	**33,915**	**47,763**	**31,298**	**44,879**	**1,214**	**2,039**	**11,923**	**17,784**
0—	16	17	—	—	—	—	16	17	**173**	**108**	14	3	10	1	2	2
1—	6	4	—	—	—	—	6	4	**84**	**64**	4	5	2	1	—	1
5—	6	3	—	—	—	—	6	3	**44**	**31**	5	3	3	2	—	1
10—	2	3	—	—	—	—	2	3	**54**	**38**	6	14	5	10	1	3
15—	4	4	—	—	—	—	4	4	**69**	**36**	21	10	18	8	2	2
20—	4	1	—	—	—	—	4	1	**68**	**71**	28	22	18	15	8	6
25—	2	2	—	1	—	—	2	1	**98**	**77**	42	35	28	27	10	5
30—	3	1	1	—	—	—	1	1	**141**	**128**	72	59	50	41	18	13
35—	10	4	3	1	2	1	6	2	**240**	**243**	140	157	77	85	55	58
40—	5	2	3	2	1	2	2	—	**324**	**341**	231	238	77	111	122	100
45—	2	3	2	1	1	1	—	1	**655**	**682**	514	526	133	165	299	291
50—	6	1	5	1	4	1	1	—	**1,172**	**1,253**	1,002	1,050	162	217	566	644
55—	5	4	5	4	3	4	—	—	**2,004**	**1,981**	1,792	1,746	211	267	981	1,012
60—	5	4	2	3	1	3	2	1	**2,763**	**3,051**	2,523	2,799	136	248	1,320	1,545
65—	3	4	2	2	1	2	1	1	**4,419**	**5,046**	4,115	4,751	112	267	1,851	2,370
70—	2	2	—	2	—	1	2	—	**5,959**	**7,777**	5,632	7,393	75	230	2,138	3,178
75—	2	—	2	—	2	—	—	—	**6,715**	**10,207**	6,435	9,835	61	192	2,139	3,734
80—	—	—	—	—	—	—	—	—	**5,565**	**9,351**	5,427	9,107	27	102	1,630	2,943
85 and over	—	—	—	—	—	—	—	—	**3,368**	**7,278**	3,295	7,126	9	50	781	1,876

Causes of death	332 Cerebral embolism and thrombosis		333* 334 Other and ill-defined vascular lesions affecting central nervous system		340-345 Inflammatory diseases of central nervous system		340 Meningitis except meningo-coccal and tuberculous		340·0 H. influenzae		340·1 Pneumo-coccus		340·2 Due to other specified organism		340·3 With no organism specified as cause	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**15,452**	**21,670**	**2,708**	**3,384**	**689**	**820**	**197**	**142**	**11**	**10**	**80**	**66**	**55**	**29**	**51**	**37**
0—	2	—	—	—	114	75	80	59	4	6	21	16	36	22	19	15
1—	2	—	—	3	34	30	19	12	4	2	7	6	2	—	6	4
5—	—	—	2	—	17	7	7	3	2	1	4	1	—	—	1	1
10—	—	—	—	1	16	7	3	1	—	—	1	—	1	—	1	1
15—	—	—	1	—	6	3	2	—	—	—	2	—	—	—	—	—
20—	—	1	2	—	9	9	1	—	—	—	1	—	—	—	—	—
25—	3	3	1	—	16	18	3	2	—	—	—	1	—	1	3	—
30—	4	4	—	1	29	34	1	3	—	—	1	2	—	—	—	1
35—	8	13	—	1	45	53	2	2	—	—	—	2	—	—	2	—
40—	30	24	2	3	52	69	5	1	—	—	2	1	1	—	2	—
45—	73	66	9	4	59	91	5	3	—	—	1	3	3	—	1	—
50—	244	170	30	19	69	121	7	11	—	—	3	5	1	3	3	3
55—	542	431	58	36	69	100	11	4	1	—	4	2	4	—	2	2
60—	951	899	116	107	50	68	12	9	—	—	9	7	—	—	3	2
65—	1,872	1,902	280	212	49	60	14	11	—	—	11	7	2	3	1	1
70—	3,000	3,521	419	464	24	34	6	6	—	—	3	5	1	—	2	1
75—	3,605	5,114	630	795	24	24	14	4	—	—	5	1	4	—	5	3
80—	3,112	5,192	657	869	4	11	3	7	—	—	3	5	—	—	—	2
85 and over	2,004	4,330	501	869	3	6	2	4	—	1	2	2	—	—	—	1

*** 312** Phobic reaction —; **313** Obsessive-compulsive reaction 80; **314** Neurotic-depressive reaction 50, 60, 70, *50*; **315** Psychoneurosis with somatic symptoms (somatization reaction) affecting circulatory system 55, *60*; **316** Psychoneurosis with somatic symptoms (somatization reaction) affecting digestive system —; **317** Psychoneurosis with somatic symptoms (somatization reaction) affecting other systems 45, 55; **318** Psychoneurotic disorders, other, mixed, and unspecified types 65, 75, *65*, *70*, *70*, *75*; **320** Pathological personality 30, *35*, *65*; **321** Immature personality —; **322·0** Alcoholism, acute 30, 35, 40, 40, 50; **322·2** Alcoholism, unspecified 45, 55, 55, 60, 65, *25*, *70*; **323** Other drug addiction 35, 60, *45*; **324** Primary childhood behaviour disorders —; **326** Other and unspecified character, behaviour, and intelligence disorders —; **333** Spasm of cerebral arteries 80, *80*, *85*.

TABLE 17—*continued*

Causes of death	341 Phlebitis and thrombo-phlebitis of intra-cranial venous sinuses		342 Intra-cranial and intra-spinal abscess		343 Encephal-itis, myelitis and encephalo-myelitis (except acute infectious)		344 Late effects of intra-cranial abscess or pyogenic infection		345 Multiple sclerosis		350-357 Other diseases of central nervous system		350 Paralysis agitans		351 Cerebral spastic infantile paralysis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**10**	**7**	**41**	**39**	**68**	**56**	**47**	**37**	**326**	**539**	**1,761**	**1,941**	**686**	**867**	**65**	**47**
0—	5	2	5	4	12	8	12	2	—	—	21	15	—	—	11	4
1—	2	1	1	—	10	9	2	8	—	—	36	25	—	—	13	8
5—	1	—	1	2	4	1	4	1	—	—	20	18	—	—	10	5
10—	—	1	3	—	4	2	4	3	2	—	29	16	—	—	8	1
15—	—	—	2	2	2	—	—	1	—	—	36	22	—	—	5	2
20—	—	—	2	1	3	1	1	1	2	6	28	38	—	—	—	2
25—	—	—	3	1	1	3	3	—	6	12	31	22	—	—	1	1
30—	—	—	3	2	4	1	1	1	20	27	37	32	—	2	3	3
35—	—	—	2	4	3	1	2	1	36	45	48	29	—	1	1	2
40—	1	—	3	4	4	4	4	—	35	60	35	34	4	—	3	1
45—	—	—	3	3	4	6	—	3	47	76	75	59	4	4	1	1
50—	1	—	3	4	3	3	3	5	52	98	91	76	9	13	1	2
55—	—	—	5	2	4	5	3	1	46	88	131	130	35	32	2	4
60—	—	—	—	3	2	3	3	3	33	50	178	170	63	74	1	2
65—	—	—	2	4	6	3	3	4	24	38	243	222	119	124	2	1
70—	—	1	3	—	1	2	1	—	13	25	280	339	175	221	2	4
75—	—	1	—	2	—	2	1	3	9	12	245	333	161	205	—	2
80—	—	—	—	1	1	1	—	—	—	2	130	224	83	123	1	1
85 and over	—	1	—	—	—	1	—	—	1	—	67	137	33	68	—	1

Causes of death	352 Other cerebral paralysis		353 Epilepsy		353·2 Status epilepticus		353·0; 1; 3 Others included under 353		354* 355 Other diseases of brain		356 Motor neurone disease and muscular atrophy		356·0 Progressive muscular atrophy		356·1 Amyotrophic lateral sclerosis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**214**	**306**	**358**	**343**	**124**	**143**	**234**	**200**	**104**	**128**	**298**	**231**	**184**	**141**	**46**	**40**
0—	—	—	5	5	1	5	4	—	2	2	2	4	1	1	—	—
1—	—	—	18	13	9	9	9	4	4	4	1	—	1	—	—	—
5—	—	—	9	10	4	7	5	3	—	3	—	—	—	—	—	—
10—	—	—	17	12	9	4	8	8	4	3	—	—	—	—	—	—
15—	1	—	27	19	11	10	16	9	1	1	1	—	1	—	—	—
20—	—	—	24	33	5	15	19	18	2	3	2	—	1	—	—	—
25—	—	—	26	18	8	8	18	10	2	2	—	1	—	—	—	—
30—	—	—	29	24	13	9	16	15	1	2	2	1	2	—	—	—
35—	—	—	27	21	10	8	17	13	4	4	12	1	5	1	3	—
40—	—	2	22	21	11	13	11	8	2	6	4	3	2	1	—	1
45—	4	3	34	32	10	15	24	17	8	6	22	11	13	7	3	3
50—	5	4	29	23	7	5	22	18	11	8	28	25	14	13	7	6
55—	10	12	27	29	7	11	20	18	11	15	44	35	28	18	7	6
60—	13	10	24	28	11	10	13	18	15	12	58	43	38	25	5	7
65—	25	23	17	13	2	5	15	8	16	19	58	41	33	30	13	7
70—	50	39	11	17	4	4	7	13	6	13	35	41	26	31	3	4
75—	42	74	7	17	2	5	5	12	7	11	27	19	17	8	5	6
80—	35	82	3	4	—	—	3	4	6	10	1	3	1	3	—	—
85 and over	29	57	2	4	—	—	2	4	2	4	1	3	1	3	—	—

*** 354** Migraine —.

TABLE 17—*continued*

Causes of death	356·2; 3 Others included under 356		357 Other diseases of spinal cord		360-369 Diseases of nerves and peripheral ganglia		360-363* 364 Poly-neuritis and poly-radiculitis		365* 366 Other and unspecified forms of neuralgia and neuritis		367-369* 370-379 Inflammatory diseases of eye		370-379* 380-389 Other diseases and conditions of eye		380-384* 385 Cataract	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**68**	**50**	**36**	**19**	**49**	**20**	**37**	**11**	**5**	**5**	**1**	**6**	**14**	**40**	**6**	**15**
0—	1	3	1	—	1	1	—	—	—	—	—	1	—	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
5—	—	—	1	—	—	1	—	1	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
15—	—	—	1	—	1	—	1	—	—	—	—	—	—	—	—	—
20—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25—	—	1	2	—	2	1	2	—	—	—	—	—	—	—	—	—
30—	—	1	2	—	1	—	1	—	—	—	—	—	—	—	—	—
35—	4	—	4	—	—	—	—	—	—	—	—	—	—	1	—	—
40—	2	1	—	1	3	—	3	—	—	—	—	—	—	—	—	—
45—	6	1	2	2	2	2	2	1	—	1	—	—	—	—	—	—
50—	7	6	8	1	4	2	3	1	—	—	—	1	—	1	—	—
55—	9	11	2	3	4	1	4	—	—	1	—	—	—	1	—	1
60—	15	11	4	1	5	5	4	2	—	3	—	—	—	3	—	1
65—	12	4	6	1	10	3	9	3	—	—	—	1	—	4	—	2
70—	6	6	1	4	11	2	5	1	4	—	—	2	6	6	4	2
75—	5	5	1	5	3	2	1	2	1	—	—	—	4	12	1	7
80—	—	—	1	1	2	—	2	—	—	—	—	1	1	7	1	2
85 and over	—	—	—	—	—	—	—	—	—	—	—	—	2	5	—	—

Causes of death	386-389* 390-398 Diseases of ear and mastoid process		390* 391 Otitis media without mention of mastoiditis		392 Otitis media with mastoiditis		393 Mastoiditis without mention of otitis media		394-398* VII 400-468 Diseases of the circulatory system		400-402 Rheumatic fever		400* 401 Rheumatic fever with heart involvement		401·0 Active rheumatic pericarditis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**103**	**57**	**79**	**47**	**6**	**2**	**16**	**6**	**99,907**	**97,738**	**70**	**61**	**63**	**51**	**27**	**23**
0—	23	13	20	11	—	1	2	1	24	20	1	—	1	—	—	—
1—	9	4	8	2	—	—	1	1	12	8	3	1	3	1	1	—
5—	2	2	1	2	—	—	1	—	13	11	4	1	4	—	—	—
10—	2	1	1	1	—	—	1	—	22	7	9	5	9	4	—	—
15—	5	1	4	1	—	—	1	—	42	33	7	5	5	4	—	—
20—	3	2	2	2	1	—	—	—	83	67	4	2	4	2	2	—
25—	7	1	4	1	1	—	2	—	139	123	—	4	—	4	—	—
30—	2	3	2	3	—	—	—	—	318	218	1	6	1	5	—	1
35—	7	3	5	2	—	—	2	1	736	372	6	5	4	3	—	2
40—	3	—	2	—	—	—	1	—	1,317	611	1	2	1	1	—	—
45—	5	4	4	4	—	—	1	—	2,823	1,133	1	2	1	2	—	1
50—	6	2	4	2	1	—	1	—	5,279	1,908	2	4	2	2	—	—
55—	8	3	6	1	1	1	1	1	8,169	3,180	5	1	5	—	2	—
60—	7	6	6	6	1	—	—	—	9,936	5,604	5	6	5	6	4	5
65—	2	5	2	3	—	—	—	2	13,064	9,384	6	3	5	3	5	1
70—	6	1	4	1	1	—	1	—	16,361	14,900	6	3	5	3	5	2
75—	4	1	3	1	—	—	1	—	17,059	19,956	3	3	3	3	3	3
80—	1	1	—	1	—	—	—	—	14,558	20,309	6	4	5	4	5	4
85 and over	1	4	1	3	—	—	—	—	9,952	19,894	—	4	—	4	—	4

*** 360** Facial paralysis —; **361** Trigeminal neuralgia 50, 75, *50*, *70*; **362** Brachial neuritis —; **363** Sciatica 65, 70; **365** Erythroedema polyneuritica *0*; **367** Other diseases of cranial nerves *25*; **368** Other diseases of peripheral nerves except autonomic 60, 70; **369** Diseases of peripheral autonomic nervous system 0; **370** Conjunctivitis and ophthalmia —; **371** Blepharitis —; **372** Hordeolum (stye) —; **373** Iritis *80*; **374** Keratitis —; **375** Choroiditis —; **376** Other inflammation of uveal tract 10; **377** Inflammation of optic nerve and retina *50*, *70*, *70*; **378** Inflammation of lachrymal glands and ducts —; **379** Other inflammatory diseases of eye *0*, *65*; **380** Refractive errors —; **381** Corneal ulcer 75, *60*, *85*; **382** Corneal opacity —; **383** Pterygium —; **384** Strabismus 1; **386** Detachment of retina *65*, *70*, *75*; **387** Glaucoma 75, 75, 85, *60*, *65*, *70*, *70*, *70*, *75*, *75*, *75*, *75*, *80*, *80*, *80*, *80*, *85*; **388** Other diseases of eye 70, *35*, *50*, *80*, *85*; **389** Blindness 70, 85, *85*, *85*; **390** Otitis externa —; **394** Other inflammatory diseases of ear 0, 80; **395** Ménières disease *85*; **396** Other diseases of ear and mastoid process *1*; **397** Deaf mutism —; **398** Other deafness —; **400** Rheumatic fever without mention of heart involvement 15, 15, 65, *5*, *35*, *55*.

TABLE 17—*continued*

Causes of death	401·1 Active rheumatic endocarditis		401·2 Active rheumatic myocarditis		401·3 Active rheumatic fever with other and multiple types of heart involvement		402 Chorea		402·0 Without mention of heart involvement		402·1* 410·416 Chronic rheumatic heart disease		410 Diseases of mitral valve		411 Diseases of aortic valve specified as rheumatic	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**10**	**11**	**4**	—	**22**	**17**	**4**	**7**	**1**	**4**	**2,567**	**4,867**	**1,633**	**3,629**	**343**	**187**
0—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
1—	—	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	4	—	—	—	—	—	—	1	—	—	—	—
10—	1	—	2	—	6	4	—	1	—	1	6	—	3	—	3	—
15—	1	4	1	—	3	—	—	1	—	—	14	20	7	10	3	—
20—	2	1	—	—	—	1	—	—	—	—	28	35	20	24	—	—
25—	—	3	—	—	—	1	—	—	—	—	48	71	30	55	5	2
30—	1	—	—	—	—	4	—	1	—	1	76	121	55	99	10	—
35—	—	—	—	—	4	1	2	1	1	1	151	191	91	156	21	6
40—	1	—	—	—	—	1	—	1	—	1	141	274	92	200	13	6
45—	1	—	—	—	—	1	—	—	—	—	228	420	138	333	40	5
50—	—	1	—	—	2	1	—	2	—	—	308	552	203	416	52	17
55—	2	—	—	—	1	—	—	—	—	—	314	554	195	409	42	18
60—	1	1	—	—	—	—	—	—	—	—	307	574	191	414	54	32
65—	—	—	—	—	—	2	—	—	—	—	306	551	184	384	29	31
70—	—	1	—	—	—	—	1	—	—	—	278	542	176	412	39	22
75—	—	—	—	—	—	—	—	—	—	—	186	456	128	329	19	25
80—	—	—	—	—	—	—	1	—	—	—	139	339	95	257	11	15
85 and over	—	—	—	—	—	—	—	—	—	—	37	166	25	131	2	8

Causes of death	412 Diseases of tricuspid valve		413* 414 Other endocarditis specified as rheumatic		415 Other myocarditis specified as rheumatic		416 Other heart disease specified as rheumatic		420-422 Arterio-sclerotic and degenerative heart disease		420 Arterio-sclerotic heart disease, including coronary disease		420·0 Arterio-sclerotic heart disease so described		420·1 Heart disease specified as involving coronary arteries	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**7**	**6**	**182**	**282**	**67**	**112**	**335**	**651**	**75,237**	**65,770**	**52,085**	**31,956**	**454**	**541**	**51,389**	**31,223**
0—	—	—	—	—	—	—	—	—	3	2	1	—	—	—	1	—
1—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	1	4	2	1	—	—	—	1	—
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	1	—	1	4	—	—	2	6	7	—	1	—	—	—	1	—
20—	—	—	4	2	1	—	3	9	19	6	10	1	—	—	10	1
25—	—	1	6	8	—	2	7	3	43	11	27	—	—	—	27	—
30—	—	—	3	7	—	1	8	14	163	35	143	20	—	—	143	20
35—	—	—	13	14	3	3	23	12	443	72	409	46	—	—	409	46
40—	2	—	12	18	5	3	17	47	960	168	912	135	—	—	910	135
45—	—	—	20	21	4	8	26	53	2,171	416	2,056	346	1	1	2,046	345
50—	—	—	12	27	2	9	39	83	4,192	829	3,947	705	6	1	3,929	704
55—	—	—	19	29	9	10	49	88	6,531	1,784	6,016	1,461	14	8	5,983	1,444
60—	1	—	25	31	3	11	33	86	7,772	3,478	6,917	2,808	32	18	6,861	2,777
65—	2	2	24	36	13	13	54	85	9,989	6,237	8,293	4,617	43	41	8,204	4,548
70—	—	—	17	37	11	16	35	55	12,231	10,055	8,923	6,525	81	67	8,801	6,413
75—	—	—	15	25	6	18	18	59	12,728	13,878	7,652	6,969	101	135	7,512	6,795
80—	1	2	9	17	8	13	15	35	10,632	14,221	4,638	5,096	100	142	4,501	4,922
85 and over	—	1	2	6	2	5	6	15	7,348	14,576	2,139	3,227	76	128	2,050	3,073

*** 402·1** With heart involvement 35, 70, 80, *15*, *50*, *50*; **413** Diseases of pulmonary valve specified as rheumatic —.

TABLE 17—*continued*

Causes of death	420·2 Angina pectoris without mention of coronary disease		421 Chronic endocarditis not specified as rheumatic		421·0 of mitral valve, specified as non-rheumatic		421·1 of aortic valve, not specified as rheumatic		421·2; 3* 421·4 Other and ill-defined, not specified as rheumatic		422 Other myocardial degeneration		422·0 Fatty degeneration		422·1 With arterio-sclerosis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**242**	**192**	**1,675**	**1,519**	**110**	**195**	**1,257**	**879**	**301**	**443**	**21,477**	**32,295**	**78**	**122**	**9,830**	**14,162**
0—	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
5—	—	—	3	1	—	—	2	—	1	—	—	1	—	—	—	—
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	3	—	—	—	3	—	—	—	3	—	—	—	—	—
20—	—	—	4	4	—	1	3	—	—	3	5	1	—	—	—	—
25—	—	—	6	7	—	—	6	3	—	4	10	4	1	—	—	—
30—	—	—	12	4	1	—	8	2	3	2	8	11	—	3	1	—
35—	—	—	21	4	—	—	19	2	2	2	13	22	—	4	3	—
40—	2	—	21	15	—	—	19	9	1	6	27	18	2	2	8	2
45—	9	—	60	29	2	—	47	7	11	21	55	41	4	2	13	3
50—	12	—	109	31	3	2	80	18	26	11	136	93	6	11	43	17
55—	19	9	186	72	4	4	148	43	32	25	329	251	12	8	115	75
60—	24	13	229	134	5	7	189	84	35	43	626	536	10	17	276	205
65—	46	28	248	211	24	33	183	113	39	65	1,448	1,409	12	18	689	617
70—	41	45	296	278	23	38	211	175	61	65	3,012	3,252	14	20	1,516	1,534
75—	39	39	223	308	18	45	165	188	40	75	4,853	6,601	6	21	2,330	3,109
80—	37	32	168	252	20	34	116	154	32	64	5,826	8,873	5	9	2,657	3,946
85 and over	13	26	86	169	10	31	58	81	18	57	5,123	11,180	6	7	2,179	4,654

Causes of death	422·2 Other diseases included under 422		430-434 Other diseases of heart		430 Acute and subacute endocarditis		430·0 Acute and subacute bacterial endocarditis		430·1 Other acute endocarditis		431 Acute myocarditis not specified as rheumatic		432 Acute pericarditis specified as non-rheumatic		433 Functional disease of heart	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**11,569**	**18,011**	**5,845**	**7,150**	**187**	**135**	**185**	**129**	**2**	**6**	**53**	**67**	**6**	**13**	**2,164**	**3,422**
0—	2	2	15	14	2	1	2	—	—	1	4	7	1	—	5	1
1—	1	—	7	4	2	1	2	1	—	—	1	3	2	—	2	—
5—	—	1	4	2	1	—	1	—	—	—	2	—	—	—	—	—
10—	—	—	3	1	1	1	1	1	—	—	1	—	—	—	—	—
15—	3	—	7	7	—	4	—	4	—	—	3	—	—	—	—	—
20—	5	1	13	11	5	6	5	6	—	—	2	1	—	—	—	3
25—	9	4	16	4	6	2	6	2	—	—	2	—	—	—	3	—
30—	7	8	23	25	7	8	7	8	—	—	2	1	1	—	7	4
35—	10	18	40	26	16	8	16	8	—	—	4	—	—	1	3	4
40—	17	14	52	44	13	8	13	6	—	2	6	2	—	—	6	8
45—	38	36	92	65	17	10	17	10	—	—	4	6	1	—	9	20
50—	87	65	183	136	19	10	18	10	1	—	2	3	1	—	27	43
55—	202	168	355	201	29	11	28	10	1	1	3	2	—	2	85	80
60—	340	314	509	403	24	22	24	21	—	1	7	3	—	—	146	161
65—	747	774	752	708	19	10	19	10	—	—	3	6	—	3	254	309
70—	1,482	1,698	1,070	1,115	13	13	13	13	—	—	2	5	—	1	444	538
75—	2,517	3,471	1,099	1,498	8	7	8	7	—	—	5	15	—	3	463	789
80—	3,164	4,918	984	1,572	2	7	2	7	—	—	—	7	—	3	439	777
85 and over	2,938	6,519	621	1,314	3	6	3	5	—	1	—	6	—	—	271	685

* **421·2** Of tricuspid valve, specified as non-rheumatic *45*; **421·3** Of pulmonary valve, not specified as rheumatic *20, 40, 55, 55, 65, 65, 70, 5.*

TABLE 17—*continued*

Causes of death	434 Other and unspecified diseases of heart		434·0 Kypho-scoliotic heart disease		434·1 Congestive heart failure		434·2 Left ventricular failure		434·3; 4 Others included under 434		440-443 Hypertensive heart disease		440 Essential benign hypertensive heart disease		441 Essential malignant hypertensive heart disease	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**3,435**	**3,513**	**33**	**43**	**2,346**	**2,807**	**393**	**367**	**663**	**296**	**5,173**	**7,110**	**98**	**129**	**106**	**80**
0—	3	5	—	—	2	3	—	—	1	2	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	1	2	—	—	—	—	—	—	1	2	1	—	—	—	1	—
10—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
15—	4	3	—	1	—	—	1	—	3	2	2	—	—	—	1	—
20—	6	1	2	—	1	—	—	—	3	1	1	—	—	—	—	—
25—	5	2	—	—	—	1	1	—	4	1	2	1	—	—	2	1
30—	6	12	—	4	2	3	—	—	4	5	6	2	—	—	1	1
35—	17	13	2	2	4	6	3	1	8	4	17	2	—	—	8	2
40—	27	26	2	1	12	12	2	6	11	7	30	14	—	—	10	5
45—	61	29	4	2	24	15	8	2	25	10	75	53	1	—	15	12
50—	134	80	8	5	62	39	10	13	54	23	150	118	2	—	17	13
55—	238	106	4	8	125	62	28	11	81	25	318	248	7	4	19	11
60—	332	217	3	6	182	148	35	27	112	36	498	495	14	9	14	13
65—	476	380	2	4	276	306	68	32	130	38	800	834	16	13	12	6
70—	611	558	3	2	418	452	82	59	108	45	1,031	1,333	16	29	3	5
75—	623	684	2	4	479	573	69	65	73	42	1,042	1,622	18	27	3	9
80—	543	778	1	4	463	656	50	83	29	35	799	1,441	14	24	—	2
85 and over	347	617	—	—	296	531	36	68	15	18	401	947	10	23	—	—

Causes of death	442 Hypertensive heart disease with arteriolar nephro-sclerosis		443 Other and unspecified hypertensive heart disease		444-447 Other hypertensive disease		444 Essential benign hypertension		445 Essential malignant hypertension		446 Hypertension with arteriolar nephro-sclerosis		447 Other hypertensive disease without mention of heart		450-456 Diseases of arteries	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**116**	**129**	**4,853**	**6,772**	**3,524**	**3,839**	**2,421**	**3,037**	**701**	**400**	**398**	**399**	**4**	**3**	**6,411**	**7,173**
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	4
10—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	3	—
15—	—	—	1	—	1	—	—	—	1	—	—	—	—	—	1	1
20—	—	—	1	—	8	5	1	1	7	4	—	—	—	—	6	4
25—	—	—	—	—	16	9	—	2	16	7	—	—	—	—	10	9
30—	—	—	5	1	26	11	4	1	20	10	2	—	—	—	15	8
35—	—	—	9	—	52	27	11	6	40	20	1	1	—	—	14	25
40—	1	—	19	9	79	52	14	13	64	38	1	1	—	—	29	17
45—	1	2	58	39	160	84	45	19	107	62	8	3	—	—	54	38
50—	4	—	127	105	255	130	111	61	136	65	8	4	—	—	119	49
55—	7	5	285	228	323	171	163	109	144	55	15	7	1	—	212	116
60—	4	8	466	465	363	255	252	193	90	45	21	17	—	—	342	202
65—	10	12	762	803	422	423	339	349	42	38	41	35	—	1	631	371
70—	22	14	990	1,285	551	656	456	559	21	33	73	62	1	2	1,006	878
75—	20	24	1,001	1,562	526	750	447	655	4	14	74	81	1	—	1,325	1,450
80—	28	45	757	1,370	460	727	373	632	7	7	79	88	1	—	1,429	1,796
85 and over	19	19	372	905	281	538	205	437	1	1	75	100	—	—	1,213	2,204

TABLE 17—*continued*

Causes of death	450 General arterio-sclerosis		450·0 Without mention of gangrene		450·1 With mention of gangrene as a consequence		451 Aortic aneurysm, non-syphilitic and dissecting aneurysm		452 Other aneurysm, except of heart and aorta		453 Peripheral vascular disease		453·0 Raynaud's disease		453·1 Thrombo-angiitis obliterans	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**4,801**	**5,913**	**4,273**	**5,414**	**528**	**499**	**1,312**	**1,003**	**62**	**36**	**54**	**21**	**1**	**4**	**34**	**7**
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
20—	—	—	—	—	—	—	4	—	1	—	—	—	—	—	—	—
25—	—	—	—	—	—	—	4	1	2	—	1	—	—	—	1	—
30—	—	—	—	—	—	—	5	1	1	—	1	—	—	—	1	—
35—	1	2	1	2	—	—	1	8	1	1	3	—	—	—	3	—
40—	1	1	1	—	—	1	15	6	—	—	2	—	—	—	2	—
45—	10	5	10	5	—	—	26	16	4	3	1	1	—	—	—	1
50—	21	8	20	8	1	—	71	25	2	5	3	—	—	—	3	—
55—	64	31	55	29	9	2	107	57	5	7	8	2	—	—	7	2
60—	145	85	127	76	18	9	159	94	11	2	6	2	1	—	3	1
65—	340	227	295	210	45	17	246	117	8	1	12	3	—	1	9	—
70—	680	671	600	614	80	57	289	178	11	8	8	3	—	—	4	2
75—	1,086	1,185	977	1,087	109	98	219	236	6	3	4	3	—	1	—	—
80—	1,294	1,625	1,150	1,483	144	142	121	150	6	3	4	3	—	1	1	—
85 and over	1,159	2,073	1,037	1,900	122	173	45	114	3	2	1	4	—	1	—	1

Causes of death	453·2; 3 Others included under 453		454 Arterial embolism and thrombosis		455 Gangrene of unspecified cause		456 Other diseases of arteries		460-468 Diseases of veins and other diseases of circulatory system		460 Varicose veins of lower extremities		461 Haemorr-hoids		462 Varicose veins of other specified sites	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**19**	**10**	**35**	**43**	**19**	**13**	**128**	**144**	**1,080**	**1,768**	**48**	**172**	**18**	**14**	**26**	**16**
0—	—	—	2	—	—	—	—	1	3	3	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—	1	3	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	3	—	—	1	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	1	3	—	1	—	—	—	—	—
20—	—	—	—	—	—	—	1	4	4	4	1	—	—	—	—	—
25—	—	—	—	—	—	—	3	8	4	14	—	1	—	—	1	—
30—	—	—	—	—	1	—	7	7	8	10	—	1	—	—	—	1
35—	—	—	—	—	—	—	8	14	13	24	2	2	—	—	—	—
40—	—	—	1	1	—	—	10	9	25	40	3	3	2	—	1	—
45—	1	—	—	—	—	—	13	13	42	55	3	1	2	—	2	—
50—	—	—	2	2	—	1	20	8	70	90	4	9	2	2	2	1
55—	1	—	4	3	2	—	22	16	111	105	4	14	1	—	2	2
60—	2	1	5	2	1	1	15	16	140	191	8	21	1	1	2	3
65—	3	2	7	3	8	1	10	19	158	257	7	28	1	4	2	1
70—	4	1	5	6	2	1	11	11	188	318	8	32	3	1	3	1
75—	4	2	6	10	1	7	3	6	150	299	3	26	2	1	6	3
80—	3	2	2	10	1	1	1	4	109	209	3	20	3	2	5	3
85 and over	1	2	1	6	3	1	1	4	51	145	1	14	1	3	—	1

TABLE 17—*continued*

Causes of death	463 Phlebitis and thrombo-phlebitis of lower extremities		464 Phlebitis and thrombo-phlebitis of other sites		465 Pulmonary embolism and infarction		466 Other venous embolism and thrombosis		467 Other diseases of circulatory system		468 Certain diseases of lymph nodes and lymph channels		VIII 470-527 Diseases of the respiratory system		470-475 Acute upper respiratory infections	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**131**	**247**	**12**	**17**	**486**	**675**	**324**	**592**	**26**	**30**	**9**	**5**	**37,024**	**23,784**	**59**	**59**
0—	—	—	—	—	1	3	—	—	—	—	2	—	1,074	871	15	11
1—	—	—	—	—	—	—	1	—	—	1	—	2	311	230	9	9
5—	—	—	—	—	—	—	—	—	—	—	—	—	76	77	2	4
10—	—	—	—	—	—	1	—	—	—	—	—	—	51	49	1	—
15—	—	—	—	—	1	—	1	—	—	—	—	—	72	36	—	1
20—	—	1	—	—	1	2	1	1	—	—	1	—	77	60	1	1
25—	—	1	—	1	1	7	2	4	—	—	—	—	82	65	—	—
30—	—	1	—	—	4	3	4	4	—	—	—	—	109	108	1	—
35—	3	1	—	—	—	11	7	10	1	—	—	—	199	144	1	—
40—	2	7	—	1	10	17	6	11	1	1	—	—	383	194	—	—
45—	8	7	—	—	16	25	10	19	1	3	—	—	784	352	1	1
50—	11	13	1	—	27	40	21	23	2	2	—	—	1,706	576	1	1
55—	22	17	2	—	47	41	28	28	4	3	1	—	3,177	904	7	3
60—	17	37	3	1	64	71	42	56	3	1	—	—	4,360	1,485	4	1
65—	20	45	3	2	72	90	45	84	6	3	2	—	5,422	2,169	3	4
70—	20	42	—	7	90	134	58	99	5	2	1	—	6,174	3,209	4	1
75—	12	38	2	2	77	108	46	114	2	7	—	—	5,723	4,312	5	7
80—	11	23	—	3	53	74	31	80	1	3	2	1	4,304	4,385	2	5
85 and over	5	14	1	—	22	48	21	59	—	4	—	2	2,940	4,558	2	10

Causes of death	470 Acute naso-pharyngitis (common cold)		471* 472 Acute pharyngitis		473 Acute tonsillitis		474 Acute laryngitis and tracheitis		475 Acute upper respiratory infection of multiple or unspecified sites		480-483 Influenza		480 Influenza with pneumonia		481 Influenza with other respiratory manifest'ns and influenza unqualified	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**2**	**8**	**12**	**4**	**14**	**12**	**19**	**27**	**10**	**8**	**1,216**	**1,185**	**767**	**706**	**433**	**463**
0—	—	1	1	—	2	—	7	8	5	2	15	18	12	12	3	5
1—	—	—	2	—	3	—	3	8	1	1	14	9	10	6	4	2
5—	—	—	1	1	1	1	—	2	—	—	5	3	3	3	1	—
10—	—	—	—	—	1	—	—	—	—	—	5	7	4	6	1	—
15—	—	—	—	—	—	1	—	—	—	—	7	2	6	1	1	1
20—	—	—	1	—	—	1	—	—	—	—	11	15	8	11	1	4
25—	—	—	—	—	—	—	—	—	—	—	15	15	13	12	—	3
30—	—	—	—	—	—	—	—	—	—	—	15	14	12	10	3	2
35—	—	—	—	—	1	—	—	—	—	—	27	14	23	12	4	1
40—	—	—	—	—	—	—	—	—	—	—	30	19	21	12	8	6
45—	—	1	1	—	—	—	—	—	—	—	45	27	35	18	10	9
50—	—	—	—	—	—	—	1	1	—	—	75	42	55	27	20	14
55—	—	—	3	1	1	1	2	—	1	1	115	44	73	30	39	13
60—	1	—	—	—	2	—	1	1	—	—	158	97	102	67	55	27
65—	1	1	—	—	2	2	—	1	—	—	156	125	97	70	57	54
70—	—	—	1	—	—	—	2	—	1	1	171	164	101	88	69	76
75—	—	—	1	—	—	3	3	3	1	1	154	191	90	119	63	72
80—	—	1	1	—	—	2	—	1	—	1	107	181	51	103	55	77
85 and over	—	4	—	2	1	1	—	2	1	1	91	198	51	99	39	97

* **471** Acute sinusitis 30, 80.

Causes of death	482 Influenza with digestive manifest'ns, but without respiratory symptoms		483 Influenza with nervous manifest'ns, but without digestive or respiratory symptoms		490-493 Pneumonia		490 Lobar pneumonia		491 Broncho-pneumonia		492 Primary atypical pneumonia		493 Pneumonia, other and unspecified		500-502 Bronchitis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**8**	**9**	**8**	**7**	**11,799**	**11,939**	**1,746**	**1,351**	**9,321**	**9,991**	**98**	**94**	**634**	**503**	**20,326**	**9,070**
0—	—	1	—	—	791	670	40	35	680	582	27	23	44	30	204	144
1—	—	—	—	1	212	162	14	9	179	138	6	10	13	5	55	42
5—	—	—	1	—	39	43	2	2	31	39	—	—	6	2	11	11
10—	—	—	—	1	22	29	4	7	15	21	1	1	2	—	15	7
15—	—	—	—	—	42	17	6	2	25	14	4	1	7	—	11	4
20—	—	—	2	—	35	23	11	5	18	18	2	—	4	—	15	14
25—	—	—	2	—	39	25	14	10	22	14	2	—	1	1	10	13
30—	—	—	—	2	46	51	10	11	32	32	1	2	3	6	21	20
35—	—	—	—	1	71	58	22	15	41	38	3	3	5	2	62	38
40—	—	—	1	1	126	79	37	24	77	51	4	2	8	2	153	60
45—	—	—	—	—	230	133	69	30	133	94	4	6	24	3	385	127
50—	—	1	—	—	376	240	105	41	237	180	9	5	25	14	987	210
55—	1	1	2	—	638	341	172	58	418	254	5	6	43	23	1,935	412
60—	1	3	—	—	864	568	198	102	613	431	8	6	45	29	2,803	674
65—	2	—	—	1	1,206	921	242	140	879	721	9	4	76	56	3,448	973
70—	1	—	—	—	1,684	1,482	236	210	1,357	1,201	3	5	88	66	3,785	1,396
75—	1	—	—	—	2,013	2,167	257	225	1,646	1,837	6	8	104	97	3,130	1,740
80—	1	1	—	—	1,891	2,311	197	231	1,618	1,994	2	6	74	80	2,086	1,686
85 and over	1	2	—	—	1,474	2,619	110	194	1,300	2,332	2	6	62	87	1,210	1,499

Causes of death	500 Acute bronchitis		501 Bronchitis, unqualified		502 Chronic bronchitis		502·0 Bronchitis with emphysema		502·1 Other		510-527 Other diseases of respiratory system		510 Hypertrophy of tonsils and adenoids		511 Peri-tonsillar abscess (quinsy)	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**1,494**	**1,599**	**969**	**1,003**	**17,863**	**6,468**	**9,316**	**1,815**	**8,547**	**4,653**	**3,624**	**1,531**	**17**	**18**	**5**	**8**
0—	173	114	28	26	3	4	—	—	3	4	49	28	—	—	—	—
1—	38	31	16	6	1	5	—	—	1	5	21	8	2	3	—	—
5—	5	3	—	7	6	1	1	—	5	1	19	16	12	12	—	—
10—	10	2	3	1	2	4	—	—	2	4	8	6	—	1	—	1
15—	5	—	4	1	2	3	—	1	2	2	12	12	—	—	1	—
20—	6	7	4	4	5	3	3	2	2	1	15	7	—	—	—	—
25—	3	6	1	—	6	7	3	3	3	4	18	12	2	—	—	—
30—	2	12	2	3	17	5	10	3	7	2	26	23	—	—	—	—
35—	9	7	8	7	45	24	32	13	13	11	38	34	—	1	—	—
40—	12	2	9	8	132	50	80	22	52	28	74	36	1	—	—	—
45—	29	16	10	12	346	99	218	40	128	59	123	64	—	—	—	—
50—	50	25	29	22	908	163	599	58	309	105	267	83	—	—	—	—
55—	67	43	52	32	1,816	337	1,136	146	680	191	482	104	—	—	1	1
60—	103	63	89	54	2,611	557	1,585	212	1,026	345	531	145	—	—	2	1
65—	154	119	112	72	3,182	782	1,830	256	1,352	526	609	146	—	—	—	—
70—	204	188	163	152	3,418	1,056	1,737	317	1,681	739	530	166	—	—	1	1
75—	205	280	170	185	2,755	1,275	1,198	337	1,557	938	421	207	—	—	—	2
80—	221	293	141	186	1,724	1,207	630	249	1,094	958	218	202	—	—	—	2
85 and over	198	388	128	225	884	886	254	156	630	730	163	232	—	1	—	—

Causes of death	512* 513 Chronic sinusitis		514, 515, 516* 517 Other diseases of upper respiratory tract		518 Empyema		519 Pleurisy		520 Spontaneous pneumo-thorax		521 Abscess of lung		522 Pulmonary congestion and hypostasis		523 Pneumo-coniosis due to silica and silicates (occupa-tional)	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**27**	**20**	**20**	**9**	**83**	**52**	**23**	**25**	**7**	**2**	**46**	**16**	**198**	**354**	**713**	**10**
0—	—	—	2	1	7	7	1	—	1	—	1	—	3	1	—	—
1—	—	—	4	2	1	—	—	1	—	—	1	—	1	—	—	—
5—	2	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	2	2	—	—	—	—	—	—	—	—	1	—	—	—	—	—
15—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
20—	3	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—
25—	5	1	—	—	—	—	1	—	1	—	—	—	—	—	—	—
30—	2	—	1	1	—	3	—	—	—	—	1	—	—	—	1	—
35—	1	—	—	1	1	1	2	—	—	—	2	1	—	—	1	—
40—	—	2	—	—	2	1	—	—	—	—	2	1	—	—	7	1
45—	1	2	—	—	3	3	—	—	—	1	4	—	—	1	23	1
50—	2	—	2	—	5	6	2	1	1	—	4	1	—	1	54	2
55—	—	—	2	—	13	3	2	—	2	—	7	3	2	1	114	2
60—	2	1	1	1	11	5	4	4	1	—	4	5	2	1	117	1
65—	1	2	3	—	9	7	5	3	—	1	3	—	4	2	154	1
70—	3	1	1	1	9	6	1	2	1	—	12	2	14	16	134	2
75—	2	1	2	—	16	5	3	3	—	—	3	1	35	40	74	—
80—	—	—	—	2	2	4	2	9	—	—	1	1	46	101	28	—
85 and over	—	4	—	—	3	1	—	2	—	—	—	1	91	190	6	—

Causes of death	524 Other specified pneumo-coniosis and pulmonary fibrosis of occupational origin		525 Other chronic interstitial pneumonia		526 Bronchi-ectasis		527 Other diseases of lung and pleural cavity		527·0 Pulmonary collapse (1 year and over)		527·1 Emphysema without mention of bronchitis		527·2 Other		IX 530-587 Diseases of the digestive system	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**28**	**2**	**190**	**106**	**1,199**	**615**	**1,064**	**290**	**4**	**10**	**997**	**216**	**63**	**64**	**8,215**	**6,948**
0—	—	—	7	3	2	—	25	15	—	—	11	7	14	8	358	235
1—	—	—	2	—	2	1	7	1	—	—	2	—	5	1	107	70
5—	—	—	1	1	3	1	—	—	—	—	—	—	—	—	45	26
10—	—	—	—	—	3	2	2	—	—	—	1	—	1	—	33	23
15—	—	—	1	—	6	9	2	2	—	—	2	—	—	2	30	30
20—	—	—	—	1	9	5	2	—	—	—	1	—	1	—	28	43
25—	—	—	2	2	5	8	2	1	—	—	2	1	—	—	52	41
30—	—	—	3	1	17	14	1	4	—	—	—	3	1	1	67	48
35—	—	—	1	—	21	24	9	6	—	—	7	2	2	4	118	89
40—	—	—	3	3	47	22	12	6	—	—	11	5	1	1	178	109
45—	1	—	8	4	52	42	30	10	—	—	28	8	2	2	354	181
50—	3	—	17	6	103	52	74	14	—	1	73	9	1	4	533	282
55—	5	—	28	9	148	58	158	27	—	1	147	20	11	6	754	439
60—	4	—	26	12	188	87	169	26	1	—	162	21	6	5	889	560
65—	9	2	32	17	194	70	195	41	—	—	191	36	4	5	1,123	816
70—	4	—	32	15	160	69	157	50	2	—	148	40	7	10	1,183	1,074
75—	2	—	18	20	139	90	127	45	1	4	122	32	4	9	1,118	1,180
80—	—	—	5	12	68	44	65	27	—	2	63	23	2	2	814	998
85 and over	—	—	4	—	32	17	27	15	—	2	26	9	1	4	431	704

*** 512** Chronic pharyngitis and nasopharyngitis 1, *70*, *85*; **514** Deflected nasal septum 45; **515** Nasal polyp 70, 80; **516** Chronic laryngitis *0*, *60*.

TABLE 17—*continued*

Causes of death	530-539 Diseases of buccal cavity and oesophagus		530, 531* 532 Other inflammatory diseases of supporting structures of teeth		533 Disorders of occlusion, eruption and tooth development		534, 535, 536* 537 Diseases of salivary glands		538* 539 Diseases of oesophagus		540-545 Diseases of stomach and duodenum		540 Ulcer of stomach		540·0 Without mention of perforation	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**110**	**146**	**—**	**1**	**1**	**1**	**22**	**64**	**70**	**70**	**3,552**	**1,570**	**1,608**	**944**	**1,189**	**770**
0—	4	5	—	—	—	—	—	1	4	4	8	7	3	2	1	—
1—	2	1	—	—	—	—	1	—	1	—	—	—	—	—	—	—
5—	3	—	—	—	1	—	—	—	2	—	2	1	1	1	—	1
10—	—	1	—	—	—	—	—	—	—	—	2	1	1	—	1	—
15—	1	—	—	—	—	—	—	—	1	—	1	3	1	1	—	1
20—	1	4	—	1	—	—	—	—	—	—	8	1	2	1	—	1
25—	1	4	—	—	—	—	—	1	1	1	16	10	5	6	2	2
30—	2	1	—	—	—	—	—	—	1	1	20	9	5	4	5	4
35—	4	1	—	—	—	1	—	—	3	—	45	13	10	5	9	3
40—	4	—	—	—	—	—	—	—	2	—	62	27	25	11	18	8
45—	8	2	—	—	—	—	1	—	5	2	148	38	55	20	36	15
50—	5	4	—	—	—	—	—	1	3	3	249	53	112	25	79	15
55—	7	3	—	—	—	—	—	1	6	2	345	88	146	45	102	32
60—	6	7	—	—	—	—	1	—	2	7	420	107	206	56	151	47
65—	12	7	—	—	—	—	1	1	10	6	520	203	235	115	168	92
70—	7	22	—	—	—	—	—	7	6	13	602	244	285	156	212	126
75—	19	27	—	—	—	—	8	10	10	17	550	292	239	182	189	154
80—	11	28	—	—	—	—	4	21	7	6	384	270	186	170	142	140
85 and over	13	29	—	—	—	—	6	21	6	8	170	203	91	144	74	129

Causes of death	540·1 With perforation		541 Ulcer of duodenum		541·0 Without mention of perforation		541·1 With perforation		542 Gastro-jejunal ulcer		542·0 Without mention of perforation		542·1 With perforation		543 Gastritis and duodenitis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**419**	**174**	**1,817**	**529**	**1,133**	**315**	**684**	**214**	**41**	**10**	**27**	**7**	**14**	**3**	**34**	**54**
0—	2	2	3	1	1	1	2	—	—	—	—	—	—	—	1	2
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
15—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20—	2	—	5	—	4	—	1	—	—	—	—	—	—	—	—	—
25—	3	4	11	4	8	2	3	2	—	—	—	—	—	—	—	—
30—	—	—	15	5	11	—	4	5	—	—	—	—	—	—	—	—
35—	1	2	33	6	21	4	12	2	1	2	—	2	1	—	1	—
40—	7	3	33	14	20	6	13	8	2	1	2	1	—	—	1	—
45—	19	5	90	17	59	12	31	5	1	—	1	—	—	—	—	1
50—	33	10	127	27	79	13	48	14	3	—	3	—	—	—	2	—
55—	44	13	187	40	113	23	74	17	5	1	2	1	3	—	1	—
60—	55	9	196	44	115	25	81	19	9	1	6	—	3	1	2	1
65—	67	23	266	79	162	43	104	36	8	2	5	1	3	1	6	1
70—	73	30	297	76	192	50	105	26	4	—	2	—	2	—	5	8
75—	50	28	294	91	186	59	108	32	7	3	5	2	2	1	5	13
80—	44	30	186	80	115	49	71	31	—	—	—	—	—	—	6	15
85 and over	17	15	73	45	46	28	27	17	1	—	1	—	—	—	4	13

* **530** Dental caries 40; **531** Abscesses of supporting structures of teeth 30, 40, 45, *1, 20, 70*; **534** Toothache from unspecified cause —; **535** Other diseases of teeth and supporting structures 50, 50, 55, *10, 20, 20, 25, 25, 70*; **536** Stomatitis 65, 85; **538** Other diseases of buccal cavity 20, 35, 45, 60, 60, 60, 70, 75, *80*.

TABLE 17—*continued*

Causes of death	544 Disorders of function of stomach		545 Other diseases of stomach and duodenum		550-553 Appendicitis		550 Acute appendicitis		550·0 Without mention of peritonitis		550·1 With peritonitis		551 Appendicitis unqualified		552, 553* 560, 561 Hernia of abdominal cavity	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**9**	**13**	**43**	**20**	**462**	**328**	**395**	**272**	**58**	**37**	**337**	**235**	**62**	**50**	**707**	**742**
0—	1	2	—	—	2	4	2	4	—	—	2	4	—	—	79	40
1—	—	—	—	—	23	8	21	8	1	1	20	7	2	—	5	4
5—	—	—	1	—	12	9	11	6	1	—	10	6	1	3	—	1
10—	—	—	—	1	14	9	13	9	2	—	11	9	1	—	—	—
15—	—	2	—	—	12	8	10	7	—	2	10	5	2	1	—	—
20—	1	—	—	—	5	4	3	4	1	—	2	4	2	—	—	—
25—	—	—	—	—	13	7	12	5	1	1	11	4	1	1	2	—
30—	—	—	—	—	10	8	10	7	2	2	8	5	—	1	3	2
35—	—	—	—	—	8	6	7	4	1	—	6	4	1	2	8	4
40—	1	1	—	—	16	3	10	3	3	—	7	3	6	—	4	8
45—	—	—	2	—	24	16	20	14	3	4	17	10	4	2	17	11
50—	2	—	3	1	24	14	21	13	5	1	16	12	3	1	29	23
55—	—	—	6	2	35	21	32	15	5	4	27	11	2	5	39	38
60—	1	1	6	4	59	26	50	23	8	4	42	19	9	3	48	48
65—	—	3	5	3	53	35	41	28	8	5	33	23	10	6	85	82
70—	2	—	9	4	58	38	54	32	8	2	46	30	4	4	113	140
75—	—	1	5	2	49	48	38	38	3	9	35	29	10	9	112	137
80—	1	2	5	3	25	46	21	37	2	1	19	36	3	9	104	138
85 and over	—	1	1	—	20	18	19	15	4	1	15	14	1	3	59	66

Causes of death	560 Hernia of abdominal cavity without mention of obstruction		560·0 Inguinal		560·1 Femoral		560·2 Umbilical		560·3 Ventral (incisional)		560·4; 5 Others included under 560		561 Hernia of abdominal cavity with obstruction		561·0 Inguinal	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**195**	**179**	**66**	**6**	**5**	**8**	**26**	**26**	**5**	**19**	**93**	**120**	**512**	**563**	**305**	**66**
0—	61	38	—	—	—	—	21	12	—	—	40	26	18	2	11	—
1—	4	3	2	—	—	—	—	1	—	—	2	2	1	1	1	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—
30—	1	—	1	—	—	—	—	—	—	—	—	—	2	2	—	—
35—	4	1	3	—	—	—	—	—	—	—	1	1	4	3	3	—
40—	—	3	—	—	—	—	—	1	—	1	—	1	4	5	—	2
45—	4	3	2	—	—	1	—	—	—	1	2	1	13	8	5	1
50—	14	9	5	1	—	1	—	1	1	2	8	4	15	14	5	2
55—	20	10	11	—	—	—	1	1	3	1	5	8	19	28	10	1
60—	15	10	5	—	1	2	2	2	—	1	7	5	33	38	16	2
65—	15	21	8	1	—	—	1	1	1	5	5	14	70	61	40	3
70—	20	24	11	—	1	1	1	2	—	2	7	19	93	116	64	14
75—	17	24	9	—	2	2	—	1	—	4	6	17	95	113	58	14
80—	16	27	8	4	1	1	—	3	—	2	7	17	88	111	57	15
85 and over	4	6	1	—	—	—	—	1	—	—	3	5	55	60	35	12

* **552** Other appendicitis 55, *25, 55, 65, 70, 70, 75*; **553** Other diseases of appendix 65, 65, 75, 80.

TABLE 17—*continued*

Causes of death	561·1 Femoral		561·2 Umbilical		561·3 Ventral (incisional)		561·4; 5 Others included under 561		570-578 Other diseases of intestines and peritoneum		570 Intestinal obstruction without mention of hernia		570·0 Intus-susception		570·1 Paralytic ileus	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	81	271	41	75	25	77	60	74	1,863	2,215	693	722	39	27	14	11
0—	—	—	4	1	—	—	3	1	203	123	48	28	26	16	—	—
1—	—	—	—	—	—	—	—	1	53	41	10	9	5	5	—	—
5—	—	—	—	—	—	—	—	1	12	5	4	2	2	2	—	—
10—	—	—	—	—	—	—	—	—	15	4	4	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	13	15	3	1	—	—	—	—
20—	—	—	—	—	—	—	—	—	13	23	4	3	—	—	—	—
25—	—	—	—	—	—	—	2	—	12	12	5	2	—	—	—	—
30—	—	—	—	—	2	—	—	2	17	17	6	3	—	—	—	—
35—	—	—	1	—	—	1	—	2	24	44	10	7	1	—	—	—
40—	1	1	1	1	2	1	—	—	45	41	15	11	—	1	—	1
45—	2	5	—	—	—	1	6	1	70	50	25	16	—	1	1	2
50—	3	2	—	2	3	4	4	4	103	76	36	17	—	—	—	—
55—	4	9	1	7	—	7	4	4	163	114	58	38	1	—	3	1
60—	7	16	3	7	5	6	2	7	174	157	70	55	1	—	—	—
65—	13	24	4	14	—	13	13	7	235	218	102	65	1	—	2	1
70—	13	66	4	9	5	17	7	10	208	350	81	107	—	—	3	1
75—	17	58	11	17	4	14	5	10	232	372	104	135	2	1	3	1
80—	14	60	8	11	3	7	6	18	174	308	69	133	—	1	2	2
85 and over	7	30	4	6	1	6	8	6	97	245	39	90	—	—	—	2

Causes of death	570·2 Mesenteric infarction		570·3 Volvulus		570·4 Impaction of intestine		570·5 Others included under 570		571 Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over		572 Chronic enteritis and ulcerative colitis		572·0 Regional enteritis		572·1 Divertic-ulitis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	205	243	178	156	22	49	235	236	380	344	582	947	26	46	379	617
0—	2	1	16	10	1	—	3	1	145	91	3	—	—	—	—	—
1—	—	—	4	3	—	1	1	—	42	29	—	1	—	—	—	—
5—	—	—	2	—	—	—	—	—	6	3	—	—	—	—	—	—
10—	—	—	2	—	—	—	2	—	3	1	3	3	1	—	—	—
15—	—	1	2	—	—	—	1	—	1	2	8	10	2	2	—	—
20—	—	—	—	2	—	—	4	1	1	3	7	17	—	—	—	—
25—	3	—	—	—	—	—	2	2	—	—	6	10	2	2	—	—
30—	1	1	3	2	—	—	2	—	2	—	7	14	1	4	—	2
35—	2	5	3	1	—	—	4	1	4	5	6	25	2	5	—	5
40—	4	2	6	3	—	—	5	4	5	3	20	24	2	4	6	4
45—	8	4	8	6	—	—	8	3	9	3	24	27	2	6	8	6
50—	13	6	12	2	—	2	11	7	12	5	44	45	3	4	21	17
55—	22	16	12	9	3	2	17	10	21	7	64	61	4	2	38	35
60—	27	25	19	9	—	1	23	20	11	8	63	72	1	5	42	44
65—	32	27	18	10	4	8	45	19	21	18	83	110	1	5	65	74
70—	29	40	16	24	2	5	31	37	23	38	77	172	2	5	64	131
75—	30	41	29	31	5	7	35	54	25	37	78	163	1	1	53	129
80—	21	49	14	24	4	15	28	42	29	36	62	119	—	1	59	101
85 and over	11	25	12	20	3	8	13	35	20	55	27	74	2	—	23	69

TABLE 17—*continued*

Causes of death	572·2 Ulcerative colitis		572·3 Other		573 Functional disorders of intestines		574* 575 Abscess of anal and rectal regions		576 Peritonitis		577 Peritoneal adhesion		578 Other diseases of intestines and peritoneum		580-587 Diseases of liver, gallbladder and pancreas	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	173	270	4	14	11	18	15	4	55	46	5	13	122	119	1,521	1,947
0—	1	—	2	—	—	—	—	—	2	2	—	—	5	2	62	56
1—	—	1	—	—	—	—	—	—	1	2	—	—	—	—	24	16
5—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	16	10
10—	2	3	—	—	—	—	—	—	2	—	—	—	3	—	2	8
15—	6	8	—	—	—	—	—	—	—	—	—	—	1	2	3	4
20—	7	17	—	—	—	—	—	—	—	—	—	—	1	—	1	11
25—	4	8	—	—	—	—	—	—	—	—	—	—	1	—	8	8
30—	6	8	—	—	—	—	—	—	1	—	—	—	1	—	15	11
35—	4	15	—	—	—	1	—	—	1	2	—	—	3	4	29	21
40—	12	16	—	—	—	—	—	—	2	1	—	—	3	2	47	30
45—	14	15	—	—	—	—	1	—	8	1	—	—	3	3	87	64
50—	20	21	—	3	—	—	—	—	2	4	—	—	9	5	123	112
55—	22	24	—	—	1	—	3	—	4	1	—	2	12	5	165	175
60—	19	23	1	—	2	—	2	1	10	7	—	2	16	12	182	215
65—	17	30	—	1	2	1	2	—	8	7	2	3	15	14	218	271
70—	11	35	—	1	—	2	1	—	5	11	3	2	18	18	195	280
75—	23	30	1	3	2	2	5	2	5	3	—	4	13	24	156	304
80—	3	13	—	4	2	6	1	—	1	2	—	—	10	12	116	208
85 and over	2	3	—	2	2	6	—	1	2	3	—	—	7	16	72	143

Causes of death	580 Acute and subacute yellow atrophy of liver		581 Cirrhosis of liver		582 Suppurative hepatitis and liver abscess		583 Other diseases of liver		584 Cholelithiasis		585 Cholecystitis and cholangitis, without mention of calculi		586 Other diseases of gallbladder and biliary ducts		587 Diseases of pancreas	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	31	62	644	532	13	9	45	41	276	526	187	382	31	59	294	336
0—	1	1	3	2	—	—	3	3	—	—	1	—	—	1	54	49
1—	—	—	3	2	—	—	—	—	—	—	—	—	—	—	21	14
5—	2	—	5	3	—	—	—	—	—	—	—	—	—	—	9	7
10—	—	1	1	3	—	—	1	1	—	—	—	—	—	—	—	3
15—	—	2	2	1	—	—	—	—	—	—	—	—	—	—	1	1
20—	1	4	—	5	—	—	—	—	—	1	—	—	—	—	—	1
25—	—	1	2	1	—	—	—	1	—	—	1	1	—	1	5	3
30—	—	2	11	2	1	—	2	—	—	4	—	1	—	1	1	1
35—	2	4	20	6	2	—	—	1	1	3	1	1	—	—	3	6
40—	3	1	30	14	—	1	2	1	1	7	—	2	1	1	10	3
45—	2	2	56	34	—	—	2	2	3	10	3	5	—	1	21	10
50—	1	11	82	58	—	—	3	2	9	19	10	7	1	5	17	10
55—	4	10	99	65	1	—	6	3	17	46	13	22	3	7	22	22
60—	1	6	95	92	2	—	6	5	31	57	22	21	1	6	24	28
65—	3	7	83	85	2	3	7	8	41	70	35	48	4	5	43	45
70—	5	2	64	74	3	4	4	3	58	83	26	67	5	4	30	43
75—	2	6	45	48	—	—	4	6	45	109	34	71	8	13	18	51
80—	3	2	27	22	2	1	3	3	42	75	23	69	6	9	10	27
85 and over	1	—	16	15	—	—	2	2	28	42	18	67	2	5	5	12

* **574** Anal fissure and fistula *75, 75.*

TABLE 17—*continued*

Causes of death	587·0 Acute pancreatitis		587·1 Chronic pancreatitis		587·2 Other diseases of pancreas		X 590-637 Diseases of the genito-urinary system		590-594 Nephritis and nephrosis		590 Acute nephritis		591 Nephritis with oedema including nephrosis		592 Chronic nephritis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**176**	**220**	**26**	**33**	**92**	**83**	**7,106**	**3,677**	**2,158**	**1,920**	**89**	**65**	**188**	**127**	**1,663**	**1,572**
0—	—	—	—	—	54	49	28	11	13	4	8	1	2	—	1	2
1—	1	—	—	—	20	14	11	10	6	5	1	3	4	1	—	1
5—	1	—	—	—	8	7	16	18	13	15	2	2	8	5	3	7
10—	—	—	—	—	—	3	28	14	20	10	5	3	6	1	7	5
15—	—	1	—	—	1	—	36	38	34	34	4	4	8	2	21	27
20—	—	1	—	—	—	—	50	41	42	34	7	—	2	7	33	26
25—	4	3	—	—	1	—	77	42	66	26	3	3	12	3	50	19
30—	1	1	—	—	—	—	70	76	56	56	3	2	6	10	45	42
35	3	5	—	—	—	1	109	99	95	63	10	4	8	3	76	51
40—	9	3	1	—	—	—	114	109	94	70	4	6	8	5	74	55
45—	16	8	3	1	2	1	187	150	149	78	4	—	9	6	122	66
50—	14	9	3	1	—	—	239	200	167	108	5	6	18	9	129	89
55—	14	21	7	1	1	—	329	234	204	119	7	4	24	10	155	96
60—	23	24	1	4	—	—	506	337	229	156	4	6	26	8	173	132
65—	32	38	7	6	4	1	731	420	228	224	9	9	18	10	170	186
70—	26	38	3	5	1	—	1,056	535	221	275	5	3	9	22	188	225
75—	18	38	—	11	—	2	1,328	609	233	316	3	6	11	8	181	274
80—	9	22	1	2	—	3	1,284	417	182	190	1	2	7	12	147	152
85 and over	5	8	—	2	—	2	907	317	106	137	4	1	2	5	88	117

Causes of death	593 Nephritis not specified as acute or chronic		594 Other renal sclerosis		600-609 Other diseases of urinary system		600 Infections of kidney		600·0 Pyelitis, pyelocystitis and pyelo-nephritis		600·1 Abscess of kidney and perirenal tissue		600·2 Other		601 Hydro-nephrosis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**204**	**148**	**14**	**8**	**1,274**	**1,542**	**722**	**1,013**	**704**	**981**	**15**	**27**	**3**	**5**	**75**	**61**
0—	2	1	—	—	14	7	11	4	9	4	1	—	1	—	1	1
1—	—	—	1	—	5	4	1	2	1	2	—	—	—	—	2	—
5—	—	1	—	—	3	3	1	2	1	2	—	—	—	—	2	—
10—	—	1	2	—	8	4	2	2	2	2	—	—	—	—	2	1
15—	—	1	1	—	2	4	1	2	1	2	—	—	—	—	—	—
20—	—	1	—	—	8	5	4	5	4	5	—	—	—	—	3	—
25—	1	1	—	—	11	14	10	9	10	9	—	—	—	—	1	—
30—	2	2	—	—	14	15	8	13	8	13	—	—	—	—	1	—
35—	1	5	—	—	14	28	11	23	11	23	—	—	—	—	1	—
40—	8	3	—	1	20	34	10	23	10	23	—	—	—	—	1	2
45—	13	6	1	—	35	56	16	36	15	32	1	3	—	1	3	5
50—	15	4	—	—	56	71	34	51	33	49	—	2	1	—	5	4
55—	17	9	1	—	70	88	39	54	35	52	4	2	—	—	4	6
60—	23	10	3	—	130	154	76	112	73	106	3	6	—	—	7	4
65—	30	19	1	—	156	173	99	115	95	112	3	3	1	—	5	6
70—	19	22	—	3	206	228	112	150	110	146	2	4	—	—	15	7
75—	35	26	3	2	208	270	120	177	119	171	1	4	—	2	9	10
80—	26	23	1	1	193	215	98	131	98	129	—	1	—	1	9	10
85 and over	12	13	—	1	121	169	69	102	69	99	—	2	—	1	4	5

TABLE 17—*continued*

Causes of death	602 Calculi of kidney and ureter		603 Other diseases of kidney and ureter		604 Calculi of other parts of urinary system		605 Cystitis		606 Other diseases of bladder		607* 608 Stricture of urethra		609 Other diseases of urethra		610-617 Diseases of male genital organs
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M
All ages	**122**	**140**	**33**	**38**	**32**	**9**	**148**	**215**	**67**	**22**	**42**	**3**	**31**	**41**	**3,674**
0—	—	—	2	1	—	—	—	1	—	—	—	—	—	—	1
1—	—	1	2	—	—	—	—	1	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
10—	2	—	1	1	—	—	—	—	1	—	—	—	—	—	—
15—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—
20—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
25—	—	2	—	2	—	—	—	—	—	1	—	—	—	—	—
30—	2	1	1	—	2	—	—	1	—	—	—	—	—	—	—
35—	2	1	—	2	—	—	—	—	—	1	—	—	—	1	—
40—	4	5	—	1	1	2	2	—	—	1	2	—	—	—	—
45—	8	9	3	3	—	—	2	3	2	—	1	—	—	—	3
50—	7	11	4	1	1	—	1	2	2	2	2	—	—	—	16
55—	15	12	3	5	3	1	2	7	2	—	2	—	—	3	55
60—	23	23	2	1	3	—	7	8	7	1	2	1	3	4	147
65—	15	21	3	9	6	2	8	13	8	5	7	—	5	2	347
70—	21	20	4	4	5	—	23	36	11	1	9	—	4	10	629
75—	10	20	3	2	7	4	33	49	14	2	6	1	6	5	887
80—	12	10	3	3	4	—	43	49	10	4	4	1	10	7	909
85 and over	1	4	1	1	—	—	27	45	9	3	7	—	3	9	680

Causes of death	610 Hyperplasia of prostate	611 Prostatitis	612 Other diseases of prostate	613-616* 617 Other diseases of male genital organs	620-626 Diseases of breast, ovary, Fallopian tube and parametrium	620-623* 624 Salpingitis and oophoritis, unqualified	625* 626 Diseases of parametrium and pelvic peritoneum (female)	630-637 Diseases of uterus and other female genital organs
Ages at death	M	M	M	M	F	F	F	F
All ages	**3,577**	**69**	**13**	**4**	**28**	**13**	**10**	**187**
0—	—	—	—	—	—	—	—	—
1—	—	—	—	—	1	1	—	—
5—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—
20—	—	—	—	—	2	—	—	—
25—	—	—	—	—	1	1	—	1
30—	—	—	—	—	1	1	—	4
35—	—	—	—	—	3	2	1	5
40—	—	—	—	—	1	—	1	4
45—	2	1	—	—	3	2	1	13
50—	14	1	1	—	3	2	—	18
55—	53	1	—	—	—	—	—	27
60—	140	4	2	—	6	2	3	21
65—	336	7	2	1	2	—	2	21
70—	615	10	—	1	4	1	2	28
75—	863	17	4	1	1	1	—	22
80—	889	14	4	1	—	—	—	12
85 and over	665	14	—	—	—	—	—	11

* **607** Urethritis (non-venereal) 70, 70; **613** Hydrocele 65, 75, 80; **614** Orchitis and epididymitis 70, 70, 70, 75; **615** Redundant prepuce and phimosis 0, 55, 60, 85; **616** Sterility, male —; **620** Chronic cystic disease of breast —; **621** Other diseases of breast *60, 70*; **622** Acute salpingitis and oophoritis —; **623** Chronic salpingitis and oophoritis *20, 20*; **625** Other diseases of ovary and Fallopian tube *50*.

TABLE 17—*continued*

Causes of death	630 Infective disease of uterus, vagina and vulva	631 Utero-vaginal prolapse	632* 633 Other diseases of uterus	634 Disorders of menstruation	635, 636, 637* XI 640-689 Deliveries and complications of pregnancy, childbirth and the puerperium	640-649 Complications of pregnancy	640, 641* 642 Toxaemias of pregnancy	643, 644* 645 Ectopic pregnancy
Ages at death	F	F	F	F	F	F	F	F
All ages	**17**	**119**	**25**	**17**	**328**	**105**	**58**	**13**
0—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—
15—	—	—	—	—	**9**	6	5	—
20—	—	—	—	—	**60**	17	12	1
25—	—	—	—	1	**74**	26	15	1
30—	—	1	—	2	**76**	22	8	6
35—	—	1	2	1	**71**	20	12	2
40—	1	1	—	2	**34**	12	5	3
45—	1	4	4	4	**4**	2	1	—
50—	1	9	2	3	—	—	—	—
55—	2	19	3	3	—	—	—	—
60—	1	16	3	—	—	—	—	—
65—	2	17	2	—	—	—	—	—
70—	5	17	4	—	—	—	—	—
75—	1	18	2	—	—	—	—	—
80—	1	8	2	1	—	—	—	—
85 and over	2	8	1	—	—	—	—	—

Causes of death	646, 647* 648 Other complications arising from pregnancy	650-652 Abortion	650 Abortion without mention of sepsis or toxaemia	651 Abortion with sepsis	652, 660* 670-678 Delivery with specified complication	670 Delivery complicated by placenta praevia or antepartum haemorrhage	671 Delivery complicated by retained placenta	672 Delivery complicated by other postpartum haemorrhage
Ages at death	F	F	F	F	F	F	F	F
All ages	**19**	**63**	**25**	**35**	**90**	**16**	**8**	**25**
0—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—
15—	1	1	—	1	—	—	—	—
20—	1	16	8	8	14	3	1	1
25—	7	15	6	8	13	2	2	4
30—	3	14	6	8	26	2	3	11
35—	3	12	4	7	23	6	2	5
40—	3	5	1	3	13	3	—	3
45—	1	—	—	—	1	—	—	1
50—	—	—	—	—	—	—	—	—
55—	—	—	—	—	—	—	—	—
60—	—	—	—	—	—	—	—	—
65—	—	—	—	—	—	—	—	—
70—	—	—	—	—	—	—	—	—
75—	—	—	—	—	—	—	—	—
80—	—	—	—	—	—	—	—	—
85 and over	—	—	—	—	—	—	—	—

*** 632** Malposition of uterus *30, 50, 70*; **635** Menopausal symptoms *50*; **636** Sterility, female *35*; **637** Other diseases of female genital organs *50, 60, 70, 75*; **640** Pyelitis and pyelonephritis of pregnancy *20, 25, 35, 40*; **641** Other infections of genito-urinary tract during pregnancy —; **643** Placenta praevia —; **644** Other haemorrhage of pregnancy *20, 25, 25, 30, 30, 30, 30, 35*; **646** Anaemia of pregnancy *20, 35*; **647** Pregnancy with malposition of foetus in uterus —; **652** Abortion with toxaemia, without mention of sepsis *25, 35, 40*; **660** Delivery without mention of complication *20, 25, 25, 25, 35, 35.*

TABLE 17—*continued*

Causes of death	673* 674 Delivery complicated by disproportion or malposition of foetus	675 Delivery complicated by prolonged labour of other origin	676* 677 Delivery with other trauma	678 Delivery with other complications of childbirth	680-689 Complications of the puerperium	680* 681 Sepsis of childbirth and the puerperium	682 Puerperal phlebitis and thrombosis	683* 684 Puerperal pulmonary embolism
Ages at death	F	F	F	F	F	F	F	F
All ages	**11**	**10**	**10**	**10**	**64**	**9**	**23**	**17**
0—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—
15—	—	—	—	—	2	—	2	—
20—	2	3	—	4	12	1	3	4
25—	2	1	1	1	17	4	3	4
30—	2	3	3	2	14	2	6	5
35—	2	2	3	3	14	1	8	2
40—	3	1	3	—	4	1	1	2
45—	—	—	—	—	1	—	—	—
50—	—	—	—	—	—	—	—	—
55—	—	—	—	—	—	—	—	—
60—	—	—	—	—	—	—	—	—
65—	—	—	—	—	—	—	—	—
70—	—	—	—	—	—	—	—	—
75—	—	—	—	—	—	—	—	—
80—	—	—	—	—	—	—	—	—
85 and over	—	—	—	—	—	—	—	—

Causes of death	685-689* XII 690-716 Diseases of the skin and cellular tissue		690-698 Infections of skin and subcutaneous tissue		690 Boil and carbuncle		691* 692 Other cellulitis and abscess without mention of lymphangitis		693-697* 698 Other local infections of skin and subcutaneous tissue		700-716 Other diseases of skin and subcutaneous tissue		700* 701 Eczema		702, 703* 704 Pemphigus	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**204**	**283**	**89**	**90**	**28**	**16**	**53**	**64**	**3**	**7**	**115**	**193**	**11**	**7**	**28**	**36**
0—	**13**	**4**	9	3	—	—	5	1	3	1	4	1	3	1	—	—
1—	**1**	**4**	1	2	—	—	1	1	—	1	—	2	—	1	—	—
5—	**1**	**3**	—	—	—	—	—	—	—	—	1	3	—	1	—	—
10—	**1**	**3**	—	1	—	1	—	—	—	—	1	2	—	—	—	—
15—	**1**	**2**	—	2	—	1	—	—	—	1	1	—	—	—	—	—
20—	**4**	**1**	3	—	1	—	2	—	—	—	1	1	—	—	—	—
25—	**3**	**2**	2	—	1	—	—	—	—	—	1	2	—	—	—	—
30—	**1**	**5**	1	2	1	—	—	2	—	—	—	3	—	—	—	—
35—	**4**	**5**	2	1	2	—	—	1	—	—	2	4	—	—	—	—
40—	**5**	**5**	2	2	—	—	1	2	—	—	3	3	—	—	—	1
45—	**4**	**10**	1	1	—	—	1	1	—	—	3	9	—	—	—	—
50—	**10**	**11**	4	2	1	1	3	—	—	—	6	9	—	—	—	1
55—	**14**	**25**	5	8	4	2	1	5	—	—	9	17	1	—	—	3
60—	**13**	**25**	9	6	4	—	5	6	—	—	4	19	—	1	—	2
65—	**19**	**29**	5	11	3	4	1	6	—	1	14	18	—	—	6	3
70—	**39**	**31**	22	11	5	2	17	9	—	—	17	20	2	—	5	7
75—	**24**	**27**	10	11	3	3	6	7	—	1	14	16	1	—	4	5
80—	**35**	**45**	10	14	3	1	7	12	—	1	25	31	2	3	13	6
85 and over	**12**	**46**	3	13	—	1	3	11	—	1	9	33	2	—	—	8

*** 673** Delivery complicated by abnormality of bony pelvis —; **676** Delivery with laceration of perineum, without mention of other laceration —; **680** Puerperal urinary infection without other sepsis —; **683** Pyrexia of unknown origin during the puerperium —; **685** Puerperal eclampsia *20, 25, 25, 25, 30 35*; **686** Other forms of puerperal toxaemia *20, 35*; **687** Cerebral haemorrhage in the puerperium *20, 25, 25, 35, 45*; **688** Other and unspecified complications of the puerperium *20, 25*; **689** Mastitis and other disorders of lactation —; **691** Cellulitis of finger and toe 0, 40, 65, *0, 50*; **693** Other cellulitis and abscess with lymphangitis *55*; **694** Acute lymphadenitis —; **695** Impetigo —; **696** Infectious warts 25, 75; **697** Molluscum contagiosum —; **700** Seborrhoeic dermatitis *65, 85*; **702** Occupational dermatitis —; **703** Other dermatitis 0, 80.

TABLE 17—*continued*

Causes of death	705 Erythematous conditions		706-709* 710 Other hypertrophic and atrophic conditions of skin		711-714* 715 Chronic ulcer of skin		716* XIII 720-749 Diseases of the bones and organs of movement		720-727 Arthritis and rheumatism except rheumatic fever		720 Acute arthritis due to pyogenic organisms		721* 722 Rheumatoid arthritis and allied conditions		722·0 Rheumatoid arthritis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**17**	**23**	**24**	**51**	**22**	**64**	**613**	**1,307**	**353**	**1,019**	**16**	**12**	**222**	**757**	**206**	**753**
0—	—	—	—	—	—	—	15	13	—	—	—	—	—	—	—	—
1—	—	1	—	—	—	—	2	1	—	—	—	—	—	—	—	—
5—	—	1	—	1	—	—	2	2	—	—	—	—	—	—	—	—
10—	—	1	1	1	—	—	12	5	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	26	2	1	—	—	—	1	—	1	—
20—	—	—	1	1	—	—	8	4	—	1	—	—	—	1	—	1
25—	—	1	1	1	—	—	4	9	—	3	—	1	—	2	—	2
30—	—	2	—	1	—	—	3	4	1	2	—	—	—	2	—	1
35—	—	1	1	1	—	2	10	9	5	4	1	1	3	3	2	2
40—	—	—	2	2	—	—	11	11	2	7	—	—	2	7	2	7
45—	3	2	—	7	—	—	16	21	7	12	1	—	5	12	1	12
50—	1	—	4	8	—	—	32	39	17	30	1	—	11	26	10	25
55—	2	1	4	10	1	3	38	59	26	45	1	—	18	42	16	42
60—	2	4	1	5	—	6	55	102	29	77	1	1	22	69	21	69
65—	2	2	3	9	2	3	85	156	64	127	3	2	47	104	42	104
70—	3	1	2	3	4	6	87	216	59	185	3	2	41	141	40	141
75—	—	4	2	1	6	3	92	251	68	201	2	1	39	150	39	149
80—	3	2	1	—	5	19	72	228	43	182	1	2	23	125	22	125
85 and over	1	—	1	—	4	22	43	175	31	143	2	2	10	73	10	73

Causes of death	722·1 Spondylitis ankylopoietica		723 Osteoarthritis (arthrosis) and allied conditions		724, 725* 726 Muscular rheumatism		727* 730-738 Osteomyelitis and other diseases of bone and joint		730 Osteomyelitis and periostitis		731 Osteitis deformans		732* 733 Other diseases of bone		734* 735 Displacement of intervertebral disc	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**16**	**4**	**103**	**235**	**4**	**3**	**137**	**197**	**45**	**28**	**68**	**93**	**16**	**66**	**5**	**5**
0—	—	—	—	—	—	—	4	3	3	3	—	—	1	—	—	—
1—	—	—	—	—	—	—	1	1	1	1	—	—	—	—	—	—
5—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	1	1	1	1	—	—	—	—	—	—
20—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—
25—	—	—	—	—	—	—	3	—	3	—	—	—	—	—	—	—
30—	—	1	1	—	—	—	1	—	1	—	—	—	—	—	—	—
35—	1	1	—	—	1	—	1	4	1	1	—	1	—	1	—	1
40—	—	—	—	—	—	—	4	1	3	1	—	—	—	—	—	—
45—	4	—	—	—	—	—	3	4	3	1	—	1	—	1	—	1
50—	1	1	3	2	1	1	8	2	5	—	—	—	1	1	2	—
55—	2	—	6	2	1	1	4	5	2	1	—	2	1	—	1	1
60—	1	—	4	6	—	—	8	15	5	4	3	7	—	3	—	—
65—	5	—	13	20	—	—	15	20	5	2	10	13	—	5	—	—
70—	1	—	14	37	—	1	22	25	4	5	15	11	3	8	—	1
75—	—	1	26	48	—	—	21	44	2	3	16	23	2	16	1	1
80—	1	—	18	54	1	—	27	40	5	3	16	20	4	16	1	—
85 and over	—	—	18	66	—	—	12	31	—	1	8	15	4	15	—	—

*** 706** Psoriasis and similar disorders 40, 75, *60*, *70*, *70*, *75*, *75*; **707** Lichen planus 50, 85; **708** Pruritus and related conditions 70, *75*, *85*, *85*; **709** Corns and callosities 60; **711** Other dermatoses —; **712** Diseases of nail *80*; **713** Diseases of hair and hair follicles 55, *70*; **714** Diseases of sweat and sebaceous glands 15; **716** Other diseases of skin 5, 35, 65; **721** Acute non-pyogenic arthritis —; **724** Other specified forms of arthritis 45, 50, 60, 65, *50*, *60*, *70*; **725** Arthritis, unspecified 70, 85, *65*, *70*, *70*, *75*, *75*, *80*, *85*; **727** Rheumatism, unspecified 60, 75, *70*, *85* ; **732** Osteochondrosis 10; **734** Internal derangement of knee joint —.

TABLE 17—*continued*

Causes of death	736, 737, 738* 740-749 Other diseases of musculoskeletal system		740-743* 744 Other diseases of muscle, tendon and fascia		745 Curvature of spine		746-749* XIV 750-759 Congenital malformations		750 Monstrosity		751 Spina bifida and meningocele		752 Congenital hydrocephalus		753 Other congenital malformations of nervous system and sense organs	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**123**	**91**	**105**	**60**	**12**	**18**	**2,589**	**2,301**	**59**	**106**	**340**	**458**	**201**	**243**	**61**	**68**
0—	11	10	9	10	2	—	1,791	1,598	59	106	322	415	155	196	40	38
1—	1	—	1	—	—	—	180	169	—	—	13	32	26	32	7	12
5—	1	2	1	2	—	—	46	48	—	—	—	1	5	8	4	4
10—	11	5	11	5	—	—	46	45	—	—	1	4	3	3	2	2
15—	24	1	24	1	—	—	60	30	—	—	1	1	2	1	3	2
20—	8	2	8	—	—	2	24	25	—	—	—	2	1	—	—	1
25—	1	6	1	5	—	1	32	26	—	—	1	1	1	1	1	2
30—	1	2	1	1	—	—	31	28	—	—	—	—	2	—	1	2
35—	4	1	2	1	1	—	32	27	—	—	1	1	1	1	—	—
40—	5	3	5	3	—	—	42	42	—	—	—	—	1	—	—	2
45—	6	5	5	2	—	2	56	44	—	—	—	1	—	—	1	1
50—	7	7	6	4	1	2	58	52	—	—	1	—	1	—	—	1
55—	8	9	5	5	1	—	53	43	—	—	—	—	2	—	1	1
60—	18	10	13	7	3	1	46	44	—	—	—	—	—	—	—	—
65—	6	9	4	7	2	1	34	26	—	—	—	—	—	—	1	—
70—	6	6	6	3	—	2	33	27	—	—	—	—	1	1	—	—
75—	3	6	2	1	1	4	16	13	—	—	—	—	—	—	—	—
80—	2	6	1	2	1	3	4	11	—	—	—	—	—	—	—	—
85 and over	—	1	—	1	—	—	5	3	—	—	—	—	—	—	—	—

Causes of death	754 Congenital malformations of circulatory system		755 Cleft palate and harelip		756 Congenital malformations of digestive system		756·0 Congenital hypertrophic pyloric stenosis		756·1 Imperforate anus		756·2 Other		757 Congenital malformations of genitourinary system		757·1 Polycystic disease of kidney	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**1,124**	**870**	**11**	**6**	**286**	**179**	**24**	**6**	**11**	**4**	**251**	**169**	**261**	**182**	**142**	**133**
0—	726	528	7	6	204	141	24	5	10	4	170	132	97	38	23	11
1—	87	71	1	—	17	6	—	—	1	—	16	6	11	1	1	—
5—	26	24	2	—	3	1	—	—	—	—	3	1	3	5	1	2
10—	26	29	—	—	4	4	—	—	—	—	4	4	7	2	1	1
15—	42	24	—	—	3	—	—	—	—	—	3	—	9	2	2	—
20—	18	21	—	—	—	—	—	—	—	—	—	—	3	—	1	—
25—	21	20	—	—	3	—	—	—	—	—	3	—	2	2	1	2
30—	22	17	—	—	1	—	—	—	—	—	1	—	5	6	3	4
35—	22	13	—	—	2	1	—	1	—	—	2	—	3	8	3	8
40—	23	22	—	—	5	2	—	—	—	—	5	2	8	13	7	10
45—	23	17	1	—	4	—	—	—	—	—	4	—	24	22	21	21
50—	25	22	—	—	1	1	—	—	—	—	1	1	23	23	22	23
55—	20	21	—	—	5	2	—	—	—	—	5	2	23	15	18	13
60—	18	19	—	—	4	2	—	—	—	—	4	2	20	18	18	15
65—	16	12	—	—	9	2	—	—	—	—	9	2	4	9	3	8
70—	7	6	—	—	11	8	—	—	—	—	11	8	10	9	9	6
75—	2	2	—	—	6	4	—	—	—	—	6	4	6	5	5	5
80—	—	2	—	—	1	5	—	—	—	—	1	5	2	2	2	2
85 and over	—	—	—	—	3	—	—	—	—	—	3	—	1	2	1	2

*** 736** Affection of sacro-iliac joint —; **737** Ankylosis of joint 80; **738** Other diseases of joint 40, *50*, *55*, *60*, *75*, *80*; **740** Bunion *80*; **741** Synovitis, bursitis, and tenosynovitis without mention of occupational origin 35, 55, 60, *60*, *65*; **742** Synovitis, bursitis, and tenosynovitis of occupational origin —; **743** Infective myositis and other inflammatory diseases of tendon and fascia *45*; **746** Flat foot —; **747** Hallux valgus and varus *55*, *55*, *55*; **748** Clubfoot *75*; **749** Other deformities 45, 55, 60, *30*, *50*, *55*, *60*, *70*.

TABLE 17—*continued*

Causes of death	757·0; 2; 3 Others included under 757		758 Congenital malformations of bone and joint		759 Other and unspecified congenital malformations not elsewhere classified		XV 760-776‡ Certain diseases of early infancy		760·5-773·5 With immaturity		760-769 Birth injuries, asphyxia and infections of newborn		760 Intracranial and spinal injury at birth		761 Other birth injury	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**119**	**49**	**39**	**33**	**207**	**156**	**5,618**	**3,800**	**1.950**	**1,227**	**3,381**	**2,158**	**914**	**536**	**221**	**134**
0—	74	27	25	23	156	107	**5,617**	**3,796**	1,950	1,227	3,381	2,156	914	536	221	134
1—	10	1	4	1	14	14	**1**	**4**	—	—	—	2	—	—	—	—
5—	2	3	—	—	3	5	—	—	—	—	—	—	—	—	—	—
10—	6	1	1	—	2	1	—	—	—	—	—	—	—	—	—	—
15—	7	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20—	2	—	2	—	—	1	—	—	—	—	—	—	—	—	—	—
25—	1	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—
30—	2	2	—	1	—	2	—	—	—	—	—	—	—	—	—	—
35—	—	—	1	1	2	2	—	—	—	—	—	—	—	—	—	—
40—	1	3	—	1	5	2	—	—	—	—	—	—	—	—	—	—
45—	3	1	—	—	3	3	—	—	—	—	—	—	—	—	—	—
50—	1	—	—	2	7	3	—	—	—	—	—	—	—	—	—	—
55—	5	2	1	—	1	4	—	—	—	—	—	—	—	—	—	—
60—	2	3	1	1	3	4	—	—	—	—	—	—	—	—	—	—
65—	1	1	—	1	4	2	—	—	—	—	—	—	—	—	—	—
70—	1	3	1	—	3	3	—	—	—	—	—	—	—	—	—	—
75—	1	—	—	1	2	1	—	—	—	—	—	—	—	—	—	—
80—	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—
85 and over	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—

Causes of death	762 Postnatal asphyxia and atelectasis		763 Pneumonia of newborn		764 Diarrhoea of newborn		765, 766* 767 Umbilical sepsis		768 Other sepsis of newborn		769 Neonatal disorders arising from maternal toxaemia		770-776 Other diseases peculiar to early infancy		770 Haemolytic disease of newborn (erythroblastosis)	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**1,590**	**1,057**	**512**	**325**	**21**	**13**	**9**	**3**	**29**	**19**	**83**	**63**	**2,237**	**1,642**	**182**	**197**
0—	1,590	1,055	512	325	21	13	9	3	29	19	83	63	2,236	1,640	181	196
1—	—	2	—	—	—	—	—	—	—	—	—	—	1	2	1	1
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
35—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
40—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
50—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
55—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
60—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
70—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
85 and over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

* **765** Ophthalmia neonatorum —; **766** Pemphigus neonatorum 0, 0, *0, 0, 0, 0, 0, 0, 0, 0.*

‡ Note: The group 760-776 relates particularly to the causes of death within the first 28 days of life, but it includes also some deaths from the causes specified at all ages.

TABLE 17—*continued*

Causes of death	771 Haemorrhagic disease of newborn		772 Nutritional maladjustment		773 Ill-defined diseases peculiar to early infancy		774 Immaturity with mention of any other subsidiary condition		776 Immaturity unqualified		XVI 780-795 Symptoms, senility and ill-defined conditions		780-789 Symptoms referable to systems or organs		780 Certain symptoms referable to nervous system and special senses	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**162**	**87**	**9**	**2**	**172**	**107**	**73**	**72**	**1,639**	**1,177**	**2,989**	**5,265**	**96**	**91**	**7**	**8**
0—	162	87	9	2	172	107	73	72	1,639	1,176	20	9	7	5	6	5
1—	—	—	—	—	—	—	—	—	—	1	4	3	3	2	—	1
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20—	—	—	—	—	—	—	—	—	—	—	2	1	2	—	—	—
25—	—	—	—	—	—	—	—	—	—	—	4	2	1	1	—	1
30—	—	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—
35—	—	—	—	—	—	—	—	—	—	—	1	3	—	2	—	—
40—	—	—	—	—	—	—	—	—	—	—	6	3	1	2	—	—
45—	—	—	—	—	—	—	—	—	—	—	3	5	1	1	—	—
50—	—	—	—	—	—	—	—	—	—	—	12	3	5	1	—	—
55—	—	—	—	—	—	—	—	—	—	—	7	5	4	4	—	1
60—	—	—	—	—	—	—	—	—	—	—	10	8	3	6	1	—
65—	—	—	—	—	—	—	—	—	—	—	18	33	9	9	—	—
70—	—	—	—	—	—	—	—	—	—	—	116	141	13	6	—	—
75—	—	—	—	—	—	—	—	—	—	—	445	605	14	16	—	—
80—	—	—	—	—	—	—	—	—	—	—	1,006	1,433	14	15	—	—
85 and over	—	—	—	—	—	—	—	—	—	—	1,330	3,011	19	21	—	—

Causes of death	780·2 Convulsions		780·0; 1; 3; 4; 5; 6; 7; 8; 9, 781* 782 Symptoms referable to cardiovascular and lymphatic system		782·4 Acute heart failure, undefined		782·0; 1; 2; 3; 5; 6; 7; 8; 9, 783* 784 Symptoms referable to upper gastro-intestinal tract		785-789* Senility and ill-defined diseases		790, 791* 792 Uraemia		793* 794 Senility without mention of psychosis		795 Ill-defined and unknown causes of mortality	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**6**	**8**	**41**	**54**	**40**	**50**	**26**	**16**	**2,893**	**5,174**	**27**	**16**	**2,817**	**5,132**	**49**	**26**
0—	6	5	—	—	—	—	—	—	13	4	1	1	—	—	12	3
1—	—	1	—	—	—	—	—	—	1	1	1	—	—	—	—	1
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20—	—	—	2	—	1	—	—	—	—	1	—	—	—	—	—	1
25—	—	1	1	—	1	—	—	—	3	1	1	—	—	—	2	1
30—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	5	—
35—	—	—	—	1	—	—	—	—	1	1	—	—	—	—	1	1
40—	—	—	—	—	—	—	1	—	5	1	1	—	—	—	4	1
45—	—	—	1	1	1	1	—	—	2	4	—	—	—	—	2	4
50—	—	—	3	1	3	1	—	—	7	2	—	—	—	—	7	2
55—	—	1	1	2	1	1	2	—	3	1	—	—	—	—	3	1
60—	—	—	1	5	1	5	1	1	7	2	1	—	1	1	5	1
65—	—	—	5	6	5	5	2	2	9	24	1	4	6	17	2	3
70—	—	—	4	3	4	3	5	3	103	135	5	3	97	132	1	—
75—	—	—	6	7	6	7	6	5	431	589	5	2	422	582	4	5
80—	—	—	8	11	8	10	3	3	992	1,418	6	3	985	1,413	1	2
85 and over	—	—	9	17	9	17	6	2	1,311	2,990	5	3	1,306	2,987	—	—

* **780·0**; **1**; **3**; **4**; **5**; **6**; **7**; **8**; **9** Others included under 780 60; **781** Other symptoms referable to nervous system and special senses 50; **782·0**; **1**; **2**; **3**; **5**; **6**; **7**; **8**; **9.** Others included under 782 20, *35, 55, 65, 80*; **783** Symptoms referable to respiratory system 50, *35, 40, 55, 75*; **785** Symptoms referable to abdomen and lower gastro-intestinal tract 1, 70, 70, 80, 80, 85, 85, *85, 85*; **786** Symptoms referable to genito-urinary system 55, 65, 65, 70, 75, 75, 80, 85, 85, *40, 65, 75*; **787** Symptoms referable to limbs and back —; **788** Other general symptoms 0, 1, 1, 70, *1, 75, 75*; **789** Abnormal urinary constituents of unspecified cause *80*; **790** Nervousness and debility —; **791** Headache —; **793** Observation, without need for further medical care —.

TABLE 17—*continued*

Causes of death	XVII E800-E999 Accidents, poisonings and violence (external cause)		RAILWAY ACCIDENTS								M.V. TRAFFIC ACCIDENTS				E811*	
			E800-E802 Railway accidents		E800 involving railroad employee		E801 involving passenger		E802 involving other and unspecified person		E810-E825 Motor vehicle traffic accidents		E810 involving collision with railway train		E812 to pedestrian	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	13,343	9,113	300	46	119	2	97	33	84	11	3,966	1,400	15	4	1,323	900
0—	303	217	—	—	—	—	—	—	—	—	5	5	—	—	1	1
1—	324	203	5	—	—	—	2	—	3	—	109	67	1	—	99	58
5—	336	140	5	1	—	—	3	—	2	1	162	67	—	—	125	59
10—	301	92	2	—	—	—	—	—	2	—	125	41	1	—	39	20
15—	687	129	9	6	2	—	2	5	5	1	431	71	4	—	20	13
20—	878	161	21	7	9	—	10	6	2	1	529	68	5	1	25	16
25—	725	146	21	3	9	—	9	3	3	—	290	44	1	—	21	6
30—	675	163	25	4	9	—	9	4	7	—	221	42	1	—	27	7
35—	733	216	27	4	11	—	11	4	5	—	219	36	—	—	31	9
40—	769	258	28	1	14	—	8	—	6	1	202	38	—	—	42	9
45—	891	369	24	4	9	1	9	1	6	2	211	60	—	—	47	19
50—	955	521	33	6	16	—	10	4	7	2	223	81	—	1	61	34
55—	1,040	502	34	5	15	1	13	3	6	1	241	78	1	—	95	45
60—	940	556	34	3	20	—	3	2	11	1	195	103	—	—	77	77
65—	818	697	10	1	4	—	2	—	4	1	199	125	1	1	109	100
70—	759	909	5	1	1	—	2	1	2	—	176	167	—	1	126	143
75—	893	1,147	10	—	—	—	3	—	7	—	200	152	—	—	166	141
80—	756	1,312	4	—	—	—	1	—	3	—	149	101	—	—	135	94
85 and over	560	1,375	3	—	—	—	—	—	3	—	79	54	—	—	77	49

Causes of death	MOTOR VEHICLE TRAFFIC ACCIDENTS															
	E813 to pedal cyclist		E814 to rider or passenger of motorcycle in collision with non-motor vehicle or object		E815 to rider or passenger of motorcycle in collision with other motor vehicle		E816 Other motor vehicle traffic accident involving two or more motor vehicles		E817, E818, E819* E820 while boarding and alighting		E821 to rider of motorcycle not involving collision		E822 involving overturning in roadway		E823 involving running off roadway	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	446	56	57	3	862	63	533	204	11	7	332	38	54	16	238	61
0—	—	—	—	—	1	1	1	2	—	—	—	—	1	1	1	—
1—	4	1	—	—	1	4	2	1	—	—	—	1	—	—	—	—
5—	19	2	—	—	—	—	7	3	—	—	—	—	1	—	—	1
10—	69	12	—	—	—	1	7	7	—	—	1	—	1	—	2	—
15—	46	8	8	—	206	16	32	12	—	—	81	8	8	1	20	7
20—	23	7	11	1	229	11	63	14	1	—	103	4	11	2	52	11
25—	13	—	6	—	112	6	61	14	—	—	32	9	8	1	25	6
30—	17	1	5	1	58	8	45	12	—	—	26	2	5	2	27	7
35—	22	5	7	—	56	1	48	10	—	—	19	3	3	2	25	5
40—	14	1	7	—	45	2	49	16	—	—	16	2	6	1	21	5
45—	30	4	1	—	40	3	60	21	1	1	12	4	3	2	12	2
50—	34	5	3	1	45	3	41	28	—	—	14	3	4	1	15	4
55—	43	3	3	—	29	2	35	16	1	2	14	2	2	1	14	3
60—	38	3	6	—	19	3	33	15	2	—	6	—	1	—	7	3
65—	35	1	—	—	11	1	22	14	2	1	4	—	—	—	8	2
70—	18	1	—	—	8	1	11	9	2	1	2	—	—	1	4	3
75—	14	2	—	—	2	—	14	6	2	—	—	—	—	—	2	—
80—	7	—	—	—	—	—	2	2	—	1	2	—	—	1	2	1
85 and over	—	—	—	—	—	—	—	2	—	1	—	—	—	—	1	1

* **E811** Motor vehicle traffic accident involving collision with street car —; **E817** Motor vehicle traffic accident to occupant of motor vehicle in collision with pedestrian or pedal cycle *10*; **E818** Motor vehicle traffic accident involving collision with animal or animal-drawn vehicle *15*; **E819** Motor vehicle traffic accident involving collision with fixed or unspecified object 15, 15, 20, 20, 25, 30, 30, 35, 55, 60, *50*, *55*, *70*.

TABLE 17—*continued*

Causes of death	M.V. TRAFFIC ACCIDENTS				MOTOR VEHICLE NON-TRAFFIC ACCIDENTS								E840-E845 Other road vehicle accidents	
	E824 Other non-collision motor vehicle traffic accident		E825 of unspecified nature		E830-E835 Motor vehicle non-traffic accidents		E830 to pedestrian		E831* E832 to rider or passenger of motorcycle		E833, E834* E835 of other and unspecified nature			
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	64	23	21	20	68	5	37	4	7	—	20	1	152	66
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	1	1	1	1	4	2	3	2	—	—	1	—	2	1
5—	10	1	—	1	—	—	—	—	—	—	—	—	9	3
10—	5	—	—	—	1	—	1	—	—	—	—	—	17	6
15—	2	3	2	2	5	—	—	—	3	—	1	—	10	7
20—	1	—	3	1	4	—	1	—	1	—	1	—	6	4
25—	6	—	4	2	7	—	2	—	1	—	3	—	4	2
30—	5	—	3	2	5	—	2	—	1	—	2	—	4	1
35—	5	—	2	1	4	—	2	—	1	—	1	—	8	1
40—	1	2	1	—	9	—	5	—	—	—	3	—	7	2
45—	4	2	1	2	8	—	4	—	—	—	4	—	8	5
50—	5	—	1	—	7	1	6	1	—	—	1	—	15	4
55—	3	3	—	—	2	—	2	—	—	—	—	—	15	2
60—	4	1	1	1	5	—	3	—	—	—	2	—	12	2
65—	6	3	1	2	4	1	3	—	—	—	1	1	11	10
70—	4	4	1	2	—	—	—	—	—	—	—	—	3	5
75—	—	1	—	2	3	1	3	1	—	—	—	—	11	6
80—	1	2	—	—	—	—	—	—	—	—	—	—	8	5
85 and over	1	—	—	1	—	—	—	—	—	—	—	—	2	—

Causes of death	E840, E841* E842 Accident to pedestrian caused by pedal cycle		E843 Accident to rider of pedal cycle not involving collision with motor vehicle		E844* E845 Other non-motor road vehicle accidents		E850-E858 Water transport accidents		E850 Submersion of occupant of small boat		E851 Other water transport injury by submersion		E852* E853 Other falls from one level to another in water transport	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	24	32	119	17	7	16	134	4	66	3	33	1	11	—
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	—	—	1	1	1	—	—	—	—	—	—	—	—	—
5—	1	2	7	—	1	1	3	—	1	—	2	—	—	—
10—	2	—	15	4	—	2	7	—	6	—	1	—	—	—
15—	1	—	9	3	—	4	28	—	20	—	7	—	—	—
20—	—	—	6	1	—	3	10	2	6	2	2	—	—	—
25—	1	—	3	1	—	1	15	1	9	1	3	—	1	—
30—	—	—	4	—	—	1	14	1	6	—	3	1	3	—
35—	—	—	8	—	—	1	8	—	2	—	3	—	1	—
40—	—	—	7	1	—	1	8	—	3	—	2	—	1	—
45—	—	1	8	3	—	—	13	—	5	—	5	—	—	—
50—	1	1	11	2	1	1	11	—	5	—	2	—	—	—
55—	2	2	13	—	—	—	6	—	1	—	2	—	2	—
60—	2	2	9	—	1	—	4	—	1	—	—	—	1	—
65—	3	8	6	1	2	1	6	—	1	—	1	—	2	—
70—	2	5	1	—	—	—	—	—	—	—	—	—	—	—
75—	4	6	6	—	1	—	—	—	—	—	—	—	—	—
80—	3	5	5	—	—	—	1	—	—	—	—	—	—	—
85 and over	2	—	—	—	—	—	—	—	—	—	—	—	—	—

* **E831** Motor vehicle non-traffic accident to pedal cyclist —; **E833** Other motor vehicle non-traffic accident involving two or more motor vehicles 20, 25, 40; **E834** Motor vehicle non-traffic accident while boarding and alighting 15; **E840** Street car accident to pedestrian *45*; **E841** Other street car accident, except collision with motor vehicle 50; **E844** Accident to pedestrian caused by other non-motor road vehicle 50; **E852** Fall on stairs and ladders in water transport 20, 65, 65.

TABLE 17—*continued*

Causes of death	E854, E855, E856* E857 Other specified accidents in water transport		E858* E860-E866 Aircraft accidents		E860 Accident to personnel in military aircraft		E862-E866* E861 Injury to occupant by accident to commercial "transport" aircraft		ACCIDENTAL POISONING E870-E888 Accidental poisoning by solid and liquid substances		E870* E871 by barbituric acid and derivatives		E872 by aspirin and salicylates	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	9	—	170	27	63	—	82	22	158	191	88	117	13	29
0—	—	—	—	—	—	—	—	—	—	1	—	—	—	1
1—	—	—	1	—	—	—	—	—	14	8	1	—	5	2
5—	—	—	—	2	—	—	—	1	—	—	—	—	—	—
10—	—	—	—	1	—	—	—	—	—	1	—	—	—	—
15—	1	—	1	1	—	—	1	—	2	—	—	—	—	—
20—	—	—	28	2	17	—	2	2	4	1	2	1	—	—
25—	1	—	40	3	27	—	11	3	5	5	2	3	—	—
30—	—	—	23	3	6	—	17	2	8	2	4	2	—	—
35—	2	—	29	3	11	—	14	2	9	9	5	8	1	—
40—	1	—	17	1	2	—	9	1	9	15	6	12	1	1
45—	1	—	9	5	—	—	8	5	13	14	9	10	1	1
50—	2	—	8	3	—	—	7	3	24	24	14	12	1	4
55—	1	—	10	2	—	—	9	2	23	24	16	18	2	3
60—	—	—	2	—	—	—	2	—	17	28	9	19	2	5
65—	—	—	1	—	—	—	1	—	13	21	9	14	—	2
70—	—	—	1	—	—	—	1	—	8	20	3	8	—	6
75—	—	—	—	—	—	—	—	—	5	15	4	8	—	3
80—	—	—	—	1	—	—	—	1	2	2	2	1	—	1
85 and over	—	—	—	—	—	—	—	—	2	1	2	1	—	—

Causes of death	ACCIDENTAL POISONING E873* E874 by other analgesic and soporific drugs		E875, E876, E877* E878 by other and unspecified drugs		E879* E880 by alcohol		E881-E887* E888 by other and unspecified solid and liquid substances		E890-E895 Accidental poisoning by gases and vapours		E890 by utility (illuminating) gas		E891 by motor vehicle exhaust gas	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	10	14	16	9	5	4	10	4	430	525	368	502	13	—
0—	—	—	—	—	—	—	—	—	3	—	3	—	—	—
1—	—	1	2	1	—	—	1	2	1	4	1	3	—	—
5—	—	—	—	—	—	—	—	—	1	2	1	1	—	—
10—	—	—	—	—	—	—	—	—	5	4	3	3	—	—
15—	—	—	—	—	—	—	1	—	2	7	2	6	—	—
20—	1	—	1	—	—	—	—	—	14	5	12	4	1	—
25—	1	—	—	—	—	—	1	2	14	1	10	1	—	—
30—	2	—	—	—	—	—	1	—	16	8	10	8	2	—
35—	1	1	2	—	—	—	—	—	14	10	8	9	2	—
40—	—	—	—	2	—	—	1	—	27	15	20	13	1	—
45—	—	—	1	2	—	—	1	—	20	18	15	18	—	—
50—	1	4	3	1	3	2	—	—	41	26	33	24	2	—
55—	1	1	1	1	2	—	—	—	39	21	32	21	2	—
60—	1	—	4	1	—	1	1	—	35	23	34	21	1	—
65—	1	3	—	—	—	—	2	—	34	46	30	43	1	—
70—	1	3	1	1	—	1	1	—	38	65	33	61	1	—
75—	—	1	1	—	—	—	—	—	51	97	49	95	—	—
80—	—	—	—	—	—	—	—	—	43	107	41	105	—	—
85 and over	—	—	—	—	—	—	—	—	32	66	31	66	—	—

* **E854** Falls on same level in water transport 50, 60; **E855** Unspecified falls in water transport 45, 80; **E856** Machinery accident in water transport 20, 25, 30, 40, 45, 50; **E858** Water transport accident of unspecified cause 30, 60; **E862** Other injury in commercial "transport" aircraft —; **E863** Injury to occupant by accident to other specified aircraft 20, 20, 20, 20, 20, 20, 25, 40, 40, 40, 50, *15*; **E864** Aircraft accident at airfield to person not in aircraft 20, 20, 35, 35, 40; **E865** Aircraft accident elsewhere to person not in aircraft 1, 35, *5*, *30*, *35*; **E866** Other and unspecified aircraft accidents 20, 25, 35, 40, 40, 45, 55, *10*; **E870** Accidental poisoning by morphine and other opium derivatives *45*; **E873** Accidental poisoning by bromides —; **E875** Accidental poisoning by sulfonamides —; **E876** Accidental poisoning by strychnine *1*, *1*; **E877** Accidental poisoning by belladonna, hyoscine, and atropine —; **E879** Accidental poisoning by noxious foodstuffs —; **E881** Accidental poisoning by petroleum products —; **E882** Accidental poisoning by industrial solvents 50, 70, *60*; **E883** Accidental poisoning by corrosive aromatics, acids and caustic alkalis 1, 15, 30, 45, 50, 55, 65, 70, *10*, *50*, *55*, *65*, *70*, *75*, *75*, *75*; **E884** Accidental poisoning by mercury and its compounds 40, *60*; **E885** Accidental poisoning by lead and its compounds 1, 1, 1, 1, 25; **E886** Accidental poisoning by arsenic and antimony, and their compounds *65*; **E887** Accidental poisoning by fluorides —.

TABLE 17—*continued*

Causes of death	ACCIDENTAL POISONING E892 by other carbon monoxide gas		E893, E895* E894 by other specified gases and vapours		E900-E904 Accidental falls		E900 Fall on stairs		E901 Fall from ladders		E902 Other falls from one level to another		E903 Fall on same level	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	33	21	14	2	2,010	3,474	373	557	78	6	458	236	585	1,307
0—	—	—	—	—	9	4	—	2	—	—	7	2	—	—
1—	—	1	—	—	18	8	3	—	—	—	11	6	—	—
5—	—	1	—	—	20	7	—	1	—	1	18	2	1	3
10—	2	—	—	1	18	4	3	—	—	—	12	2	2	1
15—	—	—	—	1	22	—	—	—	1	—	20	—	—	—
20—	1	1	—	—	37	4	—	—	1	—	31	1	2	—
25—	2	—	2	—	40	—	3	—	1	—	29	—	2	—
30—	2	—	2	—	45	3	6	—	2	—	31	3	2	—
35—	1	1	3	—	50	4	7	1	4	—	31	2	2	1
40—	4	2	1	—	50	13	10	3	6	—	26	1	2	7
45—	5	—	—	—	65	16	10	3	6	—	36	6	5	4
50—	3	2	2	—	66	24	18	12	7	—	27	2	9	5
55—	2	—	3	—	84	33	18	17	11	—	27	4	16	7
60—	—	2	—	—	107	80	29	26	15	—	27	7	25	22
65—	3	3	—	—	121	172	27	38	9	1	23	17	44	61
70—	3	4	1	—	203	381	44	85	6	2	26	23	72	155
75—	2	2	—	—	336	657	71	128	7	1	26	36	125	226
80—	2	2	—	—	365	922	69	128	2	1	26	56	134	366
85 and over	1	—	—	—	354	1,142	55	113	—	—	24	66	142	449

Causes of death	E904 Unspecified falls		E910-E936 Other accidents		E910 Blow from falling or projected object or missile		E911 Accident caused by vehicle		E912 Accident caused by machinery		E913 Accident caused by cutting and piercing instruments		E914 Accident caused by electric current	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	516	1,368	2,504	1,113	319	18	86	1	254	6	21	6	101	21
0—	2	—	270	195	1	—	—	—	—	—	—	—	4	—
1—	4	2	165	101	5	2	—	—	2	—	1	—	6	1
5—	1	—	128	55	13	1	—	—	4	—	3	—	7	1
10—	1	1	121	33	7	4	1	—	4	1	2	—	5	—
15—	1	—	126	13	9	—	7	—	21	1	2	—	4	3
20—	3	3	126	15	15	—	4	—	12	1	1	1	9	—
25—	5	—	141	6	33	—	8	—	18	—	2	—	14	—
30—	4	—	127	9	32	—	7	—	22	1	1	—	9	1
35—	6	—	155	19	44	—	8	—	28	—	1	—	11	—
40—	6	2	140	24	35	—	11	1	27	1	—	—	9	1
45—	8	3	173	34	38	1	10	—	35	—	2	—	8	2
50—	5	5	141	54	25	1	4	—	28	—	—	—	7	2
55—	12	5	161	55	27	3	8	—	28	—	2	—	5	2
60—	11	25	130	57	23	1	11	—	16	1	2	1	—	3
65—	18	55	97	65	4	—	7	—	5	—	—	1	3	2
70—	55	116	81	92	5	—	—	—	3	—	2	2	—	3
75—	107	266	88	90	3	1	—	—	1	—	—	—	—	—
80—	134	371	82	114	—	4	—	—	—	—	—	1	—	—
85 and over	133	514	52	82	—	—	—	—	—	—	—	—	—	—

* **E893** Accidental poisoning by cyanide gas —; **E895** Accidental poisoning by unspecified gases and vapours 40, 50.

TABLE 17—*continued*

Causes of death	E915 Accident caused by explosion of pressure vessel		E916 Accident caused by fire and explosion of combustible material		E917 Accident caused by hot substance, corrosive liquid, and steam		E918* E919 Accident caused by firearm		E920* E921 Inhalation and ingestion of food causing obstruction or suffocation		E922 Inhalation and ingestion of other object causing obstruction or suffocation		E923 Foreign body entering other orifice	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**5**	—	**226**	**404**	**76**	**63**	**82**	**1**	**228**	**141**	**35**	**3**	**15**	**9**
0—	—	—	5	2	5	1	—	—	119	71	8	2	—	1
1—	—	—	27	35	21	11	—	—	14	10	12	—	1	—
5—	—	—	6	29	1	1	1	—	2	1	1	—	—	1
10—	—	—	5	15	1	—	10	—	1	2	—	—	—	—
15—	—	—	6	1	—	1	16	—	1	2	2	—	—	—
20—	1	—	6	7	3	—	11	—	4	1	—	—	1	—
25—	1	—	9	2	—	—	6	—	2	—	1	—	—	—
30—	—	—	10	1	—	—	4	—	3	1	—	—	1	—
35—	2	—	9	4	1	2	5	—	6	4	1	—	—	—
40—	—	—	6	3	—	2	4	—	7	5	—	—	—	—
45—	—	—	6	9	3	—	4	1	6	5	—	—	—	—
50—	—	—	9	23	4	1	7	—	7	4	1	—	2	1
55—	1	—	5	13	3	1	3	—	9	5	2	1	—	2
60—	—	—	14	18	1	4	2	—	14	8	3	—	1	—
65—	—	—	11	20	5	6	5	—	4	5	—	—	1	—
70—	—	—	20	44	4	4	—	—	5	3	—	—	4	2
75—	—	—	21	53	8	7	1	—	12	3	2	—	4	1
80—	—	—	26	66	12	13	2	—	7	4	1	—	—	1
85 and over	—	—	25	59	4	9	1	—	5	7	1	—	—	—

Causes of death	E924 Accidental mechanical suffocation in bed and cradle		E925 Accidental mechanical suffocation in other and unspecified circumstances		E926 Lack of care of infants under 1 year of age		E927* E928 Other accidents caused by animals		E929 Accidental drowning and submersion		E930, E931* E932 Excessive cold		E933 Hunger, thirst and exposure	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**103**	**77**	**31**	**9**	**19**	**36**	**12**	**7**	**695**	**220**	**8**	**2**	**14**	**18**
0—	97	70	2	6	19	36	1	—	3	3	—	—	—	—
1—	2	3	2	—	—	—	—	1	68	30	—	—	—	—
5—	—	—	—	—	—	—	—	—	83	19	—	—	—	—
10—	—	—	1	1	—	—	—	1	64	8	—	—	—	—
15—	—	—	1	—	—	—	—	—	44	5	—	—	—	—
20—	1	—	2	—	—	—	—	—	39	2	1	—	—	—
25—	—	—	2	—	—	—	1	—	29	3	—	—	—	—
30—	—	1	3	—	—	—	—	—	25	4	—	—	1	—
35—	—	—	2	—	—	—	1	—	24	7	—	—	—	—
40—	1	2	4	—	—	—	1	—	25	6	—	—	—	1
45—	—	—	3	—	—	—	1	—	46	9	1	—	—	—
50—	—	—	4	—	—	—	—	—	36	16	—	—	—	1
55—	—	—	3	—	—	—	—	1	54	20	1	—	2	1
60—	1	1	2	—	—	—	2	—	29	15	—	—	3	2
65—	—	—	—	1	—	—	1	—	42	23	1	—	1	3
70—	—	—	—	—	—	—	2	—	29	27	2	1	3	2
75—	—	—	—	—	—	—	—	2	23	14	1	—	3	3
80—	1	—	—	1	—	—	1	1	22	8	—	1	—	5
85 and over	—	—	—	—	—	—	1	1	10	1	1	—	1	—

* **E918** Accident caused by radiation —; **E920** Foreign body entering eye and adnexa —; **E927** Accidents caused by bites and stings of venomous animals and insects 50, 50, 55, 55, *40*, *45*, *45*, *50*, *65*; **E930** High and low air pressure —; **E931** Excessive heat and insolation —.

TABLE 17—*continued*

Causes of death	E934* E935 Lightning		E936 Other and unspecified accidents		E940-E946* E940-E946 Complications due to non-therapeutic medical and surgical procedures		E950-E959 Therapeutic misadventure and late complications of therapeutic procedures		E950 Therapeutic misadventure in surgical treatment		E951-E959* E960-E965 Late effects of injury and poisoning		E960 Late effect of motor vehicle accident	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**9**	**2**	**161**	**63**	**6**	**7**	**8**	**5**	**4**	**3**	**154**	**25**	**12**	**3**
0—	—	—	6	3	4	2	—	—	—	—	—	—	—	—
1—	—	—	4	8	—	3	—	—	—	—	—	1	—	—
5—	—	—	7	2	—	—	—	—	—	—	—	—	—	—
10—	—	—	20	1	—	—	—	—	—	—	—	—	—	—
15—	1	—	12	—	—	—	—	—	—	—	1	—	—	—
20—	2	1	14	2	—	—	—	—	—	—	3	—	2	—
25—	3	—	12	1	—	1	1	—	—	—	2	1	—	—
30—	—	—	9	—	1	—	—	—	—	—	4	2	—	—
35—	2	1	10	1	—	—	1	—	—	—	8	—	2	—
40—	—	—	10	1	—	—	—	—	—	—	9	1	1	1
45—	—	—	10	5	—	—	—	—	—	—	11	1	1	1
50—	—	—	5	4	1	—	2	—	1	—	10	1	1	—
55—	—	—	6	6	—	—	—	—	—	—	18	—	3	—
60—	—	—	6	3	—	—	1	1	1	1	28	3	1	1
65—	1	—	6	3	—	1	—	1	—	—	29	1	1	—
70—	—	—	2	4	—	—	1	1	—	1	17	—	—	—
75—	—	—	9	6	—	—	—	—	—	—	10	1	—	—
80—	—	—	10	9	—	—	2	1	2	—	3	5	—	—
85 and over	—	—	3	4	—	—	—	1	—	1	1	8	—	—

Causes of death	E961* E962 Late effect of other accidental injury		E963, E964* E965 Late effects of injuries due to war operations		E970-E979 Suicide and self-inflicted injury		E970 Suicide and self-inflicted poisoning by analgesic and soporific substances		E971 Suicide and self-inflicted poisoning by other solid and liquid substances		E972 Suicide and self-inflicted poisoning by gases in domestic use		E973 Suicide and self-inflicted poisoning by other gases	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**70**	**22**	**71**	—	**3,175**	**2,123**	**330**	**445**	**69**	**33**	**1,448**	**1,189**	**67**	**7**
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	3	—	—	—	—	—	3	—	—	—
15—	1	—	—	—	40	18	2	—	1	1	17	13	1	1
20—	1	—	—	—	88	46	6	6	4	1	44	32	—	1
25—	1	1	1	—	134	71	10	4	5	3	67	49	7	—
30—	3	2	—	—	177	79	13	17	7	2	85	47	4	—
35—	5	—	1	—	198	123	30	27	4	3	75	68	9	1
40—	5	—	3	—	259	145	33	38	10	1	125	75	12	—
45—	9	—	1	—	326	205	54	45	6	3	145	107	14	—
50—	7	1	2	—	367	291	47	75	8	6	168	149	3	3
55—	8	—	7	—	399	277	38	54	10	1	170	159	8	—
60—	8	2	19	—	364	251	36	68	6	3	154	124	3	1
65—	9	1	19	—	290	246	27	44	1	3	134	146	2	—
70—	7	—	10	—	221	175	16	37	5	3	110	100	3	—
75—	3	1	7	—	177	127	14	20	—	1	93	77	1	—
80—	2	5	1	—	97	50	4	4	2	1	45	31	—	—
85 and over	1	8	—	—	35	19	—	6	—	1	13	12	—	—

* **E934** Cataclysm *85*; **E940** Generalized vaccinia following vaccination *1*; **E941** Postvaccinal encephalitis 0, 0, 0, *0*, *65*; **E942** Other complications of smallpox vaccination *0*; **E943** Post-immunization jaundice and hepatitis —; **E944** Other complications of prophylactic inoculation 0, 30, 50, *1*, *1*; **E945** Complications of anaesthesia for non-therapeutic purpose *25*; **E946** Other complications due to non-therapeutic medical and surgical procedures —; **E951** Therapeutic misadventure in infusion or transfusion 25; **E952** Therapeutic misadventure in local applications *65*; **E953** Therapeutic misadventure in administration of drugs or biologicals 35, *80*; **E954** Therapeutic misadventure in anaesthesia —; **E955** Other and unspecified therapeutic misadventure 70; **E956** Late complication of surgical operation —; **E957** Late complication of amputation stump —; **E958** Late complication of irradiation 50; **E959** Late complications of other forms of treatment —; **E961** Late effect of accidental poisoning 30; **E963** Late effect of self-inflicted injury —; **E964** Late effect of injury purposely inflicted by another person (not in war) —.

TABLE 17—*continued*

Causes of death	E974 Suicide and self-inflicted injury by hanging and strangulation		E975 Suicide and self-inflicted injury by submersion (drowning)		E976 Suicide and self-inflicted injury by firearms and explosives		E977 Suicide and self-inflicted injury by cutting and piercing instruments		E978 Suicide and self-inflicted injury by jumping from high place		E979 Suicide and self-inflicted injury by other and unspecified means		E980-E985 Homicide and injury purposely inflicted by other persons (not in war)	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**485**	**128**	**251**	**205**	**187**	**8**	**131**	**31**	**68**	**38**	**139**	**39**	**108**	**102**
0—	—	—	—	—	—	—	—	—	—	—	—	—	12	10
1—	—	—	—	—	—	—	—	—	—	—	—	—	5	8
5—	—	—	—	—	—	—	—	—	—	—	—	—	8	3
10—	—	—	—	—	—	—	—	—	—	—	—	—	2	2
15—	9	1	2	1	4	—	1	—	2	1	1	—	10	6
20—	13	2	6	1	6	—	1	1	2	1	6	1	8	7
25—	15	6	6	4	9	—	—	—	4	1	11	4	11	8
30—	23	3	7	4	11	1	8	—	5	3	14	2	5	9
35—	32	6	14	11	13	1	4	3	9	1	8	2	3	7
40—	30	8	16	12	13	3	6	2	—	3	14	3	4	3
45—	42	21	16	22	23	1	7	2	4	2	15	2	10	7
50—	60	10	28	34	23	—	11	2	7	2	12	10	6	6
55—	60	21	36	30	23	—	23	5	7	3	24	4	8	5
60—	66	15	40	26	22	2	17	3	10	5	10	4	6	5
65—	47	16	26	24	19	—	16	5	7	5	11	3	3	7
70—	33	7	25	17	7	—	15	3	3	5	4	3	5	2
75—	26	8	13	12	6	—	14	5	5	3	5	1	2	1
80—	20	4	13	7	6	—	3	—	2	3	2	—	—	4
85 and over	9	—	3	—	2	—	5	—	1	—	2	—	—	2

Causes of death	E980 Non-accidental poisoning by another person		E981 Assault by firearm and explosive		E982 Assault by cutting and piercing instruments		E983 Assault by other means		E984* E985 Execution		E990-E999* Injury resulting from operations of war	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**11**	**15**	**4**	**11**	**19**	**14**	**70**	**62**	**4**	—	—	—
0—	3	2	—	—	—	—	9	8	—	—	—	—
1—	1	3	—	1	—	—	4	4	—	—	—	—
5—	3	3	—	—	1	—	4	—	—	—	—	—
10—	1	1	—	—	—	1	1	—	—	—	—	—
15—	—	3	—	—	4	—	6	3	—	—	—	—
20—	—	—	1	1	2	1	3	5	2	—	—	—
25—	—	1	—	1	6	2	5	4	—	—	—	—
30—	1	—	—	—	1	4	2	5	1	—	—	—
35—	—	—	—	2	1	1	2	4	—	—	—	—
40—	—	—	—	—	1	1	3	2	—	—	—	—
45—	—	—	1	1	2	1	6	5	1	—	—	—
50—	1	1	1	2	1	—	3	3	—	—	—	—
55—	1	—	1	—	—	2	6	3	—	—	—	—
60—	—	—	—	1	—	—	6	4	—	—	—	—
65—	—	—	—	1	—	1	3	5	—	—	—	—
70—	—	—	—	1	—	—	5	1	—	—	—	—
75—	—	—	—	—	—	—	2	1	—	—	—	—
80—	—	1	—	—	—	—	—	3	—	—	—	—
85 and over	—	—	—	—	—	—	—	2	—	—	—	—

* **E984** Injury by intervention of police —; **E990** Injury due to war operations by gas and chemicals —; **E991** Injury due to war operations by gunshot —; **E992** Injury due to war operations by grenade and land mine —; **E993** Injury due to war operations by bomb —; **E994** Injury due to war operations by marine mine, depth charge, and torpedo —; **E995** Injury due to war operations by explosion of artillery shell —; **E996** Injury due to war operations by explosion of undetermined origin —; **E997** Injury due to war operations by aircraft destruction —; **E998** Injury due to war operations by other and unspecified means —; **E999** Injury due to war operations but occurring after cessation of hostilities —.

TABLE 18A. Accidental poisoning and other non-transport accidents by place of occurrence, age and sex, 1958 — ISC Nos. E870-E936

England and Wales

Note. The deaths in this table have been classified to the several forms of violence in accordance with the information furnished by H.M. Coroners. "Open verdicts" are normally included with accidental deaths.

Deaths from poisoning will be analysed periodically in the *Statistical Review, Part III, Commentary*, to distinguish individual poisons stated to be responsible. These details can be obtained on request from the General Register Office.

See explanatory notes.

E 870—E 936. Non-transport accidents

Age-groups	Total		at Work		Home		Farm		Mine and quarry		Industrial place and premises		Place for recreation and sport		Street and highway		Public building		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**5,102**	**5,303**	**1,155**	**29**	**2,241**	**3,725**	**124**	**13**	**362**	**1**	**548**	**11**	**52**	**16**	**219**	**162**	**134**	**67**	**318**	**717**	**835**	**212**	**269**	**379**
0–	480	321	—	—	377	272	6	4	—	—	4	1	3	2	2	—	3	2	8	3	63	24	14	13
5–	293	106	—	—	55	58	7	2	9	1	25	4	14	8	14	4	12	3	2	—	150	25	5	1
15–	1,183	188	610	8	198	112	56	4	196	—	280	2	24	3	31	5	27	7	23	13	282	30	66	12
45–	1,139	531	477	12	355	363	36	3	143	—	214	4	5	1	39	13	48	9	39	31	203	57	57	50
65 & over	2,007	4,157	68	9	1,256	2,920	19	—	14	—	25	—	6	2	133	140	44	46	246	670	137	76	127	303

Age-groups	Total		at Work		Home		Industrial place and premises		Public building		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 870—E 895. Accidental poisoning																
All ages	**588**	**716**	**38**	**1**	**468**	**639**	**20**	—	**12**	**4**	**11**	**5**	**31**	**3**	**46**	**65**
0–	18	13	—	—	18	13	—	—	—	—	—	—	—	—	—	—
5–	6	7	—	—	6	7	—	—	—	—	—	—	—	—	—	—
15–	124	78	16	—	80	69	8	—	2	—	4	3	15	1	15	5
45–	212	178	20	1	157	145	10	—	8	2	3	1	13	2	21	28
65 & over	228	440	2	—	207	405	2	—	2	2	4	1	3	—	10	32
E 870. Accidental poisoning by morphine and other opium derivatives																
All ages	—	**1**	—	—	—	—	—	—	—	—	—	—	—	**1**	—	—
0–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45–	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—
65 & over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E 871. Accidental poisoning by barbituric acid and derivatives																
All ages	**88**	**117**	—	—	**57**	**85**	—	—	**3**	**2**	**3**	**1**	**5**	—	**20**	**29**
0–	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
5–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15–	19	26	—	—	7	22	—	—	—	—	2	1	2	—	8	3
45–	47	59	—	—	32	43	—	—	1	1	1	—	3	—	10	15
65 & over	20	32	—	—	17	20	—	—	1	1	—	—	—	—	2	11
E 872. Accidental poisoning by aspirin and salicylates																
All ages	**13**	**29**	—	—	**8**	**17**	—	—	**1**	—	—	—	**1**	—	**3**	**12**
0–	5	3	—	—	5	3	—	—	—	—	—	—	—	—	—	—
5–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15–	2	1	—	—	1	1	—	—	—	—	—	—	—	—	1	—
45–	6	13	—	—	2	10	—	—	1	—	—	—	1	—	2	3
65 & over	—	12	—	—	—	3	—	—	—	—	—	—	—	—	—	9
E 873*																
E 874. Accidental poisoning by other analgesic and soporific drugs																
All ages	**10**	**14**	—	—	**4**	**8**	—	—	—	—	—	—	**3**	—	**3**	**6**
0–	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
5–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15–	5	1	—	—	2	1	—	—	—	—	—	—	1	—	2	—
45–	3	5	—	—	2	2	—	—	—	—	—	—	1	—	—	3
65 & over	2	7	—	—	—	4	—	—	—	—	—	—	1	—	1	3

* **E 873** Accidental poisoning by bromides: Nil.

Age-groups	Total		at Work		Home		Industrial place and premises		Public building		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 875, E 876, E 877*																
E 878. Accidental poisoning by other and unspecified drugs																
All ages	16	9	—	—	9	6	—	—	1	—	2	—	1	—	3	3
0–	2	1	—	—	2	1	—	—	—	—	—	—	—	—	—	—
5–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15–	3	2	—	—	1	2	—	—	1	—	—	—	—	—	1	—
45–	9	5	—	—	5	3	—	—	—	—	1	—	1	—	2	2
65 & over	2	1	—	—	1	—	—	—	—	—	1	—	—	—	—	1
E 879*																
E 880. Accidental poisoning by alcohol																
All ages	5	4	—	—	2	3	—	—	—	—	—	—	1	1	2	—
0–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45–	5	3	—	—	2	2	—	—	—	—	—	—	1	1	2	—
65 & over	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
E 881. Accidental poisoning by petroleum products																
All ages	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
0–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65 & over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E 882. Accidental poisoning by industrial solvents																
All ages	2	1	1	—	1	—	1	—	—	—	—	—	—	—	—	1
0–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45–	1	1	1	—	—	—	1	—	—	—	—	—	—	—	—	1
65 & over	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
E 883. Accidental poisoning by corrosive aromatics, acids and caustic alkalis																
All ages	8	8	2	—	5	5	1	—	—	—	1	—	1	—	—	3
0–	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
5–	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
15–	2	—	1	—	1	—	—	—	—	—	—	—	1	—	—	—
45–	3	2	1	—	2	—	1	—	—	—	—	—	—	—	—	2
65 & over	2	5	—	—	1	4	—	—	—	—	1	—	—	—	—	1
E 884, E 885, E 886, E 887*																
E 888. Accidental poisoning by other and unspecified solid and liquid substances																
All ages	10	4	1	—	6	4	1	—	—	—	—	—	1	—	2	—
0–	1	2	—	—	1	2	—	—	—	—	—	—	—	—	—	—
5–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15–	4	2	1	—	2	2	1	—	—	—	—	—	—	—	1	—
45–	2	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—
65 & over	3	—	—	—	2	—	—	—	—	—	—	—	—	—	1	—
E 890. Accidental poisoning by utility (illuminating) gas																
All ages	368	502	11	—	339	487	7	—	1	1	3	3	8	1	10	10
0–	4	3	—	—	4	3	—	—	—	—	—	—	—	—	—	—
5–	4	4	—	—	4	4	—	—	—	—	—	—	—	—	—	—
15–	62	41	4	—	54	36	1	—	—	—	1	2	5	1	1	2
45–	114	84	6	—	102	82	4	—	1	—	1	—	2	—	4	2
65 & over	184	370	1	—	175	362	2	—	—	1	1	1	1	—	5	6

* **E875** Accidental poisoning by sulfonamides: Nil; **E 876** Accidental poisoning by strychnine 2F, 0–4 yrs. "Home"; **E 877** Accidental poisoning by belladonna, hyoscine and atropine: Nil; **E 879** Accidental poisoning by noxious foodstuffs: Nil; **E 884** Accidental poisoning by mercury and its compounds 1M, 15-44 yrs. "Industrial place and premises" (at Work), 1F, 45-64 yrs. "Residential institution"; **E 885** Accidental poisoning by lead and its compounds 4M, 0-4 yrs. "Home", 1 M, 15–44 yrs. "Place not specified"; **E 886** Accidental poisoning by arsenic and antimony and their compounds 1F, 65 yrs. and over. "Home"; **E 887** Accidental poisoning by fluorides: Nil.

Age-groups	Total		at Work		Home		Industrial place and premises		Public building		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 891. Accidental poisoning by motor vehicle exhaust gas																
All ages	13	—	—	—	9	—	—	—	—	—	—	—	4	—	—	—
0–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15–	6	—	—	—	3	—	—	—	—	—	—	—	3	—	—	—
45–	5	—	—	—	5	—	—	—	—	—	—	—	—	—	—	—
65 & over	2	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—
E 892. Accidental poisoning by other carbon monoxide gas																
All ages	33	21	12	1	20	19	6	—	6	1	—	—	—	—	1	1
0–	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
5–	2	1	—	—	2	1	—	—	—	—	—	—	—	—	—	—
15–	10	4	5	—	5	4	4	—	1	—	—	—	—	—	—	—
45–	10	4	6	1	4	3	2	—	4	1	—	—	—	—	—	—
65 & over	11	11	1	—	9	10	—	—	1	—	—	—	—	—	1	1
E 893*																
E 894. Accidental poisoning by other specified gases and vapours																
All ages	14	2	9	—	3	2	3	—	—	—	2	—	5	—	1	—
0–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5–	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
15–	8	1	4	—	3	1	1	—	—	—	1	—	3	—	—	—
45–	5	—	5	—	—	—	2	—	—	—	—	—	2	—	1	—
65 & over	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—

E 895*

Age-groups	Total		at Work		Home		Industrial place and premises		Street and highway		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 900—E 904. Accidental falls																
All ages	2,010	3,474	305	15	1,080	2,324	197	4	167	151	231	652	215	80	120	263
0–	27	12	—	—	22	11	—	—	—	—	—	—	4	—	1	1
5–	38	11	—	—	10	1	7	2	6	2	—	—	13	6	2	—
15–	244	24	137	3	40	7	105	1	10	5	2	2	70	6	17	3
45–	322	153	134	4	129	114	77	1	25	10	16	16	62	7	13	5
65 & over	1,379	3,274	34	8	879	2,191	8	—	126	134	213	634	66	61	87	254
E 900. Fall on stairs																
All ages	373	557	9	5	320	497	2	—	1	2	12	24	35	30	3	4
0–	3	2	—	—	3	2	—	—	—	—	—	—	—	—	—	—
5–	3	1	—	—	2	1	—	—	—	—	—	—	1	—	—	—
15–	26	4	1	—	22	3	1	—	—	—	—	—	3	1	—	—
45–	75	58	4	2	59	54	1	—	—	—	3	—	12	3	—	1
65 & over	266	492	4	3	234	437	—	—	1	2	9	24	19	26	3	3
E 901. Fall from ladders																
All ages	78	6	54	—	32	5	18	1	5	—	—	—	22	—	1	—
0–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5–	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—
15–	15	—	13	—	3	—	5	—	1	—	—	—	5	—	1	—
45–	39	—	31	—	13	—	12	—	2	—	—	—	12	—	—	—
65 & over	24	5	10	—	16	5	1	—	2	—	—	—	5	—	—	—

* **E 893** Accidental poisoning by cyanide gas: Nil; **E 895** Accidental poisoning by unspecified gases and vapours 1M, 15-44 yrs. "Home", 1M, 45-64 yrs. "Mine and quarry" (at Work).

Age-groups	Total		at Work		Home		Industrial place and premises		Street and highway		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 902. Other falls from one level to another																
All ages	**458**	**236**	**221**	**3**	**122**	**144**	**168**	**2**	**14**	**2**	**36**	**70**	**109**	**12**	**9**	**6**
0–	18	8	—	—	16	8	—	—	—	—	—	—	2	—	—	—
5–	30	4	—	—	7	—	7	1	5	1	—	—	11	2	—	—
15–	168	7	118	2	10	2	95	1	3	—	1	—	56	4	3	—
45–	117	19	89	1	16	14	59	—	2	—	6	3	30	1	4	1
65 & over	125	198	14	—	73	120	7	—	4	1	29	67	10	5	2	5
E 903. Fall on same level																
All ages	**585**	**1,307**	**14**	**6**	**283**	**768**	**4**	**1**	**144**	**147**	**124**	**368**	**26**	**20**	**4**	**3**
0–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5–	3	4	—	—	1	—	—	—	1	1	—	—	1	3	—	—
15–	10	8	2	1	2	1	—	—	6	5	—	1	2	1	—	—
45–	55	38	8	1	20	14	4	1	19	10	5	11	6	2	1	—
65 & over	517	1,257	4	4	260	753	—	—	118	131	119	356	17	14	3	3
E 904. Unspecified falls																
All ages	**516**	**1,368**	**7**	**1**	**323**	**910**	**5**	—	**3**	—	**59**	**190**	**23**	**18**	**103**	**250**
0–	6	2	—	—	3	1	—	—	—	—	—	—	2	—	1	1
5–	2	1	—	—	—	—	—	—	—	—	—	—	—	1	2	—
15–	25	5	3	—	3	1	4	—	—	—	1	1	4	—	13	3
45–	36	38	2	—	21	32	1	—	2	—	2	2	2	1	8	3
65 & over	447	1,322	2	1	296	876	—	—	1	—	56	187	15	16	79	243

Age-groups	Total		at Work		Home		Farm		Mine and quarry		Industrial place and premises		Place for recreation and sport		Street and highway		Public building		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 910—E 936. Other accidents																								
All ages	**2,504**	**1,113**	**812**	**13**	**693**	**762**	**114**	**11**	**336**	—	**331**	**7**	**46**	**10**	**50**	**10**	**45**	**15**	**76**	**60**	**710**	**187**	**103**	**51**
0–	435	296	—	—	337	248	6	4	—	—	4	1	3	2	2	—	3	2	8	3	59	24	13	12
5–	249	88	—	—	39	50	6	1	9	—	18	2	13	6	8	2	7	3	2	—	144	23	3	1
15–	815	86	457	5	78	36	55	4	187	—	167	1	20	1	19	—	13	5	17	8	225	27	34	4
45–	605	200	323	7	69	104	34	2	127	—	127	3	5	1	14	2	16	2	20	14	170	55	23	17
65 & over	400	443	32	1	170	324	13	—	13	—	15	—	5	—	7	6	6	3	29	35	112	58	30	17

Age-groups	Total		at Work		Home		Mine and quarry		Industrial place and premises		Street and highway		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 910. Blow from falling object																
All ages	**319**	**18**	**281**	**2**	**11**	**8**	**156**	—	**86**	**2**	**11**	**5**	**53**	**3**	**2**	—
0–	6	2	—	—	2	2	—	—	1	—	—	—	3	—	—	—
5–	20	5	—	—	4	1	—	—	4	—	5	2	6	2	1	—
15–	168	—	161	—	2	—	94	—	48	—	3	—	21	—	—	—
45–	113	6	109	2	2	3	58	—	29	2	3	1	20	—	1	—
65 & over	12	5	11	—	1	2	4	—	4	—	—	2	3	1	—	—

Age-groups	Total		at Work		Home		Farm		Mine and quarry		Industrial place and premises		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 911. Accident caused by vehicle																
All ages	**86**	**1**	**85**	**1**	—	—	—	—	**72**	—	**13**	**1**	**1**	—	—	—
0–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5–	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
15–	45	1	45	1	—	—	—	—	36	—	8	1	1	—	—	—
45–	33	—	33	—	—	—	—	—	28	—	5	—	—	—	—	—
65 & over	7	—	7	—	—	—	—	—	7	—	—	—	—	—	—	—

Age-groups	Total		at Work		Home		Farm		Mine and quarry		Industrial place and premises		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 912. Accident caused by machinery																
All ages	**254**	**6**	**240**	**4**	**2**	—	**49**	**5**	**57**	—	**123**	—	**23**	**1**	—	—
0–	2	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
5–	8	1	—	—	1	—	2	1	—	—	4	—	1	—	—	—
15–	128	4	126	3	—	—	30	3	27	—	59	—	12	1	—	—
45–	107	1	106	1	—	—	15	1	29	—	54	—	9	—	—	—
65 & over	9	—	8	—	1	—	1	—	1	—	6	—	—	—	—	—
E 913. Accident caused by cutting and piercing instruments																
All ages	**21**	**6**	**4**	—	**8**	**4**	**2**	—	**1**	—	—	—	**4**	**1**	**6**	**1**
0–	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
5–	5	—	—	—	2	—	1	—	—	—	—	—	2	—	—	—
15–	7	1	1	—	1	1	—	—	1	—	—	—	1	—	4	—
45–	6	1	2	—	3	—	1	—	—	—	—	—	—	—	2	1
65 & over	2	4	1	—	1	3	—	—	—	—	—	—	1	1	—	—
E 914. Accident caused by electric current																
All ages	**101**	**21**	**54**	—	**34**	**19**	**5**	—	**4**	—	**28**	—	**29**	**2**	**1**	—
0–	10	1	—	—	8	1	—	—	—	—	—	—	2	—	—	—
5–	12	1	—	—	2	1	—	—	—	—	1	—	9	—	—	—
15–	56	5	38	—	16	4	3	—	3	—	18	—	15	1	1	—
45–	20	9	15	—	6	8	2	—	—	—	9	—	3	1	—	—
65 & over	3	5	1	—	2	5	—	—	1	—	—	—	—	—	—	—
E 915. Accident caused by explosion of pressure vessel																
All ages	**5**	—	**4**	—	—	—	—	—	—	—	**3**	—	**2**	—	—	—
0–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15–	4	—	3	—	—	—	—	—	—	—	2	—	2	—	—	—
45–	1	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—
65 & over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Age-groups	Total		at Work		Home		Mine and quarry		Industrial place and premises		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 916. Accident caused by fire and explosion of combustible material																
All ages	**226‡**	**404‡**	**40**	**5**	**174**	**388**	**2**	—	**29**	**1**	**8**	**9**	**10**	**5**	**3**	**1**
0–	32	37	—	—	31	37	—	—	—	—	—	—	1	—	—	—
5–	11	44	—	—	10	43	—	—	1	—	—	—	—	1	—	—
15–	46	18	25	1	20	16	2	—	18	—	—	—	5	2	1	—
45–	34	63	14	3	19	60	—	—	9	1	1	1	4	1	1	—
65 & over	103	242	1	1	94	232	—	—	1	—	7	8	—	1	1	1
E 917. Accident caused by hot substance, corrosive liquid, and steam																
All ages	**76†**	**63†**	**7**	—	**58**	**50**	—	—	**7**	—	**5**	**9**	**2**	**2**	**4**	**2**
0–	26	12	—	—	24	12	—	—	—	—	2	—	—	—	—	—
5–	2	1	—	—	2	1	—	—	—	—	—	—	—	—	—	—
15–	4	5	1	—	—	2	—	—	1	—	1	2	—	1	2	—
45–	11	6	6	—	2	4	—	—	6	—	1	1	1	1	1	—
65 & over	33	39	—	—	30	31	—	—	—	—	1	6	1	—	1	2

E 918*

Age-groups	Total		at Work		Home		Farm		Mine and quarry		Industrial place and premises		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 919. Accident caused by firearm																
All ages	**82**	**1**	**21**	—	**13**	**1**	**13**	—	**8**	—	**3**	—	**39**	—	**6**	—
0–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5–	11	—	—	—	2	—	2	—	—	—	1	—	6	—	—	—
15–	46	—	14	—	6	—	6	—	5	—	1	—	24	—	4	—
45–	16	1	7	—	3	1	1	—	3	—	1	—	7	—	1	—
65 & over	9	—	—	—	2	—	4	—	—	—	—	—	2	—	1	—

E 920*

‡ **E 916** Including burns by clothing: domestic fire M16, F112, gas fire M4, F33, electric fire M7, F45, other M40, F75. Burns by falling into fire: open fire M27, F32, gas fire M2, F2, electric fire M5, F2, other M1, F2. Conflagration M45, F34. Other and unspecified means M79, F67.

† **E 917** Including scalds M44, F41.

* **E 918** Accident caused by radiation: Nil; **E 920** Foreign body entering eye and adnexa: Nil.

Age-groups	Total		at Work		Home		Industrial place and premises		Public building		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 921. Inhalation and ingestion of food causing obstruction or suffocation																
All ages	**228**	**141**	**1**	—	**163**	**104**	**1**	—	**4**	**1**	**35**	**25**	**11**	**2**	**14**	**9**
0–	133	81	—	—	121	74	—	—	—	—	6	1	1	1	5	5
5–	3	3	—	—	—	2	—	—	—	—	2	—	—	1	1	—
15–	23	13	1	—	13	7	1	—	2	1	4	4	3	—	—	1
45–	36	22	—	—	18	10	—	—	2	—	10	11	3	—	3	1
65 & over	33	22	—	—	11	11	—	—	—	—	13	9	4	—	5	2
E 922. Inhalation and ingestion of other object causing obstruction or suffocation																
All ages	**35**	**3**	**4**	—	**25**	**1**	**3**	—	**1**	—	**4**	**1**	**2**	**1**	—	—
0–	20	2	—	—	19	1	—	—	1	—	—	—	—	1	—	—
5–	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
15–	4	—	2	—	1	—	1	—	—	—	1	—	1	—	—	—
45–	6	1	2	—	2	—	1	—	—	—	2	1	1	—	—	—
65 & over	4	—	—	—	2	—	1	—	—	—	1	—	—	—	—	—
E 923. Foreign body entering other orifice																
All ages	**15**	**9**	—	—	**5**	**4**	—	—	**1**	—	**1**	—	**1**	—	**7**	**5**
0–	1	1	—	—	1	—	—	—	—	—	—	—	—	—	—	1
5–	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1
15–	2	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—
45–	3	3	—	—	—	2	—	—	—	—	—	—	1	—	2	1
65 & over	9	4	—	—	4	2	—	—	1	—	—	—	—	—	4	2
E 924. Accidental mechanical suffocation in bed and cradle																
All ages	**103†**	**77†**	—	—	**101**	**76**	—	—	—	—	—	**1**	**1**	—	**1**	—
0–	99	73	—	—	97	73	—	—	—	—	—	—	1	—	1	—
5–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15–	2	3	—	—	2	2	—	—	—	—	—	1	—	—	—	—
45–	1	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—
65 & over	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
E 925. Accidental mechanical suffocation in other and unspecified circumstances																
All ages	**31**	**9**	**21**	—	**7**	**7**	**1**	—	—	**1**	—	—	**23**	**1**	—	—
0–	4	6	—	—	4	4	—	—	—	1	—	—	—	1	—	—
5–	1	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—
15–	14	—	13	—	—	—	—	—	—	—	—	—	14	—	—	—
45–	12	—	8	—	2	—	1	—	—	—	—	—	9	—	—	—
65 & over	—	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—

Age-groups	Total		at Work		Home		Street and highway		Public building		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 926. Lack of care of infants under 1 year of age																
All ages	**19**	**36**	—	—	**12**	**24**	**1**	—	—	—	—	**1**	**3**	**7**	**3**	**4**
0–	19	36	—	—	12	24	1	—	—	—	—	1	3	7	3	4
5–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65 & over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Age-groups	Total		at Work		Home		Farm		Place for recreation and sport		Street and highway		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 927*																
E 928. Other accidents caused by animals																
All ages	**12**	**7**	**6**	—	**1**	**2**	**6**	—	**3**	—	—	**1**	**1**	**1**	**1**	**3**
0–	1	1	—	—	—	1	—	—	—	—	—	—	—	—	1	—
5–	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—
15–	3	—	3	—	—	—	1	—	2	—	—	—	—	—	—	—
45–	3	1	2	—	—	—	2	—	—	—	—	—	1	—	—	1
65 & over	5	4	1	—	1	1	3	—	1	—	—	1	—	—	—	2

† **E 924** Including accidental mechanical suffocation: In bed, M28, F30; In cot, cradle, etc. M75, F47.
* **E 927** Accidents caused by bites and stings of venomous animals and insects: 1M, 45-64 yrs. "Home", 1M, 45-64 yrs. "Street and highway", 1M, 45-64 yrs. "Public building", 1M, 45-64 yrs. "Place not specified" (at Work), 1F, 15-44 yrs. "Residential institution", 2F, 45-64 yrs. "Home", 1F, 45-64 yrs. "Other specified places", 1F, 65 yrs. and over. "Street and highway".

Age-groups	Total		at Work		Home		Farm		Mine and quarry		Industrial place and premises		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 929. Accidental drowning and submersion																
All ages	**695**	**220**	**26**	**1**	**21**	**39**	**13**	**6**	**13**	—	**30**	**3**	**611**	**168**	**7**	**4**
0–	71	33	—	—	10	12	4	4	—	—	3	1	53	16	1	—
5–	147	27	—	—	—	1	—	—	8	—	7	2	132	24	—	—
15–	186	27	15	—	1	2	4	1	5	—	9	—	166	24	1	—
45–	165	60	10	1	3	10	2	1	—	—	9	—	148	48	3	1
65 & over	126	73	1	—	7	14	3	—	—	—	2	—	112	56	2	3

Age-groups	Total		at Work		Home		Farm		Industrial place and premises		Street and highway		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 930*																
E 931. Excessive heat and insolation																
All ages	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
0–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65 & over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E 932. Excessive cold																
All ages	**8**	**2**	—	—	**3**	—	—	—	—	—	**1**	—	**3**	**1**	**1**	**1**
0–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15–	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
45–	2	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—
65 & over	5	2	—	—	3	—	—	—	—	—	—	—	1	1	1	1
E 933. Hunger, thirst, and exposure																
All ages	**14**	**18**	—	—	**5**	**6**	—	—	—	—	**1**	**1**	**4**	**9**	**4**	**2**
0–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15–	1	1	—	—	—	—	—	—	—	—	—	—	1	—	—	1
45–	5	4	—	—	1	—	—	—	—	—	—	—	3	4	1	—
65 & over	8	13	—	—	4	6	—	—	—	—	1	1	—	5	3	1

Age-groups	Total		at Work		Home		Industrial place and premises		Place for recreation and sport		Street and highway		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 934*																
E 935. Lightning																
All ages	**9**	**2**	**4**	—	—	—	—	—	**1**	—	**1**	—	**7**	**2**	—	—
0–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15–	8	2	4	—	—	—	—	—	—	—	1	—	7	2	—	—
45–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65 & over	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
E 936. Other and unspecified accidents																
All ages	**161**	**63**	**13**	—	**49**	**26**	**4**	—	**11**	**1**	**10**	**2**	**45**	**15**	**42**	**19**
0–	10	11	—	—	7	7	—	—	—	—	1	—	—	2	2	2
5–	27	3	—	—	14	—	—	—	2	1	—	—	10	2	1	—
15–	67	5	5	—	16	2	1	—	8	—	5	—	17	1	20	2
45–	27	18	7	—	6	3	2	—	1	—	—	1	11	2	7	12
65 & over	30	26	1	—	6	14	1	—	—	—	4	1	7	8	12	3

* **E 930** High and low air pressure: Nil; **E 934** Cataclysm 1F, 65 yrs. and over "Home".

TABLE 18B. Deaths from violent causes according to nature of injury, sex and age, 1958 — England and Wales

ISC Nos. N800—N999

Note. 1 Headings to which no deaths were assigned during the year have been omitted from the table.

2 See note at head of Table 18A.

ISC No.	Nature of injury		All ages	0—	1—	5—	15—	25—	35—	45—	55—	65—	75—	85 and over
N800–N999	**TOTAL**	M	**13,343**	**303**	**324**	**637**	**1,565**	**1,400**	**1,502**	**1,846**	**1,980**	**1,577**	**1,649**	**560**
		F	**9,113**	**217**	**203**	**232**	**290**	**309**	**474**	**890**	**1,058**	**1,606**	**2,459**	**1,375**
N800–N809	**Fracture of skull, spine and trunk**	M	**4,065**	**14**	**102**	**258**	**747**	**505**	**488**	**533**	**521**	**403**	**394**	**100**
		F	**1,401**	**7**	**63**	**84**	**105**	**68**	**71**	**127**	**160**	**300**	**313**	**103**
N800	Fracture of vault of skull	M	73	2	2	4	14	3	12	11	7	9	6	3
		F	17	—	5	4	1	1	1	—	1	1	2	1
N801	Fracture of base of skull	M	557	1	13	42	133	70	65	71	75	45	37	5
		F	158	—	12	16	17	8	9	15	16	29	26	10
N802	Fracture of face bones	M	37	—	1	6	4	6	4	4	2	6	4	—
		F	9	—	—	—	1	—	—	—	—	1	4	3
N803	Other and unqualified skull fractures	M	1,781	10	62	147	366	225	241	233	212	140	123	22
		F	519	7	35	42	57	29	31	60	67	84	91	16
N804	Multiple fractures involving skull or face with other bones	M	762	1	13	36	155	120	83	100	102	70	61	21
		F	249	—	5	13	12	18	14	20	42	68	45	12
N805	Fracture and fracture dislocation of vertebral column, without mention of spinal cord lesion	M	242	—	3	8	40	29	27	30	35	29	35	6
		F	111	—	3	9	5	5	5	9	10	26	32	7
N806	Fracture and fracture dislocation of vertebral column with spinal cord lesion	M	92	—	1	5	8	12	16	18	14	10	7	1
		F	28	—	1	—	2	2	1	6	6	9	1	—
N807	Fracture of rib(s), sternum, and larynx	M	154	—	—	—	6	7	7	16	18	31	46	23
		F	81	—	—	—	2	1	2	6	6	20	31	13
N808	Fracture of pelvis	M	137	—	1	5	4	10	12	21	20	24	33	7
		F	107	—	1	—	4	1	3	3	5	26	37	27
N809	Multiple and ill-defined fractures of trunk	M	230	—	6	5	17	23	21	29	36	39	42	12
		F	122	—	1	—	4	3	5	8	7	36	44	14
N810–N819	**Fracture of upper limb**	M	**95**	—	**1**	—	**5**	**2**	**6**	**4**	**7**	**15**	**43**	**12**
		F	**124**	—	—	**1**	—	—	—	**1**	**4**	**20**	**59**	**39**
N810	Fracture of clavicle	M	6	—	—	—	—	—	—	—	—	3	1	2
		F	4	—	—	—	—	—	—	—	—	—	3	1
N812	Fracture of humerus	M	45	—	—	—	—	1	—	1	2	5	29	7
		F	71	—	—	—	—	—	—	—	1	14	32	24
N813	Fracture of radius and ulna	M	8	—	—	—	—	1	2	—	—	1	3	1
		F	15	—	—	—	—	—	—	—	2	1	8	4
N814	Fracture of carpal bone(s)	M	1	—	—	—	—	—	—	—	—	—	1	—
		F	9	—	—	—	—	—	—	—	—	1	3	5
N815	Fracture of metacarpal bone(s)	M	1	—	—	—	—	—	1	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
N818	Other, multiple, and ill-defined fractures of upper limb	M	6	—	—	—	2	—	—	—	1	—	3	—
		F	11	—	—	—	—	—	—	—	—	2	7	2
N819	Multiple fractures involving both upper limbs, and upper limb with rib(s) and sternum	M	28	—	1	—	3	—	3	3	4	6	6	2
		F	14	—	—	1	—	—	—	1	1	2	6	3
N820–N829	**Fracture of lower limb**	M	**1,071**	—	—	**2**	**20**	**23**	**25**	**27**	**50**	**183**	**488**	**253**
		F	**2,701**	—	**1**	**1**	**5**	**2**	**6**	**20**	**66**	**387**	**1,251**	**962**
N820	Fracture of neck of femur	M	438	—	—	—	—	—	—	5	12	90	214	117
		F	1,277	—	—	—	—	—	1	7	24	166	601	478
N821	Fracture of other and unspecified parts of femur	M	427	—	—	1	7	1	2	5	15	60	215	121
		F	1,186	—	—	—	—	1	—	—	21	162	564	438
N822	Fracture of patella	M	7	—	—	—	—	—	—	1	1	1	3	1
		F	5	—	—	—	—	—	—	—	—	3	1	1
N823	Fracture of tibia and fibula	M	61	—	—	1	2	2	2	8	4	13	23	6
		F	78	—	1	—	1	—	1	4	9	20	31	11
N824	Fracture of ankle	M	8	—	—	—	—	—	3	—	1	3	1	—
		F	26	—	—	—	—	—	2	5	4	6	4	5
N825	Fracture of one or more tarsal and metatarsal bones	M	1	—	—	—	—	—	—	—	1	—	—	—
		F	2	—	—	—	—	—	—	—	1	—	1	—
N827	Other, multiple, and ill-defined fractures of lower limb	M	24	—	—	—	1	3	4	1	4	4	6	1
		F	17	—	—	—	—	—	1	—	2	3	10	1
N828	Multiple fractures involving both lower limbs, lower with upper limb, and lower limb(s) with rib(s) and sternum	M	85	—	—	—	7	11	7	5	12	12	24	7
		F	106	—	—	—	4	1	1	4	5	24	39	28
N829	Fracture of unspecified bones	M	20	—	—	—	3	6	7	2	—	—	2	—
		F	4	—	—	1	—	—	—	—	—	3	—	—
N830–N839	**Dislocation without fracture**	M	**50**	—	**1**	**2**	**8**	**2**	**5**	**7**	**10**	**4**	**7**	**4**
		F	**27**	—	—	**1**	—	—	**3**	**3**	**3**	**5**	**8**	**4**
N840–N848	**Sprains and strains of joints and adjacent muscles**	M	**6**	—	—	—	**1**	—	—	**3**	**1**	—	—	**1**
		F	**4**	—	—	—	—	—	**1**	—	—	**2**	—	**1**

ISC No.	Nature of injury		All ages	0—	1—	5—	15—	25—	35—	45—	55—	65—	75—	85 and over
N850–N856	**Head injury (excluding skull fracture)**	M	**957**	**8**	**19**	**56**	**149**	**128**	**97**	**110**	**137**	**114**	**107**	**32**
		F	**400**	**1**	**9**	**19**	**26**	**13**	**10**	**30**	**37**	**88**	**120**	**47**
N850, N851	Open wound, contusion and haematoma of scalp	M	48	—	—	1	1	4	3	1	4	12	15	7
		F	37	—	—	—	—	—	1	2	2	9	16	7
N852	Concussion	M	30	—	—	—	3	5	3	8	2	3	5	1
		F	29	—	1	1	1	—	1	1	3	4	12	5
N853	Cerebral laceration and contusion	M	318	—	5	17	75	40	23	40	41	37	34	6
		F	110	—	1	8	10	5	4	11	13	27	24	7
N854	Subarachnoid, subdural, and extradural haemorrhage following injury (without mention of cerebral laceration or contusion)	M	120	6	5	6	12	8	9	9	15	20	20	10
		F	91	1	2	6	4	—	1	3	7	19	33	15
N855	Other and unspecified intracranial haemorrhage following injury (without mention of cerebral laceration or contusion)	M	69	1	4	3	9	4	8	9	10	9	10	2
		F	48	—	2	1	4	2	1	4	7	10	13	4
N856	Head injury of other and unspecified nature	M	372	1	5	29	49	67	51	43	65	33	23	6
		F	85	—	3	3	7	6	2	9	5	19	22	9
N860–N869	**Internal injury of chest, abdomen, and pelvis**	M	**1,057**	**1**	**14**	**58**	**204**	**177**	**181**	**165**	**142**	**68**	**40**	**7**
		F	**242**	**1**	**10**	**23**	**27**	**18**	**16**	**26**	**36**	**38**	**43**	**4**
N860	Traumatic pneumothorax and haemothorax	M	85	—	—	1	12	12	9	14	17	12	7	1
		F	16	—	—	3	1	1	—	—	2	2	6	1
N861	Injury to heart and lung	M	191	—	2	13	42	20	32	26	27	21	7	1
		F	45	—	1	2	8	2	4	3	8	10	7	—
N862	Injury to other and unspecified intrathoracic organs	M	311	—	2	12	39	64	61	66	42	15	9	1
		F	51	1	2	4	4	3	5	4	9	5	13	1
N863	Injury to gastro-intestinal tract	M	46	—	—	2	8	4	6	9	7	6	3	1
		F	10	—	—	1	—	—	—	1	—	4	4	—
N864	Injury to liver	M	79	1	2	9	25	13	16	5	5	1	2	—
		F	27	—	3	5	3	2	1	5	2	3	3	—
N865	Injury to spleen	M	23	—	—	1	6	3	2	1	5	3	2	—
		F	12	—	1	2	—	1	—	1	2	3	1	1
N866	Injury to kidney	M	16	—	—	3	2	—	3	3	3	—	2	—
		F	4	—	—	—	2	—	—	—	—	—	2	—
N867	Injury to pelvic organs	M	13	—	—	2	2	1	4	1	1	—	—	2
		F	5	—	—	—	—	1	—	—	—	1	3	—
N868	Injury to other and unspecified intra-abdominal organs	M	73	—	1	5	14	11	14	11	9	4	4	—
		F	22	—	2	3	4	2	—	4	2	4	1	—
N869	Internal injury, unspecified or involving intrathoracic with intra-abdominal organs	M	220	—	7	10	54	49	34	29	26	6	4	1
		F	50	—	1	3	5	6	6	8	11	6	3	1
N870–N879	**Laceration and open wound of face, neck, and trunk**	M	**233**	—	**3**	**7**	**15**	**30**	**25**	**40**	**49**	**35**	**20**	**9**
		F	**62**	—	**1**	**1**	**4**	**7**	**7**	**7**	**10**	**13**	**9**	**3**
N874	Open wound of neck	M	153	—	2	3	5	14	13	29	41	28	13	5
		F	41	—	1	1	4	4	6	5	7	8	5	—
N875	Open wound of chest	M	25	—	—	2	5	6	1	5	2	1	2	1
		F	6	—	—	—	—	2	1	2	—	1	—	—
Rem. of N870–N879	Open wound of other sites of face, neck and trunk	M	55	—	1	2	5	10	11	6	6	6	5	3
		F	15	—	—	—	—	1	—	—	3	4	4	3
N880–N888	**Laceration and open wound of upper limb**	M	**25**	—	—	—	**2**	**1**	**3**	**6**	**9**	**2**	**2**	—
		F	**4**	—	—	—	—	—	—	—	**2**	**2**	—	—
N890–N898	**Laceration and open wound of lower limb**	M	**28**	—	**1**	**3**	**4**	**2**	**4**	**2**	**5**	**4**	**3**	—
		F	**9**	—	—	—	**1**	**1**	—	—	**2**	**2**	**3**	—
N900–N908	**Laceration and open wounds of multiple location**	M	**139**	—	**1**	**2**	**16**	**12**	**17**	**20**	**35**	**20**	**13**	**3**
		F	**29**	—	—	**1**	**3**	**2**	**3**	**4**	**5**	**3**	**8**	—
N910–N918	**Superficial injury**	M	**8**	**1**	—	**1**	—	—	—	—	**2**	**2**	**2**	—
		F	**9**	—	—	—	—	—	**1**	—	**1**	**2**	**3**	**2**
N920–N929	**Contusion and crushing with intact skin surface**	M	**38**	—	**1**	—	**1**	—	**1**	**1**	**5**	**3**	**16**	**10**
		F	**44**	—	—	—	—	—	**1**	—	**1**	**4**	**21**	**17**
N930–N936	**Effects of foreign body entering through orifice**	M	**278**	**128**	**28**	**4**	**8**	**7**	**13**	**17**	**28**	**13**	**26**	**6**
		F	**156**	**75**	**10**	**4**	**4**	**1**	**9**	**10**	**17**	**10**	**9**	**7**
N930	Foreign body in eye and adnexa	M	1	—	—	—	—	—	—	—	—	—	1	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
N933	Foreign body in pharynx and larynx	M	252	128	22	3	7	6	13	14	23	9	21	6
		F	142	73	8	3	4	1	9	9	13	9	6	7
N934	Foreign body in bronchus and lung	M	9	—	6	1	1	—	—	1	—	—	—	—
		F	4	1	2	—	—	—	—	—	1	—	—	—
N935	Foreign body in digestive tract	M	16	—	—	—	—	1	—	2	5	4	4	—
		F	10	1	—	1	—	—	—	1	3	1	3	—

TABLE 18B—*continued*

ISC No.	Nature of injury		All ages	0—	1—	5—	15—	25—	35—	45—	55—	65—	75—	85 and over
N940–N949	**Burns**	M	**278**	**9**	**37**	**10**	**20**	**16**	**20**	**24**	**19**	**37**	**61**	**25**
		F	**437**	**3**	**41**	**43**	**9**	**4**	**10**	**34**	**37**	**70**	**120**	**66**
N940	Burn confined to eye	M	1	—	—	—	—	—	1	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
N941	Burn confined to face, head, and neck	M	13	2	—	—	—	—	—	—	1	2	5	3
		F	12	—	—	—	—	—	—	1	—	3	6	2
N942	Burn confined to trunk	M	22	—	3	—	1	—	—	—	2	2	9	5
		F	24	—	1	2	—	—	—	2	4	4	10	1
N943	Burn confined to upper limb(s), except wrist and hand	M	8	—	1	—	—	—	—	—	—	1	5	1
		F	5	—	—	—	—	—	—	—	—	1	3	1
N944	Burn confined to wrist(s) and hand(s)	M	1	—	1	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	1	—	—	—
N945	Burn confined to lower limb(s)	M	18	1	—	1	1	—	—	—	—	3	11	1
		F	21	—	1	—	—	—	—	—	1	3	9	7
N946	Burn involving face, head, and neck, with limb(s)	M	27	1	4	2	—	2	5	2	2	6	2	1
		F	19	—	2	1	1	—	—	—	1	4	4	6
N947	Burn involving trunk with limb(s)	M	53	1	4	4	2	3	1	4	4	11	15	4
		F	114	—	14	16	1	2	3	7	6	21	28	16
N948	Burn involving face, head, and neck, with trunk and limb(s)	M	54	2	12	1	5	5	6	6	3	5	6	3
		F	112	3	13	8	5	1	2	9	13	18	25	15
N949	Burn involving other and unspecified parts	M	81	2	12	2	11	6	7	12	7	7	8	7
		F	129	—	10	16	2	1	5	15	11	16	35	18
N950–N959	**Injury to nerves and spinal cord, without bone injury**	M	45	—	—	1	3	1	10	6	13	8	2	1
		F	12	—	—	—	—	—	2	2	2	4	2	—
N960–N979	**Effects of poisons**	M	**2,603**	**7**	**27**	**16**	**99**	**249**	**358**	**548**	**564**	**411**	**273**	**51**
		F	**2,450**	**3**	**20**	**13**	**72**	**139**	**263**	**480**	**508**	**490**	**374**	**88**
N961	Poisoning by alcohol	M	7	—	—	—	—	—	1	3	3	—	—	—
		F	4	—	—	—	—	—	—	2	1	1	—	—
N962	Poisoning by petroleum products	M	1	—	—	—	—	1	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
N963	Poisoning by industrial solvents	M	2	—	—	—	—	—	—	1	—	1	—	—
		F	1	—	—	—	—	—	—	—	1	—	—	—
N964	Poisoning by corrosive aromatics, acids, and caustic alkalis	M	43	—	1	—	1	3	10	9	10	7	2	—
		F	27	—	1	1	1	2	1	7	3	6	4	1
N965	Poisoning by mercury and its compounds	M	3	—	—	—	1	—	1	—	1	—	—	—
		F	1	—	—	—	—	—	—	—	1	—	—	—
N966	Poisoning by lead and its compounds	M	5	—	4	—	—	1	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
N967	Poisoning by arsenic and antimony, and their compounds	M	3	—	—	—	1	—	—	1	1	—	—	—
		F	2	—	—	—	—	1	—	—	—	1	—	—
N968	Poisoning by carbon monoxide	M	1,959	6	7	14	79	191	254	390	410	323	236	49
		F	1,758	2	10	10	60	106	171	309	328	357	326	79
N969	Poisoning by other gases and vapours	M	81	1	6	1	1	9	9	4	22	18	10	—
		F	18	—	2	1	2	—	—	2	2	3	5	1
N970	Poisoning by morphine and other opium derivatives	M	5	—	—	—	—	—	—	2	3	—	—	—
		F	5	—	—	—	—	—	—	1	—	2	2	—
N971	Poisoning by barbituric acid and derivatives	M	348	—	1	1	6	22	64	99	81	50	22	2
		F	440	—	—	—	3	18	66	110	131	85	23	4
N972	Poisoning by aspirin and salicylates	M	71	—	5	—	4	6	11	21	19	4	1	—
		F	139	1	2	—	5	8	18	34	32	24	12	3
N973	Poisoning by bromides	M	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	1	—	—	—	—	—	—	—	—
N974	Poisoning by other analgesic and soporific drugs	M	25	—	—	—	1	4	3	8	5	3	1	—
		F	29	—	1	—	—	1	4	8	6	8	1	—
N976	Poisoning by strychnine	M	1	—	—	—	—	1	—	—	—	—	—	—
		F	3	—	2	—	—	—	—	1	—	—	—	—
N977	Poisoning by belladonna, hyoscine, and atropine	M	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	1	—	—	—
N978	Poisoning by venom	M	4	—	—	—	—	—	—	2	2	—	—	—
		F	4	—	—	—	—	—	—	3	—	1	—	—
N979	Poisoning by other and unspecified substances	M	45	—	3	—	5	11	5	8	7	5	1	—
		F	17	—	2	—	1	3	3	3	2	2	1	—
N980–N989	**Effects of weather, exposure, and related conditions**	M	35	—	—	—	5	4	2	1	6	9	4	4
		F	28	—	—	—	1	—	2	2	3	6	10	4
N980	Effects of reduced temperature	M	11	—	—	—	1	—	—	1	1	4	1	3
		F	4	—	—	—	—	—	—	—	—	1	2	1
N984	Effects of lightning	M	9	—	—	—	3	3	2	—	—	1	—	—
		F	2	—	—	—	1	—	1	—	—	—	—	—
N985	Effects of hunger	M	4	—	—	—	—	—	—	—	1	2	1	—
		F	3	—	—	—	—	—	—	—	—	1	2	—
N987	Effects of exposure, not elsewhere classified	M	10	—	—	—	—	1	—	—	4	2	2	1
		F	18	—	—	—	—	—	1	1	3	4	6	3
N988	Effects of excessive exertion	M	1	—	—	—	1	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	1	—	—	—	—

TABLE 18B—*continued*

ISC No.	Nature of injury		All ages	0—	1—	5—	15—	25—	35—	45—	55—	65—	75—	85 and over
N990–N999	**Other and unspecified injuries and reactions**	M	**2,332**	**135**	**89**	**217**	**258**	**241**	**247**	**332**	**377**	**246**	**148**	**42**
		F	**974**	**127**	**48**	**41**	**33**	**54**	**69**	**144**	**164**	**160**	**106**	**28**
N990	Drowning	M	1,079	7	69	163	130	94	91	150	168	125	69	13
		F	442	14	29	27	11	18	37	81	91	92	41	1
N991	Asphyxia and strangulation	M	673	105	8	23	39	50	69	110	135	78	47	9
		F	266	84	10	1	8	18	22	38	43	25	16	1
N992	Electrocution	M	106	4	6	12	13	24	21	16	6	4	—	—
		F	22	—	1	1	3	1	1	5	5	5	—	—
N993	Injury due to radiation, except sunburn	M	2	1	—	—	—	—	—	1	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	1	—	—
N994	Other general effects of external causes	M	14	14	—	—	—	—	—	—	—	—	—	—
		F	27	26	—	—	—	—	—	—	—	1	—	—
N995	Certain early complications of trauma	M	1	—	—	—	—	—	—	—	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
N996	Injury of other and unspecified nature	M	444	—	6	19	76	71	65	53	67	37	30	20
		F	205	1	5	12	11	16	9	20	24	34	48	25
N997	Reactions and complications due to non-therapeutic medical and surgical procedures	M	6	4	—	—	—	1	—	1	—	—	—	—
		F	7	2	3	—	—	1	—	—	—	1	—	—
N998	Adverse reaction to injections, infusions, and transfusions for therapeutic purposes	M	1	—	—	—	—	1	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
N999	Adverse reaction to other therapeutic procedures	M	6	—	—	—	—	—	1	1	1	1	2	—
		F	4	—	—	—	—	—	—	—	1	1	1	1

TABLE 18C. Deaths from violent causes—Nature of injury according to external cause, 1958 **England and Wales**

ISC Nos. AE 138-AE 150 ; AN 138-AN 150

See note at head of Table 18A

Nature of injury (Intermediate List)			External cause of injury (Intermediate List)													
			Total	AE 138 Motor vehicle accidents	AE 139 Other transport accidents	AE 140 Accidental poisoning	AE 141 Accidental falls	AE 142 Accident caused by machinery	AE 143 Accident caused by fire and explosion of combustible material	AE 144 Accident caused by hot substance corrosive liquid, steam, & radiation	AE 145 Accident caused by fire-arm	AE 146 Accidental drowning and submersion	AE 147 All other accidental causes	AE 148 Suicide and self-inflicted injury	AE 149 Homicide & injury purposely inflicted by other persons (not in war)	AE 150 Injury resulting from operations of war
	Total	M	**13,343**	**4,034**	**756**	**588**	**2,010**	**254**	**226**	**76**	**82**	**695**	**1,268**	**3,175**	**108**	**71**
		F	**9,113**	**1,405**	**143**	**716**	**3,474**	**6**	**404**	**63**	**1**	**220**	**456**	**2,123**	**102**	—
AN 138	Fracture of skull	M	**3,210**	2,093	244	—	547	67	4	—	10	—	159	49	37	—
		F	**952**	651	63	—	186	1	—	—	—	—	15	19	17	—
AN 139	Fracture of spine and trunk	M	**855**	400	46	—	227	47	—	—	1	—	102	29	2	1
		F	**449**	211	10	—	209	2	—	—	—	—	8	9	—	—
AN 140	Fracture of limbs	M	**1,166**	189	37	—	901	7	1	—	2	—	28	—	—	1
		F	**2,825**	101	9	—	2,682	—	—	—	—	—	32	1	—	—
AN 141	Dislocation without fracture	M	**50**	10	4	—	17	1	—	—	1	—	7	8	2	—
		F	**27**	6	—	—	16	—	—	—	—	—	5	—	—	—
AN 142	Sprains and strains of joints and adjacent muscles	M	**6**	—	—	—	3	—	—	—	—	—	3	—	—	—
		F	**4**	—	—	—	3	—	—	—	—	—	1	—	—	—
AN 143	Head injury (excluding fracture)	M	**957**	461	77	—	153	12	2	—	22	—	75	136	15	4
		F	**400**	152	12	—	203	—	—	—	—	—	17	5	11	—
AN 144	Internal injury of chest, abdomen and pelvis	M	**1,057**	573	91	—	67	79	—	—	22	—	173	38	9	5
		F	**242**	160	15	—	38	2	1	—	1	—	6	12	7	—
AN 145	Laceration and open wounds	M	**425**	59	35	—	16	17	1	—	22	—	33	218	12	12
		F	**104**	18	8	—	14	—	—	—	—	—	9	43	12	—
AN 146	Superficial injury, contusion and crushing with intact skin surface	M	**46**	8	4	—	26	—	—	—	—	—	8	—	—	—
		F	**53**	5	—	—	42	—	—	—	—	—	6	—	—	—
AN 147	Effects of foreign body entering through orifice	M	**278**	1	—	—	3	1	—	—	—	—	272	—	1	—
		F	**156**	—	—	—	1	—	—	—	—	—	154	—	1	—
AN 148	Burns	M	**278**	8	15	—	—	—	174	76	2	—	2	—	1	—
		F	**437**	1	6	—	—	—	358	63	—	—	—	9	—	—
AN 149	Effects of poisons	M	**2,603**	—	2	588	—	—	42	—	—	—	5	1,914	11	41
		F	**2,450**	—	—	715	—	—	43	—	—	—	4	1,674	14	—
AN 150	All other and unspecified effects of external causes	M	**2,412**	232	201	—	50	23	2	—	—	695	401	783	18	7
		F	**1,014**	100	20	1	80	1	2	—	—	220	199	351	40	—

TABLE 18D. Deaths from road traffic accidents and from accidental falls—Nature of injury according to external cause, sex, and age, 1958 } England and Wales

See note at head of Table 18A

	Nature of injury (Intermediate List)		External cause of injury by age							
			All ages	0–	5–	15–	25–	45–	65–	75 and over
	Road vehicle accidents to pedestrians (ISC Nos. E812, E840, E842, E844)									
	Total	M	**1,348**	**100**	**167**	**46**	**122**	**286**	**240**	**387**
		F	**933**	**59**	**81**	**29**	**31**	**182**	**256**	**295**
AN138	Fracture of skull	M	647	67	90	24	69	143	111	143
		F	444	37	46	17	18	98	115	113
AN139	Fracture of spine and trunk	M	193	7	13	2	16	40	39	76
		F	147	4	5	4	4	22	47	61
AN140	Fracture of limbs	M	116	1	1	2	5	13	28	66
		F	81	1	—	—	—	7	29	44
AN141	Dislocation without fracture	M	1	—	1	—	—	—	—	—
		F	2	—	1	—	—	—	1	—
AN142	Sprains and strains of joints and adjacent muscle	M	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—
AN143	Head injury (excluding fracture)	M	170	9	23	8	11	34	30	55
		F	104	3	9	2	2	26	27	35
AN144	Internal injury of chest, abdomen, and pelvis	M	124	12	25	7	12	32	15	21
		F	87	8	12	4	3	20	21	19
AN145	Laceration and open wounds	M	29	1	3	1	4	6	5	9
		F	13	1	1	1	—	1	2	7
AN146	Superficial injury, contusion and crushing with intact skin surface	M	6	—	1	—	—	1	2	2
		F	4	—	—	—	—	—	2	2
AN147	Effects of foreign body entering through orifice	M	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—
AN148	Burns	M	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—
AN149	Effects of poisons	M	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—
AN150	All other and unspecified effects of external causes	M	62	3	10	2	5	17	10	15
		F	51	5	7	1	4	8	12	14
	Road accidents to pedal cyclists (ISC Nos. E813, E843)									
	Total	M	**565**	**5**	**110**	**84**	**88**	**186**	**60**	**32**
		F	**73**	**2**	**18**	**19**	**9**	**20**	**3**	**2**
AN138	Fracture of skull	M	351	4	69	54	54	115	39	16
		F	44	2	9	11	6	13	2	1
AN139	Fracture of spine and trunk	M	44	—	5	4	9	19	5	2
		F	5	—	1	2	—	2	—	—
AN140	Fracture of limbs	M	19	—	1	1	2	4	3	8
		F	4	—	1	—	—	2	—	1
AN141	Dislocation without fracture	M	3	—	—	—	—	2	—	1
		F	—	—	—	—	—	—	—	—
AN142	Sprains and strains of joints and adjacent muscle	M	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—
AN143	Head injury (excluding fracture)	M	62	—	17	7	10	21	5	2
		F	11	—	3	3	1	3	1	—
AN144	Internal injury of chest, abdomen, and pelvis	M	57	—	11	14	10	15	5	2
		F	7	—	3	2	2	—	—	—
AN145	Laceration and open wounds	M	5	—	—	1	1	2	—	1
		F	1	—	—	1	—	—	—	—
AN146	Superficial injury, contusion and crushing with intact skin surface	M	2	—	—	—	—	1	1	—
		F	—	—	—	—	—	—	—	—
AN147	Effects of foreign body entering through orifice	M	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—
AN148	Burns	M	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—
AN149	Effects of poisons	M	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—
AN150	All other and unspecified effects of external causes	M	22	1	7	3	2	7	2	—
		F	1	—	1	—	—	—	—	—

TABLE 18D—*continued*

	Nature of injury (Intermediate List)		External cause of injury by age							
			All ages	0–	5–	15–	25–	45–	65–	75 and over
			Accident to rider or passenger of motorcycle (ISC Nos. E814, E815, E821)							
	Total	M	**1,251**	**2**	**1**	**638**	**389**	**192**	**25**	**4**
		F	**104**	**6**	**1**	**40**	**34**	**21**	**2**	—
AN138	Fracture of skull	M	772	1	1	393	237	124	13	3
		F	64	3	1	25	20	13	2	—
AN139	Fracture of spine and trunk	M	68	—	—	34	19	11	4	—
		F	6	1	—	2	2	1	—	—
AN140	Fracture of limbs	M	43	—	—	13	16	12	2	—
		F	4	—	—	2	2	—	—	—
AN141	Dislocation without fracture	M	3	—	—	3	—	—	—	—
		F	—	—	—	—	—	—	—	—
AN142	Sprains and strains of joints and adjacent muscle ..	M	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—
AN143	Head injury (excluding fracture)	M	151	—	—	81	49	16	4	1
		F	11	—	—	4	4	3	—	—
AN144	Internal injury of chest, abdomen, and pelvis ..	M	135	1	—	68	45	20	1	—
		F	12	2	—	3	5	2	—	—
AN145	Laceration and open wounds	M	14	—	—	7	4	3	—	—
		F	—	—	—	—	—	—	—	—
AN146	Superficial injury, contusion and crushing with intact skin surface	M	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—
AN147	Effects of foreign body entering through orifice ..	M	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—
AN148	Burns	M	2	—	—	2	—	—	—	—
		F	1	—	—	1	—	—	—	—
AN149	Effects of poisons	M	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—
AN150	All other and unspecified effects of external causes ..	M	63	—	—	37	19	6	1	—
		F	6	—	—	3	1	2	—	—
			Motor vehicle traffic accidents (ISC Nos. E810, E811, E816–E819, E822, E823)							
	Total	M	**850**	**6**	**19**	**199**	**329**	**230**	**46**	**21**
		F	**290**	**4**	**12**	**49**	**81**	**99**	**32**	**13**
AN138	Fracture of skull	M	345	4	11	90	146	84	7	3
		F	113	3	6	15	38	38	10	3
AN139	Fracture of spine and trunk	M	85	1	—	8	32	27	13	4
		F	52	—	2	6	15	17	8	4
AN140	Fracture of limbs	M	20	—	—	2	10	4	3	1
		F	11	—	—	1	—	7	2	1
AN141	Dislocation without fracture	M	3	—	—	1	1	—	—	1
		F	4	—	—	—	2	1	1	—
AN142	Sprains and strains of joints and adjacent muscle ..	M	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—
AN143	Head injury (excluding fracture)	M	73	—	2	22	28	16	4	1
		F	23	—	—	9	8	4	1	1
AN144	Internal injury of chest, abdomen, and pelvis ..	M	224	—	3	57	78	70	8	8
		F	49	—	2	11	8	20	5	3
AN145	Laceration and open wounds	M	11	—	—	3	5	1	2	—
		F	5	—	—	2	2	1	—	—
AN146	Superficial injury, contusion and crushing with intact skin surface	M	2	—	—	—	—	—	—	2
		F	—	—	—	—	—	—	—	—
AN147	Effects of foreign body entering through orifice ..	M	1	—	—	—	—	1	—	—
		F	—	—	—	—	—	—	—	—
AN148	Burns	M	5	—	—	3	1	1	—	—
		F	—	—	—	—	—	—	—	—
AN149	Effects of poisons	M	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—
AN150	All other and unspecified effects of external causes	M	81	1	3	13	28	26	9	1
		F	33	1	2	5	8	11	5	1

TABLE 18D—*continued*

	Nature of injury (Intermediate List)		External cause of injury by age							
			All ages	0–	5–	15–	25–	45–	65–	75 and over
			Accidental falls (ISC Nos. E900–E904)							
	Total	M	**2,010**	**27**	**38**	**59**	**185**	**322**	**324**	**1,055**
		F	**3,474**	**12**	**11**	**4**	**20**	**153**	**553**	**2,721**
AN138	Fracture of skull	M	547	12	30	38	125	174	66	102
		F	186	7	5	2	7	37	42	86
AN139	Fracture of spine and trunk	M	227	2	1	8	12	33	51	120
		F	209	—	—	1	2	12	57	137
AN140	Fracture of limbs	M	901	—	—	—	7	38	152	704
		F	2,682	—	—	1	5	71	367	2,238
AN141	Dislocation without fracture	M	17	1	—	1	1	4	2	8
		F	16	—	—	—	1	3	2	10
AN142	Sprains and strains of joints and adjacent muscle ..	M	3	—	—	—	—	2	—	1
		F	3	—	—	—	—	—	2	1
AN143	Head injury (excluding fracture)	M	153	10	4	5	18	32	28	56
		F	203	3	4	—	2	16	50	128
AN144	Internal injury of chest, abdomen, and pelvis ..	M	67	—	2	5	11	26	14	9
		F	38	1	2	—	1	5	10	19
AN145	Laceration and open wounds	M	16	—	1	1	4	2	3	5
		F	14	—	—	—	—	2	5	7
AN146	Superficial injury, contusion and crushing with intact skin surface	M	26	—	—	—	—	3	1	22
		F	42	—	—	—	1	—	4	37
AN147	Effects of foreign body entering through orifice ..	M	3	1	—	—	1	1	—	—
		F	1	—	—	—	—	1	—	—
AN148	Burns	M	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—
AN149	Effects of poisons	M	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—
AN150	All other and unspecified effects of external causes	M	50	1	—	1	6	7	7	28
		F	80	1	—	—	1	6	14	58

TABLE 19. Causes of death by sex at different periods of life, 1958 (including, for England and Wales only, crude death rates per million living)

Classified in accordance with the International Abbreviated List with certain sub-divisions.

Abbreviated List No.	Causes of death		England and Wales									
			Age									
			All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
	ALL CAUSES	M	270,639	9,634	1,353	1,562	2,664	11,052	23,379	50,667	75,734	94,594
		F	256,204	7,051	995	933	1,258	8,166	14,767	30,409	62,624	130,001
B1	Tuberculosis of respiratory system	M	2,949	3	2	5	26	378	526	929	799	281
		F	1,050	3	2	2	28	331	169	192	201	122
B2	Tuberculosis, other forms	M	258	3	13	13	20	57	43	46	40	23
		F	223	3	14	12	9	38	32	41	39	35
B3	Syphilis and its sequelae	M	653	2	—	1	—	34	68	170	265	113
		F	388	1	—	—	2	7	30	98	130	120
B4	Typhoid fever	M	2	—	—	—	—	1	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	—
B5	Cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	M	16	4	2	2	—	1	2	—	4	1
		F	16	4	2	3	—	1	1	1	3	1
B7	Scarlet fever and streptococcal sore throat	M	7	—	2	1	—	1	—	—	3	—
		F	7	3	—	1	—	1	—	—	2	—
B8	Diphtheria	M	4	—	—	3	1	—	—	—	—	—
		F	4	—	—	2	—	1	—	1	—	—
B9	Whooping cough	M	13	6	6	1	—	—	—	—	—	—
		F	14	12	1	—	—	—	—	—	1	—
B10	Meningococcal infections	M	71	37	22	2	1	2	2	3	1	1
		F	74	35	16	3	2	5	4	4	3	2
B11	Plague	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	M	71	—	7	11	9	38	5	1	—	—
		F	58	—	7	10	13	27	—	1	—	—
B13	Smallpox	M	1	—	—	—	—	—	1	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B14	Measles	M	23	8	8	6	1	—	—	—	—	—
		F	26	7	15	3	—	—	—	—	—	1
B15	Typhus and other rickettsial diseases	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	M	2	—	—	—	—	1	1	—	—	—
		F	2	—	—	—	—	1	1	—	—	—
B17	All other diseases classified as infective and parasitic	M	473	41	19	32	18	66	77	76	85	59
		F	455	19	19	24	17	66	70	74	77	89
B18	Malignant neoplasm: (140-205)	M	50,735	33	169	283	254	2,166	6,472	13,604	16,060	11,694
		F	45,069	28	116	178	204	2,825	6,126	9,800	12,655	13,137
	stomach (151)	M	7,934	—	—	—	5	244	959	2,052	2,688	1,986
		F	6,178	—	—	—	2	169	421	1,008	2,030	2,548
	trachea, bronchus and lung (162, 163)	M	17,040	—	1	1	7	587	2,897	6,221	5,476	1,850
		F	2,780	—	1	—	5	187	444	775	813	555
	breast (170)	M	73	—	—	—	—	5	11	13	19	25
		F	8,949	—	—	—	2	803	1,826	2,107	2,209	2,002
	uterus (171-174)	F	4,115	1	—	1	2	434	762	1,105	1,043	767
	Leukaemia and aleukaemia (204)	M	1,301	11	69	123	63	175	153	265	270	172
		F	1,085	11	50	69	32	129	134	184	251	225
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	M	24,387	22	99	159	179	1,155	2,452	5,053	7,607	7,661
		F	21,962	16	65	108	161	1,103	2,539	4,621	6,309	7,040
B19	Benign and unspecified neoplasms	M	538	16	9	23	17	73	82	141	102	75
		F	658	9	11	15	17	97	126	126	110	147
B20	Diabetes mellitus	M	1,152	3	6	3	11	81	88	179	358	423
		F	2,163	2	4	7	9	56	96	330	791	868
B21	Anaemias	M	576	4	8	7	8	12	30	75	154	278
		F	1,109	2	5	12	8	26	37	93	334	592
B22	Vascular lesions affecting central nervous system	M	31,298	14	4	11	49	485	1,516	4,315	9,747	15,157
		F	44,879	3	5	17	32	489	1,576	4,545	12,144	26,068
B23	Nonmeningococcal meningitis	M	197	80	19	10	3	11	12	23	20	19
		F	142	59	12	4	—	8	14	13	17	15
B24	Rheumatic fever	M	70	1	3	13	11	8	3	10	12	9
		F	61	—	1	6	7	17	6	7	6	11
B25	Chronic rheumatic heart disease	M	2,567	—	—	6	42	416	536	621	584	362
		F	4,867	—	—	1	55	657	972	1,128	1,093	961

England and Wales, standard regions, Wales, conurbations, urban and rural aggregates outside conurbations

Abbreviated List No.	Causes of death		England and Wales—*continued*									
			Age									
			All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420)	M	52,085	1	—	1	11	1,491	6,003	12,933	17,216	14,429
		F	31,956	—	—	—	1	201	1,051	4,269	11,142	15,292
	Degenerative heart disease (421, 422)	M	23,152	2	1	3	15	118	360	1,370	5,004	16,279
		F	33,814	2	—	2	5	85	194	993	5,150	27,383
B27	Other diseases of heart	M	5,845	15	7	7	20	131	275	864	1,822	2,704
		F	7,150	14	4	3	18	99	201	604	1,823	4,384
B28	Hypertension with heart disease	M	5,173	—	—	1	3	55	225	816	1,831	2,242
		F	7,110	—	—	—	—	19	171	743	2,167	4,010
B29	Hypertension without mention of heart	M	3,524	—	—	1	9	173	415	686	973	1,267
		F	3,839	—	—	1	5	99	214	426	1,079	2,015
B46 (Pt.)	Other circulatory diseases (450-468)	M	7,491	5	1	3	14	118	285	805	1,983	4,277
		F	8,941	4	3	5	9	147	232	614	1,824	6,103
B30	Influenza	M	1,216	15	14	10	18	87	120	273	327	352
		F	1,185	18	9	10	17	62	69	141	289	570
B31	Pneumonia	M	11,799	791	212	61	77	282	606	1,502	2,890	5,378
		F	11,939	670	162	72	40	213	373	909	2,403	7,097
B32	Bronchitis	M	20,326	204	55	26	26	246	1,372	4,738	7,233	6,426
		F	9,070	144	42	18	18	131	337	1,086	2,369	4,925
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	3,683	64	30	30	28	158	392	1,024	1,146	811
		F	1,590	39	17	26	21	105	149	253	317	663
B33	Ulcer of stomach and duodenum	M	3,425	6	—	3	8	137	384	735	1,083	1,069
		F	1,473	3	—	1	2	55	89	185	426	712
B34	Appendicitis	M	462	2	23	26	17	47	48	94	111	94
		F	328	4	8	18	12	24	30	47	73	112
B35	Intestinal obstruction and hernia	M	1,400	127	15	8	7	53	107	215	381	487
		F	1,464	68	13	3	4	37	67	179	394	699
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	996	149	42	12	17	52	91	162	215	256
		F	1,345	93	30	7	32	81	81	149	347	525
B37	Cirrhosis of liver	M	644	3	3	6	2	63	138	194	147	88
		F	532	2	2	6	6	23	92	157	159	85
B38	Nephritis and nephrosis	M	2,158	13	6	33	76	311	316	433	449	521
		F	1,920	4	5	25	68	215	186	275	499	643
B39	Hyperplasia of prostate	M	3,577	—	—	—	—	—	16	193	951	2,417
B40	Complications of pregnancy, childbirth and puerperium	F	328	—	—	—	69	255	4	—	—	—
B41	Congenital malformations	M	2,589	1,791	180	92	84	137	114	99	67	25
		F	2,301	1,598	169	93	55	123	96	87	53	27
B42	Birth injuries, postnatal asphyxia and atelectasis	M	2,725	2,725	—	—	—	—	—	—	—	—
		F	1,727	1,725	2	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	21	21	—	—	—	—	—	—	—	—
		F	13	13	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	552	552	—	—	—	—	—	—	—	—
		F	355	355	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified	M	2,320	2,319	1	—	—	—	—	—	—	—
		F	1,705	1,703	2	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	2,989	20	4	—	2	16	15	17	134	2,781
		F	5,265	9	3	—	1	8	8	13	174	5,049
B46 (Rem.)	All other diseases (Remainder 001-795)	M	7,468	251	136	169	194	644	787	1,340	1,960	1,987
		F	10,476	176	91	111	182	748	973	1,767	2,724	3,704
BE47	Motor vehicle accidents	M	4,034	5	113	288	969	957	449	443	379	431
		F	1,405	5	69	108	139	160	142	181	293	308
BE48	All other accidents	M	5,955	286	206	336	450	1,149	685	734	650	1,459
		F	5,483	202	126	119	74	178	239	339	883	3,323
BE49	Suicide and self-inflicted injury	M	3,175	—	—	3	128	768	693	763	511	309
		F	2,123	—	—	—	64	418	496	528	421	196
BE50	Homicide and operations of war	M	179	12	5	10	18	28	19	40	37	10
		F	102	10	8	5	13	27	13	10	9	7
BN47	Fractures, head injuries and internal injuries	M	7,245	23	136	374	1,125	1,632	839	857	783	1,476
		F	4,868	9	83	128	163	204	303	833	2,941	
BN48	Burns	M	278	9	37	10	20	36	24	19	37	86
		F	437	3	41	43	9	14	34	37	70	186
BN49	Effects of poisons	M	2,603	7	27	16	99	607	548	564	411	324
		F	2,450	3	20	13	72	402	480	508	490	462
BN50	All other injuries	M	3,217	264	124	237	321	627	435	540	346	323
		F	1,358	202	59	48	46	163	172	210	213	245

TABLE 19—*continued*

England and Wales—*continued*

Abbreviated List No.	Causes of death		All ages	Under 1 year	Age: Years 1–	5–	15–	25–	45–	55–	65–	75 and over
			Rates per million living	Rates per 1,000 live births	Rates per million living							
	Estimated mid-year population (in thousands)	M	21,744	380,944	1,365	3,555	2,808	6,095	3,161	2,318	1,396	676
		F	23,365	359,771	1,297	3,395	2,814	6,202	3,284	2,783	2,028	1,211
	ALL CAUSES	M	**12,447**	**25·29**	**991**	**439**	**949**	**1,813**	**7,396**	**21,858**	**54,251**	**139,932**
		F	**10,965**	**19·60**	**767**	**275**	**447**	**1,317**	**4,497**	**10,927**	**30,880**	**107,350**
B1	Tuberculosis of respiratory system	M	**136**	*0·01*	*1*	*1*	9	62	166	401	572	416
		F	**45**	*0·01*	*2*	*1*	10	53	51	69	99	101
B2	Tuberculosis, other forms	M	**12**	*0·01*	*10*	*4*	7	9	14	20	29	34
		F	**10**	*0·01*	*11*	*4*	*3*	6	10	15	19	29
B3	Syphilis and its sequelae	M	**30**	*0·01*	—	*0*	—	6	22	73	190	167
		F	**17**	*0·00*	—	—	*1*	*1*	9	35	64	99
B4	Typhoid fever	M	*0*	—	—	—	—	*0*	—	*0*	—	—
		F	—	—	—	—	—	—	—	—	—	—
B5	Cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	M	*1*	*0·01*	*1*	*1*	—	*0*	*1*	—	*3*	*1*
		F	*1*	*0·01*	*2*	*1*	—	*0*	*0*	*0*	*1*	*1*
B7	Scarlet fever and streptococcal sore throat	M	*0*	—	*1*	*0*	—	*0*	—	—	*2*	—
		F	*0*	*0·01*	—	*0*	—	*0*	—	—	*1*	—
B8	Diphtheria	M	*0*	—	—	*1*	*0*	—	—	—	—	—
		F	*0*	—	—	*1*	—	*0*	—	*0*	—	—
B9	Whooping cough	M	*1*	*0·02*	*4*	*0*	—	—	—	—	—	—
		F	*1*	*0·03*	*1*	—	—	—	—	—	*0*	—
B10	Meningococcal infections	M	**3**	0·10	16	*1*	*0*	*0*	*1*	*1*	*1*	*1*
		F	**3**	0·10	*12*	*1*	*1*	*1*	*1*	*1*	*1*	*2*
B11	Plague	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	M	**3**	—	*5*	*3*	*3*	6	*2*	*0*	—	—
		F	**2**	—	*5*	*3*	*5*	4	—	*0*	—	—
B13	Smallpox	M	*0*	—	—	—	—	—	*0*	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B14	Measles	M	**1**	*0·02*	*6*	*2*	*0*	—	—	—	—	—
		F	**1**	*0·02*	*12*	*1*	—	—	—	—	—	*1*
B15	Typhus and other rickettsial diseases	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	M	*0*	—	—	—	—	*0*	*0*	—	—	—
		F	*0*	—	—	—	—	*0*	*0*	—	—	—
B17	All other diseases classified as infective and parasitic	M	**22**	0·11	*14*	9	*6*	11	24	33	61	87
		F	**19**	*0·05*	*15*	7	*6*	11	21	27	38	73
—	Malignant neoplasm: (140-205)	M	**2,333**	0·09	124	80	90	355	2,047	5,869	11,504	17,299
		F	**1,929**	0·08	89	52	72	455	1,865	3,521	6,240	10,848
—	stomach (151)	M	**365**	—	—	—	*2*	40	303	885	1,926	2,938
		F	**264**	—	—	—	*1*	27	128	362	1,001	2,104
—	trachea, bronchus and lung (162, 163)	M	**784**	—	*1*	*0*	*2*	96	916	2,684	3,923	2,737
		F	**119**	—	*1*	—	*2*	30	135	278	401	458
B18	breast	M	**3**	—	—	—	—	*1*	*3*	*6*	*14*	37
		F	**383**	—	—	—	*1*	129	556	757	1,089	1,653
	uterus (171-174)	F	**176**	*0·00*	—	*0*	*1*	70	232	397	514	633
—	Leukaemia and aleukaemia (204)	M	**60**	*0·03*	51	35	22	29	48	114	193	254
		F	**46**	*0·03*	39	20	11	21	41	66	124	186
—	Other malig. and lymphatic neoplasms (Rem. of 140-205)	M	**1,122**	0·06	73	45	64	189	776	2,180	5,449	11,333
		F	**940**	*0·04*	50	32	57	178	773	1,660	3,111	5,813
B19	Benign and unspecified neoplasms	M	**25**	*0·04*	*7*	6	*6*	12	26	61	73	111
		F	**28**	*0·03*	*8*	*4*	*6*	16	38	45	54	121
B20	Diabetes mellitus	M	**53**	*0·01*	*4*	*1*	*4*	13	28	77	256	626
		F	**93**	*0·01*	*3*	*2*	*3*	9	29	119	390	717
B21	Anaemias	M	**26**	*0·01*	*6*	*2*	*3*	*2*	9	32	110	411
		F	**47**	*0·01*	*4*	*4*	*3*	4	11	33	165	489
B22	Vascular lesions affecting central nervous system	M	**1,439**	*0·04*	*3*	*3*	17	80	480	1,862	6,982	22,422
		F	**1,921**	*0·01*	*4*	*5*	11	79	480	1,633	5,988	21,526
B23	Nonmeningococcal meningitis	M	**9**	0·21	*14*	*3*	*1*	*2*	*4*	10	14	*28*
		F	**6**	0·16	*9*	*1*	—	*1*	*4*	*5*	*8*	*12*
B24	Rheumatic fever	M	**3**	*0·00*	*2*	*4*	*4*	*1*	*1*	*4*	*9*	*13*
		F	**3**	—	*1*	*2*	*2*	*3*	*2*	*3*	*3*	*9*
B25	Chronic rheumatic heart disease	M	**118**	—	—	*2*	15	68	170	268	418	536
		F	**208**	—	—	*0*	20	106	296	405	539	794

TABLE 19—*continued*

England and Wales—*continued*

Abbreviated List No.	Causes of death		All ages	Under 1 year	Age: Years 1–	5–	15–	25–	45–	55–	65–	75 and over
			Rates per million living	Rates per 1,000 live births	Rates per million living							
	Estimated mid-year population (in thousands)	M	21,744	380,944	1,365	3,555	2,808	6,095	3,161	2,318	1,396	676
		F	23,365	359,771	1,297	3,395	2,814	6,202	3,284	2,783	2,028	1,211
B26	Arteriosclerotic heart dis. incl. coronary dis. (420)	M	**2,395**	*0·00*	—	*0*	*4*	245	1,899	5,579	12,332	21,345
		F	**1,368**	—	—	—	*0*	32	320	1,534	5,494	12,628
B26	Degenerative heart disease (421, 422)	M	**1,065**	*0·01*	*1*	*1*	*5*	19	114	591	3,585	24,081
		F	**1,447**	*0·01*	—	*1*	*2*	14	59	357	2,539	22,612
B27	Other diseases of heart	M	**269**	*0·04*	*5*	*2*	7	21	87	373	1,305	4,000
		F	**306**	*0·04*	*3*	*1*	*6*	16	61	217	899	3,620
B28	Hypertension with heart disease	M	**238**	—	—	—	*0*	*1*	9	71	352	1,312	3,317
		F	**304**	—	—	—	—	*3*	52	267	1,069	3,311
B29	Hypertension without mention of heart	M	**162**	—	—	—	*0*	*3*	28	131	296	697	1,874
		F	**164**	—	—	—	*0*	*2*	16	65	153	532	1,664
B46 (Pt.)	Other circulatory diseases (450-468)	M	**345**	*0·01*	*1*	*1*	*5*	19	90	347	1,420	6,327
		F	**383**	*0·01*	*2*	*1*	*3*	24	71	221	899	5,040
B30	Influenza	M	**56**	*0·04*	*10*	*3*	*6*	14	38	118	234	521
		F	**51**	*0·05*	*7*	*3*	*6*	10	21	51	143	471
B31	Pneumonia	M	**543**	2·08	155	17	27	46	192	648	2,070	7,956
		F	**511**	1·86	125	21	14	34	114	327	1,185	5,860
B32	Bronchitis	M	**935**	0·54	40	7	9	40	434	2,044	5,181	9,506
		F	**388**	0·40	32	*5*	*6*	21	103	390	1,168	4,067
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	**169**	0·17	22	8	10	26	124	442	821	1,200
		F	**68**	0·11	*13*	8	7	17	45	91	156	547
B33	Ulcer of stomach and duodenum	M	**158**	*0·02*	—	*1*	*3*	22	121	317	776	1,581
		F	**63**	*0·01*	—	*0*	*1*	9	27	66	210	588
B34	Appendicitis	M	**21**	*0·01*	17	7	6	8	15	41	80	139
		F	**14**	*0·01*	*6*	*5*	*4*	4	9	17	36	92
B35	Intestinal obstruction and hernia	M	**64**	0·33	*11*	*2*	*2*	9	34	93	273	720
		F	**63**	0·19	*10*	*1*	*1*	6	20	64	194	577
B36	Gastritis, duodenitis, enteritis, and colitis, except diarrhoea of the newborn	M	**46**	0·39	31	*3*	*6*	9	29	70	154	379
		F	**58**	0·26	23	*2*	11	13	25	54	171	434
B37	Cirrhosis of liver	M	**30**	*0·01*	*2*	*2*	*1*	10	44	84	105	130
		F	**23**	*0·01*	*2*	*2*	*2*	4	28	56	78	70
B38	Nephritis and nephrosis	M	**99**	*0·03*	*4*	9	27	51	100	187	322	771
		F	**82**	*0·01*	*4*	7	24	35	57	99	246	531
B39	Hyperplasia of prostate	M	**165**	—	—	—	—	—	*5*	83	681	3,575
B40	Deliveries and complications of pregnancy, childbirth and the puerperium	F	**14**	—	—	—	—	25	41	*1*	—	—
B41	Congenital malformations	M	**119**	4·70	132	26	30	22	36	43	48	37
		F	**98**	4·44	130	27	20	20	29	31	26	22
B42	Birth injuries, postnatal asphyxia and atelectasis	M	**125**	7·15	—	—	—	—	—	—	—	—
		F	**74**	4·79	*2*	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	**1**	0·06	—	—	—	—	—	—	—	—
		F	*1*	*0·04*	—	—	—	—	—	—	—	—
B43	Other infections of newborn (763, 765-768)	M	**25**	1·45	—	—	—	—	—	—	—	—
		F	**15**	0·99	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified	M	**107**	6·09	*1*	—	—	—	—	—	—	—
		F	**73**	4·73	*2*	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	**137**	0·05	*3*	—	—	*1*	*3*	*5*	*7*	96	4,114
		F	**225**	*0·03*	*2*	—	—	*0*	*1*	*2*	*5*	86	4,169
B46 (Rem.)	All other diseases (Remainder 001-795)	M	**343**	0·66	100	48	69	106	249	578	1,404	2,939
		F	**448**	0·49	70	33	65	121	296	635	1,343	3,059
BE47	Motor vehicle accidents	M	**186**	*0·01*	83	81	345	157	142	191	271	638
		F	**60**	*0·01*	53	32	49	26	43	65	144	254
BE48	All other accidents	M	**274**	0·75	151	95	160	189	217	317	466	2,158
		F	**235**	0·56	97	35	26	29	73	122	435	2,744
BE49	Suicide and self-inflicted injury	M	**146**	—	—	*1*	46	126	219	329	366	457
		F	**91**	—	—	—	23	67	151	190	208	162
BE50	Homicide and operations of war	M	**8**	*0·03*	*4*	*3*	*6*	5	*6*	17	27	*15*
		F	**4**	*0·03*	*6*	*1*	*5*	4	*4*	*4*	*4*	*6*
BN47	Fractures, head injuries and internal injuries	M	**333**	0·06	100	105	401	268	265	370	561	2,183
		F	**208**	*0·03*	64	38	58	33	62	109	411	2,429
BN48	Burns	M	**13**	*0·02*	27	*3*	7	6	8	*8*	27	127
		F	**19**	*0·01*	32	13	*3*	*2*	10	13	35	154
BN49	Effects of poisons	M	**120**	*0·02*	20	*5*	35	100	173	243	294	479
		F	**105**	*0·01*	15	*4*	26	65	146	183	242	382
BN50	All other injuries	M	**148**	0·69	91	67	114	103	138	233	248	478
		F	**58**	0·56	45	14	16	26	52	75	105	202

TABLE 19—*continued*

Abbreviated List No.	Causes of death		Northern Region									
			Age									
			All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
	ALL CAUSES	M	20,258	892	109	102	183	874	1,858	3,862	5,531	6,847
		F	17,481	628	72	64	104	649	1,053	2,234	4,653	8,024
B1	Tuberculosis of respiratory system	M	225	—	—	1	2	30	48	72	55	17
		F	95	—	—	—	5	36	18	13	20	3
B2	Tuberculosis, other forms	M	28	—	3	4	3	6	5	4	2	1
		F	21	2	3	1	1	2	2	2	6	2
B3	Syphilis and its sequelae	M	52	—	—	1	—	4	4	17	19	7
		F	33	—	—	—	1	2	1	12	9	8
B4	Typhoid fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B5	Cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	M	2	1	—	—	—	—	—	—	1	—
		F	2	—	—	1	—	—	—	1	—	—
B7	Scarlet fever and streptococcal sore throat	M	—	—	—	—	—	—	—	—	—	—
		F	1	1	—	—	—	—	—	—	—	—
B8	Diphtheria	M	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	1	—	—	—	—	—	—
B9	Whooping cough	M	—	—	—	—	—	—	—	—	—	—
		F	1	1	—	—	—	—	—	—	—	—
B10	Meningococcal infections	M	9	5	4	—	—	—	—	—	—	—
		F	6	3	1	—	—	1	—	—	1	—
B11	Plague	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	M	3	—	—	—	—	3	—	—	—	—
		F	1	—	1	—	—	—	—	—	—	—
B13	Smallpox	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B14	Measles	M	—	—	—	—	—	—	—	—	—	—
		F	1	1	—	—	—	—	—	—	—	—
B15	Typhus and other rickettsial diseases	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	M	1	—	—	—	—	—	1	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic	M	34	3	3	2	2	6	3	8	6	1
		F	39	2	4	3	1	5	3	7	7	7
B18	Malignant neoplasm: (140-205)	M	3,660	4	9	17	18	173	498	996	1,152	793
		F	2,986	3	8	11	14	217	430	642	850	811
	stomach (151)	M	663	—	—	—	—	28	84	166	224	161
		F	488	—	—	—	—	17	38	84	170	179
	trachea, bronchus and lung (162, 163)	M	1,165	—	—	—	1	46	227	437	345	109
		F	194	—	—	—	2	19	44	43	49	37
	breast (170)	M	4	—	—	—	—	—	1	1	1	1
		F	482	—	—	—	—	36	105	116	129	96
	uterus (171-174)	F	347	—	—	—	—	44	81	84	79	59
	Leukaemia and aleukaemia (204)	M	78	1	1	4	5	11	8	18	24	6
		F	79	2	3	4	4	6	7	18	16	19
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	M	1,750	3	8	13	12	88	178	374	558	516
		F	1,396	1	5	7	8	95	155	297	407	421
B19	Benign and unspecified neoplasms	M	28	2	1	—	1	6	6	4	6	2
		F	42	—	—	4	2	4	8	6	9	9
B20	Diabetes mellitus	M	63	—	—	—	1	5	2	10	19	26
		F	152	—	—	1	1	5	7	30	66	42
B21	Anaemias	M	46	—	1	1	—	2	1	8	17	16
		F	70	—	—	1	—	1	5	9	18	36
B22	Vascular lesions affecting central nervous system	M	2,694	—	—	—	5	35	112	350	831	1,361
		F	3,191	—	—	—	1	34	121	367	946	1,722
B23	Nonmeningococcal meningitis	M	15	7	1	—	—	2	2	—	2	1
		F	9	4	1	—	—	3	1	—	—	—
B24	Rheumatic fever	M	2	—	—	—	1	—	—	—	1	—
		F	2	—	—	—	1	1	—	—	—	—
B25	Chronic rheumatic heart disease	M	186	—	—	1	6	25	40	42	51	21
		F	314	—	—	—	8	64	64	74	65	39

TABLE 19—*continued*

Abbreviated List No.	Causes of death		Northern Region—*continued*									
			Age									
			All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420)	M	4,085	—	—	—	—	118	528	1,055	1,282	1,102
		F	2,437	—	—	—	—	20	92	390	931	1,004
	Degenerative heart disease (421, 422)	M	1,695	1	—	—	1	12	34	100	377	1,170
		F	2,246	—	—	—	2	7	11	70	410	1,746
B27	Other diseases of heart	M	415	—	2	—	2	12	22	57	131	189
		F	479	2	1	—	3	9	15	45	138	266
B28	Hypertension with heart disease	M	309	—	—	1	2	1	10	53	117	125
		F	478	—	—	—	—	1	18	65	167	227
B29	Hypertension without mention of heart	M	228	—	—	—	—	13	31	47	53	84
		F	250	—	—	—	—	10	20	29	72	119
B46 (Pt.)	Other circulatory diseases (450-468)	M	558	—	—	1	—	5	14	31	144	363
		F	614	—	—	1	—	22	21	38	129	403
B30	Influenza	M	78	1	1	—	1	4	10	21	22	18
		F	67	2	—	—	1	3	1	10	20	30
B31	Pneumonia	M	798	73	16	2	5	22	51	114	224	291
		F	636	57	12	4	2	8	18	66	140	329
B32	Bronchitis	M	1,383	12	2	1	3	30	130	375	469	361
		F	583	14	2	1	1	10	32	84	172	267
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	240	4	1	1	1	8	24	78	76	47
		F	101	2	—	—	4	7	11	16	21	40
B33	Ulcer of stomach and duodenum	M	217	—	—	—	2	5	32	55	68	55
		F	77	—	—	—	1	6	6	10	22	32
B34	Appendicitis	M	32	—	1	4	2	3	1	5	9	7
		F	15	1	1	1	—	3	1	4	3	1
B35	Intestinal obstruction and hernia	M	90	9	2	1	—	4	7	17	21	29
		F	89	8	1	—	1	1	5	10	29	34
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	68	12	3	1	1	—	4	14	12	21
		F	80	9	1	1	3	5	2	10	18	31
B37	Cirrhosis of liver	M	53	—	—	—	1	3	11	19	7	12
		F	42	—	—	—	—	5	7	9	16	5
B38	Nephritis and nephrosis	M	138	1	1	—	3	27	20	31	27	28
		F	140	—	—	2	8	20	14	22	37	37
B39	Hyperplasia of prostate	M	254	—	—	—	—	—	1	13	67	173
B40	Complications of pregnancy, childbirth and puerperium	F	27	—	—	—	6	21	—	—	—	—
B41	Congenital malformations	M	224	173	16	2	6	8	5	9	5	—
		F	157	126	10	3	1	4	3	4	4	2
B42	Birth injuries, postnatal asphyxia and atelectasis	M	223	223	—	—	—	—	—	—	—	—
		F	130	130	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	2	2	—	—	—	—	—	—	—	—
		F	1	1	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	52	52	—	—	—	—	—	—	—	—
		F	44	44	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified	M	244	244	—	—	—	—	—	—	—	—
		F	160	160	—	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	242	2	—	—	—	—	1	1	2	13	223
		F	347	1	—	—	—	—	—	1	1	15	329
B46 (Rem.)	All other diseases (Remainder 001-795)	M	492	18	13	13	13	50	52	93	123	117
		F	714	24	8	9	19	57	70	118	212	197
BE47	Motor vehicle accidents	M	275	—	11	23	48	78	33	25	28	29
		F	92	—	9	13	9	9	8	8	22	14
BE48	All other accidents	M	581	43	18	23	40	120	66	83	55	133
		F	389	29	9	6	5	15	20	28	58	219
BE49	Suicide and self-inflicted injury	M	218	—	—	—	10	51	48	50	36	23
		F	111	—	—	—	3	28	16	33	20	11
BE50	Homicide and operations of war	M	16	—	—	2	3	2	1	4	3	1
		F	8	1	—	—	—	3	1	1	—	2
BN47	Fractures, head injuries and internal injuries	M	595	1	13	31	69	149	69	71	64	128
		F	344	1	10	15	9	13	16	21	59	200
BN48	Burns	M	27	1	3	—	1	3	6	1	3	9
		F	35	—	6	2	1	2	3	3	5	13
BN49	Effects of poisons	M	188	—	3	—	6	43	41	41	31	23
		F	119	—	1	1	2	31	17	32	17	18
BN50	All other injuries	M	280	41	10	17	25	56	32	49	24	26
		F	102	29	1	1	5	9	9	14	19	15

TABLE 19—*continued*

Abbreviated List No.	Causes of death		Tyneside Conurbation									
			Age									
					Years							
			All ages	Under 1 year	1–	5–	15–	25–	45–	55–	65–	75 and over
	ALL CAUSES	M	5,411	238	23	22	36	233	528	1,137	1,472	1,722
		F	4,685	153	19	13	30	182	303	601	1,219	2,165
B1	Tuberculosis of respiratory system	M	76	—	—	—	2	11	15	27	16	5
		F	33	—	—	—	—	12	9	7	5	—
B2	Tuberculosis, other forms	M	2	—	—	—	1	—	—	1	—	—
		F	5	—	1	—	—	1	1	1	1	—
B3	Syphilis and its sequelae	M	16	—	—	1	—	3	3	4	4	1
		F	8	—	—	—	1	1	1	4	—	1
B4	Typhoid fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B5	Cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	M	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	1	—	—	—	—	—	—
B7	Scarlet fever and streptococcal sore throat	M	—	—	—	—	—	—	—	—	—	—
		F	1	1	—	—	—	—	—	—	—	—
B8	Diphtheria	M	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	1	—	—	—	—	—	—
B9	Whooping cough	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B10	Meningococcal infections	M	4	4	—	—	—	—	—	—	—	—
		F	4	3	1	—	—	—	—	—	—	—
B11	Plague	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	M	1	—	—	—	—	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B13	Smallpox	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B14	Measles	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B15	Typhus and other rickettsial diseases	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic	M	7	1	1	1	—	1	2	—	1	—
		F	8	—	2	1	—	—	1	—	1	3
B18	Malignant neoplasm: (140-205)	M	1,059	—	3	3	4	48	148	316	327	210
		F	834	—	2	1	5	60	122	173	233	238
	stomach (151)	M	176	—	—	—	—	6	19	57	63	31
		F	139	—	—	—	—	3	15	21	48	52
	trachea, bronchus and lung (162, 163)	M	397	—	—	—	—	14	73	157	116	37
		F	52	—	—	—	—	5	11	9	13	14
	breast (170)	M	1	—	—	—	—	—	—	—	1	—
		F	139	—	—	—	—	12	24	41	34	28
	uterus (171-174)	F	103	—	—	—	—	12	25	18	28	20
	Leukaemia and aleukaemia (204)	M	20	—	—	—	1	2	3	6	7	1
		F	24	—	1	1	—	2	3	6	4	7
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	M	465	—	3	3	3	26	53	96	140	141
		F	377	—	1	—	5	26	44	78	106	117
B19	Benign and unspecified neoplasms	M	10	1	—	—	1	4	2	—	1	1
		F	12	—	—	1	—	1	3	1	3	3
B20	Diabetes mellitus	M	22	—	—	—	—	2	—	4	5	11
		F	37	—	—	—	1	1	—	9	14	12
B21	Anaemias	M	16	—	1	—	—	—	1	1	7	6
		F	21	—	—	—	—	1	1	5	6	8
B22	Vascular lesions affecting central nervous system	M	717	—	—	—	2	10	29	108	214	354
		F	809	—	—	—	—	10	32	70	251	446
B23	Nonmeningococcal meningitis	M	6	4	1	—	—	—	—	—	1	—
		F	2	1	1	—	—	—	—	—	—	—
B24	Rheumatic fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B25	Chronic rheumatic heart disease	M	49	—	—	—	1	6	11	13	12	6
		F	97	—	—	—	3	20	21	21	18	14

TABLE 19—*continued*

Abbreviated List No.	Causes of death		Tyneside Conurbation—*continued*									
			Age									
					Years							
			All ages	Under 1 year	1–	5–	15–	25–	45–	55–	65–	75 and over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420)	M	1,024	—	—	—	—	30	149	301	294	250
		F	628	—	—	—	—	5	24	106	239	254
	Degenerative heart disease (421, 422)	M	397	1	—	—	—	5	11	25	79	276
		F	527	—	—	—	—	2	2	18	71	434
B27	Other diseases of heart	M	97	—	—	—	—	3	6	16	29	43
		F	126	1	—	—	1	1	4	12	36	71
B28	Hypertension with heart disease	M	91	—	—	—	—	—	2	18	40	31
		F	142	—	—	—	—	—	4	18	53	67
B29	Hypertension without mention of heart	M	75	—	—	—	—	3	8	19	15	30
		F	83	—	—	—	—	3	5	10	19	46
B46 (Pt.)	Other circulatory diseases (450-468)	M	153	—	—	—	—	1	8	11	39	94
		F	187	—	—	—	—	8	3	11	42	123
B30	Influenza	M	21	1	—	—	—	1	1	7	5	6
		F	30	1	—	—	1	1	—	2	8	17
B31	Pneumonia	M	213	9	1	1	—	5	8	25	74	90
		F	186	8	3	1	—	3	4	19	48	100
B32	Bronchitis	M	425	4	1	—	—	8	39	116	152	105
		F	195	2	1	—	—	4	15	30	58	85
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	56	3	1	—	—	1	5	17	16	13
		F	37	1	—	—	—	—	6	6	8	16
B33	Ulcer of stomach and duodenum	M	62	—	—	—	—	4	8	14	25	11
		F	19	—	—	—	—	3	2	2	4	8
B34	Appendicitis	M	8	—	1	1	—	—	1	1	3	1
		F	3	—	—	—	—	1	—	2	—	—
B35	Intestinal obstruction and hernia	M	22	1	1	—	—	—	2	1	7	10
		F	24	1	—	—	1	—	2	4	5	11
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	14	2	—	—	—	—	—	3	5	4
		F	25	2	—	—	1	3	1	4	6	8
B37	Cirrhosis of liver	M	10	—	—	—	—	2	2	4	1	1
		F	12	—	—	—	—	—	4	—	7	1
B38	Nephritis and nephrosis	M	38	—	—	—	2	8	4	9	10	5
		F	33	—	—	—	1	4	5	8	8	7
B39	Hyperplasia of prostate	M	53	—	—	—	—	—	1	4	14	34
B40	Complications of pregnancy, childbirth and puerperium	F	7	—	—	—	2	5	—	—	—	—
B41	Congenital malformations	M	59	45	5	—	—	2	3	4	—	—
		F	38	32	1	1	—	—	2	1	—	1
B42	Birth injuries, postnatal asphyxia and atelectasis	M	68	68	—	—	—	—	—	—	—	—
		F	37	37	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	—	—	—	—	—	—	—	—	—	—
		F	1	1	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	13	13	—	—	—	—	—	—	—	—
		F	10	10	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified	M	63	63	—	—	—	—	—	—	—	—
		F	36	36	—	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	57	—	—	—	—	—	1	—	—	56
		F	86	1	—	—	—	—	—	—	1	84
B46 (Rem.)	All other diseases (Remainder 001-795)	M	115	3	1	4	2	7	15	25	35	23
		F	183	3	2	2	6	13	21	34	48	54
BE47	Motor vehicle accidents	M	81	—	3	5	6	29	11	9	8	10
		F	24	—	1	4	3	3	—	2	4	7
BE48	All other accidents	M	142	15	3	6	10	22	17	22	18	29
		F	90	12	4	—	2	5	5	9	13	40
BE49	Suicide and self-inflicted injury	M	66	—	—	—	3	15	15	12	15	6
		F	40	—	—	—	2	9	3	12	9	5
BE50	Homicide and operations of war	M	3	—	—	—	2	1	—	—	—	—
		F	3	—	—	—	—	2	—	—	—	1
BN47	Fractures, head injuries and internal injuries	M	144	—	3	6	11	42	21	19	17	25
		F	70	—	1	4	3	5	2	6	10	39
BN48	Burns	M	9	—	1	—	1	—	3	—	1	3
		F	8	—	3	—	—	1	—	1	—	3
BN49	Effects of poisons	M	56	—	—	—	2	10	11	9	15	9
		F	44	—	1	—	1	10	4	11	9	8
BN50	All other injuries	M	83	15	2	5	7	15	8	15	8	8
		F	35	12	—	—	3	3	2	5	7	3

TABLE 19—*continued*

Abbreviated List No.	Causes of death		East and West Ridings Region — Age									
			All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
	ALL CAUSES	M	26,212	959	130	174	232	1,155	2,317	5,056	7,532	8,657
		F	23,848	713	102	86	114	782	1,407	2,928	6,298	11,418
B1	Tuberculosis of respiratory system	M	317	1	—	1	3	35	57	112	77	31
		F	87	—	—	1	3	37	13	11	9	13
B2	Tuberculosis, other forms	M	17	—	—	1	1	4	4	3	2	2
		F	11	—	1	1	1	2	2	—	3	1
B3	Syphilis and its sequelae	M	62	—	—	—	—	4	6	15	28	9
		F	30	—	—	—	—	—	2	11	8	9
B4	Typhoid fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B5	Cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	M	4	2	—	—	—	—	—	—	1	1
		F	1	—	—	1	—	—	—	—	—	—
B7	Scarlet fever and streptococcal sore throat	M	1	—	—	—	—	—	—	—	1	—
		F	—	—	—	—	—	—	—	—	—	—
B8	Diphtheria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B9	Whooping cough	M	2	2	—	—	—	—	—	—	—	—
		F	2	2	—	—	—	—	—	—	—	—
B10	Meningococcal infections	M	9	6	3	—	—	—	—	—	—	—
		F	7	4	1	—	1	1	—	—	—	—
B11	Plague	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	M	10	—	1	—	1	8	—	—	—	—
		F	7	—	2	1	1	2	—	1	—	—
B13	Smallpox	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B14	Measles	M	2	1	1	—	—	—	—	—	—	—
		F	2	—	1	—	—	—	—	—	—	1
B15	Typhus and other rickettsial diseases	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic	M	35	4	3	5	3	6	4	3	5	2
		F	44	2	2	2	3	10	6	7	5	7
B18	Malignant neoplasm: (140-205)	M	4,617	4	19	32	20	215	586	1,285	1,468	988
		F	4,106	2	9	12	9	256	575	910	1,210	1,123
	stomach (151)	M	771	—	—	—	—	27	80	207	268	189
		F	589	—	—	—	—	19	41	95	202	232
	trachea, bronchus and lung (162, 163)	M	1,555	—	—	1	1	66	277	580	479	151
		F	237	—	—	—	—	17	35	61	77	47
	breast (170)	M	7	—	—	—	—	1	—	1	1	4
		F	785	—	—	—	—	67	159	189	193	177
	uterus (171-174)	F	422	—	—	—	—	31	82	121	120	68
	Leukaemia and aleukaemia (204)	M	132	2	8	16	6	15	20	35	21	9
		F	91	1	3	3	—	12	16	25	19	12
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	M	2,152	2	11	15	13	106	209	462	699	635
		F	1,982	1	6	9	9	110	242	419	599	587
B19	Benign and unspecified neoplasms	M	52	2	2	3	3	3	8	16	12	3
		F	52	1	—	2	1	8	14	14	4	8
B20	Diabetes mellitus	M	108	—	1	1	—	12	11	17	26	40
		F	207	—	—	2	—	5	7	39	73	81
B21	Anaemias	M	65	—	1	2	2	—	4	5	17	34
		F	100	—	—	—	2	1	4	5	32	56
B22	Vascular lesions affecting central nervous system	M	3,052	1	2	3	4	39	156	404	1,012	1,431
		F	4,328	—	1	3	3	55	142	424	1,304	2,396
B23	Nonmeningococcal meningitis	M	19	5	—	2	—	2	—	3	3	4
		F	9	5	1	—	—	1	1	—	1	—
B24	Rheumatic fever	M	9	1	—	1	2	2	1	—	1	1
		F	5	—	—	—	1	1	1	—	2	—
B25	Chronic rheumatic heart disease	M	278	—	—	3	1	68	55	67	53	31
		F	504	—	—	—	10	78	124	117	107	68

TABLE 19—*continued*

Abbreviated List No.	Causes of death		East and West Ridings Region—*continued* — Age									
			All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420)	M	5,387	—	—	—	1	1	169	641	1,385	1,772	1,418
		F	3,297	—	—	—	—	—	24	100	483	1,244	1,446
	Degenerative heart disease (421, 422)	M	2,104	—	—	—	—	2	11	24	152	467	1,448
		F	2,885	—	—	—	—	—	9	17	105	507	2,247
B27	Other diseases of heart	M	501	1	—	1	2	16	18	88	168	207
		F	616	2	—	—	—	11	19	56	196	332
B28	Hypertension with heart disease	M	534	—	—	—	—	3	25	76	196	234
		F	749	—	—	—	—	7	17	81	237	407
B29	Hypertension without mention of heart	M	301	—	—	—	1	11	34	51	93	111
		F	310	—	—	—	1	5	12	29	87	176
B46 (Pt.)	Other circulatory diseases (450-468)	M	757	—	—	—	2	15	25	65	199	451
		F	893	1	1	1	1	9	15	57	171	637
B30	Influenza	M	87	—	1	2	—	12	13	21	19	19
		F	85	1	2	3	3	6	8	16	22	24
B31	Pneumonia	M	1,161	92	22	5	8	26	63	147	311	487
		F	1,045	64	19	7	8	26	37	99	238	547
B32	Bronchitis	M	2,280	32	6	4	1	30	180	572	841	614
		F	912	24	3	—	2	15	43	109	246	470
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	333	11	4	3	2	14	42	100	91	66
		F	143	8	2	2	3	14	19	25	24	46
B33	Ulcer of stomach and duodenum	M	287	1	—	—	4	19	33	50	98	82
		F	106	—	—	1	—	5	8	10	24	58
B34	Appendicitis	M	35	—	1	2	3	3	3	10	8	5
		F	25	—	1	2	—	1	3	7	4	7
B35	Intestinal obstruction and hernia	M	111	13	1	1	—	9	10	17	21	39
		F	131	10	2	—	—	1	13	17	43	45
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	93	25	4	1	1	4	7	12	13	26
		F	104	21	3	—	2	9	4	14	22	29
B37	Cirrhosis of liver	M	61	—	—	2	1	6	14	16	15	7
		F	50	—	—	—	—	3	10	11	17	9
B38	Nephritis and nephrosis	M	232	3	—	2	6	37	30	38	54	62
		F	230	—	—	2	5	22	21	31	72	77
B39	Hyperplasia of prostate	M	291	—	—	—	—	—	—	12	90	189
B40	Complications of pregnancy, childbirth and puerperium	F	37	—	—	—	14	23	—	—	—	—
B41	Congenital malformations	M	216	154	13	10	9	10	6	6	6	2
		F	194	139	10	11	4	8	6	8	5	3
B42	Birth injuries, postnatal asphyxia and atelectasis	M	265	265	—	—	—	—	—	—	—	—
		F	170	170	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	4	4	—	—	—	—	—	—	—	—
		F	2	2	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	38	38	—	—	—	—	—	—	—	—
		F	33	33	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified	M	243	243	—	—	—	—	—	—	—	—
		F	186	186	—	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	238	3	—	—	—	—	1	1	3	8	222
		F	388	—	—	—	—	—	—	—	—	17	371
B46 (Rem.)	All other diseases (Remainder 001-795)	M	657	29	11	23	14	60	62	112	178	168
		F	922	23	12	11	12	66	91	148	215	344
BE47	Motor vehicle accidents	M	378	1	12	34	84	91	45	44	31	36
		F	130	—	12	6	11	17	14	16	27	27
BE48	All other accidents	M	594	14	22	27	34	116	71	70	84	156
		F	519	12	15	15	2	11	17	29	85	333
BE49	Suicide and self-inflicted injury	M	345	—	—	—	15	91	78	75	56	30
		F	175	—	—	—	10	30	41	38	37	19
BE50	Homicide and operations of war	M	20	1	—	2	2	3	—	4	7	1
		F	9	1	2	—	1	3	1	—	—	1
BN47	Fractures, head injuries and internal injuries	M	696	3	15	41	95	153	77	84	79	149
		F	465	—	14	7	12	19	16	30	77	290
BN48	Burns	M	27	1	5	2	1	3	—	1	6	8
		F	46	—	4	6	—	—	6	3	9	18
BN49	Effects of poisons	M	305	1	2	—	13	75	65	63	48	38
		F	190	—	6	2	9	27	33	33	41	39
BN50	All other injuries	M	309	11	12	20	26	70	52	45	45	28
		F	132	13	5	6	3	15	18	17	22	33

TABLE 19—*continued*

Abbreviated List No.	Causes of death		West Yorkshire Conurbation — Age									
					Years							
			All ages	Under 1 year	1–	5–	15–	25–	45–	55–	65–	75 and over
	ALL CAUSES	M	11,332	383	48	71	92	484	1,061	2,333	3,317	3,543
		F	10,875	290	39	39	34	314	606	1,376	2,937	5,240
B1	Tuberculosis of respiratory system	M	130	—	—	—	2	15	23	46	29	15
		F	39	—	—	—	1	16	6	5	3	8
B2	Tuberculosis, other forms	M	8	—	—	—	—	2	3	1	2	—
		F	2	—	—	1	—	—	—	—	—	1
B3	Syphilis and its sequelae	M	27	—	—	—	—	3	4	6	12	2
		F	18	—	—	—	—	—	1	5	5	7
B4	Typhoid fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B5	Cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	M	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	1	—	—	—	—	—	—
B7	Scarlet fever and streptococcal sore throat	M	1	—	—	—	—	—	—	—	1	—
		F	—	—	—	—	—	—	—	—	—	—
B8	Diphtheria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B9	Whooping cough	M	1	1	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B10	Meningococcal infections	M	3	1	2	—	—	—	—	—	—	—
		F	3	3	—	—	—	—	—	—	—	—
B11	Plague	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	M	8	—	—	—	—	8	—	—	—	—
		F	4	—	1	—	—	2	—	1	—	—
B13	Smallpox	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B14	Measles	M	1	1	—	—	—	—	—	—	—	—
		F	2	—	1	—	—	—	—	—	—	1
B15	Typhus and other rickettsial diseases	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic	M	15	1	1	4	1	2	2	2	1	1
		F	20	1	1	2	—	4	3	2	4	3
B18	Malignant neoplasm: (140-205)	M	1,946	1	8	10	5	99	256	559	648	360
		F	1,814	2	3	9	4	99	248	399	534	516
	stomach (151)	M	329	—	—	—	—	10	39	79	131	70
		F	258	—	—	—	—	8	17	45	88	100
	trachea, bronchus and lung (162, 163)	M	689	—	—	1	—	33	114	262	211	68
		F	118	—	—	—	—	9	13	36	33	27
	breast (170)	M	4	—	—	—	—	1	—	—	1	2
		F	366	—	—	—	—	27	69	87	93	90
	uterus (171-174)	F	170	—	—	—	—	8	39	42	49	32
	Leukaemia and aleukaemia (204)	M	45	—	3	2	3	7	7	13	7	3
		F	46	1	—	3	—	8	8	9	11	6
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	M	879	1	5	7	2	48	96	205	298	217
		F	856	1	3	6	4	39	102	180	260	261
B19	Benign and unspecified neoplasms	M	23	1	—	2	—	1	5	7	6	1
		F	17	—	—	—	—	3	3	7	1	3
B20	Diabetes mellitus	M	59	—	1	—	—	7	7	11	15	18
		F	100	—	—	—	—	4	3	15	32	46
B21	Anaemias	M	29	—	—	1	1	—	1	3	6	17
		F	45	—	—	—	2	1	3	1	14	24
B22	Vascular lesions affecting central nervous system	M	1,297	1	1	2	1	16	85	178	433	580
		F	2,031	—	1	1	1	24	66	201	614	1,123
B23	Nonmeningococcal meningitis	M	9	1	—	2	—	1	—	1	1	3
		F	3	—	1	—	—	1	1	—	—	—
B24	Rheumatic fever	M	6	1	—	1	1	2	—	—	—	1
		F	2	—	—	—	1	1	—	—	—	—
B25	Chronic rheumatic heart disease	M	127	—	—	2	—	25	22	35	26	17
		F	207	—	—	—	2	29	45	60	42	29

TABLE 19—*continued*

Abbreviated List No.	Causes of death		West Yorkshire Conurbation—*continued* — Age									
					Years							
			All ages	Under 1 year	1–	5–	15–	25–	45–	55–	65–	75 and over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420)	M	2,507	—	—	—	1	66	313	682	812	633
		F	1,655	—	—	—	—	14	51	245	637	708
	Degenerative heart disease (421, 422)	M	872	—	—	—	1	2	9	72	200	588
		F	1,241	—	—	—	—	4	7	43	209	978
B27	Other diseases of heart	M	234	1	—	—	1	8	9	53	78	84
		F	298	1	—	—	—	7	11	30	91	158
B28	Hypertension with heart disease	M	244	—	—	—	—	1	15	40	92	96
		F	343	—	—	—	—	2	6	43	128	164
B29	Hypertension without mention of heart	M	125	—	—	—	—	7	17	19	39	43
		F	145	—	—	—	—	4	6	14	33	88
B46 (Pt.)	Other circulatory diseases (450-468)	M	297	—	—	—	1	7	14	24	78	173
		F	391	—	1	—	—	4	8	29	82	267
B30	Influenza	M	22	—	—	1	—	1	3	8	5	4
		F	17	—	—	2	—	2	—	3	3	7
31	Pneumonia	M	522	44	9	2	6	7	31	68	147	208
		F	531	34	11	5	5	8	16	42	133	277
B32	Bronchitis	M	1,000	12	2	—	—	14	82	262	352	276
		F	412	4	1	—	1	5	20	56	107	218
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	144	6	1	1	—	6	20	42	43	25
		F	69	4	1	1	—	6	8	11	14	24
B33	Ulcer of stomach and duodenum	M	142	—	—	—	2	5	13	31	42	49
		F	54	—	—	1	—	2	5	5	13	28
B34	Appendicitis	M	12	—	—	—	—	1	1	4	4	2
		F	13	—	1	2	—	—	—	3	3	4
B35	Intestinal obstruction and hernia	M	52	6	—	—	—	3	7	8	10	18
		F	65	7	—	—	—	1	3	9	17	28
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	40	8	1	—	1	2	3	5	8	12
		F	39	7	—	—	1	2	2	6	10	11
B37	Cirrhosis of liver	M	30	—	—	1	1	3	6	9	6	4
		F	23	—	—	—	—	2	6	4	6	5
B38	Nephritis and nephrosis	M	79	1	—	—	5	13	12	9	23	16
		F	92	—	—	1	2	3	9	16	29	32
B39	Hyperplasia of prostate	M	101	—	—	—	—	—	—	6	38	57
B40	Complications of pregnancy, childbirth and puerperium	F	14	—	—	—	4	10	—	—	—	—
B41	Congenital malformations	M	91	60	6	3	7	4	3	4	2	2
		F	74	56	4	3	—	2	4	3	1	1
B42	Birth injuries, postnatal asphyxia and atelectasis	M	105	105	—	—	—	—	—	—	—	—
		F	71	71	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	1	1	—	—	—	—	—	—	—	—
		F	1	1	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	15	15	—	—	—	—	—	—	—	—
		F	13	13	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified	M	94	94	—	—	—	—	—	—	—	—
		F	76	76	—	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	99	1	—	—	—	1	—	2	3	92
		F	162	—	—	—	—	—	—	—	10	152
B46 (Rem.)	All other diseases (Remainder 001-795)	M	280	11	3	11	4	26	25	53	79	68
		F	420	6	3	1	3	26	37	71	97	176
BE47	Motor vehicle accidents	M	162	—	3	17	31	40	20	20	19	12
		F	53	—	4	2	2	5	2	10	12	16
BE48	All other accidents	M	223	9	10	11	13	48	21	29	29	53
		F	210	3	4	7	—	5	9	16	36	130
BE49	Suicide and self-inflicted injury	M	140	—	—	—	6	37	29	32	24	12
		F	81	—	—	—	4	15	17	21	17	7
BE50	Homicide and operations of war	M	9	—	—	—	1	1	—	2	4	1
		F	4	1	1	—	1	1	—	—	—	—
BN47	Fractures, head injuries and internal injuries	M	264	—	4	20	36	62	25	34	35	48
		F	188	—	4	4	2	5	3	17	33	120
BN48	Burns	M	18	—	5	1	1	3	—	1	5	2
		F	20	—	2	3	—	—	3	2	4	6
BN49	Effects of poisons	M	142	—	1	—	6	36	25	31	25	18
		F	83	—	2	1	4	13	13	18	17	15
BN50	All other injuries	M	110	9	3	7	8	25	20	17	11	10
		F	57	4	1	1	1	8	9	10	11	12

TABLE 19—*continued*

Abbreviated List No.	Causes of death		North Western Region — Age									
			All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
	ALL CAUSES	M	42,375	1,642	227	236	333	1,734	3,987	8,739	12,191	13,286
		F	40,737	1,200	155	136	214	1,374	2,451	5,307	10,822	19,078
B1	Tuberculosis of respiratory system	M	506	—	1	1	3	73	103	168	118	39
		F	168	—	1	—	7	60	30	31	30	9
B2	Tuberculosis, other forms	M	37	1	1	1	3	7	5	10	6	3
		F	34	—	3	5	2	4	6	4	7	3
B3	Syphilis and its sequelae	M	99	—	—	—	—	11	8	34	40	6
		F	67	—	—	—	1	3	5	15	21	22
B4	Typhoid fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B5	Cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	M	3	—	1	—	—	—	1	—	1	—
		F	4	1	1	—	—	—	1	—	1	—
B7	Scarlet fever and streptococcal sore throat	M	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	1	—
B8	Diphtheria	M	1	—	—	1	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B9	Whooping cough	M	2	—	2	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B10	Meningococcal infections	M	13	6	5	—	—	—	1	1	—	—
		F	17	6	6	—	1	1	1	2	—	—
B11	Plague	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	M	14	—	3	3	3	5	—	—	—	—
		F	15	—	2	5	6	2	—	—	—	—
B13	Smallpox	M	1	—	—	—	—	—	1	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B14	Measles	M	5	1	3	1	—	—	—	—	—	—
		F	6	1	3	2	—	—	—	—	—	—
B15	Typhus and other rickettsial diseases	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	M	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	1	—	—	—	—
B17	All other diseases classified as infective and parasitic	M	68	7	3	4	5	11	10	13	9	6
		F	80	3	1	2	2	12	18	15	21	6
	Malignant neoplasm: (140-205)	M	7,583	3	25	30	42	305	1,026	2,156	2,415	1,581
		F	6,687	3	14	21	34	445	886	1,534	1,924	1,826
	stomach (151)	M	1,294	—	—	—	—	35	156	362	443	298
		F	1,064	—	—	—	1	22	74	195	366	406
	trachea, bronchus and lung (162, 163)	M	2,663	—	—	—	1	98	491	982	822	269
		F	416	—	1	—	1	41	70	114	121	68
B18	breast (170)	M	10	—	—	—	—	2	1	1	2	4
		F	1,213	—	—	—	—	118	257	300	283	255
	uterus (171-174)	F	660	—	—	—	1	73	115	176	168	127
	Leukaemia and aleukaemia (204)	M	169	1	11	10	14	27	26	28	32	20
		F	131	2	5	9	6	22	16	26	24	21
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	M	3,447	2	14	20	27	143	352	783	1,116	990
		F	3,203	1	8	12	25	169	354	723	962	949
B19	Benign and unspecified neoplasms	M	63	1	—	3	—	5	11	21	12	10
		F	103	—	2	2	—	20	24	17	19	19
B20	Diabetes mellitus	M	170	—	—	—	1	12	18	31	51	57
		F	332	1	—	—	3	9	17	46	146	110
B21	Anaemias	M	107	—	—	3	1	4	3	17	30	49
		F	255	—	1	2	2	5	13	18	93	121
B22	Vascular lesions affecting central nervous system	M	5,065	4	—	3	12	83	258	820	1,649	2,236
		F	7,290	1	—	5	2	84	239	795	2,151	4,013
B23	Nonmeningococcal meningitis	M	33	18	—	3	—	2	1	3	4	2
		F	23	12	3	1	—	2	1	3	1	—
B24	Rheumatic fever	M	13	—	—	3	1	2	—	2	3	2
		F	9	—	—	2	2	2	1	—	—	2
B25	Chronic rheumatic heart disease	M	396	—	—	—	12	67	98	99	78	42
		F	909	—	—	—	15	132	201	220	196	145

TABLE 19—*continued*

Abbreviated List No.	Causes of death		North Western Region—*continued* — Age									
			All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420)	M	8,272	—	—	—	3	265	1,058	2,257	2,757	1,932
		F	4,937	—	—	—	1	38	205	814	1,817	2,062
	Degenerative heart disease (421, 422)	M	3,617	—	1	1	1	14	82	257	889	2,372
		F	5,273	—	—	—	—	13	48	203	1,025	3,984
B27	Other diseases of heart	M	978	2	—	1	6	21	52	186	309	401
		F	1,305	3	1	1	5	21	49	156	381	688
B28	Hypertension with heart disease	M	691	—	—	—	—	10	36	120	251	274
		F	1,009	—	—	—	—	4	30	118	370	487
B29	Hypertension without mention of heart	M	422	—	—	—	2	28	59	93	123	117
		F	432	—	—	1	2	18	36	50	125	200
B46 (Pt.)	Other circulatory diseases (450-468)	M	1,114	—	—	—	4	17	48	108	304	633
		F	1,387	—	1	—	2	10	37	90	324	923
B30	Influenza	M	179	4	3	—	3	13	22	47	51	36
		F	170	4	3	—	1	11	10	26	42	73
B31	Pneumonia	M	1,811	142	40	14	10	49	101	256	481	718
		F	1,945	141	25	10	10	41	77	161	443	1,037
B32	Bronchitis	M	3,743	26	3	6	4	54	298	1,028	1,372	952
		F	1,795	17	2	1	1	28	82	265	554	845
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	534	10	4	1	3	30	72	175	148	91
		F	266	8	2	2	5	24	27	35	57	106
B33	Ulcer of stomach and duodenum	M	471	—	—	—	1	28	61	107	151	123
		F	218	1	—	—	1	18	21	37	66	74
B34	Appendicitis	M	55	—	4	5	1	2	5	10	14	14
		F	48	—	1	1	3	1	2	8	13	19
B35	Intestinal obstruction and hernia	M	227	21	2	1	4	10	23	35	66	65
		F	230	5	1	1	1	8	10	29	69	106
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	146	30	9	1	2	8	15	24	31	26
		F	204	15	6	1	4	14	13	27	50	74
B37	Cirrhosis of liver	M	87	1	—	2	—	10	20	22	21	11
		F	70	1	—	—	—	4	10	20	25	10
B38	Nephritis and nephrosis	M	339	—	1	4	7	53	62	58	80	74
		F	340	1	1	5	10	40	27	63	86	107
B39	Hyperplasia of prostate	M	479	—	—	—	—	—	4	26	149	300
B40	Complications of pregnancy, childbirth and puerperium	F	41	—	—	—	8	33	—	—	—	—
B41	Congenital malformations	M	410	280	40	22	12	20	14	9	9	4
		F	366	271	26	11	8	17	11	10	9	3
B42	Birth injuries, postnatal asphyxia and atelectasis	M	522	522	—	—	—	—	—	—	—	—
		F	314	313	1	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	6	6	—	—	—	—	—	—	—	—
		F	2	2	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	94	94	—	—	—	—	—	—	—	—
		F	68	68	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified	M	360	360	—	—	—	—	—	—	—	—
		F	255	255	—	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	560	2	1	—	—	3	1	3	40	510
		F	963	2	1	—	—	4	1	4	40	911
B46 (Rem.)	All other diseases (Remainder 001-795)	M	1,063	40	26	23	30	87	128	221	269	239
		F	1,590	25	17	9	33	132	155	309	399	511
BE47	Motor vehicle accidents	M	549	—	26	42	82	151	66	63	47	72
		F	245	2	10	18	20	24	23	32	54	62
BE48	All other accidents	M	917	59	21	54	54	161	105	106	115	242
		F	896	37	17	26	12	30	54	58	183	479
BE49	Suicide and self-inflicted injury	M	512	—	—	1	19	110	106	143	88	45
		F	351	—	—	—	8	54	78	91	79	41
BE50	Homicide and operations of war	M	38	2	2	2	2	3	5	10	10	2
		F	16	1	3	2	2	5	2	1	—	—
BN47	Fractures, head injuries and internal injuries	M	1,025	2	29	53	109	244	118	118	113	239
		F	765	2	11	24	23	27	35	48	154	441
BN48	Burns	M	40	1	4	1	1	2	7	4	8	12
		F	91	1	8	12	—	3	12	9	19	27
BN49	Effects of poisons	M	504	—	3	6	16	98	100	121	87	73
		F	447	1	2	3	10	59	90	86	109	87
BN50	All other injuries	M	447	58	13	39	31	81	57	79	52	37
		F	205	36	9	7	9	24	20	39	34	27

TABLE 19—*continued*

Abbreviated List No.	Causes of death		South East Lancashire Conurbation									
			Age									
			All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
	ALL CAUSES	M	16,004	585	79	87	107	673	1,573	3,434	4,658	4,808
		F	15,454	435	62	47	72	475	949	2,038	4,281	7,095
B1	Tuberculosis of respiratory system	M	184	—	—	—	—	26	37	71	38	12
		F	55	—	—	—	4	21	7	10	10	3
B2	Tuberculosis, other forms	M	13	—	—	1	1	4	3	3	1	—
		F	12	—	1	—	—	2	4	1	3	1
B3	Syphilis and its sequelae	M	46	—	—	—	—	7	3	19	15	2
		F	28	—	—	—	—	1	1	6	13	7
B4	Typhoid fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B5	Cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	M	2	—	—	—	—	—	1	—	1	—
		F	1	1	—	—	—	—	—	—	—	—
B7	Scarlet fever and streptococcal sore throat	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B8	Diphtheria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B9	Whooping cough	M	1	—	1	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B10	Meningococcal infections	M	4	2	2	—	—	—	—	—	—	—
		F	4	—	1	—	1	—	—	2	—	—
B11	Plague	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	M	7	—	1	2	1	3	—	—	—	—
		F	6	—	1	1	4	—	—	—	—	—
B13	Smallpox	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B14	Measles	M	1	—	—	1	—	—	—	—	—	—
		F	3	—	3	—	—	—	—	—	—	—
B15	Typhus and other rickettsial diseases	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic	M	30	2	1	2	2	6	6	4	3	4
		F	38	2	—	1	1	1	12	8	9	4
	Malignant neoplasm: (140-205)	M	2,898	2	8	10	13	126	417	852	901	569
		F	2,469	—	7	6	9	155	312	576	735	669
	stomach (151)	M	497	—	—	—	—	21	69	150	153	104
		F	424	—	—	—	—	7	31	73	155	158
	trachea, bronchus and lung (162, 163)	M	1,037	—	—	—	—	39	200	389	308	101
		F	171	—	1	—	—	14	34	44	43	35
B18	breast (170)	M	1	—	—	—	—	—	—	—	—	1
		F	429	—	—	—	—	44	79	106	104	96
	uterus (171-174)	F	240	—	—	—	1	27	38	71	54	49
	Leukaemia and aleukaemia (204)	M	66	1	4	4	3	11	7	10	14	12
		F	42	—	1	4	—	6	4	13	9	5
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	M	1,297	1	4	6	10	55	141	303	426	351
		F	1,163	—	5	2	8	57	126	269	370	326
B19	Benign and unspecified neoplasms	M	25	—	—	1	—	2	3	7	7	5
		F	45	—	1	1	—	7	13	6	8	9
B20	Diabetes mellitus	M	60	—	—	—	—	5	3	12	18	22
		F	123	—	—	—	—	3	8	16	55	41
B21	Anaemias	M	41	—	—	1	1	—	—	7	13	19
		F	93	—	—	1	1	3	5	7	41	35
B22	Vascular lesions affecting central nervous system	M	1,911	2	—	1	6	34	103	319	620	826
		F	2,773	1	—	2	1	31	85	319	843	1,491
B23	Nonmeningococcal meningitis	M	12	7	—	2	—	—	—	—	2	1
		F	10	7	1	—	—	1	—	1	—	—
B24	Rheumatic fever	M	5	—	—	1	—	1	—	2	—	1
		F	5	—	—	2	1	1	—	—	—	1
B25	Chronic rheumatic heart disease	M	147	—	—	—	5	24	37	38	28	15
		F	362	—	—	—	3	40	87	89	85	58

TABLE 19—*continued*

Abbreviated List No.	Causes of death		South East Lancashire Conurbation—*continued*									
			Age									
			All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420)	M	2,834	—	—	—	2	104	413	797	930	588
		F	1,702	—	—	—	1	17	86	278	657	663
	Degenerative heart disease (421, 422)	M	1,391	—	1	1	—	5	31	111	372	870
		F	2,039	—	—	—	—	4	21	78	425	1,511
B27	Other diseases of heart	M	390	—	—	—	3	5	27	85	122	148
		F	534	3	1	—	1	9	25	72	169	254
B28	Hypertension with heart disease	M	259	—	—	—	—	4	7	48	101	99
		F	340	—	—	—	—	3	10	40	128	159
B29	Hypertension without mention of heart	M	163	—	—	—	1	15	15	38	48	46
		F	168	—	—	1	—	5	19	23	40	80
B46 (Pt.)	Other circulatory diseases (450-468)	M	480	—	—	—	1	6	29	40	122	282
		F	644	—	—	—	—	2	11	44	163	424
B30	Influenza	M	78	2	—	—	2	7	6	23	24	14
		F	61	1	1	—	—	5	6	9	19	20
B31	Pneumonia	M	665	51	19	5	1	17	34	97	174	267
		F	680	48	8	2	2	14	31	57	173	345
B32	Bronchitis	M	1,653	2	1	1	1	24	140	471	615	398
		F	863	4	1	1	—	14	42	125	277	399
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	192	3	1	1	—	14	21	65	60	27
		F	112	2	2	1	1	9	14	12	21	50
B33	Ulcer of stomach and duodenum	M	195	—	—	—	1	11	25	50	60	48
		F	93	—	—	—	1	7	9	17	26	33
B34	Appendicitis	M	16	—	2	2	—	1	—	4	3	4
		F	24	—	—	—	3	1	1	4	7	8
B35	Intestinal obstruction and hernia	M	95	11	—	1	1	3	8	18	29	24
		F	94	1	1	—	—	3	2	16	30	41
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	50	8	—	1	—	2	6	8	14	11
		F	79	6	3	—	3	6	4	7	25	25
B37	Cirrhosis of liver	M	31	—	—	—	2	—	3	5	4	10	7
		F	27	—	—	—	—	—	5	6	12	4
B38	Nephritis and nephrosis	M	109	—	1	—	—	4	17	21	21	21	24
		F	113	—	—	—	2	4	10	10	23	30	34
B39	Hyperplasia of prostate	M	171	—	—	—	—	—	—	2	8	56	105
B40	Complications of pregnancy, childbirth and puerperium	F	15	—	—	—	—	3	12	—	—	—	—
B41	Congenital malformations	M	130	94	7	10	2	8	3	2	3	1
		F	114	86	7	4	1	7	1	3	3	2
B42	Birth injuries, postnatal asphyxia and atelectasis	M	195	195	—	—	—	—	—	—	—	—	—
		F	121	121	—	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	3	3	—	—	—	—	—	—	—	—	—
		F	1	1	—	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	30	30	—	—	—	—	—	—	—	—	—
		F	32	32	—	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified	M	133	133	—	—	—	—	—	—	—	—	—
		F	95	95	—	—	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	188	2	—	—	—	2	1	2	14	167
		F	390	1	1	—	—	2	—	3	18	365
B46 (Rem.)	All other diseases (Remainder 001-795)	M	396	12	10	10	6	32	46	94	119	67
		F	546	8	7	4	10	42	65	110	136	164
BE47	Motor vehicle accidents	M	215	—	12	14	26	58	28	22	24	31
		F	112	1	6	8	8	9	9	17	26	28
BE48	All other accidents	M	335	23	12	16	19	47	42	41	47	88
		F	298	13	8	10	6	5	18	18	67	153
BE49	Suicide and self-inflicted injury	M	211	—	—	—	1	8	50	48	48	40	16
		F	124	—	—	—	—	3	20	26	34	27	14
BE50	Homicide and operations of war	M	9	1	—	—	—	—	—	2	3	3	—
		F	6	1	1	—	—	—	3	—	1	—	—
BN47	Fractures, head injuries and internal injuries	M	384	1	12	18	38	79	51	38	60	87
		F	287	2	6	11	10	14	15	24	59	146
BN48	Burns	M	18	—	3	1	1	2	2	1	3	5
		F	36	—	4	6	—	1	4	2	11	8
BN49	Effects of poisons	M	206	—	1	3	7	46	45	42	35	27
		F	149	1	—	—	4	17	28	35	35	29
BN50	All other injuries	M	162	23	8	9	7	28	22	33	16	16
		F	68	12	5	1	3	5	6	9	15	12

TABLE 19—*continued*

Abbreviated List No.	Causes of death		Merseyside Conurbation — Age									
			All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
	ALL CAUSES	M	8,015	440	62	40	70	369	818	1,657	2,192	2,367
		F	7,909	331	43	36	49	322	498	1,028	1,936	3,666
B1	Tuberculosis of respiratory system	M	131	—	—	1	1	30	23	37	28	11
		F	49	—	—	—	1	15	14	6	9	4
B2	Tuberculosis, other forms	M	7	1	—	—	—	—	1	3	1	1
		F	7	—	1	2	1	—	—	2	—	1
B3	Syphilis and its sequelae	M	20	—	—	—	—	1	2	6	9	2
		F	14	—	—	—	—	—	1	4	2	7
B4	Typhoid fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B5	Cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	M	1	—	1	—	—	—	—	—	—	—
		F	1	—	1	—	—	—	—	—	—	—
B7	Scarlet fever and streptococcal sore throat	M	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	1	—
B8	Diphtheria	M	1	—	—	1	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B9	Whooping cough	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B10	Meningococcal infections	M	3	1	1	—	—	—	—	1	—	—
		F	7	4	3	—	—	—	—	—	—	—
B11	Plague	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	M	1	—	—	—	—	1	—	—	—	—
		F	2	—	1	—	—	1	—	—	—	—
B13	Smallpox	M	1	—	—	—	—	—	1	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B14	Measles	M	1	—	1	—	—	—	—	—	—	—
		F	2	—	—	2	—	—	—	—	—	—
B15	Typhus and other rickettsial diseases	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	M	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	1	—	—	—	—
B17	All other diseases classified as infective and parasitic	M	14	2	1	1	1	1	1	4	2	1
		F	16	—	1	—	—	3	4	2	5	1
B18	Malignant neoplasm: (140-205)	M	1,569	—	7	9	11	60	214	465	481	322
		F	1,433	—	1	8	10	120	190	331	385	388
	stomach (151)	M	236	—	—	—	—	2	25	70	87	52
		F	206	—	—	—	1	8	15	42	67	73
	trachea, bronchus and lung (162, 163)	M	630	—	—	—	—	23	115	229	205	58
		F	104	—	—	—	—	13	14	29	32	16
	breast (170)	M	3	—	—	—	—	—	1	—	1	1
		F	260	—	—	—	—	32	58	69	47	54
	uterus (171-174)	F	132	—	—	—	—	17	20	29	37	29
	Leukaemia and aleukaemia (204)	M	37	—	2	4	4	8	6	4	4	5
		F	29	—	1	3	3	8	3	2	5	4
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	M	663	—	5	5	7	27	67	162	184	206
		F	702	—	—	5	6	42	80	160	197	212
B19	Benign and unspecified neoplasms	M	14	—	—	1	—	3	1	5	1	3
		F	14	—	1	—	—	2	3	3	2	3
B20	Diabetes mellitus	M	28	—	—	—	1	3	2	2	8	12
		F	61	—	—	—	—	4	2	8	27	20
B21	Anaemias	M	17	—	—	1	—	3	—	1	4	8
		F	47	—	1	—	—	2	2	5	13	24
B22	Vascular lesions affecting central nervous system	M	863	—	—	1	2	13	43	129	273	402
		F	1,268	—	—	2	—	21	41	141	345	718
B23	Nonmeningococcal meningitis	M	8	5	—	—	—	1	1	—	1	—
		F	6	3	1	1	—	1	—	—	—	—
B24	Rheumatic fever	M	1	—	—	—	1	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B25	Chronic rheumatic heart disease	M	75	—	—	—	3	20	22	14	12	4
		F	226	—	—	—	7	46	54	56	35	28

TABLE 19—*continued*

Abbreviated List No.	Causes of death		Merseyside Conurbation—*continued* Age									
			All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420)	M	1,637	—	—	—	—	55	214	453	525	390
		F	1,008	—	—	—	—	2	41	161	338	466
	Degenerative heart disease (421, 422)	M	486	—	—	—	1	1	14	40	103	327
		F	723	—	—	—	—	2	6	27	132	556
B27	Other diseases of heart	M	178	2	—	1	2	4	9	32	56	72
		F	239	—	—	1	2	3	6	20	59	148
B28	Hypertension with heart disease	M	132	—	—	—	—	3	14	22	35	58
		F	244	—	—	—	—	1	6	23	72	142
B29	Hypertension without mention of heart	M	75	—	—	—	1	7	17	14	19	17
		F	71	—	—	—	1	4	3	9	15	39
B46 (Pt.)	Other circulatory diseases (450-468)	M	150	—	—	—	2	3	5	18	43	79
		F	168	—	—	—	1	4	9	10	37	107
B30	Influenza	M	27	1	1	—	—	3	6	6	7	3
		F	22	—	2	—	—	1	1	3	4	11
B31	Pneumonia	M	499	47	10	—	—	5	27	56	140	214
		F	665	43	7	2	3	6	14	44	145	401
B32	Bronchitis	M	689	15	1	—	2	12	56	195	241	167
		F	334	10	1	—	—	7	14	45	100	157
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	96	6	1	—	1	4	16	23	23	22
		F	60	4	—	1	1	6	2	10	9	27
B33	Ulcer of stomach and duodenum	M	95	—	—	—	—	5	14	16	32	28
		F	49	—	—	—	—	3	4	9	15	18
B34	Appendicitis	M	15	—	1	2	1	—	1	1	5	4
		F	7	—	—	—	—	—	—	—	3	4
B35	Intestinal obstruction and hernia	M	31	6	—	—	—	1	4	2	6	12
		F	38	2	—	—	—	2	2	3	13	16
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	33	14	5	—	—	2	1	5	2	4
		F	57	6	1	1	1	2	2	8	11	25
B37	Cirrhosis of liver	M	24	—	—	—	—	2	8	8	5	1
		F	15	1	—	—	—	2	—	4	4	4
B38	Nephritis and nephrosis	M	64	—	—	—	1	15	16	8	16	8
		F	51	1	—	1	2	8	5	8	12	14
B39	Hyperplasia of prostate	M	77	—	—	—	—	—	1	2	26	48
B40	Complications of pregnancy, childbirth and puerperium	F	5	—	—	—	1	4	—	—	—	—
B41	Congenital malformations	M	110	69	19	4	4	5	4	3	1	1
		F	108	82	9	2	4	3	4	1	3	—
B42	Birth injuries, postnatal asphyxia and atelectasis	M	148	148	—	—	—	—	—	—	—	—
		F	94	93	1	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	23	23	—	—	—	—	—	—	—	—
		F	13	13	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified	M	81	81	—	—	—	—	—	—	—	—
		F	57	57	—	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	44	—	—	—	—	—	—	—	2	42
		F	101	—	—	—	—	2	—	—	1	98
B46 (Rem.)	All other diseases (Remainder 001-795)	M	184	8	5	4	7	18	22	28	41	51
		F	344	5	4	2	4	23	32	63	87	124
BE47	Motor vehicle accidents	M	106	—	5	8	18	34	9	14	8	10
		F	39	—	3	2	4	5	2	7	5	11
BE48	All other accidents	M	166	10	3	6	7	35	27	19	23	36
		F	186	7	4	9	4	7	14	6	36	99
BE49	Suicide and self-inflicted injury	M	83	—	—	—	1	19	20	25	12	6
		F	56	—	—	—	2	9	20	9	11	5
BE50	Homicide and operations of war	M	7	1	—	—	2	—	2	—	1	1
		F	—	—	—	—	—	—	—	—	—	—
BN47	Fractures, head injuries and internal injuries	M	199	1	6	9	20	56	22	26	20	39
		F	142	—	4	4	4	5	4	8	26	87
BN48	Burns	M	6	—	—	—	—	—	2	1	—	3
		F	21	1	2	4	—	—	4	1	2	7
BN49	Effects of poisons	M	86	—	1	—	2	14	19	25	17	8
		F	94	—	—	—	3	14	25	9	23	20
BN50	All other injuries	M	71	10	1	5	6	18	15	6	7	3
		F	24	6	1	3	3	2	3	4	1	1

TABLE 19—*continued*

Abbreviated List No.	Causes of death		North Midland Region — Age									
			All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
	ALL CAUSES	M	20,570	775	111	140	222	882	1,723	3,613	5,722	7,382
		F	18,516	562	98	77	89	611	1,114	2,263	4,449	9,253
B1	Tuberculosis of respiratory system	M	200	—	—	—	2	23	35	60	61	19
		F	66	—	1	—	2	19	7	15	15	7
B2	Tuberculosis, other forms	M	22	—	2	—	—	6	2	4	7	1
		F	17	—	1	1	—	4	5	1	3	2
B3	Syphilis and its sequelae	M	44	1	—	—	—	1	10	9	19	4
		F	35	—	—	—	—	—	3	11	15	6
B4	Typhoid fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B5	Cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	M	—	—	—	—	—	—	—	—	—	—
		F	2	2	—	—	—	—	—	—	—	—
B7	Scarlet fever and streptococcal sore throat	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B8	Diphtheria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B9	Whooping cough	M	—	—	—	—	—	—	—	—	—	—
		F	1	1	—	—	—	—	—	—	—	—
B10	Meningococcal infections	M	2	—	2	—	—	—	—	—	—	—
		F	4	2	2	—	—	—	—	—	—	—
B11	Plague	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	M	5	—	—	2	—	3	—	—	—	—
		F	5	—	—	1	2	2	—	—	—	—
B13	Smallpox	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B14	Measles	M	2	1	1	—	—	—	—	—	—	—
		F	1	—	1	—	—	—	—	—	—	—
B15	Typhus and other rickettsial diseases	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic	M	33	—	2	3	2	5	5	4	6	6
		F	36	1	1	2	1	2	8	3	4	14
	Malignant neoplasm: (140-205)	M	3,675	3	19	23	16	172	471	957	1,148	866
		F	3,247	1	11	13	15	200	483	734	870	920
	stomach (151)	M	601	—	—	—	1	23	67	152	185	173
		F	419	—	—	—	—	13	31	85	123	167
	trachea, bronchus and lung (162, 163)	M	1,155	—	—	—	1	40	204	413	381	116
		F	165	—	—	—	1	14	31	45	42	32
B18	breast (170)	M	7	—	—	—	—	—	1	1	1	4
		F	712	—	—	—	1	67	150	172	170	152
	uterus (171-174)	F	339	—	—	—	—	34	64	103	74	64
	Leukaemia and aleukaemia (204)	M	92	2	9	11	1	8	9	19	24	9
		F	70	—	4	5	2	7	14	12	15	11
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	M	1,820	1	10	12	13	101	190	372	557	564
		F	1,542	1	7	8	11	65	193	317	446	494
B19	Benign and unspecified neoplasms	M	46	—	—	2	—	3	8	16	10	7
		F	46	1	2	1	2	5	8	10	8	9
B20	Diabetes mellitus	M	96	—	—	—	1	8	5	14	34	34
		F	167	—	1	1	1	12	8	30	52	62
B21	Anaemias	M	47	—	1	—	1	—	3	6	17	19
		F	62	—	—	1	—	1	—	4	21	35
B22	Vascular lesions affecting central nervous system	M	2,624	3	1	—	2	40	137	296	825	1,320
		F	3,362	—	3	1	4	31	118	336	904	1,965
B23	Nonmeningococcal meningitis	M	21	9	3	1	1	2	1	3	—	1
		F	10	5	1	2	—	—	1	1	—	—
B24	Rheumatic fever	M	9	—	1	3	2	—	—	1	1	1
		F	5	—	—	—	—	1	—	2	2	—
B25	Chronic rheumatic heart disease	M	180	—	—	—	1	29	32	42	40	36
		F	315	—	—	—	3	42	82	68	67	53

TABLE 19—*continued*

Abbreviated List No.	Causes of death		North Midland Region—*continued* — Age									
			All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420)	M	3,605	—	—	—	2	119	394	909	1,165	1,016
		F	2,124	—	—	—	—	19	78	304	755	968
	Degenerative heart disease (421, 422)	M	1,891	—	—	1	2	14	21	113	445	1,295
		F	2,519	—	—	1	—	9	14	96	394	2,005
B27	Other diseases of heart	M	536	1	2	1	2	10	24	76	174	246
		F	619	1	—	—	—	9	19	50	147	393
B28	Hypertension with heart disease	M	425	—	—	—	1	6	20	67	151	180
		F	518	—	—	—	—	2	9	56	174	277
B29	Hypertension without mention of heart	M	272	—	—	—	1	20	28	49	76	98
		F	269	—	—	—	—	6	12	28	78	145
B46 (Pt.)	Other circulatory diseases (450-468)	M	639	—	—	—	—	4	25	75	162	373
		F	606	2	1	—	1	17	22	48	121	394
B30	Influenza	M	123	2	2	1	1	7	15	23	39	33
		F	105	1	1	—	2	7	7	9	26	52
B31	Pneumonia	M	840	75	15	5	12	19	46	92	204	372
		F	830	56	19	6	6	21	31	80	150	461
B32	Bronchitis	M	1,491	25	2	3	2	16	108	334	553	448
		F	595	13	4	—	2	11	16	78	165	306
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	204	5	1	2	3	8	22	51	76	36
		F	105	7	—	2	—	6	8	19	16	47
B33	Ulcer of stomach and duodenum	M	268	1	—	—	—	11	39	58	68	91
		F	104	1	—	—	—	4	5	7	32	55
B34	Appendicitis	M	43	—	3	2	—	8	7	7	12	4
		F	31	—	2	4	—	2	3	5	9	6
B35	Intestinal obstruction and hernia	M	99	12	1	—	—	3	7	9	30	37
		F	97	5	—	—	—	4	8	8	30	42
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	82	17	1	—	1	4	8	13	25	13
		F	89	4	3	—	2	10	9	4	23	34
B37	Cirrhosis of liver	M	41	1	1	—	—	5	8	14	8	4
		F	42	—	—	—	—	1	10	11	10	10
B38	Nephritis and nephrosis	M	177	2	1	4	4	27	31	32	34	42
		F	153	1	1	2	8	15	16	23	42	45
B39	Hyperplasia of prostate	M	273	—	—	—	—	—	—	18	72	183
B40	Complications of pregnancy, childbirth and puerperium	F	29	—	—	—	4	24	1	—	—	—
B41	Congenital malformations	M	198	142	17	3	2	9	14	7	3	1
		F	209	149	14	11	4	10	9	7	3	2
B42	Birth injuries, postnatal asphyxia and atelectasis	M	221	221	—	—	—	—	—	—	—	—
		F	118	118	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	49	49	—	—	—	—	—	—	—	—
		F	34	34	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified	M	164	164	—	—	—	—	—	—	—	—
		F	128	128	—	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	269	2	—	—	—	—	1	—	10	256
		F	388	1	—	—	—	—	2	1	9	375
B46 (Rem.)	All other diseases (Remainder 001-795)	M	554	17	10	15	15	49	56	89	128	175
		F	746	15	8	9	11	51	70	128	189	265
BE47	Motor vehicle accidents	M	357	1	12	21	102	91	32	35	34	29
		F	106	1	6	9	16	14	4	16	20	20
BE48	All other accidents	M	482	19	11	47	37	102	49	61	42	114
		F	424	11	15	9	—	14	12	35	59	269
BE49	Suicide and self-inflicted injury	M	246	—	—	—	5	55	58	67	40	21
		F	135	—	—	—	1	33	25	34	33	9
BE50	Homicide and operations of war	M	15	2	—	1	2	3	1	2	3	1
		F	12	1	—	1	2	3	1	1	3	—
BN47	Fractures, head injuries and internal injuries	M	618	2	12	32	112	159	64	62	59	116
		F	388	1	7	11	16	16	9	31	55	242
BN48	Burns	M	17	1	1	2	2	2	1	2	2	4
		F	33	—	8	5	—	—	1	1	7	11
BN49	Effects of poisons	M	178	1	3	—	3	41	45	43	27	15
		F	148	—	1	2	1	33	25	31	34	21
BN50	All other injuries	M	287	18	7	35	29	49	30	58	31	30
		F	108	12	5	1	2	15	7	23	19	24

TABLE 19—*continued*

Abbreviated List No.	Causes of death		Midland Region — Age									
			All ages	Under 1 year	1–	5–	15–	25–	45–	55–	65–	75 and over
	ALL CAUSES	M	25,814	1,067	156	147	306	1,233	2,455	5,084	6,859	8,507
		F	22,825	779	108	114	119	831	1,442	2,789	5,591	11,052
B1	Tuberculosis of respiratory system	M	332	2	—	—	3	44	68	110	88	17
		F	116	—	—	—	2	39	9	24	26	16
B2	Tuberculosis, other forms	M	29	2	2	2	4	4	7	1	5	2
		F	19	1	1	1	3	5	2	1	5	—
B3	Syphilis and its sequelae	M	53	—	—	—	—	4	4	16	21	8
		F	27	1	—	—	—	—	3	7	5	11
B4	Typhoid fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B5	Cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	M	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	1	—	—	—	—	—	—
B7	Scarlet fever and streptococcal sore throat	M	1	—	1	—	—	—	—	—	—	—
		F	1	1	—	—	—	—	—	—	—	—
B8	Diphtheria	M	1	—	—	1	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B9	Whooping cough	M	2	1	1	—	—	—	—	—	—	—
		F	3	3	—	—	—	—	—	—	—	—
B10	Meningococcal infections	M	15	9	3	—	1	2	—	—	—	—
		F	7	1	2	1	—	1	1	—	—	1
B11	Plague	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	M	7	—	1	—	1	4	1	—	—	—
		F	8	—	—	—	1	7	—	—	—	—
B13	Smallpox	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B14	Measles	M	3	2	—	1	—	—	—	—	—	—
		F	2	—	1	1	—	—	—	—	—	—
B15	Typhus and other rickettsial diseases	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic	M	57	8	1	6	2	6	9	8	7	10
		F	37	5	2	—	1	5	9	4	3	8
B18	Malignant neoplasm: (140-205)	M	4,815	3	20	23	20	249	684	1,365	1,446	1,005
		F	4,008	3	12	20	18	288	594	864	1,126	1,083
	stomach (151)	M	753	—	—	—	1	30	105	196	254	167
		F	576	—	—	—	—	13	58	85	188	232
	trachea, bronchus and lung (162, 163)	M	1,632	—	—	—	—	74	303	635	482	138
		F	206	—	—	—	1	17	44	52	50	42
	breast (170)	M	4	—	—	—	—	—	1	—	2	1
		F	869	—	—	—	—	85	199	199	219	167
	uterus (171-174)	F	345	—	—	—	—	40	78	92	90	45
	Leukaemia and aleukaemia (204)	M	110	1	9	10	4	18	13	26	15	14
		F	98	—	7	7	2	12	11	13	27	19
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	M	2,316	2	11	13	15	127	262	508	693	685
		F	1,914	3	5	13	15	121	204	423	552	578
B19	Benign and unspecified neoplasms	M	55	5	2	1	1	8	9	12	8	9
		F	72	2	—	—	3	13	9	15	15	15
B20	Diabetes mellitus	M	110	1	1	—	1	7	11	17	33	39
		F	197	—	1	—	1	4	7	41	71	72
B21	Anaemias	M	64	—	—	—	1	—	3	10	18	32
		F	112	—	1	3	2	1	3	8	22	72
B22	Vascular lesions affecting central nervous system	M	3,111	—	1	1	2	76	151	499	937	1,444
		F	3,957	1	—	2	2	50	149	419	1,152	2,182
B23	Nonmeningococcal meningitis	M	12	3	2	—	1	1	2	2	—	1
		F	14	7	2	—	—	—	1	—	—	4
B24	Rheumatic fever	M	12	—	—	2	1	1	1	4	1	2
		F	9	—	1	—	—	5	2	—	—	1
B25	Chronic rheumatic heart disease	M	270	—	—	1	7	45	51	74	61	31
		F	453	—	—	—	2	70	95	117	94	75

TABLE 19—*continued*

Abbreviated List No.	Causes of death		Midland Region—*continued* — Age									
			All ages	Under 1 year	1–	5–	15–	25–	45–	55–	65–	75 and over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420)	M	4,346	—	—	—	3	161	566	1,104	1,381	1,131
		F	2,565	—	—	—	—	21	95	373	893	1,183
	Degenerative heart disease (421, 422)	M	2,220	—	—	—	2	20	39	162	489	1,508
		F	3,004	—	—	—	—	5	17	90	457	2,435
B27	Other diseases of heart	M	577	2	1	1	3	18	33	88	178	253
		F	662	1	—	1	4	10	26	63	193	364
B28	Hypertension with heart disease	M	577	—	—	—	—	7	31	85	220	234
		F	675	—	—	—	—	3	25	80	204	363
B29	Hypertension without mention of heart	M	302	—	—	—	—	23	46	73	63	97
		F	325	—	—	—	1	10	19	41	108	146
B46 (Pt.)	Other circulatory diseases (450-468)	M	566	—	—	—	2	14	28	95	129	298
		F	660	1	—	—	1	12	16	50	148	432
B30	Influenza	M	129	—	1	—	3	13	16	31	36	29
		F	106	4	—	1	2	8	9	9	28	45
B31	Pneumonia	M	1,104	83	22	8	5	32	82	173	237	462
		F	1,041	80	19	5	3	26	44	82	210	572
B32	Bronchitis	M	2,080	14	6	2	4	24	153	501	725	651
		F	885	11	5	2	2	10	31	110	234	480
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	379	5	6	3	3	20	55	97	102	88
		F	149	3	—	6	4	12	16	21	30	57
B33	Ulcer of stomach and duodenum	M	351	2	—	—	—	16	43	77	113	100
		F	124	1	—	—	—	5	8	15	40	55
B34	Appendicitis	M	48	1	5	2	3	5	5	7	7	13
		F	41	—	—	1	4	4	1	5	10	16
B35	Intestinal obstruction and hernia	M	145	12	2	1	2	6	13	27	38	44
		F	117	6	2	—	—	4	6	17	29	53
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	92	16	5	1	1	3	10	11	19	26
		F	120	13	4	—	3	11	6	11	30	42
B37	Cirrhosis of liver	M	73	—	—	—	—	7	18	20	18	10
		F	52	—	1	—	1	4	6	14	18	8
B38	Nephritis and nephrosis	M	214	—	—	3	10	43	36	42	35	45
		F	175	—	—	4	8	15	28	18	50	52
B39	Hyperplasia of prostate	M	302	—	—	—	—	—	—	20	71	211
B40	Complications of pregnancy, childbirth and puerperium	F	31	—	—	—	6	25	—	—	—	—
B41	Congenital malformations	M	300	222	24	6	7	12	12	11	5	1
		F	261	184	25	12	5	13	11	7	2	2
B42	Birth injuries, postnatal asphyxia and atelectasis	M	285	285	—	—	—	—	—	—	—	—
		F	198	198	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	1	1	—	—	—	—	—	—	—	—
		F	2	2	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	70	70	—	—	—	—	—	—	—	—
		F	43	43	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified	M	254	254	—	—	—	—	—	—	—	—
		F	163	162	1	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	339	2	—	—	—	—	2	—	1	15
		F	547	—	—	—	—	—	—	—	—	22
B46 (Rem.)	All other diseases (Remainder 001-795)	M	714	30	16	15	23	69	81	139	179	162
		F	944	23	5	15	11	81	100	175	223	311
BE47	Motor vehicle accidents	M	490	1	13	31	131	106	52	50	54	52
		F	136	—	11	19	19	20	14	18	18	17
BE48	All other accidents	M	568	30	20	35	47	96	69	69	57	145
		F	552	21	11	19	8	10	25	35	82	341
BE49	Suicide and self-inflicted injury	M	325	—	—	—	12	82	65	78	61	27
		F	195	—	—	—	2	32	54	53	41	13
BE50	Homicide and operations of war	M	14	1	—	1	—	3	1	5	2	1
		F	9	1	1	—	—	2	1	2	2	—
BN47	Fractures, head injuries and internal injuries	M	785	2	14	36	149	164	94	82	94	150
		F	488	—	9	20	20	20	20	35	79	285
BN48	Burns	M	28	—	1	1	—	6	2	3	2	13
		F	36	—	3	5	3	—	2	5	3	15
BN49	Effects of poisons	M	259	2	—	1	10	66	51	59	45	25
		F	224	—	1	1	2	30	55	50	43	42
BN50	All other injuries	M	325	28	18	29	31	51	40	58	33	37
		F	144	22	10	12	4	14	17	18	18	29

TABLE 19—*continued*

Abbreviated List No.	Causes of death	West Midlands Conurbation — Age	All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
	ALL CAUSES	M	12,613	513	70	69	122	629	1,279	2,638	3,359	3,934
		F	11,274	413	52	63	49	446	712	1,439	2,756	5,344
B1	Tuberculosis of respiratory system	M	193	1	—	—	2	24	42	72	43	9
		F	62	—	—	—	—	19	6	16	11	10
B2	Tuberculosis, other forms	M	14	1	1	1	—	4	3	—	3	1
		F	12	1	1	1	1	3	1	1	3	—
B3	Syphilis and its sequelae	M	30	—	—	—	—	3	3	6	13	5
		F	17	—	—	—	—	—	2	4	5	6
B4	Typhoid fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B5	Cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B7	Scarlet fever and streptococcal sore throat	M	1	—	1	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B8	Diphtheria	M	1	—	—	1	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B9	Whooping cough	M	2	1	1	—	—	—	—	—	—	—
		F	2	2	—	—	—	—	—	—	—	—
B10	Meningococcal infections	M	9	6	2	—	—	1	—	—	—	—
		F	3	—	1	1	—	1	—	—	—	—
B11	Plague	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	M	2	—	—	—	—	2	—	—	—	—
		F	5	—	—	—	—	5	—	—	—	—
B13	Smallpox	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B14	Measles	M	2	2	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B15	Typhus and other rickettsial diseases	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic	M	27	3	1	—	1	4	3	5	5	5
		F	21	2	1	—	—	3	7	2	3	3
B18	Malignant neoplasm: (140-205)	M	2,494	2	5	9	10	141	383	739	727	478
		F	2,005	2	8	14	6	153	288	450	550	534
	stomach (151)	M	385	—	—	—	—	18	57	105	125	80
		F	278	—	—	—	—	8	28	43	82	117
	trachea, bronchus and lung (162, 163)	M	916	—	—	—	—	45	178	359	259	75
		F	115	—	—	—	1	11	21	28	31	23
	breast (170)	M	2	—	—	—	—	—	1	—	—	1
		F	438	—	—	—	—	45	99	105	110	79
	uterus (171-174)	F	178	—	—	—	—	20	44	48	41	25
	Leukaemia and aleukaemia (204)	M	50	1	3	4	1	8	6	14	6	7
		F	52	—	5	6	—	6	4	6	13	12
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	M	1,141	1	2	5	9	70	141	261	337	315
		F	944	2	3	8	5	63	92	220	273	278
B19	Benign and unspecified neoplasms	M	31	3	1	—	1	5	5	4	5	7
		F	39	—	—	—	—	7	4	10	10	8
B20	Diabetes mellitus	M	54	1	—	—	1	6	7	8	16	15
		F	99	—	—	—	1	2	3	19	36	38
B21	Anaemias	M	29	—	—	—	—	—	1	7	6	15
		F	57	—	—	—	2	1	—	5	14	35
B22	Vascular lesions affecting central nervous system	M	1,505	—	—	1	1	36	78	237	467	685
		F	1,867	1	—	2	1	29	67	184	532	1,051
B23	Nonmeningococcal meningitis	M	5	1	—	—	—	1	1	1	—	1
		F	7	4	—	—	—	—	—	—	—	3
B24	Rheumatic fever	M	4	—	—	1	1	—	—	—	1	1
		F	1	—	—	—	—	1	—	—	—	—
B25	Chronic rheumatic heart disease	M	122	—	—	1	3	24	26	32	25	11
		F	275	—	—	—	2	38	65	74	57	39

TABLE 19—*continued*

Abbreviated List No.	Causes of death	West Midlands Conurbation—*continued* — Age	All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420)	M	2,029	—	—	—	2	81	264	558	618	506
		F	1,239	—	—	—	—	8	34	199	419	579
	Degenerative heart disease (421, 422)	M	1,015	—	—	—	—	9	16	86	237	667
		F	1,403	—	—	—	—	2	9	41	222	1,129
B27	Other diseases of heart	M	279	1	1	1	2	7	18	39	97	113
		F	318	—	—	1	2	5	13	33	90	174
B28	Hypertension with heart disease	M	302	—	—	—	—	5	17	49	109	122
		F	389	—	—	—	—	2	15	50	117	205
B29	Hypertension without mention of heart	M	156	—	—	—	—	12	23	39	33	49
		F	164	—	—	—	1	5	9	19	64	66
B46 (Pt.)	Other circulatory diseases (450-468)	M	236	—	—	—	2	7	15	47	48	117
		F	269	—	—	—	—	6	9	20	64	170
B30	Influenza	M	60	—	—	—	2	5	10	17	17	9
		F	48	1	—	1	1	6	4	3	13	19
B31	Pneumonia	M	558	36	11	3	2	18	49	101	126	212
		F	527	44	10	2	3	15	24	40	108	281
B32	Bronchitis	M	1,164	11	5	2	3	12	94	291	409	337
		F	493	4	2	1	2	7	16	67	117	277
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	153	2	3	2	1	11	30	37	29	38
		F	76	3	—	2	2	4	9	10	14	32
B33	Ulcer of stomach and duodenum	M	192	2	—	—	—	13	23	39	60	55
		F	73	—	—	—	—	3	4	13	25	28
B34	Appendicitis	M	21	—	2	—	—	4	2	4	2	7
		F	20	—	—	—	2	2	—	3	4	9
B35	Intestinal obstruction and hernia	M	71	6	2	—	—	4	8	14	16	21
		F	51	6	1	—	—	2	3	7	10	22
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	39	5	—	—	1	1	8	6	8	10
		F	73	9	2	—	1	5	2	7	15	32
B37	Cirrhosis of liver	M	31	—	—	—	—	4	6	8	7	6
		F	30	—	—	—	—	3	2	8	11	6
B38	Nephritis and nephrosis	M	106	—	—	2	5	19	20	22	17	21
		F	82	—	—	1	2	9	13	11	24	22
B39	Hyperplasia of prostate	M	133	—	—	—	—	—	—	11	33	89
B40	Complications of pregnancy, childbirth and puerperium	F	16	—	—	—	2	14	—	—	—	—
B41	Congenital malformations	M	158	113	11	6	3	8	6	6	4	1
		F	139	95	13	8	2	9	7	4	—	1
B42	Birth injuries, postnatal asphyxia and atelectasis	M	134	134	—	—	—	—	—	—	—	—
		F	107	107	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	1	1	—	—	—	—	—	—	—	—
		F	1	1	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	31	31	—	—	—	—	—	—	—	—
		F	20	20	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified	M	123	123	—	—	—	—	—	—	—	—
		F	89	89	—	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	139	2	—	—	—	2	—	—	8	127
		F	217	—	—	—	—	—	—	—	15	202
B46 (Rem.)	All other diseases (Remainder 001-795)	M	338	13	8	8	8	35	32	58	97	79
		F	482	11	2	10	5	43	51	83	124	153
BE47	Motor vehicle accidents	M	207	1	9	13	40	41	27	24	21	31
		F	65	—	4	7	7	8	5	7	14	13
BE48	All other accidents	M	245	11	6	18	24	34	30	29	21	72
		F	292	11	7	12	3	6	8	15	41	189
BE49	Suicide and self-inflicted injury	M	160	—	—	—	7	44	28	39	31	11
		F	117	—	—	—	1	19	32	34	23	8
BE50	Homicide and operations of war	M	7	—	—	—	—	2	1	3	—	1
		F	2	—	—	—	—	1	—	—	1	—
BN47	Fractures, head injuries and internal injuries	M	325	1	10	17	49	62	43	32	34	77
		F	242	—	3	7	7	6	5	10	44	160
BN48	Burns	M	17	—	—	1	—	3	2	1	2	8
		F	18	—	3	2	1	—	1	2	2	7
BN49	Effects of poisons	M	148	1	—	—	6	39	28	34	24	16
		F	140	—	—	—	2	20	33	35	25	25
BN50	All other injuries	M	129	10	5	13	16	17	13	28	13	14
		F	76	11	5	10	1	8	6	9	8	18

TABLE 19—*continued*

Abbreviated List No.	Causes of death		Eastern Region — Age									
			All ages	Under 1 year	1–	5–	15–	25–	45–	55–	65–	75 and over
	ALL CAUSES	M	19,250	608	106	116	218	741	1,418	3,109	5,322	7,612
		F	18,469	476	80	80	102	521	959	1,965	4,327	9,959
B1	Tuberculosis of respiratory system	M	129	—	—	—	2	10	18	39	33	27
		F	49	—	—	—	2	10	9	7	13	8
B2	Tuberculosis, other forms	M	15	—	1	—	2	2	4	2	3	1
		F	16	—	1	1	—	2	3	2	2	5
B3	Syphilis and its sequelae	M	42	1	—	—	—	1	4	9	16	11
		F	28	—	—	—	—	—	4	4	10	10
B4	Typhoid fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B5	Cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	M	3	—	1	1	—	—	—	—	1	—
		F	—	—	—	—	—	—	—	—	—	—
B7	Scarlet fever and streptococcal sore throat	M	—	—	—	—	—	—	—	—	—	—
		F	1	1	—	—	—	—	—	—	—	—
B8	Diphtheria	M	1	—	—	—	1	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B9	Whooping cough	M	1	1	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B10	Meningococcal infections	M	5	3	1	1	—	—	—	—	—	—
		F	6	1	1	—	—	1	1	1	1	—
B11	Plague	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	M	6	—	—	—	2	3	1	—	—	—
		F	6	—	—	—	—	6	—	—	—	—
B13	Smallpox	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B14	Measles	M	1	—	1	—	—	—	—	—	—	—
		F	2	1	1	—	—	—	—	—	—	—
B15	Typhus and other rickettsial diseases	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic	M	39	2	2	2	—	5	8	5	6	9
		F	36	—	4	2	1	7	3	6	7	6
B18	Malignant neoplasm: (140-205)	M	3,717	2	14	25	23	157	399	885	1,217	995
		F	3,307	1	7	19	16	192	417	689	964	1,002
	stomach (151)	M	529	—	—	—	—	12	62	118	184	153
		F	395	—	—	—	—	11	16	52	137	179
	trachea, bronchus and lung (162, 163)	M	1,168	—	—	—	—	51	173	388	400	156
		F	186	—	—	—	—	12	21	53	57	43
	breast (170)	M	5	—	—	—	—	—	—	2	2	1
		F	683	—	—	—	—	54	147	149	175	158
	uterus (171-174)	F	270	—	—	—	—	29	44	74	72	51
	Leukaemia and aleukaemia (204)	M	102	—	6	11	5	15	8	18	20	19
		F	86	—	2	8	6	9	6	11	20	24
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	M	1,913	2	8	14	18	79	156	359	611	666
		F	1,687	1	5	11	10	77	183	350	503	547
B19	Benign and unspecified neoplasms	M	45	2	1	2	2	6	5	9	8	10
		F	55	2	2	—	1	7	8	8	8	19
B20	Diabetes mellitus	M	109	2	1	—	1	8	6	13	30	48
		F	166	—	1	—	1	5	7	20	61	71
B21	Anaemias	M	25	1	—	—	1	2	1	2	6	12
		F	71	—	1	2	1	2	—	8	15	42
B22	Vascular lesions affecting central nervous system	M	2,226	—	—	—	2	19	81	270	654	1,200
		F	3,265	1	1	2	7	29	90	301	828	2,006
B23	Nonmeningococcal meningitis	M	15	8	2	—	—	—	1	2	1	1
		F	8	3	—	—	—	—	—	2	2	1
B24	Rheumatic fever	M	2	—	—	—	1	—	—	1	—	—
		F	2	—	—	—	—	—	—	—	1	1
B25	Chronic rheumatic heart disease	M	157	—	—	—	3	17	32	33	35	37
		F	287	—	—	—	5	32	48	62	67	73

TABLE 19—*continued*

Abbreviated List No.	Causes of death		Eastern Region—*continued* — Age									
			All ages	Under 1 year	1–	5–	15–	25–	45–	55–	65–	75 and over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420)	M	3,764	—	—	—	—	89	359	838	1,312	1,166
		F	2,320	—	—	—	—	13	68	233	769	1,237
	Degenerative heart disease (421, 422)	M	1,702	—	—	—	2	6	32	82	303	1,277
		F	2,423	1	—	—	—	5	14	67	333	2,003
B27	Other diseases of heart	M	429	2	—	1	—	4	12	58	128	224
		F	511	—	—	—	1	8	16	34	95	357
B28	Hypertension with heart disease	M	358	—	—	—	—	2	11	41	119	185
		F	478	—	—	—	—	—	12	44	130	292
B29	Hypertension without mention of heart	M	242	—	—	—	—	8	32	36	67	99
		F	270	—	—	—	—	8	15	29	75	143
B46 (Pt.)	Other circulatory diseases (450-468)	M	567	1	—	—	—	7	31	57	151	320
		F	645	—	—	—	1	12	19	37	139	437
B30	Influenza	M	92	—	1	2	—	5	5	16	25	38
		F	115	—	1	4	4	5	7	13	30	51
B31	Pneumonia	M	878	48	15	5	8	21	47	88	197	449
		F	945	44	13	6	3	14	19	52	184	610
B32	Bronchitis	M	1,135	8	12	—	3	15	43	209	418	427
		F	499	7	5	3	1	6	11	50	114	302
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	216	7	2	1	1	12	24	45	66	58
		F	118	2	2	2	1	7	11	29	24	40
B33	Ulcer of stomach and duodenum	M	256	—	—	—	—	7	23	53	80	93
		F	117	—	—	—	—	2	4	13	33	65
B34	Appendicitis	M	40	1	1	1	1	7	5	12	6	6
		F	32	1	1	3	—	4	2	2	5	14
B35	Intestinal obstruction and hernia	M	101	10	1	1	—	4	7	11	31	36
		F	95	5	1	—	—	1	5	3	14	66
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	83	4	5	—	1	6	7	10	24	26
		F	110	5	3	1	3	3	11	13	32	39
B37	Cirrhosis of liver	M	40	1	—	—	—	—	5	16	13	5
		F	32	—	—	1	—	—	6	15	4	6
B38	Nephritis and nephrosis	M	127	1	1	4	10	15	11	23	28	34
		F	98	—	1	1	2	14	9	11	21	39
B39	Hyperplasia of prostate	M	282	—	—	—	—	—	1	17	64	200
B40	Complications of pregnancy, childbirth and puerperium	F	18	—	—	—	3	14	1	—	—	—
B41	Congenital malformations	M	155	97	9	6	9	11	9	5	6	3
		F	153	92	15	10	2	11	6	10	5	2
B42	Birth injuries, postnatal asphyxia and atelectasis	M	140	140	—	—	—	—	—	—	—	—
		F	124	124	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	3	3	—	—	—	—	—	—	—	—
		F	2	2	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	45	45	—	—	—	—	—	—	—	—
		F	23	23	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified	M	171	171	—	—	—	—	—	—	—	—
		F	135	135	—	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	277	1	—	—	—	2	2	—	12	260
		F	428	—	—	—	—	1	—	2	10	415
B46 (Rem.)	All other diseases (Remainder 001-795)	M	647	20	12	16	19	65	64	100	176	175
		F	845	7	8	10	16	60	66	133	229	316
BE47	Motor vehicle accidents	M	331	—	5	20	85	87	39	36	27	32
		F	87	—	2	9	16	4	14	9	18	15
BE48	All other accidents	M	434	26	17	28	34	84	46	43	40	116
		F	381	18	9	4	6	10	14	17	52	251
BE49	Suicide and self-inflicted injury	M	186	—	—	—	5	51	40	42	16	32
		F	155	—	—	—	7	25	39	39	32	13
BE50	Homicide and operations of war	M	11	—	1	—	—	3	3	1	3	—
		F	5	—	—	—	2	1	—	—	—	2
BN47	Fractures, head injuries and internal injuries	M	541	—	8	30	93	119	61	67	49	114
		F	345	—	3	9	21	10	18	16	46	222
BN48	Burns	M	21	1	3	—	4	3	2	1	2	5
		F	23	—	—	1	—	—	1	2	3	16
BN49	Effects of poisons	M	150	—	3	1	5	43	31	27	13	27
		F	147	—	2	1	7	21	29	34	32	21
BN50	All other injuries	M	250	25	9	17	22	60	34	27	22	34
		F	113	18	6	2	3	9	19	13	21	22

TABLE 19—*continued*

Abbreviated List No.	Causes of death		London and South Eastern Region									
			Age									
			All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
	ALL CAUSES	M	63,177	1,867	275	322	588	2,412	5,509	11,942	17,762	22,500
		F	63,830	1,391	172	203	299	1,919	3,625	7,114	14,728	34,379
B1	Tuberculosis of respiratory system	M	683	—	1	2	7	87	108	203	194	81
		F	280	2	—	1	5	69	54	53	51	45
B2	Tuberculosis, other forms	M	55	—	1	3	2	14	8	11	8	8
		F	60	—	1	1	1	12	6	18	5	16
B3	Syphilis and its sequelae	M	198	—	—	—	—	4	21	45	78	50
		F	118	—	—	—	—	2	6	26	45	39
B4	Typhoid fever	M	2	—	—	—	—	1	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	—
B5	Cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	M	1	—	—	—	—	—	1	—	—	—
		F	5	1	1	—	—	1	—	—	2	—
B7	Scarlet fever and streptococcal sore throat	M	3	—	1	1	—	—	—	—	1	—
		F	2	—	—	—	—	1	—	—	1	—
B8	Diphtheria	M	1	—	—	1	—	—	—	—	—	—
		F	3	—	—	1	—	1	—	1	—	—
B9	Whooping cough	M	1	—	1	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	1	—
B10	Meningococcal infections	M	9	3	3	—	—	—	—	1	1	1
		F	12	7	2	2	—	—	—	1	—	—
B11	Plague	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	M	16	—	2	4	—	7	3	—	—	—
		F	4	—	—	1	—	3	—	—	—	—
B13	Smallpox	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B14	Measles	M	5	—	1	3	1	—	—	—	—	—
		F	4	1	3	—	—	—	—	—	—	—
B15	Typhus and other rickettsial diseases	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	M	1	—	—	—	—	1	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	—
B17	All other diseases classified as infective and parasitic	M	123	8	3	4	3	19	23	21	26	16
		F	103	2	1	8	5	8	17	19	20	23
B18	Malignant neoplasm: (140-205)	M	13,272	7	42	69	58	528	1,699	3,583	4,231	3,055
		F	11,996	7	34	46	58	729	1,638	2,547	3,266	3,671
	stomach (151)	M	1,765	—	—	—	2	50	235	462	610	406
		F	1,394	—	—	—	—	45	90	218	435	606
	trachea, bronchus and lung (162, 163)	M	4,963	—	1	—	3	151	779	1,745	1,656	628
		F	961	—	—	—	—	48	138	281	292	202
	breast (170)	M	18	—	—	—	—	—	3	5	5	5
		F	2,475	—	—	—	1	245	495	566	585	583
	uterus (171-174)	F	956	1	—	1	—	89	163	254	246	202
	Leukaemia and aleukaemia (204)	M	321	1	15	29	13	40	37	56	71	59
		F	333	4	16	20	7	42	38	52	74	80
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	M	6,205	6	26	40	40	287	645	1,315	1,889	1,957
		F	5,877	2	18	25	50	260	714	1,176	1,634	1,998
B19	Benign and unspecified neoplasms	M	142	3	3	4	5	24	20	42	22	19
		F	165	3	4	3	8	23	36	24	29	35
B20	Diabetes mellitus	M	262	—	3	—	1	15	28	41	85	89
		F	512	—	1	2	2	9	22	52	171	253
B21	Anaemias	M	93	1	4	1	—	1	8	9	20	49
		F	218	1	1	1	1	8	5	13	65	123
B22	Vascular lesions affecting central nervous system	M	6,238	2	—	2	9	114	311	837	1,910	3,053
		F	10,128	—	—	2	8	99	362	966	2,473	6,218
B23	Nonmeningococcal meningitis	M	42	13	3	4	—	1	2	5	7	7
		F	36	8	1	1	—	1	6	4	10	5
B24	Rheumatic fever	M	11	—	2	—	2	—	—	2	3	2
		F	19	—	—	2	3	4	1	4	1	4
B25	Chronic rheumatic heart disease	M	636	—	—	1	9	89	135	146	155	101
		F	1,235	—	—	—	3	123	225	287	295	302

TABLE 19—*continued*

Abbreviated List No.	Causes of death		London and South Eastern Region—*continued*									
			Age									
			All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420)	M	12,439	1	—	—	2	336	1,422	2,992	4,089	3,597
		F	8,023	—	—	—	—	36	213	869	2,677	4,228
	Degenerative heart disease (421, 422)	M	4,650	—	—	1	2	21	52	222	928	3,424
		F	8,035	1	—	—	2	14	33	159	979	6,847
B27	Other diseases of heart	M	1,257	—	1	—	5	24	53	174	365	635
		F	1,643	1	1	1	2	16	31	106	335	1,150
B28	Hypertension with heart disease	M	1,168	—	—	—	—	11	49	174	363	571
		F	1,805	—	—	—	—	2	31	140	443	1,189
B29	Hypertension without mention of heart	M	992	—	—	—	2	32	104	182	298	374
		F	1,256	—	—	—	—	19	53	136	332	716
B46 (Pt.)	Other circulatory diseases (450-468)	M	1,769	4	—	—	4	33	70	216	501	941
		F	2,376	—	—	2	1	40	57	168	489	1,619
B30	Influenza	M	260	2	2	1	4	14	20	50	78	89
		F	299	3	—	—	2	8	12	32	69	173
B31	Pneumonia	M	3,195	125	40	11	14	56	143	394	773	1,639
		F	3,618	118	18	25	4	46	92	228	691	2,396
B32	Bronchitis	M	5,012	49	14	3	6	40	275	1,057	1,703	1,865
		F	2,454	35	14	8	5	34	75	257	583	1,443
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	789	14	6	11	5	35	64	202	243	209
		F	411	5	6	11	4	18	34	59	87	187
B33	Ulcer of stomach and duodenum	M	967	2	—	1	1	24	90	211	315	323
		F	446	—	—	—	—	7	20	56	130	233
B34	Appendicitis	M	113	—	5	4	2	11	13	26	22	30
		F	84	1	1	3	4	6	12	10	16	31
B35	Intestinal obstruction and hernia	M	354	25	3	—	1	9	23	54	103	136
		F	431	16	3	2	1	10	13	56	111	219
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	230	16	5	3	4	17	24	41	55	65
		F	354	14	2	1	5	13	21	39	92	167
B37	Cirrhosis of liver	M	148	—	—	1	—	20	32	51	24	20
		F	134	—	1	3	1	3	20	45	38	23
B38	Nephritis and nephrosis	M	455	2	2	6	17	55	56	109	93	115
		F	396	1	1	4	14	45	34	51	98	148
B39	Hyperplasia of prostate	M	833	—	—	—	—	—	6	49	219	559
B40	Complications of pregnancy, childbirth and puerperium	F	79	—	—	—	17	62	—	—	—	—
B41	Congenital malformations	M	557	350	36	27	23	33	32	29	18	9
		F	503	321	31	18	20	33	28	26	17	9
B42	Birth injuries, postnatal asphyxia and atelectasis	M	534	534	—	—	—	—	—	—	—	—
		F	319	319	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	—	—	—	—	—	—	—	—	—	—
		F	3	3	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	106	106	—	—	—	—	—	—	—	—
		F	60	60	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified	M	497	496	1	—	—	—	—	—	—	—
		F	386	386	—	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	429	5	2	—	2	3	4	3	20	390
		F	938	1	1	—	1	1	2	4	26	902
B46 (Rem.)	All other diseases (Remainder 001-795)	M	1,766	45	25	34	40	130	196	322	466	508
		F	2,606	29	12	22	40	164	242	385	679	1,033
BE47	Motor vehicle accidents	M	835	1	16	54	209	167	97	97	86	108
		F	349	1	8	15	26	37	37	50	80	95
BE48	All other accidents	M	1,195	47	45	64	104	216	135	153	135	296
		F	1,260	39	23	17	29	57	36	76	206	777
BE49	Suicide and self-inflicted injury	M	799	—	—	1	40	213	178	181	121	65
		F	632	—	—	—	25	149	146	142	112	58
BE50	Homicide and operations of war	M	34	6	2	1	4	7	4	6	3	1
		F	28	5	1	—	2	6	4	5	3	2
BN47	Fractures, head injuries and internal injuries	M	1,531	9	24	71	237	309	185	197	179	320
		F	1,134	1	11	19	37	62	49	75	211	669
BN48	Burns	M	55	2	7	1	7	10	1	4	8	15
		F	103	1	5	6	3	8	3	6	16	55
BN49	Effects of poisons	M	663	3	8	3	31	163	141	132	100	82
		F	753	2	5	—	32	136	136	149	128	165
BN50	All other injuries	M	614	40	24	45	82	121	87	104	58	53
		F	279	41	11	7	10	43	35	43	46	43

TABLE 19—*continued*

Abbreviated List No.	Causes of death		Greater London									
			Age									
			All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
	ALL CAUSES	M	45,517	1,442	196	235	414	1,859	4,322	9,111	12,712	15,226
		F	44,855	1,044	118	142	214	1,462	2,786	5,277	10,484	23,328
B1	Tuberculosis of respiratory system	M	525	—	—	2	6	68	76	153	154	66
		F	206	2	—	1	3	53	40	38	34	35
B2	Tuberculosis, other forms	M	44	—	1	2	2	11	7	7	8	6
		F	44	—	1	—	1	8	4	13	4	13
B3	Syphilis and its sequelae	M	150	—	—	—	—	4	16	36	58	36
		F	96	—	—	—	—	2	6	18	38	32
B4	Typhoid fever	M	1	—	—	—	—	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B5	Cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	M	—	—	—	—	—	—	—	—	—	—
		F	4	1	1	—	—	1	—	—	1	—
B7	Scarlet fever and streptococcal sore throat	M	1	—	—	—	—	—	—	—	1	—
		F	—	—	—	—	—	—	—	—	—	—
B8	Diphtheria	M	1	—	—	1	—	—	—	—	—	—
		F	3	—	—	1	—	1	—	1	—	—
B9	Whooping cough	M	1	—	1	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B10	Meningococcal infections	M	9	3	3	—	—	—	—	1	1	1
		F	7	5	1	1	—	—	—	—	—	—
B11	Plague	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	M	12	—	2	3	—	5	2	—	—	—
		F	2	—	—	—	—	2	—	—	—	—
B13	Smallpox	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B14	Measles	M	4	—	1	2	1	—	—	—	—	—
		F	2	—	2	—	—	—	—	—	—	—
B15	Typhus and other rickettsial diseases	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic	M	88	6	3	2	1	14	20	12	19	11
		F	80	—	—	5	4	6	13	17	15	20
B18	Malignant neoplasm: (140-205)	M	9,962	7	31	49	42	412	1,361	2,782	3,129	2,149
		F	8,626	4	26	31	38	557	1,244	1,885	2,305	2,536
	stomach (151)	M	1,356	—	—	—	2	43	192	365	452	302
		F	1,013	—	—	—	—	39	75	163	313	423
	trachea, bronchus and lung (162, 163)	M	3,847	—	1	—	3	118	635	1,370	1,254	466
		F	727	—	—	—	—	39	108	203	218	159
	breast (170)	M	14	—	—	—	—	—	3	4	4	3
		F	1,788	—	—	—	—	185	371	424	416	392
	uterus (171-174)	F	674	—	—	1	—	68	115	177	175	138
	Leukaemia and aleukaemia (204)	M	236	1	11	22	12	31	27	40	50	42
		F	229	2	11	13	6	34	25	39	47	52
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	M	4,509	6	19	27	25	220	504	1,003	1,369	1,336
		F	4,195	2	15	17	32	192	550	879	1,136	1,372
B19	Benign and unspecified neoplasms	M	125	2	3	3	5	23	17	39	17	16
		F	128	—	2	2	5	20	30	20	22	27
B20	Diabetes mellitus	M	183	—	1	—	1	9	22	32	60	58
		F	378	—	—	2	2	4	13	44	137	176
B21	Anaemias	M	68	1	3	—	—	—	7	6	13	38
		F	163	1	—	1	1	5	4	10	49	92
B22	Vascular lesions affecting central nervous system	M	4,134	1	—	2	5	91	235	599	1,263	1,938
		F	6,726	—	—	—	5	77	275	706	1,661	4,002
B23	Nonmeningococcal meningitis	M	30	9	2	2	—	1	2	3	4	7
		F	30	8	1	1	—	1	4	2	9	4
B24	Rheumatic fever	M	7	—	1	—	1	—	—	1	3	1
		F	16	—	—	2	2	3	1	4	1	3
B25	Chronic rheumatic heart disease	M	511	—	—	1	8	73	109	126	116	78
		F	990	—	—	—	2	96	190	236	227	239

TABLE 19—*continued*

Abbreviated List No.	Causes of death		Greater London—*continued*									
			Age									
			All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420)	M	9,080	1	—	—	2	282	1,134	2,300	2,913	2,448
		F	5,798	—	—	—	—	30	169	629	1,948	3,022
	Degenerative heart disease (421, 422)	M	2,877	—	—	—	2	14	36	150	562	2,113
		F	5,056	1	—	—	—	13	25	99	611	4,307
B27	Other diseases of heart	M	844	—	1	—	2	21	40	125	244	411
		F	1,072	1	1	1	2	8	25	72	229	733
B28	Hypertension with heart disease	M	840	—	—	—	—	9	32	132	247	420
		F	1,284	—	—	—	—	2	20	98	312	852
B29	Hypertension without mention of heart	M	743	—	—	—	2	26	81	132	218	284
		F	969	—	—	—	—	14	37	113	250	555
B46 (Pt.)	Other circulatory diseases (450-468)	M	1,183	3	—	—	2	26	57	162	355	578
		F	1,657	—	—	2	—	33	44	106	361	1,111
B30	Influenza	M	179	1	2	1	3	6	10	34	59	63
		F	201	2	—	—	2	7	6	21	46	117
B31	Pneumonia	M	2,306	92	28	8	9	39	110	290	566	1,164
		F	2,658	87	13	18	2	35	73	174	502	1,754
B32	Bronchitis	M	3,993	42	13	3	4	35	225	852	1,364	1,455
		F	2,013	31	10	6	2	27	64	215	487	1,171
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	571	8	3	9	2	24	48	154	171	152
		F	291	2	3	8	4	12	26	47	70	119
B33	Ulcer of stomach and duodenum	M	727	1	—	—	1	19	74	167	229	236
		F	330	—	—	—	—	6	16	45	95	168
B34	Appendicitis	M	86	—	4	3	2	9	12	18	17	21
		F	63	—	1	3	3	6	10	6	11	23
B35	Intestinal obstruction and hernia	M	240	21	1	—	—	6	18	37	71	86
		F	317	12	3	2	—	7	10	41	86	156
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	158	16	5	2	3	12	18	27	33	42
		F	269	12	1	1	5	10	19	32	77	112
B37	Cirrhosis of liver	M	111	—	—	1	—	16	22	38	19	15
		F	92	—	1	2	1	2	12	31	28	15
B38	Nephritis and nephrosis	M	309	—	2	2	11	44	41	90	54	65
		F	270	—	—	4	12	31	24	38	68	93
B39	Hyperplasia of prostate	M	537	—	—	—	—	—	5	35	145	352
B40	Complications of pregnancy, childbirth and puerperium	F	63	—	—	—	13	50	—	—	—	—
B41	Congenital malformations	M	415	268	27	20	18	23	22	21	11	5
		F	371	242	18	12	16	26	18	20	11	8
B42	Birth injuries, postnatal asphyxia and atelectasis	M	432	432	—	—	—	—	—	—	—	—
		F	246	246	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	—	—	—	—	—	—	—	—	—	—
		F	2	2	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	83	83	—	—	—	—	—	—	—	—
		F	39	39	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified	M	374	373	1	—	—	—	—	—	—	—
		F	298	298	—	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	254	4	—	—	1	3	1	3	12	230
		F	553	1	—	—	1	—	1	4	17	529
B46 (Rem.)	All other diseases (Remainder 001-795)	M	1,268	36	19	25	23	94	152	231	335	353
		F	1,843	21	8	13	27	115	186	286	482	705
BE47	Motor vehicle accidents	M	611	—	8	41	154	114	76	72	64	82
		F	249	1	4	11	17	25	23	35	63	70
BE48	All other accidents	M	804	28	28	49	64	147	92	106	93	197
		F	806	21	20	12	21	37	28	53	131	483
BE49	Suicide and self-inflicted injury	M	612	—	—	1	34	173	138	135	83	48
		F	524	—	—	—	21	127	124	114	93	45
BE50	Homicide and operations of war	M	24	4	2	1	3	5	4	3	1	1
		F	20	4	1	—	2	3	2	4	3	1
BN47	Fractures, head injuries and internal injuries	M	1,076	6	14	56	168	211	137	140	120	224
		F	727	1	7	15	27	40	33	54	145	405
BN48	Burns	M	43	2	4	1	7	7	1	3	7	11
		F	76	—	5	5	2	5	3	5	12	39
BN49	Effects of poisons	M	539	2	5	3	28	142	118	104	75	62
		F	609	2	4	—	28	118	111	114	100	132
BN50	All other injuries	M	393	22	15	32	52	79	54	69	39	31
		F	187	23	9	3	4	29	30	33	33	23

TABLE 19—*continued*

Abbreviated List No.	Causes of death	Southern Region — Age — All ages	Under 1 year	1–	5–	15–	25–	45–	55–	65–	75 and over
	ALL CAUSES .. .. M	16,288	562	77	111	190	596	1,203	2,713	4,476	6,360
	F	16,274	421	71	59	85	420	843	1,702	3,696	8,977
B1	Tuberculosis of respiratory system .. .. .. M	148	—	—	—	1	21	36	42	35	13
	F	50	—	—	—	—	13	10	12	8	7
B2	Tuberculosis, other forms .. M	16	—	1	—	1	4	2	3	4	1
	F	10	—	—	—	1	1	1	5	1	1
B3	Syphilis and its sequelae .. M	41	—	—	—	—	1	4	11	16	9
	F	22	—	—	—	—	—	2	6	9	5
B4	Typhoid fever .. .. .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B5	Cholera .. .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms .. .. M	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	—	1
B7	Scarlet fever and streptococcal sore throat .. M	1	—	—	—	—	1	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—
B8	Diphtheria .. .. .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B9	Whooping cough .. .. M	1	1	—	—	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—
B10	Meningococcal infections .. M	1	—	—	—	—	—	1	—	—	—
	F	4	3	—	—	—	—	1	—	—	—
B11	Plague .. .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis .. .. M	5	—	—	1	1	2	—	1	—	—
	F	4	—	1	—	2	1	—	—	—	—
B13	Smallpox .. .. .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B14	Measles .. .. M	2	1	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B15	Typhus and other rickettsial diseases .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B16	Malaria .. .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic M	23	4	—	1	—	—	4	2	10	2
	F	33	—	—	3	1	9	3	7	3	7
B18	Malignant neoplasm: (140-205) .. .. .. M	3,115	2	8	24	15	124	369	727	1,001	845
	F	2,795	2	7	11	16	160	345	581	770	903
	stomach (151) .. .. M	426	—	—	—	1	8	45	101	140	131
	F	303	—	—	—	—	6	22	41	94	140
	trachea, bronchus and lung (162, 163) .. M	991	—	—	—	—	23	165	336	350	117
	F	165	—	—	—	—	7	25	49	52	32
	breast (170) .. .. M	6	—	—	—	—	—	1	2	2	1
	F	598	—	—	—	—	45	99	135	152	167
	uterus (171-174) .. .. F	230	—	—	—	1	24	31	62	58	54
	Leukaemia and aleukaemia (204) .. .. M	111	1	4	14	1	10	13	25	29	14
	F	74	2	3	4	3	8	10	6	26	12
	Other malig. and lymphatic neoplasms (Rem. of 140-205) M	1,581	1	4	10	13	83	145	263	480	582
	F	1,425	—	4	7	12	70	158	288	388	498
B19	Benign and unspecified neoplasms .. .. .. M	34	1	—	2	2	6	5	7	8	3
	F	48	—	—	1	—	6	9	13	6	13
B20	Diabetes mellitus .. .. M	74	—	—	—	2	4	—	10	24	34
	F	131	1	—	—	—	1	6	11	43	69
B21	Anaemias .. .. .. M	31	1	1	—	1	1	2	6	7	12
	F	73	—	—	—	—	2	2	8	22	39
B22	Vascular lesions affecting central nervous system M	1,908	2	—	2	7	22	79	231	581	984
	F	2,980	—	—	—	2	22	105	298	695	1,858
B23	Nonmeningococcal meningitis .. .. .. M	14	4	2	—	—	—	2	3	3	—
	F	16	7	1	—	—	—	1	2	2	3
B24	Rheumatic fever .. .. M	3	—	—	—	1	—	—	—	1	1
	F	3	—	—	1	—	—	—	1	—	1
B25	Chronic rheumatic heart disease .. .. .. M	122	—	—	—	1	19	18	29	30	25
	F	233	—	—	—	4	29	23	45	65	67

TABLE 19—*continued*

Abbreviated List No.	Causes of death	Southern Region—*continued* — Age — All ages	Under 1 year	1–	5–	15–	25–	45–	55–	65–	75 and over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) .. M	3,141	—	—	—	—	73	279	715	1,050	1,024
	F	2,146	—	—	—	—	8	68	221	676	1,173
	Degenerative heart disease (421, 422) .. .. .. M	1,520	1	—	—	2	7	21	82	305	1,102
	F	2,308	—	—	—	—	2	10	63	310	1,923
B27	Other diseases of heart .. M	404	1	1	1	—	5	17	54	122	203
	F	435	—	1	—	—	4	6	27	109	288
B28	Hypertension with heart disease .. .. .. M	332	—	—	—	—	2	8	39	132	151
	F	449	—	—	—	—	—	3	33	131	282
B29	Hypertension without mention of heart .. .. M	220	—	—	—	1	14	30	48	40	87
	F	195	—	—	—	—	4	16	22	40	113
B46 (Pt.)	Other circulatory diseases (450-468) .. .. .. M	427	—	1	1	2	6	11	49	108	249
	F	484	—	—	—	1	6	13	39	88	337
B30	Influenza .. .. .. M	83	3	1	1	3	8	3	24	19	21
	F	80	—	1	1	—	4	7	11	13	43
B31	Pneumonia .. .. .. M	780	41	14	7	6	17	26	88	164	417
	F	738	26	13	4	2	7	19	41	147	479
B32	Bronchitis .. .. .. M	912	13	5	4	—	15	53	167	322	333
	F	429	13	5	1	1	3	20	32	96	258
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527) M	195	—	1	2	3	6	20	52	60	51
	F	101	2	2	—	—	3	8	10	22	54
B33	Ulcer of stomach and duodenum .. .. .. M	215	—	—	—	—	9	20	40	70	76
	F	110	—	—	—	—	2	4	9	33	62
B34	Appendicitis .. .. .. M	29	—	—	1	1	4	1	4	12	6
	F	14	—	—	1	1	2	2	2	3	3
B35	Intestinal obstruction and hernia .. .. .. M	90	7	1	1	—	2	3	18	19	39
	F	94	5	1	—	1	3	3	10	24	47
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn M	74	9	3	2	2	3	6	14	11	24
	F	91	2	1	—	4	4	4	5	36	35
B37	Cirrhosis of liver .. .. M	44	—	2	—	—	2	8	14	12	6
	F	31	1	—	1	1	—	12	5	7	4
B38	Nephritis and nephrosis .. M	122	1	—	5	8	8	18	24	26	32
	F	99	—	—	1	4	10	7	12	24	41
B39	Hyperplasia of prostate .. M	243	—	—	—	—	—	—	15	54	174
B40	Complications of pregnancy, childbirth and puerperium F	18	—	—	—	3	14	1	—	—	—
B41	Congenital malformations .. M	162	105	10	4	9	9	6	11	5	3
	F	160	105	12	8	7	9	7	3	6	3
B42	Birth injuries, postnatal asphyxia and atelectasis M	165	165	—	—	—	—	—	—	—	—
	F	113	113	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764) .. .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768) .. .. M	30	30	—	—	—	—	—	—	—	—
	F	15	15	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified .. M	131	131	—	—	—	—	—	—	—	—
	F	100	99	1	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes M	156	1	1	—	—	1	1	—	3	149
	F	333	—	—	—	—	1	—	—	4	328
B46 (Rem.)	All other diseases (Remainder 001-795) .. M	488	20	5	10	13	42	44	68	132	154
	F	724	9	8	8	14	47	60	103	196	279
BE47	Motor vehicle accidents .. M	289	—	7	25	70	61	31	33	29	33
	F	99	1	3	10	8	13	11	11	18	24
BE48	All other accidents .. .. M	326	18	13	16	25	59	36	41	32	86
	F	367	17	13	7	7	11	19	20	63	210
BE49	Suicide and self-inflicted injury .. .. .. M	167	—	—	—	13	37	38	40	28	11
	F	129	—	—	—	3	17	33	34	25	17
BE50	Homicide and operations of war .. .. M	4	—	—	—	—	1	1	1	1	—
	F	7	—	—	—	2	2	2	—	1	—
BN47	Fractures, head injuries and internal injuries .. .. M	455	1	7	30	75	95	52	54	44	97
	F	321	2	7	10	11	11	14	15	62	189
BN48	Burns .. .. M	12	—	1	1	2	4	1	1	2	—
	F	22	—	2	2	1	—	1	4	2	10
BN49	Effects of poisons .. .. M	117	—	1	—	5	27	21	27	24	12
	F	160	—	1	—	5	21	36	36	32	29
BN50	All other injuries .. .. M	202	17	11	10	26	32	32	33	20	21
	F	99	16	6	5	3	11	14	10	11	23

TABLE 19—*continued*

Abbreviated List No.	Causes of death	South Western Region — Age — All ages	Under 1 year	1–	5–	15–	25–	45–	55–	65–	75 and over
	ALL CAUSES .. .. M	19,091	608	82	103	199	699	1,407	3,263	5,306	7,424
	F	19,186	409	77	56	64	526	969	2,131	4,283	10,671
B1	Tuberculosis of respiratory system .. .. .. M	182	—	—	—	2	27	26	61	56	10
	F	62	1	—	—	1	18	6	11	18	7
B2	Tuberculosis, other forms .. M	25	—	1	2	1	9	3	5	2	2
	F	20	—	1	1	—	2	2	8	3	3
B3	Syphilis and its sequelae .. M	35	—	—	—	—	3	3	5	18	6
	F	20	—	—	—	—	—	3	4	6	7
B4	Typhoid fever .. .. .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B5	Cholera .. .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms .. .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B7	Scarlet fever and streptococcal sore throat .. M	1	—	—	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—
B8	Diphtheria .. .. .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B9	Whooping cough .. .. M	3	—	2	1	—	—	—	—	—	—
	F	3	3	—	—	—	—	—	—	—	—
B10	Meningococcal infections .. M	2	2	—	—	—	—	—	—	—	—
	F	3	2	—	—	—	—	—	—	—	1
B11	Plague .. .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis .. .. M	5	—	—	1	1	3	—	—	—	—
	F	7	—	1	2	1	3	—	—	—	—
B13	Smallpox .. .. .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B14	Measles .. .. M	1	—	1	—	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—
B15	Typhus and other rickettsial diseases .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B16	Malaria .. .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic M	32	2	1	3	—	2	9	4	7	4
	F	31	1	4	2	2	5	2	3	5	7
	Malignant neoplasm: (140-205) .. .. M	3,371	4	8	25	29	143	372	860	1,023	907
	F	3,289	6	6	14	14	184	414	702	919	1,030
	stomach (151) .. .. M	498	—	—	—	—	12	44	117	168	157
	F	416	—	—	—	—	16	31	63	121	185
	trachea, bronchus and lung (162, 163) .. M	970	—	—	—	—	25	162	393	295	95
	F	162	—	—	—	—	7	18	52	50	35
B18	breast (170) .. .. M	8	—	—	—	—	1	2	—	1	4
	F	672	—	—	—	—	50	123	155	185	159
	uterus (171-174) .. .. F	293	—	—	—	—	30	51	77	79	56
	Leukaemia and aleukaemia (204) .. .. .. M	118	1	2	12	10	20	10	26	20	17
	F	67	—	1	5	—	5	5	13	19	19
	Other malig. and lymphatic neoplasms (Rem. of 140-205) M	1,777	3	6	13	19	85	154	324	539	634
	F	1,679	6	5	9	14	76	186	342	465	576
B19	Benign and unspecified neoplasms .. .. M	36	—	—	1	2	6	9	6	7	5
	F	35	—	—	1	—	5	3	11	6	9
B20	Diabetes mellitus .. .. M	95	—	—	1	2	7	4	13	36	32
	F	173	—	—	1	—	3	11	24	57	77
B21	Anaemias .. .. .. M	53	1	—	—	1	1	2	4	11	33
	F	72	—	1	1	—	3	1	12	18	36
B22	Vascular lesions affecting central nervous system M	2,253	1	—	—	3	22	120	303	674	1,130
	F	3,581	—	—	1	1	43	131	318	872	2,215
B23	Nonmeningococcal meningitis .. .. M	12	4	2	—	1	—	1	2	—	2
	F	9	4	1	—	—	1	1	—	—	2
B24	Rheumatic fever .. .. M	1	—	—	—	—	1	—	—	—	—
	F	5	—	—	1	—	2	—	—	—	2
B25	Chronic rheumatic heart disease .. .. M	168	—	—	—	2	22	30	49	41	24
	F	301	—	—	—	2	30	45	69	69	86

TABLE 19—*continued*

Abbreviated List No.	Causes of death	South Western Region—*continued* — Age — All ages	Under 1 year	1–	5–	15–	25–	45–	55–	65–	75 and over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) .. M	3,591	—	—	—	—	69	346	800	1,220	1,156
	F	2,281	—	—	—	—	12	59	276	714	1,220
	Degenerative heart disease (421, 422) .. .. M	2,214	—	—	—	—	9	27	100	469	1,609
	F	3,151	—	—	1	—	9	12	88	405	2,636
B27	Other diseases of heart .. M	434	2	—	1	—	11	20	44	139	217
	F	492	2	—	—	1	5	10	27	121	326
B28	Hypertension with heart disease .. .. M	451	—	—	—	—	6	20	93	167	165
	F	506	—	—	—	—	—	13	60	171	262
B29	Hypertension without mention of heart .. M	284	—	—	—	1	11	25	62	87	98
	F	269	—	—	—	—	11	20	36	73	129
B46 (Pt.)	Other circulatory diseases (450-468) .. .. M	564	—	—	—	—	10	18	65	150	321
	F	727	—	—	1	—	7	20	57	115	527
B30	Influenza .. .. .. M	97	2	2	1	1	4	10	22	21	34
	F	88	1	—	—	1	4	6	8	22	46
B31	Pneumonia .. .. .. M	702	55	13	3	3	22	32	89	160	325
	F	727	39	14	2	1	10	18	56	130	457
B32	Bronchitis .. .. .. M	936	8	3	2	2	11	51	188	332	339
	F	433	7	2	—	1	3	8	36	105	271
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527) M	328	7	3	4	3	8	12	97	119	75
	F	120	1	2	—	—	7	9	22	21	58
B33	Ulcer of stomach and duodenum .. .. M	226	—	—	—	—	9	19	43	77	78
	F	109	—	—	—	—	—	5	14	28	62
B34	Appendicitis .. .. .. M	31	—	2	1	2	3	4	4	10	5
	F	19	—	1	—	—	1	1	2	7	7
B35	Intestinal obstruction and hernia .. .. M	101	9	2	—	—	1	10	13	29	37
	F	96	4	1	—	—	3	2	15	19	52
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn M	67	7	4	1	4	5	4	12	13	17
	F	112	4	6	1	2	6	9	16	27	41
B37	Cirrhosis of liver .. .. M	55	—	—	—	—	4	14	14	16	7
	F	41	—	—	1	—	2	7	16	7	8
B38	Nephritis and nephrosis .. M	198	1	—	4	4	26	27	46	42	48
	F	127	—	1	—	2	12	14	25	32	41
B39	Hyperplasia of prostate .. M	309	—	—	—	—	—	2	11	86	210
B40	Complications of pregnancy, childbirth and puerperium F	23	—	—	—	5	18	—	—	—	—
B41	Congenital malformations .. M	202	145	8	8	2	12	11	9	6	1
	F	157	106	15	4	3	9	8	10	1	1
B42	Birth injuries, postnatal asphyxia and atelectasis M	185	185	—	—	—	—	—	—	—	—
	F	109	108	1	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764) .. .. M	1	1	—	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768) .. .. M	39	39	—	—	—	—	—	—	—	—
	F	21	21	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified .. M	100	100	—	—	—	—	—	—	—	—
	F	81	81	—	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes M	231	—	—	—	—	—	2	5	8	216
	F	515	2	—	—	—	—	2	1	17	493
B46 (Rem.)	All other diseases (Remainder 001-795) .. M	573	18	8	7	14	40	54	98	160	174
	F	746	8	8	12	13	48	51	131	190	285
BE47	Motor vehicle accidents .. M	277	—	5	14	82	74	24	33	26	19
	F	96	—	4	3	8	16	14	12	22	17
BE48	All other accidents .. .. M	379	15	17	22	30	70	48	47	48	82
	F	377	7	6	5	2	12	27	22	55	241
BE49	Suicide and self-inflicted injury .. .. .. M	225	—	—	1	5	46	46	50	43	34
	F	146	—	—	—	4	31	35	39	28	9
BE50	Homicide and operations of war .. .. M	16	—	—	—	2	2	2	6	2	2
	F	4	—	1	2	—	1	—	—	—	—
BN47	Fractures, head injuries and internal injuries .. .. M	473	1	6	20	94	110	53	55	52	82
	F	333	2	6	3	9	16	19	19	48	211
BN48	Burns .. .. M	26	—	6	2	2	1	1	1	4	9
	F	19	—	3	1	—	—	1	1	3	10
BN49	Effects of poisons .. .. M	157	—	3	4	5	33	31	33	28	20
	F	184	—	—	3	4	30	34	40	41	32
BN50	All other injuries .. .. M	241	14	7	11	18	48	35	47	35	26
	F	87	5	2	3	1	14	22	13	13	14

TABLE 19—*continued*

Abbreviated List No.	Causes of death		Wales I (South East)									
			Age									
					Years							
			All ages	Under 1 year	1–	5–	15–	25–	45–	55–	65–	75 and over
	ALL CAUSES	M	12,399	506	57	82	143	551	1,084	2,396	3,617	3,963
		F	10,170	364	38	42	49	396	648	1,405	2,610	4,618
B1	Tuberculosis of respiratory system	M	153	—	—	—	1	17	20	43	52	20
		F	57	—	—	—	1	22	10	11	10	3
B2	Tuberculosis, other forms	M	13	—	1	—	3	1	3	3	1	1
		F	11	—	1	—	—	4	2	—	2	2
B3	Syphilis and its sequelae	M	22	—	—	—	—	1	3	7	8	3
		F	6	—	—	—	—	—	—	2	2	2
B4	Typhoid fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B5	Cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	M	2	1	—	—	—	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B7	Scarlet fever and streptococcal sore throat	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B8	Diphtheria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B9	Whooping cough	M	—	—	—	—	—	—	—	—	—	—
		F	1	1	—	—	—	—	—	—	—	—
B10	Meningococcal infections	M	5	2	1	1	—	—	—	1	—	—
		F	6	5	—	—	—	—	—	—	1	—
B11	Plague	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	M	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	1	—	—	—	—
B13	Smallpox	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B14	Measles	M	2	2	—	—	—	—	—	—	—	—
		F	5	3	2	—	—	—	—	—	—	—
B15	Typhus and other rickettsial diseases	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic	M	20	3	1	—	1	6	1	5	3	—
		F	9	2	—	—	—	2	—	1	1	3
B18	Malignant neoplasm: (140-205)	M	2,005	—	3	11	11	74	256	553	671	426
		F	1,760	—	4	9	5	114	250	391	504	483
	stomach (151)	M	432	—	—	—	—	14	58	122	141	97
		F	359	—	—	—	—	6	18	59	134	142
	trachea, bronchus and lung (162, 163)	M	558	—	—	—	—	13	81	215	201	48
		F	49	—	—	—	—	3	14	14	11	7
	breast (170)	M	2	—	—	—	—	1	—	—	1	—
		F	312	—	—	—	—	31	63	85	76	57
	uterus (171-174)	F	165	—	—	—	—	27	40	37	38	23
	Leukaemia and aleukaemia (204)	M	52	—	3	4	4	9	7	12	10	3
		F	35	—	3	3	1	3	8	4	8	5
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	M	961	—	—	7	7	37	110	204	318	278
		F	840	—	1	6	4	44	107	192	237	249
B19	Benign and unspecified neoplasms	M	30	—	—	4	1	6	1	7	7	4
		F	30	—	1	1	—	4	5	6	4	9
B20	Diabetes mellitus	M	47	—	—	1	1	2	1	7	15	20
		F	84	—	—	—	—	3	2	23	34	22
B21	Anaemias	M	33	—	—	—	—	1	1	6	8	17
		F	55	1	—	—	—	2	1	6	20	25
B22	Vascular lesions affecting central nervous system	M	1,419	1	—	—	2	27	76	220	455	638
		F	1,793	—	—	1	2	30	84	227	528	921
B23	Nonmeningococcal meningitis	M	10	6	3	—	—	1	—	—	—	—
		F	7	3	1	—	—	—	1	1	1	—
B24	Rheumatic fever	M	8	—	—	4	—	2	1	—	1	—
		F	1	—	—	—	—	—	1	—	—	—
B25	Chronic rheumatic heart disease	M	128	—	—	—	—	30	37	30	26	5
		F	242	—	—	—	3	44	56	60	53	26

TABLE 19—*continued*

Abbreviated List No.	Causes of death		Wales I (South East)—*continued*									
			Age									
					Years							
			All ages	Under 1 year	1–	5–	15–	25–	45–	55–	65–	75 and over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420)	M	2,458	—	—	—	—	73	300	628	851	606
		F	1,301	—	—	—	—	5	56	216	497	527
	Degenerative heart disease (421, 422)	M	1,026	—	—	—	1	2	22	78	236	687
		F	1,298	—	—	—	1	7	13	42	228	1,007
B27	Other diseases of heart	M	209	4	—	—	—	8	14	29	74	80
		F	242	1	—	—	2	5	5	31	68	130
B28	Hypertension with heart disease	M	225	—	—	—	—	6	12	49	83	75
		F	293	—	—	—	—	—	10	49	95	139
B29	Hypertension without mention of heart	M	177	—	—	1	1	9	19	37	49	61
		F	178	—	—	—	—	3	9	17	68	81
B46 (Pt.)	Other circulatory diseases (450-468)	M	347	—	—	1	—	4	7	27	104	204
		F	366	—	—	—	—	12	10	24	68	252
B30	Influenza	M	70	1	—	1	2	5	5	15	15	26
		F	48	2	1	1	1	4	1	6	11	21
B31	Pneumonia	M	386	42	15	1	4	14	12	46	98	154
		F	292	37	8	3	1	12	15	28	50	138
B32	Bronchitis	M	1,070	15	1	1	1	7	68	248	397	332
		F	371	2	—	2	1	9	11	59	85	202
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	408	1	2	1	4	15	52	110	150	73
		F	55	1	1	1	—	7	4	12	11	18
B33	Ulcer of stomach and duodenum	M	106	—	—	2	—	7	14	25	32	26
		F	45	—	—	—	—	5	4	12	13	11
B34	Appendicitis	M	26	—	—	3	2	—	3	6	10	2
		F	14	1	—	1	—	—	2	—	2	8
B35	Intestinal obstruction and hernia	M	57	8	—	2	—	5	2	10	16	14
		F	55	4	—	—	—	2	2	9	15	23
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	44	10	3	2	—	1	3	7	9	9
		F	60	6	1	2	3	4	1	5	13	25
B37	Cirrhosis of liver	M	34	—	—	1	—	6	4	7	12	4
		F	23	—	—	—	3	1	1	7	10	1
B38	Nephritis and nephrosis	M	112	2	—	—	6	16	18	24	21	25
		F	109	1	—	3	6	18	12	15	22	32
B39	Hyperplasia of prostate	M	175	—	—	—	—	—	2	7	44	122
B40	Complications of pregnancy, childbirth and puerperium	F	19	—	—	—	3	16	—	—	—	—
B41	Congenital malformations	M	132	95	6	3	4	12	4	3	4	1
		F	103	80	9	2	1	5	6	—	—	—
B42	Birth injuries, postnatal asphyxia and atelectasis	M	140	140	—	—	—	—	—	—	—	—
		F	100	100	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	4	4	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	24	24	—	—	—	—	—	—	—	—
		F	8	8	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified	M	121	121	—	—	—	—	—	—	—	—
		F	82	82	—	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	173	1	—	—	—	2	1	—	4	165
		F	265	2	—	—	—	—	—	—	11	252
B46 (Rem.)	All other diseases (Remainder 001-795)	M	342	10	7	10	10	33	33	68	104	67
		F	438	11	3	4	9	34	42	106	130	99
BE47	Motor vehicle accidents	M	165	1	3	16	52	34	18	18	11	12
		F	44	—	3	4	3	4	3	8	10	9
BE48	All other accidents	M	355	12	11	16	33	99	46	47	26	65
		F	228	11	3	8	3	6	8	14	33	142
BE49	Suicide and self-inflicted injury	M	109	—	—	—	1	23	24	24	19	18
		F	64	—	—	—	1	11	20	17	10	5
BE50	Homicide and operations of war	M	7	—	—	—	2	1	1	1	1	1
		F	1	—	—	—	—	—	1	—	—	—
BN47	Fractures, head injuries and internal injuries	M	363	2	5	20	62	96	46	49	28	55
		F	205	—	3	7	2	6	8	12	32	135
BN48	Burns	M	16	1	2	—	—	2	2	1	—	8
		F	20	1	—	2	1	—	3	2	3	8
BN49	Effects of poisons	M	61	—	—	—	2	14	15	15	8	7
		F	57	—	1	—	—	11	16	14	10	5
BN50	All other injuries	M	196	10	7	12	24	45	26	25	21	26
		F	55	10	2	3	4	4	5	11	8	8

TABLE 19—*continued*

Abbreviated List No.	Causes of death		Wales II (remainder) Age All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
	ALL CAUSES	M	5,205	148	23	29	50	175	418	890	1,416	2,056
		F	4,868	108	22	16	19	137	256	571	1,167	2,572
B1	Tuberculosis of respiratory system	M	74	—	—	—	—	11	7	19	30	7
		F	20	—	—	—	—	8	3	4	1	4
B2	Tuberculosis, other forms	M	1	—	—	—	—	—	—	—	—	1
		F	4	—	1	—	—	—	1	—	2	—
B3	Syphilis and its sequelae	M	5	—	—	—	—	—	1	2	2	—
		F	2	—	—	—	—	—	1	—	—	1
B4	Typhoid fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B5	Cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	M	1	—	—	1	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B7	Scarlet fever and streptococcal sore throat	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B8	Diphtheria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B9	Whooping cough	M	1	1	—	—	—	—	—	—	—	—
		F	1	1	—	—	—	—	—	—	—	—
B10	Meningococcal infections	M	1	1	—	—	—	—	—	—	—	—
		F	2	1	1	—	—	—	—	—	—	—
B11	Plague	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B13	Smallpox	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B14	Measles	M	—	—	—	—	—	—	—	—	—	—
		F	2	—	2	—	—	—	—	—	—	—
B15	Typhus and other rickettsial diseases	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic	M	9	—	—	2	—	—	1	3	—	3
		F	7	1	—	—	—	1	1	2	1	1
B18	Malignant neoplasm: (140-205)	M	905	1	2	4	2	26	112	237	288	233
		F	888	—	4	2	5	40	94	206	252	285
	stomach (151)	M	202	—	—	—	—	5	23	49	71	54
		F	175	—	—	—	1	1	2	31	60	80
	trachea, bronchus and lung (162, 163)	M	220	—	—	—	—	—	35	97	65	23
		F	39	—	—	—	—	2	4	11	12	10
	breast (170)	M	2	—	—	—	—	—	1	—	1	—
		F	148	—	—	—	—	5	29	41	42	31
	uterus (171-174)	F	88	—	—	—	—	13	13	25	19	18
	Leukaemia and aleukaemia (204)	M	16	1	1	2	—	2	2	2	4	2
		F	21	—	3	1	1	3	3	4	3	3
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	M	465	—	1	2	2	19	51	89	147	154
		F	417	—	1	1	3	16	43	94	116	143
B19	Benign and unspecified neoplasms	M	7	—	—	1	—	—	—	1	2	3
		F	10	—	—	—	—	2	2	2	2	2
B20	Diabetes mellitus	M	18	—	—	—	—	1	2	6	5	4
		F	42	—	—	—	—	—	2	14	17	9
B21	Anaemias	M	12	—	—	—	—	—	2	2	3	5
		F	21	—	—	1	—	—	3	2	8	7
B22	Vascular lesions affecting central nervous system	M	708	—	—	—	1	8	35	85	219	360
		F	1,004	—	—	—	—	12	35	94	291	572
B23	Nonmeningococcal meningitis	M	4	3	1	—	—	—	—	—	—	—
		F	1	1	—	—	—	—	—	—	—	—
B24	Rheumatic fever	M	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	1	—	—	—	—
B25	Chronic rheumatic heart disease	M	46	—	—	—	—	5	8	10	14	9
		F	74	—	—	1	—	13	9	9	15	27

TABLE 19—*continued*

Abbreviated List No.	Causes of death		Wales II (remainder)—*continued* Age All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420)	M	997	—	—	—	—	19	110	250	337	281
		F	525	—	—	—	—	5	17	90	169	244
	Degenerative heart disease (421, 422)	M	513	—	—	—	—	2	6	22	96	387
		F	672	—	—	—	—	5	5	10	102	550
B27	Other diseases of heart	M	105	—	—	—	—	2	10	10	34	49
		F	146	1	—	—	—	1	5	9	40	90
B28	Hypertension with heart disease	M	103	—	—	—	—	1	3	19	32	48
		F	150	—	—	—	—	—	3	17	45	85
B29	Hypertension without mention of heart	M	84	—	—	—	—	4	7	8	24	41
		F	85	—	—	—	1	5	2	9	21	47
B46 (Pt.)	Other circulatory diseases (450-468)	M	183	—	—	—	—	3	8	17	31	124
		F	183	—	—	—	1	—	2	6	32	142
B30	Influenza	M	18	—	—	1	—	2	1	3	2	9
		F	22	—	—	—	—	2	1	1	6	12
B31	Pneumonia	M	144	15	—	—	2	4	3	15	41	64
		F	122	8	2	—	—	2	3	16	20	71
B32	Bronchitis	M	284	2	1	—	—	4	13	59	101	104
		F	114	1	—	—	1	2	8	6	15	81
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	57	—	—	1	—	2	5	17	15	17
		F	21	—	—	—	—	—	2	5	4	10
B33	Ulcer of stomach and duodenum	M	61	—	—	—	—	2	10	16	11	22
		F	17	—	—	—	—	1	4	2	5	5
B34	Appendicitis	M	10	—	1	1	—	1	1	3	1	2
		F	5	—	—	1	—	—	1	2	1	—
B35	Intestinal obstruction and hernia	M	25	1	—	—	—	—	2	4	7	11
		F	29	—	1	—	—	—	—	5	11	12
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	17	3	—	—	—	1	3	4	3	3
		F	21	—	—	—	1	2	1	5	4	8
B37	Cirrhosis of liver	M	8	—	—	—	—	—	4	1	1	2
		F	15	—	—	—	—	—	3	4	7	1
B38	Nephritis and nephrosis	M	44	—	—	1	1	4	7	6	9	16
		F	53	—	—	1	1	4	4	4	15	24
B39	Hyperplasia of prostate	M	136	—	—	—	—	—	—	5	35	96
B40	Complications of pregnancy, childbirth and puerperium	F	6	—	—	—	—	5	1	—	—	—
B41	Congenital malformations	M	33	28	1	1	1	1	1	—	—	—
		F	38	25	2	3	—	4	1	2	1	—
B42	Birth injuries, postnatal asphyxia and atelectasis	M	45	45	—	—	—	—	—	—	—	—
		F	32	32	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	5	5	—	—	—	—	—	—	—	—
		F	6	6	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified	M	35	35	—	—	—	—	—	—	—	—
		F	29	29	—	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	75	1	—	—	—	1	1	—	1	71
		F	153	—	1	—	—	1	—	—	3	148
B46 (Rem.)	All other diseases (Remainder 001-795)	M	172	4	3	3	3	19	17	30	45	48
		F	201	2	2	2	4	8	26	31	62	64
BE47	Motor vehicle accidents	M	88	—	3	8	24	17	12	9	6	9
		F	21	—	1	2	3	2	—	1	4	8
BE48	All other accidents	M	124	3	11	4	12	26	14	14	16	24
		F	90	—	5	3	—	2	7	5	7	61
BE49	Suicide and self-inflicted injury	M	43	—	—	—	3	9	12	13	3	3
		F	30	—	—	—	—	8	9	8	4	1
BE50	Homicide and operations of war	M	4	—	—	—	1	1	—	—	2	—
		F	3	—	—	—	—	2	1	—	—	—
BN47	Fractures, head injuries and internal injuries	M	163	—	3	10	30	34	20	18	22	26
		F	80	—	2	3	3	4	—	1	10	57
BN48	Burns	M	9	1	4	—	—	—	1	—	—	3
		F	9	—	2	1	—	1	1	1	—	3
BN49	Effects of poisons	M	21	—	1	1	3	4	7	3	—	2
		F	21	—	—	—	—	3	9	3	3	3
BN50	All other injuries	M	66	2	6	2	7	14	10	15	5	5
		F	34	—	2	1	2	5	6	9	2	7

TABLE 19—*continued*

Abbreviated List No.	Causes of death		Conurbations									
			Age									
					Years							
			All ages	Under 1 year	1–	5–	15–	25–	45–	55–	65–	75 and over
	ALL CAUSES	M	98,892	3,601	478	524	841	4,247	9,581	20,310	27,710	31,600
		F	95,052	2,666	333	340	448	3,201	5,854	11,759	23,613	46,838
B1	Tuberculosis of respiratory system	M	1,239	1	—	3	13	174	216	406	308	118
		F	444	2	—	1	9	136	82	82	72	60
B2	Tuberculosis, other forms	M	88	2	2	4	4	21	17	15	15	8
		F	82	1	5	4	3	14	10	18	11	16
B3	Syphilis and its sequelae	M	289	—	—	1	—	21	31	77	111	48
		F	181	—	—	—	1	4	12	41	63	60
B4	Typhoid fever	M	1	—	—	—	—	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B5	Cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	M	3	—	1	—	—	—	1	—	1	—
		F	8	2	2	2	—	1	—	—	1	—
B7	Scarlet fever and streptococcal sore throat	M	3	—	1	—	—	—	—	—	2	—
		F	2	1	—	—	—	—	—	—	1	—
B8	Diphtheria	M	3	—	—	3	—	—	—	—	—	—
		F	4	—	—	2	—	1	—	1	—	—
B9	Whooping cough	M	5	2	3	—	—	—	—	—	—	—
		F	2	2	—	—	—	—	—	—	—	—
B10	Meningococcal infections	M	32	17	10	—	—	1	—	2	1	1
		F	28	15	7	2	1	1	—	2	—	—
B11	Plague	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	M	31	—	3	5	1	20	2	—	—	—
		F	19	—	3	1	4	10	—	1	—	—
B13	Smallpox	M	1	—	—	—	—	—	1	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B14	Measles	M	9	3	2	3	1	—	—	—	—	—
		F	9	—	6	2	—	—	—	—	—	1
B15	Typhus and other rickettsial diseases	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	M	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	1	—	—	—	—
B17	All other diseases classified as infective and parasitic	M	181	15	8	10	6	28	34	27	31	22
		F	183	5	5	9	5	17	40	31	37	34
B18	Malignant neoplasm: (140-205)	M	19,928	12	62	90	85	886	2,779	5,713	6,213	4,088
		F	17,181	8	47	69	72	1,144	2,404	3,814	4,742	4,881
	stomach (151)	M	2,979	—	—	—	2	100	401	826	1,011	639
		F	2,318	—	—	—	1	73	181	387	753	923
	trachea, bronchus and lung (162, 163)	M	7,516	—	1	1	3	272	1,315	2,766	2,353	805
		F	1,287	—	1	—	1	91	201	349	370	274
	breast (170)	M	25	—	—	—	—	1	5	4	7	8
		F	3,420	—	—	—	—	345	700	832	804	739
	uterus (171-174)	F	1,497	—	—	1	1	152	281	385	384	293
	Leukaemia and aleukaemia (204)	M	454	3	23	36	24	67	56	87	88	70
		F	422	3	19	30	9	64	47	75	89	86
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	M	8,954	9	38	53	56	446	1,002	2,030	2,754	2,566
		F	8,237	5	27	38	60	419	994	1,786	2,342	2,566
B19	Benign and unspecified neoplasms	M	228	7	4	7	7	38	33	62	37	33
		F	255	—	4	4	5	40	56	47	46	53
B20	Diabetes mellitus	M	406	1	2	—	3	32	41	69	122	136
		F	798	—	—	2	4	18	29	111	301	333
B21	Anaemias	M	200	1	4	3	2	3	10	25	49	103
		F	426	1	1	2	6	13	15	33	137	218
B22	Vascular lesions affecting central nervous system	M	10,427	4	1	7	17	200	573	1,570	3,270	4,785
		F	15,474	2	1	7	8	192	566	1,621	4,246	8,831
B23	Nonmeningococcal meningitis	M	70	27	3	6	—	4	4	5	9	12
		F	58	23	5	2	—	4	5	3	9	7
B24	Rheumatic fever	M	23	1	1	3	4	3	—	3	4	4
		F	24	—	—	4	4	6	1	4	1	4
B25	Chronic rheumatic heart disease	M	1,031	—	—	4	20	172	227	258	219	131
		F	2,157	—	—	—	19	269	462	536	464	407

TABLE 19—*continued*

Abbreviated List No.	Causes of death		Conurbations—*continued*									
			Age									
					Years							
			All ages	Under 1 year	1–	5–	15–	25–	45–	55–	65–	75 and over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420)	M	19,111	1	—	—	7	618	2,487	5,091	6,092	4,815
		F	12,030	—	—	—	1	76	405	1,618	4,238	5,692
	Degenerative heart disease (421, 422)	M	7,038	1	1	1	4	36	117	484	1,553	4,841
		F	10,989	1	—	—	—	27	70	306	1,670	8,915
B27	Other diseases of heart	M	2,022	4	2	2	10	48	109	350	626	871
		F	2,587	6	2	3	8	33	84	239	674	1,538
B28	Hypertension with heart disease	M	1,868	—	—	—	—	22	87	309	624	826
		F	2,742	—	—	—	—	10	61	272	810	1,589
B29	Hypertension without mention of heart	M	1,337	—	—	—	4	70	161	261	372	469
		F	1,600	—	—	1	2	35	79	188	421	874
B46 (Pt.)	Other circulatory diseases (450-468)	M	2,499	3	—	—	8	50	128	302	685	1,323
		F	3,316	—	1	2	1	57	84	220	749	2,202
B30	Influenza	M	387	5	3	2	7	23	36	95	117	99
		F	379	5	3	3	4	22	17	41	93	191
B31	Pneumonia	M	4,763	279	78	19	18	91	259	637	1,227	2,155
		F	5,247	264	52	30	15	81	162	376	1,109	3,158
B32	Bronchitis	M	8,924	86	23	6	10	105	636	2,187	3,133	2,738
		F	4,310	55	16	8	5	64	171	538	1,146	2,307
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	1,212	28	10	13	4	60	140	338	342	277
		F	645	16	6	13	8	37	65	96	136	268
B33	Ulcer of stomach and duodenum	M	1,413	3	—	—	4	57	157	317	448	427
		F	618	—	—	1	1	24	40	91	178	283
B34	Appendicitis	M	158	—	10	8	3	15	17	32	34	39
		F	130	—	2	5	8	10	11	18	28	48
B35	Intestinal obstruction and hernia	M	511	51	4	1	1	17	47	80	139	171
		F	589	29	5	2	1	15	22	80	161	274
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	334	53	11	3	5	19	36	54	70	83
		F	542	42	7	2	12	28	30	64	144	213
B37	Cirrhosis of liver	M	237	—	—	4	1	30	49	71	48	34
		F	199	1	1	2	1	9	29	53	68	35
B38	Nephritis and nephrosis	M	705	1	3	4	28	116	114	159	141	139
		F	641	1	—	9	23	65	66	104	171	202
B39	Hyperplasia of prostate	M	1,072	—	—	—	—	—	9	66	312	685
B40	Complications of pregnancy, childbirth and puerperium	F	120	—	—	—	25	95	—	—	—	—
B41	Congenital malformations	M	963	649	75	43	34	50	41	40	21	10
		F	844	593	52	30	23	47	36	32	18	13
B42	Birth injuries, postnatal asphyxia and atelectasis	M	1,082	1,082	—	—	—	—	—	—	—	—
		F	676	675	1	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	5	5	—	—	—	—	—	—	—	—
		F	6	6	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	195	195	—	—	—	—	—	—	—	—
		F	127	127	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified	M	868	867	1	—	—	—	—	—	—	—
		F	651	651	—	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	781	9	—	—	1	8	3	7	39	714
		F	1,509	3	1	—	1	4	1	7	62	1,430
B46 (Rem.)	All other diseases (Remainder 001-795)	M	2,581	83	46	62	50	212	292	489	706	641
		F	3,818	54	26	32	55	262	392	647	974	1,376
BE47	Motor vehicle accidents	M	1,382	1	40	98	275	316	171	161	144	176
		F	542	2	22	34	41	55	41	78	124	145
BE48	All other accidents	M	1,915	96	62	106	137	333	229	246	231	475
		F	1,882	67	47	50	36	65	82	117	324	1,094
BE49	Suicide and self-inflicted injury	M	1,272	—	—	2	59	338	278	291	205	99
		F	942	—	—	—	33	199	222	224	180	84
BE50	Homicide and operations of war	M	59	6	2	1	8	9	9	11	9	4
		F	35	6	3	—	3	10	2	5	4	2
BN47	Fractures, head injuries and internal injuries	M	2,392	9	49	126	322	512	299	289	286	500
		F	1,656	3	25	45	53	75	62	119	317	957
BN48	Burns	M	111	2	13	4	10	15	10	7	18	32
		F	179	1	19	20	3	7	15	13	31	70
BN49	Effects of poisons	M	1,177	3	8	6	51	287	246	245	191	140
		F	1,119	3	7	1	42	192	214	222	209	229
BN50	All other injuries	M	948	89	34	71	96	182	132	168	94	82
		F	447	68	21	18	15	55	56	70	75	69

TABLE 19—*continued*

Abbreviated List No.	Causes of death		Urban areas outside conurbations with populations of 100,000 and over									
			Age									
			All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
	ALL CAUSES	M	35,750	1,354	174	203	307	1,474	3,158	6,953	10,347	11,780
		F	33,497	928	134	109	162	1,067	2,020	4,085	8,291	16,701
B1	Tuberculosis of respiratory system	M	460	1	—	1	2	54	79	146	139	38
		F	158	—	1	—	6	43	24	31	42	11
B2	Tuberculosis, other forms	M	30	—	2	—	3	7	3	5	9	1
		F	35	—	3	2	—	7	7	4	6	6
B3	Syphilis and its sequelae	M	93	1	—	—	—	4	12	23	41	12
		F	50	—	—	—	—	—	5	17	15	13
B4	Typhoid fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B5	Cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	M	2	1	—	—	—	—	—	—	1	—
		F	1	1	—	—	—	—	—	—	—	—
B7	Scarlet fever and streptococcal sore throat	M	1	—	1	—	—	—	—	—	—	—
		F	1	—	—	1	—	—	—	—	—	—
B8	Diphtheria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B9	Whooping cough	M	1	—	1	—	—	—	—	—	—	—
		F	2	1	1	—	—	—	—	—	—	—
B10	Meningococcal infections	M	15	7	5	1	1	1	—	—	—	—
		F	16	9	3	—	—	1	2	—	1	—
B11	Plague	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	M	11	—	1	2	4	3	1	—	—	—
		F	8	—	1	2	3	2	—	—	—	—
B13	Smallpox	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B14	Measles	M	5	2	3	—	—	—	—	—	—	—
		F	3	1	2	—	—	—	—	—	—	—
B15	Typhus and other rickettsial diseases	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic	M	50	6	2	3	1	6	10	6	10	6
		F	62	3	4	2	3	12	5	8	7	18
B18	Malignant neoplasm: (140-205)	M	6,865	9	25	43	36	294	890	1,837	2,193	1,538
		F	5,949	3	18	16	19	374	827	1,321	1,683	1,688
	stomach (151)	M	1,100	—	—	—	—	37	135	276	368	284
		F	830	—	—	—	—	22	56	139	285	328
	trachea, bronchus and lung (162, 163)	M	2,415	—	—	—	3	73	430	871	792	246
		F	315	—	—	—	—	17	55	80	101	62
	breast (170)	M	8	—	—	—	—	3	—	1	—	4
		F	1,182	—	—	—	—	101	249	278	302	252
	uterus (171-174)	F	588	—	—	—	1	70	107	170	135	105
	Leukaemia and aleukaemia (204)	M	178	3	7	23	8	23	16	37	40	21
		F	152	—	9	3	3	12	21	35	39	30
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	M	3,164	6	18	20	25	158	309	652	993	983
		F	2,882	3	9	13	15	152	339	619	821	911
B19	Benign and unspecified neoplasms	M	76	2	—	5	3	12	9	23	16	6
		F	92	2	—	2	3	12	22	21	8	22
B20	Diabetes mellitus	M	124	—	1	—	—	8	7	25	43	40
		F	251	—	—	1	1	13	11	45	96	84
B21	Anaemias	M	74	1	—	—	2	—	7	12	20	32
		F	131	1	—	1	1	—	2	12	31	83
B22	Vascular lesions affecting central nervous system	M	4,044	3	1	1	11	69	217	607	1,296	1,839
		F	5,972	—	1	3	3	64	206	607	1,629	3,459
B23	Nonmeningococcal meningitis	M	30	11	2	2	—	3	1	6	4	1
		F	18	9	2	—	—	—	—	3	1	3
B24	Rheumatic fever	M	13	—	—	3	—	3	2	2	—	3
		F	13	—	1	2	—	2	3	2	2	1
B25	Chronic rheumatic heart disease	M	360	—	—	1	3	60	71	100	80	45
		F	665	—	—	—	6	103	148	144	150	114

TABLE 19—*continued*

Abbreviated List No.	Causes of death		Urban areas outside conurbations with populations of 100,000 and over—*continued*									
			Age									
			All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420)	M	7,114	—	—	—	1	204	794	1,759	2,444	1,912
		F	4,369	—	—	—	—	25	146	587	1,535	2,076
	Degenerative heart disease (421, 422)	M	2,784	—	—	—	4	18	46	194	606	1,916
		F	4,303	—	—	1	—	6	21	134	607	3,534
B27	Other diseases of heart	M	681	2	—	1	1	13	35	104	214	311
		F	899	2	—	—	4	13	24	80	233	543
B28	Hypertension with heart disease	M	753	—	—	—	1	11	34	121	283	303
		F	1,013	—	—	—	—	4	28	101	303	577
B29	Hypertension without mention of heart	M	429	—	—	1	—	22	54	104	101	147
		F	449	—	—	—	—	12	31	50	128	228
B46 (Pt.)	Other circulatory diseases (450-468)	M	1,044	—	1	1	1	13	36	108	274	610
		F	1,231	1	—	1	—	18	28	83	233	867
B30	Influenza	M	162	1	—	1	4	9	22	42	37	46
		F	153	3	1	2	3	14	11	22	32	65
B31	Pneumonia	M	1,576	107	29	7	7	44	98	216	398	670
		F	1,465	90	22	9	4	27	47	118	300	848
B32	Bronchitis	M	2,794	33	4	6	4	40	203	666	1,010	828
		F	1,235	18	1	1	3	23	58	167	343	621
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	520	6	2	2	6	17	72	140	174	101
		F	188	4	3	2	2	17	18	27	44	71
B33	Ulcer of stomach and duodenum	M	448	1	—	—	1	24	56	85	159	122
		F	192	—	—	—	—	7	11	26	66	82
B34	Appendicitis	M	60	—	2	4	5	5	4	12	16	12
		F	34	1	1	3	—	3	6	2	7	11
B35	Intestinal obstruction and hernia	M	183	17	3	2	1	8	13	31	51	57
		F	175	7	2	—	1	3	10	26	45	81
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	148	23	7	2	3	5	9	31	38	30
		F	171	7	7	1	3	9	15	14	52	63
B37	Cirrhosis of liver	M	88	2	2	—	—	8	19	29	20	8
		F	77	1	1	—	2	2	15	24	23	9
B38	Nephritis and nephrosis	M	301	1	—	3	13	48	42	58	67	69
		F	258	—	—	6	8	32	26	36	76	74
B39	Hyperplasia of prostate	M	468	—	—	—	—	—	1	24	134	309
B40	Complications of pregnancy, childbirth and puerperium	F	51	—	—	—	16	34	1	—	—	—
B41	Congenital malformations	M	352	261	17	12	10	25	9	12	5	1
		F	332	239	20	10	7	14	15	15	8	4
B42	Birth injuries, postnatal asphyxia and atelectasis	M	397	397	—	—	—	—	—	—	—	—
		F	218	218	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	3	3	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	76	76	—	—	—	—	—	—	—	—
		F	43	43	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified	M	303	303	—	—	—	—	—	—	—	—
		F	203	203	—	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	223	2	1	—	—	1	1	4	7	207
		F	424	1	—	—	—	—	1	—	16	406
B46 (Rem.)	All other diseases (Remainder 001-795)	M	953	35	18	25	20	79	106	175	235	260
		F	1,331	33	16	11	26	88	109	230	336	482
BE47	Motor vehicle accidents	M	463	—	17	40	91	108	47	50	51	59
		F	176	—	9	16	17	13	19	17	44	41
BE48	All other accidents	M	744	38	26	30	51	152	75	92	89	191
		F	756	25	14	11	8	18	34	44	120	482
BE49	Suicide and self-inflicted injury	M	392	—	—	—	16	87	68	99	74	48
		F	305	—	—	—	11	49	79	67	67	32
BE50	Homicide and operations of war	M	37	2	1	4	1	9	5	5	8	2
		F	19	2	—	3	2	3	5	—	2	2
BN47	Fractures, head injuries and internal injuries	M	873	3	20	51	108	204	92	97	108	190
		F	652	—	10	20	18	17	29	29	117	412
BN48	Burns	M	33	3	5	—	—	3	—	2	7	13
		F	59	1	5	5	3	—	3	4	7	31
BN49	Effects of poisons	M	347	1	6	1	15	70	60	77	59	58
		F	379	—	1	3	10	55	82	73	82	73
BN50	All other injuries	M	383	33	13	22	36	79	43	70	48	39
		F	166	26	7	2	7	11	23	22	27	41

TABLE 19—*continued*

Abbreviated List No.	Causes of death		Urban areas outside conurbations with populations of 50,000 and under 100,000									
			Age									
			All ages	Under 1 year	Years							
					1–	5–	15–	25–	45–	55–	65–	75 and over
	ALL CAUSES	M	21,145	755	104	127	188	889	1,771	3,856	5,926	7,529
		F	20,801	554	84	72	97	633	1,086	2,431	4,910	10,934
B1	Tuberculosis of respiratory system	M	234	—	1	1	2	28	38	80	61	23
		F	73	—	—	1	4	23	9	14	11	11
B2	Tuberculosis, other forms	M	32	—	2	—	4	9	8	4	1	4
		F	15	1	—	—	—	2	2	3	3	4
B3	Syphilis and its sequelae	M	45	—	—	—	—	3	1	14	19	8
		F	37	1	—	—	—	—	3	7	15	11
B4	Typhoid fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B5	Cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	M	1	1	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	—
B7	Scarlet fever and streptococcal sore throat	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B8	Diphtheria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B9	Whooping cough	M	2	—	1	1	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	1	—
B10	Meningococcal infections	M	3	2	1	—	—	—	—	—	—	—
		F	7	2	—	1	—	2	1	1	—	—
B11	Plague	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	M	9	—	1	1	1	3	2	1	—	—
		F	6	—	—	1	2	3	—	—	—	—
B13	Smallpox	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B14	Measles	M	1	1	—	—	—	—	—	—	—	—
		F	2	—	2	—	—	—	—	—	—	—
B15	Typhus and other rickettsial diseases	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic	M	31	2	2	3	3	9	3	6	2	1
		F	30	1	3	2	—	6	2	6	6	4
	Malignant neoplasm: (140-205)	M	3,993	4	15	22	26	203	506	1,040	1,280	897
		F	3,574	1	10	13	13	194	443	801	1,004	1,095
	stomach (151)	M	633	—	—	—	1	21	94	153	197	167
		F	485	—	—	—	—	10	29	84	149	213
	trachea, bronchus and lung (162, 163)	M	1,321	—	—	—	1	56	207	479	435	143
		F	205	—	—	—	—	4	29	67	64	41
B18	breast (170)	M	1	—	—	—	—	—	1	—	—	—
		F	670	—	—	—	—	50	113	162	172	173
	uterus (171-174)	F	309	—	—	—	—	33	68	81	77	50
	Leukaemia and aleukaemia (204)	M	101	1	6	12	8	16	11	21	15	11
		F	84	1	5	5	2	10	12	12	15	22
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	M	1,937	3	9	10	16	110	193	387	633	576
		F	1,821	—	5	8	11	87	192	395	527	596
B19	Benign and unspecified neoplasms	M	33	1	1	—	1	5	7	6	8	4
		F	45	1	—	2	1	6	6	6	10	13
B20	Diabetes mellitus	M	92	1	—	—	1	5	6	15	32	32
		F	173	1	1	1	—	6	7	19	62	76
B21	Anaemias	M	44	—	—	—	—	2	2	3	17	20
		F	89	—	—	—	—	4	—	4	21	60
B22	Vascular lesions affecting central nervous system	M	2,464	2	1	—	1	32	108	326	730	1,264
		F	3,879	—	1	—	4	33	136	366	1,005	2,334
B23	Nonmeningococcal meningitis	M	17	10	3	—	—	—	—	2	1	1
		F	11	3	1	—	—	2	—	1	2	2
B24	Rheumatic fever	M	7	—	—	—	2	—	—	2	2	1
		F	10	—	—	—	1	6	—	—	1	2
B25	Chronic rheumatic heart disease	M	146	—	—	—	2	30	27	32	36	19
		F	353	—	—	—	4	61	55	90	68	75

TABLE 19—*continued*

Abbreviated List No.	Causes of death		Urban areas outside conurbations with populations of 50,000 and under 100,000—*continued*									
			Age									
			All ages	Under 1 year	Years							
					1–	5–	15–	25–	45–	55–	65–	75 and over
	Arteriosclerotic heart dis. incl. coronary dis. (420)	M	4,177	—	—	1	—	110	457	1,031	1,349	1,229
		F	2,670	—	—	—	—	13	104	348	891	1,314
B26	Degenerative heart disease (421, 422)	M	1,795	1	—	1	2	10	26	89	410	1,256
		F	2,867	—	—	—	1	7	9	84	411	2,355
B27	Other diseases of heart	M	426	—	1	3	1	14	17	62	134	194
		F	597	1	—	—	1	9	13	47	144	382
B28	Hypertension with heart disease	M	383	—	—	—	1	3	20	59	142	158
		F	526	—	—	—	—	1	15	61	142	307
B29	Hypertension without mention of heart	M	239	—	—	—	—	5	29	49	55	101
		F	284	—	—	—	—	8	16	26	86	148
B46 (Pt.)	Other circulatory diseases (450-468)	M	587	—	—	—	2	5	20	66	162	332
		F	638	—	—	—	3	13	17	49	138	418
B30	Influenza	M	74	1	1	1	1	6	7	16	18	23
		F	95	2	—	2	1	3	7	12	21	47
B31	Pneumonia	M	917	68	13	3	6	14	58	100	225	430
		F	912	48	14	3	3	17	25	71	196	535
B32	Bronchitis	M	1,522	16	3	4	2	13	91	358	574	461
		F	661	10	4	1	—	9	19	82	165	371
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	308	7	4	3	2	17	29	87	90	69
		F	111	2	1	4	3	10	11	16	14	50
B33	Ulcer of stomach and duodenum	M	288	—	—	—	—	16	33	64	85	90
		F	133	—	—	—	—	5	6	14	33	75
B34	Appendicitis	M	33	—	1	1	2	5	3	7	8	6
		F	24	—	1	2	—	1	2	4	8	6
B35	Intestinal obstruction and hernia	M	99	9	2	—	1	2	4	16	27	38
		F	127	9	2	—	—	5	6	10	30	65
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	82	11	5	—	—	8	5	11	16	26
		F	101	9	3	1	5	7	7	12	14	43
B37	Cirrhosis of liver	M	51	—	—	—	—	9	11	14	12	5
		F	42	—	—	—	—	1	10	14	10	7
B38	Nephritis and nephrosis	M	165	2	—	4	5	30	33	26	37	28
		F	156	—	2	1	7	20	14	20	44	48
B39	Hyperplasia of prostate	M	312	—	—	—	—	—	3	14	68	227
B40	Complications of pregnancy, childbirth and puerperium	F	29	—	—	—	4	25	—	—	—	—
B41	Congenital malformations	M	193	146	9	5	7	8	5	3	7	3
		F	168	110	12	12	9	11	7	4	—	3
B42	Birth injuries, postnatal asphyxia and atelectasis	M	171	171	—	—	—	—	—	—	—	—
		F	130	130	—	—	—	—	—	—	—	—
	Diarrhoea of newborn (764)	M	3	3	—	—	—	—	—	—	—	—
		F	1	1	—	—	—	—	—	—	—	—
B43	Other infections of newborn (763, 765-768)	M	55	55	—	—	—	—	—	—	—	—
		F	46	46	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified	M	187	187	—	—	—	—	—	—	—	—
		F	144	144	—	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	260	2	—	—	1	—	1	1	19	236
		F	416	—	—	—	—	1	2	1	14	398
B46 (Rem.)	All other diseases (Remainder 001-795)	M	586	23	11	9	16	51	66	90	151	169
		F	837	17	12	9	13	57	67	142	207	313
BE47	Motor vehicle accidents	M	297	—	10	22	59	76	37	34	33	26
		F	100	—	8	10	9	7	12	14	19	21
BE48	All other accidents	M	482	28	15	42	25	82	53	57	63	117
		F	487	13	6	6	5	13	15	30	79	320
BE49	Suicide and self-inflicted injury	M	277	—	—	—	10	73	53	62	48	31
		F	184	—	—	—	3	39	37	51	34	20
BE50	Homicide and operations of war	M	22	1	1	—	2	3	2	9	4	—
		F	9	1	1	—	1	3	—	1	1	1
BN47	Fractures, head injuries and internal injuries	M	538	1	9	41	72	112	59	69	64	111
		F	441	—	8	12	10	13	14	29	69	286
BN48	Burns	M	17	1	1	2	1	4	2	1	—	5
		F	34	—	2	2	—	—	2	4	10	14
BN49	Effects of poisons	M	284	1	1	3	11	77	51	54	51	35
		F	227	—	4	—	3	40	39	53	44	44
BN50	All other injuries	M	239	26	15	18	12	41	33	38	33	23
		F	78	14	1	2	5	9	9	10	10	18

Abbreviated List No.	Causes of death		Urban areas outside conurbations with populations under 50,000									
			Age									
			All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
	ALL CAUSES	M	63,203	2,124	314	387	624	2,377	4,933	11,153	17,891	23,400
		F	59,532	1,590	240	215	283	1,840	3,200	6,716	14,621	30,827
B1	Tuberculosis of respiratory system	M	567	1	1	—	7	61	115	165	160	57
		F	220	1	1	—	6	79	34	38	42	19
B2	Tuberculosis, other forms	M	59	—	6	6	4	10	8	11	8	6
		F	59	1	6	2	5	12	8	10	11	4
B3	Syphilis and its sequelae	M	115	—	—	—	—	4	7	32	49	23
		F	70	—	—	—	—	1	5	18	21	25
B4	Typhoid fever	M	1	—	—	—	—	—	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	—
B5	Cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	M	8	2	—	1	—	1	1	—	2	1
		F	2	—	—	—	—	—	—	—	2	—
B7	Scarlet fever and streptococcal sore throat	M	1	—	—	—	—	—	—	—	1	—
		F	2	1	—	—	—	1	—	—	—	—
B8	Diphtheria	M	1	—	—	—	1	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B9	Whooping cough	M	4	3	1	—	—	—	—	—	—	—
		F	2	2	—	—	—	—	—	—	—	—
B10	Meningococcal infections	M	11	6	2	—	—	—	2	1	—	—
		F	12	7	3	—	1	—	—	—	1	—
B11	Plague	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	M	12	—	1	3	—	8	—	—	—	—
		F	16	—	2	4	3	7	—	—	—	—
B13	Smallpox	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B14	Measles	M	6	1	2	3	—	—	—	—	—	—
		F	8	3	4	1	—	—	—	—	—	—
B15	Typhus and other rickettsial diseases	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	M	2	—	—	—	—	1	1	—	—	—
		F	1	—	—	—	—	—	1	—	—	—
B17	All other diseases classified as infective and parasitic	M	99	12	1	10	4	14	10	22	16	10
		F	90	6	4	5	5	18	10	12	12	18
B18	Malignant neoplasm: (140-205)	M	11,061	6	34	67	57	422	1,292	2,837	3,550	2,796
		F	10,271	9	20	53	53	630	1,383	2,146	2,929	3,048
	stomach (151)	M	1,776	—	—	—	—	49	200	438	620	469
		F	1,435	—	—	—	—	34	85	235	483	598
	trachea, bronchus and lung (162, 163)	M	3,363	—	—	—	—	106	529	1,210	1,113	405
		F	538	—	—	—	2	42	89	150	157	98
	breast (170)	M	18	—	—	—	—	—	2	5	5	6
		F	2,044	—	—	—	2	177	432	462	527	444
	uterus (171-174)	F	985	—	—	—	—	100	180	259	252	194
	Leukaemia and aleukaemia (204)	M	296	3	15	27	11	25	42	65	74	34
		F	250	4	9	25	10	27	33	38	57	47
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	M	5,608	3	19	40	46	242	519	1,119	1,738	1,882
		F	5,019	5	11	28	39	250	564	1,002	1,453	1,667
B19	Benign and unspecified neoplasms	M	109	3	3	4	3	7	15	29	26	19
		F	143	2	5	6	6	21	22	21	22	38
B20	Diabetes mellitus	M	266	1	1	2	4	17	17	42	80	102
		F	515	1	2	1	—	11	26	85	190	199
B21	Anaemias	M	128	1	3	2	2	2	6	13	37	62
		F	270	—	2	3	1	5	12	22	92	133
B22	Vascular lesions affecting central nervous system	M	8,058	3	—	1	12	113	357	1,066	2,559	3,947
		F	11,017	—	—	2	12	114	359	1,051	3,003	6,476
B23	Nonmeningococcal meningitis	M	44	20	4	1	2	2	3	6	4	2
		F	30	11	2	1	—	1	6	4	4	1
B24	Rheumatic fever	M	14	—	—	4	2	—	1	3	4	—
		F	9	—	—	—	1	2	2	1	—	3
B25	Chronic rheumatic heart disease	M	564	—	—	1	8	93	118	130	132	82
		F	958	—	—	1	11	147	177	216	239	167

Abbreviated List No.	Causes of death		Urban areas outside conurbations with populations under 50,000—*continued*									
			Age									
			All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420)	M	12,270	—	—	—	1	317	1,353	2,911	4,160	3,528
		F	7,304	—	—	—	—	50	211	997	2,587	3,459
	Degenerative heart disease (421, 422)	M	6,204	—	—	1	1	29	88	333	1,330	4,422
		F	8,609	—	—	—	3	23	49	246	1,346	6,942
B27	Other diseases of heart	M	1,374	4	1	1	4	32	61	192	433	646
		F	1,670	4	2	—	3	26	45	131	433	1,026
B28	Hypertension with heart disease	M	1,149	—	—	—	1	9	40	178	421	500
		F	1,581	—	—	—	—	2	40	164	513	862
B29	Hypertension without mention of heart	M	833	—	—	—	4	41	87	153	253	295
		F	861	—	—	—	—	17	55	89	263	437
B46 (Pt.)	Other circulatory diseases (450-468)	M	1,773	1	—	1	2	29	41	183	471	1,045
		F	2,011	1	1	1	2	30	61	146	357	1,412
B30	Influenza	M	298	2	4	4	6	24	32	66	72	88
		F	293	6	3	2	4	14	15	32	71	146
B31	Pneumonia	M	2,428	192	55	12	16	60	97	308	582	1,106
		F	2,319	165	46	17	8	48	62	167	433	1,373
B32	Bronchitis	M	4,350	42	16	4	1	50	266	936	1,611	1,424
		F	1,728	40	13	5	6	16	60	190	444	954
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	912	14	7	6	10	32	94	278	290	181
		F	341	6	3	5	6	22	28	53	69	149
B33	Ulcer of stomach and duodenum	M	700	1	—	—	1	23	76	161	225	213
		F	294	2	—	—	—	8	17	33	84	150
B34	Appendicitis	M	109	—	2	5	3	12	10	25	34	18
		F	82	2	2	5	2	6	4	12	20	29
B35	Intestinal obstruction and hernia	M	328	25	3	5	4	15	22	50	87	117
		F	326	17	1	—	1	10	15	32	86	164
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	203	28	13	1	7	10	19	29	44	52
		F	275	18	6	1	3	24	13	28	73	109
B37	Cirrhosis of liver	M	156	1	—	2	1	11	31	44	41	25
		F	111	—	—	—	1	6	18	34	31	21
B38	Nephritis and nephrosis	M	539	5	2	13	20	69	66	104	125	135
		F	517	1	3	5	18	61	43	66	134	186
B39	Hyperplasia of prostate	M	905	—	—	—	—	—	3	46	243	613
B40	Complications of pregnancy, childbirth and puerperium	F	73	—	—	—	13	59	1	—	—	—
B41	Congenital malformations	M	577	388	44	23	20	27	29	23	15	8
		F	523	375	45	18	8	22	18	18	17	2
B42	Birth injuries, postnatal asphyxia and atelectasis	M	573	573	—	—	—	—	—	—	—	—
		F	341	341	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	5	5	—	—	—	—	—	—	—	—
		F	2	2	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	119	119	—	—	—	—	—	—	—	—
		F	69	69	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified	M	540	540	—	—	—	—	—	—	—	—
		F	392	391	1	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	907	3	1	—	—	2	3	2	35	861
		F	1,576	3	1	—	—	3	1	4	43	1,521
B46 (Rem.)	All other diseases (Remainder 001-795)	M	1,764	54	28	37	49	148	161	327	484	476
		F	2,464	35	20	28	38	178	213	406	679	867
BE47	Motor vehicle accidents	M	850	2	24	70	221	219	87	76	59	92
		F	303	1	15	21	40	41	31	39	62	53
BE48	All other accidents	M	1,471	63	55	94	117	298	153	179	141	371
		F	1,309	66	25	27	8	41	53	85	212	792
BE49	Suicide and self-inflicted injury	M	699	—	—	1	23	159	160	182	99	75
		F	446	—	—	—	12	79	99	119	96	41
BE50	Homicide and operations of war	M	37	3	—	2	6	6	1	9	8	2
		F	17	1	2	1	3	5	3	1	—	1
BN47	Fractures, head injuries and internal injuries	M	1,654	7	34	85	263	408	167	181	147	362
		F	1,128	3	19	24	45	42	43	60	192	700
BN48	Burns	M	50	2	7	2	1	2	6	4	6	20
		F	96	1	10	10	2	6	7	10	12	38
BN49	Effects of poisons	M	536	1	5	3	14	113	124	137	76	63
		F	501	—	3	3	13	76	95	117	109	85
BN50	All other injuries	M	817	58	33	77	89	159	104	124	78	95
		F	350	64	10	12	3	42	41	57	57	64

TABLE 19—*continued*

Abbreviated List No.	Causes of death		Rural districts — Age									
			All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
	ALL CAUSES	M	51,649	1,800	283	321	704	2,065	3,936	8,395	13,860	20,285
		F	47,322	1,313	204	197	268	1,425	2,607	5,418	11,189	24,701
B1	Tuberculosis of respiratory system	M	449	—	—	—	2	61	78	132	131	45
		F	155	—	—	—	3	50	20	27	34	21
B2	Tuberculosis, other forms	M	49	1	1	3	5	10	7	11	7	4
		F	32	—	—	4	1	3	5	6	8	5
B3	Syphilis and its sequelae	M	111	1	—	—	—	2	17	24	45	22
		F	50	—	—	—	1	2	5	15	16	11
B4	Typhoid fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B5	Cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	M	2	—	1	1	—	—	—	—	—	—
		F	4	1	—	1	—	—	—	1	—	1
B7	Scarlet fever and streptococcal sore throat	M	2	—	—	1	—	1	—	—	—	—
		F	2	1	—	—	—	—	—	—	1	—
B8	Diphtheria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B9	Whooping cough	M	1	1	—	—	—	—	—	—	—	—
		F	7	7	—	—	—	—	—	—	—	—
B10	Meningococcal infections	M	10	5	4	1	—	—	—	—	—	—
		F	11	2	3	—	—	1	1	1	1	2
B11	Plague	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	M	8	—	1	—	3	4	—	—	—	—
		F	9	—	1	2	1	5	—	—	—	—
B13	Smallpox	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B14	Measles	M	2	1	1	—	—	—	—	—	—	—
		F	4	3	1	—	—	—	—	—	—	—
B15	Typhus and other rickettsial diseases	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic	M	112	6	6	6	4	9	20	15	26	20
		F	90	4	3	6	4	13	13	17	15	15
B18	Malignant neoplasm: (140-205)	M	8,888	2	33	61	50	361	1,005	2,177	2,824	2,375
		F	8,094	7	21	27	47	483	1,069	1,718	2,297	2,425
	stomach (151)	M	1,446	—	—	—	2	37	129	359	492	427
		F	1,110	—	—	—	1	30	70	163	360	486
	trachea, bronchus and lung (162, 163)	M	2,425	—	—	—	—	80	416	895	783	251
		F	435	—	—	—	2	33	70	129	121	80
	breast (170)	M	21	—	—	—	—	1	3	3	7	7
		F	1,633	—	—	—	—	130	332	373	404	394
	uterus (171-174)	F	736	1	—	—	—	79	126	210	195	125
	Leukaemia and aleukaemia (204)	M	272	1	18	25	12	44	28	55	53	36
		F	177	3	8	6	8	16	21	24	51	40
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	M	4,724	1	15	36	36	199	429	865	1,489	1,654
		F	4,003	3	13	21	36	195	450	819	1,166	1,300
B19	Benign and unspecified neoplasms	M	92	3	1	7	3	11	18	21	15	13
		F	123	4	2	1	2	18	20	31	24	21
B20	Diabetes mellitus	M	264	—	2	1	3	19	17	28	81	113
		F	426	—	1	2	4	8	23	70	142	176
B21	Anaemias	M	130	1	1	2	2	5	5	22	31	61
		F	193	—	2	6	—	4	8	22	53	98
B22	Vascular lesions affecting central nervous system	M	6,305	2	1	2	8	71	261	746	1,892	3,322
		F	8,537	1	2	5	5	86	309	900	2,261	4,968
B23	Nonmeningococcal meningitis	M	36	12	7	1	1	2	4	4	2	3
		F	25	13	2	1	—	1	3	2	1	2
B24	Rheumatic fever	M	13	—	2	3	3	2	—	—	2	1
		F	5	—	—	—	1	1	—	—	2	1
B25	Chronic rheumatic heart disease	M	466	—	—	—	9	61	93	101	117	85
		F	734	—	—	—	15	77	130	142	172	198

TABLE 19—*continued*

Abbreviated List No.	Causes of death		Rural districts—*continued* — Age									
			All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420)	M	9,413	—	—	—	2	242	912	2,141	3,171	2,945
		F	5,583	—	—	—	—	37	185	719	1,891	2,751
	Degenerative heart disease (421, 422)	M	5,331	—	—	—	4	25	83	270	1,105	3,844
		F	7,046	1	—	1	1	22	45	223	1,116	5,637
B27	Other diseases of heart	M	1,342	5	3	—	4	24	53	156	415	682
		F	1,397	1	—	—	2	18	35	107	339	895
B28	Hypertension with heart disease	M	1,020	—	—	1	—	10	44	149	361	455
		F	1,248	—	—	—	—	2	27	145	399	675
B29	Hypertension without mention of heart	M	686	—	—	—	1	35	84	119	192	255
		F	645	—	—	—	3	27	33	73	181	328
B46 (Pt.)	Other circulatory diseases (450-468)	M	1,588	1	—	1	1	21	60	146	391	967
		F	1,745	2	1	1	3	29	42	116	347	1,204
B30	Influenza	M	295	6	6	2	—	25	23	54	83	96
		F	265	2	2	1	5	9	19	34	72	121
B31	Pneumonia	M	2,115	145	37	20	30	73	94	241	458	1,017
		F	1,996	103	28	13	10	40	77	177	365	1,183
B32	Bronchitis	M	2,736	27	9	6	9	38	176	591	905	975
		F	1,136	21	8	3	4	19	29	109	271	672
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	731	9	7	6	6	32	57	181	250	183
		F	305	11	4	2	2	19	27	61	54	125
B33	Ulcer of stomach and duodenum	M	576	1	—	3	2	17	62	108	166	217
		F	236	1	—	—	1	11	15	21	65	122
B34	Appendicitis	M	102	2	8	8	4	10	14	18	19	19
		F	58	1	2	3	2	4	7	11	10	18
B35	Intestinal obstruction and hernia	M	279	25	3	—	—	11	21	38	77	104
		F	247	6	3	1	1	4	14	31	72	115
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	229	34	6	6	2	10	22	37	47	65
		F	256	17	7	2	9	13	16	31	64	97
B37	Cirrhosis of liver	M	112	—	1	—	—	5	28	36	26	16
		F	103	—	—	4	2	5	20	32	27	13
B38	Nephritis and nephrosis	M	448	4	1	9	10	48	61	86	79	150
		F	348	2	—	4	12	37	37	49	74	133
B39	Hyperplasia of prostate	M	820	—	—	—	—	—	—	43	194	583
B40	Complications of pregnancy, childbirth and puerperium	F	55	—	—	—	11	42	2	—	—	—
B41	Congenital malformations	M	504	347	35	9	13	27	30	21	19	3
		F	434	281	40	23	8	29	20	18	10	5
B42	Birth injuries, postnatal asphyxia and atelectasis	M	502	502	—	—	—	—	—	—	—	—
		F	362	361	1	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	5	5	—	—	—	—	—	—	—	—
		F	4	4	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	107	107	—	—	—	—	—	—	—	—
		F	70	70	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified	M	422	422	—	—	—	—	—	—	—	—
		F	315	314	1	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	818	4	2	—	—	5	7	3	34	763
		F	1,340	2	1	—	—	—	3	1	39	1,294
B46 (Rem.)	All other diseases (Remainder 001-795)	M	1,584	56	33	36	59	154	162	259	384	441
		F	2,026	37	17	31	50	163	192	342	528	666
BE47	Motor vehicle accidents	M	1,042	2	22	58	323	238	107	122	92	78
		F	284	2	15	27	32	44	39	33	44	48
BE48	All other accidents	M	1,343	61	48	64	120	284	175	160	126	305
		F	1,049	31	34	25	17	41	55	63	148	635
BE49	Suicide and self-inflicted injury	M	535	—	—	—	20	111	134	129	85	56
		F	246	—	—	—	5	52	59	67	44	19
BE50	Homicide and operations of war	M	24	—	1	3	1	1	2	6	8	2
		F	22	—	2	1	4	6	3	3	2	1
BN47	Fractures, head injuries and internal injuries	M	1,788	3	24	71	360	396	222	221	178	313
		F	991	3	21	27	37	57	56	66	138	586
BN48	Burns	M	67	1	11	2	8	12	6	5	6	16
		F	69	—	5	6	1	1	7	6	10	33
BN49	Effects of poisons	M	259	1	7	3	8	60	67	51	34	28
		F	224	—	5	6	4	39	50	43	46	31
BN50	All other injuries	M	830	58	29	49	88	166	123	140	93	84
		F	317	30	20	14	16	46	43	51	44	53

TABLE 20. Suspended

TABLE 21. Causes of Death by Sex, 1958, classified in accordance with the Abridged List and Supplementary Abridged List (see statement below) } { **England and Wales, standard regions, Wales, conurbations, London A.C., City of London, metropolitan and county boroughs, administrative counties**

See also explanatory notes.

Note. Publication of Table 20 has been suspended. Instead, Table 21 has been enlarged to include a cause analysis according to the Registrar General's Abridged List as well as the Registrar General's Supplementary Abridged List, but with no age details. A further cause analysis by detail of age is given for England and Wales, standard regions, conurbations and national aggregates by type of area in Table 19.

All details which prior to this change appeared in Table 20 and also figures (based on the Registrar General's Abridged List, without age detail) for administrative areas not separately shown in Table 21 are available at the General Register Office.

THE ABRIDGED LIST OF CAUSES OF DEATH adopted by the Registrar General in consultation with the Ministry of Health, and its relation to the Detailed International Statistical Classification.

No.	Registrar General's List	ISC No.
1.	Tuberculosis, respiratory	001-008.
2.	Tuberculosis, other	010-019.
3.	Syphilitic disease	020-029.
4.	Diphtheria	055.
5.	Whooping cough	056.
6.	Meningococcal infections	057.
7.	Acute poliomyelitis	080.
8.	Measles	085.
9.	Other infective and parasitic diseases	030-054, 058-074, 081-084, 086-138.
10.	Malignant neoplasm, stomach	151.
11.	Malignant neoplasm, lung, bronchus	162, 163.
12.	Malignant neoplasm, breast	170.
13.	Malignant neoplasm, uterus	171-174.
14.	Other malignant and lymphatic neoplasms	140-150, 152-161, 164, 165, 175-203, 205.
15.	Leukaemia, aleukaemia	204.
16.	Diabetes	260.
17.	Vascular lesions of nervous system	330-334.
18.	Coronary disease, angina	420.
19.	Hypertension with heart disease	440-443.
20.	Other heart disease	410-416, 421-434.
21.	Other circulatory disease	444-468.
22.	Influenza	480-483.
23.	Pneumonia	490-493, 763.
24.	Bronchitis	500-502.
25.	Other diseases of respiratory system	470-475, 510-527.
26.	Ulcer of stomach and duodenum	540, 541.
27.	Gastritis, enteritis and diarrhoea	543, 571, 572, 764.
28.	Nephritis and nephrosis	590-594.
29.	Hyperplasia of prostate	610.
30.	Pregnancy, childbirth, abortion	640-689.
31.	Congenital malformations	750-759.
32.	Other defined and ill-defined diseases	210-254, 270-326, 340-402, 530-539, 542, 544-570, 573-587, 600-609, 611-637, 690-749, 760-762, 765-795.
33.	Motor vehicle accidents	E810-835.
34.	All other accidents	E800-802, 840-962.
35.	Suicide	E963, 970-979.
36.	Homicide and operations of war	E964, 965, 980-999.

THE SUPPLEMENTARY LIST OF SUBDIVISIONS OF THE REGISTRAR GENERAL'S ABRIDGED LIST OF CAUSES OF DEATH and its relation to the Detailed International Statistical Classification.

No.	Registrar General's Abridged List	ISC No.
9 (1)	Infectious hepatitis	092.
14 (1)	Malignant neoplasm, mouth and pharynx	140-148.
14 (2)	,, ,, oesophagus	150.
14 (3)	,, ,, intestine and rectum	152-154.
14 (4)	,, ,, larynx	161.
13 (1)	,, ,, cervix uteri	171.
14 (5)	,, ,, prostate	177.
14 (6)	,, ,, bladder	181·0, 181·8.
14 (7)	,, ,, bone (including jaw-bone)	196.
14 (8)	Lymphosarcoma, reticulosarcoma	200.
14 (9)	Hodgkin's disease	201.
32 (1)	Thyrotoxicosis	252.
32 (2)	Multiple sclerosis	345.
32 (3)	Rheumatic fever	400-402.
20 (1)	Chronic rheumatic heart disease	410-416.
21 (1)	Hypertension without mention of heart	444-447.
25 (1)	Pneumoconiosis and chronic interstitial pneumonia	523-525.
26 (1)	Ulcer of stomach	540.
32 (4)	Appendicitis	550-553.
32 (5)	Intestinal obstruction and hernia	560, 561, 570.
32 (6)	Cirrhosis of liver	581.
32 (7)	Cholelithiasis, cholecystitis	584, 585.
30 (1)	Maternal sepsis (not abortion)	640, 641, 681, 682, 684.
30 (2)	Toxaemias of pregnancy and puerperium	642, 685, 686.
30 (3)	Abortion	650-652.
32 (8)	Rheumatoid arthritis and allied conditions	722.
32 (9)	Birth injury	760, 761.
32 (10)	Postnatal asphyxia and atelectasis	762.
23 (1)	Pneumonia of newborn	763.
32 (11)	Ophthalmia, pemphigus, sepsis of newborn	765-768.
32 (12)	Haemolytic disease of newborn	770.
32 (13)	Immaturity (without other disease peculiar to early infancy)	774, 776.
32 (14)	Senility without psychosis	794.
32 (15)	Ill-defined and unknown cause	780-789, 790-793, 795.

TABLE 21—*continued.* England and Wales, standard regions and conurbations

Registrar General's Abridged List		England and Wales	Northern			East & West Ridings			North Western				North Midland	Midland		
			Total	Tyneside Conurbation	Remainder of Northern	Total	West Yorkshire Conurbation	Remainder of East and West Ridings	Total	S.E. Lancashire Conurbation	Merseyside Conurbation	Remainder of North Western		Total	West Midlands Conurbation	Remainder of Midland
1	Tuberculosis, respiratory	M	2,949	225	76	149	317	130	187	506	184	131	191	200	332	193	139
		F	1,050	95	33	62	87	39	48	168	55	49	64	66	116	62	54
2	Tuberculosis, other	M	258	28	2	26	17	8	9	37	13	7	17	22	29	14	15
		F	223	21	5	16	11	2	9	34	12	7	15	17	19	12	7
3	Syphilitic disease	M	653	52	16	36	62	27	35	99	46	20	33	44	53	30	23
		F	388	33	8	25	30	18	12	67	28	14	25	35	27	17	10
4	Diphtheria	M	4	—	—	—	—	—	—	1	—	1	—	—	1	1	—
		F	4	1	1	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough	M	13	—	—	—	2	1	1	2	1	—	1	—	2	2	—
		F	14	1	—	1	2	—	2	—	—	—	—	1	3	2	1
6	Meningococcal infections	M	71	9	4	5	9	3	6	13	4	3	6	2	15	9	6
		F	74	6	4	2	7	3	4	17	4	7	6	4	7	3	4
7	Acute poliomyelitis	M	71	3	1	2	10	8	2	14	7	1	6	5	7	2	5
		F	58	1	—	1	7	4	3	15	6	2	7	5	8	5	3
8	Measles	M	23	—	—	—	2	1	1	5	1	1	3	2	3	2	1
		F	26	1	—	1	2	2	—	6	3	2	1	1	2	—	2
9	Other infective, etc., diseases	M	501	37	7	30	40	16	24	72	32	16	24	33	58	28	30
		F	480	42	10	32	45	21	24	86	39	19	28	38	39	21	18
10	Malignant neoplasm: stomach	M	7,934	663	176	487	771	329	442	1,294	497	236	561	601	753	385	368
		F	6,178	488	139	349	589	258	331	1,064	424	206	434	419	576	278	298
11	lung, bronchus	M	17,040	1,165	397	768	1,555	689	866	2,663	1,037	630	996	1,155	1,632	916	716
		F	2,780	194	52	142	237	118	119	416	171	104	141	165	206	115	91
12	breast	M	73	4	1	3	7	4	3	10	1	3	6	7	4	2	2
		F	8,949	482	139	343	785	366	419	1,213	429	260	524	712	869	438	431
13	uterus	F	4,115	347	103	244	422	170	252	660	240	132	288	339	345	178	167
14	Other malignant and lymphatic neoplasms	M	24,387	1,750	465	1,285	2,152	879	1,273	3,447	1,297	663	1,487	1,820	2,316	1,141	1,175
		F	21,962	1,396	377	1,019	1,982	856	1,126	3,203	1,163	702	1,338	1,542	1,914	944	970
15	Leukaemia, aleukaemia	M	1,301	78	20	58	132	45	87	169	66	37	66	92	110	50	60
		F	1,085	79	24	55	91	46	45	131	42	29	60	70	98	52	46
16	Diabetes	M	1,152	63	22	41	108	59	49	170	60	28	82	96	110	54	56
		F	2,163	152	37	115	207	100	107	332	123	61	148	167	197	99	98
17	Vascular lesions of nervous system	M	31,298	2,694	717	1,977	3,052	1,297	1,755	5,065	1,911	863	2,291	2,624	3,111	1,505	1,606
		F	44,879	3,191	809	2,382	4,328	2,031	2,297	7,290	2,773	1,268	3,249	3,362	3,957	1,867	2,090
18	Coronary disease, angina	M	52,085	4,085	1,024	3,061	5,387	2,507	2,880	8,272	2,834	1,637	3,801	3,605	4,346	2,029	2,317
		F	31,956	2,437	628	1,809	3,297	1,655	1,642	4,937	1,702	1,008	2,227	2,124	2,565	1,239	1,326
19	Hypertension with heart disease	M	5,173	309	91	218	534	244	290	691	259	132	300	425	577	302	275
		F	7,110	478	142	336	749	343	406	1,009	340	244	425	518	675	389	286
20	Other heart disease	M	31,564	2,296	543	1,753	2,883	1,233	1,650	4,991	1,928	739	2,324	2,607	3,067	1,416	1,651
		F	45,831	3,039	750	2,289	4,005	1,746	2,259	7,487	2,935	1,188	3,364	3,453	4,119	1,996	2,123
21	Other circulatory disease	M	11,015	786	228	558	1,058	422	636	1,536	643	225	668	911	868	392	476
		F	12,780	864	270	594	1,203	536	667	1,819	812	239	768	875	985	433	552
22	Influenza	M	1,216	78	21	57	87	22	65	179	78	27	74	123	129	60	69
		F	1,185	67	30	37	85	17	68	170	61	22	87	105	106	48	58
23	Pneumonia	M	12,311	849	225	624	1,195	533	662	1,900	693	520	687	888	1,169	585	584
		F	12,264	677	195	482	1,072	544	528	2,009	711	677	621	863	1,080	546	534
24	Bronchitis	M	20,326	1,383	425	958	2,280	1,000	1,280	3,743	1,653	689	1,401	1,491	2,080	1,164	916
		F	9,070	583	195	388	912	412	500	1,795	863	334	598	595	885	493	392
25	Other diseases of respiratory system	M	3,683	240	56	184	333	144	189	534	192	96	246	204	379	153	226
		F	1,590	101	37	64	143	69	74	266	112	60	94	105	149	76	73
26	Ulcer of stomach and duodenum	M	3,425	217	62	155	287	142	145	471	195	95	181	268	351	192	159
		F	1,473	77	19	58	106	54	52	218	93	49	76	104	124	73	51
27	Gastritis, enteritis and diarrhoea	M	1,017	70	14	56	97	41	56	152	53	33	66	82	93	40	53
		F	1,358	81	26	55	106	40	66	206	80	57	69	89	122	74	48
28	Nephritis and nephrosis	M	2,158	138	38	100	232	79	153	339	109	64	166	177	214	106	108
		F	1,920	140	33	107	230	92	138	340	113	51	176	153	175	82	93
29	Hyperplasia of prostate	M	3,577	254	53	201	291	101	190	479	171	77	231	273	302	133	169
30	Pregnancy, childbirth, abortion	F	328	27	7	20	37	14	23	41	15	5	21	29	31	16	15
31	Congenital malformations	M	2,589	224	59	165	216	91	125	410	130	110	170	198	300	158	142
		F	2,301	157	38	119	194	74	120	366	114	108	144	209	261	139	122
32	Other defined and ill-defined diseases	M	19,429	1,468	376	1,092	1,759	743	1,016	3,095	1,139	569	1,387	1,515	2,006	930	1,076
		F	23,497	1,623	417	1,206	2,044	897	1,147	3,864	1,451	724	1,689	1,674	2,273	1,101	1,172
33	Motor vehicle accidents	M	4,034	275	81	194	378	162	216	549	215	106	228	357	490	207	283
		F	1,405	92	24	68	130	53	77	245	112	39	94	106	136	65	71
34	All other accidents	M	5,955	581	142	439	594	223	371	917	335	166	416	482	568	245	323
		F	5,483	389	90	299	519	210	309	896	298	186	412	424	552	292	260
35	Suicide	M	3,175	218	66	152	345	140	205	512	211	83	218	246	325	160	165
		F	2,123	111	40	71	175	81	94	351	124	56	171	135	195	117	78
36	Homicide, operations of war	M	179	16	3	13	20	9	11	38	9	7	22	15	14	7	7
		F	102	8	3	5	9	4	5	16	6	—	10	12	9	2	7

TABLE 21—*continued.* England and Wales, standard regions and conurbations

Registrar General's Supplementary Abridged List		England and Wales	Northern			East & West Ridings			North Western				North Midland	Midland		
			Total	Tyneside Conurbation	Remainder of Northern	Total	West Yorkshire Conurbation	Remainder of East and West Ridings	Total	S.E. Lancashire Conurbation	Merseyside Conurbation	Remainder of North Western		Total	West Midlands Conurbation	Remainder of Midland
9(1)	Infectious hepatitis	M	110	5	2	3	7	4	3	20	12	2	6	6	10	7	3
		F	135	14	2	12	11	5	6	18	9	5	4	11	6	4	2
14(1)	Malignant neoplasm, mouth and pharynx	M	1,267	111	30	81	101	44	57	235	94	32	109	75	144	72	72
		F	657	49	15	34	71	30	41	81	26	13	42	44	59	20	39
14(2)	Malignant neoplasm, oesophagus	M	1,300	102	32	70	90	43	47	215	76	47	92	90	123	56	67
		F	993	65	13	52	71	35	36	183	57	48	78	69	70	34	36
14(3)	Malignant neoplasm, intestine and rectum	M	6,940	544	147	397	648	263	385	1,015	418	170	427	543	709	351	358
		F	8,040	528	144	384	721	315	406	1,223	470	266	487	600	739	377	362
14(4)	Malignant neoplasm, larynx	M	662	42	9	33	42	14	28	99	37	17	45	36	66	30	36
		F	171	9	1	8	14	3	11	31	12	3	16	11	16	10	6
13(1)	Malignant neoplasm, cervix uteri	F	2,702	256	85	171	310	125	185	428	148	98	182	215	223	117	106
14(5)	Malignant neoplasm, prostate	M	3,614	217	57	160	323	129	194	424	162	74	188	265	361	169	192
14(6)	Malignant neoplasm, bladder	M	1,997	129	41	88	204	89	115	253	93	75	85	159	158	83	75
		F	849	55	16	39	99	44	55	114	47	22	45	49	66	37	29
14(7)	Malignant neoplasm, bone (including jaw-bone)	M	354	22	2	20	29	12	17	65	19	9	37	27	42	25	17
		F	300	17	4	13	20	10	10	61	24	13	24	21	34	20	14
14(8)	Lymphosarcoma, reticulosarcoma	M	517	32	6	26	27	8	19	57	14	18	25	51	50	31	19
		F	429	20	11	9	31	14	17	51	10	24	17	24	52	23	29
14(9)	Hodgkin's disease	M	472	50	17	33	48	18	30	79	28	18	33	38	33	18	15
		F	314	25	7	18	37	16	21	52	23	12	17	23	20	8	12
22(1)	Thyrotoxicosis	M	40	2	—	2	1	—	1	10	6	—	4	2	4	1	3
		F	282	17	4	13	20	7	13	48	17	6	25	25	39	19	20
22(2)	Multiple sclerosis	M	326	17	5	12	35	11	24	45	21	4	20	18	38	18	20
		F	539	33	6	27	52	24	28	93	38	18	37	36	57	28	29
32(3)	Rheumatic fever	M	70	2	—	2	9	6	3	13	5	1	7	9	12	4	8
		F	61	2	—	2	5	2	3	9	5	—	4	5	9	1	8
20(1)	Chronic rheumatic heart disease	M	2,567	186	49	137	278	127	151	396	147	75	174	180	270	122	148
		F	4,867	314	97	217	504	207	297	909	362	226	321	315	453	275	178
21(1)	Hypertension without mention of heart	M	3,524	228	75	153	301	125	176	422	163	75	184	272	302	156	146
		F	3,839	250	83	167	310	145	165	432	168	71	193	269	325	164	161
25(1)	Pneumoconiosis and chronic interstitial pneumonia	M	931	53	1	52	88	30	58	121	36	6	79	21	125	21	104
		F	118	3	1	2	11	8	3	14	6	1	7	6	12	2	10
26(1)	Ulcer of stomach	M	1,608	77	25	52	120	59	61	210	97	32	81	126	157	86	71
		F	944	40	9	31	68	32	36	131	52	29	50	62	75	44	31
32(4)	Appendicitis	M	462	32	8	24	35	12	23	55	16	15	24	43	48	21	27
		F	328	15	3	12	25	13	12	48	24	7	17	31	41	20	21
32(5)	Intestinal obstruction and hernia	M	1,400	90	22	68	111	52	59	227	95	31	101	99	145	71	74
		F	1,464	89	24	65	131	65	66	230	94	38	98	97	117	51	66
32(6)	Cirrhosis of liver	M	644	53	10	43	61	30	31	87	31	24	32	41	73	31	42
		F	532	42	12	30	50	23	27	70	27	15	28	42	52	30	22
32(7)	Cholelithiasis, cholecystitis	M	463	35	11	24	41	19	22	47	17	11	19	40	58	33	25
		F	908	77	20	57	86	47	39	140	46	22	72	71	74	49	25
30(1)	Maternal sepsis (not abortion)	F	53	4	—	4	4	—	4	12	3	1	8	5	5	3	2
30(2)	Toxaemias of pregnancy and puerperium	F	66	6	—	6	10	4	6	6	3	—	3	8	5	2	3
30(3)	Abortion	F	63	5	3	2	5	3	2	10	4	1	5	3	5	2	3
32(8)	Rheumatoid arthritis and allied conditions	M	222	18	2	16	21	10	11	39	21	3	15	15	29	16	13
		F	757	47	16	31	60	14	46	143	59	27	57	56	64	39	25
32(9)	Birth injury	M	1,135	101	34	67	115	35	80	226	82	71	73	89	137	63	74
		F	670	49	11	38	62	28	34	112	46	28	38	43	96	55	41
32(10)	Postnatal asphyxia and atelectasis	M	1,590	122	34	88	150	70	80	296	113	77	106	132	148	71	77
		F	1,057	81	26	55	108	43	65	202	75	66	61	75	102	52	50
23(1)	Pneumonia of newborn	M	512	51	12	39	34	11	23	89	28	21	40	48	65	27	38
		F	325	41	9	32	27	13	14	64	31	12	21	33	39	19	20
32(11)	Ophthalmia, pemphigus, sepsis of newborn	M	40	1	1	—	4	4	—	5	2	2	1	1	5	4	1
		F	30	3	1	2	6	—	6	4	1	1	2	1	4	1	3
32(12)	Haemolytic disease of newborn	M	182	14	4	10	25	9	16	34	16	13	5	12	15	7	8
		F	197	6	3	3	17	6	11	38	12	9	17	17	20	7	13
32(13)	Immaturity (without other disease peculiar to early infancy)	M	1,712	179	41	138	185	78	107	270	100	57	113	120	181	88	93
		F	1,249	126	26	100	149	65	84	178	66	41	71	94	117	68	49
32(14)	Senility without psychosis	M	2,817	222	54	168	223	94	129	538	175	44	319	255	324	131	193
		F	5,132	330	83	247	383	158	225	939	376	99	464	378	540	215	325
32(15)	Ill-defined and unknown cause	M	172	20	3	17	15	5	10	22	13	—	9	14	15	8	7
		F	133	17	3	14	5	4	1	24	14	2	8	10	7	2	5

TABLE 21—*continued.* Standard regions and conurbations. Urban and rural aggregates

Registrar General's Abridged List		Eastern	London & South Eastern: Total	London & South Eastern: Greater London	London & South Eastern: Remainder of South Eastern	Southern	South Western	Wales (including Monmouthshire): Total	Wales I (South East)	Wales II (remainder)	Conurbations	Areas outside conurbations: Urban areas with populations of 100,000 and over	Urban areas with popln. of 50,000 & under 100,000	Urban areas with populations under 50,000	Rural districts
1	Tuberculosis, respiratory	M	129	683	525	158	148	182	227	153	74	1,239	460	234	567	449
		F	49	280	206	74	50	62	77	57	20	444	158	73	220	155
2	Tuberculosis, other	M	15	55	44	11	16	25	14	13	1	88	30	32	59	49
		F	16	60	44	16	10	20	15	11	4	82	35	15	59	32
3	Syphilitic disease	M	42	198	150	48	41	35	27	22	5	289	93	45	115	111
		F	28	118	96	22	22	20	8	6	2	181	50	37	70	50
4	Diphtheria	M	1	1	1	—	—	—	—	—	—	3	—	—	1	—
		F	—	3	3	—	—	—	—	—	—	4	—	—	—	—
5	Whooping cough	M	1	1	1	—	1	3	1	—	1	5	1	2	4	1
		F	—	1	—	1	1	3	2	1	1	2	2	1	2	7
6	Meningococcal infections	M	5	9	9	—	1	2	6	5	1	32	15	3	11	10
		F	6	12	7	5	4	3	8	6	2	28	16	7	12	11
7	Acute poliomyelitis	M	6	16	12	4	5	5	—	—	—	31	11	9	12	8
		F	6	4	2	2	4	7	1	1	—	19	8	6	16	9
8	Measles	M	1	5	4	1	2	1	2	2	—	9	5	1	6	2
		F	2	4	2	2	—	1	7	5	2	9	3	2	8	4
9	Other infective, etc., diseases	M	42	130	90	40	24	33	32	22	10	189	53	32	111	116
		F	37	111	84	27	35	31	16	9	7	194	64	31	95	96
10	Malignant neoplasm: stomach	M	529	1,765	1,356	409	426	498	634	432	202	2,979	1,100	633	1,776	1,446
		F	395	1,394	1,013	381	303	416	534	359	175	2,318	830	485	1,435	1,110
11	lung, bronchus	M	1,168	4,963	3,847	1,116	991	970	778	558	220	7,516	2,415	1,321	3,363	2,425
		F	186	961	727	234	165	162	88	49	39	1,287	315	205	538	435
12	breast	M	5	18	14	4	6	8	4	2	2	25	8	1	18	21
		F	683	2,475	1,788	687	598	672	460	312	148	3,420	1,182	670	2,044	1,633
13	uterus	F	270	956	674	282	230	293	253	165	88	1,497	588	309	985	736
14	Other malignant and lymphatic neoplasms	M	1,913	6,205	4,509	1,696	1,581	1,777	1,426	961	465	8,954	3,164	1,937	5,608	4,724
		F	1,687	5,877	4,195	1,682	1,425	1,679	1,257	840	417	8,237	2,882	1,821	5,019	4,003
15	Leukaemia, aleukaemia	M	102	321	236	85	111	118	68	52	16	454	178	101	296	272
		F	86	333	229	104	74	67	56	35	21	422	152	84	250	177
16	Diabetes	M	109	262	183	79	74	95	65	47	18	406	124	92	266	264
		F	166	512	378	134	131	173	126	84	42	798	251	173	515	426
17	Vascular lesions of nervous system	M	2,226	6,238	4,134	2,104	1,908	2,253	2,127	1,419	708	10,427	4,044	2,464	8,058	6,305
		F	3,265	10,128	6,726	3,402	2,980	3,581	2,797	1,793	1,004	15,474	5,972	3,879	11,017	8,537
18	Coronary disease, angina	M	3,764	12,439	9,080	3,359	3,141	3,591	3,455	2,458	997	19,111	7,114	4,177	12,270	9,413
		F	2,320	8,023	5,798	2,225	2,146	2,281	1,826	1,301	525	12,030	4,369	2,670	7,304	5,583
19	Hypertension with heart disease	M	358	1,168	840	328	332	451	328	225	103	1,868	753	383	1,149	1,020
		F	478	1,805	1,284	521	449	506	443	293	150	2,742	1,013	526	1,581	1,248
20	Other heart disease	M	2,288	6,543	4,232	2,311	2,046	2,816	2,027	1,363	664	10,091	3,825	2,367	8,142	7,139
		F	3,221	10,913	7,118	3,795	2,976	3,944	2,674	1,782	892	15,733	5,867	3,817	11,237	9,177
21	Other circulatory disease	M	809	2,761	1,926	835	647	848	791	524	267	3,836	1,473	826	2,606	2,274
		F	915	3,632	2,626	1,006	679	996	812	544	268	4,916	1,680	922	2,872	2,390
22	Influenza	M	92	260	179	81	83	97	88	70	18	387	162	74	298	295
		F	115	299	201	98	80	88	70	48	22	379	153	95	293	265
23	Pneumonia	M	922	3,287	2,378	909	805	739	557	408	149	4,934	1,647	968	2,542	2,220
		F	965	3,676	2,696	980	750	745	427	299	128	5,369	1,503	955	2,379	2,058
24	Bronchitis	M	1,135	5,012	3,993	1,019	912	936	1,354	1,070	284	8,924	2,794	1,522	4,350	2,736
		F	499	2,454	2,013	441	429	433	485	371	114	4,310	1,235	661	1,728	1,136
25	Other diseases of respiratory system	M	216	789	571	218	195	328	465	408	57	1,212	520	308	912	731
		F	118	411	291	120	101	120	76	55	21	645	188	111	341	305
26	Ulcer of stomach and duodenum	M	256	967	727	240	215	226	167	106	61	1,413	448	288	700	576
		F	117	446	330	116	110	109	62	45	17	618	192	133	294	236
27	Gastritis, enteritis and diarrhoea	M	86	230	158	72	74	68	65	48	17	339	151	85	208	234
		F	112	357	271	86	91	113	81	60	21	548	171	102	277	260
28	Nephritis and nephrosis	M	127	455	309	146	122	198	156	112	44	705	301	165	539	448
		F	98	396	270	126	99	127	162	109	53	641	258	156	517	348
29	Hyperplasia of prostate	M	282	833	537	296	243	309	311	175	136	1,072	468	312	905	820
30	Pregnancy, childbirth, abortion	F	18	79	63	16	18	23	25	19	6	120	51	29	73	55
31	Congenital malformations	M	155	557	415	142	162	202	165	132	33	963	352	193	577	504
		F	153	503	371	132	160	157	141	103	38	844	332	168	523	434
32	Other defined and ill-defined diseases	M	1,504	4,143	3,006	1,137	1,190	1,380	1,369	976	393	6,763	2,405	1,492	4,677	4,092
		F	1,830	5,338	3,750	1,588	1,552	1,731	1,568	1,071	497	8,340	2,721	1,878	5,753	4,805
33	Motor vehicle accidents	M	331	835	611	224	289	277	253	165	88	1,382	463	297	850	1,042
		F	87	349	249	100	99	96	65	44	21	542	176	100	303	284
34	All other accidents	M	434	1,195	804	391	326	379	479	355	124	1,915	744	482	1,471	1,343
		F	381	1,260	806	454	367	377	318	228	90	1,882	756	487	1,309	1,049
35	Suicide	M	186	799	612	187	167	225	152	109	43	1,272	392	277	699	535
		F	155	632	524	108	129	146	94	64	30	942	305	184	446	246
36	Homicide, operations of war	M	11	34	24	10	4	16	11	7	4	59	37	22	37	24
		F	5	28	20	8	7	4	4	1	3	35	19	9	17	22

TABLE 21—*continued.* Standard regions and conurbations. Urban and rural aggregates

Registrar General's Supplementary Abridged List		Eastern	London & South Eastern: Total	London & South Eastern: Greater London	London & South Eastern: Remainder of South Eastern	Southern	South Western	Wales (including Monmouthshire): Total	Wales I (South East)	Wales II (remainder)	Conurbations	Areas outside conurbations: Urban areas with populations of 100,000 and over	Urban areas with popln. of 50,000 & under 100,000	Urban areas with populations under 50,000	Rural districts
9(1)	Infectious hepatitis	M	9	35	26	9	6	7	5	2	3	53	10	5	22	20
		F	11	42	36	6	11	6	5	3	2	61	15	10	32	17
14(1)	Malignant neoplasm, mouth and pharynx	M	79	284	211	73	73	78	87	51	36	483	158	104	296	226
		F	54	149	104	45	37	47	66	42	24	208	82	72	148	147
14(2)	Malignant neoplasm, oesophagus	M	92	326	235	91	73	101	88	55	33	489	170	106	297	238
		F	88	204	134	70	55	105	83	58	25	321	133	90	224	225
14(3)	Malignant neoplasm, intestine and rectum	M	579	1,576	1,108	468	442	470	414	277	137	2,457	904	520	1,645	1,414
		F	593	2,089	1,483	606	488	589	470	304	166	3,055	1,049	683	1,858	1,395
14(4)	Malignant neoplasm, larynx	M	42	196	136	60	45	46	48	31	17	243	92	55	149	123
		F	9	42	37	5	8	16	15	10	5	66	30	10	42	23
13(1)	Malignant neoplasm, cervix uteri	F	175	587	421	166	147	183	178	117	61	994	398	215	636	459
14(5)	Malignant neoplasm, prostate	M	300	926	650	276	282	326	190	122	68	1,241	425	293	877	778
14(6)	Malignant neoplasm, bladder	M	127	600	430	170	120	134	113	97	16	811	285	154	419	328
		F	63	246	175	71	52	59	46	33	13	341	118	54	201	135
14(7)	Malignant neoplasm, bone (including jaw-bone)	M	23	69	51	18	18	31	28	21	7	118	45	25	88	78
		F	20	66	40	26	22	20	19	13	6	111	33	21	80	55
14(8)	Lymphosarcoma, reticulosarcoma	M	55	147	111	36	28	38	32	19	13	188	68	52	109	100
		F	43	132	99	33	26	36	14	11	3	181	52	36	85	75
14(9)	Hodgkin's disease	M	30	108	90	18	31	28	27	19	8	189	44	40	115	84
		F	26	73	48	25	18	22	18	9	9	114	40	21	87	52
22(1)	Thyrotoxicosis	M	3	11	9	2	2	3	2	2	—	16	3	1	13	7
		F	16	46	30	16	13	35	23	16	7	83	27	25	74	73
22(2)	Multiple sclerosis	M	33	81	57	24	12	21	26	16	10	116	44	23	82	61
		F	46	137	100	37	34	33	18	9	9	214	65	46	129	85
22(3)	Rheumatic fever	M	2	11	7	4	3	1	8	8	—	23	13	7	14	13
		F	2	19	16	3	3	5	2	1	1	24	13	10	9	5
20(1)	Chronic rheumatic heart disease	M	157	636	511	125	122	168	174	128	46	1,031	360	146	564	466
		F	287	1,235	990	245	233	301	316	242	74	2,157	665	353	958	734
21(1)	Hypertension without mention of heart	M	242	992	743	249	220	284	261	177	84	1,337	429	239	833	686
		F	270	1,256	969	287	195	269	263	178	85	1,600	449	284	861	645
25(1)	Pneumoconiosis and chronic interstitial pneumonia	M	28	92	63	29	24	81	298	275	23	157	188	71	303	212
		F	13	37	25	12	10	5	7	4	3	43	19	11	24	21
26(1)	Ulcer of stomach	M	123	484	368	116	97	125	89	56	33	667	214	120	329	278
		F	79	301	220	81	80	71	37	28	9	386	133	88	188	149
32(4)	Appendicitis	M	40	113	86	27	29	31	36	26	10	158	60	33	109	102
		F	32	84	63	21	14	19	19	14	5	130	34	24	82	58
32(5)	Intestinal obstruction and hernia	M	101	354	240	114	90	101	82	57	25	511	183	99	328	279
		F	95	431	317	114	94	96	84	55	29	589	175	127	326	247
32(6)	Cirrhosis of liver	M	40	148	111	37	44	55	42	34	8	237	88	51	156	112
		F	32	134	92	42	31	41	38	23	15	199	77	42	111	103
32(7)	Cholelithiasis, cholecystitis	M	21	107	80	27	36	42	36	24	12	171	59	38	93	102
		F	61	206	149	57	63	74	56	38	18	333	106	68	215	186
30(1)	Maternal sepsis (not abortion)	F	5	7	5	2	4	5	2	2	—	12	12	5	14	10
30(2)	Toxaemias of pregnancy and puerperium	F	5	11	8	3	3	7	5	4	1	17	9	8	16	16
30(3)	Abortion	F	3	24	23	1	1	2	5	4	1	36	9	2	12	4
32(8)	Rheumatoid arthritis and allied conditions	M	13	35	23	12	10	21	21	12	9	75	26	20	64	37
		F	57	152	115	37	54	67	57	35	22	270	100	59	194	134
32(9)	Birth injury	M	69	184	151	33	66	78	70	49	21	436	154	78	238	229
		F	53	127	93	34	40	42	46	35	11	261	80	49	142	138
32(10)	Postnatal asphyxia and atelectasis	M	71	350	281	69	99	107	115	91	24	646	243	93	335	273
		F	71	192	153	39	73	67	86	65	21	415	138	81	199	224
23(1)	Pneumonia of newborn	M	44	92	72	20	25	37	27	22	5	171	71	51	114	105
		F	20	58	38	20	12	18	13	7	6	122	38	43	60	62
32(11)	Ophthalmia, pemphigus, sepsis of newborn	M	1	14	11	3	5	2	2	2	—	24	5	4	5	2
		F	3	2	1	1	3	3	1	1	—	5	5	3	9	8
32(12)	Haemolytic disease of newborn	M	12	42	35	7	10	7	11	9	2	84	23	9	31	35
		F	11	51	39	12	15	13	9	7	2	76	28	14	41	38
32(13)	Immaturity (without other disease peculiar to early infancy)	M	125	370	283	87	88	73	121	89	32	647	215	147	388	315
		F	97	286	219	67	69	50	83	61	22	485	139	123	285	217
32(14)	Senility without psychosis	M	262	393	233	160	146	221	233	162	71	731	204	250	862	770
		F	415	907	530	377	329	502	409	260	149	1,461	412	405	1,541	1,313
32(15)	Ill-defined and unknown cause	M	15	36	21	15	10	10	15	11	4	50	19	10	45	48
		F	13	31	23	8	4	13	9	5	4	48	12	11	35	27

TABLE 21—*continued.* London A.C., City of London, metropolitan boroughs

	Registrar General's Abridged List		London Administrative County	City of London	Battersea	Bermondsey	Bethnal Green	Camberwell	Chelsea	Deptford	Finsbury	Fulham	Greenwich	Hackney	Hammersmith	Hampstead
1	Tuberculosis, respiratory	M	269	—	13	5	6	20	2	8	5	11	2	13	10	5
		F	110	—	4	1	3	10	2	2	1	4	3	4	3	4
2	Tuberculosis, other	M	23	—	1	—	—	1	—	—	—	1	1	1	—	2
		F	18	—	2	1	—	1	1	1	1	1	1	—	2	—
3	Syphilitic disease	M	72	—	1	—	2	4	1	1	3	3	2	3	6	1
		F	45	—	1	—	—	2	1	—	1	1	1	2	1	2
4	Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	—	—	—	—	—	—	—	1
5	Whooping cough	M	1	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6	Meningococcal infections	M	6	—	—	—	1	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	—	—	—	—	—	—	—	—
7	Acute poliomyelitis	M	6	—	—	—	—	—	—	—	—	1	—	—	—	—
		F	1	—	—	—	—	1	—	—	—	—	—	—	—	—
8	Measles	M	2	—	—	—	—	—	1	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	—	—	—	1	—	—	—	—
9	Other infective, etc., diseases	M	33	—	2	1	1	2	—	—	—	—	1	3	1	—
		F	36	—	—	1	1	1	2	—	—	—	1	1	1	2
10	Malignant neoplasm: stomach	M	559	—	18	17	9	23	14	15	3	15	7	21	26	7
		F	422	—	14	5	15	17	7	10	2	18	7	24	11	14
11	lung, bronchus	M	1,721	2	56	34	32	95	22	35	19	70	36	85	59	37
		F	329	—	13	2	3	9	6	6	3	14	8	13	5	14
12	breast	M	11	—	1	—	—	—	—	—	—	—	1	—	—	—
		F	716	2	15	15	13	38	18	15	6	25	18	35	22	18
13	uterus	F	290	1	5	4	3	14	3	2	2	9	7	13	10	14
14	Other malignant and lymphatic neoplasms	M	1,927	3	67	39	34	113	34	31	17	62	52	65	63	68
		F	1,829	4	52	28	16	98	32	33	18	59	43	101	53	79
15	Leukaemia, aleukaemia	M	78	—	2	1	—	4	1	1	—	3	1	6	1	3
		F	99	1	4	3	2	12	1	—	2	4	2	6	1	3
16	Diabetes	M	77	—	3	1	1	3	4	—	1	—	1	4	2	2
		F	158	—	3	2	5	9	3	—	2	10	2	10	2	5
17	Vascular lesions of nervous system	M	1,580	3	65	20	14	85	35	36	14	50	39	74	42	53
		F	2,574	1	108	35	35	147	63	58	18	102	67	104	93	66
18	Coronary disease, angina	M	3,572	8	106	55	55	185	41	87	30	128	104	200	137	101
		F	2,353	2	65	43	37	116	48	46	21	96	60	104	65	110
19	Hypertension with heart disease	M	328	—	6	5	3	20	2	10	5	5	6	19	7	9
		F	538	2	20	15	3	45	13	13	5	11	13	23	6	18
20	Other heart disease	M	1,776	—	59	32	18	86	37	47	14	48	56	73	41	32
		F	2,796	3	123	33	33	121	55	74	19	99	71	140	66	51
21	Other circulatory disease	M	795	2	26	12	7	49	13	19	4	22	15	40	29	19
		F	1,110	1	42	25	19	65	37	14	9	40	18	61	49	34
22	Influenza	M	67	—	—	—	1	4	3	—	—	—	1	4	1	—
		F	83	—	3	1	1	3	4	3	1	1	1	3	1	1
23	Pneumonia	M	1,061	4	45	24	28	67	15	32	12	27	24	42	40	21
		F	1,207	—	29	27	18	82	22	26	10	38	25	38	33	32
24	Bronchitis	M	1,943	3	58	30	50	126	20	50	24	80	51	116	75	30
		F	1,007	1	29	18	17	49	27	30	12	44	25	52	49	23
25	Other diseases of respiratory system	M	242	1	10	5	—	8	5	4	5	10	7	10	11	8
		F	117	—	5	1	—	5	1	2	1	3	3	3	4	4
26	Ulcer of stomach and duodenum	M	337	1	7	7	8	20	5	11	2	11	10	18	9	9
		F	156	—	2	1	5	3	2	1	—	10	5	10	4	10
27	Gastritis, enteritis and diarrhoea	M	65	—	1	2	3	3	1	1	2	—	3	5	1	1
		F	124	1	7	3	6	5	2	—	1	4	1	7	2	3
28	Nephritis and nephrosis	M	123	—	4	2	1	7	1	1	1	6	3	9	5	5
		F	113	—	3	—	3	5	2	1	—	6	8	5	3	4
29	Hyperplasia of prostate	M	208	—	3	1	3	22	3	3	3	9	5	11	10	5
30	Pregnancy, childbirth, abortion	F	33	—	1	—	—	1	—	1	—	1	1	—	2	—
31	Congenital malformations	M	183	—	5	4	3	10	5	3	4	5	—	8	7	7
		F	180	1	8	2	1	11	2	2	2	5	3	8	9	7
32	Other defined and ill-defined diseases	M	1,284	1	40	15	19	60	39	33	10	45	28	54	56	32
		F	1,610	3	46	29	16	75	34	34	10	57	37	64	52	37
33	Motor vehicle accidents	M	231	—	5	3	3	11	3	10	2	8	8	9	4	5
		F	104	—	3	1	1	7	3	4	2	3	2	11	3	5
34	All other accidents	M	377	5	11	8	2	18	6	10	1	10	7	17	16	9
		F	327	—	12	5	4	14	10	4	1	13	4	14	9	15
35	Suicide	M	305	2	8	6	4	16	9	3	2	10	7	9	8	14
		F	244	—	5	2	3	13	7	5	7	11	4	15	13	13
36	Homicide, operations of war	M	18	—	—	—	—	—	—	—	—	1	—	1	—	1
		F	10	—	—	—	1	1	—	1	—	1	—	—	—	—

TABLE 21—*continued.* London A.C., City of London, metropolitan boroughs

	Registrar General's Supplementary Abridged List		London Administrative County	City of London	Battersea	Bermondsey	Bethnal Green	Camberwell	Chelsea	Deptford	Finsbury	Fulham	Greenwich	Hackney	Hammersmith	Hampstead
1(1)	Infectious hepatitis	M	11	—	—	—	—	1	—	—	—	—	—	1	—	—
		F	16	—	—	—	1	—	—	—	—	—	—	1	—	—
14(1)	Malignant neoplasm, mouth and pharynx	M	94	—	1	1	1	6	2	—	1	4	—	—	2	5
		F	50	—	2	1	—	1	1	1	—	2	—	5	4	1
14(2)	Malignant neoplasm, oesophagus	M	109	—	1	1	2	6	4	2	1	2	3	1	6	5
		F	57	—	2	1	1	1	2	—	—	1	3	1	5	3
14(3)	Malignant neoplasm, intestine and rectum	M	449	2	20	8	10	24	5	10	6	15	12	18	14	17
		F	670	—	26	10	4	32	15	14	8	21	15	35	15	33
14(4)	Malignant neoplasm, larynx	M	83	—	—	1	1	3	3	4	—	4	6	4	3	1
		F	22	1	—	—	1	1	—	1	—	1	—	1	1	—
13(1)	Malignant neoplasm, cervix uteri	F	189	1	3	3	2	11	3	1	2	6	4	9	6	8
14(5)	Malignant neoplasm, prostate	M	275	—	15	5	5	20	4	1	2	11	11	6	2	12
14(6)	Malignant neoplasm, bladder	M	178	—	5	5	3	16	3	2	—	5	6	8	7	6
		F	79	—	—	—	—	7	—	2	2	1	—	2	1	3
14(7)	Malignant neoplasm, bone (including jaw-bone)	M	18	—	—	—	1	2	—	—	—	—	—	2	1	—
		F	13	—	—	—	—	—	—	—	—	—	—	—	—	—
14(8)	Lymphosarcoma, reticulosarcoma	M	55	—	1	1	—	—	1	1	—	4	1	1	5	1
		F	42	—	—	—	1	2	1	1	—	2	4	3	2	3
14(9)	Hodgkin's disease	M	47	—	1	1	1	2	2	—	1	—	2	3	3	4
		F	21	—	—	—	—	2	—	—	—	—	1	2	1	1
32(1)	Thyrotoxicosis	M	5	—	—	—	—	—	1	—	—	—	—	—	1	—
		F	11	—	—	—	—	1	—	—	—	—	—	—	—	—
32(2)	Multiple sclerosis	M	17	—	—	—	—	1	1	—	—	—	—	2	1	1
		F	35	—	2	—	3	—	1	—	—	4	2	—	—	1
32(3)	Rheumatic fever	M	5	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	9	—	—	1	—	—	—	—	—	—	—	—	2	—
20(1)	Chronic rheumatic heart disease	M	225	—	8	8	5	22	3	4	3	7	4	15	6	5
		F	441	1	18	14	8	22	8	12	2	21	13	20	16	9
21(1)	Hypertension without mention of heart	M	338	2	6	7	3	20	8	9	3	9	9	10	17	11
		F	416	1	9	14	12	34	13	7	7	18	12	9	21	11
25(1)	Pneumoconiosis and chronic interstitial pneumonia	M	28	—	2	1	—	1	—	1	—	—	2	—	1	1
		F	12	—	—	—	—	1	—	1	—	—	1	—	—	1
26(1)	Ulcer of stomach	M	185	1	2	5	6	11	3	6	1	7	4	12	6	5
		F	97	—	2	1	4	—	2	1	—	6	3	8	2	8
32(4)	Appendicitis	M	33	—	1	—	1	1	1	3	—	—	—	2	1	—
		F	26	—	2	1	—	3	—	—	1	—	—	3	1	—
32(5)	Intestinal obstruction and hernia	M	108	—	1	1	2	9	4	5	2	3	4	5	3	5
		F	147	1	3	3	1	12	1	6	—	3	4	6	4	4
32(6)	Cirrhosis of liver	M	56	—	1	—	—	1	3	1	—	3	—	1	7	—
		F	48	—	2	—	—	3	2	2	—	1	2	—	—	2
32(7)	Cholelithiasis, cholecystitis	M	36	—	3	—	—	3	—	—	1	1	—	1	—	1
		F	69	—	4	3	1	6	1	1	—	3	—	2	2	4
30(1)	Maternal sepsis (not abortion)	F	3	—	—	—	—	1	—	—	—	—	—	—	1	—
30(2)	Toxaemias of pregnancy and puerperium	F	4	—	1	—	—	—	—	—	—	—	—	—	—	—
30(3)	Abortion	F	19	—	—	—	—	—	—	—	—	1	1	—	1	—
32(8)	Rheumatoid arthritis and allied conditions	M	9	—	—	—	—	—	1	—	—	1	—	—	1	—
		F	34	—	2	—	—	1	1	1	—	2	—	2	2	1
32(9)	Birth injury	M	71	—	5	—	—	—	2	1	—	1	2	—	4	3
		F	52	—	1	1	—	2	1	1	1	1	1	3	2	2
32(10)	Postnatal asphyxia and atelectasis	M	139	1	4	1	1	10	2	4	—	3	2	11	3	6
		F	82	1	3	1	—	9	2	5	—	—	2	3	—	—
23(1)	Pneumonia of newborn	M	37	—	—	1	—	1	1	1	1	2	—	2	1	—
		F	23	—	—	1	1	2	—	—	—	1	1	—	1	—
32(11)	Ophthalmia, pemphigus, sepsis of newborn	M	6	—	—	—	—	—	—	—	—	1	—	1	1	—
		F	1	—	—	—	—	—	—	—	—	—	—	—	—	—
32(12)	Haemolytic disease of newborn	M	13	—	1	—	1	2	—	—	1	1	—	—	—	—
		F	12	—	—	—	—	—	—	1	—	1	—	—	—	1
32(13)	Immaturity (without other disease peculiar to early infancy)	M	145	—	7	2	3	5	6	5	1	5	2	5	8	1
		F	109	—	7	3	1	6	2	3	4	3	2	7	4	3
32(14)	Senility without psychosis	M	90	—	2	—	1	—	6	1	1	3	3	1	3	1
		F	236	1	1	1	4	6	2	2	—	5	4	9	5	1
32(15)	Ill-defined and unknown cause	M	11	—	—	—	—	—	—	1	—	1	—	1	—	—
		F	11	—	1	—	—	—	—	—	—	—	4	—	—	—

TABLE 21—*continued.* Metropolitan boroughs

Registrar General's Abridged List		Holborn	Islington	Kensington	Lambeth	Lewisham	Paddington	Poplar	St. Marylebone	St. Pancras	Shoreditch	Southwark	Stepney	Stoke Newington	Wandsworth	Westminster	Woolwich
1 Tuberculosis, respiratory	M	3	22	6	17	12	5	4	4	19	3	13	11	—	30	7	13
	F	—	9	4	7	6	2	3	3	1	—	6	4	2	13	2	7
2 Tuberculosis, other	M	—	2	1	2	1	1	1	—	2	—	—	1	1	3	1	—
	F	—	3	—	—	—	—	—	—	—	1	—	—	1	2	—	—
3 Syphilitic disease	M	—	5	2	5	3	2	2	4	1	2	1	4	1	10	—	3
	F	—	9	3	3	2	1	—	1	2	—	1	1	—	8	—	2
4 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Meningococcal infections	M	—	—	—	1	—	—	1	—	—	1	1	—	—	—	—	1
	F	—	—	—	—	—	1	1	—	—	—	1	—	—	—	—	—
7 Acute poliomyelitis	M	1	—	—	—	—	1	—	—	—	2	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8 Measles	M	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
9 Other infective, etc., diseases	M	—	2	2	2	2	2	2	1	1	—	2	1	1	2	2	—
	F	—	2	2	2	6	1	2	1	2	—	1	1	2	3	1	—
10 Malignant neoplasm: stomach	M	5	43	24	53	31	14	11	11	22	10	22	19	11	70	12	26
	F	3	29	18	24	19	16	8	8	15	6	13	11	10	67	16	15
11 lung, bronchus	M	10	130	64	116	114	62	39	48	76	25	62	57	16	217	42	61
	F	2	24	15	23	21	16	6	10	13	5	9	5	5	47	11	21
12 breast	M	—	1	—	1	—	2	—	—	1	1	1	—	—	1	1	—
	F	1	40	35	44	36	23	14	22	25	12	12	23	3	135	31	20
13 uterus	F	2	28	10	22	10	7	5	15	8	5	8	5	5	54	10	9
14 Other malignant and lymphatic neoplasms	M	23	116	68	131	120	68	39	54	85	26	42	55	25	273	73	81
	F	14	99	98	117	111	72	29	40	73	18	35	38	26	310	49	84
15 Leukaemia, aleukaemia	M	1	9	2	5	6	5	1	3	1	—	3	4	1	8	3	3
	F	1	9	3	5	4	3	1	4	1	1	—	4	3	9	3	7
16 Diabetes	M	—	8	5	4	6	4	—	3	1	2	2	2	—	10	5	3
	F	—	8	9	7	7	3	7	4	12	1	5	11	1	24	2	4
17 Vascular lesions of nervous system	M	14	99	62	130	108	56	35	56	60	17	35	60	12	168	60	78
	F	15	154	128	192	165	90	40	96	92	37	76	68	34	321	79	90
18 Coronary disease, angina	M	27	212	157	229	260	147	75	101	137	30	107	110	64	386	114	179
	F	13	184	102	158	147	110	42	74	98	31	49	54	34	264	78	102
19 Hypertension with heart disease	M	—	22	10	18	32	11	3	35	15	1	6	15	8	26	11	18
	F	3	42	20	51	40	16	6	35	13	5	16	16	10	50	9	19
20 Other heart disease	M	10	94	56	112	118	37	23	77	39	12	85	63	21	414	17	55
	F	9	215	113	159	173	59	41	103	54	30	119	53	42	590	60	88
21 Other circulatory disease	M	7	38	35	63	59	30	20	20	29	7	28	26	19	85	37	35
	F	4	80	83	73	50	34	16	26	36	11	34	12	22	140	27	48
22 Influenza	M	2	10	3	8	5	—	—	1	3	1	2	4	1	8	3	2
	F	—	5	7	1	9	4	1	10	4	2	1	3	—	10	1	2
23 Pneumonia	M	6	73	41	57	79	30	26	14	53	17	37	49	9	110	22	57
	F	13	90	43	92	62	44	25	29	51	16	43	35	12	185	27	60
24 Bronchitis	M	9	141	64	135	152	50	41	54	88	49	51	87	30	190	39	50
	F	7	87	33	62	61	26	21	33	41	20	32	28	15	115	21	29
25 Other diseases of respiratory system	M	—	21	9	18	17	10	3	4	8	2	14	10	2	26	7	7
	F	—	7	9	6	10	3	5	5	2	3	3	3	—	20	5	4
26 Ulcer of stomach and duodenum	M	4	30	16	20	22	12	5	8	13	2	9	17	7	26	12	16
	F	1	10	9	15	6	10	2	5	5	2	3	5	1	19	3	7
27 Gastritis, enteritis and diarrhoea	M	—	8	2	1	4	3	—	2	2	1	5	4	1	4	1	4
	F	—	11	8	9	5	7	2	6	7	2	5	—	1	15	1	3
28 Nephritis and nephrosis	M	—	9	5	6	7	5	5	3	5	1	3	10	1	10	5	3
	F	1	8	6	11	9	3	2	2	1	2	3	6	2	11	2	4
29 Hyperplasia of prostate	M	2	16	6	8	13	6	4	4	11	1	3	11	4	27	1	13
30 Pregnancy, childbirth, abortion	F	—	6	1	1	—	3	1	1	1	2	1	2	1	5	—	1
31 Congenital malformations	M	5	11	7	18	10	9	7	4	10	3	10	5	4	10	3	6
	F	1	23	7	15	10	10	7	4	10	3	5	5	1	13	—	5
32 Other defined and ill-defined diseases	M	5	81	56	88	86	40	35	36	37	14	33	43	24	177	34	63
	F	11	101	80	81	93	65	37	37	66	16	46	55	15	310	44	59
33 Motor vehicle accidents	M	—	21	14	13	17	9	7	9	5	1	7	8	2	27	10	10
	F	—	9	9	12	4	3	—	2	2	—	1	2	—	9	1	5
34 All other accidents	M	2	25	24	15	29	19	8	9	22	2	16	10	8	44	12	12
	F	5	15	29	22	23	19	2	10	17	4	10	12	8	26	14	6
35 Suicide	M	4	21	18	24	16	23	2	15	14	1	6	11	4	31	11	6
	F	8	12	13	11	15	19	2	4	12	3	4	1	2	22	10	8
36 Homicide, operations of war	M	1	2	1	3	—	1	—	—	2	1	—	1	—	2	1	—
	F	—	2	1	—	—	1	—	1	—	—	1	—	—	—	—	—

TABLE 21—*continued.* Metropolitan boroughs

Registrar General's Supplementary Abridged List		Holborn	Islington	Kensington	Lambeth	Lewisham	Paddington	Poplar	St. Marylebone	St. Pancras	Shoreditch	Southwark	Stepney	Stoke Newington	Wandsworth	Westminster	Woolwich
4(1) Infectious hepatitis	M	—	1	2	—	—	—	2	1	1	—	—	—	1	—	1	—
	F	—	1	2	—	5	1	—	—	2	—	—	—	2	—	1	—
4(1) Malignant neoplasm, mouth and pharynx	M	2	6	2	5	6	4	1	2	8	1	3	2	2	19	4	4
	F	1	5	3	4	1	1	—	—	2	—	3	1	1	5	1	4
4(2) Malignant neoplasm, oesophagus	M	2	5	3	14	5	3	1	3	3	1	3	1	2	9	11	9
	F	—	2	4	3	7	3	—	1	1	—	1	1	—	8	2	4
4(3) Malignant neoplasm, intestine and rectum	M	4	26	16	29	28	11	9	7	25	4	11	12	7	65	16	18
	F	4	27	36	46	44	22	13	17	28	2	14	15	9	117	13	35
4(4) Malignant neoplasm, larynx	M	—	6	2	4	5	1	5	4	2	1	1	1	2	14	4	1
	F	—	1	1	1	1	—	—	—	1	—	1	—	—	7	2	—
3(1) Malignant neoplasm, cervix uteri	F	1	20	6	12	6	3	4	10	6	3	5	5	4	34	5	6
4(5) Malignant neoplasm, prostate	M	4	11	8	12	21	12	3	7	10	8	5	14	2	41	8	15
4(6) Malignant neoplasm, bladder	M	—	14	3	12	10	2	3	4	2	—	7	9	4	28	7	7
	F	—	4	2	3	7	2	3	2	3	2	2	3	3	17	4	4
4(7) Malignant neoplasm, bone (including jaw-bone)	M	—	—	2	1	1	—	—	2	1	—	—	—	—	3	—	2
	F	—	—	2	—	—	1	1	1	2	—	1	—	1	4	—	—
4(8) Lymphosarcoma, reticulosarcoma	M	—	6	7	3	4	3	2	3	3	—	2	—	1	2	3	—
	F	—	2	3	2	2	1	1	—	3	—	1	1	—	4	3	—
4(9) Hodgkin's disease	M	1	2	3	2	5	2	1	1	2	—	2	—	—	5	1	—
	F	1	1	1	4	1	—	—	—	—	—	—	—	—	4	1	1
2(1) Thyrotoxicosis	M	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—
	F	1	—	2	1	—	1	—	1	1	—	—	2	—	—	—	1
2(2) Multiple sclerosis	M	—	2	—	3	1	—	—	1	—	1	—	—	1	1	1	—
	F	1	1	2	2	2	—	—	1	1	—	—	2	3	7	—	—
2(3) Rheumatic fever	M	—	3	—	—	1	—	—	—	—	—	—	—	—	1	—	—
	F	—	2	—	—	2	—	—	—	—	—	—	—	—	2	—	—
0(1) Chronic rheumatic heart disease	M	1	18	12	20	12	10	4	6	5	2	8	6	2	19	3	7
	F	2	33	20	26	32	21	8	8	14	6	15	17	5	37	13	20
1(1) Hypertension without mention of heart	M	3	14	13	33	19	11	8	6	12	1	14	14	8	39	15	14
	F	—	31	31	32	19	10	9	14	15	3	16	4	7	37	5	15
5(1) Pneumoconiosis and chronic interstitial pneumonia	M	—	3	1	1	2	2	1	—	—	—	—	—	—	6	1	2
	F	—	2	—	1	1	—	—	1	—	—	1	—	—	2	—	—
5(1) Ulcer of stomach	M	1	15	8	11	16	6	4	2	5	2	5	11	4	12	5	9
	F	—	4	4	9	4	9	—	2	3	1	2	3	1	12	2	4
2(4) Appendicitis	M	—	2	3	2	2	2	2	—	1	2	—	—	3	2	—	2
	F	—	2	1	2	2	1	1	—	—	—	—	1	—	3	1	1
2(5) Intestinal obstruction and hernia	M	1	9	6	7	6	6	—	4	1	2	3	6	1	6	2	4
	F	1	8	10	3	16	3	1	8	10	3	3	3	—	17	8	5
2(6) Cirrhosis of liver	M	—	3	4	1	2	—	4	3	2	—	3	2	—	4	7	4
	F	—	3	3	2	2	3	4	1	1	1	—	2	—	8	2	2
2(7) Cholelithiasis, cholecystitis	M	—	2	1	5	3	—	—	3	2	1	1	1	1	3	1	2
	F	1	6	2	3	5	4	1	2	2	—	2	1	1	6	1	5
0(1) Maternal sepsis (not abortion)	F	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
0(2) Toxaemias of pregnancy and puerperium	F	—	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—
0(3) Abortion	F	—	4	—	—	—	2	1	—	1	1	—	1	1	5	—	—
2(8) Rheumatoid arthritis and allied conditions	M	—	—	—	2	1	—	—	—	—	—	—	—	—	1	—	1
	F	—	—	2	4	1	—	2	—	1	—	1	2	1	6	1	1
2(9) Birth injury	M	—	4	3	10	6	1	—	2	1	—	3	3	4	11	2	3
	F	1	5	6	4	1	3	2	3	3	—	2	—	—	4	1	1
2(10) Postnatal asphyxia and atelectasis	M	—	15	8	8	3	3	8	4	9	3	4	4	3	8	2	9
	F	—	10	4	5	5	3	2	1	5	1	6	3	1	5	2	3
3(1) Pneumonia of newborn	M	—	4	5	4	3	4	—	—	2	—	—	2	1	1	1	—
	F	1	5	—	1	2	2	—	—	—	—	1	—	1	3	—	—
2(11) Ophthalmia, pemphigus, sepsis of newborn	M	—	—	—	1	—	—	—	—	1	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
2(12) Haemolytic disease of newborn	M	—	1	1	—	1	—	2	—	—	—	1	—	—	—	1	—
	F	—	2	1	1	—	2	—	—	—	1	2	—	—	—	—	—
2(13) Immaturity (without other disease peculiar to early infancy)	M	—	4	11	18	20	6	3	—	3	—	3	2	1	18	2	4
	F	—	7	7	7	7	3	1	4	3	1	1	3	1	12	1	6
2(14) Senility without psychosis	M	1	—	1	1	3	1	1	—	—	—	—	—	—	55	1	4
	F	—	2	5	7	8	6	1	1	—	—	4	3	2	144	5	7
2(15) Ill-defined and unknown cause	M	—	3	—	1	—	—	—	—	1	—	1	—	—	—	—	—
	F	—	—	1	2	1	1	—	—	1	—	—	—	—	—	—	—

TABLE 21—*continued.* County boroughs

	Registrar General's Abridged List		Barnsley	Barrow-in-Furness	Bath	Birkenhead	Birmingham	Blackburn	Blackpool	Bolton	Bootle	Bournemouth	Bradford	Brighton	Bristol	Burnley	Burton upon Trent	Bury
1	Tuberculosis, respiratory	M	5	3	9	14	99	15	19	11	8	9	23	15	22	5	4	3
		F	3	—	1	3	32	7	4	8	—	2	5	10	15	2	4	1
2	Tuberculosis, other	M	—	1	—	—	7	—	2	3	—	1	6	—	4	1	—	—
		F	1	—	—	1	5	—	1	1	—	—	1	1	6	1	—	—
3	Syphilitic disease	M	1	1	2	3	19	1	4	2	—	1	5	4	6	—	—	1
		F	—	—	—	—	10	—	1	—	1	3	—	1	5	3	—	1
4	Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough	M	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6	Meningococcal infections	M	—	—	—	1	5	1	—	—	—	—	—	—	—	—	1	—
		F	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—
7	Acute poliomyelitis	M	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—
		F	—	—	—	—	3	—	1	—	—	—	—	—	—	1	—	—
8	Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	Other infective, etc., diseases	M	—	1	—	1	17	—	2	2	1	1	4	2	7	3	—	—
		F	1	—	—	2	8	—	2	1	1	—	7	1	3	2	—	1
10	Malignant neoplasm: stomach	M	11	8	15	23	192	37	43	42	7	24	41	29	76	20	12	17
		F	12	7	15	20	141	22	27	34	6	26	40	23	44	18	6	10
11	lung, bronchus	M	17	20	28	79	468	37	80	66	39	59	123	74	184	42	14	22
		F	—	2	3	11	78	5	13	16	6	7	27	18	22	5	4	5
12	breast	M	—	—	—	1	1	—	—	—	—	—	—	—	1	—	—	—
		F	7	11	20	34	237	23	45	28	12	45	73	54	86	21	5	16
13	uterus	F	12	6	5	19	93	11	26	17	11	17	31	23	42	14	3	13
14	Other malignant and lymphatic neoplasms	M	38	40	46	75	582	72	110	92	38	117	170	116	215	55	40	34
		F	31	33	49	78	520	66	100	91	32	114	148	101	209	48	20	32
15	Leukaemia, aleukaemia	M	2	1	3	3	22	—	5	1	2	6	8	5	20	1	1	3
		F	—	2	1	4	20	—	5	2	1	3	7	9	12	—	1	6
16	Diabetes	M	2	4	4	3	26	2	6	1	2	4	12	2	10	3	2	4
		F	3	1	3	8	51	5	8	7	4	9	21	4	26	5	2	5
17	Vascular lesions of nervous system	M	47	41	46	97	802	106	150	141	44	131	194	143	282	74	33	44
		F	61	62	119	151	998	179	240	199	52	280	337	236	487	125	46	65
18	Coronary disease, angina	M	77	94	92	173	981	164	283	211	58	254	411	173	514	112	47	48
		F	37	63	67	122	612	120	167	109	47	176	315	149	352	87	34	38
19	Hypertension with heart disease	M	6	4	4	13	144	16	12	33	4	17	64	30	107	5	8	14
		F	11	7	2	19	206	20	23	28	12	27	71	57	104	7	2	8
20	Other heart disease	M	79	67	44	65	645	98	173	121	31	137	235	143	309	64	60	60
		F	87	79	99	135	1,053	123	264	162	45	229	326	245	461	101	42	116
21	Other circulatory disease	M	18	8	25	33	197	29	42	38	14	34	54	75	131	21	12	19
		F	10	9	40	22	228	22	52	62	12	59	120	100	190	22	14	44
22	Influenza	M	—	—	6	5	19	3	4	1	2	5	1	1	9	3	1	6
		F	—	—	8	4	22	2	7	2	—	—	4	6	13	4	1	—
23	Pneumonia	M	9	32	34	44	264	36	29	42	15	27	129	49	101	19	11	8
		F	16	20	25	50	303	24	29	50	23	30	144	51	107	17	4	12
24	Bronchitis	M	42	23	23	83	582	80	73	77	50	59	162	80	171	44	30	48
		F	18	14	15	27	266	39	37	50	28	24	70	34	78	30	12	20
25	Other diseases of respiratory system	M	1	6	18	10	62	10	12	17	5	14	38	10	35	9	2	2
		F	—	—	2	3	35	7	6	11	2	9	14	10	17	5	2	1
26	Ulcer of stomach and duodenum	M	8	5	8	11	89	5	6	15	2	16	19	19	24	3	5	12
		F	1	3	5	8	46	2	4	4	3	6	8	7	25	10	—	3
27	Gastritis, enteritis and diarrhoea	M	3	1	3	3	16	4	6	2	—	6	7	9	13	—	—	1
		F	—	2	3	11	46	1	4	5	5	8	11	6	12	3	—	2
28	Nephritis and nephrosis	M	3	5	3	8	52	10	10	9	6	6	11	9	14	3	3	7
		F	5	1	—	8	47	10	12	7	2	8	13	6	20	6	1	8
29	Hyperplasia of prostate	M	2	6	10	16	56	18	20	17	2	15	10	24	34	9	5	4
30	Pregnancy, childbirth, abortion	F	1	—	2	1	6	2	2	—	—	1	2	1	2	—	—	—
31	Congenital malformations	M	3	2	3	13	68	6	15	5	8	8	17	6	28	5	4	2
		F	7	1	5	12	62	6	7	7	9	7	10	8	28	6	4	5
32	Other defined and ill-defined diseases	M	47	25	34	70	451	52	77	63	38	71	146	66	178	45	50	35
		F	30	25	40	91	528	69	94	99	51	100	155	88	173	72	60	36
33	Motor vehicle accidents	M	6	4	3	13	124	8	8	11	7	11	36	11	40	11	7	5
		F	5	—	6	2	39	5	9	10	1	9	11	8	13	4	1	4
34	All other accidents	M	11	12	15	19	113	16	9	31	8	17	41	31	49	13	5	14
		F	4	7	7	19	146	22	18	33	12	44	26	49	44	25	7	9
35	Suicide	M	6	6	6	10	80	8	12	12	5	13	15	10	27	15	7	2
		F	2	2	8	3	59	6	14	10	—	13	13	5	17	12	1	3
36	Homicide, operations of war	M	3	—	2	—	2	3	—	—	1	—	1	—	2	3	—	—
		F	—	—	—	—	—	—	—	—	—	1	2	1	1	—	—	—

TABLE 21—*continued.* County boroughs

	Registrar General's Supplementary Abridged List		Barnsley	Barrow-in-Furness	Bath	Birkenhead	Birmingham	Blackburn	Blackpool	Bolton	Bootle	Bournemouth	Bradford	Brighton	Bristol	Burnley	Burton upon Trent	Bury
9(1)	Infectious hepatitis	M	—	—	—	1	4	—	1	—	—	—	—	1	1	—	—	—
		F	—	—	—	—	1	—	—	1	1	—	1	1	—	—	—	—
14(1)	Malignant neoplasm, mouth and pharynx	M	3	4	3	1	43	6	6	11	3	3	8	7	13	3	—	7
		F	2	2	2	—	15	1	6	3	—	3	6	6	5	2	—	1
14(2)	Malignant neoplasm, oesophagus	M	—	3	6	7	28	5	7	5	—	2	9	8	7	2	2	2
		F	2	1	2	6	22	3	6	8	2	4	10	2	15	2	1	2
14(3)	Malignant neoplasm, intestine and rectum	M	10	9	11	22	177	26	29	29	13	34	47	15	65	13	12	10
		F	11	9	15	32	199	27	44	37	11	48	52	32	73	22	8	13
14(4)	Malignant neoplasm, larynx	M	1	2	3	2	13	3	2	1	2	2	3	5	8	3	1	1
		F	—	1	—	—	6	—	—	1	—	—	—	—	1	—	—	1
13(1)	Malignant neoplasm, cervix uteri	F	10	4	3	12	60	6	19	13	9	11	20	15	25	9	2	11
14(5)	Malignant neoplasm, prostate	M	6	3	7	14	94	8	11	17	3	22	28	16	21	10	5	3
14(6)	Malignant neoplasm, bladder	M	3	4	1	6	40	4	9	7	7	11	17	22	26	3	7	1
		F	1	2	3	1	19	5	3	4	3	4	8	6	7	—	1	1
14(7)	Malignant neoplasm, bone (including jaw-bone)	M	1	—	1	1	13	—	5	2	—	1	3	3	5	—	—	1
		F	—	—	1	2	11	2	—	3	—	1	1	2	2	3	—	2
14(8)	Lymphosarcoma, reticulosarcoma	M	—	—	1	1	17	—	1	3	2	1	1	2	8	1	—	—
		F	—	2	1	4	16	—	—	2	1	3	1	2	7	—	1	—
14(9)	Hodgkin's disease	M	—	1	—	2	6	2	2	2	1	3	3	—	2	—	1	1
		F	1	—	1	3	1	1	1	1	1	2	6	2	2	—	—	1
32(1)	Thyrotoxicosis	M	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—
		F	—	1	1	1	13	1	—	3	—	2	—	—	3	—	—	2
32(2)	Multiple sclerosis	M	1	—	—	—	13	1	1	2	—	2	4	—	4	1	—	1
		F	—	1	2	2	17	2	4	2	—	—	1	2	5	2	1	1
32(3)	Rheumatic fever	M	—	—	—	—	—	—	—	—	—	1	2	—	1	1	—	—
		F	—	—	—	—	1	—	—	2	—	—	—	—	1	1	—	—
20(1)	Chronic rheumatic heart disease	M	2	2	8	8	51	10	14	15	2	3	20	7	38	6	4	3
		F	11	4	5	27	149	13	17	27	6	21	30	16	60	11	3	12
21(1)	Hypertension without mention of heart	M	6	3	5	7	82	9	11	13	4	13	13	14	34	3	5	3
		F	1	7	6	4	86	7	5	14	7	17	25	16	43	8	2	10
25(1)	Pneumoconiosis and chronic interstitial pneumonia	M	1	2	3	—	5	—	2	5	—	1	3	1	4	1	—	—
		F	—	—	—	—	2	—	—	—	—	1	1	1	1	1	—	—
26(1)	Ulcer of stomach	M	2	1	5	4	41	4	4	7	1	9	12	8	13	—	4	3
		F	1	2	3	7	27	2	4	1	—	3	2	4	22	6	—	1
32(4)	Appendicitis	M	—	—	—	1	10	1	2	1	1	2	4	1	5	—	—	—
		F	—	1	1	—	11	2	1	6	1	2	4	1	1	1	—	—
32(5)	Intestinal obstruction and hernia	M	1	1	2	3	40	6	8	5	1	6	12	8	9	4	3	3
		F	2	1	3	6	21	7	3	10	4	11	11	10	10	4	1	3
32(6)	Cirrhosis of liver	M	1	—	—	4	19	—	3	1	1	1	5	4	7	—	1	2
		F	—	—	—	4	15	2	2	3	—	2	—	3	3	3	—	—
32(7)	Cholelithiasis, cholecystitis	M	—	—	3	4	15	1	1	2	2	5	4	2	6	1	—	1
		F	1	1	4	2	27	4	4	4	1	6	10	3	7	6	—	1
30(1)	Maternal sepsis (not abortion)	F	—	—	—	—	1	—	2	—	—	—	—	—	1	—	—	—
30(2)	Toxaemias of pregnancy and puerperium	F	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—
30(3)	Abortion	F	—	—	—	1	1	1	—	—	—	—	—	—	1	—	—	—
32(8)	Rheumatoid arthritis and allied conditions	M	1	—	3	1	8	—	—	1	—	—	1	3	3	—	—	3
		F	1	2	—	1	19	2	—	4	1	4	5	2	23	5	1	4
32(9)	Birth injury	M	—	3	3	4	32	—	4	3	4	2	11	3	10	3	—	3
		F	—	1	—	2	24	—	3	2	5	1	8	1	—	4	1	—
32(10)	Postnatal asphyxia and atelectasis	M	7	1	2	8	34	3	7	12	5	6	14	4	31	3	9	—
		F	3	2	1	4	27	2	2	11	9	1	10	—	11	3	1	2
23(1)	Pneumonia of newborn	M	—	2	3	—	9	5	3	—	1	—	2	—	4	3	—	—
		F	—	—	1	—	10	4	—	3	—	—	2	1	1	2	—	—
32(11)	Ophthalmia, pemphigus, sepsis of newborn	M	—	—	1	2	—	1	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	1	—	—	—	—	—	—	—	2	—	—	—
32(12)	Haemolytic disease of newborn	M	—	—	—	2	3	—	—	1	1	—	1	—	2	—	—	—
		F	—	—	—	—	6	1	—	1	—	—	2	1	1	1	—	—
32(13)	Immaturity (without other disease peculiar to early infancy)	M	5	2	1	7	54	4	—	3	10	3	9	3	6	3	4	3
		F	5	1	1	7	40	—	3	3	2	3	17	4	3	3	—	2
32(14)	Senility without psychosis	M	12	2	1	5	38	11	18	4	1	8	16	4	2	19	19	4
		F	9	2	4	21	59	17	23	11	2	21	15	22	12	18	39	7
32(15)	Ill-defined and unknown cause	M	—	1	—	—	4	—	2	1	—	—	2	2	1	—	—	1
		F	—	—	—	—	1	1	—	—	—	—	1	—	—	—	—	—

TABLE 21—*continued.* County boroughs

Registrar General's Abridged List		Canterbury	Carlisle	Chester	Coventry	Croydon	Darlington	Derby	Dewsbury	Doncaster	Dudley	Eastbourne	East Ham	Exeter	Gateshead	Gloucester	Great Yarmouth
1 Tuberculosis, respiratory	M	5	2	2	21	12	6	9	1	3	7	5	5	3	18	10	4
	F	—	2	1	6	7	4	1	3	—	3	4	—	3	4	1	—
2 Tuberculosis, other	M	—	—	—	1	—	—	—	—	1	2	1	—	3	1	1	—
	F	—	2	—	—	1	—	—	—	—	—	1	1	—	—	2	—
3 Syphilitic disease	M	—	—	—	4	7	2	4	2	1	—	—	2	—	1	1	—
	F	—	2	—	3	4	1	1	—	—	—	—	2	1	2	1	1
4 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Meningococcal infections	M	—	—	—	2	—	—	—	—	—	1	—	1	—	1	1	—
	F	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—
7 Acute poliomyelitis	M	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
8 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
9 Other infective, etc., diseases	M	—	2	1	—	3	1	1	1	—	—	—	—	1	1	—	2
	F	—	1	—	—	—	2	1	—	2	—	—	1	—	—	—	1
10 Malignant neoplasm: stomach	M	3	19	8	36	39	16	24	14	17	10	10	14	13	19	5	11
	F	6	10	7	32	19	16	11	10	15	7	12	12	9	12	5	7
11 lung, bronchus	M	7	24	17	92	107	31	71	21	36	22	28	50	25	49	26	23
	F	5	5	5	14	17	7	7	3	6	1	8	7	4	3	3	4
12 breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
	F	9	9	4	41	65	17	26	6	11	5	17	24	20	14	14	9
13 uterus	F	1	9	8	21	22	6	13	8	8	6	8	12	11	14	5	5
14 Other malignant and lymphatic neoplasms	M	17	24	29	124	141	61	71	32	54	36	47	58	48	63	29	47
	F	18	38	26	98	137	48	64	41	37	23	40	49	56	50	35	24
15 Leukaemia, aleukaemia	M	—	—	3	5	11	3	3	—	4	3	3	3	1	1	2	2
	F	2	1	1	11	4	—	3	—	—	2	4	3	2	3	1	3
16 Diabetes	M	1	2	1	8	7	2	6	4	2	1	2	3	4	4	1	5
	F	6	1	3	11	13	10	9	2	4	6	10	4	5	2	3	5
17 Vascular lesions of nervous system	M	21	53	44	164	160	60	96	49	70	44	69	68	57	83	36	42
	F	38	99	56	172	303	107	113	61	81	43	140	88	114	75	74	59
18 Coronary disease, angina	M	37	104	75	314	302	122	191	69	109	51	96	130	95	107	58	61
	F	16	59	36	163	209	70	119	50	52	30	63	81	75	73	40	41
19 Hypertension with heart disease	M	5	6	5	39	23	2	11	8	10	16	5	10	7	14	4	4
	F	6	26	10	33	38	9	11	9	6	11	9	13	19	17	5	9
20 Other heart disease	M	14	46	36	128	170	53	113	40	56	52	51	64	73	80	58	41
	F	27	104	71	164	216	86	130	54	65	45	129	80	111	111	71	66
21 Other circulatory disease	M	13	10	8	40	50	19	46	24	48	11	14	21	27	20	17	21
	F	31	22	19	43	76	15	58	26	30	14	22	26	23	47	11	16
22 Influenza	M	—	—	—	7	10	3	5	—	5	—	—	1	2	2	1	1
	F	—	—	1	5	12	—	2	1	6	1	4	2	—	2	2	1
23 Pneumonia	M	6	13	18	73	69	15	59	17	15	16	17	31	15	27	20	7
	F	9	14	16	50	76	20	79	18	13	13	38	41	13	33	23	10
24 Bronchitis	M	8	16	34	83	127	37	64	35	50	31	19	62	35	63	32	21
	F	4	9	5	38	68	18	17	15	16	19	10	13	16	34	12	8
25 Other diseases of respiratory system	M	—	3	3	17	22	4	15	6	11	4	12	8	5	11	2	1
	F	1	1	2	7	5	3	3	1	1	2	1	3	2	5	1	1
26 Ulcer of stomach and duodenum	M	1	7	5	16	16	6	7	9	6	6	7	6	4	14	6	6
	F	—	5	2	2	10	—	7	2	1	2	2	2	2	5	4	2
27 Gastritis, enteritis and diarrhoea	M	—	2	1	3	2	2	6	1	1	—	2	—	4	1	—	2
	F	2	3	5	4	8	4	3	—	6	1	2	7	3	3	2	1
28 Nephritis and nephrosis	M	1	6	5	11	7	3	10	8	5	2	5	4	4	4	5	2
	F	2	3	6	8	15	6	7	4	5	3	7	4	1	3	4	—
29 Hyperplasia of prostate	M	3	7	6	13	25	6	10	7	5	4	5	9	13	8	3	6
30 Pregnancy, childbirth, abortion	F	—	—	—	1	4	—	—	—	1	—	—	—	1	1	1	—
31 Congenital malformations	M	2	7	—	21	18	6	8	2	2	8	3	4	2	6	1	3
	F	1	3	5	14	12	7	12	2	1	5	1	3	5	2	6	3
32 Other defined and ill-defined diseases	M	13	26	17	96	133	31	50	20	38	22	26	40	33	61	28	22
	F	18	41	24	96	105	34	48	14	44	35	31	25	43	52	29	23
33 Motor vehicle accidents	M	4	9	4	32	19	7	15	5	15	2	4	6	3	14	5	2
	F	1	4	—	10	12	1	4	1	2	2	2	3	1	5	2	5
34 All other accidents	M	4	14	3	23	13	13	21	7	17	11	4	7	6	18	8	9
	F	5	14	7	29	14	10	5	6	10	7	11	8	11	13	7	9
35 Suicide	M	—	4	2	24	17	6	10	2	9	5	2	5	6	13	5	1
	F	1	4	—	8	13	3	9	—	6	4	2	6	6	4	4	1
36 Homicide, operations of war	M	—	—	—	2	—	1	—	1	1	—	1	1	1	—	—	—
	F	—	—	—	1	—	2	—	—	1	—	—	1	—	—	—	—

TABLE 21—*continued.* County boroughs

Registrar General's Supplementary Abridged List		Canterbury	Carlisle	Chester	Coventry	Croydon	Darlington	Derby	Dewsbury	Doncaster	Dudley	Eastbourne	East Ham	Exeter	Gateshead	Gloucester	Great Yarmouth
3(1) Infectious hepatitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
	F	—	1	—	—	—	1	—	—	1	—	—	—	—	—	—	—
14(1) Malignant neoplasm, mouth and pharynx	M	—	1	2	6	7	5	1	1	2	4	3	3	1	7	1	3
	F	—	2	1	1	2	2	2	—	—	1	2	2	1	1	2	1
14(2) Malignant neoplasm, oesophagus	M	1	3	4	10	5	3	8	—	1	—	3	3	1	6	2	4
	F	1	3	2	3	11	—	1	1	1	1	1	1	5	3	3	2
14(3) Malignant neoplasm, intestine and rectum	M	4	6	9	39	52	18	18	15	15	10	10	16	13	17	6	14
	F	8	16	9	30	41	20	25	21	9	5	17	12	20	20	9	6
14(4) Malignant neoplasm, larynx	M	—	—	2	3	—	2	2	2	—	1	3	2	2	1	1	—
	F	—	—	—	1	1	1	2	—	—	—	—	—	—	—	—	—
53(1) Malignant neoplasm, cervix uteri	F	1	7	7	17	13	5	9	6	6	6	7	10	9	14	4	4
14(5) Malignant neoplasm, prostate	M	1	1	3	16	19	12	8	2	12	5	10	7	8	8	3	6
14(6) Malignant neoplasm, bladder	M	2	2	1	6	11	6	6	2	3	3	3	4	4	3	3	2
	F	1	—	1	2	5	4	2	4	3	—	3	2	2	3	—	2
14(7) Malignant neoplasm, bone (including jaw-bone)	M	1	—	—	2	1	—	1	1	1	2	—	2	1	—	—	1
	F	—	—	—	3	3	1	—	—	—	1	—	—	—	1	—	1
14(8) Lymphosarcoma, reticulosarcoma	M	—	—	2	2	3	2	2	—	2	—	—	1	2	1	—	2
	F	—	—	1	3	4	—	1	2	1	—	—	1	3	1	—	1
14(9) Hodgkin's disease	M	—	—	1	1	2	4	1	1	1	1	3	—	2	2	1	—
	F	—	—	—	—	2	1	—	—	1	—	—	—	1	—	—	1
52(1) Thyrotoxicosis	M	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	2	—	—	—	2	—	2
52(2) Multiple sclerosis	M	1	1	—	2	2	2	2	1	—	1	—	—	1	—	—	2
	F	1	1	—	2	1	—	1	1	1	—	3	—	3	—	—	2
52(3) Rheumatic fever	M	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—
20(1) Chronic rheumatic heart disease	M	1	2	1	19	20	3	11	4	6	2	3	7	3	11	1	3
	F	3	13	12	19	21	7	10	9	3	4	6	9	7	16	4	5
21(1) Hypertension without mention of heart	M	8	3	3	9	17	11	9	7	17	5	2	9	11	4	—	3
	F	9	8	4	15	21	3	9	3	9	6	2	12	4	15	3	8
25(1) Pneumoconiosis and chronic interstitial pneumonia	M	—	—	—	10	—	1	2	—	3	1	2	2	1	1	—	—
	F	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
26(1) Ulcer of stomach	M	1	3	4	7	4	1	3	4	4	2	3	3	1	7	4	3
	F	—	2	2	1	9	—	3	2	1	2	2	2	—	5	2	2
52(4) Appendicitis	M	1	—	2	1	4	—	—	—	—	—	—	1	1	—	—	—
	F	—	1	—	—	—	—	1	—	—	—	—	—	1	—	1	—
52(5) Intestinal obstruction and hernia	M	2	1	—	5	16	—	5	1	1	—	5	2	5	4	1	1
	F	—	3	2	5	9	1	—	1	2	2	6	1	2	3	1	1
52(6) Cirrhosis of liver	M	1	2	—	3	5	2	3	—	3	—	1	3	2	—	1	2
	F	—	1	1	5	1	1	—	—	1	1	2	1	2	1	—	—
52(7) Cholelithiasis, cholecystitis	M	—	—	—	2	3	—	—	—	—	—	3	1	—	2	1	—
	F	—	5	1	—	4	2	4	—	1	1	1	1	1	1	—	—
30(1) Maternal sepsis (not abortion)	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30(2) Toxaemias of pregnancy and puerperium	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30(3) Abortion	F	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—
52(8) Rheumatoid arthritis and allied conditions	M	—	—	2	1	—	—	—	—	1	—	—	1	1	2	—	—
	F	—	1	2	2	4	—	3	—	1	3	1	2	2	3	—	2
52(9) Birth injury	M	—	6	2	12	4	3	8	1	4	1	—	2	1	3	1	—
	F	—	3	4	5	—	—	2	1	2	1	—	—	—	1	2	1
52(10) Postnatal asphyxia and atelectasis	M	1	1	—	5	9	2	6	1	1	1	—	2	3	6	1	1
	F	—	2	—	6	3	2	2	—	3	4	—	—	7	5	1	—
23(1) Pneumonia of newborn	M	1	5	—	11	—	—	1	1	—	1	—	—	—	2	1	—
	F	—	3	1	6	2	1	1	—	—	2	1	—	—	3	—	1
52(11) Ophthalmia, pemphigus, sepsis of newborn	M	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—
	F	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—
52(12) Haemolytic disease of newborn	M	—	1	—	3	6	—	—	—	—	—	—	—	—	1	—	1
	F	—	—	—	2	1	—	1	—	—	—	—	1	1	—	1	—
52(13) Immaturity (without other disease peculiar to early infancy)	M	—	1	1	20	5	4	1	1	5	1	1	7	2	8	7	1
	F	2	7	—	6	3	4	1	4	2	3	—	2	—	5	3	1
52(14) Senility without psychosis	M	2	2	—	6	32	4	4	2	6	7	3	1	3	10	3	2
	F	3	3	2	9	32	5	8	—	10	8	4	2	3	11	6	3
52(15) Ill-defined and unknown cause	M	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—
	F	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—	—

TABLE 21—*continued.* County boroughs

Registrar General's Abridged List		Grimsby	Halifax	Hastings	Huddersfield	Ipswich	Kingston upon Hull	Leeds	Leicester	Lincoln	Liverpool	Manchester	Middlesbrough	Newcastle upon Tyne	Northampton	Norwich	Nottingham
1 Tuberculosis, respiratory	M	12	10	5	12	5	25	45	15	4	75	53	12	23	8	5	34
	F	3	2	3	7	—	7	13	5	1	35	16	6	6	2	2	15
2 Tuberculosis, other	M	1	—	1	—	1	1	2	3	—	4	5	—	2	1	—	1
	F	—	—	—	—	2	3	1	2	—	4	5	1	2	1	1	4
3 Syphilitic disease	M	—	1	3	3	3	2	10	8	1	13	15	6	7	1	—	5
	F	2	—	—	—	1	1	10	2	2	10	9	—	4	2	1	7
4 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Meningococcal infections	M	—	—	—	—	—	—	1	1	—	2	1	1	1	—	—	1
	F	—	—	—	—	—	1	—	2	—	2	1	—	2	—	—	1
7 Acute poliomyelitis	M	—	1	—	1	—	1	2	1	—	—	3	—	—	—	—	—
	F	—	1	—	1	—	—	1	—	—	2	1	—	—	—	—	1
8 Measles	M	1	1	—	—	—	1	—	—	—	1	1	—	—	—	—	1
	F	—	1	1	—	—	—	—	—	—	2	2	—	—	—	—	1
9 Other infective, etc., diseases	M	4	1	—	2	1	2	4	1	1	9	7	3	1	1	1	2
	F	—	1	—	2	2	3	8	2	—	12	12	1	5	1	2	10
10 Malignant neoplasm: stomach	M	17	24	13	25	25	64	102	44	8	157	128	21	68	24	17	49
	F	11	24	17	16	16	39	68	32	6	121	102	29	49	13	15	40
lung, bronchus	M	32	40	30	49	38	128	245	102	32	346	307	61	142	50	51	128
	F	5	5	5	8	13	17	37	19	2	61	51	8	27	2	8	16
12 breast	M	—	1	—	—	—	—	—	—	—	2	1	—	—	1	1	1
	F	16	22	23	29	26	40	100	74	15	126	121	15	41	25	21	57
13 uterus	F	6	16	8	12	7	33	38	37	6	71	58	13	35	15	6	43
14 Other malignant and lymphatic neoplasms	M	49	50	51	80	73	157	226	159	39	358	364	80	162	56	72	134
	F	33	54	75	61	58	157	242	139	37	396	322	64	128	64	61	121
15 Leukaemia, aleukaemia	M	—	2	1	3	2	11	14	3	4	20	17	5	7	3	3	14
	F	2	4	3	4	2	6	12	10	1	16	9	4	7	3	3	9
16 Diabetes	M	1	2	—	3	2	3	16	3	3	12	21	3	5	2	3	10
	F	5	4	6	9	5	7	28	16	3	35	28	6	12	3	2	18
17 Vascular lesions of nervous system	M	60	75	64	101	66	159	309	265	56	475	492	105	241	112	68	186
	F	90	163	156	187	97	258	443	380	73	681	742	127	258	119	136	255
18 Coronary disease, angina	M	106	184	82	219	133	302	657	310	93	877	729	159	375	133	134	277
	F	65	129	64	143	93	200	417	153	77	499	427	103	240	100	82	157
19 Hypertension with heart disease	M	18	10	14	18	6	26	53	42	10	77	64	14	25	20	17	35
	F	15	17	18	22	3	33	83	52	10	143	86	18	44	23	19	65
20 Other heart disease	M	62	73	87	112	67	173	273	177	51	439	543	105	152	84	70	183
	F	60	121	222	155	101	292	394	312	85	664	785	138	215	124	115	309
21 Other circulatory disease	M	32	22	22	30	18	48	102	57	19	118	164	32	94	24	21	65
	F	31	30	24	47	30	74	113	63	20	135	215	49	104	14	29	65
22 Influenza	M	2	1	—	2	8	12	7	3	3	10	24	2	7	2	3	13
	F	2	1	2	2	7	9	6	4	—	10	21	1	14	1	5	19
23 Pneumonia	M	36	30	12	23	40	102	207	78	31	333	203	58	79	13	35	77
	F	27	31	31	19	30	83	176	75	31	466	226	46	68	15	44	96
24 Bronchitis	M	45	54	33	78	29	159	299	105	26	419	518	69	150	45	36	213
	F	13	15	16	29	21	73	139	55	13	216	262	29	67	21	19	109
25 Other diseases of respiratory system	M	7	9	4	5	7	14	34	10	4	63	49	9	20	3	7	12
	F	6	6	2	4	2	3	16	4	2	43	38	3	9	1	2	10
26 Ulcer of stomach and duodenum	M	4	4	9	8	8	29	50	22	10	66	52	5	17	11	9	29
	F	2	6	4	5	3	10	18	6	3	27	25	6	6	6	1	11
27 Gastritis, enteritis and diarrhoea	M	3	2	1	4	6	5	11	8	—	24	15	7	8	3	2	3
	F	1	2	2	2	6	5	9	6	3	25	27	4	3	6	6	9
28 Nephritis and nephrosis	M	4	1	3	13	4	30	19	14	3	34	20	5	11	6	6	8
	F	2	6	1	17	3	18	18	10	6	30	29	6	9	3	4	20
29 Hyperplasia of prostate	M	7	11	9	10	10	47	20	16	6	31	21	16	15	11	15	10
30 Pregnancy, childbirth, abortion	F	1	1	—	—	—	6	7	1	1	4	8	4	2	1	—	6
31 Congenital malformations	M	5	6	4	7	6	16	29	12	9	56	39	9	21	4	4	18
	F	3	7	—	5	5	22	32	22	4	51	30	11	18	5	11	19
32 Other defined and ill-defined diseases	M	45	35	20	64	40	102	220	103	35	308	317	65	114	45	52	122
	F	52	42	49	67	45	126	313	132	40	361	449	77	145	40	70	151
33 Motor vehicle accidents	M	5	6	3	14	9	19	44	26	5	49	60	16	22	8	10	22
	F	1	4	2	7	1	10	15	13	1	27	37	1	11	4	1	8
34 All other accidents	M	10	13	11	22	14	36	59	34	10	94	76	26	37	12	13	37
	F	11	25	14	28	12	46	37	42	9	107	56	15	30	13	16	42
35 Suicide	M	4	9	7	21	4	41	41	25	3	42	58	11	19	4	5	26
	F	7	4	1	6	5	20	30	12	4	42	25	4	20	14	13	10
36 Homicide, operations of war	M	—	—	—	—	—	1	5	3	—	5	4	2	2	—	—	1
	F	—	—	—	1	—	1	1	1	—	—	3	1	1	—	—	—

TABLE 21—*continued.* County boroughs

Registrar General's Supplementary Abridged List		Grimsby	Halifax	Hastings	Huddersfield	Ipswich	Kingston upon Hull	Leeds	Leicester	Lincoln	Liverpool	Manchester	Middlesbrough	Newcastle upon Tyne	Northampton	Norwich	Nottingham
1(1) Infectious hepatitis	M	1	—	—	2	—	—	—	—	—	1	2	—	—	—	—	1
	F	—	1	—	1	1	—	2	1	—	4	3	—	—	1	1	3
4(1) Malignant neoplasm, mouth and pharynx	M	5	4	2	6	2	9	14	4	2	23	29	5	8	4	7	2
	F	1	—	4	1	1	2	10	1	1	11	7	1	3	2	3	1
4(2) Malignant neoplasm, oesophagus	M	4	3	1	5	3	12	7	5	1	31	17	9	10	2	3	3
	F	3	1	1	—	3	6	12	7	4	25	11	4	4	—	3	7
4(3) Malignant neoplasm, intestine and rectum	M	14	19	15	18	24	46	60	51	14	86	113	21	49	17	16	32
	F	15	24	21	18	21	56	76	66	16	149	140	28	38	29	20	39
4(4) Malignant neoplasm, larynx	M	2	—	2	1	3	5	5	2	—	9	12	5	5	1	1	4
	F	—	—	—	—	1	5	2	—	—	2	4	—	—	—	—	3
5(1) Malignant neoplasm, cervix uteri	F	6	9	4	10	3	28	31	21	5	55	32	10	28	8	4	26
4(5) Malignant neoplasm, prostate	M	5	7	8	13	10	15	29	27	1	38	30	8	22	9	7	29
4(6) Malignant neoplasm, bladder	M	4	4	7	14	2	14	17	17	3	33	25	6	14	4	7	12
	F	—	6	3	4	2	8	10	6	3	12	14	3	8	2	3	2
4(7) Malignant neoplasm, bone (including jaw-bone)	M	2	1	—	—	—	1	3	1	—	5	4	—	2	1	1	1
	F	—	1	1	1	—	1	3	1	—	8	8	—	1	1	—	—
4(8) Lymphosarcoma, reticulosarcoma	M	1	—	2	—	4	1	4	7	—	10	5	—	2	1	3	4
	F	—	—	1	—	3	—	8	—	—	14	3	—	6	2	3	—
4(9) Hodgkin's disease	M	—	1	—	2	—	5	3	3	—	5	15	2	5	—	1	1
	F	—	—	1	2	3	3	3	6	—	5	4	1	3	—	1	3
5(1) Thyrotoxicosis	M	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—
	F	1	—	—	1	—	2	3	—	1	3	2	2	—	—	—	1
8(2) Multiple sclerosis	M	1	—	—	3	—	1	2	1	—	3	7	—	2	1	—	—
	F	3	4	—	1	2	5	6	—	—	5	13	2	1	—	5	1
2(3) Rheumatic fever	M	—	1	—	1	—	—	—	—	—	1	2	—	—	1	—	—
	F	—	—	—	—	—	—	1	1	—	—	1	—	—	—	—	1
3(1) Chronic rheumatic heart disease	M	3	3	—	18	8	13	42	13	3	45	40	9	11	7	4	13
	F	8	6	8	18	7	28	78	30	9	133	88	12	37	11	9	34
4(1) Hypertension without mention of heart	M	7	7	7	11	7	11	34	24	6	43	40	8	39	4	5	27
	F	6	4	7	15	7	10	43	19	11	40	47	13	36	4	8	36
5(1) Pneumoconiosis and chronic interstitial pneumonia	M	—	2	1	2	1	—	11	1	—	4	7	3	—	—	—	2
	F	—	—	1	—	1	—	3	—	—	1	2	—	—	—	—	2
6(1) Ulcer of stomach	M	3	2	6	4	7	20	17	11	3	21	29	2	5	3	6	16
	F	—	1	1	2	3	7	14	5	2	15	17	2	3	6	1	5
7(4) Appendicitis	M	1	2	1	—	—	6	2	3	—	9	5	—	1	2	2	3
	F	—	—	—	—	1	1	6	2	—	5	4	3	1	1	2	3
8(5) Intestinal obstruction and hernia	M	3	5	—	3	2	7	11	9	2	18	28	5	8	4	3	9
	F	2	3	4	6	2	8	21	14	2	19	30	1	11	5	2	8
8(6) Cirrhosis of liver	M	2	—	1	3	—	5	11	8	—	14	6	3	4	—	—	3
	F	1	—	2	2	1	2	11	3	3	4	7	2	4	1	2	7
8(7) Cholelithiasis, cholecystitis	M	—	—	—	4	—	2	3	2	1	2	2	—	2	5	—	3
	F	—	2	—	7	2	8	13	3	2	15	11	3	7	4	3	5
9(1) Maternal sepsis (not abortion)	F	—	—	—	—	—	2	—	—	1	1	2	1	—	—	—	1
9(2) Toxaemias of pregnancy and puerperium	F	1	—	—	—	—	1	3	—	—	—	1	2	—	—	—	—
9(3) Abortion	F	—	—	—	—	—	—	3	1	—	—	3	—	—	—	—	1
8(8) Rheumatoid arthritis and allied conditions	M	—	—	—	2	—	2	1	1	—	2	4	1	—	—	—	2
	F	1	—	2	1	1	5	4	3	—	21	17	5	5	1	2	6
8(9) Birth injury	M	2	3	—	2	1	11	11	2	2	48	29	6	7	2	3	6
	F	2	1	1	2	1	2	9	5	—	12	14	5	4	—	1	4
8(10) Postnatal asphyxia and atelectasis	M	2	4	—	5	3	9	14	10	2	46	32	6	11	7	1	23
	F	3	2	2	4	—	12	11	8	1	37	20	3	5	7	—	9
9(1) Pneumonia of newborn	M	1	2	—	1	—	4	2	2	2	13	10	3	5	—	—	1
	F	6	5	1	1	—	1	2	4	1	8	9	—	4	1	1	1
8(11) Ophthalmia, pemphigus, sepsis of newborn	M	—	—	—	—	—	—	2	—	—	—	1	—	—	—	—	1
	F	—	—	—	—	—	—	—	1	—	1	1	—	—	—	—	—
8(12) Haemolytic disease of newborn	M	—	4	—	2	—	2	1	1	—	5	5	—	—	—	—	1
	F	—	1	—	—	—	3	—	2	—	5	6	—	1	—	1	1
9(13) Immaturity (without other disease peculiar to early infancy)	M	5	1	—	5	6	13	42	11	6	28	39	11	9	2	3	5
	F	4	1	2	1	1	11	24	10	2	24	30	8	7	1	2	7
9(14) Senility without psychosis	M	13	2	3	11	3	3	35	8	7	16	36	1	16	1	8	13
	F	11	7	14	11	4	4	66	18	11	33	120	7	33	3	20	24
9(15) Ill-defined and unknown cause	M	1	—	2	—	1	1	—	—	1	—	6	3	—	—	—	1
	F	—	—	—	1	—	—	2	2	—	2	6	1	—	—	—	3

TABLE 21—*continued.* County boroughs

Registrar General's Abridged List		Oldham	Oxford	Plymouth	Portsmouth	Preston	Reading	Rochdale	Rotherham	St. Helen's	Salford	Sheffield	Smethwick	Southampton	Southend-on-Sea	Southport	South Shields
1 Tuberculosis, respiratory	M	7	4	12	13	11	7	4	7	14	18	47	14	19	3	4	14
	F	4	2	9	3	1	1	5	2	3	2	11	2	4	4	2	5
2 Tuberculosis, other	M	—	—	1	1	1	—	1	—	1	1	—	—	3	—	1	—
	F	1	—	—	1	—	—	—	—	1	2	2	1	—	2	—	2
3 Syphilitic disease	M	2	2	4	5	2	—	2	1	1	3	10	1	5	2	2	3
	F	3	2	3	1	4	2	3	1	1	1	1	—	2	5	2	—
4 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
6 Meningococcal infections	M	1	—	—	—	—	—	—	—	2	—	3	1	—	—	—	—
	F	—	—	1	2	—	—	—	—	1	—	1	—	1	1	—	1
7 Acute poliomyelitis	M	—	1	2	—	2	—	—	—	—	—	—	—	2	1	—	—
	F	1	1	1	—	—	—	—	—	—	—	1	—	3	—	1	—
8 Measles	M	—	—	—	1	—	—	—	—	2	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Other infective, etc., diseases	M	1	1	2	4	2	—	2	3	—	6	5	—	—	2	—	2
	F	1	1	2	4	1	1	1	—	1	4	7	—	3	—	1	3
10 Malignant neoplasm: stomach	M	31	13	23	47	18	12	19	15	22	33	99	15	33	25	16	26
	F	31	9	25	21	20	6	19	12	21	31	71	7	28	21	11	21
11 lung, bronchus	M	50	35	76	66	58	34	29	37	50	83	264	41	86	88	45	49
	F	8	2	7	18	5	7	5	4	3	6	23	2	17	16	9	6
12 breast	M	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—
	F	26	17	33	55	26	26	16	13	17	21	91	13	36	45	13	19
13 uterus	F	13	6	20	23	10	12	14	7	6	13	40	8	17	18	11	15
14 Other malignant and lymphatic neoplasms	M	63	49	130	136	58	50	50	44	51	84	275	39	108	105	48	72
	F	60	45	111	117	57	50	49	45	52	88	246	31	85	104	51	43
15 Leukaemia, aleukaemia	M	5	7	5	4	4	6	1	2	2	2	15	2	12	2	2	4
	F	3	2	3	3	2	3	2	2	2	1	17	3	4	3	4	1
16 Diabetes	M	1	1	12	6	3	4	1	1	1	6	5	2	2	3	6	2
	F	6	1	5	7	6	6	3	5	7	9	26	4	9	6	11	2
17 Vascular lesions of nervous system	M	128	65	173	136	85	77	87	63	61	108	356	46	93	116	76	103
	F	128	99	244	193	124	130	121	64	85	169	509	54	148	211	155	124
18 Coronary disease, angina	M	133	104	259	267	149	112	134	89	132	168	620	68	205	271	173	126
	F	72	112	125	168	67	72	79	40	71	115	366	39	140	198	122	71
19 Hypertension with heart disease	M	16	3	29	33	4	9	8	10	10	13	62	16	42	18	8	17
	F	15	17	48	51	20	6	15	19	15	30	76	12	29	43	13	20
20 Other heart disease	M	116	38	145	185	86	66	71	40	63	107	287	40	135	105	67	57
	F	161	69	215	303	115	123	135	64	90	173	444	77	153	182	155	97
21 Other circulatory disease	M	37	15	63	57	45	27	33	25	23	42	170	17	50	57	23	36
	F	39	33	60	31	36	37	35	21	22	40	203	16	43	63	36	30
22 Influenza	M	4	1	3	5	3	5	1	2	9	5	13	4	3	1	3	2
	F	2	2	8	6	4	2	3	—	5	3	15	2	—	2	1	4
23 Pneumonia	M	50	47	68	72	37	45	33	33	44	73	146	22	41	44	16	36
	F	34	28	74	71	24	44	32	11	26	64	118	17	27	51	29	27
24 Bronchitis	M	107	36	63	98	65	35	59	64	73	159	305	44	85	73	56	38
	F	50	12	27	48	31	14	26	18	22	96	111	17	37	44	26	26
25 Other diseases of respiratory system	M	19	13	16	11	9	5	8	4	19	15	43	5	17	17	9	8
	F	6	4	9	6	4	3	3	3	1	15	16	3	7	7	3	7
26 Ulcer of stomach and duodenum	M	13	5	27	16	11	13	3	7	7	9	27	5	23	21	6	10
	F	7	8	6	8	3	5	5	1	2	4	10	1	11	6	4	1
27 Gastritis, enteritis and diarrhoea	M	—	2	5	9	3	—	2	4	4	2	10	2	8	3	4	2
	F	2	2	8	10	9	5	1	3	4	4	10	2	4	4	3	4
28 Nephritis and nephrosis	M	8	—	23	17	8	—	4	7	10	8	20	12	13	1	5	5
	F	7	2	5	8	6	6	5	5	9	7	19	3	6	3	5	7
29 Hyperplasia of prostate	M	6	6	19	16	2	9	9	9	6	9	30	6	12	15	11	9
30 Pregnancy, childbirth, abortion	F	3	—	2	1	—	—	—	—	1	—	4	1	2	—	—	2
31 Congenital malformations	M	10	6	10	15	10	7	6	2	12	8	21	2	18	6	2	9
	F	5	5	12	11	12	7	2	1	5	13	22	5	8	3	6	4
32 Other defined and ill-defined diseases	M	58	36	88	97	56	51	43	35	56	108	172	23	85	53	42	55
	F	62	44	82	131	62	65	43	52	51	115	191	36	76	88	72	38
33 Motor vehicle accidents	M	13	7	10	21	5	10	10	10	8	11	28	3	18	8	3	10
	F	4	3	3	7	1	3	3	3	5	8	13	2	3	8	3	2
34 All other accidents	M	22	11	24	26	19	8	16	12	16	22	56	4	20	20	13	21
	F	23	13	18	35	21	14	19	9	19	14	54	10	28	24	19	10
35 Suicide	M	17	5	16	12	7	3	3	8	4	8	33	7	11	6	4	8
	F	4	3	14	11	16	10	10	1	7	8	20	4	9	11	9	5
36 Homicide, operations of war	M	1	—	2	3	3	—	—	1	—	1	2	—	—	—	1	—
	F	1	—	—	1	4	—	—	—	2	1	1	—	—	—	—	1

TABLE 21—*continued.* County boroughs

Registrar General's Supplementary Abridged List		Oldham	Oxford	Plymouth	Portsmouth	Preston	Reading	Rochdale	Rotherham	St. Helen's	Salford	Sheffield	Smethwick	Southampton	Southend-on-Sea	Southport	South Shields
1(1) Infectious hepatitis	M	—	—	1	1	1	—	—	—	—	—	1	—	—	1	—	1
	F	—	—	—	1	—	—	—	—	—	2	1	—	1	—	—	1
14(1) Malignant neoplasm, mouth and pharynx	M	2	3	11	8	3	3	5	6	4	9	9	4	1	7	2	5
	F	3	—	4	3	2	1	1	3	—	—	7	1	3	2	2	—
14(2) Malignant neoplasm, oesophagus	M	4	2	12	5	5	2	4	1	2	6	6	1	7	4	2	3
	F	4	3	4	2	6	2	4	4	8	9	5	1	3	4	5	—
14(3) Malignant neoplasm, intestine and rectum	M	18	15	38	40	10	16	20	10	11	26	88	8	26	34	12	23
	F	30	15	44	33	17	19	19	15	16	22	101	11	27	39	14	20
14(4) Malignant neoplasm, larynx	M	—	—	2	6	4	3	—	1	—	6	8	1	6	3	2	—
	F	—	—	1	1	2	1	—	—	—	1	2	1	2	—	—	—
13(1) Malignant neoplasm, cervix uteri	F	7	2	12	18	8	10	11	5	3	5	29	6	13	11	3	14
14(5) Malignant neoplasm, prostate	M	10	11	18	21	4	12	7	4	5	10	40	8	15	15	9	12
14(6) Malignant neoplasm, bladder	M	6	1	9	11	5	1	4	6	3	6	31	7	13	8	3	7
	F	1	2	3	5	1	2	1	—	5	8	17	—	—	4	1	2
14(7) Malignant neoplasm, bone (including jaw-bone)	M	1	—	2	1	4	—	—	—	1	—	4	—	1	—	1	—
	F	1	—	2	1	1	1	—	1	—	—	3	—	2	—	1	1
14(8) Lymphosarcoma, reticulosarcoma	M	—	1	3	1	1	—	—	1	2	—	3	1	5	3	—	2
	F	2	1	—	1	1	1	—	2	2	—	5	1	3	2	—	3
14(9) Hodgkin's disease	M	—	1	—	1	2	—	1	1	1	—	7	—	1	—	—	4
	F	2	—	1	2	—	—	3	—	1	3	7	—	—	—	—	1
32(1) Thyrotoxicosis	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
	F	—	—	1	1	—	—	—	—	2	—	1	—	1	1	—	3
32(2) Multiple sclerosis	M	1	—	1	2	2	—	—	—	2	3	5	2	1	1	1	1
	F	1	3	—	1	—	3	2	—	1	1	7	2	2	8	1	1
32(3) Rheumatic fever	M	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—
	F	—	—	1	1	—	—	—	—	—	—	1	—	1	1	—	—
20(1) Chronic rheumatic heart disease	M	8	6	5	13	13	5	1	3	5	13	42	7	15	9	8	6
	F	15	6	24	18	15	14	12	15	19	32	70	12	24	24	5	7
21(1) Hypertension without mention of heart	M	7	4	30	28	9	6	5	9	7	11	44	9	15	18	4	9
	F	9	9	22	6	7	11	6	5	9	8	40	5	12	23	7	10
25(1) Pneumoconiosis and chronic interstitial pneumonia	M	11	—	—	—	2	1	2	2	12	—	13	1	2	6	3	1
	F	2	—	1	—	1	—	—	—	—	—	1	—	1	1	—	1
26(1) Ulcer of stomach	M	7	2	11	11	4	4	2	—	2	6	6	1	13	7	3	5
	F	6	8	4	5	2	4	4	—	2	1	8	1	8	4	4	—
32(4) Appendicitis	M	—	2	4	1	1	1	—	1	—	1	3	—	3	1	1	5
	F	—	—	—	—	1	—	—	—	1	3	2	1	1	1	1	—
32(5) Intestinal obstruction and hernia	M	5	—	7	5	5	4	2	5	3	6	13	4	11	8	4	2
	F	5	4	7	11	4	7	2	3	2	10	15	4	6	7	6	3
32(6) Cirrhosis of liver	M	1	2	3	2	1	1	2	—	—	6	1	—	2	4	2	—
	F	1	2	1	1	3	3	2	3	1	—	8	1	3	3	1	—
32(7) Cholelithiasis, cholecystitis	M	—	2	2	1	2	2	—	1	2	2	3	1	2	—	1	3
	F	2	3	9	5	5	—	3	1	—	5	7	1	1	1	2	2
30(1) Maternal sepsis (not abortion)	F	—	—	—	1	—	—	—	—	—	—	1	—	1	—	—	—
30(2) Toxaemias of pregnancy and puerperium	F	1	—	1	—	—	—	—	—	—	—	1	—	1	—	—	—
30(3) Abortion	F	1	—	—	—	—	—	—	—	1	—	—	1	—	—	—	1
32(8) Rheumatoid arthritis and allied conditions	M	2	—	—	1	—	2	3	—	2	—	2	—	1	—	1	—
	F	4	3	1	5	1	1	—	7	2	3	7	1	—	4	3	—
32(9) Birth injury	M	5	4	5	3	7	6	2	3	2	8	16	—	7	4	2	9
	F	5	1	3	1	—	5	1	2	1	3	7	2	5	4	2	3
32(10) Postnatal asphyxia and atelectasis	M	5	—	4	10	8	3	5	3	4	10	10	1	9	2	1	3
	F	3	4	—	6	3	1	1	—	3	3	8	2	9	2	2	2
23(1) Pneumonia of newborn	M	1	—	3	2	1	1	1	2	3	7	2	4	2	1	—	1
	F	—	—	3	1	1	—	1	—	—	5	2	—	—	—	—	—
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	—	—	—	1	—	—	—	—	—	1	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
32(12) Haemolytic disease of newborn	M	—	1	—	2	1	1	—	—	—	1	2	—	1	—	—	1
	F	—	2	1	1	—	1	1	—	—	—	3	—	2	—	1	1
32(13) Immaturity (without other disease peculiar to early infancy)	M	3	3	10	7	5	3	3	8	9	9	24	1	5	5	4	9
	F	—	2	5	3	1	—	1	3	6	3	19	—	3	3	2	2
32(14) Senility without psychosis	M	19	1	5	13	1	2	6	2	11	19	6	—	1	2	11	5
	F	22	1	15	26	11	11	9	13	7	39	13	10	3	5	14	2
32(15) Ill-defined and unknown cause	M	—	—	2	1	1	—	1	—	—	1	3	—	—	—	—	1
	F	—	—	—	1	—	—	2	—	—	2	1	—	—	—	—	—

TABLE 21—*continued.* County boroughs

Registrar General's Abridged List		Stockport	Stoke-on-Trent	Sunderland	Tynemouth	Wakefield	Wallasey	Walsall	Warrington	West Bromwich	West Ham	West Hartlepool	Wigan	Wolverhampton	Worcester	York	Cardiff
1 Tuberculosis, respiratory	M	14	40	12	3	6	11	9	5	15	11	11	6	8	—	5	15
	F	2	12	5	1	1	2	3	1	4	4	—	4	3	1	1	9
2 Tuberculosis, other	M	1	1	4	—	—	3	1	1	—	—	1	1	1	2	—	1
	F	1	—	—	1	—	—	1	—	—	—	—	—	3	—	—	2
3 Syphilitic disease	M	5	2	3	2	1	1	1	2	1	4	1	2	—	—	—	6
	F	2	—	1	2	1	1	—	1	1	4	—	—	1	2	—	2
4 Diphtheria	M	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	4
6 Meningococcal infections	M	1	2	—	1	1	—	—	—	—	—	—	—	—	—	—	2
	F	—	—	—	—	—	—	—	1	1	—	—	—	—	—	1	1
7 Acute poliomyelitis	M	—	—	—	—	1	—	—	—	—	1	—	1	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
8 Measles	M	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
9 Other infective, etc., diseases	M	3	5	—	—	1	3	1	—	1	4	—	1	2	1	1	2
	F	3	4	1	—	—	1	3	—	1	4	2	2	2	—	1	1
10 Malignant neoplasm: stomach	M	37	66	47	18	7	14	15	22	25	35	11	18	21	15	12	53
	F	31	50	28	19	7	14	15	13	5	27	5	15	16	10	18	50
11 lung, bronchus	M	70	116	83	30	21	55	49	33	26	80	32	25	65	30	49	81
	F	8	6	14	2	5	9	3	2	3	9	4	2	3	1	6	4
12 breast	M	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	1
	F	27	55	16	13	12	32	13	9	13	29	12	14	42	15	27	41
13 uterus	F	14	23	20	9	4	6	9	6	8	6	8	7	7	5	12	26
14 Other malignant and lymphatic neoplasms	M	80	148	94	31	25	68	52	43	46	66	40	21	73	25	50	108
	F	72	123	66	30	19	46	44	27	25	68	37	31	61	36	55	121
15 Leukaemia, aleukaemia	M	2	6	3	1	2	4	6	1	2	5	4	2	2	3	5	10
	F	3	7	7	4	2	2	1	—	4	2	—	3	3	—	3	4
16 Diabetes	M	2	3	4	1	5	4	3	1	—	4	—	1	7	—	3	4
	F	7	11	8	1	2	4	5	2	3	11	4	2	2	5	4	7
17 Vascular lesions of nervous system	M	137	156	102	67	44	80	67	41	47	62	51	67	111	34	61	156
	F	176	244	144	71	53	102	85	72	64	91	69	55	115	77	95	218
18 Coronary disease, angina	M	178	287	248	87	93	179	114	98	69	165	84	102	137	53	127	351
	F	120	189	165	57	44	109	59	61	44	95	53	55	94	27	62	236
19 Hypertension with heart disease	M	17	30	11	9	7	12	16	12	7	14	6	3	17	16	17	30
	F	15	31	27	20	14	14	24	13	14	18	9	7	24	4	53	34
20 Other heart disease	M	99	176	62	57	56	69	66	45	39	94	36	49	104	32	78	86
	F	173	220	94	67	60	91	80	61	73	141	49	88	145	65	136	173
21 Other circulatory disease	M	33	72	33	17	14	15	15	16	11	34	19	16	29	12	20	77
	F	32	78	29	17	15	19	22	12	16	36	25	20	26	17	20	73
22 Influenza	M	7	8	4	3	1	2	7	—	4	3	1	1	6	2	2	1
	F	5	9	—	1	—	4	5	1	1	1	—	5	4	1	1	5
23 Pneumonia	M	37	69	66	18	14	33	28	27	24	43	27	21	62	11	42	58
	F	37	54	73	12	13	35	20	31	17	39	21	17	47	10	30	53
24 Bronchitis	M	101	122	122	24	54	39	66	42	45	97	46	58	69	31	52	116
	F	50	66	46	4	21	10	18	20	29	51	25	30	25	12	17	51
25 Other diseases of respiratory system	M	6	73	12	5	7	6	8	5	10	18	7	18	13	6	5	15
	F	7	14	5	4	3	4	5	3	13	7	6	4	1	2	7	8
26 Ulcer of stomach and duodenum	M	20	15	18	4	8	6	8	8	5	19	3	11	18	5	6	15
	F	7	12	6	—	—	5	4	3	2	4	2	1	3	1	2	9
27 Gastritis, enteritis and diarrhoea	M	5	8	2	—	1	1	3	2	2	4	5	3	4	—	1	6
	F	6	7	4	2	2	5	3	1	2	5	2	—	3	1	3	8
28 Nephritis and nephrosis	M	6	14	6	3	1	3	5	1	3	6	4	3	5	3	3	11
	F	6	15	7	5	4	3	8	3	1	7	2	6	3	3	2	7
29 Hyperplasia of prostate	M	15	19	14	4	3	9	7	6	10	6	6	5	11	6	12	22
30 Pregnancy, childbirth, abortion	F	1	2	3	1	1	—	2	1	2	1	1	—	1	1	1	3
31 Congenital malformations	M	7	16	17	4	1	7	12	4	8	9	5	4	6	4	7	16
	F	7	16	12	2	5	10	8	4	3	6	3	2	11	2	1	13
32 Other defined and ill-defined diseases	M	70	126	81	38	31	50	50	29	33	53	25	36	62	29	26	105
	F	121	95	85	29	31	61	70	42	54	56	41	63	87	46	43	140
33 Motor vehicle accidents	M	5	27	12	6	6	3	10	12	7	6	4	4	12	4	11	18
	F	10	4	1	—	3	4	3	3	2	1	3	1	3	2	4	8
34 All other accidents	M	15	42	39	13	8	15	10	16	12	13	16	8	22	9	15	39
	F	16	18	24	7	5	13	18	10	7	8	9	8	26	6	16	34
35 Suicide	M	15	11	16	5	6	10	4	9	5	14	7	9	5	4	8	17
	F	6	15	4	—	1	5	4	4	4	8	5	2	11	1	5	11
36 Homicide, operations of war	M	—	2	3	—	1	—	—	—	—	1	—	1	2	—	2	1
	F	—	1	1	—	—	—	—	—	—	—	—	—	—	—	1	—

TABLE 21—*continued.* County boroughs

Registrar General's Supplementary Abridged List		Stockport	Stoke-on-Trent	Sunderland	Tynemouth	Wakefield	Wallasey	Walsall	Warrington	West Bromwich	West Ham	West Hartlepool	Wigan	Wolverhampton	Worcester	York	Cardiff
1(1) Infectious hepatitis	M	3	1	—	—	—	—	1	—	—	2	—	1	—	—	—	—
	F	1	1	—	—	—	—	1	—	—	—	1	1	—	—	—	—
4(1) Malignant neoplasm, mouth and pharynx	M	2	13	6	4	1	3	4	6	2	3	1	—	2	3	3	4
	F	1	7	1	1	1	1	—	1	—	2	2	2	—	—	1	5
4(2) Malignant neoplasm, oesophagus	M	4	4	8	—	1	5	4	2	4	1	2	—	3	1	7	6
	F	5	4	3	—	1	1	—	2	1	2	—	—	6	—	2	11
4(3) Malignant neoplasm, intestine and rectum	M	24	45	27	12	10	14	13	8	13	12	11	6	27	6	14	31
	F	28	38	21	15	6	18	26	14	12	23	16	16	28	14	17	42
4(4) Malignant neoplasm, larynx	M	2	2	1	1	—	1	1	3	1	1	1	1	—	—	—	4
	F	—	—	1	—	—	—	—	—	—	—	—	—	—	1	1	3
3(1) Malignant neoplasm, cervix uteri	F	9	14	14	8	4	4	6	4	6	2	7	4	4	5	7	19
4(5) Malignant neoplasm, prostate	M	15	22	14	3	5	5	5	5	2	7	5	1	11	2	9	12
4(6) Malignant neoplasm, bladder	M	6	9	5	2	6	8	5	5	4	12	1	1	4	3	7	12
	F	1	2	3	1	1	2	1	—	—	4	—	—	2	—	3	5
4(7) Malignant neoplasm, bone (including jaw-bone)	M	2	3	1	—	—	2	1	—	1	1	—	3	1	—	—	2
	F	1	4	—	—	—	1	—	1	—	—	—	—	1	—	1	2
4(8) Lymphosarcoma, reticulosarcoma	M	2	1	4	—	—	3	3	1	1	3	1	1	1	1	1	—
	F	—	3	1	1	—	—	1	1	—	1	—	1	—	5	1	1
4(9) Hodgkin's disease	M	2	—	1	—	—	3	—	1	1	3	3	—	3	—	—	1
	F	2	—	1	—	1	3	1	—	1	2	1	—	1	1	2	—
2(1) Thyrotoxicosis	M	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	2	1	1	—	—	—	1	1	—	—	—	2	—	2	3
2(2) Multiple sclerosis	M	3	1	—	—	—	—	—	1	—	—	—	—	—	1	1	1
	F	4	3	1	1	2	2	2	2	—	1	—	2	2	1	1	1
2(3) Rheumatic fever	M	—	3	—	—	—	—	—	—	—	—	—	—	—	1	—	—
	F	—	5	—	—	—	—	—	—	—	—	—	2	—	1	—	—
0(1) Chronic rheumatic heart disease	M	15	22	12	2	3	8	4	3	4	6	—	1	8	3	5	13
	F	31	24	16	9	6	16	13	15	14	21	5	17	13	1	13	36
1(1) Hypertension without mention of heart	M	10	13	9	7	4	6	3	4	4	8	6	7	8	6	3	27
	F	4	18	7	4	6	6	5	7	5	12	9	8	16	4	7	26
5(1) Pneumoconiosis and chronic interstitial pneumonia	M	2	55	3	—	1	1	2	1	—	4	—	8	3	—	—	—
	F	—	6	—	—	1	—	—	—	—	—	—	—	—	—	—	1
6(1) Ulcer of stomach	M	7	4	4	3	4	3	5	4	3	8	1	4	6	4	3	5
	F	1	6	1	—	—	4	4	2	2	4	1	—	2	1	—	9
2(4) Appendicitis	M	1	6	—	—	—	1	2	1	—	3	—	—	2	1	1	2
	F	3	2	1	1	—	1	1	—	—	2	—	—	2	—	—	1
2(5) Intestinal obstruction and hernia	M	7	9	10	2	2	7	7	2	2	3	—	3	4	1	3	3
	F	9	5	2	1	2	3	2	3	2	5	6	2	4	1	1	9
2(6) Cirrhosis of liver	M	5	10	6	1	3	1	1	1	1	2	—	—	1	—	—	10
	F	2	4	3	1	—	2	4	—	1	1	1	1	—	1	1	5
2(7) Cholelithiasis, cholecystitis	M	1	3	1	1	—	2	1	—	—	2	1	—	1	—	—	2
	F	5	1	6	3	2	—	4	3	1	4	2	2	3	—	2	3
0(1) Maternal sepsis (not abortion)	F	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—
0(2) Toxaemias of pregnancy and puerperium	F	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—
0(3) Abortion	F	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1
2(8) Rheumatoid arthritis and allied conditions	M	—	1	1	—	2	—	1	1	1	—	—	—	2	—	—	—
	F	2	1	4	—	1	1	1	1	2	3	1	2	2	1	1	6
2(9) Birth injury	M	1	10	2	6	1	3	6	4	2	2	1	1	5	1	1	3
	F	4	3	1	—	1	2	3	2	1	1	—	—	9	1	3	4
2(10) Postnatal asphyxia and atelectasis	M	1	19	10	6	5	3	4	1	1	5	2	2	6	—	—	22
	F	8	8	7	2	5	4	4	2	1	1	2	—	5	2	1	11
3(1) Pneumonia of newborn	M	1	7	2	2	—	3	2	2	—	1	—	1	3	—	1	6
	F	3	—	3	—	—	1	—	1	1	1	2	1	—	—	3	3
2(11) Ophthalmia, pemphigus, sepsis of newborn	M	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
2(12) Haemolytic disease of newborn	M	—	1	1	1	—	1	—	—	—	—	—	—	—	—	1	1
	F	2	2	—	—	—	2	1	—	—	—	1	—	—	1	—	1
2(13) Immaturity (without other disease peculiar to early infancy)	M	10	6	12	4	2	4	5	3	2	8	4	6	3	2	2	8
	F	4	5	11	3	—	1	9	3	—	5	8	6	3	2	1	3
2(14) Senility without psychosis	M	18	7	5	3	2	10	4	2	14	4	3	16	9	13	4	6
	F	40	13	2	7	3	12	2	5	25	8	3	25	19	23	3	20
2(15) Ill-defined and unknown cause	M	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	1
	F	—	—	—	1	—	—	—	1	—	—	—	1	1	1	—	—

	Registrar General's Abridged List		Merthyr Tydfil	Newport (Mon.)	Swansea	Bedfordshire	Berkshire	Buckinghamshire	Cambridgeshire	Cheshire	Cornwall	Cumberland	Derbyshire	Devon	Dorset	Durham	Ely, Isle of	Essex
1	Tuberculosis, respiratory	M	13	3	13	8	13	26	7	48	28	15	36	37	9	73	1	88
		F	2	1	3	3	13	4	1	11	7	9	10	4	6	29	1	36
2	Tuberculosis, other	M	—	—	1	4	2	3	1	4	4	2	3	3	1	12	—	9
		F	1	—	4	1	1	2	—	3	4	2	2	7	3	6	1	5
3	Syphilitic disease	M	1	1	1	1	7	2	—	9	4	6	4	6	6	11	—	25
		F	—	—	—	—	1	4	1	8	1	—	4	3	1	8	1	10
4	Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
		F	—	—	1	—	—	—	—	—	—	—	1	1	—	—	—	—
6	Meningococcal infections	M	—	—	—	1	—	—	—	—	1	1	—	—	—	1	—	3
		F	—	1	1	—	—	1	—	4	—	—	1	1	—	1	—	4
7	Acute poliomyelitis	M	—	—	—	3	1	—	1	3	1	—	—	1	—	—	—	2
		F	—	—	—	3	—	—	—	3	2	—	2	2	—	1	—	4
8	Measles	M	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	1
		F	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	1
9	Other infective, etc., diseases	M	—	—	2	2	3	4	1	9	8	3	5	3	3	10	—	17
		F	—	2	2	2	3	7	2	13	4	3	5	5	5	12	—	16
10	Malignant neoplasm: stomach	M	19	19	42	54	40	53	22	168	59	50	139	99	55	206	15	280
		F	13	15	42	37	31	46	23	133	63	28	80	88	46	144	14	204
11	lung, bronchus	M	24	42	57	113	98	144	73	337	74	62	198	164	108	301	24	642
		F	3	4	6	16	23	22	11	49	22	7	32	30	22	55	3	109
12	breast	M	—	—	—	1	4	1	—	1	2	—	2	2	—	1	—	2
		F	9	27	38	65	57	95	33	159	82	33	132	158	75	138	17	335
13	uterus	F	5	9	12	39	21	26	11	80	43	22	53	61	20	92	5	127
14	Other malignant and lymphatic neoplasms	M	40	59	86	160	167	232	114	457	230	99	347	344	185	478	51	908
		F	22	47	86	158	170	209	92	433	239	106	311	365	178	373	44	761
15	Leukaemia, aleukaemia	M	—	2	5	10	6	19	4	26	12	3	13	23	14	21	2	65
		F	3	4	6	9	11	10	3	16	6	8	12	17	12	25	2	60
16	Diabetes	M	2	1	2	10	9	7	7	28	18	9	22	11	8	14	5	49
		F	2	3	8	17	15	25	11	39	29	13	33	31	13	43	9	79
17	Vascular lesions of nervous system	M	60	66	145	244	250	191	134	658	269	195	558	448	247	806	72	944
		F	66	82	187	296	352	368	230	1,071	383	255	665	714	356	847	91	1,421
18	Coronary disease, angina	M	71	128	231	342	339	444	184	1,043	423	298	800	684	365	1,152	93	1,881
		F	36	66	123	173	218	321	114	656	242	145	413	457	246	661	48	1,125
19	Hypertension with heart disease	M	16	12	19	50	24	38	27	71	53	17	73	96	32	93	7	138
		F	16	16	34	50	44	52	23	118	64	31	96	89	42	129	12	203
20	Other heart disease	M	42	98	102	176	195	243	118	606	420	217	590	540	277	594	88	1,025
		F	67	126	166	254	314	324	152	935	547	215	734	787	400	774	87	1,589
21	Other circulatory disease	M	27	13	33	66	66	77	32	216	79	49	211	150	83	253	17	362
		F	26	24	41	59	94	83	49	208	102	63	197	185	85	237	18	433
22	Influenza	M	1	4	14	9	10	8	1	19	10	4	24	19	10	32	—	38
		F	—	1	8	6	17	11	7	26	8	1	20	13	7	14	2	55
23	Pneumonia	M	12	22	32	77	100	125	24	187	83	36	210	144	62	242	27	483
		F	8	7	23	78	87	132	44	211	62	27	171	141	75	175	27	487
24	Bronchitis	M	44	47	82	113	104	141	55	376	77	45	331	134	106	459	32	718
		F	10	22	35	46	64	50	20	183	26	26	124	81	47	152	13	291
25	Other diseases of respiratory system	M	17	11	16	21	10	30	8	50	46	29	55	59	27	82	5	120
		F	2	—	4	13	10	10	4	25	14	8	16	23	7	26	4	55
26	Ulcer of stomach and duodenum	M	—	11	13	19	23	23	20	53	23	20	54	37	29	52	10	116
		F	2	4	5	9	20	11	13	21	4	4	15	23	9	18	4	59
27	Gastritis, enteritis and diarrhoea	M	1	1	2	9	8	12	4	20	5	3	16	13	6	17	2	36
		F	—	2	3	7	8	11	8	23	12	6	14	22	7	20	—	40
28	Nephritis and nephrosis	M	5	3	16	11	13	16	5	39	37	7	38	38	16	33	7	63
		F	—	5	8	11	8	17	4	38	14	6	41	33	14	51	3	55
29	Hyperplasia of prostate	M	12	14	9	22	30	39	10	83	43	20	47	61	38	67	12	108
30	Pregnancy, childbirth, abortion	F	1	2	1	1	1	—	2	2	4	1	6	4	3	8	1	10
31	Congenital malformations	M	3	6	12	7	14	14	11	63	22	17	47	30	13	64	4	93
		F	6	10	8	15	22	20	6	49	11	18	43	22	26	43	3	65
32	Other defined and ill-defined diseases	M	39	53	91	146	125	156	65	441	188	136	312	243	115	453	44	680
		F	33	56	93	166	203	202	103	551	245	144	323	368	183	464	45	828
33	Motor vehicle accidents	M	6	10	12	36	37	45	20	88	25	21	84	38	30	73	4	138
		F	1	4	9	8	15	15	4	36	12	7	22	7	8	27	2	36
34	All other accidents	M	14	19	24	30	42	53	23	89	45	43	110	67	37	183	4	178
		F	5	13	22	35	43	54	22	111	59	33	85	96	29	110	8	130
35	Suicide	M	9	4	7	20	21	28	10	58	33	8	50	43	12	59	3	111
		F	3	4	2	14	14	15	10	48	19	6	31	29	14	28	3	79
36	Homicide, operations of war	M	1	—	4	1	—	—	—	3	1	1	—	6	—	7	—	10
		F	—	1	—	1	—	2	—	—	—	—	5	2	—	1	—	5

	Registrar General's Supplementary Abridged List		Merthyr Tydfil	Newport (Mon.)	Swansea	Bedfordshire	Berkshire	Buckinghamshire	Cambridgeshire	Cheshire	Cornwall	Cumberland	Derbyshire	Devon	Dorset	Durham	Ely, Isle of	Essex
9(1)	Infectious hepatitis	M	—	—	—	1	1	—	—	2	3	—	1	1	1	1	—	7
		F	—	1	1	—	1	4	1	1	1	1	1	2	2	4	—	6
14(1)	Malignant neoplasm, mouth and pharynx	M	4	1	5	8	6	10	3	22	8	9	10	19	10	30	3	34
		F	—	1	2	8	3	4	3	12	10	2	14	5	2	18	2	19
14(2)	Malignant neoplasm, oesophagus	M	3	4	4	7	10	13	6	27	20	2	11	20	7	25	1	46
		F	1	3	6	9	8	12	7	28	17	9	16	28	2	18	3	21
14(3)	Malignant neoplasm, intestine and rectum	M	6	19	23	48	54	58	40	141	63	35	107	86	57	152	14	264
		F	8	19	31	56	55	72	34	166	80	40	115	122	73	156	17	273
14(4)	Malignant neoplasm, larynx	M	1	1	4	2	2	9	2	10	5	1	10	4	3	9	—	26
		F	—	—	—	—	1	—	—	5	2	—	2	4	1	3	2	4
13(1)	Malignant neoplasm, cervix uteri	F	4	6	11	26	13	17	8	54	32	14	36	35	15	65	4	85
14(5)	Malignant neoplasm, prostate	M	6	6	13	22	27	35	17	65	49	14	53	80	33	63	13	126
14(6)	Malignant neoplasm, bladder	M	6	4	7	6	12	23	10	37	13	5	30	22	9	39	—	61
		F	—	3	5	3	4	11	1	10	8	2	12	16	4	15	1	27
14(7)	Malignant neoplasm, bone (including jaw-bone)	M	—	3	1	6	5	1	—	7	3	2	7	4	3	8	1	10
		F	1	—	1	2	3	2	—	8	2	1	7	4	4	6	2	10
14(8)	Lymphosarcoma, reticulosarcoma	M	2	1	4	4	3	4	3	6	5	1	5	4	3	9	1	27
		F	1	—	2	4	2	4	2	6	4	—	4	8	6	5	1	18
14(9)	Hodgkin's disease	M	1	1	2	4	3	3	—	12	2	2	11	6	4	17	1	15
		F	1	1	—	1	2	2	3	4	4	3	4	4	1	6	—	10
32(1)	Thyrotoxicosis	M	—	—	—	1	—	—	1	3	1	—	1	—	—	—	—	1
		F	1	1	1	—	1	4	4	9	4	—	6	6	2	7	—	4
32(2)	Multiple sclerosis	M	—	—	4	3	1	2	1	2	2	—	7	2	—	7	2	15
		F	—	1	2	3	6	4	1	19	4	1	10	4	5	9	1	20
32(3)	Rheumatic fever	M	—	2	—	—	1	1	—	—	—	—	1	—	—	2	—	2
		F	—	—	—	—	1	—	1	2	—	—	1	1	—	2	—	—
20(1)	Chronic rheumatic heart disease	M	3	5	7	14	15	24	6	33	16	14	45	24	10	68	4	109
		F	9	10	30	36	28	37	10	93	24	12	57	48	23	100	5	178
21(1)	Hypertension without mention of heart	M	12	5	11	20	17	24	6	56	33	12	67	44	24	63	6	118
		F	8	10	16	17	33	18	14	36	41	18	58	54	28	72	1	140
25(1)	Pneumoconiosis and chronic interstitial pneumonia	M	12	3	7	3	—	7	2	9	21	10	4	4	5	31	1	11
		F	—	—	—	1	—	2	—	1	—	—	—	3	1	2	—	3
26(1)	Ulcer of stomach	M	—	5	9	7	9	9	9	21	15	5	27	22	14	23	4	67
		F	1	3	4	6	12	5	9	13	1	2	11	14	8	9	1	43
32(4)	Appendicitis	M	2	3	1	4	2	4	2	7	2	6	7	6	5	9	2	13
		F	—	2	—	6	2	4	—	5	5	3	10	3	1	3	—	15
32(5)	Intestinal obstruction and hernia	M	3	5	4	11	5	16	1	20	18	15	23	19	11	20	1	51
		F	3	4	4	8	8	16	7	29	10	6	18	21	8	31	1	62
32(6)	Cirrhosis of liver	M	1	2	3	3	5	5	1	11	8	4	4	12	5	15	2	14
		F	—	3	—	2	2	4	2	10	9	3	4	9	4	11	—	13
32(7)	Cholelithiasis, cholecystitis	M	1	—	4	4	3	4	—	9	5	3	9	9	6	11	—	22
		F	1	1	4	8	6	10	4	13	14	6	14	14	10	16	4	29
30(1)	Maternal sepsis (not abortion)	F	—	—	1	—	1	—	—	—	—	—	2	3	—	2	—	2
30(2)	Toxaemias of pregnancy and puerperium	F	—	1	—	1	—	—	1	1	1	—	1	—	—	2	—	3
30(3)	Abortion	F	—	1	—	—	—	—	—	—	1	1	—	—	1	—	1	1
32(8)	Rheumatoid arthritis and allied conditions	M	1	—	1	—	2	—	1	3	4	1	3	4	—	9	1	6
		F	1	1	1	3	5	7	3	14	7	2	12	10	9	13	4	21
32(9)	Birth injury	M	—	3	7	10	8	9	2	23	10	11	20	11	8	24	1	24
		F	—	2	4	6	7	4	3	15	6	3	11	7	6	14	1	24
32(10)	Postnatal asphyxia and atelectasis	M	5	3	3	15	6	17	3	29	7	15	31	19	6	40	3	32
		F	5	1	4	12	12	7	2	17	2	9	15	18	5	17	4	33
23(1)	Pneumonia of newborn	M	1	1	1	5	7	1	—	6	3	6	25	6	1	13	1	22
		F	—	—	1	2	1	1	—	4	1	2	12	3	1	14	1	8
32(11)	Ophthalmia, pemphigus, sepsis of newborn	M	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	2
		F	—	—	—	1	1	—	—	—	—	—	—	1	1	—	—	—
32(12)	Haemolytic disease of newborn	M	—	1	1	1	—	2	1	5	1	—	2	1	—	2	—	10
		F	—	—	2	2	2	3	1	6	1	2	3	4	—	1	1	8
32(13)	Immaturity (without other disease peculiar to early infancy)	M	1	5	16	14	6	12	6	24	9	6	27	8	11	59	3	57
		F	3	6	5	5	8	12	6	21	6	6	15	8	7	28	1	48
32(14)	Senility without psychosis	M	7	11	14	27	27	11	11	146	46	39	44	29	13	69	7	92
		F	6	15	32	36	58	32	17	206	97	51	71	111	39	100	8	170
32(15)	Ill-defined and unknown cause	M	—	—	—	1	1	1	—	—	1	—	2	1	—	10	—	5
		F	—	1	—	—	1	—	1	3	2	—	1	2	1	7	—	7

TABLE 21—*continued.* Administrative counties

	Registrar General's Abridged List		Gloucestershire	Herefordshire	Hertfordshire	Huntingdonshire	Kent	Lancashire	Leicestershire	Lincolnshire (Parts of Holland)	Lincolnshire (Parts of Kesteven)	Lincolnshire (Parts of Lindsey)	Middlesex	Norfolk	Northamptonshire	Northumberland	Nottinghamshire	Oxfordshire
1	Tuberculosis, respiratory	M	24	8	24	2	97	151	13	7	3	14	111	18	15	15	31	9
		F	8	6	10	2	38	53	7	—	3	3	37	5	6	13	10	2
2	Tuberculosis, other	M	3	3	1	—	6	6	7	1	1	1	9	1	2	2	1	2
		F	—	1	2	—	8	13	2	—	1	2	13	3	1	2	1	—
3	Syphilitic disease	M	4	—	12	1	21	28	—	—	2	3	31	3	6	6	8	3
		F	4	—	6	—	7	15	—	—	1	1	18	3	2	6	9	1
4	Diphtheria	M	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
6	Meningococcal infections	M	—	—	—	—	—	4	—	—	—	—	—	2	—	2	—	—
		F	—	—	2	—	4	6	—	—	—	—	3	—	—	—	—	—
7	Acute poliomyelitis	M	1	—	—	—	3	4	—	—	—	4	3	—	—	2	—	—
		F	—	—	—	—	1	5	—	—	—	2	—	—	—	—	—	—
8	Measles	M	1	—	—	—	1	1	—	—	—	—	1	—	—	—	—	—
		F	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
9	Other infective, etc., diseases	M	7	—	10	3	25	17	5	—	2	7	21	8	4	6	1	1
		F	4	2	5	1	16	24	4	1	3	1	19	5	6	9	5	2
10	Malignant neoplasm: stomach	M	64	20	107	11	223	394	46	16	31	59	366	60	52	95	89	28
		F	42	13	67	10	191	341	48	18	13	33	266	35	41	67	72	18
11	lung, bronchus	M	124	34	258	28	624	745	94	18	32	102	969	101	109	168	182	75
		F	24	5	37	1	122	128	16	4	4	15	198	18	12	24	27	8
12	breast	M	—	—	1	—	3	3	2	—	—	2	1	—	—	3	—	—
		F	85	28	146	13	343	398	87	20	30	48	499	74	62	79	109	29
13	uterus	F	32	10	46	3	154	222	28	7	12	35	187	33	25	46	57	15
14	Other malignant and lymphatic neoplasms	M	242	71	395	43	900	1,122	188	55	84	211	1,159	208	130	277	288	93
		F	207	46	366	41	853	972	151	61	57	152	1,053	183	128	195	228	73
15	Leukaemia, aleukaemia	M	16	7	18	4	48	61	9	5	1	14	72	10	10	16	14	5
		F	7	2	20	—	61	44	3	4	—	4	42	5	9	10	13	9
16	Diabetes	M	8	4	14	2	50	52	9	4	9	8	41	16	10	12	9	10
		F	32	12	30	3	68	124	17	5	6	20	102	21	15	31	19	8
17	Vascular lesions of nervous system	M	277	97	381	48	1,020	1,740	287	71	99	240	1,113	277	196	444	397	132
		F	473	122	601	61	1,558	2,371	347	96	120	319	1,780	399	254	503	537	191
18	Coronary disease, angina	M	463	145	676	63	1,948	2,852	367	88	113	346	2,446	369	296	599	511	161
		F	287	66	473	44	1,181	1,625	191	51	105	216	1,546	218	208	360	285	111
19	Hypertension with heart disease	M	53	12	66	10	198	267	63	8	14	35	245	45	23	50	68	18
		F	59	22	108	15	281	361	51	8	19	54	336	55	38	64	78	24
20	Other heart disease	M	408	125	377	54	1,149	1,838	280	69	118	234	956	357	231	434	445	118
		F	548	157	611	59	1,734	2,660	352	96	168	321	1,781	395	290	537	513	144
21	Other circulatory disease	M	105	24	153	12	451	531	95	31	39	82	512	141	76	109	131	50
		F	121	47	183	17	510	670	110	24	43	80	705	131	68	110	119	42
22	Influenza	M	22	2	13	3	49	62	10	6	7	15	45	26	15	6	21	3
		F	19	4	18	3	48	59	7	3	5	10	44	24	13	13	18	1
23	Pneumonia	M	106	50	201	9	533	550	68	22	40	58	566	125	49	94	134	66
		F	100	55	232	6	545	520	62	18	28	56	620	125	51	83	149	69
24	Bronchitis	M	148	48	237	18	645	1,128	121	25	42	127	918	90	89	183	266	40
		F	62	20	101	3	295	508	38	12	15	61	487	54	43	70	81	24
25	Other diseases of respiratory system	M	55	8	39	5	119	182	17	2	3	18	142	24	17	26	39	10
		F	15	2	36	—	62	71	14	3	6	12	74	12	9	14	20	9
26	Ulcer of stomach and duodenum	M	31	11	49	6	135	140	26	9	11	23	189	37	20	26	36	11
		F	9	4	22	3	69	63	11	1	5	8	87	12	18	15	12	2
27	Gastritis, enteritis and diarrhoea	M	10	1	15	1	35	48	8	2	2	9	41	9	6	10	13	6
		F	12	4	26	3	39	56	8	2	1	6	69	12	14	19	15	5
28	Nephritis and nephrosis	M	24	11	24	2	81	121	24	11	8	12	86	19	12	25	30	7
		F	19	6	16	—	84	112	13	3	2	19	73	8	13	16	18	5
29	Hyperplasia of prostate	M	41	15	39	11	158	163	19	6	13	33	143	50	32	32	58	14
30	Pregnancy, childbirth, abortion	F	2	1	6	—	10	16	—	1	2	1	13	1	3	2	5	1
31	Congenital malformations	M	31	10	32	1	79	119	18	7	8	19	101	14	14	31	29	10
		F	27	7	32	5	79	110	18	6	5	18	83	22	16	21	38	10
32	Other defined and ill-defined diseases	M	180	65	286	35	637	1,022	152	62	69	175	745	202	119	202	228	80
		F	200	87	361	41	834	1,203	161	67	77	203	954	216	131	249	241	64
33	Motor vehicle accidents	M	53	20	81	13	145	201	33	19	11	39	181	46	30	38	51	29
		F	15	1	25	—	48	67	10	3	2	13	69	11	12	17	12	3
34	All other accidents	M	59	17	81	19	232	360	50	12	27	46	202	67	38	86	80	21
		F	63	24	91	12	202	301	38	8	13	37	243	49	53	53	59	22
35	Suicide	M	38	8	43	3	114	191	29	4	6	18	125	16	14	25	52	7
		F	21	2	30	5	70	113	10	2	—	3	135	18	13	13	16	8
36	Homicide, operations of war	M	—	1	1	—	3	12	3	1	1	3	—	1	—	—	3	—
		F	1	—	1	—	5	5	1	—	1	2	1	—	1	1	1	—

TABLE 21—*continued.* Administrative counties

	Registrar General's Supplementary Abridged List		Gloucestershire	Herefordshire	Hertfordshire	Huntingdonshire	Kent	Lancashire	Leicestershire	Lincolnshire (Parts of Holland)	Lincolnshire (Parts of Kesteven)	Lincolnshire (Parts of Lindsey)	Middlesex	Norfolk	Northamptonshire	Northumberland	Nottinghamshire	Oxfordshire
9(1)	Infectious hepatitis	M	—	—	2	1	4	7	—	—	—	3	4	1	—	2	1	—
		F	—	—	1	1	5	4	2	—	1	—	7	—	—	4	2	—
14(1)	Malignant neoplasm, mouth and pharynx	M	12	1	13	2	35	81	9	1	1	10	53	6	4	12	21	4
		F	8	1	13	1	18	19	5	2	2	3	24	5	4	10	7	3
14(2)	Malignant neoplasm, oesophagus	M	11	1	14	2	41	71	13	3	2	11	66	14	7	17	19	4
		F	11	1	14	—	33	41	8	5	2	4	22	13	4	7	8	3
14(3)	Malignant neoplasm, intestine and rectum	M	64	20	118	14	252	350	66	15	41	60	281	60	34	87	75	23
		F	78	18	142	17	310	361	53	23	23	62	355	50	44	67	86	16
14(4)	Malignant neoplasm, larynx	M	12	6	5	1	27	30	—	1	—	5	24	6	3	8	7	—
		F	2	—	1	—	3	14	1	1	—	—	9	—	2	—	—	1
13(1)	Malignant neoplasm, cervix uteri	F	24	4	28	—	97	135	17	6	8	18	108	22	17	33	38	7
14(5)	Malignant neoplasm, prostate	M	42	18	65	8	135	140	22	3	9	31	174	36	21	23	48	23
14(6)	Malignant neoplasm, bladder	M	16	6	37	—	99	68	21	4	6	19	116	16	14	23	14	5
		F	7	2	14	4	33	36	1	3	6	3	47	10	4	3	6	6
14(7)	Malignant neoplasm, bone (including jaw-bone)	M	3	1	8	1	10	26	2	2	1	2	8	1	3	4	4	1
		F	4	1	3	—	12	18	3	1	2	1	12	5	1	3	4	—
14(8)	Lymphosarcoma, reticulosarcoma	M	5	—	10	1	15	16	7	2	3	6	22	4	4	7	8	—
		F	3	—	7	—	19	10	1	—	2	8	30	4	2	2	4	—
14(9)	Hodgkin's disease	M	7	2	10	1	11	23	3	1	1	9	29	—	1	8	8	4
		F	4	—	4	—	7	15	2	1	1	3	12	4	2	6	3	1
32(1)	Thyrotoxicosis	M	1	—	—	—	—	3	—	—	—	—	2	—	—	—	1	—
		F	4	—	2	—	6	16	4	—	2	6	11	5	3	2	3	—
32(2)	Multiple sclerosis	M	1	1	4	—	18	11	2	—	1	3	22	5	1	2	2	1
		F	5	2	7	—	20	23	5	1	3	3	26	6	4	9	6	2
32(3)	Rheumatic fever	M	—	1	1	—	2	8	1	—	—	1	1	—	1	—	3	—
		F	1	—	—	—	2	1	—	—	1	—	2	—	—	—	2	—
20(1)	Chronic rheumatic heart disease	M	27	9	29	7	84	136	14	4	7	10	116	16	13	25	40	9
		F	42	13	55	4	150	283	38	6	9	19	236	27	22	39	56	8
21(1)	Hypertension without mention of heart	M	28	9	52	5	151	154	29	7	9	17	175	34	25	30	40	23
		F	21	12	65	7	170	163	40	5	12	21	275	26	19	26	32	12
25(1)	Pneumoconiosis and chronic interstitial pneumonia	M	28	3	7	1	15	48	2	—	—	3	20	2	—	2	8	2
		F	—	—	4	—	5	6	—	—	—	2	5	2	—	—	1	1
26(1)	Ulcer of stomach	M	16	6	17	1	64	68	10	5	8	10	95	17	12	7	14	3
		F	5	2	15	1	47	33	4	1	4	5	57	9	12	8	5	2
32(4)	Appendicitis	M	5	3	11	—	14	19	6	1	1	5	28	7	6	5	6	3
		F	4	1	5	—	13	12	2	—	—	4	20	3	4	2	4	1
32(5)	Intestinal obstruction and hernia	M	13	2	17	—	65	85	9	1	3	5	51	13	10	10	13	5
		F	11	8	21	2	52	64	9	—	2	13	76	9	7	12	16	2
32(6)	Cirrhosis of liver	M	8	3	8	1	11	25	6	1	—	2	29	7	3	7	10	4
		F	6	1	4	—	17	20	3	—	2	3	18	6	5	10	8	1
32(7)	Cholelithiasis, cholecystitis	M	7	2	2	—	12	11	2	1	2	6	20	1	3	4	5	1
		F	7	4	14	1	22	49	7	4	3	14	41	7	4	16	8	6
30(1)	Maternal sepsis (not abortion)	F	—	—	1	—	1	6	—	—	—	—	1	1	—	—	1	—
30(2)	Toxaemias of pregnancy and puerperium	F	1	—	1	—	1	3	—	—	1	—	3	—	1	1	3	—
30(3)	Abortion	F	—	—	—	—	1	3	—	—	—	1	3	—	—	1	—	—
32(8)	Rheumatoid arthritis and allied conditions	M	1	3	1	—	6	14	2	—	2	1	5	3	1	3	3	—
		F	4	—	15	—	21	51	7	3	—	3	36	8	8	9	8	—
32(9)	Birth injury	M	13	4	9	4	21	61	4	3	6	14	42	9	7	12	16	—
		F	7	1	9	1	25	30	3	1	1	4	16	2	1	9	7	1
32(10)	Postnatal asphyxia and atelectasis	M	12	6	15	1	52	110	11	1	1	7	76	10	12	10	15	5
		F	9	7	16	—	30	61	4	3	3	8	38	8	4	15	10	7
1)	Pneumonia of newborn	M	4	2	8	2	13	24	5	2	3	—	23	6	1	1	5	2
		F	2	2	3	—	11	20	1	—	—	—	7	4	1	5	3	2
32(11)	Ophthalmia, pemphigus, sepsis of newborn	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1
		F	—	—	1	—	1	2	—	—	—	—	—	—	—	2	—	—
32(12)	Haemolytic disease of newborn	M	2	—	4	—	5	12	1	1	—	1	6	—	1	6	4	—
		F	2	—	—	—	7	12	—	—	—	3	9	1	3	1	2	—
32(13)	Immaturity (without other disease peculiar to early infancy)	M	13	1	21	2	57	85	5	5	9	22	63	14	10	30	13	9
		F	7	4	21	3	45	54	9	6	1	14	58	8	5	15	15	5
32(14)	Senility without psychosis	M	25	13	43	14	97	155	37	22	19	39	43	45	9	36	37	11
		F	42	31	72	19	183	275	40	31	33	60	98	68	13	49	50	17
32(15)	Ill-defined and unknown cause	M	2	—	3	1	3	7	3	—	1	1	6	6	3	2	2	2
		F	5	1	2	1	8	5	—	—	—	1	6	4	3	6	—	—

	Registrar General's Abridged List		Peterborough, Soke of	Rutland	Shropshire	Somerset	Southampton	Staffordshire	Suffolk, East	Suffolk, West	Surrey	Sussex, East	Sussex, West	Warwickshire	Westmorland	Wight, Isle of	Wiltshire	Worcestershire
1	Tuberculosis, respiratory	M	4	—	5	20	36	54	9	1	62	19	21	29	5	3	17	19
		F	1	—	3	7	11	21	1	—	38	6	7	8	1	2	7	8
2	Tuberculosis, other	M	1	—	—	5	3	5	1	—	8	1	3	3	—	—	1	3
		F	1	—	1	1	2	1	1	—	11	2	2	4	—	1	—	2
3	Syphilitic disease	M	2	—	1	4	7	5	6	2	26	6	9	9	1	3	4	10
		F	3	—	—	—	3	6	1	2	22	5	6	4	1	2	2	—
4	Diphtheria	M	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
5	Whooping cough	M	—	—	—	1	1	—	—	—	—	—	—	—	—	—	1	1
		F	—	—	—	1	—	—	—	—	—	1	—	1	—	—	—	1
6	Meningococcal infections	M	—	—	—	—	1	1	—	—	1	—	—	1	—	—	—	1
		F	—	—	—	1	—	1	—	—	—	—	1	3	—	—	—	—
7	Acute poliomyelitis	M	—	—	2	—	1	1	—	—	—	1	—	1	—	—	—	—
		F	—	—	1	1	—	2	—	—	—	—	1	—	—	—	1	1
8	Measles	M	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1
9	Other infective, etc., diseases	M	—	—	5	3	5	12	4	—	24	4	5	7	2	2	2	7
		F	—	—	1	8	8	10	3	3	22	4	3	4	1	1	5	4
10	Malignant neoplasm: stomach	M	11	4	48	89	108	149	30	19	208	63	56	77	11	13	55	52
		F	5	6	29	71	66	136	27	21	183	73	41	48	9	6	54	61
11	lung, bronchus	M	30	3	74	145	252	292	57	29	577	154	185	173	21	34	124	136
		F	4	2	7	29	33	35	12	4	112	34	31	22	5	6	18	22
12	breast	M	—	—	—	1	—	—	—	—	3	—	—	2	—	1	1	1
		F	22	3	59	104	147	149	45	31	306	107	106	119	9	16	70	75
13	uterus	F	6	—	19	49	61	61	25	10	92	47	41	44	9	12	25	28
14	Other malignant and lymphatic neoplasms	M	34	10	150	271	372	425	131	58	794	225	252	280	36	72	222	225
		F	29	8	117	244	324	353	125	60	730	258	276	218	33	60	164	199
15	Leukaemia, aleukaemia	M	—	—	8	20	25	19	6	2	37	13	17	11	—	7	16	13
		F	—	—	2	6	13	20	6	2	36	17	19	11	2	4	12	11
16	Diabetes	M	3	2	11	17	18	18	8	4	37	8	11	12	1	5	10	13
		F	—	1	12	21	34	35	9	8	64	18	9	21	3	4	18	17
17	Vascular lesions of nervous system	M	71	19	252	398	501	558	166	84	875	322	325	372	74	85	267	328
		F	75	28	343	617	730	770	238	124	1,407	589	469	463	85	133	356	361
18	Coronary disease, angina	M	65	16	343	614	767	839	272	158	1,640	515	460	535	115	123	389	363
		F	41	13	172	407	501	504	182	85	1,014	360	336	302	70	81	229	230
19	Hypertension with heart disease	M	7	1	27	61	97	105	33	21	127	45	40	73	9	19	37	51
		F	4	4	30	70	128	125	32	25	219	84	69	61	7	29	46	76
20	Other heart disease	M	42	6	259	445	566	721	215	96	840	379	319	311	38	86	374	309
		F	44	20	368	631	749	827	285	142	1,532	596	597	403	78	168	474	400
21	Other circulatory disease	M	13	2	65	151	156	169	53	29	362	130	109	123	12	32	100	71
		F	10	9	66	159	149	182	85	39	482	158	115	125	21	23	105	91
22	Influenza	M	2	—	14	14	33	21	6	1	40	19	7	20	1	—	11	14
		F	1	1	15	13	29	19	10	2	35	27	8	14	1	5	4	3
23	Pneumonia	M	23	3	56	91	172	222	55	29	373	133	159	160	15	48	78	101
		F	12	9	54	101	145	163	55	37	464	129	165	142	14	42	99	131
24	Bronchitis	M	18	5	94	149	178	431	54	41	467	110	121	201	19	30	104	203
		F	6	2	43	62	93	172	23	14	203	51	57	69	5	16	54	79
25	Other diseases of respiratory system	M	1	3	12	59	45	83	10	8	88	35	33	48	8	13	33	28
		F	1	—	7	26	29	25	6	7	59	23	16	17	2	7	11	14
26	Ulcer of stomach and duodenum	M	7	1	17	43	42	80	15	7	91	30	41	34	8	14	23	37
		F	1	—	6	15	29	17	11	3	40	26	8	9	2	1	16	15
27	Gastritis, enteritis and diarrhoea	M	3	1	7	6	16	27	11	3	31	10	13	13	2	1	9	7
		F	3	—	7	22	24	23	9	9	41	16	17	12	4	7	17	7
28	Nephritis and nephrosis	M	3	—	9	29	34	50	8	8	52	24	21	13	5	—	21	21
		F	8	2	13	15	23	25	8	5	30	15	17	18	1	2	16	21
29	Hyperplasia of prostate	M	7	3	18	53	54	72	17	12	118	41	39	34	10	10	32	26
30	Pregnancy, childbirth, abortion	F	1	—	2	3	8	8	1	2	9	1	1	2	1	1	2	2
31	Congenital malformations	M	7	—	14	37	53	66	10	3	71	14	24	35	5	4	38	26
		F	2	—	11	21	41	70	10	3	65	13	22	29	2	3	20	14
32	Other defined and ill-defined diseases	M	30	5	149	260	328	456	125	50	536	161	133	225	35	46	148	169
		F	47	8	168	327	414	475	99	83	777	234	219	244	37	70	224	192
33	Motor vehicle accidents	M	12	3	36	49	76	98	20	9	105	21	34	66	11	5	51	42
		F	2	—	7	23	32	22	3	5	44	19	14	25	3	1	14	13
34	All other accidents	M	2	4	39	59	75	131	32	16	134	44	51	86	9	16	47	44
		F	14	2	23	48	70	98	31	10	164	83	64	75	5	15	24	58
35	Suicide	M	3	3	25	31	49	73	19	9	88	26	22	33	8	6	20	34
		F	5	1	8	17	25	39	6	2	69	19	17	19	5	7	11	16
36	Homicide, operations of war	M	—	—	—	2	1	1	—	—	4	2	2	3	—	—	—	1
		F	—	—	—	—	2	3	1	—	6	—	1	1	—	1	—	3

	Registrar General's Supplementary Abridged List		Peterborough, Soke of	Rutland	Shropshire	Somerset	Southampton	Staffordshire	Suffolk, East	Suffolk, West	Surrey	Sussex, East	Sussex, West	Warwickshire	Westmorland	Wight, Isle of	Wiltshire	Worcestershire
9(1)	Infectious hepatitis	M	—	—	1	—	3	—	—	—	7	1	1	1	1	—	—	2
		F	—	—	—	3	2	2	—	1	9	1	—	—	—	—	—	1
14(1)	Malignant neoplasm, mouth and pharynx	M	2	—	8	3	22	34	8	5	31	9	15	14	3	3	7	6
		F	2	—	7	7	14	11	3	—	20	7	5	9	1	1	3	6
14(2)	Malignant neoplasm, oesophagus	M	1	—	10	14	17	24	6	1	46	10	13	19	1	4	8	12
		F	2	—	7	11	12	12	12	8	36	11	15	7	2	4	9	4
14(3)	Malignant neoplasm, intestine and rectum	M	11	4	51	73	94	143	40	16	210	61	76	80	11	25	51	65
		F	8	5	37	96	112	140	47	17	258	94	102	93	11	18	52	80
14(4)	Malignant neoplasm, larynx	M	—	—	3	6	13	14	3	3	17	14	5	10	—	1	3	10
		F	—	—	—	5	1	3	1	1	3	1	2	—	—	—	1	4
13(1)	Malignant neoplasm, cervix uteri	F	4	—	15	27	36	36	16	4	55	21	25	24	5	5	12	18
14(5)	Malignant neoplasm, prostate	M	3	4	32	53	68	60	27	15	118	43	46	46	5	15	45	35
14(6)	Malignant neoplasm, bladder	M	5	1	5	17	28	21	11	6	76	19	12	21	3	6	23	17
		F	1	—	4	7	6	24	5	1	24	13	12	2	3	8	6	7
14(7)	Malignant neoplasm, bone (including jaw-bone)	M	—	—	—	5	4	7	—	—	13	3	3	7	1	1	7	4
		F	1	—	1	2	6	6	—	—	11	3	6	2	1	2	3	4
14(8)	Lymphosarcoma, reticulosarcoma	M	1	—	2	5	10	7	3	—	23	8	3	8	1	—	5	6
		F	—	1	4	7	4	9	3	1	15	7	4	5	—	1	3	4
14(9)	Hodgkin's disease	M	1	—	4	7	9	4	2	—	6	1	2	6	1	2	1	4
		F	—	—	3	4	6	4	1	1	15	3	5	2	—	2	1	6
32(1)	Thyrotoxicosis	M	—	—	1	1	2	1	1	—	2	—	1	—	—	—	—	—
		F	—	—	5	10	2	5	2	2	8	5	1	3	—	—	2	6
32(2)	Multiple sclerosis	M	—	—	2	4	3	7	5	—	9	6	1	5	—	—	6	3
		F	2	—	9	8	7	8	1	3	26	6	3	7	—	1	2	1
32(3)	Rheumatic fever	M	—	—	1	—	—	4	—	—	2	—	—	—	—	—	—	—
		F	—	—	—	—	—	1	—	—	3	—	1	1	—	—	—	—
20(1)	Chronic rheumatic heart disease	M	3	—	19	29	21	69	5	7	64	17	22	26	—	1	17	23
		F	9	3	16	59	48	96	13	13	149	37	39	37	7	6	28	39
21(1)	Hypertension without mention of heart	M	3	1	18	52	52	63	18	8	137	31	37	47	4	14	47	21
		F	1	5	26	40	38	65	23	15	170	33	29	37	7	11	35	23
25(1)	Pneumoconiosis and chronic interstitial pneumonia	M	—	—	1	16	5	29	1	—	6	2	5	11	2	1	4	4
		F	—	—	—	—	3	4	2	—	6	4	1	—	—	1	—	—
26(1)	Ulcer of stomach	M	2	—	8	25	17	40	8	3	43	13	18	13	2	6	13	13
		F	1	—	3	9	24	10	5	2	28	23	5	8	2	1	11	6
32(4)	Appendicitis	M	2	1	—	5	5	11	3	2	14	3	3	5	1	1	3	7
		F	—	—	5	1	3	5	3	1	11	2	4	4	—	—	2	9
32(5)	Intestinal obstruction and hernia	M	4	—	8	16	21	38	9	6	49	12	11	17	2	6	11	5
		F	3	—	7	18	16	31	7	1	51	17	18	14	2	5	13	10
32(6)	Cirrhosis of liver	M	—	—	3	9	12	16	3	—	15	10	5	8	2	5	5	7
		F	2	1	2	6	7	9	1	2	22	8	7	4	2	2	5	4
32(7)	Cholelithiasis, cholecystitis	M	1	1	—	7	8	15	2	1	9	4	4	11	1	2	2	7
		F	—	—	3	6	16	15	1	5	25	8	10	5	2	—	12	9
30(1)	Maternal sepsis (not abortion)	F	—	—	—	1	1	2	—	1	2	—	—	—	1	—	—	—
30(2)	Toxaemias of pregnancy and puerperium	F	1	—	—	2	1	2	—	—	2	—	—	1	—	—	1	1
30(3)	Abortion	F	—	—	—	—	—	1	1	—	1	—	—	1	—	—	—	—
32(8)	Rheumatoid arthritis and allied conditions	M	—	—	1	4	4	6	3	—	7	1	1	5	—	—	1	—
		F	1	—	5	16	18	16	4	4	24	7	2	4	—	2	4	6
32(9)	Birth injury	M	1	—	16	12	17	25	12	3	18	3	5	18	2	2	12	5
		F	1	1	2	6	7	27	2	3	17	3	6	9	2	2	11	7
32(10)	Postnatal asphyxia and atelectasis	M	3	1	12	17	35	34	3	5	23	10	6	9	3	2	11	7
		F	1	—	5	10	19	19	1	3	15	5	6	7	—	2	8	4
23(1)	Pneumonia of newborn	M	2	—	3	4	9	13	2	—	10	1	3	5	—	—	9	5
		F	1	1	1	—	5	8	—	3	4	1	3	7	—	1	7	2
32(11)	Ophthalmia, pemphigus, sepsis of newborn	M	—	—	—	—	1	2	—	—	2	1	—	2	—	—	—	—
		F	—	—	—	—	1	—	—	1	—	—	—	2	—	—	—	—
32(12)	Haemolytic disease of newborn	M	—	—	—	—	3	3	1	—	3	2	—	4	1	—	1	1
		F	2	—	2	2	3	3	1	2	7	3	3	1	—	1	—	2
32(13)	Immaturity (without other disease peculiar to early infancy)	M	4	—	7	8	26	35	6	6	41	9	12	24	3	3	9	16
		F	5	—	3	6	25	21	6	6	31	5	6	11	3	1	11	10
32(14)	Senility without psychosis	M	10	—	33	71	55	112	18	3	60	19	22	19	6	4	36	30
		F	20	3	50	127	101	150	19	5	163	58	53	51	13	20	85	51
32(15)	Ill-defined and unknown cause	M	—	—	1	1	5	7	—	—	2	5	2	1	—	—	2	1
		F	—	—	2	3	1	—	1	—	1	—	2	1	—	—	—	—

TABLE 21—*continued.* Administrative counties

Registrar General's Abridged List		Yorkshire, East Riding	Yorkshire, North Riding	Yorkshire, West Riding	Anglesey	Brecknockshire	Caernarvonshire	Cardiganshire	Carmarthenshire	Denbighshire	*Flintshire	Glamorganshire	Merionethshire	Monmouthshire	Montgomeryshire	Pembrokeshire	Radnorshire
1	Tuberculosis, respiratory	M	16	16	112	2	4	28	2	13	18	9	71	7	21	2	5	1
		F	3	10	29	3	2	5	—	5	7	2	28	—	8	1	2	—
2	Tuberculosis, other	M	1	6	6	1	—	—	—	2	—	—	8	—	1	—	—	—
		F	—	3	3	—	—	1	—	—	1	1	4	1	—	—	—	—
3	Syphilitic disease	M	1	3	24	1	1	—	—	—	2	—	8	2	4	—	—	—
		F	1	6	15	—	—	—	1	—	—	—	4	—	—	1	—	—
4	Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough	M	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
		F	1	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—
6	Meningococcal infections	M	—	1	4	—	—	—	—	—	—	1	3	—	—	—	—	—
		F	—	1	3	—	—	—	—	—	1	1	2	—	1	—	—	—
7	Acute poliomyelitis	M	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
8	Measles	M	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—
		F	—	1	1	—	—	—	—	—	1	—	2	—	1	—	1	—
9	Other infective, etc., diseases	M	1	6	15	—	1	3	—	1	2	4	12	—	4	—	1	—
		F	1	2	12	1	—	1	—	—	3	2	4	—	—	—	—	—
10	Malignant neoplasm: stomach	M	33	56	307	16	10	56	24	41	38	28	186	9	62	8	19	4
		F	29	51	228	6	9	40	16	47	30	27	130	17	53	14	24	1
11	lung, bronchus	M	58	112	467	13	15	46	13	43	51	51	195	19	101	8	17	2
		F	14	27	82	2	—	10	3	5	8	6	21	3	6	3	3	1
12	breast	M	1	—	2	—	—	—	—	—	1	1	1	—	—	—	—	—
		F	39	67	315	12	11	29	13	25	30	37	117	7	44	7	13	—
13	uterus	F	23	49	178	10	2	17	9	14	19	18	66	—	31	6	8	1
14	Other malignant and lymphatic neoplasms	M	128	233	823	27	38	88	51	95	101	78	375	26	160	27	56	11
		F	125	185	721	32	31	90	25	96	92	74	312	26	125	28	45	5
15	Leukaemia, aleukaemia	M	7	10	57	2	3	2	2	5	1	5	17	—	10	1	3	—
		F	2	7	32	1	2	5	—	9	5	6	5	1	2	1	2	—
16	Diabetes	M	3	4	47	2	—	4	1	4	2	4	23	1	11	—	4	—
		F	14	16	78	3	4	6	4	7	12	5	35	3	18	4	4	1
17	Vascular lesions of nervous system	M	184	310	1,340	58	49	115	54	139	157	139	576	52	228	40	70	23
		F	212	427	1,804	75	62	182	89	224	244	158	691	67	263	51	113	25
18	Coronary disease, angina	M	311	509	2,119	53	59	188	87	252	216	210	938	36	428	43	141	23
		F	194	310	1,248	25	34	97	37	128	127	108	476	30	202	22	63	16
19	Hypertension with heart disease	M	24	36	219	7	4	27	11	18	15	20	84	4	42	5	10	4
		F	46	57	289	12	6	39	14	41	20	35	106	11	40	7	11	1
20	Other heart disease	M	196	365	1,185	55	70	100	79	134	126	102	513	42	318	63	71	26
		F	227	474	1,580	78	72	150	103	186	210	120	669	63	323	53	97	18
21	Other circulatory disease	M	66	83	417	14	14	73	12	68	45	49	200	15	92	13	41	5
		F	67	95	427	13	15	86	17	69	52	40	209	14	87	11	31	4
22	Influenza	M	8	11	33	3	2	—	3	13	2	1	28	2	7	3	4	—
		F	11	16	29	1	1	2	4	5	7	3	17	1	11	—	3	1
23	Pneumonia	M	55	123	373	7	13	29	8	31	39	28	179	7	61	5	22	4
		F	55	64	345	8	7	21	11	35	27	28	118	4	48	8	20	1
24	Bronchitis	M	67	112	859	22	20	58	16	63	75	61	454	14	244	8	25	5
		F	43	72	327	10	12	22	14	26	29	20	140	3	75	4	8	4
25	Other diseases of respiratory system	M	20	16	136	4	15	15	3	71	11	8	210	7	53	2	7	—
		F	8	8	61	1	3	2	—	4	5	7	20	1	14	2	2	1
26	Ulcer of stomach and duodenum	M	13	27	93	5	5	14	6	12	12	12	38	1	12	3	8	—
		F	5	7	37	—	1	4	—	8	5	3	12	2	4	—	2	1
27	Gastritis, enteritis and diarrhoea	M	5	9	42	2	2	3	—	4	7	—	26	3	6	1	1	—
		F	10	3	43	2	1	4	2	8	6	3	28	1	10	1	2	—
28	Nephritis and nephrosis	M	20	22	91	5	4	6	1	9	10	10	43	5	21	3	3	1
		F	10	18	104	4	2	14	3	13	7	12	59	8	15	2	1	2
29	Hyperplasia of prostate	M	26	40	99	14	4	29	19	26	33	17	61	6	27	5	12	1
30	Pregnancy, childbirth, abortion	F	1	1	12	—	—	—	1	1	3	1	10	—	1	—	1	—
31	Congenital malformations	M	13	23	90	—	—	4	3	13	12	8	59	1	23	2	3	—
		F	9	11	70	1	—	7	2	11	5	10	40	1	15	7	4	1
32	Other defined and ill-defined diseases	M	116	146	707	28	20	56	25	107	81	81	403	19	158	36	58	9
		F	120	187	816	26	29	68	48	126	123	93	407	27	187	29	73	10
33	Motor vehicle accidents	M	18	32	160	2	12	9	7	13	12	25	65	4	29	7	17	5
		F	7	10	45	3	1	4	1	1	6	4	15	—	5	2	1	—
34	All other accidents	M	25	63	272	9	9	17	8	34	23	26	153	5	63	6	27	3
		F	32	56	221	6	5	12	6	31	28	18	85	1	33	6	12	1
35	Suicide	M	18	29	128	3	3	4	3	9	15	6	44	3	16	1	4	4
		F	9	10	58	1	1	7	5	3	9	2	23	2	17	1	3	—
36	Homicide, operations of war	M	—	—	2	—	—	—	—	—	2	1	1	—	—	1	—	—
		F	—	—	1	—	—	1	—	—	1	1	—	—	—	—	—	—

* The figures for this area include 15 deaths (12M, 3F) (including 3M deaths from tuberculosis of the respiratory system) in a Polish General Hospital which could not be transferred to the area of residence.

TABLE 21—*continued.* Administrative counties

Registrar General's Supplementary Abridged List		Yorkshire, East Riding	Yorkshire, North Riding	Yorkshire, West Riding	Anglesey	Brecknockshire	Caernarvonshire	Cardiganshire	Carmarthenshire	Denbighshire	Flintshire	Glamorganshire	Merionethshire	Monmouthshire	Montgomeryshire	Pembrokeshire	Radnorshire
9(1)	Infectious hepatitis	M	—	—	4	—	—	1	—	—	—	2	1	—	1	—	—	—
		F	—	1	4	—	—	—	—	—	—	2	1	—	—	—	—	—
14(1)	Malignant neoplasm, mouth and pharynx	M	8	15	27	5	2	3	6	4	3	9	19	2	12	3	5	—
		F	8	5	30	1	6	5	1	5	4	5	18	1	5	2	3	2
14(2)	Malignant neoplasm, oesophagus	M	2	13	36	2	—	12	2	6	7	4	28	2	4	1	2	1
		F	6	12	20	3	3	6	3	7	5	2	21	2	6	1	3	—
14(3)	Malignant neoplasm, intestine and rectum	M	51	75	245	6	10	27	15	36	30	25	108	7	44	6	18	3
		F	42	60	273	17	8	37	8	42	38	26	111	13	43	11	15	1
14(4)	Malignant neoplasm, larynx	M	3	8	13	2	5	1	1	4	2	7	9	2	3	1	1	—
		F	—	3	4	—	—	1	—	1	1	—	6	2	—	1	—	—
13(1)	Malignant neoplasm, cervix uteri	F	13	32	132	7	2	7	8	10	15	13	42	—	23	5	6	—
14(5)	Malignant neoplasm, prostate	M	22	27	131	4	8	10	10	7	11	11	42	6	28	5	8	3
14(6)	Malignant neoplasm, bladder	M	6	13	74	2	2	1	2	10	5	1	42	—	14	2	3	—
		F	6	8	28	—	1	3	1	2	2	3	15	—	2	1	3	—
14(7)	Malignant neoplasm, bone (including jaw-bone)	M	—	4	14	—	—	1	2	2	1	1	6	1	7	—	—	1
		F	1	2	7	—	—	2	—	3	2	1	3	—	3	—	1	—
14(8)	Lymphosarcoma, reticulosarcoma	M	1	2	13	—	—	1	1	1	4	2	7	1	4	2	2	—
		F	3	1	8	—	—	—	—	—	—	1	3	—	4	2	—	—
14(9)	Hodgkin's disease	M	4	1	20	1	—	1	—	1	3	3	12	—	1	—	—	—
		F	1	2	10	—	—	2	1	2	—	2	3	—	2	2	2	—
32(1)	Thyrotoxicosis	M	—	—	1	—	1	—	—	—	—	—	1	—	—	—	—	—
		F	3	2	7	1	2	—	1	1	2	2	5	—	2	1	—	—
32(2)	Multiple sclerosis	M	3	2	14	—	1	1	—	1	2	6	7	1	2	—	—	—
		F	4	7	19	—	—	2	—	1	5	1	3	—	1	1	—	—
32(3)	Rheumatic fever	M	—	—	5	—	—	—	—	2	—	—	3	—	1	—	—	—
		F	—	—	2	—	—	—	—	—	—	1	1	—	—	—	—	—
20(1)	Chronic rheumatic heart disease	M	14	23	103	6	1	5	5	13	10	5	66	3	20	7	4	1
		F	30	34	187	5	8	10	5	22	17	15	97	8	30	7	6	1
21(1)	Hypertension without mention of heart	M	18	23	117	4	5	33	3	19	9	16	67	3	31	2	13	1
		F	20	22	122	7	5	32	8	16	8	16	68	2	29	2	9	1
25(1)	Pneumoconiosis and chronic interstitial pneumonia	M	3	—	47	1	12	7	1	48	1	3	165	6	28	2	2	—
		F	—	—	5	—	1	1	—	—	—	1	1	1	1	—	—	—
26(1)	Ulcer of stomach	M	6	9	36	2	5	7	2	8	9	7	15	—	9	1	5	—
		F	2	5	28	—	1	2	—	4	4	—	4	1	2	—	1	1
32(4)	Appendicitis	M	1	5	15	1	—	5	—	3	—	2	13	—	2	2	—	—
		F	2	—	10	—	1	—	2	1	2	1	7	—	2	—	—	—
32(5)	Intestinal obstruction and hernia	M	9	11	38	1	—	3	3	8	5	6	22	1	12	1	3	2
		F	5	7	51	1	—	6	2	5	9	6	19	3	11	1	—	1
32(6)	Cirrhosis of liver	M	5	7	24	—	1	2	1	1	3	2	10	—	6	—	—	—
		F	—	2	22	1	—	1	1	1	7	1	12	1	2	1	1	1
32(7)	Cholelithiasis, cholecystitis	M	5	6	19	2	—	1	1	3	—	4	9	1	5	—	2	1
		F	3	6	29	—	2	5	2	1	5	2	18	—	8	2	2	—
30(1)	Maternal sepsis (not abortion)	F	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—
30(2)	Toxaemias of pregnancy and puerperium	F	1	—	4	—	—	—	—	—	—	—	3	—	—	—	1	—
30(3)	Abortion	F	—	—	2	—	—	—	—	1	—	1	1	—	—	—	—	—
32(8)	Rheumatoid arthritis and allied conditions	M	1	1	8	—	—	2	—	3	3	2	5	—	2	1	1	—
		F	4	4	23	—	—	2	—	8	10	8	10	—	8	—	2	—
32(9)	Birth injury	M	4	9	47	—	1	—	1	8	8	7	22	2	5	1	1	1
		F	1	4	23	2	1	1	—	5	1	4	15	—	4	1	2	—
32(10)	Postnatal asphyxia and atelectasis	M	3	7	74	3	2	2	1	4	5	6	44	1	8	3	3	—
		F	3	10	46	—	2	4	—	7	5	4	31	2	4	2	4	—
23(1)	Pneumonia of newborn	M	4	11	13	1	—	1	—	—	—	—	9	—	4	—	2	1
		F	—	4	11	—	—	—	1	1	1	3	—	—	2	—	1	—
32(11)	Ophthalmia, pemphigus, sepsis of newborn	M	—	—	2	—	—	—	—	—	—	—	2	—	—	—	—	—
		F	2	1	2	—	—	—	—	—	—	—	1	—	—	—	—	—
32(12)	Haemolytic disease of newborn	M	—	1	12	—	2	—	1	—	1	—	3	—	1	—	—	—
		F	—	—	8	1	—	1	—	—	—	—	2	—	2	—	—	—
32(13)	Immaturity (without other disease peculiar to early infancy)	M	16	19	52	2	1	3	2	9	4	8	31	1	18	5	6	1
		F	7	19	54	1	2	4	1	5	3	4	16	2	21	—	6	1
32(14)	Senility without psychosis	M	21	23	101	5	5	12	3	18	8	14	80	4	21	11	14	—
		F	44	44	185	9	7	15	15	33	23	31	115	12	32	10	30	4
32(15)	Ill-defined and unknown cause	M	1	2	8	3	—	—	—	4	—	—	4	—	2	—	—	—
		F	—	1	—	—	—	2	—	3	1	—	—	—	1	1	—	—

TABLE 22. Causes of death by month of occurrence January to December 1958

England and Wales

Note. 1 Totals for any period made up from this table will differ from the corresponding figures shown in other tables (except Table 16) which are tabulated according to date of registration.
2 Deaths occurring in the year but which were registered after 31st March of the following year are excluded.
3 See explanatory notes.

ISC No.	Causes of death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
	ALL CAUSES	M	32,001	24,853	27,206	23,632	20,304	18,823	18,354	17,892	17,417	20,382	21,942	27,332
		F	29,429	23,682	25,844	23,233	19,403	17,917	17,713	17,334	16,786	18,810	20,507	25,257
001-138	I Infective and parasitic diseases	M	563	433	449	406	318	303	291	264	291	339	383	493
		F	286	220	215	215	194	144	139	153	153	175	204	220
001-008	Tuberculosis of respiratory system	M	388	303	305	265	196	187	172	162	181	202	234	344
		F	146	98	102	100	93	57	56	48	58	75	101	114
010	Tuberculosis of meninges & central nervous system	M	6	1	4	4	2	4	4	6	3	3	5	2
		F	6	4	6	4	4	3	3	5	4	3	2	5
011	Tuberculosis of intestines, peritoneum, and mesenteric glands	M	6	1	2	3	—	2	3	1	4	—	1	4
		F	5	5	2	5	3	1	3	4	3	2	2	1
012, 013	Tuberculosis of bones and joints	M	7	4	8	3	3	6	2	2	4	2	6	4
		F	5	5	4	3	4	1	2	—	4	7	3	6
014-019	Tuberculosis, all other forms	M	18	10	8	15	3	13	13	7	10	15	10	17
		F	11	11	6	8	12	5	2	9	8	6	10	8
020-029	Syphilis and its sequelae	M	70	58	67	51	65	41	40	33	47	51	58	70
		F	51	34	39	32	35	26	31	28	26	18	38	28
030-039	Gonococcal infection and other venereal diseases	M	3	3	2	3	1	2	4	1	—	—	—	2
		F	—	—	—	—	—	—	—	1	—	—	—	—
040	Typhoid fever	M	1	—	—	—	—	—	—	—	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
041	Paratyphoid fever	M	—	—	—	—	—	—	1	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—	—	—
042	Other salmonella infections	M	—	—	1	1	—	2	6	1	2	5	1	2
		F	2	—	2	—	—	1	—	4	2	1	2	—
044	Brucellosis (undulant fever)	M	1	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
045	Bacillary dysentery	M	1	2	1	—	1	2	3	1	—	—	1	—
		F	2	2	1	2	—	1	1	2	2	1	—	—
048	Unspecified forms of dysentery	M	1	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
049	Food poisoning (infection and intoxication)	M	—	—	—	—	—	—	—	—	—	1	—	—
		F	—	—	—	—	—	—	1	—	—	1	1	1
050	Scarlet fever	M	1	—	—	—	—	—	—	—	—	—	1	1
		F	—	—	1	—	—	—	—	—	—	—	—	—
051	Streptococcal sore throat	M	—	—	1	—	—	1	1	1	—	—	—	—
		F	2	—	—	1	—	—	1	—	—	—	1	1
052	Erysipelas	M	—	—	—	1	1	—	—	—	—	—	—	—
		F	—	—	1	1	1	—	—	—	1	1	—	—
053, 054	Septicaemia, pyaemia, and bacterial toxaemia	M	3	3	6	3	6	7	—	2	6	2	4	3
		F	2	2	4	5	—	4	2	4	2	4	2	5
055	Diphtheria	M	—	2	—	—	—	—	—	—	1	—	—	1
		F	—	—	—	1	—	—	—	—	—	1	1	1
056	Whooping cough	M	2	—	—	1	—	—	1	1	1	5	1	1
		F	1	3	—	—	2	—	—	2	2	—	2	2
057	Meningococcal infections	M	12	10	8	5	4	5	5	2	1	7	6	7
		F	15	8	8	8	5	8	7	4	1	3	2	5
061	Tetanus	M	1	—	1	1	—	2	—	2	—	1	—	1
		F	1	—	—	—	2	—	—	2	1	2	2	—
070	Vincent's infection	M	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
072	Leptospirosis icterohaemorrhagica (Weil's disease)	M	3	1	1	2	1	—	2	—	—	2	4	2
		F	—	—	—	—	—	—	—	—	—	—	1	—
080	Acute poliomyelitis	M	3	2	1	8	2	1	3	13	5	10	19	4
		F	4	2	—	6	1	3	8	5	8	12	3	6
081	Late effects of acute poliomyelitis	M	2	1	1	—	1	1	1	—	1	2	—	1
		F	1	1	1	2	1	1	1	1	—	1	3	1

ISC No.	Causes of death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
082	Acute infectious encephalitis	M	1	6	5	7	5	4	2	8	2	3	6	3
		F	2	3	1	6	5	2	3	4	1	5	3	5
083	Late effects of acute infectious encephalitis	M	9	5	6	7	6	5	4	5	7	5	6	6
		F	3	11	6	5	5	1	4	6	4	7	5	6
084	Smallpox	M	—	—	—	—	1	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
085	Measles	M	2	1	2	2	3	2	1	1	2	2	2	2
		F	1	2	3	4	4	2	1	2	—	2	3	2
086	Rubella (German measles)	M	—	—	—	1	—	—	—	—	—	—	—	—
		F	—	—	—	1	—	—	—	—	—	—	—	—
087	Chickenpox	M	—	1	1	2	—	—	1	2	—	—	—	—
		F	—	—	1	—	1	—	1	—	—	1	1	—
088	Herpes zoster	M	1	3	2	4	—	—	4	3	3	1	—	—
		F	5	5	2	3	3	6	1	5	4	4	3	3
089	Mumps	M	1	—	1	—	—	1	—	—	—	—	1	—
		F	1	—	1	—	—	1	—	1	—	—	—	—
092	Infectious hepatitis	M	8	8	9	11	11	9	9	6	8	14	12	4
		F	9	14	17	12	10	14	10	14	12	9	8	8
093	Glandular fever (infectious mononucleosis)	M	—	—	—	—	1	—	—	—	1	—	—	—
		F	—	—	—	—	—	—	—	—	—	2	—	—
096	Other diseases attributable to viruses	M	1	—	—	—	—	—	—	2	—	1	—	2
		F	—	1	—	—	1	2	—	—	1	—	—	3
100-108	Typhus and other rickettsial diseases	M	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
110-117	Malaria	M	1	—	—	—	—	—	—	—	—	1	—	—
		F	—	—	—	—	—	—	—	—	1	—	—	1
Remainder of 001-138	All other diseases classified as infective and parasitic	M	10	8	6	6	5	6	7	4	1	4	5	10
		F	10	9	7	6	2	5	1	2	8	7	5	8
140-239	II Neoplasms	M	4,508	3,926	4,294	4,195	4,228	4,066	4,174	4,271	4,010	4,509	4,453	4,604
		F	4,069	3,484	3,914	3,743	3,874	3,698	3,838	3,924	3,718	3,822	3,806	3,839
140-148	Malignant neoplasm of buccal cavity and pharynx	M	112	109	108	88	107	88	113	110	94	115	92	134
		F	59	57	65	55	53	45	58	51	58	48	51	60
150	Malignant neoplasm of oesophagus	M	104	108	91	115	114	104	97	103	106	134	108	116
		F	83	86	81	92	77	80	79	94	69	86	79	89
151	Malignant neoplasm of stomach	M	686	611	646	672	675	660	678	664	612	689	648	691
		F	556	471	518	525	528	466	565	535	500	489	488	533
152-154	Malignant neoplasm of intestine, incl. rectum	M	646	519	553	576	561	540	571	597	538	617	591	622
		F	747	624	660	633	685	644	685	694	663	676	657	673
155, 156	Malignant neoplasm of biliary passages & of liver	M	71	63	81	85	68	58	75	60	71	71	73	78
		F	104	91	117	96	95	89	100	125	86	111	95	99
157-159	Malignant neoplasm of pancreas, peritoneum, & unspecified digestive organs	M	199	183	194	186	160	162	170	201	168	161	160	160
		F	199	141	148	171	154	173	146	180	154	163	167	152
160	Malignant neoplasm of nose, nasal cavities, middle ear, and accessory sinuses	M	11	8	10	8	6	8	5	12	14	11	15	15
		F	10	3	7	7	13	7	8	6	9	5	12	9
161	Malignant neoplasm of larynx	M	47	47	58	51	52	50	67	53	51	53	68	65
		F	13	12	15	15	17	12	14	9	15	13	19	16
162-165	Malignant neoplasm of lung and bronchus, trachea, mediastinum, and of thoracic organs (sec'd'ry)	M	1,486	1,290	1,437	1,391	1,403	1,359	1,358	1,419	1,319	1,552	1,536	1,561
		F	243	217	238	206	237	200	236	268	233	253	241	251
170	Malignant neoplasm of breast	M	6	5	8	5	7	6	9	2	3	7	5	8
		F	788	682	785	693	745	761	718	738	718	770	804	750
171-174	Malignant neoplasm of uterus	F	309	319	385	345	331	362	366	337	351	342	337	319
175, 176	Malignant neoplasm of other and unspecified female genital organs	F	272	249	298	294	318	275	279	300	301	284	275	268
177	Malignant neoplasm of prostate	M	323	279	307	297	310	272	274	277	314	304	319	332
178, 179	Malignant neoplasm of other and unspecified male genital organs	M	39	26	32	28	25	25	22	26	27	33	30	27

TABLE 22—*continued*

ISC No.	Causes of death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
180	Malignant neoplasm of kidney	M	76	55	67	69	52	50	64	67	67	63	65	65
		F	55	37	45	45	40	40	36	42	35	39	41	53
181	Malignant neoplasm of bladder and other urinary organs	M	180	156	178	148	178	165	163	174	147	162	193	167
		F	82	65	64	60	76	88	66	72	73	77	62	80
190, 191	Malignant neoplasm of skin	M	39	25	44	35	40	35	31	26	31	32	41	28
		F	45	40	28	40	31	34	44	37	32	28	39	41
193	Malignant neoplasm of brain and other parts of nervous system	M	86	82	98	86	91	89	86	93	92	96	79	95
		F	66	50	72	70	68	57	70	77	57	71	65	69
196	Malignant neoplasm of bone (including jaw bone)	M	28	23	39	29	31	31	29	35	21	28	30	30
		F	20	27	25	15	28	26	37	25	18	27	26	25
201	Hodgkin's disease	M	39	36	43	40	41	36	36	38	37	48	44	34
		F	25	27	29	30	32	23	29	25	24	21	22	28
204	Leukaemia and aleukaemia	M	104	92	85	102	109	117	116	96	100	125	118	134
		F	115	63	88	110	99	86	84	78	93	82	90	98
Remainder of 140-205	Malignant neoplasm of all other & unspecified sites, incl. other neoplasms of lymphatic and haemato-poietic tissues	M	186	158	167	138	156	167	171	174	162	171	188	181
		F	221	164	191	183	182	175	173	181	181	179	184	172
210	Benign neoplasm of buccal cavity and pharynx	M	—	—	—	—	—	—	1	—	—	—	—	—
		F	—	—	—	—	—	—	1	—	—	—	—	—
211	Benign neoplasm of other parts of digestive system	M	1	4	—	—	1	2	—	1	2	—	2	3
		F	5	—	1	3	2	1	—	1	1	2	2	1
212	Benign neoplasm of respiratory system	M	2	1	1	1	1	2	—	1	1	—	—	1
		F	—	—	1	2	1	—	—	1	—	1	—	2
213	Benign neoplasm of breast	M	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	1	—	—	—	—	—	—
214-217	Benign neoplasm of female genital organs	F	11	18	18	9	19	19	15	14	12	17	14	17
218	Benign neoplasm of male genital organs	M	—	—	—	—	—	—	—	—	—	—	—	—
219	Benign neoplasm of kidney and other urinary organs	M	4	2	10	9	9	9	4	4	3	6	7	8
		F	3	6	4	4	1	3	3	4	1	1	1	3
220-222	Benign neoplasm of skin	M	—	—	—	—	—	—	—	1	—	—	—	—
		F	—	—	1	—	1	—	—	—	—	—	—	—
223	Benign neoplasm of brain & other parts of nervous system	M	10	13	14	17	9	8	7	15	9	9	14	13
		F	12	20	13	12	20	17	7	11	14	11	10	11
224-229	Benign neoplasm of all other and unspecified organs and tissues	M	12	11	6	6	6	5	8	3	4	4	6	6
		F	10	3	6	15	9	7	4	6	10	6	7	9
230-239	Neoplasm of unspecified nature	M	11	20	17	13	16	18	19	19	17	18	21	30
		F	15	12	11	13	12	7	15	13	10	20	18	11
240-289	**III Allergic, endocrine system, metabolic, and nutritional diseases**	M	**250**	**216**	**193**	**199**	**168**	**144**	**144**	**191**	**159**	**159**	**152**	**239**
		F	**477**	**378**	**368**	**340**	**269**	**284**	**278**	**295**	**313**	**292**	**312**	**363**
241	Asthma	M	83	70	46	54	40	39	38	62	51	38	40	55
		F	102	74	72	71	51	70	66	87	78	55	46	60
Remainder 240-245	Other allergic disorders	M	1	—	1	—	2	1	—	—	—	—	1	2
		F	1	1	—	—	1	1	—	—	—	—	—	—
250	Simple goitre	M	—	—	—	—	—	—	1	—	1	—	1	—
		F	1	5	—	3	—	—	1	—	—	3	2	2
251	Non-toxic nodular goitre	M	—	2	2	1	1	1	3	—	1	—	—	—
		F	5	1	2	5	1	3	1	1	2	1	1	2
252	Thyrotoxicosis with or without goitre	M	4	2	2	3	5	4	5	2	3	3	2	4
		F	30	31	30	25	28	25	14	10	23	21	19	28
253, 254	Other diseases of thyroid gland	M	5	2	7	4	1	2	3	5	—	3	3	6
		F	36	27	35	14	11	17	16	14	16	21	22	39
260	Diabetes mellitus	M	115	110	102	110	93	74	76	100	75	88	75	132
		F	253	208	197	192	153	143	150	155	152	165	190	195
270-277	Diseases of other endocrine glands	M	14	11	13	9	8	7	11	10	9	11	13	20
		F	25	15	11	8	9	8	9	8	10	8	11	9

TABLE 22—*continued*

ISC No.	Causes of death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
280-286	Avitaminoses, and other deficiency states	M	10	5	8	6	4	3	1	3	7	3	4	5
		F	9	3	7	3	2	2	7	3	12	4	5	7
287	Obesity, not specified as of endocrine origin	M	9	6	4	4	5	2	4	2	5	4	2	5
		F	10	10	10	12	5	9	7	13	16	9	10	12
288	Gout	M	2	1	—	1	—	1	—	—	—	2	2	1
		F	1	—	—	1	—	—	1	—	—	—	1	1
289	Other metabolic diseases	M	7	7	8	7	9	10	2	7	7	7	9	9
		F	4	3	4	6	8	6	6	4	4	5	5	8
290-299	**IV Diseases of the blood and blood-forming organs**	M	**81**	**54**	**68**	**54**	**70**	**55**	**44**	**65**	**52**	**63**	**76**	**58**
		F	**137**	**110**	**106**	**99**	**114**	**110**	**103**	**113**	**102**	**107**	**92**	**118**
290	Pernicious and other hyperchromic anaemias	M	26	22	27	15	23	22	16	15	18	20	28	15
		F	57	45	49	50	47	55	40	54	48	53	34	48
291	Iron deficiency anaemias (hyperchromic anaemias)	M	9	8	8	8	4	2	3	12	—	4	8	7
		F	27	13	16	18	19	17	16	15	12	10	13	19
292,293	Other anaemias	M	27	15	19	12	35	16	12	29	18	28	24	19
		F	33	38	23	17	30	27	30	23	26	24	36	30
294-299	Other diseases of blood and blood-forming organs	M	19	9	14	19	8	15	13	9	16	11	16	17
		F	20	14	18	14	18	11	17	21	16	20	9	21
300-326	**V Mental, psychoneurotic, and personality disorders**	M	**46**	**25**	**36**	**28**	**22**	**20**	**36**	**12**	**26**	**36**	**29**	**29**
		F	**52**	**63**	**64**	**47**	**46**	**31**	**41**	**46**	**46**	**47**	**30**	**52**
300-309	Psychoses	M	34	17	29	18	13	15	30	9	15	26	17	23
		F	46	52	57	41	39	29	30	40	39	38	24	40
310-326	Psychoneuroses, and disorders of personality, including mental deficiency	M	12	8	7	10	9	5	6	3	11	10	12	6
		F	6	11	7	6	7	2	11	6	7	9	6	12
330-398	**VI Diseases of the nervous system and sense organs**	M	**3,692**	**3,107**	**3,675**	**3,037**	**2,543**	**2,399**	**2,382**	**2,292**	**2,211**	**2,570**	**2,696**	**3,283**
		F	**5,009**	**4,336**	**4,997**	**4,422**	**3,683**	**3,450**	**3,391**	**3,246**	**3,118**	**3,643**	**3,829**	**4,613**
330-334	Vascular lesions affecting central nervous system	M	3,429	2,861	3,404	2,813	2,355	2,189	2,167	2,112	2,024	2,371	2,507	3,033
		F	4,737	4,077	4,719	4,154	3,444	3,230	3,152	3,054	2,946	3,430	3,594	4,315
340	Meningitis, except meningococcal and tuberculous													
340·0	H. influenzae	M	2	—	3	2	1	2	1	—	—	—	—	—
		F	—	1	1	1	1	1	—	1	1	1	1	1
340·1	Pneumococcus	M	5	6	13	14	3	9	5	3	5	8	3	6
		F	7	11	10	5	6	5	7	1	1	1	4	8
340·2	Due to other specified organism	M	4	2	5	6	—	8	8	6	5	2	7	2
		F	3	5	2	1	2	—	2	5	1	2	2	4
340·3	Unspecified cause	M	6	3	4	1	3	6	5	3	5	3	6	7
		F	5	4	4	4	1	6	3	1	4	2	1	2
341-344	Other inflammatory diseases of central nervous system	M	12	19	16	15	17	10	14	18	10	12	11	16
		F	16	14	11	18	14	11	5	12	4	9	11	12
345	Multiple sclerosis	M	30	33	40	29	21	30	26	19	30	18	18	31
		F	48	40	49	54	44	47	47	38	39	32	49	56
350	Paralysis agitans	M	77	65	71	61	48	55	49	44	46	52	47	74
		F	79	76	82	79	80	63	81	52	51	69	72	82
351, 352	Cerebral spastic infantile paralysis, and other cerebral paralysis	M	30	36	28	23	17	11	27	25	15	17	23	26
		F	31	25	37	36	32	24	32	30	21	28	20	36
353	Epilepsy	M	36	34	32	23	33	32	29	26	30	34	21	27
		F	30	28	33	29	22	32	32	22	22	26	30	34
354-357	Other diseases of central nervous system	M	38	37	44	35	30	38	34	30	31	41	38	41
		F	38	46	35	30	25	23	21	25	21	31	32	53
365	Erythroedema polyneuritica	M	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	1	—	—	—
360-364, 366-369	Other diseases of nerves and peripheral ganglia	M	8	4	3	3	5	1	2	4	4	3	6	6
		F	2	—	3	—	1	2	1	2	1	3	4	1
370-379	Inflammatory diseases of eye	M	—	—	—	—	—	—	1	—	—	—	—	—
		F	1	—	—	—	—	1	—	—	2	1	—	1
380-389	Other diseases and conditions of eye	M	1	1	3	1	2	1	1	—	—	2	1	1
		F	5	3	8	2	5	1	5	—	3	5	2	1
390-398	Diseases of ear and mastoid process	M	14	6	9	11	8	7	13	2	6	7	8	13
		F	7	6	3	9	6	4	3	3	—	3	7	7

TABLE 22—*continued*

ISC No.	Causes of death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
400-468	**VII Diseases of the circulatory system**	M	**11,653**	**9,155**	**10,334**	**8,810**	**7,704**	**6,912**	**6,656**	**6,471**	**6,470**	**7,454**	**8,063**	**10,081**
		F	**11,274**	**9,174**	**10,161**	**9,202**	**7,319**	**6,725**	**6,579**	**6,242**	**6,077**	**7,042**	**7,844**	**9,966**
400-402	Rheumatic fever	M	7	8	8	4	7	6	6	9	3	3	6	4
		F	1	9	5	7	5	3	5	2	6	8	3	6
410-416	Chronic rheumatic heart disease	M	256	240	295	226	211	178	169	165	183	173	198	268
		F	580	446	489	497	392	338	332	301	294	327	373	475
420	Arteriosclerotic heart disease, including coronary disease	M	5,578	4,453	5,030	4,418	4,101	3,751	3,591	3,688	3,674	4,112	4,428	5,203
		F	3,450	2,719	3,069	2,841	2,412	2,215	2,249	2,165	2,169	2,530	2,784	3,321
421	Chronic endocarditis not specified as rheumatic	M	207	144	156	153	119	127	128	109	120	132	119	163
		F	181	147	184	132	99	115	100	88	90	98	115	163
422	Other myocardial degeneration	M	2,845	2,188	2,561	2,008	1,554	1,384	1,302	1,187	1,160	1,442	1,559	2,237
		F	3,964	3,249	3,526	3,154	2,355	2,168	2,073	1,960	1,870	2,212	2,480	3,225
430	Acute and sub-acute endocarditis	M	12	13	17	21	14	8	24	13	17	21	16	9
		F	15	16	14	13	8	15	3	9	13	8	10	11
431	Acute myocarditis not specified as rheumatic	M	7	8	3	4	3	2	4	7	—	2	4	7
		F	13	5	7	7	4	2	5	6	5	2	6	3
432	Acute pericarditis specified as non-rheumatic	M	—	1	2	—	—	1	1	1	—	—	—	—
		F	1	—	4	1	1	1	1	—	—	—	2	2
433	Functional disease of heart	M	275	221	239	199	155	134	134	123	137	146	147	244
		F	419	362	361	347	263	201	218	221	213	200	259	361
434	Other and unspecified diseases of heart	M	468	353	340	318	240	210	223	198	175	250	253	391
		F	410	340	403	342	254	246	232	218	193	225	263	392
440-447	Hypertensive disease	M	1,083	825	909	785	723	630	566	518	527	598	732	800
		F	1,244	1,036	1,199	1,031	855	781	767	681	648	793	814	1,086
450	General arteriosclerosis	M	614	463	524	461	370	308	313	269	283	335	372	490
		F	674	568	608	570	469	423	399	382	348	386	463	627
451-456	Other diseases of arteries	M	174	159	157	138	115	103	104	103	113	139	146	155
		F	133	126	134	109	79	75	73	89	90	115	107	128
460-466	Diseases of veins	M	124	79	89	72	88	69	86	76	78	97	79	108
		F	185	150	152	148	123	139	119	117	135	135	160	165
467	Other diseases of circulatory system	M	2	—	2	2	3	—	5	3	—	3	4	2
		F	3	1	5	1	—	3	3	2	3	3	5	1
468	Certain diseases of lymph nodes & lymph channels	M	1	—	2	1	1	1	—	2	—	1	—	—
		F	1	—	1	2	—	—	—	1	—	—	—	—
470-527	**VIII Diseases of the respiratory system**	M	**7,095**	**4,588**	**4,345**	**3,408**	**1,949**	**1,746**	**1,449**	**1,372**	**1,351**	**1,965**	**2,862**	**4,723**
		F	**4,613**	**3,149**	**2,841**	**2,301**	**1,279**	**990**	**892**	**925**	**850**	**1,205**	**1,693**	**2,936**
470-475	Acute upper respiratory infections	M	10	4	5	5	5	3	7	1	3	4	2	10
		F	12	8	4	6	2	3	1	1	3	7	9	3
480-483	Influenza	M	534	247	153	80	23	10	16	7	7	19	29	71
		F	528	240	144	69	23	15	3	3	6	27	28	70
490	Lobar pneumonia	M	284	209	208	169	108	103	87	86	70	93	113	206
		F	218	139	173	163	92	63	42	51	64	88	86	164
491	Bronchopneumonia	M	1,652	1,118	1,142	888	511	445	396	408	393	546	718	1,069
		F	1,665	1,240	1,189	1,038	555	454	441	499	416	564	725	1,165
492	Primary atypical pneumonia	M	12	13	10	12	4	4	2	8	3	7	12	15
		F	18	9	12	7	4	5	4	2	3	9	9	14
493	Pneumonia, other and unspecified	M	101	70	69	61	47	40	32	29	34	39	45	68
		F	72	70	47	43	25	31	18	32	32	33	34	67
500	Acute bronchitis	M	358	217	187	119	61	41	36	33	37	63	117	210
		F	392	236	221	156	56	41	39	21	35	58	98	230
501	Bronchitis unqualified	M	193	138	125	85	46	37	22	31	36	48	65	145
		F	203	163	134	105	44	39	23	20	18	44	75	133
502	Chronic bronchitis	M	3,401	2,195	2,077	1,653	926	840	656	615	581	908	1,465	2,482
		F	1,281	885	768	577	359	258	237	211	197	290	489	892
510	Hypertrophy of tonsils and adenoids	M	4	1	—	1	2	2	1	1	2	1	1	1
		F	2	1	2	1	3	—	2	2	2	2	—	1
511-517	Other diseases of upper respiratory tract	M	6	—	7	1	5	6	8	4	3	5	4	8
		F	2	3	6	2	1	5	1	3	6	1	3	10
518-522	Empyema, pleurisy, and pneumothorax	M	46	40	32	41	25	37	19	22	21	20	30	23
		F	56	43	48	45	35	21	34	23	29	31	39	41

TABLE 22—*continued*

ISC No.	Causes of death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
523, 524	Silicosis and occupational pulmonary fibrosis	M	97	68	63	79	54	42	33	30	39	50	63	108
		F	3	1	1	1	—	—	1	—	1	—	1	2
525	Other chronic interstitial pneumonia	M	20	17	17	20	12	14	13	13	13	21	11	15
		F	15	10	8	13	7	6	6	8	3	4	14	16
526	Bronchiectasis	M	210	137	132	108	64	64	73	47	67	62	86	138
		F	97	70	56	49	45	36	23	33	23	33	62	90
527	Other diseases of lung and pleural cavity	M	167	114	118	86	56	58	48	37	42	79	101	154
		F	49	31	28	26	28	13	17	16	12	14	21	38
530-587	**IX Diseases of the digestive system**	M	**881**	**736**	**788**	**701**	**626**	**597**	**643**	**561**	**554**	**614**	**686**	**823**
		F	**691**	**568**	**680**	**577**	**588**	**522**	**496**	**570**	**535**	**520**	**549**	**650**
530-539	Diseases of buccal cavity and oesophagus	M	9	15	9	10	6	8	8	10	7	8	8	12
		F	11	9	15	14	17	13	10	14	14	8	5	15
540	Ulcer of stomach	M	232	149	159	125	107	96	106	106	102	112	134	172
		F	118	96	100	70	79	58	57	73	61	51	78	105
541	Ulcer of duodenum	M	217	160	193	163	132	136	123	115	107	136	154	176
		F	61	45	60	38	39	45	35	40	29	41	35	59
542	Gastrojejunal ulcer	M	5	2	4	6	2	3	4	—	3	2	5	5
		F	2	1	1	—	1	—	1	2	—	—	1	1
543	Gastritis and duodenitis	M	4	5	2	2	2	3	3	3	—	3	3	5
		F	4	8	3	6	5	3	5	5	3	6	1	4
544	Disorders of function of stomach	M	1	1	—	1	1	1	—	2	—	1	1	—
		F	—	—	—	1	—	2	1	3	2	—	—	4
545	Other diseases of stomach and duodenum	M	4	5	2	3	5	3	1	1	2	8	4	5
		F	2	1	—	2	2	1	1	1	—	4	3	2
550-553	Appendicitis	M	44	40	44	25	36	37	43	38	37	39	32	45
		F	43	22	18	21	31	33	23	31	26	29	25	27
560, 561	Hernia of abdominal cavity	M	61	57	66	65	51	54	71	51	47	47	69	68
		F	71	60	82	71	56	56	47	53	53	55	56	80
570	Intestinal obstruction, without mention of hernia	M	66	56	75	62	52	47	58	44	57	63	52	60
		F	68	59	76	54	66	51	67	54	57	53	53	65
571	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	M	41	42	33	35	32	21	31	32	21	30	28	39
		F	37	32	25	33	25	28	23	38	37	20	22	26
572-578	Other diseases of intestines and peritoneum	M	66	64	70	72	77	58	71	52	49	63	72	81
		F	93	81	111	109	85	88	87	98	98	101	104	96
580-583	Diseases of liver	M	49	71	69	65	61	64	62	54	53	48	60	74
		F	68	40	68	57	46	44	45	53	47	62	59	54
584-586	Diseases of gall bladder and biliary ducts	M	47	29	41	40	40	42	41	33	47	40	40	56
		F	77	84	90	72	107	73	72	86	78	67	79	80
587	Diseases of pancreas	M	35	40	21	27	22	24	21	20	22	14	24	25
		F	36	30	31	29	29	27	22	19	30	23	28	32
590-637	**X Diseases of the genito-urinary system**	M	**711**	**606**	**700**	**592**	**608**	**564**	**531**	**510**	**484**	**570**	**584**	**638**
		F	**407**	**306**	**344**	**332**	**277**	**301**	**294**	**250**	**259**	**272**	**322**	**315**
590	Acute nephritis	M	7	10	9	8	12	5	8	8	7	2	2	10
		F	12	4	10	5	2	6	11	2	3	1	3	6
591-594	Chronic, other and unspecified nephritis	M	217	195	217	185	198	170	145	133	117	144	156	191
		F	227	181	181	168	141	147	130	121	122	134	142	162
600-609	Other diseases of urinary system	M	132	97	134	93	104	105	98	99	93	105	107	110
		F	147	113	139	142	117	123	137	110	115	120	155	124
610	Hyperplasia of prostate	M	343	292	331	295	289	279	269	269	265	305	316	315
611-617	Other diseases of male genital organs	M	12	12	9	11	5	5	11	1	2	14	3	12
620, 621	Diseases of breast	F	—	—	1	—	1	—	—	—	—	—	—	—
622-626	Diseases of ovary, Fallopian tube, and parametrium	F	3	3	1	1	2	—	3	—	5	2	6	1
630-637	Diseases of uterus and other female genital organs	F	18	5	12	16	14	25	13	17	14	15	16	22

TABLE 22—*continued*

ISC No.	Causes of death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
640-689	**XI Deliveries and complications of pregnancy, childbirth and the puerperium**	F	**37**	**25**	**33**	**23**	**26**	**20**	**28**	**27**	**37**	**24**	**22**	31
640	Pyelitis and pyelonephritis of pregnancy	F	—	1	—	—	1	—	—	—	1	1	—	—
641	Other infections of genito-urinary tract during pregnancy	F	—	—	—	—	—	—	—	—	—	—	—	—
642	Toxaemias of pregnancy ..	F	3	1	9	5	2	5	4	5	8	3	4	8
643-649	Other complications of pregnancy	F	8	6	3	4	5	3	3	1	4	3	1	2
650-652	Abortion	F	5	6	3	5	6	2	9	6	5	9	5	5
660-678	Delivery	F	13	9	12	7	4	6	9	8	13	3	6	5
680	Puerperal urinary infection without other sepsis	F	—	—	—	—	—	—	—	—	—	—	—	—
681, 683	Sepsis of childbirth and the puerperium, and pyrexia of unknown origin during the puerperium	F	—	—	1	1	—	1	—	2	1	2	1	—
682	Puerperal phlebitis and thrombosis	F	3	1	2	1	5	1	1	2	2	2	1	2
684	Puerperal pulmonary embolism	F	2	1	2	—	2	1	2	—	2	—	3	2
685, 686	Puerperal toxaemia ..	F	3	—	—	—	—	1	—	2	—	—	—	2
687	Cerebral haemorrhage in the puerperium	F	—	—	1	—	—	—	—	1	1	—	—	2
688, 689	Other complications of puerperium	F	—	—	—	—	1	—	—	—	—	1	1	3
690-716	**XII Diseases of the skin and cellular tissue** ..	M	**21**	**24**	**13**	**14**	**17**	**16**	**15**	**20**	**9**	**18**	**14**	22
		F	**27**	**24**	**27**	**23**	**27**	**25**	**30**	**24**	**19**	**14**	**18**	25
690-698	Infections of skin and subcutaneous tissue ..	M	13	10	6	7	8	6	5	7	4	6	6	12
		F	11	10	5	8	6	10	9	7	4	6	4	7
700-716	Other diseases of skin and subcutaneous tissue ..	M	8	14	7	7	9	10	10	13	5	12	8	10
		F	16	14	22	15	21	15	21	17	15	8	14	18
720-749	**XIII Diseases of the bones and organs of movement**	M	**64**	**51**	**73**	**43**	**45**	**46**	**45**	**39**	**37**	**52**	**51**	68
		F	**140**	**121**	**119**	**122**	**107**	**104**	**115**	**81**	**93**	**97**	**91**	121
720, 721	Acute arthritis	M	1	—	2	—	3	5	—	—	3	—	1	1
		F	1	3	—	—	1	—	—	3	2	1	1	—
722	Rheumatoid arthritis and allied conditions ..	M	20	15	24	17	15	16	20	17	14	19	18	28
		F	87	78	64	75	52	63	61	40	54	64	45	74
723	Osteo-arthritis (arthrosis) & allied conditions ..	M	18	14	10	8	7	5	5	8	6	6	7	9
		F	19	16	25	21	29	19	25	14	14	14	23	18
724, 725	Other and unspecified forms of arthritis	M	—	1	2	—	1	—	—	—	—	1	1	—
		F	2	1	—	2	1	1	—	1	—	—	2	—
726, 727	Muscular rheumatism, and rheumatism unspecified	M	—	2	—	—	1	—	—	—	2	—	—	1
		F	—	—	1	—	1	1	1	—	—	—	—	1
730	Osteomyelitis & periostitis	M	4	1	5	1	4	6	7	2	4	5	1	5
		F	2	2	3	5	2	2	5	2	2	—	2	1
731-749	Other diseases of musculo-skeletal system	M	21	18	30	17	14	14	13	12	8	21	23	24
		F	29	21	26	19	21	18	23	21	21	18	18	27
750-759	**XIV Congenital malformations**	M	**257**	**236**	**230**	**215**	**205**	**216**	**190**	**179**	**175**	**222**	**197**	271
		F	**221**	**205**	**214**	**183**	**192**	**176**	**173**	**167**	**171**	**190**	**210**	203
750	Monstrosity	M	5	8	6	3	7	4	4	2	5	1	5	9
		F	7	5	7	12	14	6	14	9	9	4	16	4

TABLE 22—*continued*

ISC No.	Causes of death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
751	Spina bifida and meningocele	M	35	26	27	22	23	39	30	29	24	29	26	34
		F	41	43	36	31	46	38	31	34	33	32	45	48
752	Congenital hydrocephalus	M	19	10	24	16	11	10	13	14	25	19	15	25
		F	21	19	28	15	21	13	14	19	28	23	23	16
753	Other congenital malformation of nervous system and sense organs	M	9	6	8	4	9	3	6	1	3	1	3	9
		F	6	5	7	12	7	5	7	3	6	4	3	6
754	Congenital malformations of circulatory system ..	M	107	107	102	95	88	99	89	84	73	94	79	108
		F	89	81	81	75	61	69	75	57	52	84	72	78
755	Cleft palate and harelip ..	M	—	2	1	—	1	1	2	2	—	1	—	2
		F	—	1	—	3	—	2	—	—	—	—	—	—
756	Congenital malformations of digestive system ..	M	23	28	23	25	22	23	16	18	23	27	26	31
		F	21	20	20	14	15	16	6	13	17	12	14	10
757	Congenital malformations of genito-urinary system	M	32	25	20	29	27	14	17	14	10	20	21	31
		F	23	12	11	11	14	18	12	19	11	11	15	25
758	Congenital malformations of bone and joint ..	M	5	3	2	4	3	4	5	—	2	4	3	4
		F	3	—	5	3	2	2	6	2	1	5	2	2
759	Other and unspecified congenital malformations, not elsewhere classified	M	22	21	17	17	14	19	8	15	10	26	19	18
		F	10	19	19	7	12	7	8	11	14	15	20	14
760-776	**XV Certain diseases of early infancy**	M	**563**	**441**	**501**	**470**	**470**	**451**	**446**	**406**	**450**	**438**	**470**	505
		F	**355**	**301**	**305**	**312**	**339**	**311**	**295**	**312**	**337**	**307**	**300**	302
760	Intracranial and spinal injury at birth	M	80	56	84	74	82	77	76	61	77	70	86	87
		F	44	43	50	54	41	39	33	48	44	46	50	39
761	Other birth injury	M	22	16	24	27	26	10	11	16	23	11	13	22
		F	8	8	13	12	17	10	13	11	11	11	8	11
762	Postnatal asphyxia and atelectasis	M	158	148	128	128	126	120	137	107	142	128	126	142
		F	103	90	78	81	116	100	60	96	88	79	77	79
763	Pneumonia of newborn ..	M	61	41	66	57	44	30	33	30	28	40	28	54
		F	36	33	31	33	24	27	19	18	31	28	20	26
764	Diarrhoea of newborn ..	M	1	1	2	2	1	1	—	4	3	3	3	1
		F	4	2	1	—	—	—	2	1	3	—	—	—
765-769	Other infections of newborn	M	13	9	13	10	11	12	11	10	14	2	7	12
		F	8	11	6	9	7	7	10	10	6	4	9	7
770	Haemolytic disease of newborn	M	20	16	17	21	17	15	8	15	8	11	17	15
		F	15	12	18	12	23	14	17	14	20	16	16	21
771	Haemorrhagic disease of newborn	M	19	15	19	16	17	15	11	5	8	15	12	9
		F	6	3	16	9	6	4	9	4	13	7	4	8
772, 773	Nutritional maladjustment and ill-defined diseases peculiar to early infancy	M	15	12	20	11	12	11	14	11	20	22	17	14
		F	10	9	7	5	13	5	11	13	12	8	10	6
774-776	Immaturity unqualified ..	M	174	127	128	124	134	160	145	147	127	136	161	149
		F	121	90	85	97	92	105	121	97	109	108	106	105
780-795	**XVI Symptoms, senility and ill-defined conditions**	M	**393**	**278**	**354**	**281**	**237**	**208**	**194**	**187**	**151**	**206**	**209**	292
		F	**653**	**530**	**577**	**510**	**362**	**342**	**345**	**338**	**303**	**366**	**403**	525
780-789	Symptoms referable to systems or organs ..	M	11	8	10	15	6	8	6	7	4	7	5	8
		F	8	5	8	11	7	10	6	7	7	7	7	8
792	Uraemia unqualified ..	M	2	—	4	1	2	6	2	3	1	4	—	2
		F	1	1	2	1	2	3	—	2	—	3	1	—
794	Senility without mention of psychosis	M	370	268	336	258	225	193	181	172	145	190	201	279
		F	641	521	566	495	351	325	335	328	294	356	394	515
790, 791, 793, 795.	Ill-defined and unknown causes of mortality ..	M	10	2	4	7	4	1	5	5	1	5	3	3
		F	3	3	1	3	2	4	4	1	2	—	1	2

TABLE 22—*continued*

ISC No.	Causes of death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
E800-E999	**XVII Accidents, poisonings & violence (external cause)**	M	**1,223**	**977**	**1,153**	**1,179**	**1,094**	**1,080**	**1,114**	**1,052**	**987**	**1,167**	**1,017**	**1,203**
		F	**981**	**688**	**879**	**782**	**707**	**684**	**676**	**621**	**655**	**687**	**782**	**978**
E800-E802	Railway accidents	M	35	25	26	17	17	17	15	14	11	18	19	19
		F	6	1	2	1	4	—	2	3	1	4	2	—
E810-E825	Motor vehicle traffic accidents	M	334	240	301	310	311	279	360	353	320	418	355	417
		F	142	71	97	96	83	98	146	114	110	144	139	185
E830-E835	Motor vehicle non-traffic accidents	M	6	3	3	6	5	7	6	6	9	6	3	6
		F	—	1	—	2	—	1	—	—	1	—	—	—
E840-E845	Other road vehicle accidents	M	9	11	13	6	13	18	18	19	12	9	10	16
		F	5	3	7	5	4	6	3	8	5	6	8	6
E850-E858	Water transport accidents	M	6	10	13	15	17	14	19	15	12	5	4	5
		F	1	—	—	—	—	2	—	—	1	—	—	—
E860-E866	Aircraft accidents	M	31	8	4	47	5	14	10	2	13	13	1	18
		F	20	—	1	2	—	—	1	—	—	2	—	1
E870-E895	Accidental poisoning	M	63	46	66	52	41	42	31	32	31	46	52	94
		F	90	54	78	70	38	55	40	30	38	52	74	92
E900-E904	Accidental falls	M	210	167	182	181	174	156	157	128	150	167	177	158
		F	395	289	352	296	312	260	220	258	228	220	272	372
E910-E936	Other accidents	M	216	212	236	240	211	226	227	202	160	185	167	197
		F	144	115	141	105	59	66	73	55	77	69	80	131
E940-E959	Complications due to medical & surgical procedures	M	—	1	2	2	4	—	1	—	—	1	2	1
		F	—	—	2	2	1	—	1	1	2	3	—	—
E960-E965	Late effects of injury and poisoning	M	19	19	13	15	7	7	9	8	9	16	17	18
		F	2	4	4	2	—	2	2	2	4	1	—	2
E970-E973	Suicide by poisoning	M	173	129	168	183	163	183	152	162	153	165	123	143
		F	131	108	153	157	154	147	142	118	149	137	146	128
E974	Suicide and self-inflicted injury by hanging and strangulation	M	46	29	47	34	47	49	48	38	38	35	30	40
		F	12	11	9	7	8	9	13	4	9	10	20	17
E975	Suicide and self-inflicted injury by submersion (drowning)	M	17	20	19	25	28	22	18	22	19	21	15	18
		F	15	13	19	16	21	20	14	12	10	18	27	22
E976-E979	Suicide by other and unspecified means	M	54	53	52	37	38	36	33	45	41	55	37	42
		F	6	8	7	11	14	9	7	8	7	15	10	15
*E980-E985	Homicide and injury purposely inflicted by other persons (not in war)	M	4	4	8	9	13	10	10	6	9	7	5	11
		F	12	10	7	10	9	9	12	8	13	6	4	7
E990-E999	Injury resulting from operations of war	M	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—

* The number of deaths assigned to this cause which occurred in 1957 and were registered after 31st March 1958 were: Oct. 1F., Nov. 3M., Dec. 2M. These numbers should therefore be added to those show nin this table in the Review for 1957.

TABLE 23. Stillbirths by sex and legitimacy (with ratio per 1,000 total births), 1958

England and Wales, standard regions, Wales, conurbations, London A.C., City of London, metropolitan and county boroughs; urban and rural aggregates in each administrative county

Area	Legitimate		Illegitimate		Total	Stillbirths per 1,000 total births
	M	F	M	F		
SUMMARY						
ENGLAND AND WALES	**7,917**	**7,313**	**569**	**489**	**16,288**	**22**
Regions and conurbations						
Northern	**682**	**648**	**37**	**28**	**1,395**	**23**
Tyneside Conurbation	175	194	8	7	384	24
Remainder of Northern	507	454	29	21	1,011	23
East and West Ridings	**761**	**732**	**55**	**42**	**1,590**	**23**
West Yorkshire Conurbation	302	262	26	23	613	22
Remainder of East and West Ridings	459	470	29	19	977	23
North Western	**1,293**	**1,246**	**110**	**82**	**2,731**	**24**
South East Lancashire Conurbation	436	442	48	34	960	23
Merseyside Conurbation	335	326	31	21	713	25
Remainder of North Western	522	478	31	27	1,058	25
North Midland	**655**	**641**	**45**	**45**	**1,386**	**23**
Midland	**924**	**809**	**63**	**53**	**1,849**	**23**
West Midlands Conurbation	436	402	31	29	898	22
Remainder of Midland	488	407	32	24	951	24
Eastern	**602**	**500**	**26**	**25**	**1,153**	**19**
London and South Eastern	**1,489**	**1,401**	**149**	**131**	**3,170**	**19**
Greater London	1,116	1,060	119	109	2,404	19
Remainder of South Eastern	373	341	30	22	766	18
Southern	**415**	**376**	**31**	**36**	**858**	**17**
South Western	**499**	**465**	**25**	**21**	**1,010**	**20**
Wales (including Monmouthshire)	**597**	**495**	**28**	**26**	**1,146**	**26**
Wales I (South East)	454	365	21	22	862	27
Wales II (remainder)	143	130	7	4	284	24
Urban/Rural aggregates:						
Conurbations	2,800	2,686	263	223	5,972	21
Areas outside conurbations:						
Urban areas with populations of 100,000 and over	1,055	979	87	66	2,187	22
Urban areas with populations of 50,000 and under 100,000	612	578	49	25	1,264	22
Urban areas with populations under 50,000	1,875	1,655	96	95	3,721	22
Rural districts	1,575	1,415	74	80	3,144	21

TABLE 23—*continued*

Area	Legitimate		Illegitimate		Total	Still-births per 1,000 total births
	M	F	M	F		
LONDON A.C., CITY OF LONDON, METROPOLITAN BOROUGHS AND COUNTY BOROUGHS						
London A.C.	**506**	**449**	**71**	**76**	**1,102**	**20**
City of London	—	—	—	—	—	—
Metropolitan boroughs:						
Battersea	19	12	2	5	38	20
Bermondsey	13	9	1	1	24	26
Bethnal Green	10	7	1	—	18	*20*
Camberwell	31	19	2	3	55	18
Chelsea	10	6	1	1	18	*24*
Deptford	9	8	4	—	21	18
Finsbury	10	8	—	1	19	*29*
Fulham	11	18	5	—	34	19
Greenwich	13	13	1	2	29	21
Hackney	33	31	—	7	71	25
Hammersmith	15	16	1	3	35	17
Hampstead	14	8	2	1	25	16
Holborn	3	2	—	—	5	*23*
Islington	45	46	7	6	104	22
Kensington	23	13	3	8	47	16
Lambeth	48	34	7	4	93	20
Lewisham	26	28	4	1	59	18
Paddington	15	22	5	7	49	20
Poplar	18	12	1	4	35	31
St. Marylebone	1	5	1	1	8	*10*
St. Pancras	15	20	4	4	43	18
Shoreditch	7	11	—	1	19	*26*
Southwark	16	13	3	1	33	20
Stepney	16	12	5	3	36	19
Stoke Newington	10	8	—	1	19	*20*
Wandsworth	53	45	5	8	111	21
Westminster	11	6	3	2	22	21
Woolwich	11	17	3	1	32	16
County boroughs	**2,589**	**2,456**	**234**	**183**	**5,462**	**23**
Barnsley	23	13	2	—	38	28
Barrow-in-Furness	10	9	1	—	20	20
Bath	14	20	1	—	35	30
Birkenhead	42	45	2	2	91	33
Birmingham	201	197	21	13	432	22
Blackburn	17	17	—	2	36	22
Blackpool	19	19	4	2	44	25
Bolton	23	22	4	3	52	20
Bootle	22	21	1	4	48	24
Bournemouth	8	14	1	1	24	14
Bradford	58	47	9	10	124	24
Brighton	13	22	5	1	41	18
Bristol	62	54	3	3	122	17
Burnley	22	14	2	1	39	30
Burton upon Trent	9	8	2	1	20	23
Bury	12	11	1	—	24	26
Canterbury	4	1	—	1	6	*13*
Carlisle	14	11	—	1	26	19
Chester	14	8	3	—	25	25
Coventry	51	48	6	4	109	20
Croydon	31	42	1	3	77	20
Darlington	17	16	4	2	39	29
Derby	17	29	3	3	52	24
Dewsbury	13	12	1	—	26	28
Doncaster	9	16	—	1	26	17
County boroughs —continued						
Dudley	12	12	—	—	24	24
Eastbourne	4	4	—	—	8	*13*
East Ham	17	10	2	1	30	20
Exeter	10	13	—	—	23	19
Gateshead	29	28	2	1	60	29
Gloucester	14	15	2	—	31	25
Great Yarmouth	8	8	—	—	16	*22*
Grimsby	24	23	—	—	47	25
Halifax	12	11	—	—	23	15
Hastings	8	5	1	—	14	*18*
Huddersfield	15	15	—	4	34	17
Ipswich	16	14	—	1	31	16
Kingston upon Hull	60	66	8	8	142	24
Leeds	106	77	12	7	202	23
Leicester	52	39	5	2	98	21
Lincoln	5	13	2	1	21	17
Liverpool	199	176	22	10	407	25
Manchester	144	143	18	18	323	26
Middlesbrough	46	39	1	3	89	23
Newcastle upon Tyne	48	59	3	3	113	22
Northampton	11	16	1	2	30	19
Norwich	17	24	1	2	44	24
Nottingham	66	50	13	8	137	24
Oldham	17	24	4	—	45	24
Oxford	14	15	2	1	32	22
Plymouth	38	32	3	1	74	20
Portsmouth	31	26	3	3	63	18
Preston	17	20	—	—	37	19
Reading	17	15	3	3	38	19
Rochdale	16	14	2	2	34	24
Rotherham	17	19	—	—	36	23
St. Helens	40	33	—	—	73	38
Salford	35	31	1	3	70	24
Sheffield	78	83	7	1	169	22
Smethwick	11	12	1	1	25	24
Southampton	41	36	2	5	84	23
Southend-on-Sea	23	18	2	1	44	20
Southport	19	9	1	1	30	29
South Shields	17	18	1	—	36	17
Stockport	26	22	1	2	51	22
Stoke-on-Trent	70	51	3	1	125	28
Sunderland	42	50	2	—	94	24
Tynemouth	12	18	1	1	32	25
Wakefield	8	10	—	—	18	*20*
Wallasey	23	20	1	3	47	26
Walsall	26	18	2	5	51	23
Warrington	19	20	1	2	42	31
West Bromwich	22	15	—	—	37	22
West Ham	39	40	3	2	84	30
West Hartlepool	14	16	6	3	39	24
Wigan	16	23	—	—	39	31
Wolverhampton	35	29	3	4	71	2
Worcester	9	7	—	—	16	*15*
York	17	20	1	—	38	22
Cardiff	56	37	2	4	99	21
Merthyr Tydfil	16	20	2	—	38	38
Newport, Mon.	21	19	2	4	46	25
Swansea	39	40	2	1	82	29

TABLE 23—*continued*

Area	Legitimate		Illegitimate		Total	Still-births per 1,000 total births
	M	F	M	F		
ADMINISTRATIVE COUNTIES						
Note. The following figures relate to aggregates of urban districts (including municipal boroughs, but excluding county boroughs) and of rural districts in each administrative county.						
Bedfordshire U.D.	44	39	2	1	86	19
R.D.	17	12	1	—	30	16
Berkshire U.D.	17	13	2	—	32	15
R.D.	24	30	2	3	59	12
Buckinghamshire U.D.	36	29	2	2	69	18
R.D.	29	29	4	1	63	16
Cambridgeshire U.D.	7	8	—	1	16	*12*
R.D.	10	14	1	—	25	16
Cheshire U.D.	115	111	11	4	241	22
R.D.	41	32	1	4	78	24
Cornwall U.D.	34	34	2	3	73	26
R.D.	36	19	1	—	56	25
Cumberland U.D.	12	13	1	2	28	17
R.D.	22	25	2	2	51	22
Derbyshire U.D.	84	57	4	2	147	26
R.D.	76	73	2	5	156	25
Devon U.D.	31	30	—	2	63	19
R.D.	45	31	3	5	84	23
Dorset U.D.	26	14	1	3	44	16
R.D.	14	20	—	—	34	18
Durham U.D.	171	120	7	2	300	24
R.D.	58	60	1	—	119	22
Ely, Isle of U.D.	8	5	—	—	13	*15*
R.D.	8	7	—	—	15	*29*
Essex U.D.	214	204	13	6	437	18
R.D.	42	41	—	4	87	22
Gloucestershire U.D.	30	26	2	1	59	22
R.D.	51	51	2	1	105	19
Herefordshire U.D.	7	13	—	2	22	24
R.D.	17	13	3	—	33	27
Hertfordshire U.D.	112	79	5	1	197	20
R.D.	40	31	1	1	73	18
Huntingdonshire U.D.	7	7	1	—	15	*21*
R.D.	10	4	—	1	15	*20*
Kent U.D.	174	179	11	15	379	19
R.D.	57	43	4	3	107	19
Lancashire U.D.	324	339	25	17	705	23
R.D.	52	53	3	2	110	22
Leicestershire U.D.	29	34	1	1	65	22
R.D.	44	48	2	5	99	28
Lincolnshire (Holland) U.D.	6	5	—	—	11	*18*
R.D.	11	13	1	—	25	24
Lincolnshire (Kesteven) U.D.	9	5	—	—	14	*20*
R.D.	15	15	—	—	30	19
Lincolnshire (Lindsey) U.D.	31	24	5	2	62	22
R.D.	24	30	3	4	61	22
Middlesex U.D.	239	258	24	17	538	16
Norfolk U.D.	13	11	—	3	27	21
R.D.	47	34	2	2	85	18
Northamptonshire U.D.	33	25	2	1	61	23
R.D.	23	24	—	—	47	21
Northumberland U.D.	76	78	—	2	156	24
R.D.	19	14	—	—	33	19
Nottinghamshire U.D.	62	73	1	7	143	21
R.D.	27	39	1	2	69	22
Oxfordshire U.D.	11	4	—	1	16	*18*
R.D.	20	23	—	1	44	16
Peterborough, Soke of U.D.	10	9	—	—	19	*17*
R.D.	2	—	—	—	2	*9*
Rutland U.D.	—	1	—	—	1	*15*
R.D.	3	6	—	—	9	*25*
Shropshire U.D.	28	27	—	1	56	23
R.D.	26	21	3	2	52	21
Somerset U.D.	27	39	1	2	69	19
R.D.	44	42	2	—	88	22
Southampton U.D.	63	66	3	5	137	17
R.D.	54	31	5	4	94	18
Staffordshire U.D.	181	147	8	7	343	28
R.D.	50	45	—	2	97	24
Suffolk, East U.D.	22	5	1	2	30	20
R.D.	26	19	1	1	47	23
Suffolk, West U.D.	9	4	1	—	14	*18*
R.D.	19	8	1	2	30	23
Surrey U.D.	160	147	13	4	324	18
R.D.	20	21	1	1	43	16
Sussex, East U.D.	23	23	2	—	48	19
R.D.	16	20	1	2	39	20
Sussex, West U.D.	35	24	2	1	62	17
R.D.	26	17	1	—	44	22
Warwickshire U.D.	55	55	4	3	117	18
R.D.	53	34	3	2	92	25
Westmorland U.D.	11	—	1	—	12	*28*
R.D.	9	5	—	—	14	*24*
Wight, Isle of U.D.	8	7	1	3	19	*19*
R.D.	2	4	—	—	6	*25*
Wiltshire U.D.	26	32	1	1	60	17
R.D.	37	27	2	2	68	19
Worcestershire U.D.	44	42	3	2	91	19
R.D.	17	15	1	3	36	18
Yorkshire, E.R. U.D.	20	21	—	—	41	26
R.D.	18	17	1	—	36	22
Yorkshire, N.R. U.D.	43	42	3	5	93	24
R.D.	22	36	2	1	61	21
Yorkshire, W.R. U.D.	223	209	13	7	452	23
R.D.	84	96	1	4	185	22
Anglesey U.D.	4	5	1	—	10	*25*
R.D.	3	4	—	—	7	*15*
Brecknockshire U.D.	1	5	—	—	6	*24*
R.D.	9	8	—	—	17	*29*
Caernarvonshire U.D.	10	11	1	—	22	23
R.D.	8	4	—	—	12	*19*
Cardiganshire U.D.	1	2	—	—	3	*15*
R.D.	5	3	1	—	9	*18*
Carmarthenshire U.D.	14	9	1	—	24	26
R.D.	14	10	1	1	26	17
Denbighshire U.D.	17	12	1	—	30	25
R.D.	30	14	1	2	47	31
Flintshire U.D.	15	13	—	—	28	21
R.D.	13	18	—	1	32	28
Glamorganshire U.D.	137	117	4	3	261	29
R.D.	58	35	3	3	99	29
Merionethshire U.D.	5	2	—	—	7	*27*
R.D.	4	5	—	—	9	*30*
Monmouthshire U.D.	77	58	3	6	144	30
R.D.	12	7	1	—	20	22
Montgomeryshire U.D.	1	2	—	—	3	*10*
R.D.	7	4	—	1	12	*27*
Pembrokeshire U.D.	12	15	—	—	27	28
R.D.	7	12	2	—	21	26
Radnorshire U.D.	—	1	—	—	1	*10*
R.D.	1	3	—	—	4	*22*

TABLE 24. Deaths at various periods in the first year of life by legitimacy
Death rates per 1,000 live births, 1958

England and Wales, standard regions, Wales, conurbations, urban and rural aggregates outside conurbations

Area	All infants									
	Deaths								Deaths per 1,000 live births	
	Under 1 day	1-6 days	1-3 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Total under 1 year	Under 4 weeks	Total under 1 year
ENGLAND AND WALES	5,551	4,663	1,756	1,912	1,531	779	493	16,685	16	23
Regions and conurbations:										
Northern	473	448	183	178	143	59	36	1,520	19	26
Tyneside Conurbation	117	122	47	51	29	16	9	391	18	25
Remainder of Northern	356	326	136	127	114	43	27	1,129	19	26
East and West Ridings	573	429	177	185	173	82	53	1,672	17	24
West Yorkshire Conurbation	240	161	62	65	87	33	25	673	17	25
Remainder of East and West Ridings	333	268	115	120	86	49	28	999	17	24
North Western	956	775	283	360	272	114	82	2,842	18	26
South East Lancashire Conurbation	359	283	99	131	86	40	22	1,020	18	25
Merseyside Conurbation	257	199	64	108	88	35	20	771	19	28
Remainder of North Western	340	293	120	121	98	39	40	1,051	18	25
North Midland	406	391	138	175	117	71	39	1,337	16	23
Midland	634	510	179	206	168	87	62	1,846	17	24
West Midlands Conurbation	328	249	91	97	90	40	31	926	17	24
Remainder of Midland	306	261	88	109	78	47	31	920	17	23
Eastern	343	317	124	106	105	51	38	1,084	13	18
London and South Eastern	1,192	882	320	356	273	145	90	3,258	14	20
Greater London	927	676	238	269	202	106	68	2,486	15	20
Remainder of South Eastern	265	206	82	87	71	39	22	772	13	19
Southern	339	278	100	105	80	53	28	983	15	20
South Western	309	297	110	109	100	61	31	1,017	15	21
Wales (including Monmouthshire)	326	336	142	132	100	56	34	1,126	19	27
Wales I (South East)	257	248	114	109	77	41	24	870	20	28
Wales II (remainder)	69	88	28	23	23	15	10	256	16	23
Urban/Rural aggregates:										
Conurbations	2,228	1,690	601	721	582	270	175	6,267	16	23
Areas outside conurbations:										
Urban areas with populations of 100,000 and over	775	593	265	270	196	114	69	2,282	17	23
Urban areas with populations of 50,000 and under 100,000	416	373	157	135	120	69	39	1,309	17	23
Urban areas with populations under 50,000	1,128	1,087	417	425	353	183	121	3,714	16	22
Rural districts	1,004	920	316	361	280	143	89	3,113	15	21

Area	Legitimate infants										Illegitimate infants									
	Deaths								Deaths per 1,000 live births		Deaths								Deaths per 1,000 live births	
	Under 1 day	1-6 days	1-3 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Total under 1 year	Under 4 weeks	Total under 1 year	Under 1 day	1-6 days	1-3 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Total under 1 year	Under 4 weeks	Total under 1 year
ENGLAND AND WALES	5,153	4,400	1,672	1,779	1,456	752	468	15,680	16	22	398	263	84	133	75	27	25	1,005	21	28
Regions and conurbations:																				
Northern	448	431	178	159	140	58	35	1,449	19	25	25	17	5	19	3	1	1	71	21	32
Tyneside Conurbation	113	116	46	46	29	16	9	375	18	25	4	6	1	5	—	—	—	16	18	26
Remainder of Northern	335	315	132	113	111	42	26	1,074	19	26	21	11	4	14	3	1	1	55	22	34
East and West Ridings	536	404	171	176	167	80	49	1,583	17	24	37	25	6	9	6	2	4	89	21	28
West Yorkshire Conurbation	222	153	60	60	82	32	22	631	17	24	18	8	2	5	5	1	3	42	18	27
Remainder of East and West Ridings	314	251	111	116	85	48	27	952	17	24	19	17	4	4	1	1	1	47	24	28
North Western	901	742	267	336	256	110	80	2,692	18	26	55	33	16	24	16	4	2	150	21	30
South East Lancashire Conurbation	327	270	89	121	83	36	21	947	18	25	32	13	10	10	3	4	1	73	24	32
Merseyside Conurbation	246	192	61	101	81	35	20	736	19	28	11	7	3	7	7	—	—	35	17	29
Remainder of North Western	328	280	117	114	92	39	39	1,009	18	25	12	13	3	7	6	—	1	42	18	27
North Midland	377	364	131	161	113	69	38	1,253	15	22	29	27	7	14	4	2	1	84	22	29
Midland	586	474	172	186	160	83	58	1,719	17	23	48	36	7	20	8	4	4	127	24	34
West Midlands Conurbation	298	232	87	84	86	39	29	855	17	23	30	17	4	13	4	1	2	71	24	34
Remainder of Midland	288	242	85	102	74	44	29	864	16	23	18	19	3	7	4	3	2	56	24	34
Eastern	316	305	113	100	101	50	37	1,022	13	18	27	12	11	6	4	1	1	62	20	24
London and South Eastern	1,069	813	302	331	248	140	82	2,985	14	19	123	69	18	25	25	5	8	273	20	26
Greater London	823	619	222	249	181	101	64	2,259	14	19	104	57	16	20	21	5	4	227	21	27
Remainder of South Eastern	246	194	80	82	67	39	18	726	13	18	19	12	2	5	4	—	4	46	17	23
Southern	320	263	96	102	78	47	26	932	15	20	19	15	4	3	2	6	2	51	16	21
South Western	295	282	106	100	95	61	30	969	15	21	14	15	4	9	5	—	1	48	16	23
Wales (including Monmouthshire)	305	322	136	128	98	54	33	1,076	19	26	21	14	6	4	2	2	1	50	28	34
Wales I (South East)	242	241	110	105	75	39	24	836	20	28	15	7	4	4	2	2	—	34	26	34
Wales II (remainder)	63	81	26	23	23	15	9	240	16	22	6	7	2	—	—	—	1	16	31	33
Urban/Rural aggregates:																				
Conurbations	2,029	1,582	565	661	542	259	165	5,803	16	22	199	108	36	60	40	11	10	464	21	28
Areas outside conurbations:																				
Urban areas with populations of 100,000 and over	710	553	253	251	186	109	69	2,131	16	23	65	40	12	19	10	5	—	151	21	28
Urban areas with populations of 50,000 and under 100,000	386	347	144	124	116	68	37	1,222	16	23	30	26	13	11	4	1	2	87	26	32
Urban areas with populations under 50,000	1,075	1,036	406	408	342	178	113	3,558	16	22	53	51	11	17	11	5	8	156	18	25
Rural districts	953	882	304	335	270	138	84	2,966	15	21	51	38	12	26	10	5	5	147	19	27

TABLE 25. Deaths at various periods in the first year of life, 1958, and the four quarters thereof

England and Wales, standard regions, Wales, conurbations, urban and rural aggregates outside conurbations

Area		Total under 1 year	Under 30 minutes	30 minutes and under 1 day	Total under 1 day	Days						1 day and under 1 week
						1	2	3	4	5	6	
England and Wales — All infants	M	9,634	402	2,804	3,206	960	785	517	252	157	114	2,785
	F	7,051	337	2,008	2,345	686	478	313	168	128	105	1,878
	P	16,685	739	4,812	5,551	1,646	1,263	830	420	285	219	4,663
Legitimate	M	9,048	353	2,634	2,987	895	746	496	239	149	108	2,633
	F	6,632	283	1,883	2,166	640	447	294	163	123	100	1,767
	P	15,680	636	4,517	5,153	1,535	1,193	790	402	272	208	4,400
Illegitimate	M	586	49	170	219	65	39	21	13	8	6	152
	F	419	54	125	179	46	31	19	5	5	5	111
	P	1,005	103	295	398	111	70	40	18	13	11	263
Regions and conurbations:												
Northern		**1,520**	**68**	**405**	**473**	**145**	**119**	**75**	**51**	**33**	**25**	**448**
Tyneside Conurbation		391	15	102	117	44	33	14	13	9	9	122
Remainder of Northern		1,129	53	303	356	101	86	61	38	24	16	326
East and West Ridings		**1,672**	**69**	**504**	**573**	**189**	**111**	**68**	**28**	**15**	**18**	**429**
West Yorkshire Conurbation		673	29	211	240	66	43	24	13	9	6	161
Remainder of East and West Ridings		999	40	293	333	123	68	44	15	6	12	268
North Western		**2,842**	**129**	**827**	**956**	**252**	**216**	**155**	**64**	**54**	**34**	**775**
South East Lancashire Conurbation		1,020	53	306	359	93	86	51	21	17	15	283
Merseyside Conurbation		771	33	224	257	64	57	45	9	18	6	199
Remainder of North Western		1,051	43	297	340	95	73	59	34	19	13	293
North Midland		**1,337**	**50**	**356**	**406**	**139**	**105**	**63**	**38**	**29**	**17**	**391**
Midland		**1,846**	**88**	**546**	**634**	**185**	**137**	**77**	**54**	**32**	**25**	**510**
West Midlands Conurbation		926	55	273	328	92	65	40	25	15	12	249
Remainder of Midland		920	33	273	306	93	72	37	29	17	13	261
Eastern		**1,084**	**48**	**295**	**343**	**114**	**90**	**49**	**34**	**13**	**17**	**317**
London and South Eastern		**3,258**	**175**	**1,017**	**1,192**	**289**	**254**	**168**	**76**	**52**	**43**	**882**
Greater London		2,486	142	785	927	228	196	117	59	40	36	676
Remainder of South Eastern		772	33	232	265	61	58	51	17	12	7	206
Southern		**983**	**41**	**298**	**339**	**111**	**61**	**56**	**24**	**9**	**17**	**278**
South Western		**1,017**	**38**	**271**	**309**	**94**	**83**	**62**	**24**	**21**	**13**	**297**
Wales (including Monmouthshire)		1,126	33	293	326	128	87	57	27	27	10	336
Wales I (South East)		870	29	228	257	97	65	45	15	21	5	248
Wales II (remainder)		256	4	65	69	31	22	12	12	6	5	88
Urban/Rural aggregates:												
Conurbations		6,267	327	1,901	2,228	587	480	291	140	108	84	1,690
Areas outside conurbations:												
Urban areas with populations of 100,000 and over		2,282	109	666	775	199	159	110	69	35	21	593
Urban areas with populations of 50,000 and under 100,000		1,309	52	364	416	128	103	63	30	22	27	373
Urban areas with populations of under 50,000		3,714	136	992	1,128	388	288	195	101	64	51	1,087
Rural districts		3,113	115	889	1,004	344	233	171	80	56	36	920
England and Wales — March Quarter		4,851	184	1,162	1,346	422	346	218	123	82	61	1,252
June Quarter		4,090	183	1,213	1,396	378	336	232	115	73	45	1,179
September Quarter		3,651	158	1,254	1,412	391	287	171	100	57	58	1,064
December Quarter		4,093	214	1,183	1,397	455	294	209	82	73	55	1,168

Area		Weeks				Months										
		0	1	2	3	Total under 4 weeks	1	2	3	4	5	6	7	8	9	10	11
England and Wales — All infants	M	5,991	485	309	203	6,988	588	488	386	273	200	167	143	124	101	91	85
	F	4,223	394	197	168	4,982	439	397	280	226	166	134	111	100	76	73	67
	P	10,214	879	506	371	11,970	1,027	885	666	499	366	301	254	224	177	164	152
Legitimate	M	5,620	457	290	193	6,560	544	448	368	261	187	160	142	117	97	84	80
	F	3,933	376	191	165	4,665	414	373	266	216	158	127	106	100	76	67	64
	P	9,553	833	481	358	11,225	958	821	634	477	345	287	248	217	173	151	144
Illegitimate	M	371	28	19	10	428	44	40	18	12	13	7	1	7	4	7	5
	F	290	18	6	3	317	25	24	14	10	8	7	5	—	—	6	3
	P	661	46	25	13	745	69	64	32	22	21	14	6	7	4	13	8
Regions and conurbations:																	
Northern		**921**	**104**	**45**	**34**	**1,104**	**107**	**71**	**56**	**51**	**36**	**20**	**25**	**14**	**14**	**11**	**11**
Tyneside Conurbation		239	31	11	5	286	27	24	12	11	6	5	9	2	5	2	2
Remainder of Northern		682	73	34	29	818	80	47	44	40	30	15	16	12	9	9	9
East and West Ridings		**1,002**	**93**	**50**	**34**	**1,179**	**88**	**97**	**71**	**57**	**45**	**29**	**28**	**25**	**16**	**22**	**15**
West Yorkshire Conurbation		401	29	19	14	463	26	39	37	29	21	11	13	9	5	11	9
Remainder of East and West Ridings		601	64	31	20	716	62	58	34	28	24	18	15	16	11	11	6
North Western		**1,731**	**133**	**84**	**66**	**2,014**	**182**	**178**	**137**	**74**	**61**	**41**	**36**	**37**	**35**	**23**	**24**
South East Lancashire Conurbation		642	44	30	25	741	76	55	36	28	22	17	10	13	8	9	5
Merseyside Conurbation		456	34	13	17	520	54	54	49	23	16	8	11	16	8	6	6
Remainder of North Western		633	55	41	24	753	52	69	52	23	23	16	15	8	19	8	13
North Midland		**797**	**82**	**29**	**27**	**935**	**89**	**86**	**40**	**46**	**31**	**31**	**15**	**25**	**17**	**11**	**11**
Midland		**1,144**	**85**	**46**	**48**	**1,323**	**113**	**93**	**74**	**55**	**39**	**30**	**31**	**26**	**26**	**18**	**18**
West Midlands Conurbation		577	44	19	28	668	50	47	38	29	23	15	12	13	14	6	11
Remainder of Midland		567	41	27	20	655	63	46	36	26	16	15	19	13	12	12	7
Eastern		**660**	**58**	**44**	**22**	**784**	**57**	**49**	**50**	**38**	**17**	**20**	**17**	**14**	**10**	**14**	**14**
London and South Eastern		**2,074**	**151**	**101**	**68**	**2,394**	**201**	**155**	**120**	**90**	**63**	**51**	**48**	**46**	**30**	**31**	**29**
Greater London		1,603	108	77	53	1,841	157	112	82	67	53	38	36	32	25	23	20
Remainder of South Eastern		471	43	24	15	553	44	43	38	23	10	13	12	14	5	8	9
Southern		**617**	**55**	**28**	**17**	**717**	**59**	**46**	**38**	**22**	**20**	**23**	**20**	**10**	**8**	**13**	**7**
South Western		**606**	**53**	**33**	**24**	**716**	**60**	**49**	**45**	**29**	**26**	**30**	**15**	**16**	**7**	**10**	**14**
Wales (including Monmouthshire)		662	65	46	31	804	71	61	35	37	28	26	19	11	14	11	9
Wales I (South East)		505	50	36	28	619	60	49	27	28	22	19	13	9	9	8	7
Wales II (remainder)		157	15	10	3	185	11	12	8	9	6	7	6	2	5	3	2
Urban/Rural aggregates:																	
Conurbations		3,918	290	169	142	4,519	390	331	254	187	141	94	91	85	65	57	53
Areas outside conurbations:																	
Urban areas with populations of 100,000 and over		1,368	137	77	51	1,633	144	126	91	57	48	48	39	27	20	27	22
Urban areas with populations of 50,000 and under 100,000		789	82	44	31	946	72	63	52	44	24	24	23	22	13	19	7
Urban areas with populations of under 50,000		2,215	214	118	85	2,632	218	207	157	117	79	77	60	46	46	35	40
Rural districts		1,924	156	98	62	2,240	203	158	112	94	74	58	41	44	33	26	30
England and Wales — March Quarter		2,598	253	154	129	3,134	359	333	250	198	131	107	103	78	61	57	40
June Quarter		2,575	251	118	82	3,026	246	193	149	111	71	66	55	48	42	39	44
September Quarter		2,476	186	104	87	2,853	182	148	96	85	75	55	37	31	23	32	34
December Quarter		2,565	189	130	73	2,957	240	211	171	105	89	73	59	67	51	36	34

TABLE 26. Infant mortality from certain causes, 1958. Deaths of infants under one year and various sub-divisions of the first year, and deaths of illegitimate infants — **England and Wales, standard regions, Wales, conurbations, urban and rural aggregates outside conurbations**

See explanatory notes.

Area	All causes: Total under 1 year	All causes: Under 4 weeks	All causes: 4 weeks and under 3 mths.	All causes: 3-5 months	All causes: 6-8 months	All causes: 9-11 months	All causes: Illegitimate under 1 year (incl. in total)	Pneumonia (490-493, 763): Total under 1 year	Pneumonia: Under 4 weeks	Pneumonia: 4 weeks and under 3 mths.	Pneumonia: 3-5 months	Pneumonia: 6-8 months	Pneumonia: 9-11 months	Pneumonia: Illegitimate under 1 year (incl. in total)
ENGLAND AND WALES	16,685	11,970	1,912	1,531	779	493	1,005	2,298	837	602	502	237	120	135
Regions and conurbations:														
Northern	1,520	1,104	178	143	59	36	71	222	92	56	49	18	7	13
Tyneside Conurbation	391	286	51	29	16	9	16	38	21	11	2	3	1	1
Remainder of Northern	1,129	818	127	114	43	27	55	184	71	45	47	15	6	12
East and West Ridings	1,672	1,179	185	173	82	53	89	217	61	65	55	22	14	9
West Yorkshire Conurbation	673	463	65	87	33	25	42	102	24	28	28	13	9	5
Remainder of E. & W. Ridings	999	716	120	86	49	28	47	115	37	37	27	9	5	4
North Western	2,842	2,014	360	272	114	82	150	436	153	127	93	44	19	26
S.E. Lancashire Conurbation	1,020	741	131	86	40	22	73	158	59	51	27	16	5	13
Merseyside Conurbation	771	520	108	88	35	20	35	123	33	41	32	14	3	5
Remainder of North Western	1,051	753	121	98	39	40	42	155	61	35	34	14	11	8
North Midland	1,337	935	175	117	71	39	84	212	81	53	49	21	8	8
Midland	1,846	1,323	206	168	87	62	127	267	104	70	55	24	14	19
West Midlands Conurbation	926	668	97	90	40	31	71	126	46	33	30	11	6	10
Remainder of Midland	920	655	109	78	47	31	56	141	58	37	25	13	8	9
Eastern	1,084	784	106	105	51	38	62	156	64	35	31	17	9	9
London and South Eastern	3,258	2,394	356	273	145	90	273	393	150	98	78	40	27	36
Greater London	2,486	1,841	269	202	106	68	227	289	110	71	57	30	21	28
Remainder of South Eastern	772	553	87	71	39	22	46	104	40	27	21	10	6	8
Southern	983	717	105	80	53	28	51	104	37	27	21	12	7	2
South Western	1,017	716	109	100	61	31	48	149	55	29	36	22	7	9
Wales (including Monmouthshire)	1,126	804	132	100	56	34	50	142	40	42	35	17	8	4
Wales I (South East)	870	619	109	77	41	24	34	108	29	34	27	12	6	4
Wales II (remainder)	256	185	23	23	15	10	16	34	11	8	8	5	2	—
Urban/Rural aggregates:														
Conurbations	6,267	4,519	721	582	270	175	464	836	293	235	176	87	45	62
Areas outside conurbations:	10,418	7,451	1,191	949	509	318	541	1,462	544	367	326	150	75	73
Urban areas with populations of 100,000 and over	2,282	1,633	270	196	114	69	151	306	109	80	66	36	15	21
Urban areas with populations of 50,000 and under 100,000	1,309	946	135	120	69	39	87	210	94	42	45	17	12	10
Urban areas with populations under 50,000	3,714	2,632	425	353	183	121	156	531	174	142	121	60	34	17
Rural districts	3,113	2,240	361	280	143	89	147	415	167	103	94	37	14	25

Area	Bronchitis (500–502): Total under 1 year	Under 4 weeks	4 weeks and under 3 mths.	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)	Gastro-enteritis (571, 764): Total under 1 year	Under 4 weeks	4 weeks and under 3 mths.	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)
ENGLAND AND WALES	348	20	111	136	51	30	24	270	34	85	75	41	35	17
Regions and conurbations:														
Northern	26	2	7	11	3	3	1	24	3	10	3	5	3	—
Tyneside Conurbation	6	—	2	1	2	1	—	5	1	1	—	2	1	—
Remainder of Northern	20	2	5	10	1	2	1	19	2	9	3	3	2	—
East and West Ridings	56	5	15	24	7	5	1	52	6	17	13	10	6	1
West Yorkshire Conurbation	16	—	3	11	2	—	—	17	2	5	3	4	3	1
Remainder of E. & W. Ridings	40	5	12	13	5	5	1	35	4	12	10	6	3	—
North Western	43	1	17	16	5	4	4	52	8	10	19	3	12	3
S.E. Lancashire Conurbation	6	—	1	3	1	1	—	18	4	3	7	2	2	1
Merseyside Conurbation	25	—	10	11	2	2	3	19	—	5	8	—	6	2
Remainder of North Western	12	1	6	2	2	1	1	15	4	2	4	1	4	—
North Midland	38	2	17	11	6	2	5	20	—	6	6	4	4	3
Midland	25	3	7	8	2	5	2	31	3	9	9	6	4	4
West Midlands Conurbation	15	2	4	4	1	4	2	16	2	5	6	1	2	2
Remainder of Midland	10	1	3	4	1	1	—	15	1	4	3	5	2	2
Eastern	15	2	4	7	1	1	—	13	5	2	4	—	2	2
London and South Eastern	84	1	21	38	18	6	7	32	3	17	8	4	—	3
Greater London	73	1	20	32	16	4	6	29	2	16	7	4	—	3
Remainder of South Eastern	11	—	1	6	2	2	1	3	1	1	1	—	—	—
Southern	26	2	9	9	5	1	2	11	—	5	3	1	2	—
South Western	15	—	4	7	3	1	1	13	2	5	4	2	—	1
Wales (including Monmouthshire)	20	2	10	5	1	2	1	22	4	4	6	6	2	—
Wales I (South East)	17	2	8	5	—	2	1	19	4	4	6	4	1	—
Wales II (remainder)	3	—	2	—	1	—	—	3	—	—	—	2	1	—
Urban/Rural aggregates:														
Conurbations	141	3	40	62	24	12	11	104	11	35	31	13	14	9
Areas outside conurbations:	207	17	71	74	27	18	13	166	23	50	44	28	21	8
Urban areas with populations of 100,000 and over	51	6	23	13	5	4	4	33	3	13	8	5	4	2
Urban areas with populations of 50,000 and under 100,000	26	1	7	12	4	2	—	24	4	5	6	5	4	—
Urban areas with populations under 50,000	82	7	28	31	11	5	5	52	7	17	15	9	4	1
Rural districts	48	3	13	18	7	7	4	57	9	15	15	9	9	5

TABLE 26—*continued*

Area	Other diseases of infective origin (001–138, 340, 470–483, 518, 519, 690–698, 765–768): Total under 1 year	Under 4 weeks	4 weeks and under 3 mths.	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)	Accidental mechanical suffocation (E921–E925): Total under 1 year	Under 4 weeks	4 weeks and under 3 mths.	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)
ENGLAND AND WALES	486	138	118	106	79	45	25	376	33	139	138	49	17	23
Regions and conurbations:														
Northern	39	11	8	9	8	3	—	63	12	24	23	3	1	6
Tyneside Conurbation	19	5	5	4	3	2	—	27	4	9	12	1	1	2
Remainder of Northern	20	6	3	5	5	1	—	36	8	15	11	2	—	4
East and West Ridings	56	16	12	15	10	3	1	17	1	4	7	4	1	1
West Yorkshire Conurbation	17	6	2	4	3	2	—	12	—	1	6	4	1	1
Remainder of E. & W. Ridings	39	10	10	11	7	1	1	5	1	3	1	—	—	—
North Western	82	22	22	18	12	8	5	82	3	34	31	10	4	3
S.E. Lancashire Conurbation	28	8	8	7	3	2	2	28	1	12	11	2	2	1
Merseyside Conurbation	27	6	10	6	3	2	2	15	—	7	6	2	—	—
Remainder of North Western	27	8	4	5	6	4	1	39	2	15	14	6	2	2
North Midland	33	13	7	5	4	4	1	23	1	11	8	3	—	1
Midland	63	12	14	14	14	9	3	40	1	14	14	8	3	1
West Midlands Conurbation	32	7	6	8	8	3	2	17	—	6	7	2	2	—
Remainder of Midland	31	5	8	6	6	6	1	23	1	8	7	6	1	1
Eastern	30	12	5	6	5	2	1	38	2	11	14	6	5	1
London and South Eastern	76	23	23	16	9	5	5	55	5	22	18	8	2	8
Greater London	54	17	14	12	8	3	3	30	3	12	10	3	2	7
Remainder of South Eastern	22	6	9	4	1	2	2	25	2	10	8	5	—	1
Southern	33	11	8	6	6	2	4	24	4	5	9	6	—	2
South Western	31	9	7	4	5	6	3	18	3	7	6	1	1	—
Wales (including Monmouthshire)	43	9	12	13	6	3	2	16	1	7	8	—	—	—
Wales I (South East)	34	7	12	8	4	3	1	14	1	7	6	—	—	—
Wales II (remainder)	9	2	—	5	2	—	1	2	—	—	2	—	—	—
Urban/Rural aggregates:														
Conurbations	177	49	45	41	28	14	9	129	8	47	52	14	8	11
Areas outside conurbations:	309	89	73	65	51	31	16	247	25	92	86	35	9	12
Urban areas with populations of 100,000 and over	77	25	17	15	12	8	1	48	6	17	13	10	2	3
Urban areas with populations of 50,000 and under 100,000	37	14	6	5	9	3	2	34	2	13	14	2	3	1
Urban areas with populations under 50,000	111	32	29	20	16	14	9	96	12	34	33	14	3	4
Rural districts	84	18	21	25	14	6	4	69	5	28	26	9	1	4

Area	Congenital malformations (750–759): Total under 1 year	Under 4 weeks	4 weeks and under 3 mths.	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)	Injury at birth (760,761): Total under 1 year	Under 4 weeks	4 weeks and under 3 mths.	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)
ENGLAND AND WALES	3,389	2,139	573	371	178	128	137	1,805	1,803	1	1	—	—	121
Regions and conurbations:														
Northern	299	200	51	29	10	9	11	150	150	—	—	—	—	8
Tyneside Conurbation	77	48	18	7	2	2	3	45	45	—	—	—	—	3
Remainder of Northern	222	152	33	22	8	7	8	105	105	—	—	—	—	5
East and West Ridings	293	194	45	33	11	10	10	177	177	—	—	—	—	9
West Yorkshire Conurbation	116	75	14	20	2	5	5	63	63	—	—	—	—	3
Remainder of E. & W. Ridings	177	119	31	13	9	5	5	114	114	—	—	—	—	6
North Western	551	347	93	66	27	18	17	338	338	—	—	—	—	18
S.E. Lancashire Conurbation	180	110	34	21	10	5	8	128	128	—	—	—	—	13
Merseyside Conurbation	151	97	19	21	10	4	5	99	99	—	—	—	—	2
Remainder of North Western	220	140	40	24	7	9	4	111	111	—	—	—	—	3
North Midland	291	184	51	26	19	11	14	132	132	—	—	—	—	10
Midland	406	257	66	44	22	17	18	233	233	—	—	—	—	23
West Midlands Conurbation	208	132	33	24	10	9	7	118	118	—	—	—	—	12
Remainder of Midland	198	125	33	20	12	8	11	115	115	—	—	—	—	11
Eastern	189	112	30	27	12	8	10	122	122	—	—	—	—	11
London and South Eastern	671	410	119	75	37	30	32	311	310	—	1	—	—	25
Greater London	510	314	90	58	25	23	27	244	243	—	1	—	—	20
Remainder of South Eastern	161	96	29	17	12	7	5	67	67	—	—	—	—	5
Southern	210	131	39	22	9	9	5	106	106	—	—	—	—	2
South Western	251	159	42	27	14	9	9	120	120	—	—	—	—	7
Wales (including Monmouthshire)	228	145	37	22	17	7	11	116	115	1	—	—	—	8
Wales I (South East)	175	112	30	17	12	4	7	84	84	—	—	—	—	4
Wales II (remainder)	53	33	7	5	5	3	4	32	31	1	—	—	—	4
Urban/Rural aggregates:														
Conurbations	1,242	776	208	151	59	48	55	697	696	—	1	—	—	53
Areas outside conurbations:	2,147	1,363	365	220	119	80	82	1,108	1,107	1	—	—	—	68
Urban areas with populations of 100,000 and over	500	322	86	52	25	15	21	234	234	—	—	—	—	19
Urban areas with populations of 50,000 and under 100,000	256	169	44	21	16	6	16	127	127	—	—	—	—	10
Urban areas with populations under 50,000	763	488	117	86	43	29	24	380	380	—	—	—	—	20
Rural districts	628	384	118	61	35	30	21	367	366	1	—	—	—	19

TABLE 26—*continued*

Area	Total under 1 year	Under 4 weeks	4 weeks and under 3 mths.	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)	Total under 1 year	Under 4 weeks	4 weeks and under 3 mths.	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)
	Postnatal asphyxia, atelectasis (762)							Haemolytic disease of newborn (770)						
ENGLAND AND WALES	**2,645**	**2,623**	**13**	**3**	**4**	**2**	**177**	**377**	**374**	**2**	—	**1**	—	**15**
Regions and conurbations:														
Northern	**203**	**203**	—	—	—	—	**7**	**20**	**20**	—	—	—	—	—
Tyneside Conurbation	60	60	—	—	—	—	2	7	7	—	—	—	—	—
Remainder of Northern	143	143	—	—	—	—	5	13	13	—	—	—	—	—
East and West Ridings	**258**	**255**	**3**	—	—	—	**15**	**42**	**42**	—	—	—	—	**2**
West Yorkshire Conurbation	113	113	—	—	—	—	7	15	15	—	—	—	—	—
Remainder of E. & W. Ridings	145	142	3	—	—	—	8	27	27	—	—	—	—	2
North Western	**497**	**493**	**1**	**1**	**1**	**1**	**31**	**72**	**72**	—	—	—	—	**3**
S.E. Lancashire Conurbation	188	187	—	1	—	—	13	28	28	—	—	—	—	—
Merseyside Conurbation	142	141	—	—	1	—	8	22	22	—	—	—	—	2
Remainder of North Western	167	165	1	—	—	1	10	22	22	—	—	—	—	1
North Midland	**207**	**204**	**3**	—	—	—	**12**	**29**	**29**	—	—	—	—	**1**
Midland	**250**	**249**	—	**1**	—	—	**20**	**34**	**34**	—	—	—	—	**3**
West Midlands Conurbation	123	123	—	—	—	—	16	14	14	—	—	—	—	1
Remainder of Midland	127	126	—	1	—	—	4	20	20	—	—	—	—	2
Eastern	**142**	**139**	**1**	**1**	**1**	—	**9**	**23**	**23**	—	—	—	—	**1**
London and South Eastern	**542**	**539**	**1**	—	**1**	**1**	**53**	**92**	**90**	**1**	—	**1**	—	**1**
Greater London	434	431	1	—	1	1	46	73	72	1	—	—	—	1
Remainder of South Eastern	108	108	—	—	—	—	7	19	18	—	—	1	—	—
Southern	**172**	**170**	**1**	—	**1**	—	**6**	**25**	**24**	**1**	—	—	—	**3**
South Western	**173**	**171**	**2**	—	—	—	**10**	**20**	**20**	—	—	—	—	**1**
Wales (including Monmouthshire)	**201**	**200**	**1**	—	—	—	**14**	**20**	**20**	—	—	—	—	—
Wales I (South East)	156	155	1	—	—	—	9	16	16	—	—	—	—	—
Wales II (remainder)	45	45	—	—	—	—	5	4	4	—	—	—	—	—
Urban/Rural aggregates:														
Conurbations	1,060	1,055	1	1	2	1	92	159	158	1	—	—	—	4
Areas outside conurbations:	1,585	1,568	12	2	2	1	85	218	216	1	—	1	—	11
Urban areas with populations of 100,000 and over	381	375	3	1	1	1	22	51	50	1	—	—	—	5
Urban areas with populations of 50,000 and under 100,000	174	173	1	—	—	—	15	23	23	—	—	—	—	2
Urban areas with populations under 50,000	534	530	4	—	—	—	28	71	71	—	—	—	—	2
Rural districts	496	490	4	1	1	—	20	73	72	—	—	1	—	2
	Immaturity associated with *diseases of early infancy* (760–773)*							Immaturity (774–776)						
ENGLAND AND WALES	**3,228**	**3,220**	**8**	—	—	—	**201**	**2,960**	**2,911**	**46**	**3**	—	—	**211**
Regions and conurbations:														
Northern	**275**	**275**	—	—	—	—	**12**	**305**	**299**	**6**	—	—	—	**17**
Tyneside Conurbation	83	83	—	—	—	—	5	67	66	1	—	—	—	3
Remainder of Northern	192	192	—	—	—	—	7	238	233	5	—	—	—	14
East and West Ridings	**310**	**309**	**1**	—	—	—	**18**	**334**	**333**	**1**	—	—	—	**27**
West Yorkshire Conurbation	117	117	—	—	—	—	7	143	142	1	—	—	—	12
Remainder of E. & W. Ridings	193	192	1	—	—	—	11	191	191	—	—	—	—	15
North Western	**627**	**626**	**1**	—	—	—	**36**	**448**	**439**	**9**	—	—	—	**29**
S.E. Lancashire Conurbation	241	241	—	—	—	—	21	166	161	5	—	—	—	14
Merseyside Conurbation	191	191	—	—	—	—	7	98	95	3	—	—	—	6
Remainder of North Western	195	194	1	—	—	—	8	184	183	1	—	—	—	9
North Midland	**263**	**261**	**2**	—	—	—	**18**	**214**	**211**	**2**	**1**	—	—	**19**
Midland	**344**	**344**	—	—	—	—	**26**	**298**	**292**	**5**	**1**	—	—	**17**
West Midlands Conurbation	176	176	—	—	—	—	14	156	154	2	—	—	—	10
Remainder of Midland	168	168	—	—	—	—	12	142	138	3	1	—	—	7
Eastern	**200**	**200**	—	—	—	—	**7**	**222**	**219**	**3**	—	—	—	**10**
London and South Eastern	**591**	**589**	**2**	—	—	—	**52**	**656**	**639**	**16**	**1**	—	—	**67**
Greater London	459	457	2	—	—	—	48	502	486	15	1	—	—	59
Remainder of South Eastern	132	132	—	—	—	—	4	154	153	1	—	—	—	8
Southern	**191**	**190**	**1**	—	—	—	**5**	**156**	**156**	—	—	—	—	**14**
South Western	**213**	**213**	—	—	—	—	**12**	**123**	**121**	**2**	—	—	—	**4**
Wales (including Monmouthshire)	**214**	**213**	**1**	—	—	—	**15**	**204**	**202**	**2**	—	—	—	**7**
Wales I (South East)	171	170	1	—	—	—	10	150	150	—	—	—	—	5
Wales II (remainder)	43	43	—	—	—	—	5	54	52	2	—	—	—	2
Urban/Rural aggregates:														
Conurbations	1,267	1,265	2	—	—	—	102	1,132	1,104	27	1	—	—	104
Areas outside conurbations:	1,961	1,955	6	—	—	—	99	1,828	1,807	19	2	—	—	107
Urban areas with populations of 100,000 and over	479	478	1	—	—	—	29	354	352	2	—	—	—	35
Urban areas with populations of 50,000 and under 100,000	215	215	—	—	—	—	16	270	268	2	—	—	—	18
Urban areas with populations under 50,000	655	652	3	—	—	—	31	673	664	8	1	—	—	29
Rural districts	612	610	2	—	—	—	23	531	523	7	1	—	—	25

* Including some deaths shown elsewhere in this table.

TABLE 27. Causes of death at various ages under five years, 1958

England and Wales

ISC No.	Causes of death		Total under 5 years	Days		Weeks				Months					Years				
				0	1–6	0	1	2	3	0	1–2	3–5	6–8	9–11	0	1	2	3	4
	ALL CAUSES	M	**10,987**	**3,206**	**2,785**	**5,991**	**485**	**309**	**203**	**6,988**	**1,076**	**859**	**434**	**277**	**9,634**	**558**	**346**	**244**	**205**
		F	**8,046**	**2,345**	**1,878**	**4,223**	**394**	**197**	**168**	**4,982**	**836**	**672**	**345**	**216**	**7,051**	**422**	**277**	**174**	**122**
001–008	Tuberculosis of respiratory system	M	5	—	—	—	—	—	—	—	—	—	3	—	3	2	—	—	—
		F	5	—	—	—	—	—	—	—	—	—	2	1	3	2	—	—	—
010	Tuberculosis of meninges and central nervous system	M	13	—	—	—	—	—	—	—	—	—	—	1	1	5	3	4	—
		F	13	—	—	—	—	—	—	—	—	—	2	—	2	5	2	1	3
011	Tuberculosis of intestines, peritoneum, and mesenteric glands	M	1	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
012, 013	Tuberculosis of bones and joints	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
014–018	Tuberculosis, all other organs	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
019	Disseminated tuberculosis	M	2	—	—	—	—	—	—	—	—	1	—	—	1	1	—	—	—
		F	2	—	—	—	—	—	—	—	—	1	—	—	1	—	1	—	—
020–029	Syphilis and its sequelae	M	2	1	—	1	—	—	—	1	1	—	—	—	2	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—
030–039	Gonococcal infection and other venereal diseases	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
040–049	Infectious diseases commonly arising in intestinal tract	M	10	—	1	1	3	1	—	5	3	—	—	—	8	1	1	—	—
		F	9	—	—	—	1	—	—	1	1	1	2	2	7	—	—	1	1
045–048	Dysentery, all forms	M	6	—	1	1	2	—	—	3	1	—	—	—	4	1	1	—	—
		F	6	—	—	—	—	—	—	—	—	—	2	2	4	—	—	1	1
050–064	Other bacterial diseases	M	93	—	—	—	1	1	—	2	12	18	22	6	60	17	9	2	5
		F	80	—	1	1	1	1	1	4	21	14	12	9	60	11	8	—	1
050	Scarlet fever	M	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
055	Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056·0	Whooping cough, without mention of pneumonia	M	5	—	—	—	—	—	—	—	1	1	—	—	2	2	1	—	—
		F	3	—	—	—	—	—	—	—	1	1	—	—	2	1	—	—	—
056·1	Whooping cough, with pneumonia	M	7	—	—	—	—	—	—	—	1	2	1	—	4	—	3	—	—
		F	10	—	—	—	—	—	—	—	5	3	1	1	10	—	—	—	—
057·0	Meningococcal meningitis	M	28	—	—	—	—	—	—	—	5	3	7	2	17	6	1	—	4
		F	12	—	—	—	—	—	1	1	1	2	4	2	10	—	2	—	—
057·1	Acute and unspecified meningococcaemia	M	30	—	—	—	—	1	—	1	1	7	8	2	19	7	2	2	—
		F	38	—	—	—	1	1	—	2	11	4	5	3	25	9	4	—	—
057·2	Chronic meningococcaemia	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
057·3	Other forms of meningococcal infection	M	1	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
061	Tetanus	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
080, 081	Acute poliomyelitis, including late effects	M	7	—	—	—	—	—	—	—	—	—	—	—	—	—	2	3	2
		F	7	—	—	—	—	—	—	—	—	—	—	—	—	2	1	3	1
082, 083	Acute infectious encephalitis, including late effects	M	16	—	1	1	—	—	—	1	2	2	1	—	6	5	3	—	2
		F	11	—	—	—	—	—	1	1	—	—	—	2	3	6	2	—	—
085·0	Measles, without mention of pneumonia	M	6	—	—	—	—	—	—	—	—	2	—	—	2	3	—	—	1
		F	8	—	—	—	—	—	—	—	—	2	—	—	2	2	2	1	1
085·1	Measles, with pneumonia	M	10	—	—	—	—	—	—	—	—	1	4	1	6	3	1	—	—
		F	14	—	—	—	—	—	—	—	—	2	1	2	5	6	2	1	—
086	Rubella (German measles)	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
087	Chickenpox	M	1	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
089	Mumps	M	2	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—
		F	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Rem. of 001–138	Other infective and parasitic diseases	M	17	—	1	1	—	—	1	2	5	4	2	—	13	2	—	1	1
		F	9	—	—	—	1	—	—	1	—	1	1	—	3	2	1	1	2
140–239	Neoplasms	M	227	6	3	9	—	1	3	13	4	12	10	10	49	33	56	45	44
		F	164	—	3	3	1	2	2	8	10	7	7	5	37	23	35	37	32
140–199	Malignant neoplasms	M	110	1	1	2	—	—	—	2	1	5	4	6	18	19	32	22	19
		F	76	—	—	—	1	—	1	2	3	3	3	4	15	12	17	19	13
150–159	of disgestive organs and peritoneum	M	8	—	—	—	—	—	—	—	—	—	—	—	—	4	2	1	1
		F	3	—	—	—	—	—	—	—	—	1	—	—	1	1	1	—	—
170–181	of breast and genito urinary organs	M	30	—	—	—	—	—	—	—	—	2	—	1	3	4	12	6	5
		F	29	—	—	—	—	—	1	1	—	—	1	1	3	6	7	7	6
180	of kidney	M	24	—	—	—	—	—	—	—	—	2	—	1	3	4	9	4	4
		F	24	—	—	—	—	—	1	1	—	—	—	1	2	4	6	6	6

TABLE 27—*continued*

ISC No.	Causes of death		Total under 5 years	Days		Weeks				Months					Years				
				0	1–6	0	1	2	3	0	1–2	3–5	6–8	9–11	0	1	2	3	4
140–199	Malignant neoplasms—continued																		
192	of eye	M	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1
		F	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—
193	of brain and other parts of nervous system	M	48	1	—	1	—	—	—	1	—	2	2	3	8	9	15	7	9
		F	23	—	—	—	—	—	—	—	2	2	1	3	8	1	5	4	5
195	of endocrine glands	M	7	—	1	1	—	—	—	1	1	—	1	2	5	—	—	2	—
		F	3	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1
	195·0 of suprarenal	M	7	—	1	1	—	—	—	1	1	—	1	2	5	—	—	2	—
		F	3	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1
	195·1 of parathyroid	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	195·2 of thymus	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	195·3 of pituitary	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
196	of bone	M	5	—	—	—	—	—	—	—	—	—	—	—	—	2	—	2	1
		F	5	—	—	—	—	—	—	—	—	—	—	—	—	3	—	2	—
197	of connective tissue	M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
		F	3	—	—	—	—	—	—	—	1	—	1	—	2	—	1	—	—
200–205	Leukaemia, aleukaemia and reticuloses	M	92	—	—	—	—	—	3	3	2	5	2	3	15	10	20	22	25
		F	68	—	—	—	—	1	—	1	3	4	4	1	13	7	16	16	16
200	lymphosarcoma and reticulosarcoma	M	4	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	1
		F	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
204·0	lymphatic leukaemia	M	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—
		F	6	—	—	—	—	—	—	—	—	—	1	—	1	—	1	2	2
204·1	myeloid leukaemia	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
204·2	monocytic leukaemia	M	3	—	—	—	—	—	1	1	—	—	2	—	3	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—
204·3	acute leukaemia	M	72	—	—	—	—	—	—	—	2	3	—	3	8	8	17	16	23
		F	51	—	—	—	—	1	—	1	3	2	2	1	9	4	15	12	11
204·4	other and unspecified leukaemia	M	2	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—
		F	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1
210–239	Benign and unspecified neoplasms	M	25	5	2	7	—	1	—	8	1	2	4	1	16	4	4	1	—
		F	20	—	3	3	—	1	1	5	4	—	—	—	9	4	2	2	3
223, 237	of brain and central nervous system	M	12	—	—	—	—	—	—	—	1	2	1	1	5	3	3	1	—
		F	8	—	1	1	—	—	—	1	—	—	—	—	1	1	2	2	2
240–245	Allergic disorders	M	13	—	—	—	—	—	—	—	—	—	1	1	2	3	4	1	3
		F	10	—	—	—	—	—	—	—	—	—	1	1	2	2	3	2	1
250–254	Diseases of thyroid gland	M	1	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—
		F	1	—	—	—	—	—	1	1	—	—	—	—	1	—	—	—	—
260	Diabetes mellitus	M	9	1	—	1	—	—	—	1	1	—	1	—	3	4	—	1	1
		F	6	—	—	—	—	—	—	—	—	—	1	1	2	1	1	2	—
270–277	Diseases of other endocrine glands	M	35	3	10	13	—	3	—	16	3	3	4	—	26	6	1	2	—
		F	14	—	4	4	—	—	—	4	5	3	—	—	12	1	1	—	—
280–289	Avitaminoses and other metabolic diseases	M	15	—	—	—	—	—	—	—	2	1	2	—	5	4	2	1	3
		F	6	—	—	—	—	1	—	1	—	2	1	—	4	—	2	—	—
283	active rickets	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
286·0	steatorrhoea and sprue	M	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1
		F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
290–293	Anaemias	M	12	—	—	—	—	—	—	—	—	—	1	3	4	2	3	2	1
		F	7	—	—	—	—	—	—	—	2	—	—	—	2	3	—	1	1
294–299	Other diseases of blood and blood-forming organs	M	15	2	—	2	1	—	—	3	2	—	2	1	8	2	3	—	2
		F	6	1	1	2	1	—	—	3	1	1	—	—	5	1	—	—	—
320–326	Mental, psychoneurotic, and personality disorders	M	22	4	1	5	1	—	—	6	1	3	1	5	16	2	3	—	1
		F	21	2	4	6	1	—	—	7	1	5	2	2	17	2	—	1	1
325	mental deficiency	M	22	4	1	5	1	—	—	6	1	3	1	5	16	2	3	—	1
		F	21	2	4	6	1	—	—	7	1	5	2	2	17	2	—	1	1
330–334	Vascular lesions affecting central nervous system	M	18	—	1	1	—	—	2	3	5	3	1	2	14	2	1	—	1
		F	8	—	—	—	—	—	—	—	2	—	1	—	3	3	1	1	—
340–345	Inflammatory diseases of central nervous system	M	148	1	10	11	8	10	5	34	27	19	17	17	114	24	6	2	2
		F	105	—	5	5	6	1	6	18	23	19	11	4	75	14	10	4	2
340	meningitis, except meningococcal and tuberculous	M	99	—	8	8	7	9	4	28	19	14	11	8	80	17	1	—	1
		F	71	—	5	5	6	—	4	15	19	15	7	3	59	7	3	1	1
350–357	Other diseases of central nervous system	M	57	—	1	1	—	—	—	1	9	6	1	4	21	11	9	11	5
		F	40	—	—	—	—	—	1	1	2	3	5	4	15	7	12	3	3
351	cerebral spastic infantile paralysis	M	24	—	—	—	—	—	—	—	8	1	1	1	11	5	3	4	1
		F	12	—	—	—	—	—	—	—	2	—	1	1	4	—	6	1	1
353	epilepsy	M	23	—	1	1	—	—	—	1	—	3	—	1	5	4	5	6	3
		F	18	—	—	—	—	—	—	1	—	1	3	—	5	6	4	2	1

TABLE 27—*continued*

ISC No.	Causes of death		Total under 5 years	Days		Weeks				Months					Years				
				0	1–6	0	1	2	3	0	1–2	3–5	6–8	9–11	0	1	2	3	4
390–398	Diseases of ear and mastoid process	M	32	—	—	—	—	—	1	1	10	6	4	2	23	5	2	1	1
		F	17	—	—	—	1	—	1	2	4	2	3	2	13	—	2	1	1
Rem. of 330–398	Other diseases of nerves and sense organs	M	2	—	—	—	—	—	—	—	—	1	—	—	1	—	—	1	—
		F	2	—	—	—	—	—	—	—	—	1	—	1	2	—	—	—	—
400–402	Rheumatic fever	M	4	—	—	—	—	—	—	—	—	—	1	—	1	1	—	2	—
		F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
410–434	Diseases of the heart	M	26	—	—	—	2	1	3	6	9	1	—	2	18	1	2	1	4
		F	20	—	—	—	1	2	1	4	5	5	—	2	16	2	1	—	1
440–468	Other diseases of the circulatory system	M	6	1	—	1	—	2	—	3	1	—	1	—	5	—	—	1	—
		F	7	—	—	—	—	—	—	—	3	1	—	—	4	—	2	1	—
470–475	Acute upper respiratory infections	M	24	—	1	1	1	1	—	3	4	4	3	1	15	3	5	1	—
		F	20	—	—	—	—	1	—	1	4	3	1	2	11	4	3	2	—
480–483	Influenza	M	29	—	—	—	—	1	—	1	4	6	2	2	15	7	4	3	—
		F	27	—	—	—	1	—	—	1	6	9	1	1	18	3	3	1	2
490	Lobar pneumonia	M	54	—	—	—	—	—	—	—	17	13	7	3	40	9	2	1	2
		F	44	—	—	—	—	—	—	—	19	6	4	6	35	5	4	—	—
491	Bronchopneumonia	M	859	—	—	—	—	—	—	—	270	246	111	53	680	99	52	18	10
		F	720	—	—	—	—	—	—	—	233	204	95	50	582	86	33	11	8
492–493	Primary atypical, other and unspecified pneumonia	M	90	—	—	—	—	—	—	—	39	18	8	6	71	9	6	1	3
		F	68	—	—	—	—	—	—	—	24	15	12	2	53	6	8	1	—
500–502	Bronchitis	M	259	—	3	3	3	2	2	10	68	72	34	20	204	32	14	6	3
		F	186	—	1	1	3	2	4	10	43	64	17	10	144	14	14	10	4
510–527	Other diseases of respiratory system	M	70	4	7	11	2	2	1	16	18	10	4	1	49	7	3	6	5
		F	36	5	2	7	2	—	—	9	6	7	2	4	28	—	4	3	1
518	empyema	M	8	—	—	—	—	1	—	1	5	1	—	—	7	—	—	—	1
		F	7	—	—	—	2	—	—	2	1	1	—	3	7	—	—	—	—
519	pleurisy	M	1	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
530–539	Diseases of buccal cavity and oesophagus	M	6	—	2	2	2	—	—	4	—	—	—	—	4	1	1	—	—
		F	6	—	—	—	—	—	—	—	3	2	—	—	5	—	—	—	1
543	Gastritis and duodenitis	M	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
		F	2	—	—	—	—	—	—	—	1	—	—	1	2	—	—	—	—
544	Disorders of function of stomach	M	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
		F	2	—	—	—	—	—	—	—	1	1	—	—	2	—	—	—	—
Rem. of 540–545	Diseases of stomach and duodenum, others	M	6	—	2	2	2	—	—	4	1	—	—	1	6	—	—	—	—
		F	3	—	2	2	—	—	—	2	1	—	—	—	3	—	—	—	—
550–553	Appendicitis	M	25	—	—	—	—	1	—	1	—	—	—	1	2	7	8	6	2
		F	12	—	1	1	—	—	—	1	3	—	—	—	4	2	2	2	2
560–561	Hernia of abdominal cavity	M	84	39	17	56	5	3	2	66	9	2	—	2	79	4	1	—	—
		F	44	29	6	35	—	1	1	37	3	—	—	—	40	3	—	—	1
570	Intestinal obstruction, without mention of hernia	M	58	2	3	5	2	1	7	15	7	14	11	1	48	6	3	—	1
		F	37	—	5	5	1	1	—	7	6	8	6	1	28	5	2	1	1
570·0	intussusception	M	31	—	—	—	—	—	—	—	2	12	11	1	26	4	1	—	—
		F	21	—	—	—	—	—	—	—	4	5	6	1	16	3	1	1	—
570·3	volvulus	M	20	2	3	5	1	1	5	12	2	2	—	—	16	1	2	—	1
		F	13	—	5	5	1	—	—	6	2	2	—	—	10	1	1	—	1
571	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	M	187	—	—	—	—	—	—	—	49	46	27	23	145	31	10	—	1
		F	120	—	—	—	—	—	—	—	36	29	14	12	91	21	4	3	1
Rem. of 570–578	Other diseases of intestines and peritoneum	M	11	—	2	2	—	—	—	2	4	3	1	—	10	1	—	—	—
		F	7	—	—	—	—	1	—	1	1	—	2	—	4	2	—	1	—
580–587	Diseases of liver, gallbladder and pancreas	M	86	1	13	14	4	6	1	25	9	10	12	6	62	7	4	11	2
		F	72	1	5	6	6	2	1	15	7	14	11	9	56	6	4	3	3
587	diseases of pancreas	M	75	1	11	12	3	5	1	21	6	9	12	6	54	5	4	10	2
		F	63	1	4	5	6	2	1	14	4	13	9	9	49	4	4	3	3
590–594	Nephritis and nephrosis	M	19	—	—	—	—	—	—	—	—	5	5	3	13	2	2	1	1
		F	9	—	—	—	—	—	—	—	1	1	1	1	4	2	—	1	2
600–609	Other diseases of urinary system	M	19	—	—	—	—	3	—	3	9	1	1	—	14	3	2	—	—
		F	11	—	—	—	1	1	—	2	2	—	1	2	7	2	1	—	1
610–617	Diseases of male genital organs	M	1	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—
615	redundant prepuce and phimosis	M	1	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—
620–637	Diseases of female genital organs	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
690–698	Infections of skin and subcutaneous tissue	M	10	—	—	—	1	1	2	4	3	2	—	—	9	—	1	—	—
		F	5	—	—	—	—	—	1	1	2	—	—	—	3	1	—	1	—
700–716	Other diseases of skin and subcutaneous tissue	M	4	—	—	—	—	—	—	—	1	1	1	1	4	—	—	—	—
		F	3	—	—	—	—	—	1	1	—	—	—	—	1	—	1	—	1
720–749	Diseases of the bones and organs of movement	M	17	2	2	4	—	1	1	6	2	3	3	1	15	—	1	1	—
		F	14	—	1	1	1	1	—	3	2	6	1	1	13	1	—	—	—
730	osteomyelitis and periostitis	M	4	—	—	—	—	1	—	1	1	—	—	1	3	—	—	1	—
		F	4	—	—	—	—	1	—	1	1	1	—	—	3	1	—	—	—
750	Monstrosity	M	59	44	13	57	1	1	—	59	—	—	—	—	59	—	—	—	—
		F	106	81	21	102	3	1	—	106	—	—	—	—	106	—	—	—	—

TABLE 27—*continued*

ISC No.	Causes of death		Total under 5 years	Days		Weeks				Months					Years				
				0	1–6	0	1	2	3	0	1–2	3–5	6–8	9–11	0	1	2	3	4
751	Spina bifida and meningocele	M	335	26	59	85	51	28	21	185	79	31	17	10	322	10	2	—	1
		F	447	46	70	116	74	34	28	252	86	35	25	17	415	20	7	5	—
752	Congenital hydrocephalus	M	181	43	23	66	17	7	7	97	17	19	14	8	155	17	6	2	1
		F	228	40	37	77	15	11	11	114	29	25	13	15	196	23	6	1	2
753·0	Congenital cataract	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
753·1	Other congenital malformations of nervous system and sense organs	M	47	10	3	13	3	3	—	19	10	5	2	4	40	3	2	—	2
		F	50	5	6	11	4	1	2	18	6	5	5	4	38	4	2	4	2
754·0	Tetralogy of Fallot	M	42	1	6	7	—	1	—	8	10	5	4	3	30	4	4	4	—
		F	27	1	1	2	—	—	1	3	3	5	4	—	15	6	3	—	3
754·1	Patent ductus arteriosus (Botalli)	M	56	4	19	23	6	3	4	36	9	6	3	—	54	—	1	1	—
		F	29	2	6	8	3	2	2	15	4	4	1	2	26	2	1	—	—
754·2	Interventricular septal defect	M	72	1	17	18	3	2	1	24	12	9	4	7	56	5	4	4	3
		F	46	3	10	13	5	2	—	20	7	10	4	1	42	1	3	—	—
754·3	Interauricular septal defect	M	46	6	9	15	1	4	1	21	5	6	4	3	39	1	4	1	1
		F	41	2	8	10	4	2	1	17	9	5	2	3	36	4	—	1	—
754·4	Fibroelastosis cordis	M	39	—	9	9	5	2	—	16	8	10	3	—	37	1	1	—	—
		F	29	1	6	7	1	—	1	9	1	5	6	1	22	3	3	1	—
754·5	Other and unspecified malformations of heart	M	474	31	135	166	42	29	26	263	77	64	18	9	431	25	9	4	5
		F	363	21	103	124	38	16	8	186	71	44	18	10	329	21	8	4	1
754·6	Coarctation of aorta	M	20	1	6	7	2	1	2	12	3	3	—	2	20	—	—	—	—
		F	23	3	6	9	5	3	1	18	3	1	—	—	22	—	1	—	—
754·7	Other circulatory malformations	M	64	6	14	20	6	1	2	29	18	10	2	—	59	2	2	—	1
		F	41	1	10	11	2	5	—	18	10	4	3	1	36	2	—	3	—
755	Cleft palate and harelip	M	8	3	3	6	—	—	—	6	—	1	—	—	7	1	—	—	—
		F	6	—	1	1	—	—	1	2	3	—	—	1	6	—	—	—	—
756·0	Congenital hypertrophic pyloric stenosis	M	24	—	—	—	1	—	1	2	20	1	—	1	24	—	—	—	—
		F	5	—	—	—	1	—	—	1	1	3	—	—	5	—	—	—	—
756·1	Imperforate anus	M	11	1	5	6	1	1	—	8	1	1	—	—	10	—	—	1	—
		F	4	1	3	4	—	—	—	4	—	—	—	—	4	—	—	—	—
756·2	Other congenital malformations of digestive system	M	186	4	68	72	41	15	2	130	15	12	6	7	170	8	5	2	1
		F	138	4	62	66	24	7	6	103	12	7	5	5	132	4	1	1	—
757·0	Undescended testicle	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
757·1	Polycystic disease of kidney	M	24	13	1	14	1	1	2	18	2	2	—	1	23	1	—	—	—
		F	11	6	—	6	—	1	—	7	2	2	—	—	11	—	—	—	—
757·2	Congenital malformations of external genital organs	M	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
		F	3	—	—	—	1	—	—	1	1	—	1	—	3	—	—	—	—
757·3	Other congenital malformations of genito-urinary system	M	83	32	5	37	3	8	1	49	11	8	1	4	73	5	3	1	1
		F	25	10	1	11	2	—	2	15	2	1	3	3	24	1	—	—	—
758·0	Congenital dislocation of hip	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
758·1	Chondrodystrophy	M	4	4	—	4	—	—	—	4	—	—	—	—	4	—	—	—	—
		F	4	4	—	4	—	—	—	4	—	—	—	—	4	—	—	—	—
758·2	Congenital malformations of skull	M	7	1	4	5	—	—	—	5	—	—	1	—	6	1	—	—	—
		F	6	2	1	3	—	2	—	5	—	1	—	—	6	—	—	—	—
758·3	Brittle bones	M	6	2	—	2	1	—	—	3	—	1	—	—	4	2	—	—	—
		F	3	1	—	1	—	—	—	1	—	1	—	—	2	1	—	—	—
758·4	Cervical rib	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
758·5	Congenital abnormalities of lumbo-sacral region	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
758·6	Other congenital malformations of bone and joint	M	12	1	3	4	2	—	1	7	3	1	—	—	11	1	—	—	—
		F	10	3	3	6	—	—	2	8	2	—	—	—	10	—	—	—	—
759·0	Congenital malformations of respiratory system	M	40	12	4	16	—	—	—	16	5	5	3	3	32	6	1	—	1
		F	37	10	3	13	—	—	2	15	3	6	3	—	27	5	—	1	4
759·1	Congenital malformations of skin	M	9	1	1	2	—	1	—	3	4	—	—	1	8	1	—	—	—
		F	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
759·2	Congenital malformations of muscle	M	13	12	1	13	—	—	—	13	—	—	—	—	13	—	—	—	—
		F	9	5	3	8	—	—	—	8	1	—	—	—	9	—	—	—	—
759·3	Other and unspecified congenital malformations	M	108	57	20	77	8	5	1	91	5	4	2	1	103	3	—	2	—
		F	74	33	24	57	4	2	2	65	2	3	1	—	71	2	—	—	1
760·0	Intracranial and spinal injury at birth, without mention of immaturity	M	601	263	305	568	18	11	4	601	—	—	—	—	601	—	—	—	—
		F	342	174	149	323	13	3	3	342	—	—	—	—	342	—	—	—	—
760·5	Intracranial and spinal injury at birth, with immaturity	M	313	130	164	294	9	9	1	313	—	—	—	—	313	—	—	—	—
		F	194	86	95	181	9	1	3	194	—	—	—	—	194	—	—	—	—

TABLE 27—*continued*

ISC No.	Causes of death		Total under 5 years	Days		Weeks				Months					Years				
				0	1–6	0	1	2	3	0	1–2	3–5	6–8	9–11	0	1	2	3	4
761·0	Other birth injury, without mention of immaturity	M	91	61	27	88	1	—	—	89	1	1	—	—	91	—	—	—	—
		F	59	51	7	58	1	—	—	59	—	—	—	—	59	—	—	—	—
761·5	Other birth injury, with immaturity	M	130	89	38	127	2	1	—	130	—	—	—	—	130	—	—	—	—
		F	75	54	20	74	1	—	—	75	—	—	—	—	75	—	—	—	—
762·0	Postnatal asphyxia and atelectasis, without mention of immaturity	M	543	304	213	517	8	3	2	530	5	3	3	2	543	—	—	—	—
		F	391	245	129	374	5	3	—	382	6	—	1	—	389	2	—	—	—
762·5	Postnatal asphyxia and atelectasis, with immaturity	M	1,047	600	414	1,014	25	5	1	1,045	2	—	—	—	1,047	—	—	—	—
		F	666	366	288	654	6	4	2	666	—	—	—	—	666	—	—	—	—
763·0	Pneumonia of newborn, without mention of immaturity	M	339	14	152	166	58	63	52	339	—	—	—	—	339	—	—	—	—
		F	222	20	84	104	47	33	38	222	—	—	—	—	222	—	—	—	—
763·5	Pneumonia of newborn, with immaturity	M	173	8	100	108	30	22	13	173	—	—	—	—	173	—	—	—	—
		F	103	9	48	57	24	15	7	103	—	—	—	—	103	—	—	—	—
764·0	Diarrhoea of newborn, without mention of immaturity	M	21	—	2	2	4	5	10	21	—	—	—	—	21	—	—	—	—
		F	10	—	—	—	—	1	9	10	—	—	—	—	10	—	—	—	—
764·5	Diarrhoea of newborn, with immaturity	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	1	1	2	—	1	—	3	—	—	—	—	3	—	—	—	—
765·0	Ophthalmia neonatorum, without mention of immaturity	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
765·5	Ophthalmia neonatorum, with immaturity	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
766·0	Pemphigus neonatorum, without mention of immaturity	M	2	—	—	—	1	—	—	1	—	—	1	—	2	—	—	—	—
		F	5	—	2	2	1	2	—	5	—	—	—	—	5	—	—	—	—
766·5	Pemphigus neonatorum, with immaturity	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	2	2	1	—	—	3	—	—	—	—	3	—	—	—	—
767·0	Umbilical sepsis, without mention of immaturity	M	7	—	1	1	3	—	—	4	3	—	—	—	7	—	—	—	—
		F	2	—	—	—	1	—	1	2	—	—	—	—	2	—	—	—	—
767·5	Umbilical sepsis, with immaturity	M	2	—	1	1	1	—	—	2	—	—	—	—	2	—	—	—	—
		F	1	—	—	—	—	1	—	1	—	—	—	—	1	—	—	—	—
768·0	Other sepsis of newborn, without mention of immaturity	M	21	—	8	8	8	2	1	19	2	—	—	—	21	—	—	—	—
		F	14	2	2	4	1	4	3	12	1	1	—	—	14	—	—	—	—
768·5	Other sepsis of newborn, with immaturity	M	8	1	1	2	3	2	1	8	—	—	—	—	8	—	—	—	—
		F	5	—	1	1	3	1	—	5	—	—	—	—	5	—	—	—	—
769·0	Neonatal disorders attributed to "toxaemia of pregnancy" without mention of immaturity	M	11	5	6	11	—	—	—	11	—	—	—	—	11	—	—	—	—
		F	6	3	2	5	—	1	—	6	—	—	—	—	6	—	—	—	—
769·1	Neonatal disorders attributed to maternal diabetes, without mention of immaturity	M	2	2	—	2	—	—	—	2	—	—	—	—	2	—	—	—	—
		F	3	2	1	3	—	—	—	3	—	—	—	—	3	—	—	—	—
769·2	Neonatal disorders attributed to maternal rubella, without mention of immaturity	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
769·3	Neonatal disorders attributed to toxoplasmosis, without mention of immaturity	M	2	—	2	2	—	—	—	2	—	—	—	—	2	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—
769·4	Neonatal disorders attributed to other or unspecified maternal toxaemia, without mention of immaturity	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	1	—	1	—	—	—	1	—	—	—	—	1	—	—	—	—
769·5	Neonatal disorders attributed to "toxaemia of pregnancy" with immaturity	M	45	23	19	42	2	1	—	45	—	—	—	—	45	—	—	—	—
		F	40	22	17	39	1	—	—	40	—	—	—	—	40	—	—	—	—
769·6	Neonatal disorders attributed to maternal diabetes, with immaturity	M	12	11	1	12	—	—	—	12	—	—	—	—	12	—	—	—	—
		F	4	2	2	4	—	—	—	4	—	—	—	—	4	—	—	—	—
769·7	Neonatal disorders attributed to maternal rubella, with immaturity	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
769·8	Neonatal disorders attributed to toxoplasmosis, with immaturity	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
769·9	Neonatal disorders attributed to other or unspecified maternal toxaemia, with immaturity	M	11	6	5	11	—	—	—	11	—	—	—	—	11	—	—	—	—
		F	8	4	4	8	—	—	—	8	—	—	—	—	8	—	—	—	—
770·0	Erythroblastosis, without mention of nervous affection or immaturity	M	137	104	30	134	2	1	—	137	—	—	—	—	137	—	—	—	—
		F	150	112	36	148	1	—	1	150	—	—	—	—	150	—	—	—	—
770·1	Kernicterus, without mention of immaturity	M	8	—	5	5	2	—	—	7	—	—	—	—	7	1	—	—	—
		F	12	—	7	7	1	2	—	10	—	—	1	—	11	—	1	—	—

TABLE 27—*continued*

ISC No.	Causes of death		Total under 5 years	Days		Weeks				Months					Years				
				0	1–6	0	1	2	3	0	1–2	3–5	6–8	9–11	0	1	2	3	4
770·2	Erythroblastosis, with disorder of liver other than icterus gravis, without mention of immaturity	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
770·5	Erythroblastosis, without mention of nervous affection but with immaturity	M	26	18	7	25	1	—	—	26	—	—	—	—	26	—	—	—	—
		F	30	23	5	28	—	—	—	28	2	—	—	—	30	—	—	—	—
770·6	Kernicterus with immaturity	M	11	—	4	4	7	—	—	11	—	—	—	—	11	—	—	—	—
		F	5	—	3	3	2	—	—	5	—	—	—	—	5	—	—	—	—
770·7	Erythroblastosis with disorder of liver	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
771·0	Haemorrhagic disease of newborn, without mention of immaturity	M	94	14	69	83	7	2	—	92	2	—	—	—	94	—	—	—	—
		F	61	21	35	56	5	—	—	61	—	—	—	—	61	—	—	—	—
771·5	Haemorrhagic disease of newborn, with immaturity	M	68	13	49	62	3	2	1	68	—	—	—	—	68	—	—	—	—
		F	26	7	17	24	1	1	—	26	—	—	—	—	26	—	—	—	—
772·0	Nutritional maladjustment, without mention of immaturity	M	8	—	—	—	—	1	—	1	3	4	—	—	8	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
772·5	Nutritional maladjustment, with immaturity	M	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
		F	1	—	1	1	—	—	—	1	—	—	—	—	1	—	—	—	—
773·0	Ill-defined diseases peculiar to early infancy, without mention of immaturity	M	35	9	11	20	4	1	1	26	4	3	2	—	35	—	—	—	—
		F	27	7	14	21	1	1	—	23	4	—	—	—	27	—	—	—	—
773·5	Ill-defined diseases peculiar to early infancy, with immaturity	M	137	48	78	126	6	3	1	136	1	—	—	—	137	—	—	—	—
		F	80	38	37	75	2	1	—	78	2	—	—	—	80	—	—	—	—
774	Immaturity with mention of any other subsidiary condition	M	73	22	24	46	4	4	—	54	17	2	—	—	73	—	—	—	—
		F	72	20	23	43	4	5	1	53	18	1	—	—	72	—	—	—	—
776	Immaturity unqualified	M	1,639	1,046	527	1,573	39	16	6	1,634	5	—	—	—	1,639	—	—	—	—
		F	1,177	709	408	1,117	43	7	3	1,170	6	—	—	—	1,176	—	1	—	—
780–795	Symptoms, and ill-defined conditions	M	24	7	4	11	—	1	1	13	3	4	—	—	20	2	1	1	—
		F	12	3	1	4	—	—	1	5	—	3	1	—	9	—	2	—	1
780·2	Convulsions	M	6	—	3	3	—	1	1	5	1	—	—	—	6	—	—	—	—
		F	6	1	—	1	—	—	—	1	—	3	1	—	5	—	1	—	—
785·2	Jaundice	M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E800–E999	Accidents, poisonings, and violence	M	627	25	9	34	3	—	5	42	100	98	33	30	303	90	70	85	79
		F	420	40	11	51	5	4	4	64	55	59	28	11	217	61	63	50	29
E800–E866	Transport accidents	M	126	—	—	—	—	—	—	—	2	2	—	1	5	21	23	39	38
		F	75	—	—	—	1	—	—	1	—	2	—	2	5	14	24	18	14
E810–E825	Motor vehicle traffic accidents	M	114	—	—	—	—	—	—	—	2	2	—	1	5	18	21	34	36
		F	72	—	—	—	1	—	—	1	—	2	—	2	5	13	23	18	13
E812	to pedestrian	M	100	—	—	—	—	—	—	—	—	1	—	—	1	17	19	30	33
		F	59	—	—	—	—	—	—	—	—	—	—	1	1	12	21	15	10
E870–E895	Accidental poisoning	M	18	—	—	—	—	—	—	—	—	2	1	—	3	6	7	2	—
		F	13	—	—	—	—	—	—	—	—	1	—	—	1	6	1	5	—
E900–E904	Accidental falls	M	27	2	—	2	—	—	—	2	3	2	1	1	9	6	3	5	4
		F	12	—	1	1	—	—	1	2	—	1	1	—	4	5	1	1	1
E910–E936	Other accidents	M	435	20	9	29	3	—	5	37	89	88	30	26	270	57	36	37	35
		F	296	37	10	47	4	4	3	58	53	51	25	8	195	34	31	23	13
E916	Accident caused by fire and explosion of combustible material	M	32	—	1	1	—	—	—	1	2	—	—	2	5	7	6	5	9
		F	37	—	—	—	—	1	—	1	—	—	1	—	2	6	9	11	9
E917	Accident caused by hot substance, corrosive liquid and steam	M	26	—	—	—	1	—	—	1	—	—	2	2	5	9	8	4	—
		F	12	—	—	—	—	—	—	—	—	—	—	1	1	4	4	3	—
E921–E925	Accidental mechanical suffocation	M	257	2	5	7	2	—	5	14	86	87	26	13	226	22	5	—	4
		F	163	4	5	9	4	3	3	19	53	51	23	4	150	11	2	—	—
E926	Lack of care of infants under 1 year of age	M	19	16	3	19	—	—	—	19	—	—	—	—	19	—	—	—	—
		F	36	31	5	36	—	—	—	36	—	—	—	—	36	—	—	—	—
E929	Accidental drowning and submersion	M	71	2	—	2	—	—	—	2	—	1	—	—	3	14	14	22	18
		F	33	1	—	1	—	—	—	1	—	—	1	1	3	8	12	6	4
E940–E959	Accidents due to medical and surgical intervention	M	4	—	—	—	—	—	—	—	2	1	—	1	4	—	—	—	—
		F	5	—	—	—	—	—	—	—	—	—	1	1	2	—	3	—	—
E980–E985	Homicide and injury purposely inflicted by other person (not in war)	M	17	3	—	3	—	—	—	3	4	3	1	1	12	—	1	2	2
		F	18	3	—	3	—	—	—	3	2	4	1	—	10	2	3	2	1
Rem. of E800–E999	Other violence	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
N800–N829	Fractures	M	117	3	1	4	—	—	—	4	3	2	2	3	14	18	21	36	28
		F	71	1	—	1	1	—	1	3	—	2	2	—	7	18	17	17	12
N850–N856	Head injury (excluding skull fracture)	M	27	1	—	1	—	—	—	1	2	2	1	2	8	3	2	7	7
		F	10	—	1	1	—	—	—	1	—	—	—	—	1	2	3	4	—
N860–N869	Internal injury of chest, abdomen and pelvis	M	15	—	—	—	—	—	—	—	1	—	—	—	1	4	—	2	8
		F	11	—	—	—	—	—	—	—	—	1	—	—	1	1	5	2	2
N940–N949	Burns	M	46	—	—	—	1	—	—	1	2	—	2	4	9	14	10	6	7
		F	44	—	—	—	—	1	—	1	—	—	1	1	3	8	12	13	8
Rem. of N800–N999	Other injuries	M	422	21	8	29	2	—	5	36	92	94	28	21	271	51	37	34	29
		F	284	39	10	49	4	3	3	59	55	56	25	10	205	32	26	14	7

TABLE 28. Weekly notifications of certain infectious diseases and deaths from certain causes, 1958 — England and Wales

Week ended	Original notifications (including Port Health Districts)										Deaths*		
	Enteric (or typhoid) fever	Paratyphoid fever	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Measles	Acute poliomyelitis: Paralytic	Acute poliomyelitis: Non-paralytic	Food poisoning	Influenza	Pneumonia	Bronchitis
Jan. 4	1	8	33	652	449	6	3,523	29	8	137	292	1,233	1,421
11	2	7	34	501	460	7	2,888	28	8	96	315	1,177	1,398
18	2	7	23	679	444	2	2,443	22	9	159	243	1,032	1,253
25	2	1	39	822	569	1	2,337	18	6	127	217	992	1,239
Feb. 1	2	4	26	880	646	2	3,473	4	7	145	204	1,087	1,231
8	2	2	37	873	721	4	3,752	16	4	163	184	891	1,085
15	4	2	42	888	580	3	4,532	13	5	158	129	944	1,023
22	2	—	35	852	645	6	4,618	15	10	188	101	819	834
Mar. 1	2	4	25	797	524	3	4,383	9	5	124	112	740	832
8	—	6	24	938	620	1	4,532	5	5	148	76	722	793
15	3	2	29	910	555	1	4,012	13	5	144	79	693	747
22	2	1	20	964	586	2	4,631	21	6	173	69	706	807
29	3	4	22	996	651	2	4,289	17	4	154	72	838	846
Apr. 5	—	—	22	863	515	2	4,195	9	—	157	47	764	698
12	2	2	24	737	495	4	5,067	9	2	112	57	727	734
19	3	4	33	600	539	1	5,095	15	4	127	45	702	703
26	6	3	17	631	655	2	3,921	12	8	146	35	654	518
May 3	5	2	24	756	678	3	3,699	11	9	176	23	529	492
10	3	7	16	707	652	4	3,577	13	7	159	19	435	362
17	2	7	17	749	605	1	4,558	12	4	197	15	376	306
24	4	3	25	746	612	4	5,288	21	7	177	14	364	313
31	5	1	19	654	558	3	5,531	22	5	138	14	321	308
June 7	7	6	20	614	641	2	6,426	17	14	184	7	348	302
14	8	2	15	666	755	—	5,586	20	9	275	9	328	285
21	4	4	16	659	785	—	6,123	23	13	279	8	342	299
28	1	8	22	661	787	5	6,022	29	14	261	11	314	272
July 5	1	4	21	662	822	3	6,445	30	18	342	13	323	254
12	12	4	15	625	816	—	7,080	38	24	235	8	301	232
19	4	4	15	651	827	3	6,674	37	20	332	3	281	212
26	1	11	16	672	749	—	6,593	38	25	486	7	276	223
Aug. 2	1	9	11	555	710	4	6,308	37	28	261	1	271	217
9	4	5	11	410	611	3	5,605	51	22	173	6	288	209
16	4	5	9	373	713	2	5,102	57	29	287	2	300	194
23	4	4	14	326	770	2	3,796	39	35	226	1	290	213
30	6	4	10	286	825	—	2,797	46	30	397	2	277	194
Sept. 6	5	9	10	305	791	3	1,979	60	20	275	4	343	198
13	2	4	16	299	760	3	1,606	40	22	302	2	273	213
20	6	5	9	434	716	2	1,472	48	31	369	3	305	178
27	6	5	10	544	671	2	1,625	54	41	347	4	307	197
Oct. 4	1	5	12	658	552	5	1,988	53	16	316	9	322	231
11	4	3	14	648	500	25	2,780	82	30	230	7	364	296
18	4	6	14	795	476	10	3,740	47	23	259	6	345	291
25	3	7	29	804	594	4	4,229	64	12	228	13	422	305
Nov. 1	4	4	17	887	638	6	5,013	54	25	205	9	394	377
8	4	3	21	917	650	6	5,318	59	23	392	14	394	440
15	3	3	18	978	805	6	5,793	50	16	196	16	404	422
22	9	2	18	1,089	758	9	6,114	47	25	247	17	510	591
29	5	3	16	1,165	724	7	6,913	50	19	236	11	533	581
Dec. 6	2	1	28	1,217	733	4	8,396	41	9	178	23	614	788
13	2	2	19	1,292	642	2	9,446	30	16	164	33	708	913
20	2	5	19	1,281	532	4	10,143	18	10	168	37	780	1,020
27	2	2	17	948	286	3	8,054	14	5	96	33	622	809
Totals	**178**	**216**	**1,068**	**38,616**	**33,398**	**189**	**249,510**	**1,607**	**752**	**11,251**	**2,681**	**28,325**	**28,899**

	Corrected notifications (excluding Port Health Districts)										Deaths†		
Totals‡	**147**	**199**	**836**	**38,848**	**33,400**	**78**	**259,234**	**1,417**	**575**	**8,790**	**2,401**	**24,575**	**29,396**

* The weekly deaths are compiled from returns furnished by Registrars of Births and Deaths.
† Classified according to the International Statistical Classification (7th Revision 1955).
‡ These totals are for the period 1st January to 31st December.

TABLE 29. Cases of certain infectious diseases notified, 1948 to 1958 — England and Wales

Final numbers after correction (including original cases in Port Health Districts)*

Diseases	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958
Enteric (or typhoid) fever	369	311	236	206	135	101	122	193	136	125	147
Paratyphoid fever	373	582	293	1,095	1,039	353	548	876	440	310	200
Plague	—	—	—	—	—	—	—	—	—	—	—
Cholera	1	—	—	—	—	—	—	—	—	—	—
Meningococcal infections	1,216	943	1,150	1,390	1,327	1,354	1,246	1,126	1,168	1,016	836
Scarlet fever	74,831	70,667	65,889	48,744	67,261	61,180	43,026	32,619	33,103	29,547	38,853
Whooping cough	146,410	102,816	157,781	169,441	114,869	157,842	105,912	79,133	92,410	85,018	33,404
Diphtheria	3,575	1,890	962	664	376	266	173	155	53	37	80
Erysipelas	9,120	8,270	7,650	5,936	5,999	5,999	5,375	4,614	4,382	3,589	3,293
Ophthalmia neonatorum	2,729	2,229	1,935	1,762	1,788	1,772	1,684	1,771	1,515	1,483	1,304
Dysentery	5,104	4,538	17,286	28,590	14,535	18,426	31,858	36,718	49,009	28,910	38,107
Malaria (contracted in England and Wales)	3	4	—	1	—	†3	—	—	—	1	—
Relapsing fever	2	—	—	2	—	1	—	—	—	1	1
Smallpox	—	(2) 19	(1) 8	27	135	30	—	—	—	4	(1) 6
Measles	399,606	385,935	367,725	616,192	389,502	545,050	146,995	693,803	160,556	633,678	259,308
Ac. Poliomyelitis (paralytic) / Ac. Poliomyelitis (non-paralytic)	1,855	5,982	5,565 2,195	1,529 1,085	2,747 1,163	2,976 1,571	1,319 641	3,712 2,619	1,717 1,483	3,177 1,667	1,419 575
Ac. Encephalitis (infective) / Ac. Encephalitis (post-infectious)	30	49	186 67	202 110	113 91	166 92	118 101	150 118	173 106	172 155	171 119
Typhus fever	—	(7) 7	1	‡3	‡1	‡1	§1	‡1	1	—	—
Pneumonia (acute primary and acute influenzal)	31,358	34,561	30,663	43,259	31,736	37,214	26,562	27,930	25,460	32,732	22,323
‖Puerperal fever and pyrexia	5,504	4,724	4,132	7,418	12,351	12,718	12,239	12,109	11,682	11,834	10,814
Food poisoning	?	?	7,508	5,799	5,872	10,376	9,001	12,719	10,998	9,180	8,801

* Cases notified in Port Health Districts are not corrected for subsequent changes of diagnosis. When these notifications relate to quarantine diseases, they are distinguished in this table in brackets alongside the figures in which they are included.
† 1 case unconfirmed. ‡ Not louse borne. § Type undetermined.
‖ The Puerperal Pyrexia Regulations 1951, which came into operation on the 1st August 1951 and which apply throughout England and Wales including London, contain a revised definition of puerperal pyrexia. From the 1st August 1951 puerperal fever was no longer separately notifiable in London.

TABLE 30. Cases of certain infectious diseases notified, by sex and age, 1958

England and Wales, standard regions, Wales, conurbations, and urban and rural aggregates outside conurbations

Final numbers after correction.

Area	All ages		0–		1–		2–		3–		4–		5–		10–		15–		25 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Scarlet fever																					
ENGLAND AND WALES (excluding Port Health Districts)	19,577	19,271	67	77	383	338	1,155	959	1,806	1,671	2,488	2,306	11,236	11,280	1,827	2,054	408	343	163	202	44	41
Regions and conurbations:																						
Northern	1,120	1,036	9	7	34	27	93	60	125	133	130	134	625	573	81	83	16	13	6	6	1	—
Tyneside Conurbation	203	200	1	2	11	8	15	18	17	23	26	24	110	108	20	14	3	2	—	1	—	—
Remainder of Northern	917	836	8	5	23	19	78	42	108	110	104	110	515	465	61	69	13	11	6	5	1	—
East and West Ridings	2,416	2,378	11	9	42	39	164	124	271	216	327	310	1,340	1,372	215	250	27	33	16	22	3	3
West Yorkshire Conurbation	948	949	5	4	18	15	67	36	104	76	116	127	528	584	90	88	11	9	7	7	2	3
Remainder of East and West Ridings	1,468	1,429	6	5	24	24	97	88	167	140	211	183	812	788	125	162	16	24	9	15	1	—
North Western	3,015	3,186	12	12	57	57	212	179	308	294	446	408	1,688	1,855	222	318	43	39	22	15	5	9
South East Lancashire Conurbation	1,017	1,099	3	6	15	29	79	52	95	92	153	143	516	583	113	173	30	14	11	4	2	3
Merseyside Conurbation	688	760	6	4	21	15	47	49	73	76	94	99	408	457	34	48	4	9	1	3	—	—
Remainder of North Western	1,310	1,327	3	2	21	13	86	78	140	126	199	166	764	815	75	97	9	16	10	8	3	6
North Midland	1,680	1,657	1	9	38	22	98	86	151	129	197	182	972	986	170	196	34	25	8	15	11	7
Midland	2,363	2,224	9	13	57	37	116	91	198	191	299	291	1,410	1,291	204	229	48	51	21	27	1	3
West Midlands Conurbation	1,114	1,010	5	9	23	15	48	41	101	81	149	145	667	599	99	97	11	15	10	8	1	—
Remainder of Midland	1,249	1,214	4	4	34	22	68	50	97	110	150	146	743	692	105	132	37	36	11	19	—	3
Eastern	1,667	1,579	8	8	24	27	82	82	133	136	202	171	999	960	155	158	48	19	15	14	1	4
London and South Eastern	4,606	4,568	12	12	80	75	246	200	363	328	509	482	2,718	2,730	520	564	103	109	49	65	6	3
Greater London	3,771	3,759	10	12	67	64	206	166	309	268	427	389	2,199	2,237	430	484	81	88	39	49	3	2
Remainder of South Eastern	835	809	2	—	13	11	40	34	54	60	82	93	519	493	90	80	22	21	10	16	3	1
Southern	785	749	1	1	5	11	34	35	73	74	87	79	464	456	79	66	30	15	8	10	4	2
South Western	856	842	2	1	20	13	40	38	60	66	98	101	475	471	96	106	43	25	14	16	8	5
Wales (including Monmouthshire)	1,069	1,052	2	5	26	30	70	64	124	104	193	148	545	586	85	84	16	14	4	12	4	5
Wales I (South East)	900	870	2	2	24	26	58	55	109	92	170	119	451	488	65	67	15	11	4	9	2	1
Wales II (remainder)	169	182	—	3	2	4	12	9	15	12	23	29	94	98	20	17	1	3	—	3	2	4
Urban/Rural aggregates:																						
Conurbations	7,741	7,777	30	37	155	146	462	362	699	616	965	927	4,428	4,568	786	904	140	137	68	72	8	8
Areas outside conurbations:																						
Urban areas with populations of 100,000 and over	3,388	3,233	13	13	75	70	226	192	348	327	488	405	1,906	1,847	268	304	40	43	17	25	7	7
Urban areas with populations of 50,000 and under 100,000	1,449	1,460	5	7	25	21	75	67	147	130	183	188	836	855	130	153	33	25	12	9	3	5
Urban areas with populations under 50,000	3,982	4,070	9	12	69	57	240	200	379	391	532	485	2,327	2,401	319	403	72	70	27	44	8	7
Rural districts	3,017	2,731	10	8	59	44	152	138	233	207	320	301	1,739	1,609	324	290	123	68	39	52	18	14

TABLE 30—*continued*

Area	All ages		0–		1–		2–		3–		4–		5–		10–		15–		25 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Whooping cough																					
ENGLAND AND WALES (excluding Port Health Districts)	16,057	17,343	1,637	1,669	1,594	1,627	1,930	1,993	1,909	2,007	1,990	2,131	6,253	6,908	534	575	56	108	94	271	60	54
Regions and conurbations:																						
Northern	1,636	1,754	204	171	173	192	220	212	207	232	194	232	579	668	45	30	3	6	10	10	1	1
Tyneside Conurbation	558	596	67	73	58	63	79	74	70	64	78	85	186	221	15	10	—	1	4	5	1	—
Remainder of Northern	1,078	1,158	137	98	115	129	141	138	137	168	116	147	393	447	30	20	3	5	6	5	—	1
East and West Ridings	1,407	1,417	159	168	178	147	200	200	167	167	186	180	469	490	40	38	3	6	4	19	1	2
West Yorkshire Conurbation	817	820	104	93	112	88	130	121	88	98	98	103	252	282	29	22	1	2	3	9	—	2
Remainder of East and West Ridings	590	597	55	75	66	59	70	79	79	69	88	77	217	208	11	16	2	4	1	10	1	—
North Western	1,709	1,894	196	186	181	210	218	254	223	261	234	234	599	665	33	47	5	11	11	21	9	5
South East Lancashire Conurbation	717	855	94	79	69	102	89	113	92	117	96	99	251	308	14	20	2	2	5	10	5	5
Merseyside Conurbation	536	540	62	59	62	57	75	84	75	77	82	89	165	157	10	9	—	5	5	3	—	—
Remainder of North Western	456	499	40	48	50	51	54	57	56	67	56	46	183	200	9	18	3	4	1	8	4	—
North Midland	1,546	1,695	139	168	145	147	167	181	183	171	204	205	644	726	55	62	1	8	4	18	4	9
Midland	1,893	2,097	197	205	169	164	262	244	218	254	216	278	767	860	41	49	3	7	5	29	15	7
West Midlands Conurbation	1,220	1,344	135	150	116	103	175	157	156	182	153	180	457	533	23	21	2	3	1	15	2	—
Remainder of Midland	673	753	62	55	53	61	87	87	62	72	63	98	310	327	18	28	1	4	4	14	13	7
Eastern	976	1,136	101	81	85	91	116	119	128	125	90	134	408	481	35	59	7	9	5	31	1	6
London and South Eastern	3,180	3,535	310	342	327	347	379	386	372	402	352	408	1,244	1,402	140	142	22	31	26	71	8	4
Greater London	2,101	2,373	228	271	228	261	251	271	257	261	235	281	790	882	80	90	9	16	17	39	6	1
Remainder of South Eastern	1,079	1,162	82	71	99	86	128	115	115	141	117	127	454	520	60	52	13	15	9	32	2	3
Southern	1,095	1,148	99	100	92	99	104	124	119	101	136	115	481	521	47	60	5	10	10	18	2	—
South Western	1,912	1,942	164	161	166	154	197	196	204	214	266	241	807	831	77	72	2	18	17	43	12	12
Wales (including Monmouthshire)	703	725	68	87	78	76	67	77	88	80	112	104	255	264	21	16	5	2	2	11	7	8
Wales I (South East)	494	519	57	64	58	57	46	59	62	62	77	82	181	181	9	4	3	1	—	7	1	2
Wales II (remainder)	209	206	11	23	20	19	21	18	26	18	35	22	74	83	12	12	2	1	2	4	6	6
Urban/Rural aggregates:																						
Conurbations	5,949	6,528	690	725	645	674	799	820	738	799	742	837	2,101	2,383	171	172	14	29	35	81	14	8
Areas outside conurbations:																						
Urban areas with populations of 100,000 and over	1,909	1,986	227	240	216	211	226	235	228	233	271	257	690	732	36	48	8	8	3	16	4	6
Urban areas with populations of 50,000 and under 100,000	1,075	1,124	111	100	120	109	153	138	140	130	139	149	377	430	26	42	3	6	5	17	1	3
Urban areas with populations under 50,000	3,525	3,975	328	335	342	349	397	446	420	456	427	468	1,456	1,666	100	141	15	35	22	64	18	15
Rural districts	3,599	3,730	281	269	271	284	355	354	383	389	411	420	1,629	1,697	201	172	16	30	29	93	23	22

TABLE 30—*continued*

Area	All ages		0–		1–		2–		3–		4–		5–		10–		15–		25 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Diphtheria																					
ENGLAND AND WALES (excluding Port Health Districts)	38	40	1	—	1	1	1	1	—	1	6	2	16	15	8	6	2	4	3	9	—	1
Regions and conurbations:																						
Northern	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	1	—	—
Tyneside Conurbation	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—
Remainder of Northern	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
East and West Ridings	1	5	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	1	2	—	1
West Yorkshire Conurbation	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Remainder of East and West Ridings	1	4	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	1	1	—	1
North Western	3	2	—	—	—	—	—	—	—	1	—	—	1	—	2	1	—	—	—	—	—	—
South East Lancashire Conurbation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Merseyside Conurbation	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Remainder of North Western	2	2	—	—	—	—	—	—	—	1	—	—	—	—	2	1	—	—	—	—	—	—
North Midland	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Midland	1	2	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	2	—	—	—	—
West Midlands Conurbation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Remainder of Midland	1	2	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	2	—	—	—	—
Eastern	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
London and South Eastern	27	25	1	—	1	—	1	1	—	—	5	2	14	15	4	2	—	1	1	4	—	—
Greater London	27	23	1	—	1	—	1	1	—	—	5	2	14	14	4	2	—	—	1	4	—	—
Remainder of South Eastern	—	2	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
Southern	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
South Western	5	2	—	—	—	—	—	—	—	—	1	—	—	—	2	1	1	—	1	1	—	—
Wales (including Monmouthshire)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Wales I (South East)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Wales II (remainder)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Urban/Rural aggregates:																						
Conurbations	28	26	1	—	1	—	1	1	—	—	5	2	15	14	4	3	—	1	1	5	—	—
Areas outside conurbations:																						
Urban areas with populations of 100,000 and over	5	7	—	—	—	1	—	—	—	—	1	—	1	1	2	1	1	3	—	1	—	—
Urban areas with populations of 50,000 and under 100,000	1	2	—	—	—	—	—	—	—	1	—	—	—	—	1	1	—	—	—	—	—	—
Urban areas with populations under 50,000	2	3	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	2	—	1
Rural districts	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	1	1	—	—

TABLE 30—*continued*

Area	All ages		0–		1–		2–		3–		4–		5–		10–		15–		25 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Measles																					
ENGLAND AND WALES (excluding Port Health Districts)	132,041	127,193	3,892	4,076	11,730	11,291	15,011	14,389	16,075	15,824	17,405	16,633	62,451	59,296	3,910	3,819	691	837	468	612	408	416
Regions and conurbations:																						
Northern	4,308	4,039	193	195	469	422	540	530	576	553	585	574	1,786	1,654	121	75	18	15	13	14	7	7
Tyneside Conurbation	774	741	29	40	88	91	100	99	100	103	96	102	346	294	9	11	5	—	1	1	—	—
Remainder of Northern	3,534	3,298	164	155	381	331	440	431	476	450	489	472	1,440	1,360	112	64	13	15	12	13	7	
East and West Ridings	9,271	8,909	314	306	863	838	1,128	1,063	1,207	1,266	1,313	1,241	4,234	3,956	153	177	23	22	16	20	20	20
West Yorkshire Conurbation	2,606	2,592	84	105	273	283	351	367	352	399	361	344	1,128	1,026	28	39	6	9	8	5	15	15
Remainder of East and West Ridings	6,665	6,317	230	201	590	555	777	696	855	867	952	897	3,106	2,930	125	138	17	13	8	15	5	5
North Western	18,746	17,985	746	817	2,092	1,966	2,659	2,482	2,635	2,569	2,737	2,588	7,518	7,136	249	271	28	54	33	59	49	43
South East Lancashire Conurbation	5,673	5,391	205	221	639	622	841	785	809	807	915	816	2,182	2,042	57	58	5	16	12	16	8	8
Merseyside Conurbation	6,200	6,068	313	345	795	774	986	942	935	936	878	838	2,238	2,150	41	51	5	12	6	19	3	1
Remainder of North Western	6,873	6,526	228	251	658	570	832	755	891	826	944	934	3,098	2,944	151	162	18	26	15	24	38	34
North Midland	16,363	15,805	468	499	1,449	1,436	1,802	1,761	1,930	1,968	2,170	2,022	7,919	7,500	457	447	54	64	44	45	70	63
Midland	9,689	9,421	321	328	896	839	1,079	1,067	1,153	1,166	1,186	1,166	4,669	4,508	244	216	78	69	41	34	22	28
West Midlands Conurbation	4,225	4,191	183	179	446	444	531	514	547	543	559	538	1,863	1,856	54	62	27	33	12	18	3	4
Remainder of Midland	5,464	5,230	138	149	450	395	548	553	606	623	627	628	2,806	2,652	190	154	51	36	29	16	19	24
Eastern	10,305	9,841	216	274	859	813	1,057	1,012	1,236	1,134	1,246	1,213	5,139	4,805	410	402	47	91	56	59	39	38
London and South Eastern	28,438	27,282	751	776	2,441	2,411	3,250	2,940	3,248	3,174	3,587	3,370	14,095	13,327	702	755	189	262	117	197	58	70
Greater London	20,449	19,902	586	638	1,943	1,883	2,452	2,220	2,449	2,415	2,726	2,543	9,743	9,489	303	367	130	169	86	141	31	37
Remainder of South Eastern	7,989	7,380	165	138	498	528	798	720	799	759	861	827	4,352	3,838	399	388	59	93	31	56	27	33
Southern	10,592	9,966	252	213	782	706	1,048	1,021	1,265	1,147	1,307	1,296	5,307	5,022	487	405	90	71	32	59	22	26
South Western	13,433	13,386	305	325	984	999	1,369	1,360	1,485	1,522	1,663	1,633	6,786	6,687	608	601	98	122	68	67	67	70
Wales (including Monmouthshire)	10,896	10,559	326	343	895	861	1,079	1,153	1,340	1,325	1,611	1,530	4,998	4,701	479	470	66	67	48	58	54	51
Wales I (South East)	7,917	7,700	252	264	680	677	854	863	1,024	1,015	1,266	1,175	3,483	3,337	256	256	43	47	27	38	32	28
Wales II (remainder)	2,979	2,859	74	79	215	184	225	290	316	310	345	355	1,515	1,364	223	214	23	20	21	20	22	23
Urban/Rural aggregates:																						
Conurbations	39,927	38,885	1,400	1,528	4,184	4,097	5,261	4,927	5,192	5,203	5,535	5,181	17,500	16,857	492	588	178	239	125	200	60	65
Areas outside conurbations:																						
Urban areas with populations of 100,000 and over	20,052	19,424	734	751	2,094	1,936	2,455	2,389	2,748	2,714	2,996	2,859	8,572	8,303	296	308	61	75	35	55	61	34
Urban areas with populations of 50,000 and under 100,000	9,873	9,736	257	286	845	898	1,136	1,110	1,204	1,162	1,401	1,304	4,754	4,659	180	202	40	54	26	30	30	31
Urban areas with populations under 50,000	33,706	32,008	896	888	2,736	2,502	3,563	3,474	4,067	3,984	4,350	4,194	16,779	15,603	887	875	185	199	109	133	134	156
Rural districts	28,483	27,140	605	623	1,871	1,858	2,596	2,489	2,864	2,761	3,123	3,095	14,846	13,874	2,055	1,846	227	270	173	194	123	130

TABLE 30—*continued*

Area	All ages		0–		1–		2–		3–		4–		5–		10–		15–		25 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Acute poliomyelitis (paralytic)																					
ENGLAND AND WALES (excluding Port Health Districts)	**782**	**635**	**28**	**35**	**74**	**70**	**76**	**56**	**59**	**51**	**63**	**43**	**183**	**112**	**59**	**50**	**78**	**86**	**160**	**132**	**2**	—
Regions and conurbations:																						
Northern	**44**	**29**	**2**	**2**	**3**	**4**	**11**	**4**	**4**	**2**	**3**	**2**	**10**	**4**	**2**	**5**	**1**	**3**	**8**	**3**	—	—
Tyneside Conurbation	4	5	1	1	—	1	1	2	—	—	—	—	2	—	—	—	—	1	—	—	—	—
Remainder of Northern	40	24	1	1	3	3	10	2	4	2	3	2	8	4	2	5	1	2	8	3	—	—
East and West Ridings	**158**	**157**	**4**	**12**	**16**	**19**	**13**	**21**	**16**	**16**	**10**	**13**	**44**	**31**	**15**	**7**	**14**	**15**	**26**	**23**	—	—
West Yorkshire Conurbation	102	99	3	9	13	12	9	16	13	10	5	9	24	16	9	5	6	9	20	13	—	—
Remainder of East and West Ridings	56	58	1	3	3	7	4	5	3	6	5	4	20	15	6	2	8	6	6	10	—	—
North Western	**154**	**129**	**7**	**11**	**27**	**17**	**19**	**12**	**11**	**14**	**17**	**11**	**38**	**21**	**9**	**12**	**11**	**18**	**15**	**13**	—	—
South East Lancashire Conurbation	72	73	3	8	16	11	6	5	5	9	10	4	14	14	4	7	5	9	9	6	—	—
Merseyside Conurbation	26	10	1	—	5	1	5	1	2	2	2	2	7	1	2	1	1	—	1	2	—	—
Remainder of North Western	56	46	3	3	6	5	8	6	4	3	5	5	17	6	3	4	5	9	5	5	—	—
North Midland	**77**	**56**	**2**	—	**6**	**9**	**8**	**8**	**5**	**2**	**5**	**2**	**19**	**12**	**6**	**7**	**7**	**9**	**19**	**7**	—	—
Midland	**49**	**37**	**1**	**2**	**3**	**4**	**4**	**3**	**3**	**2**	**7**	**1**	**10**	**6**	**3**	**5**	**7**	**4**	**11**	**10**	—	—
West Midlands Conurbation	29	24	—	2	2	3	4	3	2	1	5	—	6	5	2	1	3	3	5	6	—	—
Remainder of Midland	20	13	1	—	1	1	—	—	1	1	2	1	4	1	1	4	4	1	6	4	—	—
Eastern	**58**	**39**	**2**	**2**	**3**	**3**	**5**	—	**4**	**3**	**8**	**3**	**6**	**3**	**5**	**2**	**10**	**6**	**15**	**17**	—	—
London and South Eastern	**113**	**91**	**4**	**1**	**7**	**9**	**3**	**5**	**5**	**5**	**3**	**7**	**27**	**12**	**11**	**9**	**14**	**14**	**38**	**29**	**1**	—
Greater London	86	62	4	1	5	8	3	4	3	5	3	6	22	7	11	6	9	8	25	17	1	—
Remainder of South Eastern	27	29	—	—	2	1	—	1	2	—	—	1	5	5	—	3	5	6	13	12	—	—
Southern	**73**	**50**	**5**	**3**	**2**	**4**	**7**	—	**7**	**2**	**6**	**1**	**18**	**9**	**5**	**3**	**7**	**9**	**15**	**19**	**1**	—
South Western	**45**	**41**	—	**1**	**6**	**1**	**4**	**2**	**3**	**5**	**4**	**3**	**9**	**12**	**3**	—	**7**	**7**	**9**	**10**	—	—
Wales (including Monmouthshire)	**11**	**6**	**1**	**1**	**1**	—	**2**	**1**	**1**	—	—	—	**2**	**2**	—	—	—	**1**	**4**	**1**	—	—
Wales I (South East)	8	5	—	1	1	—	1	1	1	—	—	—	2	2	—	—	—	—	3	1	—	—
Wales II (remainder)	3	1	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—
Urban/Rural aggregates:																						
Conurbations	319	273	12	21	41	36	28	31	25	27	25	21	75	43	28	20	24	30	60	44	1	—
Areas outside conurbations:																						
Urban areas with populations of 100,000 and over	90	68	2	2	9	6	14	8	9	5	10	8	16	15	3	5	12	8	14	11	1	—
Urban areas with populations of 50,000 and under 100,000	55	51	3	—	8	6	7	3	5	4	4	4	9	11	2	4	8	7	9	12	—	—
Urban areas with populations under 50,000	159	140	6	7	10	10	13	7	8	10	15	10	43	28	16	12	14	25	34	31	—	—
Rural districts	159	103	5	5	6	12	14	7	12	5	9	—	40	15	10	9	20	16	43	34	—	—

TABLE 30—*continued*

Area	All ages		0–		1–		2–		3–		4–		5–		10–		15–		25 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Acute poliomyelitis (non-paralytic)																					
ENGLAND AND WALES (excluding Port Health Districts)	**364**	**211**	**10**	**3**	**10**	**8**	**15**	**8**	**20**	**12**	**35**	**21**	**130**	**53**	**68**	**35**	**34**	**24**	**42**	**47**	—	—
Regions and conurbations:																						
Northern	**22**	**20**	**1**	**1**	—	**1**	**1**	—	**1**	**1**	**2**	**1**	**8**	**7**	**4**	**6**	**3**	**2**	**2**	**1**	—	—
Tyneside Conurbation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Remainder of Northern	22	20	1	1	—	1	1	—	1	1	2	1	8	7	4	6	3	2	2	1	—	—
East and West Ridings	**80**	**39**	**3**	—	**3**	—	**3**	**1**	**7**	**3**	**8**	**7**	**29**	**11**	**12**	**4**	**7**	**7**	**8**	**6**	—	—
West Yorkshire Conurbation	47	21	3	—	3	—	3	1	6	2	4	4	13	2	7	2	5	6	3	4	—	—
Remainder of East and West Ridings	33	18	—	—	—	—	—	—	1	1	4	3	16	9	5	2	2	1	5	2	—	—
North Western	**54**	**34**	**4**	**1**	**4**	**2**	**7**	**6**	**4**	**3**	**4**	**5**	**20**	**8**	**7**	**5**	**3**	**1**	**1**	**3**	—	—
South East Lancashire Conurbation	27	22	3	1	2	2	5	4	2	1	2	4	11	6	1	2	1	—	—	2	—	—
Merseyside Conurbation	4	2	—	—	—	—	—	—	—	1	—	—	1	1	3	—	—	—	—	—	—	—
Remainder of North Western	23	10	1	—	2	—	2	2	2	1	2	1	8	1	3	3	2	1	1	1	—	—
North Midland	**22**	**21**	—	—	—	—	—	—	**2**	**3**	**2**	—	**5**	**5**	**4**	**3**	**4**	**2**	**5**	**8**	—	—
Midland	**22**	**9**	—	—	—	—	**2**	—	**1**	—	**4**	**2**	**5**	**1**	**6**	**1**	**2**	**2**	**2**	**3**	—	—
West Midlands Conurbation	8	2	—	—	—	—	—	—	1	—	3	2	2	—	1	—	—	—	1	—	—	—
Remainder of Midland	14	7	—	—	—	—	2	—	—	—	1	—	3	1	5	1	2	2	1	3	—	—
Eastern	**36**	**16**	**1**	—	—	—	—	—	**2**	**1**	**1**	**1**	**15**	**3**	**9**	**3**	**2**	**2**	**6**	**6**	—	—
London and South Eastern	**50**	**30**	—	—	**1**	**1**	—	**1**	**2**	—	**3**	**3**	**15**	**5**	**13**	**5**	**8**	**4**	**8**	**11**	—	—
Greater London	34	18	—	—	1	1	—	1	2	—	3	3	13	4	5	3	6	—	4	6	—	—
Remainder of South Eastern	16	12	—	—	—	—	—	—	—	—	—	—	2	1	8	2	2	4	4	5	—	—
Southern	**32**	**23**	—	—	**1**	**2**	—	—	—	**1**	**5**	—	**16**	**7**	**6**	**4**	**2**	**3**	**2**	**6**	—	—
South Western	**35**	**16**	**1**	**1**	**1**	**2**	**2**	—	—	—	**5**	**1**	**11**	**6**	**6**	**3**	**3**	**1**	**6**	**2**	—	—
Wales (including Monmouthshire)	**11**	**3**	—	—	—	—	—	—	**1**	—	**1**	**1**	**6**	—	**1**	**1**	—	—	**2**	**1**	—	—
Wales I (South East)	1	2	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	1	—	—
Wales II (remainder)	10	1	—	—	—	—	—	—	—	—	1	—	6	—	1	1	—	—	2	—	—	—
Urban/Rural aggregates:																						
Conurbations	120	65	6	1	6	3	8	6	11	4	12	13	40	13	17	7	12	6	8	12	—	—
Areas outside conurbations:																						
Urban areas with populations of 100,000 and over	47	37	3	1	1	5	1	1	3	1	9	4	12	6	9	4	4	5	5	10	—	—
Urban areas with populations of 50,000 and under 100,000	36	14	—	—	—	—	2	—	1	—	3	—	14	5	11	4	2	1	3	4	—	—
Urban areas with populations under 50,000	91	65	1	1	1	—	4	1	3	3	7	4	36	22	18	13	10	8	11	13	—	—
Rural districts	70	30	—	—	2	—	—	—	2	4	4	—	28	7	13	7	6	4	15	8	—	—

TABLE 30—*continued*

Area	All ages		0–		5–		15–		45–		65 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Enteric or typhoid fever													
ENGLAND AND WALES (excluding Port Health Districts)	**85**	**62**	**9**	**5**	**13**	**7**	**40**	**28**	**20**	**14**	**2**	**7**	**1**	**1**
Regions and conurbations:														
Northern	**8**	**12**	**1**	**2**	—	**3**	**4**	**2**	**2**	**2**	**1**	**2**	—	**1**
Tyneside Conurbation	4	4	1	—	—	2	3	1	—	1	—	—	—	—
Remainder of Northern	4	8	—	2	—	1	1	1	2	1	1	2	—	1
East and West Ridings	**3**	**2**	—	—	—	—	**2**	**1**	**1**	**1**	—	—	—	—
West Yorkshire Conurbation	—	1	—	—	—	—	—	—	—	1	—	—	—	—
Remainder of East and West Ridings	3	1	—	—	—	—	2	1	1	—	—	—	—	—
North Western	**11**	**8**	**2**	—	**3**	—	**4**	**3**	**1**	**5**	—	—	**1**	—
South East Lancashire Conurbation	4	6	—	—	2	—	2	3	—	3	—	—	—	—
Merseyside Conurbation	3	1	—	—	—	—	1	—	1	1	—	—	1	—
Remainder of North Western	4	1	2	—	1	—	1	—	—	1	—	—	—	—
North Midland	**1**	**1**	—	—	—	—	**1**	**1**	—	—	—	—	—	—
Midland	**6**	**2**	**1**	—	**1**	—	**4**	**2**	—	—	—	—	—	—
West Midlands Conurbation	4	2	—	—	1	—	3	2	—	—	—	—	—	—
Remainder of Midland	2	—	1	—	—	—	1	—	—	—	—	—	—	—
Eastern	**8**	**4**	**1**	—	**1**	—	**3**	**2**	**3**	**1**	—	**1**	—	—
London and South Eastern	**30**	**24**	—	**2**	**4**	**2**	**14**	**13**	**11**	**4**	**1**	**3**	—	—
Greater London	25	17	—	2	3	2	13	8	8	2	1	3	—	—
Remainder of South Eastern	5	7	—	—	1	—	1	5	3	2	—	—	—	—
Southern	**5**	**2**	**3**	—	—	**1**	**2**	**1**	—	—	—	—	—	—
South Western	**9**	**2**	**1**	—	**3**	**1**	**3**	**1**	**2**	—	—	—	—	—
Wales (including Monmouthshire)	**4**	**5**	—	**1**	**1**	—	**3**	**2**	—	**1**	—	**1**	—	—
Wales I (South East)	2	2	—	—	1	—	1	—	—	1	—	1	—	—
Wales II (remainder)	2	3	—	1	—	—	2	2	—	—	—	—	—	—
Urban/Rural aggregates:														
Conurbations	40	31	1	2	6	4	22	14	9	8	1	3	1	—
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	6	5	1	1	—	—	3	2	1	1	1	1	—	—
Urban areas with populations of 50,000 and under 100,000	3	—	1	—	—	—	2	—	—	—	—	—	—	—
Urban areas with populations under 50,000	24	8	6	1	5	2	8	4	5	—	—	—	—	1
Rural districts	12	18	—	1	2	1	5	8	5	5	—	3	—	—

TABLE 30—*continued*

Area	All ages		0–		5–		15–		45–		65 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Paratyphoid fever													
ENGLAND AND WALES (excluding Port Health Districts)	**82**	**117**	**19**	**25**	**22**	**27**	**28**	**48**	**11**	**9**	**2**	**8**	—	—
Regions and conurbations:														
Northern	**8**	**9**	**2**	**3**	**2**	—	**3**	**6**	**1**	—	—	—	—	—
Tyneside Conurbation	1	3	—	—	—	—	1	3	—	—	—	—	—	—
Remainder of Northern	7	6	2	3	2	—	2	3	1	—	—	—	—	—
East and West Ridings	**2**	**10**	—	**2**	**1**	**2**	**1**	**3**	—	**1**	—	**2**	—	—
West Yorkshire Conurbation	—	5	—	1	—	1	—	3	—	—	—	—	—	—
Remainder of East and West Ridings	2	5	—	1	1	1	1	—	—	1	—	2	—	—
North Western	**23**	**37**	**7**	**12**	**7**	**11**	**5**	**9**	**3**	**4**	**1**	**1**	—	—
South East Lancashire Conurbation	5	12	—	4	4	3	1	2	—	3	—	—	—	—
Merseyside Conurbation	15	17	7	4	3	6	3	5	1	1	1	1	—	—
Remainder of North Western	3	8	—	4	—	2	1	2	2	—	—	—	—	—
North Midland	**1**	**1**	—	**1**	—	—	—	—	**1**	—	—	—	—	—
Midland	**9**	**6**	**2**	—	**2**	—	**5**	**3**	—	**2**	—	**1**	—	—
West Midlands Conurbation	4	4	—	—	1	—	3	3	—	1	—	—	—	—
Remainder of Midland	5	2	2	—	1	—	2	—	—	1	—	1	—	—
Eastern	**1**	**6**	—	**1**	**1**	—	—	**3**	—	**1**	—	**1**	—	—
London and South Eastern	**22**	**28**	**3**	**2**	**6**	**9**	**10**	**16**	**2**	—	**1**	**1**	—	—
Greater London	15	23	2	1	3	8	8	13	1	—	1	1	—	—
Remainder of South Eastern	7	5	1	1	3	1	2	3	1	—	—	—	—	—
Southern	**4**	**9**	—	—	**2**	**1**	**2**	**5**	—	**1**	—	**2**	—	—
South Western	**5**	**7**	**1**	**3**	—	**2**	**2**	**2**	**2**	—	—	—	—	—
Wales (including Monmouthshire)	**7**	**4**	**4**	**1**	**1**	**2**	—	**1**	**2**	—	—	—	—	—
Wales I (South East)	5	4	3	1	1	2	—	1	1	—	—	—	—	—
Wales II (remainder)	2	—	1	—	—	—	—	—	1	—	—	—	—	—
Urban/Rural aggregates:														
Conurbations	40	64	9	10	11	18	16	29	2	5	2	2	—	—
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	12	13	5	2	5	5	2	6	—	—	—	—	—	—
Urban areas with populations of 50,000 and under 100,000	3	3	—	—	1	—	1	2	1	—	—	1	—	—
Urban areas with populations under 50,000	13	16	4	5	1	—	5	6	3	3	—	2	—	—
Rural districts	14	21	1	8	4	4	4	5	5	1	—	3	—	—

TABLE 30—*continued*

Area	All ages		0–		1–		2–		3–		4–		5–		10–		15–		25 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Meningococcal infection																					
ENGLAND AND WALES (excluding Port Health Districts)	**463**	**373**	**158**	**108**	**71**	**67**	**34**	**34**	**26**	**18**	**16**	**11**	**55**	**38**	**17**	**18**	**41**	**27**	**41**	**50**	**4**	**2**
Regions and conurbations:																						
Northern	**51**	**39**	**23**	**16**	**9**	**8**	**4**	**4**	**4**	**2**	**1**	**1**	**2**	**3**	**2**	—	**4**	**1**	**1**	**4**	**1**	—
Tyneside Conurbation	23	16	11	7	5	3	2	2	2	1	—	—	—	—	1	—	2	1	—	2	—	—
Remainder of Northern	28	23	12	9	4	5	2	2	2	1	1	1	2	3	1	—	2	—	1	2	1	—
East and West Ridings	**55**	**44**	**14**	**7**	**14**	**11**	**3**	**7**	**4**	**2**	—	**2**	**8**	**5**	—	**2**	**6**	**2**	**6**	**6**	—	—
West Yorkshire Conurbation	18	18	5	4	6	5	1	2	2	1	—	1	1	1	—	1	1	—	2	3	—	—
Remainder of East and West Ridings	37	26	9	3	8	6	2	5	2	1	—	1	7	4	—	1	5	2	4	3	—	—
North Western	**61**	**70**	**28**	**16**	**10**	**19**	**2**	**7**	**3**	**3**	**2**	**4**	**7**	**9**	—	**4**	**4**	**3**	**5**	**5**	—	—
South East Lancashire Conurbation	23	25	8	4	5	10	1	1	1	—	1	1	3	3	—	1	4	3	—	2	—	—
Merseyside Conurbation	23	21	13	5	3	6	1	1	—	3	1	1	2	4	—	—	—	—	3	1	—	—
Remainder of North Western	15	24	7	7	2	3	—	5	2	—	—	2	2	2	—	3	—	—	2	2	—	—
North Midland	**36**	**20**	**3**	**7**	**5**	**3**	**5**	**1**	**1**	—	**3**	**1**	**8**	**3**	**4**	—	**5**	**2**	**2**	**3**	—	—
Midland	**67**	**32**	**28**	**5**	**6**	**3**	**5**	**4**	**2**	**2**	**3**	—	**6**	**2**	**1**	**2**	**8**	**6**	**6**	**8**	**2**	—
West Midlands Conurbation	34	13	15	3	5	1	5	2	1	2	1	—	3	1	—	—	—	1	3	3	1	—
Remainder of Midland	33	19	13	2	1	2	—	2	1	—	2	—	3	1	1	2	8	5	3	5	1	—
Eastern	**33**	**22**	**12**	**6**	**3**	**2**	**3**	**2**	**3**	**1**	**1**	**1**	**5**	**2**	**1**	**2**	**2**	**1**	**3**	**5**	—	—
London and South Eastern	**90**	**91**	**26**	**31**	**14**	**18**	**10**	**6**	**5**	**5**	**4**	**2**	**6**	**7**	**6**	**5**	**6**	**7**	**13**	**9**	—	**1**
Greater London	80	82	24	27	14	18	8	5	3	5	3	—	4	6	5	5	6	7	13	8	—	1
Remainder of South Eastern	10	9	2	4	—	—	2	1	2	—	1	2	2	1	1	—	—	—	—	1	—	—
Southern	**16**	**13**	**3**	**5**	**1**	—	—	—	**1**	**1**	—	—	**3**	**2**	**1**	**1**	**5**	**1**	**2**	**3**	—	—
South Western	**18**	**17**	**6**	**7**	**2**	**1**	**1**	**1**	**2**	**1**	**2**	—	**2**	**1**	**1**	**1**	**1**	**2**	**1**	**3**	—	—
Wales (including Monmouthshire)	**36**	**25**	**15**	**8**	**7**	**2**	**1**	**2**	**1**	**1**	—	—	**8**	**4**	**1**	**1**	—	**2**	**2**	**4**	**1**	**1**
Wales I (South East)	32	17	12	5	7	1	1	—	1	—	—	—	8	4	1	—	—	2	2	4	—	1
Wales II (remainder)	4	8	3	3	—	1	—	2	—	1	—	—	—	—	—	1	—	—	—	—	1	—
Urban/Rural aggregates:																						
Conurbations	201	175	76	50	38	43	18	13	9	12	6	3	13	15	6	7	13	12	21	19	1	1
Areas outside conurbations:																						
Urban areas with populations of 100,000 and over	72	54	23	9	16	8	5	6	6	1	2	2	9	10	2	2	5	5	4	11	—	—
Urban areas with populations of 50,000 and under 100,000	35	25	14	9	5	5	1	2	1	—	1	1	6	2	2	2	1	—	3	4	1	—
Urban areas with populations under 50,000	98	78	36	28	5	8	6	8	8	3	4	2	18	6	5	5	9	7	6	10	1	1
Rural districts	57	41	9	12	7	3	4	5	2	2	3	3	9	5	2	2	13	3	7	6	1	—

TABLE 30—*continued*

Area	All ages		0–		5–		15–		45–		65 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Erysipelas													
ENGLAND AND WALES (excluding Port Health Districts)	**1,441**	**1,850**	**23**	**29**	**53**	**54**	**349**	**393**	**686**	**871**	**311**	**478**	**19**	**25**
Regions and conurbations:														
Northern	**74**	**99**	**1**	**2**	**6**	**1**	**23**	**18**	**30**	**56**	**14**	**20**	—	**2**
Tyneside Conurbation	23	40	—	1	2	—	7	6	9	26	5	7	—	—
Remainder of Northern	51	59	1	1	4	1	16	12	21	30	9	13	—	2
East and West Ridings	**189**	**244**	**5**	**7**	**9**	**6**	**55**	**63**	**85**	**108**	**32**	**56**	**3**	**4**
West Yorkshire Conurbation	87	111	4	3	6	3	18	34	41	45	15	23	3	3
Remainder of East and West Ridings	102	133	1	4	3	3	37	29	44	63	17	33	—	1
North Western	**141**	**196**	**3**	**2**	**4**	**4**	**33**	**47**	**68**	**95**	**32**	**46**	**1**	**2**
South East Lancashire Conurbation	57	79	—	—	2	1	14	18	29	39	12	20	—	1
Merseyside Conurbation	23	51	—	1	1	—	7	18	13	24	2	8	—	—
Remainder of North Western	61	66	3	1	1	3	12	11	26	32	18	18	1	1
North Midland	**127**	**137**	**5**	**2**	**9**	**7**	**24**	**30**	**55**	**58**	**32**	**37**	**2**	**3**
Midland	**155**	**170**	**1**	**1**	**7**	**7**	**36**	**41**	**83**	**71**	**27**	**49**	**1**	**1**
West Midlands Conurbation	91	104	—	—	2	5	22	24	48	44	19	31	—	—
Remainder of Midland	64	66	1	1	5	2	14	17	35	27	8	18	1	1
Eastern	**124**	**152**	—	**1**	**3**	**4**	**25**	**31**	**62**	**60**	**32**	**51**	**2**	**5**
London and South Eastern	**355**	**467**	**5**	**8**	**9**	**16**	**82**	**88**	**178**	**229**	**77**	**122**	**4**	**4**
Greater London	282	351	5	7	6	16	69	67	139	171	62	86	1	4
Remainder of South Eastern	73	116	—	1	3	—	13	21	39	58	15	36	3	—
Southern	**78**	**139**	—	**3**	**4**	**3**	**22**	**25**	**32**	**77**	**18**	**30**	**2**	**1**
South Western	**119**	**161**	**1**	**2**	**1**	**3**	**29**	**34**	**59**	**76**	**26**	**44**	**3**	**2**
Wales (including Monmouthshire)	**79**	**85**	**2**	**1**	**1**	**3**	**20**	**16**	**34**	**41**	**21**	**23**	**1**	**1**
Wales I (South East)	62	71	2	1	—	3	18	16	27	32	14	18	1	1
Wales II (remainder)	17	14	—	—	1	—	2	—	7	9	7	5	—	—
Urban/Rural aggregates:														
Conurbations	563	736	9	12	19	25	137	167	279	349	115	175	4	8
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	266	329	5	7	12	9	64	75	130	150	52	83	3	5
Urban areas with populations of 50,000 and under 100,000	103	141	2	3	3	2	25	29	50	67	22	39	1	1
Urban areas with populations under 50,000	281	332	2	6	11	11	61	55	133	157	66	99	8	4
Rural districts	228	312	5	1	8	7	62	67	94	148	56	82	3	7

TABLE 30—*continued*

Area	All ages		0–		1–		2–		3–		4–		5–		10–		15–		25 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Dysentery																					
ENGLAND AND WALES (excluding Port Health Districts)	**18,644**	**19,454**	**898**	**793**	**1,519**	**1,344**	**1,660**	**1,580**	**1,449**	**1,313**	**1,414**	**1,194**	**5,893**	**5,207**	**1,848**	**1,561**	**760**	**1,422**	**3,012**	**4,796**	**191**	**244**
Regions and conurbations:																						
Northern	**1,265**	**1,253**	**65**	**57**	**114**	**99**	**93**	**112**	**101**	**97**	**98**	**70**	**339**	**318**	**140**	**77**	**78**	**72**	**216**	**330**	**21**	**21**
Tyneside Conurbation	243	257	21	8	24	21	16	22	17	15	30	18	71	79	28	13	11	11	24	70	1	—
Remainder of Northern	1,022	996	44	49	90	78	77	90	84	82	68	52	268	239	112	64	67	61	192	260	20	21
East and West Ridings	**3,834**	**4,150**	**193**	**182**	**298**	**285**	**339**	**295**	**270**	**245**	**253**	**238**	**1,305**	**1,177**	**324**	**292**	**128**	**313**	**649**	**1,030**	**75**	**93**
West Yorkshire Conurbation	1,360	1,490	71	64	141	135	156	122	100	94	91	85	442	386	106	89	39	118	188	368	26	29
Remainder of East and West Ridings	2,474	2,660	122	118	157	150	183	173	170	151	162	153	863	791	218	203	89	195	461	662	49	64
North Western	**4,180**	**4,205**	**239**	**182**	**411**	**341**	**449**	**410**	**378**	**378**	**383**	**273**	**1,258**	**1,060**	**323**	**279**	**105**	**300**	**608**	**960**	**26**	**22**
South East Lancashire Conurbation	2,438	2,515	119	91	253	219	267	256	228	225	263	164	778	665	180	172	56	148	283	565	11	10
Merseyside Conurbation	781	742	80	63	93	59	98	81	67	64	60	61	211	162	67	46	15	58	87	146	3	2
Remainder of North Western	961	948	40	28	65	63	84	73	83	89	60	48	269	233	76	61	34	94	238	249	12	10
North Midland	**955**	**929**	**36**	**27**	**67**	**66**	**68**	**74**	**77**	**47**	**69**	**55**	**305**	**265**	**125**	**69**	**41**	**56**	**149**	**245**	**18**	**25**
Midland	**1,367**	**1,356**	**69**	**52**	**127**	**95**	**143**	**118**	**99**	**95**	**87**	**78**	**382**	**354**	**152**	**99**	**70**	**118**	**229**	**337**	**9**	**10**
West Midlands Conurbation	371	445	29	15	41	33	33	32	34	32	26	24	91	106	32	21	16	47	69	135	—	—
Remainder of Midland	996	911	40	37	86	62	110	86	65	63	61	54	291	248	120	78	54	71	160	202	9	10
Eastern	**625**	**726**	**19**	**28**	**33**	**37**	**50**	**45**	**26**	**40**	**38**	**38**	**201**	**188**	**86**	**73**	**35**	**59**	**130**	**199**	**7**	**19**
London and South Eastern	**4,036**	**4,287**	**172**	**182**	**332**	**294**	**343**	**328**	**285**	**221**	**300**	**257**	**1,327**	**1,159**	**438**	**433**	**171**	**325**	**654**	**1,069**	**14**	**19**
Greater London	3,675	3,862	163	168	313	273	319	302	264	205	276	238	1,192	1,039	376	360	158	283	602	981	12	13
Remainder of South Eastern	361	425	9	14	19	21	24	26	21	16	24	19	135	120	62	73	13	42	52	88	2	6
Southern	**670**	**611**	**26**	**15**	**28**	**20**	**40**	**31**	**48**	**45**	**47**	**34**	**262**	**185**	**92**	**70**	**42**	**39**	**80**	**155**	**5**	**17**
South Western	**705**	**801**	**33**	**32**	**44**	**47**	**53**	**58**	**53**	**50**	**48**	**46**	**193**	**212**	**78**	**74**	**54**	**57**	**147**	**217**	**2**	**8**
Wales (including Monmouthshire)	**1,007**	**1,136**	**46**	**36**	**65**	**60**	**82**	**109**	**112**	**95**	**91**	**105**	**321**	**289**	**90**	**95**	**36**	**83**	**150**	**254**	**14**	**10**
Wales I (South East)	803	892	40	32	59	52	71	95	98	85	77	86	241	212	72	68	30	71	112	189	3	2
Wales II (remainder)	204	244	6	4	6	8	11	14	14	10	14	19	80	77	18	27	6	12	38	65	11	8
Urban/Rural aggregates:																						
Conurbations	8,868	9,311	483	409	865	740	889	815	710	635	746	590	2,785	2,437	789	701	295	665	1,253	2,265	53	54
Areas outside conurbations:																						
Urban areas with populations of 100,000 and over	3,453	3,664	178	160	267	250	309	314	313	280	273	253	1,141	1,010	321	265	124	255	502	852	25	25
Urban areas with populations of 50,000 and under 100,000	1,273	1,392	70	50	97	77	108	104	100	106	87	81	416	372	142	104	47	119	200	362	6	17
Urban areas with populations under 50,000	2,591	2,761	92	100	167	146	192	193	202	169	169	149	891	789	261	262	109	185	431	660	77	108
Rural districts	2,459	2,326	75	74	123	131	162	154	124	123	139	121	660	599	335	229	185	198	626	657	30	40

TABLE 30—*continued*

Area	All ages		0–		5–		15–		45–		65 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Acute encephalitis (infective)													
ENGLAND AND WALES (excluding Port Health Districts)	**99**	**71**	**26**	**19**	**39**	**15**	**27**	**35**	**6**	**1**	**1**	**1**	—	—
Regions and conurbations:														
Northern	**10**	**7**	**5**	**2**	**2**	—	—	**5**	**3**	—	—	—	—	—
Tyneside Conurbation	6	3	2	1	1	—	—	2	3	—	—	—	—	—
Remainder of Northern	4	4	3	1	1	—	—	3	—	—	—	—	—	—
East and West Ridings	**11**	**8**	**3**	**1**	**5**	**3**	**3**	**3**	—	**1**	—	—	—	—
West Yorkshire Conurbation	8	1	2	—	4	—	2	—	—	1	—	—	—	—
Remainder of East and West Ridings	3	7	1	1	1	3	1	3	—	—	—	—	—	—
North Western	**6**	**8**	—	**5**	**4**	**2**	**2**	**1**	—	—	—	—	—	—
South East Lancashire Conurbation	2	5	—	4	2	—	—	1	—	—	—	—	—	—
Merseyside Conurbation	1	2	—	1	1	1	—	—	—	—	—	—	—	—
Remainder of North Western	3	1	—	—	1	1	2	—	—	—	—	—	—	—
North Midland	**6**	**3**	**1**	**1**	**2**	**1**	**3**	—	—	—	—	**1**	—	—
Midland	**15**	**7**	**4**	**5**	**3**	**2**	**6**	—	**2**	—	—	—	—	—
West Midlands Conurbation	12	7	3	5	3	2	4	—	2	—	—	—	—	—
Remainder of Midland	3	—	1	—	—	—	2	—	—	—	—	—	—	—
Eastern	**10**	**6**	**1**	—	**6**	**1**	**3**	**5**	—	—	—	—	—	—
London and South Eastern	**28**	**23**	**11**	**2**	**10**	**4**	**7**	**17**	—	—	—	—	—	—
Greater London	18	20	6	2	8	4	4	14	—	—	—	—	—	—
Remainder of South Eastern	10	3	5	—	2	—	3	3	—	—	—	—	—	—
Southern	**7**	**4**	—	**1**	**5**	**1**	**1**	**2**	**1**	—	—	—	—	—
South Western	**3**	**4**	**1**	**1**	**1**	**1**	**1**	**2**	—	—	—	—	—	—
Wales (including Monmouthshire)	**3**	**1**	—	**1**	**1**	—	**1**	—	—	—	**1**	—	—	—
Wales I (South East)	1	1	—	1	—	—	1	—	—	—	—	—	—	—
Wales II (remainder)	2	—	—	—	1	—	—	—	—	—	1	—	—	—
Urban/Rural aggregates:														
Conurbations	47	38	13	13	19	7	10	17	5	1	—	—	—	—
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	9	8	3	2	2	2	4	3	—	—	—	1	—	—
Urban areas with populations of 50,000 and under 100,000	8	7	3	1	3	2	2	4	—	—	—	—	—	—
Urban areas with populations under 50,000	15	10	3	3	6	1	6	6	—	—	—	—	—	—
Rural districts	20	8	4	—	9	3	5	5	1	—	1	—	—	—

TABLE 30—*continued*

Area	All ages		0–		5–		15–		45–		65 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Acute encephalitis (post infectious)													
ENGLAND AND WALES (excluding Port Health Districts)	**74**	**45**	**19**	**14**	**33**	**15**	**15**	**10**	**7**	**5**	—	**1**	—	—
Regions and conurbations:														
Northern	**2**	**3**	—	**2**	**2**	—	—	—	—	**1**	—	—	—	—
Tyneside Conurbation	—	1	—	—	—	—	—	—	—	1	—	—	—	—
Remainder of Northern	2	2	—	2	2	—	—	—	—	—	—	—	—	—
East and West Ridings	**2**	**2**	**1**	—	**1**	**2**	—	—	—	—	—	—	—	—
West Yorkshire Conurbation	1	1	—	—	1	1	—	—	—	—	—	—	—	—
Remainder of East and West Ridings	1	1	1	—	—	1	—	—	—	—	—	—	—	—
North Western	**4**	**5**	**2**	**3**	**2**	—	—	**1**	—	**1**	—	—	—	—
South East Lancashire Conurbation	—	2	—	2	—	—	—	—	—	—	—	—	—	—
Merseyside Conurbation	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Remainder of North Western	4	3	2	1	2	—	—	1	—	1	—	—	—	—
North Midland	**7**	**1**	**2**	—	**2**	—	**2**	**1**	**1**	—	—	—	—	—
Midland	**8**	**4**	**4**	**1**	**1**	**2**	**3**	—	—	**1**	—	—	—	—
West Midlands Conurbation	4	1	2	—	—	1	2	—	—	—	—	—	—	—
Remainder of Midland	4	3	2	1	1	1	1	—	—	1	—	—	—	—
Eastern	**2**	**2**	—	**1**	**1**	**1**	—	—	**1**	—	—	—	—	—
London and South Eastern	**33**	**20**	**7**	**4**	**15**	**8**	**7**	**6**	**4**	**1**	—	**1**	—	—
Greater London	23	18	7	3	10	7	4	6	2	1	—	1	—	—
Remainder of South Eastern	10	2	—	1	5	1	3	—	2	—	—	—	—	—
Southern	**3**	**1**	**1**	—	**1**	**1**	**1**	—	—	—	—	—	—	—
South Western	**9**	**4**	**1**	**2**	**7**	—	**1**	**1**	—	**1**	—	—	—	—
Wales (including Monmouthshire)	**4**	**3**	**1**	**1**	**1**	**1**	**1**	**1**	**1**	—	—	—	—	—
Wales I (South East)	4	3	1	1	1	1	1	1	1	—	—	—	—	—
Wales II (remainder)	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Urban/Rural aggregates:														
Conurbations	28	23	9	5	11	9	6	6	2	2	—	1	—	—
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	6	5	2	—	3	2	—	2	1	1	—	—	—	—
Urban areas with populations of 50,000 and under 100,000	4	3	1	1	—	1	1	—	2	1	—	—	—	—
Urban areas with populations under 50,000	19	9	4	5	8	1	6	2	1	1	—	—	—	—
Rural districts	17	5	3	3	11	2	2	—	1	—	—	—	—	—

TABLE 30—*continued*

Area	All ages		0–		5–		15–		45–		65 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Acute pneumonia													
ENGLAND AND WALES (excluding Port Health Districts)	**12,333**	**9,965**	**1,892**	**1,528**	**1,415**	**1,194**	**2,671**	**2,174**	**3,757**	**2,376**	**2,449**	**2,587**	**149**	**106**
Regions and conurbations:														
Northern	**973**	**737**	**153**	**156**	**97**	**81**	**231**	**170**	**303**	**183**	**185**	**141**	**4**	**6**
Tyneside Conurbation	388	308	67	69	35	28	92	76	120	78	74	56	—	1
Remainder of Northern	585	429	86	87	62	53	139	94	183	105	111	85	4	5
East and West Ridings	**1,714**	**1,342**	**312**	**250**	**194**	**139**	**341**	**287**	**493**	**312**	**362**	**347**	**12**	**7**
West Yorkshire Conurbation	645	491	160	113	78	45	117	96	169	106	114	125	7	6
Remainder of East and West Ridings	1,069	851	152	137	116	94	224	191	324	206	248	222	5	1
North Western	**1,358**	**1,131**	**245**	**224**	**147**	**134**	**307**	**251**	**397**	**244**	**241**	**266**	**21**	**12**
South East Lancashire Conurbation	505	431	64	70	50	53	124	87	176	112	85	104	6	5
Merseyside Conurbation	361	315	109	83	47	43	70	70	76	50	57	69	2	—
Remainder of North Western	492	385	72	71	50	38	113	94	145	82	99	93	13	7
North Midland	**982**	**725**	**133**	**105**	**99**	**83**	**213**	**153**	**311**	**175**	**207**	**194**	**19**	**15**
Midland	**1,358**	**1,028**	**224**	**169**	**152**	**133**	**348**	**246**	**417**	**237**	**199**	**228**	**18**	**15**
West Midlands Conurbation	716	552	146	117	72	64	153	125	232	126	101	113	12	7
Remainder of Midland	642	476	78	52	80	69	195	121	185	111	98	115	6	8
Eastern	**872**	**717**	**119**	**64**	**137**	**113**	**218**	**165**	**228**	**170**	**150**	**192**	**20**	**13**
London and South Eastern	**2,827**	**2,484**	**344**	**255**	**322**	**293**	**575**	**548**	**943**	**662**	**611**	**703**	**32**	**23**
Greater London	2,170	1,907	282	203	238	210	460	448	721	515	457	521	12	10
Remainder of South Eastern	657	577	62	52	84	83	115	100	222	147	154	182	20	13
Southern	**599**	**423**	**74**	**52**	**81**	**52**	**119**	**96**	**177**	**95**	**140**	**124**	**8**	**4**
South Western	**907**	**754**	**145**	**132**	**101**	**87**	**175**	**127**	**270**	**168**	**205**	**233**	**11**	**7**
Wales (including Monmouthshire)	**743**	**624**	**143**	**121**	**85**	**79**	**144**	**131**	**218**	**130**	**149**	**159**	**4**	**4**
Wales I (South East)	581	514	124	111	65	67	107	109	172	105	110	120	3	2
Wales II (remainder)	162	110	19	10	20	12	37	22	46	25	39	39	1	2
Urban/Rural aggregates:														
Conurbations	4,785	4,004	828	655	520	443	1,016	902	1,494	987	888	988	39	29
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	2,087	1,689	319	267	205	172	399	372	666	416	481	456	17	6
Urban areas with populations of 50,000 and under 100,000	757	658	119	99	100	91	155	140	230	147	145	176	8	5
Urban areas with populations under 50,000	2,486	1,964	345	290	330	248	515	418	756	439	489	533	51	36
Rural districts	2,218	1,650	281	217	260	240	586	342	611	387	446	434	34	30

TABLE 30—*continued*

Area	All ages		0–		5–		15–		45–		65 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Food poisoning													
ENGLAND AND WALES (excluding Port Health Districts)	**4,347**	**4,443**	**869**	**789**	**1,012**	**771**	**1,410**	**1,678**	**547**	**580**	**186**	**306**	**323**	**319**
Regions and conurbations:														
Northern	**104**	**98**	**27**	**24**	**18**	**13**	**29**	**35**	**24**	**16**	**4**	**9**	**2**	**1**
Tyneside Conurbation	33	37	13	8	7	5	4	14	9	8	—	2	—	—
Remainder of Northern	71	61	14	16	11	8	25	21	15	8	4	7	2	1
East and West Ridings	**300**	**372**	**82**	**78**	**49**	**36**	**90**	**123**	**42**	**49**	**17**	**46**	**20**	**40**
West Yorkshire Conurbation	117	157	41	42	32	17	35	67	7	17	1	14	1	—
Remainder of East and West Ridings	183	215	41	36	17	19	55	56	35	32	16	32	19	40
North Western	**781**	**690**	**143**	**139**	**202**	**136**	**300**	**232**	**65**	**97**	**23**	**43**	**48**	**43**
South East Lancashire Conurbation	289	314	67	57	81	82	77	109	39	45	9	13	16	8
Merseyside Conurbation	159	119	39	34	66	24	36	41	11	14	6	5	1	1
Remainder of North Western	333	257	37	48	55	30	187	82	15	38	8	25	31	34
North Midland	**246**	**205**	**61**	**47**	**52**	**50**	**77**	**72**	**37**	**22**	**10**	**12**	**9**	**2**
Midland	**337**	**375**	**61**	**63**	**44**	**40**	**153**	**214**	**41**	**42**	**2**	**14**	**36**	**2**
West Midlands Conurbation	160	234	23	21	12	15	108	164	16	27	—	6	1	1
Remainder of Midland	177	141	38	42	32	25	45	50	25	15	2	8	35	1
Eastern	**360**	**361**	**78**	**52**	**86**	**83**	**124**	**136**	**45**	**43**	**19**	**27**	**8**	**20**
London and South Eastern	**1,409**	**1,505**	**289**	**265**	**318**	**234**	**456**	**637**	**220**	**224**	**73**	**118**	**53**	**27**
Greater London	1,205	1,236	249	216	264	200	403	532	190	183	65	103	34	2
Remainder of South Eastern	204	269	40	49	54	34	53	105	30	41	8	15	19	25
Southern	**414**	**431**	**34**	**30**	**122**	**110**	**68**	**91**	**31**	**46**	**19**	**24**	**140**	**130**
South Western	**236**	**257**	**52**	**53**	**56**	**36**	**85**	**86**	**30**	**24**	**8**	**7**	**5**	**51**
Wales (including Monmouthshire)	**160**	**149**	**42**	**38**	**65**	**33**	**28**	**52**	**12**	**17**	**11**	**6**	**2**	**3**
Wales I (South East)	123	135	41	35	43	32	21	45	11	15	5	5	2	3
Wales II (remainder)	37	14	1	3	22	1	7	7	1	2	6	1	—	—
Urban/Rural aggregates:														
Conurbations	1,963	2,097	432	378	462	343	663	927	272	294	81	143	53	12
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	548	577	152	174	123	93	158	171	69	86	23	44	23	9
Urban areas with populations of 50,000 and under 100,000	387	496	72	48	147	167	102	146	44	50	14	27	8	58
Urban areas with populations under 50,000	736	587	123	105	150	91	273	199	81	76	44	48	65	68
Rural districts	713	686	90	84	130	77	214	235	81	74	24	44	174	172

TABLE 30—*continued*

Area	All ages		0–		5–		15–		25–		45–		65 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	†Tuberculosis, respiratory															
ENGLAND AND WALES (excluding Port Health Districts)	**16,539**	**10,031**	**434**	**420**	**739**	**831**	**2,496**	**2,729**	**5,080**	**3,870**	**5,930**	**1,603**	**1,811**	**538**	**49**	**40**
Regions and conurbations:																
Northern	**1,335**	**869**	**41**	**42**	**73**	**84**	**216**	**276**	**405**	**337**	**460**	**99**	**137**	**30**	**3**	**1**
Tyneside Conurbation	508	342	8	15	30	31	94	111	158	138	172	34	44	13	2	—
Remainder of Northern	827	527	33	27	43	53	122	165	247	199	288	65	93	17	1	1
East and West Ridings	**1,419**	**788**	**27**	**29**	**69**	**69**	**181**	**217**	**452**	**308**	**529**	**131**	**160**	**33**	**1**	**1**
West Yorkshire Conurbation	619	329	11	9	25	33	79	87	217	129	214	58	72	12	1	1
Remainder of East and West Ridings	800	459	16	20	44	36	102	130	235	179	315	73	88	21	—	—
North Western	**2,352**	**1,522**	**72**	**75**	**115**	**123**	**336**	**441**	**698**	**550**	**880**	**251**	**242**	**72**	**9**	**10**
South East Lancashire Conurbation	824	514	30	25	32	38	125	150	264	192	299	85	74	22	—	2
Merseyside Conurbation	724	508	27	31	39	43	97	153	201	177	275	75	82	26	3	3
Remainder of North Western	804	500	15	19	44	42	114	138	233	181	306	91	86	24	6	5
North Midland	**1,147**	**668**	**32**	**21**	**68**	**61**	**211**	**193**	**356**	**249**	**364**	**99**	**110**	**42**	**6**	**3**
Midland	**1,806**	**1,104**	**63**	**74**	**102**	**144**	**287**	**322**	**591**	**380**	**632**	**141**	**128**	**40**	**3**	**3**
West Midlands Conurbation	1,099	649	42	58	67	103	186	198	359	197	369	72	74	20	2	1
Remainder of Midland	707	455	21	16	35	41	101	124	232	183	263	69	54	20	1	2
Eastern	**1,004**	**623**	**25**	**23**	**30**	**52**	**152**	**150**	**342**	**266**	**333**	**102**	**121**	**27**	**1**	**3**
London and South Eastern	**4,529**	**2,532**	**99**	**80**	**148**	**147**	**700**	**662**	**1,382**	**1,030**	**1,644**	**444**	**550**	**163**	**6**	**6**
Greater London	3,759	2,079	90	70	126	119	571	549	1,150	849	1,370	365	448	123	4	4
Remainder of South Eastern	770	453	9	10	22	28	129	113	232	181	274	79	102	40	2	2
Southern	**871**	**590**	**16**	**29**	**46**	**52**	**103**	**108**	**277**	**245**	**309**	**113**	**113**	**41**	**7**	**2**
South Western	**977**	**599**	**24**	**15**	**43**	**39**	**169**	**158**	**294**	**249**	**353**	**87**	**87**	**44**	**7**	**7**
Wales (including Monmouthshire)	**1,099**	**736**	**35**	**32**	**45**	**60**	**141**	**202**	**283**	**256**	**426**	**136**	**163**	**46**	**6**	**4**
Wales I (South East)	756	556	31	28	33	43	107	161	202	201	276	90	104	31	3	2
Wales II (remainder)	343	180	4	4	12	17	34	41	81	55	150	46	59	15	3	2
Urban/Rural aggregates:																
Conurbations	7,533	4,421	208	208	319	367	1,152	1,248	2,349	1,682	2,699	689	794	216	12	11
Areas outside conurbations:																
Urban areas with populations of 100,000 and over	2,477	1,558	63	66	116	121	329	430	786	589	913	268	263	82	7	2
Urban areas with populations of 50,000 and under 100,000	1,190	707	32	24	44	50	190	202	369	258	417	120	131	48	7	5
Urban areas with populations under 50,000	3,131	1,976	81	69	159	179	476	529	904	779	1,155	297	344	108	12	15
Rural districts	2,208	1,369	50	53	101	114	349	320	672	562	746	229	279	84	11	7

† See note at end of Table 31.

TABLE 30—*continued*

Area	All ages		0–		5–		15–		25–		45–		65 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	†Tuberculosis of meninges and central nervous system															
ENGLAND AND WALES (excluding Port Health Districts)	**129**	**133**	**40**	**37**	**32**	**34**	**27**	**20**	**14**	**26**	**12**	**11**	**3**	**4**	**1**	**1**
Regions and conurbations:																
Northern	**27**	**21**	**9**	**6**	**9**	**4**	**5**	**6**	**2**	**1**	**1**	**3**	—	**1**	**1**	—
Tyneside Conurbation	8	6	4	1	1	2	1	3	2	—	—	—	—	—	—	—
Remainder of Northern	19	15	5	5	8	2	4	3	—	1	1	3	—	1	1	—
East and West Ridings	**5**	**9**	**2**	**1**	—	**4**	**1**	**1**	**1**	**3**	**1**	—	—	—	—	—
West Yorkshire Conurbation	2	4	1	—	—	2	—	1	—	1	1	—	—	—	—	—
Remainder of East and West Ridings	3	5	1	1	—	2	1	—	1	2	—	—	—	—	—	—
North Western	**30**	**22**	**11**	**9**	**8**	**5**	**8**	**4**	**1**	**4**	**2**	—	—	—	—	—
South East Lancashire Conurbation	9	6	2	3	4	1	2	1	—	1	1	—	—	—	—	—
Merseyside Conurbation	7	8	3	4	1	3	2	1	1	—	—	—	—	—	—	—
Remainder of North Western	14	8	6	2	3	1	4	2	—	3	1	—	—	—	—	—
North Midland	**7**	**11**	**2**	**4**	**2**	**1**	**1**	**1**	**2**	**4**	—	**1**	—	—	—	—
Midland	**18**	**12**	**6**	**3**	**3**	**2**	**4**	**3**	**2**	**3**	**2**	—	**1**	—	—	**1**
West Midlands Conurbation	9	5	4	2	—	1	1	1	1	1	2	—	1	—	—	—
Remainder of Midland	9	7	2	1	3	1	3	2	1	2	—	—	—	—	—	1
Eastern	**6**	**8**	**1**	**3**	**2**	**3**	**2**	—	**1**	—	—	—	—	**2**	—	—
London and South Eastern	**18**	**23**	**6**	**7**	**6**	**5**	**2**	**2**	**3**	**5**	**1**	**3**	—	**1**	—	—
Greater London	11	21	6	7	2	4	—	2	2	5	1	2	—	1	—	—
Remainder of South Eastern	7	2	—	—	4	1	2	—	1	—	—	1	—	—	—	—
Southern	**3**	**4**	—	**1**	**1**	**1**	**1**	—	—	**2**	**1**	—	—	—	—	—
South Western	**9**	**13**	**3**	**3**	**1**	**3**	—	**2**	**1**	**2**	**2**	**3**	**2**	—	—	—
Wales (including Monmouthshire)	**6**	**10**	—	—	—	**6**	**3**	**1**	**1**	**2**	**2**	**1**	—	—	—	—
Wales I (South East)	4	6	—	—	—	4	2	—	—	2	2	—	—	—	—	—
Wales II (remainder)	2	4	—	—	—	2	1	1	1	—	—	1	—	—	—	—
Urban/Rural aggregates:																
Conurbations	46	50	20	17	8	13	6	9	6	8	5	2	1	1	—	—
Areas outside conurbations:																
Urban areas with populations of 100,000 and over	19	15	6	3	3	3	7	3	1	5	2	1	—	—	—	—
Urban areas with populations of 50,000 and under 100,000	12	9	2	2	6	4	2	1	1	2	1	—	—	—	—	—
Urban areas with populations under 50,000	28	27	6	9	6	5	7	3	5	7	2	3	1	—	1	—
Rural districts	24	32	6	6	9	9	5	4	1	4	2	5	1	3	—	1

† See note at end of Table 31.

TABLE 30—*continued*

Area	All ages		0–		5–		15–		25–		45–		65 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	†Tuberculosis, other forms															
ENGLAND AND WALES (excluding Port Health Districts)	**1,415**	**1,815**	**92**	**73**	**234**	**243**	**271**	**380**	**485**	**660**	**242**	**290**	**78**	**156**	**13**	**13**
Regions and conurbations:																
Northern	**100**	**174**	**9**	**8**	**17**	**24**	**22**	**38**	**31**	**61**	**16**	**33**	**5**	**10**	—	—
Tyneside Conurbation	35	61	—	2	3	5	10	18	12	25	8	8	2	3	—	—
Remainder of Northern	65	113	9	6	14	19	12	20	19	36	8	25	3	7	—	—
East and West Ridings	**133**	**155**	**7**	**6**	**25**	**27**	**27**	**37**	**44**	**51**	**20**	**26**	**8**	**7**	**2**	**1**
West Yorkshire Conurbation	65	60	1	3	12	12	14	13	21	14	10	14	5	4	2	—
Remainder of East and West Ridings	68	95	6	3	13	15	13	24	23	37	10	12	3	3	—	1
North Western	**201**	**213**	**25**	**18**	**53**	**33**	**35**	**57**	**53**	**62**	**26**	**33**	**9**	**10**	—	—
South East Lancashire Conurbation	68	87	2	8	19	7	11	25	22	24	10	16	4	7	—	—
Merseyside Conurbation	55	57	7	6	9	7	10	14	18	21	10	8	1	1	—	—
Remainder of North Western	78	69	16	4	25	19	14	18	13	17	6	9	4	2	—	—
North Midland	**109**	**153**	**7**	**3**	**16**	**23**	**21**	**26**	**39**	**58**	**20**	**29**	**5**	**11**	**1**	**3**
Midland	**190**	**152**	**10**	**10**	**31**	**21**	**38**	**40**	**76**	**58**	**28**	**17**	**6**	**5**	**1**	**1**
West Midlands Conurbation	106	73	7	7	13	10	11	18	53	31	18	5	3	2	1	—
Remainder of Midland	84	79	3	3	18	11	27	22	23	27	10	12	3	3	—	1
Eastern	**101**	**137**	**5**	**4**	**20**	**21**	**16**	**29**	**34**	**49**	**20**	**15**	**5**	**19**	**1**	—
London and South Eastern	**299**	**421**	**19**	**8**	**26**	**40**	**50**	**75**	**130**	**173**	**50**	**72**	**24**	**53**	—	—
Greater London	236	346	16	8	19	29	36	62	109	142	42	60	14	45	—	—
Remainder of South Eastern	63	75	3	—	7	11	14	13	21	31	8	12	10	8	—	—
Southern	**83**	**113**	**4**	**6**	**13**	**17**	**17**	**16**	**23**	**42**	**19**	**18**	**4**	**13**	**3**	**1**
South Western	**96**	**155**	**5**	**6**	**16**	**18**	**26**	**31**	**24**	**59**	**16**	**25**	**7**	**15**	**2**	**1**
Wales (including Monmouthshire)	**103**	**142**	**1**	**4**	**17**	**19**	**19**	**31**	**31**	**47**	**27**	**22**	**5**	**13**	**3**	**6**
Wales I (South East)	67	83	1	2	12	9	9	19	22	31	21	14	2	8	—	—
Wales II (remainder)	36	59	—	2	5	10	10	12	9	16	6	8	3	5	3	6
Urban/Rural aggregates:																
Conurbations	565	684	33	34	75	70	92	150	235	257	98	111	29	62	3	—
Areas outside conurbations:																
Urban areas with populations of 100,000 and over	172	231	8	4	23	26	35	53	59	82	40	37	7	28	—	1
Urban areas with populations of 50,000 and under 100,000	121	125	15	3	19	20	28	20	40	44	13	30	5	8	1	—
Urban areas with populations under 50,000	292	419	23	23	61	72	60	84	85	157	43	57	17	23	3	3
Rural districts	265	356	13	9	56	55	56	73	66	120	48	55	20	35	6	9

† See note at end of Table 31.

TABLE 31. Cases of certain infectious diseases notified, 1958 (including, for England and Wales only, case rates per 100,000 population) — **England and Wales, standard regions, Wales, conurbations, counties, county and metropolitan boroughs, and urban and rural aggregates outside conurbations**

See explanatory notes.

Area	Enteric (or typhoid) fever	Paratyphoid fever	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute poliomyelitis: Paralytic	Acute poliomyelitis: Non-paralytic	Acute encephalitis: Infective	Acute encephalitis: Post-infectious	Acute pneumonia (primary and influenzal)	Puerperal pyrexia	Food poisoning	Tuberculosis†: Respiratory	Tuberculosis†: Meninges and C.N.S.	Tuberculosis†: Other
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
(a) Numbers originally notified																				
***ENGLAND AND WALES** (including Port Health Districts):																				
Total	**167**	**218**	**1,082**	**39,066**	**33,555**	**193**	**3,328**	**1,317**	**42,342**	**259,568**	**1,598**	**741**	**174**	**120**	**22,674**	**10,828**	**11,246**	**27,168**	**278**	**3,268**
Total (excluding Port Health Districts)	167	217	1,082	39,061	33,551	191	3,326	1,317	42,333	259,494	1,596	741	173	120	22,649	10,827	11,235	27,000	278	3,261
Port Health Districts	—	1	—	5	4	2	2	—	9	74	2	—	1	—	25	1	11	168	—	7
Regions and conurbations:																				
Northern	**21**	**19**	**105**	**2,170**	**3,396**	**6**	**178**	**25**	**3,018**	**8,365**	**86**	**45**	**14**	**5**	**1,715**	**474**	**260**	**2,224**	**48**	**276**
Tyneside Conurbation	7	4	40	407	1,155	1	63	10	822	1,523	10	—	8	1	701	92	107	857	15	100
Remainder of Northern	14	15	65	1,763	2,241	5	115	15	2,196	6,842	76	45	6	4	1,014	382	153	1,367	33	176
East and West Ridings	**6**	**12**	**108**	**4,824**	**2,836**	**13**	**438**	**105**	**8,269**	**18,188**	**360**	**119**	**19**	**4**	**3,342**	**757**	**807**	**2,237**	**15**	**289**
West Yorkshire Conurbation	1	5	35	1,901	1,645	4	202	18	2,873	5,203	235	58	9	2	1,083	169	276	962	6	124
Remainder of East and West Ridings	5	7	73	2,923	1,191	9	236	87	5,396	12,985	125	61	10	2	2,259	588	531	1,275	9	165
North Western	**22**	**63**	**148**	**6,233**	**3,671**	**37**	**339**	**220**	**10,490**	**36,713**	**321**	**101**	**18**	**10**	**2,487**	**1,850**	**2,618**	**3,992**	**56**	**428**
South East Lancashire Conurbation	10	16	49	2,123	1,629	—	136	69	5,847	11,078	149	51	9	2	937	652	792	1,394	17	161
Merseyside Conurbation	7	35	51	1,458	1,084	30	75	92	2,530	12,264	68	12	4	—	676	815	1,150	1,267	16	116
Remainder of North Western	5	12	48	2,652	958	7	128	59	2,113	13,371	104	38	5	8	874	383	676	1,331	23	151
North Midland	**4**	**2**	**75**	**3,344**	**3,254**	**2**	**266**	**28**	**2,176**	**32,172**	**131**	**58**	**9**	**3**	**1,705**	**412**	**599**	**1,832**	**19**	**265**
Midland	**8**	**13**	**231**	**4,602**	**4,002**	**35**	**334**	**484**	**3,025**	**19,167**	**83**	**73**	**22**	**12**	**2,426**	**983**	**764**	**2,961**	**32**	**350**
West Midlands Conurbation	6	6	174	2,139	2,576	31	203	425	864	8,468	49	44	18	5	1,309	523	381	1,786	14	184
Remainder of Midland	2	7	57	2,463	1,426	4	131	59	2,161	10,699	34	29	4	7	1,117	460	383	1,175	18	166
Eastern	**14**	**8**	**53**	**3,252**	**2,117**	**2**	**277**	**34**	**1,380**	**20,182**	**104**	**69**	**16**	**4**	**1,585**	**737**	**958**	**1,640**	**17**	**239**
London and South Eastern	**59**	**57**	**212**	**9,273**	**6,749**	**70**	**830**	**239**	**8,884**	**55,786**	**260**	**129**	**52**	**52**	**5,342**	**3,857**	**3,311**	**7,201**	**41**	**725**
Greater London	47	41	196	7,619	4,504	68	642	221	8,043	40,413	196	81	39	40	4,113	3,230	2,729	5,939	33	590
Remainder of South Eastern	12	16	16	1,654	2,245	2	188	18	841	15,373	64	48	13	12	1,229	627	582	1,262	8	135
Southern	**8**	**14**	**30**	**1,539**	**2,245**	**1**	**217**	**71**	**1,318**	**20,581**	**115**	**65**	**11**	**4**	**1,023**	**574**	**937**	**1,476**	**6**	**197**
South Western	**13**	**14**	**57**	**1,703**	**3,853**	**24**	**282**	**35**	**1,587**	**26,834**	**117**	**62**	**8**	**18**	**1,660**	**853**	**556**	**1,580**	**24**	**251**
Wales (including Monmouthshire)	**12**	**15**	**63**	**2,121**	**1,428**	**1**	**165**	**76**	**2,186**	**21,506**	**19**	**20**	**4**	**8**	**1,364**	**330**	**425**	**1,857**	**20**	**241**
Wales (South East)	4	12	49	1,766	1,013	1	134	70	1,731	15,679	15	5	2	8	1,091	308	238	1,332	14	146
Wales (remainder)	8	3	14	355	415	—	31	6	455	5,827	4	15	2	—	273	22	187	525	6	95
Urban/Rural aggregates:																				
Conurbations	78	107	545	15,647	12,593	134	1,321	835	20,979	78,949	707	246	87	50	8,819	5,481	5,435	12,205	101	1,275
Areas outside conurbations:																				
Urban areas with populations of 100,000 and over	11	27	164	6,669	3,908	34	603	235	7,323	39,557	180	107	18	9	4,071	1,929	1,293	4,049	34	406
Urban areas with populations of 50,000 and under 100,000	5	8	76	2,915	2,202	6	250	102	2,829	19,656	115	52	13	7	1,446	1,021	1,161	1,919	24	246
Urban areas with populations under 50,000	37	34	183	8,074	7,517	9	610	66	6,141	65,718	310	199	24	29	4,439	1,465	1,781	5,217	62	714
Rural districts	36	41	114	5,756	7,331	8	542	79	5,061	55,614	284	137	31	25	3,874	931	1,565	3,610	57	620

Area	Enteric (or typhoid) fever	Paratyphoid fever	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute poliomyelitis: Paralytic	Acute poliomyelitis: Non-paralytic	Acute encephalitis: Infective	Acute encephalitis: Post-infectious	Acute pneumonia (primary and influenzal)	Puerperal pyrexia	Food poisoning	Tuberculosis†: Respiratory	Tuberculosis†: Meninges and C.N.S.	Tuberculosis†: Other
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
(b) Final numbers after correction																				
***ENGLAND AND WALES** (excluding Port Health Districts):																				
Total	**147**	**199**	**836**	**38,848**	**33,400**	**78**	**3,291**	**1,304**	**38,098**	**259,234**	**1,417**	**575**	**170**	**119**	**22,298**	**10,813**	**8,790**	**26,570**	**262**	**3,230**
Rates (per 100,000 population)	**0**	**0**	**2**	**86**	**74**	**0**	**7**	**3**	**84**	**575**	**3**	**1**	**0**	**0**	**49**	**24**	**19**	**59**	**1**	**7**
Regions and conurbations:																				
Northern	**20**	**17**	**90**	**2,156**	**3,390**	**3**	**173**	**24**	**2,518**	**8,347**	**73**	**42**	**17**	**5**	**1,710**	**469**	**202**	**2,204**	**48**	**274**
Tyneside Conurbation	8	4	39	403	1,154	2	63	10	500	1,515	9	—	9	1	696	90	70	850	14	96
Remainder of Northern	12	13	51	1,753	2,236	1	110	14	2,018	6,832	64	42	8	4	1,014	379	132	1,354	34	178
East and West Ridings	**5**	**12**	**99**	**4,794**	**2,824**	**6**	**433**	**106**	**7,984**	**18,180**	**315**	**119**	**19**	**4**	**3,056**	**798**	**672**	**2,207**	**14**	**288**
West Yorkshire Conurbation	1	5	36	1,897	1,637	1	198	19	2,850	5,198	201	68	9	2	1,136	172	274	948	6	125
Remainder of East and West Ridings	4	7	63	2,897	1,187	5	235	87	5,134	12,982	114	51	10	2	1,920	626	398	1,259	8	163
North Western	**19**	**60**	**131**	**6,201**	**3,603**	**5**	**337**	**220**	**8,385**	**36,731**	**283**	**88**	**14**	**9**	**2,489**	**1,848**	**1,471**	**3,874**	**52**	**414**
South East Lancashire Conurbation	10	17	48	2,116	1,572	—	136	70	4,953	11,064	145	49	7	2	936	648	603	1,338	15	155
Merseyside Conurbation	4	32	44	1,448	1,076	1	74	92	1,523	12,268	36	6	3	—	676	815	278	1,232	15	112
Remainder of North Western	5	11	39	2,637	955	4	127	58	1,909	13,399	102	33	4	7	877	385	590	1,304	22	147
North Midland	**2**	**2**	**56**	**3,337**	**3,241**	**—**	**264**	**28**	**1,884**	**32,168**	**133**	**43**	**9**	**8**	**1,707**	**410**	**451**	**1,815**	**18**	**262**
Midland	**8**	**15**	**99**	**4,587**	**3,990**	**3**	**325**	**484**	**2,723**	**19,110**	**86**	**31**	**22**	**12**	**2,386**	**965**	**712**	**2,910**	**30**	**342**
West Midlands Conurbation	6	8	47	2,124	2,564	—	195	425	816	8,416	53	10	19	5	1,268	516	394	1,748	14	179
Remainder of Midland	2	7	52	2,463	1,426	3	130	59	1,907	10,694	33	21	3	7	1,118	449	318	1,162	16	163
Eastern	**12**	**7**	**55**	**3,246**	**2,112**	**1**	**276**	**32**	**1,351**	**20,146**	**97**	**52**	**16**	**4**	**1,589**	**734**	**721**	**1,627**	**14**	**238**
London and South Eastern	**54**	**50**	**181**	**9,174**	**6,715**	**52**	**822**	**235**	**8,323**	**55,720**	**204**	**80**	**51**	**53**	**5,311**	**3,848**	**2,914**	**7,061**	**41**	**720**
Greater London	42	38	162	7,530	4,474	50	633	219	7,537	40,351	148	52	38	41	4,077	3,223	2,441	5,838	32	582
Remainder of South Eastern	12	12	19	1,644	2,241	2	189	16	786	15,369	56	28	13	12	1,234	625	473	1,223	9	138
Southern	**7**	**13**	**29**	**1,534**	**2,243**	**1**	**217**	**69**	**1,281**	**20,558**	**123**	**55**	**11**	**4**	**1,022**	**571**	**845**	**1,461**	**7**	**196**
South Western	**11**	**12**	**35**	**1,698**	**3,854**	**7**	**280**	**34**	**1,506**	**26,819**	**86**	**51**	**7**	**13**	**1,661**	**839**	**493**	**1,576**	**22**	**251**
Wales (including Monmouthshire)	**9**	**11**	**61**	**2,121**	**1,428**	**—**	**164**	**72**	**2,143**	**21,455**	**17**	**14**	**4**	**7**	**1,367**	**331**	**309**	**1,835**	**16**	**245**
Wales I (South East)	4	9	49	1,770	1,013	—	133	66	1,695	15,617	13	3	2	7	1,095	309	258	1,312	10	150
Wales II (remainder)	5	2	12	351	415	—	31	6	448	5,838	4	11	2	—	272	22	51	523	6	95
Urban/Rural aggregates:																				
Conurbations	71	104	376	15,518	12,477	54	1,299	835	18,179	78,812	592	185	85	51	8,789	5,464	4,060	11,954	96	1,249
Areas outside conurbations:																				
Urban areas with populations of 100,000 and over	11	25	126	6,621	3,895	12	595	230	7,117	39,476	158	84	17	11	3,776	1,959	1,125	4,035	34	403
Urban areas with populations of 50,000 and under 100,000	3	6	60	2,909	2,199	3	244	100	2,665	19,609	106	50	15	7	1,415	1,020	883	1,897	21	246
Urban areas with populations under 50,000	32	29	176	8,052	7,500	5	613	62	5,352	65,714	299	156	25	28	4,450	1,451	1,323	5,107	55	711
Rural districts	30	35	98	5,748	7,329	4	540	77	4,785	55,623	262	100	28	22	3,868	919	1,399	3,577	56	621

* Smallpox cases notified: Final—England and Wales 5, North Western 5, Merseyside Conurbation 5.

† See note at end of Table.

TABLE 31—*continued*

Area	Enteric (or typhoid) fever	Paratyphoid fever	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute poliomyelitis		Acute encephalitis		Acute pneumonia (primary and influenzal)	Puerperal pyrexia	Food poisoning	Tuberculosis†		
											Paralytic	Non-paralytic	Infective	Post-infectious				Respiratory	Meninges and C.N.S.	Other
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
ENGLAND (excluding Monmouthshire):																				
Bedfordshire	**1**	**1**	**9**	**180**	**351**	—	**25**	**6**	**131**	**1,876**	**21**	**8**	—	—	**236**	**196**	**64**	**217**	**6**	**21**
Total M.B.s and U.D.s	1	—	8	134	187	—	17	4	75	1,281	16	7	—	—	191	189	60	165	5	12
Total R.D.s	—	1	1	46	164	—	8	2	56	595	5	1	—	—	45	7	4	52	1	9
Berkshire	**1**	**1**	**6**	**444**	**237**	—	**27**	**2**	**279**	**1,343**	**17**	**11**	**2**	—	**223**	**51**	**36**	**292**	—	**28**
Reading C.B.	—	—	2	264	76	—	11	—	10	105	2	3	—	—	60	25	—	108	—	7
Total M.B.s and U.D.s	—	—	—	39	34	—	6	1	109	329	3	2	—	—	37	16	6	68	—	9
Total R.D.s	1	1	4	141	127	—	10	1	160	909	12	6	2	—	126	10	30	116	—	12
Buckinghamshire	**1**	**6**	—	**334**	**190**	—	**37**	**3**	**50**	**4,407**	**24**	**14**	**2**	—	**144**	**155**	**37**	**152**	**1**	**36**
Total M.B.s and U.D.s	1	—	—	191	112	—	31	1	25	2,389	17	9	—	—	72	54	22	81	—	22
Total R.D.s	—	6	—	143	78	—	6	2	25	2,018	7	5	2	—	72	101	15	71	1	14
Cambridgeshire	**1**	**1**	**1**	**217**	**63**	—	**12**	—	**492**	**689**	**5**	**1**	**2**	—	**45**	**110**	**41**	**83**	**1**	**10**
Cambridge M.B.	—	1	1	89	38	—	9	—	353	121	3	1	2	—	8	105	—	45	—	6
Total R.D.s	1	—	—	128	25	—	3	—	139	568	2	—	—	—	37	5	41	38	1	4
Cheshire	**4**	**2**	**33**	**1,276**	**862**	**1**	**51**	**5**	**1,048**	**7,471**	**43**	**9**	**3**	**1**	**438**	**232**	**161**	**592**	**9**	**66**
Total C.B.s	4	—	19	318	491	—	27	2	434	2,967	17	5	2	—	219	196	61	283	3	27
Birkenhead C.B.	4	—	9	74	321	—	12	—	157	882	10	—	—	—	132	85	9	106	—	8
Chester C.B.	—	—	1	18	29	—	1	—	5	368	2	—	—	—	22	1	15	34	1	3
Stockport C.B.	—	—	6	92	27	—	4	2	31	1,173	5	4	2	—	33	103	19	74	1	2
Wallasey C.B.	—	—	3	134	114	—	10	—	241	544	—	1	—	—	32	7	18	69	1	14
Total M.B.s and U.D.s	—	1	12	715	255	1	21	3	420	3,436	21	3	1	—	151	31	95	255	1	29
Total R.D.s	—	1	2	243	116	—	3	—	194	1,068	5	1	—	1	68	5	5	54	5	10
Cornwall	**2**	**1**	**1**	**68**	**142**	**1**	**26**	**2**	**37**	**2,595**	**10**	**5**	**1**	**3**	**149**	**106**	**45**	**191**	**3**	**19**
Total M.B.s and U.D.s	2	—	—	30	88	1	15	—	30	1,776	5	4	—	—	100	97	32	119	2	9
Total R.D.s	—	1	1	38	54	—	11	2	7	819	5	1	1	3	49	9	13	72	1	10
Cumberland	—	—	**6**	**144**	**38**	—	**12**	**2**	**431**	**367**	**5**	**3**	—	—	**75**	**39**	**36**	**215**	**4**	**41**
Carlisle C.B.	—	—	1	29	10	—	1	—	244	18	2	2	—	—	16	9	25	63	—	17
Total M.B.s and U.D.s	—	—	1	68	12	—	4	1	107	295	1	1	—	—	33	27	4	73	1	11
Total R.D.s	—	—	4	47	16	—	7	1	80	54	2	—	—	—	26	3	7	79	3	13
Derbyshire	**1**	—	**7**	**701**	**867**	—	**58**	**6**	**152**	**7,449**	**50**	**15**	—	—	**472**	**41**	**28**	**380**	**4**	**55**
Derby C.B.	—	—	2	167	78	—	9	3	69	1,971	2	1	—	—	68	23	5	77	—	13
Total M.B.s and U.D.s	1	—	4	222	490	—	24	1	17	2,553	23	8	—	—	240	11	7	171	2	20
Total R.D.s	—	—	1	312	299	—	25	2	66	2,925	25	6	—	—	164	7	16	132	2	22
Devon	**1**	**8**	**8**	**324**	**1,135**	**6**	**66**	**11**	**121**	**7,408**	**45**	**21**	—	**4**	**435**	**150**	**152**	**396**	**5**	**76**
Total C.B.s	—	—	7	102	506	6	40	2	87	2,360	34	19	—	1	207	131	85	197	1	28

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
Devon—*continued*																				
Plymouth C.B.	—	—	7	61	467	6	23	—	75	817	33	19	—	1	159	82	23	143	1	15
Total M.B.s and U.D.s	—	2	1	121	362	—	15	5	23	2,396	3	—	—	1	100	14	10	117	2	26
Total R.D.s	1	6	—	101	267	—	11	4	11	2,652	8	2	—	2	128	5	57	82	2	22
Dorset	—	—	**3**	**147**	**262**	—	**36**	**1**	**4**	**2,609**	**5**	**2**	**3**	**1**	**124**	**50**	**209**	**136**	**1**	**11**
Total M.B.s and U.D.s	—	—	3	91	130	—	19	1	2	1,485	—	2	1	1	69	48	194	91	1	5
Total R.D.s	—	—	—	56	132	—	17	—	2	1,124	5	—	2	—	55	2	15	45	—	6
Durham	**6**	**8**	**52**	**1,081**	**2,104**	**1**	**77**	**15**	**966**	**3,364**	**44**	**14**	**13**	**3**	**1,045**	**293**	**91**	**1,082**	**25**	**107**
Total C.B.s	4	5	29	319	693	—	38	10	250	863	11	1	12	—	588	195	68	534	8	42
Darlington C.B.	—	—	—	29	17	—	5	—	29	187	4	1	3	—	20	1	11	55	—	6
Gateshead C.B.	—	—	14	95	125	—	12	—	64	536	1	—	8	—	253	17	20	119	—	13
South Shields C.B.	—	—	14	70	161	—	15	7	81	36	1	—	1	—	92	20	14	146	1	7
Sunderland C.B.	4	5	1	93	383	—	6	2	72	52	5	—	—	—	215	138	22	187	6	13
West Hartlepool C.B.	—	—	—	32	7	—	—	1	4	52	—	—	—	—	8	19	1	27	1	3
Total M.B.s and U.D.s	1	—	17	458	1,068	1	25	2	538	2,097	22	13	1	3	324	39	14	399	13	53
Total R.D.s	1	3	6	304	343	—	14	3	178	404	11	—	—	—	133	59	9	149	4	12
Ely, Isle of	**1**	**1**	**1**	**66**	**87**	—	**9**	**1**	**1**	**150**	**1**	**1**	—	—	**55**	**2**	**27**	**28**	—	**8**
Total M.B.s and U.D.s	1	1	—	32	49	—	4	1	1	30	—	1	—	—	35	1	7	17	—	6
Total R.D.s	—	—	1	34	38	—	5	—	—	120	1	—	—	—	20	1	20	11	—	2
Essex	**5**	**3**	**42**	**3,026**	**1,468**	**11**	**194**	**23**	**1,366**	**8,897**	**60**	**35**	**5**	**4**	**1,140**	**364**	**593**	**1,040**	**5**	**143**
Total C.B.s	1	—	10	851	428	—	49	4	264	1,273	10	10	—	3	236	9	156	270	2	33
East Ham C.B.	—	—	1	151	29	—	8	—	113	319	2	2	—	1	41	2	97	100	1	9
Southend-on-Sea C.B.	1	—	4	326	157	—	30	4	13	543	6	7	—	—	107	4	29	75	1	10
West Ham C.B.	—	—	5	374	242	—	11	—	138	411	2	1	—	2	88	3	30	95	—	14
Total M.B.s and U.D.s	3	2	31	2,025	801	11	126	19	1,003	6,022	33	22	4	1	825	278	413	689	2	88
Total R.D.s	1	1	1	150	239	—	19	—	99	1,602	17	3	1	—	79	77	24	81	1	22
Gloucestershire	—	**2**	**16**	**657**	**1,169**	—	**114**	**15**	**1,056**	**6,394**	**5**	**6**	**5**	**1**	**667**	**315**	**208**	**563**	**8**	**84**
Total C.B.s	—	2	9	397	416	—	71	8	923	3,106	2	1	1	—	463	167	165	329	3	41
Bristol C.B.	—	2	7	351	237	—	67	8	912	2,757	2	1	1	—	434	133	162	271	2	34
Gloucester C.B.	—	—	2	46	179	—	4	—	11	349	—	—	—	—	29	34	3	58	1	7
Total M.B.s and U.D.s	—	—	6	81	176	—	13	5	11	874	1	2	2	—	61	84	26	86	3	19
Total R.D.s	—	—	1	179	577	—	30	2	122	2,414	2	3	2	1	143	64	17	148	2	24
Herefordshire	—	**2**	**1**	**125**	**209**	—	**9**	—	**34**	**1,019**	—	—	—	—	**68**	**8**	**42**	**50**	—	**12**
Total M.B.s and U.D.s	—	—	1	69	76	—	2	—	11	178	—	—	—	—	23	3	35	26	—	6
Total R.D.s	—	2	—	56	133	—	7	—	23	841	—	—	—	—	45	5	7	24	—	6
Hertfordshire	**1**	**1**	**14**	**472**	**189**	—	**48**	**17**	**253**	**4,978**	**11**	**9**	**4**	**3**	**189**	**127**	**87**	**463**	**2**	**52**
Total M.B.s and U.D.s	—	1	14	359	105	—	35	17	110	3,431	9	4	2	3	149	119	58	334	1	37
Total R.D.s	1	—	—	113	84	—	13	—	143	1,547	2	5	2	—	40	8	29	129	1	15
Huntingdonshire	—	—	**3**	**15**	**124**	—	**6**	—	**11**	**553**	**8**	**4**	**1**	—	**49**	**8**	**13**	**40**	—	**4**
Total M.B.s and U.D.s	—	—	3	9	62	—	3	—	5	264	3	—	1	—	30	7	3	18	—	2
Total R.D.s	—	—	—	6	62	—	3	—	6	289	5	4	—	—	19	1	10	22	—	2
Kent	**3**	**13**	**15**	**1,360**	**1,795**	—	**123**	**7**	**385**	**9,178**	**30**	**10**	**7**	**7**	**862**	**267**	**294**	**883**	**5**	**94**
Canterbury C.B.	—	—	1	45	96	—	—	—	1	801	1	—	1	—	10	21	—	9	—	—
Total M.B.s and U.D.s	3	13	12	1,099	1,425	—	109	6	257	6,862	24	10	2	6	569	237	202	711	4	69
Total R.D.s	—	—	2	216	274	—	14	1	127	1,515	5	—	4	1	283	9	92	163	1	25

† See note at end of Table.

TABLE 31—*continued*

Area	Enteric (or typhoid) fever	Paratyphoid fever	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute poliomyelitis		Acute encephalitis		Acute pneumonia (primary and influenzal)	Puerperal pyrexia	Food poisoning	Tuberculosis†		
											Paralytic	Non-paralytic	Infective	Post-infectious				Respiratory	Meninges and C.N.S.	Other
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
Lancashire	**14**	**58**	**97**	**4,908**	**2,734**	**4**	**285**	**214**	**7,334**	**29,031**	**232**	**78**	**11**	**8**	**2,049**	**1,614**	**1,309**	**3,258**	**43**	**342**
Total C.B.s	5	31	69	2,923	1,341	3	150	200	4,674	18,703	160	50	9	2	1,186	1,479	726	2,223	28	216
Barrow-in-Furness C.B.	1	—	2	48	8	3	3	—	27	939	1	—	1	1	6	—	13	46	1	—
Blackburn C.B.	—	—	—	104	38	—	2	1	86	1,367	2	1	—	—	58	90	44	80	2	5
Blackpool C.B.	—	3	4	126	44	—	11	47	50	276	8	—	1	—	22	82	14	56	1	9
Bolton C.B.	—	—	1	273	40	—	21	2	187	105	3	3	1	—	155	4	181	79	1	10
Bootle C.B.	—	2	—	92	36	—	4	1	42	1,100	—	—	—	—	22	2	1	90	—	2
Burnley C.B.	1	—	—	92	10	—	2	—	11	74	15	8	—	—	29	16	10	71	—	5
Bury C.B.	1	—	—	33	121	—	4	1	18	579	—	—	1	—	15	12	21	20	—	4
Liverpool C.B.	—	18	29	879	474	—	33	89	931	7,189	14	2	2	—	406	717	131	795	13	66
Manchester C.B.	2	7	16	511	223	—	25	42	1,053	3,107	87	26	2	—	236	453	190	528	4	67
Oldham C.B.	—	—	4	143	64	—	12	7	1,462	887	2	2	—	—	35	20	9	47	1	4
Preston C.B.	—	—	3	236	7	—	3	4	71	828	15	1	—	—	50	39	21	43	1	7
Rochdale C.B.	—	—	—	16	51	—	6	—	135	246	2	1	—	—	14	—	5	32	—	2
St. Helens C.B.	—	—	3	170	27	—	7	—	377	289	1	—	—	—	15	3	30	82	1	5
Salford C.B.	—	—	3	61	121	—	5	5	196	920	5	5	—	1	74	17	24	115	1	11
Southport C.B.	—	1	—	53	50	—	8	1	13	121	3	—	—	—	12	1	26	33	—	6
Warrington C.B.	—	—	3	66	17	—	1	—	9	94	1	—	—	—	24	23	—	70	1	5
Wigan C.B.	—	—	1	20	10	—	3	—	6	582	1	1	1	—	13	—	6	36	1	8
Total M.B.s and U.D.s	8	23	24	1,692	1,262	1	117	13	2,208	8,786	59	24	1	5	745	86	481	907	8	112
Total R.D.s	1	4	4	293	131	—	18	1	452	1,542	13	4	1	1	118	49	102	128	7	14
Leicestershire	—	—	**9**	**746**	**640**	—	**51**	**4**	**204**	**6,520**	**10**	**2**	**2**	—	**218**	**132**	**134**	**299**	**2**	**48**
Leicester C.B.	—	—	4	464	327	—	26	4	32	3,626	5	1	1	—	83	118	89	172	1	17
Total M.B.s and U.D.s	—	—	1	73	81	—	15	—	24	1,256	2	1	—	—	54	4	17	72	—	14
Total R.D.s	—	—	4	209	232	—	10	—	148	1,638	3	—	1	—	81	10	28	55	1	17
Lincolnshire (Parts of Holland)	—	—	**4**	**58**	**238**	—	**12**	**1**	**19**	**126**	—	**2**	—	—	**92**	**11**	**11**	**26**	**2**	**5**
Total M.B.s and U.D.s	—	—	1	20	21	—	6	—	15	47	—	1	—	—	60	10	2	12	1	1
Total R.D.s	—	—	3	38	217	—	6	1	4	79	—	1	—	—	32	1	9	14	1	4
Lincolnshire (Parts of Kesteven)	—	—	**3**	**82**	**156**	—	**16**	**1**	**20**	**2,217**	**2**	**2**	—	—	**64**	**18**	**27**	**51**	**1**	**8**
Total M.B.s and U.D.s	—	—	3	58	69	—	5	1	4	1,067	—	—	—	—	41	14	17	19	1	6
Total R.D.s	—	—	—	24	87	—	11	—	16	1,150	2	2	—	—	23	4	10	32	—	2
Lincolnshire (Parts of Lindsey)	—	—	**9**	**423**	**369**	—	**32**	**4**	**290**	**4,902**	**36**	**11**	**1**	**3**	**200**	**28**	**40**	**231**	**2**	**45**
Total C.B.s	—	—	3	105	71	—	10	4	143	1,290	8	4	—	—	51	7	5	115	1	19
Grimsby C.B.	—	—	1	76	24	—	7	3	133	913	8	1	—	—	18	4	4	67	—	15
Lincoln C.B.	—	—	2	29	47	—	3	1	10	377	—	3	—	—	33	3	1	48	1	4
Total M.B.s and U.D.s	—	—	5	204	153	—	12	—	93	2,178	9	4	1	2	75	18	9	67	1	14
Total R.D.s	—	—	1	114	145	—	10	—	54	1,434	19	3	—	1	74	3	26	49	—	12
London A.C.	**22**	**19**	**81**	**2,716**	**1,595**	**38**	**256**	**132**	**4,501**	**16,667**	**80**	**27**	**20**	**18**	**1,735**	**1,680**	**1,300**	**3,125**	**17**	**279**
City of London	—	—	—	4	—	—	—	—	2	9	—	—	—	—	—	—	6	6	—	—
Metropolitan Boroughs:																				
Battersea	—	—	3	76	89	—	14	1	135	614	—	—	1	—	36	—	12	67	1	3
Bermondsey	—	—	—	52	32	—	3	—	184	268	—	—	—	—	12	—	33	51	1	8
Bethnal Green	—	—	4	84	12	—	2	1	124	46	4	—	1	—	4	3	3	38	—	—
Camberwell	—	1	3	162	97	—	10	12	79	668	6	1	1	1	49	131	71	179	—	14
Chelsea	2	—	1	16	20	—	1	—	111	217	3	—	—	—	15	46	7	41	—	7
Deptford	—	—	—	59	57	—	12	1	116	122	—	—	—	—	72	1	5	107	—	5
Finsbury	—	—	—	40	29	30	3	7	320	233	1	—	—	1	93	1	46	24	—	5
Fulham	—	—	2	51	51	—	7	—	223	462	5	2	2	—	58	25	18	92	—	11
Greenwich	—	1	—	106	55	—	3	1	20	306	—	1	—	—	42	1	39	55	—	5
Hackney	—	—	4	179	79	—	11	21	258	820	2	—	2	1	62	121	56	112	1	6
Hammersmith	—	—	4	49	75	1	8	3	122	510	1	1	1	—	103	104	36	123	1	4
Hampstead	2	1	1	51	21	—	5	9	60	706	2	—	—	1	40	69	15	82	1	12
Holborn	—	—	—	9	3	1	1	—	30	56	3	1	—	—	2	—	11	25	—	2
Islington	—	1	5	268	113	2	29	29	810	2,940	8	2	2	1	109	322	170	314	2	19
Kensington	5	—	6	27	92	—	11	5	117	654	2	2	1	—	70	116	47	160	1	17
Lambeth	1	—	1	153	132	1	11	7	128	600	5	1	2	—	114	70	52	189	2	19
Lewisham	1	3	6	210	154	—	13	1	235	835	4	4	—	1	61	68	35	216	1	19
Paddington	1	1	—	81	96	—	8	4	41	802	5	—	—	1	36	182	105	155	1	15
Poplar	—	—	2	127	22	—	3	—	42	86	1	—	—	—	77	27	28	49	—	8
St. Marylebone	1	—	2	20	11	—	2	1	44	246	—	—	—	—	21	13	18	63	—	5
St. Pancras	2	—	8	108	42	—	13	3	156	1,505	2	—	1	5	150	64	118	190	2	21
Shoreditch	—	1	—	40	17	—	6	—	121	132	7	3	1	1	19	1	4	31	—	4
Southwark	2	4	3	157	64	1	9	5	226	574	1	—	—	2	42	50	38	120	—	9
Stepney	—	1	3	97	36	1	6	5	145	199	3	—	—	—	90	26	69	139	—	9
Stoke Newington	—	—	2	43	11	—	6	8	175	400	1	1	—	—	17	10	3	44	—	3
Wandsworth	1	4	14	308	123	1	39	2	339	1,761	12	7	4	3	217	116	231	234	3	29
Westminster	2	—	—	34	12	—	5	1	59	478	1	—	1	—	7	32	16	127	—	7
Woolwich	—	1	7	105	49	—	15	5	19	418	1	1	—	—	97	81	1	92	—	9
Middlesex	**16**	**2**	**31**	**2,060**	**818**	—	**190**	**50**	**1,220**	**13,529**	**31**	**6**	**13**	**16**	**1,124**	**791**	**544**	**1,277**	**7**	**157**
Total M.B.s and U.D.s	16	2	31	2,060	818	—	190	50	1,220	13,529	31	6	13	16	1,124	791	544	1,277	7	157
Norfolk	**1**	**1**	**7**	**507**	**138**	**1**	**42**	**13**	**105**	**3,485**	**6**	**1**	**2**	**1**	**286**	**68**	**180**	**191**	**2**	**36**
Total C.B.s	—	—	2	300	42	—	12	10	70	1,581	1	—	2	—	83	46	90	72	—	9
Great Yarmouth C.B.	—	—	2	8	21	—	—	2	17	228	—	—	—	—	19	5	42	24	—	1
Norwich C.B.	—	—	—	292	21	—	12	8	53	1,353	1	—	2	—	64	41	48	48	—	8
Total M.B.s and U.D.s	—	1	4	35	3	—	6	2	—	229	—	—	—	—	53	7	5	21	—	7
Total R.D.s	1	—	1	172	93	1	24	1	35	1,675	5	1	—	1	150	15	85	98	2	20
Northamptonshire	**1**	**1**	**3**	**244**	**277**	—	**47**	**1**	**79**	**3,523**	**26**	**8**	—	—	**190**	**128**	**48**	**183**	—	**34**
Northampton C.B.	—	—	—	93	8	—	23	—	5	1,460	4	2	—	—	34	94	19	48	—	5
Total M.B.s and U.D.s	—	—	1	93	198	—	15	1	51	462	11	3	—	—	110	30	22	99	—	10
Total R.D.s	1	1	2	58	71	—	9	—	23	1,601	11	3	—	—	46	4	7	36	—	19
Northumberland	**14**	**4**	**13**	**360**	**971**	**2**	**54**	**3**	**512**	**502**	**12**	**2**	—	**1**	**322**	**91**	**48**	**590**	**13**	**94**
Total C.B.s	3	4	10	136	379	2	14	3	121	273	5	—	—	1	154	35	34	344	8	45
Newcastle upon Tyne C.B.	2	4	10	130	364	2	14	3	113	263	4	—	—	1	152	35	33	287	6	41
Tynemouth C.B.	1	—	—	6	15	—	—	—	8	10	1	—	—	—	2	—	1	57	2	4
Total M.B.s and U.D.s	7	—	3	167	464	—	26	—	360	131	3	2	—	—	117	4	11	217	4	38
Total R.D.s	4	—	—	57	128	—	14	—	31	98	4	—	—	—	51	52	3	29	1	11
Nottinghamshire	**1**	**1**	**21**	**1,060**	**495**	—	**47**	**12**	**1,119**	**7,057**	**12**	**1**	**6**	**5**	**406**	**43**	**129**	**632**	**7**	**69**
Nottingham C.B.	1	—	9	481	153	—	20	9	514	2,882	4	—	—	5	217	17	50	327	4	26
Total M.B.s and U.D.s	—	1	9	401	191	—	21	1	359	3,478	7	1	5	—	152	21	29	226	2	25
Total R.D.s	—	—	3	178	151	—	6	2	246	697	1	—	1	—	37	5	50	79	1	18

† See note at end of Table.

TABLE 31—*continued*

Area	Enteric (or typhoid) fever	Paratyphoid fever	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute poliomyelitis		Acute encephalitis		Acute pneumonia (primary and influenzal)	Puerperal pyrexia	Food poisoning	Tuberculosis†		
											Paralytic	Non-paralytic	Infective	Post-infectious				Respiratory	Meninges and C.N.S.	Other
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
Oxfordshire	—	—	5	146	58	—	19	50	57	1,586	14	1	—	2	92	105	86	147	1	25
Oxford C.B.	—	—	3	56	23	—	10	50	28	139	1	—	—	—	51	100	72	64	1	6
Total M.B.s and U.D.s	—	—	—	11	4	—	2	—	1	690	6	—	—	—	3	1	8	23	—	5
Total R.D.s	—	—	2	79	31	—	7	—	28	757	7	1	—	2	38	4	6	60	—	14
Peterborough, Soke of	—	—	1	14	201	—	2	—	3	380	5	2	—	—	49	9	33	26	—	4
Peterborough M.B.	—	—	1	7	174	—	1	—	2	251	5	1	—	—	40	8	32	24	—	4
Total R.D.s	—	—	—	7	27	—	1	—	1	129	—	1	—	—	9	1	1	2	—	—
Rutland	—	—	—	26	5	—	—	—	1	223	—	1	—	—	18	2	2	11	—	—
Oakham U.D.	—	—	—	—	—	—	—	—	1	37	—	—	—	—	4	—	2	3	—	—
Total R.D.s	—	—	—	26	5	—	—	—	—	186	—	1	—	—	14	2	—	8	—	—
Shropshire	—	—	13	280	345	—	10	3	193	1,482	12	5	1	1	195	15	61	106	1	33
Total M.B.s and U.D.s	—	—	4	163	127	—	7	1	134	721	9	3	—	—	73	12	20	59	1	15
Total R.D.s	—	—	9	117	218	—	3	2	59	761	3	2	1	1	122	3	41	47	—	18
Somerset	2	1	5	244	1,070	—	54	5	28	5,915	17	18	1	5	318	100	40	255	4	36
Bath C.B.	—	—	—	40	142	—	10	—	6	1,514	1	3	—	1	87	31	16	28	—	5
Total M.B.s and U.D.s	1	1	1	90	464	—	16	1	6	2,265	9	6	—	1	62	47	11	142	2	12
Total R.D.s	1	—	4	114	464	—	28	4	16	2,136	7	9	1	3	169	22	13	85	2	19
Southampton	4	5	15	441	1,387	1	97	12	872	9,115	63	27	4	1	429	206	382	691	4	87
Total C.B.s	1	3	4	204	591	—	51	2	374	4,455	29	16	2	—	192	106	56	365	3	42
Bournemouth C.B.	—	—	1	21	49	—	19	—	3	737	—	—	—	—	54	5	7	109	—	11
Portsmouth C.B.	1	3	2	82	268	—	22	—	108	2,174	2	—	1	—	89	13	22	113	—	10
Southampton C.B.	—	—	1	101	274	—	10	2	263	1,544	27	16	1	—	49	88	27	143	3	21
Total M.B.s and U.D.s	3	1	8	147	445	1	28	8	288	3,270	18	5	—	1	142	74	77	193	1	19
Total R.D.s	—	1	3	90	351	—	18	2	210	1,390	16	6	2	—	95	26	249	133	—	26
Staffordshire	2	5	28	1,928	683	—	88	29	792	6,775	19	16	5	3	701	251	142	1,054	13	89
Total C.B.s	2	3	15	938	367	—	52	24	226	2,355	5	5	2	—	378	226	47	575	7	42
Burton upon Trent C.B.	—	—	1	63	17	—	1	3	4	39	1	—	—	—	18	25	—	31	—	1
Smethwick C.B.	1	—	3	49	49	—	3	2	6	53	—	1	—	—	10	2	3	103	—	7
Stoke-on-Trent C.B.	—	2	10	517	14	—	14	11	150	209	3	4	2	—	102	130	34	163	2	11
Walsall C.B.	—	—	—	123	218	—	19	5	52	1,018	—	—	—	—	156	1	3	92	1	10
West Bromwich C.B.	1	—	1	41	25	—	2	1	7	227	—	—	—	—	12	—	2	62	4	5
Wolverhampton C.B.	—	1	—	145	44	—	13	2	7	809	1	—	—	—	80	68	5	124	—	8
Total M.B.s and U.D.s	—	1	9	757	236	—	24	5	456	3,232	10	5	3	3	234	23	56	394	3	37
Total R.D.s	—	1	4	233	80	—	12	—	110	1,188	4	6	—	—	89	2	39	85	3	10
Suffolk, East	2	—	4	241	248	—	27	1	48	2,987	1	—	4	—	158	116	48	143	—	31
Ipswich C.B.	1	—	3	110	55	—	7	—	41	1,324	1	—	—	—	26	68	42	55	—	12
Total M.B.s and U.D.s	1	—	—	68	115	—	10	—	3	576	—	—	4	—	57	30	3	37	—	11
Total R.D.s	—	—	1	63	78	—	10	1	4	1,087	—	—	—	—	75	18	3	51	—	8
Suffolk, West	2	—	3	101	134	—	9	1	3	778	—	1	1	—	72	26	2	36	—	7
Total M.B.s and U.D.s	1	—	2	23	29	—	3	—	1	106	—	—	1	—	11	14	—	16	—	2
Total R.D.s	1	—	1	78	105	—	6	1	2	672	—	1	—	—	61	12	2	20	—	5
Surrey	6	5	24	1,071	860	1	77	4	964	5,942	27	11	5	8	618	481	259	739	7	82
Croydon C.B.	—	—	4	188	356	—	20	1	102	840	2	1	1	—	76	42	64	141	2	19
Total M.B.s and U.D.s	4	5	19	811	429	1	52	3	715	4,533	20	8	3	8	505	438	172	537	4	54
Total R.D.s	2	—	1	72	75	—	5	—	147	569	5	2	1	—	37	1	23	61	1	9
Sussex, East	5	8	1	250	838	2	56	4	119	2,756	12	11	3	—	270	214	144	318	2	27
Total C.B.s	1	6	1	114	298	2	39	3	47	749	5	3	—	—	136	150	111	161	—	11
Brighton C.B.	1	5	1	83	198	2	22	3	11	196	3	3	—	—	73	60	107	104	—	6
Eastbourne C.B.	—	1	—	9	5	—	6	—	—	147	1	—	—	—	20	26	2	16	—	3
Hastings C.B.	—	—	—	22	95	—	11	—	36	406	1	—	—	—	43	64	2	41	—	2
Total M.B.s and U.D.s	—	2	—	73	199	—	11	1	25	1,153	5	8	—	—	84	52	16	97	2	12
Total R.D.s	4	—	—	63	341	—	6	—	47	854	2	—	3	—	50	12	17	60	—	4
Sussex, West	—	2	—	138	119	—	24	8	75	3,401	8	7	—	—	61	132	39	105	1	7
Total M.B.s and U.D.s	—	1	—	80	90	—	19	8	43	2,296	6	5	—	—	35	104	20	66	1	6
Total R.D.s	—	1	—	58	29	—	5	—	32	1,105	2	2	—	—	26	28	19	39	—	1
Warwickshire	6	7	49	1,718	2,317	3	195	442	1,613	7,134	47	10	15	7	1,151	594	431	1,428	12	173
Total C.B.s	5	5	35	1,286	1,957	3	159	412	1,319	4,873	38	6	13	5	765	453	379	1,170	4	133
Birmingham C.B.	4	4	30	1,126	1,876	—	134	407	575	4,168	37	6	13	2	633	406	346	926	4	109
Coventry C.B.	1	1	5	160	81	3	25	5	744	705	1	—	—	3	132	47	33	244	—	24
Total M.B.s and U.D.s	—	2	11	305	250	—	24	5	225	1,257	7	2	2	1	238	25	29	173	4	27
Total R.D.s	1	—	3	127	110	—	12	25	69	1,004	2	2	—	1	148	116	23	85	4	13
Westmorland	—	4	—	23	31	—	3	—	9	283	2	—	—	—	11	1	3	26	—	4
Total M.B.s and U.D.s	—	1	—	14	1	—	1	—	5	146	1	—	—	—	5	1	1	19	—	2
Total R.D.s	—	3	—	9	30	—	2	—	4	137	1	—	—	—	6	—	2	7	—	2
Wight, Isle of	1	1	—	22	109	—	1	1	19	1,498	—	—	—	—	10	4	95	43	—	9
Total M.B.s and U.D.s	1	1	—	19	91	—	1	1	17	1,353	—	—	—	—	7	4	42	36	—	6
Isle of Wight R.D.	—	—	—	3	18	—	—	—	2	145	—	—	—	—	3	—	53	7	—	3
Wiltshire	6	—	5	405	338	—	20	1	264	4,507	9	1	—	—	92	168	48	171	2	36
Total M.B.s and U.D.s	6	—	3	245	113	—	13	1	172	2,498	4	1	—	—	20	79	14	98	1	17
Total R.D.s	—	—	2	160	225	—	7	—	92	2,009	5	—	—	—	72	89	34	73	1	19
Worcestershire	—	1	8	536	436	—	23	10	91	2,700	8	—	1	1	271	97	36	272	4	35
Total C.B.s	—	—	2	175	34	—	2	7	29	421	1	—	1	—	59	16	8	80	2	9
Dudley C.B.	—	—	2	35	1	—	—	—	26	74	1	—	1	—	20	4	4	52	1	3
Worcester, C.B.	—	—	—	140	33	—	2	7	3	347	—	—	—	—	39	12	4	28	1	6
Total M.B.s and U.D.s	—	1	6	274	291	—	13	3	49	1,377	7	—	—	1	155	81	23	150	2	19
Total R.D.s	—	—	—	87	111	—	8	—	13	902	—	—	—	—	57	—	5	42	—	7
Yorkshire, East Riding	2	4	1	465	151	3	31	52	595	5,700	24	10	3	1	455	186	96	223	1	28
Kingston upon Hull C.B.	—	—	1	328	74	1	15	51	275	4,239	5	—	2	—	357	169	—	183	—	15
Total M.B.s and U.D.s	1	4	—	106	28	1	7	1	287	821	16	10	1	—	70	7	94	24	1	6
Total R.D.s	1	—	—	31	49	1	9	—	33	640	3	—	—	1	28	10	2	16	—	7
Yorkshire, North Riding	—	1	19	548	246	—	27	4	600	3,831	10	23	4	1	257	45	24	291	6	28
Middlesbrough C.B.	—	—	10	339	65	—	12	3	401	1,315	1	11	1	—	93	19	11	121	3	8
Total M.B.s and U.D.s	—	1	4	108	84	—	7	1	28	1,601	3	11	3	—	82	23	6	123	1	13
Total R.D.s	—	—	5	101	97	—	8	—	171	915	6	1	—	1	82	3	7	47	2	7

† See note at end of Table.

TABLE 31—*continued*

Area	Enteric (or typhoid) fever	Paratyphoid fever	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute poliomyelitis		Acute encephalitis		Acute pneumonia (primary and influenzal)	Puerperal pyrexia	Food poisoning	Tuberculosis†		
											Paralytic	Non-paralytic	Infective	Post-infectious				Respiratory	Meninges and C.N.S.	Other
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
Yorkshire, West Riding	**3**	**8**	**98**	**4,329**	**2,673**	**3**	**402**	**54**	**7,389**	**12,480**	**291**	**109**	**16**	**3**	**2,601**	**612**	**576**	**1,984**	**13**	**260**
Total C.B.s	3	5	49	2,379	1,447	—	230	45	4,877	6,297	191	57	11	1	1,692	531	441	1,250	4	156
Barnsley C.B.	—	—	6	132	144	—	10	1	731	244	8	1	—	—	139	30	22	38	—	6
Bradford C.B.	—	—	9	398	263	—	54	7	403	576	13	15	2	—	349	15	3	227	2	31
Dewsbury C.B.	—	—	2	58	32	—	3	1	153	249	14	1	—	—	7	7	11	17	—	9
Doncaster C.B.	—	—	3	47	4	—	3	15	21	317	2	2	1	—	33	38	46	53	—	9
Halifax C.B.	—	—	4	52	37	—	4	—	3	1,628	27	6	4	1	36	—	2	51	—	5
Huddersfield C.B.	—	2	4	175	105	—	11	1	548	40	21	4	—	—	88	1	32	59	—	24
Leeds C.B.	1	1	6	679	695	1	40	10	1,258	806	77	17	1	—	373	121	165	321	1	19
Rotherham C.B.	1	—	—	88	10	—	7	—	139	233	1	1	—	—	27	58	18	43	—	3
Sheffield C.B.	1	1	11	611	117	—	72	10	1,199	847	14	4	3	—	578	243	97	386	—	44
Wakefield C.B.	—	1	2	51	16	—	8	—	115	228	10	3	—	—	4	15	17	22	1	—
York C.B.	—	—	2	88	24	—	18	—	307	1,129	4	3	—	—	58	3	28	33	—	6
Total M.B.s and U.D.s	—	3	34	1,472	985	—	116	3	1,515	4,046	81	39	5	1	665	51	61	545	8	79
Total R.D.s	—	—	15	478	241	2	56	6	997	2,137	19	13	—	1	244	30	74	189	1	25
WALES (including Monmouthshire)																				
Anglesey	**1**	—	—	**50**	**2**	—	—	—	**13**	**1,142**	—	**1**	—	—	**7**	—	**1**	**58**	**1**	**8**
Total M.B.s and U.D.s	—	—	—	21	—	—	—	—	6	623	—	—	—	—	3	—	1	35	1	4
Total R.D.s	1	—	—	29	2	—	—	—	7	519	—	1	—	—	4	—	—	23	—	4
Brecknockshire	—	**2**	**1**	**59**	**51**	—	**4**	—	**5**	**771**	**1**	—	—	—	**8**	**1**	**2**	**36**	**1**	—
Total M.B.s and U.D.s	—	—	—	21	37	—	2	—	—	237	1	—	—	—	6	—	2	8	1	—
Total R.D.s	—	2	1	38	14	—	2	—	5	534	—	—	—	—	2	1	—	28	—	—
Caernarvonshire	—	**1**	—	**70**	**7**	—	**4**	**2**	**361**	**994**	**1**	**7**	—	—	**32**	**18**	**13**	**121**	**3**	**22**
Total M.B.s and U.D.s	—	1	—	59	6	—	2	—	271	598	—	6	—	—	23	17	12	51	2	9
Total R.D.s	—	—	—	11	1	—	2	2	90	396	1	1	—	—	9	1	1	70	1	13
Cardiganshire	—	—	**1**	—	**37**	—	—	—	—	**181**	—	—	—	—	**7**	—	—	**29**	—	**2**
Total M.B.s and U.D.s	—	—	1	—	32	—	—	—	—	91	—	—	—	—	3	—	—	11	—	—
Total R.D.s	—	—	—	—	5	—	—	—	—	90	—	—	—	—	4	—	—	18	—	2
Carmarthenshire	**1**	—	**2**	**41**	**42**	—	**6**	**1**	**19**	**1,730**	—	—	—	—	**114**	**6**	**4**	**105**	**2**	**20**
Total M.B.s and U.D.s	1	—	2	10	15	—	3	—	7	814	—	—	—	—	67	5	4	48	—	7
Total R.D.s	—	—	—	31	27	—	3	1	12	916	—	—	—	—	47	1	—	57	2	13
Denbighshire	**4**	**1**	**3**	**78**	**72**	—	**8**	—	**24**	**881**	—	**1**	**1**	—	**87**	**2**	**6**	**136**	—	**31**
Total M.B.s and U.D.s	—	—	2	37	42	—	2	—	19	487	—	—	—	—	41	2	1	60	—	18
Total R.D.s	4	1	1	41	30	—	6	—	5	394	—	1	1	—	46	—	5	76	—	13
Flintshire	—	—	**6**	**101**	**117**	—	**8**	**1**	**42**	**547**	**2**	**2**	**1**	—	**58**	**1**	**5**	**93**	**1**	**15**
Total M.B.s and U.D.s	—	—	5	62	48	—	6	1	24	390	2	1	1	—	13	—	5	60	1	6
Total R.D.s	—	—	1	39	69	—	2	—	18	157	—	1	—	—	45	1	—	33	—	9
Glamorganshire	**1**	**5**	**36**	**1,389**	**466**	—	**106**	**63**	**1,371**	**9,145**	**6**	**2**	**2**	**6**	**851**	**284**	**210**	**921**	**7**	**101**
Total C.B.s	—	1	14	655	344	—	67	52	674	4,129	4	2	2	—	362	172	56	419	3	43
Cardiff C.B.	—	—	6	351	105	—	49	50	639	980	4	2	—	—	329	57	38	266	1	20
Merthyr Tydfil C.B.	—	—	1	114	6	—	1	2	1	534	—	—	—	—	2	1	—	44	—	8
Swansea C.B.	—	1	7	190	233	—	17	—	34	2,615	—	—	2	—	31	114	18	109	2	15
Total M.B.s and U.D.s	—	4	19	658	87	—	36	4	524	3,381	1	—	—	5	397	96	106	366	3	48
Total R.D.s	1	—	3	76	35	—	3	7	173	1,635	1	—	—	1	92	16	48	136	1	10
Merionethshire	—	—	—	**5**	**14**	—	**2**	—	**4**	**351**	—	—	—	—	**12**	—	**18**	**35**	—	**8**
Total U.D.s	—	—	—	5	—	—	—	—	—	237	—	—	—	—	—	—	15	20	—	4
Total R.D.s	—	—	—	—	14	—	2	—	4	114	—	—	—	—	12	—	3	15	—	4
Monmouthshire	**2**	**2**	**10**	**281**	**454**	—	**17**	**2**	**300**	**3,971**	**6**	**1**	—	**1**	**122**	**18**	**42**	**250**	—	**29**
Newport C.B.	—	1	4	87	229	—	6	1	280	1,076	—	—	—	1	23	4	33	59	—	8
Total M.B.s and U.D.s	1	1	6	174	189	—	9	1	11	2,436	5	1	—	—	85	14	8	167	—	17
Total R.D.s	1	—	—	20	36	—	2	—	9	459	1	—	—	—	14	—	1	24	—	4
Montgomeryshire	—	—	—	**8**	**66**	—	**2**	—	**2**	**573**	—	—	—	—	**46**	**1**	**8**	**16**	—	**7**
Total M.B.s and U.D.s	—	—	—	3	8	—	—	—	—	255	—	—	—	—	25	1	—	9	—	2
Total R.D.s	—	—	—	5	58	—	2	—	2	318	—	—	—	—	21	—	8	7	—	5
Pembrokeshire	—	—	**2**	**27**	**85**	—	**7**	**3**	**2**	**1,114**	**1**	—	—	—	**22**	—	—	**34**	**1**	**2**
Total M.B.s and U.D.s	—	—	2	18	17	—	7	2	1	607	1	—	—	—	17	—	—	28	—	—
Total R.D.s	—	—	—	9	68	—	—	1	1	507	—	—	—	—	5	—	—	6	1	2
Radnorshire	—	—	—	**12**	**15**	—	—	—	—	**55**	—	—	—	—	**1**	—	—	**1**	—	—
Total U.D.s	—	—	—	2	6	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Total R.D.s	—	—	—	10	9	—	—	—	—	54	—	—	—	—	1	—	—	1	—	—

† Notifications of tuberculosis have for some years been recorded on annual returns submitted by local authorities to the Ministry of Health and figures have been published in the annual reports of the Chief Medical Officer of the Ministry of Health. In 1954 for the first time, weekly and quarterly returns of notifications of infectious diseases sent by Medical Officers of Health to the General Register Office were extended to include tuberculosis notifications. Figures derived from the quarterly returns are included in Tables 30 and 31 of this volume. They are intended to relate to formal notifications of new cases of tuberculosis, corrected for any revision of diagnosis, but it is known that in some areas certain other cases have also been included, e.g. notifications of cases which have already been notified in the same or another area.

The total of 30,062 cases recorded on these returns compares with a total of 29,838 formal primary notifications recorded on the annual returns to the Ministry of Health for 1958.

TABLE 32. Quarterly air temperature, rainfall and sunshine, 1958 — **England and Wales**

Note. The averages used for rainfall and rain-days are for the period 1916–50, while those for temperature and sunshine are for 1921–50.

District	Air temperature			Rainfall		Sunshine	Air temperature			Rainfall		Sunshine
	Highest	Lowest	Difference from average daily mean	Percentage of average	Number of days difference from average	Percentage of average	Highest	Lowest	Difference from average daily mean	Percentage of average	Number of days difference from average	Percentage of average
	Quarter ended 31st March						Quarter ended 30th June					
	°F	°F	°F	%		%	°F	°F	°F	%		%
England N.E.	59	— 2	—2·6	157	+ 5	117	76	17	—1·2	138	+ 8	86
England E.	61	13	—0·9	123	+ 8	96	78	23	—0·6	166	+ 7	91
Midland Counties	60	— 3	—1·3	127	+ 1	101	77	20	—0·6	129	+ 6	86
England S.E.	61	7	—0·4	108	— 1	83	80	21	—0·8	132	+ 4	90
England N.W. and North Wales	61	4	—1·5	119	+ 1	97	76	15	—0·9	125	+ 7	87
England S.W. and South Wales	61	5	—0·8	117	+ 5	86	76	22	—1·0	119	+ 5	90
Mean	—	—	—1·3	125	+ 3	97	—	—	—0·9	135	+ 6	88
	Quarter ended 30th September						Quarter ended 31st December					
England N.E.	83	32	+ 0·2	100	+ 7	95	66	19	+ 0·3	79	— 5	95
England E.	83	34	+ 0·5	138	+ 9	91	68	23	+ 1·0	99	+ 1	84
Midland Counties	85	33	+ 0·6	127	+ 9	84	69	22	+ 0·5	102	— 1	78
England S.E.	84	35	+ 0·4	132	+10	87	66	24	+ 1·3	103	— 2	87
England N.W. and North Wales	80	31	+ 0·9	129	+ 5	92	66	17	+ 0·3	74	— 4	83
England S.W. and South Wales	80	37	+ 0·3	145	+14	82	67	22	+ 0·5	86	— 1	75
Mean	—	—	+ 0·5	129	+ 9	89	—	—	+ 0·7	91	— 2	84
	Year 1958											
England N.E.	83	— 2	—0·8	111	+15	95						
England E.	83	13	0·0	126	+25	91						
Midland Counties	85	— 3	—0·2	118	+15	86						
England S.E.	84	7	+ 0·1	116	+10	88						
England N.W. and North Wales	80	4	—0·3	109	+ 9	89						
England S.W. and South Wales	80	5	—0·3	113	+23	85						
Mean	—	—	—0·3	115	+16	89						

TABLE 33. Rainfall, mean temperature and sunshine, 1909-1958 — **England and Wales**

Note. Since January 1953 the averages used for temperature and sunshine are for the period 1921–50. Since January 1958 the average used for rainfall is for the period 1916–50.

Year	Fall of rain in inches	Departure from average of 35 years (1881-1915)	Mean temperature of the air at sea-level	Departure from average of 30 years (1906-1935)	Mean daily sunshine	Departure from average of 30 years (1906-1935)
	ins.	ins.	°F.	°F.	hours	hours
1909	37·0	+1·8	48·4	− 1·3	4·04	+0·09
1910	39·8	+4·6	49·6	− 0·1	3·87	− 0·08
1911	33·1	− 2·1	50·8	+1·1	4·59	+0·64
1912	44·0	+8·8	49·6	− 0·1	3·35	− 0·60
1913	34·5	− 0·7	50·5	+0·8	3·61	− 0·34
1914	38·1	+2·9	50·7	+1·0	4·27	+0·32
1915	38·8	+3·6	49·0	− 0·7	4·10	+0·15
1916	40·1	+4·9	49·4	− 0·3	3·61	− 0·34
1917	34·5	− 0·7	48·3	− 1·4	4·03	+0·08
1918	37·7	+2·5	50·0	+0·3	4·08	+0·13
1919	37·0	+1·8	48·2	− 1·5	4·01	+0·06
1920	38·4	+3·2	50·2	+0·5	3·66	− 0·29
1921	24·7	−10·5	51·8	+2·1	4·60	+0·65
1922	37·1	+1·9	47·8	− 1·9	4·02	+0·07
1923	39·8	+4·6	49·2	− 0·5	3·87	− 0·08
1924	42·3	+7·1	49·5	− 0·2	3·75	− 0·20
1925	37·3	+2·1	49·4	− 0·3	4·09	+0·14
1926	35·9	+0·7	50·3	+0·6	3·77	− 0·18
1927	43·3	+8·1	49·4	− 0·3	3·61	− 0·34
1928	40·4	+5·2	50·1	+0·4	4·12	+0·17
1929	35·2	0·0	49·1	− 0·6	4·52	+0·57
1930	41·4	+6·2	50·0	+0·3	3·84	− 0·11
1931	38·4	+3·2	49·2	− 0·5	3·60	− 0·35
1932	36·3	+1·1	49·9	+0·2	3·53	− 0·42
1933	28·6	− 6·6	50·6	+0·9	4·42	+0·47
1934	33·5	− 1·7	50·9	+1·2	4·08	+0·13
1935	39·8	+4·6	50·5	+0·8	4·13	+0·18
1936	38·4	+3·2	49·8	+0·1	3·56	− 0·39
1937	38·8	+3·6	50·1	+0·4	3·46	− 0·49
1938	34·9	− 0·3	51·0	+1·3	3·84	− 0·11
1939	39·9	+4·7	50·3	+0·6	3·97	+0·02
1940	35·6	+0·4	49·3	− 0·4	4·18	+0·23
1941	33·8	− 1·4	49·2	− 0·5	3·67	− 0·28
1942	33·1	− 2·1	49·2	− 0·5	3·90	− 0·05
1943	32·8	− 2·4	51·0	+1·3	4·25	+0·30
1944	35·3	+0·1	50·1	+0·4	3·73	− 0·22
1945	32·8	− 2·4	51·4	+1·7	3·81	− 0·14
1946	41·6	+6·4	50·0	+0·3	3·83	− 0·12
1947	32·4	− 2·8	50·1	+0·4	3·97	+0·02
1948	37·5	+2·3	50·9	+1·2	4·12	+0·17
1949	30·9	− 4·3	51·9	+2·2	4·63	+0·68
1950	40·2	+5·0	50·1	+0·4	3·94	− 0·01
1951	43·7	+8·5	49·7	0·0	3·98	+0·03
1952	35·5	+0·3	49·5	− 0·2	4·10	+0·15
1953	29·8	− 5·4	50·7	+0·6	4·04	+0·08
1954	42·7	+7·5	49·6	− 0·5	3·52	− 0·44
1955	30·9	− 4·3	49·7	− 0·4	4·47	+0·51
1956	34·0	− 1·2	48·9	− 1·2	3·88	− 0·08
1957	35·7	+0·5	51·0	+0·9	4·04	+0·08
1958	41·6	+5·1	49·8	− 0·3	3·52	− 0·44

TABLE 34. Meteorological observations, 1958. **Kew Observatory, Richmond**

Month	Temperature of the air				Rain collected in a gauge whose receiving surface is 10 inches above the ground		Sunshine registered in hours		Atmospheric pollution	
	Highest for month	Lowest for month	Mean daily value	Departure from average of 80 years	Total	Departure from average of 80 years	Total	Departure from average of 70 years	Maximum for month	Mean
	°F	°F	°F	°F	ins.	ins.	hours	hours	mg/m$_3$	mg/m$_3$
January	55·8	23·2	40·6	+0·9	1·91	—0·05	42·9	+ 1·1	1·450	0·196
February	56·7	29·3	43·0	+2·7	2·30	+0·75	48·1	—10·3	0·800	0·139
March	56·3	25·2	40·3	—2·5	1·02	—0·52	118·8	+12·1	0·800	0·188
April	72·3	31·3	46·6	—0·9	1·28	—0·43	156·8	+7·6	0·450	0·089
May	76·1	39·6	54·5	+0·9	2·28	+0·53	201·9	+ 4·4	0·300	0·055
June	77·2	43·9	58·8	—0·6	4·13	+2·15	164·5	—36·0	0·200	0·055
July	80·4	48·9	62·6	—0·1	2·48	+0·10	210·0	+14·5	0·100	0·051
August	80·8	50·2	61·7	—0·1	3·41	+1·17	127·6	—57·4	0·200	0·056
September	75·7	42·8	60·4	+3·0	3·96	+1·97	146·7	+ 5·8	0·200	0·064
October	62·8	40·6	53·2	+ 2·9	2·04	—0·47	93·6	+ 0·4	0·700	0·119
November	57·4	31·5	45·7	+1·5	1·89	—0·45	42·6	— 8·6	1·000	0·196
December	55·2	32·7	42·8	+2·1	2·97	+0·81	33·2	— 4·1	1·450	0·156
Means	—	—	50·9	+0·9	sum 29·67	+5·56	sum 1386·7	—70·5	—	0·114

Additional meteorological information may be obtained from the Monthly Weather Reports and Annual Report on the Meteorological Office, and the annual volume of the British Rainfall Organisation, published by Her Majesty's Stationery Office.

APPENDICES

Appendix A. Standardised Mortality Ratios (based on United Kingdom experience), age specific death rates and infant mortality rates from selected causes, 1958

England and Wales
Scotland
Northern Ireland

Registrar General's Special Cause List Nos.	Cause of death (and ISC Nos.)	Country	S.M.R. All ages M	S.M.R. All ages F	Death rates per million population: All ages M	All ages F	1–4 M	1–4 F	5–14 M	5–14 F	15–24 M	15–24 F
	All causes	**England and Wales**	**99**	**98**	**12,447**	**10,965**	**991·2**	**767·2**	**439·4**	**274·8**	**948·7**	**447·1**
		Scotland	**109**	**116**	**12,809**	**11,268**	**981·1**	**924·6**	**497·5**	**310·5**	**996·7**	**482·1**
		Northern Ireland	**115**	**128**	**13,323**	**11,639**	**1,183**	**977·4**	**516·9**	**263·2**	**924·6**	**401·4**
1	Tuberculosis of respiratory system (001-008)	England and Wales	96	92	135·6	44·9	*1·47*	*1·54*	*1·41*	*0·59*	9·26	9·95
		Scotland	133	168	173·8	77·0	*11·0*	*5·78*	—	—	*8·77*	*16·4*
		Northern Ireland	120	127	146·3	54·3	—	—	*14·8*	—	*9·07*	—
2	Tuberculosis, other forms (010-019)	England and Wales	100	101	11·9	9·54	*9·52*	*10·8*	*3·66*	*3·53*	7·12	*3·20*
		Scotland	99	87	11·3	7·81	*11·0*	—	*9·13*	*4·78*	*8·77*	*2·74*
		Northern Ireland	105	113	*11·7*	*9·74*	—	*18·8*	*7·38*	*7·74*	*9·07*	*19·1*
3	Syphilis and its sequelae (020-029)	England and Wales	104	105	30·0	16·6	—	—	*0·28*	—	—	*0·71*
		Scotland	61	48	16·1	*6·69*	—	—	—	—	—	—
		Northern Ireland	122	110	30·7	*13·9*	—	—	—	—	—	—
4	Meningococcal infections (057)	England and Wales	97	99	3·27	3·17	16·1	*12·3*	*0·56*	*0·88*	*0·36*	*0·71*
		Scotland	137	126	*5·24*	*4·46*	*33·1*	*23·1*	—	—	—	—
		Northern Ireland	69	36	*2·93*	*1·39*	*35·3*	18·8	—	—	—	—
5	Acute poliomyelitis (080)	England and Wales	93	108	3·27	2·48	*5·13*	*5·40*	*3·09*	*2·95*	*3·21*	*4·62*
		Scotland	145	45	*5·24*	*1·12*	—	*5·78*	*4·56*	—	*5·85*	—
		Northern Ireland	163	54	*5·85*	*1·39*	*17·7*	—	—	—	*9·07*	*9·56*
6	Other infective and parasitic diseases (rem. 001-138)	England and Wales	97	98	24·9	22·4	27·1	28·5	12·7	9·72	7·12	*6·04*
		Scotland	101	111	25·4	24·5	*38·6*	*23·1*	*9·13*	*4·78*	*2·92*	*13·7*
		Northern Ireland	179	116	45·4	25·0	*53·0*	*37·6*	*7·38*	—	*9·07*	—
7	Malignant neoplasm of— buccal cavity and pharynx (140-148)	England and Wales	98	98	58·3	28·1	*2·20*	*0·77*	*1·13*	*0·59*	*0·71*	*1·78*
		Scotland	114	117	62·1	29·7	—	—	—	—	—	*2·74*
		Northern Ireland	106	125	57·1	29·2	—	—	—	—	—	—
8	oesophagus (150)	England and Wales	98	96	59·8	42·5	—	—	—	—	—	*0·36*
		Scotland	128	132	71·8	50·6	—	—	—	—	—	—
		Northern Ireland	75	122	41·0	43·1	—	—	—	—	—	—
9	stomach (151)	England and Wales	99	97	364·9	264·4	—	—	—	—	*1·78*	*0·71*
		Scotland	106	121	357·7	287·8	—	—	—	—	*5·85*	*2·74*
		Northern Ireland	107	128	345·3	279·6	—	—	—	—	—	—
10	large intestine (153)	England and Wales	97	98	170·1	232·4	—	—	—	—	*0·71*	*1·07*
		Scotland	129	125	208·9	258·4	—	—	—	—	*2·92*	—
		Northern Ireland	100	100	158·0	190·6	—	—	—	—	—	—
11	rectum (154)	England and Wales	100	101	144·0	107·0	—	—	*0·28*	—	*1·07*	*0·36*
		Scotland	101	96	133·5	88·9	—	—	—	—	*2·92*	—
		Northern Ireland	89	69	114·1	58·4	—	—	—	—	—	*9·56*
12	larynx (161)	England and Wales	101	94	30·4	7·32	—	—	—	—	—	—
		Scotland	102	129	28·2	8·92	—	—	—	—	—	—
		Northern Ireland	55	220	*14·6*	*13·9*	—	—	—	—	—	—
13	trachea, bronchus, and lung (162, 163)	England and Wales	100	99	783·7	119·0	*0·73*	*0·77*	*0·28*	—	*2·49*	*1·78*
		Scotland	106	116	760·9	126·1	—	—	—	—	*2·92*	*5·48*
		Northern Ireland	58	72	384·8	71·0	—	—	—	—	—	*9·56*
14	breast (170)	England and Wales	103	101	3·36	383·0	—	—	—	—	—	*0·71*
		Scotland	81	95	*2·42*	323·2	—	—	—	—	—	—
		Northern Ireland	51	88	*1·46*	274·1	—	—	—	—	—	—
15	cervix uteri (171)	England and Wales	—	103	—	115·6	—	—	—	*0·29*	—	—
		Scotland	—	79	—	81·1	—	—	—	—	—	—
		Northern Ireland	—	60	—	55·7	—	—	—	—	—	—
16	corpus uteri (172)	England and Wales	—	109	—	50·9	—	—	—	—	—	—
		Scotland	—	36	—	15·2	—	—	—	—	—	—
		Northern Ireland	—	22	—	*8·35*	—	—	—	—	—	—
17	prostate (177)	England and Wales	100	—	166·2	—	*2·20*	—	—	—	—	—
		Scotland	99	—	151·6	—	—	—	—	—	—	—
		Northern Ireland	99	—	152·1	—	—	—	—	—	—	—
18	bladder (181)	England and Wales	102	99	92·4	36·9	*0·73*	*1·54*	*0·28*	—	*0·36*	—
		Scotland	92	104	77·0	33·5	—	—	—	—	—	—
		Northern Ireland	72	108	58·5	32·0	—	—	—	—	—	—
19	Leukaemia and aleukaemia (204)	England and Wales	101	100	59·8	46·4	50·5	38·6	34·6	20·3	22·4	11·4
		Scotland	96	104	55·2	45·4	*60·6*	*52·0*	*25·1*	*19·1*	*29·2*	*16·4*
		Northern Ireland	91	100	51·2	41·7	—	*37·6*	*51·7*	*15·5*	*45·3*	—
20	Other malignant neoplasms (rem. 140-205)	England and Wales	98	98	400·3	495·2	67·4	47·8	43·0	31·2	60·9	54·4
		Scotland	115	113	437·9	514·3	*55·1*	*46·2*	*38·8*	*33·4*	76·0	*52·0*
		Northern Ireland	100	121	361·4	505·0	*35·3*	*37·6*	*22·2*	*23·2*	*63·5*	*38·3*

Death rates per million population

25–34 M	25–34 F	35–44 M	35–44 F	45–54 M	45–54 F	55–64 M	55–64 F	65–74 M	65–74 F	75–84 M	75–84 F	85 and over M	85 and over F	Deaths under 1 year per thousand live births M	Deaths under 1 year per thousand live births F	Registrar General's Special Cause List Nos.
1,169	**797·7**	**2,432**	**1,800**	**7,396**	**4,497**	**21,858**	**10,927**	**54,251**	**30,880**	**124,563**	**87,464**	**242,625**	**215,559**	**25·3**	**19·6**	
1,393	**1,074**	**3,173**	**2,456**	**9,040**	**5,509**	**24,856**	**13,695**	**59,659**	**37,005**	**127,254**	**99,763**	**257,059**	**248,079**	**30·9**	**24·3**	
1,435	**947·5**	**3,185**	**2,842**	**9,322**	**6,925**	**26,533**	**16,012**	**62,741**	**43,049**	**132,722**	**102,964**	**317,570**	**279,392**	**31·3**	**24·6**	
37·9	48·5	85·2	57·9	166·4	51·5	400·8	69·0	572·3	99·1	450·7	104·6	*181·8*	*79·8*	*0·01*	*0·01*	1
86·9	143·7	148·6	167·7	283·7	67·1	536·1	79·9	656·7	125·6	409·0	132·0	*117·2*	*129·2*	—	*0·02*	
35·9	*64·6*	*181·7*	*56·4*	*175·4*	*92·0*	489·8	*98·8*	562·8	*165·3*	*635·8*	*192·7*	*815·3*	—	—	—	
6·70	*5·02*	11·9	7·16	13·6	9·74	19·8	14·7	28·7	19·2	*32·3*	29·3	*45·5*	*26·6*	*0·01*	*0·01*	2
8·69	—	*3·03*	*11·4*	*14·9*	*11·2*	*16·4*	*13·3*	*14·0*	*19·3*	*31·5*	—	*117·2*	*64·6*	*0·02*	*0·02*	
12·0	*10·8*	—	—	*25·1*	—	*16·3*	—	*26·8*	—	*53·0*	*77·1*	—	—	—	—	
2·35	*0·33*	8·68	*1·87*	21·5	9·14	73·3	35·2	189·8	64·1	171·8	88·0	*136·4*	159·6	*0·01*	*0·00*	3
—	—	*12·1*	—	*11·9*	*5·59*	*57·3*	*23·3*	*97·8*	*43·5*	*47·2*	—	*117·2*	—	—	—	
—	*10·8*	—	*11·3*	*62·6*	—	*130·6*	*56·5*	*160·8*	*62·0*	*106·0*	—	—	*266·6*	—	—	
0·34	*0·33*	*0·32*	*1·25*	*0·63*	*1·22*	*1·29*	*1·44*	*0·72*	*1·48*	*1·70*	*1·96*	—	—	0·10	0·10	4
—	—	—	—	—	—	*4·09*	—	—	—	—	—	—	—	*0·12*	*0·17*	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
8·04	8·36	*4·50*	*0·62*	*1·58*	—	*0·43*	*0·36*	—	—	—	—	—	—	—	—	5
11·6	*5·64*	*3·03*	—	*5·97*	—	—	—	—	—	—	—	—	—	*0·04*	—	
23·9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
9·05	10·0	13·8	*12·5*	25·6	21·9	33·2	27·3	65·9	40·9	79·9	65·5	*147·7*	127·7	0·15	0·13	6
2·90	*11·3*	*12·1*	*14·2*	*38·8*	30·8	*32·7*	*33·3*	*55·9*	*29·0*	*78·7*	*101·6*	*234·3*	*129·2*	*0·20*	*0·14*	
—	*10·8*	*24·2*	*11·3*	*50·1*	*23·0*	*49·0*	*42·4*	*107·2*	*62·0*	*264·9*	—	—	—	*0·51*	*0·41*	
2·68	*3·68*	6·75	8·72	29·1	27·7	101·4	51·4	264·3	80·9	756·8	162·3	988·6	244·7	*0·00*	—	7
2·90	—	*12·1*	*2·84*	*32·9*	*28·0*	*102·3*	*46·6*	363·3	115·9	833·8	223·4	*937·3*	*516·7*	—	—	
—	—	*12·1*	—	*25·1*	*34·5*	*81·6*	*42·4*	*375·2*	*144·6*	*582·8*	*269·8*	*244·6*	*266·6*	—	—	
1·68	*1·00*	6·43	*4·98*	33·5	20·4	123·4	61·8	345·3	159·3	598·6	320·6	556·8	441·5	—	—	8
—	*2·82*	*18·2*	*8·53*	*44·8*	*33·6*	188·2	93·2	335·4	183·6	881·0	467·2	*820·2*	*516·7*	—	—	
—	—	*12·1*	—	*12·5*	*34·5*	*98·0*	*42·4*	*294·8*	*247·9*	*423·9*	*385·5*	*407·7*	*799·8*	—	—	
9·72	12·4	69·1	41·1	303·4	128·2	885·2	362·2	1,926	1,001	2,954	2,032	2,830	2,495	—	—	9
17·4	*14·1*	*45·5*	*45·5*	370·3	195·7	888·0	476·0	2,131	1,111	3,146	2,519	*2,109*	3,940	—	—	
23·9	*32·3*	*48·4*	*45·1*	375·9	*195·6*	1,045	480·1	1,742	1,301	3,391	2,660	*2,854*	*2,933*	—	—	
8·38	10·4	36·7	40·2	103·4	136·7	305·9	335·2	861·7	767·3	1,871	1,745	2,477	2,899	—	—	10
17·4	*5·64*	*39·4*	*51·2*	173·2	181·8	376·5	419·4	1,076	1,063	2,533	2,163	3,866	3,294	—	—	
—	*21·5*	*36·3*	*33·8*	*100·2*	*115·0*	*277·6*	381·2	1,099	867·6	1,748	1,696	*2,446*	*2,399*	—	—	
4·36	*4·01*	22·5	20·9	90·8	69·1	290·8	171·0	735·0	367·4	1,565	731·2	1,568	1,197	—	—	11
17·4	—	*48·5*	*28·4*	89·6	67·1	253·7	176·4	803·5	405·7	1,337	528·1	*1,875*	*1,033*	—	—	
12·0	—	*72·7*	*11·3*	*62·6*	*11·5*	*228·6*	*169·4*	670·0	*309·9*	1,272	*385·5*	*1,223*	*533·2*	—	—	
1·34	—	*3·54*	*2·49*	22·1	9·14	66·0	14·0	173·4	20·7	253·4	44·0	375·0	*37·2*	—	—	12
—	—	*3·03*	—	*26·9*	*8·39*	*73·7*	*26·6*	*118·8*	*53·1*	377·6	—	*117·2*	*129·2*	—	—	
—	—	*12·1*	—	*12·5*	*11·5*	*32·7*	*28·2*	*80·4*	*41·3*	*158·9*	*115·6*	—	*533·2*	—	—	
23·5	11·0	166·2	47·9	916·5	135·2	2,684	278·5	3,923	400·9	2,969	468·2	1,182	404·3	—	—	13
20·3	*16·9*	263·9	62·5	958·7	145·4	3,012	326·2	3,885	468·5	2,643	568·7	*1,289*	*387·5*	—	—	
47·8	—	*133·2*	*33·8*	538·8	*103·5*	1,731	*141·2*	1,956	*392·5*	1,325	*346·9*	407·7	—	—	—	
—	38·8	*1·61*	213·9	*3·48*	556·0	*5·61*	757·1	*13·6*	1,089	37·4	1,525	*34·1*	2,351	—	—	14
—	*33·8*	—	204·7	—	536·9	*12·3*	709·0	*14·0*	1,019	*15·7*	1,361	—	2,261	—	—	
—	*10·8*	—	225·5	—	506·2	—	480·1	*26·8*	991·5	—	1,542	—	*2,666*	—	—	
—	23·7	—	99·3	—	177·8	—	245·8	—	303·7	—	348·0	—	377·7	—	—	15
—	*14·1*	—	110·9	—	156·6	—	193·1	—	188·4	—	*182·8*	—	*193·8*	—	—	
—	—	—	*56·4*	—	*149·6*	—	*141·2*	—	*82·6*	—	*231·3*	—	*533·2*	—	—	
—	*0·67*	—	7·78	—	44·8	—	130·8	—	178·0	—	248·3	—	191·5	—	—	16
—	—	—	—	—	*8·39*	—	66·6	—	*67·6*	—	*20·3*	—	*129·2*	—	—	
—	—	—	—	—	—	—	*56·5*	—	—	—	*38·5*	—	*266·6*	—	—	
—	—	*1·61*	—	18·0	—	155·7	—	921·9	—	2,707	—	3,511	—	—	—	17
—	—	—	—	*26·9*	—	118·7	—	992·1	—	2,501	—	4,335	—	—	—	
—	—	—	—	*12·5*	—	*130·6*	—	1,099	—	2,702	—	*1,223*	—	—	—	
1·01	—	8·68	*4·36*	46·5	16·1	202·8	51·7	512·2	142·5	932·0	283·5	1,091	377·7	—	—	18
—	*2·82*	*9·10*	*2·84*	*26·9*	*30·8*	184·1	*53·3*	398·2	144·9	1,070	253·9	*1,054*	387·5	—	—	
—	—	*12·1*	*11·3*	*62·6*	*46·0*	*147·0*	*56·5*	*268·0*	*144·6*	*529·8*	*192·7*	*2,038*	*533·2*	—	—	
23·8	16·4	33·4	24·9	48·4	40·8	114·3	66·1	193·4	123·8	261·9	190·6	*204·5*	159·6	*0·03*	*0·03*	19
37·6	*19·7*	*18·2*	*14·2*	*41·8*	*47·5*	110·5	69·9	153·7	130·4	346·1	*172·7*	*117·2*	*129·2*	—	*0·06*	
47·8	*21·5*	—	*22·6*	*25·1*	*57·5*	*65·3*	*113·0*	*187·6*	*123·9*	*317·9*	*115·6*	—	—	—	—	
107·5	69·2	163·3	184·9	432·1	503·3	934·0	995·7	1,635	1,606	2,323	2,196	2,943	2,686	0·06	*0·05*	20
136·1	81·7	175·9	196·2	489·8	604·0	1,146	1,138	1,831	1,874	3,005	2,498	3,515	3,100	*0·02*	*0·08*	
35·9	*75·4*	*157·5*	248·1	413·5	621·2	996·0	1,130	1,742	2,066	2,755	2,968	*3,261*	*3,732*	—	—	

Registrar General's Special Cause List Nos.	Cause of death (and ISC Nos.)	Country	S.M.R. All ages M	S.M.R. All ages F	Death rates per million population All ages M	All ages F	1–4 M	1–4 F	5–14 M	5–14 F	15–24 M	15–24 F
21	All malignant neoplasms and neoplasms of the lymphatic and haemato-poietic tissues (140-205)	England and Wales	100	99	2,333	1,929	123·8	89·4	79·6	52·4	90·5	72·5
		Scotland	108	107	2,347	1,863	115·7	*98·2*	63·9	52·5	119·8	79·4
		Northern Ireland	84	101	1,739	1,603	*35·3*	*75·2*	*73·8*	*38·7*	*108·8*	*57·4*
22	Diabetes mellitus (260)	England and Wales	97	94	53·0	92·6	*4·40*	*3·08*	*0·84*	*2·06*	*3·92*	*3·20*
		Scotland	124	161	62·5	138·7	—	—	—	—	*2·92*	*2·74*
		Northern Ireland	115	102	57·1	80·7	—	*18·8*	—	*7·74*	—	—
23	Anaemias (290-293) ..	England and Wales	98	95	26·5	47·5	*5·86*	*3·86*	*1·97*	*3·53*	*2·85*	*2·84*
		Scotland	111	147	27·8	63·2	*5·51*	*5·78*	—	*2·39*	*2·92*	*2·74*
		Northern Ireland	122	135	30·7	54·3	—	—	—	*15·5*	—	—
24	Vascular lesions affecting central nervous system (330-334)	England and Wales	98	97	1,439	1,921	*2·93*	*3·86*	*3·09*	*5·01*	17·5	11·4
		Scotland	123	130	1,658	2,183	*11·0*	*5·78*	*6·85*	*9·55*	*14·6*	*21·9*
		Northern Ireland	97	112	1,304	1,750	—	—	7·38	*7·74*	*27·2*	*9·56*
25	Multiple sclerosis (345)	England and Wales	87	95	15·0	23·1	—	—	*0·56*	—	*0·71*	*2·13*
		Scotland	214	136	34·3	31·2	—	—	—	—	*5·85*	*2·74*
		Northern Ireland	121	152	*17·6*	32·0	—	—	—	—	—	*9·56*
26	Rheumatic fever and chronic rheumatic heart disease (400-402, 410-416)	England and Wales	100	99	121·3	210·9	*2·20*	*0·77*	*5·34*	*2·06*	18·9	22·0
		Scotland	90	110	100·8	216·4	—	—	*2·28*	*4·78*	*20·5*	*21·9*
		Northern Ireland	129	99	136·1	176·7	—	—	—	*7·74*	*45·3*	*28·7*
27	Arteriosclerotic heart disease, including coronary disease (420)	England and Wales	98	97	2,395	1,368	—	—	*0·28*	—	*3·92*	*0·36*
		Scotland	114	122	2,564	1,472	—	—	*2·28*	—	*5·85*	*2·74*
		Northern Ireland	116	121	2,506	1,347	—	—	—	—	—	—
28	Other heart diseases (421, 422, 430-434)	England and Wales	97	97	1,334	1,753	*5·86*	*3·08*	*2·81*	*1·47*	12·5	8·17
		Scotland	121	132	1,509	1,946	—	—	—	*7·16*	*23·4*	*19·2*
		Northern Ireland	115	122	1,470	1,692	—	—	*7·38*	*7·74*	*9·07*	*28·7*
29	Hypertensive disease (440-447)	England and Wales	102	100	400·0	468·6	—	—	*0·56*	*0·29*	*4·27*	*1·78*
		Scotland	87	102	313·3	408·3	—	—	—	—	*2·92*	*8·22*
		Northern Ireland	95	104	337·9	386·8	—	—	—	—	—	—
30	Other circulatory diseases (450-468)	England and Wales	100	100	344·5	382·7	*0·73*	*2·31*	*0·84*	*1·47*	*4·99*	*3·20*
		Scotland	101	106	318·6	336·9	—	—	—	—	*11·7*	*5·48*
		Northern Ireland	82	92	258·9	272·7	*17·7*	—	—	—	*9·07*	*9·56*
31	Influenza (480-483) ..	England and Wales	105	103	55·9	50·7	10·3	*6·94*	*2·81*	*2·95*	*6·41*	*6·04*
		Scotland	60	61	29·4	26·0	—	*5·78*	—	—	*11·7*	*2·74*
		Northern Ireland	67	115	32·2	45·9	*17·7*	—	—	—	—	—
32	Pneumonia (490-493) ..	England and Wales	101	101	542·6	511·0	155·3	124·9	17·2	21·2	27·4	14·2
		Scotland	88	87	442·0	376·3	121·3	132·9	*25·1*	*9·55*	*20·5*	*19·2*
		Northern Ireland	97	100	496·0	413·2	*158·9*	*94·0*	*7·38*	*7·74*	*27·2*	*19·1*
33	Bronchitis (500-502) ..	England and Wales	103	103	934·8	388·2	40·3	32·4	7·31	*5·30*	9·26	*6·40*
		Scotland	78	79	649·2	254·4	*38·6*	*28·9*	*2·28*	*7·16*	*2·92*	—
		Northern Ireland	65	82	526·7	249·0	—	*18·8*	—	*7·74*	—	—
34	Other respiratory diseases (470-475, 510-527)	England and Wales	99	100	169·4	68·1	22·0	*13·1*	8·44	7·66	9·97	7·46
		Scotland	119	86	189·9	51·7	*16·5*	*40·5*	*4·56*	*4·78*	—	*11·0*
		Northern Ireland	74	174	112·6	98·8	—	—	*14·8*	*7·74*	*9·07*	*9·56*
35	Ulcer of stomach and duodenum (540, 541)	England and Wales	100	100	157·5	63·0	—	—	*0·84*	*0·29*	*2·85*	*0·71*
		Scotland	108	100	156·9	53·9	—	—	—	—	*5·85*	*2·74*
		Northern Ireland	72	83	100·9	41·7	—	—	—	—	—	—
36	Appendicitis (550-553) ..	England and Wales	102	101	21·2	14·0	16·8	*6·17*	7·31	*5·30*	*6·05*	*4·26*
		Scotland	97	108	19·4	13·8	*16·5*	*23·1*	*11·4*	*4·78*	*17·5*	—
		Northern Ireland	60	34	*11·7*	*4·17*	—	—	*7·38*	*7·74*	*9·07*	—
37	Intestinal obstruction and hernia (560, 561, 570)	England and Wales	99	98	64·4	62·7	*11·0*	*10·0*	*2·25*	*0·88*	*2·49*	*1·42*
		Scotland	113	120	69·4	67·3	*22·0*	—	—	*2·39*	—	—
		Northern Ireland	90	105	55·6	55·7	*35·3*	*18·8*	—	—	—	—
38	Gastritis and duodenitis, enteritis and colitis (except diarrhoea of newborn) (543, 571, 572)	England and Wales	99	98	45·8	57·6	30·8	23·1	*3·38*	*2·06*	*6·05*	11·4
		Scotland	104	118	46·8	62·5	*5·51*	*23·1*	*2·28*	*7·16*	*14·6*	*11·0*
		Northern Ireland	118	96	54·1	48·7	*105·9*	*18·8*	—	—	—	—
39	Cirrhosis of liver (581)	England and Wales	96	90	29·6	22·8	*2·20*	*1·54*	*1·69*	*1·77*	*0·71*	*2·13*
		Scotland	145	191	41·5	43·9	—	—	*6·85*	*4·78*	*2·92*	*2·74*
		Northern Ireland	87	120	*23·4*	*25·0*	—	—	*7·38*	—	—	—
40	Cholelithiasis, cholecystitis (584, 585)	England and Wales	98	95	21·3	38·9	—	—	—	—	—	*0·36*
		Scotland	131	159	26·2	56·2	—	—	—	—	—	*2·74*
		Northern Ireland	59	68	*11·7*	*22·3*	—	—	—	—	—	—

Death rates per million population 25–34 M	25–34 F	35–44 M	35–44 F	45–54 M	45–54 F	55–64 M	55–64 F	65–74 M	65–74 F	75–84 M	75–84 F	85 and over M	85 and over F	Deaths under 1 year per thousand live births M	Deaths under 1 year per thousand live births F	Registrar General's Special Cause List Nos.
183·9	191·3	519·9	701·4	2,047	1,865	5,869	3,521	11,504	6,240	17,230	10,294	17,761	13,862	0·09	0·08	21
249·0	191·6	633·9	727·8	2,282	2,044	6,466	3,795	12,101	6,825	18,689	10,958	20,035	16,018	*0·02*	*0·14*	
167·4	*161·5*	*496·6*	687·9	1,641	1,887	4,833	3,262	9,541	6,713	15,206	10,948	16,307	15,196	—	—	
9·72	*6·35*	16·7	11·5	27·8	29·2	77·2	118·6	256·4	390·0	620·7	718·5	659·1	707·4	*0·01*	*0·01*	22
14·5	*2·82*	*27·3*	*19·9*	*44·8*	*47·5*	102·3	269·6	328·4	748·7	802·3	995·3	*234·3*	*839·6*	—	—	
12·0	*10·8*	*12·1*	—	*37·6*	*34·5*	*81·6*	*98·8*	348·4	454·5	*794·7*	*771·0*	*407·7*	*799·8*	—	—	
1·34	*4·68*	*2·57*	*3·74*	9·49	11·3	32·4	33·4	110·3	164·7	363·9	437·9	727·3	766·0	*0·01*	*0·01*	23
—	*2·82*	—	*14·2*	*5·97*	*11·2*	*57·3*	*56·6*	111·8	231·9	440·5	700·8	*703·0*	1,486	*0·02*	—	
—	*10·8*	*12·1*	*11·3*	*25·1*	*46·0*	*32·7*	*42·4*	80·4	*289·2*	*635·8*	*462·6*	*407·7*	*533·2*	—	—	
38·2	31·4	119·3	123·0	479·6	479·9	1,862	1,633	6,982	5,988	20,173	18,516	37,443	37,904	*0·04*	*0·01*	24
55·0	64·8	136·5	199·0	624·2	788·5	2,308	2,290	8,754	8,129	25,454	23,654	45,577	50,507	*0·08*	*0·02*	
35·9	*43·1*	*205·9*	*78·9*	551·3	517·7	2,188	2,344	7,022	7,994	17,008	19,197	42,805	39,456	*0·06*	*0·07*	
8·71	13·0	22·8	32·7	31·3	53·0	34·1	49·6	26·5	31·1	*15·3*	*13·7*	*11·4*	—	—	—	25
11·6	*19·7*	*42·5*	*37·0*	65·7	64·3	85·9	83·2	*111·8*	58·0	*94·4*	*30·5*	—	—	—	—	
—	*21·5*	*36·3*	*45·1*	*75·2*	*80·5*	*16·3*	*84·7*	*53·6*	*20·7*	—	77·1	—	—	—	—	
41·9	67·6	96·1	146·9	170·5	297·8	272·2	407·8	426·9	541·9	568·0	784·0	420·5	904·3	*0·00*	—	26
66·6	115·5	109·2	244·5	137·4	338·3	233·3	489·3	426·2	483·0	*283·2*	650·0	*117·2*	*839·6*	—	—	
19·5	*53·8*	*169·6*	*203·0*	*225·5*	402·6	*212·3*	338·9	*482·4*	516·4	*529·8*	*501·1*	*2,038*	*799·8*	—	—	
57·0	6·69	424·8	56·4	1,899	320·0	5,579	1,534	12,332	5,494	20,901	11,794	24,307	17,165	*0·00*	—	27
57·9	*8·45*	649·1	142·2	2,485	556·4	7,014	2,413	14,665	6,844	20,294	13,233	21,910	16,793	—	—	
107·6	*21·5*	*496·6*	*124·1*	2,556	644·2	7,037	2,612	4,821	6,672	20,981	12,066	32,205	20,794	—	—	
25·1	18·4	55·9	40·2	200·9	120·3	963·8	573·8	4,890	3,438	22,369	18,674	66,250	67,356	*0·04*	*0·04*	28
34·7	*19·7*	*45·5*	76·8	310·6	179·0	1,330	865·5	6,470	4,854	26,115	24,933	81,195	90,680	—	*0·02*	
47·8	*10·8*	*133·2*	*112·8*	288·2	*218·6*	1,225	903·7	6,084	4,730	24,160	21,896	84,386	85,311	—	*0·07*	
16·8	7·69	57·2	29·6	202·5	117·2	648·0	420·1	2,009	1,601	4,808	4,438	7,750	7,899	—	—	29
8·69	*11·3*	*51·6*	*22·7*	167·2	167·8	589·3	472·7	1,712	1,715	3,917	4,154	7,264	7,557	—	—	
23·9	—	*36·3*	*22·6*	*162·9*	*103·5*	489·8	522·5	2,090	1,818	4,292	4,279	9,784	8,264	—	—	
12·4	13·7	26·0	33·0	90·2	70·6	347·3	220·6	1,420	899·4	5,124	3,670	14,364	12,495	*0·01*	*0·01*	30
—	*14·1*	*33·4*	*37·0*	98·6	58·7	266·0	169·8	1,209	777·7	5,553	3,930	17,692	17,180	—	—	
12·0	—	—	*45·1*	*87·7*	*103·5*	*277·6*	*197·7*	1,126	888·2	3,868	2,737	14,268	14,396	—	—	
10·1	9·70	18·3	10·3	38·0	21·0	117·8	50·7	234·2	142·5	443·9	363·6	1,034	1,053	*0·04*	*0·05*	31
14·5	*2·82*	3·03	*11·4*	*32·9*	*8·39*	*40·9*	*36·6*	*111·8*	*82·1*	298·9	*162·5*	585·8	*710·5*	*0·04*	*0·10*	
—	—	*12·1*	*11·3*	*37·6*	*34·5*	16·3	*56·5*	*80·4*	*123·9*	*529·8*	*501·1*	*815·3*	*1,333*	*0·06*	*0·07*	
28·5	25·4	63·3	42·7	191·7	113·6	648·0	326·6	2,070	1,185	6,639	4,377	16,750	13,931	2·08	1·86	32
31·9	*19·7*	75·8	*39·8*	215·0	111·8	515·6	286·3	1,900	1,039	4,798	3,555	10,896	9,365	2·98	2·50	
12·0	*21·5*	*121·1*	*78·9*	*125·3*	*80·5*	326·6	282·4	1,956	1,239	5,033	3,547	17,937	16,262	4·65	2·74	
10·4	11·0	69·1	30·5	434·0	102·6	2,044	390·2	5,181	1,168	8,871	3,349	13,750	7,973	0·54	0·40	33
8·69	*25·4*	66·7	*42·6*	501·7	111·8	1,960	392·8	3,871	912·9	4,562	2,153	7,616	5,102	0·39	*0·29*	
47·8	*10·8*	*84·8*	*33·8*	388·4	*103·5*	1,404	282·4	2,895	1,012	5,192	2,776	9,376	5,865	*0·19*	*0·07*	
15·1	11·7	36·3	21·8	124·0	45·4	441·8	90·9	820·9	156·3	1,099	411·5	1,875	1,287	0·17	0·11	34
20·3	*16·9*	*45·5*	*28·4*	98·6	*36·4*	495·2	66·6	1,272	159·4	1,447	294·5	1,172	710·5	0·12	*0·08*	
12·0	—	*12·1*	*56·4*	*162·9*	*69·0*	*293·9*	*141·2*	*509·2*	*309·9*	*900·7*	886·6	*2,038*	*2,399*	—	*0·07*	
12·1	*6·35*	32·5	11·2	121·5	27·1	317·1	66·5	775·8	210·1	1,539	511·2	1,864	1,005	*0·02*	*0·01*	35
17·4	*5·64*	60·7	*19·9*	131·4	*41·9*	401·0	79·9	817·4	231·9	1,447	436·7	1,172	*322·9*	—	—	
—	—	*36·3*	*22·6*	*25·1*	—	391·9	*70·6*	589·6	*165·3*	*900·7*	*462·6*	*407·7*	*799·8*	—	—	
7·71	*5·02*	7·72	*2·80*	15·2	9·14	40·6	16·9	79·5	36·0	125·9	91·9	227·3	*95·7*	*0·01*	*0·01*	36
8·69	*2·82*	3·03	*8·53*	*23·9*	*8·39*	*40·9*	*23·3*	*55·9*	*38·6*	*47·2*	*81·2*	—	*64·6*	*0·02*	—	
—	—	—	*11·3*	*12·5*	—	*16·3*	—	*80·4*	—	*53·0*	*38·5*	—	—	—	—	
5·36	*2·34*	11·9	9·34	33·9	20·4	92·8	64·3	272·9	194·3	661·6	530·8	1,114	829·8	0·33	*0·19*	37
11·6	*8·45*	*9·10*	*19·9*	*35·8*	*33·6*	98·2	76·6	349·3	227·0	739·4	599·2	*1,757*	*1,163*	*0·25*	*0·23*	
—	*10·8*	*24·2*	—	*37·6*	*46·0*	*147·0*	*28·2*	*134·0*	*185·9*	*635·8*	*578·2*	*1,223*	*1,866*	*0·13*	*0·07*	
5·03	8·03	11·9	17·7	28·8	24·7	69·9	53·5	154·0	171·1	348·6	374·4	579·5	755·3	*0·39*	0·26	38
8·69	*11·3*	*12·1*	*19·9*	35·8	*28·0*	*65·5*	66·6	*97·8*	149·7	409·0	487·5	*468·7*	516·7	0·59	0·60	
23·9	*10·8*	—	*45·1*	*37·6*	*11·5*	*49·0*	*28·2*	*26·8*	*123·9*	*370·9*	*192·7*	*407·7*	*1,066*	*0·89*	*0·75*	
4·36	*1·00*	16·1	6·23	43·7	28·0	83·7	56·4	105·3	78·4	122·4	68·4	*181·8*	*79·8*	*0·01*	*0·01*	39
5·79	—	*18·2*	*14·2*	*41·8*	*47·5*	126·9	106·5	188·6	212·5	*283·2*	*121·9*	*117·2*	*322·9*	—	—	
—	—	—	*11·3*	*50·1*	*46·0*	*130·6*	*56·5*	*80·4*	*123·9*	—	*77·1*	—	*266·6*	—	—	
0·34	*2·01*	*0·96*	*4·05*	7·91	12·5	35·8	52·5	114·6	132·1	244·9	316·7	522·7	579·8	*0·00*	—	40
—	*5·64*	*6·07*	*5·69*	*11·9*	*22·4*	*36·8*	116·5	181·7	217·4	377·6	497·6	—	*581·3*	—	—	
—	*21·5*	—	—	—	*23·0*	—	*42·4*	*53·6*	*82·6*	*211·9*	*77·1*	*815·3*	*799·8*	—	—	

Registrar General's Special Cause List Nos.	Cause of death (and ISC Nos.)	Country	S.M.R. All ages M	S.M.R. All ages F	Death rates per million population All ages M	All ages F	1–4 M	1–4 F	5–14 M	5–14 F	15–24 M	15–24 F
41	Other digestive diseases (rem. 530-587)	England and Wales	97	97	37·9	38·4	17·6	*13·1*	6·47	*4·12*	*2·49*	*5·69*
		Scotland	114	118	42·3	42·4	*11·0*	*23·1*	*4·56*	*2·39*	*11·7*	*5·48*
		Northern Ireland	140	126	51·2	43·1	*17·7*	—	—	—	*9·07*	—
42	Nephritis and nephrosis (590-594)	England and Wales	100	100	99·2	82·2	*4·40*	*3·86*	9·28	7·36	27·1	24·2
		Scotland	96	98	89·5	72·5	—	—	*18·3*	*9·55*	*55·5*	*19·2*
		Northern Ireland	114	103	102·4	71·0	—	*18·8*	*7·38*	15·5	*54·4*	*9·56*
43	Hyperplasia of prostate (610)	England and Wales	99	—	164·5	—	—	—	—	—	—	—
		Scotland	102	—	154·0	—	—	—	—	—	—	—
		Northern Ireland	113	—	175·6	—	—	—	—	—	—	—
44	Other diseases of the genito-urinary system (600-609, 611-637)	England and Wales	99	99	63·1	75·2	*3·66*	*3·86*	*3·09*	*2·06*	*3·56*	*3·91*
		Scotland	112	116	65·7	77·7	*5·51*	—	*6·85*	*4·78*	—	*2·74*
		Northern Ireland	85	72	49·7	44·5	—	—	—	—	—	—
45	Complications of pregnancy, childbirth, and the puerperium (640-689)	England and Wales	—	95	—	14·0	—	—	—	—	—	24·5
		Scotland	—	130	—	19·7	—	—	—	—	—	*21·9*
		Northern Ireland	—	149	—	*22·3*	—	—	—	—	—	*9·56*
46	Congenital malformations (750-759)	England and Wales	100	98	119·1	98·5	131·9	130·3	25·9	27·4	29·9	19·5
		Scotland	94	111	125·0	125·7	*104·7*	167·6	*27·4*	*40·6*	*26·3*	*11·0*
		Northern Ireland	107	126	156·5	160·0	*176·5*	*188·0*	*59·1*	*7·74*	18·1	*19·1*
47	Certain diseases of early infancy (760-776)	England and Wales	96	98	258·4	162·6	*0·73*	*3·08*	—	—	—	—
		Scotland	122	110	379·9	210·8	*5·51*	—	—	—	—	—
		Northern Ireland	118	116	416·9	257·4	—	—	—	—	—	—
48	All other diseases (rem. 210-795)	England and Wales	96	97	377·4	532·4	101·8	73·2	46·7	32·1	70·2	59·0
		Scotland	113	111	413·3	513·9	110·2	127·1	*54·8*	*40·6*	81·8	65·7
		Northern Ireland	176	158	648·1	684·5	*194·2*	*150·4*	*73·8*	*31·0*	*9·07*	*19·1*
49	Suicide (E963, E970-E979)	England and Wales	103	105	146·0	90·9	—	—	*0·84*	—	45·6	22·7
		Scotland	87	71	115·3	56·9	—	—	—	—	*38·0*	*16·4*
		Northern Ireland	37	23	45·4	*16·7*	—	—	—	—	*18·1*	*19·1*
50	Motor vehicle and other transport accidents (E810-E845)	England and Wales	100	100	192·5	63·0	84·2	54·0	88·3	34·5	350·8	53·3
		Scotland	99	105	186·7	62·8	126·8	*92·5*	100·4	*43·0*	257·2	63·0
		Northern Ireland	96	88	182·9	51·5	*105·9*	*75·2*	*96·0*	*15·5*	217·6	*28·7*
51	Accidents in the home and residential institutions (E870-E936 pt.)	England and Wales	95	95	117·7	190·1	90·1	75·6	16·0	17·1	18·2	9·95
		Scotland	155	151	185·5	258·8	*60·6*	*75·1*	*16·0*	*19·1*	*26·3*	*11·0*
		Northern Ireland	83	98	102·4	161·4	*105·9*	*150·4*	*14·8*	*23·2*	*45·3*	*19·1*
52	Other violence (rem. E800-E999)	England and Wales	97	102	157·4	46·1	63·0	27·0	74·0	16·8	142·8	17·1
		Scotland	132	96	208·5	39·4	110·2	*17·3*	118·7	*23·9*	187·1	*13·7*
		Northern Ireland	82	49	127·3	*19·5*	*70·6*	—	*36·9*	*7·74*	*163·2*	*19·1*

Death rates per million population 25–34 M	25–34 F	35–44 M	35–44 F	45–54 M	45–54 F	55–64 M	55–64 F	65–74 M	65–74 F	75–84 M	75–84 F	85 and over M	85 and over F	Deaths under 1 year per thousand live births M	Deaths under 1 year per thousand live births F	Registrar General's Special Cause List Nos.
5·03	*5·02*	14·1	10·3	29·7	19·2	69·0	48·9	149·7	110·0	243·2	235·6	409·1	398·9	0·18	0·18	41
8·69	*11·3*	*24·3*	*5·69*	*41·8*	*25·2*	94·1	66·6	153·7	130·4	*236·0*	294·5	*468·7*	*516·7*	*0·16*	*0·17*	
—	—	*24·2*	*45·1*	*25·1*	*23·0*	*98·0*	*42·4*	*160·8*	*227·2*	*741·8*	*308·4*	*815·3*	—	*0·06*	*0·21*	
40·9	27·4	60·8	41·4	100·0	56·6	186·8	98·8	321·6	246·1	705·8	494·6	1,205	728·7	*0·03*	*0·01*	42
52·1	*39·5*	60·7	*28·4*	128·4	*50·3*	135·0	156·5	279·5	202·9	361·8	436·7	*2,109*	*452·1*	—	*0·06*	
59·8	*32·3*	*72·7*	*22·6*	*125·3*	69·0	*195·9*	*141·2*	*455·6*	*268·5*	*582·8*	385·5	*8,153*	*799·8*	—	—	
—	—	—	—	*5·06*	—	83·3	—	681·2	—	2,980	—	7,557	—	—	—	43
—	—	—	—	*8·96*	—	*73·7*	—	691·7	—	2,926	—	8,905	—	—	—	
—	—	—	—	—	—	*81·6*	—	991·6	—	2,490	—	12,638	—	—	—	
8·38	12·0	10·9	23·3	29·7	49·9	90·2	106·4	277·2	224·9	756·8	508·3	1,545	957·4	*0·04*	*0·02*	44
8·69	*22·5*	*15·2*	45·5	*38·8*	*44·7*	90·0	173·1	300·4	328·5	770·9	345·3	*1,992*	*645·9*	*0·14*	*0·04*	
12·0	—	*12·1*	*33·8*	—	*57·5*	*81·6*	*98·8*	*348·4*	*165·3*	*529·8*	*231·3*	*1,631*	*799·8*	—	—	
—	50·2	—	32·7	—	*1·22*	—	—	—	—	—	—	—	—	—	—	45
—	70·4	—	*51·2*	—	*5·59*	—	—	—	—	—	—	—	—	—	—	
—	*86·1*	—	*78·9*	—	—	—	—	—	—	—	—	—	—	—	—	
21·1	18·1	23·8	21·5	36·1	29·2	42·7	31·3	48·0	26·1	34·0	23·5	*56·8*	*16·0*	4·70	4·44	46
23·2	*14·1*	*18·2*	*11·4*	*26·9*	*33·6*	*20·5*	*9·99*	27·9	*24·2*	15·7	—	—	—	4·65	5·34	
12·0	*21·5*	—	*22·6*	*12·5*	*11·5*	*49·0*	*42·4*	—	*20·7*	—	—	—	—	5·22	6·37	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	14·7	10·6	47
—	—	—	—	—	—	—	—	—	—	—	—	—	—	18·4	11·7	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	18·2	12·7	
66·3	65·6	105·1	106·8	184·8	206·8	427·1	432·3	1,019	993·6	4,034	3,774	17,386	19,101	0·74	0·50	48
98·5	93·0	163·8	176·3	331·5	209·7	642·5	595·8	1,418	1,333	3,398	3,849	15,700	16,793	0·86	1·13	
47·8	*53·8*	*181·7*	*169·2*	250·6	*218·6*	538·8	536·6	1,581	1,446	9,060	6,939	44,435	38,656	*0·64*	*0·41*	
04·2	50·2	146·9	83·4	219·2	151·0	329·2	189·7	366·0	207·6	466·0	173·0	397·7	*101·1*	—	—	49
86·9	*31·0*	160·8	88·1	256·8	117·4	200·5	103·2	258·5	115·9	*220·2*	*71·1*	*468·7*	*64·6*	—	—	
12·0	*32·3*	*48·4*	*11·3*	*137·8*	*34·5*	*179·6*	*28·2*	*53·6*	—	—	*38·5*	—	—	—	—	
77·9	29·8	144·4	24·0	149·3	46·0	202·8	66·5	281·5	151·9	631·0	259·0	920·5	287·2	*0·01*	*0·01*	50
41·9	*33·8*	175·9	*42·6*	197·1	39·1	208·7	69·9	314·4	115·9	534·9	223·4	*468·7*	*129·2*	*0·02*	*0·04*	
15·2	*32·3*	*84·8*	*56·4*	*187·9*	*23·0*	342·9	*127·1*	*241·2*	*103·3*	*476·8*	*115·6*	*1,223*	*266·6*	—	—	
23·1	7·36	32·5	23·3	46·2	46·3	107·0	87·0	272·2	344·2	1,276	1,715	4,227	6,053	0·69	0·49	51
29·0	*39·5*	81·9	*51·2*	80·6	109·1	237·3	163·1	440·2	526·5	1,573	2,478	7,147	8,332	1·71	1·42	
12·0	*21·5*	*24·2*	*22·6*	*37·6*	*23·0*	*49·0*	*113·0*	*294·8*	*309·9*	*953·7*	1,503	3,261	7,198	*0·70*	*0·55*	
63·8	16·1	159·2	16·8	169·3	27·7	215·3	37·0	209·9	88·3	432·0	257·1	818·2	872·3	0·09	0·10	52
08·5	*8·45*	263·9	*31·3*	227·0	*53·1*	274·2	*49·9*	216·6	*67·6*	597·8	203·1	*703·0*	*64·6*	0·08	0·10	
93·2	—	*145·3*	*11·3*	*62·6*	*11·5*	*228·6*	*28·2*	*160·8*	*41·3*	*317·9*	*154·2*	—	—	—	*0·07*	

APPENDIX B

Abridged life table, 1958, England and Wales

Apart from its use as a basis for calculations of probabilities of death or survival, the life table represents one useful way of providing summary indices of mortality free from peculiarities in the sex and age structure of the population. These summary indices, whether it be the number surviving out of a specified number of births or the expectation of life beyond a specified age, are sex and age standardised. They summarise the individual age death rates for each sex. For this particular purpose the following life table has been constructed from the mortality experience of 1958. Though the functions are summary indices of the mortality of a particular year they will by the same token be sensitive to fluctuations in mortality from one year to another as a result of changes in the weather conditions, irregular incidence of epidemics, etc., and they are not reliable as a basis for calculations of the probability of survival over a period of years. Life table functions for use in such computations should be representative of the current level of mortality and should therefore be based on more than one year's experience. For this latter purpose another life table has been constructed based on the three years 1956 to 1958, a larger body of data more representative of the general mortality of recent years ; this has been published in the *Registrar General's Quarterly Return* for the June Quarter 1959, No. 442 and will be published in Part III of the *Statistical Review* for 1958.

Males		Age	Females	
l_x	$\mathring{e}_x$	x	l_x	$\mathring{e}_x$
10,000	68·0	0	10,000	73·7
9,747	68·7	1	9,804	74·2
9,731	67·8	2	9,792	73·2
9,722	66·9	3	9,783	72·3
9,715	65·9	4	9,778	71·4
9,709	65·0	5	9,774	70·4
9,686	60·1	10	9,758	65·5
9,666	55·2	15	9,746	60·6
9,626	50·5	20	9,729	55·7
9,575	45·7	25	9,702	50·8
9,523	41·0	30	9,671	46·0
9,463	36·2	35	9,626	412
9,375	31·5	40	9,559	36·4
9,233	27·0	45	9,452	31·8
8,992	22·6	50	9,285	27·4
8,570	18·6	55	9,036	23·0
7,855	15·1	60	8,664	18·9
6,839	11·9	65	8,087	15·1
5,489	9·3	70	7,198	11·7
3,888	7·0	75	5,882	8·7
2,290	5·2	80	4,135	6·3
943	4·1	85	2,239	4·6

This abridged life table is constructed from the estimated *home* population and the total deaths in the year 1958.

The column headed l_x shows, for each sex, the numbers who would survive to exact age x out of 10,000 born who were subject throughout their lives to the recorded age death rates of the period.

Column $\mathring{e}_x$ is the "expectation of life", that is, the average future lifetime which would be lived by persons aged exactly x, if likewise subject to those death rates.

Printed in England under the authority of Her Majesty's Stationery Office
by James Townsend & Sons Ltd.

Wt. 2391–202 K9 3/60

The Registrar General's Statistical Review of England and Wales for 1955

Supplement on Hospital In-patient Statistics

This supplement contains the first report to be published on the revised and extended Hospital In-patient Enquiry. The report is based on statistics compiled from confidential summaries of salient details from hospital case records of one in-patient in every ten discharged from every type of hospital in the National Health Service (except Mental and Mental Deficiency Hospitals which are covered by a separate Enquiry). Two hospital regions, the East Anglian and Wales, were completely represented in the Enquiry, and a special feature of the report, a detailed comparison of the information obtained from them, gives an indication of the kind of interesting variations that future reports may be expected to reveal.

A commentary, illustrated by summary tables, serves as an introduction to detailed tables which include the following information: (i) the age distribution of patients treated for some 200 groups of diseases and how it varied between regions, with, for East Anglia and Wales, the discharge rates per 10,000 population; (ii) the discharge rates for urban and rural residents in East Anglia and Wales; (iii) to what extent patients treated in certain hospital regions had "crossed the border" from other regions or come from other countries; (iv) what proportion of patients had been on a waiting list for admission to hospital for treatment of certain conditions and for how long; (v) how long patients stayed in hospital for treatment of these conditions; and (vi) what proportion were discharged home, transferred to other hospitals or convalescent homes, or died. There is also a table dealing with various aspects of the hospitalisation of children under 15, and a table concerning maternity cases admitted to hospital.

Price **10s. 6d.** *net.* *By post* **11s. 2d.**

Obtainable from
HER MAJESTY'S STATIONERY OFFICE
at the addresses shown on cover page iv
or through any bookseller

GENERAL REGISTER OFFICE

STUDIES ON
MEDICAL AND POPULATION SUBJECTS

No. 15

Social and Biological Factors in Infant Mortality

This report presents basic statistical data derived from a large scale enquiry into the social and biological factors affecting the deaths of children in infancy; the enquiry (carried out jointly by the Social Medicine Research Unit of the Medical Research Council and the General Register Office) was concerned with the deaths in infancy of children born in 1949 and 1950 in England and Wales.

The main part of the report consists of detailed tables, analysing the births in 1949 and 1950 according to the age of the mother and her parity (i.e. the number of her previous children of all marriages), and of the stillbirths and deaths in infancy of children born in those years according to the age and parity of the mother and the social class of the father.

Price **£1** *net.* *By post* **£1 0s. 8d.**

Obtainable from
HER MAJESTY'S STATIONERY OFFICE
at the addresses shown on cover page iv
or through any bookseller

5949/2/Rub

© *Crown copyright* 1960

Published by
HER MAJESTY'S STATIONERY OFFICE

To be purchased from
York House, Kingsway, London W.C.2
423 Oxford Street, London W.1
13A Castle Street, Edinburgh 2
109 St. Mary Street, Cardiff
39 King Street, Manchester 2
Tower Lane, Bristol 1
2 Edmund Street, Birmingham 3
80 Chichester Street, Belfast
or through any bookseller

SB

S.O. Code No. 70-141-1-58