STATISTICS
BACK-UP

BRITISH LIBRARY
OF POLITICAL AND
ECONOMIC SCIENCE

LONDON SCHOOL OF
ECONOMICS AND
POLITICAL SCIENCE

STATISTICS
BACK-UP

O S [42 (HA161)]
O 42 STATISTICS BACK-UP

GENERAL REGISTER OFFICE

THE REGISTRAR GENERAL'S STATISTICAL REVIEW OF ENGLAND AND WALES FOR THE YEAR 1960

PART I

TABLES, MEDICAL

BRITISH LIBRARY
30 JAN 1962
OF POLITICAL AND ECONOMIC SCIENCE

LONDON

HER MAJESTY'S STATIONERY OFFICE

PRICE £1 2s. 6d. NET

6309/8/R

MINISTRY OF HEALTH
AND GENERAL REGISTER OFFICE

Report on Hospital In-patient Enquiry for the year 1959

Part I: Preliminary Tables

This preliminary Report for 1959 contains summary tables and data on selected important conditions for 1959 and certain figures for 1955-58. It includes information on the diagnosis and age of patients treated in hospital and the region in which they were treated. (Part II will contain detailed tables with commentary.) The Enquiry is based on a 10 per cent sample of discharges (including deaths) from National Health Service hospitals (other than psychiatric hospitals) in England and Wales.

Price **1s. 6d.** *net.* *By post* **1s. 9d.**

Obtainable from

HER MAJESTY'S STATIONERY OFFICE

at the addresses shown on cover page iv
or through any bookseller

GENERAL REGISTER OFFICE

THE REGISTRAR GENERAL'S STATISTICAL REVIEW OF ENGLAND AND WALES FOR THE YEAR 1960

PART I

TABLES, MEDICAL

LONDON
HER MAJESTY'S STATIONERY OFFICE
1962

TABLE OF CONTENTS

		Page
Explanatory notes		v
Corrigenda		x
Population		
Table 1.	Estimated population, total, home and civilian, by sex and age, as at 30th June 1960. England and Wales	2
Table 2.	Estimated home population by sex and age, as at 30th June 1960. England and Wales, standard regions, Wales, conurbations, urban and rural aggregates outside conurbations	3
Serial mortality records		
Table 3.	Deaths, death rates, mortality comparisons, infant mortality, and live and still birth rates, 1841 to 1960. England and Wales	4
Table 4.	Death rates in age-groups and infant mortality, 1841 to 1960. England and Wales	6
Table 5.	Deaths registered and death rates in each quarter, 1841 to 1960. England and Wales	9
Table 6.	Standardised Mortality Ratios (all ages) and death rates at ages under 15 years from the principal epidemic and general diseases, 1851 to 1960. England and Wales	10
Table 7.	Deaths by cause and sex at all ages, 1950 to 1960. England and Wales	11
Table 8.	Crude death rates from certain causes, by sex at all ages, 1950 to 1960. England and Wales	43
Table 9.	Standardised Mortality Ratios (base years 1950-1952) by sex for certain causes of death, 1950 to 1960. England and Wales	58
Table 10.	Death rates by sex and age, and infant mortality from certain causes, 1956 to 1960. England and Wales	62
Table 11.	Deaths of infants under one year from certain causes, 1950 to 1960. England and Wales	66
Table 12.	Infant mortality from certain causes, 1950 to 1960. England and Wales	67
Vital statistics by local areas		
Table 13.	Home population, births, deaths, infant mortality and perinatal mortality, 1960. England and Wales, standard regions, Wales, conurbations, counties, boroughs, urban and rural districts	68
Deaths by age		
Table 14.	Deaths by sex at each year of age (with marital condition), 1960. England and Wales	118
Table 15.	Constructed analysis of 1960 deaths by age and marital condition. England and Wales	120
Table 16.	Deaths at different ages by month of occurrence, January to December, 1960. England and Wales	121

		Page
Cause analyses		
Table 17.	Causes of death at different age periods, 1960. England and Wales	122
Table 18a.	Accidental poisoning and other non-transport accidents by place of occurrence, sex and age, 1960. England and Wales	167
Table 18b.	Deaths from violent causes according to nature of injury, sex and age, 1960. England and Wales	174
Table 18c.	Deaths from violent causes—Nature of injury according to external cause, 1960. England and Wales	178
Table 18d.	Deaths from road traffic accidents and from accidental falls—Nature of injury according to external cause, sex and age, 1960. England and Wales	179
Table 19.	Causes of death by sex at different periods of life, 1960 (including, for England and Wales only, crude death rates per million living) (International Abbreviated List). England and Wales, standard regions, Wales, conurbations, urban and rural aggregates outside conurbations	182
Table 20.	Suspended. (*See headnote to Table 21*)	
Table 21.	Causes of death by sex, 1960 (Abridged List and Supplementary Abridged List). England and Wales, standard regions, Wales, conurbations, London A.C., City of London, metropolitan and county boroughs, administrative counties	230
Table 22.	Causes of death by month of occurrence, January to December, 1960. England and Wales	258
Stillbirths and infant mortality		
Table 23.	Stillbirths by sex and legitimacy, 1960. England and Wales, standard regions, Wales, conurbations, London A.C., City of London, metropolitan and county boroughs, urban and rural aggregates in each administrative county	267
Table 24.	Deaths at various periods in the first year of life by legitimacy. Death rates per 1,000 live births, 1960. England and Wales, standard regions, Wales, conurbations, urban and rural aggregates outside conurbations	270
Table 25.	Deaths at various periods in the first year of life, 1960, and the four quarters thereof. England and Wales, standard regions, Wales, conurbations, urban and rural aggregates outside conurbations	272
Table 26.	Infant mortality from certain causes, 1960. Deaths of infants under one year and various sub-divisions of the first year, and deaths of illegitimate infants. England and Wales, standard regions, Wales, conurbations, urban and rural aggregates outside conurbations	274
Table 27.	Causes of death at various ages under five years, 1960. England and Wales	278
Infectious diseases		
Table 28.	Weekly notifications of certain infectious diseases and deaths from certain causes, 1960. England and Wales	290

Page

Table 29. Cases of certain infectious diseases notified, 1950 to 1960. England and Wales 291

Table 30. Cases of certain infectious diseases notified, by sex and age, 1960. England and Wales, standard regions, Wales, conurbations, urban and rural aggregates outside conurbations .. 292

Table 31. Cases of certain infectious diseases notified, 1960 (including, for England and Wales only, case rates per 100,000 population). England and Wales, standard regions, Wales, conurbations, counties, metropolitan and county boroughs, urban and rural aggregates outside conurbations 310

Weather

Table 32. Quarterly air temperature, rainfall and sunshine, 1960. England and Wales 320

Table 33. Rainfall, mean temperature and sunshine, 1911 to 1960. England and Wales 321

Table 34. Meteorological observations, 1960. Kew Observatory, Richmond 322

Appendices

Appendix A. Standardised Mortality Ratios, age specific death rates and infant mortality rates from selected causes, 1960. England and Wales, Scotland, Northern Ireland and Irish Republic 324

Appendix B. Abridged life table, 1960. England and Wales 332

EXPLANATORY NOTES

1. Populations

The estimates of population appearing in this volume and described as " home " or " total " populations have the following content:

Home population—the population, of all types, actually in England and Wales, distributed by area according to residence.

Total population —the home population *plus* members of H.M. Forces belonging to England and Wales and serving overseas but *minus* the Forces of other countries temporarily in England and Wales.

2. Deaths

The deaths recorded in this volume are those registered in England and Wales. No distinction is made between deaths of civilians and deaths of non-civilians, except where stated for past years in serial tables.

Except in **Tables 16** and **22** the deaths recorded are those registered in the calendar period, the time lag between the date of occurrence and the date of registration being usually only a day or two. In **Tables 16** and **22** deaths are classified by calendar month of occurrence, but they exclude deaths occurring in the current year which are not registered until after 31st March in the following year.

In all tables deaths are classified according to the area of usual residence of the deceased. Accommodation provided under Parts III and IV of the National Assistance Act, 1948, is regarded as the place of residence of persons dying there. Before 1st January 1958 chronic sick and psychiatric hospitals were similarly treated for this purpose but from that date the method of classification was modified, the main change being that a death in such a hospital is now assigned to the area of occurrence only if the deceased had been there six months or more. If the deceased had been there less than six months the death is transferred to the area of previous usual residence.

In some small areas the number of deaths may also have been appreciably affected by the *opening*, *closing* or *change of use* of certain institutions, so that figures may not be comparable with those of earlier years

3. Causes of death

The classification of causes of death is that prescribed in the *International Statistical Classification of Diseases, Injuries, and Causes of Death*, 1955* (Seventh Revision) operating from the year 1958 in accordance with international agreement. In the tables this classification is referred to as ICD. Violent deaths are generally classified according to the External Cause of Injury (E codes), but the alternative method of classification by Nature of Injury (N codes) is also used in **Tables 7, 8, 18B, 18C, 18D, 19** and **27.** The Abridged List used for separate areas in **Table 21** is an adaptation of the International List and was adopted by the Registrar General in consultation with the Ministry of Health; it is extended by the Supplementary Abridged List in the same table. The list used in **Table 19** is designed so that it can be condensed into either the International Abbreviated List or the Abridged List of **Table 21. Tables 18C** and **18D** employ both of the alternative classifications for violent deaths in the International Intermediate List.

The 1955 International Classification differs very slightly from that for 1948. For most causes of death, therefore, statistics compiled according to the 1955 Classification should be comparable with those compiled according to that for 1948. (See Appendix B of the 1957 *Statistical Review*, *Part III*, *Commentary*†.)

Where more than one cause of death is mentioned on the medical certificate the choice of the assigned cause is in accordance with international procedure, determined in the main from the statement of the certifier, and not by arbitrary rules of precedence.

4. Death rates

The death rates for 1950 and on (except for infant mortality and maternal mortality) are derived from the total deaths registered in this country and are based on the home population, while those for 1940–49 are derived from civilian deaths and populations (see note 1 above). All death rates for years prior to 1958 have been revised so far as possible to the new method of classification. Death rates for the years 1951 to 1953

* Manual obtainable from Her Majesty's Stationery Office, price 35s. 0d. net.
† Obtainable from Her Majesty's Stationery Office, price 16s. 6d. net.

shown in this volume are in some cases slightly different from corresponding rates published in Parts I and II for these years because the estimated populations on which they are based have been revised in the light of final data from the 1951 Census.

The crude death rates for local areas in **Table 13** (col. 12) may not be comparable one with another. In the first place, the populations on which they are based may have widely different structures by sex and age. In order to eliminate differences between local death rates due to this cause an Area Comparability Factor is calculated (as described on page 57 of the 1954 *Statistical Review, Part III, Commentary**).

In the second place, the populations on which the crude death rates are based may include a disproportionate number of invalids if there are certain types of hospital in the area. In order to eliminate differences between local death rates due to this cause, the Area Comparability Factors mentioned in the previous paragraph are adjusted so that they also spread the deaths and the populations in chronic sick and psychiatric hospitals over all areas of the country in proportion to the non-institutional populations.

The product of the crude death rate and this adjusted Area Comparability Factor (col. 13 in **Table 13**) is a rate which is standardised for sex and age structure and, at the same time, makes allowance for the presence in or absence from the area of chronic sick or psychiatric hospitals.

Infant mortality rates are based upon the live births occurring in the year, except in the years 1931 to 1956 when they were based upon related live births, i.e. the combined live births of the associated and preceding year to which they relate. Maternal mortality rates are based upon live and still births occurring in the calendar year, except in the case of deaths from abortion which are based on the estimated numbers of women aged 15–44. Perinatal mortality rates are based on the number of deaths under one week plus stillbirths per thousand total live and still births.

5. Standard mortality comparisons

The Comparative Mortality Index introduced in 1942 has since 1958 been replaced by a Standardised Mortality Ratio (S.M.R.) which shows the number of deaths registered in the year of experience as a percentage of those which would have been expected in that year had the sex/age mortality of a standard period (1950–52) operated on the sex/age population of the year of experience. S.M.R.s are shown in **Tables 3, 6** and **9.**

6. Births and birth rates

The births recorded are those occurring in the calendar year.

In **Table 13** births are allocated to the area of usual residence of the mother.

The crude birth rates for local areas in **Table 13** (col. 6) may not be comparable one with another. In the first place, the populations on which they are based may contain different relative numbers of women of childbearing ages. In order to eliminate differences between local birth rates due to this cause an Area Comparability Factor is calculated (as described on page 30 of the 1954 *Statistical Review, Part III, Commentary**).

In the second place, the crude birth rates for local areas may differ because disproportionate numbers of women of childbearing ages are in psychiatric hospitals for long periods, where they are not, in fact, ' exposed to risk ' of childbearing. In order to eliminate differences between local birth rates due to this cause also, the Area Comparability Factors mentioned in the previous paragraph are adjusted so that they also spread the numbers of women of childbearing ages in psychiatric hospitals over all areas of the country in proportion to the non-institutional populations.

The product of the crude birth rate and this adjusted Area Comparability Factor (col. 7 in **Table 13**) is a rate which is standardised for sex and age structure—in particular for the relative numbers of women of childbearing ages—and, at the same time, makes allowance for the presence in or absence from the area of psychiatric hospitals with female patients of childbearing ages.

7. Notification of infectious diseases

Tables 29, 30 and **31** are based on notifications corrected for subsequent amendments of diagnosis by the notifying medical practitioner or by the medical superintendent of the infectious diseases hospital. Non-civilians are included unless otherwise stated.

8. Changes in boundaries

Areas which have undergone a change of boundary on 1st April are identified in **Table 13** by an asterisk (*); areas created during the year are identified by the sign †, while areas abolished are indicated by the sign ‡. Statistics shown for the year for such an area relate to the area as constituted in the respective parts of the year before and after the boundary change; in consequence the base population used in **Table 13** for the calculation of birth and death rates, which must be a weighted average of the populations for these two parts of the year, may differ from **Table 2** which relates to the area as constituted *after* the boundary change. An appendix showing details of changes in boundaries is published in Part II.

* Obtainable from Her Majesty's Stationery Office, price 8s. 0d. net.

9. Indication of reliability

Rates given as 0 indicate that the actual rate is less than one half of a unit. A dash (—) in any column indicates that there were no events. Where a cell has been left blank no denominator is available.

Rates based upon less than 20 births, deaths or notifications are distinguished by italic type as a warning to the user that the smallness of the experiences may affect their reliability as a measure of the underlying mortality.

Numbers

If d represents the deaths in an area and p the population in that area then, if d/p is small, the standard error (s.e.) of d is approximately $\sqrt{d}$ assuming that the deaths are independent of one another. Clearly, the larger the number of deaths the smaller will be the proportionate variability. A deviation either way of twice the s.e. may be expected about once in 20 times. Using this criterion one might expect towns each averaging 20 deaths per year to yield in the same year numbers ranging between 11 and 29 without such differences having any statistical significance. Alternatively it could be said that if 20 deaths were recorded for a town, this number would have a 95 per cent confidence interval of approximately $\pm$ 9, there being a 95 per cent chance that the underlying mortality is represented by a number of deaths within this interval.

If d is thought to be an extreme variation it would be more reliable to use as the standard error not $\sqrt{d}$ but $\sqrt{d'}$ where d' is the number of deaths expected if some standard rate (e.g. the national rate) were applied.

Rates

The appropriate standard error of a death rate when d represents the number of deaths and p the population is

$$\frac{\sqrt{d}}{p} \text{ or } \frac{m}{\sqrt{d}}$$

where m is the death rate. The difference between two local death rates m_1 and m_2 can only be regarded as significant if it amounts to more than twice the standard error of the difference, viz.

$$2\sqrt{\left(\frac{m_1^2}{d_1}+\frac{m_2^2}{d_2}\right)}.$$

Comparison of adjusted rates

Before comparisons are made, other known sources of variation (such as differences in the sex and age composition of the population) must be removed. If C is the local death Area Comparability Factor, then mC is to be compared with m', the national death rate. The s.e. of mC is

$$\sqrt{\left(\frac{mC}{p}\right)}$$

and

$$mC \pm 2\sqrt{\left(\frac{mC}{p}\right)}$$

is to be compared with m'. As already indicated, m' can be used instead of m in the calculation of the s.e.; m' has the advantage of itself having a small sampling error.

10. Definition of areas

London A.C.=Administrative County of London, which consists of the City of London (including the Inner and Middle Temples) and the metropolitan boroughs.

C.B.=county borough; **M.B.**=municipal borough; **Met.B.**=metropolitan borough; **U.D.**=urban district; **R.D.**=rural district.

11. Standard regions

The constitution of the standard regions of England and Wales used in this volume is as follows:

REGION I
Northern
Cumberland
Durham
Northumberland
Westmorland
Yorkshire, North Riding

REGION II
East and West Ridings
Yorkshire, East Riding
Yorkshire, West Riding

REGION III
North Midland
Derbyshire, Part of[1]
Leicestershire
Lincolnshire—
Parts of Holland
Parts of Kesteven
Parts of Lindsey
Northamptonshire
Nottinghamshire
Peterborough, Soke of
Rutland

REGION IV
Eastern
Bedfordshire
Cambridgeshire
Ely, Isle of
Essex, Part of[2]
Hertfordshire, Part of[3]
Huntingdonshire
Norfolk
Suffolk, East
Suffolk, West

REGION V
London and South Eastern
Essex, Part of[4]
Hertfordshire, Part of[5]
Kent
London Admin. County
Middlesex
Surrey
Sussex, East
Sussex, West

REGION VI
Southern
Berkshire
Buckinghamshire
Dorset, Part of[6]
Hampshire
Oxfordshire
Wight, Isle of

REGION VII
South Western
Cornwall
Devon
Dorset, Part of[7]
Gloucestershire
Somerset
Wiltshire

REGION VIII
Wales I (South East)
Brecknockshire
Carmarthenshire
Glamorganshire
Monmouthshire

Wales II (remainder
Anglesey
Caernarvonshire
Cardiganshire
Denbighshire
Flintshire
Merionethshire
Montgomeryshire
Pembrokeshire
Radnorshire

REGION IX
Midland
Herefordshire
Shropshire
Staffordshire
Warwickshire
Worcestershire

REGION X
North Western
Cheshire
Derbyshire, Part of[8]
Lancashire

1. All except Buxton M.B., Glossop M.B., New Mills U.D., Whaley Bridge U.D., and Chapel en le Frith R.D.

2. All except East Ham C.B., West Ham C.B., Chingford M.B., Wanstead and Woodford M.B., Leyton M.B., Walthamstow M.B., Ilford M.B., Barking M.B., Dagenham M.B., Waltham Holy Cross U.D., and Chigwell U.D.

3. All except Barnet U.D., Bushey U.D., Cheshunt U.D., East Barnet U.D., and Elstree R.D.

4. All areas stated in 2 above. 5. All areas stated in 3 above. 6. Poole M.B. only.

7. All areas except Poole M.B. 8. All areas stated in 1 above.

12. Conurbations

The conurbation areas used in this volume are those which were agreed in 1950, under the aegis of the Interdepartmental Committee on Social and Economic Research and the Central Statistical Office, for the presentation of official statistics generally†. They each consist of an aggregation of entire local authority areas and are constituted as follows:

Tyneside

Durham
Gateshead C.B.
South Shields C.B.
Felling U.D.
Hebburn U.D.
Jarrow M.B.
Whickham U.D.

Northumberland
Newcastle upon Tyne C.B.
Tynemouth C.B.
Gosforth U.D.
Longbenton U.D.
Newburn U.D.
Wallsend M.B.
Whitley Bay M.B.

West Yorkshire

Yorkshire, West Riding
Bradford C.B.
Dewsbury C.B.
Halifax C.B.
Huddersfield C.B.
Leeds C.B.
Wakefield C.B.
Aireborough U.D.
Baildon U.D.
Batley M.B.
Bingley U.D.
Brighouse M.B.
Colne Valley U.D.
Denby Dale U.D.
Denholme U.D.
Elland U.D.
Heckmondwike U.D.
Holmfirth U.D.
Horbury U.D.
Horsforth U.D.
Keighley M.B.
Kirkburton U.D.
Meltham U.D.
Mirfield U.D.
Morley M.B.
Ossett M.B.
Pudsey M.B.
Queensbury and Shelf U.D.
Ripponden U.D.
Rothwell U.D.
Shipley U.D.
Sowerby Bridge U.D.
Spenborough M.B.
Stanley U.D.

† See *Census* 1951, *England and Wales, Preliminary Report*, page xxii, H.M.S.O. price 5s. 0d. net; also *Census* 1951, *England and Wales, Report on Greater London and Five Other Conurbations*, page xv, H.M.S.O. price £5 5s. 0d. net.

South East Lancashire

Cheshire
Stockport C.B.
Alderley Edge U.D.
Altrincham M.B.
Bowdon U.D.
Bredbury and Romiley U.D.
Cheadle and Gatley U.D.
Dukinfield M.B.
Hale U.D.
Hazel Grove and Bramhall U.D.
Hyde M.B.
Marple U.D.
Sale M.B.
Stalybridge M.B.
Wilmslow U.D.
Disley R.D.

Lancashire
Bolton C.B.
Bury C.B.
Manchester C.B.
Oldham C.B.
Rochdale C.B.
Salford C.B.
Ashton-under-Lyne M.B.
Audenshaw U.D.
Chadderton U.D.
Crompton U.D.
Denton U.D.
Droylsden U.D.
Eccles M.B.
Failsworth U.D.
Farnworth M.B.
Heywood M.B.
Horwich U.D.
Irlam U.D.
Kearsley U.D.
Lees U.D.
Littleborough U.D.
Little Lever U.D.
Middleton M.B.
Milnrow U.D.
Mossley M.B.
Prestwich M.B.
Radcliffe M.B.
Royton U.D.
Stretford M.B.
Swinton and Pendlebury M.B.
Tottington U.D.
Urmston U.D.
Wardle U.D.
Westhoughton U.D.
Whitefield U.D.
Whitworth U.D.
Worsley U.D.

Merseyside

Cheshire
Birkenhead C.B.
Wallasey C.B.
Bebington M.B.
Ellesmere Port M.B.
Hoylake U.D.
Neston U.D.
Wirral U.D.

Lancashire
Bootle C.B.
Liverpool C.B.
Crosby M.B.
Huyton-with-Roby U.D.
Litherland U.D.

West Midlands

Staffordshire
Smethwick C.B.
Walsall C.B.
West Bromwich C.B.
Wolverhampton C.B.
Aldridge U.D.
Amblecote U.D.
Bilston M.B.
Brierley Hill U.D.
Coseley U.D.
Darlaston U.D.
Rowley Regis M.B.
Sedgley U.D.
Tettenhall U.D.
Tipton M.B.
Wednesbury M.B.
Wednesfield U.D.
Willenhall U.D.

Warwickshire
Birmingham C.B.
Solihull M.B.
Sutton Coldfield M.B.

Worcestershire
Dudley C.B.
Halesowen M.B.
Oldbury M.B.
Stourbridge M.B.

Greater London

London (whole county)
Middlesex (whole county)
Surrey
Croydon C.B.
Banstead U.D.
Barnes M.B.
Beddington and Wallington M.B.
Carshalton U.D.
Coulsdon and Purley U.D.
Epsom and Ewell M.B.
Esher U.D.
Kingston-upon-Thames M.B.
Malden and Coombe M.B.
Merton and Morden U.D.
Mitcham M.B.
Richmond M.B.
Surbiton M.B.
Sutton and Cheam M.B.
Wimbledon M.B.

Kent
Beckenham M.B.
Bexley M.B.
Bromley M.B.
Chislehurst and Sidcup U.D.
Crayford U.D.
Erith M.B.
Orpington U.D.
Penge U.D.

Hertfordshire
Barnet U.D.
Bushey U.D.
Cheshunt U.D.
East Barnet U.D.
Elstree R.D

Essex
East Ham C.B.
West Ham C.B.
Barking M.B.
Chigwell U.D.
Chingford M.B.
Dagenham M.B.
Ilford M.B.
Leyton M.B.
Waltham Holy Cross U.D.
Walthamstow M.B.
Wanstead and Woodford M.B.

13. Urban and rural aggregates

Urban and rural aggregates relate to groups of local authority areas by type (all those within conurbations, urban areas, rural districts) and, in the case of urban areas, by size of enumerated population at the 1951 Census. ' Urban areas ' include boroughs and urban districts as defined under the Local Government Acts, and rural districts are also as defined by those Acts.

CORRIGENDA

Statistical Review, 1959: Part I, Tables, Medical

Page 11. Table 7, 1959, cause 014, females *insert* 3.

Page 14. Table 7, 1959, causes 120-138, males *for* **86** *read* **68,** females *for* **65** *read* **56.**

Page 24. Table 7, 1959, cause 401.2, males *insert* 4.

Page 42. Table 7, cause E918, *delete* 1957, 1M.

Page 54. Table 8, 1959, causes 640–689, *for* **0·37** *read* **0·38.**

Page 54. Table 8, 1959, cause 642, *for* 0·06 *read* 0·07.

Page 92. Table 13, Great Yarmouth C.B., col. 19 *for* 39 *read* 15.
col. 20 *for* 57 *read* 28.
Norwich C.B., col. 19 *for* 15 *read* 39.
col. 20 *for* 17 *read* 30.

Page 291. Table 29, 1959, Smallpox, *for* — *read* 1.

PART I

TABLES, MEDICAL

TABLE 1. Estimated population, total, home and civilian, by sex and age, as at 30th June 1960

England and Wales

See explanatory note 2.

(*Figures in thousands*)

Age	Total			Home			Civilian		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
0	741	381	360	741	381	360	741	381	360
1	734	376	358	734	376	358	734	376	358
2	715	367	348	715	367	348	715	367	348
3	690	354	336	690	354	336	690	354	336
4	666	342	324	666	342	324	666	342	324
0—4	**3,546**	**1,820**	**1,726**	**3,546**	**1,820**	**1,726**	**3,546**	**1,820**	**1,726**
5	643	329	314	643	329	314	643	329	314
6	656	336	320	656	336	320	656	336	320
7	653	335	318	653	335	318	653	335	318
8	640	327	313	640	327	313	640	327	313
9	658	337	321	658	337	321	658	337	321
5—9	**3,250**	**1,664**	**1,586**	**3,250**	**1,664**	**1,586**	**3,250**	**1,664**	**1,586**
10	678	346	332	678	346	332	678	346	332
11	712	365	347	712	365	347	712	365	347
12	765	390	375	765	390	375	765	390	375
13	856	438	418	856	438	418	856	438	418
14	665	340	325	665	340	325	665	340	325
10—14	**3,676**	**1,879**	**1,797**	**3,676**	**1,879**	**1,797**	**3,676**	**1,879**	**1,797**
15	658	337	321	658	337	321	655	334	321
16	664	339	325	664	339	325	656	331	325
17	630	321	309	631	322	309	618	310	308
18	579	293	286	577	291	286	560	276	284
19	538	270	268	531	263	268	514	248	266
15—19	**3,069**	**1,560**	**1,509**	**3,061**	**1,552**	**1,509**	**3,003**	**1,499**	**1,504**
20	572	288	284	553	269	284	516	234	282
All ages under 21	**14,113**	**7,211**	**6,902**	**14,086**	**7,184**	**6,902**	**13,991**	**7,096**	**6,895**
20—24	2,933	1,482	1,451	2,872	1,422	1,450	2,710	1,264	1,446
25—29	2,860	1,446	1,414	2,846	1,432	1,414	2,800	1,387	1,413
30—34	2,991	1,494	1,497	2,981	1,484	1,497	2,955	1,459	1,496
35—39	3,326	1,646	1,680	3,319	1,639	1,680	3,293	1,614	1,679
40—44	2,950	1,451	1,499	2,945	1,446	1,499	2,928	1,429	1,499
45—49	3,280	1,615	1,665	3,278	1,613	1,665	3,268	1,603	1,665
50—54	3,201	1,565	1,636	3,201	1,565	1,636	3,197	1,561	1,636
55—59	2,912	1,387	1,525	2,912	1,387	1,525	2,912	1,387	1,525
60—64	2,410	1,064	1,346	2,410	1,064	1,346	2,410	1,064	1,346
65—69	1,962	813	1,149	1,962	813	1,149	1,962	813	1,149
70—74	1,533	600	933	1,533	600	933	1,533	600	933
75—79	1,071	395	676	1,071	395	676	1,071	395	676
80—84	595	201	394	595	201	394	595	201	394
85 and over	297	94	203	297	94	203	297	94	203
All ages	**45,862**	**22,176**	**23,686**	**45,755**	**22,070**	**23,685**	**45,406**	**21,733**	**23,673**

TABLE 2. Estimated home population by sex and age, as at 30th June 1960

England and Wales, standard regions, Wales, conurbations, urban and rural aggregates outside conurbations

(*Figures in thousands*)

		All ages	0—	5—	15—	25—	35—	45—	55—	65—	75 and over
ENGLAND AND WALES	M	**22,070**	**1,820**	**3,543**	**2,974**	**2,916**	**3,085**	**3,178**	**2,451**	**1,413**	**690**
	F	**23,685**	**1,726**	**3,383**	**2,959**	**2,911**	**3,179**	**3,301**	**2,871**	**2,082**	**1,273**
Regions and conurbations:											
Northern	M	**1,598**	**143**	**266**	**230**	**215**	**209**	**219**	**171**	**99**	**46**
	F	**1,648**	**135**	**256**	**226**	**207**	**210**	**221**	**190**	**132**	**71**
Tyneside Conurbation	M	413	38	66	56	58	55	58	46	25	11
	F	442	36	65	61	57	57	61	52	35	18
Remainder of Northern	M	1,185	105	200	174	157	154	161	125	74	35
	F	1,206	99	191	165	150	153	160	138	97	53
East and West Ridings	M	**2,011**	**168**	**322**	**254**	**270**	**282**	**298**	**229**	**129**	**59**
	F	**2,159**	**159**	**310**	**273**	**264**	**290**	**308**	**265**	**187**	**103**
West Yorkshire Conurbation	M	801	67	125	93	107	113	124	96	52	24
	F	898	63	121	106	105	120	135	118	84	46
Remainder of East and West Ridings	M	1,210	101	197	161	163	169	174	133	77	35
	F	1,261	96	189	167	159	170	173	147	103	57
North Western	M	**3,109**	**267**	**505**	**393**	**403**	**436**	**461**	**358**	**198**	**88**
	F	**3,434**	**254**	**488**	**422**	**412**	**460**	**491**	**435**	**308**	**164**
South East Lancashire Conurbation	M	1,146	98	184	137	153	166	173	133	72	30
	F	1,276	94	179	150	154	176	186	163	115	59
Merseyside Conurbation	M	656	66	116	93	85	88	89	67	36	16
	F	731	62	113	104	90	95	95	82	58	32
Remainder of North Western	M	1,307	103	205	163	165	182	199	158	90	42
	F	1,427	98	196	168	168	189	210	190	135	73
North Midland	M	**1,770**	**147**	**287**	**239**	**242**	**245**	**252**	**191**	**112**	**55**
	F	**1,825**	**139**	**274**	**234**	**228**	**244**	**251**	**213**	**152**	**90**
Midland	M	**2,304**	**191**	**379**	**318**	**325**	**334**	**327**	**237**	**131**	**62**
	F	**2,384**	**182**	**361**	**315**	**315**	**324**	**324**	**266**	**186**	**111**
West Midlands Conurbation	M	1,121	95	184	146	164	167	161	115	61	28
	F	1,188	90	177	159	161	163	163	132	91	52
Remainder of Midland	M	1,183	96	195	172	161	167	166	122	70	34
	F	1,196	92	184	156	154	161	161	134	95	59
Eastern	M	**1,792**	**153**	**285**	**255**	**234**	**247**	**246**	**190**	**118**	**64**
	F	**1,863**	**146**	**268**	**229**	**229**	**248**	**246**	**220**	**166**	**111**
London and South Eastern	M	**5,191**	**405**	**804**	**637**	**691**	**770**	**782**	**597**	**339**	**166**
	F	**5,881**	**384**	**768**	**708**	**724**	**825**	**846**	**732**	**542**	**352**
Greater London	M	3,862	301	583	466	535	592	595	444	236	110
	F	4,348	285	562	534	555	628	637	533	377	237
Remainder of South Eastern	M	1,329	104	221	171	156	178	187	153	103	56
	F	1,533	99	206	174	169	197	209	199	165	115
Southern	M	**1,374**	**114**	**224**	**234**	**169**	**177**	**179**	**142**	**88**	**47**
	F	**1,411**	**107**	**211**	**173**	**166**	**182**	**185**	**168**	**130**	**89**
South Western	M	**1,630**	**128**	**264**	**240**	**199**	**214**	**228**	**185**	**112**	**60**
	F	**1,742**	**122**	**249**	**206**	**200**	**222**	**240**	**220**	**167**	**116**
Wales (including Monmouthshire)	M	**1,291**	**104**	**207**	**174**	**168**	**171**	**186**	**151**	**87**	**43**
	F	**1,338**	**98**	**198**	**173**	**166**	**174**	**189**	**162**	**112**	**66**
Wales I (South East)	M	932	76	149	123	125	125	135	110	60	29
	F	955	71	143	126	123	126	135	114	75	42
Wales II (remainder)	M	359	28	58	51	43	46	51	41	27	14
	F	383	27	55	47	43	48	54	48	37	24
Urban/Rural aggregates:											
Conurbations	M	7,999	665	1,258	991	1,102	1,181	1,200	901	482	219
	F	8,883	630	1,217	1,114	1,122	1,239	1,277	1,080	760	444
Areas outside conurbations:											
Urban areas with populations of 100,000 and over	M	2,816	238	455	373	382	390	405	316	175	82
	F	3,051	227	440	388	378	401	423	372	266	156
Urban areas with populations of 50,000 and under 100,000	M	1,681	140	271	229	226	230	238	186	108	53
	F	1,834	132	259	228	225	240	251	224	168	107
Urban areas with populations under 50,000	M	4,971	413	816	641	639	678	712	559	340	173
	F	5,377	392	773	662	646	704	740	659	491	310
Rural districts	M	4,603	364	743	740	567	606	623	489	308	163
	F	4,540	345	694	567	540	595	610	536	397	256

TABLE 3. Deaths, death rates, mortality comparisons, infant mortality, and live and still birth rates, 1841 to 1960 } **England and Wales**

See explanatory notes. For explanation of Standardised Mortality Ratios see note 5.

Period	Deaths			Crude rates per 1,000 living			Standardised Mortality Ratios (1950–52=100)			Deaths of infants under 1 year per 1,000 live births†			Live birth rates per 1,000 population	Stillbirth rates per 1,000 total (live and still) births
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females	Total	Legitimate	Illegitimate		
1841–1850	3,769,396	1,909,125	1,860,271	22·4	23·1	21·6	357	320	396	153			32·6	
1851–1860	4,210,715	2,138,536	2,072,179	22·2	23·1	21·4	348	313	384	154			34·1	
1861–1870	4,794,498	2,459,489	2,335,009	22·5	23·7	21·4	351	319	383	154			35·2	
1871–1880	5,178,311	2,679,416	2,498,895	21·4	22·7	20·1	335	308	362	149			35·4	
1881–1890	5,244,770	2,698,316	2,546,454	19·1	20·3	18·1	304	281	327	142			32·4	
1891–1900	5,575,375	2,865,226	2,710,149	18·2	19·3	17·1	288	268	307	153			29·9	
1901–1910	5,248,774	2,706,356	2,542,418	15·4	16·4	14·4	235	221	248	128			27·2	
1911–1920*	5,188,052	2,684,511	2,503,541	14·4	15·9	13·0	197	187	207	100	96	194	22·7	
1921–1930	4,722,991	2,407,475	2,315,516	12·1	12·9	11·4	151	142	159	72	70	130	18·3	
1931–1940*	4,992,208	2,551,612	2,440,596	12·3	13·1	11·5	131	125	136	59	57	95	14·9	40
1941–1950*	4,997,653	2,586,188	2,411,465	12·4	14·1	11·0	106	104	107	43	41	61	18·0	27
1951–1960	5,188,116	2,669,747	2,518,369	11·6	12·4	10·9	94	96	92	25	24	31	15·8	22
1841–1845	1,746,110	885,168	860,942	21·4	22·1	20·6	344	307	381	148			32·3	
1846–1850	2,023,286	1,023,957	999,329	23·3	24·1	22·6	369	331	409	157			32·8	
1851–1855	2,087,236	1,061,271	1,025,965	22·7	23·5	21·8	356	321	392	156			33·9	
1856–1860	2,123,479	1,077,265	1,046,214	21·8	22·6	21·0	341	306	377	152			34·4	
1861–1865	2,331,957	1,192,943	1,139,014	22·6	23·7	21·5	353	320	387	151			35·1	
1866–1870	2,462,541	1,266,546	1,195,995	22·4	23·7	21·2	349	318	380	157			35·3	
1871–1875	2,572,749	1,330,063	1,242,686	22·0	23·3	20·7	342	314	371	153			35·5	
1876–1880	2,605,562	1,349,353	1,256,209	20·8	22·1	19·5	328	302	354	145			35·3	
1881–1885	2,585,164	1,330,461	1,254,703	19·4	20·5	18·3	308	284	333	139			33·5	
1886–1890	2,659,606	1,367,855	1,291,751	18·9	20·0	17·8	300	278	322	145			31·4	
1891–1895	2,785,391	1,427,164	1,358,227	18·7	19·8	17·7	296	275	318	151			30·5	
1896–1900	2,789,984	1,438,062	1,351,922	17·7	18·8	16·6	279	262	297	156			29·3	
1901–1905	2,671,566	1,379,931	1,291,635	16·0	17·1	15·0	249	234	264	138			28·2	
1906–1910	2,577,208	1,326,425	1,250,783	14·7	15·6	13·8	221	208	234	117	113	224	26·3	
1911–1915*	2,598,719	1,344,171	1,254,548	14·3	15·4	13·3	205	195	215	110	105	210	23·9	
1916–1920*	2,589,333	1,340,340	1,248,993	14·4	16·5	12·8	190	180	199	90	85	179	21·5	
1921–1925	2,336,270	1,189,865	1,146,405	12·1	12·9	11·4	157	147	166	76	73	140	19·9	
1926–1930	2,386,721	1,217,610	1,169,111	12·1	12·9	11·4	145	137	153	68	65	119	16·7	
1931–1935	2,426,435	1,232,370	1,194,065	12·0	12·7	11·4	134	127	141	62	60	103	15·0	41
1936–1940*	2,565,773	1,319,242	1,246,531	12·5	13·5	11·6	128	123	132	55	54	86	14·9	38
1941–1945*	2,497,013	1,301,357	1,195,656	12·8	15·1	11·1	112	110	113	50	48	71	17·6	30
1946–1950*	2,500,640	1,284,831	1,215,809	11·8	12·8	10·9	101	99	102	36	36	51	18·4	24
1951–1955	2,571,153	1,325,747	1,245,406	11·7	12·5	10·9	97	98	95	27	27	34	15·2	23
1956–1960	2,616,963	1,344,000	1,272,963	11·6	12·3	10·9	91	94	89	23	22	28	16·4	21
1908	520,456	268,714	251,742	14·8	15·8	13·9	223	211	235	120	116	233	26·7	
1909	518,003	265,203	252,800	14·6	15·5	13·8	219	205	233	109	104	211	25·8	
1910	483,247	249,016	234,231	13·5	14·4	12·7	201	190	212	105	102	195	25·1	
1911	527,810	272,512	255,298	14·6	15·6	13·7	216	204	227	130	125	245	24·4	
1912	486,939	250,232	236,707	13·4	14·2	12·6	196	184	207	95	91	181	24·0	

* For the years 1915–20 and from 3rd September 1939 to 31st December 1949, for males, and from 1st June 1941 to 31st December 1949, for females, the mortality rates are based upon civilians only, but, as in other years, the numbers of deaths include those of non-civilians registered in England and Wales.

† Based on related live births from 1931 to 1956.

‡ Based on half year's figures only.

TABLE 3—*continued*

Period	Deaths			Crude rates per 1,000 living			Standardised Mortality Ratios (1950–52=100)			Deaths of infants under 1 year per 1,000 live births†			Live birth rates per 1,000 population	Stillbirth rates per 1,000 total (live and still) births
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females	Total	Legitimate	Illegitimate		
1913	504,975	261,687	243,288	13·8	14·8	12·9	200	190	209	108	104	213	24·1	
1914	516,742	267,359	249,383	14·0	14·9	13·1	201	191	211	105	100	207	23·8	
1915*	562,253	292,381	269,872	15·7	17·7	14·0	215	205	224	110	105	203	23·1	
1916*	508,217	265,030	243,187	14·3	16·7	12·5	191	183	200	91	87	183	22·7	
1917*	498,922	262,215	236,707	14·2	17·1	12·1	186	180	192	96	90	201	19·5	
1918*	611,861	314,704	297,157	17·3	20·1	15·2	222	208	238	97	91	186	19·5	
1919*	504,203	258,089	246,114	14·0	15·7	12·6	183	173	194	89	84	173	19·5	
1920*	466,130	240,302	225,828	12·4	13·5	11·5	166	159	174	80	76	156	28·0	
1921	458,629	234,291	224,338	12·1	12·9	11·3	160	151	169	83	79	158	22·4	
1922	486,780	247,221	239,559	12·7	13·5	12·0	167	157	177	77	74	139	20·4	
1923	444,785	226,858	217,927	11·6	12·4	10·9	149	140	157	69	67	132	19·7	
1924	473,235	240,620	232,615	12·2	13·0	11·5	155	146	164	75	73	133	18·8	
1925	472,841	240,875	231,966	12·1	12·9	11·4	153	144	162	75	72	136	18·3	
1926	453,804	231,549	222,255	11·6	12·4	10·9	143	135	151	70	68	130	17·8	
1927	484,609	246,606	238,003	12·3	13·1	11·6	150	142	159	70	67	120	16·7	38‡
1928	460,389	235,542	224,847	11·7	12·5	10·9	139	132	146	65	63	115	16·7	40
1929	532,492	269,903	262,589	13·4	14·2	12·7	160	150	170	74	72	126	16·3	40
1930	455,427	234,010	221,417	11·4	12·3	10·7	134	127	140	60	58	105	16·3	41
1931	491,630	249,717	241,913	12·3	13·0	11·6	142	133	150	66	64	109	15·8	41
1932	484,129	245,715	238,414	12·0	12·7	11·4	137	129	144	64	62	112	15·3	41
1933	496,465	250,625	245,840	12·3	12·9	11·7	138	129	146	63	61	106	14·4	41
1934	476,810	242,855	233,955	11·8	12·5	11·1	129	123	136	59	58	96	14·8	40
1935	477,401	243,458	233,943	11·7	12·5	11·1	127	120	132	57	56	89	14·7	41
1936	495,764	253,319	242,445	12·1	12·9	11·4	129	123	134	59	57	88	14·8	40
1937	509,574	260,057	249,517	12·4	13·2	11·7	130	124	135	58	56	88	14·9	39
1938	478,996	246,898	232,098	11·6	12·5	10·8	119	116	123	53	52	81	15·1	38
1939*	499,902	255,879	244,023	12·1	13·0	11·3	122	117	126	51	49	90	14·9	38
1940*	581,537	303,089	278,448	14·4	16·1	12·9	139	135	141	57	55	82	14·8	37
1941*	535,180	281,035	254,145	13·5	15·7	11·8	126	124	127	60	59	82	14·9	35
1942*	480,137	251,333	228,804	12·3	14·4	10·7	110	109	111	51	49	75	17·0	33
1943*	501,412	259,206	242,206	13·0	15·3	11·3	112	109	114	49	48	71	18·1	30
1944*	492,176	257,705	234,471	12·7	15·3	10·8	107	106	108	45	44	69	19·9	28
1945*	488,108	252,078	236,030	12·6	15·0	10·8	104	103	106	46	44	65	17·9	28
1946*	492,090	252,380	239,710	12·0	13·4	10·9	103	101	106	43	42	60	20·2	27
1947*	517,615	267,714	249,901	12·3	13·6	11·3	107	106	108	41	40	58	21·1	24
1948*	469,898	242,899	226,999	11·0	11·9	10·1	94	93	95	34	33	45	18·1	23
1949*	510,736	260,686	250,050	11·8	12·6	11·1	101	99	103	32	32	45	16·9	23
1950	510,301	261,152	249,149	11·6	12·3	11·0	99	98	101	30	29	39	15·8	23
1951	549,380	281,724	267,656	12·5	13·4	11·8	106	106	106	30	29	38	15·4	23
1952	497,484	257,760	239,724	11·3	12·2	10·5	95	96	93	28	27	35	15·3	23
1953	503,529	259,490	244,039	11·4	12·2	10·7	95	96	94	27	27	33	15·4	22
1954	501,896	259,797	242,099	11·3	12·2	10·5	93	95	91	25	25	32	15·1	23
1955	518,864	266,976	251,888	11·7	12·5	10·9	95	97	93	25	25	32	15·0	23
1956	521,331	267,904	253,427	11·7	12·5	10·9	94	96	92	24	23	29	15·6	23
1957	514,870	266,407	248,463	11·5	12·3	10·7	91	94	88	23	23	30	16·1	22
1958	526,843	270,639	256,204	11·7	12·4	11·0	92	95	90	23	22	28	16·4	22
1959	527,651	269,878	257,773	11·6	12·3	11·0	91	94	89	22	22	27	16·5	21
1960	526,268	269,172	257,096	11·5	12·2	10·9	89	92	87	22	22	26	17·2	20

* † ‡ See footnotes on first page of this table.

TABLE 4. Death rates per 1,000 living in age-groups and infant mortality per 1,000 live births, 1841 to 1960 } England and Wales

See explanatory notes.

PERSONS

Period	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and over	Deaths under 1 year per 1,000 live births†
1841–1850		9·05	5·29	7·48	9·29	10·3	12·9	17·0	29·9	63·6	141·5	301·0	153
1851–1860		8·46	4·97	7·04	8·67	9·76	12·3	16·5	28·9	61·7	139·9	296·5	154
1861–1870		7·99	4·49	6·42	8·21	9·83	12·7	17·4	30·4	62·8	140·4	296·6	154
1871–1880		6·47	3·71	5·35	7·07	8·96	12·7	17·8	31·6	65·0	142·2	308·3	149
1881–1890		5·30	3·03	4·37	5·63	7·56	11·5	17·1	31·4	65·0	137·6	284·0	142
1891–1900		4·34	2·51	3·73	4·74	6·40	10·5	16·8	31·5	65·0	137·2	270·8	153
1901–1910		3·56	2·11	2·99	3·82	5·13	8·31	14·3	28·1	58·8	127·2	260·8	128
1911–1920*		3·60	2·28	3·32	4·29	5·47	7·41	12·6	25·0	55·8	125·5	254·2	100
1921–1930		2·42	1·64	2·55	3·21	3·64	5·54	10·0	21·3	50·8	120·9	260·2	72
1931–1940*	5·65	2·01	1·31	2·17	2·85	3·04	4·58	9·26	20·2	48·8	119·5	259·8	59
1941–1950*	2·55	1·13	0·85	1·58	2·24	2·37	3·38	7·44	17·6	42·4	104·0	216·5	43
1951–1960	1·02	0·44	0·37	0·65	0·89	1·12	2·27	6·11	16·2	41·0	102·5	227·5	25
1841–1845		8·69	5·01	7·21	8·81	9·66	12·2	16·1	28·7	62·0	137·2	295·3	148
1846–1850		9·39	5·56	7·74	9·77	10·9	13·6	18·1	31·4	65·9	145·7	306·5	157
1851–1855		8·64	5·23	7·48	9·06	10·1	12·7	17·2	29·6	62·9	143·2	299·6	156
1856–1860		8·33	4·72	6·74	8·33	9·38	12·0	16·1	28·4	61·0	136·7	293·4	152
1861–1865		8·39	4·72	6·64	8·39	9·79	12·6	17·2	30·3	62·5	139·1	299·0	151
1866–1870		7·62	4·28	6·21	8·03	9·86	12·9	17·6	30·6	63·2	141·7	294·3	157
1871–1875		6·86	3·97	5·81	7·74	9·61	13·1	18·0	31·6	65·3	141·7	305·2	153
1876–1880		6·10	3·47	4·93	6·46	8·35	12·3	17·5	31·6	64·7	142·9	311·5	145
1881–1885		5·76	3·23	4·63	5·96	8·01	11·8	17·2	31·0	63·5	136·2	277·9	139
1886–1890		4·86	2·84	4·13	5·32	7·15	11·1	17·1	31·8	66·4	139·0	290·1	145
1891–1895		4·56	2·65	3·98	5·01	6·81	11·0	17·3	32·5	67·3	140·7	273·9	151
1896–1900		4·12	2·36	3·48	4·50	6·03	10·1	16·2	30·5	62·9	133·8	267·7	156
1901–1905		3·74	2·19	3·11	4·00	5·44	8·86	14·9	28·7	59·4	127·3	258·6	138
1906–1910		3·38	2·03	2·87	3·64	4·84	7·81	13·7	27·5	58·1	127·0	262·4	117
1911–1915*		3·39	2·08	2·88	3·58	4·57	7·28	13·1	26·2	57·3	126·2	257·9	110
1916–1920*		3·81	2·48	3·77	5·16	6·55	7·54	12·1	24·0	54·5	124·8	250·7	90
1921–1925		2·48	1·71	2·61	3·30	3·79	5·71	10·1	21·6	51·1	121·8	251·4	76
1926–1930		2·37	1·57	2·49	3·11	3·49	5·37	9·94	21·0	50·6	120·2	268·2	68
1931–1935	6·56	2·18	1·41	2·33	2·96	3·20	4·82	9·44	20·1	49·0	119·3	255·7	62
1936–1940*	4·70	1·84	1·20	2·01	2·72	2·87	4·35	9·09	20·4	48·5	119·7	263·4	55
1941–1945*	3·50	1·50	1·08	1·96	3·06	3·04	3·95	8·00	18·1	43·0	104·5	213·0	50
1946–1950*	1·77	0·77	0·62	1·18	1·63	1·84	2·89	6·94	17·1	41·9	103·5	219·3	36
1951–1955	1·14	0·47	0·41	0·68	0·96	1·24	2·40	6·36	16·6	42·0	105·7	235·7	27
1956–1960	0·91	0·41	0·34	0·63	0·82	0·99	2·13	5·87	15·9	40·1	99·7	221·0	23
1931	7·55	2·14	1·47	2·50	3·10	3·36	5·45	9·80	20·6	50·8	123·9	268·2	66
1932	6·96	2·07	1·39	2·39	3·02	3·21	4·79	9·33	20·1	49·8	121·9	264·6	64
1933	6·56	2·20	1·43	2·41	3·09	3·34	5·15	9·89	20·4	49·5	123·8	266·2	63
1934	6·59	2·44	1·43	2·28	2·85	3·10	4·60	9·19	19·7	47·9	113·2	236·4	59
1935	5·08	2·04	1·32	2·07	2·72	2·99	4·49	8·99	19·6	47·5	114·6	245·4	57
1936	5·50	1·99	1·21	1·95	2·69	2·82	4·39	9·09	20·1	48·5	118·3	265·5	59
1937	5·11	1·87	1·18	1·97	2·66	2·89	4·47	9·23	20·6	49·0	120·0	271·7	58
1938	4·59	1·87	1·19	1·86	2·49	2·65	4·05	8·47	19·0	45·5	110·6	240·0	53
1939*	3·49	1·48	1·03	1·75	2·45	2·60	3·94	8·56	19·7	47·2	119·0	260·6	51
1940*	4·83	1·96	1·40	2·54	3·50	3·44	4·92	10·1	22·6	52·3	130·1	278·7	57
1941*	5·30	2·06	1·37	2·59	3·55	3·53	4·62	8·97	19·8	46·5	114·3	247·2	60
1942*	3·42	1·50	1·04	1·91	3·02	2·92	3·87	7·82	17·8	42·4	102·6	216·8	51
1943*	3·34	1·40	1·04	1·88	3·02	2·97	3·95	8·02	18·0	43·1	106·4	220·2	49
1944*	2·84	1·38	1·05	1·73	2·96	3·01	3·82	7·73	17·6	41·7	100·3	196·5	45
1945*	2·64	1·18	0·91	1·56	2·73	2·67	3·48	7·36	17·3	41·5	100·3	194·5	46
1946*	2·08	0·86	0·76	1·33	2·07	2·10	3·15	7·25	17·4	41·3	102·4	214·5	43
1947*	2·18	0·90	0·70	1·39	1·92	2·03	3·08	7·24	17·5	42·8	108·3	234·4	41
1948*	1·75	0·75	0·60	1·20	1·55	1·82	2·79	6·70	16·4	39·4	94·1	191·9	34
1949*	1·56	0·69	0·56	1·10	1·51	1·70	2·80	6·81	17·2	43·1	105·7	227·5	32
1950	1·35	0·64	0·48	0·90	1·24	1·57	2·62	6·72	17·0	42·7	106·9	227·6	30
1951	1·35	0·55	0·47	0·76	1·12	1·45	2·63	6·90	18·0	46·1	117·2	266·9	30
1952	1·18	0·49	0·43	0·71	1·03	1·26	2·42	6·35	16·5	41·0	102·3	228·4	28
1953	1·18	0·49	0·41	0·64	0·92	1·22	2·35	6·26	16·3	41·1	103·3	230·9	27
1954	0·94	0·41	0·37	0·63	0·87	1·15	2·37	6·19	16·1	40·6	101·0	222·2	25
1955	1·00	0·43	0·38	0·64	0·86	1·10	2·23	6·14	16·1	41·4	105·1	233·5	25
1956	0·91	0·40	0·34	0·57	0·80	1·04	2·19	5·95	16·1	41·0	104·1	233·3	24
1957	0·97	0·41	0·38	0·68	0·84	1·03	2·20	6·00	16·2	40·4	97·4	208·0	23
1958	0·88	0·40	0·32	0·60	0·80	0·98	2·27	5·92	15·9	40·4	101·0	224·2	23
1959	0·91	0·41	0·34	0·65	0·83	0·96	2·09	5·77	15·9	39·9	99·2	223·2	22
1960	0·87	0·44	0·32	0·64	0·81	0·93	2·07	5·73	15·6	38·8	97·0	217·3	22

* Civilian mortality only in 1915–20 and from 3rd September 1939 to 31st December 1949 for males, and from 1st June 1941 to 31st December 1949, for females.
† Based on related live births from 1931 to 1956.

TABLE 4—*continued*

MALES

Period	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and over	Deaths under 1 year per 1,000 live births†
1841–1850		9·17	5·13	7·05	9·51	9·94	12·9	18·2	31·8	67·5	148·3	312·3	167
1851–1860		8·51	4·88	6·69	8·83	9·57	12·5	18·0	30·9	65·3	146·7	308·2	168
1861–1870		8·19	4·48	6·19	8·48	9·94	13·5	19·3	33·1	67·1	147·2	315·0	168
1871–1880		6·71	3·71	5·25	7·36	9·34	13·8	20·1	34·9	69·7	150·8	327·4	163
1881–1890		5·35	2·95	4·32	5·73	7·77	12·4	19·4	34·7	70·5	146·6	305·8	155
1891–1900		4·31	2·45	3·79	5·06	6·76	11·5	18·9	34·9	70·4	146·1	286·8	168
1901–1910		3·50	2·05	3·09	4·18	5·57	9·15	16·2	31·8	64·8	137·7	279·2	140
1911–1920*		3·61	2·23	3·44	4·94	6·46	8·61	14·5	29·0	63·5	139·3	274·5	112
1921–1930		2·52	1·65	2·62	3·41	3·86	6·34	11·6	24·6	58·2	135·4	285·8	81
1931–1940*	5·96	2·13	1·36	2·30	3·08	3·20	5·17	11·1	24·3	56·8	137·5	282·9	66
1941–1950*	2·72	1·28	0·95	1·79	2·72	2·72	3·93	9·16	22·7	51·6	120·2	234·7	48
1951–1960	1·11	0·52	0·44	0·87	1·18	1·28	2·58	7·63	22·2	54·2	124·7	251·0	28
1841–1845		8·82	4·84	6·76	8·99	9·37	12·2	17·2	30·3	65·5	143·7	350·1	162
1846–1850		9·54	5·39	7·35	10·0	10·5	13·6	19·2	33·2	69·5	152·9	319·5	172
1851–1855		8·75	5·15	6·98	9·24	9·95	12·9	18·6	31·6	66·7	150·9	310·9	172
1856–1860		8·30	4·63	6·42	8·44	9·17	12·2	17·5	30·4	64·3	142·7	305·3	166
1861–1865		8·53	4·68	6·39	8·65	9·76	13·2	18·9	32·8	66·4	145·9	316·6	166
1866–1870		7·88	4·30	5·99	8·31	10·1	13·7	19·6	33·5	67·8	148·7	313·5	170
1871–1875		7·10	3·99	5·71	8·07	10·0	14·3	20·3	34·8	70·1	149·6	323·3	167
1876–1880		6·34	3·44	4·84	6·70	8·70	13·4	19·8	34·9	69·4	152·2	331·5	159
1881–1885		5·85	3·16	4·53	6·00	8·16	12·8	19·3	34·2	68·8	145·4	297·9	152
1886–1890		4·86	2·76	4·12	5·48	7·40	12·1	19·4	35·2	72·1	147·9	313·7	159
1891–1895		4·53	2·57	4·00	5·23	7·07	11·9	19·5	35·8	72·5	149·2	290·8	165
1896–1900		4·09	2·32	3·59	4·90	6·47	11·1	18·4	34·1	68·3	143·1	282·8	170
1901–1905		3·68	2·14	3·20	4·39	5·89	9·74	17·0	32·4	65·3	137·6	274·6	151
1906–1910		3·33	1·97	2·97	3·97	5·25	8·62	15·5	31·2	64·4	137·7	283·0	129
1911–1915*		3·42	2·05	3·01	3·98	5·15	8·20	14·9	30·2	64·1	139·2	281·6	121
1916–1920*		3·81	2·41	3·91	6·60	8·58	9·07	14·0	27·9	63·0	139·4	267·8	101
1921–1925		2·55	1·69	2·66	3·53	4·05	6·51	11·6	24·9	58·2	135·5	272·7	86
1926–1930		2·48	1·61	2·58	3·30	3·68	6·18	11·6	24·4	58·3	135·4	298·1	77
1931–1935	6·88	2·28	1·44	2·45	3·15	3·31	5·40	11·2	23·6	56·7	135·2	278·9	70
1936–1940*	5·00	1·96	1·27	2·15	2·99	3·09	4·95	11·0	25·0	56·8	139·5	286·3	62
1941–1945*	3·72	1·69	1·20	2·22	5·00	4·16	4·81	9·85	23·1	51·7	121·6	226·1	56
1946–1950*	1·90	0·88	0·69	1·33	1·75	1·92	3·23	8·55	22·4	51·6	119·0	241·6	41
1951–1955	1·23	0·55	0·48	0·86	1·23	1·39	2·71	7·93	22·5	54·6	126·7	265·9	30
1956–1960	0·99	0·49	0·40	0·88	1·12	1·17	2·45	7·35	21·9	53·7	122·7	239·2	25
1931	8·05	2·29	1·46	2·60	3·31	3·46	5·76	11·6	23·9	58·7	138·4	295·9	74
1932	7·20	2·20	1·45	2·54	3·24	3·33	5·33	10·8	23·4	57·9	138·0	289·7	73
1933	6·88	2·27	1·49	2·56	3·27	3·49	5·74	11·7	23·8	56·6	139·4	286·3	71
1934	6·91	2·49	1·45	2·38	3·07	3·19	5·14	10·9	23·4	55·4	129·3	256·4	66
1935	5·30	2·14	1·35	2·14	2·88	3·10	5·02	10·8	23·3	55·2	131·8	268·9	64
1936	5·82	2·12	1·29	2·06	2·87	2·94	4·91	10·8	24·2	56·3	137·3	291·8	66
1937	5·42	1·98	1·23	2·12	2·81	3·02	5·03	11·1	24·9	57·1	138·5	292·3	65
1938	4·89	1·93	1·28	2·01	2·73	2·83	4·57	10·2	23·1	53·7	130·1	263·6	60
1939*	3·72	1·65	1·08	1·87	2·64	2·74	4·42	10·3	24·3	55·4	139·1	280·8	56
1940*	5·16	2·12	1·48	2·76	4·80	4·08	5·84	12·5	28·3	61·3	151·8	303·2	64
1941*	5·58	2·25	1·50	2·94	5·57	4·64	5·64	11·0	25·1	55·2	134·6	258·8	67
1942*	3·69	1·68	1·16	2·12	4·75	3·85	4·67	9·58	22·4	51·2	120·7	232·9	57
1943*	3·50	1·61	1·10	2·12	5·04	4·04	4·76	9·95	22·8	51·4	122·6	234·1	55
1944*	3·06	1·58	1·18	1·95	4·79	4·29	4·75	9·62	22·7	50·6	116·5	212·0	50
1945*	2·84	1·35	1·03	1·79	4·75	3·84	4·20	9·10	22·3	50·3	115·7	204·7	51
1946*	2·26	0·97	0·86	1·52	2·66	2·24	3·55	8·94	22·3	49·7	117·4	232·3	48
1947*	2·38	1·04	0·78	1·62	2·05	2·12	3·44	8·98	22·9	52·5	125·9	266·5	46
1948*	1·87	0·88	0·64	1·30	1·54	1·87	3·15	8·24	21·6	49·0	108·6	210·2	38
1949*	1·69	0·80	0·63	1·27	1·59	1·75	3·12	8·39	22·6	53·2	120·7	249·0	36
1950	1·42	0·75	0·56	1·01	1·39	1·69	2·92	8·26	22·5	53·3	122·5	250·4	34
1951	1·44	0·65	0·57	0·89	1·36	1·61	2·96	8·62	24·3	58·8	136·9	307·8	34
1952	1·32	0·57	0·50	0·90	1·33	1·43	2·75	7·91	22·2	53·1	122·1	265·1	31
1953	1·26	0·56	0·46	0·82	1·18	1·37	2·61	7·81	22·2	53·7	123·4	258·1	30
1954	1·06	0·48	0·43	0·81	1·12	1·29	2·66	7·69	21·9	53·3	123·0	249·6	29
1955	1·04	0·49	0·45	0·88	1·18	1·25	2·53	7·66	22·0	54·2	128·5	256·2	28
1956	0·98	0·46	0·41	0·79	1·07	1·21	2·49	7·45	22·1	54·2	127·5	256·2	27
1957	1·04	0·48	0·44	0·91	1·15	1·19	2·50	7·51	22·3	54·0	119·9	226·8	26
1958	0·99	0·49	0·39	0·83	1·07	1·17	2·43	7·40	21·9	54·3	124·6	242·6	25
1959	1·00	0·49	0·39	0·94	1·14	1·13	2·42	7·23	21·8	53·6	122·2	240·0	25
1960	0·95	0·53	0·38	0·91	1·17	1·12	2·41	7·17	21·4	52·5	119·6	232·1	25

* Civilian mortality only in 1915–20 and from 3rd September 1939 to 31st December 1949.
† Based on related live births from 1931 to 1956.

TABLE 4—*continued*

FEMALES

Period	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and over	Deaths under 1 year per 1,000 live births†
1841–1850		8·90	5·44	7·89	9·09	10·6	12·9	16·0	28·4	61·0	135·9	293·3	137
1851–1860		8·42	5·06	7·39	8·53	9·93	12·1	15·2	27·0	58·7	134·5	288·9	139
1861–1870		7·80	4·51	6·65	7·97	9·72	12·1	15·6	27·9	59·1	134·9	285·1	139
1871–1880		6·23	3·72	5·45	6·81	8·61	11·6	15·6	28·7	61·0	135·4	296·4	134
1881–1890		5·26	3·11	4·42	5·54	7·38	10·6	15·1	28·5	60·4	130·6	270·8	128
1891–1900		4·37	2·57	3·67	4·46	6·08	9·59	14·7	28·4	60·7	130·6	261·4	138
1901–1910		3·61	2·17	2·89	3·50	4·74	7·53	12·5	24·8	53·9	119·8	250·3	114
1911–1920		3·59	2·34	3·21	3·87	4·78	6·42	10·9	21·5	49·6	116·3	243·6	89
1921–1930		2·33	1·63	2·48	3·02	3·45	4·85	8·61	18·3	44·9	111·6	248·2	63
1931–1940	5·34	1·90	1·26	2·04	2·63	2·88	4·07	7·71	16·7	42·3	107·9	249·1	51
1941–1950*	2·36	0·97	0·76	1·40	1·97	2·11	2·91	5·96	13·4	35·2	93·3	207·9	37
1951–1960	0·93	0·36	0·30	0·43	0·61	0·95	1·97	4·67	11·4	31·8	89·2	216·8	21
1841–1845		8·56	5·17	7·65	8·64	9·92	12·1	15·1	27·2	59·1	131·8	288·6	133
1846–1850		9·23	5·72	8·12	9·57	11·2	13·7	17·0	29·7	62·7	140·0	297·7	142
1851–1855		8·54	5·32	7·75	8·90	10·3	12·6	15·8	27·8	59·7	137·2	292·1	141
1856–1860		8·35	4·82	7·06	8·24	9·57	11·8	14·8	26·5	58·1	131·9	285·8	137
1861–1865		8·26	4·76	6·89	8·17	9·82	12·1	15·5	27·9	59·1	133·8	287·9	136
1866–1870		7·37	4·27	6·42	7·78	9·63	12·1	15·8	27·9	59·1	136·1	282·3	142
1871–1875		6·61	3·95	5·92	7·43	9·23	12·0	15·9	28·7	61·3	135·3	293·9	138
1876–1880		5·87	3·50	5·02	6·23	8·03	11·3	15·3	28·6	60·8	135·5	299·0	130
1881–1885		5·68	3·30	4·72	5·93	7·86	10·9	15·2	28·1	59·1	129·0	265·5	125
1886–1890		4·85	2·93	4·15	5·17	6·92	10·3	15·0	28·8	61·7	132·3	276·1	131
1891–1895		4·59	2·73	3·97	4·81	6·57	10·1	15·2	29·5	63·0	134·3	264·0	135
1896–1900		4·15	2·40	3·37	4·14	5·63	9·10	14·3	27·4	58·5	127·0	258·7	141
1901–1905		3·79	2·24	3·02	3·66	5·04	8·05	13·1	25·4	54·8	119·9	249·4	124
1906–1910		3·44	2·09	2·76	3·34	4·46	7·05	12·0	24·3	53·1	119·6	250·9	105
1911–1915		3·37	2·11	2·75	3·25	4·08	6·46	11·4	22·7	51·7	117·5	245·4	97
1916–1920		3·81	2·56	3·66	4·47	5·48	6·39	10·4	20·4	47·7	115·1	241·9	79
1921–1925		2·41	1·72	2·56	3·11	3·58	5·03	8·79	18·7	45·5	112·9	241·2	66
1926–1930		2·25	1·53	2·41	2·94	3·33	4·69	8·44	18·0	44·4	110·4	254·4	59
1931–1935	6·23	2·07	1·37	2·22	2·77	3·09	4·33	7·96	17·0	42·8	108·9	245·0	54
1936–1940	4·40	1·71	1·13	1·87	2·49	2·68	3·83	7·47	16·5	41·8	107·1	252·7	48
1941–1945*	3·26	1·31	0·97	1·74	2·41	2·46	3·27	6·43	14·0	36·0	93·5	206·6	44
1946–1950*	1·62	0·64	0·54	1·05	1·54	1·76	2·56	5·51	12·8	34·4	93·2	208·9	32
1951–1955	1·04	0·39	0·34	0·50	0·70	1·09	2·11	4·89	11·8	33·1	92·4	222·0	23
1956–1960	0·82	0·33	0·27	0·38	0·52	0·81	1·83	4·46	10·9	30·7	86·4	212·5	20
1931	7·04	1·99	1·47	2·40	2·90	3·27	4·51	8·27	17·6	44·4	114·4	255·3	57
1932	6·71	1·94	1·33	2·24	2·81	3·10	4·34	8·02	17·1	43·2	111·4	253·0	56
1933	6·23	2·12	1·38	2·27	2·91	3·20	4·65	8·35	17·4	43·8	113·5	256·9	54
1934	6·26	2·39	1·40	2·18	2·64	3·02	4·13	7·69	16·5	41·7	102·8	227·1	52
1935	4·84	1·94	1·29	1·99	2·57	2·88	4·04	7·48	16·4	41·2	103·4	234·4	50
1936	5·18	1·86	1·13	1·84	2·52	2·71	3·94	7·60	16·5	42·2	106·2	253·2	51
1937	4·80	1·75	1·13	1·83	2·52	2·77	3·98	7·67	16·9	42·5	108·2	261·9	50
1938	4·28	1·80	1·09	1·71	2·25	2·49	3·59	6·97	15·5	38·8	98·1	228·9	46
1939	3·26	1·31	0·97	1·64	2·27	2·47	3·51	7·05	15·7	40·5	106·2	251·1	44
1940	4·48	1·80	1·31	2·32	2·87	2·94	4·14	8·04	17·7	45·0	116·4	267·5	49
1941*	5·00	1·86	1·24	2·28	2·81	2·85	3·77	7·26	15·4	39·5	101·5	241·7	52
1942*	3·15	1·31	0·91	1·73	2·41	2·41	3·22	6·37	13·9	35·4	91·0	209·2	44
1943*	3·18	1·18	0·98	1·69	2·36	2·45	3·32	6·43	13·9	36·4	95·9	213·5	43
1944*	2·61	1·17	0·92	1·55	2·36	2·44	3·11	6·19	13·4	34·6	89·7	188·8	40
1945*	2·44	1·01	0·79	1·38	2·09	2·13	2·92	5·92	13·3	34·6	90·2	189·5	40
1946*	1·90	0·75	0·67	1·17	1·78	1·99	2·79	5·82	13·3	34·6	92·4	206·2	37
1947*	1·96	0·75	0·61	1·21	1·82	1·94	2·74	5·72	13·1	35·2	96·6	219·8	36
1948*	1·63	0·62	0·55	1·12	1·56	1·77	2·45	5·33	12·2	32·1	84·5	183·5	30
1949*	1·43	0·57	0·49	0·96	1·43	1·65	2·48	5·39	12·8	35·5	95·8	217·5	28
1950	1·27	0·53	0·41	0·78	1·09	1·45	2·32	5·30	12·6	34·7	96·6	216·9	26
1951	1·26	0·46	0·37	0·64	0·90	1·30	2·32	5·32	13·0	36·9	104·4	249·1	26
1952	1·03	0·41	0·34	0·52	0·76	1·10	2·09	4·90	11·9	32·3	89·6	212·3	24
1953	1·09	0·41	0·35	0·46	0·67	1·07	2·11	4·79	11·6	32·1	90·7	218·8	24
1954	0·82	0·34	0·31	0·46	0·63	1·01	2·09	4·75	11·4	31·6	87·4	209·7	22
1955	0·97	0·36	0·32	0·40	0·55	0·94	1·93	4·70	11·3	32·3	90·9	222·9	21
1956	0·83	0·33	0·27	0·36	0·53	0·87	1·90	4·52	11·2	31·8	90·1	222·7	20
1957	0·90	0·34	0·30	0·45	0·54	0·86	1·92	4·56	11·2	30·9	84·2	199·2	20
1958	0·77	0·31	0·24	0·35	0·54	0·80	1·80	4·50	10·9	30·9	87·5	215·6	20
1959	0·81	0·33	0·29	0·37	0·53	0·79	1·78	4·36	10·8	30·5	86·3	215·4	20
1960	0·78	0·34	0·26	0·36	0·44	0·73	1·73	4·35	10·6	29·5	84·4	210·4	19

* Civilian mortality only from 1st June 1941 to 31st December 1949.
† Based on related live births from 1931 to 1956.

TABLE 5. Deaths registered and death rates in each quarter, 1841 to 1960 } **England and Wales**

See explanatory notes.

Period	Quarter ended							
	March	June	Sept.	Dec.	March	June	Sept.	Dec.
	Deaths : Males				Deaths : Females			
1841–1850	522,415	471,969	452,208	462,533	507,070	454,122	440,756	458,323
1851–1860	587,846	532,002	491,400	527,288	570,070	508,594	474,524	518,991
1861–1870	677,517	597,458	578,694	605,820	645,889	559,376	547,594	582,150
1871–1880	731,877	658,545	621,924	667,070	690,899	600,519	573,079	634,398
1881–1890	744,679	661,355	618,271	674,011	714,871	610,420	575,831	645,332
1891–1900	790,553	697,093	682,542	695,038	771,792	640,661	629,133	668,563
1901–1910	756,871	648,442	621,683	679,360	733,364	598,293	563,732	647,029
1911–1920*	785,560	638,473	565,071	695,407	746,774	582,169	509,764	664,834
1921–1930	746,920	585,095	484,852	590,608	743,076	551,336	451,409	569,695
1931–1940*	798,598	604,458	518,256	630,300	780,376	573,530	487,622	599,068
1941–1950*	801,980	612,766	519,908	651,534	751,419	566,731	484,757	608,558
1951–1960	840,969	615,560	534,854	678,364	799,333	584,431	503,824	630,781
1951	104,298	62,560	51,658	63,208	101,580	59,123	48,399	58,554
1952	76,112	59,332	51,097	71,219	70,836	56,037	47,516	65,335
1953	87,706	59,119	50,977	61,688	83,644	55,525	47,568	57,302
1954	79,372	60,528	53,851	66,046	73,748	56,677	50,263	61,411
1955	86,465	63,433	52,582	64,496	82,180	60,797	49,095	59,816
1956	87,175	61,748	53,381	65,600	83,117	58,311	50,750	61,249
1957	68,995	60,972	56,828	79,612	65,562	57,150	53,209	72,542
1958	84,474	63,140	53,762	69,263	79,121	61,029	51,867	64,187
1959	90,251	61,404	52,919	65,304	86,629	58,768	50,479	61,897
1960	76,121	63,324	57,799	71,928	72,916	61,014	54,678	68,488
	Deaths : Persons				Annual death rates per 1,000 persons living			
1841–1850	1,029,485	926,091	892,964	920,856	24·7	22·0	21·0	21·7
1851–1860	1,157,916	1,040,596	965,924	1,046,279	24·7	22·1	20·3	21·9
1861–1870	1,323,406	1,156,834	1,126,288	1,187,970	25·2	21·8	21·0	22·1
1871–1880	1,422,776	1,259,064	1,195,003	1,301,468	23·7	20·9	19·6	21·3
1881–1890	1,459,550	1,271,775	1,194,102	1,319,343	21·6	18·7	17·3	19·1
1891–1900	1,562,345	1,337,754	1,311,675	1,363,601	20·7	17·6	17·0	17·7
1901–1910	1,490,235	1,246,735	1,185,415	1,326,389	17·7	14·6	13·8	15·4
1911–1920*	1,532,334	1,220,642	1,074,835	1,360,241	17·2	13·6	11·8	14·9
1921–1930	1,489,996	1,136,431	936,261	1,160,303	15·5	11·7	9·5	11·8
1931–1940*	1,578,974	1,177,988	1,005,878	1,229,368	15·8	11·6	9·8	12·0
1941–1950*	1,553,399	1,179,497	1,004,665	1,260,092	15·5	11·6	9·8	12·3
1951–1960	1,640,302	1,199,991	1,038,678	1,309,145	14·9	10·8	9·2	11·6
1951	205,878	121,683	100,057	121,762	19·1	11·1	9·1	11·0
1952	146,948	115,369	98,613	136,554	13·4	10·6	8·9	12·4
1953	171,350	114,644	98,545	118,990	15·8	10·4	8·9	10·7
1954	153,120	117,205	104,114	127,457	14·0	10·6	9·3	11·4
1955	168,645	124,230	101,677	124,312	15·4	11·2	9·1	11·1
1956	170,292	120,059	104,131	126,849	15·3	10·8	9·3	11·3
1957	134,557	118,122	110,037	152,154	12·2	10·6	9·7	13·4
1958	163,595	124,169	105,629	133,450	14·7	11·0	9·3	11·7
1959	176,880	120,172	103,398	127,201	15·8	10·6	9·0	11·1
1960	149,037	124,338	112,477	140,416	13·1	10·9	9·8	12·2

* See footnote to Table 3.

TABLE 6. Standardised Mortality Ratios (all ages) and death rates per million population at ages under 15 years from the principal epidemic and general diseases, 1851 to 1960 } England and Wales

Note. 1 For explanation of Standardised Mortality Ratio see explanatory note 5.
2 Changes in cause assignment are allowed for throughout as far as possible.
3 See explanatory notes.

Period	Standardised Mortality Ratios (base years 1950–1952 taken as 100)											Death rates per million population at ages under 15 years				
	Tuberculosis (all forms) 001–019	Syphilis 020–029	Typhoid and paratyphoid fevers 040, 041	Meningococcal infections 057	Cancer 140–205	Diabetes mellitus 260	Diseases of heart 410–443	Influenza 480–483	Pneumonia (all forms) 490–493, 763	Peptic ulcer 540–542	Suicide E970–E979	Scarlet fever 050	Diphtheria 055	Whooping cough 056	Poliomyelitis 080, 081	Measles 085
1851–1860	1,438													1,319		1,082
1861–1870	1,346										102	2,282	1,122	1,372		1,148
1871–1880	1,190		85,518								109	1,664	747	1,316		976
1881–1890	1,004		52,087								121	787	804	1,171		1,153
1891–1900	815		45,789					446			136	383	873	1,037		1,144
1901–1910	649		23,581			156		254			147	271	571	815		915
1911–1920*	541		8,926	246		162		605		90	120	123	437	554	13	838
1921–1930	362		2,729	157		154		345		99	136	64	298	405	11	389
1931–1939*	245		1,180	343	97	176		222		110	142	46	290	197	11	217
1940–1949*	196	150	387	355	98	129	91	90	125	102	100	7	112	111	11	62
1950–1959	60	80	59	82	101	88	94	69	105	93	108	0	1	17	9	13
1851–1855	1,502													1,338		1,047
1856–1860	1,377											1,919	1,347	1,300		1,114
1861–1865	1,370										101	2,307	1,389	1,336		1,189
1866–1870	1,323										103	2,258	871	1,405		1,109
1871–1875	1,217		98,690								103	1,760	788	1,282		962
1876–1880	1,165		73,165								116	1,575	709	1,349		988
1881–1885	1,053		57,187								117	1,012	828	1,180		1,070
1886–1890	958		47,292								124	572	781	1,163		1,234
1891–1895	867		45,643					514			137	434	875	1,070		1,104
1896–1900	767		45,934					383			135	331	872	1,003		1,184
1901–1905	690		29,456			148		233			149	319	653	874		955
1906–1910	610		18,029			163		274			146	224	491	756		874
1911–1915*	542		12,044	214		177		198		93	132	161	434	633	14	1,043
1916–1920*	540		5,734	281		148		985		88	109	84	439	473	12	625
1921–1925	393		3,147	125		149		359		89	125	79	302	448	11	420
1926–1930	333		2,331	191		159		333		109	145	48	294	360	12	357
1931–1935	270		1,277	407	97	172		260		109	150	50	293	223	11	270
1936–1939*	216		1,063	261	97	181		178		111	133	27	287	163	11	149
1940–1944*	221	178	564	585	97	153	92	129	146	109	95	11	192	140	7	78
1945–1949*	174	123	224	155	98	107	91	54	107	95	104	3	30	81	16	47
1950–1954	85	93	72	100	100	94	97	82	99	98	104	1	2	29	14	19
1955–1959	36	71	45	64	101	83	91	58	110	88	113	0	0	6	5	8
1931	303		1,530	582	97	167		308		114	146	39	252	244	7	320
1932	281		1,558	494	97	172		276		105	159	40	223	288	13	332
1933	276		1,332	387	97	173		470		107	156	55	255	221	13	190
1934	254		948	303	98	174		113		110	151	72	393	199	9	368
1935	238		1,027	259	97	175		144		108	140	41	345	159	11	134
1936	226		1,500	269	98	190		116		113	134	38	311	210	7	281
1937	226		1,192	296	97	186		349		110	134	27	305	179	8	106
1938	206		935	274	98	169		89		107	136	27	305	119	18	169
1939*	205		642	208	97	180		162		112	128	15	228	140	10	34
1940*	229	203	742	1,028	98	185	106	202	182	126	116	12	266	78	9	95
1941*	238	195	873	877	97	166	93	120	164	119	95	11	280	279	9	128
1942*	214	179	486	485	97	148	87	58	126	100	88	9	192	94	7	53
1943*	217	168	404	312	98	140	87	208	146	99	91	11	134	129	4	86
1944*	204	149	306	233	96	129	87	63	115	101	88	9	92	121	4	28
1945*	200	138	262	210	97	125	87	42	112	102	93	7	67	79	4	80
1946*	178	138	285	187	97	113	89	81	110	96	104	3	40	91	5	22
1947*	179	125	158	188	98	106	95	50	120	95	104	3	23	99	33	69
1948*	165	110	255	103	98	95	86	18	91	91	110	2	14	80	8	33
1949*	149	107	169	99	99	99	97	80	105	93	109	*1*	7	55	29	30
1950	119	102	83	96	100	104	101	55	91	96	102	*1*	4	41	33	22
1951	103	104	115	101	100	104	106	222	114	105	101	*1*	*2*	46	8	30
1952	79	94	102	103	100	92	94	24	95	99	97	*1*	*2*	18	10	14
1953	66	83	24	105	100	87	92	88	105	93	106	*0*	*2*	24	14	24
1954	58	81	36	94	101	81	92	24	90	98	112	*1*	*1*	13	5	5
1955	48	78	83	75	101	87	93	39	103	98	110	*0*	*1*	9	8	17
1956	39	76	41	69	101	85	93	34	108	94	115	*0*	*0*	9	4	2
1957	35	71	47	67	101	81	89	85	107	86	115	*0*	*0*	8	6	9
1958	32	68	23	52	101	84	92	30	111	84	113	*0*	*0*	3	4	5
1959	28	61	29	56	102	80	88	98	122	77	111	*0*	—	2	2	8
1960	24	60	17	33	102	88	89	13	110	78	107	—	*0*	3	*1*	3

* Civilian mortality only in 1915–20 and from 3rd September 1939 to 31st December 1949, for males, and from 1st June 1941 to 31st December 1949, for females.

TABLE 7. Deaths by cause and sex at all ages, 1950 to 1960 England and Wales

Note. 1 The following categories of the 1955 International Statistical Classification are not applicable to primary death tabulation and are therefore omitted from this table: 306, 308, 649, 775.
2 An addendum to the 1948 International Statistical Classification was issued by the World Health Organization and put into effect in the General Register Office in 1951. Comparability before and after that year was affected for certain categories which are noted accordingly.
3 Deaths due to certain underlying causes where the interval since onset was stated to exceed one year have for certain years been assigned to other conditions mentioned on the certificate. The numbers of such "late effects" are given in footnotes. The years and categories affected are as follows:
1951 and on: 040–043, 050, 055, 056, 058, 084–087, 100–108, 640–689.
1958 and on: 051, 052, 057·0, 057·1, 057·3, 059, 061, 089, 091, 094, 480–483, 490–493.
4 For causes from which there have been few deaths from 1950, see list at end of table.
5 See explanatory notes.

ICD No.	Causes of death		1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
	ALL CAUSES	M	**261,152**	**281,724**	**257,760**	**259,490**	**259,797**	**266,976**	**267,904**	**266,407**	**270,639**	**269,878**	**269,172**
		F	**249,149**	**267,656**	**239,724**	**244,039**	**242,099**	**251,888**	**253,427**	**248,463**	**256,204**	**257,773**	**257,096**
001–138	**I INFECTIVE AND PARASITIC DISEASES**	M	**12,629**	**11,246**	**9,129**	**8,042**	**7,066**	**6,249**	**5,340**	**4,976**	**4,543**	**4,142**	**3,762**
		F	**7,962**	**6,643**	**4,922**	**4,407**	**3,679**	**3,180**	**2,678**	**2,501**	**2,317**	**1,991**	**1,868**
001–019	**Tuberculosis (all forms)**	M	**9,922**	**8,826**	**7,114**	**5,964**	**5,392**	**4,533**	**3,804**	**3,414**	**3,207**	**2,810**	**2,502**
		F	**6,047**	**4,980**	**3,471**	**2,938**	**2,505**	**1,959**	**1,571**	**1,370**	**1,273**	**1,044**	**933**
001–008	**Tuberculosis of respiratory system**	M	**8,934**	**7,903**	**6,421**	**5,447**	**4,944**	**4,172**	**3,534**	**3,150**	**2,949**	**2,620**	**2,342**
		F	**5,145**	**4,128**	**2,914**	**2,466**	**2,125**	**1,665**	**1,319**	**1,099**	**1,050**	**854**	**763**
001	With mention of occupational disease	M	255	288	292	298	276	296	247	215	215	199	215
		F	7	6	3	6	4	6	6	—	6	4	7
002	Pulmonary	M	8,603	7,550	6,066	5,107	4,630	3,844	3,263	2,899	2,706	2,402	2,117
		F	5,084	4,081	2,868	2,426	2,083	1,630	1,291	1,085	1,028	839	746
003	Pleural	M	57	50	53	34	30	25	18	31	23	13	5
		F	38	33	35	29	33	25	19	11	11	8	7
	0 Pleurisy specified as tuberculous	M	26	19	22	11	15	10	6	12	8	7	4
		F	8	9	7	12	10	4	4	1	2	1	1
	1 Pleurisy with effusion without mention of cause	M	31	31	31	23	15	15	12	19	15	6	1
		F	30	24	28	17	23	21	15	10	9	7	6
004	Primary, complex with symptoms	M	1	2	2	—	—	—	—	—	—	—	—
		F	—	—	—	1	1	—	—	—	—	—	—
005	Tracheobronchial glandular, with symptoms	M	9	5	4	3	5	4	4	1	4	2	2
		F	7	7	7	2	3	4	2	1	3	—	—
007	Other respiratory	M	6	6	4	3	1	—	—	1	—	—	2
		F	9	1	1	1	—	—	—	1	—	3	—
008	Unspecified site	M	3	2	—	2	2	3	2	3	1	4	1
		F	—	—	—	1	1	—	1	1	2	—	3
010–019	**Tuberculosis, other forms**	M	**988**	**923**	**693**	**517**	**448**	**361**	**270**	**264**	**258**	**190**	**160**
		F	**902**	**852**	**557**	**472**	**380**	**294**	**252**	**271**	**223**	**190**	**170**
010	Meninges and central nervous system	M	432	440	265	177	96	67	39	47	44	50	26
		F	458	442	246	168	95	65	52	63	49	37	35
011	Intestines, peritoneum, and mesenteric glands	M	91	83	67	60	38	45	35	28	25	17	17
		F	100	99	66	59	58	41	35	27	35	21	15
012	Bones and joints, active or unspecified	M	146	114	110	68	75	67	48	42	49	37	31
		F	101	93	70	71	65	44	36	49	43	48	35
	0 Vertebral column	M	100	81	81	47	58	52	37	33	38	26	27
		F	78	67	54	51	56	35	28	39	34	40	26
	1-3 Other	M	46	33	29	21	17	15	11	9	11	11	4
		F	23	26	16	20	9	9	8	10	9	8	9
013	Late effects, bones and joints	M	5	3	5	3	2	6	4	2	2	—	2
		F	2	3	2	2	2	2	5	3	—	5	4
014	Skin and subcutaneous cellular tissue	M	5	5	1	2	—	1	—	2	2	—	—
		F	11	11	3	3	7	3	4	2	6	3	2
015	Lymphatic system	M	18	12	15	9	10	11	9	5	3	5	3
		F	31	19	14	15	10	10	6	13	4	9	5
016	Genito-urinary system	M	173	167	144	109	121	87	82	81	64	44	45
		F	89	88	66	79	64	52	64	44	36	43	34
017	Adrenal glands	M	13	8	13	19	14	6	11	9	13	8	5
		F	11	16	18	12	9	7	5	9	7	5	7
018	Other organs	M	10	17	13	8	9	11	6	10	7	5	8
		F	7	6	11	7	4	13	6	13	9	5	3

TABLE 7—*continued*

ICD No.	Causes of death		1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
019	Disseminated	M	95	74	60	62	83	60	36	38	49	24	23
		F	92	75	61	56	66	57	39	48	34	14	30
	0-1 Acute miliary tuberculosis	M	22	7	4	3	5	4	2	3	5	2	1
		F	10	11	2	5	7	3	1	5	5	3	1
	2 Other forms	M	73	67	56	59	78	56	34	35	44	22	22
		F	82	64	59	51	59	54	38	43	29	11	29
020–029	**Syphilis and its sequelae**	M	**1,035**	**1,086**	**935**	**850**	**808**	**795**	**772**	**728**	**653**	**627**	**623**
		F	**454**	**436**	**445**	**375**	**398**	**368**	**378**	**344**	**388**	**331**	**321**
020	Congenital syphilis	M	25	17	17	10	6	2	6	3	10	5	4
		F	20	15	15	3	6	4	8	7	3	2	2
021	Early syphilis	M	—	—	1	—	—	—	—	—	—	—	—
		F	1	1	2	1	—	—	1	—	—	—	—
022	Aneurysm of aorta	M	340	375	341	319	307	332	329	358	306	295	312
		F	178	161	175	149	166	173	171	183	219	190	186
023	Other cardiovascular syphilis	M	372	379	320	282	278	281	271	231	208	181	186
		F	125	130	143	131	115	112	126	88	94	68	75
024	Tabes dorsalis	M	99	111	100	87	70	53	66	53	41	50	44
		F	24	32	27	26	26	24	15	22	16	22	17
025	General paralysis of insane	M	111	121	78	91	89	84	56	48	57	62	56
		F	56	47	45	26	37	36	28	20	28	27	22
026	Other syphilis of central nervous system	M	46	48	50	37	47	27	33	26	17	22	12
		F	28	30	21	25	32	13	19	18	20	16	14
027	Other forms of late syphilis	M	21	29	23	18	8	13	10	7	10	9	7
		F	5	14	13	13	15	5	9	4	6	6	4
029	Syphilis, unqualified	M	21	6	5	6	3	3	1	2	4	3	2
		F	17	6	4	1	1	1	1	2	2	—	1
030–039	**Gonococcal infection and other venereal diseases**	M	**9**	**6**	**12**	**6**	**13**	**3**	**8**	**5**	**21**	**24**	**29**
		F	—	**1**	**1**	—	—	**2**	—	**1**	**1**	—	**2**
030	Acute or unspecified gonorrhoea	M	5	2	2	—	2	—	1	2	1	—	—
		F	—	1	—	—	—	—	—	—	—	—	—
034	Gonococcal infection of other sites	M	2	1	—	—	2	—	1	—	—	—	—
		F	—	—	1	—	—	—	—	—	—	—	—
035	Late effects of gonococcal infection	M	1	1	8	6	7	2	6	3	18	23	28
		F	—	—	—	—	—	—	—	—	—	—	—
040–049	**Infectious diseases commonly arising in intestinal tract**	M	**84**	**75**	**62**	**53**	**48**	**58**	**46**	**42**	**42**	**40**	**40**
		F	**68**	**57**	**40**	**47**	**33**	**51**	**55**	**38**	**36**	**42**	**41**
040	Typhoid fever*	M	8	5	4	1	—	4	—	1	2	2	2
		F	7	5	1	2	3	2	2	5	—	1	—
041	Paratyphoid fever*	M	—	1	5	—	1	3	2	—	1	—	—
		F	1	8	7	1	2	5	3	2	1	2	1
042	Other Salmonella infections*	M	31	27	27	23	22	25	20	29	21	18	20
		F	27	9	16	20	11	19	26	20	15	18	17
044	Brucellosis (undulant fever)	M	—	1	2	2	—	—	2	—	1	—	—
		F	1	1	—	2	—	1	1	—	—	1	—
045	Bacillary dysentery	M	22	27	11	13	12	15	13	7	12	14	9
		F	21	30	10	15	13	12	13	8	14	12	17
046	Amoebiasis	M	14	13	11	5	6	7	2	4	3	4	5
		F	3	1	—	1	2	1	1	1	1	2	2
048	Unspecified forms of dysentery	M	3	1	2	1	4	1	2	—	1	—	1
		F	2	2	2	1	2	4	2	2	—	1	2
049	Food poisoning (infection and intoxication)	M	6	—	—	8	3	3	5	1	1	2	3
		F	6	1	4	5	—	7	7	—	4	5	2
050–064	**Other bacterial diseases**	M	**574**	**537**	**384**	**419**	**321**	**241**	**257**	**208**	**169**	**180**	**148**
		F	**531**	**504**	**365**	**388**	**294**	**216**	**209**	**208**	**159**	**134**	**125**
050	Scarlet fever*	M	15	6	4	2	2	—	—	1	3	—	—
		F	18	9	4	2	2	2	1	2	1	1	—

* Excluding the following "late effects" (see note 3 at head of table):

			1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
040	Typhoid fever	M	—	1	—	1	1	—	—	2	—	1
		F	2	3	—	—	—	—	2	1	1	—
041	Paratyphoid fever	M	—	—	—	—	—	—	—	—	—	1
		F	—	—	1	1	—	—	—	—	—	—
042	Other Salmonella infections	M	—	—	—	—	—	—	—	—	1	—
		F	—	—	—	—	—	—	—	—	—	—
050	Scarlet fever	M	7	5	6	8	8	8	3	1	5	3
		F	15	10	17	15	11	6	4	3	4	5

TABLE 7—*continued*

ICD No.	Causes of death		1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
051	Streptococcal sore throat*	M	37	14	21	15	13	14	15	7	4	12	10
		F	24	15	20	19	12	10	13	9	6	8	13
052	Erysipelas*	M	20	9	6	9	9	7	3	5	2	3	4
		F	21	8	10	13	5	6	4	1	5	3	3
053	Septicaemia and pyaemia	M	88	62	44	67	55	37	57	38	45	38	47
		F	73	45	64	52	66	39	40	39	36	32	29
	0 Streptococcus	M	12	8	4	12	6	4	8	4	6	6	4
		F	10	4	9	9	7	4	6	5	6	5	3
	1 Staphylococcus	M	24	14	18	20	15	12	16	10	23	17	21
		F	18	17	13	15	26	16	12	11	9	13	9
	2 Pneumococcus	M	10	9	7	3	4	5	3	3	3	—	1
		F	10	3	7	6	1	1	2	2	2	—	—
	3 Other specified organism	M	8	1	—	3	6	6	3	1	1	1	1
		F	4	3	3	3	3	2	2	2	1	1	3
	4 Organism unspecified	M	34	30	15	29	24	10	27	20	12	14	20
		F	31	18	32	19	29	16	18	19	18	13	14
054	Bacterial toxaemia	M	—	1	—	2	—	—	—	1	—	—	—
		F	2	—	—	—	—	1	1	—	—	—	1
055	Diphtheria*	M	31	14	13	10	3	6	2	2	4	—	2
		F	18	16	10	10	5	6	1	2	4	—	3
056	Whooping cough*	M	162	211	82	104	66	45	41	32	13	11	20
		F	232	242	99	139	73	42	51	55	14	14	17
057	Meningococcal infections*	M	154	156	160	166	138	105	109	94	71	97	46
		F	129	142	130	125	121	100	80	90	74	62	49
061	Tetanus	M	61	59	42	37	28	23	22	23	10	17	15
		F	10	22	21	24	9	10	15	5	10	8	3
062	Anthrax	M	—	1	2	1	1	1	3	1	—	—	1
		F	—	—	—	—	—	—	—	—	—	—	—
063	Gas gangrene	M	4	2	10	4	5	3	4	4	5	1	2
		F	4	3	6	3	1	—	1	4	4	1	4
064	Other bacterial diseases	M	2	1	—	2	1	—	1	—	12	1	1
		F	—	1	1	1	—	—	2	1	5	5	3
070–074	**Spirochaetal diseases, except syphilis**	M	**45**	**37**	**32**	**28**	**25**	**27**	**11**	**18**	**19**	**11**	**10**
		F	**12**	**3**	**1**	**5**	**2**	**2**	**1**	**3**	**1**	**2**	**1**
070	Vincent's infection	M	2	1	2	2	—	2	—	1	—	1	—
		F	6	—	—	2	—	1	1	2	—	2	—
072	Leptospirosis	M	39	36	29	26	25	24	11	17	18	10	10
		F	5	3	1	2	2	1	—	—	1	—	—
080–096	**Diseases attributable to viruses**	M	**917**	**615**	**535**	**680**	**395**	**536**	**382**	**493**	**380**	**381**	**344**
		F	**811**	**617**	**546**	**607**	**401**	**529**	**402**	**478**	**399**	**380**	**389**
080	Acute poliomyelitis	M	411	110	167	199	73	150	68	143	71	41	19
		F	323	81	108	121	39	91	46	83	58	25	4
	0 Specified as bulbar or polio-encephalitis	M	164	35	72	102	29	73	25	63	34	14	7
		F	114	31	42	52	17	41	15	30	18	15	3
	1 With other paralysis	M	57	21	30	28	13	23	14	21	14	6	6
		F	44	14	12	15	4	17	9	16	14	1	—
	3 Unspecified	M	190	54	63	69	31	54	29	59	23	21	6
		F	165	36	54	54	18	33	22	37	26	9	1
081	Late effects of acute poliomyelitis	M	10	10	9	8	11	11	9	21	11	11	12
		F	11	16	11	10	11	18	14	8	14	10	11
082	Acute infectious encephalitis	M	58	63	52	70	51	49	58	59	52	55	62
		F	57	55	53	64	37	38	48	50	40	53	62
083	Late effects of acute infectious encephalitis	M	132	92	79	99	80	81	82	55	72	64	54
		F	118	124	95	84	95	77	67	50	63	44	60

* Excluding the following "late effects" (see note 3 at head of table):

			1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
051	Streptococcal sore throat	M	—	—	—	—	—	—	—	—	—	1
		F	—	—	—	—	—	—	—	—	—	—
052	Erysipelas	M	—	—	—	—	—	—	—	—	1	—
		F	—	—	—	—	—	—	—	—	—	—
055	Diphtheria	M	1	1	1	—	—	3	—	2	—	1
		F	2	8	2	1	1	2	2	—	3	2
056	Whooping cough	M	1	2	—	—	—	1	1	—	—	—
		F	2	1	—	—	1	2	—	1	1	1
057	Meningococcal infections	M	—	—	—	—	—	—	—	1	1	—
		F	—	—	—	—	—	—	—	2	2	—

TABLE 7—*continued*

ICD No.	Causes of death		1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
084	Smallpox*	M	—	3	—	6	—	—	—	1	1	—	—
		F	—	7	—	2	—	—	—	1	—	—	—
085	Measles*	M	133	173	71	140	24	85	14	53	23	49	13
		F	88	144	70	102	21	89	14	41	26	49	18
086	Rubella (German measles)*	M	1	1	2	3	2	—	—	1	1	—	2
		F	1	—	1	3	—	—	1	1	1	—	1
087	Chickenpox	M	3	6	8	10	8	4	4	5	7	10	8
		F	4	10	5	2	9	5	8	9	5	6	11
088	Herpes zoster	M	20	19	18	8	17	25	17	24	21	16	14
		F	53	39	42	38	30	41	45	49	44	33	34
089	Mumps	M	5	5	4	4	7	3	4	3	4	1	4
		F	3	8	6	5	2	8	—	6	4	7	6
092	Infectious hepatitis	M	142	127	116	126	108	116	116	119	110	119	139
		F	142	125	148	162	151	159	156	173	135	145	169
093	Glandular fever (infectious mononucleosis)	M	1	1	4	1	2	3	5	3	2	2	4
		F	1	1	1	2	2	—	1	2	2	1	2
096	Other diseases attributable to viruses	M	1	5	4	6	12	8	4	6	5	13	13
		F	10	7	6	11	4	3	2	5	7	7	11
100–108	**Typhus and other rickettsial diseases***	M	—	—	—	—	—	—	—	—	—	1	1
		F	—	—	—	1	—	—	—	—	—	—	—
110–117	**Malaria**	M	**9**	**10**	**8**	**4**	**9**	**5**	**3**	**3**	**2**	—	**3**
		F	**3**	—	**1**	—	—	—	**1**	**1**	**2**	**2**	—
112	Falciparum malaria (malignant tertian)	M	6	7	4	4	5	4	1	1	2	—	1
		F	2	—	—	—	—	—	1	1	2	1	—
116	Other and unspecified forms of malaria	M	3	1	3	—	4	1	2	1	—	—	2
		F	1	—	—	—	—	—	—	—	—	1	—
120–138	**Other infective and parasitic diseases**	M	**34**	**54**	**47**	**38**	**55**	**51**	**57**	**65**	**50**	**68**	**62**
		F	**36**	**45**	**52**	**46**	**46**	**53**	**61**	**58**	**58**	**56**	**56**
122	Other protozoal diseases	M	1	1	3	2	5	1	1	3	1	1	2
		F	2	2	2	4	5	1	1	1	—	2	—
123	Schistosomiasis	M	—	—	—	1	1	2	—	—	1	1	1
		F	1	—	—	—	—	—	1	—	1	—	1
125	Hydatid disease	M	3	17	7	6	5	6	4	11	2	7	5
		F	6	6	5	7	3	6	6	8	2	8	8
126	Other cestode infestation	M	2	2	2	1	2	3	5	5	—	4	1
		F	2	—	—	—	2	1	—	1	1	—	—
131	Dermatophytosis	M	—	—	1	2	—	—	1	—	—	—	—
		F	1	2	—	—	—	—	1	—	—	—	—
132	Actinomycosis	M	8	6	6	2	5	4	1	4	3	4	1
		F	5	3	6	5	2	—	4	2	4	—	1
134	Other fungus infections	M	9	9	10	12	13	9	14	13	9	16	21
		F	3	9	9	7	6	5	7	8	11	7	15
138	Other infective and parasitic diseases	M	11	17	17	9	21	24	31	27	33	35	30
		F	13	21	30	23	28	39	41	38	39	39	31
140–239	**II NEOPLASMS**	M	**44,436**	**45,531**	**46,220**	**46,773**	**48,104**	**48,907**	**49,675**	**50,792**	**51,273**	**52,324**	**53,392**
		F	**42,838**	**42,436**	**43,138**	**42,907**	**43,727**	**44,097**	**44,679**	**44,853**	**45,727**	**46,069**	**46,777**
140–205	**Malignant neoplasms including neoplasms of lymphatic and haematopoietic tissues**	M	**43,570**	**44,632**	**45,429**	**45,935**	**47,313**	**48,160**	**48,935**	**50,056**	**50,735**	**51,783**	**52,779**
		F	**41,700**	**41,448**	**42,213**	**41,989**	**42,782**	**43,180**	**43,775**	**43,961**	**45,069**	**45,334**	**46,009**
140–148	**Malignant neoplasm of buccal cavity and pharynx**	M	**1,584**	**1,566**	**1,472**	**1,402**	**1,516**	**1,421**	**1,234**	**1,259**	**1,267**	**1,249**	**1,120**
		F	**618**	**630**	**646**	**568**	**641**	**650**	**654**	**669**	**657**	**613**	**666**
140	Lip	M	148	136	96	116	104	109	80	83	83	74	68
		F	13	12	18	8	13	13	13	9	4	10	13
	0 Upper lip	M	?	?	?	?	?	?	?	?	8	10	1
		F									—	2	8

* Excluding the following "late effects" (see note 3 at head of table):

			1952	1953	1954	1955	1956	1957	1958	1959	1960
084	Smallpox	M	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—
085	Measles	M	—	2	5	2	1	1	1	—	1
		F	—	1	—	—	1	—	1	1	1
086	Rubella (German measles)	M	—	—	—	—	—	—	—	—	—
		F	—	—	1	—	—	—	—	—	—
102	Brill's disease	M	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—

TABLE 7—*continued*

ICD No.	Causes of death		1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
	1 Lower lip	M	?	?	?	?	?	?	?	?	71	53	54
		F									4	7	10
	8, 9 Both lips, unspecified	M									4	11	6
		F									—	1	2
141	Tongue	M	525	492	451	424	442	393	359	336	359	363	307
		F	146	155	135	143	146	150	165	158	143	152	134
	0 Base of tongue	M	?	?	?	?	?	?	?	?	137	134	103
		F									47	34	39
	7 Other specified parts of tongue	M									180	180	158
		F									77	98	80
	8, 9 Multiple and unspecified parts of tongue	M									42	49	46
		F									19	20	15
142	Salivary gland	M	82	81	99	80	80	75	78	81	90	67	77
		F	51	58	70	51	60	65	57	64	76	77	64
	0 Parotid gland	M	?	?	?	?	?	?	?	?	74	55	58
		F									68	62	51
	7 Other salivary gland	M									14	10	16
		F									8	13	13
	8, 9 Multiple and unspecified salivary gland	M									2	2	3
		F									—	2	—
143	Floor of mouth	M	89	80	65	80	85	90	78	63	57	71	73
		F	22	22	18	16	23	22	21	20	21	23	23
144	Other parts of mouth and mouth unspecified	M	226	246	219	193	226	223	199	186	208	185	173
		F	77	85	74	66	63	71	82	71	84	49	95
145	Oral mesopharynx	M	172	188	178	167	180	141	110	153	183	154	143
		F	37	41	55	32	46	46	44	47	42	55	49
	0 Tonsil (excluding pillars)	M	?	?	?	?	?	?	?	?	144	121	112
		F									39	46	43
	7-9 Other multiple and unspecified parts of oral mesopharynx	M									39	33	31
		F									3	9	6
146	Nasopharynx	M	50	68	76	69	100	83	73	78	86	98	83
		F	37	42	42	31	38	30	42	45	42	33	39
147	Hypopharynx	M	99	73	87	100	98	106	83	85	133	169	142
		F	139	124	148	146	153	154	152	157	209	180	218
148	Pharynx, unspecified	M	193	202	201	173	201	201	174	194	68	68	54
		F	96	91	86	75	99	99	78	98	36	34	31
150–159	**Malignant neoplasm of digestive organs and peritoneum**	M	**20,354**	**20,342**	**20,112**	**19,740**	**19,545**	**19,376**	**19,077**	**19,348**	**19,136**	**19,160**	**19,023**
		F	**18,645**	**18,142**	**18,331**	**18,052**	**18,227**	**18,226**	**18,060**	**17,882**	**18,365**	**18,585**	**18,440**
150	Oesophagus	M	1,505	1,483	1,470	1,330	1,301	1,352	1,372	1,306	1,300	1,369	1,301
		F	831	848	846	860	925	951	952	956	993	955	1,007
151	Stomach	M	7,985	8,128	8,039	8,016	7,818	7,942	7,712	7,951	7,934	7,930	7,846
		F	6,404	6,478	6,316	6,176	6,232	6,146	6,163	5,966	6,178	6,146	6,107
152	Small intestine, including duodenum	M	96	92	109	110	101	104	111	97	110	104	117
		F	86	108	93	99	93	101	98	75	108	104	133
	0 Duodenum	M	?	?	?	?	?	?	?	?	23	33	36
		F									25	32	36
	7-9 Other multiple and unspecified parts of small intestine	M									87	71	81
		F									83	72	97
153	Large intestine, except rectum	M	4,304	4,232	4,151	4,148	4,031	3,904	3,795	3,793	3,698	3,611	3,612
		F	5,808	5,428	5,633	5,527	5,451	5,505	5,433	5,388	5,431	5,542	5,448
	3 Sigmoid colon	M	?	?	?	?	?	?	?	?	1,418	1,306	1,297
		F									1,827	1,854	1,765
	0-2, 7, 8 Other parts of large intestine	M									2,238	2,262	2,281
		F									3,551	3,628	3,634
	9 Intestinal tract, part unspecified	M									42	43	34
		F									53	60	49
154	Rectum	M	3,686	3,602	3,401	3,236	3,321	3,173	3,152	3,102	3,132	3,059	3,029
		F	2,526	2,404	2,386	2,416	2,461	2,380	2,368	2,275	2,501	2,602	2,444
155	Biliary passages and of liver (stated to be primary site)	M	451	451	506	458	516	462	486	535	579	603	575
		F	772	722	745	732	761	760	812	784	909	871	883
	0 Liver	M	?	?	?	?	?	?	?	?	213	243	230
		F									178	180	212
	1, 8 Gall bladder, other and multiple sites	M									366	360	345
		F									731	691	671

TABLE 7—*continued*

ICD No.	Causes of death		1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
156	Liver (secondary and unspecified)	M	614	590	585	561	514	476	457	494	273	287	319
		F	610	589	516	516	548	508	489	474	297	314	292
157	Pancreas	M	1,562	1,615	1,717	1,718	1,766	1,822	1,839	1,885	1,980	2,081	2,077
		F	1,428	1,362	1,555	1,483	1,522	1,619	1,546	1,710	1,747	1,851	1,882
158	Peritoneum	M	143	143	121	148	162	126	130	163	95	80	108
		F	173	192	224	225	216	231	180	230	156	163	200
159	Unspecified digestive organs	M	8	6	13	15	15	15	23	22	35	36	39
		F	7	11	17	18	18	25	19	24	45	37	44
160–165	**Malignant neoplasm of respiratory system**	M	**11,305**	**12,198**	**12,932**	**13,816**	**14,834**	**15,669**	**16,452**	**17,212**	**17,899**	**19,026**	**19,759**
		F	**2,344**	**2,425**	**2,570**	**2,565**	**2,668**	**2,781**	**2,879**	**2,983**	**3,092**	**3,202**	**3,441**
160	Nose, nasal cavities, middle ear, and accessory sinuses	M	117	124	118	130	125	118	134	114	123	121	120
		F	102	86	85	99	104	82	97	86	96	96	126
	0 Nose (internal) and nasal cavities	M									16	30	24
		F									14	7	21
	1 Eustachian tube and middle ear	M									8	11	9
		F									12	14	18
	2 Maxillary sinus	M	?	?	?	?	?	?	?	?	84	72	79
		F									63	71	80
	7 Other specified sinus (accessory)	M									10	6	5
		F									6	4	5
	8, 9 Multiple and unspecified sites of nose, etc.	M									5	2	3
		F									1	—	2
161	Larynx	M	809	805	752	737	662	695	675	661	662	643	689
		F	182	202	189	168	181	202	169	174	171	180	157
162, 163	Trachea, bronchus and lung	M	10,219	11,127	11,942	12,835	13,941	14,761	15,544	16,358	17,040	18,181	18,882
		F	1,978	2,072	2,228	2,239	2,323	2,438	2,553	2,670	2,780	2,882	3,118
162	Bronchus and trachea, and lung specified as primary	M	?	?	?	?	?	9,520	10,141	10,740	11,432	12,231	12,843
		F						1,553	1,665	1,744	1,847	1,881	2,101
	0 Trachea	M									27	27	17
		F									9	11	8
	1 Bronchus and lung	M									11,397	12,198	12,824
		F									1,838	1,866	2,091
	2 Pleura	M									6	3	1
		F									—	4	2
	8 Multiple sites	M									2	3	1
		F									—	—	—
163	Lung, unspecified as to whether primary or secondary	M	?	?	?	?	?	5,241	5,403	5,618	5,608	5,950	6,039
		F						885	888	926	933	1,001	1,017
164	Mediastinum	M	135	115	100	99	82	76	68	57	58	66	50
		F	60	53	54	39	43	39	42	36	29	29	28
165	Thoracic organs (secondary)	M	25	27	20	15	24	19	31	22	16	15	18
		F	22	12	14	20	17	20	18	17	16	15	12
170–181	**Malignant neoplasm of breast and genito-urinary organs**	M	**5,793**	**5,815**	**5,940**	**6,031**	**6,281**	**6,373**	**6,657**	**6,591**	**6,800**	**6,704**	**6,903**
		F	**16,105**	**16,154**	**16,432**	**16,304**	**16,528**	**16,810**	**17,028**	**17,139**	**17,840**	**17,593**	**18,098**
170	Breast	M	65	63	59	81	80	77	69	70	73	62	63
		F	7,892	7,972	8,251	8,115	8,315	8,449	8,522	8,552	8,949	8,708	9,059
171	Cervix uteri	F	2,642	2,574	2,536	2,488	2,397	2,472	2,494	2,456	2,702	2,555	2,599
172	Corpus uteri	F	1,152	1,180	1,232	1,197	1,179	1,141	1,176	1,207	1,189	1,214	1,245
173	Other parts of uterus, including chorionepithelioma	F	25	41	27	41	48	28	39	36	34	39	38
174	Uterus, unspecified*	F	302	248	213	200	203	203	212	213	190	195	206
175	Ovary, Fallopian tube, and broad ligament	F	2,490	2,531	2,492	2,551	2,601	2,771	2,791	2,854	2,890	2,939	2,959
	0 Ovary	F									2,866	2,919	2,933
	1 Fallopian tube and broad ligament	F	?	?	?	?	?	?	?	?	21	19	24
	8, 9 Multiple and unspecified sites of ovary, etc.	F									3	1	2
176	Other and unspecified female genital organs	F	466	443	471	472	488	477	475	519	519	530	541
	0 Vulva	F									365	373	390
	1 Vagina	F	?	?	?	?	?	?	?	?	143	150	141
	7-9 Other multiple and unspecified sites of female genital organs	F									11	7	10

* 174. Enquiries made from 1950 onwards.

TABLE 7—*continued*

ICD No.	Causes of death		1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
177	Prostate	M	3,084	3,010	2,997	3,157	3,327	3,315	3,538	3,460	3,614	3,590	3,655
178	Testis	M	217	195	208	197	217	165	201	175	203	193	224
179	Other and unspecified male genital organs	M	160	169	154	123	127	162	140	139	140	143	111
	0 Penis	M									110	106	86
	1 Scrotum	M									28	30	22
	7-9 Other multiple and unspecified sites of male genital organs	M	?	?	?	?	?	?	?	?	2	7	3
180	Kidney	M	597	597	638	655	676	706	700	704	761	704	710
		F	366	430	471	443	455	421	463	433	504	459	518
181	Bladder and other urinary organs	M	1,670	1,781	1,884	1,818	1,854	1,948	2,009	2,043	2,009	2,012	2,140
		F	770	735	739	797	842	848	856	869	863	954	933
	0, 8 Bladder	M									1,997	1,993	2,125
		F									849	932	912
	7 Other urinary organs and sites	M	?	?	?	?	?	?	?	?	12	19	15
		F									14	22	21
190–199	**Malignant neoplasm of other and unspecified sites**	M	**2,584**	**2,587**	**2,664**	**2,605**	**2,715**	**2,834**	**2,975**	**2,919**	**2,926**	**2,853**	**2,954**
		F	**2,497**	**2,376**	**2,503**	**2,681**	**2,784**	**2,727**	**3,039**	**3,124**	**2,904**	**2,952**	**2,902**
190	Malignant melanoma of skin	M	93	112	115	132	144	164	166	145	125	161	168
		F	131	137	178	168	185	213	181	247	206	220	224
191	Other malignant neoplasm of skin	M	461	376	369	337	325	312	310	316	282	265	269
		F	343	281	298	292	264	262	249	254	235	228	232
192	Eye	M	60	58	49	51	53	53	57	60	63	61	60
		F	62	54	60	57	69	44	56	51	62	70	67
193	Brain and other parts of nervous system	M	678	738	833	811	831	903	889	894	1,079	1,046	1,102
		F	521	495	525	589	624	611	659	667	794	823	788
	0 Brain	M									998	983	1,029
		F									743	750	722
	1 Spinal cord	M									15	11	14
		F									10	23	13
	2 Meninges	M									7	7	2
		F									3	8	5
	3 Peripheral nerves	M	?	?	?	?	?	?	?	?	2	3	5
		F									2	4	5
	4 Sympathetic nervous system	M									35	29	27
		F									17	27	29
	8, 9 Multiple and unspecified sites of brain, etc.	M									22	13	25
		F									19	11	14
194	Thyroid gland	M	73	94	104	91	99	95	113	89	92	100	102
		F	241	257	260	264	268	268	272	264	244	280	274
195	Other endocrine glands	M	65	47	74	52	60	62	66	71	67	58	51
		F	50	45	49	49	38	46	55	54	45	38	42
	0 Suprarenal gland	M									46	40	40
		F									29	21	30
	3 Pituitary gland and craniopharyngeal duct	M									6	4	4
		F		?	?	?	?	?	?	?	7	6	2
	1, 2, 4-8 Other and multiple endocrine glands	M									15	14	7
		F									9	11	10
196	Bone	M	455	449	395	396	356	346	385	351	354	330	337
		F	325	315	326	300	319	266	304	288	300	265	255
197	Connective tissue	M	82	95	122	92	119	111	121	125	113	110	108
		F	85	93	94	82	105	102	111	103	112	93	96
198	Secondary and unspecified malignant neoplasm of lymph nodes	M	59	61	46	38	43	43	37	37	45	43	39
		F	32	20	29	29	29	17	14	22	21	16	29
199	Other and unspecified sites	M	558	557	557	605	685	745	831	831	706	679	718
		F	707	679	684	851	883	898	1,138	1,174	885	919	895
200–205	**Neoplasms of lymphatic and haematopoietic tissues**	M	**1,950**	**2,124**	**2,309**	**2,341**	**2,422**	**2,487**	**2,540**	**2,727**	**2,707**	**2,791**	**3,020**
		F	**1,491**	**1,721**	**1,731**	**1,819**	**1,934**	**1,986**	**2,115**	**2,164**	**2,211**	**2,389**	**2,462**
200	Lymphosarcoma and reticulosarcoma	M	381	421	453	454	460	466	459	486	517	552	591
		F	245	294	286	301	338	382	372	381	429	442	451
	0 Reticulum-cell sarcoma	M	103	107	137	131	127	167	169	170	195	203	222
		F	72	68	79	111	108	130	144	157	175	171	176

TABLE 7—*continued*

ICD No.	Causes of death		1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
	1 Lymphosarcoma ..	M	241	272	271	283	286	270	266	284	298	322	332
		F	154	186	175	166	203	221	194	207	235	243	252
	2 Other primary malignant neoplasms of lymphoid tissue	M	37	42	45	40	47	29	24	32	24	27	37
		F	19	40	32	24	27	31	34	17	19	28	23
201	Hodgkin's disease	M	414	472	483	488	493	495	507	584	472	543	508
		F	249	277	278	287	288	284	309	288	314	332	355
202	Other forms of lymphoma (reticulosis)	M	45	82	90	82	93	75	78	78	110	70	93
		F	41	53	46	64	59	52	62	76	87	72	80
	0 Giant follicular lymphoma (Brill-Symmers' disease)	M	7	7	12	16	13	11	13	7	14	17	21
		F	6	13	6	6	7	18	7	13	17	19	21
	1 Other	M	38	75	78	66	80	64	65	71	96	53	72
		F	35	40	40	58	52	34	55	63	70	53	59
203	Multiple myeloma (plasmocytoma)	M	107	154	161	190	218	217	250	268	298	295	335
		F	110	150	175	149	217	261	277	314	290	311	350
204	Leukaemia and aleukaemia ..	M	994	984	1,102	1,116	1,142	1,223	1,229	1,301	1,301	1,315	1,476
		F	838	943	941	1,005	1,018	1,001	1,086	1,093	1,085	1,219	1,218
	0 Lymphatic leukaemia ..	M	266	275	284	278	296	310	288	339	270	284	309
		F	200	207	184	201	224	214	211	222	184	228	220
	1 Myeloid leukaemia ..	M	224	220	248	261	260	284	296	299	229	243	225
		F	220	262	255	270	265	273	296	307	247	285	294
	2 Monocytic leukaemia ..	M	96	83	86	100	99	92	119	103	105	114	118
		F	69	62	86	96	82	93	111	112	110	82	94
	3 Acute leukaemia ..	M	373	377	451	446	458	498	487	519	662	631	788
		F	325	377	383	408	414	394	428	420	512	592	583
	4 Other and unspecified leukaemia	M	35	29	33	31	29	39	39	41	35	43	36
		F	24	35	33	30	33	27	40	32	32	32	27
205	Mycosis fungoides	M	9	11	20	11	16	11	17	10	9	16	17
		F	8	4	5	13	14	6	9	12	6	13	8
210–229	**Benign neoplasm**	**M**	**375**	**386**	**346**	**363**	**328**	**328**	**305**	**329**	**319**	**316**	**356**
		F	**689**	**580**	**584**	**555**	**598**	**571**	**548**	**555**	**499**	**524**	**546**
210	Buccal cavity and pharynx ..	M	3	3	3	1	1	2	3	2	1	1	—
		F	3	1	2	1	2	1	1	1	1	—	4
211	Other parts of digestive system	M	30	28	32	25	23	22	23	17	16	24	29
		F	38	16	18	17	24	32	29	28	19	15	32
212	Respiratory system	M	16	9	15	16	17	12	13	10	11	15	12
		F	11	4	9	7	8	10	6	10	8	12	7
213	Breast	M	—	—	—	—	—	—	—	—	—	—	—
		F	—	1	2	1	3	—	1	—	2	2	1
214	Uterine fibromyoma	F	174	135	127	117	126	99	93	87	81	84	71
215	Other benign neoplasm of uterus	F	16	14	9	13	11	25	17	12	7	11	7
216	Ovary	F	154	120	125	113	121	103	122	112	93	86	95
217	Other female genital organs	F	3	1	4	4	2	3	1	1	1	3	3
218	Male genital organs	M	—	1	2	—	—	—	—	—	—	1	—
219	Kidney and other urinary organs	M	118	121	99	100	98	87	67	91	75	73	86
		F	44	35	31	28	34	34	34	41	34	36	25
220	Benign melanoma of skin ..	M	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—
221	Pilonidal cyst	M	—	—	—	—	1	—	—	2	1	—	—
		F	1	—	—	2	—	1	—	—	1	1	1
222	Other benign neoplasm of skin	M	—	1	1	—	—	1	1	1	—	—	1
		F	2	—	—	1	—	1	—	3	1	1	—
223	Brain and other parts of nervous system	M	133	136	115	141	125	133	125	131	138	129	139
		F	161	164	164	168	177	178	163	179	158	187	193
224	Endocrine glands	M	39	54	48	37	37	38	39	38	48	40	51
		F	44	52	49	46	52	48	45	44	55	51	61
225	Bone and cartilage	M	13	6	5	18	9	7	6	12	5	5	5
		F	11	14	7	7	4	10	11	8	7	4	9
226	Lipoma	M	2	3	3	6	3	4	3	3	1	2	2
		F	6	1	6	6	11	3	1	4	3	3	4
227	Other benign neoplasm of muscular and connective tissue	M	7	4	7	6	4	5	5	5	7	9	11
		F	6	7	11	5	9	9	12	5	6	9	13

TABLE 7—*continued*

ICD No.	Causes of death		1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
228	Haemangioma and lymphangioma	M	12	20	13	11	9	12	17	14	13	15	15
		F	12	12	19	12	11	11	8	13	18	15	17
229	Other and unspecified organs and tissues	M	2	—	3	2	1	5	3	3	3	2	5
		F	3	3	1	7	3	3	4	7	4	4	3
230–239	**Neoplasm of unspecified nature**	**M**	**491**	**513**	**445**	**475**	**463**	**419**	**435**	**407**	**219**	**225**	**257**
		F	**449**	**408**	**341**	**363**	**347**	**346**	**356**	**337**	**159**	**211**	**222**
230	Digestive organs	M	27	30	16	23	31	20	18	26	13	21	15
		F	40	41	37	19	19	23	26	23	26	19	25
231	Respiratory organs	M	47	42	36	36	27	21	23	14	30	15	34
		F	19	18	17	9	11	11	10	10	8	10	8
232	Breast	M	—	—	—	—	—	—	—	—	—	—	—
		F	—	2	—	—	1	1	—	—	—	—	—
233	Uterus	F	1	1	1	2	3	1	1	—	1	2	—
234	Ovary	F	5	1	2	2	7	4	7	1	2	2	4
235	Other female genital organs ..	F	—	1	—	—	—	—	—	—	—	—	—
236	Other genito-urinary organs ..	M	7	8	6	11	9	6	5	6	4	6	4
		F	7	7	7	6	8	—	4	2	7	5	5
237	Brain and other parts of nervous system	M	391	405	372	390	383	360	375	344	160	171	183
		F	347	312	260	304	274	279	295	279	97	156	163
238	Skin and musculo-skeletal system	M	7	10	4	6	3	1	1	5	3	7	8
		F	4	3	7	4	6	1	3	5	4	4	3
239	Other and unspecified organs	M	12	18	11	9	10	11	13	12	9	5	13
		F	26	22	10	17	18	26	10	17	14	13	14
240–289	**III ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES**	**M**	**2,754**	**2,959**	**2,530**	**2,404**	**2,359**	**2,365**	**2,335**	**2,138**	**2,217**	**2,032**	**2,133**
		F	**4,639**	**4,884**	**4,228**	**4,041**	**3,947**	**4,100**	**4,022**	**3,924**	**3,980**	**3,824**	**4,111**
240–245	**Allergic disorders .. ..

TABLE 7—*continued*

ICD No.	Causes of death		1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
274	Diseases of adrenal glands ..	M	63	58	52	67	70	52	49	42	63	33	57
		F	93	107	106	74	75	52	49	50	48	48	57
277	Polyglandular dysfunction and other diseases of endocrine glands	M	12	21	22	18	14	5	16	18	18	14	14
		F	21	27	28	25	37	29	21	20	18	21	27
280–289	**Avitaminoses and other metabolic diseases .. ..**	**M**	**120**	**143**	**192**	**122**	**188**	**183**	**192**	**204**	**209**	**182**	**192**
		F	**147**	**167**	**209**	**227**	**262**	**254**	**238**	**256**	**256**	**280**	**264**
280	Beriberi	M	2	3	—	—	1	1	4	2	1	2	2
		F	2	—	—	3	—	1	—	1	—	—	2
281	Pellagra	M	2	—	1	1	2	—	—	—	1	—	—
		F	—	2	3	4	4	2	1	2	—	1	—
282	Scurvy	M	8	2	2	5	—	3	1	1	4	2	1
		F	2	1	2	2	2	3	1	4	1	—	1
283	Active rickets	M	—	1	2	—	2	—	1	—	—	—	—
		F	5	3	1	—	1	1	2	—	—	—	—
284	Late effects of rickets ..	M	—	2	4	—	—	2	—	1	—	2	—
		F	1	—	1	1	—	1	2	3	1	—	—
285	Osteomalacia	M	—	2	1	—	—	1	1	—	2	—	—
		F	—	3	4	4	3	1	2	1	1	2	5
286	Other avitaminoses and nutritional deficiency states ..	M	37	46	64	36	63	48	50	41	50	46	38
		F	31	43	61	58	60	69	69	56	62	64	58
	0 Steatorrhoea and sprue	M	23	32	36	21	27	22	15	22	20	19	22
		F	13	23	20	22	21	22	28	24	22	21	20
	5 Malnutrition, unqualified	M	8	8	16	10	20	17	22	14	24	20	10
		F	11	13	32	25	29	38	31	21	31	28	28
	1-4, 6, 7 Other deficiency states	M	6	6	12	5	16	9	13	5	6	7	6
		F	7	7	9	11	10	9	10	11	9	15	10
287	Obesity, not specified as of endocrine origin	M	15	30	34	30	45	30	41	55	52	41	46
		F	60	79	76	100	136	110	101	127	123	146	127
288	Gout	M	11	23	21	10	17	16	16	17	10	15	14
		F	7	2	5	3	4	2	2	3	6	1	4
289	Other metabolic diseases ..	M	45	34	63	40	58	82	78	87	89	74	91
		F	39	34	56	52	52	64	58	59	62	66	67
	0 Lipidosis (disturbance of lipid metabolism) ..	M	5	8	11	5	15	19	16	15	18	7	11
		F	12	3	12	10	14	10	12	7	10	7	9
	1 Amyloidosis	M	11	7	14	12	14	17	18	36	23	30	37
		F	5	8	10	12	12	16	12	21	14	27	24
	2 Other	M	29	19	38	23	29	46	44	36	48	37	43
		F	22	23	34	30	26	38	34	31	38	32	34
290–299	**IV DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS**	**M**	**831**	**867**	**848**	**772**	**817**	**796**	**707**	**741**	**742**	**756**	**777**
		F	**1,565**	**1,513**	**1,401**	**1,256**	**1,381**	**1,344**	**1,379**	**1,348**	**1,308**	**1,313**	**1,248**
290	Pernicious and other hyperchromic anaemias	M	412	380	322	282	279	283	262	260	247	227	253
		F	836	783	661	587	639	628	650	622	578	582	517
	0 Pernicious anaemia ..	M	346	333	282	246	246	241	218	216	214	195	198
		F	751	703	584	519	569	547	567	551	502	489	445
	1 Subacute combined degeneration of spinal cord	M	43	32	33	27	13	24	18	13	16	11	14
		F	58	53	48	39	37	34	36	28	25	32	20
	2 Other hyperchromic anaemias..	M	23	15	7	9	20	18	26	31	17	21	41
		F	27	27	29	29	33	47	47	43	51	61	52
291	Iron deficiency anaemias (hypochromic anaemias)	M	48	41	61	59	64	66	70	70	73	100	78
		F	137	160	147	157	180	169	192	193	194	223	221
292	Other anaemias of specified type	M	131	153	181	191	222	207	189	181	203	203	191
		F	208	182	232	202	242	225	216	237	225	219	196
	4 Aplastic anaemia ..	M	100	111	137	145	159	143	128	107	128	118	108
		F	140	126	175	147	173	144	138	151	133	118	105
	0-3, 5-7 Other specified anaemias	M	31	42	44	46	63	64	61	74	75	85	83
		F	68	56	57	55	69	81	78	86	92	101	91
293	Anaemia of unspecified type ..	M	43	61	39	48	47	47	46	48	53	52	71
		F	106	78	108	78	91	105	108	115	112	85	132
294	Polycythaemia	M	22	31	35	34	35	45	20	37	45	50	60
		F	32	28	25	18	19	26	32	28	28	42	31
295	Haemophilia	M	14	23	19	13	15	12	9	19	8	16	9
		F	—	—	1	—	—	—	--	—	—	—	—

TABLE 7—*continued*

ICD No.	Causes of death		1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
296	Purpura and other haemorrhagic conditions	M	56	70	74	66	76	71	59	70	62	52	60
		F	72	100	88	92	81	85	63	73	82	79	62
297	Agranulocytosis	M	9	24	17	6	14	10	12	8	10	7	12
		F	28	29	26	21	21	17	20	8	12	13	12
298	Diseases of spleen	M	90	79	95	69	58	52	33	38	30	36	22
		F	140	150	110	97	103	87	87	62	60	56	59
299	Other diseases of blood and blood-forming organs ..	M	6	5	5	4	7	3	7	10	11	13	21
		F	6	3	3	4	5	2	11	10	17	14	18
300–326	**V MENTAL, PSYCHONEUROTIC AND PERSONALITY DISORDERS**	**M**	**479**	**521**	**476**	**415**	**458**	**438**	**374**	**347**	**341**	**364**	**401**
		F	**797**	**815**	**675**	**708**	**715**	**709**	**764**	**698**	**565**	**644**	**643**
300–309	**Psychoses .. .. ..**	**M**	**314**	**372**	**344**	**306**	**346**	**313**	**278**	**259**	**243**	**254**	**298**
		F	**645**	**641**	**527**	**575**	**611**	**570**	**643**	**593**	**475**	**519**	**534**
300	Schizophrenic disorders (dementia praecox)	M	27	35	39	25	44	24	28	27	22	21	10
		F	41	44	31	37	39	37	24	23	19	23	17
301	Manic-depressive reaction ..	M	39	30	20	26	27	27	17	9	14	8	6
		F	83	62	53	36	46	37	52	30	27	18	17
302	Involutional melancholia ..	M	2	2	5	3	3	4	3	5	1	2	2
		F	1	6	4	8	2	5	1	5	3	1	6
303	Paranoia and paranoid states..	M	2	2	1	—	—	1	2	—	1	3	—
		F	1	3	1	—	4	—	4	3	—	3	—
304	Senile psychosis	M	202	261	220	204	216	202	176	161	151	155	204
		F	453	458	381	416	450	415	500	440	339	381	390
305	Presenile psychosis	M	25	21	35	29	28	34	37	43	30	48	46
		F	29	33	29	37	39	42	47	61	66	71	69
307	Alcoholic psychosis	M	5	5	1	3	2	6	—	3	5	2	7
		F	1	3	2	3	1	—	2	4	1	—	3
309	Other and unspecified psychoses	M	12	16	23	16	26	15	15	11	19	15	23
		F	36	32	26	38	30	34	13	27	20	22	32
310–318	**Psychoneurotic disorders .. ..**	**M**	**15**	**15**	**15**	**11**	**20**	**17**	**16**	**14**	**15**	**23**	**14**
		F	**52**	**52**	**37**	**43**	**35**	**42**	**38**	**36**	**31**	**54**	**39**
310	Anxiety reaction without mention of somatic symptoms	M	—	—	3	—	1	2	2	—	3	3	1
		F	3	1	1	4	2	5	3	1	2	5	2
311	Hysterical reaction without mention of anxiety reaction	M	6	6	7	5	8	4	4	7	3	6	7
		F	31	39	26	29	26	27	22	23	23	36	26
314	Neurotic-depressive reaction	M	—	—	—	2	1	2	2	—	3	2	2
		F	—	3	3	—	1	4	5	8	1	5	6
316	Psychoneurosis with somatic symptoms (somatization reaction) affecting digestive system	M	2	2	—	—	2	1	—	1	—	—	1
		F	2	1	1	2	1	1	1	2	—	3	3
317	Psychoneurosis with somatic symptoms (somatization reaction) affecting other systems	M	1	3	1	—	1	4	5	2	2	4	1
		F	1	1	—	1	1	—	2	—	—	—	—
318	Psychoneurotic disorders, other, mixed and unspecified types	M	3	4	4	3	5	4	3	2	2	6	2
		F	12	7	2	6	4	5	4	2	4	5	2
320–326	**Disorders of character, behaviour, and intelligence ..**	**M**	**150**	**134**	**117**	**98**	**92**	**108**	**80**	**74**	**83**	**87**	**89**
		F	**100**	**122**	**111**	**90**	**69**	**97**	**83**	**69**	**59**	**71**	**70**
322	Alcoholism	M	33	33	21	24	20	22	20	15	25	33	23
		F	16	18	23	13	11	16	18	8	17	15	20
	0 Acute	M	6	5	3	5	3	3	2	1	5	6	2
		F	2	—	2	1	1	2	—	2	—	3	3
	1 Chronic	M	20	23	16	14	15	16	12	10	15	20	15
		F	12	15	19	6	10	9	18	5	15	11	16
	2 Unspecified	M	7	5	2	5	2	3	6	4	5	7	6
		F	2	3	2	6	—	5	—	1	2	1	1
323	Other drug addiction	M	1	2	10	2	1	2	—	—	2	4	—
		F	1	11	4	3	3	—	1	1	1	1	3
325	Mental deficiency	M	115	90	86	72	71	84	56	59	55	50	66
		F	83	93	83	73	55	81	62	60	39	55	44
330–398	**VI DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS**	**M**	**30,401**	**32,018**	**31,955**	**31,481**	**33,086**	**33,967**	**33,707**	**33,242**	**33,915**	**33,593**	**33,644**
		F	**40,709**	**42,617**	**43,066**	**42,230**	**44,386**	**46,011**	**46,334**	**45,959**	**47,763**	**47,184**	**48,191**
330–334	**Vascular lesions affecting central nervous system .. ..**	**M**	**27,175**	**29,003**	**29,158**	**28,762**	**30,516**	**31,098**	**31,034**	**30,537**	**31,298**	**30,897**	**31,006**
		F	**37,528**	**39,443**	**40,230**	**39,307**	**41,626**	**43,054**	**43,453**	**43,132**	**44,879**	**44,253**	**45,216**
330	Subarachnoid haemorrhage*	M	670	831	1,014	1,058	1,211	1,094	1,244	1,193	1,214	1,231	1,310
		F	1,006	1,231	1,633	1,618	1,747	1,856	1,902	1,902	2,039	1,934	2,137

* 330. See note 2 at head of table.

TABLE 7—*continued*

ICD No.	Causes of death		1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
331	Cerebral haemorrhage	M	13,642	13,752	13,122	12,831	13,326	12,861	12,562	11,970	11,923	11,493	11,688
		F	19,587	19,507	18,784	18,274	18,833	18,629	18,192	17,408	17,784	16,791	17,305
332	Cerebral embolism and thrombosis	M	11,510	12,682	13,072	12,916	13,795	14,813	14,791	14,914	15,452	15,341	15,250
		F	15,331	16,520	17,413	17,025	18,292	19,649	20,366	20,806	21,670	21,863	22,042
333	Spasm of cerebral arteries	M	2	1	2	2	1	1	—	1	1	1	1
		F	—	1	—	2	—	3	—	—	2	1	1
334	Other and ill-defined vascular lesions affecting central nervous system*	M	1,351	1,737	1,948	1,955	2,183	2,329	2,437	2,459	2,708	2,831	2,757
		F	1,604	2,184	2,400	2,388	2,754	2,917	2,993	3,016	3,384	3,664	3,731
340–345	**Inflammatory diseases of central nervous system**	M	**760**	**731**	**649**	**662**	**661**	**717**	**653**	**736**	**689**	**685**	**703**
		F	**768**	**855**	**722**	**791**	**729**	**779**	**793**	**787**	**820**	**795**	**818**
340	Meningitis, except meningococcal and tuberculous	M	215	204	178	209	190	213	191	233	197	180	209
		F	159	154	132	167	127	143	153	143	142	134	160
	0 H. influenzae	M	27	27	24	25	15	24	22	29	11	23	25
		F	22	15	15	12	15	20	20	14	10	10	12
	1 Pneumococcus	M	80	92	72	80	85	95	98	112	80	79	64
		F	53	54	51	67	56	58	71	60	66	56	65
	2 Due to other specified organism	M	35	30	24	48	41	42	35	39	55	42	49
		F	23	29	16	45	20	28	27	35	29	24	30
	3 With no organism specified as cause	M	73	55	58	56	49	52	36	53	51	36	71
		F	61	56	50	43	36	37	35	34	37	44	53
341	Phlebitis and thrombophlebitis of intracranial venous sinuses	M	14	12	12	10	12	10	6	15	10	9	7
		F	19	6	11	15	10	11	11	16	7	12	13
342	Intracranial and intraspinal abscess	M	81	63	52	54	53	53	57	71	41	49	34
		F	37	38	38	27	31	26	32	26	39	16	26
343	Encephalitis, myelitis, and encephalomyelitis (except acute infectious)	M	106	78	69	69	58	67	49	74	68	60	64
		F	75	72	55	46	42	65	66	62	56	48	43
344	Late effects of intracranial abscess or pyogenic infection	M	20	22	26	40	36	30	37	33	47	47	42
		F	21	27	19	25	32	30	38	38	37	34	42
345	Multiple sclerosis	M	324	352	312	280	312	344	313	310	326	340	347
		F	457	558	467	511	487	504	493	502	539	551	534
350–357	**Other diseases of central nervous system**	M	**2,075**	**1,932**	**1,859**	**1,761**	**1,651**	**1,916**	**1,812**	**1,788**	**1,761**	**1,809**	**1,791**
		F	**2,153**	**2,089**	**1,913**	**1,925**	**1,833**	**2,010**	**1,925**	**1,903**	**1,941**	**2,005**	**1,988**
350	Paralysis agitans	M	633	711	665	655	599	775	675	685	686	726	696
		F	813	896	864	829	812	924	891	838	867	952	946
351	Cerebral spastic infantile paralysis	M	67	80	64	59	60	66	79	61	65	61	73
		F	53	60	54	50	66	59	61	56	47	53	51
352	Other cerebral paralysis	M	443	239	244	200	216	233	237	206	214	232	238
		F	484	377	253	272	259	299	295	310	306	301	310
353	Epilepsy	M	472	467	456	406	337	404	387	374	358	346	327
		F	443	436	408	418	348	373	341	319	343	280	312
	2 Status epilepticus	M	181	185	185	140	172	163	144	134	124	136	118
		F	206	192	179	176	176	154	131	132	143	115	141
	0, 1, 3 Other epilepsy	M	291	282	271	266	165	241	243	240	234	210	209
		F	237	244	229	242	172	219	210	187	200	165	171
355	Other diseases of brain	M	82	85	70	93	103	98	97	115	104	96	111
		F	110	94	89	105	97	99	111	126	128	121	115
356	Motor neurone disease and muscular atrophy	M	315	300	318	303	307	295	297	317	298	308	311
		F	217	189	202	216	221	218	199	223	231	260	227
	0 Progressive muscular atrophy	M	211	214	208	225	221	183	172	197	184	187	161
		F	157	137	148	141	166	151	138	148	141	147	136
	1 Amyotrophic lateral sclerosis	M	82	59	83	51	56	64	56	44	46	47	36
		F	45	39	37	40	27	36	25	25	40	40	26
	2, 3 Other motor neurone disease	M	22	27	27	27	30	48	69	76	68	74	114
		F	15	13	17	35	28	31	36	50	50	73	65
357	Other diseases of spinal cord	M	62	50	41	44	29	45	40	30	36	40	35
		F	33	37	43	35	30	38	26	30	19	35	27
360–369	**Diseases of nerves and peripheral ganglia**	M	**83**	**80**	**54**	**54**	**62**	**40**	**38**	**33**	**49**	**36**	**29**
		F	**68**	**48**	**48**	**49**	**53**	**35**	**42**	**29**	**20**	**35**	**69**
361	Trigeminal neuralgia	M	1	4	3	3	3	2	3	1	2	1	—
		F	8	2	7	7	4	3	5	2	2	4	9
363	Sciatica	M	—	4	—	—	2	1	1	1	2	—	1
		F	1	5	2	1	1	2	1	1	—	—	—

* 334. See note 2 at head of table.

TABLE 7—*continued*

ICD No.	Causes of death		1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
364	Polyneuritis and polyradiculitis	M	33	30	22	25	38	27	28	25	37	22	21
		F	23	13	18	19	30	18	23	19	11	19	43
365	Erythroedema polyneuritica	M	34	34	15	19	8	4	3	2	—	1	1
		F	23	19	13	17	7	3	1	1	1	1	1
366	Other and unspecified forms of neuralgia and neuritis	M	15	7	13	7	9	5	3	2	5	10	3
		F	10	7	6	4	6	5	9	5	5	9	11
367	Other diseases of cranial nerves	M	—	1	—	—	—	—	—	—	—	—	—
		F	2	—	1	—	1	—	1	—	1	1	—
368	Other diseases of peripheral nerves except autonomic	M	—	—	1	—	2	1	—	1	2	1	3
		F	1	2	1	—	3	1	1	1	—	1	2
370–379	**Inflammatory diseases of eye**	M	**5**	**8**	**7**	**1**	**1**	**8**	**2**	**1**	**1**	**2**	**2**
		F	**8**	**9**	**5**	**9**	**4**	**3**	**7**	**5**	**6**	**3**	**4**
372	Hordeolum (stye)	M	—	—	2	—	—	—	—	—	—	1	1
		F	2	—	1	1	1	—	1	—	—	—	—
376	Other inflammation of uveal tract	M	—	—	—	—	—	2	—	1	1	—	—
		F	2	1	2	1	—	2	3	3	—	—	—
377	Inflammation of optic nerve and retina	M	—	1	1	—	—	1	1	—	—	—	—
		F	1	1	—	1	1	—	1	1	3	3	2
378	Inflammation of lachrymal glands and ducts	M	1	1	—	—	—	2	—	—	—	—	—
		F	—	—	1	1	—	—	—	—	—	—	1
379	Other inflammatory diseases of eye	M	3	2	2	1	1	2	—	—	—	—	—
		F	2	3	1	1	1	—	2	1	2	—	1
380-389	**Other diseases and conditions of eye**	M	**14**	**7**	**9**	**17**	**20**	**18**	**18**	**23**	**14**	**26**	**19**
		F	**16**	**18**	**30**	**37**	**32**	**32**	**34**	**34**	**40**	**36**	**34**
381	Corneal ulcer	M	2	1	1	—	1	1	—	1	1	—	—
		F	—	—	—	3	—	—	—	—	2	1	2
384	Strabismus	M	2	—	2	1	3	2	1	2	1	1	2
		F	2	1	—	2	4	2	1	—	—	3	3
385	Cataract	M	6	2	3	9	8	7	9	11	6	15	10
		F	10	13	16	17	15	23	21	22	15	22	19
386	Detachment of retina	M	1	—	1	—	2	—	3	2	—	2	1
		F	—	1	1	1	3	2	3	5	3	2	1
387	Glaucoma	M	3	3	—	1	2	1	2	3	3	4	1
		F	4	1	9	6	6	1	4	2	14	5	7
388	Other diseases of eye	M	—	—	—	2	1	2	1	3	1	2	5
		F	—	1	1	2	3	1	3	2	4	3	1
389	Blindness	M	—	1	2	3	3	5	2	1	2	2	—
		F	—	1	3	6	1	3	2	3	2	—	1
390–398	**Diseases of ear and mastoid process**	M	**289**	**257**	**219**	**224**	**175**	**170**	**150**	**124**	**103**	**138**	**94**
		F	**168**	**155**	**118**	**112**	**109**	**98**	**80**	**69**	**57**	**57**	**62**
391	Otitis media without mention of mastoiditis	M	207	186	156	172	142	137	121	95	79	109	73
		F	122	124	93	88	91	67	61	52	47	45	48
392	Otitis media with mastoiditis	M	15	21	20	12	6	8	3	6	6	11	7
		F	15	4	6	8	4	10	4	5	2	4	1
393	Mastoiditis without mention of otitis media	M	60	41	36	38	23	24	24	21	16	17	13
		F	28	23	16	14	12	20	14	8	6	5	9
394	Other inflammatory diseases of ear	M	1	1	1	—	1	—	2	—	2	—	—
		F	—	1	—	—	—	—	—	—	—	—	1
395	Ménière's disease	M	1	1	—	—	1	—	—	1	—	—	—
		F	1	2	1	—	—	—	—	1	1	—	—
396	Other diseases of ear and mastoid process	M	5	7	5	1	2	1	—	1	—	—	1
		F	1	1	2	1	1	1	1	1	1	2	3
400–468	**VII DISEASES OF THE CIRCULATORY SYSTEM**	M	**92,480**	**97,749**	**92,513**	**91,423**	**94,637**	**96,704**	**98,065**	**95,784**	**99,907**	**96,306**	**100,244**
		F	**93,396**	**98,922**	**90,151**	**90,477**	**91,331**	**95,222**	**95,470**	**92,566**	**97,738**	**95,526**	**98,319**
400–402	**Rheumatic fever**	M	**259**	**164**	**144**	**143**	**152**	**103**	**102**	**78**	**70**	**63**	**61**
		F	**310**	**214**	**184**	**167**	**147**	**114**	**106**	**96**	**61**	**63**	**64**
400	Rheumatic fever without mention of heart involvement	M	21	5	7	13	8	9	5	3	3	1	2
		F	15	11	18	13	11	5	7	2	3	4	3
401	Rheumatic fever with heart involvement	M	227	150	128	123	141	87	92	68	63	57	54
		F	259	169	140	135	113	89	81	81	51	47	46
	0 Active rheumatic pericarditis	M	36	35	33	39	42	30	29	23	27	21	30
		F	38	28	39	35	27	24	22	14	23	28	22
	1 Active rheumatic endocarditis	M	42	41	37	34	31	13	15	10	10	19	5
		F	46	43	45	38	18	16	15	17	11	5	6

TABLE 7—*continued*

ICD No.	Causes of death	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
	2 Active rheumatic myocarditis .. .. .. M	10	5	10	7	7	5	2	2	4	4	5
	F	15	9	5	8	8	3	4	9	—	2	1
	3 Active rheumatic fever with other and multiple types of heart involvement M	139	69	48	43	61	39	46	33	22	13	14
	F	160	89	51	54	60	46	40	41	17	12	17
402	Chorea .. .. .. M	11	9	9	7	3	7	5	7	4	5	5
	F	36	34	26	19	23	20	18	13	7	12	15
	0 Without mention of heart involvement .. .. M	3	6	7	7	3	6	5	6	1	2	4
	F	17	31	22	17	18	18	17	12	4	8	13
	1 With heart involvement M	8	3	2	—	—	1	—	1	3	3	1
	F	19	3	4	2	5	2	1	1	3	4	2
410–416	**Chronic rheumatic heart disease** M	**4,251**	**4,076**	**3,469**	**3,334**	**3,144**	**2,991**	**3,049**	**2,989**	**2,567**	**2,482**	**2,469**
	F	**6,940**	**6,777**	**5,637**	**5,503**	**5,452**	**5,356**	**5,161**	**5,228**	**4,867**	**4,589**	**4,652**
410	Diseases of mitral valve .. M	2,843	2,736	2,385	2,296	2,139	2,035	1,989	1,937	1,633	1,551	1,504
	F	5,083	4,955	4,371	4,267	4,241	4,066	3,926	3,933	3,629	3,381	3,433
411	Diseases of aortic valve specified as rheumatic .. .. M	272	290	305	290	302	272	325	342	343	313	332
	F	109	133	128	140	172	156	177	171	187	172	179
412	Diseases of tricuspid valve .. M	3	3	3	2	6	4	11	3	7	4	11
	F	5	4	4	2	4	12	6	8	6	11	10
414	Other endocarditis specified as rheumatic .. .. .. M	650	555	317	276	255	243	259	236	182	163	146
	F	1,049	907	499	415	361	404	344	347	282	277	266
415	Other myocarditis specified as rheumatic .. .. .. M	192	147	125	124	96	79	96	77	67	62	46
	F	281	259	173	160	150	151	128	141	112	93	62
416	Other heart disease specified as rheumatic .. .. .. M	289	345	334	346	346	358	369	394	335	389	430
	F	413	517	462	519	524	567	580	628	651	655	702
420–422	**Arteriosclerotic and degenerative heart disease** .. M	**67,950**	**71,652**	**68,631**	**67,022**	**69,683**	**71,677**	**73,012**	**71,151**	**75,237**	**72,700**	**76,064**
	F	**63,587**	**67,455**	**61,480**	**61,265**	**61,519**	**63,918**	**64,175**	**61,598**	**65,770**	**64,224**	**66,194**
420	Arteriosclerotic heart disease, including coronary disease .. M	35,379	37,654	39,568	39,449	42,919	44,857	47,476	48,266	52,085	52,193	56,514
	F	20,455	21,777	22,827	23,175	24,925	26,813	28,300	28,910	31,956	32,729	35,447
	0 Arteriosclerotic heart disease so described .. M	91	161	170	198	247	296	273	344	454	406	516
	F	103	161	151	180	247	263	286	364	541	498	623
	1 Heart disease specified as involving coronary arteries M	34,320	36,679	38,765	38,764	42,246	44,199	46,909	47,655	51,389	51,576	55,815
	F	19,807	21,132	22,303	22,688	24,411	26,254	27,781	28,339	31,223	32,059	34,657
	2 Angina pectoris without mention of coronary disease M	968	814	633	487	426	362	294	267	242	211	183
	F	545	484	373	307	267	296	233	207	192	172	167
421	Chronic endocarditis not specified as rheumatic .. .. M	1,576	1,340	1,557	1,497	1,714	1,606	1,612	1,757	1,675	1,506	1,687
	F	1,266	1,065	1,449	1,372	1,482	1,383	1,371	1,631	1,519	1,520	1,570
	0 Of mitral valve, specified as non-rheumatic* .. M	34	16	86	64	54	45	71	97	110	103	96
	F	28	25	98	99	73	80	109	183	195	217	216
	1 Of aortic valve, not specified as rheumatic .. M	1,003	951	931	956	1,170	1,163	1,148	1,313	1,257	1,137	1,327
	F	605	571	539	577	734	723	773	913	879	910	986
	2 Of tricuspid valve, specified as non-rheumatic .. M	3	3	—	1	2	1	3	1	—	—	2
	F	—	2	3	2	—	1	1	1	1	1	—
	3 Of pulmonary valve, not specified as rheumatic M	—	3	1	2	1	3	—	1	7	4	8
	F	—	2	3	1	1	1	2	3	1	1	7
	4 Other and ill-defined, not specified as rheumatic M	536	367	539	474	487	394	390	345	301	262	254
	F	633	465	806	693	674	578	486	531	443	391	361
422	Other myocardial degeneration M	30,995	32,658	27,506	26,076	25,050	25,214	23,924	21,128	21,477	19,001	17,863
	F	41,866	44,613	37,204	36,718	35,112	35,722	34,504	31,057	32,295	29,975	29,177
	0 Fatty degeneration .. M	204	196	113	109	113	101	92	85	78	66	35
	F	366	292	218	212	195	185	166	141	122	128	108
	1 With arteriosclerosis .. M	12,087	13,111	11,484	11,100	10,771	11,093	10,791	9,448	9,830	8,899	8,400
	F	14,885	16,434	14,433	14,611	14,124	14,623	14,375	13,444	14,162	13,440	13,285
	2 Other .. .. .. M	18,704	19,351	15,909	14,867	14,166	14,020	13,041	11,595	11,569	10,036	9,428
	F	26,615	27,887	22,553	21,895	20,793	20,914	19,963	17,472	18,011	16,407	15,784
430–434	**Other diseases of heart** .. M	**3,646**	**4,623**	**4,451**	**4,781**	**5,116**	**5,127**	**5,252**	**5,666**	**5,845**	**5,644**	**6,019**
	F	**4,873**	**5,810**	**5,579**	**5,814**	**5,875**	**6,126**	**6,435**	**6,772**	**7,150**	**7,120**	**7,479**
430	Acute and subacute endocarditis .. .. .. M	232	212	182	199	198	208	196	195	187	196	174
	F	167	158	133	140	118	119	121	128	135	112	138
	0 Acute and subacute bacterial endocarditis .. M	226	209	182	195	196	204	194	193	185	193	168
	F	160	156	129	138	114	116	119	127	129	111	133
	1 Other acute endocarditis M	6	3	—	4	2	4	2	2	2	3	6
	F	7	2	4	2	4	3	2	1	6	1	5

* 421·0. See note 2 at head of table.

TABLE 7—*continued*

ICD No.	Causes of death	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
431	Acute myocarditis not specified as rheumatic .. .. M	107	98	77	84	80	59	77	66	53	74	63
	F	96	103	77	83	65	57	60	72	67	70	65
432	Acute pericarditis specified as non-rheumatic .. .. M	18	15	11	14	17	13	12	15	6	5	13
	F	12	5	18	11	12	17	9	8	13	11	10
433	Functional disease of heart .. M	2,090	2,562	2,407	2,468	2,321	2,080	2,157	2,113	2,164	1,927	1,927
	F	3,487	4,006	3,740	3,706	3,557	3,433	3,441	3,351	3,422	3,268	3,174
434	Other and unspecified diseases of heart .. .. .. M	1,199	1,736	1,774	2,016	2,500	2,767	2,810	3,277	3,435	3,442	3,842
	F	1,111	1,538	1,611	1,874	2,123	2,500	2,804	3,213	3,513	3,659	4,092
440–443	**Hypertensive heart disease*** .. M	**7,626**	**8,278**	**5,225**	**5,353**	**5,686**	**5,834**	**5,782**	**5,491**	**5,173**	**4,656**	**4,678**
	F	**8,514**	**9,220**	**6,094**	**6,263**	**6,667**	**7,320**	**7,251**	**7,101**	**7,110**	**6,719**	**6,616**
440	Essential benign hypertensive heart disease* .. .. M	125	127	82	80	95	104	97	106	98	95	78
	F	138	123	86	107	108	124	138	150	129	122	135
441	Essential malignant hypertensive heart disease* .. M	165	201	107	120	104	126	121	110	106	94	107
	F	137	150	74	63	81	46	65	77	80	67	52
442	Hypertensive heart disease with arteriolar nephrosclerosis* .. M	245	315	155	165	123	129	143	125	116	98	75
	F	299	353	189	175	157	184	138	130	129	107	96
443	Other and unspecified hypertensive heart disease* .. M	7,091	7,635	4,881	4,988	5,364	5,475	5,421	5,150	4,853	4,369	4,418
	F	7,940	8,594	5,745	5,918	6,321	6,966	6,910	6,744	6,772	6,423	6,333
444–447	**Other hypertensive disease*** .. M	**2,132**	**2,076**	**4,072**	**4,214**	**4,044**	**3,966**	**3,776**	**3,570**	**3,524**	**3,269**	**3,123**
	F	**2,037**	**2,031**	**4,058**	**4,106**	**4,176**	**4,152**	**3,994**	**3,684**	**3,839**	**3,555**	**3,407**
444	Essential benign hypertension* M	935	973	2,832	2,799	2,809	2,726	2,628	2,482	2,421	2,166	2,080
	F	1,124	1,112	3,111	3,190	3,228	3,330	3,154	2,932	3,037	2,784	2,737
445	Essential malignant hypertension* .. .. .. M	584	540	716	848	718	738	721	704	701	724	711
	F	353	384	442	420	450	333	378	365	400	379	345
446	Hypertension with arteriolar nephrosclerosis* .. .. M	612	562	522	565	515	500	425	382	398	377	331
	F	559	534	503	494	496	487	460	385	399	391	322
447	Other hypertensive disease without mention of heart* .. M	1	1	2	2	2	2	2	2	4	2	1
	F	1	1	2	2	2	2	2	2	3	1	3
450–456	**Diseases of arteries** .. .. M	**5,814**	**6,094**	**5,766**	**5,764**	**5,895**	**6,000**	**6,006**	**5,727**	**6,411**	**6,208**	**6,428**
	F	**5,958**	**6,331**	**5,953**	**6,088**	**6,148**	**6,763**	**6,689**	**6,457**	**7,173**	**7,368**	**7,814**
450	General arteriosclerosis .. M	5,208	5,512	4,839	4,751	4,783	4,804	4,723	4,297	4,801	4,578	4,655
	F	5,374	5,806	5,184	5,325	5,252	5,790	5,596	5,367	5,913	6,130	6,378
	0 Without mention of gangrene .. .. .. M	4,569	4,817	4,227	4,171	4,198	4,225	4,145	3,827	4,273	4,082	4,087
	F	4,840	5,239	4,677	4,829	4,766	5,276	5,106	4,876	5,414	5,611	5,830
	1 With mention of gangrene as a consequence .. M	639	695	612	580	585	579	578	470	528	496	568
	F	534	567	507	496	486	514	490	491	499	519	548
451	Aortic aneurysm, non-syphilitic, and dissecting aneurysm† M	262	290	678	730	844	924	1,001	1,135	1,312	1,310	1,425
	F	254	287	564	526	663	711	834	836	1,003	946	1,106
452	Other aneurysm, except of heart and aorta .. .. M	134	52	44	64	69	74	61	63	62	79	56
	F	157	45	44	48	28	45	55	48	36	47	44
453	Peripheral vascular disease .. M	52	73	71	70	55	63	63	59	54	62	69
	F	26	23	26	22	30	16	31	12	21	25	37
	0 Raynaud's disease .. M	6	4	5	2	4	8	5	3	1	1	2
	F	12	13	9	8	15	3	10	5	4	7	10
	1 Thrombo-angiitis obliterans .. .. M	41	52	51	52	39	40	45	39	34	32	31
	F	10	6	11	6	8	9	6	1	7	5	11
	2, 3 Other peripheral vascular disease .. M	5	17	15	16	12	15	13	17	19	29	36
	F	4	4	6	8	7	4	15	6	10	13	16
454	Arterial embolism and thrombosis .. .. .. M	38	51	31	30	21	32	34	36	35	27	48
	F	42	57	23	38	44	53	51	40	43	57	64
455	Gangrene of unspecified cause M	47	27	17	25	9	11	23	12	19	17	26
	F	40	38	20	24	22	25	6	12	13	22	18
456	Other diseases of arteries .. M	73	89	86	94	114	92	101	125	128	135	149
	F	65	75	92	105	109	123	116	142	144	141	167
460–468	**Diseases of veins and other diseases of circulatory system** M	**802**	**786**	**755**	**812**	**917**	**1,006**	**1,086**	**1,112**	**1,080**	**1,284**	**1,402**
	F	**1,177**	**1,084**	**1,166**	**1,271**	**1,347**	**1,473**	**1,659**	**1,630**	**1,768**	**1,888**	**2,093**
460	Varicose veins of lower extremities .. .. .. M	83	79	74	50	52	51	55	53	48	61	57
	F	235	225	218	169	201	196	197	172	172	168	180
461	Haemorrhoids .. .. M	21	13	21	12	24	22	23	19	18	16	20
	F	13	10	10	13	9	14	13	8	14	11	12

* 440–447. Certain changes in coding practice were introduced at the beginning of 1952 which resulted in a transfer of deaths in that year from codes (440-443) to codes (444-447).
† 451. See note 2 at head of table.

TABLE 7—*continued*

ICD No.	Causes of death		1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
462	Varicose veins of other specified sites	M	17	27	18	20	20	20	17	27	26	20	17
		F	19	14	21	25	12	20	24	26	16	24	25
463	Phlebitis and thrombophlebitis of lower extremities	M	147	119	138	120	101	141	156	132	131	138	141
		F	288	217	224	236	230	223	261	254	247	256	261
464	Phlebitis and thrombophlebitis of other sites	M	14	23	10	10	12	14	13	14	12	15	20
		F	24	21	17	20	20	20	20	24	17	25	30
465	Pulmonary embolism and infarction	M	308	335	316	377	413	465	457	486	486	630	698
		F	333	324	360	428	433	484	574	565	675	723	807
466	Other venous embolism and thrombosis	M	163	144	150	189	261	253	332	359	324	371	415
		F	227	239	284	341	399	469	535	545	592	647	735
467	Other diseases of circulatory system	M	36	39	21	23	29	31	26	19	25	24	28
		F	31	29	26	31	31	38	29	26	30	25	37
468	Certain diseases of lymph nodes and lymph channels	M	13	7	7	11	5	9	7	3	9	9	6
		F	7	5	6	8	12	9	6	10	5	9	6
470–527	**VIII DISEASES OF THE RESPIRATORY SYSTEM**	M	**32,263**	**45,783**	**31,951**	**36,799**	**31,090**	**35,381**	**36,080**	**37,939**	**37,024**	**40,756**	**34,833**
		F	**23,145**	**35,824**	**21,038**	**26,364**	**20,056**	**23,345**	**24,428**	**24,066**	**23,784**	**27,796**	**22,122**
470–475	**Acute upper respiratory infections**	M	**127**	**124**	**81**	**81**	**78**	**67**	**68**	**68**	**59**	**57**	**68**
		F	**146**	**137**	**81**	**86**	**83**	**69**	**70**	**72**	**59**	**62**	**57**
470	Acute nasopharyngitis (common cold)*	M	22	33	10	12	8	8	3	6	2	4	5
		F	47	48	15	15	16	6	4	8	8	4	3
471	Acute sinusitis	M	4	1	1	4	2	1	3	2	2	1	2
		F	6	4	4	2	4	1	3	1	—	1	3
472	Acute pharyngitis	M	14	14	7	9	9	8	13	7	12	11	9
		F	14	9	11	10	9	8	14	7	4	13	7
473	Acute tonsillitis	M	35	22	21	16	18	14	13	17	14	12	17
		F	32	29	27	19	23	18	18	14	12	10	12
474	Acute laryngitis and tracheitis	M	28	32	29	23	27	26	24	24	19	22	30
		F	23	23	12	25	17	27	18	29	27	21	26
475	Acute upper resp: infection of multiple or unspecified sites*	M	24	22	13	17	14	10	12	12	10	7	5
		F	24	24	12	15	14	9	13	13	8	13	6
480–483	**Influenza**	M	**1,862**	**7,393**	**879**	**2,905**	**878**	**1,460**	**1,272**	**3,553**	**1,216**	**3,898**	**553**
		F	**2,040**	**8,416**	**871**	**3,560**	**933**	**1,523**	**1,354**	**3,163**	**1,185**	**3,964**	**545**
480	Influenza with pneumonia‡	M	941	3,708	449	1,442	459	776	661	2,516	767	2,605	330
		F	922	4,046	429	1,756	446	774	645	2,236	706	2,533	322
481	'Flu: with other resp: manifestations, and 'flu: unqualified‡	M	882	3,638	404	1,427	410	664	597	1,009	433	1,280	215
		F	1,071	4,310	417	1,753	463	725	693	892	463	1,408	204
482	'Flu: with digestive manifestations, but without resp: symptoms	M	30	41	16	28	5	12	6	9	8	8	7
		F	41	49	22	38	23	19	14	18	9	16	16
483	'Flu: with nerv: manifestns: but without dig: or resp: symptoms	M	9	6	10	8	4	8	8	19	8	5	1
		F	6	11	3	13	1	5	2	17	7	7	3
490–493	**Pneumonia†**	M	**9,096**	**11,619**	**9,801**	**10,719**	**9,277**	**10,618**	**11,169**	**11,645**	**11,799**	**13,203**	**11,818**
		F	**8,511**	**10,914**	**8,839**	**10,078**	**8,838**	**10,415**	**11,245**	**11,203**	**11,939**	**13,387**	**12,525**
490	Lobar pneumonia‡	M	2,234	2,387	2,175	2,175	1,874	1,999	1,977	1,889	1,746	1,778	1,635
		F	1,589	1,699	1,445	1,524	1,469	1,474	1,451	1,354	1,351	1,412	1,357
491	Bronchopneumonia‡	M	6,153	8,337	6,903	7,776	6,721	7,894	8,439	8,906	9,321	10,628	9,374
		F	6,355	8,470	6,733	7,914	6,801	8,332	9,156	9,156	9,991	11,214	10,440
492	Primary atypical pneumonia	M	55	86	76	59	89	59	86	145	98	133	140
		F	37	58	45	57	79	67	76	115	94	119	140
493	Pneumonia, other and unspecified‡	M	654	809	647	709	593	666	667	705	634	664	669
		F	530	687	616	583	489	542	562	578	503	642	588
500–502	**Bronchitis**	M	**17,703**	**22,910**	**17,781**	**19,567**	**17,163**	**19,318**	**19,890**	**18,956**	**20,326**	**20,193**	**18,997**
		F	**10,959**	**14,582**	**9,787**	**11,141**	**8,625**	**9,675**	**10,019**	**8,141**	**9,070**	**8,858**	**7,488**

* 470, 475. See note 2 at head of table.

† 490–493. See 763 (Pneumonia of newborn) for pneumonia deaths at ages under 4 weeks.

‡ Excluding the following "late effects" (see note 3 at head of table):

			1958	1959	1960
480	Influenza with pneumonia	M	—	2	2
		F	—	—	1
481	'Flu: with other resp: manifestations, and 'flu: unqualified	M	—	2	1
		F	—	—	1
490	Lobar pneumonia	M	1	1	1
		F	2	—	2
491	Bronchopneumonia	M	1	3	3
		F	1	3	—
493	Pneumonia, other and unspecified	M	8	8	3
		F	2	4	2

TABLE 7—*continued*

ICD No.	Causes of death		1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
500	Acute bronchitis	M	1,974	2,848	1,894	2,156	1,496	1,699	1,678	1,397	1,494	1,487	1,149
		F	2,559	3,630	2,097	2,522	1,722	1,893	2,009	1,453	1,599	1,577	1,164
501	Bronchitis, unqualified	M	1,387	1,683	1,122	1,245	1,065	1,079	1,057	884	969	917	767
		F	1,331	1,760	1,121	1,189	1,045	1,052	1,123	845	1,003	932	712
502	Chronic bronchitis	M	14,342	18,379	14,765	16,166	14,602	16,540	17,155	16,675	17,863	17,789	17,081
		F	7,069	9,192	6,569	7,430	5,858	6,730	6,887	5,843	6,468	6,349	5,612
	0 Bronchitis with emphysema	M	4,927	6,538	6,056	6,792	6,537	7,959	8,369	8,529	9,316	9,223	8,998
		F	1,026	1,492	1,307	1,454	1,293	1,609	1,820	1,563	1,815	1,845	1,682
	1 Other	M	9,415	11,841	8,709	9,374	8,065	8,581	8,786	8,146	8,547	8,566	8,083
		F	6,043	7,700	5,262	5,976	4,565	5,121	5,067	4,280	4,653	4,504	3,930
510–527	**Other diseases of respiratory system**	M	**3,475**	**3,737**	**3,409**	**3,527**	**3,694**	**3,918**	**3,681**	**3,717**	**3,624**	**3,405**	**3,397**
		F	**1,489**	**1,775**	**1,460**	**1,499**	**1,577**	**1,663**	**1,740**	**1,487**	**1,531**	**1,525**	**1,507**
510	Hypertrophy of tonsils and adenoids	M	28	17	28	24	21	22	16	17	17	13	9
		F	21	26	19	18	12	15	13	5	18	8	8
511	Peritonsillar abscess (quinsy)	M	6	13	8	7	10	4	4	5	5	5	4
		F	9	7	13	4	8	5	6	6	8	4	8
512	Chronic pharyngitis and nasopharyngitis	M	—	3	2	1	4	—	3	2	1	1	1
		F	2	—	3	4	1	3	2	2	2	2	1
513	Chronic sinusitis	M	45	31	39	38	31	32	25	28	27	31	17
		F	23	13	16	19	19	13	18	11	20	18	9
515	Nasal polyp	M	4	7	3	3	2	4	4	3	2	1	—
		F	3	4	3	2	4	—	4	2	—	1	1
516	Chronic laryngitis	M	4	1	1	—	1	1	—	1	—	1	—
		F	2	—	1	2	—	—	—	1	2	—	—
517	Other diseases of upper respiratory tract	M	22	18	16	14	18	10	14	17	20	22	23
		F	16	16	10	12	18	6	10	14	9	14	15
518	Empyema	M	105	81	82	104	110	87	86	72	83	73	66
		F	40	52	56	58	41	51	44	35	52	38	45
519	Pleurisy	M	83	78	65	57	51	49	59	30	23	27	50
		F	51	47	37	44	45	28	40	24	25	27	54
520	Spontaneous pneumothorax	M	7	5	6	4	6	14	6	5	7	5	5
		F	1	—	1	2	1	1	1	2	2	1	3
521	Abscess of lung	M	45	63	46	54	55	53	43	58	46	39	55
		F	24	28	24	28	25	29	24	32	16	22	29
522	Pulmonary congestion and hypostasis	M	262	322	209	158	264	247	255	167	198	195	240
		F	427	483	349	378	438	467	474	339	354	382	414
523	Pneumoconiosis due to silica and silicates (occupational)	M	559	594	557	573	647	714	666	760	713	637	650
		F	8	4	3	6	5	6	9	7	10	9	16
524	Other spec'd: pneumoconiosis and pul: fibrosis of occupational origin	M	18	10	6	11	12	23	17	16	28	25	12
		F	—	—	—	—	1	1	6	3	2	7	3
525	Other chronic interstitial pneumonia	M	201	188	180	174	163	199	204	175	190	169	195
		F	75	89	87	69	92	94	73	93	106	114	97
526	Bronchiectasis	M	1,480	1,492	1,405	1,447	1,405	1,479	1,273	1,305	1,199	1,133	1,060
		F	657	795	631	619	662	712	724	677	615	586	543
527	Other diseases of lung and pleural cavity	M	604	814	755	858	894	980	1,004	1,056	1,064	1,027	1,009
		F	130	211	207	233	205	232	291	233	290	292	261
	0 Pulmonary collapse (1 year and over)	M	5	6	7	4	7	5	6	6	4	11	5
		F	2	8	2	8	7	3	7	3	10	6	8
	1 Emphysema without mention of bronchitis	M	564	749	712	798	822	917	926	981	997	939	927
		F	96	171	158	179	159	186	234	182	216	223	211
	2 Other	M	35	59	36	56	65	58	72	69	63	77	77
		F	32	32	47	46	39	43	50	48	64	63	42
530–587	**IX DISEASES OF THE DIGESTIVE SYSTEM**	M	**9,446**	**9,608**	**9,248**	**8,849**	**8,966**	**8,948**	**8,554**	**8,336**	**8,215**	**7,748**	**8,002**
		F	**7,204**	**7,249**	**7,026**	**6,988**	**7,121**	**7,251**	**7,177**	**7,010**	**6,948**	**7,159**	**7,414**
530–539	**Diseases of buccal cavity and oesophagus**	M	**117**	**138**	**116**	**126**	**120**	**129**	**95**	**125**	**110**	**97**	**106**
		F	**171**	**134**	**134**	**121**	**152**	**134**	**138**	**129**	**146**	**150**	**154**
530	Dental caries	M	2	2	—	2	2	—	1	—	1	1	—
		F	1	—	—	—	—	—	—	—	—	1	—
531	Abscesses of supporting structures of teeth	M	3	1	—	1	2	2	2	2	3	1	—
		F	3	2	—	1	—	—	4	1	3	—	—
532	Other inflammatory diseases of supporting structures of teeth	M	9	14	6	8	6	8	6	8	—	3	1
		F	16	8	8	6	8	4	3	3	1	1	—

TABLE 7—*continued*

ICD No.	Causes of death		1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
533	Disorders of occlusion, eruption, and tooth development	M	24	15	23	18	11	10	6	8	1	—	—
		F	24	12	11	7	15	7	8	8	1	1	1
536	Stomatitis	M	7	10	7	8	6	2	2	3	2	2	1
		F	20	14	9	5	7	3	4	2	—	2	3
537	Diseases of salivary glands	M	18	17	18	21	19	31	13	25	22	22	27
		F	42	46	46	56	48	43	58	56	64	74	59
538	Other diseases of buccal cavity	M	16	16	9	10	9	11	6	9	8	7	5
		F	8	16	8	6	14	5	6	9	1	1	6
539	Diseases of oesophagus	M	38	63	52	58	65	65	59	70	70	55	65
		F	57	35	52	40	60	72	55	50	70	64	78
540–545	**Diseases of stomach and duodenum**	M	**4,092**	**4,506**	**4,253**	**3,982**	**4,196**	**4,154**	**3,962**	**3,693**	**3,552**	**3,232**	**3,323**
		F	**1,365**	**1,486**	**1,461**	**1,463**	**1,604**	**1,670**	**1,671**	**1,547**	**1,570**	**1,576**	**1,636**
540	Ulcer of stomach	M	2,035	2,086	1,967	1,818	1,873	1,864	1,803	1,665	1,608	1,455	1,487
		F	843	917	904	883	913	967	998	960	944	959	988
	0 Without mention of perforation	M	1,630	1,466	1,374	1,310	1,353	1,356	1,318	1,214	1,189	1,102	1,119
		F	634	702	696	677	701	735	776	725	770	765	760
	1 With perforation	M	405	620	593	508	520	508	485	451	419	353	368
		F	209	215	208	206	212	232	222	235	174	194	228
541	Ulcer of duodenum	M	1,847	2,190	2,092	1,977	2,138	2,111	1,975	1,903	1,817	1,635	1,678
		F	375	437	421	448	554	575	566	501	529	514	552
	0 Without mention of perforation	M	1,170	1,355	1,350	1,253	1,334	1,318	1,263	1,194	1,133	1,040	1,031
		F	243	269	251	275	328	337	349	304	315	307	330
	1 With perforation	M	677	835	742	724	804	793	712	709	684	595	647
		F	132	168	170	173	226	238	217	197	214	207	222
542	Gastrojejunal ulcer	M	63	59	47	34	46	65	50	33	41	50	55
		F	11	10	7	8	18	14	15	7	10	10	9
	0 Without mention of perforation	M	43	42	34	27	35	49	36	24	27	33	33
		F	6	7	4	6	14	10	9	5	7	8	7
	1 With perforation	M	20	17	13	7	11	16	14	9	14	17	22
		F	5	3	3	2	4	4	6	2	3	2	2
543	Gastritis and duodenitis	M	68	76	63	62	49	41	49	34	34	31	30
		F	93	85	98	85	75	81	51	38	54	47	46
544	Disorders of function of stomach	M	10	11	6	14	8	13	11	9	9	5	5
		F	16	10	13	6	16	10	7	6	13	11	8
545	Other diseases of stomach and duodenum	M	69	84	78	77	82	60	74	49	43	56	68
		F	27	27	18	33	28	23	34	35	20	35	33
550–553	**Appendicitis**	M	**744**	**679**	**598**	**550**	**547**	**485**	**522**	**497**	**462**	**430**	**367**
		F	**555**	**493**	**447**	**356**	**422**	**360**	**331**	**302**	**328**	**271**	**271**
550	Acute appendicitis	M	641	592	517	465	456	415	425	415	395	371	304
		F	469	418	367	304	347	301	250	252	272	223	225
	0 Without mention of peritonitis	M	101	89	82	71	70	66	74	74	58	54	42
		F	79	59	46	45	47	42	41	30	37	31	28
	1 With peritonitis	M	540	503	435	394	386	349	351	341	337	317	262
		F	390	359	321	259	300	259	209	222	235	192	197
551	Appendicitis, unqualified	M	61	79	79	83	86	67	93	79	62	52	60
		F	59	64	75	50	72	55	75	49	50	45	45
552	Other appendicitis	M	6	2	2	—	2	2	3	2	1	4	2
		F	6	6	2	2	1	3	4	—	6	1	1
553	Other diseases of appendix	M	36	6	—	2	3	1	1	1	4	3	1
		F	21	5	3	—	2	1	2	1	—	2	—
560–561	**Hernia of abdominal cavity**	M	**832**	**821**	**822**	**758**	**761**	**830**	**768**	**769**	**707**	**705**	**700**
		F	**866**	**883**	**842**	**821**	**804**	**798**	**865**	**806**	**742**	**839**	**767**
560	Hernia of abdom'l cavity without mention of obstruction	M	151	170	186	182	192	216	188	210	195	223	217
		F	138	125	145	147	168	159	182	158	179	207	201
	0 Inguinal	M	76	76	76	66	67	78	69	84	66	82	55
		F	19	12	6	6	10	8	7	9	6	10	7
	1 Femoral	M	8	4	6	3	4	7	4	8	5	5	5
		F	11	13	12	9	17	13	10	9	8	16	17
	2 Umbilical	M	22	25	24	35	40	30	17	31	26	25	26
		F	25	24	29	33	33	28	36	16	26	24	26
	3 Ventral (incisional)	M	8	8	12	9	11	11	9	6	5	10	10
		F	30	24	26	23	18	22	32	15	19	24	5
	4, 5 Other sites	M	37	57	68	69	70	90	89	81	93	101	121
		F	53	52	72	76	90	88	97	109	120	133	146

TABLE 7—*continued*

ICD No.	Causes of death		1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
561	Hernia of abdominal cavity with obstruction	M	681	651	636	576	569	614	580	559	512	482	483
		F	728	758	697	674	636	639	683	648	563	632	566
	0 Inguinal	M	444	402	364	355	342	362	357	330	305	301	301
		F	91	90	87	60	68	58	72	71	66	74	78
	1 Femoral	M	98	104	113	75	90	101	91	96	81	65	62
		F	342	349	325	341	312	321	308	312	271	298	259
	2 Umbilical	M	51	56	37	39	38	40	42	36	41	31	30
		F	129	121	111	98	77	101	104	93	75	85	75
	3 Ventral (incisional)	M	19	29	27	23	32	37	35	33	25	31	36
		F	112	129	109	108	106	90	109	86	77	96	80
	4, 5 Other sites	M	69	60	95	84	67	74	55	64	60	54	54
		F	54	69	65	67	73	69	90	86	74	79	74
570–578	**Other diseases of intestines and peritoneum**	M	**2,345**	**2,139**	**2,005**	**1,991**	**1,873**	**1,884**	**1,781**	**1,806**	**1,863**	**1,814**	**1,947**
		F	**2,290**	**2,267**	**2,203**	**2,197**	**2,065**	**2,174**	**2,157**	**2,207**	**2,215**	**2,276**	**2,498**
570	Intestinal obstruction without mention of hernia	M	732	721	766	726	701	653	713	673	693	708	752
		F	663	704	714	685	634	707	720	658	722	731	832
	0 Intussusception	M	73	85	75	65	54	49	32	30	39	31	31
		F	72	61	45	34	40	33	35	27	27	26	25
	1 Paralytic ileus	M	26	17	10	23	6	10	19	6	14	9	13
		F	15	18	8	9	7	4	8	10	11	8	12
	2 Mesenteric infarction	M	136	166	187	184	211	170	203	186	205	206	242
		F	136	150	174	177	187	206	200	240	243	275	323
	3 Volvulus	M	193	190	227	188	188	184	221	201	178	215	168
		F	143	149	165	176	143	163	189	147	156	154	161
	4 Impaction of intestine	M	35	25	30	29	44	35	48	24	22	17	40
		F	60	77	74	63	68	84	79	53	49	50	56
	5 Other	M	269	238	237	237	198	205	190	226	235	230	258
		F	237	249	248	226	189	217	209	181	236	218	255
571	Gastro-enteritis and colitis, exc: ulcerative age 4 weeks and over	M	922	721	590	546	433	458	357	355	380	359	382
		F	743	644	561	549	467	445	366	397	344	365	439
572	Chronic enteritis and ulcerative colitis	M	467	449	426	465	501	529	493	542	582	561	603
		F	679	690	689	712	739	767	829	887	947	969	996
	0 Regional enteritis	M	19	20	22	28	24	34	29	39	26	34	36
		F	24	19	20	29	31	34	31	32	46	54	46
	1 Diverticulitis	M	268	262	242	257	323	313	288	318	379	365	391
		F	348	364	345	391	409	450	484	562	617	672	676
	2 Ulcerative colitis	M	154	154	149	162	138	173	162	176	173	157	172
		F	273	283	306	269	289	265	302	280	270	230	258
	3 Other	M	26	13	13	18	16	9	14	9	4	5	4
		F	34	24	18	23	10	18	12	13	14	13	16
573	Functional disorders of intestines	M	17	15	18	21	7	12	15	10	11	10	10
		F	21	22	20	19	17	19	19	15	18	22	17
574	Anal fissure and fistula	M	6	4	1	—	—	1	1	3	—	—	1
		F	1	2	2	—	—	3	1	1	2	2	1
575	Abscess of anal and rectal regions	M	21	26	26	17	16	12	8	20	15	15	11
		F	14	7	15	12	9	10	9	11	4	10	7
576	Peritonitis	M	54	62	52	68	57	50	47	56	55	40	50
		F	53	52	59	41	50	46	48	57	46	48	45
577	Peritoneal adhesion	M	12	13	4	9	6	6	6	5	5	6	7
		F	7	15	9	11	5	5	4	4	13	7	6
578	Other diseases of intestines and peritoneum	M	114	128	122	139	152	163	141	142	122	115	131
		F	109	131	134	168	144	172	161	177	119	122	155
580–587	**Diseases of liver, gall bladder and pancreas**	M	**1,316**	**1,325**	**1,454**	**1,442**	**1,469**	**1,466**	**1,426**	**1,446**	**1,521**	**1,470**	**1,559**
		F	**1,957**	**1,986**	**1,939**	**2,030**	**2,074**	**2,115**	**2,015**	**2,019**	**1,947**	**2,047**	**2,088**
580	Acute and subacute yellow atrophy of liver	M	52	59	47	56	63	49	37	45	31	40	40
		F	87	85	78	79	75	67	66	66	62	62	52
581	Cirrhosis of liver	M	574	615	645	650	632	617	618	667	644	617	685
		F	440	502	479	505	535	542	535	539	532	586	587
582	Suppurative hepatitis and liver abscess	M	23	22	23	20	19	12	14	9	13	14	20
		F	14	10	12	13	21	17	11	10	9	11	12
583	Other diseases of liver	M	28	22	29	25	18	25	28	24	45	41	55
		F	18	23	27	30	30	38	33	36	41	34	58
584	Cholelithiasis	M	245	213	239	239	273	278	275	246	276	274	235
		F	617	583	569	613	590	606	572	581	526	543	518

TABLE 7—*continued*

ICD No.	Causes of death		1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
585	Cholecystitis and cholangitis, without mention of calculi	M	178	161	191	206	192	188	191	183	187	173	160
		F	461	454	443	426	452	431	412	386	382	367	393
586	Other diseases of gallbladder and biliary ducts	M	29	33	30	43	33	26	27	29	31	23	43
		F	57	67	61	57	62	50	49	59	59	76	89
587	Diseases of pancreas	M	187	200	250	203	239	271	236	243	294	288	321
		F	263	262	270	307	309	364	337	342	336	368	379
	0 Acute pancreatitis ..	M	122	133	158	134	162	172	142	136	176	166	191
		F	198	191	191	218	224	245	235	238	220	241	244
	1 Chronic pancreatitis ..	M	28	27	32	21	24	22	22	33	26	32	16
		F	21	27	31	30	36	41	28	31	33	22	36
	2 Other diseases of pancreas	M	37	40	60	48	53	77	72	74	92	90	114
		F	44	44	48	59	49	78	74	73	83	105	99
590–637	**X DISEASES OF THE GENITO-URINARY SYSTEM**	M	**9,548**	**9,157**	**8,561**	**8,234**	**8,370**	**7,906**	**7,761**	**7,336**	**7,106**	**6,888**	**6,821**
		F	**4,713**	**4,488**	**4,083**	**3,926**	**3,911**	**3,893**	**3,775**	**3,664**	**3,677**	**3,676**	**3,725**
590–594	**Nephritis and nephrosis**	M	**3,352**	**3,155**	**2,898**	**2,706**	**2,645**	**2,448**	**2,554**	**2,250**	**2,158**	**1,923**	**2,005**
		F	**3,368**	**3,193**	**2,795**	**2,549**	**2,453**	**2,294**	**2,125**	**1,945**	**1,920**	**1,762**	**1,709**
590	Acute nephritis	M	194	162	128	139	116	97	121	89	89	72	99
		F	157	142	95	93	95	54	67	68	65	50	62
591	Nephritis with oedema, including nephrosis	M	236	208	199	193	179	186	207	196	188	144	149
		F	231	192	148	136	147	180	154	143	127	120	120
592	Chronic nephritis	M	2,759	2,569	2,355	2,168	2,144	1,929	2,004	1,736	1,663	1,512	1,529
		F	2,843	2,691	2,344	2,151	2,035	1,894	1,738	1,572	1,572	1,402	1,347
593	Nephritis not specified as acute or chronic	M	136	197	199	192	195	218	208	218	204	189	215
		F	117	156	184	157	162	150	148	151	148	187	168
594	Other renal sclerosis	M	27	19	17	14	11	18	14	11	14	6	13
		F	20	12	24	12	14	16	18	11	8	3	12
600–609	**Other diseases of urinary system**	M	**1,181**	**1,222**	**1,159**	**1,243**	**1,286**	**1,261**	**1,264**	**1,335**	**1,274**	**1,367**	**1,459**
		F	**1,052**	**1,017**	**1,018**	**1,081**	**1,229**	**1,375**	**1,430**	**1,519**	**1,542**	**1,722**	**1,829**
600	Infections of kidney	M	464	501	498	550	578	608	651	716	722	803	907
		F	590	573	582	637	738	873	909	995	1,013	1,217	1,288
	0 Pyelitis, pyelocystitis, and pyelonephritis	M	433	473	470	520	547	572	622	685	704	779	868
		F	556	535	551	610	707	838	884	968	981	1,184	1,255
	1 Abscess of kidney and perirenal tissue ..	M	21	22	23	23	25	29	18	27	15	22	24
		F	28	32	26	24	25	29	19	20	27	26	24
	2 Other	M	10	6	5	7	6	7	11	4	3	2	15
		F	6	6	5	3	6	6	6	7	5	7	9
601	Hydronephrosis	M	80	91	79	73	79	80	64	71	75	68	67
		F	62	78	70	61	69	76	86	80	61	58	80
602	Calculi of kidney and ureter	M	140	167	149	151	161	147	136	139	122	135	130
		F	129	126	138	140	146	154	152	154	140	135	134
603	Other diseases of kidney and ureter	M	27	23	36	40	42	46	42	44	33	48	35
		F	31	29	40	35	27	36	41	38	38	50	44
604	Calculi of other parts of urinary system	M	49	38	36	45	42	29	33	36	32	33	38
		F	14	8	5	7	9	11	6	14	9	9	11
605	Cystitis	M	194	179	168	179	168	142	147	119	148	122	139
		F	188	167	154	161	190	183	186	179	215	195	190
606	Other diseases of bladder ..	M	63	83	54	85	67	70	61	78	67	72	55
		F	24	24	15	23	25	23	18	27	22	23	26
607	Urethritis (non-venereal) ..	M	2	1	2	—	2	1	2	3	2	3	4
		F	1	1	—	—	—	—	1	1	—	1	1
608	Stricture of urethra	M	131	117	114	93	118	101	103	94	42	57	46
		F	1	3	2	—	2	3	2	1	3	1	6
609	Other diseases of urethra ..	M	31	22	23	27	29	37	25	35	31	26	38
		F	12	8	12	17	23	16	29	30	41	33	49
610–617	**Diseases of male genital organs**	M	**5,015**	**4,780**	**4,504**	**4,285**	**4,439**	**4,197**	**3,943**	**3,751**	**3,674**	**3,597**	**3,356**
610	Hyperplasia of prostate ..	M	4,762	4,553	4,351	4,173	4,334	4,090	3,852	3,645	3,577	3,505	3,259
611	Prostatitis	M	124	120	99	82	68	75	50	72	69	56	55
612	Other diseases of prostate ..	M	94	89	22	9	14	11	16	14	13	11	15
613	Hydrocele	M	9	3	6	3	3	3	3	2	3	1	1
614	Orchitis and epididymitis ..	M	1	5	2	1	2	2	1	4	4	2	2
615	Redundant prepuce and phimosis	M	9	2	11	4	3	7	8	3	4	6	7

TABLE 7—*continued*

ICD No.	Causes of death		1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
617	Other diseases of male genital organs	M	16	8	13	13	15	9	13	11	4	16	16
620–626	**Diseases of breast, ovary, Fallopian tube, and parametrium**	M	—	—	—	—	—	—	—	—	—	1	1
		F	**64**	**60**	**58**	**58**	**56**	**61**	**54**	**41**	**28**	**44**	**34**
621	Other diseases of breast ..	M	—	—	—	—	—	—	—	—	—	1	1
		F	—	2	4	3	3	3	3	3	2	7	2
622	Acute salpingitis and oophoritis	F	8	3	3	1	2	1	1	5	—	3	4
623	Chronic salpingitis and oophoritis	F	—	3	4	1	5	4	2	3	2	—	2
624	Salpingitis and oophoritis, unqualified	F	36	32	34	29	24	36	28	18	13	25	14
625	Other diseases of ovary and Fallopian tube	F	8	6	4	7	7	5	4	2	1	3	3
626	Diseases of parametrium and pelvic peritoneum (female)	F	12	14	8	17	15	12	16	10	10	6	9
630–637	**Diseases of uterus and other female genital organs**	F	**229**	**218**	**212**	**238**	**173**	**163**	**166**	**159**	**187**	**148**	**153**
630	Infective disease of uterus, vagina, and vulva	F	13	15	15	20	15	15	12	8	17	14	9
631	Uterovaginal prolapse ..	F	138	128	129	134	101	96	108	106	119	89	103
632	Malposition of uterus ..	F	4	3	2	1	1	1	1	—	3	3	2
633	Other diseases of uterus ..	F	33	32	28	41	24	26	18	30	25	15	19
634	Disorders of menstruation ..	F	26	22	24	25	24	19	17	12	17	19	14
635	Menopausal symptoms ..	F	4	5	4	5	3	1	—	1	1	—	1
637	Other diseases of female genital organs	F	11	13	9	12	5	3	9	2	4	8	5
640–689	**XI DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM**	F	**620**	***526**	***463**	***495**	***446**	***405**	***374**	***333**	***328**	***290**	***310**
640–648	**Complications of pregnancy**	F	**225**	**179**	**154**	**186**	**140**	**135**	**144**	**114**	**105**	**96**	**99**
640	Pyelitis and pyelonephritis of pregnancy	F	5	4	3	3	2	2	5	--	4	2	1
642	Toxaemias of pregnancy ..	F	149	126	107	132	90	82	82	72	58	50	60
643	Placenta praevia	F	9	3	1	—	2	1	—	—	—	—	—
644	Other haemorrhage of pregnancy	F	11	5	4	6	1	2	10	7	9	3	1
645	Ectopic pregnancy	F	36	21	19	35	24	20	21	21	13	12	17
646	Anaemia of pregnancy ..	F	3	5	4	4	3	3	3	3	2	1	2
648	Other complications arising from pregnancy	F	12	14	13	6	18	23	23	9	19	27	18
650–652	**Abortion**	F	**103**	**107**	**90**	**76**	**76**	**66**	**72**	**61**	**63**	**47**	**62**
650	Abortion without mention of sepsis or toxaemia	F	32	37	31	30	33	27	24	24	25	16	23
651	Abortion with sepsis	F	64	67	47	39	32	36	40	33	35	29	33
652	Abortion with toxaemia, without mention of sepsis	F	7	3	12	7	11	3	8	4	3	2	6
660	**Delivery without mention of complication**	F	**5**	**2**	**5**	**3**	**5**	**1**	**1**	**7**	**6**	**4**	**3**
670–678	**Delivery with specified complication**	F	**158**	**155**	**128**	**149**	**146**	**116**	**96**	**92**	**90**	**85**	**105**
670	Placenta praevia or antepartum haemorrhage	F	24	27	14	33	29	21	23	20	16	18	24
671	Retained placenta	F	11	23	15	27	19	16	10	5	8	3	7
672	Other postpartum haemorrhage	F	27	30	24	24	25	25	14	17	25	20	12
673	Abnormality of bony pelvis ..	F	2	6	4	3	2	3	1	1	—	1	2
674	Disproportion or malposition of foetus	F	17	9	8	6	9	10	15	10	11	7	10
675	Prolonged labour of other origin	F	23	23	20	22	21	18	18	16	10	10	14
677	With other trauma	F	18	12	17	13	15	12	10	14	10	7	16
678	With other complications of childbirth	F	35	24	26	21	26	11	5	9	10	19	20
680–689	**Complications of the puerperium**	F	**129**	**83**	**86**	**81**	**79**	**87**	**61**	**59**	**64**	**58**	**41**
681	Sepsis of childbirth and the puerperium	F	21	11	4	14	11	13	8	16	9	14	7
682	Puerperal phlebitis and thrombosis	F	36	30	27	27	38	32	27	24	23	19	19
684	Puerperal pulmonary embolism	F	26	19	25	22	13	23	5	8	17	11	8

* Excluding the following cases in which it was stated that death followed the maternal condition after an interval of more than 12 months: 1951—40; 1952—35; 1953—32; 1954—34; 1955—34; 1956—25; 1957—16; 1958—22; 1959—21; 1960—26.

TABLE 7—*continued*

ICD No.	Causes of death		1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
685	Puerperal eclampsia	F	31	13	12	7	10	8	8	5	6	6	2
686	Other forms of puerperal toxaemia	F	5	2	3	4	4	1	3	—	2	1	1
687	Cerebral haemorrhage in the puerperium	F	6	3	8	4	—	6	5	4	5	3	2
688	Other and unspecified complications of the puerperium	F	3	3	2	2	1	3	1	2	2	4	1
689	Mastitis and other disorders of lactation	F	—	—	5	—	2	1	4	—	—	—	—
690–716	**XII DISEASES OF THE SKIN AND CELLULAR TISSUE**	M	**287**	**288**	**247**	**279**	**230**	**187**	**183**	**194**	**204**	**173**	**170**
		F	**326**	**360**	**356**	**356**	**322**	**321**	**292**	**247**	**283**	**282**	**294**
690–698	**Infections of skin and subcutaneous tissue**	M	**124**	**110**	**93**	**96**	**92**	**94**	**72**	**74**	**89**	**83**	**72**
		F	**102**	**135**	**113**	**116**	**102**	**95**	**91**	**74**	**90**	**90**	**88**
690	Boil and carbuncle	M	27	29	24	26	18	22	26	25	28	26	21
		F	22	28	25	21	19	12	26	20	16	21	13
691	Cellulitis of finger and toe	M	4	1	3	2	3	3	—	2	3	4	1
		F	4	7	3	10	3	3	1	1	2	5	4
692	Other cellulitis and abscess w'out men: of lymphangitis	M	77	64	55	58	59	57	42	38	53	44	45
		F	58	84	62	77	69	70	56	43	64	46	59
693	Other cellulitis and abscess with lymphangitis	M	4	4	—	2	—	—	—	—	—	1	—
		F	1	3	5	—	2	—	1	3	1	—	—
695	Impetigo	M	1	1	2	2	1	1	—	—	—	—	—
		F	2	1	—	—	1	1	2	1	—	—	2
698	Other local infections of skin and subcutaneous tissue	M	8	10	9	6	10	11	4	9	3	8	5
		F	11	12	17	7	7	9	5	6	7	17	10
700–716	**Other diseases of skin and subcutaneous tissue**	M	**163**	**178**	**154**	**183**	**138**	**93**	**111**	**120**	**115**	**90**	**98**
		F	**224**	**225**	**243**	**240**	**220**	**226**	**201**	**173**	**193**	**192**	**206**
700	Seborrhoeic dermatitis	M	2	3	1	3	1	1	1	—	—	1	—
		F	6	2	1	4	3	1	1	—	2	2	1
701	Eczema	M	27	21	12	15	11	6	7	7	11	4	5
		F	12	8	11	13	4	15	9	6	7	3	6
703	Other dermatitis	M	2	7	6	8	4	2	4	1	2	3	—
		F	5	10	4	8	6	3	2	4	—	1	4
704	Pemphigus	M	46	55	61	51	41	19	28	27	28	20	29
		F	57	57	60	55	56	36	42	40	36	37	31
705	Erythematous conditions	M	46	34	31	43	28	27	23	29	17	22	21
		F	48	43	46	31	30	47	30	24	23	27	26
706	Psoriasis and similar disorders	M	2	5	5	1	5	4	2	3	2	6	4
		F	4	5	9	7	10	4	5	2	5	4	4
708	Pruritus and related conditions	M	—	1	1	2	1	1	1	—	1	—	—
		F	1	5	2	2	2	2	3	1	3	1	1
710	Other hypertrophic and atrophic conditions of skin	M	7	13	13	22	9	11	18	22	24	14	18
		F	23	28	33	36	30	38	47	38	51	59	55
714	Diseases of sweat and sebaceous glands	M	1	—	—	1	—	2	—	2	1	1	1
		F	—	—	1	1	1	—	—	—	—	1	1
715	Chronic ulcer of skin	M	24	34	21	34	34	17	24	23	22	17	19
		F	66	63	71	81	75	77	58	58	64	55	74
716	Other diseases of skin	M	2	1	2	—	1	2	2	1	3	1	—
		F	2	2	1	2	2	1	4	—	—	2	1
720 749	**XIII DISEASES OF THE BONES AND ORGANS OF MOVEMENT**	M	**522**	**547**	**536**	**578**	**619**	**614**	**624**	**584**	**613**	**613**	**661**
		F	**954**	**1,043**	**957**	**982**	**1,156**	**1,352**	**1,236**	**1,225**	**1,307**	**1,331**	**1,334**
720–727	**Arthritis and rheumatism, except rheumatic fever**	M	**289**	**302**	**247**	**296**	**355**	**338**	**351**	**309**	**353**	**355**	**388**
		F	**747**	**775**	**739**	**768**	**890**	**1,076**	**951**	**941**	**1,019**	**1,027**	**1,066**
720	Acute arthritis due to pyogenic organisms	M	15	18	12	11	11	9	15	10	16	13	8
		F	11	7	11	18	11	13	5	11	12	18	18
722	Rheumatoid arthritis and allied conditions	M	165	185	155	184	223	214	206	183	222	221	252
		F	562	574	546	558	683	814	729	705	757	754	799
	0 Rheumatoid arthritis	M	157	164	136	173	196	192	189	169	206	208	225
		F	559	568	545	556	680	809	727	700	753	746	791
	1 Spondylitis ankylopoietica	M	8	21	19	11	27	22	17	14	16	13	26
		F	2	6	1	2	3	5	2	5	4	8	7
723	Osteo-arthritis (arthrosis) and allied conditions	M	92	84	70	86	111	107	122	107	103	111	120
		F	149	171	160	171	180	237	212	208	235	240	226

TABLE 7—*continued*

ICD No.	Causes of death		1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
724	Other specified forms of arthritis	M	2	4	3	—	1	1	—	1	4	3	1
		F	3	4	5	2	3	1	2	3	3	6	5
725	Arthritis, unspecified	M	9	7	4	7	3	1	2	—	2	—	4
		F	14	10	12	15	10	3	2	3	7	5	11
726	Muscular rheumatism	M	5	1	3	4	4	6	3	6	4	5	3
		F	3	3	1	1	2	3	—	8	3	4	6
727	Rheumatism, unspecified	M	1	3	—	4	2	—	3	2	2	2	—
		F	5	6	4	3	1	5	1	3	2	—	1
730–738	**Osteomyelitis and other diseases of bone and joint**	M	**155**	**164**	**170**	**180**	**162**	**167**	**156**	**157**	**137**	**143**	**148**
		F	**130**	**175**	**148**	**136**	**178**	**178**	**189**	**187**	**197**	**206**	**195**
730	Osteomyelitis and periostitis	M	73	52	52	59	51	48	37	43	45	36	38
		F	31	41	30	33	36	27	42	35	28	31	27
731	Osteitis deformans	M	61	81	87	80	87	88	93	76	68	68	68
		F	60	83	79	59	80	102	83	87	93	81	83
733	Other diseases of bone	M	11	15	15	24	11	10	19	18	16	28	27
		F	24	31	27	31	52	43	52	54	66	77	68
735	Displacement of intervertebral disc	M	10	9	11	8	7	16	4	15	5	5	10
		F	8	7	4	7	4	4	7	6	5	7	6
737	Ankylosis of joint	M	—	1	1	—	2	—	1	1	1	—	—
		F	2	1	2	2	—	1	1	1	—	4	—
738	Other diseases of joint	M	—	5	3	9	3	3	2	4	1	6	3
		F	4	10	6	4	6	1	3	3	5	6	9
740–749	**Other diseases of musculoskeletal system**	M	**78**	**81**	**119**	**102**	**102**	**109**	**117**	**118**	**123**	**115**	**125**
		F	**77**	**93**	**70**	**78**	**88**	**98**	**96**	**97**	**91**	**98**	**73**
740	Bunion	M	1	—	1	—	1	—	—	—	—	—	1
		F	1	2	1	—	1	—	1	—	1	5	1
741	Synovitis, bursitis, and tenosynovitis, w'out mention of occupational origin	M	3	4	1	1	1	2	4	—	3	—	2
		F	4	4	2	3	2	1	4	1	2	3	1
743	Infective myositis and other inflammatory diseases of tendon and fascia	M	—	1	2	—	—	1	—	1	—	1	1
		F	1	3	—	3	—	—	1	—	1	2	—
744	Other diseases of muscle, tendon and fascia	M	62	58	90	82	81	91	87	92	105	96	104
		F	55	61	51	52	56	73	63	57	60	62	57
745	Curvature of spine	M	3	12	16	11	14	10	21	22	12	13	14
		F	8	13	14	13	26	16	21	31	18	21	11
747	Hallux valgus and varus	M	—	—	1	—	—	—	—	—	—	—	2
		F	1	3	1	2	1	2	2	2	3	2	1
748	Clubfoot	M	1	—	1	1	2	—	2	1	—	—	1
		F	1	2	—	1	—	1	—	2	1	—	—
749	Other deformities	M	7	6	7	7	3	5	3	2	3	5	—
		F	6	5	1	4	2	5	4	4	5	3	2
750–759	**XIV CONGENITAL MALFORMATIONS**	M	**2,528**	**2,425**	**2,323**	**2,216**	**2,349**	**2,431**	**2,442**	**2,589**	**2,589**	**2,503**	**2,696**
		F	**2,220**	**2,204**	**2,130**	**2,045**	**2,144**	**2,132**	**2,133**	**2,341**	**2,301**	**2,408**	**2,426**
750	Monstrosity	M	34	37	54	33	51	41	59	57	59	50	80
		F	50	53	66	77	72	77	73	96	106	115	110
751	Spina bifida and meningocele	M	266	290	294	279	328	343	348	328	340	301	294
		F	348	382	428	394	477	477	462	462	458	411	399
752	Congenital hydrocephalus	M	202	180	195	170	201	185	209	201	201	237	245
		F	236	178	217	198	222	235	221	223	243	275	299
753	Other congen: malformations of nerv: sys'm and sense organs	M	50	52	62	43	65	50	48	83	61	69	83
		F	59	74	41	62	62	63	67	74	68	76	78
754	Congenital malformations of circulatory system*	M	1,158	1,050	890	913	948	1,007	1,017	1,126	1,124	1,102	1,161
		F	975	963	804	786	767	756	791	911	870	921	1,009
755	Cleft palate and harelip	M	21	20	24	13	16	11	16	12	11	11	5
		F	20	14	7	9	8	13	15	10	6	7	5
756	Congenital malformations of digestive system	M	402	348	344	321	292	296	288	294	286	274	295
		F	218	207	197	201	179	164	172	173	179	194	167
	0 Congenital hypertrophic pyloric stenosis	M	96	63	67	52	46	38	25	27	24	20	31
		F	24	19	12	12	5	3	10	7	6	4	5
	1 Imperforate anus	M	38	33	28	28	31	26	27	30	11	21	21
		F	16	8	12	13	8	9	6	11	4	6	9
	2 Other	M	268	252	249	241	215	232	236	237	251	233	243
		F	178	180	173	176	166	152	156	155	169	184	153

* 754. See note 2 at head of table.

TABLE 7—*continued*

ICD No.	Causes of death		1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
757	Congenital malformations of genito-urinary system ..	M	247	255	265	265	260	279	267	274	261	248	307
		F	193	175	191	161	189	187	178	223	182	224	185
	1 Polycystic disease of kidney	M	139	138	163	147	138	158	141	130	142	131	152
		F	146	139	143	129	139	135	114	170	133	167	131
	0, 2, 3 Other	M	108	117	102	118	122	121	126	144	119	117	155
		F	47	36	48	32	50	52	64	53	49	57	54
758	Congenital malformations of bone and joint	M	30	32	31	27	30	27	30	32	39	29	33
		F	27	24	31	21	28	32	21	39	33	34	27
759	Other and unspec'd congenital malformations, not elsewhere classified	M	118	161	164	152	158	192	160	182	207	182	193
		F	94	134	148	136	140	128	133	130	156	151	147
760–776	**XV CERTAIN DISEASES OF EARLY INFANCY**	M	**6,406**	**6,433**	**5,953**	**5,820**	**5,690**	**5,448**	**5,575**	**5,616**	**5,618**	**5,506**	**5,698**
		F	**4,334**	**4,272**	**4,103**	**4,037**	**3,784**	**3,719**	**3,778**	**3,812**	**3,800**	**3,807**	**3,822**
760–773	5 with immaturity	M	1,635	1,707	1,670	1,659	1,713	1,670	1,761	1,886	1,950	1,982	1,986
		F	1,061	1,155	1,154	1,072	1,107	1,083	1,119	1,237	1,227	1,272	1,315
760–769	**Birth injuries, asphyxia, and infections of newborn** ..	M	**3,325**	**3,432**	**3,287**	**3,271**	**3,232**	**3,141**	**3,238**	**3,322**	**3,381**	**3,404**	**3,356**
		F	**2,007**	**2,195**	**2,130**	**2,096**	**2,001**	**1,950**	**2,057**	**2,158**	**2,158**	**2,140**	**2,123**
760	Intracranial and spinal injury at birth	M	887	1,016	967	938	936	901	922	885	914	929	902
		F	482	509	521	539	535	506	539	542	536	529	516
761	Other birth injury	M	251	221	204	195	214	238	219	255	221	243	250
		F	166	176	149	137	145	151	176	159	134	150	157
762	Postnatal asphyxia and atelectasis	M	1,401	1,395	1,409	1,432	1,478	1,407	1,460	1,628	1,590	1,646	1,597
		F	844	949	945	957	916	901	924	1,068	1,057	1,064	1,080
763	Pneumonia of newborn ..	M	512	570	534	554	473	483	502	429	512	445	451
		F	331	376	379	336	288	300	304	285	325	305	281
764	Diarrhoea of newborn ..	M	67	56	40	36	22	25	27	22	21	30	33
		F	33	36	26	24	18	15	21	13	13	14	13
766	Pemphigus neonatorum ..	M	6	1	4	5	2	2	4	4	2	4	3
		F	4	3	1	2	6	5	4	4	8	1	1
767	Umbilical sepsis	M	8	13	14	8	9	9	12	17	9	10	10
		F	6	9	7	7	15	8	12	11	3	3	6
768	Other sepsis of newborn ..	M	24	24	26	20	25	20	19	22	29	20	27
		F	19	15	17	33	20	14	17	22	19	15	16
769	Neonatal disorders arising from certain diseases of the mother during pregnancy	M	166	135	89	83	72	55	73	60	83	75	83
		F	122	122	85	61	56	49	57	54	63	59	52
770–776	**Other diseases peculiar to early infancy**	M	**3,081**	**3,001**	**2,666**	**2,549**	**2,458**	**2,307**	**2,337**	**2,294**	**2,237**	**2,102**	**2,342**
		F	**2,327**	**2,077**	**1,973**	**1,941**	**1,783**	**1,769**	**1,721**	**1,654**	**1,642**	**1,667**	**1,699**
770	Haemolytic disease of newborn (erythroblastosis)	M	286	325	239	225	282	196	182	203	182	184	201
		F	216	187	203	185	186	170	171	175	197	176	174
771	Haemorrhagic disease of newborn	M	122	125	103	116	132	120	142	120	162	127	124
		F	62	96	78	81	88	90	82	64	87	92	80
772	Nutritional maladjustment	M	18	18	14	6	5	4	8	6	9	3	4
		F	16	7	5	3	6	3	3	1	2	—	—
773	Ill-defined diseases peculiar to early infancy	M	285	268	235	203	182	196	178	155	172	180	229
		F	217	165	160	125	151	126	110	114	107	123	161
774	Immaturity with mention of any other subsidiary condition	M	130	106	98	73	68	67	64	81	73	76	66
		F	109	83	71	67	58	64	63	48	72	78	60
776	Immaturity, unqualified ..	M	2,240	2,159	1,977	1,926	1,789	1,724	1,763	1,729	1,639	1,532	1,718
		F	1,707	1,539	1,456	1,480	1,294	1,316	1,292	1,252	1,177	1,198	1,224
780–795	**XVI SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS**	M	**4,237**	**4,145**	**3,278**	**3,072**	**3,326**	**3,703**	**3,490**	**2,935**	**2,989**	**2,718**	**2,435**
		F	**6,743**	**6,551**	**5,177**	**5,289**	**5,754**	**6,270**	**6,030**	**5,213**	**5,265**	**5,094**	**4,873**
780–789	**Symptoms referable to systems or organs**	M	**249**	**244**	**156**	**142**	**146**	**158**	**124**	**114**	**96**	**69**	**88**
		F	**206**	**189**	**130**	**163**	**119**	**130**	**140**	**126**	**91**	**65**	**99**
780	Certain symptoms referable to nerv: system and special senses	M	33	40	13	17	18	14	11	7	7	4	2
		F	42	18	16	15	13	8	5	4	8	4	4
	2 Convulsions	M	30	35	12	15	17	12	10	5	6	4	2
		F	38	18	15	14	13	8	4	3	8	4	4
	0, 1, 3-9 Others included under 780 ..	M	3	5	1	2	1	2	1	2	1	—	—
		F	4	—	1	1	—	—	1	1	—	—	—
782	Symptoms referable to cardio-vascular & lymphatic system	M	178	172	101	109	98	105	91	90	41	32	46
		F	139	147	88	125	92	100	109	107	54	31	59
	4 Acute heart failure, undefined	M	175	164	96	105	96	105	88	85	40	29	44
		F	133	142	85	121	88	96	107	102	50	30	56

TABLE 7—*continued*

ICD No.	Causes of death		1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
	0-3, 5-9 Other symptoms referable to cardio-vascular and lymphatic system	M	3	8	5	4	2	—	3	5	1	3	2
		F	6	5	3	4	4	4	2	5	4	1	3
783	Symptoms referable to respiratory system	M	4	6	6	—	4	3	3	2	1	2	4
		F	5	5	2	2	1	2	4	—	4	1	7
784	Symptoms referable to upper gastro-intestinal tract ..	M	11	12	13	5	8	15	7	5	26	18	11
		F	12	9	14	6	4	16	11	8	16	18	14
785	Syms: referable to abdomen & lower gastro-intestinal tract	M	10	5	13	2	9	9	2	3	7	4	8
		F	5	9	4	5	5	1	5	4	2	6	7
786	Symptoms referable to genito-urinary system	M	8	6	7	7	8	8	6	4	9	6	12
		F	1	—	1	4	1	—	2	—	3	1	2
788	Other general symptoms ..	M	2	2	1	1	1	2	2	3	4	3	3
		F	2	1	2	4	1	1	3	3	3	4	5
789	Abnormal urinary constituents of unspecified cause ..	M	—	1	2	—	—	2	2	—	—	—	—
		F	—	—	3	2	1	1	1	—	1	—	1
790–795	**Senility and ill-defined diseases**	M	**3,988**	**3,901**	**3,122**	**2,930**	**3,180**	**3,545**	**3,366**	**2,821**	**2,893**	**2,649**	**2,347**
		F	**6,537**	**6,362**	**5,047**	**5,126**	**5,635**	**6,140**	**5,890**	**5,087**	**5,174**	**5,029**	**4,774**
790	Nervousness and debility ..	M	1	6	3	—	—	1	—	—	—	—	—
		F	1	—	1	—	—	—	1	—	—	1	—
792	Uraemia	M	13	19	18	15	21	20	26	12	27	22	20
		F	23	13	12	13	10	10	15	15	16	19	27
794	Senility without mention of psychosis	M	3,929	3,826	3,056	2,868	3,094	3,475	3,275	2,750	2,817	2,578	2,269
		F	6,494	6,325	5,001	5,085	5,590	6,098	5,844	5,034	5,132	4,970	4,716
795	Ill-defined and unknown causes of mortality	M	45	50	45	47	65	49	65	59	49	49	58
		F	19	24	33	28	35	32	30	38	26	39	31
E800–E999	**XVII ACCIDENTS, POISONINGS, AND VIOLENCE**	M	**11,905**	**12,447**	**11,992**	**12,333**	**12,630**	**12,932**	**12,992**	**12,858**	**13,343**	**13,456**	**13,503**
		F	**6,984**	**7,309**	**6,810**	**7,531**	**8,239**	**8,537**	**8,878**	**8,703**	**9,113**	**9,379**	**9,619**
E800-E802	**Railway accidents**	M	**331**	**301**	**390**	**342**	**249**	**283**	**292**	**288**	**300**	**250**	**219**
		F	**38**	**33**	**59**	**25**	**31**	**34**	**39**	**21**	**46**	**30**	**28**
E800	Involving railroad employee ..	M	203	166	184	193	148	166	164	162	119	140	115
		F	—	2	3	—	1	—	—	1	2	2	3
E801	Involving passenger	M	33	53	107	40	19	35	44	19	97	20	20
		F	16	19	34	8	7	10	19	3	33	11	8
E802	Involving other and unspecified person	M	95	82	99	109	82	82	84	107	84	90	84
		F	22	12	22	17	23	24	20	17	11	17	17
E810-E825	**Motor vehicle traffic accidents***	M	**3,099**	**3,293**	**3,013**	**3,225**	**3,289**	**3,552**	**3,655**	**3,608**	**3,966**	**4,345**	**4,676**
		F	**1,035**	**1,099**	**958**	**1,021**	**1,158**	**1,256**	**1,284**	**1,219**	**1,400**	**1,607**	**1,881**
E810	Involving collision with railway train	M	13	8	10	12	7	10	11	13	15	8	6
		F	2	2	1	4	1	—	3	2	4	—	—
E812	To pedestrian	M	1,140	1,302	1,099	1,182	1,201	1,210	1,275	1,219	1,323	1,299	1,488
		F	726	725	663	674	807	813	844	753	900	979	1,174
E813	To pedal cyclist	M	475	473	443	461	457	437	458	428	446	524	477
		F	80	80	74	73	79	84	67	68	56	90	91
E814	To rider or pass'r: of m/cycle in collision with non-motor vehicle or object	M	175	134	60	65	49	60	59	62	57	57	65
		F	9	14	5	4	1	2	8	4	3	4	8
E815	To rider or pass'r: of m/cycle in collision with other m: v:	M	640	624	662	689	696	797	746	730	862	977	1,054
		F	56	50	48	57	38	59	57	60	63	77	99
E816	Other m:v: traffic acc: involv'g two or more motor vehicles	M	216	245	191	286	302	389	437	370	533	626	659
		F	75	116	70	91	107	153	165	171	204	253	276
E817	To occupant of m: v: in coll: with pedestrian or pedal cycle	M	—	—	2	—	2	1	1	—	—	1	2
		F	—	—	—	—	—	—	1	—	1	—	1
E818	Involving collision with animal or animal-drawn vehicle ..	M	6	4	7	3	3	6	2	1	—	3	—
		F	1	2	—	—	—	—	—	1	1	3	1
E819	Involving collision with fixed or unspecified object ..	M	72	33	4	3	4	2	3	10	10	9	10
		F	21	4	3	1	1	1	2	—	3	—	5
E820	While boarding and alighting	M	22	21	15	20	6	12	21	24	11	22	13
		F	11	15	14	19	9	18	8	10	7	13	21
E821	To rider of motor cycle without antecedent collision ..	M	164	261	280	286	304	322	327	387	332	396	410
		F	14	30	25	34	31	28	23	32	38	51	44
E822	Involving overturning in roadway	M	64	54	57	49	47	72	48	53	54	55	42
		F	7	14	11	12	15	14	10	16	16	20	13

* E810-E835. Motor vehicle accidents. An analysis of these deaths for years 1950 and on according to the types of vehicle involved (as provided for in the 1955 International Statistical Classification) is not included in this table, but details are available at the General Register Office.

TABLE 7—*continued*

ICD No.	Causes of death		1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
E823	Involving running off roadway	M	14	52	96	107	130	165	190	231	238	271	349
		F	3	19	20	32	40	49	61	57	61	75	97
E824	Other non-collision motor vehicle traffic accident	M	93	78	78	54	75	62	63	62	64	61	58
		F	28	27	22	19	28	34	31	32	23	26	31
E825	Of unspecified nature ..	M	4	4	9	8	6	7	13	17	21	36	43
		F	2	—	2	1	1	1	4	13	20	16	20
E830-E835	**Motor vehicle non-traffic accidents***	M	**88**	**103**	**134**	**117**	**134**	**104**	**84**	**65**	**68**	**69**	**78**
		F	**8**	**15**	**12**	**12**	**8**	**11**	**13**	**6**	**5**	**5**	**8**
E830	To pedestrian	M	32	43	54	32	55	52	47	40	37	39	36
		F	6	10	8	10	8	9	9	6	4	4	6
E832	To rider or passenger of motor-cycle	M	7	3	10	10	8	18	5	5	7	9	10
		F	—	—	1	1	—	—	—	—	—	1	—
E833	Other m:v: non-traffic acc: involving two or more m: vehicles	M	2	1	1	1	1	3	1	1	3	2	—
		F	—	—	—	—	—	—	—	—	—	—	—
E834	While boarding and alighting..	M	1	2	—	1	—	—	—	1	1	—	1
		F	—	—	1	—	—	1	1	—	—	—	2
E835	Of other and unspecified nature	M	45	54	69	73	70	30	30	16	20	18	29
		F	2	5	2	1	—	1	3	—	1	—	—
E840-E845	**Other road vehicle accidents** ..	M	**294**	**238**	**229**	**181**	**198**	**191**	**157**	**170**	**152**	**112**	**114**
		F	**95**	**68**	**76**	**66**	**60**	**56**	**43**	**50**	**66**	**54**	**46**
E840	Street car accident to pedestrian	M	18	8	5	6	5	3	6	—	—	1	—
		F	8	10	4	1	3	2	3	1	1	1	1
E841	Other street car accident, exc: collision with motor vehicle	M	3	4	3	3	1	—	—	—	1	—	—
		F	—	—	1	—	1	—	2	—	—	—	—
E842	Accident to pedestrian caused by pedal cycle	M	47	40	56	32	46	38	35	38	24	15	19
		F	39	29	23	20	24	27	25	21	32	25	23
E843	Acc: to rider of p: cycle not involving collision with m: v:	M	168	160	125	113	126	131	101	126	119	81	88
		F	31	18	31	30	23	19	9	21	17	21	14
E844	Accident to pedestrian caused by other non-motor road v:	M	11	11	12	10	6	2	4	—	1	1	1
		F	4	4	4	5	—	2	1	—	—	—	1
E845	Other non-motor road vehicle accidents	M	47	15	28	17	14	17	11	6	7	14	6
		F	13	7	13	10	9	6	3	7	16	7	7
E850-E858	**Water transport accidents** ..	M	**186**	**145**	**137**	**147**	**127**	**135**	**140**	**156**	**134**	**147**	**168**
		F	**3**	**8**	**7**	**6**	**5**	**4**	**6**	**5**	**4**	**5**	**6**
E850	Submersion of occupant of small boat	M	57	39	54	56	38	43	52	62	66	64	86
		F	1	3	3	3	2	3	4	4	3	4	2
E851	Other water transport injury by submersion	M	59	44	28	36	42	32	44	41	33	31	35
		F	1	—	4	3	1	—	—	—	1	—	1
E852	Fall on stairs and ladders in water transport	M	10	6	5	6	7	4	9	3	3	7	5
		F	—	—	—	—	—	—	—	—	—	—	1
E853	Other falls from one level to another in water transport	M	25	19	23	22	13	20	12	15	11	16	18
		F	—	—	—	—	—	1	—	—	—	—	1
E854	Falls on same level in water transport	M	1	—	4	2	2	1	—	3	2	1	—
		F	—	—	—	—	—	—	1	—	—	1	—
E855	Unspecified falls in water transport	M	—	—	—	1	2	2	1	1	2	1	—
		F	—	—	—	—	—	—	—	—	—	—	—
E856	Machinery accident in water transport	M	6	7	2	9	3	2	3	7	6	9	6
		F	—	—	—	—	—	—	—	—	—	—	—
E857	Other specified accidents in water transport	M	28	30	20	15	20	30	19	23	9	18	18
		F	1	5	—	—	1	—	1	1	—	—	1
E860-E866	**Aircraft accidents**	M	**230**	**273**	**291**	**190**	**222**	**139**	**130**	**145**	**170**	**75**	**51**
		F	**10**	**23**	**20**	**2**	**3**	**5**	**6**	**12**	**27**	**3**	—
E860	Accident to personnel in military aircraft	M	128	198	222	175	194	106	100	81	63	36	37
		F	—	—	—	—	—	—	1	—	—	—	—
E861	Inj: to occupant by acc: to comm: "transport" aircraft	M	76	45	22	3	2	1	7	49	82	25	1
		F	10	20	8	1	2	—	1	7	22	—	—
E863	Injury to occupant by accident to other specified aircraft ..	M	21	15	13	4	13	8	5	6	11	2	4
		F	—	1	1	—	—	—	1	1	1	—	—
E864	Aircraft accident at airfield to person not in aircraft ..	M	4	5	28	3	4	7	3	1	5	1	2
		F	—	—	8	—	—	1	—	—	—	—	—
E865	Aircraft accident elsewhere to person not in aircraft ..	M	—	2	3	—	1	7	5	2	2	4	—
		F	—	2	3	1	—	4	3	3	3	3	—

* See footnote to page 35.

TABLE 7—*continued*

ICD No.	Causes of death		1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
E866	Other and unspecified aircraft accidents	M	1	8	3	5	8	10	10	6	7	7	7
		F	—	—	—	—	1	—	—	1	1	—	—
E870-E888	**Accidental poisoning by solid and liquid substances** ..	M	**113**	**121**	**154**	**136**	**150**	**152**	**165**	**176**	**158**	**175**	**195**
		F	**142**	**143**	**141**	**152**	**165**	**169**	**191**	**177**	**191**	**197**	**253**
E870	Morphine and other opium derivatives	M	3	4	8	1	2	3	—	1	—	3	—
		F	1	—	1	4	—	—	1	1	1	—	1
E871	Barbituric acid and derivatives	M	47	40	61	84	67	77	91	96	88	96	115
		F	80	77	79	85	117	115	132	112	117	136	178
E872	Aspirin and salicylates ..	M	14	18	24	9	18	16	18	18	13	18	24
		F	17	19	26	23	14	15	21	26	29	25	41
E874	Other analgesic and soporific drugs	M	5	6	11	3	11	7	5	10	10	17	8
		F	3	9	5	9	8	7	6	14	14	10	10
E876	Strychnine	M	2	2	2	2	1	2	—	2	—	1	—
		F	—	7	3	2	—	1	3	—	2	—	1
E877	Belladonna, hyocine, and atropine	M	1	1	—	1	—	1	—	—	—	—	—
		F	1	—	3	—	—	1	—	—	—	—	—
E878	Other and unspecified drugs ..	M	5	9	4	5	11	7	14	16	16	16	13
		F	6	3	6	9	10	12	11	7	9	12	14
E880	Alcohol	M	4	4	8	10	11	11	13	15	5	5	15
		F	2	2	—	1	1	6	4	5	4	3	—
E881	Petroleum products	M	1	—	2	1	1	5	—	—	—	—	1
		F	—	—	—	1	—	1	—	1	—	—	—
E882	Industrial solvents	M	5	4	1	1	4	2	3	4	2	3	—
		F	—	1	1	1	—	1	2	—	1	1	—
E883	Corrosive aromatics, acids, and caustic alkalis	M	15	8	9	6	6	8	4	4	8	9	4
		F	9	9	4	5	6	2	6	6	8	7	4
E884	Mercury and its compounds	M	—	1	1	3	—	1	1	—	1	1	—
		F	1	—	—	3	—	2	—	—	1	—	—
E885	Lead and its compounds ..	M	—	4	3	1	4	2	3	—	5	1	2
		F	2	—	1	1	1	—	—	—	—	1	—
E886	Arsenic and antimony, and their compounds	M	—	—	1	—	1	1	—	—	—	—	—
		F	3	—	—	—	1	—	—	—	1	1	—
E888	Other and unspecified solid and liquid substances	M	10	18	18	8	11	8	12	10	10	4	12
		F	16	13	12	8	7	5	3	3	4	1	3
E890-E895	**Accidental poisoning by gases and vapours**	M	**208**	**252**	**246**	**322**	**326**	**376**	**360**	**369**	**430**	**433**	**464**
		F	**255**	**304**	**302**	**322**	**391**	**476**	**452**	**464**	**525**	**553**	**560**
E890	Utility (illuminating gas) ..	M	158	215	203	279	280	320	301	309	368	377	412
		F	248	300	295	312	380	464	440	448	502	538	536
E891	Motor vehicle exhaust gas ..	M	7	11	8	17	8	15	15	9	13	10	11
		F	1	—	—	—	2	—	—	1	—	1	1
E892	Other carbon monoxide gas ..	M	27	16	24	18	23	23	29	27	33	30	28
		F	2	3	7	9	8	10	11	14	21	12	22
E894	Other specified gases and vapours	M	16	9	9	8	15	17	14	22	14	16	11
		F	4	1	—	1	1	1	1	1	2	2	1
E900-E904	**Accidental falls**	M	**1,577**	**1,816**	**1,676**	**1,787**	**2,118**	**2,019**	**2,124**	**1,991**	**2,010**	**2,105**	**1,906**
		F	**2,551**	**2,657**	**2,402**	**2,812**	**3,235**	**3,310**	**3,459**	**3,305**	**3,474**	**3,538**	**3,559**
E900	Fall on stairs	M	260	320	321	326	381	405	412	371	373	385	368
		F	458	502	488	495	555	565	536	545	557	544	529
E901	Fall from ladders	M	83	95	88	87	95	81	82	74	78	82	69
		F	6	5	13	5	7	7	11	9	6	11	10
E902	Other falls from one level to another	M	555	607	507	512	503	498	457	450	458	497	447
		F	365	423	267	222	261	214	254	246	236	279	229
E903	Fall on same level	M	448	516	485	562	566	461	482	498	585	627	640
		F	1,115	1,111	1,004	1,183	1,021	991	1,024	1,100	1,307	1,521	1,652
E904	Unspecified falls	M	231	278	275	300	573	574	691	598	516	514	382
		F	607	616	630	907	1,391	1,533	1,634	1,405	1,368	1,183	1,139
E910-E936	**Other accidents**	M	**2,596**	**2,766**	**2,635**	**2,569**	**2,347**	**2,600**	**2,413**	**2,414**	**2,504**	**2,360**	**2,305**
		F	**1,112**	**1,206**	**1,151**	**1,221**	**1,151**	**1,143**	**1,153**	**1,100**	**1,113**	**1,118**	**1,078**
E910	Blow from falling or projected object or missile	M	387	392	365	349	295	297	285	299	319	266	277
		F	10	17	13	16	13	18	20	7	18	14	19
E911	Caused by vehicle	M	90	101	105	83	75	98	67	83	86	59	55
		F	1	—	—	—	—	—	—	—	1	—	—

TABLE 7—*continued*

ICD No.	Causes of death		1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
E912	Caused by machinery	M	176	181	186	167	173	243	233	245	254	211	207
		F	5	4	3	5	7	4	10	3	6	5	7
E913	Caused by cutting and piercing instruments	M	15	17	15	17	19	21	15	13	21	13	13
		F	11	6	7	8	14	3	3	6	6	5	5
E914	Caused by electric current	M	69	85	94	86	82	92	109	106	101	92	97
		F	20	17	18	25	20	18	14	19	21	29	20
E915	Caused by explosion of pressure vessel	M	8	12	9	9	8	14	7	8	5	7	4
		F	—	—	2	1	—	1	1	1	—	—	—
E916	Caused by fire and explosion of combustible material†	M	*180	311	*266	220	221	257	233	232	226	268	228
		F	366	440	439	359	437	435	439	398	404	422	413
E917	Caused by hot substance, corrosive liquid and steam†	M	78	73	55	71	54	65	70	52	76	52	47
		F	74	64	71	53	69	60	80	54	63	64	42
E919	Caused by firearm	M	93	87	104	87	83	66	74	74	82	75	59
		F	6	5	3	5	4	5	3	7	1	6	6
E921	Inhalat'n and ingest'n of food, causing obstr: or suffocation	M	226	228	242	205	256	259	249	230	228	212	223
		F	181	163	159	163	173	165	185	157	141	154	180
E922	Inhalat'n and ingest'n of other obj: causing obstr: or suff'n	M	23	14	10	11	16	21	16	18	35	18	26
		F	9	14	6	3	3	14	11	12	3	14	6
E923	Foreign body entering other orifice	M	17	14	20	22	14	7	9	7	15	12	12
		F	14	13	21	22	23	14	15	5	9	16	16
E924	Acc: mechanical suffocation in bed and cradle†	M	180	165	154	125	132	118	118	93	103	82	76
		F	106	130	93	99	90	70	95	74	77	59	55
E925	Acc: mechanical suffocation in other and unspecified circs:	M	49	56	48	46	71	65	56	39	31	49	52
		F	5	6	9	3	5	4	1	5	9	7	5
E926	Lack of care of infants under 1 year of age	M	51	63	50	53	28	31	28	26	19	30	20
		F	41	41	46	30	28	30	16	34	36	23	12
E927	Acc: caused by bites and stings of ven: animals and insects	M	2	1	2	2	1	3	1	3	4	3	3
		F	—	3	3	4	2	2	4	3	5	1	1
E928	Other accidents caused by animals	M	36	24	17	13	13	20	12	14	12	12	12
		F	6	4	5	3	5	7	3	5	7	8	3
E929	Accidental drowning and submersion	M	763	754	713	719	646	759	637	703	695	719	677
		F	200	214	182	194	189	225	188	227	220	214	197
E930	High and low air pressure	M	2	2	1	—	1	1	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—
E931	Excessive heat and insolation	M	9	1	4	3	4	3	—	1	—	3	3
		F	3	4	5	1	—	2	1	4	—	2	1
E932	Excessive cold	M	4	6	7	3	17	12	11	4	8	3	9
		F	2	4	3	2	7	10	9	3	2	6	6
E933	Hunger, thirst, and exposure	M	23	22	11	14	10	18	24	14	14	16	23
		F	14	12	9	9	9	11	10	12	18	11	7
E934	Cataclysm	M	—	—	17	122	2	—	7	—	—	2	1
		F	—	—	12	175	3	1	2	1	1	—	—
E935	Lightning	M	11	3	11	12	5	12	7	7	9	6	6
		F	2	2	—	2	3	3	2	—	2	1	3
E936	Other and unspecified accidents	M	104	153	129	130	121	118	145	143	161	150	175
		F	36	43	42	39	47	41	41	62	63	57	74
E940-E946	**Complications due to non-therapeutic medical and surgical procedures**	M	**4**	**3**	**2**	**5**	**5**	**3**	**4**	**6**	**6**	**1**	**6**
		F	**4**	**5**	**4**	**3**	**2**	**2**	**5**	**7**	**7**	**2**	**4**
E941	Postvaccinal encephalitis	M	1	3	1	3	1	1	1	1	3	1	3
		F	—	1	—	1	—	—	2	2	2	—	1
E944	Other complications of prophylactic inoculation	M	2	—	—	2	4	2	2	3	3	—	1
		F	1	—	1	1	1	1	2	1	2	—	1
E946	Other compli'ns due to non-therap: med: & surg: procs:	M	—	—	—	—	—	—	—	—	—	—	1
		F	2	3	1	—	1	—	—	2	—	1	2
E950-E959	**Therapeutic misadventure and late complications of therapeutic procedures**	M	**10**	**2**	**5**	**29**	**35**	**28**	**27**	**23**	**8**	**10**	**4**
		F	**15**	**1**	**8**	**26**	**29**	**28**	**23**	**28**	**5**	**8**	**3**
E950	Therapeutic misadventure in surgical treatment	M	1	1	2	13	32	23	22	17	4	5	1
		F	5	—	1	15	22	20	19	20	3	2	—

* E916, 80 male deaths which occurred in the Creswell Colliery disaster on the 26th September 1950, were registered in 1952, and are therefore included in the 1952 deaths for this cause.

† E916, E917, E924. See footnotes to these causes in Table 18A.

TABLE 7—*continued*

ICD No.	Causes of death		1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
E951	Therapeutic misadventure in infusion or transfusion	M	2	—	—	4	—	1	—	1	1	1	—
		F	3	—	1	1	1	1	—	3	—	1	3
E952	Therapeutic misadventure in local applications	M	—	—	—	1	—	—	—	—	—	—	—
		F	—	1	1	—	—	1	1	—	1	1	—
E953	Therapeutic misadv: in admin: of drugs or biologicals	M	3	—	2	3	—	2	2	2	1	—	1
		F	5	—	1	5	3	—	—	2	1	4	—
E954	Therapeutic misadventure in anaethesia	M	1	1	—	1	—	—	—	—	—	—	—
		F	1	—	1	1	1	—	1	2	—	—	—
E955	Other and unspecified therapeutic misadventure	M	2	—	1	7	3	2	3	2	1	3	1
		F	1	—	3	4	2	2	2	—	—	—	—
E960-E965	**Late effects of injury and poisoning**	M	**175**	**204**	**188**	**179**	**154**	**184**	**153**	**159**	**154**	**155**	**136**
		F	**23**	**26**	**27**	**31**	**32**	**19**	**29**	**37**	**25**	**26**	**31**
E960	Late effect of motor vehicle accident	M	7	8	6	8	11	11	9	10	12	13	20
		F	3	1	2	1	2	—	4	2	3	5	6
E961	Late effect of accidental poisoning	M	1	3	—	1	—	2	—	1	—	1	1
		F	—	—	2	—	2	—	—	—	—	1	1
E962	Late effect of other accidental injury	M	47	62	79	76	64	66	44	48	70	63	57
		F	19	25	21	29	28	18	23	32	22	19	23
E965	Late effects of injury due to war operations	M	120	131	103	94	79	106	100	100	71	78	57
		F	1	—	2	1	—	1	2	2	—	1	—
E970-E979	**Suicide and self-inflicted injury**	M	**2,885**	**2,831**	**2,788**	**3,020**	**3,178**	**3,060**	**3,198**	**3,170**	**3,175**	**3,116**	**3,058**
		F	**1,586**	**1,638**	**1,550**	**1,734**	**1,865**	**1,940**	**2,084**	**2,145**	**2,123**	**2,091**	**2,054**
E970	Poisoning by analgesic and soporific substances	M	176	152	241	193	222	241	314	294	330	327	335
		F	245	221	295	254	312	354	388	401	445	451	504
E971	Poisoning by other solid and liquid substances	M	110	111	113	101	82	90	104	85	69	75	56
		F	83	64	62	79	51	42	54	55	33	46	48
E972	Poisoning by gases in domestic use	M	1,034	1,080	1,092	1,271	1,356	1,261	1,347	1,399	1,448	1,417	1,421
		F	757	876	780	942	1,072	1,073	1,183	1,202	1,189	1,177	1,078
E973	Poisoning by other gases	M	24	33	24	43	39	41	45	67	67	58	94
		F	5	8	3	3	5	2	8	5	7	6	8
E974	Injury by hanging and strangulation	M	569	536	531	531	612	573	562	553	485	438	417
		F	128	133	119	126	128	124	117	132	128	120	124
E975	Injury by submersion (drowning)	M	330	326	270	258	290	282	271	264	251	249	256
		F	221	218	189	216	178	206	213	211	205	197	182
E976	Injury by firearms and explosives	M	198	189	170	208	197	218	210	189	187	212	168
		F	9	13	4	11	6	10	9	14	8	8	9
E977	Injury by cutting and piercing instruments	M	198	162	155	195	160	162	138	130	131	119	107
		F	40	25	29	25	27	22	35	30	31	17	18
E978	Injury by jumping from high place	M	84	90	54	74	76	59	63	70	68	74	60
		F	51	41	38	47	51	57	43	58	38	41	43
E979	Injury by other and unspecified means	M	162	152	138	146	144	133	144	119	139	147	144
		F	47	39	31	31	35	50	34	37	39	28	40
E980-E985	**Homicide and injury purposely inflicted by other persons (not in war)**	M	**107**	**99**	**102**	**83**	**97**	**101**	**90**	**116**	**108**	**103**	**123**
		F	**107**	**83**	**93**	**98**	**104**	**84**	**91**	**127**	**102**	**142**	**108**
E980	Non-accidental poisoning by another person	M	7	5	17	10	14	13	21	24	11	9	11
		F	8	10	12	14	23	11	14	29	15	26	11
E981	Assault by firearm and explosive	M	13	3	10	9	15	6	10	14	4	7	9
		F	11	13	9	10	8	4	10	13	11	13	10
E982	Assault by cutting and piercing instruments	M	7	3	12	9	10	12	10	17	19	17	25
		F	17	8	18	18	16	17	15	19	14	22	20
E983	Assault by other means	M	62	73	40	43	44	59	49	59	70	64	75
		F	71	52	54	55	56	51	52	66	62	81	67
E985	Execution	M	18	14	23	12	14	11	—	2	4	6	3
		F	—	—	—	1	1	1	—	—	—	—	—
E990-E999	**Injury resulting from operations of war**	M	**2**	—	**2**	**1**	**1**	**5**	—	**2**	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—
E999	Inj: due to war ops: but occurring after cess'n: of hostilities	M	2	—	2	—	1	5	—	2	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—

TABLE 7—*continued*

ICD No.	Causes of death		1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
N800-N999	**XVII ALTERNATIVE CLASSIFICATION OF ACCIDENTS, POISONINGS, AND VIOLENCE (NATURE OF INJURY)**	M	**11,905**	**12,447**	**11,992**	**12,333**	**12,630**	**12,932**	**12,992**	**12,858**	**13,343**	**13,456**	**13,503**
		F	**6,984**	**7,309**	**6,810**	**7,531**	**8,239**	**8,537**	**8,878**	**8,703**	**9,113**	**9,379**	**9,619**
N800-N804	Fracture of skull	M	3,248	3,477	3,189	3,143	3,057	3,169	3,125	3,064	3,210	3,233	3,317
		F	961	965	847	855	877	910	972	903	952	1,017	1,136
N805-N809	Fracture of spine and trunk ..	M	703	674	677	716	759	766	793	782	855	855	888
		F	245	251	271	294	372	389	408	406	449	481	555
N810-N829	Fracture of limbs	M	837	960	808	957	1,191	1,127	1,243	1,205	1,166	1,157	1,142
		F	1,995	2,069	1,786	2,169	2,511	2,599	2,787	2,594	2,825	2,836	2,893
N830-N839	Dislocation without fracture ..	M	24	49	43	43	40	58	42	43	50	46	39
		F	9	24	19	13	24	30	23	25	27	22	21
N840-N848	Sprains and strains of joints and adjacent muscles ..	M	4	2	1	2	2	2	4	3	6	6	3
		F	1	4	2	1	1	2	—	3	4	1	4
N850-N856	Head injury (excluding skull fracture)	M	902	973	839	862	932	962	916	896	957	1,067	1,016
		F	387	405	361	360	429	446	432	446	400	495	486
N860-N869	Internal injury of chest, abdomen, and pelvis	M	746	839	955	854	885	934	933	937	1,057	1,150	1,158
		F	151	166	173	200	173	175	186	186	242	294	316
N870-N908	Laceration and open wounds ..	M	402	362	468	502	429	458	398	395	425	402	372
		F	94	77	109	89	107	108	94	96	104	104	129
N910-N929	Superficial injury, contusion & crushing with intact skin surface	M	38	52	34	40	42	59	54	48	46	43	42
		F	61	63	58	73	90	92	56	58	53	45	60
N930-N936	Effects of foreign body entering through orifice	M	271	265	275	247	289	291	281	265	278	246	265
		F	206	196	189	191	201	193	213	176	156	186	201
N940-N949	Burns	M	257	306	245	288	251	297	265	272	278	269	227
		F	426	485	492	393	480	475	464	406	437	444	402
N960-N979	Effects of poisons	M	1,752	1,893	2,042	2,155	2,271	2,287	2,458	2,509	2,603	2,614	2,667
		F	1,522	1,664	1,624	1,800	2,057	2,159	2,356	2,391	2,450	2,508	2,524
N950-N959 N980-N999	All other & unspecified effects of external causes	M	2,721	2,595	2,416	2,524	2,482	2,522	2,480	2,439	2,412	2,368	2,367
		F	926	940	879	1,093	917	959	887	1,013	1,014	946	892

TABLE 7—*continued.* Causes of death not included in the tabular series

006 Radiological evidence suggestive of active respiratory tuberculosis not classifiable elsewhere, —.
028 Latent syphilis, —.
031 Chronic gonococcal infection of genito-urinary system, 1951, 2M; 1952, 1M; 1954, 1M; 1958, 1M.
032 Gonococcal infection of joint, 1950, 1M.
033 Gonococcal infection of eye, —.
036 Chancroid, —.
037 Lymphogranuloma venereum, 1952, 1M; 1955, 1F; 1957, 1F; 1958, 1F; 1959, 1M; 1960, 1M, 1F.
038 Granuloma inguinale, venereal, 1954, 1M.
039 Other and unspecified venereal diseases, 1955, 1M, 1F; 1958, 1M; 1960, 1F.
043 Cholera, —.
047 Other protozoal dysentery, 1958, 1F.
058 Plague, —.
059 Tularaemia, —.
060 Leprosy, 1951, 1M, 1F.
071 Relapsing fever, —.
073 Yaws, —.
074 Other spirochaetal and leptospirochaetal infections, 1950, 4M, 1F; 1952, 1M; 1953, 1F; 1955, 1M; 1957, 1F; 1958, 1M; 1960, 1F.
080·2 Acute poliomyelitis specified as non-paralytic, 1952, 2M.
090 Dengue, 1953, 1F.
091 Yellow fever, —.
094 Rabies, 1955, 1M; 1956, 1M.
095 Trachoma, 1952, 1M.
100 Louse-borne epidemic typhus, —.
101 Flea-borne endemic typhus (murine), —.
102 Brill's disease, not specified as louse—or flea-borne typhus, 1959, 1M.
103 Tabardillo (Mexican typhus), not specified as louse- or flea-borne, —.
104 Tick-borne typhus, —.
105 Mite-borne typhus, 1953, 1F.
106 Wolhynian fever (trench fever), —.
107 Typhus, unspecified, —.
108 Other rickettsial diseases, 1960, 1M.
110 Vivax malaria (benign tertian), 1951, 1M; 1952, 1F; 1957, 1M.
111 Malariae malaria (quartan), —.
113 Ovale malaria, —.
114 Mixed malarial infections, —.
115 Blackwater fever, 1951, 1M; 1952, 1M.
117 Recurrent induced malaria, —.
120 Leishmaniasis, 1951, 2M; 1953, 1M; 1958, 1M; 1960, 1M.
121 Trypanosomiasis, 1954, 1M; 1957, 2M.
124 Other trematode infestation, 1954, 1M.
127 Filariasis, 1950, 1F.
128 Trichiniasis, 1953, 1M.
129 Ankylostomiasis, —.
130 Infestation with worms of other, mixed and unspecified type, 1951, 1F; 1953, 1M; 1954, 1M; 1955, 2M.
133 Coccidioidomycosis, —.
135 Scabies, 1950, 1F; 1951, 1F; 1952, 1M.
136 Pediculosis, 1950, 1F; 1955, 1F.
137 Other arthropod infestation, —.
240 Hay fever, 1951, 2M; 1952, 1M; 1955, 2F; 1956, 1M, 1F; 1958, 1F; 1960, 1F.
243 Urticaria, 1953, 1F; 1954, 1F; 1958, 1M.
244 Allergic eczema, 1950, 1M; 1954, 2M.
275 Ovarian dysfunction, 1956, 1F.
276 Testicular dysfunction, 1950, 1M.
312 Phobic reaction, 1957, 1M.
313 Obsessive-compulsive reaction, 1950, 2M, 1F; 1952, 3F; 1954, 2M; 1957, 1M; 1958, 1M; 1959, 2M.
315 Psychoneurosis with somatic symptoms (somatization reaction) affecting circulatory system, 1950, 1M, 2F; 1952, 1F; 1953, 1M, 1F; 1956, 1F; 1958, 1M, 1F.
320 Pathological personality, 1950, 1M; 1952, 1F; 1953, 1F; 1956, 4M, 1F; 1958, 1M, 2F.
321 Immature personality, 1960, 2M.
324 Primary childhood behaviour disorders, —.
326 Other and unspecified character, behaviour and intelligence disorders, 1956, 1F; 1960, 1F.
354 Migraine, 1950, 1M; 1952, 1M; 1953, 1M; 1956, 1F; 1957, 1F; 1959, 3F.
360 Facial paralysis, 1953, 1F; 1954, 1F; 1955, 1F; 1959, 1M; 1960, 1F.
362 Brachial neuritis, 1955, 2F.
369 Diseases of peripheral automatic nervous system, 1956, 1F; 1957, 1M; 1958, 1M; 1960, 2F.
370 Conjunctivitis and ophthalmia, 1951, 1M, 2F; 1952, 2M; 1953, 4F; 1959, 1M.
371 Blepharitis, 1951, 1F; 1954, 1F; 1955, 1M.
373 Iritis, 1950, 1M; 1951, 1M; 1956, 1M; 1958, 1F.
374 Keratitis, 1950, 1F; 1951, 1F; 1955, 1F; 1960, 1M.
375 Choroiditis, 1951, 2M.
380 Refractive errors, 1953, 1M.
382 Corneal opacity, —.
383 Pterygium, —.
390 Otitis externa, 1950, 1F; 1952, 1M; 1953, 1M; 1959, 1M.
397 Deaf mutism, 1957, 1F.
398 Other deafness, 1953, 1F; 1954, 1F; 1957, 1F; 1959, 1F.
413 Diseases of pulmonary valve specified as rheumatic, 1950, 2M; 1951, 2F.
514 Deflected nasal septum, 1950, 2M; 1952, 1M; 1953, 1F; 1956, 2M, 1F; 1957, 1F; 1958, 1M; 1959, 1M; 1960, 1M.
534 Toothache from unspecified cause, —.
535 Other diseases of teeth and supporting structures, 1951, 1F; 1952, 1M; 1958, 3M, 6F; 1959, 6M, 6F; 1960, 7M, 7F.
616 Sterility, male, 1960, 1M.
620 Chronic cystic disease of breast, 1952, 1F.
636 Sterility, female, 1952, 1F; 1955, 2F; 1956, 1F; 1958, 1F.
641 Other infections of genito-urinary tract during pregnancy, 1951, 1F; 1952, 3F; 1955, 2F; 1957, 2F; 1959, 1F.
647 Pregnancy with malposition of foetus in uterus, —.
676 Delivery with laceration of perineum, without mention of other laceration, 1950, 1F; 1951, 1F.
680 Puerperal urinary infection without other sepsis, 1950, 1F; 1960, 1F.
683 Pyrexia of unknown origin during the puerperium, 1951, 2F; 1953, 1F.
694 Acute lymphadenitis, 1950, 2M, 3F; 1951, 1M; 1954, 1M, 1F; 1959, 1F.
696 Infectious warts, 1950, 1M, 1F; 1952, 1F; 1953, 1F; 1958, 2M.
697 Molluscum contagiosum, —.
702 Occupational dermatitis, 1950, 4M; 1951, 2M; 1954, 1M; 1960, 1M.
707 Lichen planus, 1951, 1M, 1F; 1952, 1F; 1954, 1F; 1958, 2M.
709 Corns and callosities, 1951, 1M; 1952, 1M; 1953, 1M; 1954, 1M; 1955, 1M, 1F; 1957, 1M; 1958, 1M.
711 Other dermatoses, 1952, 1F; 1955, 1F; 1957, 2M; 1959, 1M; 1960, 1F.
712 Diseases of nail, 1951, 1F; 1952, 1F; 1953, 1M; 1954, 1M; 1956, 1M; 1957, 1M; 1958, 1F; 1960, 1F.
713 Diseases of hair and hair follicles, 1952, 1F; 1953, 1M; 1957, 1M; 1958, 1M, 1F.
721 Acute nonpyogenic arthritis, —.
722·2 Chronic rheumatoid nodular fibrositis, 1950, 1F; 1960, 1M, 1F.
732 Osteochondrosis, 1950, 1F; 1951, 1F; 1955, 1M; 1956, 1F; 1958, 1M; 1960, 1F.
734 Internal derangement of knee joint, 1951, 1M, 1F; 1952, 1M; 1957, 1F; 1960, 2M, 1F.
736 Affection of sacro-iliac joint, 1954, 1M; 1955, 1M.
742 Synovitis, bursitis and tenosynovitis, without mention of occupational origin, 1950, 1M.
746 Flat foot, —.
765 Ophthalmia neonatorum, 1950, 3M; 1951, 1M; 1954, 1M, 2F; 1955, 1M, 1F; 1956, 3F; 1959, 2M; 1960, 1F.

TABLE 7—*continued.* Causes of death not included in the tabular series

781 Other symptoms referable to nervous system and special senses, 1950, 3M; 1953, 1M; 1954, 1F; 1955, 1F; 1958, 1M; 1960, 2M.

787 Symptoms referable to limbs and back, —.

791 Headache, —.

793 Observation, without need for further medical care, —.

E811 Motor vehicle traffic accident involving collision with streetcar, 1950, 1M; 1951, 1F; 1956, 1M; 1957, 1M.

E831 Motor vehicle nontraffic accident to pedal cyclist, 1950, 1M; 1955, 1M; 1956, 1M; 1957, 2M; 1959, 1M; 1960, 2M.

E858 Water transport accident of unspecified cause, 1952, 1M; 1954, 1F; 1955, 1M; 1957, 1M; 1958, 2M.

E862 Other injury in commercial "transport" aircraft, —.

E873 Accidental poisoning by bromides, 1951, 1M, 1F; 1952, 1M; 1954, 2M; 1956, 1F; 1957, 1F; 1959, 1M; 1960, 1M.

E875 Accidental poisoning by sulfonamides, 1951, 1F; 1953, 1M.

E879 Accidental poisoning by noxious foodstuffs, 1950, 1M, 1F; 1951, 1F; 1955, 1M; 1956, 1M; 1957, 1F; 1960, 1F.

E887 Accidental poisoning by fluorides, 1951, 1M; 1955, 1F; 1956, 1F.

E893 Accidental poisoning by cyanide gas, 1955, 1F; 1956, 1M; 1957, 1M; 1960, 1M.

E895 Accidental poisoning by unspecified gases and vapours, 1951, 1M; 1952, 2M; 1955, 1M; 1957, 1M; 1958, 2M; 1960, 1M.

E918 Accident caused by radiation, —.

E920 Foreign body entering the eye and adnexa, 1951, 1M; 1957, 1F.

E940 Generalized vaccinia following vaccination, 1951, 1F; 1952, 1M, 2F; 1956, 1M; 1957, 1M; 1958, 1F; 1959, 1F; 1960, 1M.

E942 Other complications of smallpox vaccination, 1950, 1M, 1F; 1953, 1F; 1957, 1M, 1F; 1958, 1F.

E943 Post-immunization jaundice and hepatitis, 1957, 1F.

E945 Complications of anaesthesia for nontherapeutic purpose, 1955, 1F; 1956, 1F; 1958, 1F.

E956 Late complication of surgical operation, 1950, 1M; 1955, 3F; 1957, 1F.

E957 Late complication of amputation stump, —.

E958 Late complication of irradiation, 1958, 1M.

E959 Late complications of other forms of treatment, 1955, 1F; 1957, 1M; 1959, 1M; 1960, 1M.

E963 Late effect of self-inflicted injury, 1957, 1F; 1960, 1M.

E964 Late effect of injury purposely inflicted by another person (not in war), 1960, 1F.

E984 Injury by intervention of police, 1951, 1M.

E990 War injury by gas and chemicals, —.

E991 War injury by gunshot, —.

E992 War injury by grenade and land mine, —.

E993 War injury by bomb, —.

E994 War injury by marine bomb, depth charge and torpedo, —.

E995 War injury by explosion of artillery shell, 1953, 1M.

E996 War injury by explosion of undetermined origin, —

E997 War injury by aircraft destruction, —.

E998 War injury by other and unspecified means, —.

TABLE 8. Crude death rates per million living from certain causes, by sex at all ages, 1950 to 1960 } **England and Wales**

Note. 1 Rates are based on total deaths and home populations. See explanatory notes.
2 Footnotes to individual causes in Table 7 apply also to those causes in this table.
3 The symbols M, F and P in the second column indicate "Males", "Females", and all "Persons" respectively.

ICD No.	Causes of death		1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
	Estimated mid-year population (in thousands)	M	21,169	21,044	21,110	21,206	21,288	21 389	21,517	21,648	21,744	21,885	22,070
		F	22,661	22,771	22,845	22,903	22,986	23,052	23,150	23,259	23,365	23,501	23,685
		P	43,830	43,815	43,955	44,109	44,274	44,441	44,667	44,907	45,109	45,386	45,755
	ALL CAUSES	M	**12,337**	**13,387**	**12,210**	**12,237**	**12,204**	**12,482**	**12,451**	**12,306**	**12,447**	**12,332**	**12,196**
		F	**10,995**	**11,754**	**10,493**	**10,655**	**10,532**	**10,927**	**10,947**	**10,682**	**10,965**	**10,969**	**10,855**
		P	**11,643**	**12,539**	**11,318**	**11,416**	**11,336**	**11,675**	**11,672**	**11,465**	**11,679**	**11,626**	**11,502**
001-138	**I INFECTIVE AND PARASITIC DISEASES**	M	**597**	**534**	**432**	**379**	**332**	**292**	**248**	**230**	**209**	**189**	**170**
		F	**351**	**292**	**215**	**192**	**160**	**138**	**116**	**108**	**99**	**85**	**79**
		P	**470**	**408**	**320**	**282**	**243**	**212**	**180**	**166**	**152**	**135**	**123**
001–019	Tuberculosis (all forms)	M	469	419	337	281	253	212	177	158	147	128	113
		F	267	219	152	128	109	85	68	59	54	44	39
		P	364	315	241	202	178	146	120	107	99	85	75
001–008	Respiratory system	M	422	376	304	257	232	195	164	146	136	120	106
		F	227	181	128	108	92	72	57	47	45	36	32
		P	321	275	212	179	160	131	109	95	89	77	68
010–019	Other forms	M	47	44	33	24	21	17	13	12	12	9	7
		F	40	37	24	21	17	13	11	12	10	8	7
		P	43	41	28	22	19	15	12	12	11	8	7
010	Meninges and central nervous system	M	20	21	13	8	5	3	2	2	2	2	1
		F	20	19	11	7	4	3	2	3	2	2	1
		P	20	20	12	8	4	3	2	2	2	2	1
011	Intestines, peritoneum and mesenteric glands	M	4	4	3	3	2	2	2	1	1	*1*	*1*
		F	4	4	3	3	3	2	2	1	1	1	*1*
		P	4	4	3	3	2	2	2	1	1	1	1
012, 013	Bones and joints	M	7	6	5	3	4	3	2	2	2	2	1
		F	5	4	3	3	3	2	2	2	2	2	2
		P	6	5	4	3	3	3	2	2	2	2	2
016	Genito-urinary system	M	8	8	7	5	6	4	4	4	3	2	2
		F	4	4	3	3	3	2	3	3	2	2	1
		P	6	6	5	4	4	3	3	3	2	2	2
019	Disseminated tuberculosis	M	4	4	3	3	4	3	2	2	2	1	1
		F	4	3	3	2	3	2	2	2	1	*1*	1
		P	4	3	3	3	3	3	2	2	2	1	1
020–029	Syphilis and its sequelae	M	49	52	44	40	38	37	36	34	30	29	28
		F	20	19	19	16	17	16	16	15	17	14	14
		P	34	35	31	28	27	26	26	24	23	21	21
022	Aneurysm of aorta	M	16	18	16	15	14	16	15	17	14	13	14
		F	8	7	8	7	7	8	7	8	9	8	8
		P	12	12	12	11	11	11	11	12	12	11	11
023	Other cardiovascular syphilis	M	18	18	15	13	13	13	13	11	10	8	8
		F	6	6	6	6	5	5	5	4	4	3	3
		P	11	12	11	9	9	9	9	7	7	5	6
024	Tabes dorsalis	M	5	5	5	4	3	2	3	2	2	2	2
		F	1	1	1	1	1	1	*1*	1	*1*	1	*1*
		P	3	3	3	3	2	2	2	2	1	2	1
025	General paralysis of insane	M	5	6	4	4	4	4	3	2	3	3	3
		F	2	2	2	1	2	2	1	1	1	1	1
		P	4	4	3	3	3	3	2	2	2	2	2
026	Other syphilis of central nervous system	M	2	2	2	2	2	1	2	*1*	*1*	1	*1*
		F	1	1	1	1	1	*1*	*1*	1	1	1	1
		P	2	2	2	1	2	1	1	1	1	1	1
040–049	Infectious diseases commonly arising in intestinal tract	M	4	4	3	2	2	3	2	2	2	2	2
		F	3	3	2	2	1	2	2	2	2	2	2
		P	3	3	2	2	2	2	2	2	2	2	2
050–064	Other bacterial diseases	M	27	26	18	20	15	11	12	10	8	8	7
		F	23	22	16	17	13	9	9	9	7	6	5
		P	25	24	17	18	14	10	10	9	7	7	6
053	Septicaemia and pyaemia	M	4	3	2	3	3	2	3	2	2	2	2
		F	3	2	3	2	3	2	2	2	2	1	1
		P	4	2	2	3	3	2	2	2	2	2	2
056	Whooping cough	M	8	10	4	5	3	2	2	1	*1*	*1*	1
		F	10	11	4	6	3	2	2	2	1	1	*1*
		P	9	10	4	6	3	2	2	2	1	1	1

TABLE 8—*continued*

ICD No.	Causes of death		1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
057	Meningococcal infections	M	7	7	8	8	6	5	5	4	3	4	2
		F	6	6	6	5	5	4	3	4	3	3	2
		P	6	7	7	7	6	5	4	4	3	4	2
080–096	Diseases attributable to viruses	M	43	29	25	32	19	25	18	23	17	17	16
		F	36	27	24	27	17	23	17	21	17	16	16
		P	39	28	25	29	18	24	18	22	17	17	16
080, 081	Acute poliomyelitis including late effects	M	20	6	8	10	4	8	4	8	4	2	1
		F	15	4	5	6	2	5	3	4	3	1	*1*
		P	17	5	7	8	3	6	3	6	3	2	1
082, 083	Acute infectious encephalitis including late effects	M	9	7	6	8	6	6	7	5	6	5	5
		F	8	8	6	6	6	5	5	4	4	4	5
		P	8	8	6	7	6	6	6	5	5	5	5
085	Measles	M	6	8	3	7	1	4	*1*	2	1	2	*1*
		F	4	6	3	4	1	4	*1*	2	1	2	*1*
		P	5	7	3	5	1	4	1	2	1	2	1
092	Infectious hepatitis	M	7	6	5	6	5	5	5	5	5	5	6
		F	6	5	6	7	7	7	7	7	6	6	7
		P	6	6	6	7	6	6	6	7	5	6	7
140-239	**II NEOPLASMS**	M	**2,099**	**2,164**	**2,189**	**2,206**	**2,260**	**2,287**	**2,309**	**2,346**	**2,358**	**2,391**	**2,419**
		F	**1,890**	**1,864**	**1,888**	**1,873**	**1,902**	**1,913**	**1,930**	**1,928**	**1,957**	**1,960**	**1,975**
		P	**1,991**	**2,008**	**2,033**	**2,033**	**2,074**	**2,093**	**2,112**	**2,130**	**2,150**	**2,168**	**2,189**
140–205	Cancer, including Hodgkin's disease, leukaemia and aleukaemia	M	2,058	2,121	2,152	2,166	2,223	2,252	2,274	2,312	2,333	2,366	2,391
		F	1,840	1,820	1,848	1,833	1,861	1,873	1,891	1,890	1,929	1,929	1,943
		P	1,945	1,965	1,994	1,993	2,035	2,055	2,076	2,094	2,124	2,140	2,159
140–200, 202, 203, 205	Cancer, excluding Hodgkin's disease, leukaemia and aleukaemia	M	1,992	2,052	2,077	2,090	2,146	2,171	2,194	2,225	2,252	2,281	2,302
		F	1,792	1,767	1,794	1,777	1,804	1,817	1,831	1,831	1,869	1,863	1,876
		P	1,889	1,904	1,930	1,928	1,969	1,988	2,005	2,021	2,054	2,065	2,081
140-148	Malignant neoplasm of buccal cavity and pharynx	M	75	74	70	66	71	66	57	58	58	57	51
		F	27	28	28	25	28	28	28	29	28	26	28
		P	50	50	48	45	49	47	42	43	43	41	39
140	Lip	M	7	6	5	5	5	5	4	4	4	3	3
		F	*1*	*1*	*1*	*0*	*1*	*1*	*1*	*0*	*0*	*0*	*1*
		P	4	3	3	3	3	3	2	2	2	2	2
141	Tongue	M	25	23	21	20	21	18	17	16	17	17	14
		F	6	7	6	6	6	7	7	7	6	6	6
		P	15	15	13	13	13	12	12	11	11	11	10
142	Salivary gland	M	4	4	5	4	4	4	4	4	4	3	3
		F	2	3	3	2	3	3	2	3	3	3	3
		P	3	3	4	3	3	3	3	3	4	3	3
143–148	Other or unspecified parts of buccal cavity and pharynx	M	39	41	39	37	42	39	33	35	34	34	30
		F	18	18	19	16	18	18	18	19	19	16	19
		P	28	29	28	26	30	28	25	27	26	25	25
150–159	Malignant neoplasm of digestive organs and peritoneum	M	962	967	953	931	918	906	887	894	880	875	862
		F	823	797	802	788	793	791	780	769	786	791	779
		P	890	878	875	857	853	846	831	829	831	832	819
150	Oesophagus	M	71	70	70	63	61	63	64	60	60	63	59
		F	37	37	37	38	40	41	41	42	42	41	43
		P	53	53	53	50	50	52	52	50	51	51	50
151	Stomach	M	377	386	381	378	367	371	358	367	365	362	356
		F	283	284	276	270	271	267	266	257	264	262	258
		P	328	333	327	322	317	317	311	310	313	310	305
152	Small intestine, including duodenum	M	5	4	5	5	5	5	5	4	5	5	5
		F	4	5	4	4	4	4	4	3	5	4	6
		P	4	5	5	5	4	5	5	4	5	5	5
153	Large intestine, except rectum	M	203	201	197	196	189	183	176	175	170	165	164
		F	256	238	247	241	237	239	235	232	232	236	230
		P	231	220	223	219	214	212	207	204	202	202	198
154	Rectum	M	174	171	161	153	156	148	146	143	144	140	137
		F	111	106	104	105	107	103	102	98	107	111	103
		P	142	137	132	128	131	125	124	120	125	125	120
155	Biliary passages and of liver (stated to be primary site)	M	21	21	24	22	24	22	23	25	27	28	26
		F	34	32	33	32	33	33	35	34	39	37	37
		P	28	27	28	27	29	27	29	29	33	32	32
156	Liver (secondary and unspecified)	M	29	28	28	26	24	22	21	23	13	13	14
		F	27	26	23	23	24	22	21	20	13	13	12
		P	28	27	25	24	24	22	21	22	13	13	13
157	Pancreas	M	74	77	81	81	83	85	85	87	91	95	94
		F	63	60	68	65	66	70	67	74	75	79	79
		P	68	68	74	73	74	77	76	80	83	87	87

TABLE 8—*continued*

ICD No.	Causes of death		1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
158	Peritoneum	M	7	7	6	7	8	6	6	8	4	4	5
		F	8	8	10	10	9	10	8	10	7	7	8
		P	7	8	8	8	9	8	7	9	6	5	7
160–165	Malignant neoplasm of respiratory system	M	534	580	613	652	697	733	765	795	823	869	895
		F	103	106	112	112	116	121	124	128	132	136	145
		P	311	334	353	371	395	415	433	450	465	490	507
160	Nose, nasal cavities, middle ear and accessory sinuses	M	6	6	6	6	6	6	6	5	6	6	5
		F	5	4	4	4	5	4	4	4	4	4	5
		P	5	5	5	5	5	5	5	4	5	5	5
161	Larynx	M	38	38	36	35	31	32	31	31	30	29	31
		F	8	9	8	7	8	9	7	7	7	8	7
		P	23	23	21	21	19	20	19	19	18	18	18
162	Bronchus and trachea, and of lung specified as primary	M	?	?	?	?	?	445	471	496	526	559	582
		F						67	72	75	79	80	89
		P						249	264	278	294	311	327
163	Lung, unspecified as to whether primary or secondary	M						245	251	260	258	272	274
		F						38	38	40	40	43	43
		P						138	141	146	145	153	154
164	Mediastinum	M	6	5	5	5	4	4	3	3	3	3	2
		F	3	2	2	2	2	2	2	2	1	1	1
		P	4	4	4	3	3	3	2	2	2	2	2
170–181	Malignant neoplasm of breast and genito-urinary organs	M	274	276	281	284	295	298	309	304	313	306	313
		F	711	709	719	712	719	729	736	737	764	749	764
		P	500	501	509	506	515	522	530	528	546	535	546
170	Breast	M	3	3	3	4	4	4	3	3	3	3	3
		F	348	350	361	354	362	367	368	368	383	371	382
		P	182	183	189	186	190	192	192	192	200	193	199
171–174	Uterus	F	182	178	175	171	166	167	169	168	176	170	173
171	Cervix uteri	F	117	113	111	109	104	107	108	106	116	109	110
172	Corpus uteri	F	51	52	54	52	51	49	51	52	51	52	53
173, 174	Other and unspecified parts of uterus	F	14	13	11	11	11	10	11	11	10	10	10
175	Ovary, Fallopian tube and broad ligament	F	110	111	109	111	113	120	121	123	124	125	125
176	Other and unspecified female genital organs	F	21	19	21	21	21	21	21	22	22	23	23
177	Prostate	M	146	143	142	149	156	155	164	160	166	164	166
178	Testis	M	10	9	10	9	10	8	9	8	9	9	10
179	Other and unspecified male genital organs	M	8	8	7	6	6	8	7	6	6	7	5
180	Kidney	M	28	28	30	31	32	33	33	33	35	32	32
		F	16	19	21	19	20	18	20	19	22	20	22
		P	22	23	25	25	26	25	26	25	28	26	27
181	Bladder and other urinary organs	M	79	85	89	86	87	91	93	94	92	92	97
		F	34	32	32	35	37	37	37	37	37	41	39
		P	56	57	60	59	61	63	64	65	64	65	67
190–199	Malignant neoplasm of other and unspecified sites	M	122	123	126	123	128	132	138	135	135	130	134
		F	110	104	110	117	121	118	131	134	124	126	123
		P	116	113	118	120	124	125	135	135	129	128	128
190, 191	Skin	M	26	23	23	22	22	22	22	21	19	19	20
		F	21	18	21	20	20	21	19	22	19	19	19
		P	23	21	22	21	21	21	21	20	21	19	20
192	Eye	M	3	3	2	2	2	2	3	3	3	3	3
		F	3	2	3	2	3	2	2	2	3	3	3
		P	3	3	2	2	3	2	3	2	3	3	3
193	Brain and other parts of nervous system	M	32	35	39	38	39	42	41	41	50	48	50
		F	23	22	23	26	27	27	28	29	34	35	33
		P	27	28	31	32	33	34	35	35	42	41	41
194	Thyroid gland	M	3	4	5	4	5	4	5	4	4	5	5
		F	11	11	11	12	12	12	12	11	10	12	12
		P	7	8	8	8	8	8	9	8	7	8	8
195	Other endocrine glands	M	3	2	4	2	3	3	3	3	3	3	2
		F	2	2	2	2	2	2	2	2	2	2	2
		P	3	2	3	2	2	2	3	3	2	2	2
196	Bone	M	21	21	19	19	17	16	18	16	16	15	15
		F	14	14	14	13	14	12	13	12	13	11	11
		P	18	17	16	16	15	14	15	14	14	13	13

TABLE 8—*continued*

ICD No.	Causes of death		1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
197	Connective tissue	M	4	5	6	4	6	5	6	6	5	5	5
		F	4	4	4	4	5	4	5	4	5	4	4
		P	4	4	5	4	5	5	5	5	5	4	4
198, 199	Other and unspecified sites	M	29	29	29	30	34	37	40	40	35	33	34
		F	33	31	31	38	40	40	50	51	39	40	39
		P	31	30	30	35	37	38	45	46	37	37	37
200–205	Neoplasms of lymphatic and haematopoietic tissues	M	92	101	109	110	114	116	118	126	124	128	137
		F	66	76	76	79	84	86	91	93	95	102	104
		P	79	88	92	94	98	101	104	109	109	114	120
200	Lymphosarcoma and reticulosarcoma	M	18	20	21	21	22	22	21	22	24	25	27
		F	11	13	13	13	15	17	16	16	18	19	19
		P	14	16	17	17	18	19	19	19	21	22	23
201	Hodgkin's disease	M	20	22	23	23	23	23	24	27	22	25	23
		F	11	12	12	13	13	12	13	12	13	14	15
		P	15	17	17	18	18	18	18	19	17	19	19
202	Other forms of lymphoma (reticulosis)	M	2	4	4	4	4	4	4	4	5	3	4
		F	2	2	2	3	3	2	3	3	4	3	3
		P	2	3	3	3	3	3	3	3	4	3	4
203	Multiple myeloma (plasmocytoma)	M	5	7	8	9	10	10	12	12	14	13	15
		F	5	7	8	7	9	11	12	14	12	13	15
		P	5	7	8	8	10	11	12	13	13	13	15
204	Leukaemia and aleukaemia	M	47	47	52	53	54	57	57	60	60	60	67
		F	37	41	41	44	44	43	47	47	46	52	51
		P	42	44	46	48	49	50	52	53	53	56	59
	0 Lymphatic leukaemia	M	13	13	13	13	14	14	13	16	12	13	14
		F	9	9	8	9	10	9	9	10	8	10	9
		P	11	11	11	11	12	12	11	12	10	11	12
	1 Myeloid leukaemia	M	11	10	12	12	12	13	14	14	11	11	10
		F	10	12	11	12	12	12	13	13	11	12	12
		P	10	11	11	12	12	13	13	13	11	12	11
	2–4 Other and unspecified leukaemia	M	24	23	27	27	28	29	30	31	37	36	43
		F	18	21	22	23	23	22	25	24	28	30	30
		P	21	22	24	25	25	26	27	27	32	33	36
210–229	Benign neoplasm	M	18	18	16	17	15	15	14	15	15	14	16
		F	30	25	26	24	26	25	24	24	21	22	23
		P	24	22	21	21	21	20	19	20	18	19	20
214	Uterine fibromyoma	F	8	6	6	5	5	4	4	4	3	4	3
216	Ovary	F	7	5	5	5	5	4	5	5	4	4	4
219	Kidney and other urinary organs	M	6	6	5	5	5	4	3	4	3	3	4
		F	2	2	1	1	1	1	1	2	1	2	1
		P	4	4	3	3	3	3	2	3	2	2	2
223	Brain and other parts of nervous system	M	6	6	5	7	6	6	6	6	6	6	6
		F	7	7	7	7	8	8	7	8	7	8	8
		P	7	7	6	7	7	7	6	7	7	7	7
230–239	Neoplasm of unspecified nature	M	23	24	21	22	22	20	20	19	10	10	12
		F	20	18	15	16	15	15	15	14	7	9	9
		P	21	21	18	19	18	17	18	17	8	10	10
237	Brain and other parts of nervous system	M	18	19	18	18	18	17	17	16	7	8	8
		F	15	14	11	13	12	12	13	12	4	7	7
		P	17	16	14	16	15	14	15	14	6	7	8
240–289	**III ALLERGIC, ENDOCRINE SYSTEM, METABOLIC AND NUTRITIONAL DISEASES**	**M**	**130**	**141**	**120**	**113**	**111**	**111**	**109**	**99**	**102**	**93**	**97**
		F	**205**	**214**	**185**	**176**	**172**	**178**	**174**	**169**	**170**	**163**	**174**
		P	**169**	**179**	**154**	**146**	**142**	**145**	**142**	**135**	**137**	**129**	**136**
240–245	Allergic disorders	M	55	63	48	46	42	42	38	33	29	25	24
		F	46	54	39	42	38	36	39	34	36	29	29
		P	50	58	43	44	40	39	38	34	32	27	26
241	Asthma	M	54	62	47	46	42	41	37	33	28	24	23
		F	46	54	38	42	38	36	39	34	36	29	28
		P	50	58	43	44	40	39	38	34	32	27	26
250–254	Diseases of thyroid gland	M	6	6	5	5	5	4	5	4	4	5	4
		F	35	34	30	23	27	28	26	25	25	26	27
		P	21	21	18	14	16	17	16	15	15	16	16
252	Thyrotoxicosis with or without goitre	M	3	4	3	3	2	2	2	3	2	3	2
		F	22	21	17	14	15	14	13	14	12	13	13
		P	13	13	10	9	9	8	8	8	7	8	8
253	Myxoedema and cretinism	M	1	1	1	1	1	1	2	1	2	2	2
		F	9	10	9	6	10	11	10	10	11	12	12
		P	5	6	5	4	6	6	6	5	6	7	7

TABLE 8—*continued*

ICD No.	Causes of death		1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
260	Diabetes mellitus	M	58	58	52	50	49	51	51	47	53	50	54
		F	109	109	98	93	86	96	92	91	93	89	100
		P	84	85	76	72	68	74	73	70	73	70	78
270–277	Diseases of other endocrine glands	M	7	8	7	6	6	5	6	5	6	4	5
		F	8	10	9	8	9	7	6	7	6	6	6
		P	7	9	8	7	8	6	6	6	6	5	6
272	Diseases of pituitary gland	M	2	2	2	1	1	2	2	2	2	2	2
		F	2	3	3	3	3	3	3	3	2	2	2
		P	2	3	2	2	3	2	2	2	2	2	2
274	Diseases of adrenal glands	M	3	3	2	3	3	2	2	2	3	2	3
		F	4	5	5	3	3	2	2	2	2	2	2
		P	4	4	4	3	3	2	2	2	2	2	2
280–289	Avitaminoses, and other metabolic diseases	M	6	7	9	6	9	9	9	9	10	8	9
		F	6	7	9	10	11	11	10	11	11	12	11
		P	6	7	9	8	10	10	10	10	10	10	10
290–299	**IV DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS**	**M**	**39**	**41**	**40**	**36**	**38**	**37**	**33**	**34**	**34**	**35**	**35**
		F	**69**	**66**	**61**	**55**	**60**	**58**	**60**	**58**	**56**	**56**	**53**
		P	**55**	**54**	**51**	**46**	**50**	**48**	**47**	**47**	**45**	**46**	**44**
290	Pernicious and other hyperchromic anaemias	M	19	18	15	13	13	13	12	12	11	10	11
		F	37	34	29	26	28	27	28	27	25	25	22
		P	28	27	22	20	21	20	20	20	18	18	17
	0 Pernicious anaemia	M	16	16	13	12	12	11	10	10	10	9	9
		F	33	31	26	23	25	24	24	24	21	21	19
		P	25	24	20	17	18	18	18	17	16	15	14
	1 Subacute combined degeneration of spinal cord	M	2	2	2	1	*1*	1	*1*	*1*	*1*	*1*	*1*
		F	3	2	2	2	2	1	2	1	1	1	1
		P	2	2	2	1	1	1	1	1	1	1	1
291	Iron deficiency anaemias (hypochromic anaemias)	M	2	2	3	3	3	3	3	3	3	5	4
		F	6	7	6	7	8	7	8	8	8	9	9
		P	4	5	5	5	6	5	6	6	6	7	7
292	Other anaemias of specified type	M	6	7	9	9	10	10	9	8	9	9	9
		F	9	8	10	9	11	10	9	10	10	9	8
		P	8	8	9	9	10	10	9	9	9	9	8
	4 Aplastic anaemia	M	5	5	6	7	7	7	6	5	6	5	5
		F	6	6	8	6	8	6	6	6	6	5	4
		P	5	5	7	7	7	6	6	6	6	5	5
	0–3, 5–7 Other	M	1	2	2	2	3	3	3	3	3	4	4
		F	3	2	2	2	3	4	3	4	4	4	4
		P	2	2	2	2	3	3	3	4	4	4	4
293	Anaemia of unspecified type	M	2	3	2	2	2	2	2	2	2	2	3
		F	5	3	5	3	4	5	5	5	5	4	6
		P	3	3	3	3	3	3	3	4	4	3	4
300–326	**V MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS**	**M**	**23**	**25**	**23**	**20**	**22**	**20**	**17**	**16**	**16**	**17**	**18**
		F	**35**	**36**	**30**	**31**	**31**	**31**	**33**	**30**	**24**	**27**	**27**
		P	**29**	**30**	**26**	**25**	**26**	**26**	**25**	**23**	**20**	**22**	**23**
300–309	Psychoses	M	15	18	16	14	16	15	13	12	11	12	14
		F	28	28	23	25	27	25	28	25	20	22	23
		P	22	23	20	20	22	20	21	19	16	17	18
304	Senile psychosis	M	10	12	10	10	10	9	8	7	7	7	9
		F	20	20	17	18	20	18	22	19	15	16	16
		P	15	16	14	14	15	14	15	13	11	12	13
320–326	Disorders of character, behaviour, and intelligence	M	7	6	6	5	4	5	4	3	4	4	4
		F	4	5	5	4	3	4	4	3	3	3	3
		P	6	6	5	4	4	5	4	3	3	3	3
325	Mental deficiency	M	5	5	4	3	3	4	3	3	3	2	3
		F	4	4	4	3	2	4	3	3	2	2	2
		P	5	4	4	3	3	4	3	3	2	2	2
330–398	**VI DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS**	**M**	**1,436**	**1,521**	**1,514**	**1,485**	**1,554**	**1,588**	**1,567**	**1,536**	**1,560**	**1,535**	**1,524**
		F	**1,796**	**1,872**	**1,885**	**1,844**	**1,931**	**1,996**	**2,001**	**1,976**	**2,044**	**2,008**	**2,035**
		P	**1,622**	**1,703**	**1,707**	**1,671**	**1,750**	**1,800**	**1,792**	**1,764**	**1,811**	**1,780**	**1,789**
330–334	Vascular lesions affecting central nervous system	M	1,284	1,378	1,381	1,356	1,433	1,454	1,442	1,411	1,439	1,412	1,405
		F	1,656	1,732	1,761	1,716	1,811	1,868	1,877	1,854	1,921	1,883	1,909
		P	1,476	1,562	1,579	1,543	1,629	1,669	1,668	1,640	1,689	1,656	1,666
330	Subarachnoid haemorrhage	M	32	39	48	50	57	51	58	55	56	56	59
		F	44	54	71	71	76	81	82	82	87	82	90
		P	38	47	60	61	67	66	70	69	72	70	75
331	Cerebral haemorrhage	M	644	653	622	605	626	601	584	553	548	525	530
		F	864	857	822	798	819	808	786	748	761	714	731
		P	758	759	726	705	726	709	689	654	659	623	634

TABLE 8—*continued*

ICD No.	Causes of death		1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
332	Cerebral embolism and thrombosis	M	544	603	619	609	648	693	687	689	711	701	691
		F	677	725	762	743	796	852	880	895	927	930	931
		P	612	666	694	679	725	775	787	795	823	820	815
333, 334	Spasm of cerebral arteries and other and ill-defined vascular lesions affecting central nervous system ..	M	64	83	92	92	103	109	113	114	125	129	125
		F	71	96	105	104	120	127	129	130	145	156	158
		P	67	90	99	99	112	118	122	122	135	143	142
340–345	Inflammatory diseases of central nervous system	M	36	35	31	31	31	34	30	34	32	31	32
		F	34	38	32	35	32	34	34	34	35	34	34
		P	35	36	31	33	31	34	32	34	33	33	33
340	Meningitis, except meningococcal and tuberculous	M	10	10	8	10	9	10	9	11	9	8	9
		F	7	7	6	7	6	6	7	6	6	6	7
		P	9	8	7	9	7	8	8	8	8	7	8
343	Encephalitis, myelitis, and encephalomyelitis (except acute infectious)	M	5	4	3	3	3	3	2	3	3	3	3
		F	3	3	2	2	2	3	3	3	2	2	2
		P	4	3	3	3	2	3	3	3	3	2	2
345	Multiple sclerosis	M	15	17	15	13	15	16	15	14	15	16	16
		F	20	25	20	22	21	22	21	22	23	23	23
		P	18	21	18	18	18	19	18	18	19	20	19
350–357	Other diseases of central nervous system	M	98	92	88	83	78	90	84	83	81	83	81
		F	95	92	84	84	80	87	83	82	83	85	84
		P	96	92	86	84	79	88	84	82	82	84	83
350	Paralysis agitans	M	30	34	32	31	28	36	31	32	32	33	32
		F	36	39	38	36	35	40	38	36	37	41	40
		P	33	37	35	34	32	38	35	34	34	37	36
351	Cerebral spastic infantile paralysis	M	3	4	3	3	3	3	4	3	3	3	3
		F	2	3	2	2	3	3	3	2	2	2	2
		P	3	3	3	2	3	3	3	3	2	3	3
352	Other cerebral paralysis	M	21	11	12	9	10	11	11	10	10	11	11
		F	21	17	11	12	11	13	13	13	13	13	13
		P	21	14	11	11	11	12	12	11	12	12	12
353	Epilepsy	M	22	22	22	19	16	19	18	17	16	16	15
		F	20	19	18	18	15	16	15	14	15	12	13
		P	21	21	20	19	15	17	16	15	16	14	14
355	Other diseases of brain	M	4	4	3	4	5	5	5	5	5	4	5
		F	5	4	4	5	4	4	5	5	5	5	5
		P	4	4	4	4	5	4	5	5	5	5	5
356	Motor neurone disease and muscular atrophy	M	15	14	15	14	14	14	14	15	14	14	14
		F	10	8	9	9	10	9	9	10	10	11	10
		P	12	11	12	12	12	12	11	12	12	13	12
	0 Progressive muscular atrophy ..	M	10	10	10	11	10	9	8	9	8	9	7
		F	7	6	6	6	7	7	6	6	6	6	6
		P	8	8	8	8	9	8	7	8	7	7	6
360–369	Diseases of nerves and peripheral ganglia	M	4	4	3	3	3	2	2	2	2	2	1
		F	3	2	2	2	2	2	2	1	1	1	3
		P	3	3	2	2	3	2	2	1	2	2	2
390–398	Diseases of ear and mastoid process	M	14	12	10	11	8	8	7	6	5	6	4
		F	7	7	5	5	5	4	3	3	2	2	3
		P	10	9	8	8	6	6	5	4	4	4	3
391	Otitis media without mention of mastoiditis	M	10	9	7	8	7	6	6	4	4	5	3
		F	5	5	4	4	4	3	3	2	2	2	2
		P	8	7	6	6	5	5	4	3	3	3	3
400–468	**VII DISEASES OF THE CIRCULATORY SYSTEM .. .. ..**	M	**4,369**	**4,645**	**4,382**	**4,311**	**4,446**	**4,521**	**4,558**	**4,425**	**4,595**	**4,401**	**4,542**
		F	**4,121**	**4,344**	**3,946**	**3,950**	**3,973**	**4,131**	**4,124**	**3,980**	**4,183**	**4,065**	**4,151**
		P	**4,241**	**4,489**	**4,156**	**4,124**	**4,200**	**4,319**	**4,333**	**4,194**	**4,381**	**4,227**	**4,340**
400–402	Rheumatic fever	M	12	8	7	7	7	5	5	4	3	3	3
		F	14	9	8	7	6	5	5	4	3	3	3
		P	13	9	7	7	7	5	5	4	3	3	3
410–416	Chronic rheumatic heart disease ..	M	201	194	164	157	148	140	142	138	118	113	112
		F	306	298	247	240	237	232	223	225	208	195	196
		P	255	248	207	200	194	188	184	183	165	156	156
410	Diseases of mitral valve	M	134	130	113	108	100	95	92	89	75	71	68
		F	224	218	191	186	185	176	170	169	155	144	145
		P	181	176	154	149	144	137	132	131	117	109	108
411	Diseases of aortic valve specified as rheumatic	M	13	14	14	14	14	13	15	16	16	14	15
		F	5	6	6	6	7	7	8	7	8	7	8
		P	9	10	10	10	11	10	11	11	12	11	11
412–414	Dis: of tricuspid v: pulm: v: specified as rh: and other endocarditis specified as rh:	M	31	27	15	13	12	12	13	11	9	8	7
		F	47	40	22	18	16	18	15	15	12	12	12
		P	39	34	19	16	14	15	14	13	11	10	9

TABLE 8—*continued*

ICD No.	Causes of death		1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
415	Other myocarditis specified as rheumatic	M	9	7	6	6	5	4	4	4	3	3	2
		F	12	11	8	7	7	7	6	6	5	4	3
		P	11	9	7	6	6	5	5	5	4	3	2
416	Other heart disease specified as rheumatic	M	14	16	16	16	16	17	17	18	15	18	19
		F	18	23	20	23	23	25	25	27	28	28	30
		P	16	20	18	20	20	21	21	23	22	23	25
420–422	Arteriosclerotic and degenerative heart disease	M	3,210	3,405	3,251	3,161	3,273	3,351	3,393	3,287	3,460	3,322	3,446
		F	2,806	2,962	2,691	2,675	2,676	2,773	2,772	2,648	2,815	2,733	2,795
		P	3,001	3,175	2,960	2,908	2,963	3,051	3,071	2,956	3,126	3,017	3,109
420	Arteriosclerotic heart disease, including coronary disease	M	1,671	1,789	1,874	1,860	2,016	2,097	2,206	2,230	2,395	2,385	2,561
		F	903	956	999	1,012	1,084	1,163	1,222	1,243	1,368	1,393	1,497
		P	1,274	1,356	1,420	1,420	1,532	1,613	1,696	1,719	1,863	1,871	2,010
	0 Arteriosclerotic heart disease so described	M	4	8	8	9	12	14	13	16	21	19	23
		F	5	7	7	8	11	11	12	16	23	21	26
		P	4	7	7	9	11	13	13	16	22	20	25
	1 Heart disease specified as involving coronary arteries ..	M	1,621	1,743	1,836	1,828	1,984	2,066	2,180	2,201	2,363	2,357	2,529
		F	874	928	976	991	1,062	1,139	1,200	1,218	1,336	1,364	1,463
		P	1,235	1,319	1,389	1,393	1,506	1,585	1,672	1,692	1,831	1,843	1,977
	2 Angina pectoris without mention of coronary disease	M	46	39	30	23	20	17	14	12	11	10	8
		F	24	21	16	13	12	13	10	9	8	7	7
		P	35	30	23	18	16	15	12	11	10	8	8
421	Chronic endocarditis not specified as rheumatic	M	74	64	74	71	81	75	75	81	77	69	76
		F	56	47	63	60	64	60	59	70	65	65	66
		P	65	55	68	65	72	67	67	75	71	67	71
	0 Of mitral valve, specified as non-rheumatic	M	2	1	4	3	3	2	3	4	5	5	4
		F	1	1	4	4	3	3	5	8	8	9	9
		P	1	1	4	4	3	3	4	6	7	7	7
	1 Of aortic valve, not specified as rheumatic	M	47	45	44	45	55	54	53	61	58	52	60
		F	27	25	24	25	32	31	33	39	38	39	42
		P	37	35	33	35	43	42	43	50	47	45	51
	2–4 Of tricusp: v: specified as non-rh: pulm: v: not specified as rh: and other and ill-def: not specified as rh:	M	25	18	26	22	23	19	18	16	14	12	12
		F	28	21	36	30	29	25	21	23	19	17	16
		P	27	19	31	27	26	22	20	20	17	15	14
422	Other myocardial degeneration ..	M	1,464	1,552	1,303	1,230	1,177	1,179	1,112	976	988	868	809
		F	1,847	1,959	1,629	1,603	1,528	1,550	1,490	1,335	1,382	1,275	1,232
		P	1,662	1,764	1,472	1,424	1,359	1,371	1,308	1,162	1,192	1,079	1,028
	0 Fatty degeneration	M	10	9	5	5	5	5	4	4	4	3	2
		F	16	13	10	9	8	8	7	6	5	5	5
		P	13	11	8	7	7	6	6	5	4	4	3
	1 With arteriosclerosis	M	571	623	544	523	506	519	502	436	452	407	381
		F	657	722	632	638	614	634	621	578	606	572	561
		P	615	674	590	583	562	579	563	510	532	492	474
	2 Other	M	884	920	754	701	665	655	606	536	532	459	427
		F	1,174	1,225	987	956	905	907	862	751	771	698	666
		P	1,034	1,078	875	833	790	786	739	647	656	583	551
430–434	Other diseases of heart	M	172	220	211	225	240	240	244	262	269	258	273
		F	215	255	244	254	256	266	278	291	306	303	316
		P	194	238	228	240	248	253	262	277	288	281	295
430	Acute and subacute endocarditis ..	M	11	10	9	9	9	10	9	9	9	9	8
		F	7	7	6	6	5	5	5	6	6	5	6
		P	9	8	7	8	7	7	7	7	7	7	7
431	Acute myocarditis not specified as rheumatic	M	5	5	4	4	4	3	4	3	2	3	3
		F	4	5	3	4	3	2	3	3	3	3	3
		P	5	5	4	4	3	3	3	3	3	3	3
433	Functional disease of heart ..	M	99	122	114	116	109	97	100	98	100	88	87
		F	154	176	164	162	155	149	149	144	146	139	134
		P	127	150	140	140	133	124	125	122	124	114	111
434	Other and unspecified diseases of heart	M	57	82	84	95	117	129	131	151	158	157	174
		F	49	68	71	82	92	108	121	138	150	156	173
		P	53	75	77	88	104	119	126	145	154	156	173
440–443	Hypertensive heart disease	M	360	393	248	252	267	273	269	254	238	213	212
		F	376	405	267	273	290	318	313	305	304	286	279
		P	368	399	258	263	279	296	292	280	272	251	247
440	Essential benign hypertensive heart disease	M	6	6	4	4	4	5	5	5	5	4	4
		F	6	5	4	5	5	5	6	6	6	5	6
		P	6	6	4	4	5	5	5	6	5	5	5
441	Essential malignant hypertensive heart disease	M	8	10	5	6	5	6	6	5	5	4	5
		F	6	7	3	3	4	2	3	3	3	3	2
		P	7	8	4	4	4	4	4	4	4	4	3

TABLE 8—*continued*

ICD No.	Causes of death		1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
442	Hypertensive heart disease with arteriolar nephrosclerosis	M	12	15	7	8	6	6	7	6	5	4	3
		F	13	16	8	8	7	8	6	6	6	5	4
		P	12	15	8	8	6	7	6	6	5	5	4
443	Other and unspecified hypertensive heart disease	M	335	363	231	235	252	256	252	238	223	200	200
		F	350	377	251	258	275	302	298	290	290	273	267
		P	343	370	242	247	264	280	276	265	258	238	235
444–447	Other hypertensive disease	M	101	99	193	199	190	185	175	165	162	149	142
		F	90	89	178	179	182	180	173	158	164	151	144
		P	95	94	185	189	186	183	174	162	163	150	143
444	Essential benign hypertension	M	44	46	134	132	132	127	122	115	111	99	94
		F	50	49	136	139	140	144	136	126	130	118	116
		P	47	48	135	136	136	136	129	121	121	109	105
445	Essential malignant hypertension	M	28	26	34	40	34	35	34	33	32	33	32
		F	16	17	19	18	20	14	16	16	17	16	15
		P	21	21	26	29	26	24	25	24	24	24	23
446	Hypertension with arteriolar nephrosclerosis	M	29	27	25	27	24	23	20	18	18	17	15
		F	25	23	22	22	22	21	20	17	17	17	14
		P	27	25	23	24	23	22	20	17	18	17	14
447	Other hypertensive disease without mention of heart	M	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*
		F	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*
		P	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*
450–456	Diseases of arteries	M	275	290	273	272	277	281	279	265	295	284	291
		F	263	278	261	266	267	293	289	278	307	314	330
		P	269	284	267	269	272	287	284	271	301	299	311
450	General arteriosclerosis	M	246	262	229	224	225	225	220	198	221	209	211
		F	237	255	227	233	228	251	242	231	253	261	269
		P	241	258	228	228	227	238	231	215	238	236	241
	0 Without mention of gangrene	M	216	229	200	197	197	198	193	177	197	187	185
		F	214	230	205	211	207	229	221	210	232	239	246
		P	215	230	203	204	202	214	207	194	215	214	217
	1 With mention of gangrene as a consequence	M	30	33	29	27	27	27	27	22	24	23	26
		F	24	25	22	22	21	22	21	21	21	22	23
		P	27	29	25	24	24	25	24	21	23	22	24
451	Aortic aneurysm, non-syphilitic, and dissecting aneurysm	M	12	14	32	34	40	43	47	52	60	60	65
		F	11	13	25	23	29	31	36	36	43	40	47
		P	12	13	28	28	34	37	41	44	51	50	55
452–456	Other diseases of arteries	M	16	14	12	13	13	13	13	14	14	15	16
		F	15	10	9	10	10	11	11	11	11	12	14
		P	15	12	10	12	11	12	12	12	12	13	15
460–468	Diseases of veins and other diseases of circulatory system	M	38	37	36	38	43	47	50	51	50	59	64
		F	52	48	51	55	59	64	72	70	76	80	88
		P	45	43	44	47	51	56	61	61	63	70	76
460	Varicose veins of lower extremities	M	4	4	4	2	2	2	3	2	2	3	3
		F	10	10	10	7	9	9	9	7	7	7	8
		P	7	7	7	5	6	6	6	5	5	5	5
463	Phlebitis and thrombo-phlebitis of lower extremities	M	7	6	7	6	5	7	7	6	6	6	6
		F	13	10	10	10	10	10	11	11	11	11	11
		P	10	8	8	8	7	8	9	9	8	9	9
465	Pulmonary embolism and infarction	M	15	16	15	18	19	22	21	22	22	29	32
		F	15	14	16	19	19	21	25	24	29	31	34
		P	15	15	15	18	19	21	23	23	26	30	33
466	Other venous embolism and thrombosis	M	8	7	7	9	12	12	15	17	15	17	19
		F	10	10	12	15	17	20	23	23	25	28	31
		P	9	9	10	12	15	16	19	20	20	22	25
470–527	**VIII DISEASES OF THE RESPIRATORY SYSTEM**	M	**1,524**	**2,176**	**1,514**	**1,735**	**1,460**	**1,654**	**1,677**	**1,753**	**1,703**	**1,862**	**1,578**
		F	**1,021**	**1,573**	**921**	**1,151**	**873**	**1,013**	**1,055**	**1,035**	**1,018**	**1,183**	**934**
		P	**1,264**	**1,863**	**1,206**	**1,432**	**1,155**	**1,321**	**1,355**	**1,381**	**1,348**	**1,510**	**1,245**
470–475	Acute upper respiratory infections	M	6	6	4	4	4	3	3	3	3	3	3
		F	6	6	4	4	4	3	3	3	3	3	2
		P	6	6	4	4	4	3	3	3	3	3	3
480–483	Influenza	M	88	351	42	137	41	68	59	164	56	178	25
		F	90	370	38	155	41	66	58	136	51	169	23
		P	89	361	40	147	41	67	59	150	53	173	24
480	Influenza with pneumonia	M	44	176	21	68	22	36	31	116	35	119	15
		F	41	178	19	77	19	34	28	96	30	108	14
		P	43	177	20	73	20	35	29	106	33	113	14
481	Influenza with other respiratory manifestations, and influenza unqualified	M	42	173	19	67	19	31	28	47	20	58	10
		F	47	189	18	77	20	31	30	38	20	60	9
		P	45	181	19	72	20	31	29	42	20	59	9
490–493, 763	Pneumonia	M	454	579	490	532	458	519	542	558	566	624	556
		F	390	496	404	455	397	465	499	494	525	583	541
		P	421	536	445	492	426	491	520	525	545	602	548

TABLE 8—*continued*

ICD No.	Causes of death		1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
490	Lobar pneumonia (age 4 weeks and over)	M	106	113	103	103	88	93	92	87	80	81	74
		F	70	75	63	67	64	64	63	58	58	60	57
		P	87	93	82	84	76	78	77	72	69	70	65
491	Bronchopneumonia (age 4 weeks and over)	M	291	396	327	367	316	369	392	411	429	486	425
		F	280	372	295	346	296	361	396	394	428	477	441
		P	285	384	310	356	305	365	394	402	428	481	433
492	Primary atypical pneumonia (age 4 weeks and over)	M	3	4	4	3	4	3	4	7	5	6	6
		F	2	3	2	2	3	3	3	5	4	5	6
		P	2	3	3	3	4	3	4	6	4	6	6
493	Pneumonia, other and unspecified	M	31	38	31	33	28	31	31	33	29	30	30
		F	23	30	27	25	21	24	24	25	22	27	25
		P	27	34	29	29	24	27	28	29	25	29	27
763	Pneumonia of the newborn*	M	1·43	1·64	1·54	1·57	1·37	1·41	1·40	1·15	1·34	1·15	1·12
		F	0·98	1·14	1·16	1·01	0·88	0·93	0·89	0·81	0·90	1·84	0·74
		P	1·21	1·40	1·36	1·30	1·13	1·17	1·15	0·99	1·13	1·00	0·93
500–502	Bronchitis	M	836	1,089	842	923	806	903	924	876	935	923	861
		F	484	640	428	486	375	420	433	350	388	377	316
		P	654	856	627	696	582	652	670	603	652	640	579
500	Acute bronchitis	M	93	135	90	102	70	79	78	65	69	68	52
		F	113	159	92	110	75	82	87	62	68	67	49
		P	103	148	91	106	73	81	83	63	69	68	51
501	Bronchitis, unqualified	M	66	80	53	59	50	50	49	41	45	42	35
		F	59	77	49	52	45	46	49	36	43	40	30
		P	62	79	51	55	48	48	49	39	44	41	32
502	Chronic bronchitis	M	678	873	699	762	686	773	797	770	822	813	774
		F	312	404	288	324	255	292	297	251	277	270	237
		P	489	629	485	535	462	524	538	501	539	532	496
	0 Bronchitis with emphysema	M	233	311	287	320	307	372	389	394	428	421	408
		F	45	66	57	63	56	70	79	67	78	79	71
		P	136	183	168	187	177	215	228	225	247	244	233
	1 Other	M	445	563	413	442	379	401	408	376	393	391	366
		F	267	338	230	261	199	222	219	184	199	192	166
		P	353	446	318	348	285	308	310	277	293	288	263
510–527	Other diseases of respiratory system	M	164	178	161	166	174	183	171	172	167	156	154
		F	66	78	64	65	69	72	75	64	66	65	64
		P	113	126	111	114	119	126	121	116	114	109	107
518	Empyema	M	5	4	4	5	5	4	4	3	4	3	3
		F	2	2	2	3	2	2	2	2	2	2	2
		P	3	3	3	4	3	3	3	2	3	2	2
519	Pleurisy	M	4	4	3	3	2	2	3	1	1	1	2
		F	2	2	2	2	2	1	2	1	1	1	2
		P	3	3	2	2	2	2	2	1	1	1	2
522	Pulmonary congestion and hypostasis	M	12	15	10	7	12	12	12	8	9	9	11
		F	19	21	15	17	19	20	20	15	15	16	17
		P	16	18	13	12	16	16	16	11	12	13	14
523, 524	Silicosis, and occupational pulmonary fibrosis	M	27	29	27	28	31	34	32	36	34	30	30
		F	*0*	*0*	*0*	*0*	*0*	*0*	*1*	*0*	*1*	*1*	*1*
		P	13	14	13	13	15	17	16	18	17	15	15
525	Other chronic interstitial pneumonia	M	9	9	9	8	8	9	9	8	9	8	9
		F	3	4	4	3	4	4	3	4	5	5	4
		P	6	6	6	6	6	7	6	6	7	6	6
526	Bronchiectasis	M	70	71	67	68	66	69	59	60	55	52	48
		F	29	35	28	27	29	31	31	29	26	25	23
		P	49	52	46	47	47	49	45	44	40	38	35
527	Other diseases of lung and pleural cavity	M	29	39	36	40	42	46	47	49	49	47	46
		F	6	9	9	10	9	10	13	10	12	12	11
		P	17	23	22	25	25	27	29	29	30	29	28
	1 Emphysema without mention of bronchitis	M	27	36	34	38	39	43	43	45	46	43	42
		F	4	8	7	8	7	8	10	8	9	9	9
		P	15	21	20	22	22	25	26	26	27	26	25
530–587	**IX DISEASES OF THE DIGESTIVE SYSTEM**	M	**446**	**457**	**438**	**417**	**421**	**418**	**398**	**385**	**378**	**354**	**363**
		F	**318**	**318**	**308**	**305**	**310**	**315**	**310**	**301**	**297**	**305**	**313**
		P	**380**	**385**	**370**	**359**	**363**	**365**	**352**	**342**	**336**	**328**	**337**
530–539	Diseases of buccal cavity and oesophagus	M	6	7	5	6	6	6	4	6	5	4	5
		F	8	6	6	5	7	6	6	6	6	6	6
		P	7	6	6	6	6	6	5	6	6	5	6
540–545	Diseases of stomach and duodenum	M	193	214	201	188	197	194	184	171	163	148	151
		F	60	65	64	64	70	72	72	67	67	67	69
		P	125	137	130	123	131	131	126	117	114	106	108

* 763. Rates per 1,000 live births (related live births prior to 1957; live birth occurrences from 1957).

TABLE 8—*continued*

ICD No.	Causes of death		1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
540	Ulcer of stomach	M	96	99	93	86	88	87	84	77	74	66	67
		F	37	40	40	39	40	42	43	41	40	41	42
		P	66	69	65	61	63	64	63	58	57	53	54
	0 Without mention of perforation	M	77	70	65	62	64	63	61	56	55	50	51
		F	28	31	30	30	30	32	34	31	33	33	32
		P	52	49	47	45	46	47	47	43	43	41	41
	1 With perforation	M	19	29	28	24	24	24	23	21	19	16	17
		F	9	9	9	9	9	10	10	10	7	8	10
		P	14	19	18	16	17	17	16	15	13	12	13
541	Ulcer of duodenum	M	87	104	99	93	100	99	92	88	84	75	76
		F	17	19	18	20	24	25	24	22	23	22	23
		P	51	60	57	55	61	60	57	54	52	47	49
	0 Without mention of perforation	M	55	64	64	59	63	62	59	55	52	48	47
		F	11	12	11	12	14	15	15	13	13	13	14
		P	32	37	36	35	38	37	36	33	32	30	30
	1 With perforation	M	32	40	35	34	38	37	33	33	31	27	29
		F	6	7	7	8	10	10	9	8	9	9	9
		P	18	23	21	20	23	23	21	20	20	18	19
550–553	Appendicitis	M	35	32	28	26	26	23	24	23	21	20	17
		F	24	22	20	16	18	16	14	13	14	12	11
		P	30	27	24	21	22	19	19	18	18	15	14
550	Acute appendicitis	M	30	28	24	22	21	19	20	19	18	17	14
		F	21	18	16	13	15	13	11	11	12	9	9
		P	25	23	20	17	18	16	15	15	15	13	12
	0 Without mention of peritonitis	M	5	4	4	3	3	3	3	3	3	2	2
		F	3	3	2	2	2	2	2	1	2	1	1
		P	4	3	3	3	3	2	3	2	2	2	2
	1 With peritonitis	M	26	24	21	19	18	16	16	16	15	14	12
		F	17	16	14	11	13	11	9	10	10	8	8
		P	21	20	17	15	15	14	13	13	13	11	10
551–553	Other and unqualified appendicitis	M	5	4	4	4	4	3	5	4	3	3	3
		F	4	3	4	2	3	3	3	2	2	2	2
		P	4	4	4	3	4	3	4	3	3	2	2
560, 61	Hernia of abdominal cavity	M	39	39	39	36	36	39	36	36	33	32	32
		F	38	39	37	36	35	35	37	35	32	36	32
		P	39	39	38	36	35	37	37	35	32	34	32
560	Hernia of abdominal cavity without mention of obstruction	M	7	8	9	9	9	10	9	10	9	10	10
		F	6	5	6	6	7	7	8	7	8	9	8
		P	7	7	8	7	8	8	8	8	8	9	9
561	Hernia of abdominal cavity with obstruction	M	32	31	30	27	27	29	27	26	24	22	22
		F	32	33	31	29	28	28	30	28	24	27	24
		P	32	32	30	28	27	28	28	27	24	25	23
570–578	Other diseases of intestines and peritoneum	M	111	102	95	94	88	88	83	83	86	83	88
		F	101	100	96	96	90	94	93	95	95	97	105
		P	106	101	96	95	89	91	88	89	90	90	97
570	Intestinal obstruction without mention of hernia	M	35	34	36	34	33	31	33	31	32	32	34
		F	29	31	31	30	28	31	31	28	31	31	35
		P	32	33	34	32	30	31	32	30	31	32	35
	2 Mesenteric infarction	M	6	8	9	9	10	8	9	9	9	9	11
		F	6	7	8	8	8	9	9	10	10	12	14
		P	6	7	8	8	9	8	9	9	10	11	12
	3 Volvulus	M	9	9	11	9	9	9	10	9	8	10	8
		F	6	7	7	8	6	7	8	6	7	7	7
		P	8	8	9	8	7	8	9	8	7	8	7
	4 Impaction of intestine	M	2	1	1	1	2	2	2	1	1	1	2
		F	3	3	3	3	3	4	3	2	2	2	2
		P	2	2	2	2	3	3	3	2	2	1	2
	5 Other	M	13	11	11	11	9	10	9	10	11	11	12
		F	10	11	11	10	8	9	9	8	10	9	11
		P	12	11	11	10	9	9	9	9	10	10	11
571	Gastro-enteritis and colitis except ulcerative (age 4 weeks and over)	M	44	34	28	26	20	21	17	16	17	16	17
		F	33	28	25	24	20	19	16	17	15	16	19
		P	38	31	26	25	20	20	16	17	16	16	18
	0 Ages between 4 weeks and 2 years*	M	971	690	593	574	406	409	266	278	243	252	285
		F	624	489	444	411	313	287	195	197	163	163	196
		P	802	592	519	494	361	350	231	239	204	209	242
	1 Ages 2 years and over	M	10	11	9	8	7	9	8	7	9	8	8
		F	14	14	12	12	11	12	11	11	10	11	13
		P	12	13	11	10	9	10	10	9	10	10	10

* 571·0 Rates per million population aged under 2 years.

TABLE 8—*continued*

ICD No.	Causes of death		1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
572	Chronic enteritis and ulcerative colitis	M	22	21	20	22	24	25	23	25	27	26	27
		F	30	30	30	31	32	33	36	38	41	41	42
		P	26	26	25	27	28	29	30	32	34	34	35
	1 Diverticulitis	M	13	12	11	12	15	15	13	15	17	17	18
		F	15	16	15	17	18	20	21	24	26	29	29
		P	14	14	13	15	17	17	17	20	22	23	23
	2 Ulcerative colitis	M	7	7	7	8	6	8	8	8	8	7	8
		F	12	12	13	12	13	11	13	12	12	10	11
		P	10	10	10	10	10	10	10	10	10	9	9
573–578	Other diseases of intestines and peritoneum	M	11	12	11	12	11	11	10	11	10	8	10
		F	9	10	10	11	10	11	10	11	9	9	10
		P	10	11	11	11	10	11	10	11	9	9	10
580–587	Diseases of liver, gallbladder and pancreas	M	62	63	69	68	69	69	66	67	70	67	71
		F	86	87	85	89	90	92	87	87	83	87	88
		P	75	76	77	79	80	81	77	77	77	77	80
581	Cirrhosis of liver	M	27	29	31	31	30	29	29	31	30	28	31
		F	19	22	21	22	23	24	23	23	23	25	25
		P	23	25	26	26	26	26	26	27	26	27	28
584	Cholelithiasis	M	12	10	11	11	13	13	13	11	13	13	11
		F	27	26	25	27	26	26	25	25	23	23	22
		P	20	18	18	19	19	20	19	18	18	18	16
585	Cholecystitis and cholangitis, without mention of calculi	M	8	8	9	10	9	9	9	8	9	8	7
		F	20	20	19	19	20	19	18	17	16	16	17
		P	15	14	14	14	15	14	13	13	13	12	12
587	Diseases of pancreas	M	9	10	12	10	11	13	11	11	14	13	15
		F	12	12	12	13	13	16	15	15	14	16	16
		P	10	11	12	12	12	14	13	13	14	14	15
	0 Acute pancreatitis	M	6	6	7	6	8	8	7	6	8	8	9
		F	9	8	8	10	10	11	10	10	9	10	10
		P	7	7	8	8	9	9	8	8	9	9	10
590–637	**X DISEASES OF THE GENITO-URINARY SYSTEM**	**M**	**451**	**435**	**406**	**388**	**393**	**370**	**361**	**339**	**327**	**315**	**309**
		F	**208**	**197**	**179**	**171**	**170**	**169**	**163**	**158**	**157**	**156**	**157**
		P	**325**	**311**	**288**	**276**	**277**	**265**	**258**	**245**	**239**	**233**	**230**
590–594	Nephritis and nephrosis	M	158	150	137	128	124	114	119	104	99	88	91
		F	149	140	122	111	107	100	92	84	82	75	72
		P	153	145	130	119	115	107	105	93	90	81	81
590	Acute nephritis	M	9	8	6	7	5	5	6	4	4	3	4
		F	7	6	4	4	4	2	3	3	3	2	3
		P	8	7	5	5	5	3	4	3	3	3	4
591	Nephritis with oedema	M	11	10	9	9	8	9	10	9	9	7	7
		F	10	8	6	6	6	8	7	6	5	5	5
		P	11	9	8	7	7	8	8	8	7	6	6
592	Chronic nephritis	M	130	122	112	102	101	90	93	80	76	69	69
		F	125	118	103	94	89	82	75	68	67	60	57
		P	128	120	107	98	94	86	84	74	72	64	63
593	Nephritis not specified as acute or chronic	M	6	9	9	9	9	10	10	10	9	9	10
		F	5	7	8	7	7	7	6	6	6	8	7
		P	6	8	9	8	8	8	8	8	8	8	8
600–609	Other diseases of urinary system	M	56	58	55	59	60	59	59	62	59	62	66
		F	46	45	45	47	53	60	62	65	66	73	77
		P	51	51	50	53	57	59	60	64	62	68	72
600	Infections of kidney	M	22	24	24	26	27	28	30	33	33	37	41
		F	26	25	25	28	32	38	39	43	43	52	54
		P	24	25	25	27	30	33	35	38	38	45	48
	0 Pyelitis, pyelocystitis and pyelonephritis	M	20	22	22	25	26	27	29	32	32	36	39
		F	25	23	24	27	31	36	38	42	42	50	53
		P	23	23	23	26	28	32	34	37	37	43	46
602	Calculi of kidney and ureter	M	7	8	7	7	8	7	6	6	6	6	6
		F	6	6	6	6	6	7	7	7	6	6	6
		P	6	7	7	7	7	7	6	7	6	6	6
605	Cystitis	M	9	9	8	8	8	7	7	5	7	6	6
		F	8	7	7	7	8	8	8	8	9	8	8
		P	9	8	7	8	8	7	7	7	8	7	7
608	Stricture of urethra	M	6	6	5	4	6	5	5	4	2	3	2
		F	*0*	*0*	*0*	—	*0*	*0*	*0*	*0*	*0*	*0*	*0*
		P	3	3	3	2	3	2	2	2	1	1	1
610–617	Diseases of male genital organs	M	237	227	213	202	209	196	183	173	169	164	152
610	Hyperplasia of prostate	M	225	216	206	197	204	191	179	168	165	160	148
611	Prostatitis	M	6	6	5	4	3	4	2	3	3	3	2

TABLE 8—*continued*

ICD No.	Causes of death		1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
620–626	Diseases of breast, ovary, Fallopian tube, and parametrium	M	—	—	—	—	—	—	—	—	—	*0*	*0*
		F	3	3	3	3	2	3	2	2	1	2	1
		P	1	1	1	1	1	1	1	1	1	1	1
630–637	Diseases of uterus and other female genital organs	F	10	10	9	10	8	7	7	7	8	6	6
631	Uterovaginal prolapse	F	6	6	6	6	4	4	5	5	5	4	4
640–689	**XI DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM**	F	**0·87**	**0·76**	**0·67**	**0·71**	**0·65**	**0·59**	**0·52**	**0·45**	**0·43**	**0·38**	**0·39**
640–649	Deliveries and complications of pregnancy, childbirth and the puerperium, excl. abortion	F	0·72	0·60	0·54	0·60	0·54	0·50	0·42	0·37	0·35	0·32	0·31
* 660–689													
640–648	Complications of pregnancy	F	0·32	0·26	0·22	0·27	0·20	0·20	0·20	0·15	0·14	0·13	0·12
642	Toxaemias of pregnancy	F	0·21	0·18	0·16	0·19	0·13	0·12	0·11	0·10	0·08	0·07	0·07
645	Ectopic pregnancy	F	0·05	0·03	0·03	0·05	0·03	0·03	0·03	0·03	*0·02*	*0·02*	*0·02*
650–652	Abortion	F	11	11	10	8	8	7	8	7	7	5	7
† 650	Without mention of sepsis or toxaemia	F	3	4	3	3	4	3	3	3	3	*2*	3
651	With sepsis	F	7	7	5	4	3	4	4	4	4	3	4
652	With toxaemia, without mention of sepsis	F	*1*	*0*	*1*	*1*	*1*	*0*	*1*	*0*	*0*	*0*	*1*
670–678	Delivery with specified complication	F	0·22	0·22	0·19	0·21	0·21	0·17	0·13	0·12	0·12	0·11	0·13
670	Placenta praevia or antepartum haemorrhage	F	0·03	0·04	*0·02*	0·05	0·04	0·03	0·03	0·03	*0·02*	*0·02*	0·03
671, 672	Retained placenta, and other postpartum haemorrhage	F	0·05	0·08	0·06	0·07	0·06	0·06	0·03	0·03	0·04	0·03	*0·02*
673–675	Abnormality of bony pelvis, disproportion or malposition of foetus, and prolonged labour of other origin	F	0·06	0·05	0·05	0·04	0·05	0·05	0·05	0·04	0·03	*0·02*	0·03
*													
680–689	Complications of the puerperium	F	0·18	0·12	0·12	0·12	0·11	0·13	0·09	0·08	0·08	0·08	0·05
681	Sepsis of childbirth and the puerperium	F	0·03	*0·02*	*0·01*	*0·02*	*0·02*	*0·02*	*0·01*	*0·02*	*0·01*	*0·02*	*0·01*
682	Puerperal phlebitis and thrombosis	F	0·05	0·04	0·04	0·04	0·06	0·05	0·04	0·03	0·03	*0·02*	*0·02*
684	Puerperal pulmonary embolism	F	0·04	*0·03*	0·04	0·03	*0·02*	0·03	*0·01*	*0·01*	*0·02*	*0·01*	*0·01*
685	Puerperal eclampsia	F	0·04	*0·02*	*0·02*	*0·01*	*0·01*	*0·01*	*0·01*	*0·01*	*0·01*	*0·01*	*0·00*
690–716	**XII DISEASES OF THE SKIN AND CELLULAR TISSUE**	M	**14**	**14**	**12**	**13**	**11**	**9**	**9**	**9**	**9**	**8**	**8**
		F	**14**	**16**	**16**	**16**	**14**	**14**	**13**	**11**	**12**	**12**	**12**
		P	**14**	**15**	**14**	**14**	**12**	**11**	**11**	**10**	**11**	**10**	**10**
690–698	Infections of skin and subcutaneous tissue	M	6	5	4	5	4	4	3	3	4	4	3
		F	5	6	5	5	4	4	4	3	4	4	4
		P	5	6	5	5	4	4	4	3	4	4	3
700–716	Other diseases of skin and subcutaneous tissue	M	8	8	7	9	6	4	5	6	5	4	4
		F	10	10	11	10	10	10	9	7	8	8	9
		P	9	9	9	10	8	7	7	7	7	6	7
720–749	**XIII DISEASES OF THE BONES AND ORGANS OF MOVEMENT**	M	**25**	**26**	**25**	**27**	**29**	**29**	**29**	**27**	**28**	**28**	**30**
		F	**42**	**46**	**42**	**43**	**50**	**59**	**53**	**53**	**56**	**57**	**56**
		P	**34**	**36**	**34**	**35**	**40**	**44**	**42**	**40**	**43**	**43**	**44**
720–727	Arthritis and rheumatism except rheumatic fever	M	14	14	12	14	17	16	16	14	16	16	18
		F	33	34	32	34	39	47	41	40	44	44	45
		P	24	25	22	24	28	32	29	28	30	30	32
722	Rheumatoid arthritis and allied conditions	M	8	9	7	9	10	10	10	8	10	10	11
		F	25	25	24	24	30	35	31	30	32	32	34
		P	17	17	16	17	20	23	21	20	22	21	23
	0 Rheumatoid arthritis	M	7	8	6	8	9	9	9	8	9	10	10
		F	25	25	24	24	30	35	31	30	32	32	33
		P	16	17	15	17	20	23	21	19	21	21	22
723	Osteo-arthritis (arthrosis) and allied conditions	M	4	4	3	4	5	5	6	5	5	5	5
		F	7	8	7	7	8	10	9	9	10	10	10
		P	5	6	5	6	7	8	7	7	7	8	8
	0 Osteo-arthritis (arthrosis)	M	4	3	2	3	4	4	4	4	4	3	3
		F	6	7	6	7	7	9	8	8	8	9	9
		P	5	5	4	5	5	7	6	6	6	6	6
730–738	Osteomyelitis and other diseases of bone and joint	M	7	8	8	8	8	8	7	7	6	7	7
		F	6	8	6	6	8	8	8	8	8	9	8
		P	7	8	7	7	8	8	8	8	7	8	7
730	Osteomyelitis and periostitis	M	3	2	2	3	2	2	2	2	2	2	2
		F	1	2	1	1	2	1	2	2	1	1	1
		P	2	2	2	2	2	2	2	2	2	1	1
731	Osteitis deformans	M	3	4	4	4	4	4	4	4	3	3	3
		F	3	4	3	3	3	4	4	4	4	3	4
		P	3	4	4	3	4	4	4	4	4	3	3

* Rates per 1,000 total (live and still) births.
† Rates per million women aged 15–44 years

TABLE 8—*continued*

ICD No.	Causes of death		1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
740–749	Other diseases of musculoskeletal system	M	4	4	6	5	5	5	5	5	6	5	6
		F	3	4	3	3	4	4	4	4	4	4	3
		P	4	4	4	4	4	5	5	5	5	5	4
750–759	**XIV CONGENITAL MALFORMATIONS**	M	**119**	**115**	**110**	**104**	**110**	**114**	**113**	**120**	**119**	**114**	**122**
		F	**98**	**97**	**93**	**89**	**93**	**92**	**92**	**101**	**98**	**102**	**102**
		P	**108**	**106**	**101**	**97**	**101**	**103**	**102**	**110**	**108**	**108**	**112**
750	Monstrosity	M	2	2	3	2	2	2	3	3	3	2	4
		F	2	2	3	3	3	3	3	4	5	5	5
		P	2	2	3	2	3	3	3	3	4	4	4
751	Spina bifida and meningocele	M	13	14	14	13	15	16	16	15	16	14	13
		F	15	17	19	17	21	21	20	20	20	17	17
		P	14	15	16	15	18	18	18	18	18	16	15
752	Congenital hydrocephalus	M	10	9	9	8	9	9	10	9	9	11	11
		F	10	8	9	9	10	10	10	10	10	12	13
		P	10	8	9	8	10	9	10	9	10	11	12
753	Other congenital malformations of nervous system and sense organs	M	2	2	3	2	3	2	2	4	3	3	4
		F	3	3	2	3	3	3	3	3	3	3	3
		P	2	3	2	2	3	3	3	3	3	3	4
754	Congenital malformations of circulatory system	M	55	50	42	43	45	47	47	52	52	50	53
		F	43	42	35	34	33	33	34	39	37	39	43
		P	49	46	39	39	39	40	40	45	44	45	47
756	Congenital malformations of digestive system	M	19	17	16	15	14	14	13	14	13	13	13
		F	10	9	9	9	8	7	7	7	8	8	7
		P	14	13	12	12	11	10	10	10	10	10	10
757	Congenital malformations of genito-urinary system	M	12	12	13	12	12	13	12	13	12	11	14
		F	9	8	8	7	8	8	8	10	8	10	8
		P	10	10	10	10	10	10	10	11	10	10	11
760-776*	**XV CERTAIN DISEASES OF EARLY INFANCY†**	M	**17·73**	**18·34**	**17·24**	**16·56**	**16·39**	**15·87**	**15·55**	**15·08**	**14·75**	**14·28**	**14·10**
		F	**12·69**	**12·91**	**12·54**	**12·19**	**11·54**	**11·48**	**11·16**	**10·86**	**10·56**	**10·49**	**10·04**
		P	**15·29**	**15·71**	**14·96**	**14·43**	**14·03**	**13·74**	**13·43**	**13·03**	**12·71**	**12·44**	**12·13**
780–795	**XVI SYMPTOMS, SENILITY AND ILL-DEFINED CONDITIONS**	M	**200**	**197**	**155**	**145**	**156**	**173**	**162**	**136**	**137**	**124**	**110**
		F	**298**	**288**	**227**	**231**	**250**	**272**	**260**	**224**	**225**	**217**	**206**
		P	**251**	**244**	**192**	**190**	**205**	**224**	**213**	**181**	**183**	**172**	**160**
780–789	Symptoms referable to systems or organs	M	12	12	7	7	7	7	6	5	4	3	4
		F	9	8	6	7	5	6	6	5	4	3	4
		P	10	10	7	7	6	6	6	5	4	3	4
790–795	Senility and ill-defined diseases	M	188	185	148	138	149	166	156	130	133	121	106
		F	288	279	221	224	245	266	254	219	221	214	202
		P	240	234	186	183	199	218	207	176	179	169	156
794	Senility without mention of psychosis	M	186	182	145	135	145	162	152	127	130	118	103
		F	287	278	219	222	243	265	252	216	220	211	199
		P	238	232	183	180	196	215	204	173	176	166	153
E800-E999	**XVII ACCIDENTS, POISONINGS AND VIOLENCE (EXTERNAL CAUSE)**	M	**562**	**591**	**568**	**582**	**593**	**605**	**604**	**594**	**614**	**615**	**612**
		F	**308**	**321**	**298**	**329**	**358**	**370**	**383**	**374**	**390**	**399**	**406**
		P	**431**	**451**	**428**	**450**	**471**	**483**	**490**	**480**	**498**	**503**	**505**
E800–E802	Railway accidents	M	16	14	18	16	12	13	14	13	14	11	10
		F	2	1	3	*1*	1	1	2	1	2	1	1
		P	8	8	10	8	6	7	7	7	8	6	5
E810–E835	Motor vehicle accidents	M	151	161	149	158	161	171	174	170	186	202	215
		F	46	49	42	45	51	55	56	53	60	69	80
		P	97	103	94	99	104	111	113	109	121	132	145
E812	To pedestrian	M	54	62	52	56	56	57	59	56	61	59	67
		F	32	32	29	29	35	35	36	32	39	42	50
		P	43	46	40	42	45	46	47	44	49	50	58
E813	To pedal cyclist	M	22	22	21	22	21	20	21	20	21	24	22
		F	4	4	3	3	3	4	3	3	2	4	4
		P	13	13	12	12	12	12	12	11	11	14	12
E815	To rider or pass'r of m/cycle in collision with other motor vehicle	M	30	30	31	32	33	37	35	34	40	45	48
		F	2	2	2	2	2	3	2	3	3	3	4
		P	16	15	16	17	17	19	18	18	21	23	25
E816	Other m: v: traffic acc. involv'g two or more motor vehicles	M	10	12	9	13	14	18	20	17	25	29	30
		F	3	5	3	4	5	7	7	7	9	11	12
		P	7	8	6	9	9	12	13	12	16	19	20
E821	To rider of motor cycle without antecedent collision	M	8	12	13	13	14	15	15	18	15	18	19
		F	*1*	1	1	1	1	1	1	1	2	2	2
		P	4	7	7	7	8	8	8	9	8	10	10

* For details of causes 760–776, see Table 12.
† Rates per 1,000 live births (related live births prior to 1957; live birth occurrences from 1957).

TABLE 8—*continued*

ICD No.	Causes of death		1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
E823	Involving running off roadway	M	*1*	2	5	5	6	8	9	11	11	12	16
		F	*0*	*1*	1	1	2	2	3	2	3	3	4
		P	*0*	2	3	3	4	5	6	6	7	8	10
E840–E845	Other road vehicle accidents	M	14	11	11	9	9	9	7	8	7	5	5
		F	4	3	3	3	3	2	2	2	3	2	2
		P	9	7	7	6	6	6	4	5	5	4	3
E843	Acc. to rider of p: cycle not involving collision with motor vehicle	M	8	8	6	5	6	6	5	6	5	4	4
		F	1	*1*	1	1	1	*1*	*0*	1	*1*	1	*1*
		P	5	4	4	3	3	3	2	3	3	2	2
E850–E858	Water transport accidents	M	9	7	6	7	6	6	7	7	6	7	8
		F	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*
		P	4	3	3	3	3	3	3	4	3	3	4
E860–E866	Aircraft accidents	M	11	13	14	9	10	6	6	7	8	3	2
		F	*0*	1	1	*0*	*0*	*0*	*0*	*1*	1	*0*	*0*
		P	5	7	7	4	5	3	3	3	4	2	1
E870–E888	Accidental poisoning by solid and liquid substances	M	5	6	7	6	7	7	8	8	7	8	9
		F	6	6	6	7	7	7	8	8	8	8	11
		P	6	6	7	7	7	7	8	8	8	8	10
E871	Barbituric acid and derivatives	M	2	2	3	4	3	4	4	4	4	4	5
		F	4	3	3	4	5	5	6	5	5	6	8
		P	3	3	3	4	4	4	5	5	5	5	6
E870, E872–E888	Remainder, accidental poisoning by solid and liquid substances	M	3	4	4	2	4	4	3	4	3	4	4
		F	3	3	3	3	2	2	3	3	3	3	3
		P	3	3	4	3	3	3	3	3	3	3	3
E890–E895	Accidental poisoning by gases and vapours	M	10	12	12	15	15	18	17	17	20	20	21
		F	11	13	13	14	17	21	20	20	22	24	24
		P	11	13	12	15	16	19	18	19	21	22	22
E890	Utility (illuminating) gas	M	7	10	10	13	13	15	14	14	17	17	19
		F	11	13	13	14	17	20	19	19	21	23	23
		P	9	12	11	13	15	18	17	17	19	20	21
E900–E904	Accidental falls	M	74	86	79	84	99	94	99	92	92	96	86
		F	113	117	105	123	141	144	149	142	149	151	150
		P	94	102	93	104	121	120	125	118	122	124	119
E910–E936	Other accidents	M	123	131	125	121	110	122	112	112	115	108	104
		F	49	53	50	53	50	50	50	47	48	48	46
		P	85	91	86	86	79	84	80	78	80	77	74
E910	Blow from falling or projected object or missile	M	18	19	17	16	14	14	13	14	15	12	13
		F	*0*	*1*	*1*	*1*	*1*	*1*	1	*0*	*1*	*1*	*1*
		P	9	9	9	8	7	7	7	7	7	6	6
E912	Caused by machinery	M	8	9	9	8	8	11	11	11	12	10	9
		F	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*
		P	4	4	4	4	4	6	5	6	6	5	5
E914	Caused by electric current	M	3	4	4	4	4	4	5	5	5	4	4
		F	1	*1*	*1*	1	1	*1*	*1*	*1*	1	1	1
		P	2	2	3	3	2	2	3	3	3	3	3
E916	Caused by fire and explosion of combustible material	M	*9	15	*13	10	10	12	11	11	10	12	10
		F	16	19	19	16	19	19	19	17	17	18	17
		P	12	17	16	13	15	16	15	14	14	15	14
E917	Caused by hot substance, corrosive liquid, and steam	M	4	3	3	3	3	3	3	2	3	2	2
		F	3	3	3	2	3	3	3	2	3	3	2
		P	3	3	3	3	3	3	3	2	3	3	2
E921–E925	Accidental mechanical obstruction or suffocation	M	23	23	22	19	23	22	21	18	19	17	18
		F	14	14	13	13	13	12	13	11	10	11	11
		P	18	18	17	16	18	17	17	14	14	14	14
E921	Inhalation and ingestion of food causing obstr: or suffocation	M	11	11	11	10	12	12	12	11	10	10	10
		F	8	7	7	7	8	7	8	7	6	7	8
		P	9	9	9	8	10	10	10	9	8	8	9
E924	Acc. mechanical suffocation in bed and cradle	M	9	8	7	6	6	6	5	4	5	4	3
		F	5	6	4	4	4	3	4	3	3	3	2
		P	7	7	6	5	5	4	5	4	4	3	3
E929	Accidental drowning and submersion	M	36	36	34	34	30	35	30	32	32	33	31
		F	9	9	8	8	8	10	8	10	9	9	8
		P	22	22	20	21	19	22	18	21	20	21	19
E960–E965	Late effects of injury and poisoning	M	8	10	9	8	7	9	7	7	7	7	6
		F	1	1	1	1	1	1	1	2	1	1	1
		P	5	5	5	5	4	5	4	4	4	4	4
E970–E979	Suicide and self-inflicted injury	M	136	135	132	142	149	143	149	146	146	142	139
		F	70	72	68	76	81	84	90	92	91	89	87
		P	102	102	99	108	114	113	118	118	117	115	112

* E916. See footnote to this cause in Table 7.

TABLE 8—*continued*

ICD No.	Causes of death		1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
E970	Poisoning by analgesic and soporific substances	M	8	7	11	9	10	11	15	14	15	15	15
		F	11	10	13	11	14	15	17	17	19	19	21
		P	10	9	12	10	12	13	16	15	17	17	18
E971	Poisoning by other solid and liquid substances	M	5	5	5	5	4	4	5	4	3	3	3
		F	4	3	3	3	2	2	2	2	1	2	2
		P	4	4	4	4	3	3	4	3	2	3	2
E972	Poisoning by gases in domestic use	M	49	51	52	60	64	59	63	65	67	65	64
		F	33	38	34	41	47	47	51	52	51	50	46
		P	41	45	43	50	55	53	57	58	58	57	55
E974	Hanging and strangulation	M	27	25	25	25	29	27	26	26	22	20	19
		F	6	6	5	6	6	5	5	6	5	5	5
		P	16	15	15	15	17	16	15	15	14	12	12
E975	Submersion (drowning)	M	16	15	13	12	14	13	13	12	12	11	12
		F	10	10	8	9	8	9	9	9	9	8	8
		P	13	12	10	11	11	11	11	11	10	10	10
E976	Firearms and explosives	M	9	9	8	10	9	10	10	9	9	10	8
		F	*0*	*1*	*0*	*0*	*0*	*0*	*0*	*1*	*0*	*0*	*0*
		P	5	5	4	5	5	5	5	5	4	5	4
E977	Cutting and piercing instruments	M	9	8	7	9	8	8	6	6	6	5	5
		F	2	1	1	1	1	1	2	1	1	*1*	*1*
		P	5	4	4	5	4	4	4	4	4	3	3
E978	Jumping from high place	M	4	4	3	3	4	3	3	3	3	3	3
		F	2	2	2	2	2	2	2	2	2	2	2
		P	3	3	2	3	3	3	2	3	2	3	2
E979	Other and unspecified means	M	8	7	7	7	7	6	7	5	6	7	7
		F	2	2	1	1	2	2	1	2	2	1	2
		P	5	4	4	4	4	4	4	3	4	4	4
E980–E985	Homicide and injury purposely inflicted by other persons (not in war)	M	5	5	5	4	5	5	4	5	5	5	6
		F	5	4	4	4	5	4	4	5	4	6	5
		P	5	4	4	4	5	4	4	5	5	5	5
N800–N999	**NXVII ALTERNATIVE CLASSIFICATION OF ACCIDENTS, POISONINGS, AND VIOLENCE (NATURE OF INJURY)**	**M**	**562**	**591**	**568**	**582**	**593**	**605**	**604**	**594**	**614**	**615**	**612**
		F	**308**	**321**	**298**	**329**	**358**	**370**	**383**	**374**	**390**	**399**	**406**
		P	**431**	**451**	**428**	**450**	**471**	**483**	**490**	**480**	**498**	**503**	**505**
N800-N804	Fracture of skull	M	153	165	151	148	144	148	145	142	148	148	150
		F	42	42	37	37	38	39	42	39	41	43	48
		P	96	101	92	91	89	92	92	88	92	94	97
N805-N809	Fracture of spine and trunk	M	33	32	32	34	36	36	37	36	39	39	40
		F	11	11	12	13	16	17	18	17	19	20	23
		P	22	21	22	23	26	26	27	26	29	29	32
N810-N829	Fracture of limbs	M	40	46	38	45	56	53	58	56	54	53	52
		F	88	91	78	95	109	113	120	112	121	121	122
		P	65	69	59	71	84	84	90	85	88	88	88
N830-N839	Dislocation without fracture	M	1	2	2	2	2	3	2	2	2	2	2
		F	*0*	1	*1*	*1*	1	1	1	1	1	1	1
		P	1	2	1	1	1	2	1	2	2	1	1
N840-N848	Sprains and strains of joints and adjacent muscles	M	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*
		F	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*
		P	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*
N850-N856	Head injury (excluding skull fracture)	M	43	46	40	41	44	45	43	41	44	49	46
		F	17	18	16	16	19	19	19	19	17	21	21
		P	29	31	27	28	31	32	30	30	30	34	33
N860-N869	Internal injury of chest, abdomen and pelvis	M	35	40	45	40	42	44	43	43	49	53	52
		F	7	7	8	9	8	8	8	8	10	13	13
		P	20	23	26	24	24	25	25	25	29	32	32
N870-N908	Laceration and open wounds	M	19	17	22	24	20	21	18	18	20	18	17
		F	4	3	5	4	5	5	4	4	4	4	5
		P	11	10	13	13	12	13	11	11	12	11	11
N910-N929	Superficial injury, contusion and crushing with intact skin surface	M	2	2	2	2	2	3	3	2	2	2	2
		F	3	3	3	3	4	4	2	2	2	2	3
		P	2	3	2	3	3	3	2	2	2	2	2
N930-N936	Effects of foreign body entering through orifice	M	13	13	13	12	14	14	13	12	13	11	12
		F	9	9	8	8	9	8	9	8	7	8	8
		P	11	11	11	10	11	11	11	10	10	10	10
N940-N949	Burns	M	12	15	12	14	12	14	12	13	13	12	10
		F	19	21	22	17	21	21	20	17	19	19	17
		P	16	18	17	15	17	17	16	15	16	16	14
N960-N979	Effects of poisons	M	83	90	97	102	107	107	114	116	120	119	121
		F	67	73	71	79	89	94	102	103	105	107	107
		P	75	81	83	90	98	100	108	109	112	113	113
N950-N959, N980-N999	All other and unspecified effects of external causes	M	129	123	114	119	117	118	115	113	111	108	107
		F	41	41	38	48	40	42	38	44	43	40	38
		P	83	81	75	82	77	78	75	77	76	73	71

TABLE 9. Standardised Mortality Ratios (base years 1950-1952) by sex for certain causes of death, 1950 to 1960 } England and Wales

Note. 1 The S.M.R. shows the number of deaths registered in each of the years to which the table refers as a percentage of the numbers which would have been expected in those years had the sex/age mortality of a standard period (1950–1952) been experienced in those years. For years to 1957 inclusive causes of death were classified according to the sixth (1948) revision of the International Statistical Classification; from 1958 the seventh (1955) revision has been used, necessary adjustments being made for the standard period to make the figures comparable with those for other years.

2 Footnotes to Table 7 for individual causes apply also to this table.

3 See explanatory notes.

ICD No.	Causes of death		1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
	ALL CAUSES	**M**	**98**	**106**	**96**	**96**	**95**	**97**	**96**	**94**	**95**	**94**	**92**
		F	**101**	**106**	**93**	**94**	**91**	**93**	**92**	**88**	**90**	**89**	**87**
		P	**99**	**106**	**95**	**95**	**93**	**95**	**94**	**91**	**92**	**91**	**89**
001–138	Infective and parasitic diseases	M	114	103	83	73	64	56	48	44	40	36	33
		F	122	102	76	68	57	49	42	39	36	31	28
001–019	Tuberculosis, all forms	M	115	103	82	69	62	52	43	38	36	31	27
		F	125	103	72	61	52	41	33	28	26	21	19
001–008	Tuberculosis, respiratory	M	115	102	83	70	63	53	44	39	36	32	28
		F	127	102	72	61	52	41	32	27	26	21	19
010–019	Tuberculosis, other forms	M	113	106	80	60	52	42	31	30	29	21	18
		F	117	110	73	62	50	38	33	34	29	24	21
020–029	Syphilis and its sequelae	M	101	107	92	83	79	77	74	70	62	58	57
		F	103	98	99	84	87	80	82	73	82	69	66
053	Septicaemia and pyaemia	M	135	96	69	105	86	58	88	58	68	57	69
		F	121	74	106	86	109	64	65	63	58	51	46
057	Meningococcal infections	M	97	98	105	112	94	72	74	63	47	63	29
		F	96	105	100	98	95	79	63	70	57	47	37
080, 081	Acute poliomyelitis, including late effects	M	175	50	74	87	35	68	32	69	34	22	13
		F	182	53	65	72	27	60	33	50	40	19	8
082, 083	Acute infectious encephalitis, including late effects	M	119	98	83	107	83	82	87	71	76	73	70
		F	105	107	88	89	79	68	68	58	60	56	70
092	Infectious hepatitis	M	111	99	90	97	83	88	87	89	81	87	101
		F	104	90	106	116	107	111	108	119	92	98	112
140–239	Neoplasms	M	98	101	101	102	103	104	104	105	105	106	107
		F	102	99	99	97	98	97	97	96	97	96	96
140–205	Malignant neoplasms including neoplasms of lymphatic and haematopoietic tissues	M	98	101	101	102	103	104	105	106	106	107	108
		F	101	99	99	98	98	98	97	96	97	97	97
140–148	Buccal cavity and pharynx	M	103	102	95	90	95	89	76	77	77	75	66
		F	100	100	101	87	97	97	96	97	94	87	92
150–159	Digestive organs and peritoneum	M	101	101	99	96	94	92	90	90	88	87	85
		F	103	99	98	95	94	93	90	88	88	88	86
150	Oesophagus	M	101	100	98	88	85	88	88	82	81	85	79
		F	101	101	99	99	104	106	104	103	104	99	102
151	Stomach	M	99	101	99	98	95	95	91	93	92	91	88
		F	102	101	97	93	92	90	89	84	85	83	81
153	Large intestine, except rectum	M	102	101	97	97	93	89	86	84	81	79	78
		F	105	97	98	95	92	91	89	86	85	85	82
154	Rectum	M	104	102	95	90	91	86	84	82	82	79	77
		F	106	99	96	96	96	91	90	84	91	93	86
157	Pancreas	M	96	100	105	104	105	108	107	108	113	117	115
		F	101	94	105	99	100	105	98	107	107	111	111
160–165	Respiratory system	M	93	101	106	112	119	124	129	133	136	143	146
		F	97	99	104	102	105	108	111	113	115	118	125
162, 163	Lung, bronchus and trachea	M	92	101	107	114	122	128	133	138	142	149	153
		F	96	99	105	104	107	111	115	118	121	124	132
170–181	Breast and genito-urinary organs	M	99	100	101	102	104	105	109	106	108	106	108
		F	101	99	100	98	98	99	99	98	100	98	99
170	Breast	M	105	102	94	128	125	119	105	105	109	92	92
		F	100	99	101	99	100	100	100	99	101	97	100
171	Cervix uteri	F	104	100	97	94	90	92	91	89	96	90	90
172	Corpus uteri	F	99	99	102	98	95	91	92	93	90	91	92
175	Ovary, Fallopian tube, and broad ligament	F	101	101	98	100	101	106	106	107	106	107	107

TABLE 9—*continued*

ICD No.	Causes of death		1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
177	Prostate	M	102	100	98	103	107	105	111	107	111	109	110
180	Kidney	M	98	98	104	106	108	112	110	109	117	107	106
		F	88	102	110	103	104	95	103	95	109	98	109
181	Bladder and other urinary organs	M	94	101	105	101	101	106	108	108	105	104	109
		F	105	98	97	103	107	106	105	104	101	110	106
190–199	Other and unspecified sites	M	99	99	102	98	101	104	108	104	103	99	102
		F	103	96	101	106	108	105	114	115	107	108	104
190	Malignant melanoma of skin	M	87	105	107	123	133	150	150	130	112	143	147
		F	89	92	119	111	122	139	117	157	130	138	139
193	Brain and other parts of nervous system	M	91	99	111	107	109	117	114	114	136	131	136
		F	102	96	102	114	120	117	125	126	149	153	146
194	Thyroid gland	M	81	105	114	99	107	101	119	93	95	102	103
		F	97	102	101	101	101	100	100	95	87	98	94
196	Bone, including jaw bone	M	105	104	91	90	81	78	86	77	77	71	72
		F	102	98	100	91	95	79	89	83	86	75	71
200–205	Neoplasms of lymphatic and haematopoietic tissues	M	92	100	108	109	112	114	116	123	121	124	133
		F	91	104	104	109	115	117	123	125	126	135	138
201	Hodgkin's disease	M	91	104	106	106	107	106	108	124	100	114	106
		F	94	103	103	106	105	104	112	104	113	118	125
204	Leukaemia and aleukaemia	M	97	96	107	108	110	117	116	122	121	121	134
		F	93	104	103	109	110	107	115	115	113	125	124
210–229	Benign neoplasm	M	102	105	93	98	87	87	80	85	82	81	90
		F	113	94	94	89	95	89	85	85	76	79	81
230–239	Neoplasm of unspecified nature	M	102	107	92	97	94	84	86	80	43	43	49
		F	114	102	85	89	85	84	85	80	37	49	51
240–289	Allergic endocrine system, metabolic and nutritional diseases	M	100	109	91	86	83	82	79	71	71	65	67
		F	103	107	90	86	82	84	82	78	79	75	80
240–245	Allergic disorders	M	100	114	86	83	75	74	67	59	50	43	41
		F	101	117	83	90	81	76	81	71	74	60	58
250–254	Diseases of thyroid gland	M	103	106	91	91	85	81	84	74	80	93	80
		F	108	104	89	68	79	81	74	72	71	74	76
252	Thyrotoxicosis, with or without goitre	M	90	120	90	95	75	72	71	82	55	75	54
		F	111	104	85	67	72	67	62	64	57	59	61
260	Diabetes mellitus	M	104	104	92	89	87	89	90	81	92	87	93
		F	105	104	92	86	78	86	82	80	80	77	85
270–277	Diseases of other endocrine glands	M	96	108	96	95	93	79	85	76	91	65	79
		F	89	109	102	94	97	75	70	74	62	66	70
290–299	Diseases of the blood and blood forming organs	M	98	103	99	90	95	92	81	84	85	86	87
		F	107	101	92	82	88	85	86	82	80	79	74
290	Pernicious and other hyperchromic anaemias	M	111	103	86	75	73	73	67	66	62	57	62
		F	112	103	85	74	79	76	77	72	66	65	57
300–326	Mental, psychoneurotic and personality disorders	M	97	106	97	84	92	87	74	67	66	70	76
		F	106	107	87	90	89	87	92	83	66	74	72
330–398	Diseases of the nervous system and sense organs	M	97	102	101	99	102	104	102	99	101	99	98
		F	99	101	100	96	99	101	99	96	99	96	96
330–334	Vascular lesions affecting central nervous system	M	96	103	102	99	104	105	104	100	102	100	99
		F	98	101	101	97	100	101	100	97	99	96	96
340–345	Inflammatory diseases of central nervous system	M	106	103	91	94	94	101	92	103	92	90	92
		F	99	109	92	102	93	99	101	99	100	97	98
345	Multiple sclerosis	M	98	107	94	84	94	102	92	90	95	98	99
		F	93	113	94	103	97	100	97	98	105	107	103
350–357	Other diseases of central nervous system	M	106	99	95	89	83	95	89	87	86	88	86
		F	107	102	92	91	85	93	87	85	86	88	85
350	Paralysis agitans	M	95	107	99	96	87	112	96	96	96	101	95
		F	97	105	99	93	89	100	95	87	89	96	93
353	Epilepsy	M	101	101	98	87	72	86	82	79	75	72	68
		F	104	102	95	97	81	86	79	73	78	64	70
356	Motor neurone disease and muscular atrophy	M	101	97	102	96	97	92	92	96	90	92	91
		F	109	93	98	104	105	103	93	102	105	117	100
390–398	Diseases of ear and mastoid process	M	112	100	87	90	70	68	60	49	40	54	36
		F	114	105	81	77	75	68	55	47	39	38	41

TABLE 9—*continued*

ICD No.	Causes of death		1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
400–468	Diseases of circulatory system	M	98	104	97	95	97	98	99	95	98	94	96
		F	102	105	93	92	90	92	91	86	89	85	86
400–402	Rheumatic fever	M	137	87	76	74	78	53	52	39	35	31	30
		F	133	91	77	69	61	47	43	39	25	25	25
410–416	Chronic rheumatic heart disease	M	108	104	88	84	78	74	75	72	62	59	58
		F	109	105	86	83	82	79	76	75	70	65	65
420–422	Arteriosclerotic and degenerative heart disease	M	98	104	98	95	97	99	99	95	100	96	99
		F	102	105	93	91	89	90	88	82	86	82	83
420	Arteriosclerotic heart disease, including coronary disease	M	94	101	105	104	112	116	121	122	129	128	137
		F	96	100	103	103	108	115	119	119	129	130	138
421	Chronic endocarditis not specified as rheumatic	M	106	91	104	99	113	105	104	112	105	93	103
		F	103	85	112	105	112	102	100	116	107	105	107
422	Other myocardial degeneration	M	102	108	90	84	80	79	75	65	65	57	53
		F	104	109	88	85	79	78	74	64	66	60	57
430–434	Other diseases of heart	M	85	110	106	115	128	131	133	145	143	137	144
		F	90	107	103	109	110	117	124	131	144	141	145
440–443	Hypertension with mention of heart disease	M	108	118	74	75	79	80	79	74	69	61	61
		F	109	116	75	76	79	85	83	79	78	73	70
444–447	Hypertension without mention of heart	M	77	76	147	149	143	140	131	121	121	112	105
		F	76	74	147	147	148	147	136	125	122	111	104
450–456	Diseases of arteries	M	99	105	96	95	95	96	95	88	99	95	97
		F	100	105	95	95	93	100	96	90	97	98	101
460–468	Diseases of veins and other diseases of circulatory system	M	103	101	96	103	115	124	133	134	129	152	164
		F	105	95	100	108	113	121	135	130	139	147	160
470–527	Diseases of the respiratory system	M	88	126	87	100	83	94	95	98	96	104	88
		F	88	135	77	96	71	81	83	80	79	91	71
480–483	Influenza	M	55	220	26	85	25	42	36	99	34	107	15
		F	55	223	23	91	23	37	33	74	27	90	12
490–493, 763	Pneumonia (including newborn)	M	89	114	97	105	90	102	107	109	110	121	107
		F	92	115	93	104	90	104	110	107	112	123	113
490	Lobar pneumonia	M	99	106	96	95	81	86	84	79	73	73	66
		F	102	108	90	94	89	88	85	78	77	79	75
491	Bronchopneumonia	M	86	117	97	109	93	109	115	120	125	141	122
		F	90	118	92	107	90	109	118	115	124	136	124
500–502	Bronchitis	M	91	118	91	99	86	96	98	92	98	96	89
		F	95	124	81	91	68	76	77	61	68	65	54
510–527	Other diseases of respiratory system	M	98	106	96	98	103	108	101	100	96	90	88
		F	96	113	91	93	96	99	102	85	88	86	84
530–587	Diseases of the digestive system	M	100	102	98	93	94	93	88	84	83	77	78
		F	102	101	97	95	96	96	94	90	88	89	91
540–545	Diseases of stomach and duodenum	M	96	106	99	92	96	94	88	81	78	70	71
		F	97	103	100	98	106	109	107	97	97	96	98
540	Ulcer of stomach	M	100	103	96	88	90	89	85	77	74	66	67
		F	97	103	100	96	97	101	103	97	94	94	95
541	Ulcer of duodenum	M	91	108	102	96	102	100	93	88	83	74	75
		F	93	106	101	106	128	131	127	111	115	111	117
550–553	Appendicitis	M	110	101	88	81	80	70	75	71	65	60	51
		F	113	99	89	70	82	69	63	57	61	50	49
560–561	Hernia of abdominal cavity	M	101	100	99	91	90	98	90	88	81	80	78
		F	102	102	96	92	88	86	92	84	76	85	76
570–578	Other diseases of intestines and peritoneum	M	108	99	93	93	87	88	82	82	84	81	85
		F	103	100	97	96	90	93	91	92	91	92	99
580–587	Diseases of liver, gallbladder and pancreas	M	96	97	106	105	105	104	100	100	105	100	105
		F	102	101	97	101	101	102	95	94	89	93	93
581	Cirrhosis of liver	M	94	101	105	105	101	98	97	103	99	94	103
		F	94	106	100	104	109	110	107	106	104	113	112
584	Cholelithiasis	M	106	92	102	101	114	115	113	99	111	109	92
		F	107	99	95	100	95	96	89	88	79	80	75
585	Cholecystitis without mention of calculi	M	101	92	107	115	106	102	103	97	99	90	82
		F	104	100	96	91	94	88	82	76	74	70	73
587	Diseases of pancreas	M	88	94	118	96	112	126	109	111	133	129	142
		F	100	99	101	114	114	133	121	121	118	127	129

TABLE 9—*continued*

ICD No.	Causes of death		1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
590–637	Diseases of the genito-urinary system	M	105	101	94	89	90	84	82	76	72	70	68
		F	108	101	91	86	85	83	80	76	74	73	73
590–594	Nephritis and nephrosis	M	106	101	92	86	83	76	79	69	66	58	60
		F	109	102	89	80	76	70	64	58	57	51	49
600–609	Other diseases of urinary system	M	99	103	97	103	106	103	102	106	100	107	112
		F	104	99	97	102	114	126	129	134	135	148	155
610–617	Diseases of male genital organs	M	105	101	94	88	90	84	78	73	71	70	64
610	Hyperplasia of prostate	M	105	101	95	90	92	86	80	74	73	71	65
640–689	Deliveries and complications of pregnancy, childbirth and the puerperium	F	110	101	89	96	87	80	74	67	66	59	63
690–716	Diseases of the skin and cellular tissue	M	105	105	90	101	83	67	65	68	71	59	57
		F	95	104	101	100	89	87	78	65	73	72	73
720–749	Diseases of the bones and organs of movement	M	98	103	100	107	113	111	112	103	108	107	113
		F	99	106	95	96	111	127	114	111	116	117	115
720–727	Arthritis and rheumatism except rheumatic fever	M	104	109	88	104	123	116	120	104	118	117	126
		F	101	103	96	98	111	131	114	110	117	116	118
722	Rheumatoid arthritis and allied conditions	M	98	111	91	108	129	123	117	102	123	122	137
		F	102	102	95	96	115	134	118	111	118	116	120
723	Osteo-arthritis (arthrosis and allied conditions)	M	112	103	85	103	131	125	141	121	116	124	132
		F	95	107	97	102	104	134	117	112	124	124	114
730–738	Osteomyelitis and other diseases of bone and joint	M	95	101	104	109	97	99	92	91	79	82	83
		F	88	116	96	87	112	111	115	112	116	120	111
750–759	Congenital malformations	M	103	99	99	96	103	107	107	112	111	106	111
		F	100	99	100	98	104	104	104	113	110	113	112
E800–E999	Accidents, poisonings and violence	M	98	103	99	101	103	105	105	103	106	106	105
		F	101	104	96	104	112	115	118	113	117	119	120
E810–E835	Motor vehicle accidents	M	98	105	97	103	105	111	113	111	121	131	140
		F	101	107	92	97	109	117	119	111	126	143	165
E890–E895	Accidental poisoning by gases and vapours	M	88	108	104	135	136	156	148	150	173	173	184
		F	90	106	103	109	129	155	144	145	162	168	167
E900–E904	Accidental falls	M	93	108	99	104	122	115	120	111	112	116	104
		F	103	105	92	106	118	118	120	111	115	115	113
E910–E936	Other accidents	M	97	104	99	97	89	98	90	89	92	86	83
		F	96	104	100	106	100	98	98	92	92	91	86
E970–E979	Suicide and self-inflicted injury	M	102	100	98	106	110	105	109	107	106	104	101
		F	101	103	97	108	115	119	126	129	127	124	121

TABLE 10. Death rates per 100,000 population at all ages and at ages over one year and infant mortality rates (deaths under 1 year per 1,000 live births) from certain causes, by sex, in each year 1956 to 1960 — **England and Wales**

Age	Males					Females				
	1956	1957	1958	1959	1960	1956	1957	1958	1959	1960
All causes										
All ages	**1,245**	**1,231**	**1,245**	**1,233**	**1,220**	**1,095**	**1,068**	**1,097**	**1,097**	**1,085**
1–4 years	98	104	99	100	95	83	90	77	81	78
5–14 ,,	43	46	44	43	45	30	32	27	31	30
15–24 ,,	93	103	95	103	103	45	49	45	44	40
25–44 ,,	185	186	181	179	179	140	141	132	130	125
45–64 ,,	1,349	1,371	1,351	1,350	1,337	755	759	745	734	723
65–74 ,,	5,424	5,400	5,425	5,362	5,246	3,182	3,092	3,088	3,053	2,947
75 and over	14,313	13,353	13,993	13,786	13,496	11,014	10,206	10,735	10,641	10,446
Infant mortality	26·76	25·76	25·29	24·51	24·52	20·34	20·31	19·60	19·78	18·92
All diseases (ICD Nos. 001-795)										
All ages	**1,185**	**1,171**	**1,183**	**1,172**	**1,158**	**1,056**	**1,031**	**1,058**	**1,057**	**1,045**
1–4 years	74	81	75	75	71	65	72	61	64	64
5–14 ,,	27	30	26	26	27	23	26	21	23	22
15–24 ,,	42	48	39	40	37	36	41	34	33	28
25–44 ,,	142	142	134	135	133	128	128	119	117	111
45–64 ,,	1,279	1,302	1,282	1,282	1,268	723	727	713	701	688
65–74 ,,	5,298	5,280	5,312	5,236	5,139	3,105	3,015	3,009	2,975	2,869
75 and over	13,981	13,041	13,666	13,468	13,190	10,690	9,907	10,418	10,325	10,138
Infant mortality	25·84	25·00	24·49	23·79	23·85	19·67	19·65	19·00	19·19	18·41
Tuberculosis, all forms (ICD Nos. 001-019)										
All ages	**18**	**16**	**15**	**13**	**11**	**6·8**	**5·9**	**5·4**	**4·4**	**3·9**
1–4 years	1·9	*1·3*	*1·1*	1·5	*0·56*	*1·5*	2·4	*1·2*	*1·1*	0·51
5–14 ,,	0·57	0·56	*0·51*	*0·25*	*0·08*	*0·36*	*0·44*	*0·41*	*0·35*	0·24
15–24 ,,	1·5	1·4	1·6	*0·62*	*0·40*	2·8	1·5	1·3	0·73	0·54
25–44 ,,	10	8·3	7·1	5·9	4·4	8·9	8·0	5·9	4·4	3·8
45–64 ,,	34	30	28	23	21	7·9	6·4	7·2	5·8	5·1
65–74 ,,	66	63	60	55	52	13	12	12	10	9·5
75 and over	50	46	45	51	45	15	12	13	12	12
Infant mortality	*0·03*	*0·02*	*0·02*	*0·02*	*0·01*	*0·01*	*0·01*	*0·02*	*0·02*	*0·02*
All malignant neoplasms (ICD Nos. 140-205)										
All ages	**227**	**231**	**233**	**237**	**239**	**189**	**189**	**193**	**193**	**194**
1–4 years	12	11	12	11	10	11	7·7	8·9	9·4	10
5–14 ,,	7·5	6·4	8·0	6·7	8·0	6·1	4·7	5·2	6·3	5·9
15–24 ,,	10	11	9·0	9·8	9·9	7·1	5·7	7·2	6·9	6·2
25–44 ,,	37	36	36	37	37	45	44	46	46	45
45–64 ,,	361	367	366	372	376	260	261	263	260	261
65–74 ,,	1,110	1,123	1,150	1,162	1,166	625	611	624	611	620
75 and over	1,709	1,720	1,730	1,751	1,762	1,085	1,075	1,085	1,091	1,077
Infant mortality	0·07	0·05	0·09	0·06	0·07	*0·05*	0·10	0·08	0·07	0·07
Malignant neoplasm of stomach (ICD No. 151)										
All ages	**36**	**37**	**36**	**36**	**36**	**27**	**26**	**26**	**26**	**26**
1–4 years	—	—	—	—	—	—	—	—	—	—
5–14 ,,	—	—	—	—	*0·03*	—	—	—	—	—
15–24 ,,	*0·11*	*0·11*	*0·18*	*0·10*	*0·20*	*0·22*	*0·11*	*0·07*	*0·14*	*0·07*
25–44 ,,	4·3	4·1	4·0	3·9	3·8	2·8	2·7	2·7	2·4	2·4
45–64 ,,	54	56	55	54	54	25	24	24	23	23
65–74 ,,	190	188	193	193	185	100	97	100	95	95
75 and over	290	306	294	295	285	217	202	210	212	202
Infant mortality	—	—	—	—	—	—	—	—	—	—
Malignant neoplasm of trachea, bronchus and lung (ICD Nos. 162, 163)										
All ages	**72**	**76**	**78**	**83**	**86**	**11**	**11**	**12**	**12**	**13**
1–4 years	—	*0·07*	*0·07*	—	—	*0·08*	—	*0·08*	*0·08*	—
5–14 ,,	*0·03*	*0·03*	*0·03*	*0·06*	—	*0·06*	—	—	*0·06*	*0·03*
15–24 ,,	*0·22*	*0·44*	*0·25*	*0·35*	*0·20*	*0·22*	*0·14*	*0·18*	*0·21*	*0·10*
25–44 ,,	9·8	9·5	9·6	10	9·5	2·5	2·4	3·0	2·9	3·1
45–64 ,,	162	166	166	174	176	19	20	20	21	22
65–74 ,,	346	364	392	417	432	39	39	40	41	46
75 and over	232	248	274	297	333	44	45	46	45	50
Infant mortality	—	—	—	—	—	—	—	—	—	—
Malignant neoplasm of breast (ICD No. 170)										
All ages	**0·32**	**0·32**	**0·34**	**0·28**	**0·29**	**37**	**37**	**38**	**37**	**38**
1–4 years	—	—	—	—	—	—	—	—	—	—
5–14 ,,	—	—	—	—	—	—	—	—	—	—
15–24 ,,	—	—	—	—	—	*0·14*	*0·18*	*0·07*	*0·07*	*0·20*
25–44 ,,	*0·06*	*0·02*	*0·08*	*0·02*	*0·03*	12	12	13	12	12
45–64 ,,	0·54	0·50	0·44	0·43	*0·32*	63	64	65	64	66
65–74 ,,	1·6	1·7	*1·4*	*1·3*	1·6	106	102	109	105	105
75 and over	*2·1*	*2·7*	3·7	*2·8*	2·9	166	163	165	153	161
Infant mortality	—	—	—	—	—	—	*0·00*	—	—	—

TABLE 10—*continued*

Age	Males					Females				
	1956	1957	1958	1959	1960	1956	1957	1958	1959	1960
Malignant neoplasm of uterus (ICD Nos. 171-174)										
All ages						**17**	**17**	**18**	**17**	**17**
1–4 years						—	—	—	*0·15*	—
5–14 ,,						—	—	*0·03*	*0·06*	*0·03*
15–24 ,,						*0·25*	*0·18*	*0·07*	*0·28*	*0·17*
25–44 ,,						6·1	6·7	7·0	7·0	7·4
45–64 ,,						30	28	31	28	29
65–74 ,,						53	51	51	51	50
75 and over						58	64	63	65	65
Infant mortality						—	—	*0·00*	—	—
Leukaemia and aleukaemia (ICD No. 204)										
All ages	**5·7**	**6·0**	**6·0**	**6·0**	**6·7**	**4·7**	**4·7**	**4·6**	**5·2**	**5·1**
1–4 years	5·7	5·5	5·1	5·5	4·9	4·5	4·2	3·9	4·5	4·6
5–14 ,,	2·9	2·8	3·5	3·4	3·6	2·9	2·1	2·0	3·0	2·4
15–24 ,,	2·9	2·7	2·2	2·4	2·5	1·9	1·2	1·1	1·9	1·6
25–44 ,,	2·8	2·7	2·9	3·1	3·3	2·1	2·5	2·1	2·4	2·0
45–64 ,,	6·8	7·4	7·6	6·9	7·6	5·5	5·6	5·2	6·0	6·0
65–74 ,,	18	19	19	19	23	12	12	12	13	14
75 and over	28	31	25	30	35	14	16	19	18	19
Infant mortality	*0·01*	*0·01*	*0·03*	*0·02*	*0·03*	*0·02*	*0·03*	*0·03*	*0·02*	*0·02*
Diabetes mellitus (ICD No. 260)										
All ages	**5·1**	**4·7**	**5·3**	**5·0**	**5·4**	**9·2**	**9·1**	**9·3**	**8·9**	**10**
1–4 years	*0·37*	*0·22*	*0·44*	*0·07*	*0·14*	*0·16*	*0·31*	*0·31*	*0·15*	*0·51*
5–14 ,,	*0·20*	*0·20*	*0·08*	*0·11*	*0·17*	*0·21*	*0·32*	*0·21*	*0·35*	*0·21*
15–24 ,,	*0·44*	*0·44*	*0·39*	*0·41*	*0·37*	*0·40*	0·72	*0·32*	*0·31*	*0·44*
25–44 ,,	1·3	0·96	1·3	1·3	1·2	0·79	0·75	0·90	0·54	1·0
45–64 ,,	4·8	4·5	4·9	4·8	5·3	7·2	7·3	7·0	6·9	7·0
65–74 ,,	27	23	26	25	27	40	39	39	37	39
75 and over	56	55	63	56	61	74	68	72	69	81
Infant mortality	*0·01*	*0·00*	*0·01*	*0·00*	*0·01*	*0·00*	—	*0·01*	*0·01*	*0·00*
Vascular lesions of central nervous system (ICD Nos. 330-334)										
All ages	**144**	**141**	**144**	**141**	**140**	**188**	**185**	**192**	**188**	**191**
1–4 years	*0·15*	*0·37*	*0·29*	*0·65*	*0·69*	*0·31*	*0·47*	*0·39*	*0·38*	*0·51*
5–14 ,,	0·74	0·62	*0·31*	*0·48*	0·65	0·71	*0·47*	*0·50*	*0·50*	*0·44*
15–24 ,,	2·0	1·5	1·7	1·3	1·3	1·4	1·3	1·1	1·1	1·3
25–44 ,,	7·6	7·4	8·0	7·4	7·9	8·1	7·6	7·9	8·0	8·3
45–64 ,,	109	108	106	108	109	105	105	101	97	96
65–74 ,,	707	693	698	667	671	613	600	599	567	559
75 and over	2,254	2,152	2,242	2,215	2,146	2,136	2,042	2,153	2,115	2,127
Infant mortality	*0·05*	*0·04*	*0·04*	*0·03*	*0·04*	*0·03*	*0·02*	*0·01*	*0·02*	*0·03*
Arteriosclerotic heart disease (ICD No. 420)										
All ages	**221**	**223**	**240**	**238**	**56**	**122**	**124**	**137**	**139**	**150**
1–4 years	*0·07*	—	—	—	—	*0·16*	—	—	—	*0·07*
5–14 ,,	—	—	*0·03*	—	*0·03*	*0·03*	*0·03*	—	—	—
15–24 ,,	*0·44*	*0·29*	*0·39*	*0·28*	*0·27*	*0·11*	*0·04*	*0·04*	*0·14*	*0·14*
25–44 ,,	22	22	24	25	28	3·0	2·8	3·2	3·4	3·4
45–64 ,,	317	325	346	346	367	80	81	88	88	92
65–74 ,,	1,174	1,167	1,233	1,236	1,307	517	524	549	554	578
75 and over	1,967	1,933	2,134	2,083	2,274	1,140	1,122	1,263	1,277	1,374
Infant mortality	*0·00*	—	*0·00*	*0·01*	—	—	*0·00*	—	—	—
All cardiovascular diseases (ICD Nos. 401-468)										
All ages	**456**	**442**	**459**	**440**	**454**	**412**	**398**	**418**	**406**	**415**
1–4 years	*1·0*	*0·74*	*0·88*	*0·72*	*0·56*	*0·55*	*0·62*	*0·62*	*0·45*	*1·0*
5–14 ,,	1·5	1·1	0·98	0·73	1·2	1·2	1·1	*0·50*	0·80	0·89
15–24 ,,	6·2	5·5	4·4	4·8	4·1	5·6	5·3	3·6	3·8	2·7
25–44 ,,	41	41	41	42	44	23	23	21	20	20
45–64 ,,	460	467	478	473	494	196	195	195	189	191
65–74 ,,	2,106	2,065	2,108	2,016	2,067	1,235	1,187	1,197	1,159	1,155
75 and over	6,309	5,781	6,149	5,754	5,853	5,029	4,663	4,968	4,755	4,800
Infant mortality	*0·04*	*0·02*	0·06	*0·03*	0·05	*0·03*	*0·03*	0·06	*0·05*	*0·04*
All diseases of respiratory system (ICD Nos. 470-527)										
All ages	**168**	**175**	**170**	**186**	**158**	**106**	**103**	**102**	**118**	**93**
1–4 years	21	24	23	23	23	18	23	18	20	17
5–14 ,,	3·3	6·9	3·6	4·4	4·0	3·5	8·2	3·7	4·1	2·5
15–24 ,,	4·0	9·3	5·3	5·8	4·2	3·1	9·0	3·4	5·3	2·5
25–44 ,,	12	16	13	14	11	8·8	13	8·2	11	6·3
45–64 ,,	182	204	183	192	155	52	62	55	59	44
65–74 ,,	812	860	831	904	745	281	288	265	315	222
75 and over	1,934	1,778	1,918	2,181	1,902	1,223	1,018	1,095	1,265	1,030
Infant mortality	3·17	2·88	2·82	2·95	3·05	2·31	2·41	2·42	2·45	2·43

TABLE 10—*continued*

Age	Males					Females				
	1956	1957	1958	1959	1960	1956	1957	1958	1959	1960
Influenza (ICD Nos. 480-483)										
All ages	**5·9**	**16**	**5·6**	**18**	**2·5**	**5·8**	**14**	**5·1**	**17**	**2·3**
1–4 years	*0·60*	4·0	*1·0*	1·5	*0·76*	*0·86*	2·8	*0·69*	*1·3*	*0·59*
5–14 ,,	*0·23*	3·0	*0·28*	0·85	*0·11*	*0·24*	4·2	*0·29*	0·97	*0·18*
15–24 ,,	*0·37*	4·6	*0·64*	1·9	*0·47*	*0·25*	5·3	*0·60*	1·6	*0·17*
25–44 ,,	0·81	4·0	1·4	2·7	0·78	0·46	4·4	1·0	2·4	0·39
45–64 ,,	6·0	23	7·2	18	2·9	3·3	12	3·5	9·6	1·5
65–74 ,,	24	73	23	85	9·3	14	39	14	49	6·1
75 and over	78	106	52	203	24	71	85	47	170	21
Infant mortality	0·07	0·11	*0·04*	0·10	*0·03*	*0·02*	0·10	*0·05*	0·09	*0·03*
Pneumonia (ICD Nos. 490-493, 763)										
All ages	**54**	**56**	**57**	**62**	**56**	**50**	**49**	**52**	**58**	**54**
1–4 years	13	14	16	15	15	12	15	12	13	12
5–14 ,,	1·7	2·6	1·7	2·0	2·6	2·0	2·7	2·1	2·1	1·7
15–24 ,,	2·3	3·3	2·7	2·6	2·4	1·5	2·6	1·4	2·5	1·5
25–44 ,,	4·5	5·0	4·6	5·3	4·4	3·8	4·5	3·4	4·6	3·1
45–64 ,,	37	42	38	43	32	19	23	21	21	19
65–74 ,,	198	216	207	229	191	117	118	118	134	109
75 and over	758	716	796	898	831	585	521	586	654	621
Infant mortality	3·82	3·35	3·42	3·32	3·46	2·72	2·65	**2·77**	2·60	2·65
Bronchitis (ICD Nos. 500-502)										
All ages	**92**	**88**	**93**	**92**	**86**	**43**	**35**	**39**	**38**	**32**
1–4 years	5·8	3·9	4·0	4·0	4·4	3·1	3·4	3·2	3·2	2·8
5–14 ,,	*0·54*	*0·48*	0·73	0·62	0·56	*0·45*	0·65	*0·53*	*0·35*	*0·33*
15–24 ,,	*0·55*	*0·40*	0·93	*0·52*	*0·47*	*0·40*	*0·50*	*0·64*	*0·45*	*0·24*
25–44 ,,	3·4	3·8	4·0	3·3	3·5	2·2	2·1	2·1	1·9	1·5
45–64 ,,	113	111	112	107	99	23	21	23	21	18
65–74 ,,	503	484	518	513	466	134	115	117	116	92
75 and over	973	846	951	962	916	494	358	407	388	328
Infant mortality	0·54	0·45	0·54	0·57	0·52	0·35	0·35	0·40	0·47	0·40
Ulcer of stomach and duodenum (ICD Nos. 540-541)										
All ages	**18**	**16**	**16**	**14**	**14**	**6·8**	**6·3**	**6·3**	**6·3**	**6·5**
1–4 years	—	—	—	*0·07*	*0·07*	—	*0·08*	—	—	*0·07*
5–14 ,,	*0·03*	*0·06*	*0·08*	*0·06*	—	*0·03*	*0·03*	*0·03*	*0·03*	*0·03*
15–24 ,,	*0·29*	*0·44*	*0·28*	*0·28*	*0·20*	—	*0·18*	*0·07*	*0·10*	*0·10*
25–44 ,,	3·2	2·5	2·2	2·2	2·3	0·71	0·65	0·89	0·54	0·57
45–64 ,,	24	22	20	19	17	5·0	4·5	4·5	4·7	4·2
65–74 ,,	87	82	78	67	71	23	22	21	18	19
75 and over	163	155	158	143	149	66	60	59	62	66
Infant mortality	*0·01*	*0·01*	*0·02*	*0·01*	*0·00*	*0·01*	*0·00*	*0·01*	*0·01*	*0·01*
Appendicitis (ICD Nos. 550-553)										
All ages	**2·4**	**2·3**	**2·1**	**2·0**	**1·7**	**1·4**	**1·3**	**1·4**	**1·2**	**1·1**
1–4 years	*1·0*	*1·0*	1·7	*0·93*	*0·76*	*0·86*	*0·55*	*0·62*	*1·2*	*0·81*
5–14 ,,	1·2	0·85	0·73	0·96	0·90	*0·57*	*0·47*	*0·53*	*0·53*	*0·47*
15–24 ,,	*0·59*	0·87	*0·61*	0·76	*0·57*	0·36	*0·36*	*0·43*	*0·14*	*0·37*
25–44 ,,	1·1	0·94	0·77	0·83	0·50	0·35	0·40	*0·39*	*0·24*	0·34
45–64 ,,	3·1	2·9	2·6	2·1	2·2	1·4	1·3	1·3	0·95	0·91
65–74 ,,	8·0	9·0	8·0	7·4	4·8	4·4	3·8	3·6	3·5	2·8
75 and over	16	13	14	13	12	8·6	7·3	9·2	7·0	7·7
Infant mortality	*0·01*	*0·00*	*0·01*	*0·01*	*0·01*	—	*0·00*	*0·01*	*0·01*	—
Nephritis and nephrosis (ICD Nos. 590-594)										
All ages	**12**	**10**	**9·9**	**8·8**	**9·1**	**9·2**	**8·4**	**8·2**	**7·5**	**7·2**
1–4 years	*1·3*	*0·74*	*0·44*	*0·50*	*0·76*	*0·47*	*0·70*	*0·39*	*0·45*	*0·73*
5–14 ,,	1·5	1·3	0·93	0·82	1·2	1·1	0·77	0·74	0·91	0·80
15–24 ,,	3·7	4·0	2·7	2·9	2·9	2·8	2·6	2·4	1·7	1·8
25–44 ,,	6·0	5·8	5·1	4·6	5·0	3·8	3·5	3·5	3·0	2·6
45–64 ,,	15	13	14	12	12	9·6	9·0	7·6	7·6	8·1
65–74 ,,	41	34	32	30	28	28	24	25	23	19
75 and over	98	80	77	63	69	55	49	53	44	44
Infant mortality	*0·03*	*0·02*	*0·03*	*0·04*	*0·02*	*0·02*	*0·02*	*0·01*	*0·01*	*0·02*
All violent causes (ICD Nos. E800-E999)										
All ages	**60**	**59**	**61**	**61**	**61**	**38**	**37**	**39**	**40**	**41**
1–4 years	25	23	24	25	23	18	17	16	17	14
5–14 ,,	16	16	18	17	18	7·1	6·4	6·8	7·4	7·9
15–24 ,,	51	55	56	64	67	8·4	8·9	10	12	12
25–44 ,,	44	44	48	44	40	12	12	13	13	15
45–64 ,,	70	68	70	68	69	33	32	32	33	35
65–74 ,,	126	120	113	126	107	76	76	79	78	78
75 and over	332	313	327	318	306	324	299	317	316	308
Infant mortality	0·92	0·76	0·80	0·72	0·67	0·67	0·66	0·60	0·58	0·51

TABLE 10—*continued*

Age	Males					Females				
	1956	1957	1958	1959	1960	1956	1957	1958	1959	1960
Motor vehicle traffic accidents (ICD Nos. E810-E825)										
All ages	**17**	**17**	**18**	**20**	**21**	**5·5**	**5·2**	**6·0**	**6·8**	**7·9**
1–4 years	10	7·6	8·0	9·1	7·6	6·3	5·3	5·2	6·5	4·9
5–14 ,,	7·3	7·1	8·1	6·9	8·2	3·2	3·0	3·2	3·2	4·1
15–24 ,,	29	31	34	42	44	4·1	4·4	4·9	6·3	7·0
25–44 ,,	15	14	15	15	17	2·6	2·3	2·6	3·0	3·7
45–64 ,,	15	14	16	17	19	4·9	4·7	5·3	6·3	7·9
65–74 ,,	26	26	27	32	30	13	12	14	15	17
75 and over	59	60	63	62	67	23	22	25	29	31
Infant mortality	*0·01*	*0·01*	*0·01*	*0·02*	*0·01*	*0·01*	*0·01*	*0·01*	*0·01*	*0·01*
Accidents in the home and residential institutions (ICD Nos. E870·0 and 7—E936·0 and 7)										
All ages	**12**	**11**	**12**	**12**	**11**	**19**	**18**	**19**	**19**	**19**
1–4 years	6·6	8·4	9·0	8·3	8·3	9·3	8·0	7·6	7·3	6·1
5–14 ,,	1·4	1·4	1·6	1·8	1·6	1·8	1·3	1·7	1·6	1·8
15–24 ,,	2·1	1·7	1·8	1·8	2·4	0·94	0·97	1·0	1·1	1·3
25–44 ,,	2·6	2·9	2·8	2·5	3·6	1·8	1·6	1·6	1·8	1·9
45–64 ,,	6·3	6·6	7·2	7·3	7·7	6·4	6·5	6·5	6·6	8·0
65–74 ,,	29	29	27	28	23	33	33	34	36	33
75 and over	173	153	166	162	154	249	230	239	234	229
Infant mortality	0·79	0·63	0·69	0·60	0·56	0·58	0·53	0·49	0·45	0·42
Suicide and self-inflicted injury (ICD Nos. E970-E979)										
All ages	**15**	**15**	**15**	**14**	**14**	**9·0**	**9·2**	**9·1**	**8·9**	**8·7**
1–4 years	—	—	—	—	—	—	—	—	—	—
5–14 ,,	*0·09*	*0·08*	*0·08*	*0·08*	*0·11*	*0·06*	*0·03*	—	*0·03*	*0·09*
15–24 ,,	4·5	4·3	4·6	4·1	5·7	1·9	2·1	2·3	2·3	2·6
25–44 ,,	11	11	13	12	13	6·0	6·4	6·7	7·0	7·1
45–64 ,,	27	27	27	25	25	18	18	17	17	16
65–74 ,,	43	40	37	42	33	22	23	21	19	19
75 and over	49	47	46	41	38	14	14	16	14	12
Infant mortality	—	—	—	—	—	—	—	—	—	—

TABLE 11. Deaths of infants under 1 year from certain causes, 1950 to 1960 — England and Wales

See explanatory notes.

ICD No.	Causes of death	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
	ALL CAUSES	**20,817**	**20,223**	**18,555**	**18,324**	**17,160**	**16,613**	**16,554**	**16,720**	**16,685**	**16,629**	**17,118**
010	Tuberculosis of meninges and central nervous system	52	56	38	16	10	11	5	3	3	4	3
001-008, 011-019	Other tuberculosis	74	43	30	47	26	17	8	10	9	11	7
020	Congenital syphilis	31	19	20	8	2	—	3	—	3	2	—
056	Whooping cough	277	273	111	167	95	60	63	68	18	16	26
057	Meningococcal infections	103	104	115	123	105	77	71	76	72	62	47
080, 081	Acute poliomyelitis	48	6	12	6	4	6	5	4	—	1	—
085	Measles	70	98	37	57	14	38	4	20	15	23	6
Rem. of 001-138	Other infective and parasitic diseases	83	77	77	99	85	56	71	59	71	73	78
140-205	Malignant neoplasms (including neoplasm of lymphatic and haematopoietic tissues)	51	56	60	50	49	46	43	55	61	51	55
250-277	Diseases of the endocrine glands	43	58	53	56	53	47	47	40	45	37	32
295,296,771	Haemorrhagic conditions	198	239	190	207	233	222	234	192	256	225	214
330-334	Vascular lesions affecting central nervous system	31	17	20	17	14	18	26	24	17	22	30
340-343	Inflammatory diseases of central nervous system	203	171	141	180	142	149	149	166	175	131	140
390-398	Diseases of ear and mastoid process	146	114	68	100	73	68	61	43	36	49	41
480-483	Influenza	77	161	37	77	31	48	30	77	33	71	26
490-493,763	Pneumonia	3,276	3,469	3,009	2,940	2,390	2,315	2,301	2,178	2,298	2,222	2,408
500-502	Bronchitis	477	455	375	430	335	357	311	291	348	389	364
470-475, 510-527	Other respiratory diseases	119	114	91	95	99	94	90	86	103	92	89
543	Gastritis and duodenitis	17	16	21	14	6	6	2	1	3	1	1
571, 764	Gastro-enteritis	1,160	831	676	665	461	439	319	318	270	301	343
690-716	Diseases of the skin and subcutaneous tissue	51	43	46	34	21	23	21	20	17	8	10
751	Spina bifida and meningocele	571	626	671	629	759	758	758	733	737	666	654
752	Congenital hydrocephalus	354	288	336	294	342	342	351	342	351	414	451
754·0-754·5	Congenital malformations of heart	1,085	981	1,009	1,045	1,069	984	848	1,151	1,117	1,130	1,173
757	Congenital malformations of genito-urinary system	106	92	104	97	107	128	116	145	135	115	161
Rem. of 750-759	Other congenital malformations	920	877	946	869	889	881	1,142	977	1,049	1,073	1,110
760, 761	Injury at birth	1,782	1,912	1,830	1,797	1,818	1,786	1,845	1,830	1,805	1,851	1,825
762	Postnatal asphyxia and atelectasis	2,244	2,341	2,351	2,388	2,392	2,306	2,381	2,694	2,645	2,709	2,676
766-768	Pemphigus and sepsis of newborn	67	65	69	75	76	57	68	80	70	53	63
770	Haemolytic disease of newborn	502	505	435	408	461	363	349	371	377	360	372
774, 776	Immaturity	4,185	3,886	3,602	3,546	3,208	3,171	3,181	3,108	2,960	2,884	3,068
E900-E904	Accidental falls	13	14	16	9	8	14	11	17	13	23	19
E916, E917	Accident by fire or hot substance	19	18	23	14	23	17	10	9	13	20	19
E921, E922	Obstruction by inhalation or ingestion	306	281	263	219	251	238	249	200	200	186	186
E924, E925	Accidental mechanical suffocation	286	294	243	202	183	179	192	162	175	140	134
E926	Lack of care of newborn	92	104	96	83	56	61	44	60	55	53	32
Rem. of E800-E965	Other accidents	24	34	37	44	28	39	33	36	42	41	48
	All other causes	1,674	1,485	1,297	1,217	1,242	1,192	1,112	1,074	1,088	1,120	1,207

TABLE 12. Infant mortality rates (deaths under 1 year per 1,000 live births*) from certain causes, 1950 to 1960 — England and Wales

See explanatory notes.

ICD No.	Causes of death	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
	ALL CAUSES	**29·63**	**29·66**	**27·59**	**26·82**	**25·42**	**24·91**	**23·75**	**23·11**	**22·53**	**22·22**	**21·81**
010	Tuberculosis of meninges and central nervous system	0·06	0·08	0·06	*0·02*	*0·01*	*0·02*	*0·01*	*0·00*	*0·00*	*0·01*	*0·00*
001-008, 011-019	Other tuberculosis	0·11	0·06	0·04	0·07	0·04	*0·02*	*0·01*	*0·01*	*0·01*	*0·01*	*0·01*
020	Congenital syphilis	0·04	*0·03*	0·03	*0·01*	*0·00*	—	*0·00*	—	*0·00*	*0·00*	—
056	Whooping cough	0·38	0·40	0·17	0·24	0·14	0·09	0·09	0·09	*0·02*	*0·02*	0·03
057	Meningococcal infections	0·14	0·15	0·17	0·18	0·15	0·11	0·10	0·11	0·10	0·08	0·06
080, 081	Acute poliomyelitis	0·08	*0·01*	*0·02*	*0·01*	*0·00*	*0·01*	*0·01*	*0·01*	—	*0·00*	—
085	Measles	0·10	0·14	0·05	0·08	*0·02*	0·06	*0·00*	0·03	*0·02*	0·03	*0·01*
Rem. of 001-138	Other infective and parasitic diseases	0·11	0·11	0·11	0·14	0·12	0·08	0·10	0·08	0·10	0·10	0·10
140-205	Malignant neoplasms (including neoplasm of lymphatic and haematopoietic tissues)	0·07	0·08	0·09	0·07	0·07	0·07	0·06	0·08	0·08	0·07	0·07
250-277	Diseases of the endocrine glands	0·06	0·08	0·08	0·08	0·08	0·07	0·06	0·06	0·06	0·05	0·04
295,296,771	Haemorrhagic conditions	0·29	0·35	0·28	0·30	0·34	0·33	0·33	0·27	0·35	0·30	0·27
330-334	Vascular lesions affecting central nervous system	0·04	*0·02*	0·02	*0·02*	*0·02*	*0·02*	0·04	0·03	*0·02*	0·03	0·04
340-343	Inflammatory diseases of central nervous system	0·28	0·25	0·21	0·26	0·21	0·22	0·21	0·23	0·24	0·18	0·18
390-398	Diseases of ear and mastoid process	0·20	0·17	0·10	0·14	0·10	0·10	0·09	0·06	0·05	0·07	0·05
480-483	Influenza	0·11	0·24	0·05	0·11	0·04	0·07	0·04	0·11	0·04	0·09	0·03
490-493, 763	Pneumonia	4·63	5·09	4·48	4·31	3·53	3·47	3·31	3·01	3·10	2·97	3·07
500-502	Bronchitis	0·67	0·67	0·56	0·63	0·49	0·53	0·45	0·40	0·47	0·52	0·46
470-475, 510-527	Other respiratory diseases	0·17	0·17	0·13	0·14	0·14	0·14	0·13	0·12	0·14	0·12	0·11
543	Gastritis and duodenitis	*0·02*	*0·02*	0·03	*0·02*	*0·01*	*0·01*	*0·00*	*0·00*	*0·00*	*0·00*	*0·00*
571, 764	Gastro-enteritis	1·63	1·22	1·01	0·97	0·68	0·66	0·46	0·44	0·36	0·40	0·44
690-716	Diseases of the skin and subcutaneous tissue	0·07	0·06	0·07	0·05	0·03	0·03	0·03	0·03	*0·02*	*0·01*	*0·01*
751	Spina bifida and meningocele	0·81	0·92	1·00	0·92	1·12	1·13	1·09	1·01	0·99	0·89	0·83
752	Congenital hydrocephalus	0·50	0·42	0·50	0·43	0·50	0·51	0·50	0·47	0·47	0·55	0·57
754·0-754·5	Congenital malformations of heart	1·55	1·44	1·50	1·53	1·58	1·47	1·59	1·59	1·51	1·51	1·49
757	Congenital malformations of genito-urinary system	0·16	0·13	0·15	0·14	0·16	0·19	0·16	0·20	0·18	0·15	0·21
Rem. of 750-759	Other congenital malformations	1·31	1·29	1·41	1·27	1·32	1·32	1·26	1·35	1·42	1·43	1·41
760, 761	Injury at birth	2·55	2·82	2·72	2·62	2·70	2·68	2·64	2·53	2·44	2·47	2·32
762	Postnatal asphyxia and atelectasis	3·21	3·44	3·49	3·49	3·55	3·45	3·40	3·72	3·57	3·62	3·41
766-768	Pemphigus and sepsis of newborn	0·10	0·10	0·10	0·11	0·11	0·08	0·10	0·11	0·09	0·07	0·08
770	Haemolytic disease of newborn	0·71	0·74	0·65	0·59	0·68	0·54	0·50	0·51	0·51	0·48	0·47
774, 776	Immaturity	5·99	5·70	5·35	5·18	4·76	4·75	4·55	4·30	4·00	3·85	3·91
E900-E904	Accidental falls	*0·01*	*0·02*	*0·02*	*0·01*	*0·01*	*0·02*	*0·01*	*0·02*	*0·02*	0·03	*0·02*
E916, E917	Accident by fire or hot substance	*0·02*	*0·03*	0·03	*0·02*	0·03	*0·02*	*0·01*	*0·01*	*0·02*	0·03	*0·02*
E921, E922	Obstruction by inhalation or ingestion	0·44	0·41	0·39	0·32	0·37	0·36	0·36	0·28	0·27	0·25	0·24
E924, E925	Accidental mechanical suffocation	0·40	0·43	0·36	0·29	0·27	0·27	0·27	0·22	0·24	0·19	0·17
E926	Lack of care of newborn	0·12	0·15	0·14	0·12	0·08	0·09	0·06	0·08	0·07	0·07	0·04
Rem. of E800-E965	Other accidents	0·03	0·05	0·05	0·06	0·04	0·06	0·05	0·05	0·06	0·05	0·06
	All other causes	2·38	2·17	1·93	1·78	1·84	1·78	1·60	1·35	1·47	1·50	1·54

* Based on related live births prior to 1957.

TABLE 13. Home population, births, deaths, infant mortality and perinatal mortality, 1960 — **England and Wales, standard regions, Wales, conurbations, counties, boroughs, urban and rural districts**

Note. The perinatal mortality rate is the number of deaths under one week plus stillbirths per 1,000 total live and still births.

*See explanatory notes. For explanation of symbols *, †, ‡ used in this table see note 8.*

Area	Estimated home population as at 30th June 1960	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
ENGLAND AND WALES ..	**45,755,000**	**404,150**	**380,855**	**785,005**	**17·2**	**1·00**	**1·00**	**269,172**	**257,096**	**526,268**	**11·5**	**1·00**	**1·00**	**17,118**	**22**	**12,191**	**10,475**	**15,819**	**33**
Regions and conurbations:																			
Northern	**3,245,650**	**30,740**	**28,944**	**59,684**	**18·4**	**0·98**	**1·05**	**20,343**	**17,849**	**38,192**	**11·8**	**1·14**	**1·17**	**1,472**	**25**	**1,040**	**884**	**1,358**	**37**
Tyneside Conurbation ..	855,290	8,147	7,627	15,774	18·4	0·95	1·02	5,466	4,660	10,126	11·8	1·17	1·20	381	24	277	234	353	36
Remainder of Northern ..	2,390,360	22,593	21,317	43,910	18·4	0·99	1·06	14,877	13,189	28,066	11·7	1·14	1·16	1,091	25	763	650	1,005	37
East and West Ridings	**4,170,330**	**36,724**	**34,647**	**71,371**	**17·1**	**1·00**	**0·99**	**25,240**	**23,523**	**48,763**	**11·7**	**1·09**	**1·11**	**1,641**	**23**	**1,141**	**982**	**1,521**	**34**
West Yorkshire Conurbation	1,698,740	14,886	14,060	28,946	17·0	1·01	1·00	10,860	10,641	21,501	12·7	1·04	1·15	706	24	486	418	603	35
Remainder of East and West Ridings	2,471,590	21,838	20,587	42,425	17·2	1·00	1·00	14,380	12,882	27,262	11·0	1·12	1·07	935	22	655	564	918	34
North Western	**6,542,980**	**59,785**	**56,331**	**116,116**	**17·7**	**0·99**	**1·02**	**41,294**	**40,828**	**82,122**	**12·6**	**1·10**	**1·21**	**3,007**	**26**	**2,046**	**1,744**	**2,652**	**37**
South East Lancashire Conurbation	2,422,540	21,850	20,890	42,740	17·6	0·99	1·01	15,192	15,282	30,474	12·6	1·12	1·23	1,117	26	769	661	973	37
Merseyside Conurbation ..	1,386,990	14,852	13,468	28,320	20·4	0·96	1·14	8,068	7,720	15,788	11·4	1·20	1·19	774	27	491	421	631	36
Remainder of North Western	2,733,450	23,083	21,973	45,056	16·5	1·02	0·98	18,034	17,826	35,860	13·1	1·04	1·18	1,116	25	786	662	1,048	37
North Midland	**3,595,440**	**32,433**	**30,358**	**62,791**	**17·5**	**1·00**	**1·02**	**20,375**	**18,559**	**38,934**	**10·8**	**1·08**	**1·01**	**1,371**	**22**	**930**	**790**	**1,321**	**33**
Midland	**4,688,400**	**43,535**	**40,811**	**84,346**	**18·0**	**0·96**	**1·00**	**25,713**	**23,531**	**49,244**	**10·5**	**1·17**	**1·07**	**1,849**	**22**	**1,329**	**1,129**	**1,801**	**34**
West Midlands Conurbation	2,309,350	21,922	20,649	42,571	18·4	0·94	1·01	12,564	11,424	23,988	10·4	1·22	1·10	934	22	670	592	895	34
Remainder of Midland ..	2,379,050	21,613	20,162	41,775	17·6	0·98	1·00	13,149	12,107	25,256	10·6	1·12	1·03	915	22	659	537	906	34
Eastern	**3,654,590**	**33,436**	**31,439**	**64,875**	**17·8**	**0·98**	**1·01**	**19,417**	**18,754**	**38,171**	**10·4**	**1·01**	**0·91**	**1,205**	**19**	**865**	**756**	**1,185**	**29**
London and South Eastern ..	**11,071,990**	**91,109**	**86,133**	**177,242**	**16·0**	**0·97**	**0·90**	**62,496**	**63,442**	**125,938**	**11·4**	**0·98**	**0·97**	**3,466**	**20**	**2,552**	**2,221**	**3,078**	**29**
Greater London	8,209,970	68,301	64,898	133,199	16·2	0·95	0·89	44,633	44,122	88,755	10·8	1·03	0·97	2,654	20	1,973	1,718	2,311	30
Remainder of South Eastern	2,862,020	22,808	21,235	44,043	15·4	1·04	0·93	17,863	19,320	37,183	13·0	0·86	0·97	812	18	579	503	767	28
Southern	**2,784,600**	**25,616**	**24,012**	**49,628**	**17·8**	**1·01**	**1·05**	**15,566**	**14,882**	**30,448**	**10·9**	**0·99**	**0·94**	**935**	**19**	**672**	**582**	**818**	**28**
South Western	**3,371,600**	**28,087**	**26,718**	**54,805**	**16·3**	**1·05**	**1·00**	**21,012**	**20,729**	**41,741**	**12·4**	**0·91**	**0·98**	**1,055**	**19**	**791**	**684**	**1,019**	**31**
Wales (including Monmouthshire)	**2,629,420**	**22,685**	**21,462**	**44,147**	**16·8**	**1·01**	**0·99**	**17,716**	**14,999**	**32,715**	**12·4**	**1·07**	**1·15**	**1,117**	**25**	**825**	**703**	**1,066**	**39**
Wales I (South East) ..	1,887,200	16,413	15,707	32,120	17·0	0·99	0·98	12,700	10,237	22,937	12·2	1·12	1·19	871	27	636	535	770	40
Wales II (remainder) ..	742,220	6,272	5,755	12,027	16·2	1·08	1·02	5,016	4,762	9,778	13·2	0·94	1·08	246	20	189	168	296	38
Urban/Rural aggregates:																			
Conurbations	16,882,880	149,958	141,592	291,550	17·3	0·96	0·97	96,783	93,849	190,632	11·3	1·09	1·07	6,566	23	4,666	4,044	5,766	33
Areas outside conurbations:																			
Urban areas with populations of 100,000 and over	5,866,650	52,163	48,687	100,850	17·2	0·99	0·99	36,314	33,760	70,074	11·9	1·06	1·10	2,316	23	1,638	1,390	2,067	34
*Urban areas with populations of 50,000 and under 100,000 ..	3,514,780	30,500	28,946	59,446	16·9	1·00	0·98	21,032	20,844	41,876	11·9	1·00	1·03	1,277	21	898	766	1,206	33
*Urban areas with populations under 50,000	10,347,750	91,822	86,223	178,045	17·2	0·99	0·99	63,024	60,912	123,936	12·0	1·02	1·06	3,877	22	2,753	2,356	3,749	34
*Rural districts	9,142,940	79,707	75,407	155,114	17·0	1·04	1·03	52,019	47,731	99,750	10·9	1·01	0·96	3,082	20	2,236	1,919	3,031	31
ENGLAND (excluding Monmouthshire)																			
BEDFORDSHIRE	**360,130**	**3,868**	**3,573**	**7,441**	**20·7**	**0·99**	**1·19**	**1,856**	**1,697**	**3,553**	**9·9**	**1·09**	**0·94**	**144**	**19**	**104**	**86**	**147**	**31**
Municipal boroughs and urban districts	**243,720**	**2,674**	**2,492**	**5,166**	**21·2**	**0·97**	**1·20**	**1,212**	**1,194**	**2,406**	**9·9**	**1·14**	**0·98**	**94**	**18**	**67**	**57**	**107**	**31**
Ampthill	3,650	36	33	69	18·9	0·98	1·08	27	22	49	13·4	0·80	0·93	1	*14*	1	1	2	*42*
Bedford M.B.	61,190	676	674	1,350	22·1	0·96	1·23	290	328	618	10·1	1·02	0·90	23	17	15	14	27	30
Biggleswade	8,160	61	67	128	15·7	0·96	0·88	60	72	132	16·2	0·77	1·08	3	*23*	3	2	2	*31*
Dunstable M.B.	23,460	267	250	517	22·0	0·92	1·18	93	93	186	7·9	1·29	0·89	4	*8*	2	2	10	*23*
Kempston	9,310	66	90	156	16·8	1·04	1·02	42	54	96	10·3	1·11	0·99	7	*45*	6	5	2	*44*
Leighton Buzzard	11,100	156	120	276	24·9	0·93	1·35	49	49	98	8·8	1·16	0·89	6	*22*	2	2	6	*28*
Luton M.B.	122,880	1,382	1,224	2,606	21·2	0·97	1·20	621	549	1,170	9·5	1·24	1·02	49	19	38	31	55	32
Sandy	3,970	30	34	64	16·1	1·02	0·95	30	27	57	14·4	0·99	1·24	1	*16*	—	—	3	*45*
Rural districts	**116,410**	**1,194**	**1,081**	**2,275**	**19·5**	**1·05**	**1·19**	**644**	**503**	**1,147**	**9·9**	**0·99**	**0·85**	**50**	**22**	**37**	**29**	**40**	**30**
Ampthill	24,930	224	178	402	16·1	1·01	0·95	149	119	268	10·8	0·93	0·87	8	*20*	6	6	11	*41*
Bedford	33,690	293	295	588	17·5	1·19	1·21	167	133	300	8·9	0·94	0·73	14	*24*	10	7	7	*24*
Biggleswade	27,780	224	218	442	15·9	1·09	1·01	190	143	333	12·0	0·89	0·93	6	*14*	5	3	8	*24*
Luton	30,010	453	390	843	28·1	0·91	1·49	138	108	246	8·2	1·28	0·91	22	26	16	13	14	32
BERKSHIRE	**495,130**	**4,990**	**4,699**	**9,689**	**19·6**	**0·97**	**1·11**	**2,502**	**2,446**	**4,948**	**10·0**	**1·00**	**0·87**	**172**	**18**	**125**	**101**	**153**	**26**
Reading C.B.	118,110	1,099	982	2,081	17·6	1·01	1·03	680	626	1,306	11·1	0·95	0·92	42	20	29	26	34	28
Administrative county	**377,020**	**3,891**	**3,717**	**7,608**	**20·2**	**0·95**	**1·12**	**1,822**	**1,820**	**3,642**	**9·7**	**1·01**	**0·85**	**130**	**17**	**96**	**75**	**119**	**25**
Municipal boroughs and urban districts	**116,320**	**1,145**	**1,147**	**2,292**	**19·7**	**0·94**	**1·08**	**680**	**677**	**1,357**	**11·7**	**0·89**	**0·91**	**46**	**20**	**34**	**25**	**38**	**27**
Abingdon M.B.	13,910	138	132	270	19·4	0·91	1·03	67	56	123	8·8	1·24	0·95	3	*11*	2	2	3	*18*
Maidenhead M.B.	33,560	347	328	675	20·1	0·93	1·09	205	206	411	12·2	0·90	0·95	11	*16*	8	7	14	30
Newbury M.B.	20,570	227	194	421	20·5	0·99	1·18	118	125	243	11·8	0·86	0·88	8	*19*	5	4	1	*12*
New Windsor M.B.	27,190	242	290	532	19·6	0·90	1·03	141	126	267	9·8	1·08	0·92	15	*28*	11	7	10	*31*
Wallingford M.B.	4,380	38	35	73	16·7	0·94	0·91	40	41	81	18·5	0·40	0·64	1	*14*	1	—	3	*39*
Wantage	6,000	58	66	124	20·7	0·91	1·10	23	38	61	10·2	0·83	0·74	4	*32*	4	3	2	*40*
Wokingham M.B.	10,710	95	102	197	18·4	1·03	1·10	86	85	171	16·0	0·62	0·86	4	*20*	3	2	5	*35*

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1960	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
BERKSHIRE—*continued*																			
Rural districts	**260,700**	**2,746**	**2,570**	**5,316**	**20·4**	**0·96**	**1·14**	**1,142**	**1,143**	**2,285**	**8·8**	**1·08**	**0·83**	**84**	**16**	**62**	**50**	**81**	**24**
Abingdon	31,520	328	315	643	20·4	0·98	1·16	141	103	244	7·7	1·33	0·89	13	*20*	11	10	12	34
Bradfield	26,260	281	255	536	20·4	0·90	1·07	115	138	253	9·6	1·07	0·89	12	*22*	10	6	8	*26*
Cookham	16,200	172	177	349	21·5	0·98	1·22	75	67	142	8·8	1·10	0·84	2	*6*	1	1	5	*17*
Easthampstead	41,840	509	494	1,003	24·0	0·88	1·23	157	147	304	7·3	1·22	0·77	13	*13*	10	7	22	28
Faringdon	13,850	176	135	311	22·5	1·03	1·35	62	59	121	8·7	1·11	0·84	13	*42*	10	9	8	*53*
Hungerford	10,270	91	80	171	16·7	1·12	1·09	55	50	105	10·2	0·87	0·77	2	*12*	1	1	1	*12*
Newbury	20,500	210	178	388	18·9	0·99	1·09	100	108	208	10·1	0·97	0·85	4	*10*	1	1	5	*15*
Wallingford	18,180	173	167	340	18·7	1·06	1·15	86	99	185	10·2	0·75	0·67	10	*29*	7	7	1	*23*
Wantage	16,550	175	166	341	20·6	0·98	1·17	69	71	140	8·5	1·07	0·79	5	*15*	3	2	4	*17*
Windsor	15,520	137	128	265	17·1	0·90	0·89	86	109	195	12·6	0·78	0·85	1	*4*	1	1	2	*11*
Wokingham	50,010	494	475	969	19·4	0·99	1·12	196	192	388	7·8	1·18	0·80	9	*9*	7	5	13	*18*
BUCKINGHAMSHIRE	**469,210**	**4,597**	**4,235**	**8,832**	**18·8**	**0·96**	**1·05**	**2,363**	**2,197**	**4,560**	**9·7**	**1·10**	**0·93**	**173**	**20**	**137**	**125**	**112**	**26**
Municipal boroughs and urban districts	**228,830**	**2,285**	**2,143**	**4,428**	**19·4**	**0·94**	**1·06**	**1,193**	**1,037**	**2,230**	**9·7**	**1·18**	**1·00**	**92**	**21**	**72**	**66**	**64**	**29**
Aylesbury M.B.	24,410	255	220	475	19·5	0·87	0·99	124	105	229	9·4	1·15	0·94	11	*23*	9	9	7	*33*
Beaconsfield	9,870	83	81	164	16·6	0·96	0·93	54	59	113	11·4	1·11	1·10	4	*24*	2	2	3	*30*
Bletchley	16,680	172	179	351	21·0	0·89	1·09	67	59	126	7·6	1·48	0·98	5	*14*	5	5	8	*36*
Buckingham M.B.	4,190	43	41	84	20·0	1·06	1·23	23	15	38	9·1	0·98	0·78	—	—	—	—	2	*23*
Chesham	15,010	177	177	354	23·6	0·93	1·28	77	75	152	10·1	1·10	0·97	7	*20*	6	6	6	*33*
Eton	5,190	42	29	71	13·7	1·10	0·88	16	14	30	5·8	1·44	0·73	1	*14*	1	1	—	*14*
High Wycombe M.B.	46,330	488	481	969	20·9	0·95	1·15	245	214	459	9·9	1·19	1·02	20	21	18	15	16	31
Linslade	3,770	43	38	81	21·5	0·98	1·22	21	21	42	11·1	0·97	0·94	1	*12*	—	—	1	*12*
Marlow	8,160	87	90	177	21·7	0·94	1·19	55	43	98	12·0	1·06	1·11	3	*17*	3	1	1	*11*
Newport Pagnell	4,620	38	28	66	14·3	1·05	0·87	40	32	72	15·6	0·59	0·80	—	—	—	—	—	—
Slough M.B.	77,410	758	693	1,451	18·7	0·91	0·99	368	298	666	8·6	1·36	1·02	36	25	24	23	17	27
Wolverton	13,190	99	86	185	14·0	1·13	0·92	103	102	205	15·5	0·81	1·09	4	*22*	4	4	3	*37*
Rural districts	**240,380**	**2,312**	**2,092**	**4,404**	**18·3**	**0·98**	**1·04**	**1,170**	**1,160**	**2,330**	**9·7**	**1·04**	**0·88**	**81**	**18**	**65**	**59**	**48**	**24**
Amersham	53,460	542	511	1,053	19·7	0·96	1·10	241	256	497	9·3	1·04	0·84	12	*11*	9	8	10	*17*
Aylesbury	32,710	302	276	578	17·7	1·10	1·13	168	156	324	9·9	1·01	0·87	9	*16*	8	7	4	*19*
Buckingham	9,660	81	69	150	15·5	1·11	1·00	48	41	89	9·2	0·90	0·72	2	*13*	2	2	2	*26*
Eton	63,960	647	549	1,196	18·7	0·87	0·95	267	279	546	8·5	1·25	0·92	27	23	22	21	12	27
Newport Pagnell	14,660	115	113	228	15·6	1·16	1·05	90	86	176	12·0	0·81	0·85	6	*26*	5	5	3	*35*
Wing	8,900	77	74	151	17·0	1·07	1·06	41	63	104	11·7	1·00	1·02	2	*13*	2	2	2	*26*
Winslow	7,870	63	57	120	15·2	1·13	1·00	59	50	109	13·9	0·66	0·80	2	*17*	1	1	2	*25*
Wycombe	49,160	485	443	928	18·9	0·98	1·08	256	229	485	9·9	1·08	0·93	21	23	16	13	13	28
CAMBRIDGESHIRE	**186,260**	**1,579**	**1,575**	**3,154**	**16·9**	**1·06**	**1·04**	**977**	**983**	**1,960**	**10·5**	**0·95**	**0·87**	**52**	**16**	**35**	**32**	**45**	**24**
Cambridge M.B.	93,840	737	693	1,430	15·2	1·03	0·91	440	477	917	9·8	1·02	0·87	26	18	16	13	18	21
Rural districts	**92,420**	**842**	**882**	**1,724**	**18·7**	**1·08**	**1·17**	**537**	**506**	**1,043**	**11·3**	**0·89**	**0·87**	**26**	**15**	**19**	**19**	**27**	**26**
Chesterton	43,970	400	424	824	18·7	1·06	1·15	245	235	480	10·9	0·90	0·85	17	*21*	13	13	12	30
Newmarket	20,060	175	159	334	16·7	1·09	1·06	126	106	232	11·6	0·91	0·92	2	*6*	2	2	8	*29*
South Cambridgeshire	28,390	267	299	566	19·9	1·09	1·26	166	165	331	11·7	0·85	0·86	7	*12*	4	4	7	*19*
CHESHIRE	**1,348,840**	**12,025**	**11,493**	**23,518**	**17·4**	**1·00**	**1·01**	**7,927**	**7,986**	**15,913**	**11·8**	**1·07**	**1·10**	**531**	**23**	**370**	**311**	**484**	**33**
County boroughs	**449,260**	**4,176**	**3,911**	**8,087**	**18·0**	**0·99**	**1·04**	**2,730**	**2,755**	**5,485**	**12·2**	**1·08**	**1·15**	**222**	**27**	**147**	**118**	**183**	**36**
Birkenhead	144,280	1,425	1,255	2,680	18·6	0·97	1·05	850	795	1,645	11·4	1·14	1·13	65	24	38	34	66	36
Chester	60,090	573	514	1,087	18·1	0·94	0·99	322	326	648	10·8	1·10	1·03	31	29	21	18	21	35
Stockport	141,440	1,197	1,249	2,446	17·3	1·03	1·04	905	985	1,890	13·4	1·05	1·22	81	33	59	44	58	41
Wallasey	103,450	981	893	1,874	18·1	1·00	1·05	653	649	1,302	12·6	1·02	1·12	45	24	29	22	38	31
Administrative county	**899,580**	**7,849**	**7,582**	**15,431**	**17·2**	**1·01**	**1·01**	**5,197**	**5,231**	**10,428**	**11·6**	**1·07**	**1·08**	**309**	**20**	**223**	**193**	**301**	**31**
Municipal boroughs and urban districts	**692,980**	**6,198**	**5,898**	**12,096**	**17·5**	**1·00**	**1·02**	**4,028**	**4,060**	**8,088**	**11·7**	**1·08**	**1·10**	**250**	**21**	**182**	**159**	**219**	**31**
Alderley Edge	3,770	21	23	44	11·7	0·94	0·64	25	30	55	14·6	0·89	1·13	—	—	—	—	1	*22*
Alsager	7,760	60	59	119	15·3	0·86	0·76	31	27	58	7·5	1·41	0·92	2	*17*	—	—	6	*48*
Altrincham M.B.	41,180	359	356	715	17·4	1·03	1·04	255	250	505	12·3	1·08	1·15	17	*24*	13	13	10	32
Bebington M.B.	51,640	471	395	866	16·8	1·04	1·02	302	255	557	10·8	1·11	1·04	27	31	21	20	13	38
Bollington	5,500	48	37	85	15·5	1·08	0·97	39	37	76	13·8	0·98	1·18	4	*47*	3	3	1	*47*
Bowdon	4,200	22	32	54	12·9	0·90	0·68	23	35	58	13·8	0·82	0·98	3	*56*	1	1	—	*19*
Bredbury and Romiley	20,480	189	161	350	17·1	1·00	0·99	119	93	212	10·4	1·21	1·09	12	*34*	9	7	3	*28*
Cheadle and Gatley	41,870	508	441	949	22·7	0·99	1·31	206	215	421	10·1	1·16	1·02	16	*17*	12	11	16	28
Congleton M.B.	16,210	138	155	293	18·1	0·99	1·04	113	112	225	13·9	1·05	1·27	3	*10*	2	2	3	*17*
Crewe M.B.	51,320	443	450	893	17·4	1·00	1·01	281	259	540	10·5	1·14	1·04	19	*21*	16	11	27	41
Dukinfield M.B.	18,000	109	110	219	12·2	1·00	0·71	114	109	223	12·4	1·15	1·24	2	*9*	2	2	5	*31*
Ellesmere Port M.B.	40,920	523	453	976	23·9	0·93	1·29	188	144	332	8·1	1·56	1·10	19	*19*	14	12	26	38
Hale	13,380	82	103	185	13·8	1·07	0·86	89	89	178	13·3	0·88	1·02	2	*11*	2	2	2	*21*
Hazel Grove and Bramhall	28,520	277	278	555	19·5	0·98	1·11	134	147	281	9·9	1·23	1·06	6	*11*	5	5	9	*25*
Hoylake	30,900	232	251	483	15·6	1·04	0·94	191	225	416	13·5	0·87	1·02	9	*19*	6	6	15	42
Hyde M.B.	31,640	238	250	488	15·4	1·07	0·96	240	214	454	14·3	0·97	1·21	18	*37*	13	11	5	*32*
Knutsford	9,400	83	91	174	18·5	0·93	1·00	86	119	205	21·8	0·60	1·14	8	*46*	4	4	4	*45*
Longdendale	4,390	32	33	65	14·8	1·12	0·96	39	38	77	17·5	0·83	1·26	1	*15*	1	1	—	*15*
Lymm	7,140	67	72	139	19·5	0·95	1·08	43	50	93	13·0	1·03	1·16	4	*29*	1	1	4	*35*
Macclesfield M.B.	36,780	298	253	551	15·0	1·07	0·93	208	280	488	13·3	0·86	0·99	9	*16*	7	6	9	*27*
Marple	15,710	135	139	274	17·4	1·01	1·02	98	84	182	11·6	0·98	0·99	5	*18*	5	5	4	*32*
Middlewich	6,910	55	59	114	16·5	0·99	0·95	42	46	88	12·7	1·17	1·29	3	*26*	2	1	—	*9*
Nantwich	10,280	87	105	192	18·7	0·99	1·08	71	94	165	16·1	0·85	1·19	1	*5*	1	1	1	*10*
Neston	11,550	121	90	211	18·3	1·00	1·06	69	60	129	11·2	1·04	1·01	4	*19*	3	3	2	*23*
Northwich	19,280	137	130	267	13·8	1·01	0·81	134	123	257	13·3	1·04	1·20	10	*37*	3	2	6	*29*
Runcorn	26,350	241	224	465	17·6	0·96	0·98	123	113	236	9·0	1·30	1·02	10	*22*	6	4	10	*29*

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1960	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
CHESHIRE—*continued*																			
Municipal boroughs and urban districts—*continued*																			
Sale M.B.	50,030	459	432	891	17·8	1·01	1·05	248	281	529	10·6	1·13	1·04	15	*17*	13	11	12	25
Sandbach	9,960	73	65	138	13·9	1·00	0·81	68	49	117	11·7	1·08	1·10	4	*29*	2	2	3	*35*
Stalybridge M.B.	22,470	193	193	386	17·2	1·01	1·01	146	152	298	13·3	1·07	1·24	6	*16*	5	4	4	*21*
Wilmslow	21,220	199	182	381	18·0	0·89	0·93	98	120	218	10·3	1·08	0·97	5	*13*	5	4	7	*28*
Winsford	13,030	107	110	217	16·7	0·95	0·92	85	82	167	12·8	1·16	1·29	3	*14*	3	2	7	*40*
Wirral	21,190	191	166	357	16·8	1·00	0·98	120	128	248	11·7	1·07	1·09	3	*8*	2	2	4	*17*
Rural districts	**206,600**	**1,651**	**1,684**	**3,335**	**16·1**	**1·03**	**0·96**	**1,169**	**1,171**	**2,340**	**11·3**	**1·01**	**0·99**	**59**	**18**	**41**	**34**	**82**	**34**
Bucklow	14,770	152	134	286	19·4	0·96	1·08	82	61	143	9·7	1·28	1·08	5	*17*	4	3	7	*34*
Chester	28,250	225	216	441	15·6	1·17	1·06	159	218	377	13·3	0·80	0·93	7	*16*	5	4	5	*20*
Congleton	13,980	103	102	205	14·7	1·05	0·90	107	107	214	15·3	0·70	0·93	3	*15*	3	1	6	*33*
Disley	3,030	20	16	36	11·9	1·19	0·82	18	16	34	11·2	0·87	0·85	2	*56*	2	2	2	*105*
Macclesfield	21,640	173	165	338	15·6	1·04	0·94	122	123	245	11·3	0·99	0·97	11	*33*	7	7	5	*35*
Nantwich	28,790	224	226	450	15·6	1·06	0·96	167	144	311	10·8	1·03	0·97	5	*11*	3	2	11	*28*
Northwich	40,890	315	337	652	15·9	0·95	0·88	217	178	395	9·7	1·18	1·00	11	*17*	6	5	23	41
Runcorn	38,960	328	358	686	17·6	1·00	1·02	221	233	454	11·7	1·02	1·04	13	*19*	9	8	13	30
Tarvin	14,780	100	117	217	14·7	1·06	0·91	66	81	147	9·9	0·98	0·84	2	*9*	2	2	8	*44*
Tintwistle	1,510	11	13	24	15·9	1·04	0·96	10	10	20	13·2	0·91	1·05	—	—	—	—	2	*77*
CORNWALL	**338,930**	**2,567**	**2,408**	**4,975**	**14·7**	**1·07**	**0·91**	**2,319**	**2,313**	**4,632**	**13·7**	**0·85**	**1·01**	**88**	**18**	**66**	**56**	**99**	**31**
Municipal boroughs and urban districts	**187,460**	**1,378**	**1,350**	**2,728**	**14·6**	**1·06**	**0·90**	**1,332**	**1,418**	**2,750**	**14·7**	**0.82**	**1·05**	**54**	**20**	**41**	**36**	**61**	**35**
Bodmin M.B.	6,170	52	36	88	14·3	1·37	1·14	67	98	165	26·7	0·35	0·81	4	*45*	2	2	2	*44*
Bude-Stratton	5,230	39	30	69	13·2	1·11	0·85	37	53	90	17·2	0·72	1·08	2	*29*	1	1	1	*29*
Camborne-Redruth	35,160	294	288	582	16·6	1·00	0·97	219	242	461	13·1	0·92	1·05	9	*15*	8	7	10	*29*
Falmouth M.B.	16,630	111	118	229	13·8	1·08	0·87	123	108	231	13·9	0·87	1·05	10	*44*	8	7	4	*47*
Fowey M.B.	2,300	18	15	33	14·3	1·06	0·88	14	22	36	15·7	0·86	1·17	2	*61*	1	—	—	—
Helston M.B.	6,840	97	98	195	28·5	0·92	1·52	52	57	109	15·9	0·75	1·04	3	*15*	—	—	5	*25*
Launceston M.B.	4,670	31	32	63	13·5	1·06	0·83	38	35	73	15·6	0·59	0·80	1	*16*	1	1	1	*31*
Liskeard M.B.	4,280	27	32	59	13·8	1·10	0·88	48	45	93	21·7	0·47	0·89	1	*17*	1	1	1	*33*
Looe	3,810	25	23	48	12·6	1·15	0·84	32	24	56	14·7	0·76	0·97	—	—	—	—	1	*20*
Lostwithiel M.B.	1,980	8	16	24	12·1	1·08	0·76	19	10	29	14·6	0·71	0·90	—	—	—	—	1	*40*
Newquay	10,370	78	68	146	14·1	1·04	0·85	80	87	167	16·1	0·75	1·05	1	*7*	1	1	4	*33*
Padstow	2,950	25	17	42	14·2	0·97	0·80	21	17	38	12·9	0·84	0·94	—	—	—	—	2	*45*
Penryn M.B.	4,330	34	30	64	14·8	0·95	0·82	28	18	46	10·6	1·14	1·05	2	*31*	1	1	2	*45*
Penzance M.B.	19,490	128	126	254	13·0	1·08	0·82	123	150	273	14·0	0·85	1·03	1	*4*	1	1	4	*19*
St. Austell	23,980	187	183	370	15·4	1·09	0·98	164	175	339	14·1	0·82	1·01	6	*16*	4	3	13	*42*
St. Ives M.B.	8,420	47	49	96	11·4	1·07	0·71	87	74	161	19·1	0·71	1·18	2	*21*	2	2	2	*41*
St. Just	3,900	21	22	43	11·0	1·13	0·72	32	49	81	20·8	0·87	1·57	2	*47*	2	2	1	*68*
Saltash M.B.	7,400	45	44	89	12·0	1·03	0·72	50	47	97	13·1	0·85	0·97	2	*22*	2	2	2	*44*
Torpoint	5,980	26	35	61	10·2	1·12	0·66	32	22	54	9·0	1·39	1·09	2	*33*	2	2	2	*63*
Truro M.B.	13,570	85	88	173	12·7	0·99	0·73	66	85	151	11·1	0·92	0·89	4	*23*	4	3	3	*34*
Rural districts	**151,470**	**1,189**	**1,058**	**2,247**	**14·8**	**1·09**	**0·94**	**987**	**895**	**1,882**	**12·4**	**0·91**	**0·98**	**34**	**15**	**25**	**20**	**38**	**25**
Camelford	7,180	40	41	81	11·3	1·13	0·74	51	45	96	13·4	0·90	1·05	1	*12*	—	—	1	*12*
Kerrier	22,050	182	149	331	15·0	1·06	0·92	119	113	232	10·5	0·99	0·90	3	*9*	2	2	4	*18*
Launceston	6,420	62	49	111	17·3	1·12	1·13	50	25	75	11·7	0·88	0·90	—	—	—	—	2	*18*
Liskeard	13,810	96	100	196	14·2	1·13	0·93	81	93	174	12·6	0·85	0·93	1	*5*	1	1	2	*15*
St. Austell	21,530	170	149	319	14·8	1·05	0·90	128	105	233	10·8	0·99	0·93	11	*34*	9	7	9	*49*
St. Germans	15,390	104	91	195	12·7	1·17	0·86	116	78	194	12·6	0·90	0·99	5	*26*	3	3	1	*20*
Scilly, Isles of	1,820	11	15	26	14·3	0·94	0·78	13	13	26	14·3	1·09	1·36	1	*38*	1	1	—	*38*
Stratton	5,370	32	35	67	12·5	1·30	0·94	28	29	57	10·6	1·08	1·00	—	—	—	—	1	*15*
Truro	26,550	214	198	412	15·5	1·12	1·01	192	180	372	14·0	0·81	0·99	4	*9*	3	3	9	*28*
Wadebridge	14,070	140	114	254	18·1	0·94	0·99	85	93	178	12·7	0·85	0·94	4	*16*	2	—	5	*19*
West Penwith	17,280	138	117	255	14·8	1·05	0·90	124	121	245	14·2	0·89	1·10	4	*16*	4	3	4	*27*
CUMBERLAND	**289,140**	**2,760**	**2,527**	**5,287**	**18·3**	**1·00**	**1·06**	**1,818**	**1,721**	**3,539**	**12·2**	**1·08**	**1·15**	**124**	**23**	**95**	**79**	**145**	**41**
Carlisle C.B.	69,980	706	656	1,362	19·5	0·95	1·08	451	459	910	13·0	1·11	1·25	33	24	25	19	34	38
Administrative county	**219,160**	**2,054**	**1,871**	**3,925**	**17·9**	**1·02**	**1·06**	**1,367**	**1,262**	**2,629**	**12·0**	**1·08**	**1·13**	**91**	**23**	**70**	**60**	**111**	**42**
Municipal boroughs and urban districts	**89,130**	**868**	**778**	**1,646**	**18·5**	**0·98**	**1·05**	**564**	**511**	**1,075**	**12·1**	**1·11**	**1·17**	**49**	**30**	**36**	**31**	**48**	**47**
Cockermouth	5,560	48	50	98	17·6	1·01	1·03	37	41	78	14·0	1·00	1·22	4	*41*	3	3	3	*59*
Keswick	4,600	28	32	60	13·0	1·00	0·76	34	31	65	14·1	0·86	1·05	1	*17*	1	1	2	*48*
Maryport	12,540	106	100	206	16·4	0·95	0·91	67	69	136	10·8	1·16	1·09	4	*19*	3	3	6	*42*
Penrith	10,630	100	101	201	18·9	1·01	1·11	65	73	138	13·0	0·90	1·02	1	*5*	—	—	6	*29*
Whitehaven M.B.	26,450	294	270	564	21·3	0·96	1·19	142	141	283	10·7	1·17	1·09	19	*34*	13	10	19	50
Workington M.B.	29,350	292	225	517	17·6	0·97	0·99	219	156	375	12·8	1·18	1·31	20	39	16	14	12	49
Rural districts	**130,030**	**1,186**	**1,093**	**2,279**	**17·5**	**1·04**	**1·06**	**803**	**751**	**1,554**	**12·0**	**1·06**	**1·11**	**42**	**18**	**34**	**29**	**63**	**39**
Alston with Garrigill ..	2,250	16	12	28	12·4	1·09	0·79	14	16	30	13·3	0·94	1·09	—	—	—	—	2	*67*
Border	29,650	276	256	532	17·9	1·15	1·20	201	184	385	13·0	0·96	1·09	12	*23*	9	7	15	40
Cockermouth	20,040	163	147	310	15·5	0·99	0·89	129	116	245	12·2	1·08	1·15	4	*13*	3	2	9	*34*
Ennerdale	29,640	323	278	601	20·3	1·01	1·20	190	158	348	11·7	1·21	1·23	16	*27*	14	13	15	45
Millom	14,420	125	145	270	18·7	1·04	1·13	62	68	130	9·0	1·11	0·87	2	*7*	2	2	6	*29*
Penrith	11,510	108	84	192	16·7	1·03	1·00	73	56	129	11·2	1·00	0·97	6	*31*	5	4	2	*31*
Wigton	22,520	175	171	346	15·4	1·02	0·91	134	153	287	12·7	1·02	1·13	2	*6*	1	1	14	*42*

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1960	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
DERBYSHIRE	**870,740**	**7,406**	**6,962**	**14,368**	**16·5**	**0·99**	**0·95**	**5,195**	**4,406**	**9,601**	**11·0**	**1·13**	**1·08**	**301**	**21**	**208**	**173**	**332**	**34**
Derby C.B.	129,430	1,066	1,023	2,089	16·1	1·00	0·94	911	813	1,724	13·3	1·02	1·18	59	28	42	31	48	37
Administrative county	**741,310**	**6,340**	**5,939**	**12,279**	**16·6**	**0·98**	**0·95**	**4,284**	**3,593**	**7,877**	**10·6**	**1·14**	**1·05**	**242**	**20**	**166**	**142**	**284**	**34**
Municipal boroughs and urban districts	**368,660**	**2,978**	**2,770**	**5,748**	**15·6**	**0·99**	**0·90**	**2,248**	**1,946**	**4,194**	**11·4**	**1·10**	**1·09**	**116**	**20**	**76**	**68**	**124**	**33**
Alfreton	23,460	182	170	352	15·0	0·97	0·85	147	95	242	10·3	1·18	1·06	7	*20*	5	5	12	*47*
Ashbourne	5,540	34	38	72	13·0	1·03	0·78	39	30	69	12·5	0·94	1·02	1	*14*	1	1	1	*27*
Bakewell	3,620	12	19	31	8·6	1·05	0·52	34	38	72	19·9	0·51	0·88	—	—	—	—	1	*31*
Belper	15,840	110	97	207	13·1	0·99	0·75	103	110	213	13·4	0·83	0·97	3	*14*	2	2	4	*28*
Bolsover	11,730	122	103	225	19·2	1·00	1·12	64	37	101	8·6	1·31	0·98	10	*44*	6	6	3	*39*
Buxton M.B.	19,270	178	189	367	19·0	1·04	1·15	121	140	261	13·5	0·93	1·09	6	*16*	4	2	3	*14*
Chesterfield M.B.	67,830	552	472	1,024	15·1	0·96	0·84	475	370	845	12·5	1·03	1·12	20	20	15	13	25	36
Clay Cross	10,050	73	66	139	13·8	0·93	0·75	59	46	105	10·4	1·24	1·12	5	*36*	3	3	3	*42*
Dronfield	11,010	121	120	241	21·9	0·87	1·11	52	44	96	8·7	1·36	1·03	10	*41*	5	5	3	*33*
Glossop M.B.	17,340	151	130	281	16·2	1·03	0·97	122	134	256	14·8	0·89	1·15	3	*11*	1	1	5	*21*
Heanor	24,070	191	174	365	15·2	0·98	0·87	119	116	235	9·8	1·24	1·06	5	*14*	4	3	6	*24*
Ilkeston M.B.	35,050	279	270	549	15·7	0·99	0·90	178	158	336	9·6	1·29	1·08	7	*13*	3	3	10	*23*
Long Eaton	31,480	281	254	535	17·0	0·99	0·98	170	142	312	9·9	1·15	0·99	8	*15*	5	4	17	*58*
Matlock	18,620	143	128	271	14·6	1·02	0·87	117	102	219	11·8	0·99	1·02	6	*22*	6	6	2	*29*
New Mills	8,440	73	53	126	14·9	1·06	0·92	54	60	114	13·5	0·99	1·16	1	*8*	—	—	2	*16*
Ripley	17,900	122	120	242	13·5	1·00	0·78	119	87	206	11·5	1·15	1·15	6	*25*	4	3	8	*44*
Staveley	17,480	142	162	304	17·4	0·98	0·99	101	62	163	9·3	1·34	1·08	6	*20*	4	3	6	*29*
Swadlincote	19,670	142	140	282	14·3	0·99	0·82	114	116	230	11·7	1·17	1·19	5	*18*	4	4	7	*38*
Whaley Bridge	5,250	31	34	65	12·4	1·03	0·74	21	29	50	9·5	1·04	0·86	4	*62*	3	3	2	*75*
Wirksworth	5,010	39	31	70	14·0	1·03	0·84	39	30	69	13·8	1·03	1·24	3	*43*	1	1	4	*68*
Rural districts	**372,650**	**3,362**	**3,169**	**6,531**	**17·5**	**0·98**	**1·00**	**2,036**	**1,647**	**3,683**	**9·9**	**1·19**	**1·02**	**126**	**19**	**90**	**74**	**160**	**35**
Ashbourne	11,680	91	94	185	15·8	1·11	1·02	65	57	122	10·4	1·09	0·99	3	*16*	1	1	2	*16*
Bakewell	18,660	129	125	254	13·6	1·10	0·87	129	101	230	12·3	0·91	0·97	1	*4*	1	—	9	*34*
Belper	30,570	249	237	486	15·9	1·05	0·97	169	154	323	10·6	1·02	0·94	14	*29*	11	10	11	42
Blackwell	43,720	409	347	756	17·3	0·97	0·98	279	183	462	10·6	1·26	1·16	19	*25*	12	9	23	41
Chapel en le Frith	18,410	122	131	253	13·7	1·12	0·89	112	108	220	12·0	0·98	1·02	5	*20*	5	4	4	*31*
Chesterfield	96,740	87	834	1,707	17·6	0·93	0·95	521	349	870	9·0	1·38	1·08	37	22	25	23	46	39
Clowne	19,420	164	154	318	16·4	1·01	0·96	103	90	193	9·9	1·18	1·01	11	*35*	8	8	9	*52*
Repton	38,900	351	331	682	17·5	1·00	1·02	218	182	400	10·3	1·03	0·92	12	*18*	8	6	12	*26*
South East Derbyshire ..	94,550	974	916	1,890	20·0	0·93	1·08	440	423	863	9·1	1·27	1·00	24	13	19	13	44	29
DEVON	**820,560**	**6,207**	**5,871**	**12,078**	**14·7**	**1·09**	**0·93**	**5,665**	**5,651**	**11,316**	**13·8**	**0·84**	**1·01**	**236**	**20**	**181**	**162**	**231**	**32**
County boroughs	**293,920**	**2,481**	**2,373**	**4,854**	**16·5**	**1·02**	**0·98**	**1,848**	**1,744**	**3,592**	**12·2**	**1·02**	**1·08**	**103**	**21**	**78**	**67**	**88**	**31**
Exeter	77,450	601	559	1,160	15·0	1·01	0·88	480	521	1,001	12·9	0·85	0·95	17	*15*	13	12	22	29
Plymouth	216,470	1,880	1,814	3,694	17·1	1·01	1·00	1,368	1,223	2,591	12·0	1·08	1·13	86	23	65	55	66	32
Administrative county	**526,640**	**3,726**	**3,498**	**7,224**	**13·7**	**1·13**	**0·90**	**3,817**	**3,907**	**7,724**	**14·7**	**0·78**	**1·00**	**133**	**18**	**103**	**95**	**143**	**32**
Municipal boroughs and urban districts	**268,370**	**1,785**	**1,637**	**3,422**	**12·8**	**1·12**	**0·83**	**2,118**	**2,310**	**4,428**	**16·5**	**0·70**	**1·00**	**64**	**19**	**48**	**44**	**79**	**35**
Ashburton	2,700	21	16	37	13·7	1·08	0·86	19	19	38	14·1	0·74	0·91	2	*54*	2	2	2	*103*
Barnstaple M.B.	15,550	139	130	269	17·3	1·03	1·04	117	116	233	15·0	0·83	1·08	4	*15*	2	1	9	*36*
Bideford M.B.	10,510	92	91	183	17·4	1·05	1·06	74	82	156	14·8	0·79	1·02	6	*33*	6	5	11	*82*
Brixham	9,960	66	63	129	13·0	1·04	0·79	75	78	153	15·4	0·84	1·12	2	*16*	2	2	—	*16*
Buckfastleigh	2,450	17	15	32	13·1	1·17	0·89	11	20	31	12·7	0·77	0·85	—	—	—	—	3	*86*
Budleigh Salterton	3,890	22	15	37	9·5	1·37	0·76	39	42	81	20·8	0·55	0·99	1	*27*	—	—	1	*26*
Crediton	4,250	30	21	51	12·0	0·96	0·67	21	33	54	12·7	0·80	0·88	1	*20*	1	1	1	*38*
Dartmouth M.B.	6,270	46	45	91	14·5	1·09	0·92	34	26	60	9·6	0·87	0·73	—	—	—	—	1	*11*
Dawlish	7,190	34	48	82	11·4	1·19	0·79	67	53	120	16·7	0·74	1·07	1	*12*	1	1	—	*12*
Exmouth	18,580	135	134	269	14·5	1·20	1·01	181	185	366	19·7	0·64	1·10	3	*11*	1	1	8	*32*
Great Torrington M.B. ..	2,860	28	16	44	15·4	1·13	1·01	20	33	53	18·5	0·78	1·25	2	*45*	2	2	2	*87*
Holsworthy	1,640	8	6	14	*8·5*	0·96	*0·47*	10	9	19	*11·6*	0·54	*0·54*	1	*71*	1	1	—	*71*
Honiton M.B.	4,580	39	37	76	16·6	1·34	1·29	28	30	58	12·7	0·69	0·76	1	*13*	—	—	—	—
Ilfracombe	8,620	61	45	106	12·3	1·14	0·82	50	89	139	16·1	0·72	1·01	—	—	—	—	3	*28*
Kingsbridge	3,100	26	22	48	15·5	1·08	0·97	35	33	68	21·9	0·86	1·64	1	*21*	—	—	—	—
Lynton	1,700	10	9	19	*11·2*	1·01	*0·66*	12	11	23	13·5	0·76	0·89	—	—	—	—	—	—
Newton Abbot	17,470	128	103	231	13·2	1·02	0·78	135	113	248	14·2	0·73	0·90	2	*9*	2	2	2	*17*
Northam	6,550	42	36	78	11·9	1·10	0·76	48	63	111	16·9	0·76	1·12	2	*26*	2	2	3	*62*
Okehampton M.B.	3,900	25	17	42	10·8	1·06	0·67	30	35	65	16·7	0·72	1·04	—	—	—	—	1	*23*
Ottery St. Mary	4,230	21	28	49	11·6	1·04	0·70	30	33	63	14·9	0·80	1·04	—	—	—	—	1	*20*
Paignton	27,490	151	142	293	10·7	1·24	0·77	236	248	484	17·6	0·62	0·95	6	*20*	4	4	7	*37*
Salcombe	2,430	11	12	23	9·5	1·20	0·66	18	20	38	15·6	0·71	0·96	—	—	—	—	—	—
Seaton	3,000	16	15	31	10·3	1·26	0·75	42	32	74	24·7	0·51	1·09	—	—	—	—	1	*31*
Sidmouth	9,870	49	46	95	9·6	1·32	0·74	100	108	208	21·1	0·58	1·06	2	*21*	1	1	4	*50*
South Molton M.B.	3,120	19	11	30	9·6	1·09	0·61	35	27	62	19·9	0·73	1·26	1	*33*	1	1	1	*65*
Tavistock	6,210	31	45	76	12·2	1·15	0·82	53	58	111	17·9	0·63	0·98	2	*26*	2	2	—	*26*
Teignmouth	11,050	71	60	131	11·9	1·19	0·82	84	109	193	17·5	0·55	0·84	—	—	—	—	2	*15*
Tiverton M.B.	11,930	108	94	202	16·9	1·01	0·99	80	76	156	13·1	0·80	0·91	5	*25*	3	2	7	*43*
Torquay M.B.	51,760	303	284	587	11·3	1·10	0·72	392	476	868	16·8	0·71	1·04	18	*31*	14	13	7	34
Totnes M.B.	5,510	36	31	67	12·2	1·06	0·75	42	53	95	17·2	0·61	0·91	1	*15*	1	1	2	*43*
Rural districts	**258,270**	**1,941**	**1,861**	**3,802**	**14·7**	**1·15**	**0·98**	**1,699**	**1,597**	**3,296**	**12·8**	**0·86**	**0·96**	**69**	**18**	**55**	**51**	**64**	**30**
Axminster	14,090	98	69	167	11·9	1·15	0·80	83	88	171	12·1	0·80	0·84	—	—	—	—	2	*12*
Barnstaple	25,050	191	170	361	14·4	1·14	0·95	141	131	272	10·9	0·87	0·82	6	*17*	5	5	6	*30*
Bideford	5,200	42	43	85	16·3	1·11	1·05	35	25	60	11·5	0·91	0·91	2	*24*	—	—	3	*34*

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1960	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
DEVON—*continued*																			
Rural districts—*continued*																			
Broadwoodwidger	2,040	13	18	31	15·2	1·05	0·93	10	2	12	*5·9*	1·18	*0·61*	—	—	—	—	2	*61*
Crediton	9,880	111	81	192	19·4	1·13	1·27	58	51	109	11·0	0·92	0·88	4	*21*	4	2	4	*31*
Holsworthy	5,920	50	36	86	14·5	1·12	0·94	35	27	62	10·5	0·87	0·79	—	—	—	—	2	*23*
Honiton	7,000	51	46	97	13·9	1·12	0·91	36	30	66	9·4	0·94	0·77	2	*21*	2	2	—	*21*
Kingsbridge	11,710	75	81	156	13·3	1·15	0·89	77	97	174	14·9	0·84	1·09	4	*26*	3	3	1	*25*
Newton Abbot	26,060	179	161	340	13·0	1·16	0·88	188	168	356	13·7	0·83	0·99	10	*29*	10	10	3	*38*
Okehampton	12,070	83	90	173	14·3	1·18	0·98	89	71	160	13·3	0·82	0·95	—	—	—	—	6	*34*
Plympton St. Mary	37,940	304	291	595	15·7	1·07	0·98	271	232	503	13·3	0·98	1·13	14	*24*	10	9	9	*30*
St. Thomas	34,590	273	269	542	15·7	1·20	1·10	235	245	480	13·9	0·78	0·94	9	*17*	7	7	10	*31*
South Molton	8,780	60	55	115	13·1	1·15	0·88	60	51	111	12·6	0·93	1·02	1	*9*	1	1	2	*26*
Tavistock	15,660	116	114	230	14·7	1·22	1·04	100	108	208	13·3	0·87	1·01	6	*26*	4	4	3	*30*
Tiverton	20,590	161	190	351	17·0	1·09	1·08	126	127	253	12·3	0·91	0·97	7	*20*	5	5	6	*31*
Torrington	7,130	43	48	91	12·8	1·18	0·88	50	33	83	11·6	0·90	0·91	2	*22*	2	1	1	*22*
Totnes	14,560	91	99	190	13·0	1·20	0·91	105	111	216	14·8	0·70	0·90	2	*11*	2	2	4	*31*
DORSET	**311,290**	**2,459**	**2,340**	**4,799**	**15·4**	**1·11**	**0·99**	**1,961**	**1,941**	**3,902**	**12·5**	**0·89**	**0·97**	**96**	**20**	**72**	**61**	**99**	**33**
Municipal boroughs and urban districts	**192,540**	**1,483**	**1,370**	**2,853**	**14·8**	**1·11**	**0·96**	**1,265**	**1,226**	**2,491**	**12·9**	**0·87**	**0·98**	**58**	**20**	**42**	**34**	**63**	**33**
Blandford Forum M.B. ..	3,290	37	31	68	20·7	1·03	1·24	21	29	50	15·2	0·75	0·99	1	*15*	1	1	2	*43*
Bridport M.B.	6,580	41	44	85	12·9	1·07	0·80	39	51	90	13·7	0·73	0·87	1	*12*	1	1	6	*77*
Dorchester M.B.	12,590	85	84	169	13·4	1·07	0·83	92	84	176	14·0	0·83	1·01	2	*12*	1	—	2	*12*
Lyme Regis M.B.	3,180	21	16	37	11·6	1·14	0·77	17	24	41	12·9	0·76	0·85	—	—	—	—	—	—
Poole M.B.	90,160	680	674	1,354	15·0	1·07	0·93	605	553	1,158	12·8	0·87	0·97	25	18	19	15	24	28
Portland	13,310	91	79	170	12·8	1·52	1·13	61	48	109	8·2	1·44	1·03	8	*47*	5	5	5	*57*
Shaftesbury M.B.	3,410	26	25	51	15·0	1·04	0·91	21	30	51	15·0	0·77	1·00	1	*20*	—	—	—	—
Sherborne	7,240	52	37	89	12·3	1·27	0·91	38	47	85	11·7	0·92	0·94	1	*11*	1	—	2	*22*
Swanage	7,200	46	29	75	10·4	1·15	0·70	64	55	119	16·5	0·73	1·05	3	*40*	1	—	1	*13*
Wareham M.B.	2,900	32	14	46	15·9	1·10	1·02	25	42	67	23·1	0·55	1·10	1	*22*	1	1	3	*82*
Weymouth and Melcombe Regis M.B.	38,410	354	312	666	17·3	1·03	1·04	263	242	505	13·1	0·90	1·03	14	*21*	11	10	17	40
Wimborne Minster	4,270	18	25	43	10·1	1·14	0·67	19	21	40	9·4	0·74	0·60	1	*23*	1	1	1	*45*
Rural districts	**118,750**	**976**	**970**	**1,946**	**16·4**	**1·12**	**1·07**	**696**	**715**	**1,411**	**11·9**	**0·91**	**0·94**	**38**	**20**	**30**	**27**	**36**	**32**
Beaminster	8,100	70	56	126	15·6	1·14	1·03	58	46	104	12·8	0·84	0·93	4	*32*	3	3	1	*31*
Blandford	12,490	90	104	194	15·5	1·11	1·00	48	45	93	7·4	1·21	0·78	2	*10*	2	2	3	*25*
Bridport	7,650	51	57	108	14·1	1·21	0·99	42	57	99	12·9	0·74	0·83	1	*9*	1	—	2	*18*
Dorchester	17,460	155	133	288	16·5	1·25	1·20	124	131	255	14·6	0·71	0·90	6	*21*	4	3	5	*27*
Shaftesbury	9,920	77	79	156	15·7	1·15	1·05	47	55	102	10·3	0·85	0·76	5	*32*	5	5	2	*44*
Sherborne	5,810	43	42	85	14·6	1·04	0·88	31	25	56	9·6	1·01	0·84	2	*24*	2	2	1	*35*
Sturminster	9,770	62	84	146	14·9	1·07	0·93	64	78	142	14·5	0·76	0·96	2	*14*	2	2	5	*46*
Wareham and Purbeck	21,240	190	195	385	18·1	1·07	1·13	106	86	192	9·0	1·21	0·95	5	*13*	3	2	7	*23*
Wimborne and Cranborne ..	26,310	238	220	458	17·4	1·08	1·09	176	192	368	14·0	0·90	1·10	11	*24*	8	8	10	*38*
DURHAM	**1,515,800**	**14,515**	**13,956**	**28,471**	**18·8**	**0·96**	**1·05**	**9,467**	**8,042**	**17,509**	**11·6**	**1·20**	**1·21**	**767**	**27**	**534**	**467**	**665**	**39**
County boroughs	**564,930**	**5,579**	**5,320**	**10,899**	**19·3**	**0·95**	**1·07**	**3,473**	**3,081**	**6,554**	**11·6**	**1·19**	**1·20**	**278**	**26**	**194**	**166**	**236**	**36**
Darlington	83,660	713	701	1,414	16·9	0·99	0·97	542	532	1,074	12·8	1·03	1·15	36	25	24	18	22	28
Gateshead	108,560	1,026	955	1,981	18·2	0·96	1·02	704	602	1,306	12·0	1·19	1·24	57	29	47	37	47	41
South Shields	108,600	1,011	997	2,008	18·5	0·93	1·00	707	599	1,306	12·0	1·19	1·24	41	20	30	29	49	38
Sunderland	188,000	1,981	1,898	3,879	20·6	0·94	1·13	1,089	942	2,031	10·8	1·24	1·16	100	26	64	57	88	37
West Hartlepool	76,110	848	769	1,617	21·2	0·97	1·20	431	406	837	11·0	1·20	1·15	44	27	29	25	30	33
Administrative county	**950,870**	**8,936**	**8,636**	**17,572**	**18·5**	**0·96**	**1·03**	**5,994**	**4,961**	**10,955**	**11·5**	**1·22**	**1·22**	**489**	**28**	**340**	**301**	**429**	**41**
Municipal boroughs and urban districts	**648,980**	**6,168**	**5,975**	**12,143**	**18·7**	**0·96**	**1·04**	**4,085**	**3,403**	**7,488**	**11·5**	**1·24**	**1·24**	**343**	**28**	**248**	**217**	**319**	**43**
Barnard Castle	5,260	48	52	100	19·0	0·95	1·05	36	43	79	15·0	0·74	0·97	2	*20*	2	2	3	*49*
Billingham	29,480	390	364	754	25·6	0·89	1·32	146	99	245	8·3	1·74	1·26	21	28	18	15	20	45
Bishop Auckland	35,440	309	335	644	18·2	0·96	1·02	220	196	416	11·7	1·17	1·19	24	37	16	13	21	51
Blaydon	31,020	274	256	530	17·1	0·96	0·95	210	152	362	11·7	1·23	1·25	21	40	16	16	11	50
Boldon	20,810	232	189	421	20·2	0·92	1·08	109	110	219	10·5	1·21	1·10	8	*19*	6	6	9	*35*
Brandon and Byshottles ..	20,280	191	200	391	19·3	0·99	1·11	126	97	223	11·0	1·18	1·13	13	*33*	6	6	12	*45*
Chester-le-Street	18,770	147	153	300	16·0	1·00	0·93	137	134	271	14·4	1·04	1·30	7	*23*	6	6	7	*42*
Consett	39,080	333	312	645	16·5	0·99	0·95	245	224	469	12·0	1·26	1·31	14	*22*	13	11	15	39
Crook and Willington ..	26,430	213	176	389	14·7	1·01	0·86	212	171	383	14·5	1·08	1·36	16	*41*	12	10	11	52
Durham M.B.	21,770	153	148	301	13·8	0·97	0·78	148	126	274	12·6	0·92	1·01	11	*37*	7	5	7	*39*
Felling	32,650	354	364	718	22·0	0·90	1·15	203	155	358	11·0	1·40	1·34	18	*25*	12	12	25	50
Hartlepool M.B.	17,340	207	180	387	22·3	0·91	1·18	105	80	185	10·7	1·38	1·28	21	54	13	13	7	51
Hebburn	24,290	266	273	539	22·2	0·89	1·15	137	117	254	10·5	1·35	1·23	15	*28*	12	10	15	45
Hetton	18,510	173	155	328	17·7	1·02	1·05	142	105	247	13·3	1·33	1·54	9	*27*	7	7	7	*42*
Houghton-le-Spring	31,550	282	290	572	18·1	0·93	0·98	195	156	351	11·1	1·21	1·17	14	*24*	12	11	15	44
Jarrow M.B.	29,250	306	273	579	19·8	0·91	1·05	192	170	362	12·4	1·23	1·33	12	*21*	9	7	14	35
Ryton	13,680	119	103	222	16·2	1·00	0·94	95	74	169	12·4	1·11	1·20	8	*36*	6	5	5	*44*
Seaham	26,410	242	251	493	18·7	0·99	1·08	142	123	265	10·0	1·37	1·19	10	*20*	8	6	13	*38*
Shildon	13,920	121	91	212	15·2	0·97	0·86	107	69	176	12·6	1·17	1·28	10	*47*	6	6	8	*64*
Spennymoor	19,810	180	158	338	17·1	0·92	0·91	119	102	221	11·2	1·25	1·22	11	*33*	7	4	12	*46*
Stanley	47,570	373	375	748	15·7	1·00	0·91	356	263	619	13·0	1·19	1·34	22	29	18	17	22	51
Stockton-on-Tees M.B. ..	79,510	841	874	1,715	21·6	0·95	1·19	442	392	834	10·5	1·24	1·13	28	16	19	16	40	32
Tow Law	3,070	21	30	51	16·6	1·00	0·97	23	17	40	13·0	1·12	1·27	1	*20*	1	1	1	*38*
Washington	18,170	184	186	370	20·4	0·93	1·10	110	112	222	12·2	1·35	1·43	19	*51*	12	9	8	*45*
Whickham	24,910	209	187	396	15·9	0·98	0·91	128	116	244	9·8	1·25	1·07	8	*20*	4	3	11	*34*

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1960	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
DURHAM—*continued*																			
Rural districts	**301,890**	**2,768**	**2,661**	**5,429**	**18·0**	**0·97**	**1·02**	**1,909**	**1,558**	**3,467**	**11·5**	**1·19**	**1·19**	**146**	**27**	**92**	**84**	**110**	**35**
Barnard Castle	18,880	132	158	290	15·4	1·08	0·97	102	87	189	10·0	1·14	0·99	10	*34*	7	6	7	*44*
Chester-le-Street	41,890	353	320	673	16·1	0·97	0·91	257	191	448	10·7	1·26	1·17	15	*22*	9	9	15	35
Darlington	22,880	272	271	543	23·7	0·77	1·06	110	85	195	8·5	1·58	1·17	14	*26*	9	8	10	*33*
Durham	34,900	336	304	640	18·3	0·98	1·04	232	170	402	11·5	1·27	1·27	19	*30*	12	11	12	35
Easington	86,360	845	821	1,666	19·3	0·99	1·11	538	399	937	10·8	1·34	1·26	47	28	33	30	33	37
Lanchester	15,230	116	105	221	14·5	1·03	0·87	105	102	207	13·6	0·91	1·08	7	*32*	3	3	3	*27*
Sedgefield	36,300	297	275	572	15·8	1·04	0·96	244	255	499	13·7	0·97	1·16	17	*30*	7	6	13	*32*
Stockton	9,250	78	68	146	15·8	0·98	0·90	36	29	65	7·0	1·11	0·68	1	*7*	—	—	4	*27*
Sunderland	27,410	282	283	565	20·6	0·97	1·16	194	165	359	13·1	1·01	1·15	13	*23*	11	10	10	35
Weardale	8,790	57	56	113	12·9	1·17	0·88	91	75	166	18·9	0·88	1·45	3	*27*	1	1	3	*34*
ELY, ISLE OF	**89,320**	**773**	**709**	**1,482**	**16·6**	**1·01**	**0·97**	**534**	**462**	**996**	**11·2**	**0·97**	**0·94**	**44**	**30**	**32**	**25**	**45**	**46**
***Municipal borough and urban districts**	**54,870**	**494**	**413**	**907**	**16·5**	**1·01**	**0·97**	**340**	**307**	**647**	**11·8**	**0·92**	**0·94**	**25**	**28**	**18**	**13**	**34**	**50**
*Chatteris	5,580	35	37	72	12·9	1·00	0·75	37	34	71	12·7	0·99	1·09	2	*28*	—	—	2	*27*
Ely	9,790	81	70	151	15·4	0·99	0·89	58	83	141	14·4	0·71	0·89	2	*13*	2	2	7	*57*
March	13,280	113	89	202	15·2	1·02	0·90	78	65	143	10·8	1·09	1·02	3	*15*	3	2	4	*29*
Whittlesey	9,050	90	78	168	18·6	1·00	1·08	63	40	103	11·4	1·10	1·09	7	*42*	4	2	6	*46*
Wisbech M.B.	17,170	175	139	314	18·3	0·99	1·05	104	85	189	11·0	0·84	0·80	11	*35*	9	7	15	67
***Rural districts**	**34,450**	**279**	**296**	**575**	**16·7**	**1·02**	**0·99**	**194**	**155**	**349**	**10·1**	**1·03**	**0·90**	**19**	*33*	**14**	**12**	**11**	**39**
Ely	14,500	123	130	253	17·4	1·03	1·04	86	63	149	10·3	0·98	0·88	7	*28*	6	5	8	*50*
*North Witchford	4,770	33	34	67	14·0	1·03	0·84	35	29	64	13·4	1·00	1·16	3	*45*	2	2	2	*58*
Thorney	2,530	20	24	44	17·4	1·03	1·04	14	12	26	10·3	1·28	1·15	1	*23*	1	—	—	—
Wisbech	12,650	103	108	211	16·7	1·00	0·97	59	51	110	8·7	1·08	0·82	8	*38*	5	5	1	*28*
ESSEX	**2,275,950**	**19,073**	**18,011**	**37,084**	**16·3**	**0·96**	**0·91**	**11,853**	**11,468**	**23,321**	**10·2**	**1·09**	**0·97**	**715**	**19**	**525**	**455**	**631**	**29**
County boroughs	**432,590**	**3,479**	**3,325**	**6,804**	**15·7**	**0·99**	**0·90**	**2,540**	**2,432**	**4,972**	**11·5**	**1·02**	**1·02**	**152**	**22**	**112**	**96**	**112**	**30**
East Ham	109,160	861	813	1,674	15·3	1·00	0·89	607	517	1,124	10·3	1·07	0·96	41	24	24	20	29	29
Southend-on-Sea	160,120	1,149	1,083	2,232	13·9	1·06	0·86	1,075	1,128	2,203	13·8	0·84	1·01	42	19	30	26	26	23
West Ham	163,310	1,469	1,429	2,898	17·7	0·92	0·95	858	787	1,645	10·1	1·23	1·08	69	24	58	50	57	36
Administrative county	**1,843,360**	**15,594**	**14,686**	**30,280**	**16·4**	**0·95**	**0·91**	**9,313**	**9,036**	**18,349**	**10·0**	**1·11**	**0·97**	**563**	**19**	**413**	**359**	**519**	**28**
***Municipal boroughs and urban districts**	**1,593,490**	**13,428**	**12,665**	**26,093**	**16·4**	**0·93**	**0·89**	**7,778**	**7,607**	**15,385**	**9·7**	**1·15**	**0·97**	**490**	**19**	**360**	**311**	**441**	**28**
Barking M.B.	74,920	521	473	994	13·3	0·94	0·73	382	313	695	9·3	1·41	1·14	18	*18*	13	9	20	29
Basildon	84,070	1,137	999	2,136	25·4	0·82	1·21	349	319	668	7·9	1·28	0·88	37	17	28	24	41	30
Benfleet	30,140	284	273	557	18·5	0·95	1·02	176	184	360	11·9	1·04	1·08	10	*18*	8	6	11	*30*
Braintree and Bocking	19,830	188	186	374	18·9	0·98	1·08	116	139	255	12·9	0·80	0·90	12	*32*	8	8	6	*37*
Brentwood	47,450	413	439	852	18·0	0·93	0·97	258	274	532	11·2	0·83	0·81	12	*14*	7	6	12	*21*
Brightlingsea	4,700	35	26	61	13·0	1·18	0·89	34	25	59	12·6	0·70	0·77	2	*33*	2	1	—	*16*
Burnham-on-Crouch	3,950	22	25	47	11·9	1·18	0·82	24	29	53	13·4	0·79	0·92	—	—	—	—	1	*21*
Canvey Island	14,850	139	130	269	18·1	1·00	1·05	92	66	158	10·6	1·05	0·97	7	*26*	3	3	2	*18*
Chelmsford M.B.	45,990	453	431	884	19·2	0·91	1·02	228	224	452	9·8	1·20	1·02	15	*17*	9	9	15	27
Chigwell	63,020	422	380	802	12·7	0·92	0·68	238	204	442	7·0	1·51	0·92	12	*15*	7	7	9	*20*
Chingford M.B.	46,140	314	295	609	13·2	1·04	0·80	166	186	352	7·6	1·28	0·85	10	*16*	7	5	7	*19*
Clacton	26,210	161	139	300	11·4	1·23	0·82	217	232	449	17·1	0·70	1·04	6	*20*	5	5	3	*26*
Colchester M.B.	66,480	583	542	1,125	16·9	1·01	0·99	331	348	679	10·2	0·89	0·79	20	18	15	13	17	26
Dagenham M.B.	114,760	792	727	1,519	13·2	0·93	0·71	504	379	883	7·7	1·74	1·17	42	28	33	25	37	40
Epping	9,490	107	86	193	20·3	0·90	1·06	39	34	73	7·7	1·03	0·69	3	*16*	2	2	2	*21*
Frinton and Walton	9,470	50	37	87	9·2	1·15	0·62	79	88	167	17·6	0·76	1·16	3	*34*	2	2	2	*45*
Halstead	6,700	44	51	95	14·2	1·06	0·88	42	21	63	9·4	0·83	0·68	2	*21*	1	1	1	*21*
Harlow	49,000	679	705	1,384	28·2	0·64	1·05	99	90	189	3·9	2·67	0·91	17	*12*	9	6	25	22
Harwich M.B.	13,850	105	101	206	14·9	0·98	0·85	81	76	157	11·3	1·05	1·03	3	*15*	2	2	4	*29*
Hornchurch	124,590	1,232	1,198	2,430	19·5	0·94	1·07	572	545	1,117	9·0	1·23	0·96	46	19	38	34	42	31
Ilford M.B.	178,520	1,326	1,202	2,528	14·2	1·00	0·83	948	1,023	1,971	11·0	1·02	0·98	45	18	39	34	37	28
Leyton M.B.	96,870	660	596	1,256	13·0	0·99	0·75	645	750	1,395	14·4	0·81	1·01	28	22	20	19	21	31
Maldon M.B.	10,130	89	86	175	17·3	1·06	1·07	72	81	153	15·1	0·64	0·84	2	*11*	2	2	5	*39*
*Rayleigh	19,220	176	172	348	18·1	0·86	0·90	86	93	179	9·3	1·26	1·02	5	*14*	3	2	12	*39*
Romford M.B.	115,840	1,066	1,017	2,083	18·0	0·84	0·88	418	372	790	6·8	1·56	0·92	43	21	32	28	31	28
Saffron Walden M.B.	7,630	62	54	116	15·2	1·05	0·93	49	52	101	13·2	0·56	0·64	1	*9*	1	—	3	*25*
Thurrock	109,710	955	957	1,912	17·4	0·88	0·89	450	392	842	7·7	1·45	0·97	37	19	28	26	35	31
Waltham Holy Cross	11,980	126	128	254	21·2	0·86	1·06	49	37	86	7·2	1·32	0·83	3	*12*	3	2	6	*31*
Walthamstow M.B.	111,610	732	698	1,430	12·8	1·01	0·75	566	571	1,137	10·2	1·05	0·93	26	18	15	13	20	23
Wanstead and Woodford M.B.	61,500	420	394	814	13·2	1·00	0·77	370	368	738	12·0	0·98	1·02	16	*20*	13	12	11	28
West Mersea	3,140	22	22	44	14·0	1·24	1·01	21	19	40	12·7	0·70	0·77	—	—	—	—	—	—
Witham	9,070	89	71	160	17·6	1·12	1·15	59	51	110	12·1	1·07	1·13	7	*44*	5	5	1	*37*
Wivenhoe	2,660	24	25	49	18·4	1·06	1·13	18	22	40	15·0	0·88	1·15	—	—	—	—	2	*39*
***Rural districts**	**249,870**	**2,166**	**2,021**	**4,187**	**16·8**	**1·06**	**1·04**	**1,535**	**1,429**	**2,964**	**11·9**	**0·87**	**0·90**	**73**	**17**	**53**	**48**	**78**	**30**
Braintree	21,690	174	186	360	16·6	1·11	1·07	107	102	209	9·6	0·96	0·80	10	*28*	9	7	6	*36*
Chelmsford	44,960	417	394	811	18·0	1·02	1·07	260	242	502	11·2	0·90	0·88	15	*18*	10	8	17	30
Dunmow	21,090	148	159	307	14·6	1·01	0·86	100	100	200	9·5	0·93	0·77	9	*29*	7	7	9	*51*
Epping and Ongar	34,870	367	313	680	19·5	1·00	1·13	164	158	322	9·2	1·10	0·88	7	*10*	6	6	10	*23*
Halstead	16,900	134	122	256	15·1	1·16	1·02	121	108	229	13·6	0·82	0·97	4	*16*	4	3	5	*31*
Lexden and Winstree	22,480	179	147	326	14·5	1·15	0·97	185	158	343	15·3	0·72	0·96	4	*12*	2	2	8	*30*
Maldon	15,970	139	119	258	16·2	1·14	1·07	112	107	219	13·7	0·81	0·96	7	*27*	6	6	5	*42*
*Rochford	28,840	263	266	529	18·3	0·94	1·00	190	195	385	13·3	0·81	0·94	11	*21*	5	5	7	*22*
Saffron Walden	17,920	171	147	318	17·7	1·12	1·15	106	96	202	11·3	0·88	0·86	4	*13*	3	3	3	*19*
Tendring	25,150	174	168	342	13·6	1·13	0·89	190	163	353	14·0	0·71	0·86	2	*6*	1	1	8	*26*

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1960	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
GLOUCESTERSHIRE	**984,100**	**8,737**	**8,297**	**17,034**	**17·3**	**1·00**	**1·01**	**5,683**	**5,508**	**11,191**	**11·4**	**1·00**	**0·99**	**324**	**19**	**234**	**192**	**282**	**27**
County boroughs	**502,370**	**4,268**	**3,959**	**8,227**	**16·4**	**1·00**	**0·95**	**3,004**	**2,969**	**5,973**	**11·9**	**0·99**	**1·02**	**168**	**20**	**120**	**104**	**141**	**29**
Bristol	433,750	3,555	3,321	6,876	15·9	1·00	0·92	2,617	2,643	5,260	12·1	0·98	1·03	136	20	99	87	104	27
Gloucester	68,620	713	638	1,351	19·7	0·99	1·13	387	326	713	10·4	1·06	0·96	32	24	21	17	37	39
Administrative county	**481,730**	**4,469**	**4,338**	**8,807**	**18·3**	**1·01**	**1·07**	**2,679**	**2,539**	**5,218**	**10·8**	**1·02**	**0·96**	**156**	**18**	**114**	**88**	**141**	**26**
Municipal boroughs and urban districts	**162,610**	**1,565**	**1,518**	**3,083**	**19·0**	**0·98**	**1·08**	**968**	**952**	**1,920**	**11·8**	**0·94**	**0·96**	**48**	**16**	**34**	**27**	**45**	**23**
Charlton Kings	7,110	55	51	106	14·9	1·04	0·90	52	60	112	15·8	0·91	1·25	—	—	—	—	3	*28*
Cheltenham M.B.	70,370	660	633	1,293	18·4	0·97	1·04	426	444	870	12·4	0·85	0·92	18	*14*	12	9	22	24
Cirencester	12,190	87	94	181	14·8	1·02	0·88	83	85	168	13·8	0·82	0·98	1	*6*	—	—	2	*11*
Kingswood	24,500	297	270	567	23·1	0·97	1·30	108	105	213	8·7	1·25	0·95	5	*9*	5	4	6	*17*
Mangotsfield	22,700	243	234	477	21·0	0·96	1·17	137	115	252	11·1	1·17	1·13	11	*23*	8	7	7	*29*
Nailsworth	3,720	23	28	51	13·7	1·09	0·87	22	21	43	11·6	0·83	0·84	2	*39*	—	—	1	*19*
Stroud	16,380	153	148	301	18·4	1·02	1·09	106	86	192	11·7	0·91	0·93	9	*30*	7	5	3	*26*
Tewkesbury M.B.	5,640	47	60	107	19·0	0·93	1·03	34	36	70	12·4	0·87	0·94	2	*19*	2	2	1	*28*
Rural districts	**319,120**	**2,904**	**2,820**	**5,724**	**17·9**	**1·02**	**1·06**	**1,711**	**1,587**	**3,298**	**10·3**	**1·07**	**0·96**	**108**	**19**	**80**	**61**	**96**	**27**
Cheltenham	30,250	302	276	578	19·1	0·99	1·10	134	142	276	9·1	1·13	0·89	14	*24*	11	9	6	*26*
Cirencester	15,900	145	144	289	18·2	1·00	1·06	75	79	154	9·7	1·05	0·89	7	*24*	4	3	2	*17*
Dursley	17,600	128	142	270	15·3	1·06	0·94	86	76	162	9·2	1·03	0·82	5	*19*	5	3	7	*36*
East Dean	20,930	193	160	353	16·9	1·03	1·01	101	107	208	9·9	1·09	0·94	10	*28*	8	7	11	*49*
Gloucester	45,350	467	434	901	19·9	0·98	1·13	237	221	458	10·1	1·01	0·89	10	*11*	7	5	15	22
Lydney	12,330	114	85	199	16·1	1·11	1·04	79	52	131	10·6	1·12	1·03	5	*25*	5	3	3	*30*
Newent	8,610	76	74	150	17·4	1·15	1·16	52	39	91	10·6	0·94	0·87	3	*20*	—	—	3	*20*
North Cotswold	20,550	183	168	351	17·1	1·08	1·07	113	112	225	10·9	1·00	0·95	4	*11*	3	3	4	*20*
Northleach	8,140	56	74	130	16·0	1·05	0·98	52	47	99	12·2	0·91	0·97	3	*23*	3	2	1	*23*
Sodbury	42,500	384	404	788	18·5	0·98	1·05	219	180	399	9·4	1·22	1·00	12	*15*	6	5	13	*22*
Stroud	27,300	211	199	410	15·0	1·07	0·93	153	183	336	12·3	0·89	0·95	12	*29*	10	8	10	*43*
Tetbury	6,810	49	46	95	14·0	1·10	0·90	33	34	67	9·8	0·93	0·79	—	—	—	—	2	*21*
Thornbury	27,940	298	276	574	20·5	1·09	1·30	173	146	319	11·4	1·04	1·03	9	*16*	7	4	9	*22*
Warmley	17,030	167	194	361	21·2	0·90	1·11	73	55	128	7·5	1·37	0·89	9	*25*	7	6	3	*25*
West Dean	17,880	131	144	275	15·4	1·05	0·94	131	114	245	13·7	1·02	1·22	5	*18*	4	3	7	*35*

1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
HAMPSHIRE	**1,330,990**	**11,792**	**11,131**	**22,923**	**17·2**	**1·03**	**1·03**	**7,879**	**7,570**	**15,449**	**11·6**	**0·97**	**0·98**	**434**	**19**	**308**	**268**	**416**	**29**
County boroughs	**565,860**	**4,611**	**4,270**	**8,881**	**15·7**	**1·06**	**0·97**	**3,691**	**3,608**	**7,299**	**12·9**	**0·90**	**1·01**	**152**	**17**	**109**	**95**	**172**	**29**
Bournemouth	146,550	898	819	1,717	11·7	1·15	0·78	1,111	1,312	2,423	16·5	0·68	0·98	39	23	34	33	24	33
Portsmouth	217,520	1,943	1,746	3,689	17·0	1·07	1·06	1,434	1,309	2,743	12·6	0·94	1·03	58	16	39	29	76	28
Southampton	201,790	1,770	1,705	3,475	17·2	0·99	0·99	1,146	987	2,133	10·6	1·10	1·01	55	16	36	33	72	30
Administrative county	**765,130**	**7,181**	**6,861**	**14,042**	**18·4**	**1·02**	**1·09**	**4,188**	**3,962**	**8,150**	**10·7**	**1·03**	**0·96**	**282**	**20**	**199**	**173**	**244**	**29**
Municipal boroughs and urban districts	**459,310**	**4,480**	**4,214**	**8,694**	**18·9**	**0·98**	**1·08**	**2,487**	**2,216**	**4,703**	**10·2**	**1·12**	**0·99**	**178**	**20**	**126**	**107**	**155**	**30**
Aldershot M.B.	38,180	403	397	800	21·0	1·08	1·32	172	118	290	7·6	1·63	1·08	13	*16*	11	9	14	28
Alton	8,930	68	56	124	13·9	1·01	0·82	56	41	97	10·9	0·97	0·92	3	*24*	3	2	2	*32*
Andover M.B.	16,460	151	131	282	17·1	0·99	0·98	87	94	181	11·0	0·88	0·84	5	*18*	3	2	7	*31*
Basingstoke M.B.	24,500	289	254	543	22·2	0·92	1·19	138	103	241	9·8	1·18	1·01	9	*17*	4	4	8	*22*
Christchurch M.B.	25,580	192	158	350	13·7	0·98	0·78	193	173	366	14·3	0·78	0·97	9	*26*	6	4	11	*42*
Eastleigh M.B.	37,720	324	297	621	16·5	0·94	0·90	191	180	371	9·8	1·14	0·97	12	*19*	8	8	12	32
Fareham	59,760	589	510	1,099	18·4	0·97	1·04	314	253	567	9·5	1·17	0·97	29	26	21	19	23	37
Farnborough	30,760	322	317	639	20·8	1·03	1·25	134	108	242	7·9	1·53	1·05	11	*17*	9	8	8	*25*
Fleet	12,640	144	129	273	21·6	1·00	1·26	58	65	123	9·7	0·98	0·83	3	*11*	3	1	6	*25*
Gosport M.B.	65,760	715	693	1,408	21·4	0·98	1·22	319	249	568	8·6	1·33	0·99	18	*13*	12	11	19	21
Havant and Waterloo ..	71,130	814	802	1,616	22·7	0·86	1·14	347	298	645	9·1	1·31	1·04	43	27	31	26	26	32
Lymington M.B.	26,480	161	175	336	12·7	1·08	0·80	202	240	442	16·7	0·76	1·10	8	*24*	5	5	3	*24*
Petersfield	7,310	45	59	104	14·2	1·05	0·87	51	63	114	15·6	0·71	0·96	2	*19*	1	1	3	*37*
Romsey M.B.	6,540	48	40	88	13·5	1·08	0·85	44	45	89	13·6	0·78	0·92	—	—	—	—	2	*22*
Winchester M.B.	27,560	215	196	411	14·9	1·01	0·87	181	186	367	13·3	0·80	0·93	13	*32*	9	7	11	*43*
Rural districts	**305,820**	**2,701**	**2,647**	**5,348**	**17·5**	**1·09**	**1·11**	**1,701**	**1,746**	**3,447**	**11·3**	**0·91**	**0·89**	**104**	**19**	**73**	**66**	**89**	**28**
Alton	25,000	246	214	460	18·4	1·16	1·24	132	127	259	10·4	1·02	0·92	4	*9*	2	2	8	*21*
Andover	20,080	176	178	354	17·6	1·09	1·12	67	62	129	6·4	1·34	0·75	5	*14*	1	1	10	*30*
Basingstoke	18,000	141	182	323	17·9	1·20	1·25	152	152	304	16·9	0·58	0·85	8	*25*	5	4	2	*18*
Droxford	22,120	177	170	347	15·7	1·16	1·06	135	163	298	13·5	0·70	0·82	10	*29*	8	8	1	*26*
Hartley Wintney	27,190	220	203	423	15·6	1·10	1·00	119	142	261	9·6	1·02	0·85	9	*21*	6	6	12	*41*
Kingsclere and Whitchurch ..	21,680	218	213	431	19·9	1·04	1·20	110	82	192	8·9	0·98	0·76	10	*23*	7	6	10	*36*
New Forest	55,080	561	541	1,102	20·0	1·03	1·20	288	279	567	10·3	1·08	0·97	24	22	19	18	16	30
Petersfield	24,020	189	190	379	15·8	1·03	0·95	139	136	275	11·4	0·95	0·94	11	*29*	8	8	6	*36*
Ringwood and Fordingbridge	25,690	225	171	396	15·4	1·12	1·00	172	235	407	15·8	0·69	0·95	6	*15*	5	5	7	*30*
Romsey and Stockbridge ..	21,910	174	193	367	16·8	1·06	1·04	121	95	216	9·9	1·05	0·90	5	*14*	4	3	3	*16*
Winchester	45,050	374	392	766	17·0	1·10	1·09	266	273	539	12·0	0·85	0·89	12	*16*	8	5	14	*24*
HEREFORDSHIRE	**129,820**	**1,169**	**1,050**	**2,219**	**17·1**	**1·06**	**1·05**	**784**	**773**	**1,557**	**12·0**	**0·91**	**0·95**	**35**	**16**	**24**	**15**	**53**	**30**
Municipal boroughs and urban districts	**53,810**	**547**	**481**	**1,028**	**19·1**	**0·97**	**1·08**	**359**	**355**	**714**	**13·3**	**0·92**	**1·06**	**15**	**15**	**10**	**8**	**24**	**30**
Bromyard	1,710	13	14	27	15·8	1·06	0·97	12	10	22	12·9	0·91	1·02	—	—	—	—	1	*36*
Hereford M.B.	35,000	389	332	721	20·6	0·95	1·14	230	210	440	12·6	1·00	1·10	8	*11*	5	3	17	27
Kington	1,820	14	13	27	14·8	1·08	0·93	18	20	38	20·9	0·63	1·15	1	*37*	1	1	—	*37*
Ledbury	3,670	31	29	60	16·3	0·99	0·94	34	26	60	16·3	0·81	1·15	1	*17*	1	1	—	*17*
Leominster M.B.	6,220	49	38	87	14·0	0·98	0·80	34	48	82	13·2	0·78	0·90	4	*46*	3	3	3	*67*
Ross-on-Wye	5,390	51	55	106	19·7	1·03	1·18	31	41	72	13·4	0·84	0·98	1	*9*	—	—	3	*28*

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1960	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
HEREFORDSHIRE—*continued*																			
Rural districts	**76,010**	**622**	**569**	**1,191**	**15·7**	**1·13**	**1·03**	**425**	**418**	**843**	**11·1**	**0·91**	**0·88**	**20**	**17**	**14**	**7**	**29**	**30**
Bromyard	7,060	58	71	129	18·3	1·12	1·19	42	38	80	11·3	0·78	0·77	—	—	—	—	2	*15*
Dore and Bredwardine	8,310	63	72	135	16·2	1·07	1·01	46	45	91	11·0	1·01	0·97	1	*7*	1	—	3	*22*
Hereford	19,120	154	130	284	14·9	1·15	1·00	91	125	216	11·3	0·86	0·85	9	*32*	7	4	7	*38*
Kington	4,770	45	22	67	14·0	1·15	0·94	30	22	52	10·9	0·88	0·83	2	*30*	1	—	1	*15*
Ledbury	8,630	51	63	114	13·2	1·12	0·86	56	41	97	11·2	0·92	0·90	2	*18*	—	—	3	*26*
Leominster and Wigmore	10,010	94	76	170	17·0	1·17	1·16	48	52	100	10·0	0·86	0·75	2	*12*	2	1	4	*29*
Ross and Whitchurch	11,810	104	81	185	15·7	1·14	1·04	73	71	144	12·2	0·88	0·93	1	*5*	1	—	7	*36*
Weobley	6,300	53	54	107	17·0	1·05	1·04	39	24	63	10·0	0·96	0·83	3	*28*	2	2	2	*37*
HERTFORDSHIRE	**806,040**	**7,485**	**7,220**	**14,705**	**18·2**	**0·92**	**0·97**	**3,783**	**3,695**	**7,478**	**9·3**	**1·12**	**0·91**	**257**	**17**	**175**	**155**	**257**	**28**
Municipal boroughs and urban districts	**563,640**	**5,434**	**5,200**	**10,634**	**18·9**	**0·91**	**1·00**	**2,597**	**2,548**	**5,145**	**9·1**	**1 16**	**0·92**	**184**	**17**	**123**	**109**	**193**	**28**
Baldock	7.120	50	56	106	14·9	0·89	0·77	37	22	59	8·3	1·34	0·97	6	*57*	4	4	4	*73*
Barnet	26,540	231	207	438	16·5	1·00	0·96	136	147	283	10·7	0·99	0·92	3	*7*	3	3	10	*29*
Berkhamsted	12,790	127	100	227	17·7	1·00	1·03	59	71	130	10·2	1·02	0·90	3	*13*	2	2	4	*26*
Bishop's Stortford	18,230	193	163	356	19·5	0·92	1·04	96	104	200	11·0	0·98	0·94	7	*20*	5	5	2	*20*
Bushey	20,700	181	175	356	17·2	0·90	0·90	118	74	192	9·3	1·13	0·91	1	*3*	1	1	5	*17*
Cheshunt	32,790	365	322	687	21·0	0·88	1·07	151	105	256	7·8	1·41	0·96	14	*20*	10	6	17	33
Chorleywood	6,770	48	59	107	15·8	0·94	0·86	29	27	56	8·3	1·10	0·79	—	—	—	—	2	*18*
East Barnet	41,550	255	238	493	11·9	1·05	0·73	177	188	365	8·8	1·12	0·86	9	*18*	6	6	6	*24*
Harpenden	17,360	168	186	354	20·4	1·00	1·19	95	77	172	9·9	1·06	0·91	10	*28*	7	7	7	*39*
Hemel Hempstead M.B	51,570	604	554	1,158	22·5	0·74	0·97	201	195	396	7·7	1·58	1·06	19	*16*	13	9	29	32
Hertford M.B.	15,340	113	105	218	14·2	0·99	0·82	67	66	133	8·7	1·04	0·79	9	*41*	4	4	3	*32*
Hitchin	23,510	215	198	413	17·6	0·93	0·95	136	134	270	11·5	0·84	0·84	10	*24*	8	7	9	*38*
Hoddesdon	17,300	173	188	361	20·9	0·98	1·19	75	100	175	10·1	1·13	0·99	6	*17*	4	3	4	*19*
Letchworth	23,280	205	206	411	17·7	0·98	1·01	120	113	233	10·0	1·14	0·99	7	*17*	5	4	7	*26*
Rickmansworth	28,290	244	205	449	15·9	1·00	0·92	132	104	236	8·3	1·25	0·90	9	*20*	5	5	8	*28*
Royston	6,080	57	48	105	17·3	0·98	0·99	34	40	74	12·2	1·02	1·08	1	*10*	1	1	3	*37*
St. Albans M.B.	49,180	492	454	946	19·2	0·96	1·07	260	273	533	10·8	1·01	0·95	13	***14***	11	9	17	27
Sawbridgeworth	4,680	37	25	62	13·2	0·97	0·74	28	12	40	8·5	1·04	0·77	—	—	—	—	—	—
Stevenage	38,430	577	567	1,144	29·8	0·66	1·14	92	93	185	4·8	2·30	0·96	25	22	17	17	21	33

1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
Tring	5,540	48	42	90	16·2	1·05	0·99	30	29	59	10·6	0·83	0·77	2	*22*	1	1	1	*22*
Ware	9,680	94	71	165	17·0	1·01	1·00	67	84	151	15·6	0·60	0·81	5	*30*	2	2	6	*47*
Watford M.B.	74,340	595	640	1,235	16·6	1·00	0·97	365	416	781	10·5	0·98	0·89	19	*15*	10	9	23	25
Welwyn Garden City	32,570	362	391	753	23·1	0·77	1·03	92	74	166	5·1	1·90	0·84	6	*8*	4	4	5	*12*
Rural districts	**242,400**	**2,051**	**2,020**	**4,071**	**16·8**	**0·94**	**0·92**	**1,186**	**1,147**	**2,333**	**9·6**	**1·02**	**0·85**	**73**	**18**	**52**	**46**	**64**	**27**
Berkhamsted	6,620	46	52	98	14·8	0·98	0·84	35	32	67	10·1	0·96	0·84	1	*10*	1	1	—	*10*
Braughing	10,480	63	74	137	13·1	1·03	0·78	76	49	125	11·9	0·91	0·94	3	*22*	3	1	1	*14*
Elstree	29,260	261	240	501	17·1	0·90	0·89	146	168	314	10·7	0·99	0·92	8	*16*	7	7	6	*26*
Hatfield	36,390	351	363	714	19·6	0·86	0·98	152	160	312	8·6	1·22	0·91	12	*17*	12	9	14	32
Hemel Hempstead	13,760	126	112	238	17·3	1·00	1·01	57	72	129	9·4	1·14	0·93	6	*25*	6	6	5	*45*
Hertford	9,450	75	84	159	16·8	1·01	0·99	40	44	84	8·9	1·03	0·80	1	*6*	1	1	5	*37*
Hitchin	22,880	178	175	353	15·4	1·03	0·92	117	85	202	8·8	0·95	0·73	9	*25*	5	5	6	*31*
St. Albans	37,090	329	315	644	17·4	1·04	1·05	229	232	461	12·4	0·69	0·74	15	*23*	6	5	11	*24*
Ware	11,840	92	94	186	15·7	1·02	0·93	72	50	122	10·3	0·86	0·77	2	*11*	—	—	4	*21*
Watford	57,810	454	442	896	15·5	0·89	0·80	227	222	449	7·8	1·26	0·85	10	*11*	8	8	10	*20*
Welwyn	6,820	76	69	145	21·3	0·85	1·05	35	33	68	10·0	1·18	1·03	6	*41*	3	3	2	*34*
HUNTINGDONSHIRE	**82,360**	**802**	**706**	**1,508**	**18·3**	**1·08**	**1·15**	**415**	**390**	**805**	**9·8**	**1·08**	**0·92**	**30**	**20**	**21**	**16**	**33**	**32**
Municipal boroughs and urban districts	**35,760**	**388**	**342**	**730**	**20·4**	**0·99**	**1·17**	**210**	**202**	**412**	**11·5**	**0·98**	**0·98**	**15**	*21*	**10**	**8**	**12**	**27**
Godmanchester M.B.	2,750	25	32	57	20·7	1·01	1·22	13	8	21	7·6	0·95	0·63	1	*18*	1	1	2	*51*
Huntingdon M.B.	6,150	61	60	121	19·7	0·98	1·12	52	63	115	18·7	0·59	0·96	3	*25*	2	2	3	*40*
Old Fletton	11,580	134	97	231	19·9	0·99	1·15	53	52	105	9·1	1·29	1·02	7	*30*	5	3	3	*26*
Ramsey	6,010	65	62	127	21·1	1·00	1·23	41	31	72	12·0	1·11	1·16	2	*16*	—	—	2	*16*
St. Ives M.B.	3,860	54	44	98	25·4	0·97	1·43	16	23	39	10·1	0·89	0·78	—	—	—	—	1	*10*
St. Neots	5,410	49	47	96	17·7	1·00	1·03	35	25	60	11·1	0·93	0·90	2	*21*	2	2	1	*31*
Rural districts	**46,600**	**414**	**364**	**778**	**16·7**	**1·17**	**1·14**	**205**	**188**	**393**	**8·4**	**1·17**	**0·85**	**15**	*19*	**11**	**8**	**21**	**36**
Huntingdon	14,230	134	109	243	17·1	1·32	1·31	57	47	104	7·3	1·42	0·90	8	*33*	6	4	8	*48*
Norman Cross	9,380	72	74	146	15·6	1·06	0·96	51	28	79	8·4	1·21	0·88	—	—	—	—	1	*7*
St. Ives	15,340	143	134	277	18·1	1·11	1·17	49	71	120	7·8	1·12	0·76	6	*22*	4	3	3	*21*
St. Neots	7,650	65	47	112	14·6	1·13	0·96	48	42	90	11·8	0·91	0·93	1	*9*	1	1	9	*83*
KENT	**1,685,120**	**14,024**	**13,162**	**27,186**	**16·1**	**1·02**	**0·95**	**9,583**	**9,795**	**19,378**	**11·5**	**0·96**	**0·96**	**501**	**18**	**357**	**310**	**544**	**31**
Canterbury C.B.	30,560	250	230	480	15·7	1·02	0·93	176	211	387	12·7	0·94	1·04	8	*17*	4	4	9	*27*
Administrative county	**1,654,560**	**13,774**	**12,932**	**26,706**	**16·1**	**1·02**	**0·95**	**9,407**	**9,584**	**18,991**	**11·5**	**0·96**	**0·96**	**493**	**18**	**353**	**306**	**535**	**31**
Municipal boroughs and urban districts	**1,294,690**	**10,676**	**9,983**	**20,659**	**16·0**	**1·02**	**0·95**	**7,350**	**7,545**	**14,895**	**11·5**	**0·97**	**0·97**	**367**	**18**	**262**	**233**	**408**	**30**
Ashford	26,680	229	204	433	16·2	1·02	0·96	159	152	311	11·7	0·94	0·96	7	*16*	5	4	9	*29*
Beckenham M.B.	75,510	550	507	1,057	14·0	1·06	0·86	387	465	852	11·3	0·94	0·92	12	*11*	10	7	12	*18*
Bexley M.B.	91,000	659	669	1,328	14·6	1·02	0·87	400	395	795	8·7	1·23	0·93	17	*13*	9	7	19	19
Broadstairs and St. Peter's	17,260	82	76	158	9·2	1·12	0·60	114	133	247	14·3	0·75	0·93	4	*25*	4	4	3	*43*
Bromley M.B.	66,580	445	453	898	13·5	1·00	0·78	357	435	792	11·9	0·94	0·97	23	26	18	15	19	37
Chatham M.B.	50,910	516	520	1,036	20·3	0·97	1·14	260	210	470	9·2	1·08	0·86	21	20	16	13	19	30
Chislehurst and Sidcup	89,750	692	643	1,335	14·9	0·97	0·84	334	368	702	7·8	1·30	0·88	23	17	16	14	31	33

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1960	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
KENT—*continued*																			
Municipal boroughs and urban districts—*continued*																			
Crayford	30,290	268	264	532	17·2	0·95	0·95	152	106	258	8·3	1·32	0·95	14	*26*	8	8	3	*21*
Dartford M.B.	44,950	384	352	736	16·4	0·97	0·92	276	249	525	11·7	0·85	0·86	11	*15*	6	5	19	32
Deal M.B.	25,820	195	188	383	14·8	1·06	0·91	160	140	300	11·6	0·97	0·98	3	*8*	3	3	12	*38*
Dover M.B.	34,920	305	269	574	16·4	1·00	0·95	226	214	440	12·6	1·00	1·10	13	*23*	10	9	16	42
Erith M.B.	45,780	383	339	722	15·8	1·00	0·92	260	203	463	10·1	1·15	1·01	14	*19*	12	10	22	43
Faversham M.B.	12,480	114	124	238	19·1	1·04	1·15	121	115	236	18·9	0·60	0·99	6	*25*	5	4	5	*37*
Folkestone M.B.	44,820	363	279	642	14·3	1·05	0·87	262	323	585	13·1	0·86	0·98	13	*20*	9	8	12	31
Gillingham M.B.	76,940	661	608	1,269	16·5	1·03	0·99	390	369	759	9·9	1·12	0·96	19	*15*	13	12	28	31
Gravesend M.B.	49,110	544	496	1,040	21·2	0·95	1·17	260	241	501	10·2	1·13	1·00	13	*13*	10	9	21	28
Herne Bay	20,490	118	102	220	10·7	1·11	0·69	201	214	415	20·3	0·68	1·20	5	*23*	4	4	4	*36*
Hythe M.B.	10,360	82	66	148	14·3	1·11	0·92	74	90	164	15·8	0·78	1·07	1	*7*	1	1	3	*26*
Lydd M.B.	3,260	31	21	52	16·0	1·27	1·18	21	17	38	11·7	1·25	1·27	2	*38*	1	—	—	—
Maidstone M.B.	58,190	513	513	1,026	17·6	1·04	1·06	348	359	707	12·1	0·92	0·97	19	*19*	10	10	16	25
Margate M.B.	43,990	256	236	492	11·2	1·09	0·71	358	366	724	16·5	0·75	1·08	7	*14*	5	4	9	*26*
New Romney M.B.	2,510	23	17	40	15·9	0·99	0·92	15	16	31	12·4	0·95	1·02	—	—	—	—	1	*24*
Northfleet	21,580	230	209	439	20·3	0·94	1·11	106	87	193	8·9	1·22	0·94	12	*27*	7	7	6	*29*
Orpington	76,020	728	708	1,436	18·9	0·98	1·08	380	332	712	9·4	1·08	0·88	27	19	25	23	21	30
Penge	25,770	304	269	573	22·2	0·91	1·17	141	154	295	11·4	0·98	0·97	9	*16*	7	7	21	47
Queenborough M.B... ..	3,200	29	25	54	16·9	1·02	1·00	22	16	38	11·9	1·12	1·16	—	—	—	—	2	*36*
Ramsgate M.B.	36,450	300	245	545	15·0	1·06	0·92	272	261	533	14·6	0·86	1·09	13	*24*	6	6	11	*31*
Rochester M.B.	48,770	397	412	809	16·6	0·96	0·93	267	269	536	11·0	1·12	1·07	12	*15*	8	8	17	30
Royal Tunbridge Wells M.B.	39,170	296	248	544	13·9	1·09	0·88	261	415	676	17·3	0·61	0·92	11	*20*	9	7	17	43
Sandwich M.B.	4,290	20	25	45	10·5	1·15	0·70	35	35	70	16·3	0·72	1·02	2	*44*	2	2	1	*65*
Sevenoaks	17,210	133	133	266	15·5	1·02	0·92	81	133	214	12·4	0·85	0·92	6	*23*	3	3	3	*22*
Sheerness	14,460	144	128	272	18·8	0·95	1·04	101	94	195	13·5	0·93	1·09	7	*26*	4	3	4	*25*
Sittingbourne and Milton ..	22,870	175	181	356	15·6	1·02	0·93	156	137	293	12·8	0·82	0·91	6	*17*	5	5	7	*33*
Southborough	9,240	66	74	140	15·2	1·16	1·03	47	72	119	12·9	0·77	0·86	1	*7*	1	1	—	*7*
Swanscombe	9,010	70	61	131	14·5	0·93	0·78	49	39	88	9·8	1·23	1·05	4	*31*	3	3	5	*59*
Tenterden M.B.	4,930	26	34	60	12·2	1·02	0·72	54	64	118	23·9	0·55	1·14	2	*33*	1	1	1	*33*
Tonbridge	21,400	219	170	389	18·2	1·03	1·09	105	104	209	9·8	0·90	0·77	6	*15*	4	4	4	*20*
Whitstable	18,090	126	115	241	13·3	1·27	0·98	138	153	291	16·1	0·64	0·90	2	*8*	2	2	5	*2*$_{8}$
Rural districts	**359,870**	**3,098**	**2,949**	**6,047**	**16·8**	**1·05**	**1·03**	**2,057**	**2,039**	**4,096**	**11·4**	**0·90**	**0·89**	**126**	**21**	**91**	**73**	**127**	**32**
Bridge-Blean	19,290	141	145	286	14·8	1·25	1·08	138	147	285	14·8	0·62	0·80	4	*14*	2	2	3	*17*
Cranbrook	15,160	98	95	193	12·7	1·04	0·77	83	130	213	14·1	0·79	0·97	6	*31*	3	3	4	*36*
Dartford	52,380	574	492	1,066	20·4	0·96	1·14	231	224	455	8·7	1·16	0·88	23	22	19	15	25	37
Dover	12,900	103	111	214	16·6	1·12	1·08	59	72	131	10·2	0·90	0·80	12	*56*	9	7	3	*46*
East Ashford	10,680	72	80	152	14·2	1·11	0·92	56	63	119	11·1	0·82	0·79	3	*20*	2	2	2	*26*
Eastry	22,190	201	186	387	17·4	1·18	1·19	170	148	318	14·3	0·80	0·99	12	*31*	6	4	7	*28*
Elham	9,740	74	68	142	14·6	1·06	0·90	92	91	183	18·8	0·53	0·87	5	*35*	5	2	3	*34*
Hollingbourn	17,050	140	135	275	16·1	1·05	0·98	84	95	179	10·5	0·94	0·86	8	*29*	7	6	4	*36*
Maidstone	19,570	148	150	298	15·2	1·05	0·93	140	129	269	13·7	0·67	0·80	6	*20*	4	4	6	*33*
Malling	38,260	336	356	692	18·1	1·05	1·10	202	204	406	10·6	1·03	0·95	16	*23*	12	9	22	43
Romney Marsh	4,570	32	52	84	18·4	1·15	1·23	26	23	49	10·7	0·92	0·86	1	*12*	1	1	—	*12*
Sevenoaks	38,090	329	330	659	17·3	1·04	1·05	175	183	358	9·4	0·96	0·78	9	*14*	7	5	12	*25*
Sheppey	9,730	86	74	160	16·4	1·13	1·08	72	51	123	12·6	0·97	1·06	4	*25*	3	3	6	*54*
Strood	27,330	278	231	509	18·6	0·97	1·05	146	101	247	9·0	1·12	0·88	5	*10*	4	4	7	*21*
Swale	20,520	139	134	273	13·3	1·03	0·80	100	94	194	9·5	0·99	0·82	4	*15*	4	3	11	*49*
Tenterden	7,350	68	48	116	15·8	1·08	0·99	54	52	106	14·4	0·89	1·11	3	*26*	3	3	3	*50*
Tonbridge	24,560	190	196	386	15·7	0·96	0·88	147	147	294	12·0	0·92	0·96	3	*8*	—	—	8	*20*
West Ashford	10,500	89	66	155	14·8	1·05	0·90	82	85	167	15·9	0·66	0·91	2	*13*	—	—	1	*6*
LANCASHIRE	**5,118,430**	**47,205**	**44,301**	**91,506**	**17·9**	**0·99**	**1·03**	**32,937**	**32,371**	**65,308**	**12·8**	**1·12**	**1·25**	**2,457**	**27**	**1,663**	**1,423**	**2,152**	**38**
County boroughs	**2,942,480**	**28,116**	**26,196**	**54,312**	**18·5**	**0·98**	**1·05**	**19,202**	**18,826**	**38,028**	**12·9**	**1·13**	**1·27**	**1,528**	**28**	**1,014**	**867**	**1,303**	**39**
Barrow-in-Furness	64,580	573	496	1,069	16·6	1·01	0·97	416	376	792	12·3	1·09	1·17	19	*18*	16	16	23	36
Blackburn	105,330	880	818	1,698	16·1	1·06	0·99	868	896	1,764	16·7	0·95	1·38	43	25	33	27	46	42
Blackpool	143,530	1,003	867	1,870	13·0	1·11	0·84	1,201	1,209	2,410	16·8	0·85	1·24	50	27	38	33	30	33
Bolton	159,570	1,364	1,295	2,659	16·7	1·00	0·97	1,055	996	2,051	12·9	1·08	1·21	72	27	43	39	52	34
Bootle	82,580	1,060	952	2,012	24·4	0·94	1·33	414	357	771	9·3	1·51	1·22	65	32	35	26	44	34
Burnley	80,560	656	635	1,291	16·0	1·04	0·97	658	617	1,275	15·8	0·98	1·35	31	24	24	21	35	42
Bury	59,290	532	506	1,038	17·5	1·03	1·05	393	484	877	14·8	0·98	1·26	14	*13*	12	11	26	35
Liverpool	754,670	8,377	7,658	16,035	21·2	0·93	1·15	4,531	4,366	8,897	11·8	1·22	1·25	450	28	295	258	375	39
Manchester	665,590	6,524	6,142	12,666	19·0	0·96	1·06	4,154	4,115	8,269	12·4	1·17	1·26	366	29	237	203	329	41
Oldham	117,250	1,000	946	1,946	16·6	0·99	0·96	788	827	1,615	13·8	1·10	1·32	52	27	41	31	48	40
Preston	113,460	1,042	975	2,017	17·8	1·00	1·03	751	697	1,448	12·8	1·14	1·27	64	32	41	35	39	36
Rochdale	84,210	668	690	1,358	16·1	1·00	0·94	579	618	1,197	14·2	1·04	1·28	42	31	24	20	33	38
St. Helens	109,610	976	951	1,927	17·6	0·94	0·96	678	586	1,264	11·5	1·32	1·32	75	39	45	35	73	54
Salford	161,170	1,543	1,469	3,012	18·7	0·96	1·04	1,036	1,006	2,042	12·7	1·19	1·31	80	27	56	45	66	36
Southport	81,350	575	508	1,083	13·3	1·13	0·87	648	783	1,431	17·6	0·73	1·12	36	33	20	18	23	37
Warrington	78,780	662	640	1,302	16·5	0·95	0·91	530	420	950	12·1	1·24	1·30	31	24	22	21	34	41
Wigan	80,950	681	648	1,329	16·4	0·98	0·93	502	473	975	12·0	1·20	1·25	38	29	32	28	27	41
Administrative county	**2,175,950**	**19,089**	**18,105**	**37,194**	**17·1**	**1·01**	**1·00**	**13,735**	**13,545**	**27,280**	**12·5**	**1·10**	**1·20**	**929**	**25**	**649**	**556**	**849**	**37**
Municipal boroughs and urban districts	**1,862,800**	**16,279**	**15,497**	**31,776**	**17·1**	**1·00**	**0·99**	**11,769**	**11,617**	**23,386**	**12·6**	**1·11**	**1·22**	**807**	**25**	**553**	**472**	**734**	**37**
Abram	6,180	59	33	92	14·9	0·95	0·82	37	31	68	11·0	1·35	1·29	2	*22*	2	2	4	*62*
Accrington M.B.	39,110	244	304	548	14·0	1·05	0·85	276	301	577	14·8	0·98	1·26	16	*29*	11	9	8	*31*
Adlington	4,360	29	37	66	15·1	1·07	0·94	34	24	58	13·3	1·11	1·28	4	*61*	3	3	2	*74*
Ashton-in-Makerfield ..	19,460	176	163	339	17·4	0·97	0·98	126	126	252	12·9	1·19	1·33	10	*29*	7	7	6	*38*

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1960	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
LANCASHIRE—*continued*																			
Municipal boroughs and urban districts—*continued*																			
Ashton-under-Lyne M.B. ..	50,270	417	420	837	16·7	1·00	0·97	336	392	728	14·5	1·03	1·30	18	*22*	13	10	14	28
Aspull	6,770	62	51	113	16·7	0·98	0·95	40	25	65	9·6	1·29	1·08	3	*27*	1	1	1	*18*
Atherton	19,780	160	171	331	16·7	1·00	0·97	126	125	251	12·7	1·00	1·10	7	*21*	5	4	10	*41*
Audenshaw	12,420	88	76	164	13·2	1·03	0·79	69	50	119	9·6	1·11	0·93	2	*12*	2	2	2	*24*
Bacup M.B.	17,900	130	152	282	15·8	1·01	0·93	119	124	243	13·6	1·11	1·31	6	*21*	4	3	6	*31*
Barrowford	4,680	37	34	71	15·2	1·12	0·99	38	33	71	15·2	0·91	1·20	1	*14*	1	—	1	*14*
Billinge-and-Winstanley ..	6,730	52	53	105	15·6	1·02	0·93	65	56	121	18·0	0·73	1·14	1	*10*	1	1	4	*46*
Blackrod	3,480	26	23	49	14·1	0·96	0·79	29	22	51	14·7	1·14	1·46	2	*41*	2	2	—	*41*
Brierfield	6,770	46	43	89	13·1	1·10	0·84	63	58	121	17·9	0·97	1·51	3	*34*	2	2	2	*44*
Carnforth	3,920	48	32	80	20·4	1·00	1·19	21	23	44	11·2	1·11	1·08	1	*12*	1	1	2	*37*
Chadderton	32,760	278	282	560	17·1	1·04	1·03	213	186	399	12·2	1·18	1·25	14	*25*	11	10	11	37
Chorley M.B.	31,320	240	239	479	15·3	1·01	0·90	185	221	406	13·0	1·07	1·21	14	*29*	11	9	11	41
Church	5,750	56	49	105	18·3	1·00	1·06	41	44	85	14·8	1·06	1·36	2	*19*	1	—	2	*19*
Clayton-le-Moors	6,790	56	57	113	16·6	1·05	1·01	52	45	97	14·3	1·09	1·36	3	*27*	2	2	2	*35*
Clitheroe M.B.	12,000	106	90	196	16·3	1·13	1·07	75	125	200	16·7	0·84	1·22	5	*26*	5	4	4	*40*
Colne M.B.	19,640	142	151	293	14·9	1·07	0·93	149	167	316	16·1	0·98	1·37	8	*27*	4	4	12	*52*
Crompton	12,880	79	103	182	14·1	1·04	0·85	109	81	190	14·8	1·08	1·39	5	*27*	3	3	7	*53*
Crosby M.B.	58,440	581	475	1,056	18·1	1·00	1·05	370	407	777	13·3	0·98	1·13	25	24	11	9	10	*18*
Dalton-in-Furness	10,220	88	73	161	15·8	1·02	0·94	83	53	136	13·3	1·04	1·20	3	*19*	2	2	2	*25*
Darwen M.B.	29,370	236	218	454	15·5	1·08	0·97	213	217	430	14·6	0·98	1·24	14	*31*	10	7	16	49
Denton	29,790	313	308	621	20·8	1·01	1·22	178	184	362	12·2	1·26	1·34	18	*29*	13	11	14	39
Droylsden	26,240	199	211	410	15·6	1·01	0·92	138	123	261	9·9	1·39	1·20	7	*17*	5	4	3	*17*
Eccles M.B.	43,520	362	351	713	16·4	1·00	0·95	314	320	634	14·6	1·03	1·31	17	*24*	13	12	10	30
Failsworth	19,860	209	175	384	19·3	0·97	1·09	115	117	232	11·7	1·25	1·27	8	*21*	7	7	8	*38*
Farnworth M.B.	27,320	236	241	477	17·5	0·99	1·01	199	184	383	14·0	0·91	1·11	14	*29*	10	9	13	45
Fleetwood M.B.	28,710	259	264	523	18·2	1·02	1·08	145	150	295	10·3	1·19	1·07	13	*25*	8	7	8	*28*
Formby	11,420	115	81	196	17·2	1·10	1·10	63	60	123	10·8	1·10	1·03	2	*10*	2	1	3	*20*
Fulwood	16,420	137	131	268	16·3	1·02	0·97	131	160	291	17·7	0·67	1·03	2	*7*	2	1	4	*18*
Golborne	21,790	231	215	446	20·5	0·89	1·06	131	101	232	10·6	1·43	1·32	18	*40*	14	12	7	*42*
Grange	2,850	7	13	20	7·0	1·46	0·59	32	33	65	22·8	0·54	1·07	—	—	—	—	—	—
Great Harwood	10,620	99	92	191	18·0	1·11	1·16	66	89	155	14·6	0·96	1·22	1	*5*	1	—	2	*10*

1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
Haslingden M.B.	14,050	109	97	206	14·7	1·07	0·91	105	89	194	13·8	0·99	1·19	7	*34*	5	2	4	29
Haydock	12,190	120	108	228	18·7	0·96	1·04	70	61	131	10·7	1·28	1·19	5	*22*	2	2	6	*34*
Heywood M.B.	24,660	210	202	412	16·7	1·01	0·98	157	161	318	12·9	1·10	1·23	10	*24*	6	6	14	47
Hindley	19,320	142	134	276	14·3	1·00	0·82	141	118	259	13·4	1·22	1·42	3	*11*	2	1	4	*18*
Horwich	15,820	136	115	251	15·9	1·00	0·92	106	103	209	13·2	1·11	1·27	7	*28*	5	5	3	*31*
Huyton-with-Roby	62,810	658	659	1,317	21·0	1·00	1·22	258	232	490	7·8	1·76	1·19	52	39	31	23	27	37
Ince-in-Makerfield	19,980	147	164	311	15·6	0·96	0·87	116	93	209	10·5	1·41	1·29	9	*29*	7	5	12	*53*
Irlam	15,210	128	119	247	16·2	1·03	0·97	78	75	153	10·1	1·27	1·12	7	*28*	6	5	6	*43*
Kearsley	10,360	96	89	185	17·9	1·00	1·04	66	54	120	11·6	1·17	1·18	4	*22*	3	1	3	*21*
Kirkby	51,330	713	760	1,473	28·7	0·72	1·20	136	103	239	4·7	2·70	1·10	55	37	33	31	47	51
Kirkham	4,670	44	19	63	13·5	0·92	0·72	21	22	43	9·2	1·09	0·87	1	*16*	—	—	3	*45*
Lancaster M.B.	49,220	421	382	803	16·3	1·08	1·02	324	384	708	14·4	0·80	1·00	22	27	15	14	20	41
Lees	3,890	24	21	45	11·6	1·10	0·74	27	32	59	15·2	1·04	1·37	2	*44*	—	—	1	*22*
Leigh M.B.	47,240	372	384	756	16·0	0·99	0·92	294	261	555	11·7	1·24	1·26	15	*20*	12	9	22	40
Leyland	18,690	185	169	354	18·9	0·96	1·05	80	92	172	9·2	1·34	1·07	6	*17*	3	2	7	*25*
Litherland	24,560	232	221	453	18·4	0·94	1·01	122	102	224	9·1	1·45	1·15	10	*22*	6	6	11	*37*
Littleborough	10,460	92	80	172	16·4	1·00	0·95	62	68	130	12·4	1·10	1·19	7	*41*	4	4	2	*34*
Little Lever	4,890	43	50	93	19·0	1·05	1·16	21	43	64	13·1	1·17	1·33	3	*32*	2	2	5	*71*
Longridge	4,630	47	36	83	17·9	1·09	1·13	26	28	54	11·7	1·14	1·16	1	*12*	1	1	1	*24*
Lytham St. Anne's M.B. ..	32,590	208	200	408	12·5	1·15	0·84	291	329	620	19·0	0·71	1·17	6	*15*	4	2	7	*22*
Middleton M.B.	56,370	556	524	1,080	19·2	0·88	0·98	271	247	518	9·2	1·48	1·18	25	23	20	19	22	37
Milnrow	8,350	52	52	104	12·5	1·01	0·73	38	59	97	11·6	1·04	1·05	4	*38*	3	3	3	*56*
Morecambe and Heysham M.B.	38,200	265	221	486	12·7	1·22	0·90	315	356	671	17·6	0·77	1·18	7	*14*	6	5	5	*20*
Mossley M.B.	9,970	79	95	174	17·5	1·03	1·05	72	74	146	14·6	1·09	1·38	5	*29*	5	5	5	*56*
Nelson M.B.	31,470	246	225	471	15·0	1·08	0·94	268	265	533	16·9	0·95	1·40	8	*17*	7	5	17	45
Newton-le-Willows	22,050	186	169	355	16·1	0·98	0·92	127	113	240	10·9	1·15	1·09	11	*31*	8	6	10	*44*
Ormskirk	21,850	181	178	359	16·4	1·03	0·98	152	141	293	13·4	0·97	1·13	11	*31*	7	5	7	*33*
Orrell	10,730	90	76	166	15·5	0·97	0·87	59	52	111	10·3	1·25	1·12	3	*18*	3	3	5	*47*
Oswaldtwistle	11,940	80	94	174	14·6	1·06	0·90	87	95	182	15·2	1·01	1·33	3	*17*	3	3	4	*39*
Padiham	9,830	77	74	151	15·4	1·03	0·92	68	62	130	13·2	1·02	1·17	4	*26*	3	2	5	*45*
Poulton-le-Fylde	12,600	113	107	220	17·5	0·93	0·95	80	72	152	12·1	1·23	1·29	6	*27*	6	6	3	*40*
Preesall	2,270	17	18	35	15·4	1·27	1·14	14	22	36	15·9	0·67	0·93	1	*29*	1	1	1	*56*
Prescot	12,660	127	128	255	20·1	0·91	1·06	84	61	145	11·5	1·20	1·20	7	*27*	3	3	4	*27*
Prestwich M.B.	33,390	235	211	446	13·4	1·13	0·88	260	273	533	16·0	0·83	1·15	8	*18*	7	6	10	*35*
Radcliffe M.B.	27,080	228	224	452	16·7	1·05	1·02	182	207	389	14·4	1·08	1·35	8	*18*	6	5	5	*22*
Rainford	5,100	60	33	93	18·2	0·92	0·97	22	23	45	8·8	1·30	0·99	2	*22*	2	2	4	*62*
Ramsbottom	13,760	91	101	192	14·0	1·08	0·88	108	83	191	13·9	0·97	1·17	3	*16*	2	1	9	*50*
Rawtenstall M.B.	23,970	177	196	373	15·6	1·06	0·96	176	178	354	14·8	0·93	1·20	12	*32*	9	6	6	*32*
Rishton	5,460	35	40	75	13·7	1·12	0·89	33	44	77	14·1	1·01	1·24	1	*13*	1	1	1	*26*
Royton	14,520	125	109	234	16·1	1·04	0·97	88	108	196	13·5	1·12	1·31	4	*17*	3	3	4	*29*
Skelmersdale	6,390	48	46	94	14·7	1·00	0·85	44	36	80	12·5	1·27	1·38	3	*32*	2	2	5	*71*
Standish-with-Langtree ..	9,430	99	74	173	18·3	1·06	1·13	66	55	121	12·8	1·13	1·26	2	*12*	1	1	2	*17*
Stretford M.B.	61,460	541	503	1,044	17·0	0·95	0·94	375	334	709	11·5	1·20	1·20	38	36	21	20	25	42
Swinton and Pendlebury M.B.	40,450	347	299	646	16·0	1·05	0·98	265	238	503	12·4	1·20	1·29	15	*23*	8	7	21	42
Thornton Cleveleys	18,540	143	126	269	14·5	1·05	0·89	157	140	297	16·0	0·90	1·25	5	*19*	5	4	6	*36*
Tottington	5,730	42	30	72	12·6	1·24	0·91	56	50	106	18·5	0·88	1·42	1	*14*	1	1	2	*41*

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1960	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
LANCASHIRE—*continued*																			
Municipal boroughs and urban districts—*continued*																			
Trawden	1,950	13	14	27	13·8	1·15	0·92	17	15	32	16·4	0·94	1·34	—	—	—	—	—	—
Turton	13,320	119	126	245	18·4	1·00	1·07	100	80	180	13·5	1·04	1·22	5	*20*	5	4	—	*16*
Tyldesley	17,440	125	135	260	14·9	0·99	0·86	126	105	231	13·2	1·19	1·37	5	*19*	4	4	8	*45*
Ulverston	10,400	82	86	168	16·2	1·01	0·95	66	93	159	15·3	0·83	1·10	1	*6*	1	—	—	—
Up Holland	7,040	63	46	109	15·5	0·99	0·89	35	31	66	9·4	1·32	1·08	7	*64*	4	4	7	*95*
Urmston	41,550	391	369	760	18·3	1·00	1·06	219	213	432	10·4	1·20	1·09	15	*20*	9	9	19	36
Walton-le-Dale	17,540	177	168	345	19·7	0·98	1·12	78	99	177	10·1	1·26	1·11	7	*20*	7	6	6	*34*
Wardle	4,440	27	29	56	12·6	0·91	0·67	30	38	68	15·3	0·70	0·93	3	*54*	2	2	3	*85*
Westhoughton	15,630	139	108	247	15·8	1·04	0·96	104	88	192	12·3	1·14	1·22	2	*8*	1	1	12	*50*
Whitefield	13,600	124	102	226	16·6	1·04	1·00	81	70	151	11·1	1·15	1·11	4	*18*	1	1	8	*38*
Whitworth	7,350	71	65	136	18·5	1·01	1·09	42	50	92	12·5	1·10	1·20	5	*37*	3	2	7	*63*
Widnes M.B.	51,810	614	544	1,158	22·4	0·95	1·24	299	230	529	10·2	1·40	1·24	34	29	19	17	35	44
Withnell	2,770	20	18	38	13·7	1·11	0·88	25	16	41	14·8	1·01	1·30	—	—	—	—	3	*73*
Worsley	38,280	344	314	658	17·2	0·95	0·95	198	194	392	10·2	1·31	1·16	21	32	17	15	19	50
Rural districts	**313,150**	**2,810**	**2,608**	**5,418**	**17·3**	**1·06**	**1·07**	**1,966**	**1,928**	**3,894**	**12·4**	**1·02**	**1·10**	**122**	**23**	**96**	**84**	**115**	**36**
Blackburn	14,740	111	99	210	14·2	1·12	0·92	99	112	211	14·3	1·02	1·27	3	*14*	3	1	3	*19*
Burnley	16,080	106	103	209	13·0	1·15	0·87	114	126	240	14·9	0·92	1·19	2	*10*	—	—	4	*19*
Chorley	27,750	268	203	471	17·0	1·07	1·06	186	152	338	12·2	1·13	1·20	15	*32*	11	8	18	53
Clitheroe	9,360	53	42	95	10·1	1·23	0·72	62	47	109	11·6	0·96	0·97	3	*32*	3	3	2	*52*
Fylde	16,590	163	166	329	19·8	1·04	1·20	108	144	252	15·2	0·82	1·08	7	*21*	6	6	3	*27*
Garstang	13,820	113	135	248	17·9	1·08	1·12	105	86	191	13·8	1·02	1·22	8	*32*	7	5	4	*36*
Lancaster	13,520	99	93	192	14·2	1·04	0·86	110	113	223	16·5	0·93	1·33	5	*26*	5	3	5	*41*
Lunesdale	7,970	68	62	130	16·3	1·02	0·97	45	41	86	10·8	0·99	0·93	2	*15*	2	2	3	*38*
North Lonsdale	15,880	116	109	225	14·2	1·13	0·93	125	106	231	14·5	0·89	1·12	3	*13*	2	2	5	*30*
Preston	41,200	328	330	658	16·0	1·20	1·12	284	312	596	14·5	0·81	1·02	18	*27*	15	14	12	39
Warrington	32,200	293	279	572	17·8	0·96	0·99	171	186	357	11·1	1·02	0·98	9	*16*	6	6	13	*32*
West Lancashire	52,560	573	509	1,082	20·6	0·97	1·16	286	254	540	10·3	1·21	1·08	21	19	20	20	21	37
Whiston	41,640	437	394	831	20·0	1·03	1·20	219	212	431	10·4	1·15	1·04	23	28	14	13	18	37
Wigan	9,840	82	84	166	16·9	0·95	0·93	52	37	89	9·0	1·27	0·99	3	*18*	2	1	4	*29*
LEICESTERSHIRE	**671,690**	**5,932**	**5,712**	**11,644**	**17·3**	**0·99**	**1·00**	**3,773**	**3,691**	**7,464**	**11·1**	**1·07**	**1·03**	**248**	**21**	**163**	**149**	**231**	**32**
Leicester C.B.	273,370	2,330	2,210	4,540	16·6	1·01	0·97	1,733	1,723	3,456	12·6	1·00	1·10	111	24	76	70	105	38
Administrative county	**398,320**	**3,602**	**3,502**	**7,104**	**17·8**	**0·98**	**1·01**	**2,040**	**1,968**	**4,008**	**10·1**	**1·12**	**0·98**	**137**	**19**	**87**	**79**	**126**	**28**
Municipal borough and urban districts	**179,630**	**1,582**	**1,586**	**3,168**	**17·6**	**0·98**	**1·00**	**912**	**890**	**1,802**	**10·0**	**1·14**	**0·99**	**76**	**24**	**47**	**43**	**60**	**32**
Ashby de la Zouch	7,150	59	67	126	17·6	0·96	0·98	28	36	64	9·0	0·97	0·76	4	*32*	3	3	1	*31*
Ashby Woulds	3,300	22	33	55	16·7	0·98	0·95	22	12	34	10·3	1·23	1·10	1	*18*	1	1	—	*18*
Coalville	26,830	220	185	405	15·1	0·97	0·85	131	128	259	9·7	1·17	0·99	11	*27*	8	7	10	*41*
Hinckley	40,890	342	338	680	16·6	0·98	0·95	194	180	374	9·1	1·24	0·98	20	29	13	13	18	44
Loughborough M.B.	35,910	305	282	587	16·3	1·01	0·96	203	188	391	10·9	1·05	1·00	10	*17*	3	3	9	*20*
Market Harborough	10,990	74	105	179	16·3	1·07	1·01	72	73	145	13·2	0·82	0·94	5	*28*	4	4	2	*33*
Melton Mowbray	15,090	140	137	277	18·4	0·98	1·05	96	109	205	13·6	1·00	1·18	8	*29*	5	4	5	*32*
Oadby	12,510	132	131	263	21·0	0·85	1·04	53	52	105	8·4	1·47	1·07	6	*23*	6	4	3	*26*
Shepshed	6,910	63	65	128	18·5	0·97	1·04	39	35	74	10·7	1·14	1·06	3	*23*	—	—	1	*8*
Wigston	20,050	225	243	468	23·3	0·94	1·27	74	77	151	7·5	1·35	0·88	8	*17*	4	4	11	*31*
Rural districts	**218,690**	**2,020**	**1,916**	**3,936**	**18·0**	**0·99**	**1·04**	**1,128**	**1,078**	**2,206**	**10·1**	**1·11**	**0·97**	**61**	**15**	**40**	**36**	**66**	**25**
Ashby de la Zouch	14,050	102	99	201	14·3	1·00	0·83	91	73	164	11·7	1·11	1·13	6	*30*	4	4	3	*34*
Barrow upon Soar	55,040	544	493	1.037	18·8	1·00	1·09	264	277	541	9·8	1·17	1·00	19	*18*	13	12	13	24
Billesdon	19,060	185	194	379	19·9	0·84	0·97	64	62	126	6·6	1·59	0·91	3	*8*	1	1	8	*23*
Blaby	50,800	567	565	1,132	22·3	0·97	1·26	257	283	540	10·6	1·07	0·99	18	*16*	11	10	21	27
Castle Donington	10,200	86	76	162	15·9	1·05	0·97	49	35	84	8·2	1·07	0·76	2	*12*	1	1	5	*36*
Lutterworth	13,390	108	107	215	16·1	1·05	0·98	71	72	143	10·7	0·94	0·87	3	*14*	3	3	2	*23*
Market Bosworth	27,730	221	174	395	14·2	0·99	0·82	162	144	306	11·0	1·00	0·96	5	*13*	3	3	8	*27*
Market Harborough	9,820	71	62	133	13·5	1·05	0·82	64	45	109	11·1	0·91	0·88	1	*8*	1	1	3	*29*
Melton and Belvoir	18,600	136	146	282	15·2	1·06	0·94	106	87	193	10·4	0·99	0·90	4	*14*	3	1	3	*14*
LINCOLNSHIRE (PARTS OF HOLLAND)	**103,460**	**881**	**809**	**1,690**	**16·3**	**1·00**	**0·95**	**549**	**523**	**1,072**	**10·4**	**1·00**	**0·90**	**31**	**18**	**22**	**19**	**39**	**34**
Municipal borough and urban district	**39,120**	**361**	**323**	**684**	**17·5**	**0·99**	**1·01**	**244**	**226**	**470**	**12·0**	**0·91**	**0·95**	**13**	**19**	**12**	**11**	**17**	**40**
Boston M.B.	24,450	225	205	430	17·6	0·98	1·00	157	129	286	11·7	1·04	1·06	7	*16*	6	5	12	*38*
Spalding	14,670	136	118	254	17·3	1·00	1·01	87	97	184	12·5	0·71	0·77	6	*24*	6	6	5	*42*
Rural districts	**64,340**	**520**	**486**	**1,006**	**15·6**	**1·00**	**0·91**	**305**	**297**	**602**	**9·4**	**1·04**	**0·85**	**18**	*18*	**10**	**8**	**22**	**29**
Boston	22,430	182	175	357	15·9	0·99	0·92	102	106	208	9·3	1·07	0·87	8	*22*	4	3	6	*25*
East Elloe	22,680	164	165	329	14·5	1·03	0·87	115	119	234	10·3	0·99	0·89	7	*21*	4	3	11	*41*
Spalding	19,230	174	146	320	16·6	0·98	0·95	88	72	160	8·3	1·10	0·79	3	*9*	2	2	5	*22*
LINCOLNSHIRE (PARTS OF KESTEVEN)	**135,210**	**1,194**	**1,149**	**2,343**	**17·3**	**1·04**	**1·05**	**791**	**768**	**1,559**	**11·5**	**0·94**	**0·94**	**48**	**20**	**34**	**29**	**40**	**29**
Municipal boroughs and urban districts	**48,690**	**386**	**350**	**736**	**15·1**	**1·00**	**0·88**	**339**	**333**	**672**	**13·8**	**0·85**	**1·02**	**15**	**20**	**9**	**9**	**11**	**27**
Bourne	5,080	34	30	64	12·6	0·99	0·73	29	26	55	10·8	0·96	0·90	—	—	—	—	1	*15*
Grantham M.B.	24,650	195	194	389	15·8	1·00	0·92	151	145	296	12·0	1·00	1·04	6	*15*	3	3	7	*25*
Sleaford	7,440	59	51	110	14·8	1·02	0·88	60	59	119	16·0	0·60	0·83	2	*18*	1	1	2	*27*
Stamford M.B.	11,520	98	75	173	15·0	1·02	0·89	99	103	202	17·5	0·73	1·11	7	*40*	5	5	1	*34*
Rural districts	**86,520**	**808**	**799**	**1,607**	**18·6**	**1·06**	**1·15**	**452**	**435**	**887**	**10·3**	**1·00**	**0·90**	**33**	**21**	**25**	**20**	**29**	**30**
East Kesteven	21,330	166	181	347	16·3	1·13	1·07	96	80	176	8·3	1·28	0·92	6	*17*	3	3	6	*25*

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1960	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability Factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
LINCOLNSHIRE (PARTS OF KESTEVEN)—*continued*																			
Rural districts—*continued*																			
North Kesteven	32,040	332	300	632	19·7	1·05	1·20	197	200	397	12·4	0·80	0·86	16	*25*	12	8	9	*27*
South Kesteven	15,190	137	135	272	17·9	1·04	1·08	80	79	159	10·5	0·98	0·89	6	*22*	6	5	6	*40*
West Kesteven	17,960	173	183	356	19·8	0·99	1·14	79	76	155	8·6	1·09	0·82	5	*14*	4	4	8	*33*
LINCOLNSHIRE (PARTS OF LINDSEY)	**496,630**	**4,715**	**4,281**	**8,996**	**18·1**	**1·03**	**1·08**	**2,883**	**2,448**	**5,331**	**10·7**	**1·04**	**0·97**	**204**	**23**	**134**	**114**	**204**	**35**
County boroughs	**170,760**	**1,682**	**1,525**	**3,207**	**18·8**	**1·00**	**1·09**	**991**	**848**	**1,839**	**10·8**	**1·06**	**1·00**	**72**	**22**	**49**	**42**	**80**	**37**
Grimsby	97,030	1,000	911	1,911	19·7	1·00	1·15	572	460	1,032	10·6	1·12	1·03	48	25	29	23	55	40
Lincoln	73,730	682	614	1,296	17·6	0·99	1·01	419	388	807	10·9	0·97	0·92	24	18	20	19	25	33
Administrative county	**325,870**	**3,033**	**2,756**	**5,789**	**17·8**	**1·04**	**1·08**	**1,892**	**1,600**	**3,492**	**10·7**	**1·03**	**0·96**	**132**	**23**	**85**	**72**	**124**	**33**
Municipal boroughs and urban districts	**162,150**	**1,551**	**1,397**	**2,948**	**18·2**	**1·00**	**1·06**	**1,008**	**848**	**1,856**	**11·4**	**1·05**	**1·04**	**67**	**23**	**43**	**39**	**67**	**35**
Alford	2,090	13	17	30	14·4	1·13	0·95	16	19	35	16·7	0·68	0·99	2	*67*	2	2	—	*67*
Barton-upon-Humber ..	6,440	56	50	106	16·5	1·02	0·98	42	38	80	12·4	0·94	1·01	9	*85*	8	7	4	*100*
Brigg	4,540	37	43	80	17·6	1·00	1·02	40	33	73	16·1	0·83	1·16	2	*25*	2	1	2	*37*
Cleethorpes M.B.	31,090	304	304	608	19·6	1·00	1·14	195	158	353	11·4	1·03	1·02	11	*18*	6	5	12	*27*
Gainsborough	17,340	167	160	327	18·9	1·03	1·13	124	115	239	13·8	0·84	1·01	6	*18*	5	5	5	*30*
Horncastle	3,900	30	25	55	14·1	1·08	0·89	10	22	32	8·2	0·89	0·63	—	—	—	—	2	*35*
Louth M.B.	11,490	93	83	176	15·3	1·03	0·92	74	79	153	13·3	0·82	0·95	4	*23*	2	1	3	*22*
Mablethorpe and Sutton ..	5,230	51	32	83	15·9	1·21	1·12	51	34	85	16·3	0·79	1·12	3	*36*	—	—	1	*12*
Market Rasen	2,090	18	15	33	15·8	1·08	0·99	15	21	36	17·2	0·68	1·02	—	—	—	—	—	—
Scunthorpe M.B.	63,090	689	582	1,271	20·1	0·93	1·09	331	214	545	8·6	1·49	1·11	28	22	16	16	35	39
Skegness	12,700	80	68	148	11·7	1·00	0·68	81	93	174	13·7	0·92	1·10	1	*7*	1	1	3	*26*
Woodhall Spa	2,150	13	18	31	14·4	1·18	0·99	29	22	51	23·7	0·65	1·34	1	*32*	1	1	—	*32*
Rural districts	**163,720**	**1,482**	**1,359**	**2,841**	**17·4**	**1·09**	**1·10**	**884**	**752**	**1,636**	**10·0**	**1·01**	**0·88**	**65**	**23**	**42**	**33**	**57**	**31**
Caistor	13,380	125	126	251	18·8	1·15	1·26	74	64	138	10·3	0·97	0·87	5	*20*	5	3	4	*27*
Gainsborough	12,190	131	109	240	19·7	1·10	1·26	57	55	112	9·2	1·06	0·85	6	*25*	4	4	6	*41*
Glanford Brigg	34,110	302	292	594	17·4	1·05	1·06	189	146	335	9·8	1·06	0·91	12	*20*	7	5	11	*26*
Grimsby	16,270	162	156	318	19·5	1·00	1·13	80	71	151	9·3	1·14	0·93	5	*16*	5	3	9	*37*
Horncastle	13,890	126	106	232	16·7	1·12	1·09	68	50	118	8·5	0·99	0·73	6	*26*	1	1	5	*25*
Isle of Axholme	14,310	122	103	225	15·7	1·02	0·93	96	72	168	11·7	1·04	1·06	4	*18*	2	2	4	*26*
Louth	19,010	151	154	305	16·0	1·14	1·06	115	99	214	11·3	0·93	0·92	11	*36*	7	6	1	*23*
Spilsby	23,100	202	163	365	15·8	1·10	1·01	128	126	254	11·0	0·83	0·79	7	*19*	4	4	8	*32*
Welton	17,460	161	150	311	17·8	1·05	1·09	77	69	146	8·4	1·18	0·86	9	*29*	7	5	9	*44*
LONDON A.C.	**3,194,480**	**29,379**	**27,989**	**57,368**	**18·0**	**0·90**	**0·94**	**18,534**	**17,987**	**36,521**	**11·4**	**0·98**	**0·97**	**1,232**	**21**	**886**	**770**	**1,052**	**31**
City of London	4,890	17	17	34	7·0	0·90	0·37	33	15	48	9·8	1·02	0·87	1	*29*	1	1	—	*29*
Metropolitan boroughs:																			
Battersea	107,120	1,059	891	1,950	18·2	0·97	1·03	561	577	1,138	10·6	0·95	0·88	35	18	25	22	35	29
Bermondsey	53,510	426	434	860	16·1	0·95	0·89	310	255	565	10·6	1·07	0·99	23	27	17	14	20	39
Bethnal Green	47,580	418	396	814	17·1	0·95	0·94	282	257	539	11·3	0·97	0·95	22	27	18	16	11	33
Camberwell	175,020	1,566	1,546	3,112	17·8	0·93	0·96	959	943	1,902	10·9	0·99	0·94	76	24	64	58	75	42
Chelsea	49,140	339	372	711	14·5	0·76	0·64	318	411	729	14·8	0·78	1·00	12	*17*	9	8	15	32
Deptford	69,330	675	631	1,306	18·8	0·97	1·06	408	362	770	11·1	1·02	0·98	38	29	28	24	28	39
Finsbury	33,710	342	303	645	19·1	0·90	1·00	194	143	337	10·0	1·01	0·88	10	*16*	7	7	12	*29*
Fulham	112,960	995	886	1,881	16·7	0·97	0·94	649	606	1,255	11·1	0·98	0·95	41	22	30	26	35	32
Greenwich	88,310	607	632	1,239	14.0	0·94	·077	481	445	926	10·5	1·12	1·02	22	18	17	15	15	24
Hackney	163,050	1,738	1,540	3,278	20·1	0·94	1·10	909	870	1,779	10·9	1·08	1·02	50	15	31	28	68	29
Hammersmith	108,290	1,144	1,080	2,224	20·5	0·95	1·13	615	590	1,205	11·1	1·04	1·00	50	22	36	32	37	31
Hampstead	98,080	890	792	1,682	17·1	0·75	0·75	442	578	1,020	10·4	1·01	0·91	34	20	27	26	30	33
Holborn	21,000	98	109	207	9·9	0·71	0·41	135	132	267	12·7	1·08	1·19	16	77	6	4	4	*38*
Islington	222,940	2,669	2,553	5,222	23·4	0·92	1·25	1,283	1,183	2,466	11·1	0·96	0·93	109	21	82	69	108	33
Kensington	167,240	1,596	1,519	3,115	18·6	0·72	0·78	735	922	1,657	9·9	1·00	0·86	64	21	47	37	46	26
Lambeth	224,080	2,401	2,407	4,808	21·5	0·91	1·14	1,273	1,115	2,388	10·7	1·02	0·95	101	21	72	67	87	31
Lewisham	221,330	1,821	1,779	3,600	16·3	0·95	0·90	1,375	1,135	2,510	11·3	1·00	0·98	68	19	48	39	64	28
Paddington	113,350	1,274	1,228	2,502	22·1	0·81	1·04	635	557	1,192	10·5	1·03	0·94	64	26	46	40	49	35
Poplar	63,340	603	554	1,157	18·3	0·96	1·02	377	288	665	10·5	1·10	1·00	30	26	17	15	25	34
St. Marylebone	69,640	385	360	745	10·7	0·78	0·49	528	562	1,090	15·7	0·74	1·01	20	27	18	15	6	28
St. Pancras	127,710	1,194	1,154	2,348	18·4	0·87	0·93	735	619	1,354	10·6	1·02	0·94	57	24	41	34	39	31
Shoreditch	42,870	346	342	688	16·0	0·91	0·85	255	294	549	12·8	0·95	1·06	15	*22*	10	9	8	*24*
Southwark	88,690	856	769	1,625	18·3	0·90	0·96	623	580	1,203	13·6	0·89	1·05	43	26	27	27	27	33
Stepney	93,850	864	868	1,732	18·5	0·90	0·97	580	457	1,037	11·0	1·07	1·02	32	18	19	14	35	28
Stoke Newington	50,240	557	556	1,113	22·2	0·90	1·16	287	282	569	11·3	1·14	1·12	20	18	15	14	23	33
Wandsworth	338,800	2,891	2,677	5,568	16·4	0·96	0·92	2,319	2,672	4,991	14·7	0·74	0·95	126	23	88	74	98	30
Westminster	92,940	501	522	1,023	11·0	0·82	0·52	505	441	946	10·2	1·04	0·92	16	*16*	12	10	14	23
Woolwich	145,470	1,107	1,072	2,179	15.0	0·99	0·86	728	696	1,424	9·8	1.06	0·90	37	17	28	25	38	28
MIDDLESEX	**2,252,420**	**18,256**	**17,202**	**35,458**	**15·7**	**0·98**	**0·89**	**11,694**	**11,405**	**23,099**	**10·3**	**1·08**	**0·97**	**655**	**18**	**510**	**451**	**577**	**29**
Municipal boroughs and urban districts:																			
Acton M.B.	64,550	539	549	1,088	16·9	0·95	0·93	355	334	689	10·7	1·02	0·95	27	25	20	18	26	39
Brentford and Chiswick M.B.	57,070	466	438	904	15·9	0·95	0·88	287	308	595	10·4	1·00	0·90	10	*11*	9	9	19	30
Ealing M.B.	183,390	1,442	1,342	2,784	15·2	0·97	0·86	1,046	1,001	2,047	11·2	1·07	1·04	44	16	40	34	47	29
Edmonton M.B.	93,890	694	623	1,317	14·0	1·00	0·81	494	466	960	10·2	1·10	0·98	31	24	25	22	21	32
Enfield M.B.	110,240	844	770	1,614	14·6	1·00	0·85	565	543	1,108	10·1	1·10	0·97	34	21	28	23	17	25

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1960	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
MIDDLESEX—*continued*																			
Municipal boroughs and urban districts—*continued*																			
Feltham	52,290	498	465	963	18·4	0·96	1·03	202	177	379	7·2	1·59	0·99	17	*18*	12	12	18	31
Finchley M.B.	68,980	555	493	1,048	15·2	0·96	0·85	343	395	738	10·7	0·90	0·84	14	*13*	11	10	16	24
Friern Barnet	28,670	181	163	344	12·0	1·12	0·78	185	188	373	13·0	0·73	0·83	5	*15*	4	3	3	*17*
Harrow M.B.	214,370	1,591	1,544	3,135	14·6	1·03	0·87	1,051	975	2,026	9·5	1·18	0·97	58	18	45	38	40	25
Hayes and Harlington ..	69,400	620	544	1,164	16·8	0·94	0·92	283	227	510	7·3	1·62	1·03	24	21	20	18	27	38
Hendon M.B.	151,850	1,011	972	1,983	13·1	0·96	0·73	798	809	1,607	10·6	1·05	0·97	43	22	33	32	33	32
Heston and Isleworth M.B. ..	105,270	687	681	1,368	13·0	1·00	0·76	549	538	1,087	10·3	1·08	0·97	25	18	19	16	24	29
Hornsey M.B.	96,570	1,003	912	1,915	19·8	0·94	1·08	529	582	1,111	11·5	0·89	0·89	36	19	27	25	32	29
Potters Bar	23,140	208	184	392	16·9	0·89	0·87	90	97	187	8·1	1·39	0·98	8	*20*	6	4	5	*23*
Ruislip-Northwood	75,470	577	525	1,102	14·6	1·00	0·85	314	295	609	8·1	1·25	0·88	21	19	17	15	13	25
Southall M.B.	53,150	426	412	838	15·8	1·04	0·96	352	347	699	13·2	0·92	1·06	14	*17*	12	12	11	27
Southgate M.B.	69,880	486	471	957	13·7	1·09	0·87	456	473	929	13·3	0·83	0·96	14	*15*	9	9	11	21
Staines	49,400	485	458	943	19·1	0·91	1·01	225	183	408	8·3	1·31	0·94	17	*18*	11	8	23	32
Sunbury-on-Thames	31,600	375	372	747	23·6	0·88	1·21	172	160	332	10·5	1·16	1·06	15	*20*	10	10	4	*19*
Tottenham M.B.	115,030	961	944	1,905	16·6	0·99	0·96	660	670	1,330	11·6	1·05	1·06	45	24	36	29	28	29
Twickenham M.B.	103,450	747	701	1,448	14·0	1·03	0·84	607	620	1,227	11·9	0·96	0·99	19	*13*	18	16	15	21
Uxbridge M.B.	64,620	595	531	1,126	17·4	0·90	0·91	298	299	597	9·2	1·26	1·01	26	23	20	17	22	34
Wembley M.B.	126,120	840	813	1,653	13·1	1·01	0·77	589	536	1,125	8·9	1·15	0·89	22	13	15	14	30	26
Willesden M.B.	172,430	1,840	1,768	3,608	20·9	0·93	1·13	851	818	1,669	9·7	1·11	0·94	54	15	40	36	74	30
Wood Green M.B.	48,160	375	346	721	15·0	1·01	0·88	298	257	555	11·5	0·96	0·96	22	31	17	16	11	37
Yiewsley and West Drayton	23,430	210	181	391	16·7	0·90	0·87	95	107	202	8·6	1·44	1·08	10	*26*	6	5	7	*30*
NORFOLK	**561,820**	**4,662**	**4,206**	**8,868**	**15·8**	**1·07**	**0·98**	**3,331**	**3,229**	**6,560**	**11·7**	**0·91**	**0·93**	**152**	**17**	**109**	**96**	**185**	**31**
County boroughs	**169,200**	**1,437**	**1,242**	**2,679**	**15·8**	**1·01**	**0·93**	**1,076**	**1,080**	**2,156**	**12·7**	**0·93**	**1·03**	**53**	**20**	**37**	**33**	**58**	**33**
Great Yarmouth	51,500	412	358	770	15·0	1·02	0·89	325	357	682	13·2	0·88	1·01	13	*17*	8	7	14	27
Norwich	117,700	1,025	884	1,909	16·2	1·01	0·95	751	723	1,474	12·5	0·95	1·03	40	21	29	26	44	36
Administrative county	**392,620**	**3,225**	**2,964**	**6,189**	**15·8**	**1·10**	**1·01**	**2,255**	**2,149**	**4,404**	**11·2**	**0·89**	**0·87**	**99**	**16**	**72**	**63**	**127**	**30**
Municipal boroughs and urban districts	**77,110**	**718**	**611**	**1,329**	**17·2**	**1·03**	**1·03**	**504**	**502**	**1,006**	**13·0**	**0·83**	**0·94**	**24**	**18**	**17**	**15**	**31**	**34**
Cromer	4,910	27	30	57	11·6	1·09	0·74	38	35	73	14·9	0·69	0·89	—	—	—	—	—	—
Diss	3,630	35	20	55	15·2	1·04	0·92	18	20	38	10·5	0·85	0·78	3	*55*	3	1	2	*53*

1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
Downham Market	2,770	22	14	36	13·0	1·04	0·79	37	35	72	26·0	0·38	0·86	—	—	—	—	—	—
East Dereham	6,990	52	55	107	15·3	1·00	0·89	48	40	88	12·6	0·87	0·95	5	*47*	5	5	3	*73*
Hunstanton	5,230	96	72	168	32·1	0·89	1·66	29	29	58	11·1	0·95	0·92	4	*24*	4	4	1	*30*
King's Lynn M.B.	27,150	272	216	488	18·0	1·00	1·05	164	176	340	12·5	0·97	1·05	11	*23*	4	4	13	*34*
North Walsham	4,810	34	32	66	13·7	1·13	0·90	28	32	60	12·5	0·77	0·84	—	—	—	—	2	*29*
Sheringham	4,660	39	36	75	16·1	1·27	1·19	36	36	72	15·5	0·65	0·88	1	*13*	1	1	1	*26*
Swaffham	3,190	24	26	50	15·7	1·03	0·94	16	11	27	8·5	0·78	0·58	—	—	—	—	2	*38*
Thetford M.B.	5,180	55	52	107	20·7	1·03	1·24	34	40	74	14·3	0·70	0·87	—	—	—	—	4	*36*
Wells-next-the-Sea	2,720	23	14	37	13·6	1·10	0·87	18	19	37	13·6	0·84	0·99	—	—	—	—	1	*26*
Wymondham	5,870	39	44	83	14.1	1·06	0·87	38	29	67	11·4	0·91	0·90	—	—	—	—	2	*24*
Rural districts	**315,510**	**2,507**	**2,353**	**4,860**	**15·4**	**1·12**	**1·00**	**1,751**	**1,647**	**3,398**	**10·8**	**0·91**	**0·85**	**75**	**15**	**55**	**48**	**96**	**29**
Blofield and Flegg	35,020	209	214	423	12·1	1·10	0·77	229	241	470	13·4	0·76	0·89	5	*12*	3	2	14	*37*
Depwade	17,870	137	122	259	14·5	1·15	0·97	118	122	240	13·4	0·79	0·92	3	*12*	2	2	6	*30*
Docking	18,790	175	150	325	17·3	1·10	1·11	112	111	223	11·9	0·84	0·87	11	*34*	7	7	6	*39*
Downham	24,520	224	200	424	17·3	1·13	1·14	104	100	204	8·3	1·16	0·84	6	*14*	5	3	7	*23*
Erpingham	19,820	134	130	264	13·3	1·21	0·94	125	110	235	11·9	0·81	0·84	4	*15*	3	3	5	*30*
Forehoe and Henstead ..	25,150	201	168	369	14·7	1·07	0·91	169	147	316	12·6	0·66	0·72	6	*16*	6	4	8	*32*
Freebridge Lynn	11,660	114	87	201	17·2	1·09	1·09	73	67	140	12·0	0·89	0·93	4	*20*	2	1	1	*10*
Loddon	12,710	91	79	170	13.4	1·09	0·85	67	63	130	10·2	0·91	0·81	2	*12*	1	1	2	*17*
Marshland	16,880	154	130	284	16·8	1·02	1·00	68	52	120	7·1	1·13	0·70	2	*7*	2	2	6	*28*
Mitford and Launditch ..	18,210	129	132	261	14·3	1·16	0·96	109	104	213	11·7	0·81	0·82	1	*4*	1	1	8	*33*
St. Faith's and Aylsham ..	44,330	401	397	798	18·0	1·04	1·09	232	230	462	10·4	1·02	0·92	11	*14*	7	7	14	26
Smallburgh	17,950	99	99	198	11·0	1·15	0·74	106	82	188	10·5	0·90	0·82	4	*20*	4	4	6	*49*
Swaffham	9,460	96	84	180	19·0	1·04	1·15	42	44	86	9·1	1·03	0·82	2	*11*	—	—	5	*27*
Walsingham	23,640	196	197	393	16·6	1·28	1·24	108	92	200	8·5	1·11	0·82	11	*28*	9	8	5	*33*
Wayland	19,500	147	164	311	15·9	1·28	1·18	89	82	171	8·8	1·02	0·78	3	*10*	3	3	3	*19*
NORTHAMPTONSHIRE ..	**393,870**	**3,543**	**3,328**	**6,871**	**17·4**	**1·03**	**1·04**	**2,274**	**2,210**	**4,484**	**11·4**	**0·96**	**0·95**	**151**	**22**	**104**	**91**	**125**	**31**
Northampton C.B.	101,180	871	806	1,677	16·6	1·03	0·99	657	642	1,299	12·8	0·92	1·02	34	20	25	23	39	36
Administrative county	**292,690**	**2,672**	**2,522**	**5,194**	**17·7**	**1·03**	**1·06**	**1,617**	**1,568**	**3,185**	**10·9**	**0·97**	**0·92**	**117**	**23**	**79**	**68**	**86**	**29**
Municipal boroughs and urban districts	**159,260**	**1,527**	**1,469**	**2,996**	**18·8**	**1·00**	**1·09**	**886**	**853**	**1,739**	**10·9**	**1·03**	**0·98**	**75**	**25**	**48**	**42**	**46**	**29**
Brackley M.B.	3,190	27	22	49	15·4	0·99	0·89	13	12	25	7·8	0·99	0·67	—	—	—	—	1	*20*
Burton Latimer	4,370	27	43	70	16·0	1·01	0·94	27	29	56	12·8	1·04	1·16	2	*29*	2	2	1	*42*
Corby	34,700	516	450	966	27·8	0·82	1·33	128	58	186	5·4	2·54	1·20	31	32	18	16	13	30
Daventry M.B.	5,600	59	78	137	24·5	0·97	1·38	37	39	76	13·6	0·65	0·77	4	*29*	1	1	1	*14*
Desborough	4,860	30	22	52	10·7	1·05	0·65	29	32	61	12·6	0·94	1·03	3	*58*	3	3	1	*75*
Higham Ferrers M.B. ..	3,710	28	30	58	15·6	1·04	0·94	23	23	46	12·4	1·00	1·08	1	*17*	—	—	1	*17*
Irthlingborough	5,210	26	38	64	12·3	1·08	0·77	32	29	61	11·7	1·05	1·07	4	*62*	2	2	2	*61*
Kettering M.B.	38,030	336	288	624	16·4	1·07	1·02	221	252	473	12·4	0·90	0·97	12	*19*	7	4	7	*17*
Oundle	3,100	19	17	36	11·6	1·45	0·98	19	23	42	13·5	0·48	0·56	—	—	—	—	—	—
Raunds	4,670	23	36	59	12·6	1.16	0·85	35	21	56	12·0	0·86	0·90	1	*17*	1	1	—	*17*
Rothwell	4,660	47	31	78	16·7	1·13	1·10	20	30	50	10·7	0·92	0·86	3	*38*	3	3	—	*38*
Rushden	17,140	123	139	262	15·3	1·12	1·00	102	89	191	11·1	0·95	0·92	4	*15*	4	4	4	*30*
Wellingborough	30,020	266	275	541	18·0	1·05	1·10	200	216	416	13·9	0·82	0·99	10	*18*	7	6	15	38

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1960	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
NORTHAMPTONSHIRE —*continued*																			
Rural districts	**133,430**	**1,145**	**1,053**	**2,198**	**16·5**	**1·06**	**1·02**	**731**	**715**	**1,446**	**10·8**	**0·92**	**0·86**	**42**	**19**	**31**	**26**	**40**	**29**
Brackley	11,280	105	100	205	18·2	1·04	1·10	56	56	112	9·9	0·94	0·81	6	*29*	5	5	2	*34*
Brixworth	19,470	158	152	310	15·9	1·04	0·96	99	130	229	11·8	0·80	0·82	2	*6*	1	—	4	*13*
Daventry	16,190	134	118	252	15·6	1.08	0·98	103	85	188	11·6	0·93	0·94	5	*20*	5	4	2	*24*
Kettering	12,020	81	70	151	12·6	1·11	0·81	60	46	106	8·8	1·02	0·78	3	*20*	3	3	1	*26*
Northampton	26,560	256	222	478	18·0	1·01	1·06	154	160	314	11·8	0·83	0·85	12	*25*	8	6	13	*39*
Oundle and Thrapston	18,430	158	141	299	16·2	1·08	1·02	107	87	194	10·5	0·98	0·89	5	*17*	4	3	10	*42*
Towcester	14,660	134	146	280	19·1	1·08	1·20	73	69	142	9·7	0·91	0·77	2	*7*	1	1	5	*21*
Wellingborough	14,820	119	104	223	15·0	1·08	0·94	79	82	161	10·9	0·89	0·84	7	*31*	4	4	3	*31*
NORTHUMBERLAND	**821,460**	**7,449**	**6,909**	**14,358**	**17·5**	**0·97**	**0·99**	**5,310**	**4,590**	**9,900**	**12·1**	**1·11**	**1·17**	**326**	**23**	**236**	**194**	**284**	**33**
County boroughs	**338,980**	**3,288**	**3,052**	**6,340**	**18·7**	**0·97**	**1·05**	**2,285**	**1,921**	**4,206**	**12·4**	**1·12**	**1·21**	**163**	**26**	**117**	**93**	**138**	**36**
Newcastle upon Tyne	268,970	2,639	2,438	5,077	18·9	0·97	1·07	1,862	1,541	3,403	12·7	1·12	1·24	134	26	96	74	118	37
Tynemouth	70,010	649	614	1,263	18·0	0·95	0·99	423	380	803	11·5	1·13	1·13	29	23	21	19	20	30
Administrative county	**482,480**	**4,161**	**3,857**	**8,018**	**16·6**	**0·98**	**0·95**	**3,025**	**2,669**	**5,694**	**11·8**	**1·10**	**1·13**	**163**	**20**	**119**	**101**	**146**	**30**
Municipal boroughs and urban districts	**374,400**	**3,324**	**3,045**	**6,369**	**17·0**	**0·96**	**0·95**	**2,255**	**1,991**	**4,246**	**11·3**	**1·18**	**1·16**	**127**	**20**	**91**	**80**	**116**	**30**
Alnwick	7,290	63	82	145	19·9	0·99	1·15	49	49	98	13·4	1·05	1·22	4	*28*	3	3	2	*34*
Amble	4,930	57	42	99	20·1	1·07	1·25	28	25	53	10·8	1·05	0·99	1	*10*	1	1	1	*20*
Ashington	28,150	244	238	482	17·1	0·98	0·97	172	142	314	11·2	1·29	1·26	15	*31*	11	8	8	*33*
Bedlingtonshire	29,710	250	219	469	15·8	0·97	0·89	181	141	322	10·8	1·27	1·19	10	*21*	8	7	6	*27*
Berwick-upon-Tweed M.B.	12,730	142	134	276	21·7	1·01	1·27	75	85	160	12·6	0·95	1·04	1	*4*	1	1	2	*11*
Blyth M.B.	35,050	319	312	631	18·0	1·00	1·05	216	167	383	10·9	1·28	1·21	10	*16*	6	4	19	35
Gosforth	26,320	213	188	401	15·2	1·06	0·94	187	187	374	14·2	0·87	1·07	5	*12*	4	4	3	*17*
Hexham	9,360	81	68	149	15·9	0·99	0·92	63	62	125	13·4	0·93	1·08	1	*7*	1	—	4	*26*
Longbenton	49,810	489	415	904	18·1	0·85	0·89	226	161	387	7·8	1·61	1·09	16	*18*	13	13	15	30
Morpeth M.B.	11,990	124	96	220	18·3	1·03	1·10	81	87	168	14·0	0·73	0·89	4	*18*	3	3	7	*44*
Newbiggin-by-the-Sea	10,150	100	80	180	17·7	0·99	1·02	57	59	116	11·4	1·26	1·25	5	*28*	4	4	4	*43*
Newburn	27,620	268	218	486	17·6	0·91	0·93	156	152	308	11·2	1·31	1·28	13	*27*	10	9	13	44
Prudhoe	10,290	79	61	140	13·6	0·99	0·78	55	59	114	11·1	1·15	1·11	2	*14*	2	2	1	*21*

1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
Seaton Valley	26,700	178	187	365	13·7	1·00	0·80	168	135	303	11·3	1·14	1·12	7	*19*	5	4	8	*32*
Wallsend M.B.	50,030	459	439	898	17·9	0·92	0·96	289	232	521	10·4	1·36	1·23	20	22	8	7	13	22
Whitley Bay M.B.	34,270	258	266	524	15·3	1·07	0·95	252	248	500	14·6	0·88	1·12	13	*25*	11	10	10	37
Rural districts	**108,080**	**837**	**812**	**1,649**	**15·3**	**1·05**	**0·93**	**770**	**678**	**1,448**	**13·4**	**0·88**	**1·03**	**36**	**22**	**28**	**21**	**30**	**30**
Alnwick	12.540	110	112	222	17·7	1·09	1·12	97	69	166	13·2	0·93	1·07	2	*9*	2	2	5	*31*
Belford	5,050	41	35	76	15·0	1·16	1·01	32	31	63	12·5	0·87	0·95	—	—	—	—	—	—
Bellingham	5,420	48	49	97	17·9	1·12	1·17	37	22	59	10·9	1·00	0·95	3	*31*	—	—	2	*20*
Castle Ward	22,760	183	188	371	16·3	0·97	0·92	224	215	439	19·3	0·59	0·99	4	*11*	4	2	8	*26*
Glendale	7,430	46	36	82	11·0	1·10	0·70	33	30	63	8·5	0·99	0·73	2	*24*	2	2	1	*36*
Haltwhistle	7,280	41	39	80	11·0	1·06	0·68	56	47	103	14·1	0·98	1·20	1	*12*	—	—	2	*24*
Hexham	20,050	155	149	304	15·2	1·01	0·89	132	123	255	12·7	0·92	1·02	9	*30*	9	7	2	*29*
Morpeth	17,860	152	140	292	16·3	1·06	1·00	102	85	187	10·5	1·23	1·12	15	*51*	11	8	5	*44*
Norham and Islandshires	4,180	20	25	45	10·8	1·09	0·68	21	24	45	10·8	0·88	0·83	—	—	—	—	1	*22*
Rothbury	5,510	41	39	80	14·5	1·13	0·95	36	32	68	12·3	0·86	0·92	—	—	—	—	4	*48*
NOTTINGHAMSHIRE	**897,490**	**8,333**	**7,737**	**16,070**	**17·9**	**0·98**	**1·02**	**4,835**	**4,539**	**9,374**	**10·4**	**1·17**	**1·06**	**370**	**23**	**251**	**203**	**327**	**32**
Nottingham C.B.	313,760	3,031	2,712	5,743	18·3	0·96	1·02	1,721	1,720	3,441	11·0	1·13	1·08	133	23	88	70	113	31
Administrative county	**583,730**	**5,302**	**5,025**	**10,327**	**17·7**	**0·99**	**1·02**	**3,114**	**2,819**	**5,933**	**10·2**	**1·18**	**1·05**	**237**	**23**	**163**	**133**	**214**	**33**
Municipal boroughs and urban districts	**402,560**	**3,653**	**3,440**	**7,093**	**17·6**	**0·98**	**1·00**	**2,171**	**1,905**	**4,076**	**10·1**	**1·20**	**1·05**	**170**	**24**	**115**	**90**	**146**	**33**
Arnold	25,820	240	233	473	18·3	0·96	1·02	99	115	214	8·3	1·30	0·94	7	*15*	5	4	7	*23*
Beeston and Stapleford	56,370	512	461	973	17·3	0·97	0·98	260	216	476	8·4	1·36	0·99	18	*18*	13	10	11	21
Carlton	37,850	312	330	642	17·0	0·97	0·96	194	191	385	10·2	1·18	1·05	19	*30*	12	10	9	*29*
East Retford M.B.	17,380	161	145	306	17·6	0·99	1·01	119	116	235	13·5	0·94	1·10	5	*16*	3	2	9	*35*
Eastwood	11,150	106	106	212	19·0	1·00	1·10	46	39	85	7·6	1·34	0·88	7	*33*	6	5	6	*50*
Hucknall	23,470	207	199	406	17·3	1·00	1·01	108	115	223	9·5	1·36	1·12	6	*15*	5	5	7	*29*
Kirkby in Ashfield	21,430	199	189	388	18·1	0·98	1·03	124	91	215	10·0	1·25	1·09	9	*23*	8	6	7	*33*
Mansfield M.B.	52,860	446	442	888	16·8	0·97	0·95	325	300	625	11·8	1·10	1·13	29	33	22	16	21	41
Mansfield Woodhouse	18·730	205	195	400	21·4	0·98	1·22	89	74	163	8·7	1·42	1·07	9	*22*	3	2	11	*32*
Newark M.B.	24,070	206	225	431	17·9	1·00	1·04	145	130	275	11·4	1·03	1·02	12	*28*	8	4	9	*30*
Sutton in Ashfield	40,810	342	316	658	16·1	1·00	0·94	257	181	438	10·7	1·29	1·20	20	30	11	10	16	39
Warsop	12,130	106	87	193	15·9	0·95	0·88	62	57	119	9·8	1·40	1·19	7	*36*	5	4	7	*55*
West Bridgford	25,970	251	195	446	17·2	1·03	1·03	159	144	303	11·7	0·87	0·88	7	*16*	7	6	5	*24*
Worksop M.B.	34,520	360	317	677	19·6	0·96	1·09	184	136	320	9·3	1·26	1·02	15	*22*	7	6	21	39
Rural districts	**181,170**	**1,649**	**1,585**	**3,234**	**17·9**	**1·02**	**1·06**	**943**	**914**	**1,857**	**10·3**	**1·15**	**1·03**	**67**	**21**	**48**	**43**	**68**	**34**
Basford	57,270	516	484	1,000	17·5	0·98	1·00	300	262	562	9·8	1·21	1·03	20	20	14	14	18	31
Bingham	23,890	252	218	470	19·7	1·08	1·24	129	181	310	13·0	0·84	0·95	4	*9*	3	3	9	*25*
East Retford	23,790	180	186	366	15·4	1·10	0·98	128	101	229	9·6	0·98	0·82	10	*27*	6	5	7	*32*
Newark	13,850	143	116	259	18·7	0·99	1·08	65	58	123	8·9	1·08	0·84	3	*12*	2	1	7	*30*
Southwell	44,580	403	417	820	18·4	1·00	1·07	230	241	471	10·6	1·24	1·14	20	24	16	15	16	37
Worksop	17,790	155	164	319	17·9	1·04	1·08	91	71	162	9·1	1·45	1·16	10	*31*	7	5	11	*48*
OXFORDSHIRE	**306,120**	**2,925**	**2,673**	**5,598**	**18·3**	**1·00**	**1·06**	**1,560**	**1,441**	**3,001**	**9·8**	**1·00**	**0·85**	**107**	**19**	**68**	**58**	**87**	**26**
Oxford C.B.	104,490	784	753	1,537	14·7	0·97	0·83	507	546	1,053	10·1	0·93	0·82	25	16	13	12	24	23

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1960	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
OXFORDSHIRE—*continued*																			
Administrative county	**201,630**	**2,141**	**1,920**	**4,061**	**20·1**	**1·01**	**1·18**	**1,053**	**895**	**1,948**	**9·7**	**1·04**	**0·88**	**82**	**20**	**55**	**46**	**63**	**26**
Municipal boroughs and urban districts	**53,270**	**520**	**528**	**1,048**	**19·7**	**0·99**	**1·13**	**322**	**275**	**597**	**11·2**	**0·94**	**0·92**	**15**	*14*	**12**	**11**	**14**	**24**
Banbury M.B.	20,030	207	207	414	20·7	1·00	1·20	128	97	225	11·2	0·99	0·96	8	*19*	6	5	6	*26*
Bicester	5,900	51	55	106	18·0	0·88	0·92	26	22	48	8·1	1·27	0·89	1	*9*	1	1	2	*28*
Chipping Norton M.B. ..	4,100	39	36	75	18·3	1·05	1·12	20	16	36	8·8	0·83	0·64	2	*27*	1	1	1	*26*
Henley-on-Thames M.B. ..	8,740	85	69	154	17·6	1·06	1·08	69	68	137	15·7	0·70	0·96	3	*19*	3	3	1	*26*
Thame..	3,830	37	43	80	20·9	1·02	1·24	20	15	35	9·1	0·93	0·74	—	—	—	—	2	*24*
Witney	8,790	87	98	185	21·0	0·93	1·14	35	31	66	7·5	1·23	0·80	1	*5*	1	1	1	*11*
Woodstock M.B.	1,880	14	20	34	18·1	1·02	1·07	24	26	50	26·6	0·51	1·18	—	—	—	—	1	*29*
Rural districts	**148,360**	**1,621**	**1,392**	**3,013**	**20·3**	**1·02**	**1·20**	**731**	**620**	**1,351**	**9·1**	**1·08**	**0·86**	**67**	**22**	**43**	**35**	**49**	**27**
Banbury	15,420	138	116	254	16·5	1·13	1·08	87	96	183	11·9	0·89	0·92	6	*24*	3	3	6	*35*
Bullingdon	41,130	476	417	893	21·7	0·99	1·25	206	169	375	9·1	1·09	0·86	14	*16*	8	5	12	*19*
Chipping Norton	16,680	160	125	285	17·1	1·06	1·05	85	69	154	9·2	0·96	0·77	10	*35*	9	7	6	*45*
Henley	21,400	202	191	393	18·4	1·01	1·08	122	110	232	10·8	0·98	0·92	11	*28*	5	2	9	*27*
Ploughley	29,520	360	310	670	22·7	1·00	1·32	116	79	195	6·6	1·42	0·81	13	*19*	10	10	8	*27*
Witney	24,210	285	233	518	21·4	1·03	1·28	115	97	212	8·8	1·08	0·83	13	*25*	8	8	8	*30*
PETERBOROUGH, SOKE OF	**70,040**	**739**	**698**	**1,437**	**20·5**	**1·01**	**1·20**	**379**	**329**	**708**	**10·1**	**1·02**	**0·90**	**30**	**21**	**23**	**18**	**32**	**34**
Peterborough M.B.	56,980	622	599	1,221	21·4	1·00	1·24	326	284	610	10·7	0·99	0·92	23	19	17	12	25	30
Rural districts	**13,060**	**117**	**99**	**216**	**16·5**	**1·07**	**1·03**	**53**	**45**	**98**	**7·5**	**1·24**	**0·81**	**7**	*32*	**6**	**6**	**7**	*58*
Barnack	5,040	41	38	79	15·7	1·33	1·21	24	7	31	6·2	1·61	0·87	4	*51*	4	4	3	*85*
Peterborough	8,020	76	61	137	17·1	0·96	0·95	29	38	67	8·4	1·10	0·80	3	*22*	2	2	4	*43*
RUTLAND	**25,020**	**245**	**219**	**464**	**18·5**	**1·10**	**1·18**	**126**	**115**	**241**	**9·6**	**0·99**	**0·83**	**7**	*15*	**4**	**4**	**7**	*23*
Oakham U.D.	4,250	30	36	66	15·5	1·00	0·90	29	31	60	14·1	0·68	0·83	—	—	—	—	—	—

1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
Rural districts	**20,770**	**215**	**183**	**398**	**19·2**	**1·13**	**1·26**	**97**	**84**	**181**	**8·7**	**1·07**	**0·81**	**7**	*18*	**4**	**4**	**7**	*27*
Ketton	3,550	26	27	53	14·9	1·04	0·90	16	12	28	7·9	1·08	0·74	1	*19*	—	—	2	*36*
Oakham	10,790	112	90	202	18·7	1·08	1·17	38	43	81	7·5	1·22	0·80	4	*20*	2	2	3	*24*
Uppingham	6,430	77	66	143	22·2	1·28	1·65	43	29	72	11·2	0·92	0·90	2	*14*	2	2	2	*28*
SHROPSHIRE	**302,180**	**2,606**	**2,376**	**4,982**	**16·5**	**1·06**	**1·02**	**1,685**	**1,552**	**3,237**	**10·7**	**1·02**	**0·95**	**95**	**19**	**72**	**67**	**121**	**37**
Municipal boroughs and urban districts	**149,110**	**1,352**	**1,168**	**2,520**	**16·9**	**1·00**	**0·98**	**895**	**904**	**1,799**	**12·1**	**0·94**	**0·99**	**51**	**20**	**37**	**34**	**68**	**39**
Bishop's Castle M.B. ..	1,240	12	2	14	*11·3*	1·13	*0·74*	18	16	34	27·4	0·35	0·83	—	—	—	—	1	*67*
Bridgnorth M.B.	6,700	75	67	142	21·2	1·00	1·23	35	54	89	13·3	0·84	0·97	3	*21*	2	2	5	*48*
Church Stretton	2,800	23	13	36	12·9	1·17	0·88	17	37	54	19·3	0·57	0·96	—	—	—	—	1	*27*
Dawley	9,060	98	86	184	20·3	1·00	1·18	50	43	93	10·3	1·17	1·05	6	*33*	6	5	5	*53*
Ellesmere	2,260	19	20	39	17·3	1·00	1·01	10	17	27	11·9	0·85	0·88	—	—	—	—	—	—
Ludlow M.B.	6,640	64	55	119	17·9	1·00	1·04	47	54	101	15·2	0·75	0·99	2	*17*	2	1	2	*25*
Market Drayton	5,730	61	45	106	18·5	1·03	1·11	38	38	76	13·3	0·90	1·04	2	*19*	2	1	2	*28*
Newport	4,090	36	33	69	16·9	1·02	1·00	31	35	66	16·1	0·93	1·30	5	*72*	4	4	1	*71*
Oakengates	11,580	96	85	181	15·6	1·00	0·91	73	57	130	11·2	1·09	1·06	4	*22*	3	3	6	*48*
Oswestry M.B.	11,270	108	82	190	16·9	0·99	0·97	73	46	119	10·6	1·00	0·92	2	*11*	1	1	4	*26*
Shrewsbury M.B.	49,250	441	365	806	16·4	0·98	0·93	264	249	513	10·4	0·99	0·90	13	*16*	7	7	21	34
Wellington	13,850	117	127	244	17·6	0·97	0·99	80	78	158	11·4	1·09	1·08	6	*25*	4	4	10	*55*
Wem	2,530	16	21	37	14·6	1·06	0·90	16	17	33	13·0	0·88	0·99	—	—	—	—	3	*75*
Wenlock M.B.	15,060	119	112	231	15·3	1·01	0·90	99	96	195	12·9	0·88	0·99	6	*26*	5	5	4	*38*
Whitchurch	7,050	67	55	122	17·3	1·05	1·06	44	67	111	15·7	0·78	1·06	2	*16*	1	1	3	*32*
Rural districts	**153,070**	**1,254**	**1,208**	**2,462**	**16·1**	**1·11**	**1·04**	**790**	**648**	**1,438**	**9·4**	**1·10**	**0·90**	**44**	**18**	**35**	**33**	**53**	**34**
Atcham	22,650	189	195	384	17·0	1·09	1·08	127	109	236	10·4	1·01	0·91	7	*18*	6	6	11	*43*
Bridgnorth	17,600	104	108	212	12·0	1·23	0·86	73	54	127	7·2	1·28	0·80	9	*42*	7	7	3	*47*
Clun	9,250	71	66	137	14·8	1·15	0·99	57	47	104	11·2	0·94	0·92	4	*29*	4	4	4	*57*
Drayton	10,120	102	111	213	21·0	1·00	1·22	44	37	81	8·0	1·12	0·78	4	*19*	4	4	2	*28*
Ellesmere	8,090	68	47	115	14·2	1·14	0·94	30	41	71	8·8	1·15	0·88	1	*9*	—	—	1	*9*
Ludlow	13,640	98	86	184	13·5	1·15	0·90	82	52	134	9·8	0·94	0·80	—	—	—	—	8	*42*
Oswestry	19,240	147	157	304	15·8	1·17	1·07	128	115	243	12·6	0·97	1·06	4	*13*	4	4	6	*32*
Shifnal	14,710	138	98	236	16·0	1·12	1·04	53	46	99	6·7	1·40	0·82	2	*8*	2	1	7	*33*
Wellington	25,380	235	238	473	18·6	1·05	1·14	122	92	214	8·4	1·28	0·94	9	*19*	6	6	5	*23*
Wem	12,390	102	102	204	16·5	1·07	1·03	74	55	129	10·4	1·05	0·95	4	*20*	2	1	6	*33*
SOMERSET	**588,910**	**4,810**	**4,567**	**9,377**	**15·9**	**1·06**	**0·98**	**3,706**	**3,867**	**7,573**	**12·9**	**0·85**	**0·95**	**184**	**20**	**140**	**122**	**181**	**32**
Bath C.B.	81,640	660	610	1,270	15·6	1·02	0·93	490	600	1,090	13·4	0·77	0·90	24	19	20	16	30	35
Administrative county	**507,270**	**4,150**	**3,957**	**8,107**	**16·0**	**1·06**	**0·99**	**3,216**	**3,267**	**6,483**	**12·8**	**0·87**	**0·97**	**160**	**20**	**120**	**106**	**151**	**31**
Municipal boroughs and urban districts	**244,470**	**2,037**	**1,879**	**3,916**	**16·0**	**1·03**	**0·96**	**1,618**	**1,687**	**3,305**	**13·5**	**0·85**	**1·00**	**79**	**20**	**60**	**49**	**70**	**30**
Bridgwater M.B.	25,580	230	205	435	17·0	0·95	0·94	153	135	288	11·3	0·93	0·91	9	*21*	7	5	10	*34*
Burnham-on-Sea	10,020	80	74	154	15·4	1·13	1·01	72	94	166	16·6	0·73	1·05	1	*6*	1	1	2	*19*
Chard M.B.	5,540	48	37	85	15·3	1·00	0·89	31	38	69	12·5	0·78	0·85	2	*24*	2	1	1	*23*
Clevedon	9,980	71	74	145	14·5	1·19	1·00	90	114	204	20·4	0·62	1·10	3	*21*	3	3	—	*21*
Crewkerne	3,980	29	29	58	14·6	1·06	0·90	21	20	41	10·3	0·90	0·81	1	*17*	1	1	2	*50*

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1960	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
SOMERSET—*continued*																			
Municipal boroughs and urban districts—*continued*																			
Frome	11,360	103	102	205	18·0	1·09	1·14	82	86	168	14·8	0·77	0·99	7	*34*	6	4	4	*38*
Glastonbury M.B.	5,440	50	36	86	15·8	0·95	0·87	32	24	56	10·3	0·90	0·81	2	*23*	2	2	3	*56*
Ilminster	2,550	20	21	41	16·1	1·00	0·94	21	15	36	14·1	0·94	1·15	2	*49*	1	1	—	*24*
Keynsham	14,550	154	151	305	21·0	0·89	1·09	74	61	135	9·3	1·06	0·86	5	*16*	3	2	4	*19*
Minehead	7,470	57	38	95	12·7	1·14	0·84	62	76	138	18·5	0·62	1·00	2	*21*	2	2	2	*41*
Norton-Radstock	12,500	103	94	197	15·8	1·04	0·96	86	72	158	12·6	1·01	1·11	7	*36*	5	5	5	*50*
Portishead	5,980	79	69	148	24·7	1·00	1·44	48	27	75	12·5	0·98	1·07	2	*14*	2	1	2	*20*
Shepton Mallet	5,310	56	45	101	19·0	1·02	1·13	42	36	78	14·7	0·84	1·07	1	*10*	1	1	4	*48*
Street	6,640	57	62	119	17·9	0·96	1·00	34	28	62	9·3	0·98	0·79	1	*8*	1	—	—	—
Taunton M.B.	35,930	266	238	504	14·0	0·99	0·81	190	240	430	12·0	0·94	0·98	15	*30*	9	9	10	*37*
Watchet	2,560	15	26	41	16·0	1·05	0·98	12	12	24	9·4	0·91	0·74	1	*24*	—	—	—	—
Wellington	7,400	66	54	120	16·2	1·10	1·04	64	44	108	14·6	0·83	1·05	—	—	—	—	3	*24*
Wells M.B.	6,580	67	48	115	17·5	1·01	1·03	46	65	111	16·9	0·63	0·93	2	*17*	2	2	1	*26*
Weston-super-Mare M.B. ..	41,110	301	309	610	14·8	1·13	0·97	293	345	638	15·5	0·72	0·97	7	*11*	5	5	13	*29*
Yeovil M.B.	23,990	185	167	352	14·7	1·02	0·87	165	155	320	13·3	0·98	1·13	9	*26*	7	4	4	*22*
Rural districts	**262,800**	**2,113**	**2,078**	**4,191**	**15·9**	**1·09**	**1·01**	**1,598**	**1,580**	**3,178**	**12·1**	**0·88**	**0·93**	**81**	**19**	**60**	**57**	**81**	**32**
Axbridge	29,910	220	249	469	15·7	1·13	1·03	179	190	369	12·3	0·86	0·92	14	*30*	8	7	6	*27*
Bathavon	19,900	150	148	298	15·0	1·05	0·92	122	101	223	11·2	0·91	0·89	4	*13*	4	4	10	*45*
Bridgwater	20,500	199	195	394	19·2	1·08	1·21	131	112	243	11·9	0·92	0·95	9	*23*	6	6	8	*35*
Chard	12,480	89	65	154	12·3	1·07	0·77	69	58	127	10·2	0·93	0·82	1	*6*	—	—	5	*31*
Clutton	18,130	150	149	299	16·5	1·04	1·00	105	98	203	11·2	0·94	0·92	7	*23*	5	5	8	*42*
Dulverton	4,470	32	39	71	15·9	1·14	1·05	22	14	36	8·1	0·97	0·68	—	—	—	—	2	*27*
Frome	10,920	80	61	141	12·9	1·07	0·80	65	71	136	12·5	0·95	1·02	1	*7*	—	—	3	*21*
Langport	12,950	114	96	210	16·2	1·09	1·03	81	80	161	12·4	0·85	0·92	4	*19*	4	4	5	*42*
Long Ashton	26,390	251	223	474	18·0	1·06	1·11	138	143	281	10·6	0·94	0·87	8	*17*	7	7	9	*33*
Shepton Mallet	10,220	76	76	152	14·9	1·12	0·97	73	78	151	14·8	0·83	1·07	2	*13*	1	1	2	*19*
Taunton	20,760	154	162	316	15·2	1·16	1·03	139	172	311	15·0	0·78	1·02	6	*19*	5	5	4	*28*
Wellington	8,120	73	69	142	17·5	1·14	1·16	57	51	108	13·3	0·86	0·99	4	*28*	4	4	3	*48*
Wells	10,290	94	101	195	19·0	1·15	1·27	68	80	148	14·4	0·59	0·74	3	*15*	2	2	5	*35*
Williton	14,520	106	109	215	14·8	1·16	1·00	98	102	200	13·8	0·77	0·92	5	*23*	5	3	1	*19*
Wincanton	17,500	104	117	221	12·6	1·11	0·81	117	118	235	13·4	0·77	0·90	3	*14*	2	2	4	*27*
Yeovil	25,740	221	219	440	17·1	1·06	1·05	134	112	246	9·6	1·10	0·92	10	*23*	7	7	6	*29*
STAFFORDSHIRE	**1,715,900**	**15,595**	**14,583**	**30,178**	**17·6**	**0·95**	**0·97**	**9,420**	**8,444**	**17,864**	**10·4**	**1·22**	**1·10**	**678**	**22**	**483**	**402**	**697**	**36**
County boroughs	**745,100**	**6,585**	**6,160**	**12,745**	**17·1**	**0·95**	**0·94**	**4,259**	**3,953**	**8,212**	**11·0**	**1·20**	**1·15**	**297**	**23**	**210**	**178**	**293**	**36**
Burton upon Trent	49,460	468	403	871	17·6	0·98	1·00	312	302	614	12·4	1·00	1·08	23	26	14	11	19	34
Smethwick	71,110	569	547	1,116	15·7	0·95	0·87	424	377	801	11·3	1·15	1·13	26	23	23	21	18	34
Stoke-on-Trent	270,200	2,164	2,035	4,199	15·5	0·94	0·85	1,516	1,446	2,962	11·0	1·29	1·23	104	25	75	61	112	40
Walsall	115,390	1,172	1,102	2,274	19·7	0·95	1·09	642	569	1,211	10·5	1·22	1·12	49	22	32	31	50	35
West Bromwich	93,780	885	828	1,713	18·3	0·93	0·99	536	443	979	10·4	1·34	1·21	36	21	20	17	37	31
Wolverhampton	145,160	1,327	1,245	2,572	17·7	0·99	1·02	829	816	1,645	11·3	1·09	1·07	59	23	46	37	57	36
Administrative county	**970,800**	**9,010**	**8,423**	**17,433**	**18·0**	**0·94**	**0·98**	**5,161**	**4,491**	**9,652**	**9·9**	**1·25**	**1·07**	**381**	**22**	**273**	**224**	**404**	**35**
Municipal boroughs and urban districts	**725,760**	**6,760**	**6,317**	**13,077**	**18·0**	**0·93**	**0·97**	**3,883**	**3,337**	**7,220**	**9·9**	**1·29**	**1·11**	**292**	**22**	**204**	**170**	**318**	**36**
Aldridge	48,930	599	568	1,167	23·9	0·87	1·21	180	129	309	6·3	1·81	0·99	24	21	18	18	27	38
Amblecote	2,930	23	19	42	14.3	0·94	0·78	13	23	36	12·3	0·97	1·04	1	*24*	—	—	—	—
Biddulph	13,650	139	139	278	20·4	0·94	1·11	58	59	117	8·6	1·39	1·04	13	*47*	11	9	6	*53*
Bilston M.B.	33,400	288	283	571	17·1	0·89	0·88	201	139	340	10·2	1·44	1·28	23	40	16	13	15	48
Brierley Hill	54,560	493	442	935	17·1	0·94	0·93	262	234	496	9·1	1·30	1·03	15	*16*	7	7	22	30
Brownhills	25,280	283	265	548	21·7	0·94	1·19	112	102	214	8·5	1·39	1·03	8	*15*	7	7	11	*32*
Cannock	43,440	350	333	683	15·7	0·96	0·88	260	196	456	10·5	1·18	1·08	18	*26*	8	6	17	33
Coseley	38,070	398	403	801	21·0	0·92	1·12	202	136	338	8·9	1·51	1·17	12	*15*	8	6	26	39
Darlaston	22,270	177	146	323	14·5	0·91	0·77	121	99	220	9·9	1·46	1·26	5	*15*	4	3	6	*27*
Kidsgrove	19,380	206	209	415	21·4	0·89	1·11	75	92	167	8·6	1·40	1·05	5	*12*	3	3	9	*28*
Leek	19,230	137	120	257	13·4	1·03	0·80	130	118	248	12·9	0·98	1·10	6	*23*	4	3	9	*45*
Lichfield M.B.	12,840	121	160	281	21·9	0·94	1·20	87	96	183	14·3	0·74	0·92	7	*25*	3	3	6	*31*
Newcastle-under-Lyme M.B.	75,680	674	588	1,262	16·7	0·99	0·96	418	359	777	10·3	1·25	1·12	34	27	23	13	33	36
Rowley Regis M.B.	49,470	332	314	646	13·1	0·95	0·72	265	243	508	10·3	1·39	1·25	12	*19*	11	10	9	*29*
Rugeley	12,130	122	141	263	21·7	0·91	1·15	51	43	94	7·7	1·37	0·92	7	*27*	5	4	5	*34*
Sedgley	27,430	251	226	477	17·4	0·93	0·94	221	171	392	14·3	0·77	0·96	12	*25*	8	8	9	*35*
Stafford M.B.	44,580	401	413	814	18·3	0·98	1·04	256	272	528	11·8	1·01	1·04	21	26	13	10	28	45
Stone	8,840	73	68	141	16·0	0·98	0·91	46	73	119	13·5	0·75	0·88	4	*28*	4	4	3	*49*
Tamworth M.B.	13,600	115	106	221	16·2	0·98	0·92	96	97	193	14·2	0·90	1·11	3	*14*	3	3	5	*35*
Tettenhall	14,020	110	111	221	15·8	0·87	0·80	83	70	153	10·9	1·25	1·18	9	*41*	7	5	5	*44*
Tipton M.B.	39,200	325	279	604	15.4	0·89	0·80	199	145	344	8·8	1·49	1·14	13	*22*	10	9	24	53
Uttoxeter	8,210	75	64	139	16.9	0·98	0·96	37	51	88	10·7	1·13	1·05	2	*14*	2	2	7	*62*
Wednesbury M.B.	34,820	322	281	603	17·3	0·92	0·93	225	160	385	11·1	1·38	1·33	9	*15*	7	5	9	*23*
Wednesfield	31,520	420	379	799	25·3	0·84	1·24	92	96	188	6·0	1·86	0·97	13	*16*	10	10	15	31
Willenhall	32,280	326	260	586	18·2	0·94	0·99	193	134	327	10·1	1·46	1·28	16	*27*	12	9	12	35
Rural districts	**245,040**	**2,250**	**2,106**	**4,356**	**17·8**	**0·99**	**1·02**	**1,278**	**1,154**	**2,432**	**9·9**	**1·12**	**0·96**	**89**	**20**	**69**	**54**	**86**	**32**
Cannock	28,130	320	324	644	22·9	0·94	1·25	145	109	254	9·0	1·22	0·95	12	*19*	8	7	13	30
Cheadle	37,730	325	313	638	16·9	1·03	1·01	219	242	461	12·2	0·90	0·95	13	*20*	10	8	17	38
Leek	20,500	191	165	356	17·4	0·98	0·99	112	92	204	10·0	1·25	1·09	10	*28*	7	4	3	*19*
Lichfield	40,660	367	307	674	16·6	1·02	0·98	247	213	460	11·3	1·00	0·98	13	*19*	7	6	17	33
Newcastle-under-Lyme ..	18,060	133	120	253	14·0	1·00	0·81	114	91	205	11·4	1·04	1·03	3	*12*	3	2	5	*27*
Seisdon	35,180	394	357	751	21·3	0·91	1·13	158	133	291	8·3	1·40	1·01	9	*12*	7	6	14	26
Stafford	18,800	171	164	335	17·8	0·93	0·96	66	69	135	7·2	1·16	0·73	9	*27*	8	6	5	*32*
Stone	18,110	128	137	265	14·6	0·97	0·82	93	74	167	9·2	1·12	0·90	9	*34*	8	6	3	*34*
Tutbury	16,400	138	137	275	16·8	1·01	0·99	77	84	161	9·8	1·10	0·94	6	*22*	6	5	7	*43*
Uttoxeter	11,470	83	82	165	14·4	1·12	0·94	47	47	94	8·2	1·10	0·78	5	*30*	5	4	2	*36*

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1960	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
SUFFOLK, EAST	**344,660**	**2,951**	**2,713**	**5,664**	**16·4**	**1·05**	**1·00**	**2,065**	**1,951**	**4,016**	**11·7**	**0·90**	**0·92**	**108**	**19**	**80**	**69**	**93**	**28**
Ipswich C.B.	115,780	1,093	1,028	2,121	18·3	0·97	1·03	638	595	1,233	10·6	1·01	0·93	45	21	31	27	33	28
Administrative county	**228,880**	**1,858**	**1,685**	**3,543**	**15·5**	**1·10**	**0·99**	**1,427**	**1,356**	**2,783**	**12·2**	**0·85**	**0·90**	**63**	**18**	**49**	**42**	**60**	**28**
***Municipal boroughs and urban districts**	**100,930**	**858**	**724**	**1,582**	**15·7**	**1·04**	**0·95**	**625**	**690**	**1,315**	**13·0**	**0·86**	**0·97**	**30**	**19**	**24**	**23**	**25**	**30**
Aldeburgh M.B.	3,030	20	21	41	13·5	1·03	0·81	25	30	55	18·2	0·78	1·23	1	*24*	1	1	2	*70*
Beccles M.B.	7,040	43	45	88	12·5	1·06	0·77	36	45	81	11·5	0·83	0·83	2	*23*	1	1	4	*54*
Bungay	3,600	42	22	64	17·8	1·01	1·05	25	37	62	17·2	0·74	1·11	—	—	—	—	—	—
Eye M.B.	1,580	17	12	29	18·4	1·25	1·34	13	29	42	26·6	0·31	0·72	—	—	—	—	1	*33*
Felixstowe	16,150	205	163	368	22·8	1·03	1·37	96	114	210	13·0	0·77	0·87	9	*24*	9	9	5	*38*
Halesworth	2,400	21	16	37	15·4	1·12	1·00	14	12	26	10·8	0·93	0·87	—	—	—	—	—	—
Leiston-cum-Sizewell ..	4,130	26	22	48	11·6	1·13	0·76	25	27	52	12·6	0·79	0·87	1	*21*	1	1	—	*21*
Lowestoft M.B.	45,350	360	298	658	14·5	1·01	0·85	282	273	555	12·2	0·96	1·02	11	*17*	8	7	11	*27*
Saxmundham	1,460	16	14	30	20·5	1·22	1·45	10	21	31	21·2	0·73	1·35	—	—	—	—	—	—
Southwold M.B.	2,370	7	7	14	5·9	1·51	0·52	14	20	34	14·3	0·62	0·77	—	—	—	—	—	—
Stowmarket	7,640	54	52	106	13·9	1·01	0·82	47	45	92	12·0	1·02	1·06	1	*9*	1	1	1	*19*
*Woodbridge	6,180	47	52	99	16·0	0·99	0·92	38	37	75	12·1	0·87	0·92	5	*50*	3	3	1	*40*
***Rural districts**	**127,950**	**1,000**	**961**	**1,961**	**15·3**	**1·14**	**1·01**	**802**	**666**	**1,468**	**11·5**	**0·83**	**0·83**	**33**	**17**	**25**	**19**	**35**	**27**
Blyth	19,110	155	139	294	15·4	1·17	1·05	142	130	272	14·2	0·67	0·83	10	*34*	8	5	5	*33*
*Deben	33,190	278	264	542	16·3	1·12	1·06	196	158	354	10·7	0·81	0·75	7	*13*	3	3	7	*18*
Gipping	19,530	159	141	300	15·4	1·09	0·98	123	96	219	11·2	0·83	0·81	4	*13*	2	1	6	*23*
Hartismere	16,930	137	134	271	16·0	1·16	1·08	118	72	190	11·2	0·87	0·85	5	*18*	5	4	6	*36*
Lothingland	15,790	99	106	205	13·0	1·13	0·85	106	76	182	11·5	0·90	0·90	1	*5*	1	—	5	*24*
Samford	16,580	124	124	248	15·0	1·24	1·08	80	97	177	10·7	0·88	0·82	2	*8*	2	2	2	*16*
Wainford	6,820	48	53	101	14·8	1·10	0·95	37	37	74	10·9	0·91	0·86	4	*40*	4	4	4	*76*
SUFFOLK, WEST	**131,540**	**1,179**	**1,043**	**2,222**	**16·9**	**1·08**	**1·06**	**664**	**696**	**1,360**	**10·3**	**0·92**	**0·82**	**48**	**22**	**43**	**41**	**47**	**39**
Municipal boroughs and urban districts	**48,120**	**427**	**372**	**799**	**16·6**	**1·02**	**0·98**	**267**	**309**	**576**	**12·0**	**0·85**	**0·89**	**17**	*21*	**15**	**14**	**13**	**33**
Bury St. Edmunds M.B. ..	21,920	177	156	333	15·2	1·01	0·89	94	109	203	9·3	0·87	0·70	9	*27*	9	9	7	*47*
Hadleigh	3,310	20	30	50	15·1	1·08	0·95	15	16	31	9·4	0·94	0·77	—	—	—	—	—	—
Haverhill	4,980	54	52	106	21·3	0·95	1·18	28	38	66	13·3	0·93	1·08	—	—	—	—	3	*28*
Newmarket	11,630	121	80	201	17·3	0·99	1·00	79	67	146	12·6	1·02	1·12	4	*20*	3	3	1	*20*
Sudbury M.B.	6,280	55	54	109	17·4	1·10	1·11	51	79	130	20·7	0·52	0·94	4	*37*	3	2	2	*36*
Rural districts	**83,420**	**752**	**671**	**1,423**	**17·1**	**1·12**	**1·11**	**397**	**387**	**784**	**9·4**	**0·97**	**0·79**	**31**	**22**	**28**	**27**	**34**	**42**
Clare	9,000	69	63	132	14·7	1·21	1·03	50	48	98	10·9	0·84	0·80	2	*15*	1	1	2	*22*
Cosford	9,360	61	62	123	13·1	1·14	0·87	53	56	109	11·6	0·81	0·82	2	*16*	2	2	4	*47*
Melford	12,920	104	103	207	16·0	1·00	0·93	82	66	148	11·5	0·86	0·86	6	*29*	5	5	2	*33*
Mildenhall	23,420	251	220	471	20·1	1·16	1·36	73	73	146	6·2	1·31	0·71	12	*25*	11	11	8	*40*
Thedwastre	9,230	92	63	155	16·8	1·13	1·10	46	52	98	10·6	0·85	0·78	5	*32*	5	5	9	*85*
Thingoe	19,490	175	160	335	17·2	1·10	1·10	93	92	185	9·5	1·01	0·83	4	*12*	4	3	9	*35*
SURREY	**1,710,870**	**13,152**	**12,631**	**25,783**	**15·1**	**1·01**	**0·89**	**9,244**	**9,920**	**19,164**	**11·2**	**0·94**	**0·92**	**451**	**17**	**332**	**288**	**397**	**26**
Croydon C.B.	249,690	2,060	1,945	4,005	16·0	1·00	0·93	1,381	1,553	2,934	11·8	0·93	0·95	80	20	52	46	60	26
Administrative county	**1,461,180**	**11,092**	**10,686**	**21,778**	**14·9**	**1·02**	**0·88**	**7,863**	**8,367**	**16,230**	**11·1**	**0·94**	**0·91**	**371**	**17**	**280**	**242**	**337**	**26**
Municipal boroughs and urban districts	**1,287,550**	**9,618**	**9,296**	**18,914**	**14·7**	**1·01**	**0·86**	**6,958**	**7,501**	**14,459**	**11·2**	**0·94**	**0·92**	**319**	**17**	**251**	**218**	**294**	**27**
Banstead	39,250	258	235	493	12·6	1·10	0·81	229	285	514	13·1	0·83	0·95	9	*18*	8	7	5	*24*
Barnes M.B.	38,800	225	233	458	11·8	1·00	0·69	237	238	475	12·2	0·84	0·89	12	*26*	8	8	10	*38*
Beddington and Wallington M.B.	32,330	201	212	413	12·8	1·06	0·79	189	176	365	11·3	0·97	0·95	7	*17*	5	4	6	*24*
Carshalton	60,430	342	343	685	11·3	0·97	0·64	286	258	544	9·0	1·24	0·97	14	*20*	11	10	18	40
Caterham and Warlingham ..	34,960	299	285	584	16·7	1·04	1·01	153	183	336	9·6	0·97	0·81	11	*19*	8	8	5	*22*
Chertsey	39,720	411	413	824	20·7	0·93	1·12	190	204	394	9·9	1·22	1·05	12	*15*	9	8	13	25
Coulsdon and Purley ..	70,200	554	500	1,054	15·0	1·10	0·96	357	527	884	12·6	0·72	0·79	20	19	14	13	12	23
Dorking	21,390	174	179	353	16·5	1·07	1·03	124	117	241	11·3	0·87	0·85	6	*17*	5	3	3	*17*
Egham	30,180	253	213	466	15·4	0·96	0·86	163	158	321	10·6	0·95	0·88	4	*9*	4	3	11	*29*
Epsom and Ewell M.B. ..	68,230	411	394	805	11·8	1·20	0·82	449	537	986	14·5	0·69	0·87	11	*14*	10	8	13	26
Esher	57,850	404	444	848	14·7	0·99	0·85	280	314	594	10·3	1·00	0·90	20	24	16	13	17	35
Farnham	25,810	191	215	406	15·7	1·04	0·95	190	221	411	15·9	0·68	0·94	5	*12*	4	3	7	*24*
Frimley and Camberley ..	28,210	327	300	627	22·2	0·96	1·24	114	117	231	8·2	1·25	0·89	10	*16*	10	7	9	*25*
Godalming M.B.	16,020	140	101	241	15·0	1·04	0·91	70	74	144	9·0	0·93	0·73	4	*17*	3	3	2	*21*
Guildford M.B.	52,060	406	398	804	15·4	0·95	0·85	285	321	606	11·6	0·96	0·97	12	*15*	8	8	11	*23*
Haslemere	12,180	80	72	152	12·5	0·99	0·72	79	91	170	14·0	0·79	0·96	2	*13*	1	1	2	*19*
Kingston-upon-Thames M.B.	38,630	297	293	590	15·3	0·97	0·86	223	209	432	11·2	0·92	0·90	6	*10*	5	5	8	*22*
Leatherhead	35,570	260	275	535	15·0	0·99	0·86	156	140	296	8·3	1·03	0·74	5	*9*	5	5	11	*29*
Malden and Coombe M.B. ..	45,700	276	283	559	12·2	1·05	0·74	233	272	505	11·1	1·03	0·99	10	*18*	6	6	7	*23*
Merton and Morden ..	70,220	411	409	820	11·7	1·05	0·71	404	345	749	10·7	1·14	1·06	19	*23*	14	13	11	29
Mitcham M.B.	64,090	474	486	960	15·0	0·97	0·85	310	289	599	9·3	1·19	0·96	21	22	18	13	17	31
Reigate M.B.	51,230	420	373	793	15·5	1·01	0·91	343	317	660	12·9	0·80	0·90	15	*19*	8	6	14	25
Richmond M.B.	42,270	314	318	632	15·0	0·93	0·81	281	283	564	13·3	0·72	0·83	6	*9*	5	5	4	*14*
Surbiton M.B.	64,100	445	490	935	14·6	1·00	0·85	353	322	675	10·5	1·06	0·97	16	*17*	13	12	13	26
Sutton and Cheam M.B. ..	79,860	570	524	1,094	13·7	1·03	0·82	410	490	900	11·3	0·96	0·94	15	*14*	14	12	20	29
Walton and Weybridge ..	44,510	392	323	715	16·1	0·97	0·91	216	268	484	10·9	0·98	0·93	14	*20*	11	8	15	32
Wimbledon M.B.	57,460	459	429	888	15·5	0·96	0·87	311	357	668	11·6	0·85	0·86	17	*19*	14	12	15	30
Woking	66,290	624	556	1,180	17·8	0·97	1·00	323	388	711	10·7	0·92	0·86	16	*14*	14	14	15	24

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1960	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
SURREY—*continued*																			
Rural districts	**173,630**	**1,474**	**1,390**	**2,864**	**16·5**	**1·04**	**1·00**	**905**	**866**	**1,771**	**10·2**	**0·98**	**0·87**	**52**	**18**	**29**	**24**	**43**	**23**
Bagshot	16,060	139	137	276	17·2	1·02	1·02	71	80	151	9·4	0·98	0·80	2	*7*	2	2	6	*28*
Dorking and Horley	31,470	312	276	588	18·7	1·00	1·09	135	128	263	8·4	1·06	0·77	9	*15*	6	5	9	*23*
Godstone	37,940	342	305	647	17·1	1·08	1·07	201	222	423	11·1	0·86	0·83	12	*19*	8	7	10	*26*
Guildford	53,200	443	454	897	16·9	1·05	1·03	306	259	565	10·6	1·05	0·97	21	23	7	6	14	22
Hambledon	34,960	238	218	456	13·0	1·04	0·79	192	177	369	10·6	0·90	0·83	8	*18*	6	4	4	*17*
SUSSEX, EAST	**649,230**	**4,365**	**3,999**	**8,364**	**12·9**	**1·12**	**0·84**	**4,715**	**5,503**	**10,218**	**15·7**	**0·73**	**1·00**	**164**	**20**	**120**	**108**	**125**	**27**
County boroughs	**283,930**	**1,919**	**1,737**	**3,656**	**12·9**	**1·10**	**0·82**	**2,172**	**2,578**	**4,750**	**16·7**	**0·72**	**1·04**	**77**	**21**	**55**	**49**	**60**	**29**
Brighton	160,860	1,206	1,040	2,246	14·0	1·06	0·86	1,181	1,261	2,442	15·2	0·78	1·03	44	20	30	29	29	25
Eastbourne	57,940	309	324	633	10·9	1·14	0·72	469	599	1,068	18·4	0·66	1·05	12	*19*	11	8	14	34
Hastings	65,130	404	373	777	11·9	1·17	0·81	522	718	1,240	19·0	0·63	1·04	21	27	14	12	17	37
Administrative county	**365,300**	**2,446**	**2,262**	**4,708**	**12·9**	**1·13**	**0·85**	**2,543**	**2,925**	**5,468**	**15·0**	**0·73**	**0·95**	**87**	**18**	**65**	**59**	**65**	**26**
Municipal boroughs and urban districts	**198,750**	**1,279**	**1,192**	**2,471**	**12·4**	**1·12**	**0·81**	**1,363**	**1,707**	**3,070**	**15·4**	**0·72**	**0·96**	**36**	**15**	**29**	**27**	**31**	**23**
Bexhill M.B.	27,120	126	117	243	9·0	1·29	0·67	232	307	539	19·9	0·58	1·00	4	*16*	3	3	5	*32*
Burgess Hill	14,120	133	127	260	18·4	0·94	1·01	71	80	151	10·7	1·12	1·04	4	*15*	3	2	4	*23*
Cuckfield	19,160	140	101	241	12·6	1·11	0·81	117	153	270	14·1	0·66	0·81	3	*12*	3	3	4	*29*
East Grinstead	14,900	133	121	254	17·0	0·95	0·94	86	103	189	12·7	0·84	0·93	3	*12*	2	2	2	*16*
Hove M.B.	69,870	371	369	740	10·6	1·17	0·72	530	734	1,264	18·1	0·61	0·96	11	*15*	9	8	7	*20*
Lewes M.B.	13,740	94	90	184	13·4	1·09	0·85	86	77	163	11·9	0·92	0·95	4	*22*	3	3	2	*27*
Newhaven	8,160	63	73	136	16·7	1·03	1·00	47	56	103	12·6	0·81	0·89	—	—	—	—	—	—
Portslade-by-Sea	15,720	129	113	242	15·4	1·05	0·94	90	71	161	10·2	1·10	0·98	4	*17*	4	4	4	*33*
Rye M.B.	4,480	33	24	57	12·7	1·02	0·75	30	28	58	12·9	0·86	0·96	2	*35*	1	1	1	*34*
Seaford	11,480	57	57	114	9·9	1·15	0·66	74	98	172	15·0	0·81	1·06	1	*9*	1	1	2	*26*
Rural districts	**166,550**	**1,167**	**1,070**	**2,237**	**13·4**	**1·16**	**0·90**	**1,180**	**1,218**	**2,398**	**14·4**	**0·75**	**0·94**	**51**	**23**	**36**	**32**	**34**	**29**
Battle	29,970	232	191	423	14·1	1·18	0·97	201	240	441	14·7	0·71	0·91	8	*19*	7	5	3	*19*
Chailey	21,630	151	131	282	13·0	1·17	0·88	194	207	401	18·5	0·62	1·00	8	*28*	6	6	8	*48*
Cuckfield	29,470	258	229	487	16·5	1·07	1·03	162	180	342	11·6	0·82	0·83	6	*12*	4	4	7	*22*
Hailsham	41,700	228	233	461	11·0	1·13	0·72	339	315	654	15·7	0·78	1·06	15	*33*	10	9	6	*32*
Uckfield	43,780	298	286	584	13·3	1·21	0·94	284	276	560	12·8	0·78	0·87	14	*24*	9	8	10	*30*
SUSSEX, WEST	**397,240**	**2,997**	**2,833**	**5,830**	**14·7**	**1·02**	**0·87**	**2,663**	**3,016**	**5,679**	**14·3**	**0·85**	**1·06**	**118**	**20**	**88**	**75**	**85**	**27**
Municipal boroughs and urban districts	**241,430**	**1,873**	**1,768**	**3,641**	**15·1**	**0·99**	**0·87**	**1,593**	**1,935**	**3,528**	**14·6**	**0·83**	**1·05**	**77**	**21**	**57**	**47**	**58**	**28**
Arundel M.B.	2,680	10	23	33	12·3	1·21	0·87	23	29	52	19·4	0·72	1·21	—	—	—	—	—	—
Bognor Regis	26,920	183	164	347	12·9	1·20	0·90	242	277	519	19·3	0·72	1·21	12	*35*	8	7	6	*37*
Chichester M.B.	19,030	128	127	255	13·4	1·06	0·83	140	162	302	15·9	0·65	0·90	8	*31*	7	5	6	*42*
Crawley	52,150	659	592	1,251	24·0	0·69	0·96	137	130	267	5·1	2·15	0·95	25	20	18	16	15	24
Horsham	19,950	149	165	314	15·7	1·00	0·91	93	127	220	11·0	0·92	0·88	6	*19*	3	2	3	*16*
Littlehampton	15,630	123	119	242	15·5	1·00	0·90	92	117	209	13·4	0·92	1·07	4	*17*	4	2	6	*32*
Shoreham-by-Sea	16,190	140	120	260	16·1	0·98	0·92	105	74	179	11·1	1·01	0·97	4	*15*	3	3	3	*23*
Southwick	11,740	77	79	156	13·3	1·13	0·87	76	64	140	11·9	0·84	0·87	2	*13*	2	2	3	*31*
Worthing M B.	77,140	404	379	783	10·2	1·16	0·69	685	955	1,640	21·3	0·62	1·15	16	*20*	12	10	16	33
Rural districts	**155,810**	**1,124**	**1,065**	**2,189**	**14·0**	**1·09**	**0·89**	**1,070**	**1,081**	**2,151**	**13·8**	**0·85**	**1·02**	**41**	**19**	**31**	**28**	**27**	**25**
Chanctonbury	22,270	178	172	350	15·7	1·14	1·04	151	164	315	14·1	0·82	1·01	8	*23*	5	5	4	*25*
Chichester	48,680	359	348	707	14·5	1·05	0·89	284	247	531	10·9	1·06	1·01	15	*21*	12	11	10	29
Horsham	22,610	184	158	342	15·1	1·07	0·94	122	119	241	10·7	0·94	0·87	5	*15*	4	3	4	*20*
Midhurst	17,150	108	119	227	13·2	1·08	0·83	128	158	286	16·7	0·63	0·91	5	*22*	3	3	3	*26*
Petworth	9,770	72	63	135	13·8	1·14	0·91	47	62	109	11·2	0·77	0·75	1	*7*	—	—	4	*29*
Worthing	35,330	223	205	428	12·1	1·09	0·77	338	331	669	18·9	0·72	1·18	7	*16*	7	6	2	*19*
WARWICKSHIRE	**1,975,570**	**19,414**	**18,411**	**37,825**	**19·1**	**0·95**	**1·05**	**10,630**	**9,821**	**20,451**	**10·4**	**1·19**	**1·08**	**849**	**22**	**619**	**538**	**732**	**33**
County boroughs	**1,384,160**	**13,810**	**13,032**	**26,842**	**19·4**	**0·94**	**1·06**	**7,690**	**6,993**	**14,683**	**10·6**	**1·19**	**1·10**	**636**	**24**	**456**	**397**	**536**	**34**
Birmingham	1,093,160	10,707	10,147	20,854	19·1	0·95	1·05	6,163	5,852	12,015	11·0	1·15	1·10	473	23	337	302	420	34
Coventry	291,000	3,103	2,885	5,988	20·6	0·93	1·11	1,527	1,141	2,668	9·2	1·39	1·11	163	27	119	95	116	35
Administrative county	**591,410**	**5,604**	**5,379**	**10,983**	**18·6**	**0·96**	**1·04**	**2,940**	**2,828**	**5,768**	**9·8**	**1·17**	**1·00**	**213**	**19**	**163**	**141**	**196**	**30**
Municipal boroughs and urban districts	**381,770**	**3,671**	**3,537**	**7,208**	**18·9**	**0·95**	**1·04**	**1,911**	**1,875**	**3,786**	**9·9**	**1·16**	**1·00**	**146**	**20**	**114**	**100**	**125**	**31**
Bedworth	30,570	317	301	618	20·2	0·89	1·05	191	168	359	11·7	1·11	1·13	16	*26*	12	10	10	32
Kenilworth	14,250	109	128	237	16·6	0·90	0·87	70	65	135	9·5	1·26	1·04	3	*13*	3	2	2	*17*
Nuneaton M.B.	57,660	470	457	927	16·1	0·97	0·91	305	285	590	10·2	1·27	1·13	32	35	26	24	25	51
Royal Leamington Spa M.B	40,060	448	405	853	21·3	0·97	1·20	245	232	477	11·9	0·89	0·92	11	*13*	8	8	12	23
Rugby M.B.	50,400	524	463	987	19·6	0·99	1·13	297	273	570	11·3	1·07	1·05	21	21	17	16	17	33
Solihull M.B.	92,550	883	839	1,722	18·6	0·94	1·02	367	386	753	8·1	1·37	0·96	36	21	27	24	22	26
Stratford-upon-Avon M.B. ..	15,510	116	143	259	16·7	0·98	0·95	93	103	196	12·6	0·91	1·00	7	*27*	6	4	6	*38*
Sutton Coldfield M.B. ..	64,760	680	689	1,369	21·1	0·94	1·15	273	271	544	8·4	1·18	0·86	16	*12*	12	10	27	27
Warwick M.B.	16,010	124	112	236	14·7	0·98	0·84	70	92	162	10·1	1·03	0·90	4	*17*	3	2	4	*25*
Rural districts	**209,640**	**1,933**	**1,842**	**3,775**	**18·0**	**0·99**	**1·04**	**1,029**	**953**	**1,982**	**9·5**	**1·18**	**0·97**	**67**	**18**	**49**	**41**	**71**	**29**
Alcester	14,820	128	139	267	18·0	0·96	1·00	99	93	192	13·0	0·88	0·99	7	*26*	5	5	6	*40*
Atherstone	24,860	190	182	372	15·0	0·96	0·84	127	120	247	9·9	1·19	1·02	9	*24*	4	2	8	*26*
Meriden	56,960	563	595	1,158	20·3	0·91	1·07	226	192	418	7·3	1·50	0·95	20	17	16	13	17	26
Rugby	22,320	222	176	398	17·8	1·00	1·03	93	87	180	8·1	1·26	0·89	6	*15*	4	3	10	*32*
Shipston on Stour	8,040	65	75	140	17·4	1·08	1·09	61	70	131	16·3	0·75	1·06	2	*14*	2	2	1	*21*
Southam	15,960	144	123	267	16·7	1·19	1·16	92	53	145	9·1	1·25	0·99	6	*22*	3	2	5	*26*
Stratford-on-Avon	23,350	220	191	411	17·6	1·06	1·08	115	102	217	9·3	1·06	0·86	6	*15*	6	5	10	*36*
Tamworth	17,750	176	164	340	19·2	1·00	1·12	82	81	163	9·2	1·21	0·97	4	*12*	3	3	5	*23*
Warwick	25,580	225	197	422	16·5	1·03	0·99	134	155	289	11·3	0·96	0·94	7	*17*	6	6	9	*35*

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1960	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
WESTMORLAND	**66,620**	**528**	**456**	**984**	**14·8**	**1·06**	**0·91**	**420**	**465**	**885**	**13·3**	**0·91**	**1·05**	**16**	*16*	**13**	**12**	**27**	**39**
Municipal boroughs and urban districts	**32,140**	**236**	**196**	**432**	**13·4**	**1·02**	**0·79**	**224**	**273**	**497**	**15·5**	**0·87**	**1·17**	**8**	*19*	**6**	**5**	**16**	**47**
Appleby M.B.	1,680	12	9	21	12·5	1·07	0·78	12	13	25	14·9	0·94	1·22	1	*48*	1	1	1	*91*
Kendal M.B.	18,600	150	127	277	14·9	1·00	0·87	125	140	265	14·3	0·92	1·14	4	*14*	2	1	13	*48*
Lakes	5,400	33	24	57	10·6	1·03	0·63	35	57	92	17·0	0·79	1·17	1	*18*	1	1	1	*34*
Windermere	6,460	41	36	77	11·9	1·07	0·74	52	63	115	17·8	0·77	1·19	2	*26*	2	2	1	*38*
Rural districts	**34,480**	**292**	**260**	**552**	**16·0**	**1·10**	**1·02**	**196**	**192**	**388**	**11·3**	**0·93**	**0·91**	**8**	*14*	**7**	**7**	**11**	*32*
North Westmorland	16,170	145	116	261	16·1	1·10	1·03	88	100	188	11·6	1·01	1·02	5	*19*	4	4	8	*45*
South Westmorland	18,310	147	144	291	15·9	1·09	1·01	108	92	200	10·9	0·87	0·82	3	*10*	3	3	3	*20*
WIGHT, ISLE OF	**92,990**	**632**	**600**	**1,232**	**13·2**	**1·12**	**0·86**	**657**	**675**	**1,332**	**14·3**	**0·76**	**0·95**	**24**	**19**	**15**	**15**	**26**	**33**
Municipal boroughs and urban districts	**75,330**	**515**	**499**	**1,014**	**13·5**	**1·11**	**0·87**	**536**	**568**	**1,104**	**14·7**	**0·77**	**0·98**	**16**	*16*	**10**	**10**	**19**	**28**
Cowes	16,950	134	122	256	15·1	1·07	0·94	127	112	239	14·1	0·88	1·08	5	*20*	2	2	4	*23*
Newport M.B.	19,140	147	126	273	14·3	1·15	0·96	142	135	277	14·5	0·68	0·86	5	*18*	4	4	7	*39*
Ryde M.B.	19,970	135	149	284	14·2	1·08	0·89	136	164	300	15·0	0·76	0·99	3	*11*	3	3	3	*21*
Sandown-Shanklin	12,810	66	73	139	10·9	1·19	0·75	75	103	178	13·9	0·70	0·85	2	*14*	1	1	3	*28*
Ventnor	6,460	33	29	62	9·6	1·08	0·60	56	54	110	17·0	0·73	1·08	1	*16*	—	—	2	*31*
Isle of Wight R.D.	17,660	117	101	218	12·3	1·15	0·82	121	107	228	12·9	0·74	0·83	8	*37*	5	5	7	*53*
WILTSHIRE	**417,970**	**3,987**	**3,909**	**7,896**	**18·9**	**1·06**	**1·16**	**2,283**	**2,002**	**4,285**	**10·3**	**1·03**	**0·92**	**152**	**19**	**117**	**106**	**151**	**32**
Municipal boroughs and urban districts	**205,770**	**2,058**	**2,030**	**4,088**	**19·9**	**0·99**	**1·15**	**1,179**	**1,105**	**2,284**	**11·1**	**0·95**	**0·92**	**70**	**17**	**54**	**49**	**70**	**29**
Bradford-on-Avon	5,800	58	41	99	17·1	1·05	1·04	35	36	71	12·2	0·92	0·98	2	*20*	1	1	4	*49*
Calne M.B.	6,560	85	75	160	24·4	0·99	1·40	40	36	76	11·6	1·01	1·02	2	*12*	2	1	2	*19*
Chippenham M.B.	16,870	175	153	328	19·4	1·00	1·13	92	80	172	10·2	0·89	0·79	4	*12*	4	4	4	*24*
Devizes M.B.	8,380	72	71	143	17·1	1·04	1·03	60	56	116	13·8	0·69	0·83	4	*28*	3	3	5	*54*
Malmesbury M.B.	2,700	17	19	36	13·3	1·14	0·88	17	20	37	13·7	0·87	1·04	—	—	—	—	3	*77*
Marlborough M.B.	5,560	39	36	75	13·5	1·28	1·00	30	27	57	10·3	1·06	0·95	—	—	—	—	—	—
Melksham	7,530	68	72	140	18·6	0·95	1·03	43	30	73	9·7	1·16	0·98	1	*7*	—	—	7	*48*
Salisbury M.B.	34,930	303	301	604	17·3	0·98	0·99	259	264	523	15·0	0·67	0·87	14	*23*	9	8	12	32
Swindon M.B.	84,870	948	967	1,915	22·6	0·95	1·25	416	342	758	8·9	1·11	0·86	29	15	23	20	28	25
Trowbridge	14,710	126	126	252	17·1	1·03	1·02	84	98	182	12·4	0·93	1·00	4	*16*	4	4	2	*24*
Warminster	8,800	91	94	185	21·0	1·07	1·31	54	63	117	13·3	0·76	0·88	5	*27*	4	4	2	*32*
Westbury	5,420	48	50	98	18·1	1·04	1·09	35	32	67	12·4	1·01	1·09	3	*31*	3	3	1	*40*
Wilton M.B.	3,640	28	25	53	14·6	1·06	0·90	14	21	35	9·6	1·17	0·98	2	*38*	1	1	—	*19*
Rural districts	**212,200**	**1,929**	**1,879**	**3,808**	**17·9**	**1·14**	**1·19**	**1,104**	**897**	**2,001**	**9·4**	**1·09**	**0·89**	**82**	**22**	**63**	**57**	**81**	**35**
Amesbury	24,530	289	301	590	24·1	1·15	1·61	86	54	140	5·7	1·66	0·82	15	*25*	10	10	9	*32*
Bradford and Melksham ..	13,230	84	97	181	13·7	1·24	0·99	77	61	138	10·4	1·00	0·90	3	*17*	3	3	4	*38*
Calne and Chippenham ..	33,750	294	261	555	16·4	1·28	1·22	151	116	267	7·9	1·43	0·98	13	*23*	12	9	15	42
Cricklade and Wootton Bassett	18,040	162	161	323	17·9	1·02	1·06	92	73	165	9·1	1·19	0·94	13	*40*	11	11	6	*52*
Devizes	15,700	114	121	235	15·0	1·36	1·19	102	82	184	11·7	0·72	0·73	4	*17*	3	3	8	*45*
Highworth	26,490	268	264	532	20·1	1·00	1·17	148	138	286	10·8	1·04	0·98	8	*15*	3	3	12	*28*
Malmesbury	10,380	95	121	216	20·8	1·03	1·25	52	42	94	9·1	1·02	0·81	4	*19*	4	4	5	*41*
Marlborough and Ramsbury	10,360	86	81	167	16·1	1·20	0·12	63	50	113	10·9	0·98	0·93	4	*24*	2	—	2	*12*
Mere and Tisbury	11,300	86	62	148	13·1	1·14	0·87	67	61	128	11·3	0·86	0·85	4	*27*	4	4	3	*46*
Pewsey	17,420	152	168	320	18·4	1·03	1·10	89	72	161	9·2	1·16	0·93	4	*12*	3	3	9	*36*
Salisbury and Wilton ..	18,310	177	154	331	18·1	1·04	1·09	106	88	194	10·6	0·93	0·86	4	*12*	3	3	4	*21*
Warminster and Westbury ..	12,690	122	88	210	16·5	1 19	1·14	71	60	131	10·3	0·96	0·86	6	*29*	5	4	4	*37*
WORCESTERSHIRE	**564,930**	**4,751**	**4,391**	**9,142**	**16·2**	**0·99**	**0·93**	**3,195**	**2,941**	**6,136**	**10·9**	**1·09**	**1·03**	**192**	**21**	**131**	**107**	**198**	**33**
County boroughs	**128,400**	**1,010**	**987**	**1,997**	**15·6**	**0·96**	**0·87**	**786**	**684**	**1.470**	**11·4**	**1·14**	**1·13**	**55**	**28**	**34**	**28**	**48**	**37**
Dudley	63,910	480	481	961	15·0	0·95	0·83	370	314	684	10·7	1·30	1·21	26	27	16	12	26	39
Worcester	64,490	530	506	1,036	16·1	0·96	0·90	416	370	786	12·2	1·02	1·08	29	28	18	16	22	36
Administrative county	**436,530**	**3,741**	**3,404**	**7,145**	**16·4**	**1·01**	**0·96**	**2,409**	**2,257**	**4,666**	**10·7**	**1·07**	**1·00**	**137**	**19**	**97**	**79**	**150**	**31**
Municipal boroughs and urban districts	**309,740**	**2,661**	**2,442**	**5,103**	**16·5**	**0·98**	**0·94**	**1,693**	**1,584**	**3,277**	**10·6**	**1·12**	**1·03**	**98**	**19**	**73**	**61**	**109**	**33**
Bewdley M.B.	5,090	45	43	88	17·3	1·02	1·03	31	23	54	10·6	0·97	0·89	1	*11*	1	1	2	*33*
Bromsgrove	32,790	300	302	602	18·4	1·00	1·07	187	180	367	11·2	1·03	1 00	12	*20*	10	6	9	*25*
Droitwich M.B.	7,320	63	61	124	16·9	0·95	0·93	48	50	98	13·4	0·83	0·97	4	*32*	3	2	—	*16*
Evesham M.B.	12,450	123	88	211	16·9	1·03	1·01	106	97	203	16·3	0·68	0·96	7	*33*	6	6	6	*55*
Halesowen M.B.	44,180	350	356	706	16·0	0·94	0·87	235	188	423	9·6	1·31	1·09	16	*23*	10	8	22	41
Kidderminster M.B.	40,360	343	314	657	16·3	1·00	0·95	246	226	472	11·7	0·96	0·98	11	*17*	5	3	11	*21*
Malvern	25,100	197	181	378	15·1	1·10	0·97	130	177	307	12·2	0·88	0·93	5	*13*	3	2	4	*16*
Oldbury M.B.	55,440	445	394	839	15·1	0·96	0·84	285	238	523	9·4	1·42	1·16	18	*21*	15	13	19	37
Redditch	34,440	326	300	626	18·2	0·95	1·01	194	164	358	10·4	1·20	1·09	8	*13*	6	6	14	31
Stourbridge M.B.	41,010	360	310	670	16·3	1·00	0·95	183	191	374	9·1	1·08	0·85	15	*22*	14	14	18	47
Stourport-on-Severn	11,560	109	93	202	17·5	0·95	0·97	48	50	98	8·5	1·21	0·89	1	*5*	—	—	4	*19*
Rural districts	**126,790**	**1,080**	**962**	**2,042**	**16·1**	**1·07**	**1·00**	**716**	**673**	**1,389**	**11·0**	**0·99**	**0·95**	**39**	**19**	**24**	**18**	**41**	**28**
Bromsgrove	34,530	319	334	653	18·9	0·98	1·08	166	156	322	9·3	1·21	0·98	13	*20*	8	7	24	46
Droitwich	13,940	126	97	223	16·0	1·11	1·03	90	69	159	11·4	0·99	0·98	5	*22*	4	2	3	*22*
Evesham	16,710	139	111	250	15·0	1·09	0·95	88	90	178	10·7	0·96	0·89	2	*8*	2	1	3	*16*
Kidderminster	12,080	87	93	180	14·9	1·01	0·87	56	44	100	8·3	1·14	0·82	7	*39*	3	3	3	*33*
Martley	12,180	101	79	180	14·8	1·03	0·89	66	62	128	10·5	0·97	0·89	2	*11*	1	1	2	*16*
Pershore	17,460	150	136	286	16·4	1·05	1·00	90	92	182	10·4	0·99	0·90	4	*14*	2	2	2	*14*
Tenbury	5,410	52	40	92	17·0	1·08	1·07	28	33	61	11·3	0·96	0·94	—	—	—	—	1	*11*
Upton upon Severn	14,480	106	72	178	12·3	1·34	0·96	132	127	259	17·9	0·59	0·92	6	*34*	4	2	3	*28*

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1960	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
YORKSHIRE, EAST RIDING	**526,870**	**4,865**	**4,492**	**9,357**	**17·8**	**1·01**	**1·05**	**3,111**	**2,826**	**5,937**	**11·3**	**1·07**	**1·05**	**202**	**22**	**143**	**115**	**191**	**32**
Kingston upon Hull C.B. ..	302,400	3,056	2,784	5,840	19·3	0·96	1·08	1,718	1,474	3,192	10·6	1·22	1·12	135	23	92	73	129	34
Administrative county	**224,470**	**1,809**	**1,708**	**3,517**	**15·7**	**1·08**	**0·99**	**1,393**	**1,352**	**2,745**	**12·2**	**0·92**	**0·98**	**67**	**19**	**51**	**42**	**62**	**29**
Municipal boroughs and urban districts	**112,540**	**918**	**879**	**1,797**	**16·0**	**1·06**	**0·99**	**737**	**768**	**1,505**	**13·4**	**0·88**	**1·03**	**34**	**19**	**27**	**21**	**30**	**28**
Beverley M.B.	16,060	146	140	286	17·8	1·00	1·03	86	72	158	9·8	0·98	0·84	7	*24*	6	6	4	*34*
Bridlington M.B.	25,500	202	173	375	14·7	1·13	0·97	205	232	437	17·1	0·75	1·12	7	*19*	4	3	5	*21*
Driffield	7,020	67	53	120	17·1	0·97	0·96	62	77	139	19·8	0·55	0·95	4	*33*	2	2	1	*25*
Filey	4,800	27	32	59	12·3	1·05	0·75	32	35	67	14·0	0·93	1·13	—	—	—	—	3	*48*
Haltemprice	41,340	347	336	683	16·5	1·06	1·02	218	214	432	10·4	1·00	0·90	9	*13*	8	4	10	*20*
Hedon M.B.	2,260	17	24	41	18·1	1·00	1·05	18	20	38	16·8	0·98	1·43	1	*24*	1	—	1	*24*
Hornsea	5,760	35	41	76	13·2	1·13	0·87	45	49	94	16·3	0·72	1·02	1	*13*	1	1	1	*26*
Norton	4,840	43	34	77	15·9	1·09	1·00	34	28	62	12·8	1·01	1·12	5	*65*	5	5	2	*89*
Withernsea	4,960	34	46	80	16·1	1·09	1·02	37	41	78	15·7	0·84	1·15	—	—	—	—	3	*36*
Rural districts	**111,930**	**891**	**829**	**1,720**	**15·4**	**1·11**	**0·99**	**656**	**584**	**1,240**	**11·1**	**0·98**	**0·95**	**33**	**19**	**24**	**21**	**32**	**30**
Beverley	22,760	173	188	361	15·9	1·12	1·04	119	106	225	9·9	1·06	0·91	7	*19*	4	4	5	*25*
Bridlington	9,440	66	76	142	15·0	1·12	0·98	58	44	102	10·8	0·96	0·90	2	*14*	2	2	3	*34*
Derwent	13,760	124	100	224	16·3	1·05	1·00	91	76	167	12·1	0·86	0·90	3	*13*	2	2	7	*39*
Driffield	11,270	87	83	170	15·1	1·13	0·99	50	62	112	9·9	1·00	0·86	2	*12*	2	1	3	*23*
Holderness	20,540	159	152	311	15·1	1·14	1·00	113	103	216	10·5	0·96	0·88	3	*10*	3	2	8	*31*
Howden	12,110	96	88	184	15·2	1·08	0·95	77	68	145	12·0	0·91	0·95	4	*22*	3	2	3	*27*
Norton	7,420	75	63	138	18·6	1·07	1·16	47	38	85	11·5	1·02	1·02	5	*36*	1	1	2	*21*
Pocklington	14,630	111	79	190	13·0	1·07	0·81	101	87	188	12·9	0·97	1·09	7	*37*	7	7	1	*42*
YORKSHIRE, NORTH RIDING	**552,630**	**5,488**	**5,096**	**10,584**	**19·2**	**1·01**	**1·13**	**3,328**	**3,031**	**6,359**	**11·5**	**1·11**	**1·11**	**239**	**23**	**162**	**132**	**237**	**34**
Middlesbrough C.B.	154,560	1 794	1,732	3,526	22·8	0·95	1·26	976	852	1,828	11·8	1·22	1·25	84	24	57	45	82	35
Administrative county	**398,070**	**3,694**	**3,364**	**7,058**	**17·7**	**1·04**	**1·07**	**2,352**	**2,179**	**4,531**	**11·4**	**1·07**	**1·06**	**155**	**22**	**105**	**87**	**155**	**34**
Municipal boroughs and urban districts	**214,860**	**2,114**	**1,894**	**4,008**	**18·7**	**1·00**	**1·09**	**1,339**	**1,329**	**2,668**	**12·4**	**1·04**	**1·12**	**89**	**22**	**59**	**47**	**80**	**31**
Eston	36,180	447	411	858	23·7	0·95	1·31	242	167	409	11·3	1·40	1·38	30	35	17	15	18	38
Guisborough	11,040	156	125	281	25·5	0·94	1·39	66	71	137	12·4	1·07	1·15	6	*21*	5	5	9	*48*
Loftus	7,740	77	72	149	19·3	1·00	1·12	55	37	92	11·9	1·15	1·19	3	*20*	2	1	4	*33*
Malton	4,160	31	27	58	14·0	1·09	0·89	25	23	48	11·5	0·93	0·93	—	—	—	—	2	*33*
Northallerton	6,340	51	51	102	16·1	1·00	0·94	32	49	81	12·8	1·10	1·22	—	—	—	—	1	*10*
Pickering	4,090	26	29	55	13·4	1·14	0·89	24	19	43	10·5	0·92	0·84	—	—	—	—	—	—
Redcar M.B.	29,500	281	256	537	18·2	1·03	1·09	172	174	346	11·7	1·13	1·15	10	*19*	9	6	10	*29*
Richmond M.B.	6,170	64	59	123	19·9	1·00	1·16	44	26	70	11·3	1·26	1·24	3	*24*	3	3	1	*32*
Saltburn and Marske-by-the-Sea	10,830	141	135	276	25·5	0·93	1·38	56	53	109	10·1	1·11	0·97	5	*18*	3	2	5	*25*
Scalby	6,850	34	33	67	9·8	1·06	0·60	39	49	88	12·8	0·83	0·92	1	*15*	—	—	—	—
Scarborough M.B.	43,230	338	278	616	14·2	1·06	0·88	300	410	710	16·4	0·79	1·13	12	*19*	10	9	12	33
Skelton and Brotton	13,140	111	107	218	16·6	1·02	0·98	77	82	159	12·1	1·17	1·23	6	*28*	2	2	4	*27*
Thornaby-on-Tees M.B. ..	23,970	243	218	461	19·2	0·94	1·05	125	98	223	9·3	1·41	1·14	8	*17*	5	1	10	*23*
Whitby	11,620	114	93	207	17·8	1·06	1·10	82	71	153	13·2	0·81	0·93	5	*24*	3	3	4	*33*
Rural districts	**183,210**	**1,580**	**1,470**	**3,050**	**16·6**	**1·08**	**1·04**	**1,013**	**850**	**1,863**	**10·2**	**1·10**	**0·98**	**66**	**22**	**46**	**40**	**75**	**37**
Aysgarth	3,320	17	28	45	13·6	1·13	0·89	30	37	67	20·2	0·82	1·44	1	*22*	1	1	—	*22*
Bedale	8,540	77	79	156	18·3	1·14	1·21	51	32	83	9·7	1·06	0·89	2	*13*	1	1	4	*31*
Croft	2,350	22	16	38	16·2	0·95	0·89	12	7	19	8·1	1·25	0·88	1	*26*	1	1	—	*26*
Easingwold	11,970	92	73	165	13·8	1·10	0·88	75	50	125	10·4	1·03	0·93	3	*18*	2	2	7	*52*
Flaxton	28,290	260	263	523	18·5	0·99	1·06	141	135	276	9·8	1·15	0·98	10	*19*	7	7	20	50
Helmsley	5,320	33	28	61	11·5	1·34	0·90	32	23	55	10·3	1·09	0·98	2	*33*	2	1	1	*32*
Kirkbymoorside	4,930	33	26	59	12·0	1·14	0·80	34	27	61	12·4	0·88	0·95	1	*17*	1	1	1	*33*
Leyburn	6,310	44	37	81	12·8	1·10	0·82	45	29	74	11·7	0·96	0·98	—	—	—	—	2	*24*
Malton	5,520	37	34	71	12·9	1·14	0·86	41	23	64	11·6	0·97	0·98	2	*28*	1	1	1	*28*
Masham	1,620	12	9	21	13·0	1·18	0·89	12	8	20	12·3	0·89	0·95	1	*48*	1	—	—	—
Northallerton	8·730	71	66	137	15·7	1·04	0·95	63	53	116	13·3	0·98	1·13	5	*36*	4	3	6	*63*
Pickering	4,990	43	21	64	12·8	1·20	0·89	27	31	58	11·6	0·84	0·85	1	*16*	—	—	1	*15*
Reeth	1,960	9	9	18	*9·2*	1·12	*0·60*	13	17	30	15·3	0·83	1·10	—	—	—	—	—	—
Richmond	24,560	241	234	475	19·3	1·10	1·23	58	45	103	4·2	2·00	0·73	13	*27*	9	9	8	*35*
Scarborough	7,780	46	35	81	10·4	1·20	0·73	45	54	99	12·7	0·87	0·96	2	*25*	2	1	—	*12*
Startforth	4,930	40	35	75	15·2	1·26	1·11	26	22	48	9·7	1·16	0·98	4	*53*	2	2	1	*39*
Stokesley	23,410	255	271	526	22·5	0·92	1·20	136	91	227	9·7	1·21	1·02	5	*10*	3	2	12	*26*
Thirsk	13,680	134	113	247	18·1	1·08	1·14	89	70	159	11·6	1·01	1·02	10	*40*	7	6	5	*44*
Wath	3,480	20	22	42	12·1	1·24	0·87	3	11	14	4·0	1·50	0·52	1	*24*	—	—	—	—
Whitby	11,520	94	71	165	14·3	1·21	1·01	80	85	165	14·3	0·83	1·03	2	*12*	2	2	6	*47*
YORKSHIRE, WEST RIDING	**3,643,460**	**31,859**	**30,155**	**62,014**	**17·0**	**1·00**	**0·99**	**22,130**	**20,697**	**42,827**	**11·8**	**1·09**	**1·12**	**1,439**	**23**	**998**	**867**	**1,330**	**35**
County boroughs	**1,991,500**	**17,423**	**16,521**	**33,944**	**17·0**	**1·00**	**0·99**	**12,407**	**11,451**	**23,858**	**12·0**	**1·08**	**1·13**	**811**	**24**	**556**	**483**	**686**	**34**
Barnsley	75,450	710	650	1,360	18·0	0·99	1·04	452	373	825	10·9	1·24	1·18	42	31	28	22	24	33
Bradford	289,860	2,835	2,659	5,494	19·0	1·00	1·10	1,883	1,858	3,741	12·9	0·99	1·11	154	28	112	98	113	38
Dewsbury	53,460	453	462	915	17·1	1·01	1·00	401	342	743	13·9	1·04	1·26	23	25	15	14	26	42
Doncaster	85,300	778	747	1,525	17·9	0·94	0·98	500	391	891	10·4	1·13	1·02	33	22	23	19	27	30
Halifax	94,900	839	775	1,614	17·0	1·02	1·01	668	703	1,371	14·4	0·96	1·20	52	32	32	26	33	36
Huddersfield	129,130	1,143	1,047	2,190	17·0	1·05	1·04	847	863	1,710	13·2	1·02	1·17	58	26	39	36	53	40
Leeds	514,760	4,454	4,349	8,803	17·1	0·98	0·97	3,008	2,784	5,792	11·3	1·13	1·11	199	23	131	108	159	30

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1960	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
YORKSHIRE, WEST RIDING—*continued*																			
County boroughs—*continued*																			
Rotherham	85,070	783	775	1,558	18·3	0·98	1·04	530	402	932	11·0	1·20	1·15	31	20	25	22	42	40
Sheffield	499,610	4,055	3,774	7,829	15·7	1·01	0·92	3,064	2,746	5,810	11·6	1·10	1·11	156	20	111	101	147	31
Wakefield	59,840	504	436	940	15·7	1·04	0·95	389	422	811	13·6	1·02	1·21	28	30	19	18	19	39
York	104,120	869	847	1,716	16·5	0·97	0·93	665	567	1,232	11·8	1·04	1·07	35	20	21	19	43	35
Administrative county	**1,651,960**	**14,436**	**13,634**	**28,070**	**17·0**	**1·01**	**1·00**	**9,723**	**9,246**	**18,969**	**11·5**	**1·10**	**1·10**	**628**	**22**	**442**	**384**	**644**	**36**
Municipal boroughs and urban districts	**1,187,270**	**10,212**	**9,526**	**19,738**	**16·6**	**1·01**	**0·97**	**7,334**	**7,150**	**14,484**	**12·2**	**1·06**	**1·12**	**442**	**22**	**312**	**271**	**441**	**35**
Adwick le Street	18,620	178	141	319	17·1	0·97	0·96	111	79	190	10·2	1·42	1·26	9	*28*	4	4	4	*25*
Aireborough	27,840	181	179	360	12·9	1·14	0·86	191	207	398	14·3	0·78	0·97	10	*28*	7	7	3	*28*
Baildon	11,440	97	103	200	17·5	1·02	1·04	81	65	146	12·8	1·09	1·21	2	*10*	1	1	4	*24*
Barnoldswick	10,700	81	72	153	14·3	1·09	0·91	71	65	136	12·7	1·00	1·10	4	*26*	4	3	—	*20*
Batley M.B.	39,750	386	334	720	18·1	1·01	1·06	267	237	504	12·7	1·10	1·21	19	*26*	14	12	16	38
Bentley with Arksey	22,320	249	225	474	21·2	0·93	1·15	110	86	196	8·8	1·46	1·12	9	*19*	4	4	17	43
Bingley	22,090	169	150	319	14·4	1·05	0·88	133	140	273	12·4	1·00	1·08	7	*22*	4	3	12	*45*
Brighouse M.B.	30,570	219	236	455	14·9	1·05	0·91	187	195	382	12·5	0·99	1·08	8	*18*	7	6	7	*28*
Castleford M.B.	41,690	365	332	697	16·7	0·97	0·94	227	207	434	10·4	1·32	1·19	15	*22*	12	10	25	48
Colne Valley	21,160	187	181	368	17·4	1·06	1·07	173	148	321	15·2	1·02	1·35	5	*14*	4	4	9	*34*
Conisbrough	17,830	185	158	343	19·2	0·96	1·07	103	88	191	10·7	1·21	1·13	3	*9*	3	2	7	*26*
Cudworth	8,960	83	89	172	19·2	0·96	1·07	52	47	99	11·0	1·37	1·31	5	*29*	4	4	4	*45*
Darfield	6,640	75	67	142	21·4	1·00	1·24	37	30	67	10·1	1·24	1·09	6	*42*	5	4	2	*42*
Darton	14,740	122	120	242	16·4	0·98	0·93	84	58	142	9·6	1·34	1·12	6	*25*	4	4	3	*29*
Dearne	27,370	259	242	501	18·3	0·95	1·01	159	100	259	9·5	1·49	1·23	14	*28*	9	9	13	43
Denby Dale	9,410	65	64	129	13·7	1·10	0·88	60	56	116	12·3	1·00	1·07	4	*31*	4	4	5	*67*
Denholme	2,550	12	21	33	12·9	1·09	0·82	17	11	28	11·0	0·97	0·93	—	—	—	—	2	*57*
Dodworth	4,300	25	32	57	13·3	0·98	0·76	31	15	46	10·7	1·41	1·31	1	*18*	1	1	—	*18*
Earby	5,090	41	40	81	15·9	1·07	0·99	33	35	68	13·4	1·06	1·24	—	—	—	—	1	*12*
Elland	18,490	156	119	275	14·9	1·05	0·91	128	130	258	14·0	0·96	1·17	3	*11*	2	2	5	*25*
Featherstone	14,660	142	128	270	18·4	0·94	1·01	58	60	118	8·0	1·39	0·97	8	*30*	4	4	6	*36*
Garforth	14,380	122	140	262	18·2	1·00	1·06	79	71	150	10·4	1·23	1·11	10	*38*	7	6	4	*38*
Goole M.B.	19,540	178	153	331	16·9	0·97	0·95	107	107	214	11·0	1·07	1·02	16	*48*	12	9	10	*56*
Harrogate M.B.	53,720	433	397	830	15·5	1·04	0·94	305	407	712	13·3	0·80	0·93	12	*14*	9	7	12	*23*
Hebden Royd	9,570	70	69	139	14·5	1·11	0·94	58	76	134	14·0	0·85	1·03	2	*14*	2	2	4	*42*
Heckmondwike	8,630	70	73	143	16·6	1·05	1·01	61	71	132	15·3	1·06	1·41	6	*42*	4	4	3	*48*
Hemsworth	14,510	152	142	294	20·3	0·93	1·10	87	108	195	13·4	0·93	1·08	11	*37*	7	6	6	*40*
Holmfirth	18,730	150	134	284	15·2	1·08	0·95	165	186	351	18·7	0·80	1·30	7	*25*	6	6	5	*38*
Horbury	8,560	80	61	141	16·5	1·00	0·96	59	42	101	11·8	1·00	1·03	3	*21*	1	1	3	*28*
Horsforth	15,570	124	118	242	15·5	1·01	0·91	84	87	171	11·0	1·06	1·01	2	*8*	2	1	5	*24*
Hoyland Nether	15,890	116	117	233	14·7	0·98	0·84	95	74	169	10·6	1·19	1·10	1	*4*	1	—	9	*37*
Ilkley	17,450	131	134	265	15·2	1·08	0·95	120	143	263	15·1	0·73	0·96	8	*30*	6	6	5	*41*
Keighley M.B.	55,230	499	436	935	16·9	1·00	0·98	378	447	825	14·9	0·93	1·20	21	22	13	10	28	39
Kirkburton	18,070	126	130	256	14·2	1·29	1·06	149	165	314	17·4	0·57	0·86	3	*12*	3	2	2	*16*
Knaresborough	9,020	70	65	135	15·0	0·91	0·79	74	73	147	16·3	0·76	1·08	—	—	—	—	3	*22*
Knottingley	11,000	90	104	194	17·6	0·90	0·92	60	38	98	8·9	1·46	1·13	6	*31*	3	3	2	*26*
Maltby	14,080	155	130	285	20·2	0·89	1·05	57	53	110	7·8	1·65	1·12	8	*28*	5	2	8	*34*
Meltham	5,290	40	36	76	14·4	1·04	0·87	35	33	68	12·9	1·00	1·12	3	*39*	3	2	2	*51*
Mexborough	18,580	147	132	279	15·0	0·97	0·85	126	88	214	11·5	1·29	1·29	6	*22*	4	4	9	*45*
Mirfield	12,260	97	105	202	16·5	1·01	0·97	76	74	150	12·2	1·03	1·09	8	*40*	7	6	5	*53*
Morley M.B.	40,330	362	312	674	16·7	1·03	1·00	270	231	501	12·4	1·14	1·23	17	*25*	10	9	22	45
Normanton	18,600	162	149	311	16·7	1·00	0·97	96	106	202	10·9	1·21	1·15	6	*19*	5	3	4	*22*
Ossett M.B.	14,760	136	137	273	18·5	1·03	1·11	83	84	167	11·3	1·15	1·13	7	*26*	3	3	2	*18*
Otley	11,300	81	95	176	15·6	1·04	0·94	57	72	129	11·4	1·03	1·02	1	6	1	1	5	*33*
Penistone	6,740	57	55	112	16·6	1·02	0·98	40	44	84	12·5	1·00	1·09	3	*27*	1	1	2	*26*
Pontefract M.B.	26,210	297	249	546	20·8	0·97	1·17	172	142	314	12·0	1·08	1·13	15	*27*	11	11	15	46
Pudsey M.B.	33,690	329	314	643	19·1	0·99	1·10	175	167	342	10·2	1·12	0·99	16	*25*	12	9	11	31
Queensbury and Shelf	8,900	106	82	188	21·1	0·96	1·18	53	63	116	13·0	1·05	1·19	7	*37*	4	2	3	*26*
Rawmarsh	19,740	174	162	336	17·0	0·99	0·98	123	88	211	10·7	1·27	1·18	13	*39*	8	8	7	*44*
Ripon M.B.	10,290	123	100	223	21·7	0·97	1·22	63	75	138	13·4	0·77	0·90	6	*27*	6	5	3	*35*
Ripponden	5,030	32	29	61	12·1	1·08	0·76	31	25	56	11·1	1·00	0·97	2	*33*	2	2	1	*48*
Rothwell	25,290	162	175	337	13·3	1·04	0·80	173	196	369	14·6	0·78	0·99	8	*24*	7	5	10	*43*
Royston	8,500	72	70	142	16·7	0·97	0·94	48	44	92	10·8	1·36	1·28	3	*21*	3	3	4	*48*
Saddleworth	16,990	138	115	253	14·9	1·10	0·95	116	118	234	13·8	0·96	1·15	6	*24*	2	2	4	*23*
Selby	10,250	90	72	162	15·8	1·00	0·92	88	86	174	17·0	0·95	1·40	6	*37*	6	6	6	*71*
Shipley	31,120	273	256	529	17·0	1·03	1·02	201	183	384	12·3	1·03	1·10	6	*11*	5	4	14	*33*
Silsden	5,360	33	32	65	12·1	0·92	0·65	33	30	63	11·8	1·18	1·21	2	*31*	1	1	1	*30*
Skipton	13,090	90	101	191	14·6	1·06	0·90	85	118	203	15·5	0·86	1·16	6	*31*	4	4	3	*36*
Sowerby Bridge	17,870	157	149	306	17·1	1·01	1·00	113	112	225	12·6	1·01	1·11	2	*7*	2	2	5	*22*
Spenborough M.B.	36,910	299	272	571	15·5	1·04	0·94	224	228	452	12·2	1·01	1·07	12	*21*	8	8	12	34
Stanley	17,250	144	126	270	15·7	0·98	0·89	97	86	183	10·6	1·23	1·13	4	*15*	3	3	4	*26*
Stocksbridge	10,690	86	98	184	17·2	0·98	0·98	58	48	106	9·9	1·29	1·11	3	*16*	2	2	4	*32*
Swinton	13,020	128	119	247	19·0	0·96	1·06	70	64	134	10·3	1·25	1·12	4	*16*	3	3	5	*32*
Tickhill	2,570	20	24	44	17·1	1·00	0·99	12	14	26	10·1	1·02	0·90	—	—	—	—	—	—
Todmorden M.B.	17,820	125	116	241	13·5	1·05	0·82	114	127	241	13·5	0·96	1·13	5	*21*	4	3	6	*36*
Wath upon Dearne	14,440	132	137	269	18·6	0·97	1·05	76	59	135	9·3	1·22	0·99	4	*15*	3	3	6	*29*
Wombwell	19,160	159	148	307	16·0	1·00	0·93	94	78	172	9·0	1·28	1·00	4	*13*	3	3	10	*41*
Worsbrough	15,050	118	123	241	16·0	1·00	0·93	81	60	141	9·4	1·37	1·12	3	*12*	1	1	2	*12*

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1960	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
YORKSHIRE, WEST RIDING—*continued*																			
Rural districts	**464,690**	**4,224**	**4,108**	**8,332**	**17·9**	**1·00**	**1·04**	**2,389**	**2,096**	**4,485**	**9·7**	**1·23**	**1·04**	**186**	**22**	**130**	**113**	**203**	**37**
Bowland	4,920	35	36	71	14·4	1·19	1·00	25	29	54	11·0	1·00	0·96	1	*14*	—	—	—	—
Doncaster	61,520	712	671	1,383	22·5	0·96	1·26	263	251	514	8·4	1·47	1·07	30	22	20	15	45	42
Goole	9,810	70	67	137	14·9	0·98	0·85	53	43	96	10·5	1·08	0·99	4	*29*	3	3	8	*76*
Hemsworth	52,620	500	483	983	18·7	0·98	1·07	273	197	470	8·9	1·45	1·12	35	36	24	20	24	44
Hepton	3,960	30	30	60	15·2	1·10	0·97	32	26	58	14·6	0·99	1·26	2	*33*	1	1	1	*33*
Kiveton Park	19,190	165	177	342	17·8	0·98	1·01	122	87	209	10·9	1·15	1·09	9	*26*	7	6	8	*40*
Nidderdale	15,560	111	117	228	14·7	1·25	1·07	73	71	144	9·3	1·06	0·86	4	*18*	2	2	5	*30*
Osgoldcross	8,140	71	52	123	15·1	1·00	0·88	42	36	78	9·6	1·13	0·94	—	—	—	—	4	*31*
Penistone	7,440	51	62	113	15·2	1·08	0·95	43	30	73	9·8	1·15	0·98	2	*18*	1	1	6	*59*
Ripon and Pateley Bridge	13,610	99	116	215	15·8	1·23	1·13	69	52	121	8·9	1·07	0·83	8	*37*	8	7	6	*59*
Rotherham	59,100	614	630	1,244	21·0	0·91	1·11	252	204	456	7·7	1·51	1·01	29	23	21	19	27	36
Sedbergh	3,820	23	22	45	11·8	1·24	0·85	34	31	65	17·0	0·99	1·46	1	*22*	1	1	2	*64*
Selby	6,790	46	52	98	14·4	1·09	0·91	37	44	81	11·9	1·08	1·12	2	*20*	2	2	3	*50*
Settle	13,920	123	99	222	15·9	1·09	1·01	85	97	182	13·1	0·97	1·10	4	*18*	2	2	2	*18*
Skipton	23,790	180	159	339	14·2	1·06	0·88	129	142	271	11·4	0·97	0·96	3	*9*	—	—	6	*17*
Tadcaster	27,250	229	219	448	16·4	1·03	0·98	150	131	281	10·3	1·14	1·02	10	*22*	9	7	9	*35*
Thorne	34,770	369	339	708	20·4	0·97	1·15	156	120	276	7·9	1·56	1·07	14	*20*	10	9	20	40
Wakefield	20,540	190	187	377	18·4	0·96	1·03	120	95	215	10·5	1·30	1·19	5	*13*	4	3	12	*39*
Wetherby	22,780	168	146	314	13·8	1·01	0·81	106	102	208	9·1	1·11	0·88	10	*32*	7	7	3	*32*
Wharfedale	7,140	48	58	106	14·8	0·98	0·84	49	49	98	13·7	0·79	0·94	1	*9*	1	1	—	*9*
Wortley	48,650	390	386	776	16·0	1·01	0·94	276	259	535	11·0	1·06	1·01	12	*15*	7	7	12	*24*
WALES (including Monmouthshire)																			
ANGLESEY	**52,070**	**472**	**425**	**897**	**17·2**	**1·08**	**1·08**	**378**	**341**	**719**	**13·8**	**0·90**	**1·08**	**16**	*18*	**13**	**11**	**17**	**31**
Municipal borough and urban districts	**20,750**	**221**	**208**	**429**	**20·7**	**0·99**	**1·19**	**131**	**135**	**266**	**12·8**	**0·97**	**1·08**	**11**	*26*	**8**	**7**	**7**	*32*
Amlwch	3,080	23	28	51	16·6	1·05	1·01	18	19	37	12·0	0·91	0·95	2	*39*	2	2	—	*39*
Beaumaris M.B.	2,210	19	15	34	15·4	1·02	0·91	9	18	27	12·2	0·85	0·90	—	—	—	—	1	*29*
Holyhead	10,370	120	113	233	22·5	1·00	1·31	73	70	143	13·8	0·97	1·16	7	*30*	4	4	4	*34*
Llangefni	3,000	40	37	77	25·7	0·86	1·28	15	13	28	9·3	1·18	0·95	2	*26*	2	1	2	*38*
Menai Bridge	2,090	19	15	34	16·3	0·98	0·93	16	15	31	14·8	0·94	1·21	—	—	—	—	—	—
Rural districts	**31,320**	**251**	**217**	**468**	**14·9**	**1·16**	**1·00**	**247**	**206**	**453**	**14·5**	**0·86**	**1·08**	**5**	*11*	**5**	**4**	**10**	*29*
Aethwy	10,520	84	62	146	13·9	1·18	0·95	88	69	157	14·9	0·84	1·09	1	*7*	1	1	1	*14*
Twrcelyn	8,350	55	64	119	14·3	1·22	1·01	73	49	122	14·6	0·85	1·08	2	*17*	2	2	4	*49*
Valley	12,450	112	91	203	16·3	1·11	1·05	86	88	174	14·0	0·89	1·08	2	*10*	2	1	5	*29*
BRECKNOCKSHIRE	**55,470**	**408**	**408**	**816**	**14·7**	**1·05**	**0·90**	**390**	**332**	**722**	**13·0**	**0·98**	**1·11**	**22**	**27**	**13**	**12**	**16**	**34**
Municipal borough and urban districts	**15,490**	**119**	**122**	**241**	**15·6**	**0·98**	**0·89**	**133**	**108**	**241**	**15·6**	**0·89**	**1·21**	**6**	*25*	**4**	**4**	**4**	*33*
Brecknock M.B.	5,680	47	45	92	16·2	0·89	0·84	41	35	76	13·4	0·82	0·96	2	*22*	2	2	3	*53*
Brynmawr	6,400	57	54	111	17·3	1·00	1·01	47	43	90	14·1	1·07	1·31	2	*18*	1	1	1	*18*
Builth Wells	1,510	6	9	15	*9·9*	1·07	*0·62*	14	14	28	18·5	0·83	1·34	1	*67*	—	—	—	—
Hay	1,410	8	8	16	*11·3*	1·13	*0·74*	23	12	35	24·8	0·69	1·49	—	—	—	—	—	—
Llanwrtyd Wells	490	1	6	7	*14·3*	1·21	*1·01*	8	4	12	*24·5*	0·65	*1·38*	1	*143*	1	1	—	*143*
Rural districts	**39,980**	**289**	**286**	**575**	**14·4**	**1·07**	**0·90**	**257**	**224**	**481**	**12·0**	**1·03**	**1·07**	**16**	*28*	**9**	**8**	**12**	**34**
Brecknock	7,380	55	71	126	17·1	1·15	1·14	42	40	82	11·1	0·97	0·94	3	*24*	3	3	6	*68*
Builth	3,340	24	21	45	13·5	1·24	0·97	18	9	27	8·1	0·89	0·63	—	—	—	—	—	—
Crickhowell	7,990	66	52	118	14·8	1·11	0·96	50	47	97	12·1	1·03	1·08	3	*25*	2	1	2	*25*
Hay	3,630	28	14	42	11·6	1·30	0·88	34	37	71	19·6	0·61	1·04	—	—	—	—	1	*23*
Vaynor and Penderyn	6,260	38	54	92	14·7	0·98	0·84	36	38	74	11·8	1·15	1·18	6	*65*	3	3	—	*33*
Ystradgynlais	11,380	78	74	152	13·4	0·98	0·76	77	53	130	11·4	1·28	1·27	4	*26*	1	1	3	*26*
CAERNARVONSHIRE	**121,400**	**885**	**840**	**1,725**	**14·2**	**1·10**	**0·91**	**902**	**829**	**1,731**	**14·3**	**0·87**	**1·08**	**41**	**24**	**35**	**32**	**49**	**46**
Municipal boroughs and urban districts	**71,840**	**538**	**516**	**1,054**	**14·7**	**1·07**	**0·91**	**512**	**505**	**1,017**	**14·2**	**0·87**	**1·07**	**25**	**24**	**21**	**19**	**40**	**54**
Bangor M.B.	13,770	118	103	221	16·0	0·96	0·89	103	69	172	12·5	1·05	1·14	6	*27*	5	5	5	*44*
Bethesda	4,200	40	26	66	15·7	1·12	1·02	35	21	56	13·3	0·98	1·13	3	*45*	3	3	3	*87*
Betws-y-Coed	740	7	9	16	*21·6*	1·00	*1·26*	6	11	17	*23·0*	0·98	*1·96*	—	—	—	—	1	*59*
Caernarvon M.B.	9,200	69	81	150	16·3	1·00	0·95	49	62	111	12·1	0·95	1·00	4	*27*	3	3	9	*75*
Conway M.B.	10,720	73	77	150	14·0	1·16	0·94	91	89	180	16·8	0·81	1·18	3	*20*	3	2	4	*39*
Criccieth	1,500	10	7	17	*11·3*	1·08	*0·71*	15	11	26	17·3	0·76	1·14	1	*59*	1	1	2	*158*
Llandudno	17,020	102	111	213	12·5	1·05	0·76	111	125	236	13·9	0·81	0·98	4	*19*	3	3	8	*50*
Llanfairfechan	2,960	23	13	36	12·2	1·19	0·84	25	17	42	14·2	0·83	1·02	1	*28*	1	1	2	*79*
Penmaenmawr	3,870	32	26	58	15·0	1·23	1·07	33	35	68	17·6	0·71	1·09	2	*34*	1	—	2	*33*
Portmadoc	3,830	33	31	64	16·7	1·04	1·01	27	38	65	17·0	0·83	1·23	1	*16*	1	1	2	*45*
Pwllheli M.B.	3,670	31	32	63	17·2	1·10	1·10	17	27	44	12·0	0·77	0·80	—	—	—	—	2	*31*

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1960	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
CAERNARVONSHIRE—*continued*																			
Rural districts	**49,920**	**347**	**324**	**671**	**13·4**	**1·14**	**0·89**	**390**	**324**	**714**	**14·3**	**0·87**	**1·08**	**16**	*24*	**14**	**13**	**9**	**32**
Gwyrfai	22,160	165	153	318	14·4	1·13	0·95	169	140	309	13·9	0·91	1·10	10	*31*	9	8	7	*46*
Lleyn	16,770	107	115	222	13·2	1·14	0·87	138	120	258	15·4	0·83	1·11	2	*9*	1	1	2	*13*
Nant Conway	6,180	49	39	88	14·2	1·14	0·94	42	26	68	11·0	0·92	0·88	2	*23*	2	2	—	*23*
Ogwen	4,810	26	17	43	8·9	1·14	0·59	41	38	79	16·4	0·77	1·10	2	*47*	2	2	—	*47*
CARDIGANSHIRE	**53,280**	**365**	**378**	**743**	**13·9**	**1·14**	**0·92**	**369**	**371**	**740**	**13·9**	**0·82**	**0·99**	**19**	*26*	**13**	**11**	**20**	**41**
Municipal boroughs and urban districts	**17,930**	**106**	**128**	**234**	**13·1**	**1·09**	**0·83**	**107**	**148**	**255**	**14·2**	**0·83**	**1·02**	**2**	*9*	**2**	**2**	**3**	*21*
Aberayron	1,160	7	7	14	*12·1*	1·33	*0·94*	13	16	29	25·0	0·65	1·41	—	—	—	—	—	—
Aberystwyth M.B.	10,330	58	68	126	12·2	1·08	0·77	52	73	125	12·1	0·87	0·92	2	*16*	2	2	3	*39*
Cardigan M.B.	3,550	27	30	57	16·1	1·00	0·94	24	21	45	12·7	0·96	1·06	—	—	—	—	—	—
Lampeter M.B.	1,970	11	12	23	11·7	1·03	0·70	12	26	38	19·3	0·66	1·11	—	—	—	—	—	—
New Quay	920	3	11	14	*15·2*	1·49	*1·32*	6	12	18	*19·6*	0·66	*1·12*	—	—	—	—	—	—
Rural districts	**35,350**	**259**	**250**	**509**	**14·4**	**1·17**	**0·98**	**262**	**223**	**485**	**13·7**	**0·83**	**0·99**	**17**	*33*	**11**	**9**	**17**	**49**
Aberaeron	9,140	77	78	155	17·0	1·17	1·16	59	56	115	12·6	0·84	0·92	3	*19*	2	2	5	*44*
Aberystwyth	11,040	64	62	126	11·4	1·17	0·78	76	62	138	12·5	0·77	0·84	6	*48*	4	3	1	*31*
Teifiside	10,240	86	75	161	15·7	1·18	1·08	85	72	157	15·3	0·84	1·12	7	*43*	4	3	9	*71*
Tregaron	4,930	32	35	67	13·6	1·18	0·93	42	33	75	15·2	0·85	1·12	1	*15*	1	1	2	*43*
CARMARTHENSHIRE	**168,250**	**1,235**	**1,143**	**2,378**	**14·1**	**1·02**	**0·84**	**1,284**	**1,022**	**2,306**	**13·7**	**1·04**	**1·24**	**62**	**26**	**51**	**43**	**47**	**37**
Municipal boroughs and urban districts	**67,410**	**480**	**412**	**892**	**13·2**	**1·01**	**0·78**	**563**	**473**	**1,036**	**15·4**	**0·95**	**1·27**	**29**	**33**	**22**	**20**	**20**	**44**
Ammanford	6,520	45	37	82	12·6	1·01	0·74	45	37	82	12·6	1·03	1·13	2	*24*	2	2	1	*36*
Burry Port	5,920	52	28	80	13·5	0·96	0·75	49	54	103	17·4	1·13	1·71	3	*38*	2	2	1	*37*
Carmarthen M.B.	12,080	83	80	163	13·5	1·05	0·82	113	102	215	17·8	0·68	1·05	6	*37*	5	4	5	*54*
Cwmamman	4,260	34	29	63	14·8	0·99	0·85	33	19	52	12·2	1·05	1·11	—	—	—	—	5	*74*
Kidwelly M.B.	2,940	23	15	38	12·9	0·98	0·74	19	24	43	14·6	1·19	1·51	—	—	—	—	1	*26*
Llandeilo	1,810	24	13	37	20·4	1·08	1·28	12	14	26	14·4	0·89	1·11	—	—	—	—	—	—
Llandovery M.B.	1,970	19	11	30	15·2	1·23	1·09	16	13	29	14·7	1·04	1·33	1	*33*	1	1	—	*33*
Llanelly M.B.	31,200	198	198	396	12·7	0·99	0·73	273	203	476	15·3	0·99	1·32	17	*43*	12	11	7	*45*
Newcastle Emlyn	710	2	1	3	*4·2*	1·30	*0·32*	3	7	10	*14·1*	0·75	*0·92*	—	—	—	—	—	—
Rural districts	**100,840**	**755**	**731**	**1,486**	**14·7**	**1·03**	**0·88**	**721**	**549**	**1,270**	**12·6**	**1·10**	**1·21**	**33**	**22**	**29**	**23**	**27**	**33**
Carmarthen	28,110	203	195	398	14·2	1·05	0·87	199	162	361	12·8	1·12	1·25	8	*20*	7	6	8	*34*
Llandeilo	25,260	174	179	353	14·0	1·04	0·85	160	130	290	11·5	1·05	1·05	11	*31*	10	7	5	*34*
Llanelly	39,240	324	296	620	15·8	0·98	0·90	300	204	504	12·8	1·22	1·36	11	*18*	10	9	13	35
Newcastle Emlyn	8,230	54	61	115	14·0	1·15	0·94	62	53	115	14·0	0·84	1·02	3	*26*	2	1	1	*17*
DENBIGHSHIRE	**169,810**	**1,442**	**1,217**	**2,659**	**15·7**	**1·05**	**0·96**	**1,148**	**1,136**	**2,284**	**13·5**	**0·96**	**1·13**	**48**	**18**	**34**	**30**	**61**	**33**
Municipal boroughs and urban districts	**79,230**	**658**	**553**	**1,211**	**15·3**	**1·08**	**0·96**	**588**	**642**	**1,230**	**15·5**	**0·83**	**1·12**	**20**	**17**	**13**	**13**	**31**	**35**
Abergele	7,630	69	51	120	15·7	1·10	1·00	61	55	116	15·2	0·81	1·07	1	*8*	1	1	1	*17*
Colwyn Bay M.B.	21,640	144	136	280	12·9	1·21	0·91	183	230	413	19·1	0·64	1·06	4	*14*	3	3	3	*21*
Denbigh M.B.	7,970	64	44	108	13·6	1·24	0·98	79	95	174	21·8	0·55	1·04	2	*19*	2	2	3	*45*
Llangollen	3,100	24	20	44	14·2	1·02	0·84	16	19	35	11·3	0·87	0·85	2	*45*	1	1	1	*44*
Llanrwst	2,620	23	14	37	14·1	1·16	0·95	15	23	38	14·5	0·66	0·83	—	—	—	—	1	*26*
Ruthin M.B.	3,680	18	26	44	12·0	1·06	0·74	28	39	67	18·2	0·80	1·27	—	—	—	—	2	*43*
Wrexham M.B.	32,590	316	262	578	17·7	0·97	1·00	206	181	387	11·9	1·15	1·19	11	*19*	6	6	20	43
Rural districts	**90,580**	**784**	**664**	**1,448**	**16·0**	**1·03**	**0·96**	**560**	**494**	**1,054**	**11·6**	**1·10**	**1·11**	**28**	**19**	**21**	**17**	**30**	**32**
Aled	6,880	53	48	101	14·7	1·10	0·94	33	24	57	8·3	1·08	0·78	1	*10*	1	1	—	*10*
Ceiriog	7,330	72	62	134	18·3	1·09	1·16	44	36	80	10·9	1·03	0·98	5	*37*	3	2	2	*29*
Hiraethog	5,000	38	42	80	16·0	1·15	1·07	27	31	58	11·6	0·93	0·94	1	*12*	—	—	3	*36*
Ruthin	9,420	102	71	173	18·4	1·02	1·09	56	47	103	10·9	1·00	0·95	2	*12*	2	2	4	*34*
Wrexham	61,950	519	441	960	15·5	1·00	0·90	400	356	756	12·2	1·16	1·23	19	*20*	15	12	21	34
FLINTSHIRE	**148,060**	**1,382**	**1,248**	**2,630**	**17·8**	**1·05**	**1·09**	**952**	**867**	**1,819**	**12·3**	**1·04**	**1·11**	**49**	**19**	**35**	**30**	**61**	**34**
Municipal borough and urban districts	**75,200**	**727**	**657**	**1,384**	**18·4**	**1·03**	**1·10**	**533**	**485**	**1,018**	**13·5**	**1·00**	**1·17**	**25**	**18**	**17**	**13**	**28**	**29**
Buckley	7,720	78	66	144	18·7	1·04	1·13	50	43	93	12·0	1·12	1·17	—	—	—	—	2	*14*
Connah's Quay	8,170	91	98	189	23·1	0·94	1·26	37	40	77	9·4	1·40	1·14	8	*42*	5	4	5	*46*
Flint M.B.	14,280	140	132	272	19·0	0·98	1·08	78	51	129	9·0	1·34	1·05	3	*11*	3	2	4	*22*
Holywell	8,360	81	72	153	18·3	1·01	1·07	56	63	119	14·2	0·81	1·00	2	*13*	—	—	3	*19*
Mold	6,710	77	50	127	18·9	1·01	1·11	55	29	84	12·5	1·16	1·26	3	*24*	2	2	6	*60*
Prestatyn	10,020	78	59	137	13·7	1·11	0·88	92	91	183	18·3	0·76	1·21	1	*7*	1	—	—	—
Rhyl	19,940	182	180	362	18·2	1·08	1·14	165	168	333	16·7	0·84	1·22	8	*22*	6	5	8	*35*
Rural districts	**72,860**	**655**	**591**	**1,246**	**17·1**	**1·08**	**1·07**	**419**	**382**	**801**	**11·0**	**1·09**	**1·04**	**24**	**19**	**18**	**17**	**33**	**39**
Hawarden	36,020	354	294	648	18·0	1·02	1·07	204	159	363	10·1	1·26	1·11	18	*28*	13	12	19	46
Holywell	22,180	195	178	373	16·8	1·11	1·08	136	126	262	11·8	0·95	0·97	5	*13*	4	4	10	*37*
(a)Maelor	4,500	46	34	80	17·8	1·02	1·06	31	39	70	15·6	1·00	1·36	—	—	—	—	—	—
St Asaph	10,160	60	85	145	14·3	1·23	1·02	48	58	106	10·4	0·99	0·90	1	*7*	1	1	4	*34*

(a) The figures for this area include 8 deaths (8M., —F.) in a Polish General Hospital, which could not be transferred to the area of residence.

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1960	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
GLAMORGANSHIRE	**1,227,750**	**10,688**	**10,440**	**21,128**	**17·2**	**0·98**	**0·98**	**8,173**	**6,704**	**14,877**	**12·1**	**1·13**	**1·19**	**579**	**27**	**422**	**347**	**508**	**40**
County boroughs	**480,260**	**4,366**	**4,242**	**8,608**	**17·9**	**0·97**	**1·01**	**3,097**	**2,668**	**5,765**	**12·0**	**1·10**	**1·15**	**212**	**25**	**155**	**128**	**190**	**36**
Cardiff	255,470	2,430	2,429	4,859	19·0	0·94	1·04	1,485	1,325	2,810	11·0	1·11	1·06	119	24	89	75	107	37
Merthyr Tydfil	59,230	504	496	1,000	16·9	1·00	0·98	480	361	841	14·2	1·08	1·33	34	34	21	19	27	45
Swansea	165,560	1,432	1,317	2,749	16·6	1·00	0·97	1,132	982	2,114	12·8	1·10	1·22	59	21	45	34	56	32
Administrative county	**747,490**	**6,322**	**6,198**	**12,520**	**16·7**	**0·98**	**0·95**	**5,076**	**4,036**	**9,112**	**12·2**	**1·15**	**1·22**	**367**	**29**	**267**	**219**	**318**	**42**
Municipal boroughs and urban districts	**535,200**	**4,428**	**4,379**	**8,807**	**16·5**	**0·98**	**0·94**	**3,651**	**2,908**	**6,559**	**12·3**	**1·16**	**1·24**	**269**	**31**	**196**	**158**	**247**	**45**
Aberdare	39,450	309	279	588	14·9	1·03	0·89	338	232	570	14·4	1·02	1·28	24	41	18	13	15	46
Barry M.B.	42,520	407	401	808	19·0	0·96	1·06	241	206	447	10·5	1·10	1·00	15	*19*	13	11	23	41
Bridgend	14,860	134	140	274	18·4	0·95	1·02	86	74	160	10·8	1·08	1·01	4	*15*	4	3	6	*32*
Caerphilly	38,010	380	341	721	19·0	0·95	1·05	206	158	364	9·6	1·30	1·08	24	33	19	15	24	52
Cowbridge M.B.	990	9	6	15	*15·2*	1·04	*0·92*	10	5	15	*15·2*	1·04	*1·37*	—	—	—	—	1	*62*
Gelligaer	36,210	305	310	615	17·0	1·03	1·02	229	182	411	11·4	1·26	1·25	26	42	15	13	15	44
Glyncorrwg	10,040	101	95	196	19·5	0·98	1·11	49	38	87	8·7	1·43	1·08	4	*20*	4	3	5	*40*
Llwchwr	25,650	170	159	329	12·8	1·02	0·76	200	144	344	13·4	1·17	1·36	14	*43*	12	8	9	*50*
Maesteg	22,510	173	150	323	14·3	1·00	0·83	137	106	243	10·8	1·26	1·18	7	*22*	4	3	9	*36*
Mountain Ash	30,390	245	250	495	16·3	0·99	0·94	213	176	389	12·8	1·21	1·35	17	*34*	12	10	21	60
Neath M.B.	31,060	254	251	505	16·3	0·93	0·88	200	188	388	12·5	1·13	1·23	7	*14*	7	7	14	40
Ogmore and Garw	21,920	154	176	330	15·1	1·00	0·88	168	127	295	13·5	1·21	1·42	10	*30*	8	6	13	*55*
Penarth	19,500	165	144	309	15·8	0·99	0·91	140	137	277	14·2	0·92	1·14	8	*26*	6	6	6	*38*
Pontypridd	37,240	280	281	561	15·1	0·96	0·84	277	238	515	13·8	1·04	1·25	22	39	13	10	5	*26*
Porthcawl	10,650	79	66	145	13·8	0·99	0·79	83	77	160	15·0	0·93	1·21	1	*7*	1	1	5	*40*
Port Talbot M.B.	48,840	497	535	1,032	21·1	0·95	1·17	318	244	562	11·5	1·32	1·32	38	37	30	25	27	49
Rhondda M.B.	105,360	766	795	1,561	14·8	0·98	0·84	756	576	1,332	12·6	1·16	1·27	48	31	30	24	49	45
Rural districts	**212,290**	**1,894**	**1,819**	**3,713**	**17·5**	**1·00**	**1.02**	**1,425**	**1,128**	**2,553**	**12·0**	**1·13**	**1·18**	**98**	**26**	**71**	**61**	**71**	**35**
Cardiff	43,500	416	405	821	18·9	1·00	1·10	260	261	521	12·0	1·03	1·07	24	29	21	20	11	37
Cowbridge	18,840	179	207	386	20·5	0·97	1·16	87	69	156	8·3	1·55	1·12	11	*28*	6	4	2	*15*
Gower	12,100	104	99	203	16·8	1·05	1·03	88	107	195	16·1	0·89	1·25	2	*10*	1	—	7	*33*
Llantrisant and Llantwit Fardre	26,290	270	251	521	19·8	0·96	1·11	167	120	287	10·9	1·28	1·21	16	*31*	10	9	12	39
Neath	41,540	301	292	593	14·3	0·98	0·81	262	189	451	10·9	1·27	1·20	11	*19*	9	8	17	41
Penybont	38,570	389	374	763	19·8	1·02	1·17	307	208	515	13·4	0·93	1·08	19	*25*	13	11	17	36
Pontardawe	31,450	235	191	426	13·5	1·01	0·79	254	174	428	13·6	1·08	1·28	15	*35*	11	9	5	*32*
MERIONETHSHIRE	**39,140**	**299**	**291**	**590**	**15·1**	**1·21**	**1·06**	**278**	**285**	**563**	**14·4**	**0·92**	**1·15**	**10**	*17*	**7**	**6**	**8**	*23*
Urban districts	**17,290**	**144**	**121**	**265**	**15·3**	**1·14**	**1·01**	**127**	**127**	**254**	**14·7**	**0·93**	**1·19**	**8**	*30*	**5**	**4**	**5**	*33*
Bala	1,580	12	10	22	13·9	1·08	0·87	12	15	27	17·1	0·88	1·31	—	—	—	—	—	—
Barmouth	2,310	18	17	35	15·2	1·09	0·96	10	15	25	10·8	0·75	0·70	—	—	—	—	—	—
Dolgellau	2,480	17	17	34	13·7	1·02	0·81	14	20	34	13·7	1·03	1·23	1	*29*	—	—	—	—
Ffestiniog	6,600	51	62	113	17·1	1·11	1·10	64	51	115	17·4	0·99	1·50	4	*35*	3	3	5	*68*
Towyn	4,320	46	15	61	14·1	1·27	1·04	27	26	53	12·3	0·91	0·97	3	*49*	2	1	—	*16*
Rural districts	**21,850**	**155**	**170**	**325**	**14·9**	**1·26**	**1·09**	**151**	**158**	**309**	**14·1**	**0·89**	**1·09**	**2**	*6*	**2**	**2**	**3**	*15*
Deudraeth	6,720	55	57	112	16·7	1·17	1·14	50	64	114	17·0	0·70	1·03	—	—	—	—	2	*18*
Dolgellau	8,250	44	44	88	10·7	1·48	0·92	54	53	107	13·0	1·03	1·16	1	*11*	1	1	—	*11*
Edeyrnion	4,150	34	36	70	16·9	1·12	1·10	26	32	58	14·0	0·86	1·05	1	*14*	1	1	1	*28*
Penllyn	2,730	22	33	55	20·1	1·10	1·29	21	9	30	11·0	0·99	0·95	—	—	—	—	—	—
MONMOUTHSHIRE	**435,730**	**4,082**	**3,716**	**7,798**	**17·9**	**0·99**	**1·03**	**2,853**	**2,179**	**5,032**	**11·5**	**1·15**	**1·15**	**208**	**27**	**150**	**133**	**199**	**42**
Newport C.B.	104,580	1,082	985	2,067	19·8	0·98	1·13	673	522	1,195	11·4	1·18	1·17	62	30	49	46	40	41
Administrative county	**331,150**	**3,000**	**2,731**	**5,731**	**17·3**	**1·00**	**1·01**	**2,180**	**1,657**	**3,837**	**11·6**	**1·14**	**1·15**	**146**	**25**	**101**	**87**	**159**	**42**
Municipal boroughs and urban districts	**277,790**	**2,481**	**2,278**	**4,759**	**17·1**	**1·01**	**1·00**	**1,839**	**1,410**	**3,249**	**11·7**	**1·16**	**1·18**	**125**	**26**	**89**	**75**	**133**	**43**
Abercarn	18,800	174	174	348	18·5	0·99	1·06	95	79	174	9·3	1·22	0·99	7	*20*	5	5	9	*39*
Abergavenny M.B.	9,080	82	75	157	17·3	1·00	1·01	65	49	114	12·6	0·98	1·07	3	*19*	3	2	5	*43*
Abertillery	26,330	220	203	423	16·1	1·03	0·96	191	140	331	12·6	1·15	1·26	14	*33*	10	8	12	46
Bedwas and Machen ..	9,900	99	96	195	19·7	0·95	1·09	68	42	110	11·1	1·26	1·22	4	*21*	2	1	5	*30*
Bedwellty	28,150	257	238	495	17·6	1·01	1·03	172	124	296	10·5	1·35	1·23	18	*36*	10	8	17	49
Blaenavon	9,010	60	57	117	13·0	1·05	0·79	72	46	118	13·1	1·14	1·30	4	*34*	3	3	4	*58*
Caerleon	4,020	19	26	45	11·2	1·08	0·70	29	39	68	16·9	0·66	0·97	3	*67*	3	2	1	*65*
Chepstow	5,980	64	62	126	21·1	1·00	1·23	57	48	105	17·6	0·60	0·92	3	*24*	3	3	2	*39*
Cwmbran	21,130	238	230	468	22·1	0·80	1·03	104	86	190	9·0	1·45	1·13	11	*24*	10	9	16	52
Ebbw Vale	28,360	250	251	501	17·7	1·05	1·08	194	143	337	11·9	1·23	1·27	13	*26*	10	9	13	43
Monmouth M.B.	5,720	53	44	97	17·0	1·01	1·00	33	33	66	11·5	0·87	0·87	—	—	—	—	—	—
Mynyddislwyn	15,460	133	112	245	15·8	1·00	0·92	74	70	144	9·3	1·34	1·08	10	*41*	6	6	12	*70*
Nantyglo and Blaina ..	10,990	107	92	199	18·1	1·05	1·10	78	59	137	12·5	1·11	1·21	3	*15*	1	1	6	*34*
Pontypool	39,720	316	268	584	14·7	1·04	0·89	288	210	498	12·5	1·12	1·22	15	*26*	13	10	14	40
Rhymney	8,800	93	75	168	19·1	1·03	1·14	58	57	115	13·1	1·16	1·32	3	*18*	2	—	4	*23*
Risca	14,380	112	79	191	13·3	1·01	0·78	115	80	195	13·6	1·08	1·28	1	*5*	1	1	3	*21*
Tredegar	20,260	182	189	371	18·3	1·00	1·06	133	95	228	11·3	1·13	1·11	13	*35*	7	7	10	*45*
Usk	1,700	22	7	29	17·1	1·09	1·08	13	10	23	13·5	1·02	1·20	—	—	—	—	—	—

TABLE 13—*continued*

Area	Estimated home population as at 30th June 1960	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
MONMOUTHSHIRE—*continued*																			
Rural districts	**53,360**	**519**	**453**	**972**	**18·2**	**0·98**	**1·04**	**341**	**247**	**588**	**11·0**	**0·99**	**0·95**	**21**	**22**	**12**	**12**	**26**	**38**
Abergavenny	8,700	82	56	138	15·9	1·27	1·17	96	62	158	18·2	0·54	0·85	3	*22*	1	1	7	*55*
Chepstow	10,890	85	93	178	16·3	1·02	0·97	68	47	115	10·6	1·09	1·00	6	*34*	3	3	3	*33*
Magor and St. Mellons	14,740	151	129	280	19·0	1·00	1·10	82	72	154	10·4	1·03	0·93	7	*25*	4	4	8	*42*
Monmouth	5,800	36	41	77	13·3	1·08	0·84	39	27	66	11·4	0·88	0·87	—	—	—	—	3	*38*
Pontypool	13,230	165	134	299	22·6	0·76	1·00	56	39	95	7·2	1·50	0·94	5	*17*	4	4	5	*30*
MONTGOMERYSHIRE	**44,720**	**366**	**348**	**714**	**16·0**	**1·09**	**1·01**	**267**	**246**	**513**	**11·5**	**0·93**	**0·93**	**9**	*13*	**7**	**6**	**18**	**33**
Municipal boroughs and urban districts	**17,790**	**149**	**124**	**273**	**15·3**	**1·00**	**0·89**	**93**	**104**	**197**	**11·1**	**0·93**	**0·90**	**1**	*4*	**1**	**1**	**8**	*32*
Llanfyllin M.B.	1,280	7	8	15	*11·7*	1·17	*0·80*	12	12	24	18·8	0·87	1·42	—	—	—	—	2	*118*
Llanidloes M.B.	2,320	14	15	29	12·5	1·03	0·75	14	14	28	12·1	0·83	0·87	—	—	—	—	—	—
Machynlleth	1,800	15	9	24	13·3	1·01	0·78	12	15	27	15·0	0·86	1·12	—	—	—	—	1	*40*
Montgomery M.B.	890	9	9	18	*20·2*	1·10	*1·29*	4	2	6	*6·7*	0·83	*0·48*	—	—	—	—	—	—
Newtown and Llanllwchaiarn	5,390	49	36	85	15·8	0·97	0·89	20	28	48	8·9	0·97	0·75	—	—	—	—	1	*12*
Welshpool M.B.	6,110	55	47	102	16·7	0·96	0·93	31	33	64	10·5	1·03	0·94	1	*10*	1	1	4	*47*
Rural districts	**26,930**	**217**	**224**	**441**	**16·4**	**1·15**	**1·10**	**174**	**142**	**316**	**11·7**	**0·92**	**0·94**	**8**	*18*	**6**	**5**	**10**	*33*
Forden	5,230	48	47	95	18·2	1·11	1·17	34	31	65	12·4	0·80	0·86	2	*21*	1	1	2	*31*
Llanfyllin	9,680	64	81	145	15·0	1·17	1·02	67	45	112	11·6	0·96	0·97	2	*14*	2	2	2	*27*
Machynlleth	2,950	27	22	49	16·6	1·18	1·14	22	22	44	14·9	0·88	1·14	—	—	—	—	—	—
Newtown and Llanidloes	9,070	78	74	152	16·8	1·16	1·13	51	44	95	10·5	0·96	0·88	4	*26*	3	2	6	*51*
PEMBROKESHIRE	**94,580**	**909**	**856**	**1,765**	**18·7**	**1·03**	**1·12**	**603**	**577**	**1,180**	**12·5**	**1·04**	**1·13**	**52**	**29**	**43**	**40**	**55**	**52**
Municipal boroughs and urban districts	**46,750**	**468**	**474**	**942**	**20·1**	**1·00**	**1·17**	**304**	**296**	**600**	**12·8**	**1·07**	**1·19**	**34**	**36**	**25**	**22**	**33**	**58**
Fishguard and Goodwick	4,740	38	34	72	15·2	1·05	0·93	29	36	65	13·7	1·02	1·22	2	*28*	2	1	2	*41*
Haverfordwest M.B.	8,390	111	104	215	25·6	0·91	1·35	42	74	116	13·8	0·95	1·14	8	*37*	6	6	8	*63*
Milford Haven	13,180	119	135	254	19·3	1·00	1·12	75	52	127	9·6	1·44	1·20	7	*28*	4	2	10	*45*

1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*	*17*	*18*	*19*	*20*
Narberth	1,030	11	5	16	*15·5*	1·01	*0·91*	13	7	20	19·4	0·98	1·65	—	—	—	—	—	—
Neyland	2,290	20	21	41	17·9	1·03	1·07	18	13	31	13·5	1·00	1·17	1	*24*	1	1	3	*91*
Pembroke M.B.	12,700	135	140	275	21·7	1·03	1·30	86	80	166	13·1	1·03	1·17	10	*36*	7	7	10	*60*
Tenby M.B.	4,420	34	35	69	15·6	1·01	0·92	41	34	75	17·0	0·83	1·23	6	*87*	5	5	2	*99*
Rural districts	**47,830**	**441**	**382**	**823**	**17·2**	**1·06**	**1·06**	**299**	**281**	**580**	**12·1**	**1·01**	**1·06**	**18**	*22*	**18**	**18**	**20**	**45**
Cemaes	8,790	63	81	144	16·4	1·16	1·11	57	79	136	15·5	0·88	1·19	3	*21*	3	3	3	*41*
Haverfordwest	22,620	240	169	409	18·1	1·00	1·05	123	99	222	9·8	1·13	0·96	10	*24*	10	10	11	50
Narberth	9,980	74	76	150	15·0	1·12	0·98	75	74	149	14·9	0·93	1·20	3	*20*	3	3	3	*39*
Pembroke	6,440	64	56	120	18·6	1·06	1·15	44	29	73	11·3	1·00	0·98	2	*17*	2	2	3	*41*
RADNORSHIRE	**19,160**	**152**	**152**	**304**	**15·9**	**1·15**	**1·06**	**119**	**110**	**229**	**12·0**	**0·87**	**0·91**	**2**	*7*	**2**	**2**	**7**	*29*
Urban districts	**6,420**	**43**	**51**	**94**	**14·6**	**1·01**	**0·86**	**41**	**53**	**94**	**14·6**	**0·76**	**0·96**	—	—	—	—	—	—
Knighton	1,830	12	23	35	19·1	1·01	1·12	16	18	34	18·6	0·65	1·05	—	—	—	—	—	—
Llandrindod Wells	3,360	21	20	41	12·2	1·00	0·71	23	27	50	14·9	0·80	1·04	—	—	—	—	—	—
Presteigne	1,230	10	8	18	*14·6*	1·08	*0·92*	2	8	10	*8·1*	0·84	*0·59*	—	—	—	—	—	—
Rural districts	**12,740**	**109**	**101**	**210**	**16·5**	**1·23**	**1·18**	**78**	**57**	**135**	**10·6**	**0·94**	**0·87**	**2**	*10*	**2**	**2**	**7**	*41*
Colwyn	1,580	20	11	31	19·6	1·21	1·38	15	11	26	16·5	0·98	1·41	—	—	—	—	1	*20*
Knighton	2,990	24	24	48	16·1	1·23	1·15	15	13	28	9·4	1·03	0·84	—	—	—	—	1	*26*
New Radnor	2,170	17	20	37	17·1	1·19	1·18	7	7	14	*6·5*	0·90	*0·51*	—	—	—	—	1	*38*
Painscastle	1,780	14	11	25	14·0	1·19	0·97	10	5	15	*8·4*	0·90	*0·66*	—	—	—	—	—	—
Rhayader	4,220	34	35	69	16·4	1·27	1·21	31	21	52	12·3	0·91	0·97	2	*29*	2	2	4	*82*

TABLE 14. Deaths by sex at each year of age (with marital condition), 1960 — England and Wales

Included in this Table are 751 cases (336 males and 415 females) in which the age of deceased was not definitely stated ; these have been allocated to particular ages in accordance with the best available information and with due regard to the circumstances and cause of death in each case. The deaths of divorced men and women are included with the deaths of widowed.

See explanatory notes.

Age last birthday	Persons	MALES					FEMALES				
		Total	Single	Married	Widowed	Not stated	Total	Single	Married	Widowed	Not stated
All ages	**526,268**	**269,172**	**37,007**	**160,126**	**62,943**	**9,096**	**257,096**	**48,725**	**77,899**	**130,323**	**149**
0–4	**19,549**	**11,273**	**11,273**	—	—	—	**8,276**	**8,276**	—	—	—
0	17,118	9,911	9,911	—	—	—	7,207	7,207	—	—	—
1	1,016	562	562	—	—	—	454	454	—	—	—
2	623	361	361	—	—	—	262	262	—	—	—
3	443	247	247	—	—	—	196	196	—	—	—
4	349	192	192	—	—	—	157	157	—	—	—
5–9	**1,426**	**881**	**881**	—	—	—	**545**	**545**	—	—	—
5	330	200	200	—	—	—	130	130	—	—	—
6	319	209	209	—	—	—	110	110	—	—	—
7	262	149	149	—	—	—	113	113	—	—	—
8	266	170	170	—	—	—	96	96	—	—	—
9	249	153	153	—	—	—	96	96	—	—	—
10–14	**1,189**	**722**	**722**	—	—	—	**467**	**467**	—	—	—
10	224	141	141	—	—	—	83	83	—	—	—
11	217	125	125	—	—	—	92	92	—	—	—
12	254	149	149	—	—	—	105	105	—	—	—
13	243	157	157	—	—	—	86	86	—	—	—
14	251	150	150	—	—	—	101	101	—	—	—
15–19	**1,948**	**1,405**	**1,226**	**12**	**1**	**166**	**543**	**508**	**30**	**1**	**4**
15	258	162	162	—	—	—	96	96	—	—	—
16	380	270	261	—	—	9	110	110	—	—	—
17	436	317	306	—	—	11	119	116	1	—	2
18	406	304	286	2	—	16	102	89	12	1	—
19	468	352	211	10	1	130	116	97	17	—	2
20–24	**2,313**	**1,669**	**861**	**196**	—	**612**	**644**	**358**	**276**	**4**	**6**
20	473	346	195	12	—	139	127	89	36	—	2
21	505	369	219	23	—	127	136	100	35	—	1
22	461	349	166	51	—	132	112	55	55	1	1
23	439	302	139	54	—	109	137	63	71	1	2
24	435	303	142	56	—	105	132	51	79	2	—
25–29	**2,318**	**1,460**	**477**	**565**	**12**	**406**	**858**	**216**	**619**	**17**	**6**
25	402	275	112	84	—	79	127	42	83	—	2
26	452	275	91	107	1	76	177	48	123	5	1
27	453	291	98	107	2	84	162	44	111	5	2
28	470	296	93	124	5	74	174	34	137	3	—
29	541	323	83	143	4	93	218	48	165	4	1
30–34	**3,089**	**1,809**	**425**	**1,015**	**12**	**357**	**1,280**	**248**	**997**	**33**	**2**
30	530	313	67	172	1	73	217	57	155	4	1
31	541	326	78	166	2	80	215	41	170	4	—
32	582	334	83	194	2	55	248	52	191	5	—
33	665	396	90	235	3	68	269	39	223	7	—
34	771	440	107	248	4	81	331	59	258	13	1
35–39	**5,400**	**3,137**	**599**	**2,065**	**51**	**422**	**2,263**	**330**	**1,857**	**72**	**4**
35	829	482	105	288	6	83	347	55	277	13	2
36	886	509	105	329	8	67	377	50	311	16	—
37	1,063	609	114	414	6	75	454	67	374	12	1
38	1,222	704	120	482	12	90	518	84	418	15	1
39	1,400	833	155	552	19	107	567	74	477	16	—
40–44	**7,548**	**4,307**	**679**	**3,087**	**108**	**433**	**3,241**	**526**	**2,515**	**194**	**6**
40	1,521	861	147	590	22	102	660	112	511	34	3
41	1,209	701	105	520	14	62	508	84	388	36	—
42	1,348	785	137	534	13	101	563	97	440	25	1
43	1,587	931	131	684	27	89	656	104	512	39	1
44	1,883	1,029	159	759	32	79	854	129	664	60	1
45–49	**14,052**	**8,331**	**1,093**	**6,410**	**285**	**543**	**5,721**	**835**	**4,409**	**471**	**6**
45	2,298	1,285	180	964	30	111	1,013	164	778	66	5
46	2,491	1,473	206	1,116	51	100	1,018	128	826	64	—
47	2,729	1,601	212	1,232	61	96	1,128	156	872	100	—
48	3,048	1,840	232	1,434	64	110	1,208	187	904	117	—
49	3,486	2,132	263	1,664	79	126	1,354	200	1,029	124	1

TABLE 14—*continued*

Age last birthday	Persons	MALES					FEMALES				
		Total	Single	Married	Widowed	Not stated	Total	Single	Married	Widowed	Not stated
50–54	**23,079**	**14,452**	**1,622**	**11,510**	**624**	**696**	**8,627**	**1,320**	**6,321**	**982**	**4**
50	3,957	2,419	303	1,871	87	158	1,538	231	1,152	153	2
51	3,999	2,491	284	1,994	95	118	1,508	214	1,138	156	—
52	4,610	2,849	307	2,277	131	134	1,761	267	1,291	203	—
53	4,976	3,163	360	2,520	145	138	1,813	296	1,298	217	2
54	5,537	3,530	368	2,848	166	148	2,007	312	1,442	253	—
55–59	**35,475**	**23,225**	**2,306**	**18,558**	**1,482**	**879**	**12,250**	**1,917**	**8,110**	**2,208**	**15**
55	5,910	3,855	399	3,073	211	172	2,055	305	1,453	293	4
56	6,640	4,385	429	3,533	255	168	2,255	340	1,552	362	1
57	6,975	4,536	454	3,640	257	185	2,439	403	1,598	437	1
58	7,655	5,030	487	4,025	343	175	2,625	419	1,709	492	5
59	8,295	5,419	537	4,287	416	179	2,876	450	1,798	624	4
60–64	**47,304**	**29,251**	**2,504**	**23,007**	**2,837**	**903**	**18,053**	**2,745**	**10,404**	**4,894**	**10**
60	8,924	5,702	542	4,519	435	206	3,222	523	1,961	736	2
61	8,426	5,404	452	4,323	471	158	3,022	468	1,803	749	2
62	9,390	5,754	481	4,512	577	184	3,636	565	2,122	947	2
63	10,218	6,181	551	4,826	637	167	4,037	582	2,297	1,156	2
64	10,346	6,210	478	4,827	717	188	4,136	607	2,221	1,306	2
65–69	**60,362**	**34,626**	**2,668**	**25,945**	**5,174**	**839**	**25,736**	**3,947**	**11,781**	**9,990**	**18**
65	10,685	6,319	484	4,897	756	182	4,366	673	2,202	1,487	4
66	10,933	6,349	478	4,859	875	137	4,584	713	2,191	1,676	4
67	12,375	7,115	561	5,336	1,044	174	5,260	814	2,404	2,038	4
68	12,964	7,331	562	5,443	1,158	168	5,633	853	2,500	2,278	2
69	13,405	7,512	583	5,410	1,341	178	5,893	894	2,484	2,511	4
70–74	**75,112**	**39,501**	**2,961**	**26,526**	**9,165**	**849**	**35,611**	**5,429**	**11,947**	**18,222**	**13**
70	13,842	7,574	573	5,357	1,454	190	6,268	973	2,388	2,906	1
71	14,059	7,518	523	5,233	1,626	136	6,541	983	2,413	3,142	3
72	15,034	7,917	584	5,375	1,782	176	7,117	1,085	2,442	3,586	4
73	15,816	8,265	639	5,370	2,072	184	7,551	1,151	2,397	4,000	3
74	16,361	8,227	642	5,191	2,231	163	8,134	1,237	2,307	4,588	2
75–79	**85,580**	**39,865**	**3,054**	**21,991**	**13,982**	**838**	**45,715**	**6,836**	**10,476**	**28,385**	**18**
75	16,802	8,148	612	4,903	2,461	172	8,654	1,291	2,320	5,038	5
76	17,211	8,354	616	4,836	2,737	165	8,857	1,310	2,222	5,321	4
77	16,911	7,807	651	4,329	2,659	168	9,104	1,352	2,157	5,591	4
78	17,388	7,797	588	4,095	2,954	160	9,591	1,421	2,035	6,133	2
79	17,268	7,759	587	3,828	3,171	173	9,509	1,462	1,742	6,302	3
80–84	**75,990**	**31,445**	**2,288**	**13,198**	**15,281**	**678**	**44,545**	**6,933**	**6,022**	**31,571**	**19**
80	16,646	7,055	553	3,304	3,036	162	9,591	1,476	1,571	6,540	4
81	15,333	6,468	457	2,935	2,934	142	8,865	1,375	1,406	6,078	6
82	15,389	6,441	478	2,632	3,204	127	8,948	1,391	1,185	6,371	1
83	14,636	5,909	402	2,374	3,008	125	8,727	1,366	1,020	6,337	4
84	13,986	5,572	398	1,953	3,099	122	8,414	1,325	840	6,245	4
85–89	**45,678**	**16,581**	**1,080**	**5,010**	**10,128**	**363**	**29,097**	**4,841**	**1,804**	**22,441**	**11**
85	12,333	4,716	331	1,621	2,671	93	7,617	1,248	622	5,745	2
86	10,561	3,938	263	1,222	2,371	82	6,623	1,068	437	5,116	2
87	9,140	3,322	207	921	2,115	79	5,818	1,002	355	4,457	4
88	7,515	2,588	169	713	1,646	60	4,927	835	241	3,849	2
89	6,129	2,017	110	533	1,325	49	4,112	688	149	3,274	1
90–94	**15,567**	**4,535**	**243**	**943**	**3,254**	**95**	**11,032**	**1,997**	**302**	**8,729**	**4**
90	5,039	1,575	79	361	1,102	33	3,464	611	117	2,736	—
91	3,672	1,114	60	240	791	23	2,558	485	81	1,991	1
92	3,035	860	44	178	628	10	2,175	377	47	1,750	1
93	2,228	570	35	97	421	17	1,658	307	33	1,316	2
94	1,593	416	25	67	312	12	1,177	217	24	936	—
95–99	**2,996**	**657**	**44**	**82**	**516**	**15**	**2,339**	**412**	**29**	**1,897**	**1**
95	1,115	257	16	36	202	3	858	155	11	692	—
96	804	163	11	21	126	5	641	112	9	519	1
97	510	127	8	10	107	2	383	71	5	307	—
98	360	70	6	10	52	2	290	48	2	240	—
99	207	40	3	5	29	3	167	26	2	139	—
100 and over	**293**	**40**	**1**	**6**	**31**	**2**	**253**	**39**	—	**212**	**2**

TABLE 15. Constructed analysis of 1960 deaths by age and marital condition — England and Wales

Note. In this table the deaths of unstated marital condition in each age-group (which are shown separately in Table 14) have been distributed proportionately among those of stated condition in the age-group.

Age-groups	Persons	MALES				FEMALES			
		Total	Single	Married	Widowed	Total	Single	Married	Widowed
All ages	**526,268**	**269,172**	**38,733**	**165,991**	**64,448**	**257,096**	**48,755**	**77,960**	**130,381**
0–4	19,549	11,273	11,273	—	—	8,276	8,276	—	—
5–9	1,426	881	881	—	—	545	545	—	—
10–14	1,189	722	722	—	—	467	467	—	—
15–19	1,948	1,405	1,390	14	1	543	512	30	1
20–24	2,313	1,669	1,360	309	—	644	361	279	4
25–29	2,318	1,460	661	783	16	858	218	623	17
30–34	3,089	1,809	529	1,265	15	1,280	248	999	33
35–39	5,400	3,137	692	2,386	59	2,263	331	1,860	72
40–44	7,548	4,307	755	3,432	120	3,241	527	2,520	194
45–49	14,052	8,331	1,169	6,857	305	5,721	836	4,414	471
50–54	23,079	14,452	1,704	12,092	656	8,627	1,321	6,324	982
55–59	35,475	23,225	2,397	19,288	1,540	12,250	1,919	8,120	2,211
60–64	47,304	29,251	2,584	23,740	2,927	18,053	2,746	10,410	4,897
65–69	60,362	34,626	2,734	26,589	5,303	25,736	3,950	11,789	9,997
70–74	75,112	39,501	3,026	27,109	9,366	35,611	5,431	11,951	18,229
75–79	85,580	39,865	3,120	22,463	14,282	45,715	6,839	10,480	28,396
80–84	75,990	31,445	2,338	13,489	15,618	44,545	6,936	6,025	31,584
85–89	45,678	16,581	1,104	5,122	10,355	29,097	4,843	1,805	22,449
90–94	15,567	4,535	248	963	3,324	11,032	1,998	302	8,732
95–99	2,996	657	45	84	528	2,339	412	29	1,898
100 and over	293	40	1	6	33	253	39	—	214

TABLE 16. Deaths at different ages by month of occurrence, January to December 1960 — England and Wales

See notes at head of Table 22

Age		Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
All ages	M	**26,274**	**24,924**	**24,733**	**22,591**	**21,598**	**18,941**	**19,248**	**19,412**	**19,070**	**22,201**	**22,907**	**27,959**
	F	**24,684**	**24,010**	**24,104**	**21,891**	**20,690**	**18,203**	**18,183**	**18,258**	**18,237**	**21,413**	**21,678**	**26,323**
Under 4 weeks	M	608	592	633	636	597	536	581	557	596	614	582	643
	F	446	407	461	418	400	419	415	393	397	444	386	436
4 weeks and under 1 year	M	228	270	282	236	239	161	167	168	167	208	269	344
	F	211	227	212	185	172	140	142	143	112	184	187	284
1—	M	57	61	47	47	58	37	33	39	35	53	43	53
	F	53	54	46	36	43	33	25	35	23	23	30	56
2—	M	54	80	75	77	86	63	51	59	58	73	54	76
	F	54	38	59	60	47	46	56	39	48	62	54	56
5—	M	67	68	76	70	77	97	92	76	69	75	55	59
	F	42	59	53	54	31	42	33	45	49	51	40	49
10—	M	61	45	54	51	73	66	72	67	66	53	52	61
	F	38	27	37	38	36	44	44	49	45	36	35	38
15—	M	95	84	80	96	146	147	128	141	110	143	124	126
	F	46	38	52	45	54	38	48	55	37	42	44	47
20—	M	140	109	125	129	163	153	183	153	116	142	140	104
	F	62	48	79	57	54	46	48	49	52	60	44	48
25—	M	110	123	122	138	132	122	159	115	108	119	99	140
	F	72	74	76	76	66	64	71	71	69	69	77	67
30—	M	156	150	142	148	153	148	151	148	155	141	150	171
	F	107	109	120	104	121	104	93	98	98	100	99	130
35—	M	282	274	264	277	273	241	244	236	228	272	274	280
	F	219	202	209	190	184	193	166	162	159	182	189	217
40—	M	389	339	355	367	364	346	374	316	338	377	307	458
	F	300	268	291	249	254	255	240	225	265	286	297	308
45—	M	775	721	783	702	672	655	595	649	606	714	672	801
	F	508	528	517	470	455	433	419	462	426	477	482	546
50—	M	1,391	1,219	1,322	1,165	1,139	1,073	1,148	1,143	1,051	1,190	1,226	1,412
	F	783	737	780	701	694	631	652	660	669	729	755	856
55—	M	2,189	2,107	2,061	1,906	1,924	1,710	1,717	1,721	1,648	1,958	1,955	2,382
	F	1,170	1,034	1,125	1,023	975	878	988	898	901	1,017	1,055	1,208
60—	M	2,806	2,695	2,540	2,418	2,280	2,008	2,113	2,212	2,100	2,413	2,612	3,147
	F	1,670	1,655	1,613	1,510	1,464	1,285	1,287	1,325	1,379	1,516	1,532	1,850
65—	M	3,525	3,181	3,152	2,812	2,841	2,398	2,475	2,478	2,559	2,829	2,930	3,538
	F	2,419	2,400	2,319	2,206	2,066	1,902	1,944	1,888	1,792	2,180	2,089	2,577
70—	M	3,950	3,626	3,700	3,316	3,143	2,715	2,839	2,776	2,736	3,249	3,357	4,188
	F	3,388	3,258	3,223	2,985	2,924	2,464	2,535	2,568	2,567	2,948	3,124	3,702
75—	M	4,011	3,791	3,836	3,371	3,154	2,767	2,698	2,703	2,747	3,293	3,448	4,126
	F	4,521	4,313	4,348	3,936	3,683	3,211	3,153	3,163	3,172	3,761	3,886	4,685
80—	M	3,169	3,165	2,932	2,710	2,452	2,136	2,051	2,156	2,130	2,549	2,693	3,383
	F	4,362	4,306	4,283	3,826	3,591	3,036	3,035	3,125	3,046	3,666	3,748	4,645
85 and over	M	2,211	2,224	2,152	1,919	1,632	1,362	1,377	1,499	1,447	1,736	1,865	2,467
	F	4,213	4,228	4,201	3,722	3,376	2,939	2,789	2,805	2,931	3,580	3,525	4,518

TABLE 17. Causes of death at different age periods, 1960 — England and Wales

Note. 1 The sequence of causes of death followed in this table is that of the detailed International Statistical Classification of Diseases, Injuries and Causes of Death (Seventh Revision, 1955), including the classification by External Cause of Injury (E codes) for violent deaths. Each three digit code is separately specified, except a few which are not applicable to primary death classification, and certain 4th digit splits of general interest are also shown. Table 18 should be consulted for further details of violent deaths.

2 Separate columns are not devoted to those causes to which, as a rule, few deaths are assigned. In order, however, to make the record complete, the classification numbers of such causes are printed as nearly as possible to the places where they would occur. The deaths, if any, from these causes are shown in footnotes in which the heavy-faced figures preceding the cause express the International Classification number, and the figures following it indicate the sex and age-group of the decedent, roman type for males and italic type for females. Thus **093**, glandular fever (infectious mononucleosis), 20, 25, 45, 55, *15*, *80* denotes that four male deaths (one in age-group 20–, one in age-group 25–, one in age-group 45–, and one in age-group 55–) and two female deaths (one in age-group 15– and one in age-group 80–) are assigned to this cause. A dash (—) indicates that no deaths are assigned.

(Continued on next page)

See explanatory notes.

Causes of death	All Causes		I 001-138 Infective and parasitic diseases		TUBERCULOSIS 001-019 All forms		001-008 Respiratory system		001 Respiratory tuberculosis with mention of occupational disease of lung		002 Pulmonary tuberculosis		003 Pleural tuberculosis		003·0 Pleurisy specified as tuberculous	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**269,172**	**257,096**	**3,762**	**1,868**	**2,502**	**933**	**2,342**	**763**	**215**	**7**	**2,117**	**746**	**5**	**7**	**4**	**1**
0—	9,911	7,207	88	79	4	6	—	3	—	—	—	2	—	1	—	—
1—	1,362	1,069	71	70	8	7	2	3	—	—	2	3	—	—	—	—
5—	881	545	32	33	2	3	—	1	—	—	—	1	—	—	—	—
10—	722	467	19	15	1	5	—	1	—	—	—	1	—	—	—	—
15—	1,405	543	19	22	7	8	4	4	—	—	4	4	—	—	—	—
20—	1,669	644	24	20	5	8	1	4	—	—	1	4	—	—	—	—
25—	1,460	858	42	38	24	23	21	17	—	—	20	17	—	—	—	—
30—	1,809	1,280	66	79	44	66	36	59	—	—	36	59	—	—	—	—
35—	3,137	2,263	128	101	93	85	80	74	—	—	80	74	—	—	—	—
40—	4,307	3,241	139	92	101	60	91	53	6	—	85	52	—	—	—	—
45—	8,331	5,721	248	135	183	97	165	86	12	—	151	84	2	1	1	—
50—	14,452	8,627	320	117	230	62	218	54	21	1	197	53	—	—	—	—
55—	23,225	12,250	492	137	371	75	354	59	33	1	320	57	1	1	1	—
60—	29,251	18,053	516	177	382	83	374	68	34	1	338	67	1	—	1	—
65—	34,626	25,736	573	202	399	99	377	78	39	2	338	73	—	3	—	—
70—	39,501	35,611	470	190	335	98	318	83	32	1	284	81	—	—	—	—
75—	39,865	45,715	317	179	200	84	197	68	28	1	168	66	1	1	1	1
80—	31,445	44,545	141	109	87	46	80	35	9	—	70	35	—	—	—	—
85 and over	21,813	42,721	57	73	26	18	24	13	1	—	23	13	—	—	—	—

Causes of death	TUBERCULOSIS 003·1 Pleurisy with effusion without mention of cause		004-008* 010-019 Other forms		010 Meninges and central nervous system		011 Intestines, peritoneum, and mesenteric glands		012 Bones and joints, active or unspecified		012·0 Active or unspecified tuberculosis of vertebral column		012·1;2;3 Others included under 012		013, 014* 015 Lymphatic system	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**1**	**6**	**160**	**170**	**26**	**35**	**17**	**15**	**31**	**35**	**27**	**26**	**4**	**9**	**3**	**5**
0—	—	1	4	3	2	1	1	—	—	—	—	—	—	—	—	—
1—	—	—	6	4	5	4	1	—	—	—	—	—	—	—	—	—
5—	—	—	2	2	1	1	1	—	—	—	—	—	—	—	—	—
10—	—	—	1	4	1	3	—	1	—	—	—	—	—	—	—	—
15—	—	—	3	4	2	4	—	—	—	—	—	—	—	—	—	—
20—	—	—	4	4	—	3	1	—	—	—	—	—	—	—	—	—
25—	—	—	3	6	—	4	—	—	2	1	1	1	1	—	—	—
30—	—	—	8	7	2	2	—	1	1	1	1	—	—	1	—	—
35—	—	—	13	11	1	2	1	—	1	2	1	2	—	—	1	—
40—	—	—	10	7	3	—	—	1	—	1	—	1	—	—	—	—
45—	1	1	18	11	7	3	2	—	3	—	3	—	—	—	1	—
50—	—	—	12	8	1	—	2	—	3	3	3	3	—	—	1	—
55—	—	1	17	16	—	—	1	1	6	6	6	6	—	—	—	—
60—	—	—	8	15	1	3	—	1	—	2	—	2	—	—	—	1
65—	—	3	22	21	—	3	4	7	6	3	5	3	1	—	—	1
70—	—	—	17	15	—	2	2	—	4	4	3	2	1	2	—	1
75—	—	—	3	16	—	—	—	1	2	7	1	3	1	4	—	2
80—	—	—	7	11	—	—	1	1	2	3	2	2	—	1	—	—
85 and over	—	—	2	5	—	—	—	1	1	2	1	1	—	1	—	—

* **004** Primary tuberculous complex with symptoms —; **005** Tracheobronchial glandular tuberculosis with symptoms 70,70; **006** Radiological evidence suggestive of active respiratory tuberculosis not classifiable elsewhere —; **007** Other respiratory tuberculosis 25, 60; **008** Tuberculosis, unspecified site 80, *40*, *45*, *70*; **013** Late effects of tuberculosis of bones and joints 45, 50, *35*, *45*, *60*, *85*; **014** Tuberculosis of skin and subcutaneous cellular tissue *75*, *80*.

TABLE 17—*continued*

3 Deaths are not assigned to any of the following categories as the underlying cause, where the interval between onset of the disease and death was stated to exceed one year:—040-043, 050, 055, 056, 058, 084-087, 100-108. For details of these categories see Table 7.

Causes of death	TUBERCULOSIS 016 Genito-urinary system		017 Adrenal glands		018 Other organs		019 Disseminated tuberculosis		019·0;1* 019·2 Other forms of disseminated tuberculosis		020-029 Syphilis and its sequelae		020 Congenital syphilis		021* 022 Aneurysm of aorta	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**45**	**34**	**5**	**7**	**8**	**3**	**23**	**30**	**22**	**29**	**623**	**321**	**4**	**2**	**312**	**186**
0—	—	—	—	—	—	—	1	2	1	2	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—
15—	1	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—
20—	2	1	—	—	—	—	1	—	1	—	—	1	—	—	—	—
25—	1	—	—	1	—	—	—	—	—	—	3	—	—	—	1	—
30—	4	1	1	—	—	—	—	2	—	2	4	2	2	—	2	—
35—	9	2	—	—	—	1	—	3	—	3	8	1	1	—	1	—
40—	3	3	—	—	1	—	3	2	2	2	14	10	—	—	5	3
45—	2	4	1	—	1	—	—	3	—	2	21	7	—	1	11	3
50—	2	3	1	1	1	—	—	1	—	1	43	11	—	—	16	3
55—	5	6	1	1	1	—	3	2	3	2	69	14	—	—	28	3
60—	5	5	—	—	—	—	2	2	2	2	97	52	—	—	42	22
65—	5	1	1	3	2	—	4	3	4	3	130	57	—	—	62	28
70—	4	2	—	1	2	—	5	5	5	5	100	58	—	—	58	37
75—	—	2	—	—	—	1	1	2	1	2	82	48	—	—	48	38
80—	2	4	—	—	—	—	2	2	2	2	34	35	—	—	23	29
85 and over	—	—	—	—	—	1	1	—	1	—	17	24	—	—	15	20

Causes of death	023 Other cardio-vascular syphilis		024 Tabes dorsalis		025 General paralysis of insane		026 Other syphilis of central nervous system		027 Other forms of late syphilis		028, 029, 030-039* 030-039 Gonococcal infection and other venereal diseases		040-049 Infectious diseases commonly arising in intestinal tract		040, 041* 042 Other Salmonella infections	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**186**	**75**	**44**	**17**	**56**	**22**	**12**	**14**	**7**	**4**	**29**	**2**	**40**	**41**	**20**	**17**
0—	—	—	—	—	—	—	—	—	—	—	—	—	7	3	6	1
1—	—	—	—	—	—	—	—	—	—	—	—	—	1	3	—	1
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	—	—
15—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
20—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—
25—	1	—	—	—	1	—	—	—	—	—	—	—	1	—	1	—
30—	—	1	—	—	—	1	—	—	—	—	—	—	1	—	—	—
35—	2	—	—	—	4	—	—	1	—	—	1	—	2	1	1	—
40—	5	4	—	2	2	—	2	1	—	—	—	—	1	—	—	—
45—	7	1	—	—	2	1	—	1	1	—	1	—	1	1	1	—
50—	22	5	—	1	5	1	—	1	—	—	—	—	4	1	4	1
55—	24	5	5	—	10	4	1	2	1	—	2	1	3	2	2	1
60—	33	13	9	3	8	8	4	4	1	2	4	—	4	4	2	1
65—	40	16	10	7	14	3	2	1	1	1	7	—	5	3	1	—
70—	25	14	11	2	5	3	—	2	—	—	4	1	2	3	1	2
75—	19	9	7	1	3	—	3	—	2	—	5	—	5	7	1	3
80—	6	5	2	—	2	—	—	1	1	—	3	—	—	5	—	4
85 and over	2	2	—	1	—	—	—	—	—	1	2	—	1	5	—	3

* **019·0**; **1** Acute miliary tuberculosis 40, *45*; **021** Early syphilis —; **028** Latent syphilis —; **029** Syphilis, unqualified 65, 70, *65*; **030** Acute or unspecified gonorrhoea —; **031** Chronic gonococcal infection of genito-urinary system —; **032** Gonococcal infection of joint —; **033** Gonococcal infection of eye —; **034** Gonococcal infection of other sites —; **035** Late effects of gonococcal infection 35, 45, 55, 55, 60, 60, 60, 65, 65, 65, 65, 65, 65, 65, 70, 70, 70, 70, 75, 75, 75, 75, 75, 80, 80, 80, 85, 85; **036** Chancroid —; **037** Lymphogranuloma venereum 60, *55*; **038** Granuloma inguinale, venereal —; **039** Other and unspecified venereal diseases *70*; **040** Typhoid fever 35, 65; **041** Paratyphoid fever *60*.

Causes of death	043, 044* 045 Bacillary dysentery		046-049* 050-064 Other bacterial diseases		050 Scarlet fever		051 Streptococcal sore throat		052 Erysipelas		053 Septicaemia and pyaemia		053·0 Strepto-coccus		053·1 Staphylo-coccus	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**9**	**17**	**148**	**125**	—	—	**10**	**13**	**4**	**3**	**47**	**29**	**4**	**3**	**21**	**9**
0—	—	—	50	43	—	—	1	2	—	—	8	6	1	—	4	1
1—	1	2	23	23	—	—	1	1	—	—	3	—	1	—	—	—
5—	—	—	5	7	—	—	—	1	—	—	1	—	—	—	—	—
10—	1	2	7	3	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	1	3	2	—	—	—	1	—	—	2	—	—	—	—	—
20—	—	—	4	4	—	—	1	1	—	—	—	2	—	—	—	—
25—	—	—	3	3	—	—	—	1	—	—	3	1	—	—	2	—
30—	—	—	2	3	—	—	1	—	—	—	1	2	—	—	1	1
35—	—	—	5	2	—	—	1	1	1	—	3	1	—	—	2	1
40—	—	—	5	3	—	—	—	—	—	—	5	2	—	—	4	—
45—	—	—	1	5	—	—	—	—	—	—	1	4	1	1	—	1
50—	—	—	6	—	—	—	1	—	—	—	2	—	—	—	1	—
55—	—	1	4	6	—	—	1	—	—	—	2	6	—	2	1	1
60—	—	2	9	2	—	—	1	1	1	1	5	—	1	—	3	—
65—	1	2	5	4	—	—	—	1	—	1	3	—	—	—	1	—
70—	1	—	6	5	—	—	—	2	1	—	4	3	—	—	—	3
75—	4	4	6	3	—	—	1	—	—	—	3	1	—	—	1	1
80—	—	1	2	3	—	—	—	—	1	1	—	—	—	—	—	—
85 and over	1	2	2	4	—	—	1	1	—	—	1	1	—	—	1	—

Causes of death	053·2 Pneumo-coccus		053·3 Other specified organism		053·4 Organism unspecified		054, 055* 056 Whooping cough		057 Meningo-coccal infections		058, 059, 060* 061 Tetanus		062, 063, 064* 070-074 Spirochaetal diseases except syphilis		070, 071* 072 Leptospirosis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**1**	—	**1**	**3**	**20**	**14**	**20**	**17**	**46**	**49**	**15**	**3**	**10**	**1**	**10**	—
0—	—	—	—	1	3	4	14	12	27	20	—	—	—	—	—	—
1—	1	—	—	—	1	—	4	4	15	16	—	1	—	—	—	—
5—	—	—	—	—	1	—	1	1	—	4	3	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	1	2	4	—	—	—	—	—
15—	—	—	—	—	2	—	1	—	—	1	—	—	—	—	—	—
20—	—	—	—	—	—	2	—	—	1	—	1	1	2	—	2	—
25—	—	—	—	1	1	—	—	—	—	—	—	—	1	—	1	—
30—	—	—	—	—	—	1	—	—	—	1	—	—	1	—	1	—
35—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
40—	—	—	1	—	—	2	—	—	—	—	—	—	2	—	2	—
45—	—	—	—	—	—	2	—	—	—	1	—	—	1	—	1	—
50—	—	—	—	—	1	—	—	—	1	—	2	—	2	—	2	—
55—	—	—	—	1	1	2	—	—	—	—	1	—	—	—	—	—
60—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—
65—	—	—	—	—	2	—	—	—	1	1	1	—	—	1	—	—
70—	—	—	—	—	4	—	—	—	—	—	—	—	1	—	1	—
75—	—	—	—	—	2	—	—	—	—	—	1	1	—	—	—	—
80—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
85 and over	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	—

*** 043** Cholera —; **044** Brucellosis (undulant fever) —; **046** Amoebiasis 20, 30, 40, 60, 65, *35*, *65*; **047** Other protozoal dysentery —; **048** Unspecified forms of dysentery 0, *0*, *70*; **049** Food poisoning (infection and intoxication) 55, 60, 65, *0*, *45*; **054** Bacterial toxaemia *75*; **055** Diphtheria 10, 10, *1*, *5*, *10*; **058** Plague —; **059** Tularaemia —; **060** Leprosy —; **062** Anthrax 20; **063** Gas gangrene 60, 70, *25*, *40*, *65*, *80*; **064** Other bacterial diseases 75, *0*, *0*, *0*; **070** Vincent's infection —; **071** Relapsing fever —.

Causes of death	073, 074* 080-096 Diseases attributable to viruses		080 Acute poliomyelitis		080·0 Specified as bulbar or polio-encephalitis		080·1 With other paralysis		080·2* 080·3 Unspecified		081 Late effects of acute poliomyelitis		082 Acute infectious encephalitis		083 Late effects of acute infectious encephalitis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**344**	**389**	**19**	**4**	**7**	**3**	**6**	—	**6**	**1**	**12**	**11**	**62**	**62**	**54**	**60**
0—	23	25	—	—	—	—	—	—	—	—	—	—	7	10	—	—
1—	38	36	1	2	1	1	—	—	—	1	—	—	11	13	—	—
5—	22	22	1	1	—	1	1	—	—	—	—	—	7	5	—	1
10—	9	5	—	—	—	—	—	—	—	—	2	1	2	—	—	—
15—	8	10	—	1	—	1	—	—	—	—	2	1	2	1	—	—
20—	12	6	5	—	2	—	1	—	2	—	2	2	1	2	—	—
25—	10	10	3	—	2	—	—	—	1	—	1	—	2	3	—	—
30—	12	8	3	—	1	—	2	—	—	—	—	1	5	1	—	1
35—	15	12	1	—	1	—	—	—	—	—	1	2	5	4	3	—
40—	12	17	—	—	—	—	—	—	—	—	2	1	3	2	4	9
45—	34	22	1	—	—	—	1	—	—	—	1	—	2	1	14	8
50—	26	36	1	—	—	—	1	—	—	—	—	—	1	3	6	12
55—	35	35	2	—	—	—	—	—	2	—	1	2	3	5	13	7
60—	15	27	—	—	—	—	—	—	—	—	—	—	2	4	4	8
65—	21	30	1	—	—	—	—	—	1	—	—	—	6	1	2	6
70—	15	21	—	—	—	—	—	—	—	—	—	1	2	3	4	4
75—	16	27	—	—	—	—	—	—	—	—	—	—	—	4	4	4
80—	12	19	—	—	—	—	—	—	—	—	—	—	—	—	—	—
85 and over	9	21	—	—	—	—	—	—	—	—	—	—	1	—	—	—

Causes of death	084* 085 Measles		086* 087 Chickenpox		088 Herpes zoster		089, 090, 091* 092 Infectious hepatitis		093, 094, 095* 096 Other diseases attributable to viruses		100-108* 100-108 Typhus and other rickettsial diseases		110-117 Malaria		110-117* 120-138 Other infective and parasitic diseases	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**13**	**18**	**8**	**11**	**14**	**34**	**139**	**169**	**13**	**11**	**1**	—	**3**	—	**62**	**56**
0—	2	4	1	1	—	—	4	2	8	7	—	—	—	—	4	2
1—	10	9	3	7	—	—	10	2	1	2	—	—	—	—	1	1
5—	—	4	4	1	—	—	9	9	—	—	—	—	—	—	3	1
10—	—	—	—	—	—	—	4	2	1	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	4	5	—	1	—	—	—	—	1	—
20—	—	—	—	—	—	—	3	2	—	—	—	—	—	—	—	1
25—	—	—	—	—	—	—	3	7	—	—	—	—	—	—	—	2
30—	—	1	—	1	—	—	2	3	1	—	—	—	—	—	2	—
35—	—	—	—	—	—	—	5	6	—	—	—	—	2	—	2	—
40—	—	—	—	—	—	—	2	5	1	—	—	—	—	—	4	2
45—	—	—	—	—	—	—	15	13	—	—	—	—	—	—	6	3
50—	—	—	—	1	1	—	17	20	—	—	1	—	—	—	8	7
55—	1	—	—	—	—	—	13	21	—	—	—	—	1	—	7	4
60—	—	—	—	—	2	—	7	15	—	—	—	—	—	—	5	9
65—	—	—	—	—	—	3	12	19	—	1	—	—	—	—	6	8
70—	—	—	—	—	1	3	8	9	—	—	—	—	—	—	7	4
75—	—	—	—	—	3	6	9	13	—	—	—	—	—	—	3	10
80—	—	—	—	—	2	10	9	7	1	—	—	—	—	—	3	1
85 and over	—	—	—	—	5	12	3	9	—	—	—	—	—	—	—	1

*** 073** Yaws —; **074** Other spirochaetal infections *65*; **080·2** Acute poliomyelitis specified as non-paralytic —; **084** Smallpox —; **086** Rubella (German measles) 1, 1, *5*; **089** Mumps 0, 5, 30, 55, *0*, *1*, *10*, *10*, *70*, *80*; **090** Dengue —; **091** Yellow fever —; **093** Glandular fever (infectious mononucleosis) 20, 25, 45, 55, *15*, *80*; **094** Rabies —; **095** Trachoma —; **100** Louse-borne epidemic typhus —; **101** Flea-borne endemic typhus (murine) —; **102** Brill's disease, not specified as louse- or flea-borne —; **103** Tabardillo (Mexican typhus), not specified as louse- or flea-borne —; **104** Tick-borne typhus —; **105** Mite-borne typhus —; **106** Volhynian fever (trench fever) —; **107** Typhus, unspecified —; **108** Other rickettsial diseases 50; **110** Vivax malaria (benign tertian) —; **111** Malariae malaria (quartan) —; **112** Falciparum malaria (malignant tertian) 35; **113** Ovale malaria —; **114** Mixed malarial infections —; **115** Blackwater fever —; **116** Other and unspecified forms of malaria 35, 55; **117** Recurrent induced malaria —.

TABLE 17—*continued*

Causes of death	120-124*		126-133*		135, 136, 137*		NEOPLASMS									
	125 Hydatid disease		134 Other fungus infections		138 Other infective and parasitic diseases		II **140-239** Neoplasms		140-205 Malignant neoplasms including neoplasms of lymphatic and haemato-poietic tissues		140-148 Malignant neoplasm of buccal cavity and pharynx		140 Lip		140·0 Upper lip	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**5**	**8**	**21**	**15**	**30**	**31**	**53,392**	**46,777**	**52,779**	**46,009**	**1,120**	**666**	**68**	**13**	**8**	**1**
0—	—	—	3	2	1	—	**41**	**38**	28	27	—	—	—	—	—	—
1—	—	—	1	1	—	—	**158**	**143**	146	137	2	—	—	—	—	—
5—	1	—	1	1	—	—	**177**	**111**	171	98	1	—	—	—	—	—
10—	—	—	—	—	—	—	**115**	**112**	114	101	—	—	—	—	—	—
15—	1	—	—	—	—	—	**124**	**98**	115	91	2	1	—	—	—	—
20—	—	—	—	1	—	—	**189**	**100**	178	93	4	—	—	—	—	—
25—	—	—	—	1	—	1	**242**	**196**	237	182	3	3	—	—	—	—
30—	—	—	—	—	1	—	**344**	**394**	329	374	6	4	1	—	—	—
35—	—	—	—	—	2	—	**653**	**828**	633	801	7	10	—	—	—	—
40—	—	1	—	—	2	1	**1,042**	**1,436**	1,006	1,388	4	19	—	—	—	—
45—	—	1	2	—	4	2	**2,319**	**2,609**	2,272	2,544	36	40	1	—	—	—
50—	—	—	5	1	3	6	**4,175**	**3,727**	4,110	3,659	69	51	3	—	—	—
55—	1	—	1	1	3	3	**6,810**	**4,561**	6,719	4,470	100	68	2	1	—	—
60—	—	—	2	2	3	7	**8,145**	**5,499**	8,081	5,422	117	74	8	—	—	—
65—	2	—	2	1	2	7	**8,492**	**6,381**	8,425	6,294	164	93	8	2	2	—
70—	—	2	2	1	5	1	**8,109**	**6,685**	8,055	6,620	179	86	9	2	2	—
75—	—	4	1	1	2	3	**6,598**	**6,359**	6,549	6,292	200	89	14	1	1	—
80—	—	—	1	1	2	—	**3,897**	**4,638**	3,868	4,594	150	73	14	2	2	—
85 and over	—	—	—	1	—	—	**1,762**	**2,862**	1,743	2,822	76	55	8	5	1	1

Causes of death	NEOPLASMS															
	140·1 Lower lip		140·8; 9 Others included under 140		141 Tongue		141·0 Base of tongue		141·7 Other specified parts of tongue		141·8; 9 Others included under 141		142 Salivary gland		142·0 Parotid gland	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**54**	**10**	**6**	**2**	**307**	**134**	**103**	**39**	**158**	**80**	**46**	**15**	**77**	**64**	**58**	**51**
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—
25—	—	—	—	—	1	1	—	—	1	1	—	—	—	—	—	—
30—	1	—	—	—	1	—	—	—	1	—	—	—	2	2	1	1
35—	—	—	—	—	4	1	2	—	2	1	—	—	—	—	—	—
40—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	2
45—	1	—	—	—	7	5	3	2	4	3	—	—	5	1	3	1
50—	3	—	—	—	14	2	3	—	7	1	4	1	8	8	6	5
55—	2	1	—	—	19	10	9	3	8	4	2	3	13	7	10	7
60—	8	—	—	—	26	11	12	5	9	5	5	1	7	6	7	3
65—	5	1	1	1	48	19	18	6	22	12	8	1	12	7	11	6
70—	6	2	1	—	50	20	17	3	20	13	13	4	7	5	5	5
75—	11	1	2	—	60	25	16	10	39	12	5	3	10	10	7	9
80—	11	2	1	—	52	26	15	5	32	19	5	2	6	6	3	5
85 and over	6	3	1	1	24	14	8	5	12	9	4	—	6	10	5	7

* **120** Leishmaniasis 30; **121** Trypanosomiasis —; **122** Other protozoal diseases 5, 55; **123** Schistosomiasis 40, *75*; **124** Other trematode infestation —; **126** Other cestode infestation 40; **127** Filariasis —; **128** Trichiniasis —; **129** Ankylostomiasis —; **130** Infestation with worms of other, mixed and unspecified type —; **131** Dermatophytosis —; **132** Actinomycosis 55, *75*; **133** Coccidioidomycosis —; **135** Scabies —; **136** Pediculosis —; **137** Other arthropod infestation —.

TABLE 17—*continued*

Causes of death	NEOPLASMS															
	142·7 Other salivary gland		142·8; 9 Others included under 142		143 Floor of mouth		144 Other parts of mouth and mouth unspecified		145 Oral meso-pharynx		145·0 Tonsil (excluding pillars)		145·7-9 Others included under 145		146 Naso-pharynx	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**16**	**13**	**3**	—	**73**	**23**	**173**	**95**	**143**	**49**	**112**	**43**	**31**	**6**	**83**	**39**
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	2	—
20—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—
25—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	1	1
30—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	1	—
35—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	2	1
40—	—	—	—	—	1	—	—	4	1	2	—	1	1	1	1	3
45—	2	—	—	—	2	1	3	2	3	4	2	3	1	1	9	2
50—	2	3	—	—	4	3	11	6	8	3	7	3	1	—	10	5
55—	2	—	1	—	5	1	14	5	13	5	11	5	2	—	15	4
60—	—	3	—	—	7	3	17	10	15	7	13	5	2	2	15	2
65—	1	1	—	—	13	—	15	15	25	4	19	4	6	—	7	6
70—	2	—	—	—	8	2	37	11	26	7	19	7	7	—	11	6
75—	3	1	—	—	17	5	32	17	29	6	23	6	6	—	5	5
80—	2	1	1	—	12	4	23	15	20	8	15	6	5	2	—	2
85 and over	1	3	—	—	3	2	21	10	3	2	3	2	—	—	—	2

Causes of death	NEOPLASMS															
	147 Hypo-pharynx		148 Pharynx, unspecified		150-159 Malignant neoplasm of digestive organs and peritoneum		150 Oesophagus		151 Stomach		152 Small intestine, including duodenum		152·0 Duodenum		152·7-9 Others included under 152	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**142**	**218**	**54**	**31**	**19,023**	**18,440**	**1,301**	**1,007**	**7,846**	**6,107**	**117**	**133**	**36**	**36**	**81**	**97**
0—	—	—	—	—	4	4	—	—	—	—	—	—	—	—	—	—
1—	—	—	—	—	3	5	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	4	1	—	—	1	—	—	—	—	—	—	—
15—	—	—	—	—	4	1	1	—	2	1	—	—	—	—	—	—
20—	1	—	—	—	19	7	—	1	4	1	1	—	—	—	1	—
25—	1	—	—	—	36	30	4	1	11	8	—	1	—	—	—	1
30—	—	2	1	—	68	67	2	1	22	23	3	2	—	—	3	2
35—	—	5	—	2	179	140	3	5	56	39	3	3	1	—	2	3
40—	1	8	—	—	300	252	16	16	139	78	3	4	—	2	3	2
45—	4	22	2	3	716	558	49	36	313	156	7	6	1	—	6	6
50—	7	24	4	—	1,273	905	65	56	586	255	12	10	6	3	6	7
55—	13	33	6	2	2,108	1,362	121	75	966	415	18	14	4	1	14	13
60—	17	31	5	4	2,593	1,819	156	97	1,173	580	16	14	5	2	11	12
65—	24	33	12	7	2,959	2,690	188	149	1,293	894	18	24	10	8	8	16
70—	28	28	3	5	3,215	3,144	234	151	1,314	1,081	15	23	4	7	11	16
75—	23	15	10	5	2,846	3,221	234	183	1,078	1,130	14	19	2	8	12	11
80—	19	9	4	1	1,873	2,586	155	144	649	892	5	12	1	5	4	7
85 and over	4	8	7	2	821	1,647	73	92	239	554	2	1	2	—	—	1

TABLE 17—*continued*

Causes of death	NEOPLASMS															
	153 Large intestine, except rectum		153·3 Sigmoid colon		153·8 Large intestine (including colon), part unspecified		153·0-2; 7; 9 Others included under 153		154 Rectum		155 Biliary passages and of liver (stated to be primary site)		155·0 Liver		155·1; 8 Others included under 155	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**3,612**	**5,448**	**1,297**	**1,765**	**379**	**553**	**1,936**	**3,130**	**3,029**	**2,444**	**575**	**883**	**230**	**212**	**345**	**671**
0—	—	—	—	—	—	—	—	—	—	—	3	2	3	2	—	—
1—	—	—	—	—	—	—	—	—	—	—	1	4	1	4	—	—
5—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—
10—	—	1	—	—	—	—	—	1	—	—	1	—	1	—	—	—
15—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
20—	5	3	1	1	—	—	4	2	2	1	1	1	1	1	—	—
25—	10	6	3	1	2	—	5	5	5	5	1	3	—	2	1	1
30—	21	25	6	7	2	3	13	15	9	4	6	5	4	4	2	1
35—	51	47	12	20	6	3	33	24	21	20	11	9	7	4	4	5
40—	50	79	16	29	5	9	29	41	45	33	9	6	4	2	5	4
45—	127	196	31	65	15	22	81	109	99	70	23	26	15	10	8	16
50—	217	276	74	101	20	24	123	151	174	154	42	37	25	14	17	23
55—	352	442	118	161	45	41	189	240	267	169	72	79	32	20	40	59
60—	422	517	150	176	42	43	230	298	354	253	106	102	49	21	57	81
65—	511	697	196	246	61	76	254	375	465	368	92	154	31	38	61	116
70—	592	886	238	290	66	90	288	506	549	413	77	162	23	28	54	134
75—	605	929	221	278	57	106	327	545	490	398	74	147	22	29	52	118
80—	443	797	164	244	38	85	241	468	373	347	41	93	7	22	34	71
85 and over	205	547	66	146	20	51	119	350	176	209	14	53	4	11	10	42

Causes of death	NEOPLASMS															
	156 Liver (secondary and unspecified)		157 Pancreas		158 Peritoneum		159 Unspecified digestive organs		160-165 Malignant neoplasm of respiratory system		160 Nose, nasal cavities, middle ear and accessory sinuses		160·0 Nose (internal) and nasal cavities		160·1 Eustachian tube and middle ear	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**319**	**292**	**2,077**	**1,882**	**108**	**200**	**39**	**44**	**19,759**	**3,441**	**120**	**126**	**24**	**21**	**9**	**18**
0—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—
1—	—	—	1	—	1	1	—	—	—	1	—	—	—	—	—	—
5—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
10—	—	—	1	—	1	—	—	—	—	1	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	6	1	1	—	—	—	—	—
20—	3	—	—	—	3	—	—	—	2	3	—	—	—	—	—	—
25—	—	4	2	1	3	1	—	—	24	7	—	2	—	—	—	1
30—	—	4	2	3	3	—	—	—	63	19	1	1	—	—	—	—
35—	3	3	24	11	7	3	—	—	148	63	1	1	—	—	—	—
40—	5	4	31	28	2	3	—	1	356	116	3	1	2	1	1	—
45—	10	4	80	52	6	11	2	1	970	202	2	5	—	1	—	1
50—	26	17	141	86	6	12	4	2	1,975	321	9	12	2	1	—	4
55—	39	12	253	135	17	20	3	1	3,338	400	20	9	2	—	2	2
60—	34	29	308	196	14	23	10	8	3,953	532	19	14	5	2	3	4
65—	47	50	325	306	11	41	9	7	3,605	531	16	17	3	3	2	2
70—	52	52	360	336	16	36	6	4	2,784	511	17	19	6	5	—	1
75—	51	43	292	341	7	25	1	6	1,709	412	20	21	3	4	1	1
80—	33	46	167	237	5	11	2	7	620	219	9	14	1	2	—	2
85 and over	16	24	90	150	4	10	2	7	206	102	2	10	—	2	—	—

TABLE 17—*continued*

Causes of death	NEOPLASMS															
	160·2 Maxillary sinus		160·7 Other specified sinus (accessory)		160·8; 9 Others included under 160		161 Larynx		162 Bronchus and trachea, and of lung specified as primary		162·0 Trachea		162·1 Bronchus and lung		162·2 Pleura	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**79**	**80**	**5**	**5**	**3**	**2**	**689**	**157**	**12,843**	**2,101**	**17**	**8**	**12,824**	**2,091**	**1**	**2**
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20—	—	—	—	—	—	—	—	—	1	1	—	—	1	1	—	—
25—	—	1	—	—	—	—	—	—	20	3	—	—	20	3	—	—
30—	1	1	—	—	—	—	4	—	43	9	—	—	43	9	—	—
35—	—	1	1	—	—	—	4	3	113	44	1	—	112	44	—	—
40—	—	—	—	—	—	—	6	5	241	79	—	—	241	78	—	1
45—	1	3	1	—	—	—	27	5	680	134	1	1	679	133	—	—
50—	6	7	1	—	—	—	42	18	1,359	182	1	2	1,358	180	—	—
55—	14	6	2	—	—	1	66	20	2,225	247	2	1	2,222	246	—	—
60—	10	7	—	—	1	1	107	19	2,599	338	7	1	2,592	336	—	1
65—	11	11	—	1	—	—	102	22	2,347	355	2	—	2,345	355	—	—
70—	11	12	—	1	—	—	133	24	1,732	306	—	2	1,732	304	—	—
75—	15	16	—	—	1	—	107	21	1,048	238	3	1	1,045	237	—	—
80—	7	7	—	3	1	—	63	14	329	115	—	—	328	115	1	—
85 and over	2	8	—	—	—	—	28	6	106	50	—	—	106	50	—	—

Causes of death	NEOPLASMS															
	162·8 Multiple sites		163 Lung, unspecified as to whether primary or secondary		164 Mediastinum		165 Thoracic organs (secondary)		170-181 Malignant neoplasm of breast and genito-urinary organs		170 Breast		171 Cervix uteri	172 Corpus uteri
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	F	F
All ages	**1**	**—**	**6,039**	**1,017**	**50**	**28**	**18**	**12**	**6,903**	**18,098**	**63**	**9,059**	**2,599**	**1,245**
0—	—	—	—	—	—	—	—	—	1	3	—	—	—	—
1—	—	—	—	—	—	1	—	—	21	17	—	—	—	—
5—	—	—	—	—	—	—	—	—	8	13	—	—	—	—
10—	—	—	—	1	—	—	—	—	3	9	—	—	—	—
15—	—	—	4	—	1	1	—	—	6	11	—	1	—	—
20—	—	—	1	2	—	—	—	—	21	18	—	5	1	—
25—	—	—	3	2	1	—	—	—	45	56	—	20	17	1
30—	—	—	15	9	—	—	—	—	42	164	1	76	43	5
35—	—	—	30	13	—	1	—	1	43	440	—	225	133	7
40—	—	—	103	30	2	1	1	—	59	799	1	391	213	14
45—	—	—	257	57	3	1	1	—	142	1,456	1	790	281	52
50—	—	—	559	108	4	—	2	1	224	1,967	4	1,088	324	78
55—	1	—	1,019	119	8	3	—	2	444	2,124	8	1,069	260	179
60—	—	—	1,213	157	10	2	5	2	702	2,349	5	1,153	290	204
65—	—	—	1,129	132	10	3	1	2	1,049	2,330	9	1,117	313	194
70—	—	—	890	156	6	6	6	—	1,299	2,199	14	1,071	268	196
75—	—	—	531	128	2	3	1	1	1,334	2,011	7	967	223	151
80—	—	—	216	72	2	4	1	—	956	1,336	8	636	156	103
85 and over	—	—	69	31	1	2	—	3	504	796	5	450	77	61

TABLE 17—*continued*

Causes of death	NEOPLASMS							
	173 Other parts of uterus, including chorion-epithelioma	174 Uterus unspecified	175 Ovary, Fallopian tube and broad ligament	175·0 Ovary	175·1 Fallopian tube and broad ligament	175·8; 9 Others included under 175	176 Other and unspecified female genital organs	176·0 Vulva
Ages at death	F	F	F	F	F	F	F	F
All ages	**38**	**206**	**2,959**	**2,933**	**24**	**2**	**541**	**390**
0—	—	—	1	1	—	—	—	—
1—	—	—	—	—	—	—	—	—
5—	1	—	1	1	—	—	—	—
10—	—	—	6	6	—	—	—	—
15—	1	—	7	7	—	—	—	—
20—	3	—	4	4	—	—	2	2
25—	5	1	10	10	—	—	1	—
30—	2	3	33	33	—	—	—	—
35—	1	2	57	56	1	—	2	1
40—	2	3	141	139	2	—	10	6
45—	1	9	260	260	—	—	20	13
50—	9	12	361	356	4	1	23	10
55—	4	25	451	449	2	—	37	23
60—	3	33	465	458	7	—	40	31
65—	4	30	392	389	3	—	63	48
70—	—	34	317	315	2	—	95	79
75—	2	30	257	254	2	1	120	82
80—	—	14	143	142	1	—	79	55
85 and over	—	10	53	53	—	—	49	40

Causes of death	NEOPLASMS							
	176·1 Vagina	176·7-9 Others included under 176	177 Prostate	178 Testis	179 Other and unspecified male genital organs	179·0 Penis	179·1 Scrotum	179·7-9 Others included under 179
Ages at death	F	F	M	M	M	M	M	M
All ages	**141**	**10**	**3,655**	**224**	**111**	**86**	**22**	**3**
0—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—
5—	—	—	1	—	—	—	—	—
10—	—	—	1	—	—	—	—	—
15—	—	—	1	5	—	—	—	—
20—	—	—	—	19	1	—	—	1
25—	—	1	—	44	—	—	—	—
30—	—	—	—	29	1	1	—	—
35—	—	1	1	22	3	3	—	—
40—	4	—	2	19	2	2	—	—
45—	7	—	13	19	7	4	2	1
50—	11	2	36	10	10	5	5	—
55—	12	2	113	17	7	6	1	—
60—	7	2	279	15	8	8	—	—
65—	15	—	502	12	24	16	7	1
70—	16	—	786	5	9	6	3	—
75—	36	2	890	4	17	16	1	—
80—	24	—	653	3	15	13	2	—
85 and over	9	—	377	1	7	6	1	—

TABLE 17—*continued*

Causes of death	NEOPLASMS															
	180 Kidney		181 Bladder and other urinary organs		181·0; 8 Bladder		181·7 Others included under 181		190-199 Malignant neoplasm of other and unspecified sites		190 Malignant melanoma of skin		191 Other malignant neoplasm of skin		192 Eye	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**710**	**518**	**2,140**	**933**	**2,125**	**912**	**15**	**21**	**2,954**	**2,902**	**168**	**224**	**269**	**232**	**60**	**67**
0—	—	2	1	—	1	—	—	—	6	11	—	—	—	—	—	1
1—	18	16	3	1	2	1	1	—	39	42	—	—	—	1	3	2
5—	6	11	1	—	1	—	—	—	59	28	—	—	—	—	3	—
10—	2	3	—	—	—	—	—	—	38	43	—	1	1	—	—	1
15—	—	2	—	—	—	—	—	—	44	33	—	—	2	1	2	1
20—	—	3	1	—	1	—	—	—	36	24	1	—	2	1	1	2
25—	1	—	—	1	—	1	—	—	44	43	7	8	—	1	—	—
30—	11	2	—	—	—	—	—	—	69	56	10	6	—	—	1	3
35—	11	7	6	6	6	5	—	1	109	88	11	19	3	1	2	1
40—	15	18	20	7	20	7	—	—	129	111	16	20	—	3	1	2
45—	39	22	63	21	62	20	1	1	210	174	18	25	6	4	4	5
50—	78	33	86	39	85	37	1	2	323	230	23	18	12	9	1	6
55—	104	45	195	54	194	51	1	3	397	285	21	21	19	5	15	8
60—	111	62	284	99	281	93	3	6	394	346	20	21	30	15	6	9
65—	115	86	387	131	384	131	3	—	324	349	14	22	28	26	13	8
70—	92	63	393	155	392	152	1	3	265	340	9	25	33	33	2	7
75—	64	74	352	187	349	186	3	1	219	314	8	16	54	34	4	8
80—	37	47	240	158	239	156	1	2	159	231	6	14	40	46	1	1
85 and over	6	22	108	74	108	72	—	2	90	154	4	8	39	52	1	2

Causes of death	NEOPLASMS															
	193 Brain and other parts of nervous system		193·0 Brain		193·1 Spinal cord		193·2 Meninges		193·3 Peripheral nerves		193·4 Sympathetic nervous system		193·8; 9 Others included under 193		194 Thyroid gland	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**1,102**	**788**	**1,029**	**722**	**14**	**13**	**2**	**5**	**5**	**5**	**27**	**29**	**25**	**14**	**102**	**274**
0—	5	9	3	5	—	—	—	—	—	—	2	3	—	1	—	—
1—	29	30	19	15	1	—	—	—	1	—	8	13	—	2	—	—
5—	48	21	41	14	—	—	—	—	1	—	3	7	3	—	—	—
10—	22	20	18	19	1	1	—	—	—	—	3	—	—	—	—	—
15—	14	13	13	12	—	—	—	—	—	—	1	1	—	—	1	—
20—	13	9	11	7	1	1	—	—	—	—	1	1	—	—	1	—
25—	19	19	16	16	2	1	—	—	—	1	1	—	—	1	—	3
30—	34	23	32	21	—	1	—	—	—	1	—	—	2	—	1	2
35—	65	40	62	39	—	1	1	—	—	—	2	—	—	—	2	3
40—	75	54	72	50	2	—	—	1	—	1	1	1	—	1	2	4
45—	124	90	117	87	3	2	—	—	—	—	—	—	4	1	2	10
50—	177	94	173	89	1	2	—	—	—	—	—	—	3	3	13	17
55—	181	116	172	111	1	1	—	1	—	—	3	2	5	1	16	22
60—	156	124	148	117	1	1	—	2	1	—	—	—	6	4	15	30
65—	81	74	76	73	1	1	1	—	1	—	1	—	1	—	9	43
70—	41	30	40	28	—	—	—	—	—	1	—	1	1	—	12	51
75—	10	14	9	11	—	1	—	1	—	1	1	—	—	—	13	42
80—	7	5	6	5	—	—	—	—	1	—	—	—	—	—	12	35
85 and over	1	3	1	3	—	—	—	—	—	—	—	—	—	—	3	12

TABLE 17—*continued*

Causes of death	NEOPLASMS															
	195 Other endocrine glands		195·0 Suprarenal gland		195·3 Pituitary gland and cranio-pharyngeal duct		195·1; 2; 4-8 Others included under 195		196 Bone		197 Connective tissue		198 Secondary and unspecified malignant neoplasm of lymph nodes		199 Other and unspecified sites	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**51**	**42**	**40**	**30**	**4**	**2**	**7**	**10**	**337**	**255**	**108**	**96**	**39**	**29**	**718**	**895**
0—	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—
1—	5	3	4	2	—	—	1	1	—	1	2	1	—	—	—	4
5—	1	2	1	2	—	—	—	—	5	4	1	1	—	—	1	—
10—	—	1	—	1	—	—	—	—	10	14	3	5	—	—	2	1
15—	1	—	1	—	—	—	—	—	19	16	2	1	—	—	3	1
20—	—	2	—	1	—	—	—	1	15	6	1	3	—	—	2	1
25—	1	3	—	3	—	—	1	—	8	7	5	—	—	—	4	2
30—	2	1	2	1	—	—	—	—	13	5	1	5	—	—	7	11
35—	1	3	—	2	1	—	—	1	8	4	3	1	1	1	13	15
40—	2	1	2	1	—	—	—	—	12	5	3	7	—	—	18	15
45—	2	1	1	1	—	—	1	—	6	5	11	5	2	—	35	29
50—	4	5	2	3	1	—	1	2	29	20	6	7	2	2	56	52
55—	8	3	6	1	1	1	1	1	31	22	16	7	4	2	86	79
60—	9	2	7	2	—	—	2	—	37	23	7	10	8	4	106	108
65—	4	6	4	3	—	—	—	3	39	31	15	8	3	7	118	124
70—	8	3	7	2	1	—	—	1	39	30	8	12	10	4	103	145
75—	—	3	—	2	—	1	—	—	26	31	11	14	3	4	90	148
80—	2	1	2	1	—	—	—	—	29	19	10	5	4	2	48	103
85 and over	—	1	—	1	—	—	—	—	11	12	3	4	2	3	26	57

Causes of death	NEOPLASMS															
	200-205 Neoplasms of lymphatic and haemato-poietic tissues		200 Lympho-sarcoma and reticulo-sarcoma		200·0 Reticulum-cell sarcoma		200·1 Lympho-sarcoma		200·2 Other primary malignant neoplasms of lymphoid tissue		201 Hodgkin's disease		202 Other forms of lymphoma (reticulosis)		202·0 Giant follicular lymphoma (Brill-Symmers' disease)	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**3,020**	**2,462**	**591**	**451**	**222**	**176**	**332**	**252**	**37**	**23**	**508**	**355**	**93**	**80**	**21**	**21**
0—	17	9	2	1	—	1	2	—	—	—	1	—	2	1	—	—
1—	81	72	7	4	1	1	6	3	—	—	2	1	2	4	—	—
5—	101	56	16	5	7	1	9	4	—	—	3	3	1	—	—	—
10—	69	47	13	8	4	4	8	4	1	—	9	6	—	—	—	—
15—	53	44	9	6	5	3	4	3	—	—	9	8	1	—	—	—
20—	96	41	10	6	2	2	8	4	—	—	41	17	5	—	—	—
25—	85	43	18	6	4	1	13	5	1	—	34	16	3	—	1	—
30—	81	64	12	7	4	4	8	3	—	—	32	24	1	—	—	—
35—	147	60	21	10	12	5	8	4	1	1	42	19	3	4	—	—
40—	158	91	28	18	13	11	13	6	2	1	48	21	6	2	2	—
45—	198	114	41	20	21	4	18	16	2	—	47	21	8	7	2	3
50—	246	185	48	36	15	20	26	15	7	1	51	30	11	5	6	3
55—	332	231	76	36	28	10	44	20	4	6	58	37	12	7	1	2
60—	322	302	83	57	37	23	40	33	6	1	42	32	6	11	3	3
65—	324	301	66	62	25	26	37	30	4	6	41	26	11	11	4	3
70—	313	340	68	75	23	28	43	42	2	5	21	44	8	11	1	4
75—	241	245	47	48	17	16	28	31	2	1	19	24	7	9	—	1
80—	110	149	20	32	4	11	14	21	2	—	7	22	3	5	—	2
85 and over	46	68	6	14	—	5	3	8	3	1	1	4	3	3	1	—

TABLE 17—*continued*

Causes of death	NEOPLASMS															
	202·1 Other		203 Multiple myeloma (plasmo-cytoma)		204 Leukaemia and aleukaemia		204·0 Lymphatic leukaemia		204·1 Myeloid leukaemia		204·2 Monocytic leukaemia		204·3 Acute leukaemia		204·4 Other and unspecified leukaemia	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**72**	**59**	**335**	**350**	**1,476**	**1,218**	**309**	**220**	**225**	**294**	**118**	**94**	**788**	**583**	**36**	**27**
0—	2	1	—	—	12	7	—	—	1	—	—	—	11	7	—	—
1—	2	4	—	—	70	63	1	1	1	2	4	3	62	56	2	1
5—	1	—	—	—	81	48	4	4	1	1	2	1	72	41	2	1
10—	—	—	—	—	47	33	3	—	1	—	—	1	42	32	1	—
15—	1	—	—	1	34	29	—	2	2	1	2	3	29	22	1	1
20—	5	—	—	—	40	18	—	—	2	2	3	1	33	15	2	—
25—	2	—	—	—	30	21	—	—	2	4	2	1	26	15	—	1
30—	1	—	2	1	34	32	1	—	4	11	6	4	22	17	1	—
35—	3	4	10	2	71	24	5	2	12	6	7	3	47	13	—	—
40—	4	2	11	6	64	44	7	4	12	7	7	7	37	26	1	—
45—	6	4	24	13	77	53	11	5	9	14	10	5	46	29	1	—
50—	5	2	39	31	97	83	21	7	22	27	8	5	45	40	1	4
55—	11	5	69	49	112	101	28	10	19	35	8	9	53	43	4	4
60—	3	8	46	69	143	131	34	19	35	46	12	14	57	49	5	3
65—	7	8	54	61	148	140	50	34	25	38	15	9	55	57	3	2
70—	7	7	39	60	176	147	49	37	35	47	18	11	68	49	6	3
75—	7	8	26	32	139	132	51	42	25	31	10	11	50	43	3	5
80—	3	3	11	19	69	71	29	35	8	12	3	4	27	18	2	2
85 and over	2	3	4	6	32	41	15	18	9	10	1	2	6	11	1	—

Causes of death	NEOPLASMS															
	205 Mycosis fungoides		210-229 Benign neoplasm		210* 211 Other parts of digestive system		212 Respiratory system		213* 214 Uterine fibromyoma		215 Uterus		216 Ovary		217, 218* 219 Kidney and other urinary organs	
Ages at death	M	F	M	F	M	F	M	F	F		F		F		M	F
All ages	**17**	**8**	**356**	**546**	**29**	**32**	**12**	**7**	**71**		**7**		**95**		**86**	**25**
0—	—	—	7	7	1	1	—	—	—		—		—		—	—
1—	—	—	7	3	—	—	—	—	—		—		—		—	—
5—	—	—	2	5	—	—	—	—	—		—		—		—	—
10—	—	—	1	8	—	1	—	—	—		—		—		—	—
15—	—	—	3	5	1	—	—	—	—		—		—		—	—
20—	—	—	5	7	—	—	—	—	—		—		—		—	—
25—	—	—	4	12	—	—	—	—	—		—		3		—	1
30—	—	—	10	18	2	1	—	1	3		1		2		—	—
35—	—	1	9	21	1	—	2	—	8		—		1		—	—
40—	1	—	24	33	2	—	1	1	12		2		5		1	—
45—	1	—	29	50	1	1	—	—	13		1		7		2	2
50—	—	—	29	40	2	1	2	—	5		1		7		2	1
55—	5	1	45	64	1	1	2	1	6		—		5		7	—
60—	2	2	36	55	4	5	—	—	7		—		11		4	1
65—	4	1	37	60	1	4	2	1	5		—		6		11	4
70—	1	3	34	48	5	8	1	1	—		—		8		14	5
75—	3	—	37	53	4	5	1	2	4		1		17		20	2
80—	—	—	20	29	2	3	—	—	2		1		13		12	3
85 and over	—	—	17	28	2	1	1	—	6		—		10		13	6

* **210** Benign neoplasm of buccal cavity and pharynx *65, 65, 80, 85*; **213** Benign neoplasm of breast *70*; **217** Benign neoplasm of other female genital organs *55, 80, 85*; **218** Benign neoplasm of male genital organs —.

Causes of death	NEOPLASMS															
	220, 221, 222* 223 Brain and other parts of nervous system		224 Endocrine glands		225 Bone and cartilage		226* 227 Muscular and connective tissue		228 Haem-angioma and lymph-angioma		229* 230-239 Neoplasm of unspecified nature		230 Unspecified nature of digestive organs		231 Unspecified nature of respiratory organs	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**139**	**193**	**51**	**61**	**5**	**9**	**11**	**13**	**15**	**17**	**257**	**222**	**15**	**25**	**34**	**8**
0—	2	1	1	—	—	—	—	1	3	4	6	4	—	1	1	—
1—	4	2	1	—	—	—	—	—	1	1	5	3	—	—	—	—
5—	1	2	1	1	—	—	—	—	—	2	4	8	—	—	—	—
10—	—	5	1	2	—	—	—	—	—	—	—	3	—	—	—	—
15—	1	4	1	1	—	—	—	—	—	—	6	2	—	—	—	—
20—	3	5	2	2	—	—	—	—	—	—	6	—	—	—	—	—
25—	3	3	1	3	—	—	—	—	—	1	1	2	—	—	—	—
30—	4	9	3	—	1	—	—	1	—	—	5	2	—	—	—	—
35—	4	6	1	5	—	—	1	1	—	—	11	6	—	—	—	—
40—	12	5	4	3	1	1	2	1	1	3	12	15	—	—	1	—
45—	18	15	3	10	—	1	2	—	3	—	18	15	—	—	4	—
50—	15	19	4	6	—	—	2	—	2	—	36	28	2	—	3	—
55—	23	36	9	7	—	2	—	1	1	2	46	27	2	—	2	—
60—	18	20	6	7	—	1	1	2	2	1	28	22	—	—	7	—
65—	15	27	6	5	—	1	1	4	—	—	30	27	3	2	4	1
70—	6	13	2	6	3	2	1	2	—	—	20	17	3	3	4	2
75—	7	15	3	3	—	1	1	—	1	2	12	14	1	4	4	1
80—	2	4	2	—	—	—	—	—	1	—	9	15	4	7	4	1
85 and over	1	2	—	—	—	—	—	—	—	1	2	12	—	8	—	3

Causes of death	NEOPLASMS				III											
	232-236* 237 Unspecified nature of brain and other parts of nervous system		238* 239 Unspecified nature of other and unspecified organs		240-289 Allergic, endocrine system, metabolic, and nutritional diseases		240-245 Allergic disorders		240* 241 Asthma		242-245* 250-254 Diseases of thyroid gland		250 Simple goitre		251 Non-toxic nodular goitre	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**183**	**163**	**13**	**14**	**2,133**	**4,111**	**528**	**684**	**516**	**672**	**99**	**646**	**3**	**10**	**3**	**19**
0—	3	1	2	1	38	12	7	1	7	1	1	1	—	—	—	—
1—	5	3	—	—	18	30	8	14	7	14	—	1	—	—	—	—
5—	4	7	—	1	12	10	6	6	6	6	—	—	—	—	—	—
10—	—	2	—	1	13	15	7	6	7	6	—	—	—	—	—	—
15—	5	2	1	—	19	18	8	10	8	9	1	1	—	—	—	—
20—	6	—	—	—	27	27	17	12	17	10	—	1	—	—	—	—
25—	1	2	—	—	34	24	16	13	16	12	1	3	—	—	—	—
30—	4	2	1	—	42	42	13	18	13	18	3	3	—	—	1	—
35—	11	5	—	1	61	69	16	32	14	31	4	9	—	—	—	—
40—	11	15	—	—	52	78	22	30	22	30	—	7	—	—	—	1
45—	13	15	—	—	75	124	28	57	25	57	3	18	—	1	—	—
50—	28	26	1	—	127	180	47	72	47	70	6	33	—	—	—	1
55—	40	25	—	1	238	286	87	76	84	74	14	47	—	—	1	1
60—	18	20	1	2	222	436	65	76	65	75	14	79	—	—	—	1
65—	20	21	1	1	281	574	64	78	63	78	11	93	—	1	—	1
70—	10	10	2	1	337	718	65	62	64	61	20	123	1	2	—	4
75—	3	4	3	2	283	737	32	59	32	59	11	117	1	3	—	5
80—	—	3	—	2	170	491	15	46	15	46	4	72	—	—	—	3
85 and over	1	—	1	1	84	240	5	16	4	15	6	38	1	3	1	2

* **220** Benign melanoma of skin —; **221** Pilonidal cyst *70*; **222** Other benign neoplasm of skin 1; **226** Lipoma 55, 70, *25, 55, 75, 80*; **229** Benign neoplasm of other and unspecified organs and tissues 55, 60, 65, 70, 80, *55, 65, 70*; **232** Neoplasm of unspecified nature of breast —; **233** Neoplasm of unspecified nature of uterus —; **234** Neoplasm of unspecified nature of ovary *65, 70, 75, 80*; **235** Neoplasm of unspecified nature of other female genital organs —; **236** Neoplasm of unspecified nature of other genito-urinary organs 50, 55, 60, 80, *0, 65, 75, 75, 80*; **238** Neoplasm of unspecified nature of skin and musculoskeletal system 45, 50, 55, 60, 65, 65, 70, 75, *50, 50, 55*; **240** Hay fever *55*; **242** Angioneurotic oedema 1, 35, 55, 85, *15, 20, 50, 50, 70, 85* **243** Urticaria —; **244** Allergic eczema —; **245** Other allergic disorders 35, 45, 45, 45, 55, 55, 65, 70, *20, 25, 35, 55, 60*.

Causes of death	252 Thyro-toxicosis with or without goitre		252·0 Toxic diffuse goitre		252·1 Toxic nodular goitre		253 Myxoedema and cretinism		254 Other diseases of thyroid gland		260 Diabetes mellitus		270-277 Diseases of other endocrine glands		270* 271 Diseases of parathyroid gland	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**40**	**311**	**40**	**287**	**—**	**24**	**50**	**289**	**3**	**17**	**1,193**	**2,366**	**121**	**151**	**3**	**9**
0—	1	—	1	—	—	—	—	1	—	—	3	1	19	7	1	—
1—	—	—	—	—	—	—	—	1	—	—	2	7	3	7	—	1
5—	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—
10—	—	—	—	—	—	—	—	—	—	—	4	5	—	1	—	—
15—	1	1	1	1	—	—	—	—	—	—	5	3	4	1	—	—
20—	—	1	—	1	—	—	—	—	—	—	6	10	1	2	—	—
25—	—	3	—	3	—	—	1	—	—	—	12	6	3	2	—	—
30—	1	1	1	1	—	—	1	—	—	2	16	15	4	2	—	—
35—	3	8	3	8	—	—	1	1	—	—	29	16	6	9	—	2
40—	—	6	—	6	—	—	—	—	—	—	18	24	4	13	—	1
45—	3	14	3	12	—	2	—	3	—	—	26	28	4	7	—	—
50—	4	24	4	21	—	3	2	6	—	2	54	48	7	11	—	—
55—	7	32	7	32	—	—	4	11	2	3	103	118	12	17	—	1
60—	8	49	8	42	—	7	6	28	—	1	115	241	11	16	1	1
65—	4	48	4	47	—	1	6	43	1	—	158	335	20	26	—	—
70—	6	50	6	45	—	5	13	63	—	4	217	481	12	16	1	2
75—	—	49	—	46	—	3	10	58	—	2	219	514	5	7	—	1
80—	1	21	1	18	—	3	3	45	—	3	136	342	6	5	—	—
85 and over	1	4	1	4	—	—	3	29	—	—	68	170	—	2	—	—

Causes of death	272 Diseases of pituitary gland		273 Diseases of thymus gland		274 Diseases of adrenal glands		275, 276* 277 Polygland-ular dysfunction and other diseases of endocrine glands		280-289 Avita-minoses, and other metabolic diseases		280-285* 286 Other avita-minoses and nutri-tional defici-ency states		286·0 Steatorrhoea and sprue		286·5 Malnutrition, unqualified	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**40**	**50**	**1**	**3**	**57**	**57**	**14**	**27**	**192**	**264**	**38**	**58**	**22**	**20**	**10**	**28**
0—	1	—	1	1	14	4	2	2	8	2	1	1	—	1	—	—
1—	—	—	—	2	—	2	1	1	5	1	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	4	2	—	—	—	—	—	—
10—	—	—	—	—	—	1	—	—	2	3	—	—	—	—	—	—
15—	3	1	—	—	1	—	—	—	1	3	—	—	—	—	—	—
20—	1	1	—	—	—	—	—	1	3	2	1	—	1	—	—	—
25—	1	—	—	—	2	2	—	—	2	—	1	—	1	—	—	—
30—	2	2	—	—	1	—	1	—	6	4	—	—	—	—	—	—
35—	3	4	—	—	2	3	—	—	6	3	—	—	—	—	—	—
40—	2	5	—	—	2	5	—	1	8	4	—	1	—	1	—	—
45—	2	1	—	—	2	5	—	1	14	14	2	1	2	—	—	1
50—	5	5	—	—	2	4	—	2	13	16	2	—	2	—	—	—
55—	6	4	—	—	2	7	3	5	22	28	5	3	5	3	—	—
60—	3	5	—	—	4	3	2	6	17	24	3	2	1	1	2	—
65—	5	10	—	—	10	9	4	7	28	42	8	13	5	4	1	9
70—	4	7	—	—	6	4	1	1	23	36	8	11	3	3	3	5
75—	2	3	—	—	3	3	—	—	16	40	5	14	2	6	3	6
80—	—	2	—	—	6	3	—	—	9	26	2	8	—	1	1	5
85 and over	—	—	—	—	—	2	—	—	5	14	—	4	—	—	—	2

* **270** Disorders of pancreatic internal secretion other than diabetes mellitus 1, 1, 35, 55, 60, 65, *1, 40, 60, 70, 70*; **275** Ovarian dysfunction —; **276** Testicular dysfunction —; **280** Beriberi 45, 80, *65, 65*; **281** Pellagra —; **282** Scurvy 75, *65*; **283** Active rickets —; **284** Late effects of rickets —; **285** Osteomalacia *45, 60, 65, 80, 85*.

TABLE 17—*continued*

Causes of death	286·1-4; 6; 7 Others included under 286		287 Obesity not specified as of endocrine origin		288 Gout		289 Other metabolic diseases		289·0 Lipidosis (disturbance of lipid metabolism)		289·1 Amyloid-osis		289·2 Other		IV 290-299 Diseases of the blood and blood-forming organs	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**6**	**10**	**46**	**127**	**14**	**4**	**91**	**67**	**11**	**9**	**37**	**24**	**43**	**34**	**777**	**1,248**
0—	1	—	—	—	—	—	7	1	1	—	1	—	5	1	**11**	**10**
1—	—	—	—	—	—	—	5	1	4	—	—	—	1	1	**7**	**6**
5—	—	—	—	—	—	—	4	2	1	2	—	—	3	—	**8**	**4**
10—	—	—	—	—	—	—	2	3	1	2	—	—	1	1	**5**	**6**
15—	—	—	—	—	—	—	1	3	1	—	—	1	—	2	**9**	**6**
20—	—	—	—	—	—	—	2	2	—	—	—	—	2	2	**5**	**6**
25—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	**9**	**7**
30—	—	—	—	1	—	—	6	3	—	—	3	2	3	1	**7**	**8**
35—	—	—	1	—	—	—	5	3	—	—	4	3	1	—	**6**	**8**
40—	—	—	2	2	—	—	6	1	—	—	3	1	3	—	**5**	**15**
45—	—	—	1	4	—	—	10	8	—	1	5	3	5	4	**19**	**16**
50—	—	—	2	15	1	—	8	1	1	—	2	1	5	—	**45**	**32**
55—	—	—	6	15	1	1	10	9	1	1	4	2	5	6	**60**	**43**
60—	—	1	7	14	2	—	5	7	—	1	3	5	2	1	**57**	**82**
65—	2	—	7	17	1	—	12	8	1	1	6	1	5	6	**99**	**134**
70—	2	3	7	18	5	—	3	7	—	—	1	2	2	5	**123**	**193**
75—	—	2	6	20	—	—	4	6	—	—	4	3	—	3	**133**	**266**
80—	1	2	4	15	1	1	1	1	—	1	1	—	—	—	**112**	**246**
85 and over	—	2	2	6	3	2	—	1	—	—	—	—	—	1	**57**	**160**

Causes of death	290 Pernicious and other hyperchromic anaemias		290·0 Pernicious anaemia		290·1 Subacute combined degeneration of spinal cord		290·2 Other hyperchromic anaemias		291 Iron deficiency anaemias (hypo-chromic anaemias)		292 Other anaemias of specified type		292·4 Aplastic anaemia		292·0-3; 5-7 Others included under 292	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**253**	**517**	**198**	**445**	**14**	**20**	**41**	**52**	**78**	**221**	**191**	**196**	**108**	**105**	**83**	**91**
0—	—	—	—	—	—	—	—	—	1	—	1	4	—	—	1	4
1—	1	—	—	—	—	—	1	—	—	—	4	3	2	1	2	2
5—	—	—	—	—	—	—	—	—	—	1	4	2	4	2	—	—
10—	—	—	—	—	—	—	—	—	—	—	1	2	—	2	1	—
15—	—	—	—	—	—	—	—	—	—	—	4	1	2	—	2	1
20—	—	1	—	1	—	—	—	—	—	—	3	5	2	4	1	1
25—	—	—	—	—	—	—	—	—	—	—	1	4	1	2	—	2
30—	1	—	—	—	1	—	—	—	—	1	3	4	1	3	2	1
35—	1	—	—	—	1	—	—	—	—	2	2	2	1	1	1	1
40—	1	1	1	1	—	—	—	—	—	—	1	7	1	4	—	3
45—	1	3	—	2	—	—	1	1	1	1	4	7	2	3	2	4
50—	4	5	1	5	—	—	3	—	1	5	13	9	7	6	6	3
55—	13	12	8	3	1	4	4	5	1	3	17	7	8	4	9	3
60—	14	29	10	23	1	4	3	2	1	7	17	23	11	13	6	10
65—	29	54	24	43	2	2	3	9	9	22	30	22	10	9	20	13
70—	45	84	38	77	2	2	5	5	11	26	34	31	25	15	9	16
75—	63	123	53	109	3	5	7	9	19	59	28	30	18	10	10	20
80—	49	124	40	109	2	1	7	14	27	54	16	20	9	15	7	5
85 and over	31	81	23	72	1	2	7	7	7	40	8	13	4	11	4	2

TABLE 17—*continued*

Causes of death	293 Anaemia of unspecified type		294 Poly-cythaemia		295 Haemophilia		296 Purpura and other haemorr-hagic conditions		297 Agranulo-cytosis		298 Diseases of spleen		299 Other diseases of blood and blood-forming organs		V 300-326 Mental, psycho-neurotic and personality disorders	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**71**	**132**	**60**	**31**	**9**	**—**	**60**	**62**	**12**	**12**	**22**	**59**	**21**	**18**	**401**	**643**
0—	1	2	—	—	—	—	7	3	—	—	—	1	1	—	**14**	**10**
1—	1	—	—	—	—	—	1	3	—	—	—	—	—	—	**14**	**11**
5—	—	—	1	—	—	—	3	—	—	—	—	1	—	—	**7**	**3**
10—	1	1	—	—	—	—	3	2	—	—	—	1	—	—	**5**	**1**
15—	1	—	1	—	—	—	3	3	—	—	—	2	—	—	**3**	**1**
20—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	**2**	**2**
25—	—	—	1	—	4	—	2	1	1	—	—	1	—	1	**5**	**4**
30—	—	—	1	—	—	—	1	1	—	—	1	—	—	2	**2**	**6**
35—	—	1	—	—	—	—	2	1	—	—	—	1	1	1	**5**	**7**
40—	—	1	—	—	—	—	2	4	—	—	—	1	1	1	**4**	**5**
45—	4	—	2	—	2	—	3	3	—	2	2	—	—	—	**12**	**14**
50—	3	1	7	—	—	—	9	5	2	2	4	5	2	—	**19**	**23**
55—	5	4	10	4	—	—	6	5	2	2	3	3	3	3	**28**	**38**
60—	4	3	11	5	1	—	3	5	1	—	1	9	4	1	**34**	**37**
65—	4	11	10	7	1	—	4	3	2	2	5	9	5	4	**34**	**67**
70—	11	25	8	5	—	—	7	6	2	3	3	11	2	2	**48**	**61**
75—	11	30	4	7	—	—	2	8	2	1	2	7	2	1	**61**	**110**
80—	15	32	3	1	—	—	1	7	—	—	1	6	—	2	**63**	**125**
85 and over	10	21	—	2	—	—	1	2	—	—	—	1	—	—	**41**	**118**

Causes of death	300-309 Psychoses		300 Schizo-phrenic disorders (dementia praecox)		301 Manic-depressive reaction		302, 303* 304 Senile psychosis		305 Presenile psychosis		307* 309 Other and unspecified psychoses		310-318 Psycho-neurotic disorders		310* 311 Hysterical reaction without mention of anxiety reaction	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**298**	**534**	**10**	**17**	**6**	**17**	**204**	**390**	**46**	**69**	**23**	**32**	**14**	**39**	**7**	**26**
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25—	1	1	—	—	—	1	—	—	—	—	1	—	—	1	—	—
30—	1	—	1	—	—	—	—	—	—	—	—	—	—	5	—	5
35—	3	2	—	1	—	1	—	—	1	—	1	—	—	2	—	2
40—	1	2	—	—	—	1	—	—	1	—	—	1	—	1	—	1
45—	6	5	—	—	1	2	—	—	3	1	1	2	—	3	—	2
50—	7	11	2	3	—	—	—	—	3	7	2	1	1	4	1	2
55—	21	29	2	5	1	5	—	2	11	14	4	1	2	3	2	2
60—	24	31	3	3	1	1	3	2	14	20	2	3	5	1	1	1
65—	31	61	1	2	1	3	10	22	13	24	5	8	1	4	—	3
70—	44	53	—	3	2	—	37	43	—	2	3	4	1	5	1	2
75—	57	100	—	—	—	2	54	92	—	1	3	4	2	7	1	4
80—	61	122	1	—	—	1	59	115	—	—	1	5	1	2	1	1
85 and over	41	117	—	—	—	—	41	114	—	—	—	3	—	1	—	1

* **302** Involutional melancholia 60, 70, *55*, *60*, *60*, *70*, *75*, *80*; **303** Paranoia and paranoid states —; **307** Alcoholic psychosis 35, 45, 55, 55, 55, 65, 70, *55*, *65*, *65*; **310** Anxiety reaction without mention of somatic symptoms 75, *50*, *75*.

TABLE 17—*continued*

Causes of death	312-318* 320-326 Disorders of character, behaviour and intelligence		320, 321* 322 Alcoholism		322·0* 322·1 Chronic		322·2, 323, 324* 325 Mental deficiency		326* VI 330-398 Diseases of the nervous system and sense organs		330-334 Vascular lesions affecting central nervous system		330 Subarachnoid haemorrhage		331 Cerebral haemorrhage	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**89**	**70**	**23**	**20**	**15**	**16**	**66**	**44**	**33,644**	**48,191**	**31,006**	**45,216**	**1,310**	**2,137**	**11,688**	**17,305**
0—	14	10	—	—	—	—	14	10	**172**	**114**	17	13	7	6	6	4
1—	14	11	—	—	—	—	14	11	**114**	**95**	10	7	2	2	2	2
5—	6	3	—	—	—	—	6	3	**44**	**34**	9	3	7	2	1	1
10—	5	1	—	—	—	—	5	1	**53**	**49**	14	12	13	8	1	4
15—	3	1	—	—	—	—	3	1	**61**	**54**	18	10	13	9	4	1
20—	2	2	—	—	—	—	2	2	**68**	**60**	22	27	19	21	1	5
25—	4	2	—	1	—	—	4	1	**83**	**85**	24	36	14	26	9	8
30—	1	1	—	—	—	—	1	1	**125**	**122**	64	64	37	46	18	14
35—	2	3	2	1	1	1	—	2	**251**	**237**	150	159	85	98	51	48
40—	3	2	3	—	3	—	—	1	**354**	**344**	235	244	80	122	123	98
45—	6	6	4	1	3	1	2	5	**623**	**620**	503	489	138	164	278	268
50—	11	8	5	4	3	3	6	2	**1,234**	**1,153**	1,049	992	171	232	633	576
55—	5	6	1	5	1	4	4	1	**1,993**	**1,845**	1,774	1,633	209	281	988	932
60—	5	5	3	3	3	2	2	—	**3,075**	**3,099**	2,829	2,822	199	263	1,389	1,519
65—	2	2	2	2	—	2	—	—	**4,224**	**4,844**	3,969	4,495	121	267	1,777	2,206
70—	3	3	2	1	—	1	1	1	**5,841**	**7,515**	5,515	7,138	93	222	2,139	3,151
75—	2	3	1	1	1	1	1	2	**6,473**	**10,180**	6,195	9,759	59	193	4,041	3,611
80—	1	1	—	1	—	1	1	—	**5,349**	**9,591**	5,179	9,329	28	114	1,414	2,825
85 and over	—	—	—	—	—	—	—	—	**3,507**	**8,150**	3,430	7,984	15	61	813	2,032

Causes of death	332 Cerebral embolism and thrombosis		333* 334 Other and ill-defined vascular lesions affecting central nervous system		340-345 Inflammatory diseases of central nervous system		340 Meningitis except meningo-coccal and tuberculous		340·0 H. influenzae		340·1 Pneumo-coccus		340·2 Due to other specified organism		340·3 With no organism specified as cause	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**15,250**	**22,042**	**2,757**	**3,731**	**703**	**818**	**209**	**160**	**25**	**12**	**64**	**65**	**49**	**30**	**71**	**53**
0—	3	2	1	1	93	62	79	49	11	7	16	11	32	19	20	12
1—	4	2	2	1	51	42	31	19	11	4	8	6	1	2	11	7
5—	1	—	—	—	10	7	3	2	—	—	—	1	1	—	2	1
10—	—	—	—	—	9	11	3	2	—	—	1	—	—	—	2	2
15—	1	—	—	—	12	9	5	1	1	—	1	—	2	—	1	1
20—	2	1	—	—	15	11	4	2	—	—	1	1	3	1	—	—
25—	1	1	—	1	22	16	5	4	—	—	1	1	—	2	4	1
30—	8	3	1	—	19	28	4	3	—	—	3	1	—	—	1	2
35—	13	13	1	—	47	42	8	1	—	—	6	—	—	—	2	1
40—	28	22	4	2	50	59	5	1	—	—	2	1	1	—	2	—
45—	79	51	8	6	57	79	6	4	—	—	4	4	1	—	1	—
50—	230	164	15	20	84	95	10	5	1	1	1	4	2	—	6	—
55—	528	394	49	26	68	95	12	9	—	—	6	3	1	—	5	6
60—	1,109	943	132	97	70	93	14	7	1	—	7	4	2	1	4	2
65—	1,847	1,822	224	200	44	73	7	19	—	—	1	10	3	2	3	7
70—	2,850	3,333	433	432	23	42	5	12	—	—	4	6	—	2	1	4
75—	3,465	5,139	630	816	16	28	4	8	—	—	2	7	—	—	2	1
80—	3,061	5,412	676	978	7	18	2	10	—	—	—	4	—	1	2	5
85 and over	2,020	4,740	581	1,151	6	8	2	2	—	—	—	1	—	—	2	1

* **312** Phobic reaction —; **313** Obsessive-compulsive reaction —; **314** Neurotic-depressive reaction 60, 65, *45*, *50*, *55*, *70*, *75*, *80*; **315** Psychoneurosis with somatic symptoms (somatization reaction) affecting circulatory system —; **316** Psychoneurosis with somatic symptoms (somatization reaction) affecting digestive system 5, *25*, *65*, *75*; **317** Psychoneurosis with somatic symptoms (somatization reaction) affecting other systems 60; **318** Psychoneurotic disorders, other, mixed and unspecified types 60, 60, *70*, *70*; **320** Pathological personality —; **321** Immature personality *50*, *70*; **322·0** Alcoholism, acute 35, 50, *50*, *55*, *60*; **322·2** Alcoholism unspecified 45, 50, 65, 65, 70, 70, *25*; **323** Other drug addiction *40*, *50*, *60*; **324**; Primary childhood behaviour disorders—; **326** Other and unspecified character, behaviour, and intelligence disorders *60*; **333** Spasm of cerebral arteries 85, *30*.

TABLE 17—*continued*

Causes of death	341 Phlebitis and thrombo-phlebitis of intra-cranial venous sinuses		342 Intra-cranial and intra-spinal abscess		343 Encephal-itis, myelitis and encephalo-myelitis (except acute infectious)		344 Late effects of intra-cranial abscess or pyogenic infection		345 Multiple sclerosis		350-357 Other diseases of central nervous system		350 Paralysis agitans		351 Cerebral spastic infantile paralysis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**7**	**13**	**34**	**26**	**64**	**43**	**42**	**42**	**347**	**534**	**1,791**	**1,988**	**696**	**946**	**73**	**51**
0—	2	3	—	1	4	2	8	7	—	—	36	23	—	—	22	7
1—	—	3	1	1	7	14	11	5	1	—	49	40	—	—	12	11
5—	—	—	1	1	4	—	2	4	—	—	20	18	—	—	8	3
10—	—	1	—	2	5	3	—	1	1	2	25	21	—	—	3	5
15—	—	—	3	3	2	2	2	3	—	—	29	32	—	—	4	4
20—	—	—	1	2	3	1	2	—	5	6	30	19	—	—	4	2
25—	1	—	6	1	2	—	—	1	8	10	32	32	—	1	—	2
30—	—	1	2	2	4	1	1	—	8	21	38	28	—	—	3	2
35—	—	—	4	1	3	3	—	1	32	36	45	29	—	1	—	3
40—	—	—	4	1	4	2	3	—	34	55	61	35	6	4	4	1
45—	—	—	—	1	3	—	2	—	46	74	55	45	3	10	2	1
50—	1	—	1	1	4	3	5	4	63	82	91	63	16	16	1	1
55—	1	—	4	1	6	3	3	4	42	78	143	102	31	30	5	—
60—	1	—	5	2	1	1	—	6	49	77	160	164	50	64	1	1
65—	—	1	2	3	5	1	2	2	28	47	201	266	118	147	1	3
70—	—	—	—	3	3	2	1	2	14	23	291	314	181	194	3	1
75—	—	2	—	—	2	2	—	1	10	15	256	370	158	250	—	3
80—	1	2	—	—	1	2	—	1	3	3	158	237	95	156	—	—
85 and over	—	—	—	—	1	1	—	—	3	5	71	150	38	73	—	1

Causes of death	352 Other cerebral paralysis		353 Epilepsy		353·2 Status epilepticus		353·0; 1; 3 Others included under 353		354* 355 Other diseases of brain		356 Motor neurone disease and muscular atrophy		356·0 Progressive muscular atrophy		356·1 Amyotrophic lateral sclerosis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**238**	**310**	**327**	**312**	**118**	**141**	**209**	**171**	**111**	**115**	**311**	**227**	**161**	**136**	**36**	**26**
0—	—	—	6	6	1	4	5	2	3	2	4	8	—	—	—	—
1—	—	1	25	22	11	14	14	8	7	4	5	2	1	1	—	—
5—	1	—	9	15	4	10	5	5	2	—	—	—	—	—	—	—
10—	—	—	18	15	10	9	8	6	4	1	—	—	—	—	—	—
15—	—	—	22	27	10	13	12	14	2	1	1	—	1	—	—	—
20—	—	—	19	15	9	7	10	8	4	1	2	—	2	—	—	—
25—	—	—	30	25	12	12	18	13	—	3	1	—	—	—	1	—
30—	—	—	26	24	9	11	17	13	2	2	5	—	2	—	1	—
35—	—	—	27	23	10	11	17	12	7	2	6	—	4	—	1	—
40—	4	—	22	14	5	7	17	7	2	6	21	7	9	2	2	3
45—	—	1	26	17	6	5	20	12	8	5	14	8	7	4	3	2
50—	5	3	24	18	6	10	18	8	8	6	35	18	13	12	6	1
55—	10	7	19	21	6	4	13	17	18	11	57	32	27	18	7	6
60—	18	15	20	22	6	8	14	14	14	11	53	43	33	30	4	3
65—	25	32	12	15	6	6	6	9	5	15	36	49	22	31	4	7
70—	48	58	13	16	6	5	7	11	8	17	32	26	17	14	3	2
75—	57	77	4	9	1	4	3	5	7	11	29	19	18	17	3	—
80—	47	53	1	4	—	—	1	4	6	12	8	11	5	4	—	2
85 and over	23	63	4	4	—	1	4	3	4	5	2	4	—	3	1	—

* **354** Migraine —.

Causes of death	356·2; 3 Others included under 356		357 Other diseases of spinal cord		360-369 Diseases of nerves and peripheral ganglia		360-363* 364 Poly-neuritis and poly-radiculitis		365* 366 Other and unspecified forms of neuralgia and neuritis		367-369* 370-379 Inflammatory diseases of eye		370-379* 380-389 Other diseases and conditions of eye		380-384* 385 Cataract	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**114**	**65**	**35**	**27**	**29**	**69**	**21**	**43**	**3**	**11**	**2**	**4**	**19**	**34**	**10**	**19**
0—	4	8	1	—	—	—	—	—	—	—	1	—	—	—	—	—
1—	4	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—
5—	—	—	—	—	1	2	1	1	—	—	—	—	2	2	—	—
10—	—	—	—	—	1	1	1	1	—	—	—	—	—	1	—	—
15—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
20—	—	—	1	1	—	2	—	2	—	—	—	—	—	—	—	—
25—	—	—	1	1	1	—	1	—	—	—	—	—	—	—	—	—
30—	2	—	2	—	—	2	—	2	—	—	—	—	1	—	—	—
35—	1	—	5	—	—	4	—	4	—	—	—	—	1	—	—	—
40—	10	2	2	3	3	5	3	5	—	—	—	—	—	—	—	—
45—	4	2	2	3	3	3	3	1	—	—	—	—	—	—	—	—
50—	16	5	2	1	3	2	3	2	—	—	—	—	—	—	—	—
55—	23	8	3	1	1	7	1	4	—	2	—	—	1	2	1	—
60—	16	10	4	8	4	12	3	7	—	3	—	1	3	1	—	1
65—	10	11	4	5	5	4	3	2	1	—	1	—	1	2	1	1
70—	12	10	6	2	4	9	2	4	1	3	—	—	3	10	2	6
75—	8	2	1	1	3	11	—	5	1	3	—	1	3	9	3	5
80—	3	5	1	1	—	2	—	1	—	—	—	—	4	4	3	4
85 and over	1	1	—	—	—	2	—	1	—	—	—	1	—	3	—	2

Causes of death	386-389* 390-398 Diseases of ear and mastoid process		390* 391 Otitis media without mention of mastoiditis		392 Otitis media with mastoiditis		393 Mastoiditis without mention of otitis media		394-398* VII 400-468 Diseases of the circulatory system		400-402 Rheumatic fever		400* 401 Rheumatic fever with heart involvement		401·0 Active rheumatic pericarditis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**94**	**62**	**73**	**48**	**7**	**1**	**13**	**9**	**100,244**	**98,319**	**61**	**64**	**54**	**46**	**30**	**22**
0—	25	16	21	14	1	1	3	1	**20**	**17**	1	—	1	—	—	—
1—	4	5	3	4	—	—	1	1	**8**	**14**	—	4	—	4	—	1
5—	2	2	2	2	—	—	—	—	**23**	**9**	4	5	4	5	—	—
10—	4	3	3	3	1	—	—	—	**19**	**21**	4	2	3	2	—	—
15—	2	2	2	1	—	—	—	1	**45**	**32**	5	4	5	4	—	1
20—	1	1	—	—	1	—	—	1	**78**	**49**	3	4	3	3	—	1
25—	4	1	4	1	—	—	—	—	**136**	**99**	—	1	—	1	—	—
30—	3	—	1	—	—	—	2	—	**301**	**185**	—	—	—	—	—	—
35—	8	3	7	2	1	—	—	—	**822**	**372**	1	3	1	1	—	—
40—	5	1	3	1	2	—	—	—	**1,405**	**576**	3	2	—	—	—	—
45—	5	4	2	1	—	—	2	2	**2.994**	**1,064**	2	3	2	3	1	2
50—	7	1	5	—	—	—	2	1	**5,361**	**1,834**	3	7	3	4	3	2
55—	6	6	3	4	1	—	2	1	**8,585**	**3,194**	5	2	3	1	2	1
60—	9	6	9	5	—	—	—	—	**10,855**	**5,710**	8	5	8	1	6	1
65—	3	4	3	4	—	—	—	—	**13,406**	**9,498**	14	9	14	8	11	7
70—	5	2	5	1	—	—	—	1	**15,800**	**14,547**	1	4	1	3	1	2
75—	—	2	—	2	—	—	—	—	**16,727**	**19,930**	5	6	4	3	4	2
80—	1	1	—	1	—	—	1	—	**13,631**	**20,549**	1	1	1	1	1	1
85 and over	—	2	—	2	—	—	—	—	**10,028**	**20,619**	1	2	1	2	1	1

* **360** Facial paralysis *75*; **361** Trigeminal neuralgia *45, 45, 55, 60, 65, 70, 75, 80, 85*; **362** Brachial neuritis —; **363** Sciatica 60; **365** Erythroedema polyneuritica 75, *60*; **367** Other diseases of cranial nerves —; **368** Other diseases of peripheral nerves except autonomic 65, 70, 75, *5, 65*; **369** Diseases of peripheral autonomic nervous system *70, 75*; **370** Conjunctivitis and opthalmia —; **371** Blepharitis —; **372** Hordeolum (stye) 0; **373** Iritis —; **374** Keratitis 65; **375** Choroiditis —; **376** Other inflammation of uveal tract —; **377** Inflammation of optic nerve and retina *75, 85*; **378** Inflammation of lachrymal glands and ducts *60*; **379** Other inflammatory diseases of eye *15*; **380** Refractive errors —; **381** Corneal ulcer *55, 65*; **382** Corneal opacity —; **383** Pterygium —; **384** Strabismus 5, 5, *5, 5, 10*; **386** Detachment of retina 30, *55*; **387** Glaucoma 80, *70, 70, 70, 75, 75, 75, 85*; **388** Other diseases of eye 35, 60, 60, 60, 70, *75*; **389** Blindness *70*; **390** Otitis externa —; **394** Other inflammatory diseases of ear *35*; **395** Ménière's disease —; **396** Other diseases of ear and mastoid process 45, *45, 55, 60*; **397** Deaf mutism —; **398** Other deafness —; **400** Rheumatic fever without mention of heart involvement 10, 40, *35, 40, 60*.

Causes of death	401·1 Active rheumatic endocarditis		401·2 Active rheumatic myocarditis		401·3 Active rheumatic fever with other and multiple types of heart involvement		402 Chorea		402·0 Without mention of heart involvement		402·1* 410·416 Chronic rheumatic heart disease		410 Diseases of mitral valve		411 Diseases of aortic valve specified as rheumatic	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**5**	**6**	**5**	**1**	**14**	**17**	**5**	**15**	**4**	**13**	**2,469**	**4,652**	**1,504**	**3,433**	**332**	**179**
0—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
1—	—	2	—	—	—	1	—	—	—	—	—	—	—	—	—	—
5—	—	—	3	1	1	4	—	—	—	—	—	1	—	—	—	—
10—	2	—	—	—	1	2	—	—	—	—	4	3	1	2	—	1
15—	1	—	—	—	4	3	—	—	—	—	21	9	7	5	2	1
20—	1	—	—	—	2	2	—	1	—	1	26	21	13	13	3	1
25—	—	—	—	—	—	1	—	—	—	—	39	52	24	39	7	1
30—	—	—	—	—	—	—	—	—	—	—	58	103	34	77	7	5
35—	—	1	—	—	1	—	—	1	—	1	128	183	72	136	20	1
40—	—	—	—	—	—	—	2	1	2	1	169	256	108	179	20	12
45—	—	1	1	—	—	—	—	—	—	—	227	389	128	291	37	11
50—	—	1	—	—	—	1	—	3	—	3	309	483	178	362	39	11
55—	—	—	1	—	—	—	2	1	2	1	324	517	191	383	53	15
60—	—	—	—	—	2	—	—	3	—	2	305	587	193	432	40	27
65—	1	—	—	—	2	1	—	1	—	—	291	577	174	417	45	28
70—	—	—	—	—	—	1	—	1	—	1	226	507	154	363	23	23
75—	—	1	—	—	—	—	1	3	—	3	186	463	130	337	16	19
80—	—	—	—	—	—	—	—	—	—	—	101	319	62	247	11	16
85 and over	—	—	—	—	—	1	—	—	—	—	55	182	35	150	9	7

Causes of death	412 Diseases of tricuspid valve		413* 414 Other endocarditis specified as rheumatic		415 Other myocarditis specified as rheumatic		416 Other heart disease specified as rheumatic		420-422 Arterio-sclerotic and degenerative heart disease		420 Arterio-sclerotic heart disease, including coronary disease		420·0 Arterio-sclerotic heart disease so described		420·1 Heart disease specified as involving coronary arteries	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**11**	**10**	**146**	**266**	**46**	**62**	**430**	**702**	**76,064**	**66,194**	**56,514**	**35,447**	**516**	**623**	**55,815**	**34,657**
0—	—	—	—	—	—	—	—	—	3	1	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—	1	2	—	1	—	—	—	1
5—	—	1	—	—	—	—	—	—	5	1	1	—	—	—	1	—
10—	—	—	—	—	—	—	3	—	4	2	—	—	—	—	—	—
15—	—	—	4	—	—	—	8	3	5	3	1	1	—	—	1	1
20—	—	—	1	2	—	—	9	5	16	9	7	3	—	—	7	3
25—	—	—	3	2	—	—	5	10	49	12	38	4	—	—	38	4
30—	—	—	5	2	1	1	11	18	168	23	148	13	—	—	148	13
35—	—	—	8	15	2	2	26	29	564	74	523	59	—	—	523	59
40—	—	1	8	17	2	1	31	46	1,017	167	965	134	1	—	963	134
45—	1	1	15	21	4	4	42	61	2,332	379	2,214	321	3	—	2,209	321
50—	1	1	20	31	3	2	68	76	4,264	861	4,067	739	7	2	4,055	735
55—	2	—	23	35	7	4	48	80	6,901	1,862	6,465	1,597	14	1	6,437	1,594
60—	1	1	17	31	4	5	50	91	8,663	3,655	7,927	3,042	19	17	7,884	3,021
65—	5	3	19	22	6	10	42	97	10,515	6,398	9,142	5,052	49	46	9,060	4,988
70—	—	—	7	32	6	6	36	83	12,025	10,002	9,324	6,990	84	88	9,203	6,863
75—	—	1	9	31	8	15	23	60	12,296	13,730	8,091	7,640	132	133	7,929	7,460
80—	—	—	6	19	1	5	21	32	9,910	14,237	5,061	5,944	119	166	4,918	5,752
85 and over	1	1	1	6	2	7	7	11	7,326	14,776	2,540	3,907	88	170	2,439	3,708

* **402·1** With heart involvement 75, *60, 65*; **413** Diseases of pulmonary valve specified as rheumatic —.

TABLE 17—*continued*

Causes of death	420·2 Angina pectoris without mention of coronary disease		421 Chronic endocarditis not specified as rheumatic		421·0 of mitral valve, specified as non-rheumatic		421·1 of aortic valve, not specified as rheumatic		421·2; 3* 421·4 Other and ill-defined, not specified as rheumatic		422 Other myocardial degeneration		422·0 Fatty degeneration		422·1 With arterio-sclerosis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**183**	**167**	**1,687**	**1,570**	**96**	**216**	**1,327**	**986**	**254**	**361**	**17,863**	**29,177**	**35**	**108**	**8,400**	**13,285**
0—	—	—	1	—	—	—	—	—	1	—	2	1	—	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
5—	—	—	2	—	—	—	2	—	—	—	2	1	—	—	—	—
10—	—	—	2	1	—	—	2	1	—	—	2	1	—	—	—	—
15—	—	—	2	—	—	—	2	—	—	—	2	2	—	—	—	—
20—	—	—	3	1	—	—	2	—	—	1	6	5	1	1	—	—
25—	—	—	7	4	1	—	4	3	2	1	4	4	—	2	—	—
30—	—	—	12	4	—	—	8	2	4	2	8	6	2	—	—	—
35—	—	—	24	6	—	—	19	4	5	1	17	9	1	—	—	1
40—	1	—	28	16	—	—	22	9	6	7	24	17	—	—	3	3
45—	2	—	65	21	1	1	55	12	8	8	53	37	1	3	11	5
50—	5	2	108	47	2	1	95	26	10	19	89	75	2	7	38	18
55—	14	2	186	79	2	3	159	53	23	23	250	186	7	8	94	65
60—	24	4	207	136	3	7	181	88	22	40	529	477	7	11	236	184
65—	33	18	262	207	19	39	200	121	41	47	1,111	1,139	4	21	560	504
70—	37	39	292	278	30	51	210	170	51	57	2,409	2,734	5	21	1,277	1,339
75—	30	47	232	308	19	49	173	192	39	65	3,973	5,782	1	15	1,967	2,837
80—	24	26	167	255	14	35	125	178	28	41	4,682	8,038	3	11	2,154	3,717
85 and over	13	29	87	207	5	30	68	127	14	49	4,699	10,662	1	8	2,060	4,612

Causes of death	422·2 Other diseases included under 422		430-434 Other diseases of heart		430 Acute and subacute endocarditis		430·0 Acute and subacute bacterial endocarditis		430·1 Other acute endocarditis		431 Acute myocarditis not specified as rheumatic		432 Acute pericarditis specified as non-rheumatic		433 Functional disease of heart	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**9,428**	**15,784**	**6,019**	**7,479**	**174**	**138**	**168**	**133**	**6**	**5**	**63**	**65**	**13**	**10**	**1,927**	**3,174**
0—	2	1	11	12	—	1	—	1	—	—	2	1	1	2	1	2
1—	1	1	5	7	—	—	—	—	—	—	2	3	1	—	1	—
5—	2	1	10	1	1	1	1	1	—	—	—	—	—	—	1	—
10—	2	1	4	6	—	2	—	2	—	—	3	2	—	—	—	1
15—	2	2	9	11	2	4	2	4	—	—	—	—	—	1	1	1
20—	5	4	20	6	7	2	7	2	—	—	3	1	—	—	1	1
25—	4	2	17	11	4	4	4	3	—	1	2	1	—	1	3	—
30—	6	6	14	13	7	4	7	4	—	—	2	3	—	—	1	—
35—	16	8	30	41	8	10	8	10	—	—	3	5	—	—	3	3
40—	21	14	60	38	17	7	15	7	2	—	5	3	—	—	7	5
45—	41	29	105	77	14	8	13	7	1	1	6	4	1	—	13	14
50—	49	50	189	107	20	14	20	14	—	—	7	2	—	2	32	33
55—	149	113	370	202	27	15	26	14	1	1	2	4	1	—	70	62
60—	286	282	526	405	28	18	28	18	—	—	6	2	1	—	127	159
65—	547	614	715	676	18	9	18	9	—	—	5	7	—	—	203	278
70—	1,127	1,374	1,005	1,147	10	19	10	18	—	1	5	6	2	—	342	486
75—	2,005	2,930	1,203	1,594	4	9	3	8	1	1	6	9	2	4	467	711
80—	2,525	4,310	1,031	1,623	5	8	4	8	1	—	2	10	3	—	381	737
85 and over	2,638	6,042	695	1,502	2	3	2	3	—	—	2	2	1	—	273	681

* **421·2** Of tricuspid valve, specified as non-rheumatic 55, 55; **421·3** Of pulmonary valve, not specified as rheumatic 20, 45, 50, 60 65, 65, 70, 75, *35, 50, 60, 75, 75, 80, 85.*

TABLE 17—*continued*

Causes of death	434 Other and unspecified diseases of heart		434·0 Kypho-scoliotic heart disease		434·1 Congestive heart failure		434·2 Left ventricular failure		434·3; 4 Others included under 434		440-443 Hypertensive heart disease		440 Essential benign hypertensive heart disease		441 Essential malignant hypertensive heart disease	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**3,842**	**4,092**	**37**	**59**	**2,627**	**3,275**	**448**	**427**	**730**	**331**	**4,678**	**6,616**	**78**	**135**	**107**	**52**
0—	7	6	—	—	2	2	1	—	4	4	—	—	—	—	—	—
1—	1	4	—	—	—	1	—	1	1	2	—	—	—	—	—	—
5—	8	—	1	—	1	—	1	—	5	—	—	—	—	—	—	—
10—	1	1	—	1	1	—	—	—	—	—	1	—	—	—	—	—
15—	6	5	—	—	—	1	1	1	5	3	—	—	—	—	—	—
20—	9	2	2	—	2	1	1	—	4	1	1	—	—	—	—	—
25—	3	5	—	—	4	1	3	1	1	3	3	—	—	—	—	—
30—	4	6	—	1	—	2	—	—	4	3	6	2	—	—	4	—
35—	16	23	3	5	4	7	1	—	8	11	12	7	—	1	2	1
40—	31	23	1	1	15	13	2	—	13	9	21	22	1	—	7	4
45—	71	51	1	5	33	25	6	2	31	19	72	44	1	2	14	5
50—	130	56	4	2	62	40	17	5	47	9	142	94	3	—	15	10
55—	270	121	10	8	142	76	37	19	81	18	332	219	8	7	29	11
60—	364	226	3	8	214	148	36	25	111	45	475	382	7	5	16	4
65—	489	382	4	6	289	280	59	53	137	43	664	757	13	20	10	3
70—	646	636	5	7	455	517	73	60	113	52	915	1,182	18	18	5	4
75—	724	861	—	4	532	716	98	88	94	53	983	1,542	13	30	4	5
80—	640	868	3	7	519	744	68	87	50	30	670	1,391	9	26	—	2
85 and over	417	816	—	4	352	701	44	85	21	26	381	974	5	26	1	3

Causes of death	442 Hypertensive heart disease with arteriolar nephro-sclerosis		443 Other and unspecified hypertensive heart disease		444-447 Other hypertensive disease		444 Essential benign hypertension		445 Essential malignant hypertension		446 Hypertension with arteriolar nephro-sclerosis		447 Other hypertensive disease without mention of heart		450-456 Diseases of arteries	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**75**	**96**	**4,418**	**6,333**	**3,123**	**3,407**	**2,080**	**2,737**	**711**	**345**	**331**	**322**	**1**	**3**	**6,428**	**7,814**
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1
10—	—	—	1	—	1	1	—	—	1	1	—	—	—	—	—	5
15—	—	—	—	—	1	1	—	—	1	1	—	—	—	—	3	3
20—	—	—	1	—	6	2	—	—	6	2	—	—	—	—	2	5
25—	—	—	3	—	18	5	1	—	17	4	—	1	—	—	4	11
30—	—	1	2	1	34	16	2	2	29	14	3	—	—	—	11	12
35—	—	—	10	5	55	25	9	4	43	21	3	—	—	—	21	16
40—	—	1	13	17	81	34	16	13	65	21	—	—	—	—	28	27
45—	—	—	57	37	154	76	36	24	114	48	4	4	—	—	69	32
50—	4	1	120	83	241	130	80	57	151	67	10	6	—	—	120	82
55—	2	3	293	198	295	156	152	96	131	53	12	7	—	—	203	109
60—	6	5	446	368	350	246	236	196	91	36	23	13	—	1	368	219
65—	13	6	628	728	376	331	308	280	41	35	27	15	—	1	609	456
70—	19	16	873	1,144	441	492	365	438	12	18	64	35	—	1	934	862
75—	13	15	953	1,492	481	712	405	615	7	16	68	81	1	—	1,354	1,502
80—	6	22	655	1,341	345	667	279	572	1	7	65	88	—	—	1,444	1,995
85 and over	12	26	363	919	244	513	191	440	1	1	52	72	—	—	1,254	2,475

TABLE 17—*continued*

Causes of death	450 General arterio-sclerosis		450·0 Without mention of gangrene		450·1 With mention of gangrene as a consequence		451 Aortic aneurysm, non-syphilitic and dissecting aneurysm		452 Other aneurysm, except of heart and aorta		453 Peripheral vascular disease		453·0 Raynaud's disease		453·1 Thrombo-angiitis obliterans	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**4,655**	**6,378**	**4,087**	**5,830**	**568**	**548**	**1,425**	**1,106**	**56**	**44**	**69**	**37**	**2**	**10**	**31**	**11**
0—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
20—	—	—	—	—	—	—	—	2	—	—	—	1	—	1	—	—
25—	—	1	—	1	—	—	1	1	—	2	—	—	—	—	—	—
30—	1	1	—	1	1	—	4	3	—	3	—	—	—	—	—	—
35—	2	1	2	1	—	—	9	—	2	3	1	—	—	—	1	—
40—	3	1	3	—	—	1	11	10	3	1	—	—	—	—	—	—
45—	10	3	7	1	3	2	37	11	4	2	1	—	—	—	1	—
50—	32	18	30	16	2	2	61	32	1	5	1	3	—	2	1	1
55—	54	30	47	29	7	1	106	54	2	5	9	—	—	—	5	—
60—	143	101	124	91	19	10	179	84	9	4	14	4	1	1	8	3
65—	303	282	260	260	43	22	259	136	6	7	13	5	1	1	6	1
70—	596	627	510	569	86	58	296	197	10	5	13	10	—	4	4	3
75—	1,067	1,205	935	1,087	132	118	259	257	11	4	5	6	—	—	3	1
80—	1,261	1,771	1,127	1,618	134	153	153	201	5	1	8	3	—	1	1	—
85 and over	1,182	2,337	1,041	2,156	141	181	50	118	2	1	4	5	—	—	1	2

Causes of death	453·2; 3 Others included under 453		454 Arterial embolism and thrombosis		455 Gangrene of unspecified cause		456 Other diseases of arteries		460-468 Diseases of veins and other diseases of circulatory system		460 Varicose veins of lower extremities		461 Haemorr-hoids		462 Varicose veins of other specified sites	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**36**	**16**	**48**	**64**	**26**	**18**	**149**	**167**	**1,402**	**2,093**	**57**	**180**	**20**	**12**	**17**	**25**
0—	—	—	—	1	—	—	—	1	4	2	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—
5—	—	—	—	—	—	—	2	1	2	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	5	1	2	—	—	—	—	—	—
15—	—	—	—	—	—	—	3	2	1	1	—	—	—	—	—	—
20—	—	—	—	—	—	—	2	2	4	2	—	—	—	—	—	—
25—	—	—	—	—	—	—	3	7	6	7	—	2	—	—	—	—
30—	—	—	1	—	—	—	5	5	10	16	2	—	—	—	—	—
35—	—	—	1	2	—	—	6	10	11	23	—	3	—	—	—	—
40—	—	—	—	1	—	—	11	14	26	30	1	3	—	—	1	—
45—	—	—	1	2	—	—	16	14	33	64	2	2	—	—	—	2
50—	—	—	3	1	—	3	22	20	93	70	8	7	—	—	1	1
55—	4	—	4	—	—	—	28	20	155	127	12	15	1	—	2	1
60—	5	—	6	5	1	—	16	21	160	211	4	22	6	1	1	3
65—	6	3	9	8	3	1	16	17	222	294	8	24	4	1	4	5
70—	9	3	8	9	3	1	8	13	253	351	5	37	3	—	2	3
75—	2	5	5	16	4	5	3	9	219	381	9	32	5	1	2	1
80—	7	2	6	11	6	6	5	2	129	316	5	22	1	6	3	7
85 and over	3	3	4	8	9	2	3	4	72	195	1	11	—	3	1	2

TABLE 17—*continued*

Causes of death	463 Phlebitis and thrombo-phlebitis of lower extremities		464 Phlebitis and thrombo-phlebitis of other sites		465 Pulmonary embolism and infarction		466 Other venous embolism and thrombosis		467 Other diseases of circulatory system		468 Certain diseases of lymph nodes and lymph channels		VIII 470-527 Diseases of the respiratory system		470-475 Acute upper respiratory infections	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**141**	**261**	**20**	**30**	**698**	**807**	**415**	**735**	**28**	**37**	**6**	**6**	**34,833**	**22,122**	**68**	**57**
0—	—	—	—	—	2	1	—	—	1	—	1	1	**1,231**	**924**	15	8
1—	—	—	—	—	—	—	—	1	—	—	1	—	**326**	**233**	22	14
5—	—	—	—	—	2	—	—	—	—	—	—	—	**86**	**57**	2	1
10—	—	—	—	—	—	—	—	1	1	1	—	—	**56**	**29**	3	—
15—	—	—	—	—	—	—	1	1	—	—	—	—	**79**	**34**	3	1
20—	1	—	—	—	2	1	1	—	—	1	—	—	**47**	**39**	1	2
25—	—	1	—	1	4	2	2	1	—	—	—	—	**68**	**44**	—	—
30—	—	3	—	3	4	7	3	3	—	—	1	—	**108**	**68**	—	1
35—	1	3	—	1	6	9	4	7	—	—	—	—	**178**	**107**	2	—
40—	3	6	—	1	8	13	11	7	2	—	—	—	**302**	**166**	2	1
45—	3	9	—	3	16	25	11	22	1	1	—	—	**617**	**292**	1	1
50—	12	5	1	1	40	29	29	23	1	3	1	1	**1,353**	**435**	3	—
55—	17	21	2	5	73	48	46	34	—	3	2	—	**2,701**	**737**	2	6
60—	19	37	2	2	72	81	52	64	4	1	—	—	**4,034**	**1,226**	5	1
65—	17	24	4	4	126	121	55	112	4	2	—	1	**4,919**	**1,840**	2	2
70—	24	45	4	4	140	114	67	139	8	8	—	1	**5,605**	**2,778**	—	4
75—	19	49	6	2	104	174	73	115	1	7	—	—	**5,605**	**4,031**	5	1
80—	16	41	—	3	63	117	38	113	3	6	—	1	**4,421**	**4,322**	—	4
85 and over	9	17	1	—	36	65	22	92	2	4	—	1	**3,097**	**4,760**	—	10

Causes of death	470 Acute naso-pharyngitis (common cold)		471* 472 Acute pharyngitis		473 Acute tonsillitis		474 Acute laryngitis and tracheitis		475 Acute upper respiratory infection of multiple or unspecified sites		480-483 Influenza		480 Influenza with pneumonia		481 Influenza with other respiratory manifest'ns and influenza unqualified	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**5**	**3**	**9**	**7**	**17**	**12**	**30**	**26**	**5**	**6**	**553**	**545**	**330**	**322**	**215**	**204**
0—	1	—	—	—	1	2	8	5	5	1	13	13	10	7	3	5
1—	2	—	1	—	6	3	13	9	—	2	11	8	9	7	2	1
5—	—	—	1	—	—	—	1	1	—	—	1	4	1	2	—	2
10—	—	—	1	—	1	—	1	—	—	—	3	2	3	2	—	—
15—	—	—	1	—	1	—	—	—	—	—	9	3	7	2	2	—
20—	—	—	—	—	1	2	—	—	—	—	5	2	2	2	3	—
25—	—	—	—	—	—	—	—	—	—	—	6	3	4	2	2	1
30—	—	—	—	1	—	—	—	—	—	—	13	4	8	3	5	1
35—	—	—	—	—	2	—	—	—	—	—	18	8	13	7	5	1
40—	—	—	1	—	1	—	—	—	—	1	10	9	6	6	4	2
45—	—	—	1	—	—	1	—	—	—	—	17	13	15	10	2	3
50—	—	—	1	—	—	—	1	—	—	—	36	10	22	4	13	6
55—	—	—	—	1	2	2	—	2	—	—	50	30	32	20	18	9
60—	—	—	1	—	1	—	3	1	—	—	60	38	37	23	23	14
65—	—	—	1	—	—	—	1	2	—	—	63	64	35	31	27	31
70—	—	1	—	1	—	1	—	1	—	—	69	63	38	38	29	24
75—	2	—	—	—	1	—	2	—	—	—	72	90	36	57	35	31
80—	—	1	—	2	—	—	—	1	—	—	54	87	27	47	26	34
85 and over	—	1	—	2	—	1	—	4	—	2	43	94	25	52	16	39

*** 471** Acute sinusitis 15, 50, *15*, *55*, *75*.

Causes of death	482 Influenza with digestive manifest'ns, but without respiratory symptoms		483 Influenza with nervous manifest'ns, but without digestive or respiratory symptoms		490-493 Pneumonia		490 Lobar pneumonia		491 Broncho-pneumonia		492 Primary atypical pneumonia		493 Pneumonia, other and unspecified		500-502 Bronchitis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**7**	**16**	**1**	**3**	**11,818**	**12,525**	**1,635**	**1,357**	**9,374**	**10,440**	**140**	**140**	**669**	**588**	**18,997**	**7,488**
0—	—	1	—	—	949	727	37	27	810	609	48	48	54	43	212	152
1—	—	—	—	—	210	168	10	11	167	142	11	8	22	7	63	38
5—	—	—	—	—	57	34	9	2	43	28	2	—	3	4	13	10
10—	—	—	—	—	36	22	4	3	29	14	2	2	1	3	7	1
15—	—	—	—	1	49	19	12	3	35	13	2	1	—	2	6	3
20—	—	—	—	—	22	24	3	7	15	15	2	1	2	1	8	4
25—	—	—	—	—	29	26	5	3	18	21	2	—	4	2	16	6
30—	—	—	—	—	54	31	15	3	32	23	2	1	5	4	18	15
35—	—	—	—	—	71	56	23	9	40	41	2	5	6	1	48	25
40—	—	1	—	—	111	78	27	20	72	48	6	2	6	8	130	47
45—	—	—	—	—	167	115	59	21	93	82	3	6	12	6	308	106
50—	—	—	1	—	315	186	100	36	194	131	8	9	13	10	793	173
55—	—	1	—	—	538	342	136	60	352	259	8	3	42	20	1,764	289
60—	—	1	—	—	771	525	188	101	519	383	7	15	57	26	2,703	539
65—	1	1	—	1	1,111	855	190	138	833	667	12	8	76	42	3,169	791
70—	2	—	—	1	1,592	1,415	263	197	1,235	1,141	9	6	85	71	3,418	1,117
75—	1	2	—	—	1,995	2,235	238	244	1,651	1,873	6	14	100	104	3,092	1,491
80—	1	6	—	—	2,043	2,626	189	244	1,742	2,255	3	6	109	121	2,045	1,375
85 and over	2	3	—	—	1,698	3,041	127	228	1,494	2,695	5	5	72	113	1,184	1,306

Causes of death	500 Acute bronchitis		501 Bronchitis, unqualified		502 Chronic bronchitis		502·0 Bronchitis with emphysema		502·1 Other		510-527 Other diseases of respiratory system		510 Hypertrophy of tonsils and adenoids		511 Peri-tonsillar abscess (quinsy)	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**1,149**	**1,164**	**767**	**712**	**17,081**	**5,612**	**8,998**	**1,682**	**8,083**	**3,930**	**3,397**	**1,507**	**9**	**8**	**4**	**8**
0—	166	120	39	28	7	4	—	—	7	4	42	24	—	—	—	—
1—	45	30	10	7	8	1	1	—	7	1	20	5	—	3	1	—
5—	4	4	5	3	4	3	1	—	3	3	13	8	5	4	—	1
10—	3	1	2	—	2	—	1	—	1	—	7	4	2	—	—	—
15—	3	2	3	—	—	1	—	1	—	—	12	8	—	—	—	—
20—	5	1	1	2	2	1	2	—	—	1	11	7	—	—	—	—
25—	7	—	1	2	8	4	4	1	4	3	17	9	—	1	1	—
30—	4	4	4	3	10	8	6	3	4	5	23	17	1	—	—	—
35—	7	4	2	2	39	19	22	6	17	13	39	18	—	—	—	—
40—	12	4	4	4	114	39	72	14	42	25	49	31	—	—	—	3
45—	20	13	15	12	273	81	176	26	97	55	124	57	—	—	1	—
50—	28	11	18	14	747	148	474	56	273	92	206	66	—	—	—	—
55—	54	27	43	16	1,667	246	1,047	113	620	133	347	70	—	—	—	1
60—	75	43	68	31	2,560	465	1,621	190	939	275	495	123	—	—	1	1
65—	102	81	95	58	2,972	652	1,694	243	1,278	409	574	128	1	—	—	—
70—	142	114	109	83	3,167	920	1,650	310	1,517	610	526	179	—	—	—	—
75—	170	173	122	116	2,800	1,202	1,275	314	1,525	888	441	214	—	—	—	1
80—	178	240	127	141	1,740	994	632	230	1,108	764	279	230	—	—	—	—
85 and over	124	292	99	190	961	824	320	175	641	649	172	309	—	—	—	1

Causes of death	512* 513 Chronic sinusitis		514, 515, 516* 517 Other diseases of upper respiratory tract		518 Empyema		519 Pleurisy		520 Spontaneous pneumo-thorax		521 Abscess of lung		522 Pulmonary congestion and hypostasis		523 Pneumo-coniosis due to silica and silicates (occupa-tional)	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**17**	**9**	**23**	**15**	**66**	**45**	**50**	**54**	**5**	**3**	**55**	**29**	**240**	**414**	**650**	**16**
0—	—	—	4	2	4	4	1	—	—	—	—	—	—	—	—	—
1—	—	—	5	1	—	—	2	—	—	—	1	—	—	—	—	—
5—	1	—	3	1	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	2	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—
20—	2	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—
25—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
30—	2	—	—	—	1	—	—	—	—	—	1	1	—	—	—	—
35—	1	—	—	1	4	2	—	—	1	—	2	—	1	—	1	—
40—	—	—	—	1	1	—	—	—	—	—	2	2	—	—	4	—
45—	2	1	—	1	1	1	1	—	—	1	4	3	1	2	12	—
50—	4	1	3	1	6	—	1	1	1	—	2	1	1	2	46	3
55—	1	1	1	2	8	2	4	2	1	—	3	—	—	1	88	4
60—	1	—	—	—	10	6	—	4	—	—	9	2	3	2	112	3
65—	—	—	—	1	13	10	6	2	—	1	12	4	4	6	144	2
70—	—	2	1	1	5	5	9	8	1	—	6	9	15	13	123	3
75—	—	1	3	2	5	4	13	13	1	1	6	3	47	44	80	1
80—	—	—	1	1	5	7	9	13	—	—	4	1	74	117	32	—
85 and over	—	—	—	—	2	4	4	11	—	—	3	1	94	227	8	—

Causes of death	524 Other specified pneumo-coniosis and pulmonary fibrosis of occupational origin		525 Other chronic interstitial pneumonia		526 Bronchi-ectasis		527 Other diseases of lung and pleural cavity		527·0 Pulmonary collapse (1 year and over)		527·1 Emphysema without mention of bronchitis		527·2 Other		**IX 530-587 Diseases of the digestive system**	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**12**	**3**	**195**	**97**	**1,060**	**543**	**1,009**	**261**	**5**	**8**	**927**	**211**	**77**	**42**	**8,002**	**7,414**
0—	—	—	3	2	2	—	28	16	—	—	6	5	22	11	**400**	**251**
1—	—	—	2	—	2	—	6	—	—	—	—	—	6	—	**98**	**78**
5—	—	—	1	—	2	3	1	—	—	—	—	—	1	—	**44**	**30**
10—	—	—	—	—	3	1	2	1	—	—	—	1	2	—	**32**	**27**
15—	—	—	—	—	8	7	—	—	—	—	—	—	—	—	**35**	**21**
20—	—	—	1	—	8	4	—	1	—	—	—	1	—	—	**33**	**26**
25—	—	—	—	2	9	6	5	—	—	—	2	—	3	—	**35**	**33**
30—	—	—	1	1	16	13	1	2	—	1	1	1	—	—	**64**	**40**
35—	—	—	—	1	20	13	8	1	—	—	6	—	2	1	**118**	**88**
40—	—	—	2	4	29	21	11	—	1	—	10	—	—	—	**158**	**84**
45—	—	1	15	9	49	35	38	3	—	—	33	3	5	—	**280**	**170**
50—	2	—	11	8	71	35	58	14	—	1	53	11	5	2	**481**	**310**
55—	2	1	20	10	102	32	117	14	2	—	110	11	5	3	**770**	**401**
60—	3	1	34	13	156	62	166	29	—	—	159	25	7	4	**812**	**623**
65—	2	—	35	13	184	59	173	29	—	1	170	24	3	4	**1,031**	**844**
70—	1	—	31	15	173	82	161	41	—	3	157	36	4	2	**1,212**	**1,112**
75—	2	—	20	11	123	86	141	46	1	1	135	38	5	7	**1,121**	**1,290**
80—	—	—	16	4	70	51	68	36	1	1	63	30	4	5	**826**	**1,126**
85 and over	—	—	3	4	33	33	25	28	—	—	22	25	3	3	**452**	**860**

* **512** Chronic pharyngitis and nasopharyngitis 1, *65*; **514** Deflected nasal septum 35; **515** Nasal polyp *75*; **516** Chronic laryngitis —.

TABLE 17—*continued*

Causes of death	530-539 Diseases of buccal cavity and oesophagus		530, 531* 532 Other inflammatory diseases of supporting structures of teeth		533 Disorders of occlusion, eruption and tooth development		534, 535, 536* 537 Diseases of salivary glands		538* 539 Diseases of oesophagus		540-545 Diseases of stomach and duodenum		540 Ulcer of stomach		540·0 Without mention of perforation	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**106**	**154**	**1**	**—**	**—**	**1**	**27**	**59**	**65**	**78**	**3,323**	**1,636**	**1,487**	**988**	**1,119**	**760**
0—	6	3	—	—	—	1	1	—	3	1	4	2	1	1	—	1
1—	—	2	—	—	—	—	—	—	—	2	1	2	—	1	—	—
5—	2	—	—	—	—	—	—	—	2	—	—	2	—	1	—	—
10—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
15—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
20—	2	1	—	—	—	—	—	—	—	—	7	4	2	2	1	—
25—	1	—	—	—	—	—	—	—	—	—	12	3	4	2	3	—
30—	—	3	—	—	—	—	—	—	—	1	33	3	12	3	7	1
35—	2	1	—	—	—	—	—	—	2	—	42	17	10	10	7	8
40—	2	2	—	—	—	—	—	—	1	—	66	12	30	7	20	3
45—	2	2	—	—	—	—	—	1	2	—	111	30	41	16	24	9
50—	4	5	—	—	—	—	—	—	3	5	184	60	69	26	54	17
55—	9	5	1	—	—	—	2	—	5	3	352	70	150	29	110	21
60—	6	9	—	—	—	—	—	1	5	7	387	122	174	76	127	59
65—	11	13	—	—	—	—	4	—	5	13	487	177	220	94	169	66
70—	14	16	—	—	—	—	2	7	12	9	565	250	256	158	184	127
75—	22	31	—	—	—	—	7	11	15	18	497	322	238	209	184	166
80—	9	28	—	—	—	—	5	13	3	15	373	338	168	205	133	159
85 and over	13	33	—	—	—	—	6	26	7	4	200	222	112	148	96	123

Causes of death	540·1 With perforation		541 Ulcer of duodenum		541·0 Without mention of perforation		541·1 With perforation		542 Gastro-jejunal ulcer		542·0 Without mention of perforation		542·1 With perforation		543 Gastritis and duodeni tis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**368**	**228**	**1,678**	**552**	**1,031**	**330**	**647**	**222**	**55**	**9**	**33**	**7**	**22**	**2**	**30**	**46**
0—	1	—	1	1	1	1	—	—	—	—	—	—	—	—	1	—
1—	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	1
5—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
15—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
20—	1	2	3	1	2	1	1	—	1	—	—	—	1	—	1	—
25—	1	2	6	1	4	1	2	—	1	—	—	—	1	—	1	—
30—	5	2	18	—	13	—	5	—	1	—	—	—	1	—	—	—
35—	3	2	27	7	15	3	12	4	1	—	—	—	1	—	1	—
40—	10	4	33	5	20	1	13	4	2	—	1	—	1	—	—	—
45—	17	7	66	13	36	7	30	6	—	—	—	—	—	—	1	1
50—	15	9	104	29	71	14	33	15	3	—	2	—	1	—	3	1
55—	40	8	183	35	107	23	76	12	7	—	4	—	3	—	2	3
60—	47	17	192	37	120	17	72	20	10	2	7	1	3	1	1	—
65—	51	28	250	74	153	45	97	29	9	1	6	1	3	—	2	4
70—	72	31	283	77	164	48	119	29	12	4	6	3	6	1	3	6
75—	54	43	239	102	147	55	92	47	4	—	3	—	1	—	6	6
80—	35	46	187	112	120	69	67	43	3	2	3	2	—	—	5	14
85 and over	16	25	84	58	56	45	28	13	1	—	1	—	—	—	2	10

* **530** Dental caries —; **531** Abscesses of supporting structures of teeth —; **534** Toothache from unspecified cause —; **535** Other diseases of teeth and supporting structures 0, 15, 20, 20, 40, 50, 65, *20*, *35*, *40*, *40*, *55*, *55*, *75*; **536** Stomatitis 25, *30*, *85*, *85*; **538** Other diseases of buccal cavity 0, 55, 60, 65, 80, *0*, *30*, *45*, *60*, *75*, *85*.

TABLE 17—*continued*

Causes of death	544 Disorders of function of stomach		545 Other diseases of stomach and duodenum		550-553 Appendicitis		550 Acute appendicitis		550·0 Without mention of peritonitis		550·1 With peritonitis		551 Appendicitis unqualified		552, 553* 560, 561 Hernia of abdominal cavity	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**5**	**8**	**68**	**33**	**367**	**271**	**304**	**225**	**42**	**28**	**262**	**197**	**60**	**45**	**700**	**767**
0—	1	—	—	—	6	—	4	—	—	—	4	—	2	—	78	45
1—	—	—	—	—	11	11	11	11	1	1	10	10	—	—	4	1
5—	—	—	—	1	17	7	16	5	1	2	15	3	1	2	—	1
10—	—	—	—	—	15	9	13	7	3	1	10	6	2	2	—	1
15—	—	—	—	—	11	6	8	6	1	1	7	5	3	—	1	—
20—	—	1	—	—	6	5	4	5	2	1	2	4	2	—	1	1
25—	—	—	—	—	5	3	4	2	—	—	4	2	1	1	2	—
30—	1	—	1	—	6	5	6	3	—	—	6	3	—	2	1	—
35—	—	—	3	—	10	7	7	5	—	—	7	5	3	2	3	5
40—	—	—	1	—	9	6	7	6	—	—	7	6	2	—	5	7
45—	—	—	3	—	22	6	17	6	3	—	14	6	4	—	8	11
50—	—	—	5	4	27	10	19	8	3	1	16	7	8	2	27	28
55—	—	1	10	2	37	15	34	12	4	—	30	12	3	3	37	38
60—	—	1	10	6	37	25	29	21	6	1	23	20	8	4	53	54
65—	—	—	6	4	31	23	25	19	5	2	20	17	5	4	85	83
70—	1	—	10	5	37	35	32	27	3	7	29	20	5	8	104	125
75—	—	1	10	4	35	44	27	40	3	2	24	38	7	4	128	151
80—	2	2	8	3	32	27	29	21	4	2	25	19	3	6	109	126
85 and over	—	2	1	4	13	27	12	21	3	7	9	14	1	5	54	90

Causes of death	560 Hernia of abdominal cavity without mention of obstruction		560·0 Inguinal		560·1 Femoral		560·2 Umbilical		560·3 Ventral (incisional)		560·4; 5 Others included under 560		561 Hernia of abdominal cavity with obstruction		561·0 Inguinal	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**217**	**201**	**55**	**7**	**5**	**17**	**26**	**26**	**10**	**5**	**121**	**146**	**483**	**566**	**301**	**78**
0—	66	43	1	—	—	—	19	18	—	—	46	25	12	2	9	—
1—	1	—	—	—	—	—	—	—	—	—	1	—	3	1	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
10—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—
15—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
20—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	—
25—	1	—	—	—	—	—	—	—	—	—	1	—	1	—	1	—
30—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
35—	1	1	—	—	—	1	—	—	—	—	1	—	2	4	1	1
40—	2	1	—	1	—	—	—	—	1	—	1	—	3	6	1	1
45—	5	3	3	—	—	1	—	—	—	1	2	1	3	8	1	3
50—	15	3	7	1	—	—	1	—	1	—	6	2	12	25	6	3
55—	11	9	4	—	—	—	1	2	1	—	5	7	26	29	20	2
60—	17	7	6	—	—	1	—	—	2	—	9	6	36	47	18	5
65—	23	22	8	—	2	3	2	2	1	—	10	17	62	61	35	10
70—	16	32	5	2	1	4	1	1	1	2	8	23	88	93	54	15
75—	29	31	13	1	1	5	—	—	—	2	15	23	99	120	55	12
80—	22	28	6	1	1	1	—	—	3	—	12	26	87	98	60	16
85 and over	6	20	2	1	—	1	1	3	—	—	3	15	48	70	39	10

* **552** Other appendicitis 45, 65, *85*; **553** Other diseases of appendix 75.

TABLE 17—*continued*

Causes of death	561·1 Femoral		561·2 Umbilical		561·3 Ventral (incisional)		561·4; 5 Others included under 561		570-578 Other diseases of intestines and peritoneum		570 Intestinal obstruction without mention of hernia		570·0 Intus-susception		570·1 Paralytic ileus	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**62**	**259**	**30**	**75**	**36**	**80**	**54**	**74**	**1,947**	**2,498**	**752**	**832**	**31**	**25**	**13**	**12**
0—	—	—	1	1	—	—	2	1	224	147	37	19	16	13	—	—
1—	—	—	—	—	—	—	3	1	68	39	10	3	6	2	—	—
5—	—	1	—	—	—	—	—	—	11	8	3	3	2	2	—	—
10—	—	—	—	—	—	—	—	—	8	7	4	—	1	—	—	—
15—	—	—	—	—	—	—	—	—	16	9	4	1	—	—	—	—
20—	—	—	—	—	—	—	—	1	13	7	1	1	—	—	—	—
25—	—	—	—	—	—	—	—	—	11	21	1	4	—	1	—	—
30—	—	—	—	—	—	—	—	—	13	15	5	1	—	—	—	—
35—	—	1	1	—	—	1	—	1	30	29	11	8	—	1	—	—
40—	1	4	1	1	—	—	—	—	33	36	11	11	—	—	—	—
45—	—	2	1	1	1	1	—	1	59	52	17	17	—	—	—	1
50—	1	11	1	5	—	3	4	3	96	96	29	35	1	—	2	2
55—	2	13	1	6	1	6	2	2	167	123	67	48	—	—	—	1
60—	4	25	3	8	3	5	8	4	136	183	70	55	1	—	2	1
65—	9	20	5	11	7	10	6	10	219	285	106	90	—	—	3	1
70—	13	37	6	20	4	10	11	11	299	357	130	135	2	3	1	—
75—	18	61	4	13	11	19	11	15	263	443	123	162	1	1	3	1
80—	11	49	4	4	6	17	6	12	176	353	78	125	1	1	2	3
85 and over	3	35	2	5	3	8	1	12	105	288	45	114	—	1	—	2

Causes of death	570·2 Mesenteric infarction		570·3 Volvulus		570·4 Impaction of intestine		570·5 Others included under 570		571 Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over		572 Chronic enteritis and ulcerative colitis		572·0 Regional enteritis		572·1 Diverticulitis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**242**	**323**	**168**	**161**	**40**	**56**	**258**	**255**	**382**	**439**	**603**	**996**	**36**	**46**	**391**	**676**
0—	5	—	9	4	2	—	5	2	178	119	1	2	—	—	—	—
1—	—	1	2	—	—	—	2	—	57	34	1	—	—	—	—	—
5—	—	—	—	—	—	—	1	1	6	5	1	—	—	—	—	—
10—	—	—	1	—	1	—	1	—	2	3	1	3	—	—	—	—
15—	1	—	1	1	—	—	2	—	2	1	7	7	2	—	—	—
20—	—	—	—	—	—	—	1	1	—	—	12	4	3	—	—	—
25—	—	—	1	2	—	—	—	1	2	4	8	13	2	4	2	1
30—	—	—	1	—	1	—	3	1	2	3	5	10	—	2	—	—
35—	3	3	2	4	—	—	6	—	2	2	16	13	6	1	3	2
40—	4	5	—	2	1	—	6	4	4	3	16	18	2	1	6	6
45—	6	8	1	4	1	—	9	4	5	5	32	26	2	1	12	8
50—	11	14	8	4	2	1	5	14	7	8	43	42	1	10	24	10
55—	29	16	14	13	2	1	22	17	10	16	62	46	4	5	41	22
60—	32	20	9	12	1	6	25	16	4	14	50	86	3	4	38	54
65—	43	40	26	13	5	7	29	29	5	25	75	145	2	7	55	103
70—	34	46	34	30	9	12	50	44	21	32	117	158	8	2	87	125
75—	46	81	24	36	7	10	42	33	25	52	82	193	1	6	64	150
80—	17	45	17	18	6	8	35	50	29	58	48	135	—	2	39	114
85 and over	11	44	18	18	2	11	14	38	21	55	26	95	—	1	20	81

TABLE 17—*continued*

Causes of death	572·2 Ulcerative colitis		572·3 Other		573 Functional disorders of intestines		574* 575 Abscess of anal and rectal regions		576 Peritonitis		577 Peritoneal adhesion		578 Other diseases of intestines and peritoneum		580-587 Diseases of liver, gallbladder and pancreas	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**172**	**258**	**4**	**16**	**10**	**17**	**11**	**7**	**50**	**45**	**7**	**6**	**131**	**155**	**1,559**	**2,088**
0—	1	2	—	—	—	—	1	—	1	4	—	—	6	3	82	54
1—	1	—	—	—	—	—	—	—	—	—	—	—	—	2	14	23
5—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	14	12
10—	1	3	—	—	—	—	—	—	1	1	—	—	—	—	8	10
15—	5	7	—	—	—	—	—	—	2	—	—	—	1	—	5	6
20—	9	4	—	—	—	—	—	—	—	1	—	—	—	1	4	8
25—	4	8	—	—	—	—	—	—	—	—	—	—	—	—	4	6
30—	5	8	—	—	—	—	—	—	1	—	—	—	—	1	11	14
35—	7	9	—	1	—	—	—	—	1	1	—	1	—	4	31	29
40—	8	11	—	—	—	—	—	—	—	—	—	—	2	4	43	21
45—	18	17	—	—	1	—	—	—	2	2	1	—	1	2	78	69
50—	18	21	—	1	—	—	—	—	6	2	—	2	11	7	143	111
55—	17	19	—	—	1	1	2	1	6	3	1	—	18	8	168	150
60—	9	28	—	—	2	3	—	1	1	5	—	1	9	18	193	230
65—	18	35	—	—	—	2	4	1	8	4	2	1	19	16	198	263
70—	22	29	—	2	2	1	1	—	5	5	—	—	23	26	193	329
75—	14	32	3	5	—	3	1	2	12	8	2	1	17	22	176	299
80—	9	16	—	3	1	5	1	—	4	4	1	—	14	26	127	254
85 and over	5	9	1	4	2	2	1	2	—	5	—	—	10	15	67	200

Causes of death	580 Acute and subacute yellow atrophy of liver		581 Cirrhosis of liver		582 Suppurative hepatitis and liver abscess		583 Other diseases of liver		584 Cholelithiasis		585 Cholecystitis and cholangitis, without mention of calculi		586 Other diseases of gallbladder and biliary ducts		587 Diseases of pancreas	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**40**	**52**	**685**	**587**	**20**	**12**	**55**	**58**	**235**	**518**	**160**	**393**	**43**	**89**	**321**	**379**
0—	3	1	1	3	—	1	3	4	—	—	1	—	—	—	74	45
1—	1	1	2	2	—	—	—	—	—	—	—	—	—	—	11	20
5—	1	—	3	—	—	—	1	—	—	—	—	—	—	—	9	12
10—	1	—	3	2	—	—	1	—	—	—	—	—	—	1	3	7
15—	1	1	1	4	—	—	—	—	—	—	—	—	—	—	3	1
20—	—	—	1	5	1	—	1	—	—	1	1	—	—	—	—	2
25—	2	3	1	1	—	—	—	—	—	—	1	—	—	—	—	2
30—	—	3	6	6	—	—	—	—	—	—	1	2	—	—	4	3
35—	—	3	19	12	—	—	2	—	2	7	1	1	—	1	7	5
40—	1	2	30	7	1	—	4	1	3	3	—	3	1	3	3	2
45—	1	9	54	29	2	1	2	6	6	4	2	3	—	6	11	11
50—	2	4	97	53	4	1	2	8	15	19	5	7	4	6	14	13
55—	8	6	92	79	4	—	8	3	14	23	10	11	4	11	28	17
60—	4	2	108	93	3	—	5	4	23	52	14	26	6	9	30	44
65—	3	3	97	95	3	—	8	6	30	58	23	36	3	10	31	55
70—	5	8	81	88	1	5	3	11	36	87	26	71	10	13	31	46
75—	4	5	51	61	—	2	4	3	43	99	32	74	10	7	32	48
80—	2	1	28	35	—	2	6	8	40	84	27	85	3	10	21	29
85 and over	1	—	10	12	1	—	5	4	23	81	16	74	2	12	9	17

* **574** Anal fissure and fistula 75, *65*.

TABLE 17—*continued*

Causes of death	587·0 Acute pancreatitis		587·1 Chronic pancreatitis		587·2 Other diseases of pancreas		X 590-637 Diseases of the genito-urinary system		590-594 Nephritis and nephrosis		590 Acute nephritis		591 Nephritis with oedema including nephrosis		592 Chronic nephritis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**191**	**244**	**16**	**36**	**114**	**99**	**6,821**	**3,725**	**2,005**	**1,709**	**99**	**62**	**149**	**120**	**1,529**	**1,347**
0—	1	—	—	—	73	45	**37**	**19**	9	9	7	4	2	4	—	—
1—	—	1	—	—	11	19	**18**	**16**	11	10	3	3	5	7	2	—
5—	—	—	—	—	9	12	**24**	**18**	20	12	8	2	9	1	3	9
10—	1	—	—	—	2	7	**29**	**20**	21	15	4	4	5	2	10	8
15—	1	1	—	—	2	—	**38**	**30**	34	22	7	1	4	1	20	19
20—	—	2	—	—	—	—	**61**	**37**	53	31	4	3	7	2	40	24
25—	—	2	—	—	—	—	**73**	**47**	63	30	3	1	7	6	52	22
30—	4	3	—	—	—	—	**70**	**55**	54	32	3	2	3	2	45	27
35—	4	4	2	—	1	1	**127**	**79**	102	48	5	7	12	3	79	35
40—	3	2	—	—	—	—	**103**	**91**	81	48	8	3	10	2	61	39
45—	7	4	3	5	1	2	**173**	**157**	127	85	6	3	11	8	101	67
50—	13	11	1	1	—	1	**246**	**202**	159	91	9	2	9	7	121	67
55—	25	14	1	2	2	1	**342**	**273**	199	154	4	7	12	14	159	118
60—	27	38	—	5	3	1	**436**	**352**	193	172	4	6	15	11	156	137
65—	29	53	2	2	—	—	**647**	**430**	207	192	9	—	14	20	159	153
70—	23	39	3	4	5	3	**979**	**495**	194	203	4	5	11	10	147	164
75—	29	36	2	8	1	4	**1,248**	**550**	214	231	6	2	8	12	174	186
80—	18	20	1	7	2	2	**1,227**	**478**	156	179	4	1	4	6	115	156
85 and over	6	14	1	2	2	1	**943**	**376**	108	145	1	6	1	2	85	116

Causes of death	593 Nephritis not specified as acute or chronic		594 Other renal sclerosis		600-609 Other diseases of urinary system		600 Infections of kidney		600·0 Pyelitis, pyelocystitis and pyelo-nephritis		600·1 Abscess of kidney and perirenal tissue		600·2 Other		601 Hydro-nephrosis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**215**	**168**	**13**	**12**	**1,459**	**1,829**	**907**	**1,288**	**868**	**1,255**	**24**	**24**	**15**	**9**	**67**	**80**
0—	—	1	—	—	26	10	16	7	15	5	1	2	—	—	2	1
1—	1	—	—	—	7	6	4	4	4	3	—	1	—	—	1	2
5—	—	—	—	—	4	6	3	4	3	4	—	—	—	—	1	2
10—	—	1	2	—	8	5	3	4	3	4	—	—	—	—	2	—
15—	1	1	2	—	4	8	3	7	3	7	—	—	—	—	1	1
20—	2	2	—	—	8	6	5	3	5	3	—	—	—	—	—	—
25—	1	—	—	1	10	15	7	11	6	11	—	—	1	—	1	1
30—	3	1	—	—	15	17	11	11	10	10	1	1	—	—	2	—
35—	6	3	—	—	23	21	12	14	12	14	—	—	—	—	3	1
40—	2	4	—	—	20	33	13	20	13	20	—	—	—	—	—	3
45—	9	5	—	2	42	63	25	38	24	37	1	1	—	—	2	7
50—	20	14	—	1	72	90	43	67	39	65	4	1	—	1	5	3
55—	21	15	3	—	86	104	54	78	50	74	2	3	2	1	8	2
60—	18	17	—	1	110	166	70	128	67	126	2	2	1	—	5	6
65—	24	19	1	—	168	219	104	164	100	160	3	3	1	1	10	7
70—	31	24	1	—	227	266	144	191	137	185	4	4	3	2	11	11
75—	25	25	1	6	241	300	148	209	146	203	—	3	2	3	3	17
80—	30	15	3	1	225	280	138	194	133	191	4	3	1	—	9	9
85 and over	21	21	—	—	163	214	104	134	98	133	2	—	4	1	1	7

TABLE 17—*continued*

Causes of death	602 Calculi of kidney and ureter		603 Other diseases of kidney and ureter		604 Calculi of other parts of urinary system		605 Cystitis		606 Other diseases of bladder		607* 608 Stricture of urethra		609 Other diseases of urethra		610-617 Diseases of male genital organs
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M
All ages	**130**	**134**	**35**	**44**	**38**	**11**	**139**	**190**	**55**	**26**	**46**	**6**	**38**	**49**	**3,356**
0—	—	—	6	2	—	—	1	—	1	—	—	—	—	—	2
1—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	1	—	—	1	—	—	—	—	—	—	1	—	1	—	—
15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20—	1	1	—	—	—	1	—	—	—	—	2	—	—	1	—
25—	2	1	—	2	—	—	—	—	—	—	—	—	—	—	—
30—	1	4	—	1	—	—	—	1	—	—	1	—	—	—	1
35—	7	3	—	—	—	—	—	—	—	1	—	2	1	—	2
40—	6	4	—	3	—	1	—	1	1	—	—	1	—	—	2
45—	7	11	3	2	—	—	4	1	—	3	1	—	—	1	4
50—	11	7	—	3	1	1	6	5	3	2	3	—	—	2	15
55—	9	12	4	2	1	1	3	7	4	1	3	—	—	1	56
60—	15	12	2	5	3	1	6	11	3	1	3	—	3	2	133
65—	17	14	5	6	2	2	14	18	6	3	4	—	5	5	272
70—	23	21	5	6	8	2	18	24	7	7	7	—	4	4	558
75—	15	19	5	6	12	—	31	34	10	3	10	1	5	11	793
80—	8	15	1	2	6	1	31	41	15	3	8	2	8	13	846
85 and over	7	10	3	3	5	1	24	47	5	2	3	—	11	9	672

Causes of death	610 Hyperplasia of prostate	611 Prostatitis	612 Other diseases of prostate	613-616* 617 Other diseases of male genital organs	620-626 Diseases of breast, ovary, Fallopian tube and parametrium		620-623* 624 Salpingitis and oophoritis, unqualified	625* 626 Diseases of parametrium and pelvic peritoneum (female)	630-637 Diseases of uterus and other female genital organs
Ages at death	M	M	M	M	M	F	F	F	F
All ages	**3,259**	**55**	**15**	**16**	**1**	**34**	**14**	**9**	**153**
0—	—	1	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—
20—	—	—	—	—	—	—	—	—	—
25—	—	—	—	—	—	1	1	—	1
30—	—	—	—	1	—	1	1	—	5
35—	—	1	—	—	—	6	3	—	4
40—	1	—	—	1	—	3	3	—	7
45—	1	1	—	1	—	1	1	—	8
50—	14	—	1	—	—	2	—	1	19
55—	51	3	1	—	1	4	1	1	11
60—	123	8	—	2	—	2	2	—	12
65—	263	3	4	2	—	2	1	1	17
70—	546	7	1	4	—	6	1	3	20
75—	771	11	4	4	—	1	—	1	18
80—	831	11	2	—	—	3	—	1	16
85 and over	658	9	2	1	—	2	—	1	15

* **607** Urethritis (non-venereal) 65, 75, 75, 80, *85*; **613** Hydrocele 85; **614** Orchitis and epididymitis 45, 55; **615** Redundant prepuce and phimosis 0, 35, 75, 75, 75, 80, 85; **616** Sterility, male 80; **620** Chronic cystic disease of breast —; **621** Other diseases of breast 55, *70*, *70*; **622** Acute salpingitis and oopharitis *35*, *55*, *80*, *85*; **623** Chronic salpingitis and oopharitis *35*, *50*; **625** Other diseases of ovary and Fallopian tube *35*, *55*, *80*.

TABLE 17—*continued*

Causes of death	630 Infective disease of uterus, vagina and vulva	631 Utero-vaginal prolapse	632* 633 Other diseases of uterus	634 Disorders of menstruation	635, 636, 637* XI 640-689 Deliveries and complications of pregnancy, childbirth and the puerperium	640-649 Complications of pregnancy	640, 641* 642 Toxaemias of pregnancy	643, 644* 645 Ectopic pregnancy
Ages at death	F	F	F	F	F	F	F	F
All ages	**9**	**103**	**19**	**14**	**310**	**99**	**60**	**17**
0—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—
15—	—	—	—	—	**13**	6	6	—
20—	—	—	—	—	**49**	19	12	2
25—	1	—	—	—	**73**	24	14	5
30—	—	1	—	3	**79**	23	13	7
35—	—	—	3	1	**69**	22	12	2
40—	—	5	1	1	**24**	5	3	1
45—	—	3	2	2	**3**	—	—	—
50—	1	9	4	3	—	—	—	—
55—	—	8	1	2	—	—	—	—
60—	—	10	1	1	—	—	—	—
65—	1	11	2	—	—	—	—	—
70—	1	19	—	—	—	—	—	—
75—	1	16	—	—	—	—	—	—
80—	1	12	3	—	—	—	—	—
85 and over	3	9	2	1	—	—	—	—

Causes of death	646, 647* 648 Other complications arising from pregnancy	650-652 Abortion	650 Abortion without mention of sepsis or toxaemia	651 Abortion with sepsis	652, 660* 670-678 Delivery with specified complication	670 Delivery complicated by placenta praevia or antepartum haemorrhage	671 Delivery complicated by retained placenta	672 Delivery complicated by other postpartum haemorrhage
Ages at death	F	F	F	F	F	F	F	F
All ages	**18**	**62**	**23**	**33**	**105**	**24**	**7**	**12**
0—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—
15—	—	3	—	3	4	—	1	2
20—	3	12	4	8	8	—	1	1
25—	4	18	8	6	23	6	2	2
30—	2	13	6	6	31	7	1	5
35—	8	11	4	6	26	4	2	2
40—	1	4	1	3	12	6	—	—
45—	—	1	—	1	1	1	—	—
50—	—	—	—	—	—	—	—	—
55—	—	—	—	—	—	—	—	—
60—	—	—	—	—	—	—	—	—
65—	—	—	—	—	—	—	—	—
70—	—	—	—	—	—	—	—	—
75—	—	—	—	—	—	—	—	—
80—	—	—	—	—	—	—	—	—
85 and over	—	—	—	—	—	—	—	—

* **632** Malposition of uterus *30, 65*; **635** Menopausal symptoms *45*; **636** Sterility, female —; **637** Other diseases of female genital organs *50, 50, 65, 65, 75*; **640** Pyelitis and pyelonephritis of pregnancy *25*; **641** Other infections of genito-urinary tract during pregnancy —; **643** Placenta praevia —; **644** Other haemorrhage of pregnancy *20*; **646** Anaemia of pregnancy *20, 30*; **647** Pregnancy with malposition of foetus in uterus —; **652** Abortion with toxaemia, without mention of sepsis *25, 25, 25, 25, 30, 35*; **660** Delivery without mention of complication *20, 30, 35*.

TABLE 17—*continued*

Causes of death	673* 674 Delivery complicated by disproportion or malposition of foetus	675 Delivery complicated by prolonged labour of other origin	676* 677 Delivery with other trauma	678 Delivery with other complications of childbirth	680-689 Complications of the puerperium	680* 681 Sepsis of childbirth and the puerperium	682 Puerperal phlebitis and thrombosis	683* 684 Puerperal pulmonary embolism
Ages at death	F	F	F	F	F	F	F	F
All ages	**10**	**14**	**16**	**20**	**41**	**7**	**19**	**8**
0—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—
15—	—	—	—	1	—	—	—	—
20—	1	1	1	3	9	1	3	3
25—	3	3	1	5	8	—	5	2
30—	3	5	4	5	11	3	5	1
35—	2	4	7	5	9	3	4	1
40—	1	1	3	1	3	—	2	1
45—	—	—	—	—	1	—	—	—
50—	—	—	—	—	—	—	—	—
55—	—	—	—	—	—	—	—	—
60—	—	—	—	—	—	—	—	—
65—	—	—	—	—	—	—	—	—
70—	—	—	—	—	—	—	—	—
75—	—	—	—	—	—	—	—	—
80—	—	—	—	—	—	—	—	—
85 and over	—	—	—	—	—	—	—	—

Causes of death	685-689* XII 690-716 Diseases of the skin and cellular tissue		690-698 Infections of skin and subcutaneous tissue		690 Boil and carbuncle		691* 692 Other cellulitis and abscess without mention of lymphangitis		693-697* 698 Other local infections of skin and subcutaneous tissue		700-716 Other diseases of skin and subcutaneous tissue		700* 701 Eczema		702, 703* 704 Pemphigus	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**170**	**294**	**72**	**88**	**21**	**13**	**45**	**59**	**5**	**10**	**98**	**206**	**5**	**6**	**29**	**31**
0—	**7**	**3**	4	2	—	—	3	—	1	2	3	1	2	1	1	—
1—	**3**	**1**	2	1	—	—	1	—	1	1	1	—	—	—	—	—
5—	**1**	**2**	—	—	—	—	—	—	—	—	1	2	—	—	—	—
10—	**4**	**1**	3	—	2	—	1	—	—	—	1	1	—	—	—	—
15—	**1**	**1**	—	1	—	—	—	1	—	—	1	—	—	—	—	—
20—	**2**	**1**	—	—	—	—	—	—	—	—	2	1	—	—	—	—
25—	**1**	**4**	—	1	—	—	—	1	—	—	1	3	—	—	—	—
30—	**4**	**2**	—	1	—	—	—	1	—	—	4	1	1	—	1	—
35—	**4**	**11**	3	2	1	1	1	—	1	1	1	9	—	—	—	—
40—	**2**	**4**	—	1	—	1	—	—	—	—	2	3	—	—	—	—
45—	**2**	**9**	1	2	1	—	—	2	—	—	1	7	—	—	—	1
50—	**6**	**12**	4	3	2	—	2	2	—	—	2	9	—	—	—	—
55—	**13**	**22**	7	4	1	—	6	3	—	1	6	18	1	1	—	4
60—	**5**	**22**	3	7	—	1	3	4	—	1	2	15	—	—	1	3
65—	**17**	**34**	9	13	3	—	5	9	1	2	8	21	—	—	2	6
70—	**25**	**25**	8	8	2	2	5	6	—	—	17	17	—	1	8	2
75—	**23**	**44**	8	17	4	3	4	13	—	1	15	27	1	2	5	7
80—	**30**	**50**	14	17	4	4	10	11	—	1	16	33	—	—	6	5
85 and over	**20**	**46**	6	8	1	1	4	6	1	—	14	38	—	1	5	3

* **673** Delivery complicated by abnormality of bony pelvis *25, 30*; **676** Delivery with laceration of perineum, without mention of other laceration —; **680** Puerperal urinary infection without other sepsis *20*; **683** Pyrexia of unknown origin during the puerperium —; **685** Puerperal eclampsia *30, 30*; **686** Other forms of puerperal toxaemia *25*; **687** Cerebral haemorrhage in the puerperium *20, 45*; **688** Other and unspecified complications of the puerperium *35*; **689** Mastitis and other disorders of lactation —; **691** Cellulitis of finger and toe 70, *50, 60, 65, 80*; **693** Other cellulitis and abscess with lymphangitis —; **694** Acute lymphademitis —; **695** Impetigo *65, 85*; **696** Infectious warts —; **697** Molluscum contagiosum —; **700** Seborrhoeic dermatitis *80*; **702** Occupational dermatitis 30; **703** other dermatitis *50, 70, 80, 85*.

TABLE 17—*continued*

Causes of death	705 Erythematous conditions		706-709* 710 Other hypertrophic and atrophic conditions of skin		711-714* 715 Chronic ulcer of skin		716* XIII 720-749 Diseases of the bones and organs of movement		720-727 Arthritis and rheumatism except rheumatic fever		720 Acute arthritis due to pyogenic organisms		721* 722 Rheumatoid arthritis and allied conditions		722·0 Rheumatoid arthritis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**21**	**26**	**18**	**55**	**19**	**74**	**661**	**1,334**	**388**	**1,066**	**8**	**18**	**252**	**799**	**225**	**791**
0—	—	—	—	—	—	—	21	11	1	—	1	—	—	—	—	—
1—	1	—	—	—	—	—	4	6	1	—	—	—	1	—	1	—
5—	1	1	—	1	—	—	3	4	—	1	—	—	—	—	—	—
10—	1	1	—	—	—	—	9	5	—	1	—	—	—	1	—	1
15—	1	—	—	—	—	—	17	3	1	—	1	—	—	—	—	—
20—	1	1	1	—	—	—	4	1	—	1	—	—	—	—	—	—
25—	1	—	—	3	—	—	5	6	2	3	—	—	2	2	2	2
30—	—	—	—	1	—	—	4	1	—	—	—	—	—	—	—	—
35—	—	3	1	5	—	—	11	1	5	1	—	—	4	1	1	1
40—	—	1	2	2	—	—	15	10	9	2	—	—	9	2	6	2
45—	—	1	—	4	1	1	16	22	6	18	—	—	3	17	1	14
50—	—	1	—	7	1	—	40	29	22	23	1	1	16	20	13	20
55—	1	4	4	7	—	1	56	66	37	57	1	2	30	52	25	52
60—	1	2	—	8	—	2	65	118	44	93	1	2	33	77	30	76
65—	2	2	4	8	—	4	71	128	46	106	2	5	37	89	33	88
70—	4	2	4	5	1	4	92	196	62	151	—	3	40	120	37	120
75—	1	1	1	3	5	13	115	276	75	233	1	1	47	182	47	181
80—	3	3	—	—	7	21	67	239	44	207	—	2	21	137	20	136
85 and over	3	3	1	1	4	28	46	212	33	169	—	2	9	99	9	98

Causes of death	722·1 Spondylitis ankylopoietica		723 Osteoarthritis (arthrosis) and allied conditions		724, 725* 726 Muscular rheumatism		727* 730-738 Osteomyelitis and other diseases of bone and joint		730 Osteomyelitis and periostitis		731 Osteitis deformans		732* 733 Other diseases of bone		734* 735 Displacement of intervertebral disc	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**26**	**7**	**120**	**226**	**3**	**6**	**148**	**195**	**38**	**27**	**68**	**83**	**27**	**68**	**10**	**6**
0—	—	—	—	—	—	—	7	4	4	2	—	—	3	2	—	—
1—	—	—	—	—	—	—	—	3	—	2	—	—	—	1	—	—
5—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—
10—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
20—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
25—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
30—	—	—	—	—	—	—	3	—	3	—	—	—	—	—	—	—
35—	3	—	—	—	1	—	3	—	2	—	—	—	—	—	1	—
40—	3	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—
45—	2	3	3	—	—	1	2	1	2	—	—	—	—	—	—	1
50—	3	—	4	1	1	1	5	1	1	1	—	—	1	—	1	—
55—	5	—	6	3	—	—	10	5	4	5	4	—	—	—	2	—
60—	3	1	8	11	1	1	11	14	5	4	3	5	3	2	—	2
65—	3	1	6	11	—	1	18	18	4	4	6	8	2	3	5	—
70—	3	—	20	23	—	1	20	38	5	4	11	19	3	14	1	—
75—	—	1	27	45	—	—	35	40	4	1	24	22	7	14	—	1
80—	1	—	23	64	—	1	20	30	1	—	13	15	6	10	—	2
85 and over	—	1	23	67	—	—	11	38	1	2	7	14	2	21	—	—

*** 706** Psoriasis and similar disorders 30, 50, 75, 75, *35*, *65*, *70*, *75*; **707** Lichen planus —; **708** Pruritus and related conditions *85*; **709** Corns and callosities —; **711** Other dermatoses *55*; **712** Diseases of nail *80*; **713** Diseases of hair and hair follicles —; **714** Diseases of sweat and sebaceous glands 85, *70*; **716** Other diseases of skin *80*; **721** Acute non-pyogenic arthritis —; **724** Other specified forms of arthritis 65, *5*, *60*, *70*, *75*, *75*; **725** Arthritis, unspecified 60, 70, 70, 85, *60*, *70*, *70*, *70*, *75*, *75*, *75*, *80*, *80*, *80*, *85*; **727** Rheumatism, unspecified *25*; **732** Osteochondrosis *80*; **734** Internal derangement of knee joint 50, 65, *75*.

TABLE 17—*continued*

Causes of death	736, 737, 738* 740-749 Other diseases of musculoskeletal system		740-743* 744 Other diseases of muscle, tendon and fascia		745 Curvature of spine		746-749* XIV 750-759 Congenital malformations		750 Monstrosity		751 Spina bifida and meningocele		752 Congenital hydrocephalus		753 Other congenital malformations of nervous system and sense organs	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**125**	**73**	**104**	**57**	**14**	**11**	**2,696**	**2,426**	**80**	**110**	**294**	**399**	**245**	**299**	**83**	**78**
0—	13	7	12	6	1	—	1,852	1,697	76	110	276	378	203	248	39	39
1—	3	3	3	1	—	1	185	168	2	—	9	13	29	34	18	14
5—	3	2	1	2	2	1	70	79	1	—	2	4	5	8	6	9
10—	8	4	8	4	—	—	59	49	—	—	1	1	4	3	1	4
15—	16	2	16	2	—	—	60	33	—	—	1	1	—	1	9	—
20—	4	—	4	—	—	—	36	35	—	—	2	1	1	2	1	2
25—	2	3	2	3	—	—	27	22	—	—	1	1	—	—	1	—
30—	1	1	1	1	—	—	27	17	1	—	—	—	1	—	1	1
35—	3	—	3	—	—	—	33	28	—	—	—	—	1	2	2	1
40—	5	7	4	6	1	1	43	31	—	—	1	—	—	—	1	1
45—	8	3	6	3	1	—	53	59	—	—	—	—	1	1	2	3
50—	13	5	11	4	—	—	47	64	—	—	—	—	—	—	1	2
55—	9	4	9	4	—	—	56	39	—	—	—	—	—	—	—	1
60—	10	11	8	9	1	—	45	24	—	—	—	—	—	—	—	1
65—	7	4	6	2	1	1	26	32	—	—	—	—	—	—	—	—
70—	10	7	6	5	3	2	32	24	—	—	—	—	—	—	—	—
75—	5	3	3	3	2	—	24	11	—	—	1	—	—	—	1	—
80—	3	2	1	2	1	—	13	7	—	—	—	—	—	—	—	—
85 and over	2	5	—	—	1	5	8	7	—	—	—	—	—	—	—	—

Causes of death	754 Congenital malformations of circulatory system		755 Cleft palate and harelip		756 Congenital malformations of digestive system		756·0 Congenital hypertrophic pyloric stenosis		756·1 Imperforate anus		756·2 Other		757 Congenital malformations of genito-urinary system		757·1 Polycystic disease of kidney	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**1,161**	**1,009**	**5**	**5**	**295**	**167**	**31**	**5**	**21**	**9**	**243**	**153**	**307**	**185**	**152**	**131**
0—	747	612	4	5	219	135	30	5	20	9	169	121	122	39	23	10
1—	83	84	1	—	16	10	1	—	1	—	14	10	14	6	—	—
5—	42	48	—	—	8	4	—	—	—	—	8	4	3	—	—	—
10—	44	35	—	—	3	1	—	—	—	—	3	1	3	5	—	3
15—	41	27	—	—	1	—	—	—	—	—	1	—	7	3	1	2
20—	21	24	—	—	3	1	—	—	—	—	3	1	7	3	1	—
25—	16	16	—	—	2	2	—	—	—	—	2	2	6	1	2	—
30—	19	16	—	—	—	—	—	—	—	—	—	—	5	—	4	—
35—	18	16	—	—	—	—	—	—	—	—	—	—	11	4	11	3
40—	15	16	—	—	3	—	—	—	—	—	3	—	18	11	17	9
45—	24	27	—	—	1	4	—	—	—	—	1	4	25	22	24	21
50—	19	25	—	—	2	—	—	—	—	—	2	—	19	33	18	31
55—	20	19	—	—	3	1	—	—	—	—	3	1	24	17	18	17
60—	22	8	—	—	5	2	—	—	—	—	5	2	12	11	10	11
65—	9	14	—	—	3	—	—	—	—	—	3	—	10	14	8	13
70—	13	13	—	—	8	2	—	—	—	—	8	2	8	9	6	5
75—	4	4	—	—	10	3	—	—	—	—	10	3	7	2	4	2
80—	3	3	—	—	5	1	—	—	—	—	5	1	3	3	2	3
85 and over	1	2	—	—	3	1	—	—	—	—	3	1	3	2	3	1

*** 736** Affection of sacro-iliac joint —; **737** Ankylosis of joint —; **738** Other diseases of joint 40, 50, 85, *60*, *65*, *65*, *65*, *70*, *75*, *80*, *80*, *85*; **740** Bunion 45, *60*; **741** Synovitis, bursitis, and tenosynovitis without mention of occupational origin 70, 80, *50*; **742** Synovitis, bursitis, and tenosynovitis of occupational origin —; **743** Infective myositis and other inflammatory diseases of tendon and fascia 50; **746** Flat foot —; **747** Hallux valgus and varus 60, 85, *60*; **748** Clubfoot 50; **749** Other deformities *1*, *65*.

TABLE 17—*continued*

Causes of death	757·0; 2; 3 Others included under 757		758 Congenital malformations of bone and joint		759 Other and unspecified congenital malformations not elsewhere classified		XV **760-776‡** Certain diseases of early infancy		760·5-773·5 With immaturity		760-769 Birth injuries, asphyxia and infections of newborn		760 Intracranial and spinal injury at birth		761 Other birth injury	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**155**	**54**	**33**	**27**	**193**	**147**	**5,698**	**3,822**	**1,986**	**1,315**	**3,356**	**2,123**	**902**	**516**	**250**	**157**
0—	99	29	19	18	147	113	**5,695**	**3,821**	1,986	1,315	3,355	2,123	902	516	250	157
1—	14	6	3	2	10	5	1	—	—	—	1	—	—	—	—	—
5—	3	—	1	2	2	4	1	1	—	—	—	—	—	—	—	—
10—	3	2	—	—	3	—	1	—	—	—	—	—	—	—	—	—
15—	6	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—
20—	6	3	1	—	—	2	—	—	—	—	—	—	—	—	—	—
25—	4	1	1	1	—	1	—	—	—	—	—	—	—	—	—	—
30—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
35—	—	1	1	—	—	5	—	—	—	—	—	—	—	—	—	—
40—	1	2	2	1	3	2	—	—	—	—	—	—	—	—	—	—
45—	1	1	—	1	—	1	—	—	—	—	—	—	—	—	—	—
50—	1	2	1	1	5	3	—	—	—	—	—	—	—	—	—	—
55—	6	—	1	—	8	1	—	—	—	—	—	—	—	—	—	—
60—	2	—	2	—	4	2	—	—	—	—	—	—	—	—	—	—
65—	2	1	—	1	4	3	—	—	—	—	—	—	—	—	—	—
70—	2	4	—	—	3	—	—	—	—	—	—	—	—	—	—	—
75—	3	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—
80—	1	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
85 and over	—	1	—	—	1	2	—	—	—	—	—	—	—	—	—	—

Causes of death	762 Postnatal asphyxia and atelectasis		763 Pneumonia of newborn		764 Diarrhoea of newborn		765, 766* / 767 Umbilical sepsis		768 Other sepsis of newborn		769 Neonatal disorders arising from maternal toxaemia		770-776 Other diseases peculiar to early infancy		770 Haemolytic disease of newborn (erythroblastosis)	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**1,597**	**1,080**	**451**	**281**	**33**	**13**	**10**	**6**	**27**	**16**	**83**	**52**	**2,342**	**1,699**	**201**	**174**
0—	1,596	1,080	451	281	33	13	10	6	27	16	83	52	2,340	1,698	199	173
1—	1	—	—	—	—	—	—	—	—	—	—	—	1	1	1	1
5—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
35—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
40—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
50—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
55—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
60—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
70—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
85 and over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

* **765** Ophthalmia neonatorum *0*; **766** Pemphigus neonatorum 0, 0, 0, *0*.

‡ Note: The group 760-776 relates particularly to the causes of death within the first 28 days of life, but it includes also some deaths from the causes specified at all ages.

TABLE 17—*continued*

Causes of death	771 Haemorrhagic disease of newborn		772 Nutritional maladjustment		773 Ill-defined diseases peculiar to early infancy		774 Immaturity with mention of any other subsidiary condition		776 Immaturity unqualified		XVI **780-795** Symptoms, senility and ill-defined conditions		780-789 Symptoms referable to systems or organs		780 Certain symptoms referable to nervous system and special senses	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**124**	**80**	**4**	—	**229**	**161**	**66**	**60**	**1,718**	**1,224**	**2,435**	**4,873**	**88**	**99**	**2**	**4**
0—	124	80	4	—	229	161	66	60	1,718	1,224	12	7	2	1	1	1
1—	—	—	—	—	—	—	—	—	—	—	2	6	1	4	—	2
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
20—	—	—	—	—	—	—	—	—	—	—	3	2	—	1	—	—
25—	—	—	—	—	—	—	—	—	—	—	2	2	—	1	—	—
30—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—
35—	—	—	—	—	—	—	—	—	—	—	3	1	—	1	—	—
40—	—	—	—	—	—	—	—	—	—	—	8	1	5	1	1	—
45—	—	—	—	—	—	—	—	—	—	—	10	1	2	—	—	—
50—	—	—	—	—	—	—	—	—	—	—	5	5	—	2	—	—
55—	—	—	—	—	—	—	—	—	—	—	9	15	2	9	—	—
60—	—	—	—	—	—	—	—	—	—	—	12	10	4	3	—	—
65—	—	—	—	—	—	—	—	—	—	—	27	23	9	4	—	—
70—	—	—	—	—	—	—	—	—	—	—	100	161	12	11	—	1
75—	—	—	—	—	—	—	—	—	—	—	330	564	17	17	—	—
80—	—	—	—	—	—	—	—	—	—	—	727	1,223	16	24	—	—
85 and over	—	—	—	—	—	—	—	—	—	—	1,180	2,852	18	20	—	—

Causes of death	780·2 Convulsions		780·0; 1; 3; 4; 5; 6; 7; 8; 9, 781* / 782 Symptoms referable to cardiovascular and lymphatic system		782·4 Acute heart failure, undefined		782·0; 1; 2; 3; 5; 6; 7; 8; 9, 783* / 784 Symptoms referable to upper gastro-intestinal tract		785-789* / 790-795 Senility and ill-defined diseases		790, 791* / 792 Uraemia		793* / 794 Senility without mention of psychosis		795 Ill-defined and unknown causes of mortality	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**2**	**4**	**46**	**59**	**44**	**56**	**11**	**14**	**2,347**	**4,774**	**20**	**27**	**2,269**	**4,716**	**58**	**31**
0—	1	1	—	—	—	—	—	—	10	6	—	—	—	—	10	6
1—	—	2	—	—	—	—	1	—	1	2	—	—	—	—	1	2
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—
15—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—
20—	—	—	—	—	—	—	—	—	3	1	—	—	—	—	3	1
25—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	2	1
30—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—
35—	—	—	—	1	—	1	—	—	3	—	1	—	—	—	2	—
40—	1	—	2	1	2	1	—	—	3	—	—	—	—	—	3	—
45—	—	—	1	—	1	—	—	—	8	1	—	—	—	—	8	1
50—	—	—	—	1	—	1	—	—	5	3	—	1	—	—	5	2
55—	—	—	2	5	2	5	—	1	7	6	1	—	—	—	6	6
60—	—	—	1	2	1	1	—	—	8	7	1	1	—	2	7	4
65—	—	—	6	3	6	3	—	—	18	19	2	5	14	12	2	2
70—	—	1	6	7	6	6	2	1	88	150	4	5	81	143	3	2
75—	—	—	9	12	8	12	2	2	313	547	6	6	306	539	1	2
80—	—	—	11	11	11	11	2	8	711	1,199	3	3	708	1,195	—	1
85 and over	—	—	8	16	7	15	4	2	1,162	2,832	2	6	1,160	2,825	—	1

* **780·0**; **1**; **3**; **4**; **5**; **6**; **7**; **8**; **9**. Others included under 780 —; **781** Other symptoms referable to nervous system and special senses 45, 60; **782·0**; **1**; **2**; **3**; **5**; **6**; **7**; **8**; **9**. Others included under 782 75, 85, *60*, *70*, *85*; **783** Symptoms referable to respiratory system 40, 65, 75, 85, *1*, *20*, *25*, *50*, *55*, *80*, *85*; **785** Symptoms referable to abdomen and lower gastro-intestinal tract 40, 60, 65, 75, 75, 80, 85, 85, *55*, *70*, *70*, *75*, *75*, *80*, *85*; **786** Symptoms referable to genito-urinary system 65, 70, 70, 70, *75*, 75, 75, 80, 80, 85, 85, 85, *55*, *75*; **787** Symptoms referable to limbs and back —; **788** Other general symptoms 0, 60, 70, *1*, *60*, *65*, *80*, *80*; **789** Abnormal urinary constituents of unspecified cause *80*; **790** Nervousness and debility —; **791** Headache —; **793** Observation, without need for further medical care —.

TABLE 17—*continued*

Causes of death	XVII E800-E999 Accidents, poisonings and violence (external cause)		RAILWAY ACCIDENTS								M.V. TRAFFIC ACCIDENTS					
			E800-E802 Railway accidents		E800 involving railroad employee		E801 involving passenger		E802 involving other and unspecified person		E810-E825 Motor vehicle traffic accidents		E810 involving collision with railway train		E811* E812 to pedestrian	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**13,503**	**9,619**	**219**	**28**	**115**	**3**	**20**	**8**	**84**	**17**	**4,676**	**1,881**	**6**	—	**1,488**	**1,174**
0—	**272**	**194**	—	—	—	—	—	—	—	—	6	4	—	—	2	1
1—	**335**	**192**	9	—	—	—	—	—	9	—	110	67	—	—	92	60
5—	**349**	**150**	4	1	—	—	—	—	4	1	173	78	—	—	138	71
10—	**301**	**117**	8	—	—	—	2	—	6	—	116	61	—	—	42	33
15—	**894**	**177**	6	1	3	—	1	—	2	1	635	118	—	—	26	21
20—	**1,090**	**190**	20	—	12	—	3	—	5	—	667	90	2	—	39	9
25—	**698**	**174**	14	1	7	—	3	—	4	1	328	57	—	—	24	8
30—	**643**	**182**	12	3	6	—	—	1	6	2	243	47	—	—	27	11
35—	**737**	**257**	9	1	3	—	2	1	4	—	244	56	1	—	41	13
40—	**675**	**284**	16	2	12	—	1	1	3	1	207	64	—	—	36	26
45—	**890**	**426**	15	—	11	—	1	—	3	—	251	92	—	—	57	30
50—	**993**	**504**	28	4	19	—	1	2	8	2	280	108	3	—	81	52
55—	**1,072**	**593**	26	2	22	—	1	1	3	1	280	121	—	—	110	75
60—	**938**	**638**	26	5	17	2	2	—	7	3	247	168	—	—	97	113
65—	**779**	**705**	4	1	1	—	1	—	2	1	228	166	—	—	131	135
70—	**728**	**911**	11	5	2	1	1	1	8	3	196	195	—	—	141	167
75—	**807**	**1,188**	4	—	—	—	—	—	4	—	213	188	—	—	179	167
80—	**771**	**1,351**	4	2	—	—	—	1	4	1	166	145	—	—	146	132
85 and over	**531**	**1,386**	3	—	—	—	1	—	2	—	86	56	—	—	79	50

Causes of death	MOTOR VEHICLE TRAFFIC ACCIDENTS															
	E813 to pedal cyclist		E814 to rider or passenger of motorcycle in collision with non-motor vehicle or object		E815 to rider or passenger of motorcycle in collision with other motor vehicle		E816 Other motor vehicle traffic accident involving two or more motor vehicles		E817, E818, E819* E820 while boarding and alighting		E821 to rider of motorcycle not involving collision		E822 involving overturning in roadway		E823 involving running off roadway	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**477**	**91**	**65**	**8**	**1,054**	**99**	**659**	**276**	**13**	**21**	**410**	**44**	**42**	**13**	**349**	**97**
0—	—	—	—	—	1	—	3	2	—	—	—	—	—	—	—	—
1—	4	1	—	—	3	—	6	5	—	—	1	—	—	1	2	—
5—	18	1	—	—	1	—	6	4	1	—	1	—	—	—	1	—
10—	64	12	—	—	1	—	5	10	—	—	1	1	—	—	—	3
15—	57	15	15	1	312	26	45	21	1	—	123	17	3	4	40	11
20—	12	4	18	1	277	23	90	20	—	—	108	7	13	2	91	20
25—	15	4	6	—	108	10	79	20	—	—	35	2	2	2	46	8
30—	12	2	2	—	70	7	53	11	—	2	33	3	6	—	32	7
35—	22	3	1	—	45	7	70	18	1	—	23	5	4	1	32	6
40—	19	5	4	—	48	8	50	15	—	—	16	3	2	—	26	4
45—	32	9	8	2	44	7	52	31	—	2	29	—	5	—	18	6
50—	36	9	5	1	50	5	51	20	2	3	19	2	1	—	27	9
55—	49	7	3	1	37	2	50	22	1	1	10	1	2	1	12	5
60—	52	11	2	1	33	3	39	27	—	2	6	1	—	—	10	7
65—	37	4	1	1	15	1	27	14	—	2	3	1	4	2	3	4
70—	23	2	—	—	3	—	16	14	2	3	2	1	—	—	6	2
75—	12	2	—	—	5	—	11	11	3	4	—	—	—	—	1	2
80—	12	—	—	—	1	—	4	9	—	1	—	—	—	—	2	1
85 and over	1	—	—	—	—	—	2	2	2	1	—	—	—	—	—	2

* **E811** Motor vehicle traffic accident involving collision with street car —; **E817** Motor vehicle traffic accident to occupant of motor vehicle in collision with pedestrian or pedal cycle 45, 50, *15*; **E818** Motor vehicle traffic accident involving collision with animal or animal-drawn vehicle *5*; **E819** Motor vehicle traffic accident involving collision with fixed or unspecified object 15, 20, 20, 20, 20, 25, 30, 35, 50, 55, *20, 30, 40, 50, 70*.

TABLE 17—*continued*

Causes of death	M.V. TRAFFIC ACCIDENTS				MOTOR VEHICLE NON-TRAFFIC ACCIDENTS								E860 Other road vehicle accidents	
	E824 Other non-collision motor vehicle traffic accident		E825 of unspecified nature		E830-E835 Motor vehicle non-traffic accidents		E830 to pedestrian		E831* E832 to rider or passenger of motorcycle		E833, E834* E835 of other and unspecified nature			
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**58**	**31**	**43**	**20**	**78**	**8**	**36**	**6**	**10**	—	**29**	—	**114**	**46**
0—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
1—	2	—	—	—	1	4	1	4	—	—	—	—	1	—
5—	5	1	2	—	—	—	—	—	—	—	—	—	8	1
10—	3	2	—	—	2	—	1	—	—	—	1	—	6	5
15—	6	1	6	—	3	—	1	—	—	—	2	—	17	3
20—	5	—	8	3	10	—	3	—	3	—	2	—	2	1
25—	4	—	8	3	6	—	1	—	2	—	3	—	2	1
30—	4	1	3	2	5	1	1	1	2	—	2	—	3	1
35—	—	3	3	—	8	—	3	—	1	—	4	—	3	—
40—	3	1	3	1	6	1	1	1	—	—	5	—	6	2
45—	3	2	2	3	13	—	8	—	—	—	5	—	9	2
50—	3	4	—	2	6	—	4	—	—	—	1	—	11	2
55—	3	5	2	1	7	—	4	—	2	—	1	—	7	5
60—	6	—	2	3	7	1	4	—	—	—	3	—	9	3
65—	4	2	3	—	1	—	1	—	—	—	—	—	9	2
70—	2	4	1	1	—	—	—	—	—	—	—	—	7	6
75—	2	2	—	—	—	1	—	—	—	—	—	—	9	8
80—	1	1	—	1	1	—	1	—	—	—	—	—	5	3
85 and over	2	1	—	—	2	—	2	—	—	—	—	—	—	1

Causes of death	E840, E841* E842 Accident to pedestrian caused by pedal cycle		E843 Accident to rider of pedal cycle not involving collision with motor vehicle		E844* E845 Other non-motor road vehicle accidents		E850-E858 Water transport accidents		E850 Submersion of occupant of small boat		E851 Other water transport injury by submersion		E852* E853 Other falls from one level to another in water transport	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**19**	**23**	**88**	**14**	**6**	**7**	**168**	**6**	**86**	**2**	**35**	**1**	**18**	**1**
0—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
1—	1	—	—	—	—	—	1	1	1	—	—	1	—	—
5—	3	—	5	—	—	1	8	1	8	1	—	—	—	—
10—	—	—	6	4	—	1	11	1	10	—	1	—	—	1
15—	—	—	17	1	—	2	21	—	18	—	2	—	—	—
20—	—	—	1	—	1	1	30	—	19	—	5	—	1	—
25—	—	—	1	—	1	1	13	1	4	1	4	—	3	—
30—	—	—	3	—	—	1	14	—	8	—	2	—	1	—
35—	—	—	3	—	—	—	12	—	1	—	5	—	3	—
40—	—	1	6	1	—	—	9	—	5	—	3	—	—	—
45—	—	1	9	1	—	—	10	2	1	—	5	—	2	—
50—	4	1	7	1	—	—	11	—	5	—	1	—	4	—
55—	—	1	5	4	2	—	14	—	4	—	1	—	2	—
60—	—	2	7	1	2	—	8	—	1	—	3	—	2	—
65—	3	2	5	—	—	—	3	—	—	—	2	—	—	—
70—	1	4	6	1	—	—	2	—	1	—	1	—	—	—
75—	4	7	5	—	—	—	—	—	—	—	—	—	—	—
80—	3	3	2	—	—	—	—	—	—	—	—	—	—	—
85 and over	—	1	—	—	—	—	—	—	—	—	—	—	—	—

* **E831** Motor vehicle non-traffic accident to pedal cyclist 20, 50; **E833** Other motor vehicle non-traffic accident involving two or more motor vehicles —; **E834** Motor vehicle non-traffic accident while boarding and alighting 20, *60, 75*; **E840** Street car accident to pedestrian, *70*; **E841** Other street car accident, except collision with motor vehicle —; **E844** Accident to pedestrian caused by other non-motor road vehicle 65, *75*; **E852** Fall on stairs and ladders in water transport 30, 55, 55, 55, 55, *45*.

TABLE 17—*continued*

Causes of death	E854, E855, E856* E857 Other specified accidents in water transport		E858* E860-E866 Aircraft accidents		E860 Accident to personnel in military aircraft		E862-E866* E861 Injury to occupant by accident to commercial "transport" aircraft		ACCIDENTAL POISONING E870-E888 Accidental poisoning by solid and liquid substances		E870* E871 by barbituric acid and derivatives		E872 by aspirin and salicylates	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**18**	**1**	**51**	—	**37**	—	**1**	—	**195**	**253**	**115**	**178**	**24**	**41**
0—	1	—	—	—	—	—	—	—	1	1	—	—	1	1
1—	—	—	—	—	—	—	—	—	9	13	1	1	4	6
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	—	2	—	—	—	2
15—	1	—	2	—	2	—	—	—	4	2	1	1	—	—
20—	3	—	16	—	12	—	1	—	4	4	1	3	—	—
25—	2	—	13	—	11	—	—	—	5	7	2	6	—	—
30—	2	—	8	—	4	—	—	—	8	8	4	5	1	2
35—	1	—	7	—	5	—	—	—	16	16	9	11	—	3
40—	1	—	4	—	3	—	—	—	18	17	8	15	4	1
45—	2	1	1	—	—	—	—	—	23	29	19	20	1	4
50—	1	—	—	—	—	—	—	—	31	28	21	19	5	4
55—	2	—	—	—	—	—	—	—	26	32	15	27	4	2
60—	1	—	—	—	—	—	—	—	18	27	12	19	2	4
65—	1	—	—	—	—	—	—	—	10	26	6	22	2	2
70—	—	—	—	—	—	—	—	—	14	18	11	13	—	4
75—	—	—	—	—	—	—	—	—	7	14	4	10	—	3
80—	—	—	—	—	—	—	—	—	1	7	1	5	—	2
85 and over	—	—	—	—	—	—	—	—	—	2	—	1	—	1

Causes of death	ACCIDENTAL POISONING E873* E874 by other analgesic and soporific drugs		E875, E876, E877* E878 by other and unspecified drugs		E879* E880 by alcohol		E881-E887* E888 by other and unspecified solid and liquid substances		E890-E895 Accidental poisoning by gases and vapours		E890 by utility (illuminating) gas		E891 by motor vehicle exhaust gas	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**8**	**10**	**13**	**14**	**15**	—	**12**	**3**	**464**	**560**	**412**	**536**	**11**	**1**
0—	—	—	—	—	—	—	—	—	2	2	2	2	—	—
1—	—	—	2	4	—	—	—	1	5	—	4	—	—	—
5—	—	—	—	—	—	—	—	—	2	3	1	3	—	—
10—	—	—	—	—	—	—	—	—	3	7	3	7	—	—
15—	—	—	1	1	—	—	2	—	15	7	14	4	—	—
20—	—	—	1	1	—	—	2	—	18	4	10	3	1	—
25—	—	—	1	1	1	—	1	—	17	6	14	5	—	—
30—	1	1	1	—	—	—	1	—	6	3	6	3	—	—
35—	1	—	1	1	3	—	1	1	20	8	12	7	3	—
40—	1	1	2	—	1	—	1	—	22	12	17	11	3	1
45—	1	4	1	—	1	—	—	—	27	15	22	15	1	—
50—	—	2	1	3	4	—	—	—	26	22	24	21	2	—
55—	3	1	1	—	1	—	1	1	41	31	32	29	1	—
60—	—	—	1	2	2	—	—	—	30	35	27	33	—	—
65—	1	1	—	1	—	—	1	—	42	43	40	39	—	—
70—	—	—	—	—	1	—	—	—	36	68	32	64	—	—
75—	—	—	—	—	1	—	2	—	54	114	54	112	—	—
80—	—	—	—	—	—	—	—	—	61	111	61	110	—	—
85 and over	—	—	—	—	—	—	—	—	37	69	37	68	—	—

* **E854** Falls on same level in water transport —; **E855** Unspecified falls in water transport —; **E856** Machinery accident in water transport 20, 20, 35, 35, 55, 60; **E858** Water transport accident of unspecified cause —; **E862** Other injury in commercial "transport" aircraft —; **E863** Injury to occupant by accident to other specified aircraft 20, 25, 30, 30; **E864** Aircraft accident at airfield to person not in aircraft 25, 45; **E865** Aircraft accident elsewhere to person not in aircraft —; **E866** Other and unspecified aircraft accidents 20, 20, 30, 30, 35, 35, 40; **E870** Accidental poisoning by morphine and other opium derivatives *45*; **E873** Accidental poisoning by bromides 40; **E875** Accidental poisoning by sulfonomides —; **E876** Accidental poisoning by strychnine *1*; **E877** Accidental poisoning by belladonna, hyoscine, and atropine —; **E879** Accidental poisoning by noxious foodstuffs *60*; **E881** Accidental poisoning by petroleum products 60; **E882** Accidental poisoning by industrial solvents —; **E883** Accidental poisoning by corrosive aromatics, acids and caustic alkalis 35, 55, 70, 70, *55*, *60*, *70*, *75*; **E884** Accidental poisoning by mercury and its compounds —; **E885** Accidental poisoning by lead and its compounds 1, 1; **E886** Accidental poisoning by arsenic and antimony, and their compounds —; **E887** Accidental poisoning by fluorides —.

TABLE 17—*continued*

Causes of death	ACCIDENTAL POISONING E892 by other carbon monoxide gas		E893, E895* E894 by other specified gases and vapours		E900-E904 Accidental falls		E900 Fall on stairs		E901 Fall from ladders		E902 Other falls from one level to another		E903 Fall on same level	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**28**	**22**	**11**	**1**	**1,906**	**3,559**	**368**	**529**	**69**	**10**	**447**	**229**	**640**	**1,652**
0—	—	—	—	—	14	5	2	1	—	—	10	1	—	1
1—	1	—	—	—	18	12	2	3	—	—	9	7	5	1
5—	—	—	1	—	9	8	1	—	—	—	6	4	1	2
10—	—	—	—	—	32	4	—	1	—	—	29	3	2	—
15—	—	2	1	1	34	4	—	2	2	—	29	2	1	—
20—	6	1	—	—	32	4	1	1	2	—	25	3	—	—
25—	2	1	1	—	28	3	4	1	—	—	22	1	—	—
30—	—	—	—	—	36	2	3	—	2	—	26	—	3	1
35—	5	1	—	—	43	8	4	1	6	—	30	1	1	3
40—	—	—	2	—	48	10	10	3	2	—	29	2	6	2
45—	3	—	1	—	67	16	8	9	5	—	41	4	11	—
50—	—	1	—	—	84	31	21	7	10	—	37	4	12	14
55—	5	2	2	—	96	56	23	22	8	—	33	3	19	20
60—	2	2	1	—	94	76	30	20	13	1	24	10	19	23
65—	2	4	—	—	112	169	28	40	8	2	17	9	35	80
70—	2	4	2	—	181	363	45	75	2	3	26	24	69	154
75—	—	2	—	—	275	674	70	105	5	1	15	30	117	331
80—	—	1	—	—	375	945	68	119	2	2	20	51	185	455
85 and over	—	1	—	—	328	1,169	48	119	2	1	19	70	154	565

Causes of death	E904 Unspecified falls		E910-E936 Other accidents		E910 Blow from falling or projected object or missile		E911 Accident caused by vehicle		E912 Accident caused by machinery		E913 Accident caused by cutting and piercing instruments		E914 Accident caused by electric current	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**382**	**1,139**	**2,305**	**1,078**	**277**	**19**	**55**	—	**207**	**7**	**13**	**5**	**97**	**20**
0—	2	2	227	170	1	—	—	—	—	—	—	—	—	—
1—	2	1	171	87	6	3	—	—	1	1	1	—	5	—
5—	1	2	134	54	5	3	—	—	4	2	—	—	4	1
10—	1	—	116	28	8	1	—	—	3	—	2	—	3	—
15—	2	—	104	12	12	1	2	—	9	—	—	—	9	—
20—	4	—	149	25	25	1	2	—	16	1	3	—	10	3
25—	2	1	116	15	27	—	4	—	19	—	—	—	11	1
30—	2	1	105	16	18	—	5	—	19	1	1	—	16	2
35—	2	3	130	29	40	1	3	—	23	—	1	—	8	2
40—	1	3	122	23	24	—	7	—	25	—	1	—	6	—
45—	2	3	146	40	28	1	7	—	23	—	—	—	5	—
50—	4	6	162	39	40	1	7	—	16	—	—	—	5	—
55—	13	11	153	70	21	1	11	—	21	—	—	2	7	4
60—	8	22	124	72	15	—	7	—	16	1	2	—	6	2
65—	24	38	91	61	2	—	—	—	9	—	1	—	—	—
70—	39	107	59	94	1	4	—	—	—	1	—	1	2	2
75—	68	207	89	90	3	1	—	—	2	—	1	1	—	2
80—	100	318	67	83	1	—	—	—	1	—	—	—	—	1
85 and over	105	414	40	70	—	1	—	—	—	—	—	1	—	—

* **E893** Accidental poisoning by cyanide gas 20; **E895** Accidental poisoning by unspecified gases and vapours 55.

TABLE 17—*continued*

Causes of death	E915 Accident caused by explosion of pressure vessel		E916 Accident caused by fire and explosion of combustible material		E917 Accident caused by hot substance, corrosive liquid, and steam		E918* E919 Accident caused by firearm		E920* E921 Inhalation and ingestion of food causing obstruction or suffocation		E922 Inhalation and ingestion of other object causing obstruction or suffocation		E923 Foreign body entering other orifice	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**4**	—	**228**	**413**	**47**	**42**	**59**	**6**	**223**	**180**	**26**	**6**	**12**	**16**
0—	—	—	5	7	3	4	—	—	97	84	5	—	1	2
1—	—	—	26	37	9	4	1	2	17	8	8	4	1	—
5—	—	—	8	31	1	—	1	—	7	2	2	1	1	—
10—	—	—	3	6	—	—	4	2	2	—	1	—	2	—
15—	1	—	2	6	—	1	10	1	2	—	—	—	—	—
20—	—	—	7	10	1	—	8	1	5	5	1	—	1	—
25—	—	—	7	7	—	—	3	—	7	—	1	—	—	—
30—	—	—	5	5	1	—	4	—	4	2	—	—	—	—
35—	2	—	9	11	2	—	3	—	8	1	2	—	1	1
40—	—	—	5	9	2	—	3	—	4	4	2	—	—	—
45—	—	—	8	12	1	—	4	—	14	8	1	—	—	1
50—	—	—	10	11	3	3	8	—	12	5	1	1	—	1
55—	1	—	9	20	1	3	5	—	10	13	—	—	2	2
60—	—	—	13	28	2	5	2	—	11	12	—	—	—	1
65—	—	—	11	31	3	3	3	—	5	5	—	—	3	1
70—	—	—	16	34	4	7	—	—	5	13	—	—	—	4
75—	—	—	33	45	3	2	—	—	10	12	—	—	—	—
80—	—	—	30	61	5	2	—	—	1	2	1	—	—	1
85 and over	—	—	21	42	6	8	—	—	2	4	1	—	—	2

Causes of death	E924 Accidental mechanical suffocation in bed and cradle		E925 Accidental mechanical suffocation in other and unspecified circumstances		E926 Lack of care of infants under 1 year of age		E927* E928 Other accidents caused by animals		E929 Accidental drowning and submersion		E930, E931* E932 Excessive cold		E933 Hunger, thirst and exposure	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**76**	**55**	**52**	**5**	**20**	**12**	**12**	**3**	**677**	**197**	**9**	**6**	**23**	**7**
0—	74	53	3	4	20	12	—	—	3	—	1	—	—	—
1—	1	1	1	—	—	—	—	—	83	20	—	—	—	—
5—	—	—	2	—	—	—	1	—	89	12	—	—	—	—
10—	—	—	3	—	—	—	—	—	61	18	—	—	—	—
15—	—	—	3	—	—	—	—	—	34	2	1	—	—	—
20—	1	—	8	—	—	—	—	—	41	2	1	—	—	—
25—	—	—	5	—	—	—	—	—	22	5	—	1	1	1
30—	—	—	3	1	—	—	—	1	23	3	—	—	1	—
35—	—	—	2	—	—	—	—	—	19	8	—	—	—	—
40—	—	1	5	—	—	—	—	—	31	8	1	—	—	—
45—	—	—	5	—	—	—	—	—	41	12	—	—	3	—
50—	—	—	8	—	—	—	2	—	36	15	2	—	2	—
55—	—	—	3	—	—	—	2	—	48	20	2	—	3	—
60—	—	—	—	—	—	—	—	—	36	19	1	—	1	1
65—	—	—	1	—	—	—	1	1	40	12	—	1	3	1
70—	—	—	—	—	—	—	1	—	21	21	—	—	3	1
75—	—	—	—	—	—	—	3	—	25	14	—	1	4	3
80—	—	—	—	—	—	—	2	1	18	4	—	1	1	—
85 and over	—	—	—	—	—	—	—	—	6	2	—	2	1	—

* **E918** Accident caused by radiation —; **E920** Foreign body entering eye and adnexa —; **E927** Accidents caused by bites and stings of venomous animals and insects 50, 50, 60, *65*; **E930** High and low air pressure —; **E931** Excessive heat and insulation 0, 45, 55, *75*.

TABLE 17—*continued*

Causes of death	E934* E935 Lightning		E936 Other and unspecified accidents		E940-E946* E940-E946 Complications due to non-therapeutic medical and surgical procedures		E950-E959 Therapeutic misadventure and late complications of therapeutic procedures		E950 Therapeutic misadventure in surgical treatment		E951-E959* E960-E965 Late effects of injury and poisoning		E960 Late effect of motor vehicle accident	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**6**	**3**	**175**	**74**	**6**	**4**	**4**	**3**	**1**	—	**136**	**31**	**20**	**6**
0—	—	—	13	4	5	—	—	—	—	—	—	—	—	—
1—	—	—	11	7	—	—	—	—	—	—	—	—	—	—
5—	—	—	9	2	—	—	—	—	—	—	2	—	2	—
10—	2	—	22	1	—	—	—	—	—	—	1	—	1	—
15—	2	—	17	1	—	—	—	—	—	—	—	—	—	—
20—	1	—	18	2	—	1	—	—	—	—	2	—	1	—
25—	—	—	9	—	—	—	—	—	—	—	2	1	1	—
30—	—	—	5	1	—	2	—	—	—	—	5	1	1	1
35—	—	2	7	3	—	—	—	2	—	—	11	—	—	—
40—	—	—	6	1	1	1	—	1	—	—	4	—	—	—
45—	—	1	5	5	—	—	—	—	—	—	16	2	5	1
50—	—	—	8	2	—	—	—	—	—	—	12	1	2	—
55—	—	—	6	5	—	—	1	—	—	—	6	1	1	—
60—	1	—	10	3	—	—	2	—	1	—	28	3	2	1
65—	—	—	9	5	—	—	—	—	—	—	23	3	3	2
70—	—	—	5	6	—	—	—	—	—	—	11	1	—	—
75—	—	—	5	8	—	—	1	—	—	—	7	7	—	—
80—	—	—	7	10	—	—	—	—	—	—	4	5	1	1
85 and over	—	—	3	8	—	—	—	—	—	—	2	6	—	—

Causes of death	E961* E962 Late effect of other accidental injury		E963, E964* E965 Late effects of injuries due to war operations		E970-E979 Suicide and self-inflicted injury		E970 Suicide and self-inflicted poisoning by analgesic and soporific substances		E971 Suicide and self-inflicted poisoning by other solid and liquid substances		E972 Suicide and self-inflicted poisoning by gases in domestic use		E973 Suicide and self-inflicted poisoning by other gases	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**57**	**23**	**57**	—	**3,058**	**2,054**	**335**	**504**	**56**	**48**	**1,421**	**1,078**	**94**	**8**
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	4	3	1	—	—	—	2	2	—	—
15—	—	—	—	—	47	22	3	3	—	3	21	10	2	—
20—	1	—	—	—	123	55	6	8	1	1	67	33	3	2
25—	1	—	—	—	146	74	23	13	1	3	64	44	10	—
30—	3	—	1	—	189	88	22	24	2	—	98	47	9	1
35—	5	—	6	—	224	130	29	40	7	4	90	60	10	1
40—	3	—	1	—	205	143	27	42	4	3	96	70	18	—
45—	7	1	3	—	306	220	37	67	4	4	146	103	15	2
50—	7	1	2	—	330	265	45	82	9	5	143	124	11	2
55—	5	—	—	—	411	270	43	56	6	5	192	143	9	—
60—	9	2	17	—	343	246	37	55	7	4	145	139	6	—
65—	6	1	14	—	255	229	23	51	9	6	117	130	1	—
70—	3	1	8	—	210	158	23	35	2	6	101	83	—	—
75—	3	7	4	—	146	89	9	15	3	3	77	56	—	—
80—	2	4	1	—	87	49	4	10	1	1	46	25	—	—
85 and over	2	6	—	—	32	13	3	3	—	—	16	9	—	—

* **E934** Cataclysm 70; **E940** Generalized vaccinia following vaccination 0; **E941** Postvaccinal encephalitis 0, 0, 0, *40*; **E942** Other complications of smallpox vaccination —; **E943** Post-immunization jaundice and hepatitis —; **E944** Other complications of prophylactic inoculation 40, *20*; **E945** Complications of anaesthesia for non-therapeutic purpose —; **E946** Other complications due to non-therapeutic medical and surgical procedures 0, *30*, *30*; **E951** Therapeutic misadventure in infusion or transfusion *35*, *35*, *40*; **E952** Therapeutic misadventure in local applications —; **E953** Therapeutic misadventure in administration of drugs or biologicals 60; **E954** Therapeutic misadventure in anaesthesia —; **E955** Other and unspecified therapeutic misadventure 75; **E956** Late complication of surgical operation —; **E957** Late complication of amputation stump —; **E958** Late complication of irradiation —; **E959** Late complications of other forms of treatment 55; **E961** Late effect of accidental poisoning 50, *55*; **E963** Late effect of self-inflicted injury 45; **E964** Late effect of injury purposely inflicted by another person (not in war) *25*.

TABLE 17—*continued*

Causes of death	E974 Suicide and self-inflicted injury by hanging and strangulation		E975 Suicide and self-inflicted injury by submersion (drowning)		E976 Suicide and self-inflicted injury by firearms and explosives		E977 Suicide and self-inflicted injury by cutting and piercing instruments		E978 Suicide and self-inflicted injury by jumping from high place		E979 Suicide and self-inflicted injury by other and unspecified means		E980-E985 Homicide and injury purposely inflicted by other persons (not in war)	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**417**	**124**	**256**	**182**	**168**	**9**	**107**	**18**	**60**	**43**	**144**	**40**	**123**	**108**
0—	—	—	—	—	—	—	—	—	—	—	—	—	16	12
1—	—	—	—	—	—	—	—	—	—	—	—	—	10	8
5—	—	—	—	—	—	—	—	—	—	—	—	—	9	4
10—	1	—	—	—	—	—	—	—	—	—	—	1	2	6
15—	10	2	1	1	5	—	—	—	1	1	4	2	6	8
20—	17	1	7	4	10	—	—	1	5	1	7	4	17	6
25—	15	1	10	5	9	2	1	—	2	2	11	4	8	8
30—	20	2	7	5	10	—	5	1	—	2	16	6	9	10
35—	36	4	11	7	14	1	7	4	8	4	12	5	10	7
40—	21	11	10	7	10	1	6	2	4	3	9	4	7	8
45—	40	11	19	20	14	3	11	2	6	3	14	5	6	8
50—	45	21	25	24	17	—	13	—	4	4	18	3	12	4
55—	59	23	34	32	21	1	14	2	14	6	19	2	4	5
60—	58	19	35	23	22	1	12	2	4	2	17	1	2	2
65—	30	12	35	19	18	—	10	2	4	8	8	1	1	5
70—	31	9	26	22	6	—	11	—	5	2	5	1	1	3
75—	21	3	15	9	8	—	10	1	—	2	3	—	2	3
80—	12	4	14	4	2	—	5	1	2	3	1	1	—	1
85 and over	1	1	7	—	2	—	2	—	1	—	—	—	1	—

Causes of death	E980 Non-accidental poisoning by another person		E981 Assault by firearm and explosive		E982 Assault by cutting and piercing instruments		E983 Assault by other means		E984* E985 Execution		E990-E999* E990-E999 Injury resulting from operations of war	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**11**	**11**	**9**	**10**	**25**	**20**	**75**	**67**	**3**	—	—	—
0—	2	1	—	—	1	—	13	11	—	—	—	—
1—	4	4	—	—	—	—	6	4	—	—	—	—
5—	5	1	—	—	—	3	4	—	—	—	—	—
10—	—	—	—	1	1	1	1	4	—	—	—	—
15—	—	—	1	1	2	—	2	7	1	—	—	—
20—	—	1	2	1	8	1	5	3	2	—	—	—
25—	—	1	1	1	5	1	2	5	—	—	—	—
30—	—	1	2	—	1	3	6	6	—	—	—	—
35—	—	—	—	1	1	1	9	5	—	—	—	—
40—	—	1	2	2	2	3	3	2	—	—	—	—
45—	—	—	—	1	1	1	5	6	—	—	—	—
50—	—	—	1	1	2	1	9	2	—	—	—	—
55—	—	1	—	1	—	1	4	2	—	—	—	—
60—	—	—	—	—	—	—	2	2	—	—	—	—
65—	—	—	—	—	—	3	1	2	—	—	—	—
70—	—	—	—	—	1	1	—	2	—	—	—	—
75—	—	—	—	—	—	—	2	3	—	—	—	—
80—	—	—	—	—	—	—	—	1	—	—	—	—
85 and over	—	—	—	—	—	—	1	—	—	—	—	—

* **E984** Injury by intervention of police —; **E990** Injury due to war operations by gas and chemicals —; **E991** Injury due to war operations by gunshot —; **E992** Injury due to war operations by grenade and land mine —; **E993** Injury due to war operations by bomb —; **E994** Injury due to war operations by marine mine, depth charge and torpedo —; **E995** Injury due to war operations by explosion of artillery shell —; **E996** Injury due to war operations by explosion of undetermined origin —; **E997** Injury due to war operations by aircraft destruction —; **E998** Injury due to war operations by other and unspecified means —; **E999** Injury due to war operations but occurring after cessation of hostilities —.

TABLE 18A. Accidental poisoning and other non-transport accidents by place of occurrence, sex, and age 1960

England and Wales

ICD Nos. E870-E936

Note. The deaths in this table have been classified to the several forms of violence in accordance with the information furnished by H.M. Coroners. "Open verdicts" are normally included with accidental deaths.

Deaths from poisoning will be analysed periodically in the *Statistical Review, Part III, Commentary*, to distinguish individual poisons stated to be responsible. These details can be obtained on request from the General Register Office.

See explanatory notes.

E 870—E 936. Non-transport accidents

Age-groups	Total		At work		Home		Farm		Mine and quarry		Industrial place and premises		Place for recreation and sport		Street and highway		Public building		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**4,870**	**5,450**	**1,026**	**43**	**2,178**	**3,830**	**139**	**9**	**255**	—	**525**	**17**	**57**	**11**	**222**	**149**	**125**	**71**	**300**	**722**	**826**	**227**	**243**	**414**
0–	447	290	—	—	338	242	6	3	1	—	2	1	3	—	2	4	1	2	8	2	71	24	15	12
5–	296	106	—	—	50	60	11	2	7	—	10	3	21	4	11	1	7	3	7	—	168	32	4	1
15–	1,100	245	529	12	233	147	53	2	135	—	270	8	23	2	31	9	30	6	16	8	260	31	49	32
45–	1,148	619	440	17	386	437	43	—	111	—	219	3	5	1	36	8	38	15	48	56	206	56	56	43
65 & over	1,879	4,190	57	14	1,171	2,944	26	2	1	—	24	2	5	4	142	127	49	45	221	656	121	84	119	326

Age-groups	Total		At work		Home		Industrial place and premises		Public building		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 870—E 895. Accidental poisoning																
All ages	**659**	**813**	**35**	**4**	**547**	**731**	**20**	**2**	**14**	**4**	**4**	**7**	**24**	**3**	**50**	**66**
0–	17	16	—	—	17	15	—	—	—	—	—	—	—	—	—	1
5–	5	12	—	—	4	11	—	—	—	—	—	—	1	1	—	—
15–	153	94	11	3	109	65	9	2	3	1	2	4	8	1	22	21
45–	222	219	22	—	179	194	11	—	5	1	1	3	12	—	14	21
65 & over	262	472	2	1	238	446	—	—	6	2	1	—	3	1	14	23
E 870. Accidental poisoning by morphine and other opium derivatives																
All ages	—	**1**	—	—	—	—	—	—	—	—	—	**1**	—	—	—	—
0–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45–	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—
65 & over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E 871. Accidental poisoning by barbituric acid and derivatives																
All ages	**115**	**178**	—	—	**86**	**138**	—	—	**3**	**1**	**2**	**3**	**3**	—	**21**	**36**
0–	1	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—
5–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15–	25	41	—	—	15	27	—	—	3	—	1	2	—	—	6	12
45–	67	85	—	—	58	74	—	—	—	1	1	1	2	—	6	9
65 & over	22	51	—	—	12	36	—	—	—	—	—	—	1	—	9	15
E 872. Accidental poisoning by aspirin and salicylates																
All ages	**24**	**41**	**1**	—	**15**	**24**	—	—	—	—	—	—	**2**	**1**	**7**	**16**
0–	5	7	—	—	5	6	—	—	—	—	—	—	—	—	—	1
5–	—	2	—	—	—	1	—	—	—	—	—	—	—	1	—	—
15–	5	6	—	—	2	2	—	—	—	—	—	—	1	—	2	4
45–	12	14	1	—	7	6	—	—	—	—	—	—	1	—	4	8
65 & over	2	12	—	—	1	9	—	—	—	—	—	—	—	—	1	3
E 873*																
E 874. Accidental poisoning by other analgesic and soporific drugs																
All ages	**8**	**10**	—	—	**5**	**7**	—	—	—	—	—	**1**	**1**	**1**	**2**	**1**
0–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15–	3	2	—	—	1	—	—	—	—	—	—	—	—	1	2	1
45–	4	7	—	—	3	6	—	—	—	—	—	1	1	—	—	—
65 & over	1	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—

* **E873** Accidental poisoning by bromides: 1M, 15-44 yrs. "Home".

Age-groups	Total		At work		Home		Industrial place and premises		Public building		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 875, E 876, E 877*																
E 878. Accidental poisoning by other and unspecified drugs																
All ages	13	14	—	1	11	11	—	—	—	—	—	1	—	—	2	2
0–	2	4	—	—	2	4	—	—	—	—	—	—	—	—	—	—
5–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15–	7	4	—	1	6	2	—	—	—	—	—	1	—	—	1	1
45–	4	5	—	—	3	4	—	—	—	—	—	—	—	—	1	1
65 & over	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
E 879*																
E 880. Accidental poisoning by alcohol																
All ages	15	—	2	—	8	—	2	—	1	—	—	—	2	—	2	—
0–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15–	5	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
45–	8	—	2	—	4	—	2	—	1	—	—	—	1	—	2	—
65 & over	2	—	—	—	2	—	—	—	—	—	—	—	1	—	—	—
E 881. Accidental poisoning by petroleum products																
All ages	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
0–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45–	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
65 & over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E 882. Accidental poisoning by industrial solvents																
All ages	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
0–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65 & over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E 883. Accidental poisoning by corrosive aromatics, acids and caustic alkalis																
All ages	4	4	—	—	3	2	—	—	—	—	—	—	—	—	1	2
0–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15–	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
45–	1	2	—	—	1	1	—	—	—	—	—	—	—	—	—	1
65 & over	2	2	—	—	1	1	—	—	—	—	—	—	—	—	1	1
E 884, E 885, E 886, E 887*																
E 888. Accidental poisoning by other and unspecified solid and liquid substances																
All ages	12	3	1	—	4	2	1	—	—	—	1	—	1	—	5	1
0–	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
5–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15–	8	1	1	—	2	—	1	—	—	—	1	—	—	—	4	1
45–	1	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—
65 & over	3	—	—	—	1	—	—	—	—	—	—	—	1	—	1	—
E 890. Accidental poisoning by utility (illuminating) gas																
All ages	412	536	14	1	390	526	6	—	7	3	1	—	3	1	5	6
0–	6	2	—	—	6	2	—	—	—	—	—	—	—	—	—	—
5–	4	10	—	—	4	10	—	—	—	—	—	—	—	—	—	—
15–	73	33	4	—	68	30	2	—	—	1	—	—	—	—	3	2
45–	105	98	9	—	96	98	4	—	2	—	—	—	2	—	1	—
65 & over	224	393	1	1	216	386	—	—	5	2	1	—	1	1	1	4

* **E875** Accidental poisoning by sulfonamides: Nil; **E876** Accidental poisoning by strychnine: 1F, 0-4 yrs. "Home"; **E877** Accidental poisoning by belladonna, hyoscine and atropine: Nil; **E879** Accidental poisoning by noxious foodstuffs: 1F, 45-64 yrs. "Place not specified"; **E884** Accidental poisoning by mercury and its compounds: Nil; **E885** Accidental poisoning by lead and its compounds: 2M, 0-4 yrs. "Home"; **E886** Accidental poisoning by arsenic and antimony and their compounds: Nil; **E887** Accidental poisoning by fluorides: Nil.

Age-groups	Total		At work		Home		Industrial place and premises		Public building		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 891. Accidental poisoning by motor vehicle exhaust gas																
All ages	11	1	1	1	5	—	—	—	—	—	—	1	5	—	1	—
0–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15–	7	1	—	1	4	—	—	—	—	—	—	1	3	—	—	—
45–	3	—	1	—	1	—	—	—	—	—	—	—	2	—	1	—
65 & over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E 892. Accidental poisoning by other carbon monoxide gas																
All ages	28	22	8	—	14	20	5	1	3	—	—	—	4	—	2	1
0–	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
5–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15–	13	5	3	—	6	4	3	1	—	—	—	—	3	—	1	—
45–	10	5	4	—	4	4	2	—	2	—	—	—	1	—	1	1
65 & over	4	12	1	—	3	12	—	—	1	—	—	—	—	—	—	—
E 893*																
E 894. Accidental poisoning by other specified gases and vapours																
All ages	11	1	6	1	2	—	4	1	—	—	—	—	3	—	2	—
0–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5–	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
15–	4	1	2	1	1	—	2	1	—	—	—	—	—	—	1	—
45–	4	—	4	—	—	—	2	—	—	—	—	—	2	—	—	—
65 & over	2	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—
E 895*																
E 900—E 904. Accidental falls																
All ages	1,906	3,559	298	19	984	2,372	184	3	180	134	215	655	236	97	107	298
0–	32	17	—	—	27	13	—	1	—	1	—	—	3	—	2	2
5–	41	12	—	—	5	7	3	—	4	—	1	—	27	5	1	—
15–	221	31	128	1	36	14	86	—	11	4	3	—	76	8	9	5
45–	341	179	143	7	125	122	85	1	26	6	24	32	66	10	15	8
65 & over	1,271	3,320	27	11	791	2,216	10	1	139	123	187	623	64	74	80	283
E 900. Fall on stairs																
All ages	368	529	8	8	308	474	7	1	1	3	16	19	36	30	—	2
0–	4	4	—	—	4	4	—	—	—	—	—	—	—	—	—	—
5–	1	1	—	—	—	1	—	—	—	—	—	—	1	—	—	—
15–	22	8	1	—	18	7	1	—	—	1	—	—	3	—	—	—
45–	82	58	6	3	66	50	3	1	1	—	2	5	10	2	—	—
65 & over	259	458	1	5	220	412	3	—	—	2	14	14	22	28	—	2
E 901. Fall from ladders																
All ages	69	10	52	—	28	10	12	—	3	—	1	—	24	—	1	—
0–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15–	14	—	12	—	4	—	4	—	2	—	—	—	4	—	—	—
45–	36	1	32	—	12	1	7	—	—	—	1	—	15	—	1	—
65 & over	19	9	8	—	12	9	1	—	1	—	—	—	5	—	—	—

***E 893.** Accidental poisoning by cyanide gas: 1M, 15-44 yrs. "Industrial place and premises" (at work);
E 895. Accidental poisoning by unspecified gases and vapours: 1M, 45-64 yrs. "Industrial place and premises" (at work).

Age-groups	Total		At work		Home		Industrial place and premises		Street and highway		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 902. Other falls from one level to another																
All ages	**447**	**229**	**221**	**4**	**98**	**138**	**159**	—	**11**	**1**	**37**	**68**	**134**	**17**	**8**	**5**
0–	19	8	—	—	17	7	—	—	—	—	—	—	2	—	—	1
5–	35	7	—	—	5	4	3	—	2	—	—	—	25	3	—	—
15–	161	9	112	1	11	2	79	—	4	—	2	—	63	6	2	1
45–	135	21	97	2	16	15	73	—	3	—	9	2	32	3	2	1
65 & over	97	184	12	1	49	110	4	—	2	1	26	66	12	5	4	2
E 903. Fall on same level																
All ages	**640**	**1,652**	**12**	**6**	**321**	**1,038**	**2**	**1**	**163**	**130**	**122**	**441**	**30**	**39**	**2**	**3**
0–	5	2	—	—	3	1	—	—	—	1	—	—	1	—	1	—
5–	3	2	—	—	—	—	—	—	2	—	1	—	—	2	—	—
15–	11	6	2	—	1	2	—	—	5	3	1	—	3	1	1	—
45–	61	57	5	2	21	32	1	—	21	6	11	14	7	5	—	—
65 & over	560	1,585	5	4	296	1,003	1	1	135	120	109	427	19	31	—	3
E 904. Unspecified falls																
All ages	**382**	**1,139**	**5**	**1**	**229**	**712**	**4**	**1**	**2**	—	**39**	**127**	**12**	**11**	**96**	**288**
0–	4	3	—	—	3	1	—	1	—	—	—	—	—	—	1	1
5–	2	2	—	—	—	2	—	—	—	—	—	—	1	—	1	—
15–	13	8	1	—	2	3	2	—	—	—	—	—	3	1	6	4
45–	27	42	3	—	10	24	1	—	1	—	1	11	2	—	12	7
65 & over	336	1,084	1	1	214	682	1	—	1	—	38	116	6	10	76	276

Age-groups	Total		At work		Home		Farm		Mine and quarry		Industrial place and premises		Place for recreation and sport		Street and highway		Public building		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 910—E 936. Other accidents																								
All ages	**2,305**	**1,078**	**663**	**20**	**647**	**727**	**121**	**8**	**236**	—	**321**	**12**	**45**	**7**	**38**	**15**	**38**	**19**	**81**	**60**	**692**	**180**	**86**	**50**
0–	398	257	—	—	294	214	6	3	1	—	2	—	3	—	2	3	1	2	8	2	68	24	13	9
5–	250	82	—	—	41	42	11	2	6	—	7	3	18	2	6	1	5	1	6	—	147	30	3	1
15–	726	120	390	8	88	68	48	2	124	—	175	6	18	1	19	5	15	4	11	4	210	24	18	6
45–	585	221	245	10	82	121	36	—	105	—	123	2	4	1	8	2	12	9	23	21	165	51	27	14
65 & over	346	398	28	2	142	282	20	1	—	—	14	1	2	3	3	4	5	3	33	33	102	51	25	20

Age-groups	Total		At work		Home		Mine and quarry		Industrial place and premises		Street and highway		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 910. Blow from falling object																
All ages	**277**	**19**	**237**	**3**	**15**	**5**	**116**	—	**95**	**2**	**5**	**4**	**45**	**8**	**1**	—
0–	7	3	—	—	5	—	—	—	—	—	2	1	—	2	—	—
5–	13	4	—	—	2	1	—	—	1	—	1	—	8	3	1	—
15–	146	3	133	—	2	—	63	—	58	—	2	2	21	1	—	—
45–	104	3	101	2	4	—	53	—	34	1	—	1	13	1	—	—
65 & over	7	6	3	1	2	4	—	—	2	1	—	—	3	1	—	—

Age-groups	Total		At work		Home		Farm		Mine and quarry		Industrial place and premises		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 911. Accident caused by vehicle																
All ages	**55**	—	**54**	—	—	—	—	—	**41**	—	**12**	—	**2**	—	—	—
0–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15–	23	—	23	—	—	—	—	—	18	—	4	—	1	—	—	—
45–	32	—	31	—	—	—	—	—	23	—	8	—	1	—	—	—
65 & over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Age-groups	Total		At work		Home		Farm		Mine and quarry		Industrial place and premises		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 912. Accident caused by machinery																
All ages	**207**	**7**	**191**	**1**	**3**	**2**	**41**	**3**	**41**	—	**102**	**1**	**20**	**1**	—	—
0–	1	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—
5–	7	2	—	—	—	—	2	2	—	—	2	—	3	—	—	—
15–	111	2	106	1	1	1	23	—	22	—	52	1	13	—	—	—
45–	76	1	75	—	—	1	10	—	19	—	43	—	4	—	—	—
65 & over	12	1	10	—	2	—	5	—	—	—	5	—	—	1	—	—
E 913. Accident caused by cutting and piercing instruments																
All ages	**13**	**5**	**2**	—	**7**	**5**	**1**	—	**1**	—	**1**	—	**2**	—	**1**	—
0–	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
5–	2	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—
15–	6	—	2	—	2	—	—	—	1	—	1	—	1	—	1	—
45–	2	2	—	—	2	2	—	—	—	—	—	—	—	—	—	—
65 & over	2	3	—	—	1	3	1	—	—	—	—	—	—	—	—	—
E 914. Accident caused by electric current																
All ages	**97**	**20**	**64**	—	**20**	**19**	**7**	—	—	—	**41**	—	**29**	**1**	—	—
0–	5	—	—	—	2	—	—	—	—	—	—	—	3	—	—	—
5–	7	1	—	—	1	—	—	—	—	—	2	—	4	1	—	—
15–	60	8	50	—	7	8	7	—	—	—	31	—	15	—	—	—
45–	23	6	14	—	8	6	—	—	—	—	8	—	7	—	—	—
65 & over	2	5	—	—	2	5	—	—	—	—	—	—	—	—	—	—
E 915. Accident caused by explosion of pressure vessel																
All ages	**4**	—	**3**	—	—	—	—	—	—	—	**4**	—	—	—	—	—
0–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15–	3	—	2	—	—	—	—	—	—	—	3	—	—	—	—	—
45–	1	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—
65 & over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Age-groups	Total		At work		Home		Mine and quarry		Industrial place and premises		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 916. Accident caused by fire and explosion of combustible material																
All ages	**228‡**	**413‡**	**23**	**10**	**176**	**388**	—	—	**19**	**4**	**13**	**6**	**20**	**15**	—	—
0–	31	44	—	—	30	41	—	—	1	—	—	—	—	3	—	—
5–	11	37	—	—	4	36	—	—	—	—	—	—	7	1	—	—
15–	35	48	14	5	18	41	—	—	11	4	—	1	6	2	—	—
45–	40	71	7	5	29	62	—	—	6	—	2	3	3	6	—	—
65 & over	111	213	2	—	95	208	—	—	1	—	11	2	4	3	—	—
E 917. Accident caused by hot substance, corrosive liquid, and steam																
All ages	**47†**	**42†**	**9**	—	**29**	**36**	**2**	—	**7**	—	**3**	**2**	**4**	**1**	**2**	**3**
0–	12	8	—	—	11	8	—	—	—	—	1	—	—	—	—	—
5–	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
15–	6	1	4	—	2	—	2	—	2	—	—	—	—	—	—	1
45–	7	11	4	—	1	9	—	—	3	—	1	—	1	1	1	1
65 & over	21	22	1	—	14	19	—	—	2	—	1	2	3	—	1	1

E 918*

Age-groups	Total		At work		Home		Farm		Mine and quarry		Industrial place and premises		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 919. Accident caused by firearm																
All ages	**59**	**6**	**16**	**1**	**15**	**5**	**14**	—	**6**	—	**2**	**1**	**20**	—	**2**	—
0–	1	2	—	—	1	2	—	—	—	—	—	—	—	—	—	—
5–	5	2	—	—	2	2	1	—	—	—	—	—	2	—	—	—
15–	31	2	6	1	6	1	5	—	3	—	—	1	15	—	2	—
45–	19	—	8	—	6	—	5	—	3	—	2	—	3	—	—	—
65 & over	3	—	2	—	—	—	3	—	—	—	—	—	—	—	—	—

E 920*

‡ **E916** Including burns by clothing: domestic fire M11, F81, gas fire M1, F25, electric fire M3, F47, other M35, F86. Burns by falling into fire: open fire M29, F37, gas fire M2, F2, electric fire M4, F1, other M1, F5. Conflagration M57, F58. Other and unspecified means M85, F71.

† **E917** Including scalds M25, F28.

* **E918** Accident caused by radiation: Nil; **E920** Foreign body entering eye and adnexa: Nil.

Age-groups	Total		At work		Home		Industrial place and premises		Public building		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 921. Inhalation and ingestion of food causing obstruction or suffocation																
All ages	**223**	**180**	**3**	—	**136**	**125**	**1**	—	**5**	**1**	**43**	**38**	**22**	**3**	**16**	**13**
0–	114	92	—	—	102	83	—	—	—	—	6	1	2	1	4	7
5–	9	2	—	—	3	2	—	—	—	—	3	—	3	—	—	—
15–	30	12	1	—	16	7	—	—	2	1	4	2	6	1	2	1
45–	47	38	2	—	13	22	1	—	3	—	16	14	10	—	4	2
65 & over	23	36	—	—	2	11	—	—	—	—	14	21	1	1	6	3
E 922. Inhalation and ingestion of other object causing obstruction or suffocation																
All ages	**26**	**6**	**1**	—	**15**	**5**	**1**	—	—	—	**6**	**1**	**2**	—	**2**	—
0–	13	4	—	—	12	4	—	—	—	—	—	—	—	—	1	—
5–	3	1	—	—	—	1	—	—	—	—	1	—	2	—	—	—
15–	6	—	1	—	1	—	1	—	—	—	3	—	—	—	1	—
45–	2	1	—	—	1	—	—	—	—	—	1	1	—	—	—	—
65 & over	2	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—
E 923. Foreign body entering other orifice																
All ages	**12**	**16**	—	—	**7**	**8**	—	—	—	—	**5**	**3**	—	—	—	**5**
0–	2	2	—	—	2	2	—	—	—	—	—	—	—	—	—	—
5–	3	—	—	—	1	—	—	—	—	—	2	—	—	—	—	—
15–	2	1	—	—	—	1	—	—	—	—	2	—	—	—	—	—
45–	2	5	—	—	1	1	—	—	—	—	1	1	—	—	—	3
65 & over	3	8	—	—	3	4	—	—	—	—	—	2	—	—	—	2
E 924. Accidental mechanical suffocation in bed and cradle																
All ages	**76†**	**55†**	—	—	**76**	**53**	—	—	—	**1**	—	—	—	**1**	—	—
0–	75	54	—	—	75	52	—	—	—	1	—	—	—	1	—	—
5–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15–	1	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—
45–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65 & over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E 925. Accidental mechanical suffocation in other and unspecified circumstances																
All ages	**52**	**5**	**34**	**1**	**9**	**4**	**10**	—	**3**	**1**	—	—	**30**	—	—	—
0–	4	4	—	—	3	4	—	—	—	—	—	—	1	—	—	—
5–	5	—	—	—	1	—	—	—	—	—	—	—	4	—	—	—
15–	26	1	21	1	4	—	2	—	—	1	—	—	20	—	—	—
45–	16	—	13	—	1	—	8	—	2	—	—	—	5	—	—	—
65 & over	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—

	Total		At work		Home		Street and highway		Public building		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 926. Lack of care of infants under 1 year of age																
Under 1 year	**20**	**12**	—	—	**12**	**6**	—	—	**1**	—	—	**1**	**5**	**3**	**2**	**2**

Age-groups	Total		At work		Home		Farm		Place for recreation and sport		Street and highway		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 927*																
E 928. Other accidents caused by animals																
All ages	**12**	**3**	**7**	**1**	—	—	**8**	**1**	**1**	—	**2**	**2**	**1**	—	—	—
0–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5–	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
15–	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—
45–	4	—	4	—	—	—	4	—	—	—	—	—	—	—	—	—
65 & over	7	2	3	1	—	—	4	1	1	—	2	1	—	—	—	—

† **E924** Including accidental mechanical suffocation: In bed, M32, F26; In cot, cradle, etc. M44, F29.
* **E927** Accidents caused by stings of venomous animals and insects: 2M, 45-64 yrs. "Home", 1M, 45-64 yrs, "Farm", 1F, 65 & over "Home".

Age-groups	Total		At work		Home		Farm		Mine and quarry		Industrial place and premises		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 929. Accidental drowning and submersion																
All ages	**677**	**197**	**35**	**1**	**35**	**29**	**14**	**2**	**11**	—	**24**	**3**	**589**	**162**	**4**	**1**
0–	86	20	—	—	18	1	5	1	1	—	1	—	60	18	1	—
5–	150	30	—	—	2	—	1	—	6	—	2	3	139	27	—	—
15–	170	28	21	—	2	6	3	1	2	—	10	—	153	21	—	—
45–	161	66	9	1	5	14	2	—	2	—	8	—	142	51	2	1
65 & over	110	53	5	—	8	8	3	—	—	—	3	—	95	45	1	—

Age-groups	Total		At work		Home		Farm		Industrial place and premises		Street and highway		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 930*																
E 931. Excessive heat and insolation																
All ages	**3**	**1**	**2**	—	**1**	**1**	—	—	—	—	—	—	**2**	—	—	—
0–	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
5–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45–	2	—	2	—	—	—	—	—	—	—	—	—	2	—	—	—
65 & over	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
E 932. Excessive cold																
All ages	**9**	**6**	**1**	—	**2**	**2**	**2**	—	—	—	—	—	**3**	**4**	**2**	—
0–	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
5–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15–	3	1	1	—	—	—	1	—	—	—	—	—	1	1	1	—
45–	5	—	—	—	1	—	1	—	—	—	—	—	2	—	1	—
65 & over	—	5	—	—	—	2	—	—	—	—	—	—	—	3	—	—
E 933. Hunger, thirst, and exposure																
All ages	**23**	**7**	—	—	**3**	**1**	**2**	—	—	—	—	—	**10**	**3**	**8**	**3**
0–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15–	2	1	—	—	—	—	1	—	—	—	—	—	1	—	—	1
45–	9	1	—	—	2	—	1	—	—	—	—	—	3	1	3	—
65 & over	12	5	—	—	1	1	—	—	—	—	—	—	6	2	5	2

Age-groups	Total		At work		Home		Industrial place and premises		Place for recreation and sport		Street and highway		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 934*																
E 935. Lightning																
All ages	**6**	**3**	**1**	—	—	—	—	—	**3**	**1**	**1**	**1**	**2**	**1**	—	—
0–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5–	2	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—
15–	3	2	1	—	—	—	—	—	1	1	1	—	1	1	—	—
45–	1	1	—	—	—	—	—	—	—	—	—	1	1	—	—	—
65 & over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E 936. Other and unspecified accidents																
All ages	**175**	**74**	**10**	**2**	**84**	**32**	**2**	**1**	**7**	**1**	**2**	**5**	**34**	**12**	**46**	**23**
0–	24	11	—	—	18	11	—	—	—	—	—	—	1	—	5	—
5–	31	3	—	—	23	—	—	—	2	1	—	1	4	—	2	1
15–	62	8	4	—	26	2	—	—	5	—	1	1	19	2	11	3
45–	29	15	4	2	6	4	1	1	—	—	1	—	5	3	16	7
65 & over	29	37	2	—	11	15	1	—	—	—	—	3	5	7	12	12

* **E930** High and low air pressure: Nil; **E934** Cataclysm: 1M, 65 and over "Other specified places".

TABLE 18B. Deaths from violent causes according to nature of injury, sex and age, 1960 } **England and Wales**

ICD Nos. N800—N999

Note. 1 Headings to which no deaths were assigned during the year have been omitted from the table.

2 See note at head of Table 18A.

ICD No.	Nature of injury		All ages	0—	1—	5—	15—	25—	35—	45—	55—	65—	75—	85 and over
N800–N999	**TOTAL**	M	**13,503**	**272**	**335**	**650**	**1,984**	**1,341**	**1,412**	**1,883**	**2,010**	**1,507**	**1,578**	**531**
		F	**9,619**	**194**	**192**	**267**	**367**	**356**	**541**	**930**	**1,231**	**1,616**	**2,539**	**1,386**
N800–N809	**Fracture of skull, spine and trunk**	M	**4,205**	**15**	**98**	**239**	**894**	**476**	**448**	**560**	**588**	**411**	**365**	**111**
		F	**1,691**	**9**	**54**	**112**	**151**	**93**	**92**	**142**	**215**	**329**	**373**	**121**
N800	Fracture of vault of skull	M	**80**	—	2	7	14	6	11	16	8	10	4	2
		F	**25**	2	1	3	4	1	—	2	3	3	4	2
N801	Fracture of base of skull	M	**571**	2	13	32	146	89	68	71	56	49	39	6
		F	**198**	—	7	19	31	9	15	20	18	37	36	6
N802	Fracture of face bones	M	**32**	—	—	1	11	4	4	4	3	—	4	1
		F	**16**	—	—	1	—	2	—	—	4	2	4	3
N803	Other and unqualified skull fractures	M	**1,842**	12	62	144	457	206	199	255	236	135	106	30
		F	**609**	6	33	57	75	51	37	61	78	105	81	25
N804	Multiple fractures involving skull or face with other bones	M	**792**	1	13	27	174	117	83	106	119	80	64	8
		F	**288**	1	6	22	26	18	16	25	46	65	52	11
N805	Fracture and fracture dislocation of vertebral column, without mention of spinal cord lesion	M	**235**	—	2	9	37	16	22	42	45	25	26	11
		F	**121**	—	2	5	5	6	10	9	18	19	36	11
N806	Fracture and fracture dislocation of vertebral column with spinal cord lesion	M	**92**	—	1	7	17	7	14	8	17	13	5	3
		F	**41**	—	2	2	3	2	—	7	5	9	7	4
N807	Fracture of rib(s), sternum, and larynx	M	**176**	—	1	3	11	8	8	13	38	30	43	21
		F	**80**	—	1	—	3	—	3	2	8	19	29	15
N808	Fracture of pelvis	M	**127**	—	2	1	9	4	11	16	19	23	29	13
		F	**127**	—	—	—	—	2	4	5	11	27	51	27
N809	Multiple and ill-defined fractures of trunk	M	**258**	—	2	8	18	19	28	29	47	46	45	16
		F	**186**	—	2	3	4	2	7	11	24	43	73	17
N810–N819	**Fracture of upper limb**	M	**78**	—	**1**	—	**4**	**5**	**2**	**2**	**6**	**12**	**37**	**9**
		F	**136**	—	—	**1**	**1**	—	—	**1**	**7**	**24**	**58**	**44**
N810	Fracture of clavicle	M	**3**	—	—	—	—	—	—	—	—	1	2	—
		F	**10**	—	—	—	—	—	—	—	—	3	5	2
N811	Fracture of scapula	M	**2**	—	—	—	—	—	—	—	1	1	—	—
		F	**1**	—	—	—	—	—	—	1	—	—	—	—
N812	Fracture of humerus	M	**34**	—	—	—	—	—	—	—	1	5	22	6
		F	**52**	—	—	—	—	—	—	—	—	11	27	14
N813	Fracture of radius and ulna	M	**7**	—	1	—	—	1	—	—	—	—	4	1
		F	**15**	—	—	1	—	—	—	—	1	3	7	3
N814	Fracture of carpal bone(s)	M	**3**	—	—	—	—	1	—	—	—	—	1	1
		F	**20**	—	—	—	—	—	—	—	—	2	6	12
N816	Fracture of one or more phalanges of hand	M	—	—	—	—	—	—	—	—	—	—	—	—
		F	**1**	—	—	—	—	—	—	—	—	—	1	—
N818	Other, multiple, and ill-defined fractures of upper limb	M	**7**	—	—	—	—	—	1	—	—	1	4	1
		F	**8**	—	—	—	—	—	—	—	—	2	3	3
N819	Multiple fractures involving both upper limbs, and upper limb with rib(s) and sternum	M	**22**	—	—	—	4	3	1	2	4	4	4	—
		F	**29**	—	—	—	1	—	—	—	6	3	9	10
N820–N829	**Fracture of lower limb**	M	**1,064**	—	**1**	**3**	**32**	**18**	**11**	**39**	**70**	**175**	**472**	**243**
		F	**2,757**	—	**1**	**1**	**3**	**2**	**6**	**29**	**78**	**371**	**1,307**	**959**
N820	Fracture of neck of femur	M	**431**	—	—	—	—	—	—	4	18	73	202	134
		F	**1,358**	—	—	—	—	—	—	7	24	179	642	506
N821	Fracture of other and unspecified parts of femur	M	**407**	—	—	1	9	2	3	9	18	62	207	96
		F	**1,157**	—	—	—	2	1	1	6	30	148	562	407
N822	Fracture of patella	M	**5**	—	—	—	—	—	1	—	—	—	2	2
		F	**2**	—	—	—	—	—	—	—	—	—	2	—
N823	Fracture of tibia and fibula	M	**67**	—	—	—	1	2	2	10	10	12	25	5
		F	**77**	—	—	—	—	—	3	4	8	19	31	12
N824	Fracture of ankle	M	**11**	—	—	—	—	—	—	—	3	2	6	—
		F	**28**	—	—	—	1	—	1	2	3	7	11	3
N825	Fracture of one or more tarsal and metatarsal bones	M	**1**	—	—	—	—	—	—	—	1	—	—	—
		F	**2**	—	—	—	—	—	—	—	1	—	1	—
N826	Fracture of one or more phalanges of foot	M	**1**	—	—	—	—	—	1	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
N827	Other, multiple, and ill-defined fractures of lower limb	M	**24**	—	—	2	4	2	—	3	3	3	6	1
		F	**16**	—	—	—	—	—	—	—	4	1	8	3
N828	Multiple fractures involving both lower limbs, lower with upper limb, and lower limb(s) with rib(s) and sternum	M	**91**	—	1	—	11	8	3	11	14	19	19	5
		F	**106**	—	1	1	—	1	1	8	7	14	45	28
N829	Fracture of unspecified bones	M	**26**	—	—	—	7	4	1	2	3	4	5	—
		F	**11**	—	—	—	—	—	—	2	1	3	5	—
N830–N839	**Dislocation without fracture**	M	**39**	**1**	**2**	**1**	**6**	**3**	**4**	**6**	**5**	**5**	**4**	**2**
		F	**21**	—	—	—	**1**	—	**1**	**1**	**1**	**8**	**5**	**4**
N840–N848	**Sprains and strains of joints and adjacent muscles**	M	**3**	—	—	—	—	—	—	—	—	—	**2**	**1**
		F	**4**	—	—	—	—	—	—	—	**2**	**1**	**1**	—

TABLE 18B—*continued*

ICD No.	Nature of injury		All ages	0—	1—	5—	15—	25—	35—	45—	55—	65—	75—	85 and over
N850–N856	**Head injury (excluding skull fracture)**	M	**1,016**	**14**	**21**	**57**	**217**	**109**	**95**	**136**	**114**	**117**	**102**	**34**
		F	**486**	**4**	**18**	**26**	**30**	**14**	**22**	**42**	**58**	**91**	**124**	**57**
N850, N851	Open wound, contusion and haematoma of scalp	M	**36**	2	—	1	3	—	4	2	2	8	9	5
		F	**30**	—	1	1	—	1	1	1	2	3	9	11
N852	Concussion	M	**56**	1	—	5	15	6	4	1	6	3	11	4
		F	**36**	—	—	1	3	1	—	3	5	6	15	2
N853	Cerebral laceration and contusion	M	**370**	2	5	21	91	46	38	51	43	32	30	11
		F	**146**	2	4	8	14	9	8	11	16	34	25	15
N854	Subarachnoid, subdural, and extradural haemorrhage following injury (without mention of cerebral laceration or contusion)	M	**112**	3	6	5	11	6	3	13	16	25	19	5
		F	**109**	1	4	1	2	—	2	5	15	22	41	16
N855	Other and unspecified intracranial haemorrhage following injury (without mention of cerebral laceration or contusion)	M	**85**	4	2	3	30	7	5	7	5	9	12	1
		F	**56**	1	2	4	4	1	3	9	5	14	8	5
N856	Head injury of other and unspecified nature	M	**357**	2	8	22	67	44	41	62	42	40	21	8
		F	**109**	—	7	11	7	2	8	13	15	12	26	8
N860–N869	**Internal injury of chest, abdomen, and pelvis**	M	**1,158**	**1**	**19**	**71**	**292**	**172**	**162**	**180**	**140**	**73**	**44**	**4**
		F	**316**	**2**	**14**	**23**	**32**	**19**	**29**	**48**	**54**	**53**	**36**	**6**
N860	Traumatic pneumothorax and haemothorax	M	**64**	—	1	5	12	6	5	13	8	10	4	—
		F	**29**	—	—	—	3	1	2	6	8	2	7	—
N861	Injury to heart and lung	M	**218**	—	1	12	43	32	38	38	35	11	6	2
		F	**58**	—	3	5	5	3	6	11	8	8	7	2
N862	Injury to other and unspecified intrathoracic organs	M	**346**	—	3	17	83	57	46	56	41	27	16	—
		F	**77**	—	—	3	5	5	3	10	19	21	10	1
N863	Injury to gastro-intestinal tract	M	**36**	—	1	2	4	7	4	6	5	3	2	2
		F	**8**	—	1	—	—	—	1	3	1	1	—	1
N864	Injury to liver	M	**107**	—	5	6	36	23	13	11	9	3	1	—
		F	**28**	1	5	6	2	2	4	—	3	2	3	—
N865	Injury to spleen	M	**27**	1	—	4	10	1	2	3	3	1	2	—
		F	**18**	—	—	1	2	—	—	4	5	5	1	—
N866	Injury to kidney	M	**19**	—	—	2	5	3	2	4	—	—	3	—
		F	**7**	—	—	1	—	—	—	—	2	3	—	1
N867	Injury to pelvic organs	M	**10**	—	—	—	—	2	1	3	2	1	1	—
		F	**5**	—	—	—	1	—	—	—	—	2	2	—
N868	Injury to other and unspecified intra-abdominal organs	M	**105**	—	2	11	24	16	17	15	12	5	3	—
		F	**28**	—	—	2	6	3	5	1	2	6	3	—
N869	Internal injury, unspecified or involving intrathoracic with intra-abdominal organs	M	**226**	—	6	12	75	25	34	31	25	12	6	—
		F	**58**	1	5	5	8	5	8	13	6	3	3	1
N870–N879	**Laceration and open wound of face, neck, and trunk**	M	**190**	**1**	**2**	—	**22**	**23**	**24**	**32**	**44**	**19**	**21**	**2**
		F	**57**	—	**2**	**3**	**3**	**7**	**9**	**6**	**7**	**5**	**7**	**8**
N874	Open wound of neck	M	**122**	—	1	—	11	12	15	23	33	13	12	2
		F	**30**	—	—	2	2	4	8	4	5	3	2	—
N875	Open wound of chest	M	**31**	1	—	—	5	8	6	2	5	2	2	—
		F	**10**	—	—	1	1	2	1	2	1	2	—	—
Rem. of N870–N879	Open wound of other sites of face, neck and trunk	M	**37**	—	1	—	6	3	3	7	6	4	7	—
		F	**17**	—	2	—	—	1	—	—	1	—	5	8
N880–N888	**Laceration and open wound of upper limb**	M	**21**	—	—	**1**	**2**	**1**	**4**	**3**	**5**	**3**	**2**	—
		F	**9**	—	—	—	—	—	—	—	**3**	**3**	**1**	**2**
N890–N898	**Laceration and open wound of lower limb**	M	**9**	—	—	—	**1**	**1**	**2**	**3**	—	**1**	**1**	—
		F	**12**	—	—	**1**	**1**	—	—	—	**6**	**2**	**2**	—
N900–N908	**Laceration and open wounds of multiple location**	M	**152**	—	**3**	**2**	**35**	**20**	**22**	**18**	**27**	**16**	**7**	**2**
		F	**51**	—	**1**	**3**	**3**	**4**	**8**	**5**	**7**	**10**	**9**	
N910–N918	**Superficial injury**	M	**11**	—	—	**1**	**1**	**2**	**1**	**1**	**2**	**2**	**1**	—
		F	**2**	—	—	—	—	—	—	—	—	—	**2**	—
N920–N929	**Contusion and crushing with intact skin surface**	M	**31**	—	—	—	**1**	**1**	**1**	**2**	**5**	**2**	**10**	**9**
		F	**58**	—	—	**1**	—	—	—	**1**	**4**	**9**	**22**	**21**
N930–N936	**Effects of foreign body entering through orifice**	M	**265**	**104**	**26**	**15**	**10**	**13**	**16**	**28**	**25**	**13**	**12**	**3**
		F	**201**	**86**	**11**	**3**	**5**	**2**	**6**	**15**	**28**	**23**	**16**	**6**
N933	Foreign body in pharynx and larynx	M	**242**	103	22	13	9	12	11	28	21	9	11	3
		F	**181**	85	9	2	4	2	5	12	25	18	14	5
N934	Foreign body in bronchus and lung	M	**16**	1	4	2	—	1	3	—	3	1	1	—
		F	**4**	—	2	1	1	—	—	—	—	—	—	—
N935	Foreign body in digestive tract	M	**6**	—	—	—	1	—	2	—	1	2	—	—
		F	**14**	1	—	—	—	—	—	3	3	5	2	—
N936	Foreign body in genito-urinary tract	M	**1**	—	—	—	—	—	—	—	—	1	—	—
		F	**2**	—	—	—	—	—	1	—	—	—	—	1

TABLE 18B—*continued*

ICD No.	Nature of injury		All ages	0—	1—	5—	15—	25—	35—	45—	55—	65—	75—	85 and over
N940–N949	**Burns**	M	**227**	**5**	**20**	**9**	**13**	**9**	**17**	**21**	**18**	**28**	**62**	**25**
		F	**402**	**9**	**34**	**32**	**15**	**13**	**14**	**23**	**47**	**63**	**106**	**46**
N941	Burn confined to face, head, and neck	M	6	—	—	—	—	—	—	—	—	1	5	—
		F	9	—	—	—	—	—	—	1	2	1	4	1
N942	Burn confined to trunk	M	18	1	2	1	—	—	—	1	2	2	6	3
		F	30	—	2	—	1	—	—	2	4	5	12	4
N943	Burn confined to upper limb(s), except wrist and hand	M	6	—	1	—	—	—	—	—	1	—	3	1
		F	10	—	—	—	—	—	—	1	1	—	7	1
N944	Burn confined to wrist(s) and hand(s)	M	4	—	1	—	—	—	—	—	1	1	1	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
N945	Burn confined to lower limb(s)	M	16	—	—	—	—	—	2	1	1	4	4	4
		F	13	1	—	1	—	—	1	—	1	2	4	3
N946	Burn involving face, head, and neck, with limb(s)	M	10	—	—	—	—	—	—	—	1	2	5	2
		F	16	2	3	—	—	—	1	—	1	2	2	5
N947	Burn involving trunk with limb(s)	M	45	3	6	2	1	1	3	3	5	6	10	5
		F	104	1	9	5	3	3	3	6	14	20	27	13
N948	Burn involving face, head, and neck, with trunk and limb(s)	M	57	1	5	1	5	4	1	7	3	10	17	3
		F	89	1	3	12	1	1	2	6	9	21	25	8
N949	Burn involving other and unspecified parts	M	65	—	5	5	7	4	11	9	4	2	11	7
		F	131	4	17	14	10	9	7	7	15	12	25	11
N950–N959	**Injury to nerves and spinal cord, without bone injury**	M	**49**	—	—	**2**	**7**	**2**	**5**	**10**	**12**	**4**	**6**	**1**
		F	**17**	—	—	—	—	**1**	—	**1**	**1**	**4**	**9**	**1**
N960–N979	**Effects of poisons**	M	**2,667**	**8**	**33**	**16**	**147**	**271**	**363**	**527**	**572**	**397**	**275**	**58**
		F	**2,524**	**6**	**24**	**20**	**81**	**160**	**279**	**490**	**538**	**478**	**361**	**87**
N960	Poisoning by noxious foodstuffs	M	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	1	—	—	—
N961	Poisoning by alcohol	M	15	—	—	—	—	1	4	5	3	1	1	—
		F	1	—	—	—	—	—	—	—	1	—	—	—
N962	Poisoning by petroleum products	M	1	—	—	—	—	—	—	—	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
N963	Poisoning by industrial solvents	M	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	—	—	—
N964	Poisoning by corrosive aromatics, acids, and caustic alkalis	M	29	—	—	—	—	1	5	3	7	10	3	—
		F	31	—	—	—	—	—	2	6	7	12	4	—
N966	Poisoning by lead and its compounds	M	3	—	3	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
N968	Poisoning by carbon monoxide	M	2,028	6	21	13	127	206	259	372	425	300	244	55
		F	1,692	3	8	15	59	103	152	275	358	329	309	81
N969	Poisoning by other gases and vapours	M	49	1	2	2	2	4	3	4	10	15	6	—
		F	26	2	3	3	1	2	6	—	1	5	2	1
N970	Poisoning by morphine and other opium derivatives	M	7	—	—	—	—	2	2	1	—	2	—	—
		F	4	—	—	—	—	1	—	1	1	1	—	—
N971	Poisoning by barbituric acid and derivatives	M	372	—	2	1	9	41	61	104	86	49	16	3
		F	566	—	1	—	11	40	84	160	138	99	31	2
N972	Poisoning by aspirin and salicylates	M	91	1	4	—	2	10	12	23	26	12	1	—
		F	139	1	6	2	4	7	25	34	20	25	12	3
N973	Poisoning by bromides	M	1	—	—	—	—	—	1	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
N974	Poisoning by other analgesic and soporific drugs	M	20	—	—	—	1	2	4	2	6	4	1	—
		F	34	—	—	—	1	3	7	10	6	5	2	—
N975	Poisoning by sulfonamides	M	1	—	—	—	—	—	1	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
N976	Poisoning by strychnine	M	4	—	—	—	—	—	1	—	2	1	—	—
		F	2	—	1	—	—	—	1	—	—	—	—	—
N978	Poisoning by venom	M	3	—	—	—	—	—	—	2	1	—	—	—
		F	1	—	—	—	—	—	—	—	—	1	—	—
N979	Poisoning by other and unspecified substances	M	43	—	1	—	6	4	10	11	6	2	3	—
		F	26	—	5	—	5	4	1	4	5	1	1	—
N980–N989	**Effects of weather, exposure, and related conditions**	M	**40**	**2**	—	**1**	**5**	**2**	**1**	**9**	**8**	**6**	**5**	**1**
		F	**20**	—	—	—	—	**2**	**2**	**3**	**1**	**3**	**7**	**2**
N980	Effects of reduced temperature	M	8	1	—	—	1	—	1	2	3	—	—	—
		F	9	—	—	—	—	1	—	2	—	2	2	2
N981	Effects of heat and insolation	M	3	1	—	—	—	—	—	1	1	—	—	—
		F	1	—	—	—	—	—	—	—	—	—	1	—
N984	Effects of lightning	M	5	—	—	1	3	—	—	—	1	—	—	—
		F	3	—	—	—	—	—	2	1	—	—	—	—
N985	Effects of hunger	M	1	—	—	—	—	—	—	—	1	—	—	—
		F	1	—	—	—	—	—	—	—	—	—	1	—
N987	Effects of exposure, not elsewhere classified	M	23	—	—	—	1	2	—	6	2	6	5	1
		F	6	—	—	—	—	1	—	—	1	1	3	—

TABLE 18B—*continued*

ICD No.	Nature of injury		All ages	0—	1—	5—	15—	25—	35—	45—	55—	65—	75—	85 and over
N990–N999	**Other and unspecified injuries and reactions**	M	**2,278**	**121**	**109**	**232**	**295**	**213**	**234**	**306**	**369**	**223**	**150**	**26**
		F	**855**	**78**	**33**	**41**	**41**	**39**	**73**	**123**	**174**	**139**	**93**	**21**
N990	Drowning	M	1,082	7	85	170	134	85	87	136	164	129	72	13
		F	386	2	21	30	11	20	30	71	94	74	31	2
N991	Asphyxia and strangulation	M	629	89	12	36	63	45	72	100	117	57	37	1
		F	226	63	10	5	7	7	21	34	44	27	7	1
N992	Electrocution	M	107	—	5	8	20	28	18	11	15	2	—	—
		F	21	—	—	1	3	3	3	—	6	2	3	—
N994	Other general effects of external causes	M	21	17	1	—	1	—	—	—	—	—	2	—
		F	15	12	—	—	—	—	—	—	—	—	—	—
N995	Certain early complications of trauma	M	4	—	—	—	—	—	—	—	—	1	1	1
		F	4	—	—	—	—	—	—	—	—	—	1	2
N996	Injury of other and unspecified nature	M	425	3	6	18	77	55	56	59	69	35	37	10
		F	196	1	2	5	19	7	15	18	30	34	49	16
N997	Reactions and complications due to non-therapeutic medical and surgical procedures	M	6	5	—	—	—	—	1	—	—	—	—	—
		F	4	—	—	—	1	2	1	—	—	—	—	—
N998	Adverse reaction to injections, infusions, and transfusions for therapeutic purposes	M	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	3	—	—	—	—	—
N999	Adverse reaction to other therapeutic procedures	M	4	—	—	—	—	—	—	—	—	3	—	1	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 18C. Deaths from violent causes—Nature of injury according to external cause, 1960 **England and Wales**

ICD Nos. AE 138-AE 150 ; AN 138-AN 150

See note at head of Table 18A

Nature of injury (Intermediate List)		Total	External cause of injury (Intermediate List)												
			AE 138 Motor vehicle accidents	AE 139 Other transport accidents	AE 140 Accidental poisoning	AE 141 Accidental falls	AE 142 Accident caused by machinery	AE 143 Accident caused by fire and explosion of combustible material	AE 144 Accident caused by hot substance corrosive liquid, steam, and radiation	AE 145 Accident caused by firearm	AE 146 Accidental drowning and submersion	AE 147 All other accidental causes	AE 148 Suicide and self-inflicted injury	AE 149 Homicide and injury purposely inflicted by other persons (not in war)	AE 150 Injury resulting from operations of war
Total	M	**13,503**	**4,754**	**552**	**659**	**1,906**	**207**	**228**	**47**	**59**	**677**	**1,175**	**3,059**	**123**	**57**
	F	**9,619**	**1,889**	**80**	**813**	**3,559**	**7**	**413**	**42**	**6**	**197**	**450**	**2,054**	**109**	**—**
AN 138 Fracture of skull	M	**3,317**	2,334	170	—	495	55	2	—	9	—	136	72	41	3
	F	**1,136**	827	36	—	207	3	1	—	—	—	18	26	18	—
AN 139 Fracture of spine and trunk	M	**888**	502	33	—	217	34	—	—	2	—	73	23	—	4
	F	**555**	298	3	—	233	—	—	—	—	—	8	12	1	—
AN 140 Fracture of limbs	M	**1,142**	231	19	—	854	12	—	—	1	—	23	2	—	—
	F	**2,893**	127	8	—	2,721	—	—	—	—	—	34	2	1	—
AN 141 Dislocation without fracture	M	**39**	14	2	—	9	2	—	—	—	—	6	6	—	—
	F	**21**	4	—	—	11	—	—	—	—	—	5	1	—	—
AN 142 Sprains and strains of joints and adjacent muscles	M	**3**	—	—	—	3	—	—	—	—	—	—	—	—	—
	F	**4**	—	—	—	3	—	—	—	—	—	1	—	—	—
AN 143 Head injury (excluding fracture)	M	**1,016**	566	53	—	165	7	1	—	18	—	82	108	12	4
	F	**486**	229	16	—	205	1	—	—	2	—	20	3	10	—
AN 144 Internal injury of chest, abdomen and pelvis	M	**1,158**	753	50	—	77	63	2	—	18	—	138	38	11	8
	F	**316**	241	3	—	34	2	—	—	2	—	13	13	8	—
AN 145 Laceration and open wounds	M	**372**	98	22	—	12	13	—	—	10	—	20	162	23	12
	F	**129**	36	5	—	26	1	—	—	2	—	6	32	21	—
AN 146 Superficial injury, contusion and crushing with intact skin surface	M	**42**	11	1	—	22	—	—	—	—	—	8	—	—	—
	F	**60**	7	—	—	47	—	—	—	—	—	6	—	—	—
AN 147 Effects of foreign body entering through orifice	M	**265**	1	—	—	—	—	—	—	—	—	262	1	—	1
	F	**201**	—	—	—	1	—	—	—	—	—	200	—	—	—
AN 148 Burns	M	**227**	10	5	—	—	—	160	47	—	—	3	2	—	—
	F	**402**	1	—	—	1	—	353	42	—	—	—	4	1	—
AN 149 Effects of poisons	M	**2,667**	—	3	659	—	—	63	—	—	—	5	1,907	12	18
	F	**2,524**	1	1	813	—	—	58	—	—	—	2	1,638	11	—
AN 150 All other and unspecified effects of external causes	M	**2,367**	234	194	—	52	21	—	—	1	677	419	738	24	7
	F	**892**	118	8	—	70	—	1	—	—	197	137	323	38	—

TABLE 18D. Deaths from road traffic accidents and from accidental falls—Nature of injury according to external cause, sex and age, 1960 } England and Wales

See note at head of Table 18A

	Nature of injury (Intermediate List)		External cause of injury by age							
			All ages	0–	5–	15–	25–	45–	65–	75 and over
			Road vehicle accidents to pedestrians (ICD Nos. E812, E840, E842, E844)							
	Total	M	**1,508**	**95**	**183**	**65**	**128**	**349**	**277**	**411**
		F	**1,199**	**61**	**104**	**30**	**59**	**275**	**309**	**361**
AN138	Fracture of skull	M	705	59	89	35	69	192	118	143
		F	517	33	64	19	32	110	136	123
AN139	Fracture of spine and trunk	M	235	6	11	1	12	55	57	93
		F	215	4	7	1	9	44	58	92
AN140	Fracture of limbs	M	121	1	1	3	4	13	32	67
		F	99	—	1	—	2	23	26	47
AN141	Dislocation without fracture	M	4	—	—	—	1	1	—	2
		F	1	—	—	—	—	1	—	—
AN142	Sprains and strains of joints and adjacent muscle	M	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—
AN143	Head injury (excluding fracture)	M	183	12	25	14	17	27	28	60
		F	147	12	13	1	9	34	34	44
AN144	Internal injury of chest, abdomen, and pelvis	M	162	12	46	10	18	35	22	19
		F	119	10	16	5	4	34	30	20
AN145	Laceration and open wounds	M	25	—	2	—	4	9	6	4
		F	22	1	—	1	1	5	6	8
AN146	Superficial injury, contusion and crushing with intact skin surface	M	4	—	—	—	—	1	2	1
		F	6	—	—	—	—	2	—	4
AN147	Effects of foreign body entering through orifice	M	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—
AN148	Burns	M	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—
AN149	Effects of poisons	M	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—
AN150	All other and unspecified effects of external causes	M	69	5	9	2	3	16	12	22
		F	73	1	3	3	2	22	19	23
			Road accidents to pedal cyclists (ICD Nos. E813, E843)							
	Total	M	**565**	**4**	**93**	**87**	**81**	**197**	**71**	**32**
		F	**105**	**1**	**17**	**20**	**15**	**43**	**7**	**2**
AN138	Fracture of skull	M	321	3	64	53	47	106	36	12
		F	66	1	12	12	9	27	4	1
AN139	Fracture of spine and trunk	M	47	—	6	3	5	20	9	4
		F	8	—	3	—	1	3	—	1
AN140	Fracture of limbs	M	25	—	—	—	1	9	8	7
		F	2	—	—	—	—	2	—	—
AN141	Dislocation without fracture	M	3	—	—	—	—	2	1	—
		F	—	—	—	—	—	—	—	—
AN142	Sprains and strains of joints and adjacent muscle	M	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—
AN143	Head injury (excluding fracture)	M	90	—	13	15	17	32	8	5
		F	17	—	—	5	3	7	2	—
AN144	Internal injury of chest, abdomen, and pelvis	M	45	—	6	10	6	14	6	3
		F	6	—	—	1	1	4	—	—
AN145	Laceration and open wounds	M	7	1	—	1	2	3	—	—
		F	3	—	1	1	1	—	—	—
AN146	Superficial injury, contusion and crushing with intact skin surface	M	2	—	—	—	—	2	—	—
		F	—	—	—	—	—	—	—	—
AN147	Effects of foreign body entering through orifice	M	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—
AN148	Burns	M	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—
AN149	Effects of poisons	M	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—
AN150	All other and unspecified effects of external causes	M	25	—	4	5	3	9	3	1
		F	3	—	1	1	—	—	1	—

TABLE 18D—*continued*

	Nature of injury (Intermediate List)		External cause of injury by age							
			All ages	0–	5–	15–	25–	45–	65–	75 and over
	Accident to rider or passenger of motorcycle (ICD Nos. E814, E815, E821)									
	Total	M	**1,529**	**5**	**4**	**853**	**391**	**246**	**24**	**6**
		F	**151**	—	**1**	**75**	**45**	**26**	**4**	—
AN138	Fracture of skull	M	888	3	2	477	236	149	17	4
		F	101	—	1	53	27	17	3	—
AN139	Fracture of spine and trunk	M	92	1	1	50	20	18	2	—
		F	10	—	—	6	2	2	—	—
AN140	Fracture of limbs	M	46	—	—	22	12	12	—	—
		F	4	—	—	2	—	1	1	—
AN141	Dislocation without fracture	M	2	—	—	2	—	—	—	—
		F	—	—	—	—	—	—	—	—
AN142	Sprains and strains of joints and adjacent muscle ..	M	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—
AN143	Head injury (excluding fracture)	M	193	1	1	109	56	25	1	—
		F	8	—	—	1	4	3	—	—
AN144	Internal injury of chest, abdomen, and pelvis ..	M	217	—	—	135	46	33	2	1
		F	20	—	—	11	6	3	—	—
AN145	Laceration and open wounds	M	35	—	—	25	7	2	1	—
		F	—	—	—	—	—	—	—	—
AN146	Superficial injury, contusion and crushing with intact skin surface	M	3	—	—	1	—	2	—	—
		F	—	—	—	—	—	—	—	—
AN147	Effects of foreign body entering through orifice ..	M	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—
AN148	Burns	M	1	—	—	—	1	—	—	—
		F	—	—	—	—	—	—	—	—
AN149	Effects of poisons	M	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—
AN150	All other and unspecified effects of external causes..	M	52	—	—	32	13	5	1	1
		F	8	—	—	2	6	—	—	—
	Motor vehicle traffic accidents (ICD Nos. E810, E811, E816–E819, E822, E823)									
	Total	M	**1,068**	**11**	**12**	**289**	**406**	**274**	**56**	**20**
		F	**393**	**8**	**18**	**80**	**94**	**129**	**37**	**27**
AN138	Fracture of skull	M	389	10	4	122	161	76	13	3
		F	133	3	10	32	41	39	6	2
AN139	Fracture of spine and trunk	M	119	—	3	18	34	48	11	5
		F	60	1	—	5	15	23	12	4
AN140	Fracture of limbs	M	39	—	—	6	10	14	6	3
		F	15	1	—	1	1	6	3	3
AN141	Dislocation without fracture	M	4	—	—	—	—	3	1	—
		F	2	—	—	1	—	—	1	—
AN142	Sprains and strains of joints and adjacent muscle ..	M	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—
AN143	Head injury (excluding fracture)	M	105	—	2	39	33	28	3	—
		F	52	1	5	15	8	13	3	7
AN144	Internal injury of chest, abdomen, and pelvis ..	M	288	1	2	69	127	69	14	6
		F	88	—	3	12	22	34	9	8
AN145	Laceration and open wounds	M	29	—	—	6	11	9	2	1
		F	10	1	—	1	4	2	1	1
AN146	Superficial injury, contusion and crushing with intact skin surface	M	1	—	—	—	—	—	1	—
		F	—	—	—	—	—	—	—	—
AN147	Effects of foreign body entering through orifice ..	M	1	—	—	—	—	1	—	—
		F	—	—	—	—	—	—	—	—
AN148	Burns	M	7	—	—	3	3	1	—	—
		F	1	—	—	—	—	1	—	—
AN149	Effects of poisons	M	—	—	—	—	—	—	—	—
		F	1	—	—	1	—	—	—	—
AN150	All other and unspecified effects of external causes	M	86	—	1	26	27	25	5	2
		F	31	1	—	12	3	11	2	2

TABLE 18D—*continued*

	Nature of injury (Intermediate List)		External cause of injury by age							
			All ages	0–	5–	15–	25–	45–	65–	75 and over
	Accidental falls (ICD Nos. E900–E904)									
	Total	M	**1,906**	**32**	**41**	**66**	**155**	**341**	**293**	**978**
		F	**3,559**	**17**	**12**	**8**	**23**	**179**	**532**	**2,788**
AN138	Fracture of skull	M	495	14	22	42	103	175	55	84
		F	207	8	6	4	9	32	56	92
AN139	Fracture of spine and trunk	M	217	—	1	6	12	49	44	105
		F	233	1	—	—	4	17	41	170
AN140	Fracture of limbs	M	854	1	2	3	2	47	136	663
		F	2,721	—	1	1	4	80	356	2,279
AN141	Dislocation without fracture	M	9	1	—	1	—	1	2	4
		F	11	—	—	—	—	—	6	5
AN142	Sprains and strains of joints and adjacent muscle ..	M	3	—	—	—	—	—	—	3
		F	3	—	—	—	—	1	1	1
AN143	Head injury (excluding fracture)	M	165	12	8	6	12	31	38	58
		F	205	8	4	1	2	27	43	120
AN144	Internal injury of chest, abdomen, and pelvis ..	M	77	2	7	5	19	22	10	12
		F	34	—	—	2	1	10	9	12
AN145	Laceration and open wounds	M	12	1	—	1	—	2	1	7
		F	26	—	1	—	1	5	3	16
AN146	Superficial injury, contusion and crushing with intact skin surface	M	22	—	1	—	1	1	1	18
		F	47	—	—	—	—	1	7	39
AN147	Effects of foreign body entering through orifice ..	M	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	1
AN148	Burns	M	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	1
AN149	Effects of poisons	M	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—
AN150	All other and unspecified effects of external causes	M	52	1	—	2	6	13	6	24
		F	70	—	—	—	2	6	10	52

TABLE 19. Causes of death by sex at different periods of life, 1960 (including, for England and Wales only, crude death rates per million living)

Classified in accordance with the International Abbreviated List with certain sub-divisions.

Abbreviated List No.	Causes of death	England and Wales									
		Age									
		All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
	ALL CAUSES .. .. M	269,172	9,911	1,362	1,603	3,074	10,713	22,783	52,476	74,127	93,123
	F	257,096	7,207	1,069	1,012	1,187	7,642	14,348	30,303	61,347	132,981
B1	Tuberculosis of respiratory system .. .. M	2,342	—	2	—	5	228	383	728	695	301
	F	763	3	3	2	8	203	140	127	161	116
B2	Tuberculosis, other forms .. M	160	4	6	3	7	34	30	25	39	12
	F	170	3	4	6	8	31	19	31	36	32
B3	Syphilis and its sequelae .. M	623	—	—	1	—	29	64	166	230	133
	F	321	—	—	—	2	13	18	66	115	107
B4	Typhoid fever .. .. .. M	2	—	—	—	—	1	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—
B5	Cholera .. .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms .. .. M	15	1	1	1	1	2	—	1	3	5
	F	21	1	2	2	1	1	—	3	4	7
B7	Scarlet fever and streptococcal sore throat .. .. .. M	10	1	1	—	1	2	1	2	—	2
	F	13	2	1	1	2	2	—	1	3	1
B8	Diphtheria .. .. .. M	2	—	—	2	—	—	—	—	—	—
	F	3	—	1	2	—	—	—	—	—	—
B9	Whooping cough .. .. M	20	14	4	1	1	—	—	—	—	—
	F	17	12	4	1	—	—	—	—	—	—
B10	Meningococcal infections .. M	46	27	15	1	1	—	1	—	1	—
	F	49	20	16	6	1	1	1	—	1	3
B11	Plague .. .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis .. .. M	19	—	1	1	5	7	2	2	1	—
	F	4	—	2	1	1	—	—	—	—	—
B13	Smallpox .. .. .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B14	Measles .. .. M	13	2	10	—	—	—	—	1	—	—
	F	18	4	9	4	—	1	—	—	—	—
B15	Typhus and other rickettsial diseases .. .. .. M	1	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B16	Malaria .. .. M	3	—	—	—	—	2	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic .. M	506	39	31	41	22	70	86	82	73	62
	F	489	34	28	23	19	58	74	86	72	95
B18	Malignant neoplasm: (140-205) M	52,779	28	146	285	293	2,205	6,382	14,800	16,480	12,160
	F	46,009	27	137	199	184	2,745	6,203	9,892	12,914	13,708
	stomach (151) .. .. M	7,846	—	—	1	6	228	899	2,139	2,607	1,966
	F	6,107	—	—	—	2	148	411	995	1,975	2,576
	trachea, bronchus and lung (162, 163) .. M	18,882	—	—	—	6	568	2,855	7,056	6.098	2,299
	F	3,118	—	—	1	3	189	481	861	949	634
	breast (170) .. .. M	63	—	—	—	—	2	5	13	23	20
	F	9,059	—	—	—	6	712	1,878	2,222	2,188	2,053
	uterus (171-174) .. .. F	4,088	—	—	1	5	452	766	998	1,039	827
	Leukaemia and aleukaemia (204) .. .. M	1,476	12	70	128	74	199	174	255	324	240
	F	1,218	7	63	81	47	121	136	232	287	244
	Other malig. and lymphatic neoplasms (Rem. of 140-205) M	24,512	16	76	156	207	1,208	2,449	5,337	7,428	7,635
	F	22,419	20	74	116	121	1,123	2,531	4,584	6,476	7,374
B19	Benign and unspecified neoplasms .. .. .. M	613	13	12	7	20	76	112	155	121	97
	F	768	11	6	24	14	109	133	168	152	151
B20	Diabetes mellitus .. .. M	1,193	3	2	6	11	75	80	218	375	423
	F	2,366	1	7	7	13	61	76	359	816	1,026
B21	Anaemias .. .. .. M	593	3	6	6	8	10	31	72	173	284
	F	1,066	6	3	6	7	23	31	88	275	627
B22	Vascular lesions affecting central nervous system .. M	31,006	17	10	23	40	473	1,552	4,603	9,484	14,804
	F	45,216	13	7	15	37	503	1,481	4,455	11,633	27,072
B23	Nonmeningococcal meningitis .. .. .. M	209	79	31	6	9	22	16	26	12	8
	F	160	49	19	4	3	9	9	16	31	20
B24	Rheumatic fever .. .. M	61	1	—	8	8	4	5	13	15	7
	F	64	—	4	7	8	6	10	7	13	9
B25	Chronic rheumatic heart disease .. .. .. M	2,469	—	—	4	47	394	536	629	517	342
	F	4,652	—	—	4	30	594	872	1,104	1,084	964

Abbreviated List No.	Causes of death	England and Wales—*continued*									
		Age									
		All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) .. M	56,514	—	—	1	8	1,674	6,281	14,392	18,466	15,692
	F	35,447	—	1	—	4	210	1,060	4,639	12,042	17,491
	Degenerative heart disease (421, 422) .. .. M	19,550	3	1	8	13	124	315	1,172	4,074	13,840
	F	30,747	1	1	3	8	66	180	878	4,358	25,252
B27	Other diseases of heart .. M	6,019	11	5	14	29	121	294	896	1,720	2,929
	F	7,479	12	7	7	17	103	184	607	1,823	4,719
B28	Hypertension with heart disease .. .. M	4,678	—	—	1	1	42	214	807	1,579	2,034
	F	6,616	—	—	—	—	31	138	601	1,939	3,907
B29	Hypertension without mention of heart .. .. M	3,123	—	—	1	7	188	395	645	817	1,070
	F	3,407	—	—	1	3	80	206	402	823	1,892
B46 (Pt.)	Other circulatory diseases (450-468) .. .. M	7,830	5	2	5	10	117	315	886	2,018	4,472
	F	9,907	4	1	8	11	142	248	666	1,963	6,864
B30	Influenza .. .. .. M	553	13	11	4	14	47	53	110	132	169
	F	545	13	8	6	5	24	23	68	127	271
B31	Pneumonia .. .. .. M	11,818	949	210	93	71	265	482	1,309	2,703	5,736
	F	12,525	727	168	56	43	191	301	867	2,270	7,902
B32	Bronchitis .. .. .. M	18,997	212	63	20	14	212	1,101	4,467	6,587	6,321
	F	7,488	152	38	11	7	93	279	828	1,908	4,172
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527) .. M	3,465	57	42	25	27	132	334	849	1,102	897
	F	1,564	32	19	13	18	77	124	200	313	768
B33	Ulcer of stomach and duodenum .. .. .. M	3,165	2	1	—	6	140	280	699	1,009	1,028
	F	1,540	2	1	1	3	35	84	177	403	834
B34	Appendicitis .. .. .. M	367	6	11	32	17	30	49	74	68	80
	F	271	—	11	16	11	21	16	40	58	98
B35	Intestinal obstruction and hernia .. .. .. M	1,452	115	14	7	7	39	81	227	425	537
	F	1,599	64	4	5	3	36	91	195	433	768
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn M	1,015	180	58	11	22	57	91	129	223	244
	F	1,481	121	35	11	12	66	83	165	370	618
B37	Cirrhosis of liver .. .. M	685	1	2	6	2	56	151	200	178	89
	F	587	3	2	2	9	26	82	172	183	108
B38	Nephritis and nephrosis .. M	2,005	9	11	41	87	300	286	392	401	478
	F	1,709	9	10	27	53	158	176	326	395	555
B39	Hyperplasia of prostate .. M	3,259	—	—	—	—	1	15	174	809	2,260
B40	Complications of pregnancy, childbirth and puerperium F	310	—	—	—	62	245	3	—	—	—
B41	Congenital malformations .. M	2,696	1,852	185	129	96	130	100	101	58	45
	F	2,426	1,697	168	128	68	98	123	63	56	25
B42	Birth injuries, postnatal asphyxia and atelectasis .. M	2,749	2,748	1	—	—	—	—	—	—	—
	F	1,753	1,753	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764) .. M	33	33	—	—	—	—	—	—	—	—
	F	13	13	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768) .. .. M	491	491	—	—	—	—	—	—	—	—
	F	305	305	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified .. M	2,425	2,423	—	2	—	—	—	—	—	—
	F	1,751	1,750	—	1	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes M	2,435	12	2	2	4	15	15	21	127	2,237
	F	4,873	7	6	—	2	4	6	25	184	4,639
B46 (Rem.)	All other diseases (Remainder 001-795) .. M	7,660	285	130	155	176	636	766	1,392	1,904	2,216
	F	10,965	162	144	135	143	679	944	1,750	2,773	4,235
BE47	Motor vehicle accidents .. M	4,754	6	111	291	1,315	1,047	550	541	425	468
	F	1,889	4	71	139	208	226	200	290	361	390
BE48	All other accidents .. .. M	5,510	250	214	344	476	900	673	692	593	1,368
	F	5,567	178	113	115	68	202	233	418	860	3,380
BE49	Suicide and self-inflicted injury .. .. .. M	3,059	—	—	4	170	764	637	754	465	265
	F	2,054	—	—	3	77	435	485	516	387	151
BE50	Homicide and operations of war .. .. M	180	16	10	11	23	42	23	23	24	8
	F	109	12	8	10	14	34	12	7	8	4
BN47	Fractures, head injuries and internal injuries .. .. M	7,521	30	140	370	1,439	1,498	917	918	788	1,421
	F	5,386	15	87	163	217	277	262	412	868	3,085
BN48	Burns .. .. M	227	5	20	9	13	26	21	18	28	87
	F	402	9	34	32	15	27	23	47	63	152
BN49	Effects of poisons .. .. M	2,667	8	33	16	147	634	527	572	397	333
	F	2,524	6	24	20	81	439	490	538	478	448
BN50	All other injuries .. .. M	3,088	229	142	255	385	595	418	502	294	268
	F	1,307	164	47	52	54	154	155	234	207	240

TABLE 19—*continued*

Abbreviated List No.	Causes of death		All ages	Under 1 year	1–	5–	15–	25–	45–	55–	65–	75 and over
			Rates per million living	Rates per 1,000 live births	Rates per million living							
	England and Wales—*continued*											
			Age									
					Years							
	Estimated mid-year population (in thousands)	M	22,070	404,150*	1,439	3,543	2,974	6,001	3,178	2,451	1,413	690
		F	23,685	380,855*	1,366	3,383	2,959	6,090	3,301	2,871	2,082	1,273
	ALL CAUSES	M	**12,196**	**24·52**	**946**	**452**	**1,034**	**1,785**	**7,169**	**21,410**	**52,461**	**134,961**
		F	**10,855**	**18·92**	**783**	**299**	**401**	**1,255**	**4,347**	**10,555**	**29,465**	**104,463**
B1	Tuberculosis of respiratory system	M	**106**	—	*1*	—	*2*	38	121	297	492	436
		F	**32**	*0·01*	*2*	*1*	*3*	33	42	44	77	91
B2	Tuberculosis, other forms	M	**7**	*0·01*	*4*	*1*	*2*	6	9	10	28	*17*
		F	**7**	*0·01*	*3*	*2*	*3*	5	*6*	11	17	**25**
B3	Syphilis and its sequelae	M	**28**	—	—	*0*	—	5	20	68	163	193
		F	**14**	—	—	—	*1*	*2*	*5*	23	55	84
B4	Typhoid fever	M	*0*	—	—	—	—	*0*	—	—	*1*	—
		F	—	—	—	—	—	—	—	—	—	—
B5	Cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	M	*1*	*0·00*	*1*	*0*	*0*	*0*	—	*0*	*2*	*7*
		F	**1**	*0·00*	*1*	*1*	*0*	*0*	—	*1*	*2*	*5*
B7	Scarlet fever and streptococcal sore throat	M	*0*	*0·00*	*1*	—	*0*	*0*	*0*	*1*	—	*3*
		F	*1*	*0·01*	*1*	*0*	*1*	*0*	—	*0*	*1*	*1*
B8	Diphtheria	M	*0*	—	—	*1*	—	—	—	—	—	—
		F	*0*	—	*1*	*1*	—	—	—	—	—	—
B9	Whooping cough	M	**1**	*0·03*	*3*	*0*	*0*	—	—	—	—	—
		F	*1*	*0·03*	*3*	*0*	—	—	—	—	—	—
B10	Meningococcal infections	M	**2**	0·07	*10*	*0*	*0*	—	*0*	—	*1*	—
		F	**2**	0·05	*12*	*2*	*0*	*0*	*0*	—	*0*	*2*
B11	Plague	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	M	*1*	—	*1*	*0*	*2*	*1*	*1*	*1*	*1*	—
		F	*0*	—	*1*	*0*	*0*	—	—	—	—	—
B13	Smallpox	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B14	Measles	M	*1*	*0·00*	*7*	—	—	—	—	*0*	—	—
		F	*1*	*0·01*	*7*	*1*	—	*0*	—	—	—	—
B15	Typhus and other rickettsial diseases	M	*0*	—	—	—	—	—	*0*	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	M	*0*	—	—	—	—	*0*	—	*0*	—	—
		F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic	M	**23**	0·10	22	12	7	12	27	33	52	90
		F	**21**	0·09	20	7	*6*	10	22	30	35	75
B18	Malignant neoplasm: (140-205)	M	**2,391**	0·07	101	80	99	367	2,008	6,038	11,663	17,623
		F	**1,943**	0·07	100	59	62	451	1,879	3,445	6,203	10,768
	stomach (151)	M	**356**	—	—	*0*	*2*	38	283	873	1,845	2,849
		F	**258**	—	—	—	*1*	24	125	347	949	2,024
	trachea, bronchus and lung (162, 163)	M	**856**	—	—	—	*2*	95	898	2,879	4,316	3,332
		F	**132**	—	—	*0*	*1*	31	146	300	456	498
	breast	M	**3**	—	—	—	—	*0*	*2*	*5*	16	29
		F	**382**	—	—	—	*2*	117	569	774	1,051	1,613
	uterus (171-174)	F	**173**	—	—	*0*	*2*	74	232	348	499	650
	Leukaemia and aleukaemia (204)	M	**67**	*0·03*	49	36	25	33	55	104	229	348
		F	**51**	*0·02*	46	24	16	20	41	81	138	192
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	M	**1,111**	*0·04*	53	44	70	201	771	2,177	5,257	11,065
		F	**947**	0·05	54	34	41	184	767	1,597	3,110	5,793
B19	Benign and unspecified neoplasms	M	**28**	*0·03*	*8*	*2*	7	13	35	63	86	141
		F	**32**	*0·03*	*4*	7	*5*	18	40	59	73	119
B20	Diabetes mellitus	M	**54**	*0·01*	*1*	*2*	*4*	12	25	89	265	613
		F	**100**	*0·00*	*5*	*2*	*4*	10	23	125	392	806
B21	Anaemias	M	**27**	*0·01*	*4*	*2*	*3*	*2*	10	29	122	412
		F	**45**	*0·02*	*2*	*2*	*2*	4	9	31	132	493
B22	Vascular lesions affecting central nervous system	M	**1,405**	*0·04*	*7*	*6*	13	79	488	1,878	6,712	21,455
		F	**1,909**	*0·03*	*5*	*4*	13	83	449	1,552	5,587	21,266
B23	Nonmeningococcal meningitis	M	**9**	0·20	22	*2*	*3*	4	*5*	11	*8*	*12*
		F	**7**	0·13	*14*	*1*	*1*	*1*	*3*	*6*	15	16
B24	Rheumatic fever	M	**3**	*0·00*	—	*2*	*3*	*1*	*2*	*5*	*11*	*10*
		F	**3**	—	*3*	*2*	*3*	*1*	*3*	*2*	*6*	*7*
B25	Chronic rheumatic heart disease	M	**112**	—	—	*1*	16	66	169	257	366	496
		F	**196**	—	—	*1*	10	98	264	385	521	757

* Live birth occurrences.

TABLE 19—*continued*

Abbreviated List No.	Causes of death		All ages	Under 1 year	1–	5–	15–	25–	45–	55–	65–	75 and over
			Rates per million living	Rates per 1,000 live births	Rates per million living							
	England and Wales—*continued*											
			Age									
					Years							
	Estimated mid-year population (in thousands)	M	22,070	404,150*	1,439	3,543	2,974	6,001	3,178	2,451	1,413	690
		F	23,685	380,855*	1,366	3,383	2,959	6,090	3,301	2,871	2,082	1,273
B26	Arteriosclerotic heart dis. incl. coronary dis. (420)	M	**2,561**	—	—	*0*	*3*	279	1,976	5,872	13,069	22,742
		F	**1,497**	—	*1*	—	*1*	34	321	1,616	5,784	13,740
	Degenerative heart disease (421, 422)	M	**886**	*0·01*	*1*	*2*	*4*	21	99	478	2,883	20,058
		F	**1,298**	*0·00*	*1*	*1*	*3*	11	55	306	2,093	19,837
B27	Other diseases of heart	M	**273**	*0·03*	*3*	*4*	10	20	93	366	1,217	4,245
		F	**316**	*0·03*	*5*	*2*	*6*	17	56	211	876	3,707
B28	Hypertension with heart disease	M	**212**	—	—	*0*	*0*	7	67	329	1,117	2,948
		F	**279**	—	—	—	—	5	42	209	931	3,069
B29	Hypertension without mention of heart	M	**142**	—	—	*0*	*2*	31	124	263	578	1,551
		F	**144**	—	—	*0*	*1*	13	62	140	395	1,486
B46 (Pt.)	Other circulatory diseases (450-468)	M	**355**	*0·01*	*1*	*1*	*3*	19	99	361	1,428	6,481
		F	**418**	*0·01*	*1*	*2*	*4*	23	75	232	943	5,392
B30	Influenza	M	**25**	*0·03*	*8*	*1*	5	8	17	45	93	245
		F	**23**	*0·03*	*6*	*2*	*2*	4	7	24	61	213
B31	Pneumonia	M	**535**	2·35	146	26	24	44	152	534	1,913	8,313
		F	**529**	1·91	123	17	15	31	91	302	1,090	6,207
B32	Bronchitis	M	**861**	0·52	44	6	*5*	35	346	1,823	4,662	9,161
		F	**316**	0·40	28	*3*	*2*	15	85	288	916	3,277
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	**157**	0·14	29	7	9	22	105	346	780	1,300
		F	**66**	0·08	*14*	*4*	*6*	13	38	70	150	603
B33	Ulcer of stomach and duodenum	M	**143**	*0·00*	*1*	—	*2*	23	88	285	714	1,490
		F	**65**	*0·01*	*1*	*0*	*1*	6	25	62	194	655
B34	Appendicitis	M	**17**	*0·01*	*8*	9	*6*	5	15	30	48	116
		F	**11**	—	*8*	*5*	*4*	3	*5*	14	28	77
B35	Intestinal obstruction and hernia	M	**66**	0·28	*10*	*2*	*2*	6	25	93	301	778
		F	**68**	0·17	*3*	*1*	*1*	6	28	68	208	603
B36	Gastritis, duodenitis, enteritis, and colitis, except diarrhoea of the newborn	M	**46**	0·45	40	*3*	7	9	29	53	158	354
		F	**63**	0·32	26	*3*	*4*	11	25	57	178	485
B37	Cirrhosis of liver	M	**31**	*0·00*	*1*	*2*	*1*	9	48	82	126	129
		F	**25**	*0·01*	*1*	*1*	*3*	4	25	60	88	85
B38	Nephritis and nephrosis	M	**91**	*0·02*	*8*	12	29	50	90	160	284	693
		F	**72**	*0·02*	*7*	8	18	26	53	114	190	436
B39	Hyperplasia of prostate	M	**148**	—	—	—	—	*0*	*5*	71	573	3,275
B40	Complications of pregnancy, childbirth and puerperium	F	**13**	—	—	—	21	40	*1*	—	—	—
B41	Congenital malformations	M	**122**	4·58	129	36	32	22	31	41	41	65
		F	**102**	4·46	123	38	23	16	37	22	27	20
B42	Birth injuries, postnatal asphyxia and atelectasis	M	**125**	6·80	*1*	—	—	—	—	—	—	—
		F	**74**	4·60	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	**1**	0·08	—	—	—	—	—	—	—	—
		F	*1*	*0·03*	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	**22**	1·21	—	—	—	—	—	—	—	—
		F	**13**	0·80	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified	M	**110**	6·00	—	*1*	—	—	—	—	—	—
		F	**74**	4·59	—	*0*	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	**110**	*0·03*	*1*	*1*	*1*	*2*	*5*	9	90	3,242
		F	**206**	*0·02*	*4*	—	*1*	*1*	*2*	9	88	3,644
B46 (Rem.)	All other diseases (Remainder 001-795)	M	**347**	0·71	90	44	59	106	241	568	1,347	3,212
		F	**463**	0·43	105	40	48	111	286	610	1,332	3,327
BE47	Motor vehicle accidents	M	**215**	*0·01*	77	82	442	174	173	221	301	678
		F	**80**	*0·01*	52	41	70	37	61	101	173	306
BE48	All other accidents	M	**250**	0·62	149	97	160	150	212	282	420	1,983
		F	**235**	0·47	83	34	23	33	71	146	413	2,655
BE49	Suicide and self-inflicted injury	M	**139**	—	—	*1*	57	127	200	308	329	384
		F	**87**	—	—	*1*	26	71	147	180	186	119
BE50	Homicide and operations of war	M	**8**	*0·04*	*7*	*3*	8	7	7	9	17	*12*
		F	**5**	*0·03*	*6*	*3*	*5*	6	*4*	*2*	*4*	*3*
BN47	Fractures, head injuries and internal injuries	M	**341**	0·07	97	104	484	250	289	375	558	2,059
		F	**227**	*0·04*	64	48	73	45	79	144	417	2,423
BN48	Burns	M	**10**	*0·01*	14	*3*	*4*	4	7	*7*	20	126
		F	**17**	*0·02*	25	9	*5*	4	7	16	30	119
BN49	Effects of poisons	M	**121**	*0·02*	23	*5*	49	106	166	233	281	483
		F	**107**	*0·02*	18	6	27	72	148	187	230	352
BN50	All other injuries	M	**140**	0·57	99	72	129	99	132	205	208	388
		F	**55**	0·43	34	15	18	25	47	82	99	189

* Live birth occurrences.

TABLE 19—*continued*

Abbreviated List No.	Causes of death		Northern Region									
			Age									
			All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
	ALL CAUSES	M	20,343	858	122	146	204	867	1,712	4,048	5,546	6,840
		F	17,849	614	92	79	84	624	1,032	2,358	4,475	8,491
B1	Tuberculosis of respiratory system	M	171	—	—	—	—	22	34	50	54	11
		F	69	—	—	—	1	28	10	11	10	9
B2	Tuberculosis, other forms	M	10	—	—	—	—	3	2	4	1	—
		F	19	1	—	—	1	5	2	3	4	3
B3	Syphilis and its sequelae	M	55	—	—	—	—	2	6	20	17	10
		F	21	—	—	—	—	1	—	5	5	10
B4	Typhoid fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B5	Cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	M	—	—	—	—	—	—	—	—	—	—
		F	1	—	1	—	—	—	—	—	—	—
B7	Scarlet fever and streptococcal sore throat	M	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	—	1	1	—
B8	Diphtheria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B9	Whooping cough	M	—	—	—	—	—	—	—	—	—	—
		F	2	1	1	—	—	—	—	—	—	—
B10	Meningococcal infections	M	4	2	2	—	—	—	—	—	—	—
		F	7	2	5	—	—	—	—	—	—	—
B11	Plague	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B13	Smallpox	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B14	Measles	M	1	—	1	—	—	—	—	—	—	—
		F	1	1	—	—	—	—	—	—	—	—
B15	Typhus and other rickettsial diseases	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic	M	32	2	4	2	—	8	5	2	4	5
		F	36	3	4	—	1	9	6	4	3	6
B18	Malignant neoplasm: (140-205)	M	3,723	5	14	30	16	158	463	1,054	1,095	888
		F	3,059	1	10	12	12	222	410	699	843	850
	stomach (151)	M	675	—	—	—	—	19	79	196	201	180
		F	522	—	—	—	—	17	34	104	171	196
	trachea, bronchus and lung (162, 163)	M	1,290	—	—	—	—	52	208	492	398	140
		F	189	—	—	—	2	14	33	51	55	34
	breast (170)	M	3	—	—	—	—	—	—	1	2	—
		F	489	—	—	—	—	59	87	124	117	102
	uterus (171-174)	F	273	—	—	—	—	38	57	75	59	44
	Leukaemia and aleukaemia (204)	M	110	3	7	14	5	8	8	19	27	19
		F	80	—	5	5	3	12	8	14	15	18
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	M	1,645	2	7	16	11	79	168	346	467	549
		F	1,506	1	5	7	7	82	191	331	426	456
B19	Benign and unspecified neoplasms	M	38	3	2	—	1	4	4	10	5	9
		F	44	1	—	1	2	5	14	11	4	6
B20	Diabetes mellitus	M	80	—	—	—	1	5	6	11	27	30
		F	186	—	—	—	—	6	6	34	64	76
B21	Anaemias	M	34	—	—	—	—	1	—	5	12	16
		F	82	1	—	—	1	2	3	8	25	42
B22	Vascular lesions affecting central nervous system	M	2,720	2	1	2	2	38	122	362	832	1,359
		F	3,424	4	—	1	4	35	112	383	902	1,983
B23	Nonmeningococcal meningitis	M	14	2	2	1	—	3	2	1	2	1
		F	9	3	—	—	—	1	1	1	3	—
B24	Rheumatic fever	M	2	—	—	—	—	—	—	2	—	—
		F	2	—	1	—	—	—	1	—	—	—
B25	Chronic rheumatic heart disease	M	164	—	—	—	5	34	40	46	27	12
		F	283	—	—	—	3	48	53	73	61	45

TABLE 19—*continued*

Abbreviated List No.	Causes of death		Northern Region—*continued*									
			Age									
			All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420)	M	4,296	—	—	—	1	136	479	1,166	1,408	1,106
		F	2,802	—	—	—	—	33	97	455	1,039	1,178
	Degenerative heart disease (421, 422)	M	1,466	—	—	—	1	5	20	77	353	1,010
		F	1,976	—	—	—	1	7	12	76	332	1,548
B27	Other diseases of heart	M	440	3	1	1	1	8	19	72	154	181
		F	466	—	3	—	—	3	13	41	116	290
B28	Hypertension with heart disease	M	306	—	—	—	—	6	18	50	92	140
		F	383	—	—	—	—	—	9	42	125	207
B29	Hypertension without mention of heart	M	168	—	—	—	—	21	23	27	55	42
		F	213	—	—	—	—	4	13	24	58	114
B46 (Pt.)	Other circulatory diseases (450-468)	M	577	—	—	—	2	5	16	66	115	373
		F	620	—	—	—	1	12	14	47	124	422
B30	Influenza	M	80	1	1	—	1	5	5	12	29	26
		F	63	—	—	—	—	4	3	10	16	30
B31	Pneumonia	M	852	99	21	11	8	29	41	100	173	370
		F	697	55	21	10	3	22	25	53	134	374
B32	Bronchitis	M	1,414	12	2	2	—	18	91	407	521	361
		F	501	13	3	1	1	7	22	72	136	246
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	243	4	3	1	—	11	24	64	79	57
		F	118	—	—	1	—	8	10	11	16	72
B33	Ulcer of stomach and duodenum	M	242	—	—	—	1	19	27	67	62	66
		F	78	—	—	—	1	2	5	7	31	32
B34	Appendicitis	M	24	—	—	3	1	1	4	5	5	5
		F	19	—	—	1	—	1	2	4	5	6
B35	Intestinal obstruction and hernia	M	98	13	—	—	—	5	7	14	30	29
		F	115	4	—	—	1	—	12	17	30	51
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	62	19	4	—	2	3	5	8	9	12
		F	103	12	4	—	2	10	7	10	24	34
B37	Cirrhosis of liver	M	59	—	—	—	—	4	11	21	16	7
		F	37	1	1	—	1	1	5	10	12	6
B38	Nephritis and nephrosis	M	155	1	—	3	10	29	18	24	29	41
		F	149	—	—	3	3	20	15	33	40	35
B39	Hyperplasia of prostate	M	229	—	—	—	—	—	1	10	57	161
B40	Complications of pregnancy, childbirth and puerperium	F	22	—	—	—	4	17	1	—	—	—
B41	Congenital malformations	M	191	135	9	13	4	11	—	10	6	3
		F	191	145	9	12	3	7	3	6	5	1
B42	Birth injuries, postnatal asphyxia and atelectasis	M	209	209	—	—	—	—	—	—	—	—
		F	140	140	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	2	2	—	—	—	—	—	—	—	—
		F	5	5	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	51	51	—	—	—	—	—	—	—	—
		F	28	28	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified	M	246	246	—	—	—	—	—	—	—	—
		F	154	154	—	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	219	1	2	—	—	2	—	2	12	200
		F	326	—	—	—	—	—	1	4	17	304
B46 (Rem.)	All other diseases (Remainder 001-795)	M	547	19	10	13	8	40	51	116	147	143
		F	740	14	9	12	15	48	82	134	184	242
BE47	Motor vehicle accidents	M	338	1	18	27	93	88	30	33	24	24
		F	125	—	8	15	11	19	19	14	16	23
BE48	All other accidents	M	539	25	23	37	38	84	85	71	56	120
		F	426	24	9	10	5	14	14	31	79	240
BE49	Suicide and self-inflicted injury	M	230	—	—	—	7	58	51	56	36	22
		F	95	—	—	—	5	20	29	24	11	6
BE50	Homicide and operations of war	M	12	1	2	—	1	1	2	3	2	—
		F	10	1	3	—	2	3	1	—	—	—
BN47	Fractures, head injuries and internal injuries	M	627	1	20	36	109	143	81	71	59	107
		F	384	—	9	14	13	21	21	25	64	217
BN48	Burns	M	26	—	1	—	—	4	2	3	4	12
		F	41	1	3	5	2	3	2	4	8	13
BN49	Effects of poisons	M	212	1	11	—	10	43	51	49	29	18
		F	124	—	5	1	5	19	29	26	22	17
BN50	All other injuries	M	254	25	11	28	20	41	34	40	26	29
		F	107	24	3	5	3	13	11	14	12	22

TABLE 19—*continued*

Abbreviated List No.	Causes of death	Tyneside Conurbation									
		Age									
				Years							
		All ages	Under 1 year	1–	5–	15–	25–	45–	55–	65–	75 and over
	ALL CAUSES .. .. M	5,466	231	25	33	38	228	492	1,163	1,490	1,766
	F	4,660	150	29	16	20	176	265	634	1,188	2,182
B1	Tuberculosis of respiratory system .. .. .. M	39	—	—	—	—	3	10	10	13	3
	F	19	—	—	—	1	7	4	2	3	2
B2	Tuberculosis, other forms .. M	2	—	—	—	—	—	2	—	—	—
	F	4	—	—	—	—	3	—	1	—	—
B3	Syphilis and its sequelae .. M	14	—	—	—	—	—	—	7	6	1
	F	4	—	—	—	—	—	—	1	1	2
B4	Typhoid fever .. .. .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B5	Cholera .. .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms .. .. M	—	—	—	—	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—
B7	Scarlet fever and streptococcal sore throat .. M	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—
B8	Diphtheria .. .. .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B9	Whooping cough .. .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B10	Meningococcal infections .. M	3	2	1	—	—	—	—	—	—	—
	F	3	2	1	—	—	—	—	—	—	—
B11	Plague .. .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis .. .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B13	Smallpox .. .. .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B14	Measles .. .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B15	Typhus and other rickettsial diseases .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B16	Malaria .. .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic M	10	1	2	1	—	2	2	1	1	—
	F	10	1	2	—	1	2	2	—	1	1
	Malignant neoplasm: M	1,084	—	2	5	7	41	128	329	333	239
	(140-205) .. .. .. F	821	—	5	3	4	70	108	199	226	206
	stomach (151) .. .. M	184	—	—	—	—	5	22	55	55	47
	F	125	—	—	—	—	7	9	24	38	47
	trachea, bronchus and lung (162, 163) .. M	434	—	—	—	—	18	66	173	131	46
	F	69	—	—	—	—	3	11	17	24	14
B18	breast (170) .. .. M	2	—	—	—	—	—	—	1	1	—
	F	133	—	—	—	—	25	22	32	33	21
	uterus (171-174) .. .. F	80	—	—	—	—	11	13	28	20	8
	Leukaemia and aleukaemia M	24	—	1	4	3	1	4	6	4	1
	(204) .. .. F	25	—	2	2	2	3	3	3	4	6
	Other malig. and lymphatic M	440	—	1	1	4	17	36	94	142	145
	neoplasms (Rem. of 140-205) F	389	—	3	1	2	21	50	95	107	110
B19	Benign and unspecified neoplasms .. .. .. M	5	1	—	—	—	—	1	1	1	1
	F	7	—	—	1	—	—	2	3	—	1
B20	Diabetes mellitus .. .. M	17	—	—	—	—	2	1	1	6	7
	F	47	—	—	—	—	1	1	6	20	19
B21	Anaemias .. .. .. M	7	—	—	—	—	—	—	2	3	2
	F	25	—	—	—	—	2	—	3	5	15
B22	Vascular lesions affecting central nervous system M	746	—	—	—	—	9	33	125	233	346
	F	871	—	—	1	1	8	33	93	231	504
B23	Nonmeningococcal meningitis .. .. .. M	3	—	1	—	—	—	—	—	1	1
	F	1	—	—	—	—	1	—	—	—	—
B24	Rheumatic fever .. .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B25	Chronic rheumatic heart disease .. .. .. M	44	—	—	—	1	11	5	14	9	4
	F	75	—	—	—	2	11	12	18	17	15

TABLE 19—*continued*

Abbreviated List No.	Causes of death	Tyneside Conurbation—*continued*									
		Age									
				Years							
		All ages	Under 1 year	1–	5–	15–	25–	45–	55–	65–	75 and over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) .. M	1,091	—	—	—	—	31	136	308	344	272
	F	729	—	—	—	—	7	25	124	269	304
	Degenerative heart disease (421, 422) .. .. .. M	352	—	—	—	—	3	7	18	84	240
	F	461	—	—	—	—	1	2	13	73	372
B27	Other diseases of heart .. M	89	2	—	—	—	1	6	12	32	36
	F	112	—	1	—	—	—	4	9	26	72
B28	Hypertension with heart disease .. .. .. M	86	—	—	—	—	4	5	12	23	42
	F	113	—	—	—	—	—	5	15	39	54
B29	Hypertension without mention of heart .. .. M	63	—	—	—	—	9	10	5	23	16
	F	52	—	—	—	—	2	1	6	11	32
B46 (Pt.)	Other circulatory diseases (450-468) .. .. .. M	138	—	—	—	—	2	7	16	32	81
	F	150	—	—	—	—	2	3	9	35	101
B30	Influenza .. .. .. M	23	1	—	—	—	3	2	6	6	5
	F	17	—	—	—	—	1	—	4	3	9
B31	Pneumonia .. .. .. M	238	27	1	2	—	8	12	31	44	113
	F	224	10	4	2	—	7	6	19	44	132
B32	Bronchitis .. .. .. M	471	3	2	1	—	5	35	126	169	130
	F	181	5	2	1	—	5	8	25	62	73
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527) M	60	—	1	—	—	1	6	17	11	24
	F	35	—	—	—	—	2	1	2	5	25
B33	Ulcer of stomach and duodenum .. .. .. M	63	—	—	—	—	6	5	20	15	17
	F	16	—	—	—	—	1	1	1	7	6
B34	Appendicitis .. .. .. M	7	—	—	1	—	1	1	1	2	1
	F	7	—	—	1	—	—	—	1	2	3
B35	Intestinal obstruction and hernia .. .. .. M	19	2	—	—	—	2	3	4	4	4
	F	37	1	—	—	1	—	4	6	6	19
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn M	16	4	—	—	2	2	—	3	3	2
	F	29	4	2	—	1	2	3	2	6	9
B37	Cirrhosis of liver .. .. M	15	—	—	—	—	1	4	4	5	1
	F	11	—	—	—	1	—	—	4	4	2
B38	Nephritis and nephrosis .. M	40	—	—	—	4	8	8	3	8	9
	F	47	—	—	2	1	8	3	9	11	13
B39	Hyperplasia of prostate .. M	52	—	—	—	—	—	—	3	12	37
B40	Complications of pregnancy, childbirth and puerperium F	8	—	—	—	2	5	1	—	—	—
B41	Congenital malformations .. M	42	32	2	3	1	2	—	2	—	—
	F	39	35	2	—	—	—	—	1	1	—
B42	Birth injuries, postnatal asphyxia and atelectasis M	61	61	—	—	—	—	—	—	—	—
	F	32	32	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764) .. .. M	—	—	—	—	—	—	—	—	—	—
	F	2	2	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768) .. .. M	9	9	—	—	—	—	—	—	—	—
	F	8	8	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified .. M	73	73	—	—	—	—	—	—	—	—
	F	38	38	—	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes M	56	1	1	—	—	2	—	2	4	46
	F	73	—	—	—	—	—	—	1	4	68
B46 (Rem.)	All other diseases (Remainder 001-795) .. M	145	5	2	4	1	11	16	35	32	39
	F	190	4	1	2	1	12	25	39	46	60
BE47	Motor vehicle accidents .. M	75	—	5	5	15	18	9	11	4	8
	F	33	—	2	2	2	5	2	5	7	8
BE48	All other accidents .. .. M	134	6	4	11	7	22	21	18	14	31
	F	97	8	5	1	—	2	2	4	22	53
BE49	Suicide and self-inflicted injury .. .. .. M	71	—	—	—	—	18	17	15	13	8
	F	27	—	—	—	2	8	6	8	1	2
BE50	Homicide and operations of war .. .. M	3	1	1	—	—	—	—	1	—	—
	F	3	—	1	—	—	1	1	—	—	—
BN47	Fractures, head injuries and internal injuries .. .. M	133	—	5	8	16	28	19	19	11	27
	F	90	—	2	2	2	5	2	8	20	49
BN48	Burns .. .. M	12	—	—	—	—	2	1	1	3	5
	F	8	—	1	1	—	—	—	—	3	3
BN49	Effects of poisons .. .. M	71	1	4	—	1	14	21	14	9	7
	F	37	—	3	—	2	6	7	7	5	7
BN50	All other injuries .. .. M	67	6	1	8	5	14	6	11	8	8
	F	25	8	2	—	—	5	2	2	2	4

TABLE 19—*continued*

Abbreviated List No.	Causes of death		East and West Ridings Region									
			Age									
					Years							
			All ages	Under 1 year	1–	5–	15–	25–	45–	55–	65–	75 and over
	ALL CAUSES	M	25,240	917	128	143	234	995	2,206	5,242	7,180	8,195
		F	23,523	724	91	81	126	689	1,348	2,963	5,919	11,582
B1	Tuberculosis of respiratory system	M	250	—	—	—	1	23	45	83	69	29
		F	70	—	—	1	3	21	17	11	10	7
B2	Tuberculosis, other forms	M	20	—	2	1	—	1	5	4	3	4
		F	10	—	—	1	—	2	1	2	2	2
B3	Syphilis and its sequelae	M	47	—	—	—	—	3	7	12	19	6
		F	28	—	—	—	—	—	3	10	7	8
B4	Typhoid fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B5	Cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	M	3	—	—	—	—	—	—	—	1	2
		F	3	—	—	1	—	—	—	1	1	—
B7	Scarlet fever and streptococcal sore throat	M	1	—	—	—	—	1	—	—	—	—
		F	1	1	—	—	—	—	—	—	—	—
B8	Diphtheria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B9	Whooping cough	M	2	1	1	—	—	—	—	—	—	—
		F	3	2	1	—	—	—	—	—	—	—
B10	Meningococcal infections	M	6	4	1	—	—	—	—	—	1	—
		F	4	2	—	—	—	—	—	—	—	2
B11	Plague	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	M	2	—	—	—	1	—	—	—	1	—
		F	1	—	1	—	—	—	—	—	—	—
B13	Smallpox	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B14	Measles	M	1	—	1	—	—	—	—	—	—	—
		F	1	—	1	—	—	—	—	—	—	—
B15	Typhus and other rickettsial diseases	M	1	—	—	—	—	—	1	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic	M	50	6	2	2	1	9	9	10	4	7
		F	53	3	5	2	3	6	7	11	9	7
B18	Malignant neoplasm: (140-205)	M	4,773	2	13	21	21	198	589	1,343	1,501	1,085
		F	3,976	2	11	9	20	241	530	912	1,130	1,121
	stomach (151)	M	735	—	—	—	2	23	98	202	229	181
		F	569	—	—	—	—	12	40	129	162	226
	trachea, bronchus and lung (162, 163)	M	1,637	—	—	—	1	45	250	611	526	204
		F	245	—	—	—	—	9	39	78	67	52
	breast (170)	M	5	—	—	—	—	—	1	1	2	1
		F	781	—	—	—	—	72	168	172	186	183
	uterus (171-174)	F	393	—	—	—	—	48	76	87	113	69
	Leukaemia and aleukaemia (204)	M	129	1	4	11	6	22	20	22	27	16
		F	107	2	4	6	4	13	7	25	26	20
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	M	2,267	1	9	10	12	108	220	507	717	683
		F	1,881	—	7	3	16	87	200	421	576	571
B19	Benign and unspecified neoplasms	M	70	—	—	2	—	9	15	21	16	7
		F	63	—	—	2	1	12	11	16	10	11
B20	Diabetes mellitus	M	107	—	—	—	1	8	8	23	33	34
		F	257	1	—	—	4	11	8	41	99	93
B21	Anaemias	M	61	—	—	2	1	1	3	7	17	30
		F	105	1	1	—	—	2	2	11	26	62
B22	Vascular lesions affecting central nervous system	M	3,067	—	—	1	3	40	143	457	960	1,463
		F	4,162	—	—	1	4	48	122	432	1,160	2,395
B23	Nonmeningococcal meningitis	M	20	5	5	—	2	3	2	1	2	—
		F	14	3	1	—	1	2	1	2	1	3
B24	Rheumatic fever	M	4	1	—	1	1	—	1	—	—	—
		F	7	—	2	—	1	1	—	—	1	2
B25	Chronic rheumatic heart disease	M	233	—	—	—	6	33	49	55	54	36
		F	427	—	—	1	2	54	115	106	92	57

TABLE 19—*continued*

Abbreviated List No.	Causes of death		East and West Ridings Region—*continued*									
			Age									
					Years							
			All ages	Under 1 year	1–	5–	15–	25–	45–	55–	65–	75 and over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420)	M	5,543	—	—	—	2	168	627	1,521	1,789	1,436
		F	3,593	—	—	—	1	25	115	494	1,285	1,673
	Degenerative heart disease (421, 422)	M	1,588	—	—	—	2	12	32	104	398	1,040
		F	2,629	—	—	1	1	7	20	85	426	2,089
B27	Other diseases of heart	M	527	1	—	1	3	13	29	87	156	237
		F	642	1	—	1	4	7	21	67	187	354
B28	Hypertension with heart disease	M	412	—	—	—	—	2	20	79	142	169
		F	640	—	—	—	—	3	15	61	199	362
B29	Hypertension without mention of heart	M	246	—	—	—	—	17	28	60	62	79
		F	267	—	—	—	1	2	21	39	64	140
B46 (Pt.)	Other circulatory diseases (450-468)	M	767	—	1	1	—	11	26	92	195	441
		F	1,009	—	—	1	—	12	27	50	183	736
B30	Influenza	M	54	3	1	—	1	9	6	9	11	14
		F	30	—	—	1	—	3	—	4	7	15
B31	Pneumonia	M	1,083	92	15	10	6	25	52	128	268	487
		F	1,098	103	13	5	3	18	21	79	192	664
B32	Bronchitis	M	2,123	20	7	2	3	30	112	549	727	673
		F	795	25	3	—	—	12	33	102	199	421
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	273	7	1	2	4	7	39	59	96	58
		F	142	5	5	1	2	11	6	15	28	69
B33	Ulcer of stomach and duodenum	M	286	—	—	—	—	12	35	73	84	82
		F	123	—	—	—	—	4	12	13	33	61
B34	Appendicitis	M	34	1	2	2	2	—	6	7	5	9
		F	19	—	1	1	2	1	3	3	4	4
B35	Intestinal obstruction and hernia	M	128	10	3	1	1	3	7	26	41	36
		F	146	6	—	1	—	7	10	26	33	63
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	85	17	4	1	3	6	4	10	20	20
		F	107	16	1	—	1	7	5	15	28	34
B37	Cirrhosis of liver	M	56	—	—	2	—	3	15	11	16	9
		F	57	1	—	—	1	1	8	15	18	13
B38	Nephritis and nephrosis	M	222	1	—	4	10	33	26	38	50	60
		F	198	1	2	2	10	10	19	37	46	71
B39	Hyperplasia of prostate	M	276	—	—	—	—	—	2	22	90	162
B40	Complications of pregnancy, childbirth and puerperium	F	32	—	—	—	5	27	—	—	—	—
B41	Congenital malformations	M	221	161	17	13	1	9	8	6	5	1
		F	223	169	8	13	5	5	12	5	5	1
B42	Birth injuries, postnatal asphyxia and atelectasis	M	266	266	—	—	—	—	—	—	—	—
		F	142	142	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	7	7	—	—	—	—	—	—	—	—
		F	1	1	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	44	44	—	—	—	—	—	—	—	—
		F	22	22	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified	M	227	227	—	—	—	—	—	—	—	—
		F	187	187	—	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	116	1	—	—	1	1	1	—	4	108
		F	305	—	2	—	—	—	—	2	12	289
B46 (Rem.)	All other diseases (Remainder 001-795)	M	670	23	9	16	21	46	76	128	178	173
		F	1,006	17	11	10	11	53	93	161	264	386
BE47	Motor vehicle accidents	M	408	—	15	23	93	99	53	54	34	37
		F	167	—	9	14	17	19	21	40	31	16
BE48	All other accidents	M	537	16	25	34	28	86	66	69	76	137
		F	542	10	11	11	9	17	19	49	81	335
BE49	Suicide and self-inflicted injury	M	305	—	—	1	14	69	58	92	48	23
		F	204	—	—	—	11	38	48	46	45	16
BE50	Homicide and operations of war	M	18	1	3	—	1	5	1	2	4	1
		F	12	3	2	1	3	—	2	—	1	—
BN47	Fractures, head injuries and internal injuries	M	698	1	21	33	105	143	89	86	86	134
		F	508	3	9	16	20	19	29	48	81	283
BN48	Burns	M	29	2	4	—	2	5	1	2	2	11
		F	42	1	2	5	1	4	4	4	8	13
BN49	Effects of poisons	M	259	2	2	3	11	52	52	67	38	32
		F	250	—	7	1	12	35	44	59	50	42
BN50	All other injuries	M	282	12	16	22	18	59	36	62	36	21
		F	125	9	4	4	7	16	13	24	19	29

TABLE 19—*continued*

Abbreviated List No.	Causes of death		West Yorkshire Conurbation										
			Age										
			All ages	Under 1 year	Years								
					1–	5–	15–	25–	45–	55–	65–	75 and over
	ALL CAUSES	M	10,860	400	56	57	96	388	977	2,359	3,125	3,402
		F	10,641	306	45	35	55	295	585	1,366	2,693	5,261
B1	Tuberculosis of respiratory system	M	81	—	—	—	1	3	12	25	28	12
		F	28	—	—	—	2	10	4	5	3	4
B2	Tuberculosis, other forms	M	8	—	—	—	—	1	2	1	2	2
		F	4	—	—	1	—	—	1	—	1	1
B3	Syphilis and its sequelae	M	19	—	—	—	—	—	2	4	9	4
		F	11	—	—	—	—	—	—	6	2	3
B4	Typhoid fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B5	Cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	M	1	—	—	—	—	—	—	—	—	1
		F	3	—	—	1	—	—	—	1	1	—
B7	Scarlet fever and streptococcal sore throat	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B8	Diphtheria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B9	Whooping cough	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B10	Meningococcal infections	M	3	2	1	—	—	—	—	—	—	—
		F	2	2	—	—	—	—	—	—	—	—
B11	Plague	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	M	—	—	—	—	—	—	—	—	—	—
		F	1	—	1	—	—	—	—	—	—	—
B13	Smallpox	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B14	Measles	M	1	—	1	—	—	—	—	—	—	—
		F	1	—	1	—	—	—	—	—	—	—
B15	Typhus and other rickettsial diseases	M	1	—	—	—	—	—	1	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic	M	19	2	—	1	—	4	2	5	2	3
		F	27	1	1	1	1	6	3	6	4	4
B18	Malignant neoplasm: (140-205)	M	1,981	2	7	8	8	82	244	568	640	422
		F	1,788	—	5	3	11	113	220	424	498	514
	stomach (151)	M	303	—	—	—	1	11	40	76	104	71
		F	264	—	—	—	—	8	15	63	69	109
	trachea, bronchus and lung (162, 163)	M	677	—	—	—	—	22	104	258	215	78
		F	96	—	—	—	—	3	19	29	28	17
	breast (170)	M	1	—	—	—	—	—	—	—	—	1
		F	345	—	—	—	—	30	65	80	86	84
	uterus (171-174)	F	183	—	—	—	—	26	36	38	46	37
	Leukaemia and aleukaemia (204)	M	55	1	2	4	2	10	8	12	10	6
		F	46	—	2	3	3	4	6	12	7	9
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	M	945	1	5	4	5	39	92	222	311	266
		F	854	—	3	—	8	42	79	202	262	258
B19	Benign and unspecified neoplasms	M	36	—	—	1	—	4	8	7	11	5
		F	30	—	—	1	—	2	5	11	4	7
B20	Diabetes mellitus	M	47	—	—	—	1	4	5	11	16	10
		F	100	1	—	—	2	1	3	19	39	35
B21	Anaemias	M	25	—	—	1	—	—	2	3	2	17
		F	48	—	1	—	—	—	—	5	14	28
B22	Vascular lesions affecting central nervous system	M	1,346	—	—	—	—	19	65	213	408	641
		F	1,893	—	—	1	1	23	54	200	536	1,078
B23	Nonmeningococcal meningitis	M	4	2	2	—	—	—	—	—	—	—
		F	6	—	—	—	1	2	—	1	1	1
B24	Rheumatic fever	M	2	1	—	—	1	—	—	—	—	—
		F	6	—	2	—	—	1	—	—	1	2
B25	Chronic rheumatic heart disease	M	86	—	—	—	2	11	19	23	16	15
		F	191	—	—	—	2	25	45	44	41	34

TABLE 19—*continued*

Abbreviated List No.	Causes of death		West Yorkshire Conurbation—*continued*										
			Age										
			All ages	Under 1 year	Years								
					1–	5–	15–	25–	45–	55–	65–	75 and over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420)	M	2,612	—	—	—	—	1	82	319	749	828	633
		F	1,817	—	—	—	—	—	18	62	246	624	867
	Degenerative heart disease (421, 422)	M	644	—	—	—	—	1	3	14	49	160	417
		F	1,132	—	—	—	—	1	1	9	39	178	904
B27	Other diseases of heart	M	247	—	—	—	1	2	7	14	42	80	101
		F	289	1	—	1	2	2	2	13	32	85	153
B28	Hypertension with heart disease	M	169	—	—	—	—	—	1	7	41	54	66
		F	287	—	—	—	—	—	2	4	25	89	167
B29	Hypertension without mention of heart	M	106	—	—	—	—	—	7	11	30	22	36
		F	107	—	—	—	—	—	1	11	15	31	49
B46 (Pt.)	Other circulatory diseases (450-468)	M	295	—	—	—	1	—	4	8	41	86	155
		F	408	—	—	—	—	—	7	14	23	79	285
B30	Influenza	M	15	1	—	—	—	—	—	3	2	2	7
		F	5	—	—	1	—	—	—	—	1	—	3
B31	Pneumonia	M	543	47	10	7	3	14	24	64	138	236	
		F	568	47	6	4	2	8	13	37	94	357	
B32	Bronchitis	M	870	7	4	—	1	10	48	232	293	275	
		F	337	1	—	—	—	2	15	35	86	198	
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	96	—	—	1	3	3	13	20	38	18	
		F	67	3	4	—	—	3	3	9	11	34	
B33	Ulcer of stomach and duodenum	M	122	—	—	—	—	2	14	34	43	29	
		F	52	—	—	—	—	2	5	5	12	28	
B34	Appendicitis	M	15	—	—	1	2	—	2	3	1	6	
		F	8	—	1	—	—	—	2	—	1	4	
B35	Intestinal obstruction and hernia	M	56	5	2	1	—	3	4	8	15	18	
		F	65	4	—	—	—	2	4	13	13	29	
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	39	8	1	1	3	2	2	3	9	10	
		F	52	8	—	—	—	3	2	11	12	16	
B37	Cirrhosis of liver	M	22	—	—	—	—	3	8	3	6	2	
		F	24	1	—	—	—	1	3	7	7	5	
B38	Nephritis and nephrosis	M	84	1	—	3	2	8	7	16	25	22	
		F	75	—	1	—	2	4	6	18	17	27	
B39	Hyperplasia of prostate	M	101	—	—	—	—	—	—	—	8	36	57
B40	Complications of pregnancy, childbirth and puerperium	F	9	—	—	—	3	6	—	—	—	—	—
B41	Congenital malformations	M	101	66	13	7	—	5	4	3	3	—	
		F	89	69	2	4	2	3	5	2	1	1	
B42	Birth injuries, postnatal asphyxia and atelectasis	M	108	108	—	—	—	—	—	—	—	—	
		F	64	64	—	—	—	—	—	—	—	—	
B43	Diarrhoea of newborn (764)	M	3	3	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	
	Other infections of newborn (763, 765-768)	M	22	22	—	—	—	—	—	—	—	—	
		F	10	10	—	—	—	—	—	—	—	—	
B44	Other dis. of early infancy and immaturity unqualified	M	102	102	—	—	—	—	—	—	—	—	
		F	84	84	—	—	—	—	—	—	—	—	
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	27	1	—	—	—	—	1	—	—	1	24
		F	103	—	2	—	—	—	—	—	2	5	94
B46 (Rem.)	All other diseases (Remainder 001-795)	M	292	11	1	3	10	17	35	63	78	74	
		F	459	6	4	3	6	19	42	66	119	194	
BE47	Motor vehicle accidents	M	173	—	5	11	36	43	22	17	19	20	
		F	87	—	6	9	5	5	12	22	18	10	
BE48	All other accidents	M	195	8	8	9	12	21	23	31	30	53	
		F	201	2	7	4	5	6	9	13	39	116	
BE49	Suicide and self-inflicted injury	M	133	—	—	—	7	22	32	40	22	10	
		F	97	—	—	—	6	17	16	23	26	9	
BE50	Homicide and operations of war	M	8	1	1	—	—	2	1	—	2	1	
		F	6	2	1	1	1	—	—	—	1	—	
BN47	Fractures, head injuries and internal injuries	M	273	1	7	14	39	56	37	28	38	53	
		F	196	1	6	10	7	5	10	23	39	95	
BN48	Burns	M	13	1	1	—	2	1	1	1	1	5	
		F	17	—	1	3	—	2	2	—	4	5	
BN49	Effects of poisons	M	124	1	—	—	6	17	27	39	16	18	
		F	128	—	4	—	7	17	16	28	32	24	
BN50	All other injuries	M	99	6	6	6	8	14	13	20	18	8	
		F	50	3	3	1	3	4	9	7	9	11	

TABLE 19—*continued*

Abbreviated List No.	Causes of death		North Western Region									
			Age									
			All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
	ALL CAUSES	M	41,294	1,739	230	205	389	1,745	3,851	8,633	11,578	12,924
		F	40,828	1,268	165	164	171	1,259	2,408	5,189	10,597	19,607
B1	Tuberculosis of respiratory system	M	413	—	1	—	—	43	61	125	131	52
		F	124	1	—	1	—	37	19	22	30	14
B2	Tuberculosis, other forms	M	12	1	—	—	1	1	3	1	2	3
		F	16	1	—	1	1	2	1	2	5	3
B3	Syphilis and its sequelae	M	97	—	—	—	—	10	13	17	39	18
		F	51	—	—	—	—	2	5	10	22	12
B4	Typhoid fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B5	Cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	M	3	1	—	—	—	—	—	—	2	—
		F	5	—	—	—	—	—	—	—	1	4
B7	Scarlet fever and streptococcal sore throat	M	4	1	1	—	—	1	—	1	—	—
		F	1	—	—	—	1	—	—	—	—	—
B8	Diphtheria	M	1	—	—	1	—	—	—	—	—	—
		F	1	—	—	1	—	—	—	—	—	—
B9	Whooping cough	M	6	4	1	1	—	—	—	—	—	—
		F	3	1	2	—	—	—	—	—	—	—
B10	Meningococcal infections	M	11	7	4	—	—	—	—	—	—	—
		F	7	3	3	1	—	—	—	—	—	—
B11	Plague	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	M	1	—	1	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B13	Smallpox	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B14	Measles	M	4	—	4	—	—	—	—	—	—	—
		F	5	2	2	1	—	—	—	—	—	—
B15	Typhus and other rickettsial diseases	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic	M	69	6	3	13	6	6	14	8	7	6
		F	90	7	3	6	2	11	17	17	14	13
	Malignant neoplasm:	M	7,659	4	25	32	44	355	1,009	2,306	2,379	1,505
	(140-205)	F	6,851	3	15	34	24	405	922	1,521	2,031	1,896
	stomach (151)	M	1,283	—	—	1	1	36	171	359	428	287
		F	1,097	—	—	—	—	30	81	173	375	438
	trachea, bronchus and lung (162, 163)	M	2,825	—	—	—	3	116	450	1,104	886	266
		F	488	—	—	1	—	40	82	141	151	73
B18	breast (170)	M	8	—	—	—	—	—	—	—	7	1
		F	1,222	—	—	—	1	88	248	297	323	265
	uterus (171-174)	F	632	—	—	—	—	71	127	153	164	117
	Leukaemia and aleukaemia (204)	M	194	1	10	17	11	32	20	46	32	25
		F	163	1	6	16	7	17	18	23	53	22
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	M	3,349	3	15	14	29	171	368	797	1,026	926
		F	3,249	2	9	17	16	159	366	734	965	981
B19	Benign and unspecified neoplasms	M	73	1	2	—	2	11	10	17	18	12
		F	120	2	—	2	4	25	17	26	26	18
B20	Diabetes mellitus	M	160	1	—	3	—	13	11	36	46	50
		F	370	—	1	—	1	14	16	65	129	144
B21	Anaemias	M	110	—	—	1	1	4	4	11	37	52
		F	214	1	—	2	1	5	4	15	57	129
B22	Vascular lesions affecting central nervous system	M	4,844	3	2	5	10	83	257	794	1,538	2,152
		F	7,227	2	3	2	7	89	251	787	2,117	3,969
B23	Nonmeningococcal meningitis	M	40	14	3	1	3	3	5	6	1	4
		F	23	9	2	—	1	1	1	3	6	—
B24	Rheumatic fever	M	13	—	—	1	1	—	1	4	3	3
		F	13	—	—	1	2	3	4	1	1	1
B25	Chronic rheumatic heart disease	M	406	—	—	—	10	85	103	87	80	41
		F	868	—	—	1	5	131	178	227	195	131

TABLE 19—*continued*

Abbreviated List No.	Causes of death		North Western Region—*continued*									
			Age									
			All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420)	M	8,880	—	—	—	—	294	1,134	2,414	2,927	2,111
		F	5,544	—	—	—	—	44	207	822	2,007	2,464
	Degenerative heart disease (421, 422)	M	2,901	3	—	1	—	28	60	203	638	1,968
		F	4,647	1	—	—	—	12	32	180	778	3,644
B27	Other diseases of heart	M	998	1	—	1	4	16	57	188	299	432
		F	1,270	3	1	2	3	13	42	128	360	718
B28	Hypertension with heart disease	M	616	—	—	—	—	4	31	136	203	242
		F	1,026	—	—	—	—	4	29	101	313	579
B29	Hypertension without mention of heart	M	387	—	—	—	1	32	67	94	85	108
		F	395	—	—	—	—	14	29	48	100	204
B46 (Pt.)	Other circulatory diseases (450-468)	M	1,138	1	—	1	1	17	43	122	315	638
		F	1,511	—	—	2	—	19	40	101	323	1,026
B30	Influenza	M	68	1	1	2	3	4	5	12	20	20
		F	91	5	1	1	3	4	2	10	22	43
B31	Pneumonia	M	1,847	221	39	7	11	37	83	241	468	740
		F	2,063	150	31	10	10	29	58	149	428	1,198
B32	Bronchitis	M	3,409	40	9	2	2	42	262	898	1,211	943
		F	1,561	33	2	2	—	25	89	193	466	751
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	480	8	7	1	3	29	64	125	130	113
		F	231	4	3	4	4	15	25	38	48	90
B33	Ulcer of stomach and duodenum	M	460	—	—	—	1	25	57	100	162	115
		F	249	1	—	—	2	5	22	36	74	109
B34	Appendicitis	M	49	2	2	2	2	5	9	9	11	7
		F	48	—	2	3	1	3	2	9	7	21
B35	Intestinal obstruction and hernia	M	208	13	—	2	2	6	12	38	64	71
		F	240	7	1	1	—	7	20	36	75	93
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	167	53	5	—	3	9	13	19	35	30
		F	235	32	5	3	2	16	15	25	63	74
B37	Cirrhosis of liver	M	102	—	—	1	—	9	19	31	28	14
		F	84	—	—	—	2	6	13	18	25	20
B38	Nephritis and nephrosis	M	280	1	4	5	10	41	42	62	49	66
		F	263	1	2	5	9	23	23	67	65	68
B39	Hyperplasia of prostate	M	432	—	—	—	—	—	2	25	108	297
B40	Complications of pregnancy, childbirth and puerperium	F	48	—	—	—	8	38	2	—	—	—
B41	Congenital malformations	M	424	320	25	10	15	17	12	9	6	10
		F	379	282	26	16	6	15	13	5	8	8
B42	Birth injuries, postnatal asphyxia and atelectasis	M	437	437	—	—	—	—	—	—	—	—
		F	325	325	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	9	9	—	—	—	—	—	—	—	—
		F	5	5	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	79	79	—	—	—	—	—	—	—	—
		F	41	41	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified	M	401	400	—	1	—	—	—	—	—	—
		F	284	284	—	—	—	—	—	—	—	
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	532	1	—	—	1	2	4	4	41	475
		F	952	2	—	—	—	—	1	5	51	893
B46 (Rem.)	All other diseases (Remainder 001-795)	M	1,110	59	30	26	29	108	114	177	268	299
		F	1,666	25	23	15	17	121	161	276	437	591
BE47	Motor vehicle accidents	M	663	—	24	39	142	164	80	74	71	69
		F	343	—	19	19	30	33	37	64	73	68
BE48	All other accidents	M	801	44	35	45	52	119	97	99	97	213
		F	991	33	17	25	7	28	36	85	169	591
BE49	Suicide and self-inflicted injury	M	456	—	—	—	27	115	91	132	51	40
		F	333	—	—	1	16	57	72	96	71	20
BE50	Homicide and operations of war	M	34	3	2	1	2	7	2	8	8	1
		F	14	2	1	2	2	3	3	1	—	—
BN47	Fractures, head injuries and internal injuries	M	1,075	7	26	49	150	224	137	130	123	229
		F	949	1	24	25	29	40	43	78	176	533
BN48	Burns	M	24	—	1	1	1	5	3	1	6	6
		F	85	2	6	7	1	3	4	12	13	37
BN49	Effects of poisons	M	426	—	4	—	19	99	73	113	61	57
		F	449	1	1	6	16	61	78	121	85	80
BN50	All other injuries	M	429	40	30	35	53	77	57	69	37	31
		F	198	31	6	9	9	17	23	35	39	29

TABLE 19—*continued*

Abbreviated List No.	Causes of death		South East Lancashire Conurbation									
			Age									
					Years							
			All ages	Under 1 year	1–	5–	15–	25–	45–	55–	65–	75 and over
	ALL CAUSES	M	15,192	656	81	80	142	654	1,525	3,289	4,195	4,570
		F	15,282	461	57	61	64	459	926	1,963	4,077	7,214
B1	Tuberculosis of respiratory system	M	163	—	1	—	—	18	29	53	43	19
		F	40	—	—	—	—	11	4	10	10	5
B2	Tuberculosis, other forms	M	5	—	—	—	—	1	—	1	1	2
		F	1	—	—	—	—	—	—	—	—	1
B3	Syphilis and its sequelae	M	39	—	—	—	—	5	5	10	13	6
		F	24	—	—	—	—	1	2	6	7	8
B4	Typhoid fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B5	Cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	M	1	—	—	—	—	—	—	—	1	—
		F	1	—	—	—	—	—	—	—	—	1
B7	Scarlet fever and streptococcal sore throat	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B8	Diphtheria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B9	Whooping cough	M	2	1	—	1	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B10	Meningococcal infections	M	6	3	3	—	—	—	—	—	—	—
		F	3	1	1	1	—	—	—	—	—	—
B11	Plague	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B13	Smallpox	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B14	Measles	M	—	—	—	—	—	—	—	—	—	—
		F	1	—	1	—	—	—	—	—	—	—
B15	Typhus and other rickettsial diseases	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic	M	30	2	2	4	3	4	6	3	4	2
		F	32	2	—	1	1	3	7	7	4	7
	Malignant neoplasm:	M	2,964	—	5	13	17	123	420	928	923	535
	(140-205)	F	2,647	1	7	12	9	144	354	601	808	711
	stomach (151)	M	484	—	—	—	—	14	69	155	152	94
		F	404	—	—	—	—	9	29	56	149	161
	trachea, bronchus and lung (162, 163)	M	1,106	—	—	—	2	48	182	440	337	97
		F	202	—	—	—	—	18	27	53	72	32
B18	breast (170)	M	5	—	—	—	—	—	—	—	4	1
		F	478	—	—	—	—	29	99	119	126	105
	uterus (171-174)	F	256	—	—	—	—	28	50	66	70	42
	Leukaemia and aleukaemia (204)	M	61	—	3	5	3	7	7	14	11	11
		F	65	1	3	7	3	7	9	11	14	10
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	M	1,308	—	2	8	12	54	162	319	419	332
		F	1,242	—	4	5	6	53	140	296	377	361
B19	Benign and unspecified neoplasms	M	29	1	—	—	—	4	4	10	6	4
		F	41	—	—	1	3	11	5	6	9	6
B20	Diabetes mellitus	M	64	—	—	1	—	6	3	17	16	21
		F	135	—	—	—	—	3	6	23	53	50
B21	Anaemias	M	40	—	—	1	—	—	2	7	12	18
		F	91	—	—	1	—	1	2	10	22	55
B22	Vascular lesions affecting central nervous system	M	1,774	—	1	2	4	33	93	307	549	785
		F	2,697	1	1	1	3	29	103	308	786	1,465
B23	Nonmeningococcal meningitis	M	19	9	1	1	—	2	1	3	1	1
		F	6	2	—	—	1	—	—	1	2	—
B24	Rheumatic fever	M	4	—	—	—	1	—	1	2	—	—
		F	7	—	—	—	—	2	2	1	1	1
B25	Chronic rheumatic heart disease	M	154	—	—	—	5	27	33	44	31	14
		F	338	—	—	—	—	57	72	80	89	40

TABLE 19—*continued*

Abbreviated List No.	Causes of death		South East Lancashire Conurbation—*continued*									
			Age									
					Years							
			All ages	Under 1 year	1–	5–	15–	25–	45–	55–	65–	75 and over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420)	M	3,048	—	—	—	—	110	432	842	963	701
		F	1,879	—	—	—	—	12	74	275	722	796
	Degenerative heart disease (421, 422)	M	1,078	—	—	—	—	10	24	73	236	735
		F	1,897	—	—	—	—	6	15	81	333	1,462
B27	Other diseases of heart	M	345	1	—	—	2	5	26	62	109	140
		F	498	1	—	1	3	5	12	50	154	272
B28	Hypertension with heart disease	M	213	—	—	—	—	—	14	53	72	74
		F	352	—	—	—	—	1	13	30	118	190
B29	Hypertension without mention of heart	M	135	—	—	—	—	10	29	46	27	23
		F	168	—	—	—	—	5	15	21	47	80
B46 (Pt.)	Other circulatory diseases (450-468)	M	489	—	—	1	—	11	22	45	146	264
		F	713	—	—	1	—	11	16	45	154	486
B30	Influenza	M	23	—	—	—	2	3	2	5	8	3
		F	28	2	1	1	3	1	1	3	4	12
B31	Pneumonia	M	624	81	16	5	2	13	30	81	165	231
		F	637	55	15	4	6	8	11	49	138	351
B32	Bronchitis	M	1,426	10	3	1	2	24	116	368	483	419
		F	660	7	—	1	—	11	40	87	195	319
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	163	4	1	—	1	11	28	37	42	39
		F	78	2	2	1	1	6	9	10	19	28
B33	Ulcer of stomach and duodenum	M	188	—	—	—	1	12	29	40	64	42
		F	98	1	—	—	1	3	4	15	34	40
B34	Appendicitis	M	23	—	2	1	—	3	6	4	6	1
		F	9	—	—	—	—	1	—	3	1	4
B35	Intestinal obstruction and hernia	M	71	7	—	—	2	2	2	12	21	25
		F	92	2	1	—	—	2	9	16	27	35
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	55	17	3	—	—	3	2	8	13	9
		F	91	15	2	2	—	7	7	11	17	30
B37	Cirrhosis of liver	M	47	—	—	—	—	2	8	15	14	8
		F	37	—	—	—	—	2	7	7	11	10
B38	Nephritis and nephrosis	M	83	—	2	—	5	10	14	17	11	24
		F	89	—	—	1	4	10	11	19	21	23
B39	Hyperplasia of prostate	M	142	—	—	—	—	—	—	9	34	99
B40	Complications of pregnancy, childbirth and puerperium	F	15	—	—	—	4	10	1	—	—	—
B41	Congenital malformations	M	143	108	9	1	6	8	3	3	2	3
		F	132	102	9	5	3	4	4	2	2	1
B42	Birth injuries, postnatal asphyxia and atelectasis	M	185	185	—	—	—	—	—	—	—	—
		F	126	126	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	4	4	—	—	—	—	—	—	—	—
		F	1	1	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	37	37	—	—	—	—	—	—	—	—
		F	16	16	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified	M	141	140	—	1	—	—	—	—	—	—
		F	102	102	—	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	164	—	—	—	—	—	—	—	1	17	146
		F	330	2	—	—	—	—	—	—	1	17	310
B46 (Rem.)	All other diseases (Remainder 001-795)	M	373	27	11	10	9	34	40	71	92	79
		F	563	9	5	8	4	46	59	97	160	175
BE47	Motor vehicle accidents	M	244	—	8	16	49	55	36	26	32	22
		F	139	—	7	7	11	13	18	28	25	30
BE48	All other accidents	M	249	17	13	20	15	48	30	27	21	58
		F	345	11	5	11	3	9	18	26	59	203
BE49	Suicide and self-inflicted injury	M	191	—	—	—	16	53	33	57	14	18
		F	117	—	—	—	4	22	23	33	28	7
BE50	Homicide and operations of war	M	14	2	—	1	—	4	2	2	3	—
		F	6	—	—	1	—	2	2	1	—	—
BN47	Fractures, head injuries and internal injuries	M	350	3	9	20	49	82	50	41	35	61
		F	344	—	8	11	11	15	24	33	55	187
BN48	Burns	M	12	—	—	1	1	3	3	1	2	1
		F	30	—	1	2	—	1	2	6	6	12
BN49	Effects of poisons	M	171	—	2	—	9	47	27	42	22	22
		F	171	1	—	2	5	26	29	39	34	35
BN50	All other injuries	M	165	16	10	16	21	28	21	28	11	14
		F	62	10	3	4	2	4	6	10	17	6

TABLE 19—*continued*

Abbreviated List No.	Causes of death		Merseyside Conurbation										
			Age										
					Years								
			All ages	Under 1 year	1–	5–	15–	25–	45–	55–	65–	75 and over
	ALL CAUSES	M	8,068	444	55	42	88	385	789	1,686	2,238	2,341
		F	7,720	330	36	41	43	283	479	973	1,873	3,662
B1	Tuberculosis of respiratory system	M	114	—	—	—	—	13	16	34	39	12
		F	34	1	—	—	—	12	7	4	7	3
B2	Tuberculosis, other forms ..	M	2	—	—	—	—	—	1	—	—	1
		F	6	1	—	—	1	1	1	—	1	1
B3	Syphilis and its sequelae ..	M	15	—	—	—	—	3	2	2	6	2
		F	6	—	—	—	—	—	1	1	3	1
B4	Typhoid fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B5	Cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	M	2	1	—	—	—	—	—	—	1	—
		F	1	—	—	—	—	—	—	—	1	—
B7	Scarlet fever and streptococcal sore throat ..	M	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	1	—	—	—	—	—
B8	Diphtheria	M	1	—	—	1	—	—	—	—	—	—
		F	1	—	—	1	—	—	—	—	—	—
B9	Whooping cough	M	1	1	—	—	—	—	—	—	—	—
		F	2	—	2	—	—	—	—	—	—	—
B10	Meningococcal infections ..	M	4	3	1	—	—	—	—	—	—	—
		F	2	1	1	—	—	—	—	—	—	—
B11	Plague	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	M	1	—	1	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B13	Smallpox	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B14	Measles	M	3	—	3	—	—	—	—	—	—	—
		F	2	1	—	1	—	—	—	—	—	—
B15	Typhus and other rickettsial diseases	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic	M	14	3	—	2	2	1	2	1	2	1
		F	19	3	2	—	—	—	6	2	4	2
B18	Malignant neoplasm: (140-205)	M	1,568	1	6	7	12	74	222	446	494	306
		F	1,312	1	3	13	8	97	167	281	366	376
	stomach (151)	M	248	—	—	1	1	8	37	56	88	57
		F	212	—	—	—	—	9	13	39	64	87
	trachea, bronchus and lung (162, 163) ..	M	634	—	—	—	—	25	105	226	211	67
		F	115	—	—	—	—	15	17	31	29	23
	breast (170)	M	1	—	—	—	—	—	—	—	1	—
		F	211	—	—	—	1	20	42	56	55	37
	uterus (171-174)	F	111	—	—	—	—	14	23	24	26	24
	Leukaemia and aleukaemia (204)	M	41	—	2	5	2	4	6	12	6	4
		F	39	—	—	8	3	4	6	2	13	3
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	M	644	1	4	1	9	37	74	152	188	178
		F	624	1	3	5	4	35	66	129	179	202
B19	Benign and unspecified neoplasms	M	15	—	2	—	—	3	2	1	5	2
		F	21	1	—	—	—	4	2	4	9	1
B20	Diabetes mellitus	M	20	—	—	—	—	3	3	5	5	4
		F	80	—	—	—	—	4	3	14	27	32
B21	Anaemias	M	24	—	—	—	—	1	1	1	6	15
		F	30	1	—	1	—	—	1	3	8	16
B22	Vascular lesions affecting central nervous system ..	M	881	2	1	2	2	19	49	155	276	375
		F	1,202	—	—	—	3	18	45	128	333	675
B23	Nonmeningococcal meningitis	M	3	—	—	—	—	—	—	2	—	1
		F	2	1	1	—	—	—	—	—	—	—
B24	Rheumatic fever	M	2	—	—	1	—	—	—	—	—	1
		F	2	—	—	—	1	—	1	—	—	—
B25	Chronic rheumatic heart disease	M	67	—	—	—	3	21	21	8	10	4
		F	179	—	—	—	4	34	42	49	29	21

TABLE 19—*continued*

Abbreviated List No.	Causes of death		Merseyside Conurbation—*continued*										
			Age										
					Years								
			All ages	Under 1 year	1–	5–	15–	25–	45–	55–	65–	75 and over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) ..	M	1,765	—	—	—	—	66	233	457	582	427
		F	1,122	—	—	—	—	10	51	171	400	490
	Degenerative heart disease (421, 422)	M	357	—	—	—	1	—	4	5	31	74	242
		F	560	—	—	—	—	2	5	20	79	454
B27	Other diseases of heart ..	M	209	—	—	—	1	6	13	36	67	86
		F	264	1	—	1	—	2	11	23	67	159
B28	Hypertension with heart disease	M	128	—	—	—	—	2	3	31	31	61
		F	226	—	—	—	—	1	5	20	49	151
B29	Hypertension without mention of heart	M	52	—	—	—	—	7	13	11	10	11
		F	54	—	—	—	—	4	3	8	8	31
B46 (Pt.)	Other circulatory diseases (450-468)	M	128	1	—	—	1	3	4	16	37	66
		F	197	—	—	1	—	2	6	19	46	123
B30	Influenza	M	7	—	—	—	—	—	—	2	2	3
		F	16	2	—	—	—	1	1	2	4	6
B31	Pneumonia	M	559	64	5	2	7	10	20	60	134	257
		F	738	45	5	2	1	9	21	33	145	477
B32	Bronchitis	M	734	19	2	1	—	9	56	217	252	178
		F	358	21	1	—	—	9	16	36	103	172
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	92	1	4	—	2	6	16	25	19	19
		F	71	1	—	2	—	4	5	14	15	30
B33	Ulcer of stomach and duodenum	M	78	—	—	—	—	2	7	21	26	22
		F	42	—	—	—	—	—	6	5	11	20
B34	Appendicitis	M	7	1	—	—	—	2	1	2	—	1
		F	13	—	1	—	1	—	—	3	—	8
B35	Intestinal obstruction and hernia	M	45	4	—	1	—	—	2	8	15	15
		F	39	1	—	—	—	1	4	5	15	13
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	37	20	1	—	1	3	2	2	3	5
		F	47	10	2	—	—	5	3	5	6	16
B37	Cirrhosis of liver	M	25	—	—	—	—	3	5	9	6	2
		F	15	—	—	—	—	2	1	4	4	4
B38	Nephritis and nephrosis ..	M	54	1	—	2	1	12	5	11	12	10
		F	58	1	—	1	3	5	6	16	12	14
B39	Hyperplasia of prostate ..	M	70	—	—	—	—	—	1	6	17	46
B40	Complications of pregnancy, childbirth and puerperium	F	10	—	—	—	2	7	1	—	—	—
B41	Congenital malformations	M	99	74	5	2	2	6	4	1	1	4
		F	91	63	5	4	1	4	3	2	2	7
B42	Birth injuries, postnatal asphyxia and atelectasis	M	112	112	—	—	—	—	—	—	—	—
		F	85	85	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	1	1	—	—	—	—	—	—	—	—
		F	2	2	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	16	16	—	—	—	—	—	—	—	—
		F	10	10	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified ..	M	91	91	—	—	—	—	—	—	—	—
		F	59	59	—	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	39	—	—	—	—	—	—	2	1	1	35
		F	78	—	—	—	—	—	—	—	1	1	76
B46 (Rem.)	All other diseases (Remainder 001-795) ..	M	224	18	5	5	5	22	17	29	57	66
		F	324	7	5	1	2	24	26	47	73	139
BE47	Motor vehicle accidents ..	M	135	—	8	10	25	36	17	13	13	13
		F	73	—	4	6	9	2	10	15	15	12
BE48	All other accidents	M	189	10	9	5	18	29	26	19	28	45
		F	209	10	4	5	2	4	7	23	25	129
BE49	Suicide and self-inflicted injury	M	71	—	—	—	4	18	18	22	6	3
		F	53	—	—	1	3	15	11	15	5	3
BE50	Homicide and operations of war	M	7	—	2	—	2	1	—	1	1	—
		F	4	1	—	1	1	—	1	—	—	—
BN47	Fractures, head injuries and internal injuries	M	236	2	8	12	30	46	34	27	30	47
		F	197	1	5	6	6	3	9	18	33	116
BN48	Burns	M	5	—	1	—	—	1	—	—	1	2
		F	21	2	2	4	1	—	—	4	2	6
BN49	Effects of poisons	M	78	—	2	—	3	24	15	16	9	9
		F	85	—	—	1	5	15	15	26	8	15
BN50	All other injuries	M	83	8	8	3	16	13	12	12	8	3
		F	36	8	1	2	3	3	5	5	2	7

TABLE 19—*continued*

Abbreviated List No.	Causes of death		North Midland Region									
			Age									
			All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
	ALL CAUSES	M	20,375	807	103	139	257	860	1,573	3,830	5,534	7,272
		F	18,559	564	98	81	93	532	1,068	2,263	4,384	9,476
B1	Tuberculosis of respiratory system	M	140	—	—	—	—	17	29	39	35	20
		F	49	—	—	—	—	14	9	9	9	8
B2	Tuberculosis, other forms	M	11	1	—	—	—	—	—	4	4	2
		F	15	—	—	—	2	3	2	5	3	—
B3	Syphilis and its sequelae	M	39	—	—	—	—	3	2	16	14	4
		F	24	—	—	—	—	1	—	5	10	8
B4	Typhoid fever	M	1	—	—	—	—	—	—	—	1	—
		F	—	—	—	—	—	—	—	—	—	—
B5	Cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	M	—	—	—	—	—	—	—	—	—	—
		F	4	1	1	—	—	—	—	1	1	—
B7	Scarlet fever and streptococcal sore throat	M	—	—	—	—	—	—	—	—	—	—
		F	2	1	—	—	—	—	—	—	1	—
B8	Diphtheria	M	1	—	—	1	—	—	—	—	—	—
		F	1	—	—	1	—	—	—	—	—	—
B9	Whooping cough	M	—	—	—	—	—	—	—	—	—	—
		F	2	1	—	1	—	—	—	—	—	—
B10	Meningococcal infections	M	3	3	—	—	—	—	—	—	—	—
		F	3	—	1	1	—	1	—	—	—	—
B11	Plague	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	M	2	—	—	—	1	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B13	Smallpox	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B14	Measles	M	2	2	—	—	—	—	—	—	—	—
		F	1	—	—	1	—	—	—	—	—	—
B15	Typhus and other rickettsial diseases	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic	M	43	5	5	2	—	4	9	6	5	7
		F	36	4	2	3	1	—	4	6	7	9
B18	Malignant neoplasm: (140-205)	M	3,798	3	12	29	25	182	427	1,025	1,214	881
		F	3,352	1	16	14	18	186	473	730	963	951
	stomach (151)	M	525	—	—	—	1	22	57	129	186	130
		F	397	—	—	—	—	7	32	70	134	154
	trachea, bronchus and lung (162, 163)	M	1,312	—	—	—	1	56	206	497	418	134
		F	202	—	—	—	1	9	33	55	62	42
	breast (170)	M	4	—	—	—	—	—	—	2	—	2
		F	677	—	—	—	1	46	140	169	174	147
	uterus (171-174)	F	341	—	—	—	1	43	67	82	91	57
	Leukaemia and aleukaemia (204)	M	106	1	7	12	7	18	13	14	19	15
		F	98	—	10	3	6	7	14	22	20	16
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	M	1,851	2	5	17	16	86	151	383	591	600
		F	1,637	1	6	11	9	74	187	332	482	535
B19	Benign and unspecified neoplasms	M	65	3	3	2	2	12	13	11	11	8
		F	62	—	—	3	1	8	14	14	9	13
B20	Diabetes mellitus	M	109	—	1	1	—	8	7	20	34	38
		F	172	—	—	—	3	3	3	38	69	56
B21	Anaemias	M	61	—	—	—	1	2	2	8	19	29
		F	77	1	1	—	—	2	3	7	18	45
B22	Vascular lesions affecting central nervous system	M	2,498	5	1	2	1	39	104	368	774	1,204
		F	3,293	—	2	1	2	27	102	351	811	1,997
B23	Nonmeningococcal meningitis	M	21	8	5	1	1	2	1	3	—	—
		F	13	6	1	1	—	1	1	—	—	3
B24	Rheumatic fever	M	7	—	—	1	—	—	2	1	2	1
		F	1	—	—	—	—	—	—	1	—	—
B25	Chronic rheumatic heart disease	M	156	—	—	—	3	31	36	44	30	12
		F	280	—	—	1	3	41	57	75	54	49

TABLE 19—*continued*

Abbreviated List No.	Causes of death		North Midland Region—*continued*									
			Age									
			All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420)	M	3,920	—	—	—	—	119	420	1,003	1,248	1,130
		F	2,240	—	—	—	1	19	64	323	781	1,052
	Degenerative heart disease (421, 422)	M	1,695	—	—	—	1	9	23	118	355	1,189
		F	2,296	—	—	—	—	5	14	67	363	1,847
B27	Other diseases of heart	M	544	1	—	2	1	7	29	73	167	264
		F	659	1	2	1	2	11	22	57	150	413
B28	Hypertension with heart disease	M	428	—	—	1	1	4	15	81	161	165
		F	498	—	—	—	—	—	11	50	143	294
B29	Hypertension without mention of heart	M	266	—	—	—	1	16	29	52	67	101
		F	235	—	—	1	—	8	12	29	60	125
B46 (Pt.)	Other circulatory diseases (450-468)	M	639	—	—	—	—	14	17	77	142	389
		F	738	2	1	—	2	14	25	48	140	506
B30	Influenza	M	41	2	—	—	1	4	5	11	11	7
		F	40	—	—	—	1	—	1	4	11	23
B31	Pneumonia	M	883	82	15	8	12	23	37	93	198	415
		F	876	61	11	6	5	14	26	67	156	530
B32	Bronchitis	M	1,379	27	8	—	2	16	78	322	485	441
		F	536	14	2	1	4	8	20	58	134	295
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	246	17	7	3	3	12	17	58	65	64
		F	145	9	1	—	—	8	12	15	30	70
B33	Ulcer of stomach and duodenum	M	216	—	—	—	2	3	17	34	75	85
		F	107	—	1	1	—	6	3	15	21	60
B34	Appendicitis	M	35	—	—	1	2	4	6	7	5	10
		F	19	—	—	2	—	1	—	3	6	7
B35	Intestinal obstruction and hernia	M	107	11	3	—	—	6	6	17	30	34
		F	101	7	—	1	—	—	4	17	30	42
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	71	12	1	2	1	3	8	14	9	21
		F	105	11	7	2	1	1	8	7	33	35
B37	Cirrhosis of liver	M	42	—	1	1	1	3	10	10	11	5
		F	47	—	—	—	2	3	9	8	18	7
B38	Nephritis and nephrosis	M	160	1	—	4	6	20	19	38	27	45
		F	137	1	1	2	6	11	16	27	36	37
B39	Hyperplasia of prostate	M	265	—	—	—	—	—	2	14	69	180
B40	Complications of pregnancy, childbirth and puerperium	F	21	—	—	—	5	16	—	—	—	—
B41	Congenital malformations	M	225	154	14	15	9	9	12	8	4	—
		F	173	116	14	8	8	10	11	2	2	2
B42	Birth injuries, postnatal asphyxia and atelectasis	M	192	192	—	—	—	—	—	—	—	—
		F	130	130	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	3	3	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	40	40	—	—	—	—	—	—	—	—
		F	29	29	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified	M	186	186	—	—	—	—	—	—	—	—
		F	145	145	—	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	223	1	—	—	—	1	1	1	7	212
		F	428	—	—	—	—	—	1	1	16	410
B46 (Rem.)	All other diseases (Remainder 001-795)	M	577	21	9	8	14	66	39	113	157	150
		F	751	12	11	7	5	48	70	138	181	279
BE47	Motor vehicle accidents	M	383	—	9	29	118	80	54	34	28	31
		F	139	—	6	10	15	14	20	24	20	30
BE48	All other accidents	M	436	26	9	23	31	88	53	54	42	110
		F	414	11	16	10	2	13	14	27	63	258
BE49	Suicide and self-inflicted injury	M	206	—	—	1	15	51	42	52	28	17
		F	153	—	—	—	4	34	36	33	32	14
BE50	Homicide and operations of war	M	10	1	—	2	2	1	2	1	—	1
		F	10	—	1	2	—	1	1	1	3	1
BN47	Fractures, head injuries and internal injuries	M	594	5	10	33	122	122	78	66	50	108
		F	422	—	6	13	12	19	25	34	59	254
BN48	Burns	M	15	—	2	—	1	2	—	—	2	8
		F	22	—	5	4	—	—	1	2	4	6
BN49	Effects of poisons	M	182	1	2	2	9	42	45	36	28	17
		F	157	—	3	1	4	31	31	27	37	23
BN50	All other injuries	M	244	21	4	20	34	54	28	39	18	26
		F	115	11	9	4	5	12	14	22	18	20

TABLE 19—*continued*

Abbreviated List No.	Causes of death	Midland Region — Age — All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
	ALL CAUSES .. .. M	25,713	1,069	157	180	359	1,172	2,440	5,231	6,873	8,232
	F	23,531	780	119	116	129	847	1,416	2,919	5,683	11,522
B1	Tuberculosis of respiratory system .. .. .. M	247	—	—	—	—	19	56	84	64	24
	F	77	—	—	—	1	22	10	14	18	12
B2	Tuberculosis, other forms .. M	20	—	2	—	2	7	1	2	5	1
	F	17	1	1	1	—	3	1	4	3	3
B3	Syphilis and its sequelae .. M	50	—	—	—	—	1	7	11	20	11
	F	23	—	—	—	1	2	2	6	6	6
B4	Typhoid fever .. .. .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B5	Cholera .. .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms .. .. M	1	—	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B7	Scarlet fever and streptococcal sore throat .. M	1	—	—	—	—	—	1	—	—	—
	F	1	—	1	—	—	—	—	—	—	—
B8	Diphtheria .. .. .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B9	Whooping cough .. .. M	4	3	1	—	—	—	—	—	—	—
	F	4	4	—	—	—	—	—	—	—	—
B10	Meningococcal infections .. M	8	3	5	—	—	—	—	—	—	—
	F	5	3	2	—	—	—	—	—	—	—
B11	Plague .. .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis .. .. M	3	—	—	1	1	—	1	—	—	—
	F	1	—	—	—	1	—	—	—	—	—
B13	Smallpox .. .. .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B14	Measles .. .. M	2	—	2	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B15	Typhus and other rickettsial diseases .. M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
B16	Malaria .. .. M	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic M	51	6	7	4	5	5	8	7	6	3
	F	45	5	3	5	1	4	9	3	6	9
	Malignant neoplasm: (140-205) .. .. .. M	4,949	4	16	28	20	256	682	1,472	1,493	978
	F	4,147	1	16	22	22	298	611	919	1,139	1,119
	stomach (151) .. .. M	756	—	—	—	—	28	93	231	259	145
	F	534	—	—	—	—	10	47	92	185	200
	trachea, bronchus and lung (162, 163) .. M	1,783	—	—	—	—	58	306	700	547	172
	F	233	—	—	—	—	20	46	58	71	38
B18	breast (170) .. .. M	7	—	—	—	—	1	1	2	2	1
	F	905	—	—	—	—	80	198	227	210	190
	uterus (171-174) .. .. F	361	—	—	—	1	56	75	81	86	62
	Leukaemia and aleukaemia (204) .. .. M	140	2	6	12	4	22	23	21	31	19
	F	95	1	5	12	3	11	14	21	18	10
	Other malig. and lymphatic neoplasms (Rem. of 140-205) M	2,263	2	10	16	16	147	259	518	654	641
	F	2,019	—	11	10	18	121	231	440	569	619
B19	Benign and unspecified neoplasms .. .. .. M	55	1	1	—	2	6	10	17	9	9
	F	77	1	2	4	1	12	14	16	13	14
B20	Diabetes mellitus .. .. M	131	—	—	1	1	12	11	20	43	43
	F	224	—	1	1	—	4	11	30	79	98
B21	Anaemias .. .. .. M	55	1	2	—	2	—	4	7	9	30
	F	101	—	—	1	1	—	1	8	38	52
B22	Vascular lesions affecting central nervous system .. M	3,078	1	3	2	3	60	204	485	963	1,357
	F	4,056	—	1	3	4	59	139	428	1,100	2,322
B23	Nonmeningococcal meningitis M	20	9	2	—	—	1	1	6	1	—
	F	14	4	5	—	—	2	1	—	2	—
B24	Rheumatic fever .. .. M	10	—	—	1	1	—	—	4	2	2
	F	8	—	—	1	2	—	1	1	3	—
B25	Chronic rheumatic heart disease .. .. .. M	274	—	—	—	4	52	65	80	47	26
	F	470	—	—	—	4	70	98	118	109	71

TABLE 19—*continued*

Abbreviated List No.	Causes of death	Midland Region—*continued* — Age — All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) .. M	4,830	—	—	1	—	184	549	1,302	1,557	1,237
	F	2,921	—	1	—	—	24	107	403	1,016	1,370
	Degenerative heart disease (421, 422) .. .. .. M	1,812	—	—	—	2	11	38	127	404	1,230
	F	2,900	—	1	—	1	11	16	102	451	2,318
B27	Other diseases of heart .. M	566	—	—	1	3	14	38	101	153	256
	F	748	2	—	—	1	19	22	62	192	450
B28	Hypertension with heart disease .. .. .. M	494	—	—	—	—	7	27	90	161	209
	F	659	—	—	—	—	7	11	61	218	362
B29	Hypertension without mention of heart .. M	282	—	—	—	2	21	52	51	63	93
	F	278	—	—	—	—	10	22	37	69	140
B46 (Pt.)	Other circulatory diseases (450-468) .. .. .. M	668	1	1	—	2	15	38	82	196	333
	F	740	—	—	—	1	11	22	72	147	487
B30	Influenza .. .. .. M	78	2	3	—	4	7	14	17	10	21
	F	71	3	4	1	—	3	6	10	19	25
B31	Pneumonia .. .. .. M	1,165	93	22	13	9	35	64	145	272	512
	F	1,141	81	10	2	4	18	34	100	214	678
B32	Bronchitis .. .. .. M	2,033	7	5	5	—	29	149	471	692	675
	F	796	7	2	1	—	9	33	92	227	425
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527) M	353	1	2	1	2	18	43	85	112	89
	F	146	2	1	—	3	10	14	27	28	61
B33	Ulcer of stomach and duodenum .. .. .. M	323	—	—	—	—	18	32	84	89	100
	F	147	1	—	—	—	1	7	17	38	83
B34	Appendicitis .. .. .. M	40	2	3	4	1	4	5	8	9	4
	F	39	—	3	5	2	1	4	4	10	10
B35	Intestinal obstruction and hernia .. .. .. M	148	12	—	1	—	4	13	28	35	55
	F	143	5	1	—	1	8	6	22	35	65
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn M	115	23	9	—	4	8	14	15	23	19
	F	122	12	4	1	—	3	8	14	34	46
B37	Cirrhosis of liver .. .. M	74	—	1	—	—	6	16	25	17	9
	F	54	—	—	—	—	1	9	27	10	7
B38	Nephritis and nephrosis .. M	189	1	—	6	8	45	30	40	31	28
	F	159	—	1	7	8	19	14	27	31	52
B39	Hyperplasia of prostate .. M	300	—	—	—	—	—	—	19	62	219
B40	Complications of pregnancy, childbirth and puerperium F	37	—	—	—	7	30	—	—	—	—
B41	Congenital malformations .. M	295	215	21	11	9	16	9	9	2	3
	F	265	192	22	11	8	9	12	4	7	—
B42	Birth injuries, postnatal asphyxia and atelectasis M	295	295	—	—	—	—	—	—	—	—
	F	212	212	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764) .. .. M	4	4	—	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768) .. .. M	77	77	—	—	—	—	—	—	—	—
	F	51	51	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified .. M	233	233	—	—	—	—	—	—	—	—
	F	154	154	—	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes M	257	1	—	—	—	2	1	1	13	239
	F	493	—	1	—	—	1	—	1	9	481
B46 (Rem.)	All other diseases (Remainder 001-795 .. M	701	39	12	11	19	55	87	133	159	186
	F	977	16	11	14	16	73	82	171	238	356
BE47	Motor vehicle accidents .. M	550	2	12	39	171	113	53	62	44	54
	F	232	1	9	20	26	31	21	30	49	45
BE48	All other accidents .. .. M	578	29	24	48	63	77	53	74	59	151
	F	573	20	16	16	7	24	24	40	83	343
BE49	Suicide and self-inflicted injury .. .. .. M	266	—	—	—	14	56	62	62	47	25
	F	190	—	—	—	4	42	42	48	42	12
BE50	Homicide and operations of war .. .. M	27	4	1	2	5	7	2	4	1	1
	F	12	1	—	—	2	6	2	1	—	—
BN47	Fractures, head injuries and internal injuries .. .. M	839	4	16	46	198	151	84	96	87	157
	F	586	3	9	21	28	37	31	45	99	313
BN48	Burns .. .. M	28	1	5	4	1	—	5	2	—	10
	F	42	1	9	3	2	4	3	4	4	12
BN49	Effects of poisons .. .. M	250	1	3	1	14	56	43	57	37	38
	F	237	1	1	2	3	42	39	47	51	51
BN50	All other injuries .. .. M	304	29	13	38	40	46	38	47	27	26
	F	142	17	6	10	6	20	16	23	20	24

TABLE 19—*continued*

Abbreviated List No.	Causes of death		West Midlands Conurbation									
			Age									
			All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
	ALL CAUSES	M	12,564	537	78	90	163	597	1,257	2,715	3,332	3,795
		F	11,424	397	54	52	61	429	682	1,415	2,756	5,578
B1	Tuberculosis of respiratory system	M	128	—	—	—	—	9	34	42	29	14
		F	31	—	—	—	—	14	3	3	7	4
B2	Tuberculosis, other forms	M	7	—	—	—	1	4	1	—	1	—
		F	9	—	—	1	—	1	1	1	3	2
B3	Syphilis and its sequelae	M	25	—	—	—	—	1	2	8	10	4
		F	10	—	—	—	1	1	2	3	2	1
B4	Typhoid fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B5	Cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	M	1	—	—	—	—	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B7	Scarlet fever and streptococcal sore throat	M	1	—	—	—	—	—	1	—	—	—
		F	1	—	1	—	—	—	—	—	—	—
B8	Diphtheria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B9	Whooping cough	M	3	3	—	—	—	—	—	—	—	—
		F	1	1	—	—	—	—	—	—	—	—
B10	Meningococcal infections	M	6	3	3	—	—	—	—	—	—	—
		F	4	2	2	—	—	—	—	—	—	—
B11	Plague	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	M	2	—	—	1	—	—	1	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B13	Smallpox	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B14	Measles	M	2	—	2	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B15	Typhus and other rickettsial diseases	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic	M	27	5	4	1	3	3	6	5	—	—
		F	22	4	1	3	—	3	4	1	4	2
B18	Malignant neoplasm: (140-205)	M	2,520	2	3	13	8	140	356	775	737	486
		F	2,018	1	7	7	12	139	291	468	557	536
	stomach (151)	M	378	—	—	—	—	16	41	115	126	80
		F	269	—	—	—	—	3	27	51	90	98
	trachea, bronchus and lung (162, 163)	M	1,005	—	—	—	—	42	181	390	300	92
		F	130	—	—	—	—	8	20	35	41	26
	breast (170)	M	3	—	—	—	—	—	1	—	1	1
		F	431	—	—	—	—	35	91	110	100	95
	uterus (171-174)	F	175	—	—	—	—	33	34	36	48	24
	Leukaemia and aleukaemia (204)	M	60	1	1	5	—	13	13	7	11	9
		F	42	1	3	2	2	5	8	9	10	2
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	M	1,074	1	2	8	8	69	120	263	299	304
		F	971	—	4	5	10	55	111	227	268	291
B19	Benign and unspecified neoplasms	M	28	1	—	—	2	2	5	10	6	2
		F	39	1	—	3	1	5	9	8	6	6
B20	Diabetes mellitus	M	59	—	—	1	—	5	7	10	17	19
		F	110	—	—	—	—	4	8	16	33	49
B21	Anaemias	M	27	1	1	—	1	—	3	4	3	14
		F	51	—	—	—	1	—	—	7	17	26
B22	Vascular lesions affecting central nervous system	M	1,475	1	2	1	2	30	100	258	450	631
		F	1,956	—	—	2	4	24	67	199	521	1,139
B23	Nonmeningococcal meningitis	M	16	7	1	—	—	1	1	5	1	—
		F	4	1	1	—	—	—	—	—	2	—
B24	Rheumatic fever	M	6	—	—	1	—	—	—	2	2	1
		F	6	—	—	1	2	—	—	—	3	—
B25	Chronic rheumatic heart disease	M	146	—	—	—	2	31	38	47	19	9
		F	252	—	—	—	3	45	52	65	58	29

TABLE 19—*continued*

Abbreviated List No.	Causes of death		West Midlands Conurbation—*continued*									
			Age									
			All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420)	M	2,232	—	—	—	—	98	268	620	704	542
		F	1,377	—	—	—	—	9	49	186	465	668
	Degenerative heart disease (421, 422)	M	812	—	—	—	1	6	22	66	194	523
		F	1,447	—	1	—	—	5	9	49	210	1.173
B27	Other diseases of heart	M	250	—	—	—	1	8	21	52	66	102
		F	343	1	—	—	—	11	11	27	83	210
B28	Hypertension with heart disease	M	271	—	—	—	—	3	15	52	94	107
		F	350	—	—	—	—	5	2	30	122	191
B29	Hypertension without mention of heart	M	150	—	—	—	2	6	27	27	38	50
		F	145	—	—	—	—	6	6	20	35	78
B46 (Pt.)	Other circulatory diseases (450-468)	M	284	—	—	—	1	3	15	37	91	137
		F	320	—	—	—	1	6	12	29	72	200
B30	Influenza	M	51	1	3	—	2	6	7	13	6	13
		F	34	1	1	1	—	1	5	6	10	9
B31	Pneumonia	M	587	42	10	5	6	19	37	77	140	251
		F	519	31	7	1	2	12	14	47	96	309
B32	Bronchitis	M	1,174	3	2	3	—	18	87	286	400	375
		F	453	5	1	—	—	5	17	49	135	241
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	131	—	1	1	1	9	16	34	37	32
		F	64	1	1	—	1	5	6	10	11	29
B33	Ulcer of stomach and duodenum	M	187	—	—	—	—	10	19	50	55	53
		F	79	—	—	—	—	—	5	10	23	41
B34	Appendicitis	M	22	1	1	2	1	1	5	4	5	2
		F	17	—	1	1	2	1	1	2	4	5
B35	Intestinal obstruction and hernia	M	74	6	—	1	—	3	8	17	17	22
		F	88	2	1	—	—	6	4	12	22	41
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	61	12	7	—	3	4	6	9	11	9
		F	63	10	2	—	—	—	2	7	15	27
B37	Cirrhosis of liver	M	37	—	1	—	—	4	7	13	8	4
		F	24	—	—	—	—	1	7	11	3	2
B38	Nephritis and nephrosis	M	85	—	—	1	4	22	15	21	13	9
		F	72	—	1	5	4	11	8	8	18	17
B39	Hyperplasia of prostate	M	151	—	—	—	—	—	—	—	10	32	109
B40	Complications of pregnancy, childbirth and puerperium	F	19	—	—	—	—	3	16	—	—	—	—
B41	Congenital malformations	M	150	106	14	11	4	6	4	3	2	—
		F	127	98	8	5	2	1	6	2	5	—
B42	Birth injuries, postnatal asphyxia and atelectasis	M	172	172	—	—	—	—	—	—	—	—	—
		F	132	132	—	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	1	1	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	31	31	—	—	—	—	—	—	—	—	—
		F	16	16	—	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified	M	102	102	—	—	—	—	—	—	—	—	—
		F	68	68	—	—	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	96	1	—	—	—	—	1	—	1	5	88
		F	176	—	—	—	—	—	1	—	1	3	171
B46 (Rem.)	All other diseases (Remainder 001-795)	M	311	17	4	5	11	30	44	59	63	78
		F	472	10	7	8	5	33	40	87	116	166
BE47	Motor vehicle accidents	M	236	1	7	20	68	48	22	18	25	27
		F	104	1	1	9	10	12	8	10	26	27
BE48	All other accidents	M	272	17	11	21	27	33	25	40	25	73
		F	287	10	10	5	3	14	11	17	43	174
BE49	Suicide and self-inflicted injury	M	137	—	—	—	7	27	31	38	26	8
		F	105	—	—	—	3	26	21	24	26	5
BE50	Homicide and operations of war	M	18	1	1	2	5	5	1	2	—	1
		F	9	1	—	—	1	6	1	—	—	—
BN47	Fractures, head injuries and internal injuries	M	360	3	9	26	80	66	31	33	38	74
		F	274	1	1	8	11	16	11	15	49	162
BN48	Burns	M	16	1	3	1	1	—	3	—	—	7
		F	20	1	7	2	1	2	—	2	1	4
BN49	Effects of poisons	M	143	1	1	1	8	31	25	33	25	18
		F	145	—	—	1	3	28	21	26	34	32
BN50	All other injuries	M	144	14	6	15	18	16	20	32	13	10
		F	66	10	3	3	2	12	9	8	11	8

TABLE 19—*continued*

Abbreviated List No.	Causes of death		Eastern Region									
			Age									
			All ages	Under 1 year	Years 1–	5–	15	25–	45–	55–	65–	75 and over
	ALL CAUSES	M	19,417	717	98	122	259	702	1,395	3,342	5,205	7,577
		F	18,754	488	95	75	73	573	904	1,987	4,315	10,244
B1	Tuberculosis of respiratory system	M	117	—	1	—	—	9	13	35	37	22
		F	51	1	—	—	1	13	5	7	15	9
B2	Tuberculosis, other forms	M	15	1	1	—	—	3	2	1	7	—
		F	15	—	2	1	1	3	1	2	4	1
B3	Syphilis and its sequelae	M	46	—	—	—	—	—	—	15	19	12
		F	31	—	—	—	—	2	1	7	11	10
B4	Typhoid fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B5	Cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	M	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	1	—	—
B7	Scarlet fever and streptococcal sore throat	M	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	1	—	—	1	1
B8	Diphtheria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B9	Whooping cough	M	—	—	—	—	—	—	—	—	—	—
		F	1	1	—	—	—	—	—	—	—	—
B10	Meningococcal infections	M	1	1	—	—	—	—	—	—	—	—
		F	2	—	1	1	—	—	—	—	—	—
B11	Plague	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	M	1	—	—	—	—	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B13	Smallpox	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B14	Measles	M	—	—	—	—	—	—	—	—	—	—
		F	3	1	1	—	—	1	—	—	—	—
B15	Typhus and other rickettsial diseases	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic	M	33	1	1	2	2	6	4	5	8	4
		F	36	2	2	—	—	7	5	9	2	9
	Malignant neoplasm: (140-205)	M	3,879	3	6	18	26	145	439	995	1,227	1,020
		F	3,462	6	7	12	14	232	413	692	955	1,131
	stomach (151)	M	509	—	—	—	—	15	54	130	164	146
		F	384	—	—	—	1	8	24	47	131	173
	trachea, bronchus and lung (162, 163)	M	1,344	—	—	—	—	26	206	464	457	191
		F	234	—	—	—	—	19	35	61	61	58
B18	breast (170)	M	4	—	—	—	—	—	1	1	1	1
		F	662	—	—	—	—	62	120	155	159	166
	uterus (171-174)	F	306	—	—	1	—	35	45	78	68	79
	Leukaemia and aleukaemia (204)	M	122	2	2	10	6	16	18	18	30	20
		F	103	2	4	3	5	10	12	16	25	26
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	M	1,900	1	4	8	20	88	160	382	575	662
		F	1,773	4	3	8	8	98	177	335	511	629
B19	Benign and unspecified neoplasms	M	50	1	—	—	1	7	3	8	10	20
		F	56	2	2	1	—	11	4	11	14	11
B20	Diabetes mellitus	M	123	—	—	—	1	2	10	19	46	45
		F	170	—	1	1	—	4	4	17	60	83
B21	Anaemias	M	32	—	—	—	1	—	2	7	6	16
		F	75	—	—	—	—	2	4	2	17	50
B22	Vascular lesions affecting central nervous system	M	2,194	—	1	1	6	32	82	282	650	1,140
		F	3,408	2	—	1	1	40	99	319	802	2,144
B23	Nonmeningococcal meningitis	M	18	9	3	—	1	1	—	1	1	2
		F	13	6	2	—	—	—	—	—	3	2
B24	Rheumatic fever	M	7	—	—	2	1	1	—	—	2	1
		F	3	—	—	1	—	—	—	—	1	1
B25	Chronic rheumatic heart disease	M	145	—	—	—	2	12	30	46	33	22
		F	275	—	—	—	—	28	43	48	82	74

TABLE 19—*continued*

Abbreviated List No.	Causes of death		Eastern Region—*continued*									
			Age									
			All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420)	M	4,083	—	—	—	1	91	379	890	1,328	1,394
		F	2,653	—	—	—	—	15	60	305	856	1,417
	Degenerative heart disease (421, 422)	M	1,455	—	—	3	1	9	25	78	249	1,090
		F	2,163	—	—	—	2	7	11	41	294	1,808
B27	Other diseases of heart	M	447	1	1	—	5	6	14	54	106	260
		F	527	—	—	1	1	6	9	30	120	360
B28	Hypertension with heart disease	M	314	—	—	—	—	2	10	48	113	141
		F	421	—	—	—	—	3	7	33	106	272
B29	Hypertension without mention of heart	M	216	—	—	—	1	14	24	43	60	74
		F	216	—	—	—	—	9	11	26	64	106
B46 (Pt.)	Other circulatory diseases (450-468)	M	555	2	—	—	2	9	26	70	139	307
		F	798	—	—	1	1	13	14	53	173	543
B30	Influenza	M	38	—	—	—	—	2	4	11	4	17
		F	27	—	—	—	—	1	4	2	3	17
B31	Pneumonia	M	976	54	19	10	3	25	33	88	207	537
		F	1,020	40	20	1	—	16	19	52	183	689
B32	Bronchitis	M	1,043	12	5	2	1	8	34	204	380	397
		F	414	14	6	1	—	2	14	39	90	248
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	187	6	2	2	3	6	12	43	66	47
		F	116	2	3	3	1	2	7	9	22	67
B33	Ulcer of stomach and duodenum	M	247	1	—	—	1	10	18	50	71	96
		F	103	—	—	—	—	6	6	10	25	56
B34	Appendicitis	M	23	—	—	—	2	6	2	5	3	5
		F	15	—	1	1	—	3	1	2	3	4
B35	Intestinal obstruction and hernia	M	120	5	3	—	1	1	4	13	32	61
		F	99	9	—	1	1	3	3	9	28	45
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	58	7	8	1	1	3	4	9	11	14
		F	100	8	2	—	1	4	10	5	18	52
B37	Cirrhosis of liver	M	47	—	—	1	—	3	8	14	12	9
		F	37	—	—	—	1	1	6	14	10	5
B38	Nephritis and nephrosis	M	142	—	—	3	7	22	15	30	19	46
		F	89	—	1	—	2	6	10	15	24	31
B39	Hyperplasia of prostate	M	298	—	—	—	—	—	1	11	71	215
B40	Complications of pregnancy, childbirth and puerperium	F	19	—	—	—	3	16	—	—	—	—
B41	Congenital malformations	M	214	141	15	12	9	12	6	9	6	4
		F	168	108	14	15	6	8	8	4	4	1
B42	Birth injuries, postnatal asphyxia and atelectasis	M	196	196	—	—	—	—	—	—	—	—
		F	114	114	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	39	39	—	—	—	—	—	—	—	—
		F	16	16	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified	M	193	192	—	1	—	—	—	—	—	—
		F	125	125	—	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	233	2	—	1	1	1	1	2	18	207
		F	381	1	1	—	—	—	—	1	14	364
B46 (Rem.)	All other diseases (Remainder 001-795)	M	644	19	13	19	11	57	55	114	161	195
		F	818	11	16	12	11	53	58	141	195	321
BE47	Motor vehicle accidents	M	391	2	8	23	105	75	51	57	36	34
		F	113	—	2	14	15	16	10	16	18	22
BE48	All other accidents	M	380	21	11	20	51	65	43	34	37	98
		F	448	17	11	6	6	12	21	27	68	280
BE49	Suicide and self-inflicted injury	M	212	—	—	1	12	55	41	50	30	23
		F	141	—	—	—	5	23	36	37	30	10
BE50	Homicide and operations of war	M	5	1	—	—	—	1	—	1	—	2
		F	8	2	—	1	—	4	—	1	—	—
BN47	Fractures, head injuries and internal injuries	M	565	5	8	30	111	104	71	78	55	103
		F	418	1	4	15	16	18	18	26	69	251
BN48	Burns	M	14	—	1	—	1	3	—	1	1	7
		F	16	1	2	1	1	2	—	2	1	6
BN49	Effects of poisons	M	143	—	1	1	12	34	29	26	23	17
		F	173	2	—	—	6	27	34	37	33	34
BN50	All other injuries	M	266	19	9	13	44	55	35	37	24	30
		F	103	15	7	5	3	8	15	16	13	21

TABLE 19—*continued*

Abbreviated List No.	Causes of death		London and South Eastern Region — Age — All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
	ALL CAUSES	M	62,496	1,984	262	330	697	2,323	5,495	12,192	17,093	22,120
		F	63,442	1,482	216	245	261	1,799	3,527	7,042	14,217	34,653
B1	Tuberculosis of respiratory system	M	535	—	—	—	2	49	78	158	170	78
		F	168	1	3	—	—	36	34	22	39	33
B2	Tuberculosis, other forms	M	28	1	1	1	2	8	8	2	4	1
		F	49	—	—	2	2	7	5	10	11	12
B3	Syphilis and its sequelae	M	178	—	—	—	—	5	15	41	62	55
		F	88	—	—	—	—	2	4	14	32	36
B4	Typhoid fever	M	1	—	—	—	—	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B5	Cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	M	5	—	1	1	—	—	—	1	—	2
		F	4	—	—	1	1	1	—	—	—	1
B7	Scarlet fever and streptococcal sore throat	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B8	Diphtheria	M	—	—	—	—	—	—	—	—	—	—
		F	1	—	1	—	—	—	—	—	—	—
B9	Whooping cough	M	4	4	—	—	—	—	—	—	—	—
		F	1	1	—	—	—	—	—	—	—	—
B10	Meningococcal infections	M	7	3	3	—	—	—	1	—	—	—
		F	7	4	—	1	—	—	—	—	1	1
B11	Plague	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	M	4	—	—	—	—	2	—	2	—	—
		F	2	—	1	1	—	—	—	—	—	—
B13	Smallpox	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B14	Measles	M	2	—	1	—	—	—	—	1	—	—
		F	3	—	2	1	—	—	—	—	—	—
B15	Typhus and other rickettsial diseases	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	M	1	—	—	—	—	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic	M	125	7	7	7	4	16	19	24	25	16
		F	106	4	3	6	3	16	16	17	18	23
B18	Malignant neoplasm: (140-205)	M	13,922	7	32	65	80	527	1,727	3,927	4,280	3,277
		F	12,367	8	35	54	31	698	1,689	2,641	3,342	3,869
	stomach (151)	M	1,746	—	—	—	2	44	194	471	596	439
		F	1,390	—	—	—	—	39	91	210	423	627
	trachea, bronchus and lung (162, 163)	M	5,465	—	—	—	1	138	792	1,993	1,741	800
		F	1,041	—	—	—	—	49	147	286	318	241
	breast (170)	M	23	—	—	—	—	—	2	6	5	10
		F	2,496	—	—	—	2	189	555	665	549	536
	uterus (171-174)	F	1,009	—	—	—	3	88	167	240	266	245
	Leukaemia and aleukaemia (204)	M	377	2	19	27	18	47	47	60	79	78
		F	345	1	19	21	10	31	43	68	73	79
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	M	6,311	5	13	38	59	298	692	1,397	1,859	1,950
		F	6,086	7	16	33	16	302	686	1,172	1,713	2,141
B19	Benign and unspecified neoplasms	M	148	3	1	2	8	16	27	39	29	23
		F	202	2	—	4	2	20	35	42	46	51
B20	Diabetes mellitus	M	250	1	—	1	2	17	19	56	66	88
		F	453	—	2	1	2	7	12	68	141	220
B21	Anaemias	M	120	1	2	1	1	—	12	8	43	52
		F	210	1	1	2	2	4	8	18	41	133
B22	Vascular lesions affecting central nervous system	M	6,175	3	1	6	7	96	348	914	1,807	2,993
		F	10,124	3	1	5	9	108	358	887	2,388	6,365
B23	Nonmeningococcal meningitis	M	44	20	7	1	1	7	2	4	1	1
		F	43	7	6	3	1	1	2	6	8	9
B24	Rheumatic fever	M	9	—	—	—	3	—	1	1	4	—
		F	16	—	—	2	1	—	4	—	4	5
B25	Chronic rheumatic heart disease	M	610	—	—	2	9	75	118	159	136	111
		F	1,219	—	—	1	8	124	189	259	296	342

TABLE 19—*continued*

Abbreviated List No.	Causes of death		London and South Eastern Region—*continued* — Age — All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420)	M	13,559	—	—	—	3	360	1,529	3,344	4,326	3,997
		F	8,908	—	—	—	—	30	216	992	2,787	4,883
	Degenerative heart disease (421, 422)	M	3,939	—	—	3	3	29	59	206	762	2,877
		F	7,309	—	—	2	—	8	37	138	803	6,321
B27	Other diseases of heart	M	1,324	1	1	6	8	32	53	157	356	710
		F	1,790	1	1	1	4	15	31	107	376	1,254
B28	Hypertension with heart disease	M	985	—	—	—	—	4	43	153	311	474
		F	1,588	—	—	—	—	6	21	116	416	1,029
B29	Hypertension without mention of heart	M	869	—	—	—	1	31	96	182	239	320
		F	1,110	—	—	—	2	18	52	110	243	685
B46 (Pt.)	Other circulatory diseases (450-468)	M	1,824	1	—	1	—	30	87	215	490	1,000
		F	2,559	1	—	4	4	32	54	167	503	1,794
B30	Influenza	M	74	2	3	2	3	10	5	16	17	16
		F	117	2	3	3	1	5	3	17	21	62
B31	Pneumonia	M	3,021	158	35	11	8	47	105	302	703	1,652
		F	3,501	146	26	9	9	39	70	227	597	2,378
B32	Bronchitis	M	4,318	53	14	4	3	30	214	882	1,418	1,700
		F	1,866	28	12	1	2	20	42	157	416	1,188
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	703	8	12	10	2	20	61	147	220	223
		F	363	4	3	3	5	8	24	42	83	191
B33	Ulcer of stomach and duodenum	M	805	1	1	—	—	29	58	164	272	280
		F	460	—	—	—	—	5	15	51	121	268
B34	Appendicitis	M	86	1	2	7	5	6	9	16	17	23
		F	69	—	1	1	3	8	3	8	15	30
B35	Intestinal obstruction and hernia	M	340	20	1	—	1	7	13	46	108	144
		F	459	14	2	—	—	7	19	45	112	260
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	251	28	15	6	3	15	29	29	66	60
		F	409	13	6	5	5	15	14	51	101	199
B37	Cirrhosis of liver	M	150	1	—	—	1	14	37	46	38	13
		F	140	1	1	1	1	8	15	45	47	21
B38	Nephritis and nephrosis	M	395	1	3	8	16	51	62	84	93	77
		F	352	3	3	2	10	35	39	60	79	121
B39	Hyperplasia of prostate	M	667	—	—	—	—	—	5	34	161	467
B40	Complications of pregnancy, childbirth and puerperium	F	70	—	—	—	14	56	—	—	—	—
B41	Congenital malformations	M	581	346	50	35	28	30	30	26	21	15
		F	557	355	48	36	12	24	35	24	16	7
B42	Birth injuries, postnatal asphyxia and atelectasis	M	594	593	1	—	—	—	—	—	—	—
		F	345	345	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	5	5	—	—	—	—	—	—	—	—
		F	1	1	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	83	83	—	—	—	—	—	—	—	—
		F	64	64	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified	M	528	528	—	—	—	—	—	—	—	—
		F	412	411	—	1	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	343	2	—	1	1	4	5	3	11	316
		F	852	3	1	—	2	2	2	5	28	809
B46 (Rem.)	All other diseases (Remainder 001-795)	M	1,897	57	23	31	44	142	184	351	463	602
		F	2,855	31	29	42	38	162	236	405	712	1,200
BE47	Motor vehicle accidents	M	1,048	1	11	49	283	202	112	134	120	136
		F	445	—	10	29	43	51	30	57	95	130
BE48	All other accidents	M	1,095	41	32	65	97	188	148	134	135	255
		F	1,124	28	15	19	19	60	57	80	171	675
BE49	Suicide and self-inflicted injury	M	795	—	—	—	59	208	166	182	114	66
		F	634	—	—	1	23	152	155	152	106	45
BE50	Homicide and operations of war	M	49	3	2	4	9	14	10	2	5	—
		F	20	—	—	1	2	9	1	2	2	3
BN47	Fractures, head injuries and internal injuries	M	1,584	4	20	67	292	290	203	206	200	302
		F	1,118	2	15	35	45	69	44	84	178	646
BN48	Burns	M	55	1	2	1	7	6	8	7	6	17
		F	70	—	2	3	4	8	1	10	11	31
BN49	Effects of poisons	M	770	3	5	7	59	201	152	142	108	93
		F	761	1	4	6	24	157	163	149	134	123
BN50	All other injuries	M	578	37	18	43	90	115	73	97	60	45
		F	274	25	4	6	14	38	35	48	51	53

TABLE 19—*continued*

Abbreviated List No.	Causes of death		Greater London — Age — All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
	ALL CAUSES	M	44,633	1,514	187	235	519	1,790	4,270	9,222	12,040	14,856
		F	44,122	1,140	160	163	203	1,356	2,682	5,167	9,934	23,317
B1	Tuberculosis of respiratory system	M	388	—	—	—	2	43	51	122	117	53
		F	120	1	3	—	—	29	22	16	30	19
B2	Tuberculosis, other forms	M	20	1	1	1	1	3	8	1	3	1
		F	39	—	—	2	1	5	4	9	9	9
B3	Syphilis and its sequelae	M	138	—	—	—	—	5	12	35	44	42
		F	70	—	—	—	—	2	1	12	23	32
B4	Typhoid fever	M	1	—	—	—	—	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B5	Cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	M	4	—	1	—	—	—	—	1	—	2
		F	2	—	—	—	—	1	—	—	—	1
B7	Scarlet fever and streptococcal sore throat	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B8	Diphtheria	M	—	—	—	—	—	—	—	—	—	—
		F	1	—	1	—	—	—	—	—	—	—
B9	Whooping cough	M	3	3	—	—	—	—	—	—	—	—
		F	1	1	—	—	—	—	—	—	—	—
B10	Meningococcal infections	M	5	2	3	—	—	—	—	—	—	—
		F	6	3	—	1	—	—	—	—	1	1
B11	Plague	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	M	2	—	—	—	—	1	—	1	—	—
		F	1	—	—	1	—	—	—	—	—	—
B13	Smallpox	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B14	Measles	M	2	—	1	—	—	—	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	—
B15	Typhus and other rickettsial diseases	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic	M	94	6	5	6	3	12	15	17	21	9
		F	79	2	2	4	3	13	14	13	15	13
B18	Malignant neoplasm: (140-205)	M	10,389	6	21	48	63	417	1,372	3,042	3,120	2,300
		F	8,984	5	20	33	27	534	1,307	1,943	2,381	2,734
	stomach (151)	M	1,322	—	—	—	1	36	155	368	447	315
		F	1,035	—	—	—	—	27	77	157	312	462
	trachea, bronchus and lung (162, 163)	M	4,244	—	—	—	—	111	644	1,566	1,305	618
		F	812	—	—	—	—	42	116	223	238	193
	breast (170)	M	17	—	—	—	—	—	2	5	3	7
		F	1,826	—	—	—	2	148	450	492	375	359
	uterus (171-174)	F	714	—	—	—	2	57	118	171	191	175
	Leukaemia and aleukaemia (204)	M	284	1	13	20	15	38	40	47	56	54
		F	248	—	11	10	10	24	31	49	52	61
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	M	4,522	5	8	28	47	232	531	1,056	1,309	1,306
		F	4,349	5	9	23	13	236	515	851	1,213	1,484
B19	Benign and unspecified neoplasms	M	104	2	—	2	6	11	19	30	19	15
		F	138	2	—	4	2	15	23	24	34	34
B20	Diabetes mellitus	M	173	1	—	—	2	14	15	39	44	58
		F	325	—	—	1	2	5	7	54	99	157
B21	Anaemias	M	83	1	2	1	—	—	10	6	26	37
		F	145	1	1	2	2	2	6	16	29	86
B22	Vascular lesions affecting central nervous system	M	4,020	1	—	6	5	70	259	660	1,179	1,840
		F	6,537	3	1	5	7	72	259	609	1,584	3,997
B23	Nonmeningococcal meningitis	M	32	15	5	1	1	4	1	3	1	1
		F	35	6	4	3	1	1	1	4	6	9
B24	Rheumatic fever	M	5	—	—	—	1	—	1	1	2	—
		F	12	—	—	1	1	—	3	—	3	4
B25	Chronic rheumatic heart disease	M	478	—	—	1	8	64	98	116	106	85
		F	980	—	—	—	6	88	167	214	234	271

TABLE 19—*continued*

Abbreviated List No.	Causes of death		Greater London—*continued* — Age — All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420)	M	9,831	—	—	—	3	283	1,194	2,532	3,067	2,752
		F	6,291	—	—	—	—	21	158	717	1,979	3,416
	Degenerative heart disease (421, 422)	M	2,421	—	—	2	2	19	46	121	484	1,747
		F	4,514	—	—	1	—	6	25	85	486	3,911
B27	Other diseases of heart	M	854	1	1	5	7	26	41	104	227	442
		F	1,185	1	1	1	3	11	21	76	250	821
B28	Hypertension with heart disease	M	680	—	—	—	—	3	30	104	206	337
		F	1,109	—	—	—	—	4	14	93	283	715
B29	Hypertension without mention of heart	M	682	—	—	—	1	27	75	152	184	243
		F	828	—	—	—	2	14	42	89	175	506
B46 (Pt.)	Other circulatory diseases (450-468)	M	1,210	—	—	1	—	24	68	153	325	639
		F	1,822	1	—	2	2	23	45	134	364	1,251
B30	Influenza	M	50	1	3	2	3	7	3	12	10	9
		F	84	2	3	2	1	3	3	15	13	42
B31	Pneumonia	M	2,180	131	25	2	4	36	77	226	491	1,188
		F	2,544	110	20	4	4	25	45	164	431	1,741
B32	Bronchitis	M	3,365	42	8	2	1	21	167	699	1,110	1,315
		F	1,459	26	9	1	2	15	30	119	327	930
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	496	3	8	6	2	17	51	104	147	158
		F	249	3	2	1	4	5	16	35	62	121
B33	Ulcer of stomach and duodenum	M	584	1	—	—	—	19	46	123	208	187
		F	336	—	—	—	—	3	11	41	86	195
B34	Appendicitis	M	58	1	1	4	4	4	5	11	14	14
		F	47	—	1	1	3	4	3	5	8	22
B35	Intestinal obstruction and hernia	M	220	15	1	—	1	4	10	34	60	95
		F	310	8	2	—	—	6	15	24	77	178
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	154	12	9	4	3	6	24	22	44	30
		F	306	11	4	2	5	10	12	38	74	150
B37	Cirrhosis of liver	M	116	—	—	—	1	11	28	38	26	12
		F	93	—	1	1	—	5	10	32	34	10
B38	Nephritis and nephrosis	M	275	1	3	8	13	39	46	62	57	46
		F	233	2	2	2	10	27	24	44	51	71
B39	Hyperplasia of prostate	M	442	—	—	—	—	—	3	27	106	306
B40	Complications of pregnancy, childbirth and puerperium	F	51	—	—	—	12	39	—	—	—	—
B41	Congenital malformations	M	443	259	43	25	22	24	24	22	16	8
		F	413	262	37	23	8	22	27	16	11	7
B42	Birth injuries, postnatal asphyxia and atelectasis	M	462	462	—	—	—	—	—	—	—	—
		F	277	277	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	4	4	—	—	—	—	—	—	—	—
		F	1	1	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	67	67	—	—	—	—	—	—	—	—
		F	51	51	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified	M	400	400	—	—	—	—	—	—	—	—
		F	314	313	—	1	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	172	2	—	1	—	4	3	1	3	158
		F	539	1	1	—	2	1	1	5	22	506
B46 (Rem.)	All other diseases (Remainder 001-795)	M	1,343	43	16	22	29	105	143	258	310	417
		F	2,023	27	27	27	30	119	177	294	502	820
BE47	Motor vehicle accidents	M	761	—	7	43	198	145	80	97	91	100
		F	340	—	7	22	32	42	27	46	66	98
BE48	All other accidents	M	768	29	22	39	71	137	117	99	91	163
		F	724	20	11	13	11	47	41	65	112	404
BE49	Suicide and self-inflicted injury	M	620	—	—	—	53	173	123	146	78	47
		F	486	—	—	1	18	129	120	114	72	32
BE50	Homicide and operations of war	M	34	2	1	3	9	11	5	—	3	—
		F	18	—	—	1	2	8	1	2	1	3
BN47	Fractures, head injuries and internal injuries	M	1,121	3	12	51	209	209	149	148	140	200
		F	742	2	8	27	31	51	38	70	123	392
BN48	Burns	M	38	1	1	1	7	5	7	6	4	6
		F	52	—	2	3	2	7	1	9	5	23
BN49	Effects of poisons	M	637	3	5	5	52	167	123	120	83	79
		F	585	1	4	3	18	135	125	117	93	89
BN50	All other injuries	M	387	24	12	28	63	85	46	68	36	25
		F	189	17	4	4	12	33	25	31	30	33

TABLE 19—*continued*

Abbreviated List No.	Causes of death		Southern Region									
			Age									
			All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
	ALL CAUSES	M	15,566	541	94	105	198	560	1,168	2,753	4,280	5,867
		F	14,882	394	64	47	64	378	761	1,535	3,258	8,381
B1	Tuberculosis of respiratory system	M	110	—	—	—	1	11	11	37	33	17
		F	42	—	—	—	—	11	5	6	13	7
B2	Tuberculosis, other forms	M	10	—	—	—	2	2	2	2	2	—
		F	8	—	—	—	—	1	1	1	2	3
B3	Syphilis and its sequelae	M	32	—	—	—	—	1	5	10	11	5
		F	20	—	—	—	—	1	—	3	9	7
B4	Typhoid fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B5	Cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	M	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	1	—
B7	Scarlet fever and streptococcal sore throat	M	2	—	—	—	1	—	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	—
B8	Diphtheria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B9	Whooping cough	M	3	1	1	—	1	—	—	—	—	—
		F	1	1	—	—	—	—	—	—	—	—
B10	Meningococcal infections	M	2	1	—	1	—	—	—	—	—	—
		F	5	2	2	—	1	—	—	—	—	—
B11	Plague	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	M	2	—	—	—	1	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B13	Smallpox	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B14	Measles	M	1	—	1	—	—	—	—	—	—	—
		F	1	—	1	—	—	—	—	—	—	—
B15	Typhus and other rickettsial diseases	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	M	1	—	—	—	—	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic	M	27	3	—	2	1	5	7	5	2	2
		F	32	3	2	—	—	3	4	10	1	9
	Malignant neoplasm: (140-205)	M	3,154	—	12	22	17	110	324	844	997	828
		F	2,660	1	5	11	9	140	361	507	712	914
	stomach (151)	M	384	—	—	—	—	10	38	104	121	111
		F	326	—	—	—	—	8	20	51	92	155
	trachea, bronchus and lung (162, 163)	M	1,099	—	—	—	—	23	153	385	379	159
		F	183	—	—	—	—	10	24	44	67	38
B18	breast (170)	M	4	—	—	—	—	—	—	—	2	2
		F	568	—	—	—	1	30	113	127	136	161
	uterus (171-174) F		220	—	—	—	—	21	46	48	50	55
	Leukaemia and aleukaemia (204)	M	95	—	6	7	6	12	6	14	26	18
		F	71	—	3	4	1	9	9	9	19	17
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	M	1,572	—	6	15	11	65	127	341	469	538
		F	1,292	1	2	7	7	62	149	228	348	488
B19	Benign and unspecified neoplasms	M	30	1	—	1	—	5	9	4	8	2
		F	47	—	1	3	2	3	10	8	10	10
B20	Diabetes mellitus	M	62	—	—	—	2	4	2	7	23	24
		F	143	—	—	2	2	4	7	13	34	81
B21	Anaemias	M	33	—	2	—	—	1	1	5	8	16
		F	56	—	—	—	2	1	1	1	13	38
B22	Vascular lesions affecting central nervous system	M	1,782	2	—	—	—	18	84	249	534	895
		F	2,696	1	—	1	1	23	85	214	592	1,779
B23	Nonmeningococcal meningitis	M	13	5	2	1	1	—	1	3	—	—
		F	12	3	1	—	—	1	—	1	4	2
B24	Rheumatic fever	M	3	—	—	1	—	1	—	—	1	—
		F	3	—	1	—	1	—	—	—	1	—
B25	Chronic rheumatic heart disease	M	121	—	—	1	2	19	24	30	23	22
		F	202	—	—	—	—	18	27	46	55	56

TABLE 19—*continued*

Abbreviated List No.	Causes of death		Southern Region—*continued*									
			Age									
			All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420)	M	3,264	—	—	—	—	86	338	720	1,072	1,048
		F	2,114	—	—	—	—	6	47	228	661	1,172
	Degenerative heart disease (421, 422)	M	1,250	—	—	—	1	9	17	55	246	922
		F	1,905	—	—	—	—	4	10	52	225	1,614
B27	Other diseases of heart	M	387	—	—	1	2	7	17	52	104	204
		F	395	1	—	—	1	8	7	36	93	249
B28	Hypertension with heart disease	M	317	—	—	—	—	5	6	40	97	169
		F	377	—	—	—	—	4	7	36	107	223
B29	Hypertension without mention of heart	M	189	—	—	—	—	10	19	37	45	78
		F	180	—	—	—	—	6	8	16	31	119
B46 (Pt.)	Other circulatory diseases (450-468)	M	452	—	—	2	1	6	23	54	136	230
		F	552	—	—	—	1	8	23	42	106	372
B30	Influenza	M	30	1	—	—	—	4	2	4	12	7
		F	17	—	—	—	—	—	—	2	6	9
B31	Pneumonia	M	684	41	15	8	4	7	23	62	143	381
		F	771	31	7	4	2	11	17	52	130	517
B32	Bronchitis	M	895	20	6	1	1	9	43	202	317	296
		F	317	8	3	—	—	2	6	30	81	187
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	181	2	2	2	3	5	11	45	63	48
		F	92	—	1	—	2	5	8	17	16	43
B33	Ulcer of stomach and duodenum	M	190	—	—	—	—	6	7	40	73	64
		F	93	—	—	—	—	—	3	5	18	67
B34	Appendicitis	M	24	—	1	4	1	1	—	5	4	8
		F	11	—	2	—	—	—	—	1	3	5
B35	Intestinal obstruction and hernia	M	102	12	—	1	—	1	8	20	28	32
		F	89	2	—	1	—	1	5	7	27	46
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	61	7	4	1	3	2	7	5	13	19
		F	96	9	4	—	—	5	4	9	19	46
B37	Cirrhosis of liver	M	47	—	—	—	—	3	8	16	14	6
		F	39	—	—	1	—	1	6	9	12	10
B38	Nephritis and nephrosis	M	115	—	—	4	9	11	21	17	25	28
		F	90	1	—	1	1	5	14	14	15	39
B39	Hyperplasia of prostate	M	189	—	—	—	—	—	1	10	48	130
B40	Complications of pregnancy, childbirth and puerperium	F	20	—	—	—	5	15	—	—	—	—
B41	Congenital malformations	M	171	125	11	2	5	11	6	4	4	3
		F	135	98	8	6	4	5	4	5	2	3
B42	Birth injuries, postnatal asphyxia and atelectasis	M	154	154	—	—	—	—	—	—	—	—
		F	94	94	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	22	22	—	—	—	—	—	—	—	—
		F	18	18	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified	M	114	114	—	—	—	—	—	—	—	—
		F	91	91	—	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	93	2	—	—	—	—	1	3	3	84
		F	238	1	—	—	—	—	—	4	3	230
B46 (Rem.)	All other diseases (Remainder 001-795)	M	421	14	9	8	7	27	49	61	101	145
		F	652	15	17	7	7	23	38	93	172	280
BE47	Motor vehicle accidents	M	332	—	6	22	92	75	33	38	33	33
		F	116	1	4	3	16	17	17	17	22	19
BE48	All other accidents	M	316	14	22	19	30	41	27	36	26	101
		F	344	12	5	5	2	15	18	25	48	214
BE49	Suicide and self-inflicted injury	M	174	—	—	—	10	54	30	30	31	19
		F	101	—	—	—	4	30	17	25	14	11
BE50	Homicide and operations of war	M	4	—	—	1	—	1	1	—	—	1
		F	6	1	—	2	1	1	1	—	—	—
BN47	Fractures, head injuries and internal injuries	M	475	1	8	26	107	87	42	55	48	101
		F	327	2	4	5	16	18	22	25	45	190
BN48	Burns	M	10	—	2	—	—	1	—	1	1	5
		F	20	1	2	—	1	—	2	2	5	7
BN49	Effects of poisons	M	158	—	4	1	4	48	24	25	23	29
		F	154	1	1	2	5	34	22	32	23	34
BN50	All other injuries	M	183	13	14	15	21	35	25	23	18	19
		F	66	10	2	3	1	11	7	8	11	13

TABLE 19—*continued*

Abbreviated List No.	Causes of death		South Western Region — Age									
			All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
	ALL CAUSES	M	21,012	632	97	119	290	716	1,546	3,676	5,754	8,182
		F	20,729	423	76	67	97	456	1,016	2,135	4,710	11,749
B1	Tuberculosis of respiratory system	M	128	—	—	—	1	11	24	39	33	20
		F	53	—	—	—	1	12	12	11	7	10
B2	Tuberculosis, other forms	M	18	—	—	1	—	4	4	3	6	—
		F	12	—	—	—	1	2	3	2	1	3
B3	Syphilis and its sequelae	M	53	—	—	—	—	2	5	16	21	9
		F	21	—	—	—	1	2	2	4	7	5
B4	Typhoid fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B5	Cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B7	Scarlet fever and streptococcal sore throat	M	1	—	—	—	—	—	—	—	—	1
		F	1	—	—	—	—	1	—	—	—	—
B8	Diphtheria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B9	Whooping cough	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B10	Meningococcal infections	M	2	1	—	—	1	—	—	—	—	—
		F	8	3	2	2	—	—	1	—	—	—
B11	Plague	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	M	2	—	—	—	1	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B13	Smallpox	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B14	Measles	M	—	—	—	—	—	—	—	—	—	—
		F	2	—	2	—	—	—	—	—	—	—
B15	Typhus and other rickettsial diseases	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic	M	42	2	1	3	2	8	8	5	6	7
		F	29	—	2	1	4	1	1	6	7	7
B18	Malignant neoplasm: (140-205)	M	3,902	—	11	22	27	139	408	1,004	1,289	1,002
		F	3,534	2	12	18	19	172	453	726	989	1,143
	stomach (151)	M	627	—	—	—	—	5	57	148	229	188
		F	434	—	—	—	1	6	15	48	117	247
	trachea, bronchus and lung (162, 163)	M	1,203	—	—	—	—	28	175	438	421	141
		F	189	—	—	—	—	8	29	54	64	34
	breast (170)	M	5	—	—	—	—	1	—	—	2	2
		F	738	—	—	—	—	43	137	172	194	192
	uterus (171-174)	F	300	—	—	—	—	28	50	80	77	65
	Leukaemia and aleukaemia (204)	M	123	—	7	10	8	14	9	22	32	21
		F	95	—	4	7	5	10	7	19	22	21
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	M	1,944	—	4	12	19	91	167	396	605	650
		F	1,778	2	8	11	13	77	215	353	515	584
B19	Benign and unspecified neoplasms	M	46	—	2	—	4	1	12	16	8	3
		F	55	1	1	3	—	5	9	14	12	10
B20	Diabetes mellitus	M	105	—	1	—	2	4	3	18	36	41
		F	194	—	1	2	—	5	3	25	64	94
B21	Anaemias	M	50	—	—	—	—	—	1	6	14	29
		F	73	1	—	1	—	1	1	5	17	47
B22	Vascular lesions affecting central nervous system	M	2,520	1	1	3	4	30	115	351	755	1,260
		F	3,908	—	—	—	3	33	101	338	947	2,486
B23	Nonmeningococcal meningitis	M	10	5	1	1	—	—	2	—	1	—
		F	10	3	1	—	—	—	2	1	2	1
B24	Rheumatic fever	M	5	—	—	1	1	2	—	1	—	—
		F	4	—	—	1	—	1	—	1	1	—
B25	Chronic rheumatic heart disease	M	165	—	—	1	1	21	28	36	42	36
		F	309	—	—	—	1	31	46	69	83	79

TABLE 19—*continued*

Abbreviated List No.	Causes of death		South Western Region—*continued* — Age									
			All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420)	M	4,362	—	—	—	1	107	420	1,004	1,501	1,329
		F	2,708	—	—	—	1	6	74	323	904	1,400
	Degenerative heart disease (421, 422)	M	2,105	—	1	1	2	6	24	119	378	1,574
		F	3,127	—	—	—	1	2	14	71	393	2,646
B27	Other diseases of heart	M	444	1	2	1	2	7	19	57	113	242
		F	556	1	—	—	1	8	5	44	119	378
B28	Hypertension with heart disease	M	444	—	—	—	—	4	23	73	166	178
		F	589	—	—	—	—	2	18	49	177	343
B29	Hypertension without mention of heart	M	270	—	—	—	1	15	32	53	78	91
		F	266	—	—	—	—	4	23	40	64	135
B46 (Pt.)	Other circulatory diseases (450-468)	M	633	—	—	—	2	6	26	62	145	392
		F	821	—	—	—	1	13	16	52	169	570
B30	Influenza	M	55	—	2	—	1	—	6	12	10	24
		F	46	—	—	—	—	1	2	4	13	26
B31	Pneumonia	M	800	57	19	11	4	20	25	88	162	414
		F	879	26	19	5	4	18	16	46	149	596
B32	Bronchitis	M	1,077	8	4	1	—	12	47	229	351	425
		F	362	1	3	1	—	3	9	31	87	227
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	328	3	2	3	5	8	22	80	113	92
		F	142	6	1	1	—	5	13	15	23	78
B33	Ulcer of stomach and duodenum	M	238	—	—	—	1	9	15	52	67	94
		F	110	—	—	—	—	2	6	6	28	68
B34	Appendicitis	M	24	—	1	1	1	1	2	6	6	6
		F	18	—	1	1	2	—	—	3	4	7
B35	Intestinal obstruction and hernia	M	111	10	2	—	2	2	7	15	33	40
		F	130	5	—	—	—	2	8	8	38	69
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	93	7	5	—	—	7	5	12	24	33
		F	127	1	2	—	—	3	4	12	31	74
B37	Cirrhosis of liver	M	52	—	—	—	—	6	13	15	10	8
		F	38	—	—	—	1	1	4	15	10	7
B38	Nephritis and nephrosis	M	167	1	2	2	2	21	27	28	39	45
		F	132	1	—	4	2	15	15	15	28	52
B39	Hyperplasia of prostate	M	320	—	—	—	—	—	1	19	76	224
B40	Complications of pregnancy, childbirth and puerperium	F	16	—	—	—	5	11	—	—	—	—
B41	Congenital malformations	M	205	133	17	10	7	14	7	11	3	3
		F	181	120	9	8	8	9	16	6	4	1
B42	Birth injuries, postnatal asphyxia and atelectasis	M	162	162	—	—	—	—	—	—	—	—
		F	104	104	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	36	36	—	—	—	—	—	—	—	—
		F	21	21	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified	M	175	175	—	—	—	—	—	—	—	—
		F	103	103	—	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	228	—	—	—	—	—	1	—	3	9
		F	561	—	1	—	—	—	—	1	1	12
B46 (Rem.)	All other diseases (Remainder 001-795)	M	590	12	4	11	12	48	53	98	154	198
		F	856	9	9	7	14	40	73	115	225	364
BE47	Motor vehicle accidents	M	366	—	3	16	135	75	45	34	22	36
		F	118	2	3	6	19	14	15	20	16	23
BE48	All other accidents	M	417	16	16	28	56	66	51	59	36	89
		F	371	12	7	4	5	10	17	23	50	243
BE49	Suicide and self-inflicted injury	M	249	—	—	1	10	55	65	51	46	21
		F	127	—	—	1	2	19	33	33	28	11
BE50	Homicide and operations of war	M	12	2	—	1	2	3	1	1	1	1
		F	7	1	—	1	1	2	—	1	1	—
BN47	Fractures, head injuries and internal injuries	M	561	2	5	23	152	102	67	69	44	97
		F	357	1	5	9	22	18	18	30	45	209
BN48	Burns	M	11	—	—	3	—	—	1	—	4	3
		F	32	2	1	—	—	2	5	2	5	15
BN49	Effects of poisons	M	187	—	—	1	6	41	42	33	39	25
		F	157	—	1	1	2	20	31	28	34	40
BN50	All other injuries	M	285	16	14	19	45	56	52	43	18	22
		F	77	12	3	2	3	5	11	17	11	13

TABLE 19—*continued*

Abbreviated List No.	Causes of death		Wales I (South East)									
			Age									
					Years							
			All ages	Under 1 year	1–	5–	15–	25–	45–	55–	65–	75 and over
	ALL CAUSES	M	12,700	493	46	90	133	545	1,055	2,610	3,675	4,053
		F	10,237	378	43	46	60	345	614	1,366	2,667	4,718
B1	Tuberculosis of respiratory system	M	154	—	—	—	—	18	22	51	44	19
		F	39	—	—	—	—	4	14	10	7	4
B2	Tuberculosis, other forms ..	M	12	—	—	—	—	3	2	1	5	1
		F	3	—	1	—	—	—	1	—	1	—
B3	Syphilis and its sequelae ..	M	17	—	—	1	—	2	2	6	5	1
		F	10	—	—	—	—	—	1	2	4	3
B4	Typhoid fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B5	Cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	M	3	—	—	—	1	1	—	—	—	1
		F	—	—	—	—	—	—	—	—	—	—
B7	Scarlet fever and streptococcal sore throat ..	M	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	1	1	—	—	—	—	—
B8	Diphtheria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B9	Whooping cough	M	1	1	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B10	Meningococcal infections ..	M	2	2	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B11	Plague	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	M	1	—	—	—	—	—	1	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B13	Smallpox	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B14	Measles	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B15	Typhus and other rickettsial diseases ..	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic	M	24	1	1	3	1	3	2	8	4	1
		F	19	2	2	—	3	1	3	2	4	2
B18	Malignant neoplasm: (140-205)	M	2,131	—	2	16	12	100	217	602	702	480
		F	1,760	2	7	11	9	110	232	383	567	439
	stomach (151)	M	423	—	—	—	—	20	42	121	129	111
		F	305	—	—	—	—	10	22	50	133	90
	trachea, bronchus and lung (162, 163) ..	M	671	—	—	—	—	18	76	280	230	67
		F	76	—	—	—	—	9	11	23	19	14
	breast (170)	M	—	—	—	—	—	—	—	—	—	—
		F	357	—	—	—	—	31	73	80	104	69
	uterus (171-174)	F	188	—	—	—	—	14	39	62	48	25
	Leukaemia and aleukaemia (204)	M	57	—	—	7	1	6	7	14	15	7
		F	39	—	2	3	3	1	3	5	12	10
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	M	980	—	2	9	11	56	92	187	328	295
		F	795	2	5	8	6	45	84	163	251	231
B19	Benign and unspecified neoplasms	M	29	—	1	—	—	4	8	8	5	3
		F	31	1	—	1	1	5	4	10	5	4
B20	Diabetes mellitus	M	44	1	—	—	1	—	2	5	14	21
		F	145	—	1	—	—	3	4	23	54	60
B21	Anaemias	M	24	1	—	2	1	1	—	7	4	8
		F	48	—	—	—	—	1	3	11	18	15
B22	Vascular lesions affecting central nervous system ..	M	1,416	—	—	1	3	26	67	236	456	627
		F	1,914	1	—	—	2	29	75	212	545	1,050
B23	Nonmeningococcal meningitis	M	8	2	1	—	—	1	—	1	3	—
		F	8	5	—	—	—	—	—	2	1	—
B24	Rheumatic fever	M	1	—	—	—	—	—	—	—	1	—
		F	3	—	—	—	1	1	—	1	—	—
B25	Chronic rheumatic heart disease	M	154	—	—	—	5	26	35	33	36	19
		F	244	—	—	—	4	41	55	64	44	36

TABLE 19—*continued*

Abbreviated List No.	Causes of death		Wales I (South East)—*continued*									
			Age									
					Years							
			All ages	Under 1 year	1–	5–	15–	25–	45–	55–	65–	75 and over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) ..	M	2,820	—	—	—	—	100	324	783	980	633
		F	1,435	—	—	—	1	6	55	224	528	621
	Degenerative heart disease (421, 422)	M	940	—	—	—	—	4	16	60	211	649
		F	1,166	—	—	—	1	—	10	52	206	897
B27	Other diseases of heart ..	M	227	2	—	—	—	9	13	34	77	92
		F	259	2	—	—	—	11	10	25	64	147
B28	Hypertension with heart disease	M	269	—	—	—	—	4	16	48	101	100
		F	292	—	—	—	—	1	7	41	95	148
B29	Hypertension without mention of heart	M	160	—	—	—	1	7	17	33	44	58
		F	176	—	—	—	—	3	12	24	53	84
B46 (Pt.)	Other circulatory diseases (450-468)	M	384	—	—	—	—	2	11	35	93	243
		F	357	1	—	—	—	5	8	31	53	259
B30	Influenza	M	25	—	—	—	—	2	1	3	7	12
		F	25	3	—	—	—	2	1	4	4	11
B31	Pneumonia	M	377	39	6	3	5	15	14	50	83	162
		F	320	28	8	3	2	4	11	27	65	172
B32	Bronchitis	M	1,029	11	3	—	1	14	63	246	387	304
		F	242	6	2	2	—	5	9	31	53	134
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	395	1	3	—	1	11	35	126	130	88
		F	51	—	1	—	—	4	4	7	16	19
B33	Ulcer of stomach and duodenum	M	110	—	—	—	—	6	9	23	42	30
		F	47	—	—	—	—	2	2	11	9	23
B34	Appendicitis	M	18	—	—	6	—	2	5	3	2	—
		F	11	—	—	1	1	3	1	2	—	3
B35	Intestinal obstruction and hernia	M	62	7	2	2	—	3	4	4	15	25
		F	51	4	—	—	—	1	4	4	18	20
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	37	6	1	—	2	1	1	6	9	11
		F	54	7	—	—	—	2	7	12	13	13
B37	Cirrhosis of liver	M	43	—	—	1	—	4	11	9	13	5
		F	41	—	—	—	—	2	5	7	17	10
B38	Nephritis and nephrosis ..	M	120	2	—	2	6	16	19	18	30	27
		F	94	—	—	—	1	8	9	24	21	31
B39	Hyperplasia of prostate ..	M	188	—	—	—	—	1	—	8	46	133
B40	Complications of pregnancy, childbirth and puerperium	F	20	—	—	—	4	16	—	—	—	—
B41	Congenital malformations ..	M	132	96	5	8	6	1	8	5	—	3
		F	126	93	9	3	5	4	8	1	3	—
B42	Birth injuries, postnatal asphyxia and atelectasis	M	188	188	—	—	—	—	—	—	—	—
		F	127	127	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	1	1	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	18	18	—	—	—	—	—	—	—	—
		F	14	14	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified ..	M	85	85	—	—	—	—	—	—	—	—
		F	62	62	—	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	136	1	—	—	—	1	1	2	7	124
		F	243	—	—	—	—	1	—	—	21	221
B46 (Rem.)	All other diseases (Remainder 001-795) ..	M	332	16	8	11	7	28	40	67	71	84
		F	437	10	7	9	4	34	31	77	123	142
BE47	Motor vehicle accidents ..	M	186	—	2	18	59	52	27	13	5	10
		F	71	—	1	7	13	8	9	7	15	11
BE48	All other accidents	M	279	12	11	15	19	51	41	43	16	71
		F	233	9	4	8	3	8	10	20	33	138
BE49	Suicide and self-inflicted injury	M	112	—	—	—	2	25	20	32	25	8
		F	49	—	—	—	3	16	8	15	6	1
BE50	Homicide and operations of war	M	6	—	—	—	1	1	1	1	2	—
		F	8	1	—	—	1	4	1	—	1	—
BN47	Fractures, head injuries and internal injuries	M	337	—	3	19	66	80	48	38	21	62
		F	225	1	1	8	12	13	10	13	36	131
BN48	Burns	M	10	1	1	—	—	—	—	1	2	5
		F	26	—	1	4	2	1	1	4	4	9
BN49	Effects of poisons	M	62	—	1	—	2	12	12	20	9	6
		F	40	—	1	—	3	9	12	8	7	—
BN50	All other injuries	M	174	11	8	14	13	37	29	30	16	16
		F	70	9	2	3	3	13	5	17	8	10

TABLE 19—*continued*

Abbreviated List No.	Causes of death		Wales II (remainder) Age All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
	ALL CAUSES	M	5,016	154	25	24	54	228	342	919	1,409	1,861
		F	4,762	92	10	11	29	140	254	546	1,122	2,558
B1	Tuberculosis of respiratory system	M	77	—	—	—	—	6	10	27	25	9
		F	21	—	—	—	1	5	5	4	3	3
B2	Tuberculosis, other forms	M	4	—	—	—	—	2	1	1	—	—
		F	6	—	—	—	—	3	1	—	—	2
B3	Syphilis and its sequelae	M	9	—	—	—	—	—	2	2	3	2
		F	4	—	—	—	—	—	—	—	2	2
B4	Typhoid fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B5	Cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	M	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	—	—	—	2
B7	Scarlet fever and streptococcal sore throat	M	1	—	—	—	—	—	—	—	—	1
		F	—	—	—	—	—	—	—	—	—	—
B8	Diphtheria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B9	Whooping cough	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B10	Meningococcal infections	M	—	—	—	—	—	—	—	—	—	—
		F	1	1	—	—	—	—	—	—	—	—
B11	Plague	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	M	1	—	—	—	—	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B13	Smallpox	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B14	Measles	M	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	1	—	—	—	—	—	—
B15	Typhus and other rickettsial diseases	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic	M	10	—	—	1	—	—	1	2	2	4
		F	7	1	—	—	1	—	2	1	1	1
	Malignant neoplasm: (140-205)	M	889	—	3	2	5	35	97	228	303	216
		F	841	—	3	2	6	41	109	162	243	275
	stomach (151)	M	183	—	—	—	—	6	16	48	65	48
		F	149	—	—	—	—	1	5	21	52	70
	trachea, bronchus and lung (162, 163)	M	253	—	—	—	—	8	33	92	95	25
		F	38	—	—	—	—	2	2	10	14	10
B18	breast (170)	M	—	—	—	—	—	—	—	—	—	—
		F	164	—	—	—	1	12	39	34	36	42
	uterus (171-174)	F	65	—	—	—	—	10	17	12	17	9
	Leukaemia and aleukaemia (204)	M	23	—	2	1	2	2	3	5	6	2
		F	22	—	1	1	—	—	1	10	4	5
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	M	430	—	1	1	3	19	45	83	137	141
		F	403	—	2	1	5	16	45	75	120	139
B19	Benign and unspecified neoplasms	M	9	—	—	—	—	1	1	4	2	1
		F	11	1	—	—	—	3	1	—	3	3
B20	Diabetes mellitus	M	22	—	—	—	—	2	1	3	7	9
		F	52	—	—	—	1	—	2	5	23	21
B21	Anaemias	M	13	—	—	—	—	—	2	1	4	6
		F	25	—	—	—	—	3	1	2	5	14
B22	Vascular lesions affecting central nervous system	M	712	—	—	—	1	11	26	105	215	354
		F	1,004	—	—	—	—	12	37	104	269	582
B23	Nonmeningococcal meningitis	M	1	—	—	—	—	1	—	—	—	—
		F	1	—	—	—	—	—	—	—	1	—
B24	Rheumatic fever	M	—	—	—	—	—	—	—	—	—	—
		F	4	—	—	1	—	—	—	2	1	—
B25	Chronic rheumatic heart disease	M	41	—	—	—	—	6	8	13	9	5
		F	75	—	—	—	—	8	11	19	13	24

TABLE 19—*continued*

Abbreviated List No.	Causes of death		Wales II (remainder)—*continued* Age All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420)	M	957	—	—	—	—	29	82	245	330	271
		F	529	—	—	—	—	2	18	70	178	261
	Degenerative heart disease (421, 422)	M	399	—	—	—	—	2	1	25	80	291
		F	629	—	—	—	1	3	4	14	87	520
B27	Other diseases of heart	M	115	—	—	—	—	2	6	21	35	51
		F	167	—	—	1	—	2	2	10	46	106
B28	Hypertension with heart disease	M	93	—	—	—	—	—	5	9	32	47
		F	143	—	—	—	—	1	3	11	40	88
B29	Hypertension without mention of heart	M	70	—	—	—	—	4	8	13	19	26
		F	71	—	—	—	—	2	3	9	17	40
B46 (Pt.)	Other circulatory diseases (450-468)	M	193	—	—	—	—	2	2	11	52	126
		F	202	—	—	—	—	3	5	3	42	149
B30	Influenza	M	10	1	—	—	—	—	—	3	1	5
		F	18	—	—	—	—	1	1	1	5	10
B31	Pneumonia	M	130	13	4	1	1	2	5	12	26	66
		F	159	6	2	1	1	2	4	15	22	106
B32	Bronchitis	M	277	2	—	1	1	4	8	57	98	106
		F	98	3	—	1	—	—	2	23	19	50
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	76	—	1	—	1	5	6	17	28	18
		F	18	—	—	—	1	1	1	4	3	8
B33	Ulcer of stomach and duodenum	M	48	—	—	—	—	3	5	12	12	16
		F	23	—	—	—	—	2	3	6	5	7
B34	Appendicitis	M	10	—	—	2	—	—	1	3	1	3
		F	3	—	—	—	—	—	—	1	1	1
B35	Intestinal obstruction and hernia	M	28	2	—	—	—	1	—	6	9	10
		F	26	1	—	—	—	—	—	4	7	14
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	15	1	2	—	—	—	1	2	4	5
		F	23	—	—	—	—	—	1	5	6	11
B37	Cirrhosis of liver	M	13	—	—	—	—	1	3	2	3	4
		F	13	—	—	—	—	1	2	4	4	2
B38	Nephritis and nephrosis	M	60	—	2	—	3	11	7	13	9	15
		F	46	1	—	1	1	6	2	7	10	18
B39	Hyperplasia of prostate	M	95	—	—	—	—	—	—	2	21	72
B40	Complications of pregnancy, childbirth and puerperium	F	5	—	—	—	2	3	—	—	—	—
B41	Congenital malformations	M	37	26	1	—	3	—	2	4	1	—
		F	28	19	1	—	3	2	1	1	—	1
B42	Birth injuries, postnatal asphyxia and atelectasis	M	56	56	—	—	—	—	—	—	—	—
		F	20	20	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	2	2	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	2	2	—	—	—	—	—	—	—	—
		F	1	1	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified	M	37	37	—	—	—	—	—	—	—	—
		F	34	34	—	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	55	—	—	—	—	—	—	—	2	53
		F	94	—	—	—	—	—	—	1	1	92
B46 (Rem.)	All other diseases (Remainder 001-795)	M	171	6	3	1	4	19	18	34	45	41
		F	207	2	1	—	5	24	20	39	42	74
BE47	Motor vehicle accidents	M	89	—	3	6	24	24	12	8	8	4
		F	20	—	—	2	3	4	1	1	6	3
BE48	All other accidents	M	132	6	6	10	11	35	9	19	13	23
		F	101	2	2	1	3	1	3	11	15	63
BE49	Suicide and self-inflicted injury	M	54	—	—	—	—	18	11	15	9	1
		F	27	—	—	—	—	4	9	7	2	5
BE50	Homicide and operations of war	M	3	—	—	—	—	1	1	—	1	—
		F	2	—	1	—	—	1	—	—	—	—
BN47	Fractures, head injuries and internal injuries	M	166	—	3	8	27	52	17	23	15	21
		F	92	1	1	2	4	5	1	4	16	58
BN48	Burns	M	5	—	1	—	—	—	1	—	—	3
		F	6	—	1	—	1	—	—	1	—	3
BN49	Effects of poisons	M	18	—	—	—	1	6	4	4	2	1
		F	22	—	—	—	1	4	7	4	2	4
BN50	All other injuries	M	89	6	5	8	7	20	11	15	14	3
		F	30	1	1	1	—	1	5	10	5	6

TABLE 19—*continued*

Abbreviated List No.	Causes of death		Conurbations									
			Age									
			All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
	ALL CAUSES	M	96,783	3,782	482	537	1,046	4,042	9,310	20,434	26,420	30,730
		F	93,849	2,784	381	368	446	2,998	5,619	11,518	22,521	47,214
B1	Tuberculosis of respiratory system	M	913	—	1	—	3	89	152	286	269	113
		F	272	2	3	—	3	83	44	40	60	37
B2	Tuberculosis, other forms	M	44	1	1	1	2	9	14	3	7	6
		F	63	1	—	4	2	10	7	11	14	14
B3	Syphilis and its sequelae	M	250	—	—	—	—	14	23	66	88	59
		F	125	—	—	—	1	4	6	29	38	47
B4	Typhoid fever	M	1	—	—	—	—	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B5	Cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	M	9	1	1	—	—	1	—	1	2	3
		F	8	—	1	1	—	1	—	1	2	2
B7	Scarlet fever and streptococcal sore throat	M	1	—	—	—	—	—	1	—	—	—
		F	3	—	1	—	1	—	—	1	—	—
B8	Diphtheria	M	1	—	—	1	—	—	—	—	—	—
		F	2	—	1	1	—	—	—	—	—	—
B9	Whooping cough	M	9	8	—	1	—	—	—	—	—	—
		F	4	2	2	—	—	—	—	—	—	—
B10	Meningococcal infections	M	27	15	12	—	—	—	—	—	—	—
		F	20	11	5	2	—	—	—	—	1	1
B11	Plague	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	M	5	—	1	1	—	1	1	1	—	—
		F	2	—	1	1	—	—	—	—	—	—
B13	Smallpox	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B14	Measles	M	8	—	7	—	—	—	—	1	—	—
		F	4	1	2	1	—	—	—	—	—	—
B15	Typhus and other rickettsial diseases	M	1	—	—	—	—	—	1	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic	M	194	19	13	15	11	26	33	32	30	15
		F	189	13	8	9	6	27	36	29	32	29
B18	Malignant neoplasm: (140-205)	M	20,506	11	44	94	115	877	2,742	6,088	6,247	4,288
		F	17,570	8	47	71	71	1,097	2,447	3,916	4,836	5,077
	stomach (151)	M	2,919	—	—	1	3	90	364	825	972	664
		F	2,309	—	—	—	—	63	170	390	722	964
	trachea, bronchus and lung (162, 163)	M	8,100	—	—	—	2	266	1,282	3,053	2,499	998
		F	1,424	—	—	—	—	89	210	388	432	305
	breast (170)	M	29	—	—	—	—	—	3	6	10	10
		F	3,424	—	—	—	3	287	769	889	775	701
	uterus (171-174)	F	1,519	—	—	—	2	169	274	363	401	310
	Leukaemia and aleukaemia (204)	M	525	3	22	43	25	73	78	98	98	85
		F	465	2	21	32	23	47	63	86	100	91
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	M	8,933	8	22	50	85	448	1,015	2,106	2,668	2,531
		F	8,429	6	26	39	43	442	961	1,800	2,406	2,706
B19	Benign and unspecified neoplasms	M	217	5	2	3	8	24	39	59	48	29
		F	276	4	—	10	6	37	46	56	62	55
B20	Diabetes mellitus	M	380	1	—	2	3	34	34	83	104	119
		F	797	1	—	1	4	18	28	132	271	342
B21	Anaemias	M	206	2	3	3	1	1	18	23	52	103
		F	390	2	2	4	3	5	9	44	95	226
B22	Vascular lesions affecting central nervous system	M	10,242	4	4	11	13	180	599	1,718	3,095	4,618
		F	15,156	4	2	10	19	174	561	1,537	3,991	8,858
B23	Nonmeningococcal meningitis	M	77	33	10	2	1	7	3	13	4	4
		F	54	10	6	3	3	4	1	6	11	10
B24	Rheumatic fever	M	19	1	—	2	3	—	2	5	4	2
		F	33	—	2	2	4	3	6	1	8	7
B25	Chronic rheumatic heart disease	M	975	—	—	1	21	165	214	252	191	131
		F	2,015	—	—	—	17	260	390	470	468	410

TABLE 19—*continued*

Abbreviated List No.	Causes of death		Conurbations—*continued*									
			Age									
			All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420)	M	20,579	—	—	—	4	670	2,582	5,508	6,488	5,327
		F	13,215	—	—	—	—	77	419	1,719	4,459	6,541
	Degenerative heart disease (421, 422)	M	5,664	—	—	3	4	45	118	358	1,232	3,904
		F	10,011	—	1	1	1	21	65	287	1,359	8,276
B27	Other diseases of heart	M	1,994	4	1	6	13	53	121	308	581	907
		F	2,691	5	2	4	8	31	72	217	665	1,687
B28	Hypertension with heart disease	M	1,547	—	—	—	—	13	74	293	480	687
		F	2,437	—	—	—	—	13	43	213	700	1,468
B29	Hypertension without mention of heart	M	1,188	—	—	—	3	66	165	271	304	379
		F	1,354	—	—	—	2	32	78	159	307	776
B46 (Pt.)	Other circulatory diseases (450-468)	M	2,544	1	—	3	2	47	124	308	717	1,342
		F	3,610	1	—	4	3	51	96	259	750	2,446
B30	Influenza	M	169	4	6	2	7	19	17	40	34	40
		F	184	7	5	5	4	7	10	31	34	81
B31	Pneumonia	M	4,731	392	67	23	22	100	200	539	1,112	2,276
		F	5,230	298	57	17	15	69	110	349	948	3,367
B32	Bronchitis	M	8,040	84	21	8	4	87	509	1,928	2,707	2,692
		F	3,448	65	13	3	2	47	126	351	908	1,933
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	1,038	8	15	8	9	47	130	237	294	290
		F	564	10	9	4	6	25	40	80	123	267
B33	Ulcer of stomach and duodenum	M	1,222	1	—	—	1	51	120	288	411	350
		F	623	1	—	—	1	9	32	77	173	330
B34	Appendicitis	M	132	3	4	9	7	11	20	25	28	25
		F	101	—	4	3	6	6	6	14	16	46
B35	Intestinal obstruction and hernia	M	485	39	3	3	3	14	29	83	132	179
		F	631	18	4	—	1	17	40	76	160	315
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	362	73	21	5	12	20	36	47	83	65
		F	588	58	12	4	6	27	29	74	130	248
B37	Cirrhosis of liver	M	262	—	1	—	1	24	60	82	65	29
		F	204	1	1	1	1	11	28	65	63	33
B38	Nephritis and nephrosis	M	621	3	5	14	29	99	95	130	126	120
		F	574	3	4	11	24	65	58	114	130	165
B39	Hyperplasia of prostate	M	958	—	—	—	—	—	4	63	237	654
B40	Complications of pregnancy, childbirth and puerperium	F	112	—	—	—	26	83	3	—	—	—
B41	Congenital malformations	M	978	645	86	49	35	51	39	34	24	15
		F	891	629	63	41	16	34	45	25	22	16
B42	Birth injuries, postnatal asphyxia and atelectasis	M	1,100	1,100	—	—	—	—	—	—	—	—
		F	716	716	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	13	13	—	—	—	—	—	—	—	—
		F	6	6	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	182	182	—	—	—	—	—	—	—	—
		F	111	111	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified	M	909	908	—	1	—	—	—	—	—	—
		F	665	664	—	1	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	554	5	1	1	—	8	5	6	31	497
		F	1,299	3	3	—	2	2	1	11	52	1,225
B46 (Rem.)	All other diseases (Remainder 001-795)	M	2,688	121	39	49	65	219	295	515	632	753
		F	4,031	63	49	49	48	253	369	630	1,016	1,554
BE47	Motor vehicle accidents	M	1,624	1	40	105	391	345	186	182	184	190
		F	776	1	27	55	69	79	77	126	157	185
BE48	All other accidents	M	1,807	87	67	105	150	290	242	234	209	423
		F	1,863	61	42	39	24	82	88	148	300	1,079
BE49	Suicide and injury	M	1,223	—	—	—	87	311	254	318	159	94
		F	885	—	—	2	36	217	197	217	158	58
BE50	Homicide and operations of war	M	84	7	6	6	16	23	9	6	9	2
		F	46	4	2	4	5	17	6	3	2	3
BN47	Fractures, head injuries and internal injuries	M	2,473	12	50	131	423	487	320	296	292	462
		F	1,843	5	30	64	68	95	94	167	319	1,001
BN48	Burns	M	96	3	6	3	11	12	15	9	11	26
		F	148	3	14	15	4	12	5	21	21	53
BN49	Effects of poisons	M	1,224	6	14	6	79	300	238	264	164	153
		F	1,151	2	11	7	40	227	213	243	206	202
BN50	All other injuries	M	945	74	43	76	131	170	118	171	94	68
		F	428	56	16	14	22	61	56	63	71	69

TABLE 19—*continued*

Abbreviated List No.	Causes of death	Urban areas outside conurbations with populations of 100,000 and over — Age	All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
	ALL CAUSES	M	36,314	1,350	163	215	351	1,483	3,063	7,349	10,480	11,860
		F	33,760	966	131	111	164	947	1,862	4,207	8,248	17,124
B1	Tuberculosis of respiratory system	M	397	—	1	—	1	43	60	141	108	43
		F	120	—	—	—	—	36	23	21	27	13
B2	Tuberculosis, other forms	M	20	—	2	—	1	5	4	3	4	1
		F	19	1	1	—	1	3	3	4	5	1
B3	Syphilis and its sequelae	M	90	—	—	—	—	5	10	23	35	17
		F	50	—	—	—	1	2	—	8	18	21
B4	Typhoid fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B5	Cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	M	2	—	—	—	—	—	—	—	1	1
		F	4	—	1	—	—	—	—	—	2	1
B7	Scarlet fever and streptococcal sore throat	M	2	—	—	—	—	—	—	1	—	1
		F	1	—	—	1	—	—	—	—	—	—
B8	Diphtheria	M	1	—	—	1	—	—	—	—	—	—
		F	1	—	—	1	—	—	—	—	—	—
B9	Whooping cough	M	2	1	1	—	—	—	—	—	—	—
		F	7	5	2	—	—	—	—	—	—	—
B10	Meningococcal infections	M	6	5	1	—	—	—	—	—	—	—
		F	5	1	2	—	—	1	—	—	—	1
B11	Plague	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	M	3	—	—	—	2	—	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	—
B13	Smallpox	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B14	Measles	M	1	—	1	—	—	—	—	—	—	—
		F	1	1	—	—	—	—	—	—	—	—
B15	Typhus and other rickettsial diseases	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic	M	60	4	2	9	2	13	6	8	8	8
		F	52	—	6	3	5	2	9	13	6	8
B18	Malignant neoplasm: (140-205)	M	7,238	2	17	40	47	316	839	2,068	2,280	1,629
		F	6,083	4	17	23	19	325	792	1,350	1,754	1,799
	stomach (151)	M	1,109	—	—	—	1	36	125	314	361	272
		F	807	—	—	—	1	18	61	145	251	331
	trachea, bronchus and lung (162, 163)	M	2,669	—	—	—	2	79	392	1,005	868	323
		F	418	—	—	—	—	24	59	127	123	85
	breast (170)	M	10	—	—	—	—	1	1	2	3	3
		F	1,224	—	—	—	—	86	236	286	330	286
	uterus (171-174)	F	594	—	—	—	—	59	121	160	145	109
	Leukaemia and aleukaemia (204)	M	187	1	13	17	13	19	19	26	54	25
		F	159	1	7	11	5	13	12	35	45	30
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	M	3,263	1	4	23	31	181	302	721	994	1,006
		F	2,881	3	10	12	13	125	303	597	860	958
B19	Benign and unspecified neoplasms	M	76	1	2	—	3	8	18	19	12	13
		F	86	1	1	2	2	14	16	25	18	7
B20	Diabetes mellitus	M	151	1	1	—	1	7	6	28	52	55
		F	305	—	2	1	—	12	12	39	111	128
B21	Anaemias	M	80	1	1	2	—	2	2	16	26	30
		F	145	2	—	—	2	3	3	7	57	71
B22	Vascular lesions affecting central nervous system	M	4,185	2	—	3	5	68	206	620	1,352	1,929
		F	6,128	1	1	2	2	59	199	592	1,638	3,634
B23	Nonmeningococcal meningitis	M	31	5	6	1	4	1	4	4	3	3
		F	19	5	2	—	—	2	—	2	5	3
B24	Rheumatic fever	M	12	—	—	2	—	—	1	—	7	2
		F	6	—	—	2	2	—	—	1	1	—
B25	Chronic rheumatic heart disease	M	353	—	—	1	7	57	82	78	86	42
		F	661	—	—	—	4	77	130	176	154	120

TABLE 19—*continued*

Abbreviated List No.	Causes of death	Urban areas outside conurbations with populations of 100,000 and over—*continued* — Age	All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420)	M	7,714	—	—	—	2	246	826	2,027	2,565	2,048
		F	4,833	—	1	—	—	28	133	652	1,636	2,383
	Degenerative heart disease (421, 422)	M	2,316	1	—	—	2	10	47	130	524	1,602
		F	3,867	—	—	—	2	12	25	115	562	3,151
B27	Other diseases of heart	M	814	3	—	1	3	14	49	123	270	351
		F	952	3	—	—	1	11	30	105	249	553
B28	Hypertension with heart disease	M	717	—	—	—	—	7	44	119	242	305
		F	917	—	—	—	—	4	21	98	265	529
B29	Hypertension without mention of heart	M	345	—	—	—	1	26	49	61	84	124
		F	404	—	—	—	1	10	26	47	96	224
B46 (Pt.)	Other circulatory diseases (450-468)	M	1,098	—	—	1	3	14	43	145	280	612
		F	1,318	—	1	1	—	25	28	95	244	924
B30	Influenza	M	81	2	1	—	1	6	5	22	18	26
		F	60	1	1	—	—	3	4	5	15	31
B31	Pneumonia	M	1,616	156	26	13	11	35	79	195	405	696
		F	1,594	110	22	3	2	14	35	132	260	1,016
B32	Bronchitis	M	2,752	30	9	—	1	37	155	637	1,049	834
		F	909	20	4	2	2	11	38	111	222	499
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	532	12	2	1	1	16	60	137	176	127
		F	226	4	1	—	3	12	19	38	46	103
B33	Ulcer of stomach and duodenum	M	413	—	—	—	—	19	39	109	134	112
		F	197	—	—	1	1	3	16	17	50	109
B34	Appendicitis	M	54	1	2	3	3	6	6	13	8	12
		F	36	—	1	3	1	2	2	8	9	10
B35	Intestinal obstruction and hernia	M	162	12	2	2	1	—	9	26	51	59
		F	196	11	—	—	—	10	10	23	55	87
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	118	23	6	1	2	11	8	17	21	29
		F	210	24	2	—	—	10	10	25	54	85
B37	Cirrhosis of liver	M	86	—	1	3	—	4	14	24	25	15
		F	76	—	—	—	2	1	11	15	24	23
B38	Nephritis and nephrosis	M	286	2	—	2	18	47	39	57	57	64
		F	221	2	1	4	8	21	12	51	49	73
B39	Hyperplasia of prostate	M	435	—	—	—	—	1	3	29	114	288
B40	Complications of pregnancy, childbirth and puerperium	F	34	—	—	—	3	31	—	—	—	—
B41	Congenital malformations	M	348	260	15	16	9	12	15	12	7	2
		F	324	230	21	14	13	11	13	7	14	1
B42	Birth injuries, postnatal asphyxia and atelectasis	M	360	360	—	—	—	—	—	—	—	—
		F	225	225	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	5	5	—	—	—	—	—	—	—	—
		F	2	2	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	64	64	—	—	—	—	—	—	—	—
		F	45	45	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified	M	341	341	—	—	—	—	—	—	—	—
		F	223	223	—	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	203	1	—	—	—	—	2	5	11	184
		F	416	1	—	—	—	1	—	6	17	391
B46 (Rem.)	All other diseases (Remainder 001-795)	M	1,017	20	17	19	15	104	104	185	269	284
		F	1,462	23	16	13	21	83	138	259	357	552
BE47	Motor vehicle accidents	M	560	3	17	45	138	131	47	69	41	69
		F	238	—	5	13	41	22	26	38	49	44
BE48	All other accidents	M	738	30	29	45	48	117	95	97	76	201
		F	801	20	20	20	8	25	22	59	123	504
BE49	Suicide and self-inflicted injury	M	403	—	—	2	17	90	84	93	75	42
		F	260	—	—	—	12	56	54	62	52	24
BE50	Homicide and operations of war	M	26	2	1	2	2	5	3	7	4	—
		F	21	1	—	2	5	5	2	1	4	1
BN47	Fractures, head injuries and internal injuries	M	943	6	24	51	153	189	96	125	89	210
		F	764	3	5	15	46	30	37	52	129	447
BN48	Burns	M	33	1	5	2	—	3	2	4	6	10
		F	57	1	5	10	2	2	4	6	7	20
BN49	Effects of poisons	M	388	1	5	3	14	84	76	74	74	57
		F	350	1	5	3	11	57	53	73	71	76
BN50	All other injuries	M	363	27	13	38	38	67	55	63	27	35
		F	149	16	10	7	7	19	10	29	21	30

TABLE 19—*continued*

Abbreviated List No.	Causes of death	Urban areas outside conurbations with populations of 50,000 and under 100,000 — Age	All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
	ALL CAUSES	M	21,032	740	108	118	215	847	1,675	4,067	5,859	7,403
		F	20,844	537	80	75	87	612	1,066	2,282	4,919	11,186
B1	Tuberculosis of respiratory system	M	185	—	—	—	—	17	31	57	55	25
		F	59	—	—	—	1	18	7	6	11	16
B2	Tuberculosis, other forms	M	10	—	—	—	—	4	1	2	3	—
		F	15	—	—	—	1	2	1	4	5	2
B3	Syphilis and its sequelae	M	57	—	—	—	—	4	5	16	20	12
		F	30	—	—	—	—	1	2	5	13	9
B4	Typhoid fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B5	Cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B7	Scarlet fever and streptococcal sore throat	M	1	—	1	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B8	Diphtheria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B9	Whooping cough	M	1	1	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B10	Meningococcal infections	M	5	4	—	1	—	—	—	—	—	—
		F	4	1	1	1	—	—	1	—	—	—
B11	Plague	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	M	2	—	—	—	1	1	—	—	—	—
		F	1	—	—	—	1	—	—	—	—	—
B13	Smallpox	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B14	Measles	M	—	—	—	—	—	—	—	—	—	—
		F	2	—	2	—	—	—	—	—	—	—
B15	Typhus and other rickettsial diseases	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic	M	30	—	2	2	4	2	6	7	2	5
		F	38	4	2	1	—	6	2	8	7	8
B18	Malignant neoplasm: (140-205)	M	4,101	—	8	17	21	165	488	1,148	1,272	982
		F	3,648	—	7	9	18	206	476	756	1,031	1,145
	stomach (151)	M	578	—	—	—	1	19	68	168	182	140
		F	472	—	—	—	—	10	36	82	147	197
	trachea, bronchus and lung (162, 163)	M	1,482	—	—	—	—	35	225	544	481	197
		F	235	—	—	—	1	14	35	59	86	40
	breast (170)	M	5	—	—	—	—	1	—	—	2	2
		F	752	—	—	—	—	52	150	167	183	200
	uterus (171-174)	F	304	—	—	—	—	29	53	84	86	52
	Leukaemia and aleukaemia (204)	M	120	—	4	9	4	22	17	18	22	24
		F	96	—	3	2	4	17	7	16	25	22
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	M	1,916	—	4	8	16	88	178	418	585	619
		F	1,789	—	4	7	13	84	195	348	504	634
B19	Benign and unspecified neoplasms	M	62	—	—	1	—	7	14	18	9	13
		F	73	1	1	3	1	6	8	22	15	16
B20	Diabetes mellitus	M	88	—	—	1	—	4	6	17	30	30
		F	191	—	1	2	—	9	8	28	59	84
B21	Anaemias	M	33	—	1	—	1	2	1	1	14	13
		F	74	—	—	—	—	2	2	2	18	50
B22	Vascular lesions affecting central nervous system	M	2,433	3	—	2	9	37	119	350	745	1,168
		F	3,899	2	1	—	4	51	111	322	928	2,480
B23	Nonmeningococcal meningitis	M	13	5	2	1	1	2	2	—	—	—
		F	14	7	1	—	—	1	2	—	2	1
B24	Rheumatic fever	M	6	—	—	1	2	1	—	—	1	1
		F	4	—	—	1	1	—	—	1	1	—
B25	Chronic rheumatic heart disease	M	165	—	—	—	1	33	39	36	34	22
		F	303	—	—	1	—	46	56	71	63	66

TABLE 19—*continued*

Abbreviated List No.	Causes of death	Urban areas outside conurbations with populations of 50,000 and under 100,000—*continued* — Age	All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420)	M	4,420	—	—	—	—	132	455	1,105	1,475	1,253
		F	2,835	—	—	—	—	22	87	357	973	1,416
	Degenerative heart disease (421, 422)	M	1,071	2	—	1	1	14	19	102	339	1,193
		F	2,569	—	—	—	—	6	11	68	363	2,121
B27	Other diseases of heart	M	477	—	—	—	1	14	29	90	129	214
		F	622	2	—	—	3	8	19	40	162	388
B28	Hypertension with heart disease	M	350	—	—	—	—	4	12	72	120	142
		F	518	—	—	—	—	3	13	45	150	307
B29	Hypertension without mention of heart	M	215	—	—	—	—	16	20	55	61	63
		F	242	—	—	—	—	4	10	31	59	138
B46 (Pt.)	Other circulatory diseases (450-468)	M	614	1	—	—	2	12	19	80	166	334
		F	784	—	—	—	—	13	15	46	148	562
B30	Influenza	M	22	1	1	—	1	1	5	3	5	5
		F	35	—	—	—	—	2	2	3	10	18
B31	Pneumonia	M	935	68	23	11	2	17	30	107	203	474
		F	967	58	11	3	3	18	22	65	171	616
B32	Bronchitis	M	1,420	22	5	—	2	19	77	335	502	458
		F	582	11	5	1	1	6	15	61	158	324
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	281	8	3	—	4	10	27	53	100	76
		F	126	5	—	3	—	4	8	16	26	64
B33	Ulcer of stomach and duodenum	M	277	—	—	—	—	11	20	56	87	103
		F	137	1	—	—	—	6	5	15	25	85
B34	Appendicitis	M	40	—	—	—	5	3	4	5	5	9	9
		F	24	—	1	—	—	1	3	2	4	13
B35	Intestina obstruction and hernia	M	110	12	—	—	—	3	8	9	32	46
		F	116	2	—	1	—	2	5	19	28	59
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	79	14	3	—	1	5	6	11	14	25
		F	119	10	2	1	2	5	8	10	33	48
B37	Cirrhosis of liver	M	46	—	—	—	—	4	6	16	15	5
		F	43	1	—	—	—	1	1	16	17	7
B38	Nephritis and nephrosis	M	176	1	—	5	8	27	23	41	28	43
		F	137	—	—	2	5	15	12	24	32	47
B39	Hyperplasia of prostate	M	275	—	—	—	—	—	1	15	76	183
B40	Complications of pregnancy, childbirth and puerperium	F	122	—	—	—	5	17	—	—	—	—
B41	Congenital malformations	M	221	147	15	9	8	12	7	13	7	3
		F	167	111	16	10	3	8	14	2	3	—
B42	Birth injuries, postnatal asphyxia and atelectasis	M	194	194	—	—	—	—	—	—	—	—
		F	124	124	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	4	4	—	—	—	—	—	—	—	—
		F	2	2	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	40	40	—	—	—	—	—	—	—	—
		F	23	23	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified	M	176	176	—	—	—	—	—	—	—	—
		F	133	133	—	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	181	1	—	—	1	—	1	1	15	162
		F	387	2	—	—	—	—	—	1	19	365
B46 (Rem.)	All other diseases (Remainder 001-795)	M	577	16	14	14	10	36	47	103	153	184
		F	876	18	13	12	8	43	59	122	244	357
BE47	Motor vehicle accidents	M	336	—	11	20	83	79	41	36	36	30
		F	150	1	5	10	20	18	15	26	23	32
BE48	All other accidents	M	422	17	19	25	30	65	53	47	56	110
		F	520	17	10	13	8	18	17	39	75	323
BE49	Suicide and self-inflicted injury	M	264	—	—	1	15	77	52	58	45	16
		F	203	—	—	1	2	43	47	49	42	19
BE50	Homicide and operations of war	M	17	3	—	1	3	6	—	2	1	1
		F	6	1	1	—	—	1	2	—	1	—
BN47	Fractures, head injuries and internal injuries	M	553	2	11	27	94	113	68	49	81	108
		F	474	2	7	14	21	19	16	43	63	289
BN48	Burns	M	16	—	—	—	—	3	1	2	1	9
		F	40	1	3	3	4	3	2	2	9	13
BN49	Effects of poisons	M	245	1	1	1	12	59	54	51	44	22
		F	261	1	1	5	4	45	46	57	52	50
BN50	All other injuries	M	225	17	18	19	25	52	23	41	12	18
		F	104	15	5	2	1	13	17	12	17	22

TABLE 19—*continued*

Abbreviated List No.	Causes of death		Urban areas outside conurbations with populations under 50,000									
			Age									
					Years							
			All ages	Under 1 year	1–	5–	15–	25–	45–	55–	65–	75 and over
	ALL CAUSES	M	63,024	2,266	325	378	675	2,296	4,860	11,837	17,558	22,829
		F	60,912	1,611	233	222	243	1,744	3,247	6,925	14,501	32,186
B1	Tuberculosis of respiratory system	M	511	—	—	—	—	41	96	144	156	74
		F	179	1	—	2	2	41	36	34	35	28
B2	Tuberculosis, other forms	M	40	1	—	1	1	8	6	9	13	1
		F	37	—	1	1	—	9	4	8	8	6
B3	Syphilis and its sequelae	M	129	—	—	1	—	2	14	29	51	32
		F	65	—	—	—	—	2	7	13	25	18
B4	Typhoid fever	M	1	—	—	—	—	—	—	—	1	—
		F	—	—	—	—	—	—	—	—	—	—
B5	Cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	M	3	—	—	1	1	—	—	—	—	1
		F	5	1	—	1	—	—	—	1	—	2
B7	Scarlet fever and streptococcal sore throat	M	5	—	—	—	1	2	—	1	—	1
		F	7	2	—	—	1	1	—	—	3	—
B8	Diphtheria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B9	Whooping cough	M	6	2	3	—	1	—	—	—	—	—
		F	3	3	—	—	—	—	—	—	—	—
B10	Meningococcal infections	M	6	3	2	—	—	—	1	—	—	—
		F	10	2	6	1	1	—	—	—	—	—
B11	Plague	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	M	5	—	—	—	1	2	1	—	1	—
		F	1	—	1	—	—	—	—	—	—	—
B13	Smallpox	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B14	Measles	M	3	2	1	—	—	—	—	—	—	—
		F	7	1	3	2	—	1	—	—	—	—
B15	Typhus and other rickettsial diseases	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	M	1	—	—	—	—	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic	M	115	10	9	8	2	14	15	19	18	20
		F	117	11	7	4	5	14	13	15	21	27
B18	Malignant neoplasm: (140-205)	M	11,640	7	42	68	46	466	1,276	3,155	3,758	2,822
		F	10,447	8	30	35	33	632	1,379	2,152	2,983	3,195
	stomach (151)	M	1,780	—	—	—	—	54	195	455	622	454
		F	1,467	—	—	—	1	30	87	232	506	611
	trachea, bronchus and lung (162, 163)	M	3,846	—	—	—	—	119	536	1,467	1,292	432
		F	571	—	—	—	1	34	101	156	167	112
	breast (170)	M	15	—	—	—	—	—	1	5	6	3
		F	2,041	—	—	—	1	164	388	493	503	492
	uterus (171-174)	F	955	—	—	1	1	112	181	212	246	202
	Leukaemia and aleukaemia (204)	M	344	5	19	30	13	44	35	61	76	61
		F	243	2	14	11	6	22	26	44	66	52
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	M	5,655	2	23	38	33	249	509	1,167	1,762	1,872
		F	5,170	6	16	23	23	270	596	1,015	1,495	1,726
B19	Benign and unspecified neoplasms	M	137	4	2	1	5	18	21	36	28	22
		F	202	3	2	6	4	32	36	40	35	44
B20	Diabetes mellitus	M	323	1	1	3	1	16	19	56	98	128
		F	583	—	3	1	6	12	12	86	216	247
B21	Anaemias	M	162	—	—	1	4	4	6	18	47	82
		F	264	—	1	2	1	9	12	23	60	156
B22	Vascular lesions affecting central nervous system	M	7,663	5	4	4	8	101	376	1,085	2,390	3,690
		F	11,362	2	1	1	7	129	328	1,157	2,866	6,871
B23	Nonmeningococcal meningitis	M	46	21	5	—	3	5	3	4	4	1
		F	40	15	5	—	—	1	3	7	5	4
B24	Rheumatic fever	M	11	—	—	1	—	1	—	5	2	2
		F	9	—	—	—	1	2	2	2	2	—
B25	Chronic rheumatic heart disease	M	541	—	—	1	11	86	106	153	114	70
		F	970	—	—	2	7	131	180	233	226	191

TABLE 19—*continued*

Abbreviated List No.	Causes of death		Urban areas outside conurbations with populations under 50,000—*continued*									
			Age									
					Years							
			All ages	Under 1 year	1–	5–	15–	25–	45–	55–	65–	75 and over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420)	M	13,234	—	—	—	1	365	1,381	3,298	4,387	3,802
		F	8,243	—	—	—	2	53	234	1,092	2,858	4,004
	Degenerative heart disease (421, 422)	M	5,252	—	1	1	3	31	84	335	1,117	3,680
		F	8,060	1	—	1	3	11	51	216	1,155	6,622
B27	Other diseases of heart	M	1,445	2	3	2	5	23	41	232	406	731
		F	1,755	1	4	—	2	29	36	147	422	1,114
B28	Hypertension with heart disease	M	1,095	—	—	1	—	7	41	184	390	472
		F	1,519	—	—	—	—	7	32	117	461	902
B29	Hypertension without mention of heart	M	783	—	—	—	1	40	93	163	210	276
		F	793	—	—	1	—	19	51	93	196	433
B46 (Pt.)	Other circulatory diseases (450-468)	M	1,872	1	1	—	2	26	68	191	450	1,133
		F	2,276	2	—	2	4	22	54	143	428	1,621
B30	Influenza	M	154	5	—	1	3	11	15	27	39	53
		F	159	3	1	1	—	8	3	17	42	84
B31	Pneumonia	M	2,368	189	49	28	18	50	91	266	516	1,161
		F	2,522	154	41	16	9	46	69	167	474	1,546
B32	Bronchitis	M	4,104	48	15	4	4	43	216	993	1,458	1,323
		F	1,488	30	7	3	—	16	68	185	384	795
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	914	16	14	8	8	40	65	243	307	213
		F	355	5	6	3	2	21	39	33	61	185
B33	Ulcer of stomach and duodenum	M	745	1	1	—	1	40	61	140	231	270
		F	330	—	—	—	1	9	19	33	94	174
B34	Appendicitis	M	70	2	3	10	2	3	9	15	10	16
		F	65	—	3	8	3	7	4	6	18	16
B35	Intestinal obstruction and hernia	M	393	23	7	2	1	10	22	61	126	141
		F	374	14	—	3	1	5	16	47	114	174
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	253	41	16	3	4	7	20	32	56	74
		F	302	15	10	1	1	17	18	32	91	117
B37	Cirrhosis of liver	M	161	—	—	2	—	16	36	49	35	23
		F	150	1	1	—	4	9	25	39	48	23
B38	Nephritis and nephrosis	M	484	2	5	12	21	69	64	93	97	121
		F	436	—	2	6	7	29	52	85	101	154
B39	Hyperplasia of prostate	M	847	—	—	—	—	—	3	38	209	597
B40	Complications of pregnancy, childbirth and puerperium	F	79	—	—	—	16	63	—	—	—	—
B41	Congenital malformations	M	646	461	44	32	20	28	19	16	11	15
		F	575	408	37	41	16	18	30	12	10	3
B42	Birth injuries, postnatal asphyxia and atelectasis	M	589	588	1	—	—	—	—	—	—	—
		F	387	387	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	6	6	—	—	—	—	—	—	—	—
		F	2	2	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	114	114	—	—	—	—	—	—	—	—
		F	69	69	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy and immaturity unqualified	M	570	570	—	—	—	—	—	—	—	—
		F	394	394	—	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	798	5	1	—	1	2	4	5	36	744
		F	1,534	1	—	—	—	1	4	5	49	1,474
B46 (Rem.)	All other diseases (Remainder 001-795)	M	1,784	68	26	39	41	129	175	310	471	525
		F	2,568	29	27	33	33	162	212	418	642	1,012
BE47	Motor vehicle accidents	M	1,004	2	26	54	310	223	123	97	78	91
		F	389	1	16	22	39	64	47	50	73	77
BE48	All other accidents	M	1,302	63	42	88	113	197	143	168	138	350
		F	1,330	42	14	21	15	44	60	98	203	833
BE49	Suicide and self-inflicted injury	M	657	—	—	—	29	164	141	162	92	69
		F	430	—	—	—	15	64	110	116	91	34
BE50	Homicide and operations of war	M	32	3	1	1	2	5	5	5	7	3
		F	20	3	4	2	2	4	1	3	1	—
BN47	Fractures, head injuries and internal injuries	M	1,665	7	30	73	332	319	205	198	155	346
		F	1,258	4	23	29	42	71	65	77	195	752
BN48	Burns	M	42	1	4	1	—	4	1	2	6	23
		F	87	2	4	2	2	5	6	12	17	37
BN49	Effects of poisons	M	545	—	9	4	24	124	108	131	77	68
		F	517	1	3	2	12	67	116	117	103	96
BN50	All other injuries	M	743	60	26	65	98	142	98	101	77	76
		F	307	39	4	12	15	33	31	61	53	59

TABLE 19—*continued*

Abbreviated List No.	Causes of death		Rural districts — Age — All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
	ALL CAUSES	M	52,019	1,773	284	355	787	2,045	3,875	8,789	13,810	20,301
		F	47,731	1,309	244	236	247	1,341	2,554	5,371	11,158	25,271
B1	Tuberculosis of respiratory system	M	336	—	—	—	1	38	44	100	107	46
		F	133	—	—	—	2	25	30	26	28	22
B2	Tuberculosis, other forms	M	46	2	3	1	3	8	5	8	12	4
		F	36	1	2	1	4	7	4	4	4	9
B3	Syphilis and its sequelae	M	97	—	—	—	—	4	12	32	36	13
		F	51	—	—	—	—	4	3	11	21	12
B4	Typhoid fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B5	Cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	M	1	—	—	—	—	1	—	—	—	—
		F	4	—	—	—	1	—	—	1	—	2
B7	Scarlet fever and streptococcal sore throat	M	1	1	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	1	—	—	—	1
B8	Diphtheria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B9	Whooping cough	M	2	2	—	—	—	—	—	—	—	—
		F	3	2	—	1	—	—	—	—	—	—
B10	Meningococcal infections	M	2	—	—	—	1	—	—	—	1	—
		F	10	5	2	2	—	—	—	—	—	1
B11	Plague	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	M	4	—	—	—	1	3	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B13	Smallpox	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B14	Measles	M	1	—	1	—	—	—	—	—	—	—
		F	4	1	2	1	—	—	—	—	—	—
B15	Typhus and other rickettsial diseases	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	M	2	—	—	—	—	1	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic	M	107	6	5	7	3	15	26	16	15	14
		F	93	6	5	6	3	9	14	21	6	23
B18	Malignant neoplasm: (140-205)	M	9,294	8	35	66	64	381	1,037	2,341	2,923	2,439
		F	8,261	7	36	61	43	485	1,109	1,718	2,310	2,492
	stomach (151)	M	1,460	—	—	—	1	29	147	377	470	436
		F	1,052	—	—	—	—	27	57	146	349	473
	trachea, bronchus and lung (162, 163)	M	2,785	—	—	—	2	69	420	987	958	349
		F	470	—	—	1	1	28	76	131	141	92
	breast (170)	M	4	—	—	—	—	—	—	—	2	2
		F	1,618	—	—	—	2	123	335	387	397	374
	uterus (171-174)	F	716	—	—	—	2	83	137	179	161	154
	Leukaemia and aleukaemia (204)	M	300	3	12	29	19	41	25	52	74	45
		F	255	2	18	25	9	22	28	51	51	49
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	M	4,745	5	23	37	42	242	445	925	1,419	1,607
		F	4,150	5	18	35	29	202	476	824	1,211	1,350
B19	Benign and unspecified neoplasms	M	121	3	6	2	4	19	20	23	24	20
		F	131	2	2	3	1	20	27	25	22	29
B20	Diabetes mellitus	M	251	—	—	—	6	14	15	34	91	91
		F	490	—	1	2	3	10	16	74	159	225
B21	Anaemias	M	112	—	1	—	2	1	4	14	34	56
		F	193	2	—	—	1	4	5	12	45	124
B22	Vascular lesions affecting central nervous system	M	6,483	3	2	3	5	87	252	830	1,902	3,399
		F	8,671	4	2	2	5	90	282	847	2,210	5,229
B23	Nonmeningococcal meningitis	M	42	15	8	2	—	7	4	5	1	—
		F	33	12	5	1	—	1	3	1	8	2
B24	Rheumatic fever	M	13	—	—	2	3	2	2	3	1	—
		F	12	—	2	2	—	1	2	2	1	2
B25	Chronic rheumatic heart disease	M	435	—	—	1	7	53	95	110	92	77
		F	703	—	—	1	2	80	116	154	173	177

TABLE 19—*continued*

Abbreviated List No.	Causes of death		Rural districts—*continued* — Age — All ages	Under 1 year	Years 1–	5–	15–	25–	45–	55–	65–	75 and over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420)	M	10,567	—	—	—	1	1	261	1,037	2,454	3,551	3,262
		F	6,301	—	—	—	—	2	30	187	819	2,116	3,147
	Degenerative heart disease (421, 422)	M	4,647	—	—	—	3	3	24	47	247	862	3,461
		F	6,240	—	—	—	1	2	16	28	192	919	5,082
B27	Other diseases of heart	M	1,289	2	1	5	7	17	54	143	334	726	
		F	1,459	1	1	3	3	24	27	98	325	977	
B28	Hypertension with heart disease	M	969	—	—	—	1	11	43	139	347	428	
		F	1,225	—	—	—	—	4	29	128	363	701	
B29	Hypertension without mention of heart	M	592	—	—	1	2	40	68	95	158	228	
		F	614	—	—	—	—	15	41	72	165	321	
B46 (Pt.)	Other circulatory diseases (450-468)	M	1,702	2	1	1	1	18	61	162	405	1,051	
		F	1,919	1	—	1	4	31	55	123	393	1,311	
B30	Influenza	M	127	1	3	1	2	10	11	18	36	45	
		F	107	2	1	—	1	4	4	12	26	57	
B31	Pneumonia	M	2,168	144	45	18	18	63	82	202	467	1,129	
		F	2,212	107	37	17	14	44	65	154	417	1,357	
B32	Bronchitis	M	2,681	28	13	8	3	26	144	574	871	1,014	
		F	1,061	26	9	2	2	13	32	120	236	621	
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	700	13	8	8	5	19	52	179	225	191	
		F	293	8	3	3	7	15	18	33	57	149	
B33	Ulcer of stomach and duodenum	M	508	—	—	—	4	19	40	106	146	193	
		F	253	—	1	—	—	8	12	35	61	136	
B34	Appendicitis	M	71	—	2	5	2	6	9	16	13	18	
		F	45	—	2	2	1	5	1	10	11	13	
B35	Intestinal obstruction and hernia	M	302	29	2	—	2	12	13	48	84	112	
		F	282	19	—	1	1	2	20	30	76	133	
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	203	29	12	2	3	14	21	22	49	51	
		F	262	14	9	5	3	7	18	24	62	120	
B37	Cirrhosis of liver	M	130	1	—	1	1	8	35	29	38	17	
		F	114	—	—	1	2	4	17	37	31	22	
B38	Nephritis and nephrosis	M	438	1	1	8	11	58	65	71	93	130	
		F	341	4	3	4	9	28	42	52	83	116	
B39	Hyperplasia of prostate	M	744	—	—	—	—	—	4	29	173	538	
B40	Complications of pregnancy, childbirth and puerperium	F	63	—	—	—	12	51	—	—	—	—	
B41	Congenital malformations	M	503	339	25	23	24	27	20	26	9	10	
		F	469	319	31	22	20	27	21	17	7	5	
B42	Birth injuries, postnatal asphyxia and atelectasis	M	506	506	—	—	—	—	—	—	—	—	
		F	301	301	—	—	—	—	—	—	—	—	
B43	Diarrhoea of newborn (764)	M	5	5	—	—	—	—	—	—	—	—	
		F	1	1	—	—	—	—	—	—	—	—	
	Other infections of newborn (763, 765-768)	M	91	91	—	—	—	—	—	—	—	—	
		F	57	57	—	—	—	—	—	—	—	—	
B44	Other dis. of early infancy and immaturity unqualified	M	429	428	—	1	—	—	—	—	—	—	
		F	336	336	—	—	—	—	—	—	—	—	
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	699	—	—	1	2	5	3	4	34	650	
		F	1,237	—	3	—	—	—	1	2	47	1,184	
B46 (Rem.)	All other diseases (Remainder 001-795)	M	1,594	60	34	34	45	148	145	279	379	470	
		F	2,028	29	39	28	33	138	166	321	514	760	
BE47	Motor vehicle accidents	M	1,230	—	17	67	393	269	153	157	86	88	
		F	336	1	18	39	39	43	35	50	59	52	
BE48	All other accidents	M	1,241	53	57	81	135	231	140	146	114	284	
		F	1,053	38	27	22	13	33	46	74	159	641	
BE49	Suicide and self-inflicted injury	M	512	—	—	1	22	122	106	123	94	44	
		F	276	—	—	—	12	55	77	72	44	16	
BE50	Homicide and operations of war	M	21	1	2	1	—	3	6	3	3	2	
		F	16	3	1	2	2	7	1	—	—	—	
BN47	Fractures, head injuries and internal injuries	M	1,887	3	25	88	437	390	228	250	171	295	
		F	1,047	1	22	41	40	62	50	73	162	596	
BN48	Burns	M	40	—	5	3	2	4	2	1	4	19	
		F	70	2	8	2	3	5	6	6	9	29	
BN49	Effects of poisons	M	265	—	4	2	18	67	51	52	38	33	
		F	245	1	4	3	14	43	62	48	46	24	
BN50	All other injuries	M	812	51	42	57	93	164	124	126	84	71	
		F	319	38	12	17	9	28	41	69	45	60	

TABLE 20. Suspended

TABLE 21. Causes of Death by Sex, 1960, classified in accordance with the Abridged List and Supplementary Abridged List (see statement below) } **England and Wales, standard regions, Wales, conurbations, London A.C., City of London, metropolitan and county boroughs, administrative counties**

See also explanatory notes.

Note. Publication of Table 20 has been suspended. Instead, Table 21 has been enlarged to include a cause analysis according to the Registrar General's Abridged List as well as the Registrar General's Supplementary Abridged List, but with no age details. A further cause analysis by detail of age is given for England and Wales, standard regions, conurbations and national aggregates by type of area in Table 19.

All details which prior to this change appeared in Table 20 and also figures (based on the Registrar General's Abridged List, without age detail) for administrative areas not separately shown in Table 21 are available at the General Register Office.

THE ABRIDGED LIST OF CAUSES OF DEATH adopted by the Registrar General in consultation with the Ministry of Health, and its relation to the Detailed International Statistical Classification.

No.	Registrar General's List	ICD No.
1.	Tuberculosis, respiratory	001-008.
2.	Tuberculosis, other	010-019.
3.	Syphilitic disease	020-029.
4.	Diphtheria	055.
5.	Whooping cough	056.
6.	Meningococcal infections	057.
7.	Acute poliomyelitis	080.
8.	Measles	085.
9.	Other infective and parasitic diseases	030-054, 058-074, 081-084, 086-138.
10.	Malignant neoplasm, stomach	151.
11.	Malignant neoplasm, lung, bronchus	162, 163.
12.	Malignant neoplasm, breast	170.
13.	Malignant neoplasm, uterus	171-174.
14.	Other malignant and lymphatic neoplasms	140-150, 152-161, 164, 165, 175-203, 205.
15.	Leukaemia, aleukaemia	204.
16.	Diabetes	260.
17.	Vascular lesions of nervous system	330-334.
18.	Coronary disease, angina	420.
19.	Hypertension with heart disease	440-443.
20.	Other heart disease	410-416, 421-434.
21.	Other circulatory disease	444-468.
22.	Influenza	480-483.
23.	Pneumonia	490-493, 763.
24.	Bronchitis	500-502.
25.	Other diseases of respiratory system	470-475, 510-527.
26.	Ulcer of stomach and duodenum	540, 541.
27.	Gastritis, enteritis and diarrhoea	543, 571, 572, 764.
28.	Nephritis and nephrosis	590-594.
29.	Hyperplasia of prostate	610.
30.	Pregnancy, childbirth, abortion	640-689.
31.	Congenital malformations	750-759.
32.	Other defined and ill-defined diseases	210-254, 270-326, 340-402, 530-539, 542, 544-570, 573-587, 600-609, 611-637, 690-749, 760-762, 765-795.
33.	Motor vehicle accidents	E810-835.
34.	All other accidents	E800-802, 840-962.
35.	Suicide	E963, 970-979.
36.	Homicide and operations of war	E964, 965, 980-999.

THE SUPPLEMENTARY LIST OF SUBDIVISIONS OF THE REGISTRAR GENERAL'S ABRIDGED LIST OF CAUSES OF DEATH and its relation to the Detailed International Statistical Classification

No.	Registrar General's Abridged List	ICD No.
9 (1)	Infectious hepatitis	092.
14 (1)	Malignant neoplasm, mouth and pharynx	140-148.
14 (2)	,, ,, oesophagus	150.
14 (3)	,, ,, intestine and rectum	152-154.
14 (4)	,, ,, larynx	161.
13 (1)	,, ,, cervix uteri	171.
14 (5)	,, ,, prostate	177.
14 (6)	,, ,, bladder	181·0, 181·8.
14 (7)	,, ,, bone (including jaw-bone)	196.
14 (8)	Lymphosarcoma, reticulosarcoma	200.
14 (9)	Hodgkin's disease	201.
32 (1)	Thyrotoxicosis	252.
32 (2)	Multiple sclerosis	345.
32 (3)	Rheumatic fever	400-402.
20 (1)	Chronic rheumatic heart disease	410-416.
21 (1)	Hypertension without mention of heart	444-447.
25 (1)	Pneumoconiosis and chronic interstitial pneumonia	523-525.
26 (1)	Ulcer of stomach	540.
32 (4)	Appendicitis	550-553.
32 (5)	Intestinal obstruction and hernia	560, 561, 570.
32 (6)	Cirrhosis of liver	581.
32 (7)	Cholelithiasis, cholecystitis	584, 585.
30 (1)	Maternal sepsis (not abortion)	640, 641, 681, 682, 684.
30 (2)	Toxaemias of pregnancy and puerperium	642, 685, 686.
30 (3)	Abortion	650-652.
32 (8)	Rheumatoid arthritis and allied conditions	722.
32 (9)	Birth injury	760, 761.
32 (10)	Postnatal asphyxia and atelectasis	762.
23 (1)	Pneumonia of newborn	763.
32 (11)	Ophthalmia, pemphigus, sepsis of newborn	765-768.
32 (12)	Haemolytic disease of newborn	770.
32 (13)	Immaturity (without other disease peculiar to early infancy)	774, 776.
32 (14)	Senility without psychosis	794.
32 (15)	Ill-defined and unknown cause	780-789, 790-793, 795.

TABLE 21—*continued.* England and Wales, standard regions and conurbations

	Registrar General's Abridged List		England and Wales	Northern			East & West Ridings			North Western				North Midland	Midland		
				Total	Tyneside Conurbation	Remainder of Northern	Total	West Yorkshire Conurbation	Remainder of East and West Ridings	Total	S.E. Lancashire Conurbation	Merseyside Conurbation	Remainder of North Western		Total	West Midlands Conurbation	Remainder of Midland
1	Tuberculosis, respiratory	M	2,342	171	39	132	250	81	169	413	163	114	136	140	247	128	119
		F	763	69	19	50	70	28	42	124	40	34	50	49	77	31	46
2	Tuberculosis, other	M	160	10	2	8	20	8	12	12	5	2	5	11	20	7	13
		F	170	19	4	15	10	4	6	16	1	6	9	15	17	9	8
3	Syphilitic disease	M	623	55	14	41	47	19	28	97	39	15	43	39	50	25	25
		F	321	21	4	17	28	11	17	51	24	6	21	24	23	10	13
4	Diphtheria	M	2	—	—	—	—	—	—	1	—	1	—	1	—	—	—
		F	3	—	—	—	—	—	—	1	—	1	—	1	—	—	—
5	Whooping cough	M	20	—	—	—	2	—	2	6	2	1	3	—	4	3	1
		F	17	2	—	2	3	—	3	3	—	2	1	2	4	1	3
6	Meningococcal infections	M	46	4	3	1	6	3	3	11	6	4	1	3	8	6	2
		F	49	7	3	4	4	2	2	7	3	2	2	3	5	4	1
7	Acute poliomyelitis	M	19	—	—	—	2	—	2	1	—	1	—	2	3	2	1
		F	4	—	—	—	1	1	—	—	—	—	—	—	1	—	1
8	Measles	M	13	1	—	1	1	1	—	4	—	3	1	2	2	2	—
		F	18	1	—	1	1	1	—	5	1	2	2	1	—	—	—
9	Other infective, etc., diseases	M	537	32	10	22	55	21	34	76	31	16	29	44	54	29	25
		F	523	39	12	27	57	30	27	96	33	21	42	42	46	23	23
10	Malignant neoplasm: stomach	M	7,846	675	184	491	735	303	432	1,283	484	248	551	525	756	378	378
		F	6,107	522	125	397	569	264	305	1,097	404	212	481	397	534	269	265
11	lung, bronchus	M	18,882	1,290	434	856	1,637	677	960	2,825	1,106	634	1,085	1,312	1,783	1,005	778
		F	3,118	189	69	120	245	96	149	488	202	115	171	202	233	130	103
12	breast	M	63	3	2	1	5	1	4	8	5	1	2	4	7	3	4
		F	9,059	489	133	356	781	345	436	1,222	478	211	533	677	905	431	474
13	uterus	F	4,088	273	80	193	393	183	210	632	256	111	265	341	361	175	186
14	Other malignant and lymphatic neoplasms	M	24,512	1,645	440	1,205	2,267	945	1,322	3,349	1,308	644	1,397	1,851	2,263	1,074	1,189
		F	22,419	1,506	389	1,117	1,881	854	1,027	3,249	1,242	624	1,383	1,637	2,019	971	1,048
15	Leukaemia, aleukaemia	M	1,476	110	24	86	129	55	74	194	61	41	92	106	140	60	80
		F	1,218	80	25	55	107	46	61	163	65	39	59	98	95	42	53
16	Diabetes	M	1,193	80	17	63	107	47	60	160	64	20	76	109	131	59	72
		F	2,366	186	47	139	257	100	157	370	135	80	155	172	224	110	114
17	Vascular lesions of nervous system	M	31,006	2,720	746	1,974	3,067	1,346	1,721	4,844	1,774	881	2,189	2,498	3,078	1,475	1,603
		F	45,216	3,424	871	2,553	4,162	1,893	2,269	7,227	2,697	1,202	3,328	3,293	4,056	1,956	2,100
18	Coronary disease, angina	M	56,514	4,296	1,091	3,205	5,543	2,612	2,931	8,880	3,048	1,765	4,067	3,920	4,830	2,232	2,598
		F	35,447	2,802	729	2,073	3,593	1,817	1,776	5,544	1,879	1,122	2,543	2,240	2,921	1,377	1,544
19	Hypertension with heart disease	M	4,678	306	86	220	412	169	243	616	213	128	275	428	494	271	223
		F	6,616	383	113	270	640	287	353	1,026	352	226	448	498	659	350	309
20	Other heart disease	M	28,038	2,070	485	1,585	2,348	977	1,371	4,305	1,577	633	2,095	2,395	2,652	1,208	1,444
		F	42,878	2,725	648	2,077	3,698	1,612	2,086	6,785	2,733	1,003	3,049	3,235	4,118	2,042	2,076
21	Other circulatory disease	M	10,953	745	201	544	1,013	401	612	1,525	624	180	721	905	950	434	516
		F	13,314	833	202	631	1,276	515	761	1,906	881	251	774	973	1,018	465	553
22	Influenza	M	553	80	23	57	54	15	39	68	23	7	38	41	78	51	27
		F	545	63	17	46	30	5	25	91	28	16	47	40	71	34	37
23	Pneumonia	M	12,269	899	246	653	1,122	563	559	1,914	650	575	689	920	1,239	617	622
		F	12,806	723	232	491	1,120	578	542	2,098	651	747	700	904	1,190	534	656
24	Bronchitis	M	18,997	1,414	471	943	2,123	870	1,253	3,409	1,426	734	1,249	1,379	2,033	1,174	859
		F	7,488	501	181	320	795	337	458	1,561	660	358	543	536	796	453	343
25	Other diseases of respiratory system	M	3,465	243	60	183	273	96	177	480	163	92	225	246	353	131	222
		F	1,564	118	35	83	142	67	75	231	78	71	82	145	146	64	82
26	Ulcer of stomach and duodenum	M	3,165	242	63	179	286	122	164	460	188	78	194	216	323	187	136
		F	1,540	78	16	62	123	52	71	249	98	42	109	107	147	79	68
27	Gastritis, enteritis and diarrhoea	M	1,048	64	16	48	92	42	50	176	59	38	79	74	119	62	57
		F	1,494	108	31	77	108	52	56	240	92	49	99	105	123	63	60
28	Nephritis and nephrosis	M	2,005	155	40	115	222	84	138	280	83	54	143	160	189	85	104
		F	1,709	149	47	102	198	75	123	263	89	58	116	137	159	72	87
29	Hyperplasia of prostate	M	3,259	229	52	177	276	101	175	432	142	70	220	265	300	151	149
30	Pregnancy, childbirth, abortion	F	310	22	8	14	32	9	23	48	15	10	23	21	37	19	18
31	Congenital malformations	M	2,696	191	42	149	221	101	120	424	143	99	182	225	295	150	145
		F	2,426	191	39	152	223	89	134	379	132	91	156	173	265	127	138
32	Other defined and ill-defined diseases	M	19,289	1,494	392	1,102	1,657	691	966	3,087	1,107	587	1,393	1,519	1,891	892	999
		F	23,881	1,670	421	1,249	2,051	897	1,154	3,975	1,406	669	1,900	1,775	2,274	1,078	1,196
33	Motor vehicle accidents	M	4,754	338	75	263	408	173	235	663	244	135	284	383	550	236	314
		F	1,889	125	33	92	167	87	80	343	139	73	131	139	232	104	128
34	All other accidents	M	5,510	539	134	405	537	195	342	801	249	189	363	436	578	272	306
		F	5,567	426	97	329	542	201	341	991	345	209	437	414	573	287	286
35	Suicide	M	3,059	230	71	159	305	133	172	456	191	71	194	206	266	137	129
		F	2,054	95	27	68	204	97	107	333	117	53	163	153	190	105	85
36	Homicide, operations of war	M	180	12	3	9	18	8	10	34	14	7	13	10	27	18	9
		F	109	10	3	7	12	6	6	14	6	4	4	10	12	9	3

TABLE 21—*continued.* England and Wales, standard regions and conurbations

	Registrar General's Supplementary Abridged List		England and Wales	Northern			East & West Ridings			North Western				North Midland	Midland		
				Total	Tyneside Conurbation	Remainder of Northern	Total	West Yorkshire Conurbation	Remainder of East and West Ridings	Total	S.E. Lancashire Conurbation	Merseyside Conurbation	Remainder of North Western		Total	West Midlands Conurbation	Remainder of Midland
9(1)	Infectious hepatitis	M	139	9	2	7	18	10	8	24	13	1	10	11	7	4	3
		F	169	12	5	7	23	15	8	32	9	6	17	14	17	11	6
14(1)	Malignant neoplasm, mouth and pharynx	M	1,120	72	17	55	113	43	70	171	84	29	58	73	101	43	58
		F	666	49	11	38	62	37	25	116	38	23	55	46	54	24	30
14(2)	Malignant neoplasm, oesophagus	M	1,301	75	26	49	96	47	49	207	69	44	94	95	120	55	65
		F	1,007	70	16	54	77	44	33	152	59	31	62	49	84	32	52
14(3)	Malignant neoplasm, intestine and rectum	M	6,758	489	130	359	664	268	396	953	377	174	402	553	648	291	357
		F	8,025	542	150	392	703	302	401	1,241	483	233	525	591	730	383	347
14(4)	Malignant neoplasm, larynx	M	689	57	17	40	65	24	41	96	34	19	43	52	61	37	24
		F	157	11	1	10	13	7	6	33	11	6	16	13	10	8	2
13(1)	Malignant neoplasm, cervix uteri	F	2,599	198	58	140	270	125	145	423	160	79	184	215	233	114	119
14(5)	Malignant neoplasm, prostate	M	3,655	216	68	148	340	141	199	458	169	92	197	278	314	162	152
14(6)	Malignant neoplasm, bladder	M	2,125	131	37	94	190	87	103	276	98	56	122	172	181	99	82
		F	912	59	16	43	68	28	40	136	54	27	55	69	71	36	35
14(7)	Malignant neoplasm, bone (including jaw-bone)	M	337	16	3	13	32	16	16	61	24	12	25	25	46	28	18
		F	255	25	4	21	22	12	10	31	19	5	7	20	27	13	14
14(8)	Lymphosarcoma, reticulosarcoma	M	591	38	8	30	47	15	32	63	17	15	31	49	56	25	31
		F	451	29	7	22	23	14	9	42	12	13	17	34	39	21	18
14(9)	Hodgkin's disease	M	508	33	7	26	53	26	27	79	28	19	32	38	44	14	30
		F	355	38	12	26	17	8	9	55	22	7	26	27	48	22	26
32(1)	Thyrotoxicosis	M	40	1	—	1	4	1	3	2	1	—	1	2	7	4	3
		F	311	23	4	19	31	13	18	45	14	6	25	21	34	12	22
32(2)	Multiple sclerosis	M	347	26	9	17	40	16	24	54	19	10	25	23	26	13	13
		F	534	42	16	26	56	26	30	91	44	12	35	35	38	21	17
32(3)	Rheumatic fever	M	61	2	—	2	4	2	2	13	4	2	7	7	10	6	4
		F	64	2	—	2	7	6	1	13	7	2	4	1	8	6	2
20(1)	Chronic rheumatic heart disease	M	2,469	164	44	120	233	86	147	406	154	67	185	156	274	146	128
		F	4,652	283	75	208	427	191	236	868	338	179	351	280	470	252	218
21(1)	Hypertension without mention of heart	M	3,123	168	63	105	246	106	140	387	135	52	200	266	282	150	132
		F	3,407	213	52	161	267	107	160	395	168	54	173	235	278	145	133
25(1)	Pneumoconiosis and chronic interstitial pneumonia	M	857	62	9	53	68	10	58	104	29	10	65	25	102	17	85
		F	116	4	1	3	11	5	6	21	9	7	5	11	14	1	13
26(1)	Ulcer of stomach	M	1,487	100	25	75	121	53	68	196	75	40	81	110	149	89	60
		F	988	42	11	31	74	28	46	153	61	25	67	70	98	57	41
32(4)	Appendicitis	M	367	24	7	17	34	15	19	49	23	7	19	35	40	22	18
		F	271	19	7	12	19	8	11	48	9	13	26	19	39	17	22
32(5)	Intestinal obstruction and hernia	M	1,452	98	19	79	128	56	72	208	71	45	92	107	148	74	74
		F	1,599	115	37	78	146	65	81	240	92	39	109	101	143	88	55
32(6)	Cirrhosis of liver	M	685	59	15	44	56	22	34	102	47	25	30	42	74	37	37
		F	587	37	11	26	57	24	33	84	37	15	32	47	54	24	30
32(7)	Cholelithiasis, cholecystitis	M	395	24	5	19	30	10	20	58	11	12	35	27	34	19	15
		F	911	62	17	45	121	66	55	151	55	22	74	72	68	40	28
30(1)	Maternal sepsis (not abortion)	F	35	1	—	1	6	—	6	7	3	—	4	3	5	4	1
30(2)	Toxaemias of pregnancy and puerperium	F	63	5	2	3	7	4	3	9	5	2	2	5	8	3	5
30(3)	Abortion	F	62	5	1	4	7	3	4	10	5	1	4	3	6	3	3
32(8)	Rheumatoid arthritis and allied conditions	M	252	16	7	9	27	6	21	38	15	4	19	18	33	17	16
		F	799	49	10	39	73	25	48	137	53	28	56	58	76	30	46
32(9)	Birth injury	M	1,152	101	27	74	111	42	69	184	80	49	55	97	128	69	59
		F	673	65	19	46	63	28	35	125	47	40	38	54	79	43	36
32(10)	Postnatal asphyxia and atelectasis	M	1,597	108	34	74	155	66	89	253	105	63	85	95	167	103	64
		F	1,080	75	13	62	79	36	43	200	79	45	76	76	133	89	44
23(1)	Pneumonia of newborn	M	451	47	8	39	39	20	19	67	26	16	25	37	74	30	44
		F	281	26	8	18	22	10	12	35	14	9	12	28	49	15	34
32(11)	Ophthalmia, pemphigus, sepsis of newborn	M	40	4	1	3	5	2	3	12	11	—	1	3	3	1	2
		F	24	2	—	2	—	—	—	6	2	1	3	1	2	1	1
32(12)	Haemolytic disease of newborn	M	201	10	4	6	15	7	8	39	13	9	17	21	16	9	7
		F	174	8	2	6	10	2	8	25	11	6	8	12	15	8	7
32(13)	Immaturity (without other disease peculiar to early infancy)	M	1,784	188	54	134	174	84	90	305	108	68	129	138	156	72	84
		F	1,284	120	23	97	141	67	74	215	79	41	95	108	113	45	68
32(14)	Senility without psychosis	M	2,269	205	49	156	108	22	86	506	154	35	317	212	245	90	155
		F	4,716	311	70	241	290	92	198	922	322	71	529	415	482	170	312
32(15)	Ill-defined and unknown cause	M	166	14	7	7	8	5	3	26	10	4	12	11	12	6	6
		F	157	15	3	12	15	11	4	30	8	7	15	13	11	6	5

TABLE 21—*continued.* Standard regions and conurbations. Urban and rural aggregates

Registrar General's Abridged List		Eastern	London & South Eastern: Total	London & South Eastern: Greater London	London & South Eastern: Remainder of South Eastern	Southern	South Western	Wales (including Monmouthshire): Total	Wales I (South East)	Wales II (remainder)	Conurbations	Areas outside conurbations: Urban areas with populations of 100,000 and over	Urban areas with popln. of 50,000 & under 100,000	Urban areas with populations under 50,000	Rural districts
1	Tuberculosis, respiratory	M	117	535	388	147	110	128	231	154	77	913	397	185	511	336
		F	51	168	120	48	42	53	60	39	21	272	120	59	179	133
2	Tuberculosis, other	M	15	28	20	8	10	18	16	12	4	44	20	10	40	46
		F	15	49	39	10	8	12	9	3	6	63	19	15	37	36
3	Syphilitic disease	M	46	178	138	40	32	53	26	17	9	250	90	57	129	97
		F	31	88	70	18	20	21	14	10	4	125	50	30	65	51
4	Diphtheria	M	—	—	—	—	—	—	—	—	—	1	1	—	—	—
		F	—	1	1	—	—	—	—	—	—	2	1	—	—	—
5	Whooping cough	M	—	4	3	1	3	—	1	1	—	9	2	1	6	2
		F	1	1	1	—	1	—	—	—	—	4	7	—	3	3
6	Meningococcal infections	M	1	7	5	2	2	2	2	2	—	27	6	5	6	2
		F	2	7	6	1	5	8	1	—	1	20	5	4	10	10
7	Acute poliomyelitis	M	1	4	2	2	2	2	2	1	1	5	3	2	5	4
		F	—	2	1	1	—	—	—	—	—	2	—	1	1	—
8	Measles	M	—	2	2	—	1	—	—	—	—	8	1	—	3	1
		F	3	3	—	3	1	2	1	—	1	4	1	2	7	4
9	Other infective, etc., diseases	M	33	132	99	33	30	43	38	27	11	206	64	31	125	111
		F	40	110	81	29	33	30	30	21	9	200	57	38	129	99
10	Malignant neoplasm: stomach	M	509	1,746	1,322	424	384	627	606	423	183	2,919	1,109	578	1,780	1,460
		F	384	1,390	1,035	355	326	434	454	305	149	2,309	807	472	1,467	1,052
11	lung, bronchus	M	1,344	5,465	4,244	1,221	1,099	1,203	924	671	253	8,100	2,669	1,482	3,846	2,785
		F	234	1,041	812	229	183	189	114	76	38	1,424	418	235	571	470
12	breast	M	4	23	17	6	4	5	—	—	—	29	10	5	15	4
		F	662	2,496	1,826	670	568	738	521	357	164	3,424	1,224	752	2,041	1,618
13	uterus	F	306	1,009	714	295	220	300	253	188	65	1,519	594	304	955	716
14	Other malignant and lymphatic neoplasms	M	1,900	6,311	4,522	1,789	1,572	1,944	1,410	980	430	8,933	3,263	1,916	5,655	4,745
		F	1,773	6,086	4,349	1,737	1,292	1,778	1,198	795	403	8,429	2,881	1,789	5,170	4,150
15	Leukaemia, aleukaemia	M	122	377	284	93	95	123	80	57	23	525	187	120	344	300
		F	103	345	248	97	71	95	61	39	22	465	159	96	243	255
16	Diabetes	M	123	250	173	77	62	105	66	44	22	380	151	88	323	251
		F	170	453	325	128	143	194	197	145	52	797	305	191	583	490
17	Vascular lesions of nervous system	M	2,194	6,175	4,020	2,155	1,782	2,520	2,128	1,416	712	10,242	4,185	2,433	7,663	6,483
		F	3,408	10,124	6,537	3,587	2,696	3,908	2,918	1,914	1,004	15,156	6,128	3,899	11,362	8,671
18	Coronary disease, angina	M	4,083	13,559	9,831	3,728	3,264	4,362	3,777	2,820	957	20,579	7,714	4,420	13,234	10,567
		F	2,653	8,908	6,291	2,617	2,114	2,708	1,964	1,435	529	13,215	4,833	2,855	8,243	6,301
19	Hypertension with heart disease	M	314	985	680	305	317	444	362	269	93	1,547	717	350	1,095	969
		F	421	1,588	1,109	479	377	589	435	292	143	2,437	917	518	1,519	1,225
20	Other heart disease	M	2,047	5,873	3,753	2,120	1,758	2,714	1,876	1,321	555	8,633	3,483	2,313	7,238	6,371
		F	2,965	10,318	6,679	3,639	2,502	3,992	2,540	1,669	871	14,717	5,480	3,494	10,785	8,402
21	Other circulatory disease	M	771	2,693	1,892	801	641	903	807	544	263	3,732	1,443	829	2,655	2,294
		F	1,014	3,669	2,650	1,019	732	1,087	806	533	273	4,964	1,722	1,026	3,069	2,533
22	Influenza	M	38	74	50	24	30	55	35	25	10	169	81	22	154	127
		F	27	117	84	33	17	46	43	25	18	184	60	35	159	107
23	Pneumonia	M	1,013	3,095	2,238	857	705	835	527	395	132	4,889	1,677	974	2,477	2,252
		F	1,035	3,559	2,590	969	788	898	491	331	160	5,332	1,636	989	2,584	2,265
24	Bronchitis	M	1,043	4,318	3,365	953	895	1,077	1,306	1,029	277	8,040	2,752	1,420	4,104	2,681
		F	414	1,866	1,459	407	317	362	340	242	98	3,448	909	582	1,488	1,061
25	Other diseases of respiratory system	M	187	703	496	207	181	328	471	395	76	1,038	532	281	914	700
		F	116	363	249	114	92	142	69	51	18	564	226	126	355	293
26	Ulcer of stomach and duodenum	M	247	805	584	221	190	238	158	110	48	1,222	413	277	745	508
		F	103	460	336	124	93	110	70	47	23	623	197	137	330	253
27	Gastritis, enteritis and diarrhoea	M	58	256	158	98	61	93	55	38	17	375	123	83	259	208
		F	100	410	307	103	96	127	77	54	23	594	212	121	304	263
28	Nephritis and nephrosis	M	142	395	275	120	115	167	180	120	60	621	286	176	484	438
		F	89	352	233	119	90	132	140	94	46	574	221	137	436	341
29	Hyperplasia of prostate	M	298	667	442	225	189	320	283	188	95	958	435	275	847	744
30	Pregnancy, childbirth, abortion	F	19	70	51	19	20	16	25	20	5	112	34	22	79	63
31	Congenital malformations	M	214	581	443	138	171	205	169	132	37	978	348	221	646	503
		F	168	557	413	144	135	181	154	126	28	891	324	167	575	469
32	Other defined and ill-defined diseases	M	1,565	4,268	3,004	1,264	1,035	1,454	1,319	926	393	6,673	2,425	1,439	4,726	4,026
		F	1,737	5,609	3,938	1,671	1,333	1,954	1,503	1,065	438	8,409	2,893	1,869	5,994	4,716
33	Motor vehicle accidents	M	391	1,048	761	287	332	366	275	186	89	1,624	560	336	1,004	1,230
		F	113	445	340	105	116	118	91	71	20	776	238	150	389	336
34	All other accidents	M	380	1,095	768	327	316	417	411	279	132	1,807	738	422	1,302	1,241
		F	448	1,124	724	400	344	371	334	233	101	1,863	801	520	1,330	1,053
35	Suicide	M	212	795	620	175	174	249	166	112	54	1,223	403	264	657	512
		F	141	634	486	148	101	127	76	49	27	885	260	203	430	276
36	Homicide, operations of war	M	5	49	34	15	4	12	9	6	3	84	26	17	32	21
		F	8	20	18	2	6	7	10	8	2	46	21	6	20	16

TABLE 21—*continued.* Standard regions and conurbations. Urban and rural aggregates

Registrar General's Supplementary Abridged List		Eastern	London & South Eastern: Total	London & South Eastern: Greater London	London & South Eastern: Remainder of South Eastern	Southern	South Western	Wales (including Monmouthshire): Total	Wales I (South East)	Wales II (remainder)	Conurbations	Areas outside conurbations: Urban areas with populations of 100,000 and over	Urban areas with popln. of 50,000 & under 100,000	Urban areas with populations under 50,000	Rural districts
9(1)	Infectious hepatitis	M	8	38	27	11	6	10	8	6	2	57	13	9	33	27
		F	11	33	27	6	9	11	7	5	2	73	16	20	32	28
14(1)	Malignant neoplasm, mouth and pharynx	M	87	255	180	75	70	112	66	44	22	396	152	104	244	224
		F	46	159	117	42	30	54	50	31	19	250	100	61	157	98
14(2)	Malignant neoplasm, oesophagus	M	121	295	211	84	77	128	87	57	30	452	179	96	314	260
		F	79	265	179	86	57	93	81	50	31	361	131	64	261	190
14(3)	Malignant neoplasm, intestine and rectum	M	487	1,590	1,138	452	458	506	410	285	125	2,378	917	510	1,581	1,372
		F	614	2,057	1,450	607	487	629	431	299	132	3,001	1,061	645	1,887	1,431
14(4)	Malignant neoplasm, larynx	M	45	174	132	42	50	46	43	28	15	263	102	56	168	100
		F	7	42	22	20	5	10	13	10	3	55	18	19	32	33
13(1)	Malignant neoplasm, cervix uteri	F	183	607	443	164	134	186	150	111	39	979	391	190	606	433
14(5)	Malignant neoplasm, prostate	M	317	982	632	350	243	313	194	137	57	1,264	461	296	904	730
14(6)	Malignant neoplasm, bladder	M	159	613	428	185	126	158	119	89	30	805	271	177	511	361
		F	95	279	211	68	40	63	32	19	13	372	115	69	202	154
14(7)	Malignant neoplasm, bone (including jaw-bone)	M	15	72	53	19	20	30	20	14	6	136	48	25	65	63
		F	21	52	37	15	19	21	17	11	6	90	22	21	58	64
14(8)	Lymphosarcoma, reticulosarcoma	M	49	181	137	44	34	42	32	20	12	217	80	32	142	120
		F	41	148	110	38	33	39	23	15	8	177	45	29	107	93
14(9)	Hodgkin's disease	M	40	133	98	35	23	40	25	18	7	192	74	48	95	99
		F	18	85	52	33	22	24	21	16	5	123	37	33	85	77
32(1)	Thyrotoxicosis	M	4	4	2	2	2	7	7	4	3	8	6	5	10	11
		F	20	59	36	23	15	31	32	17	15	85	51	22	78	75
32(2)	Multiple sclerosis	M	27	81	64	17	26	21	23	13	10	131	50	32	72	62
		F	36	149	117	32	20	37	30	18	12	236	62	32	118	86
32(3)	Rheumatic fever	M	7	9	5	4	3	5	1	1	—	19	12	6	11	13
		F	3	16	12	4	3	4	7	3	4	33	6	4	9	12
20(1)	Chronic rheumatic heart disease	M	145	610	478	132	121	165	195	154	41	975	353	165	541	435
		F	275	1,219	980	239	202	309	319	244	75	2,015	661	303	970	703
21(1)	Hypertension without mention of heart	M	216	869	682	187	189	270	230	160	70	1,188	345	215	783	592
		F	216	1,110	828	282	180	266	247	176	71	1,354	404	242	793	614
25(1)	Pneumoconiosis and chronic interstitial pneumonia	M	26	102	75	27	27	51	290	263	27	150	151	58	291	207
		F	6	28	20	8	3	9	9	6	3	43	28	5	24	16
26(1)	Ulcer of stomach	M	131	412	308	104	76	132	60	43	17	590	201	122	335	239
		F	65	316	228	88	53	77	40	26	14	410	120	97	208	153
32(4)	Appendicitis	M	23	86	58	28	24	24	28	18	10	132	54	40	70	71
		F	15	69	47	22	11	18	14	11	3	101	36	24	65	45
32(5)	Intestinal obstruction and hernia	M	120	340	220	120	102	111	90	62	28	485	162	110	393	302
		F	99	459	310	149	89	130	77	51	26	631	196	116	374	282
32(6)	Cirrhosis of liver	M	47	150	116	34	47	52	56	43	13	262	86	46	161	130
		F	37	140	93	47	39	38	54	41	13	204	76	43	150	114
32(7)	Cholelithiasis, cholecystitis	M	35	101	64	37	20	38	28	21	7	121	55	27	102	90
		F	53	215	151	64	52	67	50	31	19	351	120	80	215	145
30(1)	Maternal sepsis (not abortion)	F	3	4	3	1	3	1	2	2	—	10	5	3	10	7
30(2)	Toxaemias of pregnancy and puerperium	F	5	12	5	7	3	2	7	5	2	21	7	4	16	15
30(3)	Abortion	F	—	21	19	2	5	4	1	1	—	32	12	4	8	6
32(8)	Rheumatoid arthritis and allied conditions	M	23	49	32	17	13	19	16	11	5	81	35	24	64	48
		F	62	179	133	46	44	69	52	37	15	279	122	69	185	144
32(9)	Birth injury	M	86	232	182	50	70	72	71	51	20	449	147	81	249	226
		F	47	131	101	30	39	43	27	21	6	278	86	49	148	112
32(10)	Postnatal asphyxia and atelectasis	M	110	362	280	82	84	90	173	137	36	651	213	113	340	280
		F	67	214	176	38	55	61	120	106	14	438	139	75	239	189
23(1)	Pneumonia of newborn	M	37	74	58	16	21	35	20	18	2	158	61	39	109	84
		F	15	58	46	12	17	19	12	11	1	102	42	22	62	53
32(11)	Ophthalmia, pemphigus, sepsis of newborn	M	2	9	9	—	1	1	—	—	—	24	3	1	5	7
		F	1	6	5	1	1	2	3	3	—	9	3	1	7	4
32(12)	Haemolytic disease of newborn	M	16	55	43	12	6	11	12	9	3	85	18	14	54	30
		F	18	47	39	8	11	16	12	8	4	68	24	11	39	32
32(13)	Immaturity (without other disease peculiar to early infancy)	M	141	380	278	102	87	127	88	62	26	664	253	135	417	315
		F	90	288	215	73	71	74	64	43	21	470	171	109	292	242
32(14)	Senility without psychosis	M	214	308	154	154	80	215	176	125	51	504	186	174	750	655
		F	377	818	511	307	226	546	329	238	91	1,236	398	376	1,500	1,206
32(15)	Ill-defined and unknown cause	M	19	35	18	17	13	13	15	11	4	50	17	7	48	44
		F	4	34	28	6	12	15	8	5	3	63	18	11	34	31

TABLE 21—*continued.* **London A.C., City of London, metropolitan boroughs**

	Registrar General's Abridged List		London Administrative County	City of London	Battersea	Bermondsey	Bethnal Green	Camberwell	Chelsea	Deptford	Finsbury	Fulham	Greenwich	Hackney	Hammersmith	Hampstead
1	Tuberculosis, respiratory	M	176	—	6	1	1	11	—	6	2	4	3	12	5	2
		F	59	—	—	2	2	4	2	1	—	—	1	3	1	2
2	Tuberculosis, other	M	9	—	—	—	—	—	—	—	1	—	—	—	1	—
		F	25	—	—	—	1	3	—	—	1	—	—	1	—	—
3	Syphilitic disease	M	62	—	2	—	—	8	2	1	1	—	2	3	3	—
		F	36	1	3	—	—	1	1	1	—	2	—	1	—	1
4	Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough	M	2	—	—	—	—	—	—	—	—	1	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—	—	—	—	—
6	Meningococcal infections	M	4	—	—	1	—	—	—	—	—	—	—	—	—	—
		F	5	—	—	—	—	1	—	—	—	—	—	—	—	—
7	Acute poliomyelitis	M	2	—	—	—	—	1	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8	Measles	M	1	—	—	—	—	—	—	—	—	—	1	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	Other infective, etc., diseases	M	45	—	3	1	1	1	1	—	—	3	—	1	—	2
		F	27	—	2	—	—	—	4	—	—	2	—	1	2	1
10	Malignant neoplasm: stomach	M	497	—	10	11	9	29	7	8	5	17	14	31	14	11
		F	424	1	13	6	6	30	13	7	4	15	12	29	6	13
11	lung, bronchus	M	1,870	3	59	37	32	95	25	44	15	72	53	79	69	49
		F	373	1	16	6	7	25	5	5	4	23	10	15	15	14
12	breast	M	8	—	—	—	1	—	1	1	—	1	—	—	—	—
		F	703	2	18	7	12	24	15	13	5	19	15	34	31	25
13	uterus	F	309	—	5	4	5	17	9	8	1	13	11	12	12	12
14	Other malignant and lymphatic neoplasms	M	1,850	4	66	28	38	105	41	43	25	56	45	108	78	58
		F	1,837	3	75	29	24	85	41	33	14	52	49	82	66	60
15	Leukaemia, aleukaemia	M	112	—	1	2	1	6	3	1	1	2	5	7	2	2
		F	96	—	2	1	1	3	3	3	—	1	3	9	3	4
16	Diabetes	M	72	—	5	1	—	5	—	—	—	1	1	3	4	2
		F	145	—	6	2	4	7	2	—	—	7	3	14	5	2
17	Vascular lesions of nervous system	M	1,600	3	40	23	24	95	29	37	19	55	53	100	35	46
		F	2,485	1	91	35	42	117	64	64	26	69	63	135	94	77
18	Coronary disease, angina	M	3,857	7	108	59	56	188	65	91	34	136	116	198	128	103
		F	2,611	1	81	30	37	147	48	41	21	85	67	147	89	112
19	Hypertension with heart disease	M	254	—	3	5	6	25	3	4	—	7	5	8	6	2
		F	396	—	10	7	9	32	7	7	—	9	13	17	7	10
20	Other heart disease	M	1,504	—	57	14	16	59	37	29	16	43	22	83	39	29
		F	2,583	1	98	16	25	123	75	62	24	75	59	130	64	58
21	Other circulatory disease	M	738	2	16	14	6	39	14	13	4	24	18	30	32	10
		F	1,095	2	29	21	9	58	27	21	8	51	24	51	38	29
22	Influenza	M	21	—	—	1	—	—	—	2	1	—	—	—	—	1
		F	25	—	2	1	1	2	2	—	—	1	—	—	—	—
23	Pneumonia	M	986	4	30	15	11	39	13	23	11	34	22	27	24	24
		F	1,091	—	28	18	26	60	28	25	6	38	43	33	27	24
24	Bronchitis	M	1,520	2	46	27	31	89	14	39	20	52	38	89	51	30
		F	727	—	16	16	11	40	13	14	9	29	16	44	26	17
25	Other diseases of respiratory system	M	252	1	9	7	3	10	6	8	2	12	4	4	13	2
		F	100	—	1	2	—	6	2	2	—	6	—	7	4	4
26	Ulcer of stomach and duodenum	M	282	—	10	6	1	13	3	3	2	12	9	15	8	—
		F	146	—	3	5	—	9	2	1	1	7	8	6	9	4
27	Gastritis, enteritis and diarrhoea	M	65	1	1	1	—	2	2	1	—	—	2	—	3	2
		F	124	—	5	2	—	7	2	2	—	1	3	2	5	8
28	Nephritis and nephrosis	M	119	—	2	3	3	7	1	3	3	5	3	6	3	—
		F	105	—	5	1	6	9	1	2	—	—	—	7	4	3
29	Hyperplasia of prostate	M	175	1	8	4	1	8	4	4	1	6	2	6	5	6
30	Pregnancy, childbirth, abortion	F	26	—	—	—	—	—	—	1	1	—	1	3	1	1
31	Congenital malformations	M	196	—	7	6	3	10	4	6	1	10	5	5	15	3
		F	200	—	4	2	1	10	2	5	—	8	3	9	11	3
32	Other defined and ill-defined diseases	M	1,270	2	45	26	25	72	19	26	19	50	32	51	43	35
		F	1,638	1	44	34	19	87	24	39	9	73	33	56	51	59
33	Motor vehicle accidents	M	307	2	6	7	7	16	7	4	2	15	7	11	10	6
		F	140	—	5	3	5	11	2	—	1	3	3	4	6	7
34	All other accidents	M	359	—	15	8	4	17	8	6	6	15	10	19	17	7
		F	247	—	6	2	2	17	8	3	6	11	1	9	10	11
35	Suicide	M	303	1	5	2	2	9	9	5	3	15	9	13	7	10
		F	199	1	9	3	2	8	9	2	2	6	4	9	2	17
36	Homicide, operations of war	M	16	—	1	—	—	—	—	—	—	1	—	—	—	—
		F	9	—	—	—	—	—	—	—	—	—	—	—	1	—

TABLE 21—*continued.* **London A.C., City of London, metropolitan boroughs**

	Registrar General's Supplementary Abridged List		London Administrative County	City of London	Battersea	Bermondsey	Bethnal Green	Camberwell	Chelsea	Deptford	Finsbury	Fulham	Greenwich	Hackney	Hammersmith	Hampstead
9(1)	Infectious hepatitis	M	12	—	—	1	—	—	—	4	—	—	—	1	—	1
		F	12	—	1	—	—	—	—	—	—	—	—	1	1	—
14(1)	Malignant neoplasm, mouth and pharynx	M	80	—	1	—	2	6	1	—	1	—	2	4	5	5
		F	57	—	1	—	—	5	2	1	1	—	—	2	1	1
14(2)	Malignant neoplasm, oesophagus	M	98	—	5	1	1	5	3	1	3	4	1	6	4	4
		F	74	—	6	—	—	5	1	1	2	1	5	2	1	1
14(3)	Malignant neoplasm, intestine and rectum	M	450	—	22	7	8	25	9	10	7	15	15	24	16	14
		F	610	—	26	7	10	32	17	9	4	12	19	28	22	22
14(4)	Malignant neoplasm, larynx	M	64	—	2	3	—	4	1	2	—	3	3	2	5	2
		F	8	—	1	—	—	2	—	—	—	—	—	—	1	—
13(1)	Malignant neoplasm, cervix uteri	F	201	—	3	2	3	13	4	5	1	6	7	6	10	8
14(5)	Malignant neoplasm, prostate	M	237	—	5	5	8	16	9	7	4	7	4	10	7	6
14(6)	Malignant neoplasm, bladder	M	175	1	5	1	4	12	1	3	2	3	4	9	10	5
		F	96	—	2	2	—	5	3	4	2	6	1	4	1	1
14(7)	Malignant neoplasm, bone (including jaw-bone)	M	26	2	2	—	—	—	—	2	—	4	1	—	1	1
		F	15	—	3	—	—	—	—	—	—	—	—	—	—	—
14(8)	Lymphosarcoma, reticulosarcoma	M	66	—	1	—	2	2	3	2	—	2	—	6	5	1
		F	45	—	—	2	—	1	3	2	—	2	—	1	2	3
14(9)	Hodgkin's disease	M	35	—	5	—	—	—	—	2	—	1	1	2	1	3
		F	19	—	1	1	—	1	—	1	—	—	1	—	4	—
32(1)	Thyrotoxicosis	M	2	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	9	—	—	—	—	1	—	—	—	—	—	—	1	—
32(2)	Multiple sclerosis	M	21	—	2	—	—	1	—	1	1	—	2	1	—	—
		F	50	—	2	—	—	4	—	—	—	1	—	5	—	1
32(3)	Rheumatic fever	M	2	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	7	—	—	—	1	—	—	1	—	—	—	—	—	—
20(1)	Chronic rheumatic heart disease	M	236	—	6	6	3	12	6	4	1	11	3	12	12	5
		F	414	—	11	6	6	23	5	15	7	13	9	21	14	13
21(1)	Hypertension without mention of heart	M	277	2	5	3	1	19	7	5	1	12	9	7	15	3
		F	381	—	7	8	2	29	7	7	4	14	6	7	13	12
25(1)	Pneumoconiosis and chronic interstitial pneumonia	M	37	—	1	—	—	3	1	—	—	—	—	1	3	—
		F	6	—	—	—	—	—	—	—	—	—	—	1	—	—
26(1)	Ulcer of stomach	M	154	—	3	2	1	6	2	3	—	7	5	8	6	—
		F	100	—	—	4	—	8	1	—	—	5	5	4	4	4
32(4)	Appendicitis	M	21	—	—	—	—	3	—	—	1	—	—	—	1	—
		F	16	—	—	—	—	2	1	1	—	2	—	—	2	2
32(5)	Intestinal obstruction and hernia	M	88	—	6	4	1	7	4	4	—	4	4	5	1	2
		F	132	—	6	4	—	9	2	3	1	4	3	6	4	4
32(6)	Cirrhosis of liver	M	59	—	6	—	1	—	2	2	1	3	2	2	3	2
		F	46	—	1	—	1	1	—	—	1	3	2	2	—	4
32(7)	Cholelithiasis, cholecystitis	M	30	—	—	2	1	—	2	—	2	—	2	1	1	2
		F	55	—	3	4	2	2	1	1	1	4	2	1	1	3
30(1)	Maternal sepsis (not abortion)	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30(2)	Toxaemias of pregnancy and puerperium	F	4	—	—	—	—	—	—	—	1	—	—	1	1	—
30(3)	Abortion	F	11	—	—	—	—	—	—	1	—	—	1	1	—	—
32(8)	Rheumatoid arthritis and allied conditions	M	15	—	1	—	—	—	—	—	—	—	—	—	—	1
		F	46	—	2	—	1	3	1	2	—	1	1	—	—	1
32(9)	Birth injury	M	95	—	3	1	4	10	3	2	—	2	1	1	3	2
		F	51	—	—	5	—	3	1	2	—	2	—	1	—	3
32(10)	Postnatal asphyxia and atelectasis	M	134	—	1	—	3	7	—	—	2	1	7	6	8	6
		F	74	—	2	—	—	4	2	5	—	5	—	1	5	4
23(1)	Pneumonia of newborn	M	25	—	—	—	—	1	—	1	—	2	—	—	1	1
		F	22	—	—	—	1	1	—	2	—	—	—	—	—	1
32(11)	Ophthalmia, pemphigus, sepsis of newborn	M	5	—	—	—	—	—	1	—	—	—	—	—	—	—
		F	4	—	—	—	—	1	—	—	—	1	—	—	—	—
32(12)	Haemolytic disease of newborn	M	15	—	1	—	2	1	—	—	1	—	—	—	2	—
		F	17	—	—	—	—	1	—	—	—	—	1	1	1	—
32(13)	Immaturity (without other disease peculiar to early infancy)	M	126	1	3	4	3	11	1	2	3	3	4	7	2	—
		F	87	—	2	2	2	11	—	4	—	4	—	3	3	4
32(14)	Senility without psychosis	M	51	—	—	—	—	3	1	3	—	2	1	—	2	—
		F	221	—	4	1	—	8	1	3	—	9	1	—	8	1
32(15)	Ill-defined and unknown cause	M	7	—	—	—	—	—	—	—	—	—	—	1	2	—
		F	12	—	—	—	—	—	—	—	—	—	—	1	2	—

TABLE 21—*continued.* **Metropolitan boroughs**

	Registrar General's Abridged List		Holborn	Islington	Kensington	Lambeth	Lewisham	Paddington	Poplar	St. Marylebone	St. Pancras	Shoreditch	Southwark	Stepney	Stoke Newington	Wandsworth	Westminster	Woolwich
1	Tuberculosis, respiratory	M	1	6	7	11	7	7	7	4	9	3	10	8	6	20	9	8
		F	—	5	4	4	3	1	3	1	3	2	4	—	2	7	1	1
2	Tuberculosis, other	M	—	1	1	—	—	—	—	2	—	—	—	—	—	3	—	—
		F	—	1	2	6	1	—	2	1	1	—	—	—	—	4	1	—
3	Syphilitic disease	M	—	5	2	4	4	3	4	2	1	—	4	1	1	7	2	—
		F	—	1	—	3	1	2	1	3	1	2	2	—	1	5	2	1
4	Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
6	Meningococcal infections	M	—	1	—	1	—	—	—	—	—	—	1	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	2	1	—	—	1	—	—
7	Acute poliomyelitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8	Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	Other infective, etc., diseases	M	—	1	5	5	3	2	1	—	1	1	2	—	1	9	—	1
		F	—	—	1	1	1	2	—	—	—	1	—	—	1	6	1	1
10	Malignant neoplasm: stomach	M	3	47	11	29	34	14	9	15	29	12	18	19	11	51	5	24
		F	2	32	11	24	27	20	6	12	8	8	22	14	7	48	5	23
11	lung, bronchus	M	10	156	68	149	145	74	36	40	77	28	61	50	23	195	58	68
		F	3	26	26	19	17	14	4	8	20	7	13	3	9	42	9	7
12	breast	M	—	1	1	—	—	—	—	—	—	—	1	—	—	1	—	—
		F	3	36	34	48	49	24	18	28	28	9	17	18	15	102	23	31
13	uterus	F	2	19	16	17	21	9	6	9	18	2	9	7	6	39	9	11
14	Other malignant and lymphatic neoplasms	M	10	97	71	108	131	58	31	56	68	25	55	48	25	248	54	70
		F	15	125	90	123	129	64	30	65	72	23	51	48	31	226	50	82
15	Leukaemia, aleukaemia	M	1	9	7	7	5	5	—	3	7	3	5	4	—	14	3	6
		F	1	5	12	2	11	—	1	2	3	2	7	2	3	9	1	2
16	Diabetes	M	1	6	5	4	9	1	—	6	1	—	—	3	3	8	3	—
		F	—	9	7	10	11	3	2	2	3	4	4	5	7	14	4	8
17	Vascular lesions of nervous system	M	13	88	72	91	183	43	30	62	50	23	56	37	28	173	35	57
		F	18	151	134	156	173	74	34	92	78	40	73	60	37	333	51	103
18	Coronary disease, angina	M	31	277	169	261	297	126	59	110	170	41	116	106	52	445	127	181
		F	17	163	144	184	167	81	39	67	92	32	72	81	38	324	68	136
19	Hypertension with heart disease	M	1	21	8	19	19	7	2	14	10	2	8	13	9	23	5	19
		F	2	42	15	20	27	9	8	32	13	10	10	10	4	41	5	20
20	Other heart disease	M	13	78	40	92	105	33	29	52	48	19	52	45	26	350	28	50
		F	14	147	106	146	172	47	30	87	58	36	108	61	41	591	48	81
21	Other circulatory disease	M	5	52	35	47	47	21	13	20	29	9	23	22	20	122	22	29
		F	9	95	56	69	66	41	27	29	29	11	30	21	23	154	30	37
22	Influenza	M	—	—	2	3	2	2	2	—	1	—	—	1	1	1	—	1
		F	—	4	2	1	1	1	—	—	2	1	—	—	—	3	—	1
23	Pneumonia	M	7	77	27	83	71	36	27	19	41	22	48	33	14	129	24	51
		F	11	81	43	64	63	28	19	27	50	38	43	21	6	172	23	46
24	Bronchitis	M	7	126	42	96	99	60	41	36	72	29	58	68	24	141	29	64
		F	3	64	35	34	42	28	13	25	29	21	25	34	12	70	18	23
25	Other diseases of respiratory system	M	1	22	7	13	13	6	9	8	8	3	9	15	3	38	8	8
		F	—	6	6	6	3	1	2	4	4	1	4	3	1	20	3	2
26	Ulcer of stomach and duodenum	M	1	19	8	25	30	14	13	4	16	8	7	9	4	21	7	14
		F	2	13	8	11	7	7	2	3	7	1	4	1	1	18	3	3
27	Gastritis, enteritis and diarrhoea	M	1	2	5	5	5	4	3	2	4	2	2	—	—	12	2	1
		F	1	11	13	4	7	9	1	3	6	2	3	2	2	15	3	5
28	Nephritis and nephrosis	M	2	6	6	13	8	4	2	1	5	1	5	3	—	20	3	1
		F	1	6	7	9	7	3	2	—	4	4	4	4	2	10	2	2
29	Hyperplasia of prostate	M	1	10	10	18	13	4	2	5	5	5	1	5	1	24	6	9
30	Pregnancy, childbirth, abortion	F	—	1	4	2	—	3	—	—	—	1	1	2	2	1	1	—
31	Congenital malformations	M	5	12	13	15	14	8	7	5	4	1	4	7	3	13	3	7
		F	8	15	10	11	16	10	7	3	4	3	11	5	—	28	5	6
32	Other defined and ill-defined diseases	M	13	84	62	99	79	55	27	36	37	15	42	37	16	148	35	40
		F	13	81	95	114	83	52	27	40	63	26	44	35	25	317	46	48
33	Motor vehicle accidents	M	1	22	14	26	15	13	7	6	12	—	9	15	5	43	9	10
		F	1	12	9	9	13	4	—	2	9	2	3	6	2	12	2	4
34	All other accidents	M	3	35	12	25	9	18	12	8	18	1	11	18	3	29	20	5
		F	2	22	17	5	11	10	—	8	8	3	7	8	3	36	15	6
35	Suicide	M	3	19	24	23	27	15	4	12	12	2	12	12	8	29	8	3
		F	4	10	15	11	6	9	4	9	4	—	8	4	1	22	12	6
36	Homicide, operations of war	M	1	3	1	1	1	2	—	—	—	—	2	1	—	1	—	1
		F	—	—	—	2	—	1	—	—	1	—	—	2	—	2	—	—

TABLE 21—*continued.* **Metropolitan boroughs**

	Registrar General's Supplementary Abridged List		Holborn	Islington	Kensington	Lambeth	Lewisham	Paddington	Poplar	St. Marylebone	St. Pancras	Shoreditch	Southwark	Stepney	Stoke Newington	Wandsworth	Westminster	Woolwich
9(1)	Infectious hepatitis	M	—	1	—	3	1	—	—	—	—	—	1	—	—	3	—	—
		F	—	—	—	—	1	2	—	—	—	—	—	—	1	—	1	—
14(1)	Malignant neoplasm, mouth and pharynx	M	—	6	2	2	5	5	2	6	4	1	4	3	—	10	2	1
		F	—	1	—	1	7	4	—	2	2	1	4	1	3	11	2	4
14(2)	Malignant neoplasm, oesophagus	M	—	4	6	6	8	2	2	3	4	1	4	2	—	8	6	4
		F	—	2	4	7	7	2	—	3	4	2	3	—	1	11	1	2
14(3)	Malignant neoplasm, intestine and rectum	M	1	24	16	32	40	13	7	8	12	10	14	10	2	57	13	19
		F	4	45	29	45	44	14	11	22	28	2	19	14	7	80	14	24
14(4)	Malignant neoplasm, larynx	M	—	3	1	4	2	—	1	3	4	1	1	3	—	6	5	3
		F	—	1	—	—	1	—	—	—	—	—	—	—	—	1	—	1
13(1)	Malignant neoplasm, cervix uteri	F	—	14	8	14	14	7	4	5	12	2	5	6	4	28	3	7
14(5)	Malignant neoplasm, prostate	M	2	10	6	17	19	4	2	10	8	1	5	6	8	42	2	7
14(6)	Malignant neoplasm, bladder	M	1	12	9	8	11	11	3	5	6	2	6	4	2	28	2	5
		F	—	9	7	9	6	6	2	1	1	4	2	3	3	6	2	4
14(7)	Malignant neoplasm, bone (including jaw-bone)	M	—	1	1	1	1	1	—	—	3	—	—	1	—	—	2	2
		F	—	2	—	3	—	1	—	—	1	—	—	1	1	1	—	2
14(8)	Lymphosarcoma, reticulosarcoma	M	1	5	3	—	3	2	2	1	2	—	1	3	1	11	2	5
		F	1	2	2	1	3	4	2	4	1	1	1	2	—	4	—	1
14(9)	Hodgkin's disease	M	1	2	2	2	1	—	—	1	2	—	1	—	—	6	1	1
		F	—	1	1	—	1	—	—	2	—	—	2	—	—	2	1	—
32(1)	Thyrotoxicosis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
		F	—	—	—	—	1	2	—	1	1	—	—	—	—	1	—	1
32(2)	Multiple sclerosis	M	1	3	—	1	3	1	—	—	1	—	—	—	—	3	—	—
		F	1	—	4	4	1	2	—	1	—	—	4	1	1	—	16	—	2
32(3)	Rheumatic fever	M	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
		F	—	—	1	—	—	1	—	—	—	—	1	—	—	1	1	—
20(1)	Chronic rheumatic heart disease	M	—	22	3	24	10	14	4	7	16	2	3	6	5	23	10	6
		F	4	47	15	26	28	13	10	12	17	5	14	10	5	38	7	20
21(1)	Hypertension without mention of heart	M	4	21	12	17	16	8	8	6	11	2	10	8	7	34	12	12
		F	3	59	17	27	22	16	10	15	8	2	10	10	6	43	8	9
25(1)	Pneumoconiosis and chronic interstitial pneumonia	M	—	2	1	—	1	4	3	2	4	—	3	1	—	3	2	2
		F	—	1	1	—	1	—	—	—	—	—	—	—	—	2	—	—
26(1)	Ulcer of stomach	M	—	10	6	15	13	6	5	4	9	6	4	5	2	13	4	9
		F	2	9	4	9	7	4	1	2	5	1	3	1	1	13	1	2
32(4)	Appendicitis	M	1	1	3	1	1	—	—	2	—	1	1	—	—	4	1	—
		F	—	—	—	1	—	—	—	1	—	—	1	—	—	3	—	—
32(5)	Intestinal obstruction and hernia	M	1	4	5	6	7	3	—	—	2	—	4	4	2	4	1	3
		F	—	7	11	10	4	3	5	4	8	1	2	3	2	14	8	4
32(6)	Cirrhosis of liver	M	2	1	3	2	1	3	—	4	3	1	1	1	—	5	5	3
		F	1	3	5	3	3	—	—	1	7	—	2	—	1	3	1	1
32(7)	Cholelithiasis, cholecystitis	M	—	1	3	4	1	1	2	—	—	—	1	2	—	2	—	1
		F	—	2	4	4	5	1	1	1	1	—	1	1	1	3	2	3
30(1)	Maternal sepsis (not abortion)	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30(2)	Toxaemias of pregnancy and puerperium	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
30(3)	Abortion	F	—	—	1	1	—	2	—	—	—	—	1	—	—	1	1	—
32(8)	Rheumatoid arthritis and allied conditions	M	—	—	2	3	1	—	—	—	—	—	—	1	1	5	—	—
		F	1	4	—	6	3	—	2	—	1	—	2	2	1	9	1	2
32(9)	Birth injury	M	—	9	2	6	4	4	2	1	6	—	4	2	2	16	2	3
		F	—	5	2	6	1	2	1	—	1	2	1	1	3	7	—	2
32(10)	Postnatal asphyxia and atelectasis	M	—	18	8	15	6	9	1	5	4	2	3	3	—	7	3	9
		F	—	6	7	6	—	3	—	2	3	1	—	1	4	11	—	2
23(1)	Pneumonia of newborn	M	—	2	2	—	4	4	—	—	2	—	—	2	—	3	—	—
		F	—	3	1	1	—	—	2	—	4	—	—	1	—	5	—	—
32(11)	Ophthalmia, pemphigus, sepsis of newborn	M	—	1	—	1	—	—	—	—	—	—	—	1	—	—	—	1
		F	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—
32(12)	Haemolytic disease of newborn	M	—	1	3	1	—	—	—	1	1	—	—	—	—	1	—	—
		F	—	3	1	—	2	—	—	—	—	1	1	—	1	3	—	1
32(13)	Immaturity (without other disease peculiar to early infancy)	M	1	11	3	14	7	11	3	5	4	1	7	1	1	8	1	4
		F	1	6	2	6	6	3	—	1	7	1	9	2	2	4	1	1
32(14)	Senility without psychosis	M	—	—	4	2	3	—	1	1	2	—	—	—	1	25	—	—
		F	—	3	11	12	8	6	—	3	—	—	2	2	—	131	3	4
32(15)	Ill-defined and unknown cause	M	—	1	—	—	—	—	—	—	—	1	—	—	—	1	—	1
		F	—	—	2	—	1	2	—	1	1	—	1	—	—	—	—	—

TABLE 21—*continued.* County boroughs

Registrar General's Abridged List		Barnsley	Barrow-in-Furness	Bath	Birkenhead	Birmingham	Blackburn	Blackpool	Bolton	Bootle	Bournemouth	Bradford	Brighton	Bristol	Burnley	Burton upon Trent	Bury
1 Tuberculosis, respiratory	M	4	2	3	14	62	7	17	9	9	4	16	9	18	7	3	3
	F	2	—	1	2	13	2	1	1	3	1	4	2	7	—	2	—
2 Tuberculosis, other	M	—	—	—	—	3	—	—	—	—	1	1	1	2	—	—	—
	F	—	—	—	—	8	1	2	—	—	—	—	—	1	—	—	—
3 Syphilitic disease	M	4	—	—	—	18	—	6	3	—	5	—	5	8	1	—	2
	F	—	—	1	2	5	—	1	2	—	2	—	—	4	1	—	1
4 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—
6 Meningococcal infections	M	—	—	1	—	3	—	1	—	—	1	—	—	—	—	—	—
	F	—	—	1	—	3	—	—	—	1	—	—	—	1	—	—	—
7 Acute poliomyelitis	M	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
8 Measles	M	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
9 Other infective, etc., diseases	M	—	1	—	1	14	—	1	1	1	2	3	1	9	1	1	—
	F	1	2	—	2	16	1	—	1	1	—	4	2	5	3	1	2
10 Malignant neoplasm: stomach	M	14	20	20	36	186	38	31	35	9	26	59	37	77	22	5	18
	F	14	12	12	24	130	22	25	27	10	35	40	35	59	21	6	15
11 lung, bronchus	M	26	37	32	64	526	53	93	61	30	76	126	98	180	36	14	22
	F	6	3	8	19	72	7	18	8	5	19	16	20	22	8	5	3
12 breast	M	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—
	F	14	12	26	30	205	22	34	27	9	56	61	55	100	20	10	15
13 uterus	F	7	3	4	15	84	16	21	21	4	17	32	20	42	17	7	7
14 Other malignant and lymphatic neoplasms	M	35	29	45	67	550	60	84	87	30	113	167	123	234	48	38	23
	F	21	29	62	62	483	70	99	74	24	114	147	143	208	32	27	38
15 Leukaemia, aleukaemia	M	3	5	2	5	31	4	5	3	1	5	11	6	8	3	1	1
	F	1	—	1	2	21	4	8	1	1	8	11	6	16	—	1	1
16 Diabetes	M	3	2	—	—	28	2	6	5	—	6	5	3	19	5	4	7
	F	4	3	4	7	54	10	17	9	3	5	18	3	28	4	2	2
17 Vascular lesions of nervous system	M	57	33	59	86	736	145	136	124	53	131	216	164	308	73	29	43
	F	67	73	114	134	998	219	230	190	50	242	345	224	534	114	44	67
18 Coronary disease, angina	M	82	102	114	185	1,092	192	278	223	82	263	436	214	576	169	50	84
	F	34	62	78	127	680	145	170	120	50	208	315	138	399	72	32	67
19 Hypertension with heart disease	M	4	8	8	13	133	9	14	21	1	17	36	27	79	3	9	8
	F	9	7	17	16	183	19	37	25	6	27	48	34	128	6	4	18
20 Other heart disease	M	63	66	37	66	561	88	170	84	40	133	194	115	259	69	49	54
	F	73	92	85	95	1,108	132	232	133	41	256	262	252	422	100	61	72
21 Other circulatory disease	M	11	13	27	23	189	22	33	64	11	40	53	68	141	37	13	21
	F	15	12	30	28	252	26	33	77	13	53	94	68	163	32	7	44
22 Influenza	M	—	1	—	1	17	—	2	1	—	2	2	1	4	2	—	—
	F	—	1	2	2	14	2	2	5	1	2	1	—	6	—	—	—
23 Pneumonia	M	23	28	34	66	314	33	33	59	33	39	145	55	93	15	6	20
	F	24	11	40	65	260	24	29	51	28	44	140	43	116	27	11	11
24 Bronchitis	M	39	18	26	80	551	78	75	88	42	59	122	78	181	43	26	29
	F	15	9	13	30	247	26	34	37	25	16	50	31	47	25	12	25
25 Other diseases of respiratory system	M	5	4	4	5	51	9	13	10	3	20	20	10	52	4	5	2
	F	—	—	4	9	23	1	5	4	4	10	11	15	18	2	—	—
26 Ulcer of stomach and duodenum	M	3	4	5	9	82	12	15	13	2	12	17	12	26	4	2	5
	F	1	2	6	4	48	10	6	9	3	10	13	11	16	8	2	5
27 Gastritis, enteritis and diarrhoea	M	4	2	2	7	31	2	5	5	2	4	7	4	8	2	1	—
	F	3	1	3	4	35	7	3	11	1	10	11	6	22	3	2	2
28 Nephritis and nephrosis	M	4	1	8	5	46	7	13	4	2	8	15	6	15	7	4	4
	F	3	3	3	3	33	1	10	5	5	4	7	5	14	3	—	7
29 Hyperplasia of prostate	M	4	3	5	4	78	12	22	13	3	11	13	8	33	8	5	4
30 Pregnancy, childbirth, abortion	F	—	—	3	2	11	—	—	—	1	—	—	3	1	—	—	—
31 Congenital malformations	M	5	3	2	10	70	7	6	8	10	6	12	8	30	4	3	3
	F	7	2	3	10	64	5	10	8	10	6	14	7	20	4	3	1
32 Other defined and ill-defined diseases	M	33	20	29	58	459	52	92	67	33	68	124	61	144	58	34	22
	F	39	24	51	64	537	85	139	87	39	109	170	85	166	85	51	52
33 Motor vehicle accidents	M	3	4	9	9	118	7	13	21	3	16	31	17	43	4	7	9
	F	2	3	2	7	54	7	5	13	3	7	16	4	12	6	3	3
34 All other accidents	M	11	7	10	26	127	20	24	30	9	23	28	31	44	20	2	5
	F	4	9	21	25	152	22	24	43	11	40	14	42	47	16	7	22
35 Suicide	M	11	3	7	8	71	9	11	14	4	19	22	15	25	13	1	4
	F	7	1	5	5	55	9	13	7	5	11	11	7	17	8	2	3
36 Homicide, operations of war	M	1	—	—	1	14	—	2	2	—	1	2	3	1	—	—	—
	F	—	—	—	—	1	—	—	—	—	—	1	—	2	—	—	1

TABLE 21—*continued.* County boroughs

Registrar General's Supplementary Abridged List		Barnsley	Barrow-in-Furness	Bath	Birkenhead	Birmingham	Blackburn	Blackpool	Bolton	Bootle	Bournemouth	Bradford	Brighton	Bristol	Burnley	Burton upon Trent	Bury
9(1) Infectious hepatitis	M	—	—	—	—	2	—	—	—	—	1	3	—	2	—	—	—
	F	1	2	—	—	8	—	—	1	—	—	2	—	2	1	1	1
14(1) Malignant neoplasm, mouth and pharynx	M	4	4	—	2	22	3	4	8	2	4	4	3	9	3	3	2
	F	—	1	3	3	9	8	5	1	—	1	6	4	3	1	—	—
14(2) Malignant neoplasm, oesophagus	M	3	2	2	9	33	7	2	4	2	6	10	11	12	—	2	—
	F	—	1	2	2	18	3	2	3	1	4	5	10	6	1	2	2
14(3) Malignant neoplasm, intestine and rectum	M	11	8	12	13	145	13	33	16	11	37	50	38	68	15	9	8
	F	14	12	24	16	189	26	34	26	10	48	49	43	78	10	9	20
14(4) Malignant neoplasm, larynx	M	—	—	—	1	23	2	1	2	—	3	7	6	4	2	2	—
	F	1	—	—	1	3	1	2	—	—	1	2	2	—	—	—	—
13(1) Malignant neoplasm, cervix uteri	F	5	1	2	8	53	16	13	12	4	12	26	14	23	12	6	4
14(5) Malignant neoplasm, prostate	M	3	7	9	10	82	9	10	19	3	16	27	19	28	12	2	3
14(6) Malignant neoplasm, bladder	M	3	1	3	6	51	5	9	3	1	4	11	10	27	3	4	—
	F	—	1	2	4	22	3	4	4	2	7	6	5	15	1	2	1
14(7) Malignant neoplasm, bone (including jaw-bone)	M	1	1	—	—	16	1	2	2	—	2	2	3	3	1	—	—
	F	1	—	—	—	7	1	—	2	—	1	3	—	—	—	1	2
14(8) Lymphosarcoma, reticulosarcoma	M	1	—	1	—	11	—	2	2	—	2	1	2	7	—	1	—
	F	—	1	2	2	15	—	1	1	1	5	2	3	2	—	2	—
14(9) Hodgkin's disease	M	—	—	3	3	5	2	2	4	2	—	6	3	8	—	1	1
	F	—	2	1	3	12	—	1	—	—	2	1	1	3	1	—	—
32(1) Thyrotoxicosis	M	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	1	—	6	2	4	3	—	1	2	—	1	—	1	—
32(2) Multiple sclerosis	M	1	—	1	—	7	2	2	2	—	1	2	2	1	1	—	—
	F	—	—	—	2	6	1	—	3	1	2	9	1	8	1	1	1
32(3) Rheumatic fever	M	—	—	—	—	2	1	—	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	4	1	—	1	—	2	2	—	—	—	—	—
20(1) Chronic rheumatic heart disease	M	5	1	3	2	72	6	17	8	2	12	12	7	37	10	2	8
	F	10	6	8	12	152	13	30	20	10	14	30	19	57	12	9	5
21(1) Hypertension without mention of heart	M	1	1	6	3	59	6	5	9	3	14	9	6	24	4	5	6
	F	4	3	3	4	74	9	4	12	3	14	14	17	35	2	—	6
25(1) Pneumoconiosis and chronic interstitial pneumonia	M	3	—	—	—	8	1	1	2	—	3	—	—	7	1	1	—
	F	—	—	1	3	—	1	—	—	—	—	—	1	2	—	—	—
26(1) Ulcer of stomach	M	—	1	4	5	43	4	8	5	1	6	7	6	17	—	1	—
	F	1	1	5	2	32	8	3	4	1	5	6	7	13	5	1	2
32(4) Appendicitis	M	—	1	—	2	10	1	—	2	—	1	1	3	2	1	3	—
	F	—	—	—	—	9	—	6	1	1	—	—	2	4	—	—	2
32(5) Intestinal obstruction and hernia	M	1	—	3	6	36	1	5	10	2	11	5	5	9	2	1	—
	F	2	4	2	3	48	6	6	9	3	10	13	12	16	2	2	1
32(6) Cirrhosis of liver	M	—	—	1	4	23	2	2	4	2	4	6	1	8	1	—	—
	F	—	—	1	2	14	—	1	2	1	3	6	1	3	—	—	2
32(7) Cholelithiasis, cholecystitis	M	1	1	2	1	7	—	3	—	1	2	1	—	4	1	—	—
	F	2	1	3	4	26	3	5	5	2	5	7	3	13	3	—	2
30(1) Maternal sepsis (not abortion)	F	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
30(2) Toxaemias of pregnancy and puerperium	F	—	—	—	—	2	—	—	—	—	—	—	1	—	—	—	—
30(3) Abortion	F	—	—	1	—	2	—	—	—	1	—	—	1	1	—	—	—
32(8) Rheumatoid arthritis and allied conditions	M	1	—	—	—	7	1	—	—	1	—	—	—	4	1	—	2
	F	1	—	5	2	14	3	3	3	2	2	4	3	12	3	2	8
32(9) Birth injury	M	2	2	2	6	25	2	4	2	2	5	12	1	4	1	2	2
	F	1	1	—	3	19	1	—	1	4	2	4	—	9	—	2	1
32(10) Postnatal asphyxia and atelectasis	M	3	5	1	6	61	4	6	11	1	1	23	5	7	4	—	3
	F	4	1	4	4	45	2	4	13	2	—	10	3	4	3	—	—
23(1) Pneumonia of newborn	M	1	—	5	—	14	2	3	1	3	1	6	—	4	1	—	1
	F	1	—	1	1	5	—	1	—	—	1	4	—	—	2	1	—
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—
32(12) Haemolytic disease of newborn	M	—	—	1	—	4	—	2	1	2	—	1	—	1	2	—	—
	F	1	—	—	1	5	1	—	2	—	2	—	1	2	—	—	—
32(13) Immaturity (without other disease peculiar to early infancy)	M	3	2	1	3	44	6	4	2	2	5	18	7	20	2	2	3
	F	5	2	—	1	23	4	2	1	4	9	17	3	7	3	2	—
32(14) Senility without psychosis	M	5	—	2	6	44	7	20	4	1	4	6	6	6	25	10	—
	F	9	2	6	6	72	15	45	13	1	21	24	14	4	45	31	7
32(15) Ill-defined and unknown cause	M	—	1	1	—	5	—	1	1	1	2	1	1	3	—	—	—
	F	—	—	—	—	2	1	1	2	—	—	1	—	1	—	—	—

TABLE 21—*continued.* County boroughs

Registrar General's Abridged List		Canterbury	Carlisle	Chester	Coventry	Croydon	Darlington	Derby	Dewsbury	Doncaster	Dudley	Eastbourne	East Ham	Exeter	Gateshead	Gloucester	Great Yarmouth
1 Tuberculosis, respiratory	M	—	3	3	17	13	8	15	3	10	5	3	7	3	5	2	3
	F	—	1	—	10	5	2	1	—	—	1	2	—	3	1	—	3
2 Tuberculosis, other	M	—	—	—	2	1	—	1	—	—	1	—	1	1	—	—	—
	F	—	—	—	—	1	1	—	—	—	—	1	1	—	—	—	1
3 Syphilitic disease	M	—	1	1	4	3	1	1	—	1	—	—	—	1	2	—	1
	F	—	1	—	3	5	—	1	—	—	—	—	1	—	1	—	—
4 Diphtheria	M	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Meningococcal infections	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	1	—	—	—	—	1	—	—	—	—	—	—	1	—	—
7 Acute poliomyelitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8 Measles	M	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	F	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Other infective, etc., diseases	M	1	1	—	4	—	1	—	—	—	—	—	1	—	3	—	—
	F	1	1	1	2	2	—	—	—	—	—	—	—	1	4	1	1
10 Malignant neoplasm: stomach	M	6	19	13	37	39	13	22	11	13	12	13	17	13	28	16	8
	F	2	11	13	33	26	16	18	18	7	10	8	9	9	18	6	6
11 lung, bronchus	M	9	28	19	109	128	43	61	21	29	17	30	68	30	57	31	26
	F	3	3	2	14	18	5	8	1	6	2	6	8	6	13	2	4
12 breast	M	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—
	F	7	17	18	49	60	15	27	12	12	11	20	26	22	15	16	11
13 uterus	F	3	7	7	23	30	3	13	4	9	7	8	10	7	14	1	11
14 Other malignant and lymphatic neoplasms	M	16	35	28	152	136	53	84	28	41	31	41	60	57	42	37	39
	F	22	43	23	98	134	47	58	25	28	20	50	50	44	42	25	32
15 Leukaemia, aleukaemia	M	—	3	4	4	6	4	4	1	4	2	2	5	4	1	3	—
	F	—	1	2	7	8	4	4	1	2	2	—	3	1	4	1	1
16 Diabetes	M	3	3	2	7	8	2	3	3	2	1	—	4	—	3	2	—
	F	1	2	2	14	3	5	8	2	2	2	4	4	3	4	3	3
17 Vascular lesions of nervous system	M	22	53	36	151	147	73	91	50	55	41	70	54	57	80	33	43
	F	43	102	62	203	318	112	120	57	55	65	159	82	98	101	52	64
18 Coronary disease, angina	M	40	106	70	368	332	110	184	94	102	70	101	132	84	116	61	66
	F	26	63	43	181	234	89	125	46	57	44	83	85	76	62	48	60
19 Hypertension with heart disease	M	5	6	8	26	12	8	12	8	8	6	5	15	4	13	5	10
	F	8	7	15	26	26	10	13	8	9	8	10	16	9	16	5	7
20 Other heart disease	M	22	60	18	126	135	62	88	28	40	32	55	55	70	74	40	45
	F	44	79	51	140	219	83	138	57	67	41	124	69	94	88	85	83
21 Other circulatory disease	M	10	18	18	55	47	15	43	29	35	16	17	22	16	31	14	7
	F	9	31	18	39	98	26	52	25	30	17	26	21	36	34	9	5
22 Influenza	M	1	—	—	4	—	—	—	—	1	—	—	1	—	5	1	—
	F	—	1	—	3	6	—	1	—	1	—	1	2	1	2	—	1
23 Pneumonia	M	5	11	13	83	82	19	91	28	15	17	35	34	15	45	20	16
	F	3	5	17	53	84	16	83	19	9	17	29	32	23	33	14	14
24 Bronchitis	M	10	22	26	88	96	38	73	40	46	42	16	50	34	62	23	14
	F	6	7	5	29	60	14	17	20	20	14	5	21	12	27	6	8
25 Other diseases of respiratory system	M	2	6	4	21	7	1	6	4	5	7	11	7	10	8	4	1
	F	2	3	1	6	7	1	7	—	5	1	1	3	5	9	1	1
26 Ulcer of stomach and duodenum	M	1	7	2	15	14	5	13	4	8	7	12	14	6	6	9	2
	F	—	2	—	5	8	2	4	2	2	4	5	—	1	1	2	—
27 Gastritis, enteritis and diarrhoea	M	—	—	1	6	8	6	4	2	—	1	—	—	2	2	2	—
	F	4	6	—	7	8	2	3	2	2	—	2	2	2	9	2	2
28 Nephritis and nephrosis	M	1	5	1	18	12	4	7	2	6	1	2	3	6	3	4	4
	F	4	4	1	14	4	7	10	4	2	1	2	7	3	4	5	1
29 Hyperplasia of prostate	M	3	8	9	16	11	6	5	1	8	4	6	3	9	10	7	4
30 Pregnancy, childbirth, abortion	F	—	1	2	1	1	—	1	—	1	—	—	1	—	2	—	1
31 Congenital malformations	M	1	4	6	27	4	8	10	4	7	2	5	5	5	6	4	1
	F	1	7	4	16	8	6	12	2	3	—	2	10	4	6	2	4
32 Other defined and ill-defined diseases	M	8	26	24	96	81	34	49	19	32	32	31	29	22	59	41	26
	F	18	28	18	97	134	49	54	31	30	34	36	43	42	52	25	19
33 Motor vehicle accidents	M	2	13	6	43	26	9	13	11	11	4	4	4	7	8	8	2
	F	3	8	1	17	14	6	9	—	5	—	1	5	4	8	5	1
34 All other accidents	M	4	4	7	29	21	7	20	4	9	14	4	10	16	24	12	5
	F	1	14	16	35	13	9	21	5	22	10	6	3	13	27	7	12
35 Suicide	M	4	8	2	14	12	12	10	5	11	4	5	6	7	11	6	2
	F	—	3	3	16	19	2	3	1	4	3	7	3	2	4	3	1
36 Homicide, operations of war	M	—	1	—	5	—	—	—	—	1	—	—	—	—	—	2	—
	F	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—

TABLE 21—*continued.* County boroughs

Registrar General's Supplementary Abridged List		Canterbury	Carlisle	Chester	Coventry	Croydon	Darlington	Derby	Dewsbury	Doncaster	Dudley	Eastbourne	East Ham	Exeter	Gateshead	Gloucester	Great Yarmouth
9(1) Infectious hepatitis	M	—	1	—	—	—	1	—	—	—	—	—	1	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—
14(1) Malignant neoplasm, mouth and pharynx	M	—	2	—	4	6	2	1	2	1	1	1	4	3	2	—	3
	F	1	—	1	—	—	5	1	—	1	—	2	3	1	1	3	—
14(2) Malignant neoplasm, oesophagus	M	—	1	1	9	3	3	4	1	—	—	2	6	4	1	4	1
	F	3	2	2	7	6	—	2	1	—	1	2	4	1	—	—	1
14(3) Malignant neoplasm, intestine and rectum	M	6	14	7	51	49	13	26	9	17	9	13	13	10	13	14	7
	F	7	18	15	29	49	17	33	10	13	7	18	25	15	16	7	6
14(4) Malignant neoplasm, larynx	M	—	1	2	3	2	2	3	—	1	1	—	2	3	1	1	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—
13(1) Malignant neoplasm, cervix uteri	F	2	6	6	16	17	3	10	3	7	5	4	8	6	8	—	6
14(5) Malignant neoplasm, prostate	M	3	3	5	21	16	8	11	4	10	4	14	8	13	5	8	9
14(6) Malignant neoplasm, bladder	M	1	—	2	7	14	6	10	2	1	2	3	5	2	6	5	5
	F	—	1	1	3	7	3	1	1	1	—	1	1	2	3	—	1
14(7) Malignant neoplasm, bone (including jaw-bone)	M	—	—	1	—	2	1	2	2	1	3	—	1	1	—	—	—
	F	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	1
14(8) Lymphosarcoma, reticulosarcoma	M	—	4	2	2	5	—	3	1	1	—	—	—	1	2	—	1
	F	—	1	1	3	5	—	1	—	1	2	2	3	1	—	—	2
14(9) Hodgkin's disease	M	—	2	1	6	3	—	1	—	—	—	1	—	2	2	—	2
	F	—	2	—	1	3	—	—	—	—	—	—	6	1	1	2	1	1
32(1) Thyrotoxicosis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
	F	—	—	1	—	—	1	1	2	—	—	—	—	—	—	1	—
32(2) Multiple sclerosis	M	—	—	1	2	2	2	2	—	2	1	1	1	—	1	2	1
	F	—	1	1	3	4	1	4	—	—	1	1	3	1	2	—	—
32(3) Rheumatic fever	M	—	—	—	1	—	—	2	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—
20(1) Chronic rheumatic heart disease	M	1	1	3	21	15	7	9	3	5	5	—	11	5	13	2	3
	F	3	7	8	29	20	4	11	6	10	4	4	14	8	9	6	6
21(1) Hypertension without mention of heart	M	6	4	2	15	16	3	9	9	11	8	4	9	6	17	5	1
	F	1	8	4	8	18	4	9	6	9	11	8	6	9	10	—	—
25(1) Pneumoconiosis and chronic interstitial pneumonia	M	1	—	—	9	—	—	1	1	1	1	1	2	—	—	—	—
	F	—	—	—	1	—	—	—	—	—	—	—	1	1	—	—	—
26(1) Ulcer of stomach	M	1	3	—	7	5	1	8	3	5	1	2	7	5	1	5	1
	F	—	2	—	3	7	1	3	2	2	4	4	—	1	1	1	—
32(4) Appendicitis	M	1	2	—	2	1	—	2	—	—	—	1	1	1	1	1	1
	F	—	1	—	2	1	—	—	1	—	—	1	—	—	—	—	—
32(5) Intestinal obstruction and hernia	M	1	2	3	8	7	3	3	2	3	4	4	2	3	—	7	4
	F	3	2	2	2	9	3	2	1	1	2	4	5	5	6	3	1
32(6) Cirrhosis of liver	M	—	—	—	3	2	2	1	—	2	1	—	—	—	—	2	1
	F	—	1	—	3	1	3	—	—	—	2	3	—	1	2	—	—
32(7) Cholelithiasis, cholecystitis	M	1	1	—	—	3	—	—	1	—	—	—	1	—	—	—	—
	F	1	—	—	2	2	2	2	3	5	—	2	1	1	3	—	3
30(1) Maternal sepsis (not abortion)	F	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
30(2) Toxaemias of pregnancy and puerperium	F	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—
30(3) Abortion	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
32(8) Rheumatoid arthritis and allied conditions	M	—	1	2	—	—	2	1	—	2	—	—	1	—	2	—	2
	F	—	2	—	4	8	3	—	1	3	1	4	1	2	1	1	2
32(9) Birth injury	M	—	3	1	8	8	4	7	—	5	2	—	1	1	2	4	1
	F	—	3	—	10	—	2	3	—	—	2	—	1	—	2	2	—
32(10) Postnatal asphyxia and atelectasis	M	1	3	2	6	5	4	7	—	3	3	2	3	2	2	2	—
	F	—	1	—	3	5	2	4	1	2	—	—	5	2	1	—	—
23(1) Pneumonia of newborn	M	—	2	—	8	3	1	2	—	2	—	—	2	—	4	—	—
	F	—	1	1	5	1	—	5	—	—	1	—	—	—	2	1	—
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—
32(12) Haemolytic disease of newborn	M	—	—	—	1	2	—	—	—	—	—	—	1	—	—	—	—
	F	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	1
32(13) Immaturity (without other disease peculiar to early infancy)	M	—	4	7	20	10	—	2	6	3	—	2	2	2	15	7	3
	F	1	3	1	24	8	—	2	6	2	2	1	1	1	7	3	1
32(14) Senility without psychosis	M	—	—	1	3	8	5	2	2	4	8	2	—	2	14	1	3
	F	3	1	1	4	23	10	12	3	5	9	1	3	4	8	3	5
32(15) Ill-defined and unknown cause	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
	F	—	—	—	1	—	—	—	—	—	—	—	1	1	—	—	—

TABLE 21—*continued.* County boroughs

Registrar General's Abridged List		Grimsby	Halifax	Hastings	Huddersfield	Ipswich	Kingston upon Hull	Leeds	Leicester	Lincoln	Liverpool	Manchester	Middlesbrough	Newcastle upon Tyne	Northampton	Norwich	Nottingham
1 Tuberculosis, respiratory	M	6	7	9	7	3	27	28	19	3	68	68	11	15	7	3	17
	F	—	5	1	5	—	7	10	3	—	19	13	4	9	5	1	8
2 Tuberculosis, other	M	—	—	—	—	2	2	3	—	—	2	2	—	1	—	—	—
	F	2	—	—	—	—	1	1	—	—	1	—	1	3	—	—	2
3 Syphilitic disease	M	4	—	2	1	3	2	4	4	—	10	7	3	4	1	2	3
	F	1	—	—	3	1	1	—	3	1	2	7	2	2	1	1	4
4 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
5 Whooping cough	M	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
	F	—	—	—	—	—	1	—	—	—	2	—	1	—	—	—	—
6 Meningococcal infections	M	1	—	—	—	—	1	3	—	—	4	2	—	—	—	—	1
	F	1	—	—	—	—	1	1	—	—	1	2	—	—	—	—	1
7 Acute poliomyelitis	M	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8 Measles	M	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
9 Other infective, etc., diseases	M	—	2	—	—	—	3	7	1	1	11	7	1	4	1	1	4
	F	—	—	—	2	—	3	12	2	—	14	10	1	2	3	1	8
10 Malignant neoplasm: stomach	M	18	17	11	24	27	58	84	32	7	138	124	27	59	24	29	42
	F	9	24	16	22	16	35	54	30	8	122	112	22	34	12	17	34
11 lung, bronchus	M	56	41	35	51	35	157	233	124	36	395	371	71	170	42	65	144
	F	4	4	7	8	9	29	37	18	9	62	74	9	26	7	12	28
12 breast	M	—	—	—	—	—	1	—	—	—	—	1	—	2	—	2	2
	F	18	21	21	24	18	49	91	68	12	109	127	26	35	26	21	69
13 uterus	F	8	16	8	15	4	24	49	35	6	61	77	9	23	19	16	31
14 Other malignant and lymphatic neoplasms	M	58	45	57	81	79	176	260	163	44	362	366	74	149	60	71	141
	F	44	41	51	76	58	130	244	170	38	343	342	78	156	47	68	147
15 Leukaemia, aleukaemia	M	1	1	2	1	5	9	23	7	3	27	14	4	10	4	6	6
	F	5	5	—	3	1	9	5	10	4	22	16	4	7	3	4	3
16 Diabetes	M	1	4	—	4	2	—	10	4	3	12	18	6	4	2	5	11
	F	3	8	3	10	5	10	16	13	1	54	39	7	16	3	4	19
17 Vascular lesions of nervous system	M	55	84	78	107	68	173	330	299	42	499	455	139	249	112	74	181
	F	85	134	153	146	102	237	441	409	69	675	698	152	299	120	131	281
18 Coronary disease, angina	M	109	185	96	206	150	285	700	303	81	928	775	164	393	128	158	334
	F	61	146	96	138	115	203	509	190	52	569	487	119	265	108	101	169
19 Hypertension with heart disease	M	27	12	6	9	11	24	31	53	8	65	51	8	20	18	9	28
	F	18	16	19	26	12	37	56	46	13	137	101	14	40	23	23	38
20 Other heart disease	M	59	65	58	88	60	162	190	179	43	344	416	105	145	80	71	167
	F	58	92	149	134	76	224	396	285	53	577	722	149	181	107	126	303
21 Other circulatory disease	M	26	21	22	32	27	55	102	74	11	91	125	35	78	16	26	71
	F	22	29	31	48	38	64	120	67	18	128	207	50	68	20	33	81
22 Influenza	M	1	1	1	2	—	20	3	2	—	5	3	—	7	1	—	5
	F	—	—	3	1	1	3	—	2	—	11	8	—	3	1	—	4
23 Pneumonia	M	16	34	30	20	25	111	187	71	28	338	197	55	82	20	50	87
	F	17	39	40	31	39	92	190	73	23	494	204	39	91	23	42	122
24 Bronchitis	M	31	46	19	72	34	138	301	120	30	416	456	69	171	39	45	156
	F	17	21	16	27	11	55	97	41	11	232	210	21	55	11	12	86
25 Other diseases of respiratory system	M	14	5	7	10	5	15	30	24	—	62	47	15	19	3	7	24
	F	7	3	2	1	3	8	34	3	—	45	18	9	10	1	8	13
26 Ulcer of stomach and duodenum	M	7	10	6	8	10	23	37	18	5	45	42	14	26	8	11	18
	F	3	1	1	4	—	11	15	8	5	22	26	10	5	11	3	13
27 Gastritis, enteritis and diarrhoea	M	—	1	—	3	2	9	10	4	2	21	21	2	6	3	—	7
	F	6	4	7	3	7	6	14	10	3	34	26	4	11	4	3	6
28 Nephritis and nephrosis	M	2	5	1	5	4	27	15	19	4	31	16	4	22	3	3	17
	F	3	—	1	11	1	22	16	7	4	28	22	2	12	3	6	8
29 Hyperplasia of prostate	M	8	8	8	9	9	27	23	14	9	40	37	18	13	10	15	21
30 Pregnancy, childbirth, abortion	F	1	1	—	—	—	5	2	3	2	5	5	1	—	—	—	3
31 Congenital malformations	M	4	10	5	8	16	12	35	12	5	54	52	8	12	9	6	22
	F	3	9	5	4	3	17	29	16	2	43	39	8	10	5	7	13
32 Other defined and ill-defined diseases	M	46	32	47	55	39	118	219	122	38	336	287	83	132	41	50	126
	F	49	56	67	82	53	128	229	130	41	366	395	83	141	44	62	157
33 Motor vehicle accidents	M	14	10	7	13	6	25	42	22	8	79	61	19	25	8	17	29
	F	2	5	1	6	4	7	31	11	4	44	45	6	12	5	5	13
34 All other accidents	M	4	10	7	18	11	35	58	27	4	106	77	26	27	12	14	34
	F	9	12	16	23	15	34	63	50	4	115	51	20	17	24	10	41
35 Suicide	M	4	11	8	13	5	21	36	16	3	37	51	13	17	5	11	20
	F	4	10	4	10	3	21	22	18	5	27	29	1	8	5	6	13
36 Homicide, operations of war	M	—	1	—	—	—	1	4	—	1	4	4	1	—	—	—	3
	F	—	1	—	—	—	—	—	2	—	—	2	—	1	1	—	2

TABLE 21—*continued.* County boroughs

Registrar General's Supplementary Abridged List		Grimsby	Halifax	Hastings	Huddersfield	Ipswich	Kingston upon Hull	Leeds	Leicester	Lincoln	Liverpool	Manchester	Middlesbrough	Newcastle upon Tyne	Northampton	Norwich	Nottingham
9(1) Infectious hepatitis	M	—	—	—	—	—	1	3	—	1	1	4	—	—	—	1	—
	F	—	—	—	—	—	1	6	—	—	4	4	1	1	—	—	3
14(1) Malignant neoplasm, mouth and pharynx	M	3	—	2	9	7	12	10	7	1	17	22	5	7	2	5	6
	F	4	1	3	7	1	8	8	6	1	12	16	7	5	4	2	—
14(2) Malignant neoplasm, oesophagus	M	1	2	2	3	7	7	11	13	3	25	23	4	11	5	4	7
	F	1	3	2	3	2	8	10	4	4	20	20	3	10	—	5	6
14(3) Malignant neoplasm, intestine and rectum	M	14	17	11	27	23	44	62	46	18	92	95	22	44	12	20	40
	F	15	18	19	24	25	41	84	55	14	137	117	27	60	21	21	59
14(4) Malignant neoplasm, larynx	M	3	—	3	2	3	6	7	7	—	14	8	5	6	1	4	5
	F	—	—	1	2	—	—	2	—	—	2	5	—	—	1	—	1
13(1) Malignant neoplasm, cervix uteri	F	3	8	6	10	3	18	29	20	5	46	54	6	17	14	11	20
14(5) Malignant neoplasm, prostate	M	7	5	19	9	11	25	33	19	7	50	38	8	25	14	7	21
14(6) Malignant neoplasm, bladder	M	6	2	8	10	6	16	30	17	2	31	28	2	13	5	6	13
	F	2	1	1	4	3	2	4	10	1	16	15	4	5	—	3	5
14(7) Malignant neoplasm, bone (including jaw-bone)	M	—	—	1	1	—	—	3	1	2	7	4	—	2	2	—	1
	F	—	—	—	1	—	—	3	3	—	4	2	3	4	—	—	1
14(8) Lymphosarcoma, reticulosarcoma	M	—	1	—	—	3	4	8	3	1	12	7	1	2	—	2	7
	F	2	—	3	—	1	1	7	1	—	7	7	1	3	—	—	2
14(9) Hodgkin's disease	M	2	2	—	1	—	5	7	3	—	10	5	2	2	1	—	1
	F	—	1	—	—	1	1	1	4	2	1	2	1	3	—	—	2
32(1) Thyrotoxicosis	M	1	—	—	—	—	—	1	—	—	—	1	—	—	—	1	—
	F	—	—	—	2	1	2	1	2	—	5	3	—	—	—	1	1
32(2) Multiple sclerosis	M	—	1	1	1	—	4	6	—	2	6	—	1	4	1	—	1
	F	—	1	—	4	—	2	4	1	—	8	9	3	10	—	2	—
32(3) Rheumatic fever	M	—	—	—	—	1	1	1	—	—	2	—	—	—	1	—	—
	F	—	—	—	2	1	—	—	—	—	2	3	—	—	—	—	—
20(1) Chronic rheumatic heart disease	M	5	4	4	8	8	17	25	17	3	49	42	8	15	4	2	14
	F	4	3	2	21	14	23	54	29	2	105	107	11	21	1	13	28
21(1) Hypertension without mention of heart	M	13	7	5	10	6	11	32	19	4	33	25	11	19	3	5	29
	F	7	4	8	12	8	15	34	15	5	33	53	17	18	4	10	33
25(1) Pneumoconiosis and chronic interstitial pneumonia	M	—	1	—	1	—	—	2	1	—	8	5	3	6	—	3	1
	F	—	—	—	—	—	1	4	—	—	4	1	—	1	—	—	4
26(1) Ulcer of stomach	M	4	5	5	1	7	12	14	7	4	21	14	7	10	2	6	10
	F	2	—	1	3	—	7	9	6	4	13	17	3	5	7	2	6
32(4) Appendicitis	M	3	—	2	1	1	5	3	3	3	3	4	1	1	2	2	3
	F	—	—	—	—	2	1	2	2	2	10	3	1	1	—	—	—
32(5) Intestinal obstruction and hernia	M	4	4	4	7	1	8	15	11	2	28	15	2	8	4	3	4
	F	1	5	5	6	7	11	21	9	2	21	25	5	14	2	3	11
32(6) Cirrhosis of liver	M	3	1	1	1	3	3	8	5	—	17	13	5	5	4	2	5
	F	—	1	3	2	1	2	6	1	1	7	15	3	2	2	2	3
32(7) Cholelithiasis, cholecystitis	M	—	1	1	—	—	3	4	1	—	7	4	2	2	1	2	3
	F	2	3	—	6	1	8	14	5	4	8	12	5	4	5	2	5
30(1) Maternal sepsis (not abortion)	F	—	—	—	—	—	1	—	—	1	—	1	—	—	—	—	2
30(2) Toxaemias of pregnancy and puerperium	F	—	1	—	—	—	1	2	1	—	2	—	—	—	—	—	1
30(3) Abortion	F	1	—	—	—	—	2	—	1	—	—	2	1	—	—	—	—
32(8) Rheumatoid arthritis and allied conditions	M	1	1	2	1	—	2	2	1	1	3	6	1	3	1	—	1
	F	—	2	3	2	1	5	6	7	—	14	12	3	2	—	2	5
32(9) Birth injury	M	1	1	2	3	1	5	13	11	1	28	21	6	10	—	3	8
	F	1	—	1	1	4	2	10	6	1	19	11	3	7	3	—	2
32(10) Postnatal asphyxia and atelectasis	M	5	2	—	7	6	21	19	13	1	40	27	6	9	—	7	6
	F	5	1	3	2	3	10	2	4	2	29	16	3	3	1	1	8
23(1) Pneumonia of newborn	M	—	2	—	1	—	2	4	—	—	7	8	4	3	3	1	4
	F	1	2	1	1	—	1	—	2	—	4	1	2	2	1	—	3
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	1	—	—	1	—	1	—	—	—	—	4	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
32(12) Haemolytic disease of newborn	M	—	1	—	2	—	—	—	2	3	4	4	—	1	—	1	—
	F	—	1	—	—	—	—	—	—	—	5	5	—	—	—	—	—
32(13) Immaturity (without other disease peculiar to early infancy)	M	4	6	2	9	2	13	17	13	3	40	42	12	22	3	2	16
	F	4	2	2	9	—	11	19	6	4	28	32	9	7	7	3	18
32(14) Senility without psychosis	M	5	—	4	—	5	3	8	4	4	15	39	11	10	—	9	12
	F	17	4	13	5	7	13	11	18	15	24	115	13	25	1	20	26
32(15) Ill-defined and unknown cause	M	—	—	—	—	—	—	1	2	—	1	2	—	1	1	—	2
	F	—	2	—	2	—	1	2	1	—	4	3	—	1	1	—	1

I

TABLE 21—*continued.* County boroughs

Registrar General's Abridged List		Oldham	Oxford	Plymouth	Portsmouth	Preston	Reading	Rochdale	Rotherham	St. Helens	Salford	Sheffield	Smethwick	Southampton	Southend-on-Sea	Southport	South Shields
1 Tuberculosis, respiratory	M	10	3	17	12	6	6	8	8	6	16	40	7	25	6	3	5
	F	2	4	3	5	1	1	—	—	4	5	14	2	4	4	1	1
2 Tuberculosis, other	M	1	1	—	2	—	—	1	—	—	—	—	1	—	—	—	—
	F	1	1	—	2	—	—	—	1	—	—	1	1	1	2	—	—
3 Syphilitic disease	M	5	—	2	4	4	1	2	—	—	1	5	1	—	4	3	1
	F	2	1	3	1	1	—	1	1	2	—	4	—	4	—	3	—
4 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
6 Meningococcal infections	M	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1
	F	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	2
7 Acute poliomyelitis	M	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Other infective, etc., diseases	M	1	1	6	2	—	—	1	3	—	3	10	1	1	3	1	1
	F	2	2	1	1	—	1	—	—	—	1	7	—	3	—	1	3
10 Malignant neoplasm: stomach	M	31	17	50	40	24	24	14	12	19	36	94	13	32	29	15	29
	F	18	16	27	28	17	20	17	6	16	33	72	8	20	19	15	24
11 lung, bronchus	M	47	40	86	119	59	53	33	50	41	85	252	40	87	88	32	55
	F	6	6	9	17	9	4	7	9	7	14	28	7	18	17	7	5
12 breast	M	1	—	—	2	—	—	—	—	—	1	—	—	—	1	—	—
	F	27	17	40	45	24	25	26	15	19	23	84	12	38	47	28	26
13 uterus	F	11	8	21	21	15	16	9	7	11	17	47	1	19	16	5	19
14 Other malignant and lymphatic neoplasms	M	61	56	107	136	55	73	44	43	55	92	264	39	126	106	55	67
	F	64	48	118	104	44	54	45	39	38	92	237	31	86	93	60	49
15 Leukaemia, aleukaemia	M	2	4	10	8	5	5	5	4	2	2	14	3	3	9	2	2
	F	4	5	3	3	1	3	4	1	2	4	18	5	3	5	5	3
16 Diabetes	M	3	—	11	5	4	1	1	1	5	4	10	2	4	6	3	3
	F	6	7	13	14	4	5	7	10	8	13	20	5	6	9	5	4
17 Vascular lesions of nervous system	M	94	66	148	168	79	84	66	66	69	102	343	44	123	107	78	98
	F	157	109	225	214	133	123	110	72	90	146	465	53	177	217	141	108
18 Coronary disease, angina	M	137	112	298	285	171	138	121	105	120	177	650	77	239	277	161	134
	F	75	89	160	190	106	93	72	45	70	110	365	57	154	197	107	106
19 Hypertension with heart disease	M	15	9	37	25	11	15	3	19	8	14	52	7	32	32	7	13
	F	19	12	45	31	18	11	7	17	12	30	70	13	28	27	20	12
20 Other heart disease	M	97	36	141	175	61	81	12	41	65	89	248	45	115	76	82	59
	F	176	56	226	224	110	118	135	59	99	160	440	75	173	154	146	71
21 Other circulatory disease	M	35	19	42	52	33	31	19	15	32	31	160	8	42	36	28	17
	F	59	35	45	59	38	28	30	18	21	48	265	16	32	82	41	18
22 Influenza	M	—	1	4	—	3	2	—	—	3	1	3	2	2	4	—	4
	F	1	1	—	1	2	—	—	—	2	1	4	—	3	2	—	5
23 Pneumonia	M	27	20	84	58	31	32	28	26	51	48	116	21	55	50	25	29
	F	32	41	65	92	21	27	34	16	47	52	114	21	43	61	26	31
24 Bronchitis	M	76	33	63	94	64	35	50	50	66	136	339	46	80	66	41	57
	F	42	7	18	36	31	9	24	12	19	59	99	12	19	23	32	20
25 Other diseases of respiratory system	M	15	10	11	14	10	4	3	6	11	10	43	5	13	11	9	6
	F	5	2	8	9	2	3	3	2	4	7	20	3	5	10	2	5
26 Ulcer of stomach and duodenum	M	11	5	15	20	10	13	8	6	9	11	40	7	9	18	14	10
	F	3	4	3	10	6	1	2	1	6	9	10	1	3	11	9	4
27 Gastritis, enteritis and diarrhoea	M	4	1	3	5	3	3	1	3	3	4	10	4	5	1	5	—
	F	1	2	8	11	5	3	4	1	3	10	13	2	10	10	7	2
28 Nephritis and nephrosis	M	7	4	18	11	6	3	7	7	2	5	19	2	4	6	3	3
	F	5	2	10	8	2	2	2	1	4	3	19	2	5	1	5	10
29 Hyperplasia of prostate	M	6	3	18	16	2	7	13	1	5	6	35	6	17	18	16	9
30 Pregnancy, childbirth, abortion	F	1	1	1	4	1	—	2	—	1	1	—	1	4	—	1	—
31 Congenital malformations	M	5	5	12	10	13	5	7	3	13	11	21	—	6	7	8	5
	F	6	5	13	11	10	10	9	1	2	10	27	2	8	6	3	10
32 Other defined and ill-defined diseases	M	60	26	103	89	45	43	41	32	59	103	171	30	70	79	39	51
	F	66	40	125	108	61	48	38	49	74	110	191	35	87	75	80	46
33 Motor vehicle accidents	M	13	12	20	26	20	10	16	7	9	19	39	4	18	8	6	11
	F	2	4	5	10	8	7	5	2	8	13	12	1	6	5	4	1
34 All other accidents	M	9	15	39	35	18	7	8	12	20	18	54	5	19	16	3	26
	F	22	15	21	37	17	10	15	9	11	32	84	6	17	19	20	9
35 Suicide	M	13	7	23	20	14	4	6	10	4	9	27	4	19	11	8	11
	F	12	5	5	13	10	3	9	8	6	3	14	4	10	16	9	4
36 Homicide, operations of war	M	—	1	—	—	—	—	1	—	1	1	4	—	—	—	1	—
	F	—	—	1	—	—	1	—	—	—	—	1	1	1	—	—	1

TABLE 21—*continued.* County boroughs

Registrar General's Supplementary Abridged List		Oldham	Oxford	Plymouth	Portsmouth	Preston	Reading	Rochdale	Rotherham	St. Helens	Salford	Sheffield	Smethwick	Southampton	Southend-on-Sea	Southport	South Shields
9(1) Infectious hepatitis	M	1	—	2	—	—	—	1	—	—	1	3	—	—	1	—	1
	F	—	—	—	—	—	1	—	—	—	—	3	—	—	—	1	1
14(1) Malignant neoplasm, mouth and pharynx	M	3	3	10	4	3	3	1	3	3	7	11	2	7	3	3	2
	F	4	—	5	5	—	1	2	—	1	4	5	2	3	3	2	1
14(2) Malignant neoplasm, oesophagus	M	2	2	8	6	4	2	2	2	5	4	5	3	9	12	5	6
	F	3	2	9	7	3	3	2	1	—	2	9	1	1	4	3	2
14(3) Malignant neoplasm, intestine and rectum	M	12	16	24	32	11	21	11	11	22	30	81	11	30	16	15	13
	F	23	20	39	41	18	20	19	12	15	41	96	11	31	34	23	19
14(4) Malignant neoplasm, larynx	M	3	—	1	5	2	1	—	—	1	3	10	—	5	2	1	3
	F	1	—	1	—	1	—	1	—	—	1	—	—	1	2	—	—
13(1) Malignant neoplasm, cervix uteri	F	8	3	13	15	7	9	6	6	9	15	32	1	10	9	—	14
14(5) Malignant neoplasm, prostate	M	6	6	13	29	5	11	6	6	5	9	38	4	27	20	6	13
14(6) Malignant neoplasm, bladder	M	6	11	13	11	5	6	5	5	4	7	20	1	5	10	6	3
	F	4	—	2	3	3	2	—	2	3	4	12	—	4	5	2	2
14(7) Malignant neoplasm, bone (including jaw-bone)	M	3	—	3	2	2	1	1	—	3	3	4	—	—	2	1	—
	F	2	1	1	—	—	1	—	2	—	1	2	—	1	—	—	—
14(8) Lymphosarcoma, reticulosarcoma	M	1	—	1	2	—	2	—	2	1	1	8	1	5	4	—	1
	F	—	2	1	2	—	3	—	—	3	1	1	—	3	4	—	—
14(9) Hodgkin's disease	M	2	1	3	2	3	—	—	2	1	1	4	1	2	4	1	2
	F	—	1	3	1	2	1	3	—	—	—	1	1	1	3	—	1
32(1) Thyrotoxicosis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
	F	—	—	4	3	1	—	—	—	—	—	1	6	1	2	1	1	1
32(2) Multiple sclerosis	M	—	1	2	2	2	1	—	2	3	9	1	2	1	—	—	—
	F	2	1	2	2	—	2	1	—	1	2	5	—	1	3	2	—
32(3) Rheumatic fever	M	—	1	—	—	2	—	1	—	1	1	—	2	—	—	—	—
	F	—	—	1	—	1	—	—	1	—	1	—	—	—	—	—	—
20(1) Chronic rheumatic heart disease	M	3	3	3	14	6	7	8	9	10	11	35	9	14	4	3	5
	F	19	9	24	21	24	15	17	12	19	19	63	12	15	14	9	7
21(1) Hypertension without mention of heart	M	9	4	17	12	10	15	4	3	5	6	24	4	9	11	5	4
	F	11	6	15	17	5	6	4	8	6	12	40	7	8	7	10	4
25(1) Pneumoconiosis and chronic interstitial pneumonia	M	5	1	1	—	—	1	2	2	8	—	11	—	5	1	—	—
	F	1	—	1	—	—	—	—	—	—	—	2	—	1	1	—	—
26(1) Ulcer of stomach	M	7	1	9	7	8	6	3	3	2	4	17	4	3	6	9	4
	F	3	3	3	6	4	1	1	—	4	6	7	1	2	6	5	2
32(4) Appendicitis	M	2	—	3	2	—	—	—	1	1	—	—	1	1	2	—	2
	F	1	—	1	—	—	1	—	—	—	—	2	1	—	—	2	3
32(5) Intestinal obstruction and hernia	M	6	5	6	9	3	2	4	—	2	2	12	1	2	9	5	1
	F	4	1	13	7	6	4	4	6	3	8	16	4	9	6	3	3
32(6) Cirrhosis of liver	M	5	3	2	1	1	1	—	1	2	3	1	1	5	1	—	1
	F	1	—	5	5	—	2	—	—	1	2	8	1	4	3	—	1
32(7) Cholelithiasis, cholecystitis	M	—	—	2	6	—	1	1	—	2	—	7	—	2	1	1	2
	F	—	3	6	3	2	2	1	2	2	5	10	—	3	2	4	—
30(1) Maternal sepsis (not abortion)	F	—	—	—	1	—	—	—	—	—	—	—	—	1	—	1	—
30(2) Toxaemias of pregnancy and puerperium	F	—	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—
30(3) Abortion	F	1	—	1	2	1	—	1	—	1	1	—	—	—	—	—	—
32(8) Rheumatoid arthritis and allied conditions	M	—	1	—	4	1	1	—	—	—	1	6	1	—	1	1	2
	F	1	1	3	8	4	4	1	—	3	3	10	2	2	4	2	1
32(9) Birth injury	M	5	1	7	3	3	7	2	5	4	5	10	3	3	2	2	4
	F	3	—	2	1	1	—	—	1	1	1	10	2	2	3	2	2
32(10) Postnatal asphyxia and atelectasis	M	11	2	7	4	1	1	4	4	5	3	11	2	8	5	—	5
	F	7	1	3	4	7	—	2	2	4	1	2	2	5	2	—	4
23(1) Pneumonia of newborn	M	3	—	4	—	2	3	—	1	1	3	4	2	—	—	—	—
	F	1	1	1	—	—	1	2	—	—	3	—	4	—	1	—	—
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	2	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
32(12) Haemolytic disease of newborn	M	—	—	2	—	1	—	—	—	—	—	2	—	2	—	—	—
	F	—	—	1	2	1	1	—	1	1	—	3	—	—	—	1	—
32(13) Immaturity (without other disease peculiar to early infancy)	M	1	1	13	5	8	6	3	3	8	12	20	4	5	11	5	3
	F	1	—	7	2	5	3	2	5	6	7	9	—	3	3	4	1
32(14) Senility without psychosis	M	5	—	7	4	1	—	6	1	16	35	2	2	—	3	9	6
	F	13	5	18	13	3	5	7	1	14	37	18	6	4	5	27	6
32(15) Ill-defined and unknown cause	M	—	—	—	2	—	—	—	—	—	—	—	—	—	—	1	2
	F	—	—	—	2	—	2	2	—	1	—	2	—	—	—	2	1

TABLE 21—*continued.* **County boroughs**

Registrar General's Abridged List		Stockport	Stoke-on-Trent	Sunderland	Tynemouth	Wakefield	Wallasey	Walsall	Warrington	West Bromwich	West Ham	West Hartlepool	Wigan	Wolverhampton	Worcester	York	Cardiff
1 Tuberculosis, respiratory	M	5	22	12	3	1	7	5	5	12	6	5	6	7	7	8	21
	F	3	9	2	1	1	3	1	1	4	5	3	3	3	2	1	7
2 Tuberculosis, other	M	—	1	2	—	—	—	—	—	—	—	1	—	—	—	2	2
	F	—	2	—	—	1	2	—	—	—	—	1	—	—	—	—	1
3 Syphilitic disease	M	2	2	6	1	4	—	—	2	—	2	2	1	1	—	1	7
	F	2	3	3	—	—	1	1	—	—	1	—	—	2	—	2	1
4 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	F	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Meningococcal infections	M	—	1	—	—	—	—	—	—	—	1	—	—	1	—	—	1
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Acute poliomyelitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8 Measles	M	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
	F	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Other infective, etc., diseases	M	2	1	3	2	—	—	4	—	2	1	—	1	2	—	—	5
	F	4	3	3	—	—	2	—	2	—	—	3	—	1	2	—	3
10 Malignant neoplasm: stomach	M	30	68	36	8	9	18	27	11	17	39	11	16	30	14	15	45
	F	27	39	38	6	15	19	13	13	13	30	6	13	18	7	9	30
11 lung, bronchus	M	67	115	87	32	21	40	49	49	32	72	25	38	57	34	39	95
	F	13	11	20	8	2	11	5	7	2	15	3	3	7	3	12	11
12 breast	M	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	23	57	24	9	11	19	20	14	19	33	8	14	34	16	21	48
13 uterus	F	14	31	17	6	6	4	9	7	6	9	3	6	12	5	8	25
14 Other malignant and lymphatic neoplasms	M	73	116	91	33	29	47	49	42	39	61	38	37	76	35	66	129
	F	83	132	86	40	44	56	52	42	46	71	38	35	67	33	43	106
15 Leukaemia, aleukaemia	M	6	17	10	2	3	2	2	3	5	6	1	3	2	6	1	9
	F	6	5	4	2	2	5	2	1	2	3	2	—	3	1	3	7
16 Diabetes	M	—	3	4	3	2	1	1	1	1	3	4	2	7	2	6	4
	F	6	12	7	3	7	6	9	5	8	6	2	4	5	2	6	11
17 Vascular lesions of nervous system	M	100	149	96	67	52	81	72	49	62	67	44	57	104	50	75	145
	F	196	207	138	77	60	107	73	51	94	107	81	81	149	52	88	247
18 Coronary disease, angina	M	227	311	254	81	95	162	128	139	92	167	102	111	116	79	149	369
	F	134	192	186	55	62	113	72	64	40	104	66	67	78	42	102	250
19 Hypertension with heart disease	M	16	18	12	13	11	15	15	14	12	15	6	9	20	6	13	38
	F	22	29	21	9	26	16	27	15	12	18	15	11	21	19	22	41
20 Other heart disease	M	84	123	61	43	38	68	75	30	50	88	29	71	82	62	80	105
	F	182	220	94	59	84	92	110	43	52	164	55	88	140	69	103	157
21 Other circulatory disease	M	26	64	28	12	9	8	26	17	29	37	15	18	32	11	17	76
	F	41	85	24	16	9	22	24	21	18	42	19	19	24	13	20	75
22 Influenza	M	—	1	13	—	2	—	3	—	1	1	—	—	14	—	—	3
	F	—	2	8	2	—	—	2	2	—	4	3	1	9	—	3	3
23 Pneumonia	M	35	68	85	21	14	34	40	34	23	36	25	13	55	20	25	59
	F	44	85	64	14	15	32	36	28	21	40	19	13	68	20	35	39
24 Bronchitis	M	84	128	94	30	36	56	46	51	55	98	35	40	71	30	62	115
	F	30	57	35	9	16	20	19	18	28	24	21	29	30	11	14	30
25 Other diseases of respiratory system	M	17	66	14	6	3	3	4	9	5	8	5	8	18	2	5	17
	F	9	21	6	2	1	5	4	3	5	2	3	3	4	—	5	6
26 Ulcer of stomach and duodenum	M	13	11	18	4	10	10	8	5	10	11	4	7	16	7	5	7
	F	5	9	2	2	2	4	5	—	1	3	1	3	4	3	2	6
27 Gastritis, enteritis and diarrhoea	M	2	9	4	2	2	6	1	3	4	1	1	2	4	1	—	4
	F	3	8	11	1	1	4	2	2	3	8	2	2	5	3	4	9
28 Nephritis and nephrosis	M	1	11	9	4	2	4	7	5	2	5	3	3	5	1	4	11
	F	4	17	7	3	2	9	5	9	1	5	1	2	6	4	3	14
29 Hyperplasia of prostate	M	8	15	8	1	6	11	4	4	8	5	4	4	6	7	9	15
30 Pregnancy, childbirth, abortion	F	—	1	—	1	1	1	—	—	—	3	1	1	2	1	—	1
31 Congenital malformations	M	8	11	8	4	2	8	9	2	10	5	7	2	9	5	6	17
	F	6	16	13	4	2	2	5	3	5	5	4	6	5	5	3	20
32 Other defined and ill-defined diseases	M	60	107	73	23	17	43	32	25	29	71	39	39	52	21	48	102
	F	99	136	91	39	34	70	49	50	50	63	34	45	83	37	41	121
33 Motor vehicle accidents	M	13	23	13	5	9	4	10	8	12	14	3	7	18	9	7	26
	F	11	12	5	1	6	3	6	3	2	7	2	4	6	3	4	12
34 All other accidents	M	9	36	33	19	9	13	16	13	14	21	15	6	18	7	12	41
	F	15	35	28	8	9	9	12	12	8	9	8	15	25	14	6	31
35 Suicide	M	14	15	14	4	3	12	7	7	9	16	6	1	5	—	10	17
	F	3	7	1	3	3	9	3	4	3	5	2	5	4	3	6	10
36 Homicide, operations of war	M	2	1	1	—	—	—	2	1	—	1	1	—	1	—	—	—
	F	—	1	2	—	—	3	3	—	—	1	—	—	1	—	1	3

TABLE 21—*continued.* **County boroughs**

Registrar General's Supplementary Abridged List		Stockport	Stoke-on-Trent	Sunderland	Tynemouth	Wakefield	Wallasey	Walsall	Warrington	West Bromwich	West Ham	West Hartlepool	Wigan	Wolverhampton	Worcester	York	Cardiff
9(1) Infectious hepatitis	M	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1
	F	—	1	1	—	—	2	—	2	—	—	1	—	1	1	—	2
14(1) Malignant neoplasm, mouth and pharynx	M	3	8	4	1	—	3	2	1	2	3	2	—	4	3	6	5
	F	1	9	2	1	3	2	2	1	5	2	3	1	2	3	1	8
14(2) Malignant neoplasm, oesophagus	M	2	3	1	2	4	3	1	3	1	4	3	—	4	3	3	9
	F	8	6	5	—	4	2	—	1	4	2	—	4	1	5	—	7
14(3) Malignant neoplasm, intestine and rectum	M	21	36	23	14	5	16	10	11	9	17	8	15	22	6	19	32
	F	33	47	35	12	15	21	22	16	17	23	11	9	23	8	19	31
14(4) Malignant neoplasm, larynx	M	4	3	3	2	2	1	2	2	1	2	2	3	2	1	2	2
	F	1	1	1	—	—	1	1	3	—	—	1	—	1	—	—	1
13(1) Malignant neoplasm, cervix uteri	F	4	25	10	6	5	3	4	5	4	8	2	4	7	2	6	20
14(5) Malignant neoplasm, prostate	M	10	15	10	5	9	9	11	7	9	4	4	4	13	1	10	19
14(6) Malignant neoplasm, bladder	M	8	9	11	—	2	5	7	3	2	8	3	2	5	7	6	12
	F	2	5	2	3	—	3	2	2	—	4	2	—	3	—	3	3
14(7) Malignant neoplasm, bone (including jaw-bone)	M	1	3	—	—	1	—	—	—	—	—	—	—	—	—	1	1
	F	3	3	1	—	1	—	3	—	1	—	1	—	—	—	—	—
14(8) Lymphosarcoma, reticulosarcoma	M	—	5	6	1	—	—	1	3	2	1	1	1	2	1	1	1
	F	—	1	1	1	—	—	1	1	1	3	—	—	—	—	—	3
14(9) Hodgkin's disease	M	1	2	5	1	—	—	1	1	1	2	2	1	1	1	1	6
	F	2	3	—	—	1	—	—	—	1	—	—	—	1	3	—	3
32(1) Thyrotoxicosis	M	—	1	1	—	—	—	—	—	—	—	—	—	—	—	1	1
	F	4	8	1	—	—	—	—	—	1	1	1	—	1	2	—	6
32(2) Multiple sclerosis	M	1	—	2	2	—	—	—	—	—	—	2	—	—	—	—	2
	F	5	1	2	—	2	—	1	—	2	—	2	—	3	—	2	5
32(3) Rheumatic fever	M	—	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—
20(1) Chronic rheumatic heart disease	M	13	21	9	2	6	3	8	6	7	7	1	5	11	2	3	12
	F	26	34	24	11	9	19	11	7	14	34	6	10	14	10	12	29
21(1) Hypertension without mention of heart	M	5	13	4	2	5	2	12	6	10	18	4	4	8	6	6	28
	F	5	19	7	2	4	4	4	2	4	9	7	5	11	1	5	17
25(1) Pneumoconiosis and chronic interstitial pneumonia	M	1	36	2	—	—	—	1	2	1	2	—	4	3	—	—	2
	F	—	9	—	—	—	—	—	—	1	—	—	—	—	—	1	—
26(1) Ulcer of stomach	M	7	4	8	2	6	7	4	4	1	4	1	1	6	1	1	3
	F	5	5	1	—	—	2	5	—	1	3	—	2	2	1	1	3
32(4) Appendicitis	M	2	2	1	—	—	—	2	1	—	—	1	2	—	—	1	3
	F	1	3	1	1	1	2	2	—	1	—	—	—	2	2	1	—
32(5) Intestinal obstruction and hernia	M	3	9	4	1	—	3	1	4	3	5	5	4	5	1	4	7
	F	4	7	4	2	1	2	5	1	5	6	4	3	9	4	3	6
32(6) Cirrhosis of liver	M	4	2	2	1	1	1	1	—	1	1	3	—	1	3	7	7
	F	4	4	1	1	1	1	—	1	1	1	—	2	—	—	1	6
32(7) Cholelithiasis, cholecystitis	M	1	4	1	—	—	1	—	—	3	2	2	—	2	1	—	3
	F	6	7	4	3	3	3	—	1	3	5	—	—	1	1	—	5
30(1) Maternal sepsis (not abortion)	F	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
30(2) Toxaemias of pregnancy and puerperium	F	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30(3) Abortion	F	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—	—
32(8) Rheumatoid arthritis and allied conditions	M	—	3	—	—	—	—	—	—	1	—	—	1	1	—	1	1
	F	1	7	2	2	1	3	—	5	2	2	—	—	4	2	3	3
32(9) Birth injury	M	6	9	4	1	1	3	2	—	2	5	4	4	10	—	3	11
	F	6	1	6	3	—	3	1	5	1	—	2	3	4	—	4	6
32(10) Postnatal asphyxia and atelectasis	M	3	10	12	8	2	4	4	—	—	10	4	2	4	2	1	23
	F	5	5	9	—	6	2	9	1	2	9	2	1	7	—	1	22
23(1) Pneumonia of newborn	M	4	4	4	—	2	1	—	—	1	—	—	1	1	3	—	3
	F	2	9	2	1	1	1	—	—	—	2	1	—	1	1	2	1
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	2	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
32(12) Haemolytic disease of newborn	M	1	—	—	—	1	1	—	—	—	1	—	1	1	—	1	—
	F	1	2	1	1	—	—	1	—	1	1	—	—	—	1	1	—
32(13) Immaturity (without other disease peculiar to early infancy)	M	11	10	8	—	1	2	3	4	2	10	8	6	4	—	2	4
	F	7	4	6	1	4	2	5	9	1	11	3	5	3	2	1	—
32(14) Senility without psychosis	M	7	10	1	3	—	6	2	2	3	4	1	10	4	4	4	4
	F	17	21	1	6	4	14	—	7	11	2	1	14	13	12	1	12
32(15) Ill-defined and unknown cause	M	—	—	—	—	—	1	—	1	1	1	—	—	—	—	—	1
	F	—	—	1	—	1	2	1	—	—	—	—	1	1	—	—	—

TABLE 21—*continued.* **County boroughs and administrative counties**

Registrar General's Abridged List		Merthyr Tydfil	Newport (Mon.)	Swansea	Bedfordshire	Berkshire	Buckinghamshire	Cambridgeshire	Cheshire	Cornwall	Cumberland	Derbyshire	Devon	Dorset	Durham	Ely, Isle of	Essex
1	Tuberculosis, respiratory	M	5	5	12	13	12	17	7	28	17	13	34	14	8	68	—	79
		F	1	1	3	5	6	4	3	9	3	2	5	15	4	24	—	27
2	Tuberculosis, other	M	1	—	—	3	1	2	1	2	2	—	2	7	1	4	—	6
		F	—	—	1	1	1	1	1	5	—	1	3	4	2	8	—	6
3	Syphilitic disease	M	1	—	3	5	1	6	4	7	7	3	5	10	3	16	1	22
		F	—	1	1	8	2	4	—	6	2	2	2	3	—	5	—	9
4	Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
5	Whooping cough	M	—	—	—	—	—	3	—	1	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
6	Meningococcal infections	M	—	—	—	—	—	—	1	—	—	—	—	—	1	1	—	—
		F	—	—	—	1	1	2	—	—	—	—	—	—	1	2	—	—
7	Acute poliomyelitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8	Measles	M	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
9	Other infective, etc., diseases	M	—	1	3	2	5	4	3	13	4	1	6	5	—	4	—	20
		F	1	1	2	1	7	5	6	14	2	2	4	6	3	8	2	19
10	Malignant neoplasm: stomach	M	12	22	39	48	43	57	30	172	85	51	120	102	43	216	8	292
		F	11	5	36	37	40	52	18	145	47	30	95	92	42	163	10	215
11	lung, bronchus	M	34	42	68	132	127	192	65	300	96	56	257	192	110	313	27	759
		F	1	7	7	21	19	27	9	60	16	11	43	44	15	37	1	139
12	breast	M	—	—	—	—	—	1	—	—	1	—	1	2	—	—	—	3
		F	18	27	31	65	64	93	27	167	60	25	133	141	74	136	15	384
13	uterus	F	10	9	22	32	19	39	18	91	37	21	60	61	25	70	11	138
14	Other malignant and lymphatic neoplasms	M	27	57	90	199	191	249	96	442	214	88	361	348	200	471	43	924
		F	29	42	81	159	150	207	98	476	188	111	321	332	186	434	34	835
15	Leukaemia, aleukaemia	M	1	1	4	6	18	9	7	22	14	6	22	18	11	35	2	70
		F	1	—	7	12	13	11	5	20	7	3	18	26	6	20	2	51
16	Diabetes	M	2	1	2	12	8	12	6	20	15	6	24	20	8	19	4	46
		F	5	6	18	18	23	25	11	45	28	9	37	29	19	66	8	68
17	Vascular lesions of nervous system	M	62	74	132	242	223	217	129	639	298	189	518	457	236	836	50	943
		F	68	90	189	351	339	354	206	969	443	250	603	763	341	927	87	1,500
18	Coronary disease, angina	M	80	158	276	357	359	490	172	1,233	453	332	842	839	418	1,238	99	2,069
		F	28	67	129	232	226	318	148	786	235	201	466	512	254	729	41	1,201
19	Hypertension with heart disease	M	12	13	44	33	28	37	13	87	50	19	66	83	39	104	16	148
		F	25	17	33	47	42	48	28	134	61	18	79	109	48	123	14	214
20	Other heart disease	M	60	89	103	160	185	243	85	472	412	177	496	534	258	564	74	831
		F	61	98	149	235	295	320	132	755	569	217	637	754	373	662	114	1,416
21	Other circulatory disease	M	18	28	40	58	81	90	42	225	70	64	224	174	98	209	17	379
		F	24	28	54	62	129	94	46	263	124	66	191	192	114	264	16	504
22	Influenza	M	—	—	2	1	5	9	3	13	9	3	7	10	1	26	—	13
		F	1	—	2	4	—	3	3	14	10	1	8	2	3	25	1	18
23	Pneumonia	M	12	16	35	69	79	158	39	219	71	31	201	150	82	292	46	446
		F	8	10	38	75	94	133	44	247	103	32	173	155	66	207	38	564
24	Bronchitis	M	58	45	100	136	101	149	68	352	82	46	328	185	96	459	24	613
		F	7	9	26	51	38	77	23	146	36	20	106	59	36	146	10	242
25	Other diseases of respiratory system	M	21	12	9	16	15	23	14	43	25	25	52	51	37	79	7	100
		F	3	3	4	12	15	11	5	24	5	10	29	30	20	32	5	65
26	Ulcer of stomach and duodenum	M	8	3	12	21	16	23	17	55	26	18	48	40	16	78	6	105
		F	1	2	2	7	13	11	12	26	8	3	17	15	19	22	3	66
27	Gastritis, enteritis and diarrhoea	M	—	3	2	10	6	9	3	19	17	7	17	17	6	11	1	37
		F	3	5	3	12	13	14	1	30	14	6	23	26	9	25	2	59
28	Nephritis and nephrosis	M	3	2	10	17	16	19	7	41	27	12	45	27	17	41	3	70
		F	3	3	6	11	13	19	5	33	24	8	34	29	9	47	3	47
29	Hyperplasia of prostate	M	6	5	16	25	17	35	8	61	35	17	47	76	36	58	11	116
30	Pregnancy, childbirth, abortion	F	2	—	3	4	2	1	—	6	1	2	4	5	2	6	—	6
31	Congenital malformations	M	3	7	11	25	22	31	9	32	19	12	39	32	23	72	7	117
		F	5	8	10	21	22	20	4	42	20	22	35	21	14	65	2	82
32	Other defined and ill-defined diseases	M	38	61	82	166	137	169	72	460	183	110	281	250	132	454	59	698
		F	29	70	96	153	162	220	78	548	205	142	334	364	187	523	33	856
33	Motor vehicle accidents	M	5	13	16	46	60	53	30	102	22	30	75	47	30	102	10	159
		F	—	3	8	12	21	23	1	38	9	7	21	17	15	32	3	64
34	All other accidents	M	7	12	13	38	47	39	28	88	42	38	118	80	26	156	11	145
		F	14	10	16	39	42	47	36	84	45	35	83	70	40	112	5	153
35	Suicide	M	4	2	8	16	18	16	18	45	22	13	43	45	24	62	8	101
		F	2	—	4	8	9	14	12	42	11	5	29	29	13	36	2	84
36	Homicide, operations of war	M	—	1	—	—	1	—	—	4	1	—	4	2	1	6	—	1
		F	—	—	1	1	—	—	3	6	—	—	—	1	1	5	—	2

TABLE 21—*continued.* **County boroughs and administrative counties**

Registrar General's Supplementary Abridged List		Merthyr Tydfil	Newport (Mon.)	Swansea	Bedfordshire	Berkshire	Buckinghamshire	Cambridgeshire	Cheshire	Cornwall	Cumberland	Derbyshire	Devon	Dorset	Durham	Ely, Isle of	Essex
9(1)	Infectious hepatitis	M	—	—	1	1	1	1	—	5	—	1	3	1	—	2	—	4
		F	1	—	—	—	2	2	2	5	1	1	1	1	2	2	1	5
14(1)	Malignant neoplasm, mouth and pharynx	M	3	2	5	5	6	11	3	16	13	5	15	26	14	24	1	34
		F	—	—	4	5	1	4	2	20	5	3	8	11	6	10	—	22
14(2)	Malignant neoplasm, oesophagus	M	1	3	3	15	6	9	4	28	20	2	18	21	6	26	3	53
		F	—	2	7	5	4	14	5	22	16	5	6	25	9	18	3	38
14(3)	Malignant neoplasm, intestine and rectum	M	7	18	37	55	59	79	28	130	55	26	111	77	53	137	12	222
		F	13	15	34	59	63	72	41	179	59	33	121	120	65	159	10	284
14(4)	Malignant neoplasm, larynx	M	—	1	2	7	2	13	3	12	6	2	8	3	6	12	1	21
		F	—	1	—	3	—	—	—	6	1	—	3	—	1	5	—	3
13(1)	Malignant neoplasm, cervix uteri	F	5	6	9	18	12	23	11	59	23	16	37	38	16	51	6	88
14(5)	Malignant neoplasm, prostate	M	5	9	9	29	39	27	13	59	38	11	56	68	33	57	9	150
14(6)	Malignant neoplasm, bladder	M	3	5	5	12	13	13	7	37	14	2	33	26	16	36	1	85
		F	3	—	—	7	7	3	7	16	6	5	15	6	5	12	—	46
14(7)	Malignant neoplasm, bone (including jaw-bone)	M	—	—	3	2	2	4	1	8	4	—	5	5	5	4	—	8
		F	1	—	2	2	3	4	4	4	—	3	4	5	3	6	—	9
14(8)	Lymphosarcoma, reticulosarcoma	M	—	2	1	5	2	5	2	8	1	3	5	7	2	9	—	28
		F	—	2	—	2	5	3	4	4	3	—	8	9	4	6	1	20
14(9)	Hodgkin's disease	M	1	2	1	6	5	1	1	13	1	3	6	6	1	5	1	21
		F	1	—	—	1	6	2	—	10	2	3	5	8	1	14	1	10
32(1)	Thyrotoxicosis	M	—	—	1	—	1	—	—	—	1	—	1	—	1	—	—	1
		F	—	1	—	5	1	2	2	5	2	3	5	8	2	5	—	5
32(2)	Multiple sclerosis	M	—	1	2	7	4	3	1	9	3	1	7	2	2	8	2	12
		F	—	—	2	3	3	—	2	11	4	—	7	3	6	12	—	23
32(3)	Rheumatic fever	M	—	—	1	—	—	1	—	1	—	—	2	2	—	2	1	2
		F	—	—	—	—	1	—	—	—	—	—	2	1	—	2	—	—
20(1)	Chronic rheumatic heart disease	M	3	11	10	12	10	20	3	46	22	11	29	30	9	55	7	72
		F	8	17	19	23	24	31	9	87	35	15	61	45	29	100	5	156
21(1)	Hypertension without mention of heart	M	6	12	6	19	25	26	13	54	31	5	59	50	24	40	7	112
		F	8	5	20	22	25	23	10	42	34	14	44	51	25	64	6	132
25(1)	Pneumoconiosis and chronic interstitial pneumonia	M	14	2	3	7	—	2	2	7	9	8	6	3	4	36	1	13
		F	—	—	2	—	1	—	—	2	—	1	—	2	—	2	—	7
26(1)	Ulcer of stomach	M	4	1	8	9	9	12	6	26	13	7	20	18	8	35	3	58
		F	—	1	2	5	6	6	8	13	5	1	10	11	11	14	1	47
32(4)	Appendicitis	M	2	—	5	4	1	7	—	7	4	2	7	6	6	3	—	10
		F	1	—	2	4	—	2	—	7	1	2	4	5	2	4	1	8
32(5)	Intestinal obstruction and hernia	M	2	1	10	10	12	22	6	29	14	12	21	21	6	33	5	47
		F	—	2	6	7	11	9	4	23	13	7	22	18	10	37	2	51
32(6)	Cirrhosis of liver	M	1	2	1	5	7	6	4	5	5	3	11	15	9	11	4	17
		F	—	3	5	2	4	7	4	7	4	1	9	7	4	8	1	18
32(7)	Cholelithiasis, cholecystitis	M	—	1	—	6	—	2	1	9	8	1	12	6	4	3	—	11
		F	1	2	3	1	6	10	4	14	8	4	14	16	9	18	1	40
30(1)	Maternal sepsis (not abortion)	F	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	3
30(2)	Toxaemias of pregnancy and puerperium	F	1	—	—	2	—	—	—	—	—	1	1	2	—	3	—	1
30(3)	Abortion	F	—	—	1	—	—	1	—	—	—	—	—	—	—	2	—	1
32(8)	Rheumatoid arthritis and allied conditions	M	—	—	—	2	1	2	1	3	4	1	2	5	1	3	2	10
		F	2	2	3	3	4	6	2	17	10	3	20	12	4	15	—	36
32(9)	Birth injury	M	1	4	3	5	12	12	8	27	5	3	13	9	6	29	5	36
		F	1	1	—	5	6	10	3	21	2	2	14	2	4	18	2	24
32(10)	Postnatal asphyxia and atelectasis	M	9	10	6	14	11	12	3	26	6	10	13	16	12	24	3	57
		F	5	2	6	13	6	11	1	20	3	8	16	9	9	23	1	33
23(1)	Pneumonia of newborn	M	—	1	—	3	5	6	—	6	4	3	13	2	2	16	—	17
		F	—	1	1	3	4	5	—	4	4	1	8	7	1	8	1	10
32(11)	Ophthalmia, pemphigus, sepsis of newborn	M	—	—	—	1	—	—	—	1	—	—	1	—	—	3	—	2
		F	—	—	—	—	1	—	—	—	—	—	—	—	—	2	—	1
32(12)	Haemolytic disease of newborn	M	—	1	1	2	—	2	2	8	—	1	5	—	1	2	1	6
		F	—	1	—	3	—	3	—	1	2	2	3	3	—	2	1	9
32(13)	Immaturity (without other disease peculiar to early infancy)	M	1	9	4	11	8	19	9	34	16	11	18	14	10	73	9	61
		F	1	4	5	12	10	16	2	24	7	5	8	8	7	54	3	48
32(14)	Senility without psychosis	M	9	8	15	17	17	13	7	130	36	33	36	40	7	76	10	83
		F	6	19	19	29	36	23	11	200	68	63	71	124	42	100	6	141
32(15)	Ill-defined and unknown cause	M	1	—	—	2	2	3	—	2	—	1	—	3	3	4	1	12
		F	1	—	1	—	2	2	—	3	1	2	—	2	3	4	—	2

TABLE 21—*continued.* Administrative counties

Registrar General's Abridged List		Gloucestershire	Hampshire	Herefordshire	Hertfordshire	Huntingdonshire	Kent	Lancashire	Leicestershire	Lincolnshire (Parts of Holland)	Lincolnshire (Parts of Kesteven)	Lincolnshire (Parts of Lindsey)	Middlesex	Norfolk	Northamptonshire	Northumberland	Nottinghamshire
1 Tuberculosis, respiratory	M	14	23	3	25	1	84	102	10	—	2	9	91	8	10	14	11
	F	8	14	3	11	1	22	49	10	2	—	2	29	3	3	11	12
2 Tuberculosis, other	M	2	3	2	2	1	4	4	1	—	2	1	6	—	2	—	2
	F	2	1	—	2	1	7	4	1	—	—	5	5	1	1	1	1
3 Syphilitic disease	M	6	13	1	9	—	20	39	7	—	2	—	29	4	2	10	9
	F	4	4	—	8	2	8	17	1	1	1	3	7	3	2	4	2
4 Diphtheria	M	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
6 Meningococcal infections	M	1	—	—	—	—	1	2	—	—	—	—	—	—	—	2	1
	F	1	—	—	—	—	1	2	—	—	—	—	1	—	—	1	—
7 Acute poliomyelitis	M	—	1	—	—	—	1	1	1	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—
8 Measles	M	—	—	—	—	—	—	3	—	—	—	—	1	—	—	—	1
	F	—	—	—	—	1	2	2	—	—	—	—	—	—	—	—	1
9 Other infective, etc., diseases	M	7	14	3	4	2	22	29	5	1	3	6	24	7	6	8	10
	F	3	8	3	6	2	13	33	1	—	1	7	30	7	7	7	9
10 Malignant neoplasm: stomach	M	78	102	15	88	12	245	402	53	13	20	39	353	63	47	93	83
	F	54	75	10	66	6	203	349	46	15	15	26	272	40	26	87	61
11 lung, bronchus	M	157	277	29	300	24	710	818	125	30	50	109	1,086	124	100	180	183
	F	25	50	4	43	2	138	129	12	8	8	21	210	15	10	28	28
12 breast	M	—	—	—	—	—	2	3	—	—	1	—	4	—	—	1	—
	F	103	155	28	143	21	365	402	67	16	28	47	493	69	51	73	109
13 uterus	F	32	58	13	45	5	156	188	31	11	14	29	197	39	29	36	56
14 Other malignant and lymphatic neoplasms	M	254	384	84	319	33	938	1,138	177	52	78	178	1,209	228	132	268	294
	F	222	342	65	325	36	903	1,043	162	45	51	159	1,147	222	135	178	257
15 Leukaemia, aleukaemia	M	19	25	9	23	3	51	67	12	—	4	18	71	9	7	20	19
	F	9	17	9	31	2	55	53	13	7	2	7	57	10	10	12	12
16 Diabetes	M	9	21	3	16	2	41	55	10	3	9	8	45	20	10	7	18
	F	20	38	4	39	3	66	108	21	4	6	23	86	13	10	39	21
17 Vascular lesions of nervous system	M	300	496	96	436	42	1,018	1,697	256	78	76	229	1,059	275	158	437	392
	F	434	734	138	658	69	1,657	2,438	357	92	123	298	1,696	402	267	543	475
18 Coronary disease, angina	M	593	879	137	778	72	2,009	2,945	406	97	174	397	2,746	393	327	635	539
	F	354	541	66	468	37	1,337	1,858	236	49	87	203	1,668	269	204	464	313
19 Hypertension with heart disease	M	45	105	18	55	9	178	214	47	11	16	43	208	33	34	45	60
	F	65	121	16	113	8	248	328	61	14	15	54	327	43	43	52	84
20 Other heart disease	M	331	520	105	396	56	984	1,635	253	74	104	209	965	341	229	377	416
	F	505	699	166	574	65	1,672	2,449	345	91	169	249	1,681	392	299	449	524
21 Other circulatory disease	M	92	172	24	160	14	445	573	90	18	48	86	511	95	63	113	136
	F	129	175	40	212	23	549	667	102	43	45	74	669	125	84	120	172
22 Influenza	M	7	5	—	7	7	7	31	7	1	2	5	14	5	7	17	5
	F	8	5	2	3	5	17	36	4	1	1	5	22	2	7	9	6
23 Pneumonia	M	101	153	46	242	23	447	521	71	21	40	60	505	137	72	93	118
	F	108	185	55	224	20	456	546	82	26	51	51	601	120	67	84	104
24 Bronchitis	M	141	226	50	214	14	556	1,005	125	32	23	89	818	63	105	178	240
	F	49	73	23	90	5	252	440	49	14	15	39	330	36	47	73	91
25 Other diseases of respiratory system	M	46	48	11	38	6	102	175	23	4	4	27	116	17	22	36	43
	F	15	22	4	18	1	49	75	11	9	11	15	56	11	13	14	23
26 Ulcer of stomach and duodenum	M	32	57	10	51	3	126	151	16	6	7	23	136	24	10	27	34
	F	14	29	8	19	4	64	78	9	2	2	6	87	7	12	12	16
27 Gastritis, enteritis and diarrhoea	M	11	18	1	17	1	50	53	8	1	1	7	32	6	8	10	14
	F	15	21	5	17	1	51	76	13	—	4	8	86	12	9	8	17
28 Nephritis and nephrosis	M	16	36	11	24	5	65	98	14	6	6	13	63	17	13	20	16
	F	13	26	3	18	6	57	89	14	5	5	17	52	10	10	21	20
29 Hyperplasia of prostate	M	30	51	9	45	10	109	136	27	4	9	45	133	53	22	30	46
30 Pregnancy, childbirth, abortion	F	2	8	—	4	—	13	17	3	—	—	—	7	5	2	5	3
31 Congenital malformations	M	32	52	8	41	1	79	151	21	8	8	22	114	23	25	23	36
	F	33	39	8	39	7	81	140	23	1	4	17	97	10	12	14	29
32 Other defined and ill-defined diseases	M	172	279	56	305	46	670	1,033	155	64	64	179	788	186	128	221	216
	F	217	380	73	368	45	876	1,339	211	60	84	183	1,024	200	137	222	279
33 Motor vehicle accidents	M	80	88	17	90	14	159	222	50	14	21	35	206	53	26	39	61
	F	23	26	5	28	1	42	107	14	2	5	13	95	13	13	23	24
34 All other accidents	M	68	91	24	65	10	171	261	53	9	9	42	195	46	32	87	62
	F	56	90	16	91	9	156	374	48	3	19	26	242	55	46	64	42
35 Suicide	M	35	48	12	32	4	105	160	17	2	8	13	153	24	18	33	48
	F	15	23	6	31	2	67	109	19	2	2	13	123	15	12	15	24
36 Homicide, operations of war	M	—	1	—	1	—	8	10	—	—	—	—	12	1	1	1	1
	F	1	3	—	1	—	—	1	2	—	—	—	7	—	—	—	3

TABLE 21—*continued.* Administrative counties

Registrar General's Supplementary Abridged List		Gloucestershire	Hampshire	Herefordshire	Hertfordshire	Huntingdonshire	Kent	Lancashire	Leicestershire	Lincolnshire (Parts of Holland)	Lincolnshire (Parts of Kesteven)	Lincolnshire (Parts of Lindsey)	Middlesex	Norfolk	Northamptonshire	Northumberland	Nottinghamshire
9(1) Infectious hepatitis	M	4	3	—	—	1	7	10	1	—	1	2	7	2	2	1	1
	F	1	—	—	—	—	3	9	—	—	—	2	11	2	2	3	6
14(1) Malignant neoplasm, mouth and pharynx	M	13	19	4	10	4	43	61	7	1	4	8	47	10	3	10	11
	F	5	10	—	7	2	16	29	2	1	—	9	29	4	5	5	6
14(2) Malignant neoplasm, oesophagus	M	13	24	7	19	2	40	73	15	1	4	6	47	14	8	3	8
	F	3	15	7	11	4	43	45	4	2	—	4	43	7	3	9	12
14(3) Malignant neoplasm, intestine and rectum	M	80	109	19	79	7	245	342	46	21	25	49	310	65	44	90	94
	F	72	121	25	109	15	310	406	54	20	22	63	396	75	38	69	79
14(4) Malignant neoplasm, larynx	M	6	11	3	8	—	22	32	7	—	1	5	34	5	1	9	10
	F	3	1	—	—	—	11	7	3	—	—	1	7	—	1	—	3
13(1) Malignant neoplasm, cervix uteri	F	24	38	8	23	4	88	123	15	4	7	22	109	28	21	24	41
14(5) Malignant neoplasm, prostate	M	32	51	14	49	6	171	159	28	11	15	28	177	41	20	34	40
14(6) Malignant neoplasm, bladder	M	25	36	4	31	2	102	98	20	4	9	19	116	21	7	25	21
	F	10	11	2	14	2	43	45	7	2	—	6	53	10	7	7	12
14(7) Malignant neoplasm, bone (including jaw-bone)	M	2	6	—	5	—	9	20	1	1	1	2	11	2	3	5	4
	F	3	5	—	4	1	11	9	2	—	1	1	11	1	—	1	6
14(8) Lymphosarcoma, reticulosarcoma	M	7	13	1	8	2	16	23	8	1	1	4	29	4	4	5	11
	F	5	9	1	8	1	21	12	1	1	—	2	29	2	8	8	7
14(9) Hodgkin's disease	M	7	10	2	8	1	15	25	3	3	2	4	25	1	1	6	8
	F	3	7	1	3	—	22	27	5	1	—	4	13	4	2	7	1
32(1) Thyrotoxicosis	M	2	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	2	1	3	—	18	15	1	—	—	1	12	2	4	6	4
32(2) Multiple sclerosis	M	2	9	—	3	—	7	21	3	1	—	1	21	3	—	3	5
	F	8	5	—	6	—	23	40	6	—	2	5	35	2	4	7	5
32(3) Rheumatic fever	M	1	—	—	3	—	1	3	—	—	—	1	1	—	—	—	1
	F	—	—	—	1	—	3	3	—	—	—	—	3	—	—	—	—
20(1) Chronic rheumatic heart disease	M	24	27	10	38	6	80	139	12	3	4	15	107	15	18	21	24
	F	29	45	12	69	7	156	282	31	6	8	18	227	38	35	38	41
21(1) Hypertension without mention of heart	M	27	52	6	47	4	131	175	32	3	13	22	185	19	20	27	41
	F	27	47	14	53	6	162	153	27	5	9	13	209	19	20	37	43
25(1) Pneumoconiosis and chronic interstitial pneumonia	M	16	8	2	10	—	19	57	2	—	—	1	18	—	4	5	9
	F	1	1	—	—	—	1	9	2	—	—	—	4	2	1	—	3
26(1) Ulcer of stomach	M	17	22	5	27	2	64	57	8	3	3	16	76	16	7	8	15
	F	10	18	4	9	2	46	50	6	2	2	5	52	4	9	4	9
32(4) Appendicitis	M	1	4	1	3	—	13	18	3	1	2	1	18	3	2	6	5
	F	2	4	2	4	—	17	12	1	1	—	—	10	1	3	3	6
32(5) Intestinal obstruction and hernia	M	15	29	11	20	3	81	69	8	4	9	12	55	20	12	11	11
	F	16	25	5	25	2	68	94	14	1	3	9	86	10	10	14	18
32(6) Cirrhosis of liver	M	1	13	2	6	2	27	35	6	—	—	1	29	5	2	15	5
	F	4	13	3	10	—	20	32	3	—	3	6	26	2	4	10	16
32(7) Cholelithiasis, cholecystitis	M	5	4	—	9	1	15	22	1	2	—	4	16	5	4	5	2
	F	8	14	—	9	—	38	65	3	2	2	9	48	1	7	11	15
30(1) Maternal sepsis (not abortion)	F	—	1	—	—	—	2	3	—	—	—	—	1	—	—	—	—
30(2) Toxaemias of pregnancy and puerperium	F	—	2	—	—	—	2	6	—	—	—	—	—	—	1	—	—
30(3) Abortion	F	1	2	—	1	—	1	1	1	—	—	—	3	—	—	1	—
32(8) Rheumatoid arthritis and allied conditions	M	—	1	1	1	—	7	14	4	—	—	1	12	2	2	1	2
	F	9	14	3	7	3	20	44	10	2	5	3	33	7	3	8	5
32(9) Birth injury	M	20	17	—	25	4	23	51	13	2	3	7	39	2	9	15	20
	F	5	14	1	14	—	24	38	5	1	2	2	23	2	5	11	8
32(10) Postnatal asphyxia and atelectasis	M	8	30	2	19	1	37	85	8	3	1	12	74	12	8	10	15
	F	3	22	—	11	1	17	74	8	—	3	4	45	7	8	7	13
23(1) Pneumonia of newborn	M	2	3	1	15	—	12	19	1	—	1	2	12	3	2	3	9
	F	2	2	2	5	—	8	12	3	—	1	1	13	—	—	4	3
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	1	1	—	1	—	—	3	—	—	—	—	1	—	—	—	1
	F	1	—	—	—	—	—	3	—	—	—	—	—	—	1	—	—
32(12) Haemolytic disease of newborn	M	1	2	—	5	—	10	11	1	—	3	—	14	—	—	3	6
	F	2	3	1	6	—	9	6	—	2	2	1	9	1	1	1	2
32(13) Immaturity (without other disease peculiar to early infancy)	M	19	25	1	16	6	61	96	8	5	8	19	85	12	11	16	27
	F	11	18	4	11	2	46	63	14	4	3	12	63	9	6	9	20
32(14) Senility without psychosis	M	17	30	13	31	8	80	157	36	23	15	41	28	45	7	25	22
	F	34	85	19	68	22	148	285	66	31	33	53	100	70	9	26	52
32(15) Ill-defined and unknown cause	M	—	3	1	1	1	7	14	—	—	—	1	5	2	5	1	—
	F	3	2	—	1	—	5	8	5	—	1	2	9	1	1	4	1

TABLE 21—*continued.* Administrative counties

Registrar General's Abridged List		Oxfordshire	Peterborough, Soke of	Rutland	Shropshire	Somerset	Staffordshire	Suffolk, East	Suffolk, West	Surrey	Sussex, East	Sussex, West	Warwickshire	Westmorland	Wight, Isle of	Wiltshire	Worcestershire
1	Tuberculosis, respiratory	M	2	1	—	7	22	47	7	2	59	20	18	25	2	4	12	18
		F	—	—	—	1	9	14	3	1	13	11	8	8	1	1	2	4
2	Tuberculosis, other	M	—	—	—	1	2	5	1	—	2	1	2	3	—	—	1	1
		F	1	—	—	—	3	3	—	1	5	1	2	2	—	—	—	1
3	Syphilitic disease	M	2	2	—	4	8	9	4	1	31	5	5	5	—	—	8	5
		F	—	1	—	—	1	5	1	2	21	3	2	2	—	2	3	2
4	Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough	M	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—
		F	1	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—
6	Meningococcal infections	M	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—	1
		F	2	—	—	—	1	1	1	—	—	—	—	—	—	—	2	1
7	Acute poliomyelitis	M	—	—	—	—	1	2	—	—	—	—	—	1	—	—	1	—
		F	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
8	Measles	M	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	1	—	2	—	—	—	1	—	—	—	—	—
9	Other infective, etc., diseases	M	—	1	—	2	8	11	2	2	15	6	3	5	—	1	4	4
		F	2	—	—	3	5	2	4	—	15	6	5	5	—	2	5	8
10	Malignant neoplasm: stomach	M	23	13	3	53	84	171	34	14	195	57	64	60	12	7	72	48
		F	19	12	2	23	48	128	31	13	156	42	57	51	8	12	47	45
11	lung, bronchus	M	54	23	7	69	182	345	87	43	606	155	167	186	25	37	144	161
		F	11	3	1	9	33	40	17	11	114	41	22	31	3	6	15	21
12	breast	M	—	—	—	—	—	2	—	—	5	—	1	1	—	1	—	1
		F	35	14	5	58	116	183	39	19	295	93	108	114	13	19	61	89
13	uterus	F	7	2	2	24	49	60	22	8	126	30	44	50	9	8	29	29
14	Other malignant and lymphatic neoplasms	M	113	38	15	155	305	421	159	63	827	272	262	260	39	62	212	218
		F	72	27	11	136	274	368	139	84	761	269	238	260	38	59	175	201
15	Leukaemia, aleukaemia	M	13	—	—	7	23	20	9	5	49	21	14	21	4	3	13	10
		F	4	1	—	6	10	18	8	3	48	16	21	10	4	4	15	3
16	Diabetes	M	1	3	2	8	15	26	16	2	39	9	9	14	3	1	9	24
		F	12	4	2	23	30	42	12	10	57	19	23	24	3	4	21	18
17	Vascular lesions of nervous system	M	126	47	14	255	404	608	142	80	795	335	329	370	69	91	277	311
		F	176	66	23	333	665	755	199	121	1,381	540	581	513	106	146	321	379
18	Coronary disease, angina	M	224	64	23	344	668	918	322	148	1,762	533	590	609	100	131	402	440
		F	142	**34**	**13**	190	444	587	228	109	1,153	404	416	337	76	67	234	323
19	Hypertension with heart disease	M	17	6	1	21	62	112	12	9	111	41	32	45	5	22	42	46
		F	17	3	1	41	69	126	22	11	202	75	61	75	7	25	48	59
20	Other heart disease	M	104	44	18	210	373	575	216	66	771	334	357	274	34	96	329	283
		F	122	58	22	260	557	824	254	116	1,439	549	601	368	65	132	429	484
21	Other circulatory disease	M	52	13	8	79	155	201	68	33	382	113	90	123	22	25	111	80
		F	49	14	6	74	173	188	104	29	503	157	136	133	23	38	112	88
22	Influenza	M	2	—	—	3	12	19	6	—	12	3	4	9	—	2	7	5
		F	1	—	—	5	6	18	—	—	16	3	5	12	2	—	9	4
23	Pneumonia	M	61	28	9	67	108	211	65	35	384	109	157	161	9	29	98	107
		F	66	16	9	60	139	165	52	42	488	159	193	198	12	41	91	120
24	Bronchitis	M	53	21	4	87	159	447	52	34	469	125	129	166	14	32	120	200
		F	14	3	2	41	61	137	25	10	156	54	52	74	12	14	39	62
25	Other diseases of respiratory system	M	10	2	2	16	71	79	10	8	59	27	42	45	4	15	26	18
		F	5	2	1	7	27	38	6	6	55	16	20	20	4	7	12	10
26	Ulcer of stomach and duodenum	M	15	4	2	18	37	68	13	17	90	25	25	38	4	13	33	24
		F	4	2	—	6	19	16	4	3	64	15	20	20	2	3	12	15
27	Gastritis, enteritis and diarrhoea	M	6	1	—	8	19	23	4	—	39	20	13	16	5	2	8	9
		F	5	—	—	3	17	25	5	2	43	20	16	16	6	2	14	7
28	Nephritis and nephrosis	M	6	2	—	12	24	35	7	2	57	19	15	22	4	1	12	12
		F	5	4	1	8	17	33	6	1	42	22	19	20	2	3	8	12
29	Hyperplasia of prostate	M	9	3	—	14	55	59	24	8	83	39	36	42	9	11	28	27
30	Pregnancy, childbirth, abortion	F	—	—	—	6	—	8	1	2	8	3	1	3	—	—	1	3
31	Congenital malformations	M	18	5	—	13	33	62	12	4	71	16	17	37	1	5	24	29
		F	13	4	1	16	24	55	8	13	69	15	19	40	3	—	28	25
32	Other defined and ill-defined diseases	M	76	30	11	142	236	409	83	53	553	177	185	219	30	43	177	173
		F	83	44	9	157	389	493	97	53	794	248	228	283	45	62	217	159
33	Motor vehicle accidents	M	32	12	3	33	58	116	21	13	161	35	28	81	11	5	54	55
		F	6	3	—	17	15	31	4	4	61	17	23	50	3	2	15	25
34	All other accidents	M	24	11	3	39	54	110	30	14	147	35	37	71	12	10	32	66
		F	15	7	2	32	47	87	50	17	194	74	58	86	15	15	20	48
35	Suicide	M	10	5	1	17	36	44	19	8	81	8	32	30	3	8	24	33
		F	6	5	1	12	17	40	10	5	87	23	36	20	3	1	16	12
36	Homicide, operations of war	M	—	—	—	1	2	2	2	—	7	2	—	1	—	—	3	—
		F	—	—	—	1	1	1	2	—	1	—	—	1	—	—	1	—

TABLE 21—*continued.* Administrative counties

Registrar General's Supplementary Abridged List		Oxfordshire	Peterborough, Soke of	Rutland	Shropshire	Somerset	Staffordshire	Suffolk, East	Suffolk, West	Surrey	Sussex, East	Sussex, West	Warwickshire	Westmorland	Wight, Isle of	Wiltshire	Worcestershire
9(1)	Infectious hepatitis	M	—	1	—	1	1	1	1	1	4	1	2	1	—	—	—	1
		F	1	—	—	—	3	—	1	—	4	2	1	2	—	1	2	**3**
14(1)	Malignant neoplasm, mouth and pharynx	M	8	3	1	7	15	20	8	2	40	8	10	11	1	2	12	8
		F	1	—	—	4	8	11	2	3	25	7	3	1	1	2	6	6
14(2)	Malignant neoplasm, oesophagus	M	7	3	—	8	28	23	10	3	36	10	10	12	1	6	10	11
		F	1	1	—	3	18	9	10	3	33	13	11	10	4	6	4	10
14(3)	Malignant neoplasm, intestine and rectum	M	33	9	4	50	77	126	46	18	191	75	61	73	11	21	57	72
		F	29	8	4	45	96	125	42	28	238	96	88	94	9	21	75	79
14(4)	Malignant neoplasm, larynx	M	1	1	—	1	14	6	3	1	17	3	6	5	4	4	7	8
		F	—	—	—	—	2	2	2	—	5	2	3	—	1	1	2	**1**
13(1)	Malignant neoplasm, cervix uteri	F	4	—	—	15	30	36	12	2	79	13	20	32	7	5	14	19
14(5)	Malignant neoplasm, prostate	M	12	5	3	22	45	60	34	8	132	55	58	30	4	13	38	26
14(6)	Malignant neoplasm, bladder	M	15	6	1	8	24	34	15	5	75	24	25	23	4	4	11	17
		F	—	1	—	6	11	12	9	7	26	13	10	9	2	3	4	**5**
14(7)	Malignant neoplasm, bone (including jaw-bone)	M	1	—	—	1	4	15	1	—	9	3	1	4	1	—	5	**4**
		F	—	2	—	2	8	5	2	—	6	5	—	3	3	1	3	**2**
14(8)	Lymphosarcoma, reticulosarcoma	M	3	—	1	2	9	7	5	4	27	7	9	13	—	—	6	7
		F	1	1	—	1	6	7	4	1	17	2	6	2	2	—	6	**3**
14(9)	Hodgkin's disease	M	1	3	—	1	5	11	1	2	29	7	4	7	2	—	5	**3**
		F	—	1	1	3	1	11	1	1	4	4	4	7	1	—	1	**4**
32(1)	Thyrotoxicosis	M	—	—	—	—	1	1	—	—	2	—	—	2	—	—	2	2
		F	3	2	—	3	4	5	2	1	7	5	4	4	1	1	5	**1**
32(2)	Multiple sclerosis	M	2	1	—	2	5	9	1	—	13	4	2	1	—	—	1	**3**
		F	1	1	—	3	6	5	5	1	14	4	3	5	—	—	2	**7**
32(3)	Rheumatic fever	M	—	—	—	—	—	3	—	1	1	—	1	1	—	—	2	—
		F	—	—	—	—	1	2	—	1	1	—	—	1	—	—	—	—
20(1)	Chronic rheumatic heart disease	M	5	4	—	11	22	49	12	4	59	23	19	27	2	5	12	19
		F	14	4	3	18	49	70	11	6	162	38	30	44	4	6	27	**37**
21(1)	Hypertension without mention of heart	M	18	3	1	23	45	63	25	10	117	20	12	34	3	4	45	16
		F	10	3	1	18	46	45	18	6	150	29	31	38	6	16	29	**24**
25(1)	Pneumoconiosis and chronic interstitial pneumonia	M	3	—	—	6	12	20	—	1	4	3	3	12	—	1	2	**2**
		F	—	1	—	—	1	2	2	1	5	1	2	1	—	—	—	—
26(1)	Ulcer of stomach	M	5	3	2	10	19	35	6	9	42	8	13	15	4	4	18	12
		F	2	1	—	6	14	12	4	2	50	9	12	15	1	—	7	**6**
32(4)	Appendicitis	M	2	—	—	—	2	11	—	1	13	4	4	5	—	2	2	**3**
		F	1	—	—	3	1	6	2	—	8	4	3	3	—	2	3	**3**
32(5)	intestinal obstruction and hernia	M	3	3	1	6	17	26	6	5	47	12	10	20	3	4	13	16
		F	4	—	—	7	20	19	5	2	61	18	24	14	1	8	15	**10**
32(6)	Cirrhosis of liver	M	1	—	—	6	9	14	2	2	10	7	5	13	2	4	2	**6**
		F	—	2	—	3	7	14	—	1	16	9	7	8	—	—	3	**1**
32(7)	Cholelithiasis, cholecystitis	M	1	—	—	1	4	5	1	3	15	4	8	4	—	1	4	7
		F	3	—	—	3	4	9	3	4	24	12	6	11	2	—	2	**5**
30(1)	Maternal sepsis (not abortion)	F	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	**1**
30(2)	Toxaemias of pregnancy and puerperium	F	—	—	—	1	—	1	1	2	1	2	1	—	—	—	—	**1**
30(3)	Abortion	F	—	—	—	1	—	1	—	—	1	—	—	1	—	—	—	**1**
32(8)	Rheumatoid arthritis and allied conditions	M	2	2	—	2	1	9	2	1	6	5	—	3	—	1	4	5
		F	2	1	—	9	9	15	6	4	29	9	6	8	—	—	3	**3**
32(9)	Birth injury	M	7	2	1	11	7	36	4	2	32	5	9	8	3	2	8	10
		F	3	1	—	4	13	17	2	3	8	4	4	10	—	—	5	**5**
32(10)	Postnatal asphyxia and atelectasis	M	9	2	1	12	19	39	6	4	33	15	16	16	4	3	13	6
		F	4	1	1	7	11	31	3	3	28	7	6	14	2	—	15	**8**
23(1)	Pneumonia of newborn	M	2	1	—	1	5	22	5	1	9	1	2	7	1	—	8	10
		F	2	—	—	1	2	10	—	—	4	—	2	6	—	—	1	**3**
32(11)	Ophthalmia, pemphigus, sepsis of newborn	M	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	1	1	—	—	—	—	1	—	—	—	—	—
32(12)	Haemolytic disease of newborn	M	—	2	—	1	1	3	—	—	6	2	3	4	—	—	4	2
		F	—	1	—	—	4	1	—	1	3	—	1	3	—	—	2	—
32(13)	Immaturity (without other disease peculiar to early infancy)	M	6	3	—	6	12	26	9	7	28	7	23	25	1	4	16	9
		F	4	2	—	3	11	14	5	7	36	7	6	17	1	5	13	**9**
32(14)	Senility without psychosis	M	2	7	2	30	52	71	9	2	67	22	18	17	8	9	46	24
		F	20	19	2	40	167	148	16	3	177	43	44	52	20	14	76	**44**
32(15)	Ill-defined and unknown cause	M	1	—	—	1	2	1	—	—	6	2	4	3	1	—	1	—
		F	—	—	—	2	1	2	—	1	3	1	2	2	2	2	3	—

TABLE 21—*continued.* Administrative counties

Registrar General's Abridged List		Yorkshire, East Riding	Yorkshire, North Riding	Yorkshire, West Riding	Anglesey	Brecknockshire	Caernarvonshire	Cardiganshire	Carmarthenshire	Denbighshire	*Flintshire	Glamorganshire	Merionethshire	Monmouthshire	Montgomeryshire	Pembrokeshire	Radnorshire
1	Tuberculosis, respiratory	M	4	7	87	7	5	21	5	9	20	7	73	6	24	2	7	2
		F	7	7	14	—	2	9	3	4	2	2	17	3	4	—	1	1
2	Tuberculosis, other	M	—	2	12	—	1	—	—	2	2	1	5	1	1	—	—	—
		F	1	3	4	1	—	—	2	—	—	2	—	—	1	—	—	1
3	Syphilitic disease	M	2	5	23	1	—	—	1	—	1	4	3	—	3	1	1	—
		F	2	1	15	—	—	—	1	—	2	—	6	—	1	—	1	—
4	Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough	M	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—
		F	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
6	Meningococcal infections	M	—	—	2	—	—	—	—	—	—	—	—	—	1	—	—	—
		F	—	—	2	—	—	—	—	—	—	1	—	—	—	—	—	—
7	Acute poliomyelitis	M	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8	Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
9	Other infective, etc., diseases	M	2	3	25	2	1	1	2	3	5	1	9	—	5	—	—	—
		F	3	5	25	1	—	—	—	5	3	1	7	3	2	—	1	—
10	Malignant neoplasm: stomach	M	30	73	295	16	10	37	10	50	48	30	183	8	62	9	22	3
		F	28	59	225	7	6	33	11	34	27	31	128	11	55	7	22	—
11	lung, bronchus	M	86	148	505	10	13	53	15	48	60	63	246	11	125	9	23	9
		F	10	18	77	1	1	3	4	5	6	14	33	3	11	1	5	1
12	breast	M	1	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	50	67	316	12	9	25	15	30	31	39	138	10	56	9	18	5
13	uterus	F	17	36	152	3	5	13	7	18	14	10	69	2	30	6	8	2
14	Other malignant and lymphatic neoplasms	M	127	197	905	34	28	86	34	91	108	72	379	19	179	20	44	13
		F	99	166	707	34	19	78	25	72	111	60	313	24	133	20	43	8
15	Leukaemia, aleukaemia	M	6	8	48	1	2	6	3	3	3	4	27	3	10	1	1	1
		F	6	10	40	—	—	3	—	10	8	4	10	—	4	2	5	—
16	Diabetes	M	6	13	51	1	3	4	4	3	5	2	20	2	9	1	3	—
		F	14	19	130	8	5	8	4	17	11	6	56	3	27	4	8	—
17	Vascular lesions of nervous system	M	160	290	1,299	86	41	119	44	158	158	141	604	38	200	48	64	14
		F	246	428	1,749	69	60	183	70	200	244	176	781	73	279	47	120	22
18	Coronary disease, angina	M	319	531	2,136	56	75	161	77	314	197	200	1,105	38	443	44	156	28
		F	191	322	1,379	26	47	78	47	150	131	116	544	17	220	36	66	12
19	Hypertension with heart disease	M	21	34	164	3	4	21	6	14	14	20	95	5	49	4	19	1
		F	44	39	252	7	8	24	13	33	30	37	93	7	42	6	16	3
20	Other heart disease	M	193	280	918	47	66	88	57	146	129	91	492	43	260	35	57	8
		F	274	473	1,433	76	76	159	75	161	213	124	619	68	348	52	89	15
21	Other circulatory disease	M	48	88	427	20	19	73	12	53	50	41	226	14	84	19	27	7
		F	61	74	478	19	12	71	15	53	49	45	207	15	80	9	35	15
22	Influenza	M	5	5	15	1	2	1	—	1	2	2	8	1	9	—	2	1
		F	2	2	15	—	2	1	—	2	3	10	11	—	4	—	4	—
23	Pneumonia	M	54	102	324	6	10	15	10	39	37	35	158	6	66	9	12	2
		F	38	76	358	5	11	25	14	29	46	35	148	3	48	9	21	2
24	Bronchitis	M	79	139	753	17	20	54	19	54	68	54	431	24	206	9	25	7
		F	41	41	308	8	13	12	9	25	27	15	81	7	51	3	15	2
25	Other diseases of respiratory system	M	8	19	114	1	20	20	4	82	24	11	184	8	50	3	4	1
		F	6	10	46	—	2	4	1	7	4	4	16	1	10	1	3	—
26	Ulcer of stomach and duodenum	M	9	21	106	6	5	8	2	13	16	4	40	3	22	1	8	—
		F	5	10	54	2	3	5	1	6	5	6	18	1	9	1	1	1
27	Gastritis, enteritis and diarrhoea	M	5	9	36	—	—	5	1	3	3	4	18	—	8	1	3	—
		F	2	15	42	—	1	5	2	4	5	2	18	5	11	1	2	1
28	Nephritis and nephrosis	M	18	21	93	8	2	11	3	14	9	13	52	6	26	4	3	3
		F	14	21	94	2	—	7	5	10	12	8	43	3	15	7	1	1
29	Hyperplasia of prostate	M	21	38	111	8	8	17	4	19	20	26	82	3	37	5	9	3
30	Pregnancy, childbirth, abortion	F	1	3	21	1	—	1	—	1	1	1	12	—	1	—	—	1
31	Congenital malformations	M	15	21	81	2	5	6	6	11	8	4	53	1	25	1	9	—
		F	9	19	96	2	2	5	1	9	7	6	53	1	19	3	3	—
32	Other defined and ill-defined diseases	M	103	159	654	26	31	66	26	87	88	71	376	16	149	29	66	5
		F	132	175	839	47	35	60	39	101	97	85	472	19	141	13	64	14
33	Motor vehicle accidents	M	23	50	177	8	6	7	7	16	18	20	64	5	40	10	10	4
		F	7	11	64	1	4	3	1	9	5	3	22	1	13	2	4	—
34	All other accidents	M	37	65	240	5	7	14	14	37	34	24	102	16	60	2	18	5
		F	33	60	224	6	7	10	4	23	31	22	98	2	34	6	18	2
35	Suicide	M	11	23	114	6	6	5	3	13	20	7	38	1	24	—	10	2
		F	9	8	78	3	1	4	1	4	9	2	20	3	8	1	3	1
36	Homicide, operations of war	M	—	1	4	—	—	3	—	1	—	—	3	—	1	—	—	—
		F	—	1	7	—	1	—	—	—	2	—	3	—	—	—	—	—

* The figures for this area include 8 deaths (8M, —F) in a Polish General Hospital which could not be transferred to the area of residence.

TABLE 21—*continued.* Administrative counties

Registrar General's Supplementary Abridged List		Yorkshire, East Riding	Yorkshire, North Riding	Yorkshire, West Riding	Anglesey	Brecknockshire	Caernarvonshire	Cardiganshire	Carmarthenshire	Denbighshire	Flintshire	Glamorganshire	Merionethshire	Monmouthshire	Montgomeryshire	Pembrokeshire	Radnorshire
9(1)	Infectious hepatitis	M	1	1	7	—	1	1	—	—	1	—	1	—	2	—	—	—
		F	—	—	10	—	—	—	—	—	1	1	1	—	1	—	—	—
14(1)	Malignant neoplasm, mouth and pharynx	M	7	5	44	1	—	5	2	5	3	3	17	—	7	2	4	2
		F	2	5	20	—	—	3	2	—	5	3	12	—	7	—	6	—
14(2)	Malignant neoplasm, oesophagus	M	10	11	35	1	6	6	5	7	8	2	23	2	5	2	2	2
		F	4	12	29	1	1	10	1	8	4	5	21	1	4	1	7	1
14(3)	Malignant neoplasm, intestine and rectum	M	37	61	274	11	9	26	7	25	27	22	103	4	54	8	16	4
		F	37	57	271	13	8	27	12	23	35	16	125	9	50	9	8	3
14(4)	Malignant neoplasm, larynx	M	3	5	25	—	—	—	2	3	8	2	15	2	5	1	—	—
		F	—	3	6	—	1	—	—	1	2	1	5	—	1	—	—	—
13(1)	Malignant neoplasm, cervix uteri	F	12	28	103	1	4	9	5	14	9	7	36	1	17	1	4	2
14(5)	Malignant neoplasm, prostate	M	21	29	140	6	4	13	3	14	12	12	47	4	30	1	5	1
14(6)	Malignant neoplasm, bladder	M	4	20	78	3	3	3	—	11	13	7	30	—	20	—	4	—
		F	4	8	28	2	1	2	—	—	4	3	6	—	6	—	2	—
14(7)	Malignant neoplasm, bone (including jaw-bone)	M	1	3	15	—	—	2	1	2	1	1	7	—	1	—	1	—
		F	1	3	8	2	1	1	1	1	—	1	6	—	—	—	1	—
14(8)	Lymphosarcoma, reticulosarcoma	M	4	3	15	—	—	4	—	1	6	1	9	1	6	—	—	—
		F	1	6	10	1	1	1	—	—	3	3	8	—	1	—	—	—
14(9)	Hodgkin's disease	M	6	1	19	1	—	1	1	1	2	—	3	—	4	—	2	—
		F	3	4	8	1	—	1	—	1	2	—	10	—	1	1	—	—
32(1)	Thyrotoxicosis	M	—	—	2	—	—	1	—	—	1	1	2	—	—	—	—	—
		F	—	4	15	2	2	1	—	3	6	5	2	—	3	—	1	—
32(2)	Multiple sclerosis	M	1	2	13	—	—	1	1	3	—	5	4	—	1	2	1	—
		F	7	2	20	2	1	1	1	2	3	3	7	—	1	—	1	1
32(3)	Rheumatic fever	M	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	2	—	—	—	—	—	—	1	1	2	2	—	—	—
20(1)	Chronic rheumatic heart disease	M	14	14	87	2	3	6	3	20	13	12	71	2	24	—	3	—
		F	14	26	160	9	5	13	6	16	17	13	107	10	43	—	7	—
21(1)	Hypertension without mention of heart	M	14	25	104	5	7	21	4	17	15	7	62	7	22	7	3	1
		F	12	15	100	10	2	15	2	22	14	10	78	5	24	2	10	3
25(1)	Pneumoconiosis and chronic interstitial pneumonia	M	—	2	46	1	12	11	3	57	6	1	144	4	29	—	1	—
		F	—	—	3	—	—	—	1	1	—	—	1	—	2	—	2	—
26(1)	Ulcer of stomach	M	2	9	45	1	1	3	2	3	6	1	13	—	10	1	3	—
		F	5	7	31	2	1	3	—	3	3	4	13	1	3	—	1	—
32(4)	Appendicitis	M	1	4	21	4	1	3	—	—	—	—	4	2	3	1	—	—
		F	2	2	9	2	—	—	—	2	1	—	5	—	1	—	—	—
32(5)	Intestinal obstruction and hernia	M	9	13	58	1	3	7	2	5	6	10	28	—	6	1	1	—
		F	7	13	53	—	2	6	6	7	5	3	22	—	6	—	6	—
32(6)	Cirrhosis of liver	M	10	9	19	—	1	3	—	6	3	3	21	2	4	—	2	—
		F	6	4	24	—	—	2	1	6	3	2	17	—	4	1	4	—
32(7)	Cholelithiasis, cholecystitis	M	2	5	10	1	1	—	1	2	4	—	9	—	5	—	1	—
		F	5	6	53	1	1	3	—	4	7	3	10	1	5	—	3	1
30(1)	Maternal sepsis (not abortion)	F	—	1	4	—	—	—	—	—	—	—	2	—	—	—	—	—
30(2)	Toxaemias of pregnancy and puerperium	F	—	—	3	—	—	1	—	1	1	—	2	—	1	—	—	—
30(3)	Abortion	F	—	1	5	—	—	—	—	—	—	—	—	—	—	—	—	—
32(8)	Rheumatoid arthritis and allied conditions	M	2	—	9	—	—	—	1	2	—	2	3	—	5	1	1	—
		F	1	7	34	1	3	2	—	1	5	1	19	—	4	3	2	1
32(9)	Birth injury	M	5	13	46	—	1	10	—	2	2	2	18	1	11	—	5	—
		F	2	4	28	1	—	—	—	1	1	1	11	—	1	1	2	—
32(10)	Postnatal asphyxia and atelectasis	M	2	7	57	3	3	6	2	9	7	8	55	1	22	1	7	1
		F	3	10	33	2	3	3	3	2	2	1	46	1	20	—	2	—
23(1)	Pneumonia of newborn	M	—	6	14	—	1	—	—	3	1	—	6	—	4	—	1	—
		F	1	2	9	—	—	—	—	—	—	—	7	—	1	—	1	—
32(11)	Ophthalmia, pemphigus, sepsis of newborn	M	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—
32(12)	Haemolytic disease of newborn	M	1	3	6	—	—	1	—	1	—	1	5	—	1	1	—	—
		F	1	1	2	—	—	1	2	2	1	—	4	—	1	—	—	—
32(13)	Immaturity (without other disease peculiar to early infancy)	M	11	15	62	—	2	2	1	11	7	7	23	—	8	2	7	—
		F	6	14	45	2	—	3	—	7	3	5	18	1	8	1	6	—
32(14)	Senility without psychosis	M	20	12	53	3	4	5	6	11	9	7	59	3	15	8	10	—
		F	39	31	153	17	7	9	9	24	15	15	132	6	19	3	14	3
32(15)	Ill-defined and unknown cause	M	2	1	4	—	2	—	—	1	—	—	3	—	3	1	—	—
		F	—	—	4	1	—	—	—	—	—	2	2	—	1	—	—	—

TABLE 22. Causes of death by month of occurrence January to December 1960

England and Wales

Note. 1 Totals for any period made up from this table will differ from the corresponding figures shown in other tables (except Table 16) which are tabulated according to date of registration.
2 Deaths occurring in the year but which were registered after 31st March of the following year are excluded.
3 See explanatory notes.

ICD No.	Causes of death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
	ALL CAUSES	M	26,274	24,924	24,733	22,591	21,598	18,941	19,248	19,412	19,070	22,201	22,907	27,959
		F	24,684	24,010	24,104	21,891	20,690	18,203	18,183	18,258	18,237	21,413	21,678	26,323
001-138	I Infective and parasitic diseases	M	354	351	332	331	304	272	268	297	256	320	308	396
		F	164	175	169	144	148	137	133	153	135	142	175	200
001-008	Tuberculosis of respiratory system	M	244	230	200	201	191	160	145	184	153	199	200	256
		F	68	72	76	66	53	68	48	57	51	56	76	77
010	Tuberculosis of meninges & central nervous system	M	—	3	3	3	3	4	—	4	1	1	2	1
		F	1	5	6	2	5	1	1	4	1	2	4	3
011	Tuberculosis of intestines, peritoneum, and mesenteric glands	M	2	2	—	2	1	—	1	1	—	2	4	2
		F	1	1	4	—	2	—	2	1	1	—	—	3
012, 013	Tuberculosis of bones and joints	M	3	3	4	4	1	3	2	1	2	2	3	6
		F	1	4	6	4	—	2	3	4	4	1	4	6
014-019	Tuberculosis, all other forms	M	5	8	5	6	10	3	11	7	6	9	5	10
		F	10	9	7	3	11	2	7	4	6	10	8	4
020-029	Syphilis and its sequelae	M	55	49	67	60	55	44	46	54	45	52	40	57
		F	24	35	18	27	24	21	23	30	26	34	26	33
030-039	Gonococcal infection and other venereal diseases	M	2	4	2	1	—	2	2	2	4	2	6	1
		F	—	—	—	1	1	—	—	—	—	—	—	—
040	Typhoid fever	M	—	—	—	—	—	1	1	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
041	Paratyphoid fever	M	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	1	—	—	—	—	—
042	Other Salmonella infections	M	2	—	3	—	2	5	3	1	3	1	—	—
		F	—	2	—	—	—	—	1	4	3	3	2	2
044	Brucellosis (undulant fever)	M	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
045	Bacillary dysentery	M	—	1	1	2	1	1	1	—	1	—	1	—
		F	1	—	1	4	2	2	3	—	—	1	—	3
048	Unspecified forms of dysentery	M	—	—	—	—	—	—	—	1	—	—	—	—
		F	—	1	—	—	—	—	—	—	—	—	1	—
049	Food poisoning (infection and intoxication)	M	—	—	—	—	—	—	—	—	1	1	1	—
		F	—	1	—	—	—	—	—	—	—	1	—	—
050	Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
051	Streptococcal sore throat	M	1	2	1	—	1	—	1	1	2	—	—	1
		F	2	1	1	1	—	—	3	1	1	—	1	—
052	Erysipelas	M	—	1	—	1	1	—	—	—	1	—	—	—
		F	1	—	—	—	—	1	—	—	1	—	—	—
053, 054	Septicaemia, pyaemia, and bacterial toxaemia	M	4	4	6	4	3	7	2	2	3	5	3	4
		F	2	4	2	1	4	2	—	1	3	4	2	6
055	Diphtheria	M	—	1	—	—	—	—	—	—	—	—	—	1
		F	1	—	—	—	—	—	—	—	1	1	—	—
056	Whooping cough	M	1	2	2	4	4	—	1	1	—	1	3	1
		F	—	2	1	2	1	2	2	2	3	—	1	2
057	Meningococcal infections	M	3	4	6	7	3	5	—	3	5	3	1	7
		F	6	6	6	3	4	4	1	4	1	2	4	7
061	Tetanus	M	—	1	1	1	—	4	3	—	1	2	2	2
		F	—	—	—	—	—	2	—	—	—	1	—	—
070	Vincent's infection	M	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
072	Leptospirosis icterohaemorrhagica (Weil's disease)	M	—	1	—	—	—	1	1	1	—	1	4	1
		F	—	—	—	—	—	—	—	—	—	—	—	—
080	Acute poliomyelitis	M	3	1	2	2	1	1	2	2	1	2	—	1
		F	—	—	1	—	—	1	—	1	—	—	1	—
081	Late effects of acute poliomyelitis	M	1	—	—	4	1	—	2	—	1	1	1	—
		F	—	1	—	—	2	—	1	2	1	4	—	—

ICD No.	Causes of death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
082	Acute infectious encephalitis	M	7	3	5	1	5	5	9	5	5	7	6	5
		F	1	5	3	6	9	3	5	8	7	1	10	5
083	Late effects of acute infectious encephalitis	M	2	4	3	4	6	5	2	7	2	9	1	9
		F	12	5	3	6	3	1	4	4	8	2	7	5
084	Smallpox	M	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
085	Measles	M	—	2	—	1	1	1	1	1	—	—	1	4
		F	—	2	3	—	1	1	2	—	—	—	3	6
086	Rubella (German measles)	M	—	—	—	—	—	—	—	—	1	—	—	1
		F	—	—	—	—	—	1	—	—	—	—	—	—
087	Chickenpox	M	—	1	1	2	—	—	2	1	—	—	1	—
		F	2	—	2	1	3	1	—	—	2	—	—	—
088	Herpes zoster	M	1	1	3	1	3	1	1	2	1	—	—	—
		F	3	6	6	2	1	1	4	1	2	1	2	4
089	Mumps	M	—	1	—	—	—	2	1	—	—	—	—	—
		F	—	2	2	1	—	—	—	—	1	—	—	—
092	Infectious hepatitis	M	10	9	10	18	7	7	18	11	8	13	15	17
		F	14	9	14	11	16	15	15	18	11	14	12	21
093	Glandular fever (infectious mononucleosis)	M	1	1	—	—	—	1	1	—	—	—	—	—
		F	—	—	—	—	—	—	—	1	—	—	1	1
096	Other diseases attributable to viruses	M	—	2	1	—	1	1	1	—	—	2	2	3
		F	—	—	1	—	1	1	3	1	—	—	2	2
100-108	Typhus and other rickettsial diseases	M	—	—	—	—	—	—	—	—	1	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
110-117	Malaria	M	—	—	—	—	1	—	—	2	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
Remainder of 001-138	All other diseases classified as infective and parasitic	M	7	10	6	2	2	8	8	3	7	5	6	6
		F	14	2	6	3	5	5	4	5	1	4	8	10
140-239	II Neoplasms	M	4,655	4,255	4,475	4,339	4,448	4,193	4,499	4,457	4,416	4,694	4,392	4,602
		F	4,023	3,811	3,889	3,730	3,891	3,677	4,059	3,947	3,852	4,085	3,908	3,912
140-148	Malignant neoplasm of buccal cavity and pharynx	M	89	85	78	90	95	109	97	110	96	100	84	90
		F	52	52	57	48	75	63	54	55	51	57	60	42
150	Malignant neoplasm of oesophagus	M	111	98	126	102	120	100	110	107	100	121	96	110
		F	80	76	88	89	79	76	98	97	89	92	65	82
151	Malignant neoplasm of stomach	M	715	612	665	646	649	594	675	641	677	667	643	660
		F	541	519	493	450	517	459	533	496	497	549	522	535
152-154	Malignant neoplasm of intestine, incl. rectum	M	595	504	557	569	566	562	627	540	528	587	561	583
		F	675	618	666	637	658	648	746	683	653	744	652	655
155, 156	Malignant neoplasm of biliary passages & of liver	M	76	78	66	80	62	70	72	81	69	86	72	81
		F	102	111	103	82	105	102	104	71	105	102	89	97
157-159	Malignant neoplasm of pancreas, peritoneum, & unspecified digestive organs	M	192	183	177	176	190	167	190	182	189	217	177	183
		F	179	172	187	172	158	164	195	173	176	182	191	179
160	Malignant neoplasm of nose, nasal cavities, middle ear, and accessory sinuses	M	14	7	10	8	16	8	7	5	11	9	15	10
		F	8	9	7	12	13	10	12	12	8	8	10	16
161	Malignant neoplasm of larynx	M	62	58	72	59	58	59	57	57	47	46	53	61
		F	16	12	12	14	16	12	11	11	11	8	19	16
162-165	Malignant neoplasm of lung and bronchus, trachea, mediastinum, and of thoracic organs (sec'd'ry)	M	1,647	1,546	1,558	1,501	1,545	1,497	1,543	1,623	1,592	1,695	1,576	1,648
		F	291	257	247	229	250	245	269	282	278	268	272	277
170	Malignant neoplasm of breast	M	7	5	2	5	8	1	1	12	6	5	4	6
		F	771	764	780	746	748	694	727	787	731	783	747	783
171-174	Malignant neoplasm of uterus	F	343	328	324	346	328	339	339	354	334	336	365	342
175, 176	Malignant neoplasm of other and unspecified female genital organs	F	316	265	298	269	306	268	295	304	287	326	277	286
177	Malignant neoplasm of prostate	M	326	292	329	295	287	262	310	299	312	311	305	322
178, 179	Malignant neoplasm of other and unspecified male genital organs	M	22	35	26	30	29	31	19	29	25	29	32	28

TABLE 22—*continued*

ICD No.	Causes of death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
180	Malignant neoplasm of kidney	M	66	60	46	53	50	60	66	59	57	75	55	61
		F	43	36	41	40	50	41	35	47	35	42	56	51
181	Malignant neoplasm of bladder and other urinary organs	M	183	169	190	191	180	172	173	164	168	182	176	192
		F	71	79	70	71	80	75	86	89	71	80	83	77
190, 191	Malignant neoplasm of skin	M	40	53	31	38	24	32	37	41	37	30	42	32
		F	40	45	35	40	33	43	41	38	32	43	32	31
193	Malignant neoplasm of brain and other parts of nervous system	M	91	77	112	92	109	87	89	96	96	96	85	74
		F	57	60	72	65	56	82	73	65	74	54	63	69
196	Malignant neoplasm of bone (including jaw bone)	M	22	29	30	19	36	29	27	28	26	31	29	30
		F	23	18	20	27	28	18	18	15	22	24	25	16
201	Hodgkin's disease	M	54	43	48	47	45	33	38	41	42	32	37	49
		F	29	28	31	41	32	21	27	25	32	28	34	27
204	Leukaemia and aleukaemia	M	120	120	108	116	153	119	139	114	101	129	117	132
		F	101	99	103	101	122	95	120	100	98	97	95	91
Remainder of 140-205	Malignant neoplasm of all other & unspecified sites, incl. other neoplasms of lymphatic and haemato-poietic tissues	M	174	158	187	177	172	155	167	178	185	189	184	190
		F	207	195	185	188	176	166	211	193	198	192	199	179
210	Benign neoplasm of buccal cavity and pharynx	M	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	1	1	—	—	—	—	—	—	—	—	2
211	Benign neoplasm of other parts of digestive system	M	—	3	6	2	1	4	4	2	1	—	—	5
		F	2	4	3	2	1	1	2	1	4	7	1	4
212	Benign neoplasm of respiratory system	M	3	—	1	—	1	1	—	3	—	1	1	2
		F	—	—	1	—	3	—	—	1	2	—	—	—
213	Benign neoplasm of breast	M	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—	—	—
214-217	Benign neoplasm of female genital organs	F	17	17	17	17	8	16	17	14	15	17	11	10
218	Benign neoplasm of male genital organs	M	—	—	—	—	—	—	—	—	—	—	—	—
219	Benign neoplasm of kidney and other urinary organs	M	9	11	6	2	6	8	10	9	5	6	10	5
		F	2	6	5	1	2	1	—	1	—	1	1	4
220-222	Benign neoplasm of skin	M	—	—	—	—	—	—	—	—	—	—	—	1
		F	—	—	—	—	—	1	—	—	—	—	—	—
223	Benign neoplasm of brain & other parts of nervous system	M	9	9	10	16	14	10	11	5	15	14	12	15
		F	25	17	16	10	17	13	16	12	15	17	15	19
224-229	Benign neoplasm of all other and unspecified organs and tissues	M	10	9	9	6	7	5	9	6	5	9	7	8
		F	7	5	11	5	9	6	11	9	12	17	9	6
230-239	Neoplasm of unspecified nature	M	18	11	25	19	25	18	21	25	26	27	19	24
		F	24	18	16	28	21	18	19	12	22	11	15	16
240-289	**III Allergic, endocrine system, metabolic, and nutritional diseases**	M	**212**	**184**	**176**	**174**	**163**	**161**	**177**	**163**	**143**	**170**	**186**	**230**
		F	**421**	**382**	**389**	**358**	**310**	**284**	**261**	**317**	**279**	**341**	**356**	**426**
241	Asthma	M	51	42	48	48	40	46	47	35	37	40	35	48
		F	74	65	54	63	49	48	47	56	54	44	51	71
Remainder 240-245	Other allergic disorders	M	2	1	1	—	1	1	—	1	2	1	—	2
		F	—	—	2	1	1	—	1	1	—	2	2	3
250	Simple goitre	M	—	—	—	—	—	—	—	—	1	—	1	1
		F	—	—	1	2	—	—	2	—	1	—	2	3
251	Non-toxic nodular goitre	M	—	2	—	—	1	—	—	—	—	—	—	—
		F	1	—	3	1	1	—	2	1	5	2	3	—
252	Thyrotoxicosis with or without goitre	M	3	4	2	5	3	7	3	4	2	3	2	3
		F	33	27	35	34	18	30	29	20	13	18	27	30
253, 254	Other diseases of thyroid gland	M	11	2	8	6	—	2	3	3	3	4	4	7
		F	44	33	24	27	22	10	10	26	17	27	21	50
260	Diabetes mellitus	M	114	109	90	92	94	75	96	94	75	97	117	142
		F	226	213	221	206	186	165	148	181	164	213	211	233
270-277	Diseases of other endocrine glands	M	10	9	9	10	9	13	15	10	7	9	8	12
		F	19	20	17	5	13	9	12	10	8	9	16	10

TABLE 22—*continued*

ICD No.	Causes of death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
280-286	Avitaminoses, and other deficiency states	M	3	1	3	2	4	6	3	5	3	5	5	1
		F	9	5	8	3	—	6	1	4	4	13	5	9
287	Obesity, not specified as of endocrine origin	M	7	5	6	4	5	1	1	3	3	1	4	7
		F	8	12	16	11	11	10	5	10	8	10	15	11
288	Gout	M	1	2	3	—	1	1	1	2	2	—	1	—
		F	—	—	—	1	1	—	—	—	—	—	—	2
289	Other metabolic diseases	M	10	7	6	7	5	9	8	6	8	10	9	7
		F	7	7	8	4	8	6	4	8	5	3	3	4
290-299	**IV Diseases of the blood and blood-forming organs**	M	**81**	**58**	**71**	**64**	**57**	**59**	**53**	**72**	**49**	**73**	**62**	**78**
		F	**111**	**102**	**95**	**121**	**143**	**83**	**101**	**109**	**93**	**100**	**98**	**96**
290	Pernicious and other hyperchromic anaemias	M	25	19	32	17	22	16	19	20	12	31	17	24
		F	36	42	38	46	66	35	45	45	37	41	41	47
291	Iron deficiency anaemias (hyperchromic anaemias)	M	11	4	8	9	7	4	7	5	7	4	5	7
		F	29	17	16	23	21	10	17	20	17	14	21	15
292,293	Other anaemias	M	22	20	19	22	17	24	15	32	21	23	21	26
		F	30	26	24	29	38	29	24	26	32	29	20	22
294-299	Other diseases of blood and blood-forming organs	M	23	15	12	16	11	15	12	15	9	15	19	21
		F	16	17	17	23	18	9	15	18	7	16	16	12
300-326	**V Mental, psychoneurotic, and personality disorders**	M	**44**	**39**	**55**	**43**	**23**	**23**	**26**	**22**	**30**	**30**	**34**	**36**
		F	**57**	**60**	**53**	**61**	**49**	**47**	**49**	**49**	**48**	**50**	**53**	**71**
300-309	Psychoses	M	33	27	44	34	17	17	19	15	17	23	25	31
		F	48	45	48	54	37	41	43	39	39	41	40	59
310-326	Psychoneuroses, and disorders of personality, including mental deficiency	M	11	12	11	9	6	6	7	7	13	7	9	5
		F	9	15	5	7	12	6	6	10	9	9	13	12
330-398	**VI Diseases of the nervous system and sense organs**	M	**3,313**	**3,210**	**3,200**	**2,819**	**2,734**	**2,328**	**2,418**	**2,391**	**2,392**	**2,645**	**2,874**	**3,375**
		F	**4,684**	**4,599**	**4,474**	**4,153**	**3,969**	**3,370**	**3,323**	**3,425**	**3,443**	**3,931**	**3,974**	**4,934**
330-334	Vascular lesions affecting central nervous system	M	3,081	2,992	2,969	2,605	2,492	2,108	2,252	2,176	2,174	2,451	2,652	3,096
		F	4,413	4,309	4,214	3,918	3,725	3,161	3,101	3,211	3,219	3,686	3,740	4,603
340	Meningitis, except meningococcal and tuberculous													
340·0	H. influenzae	M	2	5	4	2	2	2	1	—	—	3	1	3
		F	3	2	1	—	—	—	—	—	2	3	1	—
340·1	Pneumococcus	M	4	6	11	3	5	4	2	4	4	6	4	11
		F	9	7	7	4	5	5	2	1	3	7	5	9
340·2	Due to other specified organism	M	3	4	6	7	6	—	5	3	4	2	7	3
		F	4	1	6	4	—	2	2	2	4	1	2	1
340·3	Unspecified cause	M	11	6	3	5	6	4	6	4	5	4	11	7
		F	5	5	3	4	5	4	5	5	6	3	4	5
341-344	Other inflammatory diseases of central nervous system	M	9	9	14	7	18	6	14	22	13	5	13	14
		F	5	9	10	15	9	13	12	7	12	11	8	13
345	Multiple sclerosis	M	32	25	24	33	26	26	24	34	33	29	27	34
		F	49	55	52	47	41	36	36	45	41	38	39	53
350	Paralysis agitans	M	69	52	64	52	60	73	43	56	53	50	53	74
		F	73	81	80	70	88	64	72	67	79	81	87	104
351, 352	Cerebral spastic infantile paralysis, and other cerebral paralysis	M	23	33	25	26	31	19	22	24	23	23	32	35
		F	31	39	32	30	30	29	30	29	20	24	23	47
353	Epilepsy	M	31	21	21	32	38	37	14	22	29	26	22	37
		F	38	30	26	18	22	19	28	24	22	30	23	35
354-357	Other diseases of central nervous system	M	34	46	40	33	37	42	27	35	38	36	43	48
		F	35	32	29	27	28	26	29	26	31	35	30	41
365	Erythroedema polyneuritica	M	—	—	—	—	—	—	—	—	—	—	—	1
		F	—	—	—	—	1	—	—	—	—	—	—	—
360-364, 366-369	Other diseases of nerves and peripheral ganglia	M	2	2	2	3	3	3	1	3	3	2	4	1
		F	8	10	5	5	9	6	3	3	2	3	6	8
370-379	Inflammatory diseases of eye	M	—	—	—	1	1	—	—	—	—	—	—	—
		F	—	1	—	1	—	—	1	—	—	1	—	—
380-389	Other diseases and conditions of eye	M	1	1	3	—	1	1	1	1	3	4	2	1
		F	2	8	2	3	—	—	1	1	2	4	5	7
390-398	Diseases of ear and mastoid process	M	11	8	14	10	8	3	6	7	10	4	3	10
		F	9	10	7	7	6	5	1	4	—	4	1	8

TABLE 22—*continued*

ICD No.	Causes of death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
400-468	**VII Diseases of the circulatory system**	M	**9,903**	**9,404**	**9,280**	**8,362**	**8,000**	**6,973**	**6,977**	**7,158**	**6,967**	**8,215**	**8,649**	**10,586**
		F	**9,548**	**9,286**	**9,436**	**8,357**	**7,859**	**6,862**	**6,609**	**6,765**	**6,775**	**8,165**	**8,485**	**10,394**
400-402	Rheumatic fever	M	6	6	5	7	6	3	7	4	6	2	3	7
		F	9	6	8	2	5	3	6	5	5	5	4	6
410-416	Chronic rheumatic heart disease	M	248	227	239	187	200	169	193	189	165	220	198	247
		F	447	432	469	363	368	343	306	300	362	393	394	482
420	Arteriosclerotic heart disease, including coronary disease	M	5,477	5,030	5,016	4,541	4,537	4,043	4,045	4,187	4,143	4,680	5,031	5,906
		F	3,293	3,196	3,276	2,830	2,920	2,510	2,444	2,499	2,557	3,057	3,140	3,786
421	Chronic endocarditis not specified as rheumatic	M	159	167	143	121	129	155	121	129	116	136	146	162
		F	152	150	133	121	130	107	106	123	121	126	131	186
422	Other myocardial degeneration	M	1,909	1,884	1,808	1,560	1,378	1,157	1,143	1,150	1,156	1,400	1,439	1,949
		F	2,987	2,893	2,956	2,641	2,276	1,959	1,929	1,933	1,916	2,333	2,417	3,014
430	Acute and sub-acute endocarditis	M	19	16	11	13	16	9	18	16	13	13	21	11
		F	16	7	9	10	9	12	13	13	11	13	12	12
431	Acute myocarditis not specified as rheumatic	M	4	5	6	5	5	5	6	2	3	11	7	7
		F	10	8	2	11	5	2	1	10	3	5	2	5
432	Acute pericarditis specified as non-rheumatic	M	3	1	2	1	1	—	—	1	1	—	—	3
		F	1	—	2	—	—	2	—	2	1	—	1	1
433	Functional disease of heart	M	192	181	187	201	162	125	126	131	112	140	177	195
		F	305	289	319	333	255	222	209	202	227	224	274	318
434	Other and unspecified diseases of heart	M	383	412	365	342	321	227	234	251	240	280	337	445
		F	405	414	380	337	297	287	282	287	261	338	370	447
440-447	Hypertensive disease	M	791	748	759	673	652	539	521	514	519	648	661	792
		F	1,024	1,000	979	857	812	667	630	678	639	852	878	1,024
450	General arteriosclerosis	M	440	462	466	431	357	329	309	322	296	373	361	524
		F	605	585	591	563	538	492	420	432	419	508	538	703
451-456	Other diseases of arteries	M	168	149	160	152	120	121	150	143	102	163	152	187
		F	125	121	129	118	93	101	104	110	88	122	133	195
460-466	Diseases of veins	M	102	116	112	122	112	86	102	117	93	143	114	147
		F	164	182	177	164	150	153	158	168	165	183	187	210
467	Other diseases of circulatory system	M	2	—	—	5	4	4	2	2	2	4	2	3
		F	5	2	6	7	—	—	1	3	—	4	4	5
468	Certain diseases of lymph nodes & lymph channels	M	—	—	1	1	—	1	—	—	—	2	—	1
		F	—	1	—	—	1	2	—	—	—	2	—	—
470-527	**VIII Diseases of the respiratory system**	M	**4,046**	**4,052**	**3,630**	**3,083**	**2,495**	**1,808**	**1,584**	**1,835**	**1,828**	**2,671**	**3,122**	**4,865**
		F	**2,561**	**2,695**	**2,529**	**2,057**	**1,632**	**1,202**	**1,021**	**1,031**	**1,064**	**1,720**	**1,827**	**2,926**
470-475	Acute upper respiratory infections	M	12	8	8	8	1	4	1	4	2	5	12	4
		F	9	6	6	4	4	8	4	2	4	4	2	8
480-483	Influenza	M	71	91	78	75	35	15	7	11	11	36	41	85
		F	80	94	90	85	37	13	7	4	8	36	30	66
490	Lobar pneumonia	M	186	168	212	160	121	88	69	90	86	122	132	226
		F	160	150	148	135	92	79	65	71	83	113	96	180
491	Bronchopneumonia	M	1,012	1,024	995	904	733	554	471	558	556	742	748	1,127
		F	1,157	1,207	1,155	975	833	609	577	544	533	832	833	1,245
492	Primary atypical pneumonia	M	13	17	13	11	16	6	7	11	6	13	14	13
		F	17	14	11	16	11	10	5	8	6	12	13	20
493	Pneumonia, other and unspecified	M	59	78	55	61	56	47	39	42	40	42	54	96
		F	56	45	55	48	51	34	34	32	34	49	62	89
500	Acute bronchitis	M	152	167	133	99	72	46	34	45	48	86	108	166
		F	156	196	155	98	69	44	30	35	32	101	77	182
501	Bronchitis unqualified	M	99	112	87	73	46	29	29	37	28	60	59	110
		F	91	108	94	69	47	29	19	27	27	52	54	103
502	Chronic bronchitis	M	2,081	2,058	1,729	1,401	1,164	821	762	804	856	1,290	1,621	2,580
		F	684	693	652	490	365	284	214	231	243	400	545	840
510	Hypertrophy of tonsils and adenoids	M	2	1	—	1	—	—	1	—	2	—	1	1
		F	3	—	1	1	1	1	—	1	—	—	—	—
511-517	Other diseases of upper respiratory tract	M	9	3	6	2	3	5	2	3	2	1	6	4
		F	2	4	5	3	4	5	2	—	4	2	1	2
518-522	Empyema, pleurisy, and pneumothorax	M	39	25	42	43	21	35	27	34	31	34	31	52
		F	42	60	65	62	46	43	27	35	28	38	43	53

TABLE 22—*continued*

ICD No.	Causes of death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
523, 524	Silicosis and occupational pulmonary fibrosis	M	61	71	62	56	55	37	35	49	34	49	71	85
		F	4	4	3	2	1	1	1	1	—	1	—	1
525	Other chronic interstitial pneumonia	M	15	20	16	20	14	11	8	13	14	16	24	27
		F	5	13	5	1	5	7	5	6	16	11	9	16
526	Bronchiectasis	M	124	103	97	89	75	57	56	76	56	88	109	131
		F	62	74	58	48	45	21	19	24	31	45	37	83
527	Other diseases of lung and pleural cavity	M	111	106	97	80	83	53	36	58	56	87	91	158
		F	33	27	26	20	21	14	12	10	15	24	25	38
530-587	**IX Diseases of the digestive system**	M	**777**	**701**	**748**	**692**	**663**	**604**	**603**	**598**	**591**	**648**	**638**	**769**
		F	**672**	**626**	**672**	**656**	**568**	**545**	**573**	**543**	**583**	**652**	**626**	**724**
530-539	Diseases of buccal cavity and oesophagus	M	7	11	9	13	11	5	6	10	5	10	11	9
		F	6	9	16	19	12	10	14	14	13	10	13	19
540	Ulcer of stomach	M	166	140	149	120	107	111	80	99	108	112	141	161
		F	116	73	92	95	72	57	65	66	74	91	85	106
541	Ulcer of duodenum	M	201	148	167	153	142	120	125	118	114	119	109	165
		F	51	65	69	43	38	27	29	43	40	47	36	61
542	Gastrojejunal ulcer	M	2	8	4	3	6	8	8	2	3	2	2	8
		F	—	1	1	—	2	1	—	1	1	—	1	1
543	Gastritis and duodenitis	M	4	1	2	4	1	4	3	4	1	1	1	4
		F	7	2	2	5	3	5	3	5	3	4	4	3
544	Disorders of function of stomach	M	—	—	1	—	—	—	—	—	—	1	3	—
		F	—	1	2	3	1	1	—	—	—	—	—	—
545	Other diseases of stomach and duodenum	M	8	3	6	9	5	6	1	3	8	4	8	7
		F	4	1	6	2	2	2	2	1	3	—	2	7
550-553	Appendicitis	M	41	25	39	29	30	27	35	25	18	32	29	39
		F	24	21	21	17	28	25	19	23	26	23	14	29
560, 561	Hernia of abdominal cavity	M	57	63	59	53	58	53	51	57	53	61	74	61
		F	59	69	68	67	67	64	62	54	53	64	76	70
570	Intestinal obstruction, without mention of hernia	M	61	68	73	56	74	55	72	58	60	60	62	55
		F	71	67	74	83	60	47	62	65	75	85	70	75
571	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	M	35	36	35	35	48	25	24	26	27	29	28	36
		F	56	33	49	43	27	28	35	21	29	37	39	42
572-578	Other diseases of intestines and peritoneum	M	65	67	60	81	63	65	71	62	68	83	67	73
		F	107	102	104	90	97	88	96	102	106	110	105	125
580-583	Diseases of liver	M	68	58	83	68	61	70	52	71	55	72	58	85
		F	58	60	59	61	50	73	57	52	52	56	63	68
584-586	Diseases of gall bladder and biliary ducts	M	26	44	41	41	30	38	46	38	37	38	25	34
		F	80	88	75	88	79	86	93	72	78	91	88	91
587	Diseases of pancreas	M	36	29	20	27	27	17	29	25	34	24	20	32
		F	33	34	34	40	30	31	36	24	30	34	30	27
590-637	**X Diseases of the genito-urinary system**	M	**647**	**635**	**618**	**571**	**546**	**536**	**544**	**481**	**478**	**548**	**611**	**614**
		F	**328**	**303**	**365**	**325**	**319**	**295**	**292**	**304**	**262**	**314**	**282**	**342**
590	Acute nephritis	M	14	15	6	7	10	5	14	7	6	7	4	4
		F	6	6	4	2	6	6	5	3	6	6	5	7
591-594	Chronic, other and unspecified nephritis	M	183	156	176	166	171	150	126	138	144	155	178	165
		F	149	147	157	149	127	128	113	144	103	142	132	160
600-609	Other diseases of urinary system	M	137	132	130	115	114	118	129	94	108	115	141	128
		F	157	137	185	160	167	141	155	143	141	151	128	168
610	Hyperplasia of prostate	M	306	318	292	277	246	252	272	235	217	261	277	312
611-617	Other diseases of male genital organs	M	7	14	13	6	5	11	3	7	3	10	11	5
620, 621	Diseases of breast	M	—	—	1	—	—	—	—	—	—	—	—	—
		F	—	—	—	1	—	—	—	1	—	—	—	—
622-626	Diseases of ovary, Fallopian tube, and parametrium	F	1	2	4	2	3	3	5	1	2	4	5	—
630-637	Diseases of uterus and other female genital organs	F	15	11	15	11	16	17	14	12	10	11	12	7

TABLE 22—*continued*

ICD No.	Causes of death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
640-689	**XI Deliveries and complications of pregnancy, childbirth and the puerperium**	F	**23**	**26**	**39**	**37**	**26**	**28**	**23**	**23**	**21**	**21**	**20**	**25**
640	Pyelitis and pyelonephritis of pregnancy	F	—	—	—	—	—	—	1	—	—	—	—	—
641	Other infections of genito-urinary tract during pregnancy	F	—	—	—	—	—	—	—	—	—	—	—	—
642	Toxaemias of pregnancy ..	F	5	4	9	5	4	5	9	4	2	5	4	4
643-649	Other complications of pregnancy	F	2	3	4	3	2	1	5	5	4	2	2	4
650-652	Abortion	F	5	6	7	8	6	8	2	4	4	6	3	6
660-678	Delivery	F	8	8	14	18	9	9	5	6	9	3	10	8
680	Puerperal urinary infection without other sepsis	F	—	—	—	—	—	1	—	—	—	—	—	—
681, 683	Sepsis of childbirth and the puerperium, and pyrexia of unknown origin during the puerperium	F	1	1	1	1	1	1	—	—	1	—	—	—
682	Puerperal phlebitis and thrombosis	F	1	2	4	2	2	2	1	—	1	2	1	2
684	Puerperal pulmonary embolism	F	1	1	—	—	1	—	—	2	—	3	—	—
685, 686	Puerperal toxaemia ..	F	—	1	—	—	—	—	—	1	—	—	—	1
687	Cerebral haemorrhage in the puerperium	F	—	—	—	—	—	1	—	1	—	—	—	—
688, 689	Other complications of puerperium	F	—	—	—	—	1	—	—	—	—	—	—	—
690-716	**XII Diseases of the skin and cellular tissue ..**	M	**26**	**17**	**15**	**12**	**15**	**8**	**15**	**13**	**9**	**15**	**12**	**14**
		F	**22**	**26**	**26**	**27**	**24**	**24**	**23**	**16**	**31**	**30**	**18**	**27**
690-698	Infections of skin and subcutaneous tissue ..	M	9	8	7	7	5	3	5	7	3	9	5	5
		F	6	11	13	11	7	8	8	3	9	7	2	3
700-716	Other diseases of skin and subcutaneous tissue ..	M	17	9	8	5	10	5	10	6	6	6	7	9
		F	16	15	13	16	17	16	15	13	22	23	16	24
720-749	**XIII Diseases of the bones and organs of movement**	M	**80**	**54**	**67**	**51**	**67**	**38**	**43**	**43**	**46**	**52**	**53**	**73**
		F	**113**	**106**	**125**	**121**	**134**	**94**	**107**	**97**	**89**	**96**	**124**	**136**
720, 721	Acute arthritis	M	—	—	1	2	1	—	—	1	1	1	1	—
		F	2	2	2	1	—	1	1	2	1	1	2	3
722	Rheumatoid arthritis and allied conditions ..	M	34	18	27	20	20	16	13	19	17	20	26	25
		F	61	66	73	78	78	65	66	57	48	59	75	76
723	Osteo-arthritis (arthrosis) & allied conditions ..	M	11	12	18	10	13	8	10	3	8	8	8	11
		F	22	17	20	17	20	15	21	17	12	19	23	27
724, 725	Other and unspecified forms of arthritis	M	1	—	—	—	—	—	1	—	—	1	1	1
		F	—	—	1	1	3	1	—	3	2	—	—	5
726, 727	Muscular rheumatism, and rheumatism unspecified	M	2	—	—	—	—	—	—	—	—	1	—	—
		F	—	—	—	2	—	1	—	—	1	2	—	1
730	Osteomyelitis & periostitis	M	2	3	—	2	8	2	4	3	2	3	2	6
		F	4	2	2	3	4	2	1	1	2	—	3	3
731-749	Other diseases of musculo-skeletal system	M	30	21	21	17	25	12	15	17	18	18	15	30
		F	24	19	27	19	29	9	18	17	23	15	21	21
750-759	**XIV Congenital malformations .. ..**	M	**232**	**228**	**236**	**225**	**237**	**212**	**207**	**208**	**223**	**229**	**227**	**233**
		F	**193**	**220**	**197**	**223**	**202**	**190**	**185**	**208**	**184**	**236**	**166**	**223**
750	Monstrosity	M	7	7	10	3	7	9	5	6	7	6	6	7
		F	8	3	10	5	8	11	8	7	8	18	7	16

TABLE 22—*continued*

ICD No.	Causes of death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
751	Spina bifida and meningocele	M	21	24	24	27	24	26	28	20	26	26	26	23
		F	26	36	35	35	37	26	38	32	37	32	36	29
752	Congenital hydrocephalus	M	25	23	24	18	21	19	9	24	20	20	18	25
		F	33	32	31	27	22	17	20	28	16	30	13	29
753	Other congenital malformation of nervous system and sense organs	M	5	5	16	4	7	10	9	3	8	3	5	8
		F	8	2	10	5	4	9	6	9	8	8	2	6
754	Congenital malformations of circulatory system ..	M	96	95	88	101	97	101	93	87	96	108	100	103
		F	82	97	72	97	91	86	80	85	76	82	73	88
755	Cleft palate and harelip ..	M	—	—	2	1	—	—	1	—	1	—	—	—
		F	—	—	1	—	—	1	1	—	1	—	1	—
756	Congenital malformations of digestive system ..	M	26	34	27	24	27	19	27	26	17	26	19	22
		F	12	15	14	12	14	15	13	20	13	17	9	15
757	Congenital malformations of genito-urinary system	M	26	25	29	26	33	15	17	27	26	24	31	26
		F	10	18	12	21	10	13	9	11	17	25	17	23
758	Congenital malformations of bone and joint ..	M	4	2	1	5	3	—	3	1	3	3	5	3
		F	2	3	4	2	1	2	3	1	3	3	—	3
759	Other and unspecified congenital malformations, not elsewhere classified	M	22	13	15	16	18	13	15	14	19	13	17	16
		F	12	14	8	19	15	10	7	15	5	21	8	14
760-776	**XV Certain diseases of early infancy .. ..**	M	**487**	**465**	**498**	**498**	**480**	**413**	**462**	**456**	**457**	**497**	**458**	**529**
		F	**344**	**304**	**341**	**309**	**298**	**322**	**322**	**292**	**317**	**327**	**313**	**335**
760	Intracranial and spinal injury at birth	M	78	69	88	69	73	70	78	71	71	74	83	81
		F	46	43	39	31	19	48	54	46	45	62	30	57
761	Other birth injury	M	24	21	17	22	18	15	18	23	22	22	16	28
		F	13	9	11	12	10	16	13	11	16	18	14	15
762	Postnatal asphyxia and atelectasis	M	127	146	121	155	143	107	136	140	146	131	110	138
		F	106	87	92	86	92	80	88	79	102	92	91	84
763	Pneumonia of newborn ..	M	41	50	43	38	32	26	35	32	26	40	40	49
		F	34	24	37	23	23	21	16	15	15	20	22	32
764	Diarrhoea of newborn ..	M	2	3	4	3	4	4	2	1	2	4	3	1
		F	—	—	1	1	—	1	2	2	—	1	3	2
765-769	Other infections of newborn	M	6	7	11	14	14	6	6	9	10	16	11	13
		F	7	3	4	10	8	4	7	11	7	4	6	5
770	Haemolytic disease of newborn	M	16	20	14	15	19	15	17	15	14	15	23	17
		F	14	15	12	21	19	16	12	12	11	11	18	11
771	Haemorrhagic disease of newborn	M	11	10	17	11	12	7	8	8	9	12	8	9
		F	5	8	8	6	5	7	10	8	5	6	7	4
772, 773	Nutritional maladjustment and ill-defined diseases peculiar to early infancy	M	15	17	15	24	24	16	19	18	21	17	21	23
		F	9	10	11	13	15	13	9	18	16	14	19	14
774-776	Immaturity unqualified ..	M	167	122	168	147	141	147	143	139	136	166	143	170
		F	110	105	126	106	107	116	111	90	100	99	103	111
780-795	**XVI Symptoms, senility and ill-defined conditions**	M	**266**	**249**	**223**	**209**	**193**	**195**	**167**	**148**	**159**	**211**	**167**	**265**
		F	**507**	**451**	**450**	**451**	**400**	**336**	**368**	**309**	**330**	**362**	**418**	**504**
780-789	Symptoms referable to systems or organs ..	M	10	4	6	8	12	7	6	7	6	10	5	8
		F	9	8	8	5	6	5	10	5	12	8	15	9
792	Uraemia unqualified ..	M	1	2	—	2	1	4	3	2	1	1	1	2
		F	3	1	5	3	2	3	3	1	1	1	3	1
794	Senility without mention of psychosis	M	251	240	216	187	174	178	155	134	148	191	158	250
		F	491	439	435	442	390	324	350	302	314	350	398	492
790, 791, 793, 795.	Ill-defined and unknown causes of mortality ..	M	4	3	1	12	6	6	3	5	4	9	3	5
		F	4	3	2	1	2	4	5	1	3	3	2	2

TABLE 22—*continued*

ICD No.	Causes of death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
E800-E999	XVII Accidents, poisonings & violence (external cause)	M	**1,151**	**1,022**	**1,109**	**1,118**	**1,173**	**1,118**	**1,205**	**1,070**	**1,026**	**1,183**	**1,114**	**1,294**
		F	**913**	**838**	**855**	**761**	**718**	**707**	**734**	**670**	**731**	**841**	**835**	**1,048**
E800-E802	Railway accidents	M	28	9	21	21	18	11	17	13	20	22	19	27
		F	4	4	1	—	1	3	5	1	3	1	1	4
E810-E825	Motor vehicle traffic accidents	M	376	295	325	360	353	360	485	381	366	440	430	474
		F	169	121	139	133	88	115	181	146	169	203	192	204
E830-E835	Motor vehicle non-traffic accidents	M	4	2	7	8	10	6	8	5	8	5	9	3
		F	—	—	3	—	—	—	—	3	—	1	—	2
E840-E845	Other road vehicle accidents	M	8	10	6	9	6	8	9	21	8	8	7	7
		F	6	1	2	5	2	7	3	3	6	2	4	3
E850-E858	Water transport accidents	M	15	7	16	12	15	9	20	15	23	15	14	9
		F	—	—	—	—	—	1	—	1	2	1	1	—
E860-E866	Aircraft accidents	M	3	4	—	6	3	2	12	7	4	—	4	3
		F	—	—	—	—	—	—	—	—	—	—	—	—
E870-E895	Accidental poisoning	M	71	78	62	44	55	34	35	35	38	51	66	99
		F	115	70	76	54	54	45	41	38	59	67	78	134
E900-E904	Accidental falls	M	180	159	176	173	145	165	158	139	140	147	148	192
		F	325	336	333	277	285	265	272	244	287	302	289	361
E910-E936	Other accidents	M	153	203	200	181	233	251	178	197	188	217	172	200
		F	118	122	106	84	69	94	57	77	66	73	94	127
E940-E959	Complications due to medical & surgical procedures	M	—	—	—	—	1	1	2	1	1	1	1	3
		F	—	—	1	—	—	—	1	3	1	1	—	—
E960-E965	Late effects of injury and poisoning	M	11	7	16	18	14	13	10	10	6	12	13	14
		F	4	2	5	—	3	2	6	2	2	2	—	3
E970-E973	Suicide by poisoning	M	185	150	175	173	182	135	162	144	140	159	147	149
		F	129	142	139	152	172	135	126	114	105	144	136	158
E974	Suicide and self-inflicted injury by hanging and strangulation	M	39	38	34	40	45	35	28	31	26	41	24	46
		F	10	3	16	8	14	11	12	11	7	10	7	18
E975	Suicide and self-inflicted injury by submersion (drowning)	M	22	18	25	22	32	32	22	13	20	18	17	17
		F	13	19	12	17	14	16	12	12	9	18	16	16
E976-E979	Suicide by other and unspecified means	M	49	34	37	38	51	43	47	49	29	35	31	43
		F	7	9	9	15	6	6	12	7	10	9	11	6
*E980-E985	Homicide and injury purposely inflicted by other persons (not in war)	M	7	8	9	13	10	13	12	9	9	12	12	8
		F	13	9	13	16	10	7	6	8	5	7	6	12
E990-E999	Injury resulting from operations of war	M	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—

* The number of deaths assigned to this cause which occurred in 1959 and were registered after 31st March 1960 were: Nov. 2M, Dec. 1M, 3F. These numbers should therefore be added to those shown in this table in the Review for 1959.

TABLE 23. Stillbirths by sex and legitimacy (with ratio per 1,000 total births), 1960

England and Wales, standard regions, Wales, conurbations, London A.C., City of London, metropolitan and county boroughs; urban and rural aggregates in each administrative county

Area	Legitimate		Illegitimate		Total	Stillbirths per 1,000 total births
	M	F	M	F		
SUMMARY						
ENGLAND AND WALES	**7,535**	**7,192**	**563**	**529**	**15,819**	**20**
Regions and conurbations						
Northern	**605**	**658**	**51**	**44**	**1,358**	**22**
Tyneside Conurbation	161	165	12	15	353	22
Remainder of Northern	444	493	39	29	1,005	22
East and West Ridings	**722**	**692**	**56**	**51**	**1,521**	**21**
West Yorkshire Conurbation	287	266	25	25	603	20
Remainder of East and West Ridings	435	426	31	26	918	21
North Western	**1,263**	**1,225**	**84**	**80**	**2,652**	**22**
South East Lancashire Conurbation	451	449	42	31	973	22
Merseyside Conurbation	311	285	13	22	631	22
Remainder of North Western	501	491	29	27	1,048	23
North Midland	**633**	**603**	**42**	**43**	**1,321**	**21**
Midland	**854**	**846**	**46**	**55**	**1,801**	**21**
West Midlands Conurbation	432	413	26	24	895	21
Remainder of Midland	422	433	20	31	906	21
Eastern	**594**	**539**	**28**	**24**	**1,185**	**18**
London and South Eastern	**1,459**	**1,322**	**163**	**134**	**3,078**	**17**
Greater London	1,086	985	130	110	2,311	17
Remainder of South Eastern	373	337	33	24	767	17
Southern	**394**	**355**	**2**	**40**	**818**	**16**
South Western	**507**	**439**	**40**	**33**	**1,019**	**18**
Wales (including Monmouthshire)	**504**	**513**	**24**	**25**	**1,066**	**24**
Wales I (South East)	350	383	17	20	770	23
Wales II (remainder)	154	130	7	5	296	24
Urban/Rural aggregates:						
Conurbations	2,728	2,563	248	227	5,766	19
Areas outside conurbations:						
Urban areas with populations of 100,000 and over	963	951	72	81	2,067	20
Urban areas with populations of 50,000 and under 100,000	560	555	54	37	1,206	20
Urban areas with populations under 50,000	1,814	1,725	106	104	3,749	21
Rural districts	1,470	1,398	83	80	3,031	19

Area	Legitimate M	Legitimate F	Illegitimate M	Illegitimate F	Total	Still-births per 1,000 total births
LONDON A.C., CITY OF LONDON, METROPOLITAN BOROUGHS AND COUNTY BOROUGHS						
London A.C.	**498**	**413**	**77**	**64**	**1,052**	**18**
City of London ..	—	—	—	—	—	—
Metropolitan boroughs:						
Battersea	15	14	5	1	35	18
Bermondsey	10	9	1	—	20	23
Bethnal Green	7	2	2	—	11	*13*
Camberwell	35	32	4	4	75	24
Chelsea	5	7	2	1	15	*21*
Deptford	11	9	4	4	28	21
Finsbury	5	5	1	1	12	*18*
Fulham	19	14	2	—	35	18
Greenwich	8	5	2	—	15	*12*
Hackney	39	21	4	4	68	20
Hammersmith	13	17	4	3	37	16
Hampstead	19	10	1	—	30	18
Holborn	2	1	1	—	4	*19*
Islington	51	36	11	10	108	20
Kensington	15	17	10	4	46	15
Lambeth	37	40	4	6	87	18
Lewisham	38	23	—	3	64	17
Paddington	21	17	6	5	49	19
Poplar	13	11	1	—	25	21
St. Marylebone ..	6	—	—	—	6	*8*
St. Pancras	15	22	—	2	39	16
Shoreditch	5	3	—	—	8	*11*
Southwark	9	16	1	1	27	16
Stepney	15	15	1	4	35	20
Stoke Newington ..	12	9	1	1	23	20
Wandsworth ..	44	39	6	9	98	17
Westminster	5	6	2	1	14	*14*
Woolwich	24	13	1	—	38	17
County boroughs ..	**2,385**	**2,309**	**205**	**205**	**5,104**	**21**
Barnsley	9	14	—	1	24	17
Barrow-in-Furness ..	10	11	—	2	23	21
Bath	13	14	2	1	30	23
Birkenhead	31	34	—	1	66	24
Birmingham	194	191	17	18	420	20
Blackburn	24	20	1	1	46	26
Blackpool	11	17	1	1	30	16
Bolton	25	25	1	1	52	19
Bootle	16	27	1	—	44	21
Bournemouth	14	9	—	1	24	14
Bradford	61	35	8	9	113	20
Brighton	14	12	2	1	29	13
Bristol	50	42	4	8	104	15
Burnley	16	17	1	1	35	26
Burton upon Trent ..	11	4	3	1	19	*21*
Bury	11	12	2	1	26	24
Canterbury	3	5	—	1	9	*18*
Carlisle	15	15	3	1	34	24
Chester	7	14	—	—	21	19
Coventry	57	53	1	5	116	19
Croydon	26	24	7	3	60	15
Darlington	5	15	2	—	22	15
Derby	23	20	2	3	48	22
Dewsbury	12	9	2	3	26	28
Doncaster	12	12	1	2	27	17
County boroughs —continued						
Dudley	13	12	1	—	26	26
Eastbourne	8	6	—	—	14	*22*
East Ham	11	16	1	1	29	17
Exeter	12	6	4	—	22	19
Gateshead	27	16	1	3	47	23
Gloucester	13	20	2	2	37	27
Great Yarmouth ..	9	4	—	1	14	*18*
Grimsby	22	26	5	2	55	28
Halifax	14	17	1	1	33	20
Hastings	5	12	—	—	17	*21*
Huddersfield	30	20	1	2	53	24
Ipswich	20	11	2	—	33	15
Kingston upon Hull ..	56	64	8	1	129	22
Leeds	71	78	6	4	159	18
Leicester	49	45	4	7	105	23
Lincoln	11	11	1	2	25	19
Liverpool	188	165	8	14	375	23
Manchester	143	155	19	12	329	25
Middlesbrough ..	35	38	5	4	82	23
Newcastle upon Tyne	55	50	6	7	118	23
Northampton	18	19	1	1	39	23
Norwich	24	20	—	—	44	23
Nottingham	45	52	8	8	113	19
Oldham	26	19	—	3	48	24
Oxford	10	12	1	1	24	15
Plymouth	34	31	—	1	66	18
Portsmouth	34	38	3	1	76	20
Preston	14	19	4	2	39	19
Reading	16	12	3	3	34	16
Rochdale	19	14	—	—	33	24
Rotherham	23	15	—	4	42	26
St. Helens	36	36	—	1	73	36
Salford	26	33	3	4	66	21
Sheffield	69	69	6	3	147	18
Smethwick	9	8	—	1	18	*16*
Southampton	36	29	—	7	72	20
Southend-on-Sea ..	13	11	1	1	26	12
Southport	10	10	1	2	23	21
South Shields	20	24	3	2	49	24
Stockport	26	25	6	1	58	23
Stoke-on-Trent ..	42	67	—	3	112	26
Sunderland	43	33	6	6	88	22
Tynemouth	11	9	—	—	20	16
Wakefield	10	7	2	—	19	*20*
Wallasey	19	14	1	4	38	20
Walsall	26	20	3	1	50	22
Warrington	14	18	2	—	34	25
West Bromwich ..	19	18	—	—	37	21
West Ham	27	25	1	4	57	19
West Hartlepool ..	16	11	2	1	30	18
Wigan	18	8	1	—	27	20
Wolverhampton	24	30	3	—	57	22
Worcester	9	11	1	1	22	21
York	23	17	2	1	43	24
Cardiff	52	48	3	4	107	22
Merthyr Tydfil ..	14	11	—	2	27	26
Newport, Mon. ..	22	16	1	1	40	19
Swansea	26	27	1	2	56	20

Area	Legitimate M	Legitimate F	Illegitimate M	Illegitimate F	Total	Still-births per 1,000 total births
ADMINISTRATIVE COUNTIES						
Note. The following figures relate to aggregates of urban districts (including municipal boroughs, but excluding county boroughs) and of rural districts in each administrative county.						
Bedfordshire U.D.	50	48	4	5	107	20
R.D.	20	18	1	1	40	17
Berkshire .. U.D.	21	13	1	3	38	16
R.D.	39	35	2	5	81	15
Buckinghamshire U.D.	34	25	2	3	64	14
R.D.	24	20	2	2	48	11
Cambridgeshire .. U.D.	9	8	1	—	18	*12*
R.D.	11	14	2	—	27	15
Cheshire .. .. U.D.	113	97	6	3	219	18
R.D.	40	39	1	2	82	24
Cornwall .. .. U.D.	30	26	3	2	61	22
R.D.	17	19	1	1	38	17
Cumberland .. U.D.	23	25	—	—	48	28
R.D.	29	31	3	—	63	27
Derbyshire .. U.D.	63	56	3	2	124	21
R.D.	81	72	4	3	160	24
Devon .. .. U.D.	40	30	6	3	79	23
R.D.	36	26	1	1	64	17
Dorset .. .. U.D.	29	32	1	1	63	22
R.D.	20	15	1	—	36	18
Durham .. .. U.D.	141	163	9	6	319	26
R.D.	44	63	1	2	110	20
Ely, Isle of .. U.D.	17	12	3	2	34	36
R.D.	7	4	—	—	11	*19*
Essex .. .. U.D.	216	204	9	12	441	17
R.D.	40	36	2	—	78	18
Gloucestershire .. U.D.	26	16	2	1	45	14
R.D.	46	44	3	3	96	16
Hampshire .. U.D.	64	80	6	5	155	18
R.D.	48	33	5	3	89	16
Herefordshire .. U.D.	14	10	—	—	24	23
R.D.	17	11	—	1	29	24
Hertfordshire .. U.D.	96	93	4	—	193	18
R.D.	32	31	1	—	64	15
Huntingdonshire .. U.D.	7	4	1	—	12	*16*
R.D.	12	7	—	2	21	26
Kent .. .. U.D.	195	186	17	10	408	19
R.D.	60	56	5	6	127	21
Lancashire .. U.D.	357	335	19	23	734	23
R.D.	55	55	4	1	115	21
Leicestershire .. U.D.	27	29	1	3	60	19
R.D.	29	34	2	1	66	16
Lincolnshire (Holland) .. U.D.	11	5	1	—	17	*24*
R.D.	12	10	—	—	22	21
Lincolnshire (Kesteven) .. U.D.	4	5	1	1	11	*15*
R.D.	16	12	1	—	29	18
Lincolnshire (Lindsey) .. U.D.	31	30	4	2	67	22
R.D.	32	22	1	2	57	20
Middlesex .. U.D.	268	260	23	26	577	16
Norfolk .. .. U.D.	14	17	—	—	31	23
R.D.	53	40	1	2	96	19
Northamptonshire U.D.	23	22	1	—	46	15
R.D.	26	13	1	—	40	18
Northumberland U.D.	43	68	2	3	116	18
R.D.	11	17	—	2	30	18
Nottinghamshire U.D.	71	71	2	2	146	20
R.D.	29	35	1	3	68	21
Oxfordshire .. U.D.	7	4	2	1	14	*13*
R.D.	22	22	2	3	49	16
Peterborough, Soke of .. U.D.	10	14	—	1	25	20
R.D.	4	3	—	—	7	*31*
Rutland .. .. U.D.	—	—	—	—	—	—
R.D.	4	3	—	—	7	*17*
Shropshire .. U.D.	36	28	—	4	68	26
R.D.	27	21	3	2	53	21
Somerset .. .. U.D.	35	33	1	1	70	18
R.D.	41	36	3	1	81	19
Staffordshire .. U.D.	157	148	5	8	318	24
R.D.	38	46	—	2	86	19
Suffolk, East .. U.D.	14	8	3	—	25	16
R.D.	20	13	—	2	35	18
Suffolk, West .. U.D.	5	8	—	—	13	*16*
R.D.	18	16	—	—	34	23
Surrey .. .. U.D.	138	136	12	8	294	15
R.D.	22	14	3	4	43	15
Sussex, East .. U.D.	14	15	2	—	31	12
R.D.	12	19	2	1	34	15
Sussex, West .. U.D.	31	23	3	1	58	16
R.D.	14	12	1	—	27	12
Warwickshire .. U.D.	63	55	3	4	125	17
R.D.	35	33	2	1	71	18
Westmorland .. U.D.	4	8	2	2	16	*36*
R.D.	6	5	—	—	11	*20*
Wight, Isle of .. U.D.	9	9	—	1	19	*18*
R.D.	4	2	—	1	7	*31*
Wiltshire .. .. U.D.	39	25	2	4	70	17
R.D.	38	36	4	3	81	21
Worcestershire .. U.D.	49	57	1	2	109	21
R.D.	14	23	3	1	41	20
Yorkshire, E.R. .. U.D.	16	13	1	—	30	16
R.D.	12	17	3	—	32	18
Yorkshire, N.R. .. U.D.	39	35	3	3	80	20
R.D.	38	32	3	2	75	24
Yorkshire, W.R. U.D.	207	210	10	14	441	22
R.D.	97	95	5	6	203	24
Anglesey .. .. U.D.	1	6	—	—	7	*16*
R.D.	2	8	—	—	10	*21*
Brecknockshire .. U.D.	1	3	—	—	4	*16*
R.D.	6	5	—	1	12	*20*
Caernarvonshire U.D.	24	13	2	1	40	37
R.D.	6	2	—	1	9	*13*
Cardiganshire .. U.D.	—	3	—	—	3	*13*
R.D.	5	12	—	—	17	*32*
Carmarthenshire U.D.	8	10	1	1	20	22
R.D.	12	12	2	1	27	18
Denbighshire .. U.D.	22	7	1	1	31	25
R.D.	15	14	1	—	30	20
Flintshire .. U.D.	11	16	1	—	28	20
R.D.	18	13	—	2	33	26
Glamorganshire .. U.D.	106	134	5	2	247	27
R.D.	24	44	—	3	71	19
Merionethshire .. U.D.	4	1	—	—	5	*19*
R.D.	1	1	1	—	3	*9*
Monmouthshire .. U.D.	65	61	4	3	133	27
R.D.	14	12	—	—	26	26
Montgomeryshire U.D.	7	1	—	—	8	*28*
R.D.	5	5	—	—	10	*22*
Pembrokeshire .. U.D.	17	17	1	—	35	36
R.D.	11	9	—	—	20	24
Radnorshire .. U.D.	—	—	—	—	—	—
R.D.	5	2	—	—	7	*32*

TABLE 24. Deaths at various periods in the first year of life by legitimacy
Death rates per 1,000 live births, 1960

England and Wales, standard regions, Wales, conurbations, urban and rural aggregates outside conurbations

Area	All infants									
	Deaths								Deaths per 1,000 live births	
	Under 1 day	1-6 days	1-3 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Total under 1 year	Under 4 weeks	Total under 1 year
ENGLAND AND WALES	**5,920**	**4,555**	**1,716**	**1,998**	**1,649**	**776**	**504**	**17,118**	**16**	**22**
Regions and conurbations:										
Northern	**497**	**387**	**156**	**179**	**156**	**62**	**35**	**1,472**	**17**	**25**
Tyneside Conurbation	133	101	43	33	45	20	6	381	18	24
Remainder of Northern	364	286	113	146	111	42	29	1,091	17	25
East and West Ridings	**571**	**411**	**159**	**217**	**166**	**66**	**51**	**1,641**	**16**	**23**
West Yorkshire Conurbation	256	162	68	84	81	33	22	706	17	24
Remainder of East and West Ridings	315	249	91	133	85	33	29	935	15	22
North Western	**1,036**	**708**	**302**	**419**	**311**	**142**	**89**	**3,007**	**18**	**26**
South East Lancashire Conurbation	395	266	108	155	118	45	30	1,117	18	26
Merseyside Conurbation	258	163	70	130	93	36	24	774	17	27
Remainder of North Western	383	279	124	134	100	61	35	1,116	17	25
North Midland	**437**	**353**	**140**	**148**	**160**	**92**	**41**	**1,371**	**15**	**22**
Midland	**611**	**518**	**200**	**192**	**177**	**89**	**62**	**1,849**	**16**	**22**
West Midlands Conurbation	327	265	78	98	94	40	32	934	16	22
Remainder of Midland	284	253	122	94	83	49	30	915	16	22
Eastern	**417**	**339**	**109**	**126**	**116**	**55**	**43**	**1,205**	**13**	**19**
London and South Eastern	**1,266**	**955**	**331**	**400**	**283**	**133**	**98**	**3,466**	**14**	**20**
Greater London	983	735	255	296	216	98	71	2,654	15	20
Remainder of South Eastern	283	220	76	104	67	35	27	812	13	18
Southern	**335**	**247**	**90**	**101**	**86**	**41**	**35**	**935**	**14**	**19**
South Western	**384**	**300**	**107**	**107**	**88**	**45**	**24**	**1,055**	**14**	**19**
Wales (including Monmouthshire)	**366**	**337**	**122**	**109**	**106**	**51**	**26**	**1,117**	**19**	**25**
Wales I (South East)	280	255	101	93	82	41	19	871	20	27
Wales II (remainder)	86	82	21	16	24	10	7	246	16	20
Urban/Rural aggregates:										
Conurbations	2,352	1,692	622	796	647	272	185	6,566	16	23
Areas outside conurbations:										
Urban areas with populations of 100,000 and over	763	627	248	268	240	107	63	2,316	16	23
Urban areas with populations of 50,000 and under 100,000	421	345	132	148	122	68	41	1,277	15	21
Urban areas with populations under 50,000	1,304	1,052	397	458	362	180	124	3,877	15	22
Rural districts	1,080	839	317	328	278	149	91	3,082	14	20

Area	Legitimate infants										Illegitimate infants									
	Deaths								Deaths per 1,000 live births		Deaths								Deaths per 1,000 live births	
	Under 1 day	1-6 days	1-3 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Total under 1 year	Under 4 weeks	Total under 1 year	Under 1 day	1-6 days	1-3 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Total under 1 year	Under 4 weeks	Total under 1 year
5,454	**4,297**	**1,606**	**1,869**	**1,548**	**736**	**481**	**15,991**	**15**	**22**	**466**	**258**	**110**	**129**	**101**	**40**	**23**	**1,127**	**20**	**26**
463	**369**	**142**	**172**	**147**	**61**	**35**	**1,389**	**17**	**24**	**34**	**18**	**14**	**7**	**9**	**1**	—	**83**	**26**	**33**
124	98	38	32	40	20	6	358	17	24	9	3	5	1	5	—	—	23	25	34
339	271	104	140	107	41	29	1,031	17	24	25	15	9	6	4	1	—	60	27	33
529	**392**	**151**	**204**	**155**	**65**	**50**	**1,546**	**16**	**23**	**42**	**19**	**8**	**13**	**11**	**1**	**1**	**95**	**18**	**25**
235	154	65	79	72	32	21	658	17	24	21	8	3	5	9	1	1	48	17	25
294	238	86	125	83	33	29	888	15	22	21	11	5	8	2	—	—	47	19	25
961	**670**	**288**	**387**	**298**	**135**	**83**	**2,822**	**17**	**26**	**75**	**38**	**14**	**32**	**13**	**7**	**6**	**185**	**21**	**31**
367	248	100	140	113	43	28	1,039	18	26	28	18	8	15	5	2	2	78	20	29
234	155	68	123	89	35	22	726	17	27	24	8	2	7	4	1	2	48	25	35
360	267	120	124	96	57	33	1,057	17	24	23	12	4	10	4	4	2	59	21	31
406	**336**	**129**	**141**	**151**	**89**	**39**	**1,291**	**15**	**22**	**31**	**17**	**11**	**7**	**9**	**3**	**2**	**80**	**19**	**26**
552	**490**	**184**	**184**	**169**	**82**	**58**	**1,719**	**15**	**22**	**59**	**28**	**16**	**8**	**8**	**7**	**4**	**130**	**23**	**29**
294	247	69	94	90	38	29	861	15	22	33	18	9	4	4	2	3	73	23	28
258	243	115	90	79	44	29	858	15	22	26	10	7	4	4	5	1	57	22	29
389	**317**	**105**	**114**	**111**	**52**	**41**	**1,129**	**13**	**18**	**28**	**22**	**4**	**12**	**5**	**3**	**2**	**76**	**19**	**26**
1,134	**884**	**303**	**365**	**255**	**123**	**93**	**3,157**	**14**	**19**	**132**	**71**	**28**	**35**	**28**	**10**	**5**	**309**	**18**	**24**
877	674	230	266	196	90	68	2,401	15	20	106	61	25	30	20	8	3	253	18	24
257	210	73	99	59	33	25	756	13	18	26	10	3	5	8	2	2	56	18	25
310	**235**	**82**	**101**	**80**	**39**	**34**	**881**	**13**	**19**	**25**	**12**	**8**	—	**6**	**2**	**1**	**54**	**17**	**20**
363	**284**	**103**	**99**	**81**	**42**	**23**	**995**	**14**	**19**	**21**	**16**	**4**	**8**	**7**	**3**	**1**	**60**	**15**	**22**
347	**320**	**119**	**102**	**101**	**48**	**25**	**1,062**	**19**	**25**	**19**	**17**	**3**	**7**	**5**	**3**	**1**	**55**	**23**	**33**
268	245	98	87	78	39	18	833	20	27	12	10	3	6	4	2	1	38	22	33
79	75	21	15	23	9	7	229	15	20	7	7	—	1	1	1	—	17	26	32
2,131	1,576	570	734	600	258	174	6,043	16	22	221	116	52	62	47	14	11	523	20	26
699	581	236	245	225	101	59	2,146	16	23	64	46	12	23	15	6	4	170	19	27
383	329	129	135	112	67	40	1,195	15	21	38	16	3	13	10	1	1	82	18	25
1,232	1,006	371	442	350	168	120	3,689	15	22	72	46	26	16	12	12	4	188	20	26
1,009	805	300	313	261	142	88	2,918	14	20	71	34	17	15	17	7	3	164	20	27

TABLE 25. Deaths at various periods in the first year of life, 1960, and the four quarters thereof

Area		Total under 1 year	Under 30 minutes	30 minutes and under 1 day	Total under 1 day	Days 1	2	3	4	5	6	1 day and under 1 week
England and Wales — All infants	M	9,911	371	3,077	3,448	1,038	767	455	229	147	126	2,762
	F	7,207	315	2,157	2,472	691	491	253	159	123	76	1,793
	P	17,118	686	5,234	5,920	1,729	1,258	708	388	270	202	4,555
Legitimate	M	9,261	307	2,861	3,168	983	723	438	214	139	119	2,616
	F	6,730	273	2,013	2,286	646	460	236	151	119	69	1,681
	P	15,991	580	4,874	5,454	1,629	1,183	674	365	258	188	4,297
Illegitimate	M	650	64	216	280	55	44	17	15	8	7	146
	F	477	42	144	186	45	31	17	8	4	7	112
	P	1,127	106	360	466	100	75	34	23	12	14	258
Regions and conurbations:												
Northern		**1,472**	**49**	**448**	**497**	**129**	**123**	**60**	**38**	**23**	**14**	**387**
Tyneside Conurbation		381	18	115	133	35	23	20	10	8	5	101
Remainder of Northern		1,091	31	333	364	94	100	40	28	15	9	286
East and West Ridings		**1,641**	**69**	**502**	**571**	**144**	**107**	**76**	**41**	**33**	**10**	**411**
West Yorkshire Conurbation		706	32	224	256	53	45	28	15	16	5	162
Remainder of East and West Ridings		935	37	278	315	91	62	48	26	17	5	249
North Western		**3,007**	**100**	**936**	**1,036**	**289**	**179**	**109**	**62**	**39**	**30**	**708**
South East Lancashire Conurbation		1,117	42	353	395	107	61	37	24	23	14	266
Merseyside Conurbation		774	29	229	258	56	49	27	14	10	7	163
Remainder of North Western		1,116	29	354	383	126	69	45	24	6	9	279
North Midland		**1,371**	**41**	**396**	**437**	**148**	**87**	**51**	**33**	**16**	**18**	**353**
Midland		**1,849**	**81**	**530**	**611**	**186**	**151**	**89**	**38**	**25**	**29**	**518**
West Midlands Conurbation		934	51	276	327	95	77	47	19	11	16	265
Remainder of Midland		915	30	254	284	91	74	42	19	14	13	253
Eastern		**1,205**	**48**	**369**	**417**	**120**	**104**	**50**	**22**	**23**	**20**	**339**
London and South Eastern		**3,466**	**154**	**1,112**	**1,266**	**378**	**248**	**142**	**82**	**63**	**42**	**955**
Greater London		2,654	126	857	983	283	188	116	68	48	32	735
Remainder of South Eastern		812	28	255	283	95	60	26	14	15	10	220
Southern		**935**	**57**	**278**	**335**	**93**	**67**	**38**	**17**	**19**	**13**	**247**
South Western		**1,055**	**49**	**335**	**384**	**118**	**90**	**43**	**25**	**15**	**9**	**300**
Wales (including Monmouthshire)		**1,117**	**38**	**328**	**366**	**124**	**102**	**50**	**30**	**14**	**17**	**337**
Wales I (South East)		871	29	251	280	93	75	38	26	10	13	255
Wales II (remainder)		246	9	77	86	31	27	12	4	4	4	82
Urban/Rural aggregates:												
Conurbations		6,566	298	2,054	2,352	629	443	275	150	116	79	1,692
Areas outside conurbations:												
Urban areas with populations of 100,000 and over		2,316	104	659	763	244	168	94	53	41	27	627
Urban areas with populations of 50,000 and under 100,000		1,277	44	377	421	135	83	56	38	25	8	345
Urban areas with populations of under 50,000		3,877	116	1,188	1,304	398	313	160	84	51	46	1,052
Rural districts		3,082	124	956	1,080	323	251	123	63	37	42	839
England and Wales — March Quarter		4,598	168	1,275	1,443	455	319	202	100	82	57	1,215
June Quarter		4,143	165	1,240	1,405	464	301	190	103	61	51	1,170
September Quarter		3,850	172	1,347	1,519	398	319	145	96	64	42	1,064
December Quarter		4,527	181	1,372	1,553	412	319	171	89	63	52	1,106

England and Wales, standard regions, Wales, conurbations, urban and rural aggregates outside conurbations

Weeks 0	1	2	3	Total under 4 weeks	Months 1	2	3	4	5	6	7	8	9	10	11
6,210	**479**	**252**	**238**	**7,179**	**616**	**506**	**404**	**292**	**211**	**177**	**139**	**114**	**110**	**95**	**68**
4,265	**399**	**196**	**152**	**5,012**	**460**	**416**	**300**	**250**	**192**	**136**	**108**	**102**	**88**	**75**	**68**
10,475	**878**	**448**	**390**	**12,191**	**1,076**	**922**	**704**	**542**	**403**	**313**	**247**	**216**	**198**	**170**	**136**
5,784	450	238	224	6,696	579	469	374	274	200	170	132	109	106	88	64
3,967	370	182	142	4,661	431	390	282	237	181	126	102	97	87	72	64
9,751	820	420	366	11,357	1,010	859	656	511	381	296	234	206	193	160	128
426	29	14	14	483	37	37	30	18	11	7	7	5	4	7	4
298	29	14	10	351	29	26	18	13	11	10	6	5	1	3	4
724	58	28	24	834	66	63	48	31	22	17	13	10	5	10	8
884	**74**	**41**	**41**	**1,040**	**104**	**75**	**64**	**52**	**40**	**25**	**16**	**21**	**13**	**11**	**11**
234	23	5	15	277	17	16	21	17	7	8	6	6	4	2	—
650	51	36	26	763	87	59	43	35	33	17	10	15	9	9	11
982	**75**	**48**	**36**	**1,141**	**118**	**99**	**81**	**45**	**40**	**19**	**31**	**16**	**16**	**23**	**12**
418	31	18	19	486	44	40	33	27	21	9	15	9	8	8	6
564	44	30	17	655	74	59	48	18	19	10	16	7	8	15	6
1,744	**151**	**74**	**77**	**2,046**	**231**	**188**	**121**	**110**	**80**	**60**	**44**	**38**	**31**	**35**	**23**
661	46	32	30	769	90	65	46	43	29	17	14	14	14	7	9
421	38	17	15	491	59	71	34	35	24	14	12	10	6	12	6
662	67	25	32	786	82	52	41	32	27	29	18	14	11	16	8
790	**83**	**32**	**25**	**930**	**68**	**80**	**71**	**58**	**31**	**45**	**27**	**20**	**21**	**10**	**10**
1,129	**105**	**62**	**33**	**1,329**	**93**	**99**	**73**	**58**	**46**	**30**	**27**	**32**	**22**	**18**	**22**
592	45	23	10	670	54	44	45	27	22	13	8	19	15	10	7
537	60	39	23	659	39	55	28	31	24	17	19	13	7	8	15
756	**57**	**28**	**24**	**865**	**63**	**63**	**53**	**34**	**29**	**14**	**26**	**15**	**20**	**10**	**13**
2,221	**174**	**76**	**81**	**2,552**	**221**	**179**	**120**	**93**	**70**	**59**	**40**	**34**	**41**	**37**	**20**
1,718	129	62	64	1,973	153	143	96	71	49	45	31	22	31	25	15
503	45	14	17	579	68	36	24	22	21	14	9	12	10	12	5
582	**29**	**35**	**26**	**672**	**55**	**46**	**35**	**31**	**20**	**16**	**12**	**13**	**10**	**12**	**13**
684	**64**	**19**	**24**	**791**	**63**	**44**	**39**	**28**	**21**	**18**	**14**	**13**	**9**	**8**	**7**
703	**66**	**33**	**23**	**825**	**60**	**49**	**47**	**33**	**26**	**27**	**10**	**14**	**15**	**6**	**5**
535	62	22	17	636	47	46	37	27	18	21	8	12	10	6	3
168	4	11	6	189	13	3	10	6	8	6	2	2	5	—	2
4,044	312	157	153	4,666	417	379	275	220	152	106	86	80	78	64	43
1,390	127	60	61	1,638	144	124	106	79	55	43	35	29	22	23	18
766	66	39	27	898	79	69	58	38	26	31	19	18	18	14	9
2,356	218	97	82	2,753	256	202	146	121	95	66	57	57	45	42	37
1,919	155	95	67	2,236	180	148	119	84	75	67	50	32	35	27	29
2,658	259	127	110	3,154	309	259	209	155	125	88	66	62	73	47	51
2,575	221	115	86	2,997	246	205	158	138	84	71	68	54	49	50	23
2,583	192	96	88	2,959	224	160	123	89	87	58	40	36	26	28	20
2,659	206	110	106	3,081	297	298	214	160	107	96	73	64	50	45	42

TABLE 26. Infant mortality from certain causes, 1960. Deaths of infants under one year and various sub-divisions of the first year, and deaths of illegitimate infants — **England and Wales, standard regions, Wales, conurbations, urban and rural aggregates outside conurbations**

See explanatory notes.

Area	Total under 1 year	Under 4 weeks	4 weeks and under 3 mths.	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)	Total under 1 year	Under 4 weeks	4 weeks and under 3 mths.	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)
	All causes							Pneumonia (490-493, 763)						
ENGLAND AND WALES	17,118	12,191	1,998	1,649	776	504	1,127	2,408	732	680	603	246	147	160
Regions and conurbations:														
Northern	1,472	1,040	179	156	62	35	83	227	73	68	58	21	7	12
Tyneside Conurbation	381	277	33	45	20	6	23	53	16	17	15	3	2	3
Remainder of Northern	1,091	763	146	111	42	29	60	174	57	51	43	18	5	9
East and West Ridings	1,641	1,141	217	166	66	51	95	256	61	88	67	25	15	16
West Yorkshire Conurbation	706	486	84	81	33	22	48	124	30	36	37	14	7	10
Remainder of E. & W. Ridings	935	655	133	85	33	29	47	132	31	52	30	11	8	6
North Western	3,007	2,046	419	311	142	89	185	473	102	160	131	54	26	31
S.E. Lancashire Conurbation	1,117	769	155	118	45	30	78	176	40	57	53	17	9	18
Merseyside Conurbation	774	491	130	93	36	24	48	134	25	53	34	13	9	4
Remainder of North Western	1,116	786	134	100	61	35	59	163	37	50	44	24	8	9
North Midland	1,371	930	148	160	92	41	80	208	65	43	59	29	12	10
Midland	1,849	1,329	192	177	89	62	130	297	123	62	63	29	20	15
West Midlands Conurbation	934	670	98	94	40	32	73	118	45	28	27	9	9	8
Remainder of Midland	915	659	94	83	49	30	57	179	78	34	36	20	11	7
Eastern	1,205	865	126	116	55	43	76	146	52	37	36	15	6	9
London and South Eastern	3,466	2,552	400	283	133	98	309	436	132	128	104	38	34	46
Greater London	2,654	1,973	296	216	98	71	253	345	104	102	85	29	25	40
Remainder of South Eastern	812	579	104	67	35	27	56	91	28	26	19	9	9	6
Southern	935	672	101	86	41	35	54	110	38	23	25	12	12	4
South Western	1,055	791	107	88	45	24	60	137	54	34	24	15	10	10
Wales (including Monmouthshire)	1,117	825	109	106	51	26	55	118	32	37	36	8	5	7
Wales I (South East)	871	636	93	82	41	19	38	96	29	30	29	4	4	7
Wales II (remainder)	246	189	16	24	10	7	17	22	3	7	7	4	1	—
Urban/Rural aggregates:														
Conurbations	6,566	4,666	796	647	272	185	523	950	260	293	251	85	61	83
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	2,316	1,638	268	240	107	63	170	369	103	109	99	43	15	26
Urban areas with populations of 50,000 and under 100,000	1,277	898	148	122	68	41	82	187	61	51	45	16	14	13
Urban areas with populations under 50,000	3,877	2,753	458	362	180	124	188	514	171	129	115	61	38	21
Rural districts	3,082	2,236	328	278	149	91	164	388	137	98	93	41	19	17
	Bronchitis (500–502)							Gastro-enteritis (571, 764)						
ENGLAND AND WALES	364	28	130	123	61	22	30	343	46	95	83	65	54	21
Regions and conurbations:														
Northern	25	1	11	12	—	1	2	37	7	8	8	9	5	2
Tyneside Conurbation	8	—	2	6	—	—	1	10	2	—	4	4	—	—
Remainder of Northern	17	1	9	6	—	1	1	27	5	8	4	5	5	2
East and West Ridings	45	6	14	13	8	4	3	41	8	11	7	6	9	1
West Yorkshire Conurbation	8	—	3	4	—	1	1	19	3	6	3	4	3	1
Remainder of E. & W. Ridings	37	6	11	9	8	3	2	22	5	5	4	2	6	—
North Western	73	4	29	26	11	3	5	99	14	35	24	14	12	5
S.E. Lancashire Conurbation	17	2	8	4	1	2	1	37	5	14	10	4	4	3
Merseyside Conurbation	40	—	17	17	5	1	4	33	3	12	10	4	4	—
Remainder of North Western	16	2	4	5	5	—	—	29	6	9	4	6	4	2
North Midland	41	3	10	18	8	2	1	25	3	7	8	5	2	1
Midland	14	—	8	3	1	2	1	39	5	15	5	8	6	3
West Midlands Conurbation	8	—	5	2	—	1	1	22	1	10	2	5	4	2
Remainder of Midland	6	—	3	1	1	1	—	17	4	5	3	3	2	1
Eastern	26	—	8	13	4	1	4	15	—	—	6	5	4	—
London and South Eastern	81	8	31	21	15	6	9	46	6	13	14	7	6	5
Greater London	68	6	26	18	13	5	8	27	5	7	8	6	1	3
Remainder of South Eastern	13	2	5	3	2	1	1	19	1	6	6	1	5	2
Southern	28	5	11	6	4	2	—	16	—	4	4	4	4	1
South Western	9	—	2	2	4	1	3	8	—	—	4	1	3	1
Wales (including Monmouthshire)	22	1	6	9	6	—	2	17	3	2	3	6	3	2
Wales I (South East)	17	—	5	7	5	—	1	14	1	2	3	6	2	2
Wales II (remainder)	5	1	1	2	1	—	1	3	2	—	—	—	1	—
Urban/Rural aggregates:														
Conurbations	149	8	61	51	19	10	16	148	19	49	37	27	16	9
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	50	6	17	14	10	3	2	54	7	12	15	13	7	4
Urban areas with populations of 50,000 and under 100,000	33	3	8	14	6	2	3	30	6	7	6	6	5	—
Urban areas with populations under 50,000	78	7	25	28	17	1	5	63	8	14	15	8	18	6
Rural districts	54	4	19	16	9	6	4	48	6	13	10	11	8	2

TABLE 26—*continued*

Area	Total under 1 year	Under 4 weeks	4 weeks and under 3 mths.	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)	Total under 1 year	Under 4 weeks	4 weeks and under 3 mths.	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)
	Other diseases of infective origin (001–138, 340, 470–483, 518, 519, 690–698, 765–768)							Accidental mechanical suffocation (E921–E925)						
ENGLAND AND WALES	423	139	91	89	62	42	29	323	36	113	125	32	17	16
Regions and conurbations:														
Northern	26	6	7	4	9	—	3	47	8	16	16	5	2	3
Tyneside Conurbation	8	1	—	2	5	—	—	13	3	3	5	2	—	2
Remainder of Northern	18	5	7	2	4	—	3	34	5	13	11	3	2	1
East and West Ridings	38	8	8	12	6	4	2	17	2	10	5	—	—	—
West Yorkshire Conurbation	13	3	1	4	4	1	1	6	—	4	2	—	—	—
Remainder of E. & W. Ridings	25	5	7	8	2	3	1	11	2	6	3	—	—	—
North Western	91	34	21	12	15	9	6	60	7	22	24	5	2	1
S.E. Lancashire Conurbation	38	19	7	5	5	2	3	21	—	10	9	1	1	—
Merseyside Conurbation	22	5	7	4	4	2	2	13	1	4	8	—	—	—
Remainder of North Western	31	10	7	3	6	5	1	26	6	8	7	4	1	1
North Midland	43	11	7	9	10	6	2	27	2	9	11	4	1	1
Midland	49	16	9	12	8	4	4	36	3	8	18	4	3	2
West Midlands Conurbation	31	6	8	8	6	3	3	21	1	5	10	2	3	1
Remainder of Midland	18	10	1	4	2	1	1	15	2	3	8	2	—	1
Eastern	30	11	5	5	5	4	1	31	4	11	11	2	3	2
London and South Eastern	79	25	18	18	8	10	5	45	6	16	16	3	4	4
Greater London	62	23	13	14	4	8	4	30	5	10	11	2	2	2
Remainder of South Eastern	17	2	5	4	4	2	1	15	1	6	5	1	2	2
Southern	24	10	6	4	—	4	3	16	2	3	7	3	1	1
South Western	20	8	5	5	1	1	2	21	—	10	9	1	1	1
Wales (including Monmouthshire)	23	10	5	8	—	—	1	23	2	8	8	5	—	1
Wales I (South East)	20	8	5	7	—	—	1	17	2	6	6	3	—	—
Wales II (remainder)	3	2	—	1	—	—	—	6	—	2	2	2	—	1
Urban/Rural aggregates:														
Conurbations	174	57	36	37	28	16	13	104	10	36	45	7	6	5
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	43	15	12	9	6	1	3	36	3	13	19	1	—	2
Urban areas with populations of 50,000 and under 100,000	27	8	5	6	5	3	2	27	5	8	8	4	2	1
Urban areas with populations under 50,000	101	30	22	19	19	11	7	85	8	36	26	12	3	4
Rural districts	78	29	16	18	4	11	4	71	10	20	27	8	6	4
	Congenital malformations (750–759)							Injury at birth (760,761)						
ENGLAND AND WALES	3,549	2,255	608	408	172	106	167	1,825	1,822	3	—	—	—	107
Regions and conurbations:														
Northern	280	168	52	40	9	11	15	166	166	—	—	—	—	7
Tyneside Conurbation	67	42	9	10	3	3	4	46	46	—	—	—	—	3
Remainder of Northern	213	126	43	30	6	8	11	120	120	—	—	—	—	4
East and West Ridings	330	213	59	39	10	9	15	174	174	—	—	—	—	10
West Yorkshire Conurbation	135	88	21	16	6	4	7	70	70	—	—	—	—	7
Remainder of E. & W. Ridings	195	125	38	23	4	5	8	104	104	—	—	—	—	3
North Western	602	399	102	61	24	16	27	309	309	—	—	—	—	13
S.E. Lancashire Conurbation	210	137	34	23	9	7	13	127	127	—	—	—	—	5
Merseyside Conurbation	137	93	23	14	7	—	4	89	89	—	—	—	—	2
Remainder of North Western	255	169	45	24	8	9	10	93	93	—	—	—	—	6
North Midland	270	176	38	30	16	10	17	151	151	—	—	—	—	7
Midland	407	252	66	52	23	14	22	207	207	—	—	—	—	19
West Midlands Conurbation	204	124	32	33	9	6	11	112	112	—	—	—	—	14
Remainder of Midland	203	128	34	19	14	8	11	95	95	—	—	—	—	5
Eastern	249	152	47	26	13	11	12	133	132	1	—	—	—	7
London and South Eastern	701	435	133	77	40	16	35	363	361	2	—	—	—	29
Greater London	521	325	101	54	27	14	28	283	282	1	—	—	—	24
Remainder of South Eastern	180	110	32	23	13	2	7	80	79	1	—	—	—	5
Southern	223	144	45	19	9	6	10	109	109	—	—	—	—	5
South Western	253	166	36	31	15	5	8	115	115	—	—	—	—	4
Wales (including Monmouthshire)	234	150	30	33	13	8	6	98	98	—	—	—	—	6
Wales I (South East)	189	120	27	25	11	6	2	72	72	—	—	—	—	4
Wales II (remainder)	45	30	3	8	2	2	4	26	26	—	—	—	—	2
Urban/Rural aggregates:														
Conurbations	1,274	809	220	150	61	34	67	727	726	1	—	—	—	55
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	490	322	69	57	20	22	27	233	233	—	—	—	—	9
Urban areas with populations of 50,000 and under 100,000	258	167	45	24	15	7	11	130	130	—	—	—	—	9
Urban areas with populations under 50,000	869	538	160	102	42	27	29	397	396	1	—	—	—	20
Rural districts	658	419	114	75	34	16	33	338	337	1	—	—	—	14

TABLE 26—*continued*

Area	Total under 1 year	Under 4 weeks	4 weeks and under 3 mths.	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)	Total under 1 year	Under 4 weeks	4 weeks and under 3 mths.	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)
	Postnatal asphyxia, atelectasis (762)							Haemolytic disease of newborn (770)						
ENGLAND AND WALES	**2,676**	**2,650**	**17**	**4**	**3**	**2**	**167**	**372**	**366**	**3**	**1**	**1**	**1**	**10**
Regions and conurbations:														
Northern	**183**	**181**	**2**	—	—	—	**10**	**18**	**17**	—	—	**1**	—	—
Tyneside Conurbation	47	47	—	—	—	—	2	6	6	—	—	—	—	—
Remainder of Northern	136	134	2	—	—	—	8	12	11	—	—	1	—	—
East and West Ridings	**234**	**230**	**3**	—	—	**1**	**12**	**25**	**24**	—	**1**	—	—	**2**
West Yorkshire Conurbation	102	99	2	—	—	1	6	9	9	—	—	—	—	2
Remainder of E. & W. Ridings	132	131	1	—	—	—	6	16	15	—	1	—	—	—
North Western	**453**	**449**	**2**	**1**	**1**	—	**27**	**63**	**62**	**1**	—	—	—	**4**
S.E. Lancashire Conurbation	184	180	2	1	1	—	14	23	22	1	—	—	—	2
Merseyside Conurbation	108	108	—	—	—	—	7	15	15	—	—	—	—	—
Remainder of North Western	161	161	—	—	—	—	6	25	25	—	—	—	—	2
North Midland	**171**	**170**	—	**1**	—	—	**12**	**33**	**33**	—	—	—	—	—
Midland	**300**	**297**	**3**	—	—	—	**24**	**31**	**31**	—	—	—	—	—
West Midlands Conurbation	192	192	—	—	—	—	16	17	17	—	—	—	—	—
Remainder of Midland	108	105	3	—	—	—	8	14	14	—	—	—	—	—
Eastern	**177**	**176**	**1**	—	—	—	**8**	**33**	**32**	**1**	—	—	—	**1**
London and South Eastern	**575**	**569**	**4**	**1**	—	**1**	**53**	**101**	**99**	**1**	—	—	**1**	**3**
Greater London	456	452	2	1	—	1	48	81	80	1	—	—	—	2
Remainder of South Eastern	119	117	2	—	—	—	5	20	19	—	—	—	1	1
Southern	**139**	**137**	—	**1**	**1**	—	**4**	**17**	**17**	—	—	—	—	—
South Western	**151**	**148**	**2**	—	**1**	—	**6**	**27**	**27**	—	—	—	—	—
Wales (including Monmouthshire)	**293**	**293**	—	—	—	—	**11**	**24**	**24**	—	—	—	—	—
Wales I (South East)	243	243	—	—	—	—	9	17	17	—	—	—	—	—
Wales II (remainder)	50	50	—	—	—	—	2	7	7	—	—	—	—	—
Urban/Rural aggregates:														
Conurbations	1,089	1,078	6	2	1	2	93	151	149	2	—	—	—	6
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	352	348	3	1	—	—	23	42	40	—	1	1	—	—
Urban areas with populations of 50,000 and under 100,000	188	186	1	1	—	—	14	25	25	—	—	—	—	2
Urban areas with populations under 50,000	578	576	2	—	—	—	18	93	91	1	—	—	1	2
Rural districts	469	462	5	—	2	—	19	61	61	—	—	—	—	—
	Immaturity associated with *diseases of early infancy* (760–773)*							Immaturity (774–776)						
ENGLAND AND WALES	**3,340**	**3,332**	**8**	—	—	—	**228**	**3,068**	**3,033**	**33**	**2**	—	—	**264**
Regions and conurbations:														
Northern	**266**	**264**	**2**	—	—	—	**17**	**308**	**305**	**3**	—	—	—	**22**
Tyneside Conurbation	70	70	—	—	—	—	5	77	77	—	—	—	—	4
Remainder of Northern	196	194	2	—	—	—	12	231	228	3	—	—	—	18
East and West Ridings	**298**	**297**	**1**	—	—	—	**15**	**315**	**311**	**3**	**1**	—	—	**23**
West Yorkshire Conurbation	120	120	—	—	—	—	9	151	148	2	1	—	—	8
Remainder of E. & W. Ridings	178	177	1	—	—	—	6	164	163	1	—	—	—	15
North Western	**561**	**559**	**2**	—	—	—	**32**	**520**	**514**	**6**	—	—	—	**39**
S.E. Lancashire Conurbation	238	236	2	—	—	—	19	187	184	3	—	—	—	7
Merseyside Conurbation	152	152	—	—	—	—	7	109	107	2	—	—	—	17
Remainder of North Western	171	171	—	—	—	—	6	224	223	1	—	—	—	15
North Midland	**234**	**234**	—	—	—	—	**14**	**246**	**239**	**7**	—	—	—	**21**
Midland	**415**	**414**	**1**	—	—	—	**38**	**269**	**268**	—	**1**	—	—	**23**
West Midlands Conurbation	231	231	—	—	—	—	24	117	116	—	1	—	—	11
Remainder of Midland	184	183	1	—	—	—	14	152	152	—	—	—	—	12
Eastern	**190**	**190**	—	—	—	—	**13**	**231**	**230**	**1**	—	—	—	**18**
London and South Eastern	**707**	**705**	**2**	—	—	—	**65**	**668**	**663**	**5**	—	—	—	**78**
Greater London	582	580	2	—	—	—	60	493	491	2	—	—	—	59
Remainder of South Eastern	125	125	—	—	—	—	5	175	172	3	—	—	—	19
Southern	**166**	**166**	—	—	—	—	**9**	**158**	**156**	**2**	—	—	—	**14**
South Western	**208**	**208**	—	—	—	—	**12**	**201**	**198**	**3**	—	—	—	**16**
Wales (including Monmouthshire)	**295**	**295**	—	—	—	—	**13**	**152**	**149**	**3**	—	—	—	**10**
Wales I (South East)	237	237	—	—	—	—	9	105	103	2	—	—	—	5
Wales II (remainder)	58	58	—	—	—	—	4	47	46	1	—	—	—	5
Urban/Rural aggregates:														
Conurbations	1,393	1,389	4	—	—	—	124	1,134	1,123	9	2	—	—	106
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	444	443	1	—	—	—	28	424	420	4	—	—	—	48
Urban areas with populations of 50,000 and under 100,000	220	220	—	—	—	—	20	244	238	6	—	—	—	14
Urban areas with populations under 50,000	721	720	1	—	—	—	26	709	701	8	—	—	—	49
Rural districts	562	560	2	—	—	—	30	557	551	6	—	—	—	47

*Including some deaths shown elsewhere in this table.

TABLE 27. Causes of death at various ages under five years, 1960

England and Wales

ICD No.	Causes of death		Total under 5 years	Days		Weeks				Months					Years				
				0	1–6	0	1	2	3	0	1–2	3–5	6–8	9–11	0	1	2	3	4
	ALL CAUSES	M	1,273	3,448	2,762	6,210	479	252	238	7,179	1,122	907	430	273	9,911	562	361	247	192
		F	8,276	2,472	1,793	4,265	399	196	152	5,012	876	742	346	231	7,207	454	262	196	157
001–008	Tuberculosis of respiratory system	M	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—
		F	6	—	—	—	—	—	—	—	1	—	1	1	3	1	1	1	—
010	Tuberculosis of meninges and central nervous system	M	7	—	—	—	—	—	—	—	—	—	1	1	2	2	1	2	—
		F	5	—	—	—	—	—	—	—	—	1	—	—	1	1	1	1	1
011	Tuberculosis of intestines, peritoneum, and mesenteric glands	M	2	—	—	—	—	—	1	1	—	—	—	—	1	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
012, 013	Tuberculosis of bones and joints	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
014–018	Tuberculosis, all other organs	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
019	Disseminated tuberculosis	M	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
		F	2	—	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—
020–029	Syphilis and its sequelae	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
030–039	Gonococcal infection and other venereal diseases	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
040–049	Infectious diseases commonly arising in intestinal tract	M	8	—	—	—	1	—	—	1	1	3	1	1	7	—	1	—	—
		F	6	—	—	—	—	—	—	—	1	2	—	—	3	1	—	2	—
045–048	Dysentery, all forms	M	2	—	—	—	—	—	—	—	—	1	—	—	1	—	1	—	—
		F	3	—	—	—	—	—	—	—	—	1	—	—	1	1	—	1	—
050–064	Other bacterial diseases	M	73	—	—	—	—	—	—	—	17	11	13	9	50	12	4	5	2
		F	66	—	1	1	1	1	2	5	8	12	12	6	43	11	3	6	3
050	Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
055	Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
056·0	Whooping cough, without mention of pneumonia	M	5	—	—	—	—	—	—	—	2	2	—	—	4	—	—	—	1
		F	2	—	—	—	—	—	—	—	—	1	1	—	2	—	—	—	—
056·1	Whooping cough, with pneumonia	M	13	—	—	—	—	—	—	—	6	3	1	—	10	1	1	1	—
		F	14	—	—	—	—	1	1	2	3	2	1	2	10	1	—	1	2
057·0	Meningococcal meningitis	M	18	—	—	—	—	—	—	—	2	3	—	4	12	5	—	—	1
		F	9	—	—	—	—	—	—	—	2	2	—	2	6	2	1	—	—
057·1	Acute and unspecified meningococcaemia	M	23	—	—	—	—	—	—	—	3	—	8	4	15	4	2	2	—
		F	26	—	—	—	1	—	1	2	—	5	6	1	14	7	1	3	1
057·2	Chronic meningococcaemia	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
057·3	Other forms of meningococcal infection	M	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
		F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
061	Tetanus	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
080, 081	Acute poliomyelitis, including late effects	M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
		F	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—
082, 083	Acute infectious encephalitis, including late effects	M	18	—	—	—	—	—	1	1	1	1	1	3	7	6	3	1	1
		F	23	—	—	—	—	—	—	—	2	3	2	3	10	4	5	3	1
085·0	Measles, without mention of pneumonia	M	3	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—
		F	7	—	—	—	—	—	—	—	—	—	—	1	1	3	2	1	—
085·1	Measles, with pneumonia	M	9	—	—	—	—	—	—	—	—	—	2	—	2	1	4	1	1
		F	6	—	—	—	—	—	—	—	—	1	2	—	3	3	—	—	—
086	Rubella (German measles)	M	2	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
087	Chickenpox	M	4	—	—	—	—	—	1	1	—	—	—	—	1	1	—	1	1
		F	8	—	—	—	—	—	—	—	—	—	—	1	1	3	1	3	—
089	Mumps	M	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
		F	2	—	—	—	—	—	1	1	—	—	—	—	1	1	—	—	—
Rem. of 001–138	Other infective and parasitic diseases	M	28	—	2	2	2	1	—	5	3	4	2	2	16	2	1	3	6
		F	16	1	—	1	2	1	—	4	3	3	—	1	11	1	1	2	1
140–239	Neoplasms	M	199	3	4	7	—	2	1	10	7	7	5	12	41	34	49	31	44
		F	181	5	2	7	1	—	1	9	3	10	8	8	38	36	38	36	33
140–199	Malignant neoplasms	M	76	—	1	1	—	1	—	2	2	1	2	4	11	16	19	11	19
		F	83	3	—	3	—	—	1	4	2	5	3	4	18	18	18	18	11
150–159	of digestive organs and peritoneum	M	7	—	—	—	1	—	—	1	—	—	2	1	4	1	2	—	—
		F	9	1	—	1	—	—	—	1	—	1	1	1	4	1	4	—	—
170–181	of breast and genito-urinary organs	M	22	—	—	—	—	—	—	—	—	—	—	—	—	1	6	6	5	4
		F	20	1	—	1	—	—	—	1	—	—	1	1	3	4	4	5	4
180	of kidney	M	18	—	—	—	—	—	—	—	—	—	—	—	—	6	5	4	3
		F	18	1	—	1	—	—	—	1	—	—	1	—	2	3	4	5	4

TABLE 27—*continued*

ICD No.	Causes of death		Total under 5 years	Days		Weeks				Months					Years				
				0	1–6	0	1	2	3	0	1–2	3–5	6–8	9–11	0	1	2	3	4
140–199	Malignant neoplasms—continued																		
192	of eye	M	3	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	—
		F	3	—	—	—	—	—	—	—	—	1	—	—	1	1	1	—	—
193	of brain and other parts of nervous system	M	34	—	1	1	—	—	—	1	1	—	—	3	5	6	6	4	13
		F	39	1	—	1	—	—	—	1	2	3	1	2	9	6	4	13	7
195	of endocrine glands	M	6	—	—	—	—	—	—	—	1	—	—	—	1	2	—	1	2
		F	4	—	—	—	—	—	1	1	—	—	—	—	1	—	3	—	—
	195·0 of suprarenal	M	5	—	—	—	—	—	—	—	1	—	—	—	1	1	—	1	2
		F	3	—	—	—	—	—	1	1	—	—	—	—	1	—	2	—	—
	195·1 of parathyroid	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	195·2 of thymus	M	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
		F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
	195·3 of pituitary	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
196	of bone	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
197	of connective tissue	M	2	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—
		F	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
200–205	Leukaemia, aleukaemia and reticuloses	M	98	—	—	—	—	1	—	1	3	3	3	7	17	13	27	19	22
		F	81	—	—	—	—	—	—	—	—	4	2	3	9	16	18	18	20
200	lymphosarcoma and reticulosarcoma	M	9	—	—	—	—	—	—	—	1	—	—	1	2	1	3	1	2
		F	5	—	—	—	—	—	—	—	—	—	—	1	1	1	2	1	—
204·0	lymphatic leukaemia	M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
		F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
204·1	myeloid leukaemia	M	2	—	—	—	—	—	—	—	—	1	—	—	1	—	—	1	—
		F	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—
204·2	monocytic leukaemia	M	4	—	—	—	—	—	—	—	—	—	—	—	—	2	1	—	1
		F	3	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	1
204·3	acute leukaemia	M	73	—	—	—	—	—	—	—	2	—	3	6	11	9	21	17	15
		F	63	—	—	—	—	—	—	—	—	3	2	2	7	11	12	16	17
204·4	other and unspecified leukaemia	M	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1
		F	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
210–239	Benign and unspecified neoplasms	M	25	3	3	6	—	—	1	7	2	3	—	1	13	5	3	1	3
		F	17	2	2	4	1	—	—	5	1	1	3	1	11	2	2	—	2
223, 237	of brain and central nervous system	M	14	—	1	1	—	—	—	1	—	3	—	1	5	4	2	1	2
		F	7	—	—	—	—	—	—	—	1	—	—	1	2	1	2	—	2
240–245	Allergic disorders	M	15	—	—	—	—	—	—	—	1	—	3	3	7	3	3	2	—
		F	15	—	—	—	—	—	—	—	—	—	—	1	1	3	4	5	2
250–254	Diseases of thyroid gland	M	1	—	—	—	—	—	1	1	—	—	—	—	1	—	—	—	—
		F	2	—	—	—	—	—	—	—	—	1	—	—	1	—	—	1	—
260	Diabetes mellitus	M	5	—	—	—	—	—	—	—	1	—	—	2	3	2	—	—	—
		F	8	—	—	—	—	—	—	—	—	—	1	—	1	4	1	2	—
270–277	Diseases of other endocrine glands	M	22	5	2	7	2	1	—	10	3	1	3	2	19	2	1	—	—
		F	14	2	2	4	—	—	—	4	2	—	1	—	7	3	1	2	1
280–289	Avitaminoses and other metabolic diseases	M	13	—	—	—	—	—	—	—	2	3	—	3	8	2	—	3	—
		F	3	—	—	—	—	—	—	—	—	1	—	1	2	—	1	—	—
283	active rickets	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
286·0	steatorrhoea and sprue	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
290–293	Anaemias	M	9	—	—	—	—	—	1	1	1	—	1	—	3	2	2	1	1
		F	9	2	—	2	—	—	—	2	1	2	1	—	6	2	1	—	—
294–299	Other diseases of blood and blood-forming organs	M	9	—	2	2	3	2	—	7	—	1	—	—	8	—	—	1	—
		F	7	1	1	2	—	1	—	3	1	—	—	—	4	1	—	2	—
320–326	Mental, psychoneurotic, and personality disorders	M	28	2	1	3	1	3	—	7	3	2	1	1	14	5	5	3	1
		F	21	—	2	2	1	—	—	3	3	2	2	—	10	8	—	2	1
325	mental deficiency	M	28	2	1	3	1	3	—	7	3	2	1	1	14	5	5	3	1
		F	21	—	2	2	1	—	—	3	3	2	2	—	10	8	—	2	1
330–334	Vascular lesions affecting central nervous system	M	27	—	—	—	—	—	—	—	12	2	3	—	17	3	5	1	1
		F	20	—	1	1	—	—	—	1	4	4	3	1	13	1	—	5	1
340–345	Inflammatory diseases of central nervous system	M	144	1	9	10	11	7	4	32	22	19	12	8	93	30	11	8	2
		F	104	1	6	7	7	6	4	24	13	13	4	8	62	25	11	3	3
340	meningitis, except meningococcal and tuberculous	M	110	1	9	10	11	6	3	30	18	14	10	7	79	14	9	6	2
		F	68	1	6	7	6	5	4	22	11	7	4	5	49	12	5	—	2
350–357	Other diseases of central nervous system	M	85	2	—	2	—	—	—	2	12	9	4	9	36	20	9	10	10
		F	63	—	—	—	—	—	—	—	6	7	7	3	23	16	8	6	10
351	cerebral spastic infantile paralysis	M	34	—	—	—	—	—	—	—	10	7	2	3	22	6	2	3	1
		F	18	—	—	—	—	—	—	—	4	2	1	—	7	7	2	1	1
353	epilepsy	M	31	—	—	—	—	—	—	—	1	1	1	3	6	6	5	6	8
		F	28	—	—	—	—	—	—	—	2	2	2	—	6	6	5	5	6

TABLE 27—*continued*

ICD No.	Causes of death		Total under 5 years	Days		Weeks				Months					Years				
				0	1–6	0	1	2	3	0	1–2	3–5	6–8	9–11	0	1	2	3	4
390–398	Diseases of ear and mastoid process	M	29	—	—	—	—	1	3	4	7	5	6	3	25	1	2	1	—
		F	21	—	—	—	—	—	1	1	7	5	2	1	16	4	1	—	—
Rem. of 330–398	Other diseases of nerves and sense organs	M	1	—	—	—	—	—	1	1	—	—	—	—	1	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
400–402	Rheumatic fever	M	1	—	1	1	—	—	—	1	—	—	—	—	1	—	—	—	—
		F	4	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	2
410–434	Diseases of the heart	M	20	1	2	3	—	1	—	4	3	4	3	—	14	5	—	—	1
		F	22	—	1	1	2	1	—	4	3	2	4	—	13	5	1	2	1
440–468	Other diseases of the circulatory system	M	7	—	—	—	2	—	—	2	3	—	—	—	5	1	—	1	—
		F	5	1	—	1	1	—	—	2	—	1	1	—	4	1	—	—	—
470–475	Acute upper respiratory infections	M	37	—	—	—	—	—	—	—	3	9	2	1	15	12	6	2	2
		F	22	—	—	—	—	—	—	—	3	1	4	—	8	6	5	1	2
480–483	Influenza	M	24	—	1	1	—	—	1	2	2	7	2	—	13	3	4	2	2
		F	21	—	1	1	—	—	1	2	4	5	2	—	13	5	1	1	1
490	Lobar pneumonia	M	47	—	—	—	—	—	—	—	18	10	6	3	37	7	1	1	1
		F	38	—	—	—	—	—	—	—	10	11	3	3	27	3	3	2	3
491	Bronchopneumonia	M	977	—	—	—	—	—	—	—	309	297	127	77	810	87	37	30	13
		F	751	—	—	—	—	—	—	—	258	224	79	48	609	79	34	17	12
492–493	Primary atypical, other and unspecified pneumonia	M	135	—	—	—	—	—	—	—	53	25	17	7	102	21	4	5	3
		F	106	—	—	—	—	—	—	—	32	36	14	9	91	11	1	2	1
500–502	Bronchitis	M	275	1	6	7	1	5	3	16	70	77	38	11	212	30	19	8	6
		F	190	1	4	5	—	4	3	12	60	46	23	11	152	18	9	8	3
510–527	Other diseases of respiratory system	M	62	4	3	7	2	—	3	12	15	7	6	2	42	6	6	3	5
		F	29	5	1	6	1	1	1	9	6	5	3	1	24	1	1	—	3
518	empyema	M	4	—	—	—	—	—	—	—	2	1	1	—	4	—	—	—	—
		F	4	—	—	—	—	—	1	1	1	2	—	—	4	—	—	—	—
519	pleurisy	M	3	—	—	—	—	—	1	1	—	—	—	—	1	1	—	1	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
530–539	Diseases of buccal cavity and oesophagus	M	6	—	2	2	1	—	—	3	1	—	1	1	6	—	—	—	—
		F	5	—	—	—	—	—	—	—	—	1	1	1	3	1	1	—	—
543	Gastritis and duodenitis	M	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
544	Disorders of function of stomach	M	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rem. of 540–545	Diseases of stomach and duodenum, others	M	3	—	1	1	1	—	—	2	—	—	—	—	2	—	1	—	—
		F	3	—	1	1	—	—	—	1	—	1	—	—	2	—	—	—	1
550–553	Appendicitis	M	17	—	1	1	—	—	1	2	1	—	2	1	6	2	5	2	2
		F	11	—	—	—	—	—	—	—	—	—	—	—	—	3	6	1	1
560–561	Hernia of abdominal cavity	M	82	40	21	61	—	2	4	67	7	4	—	—	78	3	1	—	—
		F	46	30	8	38	—	—	—	38	4	1	1	1	45	—	—	1	—
570	Intestinal obstruction, without mention of hernia	M	47	—	5	5	1	3	3	12	9	6	6	4	37	6	3	1	—
		F	22	—	3	3	—	—	1	4	2	11	1	1	19	2	1	—	—
570·0	intussusception	M	22	—	—	—	—	—	—	—	4	6	5	1	16	4	2	—	—
		F	15	—	1	1	—	—	—	1	1	9	1	1	13	2	—	—	—
570·3	volvulus	M	11	—	4	4	—	—	2	6	—	—	—	3	9	—	1	1	—
		F	4	—	2	2	—	—	—	2	—	2	—	—	4	—	—	—	—
571	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	M	235	—	—	—	—	—	—	—	60	53	38	27	178	38	13	6	—
		F	153	—	—	—	—	—	—	—	35	30	27	27	119	22	8	2	2
Rem. of 570–578	Other diseases of intestines and peritoneum	M	10	—	—	—	2	—	—	2	2	5	—	—	9	—	1	—	—
		F	11	—	1	1	1	—	—	2	2	4	1	—	9	1	—	1	—
580–587	Diseases of liver, gallbladder and pancreas	M	96	—	16	16	11	1	3	31	15	19	11	6	82	5	4	1	4
		F	77	2	6	8	4	3	2	17	10	15	6	6	54	9	9	2	3
587	diseases of pancreas	M	85	—	16	16	10	1	2	29	14	16	11	4	74	4	4	1	2
		F	65	2	4	6	4	2	2	14	5	15	5	6	45	7	8	2	3
590–594	Nephritis and nephrosis	M	20	—	—	—	—	2	—	2	1	5	—	1	9	3	2	3	3
		F	19	—	—	—	—	—	1	1	—	2	4	2	9	4	3	3	—
600–609	Other diseases of urinary system	M	33	—	2	2	1	1	3	7	9	4	3	3	26	3	2	1	1
		F	16	—	—	—	1	1	—	2	4	4	—	—	10	2	3	—	1
610–617	Diseases of male genital organs	M	2	—	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—
615	redundant prepuce and phimosis	M	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
620–637	Diseases of female genital organs	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
690–698	Infections of skin and subcutaneous tissue	M	6	—	—	—	2	—	—	2	1	1	—	—	4	1	—	1	—
		F	3	—	—	—	—	—	1	1	1	—	—	—	2	—	—	—	1
700–716	Other diseases of skin and subcutaneous tissue	M	4	—	—	—	—	—	—	—	1	1	—	1	3	1	—	—	—
		F	1	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—
720–749	Diseases of the bones and organs of movement	M	25	—	2	2	1	1	—	4	7	4	3	3	21	2	2	—	—
		F	17	1	—	1	—	1	—	2	1	2	4	2	11	2	3	1	—
730	osteomyelitis and periostitis	M	4	—	—	—	1	—	—	1	—	—	2	1	4	—	—	—	—
		F	4	—	—	—	—	1	—	1	1	—	—	—	2	—	2	—	—
750	Monstrosity	M	78	47	27	74	2	—	—	76	—	—	—	—	76	1	1	—	—
		F	110	88	21	109	1	—	—	110	—	—	—	—	110	—	—	—	—

TABLE 27—*continued*

ICD No.	Causes of death		Total under 5 years	Days		Weeks				Months					Years				
				0	1–6	0	1	2	3	0	1–2	3–5	6–8	9–11	0	1	2	3	4
751	Spina bifida and meningocele	M	285	29	46	75	47	27	28	177	55	29	12	3	276	7	1	—	1
		F	391	36	55	91	73	41	26	231	82	43	17	5	378	7	3	1	2
752	Congenital hydrocephalus	M	232	34	32	66	22	15	8	111	26	35	22	9	203	16	8	3	2
		F	282	36	32	68	21	15	9	113	48	49	24	14	248	19	10	2	3
753·0	Congenital cataract	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
753·1	Other congenital malformations of nervous system and sense organs	M	57	12	5	17	2	—	—	19	8	4	5	3	39	7	9	2	—
		F	53	13	3	16	5	1	—	22	6	6	1	4	39	6	5	1	2
754·0	Tetralogy of Fallot	M	32	—	2	2	1	—	—	3	10	6	1	1	21	3	3	2	3
		F	38	3	2	5	2	—	2	9	3	8	3	1	24	5	4	3	2
754·1	Patent ductus arteriosus (Botalli)	M	40	1	23	24	2	5	2	33	4	3	—	—	40	—	—	—	—
		F	37	2	10	12	2	3	5	22	5	1	3	—	31	2	1	—	3
754·2	Interventricular septal defect	M	78	6	18	24	7	4	2	37	14	12	5	1	69	6	1	—	2
		F	78	7	18	25	5	2	4	36	10	10	4	5	65	3	3	4	3
754·3	Interauricular septal defect	M	42	3	14	17	1	—	1	19	9	3	3	1	35	3	3	1	—
		F	52	4	12	16	—	5	1	22	8	7	4	2	43	2	3	3	1
754·4	Fibroelastosis cordis	M	35	1	10	11	2	2	—	15	6	9	1	1	32	1	1	1	—
		F	28	3	3	6	1	1	1	9	4	8	5	1	27	—	1	—	—
754·5	Other and unspecified malformations of heart	M	486	42	156	198	39	23	22	282	87	51	13	9	442	28	9	4	3
		F	378	33	88	121	40	10	15	186	68	46	25	19	344	18	7	5	4
754·6	Coarctation of aorta	M	23	3	8	11	2	—	2	15	2	4	—	1	22	—	—	1	—
		F	25	2	8	10	6	—	—	16	4	3	—	—	23	1	1	—	—
754·7	Other circulatory malformations	M	94	5	24	29	13	7	4	53	16	13	3	1	86	3	2	3	—
		F	60	5	15	20	4	2	3	29	14	7	4	1	55	2	1	2	—
755	Cleft palate and harelip	M	5	—	1	1	2	—	—	3	—	1	—	—	4	—	1	—	—
		F	5	—	—	—	—	—	—	—	4	1	—	—	5	—	—	—	—
756·0	Congenital hypertrophic pyloric stenosis	M	31	—	—	—	1	2	4	7	21	2	—	—	30	1	—	—	—
		F	5	—	—	—	—	1	—	1	3	1	—	—	5	—	—	—	—
756·1	Imperforate anus	M	21	2	8	10	5	2	—	17	3	—	—	—	20	1	—	—	—
		F	9	—	3	3	2	1	—	6	2	1	—	—	9	—	—	—	—
756·2	Other congenital malformations of digestive system	M	183	7	75	82	31	9	12	134	16	11	4	4	169	10	1	3	—
		F	131	5	47	52	26	6	2	86	14	9	3	9	121	6	1	1	2
757·0	Undescended testicle	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
757·1	Polycystic disease of kidney	M	23	10	4	14	—	1	2	17	6	—	—	—	23	—	—	—	—
		F	10	7	—	7	—	—	—	7	2	1	—	—	10	—	—	—	—
757·2	Congenital malformations of external genital organs	M	2	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	1
		F	2	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	1
757·3	Other congenital malformations of genito-urinary system	M	111	34	8	42	11	7	8	68	16	10	1	3	98	10	2	1	—
		F	33	7	9	16	2	2	—	20	2	3	1	2	28	4	1	—	—
758·0	Congenital dislocation of hip	M	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
758·1	Chondrodystrophy	M	6	2	1	3	—	—	—	3	—	1	1	—	5	—	—	—	1
		F	3	—	2	2	1	—	—	3	—	—	—	—	3	—	—	—	—
758·2	Congenital malformations of skull	M	2	1	—	1	—	—	1	2	—	—	—	—	2	—	—	—	—
		F	7	5	1	6	—	—	—	6	—	—	—	1	7	—	—	—	—
758·3	Brittle bones	M	3	1	1	2	—	—	1	3	—	—	—	—	3	—	—	—	—
		F	3	1	—	1	1	—	—	2	—	—	—	—	2	—	1	—	—
758·4	Cervical rib	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
758·5	Congenital abnormalities of lumbo-sacral region	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
758·6	Other congenital malformations of bone and joint	M	10	1	1	2	1	—	—	3	3	1	1	1	9	1	—	—	—
		F	7	—	1	1	—	2	—	3	2	1	—	—	6	—	1	—	—
759·0	Congenital malformations of respiratory system	M	36	13	4	17	1	2	—	20	6	2	1	1	30	1	1	3	1
		F	21	10	3	13	—	1	—	14	2	2	—	1	19	2	—	—	—
759·1	Congenital malformations of skin	M	3	—	—	—	1	—	—	1	1	1	—	—	3	—	—	—	—
		F	3	—	2	2	—	—	—	2	1	—	—	—	3	—	—	—	—
759·2	Congenital malformations of muscle	M	8	6	1	7	—	—	—	7	—	—	1	—	8	—	—	—	—
		F	7	5	1	6	—	—	—	6	—	—	—	1	7	—	—	—	—
759·3	Other and unspecified congenital malformations	M	110	68	19	87	5	3	4	99	4	2	1	—	106	1	2	1	—
		F	87	43	14	57	11	1	1	70	10	1	2	1	84	1	1	1	—
760·0	Intracranial and spinal injury at birth, without mention of immaturity	M	563	264	270	534	17	8	4	563	—	—	—	—	563	—	—	—	—
		F	325	167	137	304	11	5	4	324	1	—	—	—	325	—	—	—	—
760·5	Intracranial and spinal injury at birth, with immaturity	M	339	162	168	330	9	—	—	339	—	—	—	—	339	—	—	—	—
		F	191	91	92	183	6	2	—	191	—	—	—	—	191	—	—	—	—

TABLE 27—*continued*

ICD No.	Causes of death		Total under 5 years	Days		Weeks				Months					Years				
				0	1–6	0	1	2	3	0	1–2	3–5	6–8	9–11	0	1	2	3	4
761·0	Other birth injury, without mention of immaturity	M	115	83	29	112	1	—	—	113	2	—	—	—	115	—	—	—	—
		F	75	59	15	74	—	1	—	75	—	—	—	—	75	—	—	—	—
761·5	Other birth injury, with immaturity	M	135	111	22	133	1	—	1	135	—	—	—	—	135	—	—	—	—
		F	82	52	28	80	1	1	—	82	—	—	—	—	82	—	—	—	—
762·0	Postnatal asphyxia and atelectasis, without mention of immaturity	M	535	298	212	510	10	—	—	520	9	2	2	1	534	—	—	1	—
		F	351	246	90	336	2	3	—	341	6	2	1	1	351	—	—	—	—
762·5	Postnatal asphyxia and atelectasis, with immaturity	M	1,062	593	447	1,040	15	7	—	1,062	—	—	—	—	1.062	—	—	—	—
		F	729	413	294	707	15	5	—	727	2	—	—	—	729	—	—	—	—
763·0	Pneumonia of newborn, without mention of immaturity	M	321	24	141	165	60	42	54	321	—	—	—	—	321	—	—	—	—
		F	200	23	72	95	39	30	36	200	—	—	—	—	200	—	—	—	—
763·5	Pneumonia of newborn, with immaturity	M	130	12	74	86	24	10	10	130	—	—	—	—	130	—	—	—	—
		F	81	9	41	50	23	5	3	81	—	—	—	—	81	—	—	—	—
764·0	Diarrhoea of newborn, without mention of immaturity	M	28	—	3	3	4	13	8	28	—	—	—	—	28	—	—	—	—
		F	10	—	—	—	1	3	6	10	—	—	—	—	10	—	—	—	—
764·5	Diarrhoea of newborn, with immaturity	M	5	—	—	—	—	3	2	5	—	—	—	—	5	—	—	—	—
		F	3	—	—	—	—	2	1	3	—	—	—	—	3	—	—	—	—
765·0	Ophthalmia neonatorum, without mention of immaturity	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	1	—	1	—	—	—	1	—	—	—	—	1	—	—	—	—
765·5	Ophthalmia neonatorum, with immaturity	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
766·0	Pemphigus neonatorum, without mention of immaturity	M	1	—	—	—	—	1	—	1	—	—	—	—	1	—	—	—	—
		F	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
766·5	Pemphigus neonatorum, with immaturity	M	2	—	1	1	1	—	—	2	—	—	—	—	2	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
767·0	Umbilical sepsis, without mention of immaturity	M	10	—	—	—	3	2	3	8	1	1	—	—	10	—	—	—	—
		F	5	—	—	—	2	1	2	5	—	—	—	—	5	—	—	—	—
767·5	Umbilical sepsis, with immaturity	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—	—
768·0	Other sepsis of newborn, without mention of immaturity	M	20	2	6	8	5	4	2	19	1	—	—	—	20	—	—	—	—
		F	8	1	3	4	2	2	—	8	—	—	—	—	8	—	—	—	—
768·5	Other sepsis of newborn, with immaturity	M	7	1	4	5	2	—	—	7	—	—	—	—	7	—	—	—	—
		F	8	1	3	4	1	—	2	7	1	—	—	—	8	—	—	—	—
769·0	Neonatal disorders attributed to "toxaemia of pregnancy" without mention of immaturity	M	7	3	3	6	—	1	—	7	—	—	—	—	7	—	—	—	—
		F	2	2	—	2	—	—	—	2	—	—	—	—	2	—	—	—	—
769·1	Neonatal disorders attributed to maternal diabetes, without mention of immaturity	M	1	1	—	1	—	—	—	1	—	—	—	—	1	—	—	—	—
		F	3	1	2	3	—	—	—	3	—	—	—	—	3	—	—	—	—
769·2	Neonatal disorders attributed to maternal rubella, without mention of immaturity	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
769·3	Neonatal disorders attributed to toxoplasmosis, without mention of immaturity	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
769·4	Neonatal disorders attributed to other or unspecified maternal toxaemia, without mention of immaturity	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
769·5	Neonatal disorders attributed to "toxaemia of pregnancy" with immaturity	M	58	25	32	57	1	—	—	58	—	—	—	—	58	—	—	—	—
		F	43	22	21	43	—	—	—	43	—	—	—	—	43	—	—	—	—
769·6	Neonatal disorders attributed to maternal diabetes, with immaturity	M	13	9	4	13	—	—	—	13	—	—	—	—	13	—	—	—	—
		F	2	2	—	2	—	—	—	2	—	—	—	—	2	—	—	—	—
769·7	Neonatal disorders attributed to maternal rubella, with immaturity	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
769·8	Neonatal disorders attributed to toxoplasmosis, with immaturity	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
769·9	Neonatal disorders attributed to other or unspecified maternal toxaemia, with immaturity	M	4	4	—	4	—	—	—	4	—	—	—	—	4	—	—	—	—
		F	1	—	1	1	—	—	—	1	—	—	—	—	1	—	—	—	—
770·0	Erythroblastosis, without mention of nervous affection or immaturity	M	126	94	30	124	—	—	1	125	—	—	—	1	126	—	—	—	—
		F	127	92	30	122	4	1	—	127	—	—	—	—	127	—	—	—	—
770·1	Kernicterus, without mention of immaturity	M	17	—	12	12	3	—	—	15	1	1	—	—	17	—	—	—	—
		F	8	—	6	6	1	—	—	7	—	—	1	—	8	—	—	—	—

TABLE 27—*continued*

ICD No.	Causes of death		Total under 5 years	Days		Weeks				Months					Years				
				0	1–6	0	1	2	3	0	1–2	3–5	6–8	9–11	0	1	2	3	4
770·2	Erythroblastosis, with disorder of liver other than icterus gravis, without mention of immaturity	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
770·5	Erythroblastosis, without mention of nervous affection but with immaturity	M	42	31	11	42	—	—	—	42	—	—	—	—	42	—	—	—	—
		F	34	21	9	30	2	—	—	32	2	—	—	—	34	—	—	—	—
770·6	Kernicterus with immaturity	M	14	—	7	7	7	—	—	14	—	—	—	—	14	—	—	—	—
		F	4	—	2	2	2	—	—	4	—	—	—	—	4	—	—	—	—
770·7	Erythroblastosis with disorder of liver	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
771·0	Haemorrhagic disease of newborn, without mention of immaturity	M	77	18	50	68	6	1	2	77	—	—	—	—	77	—	—	—	—
		F	57	22	30	52	4	—	—	56	1	—	—	—	57	—	—	—	—
771·5	Haemorrhagic disease of newborn, with immaturity	M	47	10	32	42	4	—	1	47	—	—	—	—	47	—	—	—	—
		F	23	2	17	19	3	1	—	23	—	—	—	—	23	—	—	—	—
772·0	Nutritional maladjustment, without mention of immaturity	M	4	—	—	—	—	—	—	—	2	2	—	—	4	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
772·5	Nutritional maladjustment, with immaturity	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
773·0	Ill-defined diseases peculiar to early infancy, without mention of immaturity	M	70	23	33	56	4	2	—	62	6	1	1	—	70	—	—	—	—
		F	41	14	18	32	4	2	—	38	1	2	—	—	41	—	—	—	—
773·5	Ill-defined diseases peculiar to early infancy, with immaturity	M	159	80	71	151	5	1	—	157	2	—	—	—	159	—	—	—	—
		F	120	56	56	112	4	2	1	119	1	—	—	—	120	—	—	—	—
774	Immaturity with mention of any other subsidiary condition	M	66	30	16	46	4	1	2	53	13	—	—	—	66	—	—	—	—
		F	60	27	18	45	2	2	1	50	10	—	—	—	60	—	—	—	—
776	Immaturity unqualified	M	1,718	1,144	503	1,647	49	8	4	1,708	9	1	—	—	1,718	—	—	—	—
		F	1,224	759	413	1,172	39	8	3	1,222	1	1	—	—	1,224	—	—	—	—
780–795	Symptoms, and ill-defined conditions	M	14	7	—	7	—	—	—	7	4	1	—	—	12	2	—	—	—
		F	13	3	1	4	1	—	—	5	1	1	—	—	7	4	—	2	—
780·2	Convulsions	M	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
		F	3	—	—	—	—	—	—	—	—	1	—	—	1	1	—	1	—
785·2	Jaundice	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E800–E999	Accidents, poisonings, and violence	M	607	32	10	42	1	6	8	57	69	92	29	25	272	92	99	79	65
		F	386	19	3	22	4	6	5	37	61	59	22	15	194	63	46	43	40
E800–E866	Transport accidents	M	129	—	—	—	—	—	—	—	2	3	1	1	7	20	39	34	29
		F	76	—	—	—	—	—	—	—	2	1	—	1	4	17	17	19	19
E810–E825	Motor vehicle traffic accidents	M	116	—	—	—	—	—	—	—	2	2	1	1	6	17	38	28	27
		F	71	—	—	—	—	—	—	—	2	1	—	1	4	14	16	18	19
E812	to pedestrian	M	94	—	—	—	—	—	—	—	—	1	1	—	2	13	32	25	22
		F	61	—	—	—	—	—	—	—	—	1	—	—	1	13	14	18	15
E870–E895	Accidental poisoning	M	17	—	—	—	—	—	—	—	1	1	—	1	3	10	3	1	—
		F	16	—	—	—	—	—	—	—	1	1	—	1	3	6	6	1	—
E900–E904	Accidental falls	M	32	1	—	1	—	—	2	3	3	4	2	2	14	8	4	3	3
		F	17	2	—	2	—	—	—	2	1	1	1	—	5	5	3	4	—
E910–E936	Other accidents	M	398	23	8	31	1	6	6	44	62	79	22	20	227	50	51	39	31
		F	257	14	2	16	4	6	5	31	54	53	21	11	170	33	19	18	17
E916	Accident caused by fire and explosion of combustible material	M	31	—	—	—	—	—	—	—	1	1	2	1	5	12	6	6	2
		F	44	—	—	—	—	—	—	—	—	2	3	2	7	12	7	6	12
E917	Accident caused by hot substance, corrosive liquid and steam	M	12	—	1	1	—	—	—	1	—	—	—	2	3	3	4	1	1
		F	8	1	1	2	—	—	—	2	—	1	—	1	4	3	1	—	—
E921–E925	Accidental mechanical suffocation	M	208	1	7	8	1	5	6	20	59	76	15	10	180	15	10	1	2
		F	156	—	1	1	4	6	5	16	54	49	17	7	143	8	2	2	1
E926	Lack of care of infants under 1 year of age	M	20	19	—	19	—	1	—	20	—	—	—	—	20	—	—	—	—
		F	12	12	—	12	—	—	—	12	—	—	—	—	12	—	—	—	—
E929	Accidental drowning and submersion	M	86	1	—	1	—	—	—	1	—	—	—	2	3	9	24	29	21
		F	20	—	—	—	—	—	—	—	—	—	—	—	—	4	5	9	2
E940–E959	Accidents due to medical and surgical intervention	M	5	—	1	1	—	—	—	1	—	3	—	1	5	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E980–E985	Homicide and injury purposely inflicted by other person (not in war)	M	26	8	1	9	—	—	—	9	1	2	4	—	16	4	2	2	2
		F	20	3	1	4	—	—	—	4	3	3	—	2	12	2	1	1	4
Rem. of E800–E999	Other violence	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
N800–N829	Fractures	M	115	2	—	2	—	—	1	3	4	4	2	2	15	20	29	30	21
		F	64	3	—	3	—	—	—	3	3	1	1	1	9	17	15	13	10
N850–N856	Head injury (excluding skull fracture)	M	35	1	—	1	—	—	1	2	4	2	3	3	14	6	7	3	5
		F	22	—	—	—	—	—	—	—	1	2	1	—	4	3	4	7	4
N860–N869	Internal injury of chest, abdomen and pelvis	M	20	—	—	—	—	—	—	—	—	—	1	—	1	5	7	2	5
		F	16	1	—	1	—	—	—	1	—	1	—	—	2	3	4	2	5
N940–N949	Burns	M	25	—	1	1	—	—	—	1	1	—	1	2	5	8	6	5	1
		F	43	1	1	2	—	—	—	2	—	3	1	3	9	10	7	6	11
Rem. of N800–N999	Other injuries	M	412	29	9	38	1	6	6	51	60	86	22	18	237	53	50	39	33
		F	241	14	2	16	4	6	5	31	57	52	19	11	170	30	16	15	10

TABLE 28. Weekly notifications of certain infectious diseases and deaths from certain causes, 1960 — England and Wales

Week ended	Original notifications (including Port Health Districts)										Deaths*		
	Enteric (or typhoid) fever	Paratyphoid fever	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Measles	Acute poliomyelitis: Paralytic	Acute poliomyelitis: Non-paralytic	Food poisoning	Influenza	Pneumonia	Bronchitis
Jan. 2	1	9	23	1,182	521	6	1,504	7	3	182	24	750	710
9	2	7	19	802	675	5	1,418	2	2	134	34	614	659
16	—	2	20	933	740	3	1,049	10	2	139	35	655	717
23	—	3	18	1,189	884	6	1,069	4	1	192	32	763	803
30	1	4	27	1,265	972	8	1,208	5	1	183	43	766	718
Feb. 6	1	—	30	1,208	1,035	2	1,581	4	1	177	36	682	705
13	4	1	13	1,192	987	6	1,549	4	1	261	38	657	705
20	3	3	20	1,200	778	5	2,086	5	3	175	42	717	760
27	—	4	20	1,125	856	3	2,131	1	3	146	56	824	895
Mar. 5	1	2	18	1,145	801	2	2,355	6	3	268	42	857	766
12	1	10	25	1,077	782	3	2,141	6	3	193	35	708	675
19	1	1	23	1,176	896	—	2,250	4	4	174	33	734	647
26	1	2	21	1,153	903	1	2,195	2	2	217	36	630	596
Apr. 2	1	3	24	1,056	941	1	2,466	3	2	273	42	632	584
9	—	3	24	1,182	926	3	2,243	2	—	229	36	671	592
16	—	1	12	795	694	3	2,124	2	2	131	29	627	471
23	3	—	22	708	815	7	2,501	4	2	130	44	617	498
30	2	4	20	520	994	3	2,273	4	1	137	35	607	452
May 7	1	4	14	533	1,201	2	1,566	7	3	121	22	596	424
14	2	2	15	589	1,362	1	1,749	1	2	156	19	601	433
21	1	8	20	624	1,458	2	1,886	2	5	151	13	458	391
28	3	3	25	606	1,453	2	2,261	6	6	157	10	480	334
June 4	3	8	22	547	1,483	1	2,488	5	6	200	6	405	316
11	3	2	15	409	1,150	3	2,477	4	—	344	9	411	266
18	—	8	17	346	1,491	1	2,936	15	5	468	11	392	262
25	2	5	18	365	1,572	3	2,454	7	2	265	5	412	264
July 2	2	4	19	378	1,781	2	2,674	13	5	241	3	322	270
9	—	7	23	406	1,619	3	2,512	7	9	218	5	345	262
16	3	1	18	423	1,628	2	2,703	5	11	248	5	361	237
23	5	11	21	451	1,602	8	2,692	6	10	255	6	320	211
30	2	12	17	429	1,394	—	2,874	7	9	222	4	391	255
Aug. 6	2	7	12	316	1,193	2	2,545	4	10	236	1	329	238
13	3	6	25	252	1,386	2	2,544	7	11	230	3	353	288
20	2	5	23	208	1,308	1	2,060	3	7	247	3	378	257
27	3	8	14	188	1,467	1	1,641	10	9	190	4	391	264
Sept. 3	7	6	10	169	1,416	—	1,398	9	7	197	6	371	254
10	6	6	14	166	1,377	2	1,156	5	7	215	5	353	255
17	2	13	16	241	1,400	2	1,087	13	3	196	3	389	270
24	6	9	20	275	1,133	3	1,506	3	5	240	9	361	267
Oct. 1	5	6	19	305	1,110	4	1,896	12	6	287	7	434	294
8	4	7	28	357	1,024	3	2,856	14	4	225	7	467	379
15	1	12	29	424	934	4	3,220	8	7	188	17	465	387
22	—	4	19	465	860	4	3,917	10	1	181	19	523	477
29	3	7	18	412	968	—	4,586	13	2	196	20	528	432
Nov. 5	2	2	18	416	1,000	4	5,283	8	2	161	15	461	449
12	2	4	27	435	835	4	4,869	8	—	210	12	511	513
19	5	4	13	499	1,055	2	5,412	11	4	151	15	540	540
26	3	7	12	568	1,106	1	5,561	8	1	302	21	574	654
Dec. 3	—	7	16	536	1,096	3	7,248	12	1	144	16	522	566
10	1	5	17	530	1,002	3	7,266	5	4	165	20	554	635
17	—	—	20	491	1,004	2	8,384	4	—	164	29	728	787
24	1	1	19	449	743	2	8,647	4	1	90	23	805	1,054
31	3	1	17	386	679	18	11,270	2	6	98	47	916	1,040
Totals	**110**	**261**	**1,029**	**33,102**	**58,490**	**164**	**159,767**	**333**	**207**	**10,700**	**1,092**	**28,958**	**26,178**

	Corrected notifications (excluding Port Health Districts)										Deaths†		
Totals‡	**89**	**239**	**630**	**32,166**	**58,030**	**49**	**159,315**	**257**	**121**	**7,732**	**1,098**	**25,075**	**26,485**

* The weekly deaths are compiled from returns furnished by Registrars of Births and Deaths.
† Classified according to the International Classification of Diseases (7th Revision 1955).
‡ These totals are for the period 1st January to 31st December.

TABLE 29. Cases of certain infectious diseases notified, 1950 to 1960 — England and Wales

Final numbers after correction (including original cases in Port Health Districts)*

Diseases	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
Enteric (or typhoid) fever	236	206	135	101	122	193	136	125	147	123	90
Paratyphoid fever	293	1,095	1,039	353	548	876	440	310	200	379	241
Plague	—	—	—	—	—	—	—	—	—	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—
Meningococcal infection	1,150	1,390	1,327	1,354	1,246	1,126	1,168	1,016	836	746	632
Scarlet fever	65,889	48,744	67,261	61,180	43,026	32,619	33,103	29,547	38,853	47,919	32,170
Whooping cough	157,781	169,441	114,869	157,842	105,912	79,133	92,410	85,018	33,404	33,253	58,030
Diphtheria	962	664	376	266	173	155	53	37	80	102	49
Erysipelas	7,650	5,936	5,999	5,999	5,375	4,614	4,382	3,589	3,293	3,203	2,956
Ophthalmia neonatorum	1,935	1,762	1,788	1,772	1,684	1,771	1,515	1,483	1,304	1,179	1,063
Dysentery	17,286	28,590	14,535	18,426	31,858	36,718	49,009	28,910	38,107	35,626	43,285
Malaria (contracted in England and Wales)	—	1	—	†3	—	—	—	1	—	—	—
Relapsing fever	—	2	—	1	—	—	—	1	1	2	1
Smallpox	(1) 8	27	135	30	—	—	—	4	(1) 6	1	1
Measles	367,725	616,192	389,502	545,050	146,995	693,803	160,556	633,678	259,308	539,524	159,364
Ac. Poliomyelitis (paralytic)	5,565	1,529	2,747	2,976	1,319	3,712	1,717	3,177	1,419	739	257
Ac. Poliomyelitis (non-paralytic)	2,195	1,085	1,163	1,571	641	2,619	1,483	1,667	575	289	121
Ac. Encephalitis (infective)	186	202	113	166	118	150	173	172	171	140	144
Ac. Encephalitis (post-infectious)	67	110	91	92	101	118	106	155	119	140	117
Typhus fever	1	‡3	‡1	‡1	§1	‡1	1	—	—	—	—
Pneumonia (acute primary and acute influenzal)	30,663	43,259	31,736	37,214	26,562	27,930	25,460	32,732	22,323	26,816	14,563
‖Puerperal fever and pyrexia	4,132	7,418	12,351	12,718	12,239	12,109	11,682	11,834	10,814	10,699	8,896
Food poisoning	7,508	5,799	5,872	10,376	9,001	12,719	10,998	9,180	8,801	9,971	7,738

* Cases notified in Port Health Districts are not corrected for subsequent changes of diagnosis. When these notifications relate to quarantine diseases, they are distinguished in this table in brackets alongside the figures in which they are included.
† 1 case unconfirmed. ‡ Not louse borne. § Type undetermined.
‖ The Puerperal Pyrexia Regulations 1951, which came into operation on the 1st August 1951 and which apply throughout England and Wales including London, contain a revised definition of puerperal pyrexia. From the 1st August 1951 puerperal fever was no longer separately notifiable in London.

TABLE 30. Cases of certain infectious diseases notified, by sex and age, 1960

{ **England and Wales, standard regions, Wales, conurbations, and urban and rural aggregates outside conurbations**

Final numbers after correction.

Area	All ages		0–		1–		2–		3–		4–		5–		10–		15–		25 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Scarlet fever																					
ENGLAND AND WALES (excluding Port Health Districts)	**16,372**	**15,794**	**86**	**82**	**361**	**361**	**1,009**	**832**	**1,528**	**1,325**	**2,050**	**1,820**	**8,562**	**8,447**	**2,205**	**2,342**	**383**	**375**	**149**	**160**	**39**	**50**
Regions and conurbations:																						
Northern	**687**	**715**	**1**	**7**	**30**	**14**	**50**	**55**	**78**	**62**	**74**	**88**	**333**	**360**	**102**	**103**	**17**	**18**	**2**	**5**	**—**	**3**
Tyneside Conurbation	143	157	—	1	4	2	13	14	18	12	18	24	68	76	18	21	4	6	—	1	—	—
Remainder of Northern	544	558	1	6	26	12	37	41	60	50	56	64	265	284	84	82	13	12	2	4	—	3
East and West Ridings	**1,758**	**1,883**	**12**	**9**	**49**	**39**	**121**	**104**	**164**	**191**	**228**	**223**	**868**	**937**	**262**	**319**	**39**	**44**	**13**	**14**	**2**	**3**
West Yorkshire Conurbation	655	762	5	3	14	18	34	38	55	73	88	84	341	377	99	143	17	17	1	7	1	2
Remainder of East and West Ridings	1,103	1,121	7	6	35	21	87	66	109	118	140	139	527	560	163	176	22	27		7	1	1
North Western	**2,637**	**2,627**	**12**	**8**	**76**	**59**	**192**	**152**	**314**	**255**	**391**	**361**	**1,299**	**1,337**	**288**	**382**	**43**	**48**	**15**	**19**	**7**	**6**
South East Lancashire Conurbation	1,074	956	2	3	28	24	82	61	126	107	165	123	526	488	121	125	13	17	9	5	2	3
Merseyside Conurbation	415	401	2	—	18	8	39	30	56	38	47	52	190	193	51	70	12	6	—	4	—	—
Remainder of North Western	1,148	1,270	8	5	30	27	71	61	132	110	179	186	583	656	116	187	18	25	6	10	5	3
North Midland	**1,517**	**1,544**	**7**	**5**	**21**	**30**	**86**	**74**	**134**	**136**	**213**	**174**	**820**	**857**	**186**	**217**	**32**	**29**	**18**	**19**	**—**	**3**
Midland	**1,609**	**1,444**	**6**	**10**	**29**	**34**	**109**	**91**	**145**	**111**	**177**	**168**	**874**	**786**	**203**	**204**	**44**	**22**	**19**	**13**	**3**	**5**
West Midlands Conurbation	808	736	1	6	16	18	62	30	82	54	81	76	427	405	111	121	17	16	10	7	1	3
Remainder of Midland	801	708	5	4	13	16	47	61	63	57	96	92	447	381	92	83	27	6	9	6	2	2
Eastern	**1,664**	**1,502**	**12**	**10**	**33**	**35**	**90**	**65**	**143**	**101**	**209**	**164**	**872**	**837**	**250**	**219**	**32**	**37**	**17**	**25**	**6**	**9**
London and South Eastern	**4,003**	**3,767**	**18**	**19**	**74**	**90**	**219**	**186**	**358**	**297**	**478**	**390**	**2,168**	**2,110**	**556**	**520**	**88**	**112**	**38**	**38**	**6**	**5**
Greater London	2,979	2,841	9	17	57	74	173	148	279	235	352	302	1,593	1,575	410	376	72	87	31	25	3	2
Remainder of South Eastern	1,024	926	9	2	17	16	46	38	79	62	126	88	575	535	146	144	16	25	7	13	3	3
Southern	**882**	**839**	**5**	**5**	**20**	**23**	**43**	**39**	**74**	**67**	**80**	**88**	**473**	**423**	**135**	**147**	**34**	**26**	**12**	**14**	**6**	**7**
South Western	**1,069**	**955**	**9**	**5**	**19**	**21**	**56**	**34**	**79**	**71**	**120**	**96**	**588**	**527**	**142**	**156**	**40**	**29**	**10**	**11**	**6**	**5**
Wales (including Monmouthshire)	**546**	**518**	**4**	**4**	**10**	**16**	**43**	**32**	**39**	**34**	**80**	**68**	**267**	**273**	**81**	**75**	**14**	**10**	**5**	**2**	**3**	**4**
Wales I (South East)	437	402	4	4	8	11	36	29	37	29	60	51	210	211	64	57	14	7	3	1	1	2
Wales II (remainder)	109	116	—	—	2	5	7	3	2	5	20	17	57	62	17	18	—	3	2	1	2	2
Urban/Rural aggregates:																						
Conurbations	6,074	5,853	19	30	137	144	403	321	616	519	751	661	3,145	3,114	810	856	135	149	51	49	7	10
Areas outside conurbations:																						
Urban areas with populations of 100,000 and over	2,317	2,243	15	13	73	63	170	124	221	216	311	292	1,168	1,122	292	345	49	52	18	11	—	5
Urban areas with populations of 50,000 and under 100,000	1,299	1,342	10	8	34	26	91	75	124	110	189	166	654	700	163	208	26	29	6	19	2	1
Urban areas with populations under 50,000	3,494	3,308	27	13	66	61	205	185	325	264	442	408	1,824	1,768	474	474	79	82	33	37	19	16
Rural districts	3,188	3,048	15	18	51	67	140	127	242	216	357	293	1,771	1,743	466	459	94	63	41	44	11	18

TABLE 30—*continued*

Area	All ages		0–		1–		2–		3–		4–		5–		10–		15–		25 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Whooping cough																					
ENGLAND AND WALES (excluding Port Health Districts)	**27,553**	**30,477**	**2,975**	**2,894**	**2,953**	**3,012**	**3,345**	**3,587**	**3,054**	**3,461**	**3,064**	**3,262**	**10,516**	**11,849**	**1,228**	**1,591**	**140**	**278**	**213**	**457**	**65**	**86**
Regions and conurbations:																						
Northern	**1,857**	**2,107**	**229**	**204**	**208**	**230**	**247**	**264**	**214**	**300**	**204**	**236**	**675**	**765**	**62**	**69**	**7**	**17**	**10**	**19**	**1**	**3**
Tyneside Conurbation	180	231	25	30	18	29	30	32	20	36	14	26	66	69	6	4	—	2	1	3	—	—
Remainder of Northern	1,677	1,876	204	174	190	201	217	232	194	264	190	210	609	696	56	65	7	15	9	16	1	3
East and West Ridings	**3,686**	**4,017**	**429**	**415**	**401**	**441**	**474**	**518**	**475**	**480**	**441**	**473**	**1,318**	**1,426**	**114**	**170**	**13**	**38**	**18**	**47**	**3**	**9**
West Yorkshire Conurbation	1,517	1,546	184	168	190	178	193	189	195	188	190	172	501	551	51	55	4	20	7	22	2	3
Remainder of East and West Ridings	2,169	2,471	245	247	211	263	281	329	280	292	251	301	817	875	63	115	9	18	11	25	1	6
North Western	**4,154**	**4,594**	**499**	**533**	**516**	**519**	**573**	**602**	**491**	**590**	**504**	**554**	**1,432**	**1,584**	**98**	**143**	**9**	**21**	**21**	**39**	**11**	**9**
South East Lancashire Conurbation	1,466	1,672	194	192	181	180	216	220	172	208	174	207	485	575	31	62	3	9	5	13	5	6
Merseyside Conurbation	983	1,058	122	132	149	151	138	175	133	146	121	118	296	310	18	17	2	4	4	5	—	—
Remainder of North Western	1,705	1,864	183	209	186	188	219	207	186	236	209	229	651	699	49	64	4	8	12	21	6	3
North Midland	**1,600**	**1,834**	**181**	**165**	**157**	**171**	**184**	**207**	**170**	**179**	**169**	**184**	**636**	**773**	**81**	**110**	**4**	**12**	**11**	**22**	**7**	**11**
Midland	**3,487**	**3,729**	**351**	**327**	**355**	**343**	**404**	**446**	**399**	**430**	**392**	**418**	**1,421**	**1,514**	**121**	**185**	**19**	**23**	**17**	**35**	**8**	**8**
West Midlands Conurbation	1,456	1,472	166	141	147	155	157	168	179	164	178	183	580	582	33	55	10	9	5	13	1	2
Remainder of Midland	2,031	2,257	185	186	208	188	247	278	220	266	214	235	841	932	88	130	9	14	12	22	7	6
Eastern	**2,593**	**3,014**	**234**	**224**	**226**	**256**	**279**	**327**	**251**	**287**	**294**	**309**	**1,097**	**1,286**	**160**	**198**	**13**	**41**	**31**	**77**	**8**	**9**
London and South Eastern	**6,968**	**7,827**	**719**	**701**	**775**	**762**	**808**	**848**	**695**	**812**	**711**	**758**	**2,714**	**3,147**	**407**	**528**	**61**	**92**	**66**	**161**	**12**	**18**
Greater London	5,331	5,981	598	596	635	620	634	681	532	630	538	575	1,982	2,280	311	401	47	69	52	124	2	5
Remainder of South Eastern	1,637	1,846	121	105	140	142	174	167	163	182	173	183	732	867	96	127	14	23	14	37	10	13
Southern	**912**	**973**	**102**	**84**	**107**	**102**	**110**	**118**	**93**	**105**	**85**	**86**	**330**	**374**	**59**	**68**	**6**	**11**	**16**	**22**	**4**	**3**
South Western	**1,288**	**1,340**	**120**	**116**	**97**	**115**	**145**	**133**	**163**	**152**	**143**	**125**	**523**	**585**	**77**	**66**	**4**	**13**	**11**	**25**	**5**	**10**
Wales (including Monmouthshire)	**1,008**	**1,042**	**111**	**125**	**111**	**73**	**121**	**124**	**103**	**126**	**121**	**119**	**370**	**395**	**49**	**54**	**4**	**10**	**12**	**10**	**6**	**6**
Wales I (South East)	749	782	89	96	89	59	92	90	79	92	85	85	263	310	38	36	4	6	8	7	2	1
Wales II (remainder)	259	260	22	29	22	14	29	34	24	34	36	34	107	85	11	18	—	4	4	3	4	5
Urban/Rural aggregates:																						
Conurbations	10,933	11,960	1,289	1,259	1,320	1,313	1,368	1,465	1,231	1,372	1,215	1,281	3,910	4,367	450	594	66	113	74	180	10	16
Areas outside conurbations:																						
Urban areas with populations of 100,000 and over	3,398	3,970	441	447	388	434	419	498	389	481	391	420	1,209	1,455	121	156	15	32	20	44	5	3
Urban areas with populations of 50,000 and under 100,000	2,056	2,321	214	238	227	223	265	253	239	273	244	295	773	878	65	114	7	13	20	26	2	8
Urban areas with populations under 50,000	6,484	7,201	630	605	633	640	809	888	724	815	726	775	2,607	2,932	259	340	25	65	45	109	26	32
Rural districts	4,682	5,025	401	345	385	402	484	483	471	520	488	491	2,017	2,217	333	387	27	55	54	98	22	27

TABLE 30—*continued*

Area	All ages		0–		1–		2–		3–		4–		5–		10–		15–		25 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Diphtheria																					
ENGLAND AND WALES (excluding Port Health Districts)	**24**	**25**	—	—	**1**	—	**1**	—	—	**3**	—	**1**	**12**	**11**	**7**	**4**	**1**	**1**	**2**	**5**	—	—
Regions and conurbations:																						
Northern	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tyneside Conurbation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Remainder of Northern	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
East and West Ridings	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
West Yorkshire Conurbation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Remainder of East and West Ridings	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
North Western	**3**	**7**	—	—	**1**	—	—	—	—	—	—	—	**1**	**5**	**1**	**1**	—	—	—	**1**	—	—
South East Lancashire Conurbation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Merseyside Conurbation	3	6	—	—	1	—	—	—	—	—	—	—	1	5	1	1	—	—	—	—	—	—
Remainder of North Western	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
North Midland	**3**	**3**	—	—	—	—	—	—	—	—	—	**1**	**1**	**1**	**2**	**1**	—	—	—	—	—	—
Midland	**1**	—	—	—	—	—	—	—	—	—	—	—	—	—	**1**	—	—	—	—	—	—	—
West Midlands Conurbation	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Remainder of Midland	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Eastern	**1**	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	**1**	—	—	—
London and South Eastern	**14**	**7**	—	—	—	—	**1**	—	—	**1**	—	—	**9**	**4**	**3**	**2**	**1**	—	—	—	—	—
Greater London	14	7	—	—	—	—	1	—	—	1	—	—	9	4	3	2	1	—	—	—	—	—
Remainder of South Eastern	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Southern	**2**	**6**	—	—	—	—	—	—	—	**2**	—	—	**1**	**1**	—	—	—	**1**	**1**	**2**	—	—
South Western	—	**2**	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	**2**	—	—
Wales (including Monmouthshire)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Wales I (South East)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Wales II (remainder)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Urban/Rural aggregates:																						
Conurbations	18	13	—	—	1	—	1	—	—	1	—	—	10	9	5	3	1	—	—	—	—	—
Areas outside conurbations:																						
Urban areas with populations of 100,000 and over	3	1	—	—	—	—	—	—	—	—	—	—	1	—	2	—	—	—	—	1	—	—
Urban areas with populations of 50,000 and under 100,000	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Urban areas with populations under 50,000	1	4	—	—	—	—	—	—	—	—	—	1	—	1	—	1	—	—	1	1	—	—
Rural districts	2	7	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	1	1	3	—	—

TABLE 30—*continued*

Area	All ages		0–		1–		2–		3–		4–		5–		10–		15–		25 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Measles																					
ENGLAND AND WALES (excluding Port Health Districts)	**81,751**	**77,564**	**2,872**	**2,888**	**7,992**	**7,615**	**10,145**	**9,447**	**10,765**	**10,217**	**11,036**	**10,556**	**36,245**	**34,137**	**1,855**	**1,808**	**380**	**349**	**182**	**288**	**279**	**259**
Regions and conurbations:																						
Northern	**5,909**	**5,433**	**278**	**244**	**629**	**592**	**779**	**734**	**763**	**742**	**713**	**718**	**2,533**	**2,242**	**137**	**117**	**47**	**18**	**9**	**15**	**21**	**11**
Tyneside Conurbation	547	489	36	35	69	65	77	75	74	61	64	52	224	195	2	4	—	2	1	—	—	—
Remainder of Northern	5,362	4,944	242	209	560	527	702	659	689	681	649	666	2,309	2,047	135	113	47	16	8	15	21	11
East and West Ridings	**6,534**	**6,403**	**284**	**278**	**697**	**695**	**831**	**812**	**927**	**880**	**940**	**921**	**2,765**	**2,700**	**57**	**72**	**12**	**17**	**6**	**11**	**15**	**17**
West Yorkshire Conurbation	3,524	3,420	155	136	390	370	456	464	553	504	517	492	1,425	1,412	19	25	5	6	1	4	3	7
Remainder of East and West Ridings	3,010	2,983	129	142	307	325	375	348	374	376	423	429	1,340	1,288	38	47	7	11	5	7	12	10
North Western	**25,982**	**24,738**	**1,054**	**1,062**	**2,923**	**2,718**	**3,725**	**3,383**	**3,940**	**3,709**	**3,906**	**3,798**	**10,064**	**9,649**	**254**	**283**	**48**	**45**	**25**	**50**	**43**	**41**
South East Lancashire Conurbation	8,515	7,873	336	348	978	912	1,333	1,131	1,387	1,247	1,367	1,316	2,994	2,814	84	66	18	18	6	10	12	11
Merseyside Conurbation	7,515	7,414	378	394	928	891	1,146	1,116	1,174	1,158	981	964	2,841	2,819	52	56	8	7	3	9	4	—
Remainder of North Western	9,952	9,451	340	320	1,017	915	1,246	1,136	1,379	1,304	1,558	1,518	4,229	4,016	118	161	22	20	16	31	27	30
North Midland	**9,657**	**8,870**	**288**	**292**	**904**	**840**	**1,161**	**1,073**	**1,186**	**1,135**	**1,274**	**1,129**	**4,544**	**4,134**	**212**	**174**	**37**	**40**	**15**	**22**	**36**	**31**
Midland	**2,990**	**2,815**	**109**	**125**	**276**	**269**	**346**	**330**	**344**	**354**	**407**	**352**	**1,393**	**1,256**	**70**	**96**	**22**	**9**	**9**	**11**	**14**	**13**
West Midlands Conurbation	1,287	1,220	57	76	122	115	156	149	150	156	170	142	602	545	24	25	4	6	1	5	1	1
Remainder of Midland	1,703	1,595	52	49	154	154	190	181	194	198	237	210	791	711	46	71	18	3	8	6	13	12
Eastern	**7,536**	**7,227**	**181**	**166**	**570**	**550**	**778**	**749**	**873**	**816**	**891**	**851**	**3,851**	**3,688**	**277**	**302**	**49**	**48**	**40**	**37**	**26**	**20**
London and South Eastern	**11,066**	**10,447**	**360**	**384**	**1,077**	**1,054**	**1,293**	**1,191**	**1,417**	**1,270**	**1,292**	**1,293**	**5,187**	**4,789**	**307**	**276**	**74**	**85**	**37**	**65**	**22**	**40**
Greater London	7,066	6,800	270	293	778	802	904	827	983	853	838	855	3,100	2,952	112	110	52	51	23	44	6	13
Remainder of South Eastern	4,000	3,647	90	91	299	252	389	364	434	417	454	438	2,087	1,837	195	166	22	34	14	21	16	27
Southern	**2,674**	**2,613**	**61**	**67**	**210**	**215**	**260**	**259**	**310**	**298**	**336**	**307**	**1,339**	**1,308**	**102**	**113**	**18**	**25**	**7**	**12**	**31**	**9**
South Western	**4,763**	**4,610**	**132**	**123**	**348**	**348**	**499**	**486**	**498**	**552**	**552**	**509**	**2,379**	**2,295**	**262**	**193**	**49**	**39**	**18**	**40**	**26**	**25**
Wales (including Monmouthshire)	**4,640**	**4,408**	**125**	**147**	**358**	**334**	**473**	**430**	**507**	**461**	**725**	**678**	**2,190**	**2,076**	**177**	**182**	**24**	**23**	**16**	**25**	**45**	**52**
Wales I (South East)	2,319	2,175	69	94	191	182	262	220	292	250	396	347	1,046	975	33	51	3	11	1	14	26	31
Wales II (remainder)	2,321	2,233	56	53	167	152	211	210	215	211	329	331	1,144	1,101	144	131	21	12	15	11	19	21
Urban/Rural aggregates:																						
Conurbations	28,454	27,216	1,232	1,282	3,265	3,155	4,072	3,762	4,321	3,979	3,937	3,821	11,186	10,737	293	286	87	90	35	72	26	32
Areas outside conurbations:																						
Urban areas with populations of 100,000 and over	10,231	9,623	406	416	1,104	1,012	1,351	1,219	1,437	1,364	1,535	1,456	4,196	3,937	140	132	27	35	11	22	24	30
Urban areas with populations of 50,000 and under 100,000	5,938	5,502	236	190	568	551	751	697	756	738	776	800	2,665	2,357	128	111	29	19	13	16	16	23
Urban areas with populations under 50,000	22,678	21,339	618	633	2,008	1,818	2,574	2,423	2,744	2,659	3,134	2,923	10,946	10,180	439	455	68	84	50	82	97	82
Rural districts	14,450	13,884	380	367	1,047	1,079	1,397	1,346	1,507	1,477	1,654	1,556	7,252	6,926	855	824	169	121	73	96	116	92

TABLE 30—*continued*

Area	All ages		0–		1–		2–		3–		4–		5–		10–		15–		25 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Acute poliomyelitis (paralytic)																					
ENGLAND AND WALES (excluding Port Health Districts)	**151**	**106**	**6**	**2**	**23**	**15**	**18**	**8**	**11**	**6**	**6**	**16**	**23**	**20**	**8**	**8**	**20**	**13**	**36**	**18**	—	—
Regions and conurbations:																						
Northern	**4**	**2**	—	—	—	—	**1**	—	—	**1**	—	**1**	**1**	—	—	—	**2**	—	—	—	—	—
Tyneside Conurbation	2	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
Remainder of Northern	2	2	—	—	—	—	1	—	—	1	—	1	—	—	—	—	1	—	—	—	—	—
East and West Ridings	**8**	**12**	—	**1**	**1**	—	—	—	**2**	**2**	—	**1**	**2**	**3**	—	**1**	**2**	**1**	**1**	**3**	—	—
West Yorkshire Conurbation	1	5	—	—	1	—	—	—	—	1	—	—	—	2	—	—	—	—	—	2	—	—
Remainder of East and West Ridings	7	7	—	1	—	—	—	—	2	1	—	1	2	1	—	1	2	1	1	1	—	—
North Western	**14**	**11**	—	—	—	**2**	**3**	**1**	**1**	**1**	**1**	**2**	**2**	**3**	**1**	—	**2**	—	**4**	**2**	—	—
South East Lancashire Conurbation	7	3	—	—	—	1	1	—	—	1	1	—	2	1	1	—	2	—	—	—	—	—
Merseyside Conurbation	5	7	—	—	—	—	2	1	1	—	—	2	—	2	—	—	—	—	2	2	—	—
Remainder of North Western	2	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—
North Midland	**11**	**5**	—	—	**2**	**1**	—	—	**1**	—	**1**	—	**1**	—	**2**	**1**	**2**	—	**2**	**3**	—	—
Midland	**24**	**14**	**1**	—	**5**	**4**	**2**	**5**	**3**	—	**2**	**3**	**5**	—	—	—	**2**	**1**	**4**	**1**	—	—
West Midlands Conurbation	18	11	1	—	3	3	2	4	3	—	2	3	4	—	—	—	1	1	2	—	—	—
Remainder of Midland	6	3	—	—	2	1	—	1	—	—	—	—	1	—	—	—	1	—	2	1	—	—
Eastern	**8**	**5**	—	—	—	**1**	—	—	—	—	—	—	**1**	**1**	**1**	—	**1**	—	**5**	**3**	—	—
London and South Eastern	**61**	**41**	**5**	—	**13**	**6**	**11**	**2**	**3**	**2**	**2**	**9**	**6**	**9**	**2**	**3**	**6**	**6**	**13**	**4**	—	—
Greater London	51	37	5	—	12	6	10	2	3	2	1	9	6	8	2	2	5	5	7	3	—	—
Remainder of South Eastern	10	4	—	—	1	—	1	—	—	—	1	—	—	1	—	1	1	1	6	1	—	—
Southern	**3**	**5**	—	—	**1**	—	—	—	—	—	—	—	**1**	—	—	**2**	—	**2**	**1**	**1**	—	—
South Western	**9**	**6**	—	**1**	**1**	—	—	—	—	—	—	—	**1**	**2**	**2**	—	**3**	**2**	**2**	**1**	—	—
Wales (including Monmouthshire)	**9**	**5**	—	—	—	**1**	**1**	—	**1**	—	—	—	**3**	**2**	—	**1**	—	**1**	**4**	—	—	—
Wales I (South East)	5	4	—	—	—	1	—	—	1	—	—	—	3	1	—	1	—	1	1	—	—	—
Wales II (remainder)	4	1	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	3	—	—	—
Urban/Rural aggregates:																						
Conurbations	84	63	6	—	16	10	15	7	7	4	4	14	13	13	3	2	9	6	11	7	—	—
Areas outside conurbations:																						
Urban areas with populations of 100,000 and over	14	9	—	—	2	2	—	—	3	1	—	1	1	—	2	1	1	2	5	2	—	—
Urban areas with populations of 50,000 and under 100,000	8	4	—	1	—	—	1	—	—	—	1	—	3	1	1	—	—	—	2	2	—	—
Urban areas with populations under 50,000	19	15	—	—	1	2	—	1	1	—	—	1	4	4	—	4	4	2	9	1	—	—
Rural districts	26	15	—	1	4	1	2	—	—	1	1	—	2	2	2	1	6	3	9	6	—	—

TABLE 30—*continued*

Area	All ages		0–		1–		2–		3–		4–		5–		10–		15–		25 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Acute poliomyelitis (non-paralytic)																					
ENGLAND AND WALES (excluding Port Health Districts)	**64**	**57**	—	**4**	**7**	**2**	**2**	**4**	**2**	**2**	**7**	**2**	**13**	**11**	**17**	**10**	**8**	**9**	**8**	**13**	—	—
Regions and conurbations:																						
Northern	**1**	—	—	—	—	—	—	—	—	—	—	—	—	—	**1**	—	—	—	—	—	—	—
Tyneside Conurbation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Remainder of Northern	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
East and West Ridings	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
West Yorkshire Conurbation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Remainder of East and West Ridings	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
North Western	**7**	**9**	—	—	**2**	**1**	—	**1**	—	—	—	—	**2**	**2**	—	**1**	**2**	**1**	**1**	**3**	—	—
South East Lancashire Conurbation	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Merseyside Conurbation	2	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	—	—
Remainder of North Western	5	6	—	—	1	1	—	1	—	—	—	—	2	2	—	1	2	—	—	1	—	—
North Midland	**13**	**5**	—	—	**1**	**1**	—	—	**1**	—	**3**	—	**2**	**2**	**3**	—	**2**	**1**	**1**	**1**	—	—
Midland	**1**	**5**	—	—	—	—	—	**1**	—	—	—	—	—	**2**	**1**	—	—	—	—	**2**	—	—
West Midlands Conurbation	—	3	—	—	—	—	—	1	—	—	—	—	—	2	—	—	—	—	—	—	—	—
Remainder of Midland	1	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	2	—	—
Eastern	**5**	**4**	—	—	**1**	—	—	—	—	—	—	—	**2**	**1**	**1**	—	—	**3**	**1**	—	—	—
London and South Eastern	**21**	**17**	—	**4**	**2**	—	**1**	**2**	—	**1**	**3**	**2**	**4**	**2**	**9**	**2**	—	—	**2**	**4**	—	—
Greater London	15	11	—	4	2	—	1	2	—	1	3	2	4	1	3	—	—	—	2	1	—	—
Remainder of South Eastern	6	6	—	—	—	—	—	—	—	—	—	—	—	1	6	2	—	—	—	3	—	—
Southern	**1**	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
South Western	**12**	**14**	—	—	—	—	—	—	—	**1**	**1**	—	**3**	**2**	**2**	**6**	**3**	**2**	**3**	**3**	—	—
Wales (including Monmouthshire)	**3**	**3**	—	—	**1**	—	**1**	—	—	—	—	—	—	—	—	**1**	**1**	**2**	—	—	—	—
Wales I (South East)	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—
Wales II (remainder)	3	1	—	—	1	—	1	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
Urban/Rural aggregates:																						
Conurbations	17	17	—	4	3	—	1	3	—	1	3	2	4	3	3	—	—	1	3	3	—	—
Areas outside conurbations:																						
Urban areas with populations of 100,000 and over	10	11	—	—	—	—	—	—	1	1	2	—	2	2	1	5	2	2	2	1	—	—
Urban areas with populations of 50,000 and under 100,000	10	6	—	—	—	—	—	—	1	—	1	—	2	—	4	—	1	2	1	4	—	—
Urban areas with populations under 50,000	17	11	—	—	3	1	1	1	—	—	—	—	4	3	4	2	4	2	1	2	—	—
Rural districts	10	12	—	—	1	1	—	—	—	—	1	—	1	3	5	3	1	2	1	3	—	—

TABLE 30—*continued*

Area	All ages		0–		5–		15–		45–		65 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Enteric or typhoid fever													
ENGLAND AND WALES (excluding Port Health Districts)	53	36	6	4	9	4	28	17	7	8	3	3	—	—
Regions and conurbations:														
Northern	3	3	1	1	—	2	1	—	—	—	1	—	—	—
Tyneside Conurbation	—	1	—	—	—	1	—	—	—	—	—	—	—	—
Remainder of Northern	3	2	1	1	—	1	1	—	—	—	1	—	—	—
East and West Ridings	4	—	1	—	1	—	1	—	1	—	—	—	—	—
West Yorkshire Conurbation	2	—	—	—	—	—	1	—	1	—	—	—	—	—
Remainder of East and West Ridings	2	—	1	—	1	—	—	—	—	—	—	—	—	—
North Western	2	1	1	—	—	—	—	—	1	1	—	—	—	—
South East Lancashire Conurbation	1	1	1	—	—	—	—	—	—	1	—	—	—	—
Merseyside Conurbation	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Remainder of North Western	1	—	—	—	—	—	—	—	1	—	—	—	—	—
North Midland	7	1	—	—	—	1	5	—	—	—	2	—	—	—
Midland	6	—	1	—	—	—	5	—	—	—	—	—	—	—
West Midlands Conurbation	4	—	—	—	—	—	4	—	—	—	—	—	—	—
Remainder of Midland	2	—	1	—	—	—	1	—	—	—	—	—	—	—
Eastern	2	7	—	—	1	—	—	4	1	3	—	—	—	—
London and South Eastern	22	18	2	3	5	1	13	8	2	3	—	3	—	—
Greater London	18	17	1	3	4	1	12	8	1	3	—	2	—	—
Remainder of South Eastern	4	1	1	—	1	—	1	—	1	—	—	1	—	—
Southern	4	3	—	—	2	—	—	2	2	1	—	—	—	—
South Western	2	2	—	—	—	—	2	2	—	—	—	—	—	—
Wales (including Monmouthshire)	1	1	—	—	—	—	1	1	—	—	—	—	—	—
Wales I (South East)	1	1	—	—	—	—	1	1	—	—	—	—	—	—
Wales II (remainder)	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Urban/Rural aggregates:														
Conurbations	25	19	2	3	4	2	17	8	2	4	—	2	—	—
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	9	3	—	—	2	—	5	1	2	2	—	—	—	—
Urban areas with populations of 50,000 and under 100,000	2	3	1	—	1	—	—	2	—	—	—	1	—	—
Urban areas with populations under 50,000	8	5	—	1	1	—	4	3	1	1	2	—	—	—
Rural districts	9	6	3	—	1	2	2	3	2	1	1	—	—	—

TABLE 30—*continued*

Area	All ages		0–		5–		15–		45–		65 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Paratyphoid fever													
ENGLAND AND WALES (excluding Port Health Districts)	106	133	32	30	26	30	33	48	12	15	2	10	1	—
Regions and conurbations:														
Northern	3	14	2	5	—	1	1	3	—	3	—	2	—	—
Tyneside Conurbation	3	4	2	3	—	—	1	1	—	—	—	—	—	—
Remainder of Northern	—	10	—	2	—	1	—	2	—	3	—	2	—	—
East and West Ridings	5	9	3	4	1	—	1	3	—	—	—	2	—	—
West Yorkshire Conurbation	5	6	3	3	1	—	1	2	—	—	—	1	—	—
Remainder of East and West Ridings	—	3	—	1	—	—	—	1	—	—	—	1	—	—
North Western	26	31	7	7	11	8	7	10	1	5	—	1	—	—
South East Lancashire Conurbation	9	15	2	2	4	4	3	6	—	3	—	—	—	—
Merseyside Conurbation	13	10	4	3	6	3	3	2	—	1	—	1	—	—
Remainder of North Western	4	6	1	2	1	1	1	2	1	1	—	—	—	—
North Midland	4	10	2	3	—	3	1	4	1	—	—	—	—	—
Midland	7	9	3	1	2	2	2	4	—	—	—	2	—	—
West Midlands Conurbation	3	3	2	—	—	1	1	1	—	—	—	1	—	—
Remainder of Midland	4	6	1	1	2	1	1	3	—	—	—	1	—	—
Eastern	5	12	2	—	—	6	1	3	2	2	—	1	—	—
London and South Eastern	39	31	10	5	8	5	13	15	6	5	1	1	1	—
Greater London	31	31	9	5	6	5	10	15	5	5	1	1	—	—
Remainder of South Eastern	8	—	1	—	2	—	3	—	1	—	—	—	1	—
Southern	8	5	2	2	2	1	3	2	—	—	1	—	—	—
South Western	4	3	—	—	1	2	1	1	2	—	—	—	—	—
Wales (including Monmouthshire)	5	9	1	3	1	2	3	3	—	—	—	1	—	—
Wales I (South East)	1	3	—	2	—	1	1	—	—	—	—	—	—	—
Wales II (remainder)	4	6	1	1	1	1	2	3	—	—	—	1	—	—
Urban/Rural aggregates:														
Conurbations	64	69	22	16	17	13	19	27	5	9	1	4	—	—
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	6	14	1	2	1	3	4	6	—	1	—	2	—	—
Urban areas with populations of 50,000 and under 100,000	3	5	—	1	2	2	—	2	—	—	1	—	—	—
Urban area w ith populations under 50,000	20	29	5	7	4	9	6	10	4	1	—	2	1	—
Rural districts	13	16	4	4	2	3	4	3	3	4	—	2	—	—

TABLE 30—*continued*

Area	All ages		0–		1–		2–		3–		4–		5–		10–		15–		25 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Meningococcal infection																					
ENGLAND AND WALES (excluding Port Health Districts)	362	268	101	66	50	32	30	24	17	19	21	13	48	33	27	21	24	25	43	35	1	—
Regions and conurbations:																						
Northern	42	33	9	9	5	5	3	3	3	5	2	—	9	1	4	3	—	4	7	3	—	—
Tyneside Conurbation	8	8	2	4	1	2	1	1	2	—	—	—	2	1	—	—	—	—	—	—	—	—
Remainder of Northern	34	25	7	5	4	3	2	2	1	5	2	—	7	—	4	3	—	4	7	3	—	—
East and West Ridings	37	31	16	8	2	3	1	2	1	—	2	3	7	7	2	3	4	2	2	3	—	—
West Yorkshire Conurbation	8	12	4	3	1	3	—	2	1	—	—	1	2	2	—	1	—	—	—	—	—	—
Remainder of East and West Ridings	29	19	12	5	1	—	1	—	—	—	2	2	5	5	2	2	4	2	2	3	—	—
North Western	63	49	17	12	7	6	7	10	2	—	4	2	9	6	5	4	4	2	7	7	1	—
South East Lancashire Conurbation	25	21	7	4	3	2	2	3	1	—	2	2	3	2	3	2	2	2	2	4	—	—
Merseyside Conurbation	10	11	3	3	—	—	4	3	—	—	1	—	—	3	—	1	—	—	1	1	1	—
Remainder of North Western	28	17	7	5	4	4	1	4	1	—	1	—	6	1	2	1	2	—	4	2	—	—
North Midland	29	18	4	2	5	3	2	1	2	—	3	—	4	2	4	4	1	3	4	3	—	—
Midland	46	19	15	11	10	1	3	—	3	4	3	1	1	1	1	1	1	—	9	—	—	—
West Midlands Conurbation	25	10	8	7	7	1	1	—	2	1	1	1	1	—	—	—	—	—	5	—	—	—
Remainder of Midland	21	9	7	4	3	—	2	—	1	3	2	—	—	1	1	1	1	—	4	—	—	—
Eastern	17	13	3	2	1	3	1	—	1	1	—	1	7	4	2	—	1	1	1	1	—	—
London and South Eastern	74	55	17	12	14	6	7	4	4	6	6	3	7	6	4	—	5	8	10	10	—	—
Greater London	66	49	15	10	12	6	5	3	4	5	6	3	7	6	4	—	5	7	8	9	—	—
Remainder of South Eastern	8	6	2	2	2	—	2	1	—	1	—	—	—	—	—	—	—	1	2	1	—	—
Southern	17	14	4	1	1	—	1	1	—	1	1	—	2	2	2	2	4	3	2	4	—	—
South Western	15	19	8	3	3	3	3	1	—	1	—	2	—	2	—	3	1	2	—	2	—	—
Wales (including Monmouthshire)	22	17	8	6	2	2	2	2	1	1	—	1	2	2	3	1	3	—	1	2	—	—
Wales I (South East)	20	13	8	4	2	1	2	2	1	1	—	1	2	2	1	1	3	—	1	1	—	—
Wales II (remainder)	2	4	—	2	—	1	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—	—
Urban/Rural aggregates:																						
Conurbations	142	111	39	31	24	14	13	12	10	6	10	7	15	14	7	4	7	9	16	14	1	—
Areas outside conurbations:																						
Urban areas with populations of 100,000 and over	63	40	20	12	8	2	6	2	2	2	4	2	10	5	4	5	5	4	4	6	—	—
Urban areas with populations of 50,000 and under 100,000	21	24	5	4	7	7	3	2	2	2	1	—	—	—	2	4	—	3	1	2	—	—
Urban areas with populations under 50,000	84	62	26	13	6	6	7	7	2	7	3	2	10	5	7	6	10	7	13	9	—	—
Rural districts	52	31	11	6	5	3	1	1	1	2	3	2	13	9	7	2	2	2	9	4	—	—

TABLE 30—*continued*

Area	All ages		0–		5–		15–		45–		65 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Erysipelas													
ENGLAND AND WALES (excluding Port Health Districts)	1,309	1,645	21	20	41	36	286	357	649	769	291	430	21	33
Regions and conurbations:														
Northern	64	79	—	2	2	2	16	17	34	39	11	18	1	1
Tyneside Conurbation	23	24	—	1	—	—	5	3	14	14	4	6	—	—
Remainder of Northern	41	55	—	1	2	2	11	14	20	25	7	12	1	1
East and West Ridings	170	174	4	2	6	4	39	37	76	77	45	52	—	2
West Yorkshire Conurbation	76	77	1	1	4	1	14	15	39	29	18	30	—	1
Remainder of East and West Ridings	94	97	3	1	2	3	25	22	37	48	27	22	—	1
North Western	135	193	4	3	4	3	21	39	79	91	24	55	3	2
South East Lancashire Conurbation	37	75	4	2	—	1	6	14	18	33	8	24	1	1
Merseyside Conurbation	41	50	—	1	1	2	8	9	25	17	7	20	—	1
Remainder of North Western	57	68	—	—	3	—	7	16	36	41	9	11	2	—
North Midland	106	123	2	1	2	2	17	25	48	47	32	38	5	10
Midland	130	162	3	2	6	4	30	39	69	67	21	49	1	1
West Midlands Conurbation	67	98	2	2	5	3	16	26	32	36	12	31	—	—
Remainder of Midland	63	64	1	—	1	1	14	13	37	31	9	18	1	1
Eastern	111	136	—	—	6	3	28	29	46	71	28	27	3	6
London and South Eastern	340	461	2	6	6	10	80	89	170	222	78	132	4	2
Greater London	263	321	2	5	5	9	63	60	133	160	59	86	1	1
Remainder of South Eastern	77	140	—	1	1	1	17	29	37	62	19	46	3	1
Southern	78	102	3	1	—	3	16	21	42	54	17	21	—	2
South Western	118	157	1	2	6	3	28	37	54	76	26	33	3	6
Wales (including Monmouthshire)	57	58	2	1	3	2	11	24	31	25	9	5	1	1
Wales I (South East)	44	39	1	—	3	2	9	17	25	17	6	2	—	1
Wales II (remainder)	13	19	1	1	—	—	2	7	6	8	3	3	1	—
Urban/Rural aggregates:														
Conurbations	507	645	9	12	15	16	112	127	261	289	108	197	2	4
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	212	223	3	2	6	8	47	50	109	114	45	46	2	3
Urban areas with populations of 50,000 and under 100,000	92	112	1	1	4	3	15	25	46	55	22	28	4	—
Urban areas with populations under 50,000	251	359	3	2	10	4	49	87	119	174	65	82	5	10
Rural districts	247	306	5	3	6	5	63	68	114	137	51	77	8	16

TABLE 30—*continued*

Area	All ages		0–		1–		2–		3–		4–		5–		10–		15–		25 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Dysentery																					
ENGLAND AND WALES (excluding Port Health Districts)	**21,014**	**22,254**	**859**	**757**	**1,598**	**1,326**	**1,751**	**1,531**	**1,452**	**1,324**	**1,342**	**1,114**	**5,907**	**5,463**	**2,619**	**2,087**	**1,147**	**2,060**	**4,063**	**6,214**	**276**	**378**
Regions and conurbations:																						
Northern	**953**	**942**	**64**	**46**	**115**	**74**	**110**	**91**	**94**	**75**	**75**	**60**	**220**	**199**	**88**	**60**	**40**	**73**	**123**	**226**	**24**	**38**
Tyneside Conurbation	160	91	11	6	16	7	14	12	20	8	27	7	40	18	13	4	5	6	14	23	—	—
Remainder of Northern	793	851	53	40	99	67	96	79	74	67	48	53	180	181	75	56	35	67	109	203	24	38
East and West Ridings	**2,513**	**2,694**	**143**	**134**	**258**	**187**	**243**	**210**	**217**	**206**	**170**	**158**	**664**	**581**	**205**	**205**	**103**	**237**	**485**	**740**	**25**	**36**
West Yorkshire Conurbation	1,372	1,520	80	83	173	107	135	119	117	116	100	98	349	304	112	104	49	146	252	438	5	5
Remainder of East and West Ridings	1,141	1,174	63	51	85	80	108	91	100	90	70	60	315	277	93	101	54	91	233	302	20	31
North Western	**4,287**	**4,659**	**183**	**158**	**370**	**323**	**417**	**403**	**386**	**340**	**314**	**252**	**1,153**	**1,049**	**507**	**374**	**179**	**383**	**716**	**1,271**	**62**	**106**
South East Lancashire Conurbation	2,430	2,654	96	82	236	199	242	244	231	210	193	136	654	574	270	206	92	216	401	757	15	30
Merseyside Conurbation	465	493	30	21	48	42	49	46	47	28	22	30	130	122	59	44	26	49	53	106	1	5
Remainder of North Western	1,392	1,512	57	55	86	82	126	113	108	102	99	86	369	353	178	124	61	118	262	408	46	71
North Midland	**1,346**	**1,459**	**39**	**53**	**87**	**66**	**95**	**99**	**81**	**72**	**70**	**68**	**409**	**384**	**157**	**155**	**74**	**132**	**303**	**397**	**31**	**33**
Midland	**1,059**	**1,050**	**51**	**40**	**88**	**63**	**117**	**87**	**45**	**56**	**69**	**58**	**285**	**225**	**117**	**96**	**60**	**98**	**216**	**314**	**11**	**13**
West Midlands Conurbation	383	397	26	17	44	25	32	23	23	21	22	22	74	75	42	34	26	37	93	142	1	1
Remainder of Midland	676	653	25	23	44	38	85	64	22	35	47	36	211	150	75	62	34	61	123	172	10	12
Eastern	**2,425**	**2,427**	**62**	**58**	**92**	**96**	**127**	**115**	**124**	**113**	**140**	**99**	**735**	**657**	**382**	**277**	**180**	**242**	**548**	**708**	**35**	**62**
London and South Eastern	**5,469**	**5,992**	**220**	**189**	**414**	**372**	**424**	**338**	**323**	**302**	**353**	**266**	**1,559**	**1,481**	**734**	**625**	**304**	**597**	**1,095**	**1,776**	**43**	**46**
Greater London	4,326	4,782	187	157	358	324	375	279	276	246	304	228	1,262	1,201	461	463	230	455	855	1,401	18	28
Remainder of South Eastern	1,143	1,210	33	32	56	48	49	59	47	56	49	38	297	280	273	162	74	142	240	375	25	18
Southern	**658**	**678**	**16**	**12**	**34**	**29**	**55**	**36**	**34**	**28**	**37**	**29**	**194**	**214**	**114**	**70**	**47**	**77**	**120**	**176**	**7**	**7**
South Western	**1,541**	**1,522**	**47**	**44**	**103**	**83**	**112**	**91**	**94**	**95**	**82**	**86**	**461**	**434**	**222**	**142**	**118**	**142**	**270**	**377**	**32**	**28**
Wales (including Monmouthshire)	**763**	**831**	**34**	**23**	**37**	**33**	**51**	**61**	**54**	**37**	**32**	**38**	**227**	**239**	**93**	**83**	**42**	**79**	**187**	**229**	**6**	**9**
Wales I (South East)	632	640	29	21	29	28	43	47	46	32	22	31	181	189	75	67	35	57	168	161	4	7
Wales II (remainder)	131	191	5	2	8	5	8	14	8	5	10	7	46	50	18	16	7	22	19	68	2	2
Urban/Rural aggregates:																						
Conurbations	9,136	9,937	430	366	875	704	847	723	714	629	668	521	2,509	2,294	957	855	428	909	1,668	2,867	40	69
Areas outside conurbations:																						
Urban areas with populations of 100,000 and over	3,182	3,310	135	120	228	197	317	242	250	230	199	200	919	818	310	317	179	303	603	819	42	64
Urban areas with populations of 50,000 and under 100,000	1,699	1,669	65	61	109	99	148	103	116	107	95	79	464	419	233	155	125	178	335	450	9	18
Urban areas with populations under 50,000	3,865	4,356	135	134	241	201	254	279	230	234	234	199	1,108	1,132	566	436	189	393	800	1,207	108	141
Rural districts	3,132	2,982	94	76	145	125	185	184	142	124	146	115	907	800	553	324	226	277	657	871	77	86

TABLE 30—*continued*

Area	All ages		0–		5–		15–		45–		65 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Acute encephalitis (infective)													
ENGLAND AND WALES (excluding Port Health Districts)	**82**	**62**	**17**	**10**	**32**	**18**	**25**	**29**	**7**	**4**	—	**1**	**1**	—
Regions and conurbations:														
Northern	**12**	**12**	**2**	**3**	**5**	**2**	**5**	**5**	—	**1**	—	**1**	—	—
Tyneside Conurbation	5	8	2	2	1	1	2	3	—	1	—	1	—	—
Remainder of Northern	7	4	—	1	4	1	3	2	—	—	—	—	—	—
East and West Ridings	**7**	**3**	**2**	**2**	**2**	—	**2**	**1**	**1**	—	—	—	—	—
West Yorkshire Conurbation	4	2	—	1	1	—	2	1	1	—	—	—	—	—
Remainder of East and West Ridings	3	1	2	1	1	—	—	—	—	—	—	—	—	—
North Western	**8**	**8**	**1**	—	**3**	**6**	**3**	**2**	**1**	—	—	—	—	—
South East Lancashire Conurbation	5	3	—	—	1	2	3	1	1	—	—	—	—	—
Merseyside Conurbation	1	—	—	—	1	—	—	—	—	—	—	—	—	—
Remainder of North Western	2	5	1	—	1	4	—	1	—	—	—	—	—	—
North Midland	**13**	**3**	**3**	**1**	**4**	—	**6**	**2**	—	—	—	—	—	—
Midland	**10**	**10**	**4**	**2**	**2**	**5**	**2**	**2**	**1**	**1**	—	—	**1**	—
West Midlands Conurbation	2	6	1	2	1	4	—	—	—	—	—	—	—	—
Remainder of Midland	8	4	3	—	1	1	2	2	1	1	—	—	1	—
Eastern	**4**	**1**	**1**	—	**1**	**1**	**2**	—	—	—	—	—	—	—
London and South Eastern	**17**	**21**	**2**	**2**	**9**	**3**	**5**	**14**	**1**	**2**	—	—	—	—
Greater London	16	19	2	1	8	2	5	14	1	2	—	—	—	—
Remainder of South Eastern	1	2	—	1	1	1	—	—	—	—	—	—	—	—
Southern	—	**1**	—	—	—	**1**	—	—	—	—	—	—	—	—
South Western	**6**	**3**	**1**	—	**4**	—	—	**3**	**1**	—	—	—	—	—
Wales (including Monmouthshire)	**5**	—	**1**	—	**2**	—	—	—	**2**	—	—	—	—	—
Wales I (South East)	2	—	—	—	1	—	—	—	1	—	—	—	—	—
Wales II (remainder)	3	—	1	—	1	—	—	—	1	—	—	—	—	—
Urban/Rural aggregates:														
Conurbations	33	38	5	6	13	9	12	19	3	3	—	1	—	—
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	10	3	1	—	4	—	5	3	—	—	—	—	—	—
Urban areas with populations of 50,000 and under 100,000	3	6	1	2	1	2	1	1	—	1	—	—	—	—
Urban areas with populations under 50,000	21	8	7	1	6	5	4	2	4	—	—	—	—	—
Rural districts	15	7	3	1	8	2	3	4	—	—	—	—	1	—

TABLE 30—*continued*

Area	All ages		0–		5–		15–		45–		65 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Acute encephalitis (post infectious)													
ENGLAND AND WALES (excluding Port Health Districts)	**65**	**51**	**15**	**10**	**32**	**24**	**18**	**15**	—	**1**	—	—	—	**1**
Regions and conurbations:														
Northern	**1**	**7**	—	**2**	—	**3**	**1**	**2**	—	—	—	—	—	—
Tyneside Conurbation	—	1	—	1	—	—	—	—	—	—	—	—	—	—
Remainder of Northern	1	6	—	1	—	3	1	2	—	—	—	—	—	—
East and West Ridings	**4**	**1**	**1**	—	**3**	**1**	—	—	—	—	—	—	—	—
West Yorkshire Conurbation	2	—	1	—	1	—	—	—	—	—	—	—	—	—
Remainder of East and West Ridings	2	1	—	—	2	1	—	—	—	—	—	—	—	—
North Western	**7**	**3**	**5**	**2**	—	—	**2**	—	—	—	—	—	—	**1**
South East Lancashire Conurbation	5	1	3	1	—	—	2	—	—	—	—	—	—	—
Merseyside Conurbation	1	—	1	—	—	—	—	—	—	—	—	—	—	—
Remainder of North Western	1	2	1	1	—	—	—	—	—	—	—	—	—	1
North Midland	**12**	**7**	**2**	**1**	**7**	**6**	**3**	—	—	—	—	—	—	—
Midland	**10**	**2**	**3**	—	**6**	**1**	**1**	—	—	**1**	—	—	—	—
West Midlands Conurbation	7	1	2	—	4	1	1	—	—	—	—	—	—	—
Remainder of Midland	3	1	1	—	2	—	—	—	—	1	—	—	—	—
Eastern	**4**	**8**	—	**1**	**3**	**4**	**1**	**3**	—	—	—	—	—	—
London and South Eastern	**20**	**15**	**3**	**2**	**8**	**6**	**9**	**7**	—	—	—	—	—	—
Greater London	17	12	3	1	6	5	8	6	—	—	—	—	—	—
Remainder of South Eastern	3	3	—	1	2	1	1	1	—	—	—	—	—	—
Southern	**3**	**2**	—	—	**3**	**1**	—	**1**	—	—	—	—	—	—
South Western	**3**	**4**	—	—	**2**	**2**	**1**	**2**	—	—	—	—	—	—
Wales (including Monmouthshire)	**1**	**2**	**1**	**2**	—	—	—	—	—	—	—	—	—	—
Wales I (South East)	1	2	1	2	—	—	—	—	—	—	—	—	—	—
Wales II (remainder)	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Urban/Rural aggregates:														
Conurbations	32	15	10	3	11	6	11	6	—	—	—	—	—	—
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	9	9	2	1	5	5	2	2	—	1	—	—	—	—
Urban areas with populations of 50,000 and under 100,000	4	2	1	—	2	2	1	—	—	—	—	—	—	—
Urban areas with populations under 50,000	16	16	2	5	10	6	4	4	—	—	—	—	—	—
Rural districts	4	9	—	1	4	5	—	3	—	—	—	—	—	1

TABLE 30—*continued*

Area	All ages		0–		5–		15–		45–		65 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Acute pneumonia													
ENGLAND AND WALES (excluding Port Health Districts)	**8,075**	**6,468**	**1,482**	**1,223**	**897**	**686**	**1,584**	**1,268**	**2,413**	**1,562**	**1,620**	**1,655**	**79**	**74**
Regions and conurbations:														
Northern	**863**	**657**	**162**	**162**	**72**	**46**	**134**	**121**	**270**	**154**	**220**	**171**	**5**	**3**
Tyneside Conurbation	376	298	89	65	24	19	46	62	126	72	91	80	—	—
Remainder of Northern	487	359	73	97	48	27	88	59	144	82	129	91	5	3
East and West Ridings	**1,465**	**1,090**	**372**	**249**	**136**	**110**	**269**	**209**	**426**	**262**	**256**	**257**	**6**	**3**
West Yorkshire Conurbation	616	474	201	129	52	48	97	83	141	95	120	117	5	2
Remainder of East and West Ridings	849	616	171	120	84	62	172	126	285	167	136	140	1	1
North Western	**1,016**	**799**	**267**	**214**	**111**	**85**	**174**	**155**	**292**	**168**	**160**	**167**	**12**	**10**
South East Lancashire Conurbation	373	284	96	69	43	31	57	58	108	67	67	52	2	7
Merseyside Conurbation	321	253	99	72	33	28	51	52	98	51	38	49	2	1
Remainder of North Western	322	262	72	73	35	26	66	45	86	50	55	66	8	2
North Midland	**642**	**493**	**112**	**67**	**85**	**63**	**132**	**94**	**197**	**123**	**105**	**130**	**11**	**16**
Midland	**937**	**615**	**138**	**129**	**77**	**54**	**228**	**128**	**286**	**144**	**198**	**153**	**10**	**7**
West Midlands Conurbation	445	288	72	65	36	18	86	77	163	66	87	62	1	—
Remainder of Midland	492	327	66	64	41	36	142	51	123	78	111	91	9	7
Eastern	**556**	**468**	**75**	**64**	**91**	**64**	**137**	**104**	**139**	**97**	**103**	**121**	**11**	**18**
London and South Eastern	**1,454**	**1,408**	**193**	**179**	**197**	**166**	**268**	**277**	**456**	**384**	**332**	**398**	**8**	**4**
Greater London	1,084	1,049	141	132	142	120	209	204	352	300	236	292	4	1
Remainder of South Eastern	370	359	52	47	55	46	59	73	104	84	96	106	4	3
Southern	**189**	**141**	**31**	**20**	**21**	**20**	**48**	**27**	**52**	**36**	**35**	**36**	**2**	**2**
South Western	**569**	**482**	**65**	**67**	**60**	**51**	**126**	**90**	**177**	**126**	**130**	**142**	**11**	**6**
Wales (including Monmouthshire)	**384**	**315**	**67**	**72**	**47**	**27**	**68**	**63**	**118**	**68**	**81**	**80**	**3**	**5**
Wales I (South East)	300	227	49	52	35	19	56	48	94	50	65	56	1	2
Wales II (remainder)	84	88	18	20	12	8	12	15	24	18	16	24	2	3
Urban/Rural aggregates:														
Conurbations	3,215	2,646	698	532	330	264	546	536	988	651	639	652	14	11
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	1,213	1,163	259	254	127	91	189	215	405	278	224	320	9	5
Urban areas with populations of 50,000 and under 100,000	481	413	85	95	71	54	97	67	138	89	84	105	6	3
Urban areas with populations under 50,000	1,745	1,162	259	201	205	137	356	236	537	281	365	285	23	22
Rural districts	1,421	1,084	181	141	164	140	396	214	345	263	308	293	27	33

TABLE 30—*continued*

Area	All ages		0–		5–		15–		45–		65 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Food poisoning													
ENGLAND AND WALES (excluding Port Health Districts)	**3,831**	**3,901**	**910**	**660**	**915**	**667**	**1,193**	**1,504**	**495**	**577**	**220**	**390**	**98**	**103**
Regions and conurbations:														
Northern	**148**	**166**	**33**	**15**	**34**	**21**	**31**	**64**	**19**	**21**	**9**	**11**	**22**	**34**
Tyneside Conurbation	23	14	4	—	18	9	—	3	1	2	—	—	—	—
Remainder of Northern	125	152	29	15	16	12	31	61	18	19	9	11	22	34
East and West Ridings	**532**	**387**	**165**	**116**	**226**	**66**	**91**	**131**	**36**	**53**	**13**	**20**	**1**	**1**
West Yorkshire Conurbation	193	215	82	64	28	31	50	75	23	33	9	11	1	1
Remainder of East and West Ridings	339	172	83	52	198	35	41	56	13	20	4	9	—	—
North Western	**450**	**585**	**122**	**95**	**97**	**95**	**139**	**264**	**67**	**89**	**17**	**33**	**8**	**9**
South East Lancashire Conurbation	147	161	56	34	27	41	38	44	19	25	2	14	5	3
Merseyside Conurbation	134	138	42	28	27	26	38	47	25	30	2	7	—	—
Remainder of North Western	169	286	24	33	43	28	63	173	23	34	13	12	3	6
North Midland	**175**	**156**	**44**	**30**	**40**	**32**	**55**	**48**	**19**	**24**	**16**	**18**	**1**	**4**
Midland	**351**	**390**	**80**	**63**	**87**	**54**	**107**	**162**	**47**	**50**	**21**	**53**	**9**	**8**
West Midlands Conurbation	173	191	35	35	56	20	51	102	15	20	16	14	—	—
Remainder of Midland	178	199	45	28	31	34	56	60	32	30	5	39	9	8
Eastern	**310**	**328**	**63**	**64**	**62**	**47**	**108**	**122**	**51**	**56**	**24**	**34**	**2**	**5**
London and South Eastern	**1,140**	**1,218**	**236**	**160**	**219**	**197**	**380**	**507**	**187**	**204**	**76**	**138**	**42**	**12**
Greater London	962	1,013	201	137	197	170	332	422	164	172	63	109	5	3
Remainder of South Eastern	178	205	35	23	22	27	48	85	23	32	13	29	37	9
Southern	**158**	**199**	**30**	**22**	**16**	**47**	**75**	**48**	**16**	**26**	**19**	**56**	**2**	—
South Western	**318**	**280**	**68**	**53**	**69**	**60**	**138**	**91**	**31**	**34**	**6**	**13**	**6**	**29**
Wales (including Monmouthshire)	**249**	**192**	**69**	**42**	**65**	**48**	**69**	**67**	**22**	**20**	**19**	**14**	**5**	**1**
Wales I (South East)	233	157	67	38	55	40	66	48	22	17	18	13	5	1
Wales II (remainder)	16	35	2	4	10	8	3	19	—	3	1	1	—	—
Urban/Rural aggregates:														
Conurbations	1,632	1,732	420	298	353	297	509	693	247	282	92	155	11	7
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	545	640	170	131	114	142	145	223	71	87	40	55	5	2
Urban areas with populations of 50,000 and under 100,000	298	395	58	39	58	44	95	208	47	47	34	32	6	25
Urban areas with populations under 50,000	496	518	109	91	98	89	157	174	55	77	19	39	58	48
Rural districts	860	616	153	101	292	95	287	206	75	84	35	109	18	21

TABLE 30—*continued*

Area	All ages		0–		5–		15–		25–		45–		65 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	†Tuberculosis, respiratory															
ENGLAND AND WALES (excluding Port Health Districts)	**13,348**	**7,769**	**430**	**353**	**544**	**621**	**1,751**	**1,862**	**3,984**	**2,982**	**4,976**	**1,408**	**1,620**	**515**	**43**	**28**
Regions and conurbations:																
Northern	**1,034**	**701**	**49**	**34**	**56**	**71**	**143**	**173**	**273**	**271**	**389**	**120**	**124**	**29**	—	**3**
Tyneside Conurbation	406	274	22	18	27	22	54	71	103	99	154	53	46	11	—	—
Remainder of Northern	628	427	27	16	29	49	89	102	170	172	235	67	78	18	—	3
East and West Ridings	**1,198**	**639**	**32**	**24**	**38**	**50**	**123**	**159**	**394**	**249**	**450**	**127**	**157**	**29**	**4**	**1**
West Yorkshire Conurbation	528	291	17	15	16	29	51	64	196	117	188	48	57	17	3	1
Remainder of East and West Ridings	670	348	15	9	22	21	72	95	198	132	262	79	100	12	1	—
North Western	**1,651**	**1,024**	**46**	**48**	**51**	**64**	**208**	**290**	**450**	**377**	**701**	**172**	**188**	**69**	**7**	**4**
South East Lancashire Conurbation	655	362	21	13	21	20	78	107	195	147	276	52	60	20	4	3
Merseyside Conurbation	195	301	5	17	2	23	32	87	45	100	80	58	30	16	1	—
Remainder of North Western	801	361	20	18	28	21	98	96	210	130	345	62	98	33	2	1
North Midland	**882**	**512**	**33**	**16**	**30**	**43**	**140**	**128**	**276**	**207**	**313**	**85**	**90**	**31**	—	**2**
Midland	**1,528**	**842**	**54**	**49**	**74**	**82**	**210**	**217**	**495**	**321**	**544**	**132**	**142**	**35**	**9**	**6**
West Midlands Conurbation	976	502	44	40	53	55	135	136	319	189	343	63	78	16	4	3
Remainder of Midland	552	340	10	9	21	27	75	81	176	132	201	69	64	19	5	3
Eastern	**828**	**485**	**25**	**18**	**49**	**54**	**122**	**111**	**252**	**185**	**279**	**84**	**97**	**30**	**4**	**3**
London and South Eastern	**3,628**	**2,056**	**101**	**104**	**99**	**127**	**479**	**451**	**1,112**	**802**	**1,340**	**395**	**492**	**174**	**5**	**3**
Greater London	3,005	1,679	91	89	77	104	389	384	941	666	1,128	319	376	114	3	3
Remainder of South Eastern	623	377	10	15	22	23	90	67	171	136	212	76	116	60	2	—
Southern	**726**	**460**	**34**	**21**	**25**	**36**	**101**	**101**	**217**	**168**	**270**	**90**	**77**	**44**	**2**	—
South Western	**963**	**502**	**26**	**16**	**78**	**52**	**120**	**97**	**282**	**206**	**330**	**97**	**118**	**33**	**9**	**1**
Wales (including Monmouthshire)	**910**	**548**	**30**	**23**	**44**	**42**	**105**	**135**	**233**	**196**	**360**	**106**	**135**	**41**	**3**	**5**
Wales I (South East)	627	392	21	15	27	34	79	95	166	151	249	68	83	27	2	2
Wales II (remainder)	283	156	9	8	17	8	26	40	67	45	111	38	52	14	1	3
Urban/Rural aggregates:																
Conurbations	5,765	3,409	200	192	196	253	740	849	1,798	1,318	2,169	593	647	194	15	10
Areas outside conurbations:																
Urban areas with populations of 100,000 and over	2,035	1,106	67	45	102	92	269	277	606	415	759	214	230	62	2	1
Urban areas with populations of 50,000 and under 100,000	960	626	30	23	42	57	139	139	274	246	354	110	119	50	2	1
Urban areas with populations under 50,000	2,807	1,495	72	55	129	118	373	359	785	570	1,054	266	382	120	12	7
Rural districts	1,781	1,133	61	38	75	101	230	238	521	433	640	225	242	89	12	9

† See note at end of Table 31.

TABLE 30—*continued*

Area	All ages		0–		5–		15–		25–		45–		65 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	†Tuberculosis of meninges and central nervous system															
ENGLAND AND WALES (excluding Port Health Districts)	**100**	**99**	**24**	**26**	**27**	**24**	**14**	**20**	**20**	**14**	**13**	**12**	**1**	**3**	**1**	—
Regions and conurbations:																
Northern	**12**	**7**	**4**	**1**	**1**	**1**	**3**	**1**	**2**	**1**	**2**	**3**	—	—	—	—
Tyneside Conurbation	3	3	—	1	1	—	1	1	1	1	—	—	—	—	—	—
Remainder of Northern	9	4	4	—	—	1	2	—	1	—	2	3	—	—	—	—
East and West Ridings	**12**	**14**	**4**	**7**	**5**	**1**	**1**	**1**	**2**	**2**	—	**3**	—	—	—	—
West Yorkshire Conurbation	3	8	—	5	3	—	—	1	—	1	—	1	—	—	—	—
Remainder of East and West Ridings	9	6	4	2	2	1	1	—	2	1	—	2	—	—	—	—
North Western	**14**	**17**	**3**	**3**	**7**	**6**	**2**	**5**	**2**	**3**	—	—	—	—	—	—
South East Lancashire Conurbation	7	7	1	1	4	2	—	3	2	1	—	—	—	—	—	—
Merseyside Conurbation	3	5	—	—	2	2	1	2	—	1	—	—	—	—	—	—
Remainder of North Western	4	5	2	2	1	2	1	—	—	1	—	—	—	—	—	—
North Midland	**8**	**11**	**1**	**2**	**2**	**4**	**1**	**3**	**1**	**2**	**2**	—	**1**	—	—	—
Midland	**13**	**12**	**5**	**2**	**2**	**1**	**1**	**4**	**5**	**3**	—	**1**	—	**1**	—	—
West Midlands Conurbation	8	6	2	1	1	—	1	1	4	2	—	1	—	1	—	—
Remainder of Midland	5	6	3	1	1	1	—	3	1	1	—	—	—	—	—	—
Eastern	**10**	**6**	—	**1**	**3**	**2**	**3**	**2**	**1**	—	**3**	—	—	**1**	—	—
London and South Eastern	**13**	**14**	**3**	**4**	**3**	**4**	—	**3**	**3**	**2**	**4**	—	—	**1**	—	—
Greater London	9	11	3	3	3	4	—	1	1	2	2	—	—	1	—	—
Remainder of South Eastern	4	3	—	1	—	—	—	2	2	—	2	—	—	—	—	—
Southern	**6**	**5**	**2**	**1**	**1**	**2**	**1**	—	**1**	—	**1**	**2**	—	—	—	—
South Western	**8**	**8**	**1**	**1**	**2**	**2**	**1**	**1**	**3**	**1**	—	**3**	—	—	**1**	—
Wales (including Monmouthshire)	**4**	**5**	**1**	**4**	**1**	**1**	**1**	—	—	—	**1**	—	—	—	—	—
Wales I (South East)	3	5	1	4	1	1	—	—	—	—	1	—	—	—	—	—
Wales II (remainder)	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Urban/Rural aggregates:																
Conurbations	33	40	6	11	14	8	3	9	8	8	2	2	—	2	—	—
Areas outside conurbations:																
Urban areas with populations of 100,000 and over	14	17	4	6	1	5	1	3	5	1	3	2	—	—	—	—
Urban areas with populations of 50,000 and under 100,000	4	9	2	—	—	3	1	3	—	2	1	—	—	1	—	—
Urban areas with populations under 50,000	30	15	7	5	9	4	5	1	5	1	3	4	1	—	—	—
Rural districts	19	18	5	4	3	4	4	4	2	2	4	4	—	—	1	—

† See note at end of Table 31.

TABLE 30—*continued*

Area	All ages		0–		5–		15–		25–		45–		65 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	†Tuberculosis, other forms															
ENGLAND AND WALES (excluding Port Health Districts)	**1,135**	**1,526**	**60**	**55**	**143**	**140**	**184**	**313**	**472**	**611**	**180**	**261**	**88**	**138**	**8**	**8**
Regions and conurbations:																
Northern	**75**	**130**	**4**	**6**	**10**	**13**	**17**	**23**	**26**	**67**	**12**	**16**	**5**	**5**	**1**	—
Tyneside Conurbation	31	55	1	2	5	7	5	10	11	25	6	7	2	4	1	—
Remainder of Northern	44	75	3	4	5	6	12	13	15	42	6	9	3	1	—	—
East and West Ridings	**98**	**112**	**5**	**5**	**16**	**14**	**12**	**31**	**40**	**35**	**13**	**17**	**10**	**10**	**2**	—
West Yorkshire Conurbation	39	48	2	3	7	3	2	14	18	16	5	8	5	4	—	—
Remainder of East and West Ridings	59	64	3	2	9	11	10	17	22	19	8	9	5	6	2	—
North Western	**121**	**134**	**12**	**8**	**27**	**17**	**18**	**33**	**34**	**38**	**17**	**29**	**13**	**8**	—	**1**
South East Lancashire Conurbation	43	44	2	2	12	6	8	10	13	17	6	6	2	3	—	—
Merseyside Conurbation	28	44	2	2	3	3	3	13	12	10	7	14	1	1	—	1
Remainder of North Western	50	46	8	4	12	8	7	10	9	11	4	9	10	4	—	—
North Midland	**98**	**129**	**6**	**6**	**11**	**12**	**18**	**15**	**36**	**58**	**18**	**25**	**8**	**12**	**1**	**1**
Midland	**136**	**154**	**4**	**9**	**12**	**20**	**22**	**33**	**70**	**60**	**19**	**21**	**9**	**8**	—	**3**
West Midlands Conurbation	79	60	3	5	7	9	13	15	45	20	9	6	2	3	—	2
Remainder of Midland	57	94	1	4	5	11	9	18	25	40	10	15	7	5	—	1
Eastern	**96**	**153**	**5**	**9**	**13**	**12**	**17**	**27**	**36**	**58**	**17**	**33**	**6**	**13**	**2**	**1**
London and South Eastern	**279**	**385**	**10**	**7**	**22**	**13**	**39**	**81**	**142**	**172**	**48**	**68**	**17**	**44**	**1**	—
Greater London	224	311	8	6	18	8	32	69	119	141	34	56	13	31	—	—
Remainder of South Eastern	55	74	2	1	4	5	7	12	23	31	14	12	4	13	1	—
Southern	**55**	**85**	**5**	**2**	**3**	**14**	**10**	**17**	**24**	**31**	**9**	**7**	**4**	**14**	—	—
South Western	**90**	**149**	**6**	**1**	**21**	**16**	**10**	**34**	**30**	**60**	**14**	**21**	**8**	**15**	**1**	**2**
Wales (including Monmouthshire)	**87**	**95**	**3**	**2**	**8**	**9**	**21**	**19**	**34**	**32**	**13**	**24**	**8**	**9**	—	—
Wales I (South East)	57	64	3	1	5	8	15	10	22	22	8	19	4	4	—	—
Wales II (remainder)	30	31	—	1	3	1	6	9	12	10	5	5	4	5	—	—
Urban/Rural aggregates:																
Conurbations	444	562	18	20	52	36	63	131	218	229	67	97	25	46	1	3
Areas outside conurbations:																
Urban areas with populations of 100,000 and over	152	204	10	6	12	15	28	40	64	85	25	35	12	22	1	1
Urban areas with populations of 50,000 and under 100,000	95	110	8	6	12	8	12	21	39	43	10	17	11	14	3	1
Urban areas with populations under 50,000	236	329	11	8	28	37	43	70	83	121	46	56	24	34	1	3
Rural districts	208	321	13	15	39	44	38	51	68	133	32	56	16	22	2	—

† See note at end of Table 31.

TABLE 31. Cases of certain infectious diseases notified, 1960 (including, for England and Wales only, case rates per 100,000 population)

See explanatory notes.

England and Wales, standard regions, Wales, conurbations, counties, county and metropolitan boroughs, and urban and rural aggregates outside conurbations

Area	Enteric (or typhoid) fever	Paratyphoid fever	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute poliomyelitis: Paralytic	Acute poliomyelitis: Non-paralytic	Acute encephalitis: Infective	Acute encephalitis: Post-infectious	Acute pneumonia (primary and influenzal)	Puerperal pyrexia	Food poisoning	Tuberculosis†: Respiratory	Tuberculosis†: Meninges and C.N.S.	Tuberculosis†: Other
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
(a) Numbers originally notified																				
***ENGLAND AND WALES (including Port Health Districts):**																				
Total	**105**	**247**	**998**	**32,332**	**58,217**	**157**	**2,981**	**1,076**	**48,313**	**159,536**	**323**	**217**	**143**	**118**	**14,925**	**8,909**	**10,540**	**21,439**	**213**	**2,693**
Total (excluding Port Health Districts)	104	245	996	32,328	58,217	157	2,979	1,076	48,296	159,487	323	217	143	117	14,905	8,909	10,534	21,345	212	2,693
Port Health Districts	1	2	2	4	—	—	2	—	17	49	—	—	—	1	20	—	6	94	1	—
Regions and conurbations:																				
Northern	**5**	**19**	**81**	**1,403**	**3,974**	**1**	**144**	**18**	**2,227**	**11,300**	**9**	**1**	**23**	**8**	**1,582**	**358**	**395**	**1,759**	**21**	**209**
Tyneside Conurbation	1	8	16	300	406	—	48	4	513	1,039	2	—	13	1	727	65	89	688	6	88
Remainder of Northern	4	11	65	1,103	3,568	1	96	14	1,714	10,261	7	1	10	7	855	293	306	1,071	15	121
East and West Ridings	**6**	**12**	**88**	**3,667**	**7,729**	**14**	**352**	**51**	**5,566**	**12,942**	**35**	**2**	**12**	**8**	**2,806**	**670**	**935**	**1,845**	**28**	**211**
West Yorkshire Conurbation	3	9	20	1,429	3,079	5	156	23	2,948	6,939	16	—	6	4	1,052	235	364	824	11	87
Remainder of East and West Ridings	3	3	68	2,238	4,650	9	196	28	2,618	6,003	19	2	6	4	1,754	435	571	1,021	17	124
North Western	**5**	**58**	**126**	**5,304**	**8,831**	**14**	**337**	**186**	**11,088**	**50,744**	**28**	**21**	**16**	**10**	**1,829**	**1,492**	**2,278**	**2,759**	**39**	**260**
South East Lancashire Conurbation	2	22	47	2,026	3,146	—	116	59	6,018	16,390	11	2	5	6	659	529	477	1,054	16	87
Merseyside Conurbation	—	25	26	825	2,042	13	95	98	2,064	14,937	13	5	3	1	576	629	974	504	10	77
Remainder of North Western	3	11	53	2,453	3,643	1	126	29	3,006	19,417	4	14	8	3	594	334	827	1,201	13	96
North Midland	**10**	**14**	**76**	**3,091**	**3,442**	**7**	**230**	**38**	**3,033**	**18,527**	**19**	**34**	**13**	**16**	**1,129**	**326**	**468**	**1,398**	**20**	**225**
Midland	**5**	**17**	**297**	**3,060**	**7,219**	**30**	**293**	**464**	**2,295**	**5,804**	**35**	**46**	**20**	**11**	**1,567**	**831**	**865**	**2,372**	**25**	**295**
West Midlands Conurbation	3	7	260	1,549	2,931	27	165	414	895	2,507	24	42	7	7	748	509	397	1,491	14	130
Remainder of Midland	2	10	37	1,511	4,288	3	128	50	1,400	3,297	11	4	13	4	819	322	468	881	11	165
Eastern	**10**	**16**	**31**	**3,169**	**5,618**	**1**	**244**	**35**	**5,018**	**14,907**	**16**	**12**	**5**	**12**	**1,025**	**550**	**913**	**1,309**	**15**	**264**
***London and South Eastern**	**46**	**73**	**157**	**7,825**	**14,817**	**48**	**810**	**175**	**12,615**	**21,548**	**129**	**57**	**36**	**37**	**2,880**	**3,270**	**3,119**	**5,755**	**27**	**665**
Greater London	40	65	136	5,868	11,332	48	593	150	10,184	13,900	111	41	33	31	2,148	2,758	2,677	4,735	20	534
Remainder of South Eastern	6	8	21	1,957	3,485	—	217	25	2,431	7,648	18	16	3	6	732	512	442	1,020	7	131
Southern	**7**	**15**	**33**	**1,726**	**1,886**	**10**	**180**	**39**	**1,388**	**5,287**	**8**	**2**	**2**	**5**	**330**	**544**	**413**	**1,204**	**12**	**142**
South Western	**7**	**7**	**66**	**2,027**	**2,634**	**31**	**277**	**32**	**3,142**	**9,374**	**25**	**32**	**11**	**7**	**1,062**	**577**	**641**	**1,465**	**16**	**236**
Wales (including Monmouthshire)	**3**	**14**	**41**	**1,056**	**2,067**	**1**	**112**	**38**	**1,924**	**9,054**	**19**	**10**	**5**	**3**	**695**	**291**	**507**	**1,479**	**9**	**186**
Wales (South East)	2	4	35	830	1,542	—	81	35	1,600	4,496	12	3	2	3	524	190	447	1,037	8	121
Wales (remainder)	1	10	6	226	525	1	31	3	324	4,558	7	7	3	—	171	101	60	442	1	65
Urban/Rural aggregates:																				
Conurbations	49	136	505	11,997	22,936	93	1,173	748	22,622	55,712	177	90	67	50	5,910	4,725	4,978	9,296	77	1,003
Areas outside conurbations:																				
Urban areas with populations of 100,000 and over	13	19	170	4,574	7,479	36	445	147	6,747	19,872	36	33	13	15	2,536	1,604	1,547	3,170	34	358
Urban areas with populations of 50,000 and under 100,000	6	10	65	2,644	4,381	5	205	71	3,428	11,444	18	16	9	6	955	777	974	1,586	13	210
Urban areas with populations under 50,000	19	51	166	6,844	13,680	13	606	61	9,095	44,001	47	48	31	33	2,993	1,155	1,395	4,371	53	580
Rural districts	17	29	90	6,269	9,741	10	550	49	6,404	28,458	45	30	23	13	2,511	648	1,640	2,922	35	542

* Smallpox cases notified: Original—England and Wales 2; London and South Eastern 2; Greater London 2. † See note at end of Table.

Area	Enteric (or typhoid) fever	Paratyphoid fever	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute poliomyelitis: Paralytic	Acute poliomyelitis: Non-paralytic	Acute encephalitis: Infective	Acute encephalitis: Post-infectious	Acute pneumonia (primary and influenzal)	Puerperal pyrexia	Food poisoning	Tuberculosis†: Respiratory	Tuberculosis†: Meninges and C.N.S.	Tuberculosis†: Other
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
(b) Final numbers after correction																				
***ENGLAND AND WALES (excluding Port Health Districts):**																				
Total	**89**	**239**	**630**	**32,166**	**58,030**	**49**	**2,954**	**1,063**	**43,268**	**159,315**	**257**	**121**	**144**	**116**	**14,543**	**8,896**	**7,732**	**21,117**	**199**	**2,661**
Rates (per 100,000 population)	**0**	**1**	**1**	**70**	**127**	**0**	**6**	**2**	**95**	**348**	**1**	**0**	**0**	**0**	**32**	**19**	**17**	**46**	**0**	**6**
Regions and conurbations:																				
Northern	**6**	**17**	**75**	**1,402**	**3,964**	—	**143**	**19**	**1,895**	**11,342**	**6**	**1**	**24**	**8**	**1,520**	**355**	**314**	**1,735**	**19**	**205**
Tyneside Conurbation	1	7	16	300	411	—	47	4	251	1,036	2	—	13	1	674	63	37	680	6	86
Remainder of Northern	5	10	59	1,102	3,553	—	96	15	1,644	10,306	4	1	11	7	846	292	277	1,055	13	119
East and West Ridings	**4**	**14**	**68**	**3,641**	**7,703**	—	**344**	**52**	**5,207**	**12,937**	**20**	—	**10**	**5**	**2,555**	**685**	**919**	**1,837**	**26**	**210**
West Yorkshire Conurbation	2	11	20	1,417	3,063	—	153	23	2,892	6,944	6	—	6	2	1,090	235	408	819	11	87
Remainder of East and West Ridings	2	3	48	2,224	4,640	—	191	29	2,315	5,993	14	—	4	3	1,465	450	511	1,018	15	123
North Western	**3**	**57**	**112**	**5,264**	**8,748**	**10**	**328**	**184**	**8,946**	**50,720**	**25**	**16**	**16**	**10**	**1,815**	**1,481**	**1,035**	**2,675**	**31**	**255**
South East Lancashire Conurbation	2	24	46	2,030	3,138	—	112	59	5,084	16,388	10	1	8	6	657	529	308	1,017	14	87
Merseyside Conurbation	—	23	21	816	2,041	9	91	96	958	14,929	12	4	1	1	574	629	272	496	8	72
Remainder of North Western	1	10	45	2,418	3,569	1	125	29	2,904	19,403	3	11	7	3	584	323	455	1,162	9	96
North Midland	**8**	**14**	**47**	**3,061**	**3,434**	**6**	**229**	**35**	**2,805**	**18,527**	**16**	**18**	**16**	**19**	**1,135**	**328**	**331**	**1,394**	**19**	**227**
Midland	**6**	**16**	**65**	**3,053**	**7,216**	**1**	**292**	**460**	**2,109**	**5,805**	**38**	**6**	**20**	**12**	**1,552**	**834**	**741**	**2,370**	**25**	**290**
West Midlands Conurbation	4	6	35	1,544	2,928	1	165	411	780	2,507	29	3	8	8	733	507	364	1,478	14	139
Remainder of Midland	2	10	30	1,509	4,288	—	127	49	1,329	3,298	9	3	12	4	819	327	377	892	11	151
Eastern	**9**	**17**	**30**	**3,166**	**5,607**	**1**	**247**	**34**	**4,852**	**14,763**	**13**	**9**	**5**	**12**	**1,024**	**543**	**638**	**1,313**	**16**	**249**
***London and South Eastern**	**40**	**70**	**129**	**7,770**	**14,795**	**21**	**801**	**171**	**11,461**	**21,513**	**102**	**38**	**38**	**35**	**2,862**	**3,266**	**2,358**	**5,684**	**27**	**664**
Greater London	35	62	115	5,820	11,312	21	584	146	9,108	13,866	88	26	35	29	2,133	2,755	1,975	4,684	20	535
Remainder of South Eastern	5	8	14	1,950	3,483	—	217	25	2,353	7,647	14	12	3	6	729	511	383	1,000	7	129
Southern	**7**	**13**	**31**	**1,721**	**1,885**	**8**	**180**	**38**	**1,336**	**5,287**	**8**	**1**	**1**	**5**	**330**	**543**	**357**	**1,186**	**11**	**140**
South Western	**4**	**7**	**34**	**2,024**	**2,628**	**2**	**275**	**31**	**3,063**	**9,373**	**15**	**26**	**9**	**7**	**1,051**	**573**	**598**	**1,465**	**16**	**239**
Wales (including Monmouthshire)	**2**	**14**	**39**	**1,064**	**2,050**	—	**115**	**39**	**1,594**	**9,048**	**14**	**6**	**5**	**3**	**699**	**288**	**441**	**1,458**	**9**	**182**
Wales I (South East)	2	4	33	839	1,531	—	83	36	1,272	4,494	9	2	2	3	527	187	390	1,019	8	121
Wales II (remainder)	—	10	6	225	519	—	32	3	322	4,554	5	4	3	—	172	101	51	439	1	61
Urban/Rural aggregates:																				
Conurbations	44	133	253	11,927	22,893	31	1,152	739	19,073	55,670	147	34	71	47	5,861	4,718	3,364	9,174	73	1,006
Areas outside conurbations:																				
Urban areas with populations of 100,000 and over	12	20	103	4,560	7,368	4	435	148	6,492	19,854	23	21	13	18	2,376	1,617	1,185	3,141	31	356
Urban areas with populations of 50,000 and under 100,000	5	8	45	2,641	4,377	—	204	71	3,368	11,440	12	16	9	6	894	776	693	1,586	13	205
Urban areas with populations under 50,000	13	49	146	6,802	13,685	5	610	60	8,221	44,017	34	28	29	32	2,907	1,157	1,014	4,302	45	565
Rural districts	15	29	83	6,236	9,707	9	553	45	6,114	28,334	41	22	22	13	2,505	628	1,476	2,914	37	529

* Smallpox cases notified : Final—England and Wales 1; London and South Eastern 1; Greater London 1. † See note at end of Table.

TABLE 31—*continued*

Area	Enteric (or typhoid) fever	Paratyphoid fever	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute poliomyelitis		Acute encephalitis		Acute pneumonia (primary and influenzal)	Puerperal pyrexia	Food poisoning	Tuberculosis†		
											Paralytic	Non-paralytic	Infective	Post-infectious				Respiratory	Meninges and C.N.S.	Other
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
ENGLAND (excluding Monmouthshire):																				
Bedfordshire	**2**	**8**	**2**	**166**	**241**	—	**13**	**1**	**436**	**1,459**	**1**	—	—	—	**100**	**155**	**42**	**220**	**2**	**43**
Total M.B.s and U.D.s	1	7	1	113	157	—	5	—	258	1,114	1	—	—	—	68	147	25	172	2	25
Total R.D.s	1	1	1	53	84	—	8	1	178	345	—	—	—	—	32	8	17	48	—	18
Berkshire	—	**1**	**8**	**392**	**611**	—	**27**	**1**	**346**	**730**	**2**	—	—	**1**	**96**	**20**	**61**	**201**	**3**	**17**
Reading C.B.	—	1	1	68	175	—	8	—	20	19	—	—	—	1	36	14	1	68	1	6
Total M.B.s and U.D.	—	—	2	129	77	—	6	—	98	295	1	—	—	—	14	4	3	45	1	3
Total R.D.s	—	—	5	195	359	—	13	1	228	416	1	—	—	—	46	2	57	88	1	8
Buckinghamshire	**1**	**1**	**6**	**293**	**156**	**8**	**30**	**8**	**119**	**727**	**2**	—	—	—	**52**	**117**	**18**	**154**	**4**	**35**
Total M.B.s and U.D.s	—	1	4	108	89	1	18	5	73	449	—	—	—	—	28	45	9	92	2	15
Total R.D.s	1	—	2	185	67	7	12	3	46	278	2	—	—	—	24	72	9	62	2	20
Cambridgeshire	**1**	**1**	**1**	**169**	**129**	—	**10**	—	**217**	**266**	—	**1**	**1**	—	**35**	**33**	**11**	**77**	**1**	**13**
Cambridge M.B.	1	1	1	59	18	—	5	—	84	62	—	1	—	—	13	31	—	50	1	4
Total R.D.s	—	—	—	110	111	—	5	—	133	204	—	—	1	—	22	2	11	27	—	9
Cheshire	—	**7**	**13**	**1,024**	**1,562**	**1**	**63**	—	**1,106**	**6,115**	**12**	**5**	**8**	**3**	**287**	**126**	**264**	**431**	**7**	**55**
Total C.B.s	—	2	8	330	491	—	26	—	289	2,334	6	2	6	3	151	100	75	218	2	24
Birkenhead C.B.	—	—	1	54	195	—	11	—	135	1,021	2	—	1	1	87	32	41	80	1	9
Chester C.B.	—	—	2	55	95	—	2	—	7	450	1	2	—	2	19	2	18	33	1	3
Stockport C.B.	—	1	4	166	155	—	6	—	33	276	—	—	5	—	22	56	10	39	—	3
Wallasey C.B.	—	1	1	55	46	—	7	—	114	587	3	—	—	—	23	10	6	66	—	9
Total M.B.s and U.D.s	—	5	3	530	834	—	31	—	701	2,984	6	3	2	—	100	21	174	172	5	24
Total R.D.s	—	—	2	164	237	1	6	—	116	797	—	—	—	—	36	5	15	41	—	7
Cornwall	—	**1**	**3**	**168**	**193**	—	**25**	**2**	**35**	**364**	**5**	**2**	**3**	**1**	**88**	**79**	**35**	**156**	**4**	**20**
Total M.B.s and U.D.s	—	1	1	72	129	—	13	—	33	213	1	—	2	—	44	73	—	99	3	12
Total R.D.s	—	—	2	96	64	—	12	2	2	151	4	2	1	1	44	6	35	57	1	8
Cumberland	—	—	**4**	**186**	**506**	—	**8**	**1**	**39**	**2,048**	—	—	—	**1**	**95**	**45**	**125**	**174**	**1**	**27**
Carlisle C.B.	—	—	2	72	115	—	2	1	4	49	—	—	—	—	12	27	30	48	—	11
Total M.B.s and U.D.s	—	—	2	30	161	—	4	—	5	788	—	—	—	1	52	11	68	60	—	7
Total R.D.s	—	—	—	84	230	—	2	—	30	1,211	—	—	—	—	31	7	27	66	1	9
Derbyshire	**4**	**1**	**5**	**941**	**1,129**	**6**	**62**	**4**	**147**	**2,300**	**1**	**2**	**2**	—	**257**	**26**	**24**	**319**	**2**	**37**
Derby C.B.	3	—	1	140	160	6	11	2	16	524	1	1	1	—	40	12	3	66	—	8
Total M.B.s and U.D.s	1	1	1	337	542	—	25	—	54	881	—	—	—	—	132	3	15	134	1	15
Total R.D.s	—	—	3	464	427	—	26	2	77	895	—	1	1	—	85	11	6	119	1	14
Devon	—	2	8	616	520	1	81	17	564	3,764	—	18	—	1	303	116	124	314	2	40
Total C.B.s	—	2	5	324	283	1	38	15	494	1,330	—	12	—	1	131	108	48	177	—	20
Exeter C.B.	—	1	1	124	81	—	15	10	198	1,266	—	—	—	—	32	54	23	36	—	9

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
Devon—*continued*																				
Plymouth C.B.	—	1	4	200	202	1	23	5	296	64	—	12	—	1	99	54	25	141	—	11
Total M.B.s and U.D.s	—	—	1	127	92	—	19	1	16	1,439	—	—	—	—	71	5	50	70	2	12
Total R.D.s	—	—	2	165	145	—	24	1	54	995	—	6	—	—	101	3	26	67	—	8
Dorset	**1**	**2**	**1**	**140**	**109**	**1**	**23**	**6**	**237**	**1,703**	**1**	—	—	**1**	**89**	**61**	**24**	**120**	—	**24**
Total M.B.s and U.D.s	1	2	1	77	56	1	11	6	166	1,124	1	—	—	1	31	56	15	85	—	17
Total R.D.s	—	—	—	63	53	—	12	—	71	579	—	—	—	—	58	5	9	35	—	7
Durham	**3**	**3**	**50**	**670**	**2,323**	—	**73**	**6**	**859**	**4,368**	**5**	—	**18**	**2**	**1,023**	**224**	**81**	**866**	**12**	**93**
Total C.B.s	—	1	36	268	801	—	29	5	274	773	2	—	13	2	641	175	45	406	4	40
Darlington C.B.	—	—	1	34	88	—	2	1	73	35	—	—	—	—	14	32	4	42	—	—
Gateshead C.B.	—	1	5	33	29	—	5	1	27	49	1	—	11	—	307	17	2	114	—	15
South Shields C.B.	—	—	7	89	74	—	11	—	31	402	1	—	1	1	97	19	1	101	1	13
Sunderland C.B.	—	—	19	102	526	—	8	3	104	236	—	—	—	1	221	100	36	117	3	6
West Hartlepool C.B.	—	—	4	10	84	—	3	—	39	51	—	—	1	—	2	7	2	32	—	6
Total M.B.s and U.D.s	—	2	9	263	1,137	—	33	—	502	2,376	1	—	5	—	274	25	30	328	6	34
Total R.D.s	3	—	5	139	385	—	11	1	83	1,219	2	—	—	—	108	24	6	132	2	19
Ely, Isle of	—	—	**1**	**70**	**70**	—	**9**	—	**9**	**309**	—	—	—	—	**31**	**3**	**9**	**26**	—	**1**
Total M.B. and U.D.s	—	—	—	50	27	—	4	—	1	161	—	—	—	—	17	3	5	12	—	1
Total R.D.s	—	—	1	20	43	—	5	—	8	148	—	—	—	—	14	—	4	14	—	—
Essex	**4**	**12**	**21**	**2,691**	**4,583**	**5**	**181**	**33**	**2,718**	**3,742**	**16**	**5**	**5**	**11**	**694**	**305**	**560**	**870**	**7**	**117**
Total C.B.s	2	—	6	437	845	—	52	6	345	346	5	1	—	1	145	21	51	201	—	22
East Ham C.B.	—	—	2	87	279	—	8	—	13	59	1	—	—	—	24	2	12	48	—	6
Southend-on-Sea C.B.	1	—	2	261	318	—	31	2	112	243	1	—	—	—	78	7	23	72	—	8
West Ham C.B.	1	—	2	89	248	—	13	4	220	44	3	1	—	1	43	12	16	81	—	8
Total M.B.s and U.D.s	2	12	14	2,002	3,252	5	111	26	2,122	2,899	8	4	5	6	485	158	475	596	5	86
Total R.D.s	—	—	1	252	486	—	18	1	251	497	3	—	—	4	64	126	34	73	2	9
Gloucestershire	**2**	**1**	**8**	**458**	**930**	—	**82**	**4**	**958**	**2,519**	**3**	—	**1**	**1**	**307**	**229**	**332**	**604**	**7**	**88**
Total C.B.s	1	—	5	203	446	—	50	3	702	759	—	—	—	—	214	134	188	410	4	45
Bristol C.B.	1	—	4	182	398	—	46	3	699	556	—	—	—	—	203	102	181	361	4	40
Gloucester C.B.	—	—	1	21	48	—	4	—	3	203	—	—	—	—	11	32	7	49	—	5
Total M.B.s and U.D.s	1	—	2	74	97	—	7	1	96	773	—	—	—	—	35	50	11	83	—	11
Total R.D.s	—	1	1	181	387	—	25	—	160	987	3	—	1	1	58	45	133	111	3	32
Hampshire	**5**	**8**	**8**	**711**	**803**	—	**88**	**10**	**655**	**2,669**	**3**	**1**	**1**	**2**	**130**	**312**	**239**	**588**	**1**	**56**
Total C.B.s	5	2	2	370	292	—	44	8	191	771	1	1	—	—	61	242	94	268	1	33
Bournemouth C.B.	—	—	1	61	46	—	16	—	103	220	—	—	—	—	12	—	19	66	—	9
Portsmouth C.B.	5	1	1	191	190	—	20	3	65	389	1	—	—	—	31	117	28	86	1	17
Southampton C.B.	—	1	—	118	56	—	8	5	23	162	—	1	—	—	18	125	47	116	—	7
Total M.B.s and U.D.s	—	4	6	231	369	—	21	2	257	1,184	2	—	1	2	51	57	31	187	—	12
Total R.D.s	—	2	—	110	142	—	23	—	207	714	—	—	—	—	18	13	114	133	—	11
Herefordshire	—	—	**2**	**85**	**200**	—	**10**	—	**201**	**297**	—	—	**3**	**1**	**44**	**5**	**44**	**44**	**1**	**9**
Total M.B.s and U.D.s	—	—	2	34	57	—	4	—	81	158	—	—	1	—	10	4	9	31	—	4
Total R.D.s	—	—	—	51	143	—	6	—	120	139	—	—	2	1	34	1	35	13	1	5
Hertfordshire	**2**	**2**	**11**	**482**	**1,134**	—	**42**	**6**	**543**	**3,339**	**1**	—	—	**3**	**117**	**78**	**107**	**289**	**4**	**68**
Total M.B.s and U.D.s	2	2	7	307	824	—	33	5	438	2,700	—	—	—	3	88	69	76	207	3	43
Total R.D.s	—	—	4	175	310	—	9	1	105	639	1	—	—	—	29	9	31	82	1	25

† See note at end of Table.

TABLE 31—*continued*

Area	Enteric (or typhoid) fever	Paratyphoid fever	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute poliomyelitis		Acute encephalitis		Acute pneumonia (primary and influenzal)	Puerperal pyrexia	Food poisoning	Tuberculosis†		
											Paralytic	Non-paralytic	Infective	Post-infectious				Respiratory	Meninges and C.N.S.	Other
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
Huntingdonshire	—	—	—	**17**	**64**	—	**10**	—	**64**	**300**	—	—	—	—	**35**	**6**	**24**	**20**	—	**8**
Total M.B.s and U.D.s	—	—	—	5	39	—	2	—	47	137	—	—	—	—	20	5	5	9	—	6
Total R.D.s	—	—	—	12	25	—	8	—	17	163	—	—	—	—	15	1	19	11	—	2
Kent	**2**	**3**	**12**	**1,390**	**2,191**	—	**118**	**4**	**1,647**	**5,340**	**8**	**5**	**1**	**3**	**428**	**176**	**235**	**706**	**3**	**93**
Canterbury C.B.	—	—	—	29	9	—	—	—	16	100	1	—	1	—	3	8	2	20	—	3
Total M.B.s and U.D.s	2	3	12	1,061	1,615	—	94	2	1,276	4,171	3	5	—	3	269	160	129	568	2	66
Total R.D.s	—	—	—	300	567	—	24	2	355	1,069	4	—	—	—	156	8	104	118	1	24
Lancashire	**3**	**50**	**99**	**4,215**	**7,177**	**9**	**264**	**184**	**7,839**	**44,584**	**13**	**11**	**8**	**7**	**1,528**	**1,354**	**759**	**2,225**	**23**	**197**
Total C.B.s	1	32	65	2,194	4,376	6	136	178	3,785	24,529	9	2	3	4	938	1,234	453	1,452	15	119
Barrow-in-Furness C.B.	—	—	—	20	32	—	—	—	36	49	—	—	—	—	4	1	2	18	—	2
Blackburn C.B.	—	—	1	142	233	—	—	—	172	1,062	—	—	—	—	25	101	6	30	1	5
Blackpool C.B.	—	—	4	163	159	—	6	18	80	775	—	—	1	—	19	48	38	43	—	5
Bolton C.B.	—	1	4	186	179	—	7	—	509	1,058	1	—	—	1	83	2	59	55	—	5
Bootle C.B.	—	1	1	44	128	—	4	—	88	1,074	—	1	—	—	24	2	10	46	—	2
Burnley C.B.	—	—	—	89	300	—	4	1	12	1,486	—	—	1	—	23	11	7	31	—	6
Bury C.B.	—	—	—	29	42	—	2	—	74	664	—	—	—	—	12	—	—	8	1	5
Liverpool C.B.	—	19	17	476	1,440	6	48	96	515	8,835	3	1	—	—	335	583	147	439	5	39
Manchester C.B.	—	6	20	448	879	—	26	43	592	4,356	5	—	—	3	207	370	107	389	4	31
Oldham C.B.	—	1	2	76	61	—	10	8	840	1,943	—	—	—	—	16	28	6	75	—	1
Preston C.B.	—	—	5	101	118	—	7	4	651	777	—	—	—	—	52	44	51	39	1	3
Rochdale C.B.	—	—	3	39	128	—	3	—	21	470	—	—	—	—	7	—	—	32	1	2
St. Helens C.B.	—	2	3	118	213	—	2	1	12	389	—	—	—	—	10	3	—	62	—	6
Salford C.B.	1	2	—	112	177	—	4	6	138	1,184	—	—	—	—	53	30	13	96	2	4
Southport C.B.	—	—	1	51	60	—	11	1	37	359	—	—	—	—	14	1	4	16	—	—
Warrington C.B.	—	—	3	53	207	—	—	—	—	7	—	—	—	—	52	10	3	23	—	—
Wigan C.B.	—	—	1	47	20	—	2	—	8	41	—	—	1	—	2	—	—	50	—	3
Total M.B.s and U.D.s	1	17	26	1,756	2,491	3	114	4	3,784	18,354	4	9	5	3	545	59	289	682	8	70
Total R.D.s	1	1	8	265	310	—	14	2	270	1,701	—	—	—	—	45	61	17	91	—	8
Leicestershire	—	**1**	**13**	**297**	**280**	—	**35**	**12**	**84**	**4,701**	**3**	**2**	**10**	**1**	**128**	**106**	**35**	**262**	**5**	**42**
Leicester C.B.	—	1	—	129	66	—	16	11	48	2,867	1	—	5	—	39	92	27	158	1	25
Total M.B. and U.D.s	—	—	8	63	92	—	12	—	15	661	—	—	1	1	36	9	3	55	2	8
Total R.D.s	—	—	5	105	122	—	7	1	21	1,173	2	2	4	—	53	5	5	49	2	9
Lincolnshire (Parts of Holland)	—	**1**	—	**154**	**93**	—	**20**	—	**19**	**239**	—	—	—	**2**	**47**	**3**	**11**	**23**	**2**	**7**
Total M.B. and U.D.	—	1	—	58	65	—	6	—	4	89	—	—	—	2	26	1	6	9	2	5
Total R.D.s	—	—	—	96	28	—	14	—	15	150	—	—	—	—	21	2	5	14	—	2
Lincolnshire (Parts of Kesteven)	—	—	**1**	**162**	**228**	—	**17**	**2**	**142**	**219**	**1**	—	**1**	—	**88**	**25**	**7**	**34**	—	**4**
Total M.B.s and U.D.s	—	—	1	98	89	—	10	2	7	104	—	—	—	—	49	23	3	17	—	2
Total R.D.s	—	—	—	64	139	—	7	—	135	115	1	—	1	—	39	2	4	17	—	2
Lincolnshire (Parts of Lindsey)	**1**	**1**	**13**	**401**	**439**	—	**26**	**5**	**526**	**615**	**3**	**12**	**1**	**2**	**82**	**12**	**63**	**188**	**8**	**44**
Total C.B.s	—	—	2	180	137	—	6	4	140	111	2	10	—	—	19	1	8	92	4	26

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
Lincolnshire (Parts of Lindsey)—*continued*																				
Grimsby C.B.	—	—	2	105	80	—	2	2	136	60	1	—	—	—	8	1	—	65	4	12
Lincoln C.B.	—	—	—	75	57	—	4	2	4	51	1	10	—	—	11	—	8	27	—	14
Total M.B.s and U.D.s	1	—	5	102	140	—	12	1	179	338	—	1	—	—	17	9	31	57	2	9
Total R.D.s	—	1	6	119	162	—	8	—	207	166	1	1	1	2	46	2	24	39	2	9
***London A.C.**	**24**	**30**	**71**	**1,500**	**4,794**	**16**	**229**	**88**	**5,162**	**8,570**	**65**	**23**	**10**	**13**	**882**	**1,388**	**1,228**	**2,500**	**11**	**243**
City of London	—	—	—	—	1	—	1	1	6	6	—	—	—	—	—	—	2	7	—	—
Metropolitan Boroughs:																				
Battersea	2	5	1	26	146	—	4	1	68	186	1	—	—	—	33	—	4	76	—	3
Bermondsey	—	—	—	25	78	—	1	—	351	218	1	—	—	—	5	1	43	26	—	4
Bethnal Green	—	—	2	11	164	—	4	2	43	47	—	4	—	1	4	4	17	34	—	2
Camberwell	—	1	1	87	196	8	18	13	274	683	—	—	—	—	28	121	55	166	—	16
Chelsea	—	—	3	20	62	—	3	—	69	15	1	—	—	—	6	19	15	24	1	2
Deptford	—	—	—	46	150	—	6	1	66	94	—	—	—	—	21	1	3	80	3	4
Finsbury	—		2	46	79	—	4	—	190	254	1	—	2	—	50	4	73	30	—	6
Fulham	—	—	—	21	140	—	6	—	132	40	3	—	—	—	15	23	26	74	—	10
Greenwich	—	—	1	44	168	—	—	—	149	47	4	—	—	—	12	1	42	47	1	6
Hackney	1	1	2	128	326	—	20	4	229	468	3	—	2	2	27	132	33	92	—	12
Hammersmith	4	4	1	50	163	—	8	2	102	317	1	—	—	—	69	128	35	98	—	13
Hampstead	2	2	3	18	58	1	6	5	48	86	3	—	—	4	12	28	23	61	—	10
Holborn	—	—	1	4	9	—	—	—	41	38	1	1	—	—	3	—	6	18	—	1
Islington	2	2	4	130	567	—	15	17	797	1,431	12	3	2	1	59	159	123	242	2	29
Kensington	4	2	4	29	154	—	9	6	71	456	4	—	—	—	16	137	42	143	1	17
Lambeth	—	3	3	97	361	3	9	4	361	542	4	3	2	—	45	61	54	137	1	8
Lewisham	—	—	10	172	333	—	20	1	419	262	3	1	—	—	33	61	31	119	—	15
Paddington	3	—	—	27	117	—	3	2	34	809	5	2	—	—	23	138	77	134	—	15
Poplar	—	—	2	32	98	—	4	—	64	247	4	—	—	1	44	36	61	41	—	4
St. Marylebone	—	—	—	16	53	—	2	—	19	145	—	1	1	—	7	14	8	55	—	3
St. Pancras	1	—	8	47	200	—	18	5	244	520	3	3	1	3	59	35	82	136	—	16
Shoreditch	—	—	—	34	113	—	2	—	109	71	2	—	—	—	5	—	9	37	—	2
Southwark	—	1	4	73	118	3	10	4	661	322	4	2	—	—	40	18	92	103	—	10
Stepney	1	—	2	24	220	1	5	2	135	54	1	—	—	1	81	100	19	110	—	7
Stoke Newington	1	2	1	42	77	—	4	—	42	322	1	—	—	—	10	7	14	38	—	6
Wandsworth	1	5	5	168	492	—	42	4	330	824	1	3	—	—	123	83	194	211	2	13
*Westminster	1	—	1	18	43	—	2	—	54	47	1	—	—	—	7	9	23	92	—	4
Woolwich	1	—	10	65	108	—	3	14	54	19	1	—	—	—	45	68	22	69	—	5
Middlesex	**4**	**12**	**12**	**1,580**	**2,583**	—	**155**	**15**	**1,955**	**2,288**	**11**	**1**	**21**	**10**	**606**	**814**	**250**	**1,048**	**6**	**150**
Total M.B.s and U.D.s	4	12	12	1,580	2,583	—	155	15	1,955	2,288	11	1	21	10	606	814	250	1,048	6	150
Norfolk	—	**1**	**5**	**422**	**970**	**1**	**47**	**17**	**1,589**	**3,612**	**4**	**1**	**2**	**1**	**230**	**42**	**122**	**144**	**2**	**34**
Total C.B.s	—	—	—	118	322	—	13	11	837	823	—	—	1	—	56	30	80	41	1	6
Great Yarmouth C.B.	—	—	—	10	9	—	3	—	64	222	—	—	—	—	3	2	6	7	1	3
Norwich C.B.	—	—	—	108	313	—	10	11	773	601	—	—	1	—	53	28	74	34	—	3
Total M.B.s and U.D.s	—	1	1	51	278	—	6	1	166	412	1	—	—	1	15	1	4	28	—	6
Total R.D.s	—	—	4	253	370	1	28	5	586	2,377	3	1	1	—	159	11	38	75	1	22
Northamptonshire	**2**	**6**	**5**	**335**	**268**	—	**38**	**1**	**512**	**1,451**	**1**	**1**	—	—	**190**	**80**	**49**	**125**	**2**	**36**
Northampton C.B.	—	—	—	100	98	—	13	1	191	29	1	1	—	—	18	54	13	31	—	7
Total M.B.s and U.D.s	—	6	4	124	90	—	13	—	257	1,011	—	—	—	—	115	25	17	72	1	20
Total R.D.s	2	—	1	111	80	—	12	—	64	411	—	—	—	—	57	1	19	22	1	9
Northumberland	**2**	**10**	**5**	**225**	**336**	—	**37**	**3**	**235**	**1,146**	**1**	—	—	—	**227**	**28**	**49**	**480**	**3**	**63**
Total C.B.s	1	6	4	78	183	—	17	3	101	241	—	—	—	—	108	22	32	266	1	34

*Smallpox cases notified: London A.C.1; Westminster Met. B.1.

† See note at end of Table.

TABLE 31—*continued*

Area	Enteric (or typhoid) fever	Paratyphoid fever	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute poliomyelitis		Acute encephalitis		Acute pneumonia (primary and influenzal)	Puerperal pyrexia	Food poisoning	Tuberculosis†		
											Paralytic	Non-paralytic	Infective	Post-infectious				Respiratory	Meninges and C.N.S.	Other
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
Northumberland—*continued*																				
Newcastle upon Tyne C.B.	1	5	4	67	113	—	17	3	90	167	—	—	—	—	104	22	32	206	1	30
Tynemouth C.B.	—	1	—	11	70	—	—	—	11	74	—	—	—	—	4	—	—	60	—	4
Total M.B.s and U.D.s	1	1	1	91	92	—	14	—	111	615	1	—	—	—	71	5	10	188	2	25
Total R.D.s	—	3	—	56	61	—	6	—	23	290	—	—	—	—	48	1	7	26	—	4
Nottinghamshire	**1**	**4**	**8**	**771**	**935**	—	**30**	**11**	**1,354**	**8,751**	**7**	**1**	**1**	**14**	**301**	**27**	**132**	**419**	**1**	**54**
Nottingham C.B.	—	1	4	198	231	—	12	7	261	3,054	3	1	1	8	152	15	41	177	1	27
Total M.B.s and U.D.s	—	—	3	442	447	—	12	2	540	4,414	1	—	—	3	122	9	47	180	—	19
Total R.D.s	1	3	1	131	257	—	6	2	553	1,283	3	—	—	3	27	3	44	62	—	8
Oxfordshire	**1**	**3**	**6**	**242**	**262**	—	**24**	**18**	**206**	**797**	—	—	—	**1**	**33**	**50**	**31**	**149**	**2**	**21**
Oxford C.B.	—	2	2	118	55	—	13	18	125	409	—	—	—	—	22	47	23	76	1	9
Total M.B.s and U.D.s	—	—	2	27	58	—	4	—	24	55	—	—	—	—	—	2	1	21	1	2
Total R.D.s	1	1	2	97	149	—	7	—	57	333	—	—	—	1	11	1	7	52	—	10
Peterborough, Soke of	—	—	**2**	**12**	**47**	—	**2**	—	**17**	**154**	—	—	—	—	**25**	**48**	**22**	**37**	—	**4**
Peterborough M.B.	—	—	2	5	43	—	2	—	17	141	—	—	—	—	22	48	21	29	—	4
Total R.D.s	—	—	—	7	4	—	—	—	—	13	—	—	—	—	3	—	1	8	—	—
Rutland	—	—	—	**13**	**24**	—	—	—	**5**	**118**	—	—	**1**	—	**17**	**1**	—	**6**	—	**2**
Oakham U.D.	—	—	—	—	—	—	—	—	3	2	—	—	—	—	2	—	—	2	—	1
Total R.D.s	—	—	—	13	24	—	—	—	2	116	—	—	1	—	15	1	—	4	—	1
Shropshire	—	**1**	**4**	**136**	**241**	—	**10**	**2**	**105**	**396**	—	—	**3**	—	**125**	**9**	**20**	**92**	—	**32**
Total M.B.s and U.D.s	—	1	3	46	67	—	9	1	47	234	—	—	1	—	34	2	5	43	—	16
Total R.D.s	—	—	1	90	174	—	1	1	58	162	—	—	2	—	91	7	15	49	—	16
Somerset	—	**1**	**10**	**360**	**534**	—	**44**	**2**	**436**	**890**	**2**	**6**	**1**	**2**	**214**	**36**	**24**	**195**	**3**	**37**
Bath C.B.	—	—	4	70	39	—	11	—	234	49	—	—	—	—	36	7	7	27	—	2
Total M.B.s and U.D.s	—	—	4	122	239	—	13	2	76	336	—	2	—	2	45	25	3	81	—	14
Total R.D.s	—	1	2	168	256	—	20	—	126	505	2	4	1	—	133	4	14	87	3	21
Staffordshire	**2**	**7**	**20**	**1,179**	**3,251**	**1**	**75**	**37**	**388**	**2,521**	**12**	—	**2**	**2**	**491**	**247**	**221**	**825**	**7**	**65**
Total C.B.s	1	2	6	578	1,455	—	33	18	153	931	8	—	1	1	270	225	51	445	3	34
Burton upon Trent C.B.	—	—	1	23	65	—	2	—	2	81	—	—	—	—	13	6	—	19	—	—
Smethwick C.B.	—	2	—	45	60	—	3	3	22	42	1	—	—	—	14	1	—	85	—	9
Stoke-on-Trent C.B.	—	—	1	221	747	—	9	6	34	212	—	—	—	—	106	115	12	120	2	6
Walsall C.B.	—	—	1	161	229	—	13	7	41	49	1	—	1	—	87	10	16	69	—	4
West Bromwich C.B.	1	—	2	64	167	—	—	2	26	223	4	—	—	—	17	4	23	57	—	9
Wolverhampton C.B.	—	—	1	64	187	—	6	—	28	324	2	—	—	1	33	89	—	95	1	6
Total M.B.s and U.D.s	1	2	12	437	1,306	1	31	16	118	883	3	—	1	1	151	20	81	335	2	24
Total R.D.s	—	3	2	164	490	—	11	3	117	707	1	—	—	—	70	2	89	45	2	7

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
Suffolk, East	**2**	**4**	**2**	**170**	**422**	—	**19**	**3**	**352**	**2,923**	**1**	**3**	—	**1**	**93**	**45**	**31**	**126**	**2**	**23**
Ipswich C.B.	—	—	—	59	147	—	3	—	319	1,591	—	—	—	—	17	30	18	48	—	7
Total M.B.s and U.D.s	1	—	2	54	75	—	9	1	6	585	1	2	—	1	33	10	7	41	—	9
Total R.D.s	1	4	—	57	200	—	7	2	27	747	—	1	—	—	43	5	6	37	2	7
Suffolk, West	—	—	**2**	**198**	**84**	—	**8**	—	**3**	**225**	**1**	—	**1**	—	**74**	**47**	**20**	**27**	—	**4**
Total M.B.s and U.D.s	—	—	—	45	12	—	2	—	1	12	—	—	—	—	28	40	3	8	—	2
Total R.D.s	—	—	2	153	72	—	6	—	2	213	1	—	1	—	46	7	17	19	—	2
Surrey	**5**	**12**	**15**	**1,433**	**1,910**	—	**125**	**16**	**1,043**	**1,530**	**2**	**2**	—	**2**	**357**	**436**	**211**	**573**	**1**	**84**
Croydon C.B.	2	4	4	337	481	—	17	13	181	129	—	—	—	—	28	12	24	121	—	18
Total M.B.s and U.D.s	2	7	10	965	1,263	—	94	3	796	1,188	1	1	—	2	310	417	159	408	1	56
Total R.D.s	1	1	1	131	166	—	14	—	66	213	1	1	—	—	19	7	28	44	—	10
Sussex, East	**2**	**1**	**3**	**408**	**582**	—	**63**	**22**	**368**	**1,797**	**2**	**5**	**1**	**1**	**166**	**192**	**111**	**262**	**3**	**21**
Total C.B.s	—	1	1	120	259	—	21	19	191	900	2	3	1	1	93	122	88	138	2	7
Brighton C.B.	—	1	—	94	204	—	15	19	145	29	1	3	—	1	69	62	51	82	1	3
Eastbourne C.B.	—	—	—	4	13	—	1	—	1	305	1	—	—	—	2	13	23	16	—	2
Hastings C.B.	—	—	1	22	42	—	5	—	45	566	—	—	1	—	22	47	14	40	1	2
Total M.B.s and U.D.s	1	—	2	157	197	—	25	1	106	531	—	1	—	—	36	55	12	73	1	6
Total R.D.s	1	—	—	131	126	—	17	2	71	366	—	1	—	—	37	15	11	51	—	8
Sussex, West	**1**	**1**	**1**	**240**	**645**	—	**19**	—	**207**	**576**	**3**	**1**	**1**	**2**	**38**	**89**	**35**	**109**	**1**	**11**
Total M.B.s and U.D.s	1	—	1	180	375	—	11	—	146	216	2	—	1	2	24	69	20	57	—	6
Total R.D.s	—	1	—	60	270	—	8	—	61	360	1	1	—	—	14	20	15	52	1	5
Warwickshire	**4**	**6**	**33**	**1,309**	**3,067**	—	**171**	**407**	**997**	**2,411**	**26**	**3**	**11**	**7**	**675**	**515**	**390**	**1,185**	**13**	**166**
Total C.B.s	2	4	29	979	2,332	—	137	399	788	1,882	22	3	11	7	466	421	293	971	11	125
Birmingham C.B.	2	3	17	737	1,572	—	113	390	538	1,291	19	3	11	5	348	370	254	793	9	83
Coventry C.B.	—	1	12	242	760	—	24	9	250	591	3	—	—	2	118	51	39	178	2	42
Total M.B.s and U.D.s	1	2	3	217	460	—	24	4	130	309	4	—	—	—	105	23	46	151	1	27
Total R.D.s	1	—	1	113	275	—	10	4	79	220	—	—	—	—	104	71	51	63	1	14
Westmorland	—	—	—	**23**	**55**	—	**4**	—	**2**	**523**	—	—	—	—	**1**	**4**	**22**	**17**	**1**	**5**
Total M.B.s and U.D.s	—	—	—	4	6	—	2	—	1	249	—	—	—	—	—	4	2	12	—	—
Total R.D.s	—	—	—	19	49	—	2	—	1	274	—	—	—	—	1	—	20	5	1	5
Wight, Isle of	—	—	**3**	**66**	**35**	—	**8**	**1**	**8**	**53**	—	—	—	**1**	**5**	**1**	**5**	**44**	**1**	**2**
Total M.B.s and U.D.s	—	—	3	53	28	—	2	1	7	49	—	—	—	1	5	—	1	41	1	2
Isle of Wight R.D.	—	—	—	13	7	—	6	—	1	4	—	—	—	—	—	1	4	3	—	—
Wiltshire	**1**	—	**4**	**299**	**360**	—	**23**	—	**835**	**444**	**5**	—	**4**	**1**	**64**	**95**	**62**	**126**	—	**39**
Total M.B.s and U.D.s	—	—	3	136	157	—	9	—	247	196	2	—	—	1	30	80	10	73	—	21
Total R.D.s	1	—	1	163	203	—	14	—	588	248	3	—	4	—	34	15	52	53	—	18
Worcestershire	—	**2**	**6**	**344**	**457**	—	**26**	**14**	**418**	**180**	—	**3**	**1**	**2**	**217**	**59**	**66**	**224**	**4**	**18**
Total C.B.s	—	2	1	69	97	—	4	10	283	17	—	3	1	—	59	13	14	74	3	3
Dudley C.B.	—	—	—	7	31	—	3	—	4	8	—	—	1	—	7	2	2	40	3	2
Worcester C.B.	—	2	1	62	66	—	1	10	279	9	—	3	—	—	52	11	12	34	—	1
Total M.B.s and U.D.s	—	—	4	231	269	—	14	4	88	119	—	—	—	2	124	41	34	116	1	13
Total R.D.s	—	—	1	44	91	—	8	—	47	44	—	—	—	—	34	5	18	34	—	2
Yorkshire, East Riding	—	**1**	**6**	**503**	**838**	—	**32**	**4**	**360**	**534**	**5**	—	—	—	**468**	**90**	**58**	**205**	**8**	**26**
Kingston upon Hull C.B.	—	1	5	369	603	—	20	3	109	461	4	—	—	—	400	77	16	154	7	16
Total M.B.s and U.D.s	—	—	1	92	126	—	3	1	200	43	1	—	—	—	29	12	31	36	1	6
Total R.D.s	—	—	—	42	109	—	9	—	51	30	—	—	—	—	39	1	11	15	—	4

† See note at end of Table.

TABLE 31—*continued*

Area	Enteric (or typhoid) fever	Paratyphoid fever	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute poliomyelitis		Acute encephalitis		Acute pneumonia (primary and influenzal)	Puerperal pyrexia	Food poisoning	Tuberculosis†		
											Paralytic	Non-paralytic	Infective	Post-infectious				Respiratory	Meninges and C.N.S.	Other
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
Yorkshire, North Riding	**1**	**4**	**16**	**298**	**744**	—	**21**	**9**	**760**	**3,257**	—	**1**	**6**	**5**	**174**	**54**	**37**	**198**	**2**	**17**
Middlesbrough C.B.	—	—	6	158	404	—	2	6	421	1,657	—	—	3	1	62	29	16	98	—	5
Total M.B.s and U.D.s	1	2	5	65	178	—	10	3	184	1,096	—	—	3	3	52	21	8	72	1	3
Total R.D.s	—	2	5	75	162	—	9	—	155	504	—	1	—	1	60	4	13	28	1	9
Yorkshire, West Riding	**4**	**13**	**62**	**3,138**	**6,865**	—	**312**	**48**	**4,847**	**12,403**	**15**	—	**10**	**5**	**2,087**	**595**	**861**	**1,632**	**18**	**184**
Total C.B.s	4	12	39	1,608	3,623	—	178	44	3,892	7,772	9	—	5	5	1,557	540	503	1,105	10	120
Barnsley C.B.	—	—	2	127	264	—	10	—	185	217	5	—	—	—	122	25	22	32	1	3
Bradford C.B.	1	—	11	264	796	—	27	4	858	2,130	1	—	2	1	311	26	35	193	1	27
Dewsbury C.B.	—	—	—	32	94	—	5	—	149	394	—	—	—	—	4	6	23	14	—	5
Doncaster C.B.	1	—	1	48	101	—	—	13	8	131	—	—	—	2	20	17	9	55	—	6
Halifax C.B.	—	1	—	32	43	—	2	1	8	432	—	—	—	—	8	—	8	47	—	1
Huddersfield C.B.	1	5	1	144	261	—	10	—	432	63	—	—	—	—	78	8	6	77	—	8
Leeds C.B.	—	5	3	415	898	—	49	18	1,180	2,649	1	—	2	1	556	184	207	324	6	29
Rotherham C.B.	—	—	3	105	145	—	6	—	62	638	1	—	—	—	20	62	23	21	1	6
Sheffield C.B.	1	1	7	247	800	—	59	8	815	621	1	—	1	1	410	205	140	295	1	31
Wakefield C.B.	—	—	1	18	30	—	2	—	6	235	—	—	—	—	3	6	1	17	—	—
York C.B.	—	—	10	176	191	—	8	—	189	262	—	—	—	—	25	1	29	30	—	4
Total M.B.s and U.D.s	—	—	18	1,118	2,490	—	97	3	696	3,133	6	—	5	—	383	37	180	370	6	44
Total R.D.s	—	1	5	412	752	—	37	1	259	1,498	—	—	—	—	147	18	178	157	2	20
WALES (including Monmouthshire)																				
Anglesey	—	—	—	**10**	**26**	—	—	—	**16**	**39**	—	—	—	—	**4**	—	—	**29**	—	**3**
Total M.B. and U.D.s	—	—	—	6	13	—	—	—	11	3	—	—	—	—	2	—	—	17	—	2
Total R.D.s	—	—	—	4	13	—	—	—	5	36	—	—	—	—	2	—	—	12	—	1
Brecknockshire	—	—	**1**	**23**	**26**	—	—	**1**	**4**	**4**	—	—	—	—	**10**	—	**1**	**35**	—	**1**
Total M.B. and U.D.s	—	—	—	—	2	—	—	—	—	1	—	—	—	—	1	—	1	9	—	—
Total R.D.s	—	—	1	23	24	—	—	1	4	3	—	—	—	—	9	—	—	26	—	1
Caernarvonshire	—	**1**	**2**	**16**	**158**	—	**4**	—	**96**	**399**	**1**	**3**	**2**	—	**23**	**61**	**16**	**88**	—	**18**
Total M.B.s and U.D.s	—	1	2	13	119	—	4	—	92	344	1	3	2	—	21	61	16	46	—	8
Total R.D.s	—	—	—	3	39	—	—	—	4	55	—	—	—	—	2	—	—	42	—	10
Cardiganshire	—	—	—	**8**	**1**	—	—	—	**21**	**498**	—	—	—	—	**2**	—	—	**26**	—	**5**
Total M.B.s and U.D.s	—	—	—	—	1	—	—	—	14	90	—	—	—	—	1	—	—	14	—	—
Total R.D.s	—	—	—	8	—	—	—	—	7	408	—	—	—	—	1	—	—	12	—	5
Carmarthenshire	—	—	**2**	**80**	**176**	—	**5**	**3**	**100**	**989**	**2**	—	—	—	**84**	**2**	**5**	**101**	—	**14**
Total M.B.s and U.D.s	—	—	2	49	106	—	4	—	32	594	2	—	—	—	68	1	5	50	—	5
Total R.D.s	—	—	—	31	70	—	1	3	68	395	—	—	—	—	16	1	—	51	—	9
Denbighshire	—	**2**	**3**	**78**	**154**	—	**8**	**2**	**51**	**1,796**	**3**	—	—	—	**23**	**23**	**12**	**122**	—	**12**
Total M.B.s and U.D.s	—	—	1	32	92	—	8	2	36	1,026	2	—	—	—	15	23	12	47	—	8
Total R.D.s	—	2	2	46	62	—	—	—	15	770	1	—	—	—	8	—	—	75	—	4

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
Flintshire	—	**7**	—	**33**	**39**	—	**8**	**1**	**41**	**1,314**	—	—	—	—	**57**	**15**	**3**	**85**	—	**15**
Total M.B. and U.D.s	—	7	—	7	15	—	7	1	34	922	—	—	—	—	23	2	3	24	—	6
Total R.D.s	—	—	—	26	24	—	1	—	7	392	—	—	—	—	34	13	—	61	—	9
Glamorganshire	**2**	**3**	**26**	**574**	**1,153**	—	**68**	**29**	**674**	**3,465**	**7**	**2**	**2**	**3**	**375**	**183**	**309**	**670**	**6**	**88**
Total C.B.s	1	1	6	289	532	—	34	20	246	1,946	3	2	1	—	168	112	183	249	3	31
Cardiff C.B.	1	1	3	93	414	—	22	19	139	151	1	2	—	—	161	31	162	149	3	20
Merthyr Tydfil C.B.	—	—	1	79	11	—	—	1	34	19	—	—	—	—	—	—	1	42	—	5
Swansea C.B.	—	—	2	117	107	—	12	—	73	1,776	2	—	1	—	7	81	20	58	—	6
Total M.B.s and U.D.s	1	—	15	209	518	—	27	6	387	1,053	4	—	1	3	181	67	60	321	2	44
Total R.D.s	—	2	5	76	103	—	7	3	41	466	—	—	—	—	26	4	66	100	1	13
Merionethshire	—	—	—	**3**	**4**	—	**2**	—	**31**	**161**	—	—	—	—	**10**	—	—	**38**	—	**2**
Total U.D.s	—	—	—	3	4	—	—	—	—	76	—	—	—	—	2	—	—	26	—	1
Total R.D.s	—	—	—	—	—	—	2	—	31	85	—	—	—	—	8	—	—	12	—	1
Monmouthshire	—	**1**	**4**	**162**	**176**	—	**10**	**3**	**494**	**36**	—	—	—	—	**58**	**2**	**75**	**213**	**2**	**18**
Newport C.B.	—	—	3	92	38	—	6	—	206	14	—	—	—	—	14	—	27	54	—	2
Total M.B.s and U.D.s	—	1	—	38	108	—	4	3	265	17	—	—	—	—	38	2	45	135	2	11
Total R.D.s	—	—	1	32	30	—	—	—	23	5	—	—	—	—	6	—	3	24	—	5
Montgomeryshire	—	—	**1**	**21**	**45**	—	**7**	—	**15**	**212**	**1**	**1**	**1**	—	**24**	**1**	**4**	**18**	—	**4**
Total M.B.s and U.D.s	—	—	1	4	27	—	2	—	14	142	—	1	1	—	10	—	4	5	—	—
Total R.D.s	—	—	—	17	18	—	5	—	1	70	1	—	—	—	14	1	—	13	—	4
Pembrokeshire	—	—	—	**40**	**72**	—	**3**	—	**51**	**131**	—	—	—	—	**29**	—	**16**	**32**	**1**	**2**
Total M.B.s and U.D.s	—	—	—	20	64	—	3	—	15	14	—	—	—	—	18	—	—	18	—	1
Total R.D.s	—	—	—	20	8	—	—	—	36	117	—	—	—	—	11	—	16	14	1	1
Radnorshire	—	—	—	**16**	**20**	—	—	—	—	**4**	—	—	—	—	—	**1**	—	**1**	—	—
Total U.D.s	—	—	—	10	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Total R.D.s	—	—	—	6	20	—	—	—	—	4	—	—	—	—	—	—	—	1	—	—

† Notifications of tuberculosis have for some years been recorded on annual returns submitted by local authorities to the Ministry of Health and figures have been published in the annual reports of the Chief Medical Officer of the Ministry of Health. In 1954 for the first time, weekly and quarterly returns of notifications of infectious diseases sent by Medical Officers of Health to the General Register Office were extended to include tuberculosis notifications. Figures derived from the quarterly returns are included in Tables 30 and 31 of this volume.

The total of 23,977 cases recorded on these returns compares with a total of 23,605 formal primary notifications recorded on the annual returns to the Ministry of Health for 1960.

TABLE 32. Quarterly air temperature, rainfall and sunshine, 1960 — **England and Wales**

Note. The averages used for rainfall and rain-days are for the period 1916–50, while those for temperature and sunshine are for 1921–50.

District	Air temperature			Rainfall		Sunshine	Air temperature			Rainfall		Sunshine
	Highest	Lowest	Difference from average daily mean	Percentage of average	Number of days difference from average	Percentage of average	Highest	Lowest	Difference from average daily mean	Percentage of average	Number of days difference from average	Percentage of average
	Quarter ended 31st March						Quarter ended 30th June					
	°F	°F	°F	%		%	°F	°F	°F	%		%
England N.E.	63	8	—0·5	135	+ 5	85	84	22	+ 2·5	49	—12	115
England E.	65	12	+ 0·3	106	+ 1	76	87	20	+ 1·6	67	— 9	107
Midland Counties	64	11	+ 0·1	123	+ 4	75	86	23	+ 2·7	93	— 9	112
England S.E.	64	12	+ 0·6	111	+ 5	91	84	24	+ 1·9	90	— 2	103
England N.W. and North Wales	65	12	+ 0·1	103	— 2	99	85	17	+ 2·7	69	— 8	118
England S.W. and South Wales	65	18	+ 0·1	116	+ 5	83	83	27	+ 2·2	85	— 7	108
Mean	—	—	+ 0·1	116	+ 3	85	—	—	+ 2·3	75	— 8	111
	Quarter ended 30th September						Quarter ended 31st December					
England N.E.	76	32	—1·2	130	+13	87	67	20	—0·1	176	+20	90
England E.	78	29	—1·7	161	+13	88	69	22	+ 0·7	178	+21	94
Midland Counties	78	32	—1·6	147	+ 9	83	67	21	+ 0·3	166	+18	98
England S.E.	77	35	—1·6	164	+16	83	69	22	+ 0·9	168	+23	106
England N.W. and North Wales	75	29	—1·1	126	+ 8	107	65	14	—0·1	129	+10	117
England S.W. and South Wales	78	34	—1·3	164	+17	94	67	22	—0·3	164	+18	104
Mean	—	—	—1·4	149	+13	91	—	—	+ 0·2	163	+18	101
	Year 1960											
England N.E.	84	8	+ 0·2	128	+25	95						
England E.	87	12	+ 0·2	133	+26	92						
Midland Counties	86	11	+ 0·4	136	+21	92						
England S.E.	84	12	+ 0·4	138	+42	94						
England N.W. and North Wales	85	12	+ 0·4	114	+ 6	107						
England S.W. and South Wales	83	18	+ 0·2	137	+34	99						
Mean	—	—	+ 0·3	131	+26	97						

TABLE 33. Rainfall, mean temperature and sunshine, 1911-1960 — **England and Wales**

Note. In 1960 the departures from average for the years prior to 1953 for temperature and sunshine, and prior to 1958 for rainfall, were amended to relate to the average periods currently in use.

Year	Fall of rain in inches	Departure from average of 35 years (1916-50)	Mean temperature of the air at sea-level	Departure from average of 30 years (1921-50)	Mean daily sunshine	Departure from average of 30 years (1921-50)
	ins.	ins.	°F.	°F.	hours	hours
1911	33·1	− 3·4	50·8	+0·7	4·59	+0·62
1912	44·0	+7·6	49·6	− 0·5	3·35	− 0·62
1913	34·5	− 1·9	50·5	+0·4	3·61	− 0·36
1914	38·1	+1·7	50·7	+0·6	4·27	+0·30
1915	38·8	+2·4	49·0	− 1·1	4·10	+0·13
1916	40·1	+3·7	49·4	− 0·7	3·61	− 0·36
1917	34·5	− 1·9	48·3	− 1·8	4·03	+0·06
1918	37·7	+1·3	50·0	− 0·1	4·08	+0·11
1919	37·0	+0·6	48·2	− 1·9	4·01	+0·04
1920	38·4	+2·0	50·2	+0·1	3·66	− 0·31
1921	24·7	−11·7	51·8	+1·7	4·60	+0·63
1922	37·1	+0·7	47·8	− 2·3	4·02	+0·05
1923	39·8	+3·4	49·2	− 0·9	3·87	− 0·10
1924	42·3	+5·9	49·5	− 0·6	3·75	− 0·22
1925	37·3	+0·9	49·4	− 0·7	4·09	+0·12
1926	35·9	− 0·5	50·3	+0·2	3·77	− 0·20
1927	43·3	+6·9	49·4	− 0·7	3·61	− 0·36
1928	40·4	+4·0	50·1	0·0	4·12	+0·15
1929	35·2	− 1·2	49·1	− 1·0	4·52	+0·55
1930	41·4	+5·0	50·0	− 0·1	3·84	− 0·13
1931	38·4	+2·0	49·2	− 0·9	3·60	− 0·37
1932	36·3	− 0·1	49·9	− 0·2	3·53	− 0·44
1933	28·6	− 7·9	50·6	+0·5	4·42	+0·45
1934	33·5	− 2·9	50·9	+0·8	4·08	+0·11
1935	39·8	+3·4	50·5	+0·4	4·13	+0·16
1936	38·4	+2·0	49·8	− 0·3	3·56	− 0·41
1937	38·8	+2.4	50·1	0·0	3·46	− 0·51
1938	34·9	− 1·5	51·0	+0·9	3·84	− 0·13
1939	39·9	+3·5	50·3	+0·2	3·97	0·00
1940	35·6	− 0·8	49·3	− 0·8	4·18	+0·21
1941	33·8	− 2·6	49·2	− 0·9	3·67	− 0·30
1942	33·1	− 3·3	49·2	− 0·9	3·90	− 0·07
1943	32·8	− 3·6	51·0	+0·9	4·25	+0·29
1944	35·3	− 1·1	50·1	0·0	3·73	− 0·24
1945	32·8	− 3·6	51·4	+1.3	3·81	− 0·15
1946	41·6	+5·2	50·0	− 0·1	3·83	− 0·14
1947	32·4	− 4·0	50·1	0·0	3·97	0·00
1948	37·5	+1·1	50·9	+0·8	4·12	+0·16
1949	30·9	− 5·5	51·9	+1·8	4·63	+0·66
1950	40·2	+3·8	50·1	0·0	3·94	− 0·02
1951	43·7	+7·3	49·7	− 0·4	3·98	+0·01
1952	35·5	− 0·9	49·5	− 0·6	4·10	+0·13
1953	29·8	− 6·6	50·7	+0·6	4·04	+0·08
1954	42·7	+6·3	49·6	− 0·5	3·52	− 0·44
1955	30·9	− 5·5	49·7	− 0·4	4·47	+0·51
1956	34·0	− 2·4	48·9	− 1·2	3·88	− 0·08
1957	35·7	− 0·7	51·0	+0·9	4·04	+0·08
1958	41·6	+5·1	49·8	− 0·3	3·52	− 0·44
1959	32·0	− 4·5	51·8	+1·7	4·63	+0·67
1960	47·5	+11·0	50·4	+0·3	3·84	− 0·12

TABLE 34. Meteorological observations, 1960. **Kew Observatory, Richmond**

Month	Temperature of the air				Rain collected in a gauge whose receiving surface is 10 inches above the ground		Sunshine registered in hours		Atmospheric pollution	
	Highest for month	Lowest for month	Mean daily value	Departure from average of 80 years	Total	Departure from average of 80 years	Total	Departure from average of 70 years	Maximum for month	Mean
	°F	°F	°F	°F	ins.	ins.	hours	hours	mg/m$_3$	mg/m$_3$
January	53·6	25·5	41·0	+1·3	1·76	—0·20	45·0	+3·2	1·650	0·159
February	58·8	26·1	41·5	+1·2	1·66	+0·11	81·2	+22·8	0·950	0·160
March	57·6	35·6	44·8	+2·0	1·60	+0·06	72·5	—34·2	0·450	0·139
April	64·9	34·0	49·5	+2·0	0·52	—1·19	172·9	+23·7	0·300	0·066
May	73·9	38·1	57·0	+3·4	1·65	—0·10	189·1	— 8·4	0·200	0·062
June	83·1	45·5	62·4	+3·0	1·21	—0·77	256·4	+55·9	0·150	0·055
July	72·1	47·8	60·6	—2·1	3·37	+0·99	163·2	—32·3	0·450	0·054
August	74·1	48·0	60·6	—1·2	1·81	—0·43	176·0	— 9·0	0·150	0·055
September	73·8	44·4	57·4	0·0	3·43	+1·44	145·7	+ 4·8	0·300	0·084
October	67·3	35·8	52·2	+1·9	5·20	+2·69	87·5	— 5·7	0·300	0·115
November	60·1	33·3	47·3	+3·1	3·79	+1·45	71·8	+20·6	0·400	0·085
December	54·5	30·2	41·5	+0·8	1·98	—0·18	49·2	+11·9	1·000	0·181
Means	—	—	51·3	+1·3	sum 27·98	+3·87	sum 1510·5	+53·3	—	0·101

Additional meteorological information may be obtained from the Monthly Weather Reports and Annual Report on the Meteorological Office, and the annual volume of the British Rainfall Organisation, published by Her Majesty's Stationery Office.

APPENDICES

Appendix A. Standardised Mortality Ratios (based on United Kingdom and Irish Republic experience), age specific death rates and infant mortality rates from selected causes and estimated mid-year populations, 1960

England and Wales
Scotland
Northern Ireland
Irish Republic

ICD No.	Causes of death	Country	S.M.R. All ages M	S.M.R. All ages F	Death rates per million population: All ages M	All ages F	1–4 M	1–4 F	5–14 M	5–14 F	15–24 M	15–24 F
	All causes	**England and Wales**	**99**	**97**	**12,196**	**10,855**	**946·5**	**782·6**	**452·4**	**299·1**	**1,034**	**401·1**
		Scotland	**111**	**116**	**12,643**	**11,133**	**1,178**	**861·7**	**510·1**	**363·9**	**915·6**	**448·9**
		Northern Ireland	**103**	**115**	**11,406**	**10,172**	**1,210**	**1,134**	**538·0**	**287·1**	**966·5**	**348·2**
		Irish Republic	**95**	**113**	**12,244**	**10,794**	**1,501**	**1,161**	**471·2**	**376·5**	**732·5**	**517·6**
001-008	Tuberculosis of respiratory system	England and Wales	93	83	106·1	32·2	*1·39*	*2·20*	—	*0·59*	*1·68*	*2·70*
		Scotland	128	139	134·5	50·3	—	*5·52*	—	—	*8·53*	*8·21*
		Northern Ireland	91	156	88·2	52·2	—	—	—	—	—	*9·16*
		Irish Republic	174	319	187·7	105·3	*17·1*	—	*3·41*	—	*9·21*	*26·1*
010-019	Tuberculosis, other forms	England and Wales	91	91	7·25	7·18	*4·17*	*2·93*	*0·85*	*1·77*	*2·35*	*2·70*
		Scotland	89	94	*6·78*	*7·03*	*5·28*	*5·52*	*2·26*	—	—	*2·74*
		Northern Ireland	139	154	*10·1*	*11·0*	*17·0*	*18·0*	—	—	—	*18·3*
		Irish Republic	239	258	18·2	18·5	*42·7*	*35·2*	*3·41*	*14·2*	*13·8*	—
020-029	Syphilis and its sequelae	England and Wales	108	106	28·2	13·6	—	—	*0·28*	—	—	*0·68*
		Scotland	69	76	16·4	8·51	—	—	—	—	—	—
		Northern Ireland	135	109	30·4	*11·0*	—	—	—	—	—	—
		Irish Republic	11	14	*2·80*	*1·42*	—	—	—	—	—	—
057	Meningococcal infections	England and Wales	93	88	2·08	2·07	*10·4*	*11·7*	*0·28*	*1·77*	*0·34*	*0·34*
		Scotland	109	170	*2·79*	*4·44*	*26·4*	*22·1*	—	*2·36*	—	—
		Northern Ireland	51	142	*1·45*	*4·12*	—	—	—	—	—	—
		Irish Republic	202	115	*5·60*	*3·56*	*42·7*	*17·6*	*6·83*	*3·55*	—	—
080	Acute poliomyelitis	England and Wales	82	38	*0·86*	*0·17*	*0·69*	*1·46*	*0·28*	*0·30*	*1·68*	*0·34*
		Scotland	—	—	—	—	—	—	—	—	—	—
		Northern Ireland	133	—	*1·45*	—	—	—	*7·37*	—	—	—
		Irish Republic	541	1,125	*5·60*	*6·40*	*8·53*	*17·6*	*6·83*	*10·7*	*9·21*	—
Rem. 001—138	Other infective and parasitic diseases	England and Wales	94	95	25·9	23·7	32·7	32·9	12·7	*9·75*	8·41	*7·43*
		Scotland	92	107	25·1	25·9	*15·9*	*11·0*	*6·77*	*14·2*	*2·84*	*10·9*
		Northern Ireland	187	122	50·6	28·9	*51·1*	*72·0*	*7·37*	*7·76*	—	—
		Irish Republic	160	163	45·5	39·8	*102·4*	*61·6*	*41·0*	*24·9*	*4·61*	*10·5*
140-148	Malignant neoplasm of—buccal cavity and pharynx	England and Wales	95	100	50·7	28·1	*1·39*	—	*0·28*	—	*2·02*	*0·34*
		Scotland	107	101	52·3	25·2	—	—	—	—	*2·84*	—
		Northern Ireland	131	104	62·1	*23·4*	—	—	—	—	—	—
		Irish Republic	153	86	86·1	19·9	—	—	*3·41*	—	—	—
150	oesophagus	England and Wales	98	96	58·9	42·5	—	—	—	—	*0·34*	*0·34*
		Scotland	120	119	65·4	45·9	—	—	—	—	—	—
		Northern Ireland	71	95	37·6	33·0	—	—	—	—	—	—
		Irish Republic	109	135	67·9	49·1	—	—	—	—	—	—
151	stomach	England and Wales	100	96	355·5	257·8	—	—	*0·28*	—	*2·02*	*0·68*
		Scotland	102	119	329·6	278·7	—	—	—	—	—	*2·74*
		Northern Ireland	117	132	359·9	278·9	—	—	—	—	—	—
		Irish Republic	90	125	322·1	276·7	—	*8·79*	—	*3·55*	—	—
153	large intestine	England and Wales	97	97	163·7	230·0	—	—	—	*0·30*	*2·02*	*1·01*
		Scotland	123	123	188·8	253·9	—	—	—	—	—	*2·74*
		Northern Ireland	111	113	163·3	210·2	—	—	—	—	—	*9·16*
		Irish Republic	100	100	173·7	194·9	—	—	—	—	—	—
154	rectum	England and Wales	102	101	137·2	103·2	—	—	—	—	*0·67*	*0·34*
		Scotland	103	106	126·5	95·1	—	—	—	—	—	—
		Northern Ireland	89	75	105·5	60·4	—	—	—	—	—	—
		Irish Republic	71	87	98·7	73·3	—	—	—	—	—	—
161	larynx	England and Wales	102	89	31·2	6·63	—	—	—	—	—	—
		Scotland	79	133	21·9	8·88	—	—	—	*2·36*	—	—
		Northern Ireland	65	137	*17·3*	*8·24*	—	—	—	—	—	—
		Irish Republic	119	233	37·1	14·2	—	—	—	—	—	—
162, 163	trachea, bronchus, and lung	England and Wales	104	101	855·6	131·6	—	—	—	*0·30*	*2·02*	*1·01*
		Scotland	110	108	829·2	127·3	—	—	—	—	*2·84*	*2·74*
		Northern Ireland	57	77	398·9	81·1	—	—	—	—	—	—
		Irish Republic	41	72	322·1	76·1	—	—	—	*3·55*	*4·61*	—
170	breast	England and Wales	105	101	2·85	382·5	—	—	—	—	—	*2·03*
		Scotland	80	103	*2·00*	353·1	—	—	—	—	—	—
		Northern Ireland	122	82	*2·89*	252·8	—	—	—	—	—	—
		Irish Republic	50	81	*1·40*	253·9	—	—	—	—	—	—
171	cervix uteri	England and Wales	—	104	—	109·7	—	—	—	—	—	*0·34*
		Scotland	—	100	—	96·6	—	—	—	—	—	*2·74*
		Northern Ireland	—	75	—	65·9	—	—	—	—	—	—
		Irish Republic	—	35	—	30·6	—	—	—	—	—	—
172	corpus uteri	England and Wales	—	112	—	52·6	—	—	—	—	—	—
		Scotland	—	34	—	14·1	—	—	—	—	—	—
		Northern Ireland	—	37	—	*13·7*	—	—	—	—	—	—
		Irish Republic	—	19	—	*7·11*	—	—	—	—	—	—

ICD No.	Causes of death	Country	Death rates per million population: 25–34 M	25–34 F	35–44 M	35–44 F	45–54 M	45–54 F	55–64 M	55–64 F	65–74 M	65–74 F	75–84 M	75–84 F	85 and over M	85 and over F	Deaths under 1 year per thousand live births M	Deaths under 1 year per thousand live births F	ICD No.
	All causes	**England and Wales**	**1,121**	**734·5**	**2,413**	**1,731**	**7,169**	**4,347**	**21,410**	**10,555**	**52,461**	**29,465**	**119,648**	**84,355**	**232,053**	**210,448**	**24·5**	**18·9**	
		Scotland	**1,436**	**853·2**	**2,925**	**2,212**	**9,031**	**5,266**	**25,162**	**12,984**	**58,255**	**36,493**	**126,618**	**97,030**	**232,449**	**236,461**	**29·7**	**22·9**	
		Northern Ireland	**1,290**	**842·6**	**2,532**	**2,041**	**7,684**	**5,453**	**21,870**	**12,810**	**51,096**	**35,939**	**115,524**	**92,325**	**323,493**	**266,867**	**30·0**	**24·2**	
		Irish Republic	**1,401**	**1,084**	**2,690**	**2,202**	**6,907**	**5,602**	**18,255**	**12,567**	**45,793**	**35,785**	**112,602**	**95,370**	**278,019**	**213,988**	**33·3**	**25·0**	
001-008	Tuberculosis of respiratory system	England and Wales	19·5	26·1	55·4	39·9	120·5	42·4	297·0	44·2	491·9	77·3	464·8	96·3	255·3	*64·0*	—	*0·01*	001-008
		Scotland	64·6	74·9	113·4	99·1	179·1	*52·9*	398·5	*61·7*	538·5	99·4	529·3	*119·1*	*312·0*	*58·4*	—	—	
		Northern Ireland	*49·1*	*65·7*	*61·7*	*34·0*	*172·9*	*102·3*	317·2	*109·8*	*290·6*	*160·7*	*329·6*	*116·8*	*410·0*	—	—	—	
		Irish Republic	*81·2*	161·3	236·3	171·6	303·1	206·4	590·5	177·3	620·3	239·4	*384·5*	*130·3*	*135·7*	—	*0·03*	—	
010-019	Tuberculosis, other forms	England and Wales	*3·77*	*4·47*	7·46	*5·66*	9·44	*5·76*	10·2	10·8	27·6	17·3	*16·8*	25·2	*21·3*	*24·6*	*0·01*	*0·01*	010-019
		Scotland	*2·94*	*11·5*	*12·3*	*2·91*	*5·97*	*2·79*	*15·6*	*13·0*	*21·0*	*23·7*	—	*19·9*	—	—	*0·02*	—	
		Northern Ireland	*12·3*	*10·9*	*12·3*	*22·7*	—	—	*31·7*	*27·5*	—	—	*54·9*	—	—	—	*0·06*	—	
		Irish Republic	*13·5*	*12·9*	*30·3*	*22·9*	*11·7*	*36·4*	*36·0*	*14·8*	*21·4*	*20·8*	—	—	—	*90·6*	*0·03*	*0·03*	
020-029	Syphilis and its sequelae	England and Wales	*2·40*	*0·69*	7·13	*3·46*	20·1	*5·45*	67·7	23·0	162·8	55·2	194·6	77·6	*180·9*	118·2	—	—	020-029
		Scotland	*2·94*	—	*6·13*	*2·91*	*5·97*	*11·1*	*54·7*	*19·5*	*132·9*	*33·1*	*32·1*	*49·6*	*104·0*	—	—	—	
		Northern Ireland	—	—	—	—	*12·4*	*22·7*	*142·7*	—	*211·4*	*40·2*	*164·8*	*116·8*	—	*250·8*	—	—	
		Irish Republic	—	—	—	—	—	*6·07*	*14·4*	—	*10·7*	—	*21·4*	—	—	—	—	*0·03*	
057	Meningococcal infections	England and Wales	—	*0·34*	—	—	*0·31*	*0·30*	—	—	*0·71*	*0·48*	—	*0·93*	—	*9·85*	0·07	0·05	057
		Scotland	—	—	—	—	—	*2·79*	—	—	—	—	—	—	—	—	*0·04*	*0·12*	
		Northern Ireland	—	—	—	—	—	—	—	—	—	—	—	—	—	—	*0·06*	*0·20*	
		Irish Republic	—	*12·9*	—	—	—	—	*7·20*	—	—	—	—	—	—	—	—	—	
080	Acute poliomyelitis	England and Wales	*2·06*	—	*0·32*	—	*0·63*	—	*0·82*	—	*0·71*	—	—	—	—	—	—	—	080
		Scotland	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		Northern Ireland	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		Irish Republic	*13·5*	*12·9*	*6·06*	—	—	—	—	—	—	—	—	—	—	—	—	*0·07*	
Rem. 001—138	Other infective and parasitic diseases	England and Wales	9·26	8·59	16·2	11·6	27·7	22·4	35·5	31·3	54·5	37·9	92·3	69·2	*148·9*	142·9	0·14	0·14	Rem. 001-138
		Scotland	*11·7*	*2·88*	*21·5*	*11·7*	*41·8*	*27·9*	*39·1*	*55·2*	*55·9*	*42·6*	*64·2*	*79·4*	—	*58·4*	*0·17*	*0·16*	
		Northern Ireland	*24·6*	*10·9*	*37·0*	*11·3*	*37·1*	*34·1*	*95·2*	*41·2*	*264·2*	*60·3*	*54·9*	*38·9*	*410·0*	*501·6*	*0·30*	*0·13*	
		Irish Republic	*6·77*	*12·9*	*24·2*	*28·6*	*40·8*	*36·4*	*21·6*	*51·7*	*85·6*	*52·0*	*85·5*	*93·1*	—	*181·2*	*0·42*	*0·27*	
140-148	Malignant neoplasm of—buccal cavity and pharynx	England and Wales	*3·09*	*2·40*	*3·57*	9·12	33·0	27·6	88·5	49·5	242·7	86·0	587·2	151·4	808·5	270·9	—	—	140-148
		Scotland	*2·94*	—	*12·3*	*5·83*	*20·9*	*30·6*	*54·7*	*52·0*	286·7	99·4	866·1	*148·9*	*936·0*	*175·1*	—	—	
		Northern Ireland	*12·3*	*10·9*	—	*11·3*	*49·4*	*34·1*	*158·6*	*54·9*	*158·5*	*120·5*	*824·0*	*77·9*	*2,870*	—	—	—	
		Irish Republic	—	—	*6·06*	*11·4*	*64·1*	*12·1*	144·0	*66·5*	395·7	*62·5*	854·5	*93·1*	*1,764*	*362·4*	—	—	
150	oesophagus	England and Wales	*2·06*	*0·69*	*6·16*	6·61	35·9	27·9	113·0	59·9	298·7	144·1	652·7	305·6	776·6	453·2	—	—	150
		Scotland	*2·94*	*2·88*	*6·13*	*8·74*	*38·8*	*36·2*	140·6	68·2	370·7	203·6	753·9	347·4	*1,248*	*466·9*	—	—	
		Northern Ireland	—	*10·9*	*12·3*	—	*49·4*	*22·7*	*47·6*	*82·4*	*184·9*	*100·4*	*494·4*	*311·5*	*820·0*	*501·6*	—	—	
		Irish Republic	—	—	*6·06*	*11·4*	*46·6*	*66·8*	*122·4*	*88·7*	459·9	291·4	555·4	*260·6*	*271·4*	*181·2*	—	—	
151	stomach	England and Wales	11·3	10·6	63·2	36·8	282·9	124·5	872·7	346·6	1,845	948·6	2,898	1,890	2,543	2,729	—	—	151
		Scotland	*14·7*	*17·3*	110·4	58·3	328·3	156·0	828·2	422·4	1,951	1,264	2,502	2,064	2,912	3,793	—	—	
		Northern Ireland	*36·8*	—	*37·0*	*34·0*	457·1	238·6	1,031	494·3	1,823	1,205	3,241	2,414	*5,330*	5,267	—	—	
		Irish Republic	*13·5*	*6·45*	*72·7*	*40·0*	333·3	200·3	770·5	568·9	1,572	1,384	2,478	2,253	*2,578*	*1,359*	—	—	
153	large intestine	England and Wales	10·6	10·6	32·7	39·6	108·2	143·0	315·8	334·0	780·6	760·3	1,758	1,613	2,181	2,695	—	—	153
		Scotland	*17·6*	*11·5*	*30·7*	*43·7*	116·4	156·0	390·6	493·9	979·1	951·6	2,422	1,965	2,808	3,443	—	—	
		Northern Ireland	*12·3*	—	*24·7*	*90·7*	*98·8*	272·7	317·2	384·4	1,057	984·4	1,813	1,519	*3,690*	*1,003*	—	—	
		Irish Republic	*13·5*	—	*12·1*	*57·2*	151·6	121·4	345·7	399·0	812·8	895·1	1,709	1,489	*1,900*	2,174	—	—	
154	rectum	England and Wales	*4·80*	*3·09*	21·4	16·7	85·9	67·9	253·4	147·0	717·6	375·1	1,448	696·3	1,872	1,030	—	—	154
		Scotland	*8·81*	*5·77*	*21·5*	*23·3*	95·5	75·2	253·9	178·7	622·4	359·8	1,572	724·6	2,392	*933·7*	—	—	
		Northern Ireland	*24·6*	—	—	*11·3*	*74·1*	*68·2*	*269·6*	*151·0*	554·8	*261·2*	1,209	*272·6*	2,050	*1,505*	—	—	
		Irish Republic	*6·77*	—	*12·1*	*22·9*	*87·4*	*66·8*	158·4	177·3	524·0	270·6	982·7	521·3	*814·1*	*906·0*	—	—	
161	larynx	England and Wales	*1·37*	—	*3·24*	*2·52*	21·7	6·97	70·6	13·6	166·3	22·1	285·2	32·7	297·9	*29·6*	—	—	161
		Scotland	—	—	—	*2·91*	*14·9*	*13·9*	*66·4*	*13·0*	139·9	*23·7*	*192·5*	*59·6*	*104·0*	*116·7*	—	—	
		Northern Ireland	—	—	—	—	*12·4*	*11·4*	*63·4*	*13·7*	*52·8*	*60·3*	*219·7*	*38·9*	*410·0*	—	—	—	
		Irish Republic	*6·77*	—	*12·1*	—	*11·7*	*54·6*	*79·2*	*14·8*	*181·8*	*52·0*	*341·8*	*74·5*	*542·7*	—	—	—	
162, 163	trachea, bronchus, and lung	England and Wales	27·8	7·90	157·9	52·2	898·4	145·7	2,879	299·9	4,316	455·8	3,564	516·8	1,862	399·0	—	—	162, 163
		Scotland	*26·4*	*23·1*	177·8	*55·4*	1,024	161·6	3,219	318·4	4,497	464·0	3,048	545·9	*1,040*	*408·5*	—	—	
		Northern Ireland	*24·6*	—	*160·5*	*22·7*	518·8	*79·5*	1,760	*233·4*	2,351	421·9	*933·9*	*389·4*	*820·0*	*501·6*	—	—	
		Irish Republic	*20·3*	—	*90·9*	*11·4*	419·7	*115·3*	1,440	295·5	1,433	374·7	683·6	*148·9*	*407·1*	*90·6*	—	—	
170	breast	England and Wales	*0·34*	33·0	*0·32*	193·8	*1·57*	568·9	*5·30*	773·9	16·3	1,051	*25·2*	1,498	*53·2*	2,217	—	—	170
		Scotland	—	*28·8*	—	221·5	*2·98*	551·6	*3·91*	789·5	*14·0*	1,037	*16·0*	1,558	—	2,976	—	—	
		Northern Ireland	—	*32·8*	—	*136·1*	*12·4*	477·2	—	645·3	—	783·5	*54·9*	1,090	—	*3,261*	—	—	
		Irish Republic	—	*45·2*	—	183·0	*5·83*	485·6	*7·20*	709·3	—	843·1	—	893·6	—	*1,178*	—	—	
171	cervix uteri	England and Wales	—	20·6	—	108·8	—	183·3	—	191·6	—	279·1	—	354·2	—	379·3	—	—	171
		Scotland	—	*20·2*	—	131·1	—	217·3	—	165·7	—	222·5	—	277·9	—	*233·4*	—	—	
		Northern Ireland	—	*21·9*	—	*79·4*	—	*170·4*	—	*164·8*	—	*140·6*	—	*194·7*	—	—	—	—	
		Irish Republic	—	*6·45*	—	*45·8*	—	*54·6*	—	*96·0*	—	*104·1*	—	*37·2*	—	—	—	—	
172	corpus uteri	England and Wales	—	*2·06*	—	6·61	—	39·4	—	133·4	—	187·3	—	237·4	—	300·5	—	—	172
		Scotland	—	—	—	*2·91*	—	*16·7*	—	*35·7*	—	*66·3*	—	*49·6*	—	*58·4*	—	—	
		Northern Ireland	—	—	—	—	—	*22·7*	—	*68·7*	—	*20·1*	—	*77·9*	—	—	—	—	
		Irish Republic	—	—	—	—	—	*30·3*	—	*22·2*	—	*20·8*	—	—	—	—	—	—	

ICD No.	Causes of death	Country	S.M.R. All ages M	S.M.R. All ages F	Death rates per million population: All ages M	All ages F	1–4 M	1–4 F	5–14 M	5–14 F	15–24 M	15–24 F
177	Malignant neoplasm of—prostate	England and Wales	101	—	165·6	—	—	—	*0·56*	—	*0·34*	—
		Scotland	100	—	148·0	—	*5·28*	—	—	—	*2·84*	—
		Northern Ireland	109	—	160·4	—	—	—	—	—	—	—
		Irish Republic	78	—	141·5	—	—	—	—	—	—	—
181	bladder and other urinary organs	England and Wales	104	101	97·0	39·4	*2·08*	*0·73*	*0·28*	—	*0·34*	—
		Scotland	105	110	89·0	37·4	—	—	—	—	—	—
		Northern Ireland	74	85	60·7	*26·1*	—	—	—	—	—	—
		Irish Republic	46	73	44·8	23·5	*8·53*	—	—	—	—	—
204	Leukaemia and aleukaemia	England and Wales	102	100	66·9	51·4	48·6	46·1	36·1	23·9	24·9	15·9
		Scotland	81	98	51·1	47·4	*58·1*	*44·2*	*36·1*	*21·3*	*14·2*	*19·2*
		Northern Ireland	105	129	65·0	59·1	*85·2*	*18·0*	*22·1*	*15·5*	*59·9*	*18·3*
		Irish Republic	101	90	67·2	42·0	*102·4*	*87·9*	*30·7*	*21·3*	*23·0*	*15·7*
Rem. 140-205	Other malignant neoplasms	England and Wales	99	97	406·3	507·0	49·3	53·4	42·9	34·3	63·9	40·2
		Scotland	109	117	416·6	547·7	*52·8*	*22·1*	*36·1*	*18·9*	*71·1*	*16·4*
		Northern Ireland	107	107	384·4	457·5	*85·2*	*90·0*	*51·6*	*31·0*	*59·9*	*36·6*
		Irish Republic	104	118	420·2	514·2	*76·8*	*87·9*	*13·7*	*21·3*	*50·7*	*31·4*
140-205	All malignant neoplasms and neoplasms of the lymphatic and haemato-poietic tissues	England and Wales	101	99	2,391	1,943	101·5	100·3	80·4	58·8	98·5	62·2
		Scotland	107	110	2,320	1,931	116·2	*66·3*	72·2	*42·5*	93·8	*46·5*
		Northern Ireland	89	99	1,818	1,570	*170·4*	*108·0*	*73·7*	*46·6*	*119·7*	*64·1*
		Irish Republic	76	97	1,783	1,575	187·7	184·7	*47·8*	*49·7*	*78·3*	*47·1*
260	Diabetes mellitus	England and Wales	98	94	54·1	99·9	*1·39*	*5·12*	*1·69*	*2·07*	*3·70*	*4·39*
		Scotland	115	163	58·3	151·4	*10·6*	—	—	*7·09*	—	*10·9*
		Northern Ireland	101	88	49·1	74·2	—	—	—	—	—	—
		Irish Republic	104	108	59·5	94·6	*8·53*	—	—	*3·55*	*9·21*	*10·5*
290-293	Anaemias	England and Wales	97	91	26·9	45·0	*4·17*	*2·20*	*1·69*	*1·77*	*2·69*	*2·37*
		Scotland	119	150	30·3	63·3	*15·9*	*5·52*	*2·26*	*7·09*	—	*2·74*
		Northern Ireland	92	157	*23·1*	60·4	—	—	—	—	—	*9·16*
		Irish Republic	125	160	37·8	66·9	—	—	—	—	*4·61*	—
330-334	Vascular lesions affecting central nervous system	England and Wales	98	98	1,405	1,909	*6·95*	*5·12*	6·49	*4·43*	13·4	12·5
		Scotland	129	126	1,678	2,089	*15·9*	*16·6*	*15·8*	*9·45*	*17·1*	*13·7*
		Northern Ireland	106	115	1,351	1,724	—	—	*22·1*	—	*17·1*	*18·3*
		Irish Republic	78	91	1,209	1,478	—	—	*6·83*	*7·10*	*32·2*	*26·1*
345	Multiple sclerosis	England and Wales	92	90	15·7	22·5	*0·69*	—	*0·28*	*0·59*	*1·68*	*2·03*
		Scotland	144	156	22·7	36·6	—	—	—	—	—	*5·47*
		Northern Ireland	70	185	*10·1*	39·8	—	—	—	—	—	—
		Irish Republic	167	138	25·2	29·2	—	—	—	—	*4·61*	—
400-402, 410-416	Rheumatic fever and chronic rheumatic heart disease	England and Wales	100	100	114·6	199·1	—	*2·93*	*3·39*	*3·25*	18·5	12·8
		Scotland	100	100	106·5	181·7	—	—	*4·51*	*9·45*	*17·1*	*21·9*
		Northern Ireland	124	128	122·9	210·2	—	—	*7·37*	*7·76*	*51·3*	*18·3*
		Irish Republic	96	82	104·3	135·1	*8·53*	*8·79*	—	—	*13·8*	*20·9*
420	Arteriosclerotic heart disease, including coronary disease	England and Wales	99	98	2,561	1,497	—	*0·73*	*0·28*	—	*2·69*	*1·35*
		Scotland	119	123	2,784	1,610	—	—	—	—	*5·69*	—
		Northern Ireland	119	129	2,645	1,524	—	—	—	—	*8·55*	—
		Irish Republic	71	78	1,852	980·1	—	—	—	—	*9·21*	*5·23*
421, 422, 430-434	Other heart diseases	England and Wales	93	94	1,159	1,614	*4·17*	*5·86*	6·21	*2·96*	14·1	8·45
		Scotland	117	128	1,326	1,788	*5·28*	*11·0*	*6·77*	—	*8·53*	*8·21*
		Northern Ireland	123	127	1,374	1,611	*17·0*	—	*7·37*	*7·76*	—	—
		Irish Republic	158	151	2,217	2,215	—	—	*3·41*	*3·55*	*13·8*	*15·7*
440-447	Hypertensive disease	England and Wales	103	99	353·5	423·2	—	—	*0·56*	*0·30*	*2·69*	*1·01*
		Scotland	84	103	261·8	375·6	—	—	—	*2·36*	*2·84*	*13·7*
		Northern Ireland	92	122	277·5	402·5	—	—	—	—	*8·55*	*27·5*
		Irish Republic	84	111	301·1	397·6	—	—	—	*3·55*	*18·4*	*5·23*
450-468	Other circulatory diseases	England and Wales	101	100	354·8	418·3	*1·39*	*0·73*	*1·41*	*2·36*	*3·36*	*3·72*
		Scotland	102	109	324·4	377·1	—	—	—	—	*2·84*	*8·21*
		Northern Ireland	81	104	252·9	325·6	*17·0*	—	—	*7·76*	—	*27·5*
		Irish Republic	86	80	334·0	284·5	—	—	—	*7·10*	—	—
480-483	Influenza	England and Wales	91	91	25·1	23·0	*7·64*	*5·86*	*1·13*	*1·77*	*4·71*	*1·69*
		Scotland	87	81	22·3	17·8	—	*16·6*	*2·26*	*2·36*	*2·84*	*2·74*
		Northern Ireland	110	149	*27·5*	30·2	*17·0*	—	—	—	—	—
		Irish Republic	247	288	70·7	63·3	*17·1*	*17·6*	*6·83*	—	—	*10·5*
490-493	Pneumonia	England and Wales	105	103	535·5	528·8	145·9	123·0	26·2	16·6	23·9	14·5
		Scotland	86	82	413·8	359·4	184·9	149·1	*11·3*	*16·5*	*19·9*	*13·7*
		Northern Ireland	81	85	390·2	347·6	*68·2*	*234·1*	*7·37*	—	*17·1*	—
		Irish Republic	65	78	370·4	355·6	170·6	228·6	*27·3*	*10·7*	—	*36·6*
500-502	Bronchitis	England and Wales	105	101	860·8	316·1	43·8	27·8	5·64	*3·25*	*4·71*	*2·37*
		Scotland	85	86	634·1	231·3	*37·0*	*44·2*	*4·51*	*4·73*	*5·69*	*5·47*
		Northern Ireland	76	115	544·9	280·3	*51·1*	—	—	*15·5*	*8·55*	—
		Irish Republic	55	98	471·3	261·7	*59·7*	*26·4*	*3·41*	—	—	*10·5*

Death rates per million population: 25–34 M	25–34 F	35–44 M	35–44 F	45–54 M	45–54 F	55–64 M	55–64 F	65–74 M	65–74 F	75–84 M	75–84 F	85 and over M	85 and over F	Deaths under 1 year per thousand live births M	Deaths under 1 year per thousand live births F	ICD No.
—	—	*0·97*	—	15·4	—	159·9	—	911·5	—	2,589	—	4,011	—	—	—	177
—	—	—	—	*5·97*	—	140·6	—	923·1	—	2,727	—	3,016	—	—	—	
—	—	—	—	*49·4*	—	*142·7*	—	871·9	—	2,637	—	*6,970*	—	—	—	
—	—	—	—	*11·7*	—	180·0	—	823·5	—	1,666	—	2,714	—	—	—	
—	*0·34*	8·43	*4·09*	46·9	18·2	195·4	53·3	552·0	137·4	993·3	322·4	1,149	364·5	*0·00*	—	181
—	*2·88*	*15·3*	*2·91*	*50·7*	*33·4*	183·6	*45·5*	545·5	165·7	1,075	337·5	*936·0*	*233·4*	—	—	
—	—	*12·3*	—	*37·1*	*45·4*	*158·6*	*54·9*	*317·0*	*100·4*	*714·1*	*155·8*	*1,230*	*501·6*	—	—	
—	—	—	*5·72*	*58·3*	*18·2*	*122·4*	*29·6*	235·3	*93·7*	*256·4*	*260·6*	*271·4*	*181·2*	—	—	
21·9	18·2	43·8	21·4	54·8	41·2	104·0	80·8	229·3	137·8	349·0	189·7	340·4	202·0	*0·03*	*0·02*	204
23·5	*14·4*	*30·7*	*11·7*	*32·8*	*36·2*	78·1	78·0	181·8	203·6	*256·6*	*129·0*	*312·0*	*58·4*	*0·04*	*0·02*	
24·6	*65·7*	*61·7*	*102·1*	*61·8*	*22·7*	*95·2*	*41·2*	*211·4*	*221·0*	*109·9*	*233·6*	*410·0*	*250·8*	*0·06*	—	
47·4	*6·45*	*30·3*	*17·2*	*64·1*	*54·6*	172·8	*44·3*	*160·4*	*135·3*	*106·8*	*93·1*	*135·7*	*271·8*	*0·06*	—	
110·8	81·4	189·6	190·3	423·5	484·7	980·8	962·0	1,587	1,618	2,329	2,366	2,649	2,833	*0·04*	0·05	Rem. 140-205
102·8	92·2	177·8	230·2	534·2	635·2	1,207	1,166	1,567	1,936	2,566	2,849	2,912	3,852	*0·04*	*0·04*	
98·3	*54·7*	*98·8*	*90·7*	457·1	*613·5*	904·0	988·6	1,876	1,808	2,857	2,726	*4,920*	*5,267*	*0·12*	—	
88·0	*64·5*	224·2	194·5	460·5	613·0	806·5	1,234	1,818	2,113	2,969	2,792	3,392	3,171	*0·03*	*0·03*	
194·1	191·0	531·3	688·6	2,008	1,879	6,038	3,445	11,663	6,203	17,478	10,174	18,543	13,901	0·07	0·07	140-205
199·6	219·1	582·6	798·6	2,265	2,120	6,559	3,827	12,078	6,998	17,997	11,057	18,617	16,748	*0·08*	*0·06*	
233·4	*197·0*	407·5	578·5	1,878	2,079	4,948	3,378	9,458	6,228	15,107	9,501	29,520	18,059	*0·18*	—	
196·3	129·1	466·6	600·5	1,714	1,894	4,349	3,746	8,416	6,641	12,604	8,917	14,790	9,875	*0·10*	*0·03*	
9·60	7·21	15·2	12·6	25·2	23·0	88·9	125·0	265·4	391·9	595·6	800·0	723·4	837·4	*0·01*	*0·00*	260
5·87	*11·5*	*15·3*	*8·74*	*53·7*	55·7	82·0	279·4	293·7	738·6	705·8	1,221	*1,144*	*583·6*	*0·02*	—	
—	*21·9*	*12·3*	*22·7*	*12·4*	*22·7*	*47·6*	*82·4*	*317·0*	*321·4*	*714·1*	856·7	*1,640*	*1,003*	—	—	
13·5	*12·9*	*42·4*	*11·4*	*58·3*	*30·3*	*129·6*	*103·4*	213·9	582·9	512·7	875·0	*135·7*	*362·4*	—	—	
1·71	*3·09*	*1·62*	*4·40*	9·75	9·39	29·4	30·7	122·4	132·1	382·6	441·1	595·7	763·5	*0·01*	*0·02*	290-293
2·94	*2·88*	—	*5·83*	*20·9*	*5·57*	*27·3*	*52·0*	*125·9*	198·8	529·3	754·3	*520·0*	1,576	*0·02*	—	
—	—	—	*11·3*	—	*34·1*	*31·7*	*82·4*	*132·1*	*301·3*	*384·5*	*506·2*	*820·0*	*1,254*	—	—	
6·77	*19·4*	*12·1*	*5·72*	*29·1*	*36·4*	*64·8*	*96·0*	*181·8*	229·0	*320·4*	688·8	*407·1*	*1,087*	*0·03*	—	
30·2	34·4	124·8	*126·8*	488·4	448·7	1,878	1,552	6·712	5,587	19,084	17,839	36,489	39,330	*0·04*	*0·03*	330-334
44·0	*40·4*	144·1	160·3	629·7	626·9	2,418	1,985	8,945	7,428	25,551	22,292	43,786	53,105	*0·10*	*0·04*	
36·8	*10·9*	*148·2*	*158·8*	432·4	556·7	1,903	2,114	7,556	6,830	19,117	19,548	51,251	*48,157*	*0·06*	*0·07*	
67·7	*45·2*	*103·0*	*131·5*	483·8	637·3	1,750	1,899	5,358	6,328	14,292	15,042	26,323	24,733	*0·03*	*0·10*	
5·49	10·6	21·4	28·6	34·3	47·3	37·1	54·0	29·7	33·6	*21·8*	*16·8*	*31·9*	*24·6*	—	—*	345
11·7	*5·77*	*39·9*	61·2	*29·8*	66·9	82·0	97·5	*55·9*	*80·5*	—	*29·8*	*104·0*	—	—	—‡	
—	—	—	*45·4*	*49·4*	*90·9*	*15·9*	*164·8*	*52·8*	*80·4*	—	*38·9*	—	—	—	—	
20·3	*12·9*	*48·5*	*80·1*	*35·0*	*66·8*	*64·8*	*44·3*	*64·2*	*62·5*	*64·1*	*37·2*	—	—	—	—	
33·3	53·6	97·6	139·7	170·2	267·2	261·9	387·0	376·5	526·9	491·6	737·4	595·7	906·4	*0·00*	—	400-402, 410-416
67·5	57·7	110·4	183·6	161·2	292·5	261·7	363·9	293·7	487·7	497·2	575·7	*624·0*	*1,050*	—	—	
61·4	*76·6*	*160·5*	249·5	296·5	363·6	317·2	480·6	*290·6*	582·6	*109·9*	778·8	*1,230*	*1,254*	—	—	
88·0	*71·0*	121·2	137·3	157·4	248·9	194·4	266·0	288·7	333·1	555·4	632·9	*678·4*	*634·2*	—	—	
63·8	*5·84*	482·3	60·7	1,976	321·1	5,872	1,616	13,069	5,784	22,067	12,695	27·021	19,246	—	—	420
91·0	*23·1*	643·9	128·2	2,898	551·6	7,825	2,619	15,197	7,613	21,574	13,270	25,065	20,366	—	—	
61·4	*32·8*	568·1	*147·4*	2,557	681·7	7,628	2,348	15,482	7,553	23,072	14,914	34,440	25,834	—	—	
81·2	*19·4*	515·0	131·5	1,551	546·3	4,263	1,633	9,721	5,183	13,522	8,191	19,810	9,241	—	—	
21·3	14·4	59·3	39·9	191·6	110·3	843·7	517·2	4,100	2,969	18,940	16,445	58,309	60,941	*0·03*	*0·03*	421, 422 430-434
26·4	*25·9*	113·4	*46·6*	265·6	192·2	1,090	796·0	5,140	4,323	23,755	22,531	71,451	76,039	—	*0·02*	
49·1	*32·8*	*37·0*	*34·0*	271·8	*215·9*	999·1	933·7	5,178	4,761	23,951	19,586	92,251	84,776	—	*0·07*	
40·6	*77·4*	*84·8*	114·4	501·3	443·1	1,807	1,382	7,925	6,818	30,570	26,658	85,889	66,135	—	*0·03*	
20·9	7·90	54·8	27·7	191·6	104·2	592·4	349·4	1,696	1,327	4,159	4,030	6,649	7,325	—	—	440-447
32·3	*5·77*	*46·0*	*20·4*	164·2	100·3	468·8	415·9	1,392	1,491	3,288	4,090	5,200	6,305	—	—	
24·6	*10·9*	*24·7*	*45·4*	*160·6*	*102·3*	412·3	549·2	1,162	1,808	4,614	4,167	8,200	9,782	—	—	
6·77	*19·4*	*60·6*	*40·0*	134·1	170·0	417·7	495·0	1,476	1,447	3,012	4,691	7,463	5,526	—	—	—
10·6	15·8	27·9	30·2	99·1	75·1	361·5	232·0	1,428	942·8	5,279	3,920	14,106	13,152	*0·01*	*0·01*	450-468
14·7	*11·5*	*21·5*	*29·1*	71·6	58·5	347·7	201·4	1,413	970·6	5,309	4,530	16,017	14,998	—	—	
12·3	*10·9*	*37·0*	*45·4*	*61·8*	*68·2*	380·6	*247·1*	819·0	964·3	4,175	3,810	13,940	14,547	—	—	
6·77	*6·45*	*24·2*	*45·8*	*46·6*	*30·3*	244·8	*140·4*	1,048	728·6	5,362	3,574	10,991	9,331	—	—	
6·52	*2·40*	9·08	*5·35*	16·7	6·97	44·9	23·7	93·4	61·0	211·4	165·4	457·4	463·1	*0·03*	*0·03*	480-483
14·7	*2·88*	*9·20*	*11·7*	*17·9*	*11·1*	*23·4*	*3·25*	*104·9*	*37·9*	*192·5*	*158·8*	*416·0*	*466·9*	*0·06*	*0·02*	
—	—	*24·7*	—	*37·1*	—	*31·7*	*54·9*	*79·3*	*160·7*	*219·7*	*155·8*	*1,640*	*1,505*	—	—	
13·5	*12·9*	*12·1*	*17·2*	*17·5*	*12·9*	*72·0*	*44·3*	*192·5*	*166·5*	940·0	670·2	*1,764*	*1,631*	*0·16*	*0·07*	
28·5	19·6	59·0	42·2	151·7	91·2	534·1	302·0	1,913	1,090	6,775	4,542	18,064	14,980	2·35	1·91	490-493
29·4	*14·4*	*39·9*	*52·5*	140·3	86·4	418·0	250·2	1,678	866·4	5,165	3,315	10,296	11,321	2·93	1·82	
24·6	*21·9*	*98·8*	*22·7*	*123·5*	*102·3*	*491·6*	*219·7*	1,083	924·1	3,955	3,466	20,500	12,039	2,95	1,82	
33·9	*38·7*	*66·7*	*74·4*	122·4	*115·3*	424·9	221·6	1,102	1,030	2,927	2,960	8,141	6,704	3·37	2·16	
11·7	7·21	57·7	22·6	346·4	84·5	1,823	288·4	4,662	916·4	8,619	2,679	12,596	6,433	0·52	0·40	500-502
—	*20·2*	*42·9*	*29·1*	370·1	89·2	1,777	253·4	3,965	856·9	5,277	2,074	7,072	4,435	0·40	0·41	
—	—	*61·7*	*22·7*	345·9	*79·5*	1,475	480·6	3,329	964·3	4,779	2,998	11,890	8,026	*0·30*	*0·07*	
6·77	—	*30·3*	*22·9*	268·1	*97·1*	986·5	332·5	2,299	978·4	4,251	2,550	7,463	5,889	*0·22*	*0·07*	

ICD No.	Causes of death	Country	S.M.R. All ages M	S.M.R. All ages F	Death rates per million population: All ages M	All ages F	1–4 M	1–4 F	5–14 M	5–14 F	15–24 M	15–24 F
470-475, 510-527	Other respiratory diseases	England and Wales	100	98	157·0	66·0	29·2	*13·9*	7·06	*3·84*	9·08	*6·08*
		Scotland	116	77	168·4	45·2	*21·1*	*5·52*	*4·51*	*7·09*	*2·84*	—
		Northern Ireland	74	157	102·6	85·2	—	*18·0*	—	*15·5*	*17·1*	—
		Irish Republic	89	160	143·6	93·9	*68·2*	*17·6*	—	*7·10*	*4·61*	*5·23*
540, 541	Ulcer of stomach and duodenum	England and Wales	100	101	143·4	65·0	*0·69*	*0·73*	—	*0·30*	*2·02*	*1·01*
		Scotland	123	104	162·0	57·7	—	—	—	—	*2·84*	—
		Northern Ireland	99	90	124·3	45·3	—	—	—	—	—	—
		Irish Republic	72	78	105·7	42·0	—	—	—	—	—	—
550-553	Appendicitis	England and Wales	96	99	16·6	11·4	*7·64*	*8·05*	9·03	*4·73*	*5·72*	*3·72*
		Scotland	130	115	21·5	12·2	*31·7*	*16·6*	*2·26*	*18·9*	*19·9*	*5·47*
		Northern Ireland	124	109	*20·2*	*11·0*	*51·1*	*18·0*	*14·7*	—	*8·55*	—
		Irish Republic	106	94	18·9	*9·96*	*51·2*	*8·79*	*3·41*	*7·10*	*4·61*	—
560, 561, 570	Intestinal obstruction and hernia	England and Wales	100	99	65·8	67·5	*9·73*	*2·93*	*1·98*	*1·48*	*2·35*	*1·01*
		Scotland	112	108	68·2	64·0	*5·28*	—	*6·77*	*2·36*	—	*2·74*
		Northern Ireland	93	88	56·4	48·1	—	—	—	—	—	—
		Irish Republic	80	103	56·0	59·7	*8·53*	—	*6·83*	—	*4·61*	*5·23*
543, 571, 572	Gastritis and duodenitis, enteritis and colitis (except diarrhoea of newborn)	England and Wales	98	98	46·0	62·5	40·3	25·6	*3·10*	*3·25*	7·40	*4·06*
		Scotland	120	116	55·5	66·6	*47·6*	*16·6*	*6·77*	*4·73*	*2·84*	*2·74*
		Northern Ireland	105	99	49·1	53·6	*85·2*	*18·0*	*7·37*	—	—	*9·16*
		Irish Republic	102	100	51·8	57·6	*59·7*	*35·2*	—	*10·7*	—	—
581	Cirrhosis of liver	England and Wales	95	95	31·0	24·8	*1·39*	*1·46*	*1·69*	*0·59*	*0·67*	*3·04*
		Scotland	159	164	47·9	38·9	*5·28*	*5·52*	—	*2·36*	—	—
		Northern Ireland	88	121	*24·6*	*26·1*	—	*18·0*	*7·37*	—	—	—
		Irish Republic	86	59	26·6	*12·8*	—	—	*6·83*	—	—	—
584, 585	Cholelithiasis, cholecystitis	England and Wales	100	94	17·9	38·5	—	—	—	—	*0·34*	*0·34*
		Scotland	142	151	23·1	52·9	—	—	—	—	*2·84*	—
		Northern Ireland	73	161	*11·6*	50·8	—	—	—	—	—	*9·16*
		Irish Republic	41	96	*7·70*	32·7	—	*8·79*	—	—	—	—
Rem. 530-587	Other digestive diseases	England and Wales	96	96	41·8	43·3	*8·34*	18·3	5·64	*6·50*	*4·37*	*2·70*
		Scotland	124	111	51·1	45·2	*21·1*	*16·6*	*6·77*	*9·45*	*5·69*	—
		Northern Ireland	96	148	39·0	56·3	—	*36·0*	*14·7*	*7·76*	—	—
		Irish Republic	122	127	55·3	50·5	*25·6*	*8·79*	*3·41*	*7·10*	*23·0*	—
590-594	Nephritis and nephrosis	England and Wales	96	95	90·8	72·2	*7·64*	*7·32*	11·6	7·98	29·3	17·9
		Scotland	85	90	74·6	61·4	*10·6*	*5·52*	*4·51*	*11·8*	*37·0*	*27·4*
		Northern Ireland	112	122	93·9	76·9	*17·0*	—	*7·37*	—	*51·3*	*9·16*
		Irish Republic	178	215	167·4	140·1	—	—	*13·7*	*14·2*	*27·6*	*36·6*
610	Hyperplasia of prostate	England and Wales	100	—	147·7	—	—	—	—	—	—	—
		Scotland	107	—	143·3	—	—	—	—	—	—	—
		Northern Ireland	111	—	148·9	—	—	—	—	—	—	—
		Irish Republic	87	—	147·8	—	—	—	—	—	—	—
600-609, 611-637	Other diseases of the genito-urinary system	England and Wales	100	99	70·5	85·1	*4·86*	*4·39*	*3·39*	*3·25*	*4·03*	*4·73*
		Scotland	123	134	80·6	101·8	*10·6*	*5·52*	*6·77*	*9·45*	*5·69*	*5·47*
		Northern Ireland	91	110	57·8	75·6	*17·0*	—	—	—	—	—
		Irish Republic	75	54	56·7	39·1	—	—	—	—	*13·8*	*15·7*
640-689	Complications of pregnancy, childbirth, and the puerperium	England and Wales	—	95	—	13·1	—	—	—	—	—	21·0
		Scotland	—	92	—	13·0	—	—	—	—	—	*27·4*
		Northern Ireland	—	137	—	*19·2*	—	—	—	—	—	*9·16*
		Irish Republic	—	191	—	24·9	—	—	—	—	—	*10·5*
750-759	Congenital malformations	England and Wales	98	95	122·2	102·4	128·6	123·0	36·4	37·8	32·3	23·0
		Scotland	94	103	129·7	123·6	*95·1*	116·0	49·7	*30·7*	*17·1*	*21·9*
		Northern Ireland	116	152	176·3	203·3	*153·3*	*216·1*	*22·1*	*31·0*	*25·7*	*18·3*
		Irish Republic	122	128	180·7	179·9	204·7	*167·1*	*51·2*	*46·2*	*27·6*	*26·1*
760-776	Certain diseases of early infancy	England and Wales	96	97	258·2	161·4	*0·69*	—	*0·56*	*0·30*	—	—
		Scotland	112	114	346·8	219·8	—	*5·52*	—	—	—	—
		Northern Ireland	121	115	426·4	252·8	—	—	—	—	—	—
		Irish Republic	122	112	411·8	259·6	—	—	—	—	—	—
Rem. 210-795	All other diseases	England and Wales	86	90	348·7	518·5	107·7	105·4	38·7	37·8	59·9	44·9
		Scotland	106	104	401·0	510·7	163·8	*71·8*	60·9	*40·2*	82·5	60·2
		Northern Ireland	119	130	440·8	583·9	*102·2*	*90·0*	*51·6*	*46·6*	*42·8*	45·8
		Irish Republic	284	281	1,250	1,420	*136·5*	*105·5*	*54·6*	*60·4*	*69·1*	*94·1*
E963, E970-E979	Suicide	England and Wales	107	108	138·6	86·7	—	—	*1·13*	*0·89*	57·2	26·0
		Scotland	86	71	105·0	53·7	—	—	*2·26*	—	65·4	*16·4*
		Northern Ireland	51	44	57·8	30·2	—	—	*7·37*	—	*17·1*	—
		Irish Republic	35	26	41·3	17·8	—	—	*3·41*	—	*13·8*	—
E810-E845	Motor vehicle and other road transport accidents	England and Wales	102	104	220·6	81·7	77·8	52·0	86·1	42·9	448·6	71·6
		Scotland	95	93	201·1	69·2	163·8	121·5	101·6	70·9	247·4	65·7
		Northern Ireland	95	72	203·8	52·2	*136·3*	*144·1*	*125·3*	*46·6*	316·5	*27·5*
		Irish Republic	73	59	158·3	43·4	*59·7*	*26·4*	*64·9*	*46·2*	156·6	*57·5*

Death rates per million population: 25–34 M	25–34 F	35–44 M	35–44 F	45–54 M	45–54 F	55–64 M	55–64 F	65–74 M	65–74 F	75–84 M	75–84 F	85 and over M	85 and over F	Deaths under 1 year per thousand live births M	Deaths under 1 year per thousand live births F	ICD No.
13·7	9·28	29·8	15·7	105·1	37·6	346·4	69·7	779·9	150·3	1,216	419·6	1,830	1,571	0·14	0·08	470-475, 510-527
14·7	*5·77*	*33·7*	*35·0*	95·5	*36·2*	343·8	*39·0*	1,126	137·3	1,620	327·5	*1,144*	*525·2*	*0·12*	*0·16*	
24·6	*21·9*	*12·3*	*45·4*	*111·2*	*56·8*	*253·7*	*82·4*	*502·0*	*281·2*	*604·3*	*467·3*	*2,870*	*3,010*	*0·24*	*0·26*	
20·3	*25·8*	*18·2*	*57·2*	122·4	*72·8*	295·2	*118·2*	534·7	249·8	875·9	744·6	3,528	*1,540*	*0·35*	*0·14*	
13·7	*2·06*	32·4	9·12	88·1	25·4	285·2	61·7	714·1	193·6	1,396	586·9	2,085	1,015	*0·00*	*0·01*	540, 541
23·5	*5·77*	*39·9*	*14·6*	146·2	*33·4*	273·5	100·7	923·1	189·4	1,893	526·0	*1,560*	*758·6*	—	—	
24·6	*10·9*	*37·0*	—	*123·5*	*45·4*	*253·7*	*27·5*	739·8	*100·4*	1,209	*662·0*	*2,050*	*1,003*	—	—	
—	*6·45*	*48·5*	*11·4*	134·1	*42·5*	259·2	*103·4*	395·7	*156·1*	833·1	*316·5*	*949·8*	*271·8*	*0·03*	—	
3·77	*2·75*	*6·16*	*4·09*	15·4	*4·85*	30·2	13·9	48·1	27·9	112·4	66·4	*138·3*	133·0	*0·01*	—	550-553
5·87	*5·77*	*6·13*	—	*8·95*	*2·79*	*43·0*	*13·0*	*104·9*	*37·9*	*80·2*	*49·6*	*208·0*	—	—	—	
—	—	—	*11·3*	*12·4*	*11·4*	*47·6*	*13·7*	*26·4*	*60·3*	*164·8*	—	—	*250·8*	—	—	
6·77	—	*6·06*	*5·72*	*23·3*	*6·07*	*36·0*	*7·39*	*32·1*	*20·8*	*85·5*	*55·8*	*135·7*	*181·2*	—	*0·03*	
3·09	*1·72*	9·72	9·75	25·5	27·6	92·6	67·9	300·8	208·0	734·9	527·1	1,053	1,005	0·28	0·17	560, 561, 570
—	—	*18·4*	*14·6*	*44·8*	*25·1*	*109·4*	*84·5*	*321·7*	265·1	866·1	446·6	*1,040*	1,342	*0·15*	*0·14*	
—	—	*12·3*	*11·3*	*24·7*	*45·4*	*95·2*	*27·5*	*369·9*	*241·1*	*714·1*	*389·4*	*820·0*	*1,003*	*0·06*	*0·13*	
—	—	*12·1*	*11·4*	*69·9*	*42·5*	*72·0*	*81·3*	267·4	*187·4*	*405·9*	577·1	*407·1*	*906·0*	*0·16*	*0·14*	
6·17	10·3	12·6	11·3	28·6	25·1	52·6	57·5	157·8	177·7	327·2	428·0	521·3	788·2	0·45	0·32	543, 571, 572
17·6	*23·1*	*24·5*	*17·5*	*26·9*	*33·4*	*66·4*	*58·5*	153·9	194·1	*288·7*	526·0	*416·0*	*641·9*	0·81	0·51	
—	—	—	—	*24·7*	*45·4*	*95·2*	—	*105·7*	*160·7*	*219·7*	*467·3*	—	*501·6*	*0·72*	*0·72*	
13·5	*19·4*	—	*22·9*	*29·1*	*48·6*	*72·0*	*22·2*	*85·6*	*135·3*	*192·3*	372·3	*407·1*	*453·0*	0·96	*0·61*	
2·40	*2·40*	15·9	*5·98*	47·5	24·8	81·6	59·9	126·0	87·9	132·6	89·7	*106·4*	*59·1*	*0·00*	*0·01*	581
5·87	*2·88*	*33·7*	*17·5*	83·6	*36·2*	144·5	94·2	195·8	146·8	*176·4*	198·5	*208·0*	*116·7*	—	*0·02*	
—	—	*24·7*	*11·3*	*12·4*	*11·4*	*79·3*	*96·1*	*132·1*	*100·4*	*54·9*	*155·8*	*410·0*	—	*0·06*	—	
13·5	—	*12·1*	*5·72*	*52·5*	*30·3*	*72·0*	*36·9*	*85·6*	*41·6*	*106·8*	*37·2*	—	—	—	*0·03*	
0·69	*0·69*	*1·94*	*4·40*	8·81	10·0	24·9	39·0	81·4	121·0	238·3	319·6	414·9	763·5	*0·00*	—	584, 585
—	—	*3·07*	*5·83*	*17·9*	*16·7*	*31·3*	65·0	*132·9*	213·1	352·9	605·4	*104·0*	*525·2*	—	—	
—	—	—	—	—	*22·7*	*47·6*	*96·1*	*79·3*	*241·1*	*109·9*	*467·3*	—	*752·4*	—	—	
—	*6·45*	—	*11·4*	*11·7*	*12·1*	*14·4*	*44·3*	*42·8*	*156·1*	*64·1*	*297·9*	—	*271·8*	—	—	
4·12	*5·15*	10·7	9·44	25·5	27·6	78·3	56·8	159·2	123·4	325·5	240·2	489·4	472·9	0·24	0·16	Rem. 530-587
8·81	*2·88*	*18·4*	*8·74*	*53·7*	*30·6*	93·8	71·5	195·8	213·1	449·1	168·7	*416·0*	*583·6*	*0·15*	*0·12*	
36·8	—	—	*22·7*	*37·1*	*34·1*	*95·2*	*137·3*	*184·9*	*221·0*	*219·7*	*389·4*	—	—	*0·12*	*0·13*	
13·5	*25·8*	*12·1*	*28·6*	*87·4*	*48·6*	*108·0*	*103·4*	224·6	*135·3*	*192·3*	*204·8*	*271·4*	*634·2*	*0·13*	*0·20*	
40·1	21·3	59·3	30·2	90·0	53·3	159·9	113·5	283·8	189·7	620·8	383·2	1,149	714·3	*0·02*	*0·02*	590-594
47·0	*20·2*	*36·8*	*35·0*	98·5	64·1	136·7	81·2	258·8	222·5	465·2	268·0	*832·0*	*291·8*	—	*0·08*	
61·4	*54·7*	*61·7*	*56·7*	*61·8*	*68·2*	*206·2*	*137·3*	*237·8*	*281·2*	*824·0*	*389·4*	*1,640*	*1,254*	*0·06*	—	
54·2	*32·3*	*78·8*	*45·8*	128·2	*115·3*	266·4	206·9	588·2	562·1	1,431	968·0	3,528	1,812	*0·03*	—	
—	—	*0·32*	—	*4·72*	—	71·0	—	572·5	—	2,688	—	7,000	—	—	—	610
—	—	—	—	—	—	78·1	—	531·5	—	3,192	—	6,656	—	—	—	
—	—	—	—	*24·7*	—	*47·6*	—	554·8	—	2,802	—	10,660	—	—	—	
—	—	—	—	*11·7*	—	*57·6*	—	491·9	—	2,329	—	6,242	—	—	—	
8·92	13·7	14·9	23·3	37·1	55·4	86·5	104·1	294·4	254·6	844·0	577·6	1,883	1,138	0·07	*0·03*	600-609, 611-637
2·94	*8·65*	*18·4*	*43·7*	*38·8*	91·9	97·7	185·2	461·6	374·0	834·1	615·4	2,704	*1,050*	*0·12*	*0·02*	
—	—	*61·7*	*56·7*	*49·4*	*56·8*	*111·0*	*96·1*	*237·8*	*381·7*	*604·3*	*584·1*	*410·0*	*1,003*	*0·12*	—	
13·5	*12·9*	*18·2*	*22·9*	*11·7*	*48·6*	*79·2*	*110·8*	*192·5*	*31·2*	598·2	*204·8*	*949·8*	*543·6*	*0·22*	*0·10*	
—	52·2	—	29·3	—	*0·91*	—	—	—	—	—	—	—	—	—	—	640-689
—	*41·6*	—	*26·2*	—	—	—	—	—	—	—	—	—	—	—	—	
—	*87·5*	—	*56·7*	—	—	—	—	—	—	—	—	—	—	—	—	
—	*109·7*	—	*85·8*	—	*6·07*	—	—	—	—	—	—	—	—	—	—	
18·5	13·4	24·6	18·6	31·5	37·3	41·2	21·9	41·0	26·9	62·1	*16·8*	*85·1*	*34·5*	4·58	4·46	750-759
23·5	*2·88*	*15·3*	*32·1*	*20·9*	*16·7*	*31·3*	*29·2*	*6·99*	*37·9*	—	*19·9*	—	—	4·81	5·17	
12·3	*21·9*	*37·0*	*34·0*	*24·7*	*34·1*	*31·7*	*13·7*	*52·8*	*80·4*	—	—	—	—	5·84	7·61	
47·4	*12·9*	*30·3*	*5·72*	*35·0*	*36·4*	*28·8*	*7·39*	*21·4*	—	*21·4*	—	—	—	6·04	6·96	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	14·1	10·0	760-776
—	—	—	—	—	—	—	—	—	—	—	—	—	—	16·7	12·0	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	17·8	12·0	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	18·9	12·3	
71·3	63·9	108·3	100·0	180·3	190·5	423·5	428·4	966·7	975·5	3,430	3,569	14,862	17,261	0·66	0·41	Rem. 210-795
82·2	83·6	110·4	142·8	328·3	242·4	765·7	526·4	1,252	1,307	3,416	4,327	10,504	14,006	1·06	0·99	
61·4	*65·7*	*123·5*	*147·4*	296·5	306·8	491·6	521·7	1,268	1,426	5,054	5,607	26,240	24,831	*0·78*	*0·72*	
115·1	*96·8*	224·2	148·7	361·4	333·8	871·3	908·8	2,716	2,644	14,313	14,297	72,727	61,515	1·32	1·01	
114·9	55·7	139·1	85·9	200·4	146·9	307·6	179·7	329·1	185·9	390·9	129·0	340·4	64·0	—	—	E963, E970-E979
91·0	*49·0*	119·6	78·7	182·1	111·4	253·9	84·5	209·8	123·1	*176·4*	*29·8*	*208·0*	—	—	—	
36·8	*32·8*	*98·8*	*45·4*	*86·5*	*22·7*	*158·6*	*54·9*	*132·1*	*160·7*	*219·7*	*38·9*	—	—	—	—	
27·1	*19·4*	*66·7*	*22·9*	*69·9*	*36·4*	*115·2*	*36·9*	*106·9*	*52·0*	*21·4*	*37·2*	*135·7*	—	—	—	
201·3	36·8	153·6	38·7	179·4	61·8	227·3	103·8	312·1	177·2	661·1	322·4	936·2	280·8	*0·01*	*0·01*	E810-E845
196·7	*14·4*	177·8	*14·6*	176·1	64·1	281·3	68·2	279·7	151·5	529·3	*188·6*	*1,248*	*233·4*	—	*0·04*	
184·2	*10·9*	*148·2*	*45·4*	*172·9*	*34·1*	*269·6*	*54·9*	*343·5*	*80·4*	*384·5*	*194·7*	*410·0*	—	—	—	
169·3	*6·45*	133·3	*11·4*	163·2	*60·7*	201·6	*36·9*	449·2	*114·5*	*384·5*	*74·5*	*407·1*	*90·6*	—	—	

Appendix A—*continued*

ICD No.	Causes of death	Country	S.M.R. All ages		Death rates per million population All ages		1–4		5–14		15–24	
			M	F	M	F	M	F	M	F	M	F
E870-E936 pt.	Accidents in the home and residential institutions	England and Wales	99	100	112·3	192·2	83·4	61·5	16·1	17·7	23·5	12·5
		Scotland	156	154	170·8	254·2	*84·5*	*105·0*	*22·6*	*7·09*	*25·6*	*27·4*
		Northern Ireland	73	51	80·9	78·3	*102·2*	*54·0*	*66·3*	*23·3*	*8·55*	*27·5*
		Irish Republic	46	30	58·1	51·2	*128·0*	*105·5*	*20·5*	*17·8*	*4·61*	*10·5*
Rem. E800-E999	Other violence	England and Wales	91	88	140·4	45·5	71·6	27·1	80·2	17·4	137·9	13·9
		Scotland	148	75	223·1	34·8	*84·5*	*16·6*	106·1	*30·7*	210·4	*10·9*
		Northern Ireland	150	262	222·6	115·4	*136·3*	*90·0*	*81·1*	*23·3*	248·0	—
		Irish Republic	134	289	204·5	137·3	*93·8*	*79·1*	85·4	*21·3*	161·2	*31·4*
Estimated mid-year population (in thousands)		England and Wales			22,070	23,685	1,439	1,366	3,543	3,383	2,974	2,959
		Scotland			2,506	2,702	189	181	443	423	352	365
		Northern Ireland			692	728	59	56	136	129	117	109
		Irish Republic			1,428	1,406	117	114	293	282	217	191

Appendix A—*continued*

Death rates per million population 25–34		35–44		45–54		55–64		65–74		75–84		85 and over		Deaths under 1 year per thousand live births		ICD No.
M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
22·6	13·7	36·6	24·5	59·2	51·8	100·4	112·2	234·3	331·4	1,215	1,659	3,585	5,591	0·56	0·42	E870-E936 pt.
29·4	*34·6*	64·4	*43·7*	110·4	78·0	218·8	136·5	342·7	492·4	1,444	2,491	4,264	9,162	1·71	0·93	
24·6	*10·9*	*12·3*	*34·0*	*37·1*	*45·4*	*111·0*	*96·1*	*132·1*	*221·0*	*494·4*	*584·1*	*3,280*	*752·4*	*0·30*	*0·26*	
20·3	*12·9*	*24·2*	*22·9*	*23·3*	*18·2*	*43·2*	*29·6*	*149·7*	*114·5*	*256·4*	*316·5*	*135·7*	—	*0·55*	*0·41*	
121·1	16·1	128·4	21·1	153·6	21·2	184·8	33·1	191·1	81·7	380·9	262·6	787·2	891·6	0·10	0·08	Rem. E800-E999
264·2	*17·3*	242·2	*29·1*	277·6	*27·9*	304·7	*52·0*	328·7	99·4	368·9	*59·6*	*208·0*	*116·7*	*0·19*	*0·06*	
233·4	*21·9*	*209·9*	*11·3*	*135·9*	*56·8*	*206·2*	*41·2*	*290·6*	*160·7*	*1,044*	1,324	*6,560*	5,518	—	*0·07*	
189·6	*19·4*	121·2	*45·8*	*99·1*	*30·3*	223·2	*66·5*	385·0	343·5	1,068	1,154	4,206	4,349	*0·26*	*0·14*	
2,916	2,911	3,085	3,179	3,178	3,301	2,451	2,871	1,413	2,082	596	1,070	94	203			
341	347	326	343	335	359	256	308	143	211	62	101	10	17			
81	91	81	88	81	88	63	73	38	50	18	26	2	4			
148	155	165	175	172	165	139	135	94	96	47	54	7	11			

APPENDIX B

Abridged life table, 1960, England and Wales

Apart from its use as a basis for calculations of probabilities of death or survival, the life table represents one useful way of providing summary indices of mortality free from peculiarities in the sex and age structure of the population. These summary indices, whether it be the number surviving out of a specified number of births or the expectation of life beyond a specified age, are sex and age standardised. They summarise the individual age death rates for each sex. For this particular purpose the following life table has been constructed from the mortality experience of 1960. Though the functions are summary indices of the mortality of a particular year they will by the same token be sensitive to fluctuations in mortality from one year to another as a result of changes in the weather conditions, irregular incidence of epidemics, etc., and they are not reliable as a basis for calculations of the probability of survival over a period of years. Life table functions for use in such computations should be representative of the current level of mortality and should therefore be based on more than one year's experience. For this latter purpose another life table has been constructed based on the three years 1958 to 1960, a larger body of data more representative of the general mortality of recent years ; this has been published in the *Registrar General's Quarterly Return* for the June Quarter 1961, No. 450 and will be published in Part III of the *Statistical Review* for 1960.

Males		Age	Females	
l_x	$\mathring{e}_x$	x	l_x	$\mathring{e}_x$
10,000	68·3	0	10,000	74·1
9,755	69·0	1	9,811	74·6
9,740	68·1	2	9,798	73·7
9,731	67·1	3	9,790	72·7
9,724	66·2	4	9,784	71·8
9,718	65·2	5	9,779	70·8
9,693	60·4	10	9,763	65·9
9,674	55·5	15	9,750	61·0
9,631	50·7	20	9,732	56·1
9,574	46·0	25	9,711	51·2
9,525	41·3	30	9,682	46·4
9,467	36·5	35	9,640	41·6
9,377	31·8	40	9,576	36·8
9,238	27·3	45	9,472	32·2
9,003	22·9	50	9,311	27·7
8,597	18·9	55	9,069	23·4
7,905	15·3	60	8,712	19·2
6,889	12·2	65	8,146	15·4
5,563	9·5	70	7,282	11·9
3,990	7·3	75	6,014	8·9
2,383	5·5	80	4,274	6·5
1,043	4·3	85	2,390	4·7

This abridged life table is constructed from the estimated *home* population and the total deaths in the year 1960.

The column headed l_x shows, for each sex, the numbers who would survive to exact age x out of 10,000 born who were subject throughout their lives to the recorded age death rates of the period.

Column $\mathring{e}_x$ is the "expectation of life", that is, the average future lifetime which would be lived by persons aged exactly x, if likewise subject to those death rates.

Printed in England under the authority of Her Majesty's Stationery Office
by James Townsend & Sons Ltd.
Wt. 1897–160 K9 11/61

GENERAL REGISTER OFFICE

STUDIES ON
MEDICAL AND POPULATION SUBJECTS

No. 16

Area of Residence of Mental Hospital Patients

Admissions to mental hospitals in England and Wales in 1957 according to area of residence, diagnosis, sex and age

This report contains detailed statistics about the areas from which patients were admitted to mental hospitals in England and Wales during 1957. The addresses of patients at the time of admission are classified according to the administrative areas in which they are situated, and separate tables show, for the first time, the numbers of admissions, from each county borough and administrative county, and from each metropolitan borough in the county of London.

Figures are given separately for each sex and for certain age-groups and diagnoses.

Price **15s. 6d.** *net.* *By post* **16s. 3d.**

Obtainable from
HER MAJESTY'S STATIONERY OFFICE
at the addresses shown on cover page iv
or through any bookseller

GENERAL REGISTER OFFICE

STUDIES ON MEDICAL AND POPULATION SUBJECTS

No. 17

Mass Miniature Radiography

A report on three years' examinations in England and Wales, 1955-1957

This study, which it is hoped will be of value to research workers and others interested in respiratory tuberculosis and other chest diseases, contains a detailed statistical analysis of the examinations made by Mass Miniature Radiography units in the three years 1955-57. The figures, which are based on all abnormalities found on examination and on a ten per cent sample of over ten and a half million examinations made during that period, are analysed by sex, age, social class, socio-economic and occupation groups, diagnosis (tuberculosis and other diseases discovered), medical history of the persons examined and area of residence.

Price **15s.** *net.* *By post* **15s. 7d.**

Obtainable from
HER MAJESTY'S STATIONERY OFFICE
at the addresses shown on cover page iv
or through any bookseller

The Registrar General's Statistical Review of England and Wales for the Two Years 1957 and 1958

Supplement on Mental Health

This volume contains tables and commentary relating to first and other admissions, discharges, and residents in mental and mental deficiency hospitals in 1957 and 1958; the figures are discussed in relation to age, sex, diagnosis, duration of stay, etc. The report also contains an analysis of patient movements for individual mental hospitals for 1957 and a cross tabulation of the principal causes of first admissions in 1957 and 1958 and other conditions requiring treatment.

Price **7s. 6d.** *net.* *By post* **8s.**

Obtainable from
HER MAJESTY'S STATIONERY OFFICE
at the addresses shown on cover page iv
or through any bookseller

© *Crown copyright* 1962

Published by
HER MAJESTY'S STATIONERY OFFICE

To be purchased from
York House, Kingsway, London w.c.2
423 Oxford Street, London w.1
13A Castle Street, Edinburgh 2
109 St. Mary Street, Cardiff
39 King Street, Manchester 2
50 Fairfax Street, Bristol 1
35, Smallbrook, Ringway, Birmingham 5
80 Chichester Street, Belfast 1
or through any bookseller

S.O. Code No. 70-141-1-60