BRITISH LIBRARY
OF POLITICAL AND
ECONOMIC SCIENCE

LONDON SCHOOL OF
ECONOMICS AND
POLITICAL SCIENCE
10, PORTUGAL STREET,
LONDON WC2A 2HD
Tel. 01-405 7686

**BRITISH LIBRARY OF
POLITICAL AND ECONOMIC SCIENCE**
The London School of Economics & Political Science
10 Portugal Street, London WC2A 2HD
Telephone: 01 - 405 7686

(1) S
[42(HA16D]
(2) 42(R7)

GENERAL REGISTER OFFICE

THE REGISTRAR GENERAL'S STATISTICAL REVIEW OF ENGLAND AND WALES FOR THE YEAR 1967

PART I
TABLES, MEDICAL

BRITISH LIBRARY
- 3 MAR 1969
OF POLITICAL AND ECONOMIC SCIENCE.

LONDON
HER MAJESTY'S STATIONERY OFFICE
PRICE £2 2*s.* 6*d.* NET

1138/1/R

The Registrar General's
Annual Estimates of the Population
of England and Wales
and of
Local Authority Areas

An annual publication issued to meet a general demand for the most recent figures of populations of local administrative area, county boroughs, administrative and geographical counties, the revised standard regions and conurbations. The latest estimates of the population of England and Wales as a whole, by sex, by single years of age to age 20 and by five-year age-groups thereafter, are also given.

Price 2*s.* 6*d.* (1967 edition). *By post* 2*s.* 9*d.*

Published by
HER MAJESTY'S STATIONERY OFFICE

and obtainable from the Government Bookshops in London (by post to P.O. Box 569, S.E.1), Edinburgh, Cardiff, Belfast, Manchester, Birmingham and Bristol, or through any bookseller

GENERAL REGISTER OFFICE

THE REGISTRAR GENERAL'S STATISTICAL REVIEW OF ENGLAND AND WALES FOR THE YEAR 1967

PART I
TABLES, MEDICAL

LONDON
HER MAJESTY'S STATIONERY OFFICE
1968

TABLE OF CONTENTS

Page

Explanatory Notes vi

Corrections xvii

Population

Table 1. Estimated population, total, home and civilian, by sex and age, as at 30th June, 1967. England and Wales 2

Table 2. Estimated home population by sex and age, as at 30th June, 1967. England and Wales, regions, Wales, conurbations, urban and rural aggregates outside conurbations, hospital regions 3

Serial mortality records

Table 3. Deaths, death rates, mortality comparisons, infant mortality, and live and still birth rates, 1841 to 1967. England and Wales 5

Table 4. Death rates per 1,000 living in age-groups and infant mortality per 1,000 live births, 1841 to 1967. England and Wales 6

Table 5. Quarterly death registrations, rates and ratios to yearly rates, 1841 to 1967. England and Wales 9

Table 6. Standardised Mortality Ratios (all ages) and death rates per million population at ages under 15 years from the principal epidemic and general diseases, 1851-1967. England and Wales 11

Table 7. Deaths by cause and sex at all ages, 1957 to 1967. England and Wales 12

Table 8. Crude death rates per million living from certain causes, by sex at all ages, 1957 to 1967. England and Wales 41

Table 9. Standardised Mortality Ratios (base years 1950-1952) by sex for certain causes of death, 1957 to 1967. England and Wales 55

Table 10. Death rates per 100,000 population at all ages and at ages over one year and infant mortality rates (deaths under 1 year per 1,000 live births) from certain causes, by sex, in each year 1963 to 1967. England and Wales 59

Table 11. Deaths of infants under 1 year from certain causes, 1957 to 1967. England and Wales 63

Table 12. Infant mortality rates (deaths under 1 year per 1,000 live births) from certain causes, 1957 to 1967. England and Wales 64

Vital statistics by local areas

Table 13. Home population, births, deaths, infant mortality and perinatal mortality, 1967. England and Wales, regions, Wales, conurbations, hospital regions, counties, Greater London, City of London, London and county boroughs, urban and rural districts 66

Deaths by age

Table 14. Deaths by sex at each year of age (with marital condition), 1967. England and Wales 100

Table 15. Constructed analysis of 1967 deaths by age and marital condition. England and Wales 102

Table 16. Deaths at different ages by month of occurrence, January to December, 1967. England and Wales 103

Table 17. Causes of death at different age periods, 1967. England and Wales .. 104

Page

Table 17A. Death rates per million living, by sex and age, from principal causes, 1967. England and Wales 156

Table 18A. Accidental poisoning and other non-transport accidents by place of occurrence, by sex and age, 1967. England and Wales 167

Table 18B. Suspended

Cause analysis

Table 18C. Deaths from violent causes - External cause according to nature of injury, 1967. England and Wales 174

Table 18D. Deaths from road traffic accidents and from accidental falls - Nature of injury according to external cause, sex and age, 1967. England and Wales 175

Table 18E. Deaths from accidents in the home and residential institutions by cause, sex and age, and death rates per million living, 1967. England and Wales 178

Table 19. Causes of death at different periods of life and Standardised Mortality Ratios, by sex, 1967. England and Wales, regions, Wales, conurbations, urban and rural aggregates outside conurbations, and hospital regions 180

Table 20. Suspended 254

Table 21. Causes of death by sex, 1967, classified in accordance with the Abridged List and Supplementary Abridged List. England and Wales, regions, Wales, conurbations, hospital regions, Greater London, City of London, London and county boroughs, administrative counties 255

Table 22. Causes of death by month of occurrence, January to December, 1967. England and Wales 293

Table 22 SUPPLEMENT. Causes of accidental death occurring in the home and residential institutions by month of occurrence, January to December, 1967. England and Wales 300

Stillbirths and Infant mortality

Table 23. Stillbirths by sex and legitimacy (with rates per 1,000 total births), 1967. England and Wales, regions, Wales, conurbations, hospital regions, Greater London, City of London, London and county boroughs, urban and rural aggregates in each administrative county 301

Table 23A. Stillbirths by cause, sex and mother's age at maternity (with, for certain selected causes, rates per 1,000 total births), 1967. England and Wales 304

Table 23B. Legitimate stillbirths by cause and parity of mother (with, for certain selected causes, rates per 1,000 total births), 1967. England and Wales 309

Table 23C. Stillbirths by cause and month of occurrence (with, for certain selected causes, rates per 1,000 total births), 1967. England and Wales 312

Table 23D. Stillbirths by cause and area of residence of mother (with, for certain selected causes, rates per 1,000 total births), 1967. England and Wales, regions, Wales, urban and rural aggregates, and hospital regions 316

Table 23E. Stillbirths by cause and length of gestation, 1967. England and Wales 326

Table 23F. Stillbirths by cause and birth weights, 1967. England and Wales .. 328

Table 23G. Stillbirths by cause and place of confinement (with for certain selected causes, rates per 1,000 total births), 1967. England and Wales 331

Table 23H Legitimate stillbirths by certain selected causes, parity of mother and number of previous stillbirths with rates per 1,000 total births, 1967. England and Wales 333

Page

Table 23I. Stillbirths by cause, sex and year of occurrence (with, for certain selected causes, rates per 1,000 total births), 1961 to 1967. England and Wales 335

Table 24. Deaths at various periods in the first year of life and death rates per 1,000 live births; stillbirths and combined stillbirths and infant deaths per 1,000 total births, 1967. England and Wales, regions, Wales, conurbations, urban and rural aggregates and hospital regions 340

Table 24 SUPPLEMENT. Stillbirth rates and infant death rates in various age periods, 1906 to 1967. England and Wales 342

Table 25. Deaths at various periods in the first year of life and death rates per 1,000 live births; stillbirths, and combined stillbirths and infant deaths per 1,000 total births, 1967, and the four quarters thereof. England and Wales 343

Table 25 SUPPLEMENT. Infant mortality rates per 1,000 live births for principal causes and at certain ages, and stillbirth rates per 1,000 total births, for year and quarters and quarterly percentages of the annual rates, 1967. England and Wales 344

Table 26. Infant mortality from certain causes, 1967. Deaths of infants under 1 year and various sub-divisions of the first year, with rates per 1,000 live births. Deaths of illegitimate infants, and rates per 1,000 illegitimate live births. England and Wales, regions, Wales, conurbations, urban and rural aggregates and hospital regions 345

Table 27. Causes of death at various ages under 5 years, 1967. England and Wales 357

Table 27 SUPPLEMENT. Infant death rates per 1,000 live births in various age periods, by sex, from principal causes, 1967. England and Wales 368

Infectious diseases

Table 28. Weekly notifications of certain infectious diseases and deaths from certain causes, 1967. England and Wales 369

Table 29. Cases of certain infectious diseases notified, 1957 to 1967. England and Wales 370

Table 30. Cases of certain infectious diseases notified, by sex and age, 1967. England and Wales, regions, Wales, conurbations, urban and rural aggregates outside conurbations, and hospital regions 371

Table 30 SUPPLEMENT. Notification rates per 100,000 living for certain infectious diseases, by sex and age, 1967. England and Wales .. 389

Table 31. Cases of certain infectious diseases notified, 1967. England and Wales, regions, Wales, conurbations, urban and rural aggregates outside conurbations, hospital regions, counties, London and county boroughs 390

Table 31 SUPPLEMENT. Corrected notifications and deaths assigned to a few uncommon infectious diseases, 1967. England and Wales 400

Weather

Table 32. Quarterly air temperature, rainfall and sunshine, 1967. England and Wales 401

Table 33. Rainfall, mean temperature and sunshine, 1914 to 1967. England and Wales 402

Table 34. Meteorological observations, 1967. Kew Observatory, Richmond .. 403

Page

Appendix A. Standardised Mortality Ratios (based on United Kingdom and Irish Republic experience), age specific death rates and infant mortality rates from selected causes and estimated mid-year populations, 1967. England and Wales, Scotland, Northern Ireland, Irish Republic 404

Appendix B. Abridged life table, 1967. England and Wales 410

Appendix C1. Tuberculosis of the respiratory system, death rates per million living, by sex and age, 1958 to 1967. England and Wales 411

Appendix C2. Tuberculosis of the respiratory system, notification rates* per 100,000 living, by sex and age, 1958 to 1967. England and Wales 412

Appendix C3. Tuberculosis of respiratory system, death rates per million living, by sex and age, notification ratios (notification per 100 deaths) and Standardised Mortality Ratios, 1967. England and Wales, regions, Wales, conurbations, urban and rural aggregates and hospital regions 413

Appendix C4. Tuberculosis of respiratory system, notification rates per 100,000 living, by sex and age, and Standardised Notification Ratios, 1967. England and Wales, regions, Wales, conurbations, urban and rural aggregates and hospital regions 414

Appendix D. Cancer, Standardised Mortality Ratios by sex for selected sites, 1967. England and Wales, regions, Wales, conurbations, urban and rural aggregates and hospital regions 415

Appendix E. Diseases of the circulatory system and vascular lesions affecting the central nervous system, death rates per million living, by sex at ages 45-64 and 65 and over, 1967. England and Wales, regions, Wales, conurbations, urban and rural aggregates 416

Appendix F1. Maternal deaths from principal causes, and associated maternal deaths, maternal mortality rates and associated maternal mortality rates per 100,000 total births, 1937 to 1967. England and Wales 417

Appendix F2. Deaths certified as associated with pregnancy or childbearing but not assigned to those causes, 1967. England and Wales 418

Appendix G. Deaths from selected causes by sex and age; and deaths in which autopsy or operation was known to have been performed (and the percentage of such deaths to all deaths), 1967. England and Wales 419

Appendix H1. Deaths from encephalitis certified as secondary to infectious disease by underlying cause, sex and age, 1967. England and Wales 421

Appendix H2. Deaths due to tetanus, by sex and age, showing cause of tetanus, 1967. England and Wales 421

Appendix H3. Deaths by cause, sex and age in which anaesthesia was mentioned, 1967. England and Wales 422

Appendix H4. Deaths by cause and sex according to type of institution, etc., in which they occurred, 1967. England and Wales 423

Appendix H5. Deaths by cause and sex, according to method of certification, 1967 England and Wales 426

EXPLANATORY NOTES

1. New or recent changes in presentation

No changes in presentation have been introduced since the 1965 volume.

2. Additional tables and data

The following unpublished items are available for reference at the General Register Office, or copies can be supplied on payment:

(i) Cancer mortality by site, sex, age and month of occurrence.

(ii) Cancer mortality by site, sex, age and hospital region of residence.

(iii) Deaths by cause (Registrar General's Abridged List - see Table 21), sex and age, for each county borough, London borough, municipal borough, urban district and rural district in England and Wales. Also, for each area, the live births, stillbirths, deaths under 1 year, deaths under 4 weeks and deaths under 1 week, all by sex and legitimacy.

(iv) Stillbirths by area, place of confinement, mothers' age and parity.

(v) Full list of I.C.D. categories for Table 17.

(vi) Deaths by sex and five year age-group for each county borough, London borough, municipal borough, urban district and rural district in England and Wales.

3. Populations

The estimates of populations appearing in this volume and described as 'home', 'total' or 'civilian' populations have the following content:

Home population - the population, of all types, actually in England and Wales, distributed by area according to residence.

Total population - the home population plus members of H.M. Forces belonging to England and Wales and serving overseas but minus the forces of other countries temporarily in England and Wales.

Civilian population - the total population minus members of H.M. Forces belonging to England and Wales at home or overseas.

4. Deaths

The deaths recorded in this volume are those registered in England and Wales. No distinction is made between deaths of civilians and deaths of non-civilians, except where stated for past years in serial tables.

Except in **Tables 16, 22** and **22 supplement** the deaths recorded are those registered in the calendar period, the time lag between the date of occurrence and the date of registration being usually only a day or two. In **Tables 16, 22** and **22 supplement** deaths are classified by calendar month of occurrence, but they exclude deaths occurring in the current year which were registered after 31st March in the following year.

In general deaths are assigned to the area of usual residence of the deceased if this is within England or Wales; if not, to the area of occurrence. Accommodation provided under Parts III and IV of the National Assistance Act, 1948, is regarded as the place of residence of persons dying there. Before 1st January 1958 chronic sick and psychiatric hospitals were similarly treated for this purpose but from this date the method of classification was modified, the main change being that a death in such a hospital is now assigned to the area of occurrence only if the deceased had been there six months or more. If the deceased had been there less than six months the death is transferred to the area of previous usual residence.

In some small areas the number of deaths may also have been appreciably affected by the opening, closing or change of use of certain institutions, so that figures may not be comparable with those of earlier years.

5. Causes of death

The classification of causes of death is that prescribed in the *International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955* (Seventh Revision) operating from the year 1958 in accordance with international agreement. In the tables this classification is referred to as ICD. Violent deaths are generally classified according to the External Cause of Injury (E codes), but the alternative method of classification by the Nature of Injury (N codes) is also used in **Tables 7, 8, 17, 17A, 18C, 18D, 19** and **27.** The Abridged List used for separate areas in **Table 21** is an adaption of the International List and was adopted by the Registrar General in consultation with the Ministry of Health; it is extended by the Supplementary Abridged List in the same table. The list used in **Table 19** is designed so that it can be condensed into either the International Abbreviated List or the Abridged List of **Table 21. Tables 18C** and **18D** employ both of the alternative classifications for violent deaths in the International Intermediate List.

The 1955 International Classification differs only very slightly from that for 1948. For most causes of death, therefore, statistics compiled according to the 1955 Classification should be comparable with those compiled according to that for 1948. (*see* Appendix B of the *1957 Statistical Review, Part III, Commentary*).

Where more than one cause of death is mentioned on the medical certificate, the choice of the assigned cause is in accordance with international procedure, determined in the main from the statement of the certifier, and not by arbitrary rules of precedence.

6. Death rates

The death rates for 1950 and on (except for infant mortality and maternal mortality) are derived from the total deaths registered in this country and are based on the home population, while those for 1940-49 are derived from civilian deaths and populations (*see* note 3 on page vii). All death rates for years prior to 1958 have been revised so far as possible to the current method of cause classification. Death rates for the years 1951 to 1953 shown in this volume are in some cases slightly different from corresponding rates published in Parts I and II for these years because the estimated populations on which they are based have been revised in the light of final data from the 1951 Census. Similarly, death rates for 1961 and 1962 have been recalculated using final data from the 1961 Census.

The crude death rates for local areas in **Table 13** (col. 14) may not be comparable one with another. In the first place, the populations on which they are based may have widely differing structures by sex and age. In order to eliminate differences between local death rates due to this cause a standardising factor, termed an Area Comparability Factor, is calculated (as described on page 144 of the *1965 Statistical Review, Part III, Commentary**). In the second place, the populations on which the crude death rates are based may include a disproportionate number of invalids if there are certain types of hospitals in the area. In order to eliminate this difference the Area Comparability Factors are adjusted so that they have the effect of apportioning the deaths and the populations in chronic sick and psychiatric hospitals over all areas of the country according to their non-institutional populations. The product of the crude death rate and the adjusted Area Comparability Factor (col. 15 in **Table 13**) is a rate which makes allowance for these two influences. The ratio of this adjusted rate to the rate for England and Wales as a whole is shown in col. 16 of **Table 13.**

Infant mortality rates are based upon the live births occurring in the year, except in the years 1931 to 1956 when they were based upon related live births, i.e. the combined live births of the associated and preceding year to which they relate. Maternal mortality rates are based upon live and still births occurring in the calendar year, except in the case of deaths from abortion which are based on the estimated numbers of women aged 15-44. Perinatal mortality rates are based on the number of deaths under one week plus still-births per thousand total live and still births.

---

* Obtainable from Her Majesty's Stationery Office, price 33s. 6d. net.

7. Standard mortality comparisons

The Comparative Mortality Index introduced in 1942 has since 1958 been replaced by a Standardised Mortality Ratio (SMR) which shows the number of deaths registered in the year of experience as a percentage of those which would have been expected in that year had the sex/age mortality of a standard period (1950-52) operated on the sex/age population of the year of experience. SMR's based on the standard period (1950-52) are shown in **Table 3, 6** and **9.** In **Table 19**, SMR's for areas are similarly calculated by applying the sex/age mortality in England and Wales in the year under review to the sex/age populations of the area. In **Appendix A** a United Kingdom and Irish Republic standard is similarly used.

8. Births and birth rates

The births recorded are those occurring in the calendar year. Births are assigned to the area of the mother's usual residence if this is within England or Wales; if not, to the area of occurrence.

The crude birth rates for local areas in **Table 13** (col. 8) may not be comparable one with another because the populations on which they are based may contain different relative numbers of women of childbearing ages. In order to eliminate differences between local birth rates due to this cause a standardising factor, termed an Area Comparability Factor, is calculated (as described on page 144 of the *1965 Statistical Review, Part III, Commentary**). The product of the crude birth rate and this Area Comparability Factor (col. 9 in **Table 13**) is a rate which makes allowance for this influence. The ratio of this adjusted rate to the rate for England and Wales as a whole is shown in col. 10 of **Table 13.**

9. Causes of stillbirth

Classification of causes of stillbirth in **Tables 23A-23I** is according to the Supplementary List for causes of stillbirth, set out on pages 336-348 of the *International Statistical Classification of Diseases, Injuries and Causes of Death, 1955* (Seventh Revision), with further sub-division of certain rubrics, and as modified by the following changes of assignment:

Cause of stillbirth	Rubric to which cause is assigned (i) in International Classification	(ii) in tables listed above
Patent ductus arteriosus	39.5	38.41
Patent foramen ovale		38.43
Congenital heart condition NOS		38.45
Foetal heart condition NOS		38.45

10. Notification of infectious diseases

Tables 29, 30, 30 Supplement, 31, 31 Supplement and Appendices C2, C3, C4, are based on notifications corrected for subsequent amendments of diagnosis by the notifying medical practitioner or by the medical superintendent of the infectious disease hospital. Non-civilians are included unless otherwise stated.

11. Changes in boundaries

Areas which have undergone a change of boundary during the year are identified in **Table 13** by an asterisk * , newly created areas by the sign †, and abolished areas by the sign ‡. For any such area the statistics shown for the current year represent the events assigned to the area within the boundaries as they existed at the date of registration of the event, and the population given in **Table 13** (col. 2), which is used for the calculation of crude birth and death rates, is a weighted average of the mid-year populations of the area as constituted before and after the change. This population figure may therefore differ from any given in **Table 2** for the same region, conurbation, etc., which relates to the area as constituted at mid-year. Details of boundary changes are given in an appendix to Part II of the Statistical Review.

---

* Obtainable from Her Majesty's Stationery Office, price 33s. 6d. net.

12. Indication of reliability

Rates given as 0 indicate that the actual rate is less than one half of a unit. A dash (-) in any column indicates that there were no events. Where a cell has been left blank, no denominator is available.

Rates calculated from less than 20 births, deaths or notifications are distinguished by italic type as a warning to the user that the smallness of the experiences may affect their reliability as a measure.

Numbers

If d represents the deaths in an area and p the population in that area then, if d/p is small, the standard error (s.e.) of d is approximately $\sqrt{d}$ assuming that the deaths are independent of one another. Clearly, the larger the number of deaths the smaller will be the proportionate variability. A deviation either way of twice the s.e. may be expected about once in 20 times. Using this criterion one might expect towns each averaging 20 deaths per year to yield in the same year numbers ranging between 11 and 29 without such differences having any statistical significance. Alternatively it could be said that if 20 deaths were recorded for a town, this number would have a 95 per cent confidence interval of approximately ± 9, there being a 95 per cent chance that the underlying mortality is represented by a number of deaths within this interval.

If d is thought to be an extreme variation it would be more reliable to use as the standard error not $\sqrt{d}$ but $\sqrt{d'}$ where d' is the number of deaths expected if some standard rate (e.g. the national rate) were applied.

Rates

The appropriate standard error of a death rate when d represents the number of deaths and p the population is

$$\frac{\sqrt{d}}{p} \quad \text{or} \quad \frac{m}{\sqrt{d}}$$

where m is the death rate. The difference between two local death rates m_1 and m_2 can be regarded as significant only if it amounts to more than twice the standard error of the difference, viz.

$$2\sqrt{\left(\frac{m_1^2}{d_1} + \frac{m_2^2}{d_2}\right)}$$

Comparison of adjusted rates

Before comparisons are made, other known sources of variations (such as differences in the sex and age composition of the population) must be removed. If C is the local death Area Comparability Factor, then mC is to be compared with m', the national death rate. The s.e. of mC is

$$C\sqrt{\left(\frac{m}{p}\right)}$$

and

$$mC \pm 2C\sqrt{\left(\frac{m}{p}\right)}$$

is to be compared with m'. As already indicated, m' can be used instead of m in the calculation of the s.e.; m' has the advantage of itself having only a small sampling error.

13. Abbreviations

A.C.	-	administrative county	M.B.	-	municipal borough
C.B.	-	county borough	U.D.	-	urban district
L.B.	-	London borough	R.D.	-	rural district

Greater London - the Greater London Council Area, comprising the City of London (including the Inner and Middle Temple) and the London boroughs.

14. Regions

The constitution of the regions of England and Wales used in this volume is as follows:-

Northern

Cumberland
Durham
Northumberland
Westmorland
Yorkshire, North Riding

Yorkshire and Humberside

Lincolnshire, Parts of Lindsey,
Yorkshire, East Riding
Yorkshire, West Riding

North Western

Cheshire
Derbyshire, Part of [2]
Lancashire

East Midland

Derbyshire, Part of [3]
Leicestershire
Lincolnshire
  Parts of Holland
  Parts of Kesteven
Northamptonshire
Nottinghamshire
Rutland

West Midland

Herefordshire
Shropshire
Staffordshire
Warwickshire
Worcestershire

East Anglia

Cambridgeshire and Isle of Ely
Huntingdon and Peterborough
Norfolk
Suffolk, East
Suffolk, West

South Eastern

Bedfordshire
Berkshire
Buckinghamshire
Dorset, Part of [4]
Essex
Greater London
Hampshire
Hertfordshire
Kent
Oxfordshire
Surrey
Sussex, East
Sussex, West
Wight, Isle of

South Western

Cornwall
Devon
Dorset, Part of [1]
Gloucestershire
Somerset
Wiltshire

Wales I (South Eastern)

Breconshire
Carmarthenshire
Glamorgan
Monmouthshire

Wales II (Remainder)

Anglesey
Caernarvonshire
Cardiganshire
Denbighshire
Flintshire
Merionethshire
Montgomeryshire
Pembrokeshire
Radnorshire

1. All except Poole M.B.
2. Buxton M.B., Glossop M.B., New Mills U.D., Whaley Bridge U.D., Chapel en le Frith R.D.
3. All except areas in 2 above
4. Poole M.B. only

15. Outer Metropolitan Area

The part of the South Eastern region outside Greater London is split in some tables into Outer Metropolitan area and Remainder of South Eastern. The composition of the Outer Metropolitan area is as follows:-

Hertfordshire

Surrey

Bedfordshire (part)

Luton C.B.
Dunstable M.B.
Leighton - Linslade U.D.
Luton R.D.

Berkshire (part)

Reading C.B.
Maidenhead M.B.
New Windsor M.B.
Wokingham M.B.
Bradfield R.D.
Cookham R.D.
Easthampstead R.D.
Windsor R.D.
Wokingham R.D.

Buckinghamshire (part)

Aylesbury M.B.
Beaconsfield U.D.
Bletchley U.D.
Chesham U.D.
Eton U.D.
High Wycombe M.B.
Marlow U.D.
Slough M.B.
Amersham R.D.
Aylesbury R.D.
Eton R.D.
Wing R.D.
Wycombe R.D.

Essex (part)

Southend on Sea C.B.
Basildon U.D.
Benfleet U.D.
Brentwood U.D.
Canvey Island U.D.
Chelmsford M.B.
Chigwell U.D.
Epping U.D.
Harlow U.D.
Rayleigh U.D.
Thurrock U.D.
Waltham Holy Cross U.D.
Chelmsford R.D.
Epping and Ongar R.D.
Rochford R.D.

Hampshire (part)

Aldershot M.B.
Farnborough U.D.
Fleet U.D.
Hartley Wintney R.D.

Kent (part)

Chatham M.B.
Dartford M.B.
Gillingham M.B.
Gravesend M.B.
Maidstone M.B.
Northfleet U.D.
Rochester M.B.
Royal Tunbridge Wells M.B.
Sevenoaks U.D.
Southborough U.D.
Swanscombe U.D.
Tonbridge U.D.
Dartford R.D.
Maidstone R.D.
Malling R.D.
Sevenoaks R.D.
Strood R.D.
Tonbridge R.D.

Oxfordshire (part)

Henley-on-Thames M.B.
Henley R.D.

Sussex, East (part)

Burgess Hill U.D.
Cuckfield U.D.
East Grinstead U.D.
Cuckfield R.D.
Uckfield R.D.

Sussex, West (part)

Crawley U.D.
Horsham U.D.
Horsham R.D.

16. Conurbations

The conurbation areas each consist of an aggregation of entire local authority areas and are constituted as follows:-

Tyneside

Durham (part)

Gateshead C.B.
South Shields C.B.

Felling U.D.
Hebburn U.D.
Jarrow M.B.
Whickham U.D.

Northumberland (part)

Newcastle upon Tyne C.B.
Tynemouth C.B.

Gosforth U.D.
Longbenton U.D.
Newburn U.D.
Wallsend M.B.
Whitley Bay M.B.

West Yorkshire

Yorkshire, West Riding (part)

Bradford C.B.
Dewsbury C.B.
Halifax C.B.
Huddersfield C.B.
Leeds C.B.
Wakefield C.B.

Aireborough U.D.
Baildon U.D.
Batley M.B.
Bingley U.D.
Brighouse M.B.
Colne Valley U.D.
Denby Dale U.D.
Denholme U.D.
Elland U.D.
Heckmondwike U.D.
Holmfirth U.D.

Horbury U.D.
Horsforth U.D.
Keighley M.B.
Kirkburton U.D.
Meltham U.D.
Mirfield U.D.
Morley M.B.
Ossett M.B.
Pudsey M.B.
Queensbury and Shelf U.D.
Ripponden U.D.

Rothwell U.D.
Shipley U.D.
Sowerby Bridge U.D.
Spenborough M.B.
Stanley U.D.

South East Lancashire

Cheshire (part)

Stockport C.B.

Alderley Edge U.D.
Altrincham M.B.
Bowdon U.D.
Bredbury and Romiley U.D.
Cheadle and Gatley U.D.

Dukinfield M.B.
Hale U.D.
Hazel Grove and Bramhall U.D.
Hyde M.B.

Marple U.D.
Sale M.B.
Stalybridge M.B.
Wilmslow U.D.

Disley R.D.

Lancashire (part)

Bolton C.B.
Bury C.B.
Manchester C.B.
Oldham C.B.
Rochdale C.B.
Salford C.B.

Ashton-under-lyne M.B.
Audenshaw U.D.
Chadderton U.D.
Crompton U.D.
Denton U.D.

Droylsden U.D.
Eccles M.B.
Failsworth U.D.
Farnworth M.B.
Heywood M.B.

Horwich U.D.
Irlam U.D.

Kearsley U.D.
Lees U.D.
Littleborough U.D.
Little Lever U.D.
Middleton M.B.

Milnrow U.D.
Mossley M.B.
Prestwich M.B.
Radcliffe M.B.
Royton U.D.

Stretford M.B.
Swinton and Pendlebury M.B.
Tottington U.D.
Urmston U.D.
Wardle U.D.

Westhoughton U.D.
Whitefield U.D.
Whitworth U.D.
Worsley U.D.

Merseyside

Cheshire (part)

Birkenhead C.B.
Wallasey C.B.

Bebington M.B.

Ellesmere Port M.B.
Hoylake U.D.
Neston U.D.
Wirral U.D.

Lancashire (part)

Bootle C.B.
Liverpool C.B.

Crosby M.B.
Huyton-with-Roby U.D.
Litherland U.D.

West Midlands

Staffordshire (part)

Dudley C.B.
Walsall C.B.
West Bromwich C.B.
Wolverhampton C.B.
Aldridge - Brownhills U.D.

Warwickshire (part)

Birmingham C.B.
Solihull C.B.

Sutton Coldfield M.B.

Worcestershire (part)

Warley C.B.
Halesowen M.B.
Stourbridge M.B.

Greater London

Greater London Council Area

17. Hospital Regions

The hospital regions presented in this volume consist of aggregations of entire local authority areas. They are identical with the areas of regional hospital boards except where the boundaries of the latter divide local authority areas. Any such divided local authority area is allocated to the hospital region containing the greater proportion of the population.

Newcastle

Cumberland

Durham

Northumberland

Westmorland (part)

Appleby M.B.

North Westmorland R.D.

Yorkshire, North Riding (part)

Middlesbrough C.B.

Eston U.D.
Guisborough U.D.
Loftus U.D.
Northallerton U.D.
Redcar M.B.
Richmond M.B.
Saltburn and Marske-by-the-Sea U.D.
Skelton and Brotton U.D.
Thornaby-on-Tees M.B.

Croft R.D.
Northallerton R.D.
Reeth R.D.
Richmond R.D.
Startforth R.D.
Stokesley R.D.

Leeds

Yorkshire, East Riding

Yorkshire, North Riding (part)
(except areas stated in Newcastle Region)

Yorkshire, West Riding (part)
(except areas stated in Sheffield Region)

Sheffield

Leicestershire

Lincolnshire
Parts of Holland
Parts of Lindsey

Nottinghamshire

Derbyshire (part)
(except areas stated in Manchester Region)

Lincolnshire
Parts of Kesteven (part)
(except areas stated in East Anglia Region)

Rutland (part)

Oakham U.D.
Oakham R.D.
Uppingham R.D.

Yorkshire, West Riding (part)

Barnsley C.B.
Doncaster C.B.
Rotherham C.B.
Sheffield C.B.

Adwick le Street U.D.
Bentley with Arksey U.D.
Conisbrough U.D.
Cudworth U.D.
Darfield U.D.

Darton U.D.
Dearne U.D.
Dodworth U.D.
Hoyland Nether U.D.
Maltby U.D.

Mexborough U.D.
Penistone U.D.
Rawmarsh U.D.

Royston U.D.
Stocksbridge U.D.
Swinton U.D.
Tickhill U.D.

Wath upon Dearne U.D.
Wombwell U.D.
Worsbrough U.D.

Doncaster R.D.
Kiveton Park R.D.
Penistone R.D.
Rotherham R.D.

Thorne R.D.
Wortley R.D.

East Anglia

Cambridgeshire and Isle of Ely

Huntingdon and Peterborough

Norfolk

Suffolk, East

Suffolk, West

Essex (part)

Saffron Walden M.B.
Saffron Walden R.D.

Hertfordshire (part)

Royston U.D.

Lincolnshire
Parts of Kesteven (part)

Bourne U.D.
Stamford M.B.
South Kesteven R.D.

Rutland (part)

Ketton R.D.

North West Metropolitan

Bedfordshire

Hertfordshire (part)
(except areas stated in East Anglia and North East Metropolitan Regions)

Surrey (part)

Staines U.D.
Sunbury-on-Thames U.D.

Berkshire (part)

Maidenhead M.B.
New Windsor M.B.
Cookham R.D.
Easthampstead R.D.
Windsor R.D.

Buckinghamshire (part)

Beaconsfield U.D.
Eton U.D.
Slough M.B.
Eton R.D.

Greater London (part)

Barnet L.B.
Brent L.B.
Camden L.B.
Ealing L.B.
Haringey L.B.
Harrow L.B.
Hillingdon L.B.
Hounslow L.B.
Islington L.B.
Richmond-upon-Thames L.B.
Westminster L.B.

North East Metropolitan

Essex (part)
(except areas stated in East Anglia Region)

Hertfordshire (part)

Bishop's Stortford U.D.
Cheshunt U.D.
Hertford M.B.
Hoddesdon U.D.
Sawbridgeworth U.D.

Hertfordshire (part)

Ware U.D.
Braughing R.D.
Hertford R.D.
Ware R.D.

Greater London (part)

City of London
Inner and Middle Temple

Greater London (part) - ctd.

Barking L.B.
Enfield L.B.
Hackney L.B.
Havering L.B.
Newham L.B.
Redbridge L.B.
Tower Hamlets L.B.
Waltham Forest L.B.

South East Metropolitan

Kent

Sussex, East

Greater London (part)

Bexley L.B.
Bromley L.B.
Greenwich L.B.
Lewisham L.B.
Southwark L.B.

South West Metropolitan

Sussex, West

Hampshire (part)

Aldershot M.B.
Farnborough U.D.
Fleet U.D.

Greater London (part)

Croydon L.B.
Hammersmith L.B.
Kensington and Chelsea L.B.
Kingston-upon-Thames L.B.
Lambeth L.B.

Greater London (part) - ctd.

Merton L.B.
Sutton L.B.
Wandsworth L.B.

Surrey (part)
(except areas stated in North West Metropolitan Region)

Wessex

Wight, Isle of

Dorset (part)
(all areas except Lyme Regis M.B.)

Hampshire (part)
(except areas stated in South West Metropolitan Region)

Wiltshire (part)

Salisbury M.B.
Wilton M.B.
Amesbury R.D.
Mere and Tisbury R.D.
Salisbury and Wilton R.D.

Oxford

Northamptonshire

Oxfordshire

Berkshire (part)
(except areas stated in North West Metropolitan Region)

Buckinghamshire (part)
(except areas stated in North West Metropolitan Region)

Gloucestershire (part)

Cirencester U.D.

Cirencester R.D.
North Cotswold R.D.
Northleach R.D.

Wiltshire (part)

Marlborough M.B.
Swindon M.B.

Cricklade and Wootton Bassett R.D.
Highworth R.D.
Marlborough and Ramsbury R.D.
Pewsey R.D.

Hospital regions - *continued*

South Western

Cornwall Devon Somerset *Dorset (part)* Lyme Regis M.B.	*Gloucestershire (part)* *(except areas stated in Oxford Region)* *Wiltshire (part)* *(except areas stated in Wessex and Oxford Regions)*

Welsh

All areas in Wales including Monmouthshire

Birmingham

Herefordshire Shropshire Staffordshire Warwickshire Worcestershire

Manchester

Cheshire (part) *(except areas stated in Liverpool Region)* *Lancashire (part)* *(except areas stated in Liverpool Region)* *Westmorland (part)* *(except areas stated in Newcastle Region)*	*Derbyshire (part)* Buxton M.B. Glossop M.B. New Mills U.D. Whaley Bridge U.D. Chapel en le Frith R.D.

Liverpool

Cheshire (part)	*Lancashire (part)*	
Birkenhead C.B.	Bootle C.B.	Litherland U.D.
Chester C.B.	Liverpool C.B.	Newton-le-Willows U.D.
Wallasey C.B.	St. Helens C.B.	Ormskirk U.D.
	Southport C.B.	Prescot U.D.
Bebington M.B.	Warrington C.B.	Rainford U.D.
Ellesmere Port M.B.		Skelmersdale U.D.
Hoylake U.D.	Crosby M.B.	Widnes M.B.
Lymm U.D.	Formby U.D.	
Neston U.D.	Golborne U.D.	Warrington R.D.
Runcorn U.D.	Haydock U.D.	West Lancashire R.D.
	Huyton-with-Roby U.D.	Whiston R.D.
Wirral U.D.	Kirkby U.D.	
Chester R.D.		
Runcorn R.D.		
Tarvin R.D.		

18. Urban and rural aggregates

These aggregates comprise (a) the six conurbations combined (b) the aggregates of urban local authority areas outside the conurbations in three groups according to the size of their resident population at the 1961 Census and (c) the aggregate of rural local authority areas outside the conurbations. Urban areas include boroughs and urban districts as defined by the Local Government Acts, and rural areas are rural districts as similarly defined.

CORRECTIONS

STATISTICAL REVIEW, 1963: PART I, TABLES, MEDICAL

Page 40 Table 7 — Minor cause ICD E956

for 1961, 1F; *read* 1962, 1F;

STATISTICAL REVIEW, 1964: PART I, TABLES, MEDICAL

Page 40 Table 7 — Minor cause ICD E956

for 1961, 1F; *read* 1962, 1F;

STATISTICAL REVIEW, 1965: PART I, TABLES, MEDICAL

Page 40 Table 7 — Minor cause ICD E956

for 1961, 1F; *read* 1962, 1F;

Page 68 Table 13 — Stillbirths (col 21), Slough M.B.

for 9 *read* 19

Page 302 Table 23 — Stillbirth rate, County boroughs

for 11 *read* 17

STATISTICAL REVIEW, 1966: PART I, TABLES, MEDICAL

Table 1

Home population

Age 20	P	*for*	679·4	*read*	686·3
	M	*for*	340·1	*read*	346·8
	F	*for*	339·3	*read*	339·5
All ages under 21	P	*for*	15,457·0	*read*	15,463·9
	M	*for*	7,903·5	*read*	7,910.2
	F	*for*	7,553·5	*read*	7,553·7

Civilian population

Age 20	P	*for*	658·0	*read*	673·0
	M	*for*	320·8	*read*	334·9
	F	*for*	337·2	*read*	338·1
All ages under 21	P	*for*	15,379·2	*read*	15,394·2
	M	*for*	7,833·4	*read*	7,847·5
	F	*for*	7,545·8	*read*	7,546·7

Page 40 Table 7 — Minor cause ICD E956

for 1961, 1F; *read* 1962, 1F;

PART I

TABLES, MEDICAL

TABLE 1. Estimated population, total, home and civilian, by sex and age, as at 30th June 1967

England and Wales

See explanatory note 3

(Figures in thousands)

Age	Total			Home			Civilian		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
All ages	**48,488.9**	**23,658.9**	**24,830.0**	**48,390.8**	**23,562.3**	**24,828.5**	**48,123.6**	**23,307.2**	**24,816.4**
0	828.3	425.4	402.9	828.3	425.4	402.9	828.3	425.4	402.9
1	835.3	427.8	407.5	835.3	427.8	407.5	835.3	427.8	407.5
2	845.9	433.9	412.0	845.9	433.9	412.0	845.9	433.9	412.0
3	840.2	431.0	409.2	840.2	431.0	409.2	840.2	431.0	409.2
4	824.5	422.9	401.6	824.5	422.9	401.6	824.5	422.9	401.6
0-4	**4,174.2**	**2,141.0**	**2,033.2**	**4,174.2**	**2,141.0**	**2,033.2**	**4,174.2**	**2,141.0**	**2,033.2**
5	805.7	412.9	392.8	805.7	412.9	392.8	805.7	412.9	392.8
6	773.4	396.7	376.7	773.4	396.7	376.7	773.4	396.7	376.7
7	737.0	378.1	358.9	737.0	378.1	358.9	737.0	378.1	358.9
8	722.9	370.7	352.2	722.9	370.7	352.2	722.9	370.7	352.2
9	708.0	363.2	344.8	708.0	363.2	344.8	708.0	363.2	344.8
5-9	**3,747.0**	**1,921.6**	**1,825.4**	**3,747.0**	**1,921.6**	**1,825.4**	**3,747.0**	**1,921.6**	**1,825.4**
10	679.8	348.2	331.6	679.8	348.2	331.6	679.8	348.2	331.6
11	655.7	336.6	319.1	655.7	336.6	319.1	655.7	336.6	319.1
12	643.5	329.6	313.9	643.5	329.6	313.9	643.5	329.6	313.9
13	654.8	335.0	319.8	654.8	335.0	319.8	654.8	335.0	319.8
14	650.1	332.7	317.4	650.1	332.7	317.4	650.1	332.7	317.4
10-14	**3,283.9**	**1,682.1**	**1,601.8**	**3,283.9**	**1,682.1**	**1,601.8**	**3,283.9**	**1,682.1**	**1,601.8**
15	652.4	334.1	318.3	652.7	334.4	318.3	649.8	331.5	318.3
16	670.2	342.9	327.3	670.8	343.5	327.3	663.5	336.2	327.3
17	701.3	358.5	342.8	701.5	358.6	342.9	688.4	346.5	341.9
18	735.5	376.2	359.3	730.4	371.1	359.3	715.1	358.1	357.0
19	803.1	409.3	393.8	793.9	400.3	393.6	776.8	385.6	391.2
15-19	**3,562.5**	**1,821.0**	**1,741.5**	**3,549.3**	**1,807.9**	**1,741.4**	**3,493.6**	**1,757.9**	**1,735.7**
20	851.6	435.4	416.2	841.3	425.4	415.9	824.8	410.7	414.1
All ages under 21	**15,619.2**	**8,001.1**	**7,618.1**	**15,595.7**	**7,978.0**	**7,617.7**	**15,523.5**	**7,913.3**	**7,610.2**
20-24	3,592.6	1,828.9	1,763.7	3,551.8	1,788.9	1,762.9	3,478.6	1,719.9	1,758.7
25-29	3,017.7	1,539.1	1,478.6	2,998.1	1,519.8	1,478.3	2,948.0	1,470.4	1,477.6
30-34	2,926.7	1,510.8	1,415.9	2,916.1	1,500.4	1,415.7	2,885.8	1,470.4	1,415.4
35-39	2,983.8	1,528.5	1,455.3	2,975.5	1,520.3	1,455.2	2,950.1	1,495.2	1,454.9
40-44	3,130.1	1,577.7	1,552.4	3,126.8	1,574.4	1,552.4	3,112.2	1,560.1	1,552.1
45-49	3,152.4	1,568.3	1,584.1	3,150.7	1,566.6	1,584.1	3,138.7	1,554.9	1,583.8
50-54	3,052.6	1,485.9	1,566.7	3,052.0	1,485.3	1,566.7	3,046.7	1,480.2	1,566.5
55-59	3,055.0	1,466.4	1,588.6	3,055.0	1,466.4	1,588.6	3,054.4	1,465.9	1,588.5
60-64	2,756.7	1,283.6	1,473.1	2,756.7	1,283.6	1,473.1	2,756.7	1,283.6	1,473.1
65-69	2,220.1	961.5	1,258.6	2,220.1	961.5	1,258.6	2,220.1	961.5	1,258.6
70-74	1,651.5	631.2	1,020.3	1,651.5	631.2	1,020.3	1,651.5	631.2	1,020.3
75-79	1,144.4	400.2	744.2	1,144.4	400.2	744.2	1,144.4	400.2	744.2
80-84	663.7	208.6	455.1	663.7	208.6	455.1	663.7	208.6	455.1
85 and over	374.0	102.5	271.5	374.0	102.5	271.5	374.0	102.5	271.5

TABLE 2. Estimated home population by sex and age, as at 30th June 1967

England and Wales, regions, Wales, conurbations, urban and rural aggregates outside conurbations, hospital regions

Note. A definition of the modified hospital regions used in this volume appears in Section 17 of the explanatory notes.

(figures in thousands)

		All ages	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 and over
ENGLAND AND WALES	M	23,562.3	425.4	1,715.6	1,921.6	1,682.1	1,807.9	1,788.9	1,519.8	1,500.4	1,520.3	1,574.4	1,566.6	1,485.3	1,466.4	1,283.6	961.5	631.2	711.3
	F	24,828.5	402.9	1,630.3	1,825.4	1,601.8	1,741.4	1,762.9	1,478.3	1,415.7	1,455.2	1,552.4	1,584.1	1,566.7	1,588.6	1,473.1	1,258.6	1,020.3	1,470.8
Regions and conurbations:																			
Northern	M	1,637.7	28.4	117.8	146.1	123.0	126.0	118.4	104.9	106.8	109.8	111.5	104.1	98.3	98.2	87.9	65.9	43.2	47.4
	F	1,691.8	26.9	111.9	139.8	117.2	120.0	121.7	104.3	101.7	102.4	106.6	103.0	101.6	106.0	96.5	82.6	64.6	85.0
Tyneside Conurbation	M	412.1	7.0	29.3	36.6	30.5	31.0	29.4	26.4	26.6	27.8	29.2	26.5	25.0	25.0	22.4	17.0	11.0	11.4
	F	437.3	6.6	27.8	35.0	29.2	31.1	31.9	26.6	25.8	26.5	28.6	26.9	26.4	28.0	25.5	22.1	17.2	22.1
Remainder of Northern	M	1,225.6	21.4	88.5	109.5	92.5	95.0	89.0	78.5	80.2	82.0	82.3	77.6	73.3	73.2	65.5	48.9	32.2	36.0
	F	1,254.5	20.3	84.1	104.8	88.0	88.9	89.8	77.7	75.9	75.9	78.0	76.1	75.2	78.0	71.0	60.5	47.4	62.9
Yorkshire and Humberside	M	2,325.3	42.5	171.0	194.3	170.8	178.4	166.1	144.8	144.2	152.1	155.5	156.1	148.0	146.4	129.9	96.0	61.9	67.3
	F	2,457.6	40.1	162.7	184.5	162.2	174.2	172.2	144.5	138.7	141.6	152.8	157.1	155.7	159.1	150.3	125.3	99.2	137.4
West Yorkshire Conurbation	M	828.0	15.4	62.7	69.2	60.5	58.6	56.1	50.9	51.0	54.8	55.0	56.3	53.4	54.5	48.8	35.6	22.5	22.7
	F	902.2	14.5	59.6	65.2	58.6	58.1	60.3	50.7	49.6	51.0	54.0	57.5	58.4	61.6	59.2	50.8	39.8	53.3
Remainder of Yorkshire and Humberside	M	1,497.3	27.1	108.3	125.1	110.3	119.8	110.0	93.9	93.2	97.3	100.5	99.8	94.6	91.9	81.1	60.4	39.4	44.6
	F	1,555.4	25.6	103.1	119.3	103.6	116.1	111.9	93.8	89.1	90.6	98.8	99.6	97.3	97.5	91.1	74.5	59.4	84.1
North Western	M	3,245.2	60.7	248.2	281.5	243.9	242.7	225.2	200.6	200.6	206.1	212.5	215.1	208.9	207.1	180.9	135.1	86.8	89.3
	F	3,510.7	57.4	236.1	266.5	233.5	239.8	240.0	199.1	193.3	199.9	215.1	223.8	226.0	230.7	217.0	186.6	148.8	197.1
South East Lancashire Conurbation	M	1,177.3	22.6	91.4	100.3	87.7	85.9	81.3	72.3	72.3	77.2	78.5	80.0	77.7	75.9	64.9	47.8	30.5	31.0
	F	1,274.4	21.4	86.9	94.5	84.1	85.9	87.0	71.8	69.6	73.5	78.6	82.7	83.8	84.1	78.2	67.7	53.9	70.7
Merseyside Conurbation	M	653.6	12.5	53.3	62.4	52.2	52.3	50.8	43.7	41.2	39.0	40.5	40.9	38.6	37.6	32.4	24.7	15.6	15.9
	F	715.0	11.8	50.8	59.8	50.5	53.1	54.8	43.0	39.7	39.3	42.5	43.8	42.5	42.5	39.3	34.7	27.9	39.0
Remainder of North Western	M	1,414.3	25.6	103.5	118.8	104.0	104.5	93.1	84.6	87.1	89.9	93.5	94.2	92.6	93.6	83.6	62.6	40.7	42.4
	F	1,521.3	24.2	98.4	112.2	98.9	100.8	98.2	84.3	84.0	87.1	94.0	97.3	99.7	104.1	99.5	84.2	67.0	87.4
East Midland	M	1,632.3	29.6	119.6	133.3	119.4	127.9	118.2	104.8	106.3	108.3	112.5	109.5	100.8	100.4	88.2	64.5	41.4	47.6
	F	1,663.2	28.1	113.5	127.8	111.1	120.3	117.9	101.2	97.8	100.7	104.6	104.1	103.4	104.1	95.2	80.1	63.4	89.9
West Midland	M	2,517.2	47.5	188.0	208.6	180.8	207.5	193.7	166.9	170.3	170.6	177.3	172.0	154.5	149.3	126.3	87.3	55.6	61.0
	F	2,550.2	45.0	178.5	196.7	171.5	196.3	189.8	158.9	154.0	157.8	167.8	162.7	154.9	153.7	139.6	112.2	87.6	123.2
West Midlands Conurbation	M	1,210.4	23.1	90.6	96.9	84.8	99.6	94.8	81.9	82.2	81.9	87.7	84.8	75.3	71.8	60.2	41.7	25.8	27.3
	F	1,236.0	21.9	86.0	91.2	80.7	96.6	93.9	76.4	73.6	76.1	82.7	79.8	75.8	75.1	68.4	55.6	42.9	59.3
Remainder of West Midland	M	1,306.8	24.4	97.4	111.7	96.0	107.9	98.9	85.0	88.1	88.7	89.6	87.2	79.2	77.5	66.1	45.6	29.8	33.7
	F	1,314.2	23.1	92.5	105.5	90.8	99.7	95.9	82.5	80.4	81.7	85.1	82.9	79.1	78.6	71.2	56.6	44.7	63.9
East Anglia	M	806.7	13.3	53.1	62.9	52.8	65.3	75.9	54.8	51.9	50.7	51.4	48.5	47.4	47.5	44.1	33.2	24.2	29.7
	F	805.2	12.6	50.4	59.0	52.2	58.6	57.6	48.5	46.6	46.0	48.1	50.2	48.6	49.8	47.4	41.5	34.9	53.2
South Eastern	M	8,287.6	150.4	599.5	639.7	569.2	617.2	652.1	551.4	531.2	528.7	552.5	562.9	536.9	524.2	447.5	337.4	224.6	262.2
	F	8,898.0	142.7	569.5	606.7	541.6	605.5	648.5	539.4	507.3	520.3	556.9	580.8	573.4	573.1	524.3	452.0	378.1	577.9
Greater London	M	3,764.0	69.5	257.2	255.4	239.8	272.3	302.2	259.2	240.4	241.0	257.3	272.1	262.3	256.2	211.8	155.6	98.9	112.8
	F	4,116.8	66.0	244.3	244.0	225.6	285.9	328.1	251.6	229.9	240.6	261.7	283.8	281.1	276.3	242.7	212.6	176.2	266.4
Outer Metropolitan Area	M	2,492.8	46.2	203.9	220.0	183.1	188.9	178.8	165.3	171.3	171.8	171.5	171.2	156.6	144.8	117.7	81.3	55.1	65.3
	F	2,595.7	43.7	193.8	206.4	178.7	178.2	179.4	169.6	166.6	165.8	170.0	165.0	158.9	150.5	135.9	106.0	88.7	138.5
Remainder of South Eastern	M	2,030.8	34.7	138.4	164.3	146.3	156.0	171.1	126.9	119.5	115.9	123.7	119.6	118.0	123.2	118.0	100.5	70.6	84.1
	F	2,185.5	33.0	131.4	156.3	137.3	141.4	141.0	118.2	110.8	113.9	125.2	132.0	133.4	146.3	145.7	133.4	113.2	173.0
South Western	M	1,782.3	30.5	126.1	144.9	126.8	139.7	143.1	111.1	107.7	107.3	111.7	111.8	108.3	109.8	101.6	82.0	54.9	65.0
	F	1,869.9	28.9	119.9	138.5	120.6	128.3	123.0	103.9	99.1	104.4	111.7	115.6	116.7	121.6	117.4	104.1	86.3	129.9
Wales	M	1,328.0	22.5	92.3	110.3	95.4	103.2	96.2	80.5	81.4	86.7	89.5	86.6	82.2	83.5	77.2	60.1	38.6	41.8
	F	1,381.9	21.2	87.8	105.9	91.9	98.4	92.2	78.5	77.2	82.1	88.8	86.8	86.4	90.5	85.4	74.2	57.4	77.2
Wales I (South East)	M	955.2	16.3	67.2	79.8	69.1	74.8	67.7	58.6	59.5	64.4	65.7	63.2	59.2	59.8	54.7	41.6	26.2	27.4
	F	984.0	15.4	63.9	77.0	66.2	71.2	66.9	57.7	56.2	60.8	65.0	62.3	61.0	63.4	59.0	50.4	38.3	49.3
Wales II (remainder)	M	372.8	6.2	25.1	30.5	26.3	28.4	28.5	21.9	21.9	22.3	23.8	23.4	23.0	23.7	22.5	18.5	12.4	14.4
	F	397.9	5.8	23.9	28.9	25.7	27.2	25.3	20.8	21.0	21.3	23.8	24.5	25.4	27.1	26.4	23.8	19.1	27.9

TABLE 2 - *continued*

		All ages	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 and over
Urban and rural aggregates:																			
Conurbations	M	8,045.4	150.1	584.5	620.8	555.5	599.7	614.6	534.4	513.7	521.7	548.2	560.6	532.3	521.0	440.5	322.4	204.3	221.1
	F	8,681.7	142.2	555.4	589.7	528.7	610.7	656.0	520.1	488.2	507.0	548.1	574.5	568.0	567.6	513.3	443.5	357.9	510.8
Areas outside conurbations:																			
Urban areas with populations of 100,000 and over	M	3,030.5	54.7	214.1	250.8	216.9	244.4	238.8	191.0	191.4	196.7	201.4	201.5	189.8	188.4	167.1	120.1	79.6	83.8
	F	3,197.0	51.7	203.9	241.8	208.9	234.9	230.3	182.7	176.0	187.7	198.1	204.5	201.0	207.0	193.7	161.8	130.2	182.8
Urban areas with populations of 50,000 and under 100,000	M	2,305.4	42.4	174.8	196.0	169.8	179.9	175.4	150.5	150.5	150.4	154.9	145.7	138.7	134.9	120.5	90.7	61.1	69.2
	F	2,464.2	40.2	168.4	188.6	164.0	171.3	168.4	148.3	143.2	144.2	152.9	149.9	148.9	152.6	144.3	124.9	102.9	151.2
Urban areas with populations under 50,000	M	5,054.9	90.2	362.7	424.5	369.1	379.9	364.9	315.9	316.4	325.6	336.1	330.7	314.1	314.1	281.3	216.9	144.4	168.1
	F	5,408.5	85.7	346.2	407.0	354.4	372.0	362.8	313.9	305.4	315.6	335.7	339.0	335.9	349.6	329.0	285.6	232.0	338.7
Rural districts	M	5,126.1	88.0	379.5	429.5	370.8	404.0	395.2	328.0	328.4	325.9	333.8	328.1	310.4	308.0	274.2	211.4	141.8	169.1
	F	5,077.1	83.1	356.4	398.3	345.8	352.5	345.4	313.3	302.9	300.7	317.6	316.2	312.9	311.8	292.8	242.8	197.3	287.3
Hospital regions:																			
Newcastle	M	1,516.0	26.3	108.9	135.0	113.9	116.4	109.1	96.7	98.6	101.8	103.2	96.4	91.2	91.1	81.8	61.4	40.2	44.0
	F	1,566.4	24.9	103.4	129.3	108.5	110.8	112.1	96.2	94.0	94.7	98.7	95.4	94.3	98.5	89.9	76.9	60.1	78.7
Leeds	M	1,556.6	28.5	114.2	130.0	114.2	119.2	110.7	96.5	96.2	101.9	104.1	104.5	99.3	98.3	87.4	64.7	41.6	45.3
	F	1,645.5	26.8	108.7	123.5	108.6	116.3	114.7	96.4	92.7	94.7	102.3	105.3	104.4	106.9	101.2	84.3	66.7	92.0
Sheffield	M	2,277.7	41.2	166.6	186.0	166.6	178.2	164.2	145.6	147.9	151.3	156.9	152.8	140.9	140.5	123.7	90.5	58.2	66.6
	F	2,321.7	39.1	158.0	178.3	155.1	167.6	163.7	140.7	136.2	140.4	146.1	145.4	144.6	145.9	133.7	112.4	88.9	125.6
East Anglian	M	843.9	13.9	55.5	66.0	55.2	68.3	79.1	57.0	54.1	53.0	53.8	50.7	49.7	49.8	46.3	34.9	25.4	31.2
	F	842.7	13.2	52.6	61.8	54.6	61.2	60.0	50.5	48.7	48.1	50.3	52.5	51.0	52.3	49.9	43.6	36.7	55.7
North West Metropolitan	M	2,088.0	37.8	150.8	161.2	143.4	155.3	163.6	138.2	133.4	133.3	139.2	141.8	135.5	132.4	113.4	85.6	56.9	66.2
	F	2,243.2	35.8	143.2	152.8	136.6	152.4	162.7	135.5	127.6	131.1	140.3	146.5	144.8	145.0	133.0	114.5	95.7	145.7
North East Metropolitan	M	1,580.4	28.6	114.1	122.0	108.6	117.5	123.8	104.7	101.0	100.9	105.4	107.3	102.6	100.2	85.7	64.7	43.1	50.2
	F	1,697.1	27.1	108.4	115.6	103.3	115.2	123.0	102.5	96.6	99.2	106.2	110.9	109.5	109.7	100.5	86.7	72.4	110.3
South East Metropolitan	M	1,640.7	29.7	118.4	126.5	112.8	121.9	128.5	108.7	104.9	104.8	109.3	111.5	106.5	104.0	89.1	67.2	44.8	52.1
	F	1,762.2	28.1	112.6	120.1	107.2	119.6	127.8	106.4	100.2	102.9	110.3	115.1	113.8	114.0	104.5	90.0	75.1	114.5
South West Metropolitan	M	1,619.9	29.3	116.9	125.0	111.2	120.5	126.9	107.3	103.6	103.4	107.9	110.1	105.1	102.9	87.9	66.3	44.1	51.5
	F	1,739.7	28.0	111.1	118.5	106.0	118.0	125.9	104.9	98.8	101.5	108.9	113.6	112.4	112.5	103.2	88.9	74.3	113.2
Wessex	M	940.3	17.0	68.0	72.7	64.5	69.9	73.8	62.2	60.1	60.0	62.7	63.8	61.0	59.7	51.0	38.5	25.6	29.8
	F	1,009.4	16.2	64.5	68.8	61.4	68.4	73.3	61.0	57.5	58.9	63.1	65.8	65.1	65.3	59.9	51.6	43.1	65.5
Oxford	M	895.9	16.3	64.7	69.2	61.5	66.7	70.2	59.3	57.2	57.2	59.7	60.9	58.1	56.8	48.6	36.7	24.4	28.4
	F	962.2	15.4	61.5	65.5	58.5	65.4	69.7	58.1	54.7	56.2	60.2	62.8	62.1	62.2	57.1	49.2	41.1	62.5
South Western	M	1,491.3	25.5	105.2	121.2	106.0	116.7	119.1	92.6	89.8	89.8	93.5	93.6	90.9	92.1	85.4	69.0	46.3	54.6
	F	1,565.7	24.2	100.2	115.8	100.9	107.2	102.5	86.7	82.7	87.3	93.5	96.9	97.9	102.2	98.9	87.6	72.5	108.7
Welsh	M	1,328.0	22.5	92.3	110.3	95.4	103.2	96.2	80.5	81.4	86.7	89.5	86.6	82.2	83.5	77.2	60.1	38.6	41.8
	F	1,381.9	21.2	87.8	105.9	91.9	98.4	92.2	78.5	77.2	82.1	88.8	86.8	86.4	90.5	85.4	74.2	57.4	77.2
Birmingham	M	2,517.2	47.5	188.0	208.6	180.8	207.5	193.7	166.9	170.3	170.6	177.3	172.0	154.5	149.3	126.3	87.3	55.6	61.0
	F	2,550.2	45.0	178.5	196.7	171.5	196.3	189.8	158.9	154.0	157.8	167.8	162.7	154.9	153.7	139.6	112.2	87.6	123.2
Manchester	M	2,191.6	40.7	164.5	185.2	162.1	160.7	146.8	132.0	134.3	141.5	145.4	147.4	144.3	143.8	126.2	93.8	60.6	62.3
	F	2,365.2	38.5	156.5	174.5	154.7	157.5	155.9	131.5	129.6	135.8	146.1	152.4	155.6	159.8	151.3	129.1	102.6	133.8
Liverpool	M	1,074.8	20.6	87.5	102.7	85.9	85.9	83.2	71.6	67.6	64.1	66.5	67.2	63.5	62.0	53.6	40.8	25.8	26.3
	F	1,175.4	19.4	83.3	98.3	83.0	87.1	89.6	70.5	65.2	64.5	69.8	72.0	69.9	70.1	65.0	57.4	46.1	64.2

TABLE 3. Deaths, death rates, mortality comparisons, infant mortality, and live and still birth rates, 1841 to 1967

England and Wales

For explanation of Standardised Mortality Ratios see note 7

Period	Deaths			Crude rates per 1,000 living			Standardised Mortality Ratios (1950-52=100)			Deaths of infants under 1 year per 1,000 live births†			Live birth rates per 1,000 population	Stillbirth rates per 1,000 total (live and still) births
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females	Total	Legitimate	Illegitimate		
1841-1850	3,769,396	1,909,125	1,860,271	22·4	23·1	21·6	357	320	396	153			32·6	
1851-1860	4,210,715	2,138,536	2,072,179	22·2	23·1	21·4	348	313	384	154			34·1	
1861-1870	4,794,498	2,459,489	2,335,009	22·5	23·7	21·4	351	319	383	154			35·2	
1871-1880	5,178,311	2,679,416	2,498,895	21·4	22·7	20·1	335	308	362	149			35·4	
1881-1890	5,244,770	2,698,316	2,546,454	19·1	20·3	18·1	304	281	327	142			32·4	
1891-1900	5,575,375	2,865,226	2,710,149	18·2	19·3	17·1	288	268	307	153			29·9	
1901-1910	5,248,774	2,706,356	2,542,418	15·4	16·4	14·4	235	221	248	128			27·2	
1911-1920*	5,188,052	2,684,511	2,503,541	14·4	15·9	13·0	197	187	207	100	96	194	22·7	
1921-1930	4,722,991	2,407,475	2,315,516	12·1	12·9	11·4	151	142	159	72	70	130	18·3	
1931-1940*	4,992,208	2,551,612	2,440,596	12·3	13·1	11·5	131	125	136	59	57	95	14·9	40
1941-1950*	4,997,653	2,586,188	2,411,465	12·4	14·1	11·0	106	104	107	43	41	61	18·0	27
1951-1960	5,188,116	2,669,747	2,518,369	11·6	12·4	10·9	94	96	92	25	24	31	15·8	22
1841-1845	1,746,110	885,168	860,942	21·4	22·1	20·6	344	307	381	148			32·3	
1846-1850	2,023,286	1,023,957	999,329	23·3	24·1	22·6	369	331	409	157			32·8	
1851-1855	2,087,236	1,061,271	1,025,965	22·7	23·5	21·8	356	321	392	156			33·9	
1856-1860	2,123,479	1,077,265	1,046,214	21·8	22·6	21·0	341	306	377	152			34·4	
1861-1865	2,331,957	1,192,943	1,139,014	22·6	23·7	21·5	353	320	387	151			35·1	
1866-1870	2,462,541	1,266,546	1,195,995	22·4	23·7	21·2	349	318	380	157			35·3	
1871-1875	2,572,749	1,330,063	1,242,686	22·0	23·3	20·7	342	314	371	153			35·5	
1876-1880	2,605,562	1,349,353	1,256,209	20·8	22·1	19·5	328	302	354	145			35·3	
1881-1885	2,585,164	1,330,461	1,254,703	19·4	20·5	18·3	308	284	333	139			33·5	
1886-1890	2,659,606	1,367,855	1,291,751	18·9	20·0	17·8	300	278	322	145			31·4	
1891-1895	2,785,391	1,427,164	1,358,227	18·7	19·8	17·7	296	275	318	151			30·5	
1896-1900	2,789,984	1,438,062	1,351,922	17·7	18·8	16·6	279	262	297	156			29·3	
1901-1905	2,671,566	1,379,931	1,291,635	16·0	17·1	15·0	249	234	264	138			28·2	
1906-1910	2,577,208	1,326,425	1,250,783	14·7	15·6	13·8	221	208	234	117	113	224	26·3	
1911-1915*	2,598,719	1,344,171	1,254,548	14·3	15·4	13·3	205	195	215	110	105	210	23·9	
1916-1920*	2,589,333	1,340,340	1,248,993	14·4	16·5	12·8	190	180	199	90	85	179	21·5	
1921-1925	2,336,270	1,189,865	1,146,405	12·1	12·9	11·4	157	147	166	76	73	140	19·9	
1926-1930	2,386,721	1,217,610	1,169,111	12·1	12·9	11·4	145	137	153	68	65	119	16·7	
1931-1935	2,426,435	1,232,370	1,194,065	12·0	12·7	11·4	134	127	141	62	60	103	15·0	41
1936-1940*	2,565,773	1,319,242	1,246,531	12·5	13·5	11·6	128	123	132	55	54	86	14·9	38
1941-1945*	2,497,013	1,301,357	1,195,656	12·8	15·1	11·1	112	110	113	50	48	71	17·6	30
1946-1950*	2,500,640	1,284,831	1,215,809	11·8	12·8	10·9	101	99	102	36	36	51	18·4	24
1951-1955	2,571,153	1,325,747	1,245,406	11·7	12·5	10·9	97	98	95	27	27	34	15·2	23
1956-1960	2,616,963	1,344,000	1,272,963	11·6	12·3	10·9	91	94	89	23	22	28	16·4	21
1961-1965	2,766,372	1,415,447	1,350,925	11·8	12·4	11·2	91	95	87	21	20	26	18·0	17
1947*	517,615	267,714	249,901	12·3	13·6	11·3	107	106	108	41	40	58	21·1	24
1948*	469,898	242,899	226,999	11·0	11·9	10·1	94	93	95	34	33	45	18·1	23
1949*	510,736	260,686	250,050	11·8	12·6	11·1	101	99	103	32	32	45	16·9	23
1950	510,301	261,152	249,149	11·6	12·3	11·0	99	98	101	30	29	39	15·8	23
1951	549,380	281,724	267,656	12·5	13·4	11·8	106	106	106	30	29	38	15·4	23
1952	497,484	257,760	239,724	11·3	12·2	10·5	95	96	93	28	27	35	15·3	23
1953	503,529	259,490	244,039	11·4	12·2	10·7	95	96	94	27	27	33	15·4	22
1954	501,896	259,797	242,099	11·3	12·2	10·5	93	95	91	25	25	32	15·1	23
1955	518,864	266,976	251,888	11·7	12·5	10·9	95	97	93	25	25	32	15·0	23
1956	521,331	267,904	253,427	11·7	12·5	10·9	94	96	92	24	23	29	15·6	23
1957	514,870	266,407	248,463	11·5	12·3	10·7	91	94	88	23	23	30	16·1	22
1958	526,843	270,639	256,204	11·7	12·4	11·0	92	95	90	23	22	28	16·4	22
1959	527,651	269,878	257,773	11·6	12·3	11·0	91	94	89	22	22	27	16·5	21
1960	526,268	269,172	257,096	11·5	12·2	10·9	89	92	87	22	22	26	17·2	20
1961	551,752	280,782	270,970	11·9	12·6	11·4	92	95	90	21	21	25	17·6	19
1962	557,636	285,154	272,482	11·9	12·6	11·3	92	96	89	22	21	27	18·0	18
1963	572,868	292,410	280,458	12·2	12·8	11·6	94	98	91	21	21	26	18·2	17
1964	534,737	274,773	259,964	11·3	11·9	10·7	87	91	83	20	19	26	18·5	16
1965	549,379	282,328	267,051	11·5	12·2	10·9	88	93	83	19	19	25	18·1	16
1966	563,624	288,622	275,002	11.7	12.3	11.1	89	94	85	19	19	25	17.7	15
1967	542,516	277,178	265,338	11.2	11.8	10.7	84	88	80	18	18	24	17.2	15

* For the years 1915-20 and from 3rd September 1939 to 31st December 1949, for males, and from 1st June 1941 to 31st December 1949, for females, the mortality rates are based upon civilians only, but, as in other years, the number of deaths include those of non-civilians registered in England and Wales.

† Based on related live births from 1931 to 1956.

TABLE 4. Death rates per 1,000 living in age-groups and infant mortality per 1,000 live births, 1841 to 1967

England and Wales

PERSONS

Period	1-	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and over	Deaths under 1 year per 1,000 live births†
1841-1850		9·05	5·29	7·48	9·29	10·3	12·9	17·0	29·9	63·6	141·5	301·0	153
1851-1860		8·46	4·97	7·04	8·67	9·76	12·3	16·5	28·9	61·7	139·9	296·5	154
1861-1870		7·99	4·49	6·42	8·21	9·83	12·7	17·4	30·4	62·8	140·4	296·6	154
1871-1880		6·47	3·71	5·35	7·07	8·96	12·7	17·8	31·6	65·0	142·2	308·3	149
1881-1890		5·30	3·03	4·37	5·63	7·56	11·5	17·1	31·4	65·0	137·6	284·0	142
1891-1900		4·34	2·51	3·73	4·74	6·40	10·5	16·8	31·5	65·0	137·2	270·8	153
1901-1910		3·56	2·11	2·99	3·82	5·13	8·31	14·3	28·1	58·8	127·2	260·8	128
1911-1920*		3·60	2·28	3·32	4·29	5·47	7·41	12·6	25·0	55·8	125·5	254·2	100
1921-1930		2·42	1·64	2·55	3·21	3·64	5·54	10·0	21·3	50·8	120·9	260·2	72
1931-1940*	5·65	2·01	1·31	2·17	2·85	3·04	4·58	9·26	20·2	48·8	119·5	259·8	59
1941-1950*	2·55	1·13	0·85	1·58	2·24	2·37	3·38	7·44	17·6	42·4	104·0	216·5	43
1951-1960	1·02	0·44	0·37	0·65	0·89	1·12	2·27	6·11	16·2	41·0	102·5	227·5	25
1841-1845		8·69	5·01	7·21	8·81	9·66	12·2	16·1	28·7	62·0	137·2	295·3	148
1846-1850		9·39	5·56	7·74	9·77	10·9	13·6	18·1	31·4	65·9	145·7	306·5	157
1851-1855		8·64	5·23	7·48	9·06	10·1	12·7	17·2	29·6	62·9	143·2	299·6	156
1856-1860		8·33	4·72	6·74	8·33	9·38	12·0	16·1	28·4	61·0	136·7	293·4	152
1861-1865		8·39	4·72	6·64	8·39	9·79	12·6	17·2	30·3	62·5	139·1	299·0	151
1866-1870		7·62	4·28	6·21	8·03	9·86	12·9	17·6	30·6	63·2	141·7	294·3	157
1871-1875		6·86	3·97	5·81	7·74	9·61	13·1	18·0	31·6	65·3	141·7	305·2	153
1876-1880		6·10	3·47	4·93	6·46	8·35	12·3	17·5	31·6	64·7	142·9	311·5	145
1881-1885		5·76	3·23	4·63	5·96	8·01	11·8	17·2	31·0	63·5	136·2	277·9	139
1886-1890		4·86	2·84	4·13	5·32	7·15	11·1	17·1	31·8	66·4	139·0	290·1	145
1891-1895		4·56	2·65	3·98	5·01	6·81	11·0	17·3	32·5	67·3	140·7	273·9	151
1896-1900		4·12	2·36	3·48	4·50	6·03	10·1	16·2	30·5	62·9	133·8	267·7	156
1901-1905		3·74	2·19	3·11	4·00	5·44	8·86	14·9	28·7	59·4	127·3	258·6	138
1906-1910		3·38	2·03	2·87	3·64	4·84	7·81	13·7	27·5	58·1	127·0	262·4	117
1911-1915*		3·39	2·08	2·88	3·58	4·57	7·28	13·1	26·2	57·3	126·2	257·9	110
1916-1920*		3·81	2·48	3·77	5·16	6·55	7·54	12·1	24·0	54·5	124·8	250·7	90
1921-1925		2·48	1·71	2·61	3·30	3·79	5·71	10·1	21·6	51·1	121·8	251·4	76
1926-1930		2·37	1·57	2·49	3·11	3·49	5·37	9·94	21·0	50·6	120·2	268·2	68
1931-1935	6·56	2·18	1·41	2·33	2·96	3·20	4·82	9·44	20·1	49·0	119·3	255·7	62
1936-1940*	4·70	1·84	1·20	2·01	2·72	2·87	4·35	9·09	20·4	48·5	119·7	263·4	55
1941-1945*	3·50	1·50	1·08	1·96	3·06	3·04	3·95	8·00	18·1	43·0	104·5	213·0	50
1946-1950*	1·77	0·77	0·62	1·18	1·63	1·84	2·89	6·94	17·1	41·9	103·5	219·3	36
1951-1955	1·14	0·47	0·41	0·68	0·96	1·24	2·40	6·36	16·6	42·0	105·7	235·7	27
1956-1960	0·91	0·41	0·34	0·63	0·82	0·99	2·13	5·87	15·9	40·1	99·7	221·0	23
1961-1965	0·86	0·40	0·33	0·67	0·78	0·91	2·11	5·86	15·9	39·5	97·5	220·2	21
1947*	2·18	0·90	0·70	1·39	1·92	2·03	3·08	7·24	17·5	42·8	108·3	234·4	41
1948*	1·75	0·75	0·60	1·20	1·55	1·82	2·79	6·70	16·4	39·4	94·1	191·9	34
1949*	1·56	0·69	0·56	1·10	1·51	1·70	2·80	6·81	17·2	43·1	105·7	227·5	32
1950	1·35	0·64	0·48	0·90	1·24	1·57	2·62	6·72	17·0	42·7	106·9	227·6	30
1951	1·35	0·55	0·47	0·76	1·12	1·45	2·63	6·90	18·0	46·1	117·2	266·9	30
1952	1·18	0·49	0·43	0·71	1·03	1·26	2·42	6·35	16·5	41·0	102·3	228·4	28
1953	1·18	0·49	0·41	0·64	0·92	1·22	2·35	6·26	16·3	41·1	103·3	230·9	27
1954	0·94	0·41	0·37	0·63	0·87	1·15	2·37	6·19	16·1	40·6	101·0	222·2	25
1955	1·00	0·43	0·38	0·64	0·86	1·10	2·23	6·14	16·1	41·4	105·1	233·5	25
1956	0·91	0·40	0·34	0·57	0·80	1·04	2·19	5·95	16·1	41·0	104·1	233·3	24
1957	0·97	0·41	0·38	0·68	0·84	1·03	2·20	6·00	16·2	40·4	97·4	208·0	23
1958	0·88	0·40	0·32	0·60	0·80	0·98	2·27	5·92	15·9	40·4	101·0	224·2	23
1959	0·91	0·41	0·34	0·65	0·83	0·96	2·09	5·77	15·9	39·9	99·2	223·2	22
1960	0·87	0·44	0·32	0·64	0·81	0·93	2·07	5·73	15·6	38·8	97·0	217·3	22
1961	0·93	0·40	0·32	0·66	0·81	0·94	2·08	5·85	16·0	40·5	100·8	226·9	21
1962	0·86	0·38	0·34	0·64	0·79	0·91	2·08	5·83	16·1	40·3	100·3	227·8	22
1963	0·91	0·40	0·32	0·63	0·77	0·92	2·12	5·97	16·3	40·9	102·8	235·5	21
1964	0·81	0·39	0·33	0·70	0·78	0·90	2·13	5·82	15·5	37·8	91·5	202·9	20
1965	0·82	0·40	0·36	0·70	0·75	0·88	2·14	5·83	15·6	38·3	92·5	209·9	19
1966	0.84	0.37	0.34	0.74	0.75	0.88	2.07	5.81	15.6	38.8	94.5	219.1	19
1967	0.77	0.37	0.35	0.69	0.70	0.82	1.99	5.53	15.0	37.0	87.8	204.8	18

* Civilian mortality only in 1915-20 and from 3rd September 1939 to 31st December 1949 for males, and from 1st June 1941 to 31st December 1949, for females.
† Based on related live births from 1931 to 1956.

TABLE 4 - *continued*

MALES

Period	1-	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and over	Deaths under 1 year per 1,000 live births†
1841-1850		9·17	5·13	7·05	9·51	9·94	12·9	18·2	31·8	67·5	148·3	312·3	167
1851-1860		8·51	4·88	6·69	8·83	9·57	12·5	18·0	30·9	65·3	146·7	308·2	168
1861-1870		8·19	4·48	6·19	8·48	9·94	13·5	19·3	33·1	67·1	147·2	315·0	168
1871-1880		6·71	3·71	5·25	7·36	9·34	13·8	20·1	34·9	69·7	150·8	327·4	163
1881-1890		5·35	2·95	4·32	5·73	7·77	12·4	19·4	34·7	70·5	146·6	305·8	155
1891-1900		4·31	2·45	3·79	5·06	6·76	11·5	18·9	34·9	70·4	146·1	286·8	168
1901-1910		3·50	2·05	3·09	4·18	5·57	9·15	16·2	31·8	64·8	137·7	279·2	140
1911-1920*		3·61	2·23	3·44	4·94	6·46	8·61	14·5	29·0	63·5	139·3	274·5	112
1921-1930		2·52	1·65	2·62	3·41	3·86	6·34	11·6	24·6	58·2	135·4	285·8	81
1931-1940*	5·96	2·13	1·36	2·30	3·08	3·20	5·17	11·1	24·3	56·8	137·5	282·9	66
1941-1950*	2·72	1·28	0·95	1·79	2·72	2·72	3·93	9·16	22·7	51·6	120·2	234·7	48
1951-1960	1·11	0·52	0·44	0·87	1·18	1·28	2·58	7·63	22·2	54·2	124·7	251·0	28
1841-1845		8·82	4·84	6·76	8·99	9·37	12·2	17·2	30·3	65·5	143·7	350·1	162
1846-1850		9·54	5·39	7·35	10·0	10·5	13·6	19·2	33·2	69·5	152·9	319·5	172
1851-1855		8·75	5·15	6·98	9·24	9·95	12·9	18·6	31·6	66·7	150·9	310·9	172
1856-1860		8·30	4·63	6·42	8·44	9·17	12·2	17·5	30·4	64·3	142·7	305·3	166
1861-1865		8·53	4·68	6·39	8·65	9·76	13·2	18·9	32·8	66·4	145·9	316·6	166
1866-1870		7·88	4·30	5·99	8·31	10·1	13·7	19·6	33·5	67·8	148·7	313·5	170
1871-1875		7·10	3·99	5·71	8·07	10·0	14·3	20·3	34·8	70·1	149·6	323·3	167
1876-1880		6·34	3·44	4·84	6·70	8·70	13·4	19·8	34·9	69·4	152·2	331·5	159
1881-1885		5·85	3·16	4·53	6·00	8·16	12·8	19·3	34·2	68·8	145·4	297·9	152
1886-1890		4·86	2·76	4·12	5·48	7·40	12·1	19·4	35·2	72·1	147·9	313·7	159
1891-1895		4·53	2·57	4·00	5·23	7·07	11·9	19·5	35·8	72·5	149·2	290·8	165
1896-1900		4·09	2·32	3·59	4·90	6·47	11·1	18·4	34·1	68·3	143·1	282·8	170
1901-1905		3·68	2·14	3·20	4·39	5·89	9·74	17·0	32·4	65·3	137·6	274·6	151
1906-1910		3·33	1·97	2·97	3·97	5·25	8·62	15·5	31·2	64·4	137·7	283·0	129
1911-1915*		3·42	2·05	3·01	3·98	5·15	8·20	14·9	30·2	64·1	139·2	281·6	121
1916-1920*		3·81	2·41	3·91	6·60	8·58	9·07	14·0	27·9	63·0	139·4	267·8	101
1921-1925		2·55	1·69	2·66	3·53	4·05	6·51	11·6	24·9	58·2	135·5	272·7	86
1926-1930		2·48	1·61	2·58	3·30	3·68	6·18	11·6	24·4	58·3	135·4	298·1	77
1931-1935	6·88	2·28	1·44	2·45	3·15	3·31	5·40	11·2	23·6	56·7	135·2	278·9	70
1936-1940*	5·00	1·96	1·27	2·15	2·99	3·09	4·95	11·0	25·0	56·8	139·5	286·3	62
1941-1945*	3·72	1·69	1·20	2·22	5·00	4·16	4·81	9·85	23·1	51·7	121·6	226·1	56
1946-1950*	1·90	0·88	0·69	1·33	1·75	1·92	3·23	8·55	22·4	51·6	119·0	241·6	41
1951-1955	1·23	0·55	0·48	0·86	1·23	1·39	2·71	7·93	22·5	54·6	126·7	265·9	30
1956-1960	0·99	0·49	0·40	0·88	1·12	1·17	2·45	7·35	21·9	53·7	122·7	239·2	25
1961-1965	0·94	0·47	0·41	0·94	1·09	1·09	2·44	7·37	21·8	54·2	122·6	253·2	23
1947*	2·38	1·04	0·78	1·62	2·05	2·12	3·44	8·98	22·9	52·5	125·9	266·5	46
1948*	1·87	0·88	0·64	1·30	1·54	1·87	3·15	8·24	21·6	49·0	108·6	210·2	38
1949*	1·69	0·80	0·63	1·27	1·59	1·75	3·12	8·39	22·6	53·2	120·7	249·0	36
1950	1·42	0·75	0·56	1·01	1·39	1·69	2·92	8·26	22·5	53·3	122·5	250·4	34
1951	1·44	0·65	0·57	0·89	1·36	1·61	2·96	8·62	24·3	58·8	136·9	307·8	34
1952	1·32	0·57	0·50	0·90	1·33	1·43	2·75	7·91	22·2	53·1	122·1	265·1	31
1953	1·26	0·56	0·46	0·82	1·18	1·37	2·61	7·81	22·2	53·7	123·4	258·1	30
1954	1·06	0·48	0·43	0·81	1·12	1·29	2·66	7·69	21·9	53·3	123·0	249·6	29
1955	1·04	0·49	0·45	0·88	1·18	1·25	2·53	7·66	22·0	54·2	128·5	256·2	28
1956	0·98	0·46	0·41	0·79	1·07	1·21	2·49	7·45	22·1	54·2	127·5	256·2	27
1957	1·04	0·48	0·44	0·91	1·15	1·19	2·50	7·51	22·3	54·0	119·9	226·8	26
1958	0·99	0·49	0·39	0·83	1·07	1·17	2·43	7·40	21·9	54·3	124·6	242·6	25
1959	1·00	0·49	0·39	0·94	1·14	1·13	2·42	7·23	21·8	53·6	122·2	240·0	25
1960	0·95	0·53	0·38	0·91	1·17	1·12	2·41	7·17	21·4	52·5	119·6	232·1	25
1961	1·04	0·48	0·39	0·92	1·11	1·15	2·41	7·33	21·9	54·7	124·5	256·9	24
1962	0·94	0·44	0·42	0·92	1·10	1·06	2·39	7·34	22·1	55·3	125·2	261·1	24
1963	0·98	0·49	0·40	0·89	1·11	1·10	2·46	7·50	22·4	56·0	129·4	272·8	24
1964	0·87	0·46	0·41	0·98	1·10	1·09	2·47	7·33	21·3	52·0	115·8	234·0	22
1965	0·87	0·48	0·42	1·00	1·05	1·07	2·48	7·36	21·4	53·0	118·4	242·4	21
1966	0.92	0.44	0.42	1.06	1.04	1.06	2.43	7.26	21.4	53.6	120.8	258.2	21
1967	0.83	0.44	0.42	0.97	0.96	0.99	2.30	6.87	20.6	51.1	112.4	238.6	20

* Civilian mortality only in 1915-20 and from 3rd September 1939 to 31st December 1949.
† Based on related live births from 1931 to 1956.

TABLE 4 - *continued*

FEMALES

Period	1-	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and over	Deaths under 1 year per 1,000 live births†
1841-1850		8·90	5·44	7·89	9·09	10·6	12·9	16·0	28·4	61·0	135·9	293·3	137
1851-1860		8·42	5·06	7·39	8·53	9·93	12·1	15·2	27·0	58·7	134·5	288·9	139
1861-1870		7·80	4·51	6·65	7·97	9·72	12·1	15·6	27·9	59·1	134·9	285·1	139
1871-1880		6·23	3·72	5·45	6·81	8·61	11·6	15·6	28·7	61·0	135·4	296·4	134
1881-1890		5·26	3·11	4·42	5·54	7·38	10·6	15·1	28·5	60·4	130·6	270·8	128
1891-1900		4·37	2·57	3·67	4·46	6·08	9·59	14·7	28·4	60·7	130·6	261·4	138
1901-1910		3·61	2·17	2·89	3·50	4·74	7·53	12·5	24·8	53·9	119·8	250·3	114
1911-1920		3·59	2·34	3·21	3·87	4·78	6·42	10·9	21·5	49·6	116·3	243·6	89
1921-1930		2·33	1·63	2·48	3·02	3·45	4·85	8·61	18·3	44·9	111·6	248·2	63
1931-1940	5·34	1·90	1·26	2·04	2·63	2·88	4·07	7·71	16·7	42·3	107·9	249·1	51
1941-1950*	2·36	0·97	0·76	1·40	1·97	2·11	2·91	5·96	13·4	35·2	93·3	207·9	37
1951-1960	0·93	0·36	0·30	0·43	0·61	0·95	1·97	4·67	11·4	31·8	89·2	216·8	21
1841-1845		8·56	5·17	7·65	8·64	9·92	12·1	15·1	27·2	59·1	131·8	288·6	133
1846-1850		9·23	5·72	8·12	9·57	11·2	13·7	17·0	29·7	62·7	140·0	297·7	142
1851-1855		8·54	5·32	7·75	8·90	10·3	12·6	15·8	27·8	59·7	137·2	292·1	141
1856-1860		8·35	4·82	7·06	8·24	9·57	11·8	14·8	26·5	58·1	131·9	285·8	137
1861-1865		8·26	4·76	6·89	8·17	9·82	12·1	15·5	27·9	59·1	133·8	287·9	136
1866-1870		7·37	4·27	6·42	7·78	9·63	12·1	15·8	27·9	59·1	136·1	282·3	142
1871-1875		6·61	3·95	5·92	7·43	9·23	12·0	15·9	28·7	61·3	135·3	293·9	138
1876-1880		5·87	3·50	5·02	6·23	8·03	11·3	15·3	28·6	60·8	135·5	299·0	130
1881-1885		5·68	3·30	4·72	5·93	7·86	10·9	15·2	28·1	59·1	129·0	265·5	125
1886-1890		4·85	2·93	4·15	5·17	6·92	10·3	15·0	28·8	61·7	132·3	276·1	131
1891-1895		4·59	2·73	3·97	4·81	6·57	10·1	15·2	29·5	63·0	134·3	264·0	135
1896-1900		4·15	2·40	3·37	4·14	5·63	9·10	14·3	27·4	58·5	127·0	258·7	141
1901-1905		3·79	2·24	3·02	3·66	5·04	8·05	13·1	25·4	54·8	119·9	249·4	124
1906-1910		3·44	2·09	2·76	3·34	4·46	7·05	12·0	24·3	53·1	119·6	250·9	105
1911-1915		3·37	2·11	2·75	3·25	4·08	6·46	11·4	22·7	51·7	117·5	245·4	97
1916-1920		3·81	2·56	3·66	4·47	5·48	6·39	10·4	20·4	47·7	115·1	241·9	79
1921-1925		2·41	1·72	2·56	3·11	3·58	5·03	8·79	18·7	45·5	112·9	241·2	66
1926-1930		2·25	1·53	2·41	2·94	3·33	4·69	8·44	18·0	44·4	110·4	254·4	59
1931-1935	6·23	2·07	1·37	2·22	2·77	3·09	4·33	7·96	17·0	42·8	108·9	245·0	54
1936-1940	4·40	1·71	1·13	1·87	2·49	2·68	3·83	7·47	16·5	41·8	107·1	252·7	48
1941-1945*	3·26	1·31	0·97	1·74	2·41	2·46	3·27	6·43	14·0	36·0	93·5	206·6	44
1946-1950*	1·62	0·64	0·54	1·05	1·54	1·76	2·56	5·51	12·8	34·4	93·2	208·9	32
1951-1955	1·04	0·39	0·34	0·50	0·70	1·09	2·11	4·89	11·8	33·1	92·4	222·0	23
1956-1960	0·82	0·33	0·27	0·38	0·52	0·81	1·83	4·46	10·9	30·7	86·4	212·5	20
1961-1965	0·78	0·32	0·25	0·38	0·47	0·72	1·78	4·42	10·6	29·6	84·2	206·6	18
1947*	1·96	0·75	0·61	1·21	1·82	1·94	2·74	5·72	13·1	35·2	96·6	219·8	36
1948*	1·63	0·62	0·55	1·12	1·56	1·77	2·45	5·33	12·2	32·1	84·5	183·5	30
1949*	1·43	0·57	0·49	0·96	1·43	1·65	2·48	5·39	12·8	35·5	95·8	217·5	28
1950	1·27	0·53	0·41	0·78	1·09	1·45	2·32	5·30	12·6	34·7	96·6	216·9	26
1951	1·26	0·46	0·37	0·64	0·90	1·30	2·32	5·32	13·0	36·9	104·4	249·1	26
1952	1·03	0·41	0·34	0·52	0·76	1·10	2·09	4·90	11·9	32·3	89·6	212·3	24
1953	1·09	0·41	0·35	0·46	0·67	1·07	2·11	4·79	11·6	32·1	90·7	218·8	24
1954	0·82	0·34	0·31	0·46	0·63	1·01	2·09	4·75	11·4	31·6	87·4	209·7	22
1955	0·97	0·36	0·32	0·40	0·55	0·94	1·93	4·70	11·3	32·3	90·9	222·9	21
1956	0·83	0·33	0·27	0·36	0·53	0·87	1·90	4·52	11·2	31·8	90·1	222·7	20
1957	0·90	0·34	0·30	0·45	0·54	0·86	1·92	4·56	11·2	30·9	84·2	199·2	20
1958	0·77	0·31	0·24	0·35	0·54	0·80	1·80	4·50	10·9	30·9	87·5	215·6	20
1959	0·81	0·33	0·29	0·37	0·53	0·79	1·78	4·36	10·8	30·5	86·3	215·4	20
1960	0·78	0·34	0·26	0·36	0·44	0·73	1·73	4·35	10·6	29·5	84·4	210·4	19
1961	0·81	0·32	0·25	0·39	0·51	0·73	1·76	4·45	10·8	30·9	87·8	214·1	19
1962	0·77	0·32	0·25	0·35	0·48	0·76	1·78	4·39	10·8	30·2	86·9	213·8	19
1963	0·83	0·32	0·23	0·35	0·43	0·74	1·79	4·50	10·9	30·7	88·7	220·2	18
1964	0·74	0·32	0·25	0·40	0·46	0·70	1·78	4·38	10·3	28·2	78·8	190·3	17
1965	0·76	0·31	0·29	0·40	0·45	0·68	1·79	4·36	10·3	28·3	79·2	197·1	16
1966	0.75	0.29	0.25	0.40	0.45	0.69	1.70	4.42	10.3	28.6	81.1	204.0	16
1967	0.70	0.29	0.27	0.41	0.43	0.64	1.67	4.23	10.0	27.1	75.3	192.1	16

* Civilian mortality only from 1st June 1941 to 31st December 1949.
† Based on related live births from 1931 to 1956.

TABLE 5. Quarterly death registrations, rates and ratios to yearly rates, 1841 to 1967

England and Wales

Period	Quarter ended											
	31st March	30th June	30th Sept.	31st Dec.	31st March	30th June	30th Sept.	31st Dec.	31st March	30th June	30th Sept.	31st Dec.
	Persons				Males				Females			
	Deaths											
1841-1850	1,029,485	926,091	892,964	920,856	522,415	471,969	452,208	462,533	507,070	454,122	440,756	458,323
1851-1860	1,157,916	1,040,596	965,924	1,046,279	587,846	532,002	491,400	527,288	570,070	508,594	474,524	518,991
1861-1870	1,323,406	1,156,834	1,126,288	1,187,970	677,517	597,458	578,694	605,820	645,889	559,376	547,594	582,150
1871-1880	1,422,776	1,259,064	1,195,003	1,301,468	731,877	658,545	621,924	667,070	690,899	600,519	573,079	634,398
1881-1890	1,459,550	1,271,775	1,194,102	1,319,343	744,679	661,355	618,271	674,011	714,871	610,420	575,831	645,332
1891-1900	1,562,345	1,337,754	1,311,675	1,363,601	790,553	697,093	682,542	695,038	771,792	640,661	629,133	668,563
1901-1910	1,490,235	1,246,735	1,185,415	1,326,389	756,871	648,442	621,683	679,360	733,364	598,293	563,732	647,029
1911-1920*	1,532,334	1,220,642	1,074,835	1,360,241	785,560	638,473	565,071	695,407	746,774	582,169	509,764	664,834
1921-1930	1,489,996	1,136,431	936,261	1,160,303	746,920	585,095	484,852	590,608	743,076	551,336	451,409	569,695
1931-1940*	1,578,974	1,177,988	1,005,878	1,229,368	798,598	604,458	518,256	630,300	780,376	573,530	487,622	599,068
1941-1950*	1,553,399	1,179,497	1,004,665	1,260,092	801,980	612,766	519,908	651,534	751,419	566,731	484,757	608,558
1951-1960	1,640,302	1,199,991	1,038,678	1,309,145	840,969	615,560	534,854	678,364	799,333	584,431	503,824	630,781
1953	171,350	114,644	98,545	118,990	87,706	59,119	50,977	61,688	83,644	55,525	47,568	57,302
1954	153,120	117,205	104,114	127,457	79,372	60,528	53,851	66,046	73,748	56,677	50,263	61,411
1955	168,645	124,230	101,677	124,312	86,465	63,433	52,582	64,496	82,180	60,797	49,095	59,816
1956	170,292	120,059	104,131	126,849	87,175	61,748	53,381	65,600	83,117	58,311	50,750	61,249
1957	134,557	118,122	110,037	152,154	68,995	60,972	56,828	79,612	65,562	57,150	53,209	72,542
1958	163,595	124,169	105,629	133,450	84,474	63,140	53,762	69,263	79,121	61,029	51,867	64,187
1959	176,880	120,172	103,398	127,201	90,251	61,404	52,919	65,304	86,629	58,768	50,479	61,897
1960	149,037	124,338	112,477	140,416	76,121	63,324	57,799	71,928	72,916	61,014	54,678	68,488
1961	177,043	125,194	110,747	138,768	90,012	63,669	56,141	70,960	87,031	61,525	54,606	67,808
1962	178,210	128,681	110,688	140,057	89,956	65,508	57,137	72,553	88,254	63,173	53,551	67,504
1963	196,875	129,013	113,918	133,062	99,493	65,681	58,699	68,537	97,382	63,332	55,219	64,525
1964	156,072	127,013	113,551	138,101	79,885	65,136	58,096	71,656	76,187	61,877	55,455	66,445
1965	157,184	129,865	119,173	143,157	80,346	66,594	61,413	73,975	76,838	63,271	57,760	69,182
1966	173,438	131,661	118,005	140,520	88,311	67,534	60,676	72,101	85,127	64,127	57,329	68,419
1967	145,323	130,175	118,564	148,457	74,355	66,920	60,773	75,133	70,968	63,255	57,791	73,324
	Annual death rates per 1,000 living, by quarter											
1841-1850	24.7	22.1	21.0	21.7	25.6	23.0	21.8	22.3	23.9	21.2	20.3	21.2
1851-1860	24.7	22.1	20.2	21.9	25.7	23.1	21.1	22.6	23.8	21.1	19.5	21.3
1861-1870	25.2	21.8	21.0	22.2	26.5	23.1	22.2	23.2	23.9	20.6	19.9	21.2
1871-1880	23.8	20.9	19.6	21.3	25.1	22.4	20.9	22.5	22.5	19.4	18.3	20.3
1881-1890	20.3	18.6	17.3	19.1	22.7	20.0	18.5	20.1	20.5	17.4	16.2	18.2
1891-1900	20.6	17.5	17.0	17.7	21.6	18.9	18.3	18.6	19.7	16.3	15.8	16.8
1901-1910	17.7	14.6	13.8	15.4	18.5	15.7	14.9	16.3	16.8	13.6	12.7	14.5
1911-1920*	17.4	13.7	12.0	15.1	19.3	15.6	13.6	16.8	15.7	12.1	10.5	13.7
1921-1930	15.5	11.7	9.5	11.8	16.2	12.6	10.3	12.6	14.8	10.9	8.8	11.1
1931-1940*	15.6	11.6	9.8	12.0	16.5	12.4	10.5	12.8	14.8	10.8	9.1	11.2
1941-1950*	14.7	11.1	9.3	11.7	15.7	11.9	10.0	12.5	13.8	10.3	8.7	10.9
1951-1960	14.9	10.8	9.2	11.6	15.8	11.5	9.9	12.5	14.0	10.1	8.6	10.8
1953	15.8	10.4	8.9	10.7	16.8	11.2	9.5	11.5	14.8	9.7	8.2	9.9
1954	14.0	10.6	9.3	11.4	15.1	11.4	10.0	12.3	13.0	9.9	8.7	10.6
1955	15.4	11.2	9.1	11.1	16.4	11.9	9.8	12.0	14.5	10.6	8.5	10.3
1956	15.3	10.8	9.3	11.3	16.3	11.5	9.9	12.1	14.4	10.1	8.7	10.5
1957	12.2	10.6	9.7	13.4	12.9	11.3	10.4	14.6	11.4	9.9	9.1	12.4
1958	14.7	11.0	9.3	11.7	15.8	11.7	9.8	12.6	13.7	10.5	8.8	10.9
1959	15.8	10.6	9.0	11.1	16.7	11.3	9.6	11.8	14.9	10.0	8.5	10.4
1960	13.1	10.9	9.8	12.2	13.9	11.5	10.4	12.9	12.4	10.3	9.2	11.5
1961	15.5	10.9	9.5	11.9	16.3	11.4	10.0	12.6	14.8	10.4	9.1	11.3
1962	15.5	11.1	9.4	11.9	16.1	11.6	10.0	12.7	14.9	10.5	8.8	11.1
1963	17.0	11.0	9.6	11.2	17.7	11.5	10.2	11.9	16.3	10.5	9.1	10.6
1964	13.2	10.8	9.5	11.6	13.9	11.3	10.0	12.3	12.6	10.2	9.1	10.8
1965	13.3	10.9	9.9	11.9	14.0	11.5	10.5	12.6	12.7	10.3	9.3	11.2
1966	14.6	11.0	9.7	11.6	15.3	11.6	10.3	12.2	14.0	10.4	9.2	11.0
1967	12.2	10.8	9.7	12.2	12.8	11.4	10.2	12.7	11.6	10.2	9.2	11.7

* See footnote to Table 3.

TABLE 5 - *continued*

Period	Quarter ended											
	31st March	30th June	30th Sept.	31st Dec.	31st March	30th June	30th Sept.	31st Dec.	31st March	30th June	30th Sept.	31st Dec.
	Persons				Males				Females			
	Ratios of annual death rates by quarter to each yearly rate taken as 100											
1841-1850	110	99	94	97	111	99	94	96	110	98	94	98
1851-1860	111	99	91	99	111	100	91	98	111	99	91	99
1861-1870	112	97	93	99	112	97	94	98	112	96	93	99
1871-1880	111	98	92	100	110	99	92	99	112	97	91	101
1881-1890	106	97	90	100	112	99	91	99	113	96	90	101
1891-1900	113	96	93	97	112	98	95	96	115	95	92	98
1901-1910	115	95	90	100	113	96	91	100	117	94	88	101
1911-1920*	120	94	83	104	118	96	83	103	121	93	81	105
1921-1930	128	96	78	97	125	97	80	97	130	96	77	97
1931-1940*	128	95	80	98	127	95	81	98	129	94	79	98
1941-1950*	126	95	80	100	126	95	80	100	127	94	80	100
1951-1960	128	93	79	100	127	93	80	101	129	93	79	99
1953	138	91	78	94	137	92	78	94	139	91	77	93
1954	123	93	82	101	124	93	82	101	123	94	83	101
1955	132	96	78	95	131	95	79	96	133	97	78	94
1956	131	93	80	97	131	92	80	97	132	92	79	96
1957	106	92	85	117	105	92	84	119	107	93	85	116
1958	126	94	80	100	127	94	79	101	125	96	80	99
1959	136	91	77	95	135	92	78	96	136	91	77	95
1960	114	95	85	106	114	94	85	106	114	95	85	106
1961	130	91	80	100	130	91	80	100	130	92	80	99
1962	130	93	79	100	128	92	79	101	132	93	78	98
1963	140	90	79	92	138	90	80	93	141	91	79	91
1964	117	96	84	103	117	95	88	103	118	96	85	101
1965	116	95	86	103	115	95	86	104	117	95	85	103
1966	125	94	83	99	124	94	84	99	126	94	83	99
1967	109	96	87	109	108	97	86	108	108	95	86	109

* See footnote to Table 3.

TABLE 6. Standardised Mortality Ratios (all ages) and death rates per million population at ages under 15 years from the principal epidemic and general diseases, 1851 to 1967

England and Wales

Note. 1 For explanation of Standardised Mortality Ratio see explanatory note 7.
2 Changes in cause assignment are allowed for throughout as far as possible.

Period	Standardised Mortality Ratios (base years 1950-1952 taken as 100)										Death rates per million population at ages under 15 years				
	Tuberculosis (all forms) 001-019	Syphilis 020-029	Typhoid and paratyphoid fevers 040,041	Meningococcal infections 057	Cancer 140-205	Diabetes mellitus 260	Diseases of heart 410-443	Influenza 480-483	Pneumonia (all forms) 490-493,763	Peptic ulcer 540-542	Suicide E970-E979	Scarlet fever 050	Diphtheria 055	Whooping cough 056	Poliomyelitis 080,081	Measles 085
1851-1860	1,438													1,319		1,082
1861-1870	1,346										102	2,282	1,122	1,372		1,148
1871-1880	1,190		85,518								109	1,664	747	1,316		976
1881-1890	1,004		52,087								121	787	804	1,171		1,153
1891-1900	815		45,789					446			136	383	873	1,037		1,144
1901-1910	649		23,581			156		254			147	271	571	815		915
1911-1920*	541		8,926	246		162		605		90	120	123	437	554	13	838
1921-1930	362		2,729	157		154		345		99	136	64	298	405	11	389
1931-1939*	245		1,180	343	97	176		222		110	142	46	290	197	11	217
1940-1949*	196	150	387	355	98	129	91	90	125	102	100	7	112	111	11	62
1950-1959	60	80	59	82	101	88	94	69	105	93	108	0	1	17	9	13
1851-1855	1,502													1,338		1,047
1856-1860	1,377											1,919	1,347	1,300		1,114
1861-1865	1,370										101	2,307	1,389	1,336		1,189
1866-1870	1,323										103	2,258	871	1,405		1,109
1871-1875	1,217		98,690								103	1,760	788	1,282		962
1876-1880	1,165		73,165								116	1,575	709	1,349		988
1881-1885	1,053		57,187								117	1,012	828	1,180		1,070
1886-1890	958		47,292								124	572	781	1,163		1,234
1891-1895	867		45,643					514			137	434	875	1,070		1,104
1896-1900	767		45,934					383			135	331	872	1,003		1,184
1901-1905	690		29,456			148		233			149	319	653	874		955
1906-1910	610		18,029			163		274			146	224	491	756		874
1911-1915*	542		12,044	214		177		198		93	132	161	434	633	14	1,043
1916-1920*	540		5,734	281		148		985		88	109	84	439	473	12	625
1921-1925	393		3,147	125		149		359		89	125	79	302	448	11	420
1926-1930	333		2,331	191		159		333		109	145	48	294	360	12	357
1931-1935	270		1,277	407	97	172		260		109	150	50	293	223	11	270
1936-1939*	216		1,063	261	97	181		178		111	133	27	287	163	11	149
1940-1944*	221	178	564	585	97	153	92	129	146	109	95	11	192	140	7	78
1945-1949*	174	123	224	155	98	107	91	54	107	95	104	3	30	81	16	47
1950-1954	85	93	72	100	100	94	97	82	99	98	104	1	2	29	14	19
1955-1959	36	71	45	64	101	83	91	58	110	88	113	0	0	6	5	8
1960-1964	21	53	23	40	103	92	90	38	130	72	113	0	0	3	1	7
1952	79	94	102	103	100	92	94	24	95	99	97	1	2	18	10	14
1953	66	83	24	105	100	87	92	88	105	93	106	0	2	24	14	24
1954	58	81	36	94	101	81	92	24	90	98	112	1	1	13	5	5
1955	48	78	83	75	101	87	93	39	103	98	110	0	1	9	8	17
1956	39	76	41	69	101	85	93	34	108	94	115	0	0	9	4	2
1957	35	71	47	67	101	81	89	85	107	86	115	0	0	8	6	9
1958	32	68	23	52	101	84	92	30	111	84	113	0	0	3	4	5
1959	28	61	29	56	102	80	88	98	122	77	111	0	-	2	2	8
1960	24	60	15	33	102	88	89	13	110	79	107	-	0	3	1	3
1961	24	56	11	44	102	95	91	86	129	73	109	0	1	3	3	13
1962	22	51	39	45	103	92	92	40	135	77	116	0	0	2	1	4
1963	21	50	28	47	103	91	93	38	154	71	118	0	0	3	0	10
1964	17	48	17	31	104	93	85	12	124	63	114	0	-	4	0	6
1965	16	51	44	34	104	98	87	9	128	63	105	0	-	2	2	11
1966	16	50	5	32	105	99	86	42	144	64	101	-	0	2	0	6
1967	14	50	5	24	105	95	82	10	129	60	94	-	-	2	0	8

* Civilian mortality only in 1915-20 and from 3rd September 1939 to 31st December 1949, for males, and from 1st June 1941 to 31st December 1949, for females.

TABLE 7. Deaths by cause and sex at all ages, 1957 to 1967

England and Wales

Notes 1. The following categories of the 1955 International Statistical Classification are not applicable to primary death tabulation and are therefore omitted from this table: 306, 308, 649, 775.

2. Deaths due to certain underlying causes where the interval since the onset was stated to exceed one year have for certain years been assigned to other conditions mentioned on the certificate. The numbers of such 'late effects' are given in footnotes. The years and categories affected are as follows:
1957 and on: 040-043, 050, 055, 056, 058, 085-087, 100-108, 640-689.
1958 and on: 051, 052, 057·0, 057·1, 057·3, 059, 061, 089, 091, 094, 480-483, 490-493.

3. For causes from which there have been few deaths from 1955, see list at end of table.

ICD No.	Causes of death		1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
	ALL CAUSES	M	266,407	270,639	269,878	269,172	280,782	285,154	292,410	274,773	282,328	288,622	277,178
		F	248,463	256,204	257,773	257,096	270,970	272,482	280,458	259,964	267,051	275,002	265,338
001-138	**I INFECTIVE AND PARASITIC DISEASES**	M	4,976	4,543	4,142	3,762	3,674	3,455	3,328	2,904	2,704	2,741	2,427
		F	2,501	2,317	1,991	1,868	1,965	1,716	1,698	1,495	1,606	1,635	1,520
001-019	**Tuberculosis (all forms)**	M	3,414	3,207	2,810	2,502	2,406	2,282	2,191	1,853	1,641	1,678	1,433
		F	1,370	1,273	1,044	933	928	806	769	631	641	676	610
001-008	**Tuberculosis of respiratory system**	M	3,150	2,949	2,620	2,342	2,240	2,101	2,022	1,711	1,500	1,559	1,321
		F	1,099	1,050	854	763	762	673	587	498	508	531	477
001	With mention of occupational disease	M	215	215	199	215	171	166	154	141	131	132	88
		F	-	6	4	7	5	6	4	5	6	4	6
002	Pulmonary	M	2,899	2,706	2,402	2,117	2,060	1,922	1,857	1,549	1,351	1,406	1,209
		F	1,085	1,028	839	746	751	662	574	481	493	515	452
003	Pleural	M	31	23	13	5	7	10	8	15	11	11	15
		F	11	11	8	7	4	2	6	8	3	7	13
	0 Pleurisy specified as tuberculous	M	12	8	7	4	6	8	6	9	3	5	4
		F	1	2	1	1	2	1	2	3	1	2	8
	1 Pleurisy with effusion without mention of cause	M	19	15	6	1	1	2	2	6	8	6	11
		F	10	9	7	6	2	1	4	5	2	5	5
005	Tracheobronchial glandular, with symptoms	M	1	4	2	2	-	-	-	-	-	1	-
		F	1	3	-	-	-	1	1	1	3	-	-
007	Other respiratory	M	1	-	-	2	-	-	-	-	1	-	-
		F	1	-	3	-	1	-	-	1	2	1	1
008	Unspecified site	M	3	1	4	1	2	3	3	5	4	9	9
		F	1	2	-	3	1	2	1	2	1	4	5
010-019	**Tuberculosis, other forms**	M	264	258	190	160	166	181	169	142	141	119	112
		F	271	223	190	170	166	133	182	133	133	145	133
010	Meninges and central nervous system	M	47	44	50	26	35	39	37	26	17	29	24
		F	63	49	37	35	30	24	34	18	27	27	26
011	Intestines, peritoneum, and mesenteric glands	M	28	25	17	17	20	13	14	9	19	7	13
		F	27	35	21	15	25	19	25	14	15	13	9
012	Bones and joints, active or unspecified	M	42	49	37	31	33	39	25	23	34	21	10
		F	49	43	48	35	30	19	40	27	24	21	25
	0 Vertebral column	M	33	38	26	27	26	36	18	18	29	14	9
		F	39	34	40	26	22	15	29	22	22	17	19
	1-3 Other	M	9	11	11	4	7	3	7	5	5	7	1
		F	10	9	8	9	8	4	11	5	2	4	6
013	Late effects, bones and joints	M	2	2	-	2	2	4	3	4	2	1	5
		F	3	-	5	4	3	1	3	4	1	3	4
014	Skin and subcutaneous cellular tissue	M	2	2	-	-	-	-	-	-	1	1	-
		F	2	6	3	2	2	1	-	-	-	-	-
015	Lymphatic system	M	5	3	5	3	1	2	4	3	1	2	1
		F	13	4	9	5	4	5	8	6	7	7	11
016	Genito-urinary system	M	81	64	44	45	37	48	42	41	32	26	26
		F	44	36	43	34	37	28	26	32	26	35	25
017	Adrenal glands	M	9	13	8	5	4	7	6	7	8	7	6
		F	9	7	5	7	4	5	9	2	5	4	8
018	Other organs	M	10	7	5	8	9	7	11	9	6	4	3
		F	13	9	5	3	5	5	7	1	4	4	3
019	Disseminated	M	38	49	24	23	25	22	27	20	21	21	24
		F	48	34	14	30	26	26	30	29	24	31	22
	0-1 Acute miliary tuberculosis	M	3	5	2	1	1	-	3	1	-	3	1
		F	5	5	3	1	1	1	3	-	3	2	1
	2 Other forms	M	35	44	22	22	24	22	24	19	21	18	23
		F	43	29	11	29	25	25	27	29	21	29	21

TABLE 7 - *continued*

ICD No.	Causes of death		1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
020-029	**Syphilis and its sequelae**	M	728	653	627	623	556	509	485	496	513	498	499
		F	344	388	331	321	344	313	335	295	343	340	350
020	Congenital syphilis	M	3	10	5	4	3	3	1	1	2	5	1
		F	7	3	2	2	2	5	4	4	-	2	1
022	Aneurysm of aorta	M	358	306	295	312	286	303	277	325	354	343	369
		F	183	219	190	186	194	198	209	195	260	246	266
023	Other cardiovascular syphilis	M	231	208	181	186	159	126	110	107	88	92	64
		F	88	94	68	75	92	71	78	55	41	50	55
024	Tabes dorsalis	M	53	41	50	44	41	23	29	15	24	18	14
		F	22	16	22	17	19	6	16	12	9	7	13
025	General paralysis of insane	M	48	57	62	56	37	28	39	24	23	25	24
		F	20	28	27	22	17	16	10	12	16	21	2
026	Other syphilis of central nervous system	M	26	17	22	12	21	23	25	12	15	12	16
		F	18	20	16	14	12	13	16	10	15	9	8
027	Other forms of late syphilis	M	7	10	9	7	6	2	4	8	2	2	11
		F	4	6	6	4	7	3	1	5	2	3	3
029	Syphilis, unqualified	M	2	4	3	2	3	1	-	4	5	1	-
		F	2	2	-	1	-	1	1	2	-	2	2
030-039	**Gonococcal infection and other venereal diseases**	M	5	21	24	29	14	9	13	9	10	8	5
		F	1	1	-	2	-	-	-	-	-	1	-
030	Acute or unspecified gonorrhoea	M	2	1	-	-	-	-	1	2	1	3	1
		F	-	-	-	-	-	-	-	-	-	-	-
035	Late effects of gonococcal infection	M	3	18	23	28	12	9	11	5	9	4	4
		F	-	-	-	-	-	-	-	-	-	-	-
040-049	**Infectious diseases commonly arising in intestinal tract**	M	42	42	40	40	34	38	43	15	30	19	22
		F	38	36	42	41	34	20	25	22	25	18	23
040	Typhoid fever*	M	1	2	2	2	1	2	3	1	4	-	-
		F	5	-	1	-	-	2	1	1	2	-	1
041	Paratyphoid fever*	M	-	1	-	-	1	3	-	1	2	1	-
		F	2	1	2	1	-	-	1	-	-	-	-
042	Other Salmonella infections*	M	29	21	18	20	17	10	12	6	12	8	10
		F	20	15	18	17	14	11	8	9	8	7	11
044	Brucellosis (undulant fever)	M	-	1	-	-	-	1	2	-	-	-	1
		F	-	-	1	-	-	-	-	-	-	-	1
045	Bacillary dysentery	M	7	12	14	9	11	16	16	3	11	7	7
		F	8	14	12	17	17	5	9	10	15	5	4
046	Amoebiasis	M	4	3	4	5	4	4	5	2	1	2	3
		F	1	1	2	2	-	-	2	-	-	3	2
048	Unspecified forms of dysentery	M	-	1	-	1	-	1	-	2	-	1	-
		F	2	-	1	2	2	2	3	-	-	2	-
049	Food poisoning (infection and intoxication)	M	1	1	2	3	-	1	5	-	-	-	1
		F	-	4	5	2	1	-	1	2	-	1	4
050-064	**Other bacterial diseases**	M	208	169	180	148	169	190	192	184	160	166	129
		F	208	159	134	125	144	132	138	148	160	146	127
050	Scarlet fever*	M	1	3	-	-	-	-	1	2	1	-	-
		F	2	1	1	-	3	2	1	-	-	-	-
051	Streptococcal sore throat*	M	7	4	12	10	2	2	6	6	2	2	3
		F	9	6	8	13	6	6	2	2	6	2	3
052	Erysipelas*	M	5	2	3	4	-	-	3	5	6	3	3
		F	1	5	3	3	3	7	2	2	5	4	3
053	Septicaemia and pyaemia	M	38	45	38	47	63	64	61	75	58	72	48
		F	39	36	32	29	39	45	40	58	67	65	54
	0 Streptococcus	M	4	6	6	4	10	4	6	8	2	9	4
		F	5	6	5	3	3	4	8	3	14	7	7
	1 Staphylococcus	M	10	23	17	21	28	24	23	21	24	20	12
		F	11	9	13	9	10	16	11	19	18	20	12

* Excluding the following 'late effects' (see note 2 at head of table):

		1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
040 Typhoid fever	M	-	2	-	1	-	-	2	-	-	1	-
	F	2	1	1	-	1	-	-	-	-	-	-
041 Paratyphoid fever	M	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
042 Other Salmonella infections	M	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	1	-	-	-	-	-
050 Scarlet fever	M	3	1	5	3	3	2	1	1	4	-	-
	F	4	3	4	5	5	3	1	4	1	-	1
051 Streptococcal sore throat	M	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	1	-	-	-
052 Erysipelas	M	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-

TABLE 7 - *continued*

ICD No.	Causes of death		1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
	2 Pneumococcus	M	3	3	-	1	5	5	1	6	5	6	4
		F	2	2	-	-	3	3	1	8	3	2	2
	3 Other specified organism	M	1	1	1	1	4	8	7	7	2	6	5
		F	2	1	1	3	4	1	2	3	4	5	8
	4 Organism unspecified	M	20	12	14	20	16	23	24	33	25	31	23
		F	19	18	13	14	19	19	18	25	28	31	25
055	Diphtheria*	M	2	4	-	2	3	2	1	-	-	4	-
		F	2	4	-	3	7	-	1	-	-	1	-
056	Whooping cough*	M	32	13	11	20	17	15	15	22	7	9	16
		F	55	14	14	17	10	9	21	22	14	14	11
057	Meningococcal infections*	M	94	71	97	46	65	88	88	53	60	60	41
		F	90	74	62	49	65	50	58	45	52	45	39
061	Tetanus	M	23	10	17	15	15	13	10	13	15	10	9
		F	5	10	8	3	9	6	3	8	6	8	9
062	Anthrax	M	1	-	-	1	-	1	1	-	2	-	2
		F	-	-	-	-	-	-	-	-	-	-	-
063	Gas gangrene	M	4	5	1	2	3	3	4	6	3	4	4
		F	4	4	1	4	1	3	7	5	3	1	6
064	Other bacterial diseases	M	-	12	1	1	1	1	2	2	5	1	2
		F	1	5	5	3	-	3	3	5	6	6	2
070-074	**Spirochaetal diseases, except syphilis**	**M**	**18**	**19**	**11**	**10**	**14**	**14**	**3**	**7**	**6**	**14**	**3**
		F	**3**	**1**	**2**	**1**	**-**	**2**	**-**	**2**	**2**	**1**	**-**
070	Vincent's infection	M	1	-	1	-	-	-	-	-	-	-	-
		F	2	-	2	-	-	1	-	1	-	-	-
072	Leptospirosis	M	17	18	10	10	14	14	3	6	6	13	3
		F	-	1	-	-	-	1	-	1	1	1	-
080-096	**Diseases attributable to viruses**	**M**	**493**	**380**	**381**	**344**	**415**	**337**	**352**	**281**	**282**	**302**	**275**
		F	**478**	**399**	**380**	**389**	**448**	**375**	**344**	**322**	**377**	**378**	**355**
080	Acute poliomyelitis	M	143	71	41	19	44	12	2	2	1	-	-
		F	83	58	25	4	15	6	1	2	2	1	-
	0 Specified as bulbar or polio-encephalitis	M	63	34	14	7	11	2	1	1	1	-	-
		F	30	18	15	3	5	3	-	-	1	-	-
	1 With other paralysis	M	21	14	6	6	9	5	-	-	-	-	-
		F	16	14	1	-	1	2	-	1	-	-	-
	3 Unspecified	M	59	23	21	6	24	5	1	1	-	-	-
		F	37	26	9	1	9	1	1	1	1	1	-
081	Late effects of acute poliomyelitis	M	21	11	11	12	12	14	24	16	8	15	7
		F	8	14	10	11	8	13	11	9	8	6	8
082	Acute infectious encephalitis	M	59	52	55	62	56	60	52	55	43	57	38
		F	50	40	53	62	64	57	35	43	47	45	46
083	Late effects of acute infectious encephalitis	M	55	72	64	54	48	46	51	51	27	31	32
		F	50	63	44	60	38	43	39	34	33	45	22
084	Smallpox	M	1	1	-	-	-	7	-	-	-	-	-
		F	1	-	-	-	-	19	-	-	-	-	-
085	Measles*	M	53	23	49	13	79	20	62	30	52	43	60
		F	41	26	49	18	73	19	65	43	63	37	39
086	Rubella (German measles)	M	1	1	-	2	1	2	1	2	2	-	1
		F	1	1	-	1	1	4	-	1	2	-	-
087	Chickenpox	M	5	7	10	8	10	17	13	15	6	11	17
		F	9	5	6	11	8	6	9	14	7	6	14
088	Herpes zoster	M	24	21	16	14	18	22	17	12	20	13	18
		F	49	44	33	34	48	30	38	35	41	45	50
089	Mumps	M	3	4	1	4	6	2	2	3	2	3	4
		F	6	4	7	6	7	1	5	7	1	7	4
092	Infectious hepatitis	M	119	110	119	139	123	113	106	82	86	84	76
		F	173	135	145	169	173	168	124	114	146	144	135

* Excluding the following 'late effects' (see note 2 at head of table):

		1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
055 Diphtheria	M	-	2	-	1	2	-	2	-	-	-	-
	F	2	-	3	2	4	1	3	-	-	-	1
056 Whooping cough	M	1	-	-	-	1	-	-	-	-	-	-
	F	-	1	1	1	-	2	-	-	-	-	2
057 Meningococcal infections	M	-	1	1	-	-	-	-	1	1	1	1
	F	-	2	2	-	-	1	-	-	-	-	1
085 Measles	M	1	1	-	1	1	-	-	-	-	-	2
	F	-	1	1	1	-	-	-	1	-	-	-

TABLE 7 - *continued*

ICD No.	Causes of death		1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
093	Glandular fever (infectious mononucleosis)	M	3	2	2	4	5	4	4	4	-	4	3	3
		F	2	2	1	2	3	2	1	2	7	5	2
096	Other diseases attributable to viruses	M	6	5	13	13	13	18	18	13	31	42	19
		F	5	7	7	11	10	7	16	18	20	37	34
100-108	**Typhus and other rickettsial diseases†**	**M**	**-**	**-**	**1**	**1**	**-**	**-**	**1**	**-**	**-**	**2**	**-**
		F	**-**	**-**	**-**	**-**	**-**	**-**	**1**	**-**	**-**	**-**	**-**
110-117	**Malaria**	**M**	**3**	**2**	**-**	**3**	**6**	**4**	**4**	**2**	**2**	**1**	**4**
		F	**1**	**2**	**2**	**-**	**-**	**1**	**2**	**-**	**2**	**-**	**-**
112	Falciparum malaria (malignant tertian)	M	1	2	-	1	-	4	3	1	1	-	2
		F	1	2	1	-	-	1	1	-	1	-	-
116	Other and unspecified forms of malaria	M	1	-	-	2	5	-	1	1	1	1	2
		F	-	-	1	-	-	-	1	-	1	-	-
120-138	**Other infective and parasitic diseases**	**M**	**65**	**50**	**68**	**62**	**60**	**72**	**44**	**57**	**60**	**53**	**57**
		F	**58**	**58**	**56**	**56**	**67**	**67**	**84**	**75**	**56**	**75**	**55**
122	Other protozoal diseases	M	3	1	1	2	1	1	-	2	3	3	2
		F	1	-	2	-	-	3	1	3	1	3	2
123	Schistosomiasis	M	-	1	1	1	1	2	1	2	1	1	2
		F	-	1	-	1	-	1	-	1	-	1	-
125	Hydatid disease	M	11	2	7	5	3	9	3	6	5	5	3
		F	8	2	8	8	5	7	2	2	5	1	1
126	Other cestode infestation	M	5	-	4	1	2	1	1	2	-	1	-
		F	1	1	-	-	-	-	-	-	-	1	-
132	Actinomycosis	M	4	3	4	1	2	5	1	-	2	2	-
		F	2	4	-	1	-	-	-	-	1	-	-
134	Other fungus infections	M	13	9	16	21	17	13	12	19	18	11	22
		F	8	11	7	15	13	10	18	11	7	8	8
138	Other infective and parasitic diseases	M	27	33	35	30	34	39	26	25	31	30	27
		F	38	39	39	31	48	45	62	57	42	61	44
140-239	**II NEOPLASMS**	**M**	**50,792**	**51,273**	**52,324**	**53,392**	**54,045**	**55,292**	**55,846**	**56,959**	**58,146**	**59,242**	**60,304**
		F	**44,853**	**45,727**	**46,069**	**46,777**	**47,188**	**47,560**	**47,964**	**49,235**	**49,624**	**50,315**	**51,164**
140-205	**Malignant neoplasms including neoplasms of lymphatic and haematopoietic tissues**	**M**	**50,056**	**50,735**	**51,783**	**52,779**	**53,441**	**54,735**	**55,192**	**56,247**	**57,464**	**58,571**	**59,634**
		F	**43,961**	**45,069**	**45,334**	**46,009**	**46,474**	**46,873**	**47,224**	**48,451**	**48,874**	**49,587**	**50,438**
140-148	**Malignant neoplasm of buccal cavity and pharynx**	**M**	**1,259**	**1,267**	**1,249**	**1,120**	**1,070**	**1,061**	**978**	**1,020**	**970**	**945**	**940**
		F	**669**	**657**	**613**	**666**	**645**	**631**	**602**	**656**	**637**	**655**	**613**
140	Lip	M	83	83	74	68	85	63	55	58	56	47	40
		F	9	4	10	13	9	7	6	8	8	12	7
	0 Upper lip	M	*	8	10	1	9	5	3	8	7	6	5
		F	*	-	2	8	3	3	2	2	3	2	3
	1 Lower lip	M	*	71	53	54	70	51	47	43	40	36	33
		F	*	4	7	10	4	3	3	5	5	9	3
	8, 9 Both lips, unspecified	M	*	4	11	6	6	7	5	7	9	5	2
		F	*	-	1	2	2	1	1	1	-	1	1
141	Tongue	M	336	359	363	307	273	289	268	294	252	233	213
		F	158	143	152	134	145	128	124	134	160	139	127
	0 Base of tongue	M	*	137	134	103	99	113	83	90	81	79	62
		F	*	47	34	39	44	29	34	35	50	34	20
	7 Other specified parts of tongue	M	*	180	180	158	135	132	136	133	123	104	102
		F	*	77	98	80	77	81	68	71	82	78	78
	8, 9 Multiple and unspecified parts of tongue	M	*	42	49	46	39	44	49	71	48	50	49
		F	*	19	20	15	24	18	22	28	28	27	29
142	Salivary gland	M	81	90	67	77	86	74	66	68	82	84	88
		F	64	76	77	64	54	73	58	62	57	69	70
	0 Parotid gland	M	*	74	55	58	69	62	47	55	60	64	69
		F	*	68	62	51	44	59	41	50	48	57	55
	7 Other salivary gland	M	*	14	10	16	13	12	16	8	19	16	17
		F	*	8	13	13	8	13	11	9	8	8	12
	8, 9 Multiple and unspecified salivary gland	M	*	2	2	3	4	-	3	5	3	4	2
		F	*	-	2	-	2	1	6	3	1	4	3

* Comparable figures not available.
† Excluding the following 'late effects' (see note 2 at head of table):

		1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
106 Volhynian fever (trench fever)	M	-	-	-	-	-	-	-	1	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-

TABLE 7 - *continued*

ICD No.	Causes of death		1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
143	Floor of mouth	M	63	57	71	73	71	63	94	84	83	73	79
		F	20	21	23	23	21	18	23	35	28	23	28
144	Other parts of mouth and mouth unspecified	M	186	208	185	173	158	153	122	119	106	111	120
		F	71	84	49	95	81	72	68	94	67	71	73
145	Oral mesopharynx	M	153	183	154	143	118	142	104	135	128	140	131
		F	47	42	55	49	48	61	44	44	49	62	50
	0 Tonsil (excluding pillars)	M	*	144	121	112	87	98	75	98	93	101	87
		F	*	39	46	43	37	53	35	38	35	48	43
	7-9 Other multiple and unspecified parts of oral mesopharynx	M	*	39	33	31	31	44	29	37	35	39	44
		F	*	3	9	6	11	8	9	6	14	14	7
146	Nasopharynx	M	78	86	98	83	91	92	80	94	82	86	94
		F	45	42	33	39	47	41	47	49	48	45	47
147	Hypopharynx	M	85	133	169	142	133	125	150	123	139	133	133
		F	157	209	180	218	210	211	193	202	183	194	178
148	Pharynx, unspecified	M	194	68	68	54	55	60	39	45	42	38	42
		F	98	36	34	31	30	20	39	28	37	40	33
150-159	**Malignant neoplasm of digestive organs and peritoneum**	**M**	**19,348**	**19,136**	**19,160**	**19,023**	**19,030**	**19,061**	**19,067**	**19,050**	**19,133**	**19,586**	**19,694**
		F	**17,882**	**18,365**	**18,585**	**18,440**	**18,330**	**18,412**	**18,443**	**18,391**	**18,431**	**18,609**	**18,843**
150	Oesophagus	M	1,306	1,300	1,369	1,301	1,356	1,391	1,375	1,349	1,426	1,485	1,524
		F	956	993	955	1,007	1,055	1,050	1,064	1,191	1,141	1,197	1,229
151	Stomach	M	7,951	7,934	7,930	7,846	7,784	7,722	7,744	7,500	7,487	7,520	7,441
		F	5,966	6,178	6,146	6,107	6,004	5,874	5,937	5,569	5,562	5,653	5,495
152	Small intestine, including duodenum	M	97	110	104	117	136	121	91	124	122	113	107
		F	75	108	104	133	102	106	112	107	122	121	113
	0 Duodenum	M	*	23	33	36	38	39	24	22	33	32	34
		F	*	25	32	36	26	19	26	31	30	19	35
	7-9 Other multiple and unspecified parts of small intestine	M	*	87	71	81	98	82	67	102	89	81	73
		F	*	83	72	97	76	87	86	76	92	102	78
153	Large intestine, except rectum	M	3,793	3,698	3,611	3,612	3,678	3,693	3,567	3,616	3,622	3,826	3,855
		F	5,388	5,431	5,542	5,448	5,455	5,473	5,391	5,474	5,530	5,387	5,683
	3 Sigmoid colon	M	*	1,418	1,306	1,297	1,336	1,314	1,208	1,183	1,233	1,329	1,272
		F	*	1,827	1,854	1,765	1,711	1,782	1,643	1,673	1,683	1,679	1,635
	0-2, 7, 8 Other parts of large intestine	M	*	2,238	2,262	2,281	2,302	2,343	2,314	2,388	2,338	2,450	2,528
		F	*	3,551	3,628	3,634	3,693	3,627	3,696	3,736	3,781	3,658	3,993
	9 Intestinal tract, part unspecified	M	*	42	43	34	40	36	45	45	51	47	55
		F	*	53	60	49	51	64	52	65	66	50	55
154	Rectum	M	3,102	3,132	3,059	3,029	2,919	2,953	2,935	2,961	2,937	2,947	3,042
		F	2,275	2,501	2,602	2,444	2,428	2,440	2,533	2,605	2,524	2,592	2,630
155	Biliary passages and of liver (stated to be primary site)	M	535	579	603	575	609	619	639	620	620	677	693
		F	784	909	871	883	862	935	889	879	834	902	857
	0 Liver	M	*	213	243	230	272	256	252	265	247	283	285
		F	*	178	180	212	188	205	166	164	156	173	150
	1, 8 Gallbladder, other and multiple sites	M	*	366	360	345	337	363	387	355	373	394	408
		F	*	731	691	671	674	730	723	715	678	729	707
156	Liver (secondary and unspecified)†	M	494	273	287	319	317	325	300	349	396	400	385
		F	474	297	314	292	298	298	293	323	303	312	356
157	Pancreas	M	1,885	1,980	2,081	2,077	2,075	2,103	2,238	2,357	2,350	2,469	2,456
		F	1,710	1,747	1,851	1,882	1,904	2,017	1,985	2,010	2,150	2,216	2,262
158	Peritoneum	M	163	95	80	108	124	102	134	151	131	115	141
		F	230	156	163	200	177	186	191	202	217	187	182
159	Unspecified digestive organs	M	22	35	36	39	32	32	44	23	42	34	50
		F	24	45	37	44	45	33	48	31	48	42	36
160-165	**Malignant neoplasm of respiratory system**	**M**	**17,212**	**17,899**	**19,026**	**19,759**	**20,289**	**21,064**	**21,563**	**22,236**	**23,031**	**23,396**	**24,312**
		F	**2,983**	**3,092**	**3,202**	**3,441**	**3,652**	**3,806**	**3,948**	**4,181**	**4,464**	**4,753**	**4,977**
160	Nose, nasal cavities, middle ear, and accessory sinuses	M	114	123	121	120	99	114	115	127	115	124	114
		F	86	96	96	126	91	115	93	108	101	126	99
	0 Nose (internal) and nasal cavities	M	*	16	30	24	13	24	21	29	24	26	16
		F	*	14	7	21	12	21	8	15	12	15	14
	1 Eustachian tube and middle ear	M	*	8	11	9	22	15	16	10	6	15	12
		F	*	12	14	18	14	13	16	18	9	11	14
	2 Maxillary sinus	M	*	84	72	79	60	64	68	75	75	67	69
		F	*	63	71	80	63	72	61	69	70	95	60
	7 Other specified sinus (accessory)	M	*	10	6	5	4	10	9	13	9	11	13
		F	*	6	4	5	-	8	7	6	8	1	8
	8, 9 Multiple and unspecified sites of nose, etc.	M	*	5	2	3	-	1	1	-	1	5	4
		F	*	1	-	2	2	1	1	-	2	4	3

* Comparable figures not available.
† Enquiries made from 1958 onwards.

TABLE 7 - *continued*

ICD No.	Causes of death		1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
161	Larynx	M	661	662	643	689	652	626	632	571	613	605	597
		F	174	171	180	157	165	153	140	144	163	158	146
162, 163	Trachea, bronchus and lung	M	16,358	17,040	18,181	18,882	19,460	20,278	20,757	21,476	22,231	22,610	23,548
		F	2,670	2,780	2,882	3,118	3,350	3,501	3,677	3,895	4,167	4,415	4,704
162	Bronchus and trachea, and of lung specified as primary	M	10,740	11,432	12,231	12,843	13,360	13,912	14,644	15,062	15,468	15,608	16,382
		F	1,744	1,847	1,881	2,101	2,190	2,335	2,518	2,623	2,832	2,980	3,104
	0 Trachea	M	*	27	27	17	33	24	27	33	30	18	29
		F	*	9	11	8	11	11	15	13	14	10	17
	1 Bronchus and lung	M	*	11,397	12,198	12,824	13,323	13,882	14,611	15,027	15,436	15,585	16,347
		F	*	1,838	1,866	2,091	2,178	2,321	2,502	2,610	2,816	2,969	3,087
	2 Pleura	M	*	6	3	1	4	4	2	2	1	1	4
		F	*	-	4	2	1	1	1	-	1	1	-
	8 Multiple sites	M	*	2	3	1	-	2	4	-	1	4	2
		F	*	-	-	-	-	2	-	-	1	-	-
163	Lung, unspecified as to whether primary or secondary	M	5,618	5,608	5,950	6,039	6,100	6,366	6,113	6,414	6,763	7,002	7,166
		F	926	933	1,001	1,017	1,160	1,166	1,159	1,272	1,335	1,435	1,600
164	Mediastinum	M	57	58	66	50	58	32	36	36	45	25	31
		F	36	29	29	28	24	20	28	16	20	31	11
165	Thoracic organs (secondary)	M	22	16	15	18	20	14	23	26	27	32	22
		F	17	16	15	12	22	17	10	18	13	23	17
170-181	**Malignant neoplasm of breast and genito-urinary organs**	**M**	**6,591**	**6,800**	**6,704**	**6,903**	**6,975**	**7,414**	**7,314**	**7,400**	**7,649**	**7,739**	**7,736**
		F	**17,139**	**17,840**	**17,593**	**18,098**	**18,261**	**18,414**	**18,394**	**19,060**	**19,024**	**19,246**	**19,531**
170	Breast	M	70	73	62	63	81	79	70	84	81	100	88
		F	8,552	8,949	8,708	9,059	9,286	9,351	9,442	9,860	9,688	9,822	10,231
171	Cervix uteri	F	2,456	2,702	2,555	2,599	2,504	2,511	2,465	2,577	2,453	2,483	2,449
172	Corpus uteri	F	1,207	1,189	1,214	1,245	1,245	1,255	1,187	1,106	1,215	1,181	1,073
173	Other parts of uterus, including chorionepithelioma	F	36	34	39	38	21	40	35	22	28	22	18
174	Uterus, unspecified	F	213	190	195	206	211	209	282	284	281	264	298
175	Ovary, Fallopian tube, and broad ligament	F	2,854	2,890	2,939	2,959	3,057	3,061	3,050	3,154	3,225	3,316	3,296
	0 Ovary	F	*	2,866	2,919	2,933	3,031	3,032	3,025	3,140	3,207	3,297	3,274
	1 Fallopian tube and broad ligament	F	*	21	19	24	25	27	24	14	18	19	20
	8, 9 Multiple and unspecified sites of ovary, etc.	F	*	3	1	2	1	2	1	-	-	-	2
176	Other and unspecified female genital organs	F	519	519	530	541	492	520	502	514	544	557	555
	0 Vulva	F	*	365	373	390	360	376	356	359	408	423	400
	1 Vagina	F	*	143	150	141	124	138	139	143	128	126	147
	7-9 Other multiple and unspecified sites of female genital organs	F	*	11	7	10	8	6	7	12	8	8	8
177	Prostate	M	3,460	3,614	3,590	3,655	3,658	3,820	3,795	3,728	3,982	3,914	3,888
178	Testis	M	175	203	193	224	185	207	216	219	222	229	204
179	Other and unspecified male genital organs	M	139	140	143	111	149	129	139	133	120	113	106
	0 Penis	M	*	110	106	86	121	105	104	107	90	86	81
	1 Scrotum	M	*	28	30	22	25	19	32	20	24	23	20
	7-9 Other multiple and unspecified sites of male genital organs	M	*	2	7	3	3	5	3	6	6	4	5
180	Kidney	M	704	761	704	710	750	842	824	860	876	891	942
		F	433	504	459	518	518	501	522	550	532	573	563
181	Bladder and other urinary organs	M	2,043	2,009	2,012	2,140	2,152	2,337	2,270	2,376	2,368	2,492	2,508
		F	869	863	954	933	927	966	909	993	1,058	1,028	1,048
	0, 8 Bladder	M	*	1,997	1,993	2,125	2,137	2,323	2,250	2,365	2,360	2,476	2,494
		F	*	849	932	912	898	941	890	973	1,036	1,004	1,031
	7 Other urinary organs and sites	M	*	12	19	15	15	14	20	11	8	16	14
		F	*	14	22	21	29	25	19	20	22	24	17
190-199	**Malignant neoplasm of other and unspecified sites**	**M**	**2,919**	**2,926**	**2,853**	**2,954**	**3,108**	**3,141**	**3,099**	**3,251**	**3,456**	**3,504**	**3,509**
		F	**3,124**	**2,904**	**2,952**	**2,902**	**3,060**	**3,027**	**3,256**	**3,454**	**3,466**	**3,466**	**3,560**
190	Malignant melanoma of skin	M	145	125	161	168	155	171	185	192	203	221	216
		F	247	206	220	224	232	250	236	276	294	271	277
191	Other malignant neoplasm of skin	M	316	282	265	269	276	248	224	217	256	253	238
		F	254	235	228	232	218	206	208	231	237	197	200

* Comparable figures not available.

TABLE 7 - *continued*

ICD No.	Causes of death		1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
192	Eye	M	60	63	61	60	61	87	64	56	66	68	71
		F	51	62	70	67	77	64	61	66	63	69	57
193	Brain and other parts of nervous system	M	894	1,079	1,046	1,102	1,135	1,137	1,119	1,170	1,191	1,130	1,165
		F	667	794	823	788	847	783	848	814	805	826	829
	0 Brain	M	*	998	983	1,029	1,042	1,024	987	1,051	1,038	997	1,028
		F	*	743	750	722	757	700	751	698	705	731	727
	1 Spinal cord	M	*	15	11	14	13	17	20	11	22	13	16
		F	*	10	23	13	11	14	20	17	15	16	6
	2 Meninges	M	*	7	7	2	2	6	5	12	7	13	9
		F	*	3	8	5	5	12	13	8	7	6	8
	3 Peripheral nerves	M	*	2	3	5	1	7	4	1	4	10	3
		F	*	2	4	5	3	1	3	8	1	8	17
	4 Sympathetic nervous system	M	*	35	29	27	39	40	38	45	48	38	40
		F	*	17	27	29	37	25	28	29	32	26	29
	8, 9 Multiple and unspecified sites of brain, etc.	M	*	22	13	25	38	43	65	50	72	59	69
		F	*	19	11	14	34	31	33	54	45	39	42
194	Thyroid gland	M	89	92	100	102	97	110	100	98	86	122	94
		F	264	244	280	274	278	275	300	281	298	287	273
195	Other endocrine glands	M	71	67	58	51	45	59	51	60	64	61	45
		F	54	45	38	42	48	37	50	53	42	40	51
	0 Suprarenal gland	M	*	46	40	40	33	42	32	40	39	35	30
		F	*	29	21	30	28	25	35	33	30	18	34
	3 Pituitary gland and craniopharyngeal duct	M	*	6	4	4	5	6	6	4	1	7	4
		F	*	7	6	2	5	4	5	9	4	5	3
	1, 2, 4-8 Other and multiple	M	*	15	14	7	7	11	13	16	24	19	11
		F	*	9	11	10	15	8	10	11	8	17	14
196	Bone	M	351	354	330	337	349	322	280	261	344	298	310
		F	288	300	265	255	262	259	240	254	241	208	234
197	Connective tissue	M	125	113	110	108	133	141	123	131	120	117	144
		F	103	112	93	96	109	149	119	123	128	132	114
198	Secondary and unspecified malignant neoplasm of lymph nodes	M	37	45	43	39	35	51	50	42	34	38	51
		F	22	21	16	29	26	25	28	24	32	31	24
199	Other and unspecified sites	M	831	706	679	718	822	815	903	1,024	1,092	1,196	1,175
		F	1,174	885	919	895	963	979	1,166	1,332	1,326	1,405	1,501
200-205	**Neoplasms of lymphatic and haematopoietic tissues**	**M**	**2,727**	**2,707**	**2,791**	**3,020**	**2,969**	**2,994**	**3,171**	**3,290**	**3,225**	**3,401**	**3,443**
		F	**2,164**	**2,211**	**2,389**	**2,462**	**2,526**	**2,583**	**2,581**	**2,709**	**2,852**	**2,858**	**2,914**
200	Lymphosarcoma and reticulosarcoma	M	486	517	552	591	580	613	652	719	688	688	761
		F	381	429	442	451	516	473	495	494	567	596	609
	0 Reticulum-cell sarcoma	M	170	195	203	222	215	229	268	263	243	238	277
		F	157	175	171	176	218	186	218	213	231	236	222
	1 Lymphosarcoma	M	284	298	322	332	343	360	352	416	409	402	436
		F	207	235	243	252	275	252	255	255	298	319	343
	2 Other primary malignant neoplasms of lymphoid tissue	M	32	24	27	37	22	24	32	40	36	48	48
		F	17	19	28	23	23	35	22	26	38	41	44
201	Hodgkin's disease	M	584	472	543	508	545	550	521	489	539	573	567
		F	288	314	332	355	307	352	305	352	318	311	342
202	Other forms of lymphoma (reticulosis)	M	78	110	70	93	92	93	96	115	104	141	122
		F	76	87	72	80	86	79	84	121	104	116	138
	0 Giant follicular lymphoma (Brill-Symmers' disease)	M	7	14	17	21	16	13	19	21	16	21	16
		F	13	17	19	21	12	15	21	23	21	18	28
	1 Other	M	71	96	53	72	76	80	77	94	88	120	106
		F	63	70	53	59	74	64	63	98	83	98	110
203	Multiple myeloma (plasmocytoma)	M	268	298	295	335	330	334	375	398	425	416	436
		F	314	290	311	350	369	356	374	428	449	500	464
204	Leukaemia and aleukaemia	M	1,301	1,301	1,315	1,476	1,408	1,392	1,511	1,564	1,454	1,567	1,549
		F	1,093	1,085	1,219	1,218	1,237	1,315	1,319	1,303	1,406	1,329	1,355
	0 Lymphatic leukaemia	M	339	270	284	309	306	320	328	347	320	370	370
		F	222	184	228	220	225	217	236	247	268	245	238
	1 Myeloid leukaemia	M	299	229	243	225	253	239	285	275	260	249	262
		F	307	247	285	294	278	291	271	288	266	279	285
	2 Monocytic leukaemia	M	103	105	114	118	94	108	104	114	102	104	74
		F	112	110	82	94	98	114	88	83	106	66	85
	3 Acute leukaemia	M	519	662	631	788	708	691	734	778	712	779	784
		F	420	512	592	583	603	655	679	640	718	702	711
	4 Other and unspecified leukaemia	M	41	35	43	36	47	34	60	50	60	65	59
		F	32	32	32	27	33	38	45	45	48	37	36

* Comparable figures not available.

TABLE 7 - *continued*

ICD No.	Causes of death		1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
205	Mycosis fungoides	M	10	9	16	17	14	12	16	5	15	16	8
		F	12	6	13	8	11	8	4	11	8	6	6
210-229	**Benign neoplasm**	**M**	**329**	**319**	**316**	**356**	**327**	**284**	**304**	**336**	**303**	**307**	**320**
		F	**555**	**499**	**524**	**546**	**479**	**470**	**450**	**468**	**460**	**433**	**435**
210	Buccal cavity and pharynx	M	2	1	1	-	2	3	2	1	1	3	1
		F	1	1	-	4	1	3	1	1	3	2	4
211	Other parts of digestive system	M	17	16	24	29	26	26	27	25	34	24	22
		F	28	19	15	32	24	28	31	18	36	18	19
212	Respiratory system	M	10	11	15	12	13	13	15	28	31	28	37
		F	10	8	12	7	6	3	6	12	8	18	17
213	Breast	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	2	2	1	2	-	-	-	1	-	1
214	Uterine fibromyoma	F	87	81	84	71	51	54	60	48	42	42	45
215	Other benign neoplasm of uterus	F	12	7	11	7	10	7	2	7	1	8	5
216	Ovary	F	112	93	86	95	79	78	82	82	83	76	68
217	Other female genital organs	F	1	1	3	3	1	-	2	2	2	-	-
219	Kidney and other urinary organs	M	91	75	73	86	82	51	52	58	48	40	42
		F	41	34	36	25	29	26	24	24	33	30	19
221	Pilonidal cyst	M	2	1	-	-	-	-	-	-	-	-	-
		F	-	1	1	1	1	-	-	2	-	-	-
222	Other benign neoplasm of skin	M	1	-	-	1	1	2	-	-	-	-	-
		F	3	1	1	-	1	-	-	-	-	1	-
223	Brain and other parts of nervous system	M	131	138	129	139	130	125	130	133	105	127	110
		F	179	158	187	193	180	173	160	179	149	152	161
224	Endocrine glands	M	38	48	40	51	40	45	47	45	46	36	49
		F	44	55	51	61	60	58	48	62	54	48	58
225	Bone and cartilage	M	12	5	5	5	2	1	2	5	6	4	6
		F	8	7	4	9	5	3	7	5	8	3	5
226	Lipoma	M	3	1	2	2	3	-	3	1	1	8	2
		F	4	3	3	4	3	3	1	1	4	1	2
227	Other benign neoplasm of muscular and connective tissue	M	5	7	9	11	9	7	11	13	12	16	27
		F	5	6	9	13	12	11	14	13	16	12	14
228	Haemangioma and lymphangioma	M	14	13	15	15	15	8	12	21	14	18	18
		F	13	18	15	17	8	15	10	4	12	13	14
229	Other and unspecified organs and tissues	M	3	3	2	5	3	3	3	4	5	3	4
		F	7	4	4	3	6	8	2	8	8	9	3
230-239	**Neoplasm of unspecified nature**	**M**	**407**	**219**	**225**	**257**	**277**	**273**	**350**	**376**	**379**	**364**	**350**
		F	**337**	**159**	**211**	**222**	**235**	**217**	**290**	**316**	**290**	**295**	**291**
230	Digestive organs	M	26	13	21	15	21	24	25	28	39	19	23
		F	23	26	19	25	30	22	29	40	37	44	31
231	Respiratory organs	M	14	30	15	34	23	13	31	38	34	35	34
		F	10	8	10	8	10	8	12	14	17	17	13
233	Uterus	F	-	1	2	-	4	2	-	4	1	2	1
234	Ovary	F	1	2	2	4	3	5	3	8	3	4	5
236	Other genito-urinary organs	M	6	4	6	4	8	3	8	11	9	8	8
		F	2	7	5	5	6	3	11	6	9	9	4
237	Brain and other parts of nervous system	M	344	160	171	183	203	210	271	281	275	282	268
		F	279	97	156	163	165	159	207	211	193	194	203
238	Skin and musculo-skeletal system	M	5	3	7	8	4	9	7	6	10	3	4
		F	5	4	4	3	3	4	5	4	8	2	6
239	Other and unspecified organs	M	12	9	5	13	18	14	8	12	12	17	13
		F	17	14	13	14	14	12	23	27	20	23	28
240-289	**III ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES**	**M**	**2,138**	**2,217**	**2,032**	**2,133**	**2,303**	**2,396**	**2,576**	**2,650**	**2,823**	**2,873**	**2,697**
		F	**3,924**	**3,980**	**3,824**	**4,111**	**4,364**	**4,439**	**4,711**	**4,542**	**5,067**	**5,003**	**4,738**
240-245	**Allergic disorders**	**M**	**720**	**625**	**539**	**528**	**566**	**605**	**710**	**804**	**921**	**941**	**793**
		F	**798**	**840**	**689**	**684**	**719**	**777**	**982**	**1,045**	**1,198**	**1,153**	**990**
240	Hay fever	M	-	-	-	-	1	1	-	-	-	-	-
		F	-	1	-	1	-	-	1	-	-	-	-
241	Asthma	M	715	617	534	516	560	587	691	776	902	907	779
		F	792	836	680	672	709	765	964	1,024	1,178	1,133	976
242	Angioneurotic oedema	M	3	7	-	4	1	1	2	3	5	4	-
		F	4	2	6	6	2	1	1	6	4	2	2
245	Other allergic disorders	M	2	-	5	8	4	16	17	25	14	29	14
		F	2	1	3	5	8	11	15	15	15	18	10

TABLE 7 - *continued*

ICD No.	Causes of death		1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
250-254	**Diseases of thyroid gland**	**M**	**89**	**96**	**114**	**99**	**90**	**120**	**108**	**95**	**109**	**79**	**90**
		F	**590**	**589**	**621**	**646**	**665**	**697**	**788**	**527**	**622**	**565**	**579**
250	Simple goitre	M	4	4	7	3	1	2	5	2	2	3	4
		F	22	17	15	10	13	8	16	16	17	12	10
251	Non-toxic nodular goitre	M	2	11	5	3	2	1	1	4	2	3	-
		F	22	25	18	19	27	16	11	9	19	16	17
252	Thyrotoxicosis with or without goitre	M	59	40	55	40	42	64	31	39	40	27	43
		F	314	282	296	311	286	277	264	207	216	217	219
	0 Toxic diffuse goitre	M	57	39	54	40	40	64	31	39	39	26	41
		F	292	262	281	287	278	260	252	195	203	205	215
	1 Toxic nodular goitre	M	2	1	1	-	2	-	-	-	1	1	2
		F	22	20	15	24	8	17	12	12	13	12	4
253	Myxoedema and cretinism	M	22	37	42	50	41	48	67	48	60	44	40
		F	223	250	279	289	327	378	478	280	347	296	317
254	Other diseases of thyroid gland	M	2	4	5	3	4	5	4	2	5	2	3
		F	9	15	13	17	12	18	19	15	23	24	16
260	**Diabetes mellitus**	**M**	**1,013**	**1,152**	**1,100**	**1,193**	**1,331**	**1,330**	**1,371**	**1,409**	**1,461**	**1,512**	**1,502**
		F	**2,124**	**2,163**	**2,093**	**2,366**	**2,538**	**2,481**	**2,433**	**2,522**	**2,745**	**2,789**	**2,720**
270-277	**Diseases of other endocrine glands**	**M**	**112**	**135**	**97**	**121**	**119**	**134**	**142**	**121**	**113**	**93**	**100**
		F	**156**	**132**	**141**	**151**	**144**	**152**	**160**	**142**	**139**	**132**	**133**
270	Disorders of pancreatic internal secretion other than diabetes mellitus	M	4	10	3	6	8	4	15	14	15	7	13
		F	5	-	3	5	6	7	5	10	12	8	5
271	Diseases of parathyroid gland	M	2	2	3	3	2	6	3	4	1	2	4
		F	11	7	12	9	4	9	7	9	8	7	7
272	Diseases of pituitary gland	M	40	38	37	40	45	38	50	44	32	27	34
		F	65	55	55	50	58	49	59	43	53	52	43
273	Diseases of thymus gland	M	6	4	7	1	4	4	8	7	2	4	3
		F	5	4	2	3	3	4	4	5	-	4	2
274	Diseases of adrenal glands	M	42	63	33	57	45	69	58	45	53	46	37
		F	50	48	48	57	54	69	67	60	48	45	55
277	Polyglandular dysfunction and other diseases of endocrine glands	M	18	18	14	14	15	13	8	7	10	7	9
		F	20	18	21	27	19	14	18	15	18	16	21
280-289	**Avitaminoses and other metabolic diseases**	**M**	**204**	**209**	**182**	**192**	**197**	**207**	**245**	**221**	**219**	**248**	**212**
		F	**256**	**256**	**280**	**264**	**298**	**332**	**348**	**306**	**363**	**364**	**316**
280	Beriberi	M	2	1	2	2	1	-	1	-	-	1	-
		F	1	-	-	2	1	1	1	-	-	-	-
281	Pellagra	M	-	1	-	-	1	-	-	-	-	-	-
		F	2	-	1	-	2	-	-	-	-	-	-
282	Scurvy	M	1	4	2	1	1	-	-	2	2	-	1
		F	4	1	-	1	3	-	-	2	1	1	2
283	Active rickets	M	-	-	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	1	-
284	Late effects of rickets	M	1	-	2	-	-	-	-	-	-	-	-
		F	3	1	-	-	-	-	1	1	4	-	-
285	Osteomalacia	M	-	2	-	-	1	-	-	2	1	1	4
		F	1	1	2	5	6	3	4	4	4	7	9
286	Other avitaminoses and nutritional deficiency states	M	41	50	46	38	53	67	56	46	54	69	54
		F	56	62	64	58	64	84	66	79	85	87	83
	0 Steatorrhoea and sprue	M	22	20	19	22	26	34	19	34	28	38	32
		F	24	22	21	20	25	36	23	41	34	33	38
	5 Malnutrition, unqualified	M	14	24	20	10	14	20	30	7	12	24	9
		F	21	31	28	28	31	32	30	18	33	36	29
	1-4, 6, 7 Other deficiency states	M	5	6	7	6	13	13	7	5	14	7	13
		F	11	9	15	10	8	16	13	20	18	18	16
287	Obesity, not specified as of endocrine origin	M	55	52	41	46	36	46	52	44	55	46	43
		F	127	123	146	127	158	160	176	137	171	151	128
288	Gout	M	17	10	15	14	17	12	13	14	14	29	21
		F	3	6	1	4	5	-	5	5	6	8	5
289	Other metabolic diseases	M	87	89	74	91	87	81	123	113	93	102	89
		F	59	62	66	67	59	84	95	78	92	109	89
	0 Lipidosis (disturbance of lipid metabolism)	M	15	18	7	11	13	16	16	19	10	9	12
		F	7	10	7	9	14	14	14	13	9	10	22
	1 Amyloidosis	M	36	23	30	37	30	21	41	36	34	34	31
		F	21	14	27	24	15	28	33	30	28	42	24
	2 Other	M	36	48	37	43	44	44	66	58	49	59	46
		F	31	38	32	34	30	42	48	35	55	57	43

TABLE 7 - *continued*

ICD No.	Causes of death		1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
290-299	**IV DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS**	**M**	**741**	**742**	**756**	**777**	**764**	**776**	**739**	**772**	**798**	**777**	**760**
		F	**1,348**	**1,308**	**1,313**	**1,248**	**1,344**	**1,318**	**1,382**	**1,256**	**1,415**	**1,333**	**1,259**
290	Pernicious and other hyperchromic anaemias	M	260	247	227	253	218	205	214	186	171	183	142
		F	622	578	582	517	544	514	487	449	486	460	390
	0 Pernicious anaemia	M	216	214	195	198	171	175	171	161	139	136	105
		F	551	502	489	445	471	447	407	378	405	383	312
	1 Subacute combined degeneration of spinal cord	M	13	16	11	14	19	10	11	5	5	7	4
		F	28	25	32	20	19	20	10	11	6	6	5
	2 Other hyperchromic anaemias	M	31	17	21	41	28	20	32	20	27	40	33
		F	43	51	61	52	54	47	70	60	75	71	73
291	Iron deficiency anaemias (hypochromic anaemias)	M	70	73	100	78	81	95	89	91	93	83	95
		F	193	194	223	221	252	218	274	213	245	262	237
292	Other anaemias of specified type	M	181	203	203	191	205	210	181	215	227	211	229
		F	237	225	219	196	219	229	286	260	274	250	277
	4 Aplastic anaemia	M	107	128	118	108	116	126	99	113	124	104	112
		F	151	133	118	105	116	128	173	134	155	126	145
	0-3, 5-7 Other specified anaemias	M	74	75	85	83	89	84	82	102	103	107	117
		F	86	92	101	91	103	101	113	126	119	124	132
293	Anaemia of unspecified type	M	48	53	52	71	69	69	74	73	94	81	87
		F	115	112	85	132	121	140	140	156	203	152	150
294	Polycythaemia	M	37	45	50	60	47	57	67	58	64	57	73
		F	28	28	42	31	40	49	42	47	60	52	59
295	Haemophilia	M	19	8	16	9	14	17	13	14	11	13	10
		F	-	-	-	-	-	-	1	-	-	1	-
296	Purpura and other haemorrhagic conditions	M	70	62	52	60	66	67	51	58	72	70	59
		F	73	82	79	62	95	93	85	63	76	70	74
297	Agranulocytosis	M	8	10	7	12	10	10	10	13	8	14	9
		F	8	12	13	12	12	20	11	18	13	8	12
298	Diseases of spleen	M	38	30	36	22	33	28	17	27	27	25	17
		F	62	60	56	59	42	39	30	24	26	32	25
299	Other diseases of blood and blood-forming organs	M	10	11	13	21	21	18	23	37	31	40	39
		F	10	17	14	18	19	16	26	26	32	46	35
300-326	**V MENTAL, PSYCHONEUROTIC AND PERSONALITY DISORDERS**	**M**	**347**	**341**	**364**	**401**	**392**	**461**	**430**	**464**	**489**	**489**	**475**
		F	**698**	**565**	**644**	**643**	**682**	**708**	**723**	**647**	**715**	**823**	**762**
300-309	**Psychoses**	**M**	**259**	**243**	**254**	**298**	**305**	**329**	**317**	**349**	**372**	**365**	**345**
		F	**593**	**475**	**519**	**534**	**572**	**571**	**598**	**552**	**629**	**702**	**637**
300	Schizophrenic disorders (dementia praecox)	M	27	22	21	10	22	19	16	19	13	14	16
		F	23	19	23	17	18	22	28	20	17	18	16
301	Manic-depressive reaction	M	9	14	8	6	6	7	6	7	7	4	5
		F	30	27	18	17	8	14	10	9	6	13	9
302	Involutional melancholia	M	5	1	2	2	-	2	-	2	-	-	-
		F	5	3	1	6	2	2	1	2	1	1	-
303	Paranoia and paranoid states	M	-	1	3	-	1	1	-	-	1	2	1
		F	3	-	3	-	1	-	3	-	1	2	3
304	Senile psychosis	M	161	151	155	204	212	233	216	237	265	260	247
		F	440	339	381	390	437	436	466	421	515	578	508
305	Presenile psychosis	M	43	30	48	46	41	49	53	66	66	58	52
		F	61	66	71	69	69	70	63	69	66	62	65
307	Alcoholic psychosis	M	3	5	2	7	6	1	3	1	-	4	4
		F	4	1	-	3	2	1	2	1	-	1	1
309	Other and unspecified psychoses	M	11	19	15	23	17	17	23	17	20	23	20
		F	27	20	22	32	35	26	25	30	23	27	35
310-318	**Psychoneurotic disorders**	**M**	**14**	**15**	**23**	**14**	**11**	**15**	**12**	**4**	**14**	**12**	**13**
		F	**36**	**31**	**54**	**39**	**33**	**51**	**34**	**20**	**18**	**31**	**33**
310	Anxiety reaction without mention of somatic symptoms	M	-	3	3	1	1	-	1	1	4	1	-
		F	1	2	5	2	2	3	-	1	1	4	2
311	Hysterical reaction without mention of anxiety reaction	M	7	3	6	7	7	4	6	2	6	4	7
		F	23	23	36	26	23	34	24	11	9	16	17
314	Neurotic-depressive reaction	M	-	3	2	2	1	8	3	1	2	3	5
		F	8	1	5	6	4	7	6	7	4	6	10
316	Psychoneurosis with somatic symptoms (somatization reaction) affecting digestive system	M	1	-	-	1	-	1	-	-	-	2	-
		F	2	-	3	3	1	-	1	-	-	-	3
317	Psychoneurosis with somatic symptoms (somatization reaction) affecting other systems	M	2	2	4	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	1	-	-	-	-	-

TABLE 7 - *continued*

ICD No.	Causes of death		1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
318	Psychoneurotic disorders, other, mixed and unspecified types	M	2	2	6	2	2	2	1	-	2	2	1
		F	2	4	5	2	3	5	3	1	3	4	1
320-326	**Disorders of character, behaviour, and intelligence**	**M**	**74**	**83**	**87**	**89**	**76**	**117**	**101**	**111**	**103**	**112**	**117**
		F	**69**	**59**	**71**	**70**	**77**	**86**	**91**	**75**	**68**	**90**	**92**
320	Pathological personality	M	-	1	-	-	-	-	-	1	1	-	-
		F	-	2	-	-	-	1	-	1	-	-	-
322	Alcoholism	M	15	25	33	23	24	31	31	48	44	43	50
		F	8	17	15	20	17	20	21	23	15	20	19
	0 Acute	M	1	5	6	2	3	6	1	10	9	7	7
		F	2	-	3	3	2	2	-	4	-	-	2
	1 Chronic	M	10	15	20	15	16	21	24	26	21	31	29
		F	5	15	11	16	13	16	20	16	12	17	14
	2 Unspecified	M	4	5	7	6	5	4	6	12	14	5	14
		F	1	2	1	1	2	2	1	3	3	3	3
323	Other drug addiction	M	-	2	4	-	1	4	3	5	9	11	12
		F	1	1	1	3	1	2	2	3	1	6	13
325	Mental deficiency	M	59	55	50	66	51	82	67	57	49	58	55
		F	60	39	55	44	58	63	68	48	52	64	60
330-398	**VI DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS**	**M**	**33,242**	**33,915**	**33,593**	**33,644**	**33,893**	**34,443**	**35,033**	**32,589**	**34,405**	**34,535**	**33,489**
		F	**45,959**	**47,763**	**47,184**	**48,191**	**49,019**	**49,657**	**51,176**	**47,319**	**49,544**	**50,250**	**49,477**
330-334	**Vascular lesions affecting central nervous system**	**M**	**30,537**	**31,298**	**30,897**	**31,006**	**31,160**	**31,673**	**32,264**	**29,818**	**31,616**	**31,743**	**30,669**
		F	**43,132**	**44,879**	**44,253**	**45,216**	**45,863**	**46,624**	**48,076**	**44,147**	**46,531**	**47,081**	**46,478**
330	Subarachnoid haemorrhage	M	1,193	1,214	1,231	1,310	1,328	1,387	1,407	1,450	1,477	1,469	1,473
		F	1,902	2,039	1,934	2,137	2,105	2,299	2,334	2,382	2,365	2,357	2,545
331	Cerebral haemorrhage	M	11,970	11,923	11,493	11,688	11,444	11,550	11,754	11,390	11,599	11,755	12,106
		F	17,408	17,784	16,791	17,305	16,827	17,136	17,656	16,642	16,724	17,376	17,651
332	Cerebral embolism and thrombosis	M	14,914	15,452	15,341	15,250	15,311	15,408	15,719	13,574	14,822	14,569	13,302
		F	20,806	21,670	21,863	22,042	22,368	22,464	23,139	20,173	21,949	21,514	20,422
333	Spasm of cerebral arteries	M	1	1	1	1	1	3	1	1	-	-	2
		F	-	2	1	1	1	-	-	2	-	-	-
334	Other and ill-defined vascular lesions affecting central nervous system	M	2,459	2,708	2,831	2,757	3,076	3,325	3,383	3,403	3,718	3,950	3,786
		F	3,016	3,384	3,664	3,731	4,562	4,725	4,947	4,948	5,493	5,834	5,860
340-345	**Inflammatory diseases of central nervous system**	**M**	**736**	**689**	**685**	**703**	**690**	**700**	**720**	**756**	**705**	**677**	**701**
		F	**787**	**820**	**795**	**818**	**847**	**826**	**836**	**870**	**813**	**829**	**736**
340	Meningitis, except meningococcal and tuberculous	M	233	197	180	209	208	234	212	251	229	199	229
		F	143	142	134	160	164	186	183	204	191	186	170
	0 H. influenzae	M	29	11	23	25	23	23	26	20	21	21	20
		F	14	10	10	12	13	18	13	18	22	14	16
	1 Pneumococcus	M	112	80	79	64	75	84	73	67	63	63	57
		F	60	66	56	65	57	75	65	62	63	60	51
	2 Due to other specified organism	M	39	55	42	49	48	42	37	48	40	26	49
		F	35	29	24	30	41	30	36	43	32	31	27
	3 With no organism specified as cause	M	53	51	36	71	62	85	76	116	105	89	103
		F	34	37	44	53	53	63	69	81	74	81	76
341	Phlebitis and thrombophlebitis of intracranial venous sinuses	M	15	10	9	7	13	8	16	15	11	8	9
		F	16	7	12	13	7	12	18	19	17	14	21
342	Intracranial and intraspinal abscess	M	71	41	49	34	37	47	59	46	46	50	53
		F	26	39	16	26	31	15	26	31	34	24	24
343	Encephalitis, myelitis, and encephalomyelitis (except acute infectious)	M	74	68	60	64	58	59	57	61	47	62	57
		F	62	56	48	43	54	45	75	51	54	56	49
344	Late effects of intracranial abscess or pyogenic infection	M	33	47	47	42	38	44	39	53	49	39	48
		F	38	37	34	42	41	50	40	34	42	32	37
345	Multiple sclerosis	M	310	326	340	347	336	308	337	330	323	319	305
		F	502	539	551	534	550	518	494	531	475	517	435
350-357	**Other diseases of central nervous system**	**M**	**1,788**	**1,761**	**1,809**	**1,791**	**1,871**	**1,865**	**1,902**	**1,864**	**1,952**	**1,975**	**1,990**
		F	**1,903**	**1,941**	**2,005**	**1,988**	**2,161**	**2,081**	**2,098**	**2,138**	**2,076**	**2,222**	**2,157**
350	Paralysis agitans	M	685	686	726	696	699	697	698	676	686	670	681
		F	838	867	952	946	1,001	936	922	928	908	948	882
351	Cerebral spastic infantile paralysis	M	61	65	61	73	62	66	59	57	45	68	51
		F	56	47	53	51	51	61	49	48	46	57	45
352	Other cerebral paralysis	M	206	214	232	238	240	270	296	263	313	335	315
		F	310	306	301	310	383	341	364	416	357	454	442
353	Epilepsy	M	374	358	346	327	388	373	383	337	352	372	369
		F	319	343	280	312	324	328	331	270	302	275	263

TABLE 7 - *continued*

ICD No.	Causes of death		1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
	2 Status epilepticus	M	134	124	136	118	140	148	127	120	139	136	140
		F	132	143	115	141	140	148	113	112	121	111	115
	0, 1, 3 Other epilepsy	M	240	234	210	209	248	225	256	217	213	236	229
		F	187	200	165	171	184	180	218	158	181	164	148
355	Other diseases of brain	M	115	104	96	111	135	118	140	146	150	164	195
		F	126	128	121	115	136	157	165	181	175	187	214
356	Motor neurone disease and muscular atrophy	M	317	298	308	311	306	311	290	346	375	341	343
		F	223	231	260	227	230	228	227	258	265	271	269
	0 Progressive muscular atrophy	M	197	184	187	161	165	150	122	130	142	117	99
		F	148	141	147	136	118	122	117	110	106	103	82
	1 Amyotrophic lateral sclerosis	M	44	46	47	36	33	41	38	36	28	22	25
		F	25	40	40	26	26	21	30	18	26	11	14
	2, 3 Other motor neurone disease	M	76	68	74	114	108	120	130	180	205	202	219
		F	50	50	73	65	86	85	80	130	133	157	173
357	Other diseases of spinal cord	M	30	36	40	35	40	29	36	39	31	25	35
		F	30	19	35	27	36	29	39	36	23	29	42
360-369	**Diseases of nerves and peripheral ganglia**	**M**	**33**	**49**	**36**	**29**	**52**	**50**	**40**	**36**	**29**	**42**	**38**
		F	**29**	**20**	**35**	**69**	**33**	**39**	**50**	**47**	**32**	**33**	**34**
361	Trigeminal neuralgia	M	1	2	1	-	-	1	2	-	-	1	-
		F	2	2	4	9	3	2	5	5	1	-	-
363	Sciatica	M	1	2	-	1	-	1	2	2	1	1	1
		F	1	-	-	-	-	1	1	1	1	1	1
364	Polyneuritis and polyradiculitis	M	25	37	22	21	36	39	31	26	16	26	24
		F	19	11	19	43	20	24	31	31	19	15	23
365	Erythroedema polyneuritica	M	2	-	1	1	-	-	1	1	-	1	-
		F	1	1	1	1	-	-	-	-	-	1	1
366	Other and unspecified forms of neuralgia and neuritis	M	2	5	10	3	7	4	2	4	4	6	2
		F	5	5	9	11	7	4	5	3	6	2	3
368	Other diseases of peripheral nerves except autonomic	M	1	2	1	3	7	2	2	2	8	4	7
		F	1	-	1	2	1	5	4	3	4	12	4
370-379	**Inflammatory diseases of eye**	**M**	**1**	**1**	**2**	**2**	**2**	**6**	**2**	**3**	**-**	**3**	**1**
		F	**5**	**6**	**3**	**4**	**-**	**4**	**2**	**4**	**2**	**2**	**-**
370	Conjunctivitis and ophthalmia	M	-	-	1	-	1	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	1	-	-
376	Other inflammation of uveal tract	M	1	1	-	-	-	2	2	-	-	-	-
		F	3	-	-	-	-	-	-	1	-	1	-
377	Inflammation of optic nerve and retina	M	-	-	-	-	-	3	-	-	-	3	-
		F	1	3	3	2	-	1	1	3	-	-	-
379	Other inflammatory diseases of eye	M	-	-	-	-	-	-	-	2	-	-	1
		F	1	2	-	1	-	-	-	-	1	1	-
380-389	**Other diseases and conditions of eye**	**M**	**23**	**14**	**26**	**19**	**24**	**24**	**13**	**18**	**12**	**12**	**9**
		F	**34**	**40**	**36**	**34**	**43**	**31**	**30**	**35**	**25**	**28**	**18**
381	Corneal ulcer	M	1	1	-	-	-	-	-	-	-	-	-
		F	-	2	1	2	2	-	-	-	-	1	-
384	Strabismus	M	2	1	1	2	1	2	-	1	2	1	-
		F	-	-	3	3	2	1	-	-	-	-	-
385	Cataract	M	11	6	15	10	8	8	9	6	5	5	4
		F	22	15	22	19	27	15	15	24	11	20	11
386	Detachment of retina	M	2	-	2	1	3	3	-	1	2	-	3
		F	5	3	2	1	3	2	1	2	2	2	1
387	Glaucoma	M	3	3	4	1	7	5	2	6	3	3	1
		F	2	14	5	7	7	10	8	6	10	4	5
388	Other diseases of eye	M	3	1	2	5	2	2	2	4	-	3	1
		F	2	4	3	1	1	2	4	3	2	1	1
389	Blindness	M	1	2	2	-	2	1	-	-	-	-	-
		F	3	2	-	1	1	-	2	-	-	-	-
390-398	**Diseases of ear and mastoid process**	**M**	**124**	**103**	**138**	**94**	**94**	**125**	**92**	**94**	**91**	**83**	**81**
		F	**69**	**57**	**57**	**62**	**72**	**52**	**84**	**78**	**65**	**55**	**54**
391	Otitis media without mention of mastoiditis	M	95	79	109	73	78	98	77	82	79	68	69
		F	52	47	45	48	57	49	74	72	54	44	48
392	Otitis media with mastoiditis	M	6	6	11	7	4	6	5	3	4	4	1
		F	5	2	4	1	-	1	2	1	3	4	1
393	Mastoiditis without mention of otitis media	M	21	16	17	13	9	14	7	8	5	10	7
		F	8	6	5	9	10	2	6	4	8	4	4
394	Other inflammatory diseases of ear	M	-	2	-	-	2	1	1	-	2	-	1
		F	-	-	-	1	-	-	1	-	-	-	-

TABLE 7 - *continued*

ICD No.	Causes of death		1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
395	Meniere's disease	M	1	-	-	-	-	1	-	-	-	-	1
		F	1	1	-	-	2	-	-	-	-	1	1
396	Other diseases of ear and mastoid process	M	1	-	-	1	-	4	2	1	1	1	2
		F	1	1	2	3	3	-	1	-	-	2	-
400-468	**VII DISEASES OF THE CIRCULATORY SYSTEM**	**M**	**95,784**	**99,907**	**96,306**	**100,244**	**102,364**	**105,466**	**108,513**	**101,956**	**106,281**	**106,989**	**104,252**
		F	**92,566**	**97,738**	**95,526**	**98,319**	**102,394**	**102,857**	**105,106**	**96,297**	**99,980**	**101,011**	**97,663**
400-402	**Rheumatic fever**	**M**	**78**	**70**	**63**	**61**	**56**	**62**	**52**	**30**	**48**	**41**	**6**
		F	**96**	**61**	**63**	**64**	**47**	**44**	**45**	**31**	**32**	**35**	**12**
400	Rheumatic fever without mention of heart involvement	M	3	3	1	2	-	2	1	-	1	-	-
		F	2	3	4	3	3	2	2	-	1	-	2
401	Rheumatic fever with heart involvement	M	68	63	57	54	56	59	47	27	42	37	6
		F	81	51	47	46	38	39	39	30	29	30	10
	0 Active rheumatic pericarditis	M	23	27	21	30	32	31	18	20	36	28	3
		F	14	23	28	22	18	22	24	21	24	22	4
	1 Active rheumatic endocarditis	M	10	10	19	5	5	10	10	1	3	3	-
		F	17	11	5	6	6	8	7	4	1	1	2
	2 Active rheumatic myocarditis	M	2	4	4	5	-	1	5	-	-	-	-
		F	9	-	2	1	-	-	1	2	-	1	-
	3 Active rheumatic fever with other and multiple types of heart involvement	M	33	22	13	14	19	17	14	6	3	6	3
		F	41	17	12	17	14	9	7	3	4	6	4
402	Chorea	M	7	4	5	5	-	1	4	3	5	4	-
		F	13	7	12	15	6	3	4	1	2	5	-
	0 Without mention of heart involvement	M	6	1	2	4	-	-	1	1	1	1	-
		F	12	4	8	13	3	-	-	-	2	1	-
	1 With heart involvement	M	1	3	3	1	-	1	3	2	4	3	-
		F	1	3	4	2	3	3	4	1	-	4	-
410-416	**Chronic rheumatic heart disease**	**M**	**2,989**	**2,567**	**2,482**	**2,469**	**2,580**	**2,529**	**2,382**	**2,126**	**2,093**	**2,033**	**1,965**
		F	**5,228**	**4,867**	**4,589**	**4,652**	**4,892**	**4,783**	**4,542**	**4,045**	**4,123**	**3,967**	**3,749**
410	Diseases of mitral valve	M	1,937	1,633	1,551	1,504	1,592	1,549	1,464	1,284	1,315	1,230	1,263
		F	3,933	3,629	3,381	3,433	3,538	3,492	3,293	2,893	2,907	2,800	2,704
411	Diseases of aortic valve specified as rheumatic	M	342	343	313	332	362	379	344	327	298	283	282
		F	171	187	172	179	198	174	231	197	225	194	180
412	Diseases of tricuspid valve	M	3	7	4	11	11	10	9	6	9	20	11
		F	8	6	11	10	12	15	15	7	12	14	12
414	Other endocarditis specified as rheumatic	M	236	182	163	146	152	147	138	124	85	94	65
		F	347	282	277	266	276	236	169	187	200	170	134
415	Other myocarditis specified as rheumatic	M	77	67	62	46	55	44	38	25	22	23	14
		F	141	112	93	62	89	95	75	40	43	28	25
416	Other heart disease specified as rheumatic	M	394	335	389	430	408	400	389	360	364	383	329
		F	628	651	655	702	779	771	759	721	736	761	694
420-422	**Arteriosclerotic and degenerative heart disease**	**M**	**71,151**	**75,237**	**72,700**	**76,064**	**77,639**	**81,063**	**83,559**	**79,699**	**83,327**	**83,494**	**81,916**
		F	**61,598**	**65,770**	**64,224**	**66,194**	**68,368**	**69,548**	**71,256**	**65,727**	**68,391**	**68,889**	**66,953**
420	Arteriosclerotic heart disease, including coronary disease	M	48,266	52,085	52,193	56,514	58,396	62,686	65,840	65,082	69,261	69,547	69,803
		F	28,910	31,956	32,729	35,447	37,379	39,792	42,016	41,208	44,190	45,219	45,489
	0 Arteriosclerotic heart disease so described	M	344	454	406	516	608	676	727	694	617	670	641
		F	364	541	498	623	805	911	891	830	836	862	868
	1 Heart disease specified as involving coronary arteries	M	47,655	51,389	51,576	55,815	57,611	61,864	64,973	64,293	68,551	68,796	69,076
		F	28,339	31,223	32,059	34,657	36,438	38,731	40,994	40,283	43,252	44,271	44,544
	2 Angina pectoris without mention of coronary disease	M	267	242	211	183	177	146	140	95	93	81	86
		F	207	192	172	167	136	150	131	95	102	86	77
421	Chronic endocarditis not specified as rheumatic	M	1,757	1,675	1,506	1,687	1,611	1,697	1,589	1,421	1,401	1,424	1,427
		F	1,631	1,519	1,520	1,570	1,654	1,645	1,610	1,296	1,459	1,444	1,554
	0 Of mitral valve, specified as non-rheumatic	M	97	110	103	96	103	127	94	90	87	72	76
		F	183	195	217	216	219	243	220	168	178	191	229
	1 Of aortic valve, not specified as rheumatic	M	1,313	1,257	1,137	1,327	1,308	1,350	1,341	1,200	1,215	1,217	1,239
		F	913	879	910	986	1,073	1,079	1,126	913	1,065	1,054	1,095
	2 Of tricuspid valve, specified as non-rheumatic	M	1	-	-	2	2	1	1	1	1	2	1
		F	1	1	1	-	-	2	-	-	1	-	2
	3 Of pulmonary valve, not specified as rheumatic	M	1	7	4	8	2	5	3	5	4	3	4
		F	3	1	1	7	2	7	1	1	4	1	2
	4 Other and ill-defined, not specified as rheumatic	M	345	301	262	254	196	214	150	125	94	130	107
		F	531	443	391	361	360	314	263	214	211	198	226
422	Other myocardial degeneration	M	21,128	21,477	19,001	17,863	17,632	16,680	16,130	13,196	12,665	12,523	10,686
		F	31,057	32,295	29,975	29,177	29,335	28,111	27,630	23,223	22,742	22,226	19,910
	0 Fatty degeneration	M	85	78	66	35	53	33	44	34	37	28	26
		F	141	122	128	108	107	77	89	80	77	58	50

TABLE 7 - *continued*

ICD No.	Causes of death		1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
	1 With arteriosclerosis	M	9,448	9,830	8,899	8,400	8,350	8,036	7,792	6,490	6,106	6,056	5,288
		F	13,444	14,162	13,440	13,285	13,423	12,872	12,818	10,731	10,670	10,266	9,342
	2 Other	M	11,595	11,569	10,036	9,428	9,229	8,611	8,294	6,672	6,522	6,439	5,372
		F	17,472	18,011	16,407	15,784	15,805	15,162	14,723	12,412	11,995	11,902	10,518
430-434	**Other diseases of heart**	**M**	**5,666**	**5,845**	**5,644**	**6,019**	**6,429**	**6,389**	**6,602**	**6,031**	**6,207**	**6,786**	**6,317**
		F	**6,772**	**7,150**	**7,120**	**7,479**	**8,232**	**8,213**	**8,399**	**7,671**	**8,196**	**8,496**	**8,356**
430	Acute and subacute endocarditis	M	195	187	196	174	198	188	203	178	158	163	164
		F	128	135	112	138	114	120	122	129	108	108	88
	0 Acute and subacute bacterial endocarditis	M	193	185	193	168	196	184	200	176	156	162	164
		F	127	129	111	133	111	118	119	128	107	103	86
	1 Other acute endocarditis	M	2	2	3	6	2	4	3	2	2	1	-
		F	1	6	1	5	3	2	3	1	1	3	2
431	Acute myocarditis not specified as rheumatic	M	66	53	74	63	71	78	87	78	75	72	81
		F	72	67	70	65	72	80	85	61	70	58	58
432	Acute pericarditis specified as non-rheumatic	M	15	6	5	13	12	9	16	10	16	12	26
		F	8	13	11	10	8	14	13	16	9	12	18
433	Functional disease of heart	M	2,113	2,164	1,927	1,927	1,868	1,860	1,807	1,544	1,498	1,549	1,362
		F	3,351	3,422	3,268	3,174	3,309	3,083	3,052	2,673	2,635	2,592	2,419
434	Other and unspecified diseases of heart	M	3,277	3,435	3,442	3,842	4,280	4,254	4,489	4,221	4,460	4,990	4,684
		F	3,213	3,513	3,659	4,092	4,729	4,916	5,127	4,792	5,374	5,728	5,773
440-443	**Hypertensive heart disease**	**M**	**5,491**	**5,173**	**4,656**	**4,678**	**4,495**	**4,266**	**4,082**	**3,427**	**3,468**	**3,280**	**3,067**
		F	**7,101**	**7,110**	**6,719**	**6,616**	**6,730**	**6,265**	**6,201**	**5,232**	**5,083**	**4,935**	**4,480**
440	Essential benign hypertensive heart disease	M	106	98	95	78	84	83	68	50	53	42	35
		F	150	129	122	135	159	119	120	82	60	78	48
441	Essential malignant hypertensive heart disease	M	110	106	94	107	95	105	74	60	84	80	53
		F	77	80	67	52	58	58	38	34	24	25	33
442	Hypertensive heart disease with arteriolar nephrosclerosis	M	125	116	98	75	68	74	60	37	28	28	29
		F	130	129	107	96	101	72	89	57	46	45	48
443	Other and unspecified hypertensive heart disease	M	5,150	4,853	4,369	4,418	4,248	4,004	3,880	3,280	3,303	3,130	2,950
		F	6,744	6,772	6,423	6,333	6,412	6,016	5,954	5,059	4,953	4,787	4,351
444-447	**Other hypertensive disease**	**M**	**3,570**	**3,524**	**3,269**	**3,123**	**2,897**	**2,599**	**2,574**	**2,171**	**2,109**	**1,892**	**1,771**
		F	**3,684**	**3,839**	**3,555**	**3,407**	**3,372**	**3,022**	**2,901**	**2,365**	**2,330**	**2,154**	**1,890**
444	Essential benign hypertension	M	2,482	2,421	2,166	2,080	2,035	1,768	1,696	1,391	1,406	1,238	1,166
		F	2,932	3,037	2,784	2,737	2,733	2,417	2,304	1,789	1,804	1,698	1,510
445	Essential malignant hypertension	M	704	701	724	711	559	484	516	498	441	430	396
		F	365	400	379	345	297	253	260	235	209	216	153
446	Hypertension with arteriolar nephrosclerosis	M	382	398	377	331	300	347	360	279	260	222	206
		F	385	399	391	322	341	351	336	339	315	237	226
447	Other hypertensive disease without mention of heart	M	2	4	2	1	3	-	2	3	2	2	3
		F	2	3	1	3	1	1	1	2	2	3	1
450-456	**Diseases of arteries**	**M**	**5,727**	**6,411**	**6,208**	**6,428**	**6,713**	**6,959**	**7,420**	**6,643**	**7,041**	**7,385**	**6,933**
		F	**6,457**	**7,173**	**7,368**	**7,814**	**8,356**	**8,549**	**8,932**	**8,346**	**8,744**	**9,294**	**8,802**
450	General arteriosclerosis	M	4,297	4,801	4,578	4,655	4,867	4,816	5,032	4,347	4,591	4,821	4,344
		F	5,367	5,913	6,130	6,378	6,896	6,854	7,172	6,564	6,842	7,338	6,810
	0 Without mention of gangrene	M	3,827	4,273	4,082	4,087	4,355	4,237	4,511	3,903	4,106	4,330	3,919
		F	4,876	5,414	5,611	5,830	6,255	6,273	6,590	6,025	6,313	6,772	6,304
	1 With mention of gangrene as a consequence	M	470	528	496	568	512	579	521	444	485	491	425
		F	491	499	519	548	641	581	582	539	529	566	506
451	Aortic aneurysm, non-syphilitic, and dissecting aneurysm	M	1,135	1,312	1,310	1,425	1,466	1,753	1,933	1,877	1,993	2,097	2,099
		F	836	1,003	946	1,106	1,083	1,289	1,327	1,321	1,423	1,430	1,501
452	Other aneurysm, except of heart and aorta	M	63	62	79	56	62	66	68	81	72	58	77
		F	48	36	47	44	36	44	60	44	51	53	50
453	Peripheral vascular disease	M	59	54	62	69	72	79	76	58	73	85	100
		F	12	21	25	37	35	37	45	39	55	58	68
	0 Raynaud's disease	M	3	1	1	2	2	3	3	1	4	1	-
		F	5	4	7	10	8	7	8	7	8	3	3
	1 Thrombo-angiitis obliterans	M	39	34	32	31	32	27	21	17	24	19	18
		F	1	7	5	11	2	4	3	3	3	5	3
	2, 3 Other peripheral vascular disease	M	17	19	29	36	38	49	52	40	45	65	82
		F	6	10	13	16	25	26	34	29	44	50	62
454	Arterial embolism and thrombosis	M	36	35	27	48	62	49	75	73	76	84	65
		F	40	43	57	64	67	85	83	105	97	110	99
455	Gangrene of unspecified cause	M	12	19	17	26	26	35	33	28	34	41	39
		F	12	13	22	18	35	25	28	49	48	43	51
456	Other diseases of arteries	M	125	128	135	149	158	161	203	179	202	199	209
		F	142	144	141	167	204	215	217	224	228	262	223

TABLE 7 - *continued*

ICD No.	Causes of death		1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
460-468	**Diseases of veins and other diseases of circulatory system**	**M**	**1,112**	**1,080**	**1,284**	**1,402**	**1,555**	**1,599**	**1,842**	**1,829**	**1,988**	**2,078**	**2,277**
		F	**1,630**	**1,768**	**1,888**	**2,093**	**2,397**	**2,433**	**2,830**	**2,880**	**3,081**	**3,241**	**3,421**
460	Varicose veins of lower extremities	M	53	48	61	57	57	68	69	33	47	45	49
		F	172	172	168	180	173	156	174	139	184	184	157
461	Haemorrhoids	M	19	18	16	20	15	19	7	6	11	13	7
		F	8	14	11	12	18	10	3	5	6	8	9
462	Varicose veins of other specified sites	M	27	26	20	17	30	26	28	22	21	28	25
		F	26	16	24	25	28	21	32	20	27	24	22
463	Phlebitis and thrombophlebitis of lower extremities	M	132	131	138	141	134	133	169	118	113	110	94
		F	254	247	256	261	300	280	259	239	238	183	169
464	Phlebitis and thrombophlebitis of other sites	M	14	12	15	20	27	14	20	21	17	9	18
		F	24	17	25	30	23	26	26	33	34	33	31
465	Pulmonary embolism and infarction	M	486	486	630	698	761	784	847	859	919	980	1,087
		F	565	675	723	807	908	952	1,087	1,146	1,117	1,249	1,339
466	Other venous embolism and thrombosis	M	359	324	371	415	492	521	652	716	791	821	940
		F	545	592	647	735	904	942	1,195	1,239	1,409	1,478	1,615
467	Other diseases of circulatory system	M	19	26	24	28	35	28	44	48	55	66	54
		F	26	30	25	37	33	36	50	48	57	73	72
468	Certain diseases of lymph nodes and lymph channels	M	3	9	9	6	4	6	6	6	14	6	3
		F	10	5	9	6	10	10	4	11	9	9	7
470-527	**VIII DISEASES OF THE RESPIRATORY SYSTEM**	**M**	**37,939**	**37,024**	**40,756**	**34,833**	**43,372**	**42,923**	**46,870**	**38,510**	**39,974**	**44,396**	**38,618**
		F	**24,066**	**23,784**	**27,796**	**22,122**	**29,732**	**29,871**	**33,195**	**25,867**	**26,644**	**32,030**	**27,211**
470-475	**Acute upper respiratory infections**	**M**	**68**	**59**	**57**	**68**	**65**	**60**	**65**	**50**	**54**	**61**	**59**
		F	**72**	**59**	**62**	**57**	**71**	**56**	**64**	**62**	**58**	**68**	**62**
470	Acute nasopharyngitis (common cold)	M	6	2	4	5	3	3	4	1	1	-	5
		F	8	8	4	3	3	10	8	-	1	4	7
471	Acute sinusitis	M	2	2	1	2	5	-	-	2	-	-	-
		F	1	-	1	3	-	-	2	2	1	1	-
472	Acute pharyngitis	M	7	12	11	9	7	4	5	6	9	4	5
		F	7	4	13	7	12	9	9	9	14	6	11
473	Acute tonsillitis	M	17	14	12	17	10	13	12	11	8	13	11
		F	14	12	10	12	14	8	9	8	7	13	4
474	Acute laryngitis and tracheitis	M	24	19	22	30	32	33	31	23	29	28	23
		F	29	27	21	26	36	27	29	31	20	28	24
475	Acute upper respiratory infection of multiple or unspecified sites	M	12	10	7	5	8	7	13	7	7	16	15
		F	13	8	13	6	6	2	7	12	15	16	16
480-483	**Influenza**	**M**	**3,553**	**1,216**	**3,898**	**553**	**3,487**	**1,511**	**1,442**	**494**	**404**	**1,639**	**375**
		F	**3,163**	**1,185**	**3,964**	**545**	**3,615**	**1,797**	**1,772**	**549**	**410**	**2,033**	**501**
480	Influenza with pneumonia*	M	2,516	767	2,605	330	2,167	941	909	317	278	1,053	219
		F	2,236	706	2,533	322	2,227	1,104	1,116	332	251	1,302	314
481	Influenza with other respiratory manifestations, and influenza unqualified*	M	1,009	433	1,280	215	1,305	559	519	167	122	572	153
		F	892	463	1,408	204	1,366	673	643	208	148	711	179
482	Influenza with digestive manifestations, but without respiratory symptoms*	M	9	8	8	7	8	8	11	6	2	10	3
		F	18	9	16	16	16	17	9	9	8	18	6
483	Influenza with nervous manifestations but without digestive or respiratory symptoms*	M	19	8	5	1	7	3	3	4	2	4	-
		F	17	7	7	3	6	3	4	-	3	2	2
490-493	**Pneumonia†**	**M**	**11,645**	**11,799**	**13,203**	**11,818**	**14,087**	**14,472**	**16,945**	**13,830**	**14,351**	**16,137**	**14,443**
		F	**11,203**	**11,939**	**13,387**	**12,525**	**15,188**	**16,437**	**19,118**	**15,679**	**16,674**	**19,374**	**17,683**
490	Lobar pneumonia*	M	1,889	1,746	1,778	1,635	1,878	1,900	2,008	1,646	1,782	1,703	1,439
		F	1,354	1,351	1,412	1,357	1,469	1,565	1,652	1,369	1,420	1,428	1,292
491	Bronchopneumonia*	M	8,906	9,321	10,628	9,374	11,281	11,694	14,025	11,364	11,737	13,531	12,206
		F	9,156	9,991	11,214	10,440	12,831	14,019	16,545	13,570	14,489	17,078	15,528
492	Primary atypical pneumonia*	M	145	98	133	140	183	170	204	203	238	251	216
		F	115	94	119	140	148	134	166	147	206	213	186
493	Pneumonia, other and unspecified*	M	705	634	664	669	745	708	708	617	594	652	582
		F	578	503	642	588	740	719	755	593	559	655	677

† 490-493. See 763 (Pneumonia of newborn) for pneumonia deaths at ages under 4 weeks.
* Excluding the following 'late effects' (see note 2 at head of table):

		1959	1960	1961	1962	1963	1964	1965	1966	1967
480 Influenza with pneumonia	M	2	2	-	1	-	-	-	-	-
	F	-	1	-	-	-	-	-	-	-
481 Influenza with other respiratory manifestations, and influenza unqualified	M	2	1	1	2	1	-	-	2	-
	F	-	1	1	-	1	1	1	-	4
482 Influenza with digestive manifestations, but without respiratory symptoms	M	-	-	-	-	-	-	-	-	1
	F	-	-	-	-	-	-	-	-	-
483 Influenza with nervous manifestations but without digestive or respiratory symptoms	M	-	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-
490 Lobar pneumonia	M	1	1	-	2	1	-	2	-	-
	F	-	2	2	3	-	-	-	-	2
491 Bronchopneumonia	M	3	3	4	2	-	2	3	1	1
	F	3	-	1	-	3	-	1	1	-
492 Primary atypical pneumonia	M	-	-	-	-	-	-	-	-	1
	F	-	-	1	-	-	-	-	-	-
493 Pneumonia, other and unspecified	M	8	3	7	1	3	5	2	7	-
	F	4	2	3	2	3	-	3	1	-

TABLE 7 - *continued*

ICD No.	Causes of death		1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
500-502	**Bronchitis**	**M**	**18,956**	**20,326**	**20,193**	**18,997**	**22,203**	**23,351**	**24,832**	**20,773**	**21,784**	**23,121**	**20,487**
		F	**8,141**	**9,070**	**8,858**	**7,488**	**9,160**	**9,942**	**10,500**	**7,967**	**7,785**	**8,741**	**7,324**
500	Acute bronchitis	M	1,397	1,494	1,487	1,149	1,365	1,448	1,605	1,065	1,062	1,154	972
		F	1,453	1,599	1,577	1,164	1,500	1,587	1,724	1,171	995	1,214	952
501	Bronchitis, unqualified	M	884	969	917	767	907	886	967	751	782	791	647
		F	845	1,003	932	712	923	983	1,116	741	688	833	624
502	Chronic bronchitis	M	16,675	17,863	17,789	17,081	19,931	21,017	22,260	18,957	19,940	21,176	18,868
		F	5,843	6,468	6,349	5,612	6,737	7,372	7,660	6,055	6,102	6,694	5,748
	0 Bronchitis with emphysema	M	8,529	9,316	9,223	8,998	10,255	10,724	11,354	9,700	10,066	10,481	9,183
		F	1,563	1,815	1,845	1,682	1,969	2,112	2,271	1,825	1,830	1,994	1,672
	1 Other	M	8,146	8,547	8,566	8,083	9,676	10,293	10,906	9,257	9,874	10,695	9,685
		F	4,280	4,653	4,504	3,930	4,768	5,260	5,389	4,230	4,272	4,700	4,076
510-527	**Other diseases of respiratory system**	**M**	**3,717**	**3,624**	**3,405**	**3,397**	**3,530**	**3,529**	**3,586**	**3,363**	**3,381**	**3,438**	**3,254**
		F	**1,487**	**1,531**	**1,525**	**1,507**	**1,698**	**1,639**	**1,741**	**1,610**	**1,717**	**1,814**	**1,641**
510	Hypertrophy of tonsils and adenoids	M	17	17	13	9	10	11	7	4	8	2	3
		F	5	18	8	8	6	11	6	2	4	6	3
511	Peritonsillar abscess (quinsy)	M	5	5	5	4	1	2	5	5	5	2	2
		F	6	8	4	8	2	-	5	4	1	6	1
512	Chronic pharyngitis and nasopharyngitis	M	2	1	1	1	1	-	-	-	-	1	-
		F	2	2	2	1	4	1	1	-	1	2	-
513	Chronic sinusitis	M	28	27	31	17	28	20	27	20	14	16	16
		F	11	20	18	9	12	6	12	13	7	6	9
514	Deflected nasal septum	M	-	1	1	1	3	-	2	-	1	-	-
		F	1	-	-	-	-	-	1	-	-	-	-
515	Nasal polyp	M	3	2	1	-	6	1	1	-	1	1	1
		F	2	-	1	1	2	1	-	3	1	2	2
516	Chronic laryngitis	M	1	-	1	-	-	-	1	-	1	-	-
		F	1	2	-	-	1	-	1	-	1	-	1
517	Other diseases of upper respiratory tract	M	17	20	22	23	32	25	29	23	46	37	30
		F	14	9	14	15	18	17	29	11	20	33	21
518	Empyema	M	72	83	73	66	63	56	76	49	71	54	41
		F	35	52	38	45	35	29	44	24	29	37	28
519	Pleurisy	M	30	23	27	50	46	43	34	30	42	35	41
		F	24	25	27	54	33	40	25	32	39	30	37
520	Spontaneous pneumothorax	M	5	7	5	5	7	8	13	18	15	17	17
		F	2	2	1	3	4	5	3	5	3	1	4
521	Abscess of lung	M	58	46	39	55	58	66	45	70	57	54	55
		F	32	16	22	29	29	22	39	26	34	27	33
522	Pulmonary congestion and hypostasis	M	167	198	195	240	215	249	279	242	286	301	262
		F	339	354	382	414	482	489	465	457	554	555	554
523	Pneumoconiosis due to silica and silicates (occupational)	M	760	713	637	650	700	667	663	659	600	609	537
		F	7	10	9	16	12	15	6	11	9	5	7
524	Other specified pneumoconiosis and pulmonary fibrosis of occupational origin	M	16	28	25	12	24	23	11	14	16	16	14
		F	3	2	7	3	3	6	4	1	4	2	8
525	Other chronic interstitial pneumonia	M	175	190	169	195	218	225	280	298	278	277	306
		F	93	106	114	97	118	120	153	168	167	187	161
526	Bronchiectasis	M	1,305	1,199	1,133	1,060	1,079	1,025	985	917	846	842	775
		F	677	615	586	543	628	580	601	538	510	495	402
527	Other diseases of lung and pleural cavity	M	1,056	1,064	1,027	1,009	1,039	1,108	1,128	1,014	1,094	1,174	1,134
		F	233	290	292	261	309	297	346	315	333	420	370
	0 Pulmonary collapse (1 year and over)	M	6	4	11	5	6	14	11	9	23	16	11
		F	3	10	6	8	8	9	11	8	6	8	7
	1 Emphysema without mention of bronchitis	M	981	997	939	927	955	1,008	1,002	892	931	962	973
		F	182	216	223	211	221	243	242	230	220	257	252
	2 Other	M	69	63	77	77	78	86	115	113	140	196	150
		F	48	64	63	42	80	45	93	77	107	155	111
530-587	**IX DISEASES OF THE DIGESTIVE SYSTEM**	**M**	**8,336**	**8,215**	**7,748**	**8,002**	**7,951**	**8,018**	**7,714**	**7,413**	**7,318**	**7,428**	**6,961**
		F	**7,010**	**6,948**	**7,159**	**7,414**	**7,488**	**7,540**	**7,667**	**7,495**	**7,447**	**7,692**	**7,555**
530-539	**Diseases of buccal cavity and oesophagus**	**M**	**125**	**110**	**97**	**106**	**105**	**123**	**118**	**115**	**114**	**134**	**116**
		F	**129**	**146**	**150**	**154**	**152**	**160**	**188**	**151**	**159**	**142**	**135**
530	Dental caries	M	-	1	1	-	1	-	-	-	1	-	-
		F	-	-	1	-	3	-	-	-	-	-	-
531	Abscesses of supporting structures of teeth	M	2	3	1	-	1	3	1	-	-	-	-
		F	1	3	-	-	1	1	1	1	2	-	-
532	Other inflammatory diseases of supporting structures of teeth	M	8	-	3	1	2	1	2	2	2	-	1
		F	3	1	1	-	1	1	1	-	1	1	-

TABLE 7 - *continued*

ICD No.	Causes of death		1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
533	Disorders of occlusion, eruption, and tooth development	M	8	1	-	-	-	2	-	-	-	-	-
		F	8	1	1	1	1	-	1	-	-	-	-
535	Other diseases of teeth and supporting structures	M	-	3	6	7	5	3	4	5	3	3	5
		F	-	6	6	7	1	-	7	3	2	4	1
536	Stomatitis	M	3	2	2	1	3	3	2	1	2	-	-
		F	2	-	2	3	5	1	8	1	1	-	1
537	Diseases of salivary glands	M	25	22	22	27	15	20	23	15	17	14	6
		F	56	64	74	59	61	69	63	46	54	49	32
538	Other diseases of buccal cavity	M	9	8	7	5	2	2	-	1	2	4	-
		F	9	1	1	6	5	4	5	2	7	4	4
539	Diseases of oesophagus	M	70	70	55	65	76	89	86	91	87	113	104
		F	50	70	64	78	74	84	102	98	92	84	97
540-545	**Diseases of stomach and duodenum**	**M**	**3,693**	**3,552**	**3,232**	**3,323**	**3,109**	**3,253**	**2,964**	**2,733**	**2,668**	**2,730**	**2,541**
		F	**1,547**	**1,570**	**1,576**	**1,636**	**1,550**	**1,679**	**1,661**	**1,466**	**1,542**	**1,586**	**1,568**
540	Ulcer of stomach	M	1,665	1,608	1,455	1,487	1,386	1,398	1,339	1,235	1,250	1,190	1,157
		F	960	944	959	988	939	978	988	853	916	944	938
	0 Without mention of perforation	M	1,214	1,189	1,102	1,119	1,044	1,004	1,025	969	948	893	862
		F	725	770	765	760	740	767	766	659	741	747	758
	1 With perforation	M	451	419	353	368	342	394	314	266	302	297	295
		F	235	174	194	228	199	211	222	194	175	197	180
541	Ulcer of duodenum	M	1,903	1,817	1,635	1,678	1,564	1,697	1,460	1,333	1,272	1,414	1,243
		F	501	529	514	552	516	619	554	523	530	536	522
	0 Without mention of perforation	M	1,194	1,133	1,040	1,031	1,000	1,104	901	807	771	871	766
		F	304	315	307	330	304	353	302	302	305	307	313
	1 With perforation	M	709	684	595	647	564	593	559	526	501	543	477
		F	197	214	207	222	212	266	252	221	225	229	209
542	Gastrojejunal ulcer	M	33	41	50	55	51	39	40	18	27	33	27
		F	7	10	10	9	11	12	12	7	6	7	6
	0 Without mention of perforation	M	24	27	33	33	42	28	30	14	16	17	20
		F	5	7	8	7	8	10	9	4	6	3	3
	1 With perforation	M	9	14	17	22	9	11	10	4	11	16	7
		F	2	3	2	2	3	2	3	3	-	4	3
543	Gastritis and duodenitis	M	34	34	31	30	38	34	31	30	32	21	35
		F	38	54	47	46	40	35	53	36	40	42	37
544	Disorders of function of stomach	M	9	9	5	5	6	9	9	12	5	10	5
		F	6	13	11	8	8	6	8	7	7	12	15
545	Other diseases of stomach and duodenum	M	49	43	56	68	64	76	85	105	82	62	74
		F	35	20	35	33	36	29	46	40	43	45	50
550-553	**Appendicitis**	**M**	**497**	**462**	**430**	**367**	**361**	**347**	**299**	**274**	**277**	**237**	**225**
		F	**302**	**328**	**271**	**271**	**284**	**259**	**257**	**224**	**234**	**215**	**191**
550	Acute appendicitis	M	415	395	371	304	304	302	253	224	219	195	184
		F	252	272	223	225	235	215	214	182	190	168	156
	0 Without mention of peritonitis	M	74	58	54	42	49	41	33	37	29	30	24
		F	30	37	31	28	37	29	39	23	26	24	23
	1 With peritonitis	M	341	337	317	262	255	261	220	187	190	165	160
		F	222	235	192	197	198	186	175	159	164	144	133
551	Appendicitis, unqualified	M	79	62	52	60	55	42	44	47	51	40	39
		F	49	50	45	45	47	40	42	39	38	47	35
552	Other appendicitis	M	2	1	4	2	2	-	1	3	4	1	2
		F	-	6	1	1	2	1	1	1	2	-	-
553	Other diseases of appendix	M	1	4	3	1	-	3	1	-	3	1	-
		F	1	-	2	-	-	3	-	2	4	-	-
560-561	**Hernia of abdominal cavity**	**M**	**769**	**707**	**705**	**700**	**747**	**740**	**693**	**689**	**676**	**631**	**561**
		F	**806**	**742**	**839**	**767**	**827**	**848**	**776**	**796**	**751**	**759**	**767**
560	Hernia of abdominal cavity without mention of obstruction	M	210	195	223	217	215	233	219	277	242	237	234
		F	158	179	207	201	236	248	253	289	262	285	290
	0 Inguinal	M	84	66	82	55	64	62	61	73	54	53	57
		F	9	6	10	7	9	14	9	10	8	8	3
	1 Femoral	M	8	5	5	5	4	6	4	4	5	5	4
		F	9	8	16	17	8	7	12	16	14	12	10
	2 Umbilical	M	31	26	25	26	36	29	25	42	23	33	27
		F	16	26	24	26	38	39	30	25	29	35	21
	3 Ventral (incisional)	M	6	5	10	10	8	9	9	5	12	7	11
		F	15	19	24	5	21	19	10	14	22	19	18

TABLE 7 - *continued*

ICD No.	Causes of death		1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
	4, 5 Other sites	M	81	93	101	121	103	127	120	153	148	139	135
		F	109	120	133	146	160	169	192	224	189	211	238
561	Hernia of abdominal cavity with obstruction	M	559	512	482	483	532	507	474	412	434	394	327
		F	648	563	632	566	591	600	523	507	489	474	477
	0 Inguinal	M	330	305	301	301	327	302	281	253	260	215	208
		F	71	66	74	78	68	67	63	55	63	61	65
	1 Femoral	M	96	81	65	62	73	69	68	67	52	43	32
		F	312	271	298	259	275	275	262	239	211	225	194
	2 Umbilical	M	36	41	31	30	33	39	35	23	32	47	28
		F	93	75	85	75	58	93	53	63	69	52	67
	3 Ventral (incisional)	M	33	25	31	36	33	40	31	24	29	25	17
		F	86	77	96	80	95	78	70	72	69	68	66
	4, 5 Other sites	M	64	60	54	54	66	57	59	45	61	64	42
		F	86	74	79	74	95	87	75	78	77	68	85
570-578	**Other diseases of intestines and peritoneum**	**M**	**1,806**	**1,863**	**1,814**	**1,947**	**2,012**	**1,979**	**2,046**	**2,000**	**1,934**	**2,027**	**1,970**
		F	**2,207**	**2,215**	**2,276**	**2,498**	**2,585**	**2,556**	**2,708**	**2,733**	**2,636**	**2,873**	**2,838**
570	Intestinal obstruction without mention of hernia	M	673	693	708	752	778	705	779	712	695	738	749
		F	658	722	731	832	837	848	885	842	859	904	893
	0 Intussusception	M	30	39	31	31	26	33	24	26	18	28	24
		F	27	27	26	25	20	25	25	21	12	12	18
	1 Paralytic ileus	M	6	14	9	13	27	14	20	18	34	17	20
		F	10	11	8	12	16	8	10	14	17	18	17
	2 Mesenteric infarction	M	186	205	206	242	274	259	276	259	270	263	277
		F	240	243	275	323	344	333	347	335	319	366	376
	3 Volvulus	M	201	178	215	168	205	152	185	181	150	204	176
		F	147	156	154	161	141	159	167	185	167	170	164
	4 Impaction of intestine	M	24	22	17	40	20	34	26	19	26	21	26
		F	53	49	50	56	62	62	73	49	53	57	47
	5 Other	M	226	235	230	258	226	213	248	209	197	205	226
		F	181	236	218	255	254	261	263	238	291	281	271
571	Gastro-enteritis and colitis, except ulcerative age 4 weeks and over	M	355	380	359	382	404	455	434	449	387	425	379
		F	397	344	365	439	478	484	459	534	426	470	461
572	Chronic enteritis and ulcerative colitis	M	542	582	561	603	594	589	566	567	569	566	549
		F	887	947	969	996	1,028	967	1,054	1,041	1,047	1,156	1,124
	0 Regional enteritis	M	39	26	34	36	35	49	49	40	49	41	46
		F	32	46	54	46	40	48	49	44	64	76	89
	1 Diverticulitis	M	318	379	365	391	401	373	363	350	363	387	349
		F	562	617	672	676	739	663	719	756	738	817	810
	2 Ulcerative colitis	M	176	173	157	172	152	161	152	171	151	132	150
		F	280	270	230	258	238	247	275	229	234	249	214
	3 Other	M	9	4	5	4	6	6	2	6	6	6	4
		F	13	14	13	16	11	9	11	12	11	14	11
573	Functional disorders of intestines	M	10	11	10	10	13	9	10	14	10	10	5
		F	15	18	22	17	25	12	22	25	13	11	13
574	Anal fissure and fistula	M	3	-	-	1	-	1	3	-	2	-	2
		F	1	2	2	1	-	3	1	1	1	1	1
575	Abscess of anal and rectal regions	M	20	15	15	11	11	6	9	12	16	10	13
		F	11	4	10	7	4	13	9	8	4	7	11
576	Peritonitis	M	56	55	40	50	48	45	61	63	57	53	71
		F	57	46	48	45	56	48	57	78	66	70	76
577	Peritoneal adhesion	M	5	5	6	7	6	5	9	6	11	11	5
		F	4	13	7	6	9	11	11	5	9	13	14
578	Other diseases of intestines and peritoneum	M	142	122	115	131	158	164	175	177	187	214	197
		F	177	119	122	155	148	170	210	199	211	241	245
580-587	**Diseases of liver, gallbladder and pancreas**	**M**	**1,446**	**1,521**	**1,470**	**1,559**	**1,617**	**1,576**	**1,594**	**1,602**	**1,649**	**1,669**	**1,548**
		F	**2,019**	**1,947**	**2,047**	**2,088**	**2,090**	**2,038**	**2,077**	**2,125**	**2,125**	**2,117**	**2,056**
580	Acute and subacute yellow atrophy of liver	M	45	31	40	40	46	42	33	37	40	26	36
		F	66	62	62	52	67	65	73	76	69	68	67
581	Cirrhosis of liver	M	667	644	617	685	737	697	701	657	726	731	679
		F	539	532	586	587	633	605	621	652	658	635	671
582	Suppurative hepatitis and liver abscess	M	9	13	14	20	19	17	16	15	16	15	20
		F	10	9	11	12	11	6	21	16	18	20	14
583	Other diseases of liver	M	24	45	41	55	52	43	61	85	69	79	62
		F	36	41	34	58	65	58	79	78	88	81	114

TABLE 7 - *continued*

ICD No.	Causes of death		1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
584	Cholelithiasis	M	246	276	274	235	213	239	229	217	236	227	197
		F	581	526	543	518	497	461	431	461	436	434	403
585	Cholecystitis and cholangitis, without mention of calculi	M	183	187	173	160	172	149	152	166	139	133	142
		F	386	382	367	393	374	337	318	315	293	297	284
586	Other diseases of gallbladder and biliary ducts	M	29	31	23	43	45	50	66	58	66	70	64
		F	59	59	76	89	88	92	93	113	112	136	113
587	Diseases of pancreas	M	243	294	288	321	333	339	336	367	357	388	348
		F	342	336	368	379	355	414	441	414	451	446	390
	0 Acute pancreatitis	M	136	176	166	191	197	220	206	244	238	259	244
		F	238	220	241	244	254	283	320	305	332	317	277
	1 Chronic pancreatitis	M	33	26	32	16	40	26	27	27	40	31	29
		F	31	33	22	36	30	27	24	19	37	38	30
	2 Other diseases of pancreas	M	74	92	90	114	96	93	103	96	79	98	75
		F	73	83	105	99	71	104	97	90	82	91	83
590-637	**X DISEASES OF THE GENITO-URINARY SYSTEM**	**M**	**7,336**	**7,106**	**6,888**	**6,821**	**6,551**	**6,300**	**5,946**	**5,650**	**5,361**	**5,259**	**4,894**
		F	**3,664**	**3,677**	**3,676**	**3,725**	**3,849**	**3,903**	**4,026**	**4,014**	**3,932**	**3,896**	**3,800**
590-594	**Nephritis and nephrosis**	**M**	**2,250**	**2,158**	**1,923**	**2,005**	**1,866**	**1,769**	**1,695**	**1,518**	**1,557**	**1,493**	**1,436**
		F	**1,945**	**1,920**	**1,762**	**1,709**	**1,632**	**1,654**	**1,484**	**1,404**	**1,327**	**1,247**	**1,241**
590	Acute nephritis	M	89	89	72	99	77	70	60	60	54	52	42
		F	68	65	50	62	61	60	45	47	42	37	31
591	Nephritis with oedema, including nephrosis	M	196	188	144	149	118	136	119	111	121	116	98
		F	143	127	120	120	92	86	94	90	83	80	74
592	Chronic nephritis	M	1,736	1,663	1,512	1,529	1,424	1,277	1,211	1,036	982	911	772
		F	1,572	1,572	1,402	1,347	1,278	1,265	1,081	955	888	763	723
593	Nephritis not specified as acute or chronic	M	218	204	189	215	234	275	289	304	386	406	511
		F	151	148	187	168	195	238	247	305	303	360	408
594	Other renal sclerosis	M	11	14	6	13	13	11	16	7	14	8	13
		F	11	8	3	12	6	5	17	7	11	7	5
600-609	**Other diseases of urinary system**	**M**	**1,335**	**1,274**	**1,367**	**1,459**	**1,523**	**1,563**	**1,707**	**1,731**	**1,703**	**1,703**	**1,600**
		F	**1,519**	**1,542**	**1,722**	**1,829**	**2,035**	**2,077**	**2,355**	**2,442**	**2,438**	**2,467**	**2,419**
600	Infections of kidney	M	716	722	803	907	964	988	1,161	1,150	1,207	1,253	1,188
		F	995	1,013	1,217	1,288	1,525	1,567	1,804	1,885	1,950	2,019	1,937
	0 Pyelitis, pyelocystitis, and pyelonephritis	M	685	704	779	868	942	961	1,126	1,124	1,179	1,229	1,169
		F	968	981	1,184	1,255	1,493	1,551	1,764	1,853	1,917	1,985	1,898
	1 Abscess of kidney and perirenal tissue	M	27	15	22	24	17	17	23	16	17	14	15
		F	20	27	26	24	22	13	24	20	22	18	28
	2 Other	M	4	3	2	15	5	10	12	10	11	10	4
		F	7	5	7	9	10	3	16	12	11	16	11
601	Hydronephrosis	M	71	75	68	67	82	76	74	99	62	63	60
		F	80	61	58	80	51	57	60	61	48	53	59
602	Calculi of kidney and ureter	M	139	122	135	130	142	136	129	100	110	85	78
		F	154	140	135	134	126	133	141	131	117	88	118
603	Other diseases of kidney and ureter	M	44	33	48	35	47	61	73	69	61	64	47
		F	38	38	50	44	62	57	65	65	55	48	55
604	Calculi of other parts of urinary system	M	36	32	33	38	25	26	24	15	21	21	17
		F	14	9	9	11	10	6	9	7	6	2	12
605	Cystitis	M	119	148	122	139	105	109	80	89	70	63	54
		F	179	215	195	190	184	180	175	172	146	143	124
606	Other diseases of bladder	M	78	67	72	55	73	56	73	85	64	62	67
		F	27	22	23	26	28	26	32	33	32	32	27
607	Urethritis (non-venereal)	M	3	2	3	4	4	2	3	1	-	4	-
		F	1	-	1	1	1	-	-	1	-	-	-
608	Stricture of urethra	M	94	42	57	46	44	48	37	39	36	23	37
		F	1	3	1	6	3	-	2	1	-	4	-
609	Other diseases of urethra	M	35	31	26	38	37	61	53	84	72	65	52
		F	30	41	33	49	45	51	67	86	84	78	87
610-617	**Diseases of male genital organs**	**M**	**3,751**	**3,674**	**3,597**	**3,356**	**3,162**	**2,968**	**2,544**	**2,401**	**2,101**	**2,063**	**1,858**
610	Hyperplasia of prostate	M	3,645	3,577	3,505	3,259	3,075	2,901	2,479	2,338	2,042	2,007	1,796
611	Prostatitis	M	72	69	56	55	48	37	29	33	34	23	26
612	Other diseases of prostate	M	14	13	11	15	15	12	18	15	10	12	17
613	Hydrocele	M	2	3	1	1	4	1	2	1	1	5	1
614	Orchitis and epididymitis	M	4	4	2	2	2	1	1	4	2	5	1
615	Redundant prepuce and phimosis	M	3	4	6	7	8	7	3	3	2	4	6

TABLE 7 - *continued*

ICD No.	Causes of death		1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
617	Other diseases of male genital organs	M	11	4	16	16	10	9	12	7	10	7	11
620-626	**Diseases of breast, ovary, Fallopian tube, and parametrium**	**M**	**-**	**-**	**1**	**1**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
		F	**41**	**28**	**44**	**34**	**38**	**39**	**41**	**40**	**35**	**46**	**30**
621	Other diseases of breast	M	-	-	1	1	-	-	-	-	-	-	-
		F	3	2	7	2	2	2	3	3	1	5	-
622	Acute salpingitis and oophoritis	F	5	-	3	4	-	1	-	1	1	5	-
623	Chronic salpingitis and oophoritis	F	3	2	-	2	2	4	1	1	2	1	1
624	Salpingitis and oophoritis, unqualified	F	18	13	25	14	19	17	14	14	10	9	9
625	Other diseases of ovary and Fallopian tube	F	2	1	3	3	2	2	1	3	5	6	2
626	Diseases of parametrium and pelvic peritoneum (female)	F	10	10	6	9	13	13	22	18	16	20	18
630-637	**Diseases of uterus and other female genital organs**	**F**	**159**	**187**	**148**	**153**	**144**	**133**	**146**	**128**	**132**	**136**	**110**
630	Infective disease of uterus, vagina, and vulva	F	8	17	14	9	11	10	17	18	13	20	7
631	Uterovaginal prolapse	F	106	119	89	103	78	68	63	59	64	52	57
632	Malposition of uterus	F	-	3	3	2	-	2	1	-	-	2	-
633	Other diseases of uterus	F	30	25	15	19	29	28	44	31	33	34	31
634	Disorders of menstruation	F	12	17	19	14	12	15	15	8	14	15	8
635	Menopausal symptoms	F	1	1	-	1	3	-	-	-	-	-	-
637	Other diseases of female genital organs	F	2	4	8	5	10	8	5	10	7	13	7
640-689	**XI DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM**	**F**	***333**	***328**	***290**	***310**	***274**	***299**	***243**	***227**	***221**	***223**	***172**
640-648	**Complications of pregnancy**	**F**	**114**	**105**	**96**	**99**	**82**	**105**	**93**	**71**	**66**	**70**	**73**
640	Pyelitis and pyelonephritis of pregnancy	F	-	4	2	1	-	3	3	-	1	2	1
641	Other infections of genito-urinary tract during pregnancy	F	2	-	1	-	2	-	-	-	-	-	-
642	Toxaemias of pregnancy	F	72	58	50	60	46	50	43	30	38	35	43
644	Other haemorrhage of pregnancy	F	7	9	3	1	2	4	6	-	1	-	-
645	Ectopic pregnancy	F	21	13	12	17	12	22	16	21	11	17	11
646	Anaemia of pregnancy	F	3	2	1	2	1	-	2	-	3	-	-
648	Other complications arising from pregnancy	F	9	19	27	18	19	26	23	20	12	15	18
650-652	**Abortion**	**F**	**61**	**63**	**47**	**62**	**54**	**57**	**49**	**50**	**52**	**53**	**34**
650	Abortion without mention of sepsis or toxaemia	F	24	25	16	23	18	28	14	16	21	19	17
651	Abortion with sepsis	F	33	35	29	33	32	28	32	29	29	29	15
652	Abortion with toxaemia, without mention of sepsis	F	4	3	2	6	4	1	3	5	2	5	2
660	Delivery without mention of complication	F	7	6	4	3	7	4	6	5	9	9	10
670-678	**Delivery with specified complication**	**F**	**92**	**90**	**85**	**105**	**88**	**82**	**59**	**58**	**58**	**65**	**37**
670	Placenta praevia or antepartum haemorrhage	F	20	16	18	24	18	19	11	7	12	12	7
671	Retained placenta	F	5	8	3	7	8	3	6	5	5	4	1
672	Other postpartum haemorrhage	F	17	25	20	12	15	17	15	7	6	10	4
673	Abnormality of bony pelvis	F	1	-	1	2	-	2	-	-	-	1	1
674	Disproportion or malposition of foetus	F	10	11	7	10	8	8	3	7	3	9	6
675	Prolonged labour of other origin	F	16	10	10	14	7	10	6	6	9	6	5
677	With other trauma	F	14	10	7	16	12	8	7	11	1	5	-
678	With other complications of childbirth	F	9	10	19	20	20	15	11	15	22	18	13
680-689	**Complications of the puerperium**	**F**	**59**	**64**	**58**	**41**	**43**	**51**	**36**	**43**	**36**	**26**	**18**
681	Sepsis of childbirth and the puerperium	F	16	9	14	7	4	9	5	10	4	7	2
682	Puerperal phlebitis and thrombosis	F	24	23	19	19	23	25	15	16	14	9	8
684	Puerperal pulmonary embolism	F	8	17	11	8	1	9	5	6	3	2	2

* Excluding the following cases in which it was stated that death followed the maternal condition after an interval of more than 12 months: 1957 - 16; 1958 - 22; 1959 - 21; 1960 - 26; 1961 - 11; 1962 - 20; 1963 - 24; 1964 - 6; 1965 - 9; 1966 - 17; 1967 - 11.

TABLE 7 - *continued*

ICD No.	Causes of death		1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
685	Puerperal eclampsia	F	5	6	6	2	8	3	2	4	7	2	-
686	Other forms of puerperal toxaemia	F	-	2	1	1	1	-	1	-	3	1	1
687	Cerebral haemorrhage in the puerperium	F	4	5	3	2	5	2	4	1	3	2	1
688	Other and unspecified complications of the puerperium	F	2	2	4	1	-	2	4	4	1	3	2
689	Mastitis and other disorders of lactation	F	-	-	-	-	1	1	-	1	-	-	2
690-716	**XII DISEASES OF THE SKIN AND CELLULAR TISSUE**	**M**	**194**	**204**	**173**	**170**	**197**	**161**	**136**	**174**	**149**	**149**	**136**
		F	**247**	**283**	**282**	**294**	**315**	**248**	**247**	**247**	**243**	**298**	**256**
690-698	**Infections of skin and subcutaneous tissue**	**M**	**74**	**89**	**83**	**72**	**81**	**61**	**51**	**78**	**63**	**48**	**48**
		F	**74**	**90**	**90**	**88**	**93**	**90**	**81**	**80**	**69**	**82**	**75**
690	Boil and carbuncle	M	25	28	26	21	27	7	8	18	8	5	6
		F	20	16	21	13	15	13	13	9	7	4	5
691	Cellulitis of finger and toe	M	2	3	4	1	3	2	2	2	-	-	-
		F	1	2	5	4	1	1	1	1	1	-	3
692	Other cellulitis and abscess without mention of lymphangitis	M	38	53	44	45	47	40	40	47	51	34	37
		F	43	64	46	59	60	65	53	55	47	63	56
693	Other cellulitis and abscess with lymphangitis	M	-	-	1	-	-	-	-	1	-	-	-
		F	3	1	-	-	-	1	1	1	3	-	2
695	Impetigo	M	-	-	-	-	1	1	-	-	-	2	-
		F	1	-	-	2	-	1	-	1	-	-	-
698	Other local infections of skin and subcutaneous tissue	M	9	3	8	5	3	10	1	10	4	6	5
		F	6	7	17	10	16	9	12	12	11	15	9
700-716	**Other diseases of skin and subcutaneous tissue**	**M**	**120**	**115**	**90**	**98**	**116**	**100**	**85**	**96**	**86**	**101**	**88**
		F	**173**	**193**	**192**	**206**	**222**	**158**	**166**	**167**	**174**	**216**	**181**
700	Seborrhoeic dermatitis	M	-	-	1	-	-	-	-	1	1	-	-
		F	-	2	2	1	-	-	-	-	1	-	1
701	Eczema	M	7	11	4	5	6	6	4	3	5	2	2
		F	6	7	3	6	6	5	7	1	-	4	3
703	Other dermatitis	M	1	2	3	-	3	3	-	2	2	1	3
		F	4	-	1	4	7	2	4	3	2	2	4
704	Pemphigus	M	27	28	20	29	24	16	15	18	14	20	16
		F	40	36	37	31	37	24	20	22	18	29	18
705	Erythematous conditions	M	29	17	22	21	27	23	19	13	18	19	15
		F	24	23	27	26	20	21	23	24	24	22	31
706	Psoriasis and similar disorders	M	3	2	6	4	5	4	5	7	5	3	8
		F	2	5	4	4	7	6	2	8	6	3	4
708	Pruritus and related conditions	M	-	1	-	-	-	1	1	-	2	-	-
		F	1	3	1	1	-	-	-	1	-	1	-
710	Other hypertrophic and atrophic conditions of skin	M	22	24	14	18	26	21	15	23	15	22	23
		F	38	51	59	55	57	48	42	53	59	58	50
714	Diseases of sweat and sebaceous glands	M	2	1	1	1	-	1	-	1	1	-	-
		F	-	-	1	1	1	-	-	1	-	-	-
715	Chronic ulcer of skin	M	23	22	17	19	23	22	26	26	19	33	17
		F	58	64	55	74	85	52	66	53	64	93	64
716	Other diseases of skin	M	1	3	1	-	-	2	-	2	2	1	3
		F	-	-	2	1	2	-	2	-	-	3	4
720-749	**XIII DISEASES OF THE BONES AND ORGANS OF MOVEMENT**	**M**	**584**	**613**	**613**	**661**	**669**	**672**	**649**	**627**	**643**	**690**	**662**
		F	**1,225**	**1,307**	**1,331**	**1,334**	**1,370**	**1,382**	**1,398**	**1,391**	**1,378**	**1,378**	**1,396**
720-727	**Arthritis and rheumatism, except rheumatic fever**	**M**	**309**	**353**	**355**	**388**	**353**	**356**	**363**	**345**	**339**	**344**	**349**
		F	**941**	**1,019**	**1,027**	**1,066**	**1,053**	**1,059**	**1,033**	**1,033**	**1,001**	**994**	**1,010**
720	Acute arthritis due to pyogenic organisms	M	10	16	13	8	8	6	17	12	3	10	4
		F	11	12	18	18	9	15	16	18	13	21	20
722	Rheumatoid arthritis and allied conditions	M	183	222	221	252	246	230	222	222	210	219	222
		F	705	757	754	799	771	798	750	735	724	720	717
	0 Rheumatoid arthritis	M	169	206	208	225	225	209	195	196	189	194	205
		F	700	753	746	791	764	792	746	725	718	712	708
	1 Spondylitis ankylopoietica	M	14	16	13	26	21	21	27	26	21	25	17
		F	5	4	8	7	7	6	4	10	6	8	9
723	Osteo-arthritis (arthrosis) and allied conditions	M	107	103	111	120	84	111	108	95	108	99	106
		F	208	235	240	226	257	231	248	247	239	235	242
724	Other specified forms of arthritis	M	1	4	3	1	-	2	1	2	1	1	2
		F	3	3	6	5	3	3	1	4	4	3	2
725	Arthritis, unspecified	M	-	2	-	4	8	4	8	9	6	6	6
		F	3	7	5	11	4	7	13	20	14	7	20

TABLE 7 - *continued*

ICD No.	Causes of death		1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
726	Muscular rheumatism	M	6	4	5	3	7	3	6	5	11	8	7
		F	8	3	4	6	9	4	5	7	6	8	8
727	Rheumatism, unspecified	M	2	2	2	-	-	-	1	-	-	1	2
		F	3	2	-	1	-	1	-	2	1	-	1
730-738	**Osteomyelitis and other diseases of bone and joint**	**M**	**157**	**137**	**143**	**148**	**167**	**158**	**133**	**138**	**151**	**159**	**142**
		F	**187**	**197**	**206**	**195**	**206**	**204**	**254**	**248**	**263**	**277**	**286**
730	Osteomyelitis and periostitis	M	43	45	36	38	33	32	25	29	21	31	24
		F	35	28	31	27	17	11	27	17	20	19	26
731	Osteitis deformans	M	76	68	68	68	87	67	62	61	82	77	55
		F	87	93	81	83	81	98	92	96	76	96	91
733	Other diseases of bone	M	18	16	28	27	30	43	28	34	32	39	48
		F	54	66	77	68	95	86	114	122	153	140	152
735	Displacement of intervertebral disc	M	15	5	5	10	9	9	12	10	11	8	8
		F	6	5	7	6	5	6	13	3	5	5	6
737	Ankylosis of joint	M	1	1	-	-	2	3	-	-	-	-	1
		F	1	-	4	-	-	-	1	-	-	1	-
738	Other diseases of joint	M	4	1	6	3	3	4	5	2	4	4	6
		F	3	5	6	9	7	3	7	10	9	15	10
740-749	**Other diseases of musculoskeletal system**	**M**	**118**	**123**	**115**	**125**	**149**	**158**	**153**	**144**	**153**	**187**	**171**
		F	**97**	**91**	**98**	**73**	**111**	**119**	**111**	**110**	**114**	**107**	**100**
740	Bunion	M	-	-	-	1	-	1	-	-	1	-	-
		F	-	1	5	1	2	3	2	-	2	4	1
741	Synovitis, bursitis, and tenosynovitis, without mention of occupational origin	M	-	3	-	2	1	-	6	2	1	4	-
		F	1	2	3	1	-	2	-	2	1	-	2
743	Infective myositis and other inflammatory diseases of tendon and fascia	M	1	-	1	1	-	1	-	2	2	-	-
		F	-	1	2	-	-	1	-	1	-	2	-
744	Other diseases of muscle, tendon and fascia	M	92	105	96	104	126	132	115	116	126	149	147
		F	57	60	62	57	73	79	73	77	83	50	73
745	Curvature of spine	M	22	12	13	14	18	17	27	19	17	30	21
		F	31	18	21	11	29	27	31	28	22	42	20
747	Hallux valgus and varus	M	-	-	-	2	-	1	1	-	-	-	-
		F	2	3	2	1	2	1	1	1	2	2	-
748	Clubfoot	M	1	-	-	1	-	2	1	-	-	2	-
		F	2	1	-	-	1	-	-	-	-	-	1
749	Other deformities	M	2	3	5	-	4	4	3	5	6	2	3
		F	4	5	3	2	4	6	4	1	4	7	3
750-759	**XIV CONGENITAL MALFORMATIONS**	**M**	**2,589**	**2,589**	**2,503**	**2,696**	**2,671**	**2,836**	**2,783**	**2,741**	**2,602**	**2,511**	**2,413**
		F	**2,341**	**2,301**	**2,408**	**2,426**	**2,525**	**2,590**	**2,466**	**2,417**	**2,311**	**2,215**	**2,145**
750	Monstrosity	M	57	59	50	80	67	75	83	97	86	75	92
		F	96	106	115	110	118	130	109	123	121	94	119
751	Spina bifida and meningocele*	M	328	340	301	294	258	245	306	248	274	245	243
		F	462	458	411	399	395	368	486	448	391	393	365
752	Congenital hydrocephalus*	M	201	201	237	245	265	227	115	108	88	85	90
		F	223	243	275	299	304	310	100	98	81	92	92
753	Other congenital malformations of nervous system and sense organs	M	83	61	69	83	68	60	64	70	69	76	58
		F	74	68	76	78	73	79	83	101	88	62	76
754	Congenital malformations of circulatory system	M	1,126	1,124	1,102	1,161	1,214	1,330	1,395	1,313	1,280	1,257	1,182
		F	911	870	921	1,009	1,056	1,087	1,099	1,047	1,022	996	914
755	Cleft palate and harelip	M	12	11	11	5	5	8	6	11	5	4	6
		F	10	6	7	5	8	4	6	4	4	-	8
756	Congenital malformations of digestive system	M	294	286	274	295	285	311	270	295	247	222	241
		F	173	179	194	167	185	190	167	183	172	197	171
	0 Congenital hypertrophic pyloric stenosis	M	27	24	20	31	22	30	25	19	19	14	13
		F	7	6	4	5	3	3	8	3	1	4	2
	1 Imperforate anus	M	30	11	21	21	24	23	19	19	16	17	11
		F	11	4	6	9	4	6	6	4	8	5	3
	2 Other	M	237	251	233	243	239	258	226	257	212	191	217
		F	155	169	184	153	178	181	153	176	163	188	166
757	Congenital malformations of genito-urinary system	M	274	261	248	307	273	321	291	303	290	278	262
		F	223	182	224	185	210	201	210	185	227	210	196
	1 Polycystic disease of kidney	M	130	142	131	152	162	165	148	167	135	148	132
		F	170	133	167	131	150	146	163	129	164	157	139
	0, 2, 3 Other	M	144	119	117	155	111	156	143	136	155	130	130
		F	53	49	57	54	60	55	47	56	63	53	57
758	Congenital malformations of bone and joint	M	32	39	29	33	36	41	31	40	40	47	30
		F	39	33	34	27	24	42	25	47	28	42	32

* From January 1963 deaths having joint mention of conditions in 751 (Spina bifida and meningocele) and 752 (Congenital hydrocephalus) have been assigned to 751.

TABLE 7 - *continued*

ICD No.	Causes of death		1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
759	Other and unspecified congenital malformations, not elsewhere classified	M	182	207	182	193	200	218	222	256	223	222	209
		F	130	156	151	147	152	179	181	181	177	129	172
760-776	**XV CERTAIN DISEASES OF EARLY INFANCY**	**M**	**5,616**	**5,618**	**5,506**	**5,698**	**5,828**	**5,862**	**5,600**	**5,395**	**5,105**	**4,959**	**4,528**
		F	**3,812**	**3,800**	**3,807**	**3,822**	**3,925**	**3,833**	**3,815**	**3,755**	**3,429**	**3,384**	**3,278**
760-773	5 With immaturity	M	1,886	1,950	1,982	1,986	2,158	2,131	2,051	2,201	1,885	1,923	1,795
		F	1,237	1,227	1,272	1,315	1,321	1,303	1,346	1,417	1,270	1,333	1,244
760-769	**Birth injuries, asphyxia, and infections of newborn**	**M**	**3,322**	**3,381**	**3,404**	**3,356**	**3,537**	**3,465**	**3,307**	**3,322**	**3,044**	**2,924**	**2,724**
		F	**2,158**	**2,158**	**2,140**	**2,123**	**2,211**	**2,181**	**2,166**	**2,222**	**1,985**	**1,943**	**1,885**
760	Intracranial and spinal injury at birth	M	885	914	929	902	968	871	852	874	791	723	681
		F	542	536	529	516	540	464	551	523	488	432	394
761	Other birth injury	M	255	221	243	250	336	304	321	330	314	295	256
		F	159	134	150	157	199	223	219	214	220	173	180
762	Postnatal asphyxia and stelectasis	M	1,628	1,590	1,646	1,597	1,602	1,623	1,532	1,561	1,425	1,435	1,337
		F	1,068	1,057	1,064	1,080	1,045	1,052	983	1,079	908	972	938
763	Pneumonia of newborn	M	429	512	445	451	426	470	401	354	333	302	297
		F	285	325	305	281	278	293	278	229	230	229	234
764	Diarrhoea of newborn	M	22	21	30	33	32	32	42	33	30	34	32
		F	13	13	14	13	31	23	23	22	18	32	26
765	Ophthalmia neonatorum	M	-	-	2	-	-	-	-	1	-	-	-
		F	-	-	-	1	-	-	-	-	-	-	1
766	Pemphigus neonatorum	M	4	2	4	3	1	-	2	-	1	1	-
		F	4	8	1	1	1	3	2	1	2	-	1
767	Umbilical sepsis	M	17	9	10	10	13	7	9	6	6	6	1
		F	11	3	3	6	7	5	5	6	6	2	3
768	Other sepsis of newborn	M	22	29	20	27	31	22	35	37	27	45	32
		F	22	19	15	16	25	22	27	25	20	22	23
769	Neonatal disorders arising from certain diseases of the mother during pregnancy	M	60	83	75	83	128	136	113	126	117	83	88
		F	54	63	59	52	85	96	78	123	93	81	85
770-776	**Other diseases peculiar to early infancy**	**M**	**2,294**	**2,237**	**2,102**	**2,342**	**2,291**	**2,397**	**2,293**	**2,073**	**2,061**	**2,035**	**1,804**
		F	**1,654**	**1,642**	**1,667**	**1,699**	**1,714**	**1,652**	**1,649**	**1,533**	**1,444**	**1,441**	**1,393**
770	Haemolytic disease of newborn (erythroblastosis)	M	203	182	184	201	172	191	197	174	157	162	156
		F	175	197	176	174	163	164	149	147	156	149	142
771	Haemorrhagic disease of newborn	M	120	162	127	124	111	156	127	101	111	118	96
		F	64	87	92	80	79	76	91	83	54	76	75
772	Nutritional maladjustment	M	6	9	3	4	1	5	8	-	2	3	2
		F	1	2	-	-	1	2	3	-	2	3	4
773	Ill-defined diseases peculiar to early infancy	M	155	172	180	229	294	301	338	315	313	308	282
		F	114	107	123	161	159	167	180	182	180	194	178
774	Immaturity with mention of any other subsidiary condition	M	81	73	76	66	71	72	61	18	49	34	20
		F	48	72	78	60	60	57	51	26	30	17	8
776	Immaturity, unqualified	M	1,729	1,639	1,532	1,718	1,642	1,672	1,562	1,465	1,429	1,410	1,248
		F	1,252	1,177	1,198	1,224	1,252	1,186	1,175	1,095	1,022	1,002	986
780-795	**XVI SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS**	**M**	**2,935**	**2,989**	**2,718**	**2,435**	**2,454**	**2,281**	**2,173**	**1,725**	**1,547**	**1,535**	**1,302**
		F	**5,213**	**5,265**	**5,094**	**4,873**	**4,876**	**4,476**	**4,092**	**3,444**	**3,224**	**3,153**	**2,805**
780-789	**Symptoms referable to systems or organs**	**M**	**114**	**96**	**69**	**88**	**106**	**81**	**116**	**106**	**124**	**95**	**109**
		F	**126**	**91**	**65**	**99**	**113**	**83**	**102**	**104**	**98**	**114**	**96**
780	Certain symptoms referable to nervous system and special senses	M	7	7	4	2	7	5	6	8	13	8	7
		F	4	8	4	4	8	4	5	4	5	5	6
	2 Convulsions	M	5	6	4	2	5	5	3	8	12	6	7
		F	3	8	4	4	6	3	5	2	3	4	6
	0, 1, 3-9 Others included under 780	M	2	1	-	-	2	-	3	-	1	2	-
		F	1	-	-	-	2	1	-	2	2	1	-
782	Symptoms referable to cardiovascular and lymphatic system	M	90	41	32	46	53	46	57	52	53	48	57
		F	107	54	31	59	69	53	65	58	44	61	58
	4 Acute heart failure, undefined	M	85	40	29	44	46	39	54	50	50	40	51
		F	102	50	30	56	63	49	63	53	42	58	56
	0-3,5-9 Other symptoms referable to cardiovascular and lymphatic system	M	5	1	3	2	7	7	3	2	3	8	6
		F	5	4	1	3	6	4	2	5	2	3	2
783	Symptoms referable to respiratory system	M	2	1	2	4	2	3	5	6	4	2	2
		F	-	4	1	7	5	4	-	4	5	2	2
784	Symptoms referable to upper gastro-intestinal tract	M	5	26	18	11	21	17	19	19	25	15	20
		F	8	16	18	14	18	11	14	21	20	22	17
785	Symptoms referable to abdomen and lower gastro-intestinal tract	M	3	7	4	8	8	5	9	4	5	3	3
		F	4	2	6	7	7	6	3	7	9	8	3
786	Symptoms referable to genito-urinary system	M	4	9	6	12	7	3	12	6	13	3	10
		F	-	3	1	2	2	1	-	-	2	1	2

TABLE 7 - *continued*

ICD No.	Causes of death		1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
788	Other general symptoms	M	3	4	3	3	3	2	8	7	9	13	7
		F	3	3	4	5	3	3	11	7	9	11	7
789	Abnormal urinary constituents of unspecified cause	M	-	-	-	-	4	-	-	-	-	-	1
		F	-	1	-	1	1	1	1	-	2	-	1
790-795	**Senility and ill-defined diseases**	**M**	**2,821**	**2,893**	**2,649**	**2,347**	**2,348**	**2,200**	**2,057**	**1,619**	**1,423**	**1,440**	**1,193**
		F	**5,087**	**5,174**	**5,029**	**4,774**	**4,763**	**4,393**	**3,990**	**3,340**	**3,126**	**3,039**	**2,709**
790	Nervousness and debility	M	-	-	-	-	1	-	-	1	-	1	-
		F	-	-	1	-	-	1	-	2	-	1	1
792	Uraemia	M	12	27	22	20	39	27	38	34	24	39	45
		F	15	16	19	27	19	27	26	27	26	27	36
794	Senility without mention of psychosis	M	2,750	2,817	2,578	2,269	2,253	2,125	1,964	1,520	1,338	1,337	1,092
		F	5,034	5,132	4,970	4,716	4,710	4,335	3,926	3,262	3,069	2,969	2,620
795	Ill-defined and unknown causes of mortality	M	59	49	49	58	55	48	55	64	61	63	56
		F	38	26	39	31	34	30	38	49	31	42	52
E800-E999	**XVII ACCIDENTS, POISONINGS, AND VIOLENCE**	**M**	**12,858**	**13,343**	**13,456**	**13,503**	**13,654**	**13,812**	**14,074**	**14,244**	**13,983**	**14,049**	**13,260**
		F	**8,703**	**9,113**	**9,379**	**9,619**	**9,660**	**10,085**	**10,549**	**10,316**	**10,271**	**10,363**	**10,137**
E800-E802	**Railway accidents**	**M**	**288**	**300**	**250**	**219**	**254**	**209**	**215**	**189**	**167**	**121**	**177**
		F	**21**	**46**	**30**	**28**	**29**	**22**	**27**	**25**	**19**	**18**	**62**
E800	Involving railroad employee	M	162	119	140	115	139	94	102	95	74	55	64
		F	1	2	2	3	1	-	1	1	1	-	-
E801	Involving passenger	M	19	97	20	20	30	25	37	18	22	9	55
		F	3	33	11	8	9	7	12	7	3	5	48
E802	Involving other and unspecified person	M	107	84	90	84	85	90	76	76	71	57	58
		F	17	11	17	17	19	15	14	17	15	13	14
E810-E825	**Motor vehicle traffic accidents***	**M**	**3,608**	**3,966**	**4,345**	**4,676**	**4,669**	**4,451**	**4,522**	**5,160**	**5,227**	**5,218**	**4,869**
		F	**1,219**	**1,400**	**1,607**	**1,881**	**1,875**	**1,779**	**1,754**	**2,030**	**2,205**	**2,145**	**2,215**
E810	Involving collision with railway train	M	13	15	8	6	20	6	13	7	6	5	4
		F	2	4	-	-	5	4	-	5	4	1	1
E812	To pedestrian	M	1,219	1,323	1,299	1,488	1,512	1,421	1,418	1,606	1,689	1,720	1,645
		F	753	900	979	1,174	1,129	1,076	1,099	1,213	1,278	1,251	1,283
E813	To pedal cyclist	M	428	446	524	477	481	412	431	431	420	394	344
		F	68	56	90	91	74	68	58	68	58	60	60
E814	To rider or passenger of motorcycle in collision with non-motor vehicle or object	M	62	57	57	65	48	44	50	47	32	25	25
		F	4	3	4	8	2	3	2	2	4	1	-
E815	To rider or passenger of motorcycle in collision with other motor vehicle	M	730	862	977	1,054	925	840	775	827	752	749	592
		F	60	63	77	99	85	65	56	76	69	53	52
E816	Other motor vehicle traffic accident involving two or more motor vehicles	M	370	533	626	659	746	797	934	1,141	1,274	1,301	1,301
		F	171	204	253	276	370	339	326	412	524	530	549
E817	To occupant of motor vehicle in collision with pedestrian or pedal cycle	M	-	-	1	2	2	1	-	3	1	-	-
		F	-	1	-	1	-	1	-	-	-	-	-
E818	Involving collision with animal or animal-drawn vehicle	M	1	-	3	-	3	1	1	5	3	-	1
		F	1	1	3	1	2	5	2	-	3	1	1
E819	Involving collision with fixed or unspecified object	M	10	10	9	10	9	16	19	10	11	13	13
		F	-	3	-	5	1	6	5	4	5	3	5
E820	While boarding and alighting	M	24	11	22	13	7	10	9	11	12	9	8
		F	10	7	13	21	8	10	13	8	9	18	18
E821	To rider of motorcycle without antecedent collision	M	387	332	396	410	409	306	315	392	301	258	207
		F	32	38	51	44	38	25	27	33	27	27	17
E822	Involving overturning in roadway	M	53	54	55	42	47	82	72	61	72	69	90
		F	16	16	20	13	16	13	15	25	14	17	30
E823	Involving running off roadway	M	231	238	271	349	349	405	379	518	522	560	531
		F	57	61	75	97	101	114	98	143	144	139	140
E824	Other non-collision motor vehicle traffic accident	M	62	64	61	58	66	76	55	48	62	53	42
		F	32	23	26	31	30	25	27	15	31	13	26
E825	Of unspecified nature	M	17	21	36	43	45	34	51	53	70	62	66
		F	13	20	16	20	14	25	26	26	35	31	33
E830-E835	**Motor vehicle non-traffic accidents***	**M**	**65**	**68**	**69**	**78**	**84**	**71**	**67**	**78**	**71**	**75**	**63**
		F	**6**	**5**	**5**	**8**	**6**	**5**	**8**	**3**	**12**	**16**	**13**
E830	To pedestrian	M	40	37	39	36	50	34	29	36	34	43	31
		F	6	4	4	6	4	5	6	3	12	12	8
E832	To rider or passenger of motorcycle	M	5	7	9	10	12	15	11	14	16	10	13
		F	-	-	1	-	-	-	-	-	-	-	1
E833	Other motor vehicle non-traffic accident involving two or more motor vehicles	M	1	3	2	-	-	2	4	1	2	2	3
		F	-	-	-	-	-	-	-	-	-	-	-
E834	While boarding and alighting	M	1	1	-	1	2	1	-	-	-	4	-
		F	-	-	-	2	1	-	2	-	-	1	3

* E810-E835 Motor vehicle accidents. An analysis of these deaths for years 1955 and on according to the type of vehicle involved (as provided for in the 1955 International Statistical Classification) is not included in this table, but details are available at the General Register Office.

TABLE 7 - *continued*

ICD No.	Causes of death		1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
E835	Of other and unspecified nature	M	16	20	18	29	19	18	23	26	17	16	16
		F	-	1	-	-	1	-	-	-	-	3	1
E840-E845	**Other road vehicle accidents**	**M**	**170**	**152**	**112**	**114**	**98**	**99**	**74**	**71**	**61**	**65**	**48**
		F	**50**	**66**	**54**	**46**	**46**	**40**	**34**	**41**	**23**	**27**	**26**
E840	Street car accident to pedestrian	M	-	-	1	-	1	1	1	-	-	1	-
		F	1	1	1	1	-	1	1	1	-	-	-
E841	Other street car accident, excluding collision with motor vehicle	M	-	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
E842	Accident to pedestrian caused by pedal cycle	M	38	24	15	19	18	14	9	10	7	7	3
		F	21	32	25	23	22	22	13	20	9	10	9
E843	Accident to rider of pedal cycle not involving collision with motor vehicle	M	126	119	81	88	71	77	55	57	45	50	39
		F	21	17	21	14	11	9	10	10	6	10	10
E844	Accident to pedestrian caused by other non-motor road vehicle	M	-	1	1	1	-	-	-	1	-	-	-
		F	-	-	-	1	1	1	-	-	-	-	-
E845	Other non-motor road vehicle accidents	M	6	7	14	6	8	7	9	3	9	7	6
		F	7	16	7	7	12	7	10	10	8	7	7
E850-E858	**Water transport accidents**	**M**	**156**	**134**	**147**	**168**	**172**	**164**	**166**	**150**	**136**	**171**	**139**
		F	**5**	**4**	**5**	**6**	**13**	**8**	**5**	**10**	**10**	**18**	**10**
E850	Submersion of occupant of small boat	M	62	66	64	86	81	67	73	74	76	82	81
		F	4	3	4	2	7	5	4	5	8	6	7
E851	Other water transport injury by submersion	M	41	33	31	35	58	46	46	32	34	47	25
		F	-	1	-	1	4	2	-	1	2	11	1
E852	Fall on stairs and ladders in water transport	M	3	3	7	5	2	6	5	3	2	6	4
		F	-	-	-	1	-	-	-	-	-	-	-
E853	Other falls from one level to another in water transport	M	15	11	16	18	16	11	14	19	11	13	9
		F	-	-	-	1	-	-	-	-	-	-	-
E854	Falls on same level in water transport	M	3	2	1	-	2	1	3	-	1	1	3
		F	-	-	1	-	-	-	-	1	-	-	-
E855	Unspecified falls in water transport	M	1	2	1	-	1	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-
E856	Machinery accident in water transport	M	7	6	9	6	4	7	9	4	3	2	3
		F	-	-	-	-	-	-	-	-	-	-	-
E857	Other specified accidents in water transport	M	23	9	18	18	8	25	16	18	8	19	13
		F	1	-	-	1	2	1	1	3	-	1	2
E860-E866	**Aircraft accidents**	**M**	**145**	**170**	**75**	**51**	**35**	**68**	**34**	**61**	**88**	**61**	**82**
		F	**12**	**27**	**3**	**-**	**2**	**12**	**-**	**5**	**2**	**1**	**30**
E860	Accident to personnel in military aircraft	M	81	63	36	37	13	28	20	31	59	31	15
		F	-	-	-	-	-	-	-	-	-	-	-
E861	Injury to occupant by accident to commercial 'transport' aircraft	M	49	82	25	1	7	18	-	16	2	1	49
		F	7	22	-	-	1	7	-	3	-	-	28
E863	Injury to occupant by accident to other specified aircraft	M	6	11	2	4	8	15	9	6	21	27	12
		F	1	1	-	-	1	3	-	-	-	1	-
E864	Aircraft accident at airfield to person not in aircraft	M	1	5	1	2	-	2	1	4	1	1	2
		F	-	-	-	-	-	-	-	1	-	-	-
E865	Aircraft accident elsewhere to person not in aircraft	M	2	2	4	-	1	1	-	-	-	-	-
		F	3	3	3	-	-	2	-	-	2	-	-
E866	Other and unspecified aircraft accidents	M	6	7	7	7	6	4	4	3	5	1	4
		F	1	1	-	-	-	-	-	1	-	-	2
E870-E888	**Accidental poisoning by solid and liquid substances**	**M**	**176**	**158**	**175**	**195**	**223**	**260**	**324**	**309**	**336**	**384**	**369**
		F	**177**	**191**	**197**	**253**	**241**	**313**	**348**	**423**	**383**	**456**	**499**
E870	Morphine and other opium derivatives	M	1	-	3	-	1	1	1	2	2	-	2
		F	1	1	-	1	2	1	2	1	2	2	4
E871	Barbituric acid and derivatives	M	96	88	96	115	144	176	218	192	229	268	257
		F	112	117	136	178	159	217	264	314	296	350	374
E872	Aspirin and salicylates	M	18	13	18	24	30	18	30	27	18	17	14
		F	26	29	25	41	37	36	30	30	18	23	24
E873	Accidental poisoning by bromides	M	-	-	1	1	1	1	-	-	-	1	-
		F	1	-	-	-	1	-	-	1	-	-	-
E874	Other analgesic and soporific drugs	M	10	10	17	8	3	7	15	18	21	27	33
		F	14	14	10	10	6	9	12	21	25	31	42
E876	Strychnine	M	2	-	1	-	-	-	-	-	-	1	1
		F	-	2	-	1	1	2	-	1	-	-	-
E878	Other and unspecified drugs	M	16	16	16	13	15	28	23	27	27	27	26
		F	7	9	12	14	24	36	24	33	25	29	40
E880	Alcohol	M	15	5	5	15	11	7	17	15	17	23	14
		F	5	4	3	-	1	6	6	6	3	6	5

TABLE 7 - *continued*

ICD No.	Causes of death		1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
E881	Petroleum products	M	-	-	-	1	2	2	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-
E882	Industrial solvents	M	4	2	3	-	2	2	5	3	3	8	3
		F	-	1	1	-	-	1	-	2	1	-	2
E883	Corrosive aromatics, acids, and caustic alkalis	M	4	8	9	4	8	11	5	8	4	4	6
		F	6	8	7	4	4	2	3	5	5	4	3
E884	Mercury and its compounds	M	-	1	1	-	1	-	-	1	-	-	1
		F	-	1	-	-	-	-	1	-	1	-	-
E885	Lead and its compounds	M	-	5	1	2	1	-	1	3	-	2	1
		F	-	-	1	-	2	-	2	1	2	1	4
E888	Other and unspecified solid and liquid substances	M	10	10	4	12	4	7	8	12	14	5	10
		F	3	4	1	3	3	3	4	8	4	9	-
E890-E895	**Accidental poisoning by gases and vapours**	**M**	**369**	**430**	**433**	**464**	**444**	**562**	**604**	**471**	**429**	**430**	**329**
		F	**464**	**525**	**553**	**560**	**570**	**696**	**796**	**559**	**495**	**498**	**373**
E890	Utility (illuminating gas)	M	309	368	377	412	375	481	527	395	372	356	275
		F	448	502	538	536	550	665	751	540	469	463	341
E891	Motor vehicle exhaust gas	M	9	13	10	11	15	17	21	26	21	15	11
		F	1	-	1	1	-	-	2	-	3	-	2
E892	Other carbon monoxide gas	M	27	33	30	28	29	47	40	36	30	40	27
		F	14	21	12	22	20	29	37	18	23	33	29
E894	Other specified gases and vapours	M	22	14	16	11	16	15	14	10	6	15	13
		F	1	2	2	1	-	-	6	1	-	2	-
E895	Accidental poisoning by unspecified gases and vapours	M	1	2	-	1	4	1	2	2	-	3	3
		F	-	-	-	-	-	-	-	-	-	-	1
E900-E904	**Accidental falls**	**M**	**1,991**	**2,010**	**2,105**	**1,906**	**1,889**	**2,006**	**2,073**	**1,873**	**1,873**	**1,881**	**1,722**
		F	**3,305**	**3,474**	**3,538**	**3,559**	**3,487**	**3,490**	**3,613**	**3,441**	**3,447**	**3,570**	**3,501**
E900	Fall on stairs	M	371	373	385	368	343	345	344	324	327	346	310
		F	545	557	544	529	491	510	483	463	452	460	439
E901	Fall from ladders	M	74	78	82	69	77	64	78	65	57	65	71
		F	9	6	11	10	12	14	9	7	2	6	8
E902	Other falls from one level to another	M	450	458	497	447	429	478	429	426	448	462	422
		F	246	236	279	229	213	246	210	197	200	228	196
E903	Fall on same level	M	498	585	627	640	621	799	850	712	703	725	634
		F	1,100	1,307	1,521	1,652	1,684	1,923	1,991	1,814	1,884	1,986	2,006
E904	Unspecified falls	M	598	516	514	382	419	320	372	346	338	283	285
		F	1,405	1,368	1,183	1,139	1,087	797	920	960	909	890	852
E910-E936	**Other accidents**	**M**	**2,414**	**2,504**	**2,360**	**2,305**	**2,450**	**2,375**	**2,410**	**2,460**	**2,377**	**2,496**	**2,436**
		F	**1,100**	**1,113**	**1,118**	**1,078**	**1,071**	**1,217**	**1,388**	**1,218**	**1,271**	**1,240**	**1,225**
E910	Blow from falling or projected object or missile	M	299	319	266	277	252	222	239	241	226	214	228
		F	7	18	14	19	15	16	15	11	18	10	39
E911	Caused by vehicle	M	83	86	59	55	60	59	72	39	49	69	72
		F	-	1	-	-	-	-	-	1	-	-	-
E912	Caused by machinery	M	245	254	211	207	241	224	207	234	215	246	193
		F	3	6	5	7	7	6	4	4	9	5	3
E913	Caused by cutting and piercing instruments	M	13	21	13	13	18	8	11	7	9	13	20
		F	6	6	5	5	7	4	3	6	1	4	12
E914	Caused by electric current	M	106	101	92	97	111	93	111	112	105	103	102
		F	19	21	29	20	22	19	32	17	21	25	18
E915	Caused by explosion of pressure vessel	M	8	5	7	4	10	9	10	8	6	2	8
		F	1	-	-	-	-	1	2	-	-	-	1
E916	Caused by fire and explosion of combustible material*	M	232	226	268	228	297	315	323	314	325	343	306
		F	398	404	422	413	382	494	560	466	468	462	391
E917	Caused by hot substance, corrosive liquid and steam*	M	52	76	52	47	66	46	51	44	42	39	45
		F	54	63	64	42	38	52	52	39	41	50	35
E919	Caused by firearm	M	74	82	75	59	77	78	69	54	57	49	55
		F	7	1	6	6	6	2	8	6	1	4	8
E921	Inhalation and ingestion of food, causing obstruction or suffocation	M	230	228	212	223	271	278	254	306	341	318	291
		F	157	141	154	180	179	210	219	238	232	234	208
E922	Inhalation and ingestion of other object causing obstruction or suffocation	M	18	35	18	26	8	20	21	13	14	16	19
		F	12	3	14	6	11	5	12	8	17	7	1
E923	Foreign body entering other orifice	M	7	15	12	12	10	13	14	16	14	7	15
		F	5	9	16	16	13	7	11	16	15	12	17
E924	Accidental mechanical suffocation in bed and cradle*	M	93	103	82	76	71	94	94	102	91	91	79
		F	74	77	59	55	51	72	54	67	72	53	74
E925	Accidental mechanical suffocation in other and unspecified circumstances	M	39	31	49	52	63	64	86	57	44	47	83
		F	5	9	7	5	10	14	19	8	13	10	63

* E916, E917, E924. See footnotes to these causes in Table 18A.

TABLE 7 - *continued*

ICD No.	Causes of death		1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
E926	Lack of care of infants under 1 year of age	M	26	19	30	20	26	23	34	16	31	20	24
		F	34	36	23	12	24	20	27	25	32	20	21
E927	Accidents caused by bites and stings of venomous animals and insects	M	3	4	3	3	3	5	5	1	3	2	1
		F	3	5	1	1	4	-	3	1	2	2	5
E928	Other accidents caused by animals	M	14	12	12	12	14	17	11	13	11	9	7
		F	5	7	8	3	8	3	2	10	7	1	5
E929	Accidental drowning and submersion	M	703	695	719	677	680	591	528	647	561	637	626
		F	227	220	214	197	197	187	174	187	156	196	167
E931	Excessive heat and insolation	M	1	-	3	3	2	-	2	3	1	-	-
		F	4	-	2	1	-	-	1	2	-	1	-
E932	Excessive cold	M	4	8	3	9	6	27	69	11	22	32	28
		F	3	2	6	6	2	13	79	17	44	33	29
E933	Hunger, thirst, and exposure	M	14	14	16	23	19	24	33	26	24	19	29
		F	12	18	11	7	10	17	28	6	17	16	15
E934	Cataclysm	M	-	-	2	1	-	4	-	1	1	1	-
		F	1	1	-	-	-	4	2	-	-	-	-
E935	Lightning	M	7	9	6	6	4	4	2	2	1	1	6
		F	-	2	1	3	3	1	-	1	-	-	-
E936	Other and unspecified accidents	M	143	161	150	175	141	155	162	193	182	216	199
		F	62	63	57	74	82	70	81	82	105	95	113
E940-E946	**Complications due to non-therapeutic medical and surgical procedures**	**M**	**6**	**6**	**1**	**6**	**7**	**5**	**1**	**1**	**4**	**8**	**2**
		F	**7**	**7**	**2**	**4**	**2**	**7**	**3**	**4**	**5**	**3**	**7**
E940	Generalized vaccinia following vaccination	M	1	-	-	1	2	2	-	-	1	-	-
		F	-	1	1	-	1	1	-	-	-	-	1
E941	Postvaccinal encephalitis	M	1	3	1	3	2	2	-	-	1	1	-
		F	2	2	-	1	-	2	-	2	-	1	-
E944	Other complications of prophylactic inoculation	M	3	3	-	1	3	1	1	1	1	5	2
		F	1	2	-	1	1	1	-	1	2	-	-
E946	Other complications due to non-therapeutic medical and surgical procedures	M	-	-	-	1	-	-	-	-	1	-	-
		F	2	-	1	2	-	-	1	1	1	2	6
E950-E959	**Therapeutic misadventure and late complications of therapeutic procedures**	**M**	**23**	**8**	**10**	**4**	**12**	**12**	**7**	**15**	**23**	**23**	**24**
		F	**28**	**5**	**8**	**3**	**8**	**9**	**17**	**15**	**31**	**23**	**23**
E950	Therapeutic misadventure in surgical treatment	M	17	4	5	1	5	2	-	3	4	1	1
		F	20	3	2	-	3	3	2	1	4	-	1
E951	Therapeutic misadventure in infusion or transfusion	M	1	1	1	-	1	3	-	2	4	5	5
		F	3	-	1	3	1	-	3	-	6	4	5
E953	Therapeutic misadventure in administration of drugs or biologicals	M	2	1	-	1	3	5	4	9	12	14	14
		F	2	1	4	-	1	4	7	12	17	15	13
E954	Therapeutic misadventure in anaethesia	M	-	-	-	-	1	1	-	1	2	1	1
		F	2	-	-	-	1	-	-	-	1	1	1
E955	Other and unspecified therapeutic misadventure	M	2	1	3	1	1	1	1	-	-	2	2
		F	-	-	-	-	2	1	1	-	3	-	2
E960-E965	**Late effects of injury and poisoning**	**M**	**159**	**154**	**155**	**136**	**142**	**138**	**142**	**100**	**100**	**114**	**91**
		F	**37**	**25**	**26**	**31**	**30**	**25**	**22**	**15**	**20**	**25**	**18**
E960	Late effect of motor vehicle accident	M	10	12	13	20	21	22	21	16	19	28	17
		F	2	3	5	6	7	5	3	4	5	7	6
E961	Late effect of accidental poisoning	M	1	1	1	1	1	-	2	1	2	-	1
		F	-	-	1	1	-	-	-	-	-	-	1
E962	Late effect of other accidental injury	M	48	70	63	57	69	73	59	58	41	66	51
		F	32	22	19	23	22	19	19	11	14	18	11
E965	Late effects of injury due to war operations	M	100	71	78	57	51	43	59	25	38	19	21
		F	2	-	1	-	-	-	-	-	1	-	-
E970-E979	**Suicide and self-inflicted injury**	**M**	**3,170**	**3,175**	**3,116**	**3,058**	**3,025**	**3,264**	**3,307**	**3,175**	**2,942**	**2,823**	**2,736**
		F	**2,145**	**2,123**	**2,091**	**2,054**	**2,175**	**2,324**	**2,407**	**2,391**	**2,219**	**2,171**	**1,975**
E970	Poisoning by analgesic and soporific substances	M	294	330	327	335	385	544	704	745	725	663	701
		F	401	445	451	504	634	761	976	1,053	1,078	1,075	1,046
E971	Poisoning by other solid and liquid substances	M	85	69	75	56	76	78	86	79	71	66	58
		F	55	33	46	48	36	58	67	50	42	36	35
E972	Poisoning by gases in domestic use	M	1,399	1,448	1,417	1,421	1,319	1,396	1,367	1,188	987	922	812
		F	1,202	1,189	1,177	1,078	1,060	1,073	1,001	900	715	671	524
E973	Poisoning by other gases	M	67	67	58	94	109	107	115	126	140	154	149
		F	5	7	6	8	10	10	10	17	16	9	13
E974	Injury by hanging and strangulation	M	553	485	438	417	456	465	444	458	394	428	428
		F	132	128	120	124	132	145	106	117	121	122	104
E975	Injury by submersion (drowning)	M	264	251	249	256	232	224	195	185	176	153	151
		F	211	205	197	182	177	172	151	149	147	152	130

TABLE 7 - *continued*

ICD No.	Causes of death		1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
E976	Injury by firearms and explosives	M	189	187	212	168	174	187	152	153	185	172	179
		F	14	8	8	9	12	5	9	6	9	1	14
E977	Injury by cutting and piercing instruments	M	130	131	119	107	97	71	64	66	62	74	69
		F	30	31	17	18	24	14	16	14	10	17	16
E978	Injury by jumping from high place	M	70	68	74	60	70	59	51	47	54	59	70
		F	58	38	41	43	36	35	32	50	38	33	38
E979	Injury by other and unspecified means	M	119	139	147	144	107	133	129	128	148	132	119
		F	37	39	28	40	54	51	39	35	43	55	55
E980-E985	**Homicide and injury purposely inflicted by other persons (not in war)**	**M**	**116**	**108**	**103**	**123**	**150**	**123**	**128**	**128**	**147**	**178**	**172**
		F	**127**	**102**	**142**	**108**	**105**	**138**	**127**	**136**	**129**	**152**	**160**
E980	Non-accidental poisoning by another person	M	24	11	9	11	12	16	18	14	13	12	9
		F	29	15	26	11	11	15	12	15	9	14	16
E981	Assault by firearm and explosive	M	14	4	7	9	14	14	12	9	12	21	27
		F	13	11	13	10	6	15	12	10	11	6	21
E982	Assault by cutting and piercing instruments	M	17	19	17	25	29	20	30	38	47	48	45
		F	19	14	22	20	26	21	23	27	27	34	25
E983	Assault by other means	M	59	70	64	75	88	70	66	65	75	97	91
		F	66	62	81	67	62	87	80	84	82	98	98
E985	Execution	M	2	4	6	3	7	3	2	2	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
E990-E999	**Injury resulting from operations of war**	**M**	**2**	**-**	**-**	**-**	**-**	**5**	**-**	**3**	**2**	**1**	**1**
		F	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
E999	Injury due to war operations but occurring after cessation of hostilities	M	2	-	-	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
N800-N999	**XVII ALTERNATIVE CLASSIFICATION OF ACCIDENTS, POISONINGS, AND VIOLENCE (NATURE OF INJURY)**	**M**	**12,858**	**13,343**	**13,456**	**13,503**	**13,654**	**13,812**	**14,074**	**14,244**	**13,983**	**14,049**	**13,260**
		F	**8,703**	**9,113**	**9,379**	**9,619**	**9,660**	**10,085**	**10,549**	**10,316**	**10,271**	**10,363**	**10,137**
N800-N804	Fracture of skull	M	3,064	3,210	3,233	3,317	3,249	3,068	2,958	3,282	3,301	3,332	2,971
		F	903	952	1,017	1,136	1,090	1,047	1,013	1,122	1,157	1,186	1,200
N805-N809	Fracture of spine and trunk	M	782	855	855	888	873	855	962	888	890	897	790
		F	406	449	481	555	550	511	549	541	588	571	603
N810-N829	Fracture of limbs	M	1,205	1,166	1,157	1,142	1,151	1,165	1,164	1,125	1,103	1,033	993
		F	2,594	2,825	2,836	2,893	2,822	2,847	2,902	2,835	2,911	2,939	2,930
N830-N839	Dislocation without fracture	M	43	50	46	39	49	47	38	32	40	29	31
		F	25	27	22	21	21	21	22	28	23	20	20
N840-N848	Sprains and strains of joints and adjacent muscles	M	3	6	6	3	3	7	12	3	2	2	7
		F	3	4	1	4	1	5	4	3	1	2	2
N850-N856	Head injury (excluding skull fracture)	M	896	957	1,067	1,016	1,056	1,072	1,003	994	950	1,026	876
		F	446	400	495	486	536	526	534	513	494	453	488
N860-N869	Internal injury of chest, abdomen, and pelvis	M	937	1,057	1,150	1,158	1,235	1,206	1,381	1,512	1,577	1,808	1,894
		F	186	242	294	316	333	329	336	404	446	535	559
N870-N908	Laceration and open wounds	M	395	425	402	372	350	347	318	345	359	317	329
		F	96	104	104	129	133	98	109	115	120	128	127
N910-N929	Superficial injury, contusion and crushing with intact skin surface	M	48	46	43	42	18	38	45	34	21	29	12
		F	58	53	45	60	46	41	41	40	36	37	28
N930-N936	Effects of foreign body entering through orifice	M	265	278	246	265	292	320	294	343	384	353	325
		F	176	156	186	201	201	226	242	265	265	254	219
N940-N949	Burns	M	272	278	269	227	271	278	285	262	239	247	250
		F	406	437	444	402	359	485	522	422	419	404	292
N960-N979	Effects of poisons	M	2,509	2,603	2,614	2,667	2,697	3,079	3,341	3,060	2,868	2,803	2,559
		F	2,391	2,450	2,508	2,524	2,639	3,006	3,313	3,117	2,842	2,892	2,662
N950-N959 N980-N999	All other and unspecified effects of external causes	M	2,439	2,412	2,368	2,367	2,410	2,330	2,273	2,364	2,249	2,173	2,223
		F	1,013	1,014	946	892	929	943	962	911	969	942	1,007

TABLE 7 - *continued*

Causes of death not included in the tabular series

004 Primary tuberculosis complex with symptoms, 1963, 1F; 1964, 1M; 1965, 2M.
006 Radiological evidence suggestive of active respiratory tuberculosis not classifiable elsewhere, - .
021 Early syphilis, 1961, 1F.
028 Latent syphilis, - .
031 Chronic gonococcal infection of genito-urinary system, 1958, 1M; 1963, 1M; 1964, 1M.
032 Gonococcal infection of joint, - .
033 Gonococcal infection of eye, - .
034 Gonococcal infection of other sites, 1961, 1M.
036 Chancroid, - .
037 Lymphogranuloma venereum, 1957, 1F; 1958, 1F; 1959, 1M; 1960, 1M, 1F; 1964, 1M; 1966,1F.
038 Granuloma inguinale, venereal, 1961, 1M.
039 Other and unspecified venereal diseases, 1958, 1M; 1960, 1F; 1966, 1M.
043 Cholera, - .
047 Other protozoal dysentery, 1958, 1F.
054 Bacterial toxaemia, 1957, 1M; 1960, 1F; 1962, 1F; 1965, 1M,1F.
058 Plague, 1962, 1M.
059 Tularaemia, - .
060 Leprosy, 1961, 1F; 1964, 1F; 1966, 1M; 1967, 1M.
071 Relapsing fever, - .
073 Yaws, - .
074 Other spirochaetal and leptospirochaetal infections, 1957, 1F; 1958, 1M; 1960, 1F; 1964, 1M; 1965, 1F; 1966, 1M.
080.2 Acute poliomyelitis specified as non-paralytic, - .
090 Dengue, - .
091 Yellow fever, - .
094 Rabies, 1967, 1F.
095 Trachoma, - .
100 Louse-borne epidemic typhus, - .
101 Flea-borne endemic typhus (murine), - .
102 Brill's disease, not specified as louse- or flea-borne typhus, 1959, 1M; 1963, 1M.
103 Tabardillo (Mexican typhus), not specified as louse- or flea-borne, - .
104 Tick-borne typhus, - .
105 Mite-borne typhus, - .
106 Volhynian fever (trench fever), - .
107 Typhus, unspecified, 1966, 1M.
108 Other rickettsial diseases, 1960, 1M; 1963, 1F; 1966, 1M.
110 Vivax malaria (benign tertian), 1957, 1M; 1961, 1M.
111 Malariae malaria (quartan), - .
113 Ovale malaria, - .
114 Mixed malarial infections, - .
115 Blackwater fever, - .
117 Recurrent induced malaria, - .
120 Leishmaniasis, 1958, 1M; 1960, 1M; 1964, 1M; 1967, 1M.
121 Trypanosomiasis, 1957, 2M.
124 Other trematode infestation, 1961, 1F.
127 Filariasis, - .
128 Trichiniasis, - .
129 Ankylostomiasis, 1962, 1M.
130 Infestation with worms of other, mixed and unspecified type, 1962, 1M,1F; 1963, 1F.
131 Dermatophytosis, 1964, 1F.
133 Coccidioidomycosis, - .
135 Scabies, - .
136 Pediculosis, - .
137 Other arthropod infestation, - .
218 Benign neoplasm of male genital organs, 1959, 1M; 1964, 2M; 1967, 1M.
220 Benign melanoma of skin, 1961, 1M; 1967, 1M.
232 Neoplasm of unspecified nature of breast, 1962, 2F; 1964, 1F; 1965, 2F.
235 Neoplasm of unspecified nature of other female genital organs, 1964, 1F.
243 Urticaria, 1958, 1M; 1963, 1F; 1965, 1F; 1966, 1M.
244 Allergic eczema, - .
275 Ovarian dysfunction, - .
276 Testicular dysfunction, - .
312 Phobic reaction, 1957, 1M.
313 Obsessive-compulsive reaction, 1957, 1M; 1958, 1M; 1959, 2M; 1962, 1F; 1966, 1F.
315 Psychoneurosis with somatic symptoms (somatization reaction) affecting circulatory system, 1958, 1M,1F; 1963, 1M; 1965, 1F.
321 Immature personality, 1960, 2F; 1961, 1F.
324 Primary childhood behaviour disorders, - .
326 Other and unspecified character, behaviour and intelligence disorders, 1960, 1F.
354 Migraine, 1957, 1F; 1959, 3F; 1961, 1M; 1962, 1M,1F; 1963, 1F; 1964, 1F; 1966, 1F; 1967, 1M.
360 Facial paralysis, 1959, 1M; 1960, 1F; 1961, 1M; 1962, 1F; 1963, 2F; 1964, 2F; 1966, 2M,1F; 1967, 1M.
362 Brachial neuritis, - .
367 Other diseases of cranial nerves, 1958, 1F; 1959, 1F; 1962, 2M; 1964, 1F; 1966, 1F; 1967, 2M,1F.
369 Diseases of peripheral automatic nervous system, 1957, 1M; 1958, 1M; 1960, 2F; 1961, 1M,2F; 1962, 1M,2F; 1963, 2F; 1964, 1M,1F; 1965, 1F; 1966, 1M; 1967, 1M,1F.
371 Blepharitis, 1961, 1M.
372 Hordeolum (stye), 1959, 1M; 1960, 1M; 1962, 1M.
373 Iritis, 1958, 1F.
374 Keratitis, 1960, 1M; 1963, 1F.
375 Choroiditis, 1962, 1F.
378 Inflammation of Lachrymal glands and ducts, 1960, 1F; 1962, 2F.
380 Refractive errors, - .
382 Corneal opacity, 1961, 1M; 1962, 3M,1F.
383 Pterygium, - .
390 Otitis externa, 1959, 1M; 1961, 1M; 1962, 1M; 1964, 1F.
397 Deaf mutism, 1957, 1F.
398 Other deafness, 1957, 1F; 1959, 1F.
413 Diseases of pulmonary valve specified as rheumatic, 1967, 1M.
534 Toothache from unspecified cause, - .
616 Sterility, male, 1960, 1M.
620 Chronic cystic disease of breast, - .
636 Sterility, female, 1958, 1F; 1961, 1F; 1962, 2F; 1963, 1F; 1964, 2F; 1965, 1F.
643 Placenta praevia, 1966, 1F.
647 Pregnancy with malposition of foetus in uterus, - .
676 Delivery with laceration of perineum, without mention of other laceration, - .
680 Puerperal urinary infection without other sepsis, 1960, 1F; 1964, 1F; 1965, 1F.
683 Pyrexia of unknown origin during the puerperium, - .
694 Acute lymphadenitis, 1959, 1F; 1961, 1F; 1964, 1F.
696 Infectious warts, 1958, 2M; 1962, 1M; 1963, 1F; 1966, 1M.
697 Molluscum contagiosum, - .
702 Occupational dermatitis, 1960, 1M; 1961, 1M.
707 Lichen planus, 1958, 2M; 1962, 1M; 1964, 1F.
709 Corns and callosities, 1957, 1M; 1958, 1M; 1965, 1M.
711 Other dermatoses, 1957, 2M; 1959, 1M; 1960, 1F; 1965, 1M; 1966, 1F; 1967, 2F.
712 Diseases of nail, 1957, 1M; 1958, 1F; 1960, 1F; 1961, 1M; 1967, 1M.
713 Diseases of hair and hair follicles, 1957, 1M; 1958, 1M,1F.
721 Acute non-pyogenic arthritis, - .
722.2 Chronic rheumatoid nodular fibrositis, 1960, 1M,1F.
732 Osteochondrosis, 1958, 1M; 1960, 1F; 1961, 1M,1F; 1963, 1M; 1965, 1M.
734 Internal derangement of knee joint, 1957, 1F; 1960, 2M,1F; 1961, 2M; 1964, 1M; 1967, 1F.
736 Affection of sacro-iliac joint, 1964, 1M; 1966, 1F.
742 Synovitis, bursitis and tenosynovitis, without mention of occupational origin, - .
746 Flat foot, - .
781 Other symptoms referable to nervous system and special senses, 1958, 1M; 1960, 2M; 1961, 1M; 1963, 3F; 1964, 4M,3F; 1965, 2M,2F; 1966, 3M,3F; 1967, 2M.
787 Symptoms referable to limbs and back, 1966, 1F.
791 Headache, - .
793 Observation, without need for further medical care, - .
E811 Motor vehicle traffic accident involving collision with street car, 1957, 1M.
E831 Motor vehicle non-traffic accident to pedal cyclist, 1957, 2M; 1959, 1M; 1960, 2M; 1961, 1M; 1962, 1M; 1964, 1M; 1965, 2M.
E858 Water transport accident of unspecified cause, 1957, 1M; 1958, 2M; 1962, 1M; 1965, 1M; 1967, 1M.
E862 Other injury in commercial 'transport' aircraft, 1964, 1M.
E875 Accidental poisoning by sulfonamides, 1965, 1F; 1967, 1F.
E877 Accidental poisoning by belladonna, hyoscine and atropine, 1964, 1M; 1966, 1M.
E879 Accidental poisoning by noxious foodstuffs, 1957, 1F; 1960, 1F.
E886 Accidental poisoning by arsenic and antimony, and their compounds, 1958, 1F; 1959, 1F; 1961, 1F; 1965, 1M; 1967, 1M.
E887 Accidental poisoning by fluorides, 1966, 1F.
E893 Accidental poisoning by cyanide gas, 1957, 1M; 1960, 1M; 1961, 5M; 1962, 1M; 1964, 2M; 1966, 1M.
E918 Accident caused by radiation, - .
E920 Foreign body entering the eye and adnexa, 1957, 1F.
E930 High and low air pressure, 1962, 2M; 1963, 2M; 1965, 2M; 1966, 2M.
E942 Other complications of smallpox vaccination, 1957, 1M,1F; 1958, 1F; 1962, 3F; 1965, 2F; 1966, 1M.
E943 Post-immunization jaundice and hepatitis, 1957, 1F.
E945 Complications of anaesthesia for non-therapeutic purpose, 1958, 1F; 1963, 2F; 1966, 1M.
E952 Therapeutic misadventure in local applications, 1958, 1F; 1959, 1F; 1961, 1M; 1963, 1M,2F; 1964, 2F; 1965, 1M; 1966, 2F; 1967, 1M,1F.
E956 Late complication of surgical operation, 1957, 1F; 1962, 1F; 1963, 1F; 1966, 1F.
E957 Late complication of amputation stump, - .
E958 Late complication of irradiation, 1958, 1M; 1963, 1F.
E959 Late complications of other forms of treatment, 1957, 1M; 1959, 1M; 1960, 1M; 1963, 1M.
E963 Late effect of self-inflicted injury, 1957, 1F; 1960, 1M; 1961, 1F; 1962, 1F; 1963, 1M.
E964 Late effect of injury purposely inflicted by another person (not in war), 1960, 1F; 1966, 1M; 1967, 1M.
E984 Injury by intervention of police, - .
E990 War injury by gas and chemicals, 1965, 1M.
E991 War injury by gunshot, 1966, 1M; 1967, 1M.
E992 War injury by grenade and land mine, 1964, 1M; 1965, 1M.
E993 War injury by bomb, - .
E994 War injury by marine bomb, depth charge and torpedo, - .
E995 War injury by explosion of artillery shell, - .
E996 War injury by explosion of undetermined origin, - .
E997 War injury by aircraft destruction, 1962, *5M.
E998 War injury by other and unspecified means, 1964, 1M.

* E997 These deaths which occured on the 11th November 1944 were registered in 1962, and are therefore included in the 1962 deaths.

TABLE 8. Crude death rates per million living from certain causes, by sex at all ages, 1957 to 1967

England and Wales

Note. 1 Rates are based on total deaths and home populations.
2 Footnotes to individual causes in Table 7 apply also to those causes in this table.
3 The symbols M, F and P in the second column indicate 'Males', 'Females', and all 'Persons' respectively.

ICD No.	Causes of death		1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
	Estimated mid-year population (in thousands)	M	21,648	21,744	21,885	22,097	22,353	22,660	22,834	23,044	23,227	23,392	23,562
		F	23,259	23,365	23,501	23,678	23,852	24,049	24,194	24,358	24,536	24,683	24,829
		P	44,907	45,109	45,386	45,775	46,205	46,709	47,028	47,401	47,763	48,075	48,391
	ALL CAUSES	**M**	**12,306**	**12,447**	**12,332**	**12,196**	**12,561**	**12,584**	**12,806**	**11,924**	**12,155**	**12,338**	**11,764**
		F	**10,682**	**10,965**	**10,969**	**10,855**	**11,360**	**11,330**	**11,592**	**10,673**	**10,884**	**11,141**	**10,687**
		P	**11,465**	**11,679**	**11,626**	**11,502**	**11,941**	**11,939**	**12,182**	**11,281**	**11,502**	**11,724**	**11,211**
001-138	**I INFECTIVE AND PARASITIC DISEASES**	**M**	**230**	**209**	**189**	**170**	**164**	**152**	**146**	**126**	**116**	**117**	**103**
		F	**108**	**99**	**85**	**79**	**82**	**71**	**70**	**61**	**65**	**66**	**61**
		P	**166**	**152**	**135**	**123**	**122**	**111**	**107**	**93**	**90**	**91**	**82**
001-019	Tuberculosis (all forms)	M	158	147	128	113	108	101	96	80	71	72	61
		F	59	54	44	39	39	34	32	26	26	27	25
		P	107	99	85	75	72	66	63	52	48	49	42
001-008	Respiratory system	M	146	136	120	106	100	93	89	74	65	67	56
		F	47	45	36	32	32	28	24	20	21	22	19
		P	95	89	77	68	65	59	55	47	42	43	37
010-019	Other forms	M	12	12	9	7	7	8	7	6	6	5	5
		F	12	10	8	7	7	6	8	5	5	6	5
		P	12	11	8	7	7	7	7	6	6	5	5
010	Meninges and central nervous system	M	2	2	2	1	2	2	2	1	*1*	1	1
		F	3	2	2	1	1	1	1	*1*	1	1	1
		P	2	2	2	1	1	1	2	1	1	1	1
011	Intestines, peritoneum and mesenteric glands	M	1	1	*1*	*1*	1	*1*	*1*	0	*1*	0	*1*
		F	1	1	1	*1*	1	*1*	*1*	*1*	*1*	*1*	0
		P	1	1	1	1	1	1	1	0	1	0	0
012, 013	Bones and joints	M	2	2	2	1	2	2	1	1	2	1	*1*
		F	2	2	2	2	1	1	2	1	1	1	1
		P	2	2	2	2	1	1	2	1	1	1	1
016	Genito-urinary system	M	4	3	2	2	2	2	2	2	1	1	1
		F	2	2	2	1	2	1	1	1	1	1	1
		P	3	2	2	2	2	2	1	2	1	1	1
019	Disseminated tuberculosis	M	2	2	1	1	1	1	1	1	1	1	1
		F	2	1	*1*	1	1	1	1	1	1	1	1
		P	2	2	1	1	1	1	1	1	1	1	1
020-029	Syphilis and its sequelae	M	34	30	29	28	25	22	21	22	22	21	21
		F	15	17	14	14	14	13	14	12	14	14	14
		P	24	23	21	21	19	18	17	17	18	17	18
022	Aneurysm of aorta	M	17	14	13	14	13	13	12	14	15	15	16
		F	8	9	8	8	8	8	9	8	11	10	11
		P	12	12	11	11	10	11	10	11	13	12	13
023	Other cardiovascular syphilis	M	11	10	8	8	7	6	5	5	4	4	3
		F	4	4	3	3	4	3	3	2	2	2	2
		P	7	7	5	6	5	4	4	3	3	3	2
024	Tabes dorsalis	M	2	2	2	2	2	1	1	*1*	1	*1*	*1*
		F	1	*1*	1	*1*	*1*	0	*1*	0	0	0	*1*
		P	2	1	2	1	1	1	1	1	1	1	1
025	General paralysis of insane	M	2	3	3	3	2	1	2	1	1	1	1
		F	1	1	1	1	*1*	*1*	0	0	*1*	1	0
		P	2	2	2	2	1	1	1	1	1	1	1
026	Other syphilis of central nervous system	M	1	*1*	1	*1*	*1*	1	1	*1*	*1*	*1*	*1*
		F	*1*	1	*1*	*1*	*1*	*1*	*1*	0	*1*	0	0
		P	1	1	1	1	1	1	1	0	1	0	0
040-049	Infectious diseases commonly arising in intestinal tract	M	2	2	2	2	2	2	2	*1*	1	*1*	1
		F	2	2	2	2	1	1	1	1	1	*1*	1
		P	2	2	2	2	1	1	1	1	1	1	1
050-064	Other bacterial diseases	M	10	8	8	7	8	8	8	8	7	7	5
		F	9	7	6	5	6	5	6	6	7	6	5
		P	9	7	7	6	7	7	7	7	7	6	5
053	Septicaemia and pyaemia	M	2	2	2	2	3	3	3	3	2	3	2
		F	2	2	1	1	2	2	2	2	3	3	2
		P	2	2	2	2	2	2	2	3	3	3	2
056	Whooping cough	M	1	*1*	*1*	1	*1*	*1*	*1*	1	0	0	*1*
		F	2	*1*	*1*	*1*	0	0	1	1	*1*	*1*	0
		P	2	1	1	1	1	1	1	1	0	0	1
057	Meningococcal infections	M	4	3	4	2	3	4	4	2	3	3	2
		F	4	3	3	2	3	2	2	2	2	2	2
		P	4	3	4	2	3	3	3	2	2	2	2
080-096	Diseases attributable to viruses	M	23	17	17	16	19	15	15	12	12	13	12
		F	21	17	16	16	19	16	14	13	15	15	14
		P	22	17	17	16	19	15	15	13	14	14	13
080, 081	Acute poliomyelitis including late effects	M	8	4	2	1	3	1	1	*1*	0	*1*	0
		F	4	3	1	*1*	1	*1*	0	0	0	0	0
		P	6	3	2	1	2	1	1	1	0	0	0

TABLE 8 - *continued*

ICD No.	Causes of death		1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
082, 083	Acute infectious encephalitis including late effects	M	5	6	5	5	5	5	5	5	3	4	3
		F	4	4	4	5	4	4	3	3	3	4	3
		P	5	5	5	5	4	4	4	4	3	4	3
085	Measles	M	2	1	2	*1*	4	1	3	1	2	2	3
		F	2	1	2	*1*	3	*1*	3	2	3	1	2
		P	2	1	2	1	3	1	3	2	2	2	2
092	Infectious hepatitis	M	5	5	5	6	6	5	5	4	4	4	3
		F	7	6	6	7	7	7	5	5	6	6	5
		P	7	5	6	7	6	6	5	4	5	5	4
140-239	**II NEOPLASMS**	**M**	**2,346**	**2,358**	**2,391**	**2,419**	**2,418**	**2,440**	**2,446**	**2,472**	**2,503**	**2,533**	**2,559**
		F	**1,928**	**1,957**	**1,960**	**1,975**	**1,978**	**1,978**	**1,982**	**2,021**	**2,023**	**2,038**	**2,061**
		P	**2,130**	**2,150**	**2,168**	**2,189**	**2,191**	**2,202**	**2,207**	**2,240**	**2,256**	**2,279**	**2,303**
140-205	Cancer, including Hodgkin's disease, leukaemia and aleukaemia	M	2,312	2,333	2,366	2,391	2,391	2,415	2,417	2,441	2,474	2,504	2,531
		F	1,890	1,929	1,929	1,943	1,948	1,949	1,952	1,989	1,992	2,009	2,031
		P	2,094	2,124	2,140	2,159	2,162	2,175	2,178	2,209	2,226	2,250	2,275
140-200, 202, 203, 205	Cancer, excluding Hodgkin's disease, leukaemia and aleukaemia	M	2,225	2,252	2,281	2,302	2,303	2,330	2,328	2,352	2,388	2,412	2,441
		F	1,831	1,869	1,863	1,876	1,884	1,880	1,885	1,921	1,922	1,943	1,963
		P	2,021	2,054	2,065	2,081	2,087	2,098	2,100	2,131	2,149	2,171	2,196
140-148	Malignant neoplasm of buccal cavity and pharynx	M	58	58	57	51	48	47	43	44	42	40	40
		F	29	28	26	28	27	26	25	27	26	27	25
		P	43	43	41	39	37	36	34	35	34	33	32
140	Lip	M	4	4	3	3	4	3	2	3	2	2	2
		F	0	0	0	*1*	0	0	0	0	0	0	0
		P	2	2	2	2	2	1	1	1	1	1	1
141	Tongue	M	16	17	17	14	12	13	12	13	11	10	9
		F	7	6	6	6	6	5	5	6	7	6	5
		P	11	11	11	10	9	9	8	9	9	8	7
142	Salivary gland	M	4	4	3	3	4	3	3	3	4	4	4
		F	3	3	3	3	2	3	2	3	2	3	3
		P	3	4	3	3	3	3	3	3	3	3	3
143-148	Other or unspecified parts of buccal cavity and pharynx	M	35	34	34	30	28	28	26	26	25	25	25
		F	19	19	16	19	18	18	17	19	17	18	16
		P	27	26	25	25	23	23	21	22	21	21	21
150-159	Malignant neoplasm of digestive organs and peritoneum	M	894	880	875	862	851	841	835	827	824	837	836
		F	769	786	791	779	768	766	762	755	751	754	759
		P	829	831	832	819	809	802	798	790	786	794	796
150	Oesophagus	M	60	60	63	59	61	61	60	59	61	63	65
		F	41	42	41	43	44	44	44	49	47	48	49
		P	50	51	51	50	52	52	52	54	54	56	57
151	Stomach	M	367	365	362	356	348	341	339	325	322	321	316
		F	257	264	262	258	252	244	245	229	227	229	221
		P	310	313	310	305	298	291	291	276	273	274	267
152	Small intestine, including duodenum	M	4	5	5	5	6	5	4	5	5	5	5
		F	3	5	4	6	4	4	5	4	5	5	5
		P	4	5	5	5	5	5	4	5	5	5	5
153	Large intestine, except rectum	M	175	170	165	164	165	163	156	157	156	164	164
		F	232	232	236	230	229	228	223	225	225	218	229
		P	204	202	202	198	198	196	190	192	192	192	197
154	Rectum	M	143	144	140	137	131	130	129	128	126	126	129
		F	98	107	111	103	102	101	105	107	103	105	106
		P	120	125	125	120	116	115	116	117	114	115	117
155	Biliary passages and of liver (stated to be primary site)	M	25	27	28	26	27	27	28	27	27	29	29
		F	34	39	37	37	36	39	37	36	34	37	35
		P	29	33	32	32	32	33	32	32	30	33	32
156	Liver (secondary and unspecified)	M	23	13	13	14	14	14	13	15	17	17	16
		F	20	13	13	12	12	12	12	13	12	13	14
		P	22	13	13	13	13	13	13	14	15	15	15
157	Pancreas	M	87	91	95	94	93	93	98	102	101	106	104
		F	74	75	79	79	80	84	82	83	88	90	91
		P	80	83	87	87	86	88	90	92	94	97	97
158	Peritoneum	M	8	4	4	5	6	5	6	7	6	5	6
		F	10	7	7	8	7	8	8	8	9	8	7
		P	9	6	5	7	7	6	7	7	7	6	7
160-165	Malignant neoplasm of respiratory system	M	795	823	869	895	908	930	944	965	992	1,000	1,032
		F	128	132	136	145	153	158	163	172	182	193	200
		P	450	465	490	507	518	532	542	557	576	586	605
160	Nose, nasal cavities, middle ear and accessory sinuses	M	5	6	6	5	4	5	5	6	5	5	5
		F	4	4	4	5	4	5	4	4	4	5	4
		P	4	5	5	5	4	5	4	5	5	5	4
161	Larynx	M	31	30	29	31	29	28	28	25	26	26	25
		F	7	7	8	7	7	6	6	6	7	6	6
		P	19	18	18	18	18	17	16	15	16	16	15
162	Bronchus and trachea, and of lung specified as primary	M	496	526	559	582	598	614	641	654	666	667	695
		F	75	79	80	89	92	97	104	108	115	121	125
		P	278	294	311	327	337	348	365	373	383	387	403

TABLE 8 - *continued*

ICD No.	Causes of death		1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
163	Lung, unspecified as to whether primary or secondary	M	260	258	272	274	273	281	268	278	291	299	304
		F	40	40	43	43	49	48	48	52	54	58	64
		P	146	145	153	154	157	161	155	162	170	175	181
164	Mediastinum	M	3	3	3	2	3	1	2	2	2	1	1
		F	2	1	1	1	1	1	1	*1*	1	1	0
		P	2	2	2	2	2	1	1	1	1	1	1
170-181	Malignant neoplasm of breast and genito-urinary organs	M	304	313	306	313	312	327	320	321	329	331	328
		F	737	764	749	764	766	766	760	783	775	780	787
		P	528	546	535	546	546	553	547	558	558	561	563
170	Breast	M	3	3	3	3	4	3	3	4	3	4	4
		F	368	383	371	382	389	389	390	405	395	398	412
		P	192	200	193	199	203	202	202	210	205	206	213
171-174	Uterus	F	168	176	170	173	167	167	164	164	162	160	155
171	Cervix uteri	F	106	116	109	110	105	104	102	106	100	101	99
172	Corpus uteri	F	52	51	52	53	52	52	49	45	50	48	43
173, 174	Other and unspecified parts of uterus	F	11	10	10	10	10	10	13	13	13	12	13
175	Ovary, Fallopian tube and broad ligament	F	123	124	125	125	128	127	126	129	131	134	133
176	Other and unspecified female genital organs	F	22	22	23	23	21	22	21	21	22	23	22
177	Prostate	M	160	166	164	166	164	169	166	162	171	167	165
178	Testis	M	8	9	9	10	8	9	9	10	10	10	9
179	Other and unspecified male genital organs	M	6	6	7	5	7	6	6	6	5	5	4
180	Kidney	M	33	35	32	32	34	37	36	37	38	38	40
		F	19	22	20	22	22	21	22	23	22	23	23
		P	25	28	26	27	27	29	29	30	29	30	31
181	Bladder and other urinary organs	M	94	92	92	97	96	103	99	103	102	107	106
		F	37	37	41	39	39	40	38	41	43	42	42
		P	65	64	65	67	67	71	68	71	72	73	73
190-199	Malignant neoplasm of other and unspecified sites	M	135	135	130	134	139	139	136	141	149	150	149
		F	134	124	126	123	128	126	135	142	141	140	143
		P	135	129	128	128	133	132	135	141	145	145	146
190, 191	Skin	M	21	19	19	20	19	18	18	18	20	20	19
		F	22	19	19	19	19	19	18	21	22	19	19
		P	21	19	19	20	19	19	18	19	21	20	19
192	Eye	M	3	3	3	3	3	4	3	2	3	3	3
		F	2	3	3	3	3	3	3	3	3	3	2
		P	2	3	3	3	3	3	3	3	3	3	3
193	Brain and other parts of nervous system	M	41	50	48	50	51	50	49	51	51	48	49
		F	29	34	35	33	36	33	35	33	33	33	33
		P	35	42	41	41	43	41	42	42	42	41	41
194	Thyroid gland	M	4	4	5	5	4	5	4	4	4	5	4
		F	11	10	12	12	12	11	12	12	12	12	11
		P	8	7	8	8	8	8	9	8	8	9	8
195	Other endocrine glands	M	3	3	3	2	2	3	2	3	3	3	2
		F	2	2	2	2	2	2	2	2	2	2	2
		P	3	2	2	2	2	2	2	2	2	2	2
196	Bone	M	16	16	15	15	16	14	12	11	15	13	13
		F	12	13	11	11	11	11	10	10	10	8	9
		P	14	14	13	13	13	12	11	11	12	11	11
197	Connective tissue	M	6	5	5	5	6	6	5	6	5	5	6
		F	4	5	4	4	5	6	5	5	5	5	5
		P	5	5	4	4	5	6	5	5	5	5	5
198, 199	Other and unspecified sites	M	40	35	33	34	38	38	42	46	48	53	52
		F	51	39	40	39	41	42	49	56	55	58	61
		P	46	37	37	37	40	40	46	51	52	56	57
200-205	Neoplasms of lymphatic and haematopoietic tissues	M	126	124	128	137	133	132	139	143	139	145	146
		F	93	95	102	104	106	107	107	111	116	116	117
		P	109	109	114	120	119	119	122	127	127	130	131
200	Lymphosarcoma and reticulosarcoma	M	22	24	25	27	26	27	29	31	30	29	32
		F	16	18	19	19	22	20	20	20	23	24	25
		P	19	21	22	23	24	23	24	26	26	27	28
201	Hodgkin's disease	M	27	22	25	23	24	24	23	21	23	24	24
		F	12	13	14	15	13	15	13	14	13	13	14
		P	19	17	19	19	18	19	18	18	18	18	19
202	Other forms of lymphoma (reticulosis)	M	4	5	3	4	4	4	4	5	4	6	5
		F	3	4	3	3	4	3	3	5	4	5	6
		P	3	4	3	4	4	4	4	5	4	5	5
203	Multiple myeloma (plasmocytoma)	M	12	14	13	15	15	15	16	17	18	18	19
		F	14	12	13	15	15	15	15	18	18	20	19
		P	13	13	13	15	15	15	16	17	18	19	19

TABLE 8 - *continued*

ICD No.	Causes of death		1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
204	Leukaemia and aleukaemia	M	60	60	60	67	63	61	66	68	63	67	66
		F	47	46	52	51	52	55	55	53	57	54	55
		P	53	53	56	59	57	58	60	60	60	60	60
	0 Lymphatic leukaemia	M	16	12	13	14	14	14	14	15	14	16	16
		F	10	8	10	9	9	9	10	10	11	10	10
		P	12	10	11	12	11	11	12	13	12	13	13
	1 Myeloid leukaemia	M	14	11	11	10	11	11	12	12	11	11	11
		F	13	11	12	12	12	12	11	12	11	11	11
		P	13	11	12	11	11	11	12	12	11	11	11
	2-4 Other and unspecified leukaemia	M	31	37	36	43	38	37	39	41	38	41	39
		F	24	28	30	30	31	34	34	32	36	33	34
		P	27	32	33	36	34	35	36	36	37	36	36
210-229	Benign neoplasm	M	15	15	14	16	15	13	13	15	13	13	14
		F	24	21	22	23	20	20	19	19	19	18	18
		P	20	18	19	20	17	16	16	17	16	15	16
214	Uterine fibromyoma	F	4	3	4	3	2	2	2	2	2	2	2
216	Ovary	F	5	4	4	4	3	3	3	3	3	3	3
219	Kidney and other urinary organs	M	4	3	3	4	4	2	2	3	2	2	2
		F	2	1	2	1	1	1	1	1	1	1	*1*
		P	3	2	2	2	2	2	2	2	2	1	1
223	Brain and other parts of nervous system	M	6	6	6	6	6	6	6	6	5	5	5
		F	8	7	8	8	8	7	7	7	6	6	6
		P	7	7	7	7	7	6	6	7	5	6	6
230-239	Neoplasm of unspecified nature	M	19	10	10	12	12	12	15	16	16	16	15
		F	14	7	9	9	10	9	12	13	12	12	12
		P	17	8	10	10	11	10	14	15	14	14	13
237	Brain and other parts of nervous system	M	16	7	8	8	9	9	12	12	12	12	11
		F	12	4	7	7	7	7	9	9	8	8	8
		P	14	6	7	8	8	8	10	10	10	10	10
240-289	**III ALLERGIC, ENDOCRINE SYSTEM, METABOLIC AND NUTRITIONAL DISEASES**	**M**	**99**	**102**	**93**	**97**	**103**	**106**	**113**	**115**	**122**	**123**	**114**
		F	**169**	**170**	**163**	**174**	**183**	**185**	**195**	**186**	**207**	**203**	**191**
		P	**135**	**137**	**129**	**136**	**144**	**146**	**155**	**152**	**165**	**164**	**154**
240-245	Allergic disorders	M	33	29	25	24	25	27	31	35	40	40	34
		F	34	36	29	29	30	32	41	43	49	47	40
		P	34	32	27	26	28	30	36	39	44	44	37
241	Asthma	M	33	28	24	23	25	26	30	34	39	39	33
		F	34	36	29	28	30	32	40	42	48	46	39
		P	34	32	27	26	27	29	35	38	44	42	36
250-254	Diseases of thyroid gland	M	4	4	5	4	4	5	5	4	5	3	4
		F	25	25	26	27	28	29	33	22	25	23	23
		P	15	15	16	16	16	17	19	13	15	13	14
252	Thyrotoxicosis with or without goitre	M	3	2	3	2	2	3	1	2	2	1	2
		F	14	12	13	13	12	12	11	8	9	9	9
		P	8	7	8	8	7	7	6	5	5	5	5
253	Myxoedema and cretinism	M	1	2	2	2	2	2	3	2	3	2	2
		F	10	11	12	12	14	16	20	11	14	12	13
		P	5	6	7	7	8	9	12	7	9	7	7
260	Diabetes mellitus	M	47	53	50	54	60	59	60	61	63	65	64
		F	91	93	89	100	106	103	101	104	112	113	110
		P	70	73	70	78	84	82	81	83	88	89	87
270-277	Diseases of other endocrine glands	M	5	6	4	5	5	6	6	5	5	4	4
		F	7	6	6	6	6	6	7	6	6	5	5
		P	6	6	5	6	6	6	6	6	5	5	5
272	Diseases of pituitary gland	M	2	2	2	2	2	2	2	2	1	1	1
		F	3	2	2	2	2	2	2	2	2	2	2
		P	2	2	2	2	2	2	2	2	2	2	2
274	Diseases of adrenal glands	M	2	3	2	3	2	3	3	2	2	2	2
		F	2	2	2	2	2	3	3	2	2	2	2
		P	2	2	2	2	2	3	3	2	2	2	2
280-289	Avitaminoses, and other metabolic diseases	M	9	10	8	9	9	9	11	10	9	11	9
		F	11	11	12	11	12	14	14	13	15	15	13
		P	10	10	10	10	11	12	13	11	12	13	11
290-299	**IV DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS**	**M**	**34**	**34**	**35**	**35**	**34**	**34**	**32**	**34**	**34**	**33**	**32**
		F	**58**	**56**	**56**	**53**	**56**	**55**	**57**	**52**	**58**	**54**	**51**
		P	**47**	**45**	**46**	**44**	**46**	**45**	**45**	**43**	**46**	**44**	**42**
290	Pernicious and other hyperchromic anaemias	M	12	11	10	11	10	9	9	8	7	8	6
		F	27	25	25	22	23	21	20	18	20	19	16
		P	20	18	18	17	16	15	15	13	14	13	11
	0 Pernicious anaemia	M	10	10	9	9	8	8	7	7	6	6	4
		F	24	21	21	19	20	19	17	16	17	16	13
		P	17	16	15	14	14	13	12	11	11	11	9
	1 Subacute combined degeneration of spinal cord	M	*1*	*1*	*1*	*1*	*1*	0	0	0	0	0	0
		F	1	1	1	1	*1*	1	0	0	0	0	0
		P	1	1	1	1	1	1	0	0	0	0	0

TABLE 8 - *continued*

ICD No.	Causes of death		1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
291	Iron deficiency anaemias (hypochromic anaemias)	M	3	3	5	4	4	4	4	4	4	4	4
		F	8	8	9	9	11	9	11	9	10	11	10
		P	6	6	7	7	7	7	8	6	7	7	7
292	Other anaemias of specified type	M	8	9	9	9	9	9	8	9	10	9	10
		F	10	10	9	8	9	10	12	11	11	10	11
		P	9	9	9	8	9	9	10	10	10	10	10
	4 Aplastic anaemia	M	5	6	5	5	5	6	4	5	5	4	5
		F	6	6	5	4	5	5	7	6	6	5	6
		P	6	6	5	5	5	5	6	5	6	5	5
	0-3, 5-7 Other	M	3	3	4	4	4	4	4	4	4	5	5
		F	4	4	4	4	4	4	5	5	5	5	5
		P	4	4	4	4	4	4	4	5	5	5	5
293	Anaemia of unspecified type	M	2	2	2	3	3	3	3	3	4	3	4
		F	5	5	4	6	5	6	6	6	8	6	6
		P	4	4	3	4	4	4	5	5	6	5	5
300-326	**V MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS**	**M**	**16**	**16**	**17**	**18**	**18**	**20**	**19**	**20**	**21**	**21**	**20**
		F	**30**	**24**	**27**	**27**	**29**	**29**	**30**	**27**	**29**	**33**	**31**
		P	**23**	**20**	**22**	**23**	**23**	**25**	**25**	**23**	**25**	**27**	**26**
300-309	Psychoses	M	12	11	12	14	14	15	14	15	16	16	15
		F	25	20	22	23	24	24	25	23	26	28	26
		P	19	16	17	18	19	19	19	19	21	22	20
304	Senile psychosis	M	7	7	7	9	9	10	9	10	11	11	10
		F	19	15	16	16	18	18	19	17	21	23	20
		P	13	11	12	13	14	14	15	14	16	17	16
320-326	Disorders of character, behaviour, and intelligence	M	3	4	4	4	3	5	4	5	4	5	5
		F	3	3	3	3	3	4	4	3	3	4	4
		P	3	3	3	3	3	4	4	4	4	4	4
325	Mental deficiency	M	3	3	2	3	2	4	3	2	2	2	2
		F	3	2	2	2	2	3	3	2	2	3	2
		P	3	2	2	2	2	3	3	2	2	3	2
330-398	**VI DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS**	**M**	**1,536**	**1,560**	**1,535**	**1,524**	**1,516**	**1,520**	**1,534**	**1,414**	**1,481**	**1,476**	**1,421**
		F	**1,976**	**2,044**	**2,008**	**2,035**	**2,055**	**2,065**	**2,115**	**1,943**	**2,019**	**2,036**	**1,993**
		P	**1,764**	**1,811**	**1,780**	**1,789**	**1,794**	**1,801**	**1,833**	**1,686**	**1,758**	**1,764**	**1,714**
330-334	Vascular lesions affecting central nervous system	M	1,411	1,439	1,412	1,405	1,394	1,398	1,413	1,294	1,361	1,357	1,302
		F	1,854	1,921	1,883	1,909	1,923	1,939	1,987	1,812	1,896	1,907	1,872
		P	1,640	1,689	1,656	1,666	1,667	1,676	1,708	1,560	1,636	1,640	1,594
330	Subarachnoid haemorrhage	M	55	56	56	59	59	61	62	63	64	63	63
		F	82	87	82	90	88	96	96	98	96	95	103
		P	69	72	70	75	74	79	80	81	80	80	83
331	Cerebral haemorrhage	M	553	548	525	530	512	510	515	494	499	503	514
		F	748	761	714	731	705	713	730	683	682	704	711
		P	654	659	623	634	612	614	625	591	593	606	615
332	Cerebral embolism and thrombosis	M	689	711	701	691	685	680	688	589	638	623	565
		F	895	927	930	931	938	934	956	828	895	872	823
		P	795	823	820	815	815	811	826	712	770	751	697
333, 334	Spasm of cerebral arteries and other and ill-defined vascular lesions affecting central nervous system	M	114	125	129	125	138	147	148	148	160	169	161
		F	130	145	156	158	191	196	204	203	224	236	236
		P	122	135	143	142	165	172	177	176	193	204	199
340-345	Inflammatory diseases of central nervous system	M	34	32	31	32	31	31	32	33	30	29	30
		F	34	35	34	34	36	34	35	36	33	34	30
		P	34	33	33	33	33	33	33	34	32	31	30
340	Meningitis, except meningococcal and tuberculous	M	11	9	8	9	9	10	9	11	10	9	10
		F	6	6	6	7	7	8	8	8	8	8	7
		P	8	8	7	8	8	9	8	10	9	8	8
343	Encephalitis, myelitis, and encephalomyelitis (except acute infectious)	M	3	3	3	3	3	3	2	3	2	3	2
		F	3	2	2	2	2	2	3	2	2	2	2
		P	3	3	2	2	2	2	3	2	2	2	2
345	Multiple sclerosis	M	14	15	16	16	15	14	15	14	14	14	13
		F	22	23	23	23	23	22	20	22	19	21	18
		P	18	19	20	19	19	18	18	18	17	17	15
350-357	Other diseases of central nervous system	M	83	81	83	81	84	82	83	81	84	84	84
		F	82	83	85	84	91	87	87	88	85	90	87
		P	82	82	84	83	87	84	85	84	84	87	86
350	Paralysis agitans	M	32	32	33	32	31	31	31	29	30	29	29
		F	36	37	41	40	42	39	38	38	37	38	36
		P	34	34	37	36	37	35	34	34	33	34	32
351	Cerebral spastic infantile paralysis	M	3	3	3	3	3	3	3	2	2	3	2
		F	2	2	2	2	2	3	2	2	2	2	2
		P	3	2	3	3	2	3	2	2	2	3	2
352	Other cerebral paralysis	M	10	10	11	11	11	12	13	11	13	14	13
		F	13	13	13	13	16	14	15	17	15	18	18
		P	11	12	12	12	13	13	14	14	14	16	16

TABLE 8 - *continued*

ICD No.	Causes of death		1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
353	Epilepsy	M	17	16	16	15	17	16	17	15	15	16	16
		F	14	15	12	13	14	14	14	11	12	11	11
		P	15	16	14	14	15	15	15	13	14	13	13
355	Other diseases of brain	M	5	5	4	5	6	5	6	6	6	7	8
		F	5	5	5	5	6	7	7	7	7	8	9
		P	5	5	5	5	6	6	6	7	7	7	8
356	Motor neurone disease and muscular atrophy	M	15	14	14	14	14	14	13	15	16	15	15
		F	10	10	11	10	10	9	9	11	11	11	11
		P	12	12	13	12	12	12	11	13	13	13	13
	0 Progressive muscular atrophy	M	9	8	9	7	7	7	5	6	6	5	4
		F	6	6	6	6	5	5	5	5	4	4	3
		P	8	7	7	6	6	6	5	5	5	5	4
360-369	Diseases of nerves and peripheral ganglia	M	2	2	2	1	2	2	2	2	1	2	2
		F	1	1	1	3	1	2	2	2	1	1	1
		P	1	2	2	2	2	2	2	2	1	2	1
390-398	Diseases of ear and mastoid process	M	6	5	6	4	4	6	4	4	4	4	3
		F	3	2	2	3	3	2	3	3	3	2	2
		P	4	4	4	3	4	4	4	4	3	3	3
391	Otitis media without mention of mastoiditis	M	4	4	5	3	3	4	3	4	3	3	3
		F	2	2	2	2	2	2	3	3	2	2	2
		P	3	3	3	3	3	3	3	3	3	2	2
400-468	**VII DISEASES OF THE CIRCULATORY SYSTEM**	**M**	**4,425**	**4,595**	**4,401**	**4,542**	**4,579**	**4,654**	**4,752**	**4,424**	**4,576**	**4,574**	**4,425**
		F	**3,980**	**4,183**	**4,065**	**4,151**	**4,293**	**4,277**	**4,344**	**3,953**	**4,075**	**4,092**	**3,934**
		P	**4,194**	**4,381**	**4,227**	**4,340**	**4,432**	**4,460**	**4,542**	**4,182**	**4,318**	**4,327**	**4,173**
400-402	Rheumatic fever	M	4	3	3	3	3	3	2	1	2	2	0
		F	4	3	3	3	2	2	2	1	1	1	0
		P	4	3	3	3	2	2	2	1	2	2	0
410-416	Chronic rheumatic heart disease	M	138	118	113	112	115	112	104	92	90	87	83
		F	225	208	195	196	205	199	188	166	168	161	151
		P	183	165	156	156	162	157	147	130	130	125	118
410	Diseases of mitral valve	M	89	75	71	68	71	68	64	56	57	53	54
		F	169	155	144	145	148	145	136	119	118	113	109
		P	131	117	109	108	111	108	101	88	88	84	82
411	Diseases of aortic valve specified as rheumatic	M	16	16	14	15	16	17	15	14	13	12	12
		F	7	8	7	8	8	7	10	8	9	8	7
		P	11	12	11	11	12	12	12	11	11	10	10
412-414	Diseases of tricuspid valve, pulmonary valve specified as rheumatic, and other endocarditis specified as rheumatic	M	11	9	8	7	7	7	6	6	4	5	3
		F	15	12	12	12	12	10	8	8	9	7	6
		P	13	11	10	9	10	9	7	7	6	6	5
415	Other myocarditis specified as rheumatic	M	4	3	3	2	2	2	2	1	1	1	1
		F	6	5	4	3	4	4	3	2	2	1	1
		P	5	4	3	2	3	3	2	1	1	1	1
416	Other heart disease specified as rheumatic	M	18	15	18	19	18	18	17	16	16	16	14
		F	27	28	28	30	33	32	31	30	30	31	28
		P	23	22	23	25	26	25	24	23	23	24	21
420-422	Arteriosclerotic and degenerative heart disease	M	3,287	3,460	3,322	3,446	3,473	3,577	3,659	3,459	3,588	3,569	3,477
		F	2,648	2,815	2,733	2,795	2,866	2,892	2,945	2,698	2,787	2,791	2,697
		P	2,956	3,126	3,017	3,109	3,160	3,224	3,292	3,068	3,176	3,170	3,076
420	Arteriosclerotic heart disease, including coronary disease	M	2,230	2,395	2,385	2,561	2,612	2,766	2,883	2,824	2,982	2,973	2,962
		F	1,243	1,368	1,393	1,497	1,567	1,655	1,737	1,692	1,801	1,832	1,832
		P	1,719	1,863	1,871	2,010	2,073	2,194	2,293	2,242	2,375	2,387	2,383
	0 Arteriosclerotic heart disease so described	M	16	21	19	23	27	30	32	30	27	29	27
		F	16	23	21	26	34	38	37	34	34	35	35
		P	16	22	20	25	31	34	34	32	30	32	31
	1 Heart disease specified as involving coronary arteries	M	2,201	2,363	2,357	2,529	2,577	2,730	2,845	2,790	2,951	2,941	2,932
		F	1,218	1,336	1,364	1,463	1,528	1,611	1,694	1,654	1,763	1,794	1,794
		P	1,692	1,831	1,843	1,977	2,035	2,154	2,253	2,206	2,341	2,352	2,348
	2 Angina pectoris without mention of coronary disease	M	12	11	10	8	8	6	6	4	4	3	4
		F	9	8	7	7	6	6	5	4	4	3	3
		P	11	10	8	8	7	6	6	4	4	3	3
421	Chronic endocarditis not specified as rheumatic	M	81	77	69	76	72	75	70	62	60	61	61
		F	70	65	65	66	69	68	67	53	59	59	63
		P	75	71	67	71	71	72	68	57	60	60	62
	0 Of mitral valve, specified as non-rheumatic	M	4	5	5	4	5	6	4	4	4	3	3
		F	8	8	9	9	9	10	9	7	7	8	9
		P	6	7	7	7	7	8	7	5	6	5	6
	1 Of aortic valve, not specified as rheumatic	M	61	58	52	60	59	60	59	52	52	52	53
		F	39	38	39	42	45	45	47	37	43	43	44
		P	50	47	45	51	52	52	52	45	48	47	48
	2-4 Of tricuspid valve, specified as non-rheumatic, pulmonary valve, not specified as rheumatic, and other and ill-defined, not specified as rheumatic	M	16	14	12	12	9	10	7	6	4	6	5
		F	23	19	17	16	15	13	11	9	9	8	9
		P	20	17	15	14	12	12	9	7	7	7	7

TABLE 8 - *continued*

ICD No.	Causes of death		1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
422	Other myocardial degeneration	M	976	988	868	809	789	736	706	573	545	535	454
		F	1,335	1,382	1,275	1,232	1,230	1,169	1,142	953	927	900	802
		P	1,162	1,192	1,079	1,028	1,016	959	931	768	741	723	632
	0 Fatty degeneration	M	4	4	3	2	2	1	2	1	2	1	1
		F	6	5	5	5	4	3	4	3	3	2	2
		P	5	4	4	3	3	2	3	2	2	2	2
	1 With arteriosclerosis	M	436	452	407	381	374	355	341	282	263	259	224
		F	578	606	572	561	563	535	530	441	435	416	376
		P	510	532	492	474	471	448	438	363	351	340	302
	2 Other	M	536	532	459	427	413	380	363	290	281	275	228
		F	751	771	698	666	663	630	609	510	489	482	424
		P	647	656	583	551	542	509	489	403	388	382	328
430-434	Other diseases of heart	M	262	269	258	273	288	282	289	262	267	290	268
		F	291	306	303	316	345	342	347	315	334	344	337
		P	277	288	281	295	317	313	319	289	302	318	303
430	Acute and subacute endocarditis	M	9	9	9	8	9	8	9	8	7	7	7
		F	6	6	5	6	5	5	5	5	4	4	4
		P	7	7	7	7	7	7	7	6	6	6	5
431	Acute myocarditis not specified as rheumatic	M	3	2	3	3	3	3	4	3	3	3	3
		F	3	3	3	3	3	3	4	3	3	2	2
		P	3	3	3	3	3	3	4	3	3	3	3
433	Functional disease of heart	M	98	100	88	87	84	82	79	67	64	66	58
		F	144	146	139	134	139	128	126	110	107	105	97
		P	122	124	114	111	112	106	103	89	87	86	78
434	Other and unspecified diseases of heart	M	151	158	157	174	191	188	197	183	192	213	199
		F	138	150	156	173	198	204	212	197	219	232	233
		P	145	154	156	173	195	196	204	190	206	223	216
440-443	Hypertensive heart disease	M	254	238	213	212	201	188	179	149	149	140	130
		F	305	304	286	279	282	261	256	215	207	200	180
		P	280	272	251	247	243	225	219	183	179	171	156
440	Essential benign hypertensive heart disease	M	5	5	4	4	4	4	3	2	2	2	1
		F	6	6	5	6	7	5	5	3	2	3	2
		P	6	5	5	5	5	4	4	3	2	2	2
441	Essential malignant hypertensive heart disease	M	5	5	4	5	4	5	3	3	4	3	2
		F	3	3	3	2	2	2	2	1	1	1	1
		P	4	4	4	3	3	3	2	2	2	2	2
442	Hypertensive heart disease with arteriolar nephrosclerosis	M	6	5	4	3	3	3	3	2	1	1	1
		F	6	6	5	4	4	3	4	2	2	2	2
		P	6	5	5	4	4	3	3	2	2	2	2
443	Other and unspecified hypertensive heart disease	M	238	223	200	200	190	177	170	142	142	134	125
		F	290	290	273	267	269	250	246	208	202	194	175
		P	265	258	238	235	231	215	209	176	173	165	151
444-447	Other hypertensive disease	M	165	162	149	142	130	115	113	94	91	81	75
		F	158	164	151	144	141	126	120	97	95	87	76
		P	162	163	150	143	136	120	116	96	93	84	76
444	Essential benign hypertension	M	115	111	99	94	91	78	74	60	61	53	49
		F	126	130	118	116	115	101	95	73	74	69	61
		P	121	121	109	105	103	90	85	67	67	61	55
445	Essential malignant hypertension	M	33	32	33	32	25	21	23	22	19	18	17
		F	16	17	16	15	12	11	11	10	9	9	6
		P	24	24	24	23	19	16	17	15	14	13	11
446	Hypertension with arteriolar nephrosclerosis	M	18	18	17	15	13	15	16	12	11	9	9
		F	17	17	17	14	14	15	14	14	13	10	9
		P	17	18	17	14	14	15	15	13	12	10	9
447	Other hypertensive disease without mention of heart	M	0	0	0	0	0	-	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0
		P	0	0	0	0	0	0	0	0	0	0	0
450-456	Diseases of arteries	M	265	295	284	291	300	307	325	288	303	316	294
		F	278	307	314	330	350	355	369	343	356	377	355
		P	271	301	299	311	326	332	348	316	330	347	325
450	General arteriosclerosis	M	198	221	209	211	218	213	220	189	198	206	184
		F	231	253	261	269	289	285	296	269	279	297	274
		P	215	238	236	241	255	250	260	230	239	253	230
	0 Without mention of gangrene	M	177	197	187	185	195	187	198	169	177	185	166
		F	210	232	239	246	262	261	272	247	257	274	254
		P	194	215	214	217	230	225	236	209	218	231	211
	1 With mention of gangrene as a consequence	M	22	24	23	26	23	26	23	19	21	21	18
		F	21	21	22	23	27	24	24	22	22	23	20
		P	21	23	22	24	25	25	23	21	21	22	19
451	Aortic aneurysm, non-syphilitic, and dissecting aneurysm	M	52	60	60	65	66	77	85	81	86	90	89
		F	36	43	40	47	45	54	55	54	58	58	60
		P	44	51	50	55	55	65	69	67	72	73	74
452-456	Other diseases of arteries	M	14	14	15	16	17	17	20	18	20	20	21
		F	11	11	12	14	16	17	18	19	20	21	20
		P	12	12	13	15	16	17	19	19	20	21	20

TABLE 8 - *continued*

ICD No.	Causes of death		1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
460-468	Diseases of veins and other diseases of circulatory system	M	51	50	59	64	70	71	81	79	86	89	97
		F	70	76	80	88	100	101	117	118	126	131	138
		P	61	63	70	76	86	86	99	99	106	111	118
460	Varicose veins of lower extremities	M	2	2	3	3	3	3	3	1	2	2	2
		F	7	7	7	8	7	6	7	6	7	7	6
		P	5	5	5	5	5	5	5	4	5	5	4
463	Phlebitis and thrombo-phlebitis of lower extremities	M	6	6	6	6	6	6	7	5	5	5	4
		F	11	11	11	11	13	12	11	10	10	7	7
		P	9	8	9	9	9	9	9	8	7	6	5
465	Pulmonary embolism and infarction	M	22	22	29	32	34	35	37	37	40	42	46
		F	24	29	31	34	38	40	45	47	46	51	54
		P	23	26	30	33	36	37	41	42	43	46	50
466	Other venous embolism and thrombosis	M	17	15	17	19	22	23	29	31	34	35	40
		F	23	25	28	31	38	39	49	51	57	60	65
		P	20	20	22	25	30	31	39	41	46	48	53
470-527	**VIII DISEASES OF THE RESPIRATORY SYSTEM**	**M**	**1,753**	**1,703**	**1,862**	**1,578**	**1,940**	**1,894**	**2,053**	**1,671**	**1,721**	**1,898**	**1,639**
		F	**1,035**	**1,018**	**1,183**	**934**	**1,247**	**1,242**	**1,372**	**1,062**	**1,086**	**1,298**	**1,096**
		P	**1,381**	**1,348**	**1,510**	**1,245**	**1,582**	**1,558**	**1,703**	**1,358**	**1,395**	**1,590**	**1,360**
470-475	Acute upper respiratory infections	M	3	3	3	3	3	3	3	2	2	3	3
		F	3	3	3	2	3	2	3	3	2	3	2
		P	3	3	3	3	3	2	3	2	2	3	3
480-483	Influenza	M	164	56	178	25	156	67	63	21	17	70	16
		F	136	51	169	23	152	75	73	23	17	82	20
		P	150	53	173	24	154	71	68	22	17	76	18
480	Influenza with pneumonia	M	116	35	119	15	97	42	40	14	12	45	9
		F	96	30	108	14	93	46	46	14	10	53	13
		P	106	33	113	14	95	44	43	14	11	49	11
481	Influenza with other respiratory manifestations, and influenza unqualified	M	47	20	58	10	58	25	23	7	5	24	6
		F	38	20	60	9	57	28	27	9	6	29	7
		P	42	20	59	9	58	26	25	8	6	27	7
490-493, 763	Pneumonia	M	558	566	624	556	649	659	760	616	632	703	626
		F	494	525	583	541	648	696	802	653	689	794	722
		P	525	545	602	548	649	678	781	635	661	750	675
490	Lobar pneumonia (age 4 weeks and over)	M	87	80	81	74	84	84	88	71	77	73	61
		F	58	58	60	57	62	65	68	56	58	58	52
		P	72	69	70	65	72	74	78	64	67	65	56
491	Bronchopneumonia (age 4 weeks and over)	M	411	429	486	425	505	516	614	493	505	578	518
		F	394	428	477	441	538	583	684	557	591	692	625
		P	402	428	481	433	522	550	650	526	549	637	573
492	Primary atypical pneumonia (age 4 weeks and over)	M	7	5	6	6	8	8	9	9	10	11	9
		F	5	4	5	6	6	6	7	6	8	9	7
		P	6	4	6	6	7	7	8	7	9	10	8
493	Pneumonia, other and unspecified	M	33	29	30	30	33	31	31	27	26	28	25
		F	25	22	27	25	31	30	31	24	23	27	27
		P	29	25	29	27	32	31	31	26	24	27	26
763	Pneumonia of the newborn*	M	1·15	1·34	1·15	1·12	1·02	1·09	0·91	0·78	0·75	0·69	0·69
		F	0·81	0·90	1·84	0·74	0·71	0·72	0·67	0·54	0·55	0·56	0·58
		P	0·99	1·13	1·00	0·93	0·87	0·91	0·80	0·67	0·65	0·62	0·64
500-502	Bronchitis	M	876	935	923	861	993	1,030	1,088	901	938	988	869
		F	350	388	377	316	384	413	434	327	317	354	295
		P	603	652	640	579	679	713	751	606	619	663	575
500	Acute bronchitis	M	65	69	68	52	61	64	70	46	46	49	41
		F	62	68	67	49	63	66	71	48	41	49	38
		P	63	69	68	51	62	65	71	47	43	49	40
501	Bronchitis, unqualified	M	41	45	42	35	41	39	42	33	34	34	27
		F	36	43	40	30	39	41	46	30	28	34	25
		P	39	44	41	32	40	40	44	31	31	34	26
502	Chronic bronchitis	M	770	822	813	774	892	927	975	823	858	905	801
		F	251	277	270	237	282	307	317	249	249	271	232
		P	501	539	532	496	577	608	636	528	545	580	509
	0 Bronchitis with emphysema	M	394	428	421	408	459	473	497	421	433	448	390
		F	67	78	79	71	83	88	94	75	75	81	67
		P	225	247	244	233	265	275	290	243	249	259	224
	1 Other	M	376	393	391	366	433	454	478	402	425	457	411
		F	184	199	192	166	200	219	223	174	174	190	164
		P	277	293	288	263	313	333	346	285	296	320	284
510-527	Other diseases of respiratory system	M	172	167	156	154	158	156	157	146	146	147	138
		F	64	66	65	64	71	68	72	66	70	73	66
		P	116	114	109	107	113	111	113	105	107	109	101
518	Empyema	M	3	4	3	3	3	2	3	2	3	2	2
		F	2	2	2	2	1	1	2	1	1	1	1
		P	2	3	2	2	2	2	3	2	2	2	1

*763. Rate per 1,000 live births (related live births prior to 1957; live birth occurences from 1957).

TABLE 8 - *continued*

ICD No.	Causes of death		1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
519	Pleurisy	M	1	1	1	2	2	2	1	1	2	1	2
		F	1	1	1	2	1	2	1	1	2	1	1
		P	1	1	1	2	2	2	1	1	2	1	2
522	Pulmonary congestion and hypostasis	M	8	9	9	11	10	11	12	11	12	13	12
		F	15	15	16	17	20	20	19	19	23	22	22
		P	11	12	13	14	15	16	16	15	18	18	17
523, 524	Silicosis, and occupational pulmonary fibrosis	M	36	34	30	30	32	30	30	29	27	27	23
		F	0	*1*	*1*	*1*	*1*	1	0	0	*1*	0	*1*
		P	18	17	15	15	16	15	15	14	13	13	12
525	Other chronic interstitial pneumonia	M	8	9	8	9	10	10	12	13	12	12	13
		F	4	5	5	4	5	5	6	7	7	8	6
		P	6	7	6	6	7	7	9	10	9	10	10
526	Bronchiectasis	M	60	55	52	48	48	45	43	40	36	36	33
		F	29	26	25	23	26	24	25	22	21	20	16
		P	44	40	38	35	37	34	34	31	28	28	24
527	Other diseases of lung and pleural cavity	M	49	49	47	46	46	49	49	44	47	50	48
		F	10	12	12	11	13	12	14	13	14	17	15
		P	29	30	29	28	29	30	31	28	30	33	31
	1 Emphysema without mention of bronchitis	M	45	46	43	42	43	44	44	39	40	41	41
		F	8	9	9	9	9	10	10	9	9	10	10
		P	26	27	26	25	25	27	26	24	24	25	25
530-587	**IX DISEASES OF THE DIGESTIVE SYSTEM**	**M**	**385**	**378**	**354**	**363**	**356**	**354**	**338**	**322**	**315**	**318**	**295**
		F	**301**	**297**	**305**	**313**	**314**	**314**	**317**	**308**	**304**	**312**	**304**
		P	**342**	**336**	**328**	**337**	**334**	**333**	**327**	**315**	**309**	**315**	**300**
530-539	Diseases of buccal cavity and oesophagus	M	6	5	4	5	5	5	5	5	5	6	5
		F	6	6	6	6	6	7	8	6	6	6	5
		P	6	6	5	6	6	6	7	6	6	6	5
540-545	Diseases of stomach and duodenum	M	171	163	148	151	139	144	130	119	115	117	108
		F	67	67	67	69	65	70	69	60	63	64	63
		P	117	114	106	108	101	106	98	89	88	90	85
540	Ulcer of stomach	M	77	74	66	67	62	62	59	54	54	51	49
		F	41	40	41	42	39	41	41	35	37	38	38
		P	58	57	53	54	50	51	49	44	45	44	43
	0 Without mention of perforation	M	56	55	50	51	47	44	45	42	41	38	37
		F	31	33	33	32	31	32	32	27	30	30	31
		P	43	43	41	41	39	38	38	34	35	34	33
	1 With perforation	M	21	19	16	17	15	17	14	12	13	13	13
		F	10	7	8	10	8	9	9	8	7	8	7
		P	15	13	12	13	12	13	11	10	10	10	10
541	Ulcer of duodenum	M	88	84	75	76	70	75	64	58	55	60	53
		F	22	23	22	23	22	26	23	21	22	22	21
		P	54	52	47	49	45	50	43	39	38	41	36
	0 Without mention of perforation	M	55	52	48	47	45	49	39	35	33	37	33
		F	13	13	13	14	13	15	12	12	12	12	13
		P	33	32	30	30	28	31	26	23	23	25	22
	1 With perforation	M	33	31	27	29	25	26	24	23	22	23	20
		F	8	9	9	9	9	11	10	9	9	9	8
		P	20	20	18	19	17	18	17	16	15	16	14
550-553	Appendicitis	M	23	21	20	17	16	15	13	12	12	10	10
		F	13	14	12	11	12	11	11	9	10	9	8
		P	18	18	15	14	14	13	12	11	11	9	9
550	Acute appendicitis	M	19	18	17	14	14	13	11	10	9	8	8
		F	11	12	9	9	10	9	9	7	8	7	6
		P	15	15	13	12	12	11	10	9	9	8	7
	0 Without mention of peritonitis	M	3	3	2	2	2	2	1	2	1	1	1
		F	1	2	1	1	2	1	2	1	1	1	1
		P	2	2	2	2	2	1	2	1	1	1	1
	1 With peritonitis	M	16	15	14	12	11	12	10	8	8	7	7
		F	10	10	8	8	8	8	7	7	7	6	5
		P	13	13	11	10	10	10	8	7	7	6	6
551-553	Other and unqualified appendicitis	M	4	3	3	3	3	2	2	2	2	2	2
		F	2	2	2	2	2	2	2	2	2	2	1
		P	3	3	2	2	2	2	2	2	2	2	2
560, 561	Hernia of abdominal cavity	M	36	33	32	32	33	33	30	30	29	27	24
		F	35	32	36	32	35	35	32	33	31	31	31
		P	35	32	34	32	34	34	31	31	30	29	27
560	Hernia of abdominal cavity without mention of obstruction	M	10	9	10	10	10	10	10	12	10	10	10
		F	7	8	9	8	10	10	10	12	11	12	12
		P	8	8	9	9	10	10	10	12	11	11	11
561	Hernia of abdominal cavity with obstruction	M	26	24	22	22	24	22	21	18	19	17	14
		F	28	24	27	24	25	25	22	21	20	19	19
		P	27	24	25	23	24	24	21	19	19	18	17
570-578	Other diseases of intestines and peritoneum	M	83	86	83	88	90	87	90	87	83	87	84
		F	95	95	97	105	108	106	112	112	107	116	114
		P	89	90	90	97	99	97	101	100	96	102	99

TABLE 8 - *continued*

ICD No.	Causes of death		1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
570	Intestinal obstruction without mention of hernia	M	31	32	32	34	35	31	34	31	30	32	32
		F	28	31	31	35	35	35	37	35	35	37	36
		P	30	31	32	35	35	33	35	33	33	34	34
	2 Mesenteric infarction	M	9	9	9	11	12	11	12	11	12	11	12
		F	10	10	12	14	14	14	14	14	13	15	15
		P	9	10	11	12	13	13	13	13	12	13	13
	3 Volvulus	M	9	8	10	8	9	7	8	8	6	9	7
		F	6	7	7	7	6	7	7	8	7	7	7
		P	8	7	8	7	7	7	7	8	7	8	7
	4 Impaction of intestine	M	1	1	1	2	1	2	1	1	1	1	1
		F	2	2	2	2	3	3	3	2	2	2	2
		P	2	2	1	2	2	2	2	1	2	2	2
	5 Other	M	10	11	11	12	10	9	11	9	8	9	10
		F	8	10	9	11	11	11	11	10	12	11	11
		P	9	10	10	11	10	10	11	9	10	10	10
571	Gastro-enteritis and colitis except ulcerative (age 4 weeks and over)	M	16	17	16	17	18	20	19	19	17	18	16
		F	17	15	16	19	20	20	19	22	17	19	19
		P	17	16	16	18	19	20	19	21	17	19	17
	0 Ages between 4 weeks and 2 years*	M	278	243	252	285	280	333	273	305	236	267	252
		F	197	163	163	196	230	272	202	227	179	201	204
		P	239	204	209	242	256	303	238	267	208	235	228
	1 Ages 2 years and over	M	7	9	8	8	8	8	9	8	8	8	7
		F	11	10	11	13	13	11	12	14	11	12	12
		P	9	10	10	10	11	10	11	11	10	10	10
572	Chronic enteritis and ulcerative colitis	M	25	27	26	27	27	26	25	25	24	24	23
		F	38	41	41	42	43	40	44	43	43	47	45
		P	32	34	34	35	35	33	34	34	34	36	35
	1 Diverticulitis	M	15	17	17	18	18	16	16	15	16	17	15
		F	24	26	29	29	31	28	30	31	30	33	33
		P	20	22	23	23	25	22	23	23	23	25	24
	2 Ulcerative colitis	M	8	8	7	8	7	7	7	7	7	6	6
		F	12	12	10	11	10	10	11	9	10	10	9
		P	10	10	9	9	8	9	9	8	8	8	8
573-578	Other diseases of intestines and peritoneum	M	11	10	8	10	11	10	12	12	12	13	12
		F	11	9	9	10	10	11	13	13	12	14	14
		P	11	9	9	10	10	10	12	12	12	13	13
580-587	Diseases of liver, gallbladder and pancreas	M	67	70	67	71	72	70	70	70	71	71	66
		F	87	83	87	88	88	85	86	87	87	86	83
		P	77	77	77	80	80	77	78	79	79	79	74
581	Cirrhosis of liver	M	31	30	28	31	33	31	31	29	31	31	29
		F	23	23	25	25	27	25	26	27	27	26	27
		P	27	26	27	28	30	28	28	28	29	28	28
584	Cholelithiasis	M	11	13	13	11	10	11	10	9	10	10	8
		F	25	23	23	22	21	19	18	19	18	18	16
		P	18	18	18	16	15	15	14	14	14	14	12
585	Cholecystitis and cholangitis, without mention of calculi	M	8	9	8	7	8	7	7	7	6	6	6
		F	17	16	16	17	16	14	13	13	12	12	11
		P	13	13	12	12	12	10	10	10	9	9	9
587	Diseases of pancreas	M	11	14	13	15	15	15	15	16	15	17	15
		F	15	14	16	16	15	17	18	17	18	18	16
		P	13	14	14	15	15	16	17	16	17	17	15
	0 Acute pancreatitis	M	6	8	8	9	9	10	9	11	10	11	10
		F	10	9	10	10	11	12	13	13	14	13	11
		P	8	9	9	10	10	11	11	12	12	12	11
590-637	**X DISEASES OF THE GENITO-URINARY SYSTEM**	**M**	**339**	**327**	**315**	**309**	**293**	**278**	**260**	**245**	**231**	**225**	**208**
		F	**158**	**157**	**156**	**157**	**161**	**162**	**166**	**165**	**160**	**158**	**153**
		P	**245**	**239**	**233**	**230**	**225**	**218**	**212**	**204**	**195**	**190**	**180**
590-594	Nephritis and nephrosis	M	104	99	88	91	83	78	74	66	67	64	61
		F	84	82	75	72	68	69	61	58	54	51	50
		P	93	90	81	81	76	73	68	62	60	57	55
590	Acute nephritis	M	4	4	3	4	3	3	3	3	2	2	2
		F	3	3	2	3	3	2	2	2	2	1	1
		P	3	3	3	4	3	3	2	2	2	2	2
591	Nephritis with oedema	M	9	9	7	7	5	6	5	5	5	5	4
		F	6	5	5	5	4	4	4	4	3	3	3
		P	8	7	6	6	5	5	5	4	4	4	4
592	Chronic nephritis	M	80	76	69	69	64	56	53	45	42	39	33
		F	68	67	60	57	54	53	45	39	36	31	29
		P	74	72	64	63	58	54	49	42	39	35	31
593	Nephritis not specified as acute or chronic	M	10	9	9	10	10	12	13	13	17	17	22
		F	6	6	8	7	8	10	10	13	12	15	16
		P	8	8	8	8	9	11	11	13	14	16	19

*571.0 Rates per million population aged under 2 years.

TABLE 8 - *continued*

ICD No.	Causes of death		1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
600-609	Other diseases of urinary system	M	62	59	62	66	68	69	75	75	73	73	68
		F	65	66	73	77	85	86	97	100	99	100	97
		P	64	62	68	72	77	78	86	88	87	87	83
600	Infections of kidney	M	33	33	37	41	43	44	51	50	52	54	50
		F	43	43	52	54	64	65	75	77	79	82	78
		P	38	38	45	48	54	55	63	64	66	68	65
	0 Pyelitis, pyelocystitis and pyelonephritis	M	32	32	36	39	42	42	49	49	51	53	50
		F	42	42	50	53	63	64	73	76	78	80	76
		P	37	37	43	46	53	54	61	63	65	67	63
602	Calculi of kidney and ureter	M	6	6	6	6	6	6	6	4	5	4	3
		F	7	6	6	6	5	6	6	5	5	4	5
		P	7	6	6	6	6	6	6	5	5	4	4
605	Cystitis	M	5	7	6	6	5	5	4	4	3	3	2
		F	8	9	8	8	8	7	7	7	6	6	5
		P	7	8	7	7	6	6	5	6	5	4	4
608	Stricture of urethra	M	4	2	3	2	2	2	2	2	2	1	2
		F	0	0	0	0	0	-	0	0	-	0	-
		P	2	1	1	1	1	1	1	1	1	1	1
610-617	Diseases of male genital organs	M	173	169	164	152	141	131	111	104	90	88	79
610	Hyperplasia of prostate	M	168	165	160	148	138	128	109	101	88	86	76
611	Prostatitis	M	3	3	3	2	2	2	1	1	1	1	1
620-626	Diseases of breast, ovary, Fallopian tube, and parametrium	M	-	-	0	0	-	-	-	-	-	-	-
		F	2	1	2	1	2	2	2	2	1	2	1
		P	1	1	1	1	1	1	1	1	1	1	1
630-637	Diseases of uterus and other female genital organs	F	7	8	6	6	6	6	6	5	5	6	4
631	Uterovaginal prolapse	F	5	5	4	4	3	3	3	2	3	2	2
*640-689	**XI DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM**	**F**	**0·45**	**0·43**	**0·38**	**0·39**	**0·33**	**0·35**	**0·28**	**0·25**	**0·25**	**0·26**	**0·20**
*640-649 660-689	Deliveries and complications of pregnancy, childbirth and the puerperium, excluding abortion	F	0·37	0·35	0·32	0·31	0·27	0·28	0·22	0·20	0·19	0·20	0·16
*640-648	Complications of pregnancy	F	0·15	0·14	0·13	0·12	0·10	0·12	0·11	0·08	0·08	0·08	0·09
*642	Toxaemias of pregnancy	F	0·10	0·08	0·07	0·07	0·06	0·06	0·05	0·03	0·04	0·04	0·05
*645	Ectopic pregnancy	F	0·03	0·02	0·02	0·02	0·01	0·03	0·02	0·02	0·01	0·02	0·01
†650-652	Abortion	F	7	7	5	7	6	6	5	5	5	6	4
†650	Without mention of sepsis or toxaemia	F	3	3	2	3	2	3	1	2	2	2	2
†651	With sepsis	F	4	4	3	4	4	3	3	3	3	3	2
†652	With toxaemia, without mention of sepsis	F	0	0	0	1	0	0	0	1	0	1	0
*670-678	Delivery with specified complication	F	0·12	0·12	0·11	0·13	0·11	0·10	0·07	0·07	0·07	0·08	0·04
*670	Placenta praevia or antepartum haemorrhage	F	0·03	0·02	0·02	0·03	0·02	0·02	0·01	0·01	0·01	0·01	0·01
*671, 672	Retained placenta, and other postpartum haemorrhage	F	0·03	0·04	0·03	0·02	0·03	0·02	0·02	0·01	0·01	0·02	0·01
*673-675	Abnormality of bony pelvis, disproportion or malposition of foetus, and prolonged labour of other origin	F	0·04	0·03	0·02	0·03	0·02	0·02	0·01	0·01	0·01	0·02	0·01
*680-689	Complications of the puerperium	F	0·08	0·08	0·08	0·05	0·05	0·06	0·04	0·05	0·04	0·03	0·02
*681	Sepsis of childbirth and the puerperium	F	0·02	0·01	0·02	0·01	0·00	0·01	0·01	0·01	0·00	0·01	0·00
*682	Puerperal phlebitis and thrombosis	F	0·03	0·03	0·02	0·02	0·03	0·03	0·02	0·02	0·02	0·01	0·01
*684	Puerperal pulmonary embolism	F	0·01	0·02	0·01	0·01	0·00	0·01	0·01	0·01	0·00	0·00	0·00
*685	Puerperal eclampsia	F	0·01	0·01	0·01	0·00	0·01	0·00	0·00	0·00	0·01	0·00	-
690-716	**XII DISEASES OF THE SKIN AND CELLULAR TISSUE**	**M**	**9**	**9**	**8**	**8**	**9**	**7**	**6**	**8**	**6**	**6**	**6**
		F	**11**	**12**	**12**	**12**	**13**	**10**	**10**	**10**	**10**	**12**	**10**
		P	**10**	**11**	**10**	**10**	**11**	**9**	**8**	**9**	**8**	**9**	**8**
690-698	Infections of skin and subcutaneous tissue	M	3	4	4	3	4	3	2	3	3	2	2
		F	3	4	4	4	4	4	3	3	3	3	3
		P	3	4	4	3	4	3	3	3	3	3	3
700-716	Other diseases of skin and subcutaneous tissue	M	6	5	4	4	5	4	4	4	4	4	4
		F	7	8	8	9	9	7	7	7	7	9	7
		P	7	7	6	7	7	6	5	6	5	7	6
720-749	**XIII DISEASES OF THE BONES AND ORGANS OF MOVEMENT**	**M**	**27**	**28**	**28**	**30**	**30**	**30**	**28**	**27**	**28**	**29**	**28**
		F	**53**	**56**	**57**	**56**	**57**	**57**	**58**	**57**	**56**	**56**	**56**
		P	**40**	**43**	**43**	**44**	**44**	**44**	**44**	**43**	**42**	**43**	**43**
720-727	Arthritis and rheumatism except rheumatic fever	M	14	16	16	18	16	16	16	15	15	15	15
		F	40	44	44	45	44	44	43	42	41	40	41
		P	28	30	30	32	30	30	30	29	28	28	28
722	Rheumatoid arthritis and allied conditions	M	8	10	10	11	11	10	10	10	9	9	9
		F	30	32	32	34	32	33	31	30	30	29	29
		P	20	22	21	23	22	22	21	20	20	20	19
	0 Rheumatoid arthritis	M	8	9	10	10	10	9	9	9	8	8	9
		F	30	32	32	33	32	33	31	30	29	29	29
		P	19	21	21	22	21	21	20	19	19	19	19

* Rates per 1,000 total (live and still) births.
† Rates per million women age 15-44 years.

TABLE 8 - *continued*

ICD No.	Causes of death		1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
723	Osteo-arthritis (arthrosis) and allied conditions	M	5	5	5	5	4	5	5	4	5	4	4
		F	9	10	10	10	11	10	10	10	10	10	10
		P	7	7	8	8	7	7	8	7	7	7	7
	0 Osteo-arthritis (arthrosis)	M	4	4	3	3	3	3	3	3	3	3	3
		F	8	8	9	9	9	8	9	8	8	8	8
		P	6	6	6	6	6	6	6	6	6	5	6
730-738	Osteomyelitis and other diseases of bone and joint	M	7	6	7	7	7	7	6	6	7	7	6
		F	8	8	9	8	9	8	10	10	11	11	12
		P	8	7	8	7	8	8	8	8	9	9	9
730	Osteomyelitis and periostitis	M	2	2	2	2	1	1	1	1	1	1	1
		F	2	1	1	1	*1*	*0*	1	*1*	1	*1*	1
		P	2	2	1	1	1	1	1	1	1	1	1
731	Osteitis deformans	M	4	3	3	3	4	3	3	3	4	3	2
		F	4	4	3	4	3	4	4	4	3	4	4
		P	4	4	3	3	4	4	3	3	3	4	3
740-749	Other diseases of musculoskeletal system	M	5	6	5	6	7	7	7	6	7	8	7
		F	4	4	4	3	5	5	5	5	5	4	4
		P	5	5	5	4	6	6	6	5	6	6	6
750-759	**XIV CONGENITAL MALFORMATIONS**	**M**	**120**	**119**	**114**	**122**	**119**	**125**	**122**	**119**	**112**	**107**	**102**
		F	**101**	**98**	**102**	**102**	**106**	**108**	**102**	**99**	**94**	**90**	**86**
		P	**110**	**108**	**108**	**112**	**112**	**116**	**112**	**109**	**103**	**98**	**94**
750	Monstrosity	M	3	3	2	4	3	3	4	4	4	3	4
		F	4	5	5	5	5	5	5	5	5	4	5
		P	3	4	4	4	4	4	4	5	4	4	4
751	Spina bifida and meningocele	M	15	16	14	13	12	11	13	11	12	10	10
		F	20	20	17	17	17	15	20	18	16	16	15
		P	18	18	16	15	14	13	17	15	14	13	13
752	Congenital hydrocephalus	M	9	9	11	11	12	10	5	5	4	4	4
		F	10	10	12	13	13	13	4	4	3	4	4
		P	9	10	11	12	12	11	5	4	4	4	4
753	Other congenital malformations of nervous system and sense organs	M	4	3	3	4	3	3	3	3	3	3	2
		F	3	3	3	3	3	3	3	4	4	3	3
		P	3	3	3	4	3	3	3	4	3	3	3
754	Congenital malformations of circulatory system	M	52	52	50	53	54	59	61	57	55	54	50
		F	39	37	39	43	44	45	45	43	42	40	37
		P	45	44	45	47	49	52	53	50	48	47	43
756	Congenital malformations of digestive system	M	14	13	13	13	13	14	12	13	11	9	10
		F	7	8	8	7	8	8	7	8	7	8	7
		P	10	10	10	10	10	11	9	10	9	9	9
757	Congenital malformations of genito-urinary system	M	13	12	11	14	12	14	13	13	12	12	11
		F	10	8	10	8	9	8	9	8	9	9	8
		P	11	10	10	11	10	11	11	10	11	10	9
760-776*	XV CERTAIN DISEASES OF EARLY INFANCY †	**M**	**15·08**	**14·75**	**14·28**	**14·10**	**13·95**	**13·58**	**12·77**	**11·96**	**11·52**	**11·34**	**10·58**
		F	**10·86**	**10·56**	**10·49**	**10·04**	**9·97**	**9·42**	**9·18**	**8·84**	**8·17**	**8·20**	**8·11**
		P	**13·03**	**12·71**	**12·44**	**12·13**	**12·02**	**11·56**	**11·02**	**10·45**	**9·89**	**9·82**	**9·38**
780-795	**XVI SYMPTOMS, SENILITY AND ILL-DEFINED CONDITIONS**	**M**	**136**	**137**	**124**	**110**	**110**	**101**	**95**	**75**	**67**	**66**	**55**
		F	**224**	**225**	**217**	**206**	**204**	**186**	**169**	**141**	**131**	**128**	**113**
		P	**181**	**183**	**172**	**160**	**159**	**145**	**133**	**109**	**100**	**98**	**85**
780-789	Symptoms referable to systems or organs	M	5	4	3	4	5	4	5	5	5	4	5
		F	5	4	3	4	5	3	4	4	4	5	4
		P	5	4	3	4	5	4	5	4	5	4	4
790-795	Senility and ill-defined diseases	M	130	133	121	106	105	97	90	70	61	62	51
		F	219	221	214	202	200	183	165	137	127	123	109
		P	176	179	169	156	154	141	129	105	95	93	81
794	Senility without mention of psychosis	M	127	130	118	103	101	94	86	66	58	57	46
		F	216	220	211	199	197	180	162	134	125	120	106
		P	173	176	166	153	151	138	125	101	92	90	77
E800-E999	**XVII ACCIDENTS, POISONINGS AND VIOLENCE (EXTERNAL CAUSE)**	**M**	**594**	**614**	**615**	**612**	**611**	**610**	**616**	**618**	**602**	**601**	**563**
		F	**374**	**390**	**399**	**406**	**405**	**419**	**436**	**424**	**419**	**420**	**408**
		P	**480**	**498**	**503**	**505**	**505**	**512**	**524**	**518**	**508**	**508**	**484**
E800-E802	Railway accidents	M	13	14	11	10	11	9	9	8	7	5	8
		F	1	2	1	1	1	1	1	1	*1*	*1*	2
		P	7	8	6	5	6	5	5	5	4	3	5
E810-E835	Motor vehicle accidents	M	170	186	202	215	213	200	201	227	228	226	209
		F	53	60	69	80	79	74	73	83	90	88	90
		P	109	121	132	145	144	135	135	153	157	155	148
E812	To pedestrian	M	56	61	59	67	68	63	62	70	73	74	70
		F	32	39	42	50	47	45	45	50	52	51	52
		P	44	49	50	58	57	53	54	59	62	62	61
E813	To pedal cyclist	M	20	21	24	22	22	18	19	19	18	17	15
		F	3	2	4	4	3	3	2	3	2	2	2
		P	11	11	14	12	12	10	10	11	10	9	8

* For details of causes 760-776, see Table 12.
† Rates per 1,000 live births (related live births prior to 1957; live birth occurences from 1957).

TABLE 8 - *continued*

ICD No.	Causes of death		1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
E815	To rider or passenger of motorcycle in collision with other motor vehicle	M	34	40	45	48	41	37	34	36	32	32	25
		F	3	3	3	4	4	3	2	3	3	2	2
		P	18	21	23	25	22	19	18	19	17	17	13
E816	Other motor vehicle traffic accident involving two or more motor vehicles	M	17	25	29	30	33	35	41	50	55	56	55
		F	7	9	11	12	16	14	13	17	21	21	22
		P	12	16	19	20	24	24	27	33	38	38	38
E821	To rider of motorcycle without antecedent collision	M	18	15	18	19	18	14	14	17	13	11	9
		F	1	2	2	2	2	1	1	1	1	1	*1*
		P	9	8	10	10	10	7	7	9	7	6	5
E823	Involving running off roadway	M	11	11	12	16	16	18	17	22	22	24	23
		F	2	3	3	4	4	5	4	6	6	6	6
		P	6	7	8	10	10	11	10	14	14	15	14
E840-E845	Other road vehicle accidents	M	8	7	5	5	4	4	3	3	3	3	2
		F	2	3	2	2	2	2	1	2	1	1	1
		P	5	5	4	3	3	3	2	2	2	2	2
E843	Accident to rider of pedal cycle not involving collision with motor vehicle	M	6	5	4	4	3	3	2	2	2	2	2
		F	1	*1*	1	*1*	*0*	*0*	*0*	*0*	*0*	*0*	*0*
		P	3	3	2	2	2	2	1	1	1	1	1
E850-E858	Water transport accidents	M	7	6	7	8	8	7	7	7	6	7	6
		F	*0*	*0*	*0*	*0*	*1*	*0*	*0*	*0*	*0*	*1*	*0*
		P	4	3	3	4	4	4	4	3	3	4	3
E860-E866	Aircraft accidents	M	7	8	3	2	2	3	1	3	4	3	3
		F	*1*	1	*0*	*0*	*0*	*0*	-	*0*	*0*	*0*	1
		P	3	4	2	1	1	2	1	1	2	1	2
E870-E888	Accidental poisoning by solid and liquid substances	M	8	7	8	9	10	11	14	13	14	16	16
		F	8	8	8	11	10	13	14	17	16	18	20
		P	8	8	8	10	10	12	14	15	15	17	18
E871	Barbituric acid and derivatives	M	4	4	4	5	6	8	10	8	10	11	11
		F	5	5	6	8	7	9	11	13	12	14	15
		P	5	5	5	6	7	8	10	11	11	13	13
E870, E872-E888	Remainder, accidental poisoning by solid and liquid substances	M	4	3	4	4	4	4	5	5	5	5	5
		F	3	3	3	3	3	4	3	4	4	4	5
		P	3	3	3	3	3	4	4	5	4	5	5
E890-E895	Accidental poisoning by gases and vapours	M	17	20	20	21	20	25	26	20	18	18	14
		F	20	22	24	24	24	29	33	23	20	20	15
		P	19	21	22	22	22	27	30	22	19	19	15
E890	Utility (illuminating) gas	M	14	17	17	19	17	21	23	17	16	15	12
		F	19	21	23	23	23	28	31	22	19	19	14
		P	17	19	20	21	20	25	27	20	18	17	13
E900-E904	Accidental falls	M	92	92	96	86	85	89	91	81	81	80	73
		F	142	149	151	150	146	145	149	141	140	145	141
		P	118	122	124	119	116	118	121	112	111	113	108
E910-E936	Other accidents	M	112	115	108	104	110	105	106	107	102	107	103
		F	47	48	48	46	45	51	57	50	52	50	49
		P	78	80	77	74	76	77	81	78	76	78	76
E910	Blow from falling or projected object or missile	M	14	15	12	13	11	10	10	10	10	9	10
		F	*0*	*1*	*1*	*1*	*1*	*1*	*1*	0	*1*	*0*	2
		P	7	7	6	6	6	5	5	5	5	5	6
E912	Caused by machinery	M	11	12	10	9	11	10	9	10	9	11	8
		F	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*	*0*
		P	6	6	5	5	5	5	4	5	5	5	4
E914	Caused by electric current	M	5	5	4	4	5	4	5	5	5	4	4
		F	*1*	1	1	1	1	*1*	1	*1*	1	1	*1*
		P	3	3	3	3	3	2	3	3	3	3	2
E916	Caused by fire and explosion of combustible material	M	11	10	12	10	13	14	14	14	14	15	13
		F	17	17	18	17	16	21	23	19	19	19	16
		P	14	14	15	14	15	17	19	16	17	17	14
E917	Caused by hot substance, corrosive liquid, and steam	M	2	3	2	2	3	2	2	2	2	2	2
		F	2	3	3	2	2	2	2	2	2	2	1
		P	2	3	3	2	2	2	2	2	2	2	2
E921-E925	Accidental mechanical obstruction or suffocation	M	18	19	17	18	19	21	21	21	22	20	21
		F	11	10	11	11	11	13	13	14	14	13	15
		P	14	14	14	14	15	17	17	18	18	17	18
E921	Inhalation and ingestion of food causing obstruction or suffocation	M	11	10	10	10	12	12	11	13	15	14	12
		F	7	6	7	8	8	9	9	10	9	9	8
		P	9	8	8	9	10	10	10	11	12	11	10
E924	Accidental mechanical suffocation in bed and cradle	M	4	5	4	3	3	4	4	4	4	4	3
		F	3	3	3	2	2	3	2	3	3	2	3
		P	4	4	3	3	3	4	3	4	3	3	3
E929	Accidental drowning and submersion	M	32	32	33	31	30	26	23	28	24	27	27
		F	10	9	9	8	8	8	7	8	6	8	7
		P	21	20	21	19	19	17	15	18	15	17	16
E960-E965	Late effects of injury and poisoning	M	7	7	7	6	6	6	6	4	4	5	4
		F	2	1	1	1	1	1	1	*1*	1	1	*1*
		P	4	4	4	4	4	3	3	2	3	3	2

TABLE 8 - *continued*

ICD No.	Causes of death		1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
		M	146	146	142	139	135	144	145	138	127	121	116
E970-E979	Suicide and self-inflicted injury	F	92	91	89	87	91	97	99	98	90	88	80
		P	118	117	115	112	113	120	122	117	108	104	97
		M	14	15	15	15	17	24	31	32	31	28	30
E970	Poisoning by analgesic and soporific substances	F	17	19	19	21	27	32	40	43	44	44	42
		P	15	17	17	18	22	28	36	38	38	36	36
		M	4	3	3	3	3	3	4	3	3	3	2
E971	Poisoning by other solid and liquid substances	F	2	1	2	2	2	2	3	2	2	1	1
		P	3	2	3	2	2	3	3	3	2	2	2
		M	65	67	65	64	59	62	60	52	42	39	34
E972	Poisoning by gases in domestic use	F	52	51	50	46	44	45	41	37	29	27	21
		P	58	58	57	55	51	53	50	44	36	33	28
		M	26	22	20	19	20	21	19	20	17	18	18
E974	Hanging and strangulation	F	6	5	5	5	6	6	4	5	5	5	4
		P	15	14	12	12	13	13	12	12	11	11	11
		M	12	12	11	12	10	10	9	8	8	7	6
E975	Submersion (drowning)	F	9	9	8	8	7	7	6	6	6	6	5
		P	11	10	10	10	9	8	7	7	7	6	6
		M	9	9	10	8	8	8	7	7	8	7	8
E976	Firearms and explosives	F	*1*	0	0	0	*1*	0	0	0	0	0	*1*
		P	5	4	5	4	4	4	3	3	4	4	4
		M	6	6	5	5	4	3	3	3	3	3	3
E977	Cutting and piercing instruments	F	1	1	*1*	*1*	1	*1*	*1*	*1*	0	*1*	*1*
		P	4	4	3	3	3	2	2	2	2	2	2
		M	3	3	3	3	3	3	2	2	2	3	3
E978	Jumping from high place	F	2	2	2	2	2	1	1	2	2	1	2
		P	3	2	3	2	2	2	2	2	2	2	2
		M	5	6	7	7	5	6	6	6	6	6	5
E979	Other and unspecified means	F	2	2	1	2	2	2	2	1	2	2	2
		P	3	4	4	4	3	4	4	3	4	4	4
		M	5	5	5	6	7	5	6	6	6	8	7
E980-E985	Homicide and injury purposely inflicted by other persons (not in war)	F	5	4	6	5	4	6	5	6	5	6	6
		P	5	5	5	5	6	6	5	6	6	7	7
		M	**594**	**614**	**615**	**612**	**611**	**610**	**616**	**618**	**602**	**601**	**563**
N800-N999	**XVII ALTERNATIVE CLASSIFICATION OF ACCIDENTS, POISONINGS, AND VIOLENCE (NATURE OF INJURY)**	F	**374**	**390**	**399**	**406**	**405**	**419**	**436**	**424**	**419**	**420**	**408**
		P	**480**	**498**	**503**	**505**	**505**	**512**	**524**	**518**	**508**	**508**	**484**
		M	142	148	148	150	145	135	130	142	142	142	126
N800-N804	Fracture of skull	F	39	41	43	48	46	44	42	46	47	48	48
		P	88	92	94	97	94	88	84	93	93	94	86
		M	36	39	39	40	39	38	42	39	38	38	34
N805-N809	Fracture of spine and trunk	F	17	19	20	23	23	21	23	22	24	23	24
		P	26	29	29	32	31	29	32	30	31	31	29
		M	56	54	53	52	51	51	51	49	47	44	42
N810-N829	Fracture of limbs	F	112	121	121	122	118	118	120	116	119	119	118
		P	85	88	88	88	86	86	86	84	84	83	81
		M	2	2	2	2	2	2	2	1	2	1	1
N830-N839	Dislocation without fracture	F	1	1	1	1	1	1	1	1	1	1	1
		P	2	2	1	1	2	1	1	1	1	1	1
		M	0	0	0	0	0	0	*1*	0	0	0	0
N840-N848	Sprains and strains of joints and adjacent muscles	F	0	0	0	0	0	0	0	0	0	0	0
		P	0	0	0	0	0	0	0	0	0	0	0
		M	41	44	49	46	47	47	44	43	41	44	37
N850-N856	Head injury (excluding skull fracture)	F	19	17	21	21	22	22	22	21	20	18	20
		P	30	30	34	33	34	34	33	32	30	31	28
		M	43	49	53	52	55	53	60	66	68	77	80
N860-N869	Internal injury of chest, abdomen and pelvis	F	8	10	13	13	14	14	14	17	18	22	23
		P	25	29	32	32	34	33	37	40	42	49	51
		M	18	20	18	17	16	15	14	15	15	14	14
N870-N908	Laceration and open wounds	F	4	4	4	5	6	4	5	5	5	5	5
		P	11	12	11	11	10	10	9	10	10	9	9
		M	2	2	2	2	*1*	2	2	1	1	1	*1*
N910-N929	Superficial injury, contusion and crushing with intact skin surface	F	2	2	2	3	2	2	2	2	1	1	1
		P	2	2	2	2	1	2	2	2	1	1	1
		M	12	13	11	12	13	14	13	15	17	15	14
N930-N936	Effects of foreign body entering through orifice	F	8	7	8	8	8	9	10	11	11	10	9
		P	10	10	10	10	11	12	11	13	14	13	11
		M	13	13	12	10	12	12	12	11	10	11	11
N940-N949	Burns	F	17	19	19	17	15	20	22	17	17	16	12
		P	15	16	16	14	14	16	17	14	14	14	11
		M	116	120	119	121	121	136	146	133	123	120	109
N960-N979	Effects of poisons	F	103	105	107	107	111	125	137	128	116	117	107
		P	109	112	113	113	115	130	141	130	120	118	108
N950-N959, N980-N999	All other and unspecified effects of external causes	M	113	111	108	107	108	103	100	103	97	93	94
		F	44	43	40	38	39	39	40	37	39	38	41
		P	77	76	73	71	72	70	69	69	67	65	67

TABLE 9. Standardised Mortality Ratios (base years 1950-1952) by sex for certain causes of death, 1957 to 1967 — England and Wales

Note 1. The SMR shows the number of deaths registered in each of the years to which the table refers as a percentage of the numbers which would have been expected in those years had the sex/age mortality of a standard period (1950-1952) been experienced in those years. For years to 1957 inclusive causes of death were classified according to the sixth (1948) revision of the International Statistical Classification; from 1958 the seventh (1955) revision has been used, necessary adjustments being made for the standard period to make the figures comparable with those for other years.

2. Footnotes to Table 7 for individual causes apply also to this table.

ICD No.	Causes of death		1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
	ALL CAUSES	M	**94**	**95**	**94**	**92**	**96**	**96**	**98**	**91**	**93**	**94**	**88**
		F	**88**	**90**	**89**	**87**	**90**	**89**	**91**	**83**	**83**	**85**	**80**
		P	**91**	**92**	**91**	**89**	**93**	**92**	**94**	**87**	**88**	**89**	**84**
001-138	Infective and parasitic diseases	M	44	40	36	33	32	29	28	24	22	22	20
		F	39	36	31	28	30	26	25	22	23	24	22
001-019	Tuberculosis, all forms	M	38	36	31	27	26	24	23	19	17	17	15
		F	28	26	21	19	19	16	15	12	13	13	12
001-008	Tuberculosis, respiratory	M	39	36	32	28	27	25	24	20	17	18	15
		F	27	26	21	19	18	16	14	12	12	13	11
010-019	Tuberculosis, other forms	M	30	29	21	18	18	19	18	15	15	12	11
		F	34	29	24	21	20	16	22	16	16	17	15
020-029	Syphilis and its sequelae	M	70	62	58	57	51	46	43	44	44	43	42
		F	73	82	69	66	70	63	67	58	67	66	67
053	Septicaemia and pyaemia	M	58	68	57	69	91	91	86	104	79	97	64
		F	63	58	51	46	61	69	61	87	99	95	79
057	Meningococcal infections	M	63	47	63	29	40	53	52	31	34	33	23
		F	70	57	47	37	47	36	40	31	35	30	26
080, 081	Acute poliomyelitis, including late effects	M	69	34	22	13	23	10	10	7	3	6	3
		F	50	40	19	8	12	10	6	6	5	4	4
082, 083	Acute infectious encephalitis, including late effects	M	71	76	73	70	62	63	60	62	40	50	40
		F	58	60	56	70	58	56	41	43	44	49	37
092	Infectious hepatitis	M	89	81	87	101	88	80	75	57	59	58	51
		F	119	92	98	112	114	110	80	73	92	90	84
140-239	Neoplasms	M	105	105	106	107	108	109	110	111	111	112	112
		F	96	97	96	96	96	96	96	97	96	97	97
140-205	Malignant neoplasms including neoplasms of lymphatic and haematopoietic tissues	M	106	106	107	108	108	110	111	111	112	113	113
		F	96	97	97	97	96	96	96	98	97	98	98
140-148	Buccal cavity and pharynx	M	77	77	75	66	63	62	57	59	55	53	52
		F	97	94	87	92	88	86	81	87	84	85	78
150-159	Digestive organs and peritoneum	M	90	88	87	85	85	84	84	83	82	83	82
		F	88	88	88	86	84	84	83	81	80	80	80
150	Oesophagus	M	82	81	85	79	82	84	83	80	83	86	86
		F	103	104	99	102	106	104	105	115	109	113	114
151	Stomach	M	93	92	91	88	87	86	86	82	81	80	78
		F	84	85	83	81	79	76	76	71	69	70	67
153	Large intestine, except rectum	M	84	81	79	78	79	79	76	76	75	78	77
		F	86	85	85	82	81	81	79	79	78	75	78
154	Rectum	M	82	82	79	77	74	74	74	73	72	71	72
		F	84	91	93	86	84	84	86	87	83	85	85
157	Pancreas	M	108	113	117	115	114	115	122	126	124	129	126
		F	107	107	111	111	111	116	113	113	119	121	122
160-165	Respiratory system	M	133	136	143	146	149	153	156	159	162	163	167
		F	113	115	118	125	131	135	140	146	154	163	168
162, 163	Lung, bronchus and trachea	M	138	142	149	153	156	161	164	168	171	172	177
		F	118	121	124	132	141	146	152	159	168	177	186
170-181	Breast and genito-urinary organs	M	106	108	106	108	108	114	112	112	114	114	112
		F	98	100	98	99	99	99	98	101	100	100	100
170	Breast	M	105	109	92	92	118	114	101	120	114	139	120
		F	99	101	97	100	102	102	102	106	103	103	106
171	Cervix uteri	F	89	96	90	90	87	86	84	87	82	83	81

TABLE 9 - *continued*

ICD No.	Causes of death		1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
172	Corpus uteri	F	93	90	91	92	91	91	85	78	85	82	73
175	Ovary, Fallopian tube, and broad ligament	F	107	106	107	107	109	109	108	111	113	115	113
177	Prostate	M	107	111	109	110	110	114	113	109	115	111	108
180	Kidney	M	109	117	107	106	111	123	120	124	124	125	131
		F	95	109	98	109	107	103	106	110	105	112	109
181	Bladder and other urinary organs	M	108	105	104	109	109	117	113	117	115	119	118
		F	104	101	110	106	104	107	100	107	112	108	108
190-199	Other and unspecified sites	M	104	103	99	102	106	106	104	108	114	114	113
		F	115	107	108	104	109	107	114	120	119	117	119
190	Malignant melanoma of skin	M	130	112	143	147	135	148	159	164	172	185	179
		F	157	130	138	139	143	153	143	166	175	161	163
193	Brain and other parts of nervous system	M	114	136	131	136	139	138	135	140	141	133	137
		F	126	149	153	146	156	143	155	148	146	149	149
194	Thyroid gland	M	93	95	102	103	97	109	99	96	83	116	88
		F	95	87	98	94	95	93	100	92	97	92	86
196	Bone, including jaw bone	M	77	77	71	72	74	67	58	53	69	59	61
		F	83	86	75	71	72	70	65	68	63	54	60
200-205	Neoplasms of lymphatic and haematopoietic tissues	M	123	121	124	133	129	129	135	139	135	141	141
		F	125	126	135	138	140	142	141	146	153	152	153
201	Hodgkin's disease	M	124	100	114	106	112	112	106	98	107	114	112
		F	104	113	118	125	108	122	105	121	108	105	115
204	Leukaemia and aleukaemia	M	122	121	121	134	127	124	133	136	125	134	131
		F	115	113	125	124	125	131	131	128	136	128	129
210-229	Benign neoplasm	M	85	82	81	90	82	70	75	82	73	73	75
		F	85	76	79	81	71	69	66	68	66	62	62
230-239	Neoplasm of unspecified nature	M	80	43	43	49	52	51	65	69	69	66	63
		F	80	37	49	51	53	49	65	70	64	65	63
240-289	Allergic endocrine system, metabolic and nutritional diseases	M	71	71	65	67	72	74	79	80	84	85	78
		F	78	79	75	80	84	84	88	84	93	90	84
240-245	Allergic disorders	M	59	50	43	41	44	47	54	61	69	69	58
		F	71	74	60	58	61	65	82	86	98	93	79
250-254	Diseases of thyroid gland	M	74	80	93	80	72	95	84	73	83	59	67
		F	72	71	74	76	77	80	90	59	69	62	63
252	Thyrotoxicosis, with or without goitre	M	82	55	75	54	56	84	41	51	51	34	54
		F	64	57	59	61	55	53	50	39	40	40	40
260	Diabetes mellitus	M	81	92	87	93	103	103	105	107	109	112	109
		F	80	80	77	85	90	87	84	86	92	92	89
270-277	Diseases of other endocrine glands	M	76	91	65	79	77	85	89	75	69	56	60
		F	74	62	66	70	66	69	73	64	62	59	59
290-299	Diseases of the blood and blood-forming organs	M	84	85	86	87	85	86	81	84	85	82	79
		F	82	80	79	74	79	76	79	71	78	73	68
290	Pernicious and other hyperchromic anaemias	M	66	62	57	62	53	50	52	45	40	43	33
		F	72	66	65	57	59	55	52	47	50	46	38
300-326	Mental, psychoneurotic and personality disorders	M	67	66	70	76	74	86	79	85	88	87	84
		F	83	66	74	72	76	78	78	69	75	85	78
330-398	Diseases of the nervous system and sense organs	M	99	101	99	98	98	99	100	92	96	95	90
		F	96	99	96	96	96	96	98	89	91	91	88
330-334	Vascular lesions affecting central nervous system	M	100	102	100	99	99	100	102	93	97	96	91
		F	97	99	96	96	96	97	99	89	92	92	89
340-345	Inflammatory diseases of central nervous system	M	103	92	90	92	89	89	90	94	86	82	85
		F	99	100	97	98	101	98	99	102	95	96	85
345	Multiple sclerosis	M	90	95	98	99	95	87	94	92	89	88	83
		F	98	105	107	103	106	99	95	102	91	98	83
350-357	Other diseases of central nervous system	M	87	86	88	86	89	88	89	86	89	89	88
		F	85	86	88	85	92	87	87	87	84	88	85
350	Paralysis agitans	M	96	96	101	95	95	94	94	90	90	87	86
		F	87	89	96	93	97	90	87	86	83	86	78
353	Epilepsy	M	79	75	72	68	79	75	76	67	69	73	72
		F	73	78	64	70	72	73	73	59	65	59	56

TABLE 9 - *continued*

ICD No.	Causes of death		1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
356	Motor neurone disease and muscular atrophy	M	96	90	92	91	89	89	83	98	104	94	93
		F	102	105	117	100	101	99	98	110	111	113	111
390-398	Diseases of ear and mastoid process	M	49	40	54	36	35	46	33	34	32	29	28
		F	47	39	38	41	47	33	53	49	40	33	33
400-468	Diseases of circulatory system	M	95	98	94	96	98	100	103	96	98	98	94
		F	86	89	85	86	88	87	88	79	80	80	76
400-402	Rheumatic fever	M	39	35	31	30	27	30	25	14	23	19	3
		F	39	25	25	25	19	17	18	12	12	13	5
410-416	Chronic rheumatic heart disease	M	72	62	59	58	60	59	55	49	47	46	44
		F	75	70	65	65	68	66	62	55	55	53	49
420-422	Arteriosclerotic and degenerative heart disease	M	95	100	96	99	101	104	107	101	104	103	100
		F	82	86	82	83	84	84	85	77	78	78	74
420	Arteriosclerotic heart disease, including coronary disease	M	122	129	128	137	141	150	156	153	160	159	157
		F	119	129	130	138	144	151	158	152	160	162	160
421	Chronic endocarditis not specified as rheumatic	M	112	105	93	103	97	102	95	84	81	82	81
		F	116	107	105	107	111	109	106	84	93	91	96
422	Other myocardial degeneration	M	65	65	57	53	53	49	48	39	36	36	30
		F	64	66	60	57	56	53	51	42	40	39	34
430-434	Other diseases of heart	M	145	143	137	144	153	151	155	140	142	154	141
		F	131	144	141	145	158	155	157	141	148	151	146
440-443	Hypertension with mention of heart disease	M	74	69	61	61	58	55	52	43	43	40	37
		F	79	78	73	70	70	64	63	52	50	48	42
444-447	Hypertension without mention of heart	M	121	121	112	105	97	87	85	71	68	61	56
		F	125	122	111	104	102	90	86	69	66	60	52
450-456	Diseases of arteries	M	88	99	95	97	101	104	111	98	103	107	98
		F	90	97	98	101	106	107	110	101	103	108	100
460-468	Diseases of veins and other diseases of circulatory system	M	134	129	152	164	180	184	211	207	222	229	247
		F	130	139	147	160	182	182	211	212	223	232	242
470-527	Diseases of the respiratory system	M	98	96	104	88	109	107	116	94	96	105	90
		F	80	79	91	71	94	93	102	78	79	93	78
480-483	Influenza	M	99	34	107	15	94	40	38	13	10	42	9
		F	74	27	90	12	79	39	38	12	8	41	10
490-493, 763	Pneumonia (including newborn)	M	109	110	121	107	125	127	147	118	120	133	118
		F	107	112	123	113	134	143	163	131	136	156	140
490	Lobar pneumonia	M	79	73	73	66	76	76	80	64	69	65	54
		F	78	77	79	75	80	84	88	71	73	72	65
491	Bronchopneumonia	M	120	125	141	122	146	150	178	142	145	165	147
		F	115	124	136	124	150	161	187	150	157	183	163
500-502	Bronchitis	M	92	98	96	89	104	108	114	94	97	102	89
		F	61	68	65	54	65	69	72	54	52	57	47
510-527	Other diseases of respiratory system	M	100	96	90	88	91	90	91	84	83	84	78
		F	85	88	86	84	93	89	93	85	89	93	83
530-587	Diseases of the digestive system	M	84	83	77	78	77	77	74	70	68	68	63
		F	90	88	89	91	91	90	91	87	85	87	84
540-545	Diseases of stomach and duodenum	M	81	78	70	71	66	68	62	57	55	55	51
		F	97	97	96	98	91	98	96	83	86	88	85
540	Ulcer of stomach	M	77	74	66	67	62	62	59	54	54	50	48
		F	97	94	94	95	89	92	92	78	82	84	82
541	Ulcer of duodenum	M	88	83	74	75	70	75	64	58	55	60	52
		F	111	115	111	117	108	128	114	106	106	106	101
550-553	Appendicitis	M	71	65	60	51	49	47	40	36	36	31	29
		F	57	61	50	49	51	46	45	39	40	37	32
560-56[illegible]	Hernia of abdominal cavity	M	88	81	80	78	83	81	75	74	71	66	58
		F	84	76	85	76	81	82	74	75	69	69	69
570-578	Other diseases of intestines and peritoneum	M	82	84	81	85	87	84	86	83	79	82	79
		F	92	91	92	99	101	99	103	102	97	104	102
580-587	Diseases of liver, gallbladder and pancreas	M	100	105	100	105	108	104	105	104	106	106	97
		F	94	89	93	93	92	89	90	90	89	88	84
581	Cirrhosis of liver	M	103	99	94	103	110	103	103	95	104	104	95
		F	106	104	113	112	120	113	116	120	120	115	120

TABLE 9 - *continued*

ICD No.	Causes of death		1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
584	Cholelithiasis	M	99	111	109	92	83	92	88	82	88	84	72
		F	88	79	80	75	71	65	60	64	59	58	53
585	Cholecystitis without mention of calculi	M	97	99	90	82	88	76	77	83	69	65	68
		F	76	74	70	73	69	61	57	55	51	51	48
587	Diseases of pancreas	M	111	133	129	142	145	146	144	155	148	159	141
		F	121	118	127	129	119	138	145	134	144	141	122
590-637	Diseases of the genito-urinary system	M	76	72	70	68	65	62	59	55	51	50	46
		F	76	74	73	73	74	75	76	75	73	71	69
590-594	Nephritis and nephrosis	M	69	66	58	60	55	52	50	44	44	42	40
		F	58	57	51	49	46	46	41	39	36	33	33
600-609	Other diseases of urinary system	M	106	100	107	112	117	119	129	129	125	124	115
		F	134	135	148	155	170	172	193	197	194	194	188
610-617	Diseases of male genital organs	M	73	71	70	64	60	56	48	45	39	38	33
610	Hyperplasia of prostate	M	74	73	71	65	61	58	49	46	39	38	34
640-689	Deliveries and complications of pregnancy, childbirth and the puerperium	F	67	66	59	63	55	60	48	45	44	44	34
690-716	Diseases of the skin and cellular tissue	M	68	71	59	57	66	53	45	57	48	47	43
		F	65	73	72	73	77	60	59	58	56	68	58
720-749	Diseases of the bones and organs of movement	M	103	108	107	113	114	113	109	104	105	112	105
		F	111	116	117	115	116	116	116	113	110	109	108
720-727	Arthritis and rheumatism except rheumatic fever	M	104	118	117	126	114	115	117	109	106	107	106
		F	110	117	116	118	115	114	110	108	103	101	100
722	Rheumatoid arthritis and allied conditions	M	102	123	122	137	133	123	118	117	109	113	112
		F	111	118	116	120	114	117	108	104	101	99	97
723	Osteo-arthritis (arthrosis and allied conditions)	M	121	116	124	132	92	121	117	102	114	104	110
		F	112	124	124	114	128	113	120	117	111	107	108
730-738	Osteomyelitis and other diseases of bone and joint	M	91	79	82	83	93	88	73	75	81	84	74
		F	112	116	120	111	116	113	139	134	139	145	147
750-759	Congenital malformations	M	112	111	106	111	108	111	107	103	96	91	87
		F	113	110	113	112	114	113	106	101	95	90	87
E800-E999	Accidents, poisonings and violence	M	103	106	106	105	105	105	106	106	103	103	96
		F	113	117	119	120	119	122	127	122	119	119	115
E810-E835	Motor vehicle accidents	M	111	121	131	140	138	129	129	146	146	145	134
		F	111	126	143	165	162	152	149	170	183	176	180
E890-E895	Accidental poisoning by gases and vapours	M	150	173	173	184	174	218	233	180	162	162	122
		F	145	162	168	167	168	203	230	159	138	137	101
E900-E904	Accidental falls	M	111	112	116	104	103	108	112	100	99	98	89
		F	111	115	115	113	108	107	109	102	100	102	97
E910-E936	Other accidents	M	89	92	86	83	87	83	83	84	80	83	81
		F	92	92	91	86	84	94	106	91	93	90	88
E970-E979	Suicide and self-inflicted injury	M	107	106	104	101	99	105	106	101	93	88	85
		F	129	127	124	121	127	135	140	138	127	124	112

TABLE 10. Death rates per 100,000 population at all ages and at ages over one year and infant mortality rates (deaths under 1 year per 1,000 live births) from certain causes, by sex, in each year 1963 to 1967

England and Wales

Age	Males					Females				
	1963	1964	1965	1966	1967	1963	1964	1965	1966	1967
	All causes									
All ages	**1,281**	**1,192**	**1,216**	**1,234**	**1,176**	**1,159**	**1,067**	**1,088**	**1,114**	**1,069**
1-4	98	87	87	92	83	83	74	76	75	70
5-14	44	43	45	43	43	28	29	30	27	28
15-24	99	103	102	105	96	39	43	42	43	42
25-44	180	181	180	176	166	129	127	126	121	116
45-64	1,444	1,398	1,406	1,399	1,338	758	728	730	730	708
65-74	5,604	5,201	5,299	5,356	5,113	3,069	2,820	2,835	2,856	2,713
75 and over	14,920	13,251	13,608	14,038	13,059	11,121	9,837	10,030	10,337	9,686
Infant mortality	23·72	22·19	21·48	21·40	20·27	18·39	17·50	16·39	16·46	16·31
	All diseases (ICD Nos: 001-795)									
All ages	**1,219**	**1,131**	**1,155**	**1,174**	**1,120**	**1,116**	**1,025**	**1,047**	**1,072**	**1,028**
1-4	74	62	62	65	58	66	57	60	57	55
5-14	26	25	26	24	23	21	21	22	20	20
15-24	37	35	35	37	33	27	27	27	28	25
25-44	133	133	133	128	122	111	110	109	105	100
45-64	1,374	1,330	1,341	1,335	1,276	721	693	695	696	675
65-74	5,492	5,097	5,196	5,259	5,023	2,986	2,741	2,758	2,780	2,641
75 and over	14,602	12,950	13,324	13,749	12,802	10,799	9,541	9,743	10,045	9,410
Infant mortality	22·94	21·34	20·57	20·53	19·49	17·76	16·82	15·66	15·80	15·68
	Tuberculosis, all forms (ICD Nos: 001-019)									
All ages	**9·6**	**8·0**	**7·1**	**7·2**	**6·1**	**3·2**	**2·6**	**2·6**	**2·7**	**2·5**
1-4	*0·63*	*0·43*	*0·36*	*0·35*	*0·52*	*0·80*	*0·58*	*0·44*	*0·56*	*0·55*
5-14	*0·12*	*0·12*	*0·06*	*0·08*	-	*0·18*	*0·09*	*0·09*	*0·12*	*0·06*
15-24	*0·54*	*0·32*	*0·29*	*0·37*	*0·22*	*0·39*	*0·15*	*0·29*	*0·20*	*0·17*
25-44	3·6	2·6	2·1	1·9	1·9	2·7	2·0	1·7	1·7	1·3
45-64	18	14	12	13	9·9	4·7	3·6	3·7	4·2	3·6
65-74	43	38	35	32	31	6·6	5·8	6·7	6·7	5·8
75 and over	46	43	39	41	32	11	11	9·4	9·6	11
Infant mortality	*0·01*	*0·00*	*0·00*	*0·01*	*0·01*	*0·00*	*0·00*	*0·01*	*0·00*	*0·00*
	All malignant neoplasms (ICD Nos: 140-205)									
All ages	**242**	**244**	**247**	**250**	**253**	**195**	**199**	**199**	**201**	**203**
1-4	12	10	10	11	9·9	8·2	8·2	8·6	8·6	7·9
5-14	7·6	7·5	8·5	7·0	6·7	5·7	5·5	5·7	5·1	5·8
15-24	10	9·2	9·9	9·9	9·9	6·3	6·4	7·1	6·4	6·4
25-44	35	38	37	35	33	45	47	46	44	44
45-64	388	391	392	389	386	270	277	276	277	280
65-74	1,228	1,238	1,248	1,257	1,283	602	615	616	621	624
75 and over	1,836	1,863	1,882	1,963	1,968	1,077	1,069	1,056	1,070	1,063
Infant mortality	0·09	0·06	0·08	0·05	0·08	0·06	0·08	*0·05*	0·06	0·07
	Malignant neoplasm of stomach (ICD No: 151)									
All ages	**34**	**33**	**32**	**32**	**32**	**25**	**23**	**23**	**23**	**22**
1-4	-	-	-	-	-	-	-	-	-	-
5-14	-	-	-	-	*0·03*	-	-	-	-	-
15-24	*0·09*	*0·06*	*0·06*	*0·03*	*0·17*	*0·09*	*0·06*	*0·06*	*0·12*	*0·11*
25-44	3·9	3·4	2·9	3·0	2·5	2·0	1·9	2·1	1·6	1·7
45-64	52	50	50	48	46	22	21	20	20	19
65-74	182	173	170	171	167	83	79	79	78	75
75 and over	279	277	270	276	272	199	180	175	178	170
Infant mortality	-	-	-	-	-	-	-	-	-	-
	Malignant neoplasm of trachea, bronchus and lung (ICD Nos: 162, 163)									
All ages	**91**	**93**	**96**	**97**	**100**	**15**	**16**	**17**	**18**	**19**
1-4	*0·06*	-	*0·06*	*0·06*	*0·12*	-	*0·06*	-	-	-
5-14	*0·06*	-	*0·03*	*0·03*	-	*0·06*	*0·03*	-	*0·03*	*0·06*
15-24	*0·18*	*0·32*	*0·31*	*0·34*	*0·42*	*0·03*	*0·15*	*0·18*	*0·14*	*0·17*
25-44	8·6	9·3	9·1	9·1	7·9	2·7	3·1	3·1	3·5	3·1
45-64	184	187	186	185	182	27	29	30	30	33
65-74	495	504	530	523	560	53	54	59	64	66
75 and over	388	420	433	472	501	55	57	59	63	65
Infant mortality	-	-	-	-	-	-	-	-	-	-

TABLE 10 - *continued*

Age	Males					Females				
	1963	1964	1965	1966	1967	1963	1964	1965	1966	1967
Malignant neoplasm of breast (ICD No: 170)										
All ages	**0·31**	**0·36**	**0·35**	**0·43**	**0·37**	**39**	**40**	**39**	**40**	**41**
1-4	-	-	-	-	-	-	-	-	-	-
5-14	-	-	-	-	-	-	-	-	-	-
15-24	-	-	-	-	-	*0·09*	*0·18*	*0·12*	*0·03*	*0·14*
25-44	*0·05*	*0·03*	*0·03*	*0·13*	*0·03*	13	14	13	13	14
45-64	0·51	0·74	0·46	0·83	0·69	70	72	70	71	72
65-74	*1·2*	1·6	2·0	1·7	1·4	102	110	104	103	108
75 and over	3·1	*2·5*	3·3	*2·4*	3·2	164	161	161	163	167
Infant mortality	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of uterus (ICD Nos: 171-174)										
All ages						**16**	**16**	**16**	**16**	**15**
1-4						-	*0·06*	-	-	*0·12*
5-14						-	-	-	*0·03*	-
15-24						*0·15*	*0·12*	*0·15*	*0·14*	*0·11*
25-44						6·7	6·7	6·8	5·7	5·2
45-64						28	28	29	27	27
65-74						46	49	44	48	45
75 and over						62	59	55	58	54
Infant mortality						-	-	-	-	-
Acute leukaemia (ICD No: 204·3)										
All ages	**3.2**	**3.4**	**3.1**	**3.3**	**3.3**	**2.8**	**2.6**	**2.9**	**2.8**	**2.9**
1-4	4.6	3.5	3.8	3.5	3.8	3.6	3.0	3.7	3.8	2.9
5-14	2.7	2.7	2.7	2.4	2.6	2.2	2.0	2.3	2.0	2.2
15-24	1.9	1.6	1.8	2.0	1.5	1.2	1.3	1.6	1.2	1.2
25-44	1.8	1.9	1.7	1.5	1.5	1.4	1.4	1.4	1.6	1.4
45-64	3.4	3.8	3.1	3.9	3.8	3.1	2.7	2.9	2.8	2.9
65-74	8.1	9.3	8.4	8.7	8.6	5.3	5.8	6.4	5.5	5.6
75 and over	11	14	11	15	17	8.4	7.1	8.6	9.4	10
Infant mortality	*0·02*	*0·02*	*0·02*	*0·01*	*0·02*	*0·02*	*0·02*	*0·01*	*0·02*	*0·02*
Leukaemia and aleukaemia (ICD No: Rem. of 204)										
All ages	**3.4**	**3.4**	**3.2**	**3.4**	**3.3**	**2.6**	**2.7**	**2.8**	**2.5**	**2.6**
1-4	*0·38*	*0·43*	*0·54*	*0·47*	*0·47*	*0·33*	*0·71*	*0·31*	*0·43*	*0·06*
5-14	0.66	*0·40*	0.60	*0·54*	*0·39*	*0·52*	*0·33*	*0·36*	*0·21*	*0·15*
15-24	0.66	*0·55*	*0·34*	*0·45*	*0·36*	*0·35*	*0·24*	*0·35*	*0·14*	*0·23*
25-44	1.2	1.1	0.95	0.96	0.85	0.87	0.77	0.71	0.87	0.90
45-64	4.6	4.5	4.4	3.9	4.3	3.3	3.0	3.0	2.7	2.9
65-74	16	15	14	16	16	7.5	8.1	17	7.1	7.3
75 and over	24	29	25	30	24	14	16	17	16	16
Infant mortality	*0·00*	*0·01*	*0·01*	*0·00*	*0·00*	*0·01*	*0·01*	*0·00*	-	-
Diabetes mellitus (ICD No: 260)										
All ages	**6·0**	**6·1**	**6·3**	**6·5**	**6·4**	**10**	**10**	**11**	**11**	**11**
1-4	*0·44*	*0·43*	*0·18*	*0·12*	*0·12*	*0·07*	*0·13*	*0·06*	*0·25*	*0·12*
5-14	*0·38*	*0·26*	*0·14*	*0·17*	*0·25*	*0·24*	*0·15*	*0·33*	*0·21*	*0·23*
15-24	*0·24*	*0·29*	*0·37*	*0·28*	*0·42*	*0·12*	*0·24*	*0·26*	*0·09*	*0·40*
25-44	1·1	1·4	1·5	1·5	1·5	0·79	0·67	0·89	1·1	0·88
45-64	6·3	6·3	6·6	7·0	6·6	6·9	6·6	7·3	7·4	7·3
65-74	29	29	29	31	30	41	41	44	43	42
75 and over	73	75	76	74	73	79	85	89	90	84
Infant mortality	*0·01*	*0·00*	*0·01*	*0·00*	*0·00*	-	*0·00*	*0·00*	*0·00*	*0·00*
Vascular lesions of central nervous system (ICD Nos: 330-334)										
All ages	**141**	**129**	**136**	**136**	**130**	**199**	**181**	**190**	**191**	**187**
1-4	*0·44*	*0·37*	*0·30*	*0·18*	*0·87*	*0·13*	*0·32*	*0·44*	*0·25*	*0·37*
5-14	*0·46*	*0·40*	*0·55*	0·71	*0·36*	*0·40*	*0·49*	*0·57*	*0·33*	*0·50*
15-24	1·6	1·7	1·5	1·4	1·5	1·2	1·3	1·1	1·3	1·6
25-44	8·0	7·8	8·0	8·0	8·1	7·7	7·4	7·9	7·4	8·2
45-64	107	107	107	102	99	92	87	85	83	83
65-74	670	612	642	624	590	551	501	497	493	472
75 and over	2,337	2,057	2,186	2,232	2,098	2,239	1,988	2,109	2,122	2,038
Infant mortality	*0·03*	*0·04*	*0·04*	*0·05*	*0·02*	*0·02*	*0·03*	*0·02*	*0·04*	*0·01*
Arteriosclerotic heart disease (ICD No: 420)										
All ages	**288**	**282**	**298**	**297**	**296**	**174**	**169**	**180**	**183**	**183**
1-4	-	-	*0·06*	-	-	*0·07*	-	*0·06*	*0·06*	-
5-14	-	-	-	*0·03*	-	-	-	*0·03*	*0·03*	*0·03*
15-24	*0·42*	*0·26*	*0·49*	*0·31*	*0·36*	*0·09*	*0·06*	*0·18*	*0·17*	*0·20*
25-44	32	34	37	35	34	4·7	5·0	5·5	5·0	5·2
45-64	433	436	453	445	438	105	104	109	109	107
65-74	1,472	1,413	1,466	1,467	1,450	640	614	644	637	628
75 and over	2,649	2,542	2,728	2,722	2,697	1,607	1,537	1,625	1,666	1,649
Infant mortality	-	*0·00*	*0·00*	*	*0·00*	*0·00*	-	*0·00*	*0·00*	-

TABLE 10 - *continued*

Age	Males					Females				
	1963	1964	1965	1966	1967	1963	1964	1965	1966	1967
All cardiovascular diseases (ICD Nos: 401-468)										
All ages	**475**	**442**	**458**	**457**	**442**	**434**	**395**	**407**	**409**	**393**
1-4	*0·76*	*0·68*	*1·1*	*1·1*	0·87	*0·87*	*0·58*	*0·94*	*0·86*	*0·55*
5-14	0·87	0·72	0·60	0·68	0·58	*0·46*	0·82	*0·57*	0·80	0·47
15-24	4·3	3·5	3·4	3·6	2·8	3·0	2·4	2·4	2·9	2·2
25-44	49	50	51	49	48	19	19	19	18	16
45-64	558	551	567	557	545	200	190	194	190	183
65-74	2,184	2,026	2,070	2,074	2,003	1,194	1,081	1,108	1,083	1,033
75 and over	6,179	5,467	5,647	5,660	5,297	4,910	4,347	4,414	4,449	4,194
Infant mortality	0·05	*0·04*	*0·04*	0·08	0·07	*0·03*	0·05	0·05	*0·05*	0·05
All diseases of respiratory system (ICD Nos: 470-527)										
All ages	**205**	**167**	**172**	**190**	**164**	**137**	**106**	**109**	**130**	**110**
1-4	23	15	19	17	17	21	15	19	17	15
5-14	3·8	2·9	3·1	3·4	3·1	3·3	2·9	3·1	3·0	2·8
15-24	4·1	4·8	3·9	4·6	3·0	2·6	2·9	2·1	3·1	2·5
25-44	11	9·3	9·5	9·5	7·7	8·6	6·5	7·4	7·5	5·8
45-64	194	160	157	168	137	60	47	46	54	42
65-74	962	797	822	894	764	318	244	240	286	226
75 and over	2,796	2,220	2,313	2,622	2,277	1,526	1,155	1,177	1,423	1,202
Infant mortality	3·72	2·97	3·02	3·24	3·03	2·86	2·27	2·31	2·32	2·42
Influenza (ICD Nos: 480-483)										
All ages	**6·3**	**2·1**	**1·7**	**7·0**	**1·6**	**7·3**	**2·3**	**1·7**	**8·2**	**2·0**
1-4	*0·51*	*0·18*	*0·12*	*0·59*	*0·06*	*0·54*	*0·13*	*0·19*	*0·68*	*0·06*
5-14	*0·20*	*0·09*	*0·06*	*0·37*	*0·06*	*0·18*	*0·15*	*0·06*	*0·27*	*0·09*
15-24	*0·27*	*0·26*	*0·23*	*0·45*	*0·06*	*0·24*	*0·15*	*0·15*	*0·43*	*0·09*
25-44	0·85	0·48	0·63	0·78	*0·29*	0·67	*0·28*	*0·26*	0·84	0·07
45-64	5·7	2·3	1·3	5·7	1·4	3·1	1·0	0·86	3·5	0·72
65-74	25	6·8	5·9	27	6·2	16	5·8	3·4	17	3·7
75 and over	97	30	27	112	24	86	24	18	93	24
Infant mortality	0·05	*0·03*	*0·01*	0·03	*0·01*	*0·04*	*0·01*	*0·01*	0·05	*0·01*
Pneumonia (ICD Nos: 490-493, 763)										
All ages	**76**	**62**	**63**	**70**	**63**	**80**	**65**	**69**	**79**	**72**
1-4	15	10	12	11	12	15	9·7	14	12	11
5-14	2·6	1·9	1·8	2·2	2·3	1·9	2·1	2·1	1·8	2·0
15-24	2·4	2·8	2·3	2·9	1·9	1·3	1·7	1·1	1·6	1·4
25-44	4·3	3·7	4·0	3·6	3·3	4·2	2·9	3·4	3·1	2·8
45-64	44	35	32	38	29	25	20	19	23	19
65-74	260	212	213	234	207	159	127	129	148	122
75 and over	1,285	1,036	1,098	1,239	1,115	944	763	802	939	854
Infant mortality	3·81	3·09	3·08	3·13	2·97	2·87	2·31	2·40	2·26	2·43
Bronchitis (ICD Nos: 500-502)										
All ages	**109**	**90**	**94**	**99**	**87**	**43**	**33**	**32**	**35**	**29**
1-4	4·4	2·9	4·3	3·3	2·7	3·8	4·2	2·8	2·8	3·0
5-14	0·58	*0·49*	0·63	0·65	*0·47*	0·82	*0·33*	*0·39*	*0·51*	*0·44*
15-24	0·71	0·73	0·74	0·65	*0·44*	*0·27*	*0·57*	*0·32*	*0·49*	0·63
25-44	3·5	3·1	3·1	3·3	2·7	2·3	1·8	2·2	1·9	1·7
45-64	123	103	105	106	91	25	20	20	22	18
65-74	598	503	531	560	482	125	97	92	105	87
75 and over	1,264	1,019	1,040	1,120	997	434	311	296	327	263
Infant mortality	0·59	0·49	0·49	0·52	0·52	0·48	0·34	0·31	0·35	0·39
Ulcer of stomach and duodenum (ICD Nos: 540-541)										
All ages	**12**	**11**	**11**	**11**	**10**	**6·4**	**5·6**	**5·9**	**6·0**	**5·9**
1-4	*0·06*	*0·06*	*0·06*	-	*0·06*	-	*0·06*	-	-	*0·06*
5-14	*0·03*	*0·09*	-	-	*0·06*	-	-	*0·06*	*0·06*	*0·06*
15-24	*0·18*	*0·17*	*0·06*	*0·17*	*0·11*	*0·09*	*0·03*	-	-	*0·09*
25-44	1·6	1·7	1·4	1·3	1·5	0·67	0·56	0·36	0·44	0·61
45-64	15	14	12	13	11	4·3	3·7	3·7	3·6	3·6
65-74	58	53	53	54	50	19	18	15	16	16
75 and over	148	129	135	133	122	61	52	60	61	56
Infant mortality	*0·00*	*0·01*	*0·00*	*0·00*	*0·00*	*0·01*	*0·00*	*0·00*	-	*0·01*
Appendicitis (ICD Nos: 550-553)										
All ages	**1·3**	**1·2**	**1·2**	**1·0**	**0·95**	**1·1**	**0·92**	**0·95**	**0·87**	**0·77**
1-4	*0·63*	*0·43*	*0·78*	*0·70*	*0·64*	*0·27*	*0·39*	*0·44*	*0·43*	*0·31*
5-14	*0·43*	*0·55*	*0·49*	*0·45*	*0·31*	*0·24*	*0·36*	*0·42*	*0·30*	*0·20*
15-24	*0·48*	*0·29*	*0·31*	*0·39*	*0·33*	*0·21*	*0·21*	*0·18*	*0·14*	*0·09*
25-44	0·40	*0·29*	0·35	*0·29*	*0·23*	*0·31*	*0·23*	*0·25*	*0·29*	*0·20*
45-64	1·4	1·2	1·5	1·2	1·1	1·0	0·64	0·67	0·84	0·52
65-74	5·5	5·1	4·1	3·6	3·5	3·1	2·3	3·1	2·2	1·9
75 and over	11	11	9·3	7·2	8·0	6·8	6·8	5·9	5·1	5·8
Infant mortality	*0·00*	*0·01*	*0·01*	*0·00*	*0·01*	-	*0·00*	-	*0·00*	*0·01*

TABLE 10 - *continued*

Age	Males					Females				
	1963	1964	1965	1966	1967	1963	1964	1965	1966	1967
Nephritis and nephrosis (ICD Nos: 590-594)										
All ages	**7·4**	**6·6**	**6·7**	**6·4**	**6·1**	**6·1**	**5·8**	**5·4**	**5·1**	**5·0**
1-4	*0·63*	*0·43*	*0·42*	*0·35*	*0·17*	*0·47*	*0·45*	*0·25*	*0·19*	*0·31*
5-14	0·72	0·66	*0·55*	*0·42*	*0·47*	*0·58*	*0·52*	0·85	*0·30*	*0·47*
15-24	2·0	1·9	2·6	1·6	1·9	1·9	1·4	1·1	1·1	0·91
25-44	4·0	3·5	3·4	3·4	2·6	2·1	1·9	1·8	1·8	1·8
45-64	9·9	9·4	9·6	8·9	8·8	6·4	5·8	5·6	5·7	5·0
65-74	26	22	22	22	20	17	16	14	13	13
75 and over	60	49	50	49	48	37	37	35	31	32
Infant mortality	*0·01*	*0·02*	*0·02*	*0·02*	*0·02*	*0·02*	*0·01*	*0·01*	*0·01*	*0·01*
All violent causes (ICD Nos: E800-E999)										
All ages	**62**	**62**	**60**	**60**	**56**	**44**	**42**	**42**	**42**	**41**
1-4	24	25	25	27	25	17	17	17	19	16
5-14	18	19	19	19	20	6·8	8·0	7·8	7·6	8·9
15-24	62	68	67	68	63	12	15	15	15	17
25-44	47	48	47	47	44	18	17	17	16	16
45-64	70	69	65	64	62	37	35	35	35	33
65-74	112	104	104	97	90	83	78	77	76	72
75 and over	317	300	284	289	257	322	296	287	292	276
Infant mortality	0·78	0·85	0·90	0·87	0·78	0·63	0·68	0·73	0·65	0·63
Motor vehicle traffic accidents (ICD Nos: E810-E825)										
All ages	**20**	**22**	**23**	**22**	**21**	**7·2**	**8·3**	**9·0**	**8·7**	**8·9**
1-4	8·8	8·9	8·2	9·7	11	5·7	5·6	5·9	5·9	5·2
5-14	9·2	8·9	9·7	9·5	9·0	3·7	4·8	4·7	4·6	4·2
15-24	38	46	45	45	40	5·3	8·7	9·7	8·7	9·3
25-44	16	17	17	17	16	3·4	4·0	3·6	3·7	4·0
45-64	18	19	20	19	18	7·4	6·9	8·6	8·2	8·1
65-74	27	30	33	29	26	16	18	19	18	18
75 and over	60	74	71	73	67	27	32	33	31	34
Infant mortality	*0·01*	*0·02*	*0·02*	*0·03*	*0·01*	*0·01*	*0·02*	*0·01*	*0·02*	*0·02*
Accidents in the home and residental institutions (ICD Nos: E870·0 and 7 - E936·0 and 7)										
All ages	**13**	**12**	**12**	**12**	**11**	**21**	**19**	**19**	**19**	**18**
1-4	9·8	11	9·4	11	8·3	8·5	8·8	8·4	9·8	7·5
5-14	1·5	1·7	1·5	1·8	1·7	1·5	1·5	1·8	1·0	1·2
15-24	3·3	2·6	2·7	3·2	3·2	1·5	1·5	1·4	1·0	1·4
25-44	3·9	4·0	3·9	4·1	3·3	3·0	2·6	2·6	2·7	3·1
45-64	9·4	8·1	8·3	8·3	8·7	8·2	7·8	7·1	7·7	7·5
65-74	32	24	25	24	24	37	31	31	30	28
75 and over	166	148	139	145	122	233	208	202	205	184
Infant mortality	0·67	0·73	0·76	0·71	0·61	0·50	0·54	0·61	0·52	0·46
Suicide and self-inflicted injury (ICD Nos: E970-E979)										
All ages	**14**	**14**	**13**	**12**	**12**	**9·9**	**9·8**	**9·0**	**8·8**	**8·0**
1-4	-	-	-	-	-	-	-	-	-	-
5-14	*0·12*	*0·06*	*0·09*	*0·08*	*0·08*	*0·06*	*0·06*	-	*0·03*	-
15-24	6·9	6·3	6·3	6·8	6·1	3·1	2·7	2·6	3·0	3·4
25-44	14	13	13	13	13	9·6	8·7	8·8	7·8	7·0
45-64	26	25	22	20	20	17	18	16	15	14
65-74	34	31	29	27	25	20	21	19	20	16
75 and over	39	37	31	31	29	18	17	14	15	14
Infant mortality	-	-	-	-	-	-	-	-	-	-

TABLE 11. Deaths of infants under 1 year from certain causes, 1957 to 1967

England and Wales

ICD No.	Causes of death	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
	ALL CAUSES	**16,720**	**16,685**	**16,629**	**17,118**	**17,393**	**18,187**	**18,042**	**17,445**	**16,395**	**16,147**	**15,266**
010	Tuberculosis of meninges and central nervous system	3	3	4	3	7	5	2	1	2	-	1
001-008, 011-019	Other tuberculosis	10	9	11	7	5	1	2	1	4	5	6
056	Whooping cough	68	18	16	26	19	18	29	32	15	22	24
057	Meningococcal infections	76	72	62	47	57	60	59	35	40	43	35
085	Measles	20	15	23	6	29	4	24	13	24	18	18
Rem. of 001-138	Other infective and parasitic diseases	63	74	76	78	68	86	74	90	84	85	73
140-199	Malignant neoplasms	26	33	32	29	25	31	42	27	29	32	38
200-205	Neoplasms of lymphatic and haematopoietic tissues	29	28	19	26	28	26	22	33	25	15	26
250-277	Diseases of the endocrine glands	40	45	37	32	38	55	48	46	35	33	35
295,296,771	Haemorrhagic conditions	192	256	225	214	196	247	226	195	172	202	179
340-343	Inflammatory diseases of central nervous system	166	175	131	140	187	195	170	212	187	164	177
390-398	Diseases of ear and mastoid process	43	36	49	41	34	56	60	68	68	51	48
480-483	Influenza	77	33	71	26	33	38	36	19	12	31	8
490-493	Pneumonia	1,464	1,461	1,472	1,676	1,606	1,842	2,183	1,792	1,809	1,771	1,720
500-502	Bronchitis	291	348	389	364	319	412	459	365	345	372	382
470-475, 510-527	Other respiratory diseases	86	103	92	89	108	97	141	128	143	198	164
571, 764	Gastro-enteritis	318	270	301	343	387	450	397	420	341	378	357
750	Monstrosity	152	165	165	186	184	204	192	218	206	169	211
751	Spina bifida and meningocele	733	737	666	654	613	572	711	626	585	567	540
752	Congenital hydrocephalus	342	351	414	451	455	448	141	137	115	127	117
754·0-754·5	Congenital malformations of heart	1,151	1,117	1,130	1,173	1,236	1,368	1,352	1,325	1,262	1,228	1,110
757	Congenital malformations of genito-urinary system	145	135	115	161	142	180	177	185	185	166	165
Rem. of 750-759	Other congenital malformations	825	884	908	924	974	1,066	1,010	1,144	1,008	976	1,008
760, 761	Injury at birth	1,830	1,805	1,851	1,825	2,043	1,862	1,943	1,940	1,813	1,622	1,511
762	Postnatal asphyxia and atelectasis	2,694	2,645	2,709	2,676	2,647	2,673	2,513	2,639	2,333	2,407	2,275
763	Pneumonia of newborn	714	837	750	732	704	763	679	583	563	531	531
766-768	Pemphigus and sepsis of newborn	80	70	53	63	78	59	80	74	62	76	60
770	Haemolytic disease of newborn	371	377	360	372	334	353	342	317	312	311	298
774, 776	Immaturity	3,108	2,960	2,884	3,068	3,024	2,987	2,849	2,604	2,530	2,463	2,262
E900-E904	Accidental falls	17	13	23	19	21	22	31	21	29	35	19
E916, E917	Accident by fire or hot substance	9	13	20	19	15	22	27	38	35	26	18
E921, E922	Obstruction by inhalation or ingestion	200	200	186	186	223	252	248	315	314	291	250
E924, E925	Accidental mechanical suffocation	162	175	140	134	118	160	145	161	157	146	151
Rem. of E800-E965	Other accidents	96	97	94	80	98	90	126	101	140	112	106
	All other causes	1,119	1,125	1,151	1,248	1,338	1,483	1,502	1,540	1,411	1,474	1,343

TABLE 12. Infant mortality rates (deaths under 1 year per 1,000 live births*) from certain causes, 1957 to 1967 — England and Wales

ICD No.	Causes of death	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
	ALL CAUSES	**23·11**	**22·53**	**22·22**	**21·81**	**21·44**	**21·68**	**21·13**	**19·92**	**19·00**	**19·00**	**18·34**
010	Tuberculosis of meninges and central nervous system	0·00	0·00	0·01	0·00	0·01	0·01	0·00	0·00	0·00	-	0·00
001-008, 011-019	Other tuberculosis	0·01	0·01	0·01	0·01	0·01	0·00	0·00	0·00	0·00	0·01	0·01
056	Whooping cough	0·09	0·02	0·02	0·03	0·02	0·02	0·03	0·04	0·02	0·03	0·03
057	Meningococcal infections	0·11	0·10	0·08	0·06	0·07	0·07	0·07	0·04	0·05	0·05	0·04
085	Measles	0·03	0·02	0·03	0·01	0·04	0·00	0·03	0·01	0·03	0·02	0·02
Rem. of 001-138	Other infective and parasitic diseases	0·09	0·10	0·10	0·10	0·08	0·10	0·09	0·10	0·10	0·10	0·09
140-199	Malignant neoplasms	0·04	0·04	0·04	0·04	0·03	0·04	0·05	0·03	0·03	0·04	0·05
200-205	Neoplasms of lymphatic and haematopoietic tissues	0·04	0·04	0·03	0·03	0·03	0·03	0·03	0·04	0·03	0·02	0·03
250-277	Diseases of the endocrine glands	0·06	0·06	0·05	0·04	0·05	0·07	0·06	0·05	0·04	0·04	0·04
295,296,771	Haemorrhagic conditions	0·27	0·35	0·30	0·27	0·24	0·29	0·26	0·22	0·20	0·24	0·22
340-343	Inflammatory diseases of central nervous system	0·23	0·24	0·18	0·18	0·23	0·23	0·20	0·24	0·22	0·19	0·21
390-398	Diseases of ear and mastoid process	0·06	0·05	0·07	0·05	0·04	0·07	0·07	0·08	0·08	0·06	0·06
480-483	Influenza	0·11	0·04	0·09	0·03	0·04	0·05	0·04	0·02	0·01	0·04	0·01
490-493	Pneumonia	2·02	1·97	1·97	2·14	1·98	2·20	2·56	2·05	2·10	2·08	2·07
500-502	Bronchitis	0·40	0·47	0·52	0·46	0·39	0·49	0·54	0·42	0·40	0·44	0·46
470-475, 510-527	Other respiratory diseases	0·12	0·14	0·12	0·11	0·13	0·12	0·17	0·15	0·17	0·23	0·20
571, 764	Gastro-enteritis	0·44	0·36	0·40	0·44	0·48	0·54	0·46	0·48	0·40	0·44	0·43
750	Monstrosity	0·21	0·22	0·22	0·24	0·23	0·24	0·22	0·25	0·24	0·20	0·25
751	Spina bifida and meningocele	1·01	0·99	0·89	0·83	0·76	0·68	0·83	0·71	0·68	0·67	0·65
752	Congenital hydrocephalus	0·47	0·47	0·55	0·57	0·56	0·53	0·17	0·16	0·13	0·15	0·14
754·0-754·5	Congenital malformations of heart	1·59	1·51	1·51	1·49	1·52	1·63	1·58	1·51	1·46	1·45	1·33
757	Congenital malformations of genito-urinary system	0·20	0·18	0·15	0·21	0·18	0·21	0·21	0·21	0·21	0·20	0·20
Rem. of 750-759	Other congenital malformations	1·14	1·19	1·21	1·18	1·20	1·27	1·18	1·31	1·17	1·15	1·21
760, 761	Injury at birth	2·53	2·44	2·47	2·32	2·52	2·22	2·28	2·21	2·10	1·91	1·82
762	Postnatal asphyxia and atelectasis	3·72	3·57	3·62	3·41	3·26	3·19	2·94	3·01	2·70	2·83	2·73
763	Pneumonia of newborn	0·99	1·13	1·00	0·93	0·87	0·91	0·80	0·67	0·65	0·62	0·64
766-768	Pemphigus and sepsis of newborn	0·11	0·09	0·07	0·08	0·10	0·07	0·09	0·08	0·07	0·09	0·07
770	Haemolytic disease of newborn	0·51	0·51	0·48	0·47	0·41	0·42	0·40	0·36	0·36	0·37	0·36
774, 776	Immaturity	4·30	4·00	3·85	3·91	3·73	3·56	3·34	2·97	2·93	2·90	2·72
E900-E904	Accidental falls	0·02	0·02	0·03	0·02	0·03	0·03	0·04	0·02	0·03	0·04	0·02
E916, E917	Accident by fire or hot substance	0·01	0·02	0·03	0·02	0·02	0·03	0·03	0·04	0·04	0·03	0·02
E921, E922	Obstruction by inhalation or ingestion	0·28	0·27	0·25	0·24	0·27	0·30	0·29	0·36	0·36	0·34	0·30
E924, E925	Accidental mechanical suffocation	0·22	0·24	0·19	0·17	0·15	0·19	0·17	0·18	0·18	0·17	0·18
Rem. of E800-E965	Other accidents	0·13	0·13	0·13	0·10	0·12	0·11	0·15	0·12	0·16	0·13	0·13
	All other causes	1·55	1·52	1·54	1·59	1·65	1·77	1·76	1·76	1·64	1·73	1·61

*Based on related live births prior to 1957.

TABLE 13. Home population, births, deaths, infant mortality and perinatal mortality, 1967

England and Wales, regions, Wales, conurbations, hospital regions, counties, Greater London, City of London, London and county boroughs, urban and rural districts

Note. The perinatal mortality rate is the number of deaths under one week plus stillbirths per 1,000 total live and still births.

*See explanatory notes. For explanation of symbols *,†,‡, used in this table see note 11.*

Area	Estimated home population as at 30th June 1967 (*but see Explanatory Note 'Changes in boundaries'*)	Live births								Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		Legitimate		Illegitimate																	
		M	F	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
ENGLAND AND WALES	48,390,800	392,117	370,119	35,784	34,144	832,164	17·2	1·00	1.00	277,178	265,338	542,516	11.2	1·00	1·00	15,266	18	10,434	8,945	12,528	25
Regions and conurbations:																					
Northern	3,329,510	26,620	25,083	2,095	2,066	55,864	16·8	0·99	0·97	19,774	17,603	37,377	11·2	1·10	1·10	1,119	20	772	638	919	27
Tyneside Conurbation	848,780	6,389	5,966	568	579	13,502	15·9	0·98	0·91	5,026	4,459	9,485	11·2	1·13	1·13	280	21	196	159	222	28
Remainder of Northern	2,480,730	20,231	19,117	1,527	1,487	42,362	17·1	1·00	0·99	14,748	13,144	27,892	11·2	1·10	1·10	839	20	576	479	697	27
Yorkshire and Humberside	4,774,770	39,822	37,154	3,670	3,506	84,152	17·6	1·01	1·03	28,409	26,452	54,861	11·5	1·05	1·08	1,821	22	1,181	987	1,338	27
West Yorkshire Conurbation	1,730,210	14,364	13,245	1,613	1,488	30,710	17·7	1·03	1·06	10,853	10,707	21,560	12·5	1·01	1·13	723	24	466	374	514	28
Remainder of Yorkshire and Humberside	3,044,560	25,458	23,909	2,057	2,018	53,442	17·6	1·00	1·02	17,556	15,745	33,301	10·9	1·08	1·05	1,098	21	715	613	824	26
North Western	6,755,900	55,944	52,465	5,416	5,099	118,924	17·6	1·03	1·05	42,252	41,559	83,811	12·4	1·05	1·16	2,475	21	1,692	1,498	2,012	29
South East Lancashire Conurbation	2,451,660	20,362	19,140	2,436	2,350	44,288	18·1	1·04	1·09	15,229	15,042	30,271	12·3	1·09	1·20	964	22	651	572	754	29
Merseyside Conurbation	1,368,620	11,385	10,605	1,133	1,037	24,160	17·7	0·98	1·01	7,776	7,646	15,422	11·3	1·15	1·16	520	22	372	326	413	30
Remainder of North Western	2,935,620	24,197	22,720	1,847	1,712	50,476	17·2	1·05	1·05	19,247	18,871	38,118	13·0	0·99	1·15	991	20	669	600	845	28
East Midland	3,303,580	27,839	26,035	2,385	2,244	58,503	17·7	1·00	1·03	17,918	16,542	34,460	10·4	1·04	0·97	1,048	18	718	604	927	26
West Midland	5,067,420	44,598	42,282	3,710	3,497	94,087	18·6	0·97	1.05	26,828	24,049	50,877	10·0	1·15	1.03	1,778	19	1,225	1,059	1,531	27
West Midlands Conurbation	2,446,400	21,771	20,324	2,034	1,914	46,043	18·8	0·96	1·05	13,017	11,515	24,532	10·0	1·20	1·07	882	19	604	530	768	28
Remainder of West Midland	2,621,020	22,827	21,958	1,676	1,583	48,044	18·3	0·98	1·04	13,811	12,534	26,345	10·1	1·10	0·99	896	19	621	529	763	26
East Anglia	1,611,910	12,363	12,143	994	946	26,446	16·4	1·04	0·99	9,139	8,413	17,552	10·9	0·93	0·91	407	15	289	251	328	22
South Eastern	17,185,550	135,848	128,728	13,639	13,093	291,308	17·0	0·98	0·97	93,475	93,745	187,220	10·9	0·94	0·91	4,886	17	3,386	2,909	3,852	23
Greater London	7,880,760	60,927	58,128	7,812	7,470	134,337	17·0	0·93	0·92	43,032	42,255	85,287	10·8	1·01	0·97	2,470	18	1,731	1,486	1,806	24
Outer Metropolitan Area	5,088,510	43,127	40,453	2,814	2,816	89,210	17·5	0·97	0·99	23,902	24,172	48,074	9·4	1·01	0·85	1,351	15	930	802	1,120	21
Remainder of South Eastern	4,216,280	31,794	30,147	3,013	2,807	67,761	16·1	1·10	1·03	26,541	27,318	53,859	12·8	0·77	0·88	1,065	16	725	621	926	23
South Western	3,652,230	28,119	26,488	2,341	2,226	59,174	16·2	1·07	1·01	21,679	21,519	43,198	11·8	0·87	0·92	919	16	618	531	854	23
Wales	2,709,930	20,964	19,741	1,534	1,467	43,706	16·1	1·05	0·98	17,704	15,456	33,160	12·2	1.03	1·12	813	19	553	468	767	28
Wales I (South East)	1,939,270	15,177	14,284	1,096	1,018	31,575	16·3	1·02	0·97	12,496	10,515	23,011	11·9	1·10	1·17	615	19	416	355	551	28
Wales II (remainder)	770,660	5,787	5,457	438	449	12,131	15·7	1·12	1·02	5,208	4,941	10,149	13·2	0·89	1·05	198	16	137	113	216	27
Urban/Rural aggregates:																					
Conurbations	16,726,580	135,198	127,408	15,596	14,838	293,040	17·5	0·97	0·99	94,933	91,624	186,557	11·2	1·06	1·06	5,839	20	4,020	3,447	4,477	27
Areas outside conurbations:																					
Urban areas with populations of 100,000 and over	6,227,600	48,542	45,954	5,569	5,372	105,437	16·9	1·02	1·00	36,853	35,058	71,911	11·5	1·01	1·04	2,079	20	1,375	1,172	1,678	27
Urban areas with populations of 50,000 and under 100,000	4,769,570	37,785	35,635	3,419	3,284	80,123	16·8	1·00	0·98	26,988	26,645	53,633	11·2	0·99	0·99	1,483	19	985	865	1,267	26
Urban areas with populations under 50,000	10,463,890	86,127	81,613	6,209	5,846	179,795	17·2	1·03	1·03	62,295	60,608	122,903	11·7	0·94	0·98	3,088	17	2,131	1,803	2,665	24
Rural districts	10,203,310	84,465	79,509	4,991	4,804	173,769	17·0	1·03	1·02	56,109	51,403	107,512	10·5	0·98	0·92	2,777	16	1,923	1,658	2,441	23
Hospital regions:																					
Newcastle	3,082,400	24,878	23,345	1,946	1,926	52,095	16·9	0·99	0·97	18,232	15,984	34,216	11·1	1·14	1·13	1,063	20	727	599	876	28
Leeds	3,202,100	26,233	24,427	2,553	2,398	55,611	17·4	1·03	1·04	19,535	19,077	38,612	12·1	1·00	1·08	1,220	22	801	669	875	27
Sheffield	4,599,400	38,790	36,272	3,316	3,121	81,499	17·7	0·99	1·02	25,419	22,763	48,182	10·5	1·08	1·01	1,545	19	1,040	876	1,299	26
East Anglia	1,686,600	13,014	12,720	1,037	981	27,752	16·5	1·04	1·00	9,561	8,836	18,397	10·9	0·92	0·90	423	15	300	261	348	22

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
North West Metropolitan	4,331,200	34,481	33,013	3,852	3,695	75,041	17·3	0·91	0·92	21,665	21,320	42,985	9·9	1·06	0·94	1,289	17	921	793	938	23
North East Metropolitan	3,277,500	26,828	25,441	2,247	2,160	56,676	17·3	0·98	0·99	17,328	16,511	33,839	10·3	1·03	0·95	969	17	677	581	778	24
South East Metropolitan	3,402,900	26,128	24,301	2,506	2,461	55,396	16·3	1·06	1·00	20,500	21,336	41,836	12·3	0·84	0·92	919	17	603	517	769	23
South West Metropolitan	3,359,600	25,054	23,865	3,004	2,891	54,814	16·3	0·98	0·93	18,879	19,875	38,754	11·5	0·88	0·90	970	18	684	595	710	24
Wessex	1,949,700	14,966	14,361	1,483	1,365	32,175	16·5	1·06	1·02	11,491	11,297	22,788	11·7	0·86	0·90	514	16	351	297	474	24
Oxford	1,858,100	16,390	15,541	1,176	1,159	34,266	18·4	0·99	1·06	9,047	8,439	17,486	9·4	1·04	0·87	526	15	354	297	458	22
South Western	3,057,000	23,473	21,968	1,970	1,891	49,302	16·1	1·07	1·00	18,445	18,497	36,942	12·1	0·86	0·93	752	15	498	428	686	22
Welsh	2,669,900	20,964	19,741	1,534	1,467	43,706	16·4	1·05	1·00	17,704	15,456	33,160	12·4	1·03	1·14	813	19	553	468	767	28
Birmingham	5,067,400	44,598	42,282	3,710	3,497	94,087	18·6	0·97	1·05	26,828	24,049	50,877	10·0	1·15	1·03	1,778	19	1,225	1,059	1,531	27
Manchester	4,556,800	37,210	35,135	3,794	3,594	79,733	17·5	1·06	1·08	29,696	29,326	59,022	13·0	1·01	1·17	1,651	21	1,110	975	1,328	28
Liverpool	2,250,200	19,110	17,707	1,656	1,538	40,011	17·8	0·98	1·01	12,848	12,572	25,420	11·3	1·15	1·16	834	21	590	530	691	30
ENGLAND																					
BEDFORDSHIRE	432,940	4,329	4,027	311	337	9,004	20·8	0·94	1·14	1,962	1,831	3,793	8·8	1·12	0·88	134	15	100	81	122	22
Luton C.B.	153,820	1,572	1,482	141	162	3,357	21·8	0·92	1·17	683	651	1,334	8·7	1·25	0·97	52	15	35	24	52	22
Administrative county	279,120	2,757	2,545	170	175	5,647	20·2	0·94	1·10	1,279	1,180	2,459	8·8	1·05	0·83	82	15	65	57	70	22
Municipal boroughs and urban districts	143,790	1,440	1,320	110	101	2,971	20·7	0·93	1·12	660	634	1,294	9·0	1·05	0·84	47	16	34	31	41	24
Ampthill	4,750	56	40	1	1	98	20·6	0·74	0·89	31	31	62	13·1	0·55	0·64	1	*10*	1	-	1	*10*
Bedford M.B.	67,300	662	576	72	71	1,381	20·5	0·92	1·10	310	285	595	8·8	1·09	0·86	24	17	19	19	19	27
Biggleswade	8,700	84	77	2	5	168	19·3	1·04	1·17	53	55	108	12·4	0·73	0·81	-	-	-	-	1	6
Dunstable M.B.	28,940	310	319	18	13	660	22·8	0·86	1·14	120	98	218	7·5	1·36	0·91	15	*23*	11	10	7	*25*
Kempston	11,310	102	95	5	3	205	18·1	1·04	1·09	52	65	117	10·3	0·84	0·77	2	*10*	1	1	2	*14*
Leighton-Linslade	18,040	195	170	10	6	381	21·1	0·91	1·12	71	79	150	8·3	1·06	0·79	5	*13*	2	1	11	*31*
Sandy	4,750	31	43	2	2	78	16·4	1·01	0·96	23	21	44	9·3	1·12	0·93	-	-	-	-	-	-
Rural districts	135,330	1,317	1,225	60	74	2,676	19·8	0·95	1·09	619	546	1,165	8·6	1·05	0·81	35	13	31	26	29	20
Ampthill	31,490	301	294	12	18	625	19·8	1·01	1·16	146	145	291	9·2	1·08	0·89	11	*18*	11	9	4	*21*
Bedford	35,900	327	290	12	18	647	18·0	0·97	1·02	170	154	324	9·0	0·95	0·76	10	*15*	8	8	6	*21*
Biggleswade	32,730	355	300	16	20	691	21·1	1·04	1·28	161	139	300	9·2	0·88	0·72	7	*10*	7	5	10	*21*
Luton	35,210	334	341	20	18	713	20·2	0·83	0·97	142	108	250	7·1	1·39	0·88	7	*10*	5	4	9	*18*
BERKSHIRE	598,220	5,482	5,184	359	362	11,387	19·0	0·95	1·05	2,734	2,733	5,467	9·1	1·06	0·86	151	13	113	99	145	21
Reading C.B.	126,380	1,119	1,040	105	111	2,375	18·8	1·01	1·10	675	643	1,318	10·4	0·97	0·90	25	11	17	16	35	21
Administrative county	471,840	4,363	4,144	254	251	9,012	19·1	0·93	1·03	2,059	2,090	4,149	8·8	1·09	0·86	126	14	96	83	110	21
Municipal boroughs and urban districts	143,880	1,299	1,235	88	88	2,710	18·8	0·94	1·03	683	739	1,422	9·9	0·94	0·83	32	12	28	24	32	20
Abingdon M.B.	16,770	163	142	8	10	323	19·3	0·96	1·08	68	45	113	6·7	1·30	0·78	4	*12*	3	2	3	*15*
Maidenhead M.B.	43,700	347	397	37	27	808	18·5	0·92	0·99	202	224	426	9·7	0·91	0·79	9	*11*	8	6	12	*22*
Newbury M.B.	21,980	210	166	11	14	401	18·2	1·02	1·08	126	135	261	11·9	0·82	0·87	9	*22*	8	7	4	*27*
New Windsor M.B.	29,920	263	238	17	21	539	18·0	0·86	0·90	130	135	265	8·9	1·14	0·91	5	*9*	4	4	6	*18*
Wallingford M.B.	5,870	57	50	4	1	112	19·1	0·93	1·03	44	54	98	16·7	0·60	0·89	2	*18*	2	2	2	*35*
Wantage	7,660	59	69	2	6	136	17·8	0·98	1·01	31	38	69	9·0	0·91	0·73	1	*7*	1	1	1	*15*
Wokingham M.B.	17,980	200	173	9	9	391	21·7	1·00	1·26	82	108	190	10·6	0·85	0·80	2	*5*	2	2	4	*15*
Rural districts	327,960	3,064	2,909	166	163	6,302	19·2	0·93	1·04	1,376	1,351	2,727	8·3	1·16	0·86	94	15	68	59	78	21
Abingdon	36,570	283	280	26	11	600	16·4	0·93	0·89	128	117	245	6·7	1·25	0·75	10	*17*	6	4	8	*20*
Bradfield	36,860	388	362	11	18	779	21·1	0·93	1·14	153	133	286	7·8	1·31	0·91	12	*15*	9	9	8	*22*
Cookham	18,440	152	156	12	10	330	17·9	0·93	0·97	76	78	154	8·4	1·14	0·86	3	*9*	3	3	3	*18*
Easthampstead	56,070	512	491	27	35	1,065	19·0	0·83	0·92	202	193	395	7·0	1·44	0·90	14	*13*	10	7	12	*18*
Faringdon	16,150	130	141	8	6	285	17·6	1·02	1·04	55	58	113	7·0	1·05	0·66	3	*11*	2	1	6	*24*
Hungerford	10,430	99	71	5	9	184	17·6	1·09	1·12	77	80	157	15·1	0·79	1·07	-	-	-	-	2	*11*
Newbury	22,730	198	182	19	10	409	18·0	0·97	1·02	114	103	217	9·5	1·05	0·89	7	*17*	4	4	8	*29*
Wallingford	22,680	258	240	21	16	535	23·6	1·02	1·40	89	116	205	9·0	0·90	0·72	8	*15*	5	4	7	*20*
Wantage	20,090	210	177	5	11	403	20·1	0·96	1·12	78	78	156	7·8	1·26	0·88	6	*15*	5	4	6	*24*
Windsor	17,240	127	117	9	5	258	15·0	0·94	0·82	119	134	253	14·7	0·76	1·00	6	*23*	6	6	3	*34*
Wokingham	70,700	707	692	23	32	1,454	20·6	0·93	1·11	285	261	546	7·7	1·27	0·87	25	17	18	17	15	22

TABLE 13 - *continued*

Area	Estimated home population as at 30th June 1967 (*but see Explanatory Note 'Changes in boundaries'*)	Live births								Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		Legitimate		Illegitimate																	
		M	F	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
BUCKINGHAMSHIRE	**552,470**	**4,784**	**4,534**	**333**	**347**	**9,998**	**18·1**	**0·96**	**1·01**	**2,495**	**2,441**	**4,936**	**8·9**	**1·12**	**0·89**	**157**	**16**	**114**	**99**	**111**	**21**
Municipal boroughs and urban districts	**274,290**	**2,565**	**2,416**	**187**	**207**	**5,375**	**19·6**	**0·93**	**1·06**	**1,225**	**1,142**	**2,367**	**8·6**	**1·24**	**0·95**	**79**	**15**	**53**	**49**	**68**	**21**
Aylesbury M.B.	35,190	369	373	22	28	792	22·5	0·85	1·11	143	128	271	7·7	1·30	0·89	11	*14*	7	6	9	*19*
Beaconsfield	11,720	79	56	4	3	142	12·1	0·99	0·70	43	43	86	7·3	1·11	0·72	3	*21*	2	2	2	*28*
Bletchley	24,980	294	261	12	16	583	23·3	0·80	1·08	85	68	153	6·1	1·80	0·98	6	*10*	4	4	5	*15*
Buckingham M.B.	4,810	38	36	1	2	77	16·0	1·07	1·00	20	16	36	7·5	1·03	0·69	-	-	-	-	1	*13*
Chesham	19,950	196	166	8	12	382	19·1	0·84	0·93	96	85	181	9·1	1·21	0·98	6	*16*	4	3	4	*18*
Eton	5,300	20	18	1	5	44	8·3	1·12	0·54	12	14	26	4·9	1·58	0·69	1	*23*	-	-	-	-
High Wycombe M.B.	55,980	525	496	50	52	1,123	20·1	0·94	1·10	257	223	480	8·6	1·20	0·92	9	8	6	6	18	21
Marlow	10,460	115	109	5	2	231	22·1	0·89	1·14	41	57	98	9·4	1·14	0·96	3	*13*	3	2	3	*21*
Newport Pagnell	5,470	46	52	4	1	103	18·8	1·25	1·37	47	53	100	18·3	0·48	0·78	-	-	-	-	2	*19*
Slough M.B.	86,860	753	712	72	81	1,618	18·6	0·94	1·02	392	368	760	8·7	1·41	1·10	36	22	23	22	21	26
Wolverton	13,570	130	137	8	5	280	20·6	1·19	1·43	89	87	176	13·0	0·85	0·99	4	*14*	4	4	3	*25*
Rural districts	**278,180**	**2,219**	**2,118**	**146**	**140**	**4,623**	**16·6**	**1·00**	**0·97**	**1,270**	**1,299**	**2,569**	**9·2**	**1·03**	**0·85**	**78**	**17**	**61**	**50**	**43**	**20**
Amersham	62,840	516	443	22	32	1,013	16·1	0·98	0·92	287	287	574	9·1	0·99	0·80	21	21	16	12	8	20
Aylesbury	36,570	310	292	17	15	634	17·3	1·03	1·04	184	180	364	10·0	0·94	0·84	11	*17*	9	7	3	*16*
Buckingham	9,700	58	64	8	5	135	13·9	1·26	1·02	41	56	97	10·0	1·06	0·95	3	*22*	2	2	5	*50*
Eton	71,540	427	461	42	50	980	13·7	0·93	0·74	331	317	648	9·1	1·22	0·99	22	22	17	17	11	28
Newport Pagnell	14,890	118	100	10	5	233	15·6	1·18	1·07	91	83	174	11·7	0·82	0·86	3	*13*	2	2	2	*17*
Wing	9,760	85	69	1	8	163	16·7	1·06	1·03	51	49	100	10·2	0·96	0·87	2	*12*	1	-	-	-
Winslow	9,200	84	79	6	1	170	18·5	1·14	1·23	61	72	133	14·5	0·67	0·87	-	-	-	-	2	*12*
Wycombe	63,680	621	610	40	24	1,295	20·3	0·98	1·16	224	255	479	7·5	1·11	0·74	16	*12*	14	10	12	17
CAMBRIDGESHIRE AND ISLE OF ELY	**296,930**	**2,205**	**2,134**	**168**	**147**	**4,654**	**15·7**	**0·99**	**0·90**	**1,540**	**1,499**	**3,039**	**10·2**	**0·95**	**0·87**	**65**	**14**	**48**	**41**	**67**	**23**
Municipal boroughs and urban districts	**156,610**	**1,041**	**998**	**90**	**104**	**2,233**	**14·3**	**0·99**	**0·82**	**820**	**826**	**1,646**	**10·5**	**0·94**	**0·88**	**34**	**15**	**26**	**22**	**26**	**21**
Cambridge M.B.	100,340	617	609	59	68	1,353	13·5	0·97	0·76	454	499	953	9·5	1·02	0·87	21	16	15	14	16	22
Chatteris	5,520	38	35	2	6	81	14·7	1·06	0·91	32	30	62	11·2	1·02	1·02	2	*25*	2	1	2	*36*
Ely	10,030	59	73	1	5	138	13·8	0·97	0·78	62	72	134	13·4	0·60	0·72	4	*29*	3	1	1	*14*
March	13,410	99	90	11	6	206	15·4	1·05	0·94	91	48	139	10·4	0·99	0·92	2	*10*	2	2	2	*19*
Whittlesey	9,900	95	74	9	7	185	18·7	1·01	1·10	53	50	103	10·4	1·15	1·07	2	*11*	1	1	5	*32*
Wisbech M.B.	17,410	133	117	8	12	270	15·5	1·03	0·93	128	127	255	14·6	0·78	1·02	3	*11*	3	3	-	*11*
Rural districts	**140,320**	**1,164**	**1,136**	**78**	**43**	**2,421**	**17·3**	**0·99**	**1·00**	**720**	**673**	**1,393**	**9·9**	**0·95**	**0·84**	**31**	**13**	**22**	**19**	**41**	**24**
Chesterton	50,500	406	431	23	16	876	17·3	0·94	0·95	256	266	522	10·3	0·91	0·84	12	*14*	7	5	12	*19*
Ely	14,760	106	115	14	3	238	16·1	1·07	1·00	78	62	140	9·5	1·01	0·86	1	*4*	1	1	7	*33*
Newmarket	22,310	189	162	8	4	363	16·3	1·02	0·97	136	106	242	10·8	0·93	0·90	9	*25*	7	6	6	*33*
North Witchford	4,560	35	27	2	3	67	14·7	1·02	0·87	37	28	65	14·3	1·03	1·32	-	-	-	-	-	-
South Cambridgeshire	35,020	310	303	21	15	649	18·5	1·00	1·08	140	160	300	8·6	0·96	0·74	7	*11*	6	6	15	32
Wisbech	13,170	118	98	10	2	228	17·3	1·01	1·02	73	51	124	9·4	1·08	0·91	2	*9*	1	1	1	*9*
CHESHIRE	**1,486,470**	**12,634**	**11,818**	**967**	**879**	**26,298**	**17·7**	**1·02**	**1·05**	**8,752**	**8,597**	**17,349**	**11·7**	**1·06**	**1·11**	**496**	**19**	**346**	**306**	**419**	**27**
County boroughs	**447,410**	**3,742**	**3,423**	**398**	**358**	**7,921**	**17·7**	**1·01**	**1·04**	**2,745**	**2,813**	**5,558**	**12·4**	**1.04**	**1.15**	**196**	**25**	**147**	**130**	**148**	**34**
Birkenhead	143,550	1,219	1,111	116	116	2,562	17·8	0·99	1·02	867	805	1,672	11·6	1·11	1.15	61	24	47	45	43	34
Chester	60,360	517	468	62	42	1,089	18·0	1·02	1·07	354	384	738	12·2	1·11	1.21	27	25	18	17	23	36
Stockport	141,030	1,209	1,126	134	113	2,582	18·3	1·02	1·09	895	946	1,841	13·1	1·01	1.18	63	24	49	38	41	30
Wallasey	102,470	797	718	86	87	1,688	16·5	1·03	0·99	629	678	1,307	12·8	0·97	1.11	45	27	33	30	41	41

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
Administrative county	**1,039,060**	**8,892**	**8,395**	**569**	**521**	**18,377**	**17·7**	**1·02**	**1·05**	**6,007**	**5,784**	**11,791**	**11·3**	**1·07**	**1·08**	**300**	**16**	**199**	**176**	**271**	**24**
Municipal boroughs and urban districts	**804,680**	**6,991**	**6,637**	**464**	**417**	**14,509**	**18·0**	**1·01**	**1·06**	**4,634**	**4,444**	**9,078**	**11·3**	**1·08**	**1·09**	**252**	**17**	**168**	**147**	**210**	**24**
Alderley Edge	4,130	32	16	1	2	51	12·3	1·08	0·77	25	27	52	12·6	0·81	0·91	-	-	-	-	-	-
Alsager	9,960	81	80	4	2	167	16·8	0·84	0·82	52	35	87	8·7	1·38	1·07	2	*12*	1	1	1	*12*
Altrincham M.B.	41,070	328	331	20	27	706	17·2	1·00	1·00	256	218	474	11·5	1·03	1·06	14	*20*	8	8	19	37
Bebington M.B.	55,520	512	451	30	25	1,018	18·3	1·02	1·09	320	330	650	11·7	1·08	1·13	10	*10*	8	8	12	19
Bollington	6,000	56	54	7	3	120	20·0	1·07	1·24	36	24	60	10·0	0·98	0·88	-	-	-	-	1	*8*
Bowdon	4,670	27	28	1	4	60	12·8	1·06	0·79	19	45	64	13·7	0·61	0·75	-	-	-	-	-	-
Bredbury and Romiley	27,620	248	233	14	15	510	18·5	1·17	1·26	159	124	283	10·2	1·36	1·24	11	*22*	9	8	10	*35*
Cheadle and Gatley	54,920	529	473	21	22	1,045	19·0	0·95	1·05	245	249	494	9·0	1·24	1·00	11	*11*	10	9	9	*17*
Congleton M.B.	18,650	170	184	5	9	368	19·7	1·00	1·15	123	153	276	14·8	0·96	1·27	4	*11*	2	2	5	*19*
Crewe M.B.	52,400	416	382	35	42	875	16·7	1·01	0·98	354	281	635	12·1	1·16	1·25	12	*14*	8	8	14	25
Dukinfield M.B.	17,120	131	107	13	14	265	15·5	1·09	0·98	133	114	247	14·4	1·07	1·38	9	*34*	5	5	4	*33*
*Ellesmere Port M.B.	52,940	521	510	48	34	1,113	21·0	0·88	1·07	225	168	393	7·4	1·59	1·05	27	24	23	18	14	28
Hale	16,270	115	88	6	1	210	12·9	1·06	0·80	83	80	163	10·0	0·91	0·81	3	*14*	2	2	4	*28*
Hazel Grove and Bramhall	34,800	340	319	17	10	686	19·7	1·07	1·23	160	152	312	9·0	1·26	1·01	13	*19*	9	6	4	*14*
Hoylake	32,400	212	211	10	8	441	13·6	1·10	0·87	209	229	438	13·5	0·82	0·99	4	*9*	4	3	5	*18*
Hyde M.B.	38,760	362	303	26	21	712	18·4	1·06	1·13	244	254	498	12·8	1·03	1·18	12	*17*	9	7	12	*26*
Knutsford	10,890	84	79	5	6	174	16·0	1·13	1·05	89	104	193	17·7	0·56	0·89	2	*11*	1	-	2	*11*
Longdendale	9,600	74	76	6	7	163	17·0	0·88	0·87	55	50	105	10·9	1·47	1·43	7	*43*	2	1	3	*24*
Lymm	8,620	105	84	10	6	205	23·8	0·97	1·34	43	53	96	11·1	1·11	1·10	3	*15*	2	2	3	*24*
Macclesfield M.B.	40,900	378	363	50	29	820	20·0	1·09	1·27	273	298	571	14·0	0·77	0·96	20	24	10	10	7	*21*
Marple	23,300	194	187	10	9	400	17·2	1·16	1·16	123	121	244	10·5	1·21	1·13	5	*13*	3	3	11	*34*
Middlewich	7,960	70	62	3	5	140	17·6	1·02	1·04	60	46	106	13·3	1·20	1·43	3	*21*	1	1	6	*48*
Nantwich	11,160	99	93	5	3	200	17·9	0·95	0·99	73	92	165	14·8	0·82	1·08	1	*5*	1	1	1	*10*
Neston	15,840	154	156	6	5	321	20·3	1·20	1·42	76	81	157	9·9	1·14	1·01	5	*16*	4	4	2	*19*
Northwich	19,130	128	154	11	8	301	15·7	1·06	0·97	148	102	250	13·1	0·91	1·06	6	*20*	3	3	7	*32*
*Runcorn	29,970	268	270	16	19	573	19·1	0·99	1·10	182	143	325	10·8	1·22	1·18	14	*24*	12	11	4	*26*
Sale M.B.	55,140	450	458	32	27	967	17·5	0·95	0·97	270	276	546	9·9	1·14	1·01	7	*7*	4	3	14	*17*
Sandbach	11,160	113	98	1	7	219	19·6	1·06	1·21	76	75	151	13·5	1·07	1·29	7	*32*	3	3	2	*23*
Stalybridge M.B.	21,770	157	171	19	19	366	16·8	1·11	1·08	158	153	311	14·3	1·05	1·34	13	*36*	10	8	7	*40*
Wilmslow	28,160	202	200	13	14	429	15·2	0·89	0·79	129	154	283	10·0	1·25	1·12	11	*26*	6	5	7	*28*
Winsford	18,200	227	223	7	9	466	25·6	0·82	1·22	104	77	181	9·9	1·50	1·33	11	*24*	4	4	15	*40*
Wirral	25,650	208	193	12	5	418	16·3	1·08	1·02	132	136	268	10·4	1·01	0·94	5	*12*	4	3	5	*19*
Rural districts*	**234,380**	**1,901**	**1,758**	**105**	**104**	**3,868**	**16·5**	**1·06**	**1·02**	**1,373**	**1,340**	**2,713**	**11·6**	**1·01**	**1·05**	**48**	**12**	**31**	**29**	**61**	**23**
Bucklow	21,460	180	172	16	10	378	17·6	0·95	0·97	94	82	176	8·2	1·41	1·03	5	*13*	5	5	6	*29*
*Chester	33,850	271	276	9	18	574	17·0	1·04	1·03	218	227	445	13·1	0·69	0·81	13	*23*	6	6	14	*34*
Congleton	16,560	143	123	10	5	281	17·0	1·01	1·00	128	142	270	16·3	0·79	1·15	3	*11*	2	2	5	*24*
Disley	3,830	33	24	4	1	62	16·2	1·10	1·04	21	34	55	14·4	1·03	1·32	1	*16*	1	1	1	*32*
Macclesfield	26,380	188	177	9	7	381	14·4	1·04	0·87	152	129	281	10·7	0·99	0·95	5	*13*	3	2	7	*23*
Nantwich	31,470	228	224	14	13	479	15·2	1·18	1·04	165	161	326	10·4	1·10	1·02	2	*4*	-	-	8	*16*
Northwich	41,090	300	269	20	26	615	15·0	1·06	0·92	231	218	449	10·9	1·20	1·17	7	*11*	5	5	9	*22*
*Runcorn	41,890	384	339	14	18	755	18·0	1·00	1·05	259	251	510	12·2	1·04	1·13	11	*15*	9	8	9	*22*
Tarvin	16,380	163	132	9	6	310	18·9	0·99	1·09	97	85	182	11·1	0·99	0·98	1	*3*	-	-	2	*6*
Tintwistle	1,470	11	22	-	-	33	22·4	0·98	1·28	8	11	19	*12·9*	0·95	1·09	-	-	-	-	-	-
CORNWALL	**356,200**	**2,493**	**2,362**	**193**	**193**	**5,241**	**14·7**	**1·13**	**0·97**	**2,472**	**2,417**	**4,889**	**13·7**	**0·81**	**0·99**	**76**	**15**	**52**	**47**	**86**	**25**
Municipal boroughs and urban districts	**201,030**	**1,471**	**1,359**	**118**	**109**	**3,057**	**15·2**	**1·12**	**0·99**	**1,449**	**1,505**	**2,954**	**14·7**	**0·76**	**1·00**	**52**	**17**	**35**	**31**	**51**	**26**
Bodmin M.B.	7,370	54	70	6	2	132	17·9	1·15	1·20	87	110	197	26·7	0·43	1·03	7	*53*	4	3	2	*37*
Bude-Stratton	5,210	27	38	1	1	67	12·9	1·25	0·94	46	41	87	16·7	0·66	0·98	-	-	-	-	-	-
Camborne-Redruth	37,600	292	264	25	23	604	16·1	1·06	0·99	261	252	513	13·6	0·87	1·06	14	*23*	10	10	14	39
Falmouth M.B.	17,350	103	101	12	8	224	12·9	1·15	0·86	123	133	256	14·8	0·83	1·10	2	*9*	1	1	5	*26*
Fowey M.B.	2,390	14	16	-	1	31	13·0	1·28	0·97	21	12	33	13·8	0·74	0·91	1	*32*	1	1	-	*32*
Helston M.B.	9,240	97	100	8	6	211	22·8	0·81	1·07	52	66	118	12·8	0·87	0·99	4	*19*	1	1	1	*9*
Launceston M.B.	4,600	36	24	-	1	61	13·3	1·09	0·84	32	45	77	16·7	0·58	0·86	-	-	-	-	1	*16*
Liskeard M.B.	4,700	32	27	2	1	62	13·2	1·20	0·92	47	64	111	23·6	0·41	0·86	-	-	-	-	-	-
Looe	4,050	28	23	2	3	56	13·8	1·26	1·01	30	31	61	15·1	0·64	0·86	1	*18*	-	-	-	-
Lostwithiel M.B.	1,900	8	12	-	1	21	11·1	1·18	0·76	19	13	32	16·8	0·74	1·11	-	-	-	-	2	*87*
Newquay	12,100	107	80	7	11	205	16·9	1·13	1·11	94	73	167	13·8	0·73	0·90	3	*15*	1	1	8	*42*
Padstow	2,640	22	14	-	2	38	14·4	1·09	0·91	18	21	39	14·8	0·84	1·11	1	*26*	1	1	1	*51*
Penryn M.B.	4,990	32	38	3	4	77	15·4	1·02	0·91	31	15	46	9·2	1·11	0·91	1	*13*	-	-	-	-
Penzance M.B.	18,900	121	107	18	16	262	13·9	1·14	0·92	138	132	270	14·3	0·80	1·02	2	*8*	1	1	2	*11*
St. Austell	26,600	194	192	14	16	416	15·6	1·12	1·02	216	207	423	15·9	0·73	1·04	6	*14*	6	4	7	*26*

TABLE 13 - *continued*

Area	Estimated home population as at 30th June 1967 (*but see Explanatory Note 'Changes in boundaries'*)	Live births								Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		Legitimate		Illegitimate																	
		M	F	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
CORNWALL - *continued*																					
Municipal boroughs and urban districts - *continued*																					
St. Ives M.B.	8,780	58	34	2	4	98	11·2	1·22	0·79	63	90	153	17·4	0·63	0·98	4	*41*	3	2	2	*40*
St. Just	3,500	21	13	-	-	34	9·7	1·11	0·63	19	35	54	15·4	0·78	1·07	-	-	-	-	1	*29*
Saltash M.B.	8,410	70	64	1	2	137	16·3	1·10	1·04	48	51	99	11·8	0·84	0·89	2	*15*	2	2	-	*15*
Torpoint	6,270	53	42	2	4	101	16·1	1·06	0·99	26	25	51	8·1	1·63	1·18	1	*10*	1	1	1	*20*
Truro M.B.	14,430	102	100	15	3	220	15·2	1·03	0·91	78	89	167	11·6	0·88	0·91	3	*14*	3	3	4	*31*
Rural districts	**155,170**	**1,022**	**1,003**	**75**	**84**	**2,184**	**14·1**	**1·14**	**0·93**	**1,023**	**912**	**1,935**	**12·5**	**0·86**	**0·96**	**24**	**11**	**17**	**16**	**35**	**23**
Camelford	6,950	40	35	5	5	85	12·2	1·24	0·88	49	47	96	13·8	0·70	0·86	-	-	-	-	1	*12*
Kerrier	23,120	149	143	10	11	313	13·5	1·09	0·86	149	119	268	11·6	0·94	0·97	-	-	-	-	7	*22*
Launceston	7,050	48	47	2	3	100	14·2	1·10	0·91	38	36	74	10·5	0·93	0·87	3	*30*	3	3	1	*40*
Liskeard	13,570	97	87	8	9	201	14·8	1·20	1·03	75	85	160	11·8	0·85	0·90	3	*15*	2	2	1	*15*
St. Austell	22,170	149	162	7	10	328	14·8	1·07	0·92	133	101	234	10·6	1·00	0·95	5	*15*	3	3	8	*33*
St. Germans	14,640	104	79	9	8	200	13·7	1·25	1·00	101	95	196	13·4	0·82	0·98	-	-	-	-	1	*5*
Scilly, Isles of	1,960	14	17	3	-	34	17·3	0·92	0·93	9	9	18	*9·2*	0·90	0·74	-	-	-	-	1	*29*
Stratton	4,730	29	31	1	1	62	13·1	1·25	0·95	32	24	56	11·8	0·81	0·85	-	-	-	-	2	*31*
Truro	28,440	181	179	16	18	394	13·9	1·18	0·95	184	179	363	12·8	0·88	1·01	9	*23*	5	4	4	*20*
Wadebridge	14,880	97	110	9	9	225	15·1	1·11	0·97	105	93	198	13·3	0·81	0·96	1	*4*	1	1	4	*22*
West Penwith	17,660	114	113	5	10	242	13·7	1·15	0·92	148	124	272	15·4	1·13	1·55	3	*12*	3	3	5	*32*
CUMBERLAND	**296,050**	**2,277**	**2,189**	**172**	**155**	**4,793**	**16·2**	**1·01**	**0·95**	**1,758**	**1,667**	**3,425**	**11·6**	**1·08**	**1·12**	**77**	**16**	**53**	**46**	**104**	**31**
Carlisle C.B.	70,950	548	553	50	41	1,192	16·8	0·98	0·96	435	438	873	12·3	1·11	1·22	16	*13*	12	8	34	34
Administrative county	**225,100**	**1,729**	**1,636**	**122**	**114**	**3,601**	**16·0**	**1·02**	**0·95**	**1,323**	**1,229**	**2,552**	**11·3**	**1·06**	**1·07**	**61**	**17**	**41**	**38**	**70**	**29**
Municipal boroughs and urban districts	**90,570**	**745**	**683**	**54**	**55**	**1,537**	**17·0**	**0·98**	**0·97**	**557**	**477**	**1,034**	**11·4**	**1·13**	**1·15**	**25**	**16**	**19**	**18**	**28**	**29**
Cockermouth	6,240	60	48	1	4	113	18·1	1·00	1·05	30	31	61	9·8	1·08	0·95	3	*27*	2	2	1	*26*
Keswick	4,350	31	30	5	2	68	15·6	1·15	1·04	29	44	73	16·8	0·80	1·20	2	*29*	2	2	-	*29*
Maryport	12,150	121	91	3	6	221	18·2	0·96	1·02	86	60	146	12·0	1·19	1·28	4	*18*	3	3	6	*40*
Penrith	10,880	79	75	7	8	169	15·5	1·00	0·90	65	66	131	12·0	0·95	1·02	1	*6*	-	-	2	*12*
Whitehaven M.B.	27,050	218	235	18	13	484	17·9	0·93	0·97	157	141	298	11·0	1·21	1·19	8	*17*	7	7	9	*32*
Workington M.B.	29,900	236	204	20	22	482	16·1	1·00	0·94	190	135	325	10·9	1·19	1·16	7	*15*	5	4	10	*28*
Rural districts	**134,530**	**984**	**953**	**68**	**59**	**2,064**	**15·3**	**1·05**	**0·93**	**766**	**752**	**1,518**	**11·3**	**1·04**	**1·05**	**36**	**17**	**22**	**20**	**42**	**29**
Alston with Garrigill	2,060	9	16	-	1	26	12·6	1·25	0·92	13	12	25	12·1	0·84	0·91	-	-	-	-	2	*71*
Border	30,890	197	179	17	9	402	13·0	1·12	0·85	193	217	410	13·3	0·87	1·03	9	*22*	7	6	5	*27*
Cockermouth	21,160	150	152	8	6	316	14·9	1·02	0·88	117	97	214	10·1	1·09	0·98	4	*13*	1	1	8	*28*
Ennerdale	32,030	278	248	18	18	562	17·5	0·99	1·01	164	163	327	10·2	1·21	1·10	15	*27*	9	9	9	*32*
Millom	15,060	97	106	6	9	218	14·5	1·08	0·91	66	60	126	8·4	1·29	0·97	2	*9*	2	1	2	*14*
Penrith	11,480	84	85	5	5	179	15·6	1·07	0·97	61	53	114	9·9	1·05	0·93	1	*6*	1	1	7	*43*
Wigton	21,850	169	167	14	11	361	16·5	1·05	1·01	152	150	302	13·8	0·94	1·16	5	*14*	2	2	9	*30*
DERBYSHIRE*	**890,510**	**7,378**	**6,735**	**506**	**486**	**15,105**	**17·0**	**1·01**	**1·00**	**5,040**	**4,424**	**9,464**	**10·6**	**1·05**	**0·99**	**276**	**18**	**186**	**155**	**256**	**27**
Derby C.B.	127,910	1,039	998	153	141	2,331	18·2	1·09	1·15	832	758	1,590	12·4	0·93	1·03	52	22	37	34	42	32
Administrative county*	**762,600**	**6,339**	**5,737**	**353**	**345**	**12,774**	**16·8**	**0·99**	**0·97**	**4,208**	**3,666**	**7,874**	**10·3**	**1·09**	**1·00**	**224**	**18**	**149**	**121**	**214**	**26**

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
Municipal boroughs and urban districts*	**380,790**	**3,059**	**2,791**	**182**	**175**	**6,207**	**16.3**	**1.02**	**0.97**	**2,152**	**1,960**	**4,112**	**10.8**	**1·04**	**1.00**	**106**	**17**	**71**	**59**	**115**	**28**
Alfreton	22,650	159	139	8	12	318	14·0	1·06	0·86	138	108	246	10·9	1·14	1·11	6	*19*	5	4	10	*43*
Ashbourne	5,650	43	37	-	1	81	14·3	1·10	0·91	43	42	85	15·0	0·74	0·99	3	*37*	2	1	1	*24*
Bakewell	4,040	25	24	1	-	50	12·4	1·12	0·81	40	34	74	18·3	0·50	0·82	1	*20*	1	1	1	*39*
Belper	16,180	125	130	6	3	264	16·3	1·06	1·00	99	95	194	12·0	0·72	0·77	3	*11*	3	3	2	*19*
Bolsover	11,820	84	76	5	1	166	14·0	0·95	0·77	70	42	112	9·5	1·35	1·15	7	*42*	4	4	4	*47*
Buxton M.B.	19,730	146	147	13	14	320	16·2	1·05	0·99	121	137	258	13·1	0·85	0·99	8	*25*	6	5	6	*34*
Chesterfield M.B.	70,020	550	482	31	36	1,099	15·7	1·02	0·93	375	401	776	11·1	1·00	0·99	21	19	12	11	14	*22*
Clay Cross	9,550	61	73	2	-	136	14·2	1·05	0·87	46	43	89	9·3	1·01	0·84	1	*7*	-	-	3	*22*
*Dronfield	14,740	153	151	4	2	310	21·0	0·76	0·93	44	44	88	6·0	1·55	0·83	2	*6*	2	2	6	*25*
Glossop M.B.	19,480	150	142	15	14	321	16·5	1·12	1·07	138	120	258	13·2	0·87	1·03	9	*28*	4	3	9	*36*
Heanor	24,270	205	180	13	8	406	16·7	1·05	1·02	127	111	238	9·8	1·14	1·00	6	*15*	5	4	8	*29*
Ilkeston M.B.	35,340	294	271	19	22	606	17·1	1·01	1·00	186	154	340	9·6	1·23	1·05	5	*8*	4	4	10	*23*
Long Eaton	32,430	322	300	17	21	660	20·4	0·99	1·17	163	160	323	10·0	1·08	0·96	8	*12*	4	3	10	*19*
Matlock	19,560	160	136	9	7	312	16·0	1·01	0·94	110	100	210	10·7	1·04	0·99	4	*13*	2	1	6	*22*
New Mills	8,760	74	58	4	8	144	16·4	1·07	1·02	70	59	129	14·7	0·96	1·26	2	*14*	2	2	5	*47*
Ripley	17,780	130	112	8	5	255	14·3	1·07	0·89	112	87	199	11·2	1·06	1·06	8	*31*	6	3	8	*42*
Staveley	18,480	132	134	11	9	286	15·5	1·01	0·91	83	70	153	8·3	1·25	0·93	5	*17*	4	4	3	*24*
Swadlincote	19,970	156	133	13	10	312	15·6	1·07	0·97	120	110	230	11·5	1·11	1·14	6	*19*	4	4	3	*22*
Whaley Bridge	5,240	42	30	1	-	73	13·9	1·16	0·94	39	27	66	12·6	0·97	1·09	1	*14*	1	-	3	*39*
Wirksworth	5,100	48	36	2	2	88	17·3	0·99	1·00	28	16	44	8·6	1·19	0·91	-	-	-	-	3	*33*
Rural districts*	**381,810**	**3,280**	**2,946**	**171**	**170**	**6,567**	**17·2**	**0·96**	**0·96**	**2,056**	**1,706**	**3,762**	**9·9**	**1·14**	**1·01**	**118**	**18**	**78**	**62**	**99**	**24**
Ashbourne	11,620	102	77	4	7	190	16·4	1·12	1·07	66	52	118	10·2	1·08	0·98	1	*5*	1	1	-	*5*
Bakewell	18,770	139	127	7	3	276	14·7	1·09	0·93	125	117	242	12·9	0·91	1·05	5	*18*	3	2	4	*21*
Belper	38,300	326	289	8	13	636	16·6	0·99	0·96	197	196	393	10·3	1·05	0·97	9	*14*	5	5	9	*22*
Blackwell	44,200	404	345	29	26	804	18·2	1·00	1·06	264	189	453	10·2	1·22	1·11	20	25	10	8	14	27
Chapel en le Frith	18,160	151	141	7	7	306	16·9	1·11	1·09	131	116	247	13·6	0·89	1·08	3	*10*	1	1	1	*7*
*Chesterfield	81,850	664	628	55	46	1,393	17·0	0·94	0·93	440	347	787	9·6	1·28	1·10	29	21	23	18	26	31
Clowne	19,820	146	129	12	11	298	15·0	1·02	0·89	111	80	191	9·6	1·17	1·00	6	*20*	5	3	4	*23*
Repton	42,770	332	301	7	14	654	15·3	0·97	0·86	230	186	416	9·7	0·97	0·84	11	*17*	7	6	14	30
South East Derbyshire	106,320	1,016	909	42	43	2,010	18·9	0·87	0·96	492	423	915	8·6	1·26	0·97	34	17	23	18	27	22
DEVON	**869,840**	**6,107**	**5,686**	**557**	**540**	**12,890**	**14·8**	**1·15**	**0·99**	**5,633**	**5,716**	**11,349**	**13·0**	**0·76**	**0·88**	**169**	**13**	**108**	**93**	**178**	**21**
County boroughs*	**331,640**	**2,581**	**2,391**	**247**	**253**	**5,472**	**16·5**	**1·01**	**0·97**	**1,837**	**1,762**	**3,599**	**10·9**	**0·96**	**0·93**	**85**	**16**	**54**	**49**	**82**	**24**
Exeter	92,550	688	631	76	80	1,475	15·9	0·99	0·92	472	509	981	10·6	0·85	0·80	19	*13*	13	13	16	19
*Plymouth	239,090	1,893	1,760	171	173	3,997	16·7	1·02	0·99	1,365	1,253	2,618	10·9	1·00	0·97	66	17	41	36	66	25
Administrative county*	**538,200**	**3,526**	**3,295**	**310**	**287**	**7,418**	**13·8**	**1·25**	**1·00**	**3,796**	**3,954**	**7,750**	**14·4**	**0·68**	**0·87**	**84**	**11**	**54**	**44**	**96**	**19**
Municipal boroughs and urban districts*	**282,350**	**1,793**	**1,687**	**196**	**166**	**3,842**	**13·6**	**1·30**	**1·03**	**2,136**	**2,371**	**4,507**	**16·0**	**0·61**	**0·87**	**52**	**14**	**36**	**28**	**47**	**19**
Ashburton	3,050	26	19	2	2	49	16·1	1·27	1·19	19	32	51	16·7	0·60	0·89	1	*20*	-	-	2	*39*
Barnstaple M.B.	16,340	152	146	12	13	323	19·8	1·05	1·21	100	94	194	11·9	0·75	0·80	3	*9*	2	1	2	*9*
Bideford M.B.	10,850	84	94	4	9	191	17·6	1·13	1·16	78	99	177	16·3	0·77	1·12	-	-	-	-	2	*10*
Brixham	12,830	95	84	9	6	194	15·1	1·41	1·24	105	90	195	15·2	0·58	0·79	2	*10*	1	1	2	*15*
Buckfastleigh	2,530	13	14	3	2	32	12·6	1·33	0·97	22	24	46	18·2	0·74	1·20	-	-	-	-	1	*30*
Budleigh Salterton	3,830	9	16	1	1	27	7·0	1·80	0·73	45	46	91	23·8	0·46	0·98	1	*37*	-	-	1	*36*
Crediton	4,880	38	28	-	2	68	13·9	1·06	0·86	32	31	63	12·9	0·91	1·05	-	-	-	-	1	*14*
Dartmouth M.B.	7,190	36	40	3	3	82	11·4	1·13	0·75	50	44	94	13·1	0·93	1·09	3	*37*	2	2	1	*36*
Dawlish	7,830	37	38	3	3	81	10·3	1·35	0·81	69	54	123	15·7	0·70	0·98	1	*12*	1	1	-	*12*
Exmouth	22,420	152	157	13	13	335	14·9	1·45	1·26	160	220	380	16·9	0·50	0·75	2	*6*	1	1	3	*12*
Great Torrington M.B.	2,920	29	18	1	2	50	17·1	1·19	1·18	20	27	47	16·1	0·61	0·88	1	*20*	1	-	-	-
Honiton M.B.	5,260	51	25	2	2	80	15·2	1·08	0·95	35	36	71	13·5	0·48	0·58	1	*13*	1	-	-	-
Ilfracombe	8,240	50	49	8	6	113	13·7	1·28	1·02	68	89	157	19·1	0·67	1·14	7	*62*	6	5	2	*61*
Kingsbridge	3,320	16	18	-	-	34	10·2	1·17	0·69	34	16	50	15·1	0·89	1·20	1	*29*	-	-	2	*56*
Lynton	1,680	13	15	1	1	30	17·9	1·14	1·19	15	15	30	17·9	0·58	0·93	2	*67*	1	1	1	*65*
Newton Abbot	18,630	130	129	9	8	276	14·8	1·11	0·96	148	181	329	17·7	0·63	1·00	3	*11*	2	2	5	*25*
Northam	7,450	48	37	1	5	91	12·2	1·46	1·04	51	60	111	14·9	0·60	0·80	2	*22*	2	2	2	*43*
Okehampton M.B.	3,810	21	23	3	1	48	12·6	1·13	0·83	28	36	64	16·8	0·67	1·01	1	*21*	1	1	2	*60*
Ottery St. Mary	5,100	39	33	4	1	77	15·1	1·49	1·31	31	17	48	9·4	0·61	0·51	-	-	-	-	-	-
Paignton	31,850	171	149	19	18	357	11·2	1·47	0·96	261	273	534	16·8	0·54	0·81	3	*8*	3	2	4	*17*
Salcombe	2,420	6	12	6	1	25	10·3	1·33	0·80	20	13	33	13·6	0·60	0·73	-	-	-	-	2	*74*
Seaton	3,740	15	15	1	-	31	8·3	1·64	0·79	27	42	69	18·4	0·43	0·71	1	*32*	1	1	-	*32*
Sidmouth	11,750	52	52	5	4	113	9·6	1·90	1·06	116	137	253	21·5	0·43	0·83	1	*9*	1	-	-	-
(a)‡South Molton M.B.																					

(a) South Molton M.B. abolished 1st April 1967. Events included in figures for South Molton R.D. from 1st January 1967.

TABLE 13 - *continued*

Area	Estimated home population as at 30th June 1967 (*but see Explanatory Note 'Changes in boundaries'*)	Live births								Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		Legitimate		Illegitimate																	
		M	F	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
DEVON - *continued*																					
Municipal boroughs and urban districts - *continued*																					
Teignmouth	12,130	64	66	13	10	153	12·6	1·55	1·14	105	126	231	19·0	0·52	0·88	3	*20*	1	1	1	*13*
Tiverton M.B.	14,370	96	86	12	9	203	14·1	1·06	0·87	61	88	149	10·4	0·84	0·78	4	*20*	3	3	3	*29*
Torquay M.B.	52,300	310	291	57	43	701	13·4	1·27	0·99	395	429	824	15·8	0·66	0·93	9	*13*	6	4	7	*16*
Totnes M.B.	5,630	40	33	4	1	78	13·9	1·19	0·96	41	52	93	16·5	0·58	0·85	-	-	-	-	1	*13*
Rural districts*	**255,850**	**1,733**	**1,608**	**114**	**121**	**3,576**	**14·0**	**1·20**	**0·98**	**1,660**	**1,583**	**3,243**	**12·7**	**0·78**	**0·88**	**32**	**9**	**18**	**16**	**49**	**18**
Axminster	14,850	74	84	2	4	164	11·0	1·31	0·84	96	92	188	12·7	0·78	0·88	2	*12*	2	1	8	*52*
Barnstaple	27,980	215	192	13	12	432	15·4	1·22	1·09	167	158	325	11·6	0·82	0·85	6	*14*	4	4	2	*14*
Bideford	5,080	55	37	-	2	94	18·5	1·16	1·25	37	29	66	13·0	0·96	1·11	-	-	-	-	1	*11*
Crediton	9,870	66	64	5	4	139	14·1	1·12	0·92	56	42	98	9·9	0·93	0·82	1	*7*	1	1	5	*42*
Holsworthy	8,330	47	59	5	4	115	13·8	1·16	0·93	53	46	99	11·9	0·81	0·86	2	*17*	1	-	2	*17*
Honiton	7,260	57	44	2	4	107	14·7	1·17	1·00	37	37	74	10·2	0·93	0·85	-	-	-	-	1	*9*
Kingsbridge	11,900	68	61	3	7	139	11·7	1·22	0·83	70	76	146	12·3	0·78	0·86	1	*7*	1	1	-	*7*
Newton Abbot	28,260	195	189	11	13	408	14·4	1·20	1·00	195	190	385	13·6	0·73	0·89	3	*7*	1	1	5	*15*
Okehampton	11,340	80	62	7	4	153	13·5	1·28	1·00	77	78	155	13·7	0·80	0·98	1	*7*	-	-	3	*19*
*Plympton St. Mary	22,770	168	176	10	16	370	16·2	1·03	0·97	135	129	264	11·6	0·80	0·83	2	*5*	-	-	3	*8*
St. Thomas	30,130	201	167	15	22	405	13·4	1·09	0·85	211	198	409	13·6	0·65	0·79	4	*10*	2	2	6	*19*
(a)*South Molton	11,350	82	72	6	2	162	14·3	1·19	0·99	98	64	162	14·3	0·78	1·00	6	*37*	5	5	-	*31*
Tavistock	22,600	162	137	12	7	318	14·1	1·20	0·98	150	150	300	13·3	0·84	1·00	1	*3*	-	-	5	*15*
Tiverton	20,840	137	136	7	9	289	13·9	1·13	0·91	116	131	247	11·9	0·86	0·91	1	*3*	-	-	4	*14*
Torrington	7,300	42	40	5	3	90	12·3	1·19	0·85	35	47	82	11·2	0·92	0·92	2	*22*	1	1	2	*33*
Totnes	15,990	84	88	11	8	191	11·9	1·27	0·88	127	116	243	15·2	0·60	0·81	-	-	-	-	2	*10*
DORSET	**337,910**	**2,426**	**2,265**	**200**	**190**	**5,081**	**15·0**	**1·14**	**0·99**	**2,086**	**2,063**	**4,149**	**12·3**	**0·83**	**0·91**	**85**	**17**	**63**	**54**	**94**	**29**
Municipal boroughs and urban districts	**205,330**	**1,474**	**1,336**	**136**	**137**	**3,083**	**15·0**	**1·14**	**0·99**	**1,304**	**1,308**	**2,612**	**12·7**	**0·82**	**0·93**	**56**	**18**	**45**	**37**	**57**	**30**
Blanford Forum M.B.	3,640	40	30	-	4	74	20·3	1·18	1·39	34	27	61	16·8	0·78	1·17	2	*27*	2	-	2	*26*
Bridport M.B.	6,510	34	48	3	4	89	13·7	1·20	0·96	54	66	120	18·4	0·68	1·12	-	-	-	-	2	*22*
Dorchester M.B.	13,570	96	94	9	7	206	15·2	1·07	0·95	82	98	180	13·3	0·72	0·86	4	*19*	4	3	5	*38*
Lyme Regis M.B.	3,300	16	10	1	2	29	8·8	1·41	0·72	24	35	59	17·9	0·71	1·13	1	*34*	1	1	1	*67*
Poole M.B.	97,520	711	610	73	62	1,456	14·9	1·12	0·97	625	580	1,205	12·4	0·82	0·91	28	19	20	17	32	33
Portland	12,010	117	100	9	10	236	19·7	1·26	1·44	59	47	106	8·8	1·33	1·05	7	*30*	4	4	3	*29*
Shaftesbury M.B.	3,430	23	24	1	4	52	15·2	1·25	1·10	25	23	48	14·0	0·77	0·96	-	-	-	-	-	-
Sherborne	7,730	48	37	2	-	87	11·3	1·42	0·93	35	48	83	10·7	0·89	0·85	1	*11*	1	1	3	*44*
Swanage	7,800	39	42	5	2	88	11·3	1·32	0·87	55	66	121	15·5	0·69	0·95	1	*11*	1	-	1	*11*
Wareham M.B.	3,490	39	37	2	5	83	23·8	1·21	1·67	33	26	59	16·9	0·58	0·88	2	*24*	2	1	3	*47*
Weymouth and Melcombe Regis	42,160	281	268	29	36	614	14·6	1·07	0·91	253	252	505	12·0	0·86	0·92	10	*16*	10	10	4	*23*
Wimborne Minster	4,170	30	36	2	1	69	16·5	1·18	1·13	25	40	65	15·6	0·82	1·14	-	-	-	-	1	*14*
Rural districts	**132,580**	**952**	**929**	**64**	**53**	**1,998**	**15·1**	**1·14**	**1·00**	**782**	**755**	**1,537**	**11·6**	**0·83**	**0·86**	**29**	**15**	**18**	**17**	**37**	**27**
Beaminster	8,390	42	44	5	-	91	10·8	1·18	0·74	58	52	110	13·1	0·69	0·81	2	*22*	2	2	3	*53*
Blandford	12,970	117	81	7	6	211	16·3	1·22	1·16	61	43	104	8·0	1·16	0·83	2	*9*	1	1	1	*9*
Bridport	8,160	38	46	2	2	88	10·8	1·36	0·85	46	54	100	12·3	0·74	0·81	1	*11*	1	1	1	*22*
Dorchester	18,010	122	115	4	6	247	13·7	1·18	0·94	134	160	294	16·3	0·62	0·90	1	*4*	-	-	7	*28*
Shaftesbury	10,130	60	86	3	6	155	15·3	1·15	1·02	59	51	110	10·9	0·81	0·79	1	*6*	1	1	2	*19*
Sherborne	6,740	57	59	3	2	121	18·0	1·13	1·18	31	39	70	10·4	0·94	0·87	7	*58*	4	4	3	*56*
Sturminster	10,230	61	70	2	6	139	13·6	1·28	1·01	79	68	147	14·4	0·70	0·90	1	*7*	1	1	3	*28*
Wareham and Purbeck	23,870	221	194	11	10	436	18·3	1·00	1·06	105	101	206	8·6	1·14	0·88	6	*14*	4	4	7	*25*
Wimborne and Cranborne	34,080	234	234	27	15	510	15·0	1·10	0·96	209	187	396	11·6	0·87	0·90	8	*16*	4	3	10	*25*
DURHAM	**1,547,050**	**12,802**	**11,993**	**903**	**894**	**26,592**	**17·2**	**0·98**	**0·98**	**9,156**	**7,832**	**16,988**	**11·0**	**1·17**	**1·15**	**563**	**21**	**384**	**320**	**427**	**28**
County boroughs*	**602,600**	**4,975**	**4,672**	**462**	**448**	**10,557**	**17·5**	**0·96**	**0·98**	**3,618**	**3,091**	**6,709**	**11·1**	**1·15**	**1·14**	**231**	**22**	**159**	**139**	**173**	**29**
*Darlington	84,640	649	626	76	64	1,415	16·7	1·02	0·99	586	557	1,143	13·5	0·98	1·18	40	28	23	20	17	26
Gateshead	100,780	849	733	69	69	1,720	17·1	0·97	0·96	637	526	1,163	11·5	1·14	1·17	43	25	30	26	33	34
(b)†Hartlepool	97,910	843	796	74	99	1,812	18·5	0·94	1·01	579	438	1,017	10·4	1·25	1·16	26	14	17	16	22	21
South Shields	107,760	764	772	82	76	1,694	15·7	0·98	0·89	596	496	1,092	10·1	1·17	1·06	31	18	25	23	23	27
*Sunderland	211,510	1,870	1,745	161	140	3,916	18·5	0·93	1·00	1,220	1,074	2,294	10·8	1·20	1·16	91	23	64	54	78	33
(b)‡West Hartlepool																					
Administrative county*	**944,450**	**7,827**	**7,321**	**441**	**446**	**16,035**	**17·0**	**0·99**	**0·98**	**5,538**	**4,741**	**10,279**	**10·9**	**1·18**	**1·15**	**332**	**21**	**225**	**181**	**254**	**27**
Municipal boroughs and urban districts*	**647,550**	**5,359**	**5,043**	**300**	**324**	**11,026**	**17·0**	**0·99**	**0·98**	**3,794**	**3,232**	**7,026**	**10·9**	**1·20**	**1·17**	**228**	**21**	**154**	**123**	**183**	**27**
Barnard Castle	5,410	43	33	3	5	84	15·5	1·08	0·97	40	34	74	13·7	0·71	0·87	2	*24*	2	1	-	*12*
Billingham	35,000	305	241	26	18	590	16·9	0·89	0·87	174	117	291	8·3	1·64	1·22	13	*22*	7	7	13	*33*
Bishop Auckland	34,650	287	286	20	19	612	17·7	1·01	1·04	218	195	413	11·9	1·14	1·21	16	*26*	7	5	6	*18*
Blaydon	31,880	257	258	15	9	539	16·9	0·98	0·96	186	121	307	9·6	1·18	1·01	10	*19*	7	6	8	*26*
*Boldon	23,650	201	181	7	8	397	16·8	0·93	0·91	107	127	234	9·9	1·11	0·98	5	*13*	5	4	9	*32*
Brandon and Byshottles	18,900	150	152	7	13	322	17·0	0·99	0·98	123	113	236	12·5	1·18	1·32	6	*19*	5	5	2	*22*
Chester-le-Street	20,300	185	166	7	12	370	18·2	1·03	1·09	120	118	238	11·7	1·00	1·04	3	*8*	2	1	6	*19*
Consett	37,500	284	275	16	17	592	15·8	1·00	0·92	220	167	387	10·3	1·19	1·09	13	*22*	10	9	4	*22*
Crook and Willington	23,660	163	149	14	12	338	14·3	1·06	0·88	173	165	338	14·3	0·95	1·21	8	*24*	5	5	4	*26*
Durham M.B.	24,410	173	146	13	12	344	14·1	1·22	1·00	128	161	289	11·8	1·06	1·12	3	*9*	2	1	4	*14*
Felling	38,870	291	303	8	14	616	15·8	0·93	0·85	200	180	380	9·8	1·49	1·30	11	*18*	8	6	10	*26*
(b)‡Hartlepool M.B.																					
Hebburn	24,940	215	203	13	17	448	18·0	0·93	0·97	138	124	262	10·5	1·30	1·22	9	*20*	7	6	6	*26*
Hetton	17,020	109	127	1	5	242	14·2	1·02	0·84	115	87	202	11·9	1·23	1·31	6	*25*	6	3	6	*36*
*Houghton-le-Spring	31,550	274	257	13	11	555	17·6	0·97	0·99	182	159	341	10·8	1·17	1·13	13	*23*	9	8	12	35
*Jarrow M.B.	28,530	275	222	13	23	533	18·7	1·03	1·12	170	148	318	11·1	1·21	1·20	6	*11*	2	2	14	*29*
Ryton	14,700	135	148	7	6	296	20·1	1·04	1·22	97	83	180	12·2	1·05	1·14	4	*14*	4	3	6	*30*
*Seaham	25,200	171	181	15	19	386	15·3	0·99	0·88	145	135	280	11·1	1·27	1·26	13	*34*	9	7	6	*33*
Shildon	13,820	113	90	5	9	217	15·7	1·03	0·94	93	81	174	12·6	1·21	1·36	5	*23*	4	3	2	*23*
Spennymoor	18,450	122	117	11	7	257	13·9	1·01	0·82	111	89	200	10·8	1·21	1·17	4	*16*	2	1	3	*15*
Stanley	44,690	309	330	23	12	674	15·1	1·02	0·90	283	226	509	11·4	1·16	1·18	16	*24*	14	12	13	36
Stockton-on-Tees M.B.	83,660	812	731	43	53	1,639	19·6	0·95	1·08	473	396	869	10·4	1·26	1·17	41	25	20	17	40	34
Tow Law	2,830	26	22	2	2	52	18·4	1·06	1·13	23	13	36	12·7	1·06	1·20	1	*19*	1	1	-	*19*
*Washington	20,040	207	184	12	8	411	20·5	0·95	1·13	123	85	208	10·4	1·36	1·26	11	*27*	8	7	4	*27*
Whickham	27,890	252	241	6	13	512	18·4	0·97	1·04	152	108	260	9·3	1·19	0·99	9	*18*	8	3	5	*15*
Rural districts*	**296,900**	**2,468**	**2,278**	**141**	**122**	**5,009**	**16·9**	**0·99**	**0·97**	**1,744**	**1,509**	**3,253**	**11·0**	**1·14**	**1·12**	**104**	**21**	**71**	**58**	**71**	**25**
Barnard Castle	17,520	113	111	4	7	235	13·4	1·11	0·86	98	82	180	10·3	1·12	1·03	6	*26*	5	4	5	*38*
Chester-le-Street	45,680	387	351	26	19	783	17·1	0·98	0·97	281	209	490	10·7	1·22	1·17	11	*14*	8	6	10	*20*
*Darlington	28,990	241	226	17	15	499	17·2	0·82	0·82	105	101	206	7·1	1·54	0·98	8	*16*	5	5	8	*26*
Durham	37,660	343	317	18	12	690	18·3	0·94	1·00	191	180	371	9·9	1·17	1·03	11	*16*	6	5	13	*26*
*Easington	86,230	751	688	43	42	1,524	17·7	0·94	0·97	522	433	955	11·1	1·33	1·32	43	28	27	22	25	30
Lanchester	14,900	107	130	10	6	253	17·0	1·03	1·02	124	113	237	15·9	0·68	0·97	4	*16*	4	2	1	*12*
Sedgefield	35,170	289	221	14	12	536	15·2	1·03	0·91	250	236	486	13·8	0·93	1·15	12	*22*	9	8	2	*19*
*Stockton	15,020	125	134	5	1	265	17·6	1·02	1·04	53	50	103	6·9	1·14	0·70	7	*26*	6	5	4	*33*
‡Sunderland	7,540	59	53	2	3	117	15·5			48	44	92	12·2			2	*17*	1	1	-	*9*
Weardale	8,190	53	47	2	5	107	13·1	1·16	0·88	72	61	133	16·2	0·76	1·10	-	-	-	-	3	*27*
ESSEX	**1,268,610**	**10,784**	**10,197**	**654**	**651**	**22,286**	**17·6**	**0·99**	**1·01**	**6,532**	**6,471**	**13,003**	**10·2**	**0·95**	**0·87**	**381**	**17**	**267**	**230**	**298**	**23**
Southend-on-Sea C.B.	165,760	1,030	1,004	117	123	2,274	13·7	1·18	0·94	1,063	1,218	2,281	13·8	0·76	0·94	44	19	31	28	28	24
Administrative county	**1,102,850**	**9,754**	**9,193**	**537**	**528**	**20,012**	**18·1**	**0·97**	**1·02**	**5,469**	**5,253**	**10,722**	**9·7**	**0·99**	**0·86**	**337**	**17**	**236**	**202**	**270**	**23**
Municipal boroughs and urban districts	**803,970**	**7,007**	**6,600**	**397**	**385**	**14,389**	**17·9**	**0·95**	**0·99**	**3,880**	**3,694**	**7,574**	**9·4**	**1·05**	**0·88**	**240**	**17**	**165**	**140**	**196**	**23**
Basildon	114,600	1,109	1,060	44	45	2,258	19·7	0·79	0·90	442	381	823	7·2	1·50	0·96	36	16	24	22	41	27
Benfleet	43,890	444	447	12	20	923	21·0	0·97	1·18	207	226	433	9·9	0·89	0·79	10	*11*	7	6	12	*19*
Braintree and Bocking	22,310	221	186	15	14	436	19·5	0·99	1·12	122	128	250	11·2	0·79	0·79	6	*14*	6	5	12	*38*
Brentwood	57,000	407	425	19	18	869	15·2	0·93	0·82	290	361	651	11·4	0·77	0·78	15	*17*	7	6	5	*13*
Brightlingsea	5,870	53	53	2	6	114	19·4	1·25	1·41	55	52	107	18·2	0·69	1·12	4	*35*	4	4	-	*35*
Burnham-on-Crouch	4,450	26	32	2	3	63	14·2	1·25	1·03	34	29	63	14·2	0·74	0·94	1	*16*	1	1	1	*31*
Canvey Island	22,170	245	192	12	11	460	20·7	1·16	1·40	131	99	230	10·4	0·84	0·78	9	*20*	7	5	3	*17*
Chelmsford M.B.	55,210	549	489	36	32	1,106	20·0	0·91	1·06	241	197	438	7·9	1·21	0·85	17	*15*	13	11	13	21
Chigwell	56,040	299	280	18	22	619	11·0	1·11	0·71	241	233	474	8·5	1·27	0·96	3	*5*	2	2	6	*13*

(a) South Molton M.B. abolished 1st April 1967. Events included in figures for South Molton R.D. from 1st January 1967.
(b) West Hartlepool C.B. and Hartlepool M.B. abolished 1st April 1967. Events included in figures for Hartlepool C.B. from 1st January 1967.

TABLE 13 - *continued*

Area	Estimated home population as at 30th June 1967 (*but see Explanatory Note 'Changes in boundaries'*)	Live births								Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		Legitimate		Illegitimate																	
		M	F	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
ESSEX - *continued*																					
Municipal boroughs and urban districts																					
Clacton	34,250	198	198	31	27	454	13·3	1·35	1·04	313	361	674	19·7	0·57	1·00	8	*18*	4	3	4	*15*
Colchester M.B.	72,600	643	625	49	50	1,367	18·8	1·01	1·10	380	416	796	11·0	0·89	0·87	31	23	18	16	25	29
Epping	11,020	105	87	4	4	200	18·1	0·88	0·93	52	53	105	9·5	1·08	0·92	3	*15*	3	3	2	*25*
Frinton and Walton	11,620	61	50	7	5	123	10·6	1·45	0·89	117	100	217	18·7	0·54	0·90	5	*41*	2	2	-	*16*
Halstead	6,840	57	72	3	1	133	19·4	1·06	1·20	50	52	102	14·9	0·84	1·12	-	-	-	-	1	*7*
Harlow	71,370	706	672	35	31	1,444	20·2	0·74	0·87	166	127	293	4·1	2·63	0·96	24	17	16	12	17	20
Harwich M.B.	14,400	127	120	6	8	261	18·1	1·06	1·12	91	75	166	11·5	1·09	1·12	5	*19*	3	2	3	*19*
Maldon M.B.	12,010	107	121	10	7	245	20·4	1·06	1·26	79	69	148	12·3	0·63	0·69	5	*20*	3	2	4	*24*
Rayleigh	24,850	213	207	10	8	438	17·6	0·90	0·92	86	97	183	7·4	1·23	0·81	6	*14*	5	5	5	*23*
Saffron Walden M.B.	9,410	88	69	5	2	164	17·4	1·07	1·08	69	69	138	14·7	0·71	0·93	4	*24*	3	2	2	*24*
Thurrock	121,670	1,016	907	64	57	2,044	16·8	0·99	0·97	511	444	955	7·8	1·42	0·99	40	20	31	25	28	26
Waltham Holy Cross	12,890	139	130	6	6	281	21·8	0·83	1·05	75	36	111	8·6	1·42	1·09	3	*11*	2	2	7	*31*
West Mersea	3,580	32	26	-	2	60	16·8	1·51	1·47	33	32	65	18·2	0·59	0·96	2	*33*	2	2	1	*49*
Witham	11,780	121	102	7	6	236	20·0	1·04	1·21	75	37	112	9·5	0·91	0·77	1	*4*	1	1	4	*21*
Wivenhoe	4,140	41	50	-	-	91	22·0	1·01	1·29	20	20	40	9·7	1·13	0·98	2	*22*	1	1	-	*11*
Rural districts	**298,880**	**2,747**	**2,593**	**140**	**143**	**5,623**	**18·8**	**1·03**	**1·13**	**1,589**	**1,559**	**3,148**	**10·5**	**0·86**	**0·81**	**97**	**17**	**71**	**62**	**74**	**24**
Braintree	24,520	200	165	12	14	391	15·9	1·04	0·96	111	105	216	8·8	0·90	0·71	2	*5*	1	1	3	*10*
Chelmsford	60,930	598	566	30	28	1,222	20·1	0·98	1·15	275	328	603	9·9	0·87	0·77	21	17	11	10	15	20
Dunmow	23,250	201	208	10	10	429	18·5	1·03	1·11	109	87	196	8·4	0·98	0·74	9	*21*	5	5	7	*28*
Epping and Ongar	42,010	348	344	18	15	725	17·3	0·93	0·94	186	130	316	7·5	1·17	0·78	7	*10*	6	4	9	*18*
Halstead	17,670	147	160	6	11	324	18·3	1·19	1·27	98	89	187	10·6	0·79	0·75	9	*28*	6	5	4	*27*
Lexden and Winstree	27,440	282	250	10	11	553	20·2	1·14	1·34	168	170	338	12·3	0·79	0·87	12	*22*	10	9	7	*29*
Maldon	18,570	157	173	11	8	349	18·8	1·19	1·30	105	103	208	11·2	0·83	0·83	8	*23*	7	5	2	*20*
Rochford	38,140	420	394	15	18	847	22·2	0·95	1·23	255	272	527	13·8	0·77	0·95	15	*18*	14	12	12	28
Saffron Walden	19,230	173	145	12	12	342	17·8	1·12	1·16	101	100	201	10·5	0·89	0·83	6	*18*	5	5	5	*29*
Tendring	27,120	221	188	16	16	441	16·3	1·16	1·10	181	175	356	13·1	0·73	0·85	8	*18*	6	6	10	*35*
GLOUCESTERSHIRE*	**1,062,260**	**8,857**	**8,234**	**786**	**763**	**18,640**	**17·5**	**1·00**	**1·02**	**5,815**	**5,635**	**11,450**	**10·8**	**1·00**	**0·96**	**307**	**16**	**214**	**183**	**241**	**22**
County boroughs*	**514,430**	**3,952**	**3,775**	**467**	**452**	**8,646**	**16·8**	**1·02**	**1·00**	**2,975**	**2,937**	**5,912**	**11·5**	**0·96**	**0·99**	**153**	**18**	**108**	**95**	**117**	**24**
Bristol	429,020	3,224	3,037	377	365	7,003	16·3	1·03	0·98	2,548	2,496	5,044	11·8	0·94	0·99	118	17	86	75	91	23
*Gloucester	85,410	728	738	90	87	1,643	19·2	0·97	1·08	427	441	868	10·2	1·02	0·93	35	21	22	20	26	28
Administrative county*	**547,830**	**4,905**	**4,459**	**319**	**311**	**9,994**	**18·2**	**0·99**	**1·05**	**2,840**	**2,698**	**5,538**	**10·1**	**1·06**	**0·96**	**154**	**15**	**106**	**88**	**124**	**21**
Municipal boroughs and urban districts	**181,070**	**1,531**	**1,414**	**136**	**122**	**3,203**	**17·7**	**0·97**	**1·00**	**923**	**1,064**	**1,987**	**11·0**	**0·96**	**0·94**	**44**	**14**	**31**	**25**	**38**	**19**
Charlton Kings	9,730	70	65	3	2	140	14·4	1·00	0·84	48	57	105	10·8	0·96	0·93	5	*36*	4	3	1	*28*
Cheltenham M.B.	75,640	572	520	76	74	1,242	16·4	0·98	0·93	371	492	863	11·4	0·91	0·93	20	16	14	10	13	18
Cirencester	12,850	90	114	7	7	218	17·0	1·07	1·06	66	91	157	12·2	0·72	0·78	2	*9*	2	2	2	*18*
Kingswood	28,710	312	283	16	10	621	21·6	0·81	1·02	170	134	304	10·6	1·30	1·23	7	*11*	4	3	12	*24*
Mangotsfield	23,500	177	164	12	12	365	15·5	0·98	0·88	125	100	225	9·6	1·18	1·01	1	*3*	1	1	5	*16*
Nailsworth	3,840	41	29	2	1	73	19·0	1·18	1·30	19	22	41	10·7	0·95	0·91	2	*27*	-	-	1	*14*
Stroud	18,550	174	155	13	7	349	18·8	1·04	1·14	94	123	217	11·7	0·77	0·80	3	*9*	3	3	2	*14*
Tewkesbury M.B.	8,250	95	84	7	9	195	23·6	1·06	1·45	30	45	75	9·1	1·04	0·85	4	*21*	3	3	2	*25*
Rural districts*	**366,760**	**3,374**	**3,045**	**183**	**189**	**6,791**	**18·5**	**1·00**	**1·08**	**1,917**	**1,634**	**3,551**	**9·7**	**1·12**	**0·97**	**110**	**16**	**75**	**63**	**86**	**22**
Cheltenham	40,360	363	323	16	19	721	17·9	1·02	1·06	186	154	340	8·4	1·23	0·92	12	*17*	7	6	8	*19*
Cirencester	15,150	134	126	5	6	271	17·9	1·01	1·05	81	39	120	7·9	1·04	0·73	1	4	-	-	4	*15*
Dursley	20,310	172	154	6	9	341	16·8	1·10	1·07	112	98	210	10·3	1·07	0·98	10	*29*	4	4	3	*20*
East Dean	21,080	176	171	12	15	374	17·7	1·04	1·07	119	109	228	10·8	1·06	1·02	10	*27*	6	6	6	*32*
*Gloucester	41,870	372	338	26	29	765	18·3	1·03	1·10	257	200	457	10·9	1·02	0·99	14	*18*	10	9	9	*23*
Lydney	14,290	118	106	5	5	234	16·4	1·14	1·09	75	62	137	9·6	1·11	0·95	1	4	1	1	3	*17*
Newent	9,260	75	67	3	2	147	15·9	1·10	1·02	33	52	85	9·2	0·95	0·78	3	*20*	1	1	2	*20*
North Cotswold	20,900	148	123	6	10	287	13·7	1·11	0·88	149	106	255	12·2	0·96	1·05	1	*3*	1	1	1	*7*
Northleach	7,780	47	48	4	8	107	13·8	1·09	0·87	44	44	88	11·3	0·84	0·85	1	*9*	1	1	1	*19*
Sodbury	59,050	657	589	28	28	1,302	22·0	0·94	1·20	240	213	453	7·7	1·32	0·91	22	17	18	14	11	19
Stroud	29,270	261	206	20	14	501	17·1	1·10	1·09	174	177	351	12·0	0·93	1·00	7	*14*	5	5	9	*27*
Tetbury	6,990	63	61	3	4	131	18·7	1·07	1·16	37	47	84	12·0	0·78	0·84	4	*31*	2	2	2	*30*
Thornbury	39,060	433	420	33	26	912	23·3	0·93	1·26	170	136	306	7·8	1·38	0·96	13	*14*	10	7	17	26
Warmley	23,770	216	193	3	7	419	17·6	0·78	0·80	102	97	199	8·4	1·40	1·05	8	*19*	7	5	3	*19*
West Dean	17,620	139	120	13	7	279	15·8	1·04	0·96	138	100	238	13·5	0·99	1·19	3	*11*	2	1	7	*28*
GREATER LONDON	**7,880,760**	**60,927**	**58,128**	**7,812**	**7,470**	**134,337**	**17·0**	**0·93**	**0·92**	**43,032**	**42,255**	**85,287**	**10·8**	**1·01**	**0·97**	**2,470**	**18**	**1,731**	**1,486**	**1,806**	**24**
City of London	4,530	10	10	3	2	25	5·5	0·82	0·26	37	12	49	10·8	0·93	0·90	-	-	-	-	1	*38*
London Boroughs:																					
Barking	170,100	1,114	1,022	91	69	2,296	13·5	1·04	0·82	985	730	1,715	10·1	1·33	1·20	45	20	26	25	32	24
Barnet	315,210	2,112	2,089	195	168	4,564	14·5	0·99	0·83	1,718	1,739	3,457	11·0	0·91	0·89	73	16	55	46	62	23
Bexley	215,330	1,822	1,669	86	101	3,678	17·1	1·00	0·99	1,115	945	2,060	9·6	1·14	0·98	58	16	45	41	53	25
Brent	293,370	2,605	2,603	471	418	6,097	20·8	0·91	1·10	1,496	1,378	2,874	9·8	1·10	0·96	123	20	75	59	99	26
Bromley	302,660	2,186	2,008	160	166	4,520	14·9	1·01	0·87	1,515	1,558	3,073	10·2	0·97	0·88	74	16	49	38	64	22
Camden	238,020	1,537	1,385	288	316	3,526	14·8	0·72	0·62	1,256	1,114	2,370	10·0	1·11	0·99	69	20	47	40	46	24
Croydon	328,290	2,555	2,473	275	279	5,582	17·0	1·02	1·01	1,917	2,098	4,015	12·2	0·87	0·95	110	20	77	66	87	27
Ealing	302,570	2,552	2,491	298	271	5,612	18·5	0·97	1·04	1,717	1,621	3,338	11·0	0·94	0·92	121	22	86	77	74	27
Enfield	266,640	2,017	1,839	130	151	4,137	15·5	1·04	0·94	1,520	1,454	2,974	11·2	0·95	0·95	57	14	47	41	46	21
Greenwich	231,150	1,661	1,573	195	171	3,600	15·6	1·04	0·94	1,267	1,212	2,479	10·7	1·06	1·01	73	20	50	42	54	26
Hackney	249,140	2,368	2,163	424	416	5,371	21·6	0·91	1·14	1,402	1,303	2,705	10·9	1·10	1·07	107	20	80	63	70	24
Hammersmith	211,720	1,714	1,613	346	319	3,992	18·9	0·88	0·97	1,234	1,142	2,376	11·2	1·06	1·06	65	16	50	42	42	21
Haringey	254,120	2,404	2,241	358	334	5,337	21·0	0·92	1·12	1,391	1,414	2,805	11·0	0·97	0·95	100	19	71	64	58	23
Harrow	208,200	1,443	1,463	110	87	3,103	14·9	1·02	0·88	1,021	1,037	2,058	9·9	1·04	0·92	53	17	46	39	36	24
Havering	251,160	1,968	1,929	111	97	4,105	16·3	0·92	0·87	1,025	960	1,985	7·9	1·31	0·92	73	18	50	46	64	26
Hillingdon	234,470	1,785	1,721	130	120	3,756	16·0	0·96	0·89	1,045	1,041	2,086	8·9	1·24	0·99	52	14	38	33	43	20
Hounslow	206,870	1,631	1,520	155	151	3,457	16·7	0·97	0·94	1,152	1,063	2,215	10·7	1·07	1·02	48	14	40	36	33	20
Islington	254,580	2,379	2,293	400	373	5,445	21·4	0·82	1·02	1,311	1,313	2,624	10·3	1·06	0·97	100	18	67	59	79	25
Kensington and Chelsea	213,310	1,222	1,270	370	302	3,164	14·8	0·60	0·52	970	1,218	2,188	10·3	0·99	0·91	80	25	52	43	34	24
Kingston upon Thames	145,240	1,005	966	94	74	2,139	14·7	1·01	0·86	790	816	1,606	11·1	0·92	0·91	32	15	22	19	28	22
Lambeth	338,130	2,887	2,756	551	605	6,799	20·1	0·89	1·04	1,830	1,782	3,612	10·7	1·06	1·01	149	22	102	86	105	28
Lewisham	289,700	2,366	2,240	357	345	5,308	18·3	0·96	1·02	1,707	1,633	3,340	11·5	0·97	1·00	86	16	54	46	64	20
Merton	183,050	1,295	1,221	112	119	2,747	15·0	1·04	0·91	1,029	1,012	2,041	11·1	0·98	0·97	45	16	36	31	36	24
Newham	257,350	2,357	2,262	268	226	5,113	19·9	0·98	1·13	1,422	1,286	2,708	10·5	1·15	1·08	97	19	64	53	76	25
Redbridge	245,300	1,716	1,677	119	115	3,627	14·8	1·03	0·89	1,315	1,426	2,741	11·2	0·95	0·95	66	18	49	45	40	23
Richmond upon Thames	179,040	1,251	1,195	125	110	2,681	15·0	1·01	0·88	1,072	1,205	2,277	12·7	0·83	0·94	44	16	35	31	26	21
Southwark	300,720	2,343	2,241	352	338	5,274	17·5	0·93	0·95	1,755	1,745	3,500	11·6	1·06	1·10	104	20	70	59	90	28
Sutton	165,250	1,229	1,084	65	85	2,463	14·9	1·03	0·89	965	1,025	1,990	12·0	0·90	0·96	39	16	29	25	27	21
Tower Hamlets	198,230	1,412	1,409	221	218	3,260	16·4	0·93	0·89	1,174	956	2,130	10·7	1·15	1·10	56	17	37	29	55	25
Waltham Forest	237,910	1,865	1,785	173	174	3,997	16·8	1·06	1·04	1,443	1,455	2,898	12·2	0·91	0·99	66	17	43	36	63	24
Wandsworth	330,470	2,691	2,461	438	423	6,013	18·2	0·96	1·02	1,994	2,210	4,204	12·7	0·83	0·94	130	22	95	87	86	28
Westminster, City of	258,930	1,425	1,456	341	327	3,549	13·7	0·77	0·61	1,442	1,352	2,794	10·8	1·05	1·01	75	21	44	39	33	20
HAMPSHIRE*	**1,511,250**	**12,117**	**11,658**	**1,185**	**1,118**	**26,078**	**17·3**	**1·03**	**1·04**	**8,534**	**8,341**	**16,875**	**11·2**	**0·90**	**0·90**	**422**	**16**	**280**	**238**	**357**	**23**
County boroughs*	**578,880**	**3,856**	**3,716**	**589**	**553**	**8,714**	**15·1**	**1·06**	**0·93**	**3,751**	**3,743**	**7,494**	**12·9**	**0·82**	**0·94**	**141**	**16**	**98**	**79**	**144**	**25**
Bournemouth	150,000	757	776	127	118	1,778	11·9	1·23	0·85	1,159	1,365	2,524	16·8	0·60	0·90	30	17	24	20	19	22
*Portsmouth	219,110	1,511	1,396	241	250	3,398	15·5	1·04	0·94	1,379	1,324	2,703	12·3	0·84	0·92	59	17	40	32	62	27
*Southampton	209,770	1,588	1,544	221	185	3,538	16·9	0·99	0·97	1,213	1,054	2,267	10·8	1·11	1·07	52	15	34	27	63	25
Administrative county*	**932,370**	**8,261**	**7,942**	**596**	**565**	**17,364**	**18·6**	**1·01**	**1·09**	**4,783**	**4,598**	**9,381**	**10·1**	**0·97**	**0·87**	**281**	**16**	**182**	**159**	**213**	**21**
Municipal boroughs and urban districts	**570,390**	**5,203**	**4,965**	**363**	**348**	**10,879**	**19·1**	**0·98**	**1·09**	**2,822**	**2,675**	**5,497**	**9·6**	**1·04**	**0·89**	**183**	**17**	**120**	**103**	**148**	**23**
Aldershot M.B.	36,080	391	358	32	30	811	22·5	0·92	1·20	145	140	285	7·9	1·37	0·97	16	*20*	10	9	6	*18*
Alton	10,220	96	81	4	5	186	18·2	0·97	1·03	52	45	97	9·5	0·92	0·78	2	*11*	2	2	3	*26*
Andover M.B.	21,880	235	250	14	16	515	23·5	1·11	1·52	133	112	245	11·2	0·90	0·90	11	*21*	6	6	8	*27*
Basingstoke M.B.	38,230	468	422	35	25	950	24·8	0·79	1·14	152	118	270	7·1	1·51	0·96	18	*19*	8	7	8	*16*

TABLE 13 - *continued*

Area	Estimated home population as at 30th June 1967 (*but see Explanatory Note 'Changes in boundaries'*)	Live births								Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		Legitimate		Illegitimate		Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate							Number	Rate per 1,000 live births				
		M	F	M	F					M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate						
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
HAMPSHIRE - *continued*																					
Municipal boroughs and urban districts - *continued*																					
Christchurch M.B.	30,270	167	174	20	13	374	12·4	1·39	1·00	226	250	476	15·7	0·65	0·91	9	*24*	6	4	5	*24*
Eastleigh M.B.	43,070	371	361	28	26	786	18·2	0·98	1·04	218	170	388	9·0	1·17	0·94	9	*11*	6	5	10	*19*
Fareham	75,330	641	605	43	40	1,329	17·6	0·91	0·93	366	331	697	9·3	1·09	0·91	18	*14*	13	11	18	22
Farnborough	40,020	455	425	21	29	930	23·2	0·96	1·29	153	125	278	6·9	1·54	0·95	14	*15*	10	10	14	25
Fleet	20,650	221	203	8	7	439	21·3	0·91	1·13	79	81	160	7·7	1·03	0·71	12	*27*	6	5	5	*23*
Gosport M.B.	75,320	729	687	51	47	1,514	20·1	0·94	1·10	340	332	672	8·9	1·21	0·96	25	17	15	11	24	23
Havant and Waterloo	99,830	944	902	69	75	1,990	19·9	0·92	1·06	409	389	798	8·0	1·35	0·96	35	18	25	22	32	27
Lymington M.B.	32,580	179	177	18	11	385	11·8	1·45	0·99	281	263	544	16·7	0·54	0·81	6	*16*	5	4	7	*28*
Petersfield	8,510	60	55	6	4	125	14·7	1·12	0·96	57	71	128	15·0	0·75	1·00	2	*16*	2	2	1	*24*
Romsey M.B.	7,660	74	84	3	3	164	21·4	1·12	1·39	41	47	88	11·5	0·76	0·78	2	*12*	2	2	2	*24*
Winchester M.B.	30,740	172	181	11	17	381	12·4	1·04	0·75	170	201	371	12·1	0·79	0·85	4	*10*	4	3	5	*21*
Rural districts*	**361,980**	**3,058**	**2,977**	**233**	**217**	**6,485**	**17·9**	**1·05**	**1·09**	**1,961**	**1,923**	**3,884**	**10·7**	**0·86**	**0·82**	**98**	**15**	**62**	**56**	**65**	**18**
Alton	28,150	230	218	32	25	505	17·9	1·08	1·12	147	141	288	10·2	0·93	0·85	6	*12*	4	3	4	*14*
Andover	21,980	175	174	20	13	382	17·4	1·21	1·22	106	64	170	7·7	1·46	1·00	10	*26*	6	6	2	*21*
Basingstoke	21,180	155	163	9	5	332	15·7	1·10	1·00	167	165	332	15·7	0·54	0·76	9	*27*	6	5	4	*27*
Droxford	24,920	169	175	8	9	361	14·5	1·09	0·92	166	183	349	14·0	0·64	0·80	2	*6*	-	-	7	*19*
Hartley Wintney	33,530	372	344	18	21	755	22·5	1·01	1·32	133	152	285	8·5	1·02	0·77	11	*15*	4	4	9	*17*
Kingclere and Whitchurch	26,730	242	269	15	15	541	20·2	0·98	1·15	129	110	239	8·9	1·11	0·88	5	*9*	2	1	3	*7*
New Forest	66,740	572	535	41	46	1,194	17·9	0·98	1·02	390	295	685	10·3	1·02	0·94	16	*13*	11	11	20	26
Petersfield	29,710	253	227	17	13	510	17·2	0·99	0·99	124	138	262	8·8	0·87	0·68	4	*8*	4	3	2	*10*
Ringwood and Fordingbridge	29,880	182	163	15	15	375	12·6	1·21	0·89	208	252	460	15·4	0·59	0·81	4	*11*	1	1	3	*11*
*Romsey and Stockbridge	25,010	226	224	21	16	487	19·5	1·07	1·21	92	92	184	7·4	0·99	0·65	7	*14*	6	5	3	*16*
Winchester	54,150	482	485	37	39	1,043	19·3	1·02	1·14	299	331	630	11·6	0·98	1·02	24	23	18	17	8	24
HEREFORDSHIRE	**140,760**	**1,138**	**1,096**	**99**	**94**	**2,427**	**17·2**	**1·06**	**1·06**	**733**	**700**	**1,433**	**10·2**	**0·93**	**0·85**	**43**	**18**	**33**	**24**	**46**	**28**
Municipal boroughs and urban districts	**66,780**	**579**	**579**	**46**	**34**	**1,238**	**18·5**	**0·98**	**1·05**	**312**	**325**	**637**	**9·5**	**0·99**	**0·84**	**21**	**17**	**15**	**8**	**24**	**25**
Bromyard	1,710	9	15	2	1	27	15·8	1·12	1·03	3	5	8	*4·7*	0·92	0·39	-	-	-	-	-	-
Hereford M.B.	46,120	420	428	32	26	906	19·6	0·94	1·07	189	204	393	8·5	1·12	0·85	18	*20*	14	8	17	27
Kington	1,900	14	17	2	2	35	18·4	1·13	1·21	17	14	31	16·3	0·62	0·90	-	-	-	-	-	-
Ledbury	3,730	28	27	5	3	63	16·9	1·09	1·07	18	16	34	9·1	0·92	0·75	-	-	-	-	-	-
Leominster M.B.	6,930	59	48	4	1	112	16·2	1·07	1·01	47	40	87	12·6	0·72	0·81	2	*18*	1	-	4	*34*
Ross-on-Wye	6,390	49	44	1	1	95	14·9	1·11	0·96	38	46	84	13·1	0·84	0·98	1	*11*	-	-	3	*31*
Rural districts	**73,980**	**559**	**517**	**53**	**60**	**1,189**	**16·1**	**1·14**	**1·07**	**421**	**375**	**796**	**10·8**	**0·89**	**0·86**	**22**	**19**	**18**	**16**	**22**	**31**
Bromyard	6,870	61	48	4	7	120	17·5	1·15	1·17	40	37	77	11·2	0·78	0·78	1	*8*	-	-	2	*16*
Dore and Bredwardine	7,740	72	46	5	9	132	17·1	1·13	1·12	35	25	60	7·8	1·02	0·71	1	*8*	1	1	3	*30*
Hereford	20,030	147	152	16	13	328	16·4	1·10	1·05	110	107	217	10·8	0·84	0·81	13	*40*	12	12	6	*54*
Kington	4,340	32	29	1	4	66	15·2	1·19	1·05	21	21	42	9·7	0·88	0·76	-	-	-	-	1	*15*
Ledbury	7,990	40	64	7	8	119	14·9	1·13	0·98	42	42	84	10·5	0·87	0·82	2	*17*	2	1	3	*33*
Leominster and Wigmore	9,540	89	58	7	5	159	16·7	1·16	1·13	67	62	129	13·5	0·89	1·07	3	*19*	1	1	2	*19*
Ross and Whitchurch	11,790	71	77	7	8	163	13·8	1·18	0·95	73	59	132	11·2	0·92	0·92	1	*6*	1	1	4	*30*
Weobley	5,680	47	43	6	6	102	18·0	1·17	1·22	33	22	55	9·7	0·95	0·82	1	*10*	1	-	1	*10*
HERTFORDSHIRE	**881,870**	**7,103**	**6,553**	**476**	**440**	**14,572**	**16·5**	**0·94**	**0·90**	**3,864**	**3,964**	**7,828**	**8·9**	**1·12**	**0·89**	**204**	**14**	**149**	**130**	**184**	**21**
Municipal boroughs and urban districts	**615,760**	**5,368**	**4,922**	**341**	**314**	**10,945**	**17·8**	**0·92**	**0·95**	**2,647**	**2,609**	**5,256**	**8·5**	**1·19**	**0·90**	**154**	**14**	**112**	**96**	**125**	**20**
Baldock	6,820	43	37	2	5	87	12·8	1·06	0·79	42	26	68	10·0	1·35	1·21	2	*23*	2	1	-	*11*
Berkhamsted	15,210	116	105	8	8	237	15·6	1·03	0·93	73	98	171	11·2	1·08	1·08	2	*8*	1	1	2	*13*
Bishop's Stortford	21,010	198	197	14	6	415	19·8	0·85	0·98	75	90	165	7·9	1·07	0·75	6	*14*	6	5	3	*19*
Bushey	24,310	187	158	6	5	356	14·6	0·96	0·81	103	99	202	8·3	1·18	0·87	3	*8*	2	1	2	*8*
Cheshunt	42,900	391	371	15	13	790	18·4	0·84	0·90	160	112	272	6·3	1·62	0·91	8	*10*	6	6	13	*24*
Chorleywood	7,730	38	39	2	1	80	10·3	1·05	0·63	27	23	50	6·5	1·12	0·65	-	-	-	-	-	-
Harpenden	22,020	180	177	8	9	374	17·0	1·00	0·99	92	100	192	8·7	1·16	0·90	6	*16*	3	2	2	*11*
Hemel Hempstead M.B.	64,100	503	498	47	40	1,088	17·0	0·85	0·84	226	234	460	7·2	1·52	0·98	10	*9*	9	9	10	*17*
Hertford M.B.	18,660	180	158	6	7	351	18·8	0·97	1·06	64	73	137	7·3	1·11	0·72	7	*20*	6	5	1	*17*
Hitchin	26,240	244	233	20	24	521	19·9	0·95	1·10	156	150	306	11·7	0·83	0·87	5	*10*	4	4	8	*23*
Hoddesdon	20,640	246	218	10	4	478	23·2	0·90	1·21	86	83	169	8·2	1·15	0·84	3	*6*	1	1	3	*8*
Letchworth	28,110	238	190	8	19	455	16·2	0·97	0·91	121	133	254	9·0	1·09	0·88	7	*15*	5	5	4	*20*
Potters Bar	24,730	195	172	13	11	391	15·8	1·00	0·92	119	114	233	9·4	1·07	0·90	3	*8*	2	2	4	*15*
Rickmansworth	30,290	204	157	11	10	382	12·6	1·07	0·78	147	132	279	9·2	1·18	0·97	7	*18*	5	3	5	*21*
Royston	7,100	62	51	3	1	117	16·5	0·95	0·91	35	44	79	11·1	0·90	0·89	-	-	-	-	4	*33*
St. Albans M.B.	52,470	408	401	36	39	884	16·8	0·99	0·97	265	275	540	10·3	1·03	0·95	21	24	10	9	14	26
Sawbridgeworth	5,310	37	49	2	3	91	17·1	1·14	1·13	30	19	49	9·2	1·07	0·88	2	*22*	2	2	4	*63*
Stevenage	58,690	646	539	38	33	1,256	21·4	0·73	0·91	137	117	254	4·3	2·33	0·89	17	*14*	14	9	8	*13*
Tring	7,990	81	92	5	-	178	22·3	0·99	1·28	32	32	64	8·0	1·13	0·81	1	*6*	-	-	1	*6*
Ware	13,660	145	125	2	5	277	20·3	0·95	1·12	77	96	173	12·7	0·66	0·75	3	*11*	1	1	5	*21*
Watford M.B.	76,310	717	650	61	57	1,485	19·5	0·98	1·11	434	435	869	11·4	0·93	0·95	35	24	30	28	26	36
Welwyn Garden City	41,460	309	305	24	14	652	15·7	0·87	0·79	146	124	270	6·5	1·77	1·03	6	*9*	3	2	6	*12*
Rural districts	**266,110**	**1,735**	**1,631**	**135**	**126**	**3,627**	**13·6**	**1·00**	**0·79**	**1,217**	**1,355**	**2,572**	**9·7**	**0·99**	**0·86**	**50**	**14**	**37**	**34**	**59**	**25**
Berkhamsted	6,560	45	39	4	5	93	14·2	1·08	0·89	40	35	75	11·4	0·98	1·00	3	*32*	3	3	2	*53*
Braughing	10,570	80	69	4	3	156	14·8	1·14	0·98	49	49	98	9·3	0·97	0·81	2	*13*	-	-	3	*19*
Elstree	30,550	176	158	22	20	376	12·3	1·05	0·75	132	200	332	10·9	0·95	0·92	6	*16*	4	4	7	*29*
Hatfield	44,180	291	278	24	15	608	13·8	0·91	0·73	190	187	377	8·5	1·16	0·88	6	*10*	3	2	14	*26*
Hemel Hempstead	14,310	87	98	10	3	198	13·8	1·05	0·84	54	78	132	9·2	1·05	0·86	6	*30*	6	6	3	*45*
Hertford	11,490	96	86	9	8	199	17·3	1·06	1·07	43	45	88	7·7	1·22	0·84	-	-	-	-	2	*10*
Hitchin	23,820	176	155	8	14	353	14·8	1·09	0·94	136	110	246	10·3	1·02	0·94	6	*17*	5	4	1	*14*
St. Albans	42,830	280	294	14	23	611	14·3	0·91	0·76	216	295	511	11·9	0·69	0·73	4	*7*	2	2	5	*11*
Ware	12,960	105	89	8	6	208	16·0	1·18	1·10	59	60	119	9·2	0·83	0·68	-	-	-	-	6	*28*
Watford	61,200	337	319	29	29	714	11·7	0·99	0·67	259	267	526	8·6	1·13	0·87	15	*21*	12	11	13	33
Welwyn	7,640	62	46	3	-	111	14·5	0·93	0·78	39	29	68	8·9	1·16	0·92	2	*18*	2	2	3	*44*
HUNTINGDON AND PETERBOROUGH	**189,560**	**1,703**	**1,651**	**130**	**144**	**3,628**	**19·1**	**0·97**	**1·08**	**936**	**739**	**1,675**	**8·8**	**1·16**	**0·91**	**60**	**17**	**37**	**31**	**49**	**22**
Municipal boroughs and urban districts	**116,790**	**1,068**	**1,046**	**95**	**109**	**2,318**	**19·8**	**0·90**	**1·04**	**629**	**504**	**1,133**	**9·7**	**1·08**	**0·94**	**36**	**16**	**22**	**19**	**40**	**25**
Huntingdon and Godmanchester M.B.	14,760	166	171	14	23	374	25·3	0·78	1·15	66	62	128	8·7	1·04	0·81	6	*16*	3	3	5	*21*
Old Fletton	13,040	130	112	5	8	255	19·6	0·87	0·99	68	48	116	8·9	1·34	1·06	5	*20*	4	3	2	*19*
Peterborough M.B.	66,100	562	555	63	64	1,244	18·8	0·95	1·04	386	293	679	10·3	1·01	0·93	19	*15*	13	12	30	33
Ramsey	5,820	33	41	3	3	80	13·7	0·99	0·79	23	29	52	8·9	1·09	0·87	-	-	-	-	-	-
St. Ives M.B.	5,170	52	49	6	3	110	21·3	0·88	1·09	29	26	55	10·6	1·20	1·14	2	*18*	-	-	2	*18*
St. Neots	11,900	125	118	4	8	255	21·4	0·82	1·02	57	46	103	8·7	1·42	1·10	4	*16*	2	1	1	8
Rural districts	**72,770**	**635**	**605**	**35**	**35**	**1,310**	**18·0**	**1·09**	**1·14**	**307**	**235**	**542**	**7·4**	**1·33**	**0·88**	**24**	**18**	**15**	**12**	**9**	**16**
Barnack	6,570	50	48	2	3	103	15·7	1·47	1·34	13	15	28	4·3	2·10	0·81	2	*19*	2	2	3	*47*
Huntingdon	15,980	134	115	6	7	262	16·4	1·34	1·28	65	30	95	5·9	1·72	0·91	4	*15*	3	2	1	*11*
Norman Cross	11,410	109	97	4	3	213	18·7	0·97	1·05	43	48	91	8·0	1·23	0·88	6	*28*	5	3	-	*14*
Peterborough	9,280	76	89	9	5	179	19·3	1·01	1·13	51	43	94	10·1	1·12	1·01	4	*22*	3	3	2	*28*
St. Ives	17,830	159	154	8	10	331	18·6	0·97	1·05	73	58	131	7·3	1·22	0·80	5	*15*	-	-	2	*6*
St. Neots	9,100	77	83	5	4	169	18·6	1·05	1·14	46	31	77	8·5	1·11	0·84	1	*6*	1	1	-	*6*
Thorney	2,600	30	19	1	3	53	20·4	1·04	1·23	16	10	26	10·0	1·34	1·20	2	*38*	1	1	1	*37*
KENT	**1,345,520**	**11,311**	**10,333**	**850**	**836**	**23,330**	**17·3**	**1·06**	**1·07**	**7,988**	**7,951**	**15,939**	**11·8**	**0·84**	**0·89**	**400**	**17**	**249**	**216**	**321**	**23**
Canterbury C.B.	32,910	228	209	21	13	471	14·3	1·07	0·89	178	225	403	12·2	0·80	0·87	12	*25*	6	5	10	*31*
Administrative county	**1,312,610**	**11,083**	**10,124**	**829**	**823**	**22,859**	**17·4**	**1·06**	**1·07**	**7,810**	**7,726**	**15,536**	**11·8**	**0·84**	**0·89**	**388**	**17**	**243**	**211**	**311**	**23**
Municipal boroughs and urban districts	**878,110**	**7,207**	**6,624**	**612**	**575**	**15,018**	**17·1**	**1·07**	**1·06**	**5,286**	**5,416**	**10,702**	**12·2**	**0·83**	**0·90**	**269**	**18**	**163**	**140**	**215**	**23**
Ashford	34,070	360	318	19	20	717	21·0	0·97	1·18	164	137	301	8·8	1·02	0·80	15	*21*	9	9	17	*35*
Broadstairs and St. Peter's	20,300	86	88	14	13	201	9·9	1·70	0·98	158	187	345	17·0	0·49	0·74	5	*25*	3	2	4	*29*
Chatham M.B.	53,560	636	564	49	35	1,284	24·0	0·92	1·28	270	225	495	9·2	1·21	0·99	25	*19*	15	13	18	*24*
Dartford M.B.	46,520	368	360	35	22	785	16·9	0·92	0·90	276	279	555	11·9	0·87	0·92	12	*15*	6	6	10	*20*
Deal M.B.	26,780	190	155	16	15	376	14·0	1·13	0·92	171	150	321	12·0	0·84	0·90	7	*19*	5	4	8	*31*
Dover M.B.	36,060	235	240	13	27	515	14·3	1·10	0·91	225	192	417	11·6	0·98	1·02	5	*10*	3	3	4	*13*
Faversham M.B.	14,260	116	101	6	7	230	16·1	1·10	1·03	122	91	213	14·9	0·68	0·90	2	*9*	1	1	2	*13*
Folkestone M.B.	43,880	334	296	47	35	712	16·2	1·21	1·14	288	346	634	14·4	0·73	0·94	17	*24*	8	7	7	*19*

TABLE 13 - *continued*

Area	Estimated home population as at 30th June 1967 (*but see Explanatory Note 'Changes in boundaries'*)	Live births								Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		Legitimate		Illegitimate																	
		M	F	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
KENT - *continued*																					
Municipal boroughs and urban districts - *continued*																					
Gillingham M.B.	83,930	772	667	58	66	1,563	18·6	1·02	1·10	405	407	812	9·7	1·03	0·89	21	13	13	9	21	19
Gravesend M.B.	54,930	501	497	33	32	1,063	19·4	0·92	1·04	270	252	522	9·5	1·19	1·01	22	21	10	9	23	29
Herne Bay	24,100	130	114	15	20	279	11·6	1·41	0·95	229	280	509	21·1	0·54	1·02	7	*25*	6	6	2	*28*
Hythe M.B.	11,180	69	64	5	7	145	13·0	1·45	1·10	73	115	188	16·8	0·53	0·80	4	*28*	4	3	2	*34*
Lydd M.B.	4,170	39	43	4	5	91	21·8	1·37	1·74	22	17	39	9·4	1·33	1·12	3	*33*	2	2	1	*33*
Maidstone M.B.	65,790	566	534	46	47	1,193	18·1	1·02	1·07	401	398	799	12·1	0·93	1·00	30	25	21	18	11	24
Margate M.B.	49,060	301	257	45	38	641	13·1	1·33	1·01	385	387	772	15·7	0·59	0·83	9	*14*	6	6	8	*22*
New Romney M.B.	3,620	37	27	1	4	69	19·1	1·13	1·25	12	12	24	6·6	1·02	0·60	-	-	-	-	1	*14*
Northfleet	24,660	232	225	14	7	478	19·4	0·93	1·05	129	94	223	9·0	1·23	0·99	6	*13*	4	3	9	*25*
Queenborough M.B.	3,130	26	37	1	2	66	21·1	1·09	1·34	13	14	27	8·6	1·14	0·88	-	-	-	-	3	*43*
Ramsgate M.B.	38,810	250	249	34	23	556	14·3	1·19	0·99	313	292	605	15·6	0·73	1·02	9	*16*	4	4	10	*25*
Rochester M.B.	55,100	490	441	42	41	1,014	18·4	0·97	1·04	267	248	515	9·3	1·05	0·87	22	22	14	11	12	22
Royal Tunbridge Wells M.B.	43,490	309	298	35	33	675	15·5	1·10	0·99	268	426	694	16·0	0·56	0·80	13	*19*	6	5	9	*20*
Sandwich M.B.	4,590	23	26	4	1	54	11·8	1·18	0·81	28	38	66	14·4	0·78	1·00	-	-	-	-	-	-
Sevenoaks	18,200	108	78	7	14	207	11·4	1·13	0·75	92	107	199	10·9	0·79	0·77	1	*5*	-	-	6	*28*
Sheerness	13,600	102	90	10	19	221	16·3	1·13	1·07	110	75	185	13·6	0·89	1·08	2	*9*	1	-	5	*22*
Sittingbourne and Milton	28,470	267	255	15	10	547	19·2	0·93	1·04	149	158	307	10·8	0·94	0·91	11	*20*	5	4	8	*22*
Southborough	9,830	59	58	3	5	125	12·7	1·14	0·84	51	63	114	11·6	0·81	0·84	1	*8*	1	1	1	*16*
Swanscombe	9,340	90	81	5	7	183	19·6	0·97	1·11	47	43	90	9·6	1·22	1·05	3	*16*	3	3	4	*37*
Tenterden M.B.	5,620	35	35	6	2	78	13·9	1·10	0·89	38	63	101	18·0	0·54	0·87	2	*26*	1	1	2	*38*
Tonbridge	28,550	318	296	15	12	641	22·5	0·98	1·28	137	143	280	9·8	0·95	0·83	8	*12*	6	4	6	*15*
Whitstable	22,510	158	130	15	6	309	13·7	1·43	1·14	173	177	350	15·5	0·59	0·82	7	*23*	6	6	1	*23*
Rural districts	**434,500**	**3,876**	**3,500**	**217**	**248**	**7,841**	**18·0**	**1·05**	**1·10**	**2,524**	**2,310**	**4,834**	**11·1**	**0·87**	**0·86**	**119**	**15**	**80**	**71**	**96**	**21**
Bridge-Blean	25,070	222	171	17	10	420	16·8	1·15	1·12	195	162	357	14·2	0·63	0·80	8	*19*	6	6	5	*26*
Cranbrook	16,520	117	97	7	8	229	13·9	1·26	1·02	88	97	185	11·2	0·90	0·90	3	*13*	3	2	1	*13*
Dartford	61,890	579	469	25	26	1,099	17·8	0·88	0·91	304	293	597	9·6	1·05	0·90	22	20	16	15	19	30
Dover	14,550	112	90	9	6	217	14·9	1·47	1·27	70	90	160	11·0	0·73	0·72	1	*5*	-	-	4	*18*
East Ashford	11,820	112	81	6	3	202	17·1	1·18	1·17	80	65	145	12·3	0·78	0·86	5	*25*	2	1	-	*5*
Eastry	23,890	178	190	13	10	391	16·4	1·13	1·08	194	202	396	16·6	0·65	0·96	8	*20*	6	5	5	*25*
Elham	11,060	69	68	-	6	143	12·9	1·29	0·97	112	98	210	19·0	0·37	0·63	2	*14*	1	1	1	*14*
Hollingbourn	19,090	176	162	15	9	362	19·0	1·10	1·22	120	93	213	11·2	0·96	0·96	5	*14*	3	3	5	*22*
Maidstone	26,490	275	266	16	17	574	21·7	1·08	1·36	164	151	315	11·9	0·75	0·80	3	*5*	2	2	4	*10*
Malling	51,090	549	518	21	33	1,121	21·9	0·95	1·21	267	249	516	10·1	1·23	1·11	16	*14*	12	10	20	26
Romney Marsh	5,500	40	38	1	5	84	15·3	1·36	1·21	31	22	53	9·6	0·90	0·77	2	*24*	1	1	1	*24*
Sevenoaks	43,920	321	276	17	19	633	14·4	1·07	0·90	175	189	364	8·3	0·96	0·71	7	*11*	5	5	7	*19*
Sheppey	11,780	106	98	10	18	232	19·7	1·22	1·40	95	62	157	13·3	1·01	1·20	6	*26*	4	3	2	*21*
Strood	41,340	443	458	18	29	948	22·9	0·89	1·18	170	138	308	7·5	1·44	0·96	13	*14*	7	6	12	*19*
Swale	22,500	185	186	12	21	404	18·0	1·06	1·11	116	87	203	9·0	1·01	0·81	6	*15*	4	4	3	*17*
Tenterden	7,950	59	40	9	3	111	14·0	1·18	0·96	51	45	96	12·1	0·86	0·93	2	*18*	2	1	1	*18*
Tonbridge	28,490	239	213	14	20	486	17·1	1·03	1·02	166	145	311	10·9	0·86	0·84	9	*19*	5	5	5	*20*
West Ashford	11,550	94	79	7	5	185	16·0	1·20	1·12	126	122	248	21·5	0·38	0·73	1	*5*	1	1	1	*11*

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
LANCASHIRE	**5,198,060**	**42,747**	**40,129**	**4,409**	**4,177**	**91,462**	**17·6**	**1·03**	**1·05**	**33,001**	**32,503**	**65,504**	**12·6**	**1·05**	**1·18**	**1,956**	**21**	**1,332**	**1,181**	**1,569**	**30**
County boroughs	**2,802,060**	**22,438**	**21,151**	**2,974**	**2,852**	**49,415**	**17·6**	**1·04**	**1·06**	**18,297**	**18,035**	**36,332**	**13·0**	**1·05**	**1·22**	**1,116**	**23**	**732**	**652**	**898**	**31**
Barrow-in-Furness	64,650	523	475	56	34	1,088	16·8	1·05	1·03	400	381	781	12·1	0·98	1·06	11	*10*	8	8	16	22
Blackburn	100,910	834	834	98	95	1,861	18·4	1·11	1·19	747	794	1,541	15·3	0·88	1·20	47	25	30	23	25	25
Blackpool	151,510	892	791	148	115	1,946	12·8	1·20	0·89	1,299	1,315	2,614	17·3	0·78	1·20	49	25	32	32	44	38
Bolton	156,400	1,329	1,202	132	137	2,800	17·9	1·08	1·12	1,043	938	1,981	12·7	1·05	1·19	67	24	44	37	43	28
Bootle	81,290	692	598	54	44	1,388	17·1	0·91	0·90	381	380	761	9·4	1·58	1·33	29	21	22	18	36	38
Burnley	78,060	602	503	65	56	1,226	15·7	1·12	1·02	560	574	1,134	14·5	0·96	1·24	27	22	20	15	15	24
Bury	64,540	590	535	47	71	1,243	19·3	1·03	1·16	392	407	799	12·4	1·01	1·12	28	23	19	17	26	34
Liverpool	705,310	5,804	5,483	674	622	12,583	17·8	0·98	1·01	4,128	4,032	8,160	11·6	1·14	1·18	278	22	187	164	223	30
Manchester	616,520	4,819	4,623	960	903	11,305	18·3	1·05	1·12	3,871	3,880	7,751	12·6	1·08	1·22	258	23	162	149	226	33
Oldham	109,840	832	836	138	137	1,943	17·7	1·07	1·10	813	826	1,639	14·9	1·03	1·37	48	25	23	22	26	24
Preston	106,010	801	852	98	114	1,865	17·6	0·99	1·01	638	647	1,285	12·1	1·03	1·11	48	26	30	26	41	35
Rochdale	86,960	765	749	93	103	1,710	19·7	1·08	1·24	580	577	1,157	13·3	1·02	1·21	49	29	35	30	24	31
St. Helens	103,320	848	770	65	61	1,744	16·9	1·00	0·98	731	593	1,324	12·8	1·20	1·37	41	24	24	23	36	33
Salford	143,430	1,244	1,186	193	196	2,819	19·7	1·02	1·17	933	924	1,857	12·9	1·15	1·32	66	23	49	46	54	35
Southport	79,710	535	490	55	55	1,135	14·2	1·20	0·99	685	794	1,479	18·6	0·67	1·11	14	*12*	12	9	19	24
Warrington	73,880	603	590	64	71	1,328	18·0	1·05	1·10	530	440	970	13·1	1·11	1·30	33	25	22	20	18	28
Wigan	79,720	725	634	34	38	1,431	18·0	1·05	1·10	566	533	1,099	13·8	1·10	1·36	23	16	13	13	26	27
Administrative county	**2,396,000**	**20,309**	**18,978**	**1,435**	**1,325**	**42,047**	**17·5**	**1·03**	**1·05**	**14,704**	**14,468**	**29,172**	**12·2**	**1·07**	**1·17**	**840**	**20**	**600**	**529**	**671**	**28**
Municipal boroughs and urban districts	**1,999,010**	**16,907**	**15,715**	**1,293**	**1,192**	**35,107**	**17·6**	**1·04**	**1·06**	**12,418**	**12,325**	**24,743**	**12·4**	**1·07**	**1·18**	**708**	**20**	**501**	**441**	**564**	**28**
Abram	6,180	47	51	2	1	101	16·3	1·00	0·95	48	30	78	12·6	1·39	1·56	2	*20*	-	-	3	*29*
Accrington M.B.	37,470	300	271	32	32	635	16·9	1·13	1·11	270	269	539	14·4	0·93	1·20	15	*24*	11	10	8	*28*
Adlington	4,560	41	39	-	2	82	18·0	1·00	1·05	35	34	69	15·1	1·06	1·43	4	*49*	4	3	1	*48*
Ashton-in-Makerfield	23,350	275	250	8	8	541	23·2	0·95	1·28	138	144	282	12·1	1·20	1·30	8	*15*	6	5	10	*27*
Ashton-under-Lyne M.B.	49,050	427	365	44	34	870	17·7	1·08	1·11	334	338	672	13·7	1·01	1·24	29	33	17	17	16	37
Aspull	7,360	65	70	3	1	139	18·9	0·98	1·08	29	46	75	10·2	1·38	1·26	2	*14*	1	-	3	*21*
Atherton	20,510	180	168	8	8	364	17·7	1·04	1·07	130	159	289	14·1	0·90	1·13	4	*11*	2	1	13	*37*
Audenshaw	11,800	96	101	12	10	219	18·6	1·03	1·11	78	89	167	14·2	1·10	1·39	4	*18*	3	3	5	*36*
Bacup M.B.	16,420	115	125	8	11	259	15·8	1·06	0·97	107	86	193	11·8	1·09	1·15	6	*23*	5	4	5	*34*
Barrowford	4,680	44	20	2	3	69	14·7	1·25	1·07	34	33	67	14·3	0·80	1·02	1	*14*	1	-	-	-
Billinge-and-Winstanley	9,630	128	96	4	2	230	23·9	0·75	1·04	52	53	105	10·9	1·18	1·15	4	*17*	3	3	7	*42*
Blackrod	4,630	50	45	1	2	98	21·2	0·90	1·11	25	24	49	10·6	1·31	1·24	5	*51*	5	4	2	*60*
Brierfield	7,280	54	64	3	4	125	17·2	1·11	1·11	54	45	99	13·6	1·02	1·24	1	*8*	-	-	1	*8*
Carnforth	4,180	23	33	3	-	59	14·1	1·04	0·85	18	13	31	7·4	1·15	0·76	-	-	-	-	1	*17*
Chadderton	31,880	237	217	18	20	492	15·4	0·99	0·89	222	198	420	13·2	1·13	1·33	11	*22*	9	9	7	*32*
Chorley M.B.	31,170	265	259	16	19	559	17·9	1·07	1·11	207	237	444	14·2	0·98	1·24	11	*20*	7	6	5	*20*
Church	5,850	49	33	6	2	90	15·4	1·05	0·94	34	28	62	10·6	1·20	1·14	4	*44*	2	2	2	*43*
Clayton-le-Moors	6,340	46	52	2	2	102	16·1	1·07	1·00	54	42	96	15·1	1·07	1·44	2	*20*	2	2	4	*57*
Clitheroe M.B.	12,640	111	79	4	3	197	15·6	1·17	1·06	97	106	203	16·1	0·81	1·16	6	*30*	3	3	6	*44*
Colne M.B.	18,850	119	125	22	23	289	15·3	1·21	1·08	129	158	287	15·2	0·94	1·28	8	*28*	4	2	2	*14*
Crompton	15,140	174	130	8	11	323	21·3	1·14	1·41	95	101	196	12·9	1·08	1·24	5	*15*	3	1	1	*6*
Crosby M.B.	59,650	478	435	32	28	973	16·3	1·03	0·98	377	408	785	13·2	0·95	1·12	19	*20*	15	12	8	20
Dalton-in-Furness	10,900	117	81	4	5	207	19·0	1·05	1·16	81	63	144	13·2	1·06	1·25	3	*14*	2	2	5	*33*
Darwen M.B.	28,810	234	232	26	23	515	17·9	1·11	1·16	199	218	417	14·5	0·99	1·28	10	*19*	9	9	6	*29*
Denton	37,900	336	302	23	9	670	17·7	0·99	1·02	221	220	441	11·6	1·41	1·46	9	*13*	7	7	13	29
Droylsden	25,340	206	206	11	12	435	17·2	1·02	1·02	144	143	287	11·3	1·26	1·27	10	*23*	8	6	10	*36*
Eccles M.B.	41,400	325	253	32	21	631	15·2	1·04	0·92	300	302	602	14·5	0·96	1·24	20	32	10	10	9	30
Failsworth	22,520	253	224	12	11	500	22·2	0·95	1·23	125	113	238	10·6	1·20	1·14	8	*16*	6	5	6	*22*
Farnworth M.B.	26,700	208	233	13	22	476	17·8	1·10	1·14	188	238	426	16·0	0·92	1·31	5	*11*	4	4	6	*21*
Fleetwood M.B.	28,630	215	200	20	19	454	15·9	1·05	0·97	174	179	353	12·3	1·03	1·13	6	*13*	3	3	7	*22*
Formby	19,060	221	213	6	4	444	23·3	1·48	2·00	77	83	160	8·4	0·99	0·74	3	*7*	2	2	2	*9*
Fulwood	18,960	157	132	10	10	309	16·3	1·01	0·96	150	160	310	16·4	0·53	0·78	10	*32*	9	9	3	*38*
Golborne	26,100	258	252	14	15	539	20·7	0·93	1·12	99	124	223	8·5	1·46	1·11	10	*19*	6	6	12	*33*
Grange	3,020	8	14	1	1	24	7·9	2·13	0·98	32	40	72	23·8	0·45	0·96	-	-	-	-	1	*40*
Great Harwood	10,620	88	73	6	2	169	15·9	1·09	1·01	78	79	157	14·8	0·94	1·24	1	*6*	-	-	1	*6*
Haslingden M.B.	14,150	114	104	11	14	243	17·2	1·12	1·12	117	130	247	17·5	0·94	1·47	4	*16*	4	2	9	*44*
Haydock	12,600	105	101	5	4	215	17·1	0·95	0·94	92	80	172	13·7	1·04	1·27	4	*19*	4	4	3	*32*
Heywood M.B.	30,400	276	219	23	34	552	18·2	0·94	0·99	192	167	359	11·8	1·27	1·34	12	*22*	9	8	13	*37*
Hindley	21,900	224	208	9	11	452	20·6	1·02	1·22	148	117	265	12·1	1·17	1·26	13	*29*	6	6	10	*35*
Horwich	16,280	138	115	5	11	269	16·5	1·08	1·04	106	106	212	13·0	1·02	1·18	2	*7*	-	-	3	*11*
Huyton-with-Roby	69,180	580	535	52	49	1,216	17·6	0·91	0·93	308	280	588	8·5	1·68	1·28	28	23	20	17	19	29

TABLE 13 - *continued*

Area	Estimated home population as at 30th June 1967 (*but see Explanatory Note 'Changes in boundaries'*)	Live births								Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		Legitimate		Illegitimate		Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
		M	F	M	F																
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
LANCASHIRE - *continued*																					
Municipal boroughs and urban districts - *continued*																					
Ince-in-Makerfield	17,360	142	158	9	10	319	18·4	1.03	1·10	120	97	217	12·5	1.26	1·41	7	22	5	5	7	37
Irlam	17,940	163	181	8	8	360	20·1	1.10	1·29	101	88	189	10·5	1.27	1·19	3	8	3	2	4	16
Kearsley	11,510	118	102	9	8	237	20·6	1.09	1·31	60	54	114	9·9	1.14	1·01	5	21	4	4	5	37
Kirkby	63,800	527	495	55	45	1,122	17·6	0.98	1·00	164	159	323	5·1	3.22	1·47	27	24	18	18	24	37
Kirkham	6,370	31	48	8	3	90	14·1	1.06	0·87	32	41	73	11·5	1.36	1·40	2	22	2	2	1	33
Lancaster M.B.	47,060	326	351	46	33	756	16·1	1.11	1·04	326	378	704	15·0	0·75	1·00	16	21	13	11	12	30
Lees	3,700	37	21	3	4	65	17·6	1.23	1·26	40	40	80	21·6	0·62	1·20	3	46	2	2	-	31
Leigh M.B.	46,600	433	368	23	19	843	18·1	1.10	1·16	338	317	655	14·1	1·15	1·45	21	25	16	14	16	35
Leyland	22,160	206	218	20	8	452	20·4	0.97	1·15	141	112	253	11·4	1·34	1·36	13	29	10	10	7	37
Litherland	24,820	208	204	13	14	439	17·7	0.97	1·00	124	119	243	9·8	1·44	1·26	9	21	5	4	5	20
Littleborough	10,800	110	89	13	7	219	20·3	1·07	1·26	67	79	146	13·5	1·08	1·30	2	9	-	-	1	5
Little Lever	6,300	88	97	5	4	194	30·8	1.09	1·95	34	31	65	10·3	1·30	1·20	6	31	5	5	2	36
Longridge	5,720	64	62	5	1	132	23·1	1·16	1·56	26	26	52	9·1	1·32	1·07	1	8	1	1	-	8
Lytham St. Anne's M.B.	36,620	171	164	17	20	372	10·2	1·25	0·74	286	351	637	17·4	0·66	1·03	5	13	4	3	3	16
Middleton M.B.	58,140	398	384	54	41	877	15·1	0.97	0·85	296	246	542	9·3	1·50	1·25	13	15	8	8	16	27
Milnrow	9,150	101	101	4	5	211	23·1	1·13	1·52	62	52	114	12·5	0·96	1·07	3	14	3	3	-	14
Morecambe and Heysham M.B.	40,810	204	190	27	36	457	11·2	1.26	0·82	363	371	734	18·0	0·70	1·13	6	13	6	5	5	22
Mossley M.B.	9,630	71	83	3	11	168	17·4	1·15	1·16	60	58	118	12·3	1·06	1·16	9	54	4	2	5	40
Nelson M.B.	30,630	229	212	28	27	496	16·2	1·14	1·07	224	217	441	14·4	0·89	1·14	7	14	4	4	8	24
Newton-le-Willows	22,300	206	154	13	16	389	17·4	1·01	1·02	143	119	262	11·7	1·15	1·20	7	18	4	2	10	30
Ormskirk	25,440	248	188	15	10	461	18·1	1·09	1·15	132	137	269	10·6	1·07	1·01	4	9	2	2	6	17
Orrell	11,910	107	104	4	2	217	18·2	0·97	1·03	65	72	137	11·5	1·22	1·25	-	-	-	-	3	14
Oswaldtwistle	13,120	141	96	8	8	253	19·3	1·10	1·23	96	85	181	13·8	0·99	1·22	3	12	1	1	7	31
Padiham	10,200	88	83	8	8	187	18·3	1·11	1·18	83	77	160	15·7	0·99	1·39	10	53	6	5	1	32
Poulton-le-Fylde	15,380	108	122	8	7	245	15·9	1·02	0·94	114	98	212	13·8	1·01	1·24	6	24	6	5	2	28
Preesall	3,330	18	14	3	-	35	10·5	1·82	1·11	38	31	69	20·7	0·57	1·05	-	-	-	-	1	28
Prescot	13,370	130	97	8	4	239	17·9	0·95	0·99	83	79	162	12·1	1·20	1·30	7	29	4	4	4	33
Prestwich M.B.	33,480	182	214	12	16	424	12·7	1·07	0·79	248	243	491	14·7	0·75	0·98	7	17	7	7	7	32
Radcliffe M.B.	27,610	260	250	19	12	541	19·6	1·07	1·22	157	188	345	12·5	1·06	1·18	13	24	11	9	8	31
Rainford	6,580	77	61	-	1	139	21·1	0·97	1·19	31	22	53	8·1	1·38	1·00	3	22	1	1	5	42
Ramsbottom	14,450	121	115	7	9	252	17·4	1·12	1·13	101	96	197	13·6	0·98	1·19	7	28	7	7	-	28
Rawtenstall M.B.	22,630	149	136	13	12	310	13·7	1·10	0·88	159	194	353	15·6	0·92	1·28	7	23	4	4	5	29
Rishton	5,530	37	45	2	1	85	15·4	1·13	1·01	53	44	97	17·5	0·94	1·47	1	12	1	1	2	34
Royton	17,610	187	139	11	9	346	19·6	1·17	1·33	110	97	207	11·8	1·19	1·25	7	20	5	5	5	28
Skelmersdale	9,390	113	100	4	6	223	23·7	0·83	1·14	43	52	95	10·1	1·54	1·39	6	27	5	4	3	31
Standish-with-Langtree	10,620	111	84	1	1	197	18·5	0·98	1·05	62	68	130	12·2	1·19	1·30	2	10	2	2	2	20
Stretford M.B.	60,010	482	435	74	83	1,074	17·9	1·02	1·06	371	328	699	11·6	1·20	1·24	26	24	21	17	12	27
Swinton and Pendlebury M.B.	40,760	314	277	21	23	635	15·6	1·02	0·93	251	243	494	12·1	1·15	1·24	10	16	9	9	12	32
Thornton Cleveleys	24,430	183	184	16	13	396	16·2	1·37	1·29	222	187	409	16·7	0·61	0·91	9	23	7	6	5	27
Tottington	6,750	59	52	3	3	117	17·3	1·25	1·26	43	64	107	15·9	0·83	1·18	1	9	1	-	2	17
Trawden	1,850	14	8	1	2	25	13·5	1·26	0·99	17	14	31	16·8	0·95	1·43	1	40	1	1	-	40
Turton	17,870	168	159	6	3	336	18·8	1·05	1·15	84	80	164	9·2	1·22	1·00	3	9	2	2	4	18
Tyldesley	19,660	222	190	9	6	427	21·7	1·10	1·39	116	99	215	10·9	1·21	1·18	12	28	9	9	4	30
Ulverston	10,560	77	65	4	5	151	14·3	1·09	0·91	86	105	191	18·1	0·69	1·12	2	13	1	1	3	26
Up Holland	10,530	103	105	2	2	212	20·1	1·15	1·34	45	39	84	8·0	1·54	1·10	3	14	1	1	4	23

Area	Estimated home population as at 30th June 1967 (*but see Explanatory Note 'Changes in boundaries'*)	Live births								Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		Legitimate		Illegitimate		Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
		M	F	M	F																
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
Urmston	43,300	336	337	28	20	721	16.7	0.95	0.92	222	239	461	10.6	1.21	1.15	20	28	16	12	10	30
Walton-le-Dale	24,350	274	325	9	2	610	25·1	0·90	1·31	114	139	253	10·4	1·20	1·11	7	11	6	4	9	21
Wardle	4,700	42	51	6	2	101	21·5	1·03	1·29	25	42	67	14·3	0·68	0·87	1	10	1	1	3	38
Westhoughton	17,330	147	133	6	8	294	17·0	0·99	0·98	107	104	211	12·2	1·04	1·13	10	34	7	4	5	30
Whitefield	18,290	168	174	16	9	367	20·1	0·85	0·99	105	90	195	10·7	1·39	1·33	5	14	3	3	7	27
Whitworth	7,210	78	72	9	8	167	23·2	1·01	1·36	46	41	87	12·1	1·14	1·23	1	6	-	-	-	-
Widnes M.B.	54,600	511	488	39	42	1,080	19·8	0·94	1·08	289	277	566	10·4	1·32	1·23	22	20	14	14	24	34
Withnell	2,900	23	17	-	4	44	15·2	1·23	1·09	28	12	40	13·8	0·88	1·08	3	68	3	3	1	89
Worsley	48,750	409	388	37	28	862	17·7	1·16	1·19	267	201	468	9·6	1·44	1·23	15	17	8	5	19	27
Rural districts	**396,990**	**3,402**	**3,263**	**142**	**133**	**6,940**	**17·5**	**0·94**	**0·96**	**2,286**	**2,143**	**4,429**	**11·2**	**1·06**	**1·06**	**132**	**19**	**99**	**88**	**107**	**28**
Blackburn	19,520	142	143	9	6	300	15·4	0·93	0·83	109	99	208	10·7	1·12	1·07	2	7	2	2	6	26
Burnley	15,900	114	105	7	8	234	14·7	1·14	0·97	114	119	233	14·7	0·88	1·16	3	13	3	2	4	25
Chorley	31,970	284	286	13	9	592	18·5	1·07	1·15	224	170	394	12·3	1·07	1·18	13	22	8	5	10	25
Clitheroe	9,600	54	54	2	5	115	12·0	1·26	0·88	84	64	148	15·4	1·00	1·38	6	52	4	4	3	59
Fylde	18,800	175	187	9	5	376	20·0	0·98	1·14	136	130	266	14·1	0·83	1·04	10	27	7	5	4	24
Garstang	16,370	141	137	3	3	284	17·3	1·16	1·17	111	85	196	12·0	1·02	1·09	5	18	3	3	6	31
Lancaster	16,990	129	105	8	5	247	14·5	1·18	0·99	128	135	263	15·5	0·74	1·02	1	4	-	-	2	8
Lunesdale	9,950	97	76	3	2	178	17·9	1·09	1·13	53	53	106	10·7	0·98	0·94	2	11	-	-	2	11
North Lonsdale	15,840	101	119	7	6	233	14·7	1·17	1·00	109	103	212	13·4	0·83	0·99	1	4	1	-	5	21
Preston	49,220	398	401	19	22	840	17·1	1·08	1·07	324	307	631	12·8	0·80	0·91	21	25	16	14	4	21
Warrington	41,400	505	464	16	15	1,000	24·2	0·88	1·24	220	237	457	11·0	1·00	0·98	17	17	16	14	22	35
West Lancashire	66,960	567	556	22	11	1,156	17·3	0·85	0·85	292	284	576	8·6	1·30	1·00	18	16	14	14	12	22
Whiston	72,030	563	514	22	32	1,131	15·7	0·75	0·68	308	303	611	8·5	1·55	1·18	29	26	23	23	23	40
Wigan	12,440	132	116	2	4	254	20·4	0·88	1·04	74	54	128	10·3	1·35	1·24	4	16	2	2	4	23
LEICESTERSHIRE	**726,810**	**6,278**	**5,878**	**560**	**504**	**13,220**	**18.2**	**1·01**	**1·07**	**3,843**	**3,792**	**7,635**	**10·5**	**1·02**	**0·96**	**246**	**19**	**176**	**152**	**205**	**27**
Leicester C.B.	282,800	2,419	2,180	340	328	5,267	18·6	1·04	1·12	1,639	1,673	3,312	11·7	0·98	1·02	112	21	81	73	89	30
Administrative county	**444,010**	**3,859**	**3,698**	**220**	**176**	**7,953**	**17.9**	**0·98**	**1.02**	**2,204**	**2,119**	**4,323**	**9.7**	**1·06**	**0.92**	**134**	**17**	**95**	**79**	**116**	**24**
Municipal borough and urban districts	**205,070**	**1,794**	**1,676**	**120**	**91**	**3,681**	**17·9**	**0·97**	**1·01**	**1,005**	**989**	**1,994**	**9·7**	**1·11**	**0·96**	**65**	**18**	**46**	**38**	**53**	**24**
Ashby de la Zouch	7,770	58	40	3	2	103	13·3	1·00	0·77	30	36	66	8·5	1·03	0·78	1	10	1	1	-	10
Ashby Woulds	3,260	26	14	2	-	42	12·9	1·07	0·80	11	11	22	6·7	1·19	0·71	-	-	-	-	-	-
Coalville	28,150	202	183	17	15	417	14·8	1·02	0·88	139	128	267	9·5	1·14	0·97	15	36	11	10	12	51
Hinckley	43,910	338	365	27	17	747	17·0	0·99	0·98	216	215	431	9·8	1·18	1·03	12	16	10	10	9	25
Loughborough M.B.	39,580	359	316	22	20	717	18·1	1·03	1·08	222	205	427	10·8	1·06	1·02	14	20	6	4	6	14
Market Harborough	12,880	122	125	8	5	260	20·2	1·03	1·21	93	87	180	14·0	0·79	0·99	4	15	4	4	4	30
Melton Mowbray	18,040	190	164	11	6	371	20·6	0·98	1·17	109	103	212	11·8	0·89	0·94	9	24	6	5	8	34
Oadby	16,760	132	131	8	6	277	16·5	0·86	0·83	56	60	116	6·9	1·45	0·89	1	4	1	1	3	14
Shepshed	8,090	70	79	4	-	153	18·9	0·95	1·04	41	37	78	9·6	1·13	0·97	3	20	3	2	6	50
Wigston	26,630	297	259	18	20	594	22·3	0·84	1·09	88	107	195	7·3	1·33	0·87	6	10	4	1	5	10
Rural districts	**238,940**	**2,065**	**2,022**	**100**	**85**	**4,272**	**17.9**	**0·99**	**1.03**	**1,199**	**1,130**	**2,329**	**9.7**	**1·01**	**0.87**	**69**	**16**	**49**	**41**	**63**	**24**
Ashby de la Zouch	13,790	107	105	2	5	219	15·9	1·02	0·94	78	58	136	9·9	1·08	0·95	4	18	3	2	2	18
Barrow upon Soar	64,880	510	551	22	26	1,109	17·1	0·97	0·96	293	313	606	9·3	1·08	0·90	20	18	13	9	24	29
Billesdon	10,570	77	63	7	3	150	14·2	0·92	0·76	48	30	78	7·4	1·11	0·73	2	13	2	2	2	26
Blaby	64,720	696	644	32	23	1,395	21.6	0·91	1.14	284	292	576	8.9	0·96	0.76	17	12	14	12	15	19
Castle Donington	11,150	99	103	5	5	212	19·0	1·08	1·19	62	44	106	9·5	1·10	0·93	3	14	2	1	2	14
Lutterworth	14,320	104	102	8	3	217	15·2	1·10	0·97	69	66	135	9·4	1·05	0·88	6	28	3	3	2	23
Market Bosworth	29,880	258	251	11	9	529	17·7	1·04	1·07	180	175	355	11·9	0·86	0·91	12	23	7	7	7	26
Market Harborough	10,620	88	75	4	3	170	16·0	1·25	1·16	68	55	123	11·6	0·94	0·97	1	6	1	1	3	23
Melton and Belvoir	19,010	126	128	9	8	271	14·3	1·10	0·91	117	97	214	11·3	1·01	1·02	4	15	4	4	6	36
LINCOLNSHIRE (PARTS OF HOLLAND)	**105,120**	**769**	**734**	**55**	**51**	**1,609**	**15·3**	**1·00**	**0·89**	**604**	**514**	**1,118**	**10·6**	**0·98**	**0·93**	**28**	**17**	**19**	**15**	**20**	**21**
Municipal borough and urban district	**40,730**	**317**	**324**	**31**	**26**	**698**	**17·1**	**1·01**	**1·00**	**256**	**223**	**479**	**11·8**	**0·92**	**0·97**	**12**	**17**	**9**	**8**	**5**	**18**
Boston M.B.	24,990	190	194	21	18	423	16·9	1·01	0·99	159	120	279	11·2	1·07	1·07	8	19	5	4	4	19
Spalding	15,740	127	130	10	8	275	17·5	1·00	1·02	97	103	200	12·7	0·73	0·83	4	15	4	4	1	18
Rural districts	**64,390**	**452**	**410**	**24**	**25**	**911**	**14·1**	**1·00**	**0·82**	**348**	**291**	**639**	**9·9**	**1·02**	**0·90**	**16**	**18**	**10**	**7**	**15**	**24**
Boston	22,980	171	143	5	7	326	14·2	0·99	0·82	111	93	204	8·9	1·01	0·80	7	21	3	2	4	18
East Elloe	21,530	129	149	9	10	297	13·8	1·02	0·82	149	106	255	11·8	0·95	1·00	5	17	4	2	5	23
Spalding	19,880	152	118	10	8	288	14·5	0·98	0·83	88	92	180	9·1	1·13	0·92	4	14	3	3	6	31

TABLE 13 - *continued*

Area	Estimated home population as at 30th June 1967 (*but see Explanatory Note 'Changes in boundaries'*)	Live births								Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		Legitimate		Illegitimate																	
		M	F	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
LINCOLNSHIRE (PARTS OF KESTEVEN)*	**230,150**	**1,922**	**1,775**	**163**	**124**	**3,984**	**17·3**	**1·01**	**1·02**	**1,328**	**1,221**	**2,549**	**11·1**	**0·93**	**0·92**	**73**	**18**	**53**	**43**	**62**	**26**
*Lincoln C.B.	77,150	558	580	75	61	1,274	16·5	1·03	0·99	495	432	927	12·0	1·01	1·08	39	31	26	22	28	38
Administrative county*	**153,000**	**1,364**	**1,195**	**88**	**63**	**2,710**	**17·7**	**1·00**	**1·03**	**833**	**789**	**1,622**	**10·6**	**0·88**	**0·83**	**34**	**13**	**27**	**21**	**34**	**20**
Municipal boroughs and urban districts	**53,210**	**429**	**412**	**42**	**24**	**907**	**17·0**	**1·06**	**1·05**	**325**	**338**	**663**	**12·5**	**0·77**	**0·86**	**7**	*8*	**6**	**5**	**13**	*20*
Bourne	5,750	42	45	-	1	88	15·3	1·00	0·89	35	40	75	13·0	0·82	0·95	-	-	-	-	1	*11*
Grantham M.B.	26,350	241	205	23	15	484	18·4	1·07	1·14	134	134	268	10·2	0·95	0·87	4	*8*	4	3	7	*20*
Sleaford	7,990	47	48	6	2	103	12·9	1·07	0·80	79	91	170	21·3	0·48	0·91	1	*10*	1	1	1	*19*
Stamford M.B.	13,120	99	114	13	6	232	17·7	1·05	1·08	77	73	150	11·4	0·75	0·76	2	*9*	1	1	4	*21*
Rural districts*	**99,790**	**935**	**783**	**46**	**39**	**1,803**	**18·1**	**0·98**	**1·03**	**508**	**451**	**959**	**9·6**	**0·96**	**0·82**	**27**	**15**	**21**	**16**	**21**	**20**
East Kesteven	23,060	208	169	4	9	390	16·9	1·04	1·02	92	98	190	8·2	1·15	0·84	5	*13*	3	3	6	*23*
*North Kesteven	42,180	427	356	19	11	813	19·3	0·96	1·08	222	204	426	10·1	0·77	0·69	14	*17*	13	9	11	*24*
South Kesteven	16,220	159	128	10	10	307	18·9	1·03	1·13	85	80	165	10·2	1·04	0·95	4	*13*	2	2	3	*16*
West Kesteven	18,330	141	130	13	9	293	16·0	0·92	0·86	109	69	178	9·7	1·11	0·96	4	*14*	3	2	1	*10*
LINCOLNSHIRE (PARTS OF LINDSEY)*	**456,230**	**3,870**	**3,648**	**370**	**352**	**8,240**	**18·1**	**1·03**	**1·08**	**2,595**	**2,305**	**4,900**	**10·7**	**1·02**	**0·97**	**159**	**19**	**93**	**79**	**136**	**26**
Grimsby C.B.	95,110	828	766	114	108	1,816	19·1	1·02	1·13	556	529	1,085	11·4	1·08	1·10	41	23	24	22	30	28
Administrative county*	**361,120**	**3,042**	**2,882**	**256**	**244**	**6,424**	**17·8**	**1·03**	**1·07**	**2,039**	**1,776**	**3,815**	**10·6**	**1·00**	**0·95**	**118**	**18**	**69**	**57**	**106**	**25**
Municipal boroughs and urban districts	**174,930**	**1,384**	**1,339**	**151**	**146**	**3,020**	**17·3**	**1·03**	**1·04**	**1,086**	**934**	**2,020**	**11·5**	**1·00**	**1·03**	**64**	**21**	**38**	**31**	**51**	**27**
Alford	2,340	16	24	1	-	41	17·5	1·26	1·28	19	14	33	14·1	0·67	0·84	-	-	-	-	-	-
Barton-upon-Humber	6,590	54	58	3	6	121	18·4	1·07	1·14	46	48	94	14·3	0·92	1·17	1	*8*	1	1	3	*32*
Brigg	5,120	29	41	3	3	76	14·8	1·06	0·91	39	35	74	14·5	0·75	0·97	-	-	-	-	-	-
Cleethorpes M.B.	33,970	261	249	41	29	580	17·1	1·01	1·00	194	184	378	11·1	1·02	1·01	13	*22*	7	6	7	*22*
Gainsborough	17,560	162	159	13	16	350	19·9	1·05	1·21	124	96	220	12·5	0·82	0·92	6	*17*	3	3	10	*36*
Horncastle	4,000	32	40	2	5	79	19·8	1·02	1·17	25	26	51	12·8	0·98	1·12	4	*51*	4	4	2	*74*
Louth M.B.	11,470	77	75	3	7	162	14·1	1·09	0·89	90	87	177	15·4	0·74	1·02	2	*12*	1	1	4	*30*
Mablethorpe and Sutton	5,580	38	36	3	6	83	14·9	1·29	1·12	64	48	112	20·1	0·68	1·22	3	*36*	2	2	2	*47*
Market Rasen	2,410	18	15	-	1	34	14·1	1·21	0·99	16	15	31	12·9	0·68	0·78	1	*29*	1	1	-	*29*
Scunthorpe M.B.	71,010	600	550	63	64	1,277	18·0	0·97	1·02	364	243	607	8·5	1·47	1·12	30	23	17	12	21	25
Skegness	12,670	84	83	19	8	194	15·3	1·20	1·07	88	113	201	15·9	0·71	1·01	3	*15*	2	1	1	*10*
Woodhall Spa	2,210	13	9	-	1	23	10·4	1·30	0·79	17	25	42	19·0	0·36	0·61	1	*43*	-	-	1	*42*
Rural districts*	**186,190**	**1,658**	**1,543**	**105**	**98**	**3,404**	**18·3**	**1·02**	**1·09**	**953**	**842**	**1,795**	**9·6**	**1·01**	**0·87**	**54**	**16**	**31**	**26**	**55**	**23**
Caistor	14,890	123	94	5	3	225	15·1	1·04	0·91	83	80	163	10·9	0·92	0·90	3	*13*	2	2	8	*43*
Gainsborough	13,460	90	119	7	6	222	16·5	1·00	0·96	67	55	122	9·1	0·97	0·79	5	*23*	2	2	2	*18*
Glanford Brigg	40,000	395	363	26	18	802	20·1	0·99	1·16	218	174	392	9·8	1·09	0·95	17	*21*	14	12	10	27
Grimsby	25,300	302	284	24	19	629	24·9	0·89	1·29	103	91	194	7·7	1·09	0·75	8	*13*	3	2	7	*14*
Horncastle	13,370	101	89	7	7	204	15·3	1·08	0·96	71	52	123	9·2	1·06	0·87	2	*10*	1	1	3	*19*
Isle of Axholme	14,610	111	113	1	6	231	15·8	1·05	0·96	88	74	162	11·1	1·12	1·11	3	*13*	2	2	3	*21*
Louth	19,750	167	162	13	15	357	18·1	1·11	1·17	92	78	170	8·6	0·97	0·74	5	*14*	2	2	9	*30*
Spilsby	22,680	155	134	10	11	310	13·7	1·14	0·91	143	150	293	12·9	0·77	0·89	5	*16*	3	2	8	*31*
*Welton	22,130	214	185	12	13	424	19·2	1·00	1·12	88	88	176	8·0	1·15	0·82	6	*14*	2	1	5	*14*
NORFOLK	**593,990**	**4,421**	**4,253**	**348**	**345**	**9,367**	**15·8**	**1·06**	**0·97**	**3,665**	**3,376**	**7,041**	**11·9**	**0·86**	**0·91**	**153**	**16**	**106**	**91**	**104**	**21**
County boroughs	**170,520**	**1,243**	**1,085**	**133**	**136**	**2,597**	**15·2**	**1·06**	**0·94**	**1,084**	**976**	**2,060**	**12·1**	**0·89**	**0·96**	**43**	**17**	**31**	**27**	**34**	**23**
Great Yarmouth	51,910	366	321	36	52	775	14·9	1·08	0·94	372	314	686	13·2	0·80	0·94	11	*14*	8	7	14	27
Norwich	118,610	877	764	97	84	1,822	15·4	1·05	0·94	712	662	1,374	11·6	0·94	0·97	32	18	23	20	20	22
Administrative county	**423,470**	**3,178**	**3,168**	**215**	**209**	**6,770**	**16·0**	**1·06**	**0·99**	**2,581**	**2,400**	**4,981**	**11·8**	**0·85**	**0·90**	**110**	**16**	**75**	**64**	**70**	**20**
Municipal boroughs and urban districts	**86,840**	**667**	**678**	**57**	**56**	**1,458**	**16·8**	**1·00**	**0·98**	**575**	**559**	**1,134**	**13·1**	**0·82**	**0·96**	**35**	**24**	**20**	**15**	**7**	**15**
Cromer	4,970	36	32	2	2	72	14·5	1·15	0·97	44	54	98	19·7	0·48	0·84	1	*14*	1	1	-	*14*
Diss	4,260	19	30	1	-	50	11·7	1·06	0·72	26	18	44	10·3	0·90	0·83	2	*40*	1	1	-	*20*
Downham Market	3,320	25	15	1	2	43	13·0	1·09	0·82	26	24	50	15·1	0·61	0·82	2	*47*	2	-	-	-
East Dereham	8,080	53	72	3	1	129	16·0	1·06	0·99	52	55	107	13·2	0·80	0·94	2	*16*	-	-	1	*8*
Hunstanton	4,200	24	30	2	-	56	13·3	0·86	0·67	34	33	67	16·0	0·68	0·97	1	*18*	1	-	-	-
King's Lynn M.B.	28,370	227	234	33	30	524	18·5	0·99	1·06	177	159	336	11·8	0·93	0·98	11	*21*	8	6	5	*21*
North Walsham	5,370	33	38	2	-	73	13·6	1·15	0·91	33	29	62	11·5	0·77	0·79	2	*27*	-	-	-	-
Sheringham	4,970	20	20	6	1	47	9·5	1·25	0·69	41	40	81	16·3	0·64	0·93	1	*21*	1	1	-	*21*
Swaffham	3,670	30	29	-	1	60	16·3	0·95	0·90	30	30	60	16·3	0·82	1·19	1	*17*	1	1	-	*17*
Thetford M.B.	10,400	118	103	2	8	231	22·2	0·75	0·97	51	56	107	10·3	1·06	0·97	8	*35*	2	2	1	*13*
Wells-next-the-Sea	2,450	17	9	1	1	28	11·4	1·14	0·76	19	21	40	16·3	0·85	1·24	-	-	-	-	-	-
Wymondham	6,780	65	66	4	10	145	21·4	1·14	1·42	42	40	82	12·1	1·03	1·11	4	*28*	3	3	-	*21*
Rural districts	**336,630**	**2,511**	**2,490**	**158**	**153**	**5,312**	**15·8**	**1·08**	**0·99**	**2,006**	**1,841**	**3,847**	**11·4**	**0·86**	**0·88**	**75**	**14**	**55**	**49**	**63**	**21**
Blofield and Flegg	41,130	284	287	21	20	612	14·9	1·24	1·07	268	288	556	13·5	0·70	0·84	9	*15*	9	8	6	*23*
Depwade	18,090	135	121	7	9	272	15·0	1·19	1·04	122	140	262	14·5	0·70	0·91	3	*11*	3	3	3	*22*
Docking	18,180	101	85	5	10	201	11·1	1·06	0·68	133	97	230	12·7	0·86	0·98	2	*10*	1	1	3	*20*
Downham	25,210	198	208	12	11	429	17·0	1·02	1·01	117	78	195	7·7	1·18	0·81	6	*14*	4	4	3	*16*
Erpingham	18,870	100	114	5	8	227	12·0	1·18	0·82	129	97	226	12·0	0·72	0·77	2	*9*	1	1	5	*26*
Forehoe and Henstead	31,200	247	222	20	15	504	16·2	1·11	1·05	195	190	385	12·3	0·68	0·75	7	*14*	5	4	6	*20*
Freebridge Lynn	12,990	99	95	11	11	216	16·6	0·99	0·96	72	67	139	10·7	0·90	0·86	4	*19*	3	1	4	*23*
Loddon	13,130	86	99	4	4	193	14·7	1·03	0·88	77	70	147	11·2	0·89	0·89	1	*5*	1	1	2	*15*
Marshland	17,660	147	127	12	12	298	16·9	1·02	1·00	105	82	187	10·6	1·13	1·07	4	*13*	2	2	2	*13*
Mitford and Launditch	17,730	113	96	4	9	222	12·5	1·11	0·81	104	105	209	11·8	0·75	0·79	7	*32*	6	5	1	*27*
St. Faith's and Aylsham	54,150	511	525	30	19	1,085	20·0	0·98	1·14	297	258	555	10·2	0·99	0·90	10	*9*	7	7	14	19
Smallburgh	17,840	110	121	12	9	252	14·1	1·15	0·94	93	102	195	10·9	0·84	0·82	3	*12*	3	3	2	*20*
Swaffham	10,410	71	88	1	1	161	15·5	1·05	0·95	70	47	117	11·2	1·05	1·05	4	*25*	4	4	5	*54*
Walsingham	19,360	148	149	7	6	310	16·0	1·01	0·94	118	105	223	11·5	1·02	1·05	4	*13*	2	2	6	*25*
Wayland	20,680	161	153	7	9	330	16·0	1·11	1·03	106	115	221	10·7	0·96	0·92	9	*27*	4	3	1	*12*
NORTHAMPTONSHIRE	**433,880**	**3,676**	**3,539**	**278**	**318**	**7,811**	**18·0**	**1·05**	**1·10**	**2,406**	**2,224**	**4,630**	**10·7**	**0·95**	**0·91**	**144**	**18**	**92**	**75**	**118**	**24**
Northampton C.B.	121,890	1,027	974	96	103	2,200	18·0	1·02	1·07	730	741	1,471	12·1	0·85	0·92	45	20	28	24	30	24
Administrative county	**311,990**	**2,649**	**2,565**	**182**	**215**	**5,611**	**18·0**	**1·06**	**1·11**	**1,676**	**1,483**	**3,159**	**10·1**	**0·99**	**0·89**	**99**	**18**	**64**	**51**	**88**	**24**
Municipal boroughs and urban districts	**180,970**	**1,560**	**1,551**	**119**	**147**	**3,377**	**18·7**	**1·02**	**1·11**	**985**	**874**	**1,859**	**10·3**	**1·04**	**0·96**	**64**	**19**	**41**	**34**	**49**	**24**
Brackley M.B.	4,040	31	29	3	1	64	15·8	1·11	1·02	31	16	47	11·6	0·95	0·98	3	*47*	2	1	1	*31*
Burton Latimer	4,990	40	43	3	5	91	18·2	0·83	0·88	24	17	41	8·2	1·03	0·75	1	*11*	1	1	-	*11*
*Corby	46,540	450	451	33	44	978	21·0	0·83	1·01	147	98	245	5·3	2·49	1·18	22	22	10	9	14	23
Daventry M.B.	6,860	54	72	4	-	130	19·0	0·99	1·09	48	46	94	13·7	0·76	0·93	2	*15*	1	1	1	*15*
Desborough	4,800	39	39	3	3	84	17·5	1·29	1·31	27	27	54	11·3	0·90	0·91	-	-	-	-	1	*12*
Higham Ferrers M.B.	4,380	33	32	2	2	69	15·8	1·30	1·19	22	19	41	9·4	1·12	0·94	-	-	-	-	-	-
Irthlingborough	5,290	52	61	3	4	120	22·7	1·03	1·36	34	36	70	13·2	1·04	1·23	1	*8*	-	-	1	*8*
Kettering M.B.	39,270	300	303	28	28	659	16·8	1·10	1·07	232	226	458	11·7	0·85	0·89	11	*17*	8	8	12	30
Oundle	3,590	20	17	2	1	40	11·1	1·30	0·84	26	25	51	14·2	0·57	0·72	1	*25*	-	-	-	-
Raunds	5,000	51	48	5	2	106	21·2	1·20	1·48	35	39	74	14·8	0·84	1·11	2	*19*	2	-	2	*19*
Rothwell	4,700	30	27	-	2	59	12·6	1·24	0·91	34	16	50	10·6	0·87	0·82	1	*17*	1	1	-	*17*
Rushden	17,690	160	148	8	17	333	18·8	1·08	1·18	98	102	200	11·3	0·94	0·95	9	*27*	7	7	7	*41*
Wellingborough	33,820	300	281	25	38	644	19·0	1·05	1·16	227	207	434	12·8	0·85	0·97	11	*17*	9	6	10	24
Rural districts*	**131,020**	**1,089**	**1,014**	**63**	**68**	**2,234**	**17·1**	**1·11**	**1·10**	**691**	**609**	**1,300**	**9·9**	**0·93**	**0·82**	**35**	**16**	**23**	**17**	**39**	**25**
Brackley	13,360	114	106	6	6	232	17·4	1·22	1·23	60	50	110	8·2	1·15	0·84	5	*22*	4	4	4	*34*
Brixworth	16,920	132	118	11	10	271	16·0	1·11	1·03	89	96	185	10·9	0·77	0·75	1	*4*	1	-	-	-
Daventry	18,160	132	146	7	6	291	16·0	1·15	1·07	121	77	198	10·9	0·93	0·91	2	*7*	2	2	3	*17*
*Kettering	12,030	88	84	8	8	188	15·6	1·13	1·02	63	53	116	9·6	1·00	0·86	7	*37*	6	4	10	*71*
Northampton	20,730	176	161	6	13	356	17·2	1·05	1·05	108	111	219	10·6	0·86	0·81	10	*28*	5	4	3	*19*
Oundle and Thrapston	18,260	129	129	9	9	276	15·1	1·09	0·96	90	77	167	9·1	0·98	0·80	3	*11*	1	-	6	*21*
Towcester	16,780	183	138	10	9	340	20·3	1·09	1·29	76	87	163	9·7	0·96	0·83	3	*9*	1	-	6	*17*
Wellingborough	14,780	135	132	6	7	280	18·9	1·10	1·21	84	58	142	9·6	0·95	0·81	4	*14*	3	3	7	*35*

TABLE 13 - *continued*

Area	Estimated home population as at 30th June 1967 (*but see Explanatory Note 'Changes in boundaries'*)	Live births								Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		Legitimate		Illegitimate																	
		M	F	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
NORTHUMBERLAND	**828,290**	**5,967**	**5,579**	**509**	**502**	**12,557**	**15·2**	**1·00**	**0·88**	**5,081**	**4,599**	**9,680**	**11·7**	**1·06**	**1·11**	**252**	**20**	**178**	**144**	**193**	**26**
County boroughs	**324,090**	**2,334**	**2,215**	**275**	**288**	**5,112**	**15·8**	**1·00**	**0·92**	**1,981**	**1,837**	**3,818**	**11·8**	**1·09**	**1·15**	**121**	**24**	**85**	**67**	**88**	**30**
Newcastle upon Tyne	251,650	1,732	1,672	229	234	3,867	15·4	1·00	0·90	1,592	1,417	3,009	12·0	1·09	1·17	93	24	62	49	72	31
Tynemouth	72,440	602	543	46	54	1,245	17·2	0·98	0·98	389	420	809	11·2	1·09	1·09	28	22	23	18	16	27
Administrative county	**504,200**	**3,633**	**3,364**	**234**	**214**	**7,445**	**14·8**	**1·00**	**0·86**	**3,100**	**2,762**	**5,862**	**11·6**	**1·03**	**1·07**	**131**	**18**	**93**	**77**	**105**	**24**
Municipal boroughs and urban districts	**386,360**	**2,885**	**2,632**	**192**	**176**	**5,885**	**15·2**	**0·99**	**0·87**	**2,367**	**2,053**	**4,420**	**11·4**	**1·11**	**1·13**	**105**	**18**	**76**	**62**	**85**	**25**
Alnwick	7,500	46	35	4	5	90	12·0	1·12	0·78	42	47	89	11·9	1·11	1·18	1	*11*	1	1	1	*22*
Amble	4,980	52	48	1	1	102	20·5	1·03	1·23	27	27	54	10·8	1·03	0·99	2	*20*	2	1	1	*19*
Ashington	26,320	223	196	8	11	438	16·6	1·04	1·00	179	115	294	11·2	1·17	1·17	7	*16*	3	3	7	*22*
Bedlingtonshire	30,810	244	224	22	17	507	16·5	0·98	0·94	174	130	304	9·9	1·27	1·12	8	*16*	6	4	5	*18*
Berwick-upon-Tweed M.B.	11,650	107	107	7	9	230	19·7	1·04	1·19	89	102	191	16·4	0·91	1·33	3	*13*	3	3	4	*30*
Blyth M.B.	36,120	252	242	20	23	537	14·9	0·98	0·85	236	167	403	11·2	1·25	1·25	11	*20*	10	8	7	*28*
Gosforth	27,540	191	178	11	8	388	14·1	0·97	0·80	180	191	371	13·5	0·75	0·90	6	*15*	6	6	4	*26*
Hexham	9,730	82	72	5	4	163	16·8	1·06	1·04	64	64	128	13·2	0·89	1·05	-	-	-	-	3	*18*
Longbenton	48,480	294	253	15	23	585	12·1	0·87	0·61	252	201	453	9·3	1·49	1·24	13	*22*	9	8	8	*27*
Morpeth M.B.	14,340	101	93	7	3	204	14·2	0·99	0·82	81	103	184	12·8	0·65	0·74	4	*20*	3	3	2	*24*
Newbiggin-by-the-Sea	9,920	85	65	5	8	163	16·4	1·01	0·96	59	44	103	10·4	1·26	1·17	5	*31*	5	3	3	*36*
Newburn	33,230	279	292	21	7	599	18·0	0·96	1·00	170	148	318	9·6	1·33	1·14	12	*20*	9	9	9	*30*
Prudhoe	10,660	78	58	3	1	140	13·1	0·94	0·72	69	46	115	10·8	1·22	1·18	4	*29*	3	2	2	*28*
Seaton Valley	28,410	206	215	8	15	444	15·6	1·04	0·94	195	168	363	12·8	1·08	1·23	10	*23*	9	8	7	*33*
Wallsend M.B.	48,290	387	339	30	25	781	16·2	0·99	0·93	299	223	522	10·8	1·31	1·26	15	*19*	6	3	19	*28*
Whitley Bay M.B.	38,380	258	215	25	16	514	13·4	1·06	0·83	251	277	528	13·8	0·79	0·97	4	*8*	1	-	3	*6*
Rural districts	**117,840**	**748**	**732**	**42**	**38**	**1,560**	**13·2**	**1·05**	**0·81**	**733**	**709**	**1,442**	**12·2**	**0·82**	**0·89**	**26**	**17**	**17**	**15**	**20**	**22**
Alnwick	12,320	85	96	9	6	196	15·9	1·14	1·05	72	71	143	11·6	0·86	0·89	2	*10*	1	1	4	*25*
Belford	4,820	31	26	-	3	60	12·4	1·21	0·87	23	35	58	12·0	0·81	0·87	2	*33*	-	-	2	*32*
Bellingham	5,120	24	26	4	-	54	10·5	1·20	0·73	47	30	77	15·0	1·11	1·49	4	*74*	-	-	-	-
Castle Ward	34,820	237	196	9	13	455	13·1	0·88	0·67	224	237	461	13·2	0·64	0·75	8	*18*	7	7	3	*22*
Glendale	6,640	35	31	1	1	68	10·2	1·13	0·67	33	42	75	11·3	0·97	0·98	1	*15*	-	-	-	-
Haltwhistle	6,690	39	44	2	1	86	12·9	1·15	0·86	45	40	85	12·7	0·90	1·02	1	*12*	1	-	1	*11*
Hexham	20,470	128	133	7	6	274	13·4	1·09	0·85	144	119	263	12·8	0·83	0·95	4	*15*	4	3	2	*18*
Morpeth	17,910	115	118	8	6	247	13·8	1·08	0·87	93	76	169	9·4	1·11	0·93	2	*8*	2	2	7	*35*
Norham and Islandshires	3,810	19	23	-	-	42	11·0	1·26	0·81	18	19	37	9·7	0·92	0·80	1	*24*	1	1	-	*24*
Rothbury	5,240	35	39	2	2	78	14·9	1·18	1·02	34	40	74	14·1	0·85	1·07	1	*13*	1	1	1	*25*
NOTTINGHAMSHIRE	**962,450**	**8,138**	**7,671**	**853**	**790**	**17,452**	**18·1**	**0·98**	**1·03**	**5,064**	**4,717**	**9,781**	**10·2**	**1.11**	**1.01**	**298**	**17**	**201**	**172**	**284**	**26**
Nottingham C.B.	309,740	2,482	2,320	454	446	5,702	18·4	0·99	1·06	1,754	1,802	3,556	11·5	1·05	1·08	113	20	68	56	95	26
Administrative county	**652,710**	**5,656**	**5,351**	**399**	**344**	**11,750**	**18·0**	**0·97**	**1·02**	**3,310**	**2,915**	**6,225**	**9·5**	**1·15**	**0·98**	**185**	**16**	**133**	**116**	**189**	**26**
Municipal boroughs and urban districts	**433,970**	**3,658**	**3,532**	**286**	**236**	**7,712**	**17·8**	**0·98**	**1·01**	**2,302**	**2,031**	**4,333**	**10·0**	**1·14**	**1·02**	**110**	**14**	**80**	**67**	**130**	**25**
Arnold	30,640	227	236	16	6	485	15·8	0·94	0·86	137	115	252	8·2	1·22	0·89	7	*14*	6	4	14	*36*
Beeston and Stapleford	62,070	548	501	25	26	1,100	17·7	0·94	0·97	273	254	527	8·5	1·28	0·97	14	*13*	8	7	19	*23*
Carlton	41,660	394	355	31	19	799	19·2	1·00	1·12	216	189	405	9·7	1·17	1·01	9	*11*	8	6	15	*26*
East Retford M.B.	18,770	144	135	10	9	298	15·9	0·99	0·92	108	116	224	11·9	0·97	1·03	6	*20*	4	4	3	*23*
Eastwood	11,330	98	109	7	3	217	19·2	0·97	1·08	46	49	95	8·4	1·27	0·95	2	*9*	2	1	4	*23*
Hucknall	25,720	236	275	13	11	535	20·8	1·01	1·22	133	109	242	9·4	1·22	1·02	5	*9*	4	4	4	*15*
Kirkby in Ashfield	22,450	170	185	10	10	375	16·7	0·96	0·93	124	105	229	10·2	1·20	1·09	5	*13*	4	3	6	*24*
Mansfield M.B.	55,540	448	458	43	40	989	17·8	1·02	1·06	340	277	617	11·1	1·01	1·00	14	*14*	9	7	22	*29*
Mansfield Woodhouse	23,600	222	211	15	15	463	19·6	0·91	1·04	110	94	204	8·6	1·39	1·07	12	*26*	9	9	3	*26*
Newark M.B.	25,030	235	186	27	18	466	18·6	1·01	1·09	150	135	285	11·4	1·03	1·05	6	*13*	3	3	11	*29*
Sutton in Ashfield	40,630	354	298	18	23	693	17·1	1·02	1·01	246	194	440	10·8	1·19	1·15	9	*13*	7	6	14	*28*
Warsop	12,920	127	126	12	8	273	21·1	1·00	1·23	63	50	113	8·7	1·36	1·06	10	*37*	9	7	4	*40*
West Bridgford	28,030	175	168	26	22	391	13·9	0·97	0·78	183	172	355	12·7	0·87	0·99	4	*10*	3	3	9	*30*
Worksop M.B.	35,580	280	289	33	26	628	17·7	0·98	1·01	173	172	345	9·7	1·21	1·05	7	*11*	4	3	2	*8*
Rural districts	**218,740**	**1,998**	**1,819**	**113**	**108**	**4,038**	**18·5**	**0·96**	**1·03**	**1,008**	**884**	**1,892**	**8·6**	**1·17**	**0·90**	**75**	**19**	**53**	**49**	**59**	**26**
Basford	67,600	588	546	38	28	1,200	17·8	0·97	1·00	303	295	598	8·8	1·25	0·98	27	*23*	18	18	16	*28*
Bingham	37,560	380	355	18	11	764	20·3	0·87	1·03	141	140	281	7·5	1·05	0·70	13	*17*	10	10	5	*20*
East Retford	23,980	202	164	12	13	391	16·3	1·02	0·97	127	97	224	9·3	1·05	0·87	8	*20*	5	3	5	*20*
Newark	16,450	161	138	9	7	315	19·1	0·96	1·07	79	53	132	8·0	1·21	0·86	5	*16*	5	4	6	*31*
Southwell	53,250	480	421	24	30	955	17·9	0·99	1·03	237	224	461	8·7	1·18	0·92	18	*19*	12	11	16	*28*
Worksop	19,900	187	195	12	19	413	20·8	0·95	1·15	121	75	196	9·8	1·21	1·06	4	*10*	3	3	11	*33*
OXFORDSHIRE	**358,690**	**3,053**	**2,875**	**263**	**226**	**6,417**	**17·9**	**0·96**	**1·00**	**1,655**	**1,505**	**3,160**	**8·8**	**1·07**	**0·84**	**95**	**15**	**52**	**42**	**82**	**19**
Oxford C.B.	109,350	759	704	133	91	1,687	15·4	0·94	0·84	540	518	1,058	9·7	0·95	0·82	25	15	13	10	18	16
Administrative county	**249,340**	**2,294**	**2,171**	**130**	**135**	**4,730**	**19·0**	**0·97**	**1·07**	**1,115**	**987**	**2,102**	**8·4**	**1·12**	**0·84**	**70**	**15**	**39**	**32**	**64**	20
Municipal boroughs and urban districts	**68,540**	**648**	**661**	**46**	**54**	**1,409**	**20·6**	**0·94**	**1·13**	**352**	**327**	**679**	**9·9**	**1·08**	**0·95**	**29**	**21**	**18**	**15**	**23**	**27**
Banbury M.B.	26,540	282	255	25	22	584	22·0	0·90	1·15	143	107	250	9·4	1·13	0·95	15	*26*	12	9	10	*32*
Bicester	8,850	88	98	1	11	198	22·4	0·84	1·09	36	33	69	7·8	1·69	1·18	4	*20*	3	3	3	*30*
Chipping Norton M.B.	4,420	35	30	4	3	72	16·3	1·02	0·97	24	30	54	12·2	1·00	1·09	2	*28*	-	-	1	*14*
Henley-on-Thames M.B.	10,550	83	78	7	7	175	16·6	1·07	1·03	60	68	128	12·1	0·84	0·91	3	*17*	-	-	5	*28*
Thame	5,420	36	73	4	1	114	21·0	0·97	1·18	21	24	45	8·3	1·11	0·82	-	-	-	-	1	*9*
Witney	10,500	99	94	4	7	204	19·4	0·93	1·05	49	42	91	8·7	1·22	0·95	2	*10*	2	2	2	*19*
Woodstock M.B.	2,260	25	33	1	3	62	27·4	1·00	1·59	19	23	42	18·6	0·50	0·83	3	*48*	1	1	1	*32*
Rural districts	**180,800**	**1,646**	**1,510**	**84**	**81**	**3,321**	**18·4**	**0·99**	**1·06**	**763**	**660**	**1,423**	**7·9**	**1·15**	**0·81**	**41**	**12**	**21**	**17**	**41**	**17**
Banbury	19,050	144	138	9	11	302	15·9	1·05	0·97	87	87	174	9·1	0·98	0·80	3	*10*	2	1	6	*23*
Bullingdon	49,080	522	461	32	31	1,046	21·3	0·93	1·15	214	202	416	8·5	1·09	0·83	15	*14*	6	5	14	*18*
Chipping Norton	17,860	140	127	6	5	278	15·6	1·07	0·97	80	84	164	9·2	1·01	0·83	1	*4*	-	-	2	*7*
Henley	28,510	213	217	17	12	459	16·1	1·19	1·11	121	115	236	8·3	1·13	0·84	7	*15*	3	3	8	*24*
Ploughley	34,770	307	279	7	9	602	17·3	0·90	0·91	126	75	201	5·8	1·48	0·77	8	*13*	5	3	5	*13*
Witney	31,530	320	288	13	13	634	20·1	0·96	1·12	135	97	232	7·4	1·29	0·85	7	*11*	5	5	6	*17*
RUTLAND	**29,110**	**241**	**221**	**10**	**14**	**486**	**16·7**	**1·08**	**1·05**	**132**	**109**	**241**	**8·3**	**1·07**	**0·79**	**6**	*12*	**5**	**3**	**6**	18
Oakham U.D.	5,730	50	67	3	1	121	21·1	1·00	1·23	31	27	58	10·1	0·83	0·75	2	*17*	2	1	1	*16*
Rural districts	**23,380**	**191**	**154**	**7**	**13**	**365**	**15·6**	**1·10**	**1·00**	**101**	**82**	**183**	**7·8**	**1·15**	**0·80**	**4**	*11*	**3**	**2**	**5**	*19*
Ketton	3,900	28	25	-	3	56	14·4	1·00	0·84	20	17	37	9·5	1·21	1·03	-	-	-	-	1	*18*
Oakham	13,060	117	83	4	6	210	16·1	1·09	1·02	54	42	96	7·4	1·30	0·86	4	*19*	3	2	3	*23*
Uppingham	6,420	46	46	3	4	99	15·4	1·19	1·07	27	23	50	7·8	0·93	0·65	-	-	-	-	1	*10*
SHROPSHIRE	**326,010**	**2,705**	**2,663**	**204**	**192**	**5,764**	**17·7**	**1·01**	**1·04**	**1,777**	**1,641**	**3,418**	**10·5**	**1·05**	**0·98**	**114**	**20**	**74**	**63**	**94**	**27**
Municipal boroughs and urban districts*	**113,240**	**934**	**948**	**75**	**75**	**2,032**	**17·9**	**0·96**	**1·00**	**628**	**579**	**1,207**	**10·7**	**1·11**	**1·06**	**50**	**25**	**31**	**27**	**30**	**28**
(c)‡Bishop's Castle M.B.																					
(d)‡Bridgnorth M.B.																					
Dawley	21,240	152	162	19	19	352	16·6	0·86	0·83	146	128	274	12·9	1·30	1·50	13	*37*	11	10	8	*50*
(e)‡Ellesmere																					
(f)‡Ludlow M.B.																					
Newport	5,820	67	63	5	6	141	24·2	1·02	1·44	41	36	77	13·2	0·95	1·12	4	*28*	1	1	2	*21*
Oakengates	15,790	150	151	7	10	318	20·1	1·26	1·47	75	57	132	8·4	1·31	0·98	6	*19*	4	4	3	*22*
(g)‡Oswestry M.B.																					
*Shrewsbury M.B.	53,660	442	432	39	34	947	17·6	0·96	0·98	281	292	573	10·7	0·99	0·95	24	25	13	11	11	23
Wellington	16,630	123	140	5	6	274	16·5	1·12	1·07	85	66	151	9·1	1·11	0·90	3	*11*	2	1	6	*25*
(e)‡Wem																					
(e)‡Whitchurch																					

(c) Bishop's Castle M.B. and Clun R.D. abolished from 1st April 1967. Events included in figures for Clun and Bishop's Castle R.D. from 1st January 1967.
(d) Bridgnorth M.B. abolished 1st April 1967. Events included in figures for Bridgnorth R.D. from 1st January 1967.
(e) Ellesmere U.D., Wem U.D., Whitchurch U.D., Ellesmere R.D. and Wem R.D. abolished 1st April 1967. Events included in figures for North Shropshire R.D. from 1st January 1967 (except the parishes of Great Ness and Little Ness in Ellesmere R.D. the events for which are included in figures for Atcham R.D. from 1st January 1967).
(f) Ludlow M.B. abolished 1st April 1967. Events included in figures for Ludlow R.D. from 1st January 1967.
(g) Oswestry M.B. abolished 1st April 1967. Events included in figures for Oswestry R.D. from 1st January 1967.

TABLE 13 - *continued*

Area	Estimated home population as at 30th June 1967 (*but see Explanatory Note 'Changes in boundaries'*)	Live births								Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		Legitimate		Illegitimate		Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
		M	F	M	F																
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
SHROPSHIRE - *continued*																					
Rural districts*	**212,870**	**1,771**	**1,715**	**129**	**117**	**3,732**	**17·5**	**1·03**	**1·05**	**1,149**	**1,062**	**2,211**	**10·4**	**1·02**	**0·95**	**64**	**17**	**43**	**36**	**64**	**26**
*Atcham	25,650	229	218	17	15	479	18·7	1·03	1·12	121	112	233	9·1	1·01	0·82	9	*19*	8	7	4	*23*
(d)*Bridgnorth	31,000	265	264	18	19	566	18·3	0·96	1·02	153	139	292	9·4	1·36	1·14	13	*23*	9	5	7	*21*
(c)‡Clun																					
(c)†Clun and Bishop's Castle	10,050	71	61	6	2	140	13·9	1·16	0·94	56	46	102	10·1	0·81	0·73	-	-	-	-	5	*34*
(e)‡Ellesmere																					
(f)*Ludlow	23,480	189	165	14	7	375	16·0	1·12	1·04	162	171	333	14·2	0·80	1·01	11	*29*	7	6	7	*34*
Market Drayton	17,100	149	151	8	9	317	18·5	0·99	1·06	85	63	148	8·7	1·04	0·81	4	*13*	4	3	4	*22*
(e)†North Shropshire	31,420	227	242	17	21	507	16·1	1·07	1·00	189	179	368	11·7	0·91	0·95	9	*18*	4	4	9	*25*
(g)*Oswestry	31,510	219	231	24	17	491	15·6	1·05	0·95	195	187	382	12·1	0·90	0·97	9	*18*	5	5	11	*32*
*Shifnal	15,990	149	135	10	7	301	18·8	1·06	1·16	70	52	122	7·6	1·40	0·95	2	*7*	1	1	4	*16*
Wellington	26,670	273	248	15	20	556	20·8	0·98	1·19	118	113	231	8·7	1·30	1·01	7	*13*	5	5	13	*32*
(e)‡Wem																					
SOMERSET	**644,460**	**4,933**	**4,612**	**352**	**332**	**10,229**	**15·9**	**1·08**	**1·00**	**3,872**	**4,016**	**7,888**	**12·2**	**0·82**	**0·89**	**151**	**15**	**93**	**80**	**151**	**22**
*Bath C.B.	84,990	552	535	63	38	1,188	14·0	1·04	0·85	541	549	1,090	12·8	0·77	0·88	25	21	18	13	28	34
Administrative county*	**559,470**	**4,381**	**4,077**	**289**	**294**	**9,041**	**16·2**	**1·09**	**1·03**	**3,331**	**3,467**	**6,798**	**12·2**	**0·83**	**0·90**	**126**	**14**	**75**	**67**	**123**	**21**
Municipal boroughs and urban districts*	**267,640**	**2,072**	**1,975**	**158**	**152**	**4,357**	**16·3**	**1·09**	**1·03**	**1,678**	**1,921**	**3,599**	**13·4**	**0·78**	**0·93**	**55**	**13**	**33**	**30**	**64**	**21**
Bridgwater M.B.	26,580	226	225	24	25	500	18·8	0·98	1·07	185	175	360	13·5	0·94	1·13	4	*8*	2	2	12	*27*
Burnham-on-Sea	11,180	68	59	1	6	134	12·0	1·27	0·89	86	125	211	18·9	0·61	1·03	4	*30*	1	1	5	*43*
Chard M.B.	6,910	55	48	7	4	114	16·5	1·12	1·07	52	50	102	14·8	0·67	0·89	1	*9*	-	-	2	*17*
Clevedon	12,790	97	108	6	8	219	17·1	1·36	1·35	87	143	230	18·0	0·50	0·80	7	*32*	5	4	4	*36*
Crewkerne	4,560	30	32	4	3	69	15·1	1·21	1·06	37	33	70	15·4	0·91	1·25	1	*14*	-	-	-	-
Frome	11,980	121	114	10	10	255	21·3	1·09	1·35	92	91	183	15·3	0·75	1·02	6	*24*	6	6	5	*42*
Glastonbury M.B.	6,220	46	51	6	-	103	16·6	1·09	1·05	33	39	72	11·6	0·96	0·99	-	-	-	-	-	-
Ilminster	2,810	23	20	1	1	45	16·0	0·98	0·91	9	7	16	*5·7*	0·98	0·50	-	-	-	-	1	*22*
Keynsham	17,190	119	119	4	4	246	14·3	0·98	0·81	72	88	160	9·3	1·06	0·88	4	*16*	4	3	3	*24*
Minehead	7,420	37	43	3	4	87	11·7	1·35	0·92	69	74	143	19·3	0·49	0·84	-	-	-	-	-	-
Norton-Radstock	14,040	162	148	6	4	320	22·8	1·03	1·37	87	62	149	10·6	1·04	0·98	2	*6*	2	2	2	*12*
Portishead	7,490	55	68	5	5	133	17·8	1·10	1·14	40	35	75	10·0	1·13	1·01	2	*15*	1	1	-	*8*
Shepton Mallet	5,840	50	38	3	4	95	16·3	1·05	1·00	31	39	70	12·0	0·84	0·90	-	-	-	-	1	*10*
Street	7,550	77	59	2	3	141	18·7	0·97	1·05	29	33	62	8·2	1·08	0·79	2	*14*	2	2	1	*21*
Taunton M.B.	37,180	284	257	18	21	580	15·6	1·02	0·93	197	224	421	11·3	0·93	0·94	7	*12*	3	3	8	*19*
Watchet	2,600	27	23	3	-	53	20·4	1·15	1·36	21	16	37	14·2	0·90	1·14	-	-	-	-	1	*19*
Wellington	8,060	40	51	10	2	103	12·8	1·14	0·85	50	40	90	11·2	0·71	0·71	1	*10*	-	-	-	-
Wells M.B.	7,620	65	57	4	3	129	16·9	1·06	1·04	52	79	131	17·2	0·59	0·91	3	*23*	2	2	1	*23*
Weston-super-Mare M.B.	44,170	321	298	27	34	680	15·4	1·19	1·07	314	404	718	16·3	0·64	0·93	8	*12*	5	4	15	*27*
*Yeovil M.B.	25,450	169	157	14	11	351	13·8	1·06	0·85	135	164	299	11·7	0·88	0·92	3	*9*	-	-	3	*8*
Rural districts*	**291,830**	**2,309**	**2,102**	**131**	**142**	**4,684**	**16·1**	**1·09**	**1·02**	**1,653**	**1,546**	**3,199**	**11·0**	**0·87**	**0·85**	**71**	**15**	**42**	**37**	**59**	**20**
Axbridge	35,700	270	278	18	17	583	16·3	1·15	1·09	208	165	373	10·4	0·94	0·87	13	*22*	8	7	7	*24*
*Bathavon	18,850	132	134	5	9	280	14·9	1·05	0·91	96	87	183	9·7	0·93	0·81	2	*7*	1	1	7	*28*
Bridgwater	24,900	204	191	10	20	425	17·1	1·05	1·04	124	110	234	9·4	0·98	0·82	7	*16*	5	4	7	*25*
Chard	12,600	75	73	4	5	157	12·5	1·22	0·89	66	63	129	10·2	0·82	0·75	3	*19*	-	-	1	*6*
Clutton	18,930	172	142	4	9	327	17·3	1·08	1·09	107	102	209	11·0	0·91	0·89	2	*6*	2	2	1	*9*
Dulverton	4,120	28	21	2	2	53	12·9	1·24	0·93	25	17	42	10·2	0·88	0·80	3	*57*	2	1	-	*19*
Frome	11,650	96	90	3	5	194	16·7	1·13	1·10	52	52	104	8·9	0·98	0·78	4	*21*	2	1	6	*35*
Langport	13,900	105	81	13	9	208	15·0	1·00	0·87	101	83	184	13·2	0·88	1·04	1	*5*	1	1	2	*14*
Long Ashton	36,070	327	336	11	12	686	19·0	0·95	1·05	184	162	346	9·6	0·98	0·84	6	*9*	3	3	6	*13*
Shepton Mallet	10,660	87	70	8	11	176	16·5	1·09	1·05	53	50	103	9·7	0·93	0·81	-	-	-	-	1	*6*
Taunton	25,010	184	162	19	10	375	15·0	1·10	0·96	148	158	306	12·2	0·71	0·77	8	*21*	5	4	4	*21*
Wellington	8,370	62	42	1	2	107	12·8	1·14	0·85	51	50	101	12·1	0·83	0·90	-	-	-	-	2	*18*
Wells	11,020	83	63	6	6	158	14·3	1·05	0·87	82	90	172	15·6	0·53	0·74	4	*25*	2	2	1	*19*
Williton	14,200	86	67	9	7	169	11·9	1·29	0·89	98	104	202	14·2	0·72	0·91	7	*41*	5	5	5	*57*
Wincanton	16,860	136	115	12	11	274	16·3	1·17	1·11	120	124	244	14·5	0·77	1·00	7	*26*	3	3	3	*22*
*Yeovil	28,990	262	237	6	7	512	17·7	0·95	0·98	138	129	267	9·2	1·08	0·89	4	*8*	3	3	6	*17*
STAFFORDSHIRE	**1,820,890**	**16,830**	**15,819**	**1,072**	**1,029**	**34,750**	**19·1**	**0·94**	**1·04**	**9,584**	**8,391**	**17,975**	**9·9**	**1·23**	**1·09**	**660**	**19**	**455**	**390**	**584**	**28**
County boroughs	**1,126,930**	**9,917**	**9,390**	**713**	**732**	**20,752**	**18·4**	**0·95**	**1·02**	**6,203**	**5,261**	**11,464**	**10·2**	**1·25**	**1·14**	**420**	**20**	**287**	**246**	**359**	**29**
Burton upon Trent	50,220	409	417	54	53	933	18·6	1·01	1·09	312	267	579	11·5	1·02	1·05	20	21	16	14	12	28
Dudley	177,760	1,763	1,611	68	74	3,516	19·8	0·86	0·99	900	838	1,738	9·8	1·21	1·06	59	17	40	34	52	24
Stoke-on-Trent	275,730	2,062	2,015	174	180	4,431	16·1	0·99	0·93	1,619	1,433	3,052	11·1	1·24	1·23	99	22	66	56	78	30
Walsall	183,680	1,673	1,634	107	105	3,519	19·2	0·96	1·07	981	767	1,748	9·5	1·26	1·07	72	20	48	44	71	32
West Bromwich	172,650	1,491	1,412	96	106	3,105	18·0	0·94	0·98	973	758	1,731	10·0	1·42	1·27	63	20	45	39	50	28
Wolverhampton	266,890	2,519	2,301	214	214	5,248	19·7	0·95	1·09	1,418	1,198	2,616	9·8	1·23	1·08	107	20	72	59	96	29
Administrative county	**693,960**	**6,913**	**6,429**	**359**	**297**	**13,998**	**20·2**	**0·92**	**1·08**	**3,381**	**3,130**	**6,511**	**9·4**	**1·19**	**1·00**	**240**	**17**	**168**	**144**	**225**	**26**
Municipal boroughs and urban districts*	**417,180**	**4,142**	**3,827**	**243**	**183**	**8,395**	**20·1**	**0·91**	**1·06**	**2,031**	**1,917**	**3,948**	**9·5**	**1·22**	**1·03**	**158**	**19**	**111**	**94**	**143**	**28**
Aldridge-Brownhills	84,780	945	845	39	31	1,860	21·9	0·75	0·95	342	260	602	7·1	1·70	1·08	38	20	26	24	31	29
Biddulph	16,230	163	133	5	6	307	18·9	0·92	1·01	58	57	115	7·1	1·44	0·91	4	*13*	3	2	7	*29*
Cannock	52,030	510	472	21	17	1,020	19·6	0·97	1·11	258	245	503	9·7	1·11	0·96	18	*18*	18	16	24	38
Kidsgrove	21,970	187	200	19	8	414	18·8	0·90	0·98	99	101	200	9·1	1·51	1·23	8	*19*	3	3	11	*33*
Leek	19,100	136	120	15	9	280	14·7	1·10	0·94	135	152	287	15·0	0·84	1·13	9	*32*	5	4	2	*21*
Lichfield M.B.	22,100	240	261	14	14	529	23·9	0·90	1·25	82	90	172	7·8	1·02	0·71	6	*11*	4	4	8	*22*
Newcastle-under-Lyme M.B.	77,950	645	565	46	39	1,295	16·6	0·95	0·92	406	427	833	10·7	1·24	1·18	30	23	20	16	14	23
Rugeley	16,850	241	232	14	8	495	29·4	0·90	1·54	70	57	127	7·5	1·56	1·04	10	*20*	6	5	6	*22*
Stafford M.B.	52,560	452	467	35	32	986	18·8	0·98	1·07	305	266	571	10·9	0·95	0·92	20	20	13	9	11	20
Stone	10,280	97	83	6	3	189	18·4	1·02	1·09	67	76	143	13·9	0·85	1·05	7	*37*	6	4	6	*51*
Tamworth M.B.	34,600	460	373	22	14	869	25·1	0·94	1·37	169	135	304	8·8	1·15	0·90	7	*8*	7	7	18	28
*Uttoxeter	8,730	66	76	7	2	151	17·3	0·98	0·99	40	51	91	10·4	1·12	1·04	1	*7*	-	-	5	*32*
Rural districts*	**276,780**	**2,771**	**2,602**	**116**	**114**	**5,603**	**20·2**	**0·94**	**1·10**	**1,350**	**1,213**	**2,563**	**9·3**	**1·17**	**0·97**	**82**	**15**	**57**	**50**	**82**	**23**
Cannock	41,270	527	478	22	27	1,054	25·5	0·84	1·25	176	141	317	7·7	1·48	1·02	16	*15*	11	11	19	28
Cheadle	38,560	331	323	12	9	675	17·5	1·00	1·02	227	232	459	11·9	0·96	1·02	5	*7*	3	2	11	*19*
Leek	13,550	117	121	7	4	249	18·4	1·02	1·09	71	55	126	9·3	1·18	0·98	2	*8*	2	2	6	*31*
Lichfield	49,070	650	612	22	18	1,302	26·5	0·96	1·48	262	267	529	10·8	0·99	0·95	31	*24*	24	20	16	27
Newcastle-under-Lyme	20,190	127	112	4	8	251	12·4	0·96	0·69	117	107	224	11·1	1·08	1·07	7	*28*	5	4	5	*35*
Seisdon	38,060	349	317	14	13	693	18·2	0·83	0·88	157	141	298	7·8	1·39	0·97	8	*12*	5	5	9	*20*
Stafford	21,380	189	176	14	10	389	18·2	0·98	1·04	76	59	135	6·3	1·27	0·71	1	*3*	1	-	5	*13*
Stone	20,290	145	183	4	10	342	16·9	0·95	0·93	111	90	201	9·9	1·17	1·03	3	*9*	1	1	5	*17*
Tutbury	22,780	258	208	11	8	485	21·3	0·98	1·21	102	76	178	7·8	1·30	0·91	5	*10*	1	1	5	*12*
*Uttoxeter	11,630	78	72	6	7	163	14·0	1·23	1·00	51	45	96	8·3	1·17	0·87	4	*25*	4	4	1	*30*
SUFFOLK, EAST	**376,190**	**2,682**	**2,727**	**263**	**240**	**5,912**	**15·7**	**1·09**	**0·99**	**2,188**	**2,051**	**4,239**	**11·3**	**0·88**	**0·89**	**89**	**15**	**66**	**59**	**72**	**22**
Ipswich C.B.	121,670	922	928	109	111	2,070	17·0	1·01	1·00	690	573	1,263	10·4	0·97	0·90	35	17	29	27	24	24
Administrative county	**254,520**	**1,760**	**1,799**	**154**	**129**	**3,842**	**15·1**	**1·14**	**1·00**	**1,498**	**1,478**	**2,976**	**11·7**	**0·85**	**0·89**	**54**	**14**	**37**	**32**	**48**	**21**
Municipal boroughs and urban districts	**111,240**	**782**	**759**	**81**	**72**	**1,694**	**15·2**	**1·08**	**0·95**	**715**	**742**	**1,457**	**13·1**	**0·79**	**0·92**	**24**	**14**	**15**	**13**	**20**	**19**
Aldeburgh M.B.	3,100	20	19	-	-	39	12·6	1·10	0·81	19	34	53	17·1	0·59	0·90	-	-	-	-	-	-
Beccles M.B.	7,850	46	52	2	7	107	13·6	1·08	0·85	58	42	100	12·7	0·88	1·00	-	-	-	-	1	*9*
Bungay	3,810	26	26	3	4	59	15·5	1·03	0·93	25	25	50	13·1	0·63	0·74	-	-	-	-	-	-
Eye M.B.	1,640	3	13	3	-	19	*11·6*	1·32	0·89	17	30	47	28·7	0·26	0·67	-	-	-	-	-	-
Felixstowe	19,490	146	135	18	17	316	16·2	1·07	1·01	127	134	261	13·4	0·67	0·80	5	*16*	2	2	5	*22*
Halesworth	2,760	30	20	-	2	52	18·8	1·13	1·24	20	20	40	14·5	1·02	1·32	-	-	-	-	1	*19*
Leiston-cum-Sizewell	4,990	37	44	6	6	93	18·6	1·01	1·09	25	30	55	11·0	0·71	0·70	2	*22*	1	1	-	*11*
Lowestoft M.B.	49,160	345	332	39	27	743	15·1	1·05	0·92	299	307	606	12·3	0·89	0·98	13	*17*	9	8	9	*23*
Saxmundham	1,600	16	9	1	2	28	17·5	1·17	1·19	14	11	25	15·6	0·82	1·14	-	-	-	-	1	*34*
Southwold M.B.	2,140	7	5	2	2	16	*7·5*	1·75	0·76	21	22	43	20·1	0·49	0·88	1	*63*	1	1	1	*118*
Stowmarket	8,160	63	50	2	2	117	14·3	1·07	0·89	38	48	86	10·5	0·92	0·86	1	*9*	-	-	-	-
Woodbridge	6,540	43	54	5	3	105	16·1	1·16	1·09	52	39	91	13·9	0·83	1·03	2	*19*	2	1	2	*28*

(c) Bishop's Castle M.B. and Clun R.D. abolished from 1st April 1967. Events included in figures for Clun and Bishop's Castle R.D. from 1st January 1967.
(d) Bridgnorth M.B. abolished 1st April 1967. Events included in figures for Bridgnorth R.D. from 1st January 1967.
(e) Ellesmere U.D., Wem U.D., Whitchurch U.D., Ellesmere R.D. and Wem R.D. abolished 1st April 1967. Events included in figures for North Shropshire R.D. from 1st January 1967 (except the parishes of Great Ness and Little Ness in Ellesmere R.D. the events for which are included in figures for Atcham R.D. from 1st January 1967).
(f) Ludlow M.B. abolished 1st April 1967. Events included in figures for Ludlow R.D. from 1st January 1967.
(g) Oswestry M.B. abolished 1st April 1967. Events included in figures for Oswestry R.D. from 1st January 1967.

TABLE 13 - *continued*

Area	Estimated home population as at 30th June 1967 (*but see Explanatory Note 'Changes in boundaries'*)	Live births								Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		Legitimate		Illegitimate																	
		M	F	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
SUFFOLK, EAST - *continued*																					
Rural districts	**143,280**	**978**	**1,040**	**73**	**57**	**2,148**	**15·0**	**1·19**	**1·04**	**783**	**736**	**1,519**	**10·6**	**0·90**	**0·85**	**30**	**14**	**22**	**19**	**28**	**22**
Blyth	19,090	119	129	9	8	265	13·9	1·15	0·93	121	125	246	12·9	0·72	0·83	1	*4*	1	1	6	*26*
Deben	37,700	223	271	20	12	526	14·0	1·07	0·87	200	212	412	10·9	0·81	0·79	7	*13*	6	4	8	*22*
Gipping	23,800	194	213	9	10	426	17·9	1·21	1·26	98	97	195	8·2	1·00	0·73	7	*16*	5	5	3	*19*
Hartismere	16,160	103	115	12	8	238	14·7	1·14	0·97	96	86	182	11·3	0·86	0·87	6	*25*	6	5	2	*29*
Lothingland	19,870	156	155	13	9	333	16·8	1·21	1·18	124	93	217	10·9	1·03	1·00	2	*6*	2	2	6	*24*
Samford	19,880	138	121	8	6	273	13·7	1·51	1·20	102	95	197	9·9	1·10	0·97	5	*18*	1	1	2	*11*
Wainford	6,780	45	36	2	4	87	12·8	1·09	0·81	42	28	70	10·3	1·02	0·94	2	*23*	1	1	1	*23*
SUFFOLK, WEST	**155,240**	**1,352**	**1,378**	**85**	**70**	**2,885**	**18·6**	**1·01**	**1·09**	**810**	**748**	**1,558**	**10·0**	**0·97**	**0·87**	**40**	**14**	**32**	**29**	**36**	**22**
Municipal boroughs and urban districts	**58,100**	**555**	**516**	**32**	**29**	**1,132**	**19·5**	**0·94**	**1·07**	**336**	**351**	**687**	**11·8**	**0·84**	**0·89**	**18**	*16*	**12**	**10**	**13**	**20**
Bury St. Edmunds M.B.	24,260	195	200	13	9	417	17·2	0·98	0·98	114	139	253	10·4	0·77	0·72	7	*17*	4	3	3	*14*
Hadleigh	4,640	50	48	1	3	102	22·0	1·00	1·28	32	26	58	12·5	1·04	1·16	2	*20*	1	1	-	*10*
Haverhill	10,300	151	131	7	4	293	28·4	0·74	1·22	36	38	74	7·2	1·57	1·01	1	*3*	1	1	5	*20*
Newmarket	11,840	85	82	6	5	178	15·0	0·96	0·84	92	65	157	13·3	0·93	1·10	1	*6*	1	1	2	*17*
Sudbury M.B.	7,060	74	55	5	8	142	20·1	1·16	1·36	62	83	145	20·5	0·50	0·92	7	*49*	5	4	3	*48*
Rural districts	**97,140**	**797**	**862**	**53**	**41**	**1,753**	**18·0**	**1·06**	**1·11**	**474**	**397**	**871**	**9·0**	**1·07**	**0·86**	**22**	**13**	**20**	**19**	**23**	**24**
Clare	10,360	101	76	6	4	187	18·1	1·13	1·19	76	38	114	11·0	0·87	0·85	2	*11*	2	1	3	*21*
Cosford	9,180	74	63	3	6	146	15·9	1·17	1·08	61	47	108	11·8	0·81	0·85	1	*7*	1	1	3	*27*
Melford	17,280	172	185	10	5	372	21·5	1·02	1·28	99	81	180	10·4	1·01	0·94	5	*13*	5	5	5	*27*
Mildenhall	28,930	209	275	13	11	508	17·6	1·06	1·08	85	75	160	5·5	1·54	0·76	7	*14*	6	6	6	*23*
Thedwastre	9,860	79	79	9	5	172	17·4	1·08	1·09	53	62	115	11·7	0·87	0·91	-	-	-	-	1	*6*
Thingoe	21,530	162	184	12	10	368	17·1	1·00	0·99	100	94	194	9·0	1·08	0·87	7	*19*	6	6	5	*29*
SURREY	**985,930**	**7,225**	**6,817**	**470**	**439**	**14,951**	**15·2**	**1·03**	**0·91**	**4,941**	**5,195**	**10,136**	**10·3**	**0·87**	**0·80**	**221**	**15**	**156**	**136**	**167**	**20**
Municipal boroughs and urban districts	**789,750**	**5,767**	**5,422**	**367**	**344**	**11,900**	**15·1**	**1·03**	**0·90**	**3,997**	**4,271**	**8,268**	**10·5**	**0·85**	**0·80**	**173**	**15**	**122**	**106**	**120**	**19**
Banstead	41,950	241	253	17	21	532	12·7	1·13	0·83	247	297	544	13·0	0·76	0·88	13	*24*	5	5	3	*15*
Caterham and Warlingham	36,910	248	251	23	16	538	14·6	0·98	0·83	160	157	317	8·6	1·01	0·78	6	*11*	3	2	6	*15*
Chertsey	44,710	432	411	28	18	889	19·9	0·85	0·98	204	198	402	9·0	1·15	0·92	12	*13*	7	7	11	*20*
Dorking	23,010	173	171	9	12	365	15·9	0·97	0·90	111	126	237	10·3	0·87	0·80	5	*14*	5	4	4	*22*
Egham	31,670	181	156	11	5	353	11·1	0·91	0·59	166	151	317	10·0	1·00	0·89	3	*8*	3	3	-	*8*
Epsom and Ewell M.B.	72,320	432	367	29	16	844	11·7	1·13	0·77	524	586	1,110	15·3	0·66	0·90	9	*11*	6	4	7	*13*
Esher	62,980	390	395	26	14	825	13·1	1·09	0·83	300	333	633	10·1	0·95	0·86	9	*11*	7	6	6	*14*
Farnham	29,840	221	211	20	18	470	15·8	1·08	0·99	199	192	391	13·1	0·72	0·84	6	*13*	3	1	5	*13*
Frimley and Camberley	40,660	402	362	25	29	818	20·1	0·87	1·02	137	132	269	6·6	1·43	0·84	10	*12*	8	7	8	*18*
Godalming M.B.	17,810	143	136	4	3	286	16·1	0·98	0·92	97	83	180	10·1	0·94	0·85	3	*10*	3	3	4	*24*
Guildford M.B.	55,470	400	391	36	32	859	15·5	0·95	0·86	276	300	576	10·4	0·94	0·87	15	*17*	10	10	12	*25*
Haslemere	13,450	99	66	2	7	174	12·9	1·17	0·88	96	133	229	17·0	0·71	1·08	2	*11*	2	2	1	*17*
Leatherhead	38,090	243	243	13	8	507	13·3	1·08	0·84	190	173	363	9·5	1·05	0·89	10	*20*	7	5	5	*20*
Reigate M.B.	56,340	394	360	19	21	794	14·1	1·04	0·85	315	340	655	11·6	0·79	0·82	15	*19*	13	12	5	*21*
Staines	55,190	471	436	34	37	978	17·7	0·89	0·92	233	217	450	8·2	1·26	0·92	13	*13*	12	8	11	*19*
Sunbury-on-Thames	39,320	314	307	12	25	658	16·7	0·84	0·82	156	196	352	9·0	1·11	0·89	12	*18*	5	4	6	*15*
Walton and Weybridge	51,190	379	361	23	23	786	15·4	1·06	0·95	244	272	516	10·1	0·81	0·73	11	*14*	9	9	8	*21*
Woking	78,840	604	545	36	39	1,224	15·5	1·07	0·96	342	385	727	9·2	0·88	0·72	19	*16*	14	14	18	*26*
Rural districts	**196,180**	**1,458**	**1,395**	**103**	**95**	**3,051**	**15·6**	**1·02**	**0·93**	**944**	**924**	**1,868**	**9·5**	**0·95**	**0·81**	**48**	**16**	**34**	**30**	**47**	**25**
Bagshot	18,410	161	165	5	5	336	18·3	0·97	1·03	96	77	173	9·4	1·04	0·87	3	*9*	3	1	3	*12*
Dorking and Horley	34,300	245	240	18	16	519	15·1	1·00	0·88	161	149	310	9·0	1·09	0·88	9	*17*	6	5	7	*23*
Godstone	44,360	283	288	21	16	608	13·7	1·02	0·81	203	229	432	9·7	0·81	0·70	9	*15*	7	7	13	*32*
Guildford	62,030	500	449	47	34	1,030	16·6	1·02	0·98	296	259	555	8·9	1·06	0·84	21	*20*	15	14	16	*29*
Hambledon	37,080	269	253	12	24	558	15·0	1·08	0·94	188	210	398	10·7	0·81	0·77	6	*11*	3	3	8	*19*
SUSSEX, EAST	**717,800**	**4,439**	**4,237**	**506**	**504**	**9,686**	**13·5**	**1·21**	**0·95**	**5,153**	**6,292**	**11,445**	**15·9**	**0·63**	**0·89**	**124**	**13**	**86**	**75**	**123**	**20**
County boroughs	**295,810**	**1,707**	**1,728**	**279**	**269**	**3,983**	**13·5**	**1·18**	**0·93**	**2,249**	**2,811**	**5,060**	**17·1**	**0·61**	**0·93**	**43**	**11**	**27**	**21**	**57**	**19**
Brighton	162,160	982	992	176	167	2,317	14·3	1·11	0·92	1,182	1,410	2,592	16·0	0·68	0·97	22	*9*	15	12	36	*20*
Eastbourne	66,800	320	330	40	42	732	11·0	1·29	0·83	531	664	1,195	17·9	0·55	0·88	11	*15*	5	4	6	*14*
Hastings	66,850	405	406	63	60	934	14·0	1·27	1·03	536	737	1,273	19·0	0·53	0·90	10	*11*	7	5	15	*21*
Administrative county	**421,990**	**2,732**	**2,509**	**227**	**235**	**5,703**	**13·5**	**1·24**	**0·97**	**2,904**	**3,481**	**6,385**	**15·1**	**0·64**	**0·86**	**81**	**14**	**59**	**54**	**66**	**21**
Municipal boroughs and urban districts	**223,610**	**1,439**	**1,341**	**146**	**150**	**3,076**	**13·8**	**1·24**	**0·99**	**1,554**	**2,060**	**3,614**	**16·2**	**0·62**	**0·90**	**50**	**16**	**38**	**35**	**40**	**24**
Bexhill M.B.	32,350	124	101	13	12	250	7·7	1·60	0·72	260	382	642	19·8	0·49	0·87	7	*28*	5	5	2	*28*
Burgess Hill	16,900	193	168	9	9	379	22·4	0·93	1·21	83	67	150	8·9	1·13	0·90	8	*21*	6	5	3	*21*
Cuckfield	23,800	193	171	14	12	390	16·4	1·09	1·04	148	212	360	15·1	0·67	0·90	8	*21*	4	4	5	*23*
East Grinstead	17,110	148	136	9	9	302	17·7	1·01	1·04	105	105	210	12·3	0·78	0·86	3	*10*	3	3	5	*26*
Hove M.B.	72,140	347	317	73	62	799	11·1	1·36	0·88	586	874	1,460	20·2	0·53	0·96	15	*19*	11	10	13	28
Lewes M.B.	14,080	104	95	6	13	218	15·5	1·14	1·03	74	84	158	11·2	0·93	0·93	2	*9*	2	2	1	*14*
Newhaven	9,470	69	72	9	7	157	16·6	1·13	1·09	46	72	118	12·5	0·72	0·80	3	*19*	3	3	-	*19*
Portslade-by-Sea	18,360	158	161	6	16	341	18·6	0·98	1·06	116	93	209	11·4	1·01	1·03	3	*9*	3	2	8	*29*
Rye M.B.	4,400	27	31	2	1	61	13·9	1·18	0·95	34	29	63	14·3	0·83	1·06	1	*16*	1	1	1	*32*
Seaford	15,000	76	89	5	9	179	11·9	1·82	1·26	102	142	244	16·3	0·48	0·70	-	-	-	-	2	*11*
Rural districts	**198,380**	**1,293**	**1,168**	**81**	**85**	**2,627**	**13·2**	**1·24**	**0·95**	**1,350**	**1,421**	**2,771**	**14·0**	**0·66**	**0·83**	**31**	**12**	**21**	**19**	**26**	**17**
Battle	32,060	161	174	15	16	366	11·4	1·32	0·87	269	238	507	15·8	0·63	0·89	2	*5*	2	2	5	*19*
Chailey	28,290	197	176	11	14	398	14·1	1·31	1·07	190	246	436	15·4	0·54	0·74	5	*13*	3	3	6	*22*
Cuckfield	35,950	224	214	10	17	465	12·9	1·10	0·83	202	187	389	10·8	0·78	0·75	2	*4*	2	2	1	*6*
Hailsham	51,440	295	249	18	15	577	11·2	1·30	0·85	422	400	822	16·0	0·62	0·89	9	*16*	6	5	6	*19*
Uckfield	50,640	416	355	27	23	821	16·2	1·19	1·12	267	350	617	12·2	0·74	0·81	13	*16*	8	7	8	*18*
SUSSEX, WEST	**455,930**	**2,949**	**2,961**	**268**	**242**	**6,420**	**14·1**	**1·18**	**0·97**	**3,221**	**3,444**	**6,665**	**14·6**	**0·65**	**0·85**	**82**	**13**	**56**	**48**	**90**	**21**
Municipal boroughs and urban districts	**270,310**	**1,677**	**1,684**	**158**	**166**	**3,685**	**13·6**	**1·13**	**0·89**	**1,923**	**2,183**	**4,106**	**15·2**	**0·66**	**0·90**	**49**	**13**	**32**	**28**	**55**	**22**
Arundel M.B.	2,710	21	17	3	2	43	15·9	1·27	1·17	29	27	56	20·7	0·68	1·26	-	-	-	-	-	-
Bognor Regis	30,840	174	195	26	24	419	13·6	1·49	1·18	261	288	549	17·8	0·53	0·84	7	*17*	5	5	7	*28*
Chichester M.B.	20,640	107	119	9	12	247	12·0	1·04	0·73	141	153	294	14·2	0·56	0·71	4	*16*	4	4	3	*28*
Crawley	62,200	459	463	37	35	994	16·0	0·79	0·73	174	162	336	5·4	1·94	0·94	12	*12*	6	5	11	*16*
Horsham	24,690	216	197	14	13	440	17·8	1·06	1·10	127	128	255	10·3	0·91	0·84	1	*2*	1	-	7	*16*
Littlehampton	17,900	120	134	10	13	277	15·5	1·13	1·02	141	138	279	15·6	0·73	1·02	7	*25*	5	5	5	*35*
Shoreham-by-Sea	18,330	90	115	9	10	224	12·2	1·04	0·74	99	101	200	10·9	0·87	0·85	3	*13*	2	1	3	*18*
Southwick	11,800	46	56	5	4	111	9·4	1·14	0·62	78	90	168	14·2	0·82	1·04	-	-	-	-	1	*9*
Worthing M.B.	81,200	444	388	45	53	930	11·5	1·52	1·02	873	1,096	1,969	24·2	0·44	0·95	15	*16*	9	8	18	27
Rural districts	**185,620**	**1,272**	**1,277**	**110**	**76**	**2,735**	**14·7**	**1·27**	**1·09**	**1,298**	**1,261**	**2,559**	**13·8**	**0·66**	**0·81**	**33**	**12**	**24**	**20**	**35**	**20**
Chanctonbury	25,570	198	188	14	13	413	16·2	1·20	1·13	181	182	363	14·2	0·76	0·96	10	*24*	7	6	3	*22*
Chichester	59,240	404	399	40	23	866	14·6	1·24	1·05	343	307	650	11·0	0·79	0·78	13	*15*	12	9	4	*15*
Horsham	27,280	196	207	17	15	435	15·9	1·04	0·96	134	150	284	10·4	0·86	0·80	2	*5*	1	1	9	*23*
Midhurst	18,850	110	116	6	7	239	12·7	1·12	0·83	147	150	297	15·8	0·59	0·83	4	*17*	2	2	5	*29*
Petworth	10,180	61	55	11	3	130	12·8	1·22	0·91	67	58	125	12·3	0·71	0·78	1	*8*	-	-	2	*15*
Worthing	44,500	303	312	22	15	652	14·7	1·65	1·41	426	414	840	18·9	0·48	0·81	3	*5*	2	2	12	*21*
WARWICKSHIRE	**2,110,360**	**18,299**	**17,394**	**1,957**	**1,838**	**39,488**	**18·7**	**0·97**	**1·05**	**10,999**	**9,990**	**20,989**	**9·9**	**1·16**	**1·03**	**759**	**19**	**526**	**464**	**619**	**27**
County boroughs	**1,541,710**	**13,402**	**12,649**	**1,631**	**1,511**	**29,193**	**18·9**	**0·99**	**1·09**	**8,169**	**7,453**	**15,622**	**10·1**	**1·19**	**1·07**	**581**	**20**	**391**	**348**	**471**	**28**
Birmingham	1,101,990	9,632	9,041	1,291	1,176	21,140	19·2	0·99	1·11	6,057	5,720	11,777	10·7	1·13	1·08	414	20	287	256	343	28
Coventry	333,830	2,985	2,884	291	295	6,455	19·3	0·95	1·07	1,693	1,354	3,047	9·1	1·37	1·11	143	22	88	79	109	29
Solihull	105,890	785	724	49	40	1,598	15·1	0·90	0·79	419	379	798	7·5	1·34	0·90	24	15	16	13	19	20
Administrative county	**568,650**	**4,897**	**4,745**	**326**	**327**	**10,295**	**18·1**	**0·95**	**1·00**	**2,830**	**2,537**	**5,367**	**9·4**	**1·09**	**0·91**	**178**	**17**	**135**	**116**	**148**	**25**
Municipal boroughs and urban districts	**342,210**	**2,999**	**2,828**	**201**	**212**	**6,240**	**18·2**	**0·96**	**1·02**	**1,724**	**1,564**	**3,288**	**9·6**	**1·10**	**0·94**	**102**	**16**	**73**	**60**	**90**	**24**
Bedworth	39,100	381	355	14	28	778	19·9	0·89	1·03	194	178	372	9·5	0·99	0·84	11	*14*	8	5	15	25
Kenilworth	20,450	193	159	7	13	372	18·2	0·97	1·03	74	66	140	6·8	1·42	0·86	1	*3*	-	-	2	*5*
Nuneaton M.B.	63,420	566	544	39	34	1,183	18·7	0·98	1·07	322	263	585	9·2	1·22	1·00	27	*23*	20	17	13	25
Royal Leamington Spa M.B.	44,860	413	401	46	35	895	20·0	0·96	1·12	245	275	520	11·6	0·91	0·94	11	*12*	7	4	9	*14*

TABLE 13 - *continued*

Area	Estimated home population as at 30th June 1967 (*but see Explanatory Note 'Changes in boundaries'*)	Live births								Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		Legitimate		Illegitimate																	
		M	F	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
WARWICKSHIRE - *continued*																					
Municipal boroughs and urban districts - *continued*																					
Rugby M.B.	56,450	507	496	34	42	1,079	19·1	1·05	1·17	313	267	580	10·3	1·05	0·97	23	21	17	15	16	28
Stratford-upon-Avon M.B.	18,600	133	110	9	14	266	14·3	1·00	0·83	104	114	218	11·7	0·94	0·98	4	*15*	3	3	6	*33*
Sutton Coldfield M.B.	81,630	658	619	35	29	1,341	16·4	0·89	0·85	363	306	669	8·2	1·25	0·92	15	*11*	12	12	25	*27*
Warwick M.B.	17,700	148	144	17	17	326	18·4	1·04	1·11	109	95	204	11·5	0·92	0·94	10	*31*	6	4	4	*24*
Rural districts	**226,440**	**1,898**	**1,917**	**125**	**115**	**4,055**	**17·9**	**0·95**	**0·99**	**1,106**	**973**	**2,079**	**9·2**	**1·09**	**0·90**	**76**	**19**	**62**	**56**	**58**	*28*
Alcester	20,020	178	184	16	6	384	19·2	0·99	1·11	107	106	213	10·6	1·00	0·95	7	*18*	6	6	9	*38*
Atherstone	35,210	362	376	20	19	777	22·1	0·97	1·25	183	139	322	9·1	1·26	1·02	14	*18*	12	11	17	*35*
Meriden	62,930	460	461	30	33	984	15·6	0·86	0·78	254	209	463	7·4	1·52	1·00	13	*13*	9	7	13	*20*
Rugby	26,200	205	195	18	10	428	16·3	0·98	0·93	115	99	214	8·2	1·29	0·94	14	*33*	13	12	3	*35*
Shipston on Stour	9,560	67	94	8	5	174	18·2	1·12	1·19	63	74	137	14·3	0·69	0·88	3	*17*	2	2	3	*28*
Southam	18,040	156	162	10	12	340	18·8	1·06	1·16	81	68	149	8·3	1·27	0·94	5	*15*	4	4	3	*20*
Stratford-on-Avon	29,000	253	250	16	23	542	18·7	1·04	1·13	141	116	257	8·9	1·09	0·87	10	*18*	7	5	8	*24*
Warwick	25,480	217	195	7	7	426	16·7	0·93	0·90	162	162	324	12·7	0·79	0·90	10	*23*	9	9	2	*26*
WESTMORLAND	**68,030**	**533**	**502**	**43**	**43**	**1,121**	**16·5**	**1·13**	**1·08**	**397**	**459**	**856**	**12·6**	**0·87**	**0·98**	**15**	*13*	**13**	**12**	**10**	**19**
Municipal boroughs and urban districts	**33,000**	**254**	**248**	**27**	**23**	**552**	**16·7**	**1·09**	**1·06**	**194**	**230**	**424**	**12·8**	**0·84**	**0·96**	**7**	*13*	**5**	**4**	**3**	*13*
Appleby M.B.	1,860	26	18	-	-	44	23·7	1·08	1·49	10	16	26	14·0	1·10	1·38	1	*23*	1	1	-	*23*
Kendal M.B.	19,140	150	160	18	15	343	17·9	1·07	1·11	116	133	249	13·0	0·93	1·08	6	*17*	4	3	1	*12*
Lakes	5,120	25	28	-	3	56	10·9	1·04	0·66	26	35	61	11·9	0·75	0·80	-	-	-	-	-	-
Windermere	6,880	53	42	9	5	109	15·8	1·18	1·08	42	46	88	12·8	0·69	0·79	-	-	-	-	2	*18*
Rural districts	**35,030**	**279**	**254**	**16**	**20**	**569**	**16·2**	**1·16**	**1·09**	**203**	**229**	**432**	**12·3**	**0·90**	**0·99**	**8**	*14*	**8**	**8**	**7**	*26*
North Westmorland	15,000	131	107	9	10	257	17·1	1·10	1·09	95	104	199	13·3	0·95	1·13	4	*16*	4	4	3	*27*
South Westmorland	20,030	148	147	7	10	312	15·6	1·22	1·11	108	125	233	11·6	0·87	0·90	4	*13*	4	4	4	*25*
WIGHT, ISLE OF*	**98,040**	**634**	**614**	**79**	**59**	**1,386**	**14·1**	**1·28**	**1·05**	**739**	**742**	**1,481**	**15·1**	**0·71**	**0·96**	**17**	*12*	**13**	**12**	**14**	**19**
Municipal boroughs and urban districts*	**78,900**	**519**	**508**	**61**	**46**	**1,134**	**14·4**	**1·28**	**1·07**	**561**	**595**	**1,156**	**14·7**	**0·71**	**0·93**	**16**	*14*	**12**	**11**	**11**	**19**
Cowes	17,820	119	108	7	12	246	13·8	1·19	0·95	113	112	225	12·6	0·87	0·98	2	*8*	2	2	2	*16*
Newport M.B.	19,690	128	128	19	9	284	14·4	1·20	1·00	147	154	301	15·3	0·68	0·93	5	*18*	4	4	1	*18*
*Ryde M.B.	21,200	145	152	21	14	332	15·7	1·19	1·09	135	161	296	14·0	0·75	0·94	4	*12*	2	2	4	*18*
Sandown-Shanklin	13,930	76	86	13	10	185	13·3	1·64	1·27	111	98	209	15·0	0·62	0·83	3	*16*	3	3	4	*37*
Ventnor	6,260	51	34	1	1	87	13·9	1·50	1·21	55	70	125	20·0	0·58	1·04	2	*23*	1	-	-	-
Isle of Wight R.D.	19,140	115	106	18	13	252	13·2	1·31	1·01	178	147	325	17·0	0·70	1·06	1	*4*	1	1	3	*16*
WILTSHIRE	**479,080**	**4,014**	**3,939**	**326**	**270**	**8,549**	**17·8**	**1·00**	**1·03**	**2,426**	**2,252**	**4,678**	**9·8**	**1·04**	**0·91**	**159**	**19**	**108**	**91**	**136**	**26**
Municipal boroughs and urban districts	**235,600**	**1,862**	**1,917**	**197**	**154**	**4,130**	**17·5**	**0·98**	**1·00**	**1,271**	**1,219**	**2,490**	**10·6**	**0·98**	**0·93**	**81**	**20**	**55**	**46**	**66**	**27**
Bradford-on-Avon	7,310	69	64	5	2	140	19·2	1·05	1·17	43	36	79	10·8	1·05	1·01	1	*7*	1	1	-	*7*
Calne M.B.	9,290	89	94	8	8	199	21·4	0·99	1·23	43	50	93	10·0	1·26	1·13	4	*20*	3	3	5	*39*
Chippenham M.B.	18,640	140	142	11	9	302	16·2	0·97	0·91	105	118	223	12·0	0·85	0·91	3	*10*	2	-	6	*19*
Devizes M.B.	9,000	58	66	9	5	138	15·3	1·00	0·89	64	61	125	13·9	0·63	0·78	1	*7*	1	1	-	*7*
Malmesbury M.B.	2,680	18	17	3	-	38	14·2	1·05	0·87	15	12	27	10·1	0·87	0·78	-	-	-	-	-	-
Marlborough M.B.	5,910	31	40	4	5	80	13·5	1·31	1·03	26	32	58	9·8	1·02	0·89	2	*25*	1	1	2	*37*
Melksham	9,330	83	90	3	9	185	19·8	0·97	1·12	50	48	98	10·5	1·23	1·15	3	*16*	1	1	-	*5*
Salisbury M.B.	35,990	284	285	33	30	632	17·6	1·00	1·02	246	260	506	14·1	0·68	0·86	9	*14*	8	5	13	*28*
Swindon M.B.	97,920	716	756	93	66	1,631	16·7	0·93	0·90	467	367	834	8·5	1·24	0·94	37	23	27	24	36	36
Trowbridge	17,530	148	164	12	12	336	19·2	1·05	1·17	110	100	210	12·0	1·00	1·07	11	*33*	8	7	-	*21*
Warminster	12,020	130	111	10	6	257	21·4	1·02	1·27	62	84	146	12·1	0·87	0·94	4	*16*	-	-	3	*12*
Westbury	5,740	56	55	1	2	114	19·9	1·14	1·32	30	35	65	11·3	1·01	1·02	4	*35*	2	2	-	*18*
Wilton M.B.	4,240	40	33	5	-	78	18·4	0·98	1·05	10	16	26	6·1	1·27	0·69	2	*26*	1	1	1	*25*
Rural districts	**243,480**	**2,152**	**2,022**	**129**	**116**	**4,419**	**18·1**	**1·02**	**1·07**	**1,155**	**1,033**	**2,188**	**9·0**	**1·08**	**0·87**	**78**	**18**	**53**	**45**	**70**	**26**
Amesbury	28,650	315	264	21	19	619	21·6	0·93	1·17	98	80	178	6·2	1·66	0·92	14	*23*	7	7	13	*32*
Bradford and Melksham	13,570	134	113	4	5	256	18·9	1·07	1·18	93	83	176	13·0	0·78	0·91	5	*20*	4	4	3	*27*
Calne and Chippenham	32,700	273	249	12	15	549	16·8	1·12	1·09	133	108	241	7·4	1·30	0·86	6	*11*	3	1	11	*21*
Cricklade and Wootton Bassett	22,730	187	167	11	7	372	16·4	1·14	1·09	94	69	163	7·2	1·37	0·88	4	*11*	3	1	5	*16*
Devizes	15,300	102	100	9	6	217	14·2	1·13	0·93	83	104	187	12·2	0·57	0·62	1	*5*	1	1	3	*18*
Highworth	37,820	431	392	15	15	853	22·6	0·86	1·13	185	180	365	9·7	1·14	0·99	18	*21*	13	12	13	*29*
Malmesbury	10,870	77	101	6	5	189	17·4	1·03	1·04	53	55	108	9·9	1·19	1·05	4	*21*	3	3	1	*21*
Marlborough and Ramsbury	10,480	67	78	6	6	157	15·0	1·10	0·96	54	45	99	9·4	0·98	0·82	2	*13*	2	1	4	*31*
Mere and Tisbury	11,480	66	70	8	6	150	13·1	1·19	0·91	71	77	148	12·9	0·78	0·90	3	*20*	3	3	5	*52*
Pewsey	24,080	224	211	13	13	461	19·1	1·04	1·15	98	69	167	6·9	1·35	0·83	10	*22*	6	6	4	*22*
Salisbury and Wilton	22,160	167	168	14	11	360	16·2	1·03	0·97	108	99	207	9·3	0·97	0·81	5	*14*	3	2	3	*14*
Warminster and Westbury	13,640	109	109	10	8	236	17·3	1·21	1·22	85	64	149	10·9	0·91	0·89	6	*25*	5	4	5	*37*
WORCESTERSHIRE	**669,400**	**5,626**	**5,310**	**378**	**344**	**11,658**	**17·4**	**1·00**	**1·01**	**3,735**	**3,327**	**7,062**	**10·5**	**1·04**	**0·98**	**202**	**17**	**137**	**118**	**188**	**26**
County boroughs	**239,670**	**2,019**	**1,952**	**142**	**135**	**4,248**	**17·7**	**1·00**	**1·03**	**1,389**	**1,231**	**2,620**	**10·9**	**1·14**	**1·11**	**85**	**20**	**54**	**49**	**73**	**28**
Warley	169,440	1,450	1,384	96	99	3,029	17·9	1·01	1·05	993	856	1,849	10·9	1·20	1·17	66	22	41	36	53	29
Worcester	70,230	569	568	46	36	1,219	17·4	0·97	0·98	396	375	771	11·0	0·99	0·97	19	*16*	13	13	20	27
Administrative county	**429,730**	**3,607**	**3,358**	**236**	**209**	**7,410**	**17·2**	**1·00**	**1·00**	**2,346**	**2,096**	**4,442**	**10·3**	**0·99**	**0·91**	**117**	**16**	**83**	**69**	**115**	**24**
Municipal boroughs and urban districts	**293,540**	**2,523**	**2,366**	**149**	**133**	**5,171**	**17·6**	**0·98**	**1·00**	**1,615**	**1,449**	**3,064**	**10·4**	**1·01**	**0·94**	**86**	**17**	**61**	**51**	**83**	**26**
Bewdley M.B.	5,610	73	68	6	4	151	26·9	0·98	1·53	27	32	59	10·5	1·01	0·95	2	*13*	1	-	3	*19*
Bromsgrove	38,480	318	312	16	12	658	17·1	0·90	0·89	211	189	400	10·4	0·99	0·92	8	*12*	5	4	14	*27*
Droitwich M.B.	8,970	73	77	3	5	158	17·6	1·00	1·02	52	47	99	11·0	0·69	0·68	1	*6*	1	1	4	*31*
Evesham M.B.	13,140	105	113	10	5	233	17·7	1·01	1·04	111	91	202	15·4	0·63	0·87	2	*9*	1	1	1	*9*
Halesowen M.B.	50,390	395	354	20	15	784	15·6	0·96	0·87	295	182	477	9·5	1·11	0·94	9	*11*	7	5	13	*23*
Kidderminster M.B.	45,510	436	431	30	25	922	20·3	1·00	1·18	247	254	501	11·0	0·98	0·96	17	*18*	11	8	12	21
Malvern	28,630	211	175	16	12	414	14·5	1·18	0·99	137	177	314	11·0	0·91	0·89	8	*19*	6	6	5	*26*
Redditch	36,900	318	307	19	20	664	18·0	0·97	1·02	195	166	361	9·8	1·17	1·02	16	*24*	14	13	10	34
Stourbridge M.B.	51,300	460	399	19	25	903	17·6	0·95	0·97	276	251	527	10·3	1·09	1·00	15	*17*	10	8	15	25
Stourport-on-Severn	14,610	134	130	10	10	284	19·4	0·95	1·07	64	60	124	8·5	1·34	1·02	8	*28*	5	5	6	*38*
Rural districts	**136,190**	**1,084**	**992**	**87**	**76**	**2,239**	**16·4**	**1·04**	**0·99**	**731**	**647**	**1,378**	**10·1**	**0·94**	**0·85**	**31**	**14**	**22**	**18**	**32**	**22**
Bromsgrove	36,500	335	285	24	20	664	18·2	0·93	0·98	163	133	296	8·1	1·11	0·80	11	*17*	10	10	10	30
Droitwich	15,300	121	143	11	11	286	18·7	1·05	1·14	102	68	170	11·1	1·04	1·03	3	*10*	3	2	8	*34*
Evesham	18,620	142	118	9	14	283	15·2	1·13	1·00	95	97	192	10·3	0·97	0·89	2	*7*	2	1	2	*11*
Kidderminster	12,480	90	80	9	6	185	14·8	0·92	0·79	57	61	118	9·5	1·08	0·92	3	*16*	1	1	2	*16*
Martley	13,140	91	91	10	10	202	15·4	1·05	0·94	54	56	110	8·4	1·02	0·77	3	*15*	2	2	-	*10*
Pershore	19,890	167	143	9	6	325	16·3	1·10	1·04	113	73	186	9·4	0·99	0·83	7	*22*	3	1	4	*15*
Tenbury	5,360	35	36	1	1	73	13·6	1·14	0·90	35	31	66	12·3	0·97	1·07	-	-	-	-	3	*39*
Upton upon Severn	14,900	103	96	14	8	221	14·8	1·17	1·01	112	128	240	16·1	0·52	0·75	2	*9*	1	1	3	*18*
YORKSHIRE, EAST RIDING	**544,230**	**4,481**	**4,189**	**381**	**392**	**9,443**	**17·4**	**1·00**	**1·01**	**3,256**	**2,981**	**6,237**	**11·5**	**1·05**	**1·08**	**219**	**23**	**126**	**112**	**140**	**26**
Kingston upon Hull C.B.	295,900	2,597	2,429	280	287	5,593	18·9	0·97	1·07	1,642	1,515	3,157	10·7	1·21	1·16	159	28	85	73	81	27
Administrative county	**248,330**	**1,884**	**1,760**	**101**	**105**	**3,850**	**15·5**	**1·05**	**0·95**	**1,614**	**1,466**	**3,080**	**12·4**	**0·89**	**0·99**	**60**	**16**	**41**	**39**	**59**	**25**
Municipal boroughs and urban districts	**125,030**	**931**	**837**	**62**	**57**	**1,887**	**15·1**	**1·08**	**0·95**	**895**	**840**	**1,735**	**13·9**	**0·80**	**0·99**	**27**	**14**	**17**	**15**	**27**	**22**
Beverley M.B.	17,220	149	143	10	10	312	18·1	1·01	1·06	110	95	205	11·9	1·00	1·06	3	*10*	1	-	5	*16*
Bridlington M.B.	26,370	167	137	18	18	340	12·9	1·24	0·93	257	211	468	17·7	0·64	1·01	7	*21*	4	3	7	*29*
Driffield	6,920	61	47	6	5	119	17·2	1·04	1·04	63	80	143	20·7	0·57	1·05	4	*34*	4	4	1	*42*
Filey	5,110	37	23	3	2	65	12·7	1·36	1·00	46	32	78	15·3	0·69	0·94	-	-	-	-	2	*30*
Haltemprice	50,660	372	348	13	14	747	14·7	0·98	0·84	276	279	555	11·0	0·96	0·94	10	*13*	6	6	9	*20*
Hedon M.B.	2,530	17	20	5	-	42	16·6	1·14	1·10	24	22	46	18·2	0·91	1·48	-	-	-	-	1	*23*
Hornsea	6,180	37	44	1	3	85	13·8	1·22	0·98	53	56	109	17·6	0·69	1·08	-	-	-	-	1	*12*
Norton	5,070	44	39	1	1	85	16·8	1·12	1·09	31	36	67	13·2	0·88	1·04	3	*35*	2	2	-	*24*
Withernsea	4,970	47	36	5	4	92	18·5	1·20	1·29	35	29	64	12·9	0·76	0·88	-	-	-	-	1	*11*

TABLE 13 - *continued*

Area	Estimated home population as at 30th June 1967 (*but see Explanatory Note 'Changes in boundaries'*)	Live births								Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		Legitimate		Illegitimate																	
		M	F	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
YORKSHIRE, EAST RIDING - *continued*																					
Rural districts	**123,300**	**953**	**923**	**39**	**48**	**1,963**	**15·9**	**1·03**	**0·95**	**719**	**626**	**1,345**	**10·9**	**0·99**	**0·96**	**33**	**17**	**24**	**24**	**32**	**28**
Beverley	29,450	257	261	7	8	533	18·1	0·97	1·02	150	154	304	10·3	0·99	0·91	6	*11*	5	5	6	*20*
Bridlington	8,840	64	55	3	3	125	14·1	1·17	0·96	65	59	124	14·0	0·85	1·06	2	*16*	1	1	4	*39*
Derwent	16,530	143	146	2	8	299	18·1	1·00	1·05	94	75	169	10·2	0·88	0·80	3	*10*	2	2	6	*26*
Driffield	10,370	82	67	4	3	156	15·0	1·06	0·92	67	39	106	10·2	1·04	0·95	4	*26*	1	1	4	*31*
Holderness	23,710	166	179	12	9	366	15·4	1·00	0·90	130	118	248	10·5	1·10	1·03	9	*25*	8	8	3	*30*
Howden	12,500	89	79	4	5	177	14·2	1·06	0·88	78	64	142	11·4	1·00	1·02	2	*11*	1	1	3	*22*
Norton	7,120	46	39	1	2	88	12·4	1·09	0·79	45	35	80	11·2	1·02	1·02	-	-	-	-	3	*33*
Pocklington	14,780	106	97	6	10	219	14·8	1·10	0·95	90	82	172	11·6	0·99	1·03	7	*32*	6	6	3	*41*
YORKSHIRE, NORTH RIDING*	**590,090**	**5,041**	**4,820**	**468**	**472**	**10,801**	**18·3**	**1·01**	**1·07**	**3,382**	**3,046**	**6,428**	**10·9**	**1·07**	**1·04**	**212**	**20**	**144**	**116**	**185**	**27**
Middlesborough C.B.	154,580	1,366	1,266	179	160	2,971	19·2	0·98	1·09	830	670	1,500	9·7	1·29	1·12	64	22	43	36	61	32
Administrative county*	**435,510**	**3,675**	**3,554**	**289**	**312**	**7,830**	**18·0**	**1·02**	**1·07**	**2,552**	**2,376**	**4,928**	**11·3**	**1·00**	**1·01**	**148**	**19**	**101**	**80**	**124**	**26**
Municipal boroughs and urban districts	**236,460**	**2,054**	**2,013**	**202**	**233**	**4,502**	**19·0**	**1·03**	**1·14**	**1,474**	**1,414**	**2,888**	**12·2**	**0·97**	**1·06**	**93**	**21**	**60**	**45**	**88**	**29**
Eston	40,120	432	437	34	70	973	24·3	0·97	1·37	216	177	393	9·8	1·51	1·32	20	21	11	8	24	32
Guisborough	13,610	133	112	9	4	258	19·0	0·88	0·97	73	84	157	11·5	1·00	1·03	6	*23*	6	5	10	*56*
Loftus	8,180	58	62	5	4	129	15·8	1·07	0·98	56	36	92	11·2	1·18	1·18	4	*31*	4	3	5	*60*
Malton	4,230	24	29	2	3	58	13·7	1·09	0·87	19	34	53	12·5	0·88	0·98	-	-	-	-	2	*33*
Northallerton	7,540	58	55	3	7	123	16·3	0·95	0·90	38	44	82	10·9	1·18	1·15	3	*24*	1	-	2	*16*
Pickering	4,340	30	34	7	3	74	17·1	1·13	1·12	23	27	50	11·5	0·93	0·95	2	*27*	2	2	2	*53*
Redcar M.B.	35,960	294	311	23	31	659	18·3	1·03	1·10	215	154	369	10·3	1·16	1·07	10	*15*	7	5	7	*18*
Richmond M.B.	7,300	69	58	11	8	146	20·0	0·88	1·02	30	36	66	9·0	1·20	0·96	1	*7*	-	-	2	*14*
Saltburn and Marske-by-the-Sea	15,630	155	136	18	10	319	20·4	0·91	1·08	91	64	155	9·9	1·35	1·19	10	*31*	6	4	4	*25*
Scalby	7,930	45	48	4	3	100	12·6	0·97	0·71	50	53	103	13·0	0·66	0·77	-	-	-	-	-	-
Scarborough M.B.	42,200	270	251	36	46	603	14·3	1·17	0·97	335	401	736	17·4	0·62	0·96	10	*17*	5	4	5	*15*
Skelton and Brotton	13,760	147	135	13	6	301	21·9	1·08	1·38	80	75	155	11·3	1·14	1·15	6	*20*	4	3	10	*42*
Thornaby-on-Tees M.B.	23,450	245	241	29	28	543	23·2	0·96	1·29	157	116	273	11·6	1·32	1·37	15	*28*	10	7	8	*27*
Whitby	12,210	94	104	8	10	216	17·7	1·10	1·13	91	113	204	16·7	0·63	0·94	6	*28*	4	4	7	*49*
Rural districts*	**199,050**	**1,621**	**1,541**	**87**	**79**	**3,328**	**16·7**	**1·01**	**0·98**	**1,078**	**962**	**2,040**	**10·2**	**1·02**	**0·93**	**55**	**17**	**41**	**35**	**36**	**21**
Aysgarth	3,210	12	14	2	-	28	8·7	1·21	0·61	23	27	50	15·6	0·64	0·89	-	-	-	-	-	-
Bedale	9,160	101	81	5	7	194	21·2	1·01	1·24	41	40	81	8·8	1·03	0·81	6	*31*	6	5	1	*31*
*Croft	2,030	28	14	2	-	44	21·7	1·01	1·27	6	9	15	7·4	1·05	0·69	-	-	-	-	1	*22*
Easingwold	11,540	69	80	7	1	157	13·6	1·08	0·85	56	47	103	8·9	0·99	0·79	-	-	-	-	3	*19*
Flaxton	35,700	301	281	13	8	603	16·9	0·83	0·82	176	170	346	9·7	1·01	0·87	8	*13*	7	7	6	*21*
Helmsley	5,240	22	22	1	-	45	8·6	1·36	0·68	22	25	47	9·0	1·13	0·91	1	*22*	1	1	-	*22*
Kirkbymoorside	4,360	30	25	1	3	59	13·5	1·34	1·05	36	29	65	14·9	0·75	1·00	1	*17*	1	1	1	*33*
Leyburn	6,170	29	39	3	3	74	12·0	1·17	0·82	42	34	76	12·3	0·82	0·90	1	*14*	1	-	2	*26*
Malton	5,520	41	38	-	1	80	14·5	1·17	0·99	32	25	57	10·3	1·00	0·92	3	*38*	3	3	1	*49*
Masham	1,600	5	13	-	2	20	12·5	1·37	1·00	13	13	26	16·3	0·90	1·31	-	-	-	-	-	-
Northallerton	9,320	77	70	2	10	159	17·1	1·08	1·07	64	53	117	12·6	0·96	1·08	3	*19*	3	3	2	*31*
Pickering	4,750	27	33	1	-	61	12·8	1·21	0·90	40	36	76	16·0	0·82	1·17	-	-	-	-	-	-
Reeth	1,740	7	6	1	-	14	*8·0*	1·38	0·64	16	21	37	21·3	0·75	1·43	-	-	-	-	2	*125*
Richmond	23,030	267	244	9	9	529	23·0	1·00	1·34	86	60	146	6·3	1·84	1·04	12	*23*	4	3	3	*11*
Scarborough	9,600	78	73	8	3	162	16·9	1·30	1·28	75	48	123	12·8	0·65	0·74	1	*6*	1	1	1	*12*
Startforth	4,010	39	20	1	1	61	15·2	1·08	0·95	22	18	40	10·0	1·02	0·91	2	*33*	1	1	1	*32*
Stokesley	33,870	300	292	14	17	623	18·4	0·89	0·95	152	149	301	8·9	1·29	1·03	10	*16*	7	6	7	*21*
Thirsk	14,400	100	108	8	10	226	15·7	1·03	0·94	77	60	137	9·5	1·04	0·88	5	*22*	4	2	4	*26*
Wath	2,390	16	11	2	1	30	12·6	1·11	0·81	14	4	18	7·5	1·61	1·08	-	-	-	-	-	-
Whitby	11,410	72	77	7	3	159	13·9	1·27	1·03	85	94	179	15·7	0·82	1·15	2	*13*	2	2	1	*19*
YORKSHIRE, WEST RIDING*	**3,774,310**	**31,471**	**29,317**	**2,919**	**2,762**	**66,469**	**17·6**	**1·01**	**1·03**	**22,558**	**21,166**	**43,724**	**11·6**	**1·05**	**1·09**	**1,443**	**22**	**962**	**796**	**1,062**	**28**
County boroughs*	**2,020,540**	**16,186**	**15,071**	**1,855**	**1,802**	**34,914**	**17·3**	**1·02**	**1·03**	**12,376**	**11,675**	**24,051**	**11·9**	**1·03**	**1·09**	**836**	**24**	**549**	**447**	**574**	**29**
Barnsley	75,910	617	620	39	42	1,318	17·4	0·98	0·99	458	338	796	10·5	1·21	1·13	30	23	19	18	21	29
Bradford	296,860	2,591	2,345	387	327	5,650	19·0	1·04	1·15	1,836	1,961	3,797	12·8	0·98	1·12	160	28	87	73	98	30
Dewsbury	52,730	439	441	46	37	963	18·3	1·06	1·13	379	317	696	13·2	0·99	1·17	29	30	21	16	16	33
Doncaster	85,910	600	534	66	63	1,263	14·7	0·99	0·85	529	418	947	11·0	1·10	1·08	41	32	25	21	18	30
Halifax	94,770	780	686	98	121	1,685	17·8	1·08	1·12	676	643	1,319	13·9	0·88	1·09	48	28	35	21	28	29
Huddersfield	132,120	1,129	967	146	137	2,379	18·0	1·05	1·10	857	860	1,717	13·0	0·99	1·15	81	34	52	38	53	37
Leeds	507,780	3,900	3,709	505	491	8,605	16·9	1·00	0·98	2,990	2,895	5,885	11·6	1·11	1·15	193	22	132	113	144	29
*Rotherham	86,670	740	700	70	58	1,568	18·1	0·99	1·04	484	430	914	10·5	1·16	1·09	35	22	22	19	30	31
*Sheffield	522,220	4,191	3,932	370	383	8,876	17·0	1·02	1·01	3,131	2,836	5,967	11·4	1·04	1·06	169	19	121	101	119	24
Wakefield	60,020	407	413	43	49	912	15·2	1·02	0·90	427	367	794	13·2	0·94	1·11	14	*15*	8	7	17	26
York	105,550	792	724	85	94	1,695	16·1	1·02	0·95	609	610	1,219	11·5	0·94	0·97	36	21	27	20	30	29
Administrative county*	**1,753,770**	**15,285**	**14,246**	**1,064**	**960**	**31,555**	**18·0**	**1·01**	**1·06**	**10,182**	**9,491**	**19,673**	**11·2**	**1·07**	**1·07**	**607**	**19**	**413**	**349**	**488**	**26**
Municipal boroughs and urban districts	**1,246,110**	**10,712**	**10,048**	**806**	**707**	**22,273**	**17·9**	**1·02**	**1·06**	**7,518**	**7,240**	**14,758**	**11·8**	**1·04**	**1·10**	**427**	**19**	**297**	**251**	**356**	**27**
Adwick le Street	18,670	130	132	10	19	291	15·6	1·04	0·94	119	63	182	9·7	1·30	1·13	1	*3*	1	-	8	*27*
Aireborough	29,370	249	245	12	8	514	17·5	1·12	1·14	215	215	430	14·6	0·76	0·99	13	*25*	9	9	9	*34*
Baildon	13,460	93	85	9	7	194	14·4	1·03	0·86	92	78	170	12·6	1·04	1·17	3	*15*	2	2	1	*15*
Barnoldswick	10,000	79	58	7	6	150	15·0	1·13	0·99	64	55	119	11·9	1·06	1·13	3	*20*	2	1	4	*32*
Batley	41,160	437	420	36	35	928	22·5	1·05	1·37	244	245	489	11·9	1·12	1·19	17	*18*	11	9	6	*16*
Bentley with Arksey	23,650	204	210	30	27	471	19·9	0·94	1·09	122	96	218	9·2	1·39	1·14	10	*21*	8	8	8	*33*
Bingley	24,590	222	198	16	16	452	18·4	1·03	1·10	165	143	308	12·5	1·01	1·13	6	*13*	4	3	7	*22*
Brighouse M.B.	32,710	305	285	26	25	641	19·6	1·09	1·24	199	184	383	11·7	0·95	0·99	14	*22*	10	7	10	*26*
Castleford M.B.	39,630	298	296	24	23	641	16·2	1·04	0·98	247	189	436	11·0	1·22	1·20	10	*16*	10	9	12	32
Colne Valley	20,760	164	148	18	12	342	16·5	1·12	1·07	165	108	273	13·2	1·02	1·20	9	*26*	6	4	5	*26*
Conisborough	17,710	139	138	11	7	295	16·7	0·99	0·96	87	84	171	9·7	1·24	1·07	5	*17*	2	1	2	*10*
Cudworth	9,170	109	74	3	4	190	20·7	0·93	1·12	62	38	100	10·9	1·39	1·35	5	*26*	4	4	2	*31*
Darfield	7,040	59	58	6	6	129	18·3	0·92	0·98	30	35	65	9·2	1·25	1·03	1	*8*	-	-	-	-
Darton	15,080	122	115	5	9	251	16·6	0·99	0·96	69	61	130	8·6	1·25	0·96	2	*8*	2	2	4	*24*
Dearne	26,720	217	223	25	22	487	18·2	0·98	1·04	150	110	260	9·7	1·40	1·21	14	*29*	11	11	9	40
Denby Dale	9,980	96	91	5	1	193	19·3	1·11	1·25	78	57	135	13·5	0·93	1·12	3	*16*	2	2	2	*21*
Denholme	2,690	20	16	1	-	37	13·8	1·20	0·96	12	23	35	13·0	1·02	1·18	1	*27*	-	-	-	-
Dodworth	4,340	43	41	2	2	88	20·3	0·96	1·13	28	22	50	11·5	1·34	1·38	-	-	-	-	2	*22*
Earby	4,980	27	35	2	1	65	13·1	1·20	0·91	32	42	74	14·9	1·08	1·44	1	*15*	1	1	1	*30*
Elland	18,440	149	128	22	14	313	17·0	1·10	1·09	112	139	251	13·6	0·95	1·15	7	*22*	5	5	4	*28*
Featherstone	15,160	153	151	7	9	320	21·1	0·95	1·17	95	64	159	10·5	1·40	1·31	7	*22*	4	4	1	*16*
Garforth	19,700	268	229	12	9	518	26·3	0·90	1·38	77	88	165	8·4	1·43	1·07	9	*17*	5	5	11	*30*
Goole M.B.	18,570	160	174	6	13	353	19·0	1·00	1·10	116	120	236	12·7	0·98	1·11	8	*23*	7	7	5	*34*
Harrogate M.B.	60,720	457	418	43	40	958	15·8	1·06	0·97	305	394	699	11·5	0·81	0·83	14	*15*	12	11	8	*20*
Hebden Royd	8,890	64	73	7	5	149	16·8	1·22	1·19	59	66	125	14·1	0·85	1·07	3	*20*	2	1	4	*33*
Heckmondwike	9,020	93	88	7	7	195	21·6	1·04	1·31	46	40	86	9·5	1·14	0·97	2	*10*	2	2	3	*25*
Hemsworth	15,820	131	114	20	8	273	17·3	0·94	0·95	81	98	179	11·3	0·99	1·00	6	*22*	5	4	6	*36*
Holmfirth	18,930	176	149	8	8	341	18·0	1·11	1·16	145	141	286	15·1	0·83	1·12	11	*32*	6	5	1	*18*
Horbury	9,010	80	70	5	3	158	17·5	0·97	0·99	50	54	104	11·5	1·12	1·15	4	*25*	3	3	1	*25*
Horsforth	17,180	133	154	11	10	308	17·9	0·97	1·01	80	81	161	9·4	1·08	0·91	4	*13*	4	2	6	*25*
Hoyland Nether	15,930	137	149	20	6	312	19·6	1·01	1·15	84	76	160	10·0	1·16	1·04	4	*13*	2	1	5	*19*
Ilkley	19,270	139	110	18	9	276	14·3	1·12	0·93	141	168	309	16·0	0·72	1·03	4	*14*	4	4	6	*35*
Keighley M.B.	55,710	419	416	41	37	913	16·4	1·00	0·95	375	378	753	13·5	0·95	1·15	16	*18*	7	6	14	22
Kirkburton	19,060	138	101	10	5	254	13·3	1·11	0·86	151	203	354	18·6	0·66	1·10	7	*28*	6	5	1	*24*
Knaresborough	10,420	74	88	2	3	167	16·0	1·05	0·98	92	94	186	17·9	0·64	1·02	3	*18*	-	-	-	-
Knottingley	15,210	161	150	13	12	336	22·1	0·95	1·22	60	48	108	7·1	1·64	1·04	8	*24*	5	5	8	*38*
Maltby	14,810	145	118	7	9	279	18·8	0·91	0·99	72	52	124	8·4	1·49	1·12	7	*25*	6	5	6	*39*
Meltham	5,930	67	48	4	4	123	20·7	1·15	1·38	32	30	62	10·5	1·08	1·01	1	*8*	1	1	4	*39*
Mexborough	16,400	130	159	13	9	311	19·0	1·03	1·14	111	93	204	12·4	1·12	1·24	7	*23*	3	3	2	*16*
Mirfield	14,960	159	155	6	6	326	21·8	1·03	1·31	83	81	164	11·0	1·15	1·13	6	*18*	4	4	12	47
Morley M.B.	43,790	357	353	32	27	769	17·6	1·03	1·05	241	226	467	10·7	1·16	1·11	14	*18*	12	8	11	*24*
Normanton	18,580	151	157	9	6	323	17·4	1·02	1·03	101	86	187	10·1	1·18	1·06	8	*25*	6	4	9	*39*
Ossett M.B.	16,460	181	163	10	7	361	21·9	0·96	1·22	93	84	177	10·8	1·22	1·18	2	*6*	-	-	7	*19*

TABLE 13 - *continued*

Area	Estimated home population as at 30th June 1967 (*but see Explanatory Note 'Changes in boundaries'*)	Live births								Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		Legitimate		Illegitimate																	
		M	F	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
YORKSHIRE, WEST RIDING - *continued*																					
Municipal boroughs and urban districts - *continued*																					
Otley	12,180	98	97	6	4	205	16·8	1·09	1·06	56	81	137	11·2	0·97	0·97	-	-	-	-	2	10
Penistone	7,590	54	64	3	2	123	16·2	1·04	0·98	46	51	97	12·8	0·99	1·13	4	33	3	2	6	62
Pontefract M.B.	29,630	286	283	15	12	596	20·1	0·91	1·06	155	139	294	9·9	1·19	1·05	13	22	12	10	12	36
Pudsey M.B.	37,380	322	263	21	12	618	16·5	0·95	0·91	206	215	421	11·3	1·14	1·15	10	16	6	5	9	22
Queensbury and Shelf	9,720	88	74	10	6	178	18·3	0·96	1·02	61	62	123	12·7	1·11	1·26	2	11	1	1	5	33
Rawmarsh	19,620	184	165	15	8	372	19·0	1·00	1·10	114	96	210	10·7	1·29	1·23	10	27	9	7	8	39
Ripon M.B.	11,520	88	83	7	13	191	16·6	0·91	0·88	68	75	143	12·4	0·76	0·84	1	5	-	-	4	21
Ripponden	4,940	33	37	4	3	77	15·6	1·18	1·07	22	28	50	10·1	1·02	0·92	1	13	-	-	6	72
Rothwell	27,130	225	198	6	11	440	16·2	1·02	0·96	198	188	386	14·2	0·78	0·99	10	23	6	2	6	18
Royston	8,560	92	64	4	6	166	19·4	0·91	1·03	39	57	96	11·2	1·21	1·21	2	12	1	1	1	12
Saddleworth	18,620	149	156	9	10	324	17·4	1·10	1·11	129	107	236	12·7	0·94	1·07	6	19	4	4	3	21
Selby	10,850	95	91	2	4	192	17·7	1·04	1·07	67	61	128	11·8	0·96	1·01	5	26	4	3	4	36
Shipley	29,480	231	206	22	11	470	15·9	1·07	0·99	163	183	346	11·7	1·00	1·04	5	11	5	4	7	23
Silsden	5,440	27	37	4	4	72	13·2	1·12	0·86	34	38	72	13·2	1·00	1·18	-	-	-	-	1	14
Skipton	13,070	76	88	5	3	172	13·2	1·14	0·87	75	114	189	14·5	0·78	1·01	3	17	3	3	3	34
Sowerby Bridge	16,600	130	95	10	21	256	15·4	1·07	0·96	120	115	235	14·2	1·00	1·27	9	35	6	6	5	42
Spenborough M.B.	38,440	356	309	27	24	716	18·6	1·07	1·16	254	262	516	13·4	1·00	1·20	16	22	11	9	12	29
Stanley	19,030	195	189	9	6	399	21·0	0·99	1·21	86	101	187	9·8	1·15	1·01	5	13	2	2	4	15
Stocksbridge	12,430	105	105	2	5	217	17·5	1·02	1·04	58	66	124	10·0	1·25	1·12	4	18	2	2	1	14
Swinton	14,240	122	107	9	7	245	17·2	0·92	0·92	100	66	166	11·7	1·29	1·35	11	45	8	7	1	33
Tickhill	3,000	25	36	1	3	65	21·7	1·04	1·31	26	14	40	13·3	1·05	1·25	2	31	-	-	2	30
Todmorden M.B.	16,100	111	98	19	9	237	14·7	1·20	1·03	128	124	252	15·7	0·91	1·28	5	21	2	2	5	29
Wath upon Dearne	15,300	152	128	6	10	296	19·3	0·93	1·04	99	71	170	11·1	1·20	1·19	5	17	4	2	7	30
Wombwell	19,170	178	151	6	8	343	17·9	1·02	1·06	124	88	212	11·1	1·24	1·23	4	12	3	3	9	34
Worsbrough	16,390	155	141	3	9	308	18·8	0·93	1·02	108	86	194	11·8	1·17	1·23	14	45	9	8	6	45
Rural districts*	**507,660**	**4,573**	**4,198**	**258**	**253**	**9,282**	**18·3**	**0·97**	**1·03**	**2,664**	**2,251**	**4,915**	**9·7**	**1·19**	**1·03**	**180**	**19**	**116**	**98**	**132**	**24**
Bowland	4,860	42	33	-	3	78	16·0	1·15	1·07	27	33	60	12·3	0·95	1·04	-	-	-	-	-	-
Doncaster	78,200	724	670	34	45	1,473	18·8	0·88	0·96	336	290	626	8·0	1·44	1·03	30	20	19	14	27	27
Goole	9,100	64	58	1	1	124	13·6	0·98	0·77	57	50	107	11·8	1·09	1·15	1	8	1	1	3	31
Hemsworth	53,270	479	442	34	31	986	18·5	0·93	1·00	257	221	478	9·0	1·42	1·14	16	16	10	9	15	24
Hepton	3,560	21	20	2	3	46	12·9	1·10	0·83	20	28	48	13·5	0·94	1·13	1	22	1	1	1	43
*Kiveton Park	24,670	265	245	12	14	536	21·7	0·98	1·24	131	91	222	9·0	1·23	0·99	10	19	6	5	16	38
Nidderdale	17,250	131	114	1	3	249	14·4	1·15	0·96	91	71	162	9·4	1·06	0·89	5	20	5	5	4	36
Osgoldcross	9,330	73	62	6	6	147	15·8	1·03	0·95	51	32	83	8·9	1·29	1·03	3	20	3	3	3	40
Penistone	7,380	53	56	4	2	115	15·6	0·96	0·87	40	31	71	9·6	1·16	0·99	2	17	1	1	2	26
Ripon and Pateley Bridge	13,510	103	103	8	6	220	16·3	1·11	1·05	71	69	140	10·4	1·01	0·94	4	18	1	1	1	9
*Rotherham	65,410	654	597	32	30	1,313	20·1	0·86	1·01	301	206	507	7·8	1·49	1·04	22	17	14	11	20	23
Sedbergh	3,750	19	24	-	2	45	12·0	1·35	0·94	25	20	45	12·0	1·07	1·15	1	22	1	1	1	43
Selby	8,260	91	73	9	8	181	21·9	1·14	1·45	40	35	75	9·1	1·16	0·94	3	17	2	2	-	11
Settle	13,760	101	91	10	6	208	15·1	1·14	1·00	102	79	181	13·2	0·91	1·07	9	43	8	7	2	43
Skipton	24,320	210	171	13	7	401	16·5	1·11	1·06	157	189	346	14·2	0·84	1·07	8	20	5	5	4	22
Tadcaster	31,910	294	272	18	15	599	18·8	1·00	1·09	168	153	321	10·1	1·16	1·05	6	10	4	4	3	12
Thorne	38,870	421	390	36	33	880	22·6	0·94	1·24	201	141	342	8·8	1·47	1·16	24	27	9	7	14	23
Wakefield	22,860	233	216	9	10	468	20·5	0·94	1·12	124	89	213	9·3	1·29	1·07	11	24	8	7	4	23
Wetherby	28,780	219	201	9	12	441	15·3	1·07	0·95	147	117	264	9·2	1·25	1·03	8	18	7	6	4	22
Wharfedale	7,260	58	42	2	1	103	14·2	1·02	0·84	48	62	110	15·2	0·69	0·94	3	29	1	1	1	19
*Wortley	41,350	318	318	18	15	669	16·2	0·98	0·92	270	244	514	12·4	0·82	0·91	13	19	10	7	7	21
WALES																					
ANGLESEY	**56,670**	**472**	**478**	**28**	**36**	**1,014**	**17·9**	**1·14**	**1·19**	**390**	**323**	**713**	**12·6**	**0·92**	**1·04**	**20**	**20**	**15**	**12**	**13**	**24**
Municipal borough and urban districts	**22,090**	**193**	**205**	**16**	**16**	**430**	**19·5**	**1·10**	**1·25**	**176**	**105**	**281**	**12·7**	**0·92**	**1·04**	**6**	**14**	**5**	**5**	**8**	**30**
Amlwch	3,780	30	41	3	2	76	20·1	1·26	1·47	29	17	46	12·2	0·86	0·94	1	13	1	1	2	38
Beaumaris M.B.	1,950	5	14	1	2	22	11·3	1·16	0·76	18	15	33	16·9	0·85	1·28	-	-	-	-	-	-
Holyhead	10,660	103	113	10	9	235	22·0	1·09	1·39	84	47	131	12·3	0·94	1·03	4	17	3	3	3	25
Llangefni	3,390	42	22	1	3	68	20·1	0·92	1·08	30	15	45	13·3	0·91	1·08	1	15	1	1	3	56
Menai Bridge	2,310	13	15	1	-	29	12·6	1·14	0·84	15	11	26	11·3	1·04	1·05	-	-	-	-	-	-
Rural districts	**34,580**	**279**	**273**	**12**	**20**	**584**	**16·9**	**1·17**	**1·15**	**214**	**218**	**432**	**12·5**	**0·91**	**1·02**	**14**	**24**	**10**	**7**	**5**	**20**
Aethwy	10,870	94	84	2	4	184	16·9	1·16	1·14	65	66	131	12·1	0·85	0·92	6	33	5	3	4	37
Twrcelyn	9,510	59	68	2	11	140	14·7	1·25	1·07	73	56	129	13·6	0·87	1·06	3	21	1	1	-	7
Valley	14,200	126	121	8	5	260	18·3	1·12	1·19	76	96	172	12·1	1·02	1·10	5	19	4	3	1	15
BRECONSHIRE	**54,230**	**342**	**358**	**21**	**15**	**736**	**13·6**	**1·11**	**0·88**	**375**	**328**	**703**	**13·0**	**0·89**	**1·03**	**9**	**12**	**7**	**7**	**16**	**31**
Municipal boroughs and urban districts	**15,690**	**109**	**96**	**7**	**4**	**216**	**13·8**	**1·11**	**0·89**	**113**	**106**	**219**	**14·0**	**0·83**	**1·04**	**2**	**9**	**2**	**2**	**4**	**27**
Brecknock M.B.	5,940	46	26	4	2	78	13·1	1·13	0·86	42	44	86	14·5	0·84	1·09	1	13	1	1	1	25
Brymawr	6,310	42	46	2	2	92	14·6	1·02	0·87	49	30	79	12·5	0·96	1·07	1	11	1	1	1	22
Builth Wells	1,590	11	14	1	-	26	16·4	1·26	1·20	12	21	33	20·8	0·79	1·47	-	-	-	-	1	37
Hay	1,340	10	7	-	-	17	12·7	1·22	0·90	5	5	10	7·5	0·42	0·28	-	-	-	-	1	56
Llanwrtyd Wells	510	-	3	-	-	3	5·9	1·48	0·51	5	6	11	21·6	0·57	1·10	-	-	-	-	-	-
Rural districts	**38,540**	**233**	**262**	**14**	**11**	**520**	**13·5**	**1·11**	**0·87**	**262**	**222**	**484**	**12·6**	**0·92**	**1·04**	**7**	**13**	**5**	**5**	**12**	**32**
Brecknock	6,930	47	58	4	5	114	16·5	1·25	1·20	52	25	77	11·1	0·85	0·84	2	18	2	2	1	26
Builth	3,090	18	13	-	-	31	10·0	1·17	0·68	11	12	23	7·4	1·01	0·67	-	-	-	-	1	31
Crickhowell	8,140	61	56	2	-	119	14·6	1·10	0·93	43	36	79	9·7	1·01	0·87	1	8	1	1	4	41
Hay	3,410	14	19	3	2	38	11·1	1·27	0·82	32	34	66	19·4	0·48	0·83	2	53	1	1	1	51
Vaynor and Penderyn	6,460	38	51	1	3	93	14·4	1·02	0·85	38	39	77	11·9	1·17	1·24	1	11	-	-	1	11
Ystradgynlais	10,510	55	65	4	1	125	11·9	1·05	0·73	86	76	162	15·4	1·03	1·42	1	8	1	1	4	39
CAERNARVONSHIRE	**119,720**	**767**	**726**	**60**	**77**	**1,630**	**13·6**	**1·17**	**0·93**	**901**	**934**	**1,835**	**15·3**	**0·79**	**1·08**	**20**	**12**	**13**	**12**	**34**	**28**
Municipal boroughs and urban districts	**73,020**	**476**	**429**	**39**	**48**	**992**	**13·6**	**1·14**	**0·90**	**523**	**575**	**1,098**	**15·0**	**0·78**	**1·04**	**13**	**13**	**9**	**8**	**18**	**26**
Bangor M.B.	14,430	88	85	5	9	187	13·0	0·95	0·72	60	82	142	9·8	1·20	1·05	3	16	-	-	1	5
Bethesda	4,130	36	33	1	4	74	17·9	1·15	1·20	28	21	49	11·9	0·93	0·99	3	41	2	2	1	40
Betws-y-Coed	770	7	4	-	-	11	14·3	1·24	1·03	7	3	10	13·0	0·88	1·02	-	-	-	-	-	-
Caernarvon M.B.	9,120	73	60	7	6	146	16·0	1·14	1·06	60	72	132	14·5	0·94	1·22	-	-	-	-	5	33
Conway M.B.	11,760	70	66	8	9	153	13·0	1·21	0·91	95	102	197	16·8	0·64	0·96	1	7	1	-	3	19
Criccieth	1,590	6	6	1	1	14	8·8	1·24	0·63	10	9	19	11·9	0·71	0·75	-	-	-	-	-	-
Llandudno	16,530	78	91	10	12	191	11·6	1·26	0·85	161	156	317	19·2	0·63	1·08	2	10	2	2	5	36
Llanfairfechan	3,220	26	19	4	1	50	15·5	1·23	1·11	21	25	46	14·3	0·77	0·98	3	60	3	3	1	78
Penmaenmawr	3,750	25	18	1	2	46	12·3	1·33	0·95	25	36	61	16·3	0·69	1·00	-	-	-	-	1	21
Portmadoc	3,900	24	27	2	1	54	13·8	1·14	0·91	20	31	51	13·1	0·79	0·92	1	19	1	1	-	19
Pwllheli M.B.	3,820	43	20	-	3	66	17·3	1·13	1·14	36	38	74	19·4	0·61	1·06	-	-	-	-	1	15
Rural districts	**46,700**	**291**	**297**	**21**	**29**	**638**	**13·7**	**1·19**	**0·95**	**378**	**359**	**737**	**15·8**	**0·83**	**1·17**	**7**	**11**	**4**	**4**	**16**	**31**
Gwyrfai	20,770	147	154	10	15	326	15·7	1·16	1·06	152	147	299	14·4	0·91	1·17	1	3	-	-	6	18
Lleyn	15,780	98	89	6	6	199	12·6	1·21	0·89	132	118	250	15·8	0·80	1·13	4	20	3	3	6	44
Nant Conway	5,410	23	26	3	6	58	10·7	1·20	0·75	47	40	87	16·1	0·87	1·25	-	-	-	-	2	33
Ogwen	4,740	23	28	2	2	55	11·6	1·26	0·85	47	54	101	21·3	0·62	1·18	2	36	1	1	2	53
CARDIGANSHIRE	**53,430**	**317**	**300**	**27**	**16**	**660**	**12·4**	**1·17**	**0·84**	**399**	**425**	**824**	**15·4**	**0·83**	**1·14**	**14**	**21**	**8**	**7**	**13**	**30**
Municipal boroughs and urban districts	**18,290**	**95**	**100**	**10**	**6**	**211**	**11·5**	**1·04**	**0·70**	**119**	**186**	**305**	**16·7**	**0·81**	**1·21**	**1**	**5**	**1**	**1**	**6**	**32**
Aberaeron	1,220	7	9	2	1	19	15·6	1·22	1·11	10	13	23	18·9	0·68	1·15	-	-	-	-	1	50
Aberystwyth M.B.	10,200	40	53	6	5	104	10·2	0·92	0·55	56	97	153	15·0	0·88	1·18	1	10	1	1	3	37
Cardigan M.B.	3,850	30	24	2	-	56	14·5	1·12	0·94	27	36	63	16·4	0·86	1·26	-	-	-	-	1	18
Lampeter M.B.	2,130	15	9	-	-	24	11·3	1·30	0·85	19	25	44	20·7	0·73	1·35	-	-	-	-	1	40
New Quay	890	3	5	-	-	8	9·0	1·59	0·83	7	15	22	24·7	0·56	1·24	-	-	-	-	-	-
Rural districts	**35,140**	**222**	**200**	**17**	**10**	**449**	**12·8**	**1·24**	**0·92**	**280**	**239**	**519**	**14·8**	**0·84**	**1·11**	**13**	**29**	**7**	**6**	**7**	**29**
Aberaeron	8,750	41	40	7	3	91	10·4	1·24	0·75	73	48	121	13·8	0·89	1·10	1	11	-	-	2	22
Aberystwyth	11,580	93	72	5	2	172	14·9	1·22	1·06	88	65	153	13·2	0·83	0·98	5	29	5	4	2	34
Teifiside	10,170	59	61	3	5	128	12·6	1·21	0·89	64	64	128	12·6	0·91	1·02	5	39	1	1	3	31
Tregaron	4,640	29	27	2	-	58	12·5	1·36	0·99	55	62	117	25·2	0·73	1·64	2	34	1	1	-	17

TABLE 13 - *continued*

Area	Estimated home population as at 30th June 1967 (*but see Explanatory Note 'Changes in boundaries'*)	Live births								Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		Legitimate		Illegitimate		Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate							Number	Rate per 1,000 live births				
		M	F	M	F					M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate						
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
CARMARTHENSHIRE	**165,110**	**1,049**	**971**	**66**	**52**	**2,138**	**12·9**	**1·09**	**0·82**	**1,252**	**1,043**	**2,295**	**13·9**	**0·95**	**1·18**	**40**	**19**	**34**	**29**	**41**	**32**
Municipal boroughs and urban districts	**64,890**	**377**	**346**	**28**	**16**	**767**	**11·8**	**1·11**	**0·76**	**534**	**464**	**998**	**15·4**	**0·87**	**1·20**	**11**	***14***	**9**	**8**	**15**	**29**
Ammanford	6,090	30	25	3	2	60	9·9	1·21	0·70	51	43	94	15·4	0·96	1·32	2	*33*	1	1	1	*33*
Burry Port	5,920	39	37	4	2	82	13·9	1·12	0·91	49	34	83	14·0	1·09	1·36	1	*12*	1	1	3	*47*
Carmarthen M.B.	12,950	76	59	7	2	144	11·1	1·04	0·67	119	114	233	18·0	0·66	1·06	1	*7*	1	1	2	*21*
Cwmamman	4,130	18	26	1	1	46	11·1	1·14	0·74	32	18	50	12·1	0·98	1·06	-	-	-	-	2	*42*
Kidwelly M.B.	2,840	17	19	1	1	38	13·4	1·12	0·87	23	14	37	13·0	1·13	1·31	1	*26*	1	1	2	*75*
Llandeilo	1,900	12	12	-	-	24	12·6	1·16	0·85	13	16	29	15·3	0·87	1·19	-	-	-	-	-	-
Llandovery M.B.	2,050	10	8	1	-	19	*9·3*	1·07	0·58	16	9	25	12·2	0·89	0·97	1	*53*	1	-	1	*50*
Llanelli M.B.	28,310	172	157	11	8	348	12·3	1·12	0·80	223	212	435	15·4	0·88	1·21	5	*14*	4	4	4	*23*
Newcastle Emlyn	700	3	3	-	-	6	*8·6*	1·17	0·59	8	4	12	*17·1*	0·72	1·10	-	-	-	-	-	-
Rural districts	**100,220**	**672**	**625**	**38**	**36**	**1,371**	**13·7**	**1·08**	**0·86**	**718**	**579**	**1,297**	**12·9**	**1·09**	**1·26**	**29**	**21**	**25**	**21**	**26**	**34**
Carmarthen	27,990	190	160	9	10	369	13·2	1·10	0·84	207	151	358	12·8	1·11	1·27	8	*22*	8	6	7	*35*
Llandeilo	23,680	134	137	7	4	282	11·9	1·13	0·78	180	141	321	13·6	1·02	1·24	9	*32*	8	8	-	*28*
Llanelli	40,430	294	281	19	17	611	15·1	1·03	0·90	269	232	501	12·4	1·18	1·31	9	*15*	7	5	16	33
Newcastle Emlyn	8,120	54	47	3	5	109	13·4	1·19	0·93	62	55	117	14·4	0·88	1·13	3	*28*	2	2	3	*45*
DENBIGHSHIRE	**179,780**	**1,329**	**1,317**	**113**	**116**	**2,875**	**16·0**	**1·10**	**1·02**	**1,247**	**1,164**	**2,411**	**13·4**	**0·87**	**1·04**	**45**	**16**	**34**	**30**	**55**	**29**
Municipal boroughs and urban districts	**90,050**	**661**	**655**	**59**	**70**	**1,445**	**16·0**	**1·13**	**1·05**	**635**	**672**	**1,307**	**14·5**	**0·74**	**0·96**	**21**	**15**	**18**	**16**	**25**	**28**
Abergele	10,520	74	79	6	7	166	15·8	1·69	1·55	77	72	149	14·2	0·53	0·67	1	*6*	1	1	9	*57*
Colwyn Bay M.B.	24,680	146	145	15	22	328	13·3	1·32	1·02	187	252	439	17·8	0·58	0·92	9	*27*	8	8	1	*27*
Denbigh M.B.	8,460	49	60	5	4	118	13·9	1·14	0·92	78	88	166	19·6	0·53	0·93	2	*17*	2	2	1	*25*
Llangollen	2,940	23	22	-	3	48	16·3	1·16	1·10	16	16	32	10·9	0·90	0·88	-	-	-	-	3	*59*
Llanrwst	2,540	24	17	3	2	46	18·1	1·20	1·26	18	18	36	14·2	0·82	1·04	-	-	-	-	1	*21*
Ruthin M.B.	3,790	18	19	2	-	39	10·3	1·32	0·79	25	31	56	14·8	0·63	0·83	1	*26*	1	1	2	*73*
Wrexham M.B.	37,120	327	313	28	32	700	18·9	0·93	1·02	234	195	429	11·6	1·15	1·19	8	*11*	6	4	8	*17*
Rural districts	**89,730**	**668**	**662**	**54**	**46**	**1,430**	**15·9**	**1·08**	**1·00**	**612**	**492**	**1,104**	**12·3**	**1·05**	**1·15**	**24**	**17**	**16**	**14**	**30**	**30**
Aled	6,620	36	34	1	1	72	10·9	1·17	0·74	51	19	70	10·6	1·00	0·95	2	*28*	2	2	4	*79*
Ceiriog	7,150	48	57	5	3	113	15·8	1·12	1·03	51	36	87	12·2	1·00	1·09	4	*35*	3	3	2	*43*
Hiraethog	4,490	25	36	5	3	69	15·4	1·18	1·06	19	18	37	8·2	1·02	0·75	-	-	-	-	-	-
Ruthin	9,260	74	55	2	4	135	14·6	1·15	0·98	55	40	95	10·3	1·00	0·92	2	*15*	1	1	2	*22*
Wrexham	62,210	485	480	41	35	1,041	16·7	1·05	1·02	436	379	815	13·1	1·07	1·25	16	*15*	10	8	22	28
FLINTSHIRE	**163,110**	**1,385**	**1,255**	**95**	**96**	**2,831**	**17·4**	**1·09**	**1·10**	**1,009**	**939**	**1,948**	**11·9**	**0·95**	**1·01**	**48**	**17**	**35**	**26**	**43**	**24**
Municipal borough and urban districts	**84,480**	**690**	**626**	**43**	**53**	**1,412**	**16·7**	**1·11**	**1·08**	**552**	**511**	**1,063**	**12·6**	**0·88**	**0·99**	**26**	**18**	**19**	**14**	**20**	**24**
Buckley	8,880	102	97	4	9	212	23·9	1·14	1·58	45	41	86	9·7	1·21	1·05	1	*5*	1	1	1	*9*
Connah's Quay	10,400	116	102	7	7	232	22·3	1·03	1·34	46	37	83	8·0	1·69	1·21	6	*26*	5	4	5	*38*
Flint M.B.	14,290	113	109	4	7	233	16·3	1·03	0·98	84	81	165	11·5	1·26	1·29	8	*34*	6	4	3	*30*
Holywell	8,610	62	56	6	1	125	14·5	0·97	0·82	48	60	108	12·5	0·88	0·98	1	*8*	1	1	4	*39*
Mold	7,730	63	59	5	3	130	16·8	1·00	0·98	41	28	69	8·9	1·14	0·91	2	*15*	2	1	1	*15*
Prestatyn	13,200	94	82	5	8	189	14·3	1·48	1·23	114	112	226	17·1	0·53	0·81	3	*16*	1	1	4	*26*
Rhyl	21,370	140	121	12	18	291	13·6	1·11	0·88	174	152	326	15·3	0·75	1·02	5	*17*	3	2	2	*14*
Rural districts	**78,630**	**695**	**629**	**52**	**43**	**1,419**	**18·0**	**1·07**	**1·12**	**457**	**428**	**885**	**11·3**	**1·03**	**1·04**	**22**	**16**	**16**	**12**	**23**	**24**
Hawarden	40,230	380	348	27	25	780	19·4	1·02	1·15	210	209	419	10·4	1·15	1·07	15	*19*	11	7	13	25
Holywell	22,640	189	172	16	11	388	17·1	1·10	1·09	152	146	298	13·2	0·93	1·10	4	*10*	4	4	6	*25*
(a)Maelor	4,860	28	29	1	3	61	12·6	1·11	0·81	36	20	56	11·5	1·09	1·12	1	*16*	1	1	2	*48*
St. Asaph	10,900	98	80	8	4	190	17·4	1·15	1·16	59	53	112	10·3	0·87	0·80	2	*11*	-	-	2	*10*

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
GLAMORGAN*	**1,255,090**	**9,936**	**9,300**	**741**	**681**	**20,658**	**16.5**	**1.01**	**0.97**	**7,937**	**6,934**	**14,871**	**11.8**	**1.12**	**1.18**	**399**	**19**	**263**	**225**	**362**	**28**
County boroughs*	**509,890**	**3,834**	**3,716**	**398**	**355**	**8,303**	**16·3**	**1·00**	**0·95**	**3,157**	**2,954**	**6,111**	**12·0**	**1·08**	**1·16**	**165**	**20**	**103**	**84**	**123**	**25**
*Cardiff	281,750	2,136	2,075	274	234	4,719	16·7	0·99	0·96	1,556	1,518	3,074	10·9	1·10	1·07	100	21	62	50	65	24
(b)Merthyr Tydfil	57,200	432	436	28	39	935	16·3	1·05	1·00	506	415	921	16·1	1·07	1·54	18	*19*	12	11	16	28
Swansea	170,940	1,266	1,205	96	82	2,649	15·5	1·01	0·91	1,095	1,021	2,116	12·4	1·07	1·18	47	18	29	23	42	24
Administrative county	**745,200**	**6,102**	**5,584**	**343**	**326**	**12,355**	**16·6**	**1·02**	**0·98**	**4,780**	**3,980**	**8,760**	**11·8**	**1·14**	**1·20**	**234**	**19**	**160**	**141**	**239**	**30**
Municipal boroughs and urban districts	**524,670**	**4,119**	**3,787**	**262**	**225**	**8,393**	**16·0**	**1·03**	**0·96**	**3,407**	**2,846**	**6,253**	**11·9**	**1·14**	**1·21**	**166**	**20**	**115**	**102**	**174**	**32**
Aberdare	38,450	290	278	23	17	608	15·8	1·09	1·00	322	238	560	14·6	1·02	1·33	16	*26*	12	10	7	*28*
Barry M.B.	42,470	342	271	26	22	661	15·6	1·03	0·93	231	213	444	10·5	1·09	1·02	15	*23*	14	13	18	46
Bridgend	15,110	94	85	5	9	193	12·8	1·03	0·77	75	68	143	9·5	1·09	0·92	3	*16*	2	2	2	*21*
Caerphilly	38,370	352	355	29	24	760	19·8	0·98	1·13	197	194	391	10·2	1·28	1·17	15	*20*	9	6	15	27
Cowbridge M.B.	1,150	14	8	-	-	22	19·1	1·01	1·12	2	3	5	*4·3*	0·95	0·36	-	-	-	-	1	*43*
Gelligaer	34,770	327	295	14	21	657	18·9	1·00	1·10	213	172	385	11·1	1·29	1·28	19	*29*	8	6	11	*25*
Glyncorrwg	9,490	91	75	6	5	177	18·7	0·97	1·05	46	42	88	9·3	1·45	1·20	4	*23*	3	2	6	*44*
Llwchwr	25,570	203	174	10	5	392	15·3	1·07	0·95	178	123	301	11·8	1·10	1·16	5	*13*	3	3	7	*25*
Maesteg	21,350	158	143	11	9	321	15·0	1·04	0·91	140	128	268	12·6	1·24	1·40	7	*22*	7	7	4	*34*
Mountain Ash	29,170	239	225	12	9	485	16·6	1·00	0·97	200	147	347	11·9	1·20	1·28	11	*23*	7	7	4	*22*
Neath M.B.	30,030	202	166	18	13	399	13·3	1·04	0·80	196	171	367	12·2	1·07	1·17	9	*23*	8	7	8	*37*
Ogmore and Garw	20,490	154	153	9	9	325	15·9	1·03	0·95	133	104	237	11·6	1·20	1·24	4	*12*	3	3	11	*42*
Penarth	22,390	176	168	16	11	371	16·6	1·08	1·04	152	138	290	13·0	0·93	1·08	9	*24*	7	6	7	*34*
Pontypridd	35,000	268	263	15	12	558	15·9	1·02	0·94	209	222	431	12·3	1·05	1·15	6	*11*	3	3	11	*25*
Porthcawl	12,810	94	92	16	14	216	16·9	1·12	1·10	97	73	170	13·3	0·88	1·05	3	*14*	2	1	3	*18*
Port Talbot M.B.	51,600	405	379	21	18	823	15·9	0·99	0·92	308	227	535	10·4	1·36	1·26	14	*17*	10	9	18	32
Rhondda M.B.	96,450	710	657	31	27	1,425	14·8	1·03	0·89	708	583	1,291	13·4	1·13	1·35	26	18	17	17	41	40
Rural districts*	**220,530**	**1,983**	**1,797**	**81**	**101**	**3,962**	**18·0**	**1·01**	**1·06**	**1,373**	**1,134**	**2,507**	**11·4**	**1·14**	**1·16**	**68**	**17**	**45**	**39**	**65**	**26**
*Cardiff	33,830	311	299	15	15	640	18·9	0·95	1·04	203	164	367	10·8	1·07	1·03	6	*9*	3	2	5	*11*
Cowbridge	21,900	182	189	7	16	394	18·0	1·07	1·12	92	63	155	7·1	1·63	1·03	7	*18*	4	4	7	*27*
Gower	15,540	118	115	5	6	244	15·7	1·05	0·96	88	71	159	10·2	1·07	0·97	2	*8*	1	-	1	*4*
Llantrisant and Llantwit Fardre	30,920	339	288	11	18	656	21·2	0·95	1·17	176	147	323	10·4	1·27	1·18	10	*15*	6	6	8	*21*
Neath	40,920	319	264	17	15	615	15·0	1·04	0·91	268	220	488	11·9	1·22	1·30	12	*20*	8	7	18	39
Penybont	47,560	530	474	20	23	1,047	22·0	0·96	1·23	293	259	552	11·6	0·97	1·00	25	24	19	17	19	34
Pontardawe	29,860	184	168	6	8	366	12·3	1·13	0·81	253	210	463	15·5	1·01	1·40	6	*16*	4	3	7	*27*
MERIONETHSHIRE	**37,710**	**248**	**242**	**21**	**13**	**524**	**13·9**	**1·18**	**0·95**	**267**	**295**	**562**	**14·9**	**0·85**	**1·13**	**6**	*11*	**5**	**3**	**10**	*24*
Urban districts	**17,020**	**106**	**123**	**12**	**5**	**246**	**14·5**	**1·10**	**0·93**	**114**	**138**	**252**	**14·8**	**0·85**	**1·12**	**4**	*16*	**3**	**2**	**6**	*32*
Bala	1,530	10	12	-	1	23	15·0	1·23	1·07	11	13	24	15·7	0·85	1·19	-	-	-	-	-	-
Barmouth	2,270	12	16	1	1	30	13·2	1·13	0·87	15	19	34	15·0	0·60	0·80	-	-	-	-	-	-
Dolgellau	2,620	10	18	2	-	30	11·5	0·73	0·49	18	18	36	13·7	0·79	0·97	1	*33*	-	-	-	-
Ffestiniog	6,370	48	43	5	3	99	15·5	1·09	0·98	43	53	96	15·1	1·03	1·39	1	*10*	1	1	3	*39*
Tywyn	4,230	26	34	4	-	64	15·1	1·28	1·12	27	35	62	14·7	0·83	1·09	2	*31*	2	1	3	*60*
Rural districts	**20,690**	**142**	**119**	**9**	**8**	**278**	**13·4**	**1·25**	**0·97**	**153**	**157**	**310**	**15·0**	**0·85**	**1·14**	**2**	*7*	**2**	**1**	**4**	18
Deudraeth	7,030	47	43	2	3	95	13·5	1·19	0·93	56	59	115	16·4	0·71	1·04	-	-	-	-	-	-
Dolgellau	7,060	43	42	4	1	90	12·7	1·35	1·00	53	59	112	15·9	0·90	1·28	1	*11*	1	-	4	*43*
Edeyrnion	3,910	40	25	2	4	71	18·2	1·22	1·29	37	24	61	15·6	0·94	1·31	1	*14*	1	1	-	*14*
Penllyn	2,690	12	9	1	-	22	8·2	1·21	0·58	7	15	22	8·2	0·99	0·72	-	-	-	-	-	-
MONMOUTHSHIRE*	**464,840**	**3,850**	**3,655**	**268**	**270**	**8,043**	**17·3**	**1·02**	**1·03**	**2,932**	**2,210**	**5,142**	**11·1**	**1·14**	**1·13**	**167**	**21**	**112**	**94**	**132**	**28**
Newport C.B.	113,100	975	969	97	90	2,131	18·8	1·00	1·09	660	510	1,170	10·3	1·13	1·04	38	18	24	20	30	23
Administrative county*	**351,740**	**2,875**	**2,686**	**171**	**180**	**5,912**	**16·8**	**1·02**	**1·00**	**2,272**	**1,700**	**3,972**	**11·3**	**1·14**	**1·15**	**129**	**22**	**88**	**74**	**102**	**29**
Municipal boroughs and urban districts	**285,730**	**2,296**	**2,172**	**146**	**152**	**4,766**	**16·7**	**1·02**	**0·99**	**1,897**	**1,399**	**3,296**	**11·5**	**1·14**	**1·17**	**108**	**23**	**76**	**65**	**90**	**32**
Abercarn	19,070	150	122	6	5	283	14·8	0·98	0·84	122	76	198	10·4	1·23	1·14	7	*25*	5	4	6	*35*
Abergavenny M.B.	9,670	66	72	7	12	157	16·2	1·10	1·04	73	60	133	13·8	1·00	1·23	4	*25*	3	3	3	*38*
Abertillery	23,990	176	149	10	14	349	14·5	1·07	0·90	179	113	292	12·2	1·15	1·25	12	*34*	8	7	5	*34*
Bedwas and Machen	11,530	92	93	3	7	195	16·9	0·97	0·95	56	49	105	9·1	1·30	1·06	2	*10*	1	1	5	*30*
Bedwellty	26,980	222	209	19	17	467	17·3	0·99	1·00	149	123	272	10·1	1·29	1·16	9	*19*	5	4	12	*33*
Blaenavon	7,970	55	44	1	1	101	12·7	1·16	0·86	71	45	116	14·6	1·05	1·37	-	-	-	-	3	*29*
Caerleon	5,710	49	43	5	1	98	17·2	1·01	1·01	37	44	81	14·2	0·67	0·85	1	*10*	1	1	1	*20*
Chepstow	7,630	71	73	4	7	155	20·3	0·98	1·16	62	51	113	14·8	0·70	0·93	1	*6*	1	-	2	*13*

(a) The figures for this area include 11 deaths (10 male, 1 female) in a Polish General Hospital, which could not be transferred to the area of residence.
(b) Includes 141 deaths (71 male, 70 female) resulting from the Aberfan disaster of 1966 which were registered in 1967.

TABLE 13 - *continued*

Area	Estimated home population as at 30th June 1967 (*but see Explanatory Note 'Changes in boundaries'*)	Live births								Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		Legitimate		Illegitimate																	
		M	F	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
MONMOUTHSHIRE - *continued*																					
Municipal boroughs and urban districts - *continued*																					
Cwmbran	28,730	333	283	17	21	654	22·8	0·85	1·13	115	89	204	7·1	1·65	1·05	11	*17*	8	8	11	*29*
Ebbw Vale	27,600	207	206	17	14	444	16·1	1·05	0·98	213	124	337	12·2	1·22	1·33	19	*43*	15	13	12	*55*
Monmouth M.B.	6,010	49	38	1	5	93	15·5	1·09	0·98	35	40	75	12·5	0·79	0·88	-	-	-	-	1	*11*
Mynyddislwyn	15,690	113	102	8	6	229	14·6	1·01	0·86	106	57	163	10·4	1·29	1·20	4	*17*	4	4	6	*43*
Nantyglo and Blaina	11,070	101	100	5	3	209	18·9	1·05	1·15	84	62	146	13·2	1·05	1·24	5	*24*	2	2	8	*46*
Pontypool	38,160	252	266	24	14	556	14·6	1·11	0·94	248	203	451	11·8	1·05	1·11	18	*32*	12	10	8	*32*
Rhymney	8,760	80	61	1	3	145	16·6	1·00	0·97	70	51	121	13·8	1·18	1·45	2	*14*	2	2	3	*34*
Risca	15,830	128	123	9	9	269	17·0	1·12	1·11	112	89	201	12·7	0·98	1·11	7	*26*	5	3	1	*15*
Tredegar	19,150	135	168	8	11	322	16·8	1·00	0·98	151	114	265	13·8	1·14	1·40	5	*16*	3	2	2	*12*
Usk	2,180	17	20	1	2	40	18·3	1·07	1·14	14	9	23	10·6	1·17	1·11	1	*25*	1	1	1	*49*
Rural districts*	**66,010**	**579**	**514**	**25**	**28**	**1,146**	**17·4**	**1·02**	**1·03**	**375**	**301**	**676**	**10·2**	**1·09**	**0·99**	**21**	**18**	**12**	**9**	**12**	**18**
Abergavenny	9,750	69	64	2	2	137	14·1	1·20	0·98	81	85	166	17·0	0·55	0·83	2	*15*	2	2	1	*22*
Chepstow	15,360	149	133	7	11	300	19·5	1·02	1·16	80	57	137	8·9	1·20	0·95	4	*13*	2	1	4	*16*
*Magor and St. Mellons	17,780	175	151	8	8	342	19·2	1·13	1·26	107	66	173	9·7	1·35	1·17	6	*18*	3	3	2	*15*
Monmouth	6,130	40	45	2	2	89	14·5	1·29	1·09	37	38	75	12·2	0·93	1·01	3	*34*	-	-	1	*11*
Pontypool	16,990	146	121	6	5	278	16·4	0·78	0·74	70	55	125	7·4	1·50	0·99	6	*22*	5	3	4	*25*
MONTGOMERYSHIRE	**43,590**	**309**	**258**	**27**	**18**	**612**	**14·0**	**1·13**	**0·92**	**242**	**222**	**464**	**10·6**	**0·89**	**0·84**	**8**	*13*	**4**	**4**	**10**	*23*
Municipal boroughs and urban districts	**18,500**	**120**	**115**	**7**	**9**	**251**	**13·6**	**1·08**	**0·85**	**99**	**107**	**206**	**11·1**	**0·86**	**0·85**	**4**	*16*	**2**	**2**	**3**	*20*
Llanfyllin M.B.	1,230	6	6	-	1	13	*10·6*	1·13	0·70	5	10	15	*12·2*	0·56	0·61	-	-	-	-	-	-
Llanidloes M.B.	2,370	13	11	-	-	24	10·1	1·18	0·69	15	18	33	13·9	0·61	0·76	1	*42*	1	1	-	*42*
Machynlleth	1,800	8	14	1	-	23	12·8	0·99	0·74	11	15	26	14·4	0·85	1·09	-	-	-	-	-	-
Montgomery M.B.	1,000	3	5	-	2	10	*10·0*	1·05	0·61	7	5	12	*12·0*	1·06	1·14	-	-	-	-	-	-
Newtown and Llanllwchaiarn	5,500	32	38	2	4	76	13·8	1·15	0·92	28	29	57	10·4	0·91	0·85	1	*13*	-	-	1	*13*
Welshpool M.B.	6,600	58	41	4	2	105	15·9	1·02	0·94	33	30	63	9·5	1·04	0·88	2	*19*	1	1	2	*28*
Rural districts	**25,090**	**189**	**143**	**20**	**9**	**361**	**14·4**	**1·17**	**0·98**	**143**	**115**	**258**	**10·3**	**0·92**	**0·85**	**4**	*11*	**2**	**2**	**7**	*24*
Forden	5,140	44	33	5	1	83	16·1	1·13	1·06	26	20	46	8·9	0·86	0·68	-	-	-	-	2	*24*
Llanfyllin	8,860	56	53	3	5	117	13·2	1·19	0·91	51	42	93	10·5	0·94	0·88	-	-	-	-	1	*8*
Machynlleth	2,670	28	11	5	3	47	17·6	1·34	1·37	23	14	37	13·9	0·85	1·05	1	*21*	-	-	2	*41*
Newtown and Llanidloes	8,420	61	46	7	-	114	13·5	1·11	0·87	43	39	82	9·7	0·96	0·83	3	*26*	2	2	2	*34*
PEMBROKESHIRE	**98,330**	**842**	**748**	**60**	**69**	**1,719**	**17·5**	**1·08**	**1·10**	**632**	**543**	**1,175**	**11·9**	**1·07**	**1·14**	**33**	**19**	**20**	**16**	**33**	**28**
Municipal boroughs and urban districts	**49,200**	**470**	**404**	**33**	**48**	**955**	**19·4**	**1·01**	**1·14**	**300**	**293**	**593**	**12·1**	**1·09**	**1·18**	**15**	*16*	**9**	**7**	**18**	**26**
Fishguard and Goodwick	4,970	30	35	2	4	71	14·3	1·19	0·99	33	32	65	13·1	0·97	1·13	-	-	-	-	-	-
Haverfordwest M.B.	9,640	106	92	7	7	212	22·0	0·86	1·10	57	52	109	11·3	1·04	1·05	4	*19*	3	1	3	*19*
Milford Haven	13,090	120	99	9	9	237	18·1	0·96	1·01	71	50	121	9·2	1·45	1·19	2	*8*	1	1	6	*29*
Narberth	1,040	8	4	-	-	12	*11·5*	1·17	0·78	7	8	15	*14·4*	0·62	0·80	-	-	-	-	1	*77*
Neyland	2,370	27	22	2	7	58	24·5	1·05	1·50	14	18	32	13·5	1·10	1·33	-	-	-	-	-	-
Pembroke M.B.	13,560	148	120	11	17	296	21·8	1·06	1·34	86	90	176	13·0	1·09	1·27	7	*24*	3	3	4	*23*
Tenby M.B.	4,530	31	32	2	4	69	15·2	1·12	0·99	32	43	75	16·6	0·83	1·23	2	*29*	2	2	4	*82*
Rural districts	**49,130**	**372**	**344**	**27**	**21**	**764**	**15·6**	**1·16**	**1·05**	**332**	**250**	**582**	**11·8**	**1·07**	**1·13**	**18**	*24*	**11**	**9**	**15**	**31**
Camaes	8,330	49	43	3	5	100	12·0	1·21	0·84	57	60	117	14·0	0·89	1·11	2	*20*	-	-	2	*20*
Haverfordwest	23,380	200	186	18	9	413	17·7	1·14	1·17	159	104	263	11·2	1·19	1·19	9	*22*	7	6	8	*33*
Narberth	9,860	59	65	4	6	134	13·6	1·15	0·91	78	57	135	13·7	0·92	1·13	3	*22*	1	1	4	*36*
Pembroke	7,560	64	50	2	1	117	15·5	1·17	1·05	38	29	67	8·9	1·18	0·94	4	*34*	3	2	1	*25*
RADNORSHIRE	**18,320**	**118**	**133**	**7**	**8**	**266**	**14·5**	**1·18**	**0·99**	**121**	**96**	**217**	**11·8**	**0·85**	**0·90**	**4**	*15*	**3**	**3**	**5**	*30*
Urban districts	**6,330**	**52**	**50**	**5**	**4**	**111**	**17·5**	**1·12**	**1·14**	**44**	**40**	**84**	**13·3**	**0·75**	**0·89**	**1**	*9*	**1**	**1**	**3**	*35*
Knighton	1,920	19	9	1	1	30	15·6	1·11	1·01	12	3	15	*7·8*	0·59	0·41	-	-	-	-	-	-
Llandrindod Wells	3,180	23	31	2	3	59	18·6	1·11	1·20	22	29	51	16·0	0·75	1·07	1	*17*	1	1	1	*33*
Presteigne	1,230	10	10	2	-	22	17·9	1·17	1·22	10	8	18	*14·6*	0·86	1·12	-	-	-	-	2	*83*
Rural districts	**11,990**	**66**	**83**	**2**	**4**	**155**	**12·9**	**1·21**	**0·91**	**77**	**56**	**133**	**11·1**	**0·91**	**0·90**	**3**	*19*	**2**	**2**	**2**	*25*
Colwyn	1,590	10	9	1	1	21	13·2	1·14	0·87	14	3	17	*10·7*	0·89	0·85	-	-	-	-	-	-
Knighton	2,650	17	18	-	-	35	13·2	1·27	0·97	16	19	35	13·2	0·84	0·99	1	*29*	1	1	-	*29*
New Radnor	2,030	10	16	-	1	27	13·3	1·21	0·94	10	9	19	*9·4*	0·91	0·76	-	-	-	-	-	-
Painscastle	1,620	6	6	-	-	12	*7·4*	1·29	0·56	10	4	14	*8·6*	0·90	0·69	-	-	-	-	-	-
Rhayader	4,100	23	34	1	2	60	14·6	1·16	0·98	27	21	48	11·7	0·95	0·99	2	*33*	1	1	2	*48*

TABLE 14. Deaths by sex at each year of age (with marital condition), 1967

England and Wales

Included in this Table are 1,157 cases (473 males and 684 females) in which the age of the deceased was not definitely stated; these have been allocated to particular ages in accordance with the best available information and with due regard to the circumstances and cause of death in each case.

Age last birthday	Persons	Males						Females					
		Total	Single	Married	Widowed	Divorced	Not stated	Total	Single	Married	Widowed	Divorced	Not stated
All ages	542,516	277,178	37,225	173,638	60,444	2,129	3,742	265,338	47,654	79,035	136,475	1,808	366
0-4	17,840	10,100	10,100	-	-	-	-	7,740	7,740	-	-	-	-
0	15,266	8,673	8,673	-	-	-	-	6,593	6,593	-	-	-	-
1	1,039	549	549	-	-	-	-	490	490	-	-	-	-
2	669	374	374	-	-	-	-	295	295	-	-	-	-
3	475	281	281	-	-	-	-	194	194	-	-	-	-
4	391	223	223	-	-	-	-	168	168	-	-	-	-
5-9	1,386	851	851	-	-	-	-	535	535	-	-	-	-
5	339	215	215	-	-	-	-	124	124	-	-	-	-
6	278	172	172	-	-	-	-	106	106	-	-	-	-
7	264	160	160	-	-	-	-	104	104	-	-	-	-
8	270	164	164	-	-	-	-	106	106	-	-	-	-
9	235	140	140	-	-	-	-	95	95	-	-	-	-
10-14	1,146	708	708	-	-	-	-	438	438	-	-	-	-
10	251	156	156	-	-	-	-	95	95	-	-	-	-
11	203	111	111	-	-	-	-	92	92	-	-	-	-
12	210	128	128	-	-	-	-	82	82	-	-	-	-
13	233	145	145	-	-	-	-	88	88	-	-	-	-
14	249	168	168	-	-	-	-	81	81	-	-	-	-
15-19	2,459	1,749	1,635	25	1	-	88	710	656	39	4	-	11
15	312	200	200	-	-	-	-	112	112	-	-	-	-
16	429	307	279	1	-	-	27	122	119	2	-	-	1
17	525	375	354	-	-	-	21	150	137	7	1	-	5
18	589	423	398	3	-	-	22	166	152	13	-	-	1
19	604	444	404	21	1	-	18	160	136	17	3	-	4
20-24	2,473	1,718	1,314	329	1	1	73	755	396	339	5	11	4
20	606	450	406	27	-	-	17	156	113	42	-	-	1
21	503	357	291	48	1	-	17	146	91	54	1	-	-
22	447	316	233	72	-	-	11	131	71	55	1	3	1
23	465	306	212	81	-	1	12	159	60	93	2	3	1
24	452	289	172	101	-	-	16	163	61	95	1	5	1
25-29	2,192	1,408	580	748	9	14	57	784	204	557	6	14	3
25	461	320	160	140	1	2	17	141	44	93	2	1	1
26	432	295	134	146	3	-	12	137	34	101	1	-	1
27	428	272	104	149	3	6	10	156	48	106	-	2	-
28	453	281	100	169	-	3	9	172	40	121	2	9	-
29	418	240	82	144	2	3	9	178	38	136	1	2	1
30-34	2,654	1,595	449	1,074	6	17	49	1,059	190	839	9	20	1
30	502	315	94	210	-	3	8	187	31	153	1	2	-
31	531	313	98	209	-	1	5	218	48	164	1	5	-
32	502	303	86	200	2	5	10	199	28	165	3	3	-
33	528	313	92	202	2	4	13	215	43	166	2	3	1
34	591	351	79	253	2	4	13	240	40	191	2	7	-
35-39	4,347	2,538	603	1,813	21	49	52	1,809	254	1,464	39	49	3
35	689	395	104	269	4	9	9	294	51	226	6	11	-
36	797	467	107	344	1	7	8	330	45	271	5	9	-
37	815	476	119	330	2	12	13	339	46	276	8	8	1
38	952	567	126	406	8	16	11	385	48	313	9	14	1
39	1,094	633	147	464	6	5	11	461	64	378	11	7	1
40-44	7,803	4,580	876	3,451	69	82	102	3,223	377	2,655	111	79	1
40	1,203	695	142	512	12	11	18	508	66	419	13	10	-
41	1,333	787	155	585	10	12	25	546	54	460	14	18	-
42	1,557	931	183	698	11	13	26	626	77	513	22	13	1
43	1,751	1,024	173	797	18	22	14	727	70	606	31	20	-
44	1,959	1,143	223	859	18	24	19	816	110	657	31	18	-
45-49	13,151	7,906	1,162	6,323	149	161	111	5,245	615	4,139	341	140	10
45	2,292	1,365	247	1,057	23	23	15	927	95	762	42	27	1
46	2,803	1,681	234	1,354	31	36	26	1,122	125	896	75	25	1
47	3,075	1,845	251	1,508	25	36	25	1,230	159	947	86	36	2
48	2,402	1,472	207	1,177	32	38	18	930	111	734	62	22	1
49	2,579	1,543	223	1,227	38	28	27	1,036	125	800	76	30	5

Age last birthday	Persons	Males						Females					
		Total	Single	Married	Widowed	Divorced	Not stated	Total	Single	Married	Widowed	Divorced	Not stated
50-54	21,158	13,075	1,548	10,664	449	227	187	8,083	916	6,090	871	195	11
50	3,167	1,924	260	1,548	55	26	35	1,243	136	941	124	39	3
51	3,561	2,179	275	1,776	65	34	29	1,382	148	1,070	133	28	3
52	4,323	2,679	293	2,181	110	49	46	1,644	164	1,273	169	37	1
53	4,811	2,992	337	2,453	111	54	37	1,819	233	1,336	199	48	3
54	5,296	3,301	383	2,706	108	64	40	1,995	235	1,470	246	43	1
55-59	35,278	22,902	2,270	18,800	1,177	379	276	12,376	1,706	8,413	2,028	208	21
55	5,579	3,588	393	2,954	130	71	40	1,991	283	1,398	274	33	3
56	6,484	4,180	424	3,443	202	65	46	2,304	282	1,603	368	45	6
57	6,868	4,487	453	3,682	223	73	56	2,381	309	1,691	347	33	1
58	7,780	5,032	486	4,123	270	82	71	2,748	401	1,839	453	48	7
59	8,567	5,615	514	4,598	352	88	63	2,952	431	1,882	586	49	4
60-64	52,011	33,730	3,139	27,010	2,785	433	363	18,281	2,655	10,772	4,572	250	32
60	8,856	5,748	555	4,646	387	90	70	3,108	447	1,950	667	40	4
61	9,440	6,164	597	4,968	442	92	65	3,276	466	2,020	737	51	2
62	10,313	6,690	611	5,396	540	79	64	3,623	529	2,120	908	58	8
63	11,320	7,280	661	5,830	618	88	83	4,040	619	2,312	1,052	48	9
64	12,082	7,848	715	6,170	798	84	81	4,234	594	2,370	1,208	53	9
65-69	66,759	40,682	3,288	30,996	5,579	346	473	26,077	3,718	12,265	9,783	263	48
65	12,376	7,942	704	6,173	892	78	95	4,434	604	2,354	1,416	52	8
66	13,225	8,218	692	6,321	1,009	95	101	5,007	679	2,519	1,741	59	9
67	13,846	8,533	704	6,490	1,167	57	115	5,313	750	2,469	2,020	65	9
68	13,378	7,883	579	5,979	1,184	57	84	5,495	810	2,491	2,137	45	12
69	13,934	8,106	609	6,033	1,327	59	78	5,828	875	2,432	2,469	42	10
70-74	76,503	40,748	2,880	28,572	8,585	219	492	35,755	5,177	12,528	17,792	198	60
70	14,285	8,068	600	5,888	1,424	51	105	6,197	890	2,514	2,733	49	11
71	14,252	7,759	543	5,607	1,482	47	80	6,493	944	2,437	3,057	42	13
72	15,495	8,215	582	5,778	1,701	44	110	7,280	1,042	2,565	3,616	43	14
73	15,901	8,303	588	5,700	1,880	37	98	7,598	1,137	2,490	3,922	38	11
74	16,590	8,403	567	5,599	2,098	40	99	8,187	1,164	2,522	4,464	26	11
75-79	82,634	38,380	2,448	22,877	12,433	124	498	44,254	6,548	10,269	27,184	189	64
75	16,332	8,020	527	5,196	2,187	26	84	8,312	1,279	2,311	4,663	42	17
76	16,869	7,969	512	4,914	2,408	26	109	8,900	1,270	2,321	5,252	41	16
77	16,240	7,640	472	4,551	2,503	18	96	8,600	1,268	2,007	5,268	42	15
78	16,532	7,480	448	4,257	2,630	36	109	9,052	1,374	1,870	5,764	38	6
79	16,661	7,271	489	3,959	2,705	18	100	9,390	1,357	1,760	6,237	26	10
80-84	76,118	30,048	1,962	13,885	13,667	54	480	46,070	7,070	6,061	32,782	103	54
80	16,281	6,842	467	3,547	2,712	14	102	9,439	1,447	1,537	6,422	22	11
81	15,703	6,434	389	3,125	2,808	12	100	9,269	1,355	1,384	6,488	26	16
82	15,410	5,988	397	2,729	2,748	9	105	9,422	1,434	1,244	6,716	21	7
83	14,654	5,590	374	2,390	2,721	10	95	9,064	1,428	1,038	6,569	20	9
84	14,070	5,194	335	2,094	2,678	9	78	8,876	1,406	858	6,587	14	11
85-89	51,271	17,575	1,066	5,677	10,515	19	298	33,696	5,341	2,197	26,058	69	31
85	12,648	4,563	313	1,683	2,484	6	77	8,085	1,321	679	6,062	15	8
86	11,903	4,143	254	1,457	2,365	3	64	7,760	1,249	546	5,939	17	9
87	10,466	3,517	204	1,112	2,139	4	58	6,949	1,074	433	5,418	18	6
88	8,640	2,937	155	824	1,903	5	50	5,703	894	327	4,466	12	4
89	7,614	2,415	140	601	1,624	1	49	5,199	803	212	4,173	7	4
90-94	20,650	5,874	298	1,249	4,208	3	116	14,776	2,404	375	11,967	18	12
90	6,287	1,890	107	437	1,312	1	33	4,397	647	151	3,586	8	5
91	4,984	1,416	73	321	999	1	22	3,568	583	89	2,888	6	2
92	4,049	1,153	53	229	841	-	30	2,896	485	56	2,352	1	2
93	3,044	816	32	161	606	-	17	2,228	400	44	1,780	1	3
94	2,286	599	33	101	450	1	14	1,687	289	35	1,361	2	-
95-99	4,264	939	40	137	735	1	26	3,325	638	31	2,654	2	-
95	1,594	371	13	60	288	-	10	1,223	238	13	972	-	-
96	1,127	259	10	37	204	1	7	868	158	10	698	2	-
97	746	161	9	14	136	-	2	585	120	5	460	-	-
98	488	101	6	14	76	-	5	387	66	1	320	-	-
99	309	47	2	12	31	-	2	262	56	2	204	-	-
100 and over	419	72	8	8	55	-	1	347	76	2	269	-	-

TABLE 15. Constructed analysis of 1967 deaths by age and marital condition

England and Wales

Note. In this table the deaths of unstated marital condition in each age-group (which are shown separately in Table 14) have been distributed proportionately among those of stated condition in the age-group.

Age-groups	Persons	Males					Females				
		Total	Single	Married	Widowed	Divorced	Total	Single	Married	Widowed	Divorced
All ages	542,516	277,178	37,705	175,971	61,343	2,159	265,338	47,717	79,164	136,649	1,808
0-4	17,840	10,100	10,100	-	-	-	7,740	7,740	-	-	-
5-9	1,386	851	851	-	-	-	535	535	-	-	-
10-14	1,146	708	708	-	-	-	438	438	-	-	-
15-19	2,459	1,749	1,722	26	1	-	710	666	40	4	-
20-24	2,473	1,718	1,372	344	1	1	755	398	341	5	11
25-29	2,192	1,408	604	780	9	15	784	205	559	6	14
30-34	2,654	1,595	463	1,108	6	18	1,059	190	840	9	20
35-39	4,347	2,538	616	1,851	21	50	1,809	254	1,467	39	49
40-44	7,803	4,580	896	3,530	70	84	3,223	377	2,656	111	79
45-49	13,151	7,906	1,179	6,413	151	163	5,245	616	4,147	342	140
50-54	21,158	13,075	1,570	10,819	456	230	8,083	917	6,099	872	195
55-59	35,278	22,902	2,298	19,029	1,191	384	12,376	1,709	8,428	2,031	208
60-64	52,011	33,730	3,173	27,304	2,815	438	18,281	2,660	10,791	4,580	250
65-69	66,759	40,682	3,327	31,360	5,645	350	26,077	3,725	12,288	9,801	263
70-74	76,503	40,748	2,915	28,921	8,690	222	35,755	5,186	12,549	17,822	198
75-79	82,634	38,380	2,480	23,178	12,596	126	44,254	6,557	10,284	27,224	189
80-84	76,118	30,048	1,994	14,110	13,889	55	46,070	7,078	6,068	32,821	103
85-89	51,271	17,575	1,084	5,775	10,697	19	33,696	5,346	2,199	26,082	69
90-94	20,650	5,874	304	1,274	4,293	3	14,776	2,406	375	11,977	18
95-99	4,264	939	41	141	756	1	3,325	638	31	2,654	2
100 and over	419	72	8	8	56	-	347	76	2	269	-

TABLE 16. Deaths at different ages by month of occurrence, January to December, 1967

England and Wales

See notes at head of Table 22

Age		Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
All ages	M	**27,295**	**22,473**	**23,843**	**22,945**	**22,875**	**20,865**	**20,620**	**20,282**	**20,409**	**21,928**	**24,472**	**30,850**
	F	**26,127**	**21,404**	**22,769**	**21,895**	**21,681**	**19,519**	**19,951**	**19,036**	**19,220**	**21,070**	**23,401**	**31,261**
Under 4 weeks	M	534	492	528	489	511	511	538	469	476	503	456	484
	F	356	324	413	402	393	350	403	374	355	374	353	392
4 weeks and under 1 year	M	297	237	249	210	217	176	167	161	155	197	258	418
	F	251	161	175	167	182	148	133	112	147	164	202	295
1-	M	57	48	46	57	36	34	40	51	34	43	39	73
	F	59	42	41	40	52	40	36	22	35	36	33	66
2-	M	77	77	74	83	69	80	89	62	47	76	67	95
	F	67	51	53	49	58	62	44	46	47	47	61	76
5-	M	53	63	68	69	83	79	87	85	56	57	58	69
	F	49	41	52	33	47	54	43	25	44	32	41	44
10-	M	51	48	57	51	58	54	64	72	65	59	57	55
	F	32	33	27	37	32	39	36	27	38	38	41	43
15-	M	127	148	148	138	145	165	169	161	170	113	110	108
	F	67	56	75	43	49	52	65	63	54	44	57	62
20-	M	152	142	129	142	133	129	161	147	155	122	130	117
	F	63	69	62	68	75	49	69	62	68	56	64	53
25-	M	118	121	121	123	94	124	122	112	109	128	100	132
	F	64	61	80	72	63	76	56	66	55	65	66	62
30-	M	121	127	131	132	155	126	134	140	133	116	113	154
	F	96	80	106	78	101	86	98	59	75	92	93	99
35-	M	250	199	253	203	235	233	191	166	203	179	193	225
	F	149	168	158	132	156	136	151	153	140	162	145	167
40-	M	460	334	421	364	405	369	357	400	326	352	393	403
	F	283	270	266	235	282	253	269	274	268	263	272	294
45-	M	691	662	650	689	677	602	631	637	584	605	709	802
	F	477	414	457	420	436	409	391	427	429	459	457	494
50-	M	1,265	1,087	1,118	1,126	1,138	1,051	1,013	952	970	1,064	1,098	1,226
	F	720	650	701	632	654	637	679	627	642	678	680	810
55-	M	2,220	1,780	1,933	1,932	1,891	1,742	1,762	1,764	1,771	1,822	1,952	2,454
	F	1,158	1,007	1,055	997	985	945	976	963	902	1,046	1,080	1,350
60-	M	3,325	2,706	2,821	2,777	2,844	2,578	2,519	2,595	2,546	2,730	2,931	3,520
	F	1,747	1,404	1,564	1,458	1,512	1,438	1,401	1,361	1,354	1,513	1,649	1,988
65-	M	3,770	3,237	3,527	3,268	3,355	3,174	3,073	3,014	3,066	3,286	3,666	4,498
	F	2,471	2,047	2,265	2,152	2,213	1,932	1,963	1,924	1,980	2,159	2,280	2,850
70-	M	3,906	3,343	3,537	3,397	3,413	2,971	2,937	2,925	2,967	3,271	3,775	4,652
	F	3,504	2,882	3,041	2,979	2,847	2,654	2,700	2,526	2,656	2,848	3,275	4,120
75-	M	3,975	3,110	3,286	3,166	3,067	2,770	2,760	2,727	2,816	3,000	3,462	4,553
	F	4,479	3,604	3,738	3,669	3,684	3,255	3,239	3,069	3,144	3,528	3,892	5,336
80-	M	3,209	2,476	2,625	2,551	2,435	2,156	2,127	2,017	2,059	2,309	2,693	3,693
	F	4,700	3,802	3,958	3,883	3,703	3,234	3,322	3,287	3,175	3,512	4,044	5,845
85 and over	M	2,637	2,036	2,121	1,978	1,914	1,741	1,679	1,625	1,701	1,896	2,212	3,119
	F	5,335	4,238	4,482	4,349	4,157	3,670	3,877	3,569	3,612	3,954	4,616	6,815

TABLE 17. Causes of death at different age periods, 1967 — England and Wales

Notes 1. The sequence of causes of death followed in this table is that of the detailed International Statistical Classification of Diseases, Injuries and Causes of Death (Seventh Revision, 1955), including the alternative classifications by External Cause and Nature of Injury (E and N codes) for violent deaths. Each three digit code is separately specified, except a few which are not applicable to primary death classification and some of the N codes to which few deaths are generally assigned. Certain 4th digit splits of general interest are also shown. Tables 18A, 18C and 18D should be consulted for further details of violent deaths. Since Table 17 now includes N codes, Table 18B has been discontinued.

2. Separate columns are not shown for those causes to which, as a rule, few deaths are assigned. To make the record complete, the classification numbers of such causes (except N codes) are printed as close as possible to the place where they would occur. Any deaths from such causes are shown in footnotes in which heavy-faced figures preceding the cause show the International Classification number, and the figures following each sex indicate the age-group of the decedent. Thus **008** Tuberculosis, unspecified site: Males 1,60,65,65,65,65,65,70,70; Females 40,55,70,75,75: denotes that nine male deaths (one in age-group 1-, one in age-group 60-, five in age-group 65-, and two in age-group 70-) and five female deaths (one in age-group 40-, one in age-group 55-, one in age-group 70-, and two in age-group 75-) are assigned to this cause. A dash (-) indicates that no deaths are assigned.

3. Deaths are not assigned to any of the following categories as the underlying cause, where the interval between onset of the disease and death was stated to exceed one year:- 040-043, 050-052, 055, 058, 057·0, 057·1, 057·3, 058, 059, 061, 084-087, 089, 091, 094, 100-108, 480-483, 490-493, 640-689. For details of these categories see Table 7.

Causes of death	All Causes		I 001-138 Infective and parasitic diseases		TUBERCULOSIS 001-019 All forms		001-008 Respiratory system		001 Respiratory tuberculosis with mention of occupational disease of lung		002 Pulmonary tuberculosis		003 Pleural tuberculosis		003·0 Pleurisy specified as tuberculous	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	277,178	265,338	2,427	1,520	1,433	610	1,321	477	88	6	1,209	452	15	13	4	8
0-	8,673	6,593	86	71	6	1	2	1	-	-	2	1	-	-	-	-
1-	1,427	1,147	79	70	9	9	4	-	-	-	3	-	-	-	-	-
5-	851	535	26	20	-	-	-	-	-	-	-	-	-	-	-	-
10-	708	438	11	12	-	2	-	-	-	-	-	-	-	-	-	-
15-	1,749	710	19	14	2	3	2	1	-	-	2	1	-	-	-	-
20-	1,718	755	16	9	6	3	4	2	-	-	4	2	-	-	-	-
25-	1,408	784	18	17	7	6	3	-	-	-	3	-	-	-	-	-
30-	1,595	1,059	27	26	18	15	12	11	-	-	12	11	-	-	-	-
35-	2,538	1,809	55	45	36	25	31	23	-	-	31	23	-	-	-	-
40-	4,580	3,223	77	54	53	33	45	28	-	-	44	26	1	-	1	-
45-	7,906	5,245	109	68	73	45	69	38	2	-	67	37	-	1	-	-
50-	13,075	8,083	160	102	111	61	99	48	3	1	94	47	2	-	-	-
55-	22,902	12,376	247	115	160	52	151	39	9	-	137	38	5	-	-	-
60-	33,730	18,281	319	133	228	64	210	58	25	3	184	54	-	1	-	-
65-	40,682	26,077	401	156	273	64	261	50	25	-	226	46	5	4	1	1
70-	40,748	35,755	362	163	221	68	210	49	11	1	196	44	1	3	1	3
75-	38,380	44,254	251	173	148	68	141	55	11	1	129	51	1	1	1	1
80-	30,048	46,070	106	152	59	59	55	50	2	-	53	47	-	3	-	3
85 and over	24,460	52,144	58	120	23	32	22	24	-	-	22	24	-	-	-	-

TABLE 17 - *continued*

Causes of death	TUBERCULOSIS 003·1 Pleurisy with effusion without mention of cause		004-008* 010-019 Other forms		010 Meninges and central nervous system		011 Intestines, peritoneum and mesenteric glands		012 Bones and joints, active or unspecified		012·0 Active or unspecified tuberculosis of vertebral column		012·1;2;3 Others included under 012		013, 014* 015 Lymphatic system	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	11	5	112	133	24	26	13	9	10	25	9	19	1	6	1	11
0-	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-
1-	-	-	5	9	5	8	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-
20-	-	-	2	1	-	1	1	-	-	-	-	-	-	-	-	-
25-	-	-	4	6	-	2	-	-	1	1	1	-	-	1	-	-
30-	-	-	6	4	4	2	-	-	-	-	-	-	-	-	-	-
35-	-	-	5	2	4	-	1	-	-	-	-	-	-	-	-	1
40-	-	-	8	5	2	-	-	-	1	-	-	-	1	-	-	-
45-	-	1	4	7	1	2	-	-	-	1	-	1	-	-	-	-
50-	2	-	12	13	3	3	5	1	-	1	-	1	-	-	-	2
55-	5	-	9	13	1	1	-	1	1	3	1	3	-	-	-	-
60-	-	1	18	6	-	1	2	-	2	1	2	1	-	-	-	-
65-	4	3	12	14	1	1	2	-	2	1	2	1	-	-	1	-
70-	-	-	11	19	1	1	1	2	1	6	1	5	-	1	-	3
75-	-	-	7	13	1	1	1	2	1	4	1	3	-	1	-	2
80-	-	-	4	9	-	-	-	1	1	5	1	2	-	3	-	-
85 and over	-	-	1	8	-	-	-	1	-	2	-	2	-	-	-	3

Causes of death	TUBERCULOSIS 016 Genito-urinary system		017 Adrenal glands		018 Other organs		019 Disseminated tuberculosis		019·0;1* 019·2 Other forms of disseminated tuberculosis		020-029 Syphilis and its sequelae		020 Congenital syphilis		021* 022 Aneurysm of aorta	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	26	25	6	8	3	3	24	22	23	21	499	350	1	1	369	266
0-	-	-	-	-	-	-	3	-	3	-	-	1	-	1	-	-
1-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
10-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
20-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-	1	1	-	1	-	-	1	1	1	1	2	-	-	-	2	-
30-	1	2	-	-	-	-	1	-	1	-	3	2	1	-	1	-
35-	-	-	-	-	-	-	-	1	-	1	3	1	-	-	2	1
40-	3	1	-	1	-	-	1	2	1	2	7	3	-	-	4	2
45-	2	4	-	-	-	-	1	-	1	-	13	6	-	-	5	3
50-	2	3	-	-	1	-	1	1	1	1	14	7	-	-	9	7
55-	3	3	2	2	-	1	1	1	1	1	49	17	-	-	35	10
60-	4	3	2	-	1	-	6	1	6	1	57	31	-	-	40	22
65-	2	4	-	3	-	1	4	4	3	4	103	50	-	-	75	30
70-	4	1	1	1	-	1	2	4	2	4	106	59	-	-	78	43
75-	1	2	1	-	1	-	1	2	1	1	82	68	-	-	70	58
80-	1	1	-	-	-	-	2	2	2	2	37	58	-	-	29	51
85 and over	1	-	-	-	-	-	-	2	-	2	21	46	-	-	18	39

* **004** Primary tuberculosis complex with symptoms - : **005** Tracheobronchial glandular tuberculosis with symptoms - : **006** Radiological evidence suggestive of active respiratory tuberculosis not classifiable elsewhere - : **007** Other respiratory tuberculosis: Female 40; **008** Tuberculosis, unspecified site: Males 1,60,65,65,65,65,65,70,70; Females 40,55,70,75,75: **013** Late effects of tuberculosis of bones and joints: Males 25,40,55,60, 70; Females 40,50,50,55: **014** Tuberculosis of skin and subcutaneous cellular tissue - : **019·0; 1** Acute miliary tuberculosis: Male 65; Female 75: **021** Early syphilis -

TABLE 17 - *continued*

Causes of death	023 Other cardio-vascular syphilis		024 Tabes dorsalis		025 General paralysis of insane		026 Other syphilis of central nervous system		027 Other forms of late syphilis		028, 029, 030-039* 030-039 Gonococcal infection and other venereal diseases		040-049 Infectious diseases commonly arising in intestinal tract		040, 041* 042 Other Salmonella infections	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**64**	**55**	**14**	**13**	**24**	**2**	**16**	**8**	**11**	**3**	**5**	**-**	**22**	**23**	**10**	**11**
0-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2
1-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
5-	-	-	-	-	1	-	-	-	-	-	-	-	1	2	-	-
10-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
25-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-
35-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-	1	1	-	-	1	-	1	-	-	-	-	-	1	-	-	-
45-	6	3	-	-	-	-	2	-	-	-	-	-	-	-	-	-
50-	2	-	1	-	-	-	2	-	-	-	-	-	1	1	-	1
55-	8	5	2	1	3	-	-	1	1	-	1	-	-	3	-	2
60-	7	7	1	1	4	1	3	-	2	-	1	-	2	2	-	-
65-	14	11	4	6	4	-	2	2	4	-	-	-	3	3	2	-
70-	14	11	3	2	4	-	5	3	2	-	2	-	3	1	2	-
75-	4	6	2	1	5	-	1	2	-	-	-	-	3	4	2	4
80-	6	4	-	2	1	-	-	-	1	1	-	-	1	1	1	-
85 and over	-	4	1	-	1	1	-	-	1	2	1	-	2	3	2	2

Causes of death	043, 044* 045 Bacillary dysentery		046-049* 050-064 Other bacterial diseases		050 Scarlet fever		051 Streptococcal sore throat		052 Erysipelas		053 Septicaemia and pyaemia		053·0 Streptococcus		053·1 Staphylococcus	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**7**	**4**	**129**	**127**	**-**	**-**	**3**	**3**	**3**	**3**	**48**	**54**	**4**	**7**	**12**	**12**
0-	2	-	42	38	-	-	-	-	-	-	7	12	-	-	1	3
1-	-	-	21	16	-	-	1	1	-	-	7	3	1	-	2	-
5-	1	2	5	2	-	-	-	1	-	-	1	-	1	-	-	-
10-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	1	3	-	-	-	-	-	-	1	2	-	-	-	1
20-	-	-	3	-	-	-	-	-	-	-	1	-	-	-	-	-
25-	-	-	3	1	-	-	-	-	-	-	2	1	-	1	1	-
30-	1	-	2	1	-	-	1	-	-	-	1	1	-	1	-	-
35-	-	-	3	2	-	-	-	-	-	-	1	1	1	-	-	1
40-	-	-	2	5	-	-	1	-	-	-	-	1	-	-	-	1
45-	-	-	4	-	-	-	-	-	-	-	4	-	1	-	1	-
50-	-	-	5	7	-	-	-	-	-	-	3	2	-	-	1	-
55-	-	-	11	10	-	-	-	1	-	-	7	5	-	2	1	-
60-	-	-	4	6	-	-	-	-	-	-	3	3	-	1	1	1
65-	-	1	4	9	-	-	-	-	-	-	3	8	-	-	2	1
70-	1	-	9	8	-	-	-	-	1	-	3	2	-	-	1	-
75-	1	-	6	10	-	-	-	-	-	2	3	7	-	2	1	1
80-	-	-	2	5	-	-	-	-	-	-	1	4	-	-	-	2
85 and over	-	1	2	4	-	-	-	-	2	1	-	2	-	-	-	1

* **028** Latent syphilis - : **029** Syphilis, unqualified: Females 65,75: **030** Acute or unspecified gonorrhoea: Male 85: **031** Chronic gonococcal infection of genito-urinary system - : **032** Gonococcal infection of joint - : **033** Gonococcal infection of eye - : **034** Gonococcal infection of other sites - : **035** Late effects of gonococcal infection: Males 55,60,70,70: **036** Chancroid - : **037** Lymphogranuloma venereum - : **038** Granuloma inguinale, venereal - : **039** Other and unspecified venereal diseases - : **040** Typhoid fever: Female 65: **041** Paratyphoid fever - : **043** Cholera - : **044** Brucellosis (undulant fever): Male 60: Female 60: **046** Amoebiasis: Males 40,50,60; Females 20,60: **047** Other protozoal dysentery - : **048** Unspecified forms of dysentery - : **049** Food poisoning (infection and intoxication): Male 65; Females 55,65,70,80:

TABLE 17 - *continued*

Causes of death	053·2 Pneumococcus		053·3 Other specified organism		053·4 Organism unspecified		054, 055* 056 Whooping cough		057 Meningococcal infections		058, 059, 060* 061 Tetanus		062, 063, 064* 070-074 Spirochaetal diseases except syphilis		070, 071* 072 Leptospirosis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**4**	**2**	**5**	**8**	**23**	**25**	**16**	**11**	**41**	**39**	**9**	**9**	**3**	**-**	**3**	**-**
0-	3	1	-	2	3	6	14	10	21	14	-	-	-	-	-	-
1-	-	-	-	-	4	3	2	1	10	11	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	4	1	-	-	-	-	-	-
10-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-
20-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-
25-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
30-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
35-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-
40-	-	-	-	-	-	-	-	-	1	2	-	2	-	-	-	-
45-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
50-	-	-	-	-	2	2	-	-	2	3	-	1	2	-	2	-
55-	-	-	2	-	4	3	-	-	1	2	1	1	-	-	-	-
60-	-	-	-	-	2	1	-	-	-	1	-	1	-	-	-	-
65-	-	1	1	3	-	3	-	-	-	-	-	1	-	-	-	-
70-	-	-	-	-	2	2	-	-	2	3	1	2	-	-	-	-
75-	-	-	1	2	1	2	-	-	-	-	2	1	-	-	-	-
80-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
85 and over	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-

Causes of death	073, 074* 080-096 Diseases attributable to viruses		080 Acute poliomyelitis		080·0 Specified as bulbar or polio-encephalitis		080·1 With other paralysis		080·2* 080·3 Unspecified		081 Late effects of acute poliomyelitis		082 Acute infectious encephalitis		083 Late effects of acute infectious encephalitis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**275**	**355**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**7**	**8**	**38**	**46**	**32**	**22**
0-	34	28	-	-	-	-	-	-	-	-	-	-	10	4	-	-
1-	47	45	-	-	-	-	-	-	-	-	-	-	9	10	-	-
5-	18	16	-	-	-	-	-	-	-	-	-	-	1	5	-	1
10-	10	7	-	-	-	-	-	-	-	-	1	1	3	3	-	-
15-	14	8	-	-	-	-	-	-	-	-	-	1	2	4	-	-
20-	4	5	-	-	-	-	-	-	-	-	-	1	-	1	-	-
25-	5	10	-	-	-	-	-	-	-	-	1	1	2	1	-	1
30-	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-	11	13	-	-	-	-	-	-	-	-	3	1	1	3	-	-
40-	9	11	-	-	-	-	-	-	-	-	2	-	-	3	-	1
45-	14	10	-	-	-	-	-	-	-	-	-	2	1	1	7	1
50-	19	18	-	-	-	-	-	-	-	-	-	-	3	1	8	2
55-	19	30	-	-	-	-	-	-	-	-	-	-	3	6	7	3
60-	20	26	-	-	-	-	-	-	-	-	-	-	1	2	4	8
65-	11	24	-	-	-	-	-	-	-	-	-	1	1	-	1	2
70-	15	20	-	-	-	-	-	-	-	-	-	-	1	-	2	3
75-	10	20	-	-	-	-	-	-	-	-	-	-	-	2	3	-
80-	5	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85 and over	8	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* **054** Bacterial toxaemia - : **055** Diphtheria - : **058** Plague - : **059** Tularaemia - : **060** Leprosy: Male 70: **062** Anthrax: Males 55,55: **063** Gas gangrene: Males 60,65,70,80; Females 50,55,60,70,80,85: **064** Other bacterial diseases: Males 1,75; Females 0,0: **070** Vincent's infection - : **071** Relapsing fever - : **073** Yaws - : **074** Other spirochaetal infections - : **080.2** Acute poliomyelitis specified as non-paralytic - :

TABLE 17 - *continued*

Causes of death	084*		086*				089, 090, 091*		093, 094, 095*		100-108*				110-117*	
	085 Measles		087 Chickenpox		088 Herpes zoster		092 Infectious hepatitis		096 Other diseases attributable to viruses		100-108 Typhus and other rickettsial diseases		110-117 Malaria		120-138 Other infective and parasitic diseases	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**60**	**39**	**17**	**14**	**18**	**50**	**76**	**135**	**19**	**34**	-	-	4	-	**57**	**55**
0-	12	6	2	2	-	-	2	-	8	16	-	-	-	-	2	1
1-	30	25	2	5	-	-	4	3	-	2	-	-	-	-	1	-
5-	9	4	2	4	-	-	5	1	-	-	-	-	-	-	1	-
10-	4	1	1	-	-	-	1	2	-	-	-	-	-	-	-	2
15-	3	-	-	-	-	-	6	2	-	-	-	-	-	-	1	-
20-	-	1	2	-	-	1	1	1	-	-	-	-	-	-	3	-
25-	-	-	-	-	-	-	1	5	1	2	-	-	-	-	1	-
30-	1	-	1	-	-	-	-	4	-	-	-	-	-	-	-	4
35-	-	-	-	2	-	-	6	6	1	-	-	-	1	-	1	4
40-	-	-	2	-	1	-	1	7	3	-	-	-	-	-	5	2
45-	-	1	1	-	-	-	5	4	-	1	-	-	-	-	5	7
50-	-	-	-	-	-	-	6	14	2	1	-	-	1	-	7	8
55-	-	-	-	-	-	-	7	18	1	3	-	-	-	-	7	3
60-	1	-	2	-	-	-	12	15	-	1	-	-	1	-	6	4
65-	-	1	1	-	1	3	5	16	2	1	-	-	1	-	6	6
70-	-	-	-	-	3	5	8	10	1	1	-	-	-	-	6	7
75-	-	-	-	1	2	6	5	8	-	3	-	-	-	-	2	3
80-	-	-	-	-	4	13	1	7	-	3	-	-	-	-	2	4
85 and over	-	-	1	-	7	22	-	12	-	-	-	-	-	-	1	-

Causes of death	120-124*		126-133*		135, 136, 137*		NEOPLASMS									
	125 Hydatid disease		134 Other fungus infections		138 Other infective and parasitic diseases		II **140-239 Neoplasms**		140-205 Malignant neoplasms including neoplasms of lymphatic and haemato-poietic tissues		140-148 Malignant neoplasm of buccal cavity and pharynx		140 Lip		140.0 Upper lip	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	3	1	22	8	27	44	**60,304**	**51,164**	**59,634**	**50,438**	**940**	**613**	**40**	**7**	**5**	**3**
0-	-	-	2	1	-	-	**46**	**36**	34	30	-	-	-	-	-	-
1-	-	-	-	-	-	-	**182**	**137**	169	128	2	-	-	-	-	-
5-	-	-	1	-	-	-	**151**	**98**	139	95	-	1	-	-	-	-
10-	-	-	-	-	-	-	**111**	**113**	104	104	-	4	-	-	-	-
15-	-	-	-	-	1	-	**193**	**111**	180	105	2	1	-	-	-	-
20-	-	-	-	-	3	-	**193**	**129**	175	121	-	1	-	-	-	-
25-	-	-	-	-	1	-	**227**	**196**	214	185	3	2	-	-	-	-
30-	-	-	-	-	-	4	**291**	**330**	278	316	2	1	-	-	-	-
35-	-	-	-	2	1	2	**540**	**712**	522	687	14	7	-	-	-	-
40-	-	-	1	1	3	1	**1,008**	**1,473**	986	1,430	19	22	1	-	-	-
45-	-	1	1	-	3	6	**2,018**	**2,480**	1,972	2,429	41	20	1	-	-	-
50-	-	-	4	1	1	7	**3,823**	**3,833**	3,757	3,760	56	35	-	-	-	-
55-	-	-	2	-	5	3	**6,890**	**5,201**	6,807	5,123	68	71	-	-	-	-
60-	1	-	2	-	3	4	**9,966**	**6,167**	9,868	6,078	123	58	4	-	-	-
65-	-	-	3	-	3	6	**11,168**	**7,022**	11,076	6,945	130	81	5	-	1	-
70-	-	-	4	2	2	5	**9,419**	**7,355**	9,356	7,269	130	75	6	1	-	-
75-	1	-	-	1	1	2	**7,365**	**6,949**	7,335	6,900	137	121	6	1	1	-
80-	-	-	2	-	-	4	**4,339**	**5,071**	4,305	5,023	111	61	3	4	1	2
85 and over	1	-	-	-	-	-	**2,374**	**3,751**	2,357	3,710	82	52	14	1	2	1

* 084 Smallpox - : 086 Rubella (German measles): Male 1: 089 Mumps: Males 1,5,15,55; Females 5,80,80,85: 090 Dengue - : 091 Yellow fever - : 093 Glandular fever (infectious mononucleosis): Males 15,15,20; Females 15,70: 094 Rabies: Female 35: 095 Trachoma - : 100 Louse-borne epidemic typhus - : 101 Flea-borne endemic typhus (murine) - : 102 Brill's disease, not specified as louse- or flea-borne - : 103 Tarbardillo (Mexican typhus), not specified as louse- or flea-borne - : 104 Tick-borne typhus - : 105 Mite-borne typhus - : 106 Volhynian fever (trench fever) - : 107 Typhus, unspecified - : 108 Other rickettsial diseases - : 110 Vivax malaria (benign tertian) - : 111 Malariae Malaria (quartan) - : 112 Falciparum malaria (malignant tertian): Males 35,65: 113 Ovale malaria - : 114 Mixed malarial infections - : 115 Blackwater fever - : 116 Other and unspecified forms of malaria: Males 50,60: 117 Recurrent induced malaria - : 120 Leishmaniasis: Male 40: 121 Trypanosomiasis - : 122 Other protozoal diseases: Males 1,45; Females 10,10: 123 Schistosomiasis: Males 50,50: 124 Other trematode infestation - : 126 Other cestode infestation - : 127 Filariasis - : 128 Trichiniasis - : 129 Ankylostomiasis - : 130 Infestation with worms of other, mixed and unspecified type - : 131 Dermatophytosis - : 132 Actinomycosis - : 133 Coccidioidomycosis - : 135 Scabies - : 136 Pediculosis - : 137 Other arthropod infestation - :

TABLE 17 - *continued*

Causes of death	NEOPLASMS															
	140·1 Lower lip		140·8;9 Others included under 140		141 Tongue		141·0 Base of tongue		141·7 Other specified parts of tongue		141·8;9 Others included under 141		142 Salivary gland		142·0 Parotid gland	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**33**	**3**	**2**	**1**	**213**	**127**	**62**	**20**	**102**	**78**	**49**	**29**	**88**	**70**	**69**	**55**
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1
30-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	1
35-	-	-	-	-	3	1	-	-	3	1	-	-	1	-	1	-
40-	-	-	1	-	2	3	1	-	-	1	1	2	1	2	1	-
45-	1	-	-	-	13	2	3	-	4	2	6	-	7	-	4	-
50-	-	-	-	-	11	6	2	1	7	4	2	1	2	3	1	3
55-	-	-	-	-	19	9	3	1	13	6	3	2	13	10	12	7
60-	4	-	-	-	26	11	6	-	12	6	8	5	12	5	11	2
65-	4	-	-	-	23	13	6	1	11	8	6	4	13	4	9	4
70-	6	1	-	-	27	15	10	4	11	8	6	3	9	12	7	10
75-	5	-	-	1	35	36	9	5	18	24	8	7	15	14	10	11
80-	2	2	-	-	28	15	10	4	12	8	6	3	10	7	8	6
85 and over	11	-	1	-	25	16	11	4	11	10	3	2	3	11	3	10

Causes of death	NEOPLASMS															
	142·7 Other salivary gland		142;8;9 Others included under 142		143 Floor of mouth		144 Other parts of mouth and mouth unspecified		145 Oral mesopharynx		145·0 Tonsil (excluding pillars)		145·7-9 Others included under 145		146 Nasopharynx	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**17**	**12**	**2**	**3**	**79**	**28**	**120**	**73**	**131**	**50**	**87**	**43**	**44**	**7**	**94**	**47**
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
10-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
20-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
25-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
30-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
35-	-	-	-	-	-	-	2	1	3	1	1	1	2	-	3	-
40-	-	1	-	1	2	-	2	-	2	2	1	2	1	-	6	3
45-	3	-	-	-	2	2	4	2	4	2	4	2	-	-	6	2
50-	1	-	-	-	4	-	6	3	8	4	7	4	1	-	12	2
55-	1	2	-	1	6	4	10	3	10	4	5	3	5	1	11	8
60-	1	3	-	-	14	5	15	1	19	6	12	5	7	1	12	6
65-	3	-	1	-	6	4	16	16	19	10	14	9	5	1	15	3
70-	2	2	-	-	12	3	15	12	20	5	10	5	10	-	9	4
75-	4	3	1	-	15	6	12	13	21	9	16	7	5	2	9	10
80-	2	-	-	1	10	1	30	13	11	5	6	3	5	2	4	2
85 and over	-	1	-	-	8	2	8	8	12	2	9	2	3	-	5	3

TABLE 17 - *continued*

Causes of death	NEOPLASMS															
	147 Hypopharynx		148 Pharynx, unspecified		150-159 Malignant neoplasm of digestive organs and peritoneum		150 Oesophagus		151 Stomach		152 Small intestine, including duodenum		152·0 Duodenum		152·7-9 Others included under 152	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**133**	**178**	**42**	**33**	**19,694**	**18,843**	**1,524**	**1,229**	**7,441**	**5,495**	**107**	**113**	**34**	**35**	**73**	**78**
0-	-	-	-	-	4	2	-	-	-	-	-	-	-	-	-	-
1-	-	-	-	-	4	7	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-
10-	-	-	-	1	2	1	-	-	1	-	-	1	-	-	-	1
15-	-	-	1	-	10	1	-	-	2	1	-	-	-	-	-	-
20-	-	-	-	-	14	12	-	-	4	3	-	1	-	1	-	-
25-	1	1	-	-	19	28	1	1	10	12	1	2	-	1	1	1
30-	-	-	-	-	50	54	-	1	20	13	-	-	-	-	-	-
35-	1	4	1	-	130	123	5	2	29	23	2	1	-	-	2	1
40-	3	12	-	-	318	224	31	10	93	54	1	3	-	-	1	3
45-	3	9	1	1	604	455	53	25	210	106	4	6	3	4	1	2
50-	8	17	5	-	1,132	831	96	49	431	192	14	9	3	2	11	7
55-	12	24	7	9	2,150	1,383	162	98	846	359	18	11	8	3	10	8
60-	18	23	3	1	2,994	1,927	210	143	1,205	524	20	13	8	5	12	8
65-	25	26	8	5	3,444	2,588	251	175	1,378	735	11	11	3	5	8	6
70-	23	20	9	3	3,221	3,203	257	225	1,274	978	16	25	3	9	13	16
75-	20	24	4	8	2,753	3,357	225	211	1,011	1,067	12	23	4	3	8	20
80-	14	10	1	4	1,814	2,615	147	173	623	821	5	5	1	2	4	3
85 and over	5	8	2	1	1,028	2,031	86	116	304	607	3	2	1	-	2	2

Causes of death	NEOPLASMS															
	153 Large intestine, except rectum		153·3 Sigmoid colon		153·8 Large intestine (including colon), part unspecified		153·0-2;7;9 Others included under 153		154 Rectum		155 Biliary passages and of liver (stated to be primary site)		155·0 Liver		155.1;8 Others included under 155	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**3,855**	**5,683**	**1,272**	**1,635**	**626**	**900**	**1,957**	**3,148**	**3,042**	**2,630**	**693**	**857**	**285**	**150**	**408**	**707**
0-	-	-	-	-	-	-	-	-	-	-	4	2	4	1	-	1
1-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	-	-
5-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-
10-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	2	-	-	-	1	-	1	-	2	-	2	-	2	-	-	-
20-	3	3	1	1	1	1	1	1	1	-	4	1	3	1	1	-
25-	3	6	1	1	1	3	1	2	-	5	2	-	1	-	1	-
30-	8	19	2	7	1	2	5	10	9	8	6	3	6	1	-	2
35-	33	53	9	21	6	8	18	24	23	21	10	4	6	2	4	2
40-	67	80	18	26	12	18	37	36	57	40	15	5	10	3	5	2
45-	118	150	32	46	16	20	70	84	75	81	28	16	14	4	14	12
50-	200	276	58	89	35	51	107	136	150	124	53	36	21	8	32	28
55-	367	404	121	133	73	53	173	218	287	207	82	79	35	20	47	59
60-	534	585	187	193	82	98	265	294	429	276	104	83	55	13	49	70
65-	643	757	228	240	88	131	327	386	489	352	127	132	52	24	75	108
70-	618	855	206	231	107	148	305	476	503	430	96	167	32	26	64	141
75-	580	992	193	273	94	151	293	568	441	416	89	169	27	26	62	143
80-	418	820	126	195	67	112	225	513	352	361	42	93	9	11	33	82
85 and over	261	683	90	179	42	104	129	400	224	309	26	64	5	7	21	57

TABLE 17 - *continued*

Causes of death	NEOPLASMS															
	156 Liver (secondary and unspecified)		157 Pancreas		158 Peritoneum		159 Unspecified digestive organs		160-165 Malignant neoplasm of respiratory system		160 Nose, nasal cavities, middle ear and accessory sinuses		160·0 Nose (internal) and nasal cavities		160·1 Eustachian tube and middle ear	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**385**	**356**	**2,456**	**2,262**	**141**	**182**	**50**	**36**	**24,312**	**4,977**	**114**	**99**	**16**	**14**	**12**	**14**
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-	-	2	-	-	2	3	-	-	2	1	-	1	-	-	-	-
5-	-	-	1	-	1	-	-	-	-	2	-	-	-	-	-	-
10-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
15-	-	-	-	-	2	-	-	-	6	3	-	-	-	-	-	-
20-	-	-	-	2	2	1	-	1	14	4	1	-	-	-	-	-
25-	-	-	2	2	-	-	-	-	16	10	-	-	-	-	-	-
30-	-	3	4	4	3	3	-	-	29	14	-	-	-	-	-	-
35-	5	5	19	11	3	3	1	-	131	46	2	1	-	-	-	-
40-	7	4	39	26	4	1	4	1	324	122	3	3	1	-	-	-
45-	20	9	84	52	9	7	3	3	820	275	5	8	-	1	1	2
50-	22	19	153	114	11	11	2	1	1,786	452	13	11	-	1	-	2
55-	50	20	315	185	19	19	4	1	3,317	628	6	7	-	2	1	1
60-	68	23	401	259	18	17	5	4	4,913	792	19	14	1	1	4	3
65-	56	45	449	344	30	32	10	5	5,288	848	26	13	6	2	1	1
70-	58	75	375	410	18	28	6	10	3,907	740	10	12	2	2	1	2
75-	53	53	319	402	14	21	9	3	2,426	554	17	10	3	2	3	-
80-	29	52	193	268	3	19	2	3	975	310	5	5	1	-	1	1
85 and over	16	46	102	183	2	17	4	4	358	174	7	14	2	3	-	2

Causes of death	NEOPLASMS															
	160·2 Maxillary sinus		160·7 Other specified sinus (accessory)		160·8;9 Others included under 160		161 Larynx		162 Bronchus and trachea, and of lung specified as primary		162·0 Trachea		162·1 Bronchus and lung		162·2 Pleura	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**69**	**60**	**13**	**8**	**4**	**3**	**597**	**146**	**16,382**	**3,104**	**29**	**17**	**16,347**	**3,087**	**4**	**-**
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	1	1	2	1	-	-	2	1	-	-
20-	1	-	-	-	-	-	1	-	6	2	-	-	6	2	-	-
25-	-	-	-	-	-	-	1	-	7	3	-	-	7	3	-	-
30-	-	-	-	-	-	-	1	-	18	7	-	-	18	7	-	-
35-	-	1	2	-	-	-	4	2	90	30	-	-	90	30	-	-
40-	2	3	-	-	-	-	5	2	238	81	1	-	237	81	-	-
45-	4	4	-	1	-	-	17	5	548	178	2	1	546	177	-	-
50-	10	6	2	2	1	-	35	12	1,188	298	1	2	1,187	296	-	-
55-	3	4	1	-	1	-	67	18	2,268	414	4	-	2,261	414	1	-
60-	12	10	2	-	-	-	93	20	3,321	513	6	3	3,315	510	-	-
65-	16	10	3	-	-	-	127	20	3,585	529	6	10	3,576	519	3	-
70-	6	6	-	1	1	1	93	25	2,624	464	4	-	2,620	464	-	-
75-	9	4	1	4	1	-	79	17	1,642	337	4	-	1,638	337	-	-
80-	3	4	-	-	-	-	47	11	624	162	1	1	623	161	-	-
85 and over	3	8	2	-	-	1	26	13	221	85	-	-	221	85	-	-

TABLE 17 - *continued*

Causes of death	NEOPLASMS															
	162·8 Multiple sites		163 Lung, unspecified as to whether primary or secondary		164 Mediastinum		165 Thoracic organs (secondary)		170-181 Malignant neoplasm of breast and genito-urinary organs		170 Breast		171 Cervix uteri		172 Corpus uteri	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	2	-	7,166	1,600	31	11	22	17	7,736	19,531	88	10,231		2,449		1,073
0-	-	-	-	-	-	-	-	-	4	1	-	-		-		-
1-	-	-	2	-	-	-	-	-	20	22	-	-		1		1
5-	-	-	-	1	-	1	-	-	8	9	-	-		-		-
10-	-	-	-	1	-	-	-	1	1	4	-	-		-		-
15-	-	-	2	1	1	-	-	-	15	6	-	-		1		-
20-	-	-	5	2	1	-	-	-	26	15	-	5		1		-
25-	-	-	8	7	-	-	-	-	36	52	-	27		13		1
30-	-	-	10	6	-	-	-	1	36	136	-	94		19		-
35-	-	-	34	12	1	1	-	-	37	353	1	211		66		2
40-	-	-	77	36	-	-	1	-	63	847	1	486		175		12
45-	-	-	248	81	2	3	-	-	122	1,398	2	749		296		43
50-	-	-	545	130	4	-	1	1	223	2,001	8	1,086		332		55
55-	2	-	968	187	5	1	3	1	479	2,404	12	1,286		297		134
60-	-	-	1,473	240	4	1	3	4	849	2,532	18	1,368		277		164
65-	-	-	1,542	281	4	2	4	3	1,250	2,611	11	1,287		286		202
70-	-	-	1,173	236	5	1	2	2	1,365	2,414	12	1,172		245		186
75-	-	-	683	187	2	1	3	2	1,437	2,134	8	1,054		202		137
80-	-	-	294	130	1	-	4	2	1,062	1,496	11	780		150		83
85 and over	-	-	102	62	1	-	1	-	703	1,096	4	626		88		53

Causes of death	NEOPLASMS															
	173 Other parts of uterus, including chorion-epithelioma		174 Uterus unspecified		175 Ovary, Fallopian tube and broad ligament		175·0 Ovary		175·1 Fallopian tube and broad ligament		175·8;9 Others included under 175		176 Other and unspecified female genital organs		176·0 Vulva	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages		18		298		3,296		3,274		20		2		555		400
0-		-		-		-		-		-		-		-		-
1-		-		-		1		1		-		-		2		1
5-		-		-		3		2		1		-		1		-
10-		-		-		3		3		-		-		-		-
15-		-		-		5		5		-		-		-		-
20-		1		1		6		6		-		-		-		-
25-		2		-		7		7		-		-		-		-
30-		3		-		17		17		-		-		2		1
35-		-		5		58		57		-		1		3		2
40-		1		6		137		135		2		-		8		3
45-		1		7		254		253		1		-		10		4
50-		1		27		407		406		1		-		15		11
55-		2		30		498		494		3		1		37		22
60-		1		41		478		475		3		-		52		42
65-		1		57		490		485		5		-		80		61
70-		1		47		395		393		2		-		84		66
75-		2		31		313		312		1		-		104		76
80-		1		32		140		140		-		-		85		61
85 and over		1		14		84		83		1		-		72		50

TABLE 17 - *continued*

Causes of death	NEOPLASMS															
	176·1 Vagina		176·7-9 Others included under 176		177 Prostate		178 Testis		179 Other and unspecified male genital organs		179·0 Penis		179·1 Scrotum		179·7-9 Others included under 179	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages		147		8	3,888		204		106		81		20		5	
0-		-		-	-		-		-		-		-		-	
1-		1		-	-		1		-		-		-		-	
5-		1		-	1		1		-		-		-		-	
10-		-		-	-		-		-		-		-		-	
15-		-		-	-		12		2		-		1		1	
20-		-		-	-		24		-		-		-		-	
25-		-		-	-		33		-		-		-		-	
30-		1		-	1		28		-		-		-		-	
35-		1		-	-		21		1		1		-		-	
40-		5		-	2		19		1		-		1		-	
45-		5		1	12		13		3		2		1		-	
50-		4		-	37		10		5		4		1		-	
55-		14		1	115		9		11		8		2		1	
60-		10		-	278		9		11		8		2		1	
65-		17		2	528		8		19		18		1		-	
70-		17		1	763		9		18		13		4		1	
75-		25		3	947		5		12		9		3		-	
80-		24		-	698		1		12		9		2		1	
85 and over		22		-	506		1		11		9		2		-	

Causes of death	NEOPLASMS															
	180 Kidney		181 Bladder and other urinary organs		181·0;8 Bladder		181·7 Others included under 181		190-199 Malignant neoplasm of other and unspecified sites		190 Malignant melanoma of skin		191 Other malignant neoplasm of skin		192 Eye	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	942	563	2,508	1,048	2,494	1,031	14	17	3,509	3,560	216	277	238	200	71	57
0-	4	1	-	-	-	-	-	-	13	14	-	-	-	-	-	-
1-	18	14	1	3	1	3	-	-	54	46	-	-	-	1	3	2
5-	5	5	1	-	1	-	-	-	43	39	-	-	-	-	3	1
10-	1	1	-	-	-	-	-	-	41	40	-	-	-	-	-	-
15-	1	-	-	-	-	-	-	-	57	43	1	2	2	-	-	-
20-	2	1	-	-	-	-	-	-	48	33	7	8	-	-	-	-
25-	3	2	-	-	-	-	-	-	53	42	8	3	-	-	-	-
30-	7	1	-	-	-	-	-	-	79	60	8	17	4	-	-	1
35-	6	3	8	5	8	5	-	-	103	85	17	21	4	-	1	-
40-	22	3	8	5	8	5	-	-	103	85	17	21	4	-	1	-
		14	18	8	18	8	-	-	140	118	18	24	4	3	2	2
45-	40															
50-	75	18	52	20	52	20	-	-	200	163	18	30	7	3	3	1
55-	136	41	88	37	87	36	1	1	309	276	29	24	11	6	13	3
60-	179	75	354	76	353	71	1	5	526	419	18	20	22	13	11	10
65-	186	78	498	130	495	127	3	3	472	468	22	28	28	25	9	13
70-	119	101	444	183	443	182	1	1	350	436	16	33	29	30	7	10
75-	86	86	379	205	377	201	2	4	274	371	8	20	40	28	4	6
80-	38	53	302	172	300	172	2	-	183	299	8	16	32	37	4	-
85 and over	14	19	167	139	167	138	-	1	110	222	9	6	28	47	2	1

TABLE 17 - *continued*

Causes of death	NEOPLASMS															
	193 Brain and other parts of nervous system		193·0 Brain		193·1 Spinal cord		193·2 Meninges		193·3 Peripheral nerves		193·4 Sympathetic nervous system		193·8;9 Others included under 193		194 Thyroid gland	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**1,165**	**829**	**1,028**	**727**	**16**	**6**	**9**	**8**	**3**	**17**	**40**	**29**	**69**	**42**	**94**	**273**
0-	11	13	7	6	-	-	-	-	-	1	4	5	-	1	-	-
1-	44	34	22	17	1	-	-	-	-	-	17	13	4	4	-	-
5-	33	30	22	22	2	1	-	-	-	1	7	3	2	3	-	-
10-	24	19	19	14	-	-	-	-	-	-	4	3	1	2	-	-
15-	19	17	13	10	-	1	-	1	-	2	4	2	2	1	-	-
20-	15	12	13	10	-	1	-	-	-	-	1	-	1	1	-	-
25-	27	28	25	22	-	1	1	-	-	4	-	-	1	1	-	1
30-	42	18	36	16	1	-	1	1	-	-	-	-	4	1	1	1
35-	50	29	46	27	2	-	-	-	-	-	-	1	2	1	2	3
40-	82	45	76	43	-	-	-	-	-	-	-	-	6	2	1	5
45-	103	68	89	67	3	-	-	-	-	1	2	-	9	-	6	6
50-	145	94	139	86	2	-	-	-	-	-	-	-	4	8	6	21
55-	184	137	169	124	-	1	2	3	1	2	-	1	12	6	9	24
60-	210	128	194	120	4	-	1	-	-	1	-	1	11	6	15	33
65-	109	91	95	84	-	1	3	1	1	1	1	-	9	4	13	38
70-	42	37	42	34	-	-	-	1	-	1	-	-	-	1	17	49
75-	19	24	16	20	-	-	1	1	1	3	-	-	1	-	14	38
80-	5	4	4	4	1	-	-	-	-	-	-	-	-	-	9	31
85 and over	1	1	1	1	-	-	-	-	-	-	-	-	-	-	1	23

Causes of death	NEOPLASMS															
	195 Other endocrine glands		195·0 Suprarenal gland		195·3 Pituitary gland and cranio-pharyngeal duct		195·1;2;4-8 Others included under 195		196 Bone		197 Connective tissue		198 Secondary and unspecified malignant neoplasm of lymph nodes		199 Other and unspecified sites	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**45**	**51**	**30**	**34**	**4**	**3**	**11**	**14**	**310**	**234**	**144**	**114**	**51**	**24**	**1,175**	**1,501**
0-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-
1-	5	2	5	2	-	-	-	-	1	1	-	3	-	-	1	3
5-	2	1	2	1	-	-	-	-	1	4	2	1	-	-	2	2
10-	1	2	-	1	-	-	1	1	12	17	3	-	-	-	1	2
15-	1	-	-	-	-	-	1	-	24	17	4	5	1	-	5	2
20-	2	1	-	1	-	-	2	-	14	9	3	2	-	-	7	1
25-	1	4	-	1	-	1	1	2	7	4	2	-	-	-	8	2
30-	-	1	-	-	-	-	-	1	6	7	5	5	1	-	12	10
35-	4	1	3	-	1	-	-	1	9	4	4	5	1	2	11	20
40-	2	2	1	2	-	-	1	-	6	7	7	3	1	2	17	25
45-	-	4	-	4	-	-	-	-	16	5	6	3	3	-	38	43
50-	7	5	5	3	1	-	1	2	16	12	10	10	5	3	67	98
55-	8	9	7	6	-	-	1	3	28	16	19	11	7	3	134	147
60-	4	5	4	5	-	-	-	-	35	18	19	12	11	2	181	178
65-	3	4	1	-	1	1	1	3	45	25	24	8	4	3	215	233
70-	-	2	-	2	-	-	-	-	37	28	13	12	7	2	182	233
75-	3	4	1	3	1	-	1	1	26	24	11	15	5	3	144	209
80-	1	4	1	3	-	1	-	-	17	21	9	9	4	3	94	174
85 and over	-	-	-	-	-	-	-	-	10	15	3	9	1	1	55	119

TABLE 17 - *continued*

Causes of death	NEOPLASMS															
	200-205 Neoplasms of lymphatic and haemato-poietic tissues		200 Lympho-sarcoma and reticulo-sarcoma		200·0 Reticulum cell sarcoma		200·1 Lympho-sarcoma		200·2 Other primary malignant neoplasms of lymphoid tissue		201 Hodgkin's disease		202 Other forms of lymphoma (reticulosis)		202·0 Giant follicular lymphoma (Brill-Symmer's disease)	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**3,443**	**2,914**	**761**	**609**	**277**	**222**	**436**	**343**	**48**	**44**	**567**	**342**	**122**	**138**	**16**	**28**
0-	13	13	2	-	-	-	2	-	-	-	-	-	3	3	-	-
1-	87	52	7	3	-	-	7	3	-	-	1	-	6	1	-	-
5-	85	43	12	6	2	-	9	6	1	-	5	2	-	-	-	-
10-	60	53	13	6	1	1	11	5	1	-	6	3	1	-	-	-
15-	90	51	24	14	12	6	12	7	-	1	21	14	2	-	-	-
20-	73	56	14	4	6	2	7	1	1	1	32	24	2	1	-	-
25-	87	51	16	6	8	3	6	3	2	-	33	23	5	1	-	-
30-	82	51	15	6	8	3	6	3	1	-	39	21	2	-	1	-
35-	107	73	27	10	15	5	11	4	1	1	27	16	6	3	-	-
40-	122	97	26	12	12	4	13	6	1	2	43	22	2	3	-	-
45-	185	118	43	27	17	10	24	14	2	3	60	22	7	5	2	1
50-	251	165	60	40	14	12	42	26	4	2	51	22	10	12	4	4
55-	319	251	74	58	29	26	40	28	5	4	44	19	9	17	3	7
60-	463	350	107	80	40	25	62	45	5	10	57	36	26	16	2	6
65-	492	349	134	78	50	26	74	51	10	1	56	39	19	12	3	2
70-	383	401	80	103	25	36	48	62	7	5	42	28	7	28	1	3
75-	308	363	62	80	22	37	37	40	3	3	35	25	11	21	-	3
80-	160	242	32	53	12	18	17	28	3	7	12	20	2	6	-	1
85 and over	76	135	13	23	4	8	8	11	1	4	3	6	2	9	-	1

Causes of death	NEOPLASMS															
	202·1 Other		203 Multiple myeloma (plasmo-cytoma)		204 Leukaemia and aleukaemia		204·0 Lymphatic leukaemia		204·1 Myeloid leukaemia		204·2 Monocytic leukaemia		204·3 Acute leukaemia		204·4 Other and unspecified leukaemia	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**106**	**110**	**436**	**464**	**1,549**	**1,355**	**370**	**238**	**262**	**285**	**74**	**85**	**784**	**711**	**59**	**36**
0-	3	3	-	-	8	10	-	-	-	-	1	-	7	10	-	-
1-	6	1	-	-	73	48	4	-	2	-	1	-	65	47	1	1
5-	-	-	-	-	68	35	5	1	1	1	1	-	60	33	1	-
10-	1	-	-	-	40	44	2	-	1	1	1	1	34	41	2	1
15-	2	-	-	-	43	23	1	-	6	1	1	2	33	19	2	1
20-	2	1	-	1	25	26	1	1	-	1	1	2	22	22	1	-
25-	5	1	1	1	32	20	-	1	6	3	1	4	25	11	-	1
30-	1	-	-	-	26	24	1	-	5	4	3	4	17	16	-	-
35-	6	3	4	2	43	42	1	-	9	9	1	6	32	27	-	-
40-	2	3	11	8	40	52	2	1	14	14	8	6	15	31	1	-
45-	5	4	18	13	57	51	8	-	11	14	3	2	33	34	2	1
50-	6	8	39	26	91	63	13	4	17	17	3	7	53	32	5	3
55-	6	10	58	48	134	108	39	14	27	32	6	7	58	53	4	2
60-	24	10	85	82	187	136	58	29	31	31	9	9	74	58	15	9
65-	16	10	87	76	192	142	69	29	36	40	9	4	67	64	11	5
70-	6	25	52	89	201	152	70	36	38	41	16	9	70	63	7	3
75-	11	18	44	71	156	166	47	47	35	32	3	14	68	72	3	1
80-	2	5	27	34	85	129	32	41	16	31	3	6	30	47	4	4
85 and over	2	8	10	13	48	84	17	34	7	13	3	2	21	31	-	4

TABLE 17 - *continued*

Causes of death	NEOPLASMS															
	205 Mycosis fungoides		210-229 Benign neoplasm		210* 211 Other parts of digestive system		212 Respiratory system		213* 214 Uterine fibromyoma		215 Uterus		216 Ovary		217, 218* 219 Kidney and other urinary organs	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**8**	**6**	**320**	**435**	**22**	**19**	**37**	**17**		**45**		**5**		**68**	**42**	**19**
0-	-	-	11	6	-	1	2	-		-		-		1	-	-
1-	-	-	5	1	-	-	1	-		-		-		-	-	-
5-	-	-	1	-	-	-	-	-		-		-		-	-	-
10-	-	-	4	3	-	-	-	-		-		-		1	-	-
15-	-	-	6	2	-	-	-	-		-		-		-	-	-
20-	-	-	12	3	-	-	-	1		-		-		-	-	-
25-	-	-	10	11	-	-	1	-		-		-		2	-	-
30-	-	-	7	8	-	-	1	-		-		-		-	-	-
35-	-	-	7	19	-	-	-	-		2		1		1	1	1
40-	-	-	11	31	1	-	1	-		11		2		1	-	-
45-	-	-	24	41	2	1	4	1		11		1		2	1	1
50-	-	2	30	35	3	1	3	1		2		-		1	3	-
55-	-	1	36	41	3	3	8	1		4		-		9	-	-
60-	1	-	47	45	5	-	5	5		2		-		5	2	1
65-	4	2	43	46	1	2	7	3		1		-		6	7	1
70-	1	1	25	52	3	5	2	3		3		-		7	6	1
75-	-	-	15	30	1	1	1	1		2		-		9	5	5
80-	2	-	15	35	2	3	1	1		4		3		13	9	3
85 and over	-	-	11	26	1	2	-	-		3		1		10	8	6

Causes of death	NEOPLASMS															
	220, 221, 222* 223 Brain and other parts of nervous system		224 Endocrine glands		225 Bone and cartilage		226* 227 Muscular and connective tissue		228 Haem-angioma and lymph-angioma		229* 230-239 Neoplasm of unspecified nature		230 Unspecified nature of digestive organs		231 Unspecified nature of respiratory organs	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**110**	**161**	**49**	**58**	**6**	**5**	**27**	**14**	**18**	**14**	**350**	**291**	**23**	**31**	**34**	**13**
0-	-	1	1	-	-	-	-	-	8	2	1	-	-	-	-	-
1-	3	-	-	1	-	-	-	-	1	-	8	8	-	-	-	-
5-	1	-	-	-	-	-	-	-	-	-	11	3	-	-	1	-
10-	2	2	2	-	-	-	-	-	-	-	3	6	-	-	-	-
15-	5	1	1	1	-	-	-	-	-	-	7	4	-	-	-	-
20-	6	1	4	1	-	-	1	-	-	-	6	5	-	-	-	-
25-	6	6	3	1	-	-	-	1	-	1	3	-	-	-	-	-
30-	4	7	1	1	-	-	-	-	1	-	6	6	-	1	-	-
35-	-	5	4	7	-	-	1	2	1	-	11	6	-	-	-	1
40-	2	14	6	2	-	-	-	1	1	-	11	12	1	-	-	-
45-	7	13	6	9	1	1	2	-	1	1	22	10	-	1	1	-
50-	12	22	5	7	2	-	1	-	1	1	36	38	1	1	1	1
55-	14	17	2	4	-	-	6	2	2	1	47	37	2	1	3	2
60-	20	20	6	3	1	2	6	2	-	3	51	44	-	2	3	4
65-	16	19	5	8	1	1	4	2	1	2	49	31	4	1	6	-
70-	6	18	1	8	-	1	3	4	1	2	38	34	8	8	8	2
75-	3	7	1	2	-	-	3	-	-	1	15	19	3	5	3	1
80-	2	7	-	2	1	-	-	-	-	-	19	13	4	3	7	1
85 and over	1	1	1	1	-	-	-	-	-	-	6	15	-	8	1	1

* **210** Benign neoplasm of buccal cavity and pharynx: Male 70; Females 0,65,75,85: **213** Benign neoplasm of breast: Female 85: **217** Benign neoplasm of other female genital organs - : **218** Benign neoplasm of male genital organs: Male 70: **220** Benign melanoma of skin: Male 60: **221** Pilonidal cyst - : **222** Other benign neoplasm of skin - : **226** Lipoma: Males 65,75; Females 60,80: **229** Benign neoplasm of other and unspecified organs and tissues: Males 20,55,60,70; Females 60,75,80:

TABLE 17 - *continued*

Causes of death	NEOPLASMS				III 240-289 Allergic, endocrine system, metabolic, and nutritional diseases		240-245 Allergic disorders		240* 241 Asthma		242-245* 250-254 Diseases of thyroid gland		250 Simple goitre		251 Non-toxic nodular goitre	
	232-236* 237 Unspecified nature of brain and other parts of nervous system		238* 239 Unspecified nature of other and unspecified organs													
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**268**	**203**	**13**	**28**	**2,697**	**4,738**	**793**	**990**	**779**	**978**	**90**	**579**	**4**	**10**	**-**	**17**
0-	1	-	-	-	41	25	9	3	1	-	2	-	-	-	-	-
1-	8	7	-	1	19	21	8	11	8	10	-	-	-	-	-	-
5-	9	3	1	-	27	19	22	8	22	8	-	-	-	-	-	-
10-	3	5	-	-	49	37	40	28	40	28	-	1	-	-	-	-
15-	6	4	1	-	41	39	30	27	30	27	1	1	1	-	-	-
20-	6	5	-	-	43	40	30	31	30	31	-	-	-	-	-	-
25-	2	-	1	-	38	56	26	41	26	40	-	2	-	-	-	1
30-	6	5	-	-	51	53	38	34	38	34	-	1	-	-	-	-
35-	11	4	-	1	74	60	38	37	38	37	1	2	-	-	-	-
40-	10	12	-	-	105	97	43	67	43	67	1	3	-	-	-	-
45-	19	8	1	1	129	126	60	66	60	66	2	13	-	-	-	1
50-	33	34	1	1	162	181	72	87	72	87	7	19	-	-	-	-
55-	40	30	1	3	224	287	80	93	80	92	7	38	-	-	-	-
60-	44	34	2	4	313	474	93	119	91	116	12	50	-	-	-	2
65-	38	26	1	4	361	651	81	102	77	101	13	96	2	3	-	1
70-	20	19	1	3	369	839	58	106	58	105	16	111	-	2	-	3
75-	7	5	1	3	309	766	39	58	39	58	14	102	-	2	-	5
80-	4	2	1	4	235	596	19	53	19	53	10	69	1	3	-	4
85 and over	1	-	1	3	107	371	7	19	7	18	4	71	-	-	-	-

Causes of death	252 Thyro-toxicosis with or without goitre		252·0 Toxic diffuse goitre		252·1 Toxic nodular goitre		253 Myxoedema and cretinism		254 Other diseases of thyroid gland		260 Diabetes mellitus		270-277 Diseases of other endocrine glands		270* 271 Diseases of parathyroid gland	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**43**	**219**	**41**	**215**	**2**	**4**	**40**	**317**	**3**	**16**	**1,502**	**2,720**	**100**	**133**	**4**	**7**
0-	1	-	1	-	-	-	-	-	1	-	1	1	18	13	-	-
1-	-	-	-	-	-	-	-	-	-	-	2	2	6	2	-	-
5-	-	-	-	-	-	-	-	-	-	-	1	2	3	1	-	-
10-	-	1	-	1	-	-	-	-	-	-	8	6	-	-	-	-
15-	-	1	-	1	-	-	-	-	-	-	6	7	2	2	-	-
20-	-	-	-	-	-	-	-	-	-	-	9	7	2	2	1	-
25-	-	-	-	-	-	-	-	1	-	-	8	10	1	2	-	-
30-	-	1	-	1	-	-	-	-	-	-	10	11	-	1	-	-
35-	-	1	-	1	-	-	1	1	-	-	33	14	-	2	-	-
40-	1	3	1	3	-	-	-	-	-	-	42	17	7	4	-	-
45-	2	9	2	9	-	-	-	2	-	1	45	31	8	11	1	-
50-	5	14	5	14	-	-	1	5	1	-	57	47	6	8	-	1
55-	4	18	4	18	-	-	3	17	-	3	110	115	8	13	-	1
60-	8	22	8	20	-	2	4	26	-	-	170	259	8	19	-	3
65-	7	42	7	42	-	-	4	47	-	3	227	392	12	17	-	1
70-	8	50	7	49	1	1	8	53	-	3	256	559	13	16	2	-
75-	3	32	3	32	-	-	10	60	1	3	233	540	4	11	-	-
80-	3	12	2	11	1	1	6	48	-	2	194	441	2	5	-	1
85 and over	1	13	1	13	-	-	3	57	-	1	90	259	-	4	-	-

* **232** Neoplasm of unspecified nature of breast - : **233** Neoplasm of unspecified nature of uterus: Female 80: **234** Neoplasm of unspecified nature of ovary: Females 70,70,75,75,85: **235** Neoplasm of unspecified nature of other female genital organs - : **236** Neoplasm of unspecified nature of other genito-urinary organs: Males 55,70,75,80,80,85,85,85; Females 75,75,80,80: **238** Neoplasm of unspecified nature of skin and musculoskeletal system: Males 45,60,60,80; Females 10,50,55,75,85,85: **240** Hay fever - : **242** Angioneurotic oedema: Females 60,85: **243** Urticaria - : **244** Allergic eczema - : **245** Other allergic disorders: Males 0,0,0,0,0,0,0,0,60,60,65,65,85,65; Females 0,0,0,1,25,55,60,60,65,70: **270** Disorders of pancreatic internal secretion other than diabetes mellitus: Males 0,0,0,0,0,0,0,5,45,45,60,70,75; Females 0,0,0,1,50:

TABLE 17 - *continued*

Causes of death	272 Diseases of pituitary gland		273 Diseases of thymus gland		274 Diseases of adrenal glands		275, 276* 277 Polyglandular dysfunction and other diseases of endocrine glands		280-289 Avitaminoses and other metabolic diseases		280-285* 286 Other avitaminoses and nutritional deficiency states		286·0 Steatorrhoea and sprue		286·5 Malnutrition, unqualified	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**34**	**43**	**3**	**2**	**37**	**55**	**9**	**21**	**212**	**316**	**54**	**83**	**32**	**38**	**9**	**29**
0-	-	-	2	2	5	4	4	4	11	8	4	2	1	1	-	-
1-	1	-	1	-	3	1	1	-	3	6	1	2	1	2	-	-
5-	-	-	-	-	2	1	-	-	1	8	-	-	-	-	-	-
10-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-
15-	2	-	-	-	-	1	-	1	2	2	1	-	1	-	-	-
20-	-	1	-	-	1	1	-	-	2	-	-	-	-	-	-	-
25-	1	-	-	-	-	2	-	-	3	1	-	-	-	-	-	-
30-	-	-	-	-	-	1	-	-	3	6	1	1	-	1	-	-
35-	-	-	-	-	-	2	-	-	2	5	-	3	-	1	-	1
40-	3	1	-	-	4	2	-	1	12	6	-	1	-	-	-	1
45-	3	4	-	-	2	3	-	4	14	5	3	1	2	1	-	-
50-	1	1	-	-	3	4	2	1	20	20	4	3	3	2	1	1
55-	5	5	-	-	3	4	-	3	19	28	6	6	4	2	-	3
60-	6	6	-	-	1	8	-	2	30	27	8	5	6	4	1	-
65-	7	8	-	-	4	5	1	3	28	44	3	9	2	5	1	2
70-	4	6	-	-	5	8	1	2	26	47	7	13	2	7	2	3
75-	1	7	-	-	2	4	-	-	19	55	8	18	6	4	1	8
80-	-	3	-	-	2	1	-	-	10	28	5	12	3	5	1	6
85 and over	-	1	-	-	-	3	-	-	6	18	3	7	1	3	2	4

Causes of death	286·1-4;6;7 Others included under 286		287 Obesity not specified as of endocrine origin		288 Gout		289 Other metabolic diseases		289·0 Lipidosis (disturbance of lipid metabolism)		289·1 Amyloidosis		289·2 Other		IV **290-299 Diseases of the blood and blood-forming organs**	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**13**	**16**	**43**	**128**	**21**	**5**	**89**	**89**	**12**	**22**	**31**	**24**	**46**	**43**	**760**	**1,259**
0-	3	1	-	-	-	-	7	6	1	3	-	-	6	3	10	14
1-	-	-	-	-	-	-	2	4	2	2	-	-	-	2	15	10
5-	-	-	-	-	-	-	1	8	1	4	-	-	-	4	5	7
10-	-	-	-	-	-	-	1	2	1	1	-	-	-	1	9	4
15-	-	-	-	-	-	-	1	2	-	-	-	-	1	2	6	7
20-	-	-	-	-	-	-	2	-	1	-	-	-	1	-	7	4
25-	-	-	-	-	-	-	3	1	2	-	1	-	-	1	4	4
30-	1	-	1	1	-	-	1	4	-	-	-	1	1	3	7	7
35-	-	1	2	2	-	-	-	-	-	-	-	-	-	-	12	8
40-	-	-	2	3	-	-	10	2	-	-	5	2	5	-	11	9
45-	1	-	4	4	-	-	7	-	2	-	4	-	1	-	18	23
50-	-	-	3	8	2	-	11	8	-	4	6	4	5	-	31	29
55-	2	1	2	9	2	-	7	13	-	3	3	4	4	6	55	40
60-	1	1	9	14	4	-	8	8	-	2	4	3	4	3	68	60
65-	-	2	8	24	3	1	14	10	2	-	4	5	8	5	78	130
70-	3	3	8	21	-	-	10	10	-	2	3	1	7	7	100	190
75-	1	6	3	27	5	2	3	6	-	1	1	4	2	1	110	230
80-	1	1	1	10	3	2	1	1	-	-	-	-	1	1	115	245
85 and over	-	-	-	5	2	-	-	4	-	-	-	-	-	4	99	238

* 275 Ovarian dysfunction - : 276 Testicular dysfunction - : 280 Beriberi - : 281 Pellagra - : 282 Scurvy: Male 85; Females 75,80: 283 Active rickets - : 284 Late effects of rickets - : 285 Osteomalacia: Males 55,55,60,70; Females 50,70,70,70,75,80,80,85,85:

TABLE 17 - *continued*

Causes of death	290 Pernicious and other hyperchromic anaemias		290·0 Pernicious anaemia		290·1 Subacute combined degeneration of spinal cord		290·2 Other hyperchromic anaemias		291 Iron deficiency anaemias (hypochromic anaemias)		292 Other anaemias of specified type		292·4 Aplastic anaemia		292·0-3;5-7 Others included under 292	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**142**	**390**	**105**	**312**	**4**	**5**	**33**	**73**	**95**	**237**	**229**	**277**	**112**	**145**	**117**	**132**
0-	-	-	-	-	-	-	-	-	-	-	6	3	2	-	4	3
1-	-	-	-	-	-	-	-	-	-	-	8	6	1	2	7	4
5-	-	-	-	-	-	-	-	-	-	-	3	3	2	2	1	1
10-	-	-	-	-	-	-	-	-	-	-	3	3	2	3	1	-
15-	-	1	-	-	-	-	-	1	-	-	5	3	5	3	-	-
20-	-	-	-	-	-	-	-	-	-	-	2	2	2	1	-	1
25-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	1	1
30-	-	1	-	1	-	-	-	-	1	1	4	-	2	-	2	-
35-	-	2	-	1	-	-	-	1	-	-	7	3	1	3	6	-
40-	1	-	1	-	-	-	-	-	-	1	6	6	2	2	4	4
45-	2	3	1	2	-	-	1	1	-	4	7	6	4	4	3	2
50-	1	3	-	3	-	-	1	-	3	3	12	10	9	6	3	4
55-	7	3	3	2	1	-	3	1	4	5	20	16	11	7	9	9
60-	3	10	2	6	-	-	1	4	5	6	23	18	13	5	10	13
65-	10	25	8	17	1	2	1	6	8	29	22	24	9	15	13	9
70-	23	57	14	45	1	2	8	10	4	21	35	56	14	27	21	29
75-	24	76	20	62	-	1	4	13	18	43	29	53	12	36	17	17
80-	31	103	27	84	1	-	3	19	25	57	24	36	13	14	11	22
85 and over	40	106	29	89	-	-	11	17	27	67	11	28	7	15	4	13

Causes of death	293 Anaemia of unspecified type		294 Polycythaemia		295 Haemophilia		296 Purpura and other haemorrhagic conditions		297 Agranulocytosis		298 Diseases of spleen		299 Other diseases of blood and blood-forming organs		V **300-326 Mental, psychoneurotic and personality disorders**	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**87**	**150**	**73**	**59**	**10**	**-**	**59**	**74**	**9**	**12**	**17**	**25**	**39**	**35**	**475**	**762**
0-	-	1	-	2	-	-	2	6	-	-	-	-	2	2	21	16
1-	1	-	-	-	1	-	4	3	-	1	-	-	1	-	7	11
5-	-	-	-	-	1	-	1	4	-	-	-	-	-	-	7	7
10-	-	-	-	-	1	-	4	1	-	-	-	-	1	-	4	2
15-	-	-	-	-	-	-	1	2	-	-	-	-	-	1	9	6
20-	-	1	-	-	-	-	1	-	-	-	3	-	1	1	5	7
25-	-	-	-	-	1	-	1	3	-	-	-	-	-	-	6	4
30-	1	1	-	-	-	-	1	1	-	-	-	-	-	3	3	5
35-	1	-	-	-	1	-	1	2	-	-	-	-	2	1	11	5
40-	-	-	3	-	-	-	-	2	-	-	-	-	1	-	8	12
45-	1	4	2	1	2	-	2	2	-	2	-	1	2	-	5	9
50-	3	4	5	1	1	-	1	2	1	2	2	1	2	3	20	10
55-	4	1	8	4	1	-	3	4	4	1	2	1	2	5	30	28
60-	5	6	16	6	-	-	7	7	1	2	4	3	4	2	51	45
65-	9	15	15	12	-	-	5	11	1	3	3	8	5	3	34	44
70-	11	21	12	16	1	-	6	9	1	1	1	4	6	5	58	76
75-	16	32	6	12	-	-	11	6	1	-	-	5	5	3	67	122
80-	21	33	5	2	-	-	5	7	-	-	2	2	2	5	66	154
85 and over	14	31	1	3	-	-	3	2	-	-	-	-	3	1	63	199

TABLE 17 - *continued*

Causes of death	300-309 Psychoses		300 Schizophrenic disorders (dementia praecox)		301 Manic-depressive reaction		302, 303* 304 Senile psychosis		305 Presenile psychosis		307* 309 Other and unspecified psychoses		310-318 Psychoneurotic disorders		310* 311 Hysterical reaction without mention of anxiety reaction	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**345**	**637**	**16**	**16**	**5**	**9**	**247**	**508**	**52**	**65**	**20**	**35**	**13**	**33**	**7**	**17**
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-
10-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1
15-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	1
20-	2	1	1	1	-	-	-	-	-	-	1	-	-	1	-	1
25-	3	-	1	-	1	-	-	-	1	-	-	-	-	1	-	1
30-	1	2	1	-	-	1	-	-	-	-	-	1	-	1	-	-
35-	2	-	1	-	-	-	-	-	-	-	-	-	1	1	1	1
40-	-	4	-	1	-	-	-	-	-	1	-	2	-	2	-	2
45-	-	2	-	-	-	-	-	-	-	2	-	-	-	1	-	-
50-	8	8	2	-	-	2	-	-	5	4	1	2	2	-	1	-
55-	11	17	1	2	-	1	-	-	6	13	1	1	2	1	1	-
60-	42	35	4	3	2	-	6	6	23	20	6	5	2	4	1	2
65-	29	35	1	4	1	2	15	6	10	20	2	3	1	4	-	3
70-	55	69	2	1	1	1	44	59	6	5	2	3	1	5	-	2
75-	64	117	2	3	-	1	57	105	-	-	5	8	1	2	-	2
80-	66	149	-	-	-	-	66	142	-	-	-	4	-	5	-	1
85 and over	62	197	-	1	-	-	59	190	1	-	2	6	1	1	1	-

Causes of death	312-318* 320-326 Disorders of character, behaviour and intelligence		320, 321* 322 Alcoholism		322·0* 322·1 Chronic		322·2, 323, 324* 325 Mental deficiency		326* VI 330-398 Diseases of the nervous system and sense organs		330-334 Vascular lesions affecting central nervous system		330 Subarachnoid haemorrhage		331 Cerebral haemorrhage	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**117**	**92**	**50**	**19**	**29**	**14**	**55**	**60**	**33,489**	**49,477**	**30,669**	**46,478**	**1,473**	**2,545**	**12,106**	**17,651**
0-	21	16	-	-	-	-	21	16	179	135	9	6	1	-	3	3
1-	7	10	-	-	-	-	7	10	118	108	15	6	3	-	3	1
5-	6	6	-	-	-	-	6	6	39	35	2	5	1	3	1	1
10-	3	1	-	-	-	-	3	1	43	22	11	12	10	8	-	3
15-	9	4	-	-	-	-	4	2	87	45	23	20	17	14	5	3
20-	3	5	1	1	-	-	2	1	89	75	32	37	23	23	7	8
25-	3	3	-	-	-	-	-	1	81	72	34	38	28	24	5	12
30-	2	2	-	-	-	-	1	2	140	120	86	72	53	53	23	16
35-	8	4	5	-	3	-	2	2	209	209	134	143	84	87	59	41
40-	8	6	7	5	4	4	1	1	343	309	240	228	113	135	102	69
45-	5	6	4	2	3	2	1	4	517	545	406	436	139	210	202	176
50-	10	2	9	-	5	-	-	1	999	980	851	844	173	261	503	447
55-	17	10	11	2	6	2	5	6	1,846	1,585	1,608	1,395	217	290	879	763
60-	7	6	6	4	3	4	1	1	3,190	2,766	2,888	2,509	215	357	1,457	1,321
65-	4	5	4	4	4	1	-	1	4,502	4,532	4,164	4,199	157	348	1,930	2,064
70-	2	2	1	-	1	-	1	2	5,581	6,942	5,240	6,556	129	286	2,189	2,947
75-	2	3	2	1	-	1	-	2	6,016	9,554	5,720	9,140	78	243	2,041	3,558
80-	-	-	-	-	-	-	-	-	5,163	10,320	4,970	9,962	37	137	1,565	3,349
85 and over	-	1	-	-	-	-	-	1	4,347	11,123	4,236	10,870	15	66	1,132	2,869

* **302** Involutional melancholia - : **303** Paranoia and paranoid states: Male 35; Females 80,80,80: **307** Alcoholic psychosis: Males 55, 55,55,60; Female 60: **310** Anxiety reaction without mention of somatic symptoms: Females 60,70: **312** Phobic reaction - : **313** Obsessive-compulsive reaction - : **314** Neurotic-depressive reaction: Males 55,60,65,70,75; Females 30,45,55,65,70,70,80,80,80,85: **315** Psychoneurosis with somatic symptoms (somatization reaction) affecting circulatory system - : **316** Psychoneurosis with somatic symptoms (somatization reaction) affecting digestive system: Females 1,5,80: **317** Psychoneurosis with somatic symptoms (somatization reaction) affecting other systems - : **318** Psychoneurotic disorders, other, mixed and unspecified types: Male 50; Female 60: **320** Pathological personality - : **321** Immature personality - : **322·0** Alcoholism, acute: Males 20,35,40,40,45,55,60; Females 20,65: **322·2** Alcoholism, unspecified: Males 35, 40,50,50,50,50,55,55,55,55,60,60,75,75; Females 40,65,65: **323** Other drug addiction: Males 15,15,15,15,15,25,25,25,30,35,50,55; Females 15, 15,20,20,20,25,25,35,35,50,55,55,60: **324** Primary childhood behaviour disorders - : **326** Other and unspecified character, behaviour and intelligence disorders - .

TABLE 17 - *continued*

Causes of death	332 Cerebral embolism and thrombosis		333* 334 Other and ill-defined vascular lesions affecting central nervous system		340-345 Inflammatory diseases of central nervous system		340 Meningitis except meningococcal and tuberculous		340·0 H. influenzae		340·1 Pneumococcus		340·2 Due to other specified organism		340·3 With no organism specified as cause	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**13,302**	**20,422**	**3,786**	**5,860**	**701**	**736**	**229**	**170**	**20**	**16**	**57**	**51**	**49**	**27**	**103**	**76**
0-	4	2	1	1	116	83	95	56	10	6	11	6	31	17	43	27
1-	5	2	4	3	57	49	27	27	6	7	9	5	6	4	6	11
5-	-	-	-	1	17	10	8	4	1	2	3	2	-	-	4	-
10-	-	-	1	1	11	5	3	1	-	-	2	-	-	-	1	1
15-	-	2	1	1	14	2	3	1	-	-	-	1	-	-	3	-
20-	2	4	-	2	7	10	1	2	-	-	1	-	-	-	-	2
25-	1	1	-	1	11	9	3	1	-	-	-	-	-	-	3	1
30-	8	2	2	1	16	21	1	1	-	-	1	-	-	-	-	1
35-	10	14	1	1	31	24	4	-	-	-	-	-	2	-	2	-
40-	25	24	-	-	52	52	5	3	-	-	1	3	2	-	2	-
45-	57	42	8	8	55	63	7	5	1	1	2	2	-	-	4	2
50-	153	125	22	11	54	61	4	4	1	-	-	4	1	-	2	-
55-	440	301	71	41	70	80	13	4	-	-	6	3	2	-	5	1
60-	1,047	729	169	102	75	86	15	11	1	-	8	4	-	2	6	5
65-	1,762	1,530	315	257	48	83	11	18	-	-	2	7	1	1	8	10
70-	2,345	2,783	577	540	35	47	13	9	-	-	4	2	3	-	6	7
75-	2,817	4,237	784	1,102	18	32	6	11	-	-	2	8	-	1	4	2
80-	2,494	4,975	874	1,501	10	13	7	8	-	-	2	3	1	1	4	4
85 and over	2,132	5,649	956	2,286	4	6	3	4	-	-	3	1	-	1	-	2

Causes of death	341 Phlebitis and thrombophlebitis of intracranial venous sinuses		342 Intracranial and intraspinal abscess		343 Encephalitis, myelitis and encephalomyelitis (except acute infectious)		344 Late effects of intracranial abscess or pyogenic infection		345 Multiple sclerosis		350-357 Other diseases of central nervous system		350 Paralysis agitans		351 Cerebral spastic infantile paralysis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**9**	**21**	**53**	**24**	**57**	**49**	**48**	**37**	**305**	**435**	**1,990**	**2,157**	**681**	**882**	**51**	**45**
0-	5	8	2	1	6	4	8	12	-	2	27	25	-	-	12	9
1-	2	2	3	1	8	9	15	10	2	-	37	43	-	-	8	11
5-	-	-	2	-	6	5	1	1	-	-	19	18	-	-	3	-
10-	-	-	1	-	4	-	3	3	-	1	17	4	-	-	3	-
15-	-	-	4	1	3	-	3	-	1	-	45	22	-	-	9	8
20-	-	1	4	1	-	-	1	1	1	5	49	25	-	-	3	3
25-	-	1	2	2	2	2	-	-	4	3	36	23	-	-	1	3
30-	-	1	-	1	1	4	1	1	13	13	36	24	-	1	3	3
35-	-	2	4	-	1	-	1	-	21	22	41	41	1	1	1	3
40-	-	1	5	3	3	2	2	-	37	43	44	29	-	1	-	-
45-	-	-	4	2	6	2	1	2	37	52	53	42	3	5	2	1
50-	-	-	3	2	2	3	1	1	44	51	81	73	4	11	-	2
55-	-	-	7	2	3	1	2	2	45	71	156	106	34	21	1	1
60-	1	-	5	1	5	4	3	-	46	70	212	162	60	51	3	-
65-	1	1	2	3	3	4	-	2	31	55	281	245	123	100	-	1
70-	-	1	1	1	4	7	3	-	14	29	300	324	151	181	2	-
75-	-	3	3	3	-	1	2	-	7	14	274	375	174	223	-	-
80-	-	-	-	-	-	1	1	1	2	3	178	337	90	176	-	-
85 and over	-	-	1	-	-	-	-	1	-	1	104	239	41	111	-	-

* **333** Spasm of cerebral arteries: Males 55,85.

TABLE 17 - *continued*

Causes of death	352 Other cerebral paralysis		353 Epilepsy		353·2 Status epilepticus		353·0;1;3 Others included under 353		354* 355 Other diseases of brain		356 Motor neurone disease and muscular atrophy		356·0 Progressive muscular atrophy		356·1 Amyotrophic lateral sclerosis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**315**	**442**	**369**	**263**	**140**	**115**	**229**	**148**	**195**	**214**	**343**	**269**	**99**	**82**	**25**	**14**
0-	-	-	5	3	2	1	3	2	3	3	7	10	-	1	-	-
1-	-	-	22	24	13	16	9	8	2	5	5	3	2	1	-	-
5-	-	-	8	15	4	9	4	6	7	1	1	1	-	-	-	-
10-	1	-	10	2	3	1	7	1	3	1	-	-	-	-	-	-
15-	1	1	34	9	14	4	20	5	1	3	-	1	-	1	-	-
20-	1	-	41	20	12	12	29	8	3	-	-	1	-	1	-	-
25-	-	1	34	18	12	6	22	12	1	-	-	1	-	-	-	-
30-	1	1	28	13	13	7	15	6	2	3	2	2	1	1	-	-
35-	1	3	23	20	7	11	16	9	5	7	6	4	2	1	-	-
40-	1	-	24	18	9	9	15	9	10	5	9	5	1	1	1	-
45-	1	2	26	22	9	6	17	16	7	7	13	4	5	1	-	-
50-	7	6	26	16	8	3	18	13	10	14	29	21	12	4	2	-
55-	17	12	23	17	10	7	13	10	15	17	64	34	13	13	4	2
60-	35	15	14	9	4	3	10	6	30	27	63	52	20	13	6	4
65-	45	42	25	18	7	6	18	12	25	20	57	58	15	18	3	6
70-	60	76	10	16	5	8	5	8	18	14	54	34	16	11	7	1
75-	61	85	4	12	3	4	1	8	18	26	13	22	4	5	-	1
80-	47	106	9	9	5	2	4	7	16	30	15	13	5	7	2	-
85 and over	36	92	3	2	-	-	3	2	19	31	5	3	3	3	-	-

Causes of death	356·2;3 Others included under 356		357 Other diseases of spinal cord		360-369 Diseases of nerves and peripheral ganglia		360-363* 364 Poly-neuritis and poly-radiculitis		365* 366 Other and unspecified forms of neuralgia and neuritis		367-369* 370-379 Inflammatory diseases of eye		370-379* 380-389 Other diseases and conditions of eye		380-384* 385 Cataract	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**219**	**173**	**35**	**42**	**38**	**34**	**24**	**23**	**2**	**3**	**1**	-	**9**	**18**	**4**	**11**
0-	7	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	1	1	-	1	-	1	-	1	-	-	-	-	-	1	-	-
10-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	1	1	1	1	-	-	1	-	-	-	-	-
20-	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-
25-	-	1	-	-	-	2	-	2	-	-	-	-	-	-	-	-
30-	1	1	-	1	1	2	1	1	-	-	-	-	-	-	-	-
35-	4	3	4	3	-	1	-	1	-	-	-	-	-	-	-	-
40-	7	4	-	-	3	-	2	-	-	-	-	-	-	-	-	-
45-	8	3	1	1	1	3	1	2	-	1	-	-	-	-	-	-
50-	15	17	5	3	6	1	5	-	-	-	-	-	-	-	-	-
55-	47	19	2	4	6	3	5	1	-	-	-	-	2	-	-	-
60-	37	35	6	8	9	5	5	3	2	1	-	-	-	-	-	-
65-	39	34	6	6	2	2	-	1	-	1	-	-	2	1	1	-
70-	31	22	5	3	4	10	2	7	-	-	-	-	1	1	1	1
75-	9	16	4	7	2	2	1	2	-	-	-	-	1	4	-	2
80-	8	6	1	3	2	-	-	-	-	-	-	-	3	6	-	4
85 and over	2	-	-	-	-	-	-	-	-	-	-	-	-	5	2	4

* **354** Migraine: Male 60: **360** Facial paralysis: Male 80: **361** Trigeminal neuralgia - : **362** Brachial neuritis - : **363** Sciatica: Male 80; Female 55: **365** Erythroedema polyneuritica: Female 30: **367** Other diseases of cranial nerves: Males 60,75; Female 70: **368** Other diseases of peripheral nerves except autonomic: Males 40,50,55,60,65,65,70; Females 55,60,70,70: **369** Diseases of peripheral autonomic nervous system: Male 70; Female 50: **370** Conjunctivitis and ophthalmia - : **371** Blepharitis - : **372** Hordeolum (stye) - : **373** Iritis - : **374** Keratitis - : **375** Choroiditis - : **376** Other inflammation of uveal tract - : **377** Inflammation of optic nerve and retina - : **378** Inflammation of lachrymal glands and ducts - : **379** Other inflammatory diseases of eye: Male 15: **380** Refractive errors - : **381** Corneal ulcers - : **382** Corneal opacity - : **383** Pterygium - : **384** Strabismus - .

TABLE 17 - *continued*

Causes of death	386-389* 390-398 Diseases of ear and mastoid process		390* 391 Otitis media without mention of mastoiditis		392 Otitis media with mastoiditis		393 Mastoiditis without mention of otitis media		394-398* VII 400-468 Diseases of the circulatory system		400-402 Rheumatic fever		400* 401 Rheumatic fever with heart involvement		401·0 Active rheumatic pericarditis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**81**	**54**	**69**	**48**	**1**	**1**	**7**	**4**	**104,252**	**97,663**	**6**	**12**	**6**	**10**	**3**	**4**
0-	27	21	24	20	-	1	1	-	28	21	-	-	-	-	-	-
1-	9	9	8	9	-	-	1	-	15	9	1	-	1	-	-	-
5-	1	1	1	-	-	-	-	1	8	4	-	-	-	-	-	-
10-	3	1	2	1	-	-	-	-	13	13	-	3	-	2	-	-
15-	3	-	3	-	-	-	-	-	31	27	-	2	-	2	-	1
20-	1	2	-	2	-	-	1	-	70	51	-	-	-	-	-	-
25-	-	-	-	-	-	-	-	-	127	76	-	1	-	1	-	-
30-	1	1	1	1	-	-	-	-	277	127	-	1	-	-	-	-
35-	3	-	1	-	-	-	2	-	720	250	2	-	2	-	1	-
40-	4	-	4	-	-	-	-	-	1,787	504	-	-	-	-	-	-
45-	2	1	2	1	-	-	-	-	3,346	912	-	1	-	1	-	-
50-	7	1	6	1	-	-	1	-	5,445	1,563	-	-	-	-	-	-
55-	4	1	4	1	-	-	-	-	9,450	3,110	1	-	1	-	-	-
60-	6	4	5	3	-	-	1	1	13,359	5,775	1	1	1	1	1	1
65-	5	2	4	1	-	-	-	1	15,846	9,422	-	1	-	1	-	1
70-	1	4	-	3	1	-	-	1	16,054	14,118	-	-	-	-	-	-
75-	1	1	1	1	-	-	-	-	15,254	18,322	1	1	1	1	1	-
80-	3	2	3	1	-	-	-	-	12,199	19,926	-	1	-	1	-	1
85 and over	-	3	-	3	-	-	-	-	10,223	23,433	-	-	-	-	-	-

Causes of death	401·1 Active rheumatic endocarditis		401·2 Active rheumatic myocarditis		401·3 Active rheumatic fever with other and multiple types of heart involvement		402 Chores		402·0 Without mention of heart involvement		402·1* 410-416 Chronic rheumatic heart disease		410 Diseases of mitral valve		411 Diseases of aortic valve specified as rheumatic	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	-	2	-	-	3	4	-	-	-	-	**1,965**	**3,749**	**1,263**	**2,704**	**282**	**180**
0-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
1-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	-	-
10-	-	-	-	-	-	2	-	-	-	-	2	3	2	2	-	-
15-	-	1	-	-	-	-	-	-	-	-	3	4	2	4	-	-
20-	-	-	-	-	-	-	-	-	-	-	8	13	5	11	3	-
25-	-	-	-	-	-	1	-	-	-	-	20	26	10	21	6	2
30-	-	-	-	-	-	-	-	-	-	-	46	46	27	33	6	4
35-	-	-	-	-	1	-	-	-	-	-	74	86	49	68	14	3
40-	-	-	-	-	-	-	-	-	-	-	123	144	73	109	16	2
45-	-	-	-	-	-	1	-	-	-	-	191	223	129	168	31	5
50-	-	-	-	-	-	-	-	-	-	-	215	342	142	262	24	13
55-	-	-	-	-	1	-	-	-	-	-	269	466	160	342	47	17
60-	-	-	-	-	-	-	-	-	-	-	298	515	185	363	44	23
65-	-	-	-	-	-	-	-	-	-	-	251	500	157	339	35	23
70-	-	-	-	-	-	-	-	-	-	-	185	446	123	302	25	26
75-	-	1	-	-	-	-	-	-	-	-	142	448	101	322	18	28
80-	-	-	-	-	-	-	-	-	-	-	84	302	62	228	6	19
85 and over	-	-	-	-	-	-	-	-	-	-	51	183	33	128	7	15

* **386** Detachment of retina: Males 55,55,75; Female 80: **387** Glaucoma: Male 85; Females 65,75,75,80,85: **388** Other diseases of eye: Male 65; Female 1: **389** Blindness - : **390** Otitis externa - : **394** Other inflammatory diseases of ear: Male 0: **395** Meniere's disease: Male 65; Female 80: **396** Other diseases of ear and mastoid process: Males 0,10: **397** Deaf mutism - : **398** Other deafness - : **400** Rheumatic fever without mention of heart involvement: Females 10,30: **402.1** With heart involvement - .

TABLE 17 - *continued*

Causes of death	412 Diseases of tricuspid valve		413* 414 Other endocarditis specified as rheumatic		415 Other myocarditis specified as rheumatic		416 Other heart disease specified as rheumatic		420-422 Arterio-sclerotic and degenerative heart disease		420 Arterio-sclerotic heart disease, including coronary disease		420·0 Arterio-sclerotic heart disease so described		420·1 Heart disease specified as involving coronary arteries	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**11**	**12**	**65**	**134**	**14**	**25**	**329**	**694**	**81,916**	**66,953**	**69,803**	**45,489**	**641**	**868**	**69,076**	**44,544**
0-	-	-	-	-	-	-	-	-	7	4	1	-	-	-	1	-
1-	-	-	-	-	-	-	-	-	3	4	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	1
10-	-	1	-	-	-	-	-	-	3	4	-	-	-	-	-	-
15-	-	-	-	-	-	-	1	-	6	4	-	-	-	-	-	-
20-	-	-	-	-	-	-	-	2	24	11	13	7	-	-	13	7
25-	-	-	1	2	-	1	3	-	60	13	44	4	-	-	44	4
30-	-	-	3	-	-	2	10	7	175	30	153	29	-	-	153	29
35-	-	-	1	5	1	-	9	10	530	80	494	67	-	-	494	67
40-	-	-	6	3	2	1	26	29	1,457	221	1,414	206	-	-	1,414	206
45-	-	2	8	4	-	1	23	43	2,810	446	2,722	397	4	3	2,716	394
50-	1	1	5	11	2	2	41	53	4,600	865	4,434	784	4	3	4,424	781
55-	1	1	7	20	1	-	53	86	7,966	1,946	7,667	1,790	13	2	7,652	1,787
60-	4	-	11	17	1	-	53	112	11,105	4,015	10,576	3,648	35	22	10,536	3,620
65-	2	1	10	12	1	-	46	125	12,890	6,687	11,956	5,950	66	53	11,874	5,889
70-	1	2	7	20	2	5	26	91	12,630	10,165	11,145	8,356	109	100	11,018	8,236
75-	2	3	-	18	-	9	21	68	11,588	12,671	9,298	9,185	143	167	9,136	9,000
80-	-	1	2	9	2	3	12	42	8,839	13,577	6,075	8,104	153	234	5,914	7,855
85 and over	-	-	4	13	2	1	5	26	7,221	16,209	3,811	6,961	114	284	3,687	6,668

Causes of death	420·2 Angina pectoris without mention of coronary disease		421 Chronic endocarditis not specified as rheumatic		421·0 of mitral valve, specified as non-rheumatic		421·1 of aortic valve, not specified as rheumatic		421·2;3* 421·4 Other and ill-defined, not specified as rheumatic		422 Other myocardial degeneration		422·0 Fatty degeneration		422·1 with arterio-sclerosis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**86**	**77**	**1,427**	**1,554**	**76**	**229**	**1,239**	**1,095**	**107**	**226**	**10,686**	**19,910**	**26**	**50**	**5,288**	**9,342**
0-	-	-	1	1	-	-	1	-	-	1	5	3	-	-	-	-
1-	-	-	1	-	-	-	-	-	-	-	2	4	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
10-	-	-	1	1	-	-	1	1	-	-	2	3	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	6	4	-	-	-	-
20-	-	-	4	1	-	-	3	1	1	-	7	3	-	-	-	-
25-	-	-	4	3	-	-	4	3	-	-	12	6	-	-	1	-
30-	-	-	14	-	-	-	13	-	1	-	8	1	-	-	-	-
35-	-	-	17	6	-	-	14	4	3	2	19	7	1	1	2	-
40-	-	-	22	8	-	1	21	3	1	4	21	7	1	2	1	-
45-	2	-	32	21	-	1	29	14	3	6	56	28	4	2	15	10
50-	6	-	89	33	1	1	84	27	4	5	77	46	-	2	17	12
55-	2	1	138	57	1	7	118	41	19	9	161	99	1	5	58	29
60-	5	6	211	94	9	5	190	61	11	27	318	273	4	12	150	126
65-	16	8	246	160	23	23	201	117	21	20	688	577	5	8	358	260
70-	18	20	228	243	14	42	205	166	8	33	1,257	1,566	7	5	700	771
75-	19	18	184	309	13	48	157	202	13	59	2,106	3,177	3	2	1,131	1,582
80-	8	15	138	305	11	59	111	220	16	26	2,626	5,168	-	7	1,286	2,527
85 and over	10	9	97	312	4	42	87	235	6	34	3,313	8,936	-	4	1,569	4,025

* **413** Diseases of pulmonary valve specified as rheumatic: Male 70: **421.2** Of triscupid valve, specified as non-rheumatic: Male 60; Females 70,85: **421.3** Of pulmonary valve, not specified as rheumatic: Males 1,65,70,75; Females 60,70.

TABLE 17 - *continued*

Causes of death	422·2 Other diseases included under 422		430-434 Other diseases of heart		430 Acute and subacute endocarditis		430·0 Acute and subacute bacterial endocarditis		430·1 Other acute endocarditis		431 Acute myocarditis not specified as rheumatic		432 Acute pericarditis specified as non-rheumatic		433 Functional disease of heart	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**5,372**	**10,518**	**6,317**	**8,356**	**164**	**88**	**164**	**86**	**-**	**2**	**81**	**58**	**26**	**18**	**1,362**	**2,419**
0-	5	3	15	12	1	-	1	-	-	-	4	4	-	-	2	2
1-	2	4	6	4	-	-	-	-	-	-	2	-	-	-	-	1
5-	2	-	4	2	2	-	2	-	-	-	1	1	-	-	-	-
10-	2	3	5	2	2	-	2	-	-	-	-	1	-	-	1	-
15-	6	4	12	7	-	1	-	1	-	-	4	2	-	-	2	1
20-	7	3	19	8	1	2	1	2	-	-	7	3	-	-	2	-
25-	11	6	19	12	8	2	8	2	-	-	3	4	-	-	2	1
30-	8	1	17	17	6	5	6	5	-	-	5	2	1	-	3	2
35-	16	6	32	17	7	2	7	2	-	-	9	2	-	-	4	3
40-	19	5	48	35	9	4	9	3	-	1	8	4	-	1	5	4
45-	37	16	73	66	9	3	9	3	-	-	6	7	1	-	12	7
50-	60	34	150	73	10	4	10	4	-	-	1	2	-	-	19	11
55-	102	65	323	182	31	10	31	9	-	1	6	5	1	2	47	43
60-	164	135	594	371	26	14	26	14	-	-	6	1	7	2	98	104
65-	325	309	854	704	18	12	18	12	-	-	4	5	6	2	157	204
70-	550	790	989	1,142	22	11	22	11	-	-	7	3	4	2	225	349
75-	972	1,593	1,176	1,615	10	11	10	11	-	-	2	4	4	2	298	455
80-	1,340	2,634	1,075	1,940	2	6	2	6	-	-	3	2	2	5	256	593
85 and over	1,744	4,907	906	2,147	-	1	-	1	-	-	3	6	-	2	229	639

Causes of death	434 Other and unspecified diseases of heart		434·0 Kypho-scoliotic heart disease		434·1 Congestive heart failure		434·2 Left ventricular failure		434·3;4 Others included under 434		440-443 Hypertensive heart disease		440 Essential benign hypertensive heart disease		441 Essential malignant hypertensive heart disease	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**4,684**	**5,773**	**25**	**48**	**3,053**	**4,615**	**556**	**616**	**1,050**	**494**	**3,067**	**4,480**	**35**	**48**	**53**	**33**
0-	8	6	-	-	3	2	-	1	5	3	-	-	-	-	-	-
1-	4	3	-	-	1	1	-	-	3	2	-	-	-	-	-	-
5-	1	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-
10-	2	1	-	-	-	-	-	-	2	1	-	-	-	-	-	-
15-	6	3	-	-	1	1	1	1	4	1	2	-	-	-	-	-
20-	9	3	1	-	5	-	1	-	2	3	2	-	-	-	-	-
25-	6	5	-	-	1	-	-	-	5	5	1	-	-	-	1	-
30-	2	8	-	-	1	1	-	3	1	4	12	4	-	-	9	-
35-	12	10	-	1	1	6	3	-	8	3	14	3	-	-	4	1
40-	26	22	3	2	13	10	2	1	8	9	26	15	-	-	3	2
45-	45	49	-	4	14	16	10	6	21	23	56	38	1	-	9	8
50-	120	56	3	1	53	20	11	5	53	30	103	65	-	-	5	5
55-	238	122	4	5	106	73	33	10	95	34	241	131	3	-	9	5
60-	457	250	4	1	214	167	68	36	171	46	348	240	7	1	6	3
65-	669	481	2	4	365	351	71	53	231	73	531	520	2	7	4	1
70-	731	777	3	7	449	616	98	88	181	66	548	706	5	7	2	2
75-	862	1,143	2	8	620	941	111	116	129	78	551	1,012	5	15	1	5
80-	812	1,334	2	8	642	1,125	82	144	86	57	397	954	7	11	-	1
85 and over	674	1,499	1	7	564	1,284	65	152	44	56	235	792	5	7	-	-

TABLE 17 - *continued*

Causes of death	442 Hypertensive heart disease with arteriolar nephro-sclerosis		443 Other and unspecified hypertensive heart disease		444-447 Other hypertensive disease		444 Essential benign hypertension		445 Essential malignant hypertension		446 Hypertension with arteriolar nephro-sclerosis		447 Other hypertensive disease without mention of heart		450-456 Diseases of arteries	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**29**	**48**	**2,950**	**4,351**	**1,771**	**1,890**	**1,166**	**1,510**	**396**	**153**	**206**	**226**	**3**	**1**	**6,933**	**8,802**
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	2	-
15-	-	-	2	-	-	2	-	-	-	2	-	-	-	-	4	4
20-	-	-	2	-	7	2	-	-	6	2	1	-	-	-	5	9
25-	-	-	-	-	12	5	2	1	10	4	-	-	-	-	8	9
30-	-	-	3	4	7	5	2	-	5	4	-	1	-	-	11	15
35-	-	-	10	2	26	5	4	1	22	4	-	-	-	-	21	18
40-	-	1	23	12	49	19	11	6	37	12	1	1	-	-	43	24
45-	1	-	45	30	86	29	24	12	62	14	-	3	-	-	71	41
50-	1	1	97	59	126	55	48	25	74	27	4	3	-	-	139	54
55-	-	-	229	126	184	65	98	39	77	24	9	2	-	-	271	122
60-	5	1	330	235	224	111	162	88	49	18	13	5	-	-	506	229
65-	3	4	522	508	203	191	161	162	28	19	14	10	-	-	752	388
70-	6	4	535	693	263	266	210	227	19	10	33	28	1	1	1,037	849
75-	8	8	537	984	232	381	179	339	4	6	48	36	1	-	1,220	1,535
80-	3	12	387	930	192	381	159	320	3	5	29	56	1	-	1,364	2,226
85 and over	2	17	228	768	160	372	106	290	-	1	54	81	-	-	1,477	3,279

Causes of death	450 General arterio-sclerosis		450·0 Without mention of gangrene		450·1 With mention of gangrene as a consequence		451 Aortic aneurysm, non-syphilitic and dissecting aneurysm		452 Other aneurysm, except of heart and aorta		453 Peripheral vascular disease		453·0 Raynaud's disease		453·1 Thrombo-angitis obliterans	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**4,344**	**6,810**	**3,919**	**6,304**	**425**	**506**	**2,099**	**1,501**	**77**	**50**	**100**	**68**	**-**	**3**	**18**	**3**
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	3	1	-	1	-	-	-	-	-	-
20-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-
25-	-	-	-	-	-	-	2	2	1	1	-	-	-	-	-	-
30-	-	-	-	-	-	-	4	2	1	2	2	-	-	-	1	-
35-	1	-	-	-	1	-	10	3	1	-	2	1	-	1	2	-
40-	5	1	5	1	-	-	23	7	2	4	1	-	-	-	-	-
45-	10	3	9	2	1	1	36	15	-	4	1	-	-	-	-	-
50-	20	12	14	9	6	3	83	24	5	2	1	-	-	-	1	-
55-	62	29	58	29	4	-	158	56	8	4	8	1	-	-	1	-
60-	152	60	129	51	23	9	293	117	10	5	12	2	-	-	3	1
65-	308	174	265	162	43	12	371	169	11	4	19	3	-	-	5	1
70-	546	555	473	515	73	40	416	239	14	8	13	8	-	2	1	1
75-	798	1,143	716	1,056	82	87	380	324	11	4	8	21	-	-	3	-
80-	1,100	1,869	1,001	1,720	99	149	210	294	7	4	21	14	-	-	1	-
85 and over	1,342	2,964	1,249	2,759	93	205	108	247	5	6	12	18	-	-	-	-

TABLE 17 - *continued*

Causes of death	453·2;3 Others included under 453		454 Arterial embolism and thrombosis		455 Gangrene of unspecified cause		456 Other diseases of arteries		460-468 Diseases of veins and other diseases of circulatory system		460 Varicose veins of lower extremities		461 Haemorrhoids		462 Varicose veins of other specified sites	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**82**	**62**	**65**	**99**	**39**	**51**	**209**	**223**	**2,277**	**3,421**	**49**	**157**	**7**	**9**	**25**	**22**
0-	-	-	1	-	-	-	-	-	5	4	-	-	-	-	-	-
1-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	1	2	4	4	-	-	-	-	-	-
20-	-	-	-	-	-	-	3	7	5	8	-	-	-	-	-	-
25-	-	-	-	-	-	-	5	6	7	10	-	-	-	-	-	-
30-	1	-	-	-	1	-	3	11	9	9	1	-	-	-	-	-
35-	-	-	-	2	-	-	7	12	21	41	-	-	-	-	-	-
40-	1	-	-	2	-	-	12	10	41	46	2	5	1	-	1	1
45-	1	-	3	4	-	-	21	15	59	68	3	7	1	-	2	-
50-	-	-	3	3	2	-	25	13	112	109	3	7	-	1	1	2
55-	7	1	5	7	1	1	29	24	195	198	8	11	-	-	1	4
60-	9	1	8	13	5	1	26	31	283	293	5	13	1	-	3	3
65-	14	2	10	10	8	6	25	22	365	431	9	27	-	1	3	3
70-	12	5	17	7	5	7	26	25	402	544	9	28	2	2	3	3
75-	5	21	6	18	6	9	11	16	344	659	3	28	1	1	7	2
80-	20	14	12	14	7	11	7	20	248	545	4	18	-	3	1	1
85 and over	12	18	-	19	4	16	6	9	173	451	2	13	1	1	3	3

Causes of death	463 Phlebitis and thrombo-phlebitis of lower extremities		464 Phlebitis and thrombo-phlebitis of other sites		465 Pulmonary embolism and infarction		466 Other venous embolism and thrombosis		467 Other diseases of circulatory system		468 Certain diseases of lymph nodes and lymph channels		VIII **470-527 Diseases of the respiratory system**		470-475 Acute upper respiratory infections	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**94**	**169**	**18**	**31**	**1,087**	**1,339**	**940**	**1,615**	**54**	**72**	**3**	**7**	**38,618**	**27,211**	**59**	**62**
0-	-	-	-	-	1	-	2	3	1	-	1	1	**1,297**	**977**	23	15
1-	-	-	-	-	1	-	-	1	1	-	1	-	**289**	**247**	15	11
5-	-	-	-	-	-	-	-	-	-	-	-	-	**67**	**57**	1	1
10-	-	-	-	-	1	-	-	-	-	-	-	-	**46**	**40**	-	1
15-	1	-	-	-	-	2	3	2	-	-	-	-	**55**	**40**	-	1
20-	-	1	-	-	3	2	2	4	-	1	-	-	**54**	**48**	2	-
25-	-	-	-	-	1	5	5	5	1	-	-	-	**66**	**40**	1	2
30-	1	1	-	-	2	2	4	6	1	-	-	-	**72**	**51**	1	-
35-	-	2	1	1	8	15	11	20	1	3	-	-	**106**	**91**	-	2
40-	1	2	-	-	19	18	17	19	-	1	-	-	**229**	**161**	3	-
45-	-	2	1	2	23	21	28	34	1	2	-	-	**498**	**284**	-	3
50-	8	8	1	-	52	47	45	42	2	2	-	-	**1,048**	**433**	1	1
55-	9	11	3	2	87	78	84	89	3	2	-	1	**2,262**	**761**	-	2
60-	14	16	2	2	148	111	104	142	6	6	-	-	**4,161**	**1,160**	1	4
65-	12	20	5	3	161	164	161	209	13	4	1	-	**5,812**	**1,929**	1	2
70-	17	30	4	3	194	220	162	245	11	11	-	2	**6,361**	**3,220**	2	2
75-	19	42	-	6	170	268	139	299	5	12	-	1	**6,339**	**4,709**	3	2
80-	9	21	1	7	119	213	108	265	6	16	-	1	**5,308**	**5,584**	4	4
85 and over	3	13	-	5	97	173	65	230	2	12	-	1	**4,548**	**7,379**	1	9

TABLE 17 - *continued*

Causes of death	470 Acute naso-pharyngitis (common cold)		471* 472 Acute pharyngitis		473 Acute tonsillitis		474 Acute laryngitis and tracheitis		475 Acute upper respiratory infection of multiple or unspecified sites		480-483 Influenza		480 Influenza with pneumonia		481 Influenza with other respiratory manifest'ns and influenza unqualified	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**5**	**7**	**5**	**11**	**11**	**4**	**23**	**24**	**15**	**16**	**375**	**501**	**219**	**314**	**153**	**179**
0-	1	1	1	-	1	-	10	5	10	9	5	3	3	2	2	1
1-	-	-	1	2	6	2	6	6	2	1	1	1	-	1	1	-
5-	-	-	1	-	-	-	-	1	-	-	-	1	-	1	-	-
10-	-	-	-	-	-	-	-	1	-	-	2	2	2	1	-	1
15-	-	-	-	-	-	1	-	-	-	-	1	2	1	2	-	-
20-	-	-	-	-	-	-	1	-	1	-	1	1	1	1	-	-
25-	-	-	-	1	-	-	1	-	-	1	6	1	4	1	2	-
30-	-	-	1	-	-	-	-	-	-	-	3	1	2	1	1	-
35-	-	-	-	-	-	-	-	2	-	-	3	2	2	2	-	-
40-	-	-	-	-	-	-	3	-	-	-	6	-	5	-	1	-
45-	-	-	-	-	-	-	-	3	-	-	11	4	9	2	2	2
50-	-	1	1	-	-	-	-	-	-	-	16	12	11	9	5	3
55-	-	-	-	1	-	-	-	-	-	1	22	10	13	7	9	3
60-	-	-	-	4	-	-	-	-	1	-	32	19	19	13	12	6
65-	1	-	-	-	-	1	-	1	-	-	42	28	24	18	18	10
70-	1	-	-	1	-	-	-	1	1	-	56	57	30	38	26	18
75-	-	-	-	-	2	-	1	2	-	-	56	91	39	58	16	32
80-	2	1	-	-	2	-	-	2	-	1	59	128	30	78	29	48
85 and over	-	4	-	2	-	-	1	-	-	3	53	138	24	79	29	55

Causes of death	482 Influenza with digestive manifest'ns, but without respiratory symptoms		483 Influenza with nervous manifest'ns, but without digestive or respiratory symptoms		490-493 Pneumonia		490 Lobar pneumonia		491 Broncho-pneumonia		492 Primary atypical pneumonia		493 Pneumonia, other and unspecified		500-502 Bronchitis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**3**	**6**	**-**	**2**	**14,443**	**17,683**	**1,439**	**1,292**	**12,206**	**15,528**	**216**	**186**	**582**	**677**	**20,487**	**7,324**
0-	-	-	-	-	972	748	22	20	793	607	105	78	52	43	224	158
1-	-	-	-	-	203	172	10	16	171	133	12	17	10	6	46	49
5-	-	-	-	-	53	40	6	2	40	34	4	2	3	2	5	9
10-	-	-	-	-	29	28	3	4	25	22	-	1	1	1	12	6
15-	-	-	-	-	34	23	4	3	26	17	1	1	3	2	8	8
20-	-	-	-	-	36	25	6	3	26	19	4	2	-	1	8	14
25-	-	-	-	-	38	18	6	2	26	13	5	2	1	1	12	12
30-	-	-	-	-	30	30	7	2	16	23	5	3	2	2	22	11
35-	1	-	-	-	45	43	15	3	19	36	5	2	6	2	39	27
40-	-	-	-	-	88	72	29	15	51	48	6	4	2	5	94	53
45-	-	-	-	-	152	125	38	25	100	90	7	4	7	6	246	112
50-	-	-	-	-	257	176	70	34	164	120	7	8	16	14	651	182
55-	-	-	-	-	455	311	93	62	329	231	5	6	28	12	1,491	346
60-	1	-	-	-	829	541	150	68	637	440	6	4	36	29	2,865	494
65-	-	-	-	-	1,353	965	184	103	1,087	813	11	11	71	38	3,834	788
70-	-	1	-	-	1,941	1,809	216	161	1,634	1,561	11	13	80	74	3,838	1,185
75-	1	-	-	1	2,420	3,069	216	208	2,115	2,740	8	4	81	117	3,407	1,320
80-	-	2	-	-	2,654	3,943	193	264	2,362	3,544	9	16	90	119	2,288	1,262
85 and over	-	3	-	1	2,854	5,545	171	297	2,585	5,037	5	8	93	203	1,397	1,288

* **471** Acute sinusitis - .

TABLE 17 - *continued*

Causes of death	500 Acute bronchitis		501 Bronchitis unqualified		502 Chronic bronchitis		502·0 Bronchitis with emphysema		502·1 Other		510-527 Other diseases of respiratory system		510 Hypertrophy of tonsils and adenoids		511 Peri-tonsillar abscess (quinsy)	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**972**	**952**	**647**	**624**	**18,868**	**5,748**	**9,183**	**1,672**	**9,685**	**4,076**	**3,254**	**1,641**	**3**	**3**	**2**	**1**
0-	185	124	32	27	7	7	-	-	7	7	73	53	-	-	-	-
1-	34	36	10	7	2	6	1	2	1	4	24	14	1	1	1	-
5-	5	5	-	1	-	3	-	1	-	2	8	6	2	1	-	-
10-	7	4	4	1	1	1	-	1	1	-	3	3	-	1	-	-
15-	2	5	2	-	4	3	1	1	3	2	12	6	-	-	-	-
20-	5	5	1	2	2	7	1	2	1	5	7	8	-	-	-	-
25-	2	2	2	3	8	7	3	3	5	4	9	7	-	-	-	-
30-	3	2	4	2	15	7	6	2	9	5	16	9	-	-	-	-
35-	5	11	4	1	30	15	14	8	16	7	19	17	-	-	-	-
40-	10	11	3	4	81	38	47	15	34	23	38	36	-	-	-	-
45-	13	10	6	4	227	98	115	41	112	57	89	40	-	-	-	1
50-	26	13	15	9	610	160	326	63	284	97	123	62	-	-	-	-
55-	38	19	45	20	1,408	307	794	118	614	189	294	92	-	-	-	-
60-	74	38	57	37	2,734	419	1,481	144	1,253	275	434	102	-	-	1	-
65-	89	38	81	58	3,664	692	1,937	242	1,727	450	582	146	-	-	-	-
70-	112	96	92	75	3,634	1,014	1,816	308	1,818	706	524	167	-	-	-	-
75-	116	153	101	90	3,190	1,077	1,480	314	1,710	763	453	227	-	-	-	-
80-	125	160	89	123	2,074	979	802	217	1,272	762	303	247	-	-	-	-
85 and over	121	220	99	160	1,177	908	359	190	818	718	243	399	-	-	-	-

Causes of death	512* 513 Chronic sinusitis		514, 515, 516* 517 Other diseases of upper respiratory tract		518 Empyema		519 Pleurisy		520 Spontaneous pneumo-thorax		521 Abscess of lung		522 Pulmonary congestion and hypostasis		523 Pneumo-coniosis due to silica and silicates (occupational)	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**16**	**9**	**30**	**21**	**41**	**28**	**41**	**37**	**17**	**4**	**55**	**33**	**282**	**554**	**537**	**7**
0-	1	-	5	3	3	6	-	-	1	-	-	-	1	-	-	-
1-	-	-	8	7	2	-	-	-	-	-	2	-	-	-	-	-
5-	1	-	3	-	-	-	-	-	-	-	-	-	-	1	-	-
10-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
15-	3	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
20-	1	-	2	-	-	1	-	-	1	-	-	1	-	-	-	-
25-	-	1	1	-	1	-	-	-	-	-	1	-	-	-	-	-
30-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
35-	1	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-
40-	-	-	1	1	-	2	-	-	2	1	-	-	-	1	2	-
45-	1	2	2	-	1	-	-	-	2	1	6	-	2	2	10	1
50-	1	-	-	1	1	1	-	1	-	-	4	1	1	3	20	1
55-	2	1	-	-	3	1	2	-	2	-	7	3	7	5	63	2
60-	1	-	-	1	9	2	4	-	2	-	4	2	4	5	105	1
65-	1	-	1	1	6	7	5	2	1	1	12	4	6	13	120	1
70-	2	2	1	-	2	2	7	7	2	1	5	5	27	33	95	-
75-	-	-	4	2	4	3	7	12	3	-	6	5	48	66	65	1
80-	-	1	-	2	3	2	9	11	1	-	5	5	68	127	44	-
85 and over	-	-	-	2	3	1	7	4	-	-	2	5	118	298	12	-

* **512** Chronic pharyngitis and nasopharyngitis - : **514** Deflected nasal septum - : **515** Nasal polyp: Male 20; Females 35,40:
516 Chronic laryngitis: Female 35.

TABLE 17 - *continued*

Causes of death	524 Other specified pneumo-coniosis and pulmonary fibrosis of occupational origin		525 Other chronic interstitial pneumonia		526 Bronchiectasis		527 Other diseases of lung and pleural cavity		527·0 Pulmonary collapse (1 year and over)		527·1 Emphysema without mention of bronchitis		527·2 Other		IX 530-587 Diseases of the digestive system	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**14**	**8**	**306**	**161**	**775**	**402**	**1,134**	**370**	**11**	**7**	**973**	**252**	**150**	**111**	**6,961**	**7,555**
0-	-	-	11	10	-	-	51	34	-	-	7	4	44	30	351	271
1-	-	-	3	1	-	1	7	4	-	-	-	-	7	4	114	83
5-	-	-	-	1	-	1	2	2	-	-	-	-	2	2	43	30
10-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	27	18
15-	-	-	1	1	6	2	-	1	-	-	-	-	-	1	22	26
20-	-	-	-	-	2	5	-	1	-	-	-	1	-	-	29	26
25-	-	-	-	-	6	5	-	1	-	-	-	-	-	1	35	28
30-	-	-	5	-	7	5	2	4	-	-	2	3	-	1	58	35
35-	-	-	-	1	11	9	5	3	-	-	5	2	-	1	89	52
40-	-	-	4	6	20	13	9	11	-	-	7	6	2	5	133	134
45-	-	-	7	5	23	19	35	9	2	-	29	7	4	2	208	166
50-	-	1	15	12	31	29	50	12	-	1	43	5	7	6	348	250
55-	1	-	26	12	91	43	90	25	-	1	79	18	11	6	554	341
60-	1	3	45	16	99	45	159	27	-	-	144	22	15	5	805	572
65-	6	3	60	23	134	39	230	52	3	-	206	43	21	9	1,035	849
70-	4	-	48	24	125	50	206	43	3	2	197	38	6	3	943	1,103
75-	1	1	56	29	112	57	147	51	-	2	135	38	12	11	930	1,195
80-	-	-	19	12	62	38	92	49	2	-	78	38	12	11	714	1,229
85 and over	1	-	6	8	45	40	49	41	1	1	41	27	7	13	523	1,147

Causes of death	530-539 Diseases of buccal cavity and oesophagus		530, 531* 532 Other inflammatory diseases of supporting structures of teeth		533 Disorders of occlusion, eruption and tooth development		534, 535, 536* 537 Diseases of salivary glands		538* 539 Diseases of oesophagus		540-545 Diseases of stomach and duodenum		540 Ulcer of stomach		540·0 Without mention of perforation	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**116**	**135**	**1**	**-**	**-**	**-**	**6**	**32**	**104**	**97**	**2,541**	**1,568**	**1,157**	**938**	**862**	**758**
0-	3	2	-	-	-	-	-	-	3	2	3	6	1	2	1	2
1-	1	2	-	-	-	-	-	-	1	2	1	1	-	1	-	1
5-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-
10-	3	-	-	-	-	-	-	-	3	-	1	2	-	2	-	1
15-	1	-	-	-	-	-	-	-	-	-	-	3	-	2	-	-
20-	-	1	-	-	-	-	-	-	-	-	5	1	3	1	2	1
25-	1	2	-	-	-	-	-	-	-	2	12	3	3	1	2	1
30-	-	-	-	-	-	-	-	-	-	-	18	4	2	2	1	2
35-	1	-	-	-	-	-	-	-	-	-	28	7	10	5	8	4
40-	3	2	-	-	-	-	-	-	3	2	47	27	19	18	12	10
45-	6	1	-	-	-	-	-	-	6	1	62	27	32	16	24	10
50-	7	3	-	-	-	-	-	-	7	3	99	38	50	16	33	11
55-	8	7	-	-	-	-	-	-	6	6	206	71	93	39	60	27
60-	14	10	-	-	-	-	1	-	13	10	315	105	135	61	99	41
65-	12	8	-	-	-	-	-	1	12	6	441	161	199	90	152	65
70-	19	19	-	-	-	-	2	5	17	14	397	231	176	137	132	116
75-	9	18	-	-	-	-	-	7	9	9	399	270	183	164	145	142
80-	14	33	1	-	-	-	1	6	12	26	291	309	139	194	97	162
85 and over	13	27	-	-	-	-	2	13	10	14	215	302	111	187	93	162

* 530 Dental caries - : 531 Abscesses of supporting structures of teeth - : 534 Toothache from unspecified cause - : 535 Other diseases of teeth and supporting structures: Males 5,15,25,35,85; Female 20: 536 Stomatitis: Female 65: 538 Other diseases of buccal cavity: Females 55,75,75,80.

TABLE 17 - *continued*

Causes of death	540·1 With perforation		541 Ulcer of duodenum		541·0 Without mention of perforation		541·1 With perforation		542 Gastro-jejunal ulcer		542·0 Without mention of perforation		542·1 With perforation		543 Gastritis and duodenitis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**295**	**180**	**1,243**	**522**	**766**	**313**	**477**	**209**	**27**	**6**	**20**	**3**	**7**	**3**	**35**	**37**
0-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	3
1-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
15-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
25-	1	-	9	1	7	-	2	1	-	-	-	-	-	-	-	-
30-	1	-	14	2	11	-	3	2	1	-	-	-	1	-	1	-
35-	2	1	16	-	7	-	9	-	-	-	-	-	-	-	2	-
40-	7	8	20	7	15	3	5	4	-	-	-	-	-	-	-	1
45-	8	6	26	11	15	4	11	7	2	-	2	-	-	-	-	-
50-	17	5	40	17	28	12	12	5	3	-	1	-	2	-	-	-
55-	33	12	100	26	56	8	44	18	1	-	1	-	-	-	4	-
60-	36	20	162	35	96	16	66	19	5	1	3	1	2	-	-	2
65-	47	25	216	57	138	37	78	20	6	-	4	-	2	-	8	1
70-	44	21	200	79	116	50	84	29	4	3	4	1	-	2	5	5
75-	38	22	204	90	133	46	71	44	-	2	-	1	-	1	4	3
80-	42	32	142	96	87	69	55	27	2	-	2	-	-	-	2	12
85 and over	18	25	91	100	55	67	36	33	3	-	3	-	-	-	7	10

Causes of death	544 Disorders of function of stomach		545 Other diseases of stomach and duodenum		550-553 Appendicitis		550 Acute appendicitis		550·0 Without mention of peritonitis		550·1 With peritonitis		551 Appendicitis unqualified		552, 553* 560, 561 Hernia of abdominal cavity	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**5**	**15**	**74**	**50**	**225**	**191**	**184**	**156**	**24**	**23**	**160**	**133**	**39**	**35**	**561**	**767**
0-	-	-	1	-	4	3	4	3	-	-	4	3	-	-	81	60
1-	-	-	-	-	11	5	9	5	1	1	8	4	2	-	1	2
5-	-	-	-	-	6	3	6	3	1	1	5	2	-	-	-	-
10-	-	-	-	-	5	4	3	4	-	1	3	3	2	-	-	-
15-	-	-	-	1	4	1	2	1	-	-	2	1	2	-	-	-
20-	-	-	-	-	8	2	6	2	1	1	5	1	2	-	-	1
25-	-	1	-	-	5	1	3	1	-	1	3	-	2	-	1	-
30-	-	-	-	-	1	3	1	1	-	-	1	1	-	2	1	1
35-	-	-	-	2	5	4	2	1	-	-	3	2	1	2	5	2
40-	2	-	6	1	3	4	3	4	2	2	1	2	-	-	2	5
45-	-	-	2	-	9	4	6	3	1	1	5	2	3	1	8	7
50-	-	-	6	5	10	10	9	10	1	1	8	9	1	-	18	14
55-	-	3	8	3	18	7	14	7	4	3	10	4	4	-	18	18
60-	1	1	12	5	24	11	20	8	3	-	17	8	3	3	40	47
65-	-	-	12	13	28	22	22	18	1	1	21	17	5	4	64	68
70-	-	2	12	5	27	21	23	14	2	2	21	12	4	7	79	107
75-	-	5	8	6	28	31	24	23	1	2	23	21	4	8	91	161
80-	2	1	4	6	18	29	15	27	3	3	12	24	3	2	90	153
85 and over	-	2	3	3	11	26	10	20	2	3	8	17	1	6	62	121

* 552 Other appendicitis: Males 60,65: 553 Other diseases of appendix - .

TABLE 17 - *continued*

Causes of death	560 Hernia of abdominal cavity without mention of obstruction		560·0 Inguinal		560·1 Femoral		560·2 Umbilical		560·3 Ventral (incisional)		560·4;5 Others included under 560		561 Hernia of abdominal cavity with obstruction		561·0 Inguinal	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**234**	**290**	**57**	**3**	**4**	**10**	**27**	**21**	**11**	**18**	**135**	**238**	**327**	**477**	**208**	**65**
0-	74	56	-	-	-	-	21	18	-	-	53	38	7	4	4	-
1-	1	1	-	-	-	-	-	-	-	-	1	1	-	1	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
25-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
30-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
35-	3	2	1	-	-	-	-	-	-	1	2	1	2	-	1	-
40-	1	1	1	-	-	-	-	-	-	-	-	1	2	-	1	-
45-	2	2	-	-	-	-	-	-	1	2	1	-	6	5	2	-
50-	6	4	3	-	-	-	-	1	-	-	2	4	12	10	4	2
55-	8	7	3	-	-	-	1	-	1	2	4	4	10	11	4	2
60-	14	13	6	-	-	-	-	-	2	-	6	13	26	34	13	3
65-	18	25	6	-	-	1	-	1	2	3	10	20	46	43	25	3
70-	28	35	9	2	2	1	2	-	2	3	13	29	51	72	34	11
75-	29	46	7	-	1	3	1	-	1	-	19	43	62	115	41	16
80-	29	46	13	-	-	4	1	-	1	2	14	40	61	107	47	16
85 and over	21	50	8	1	1	1	1	-	1	5	10	43	41	71	32	12

Causes of death	561·1 Femoral		561·2 Umbilical		561·3 Ventral (incisional)		561·4;5 Others included under 561		570-578 Other diseases of intestines and peritoneum		570 Intestinal obstruction without mention of hernia		570·0 Intus-susception		570·1 Paralytic ileus	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**32**	**194**	**28**	**67**	**17**	**66**	**42**	**85**	**1,970**	**2,838**	**749**	**893**	**24**	**18**	**20**	**17**
0-	-	-	3	2	-	-	-	2	225	157	43	19	11	9	-	2
1-	-	-	-	-	-	-	-	1	77	56	13	2	6	1	-	-
5-	-	-	-	-	-	-	-	-	15	12	8	3	2	-	-	-
10-	-	-	-	-	-	-	-	-	6	5	3	2	-	-	-	-
15-	-	-	-	-	-	-	-	-	11	12	4	2	-	-	-	-
20-	-	-	-	-	-	-	-	-	10	12	4	1	1	-	-	-
25-	-	-	-	-	-	-	1	-	12	17	4	4	-	-	-	-
30-	-	-	-	-	-	-	1	-	26	13	10	2	-	-	-	-
35-	1	-	-	-	-	-	-	-	26	23	7	3	-	-	-	-
40-	-	1	-	2	-	-	-	1	31	42	10	13	-	-	-	-
45-	1	1	1	1	1	1	1	2	52	49	20	11	1	-	-	-
50-	1	3	2	2	1	1	4	2	83	74	34	30	-	-	1	-
55-	1	3	3	2	-	4	2	-	122	106	53	29	1	-	-	2
60-	4	7	2	12	1	9	6	3	210	192	80	52	-	1	-	1
65-	5	14	3	7	6	12	7	7	252	304	101	88	-	-	8	-
70-	6	28	3	10	3	9	5	14	223	423	100	133	-	2	5	1
75-	11	57	4	14	1	12	5	16	250	433	101	148	1	1	3	4
80-	2	49	3	12	3	11	6	19	190	465	88	165	-	-	3	2
85 and over	-	31	4	3	1	7	4	18	149	443	66	186	1	4	-	5

TABLE 17 - *continued*

Causes of death	570·2 Mesenteric infarction		570·3 Volvulus		570·4 Impaction of intestine		570·5 Others included under 570		571 Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over		572 Chronic enteritis and ulcerative colitis		572·0 Regional enteritis		572·1 Diverticulitis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**277**	**376**	**176**	**164**	**26**	**47**	**226**	**271**	**379**	**461**	**549**	**1,124**	**46**	**89**	**349**	**810**
0-	5	-	20	6	-	-	7	2	171	128	1	3	-	-	-	-
1-	1	-	1	1	1	-	4	-	63	52	1	1	-	1	-	-
5-	-	-	2	-	1	-	3	3	3	7	-	1	-	-	-	1
10-	-	-	3	-	-	-	-	2	3	3	-	-	-	-	-	-
15-	2	-	1	1	-	-	1	1	1	2	4	5	2	2	-	-
20-	-	1	2	-	-	-	1	-	-	2	4	8	1	1	-	-
25-	1	3	1	-	1	-	1	1	1	2	6	9	2	5	-	-
30-	3	1	6	-	-	-	1	1	3	-	10	5	5	1	1	-
35-	4	1	1	1	1	-	1	1	1	-	13	15	6	6	1	1
40-	3	4	1	-	1	1	5	8	1	4	16	20	3	8	4	3
45-	7	4	4	-	-	-	8	7	3	5	14	24	3	4	1	11
50-	9	15	8	7	2	1	14	7	9	4	22	29	2	5	9	11
55-	26	11	9	5	3	3	14	8	6	11	42	51	3	11	20	22
60-	41	22	18	12	2	1	19	15	10	13	81	93	4	12	51	57
65-	43	42	28	16	2	5	20	25	19	19	85	151	7	10	59	109
70-	46	64	16	18	2	9	31	39	13	41	70	193	1	10	57	152
75-	38	65	23	32	7	6	29	40	18	47	86	179	3	5	66	149
80-	31	69	17	33	1	12	36	49	32	57	52	189	3	6	40	165
85 and over	17	74	15	32	2	9	31	62	22	64	42	148	1	2	40	129

Causes of death	572·2 Ulcerative colitis		572·3 Other		573 Functional disorders of intestines		574* 575 Abscess of anal and rectal regions		576 Peritonitis		577 Peritoneal adhesion		578 Other diseases of intestines and peritoneum		580-587 Diseases of liver, gallbladder and pancreas	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**150**	**214**	**4**	**11**	**5**	**13**	**13**	**11**	**71**	**76**	**5**	**14**	**197**	**245**	**1,548**	**2,056**
0-	1	-	-	3	1	-	-	-	2	1	-	-	7	6	35	43
1-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	23	17
5-	-	-	-	-	-	-	-	-	2	-	-	-	2	1	20	15
10-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12	7
15-	2	3	-	-	-	-	-	-	-	1	-	-	2	2	6	10
20-	3	7	-	-	1	-	-	-	-	-	-	-	1	1	6	9
25-	4	4	-	-	-	-	-	-	-	1	-	-	1	1	4	5
30-	4	4	-	-	-	-	-	1	2	2	-	-	1	3	12	14
35-	6	8	-	-	-	-	-	1	-	-	-	-	5	4	24	16
40-	9	9	-	-	-	-	-	-	-	1	-	-	4	4	47	54
45-	10	9	-	-	-	-	-	-	7	4	-	-	8	5	71	78
50-	11	13	-	-	1	-	3	1	4	-	1	1	9	9	131	111
55-	19	18	-	-	1	-	-	1	3	2	-	-	17	12	182	132
60-	26	23	-	1	-	2	1	-	13	12	-	2	24	18	202	207
65-	18	30	1	2	-	1	2	3	13	14	1	1	30	27	238	286
70-	11	31	1	-	-	2	1	1	9	11	1	4	29	38	198	302
75-	17	23	-	2	-	3	3	-	9	11	1	3	32	41	153	282
80-	7	17	2	1	-	3	2	1	5	12	1	1	10	37	111	240
85 and over	1	15	-	2	1	2	1	2	2	3	-	2	15	36	73	228

* **574** Anal fissure and fistula: Males 60,65; Female 75.

TABLE 17 - *continued*

Causes of death	580 Acute and subacute yellow atrophy of liver		581 Cirrhosis of liver		582 Suppurative hepatitis and liver abscess		583 Other diseases of liver		584 Cholelithiasis		585 Cholecystitis and cholangitis, without mention of calculi		586 Other diseases of gallbladder and biliary ducts		589 Diseases of pancreas	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**36**	**67**	**679**	**671**	**20**	**14**	**62**	**114**	**197**	**403**	**142**	**284**	**64**	**113**	**348**	**390**
0-	2	-	3	3	-	-	3	-	-	-	-	1	-	1	27	38
1-	1	2	4	1	-	-	2	-	-	-	-	-	-	-	16	14
5-	1	1	2	1	-	-	-	1	-	-	-	-	-	-	17	12
10-	-	-	2	1	-	1	1	1	-	-	-	-	-	-	9	4
15-	-	-	2	2	-	-	1	2	-	1	-	-	-	-	3	5
20-	-	-	2	3	-	-	2	3	-	1	-	-	-	-	2	2
25-	-	-	2	1	-	-	-	1	-	-	-	1	-	1	2	1
30-	3	2	1	6	-	1	-	1	1	1	-	1	-	-	7	2
35-	-	4	15	6	1	-	1	2	1	-	1	-	2	1	3	3
40-	3	6	31	35	-	-	2	1	2	2	-	3	1	3	8	4
45-	1	5	38	52	2	1	4	7	6	2	5	-	-	4	15	7
50-	4	7	78	67	3	-	2	6	6	11	4	4	8	2	26	14
55-	4	9	115	68	2	1	6	9	7	9	10	9	6	4	32	23
60-	4	6	118	92	6	1	7	14	18	32	5	13	8	13	36	36
65-	3	7	114	111	1	-	9	18	31	46	18	28	14	23	48	53
70-	7	8	74	104	3	4	9	13	37	66	21	46	9	20	38	41
75-	2	5	48	62	1	3	5	13	28	81	28	46	6	13	35	59
80-	1	2	24	38	1	1	7	12	36	84	22	55	5	12	15	36
85 and over	-	3	6	18	-	1	1	10	24	67	28	77	5	16	9	36

Causes of death	587·0 Acute pancreatitis		587·1 Chronic pancreatitis		587·2 Other diseases of pancreas		X 590-637 Diseases of the genito-urinary system		590-594 Nephritis and nephrosis		590 Acute nephritis		591 Nephritis with oedema including nephrosis		592 Chronic nephritis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**244**	**277**	**29**	**30**	**75**	**83**	**4,894**	**3,800**	**1,436**	**1,241**	**42**	**31**	**98**	**74**	**772**	**723**
0-	-	-	-	-	27	38	32	14	8	4	3	-	2	2	-	1
1-	1	1	-	-	15	13	11	12	3	5	-	-	2	3	-	2
5-	1	-	-	-	16	12	14	10	11	6	4	1	3	3	3	2
10-	-	-	-	-	9	4	11	11	6	10	-	-	1	2	4	5
15-	-	-	-	-	3	5	46	24	34	17	3	-	4	5	14	8
20-	-	1	-	-	2	1	42	28	36	15	1	1	4	2	30	5
25-	2	1	-	-	-	-	36	33	29	14	-	1	2	2	22	6
30-	6	1	1	1	-	-	36	44	27	25	4	1	2	-	19	15
35-	3	2	-	-	-	1	50	67	31	35	1	2	3	3	18	22
40-	7	3	1	-	-	1	97	80	75	33	2	1	4	4	46	16
45-	13	7	2	-	-	-	134	142	92	56	4	1	12	5	47	26
50-	22	12	3	1	1	1	168	151	106	64	5	1	9	-	56	37
55-	30	22	2	1	-	-	265	221	139	91	1	3	13	6	62	52
60-	32	32	4	3	-	1	388	292	174	99	1	4	14	6	92	49
65-	42	47	4	5	2	1	499	408	164	138	4	4	10	8	82	84
70-	31	31	7	8	-	2	678	506	158	159	5	3	9	13	79	88
75-	34	54	1	5	-	-	802	573	146	160	-	2	1	5	82	111
80-	14	34	1	2	-	-	822	593	121	153	3	3	3	4	76	96
85 and over	6	29	3	4	-	3	763	591	76	157	1	3	-	1	40	98

TABLE 17 - *continued*

Causes of death	593 Nephritis not specified as acute or chronic		594 Other renal sclerosis		600-609 other diseases of urinary system		600 Infections of kidney		600·0 Pyelitis, pyelocystitis and pyelo-nephritis		600·1 Abscess of kidney and perirenal tissue		600·2 Other		601 Hydronephrosis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**511**	**408**	**13**	**5**	**1,600**	**2,419**	**1,188**	**1,937**	**1,169**	**1,898**	**15**	**28**	**4**	**11**	**60**	**59**
0-	3	1	-	-	24	10	12	5	12	5	-	-	-	-	3	1
1-	1	-	-	-	8	7	4	5	4	5	-	-	-	-	2	-
5-	1	-	-	-	3	4	3	2	3	2	-	-	-	-	-	2
10-	1	3	-	-	5	1	2	1	2	1	-	-	-	-	2	-
15-	13	4	-	-	11	7	7	7	7	7	-	-	-	-	-	-
20-	1	7	-	-	6	11	5	10	5	10	-	-	-	-	-	-
25-	5	5	-	-	7	17	7	16	7	16	-	-	-	-	-	-
30-	2	9	-	-	9	18	7	14	7	13	-	1	-	-	-	1
35-	9	8	-	-	19	26	13	21	13	21	-	-	-	-	2	1
40-	22	12	1	-	22	33	17	24	16	24	1	-	-	-	1	2
45-	27	23	2	1	41	71	32	54	31	52	-	2	1	-	2	3
50-	36	26	-	-	56	76	45	65	44	63	1	2	-	-	2	2
55-	63	29	-	1	109	121	84	101	84	100	-	1	-	-	6	4
60-	66	40	1	-	141	182	104	152	102	148	2	3	-	1	2	5
65-	67	42	1	-	181	253	130	204	130	198	-	5	-	1	7	6
70-	63	55	2	-	244	336	179	259	173	254	6	2	-	3	10	7
75-	60	41	3	1	265	402	196	330	195	321	1	7	-	2	9	11
80-	37	49	2	1	222	424	161	329	157	325	3	3	1	1	9	12
85 and over	34	54	1	1	227	420	180	338	177	333	1	2	2	3	3	2

Causes of death	602 Calculi of kidney and ureter		603 Other diseases of kidney and ureter		604 Calculi of other parts of urinary system		605 Cystitis		606 Other diseases of bladder		607* 608 Stricture of urethra		609 Other diseases of urethra		610-617 Diseases of male genital organs	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**78**	**118**	**47**	**55**	**17**	**12**	**54**	**124**	**67**	**27**	**37**	**-**	**52**	**87**	**1,858**	**-**
0-	-	-	5	1	-	-	-	-	-	1	-	-	4	2	-	-
1-	-	1	-	-	-	-	1	-	1	1	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	2	-	-	-	-	-	1	-	1	-	-	-	1	-
20-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
25-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
30-	-	1	-	-	-	-	-	-	2	1	-	-	-	1	-	-
35-	1	1	1	1	-	-	-	-	1	2	1	-	-	-	-	-
40-	2	2	1	3	-	-	-	1	1	-	-	-	-	1	-	-
45-	1	9	3	4	-	-	1	-	1	-	-	-	1	1	1	-
50-	3	4	4	3	-	-	-	1	-	1	1	-	1	-	6	-
55-	6	11	3	-	1	-	2	4	1	1	2	-	4	-	17	-
60-	12	17	7	3	2	-	6	2	2	-	2	-	4	3	73	-
65-	16	12	6	10	3	1	6	9	4	3	3	-	6	8	154	-
70-	15	19	6	11	1	3	6	21	15	5	8	-	4	11	276	-
75-	12	17	4	3	5	3	10	19	9	4	12	-	8	15	391	-
80-	7	14	1	9	3	2	12	30	14	5	5	-	10	23	479	-
85 and over	3	10	3	5	2	3	10	37	14	3	2	-	10	22	460	-

* 607 Urethritis (non-venereal) - .

TABLE 17 - *continued*

Causes of death	610 Hyperplasia of prostate		611 Prostatitis		612 Other diseases of prostate		613-616* 617 Other diseases of male genital organs		620-626 Diseases of breast, ovary, Fallopian tube and parametrium		620-623* 624 Salpingitis and oophoritis, unqualified		625 626 Diseases of parametrium and pelvic peritoneum (female)		630-637 Diseases of uterus and other female genital organs	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**1,796**		**26**		**17**		**11**			**30**		**9**		**18**		**110**
0-	-		-		-		-			-		-		-		-
1-	-		-		-		-			-		-		-		-
5-	-		-		-		-			-		-		-		-
10-	-		-		-		-			-		-		-		-
15-	-		-		-		-			-		-		-		-
20-	-		-		-		-			1		1		-		1
25-	-		-		-		-			2		1		-		-
30-	-		-		-		-			-		-		-		1
35-	-		-		-		-			1		1		-		5
40-	-		-		-		-			4		2		1		10
45-	-		-		-		1			4		2		2		11
50-	6		-		-		-			1		-		1		10
55-	16		1		-		-			3		1		2		6
60-	70		1		-		2			-		-		-		11
65-	147		2		2		2			5		-		4		12
70-	263		6		4		1			2		-		2		9
75-	376		6		6		3			2		-		2		9
80-	471		4		2		-			3		-		3		13
85 and over	447		6		3		2			2		1		1		12

Causes of death	630 Infective disease of uterus, vagina and vulva		631 Utero-vaginal prolapse		632* 633 Other diseases of uterus		634 Disorders of menstruation		635, 636, 637* XI 640-689 Deliveries and complications of pregnancy, childbirth and the puerperium		640-649 Complications of pregnancy		640, 641* 642 Toxaemias of pregnancy		643, 644* 645 Ectopic pregnancy	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages		**7**		**57**		**31**		**8**		**172**		**73**		**43**		**11**
0-		-		-		-		-		-		-		-		-
1-		-		-		-		-		-		-		-		-
5-		-		-		-		-		-		-		-		-
10-		-		-		-		-		-		-		-		-
15-		-		-		-		-		11		4		2		-
20-		-		-		-		-		39		20		16		1
25-		-		-		-		-		44		16		9		4
30-		-		-		1		-		33		13		7		3
35-		-		4		-		1		30		16		8		3
40-		-		2		7		1		14		4		1		-
45-		-		2		5		3		1		-		-		-
50-		-		4		4		1		-		-		-		-
55-		1		2		1		1		-		-		-		-
60-		-		6		4		-		-		-		-		-
65-		-		10		2		-		-		-		-		-
70-		-		7		-		-		-		-		-		-
75-		-		6		-		-		-		-		-		-
80-		3		9		2		-		-		-		-		-
85 and over		2		9		1		1		-		-		-		-
		1														

* **613** Hydrocele: Male 65: **614** Orchitis and epididymitis: Male 80: **615** Redundant prepuce and phimosis: Males 15,70,70,80,85,85: **616** Sterility, male - : **620** Chronic cystic disease of breast - : **621** Other diseases of breast - : **622** Acute salpingitis and oophoritis - : **623** Chronic salpingitis and oophoritis: Female 40: **625** Other diseases of ovary and Fallopian tube: Females 25,65: **632** Malposition of uterus - : **635** Menopausal symptoms - : **636** Sterility, female - : **637** Other diseases of female genital organs: Females 20,45,50,55,60,70,70: **640** Pyelitis and pyelonephritis of pregnancy: Female 15: **641** Other infections of genito-urinary tract during pregnancy - : **643** Placenta praevia - : **644** Other haemorrhage of pregnancy - .

TABLE 17 - *continued*

Causes of death	646, 647* 648 Other complications arising from pregnancy		650-652 Abortion		650 Abortion without mention of sepsis or toxaemia		651 Abortion with sepsis		652, 660* 670-678 Delivery with specified complication		670 Delivery complicated by placenta praevia or antepartum haemorrhage		671 Delivery complicated by retained placenta		672 Delivery complicated by other postpartum haemorrhage	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages		**18**		**34**		**17**		**15**		**37**		**7**		**1**		**4**
0-		-		-		-		-		-		-		-		-
1-		-		-		-		-		-		-		-		-
5-		-		-		-		-		-		-		-		-
10-		-		-		-		-		-		-		-		-
15-		1		3		3		-		3		-		-		-
20-		3		10		5		5		6		1		-		2
25-		3		10		4		5		9		1		-		1
30-		3		6		1		4		8		2		1		1
35-		5		2		1		1		6		1		-		-
40-		3		3		3		-		5		2		-		-
45-		-		-		-		-		-		-		-		-
50-		-		-		-		-		-		-		-		-
55-		-		-		-		-		-		-		-		-
60-		-		-		-		-		-		-		-		-
65-		-		-		-		-		-		-		-		-
70-		-		-		-		-		-		-		-		-
75-		-		-		-		-		-		-		-		-
80-		-		-		-		-		-		-		-		-
85 and over		-		-		-		-		-		-		-		-

Causes of death	673* 674 Delivery complicated by dispro-portion or malposition of foetus		675 Delivery complicated by prolonged labour of other origin		676* 677 Delivery with other trauma		678 Delivery with other complications of childbirth		680-689 Complications of the puerperium		680* 681 Sepsis of childbirth and the puerperium		682 Puerperal phlebitis and thrombosis		683* 684 Puerperal pulmonary embolism	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages		**6**		**5**		-		**13**		**18**		**2**		**8**		**2**
0-		-		-		-		-		-		-		-		-
1-		-		-		-		-		-		-		-		-
5-		-		-		-		-		-		-		-		-
10-		-		-		-		-		-		-		-		-
15-		2		1		-		-		1		-		1		-
20-		-		-		-		3		3		1		-		-
25-		2		3		-		2		5		-		3		-
30-		1		-		-		2		5		1		2		1
35-		-		1		-		4		2		-		1		-
40-		1		-		-		2		1		-		-		1
45-		-		-		-		-		1		-		1		-
50-		-		-		-		-		-		-		-		-
55-		-		-		-		-		-		-		-		-
60-		-		-		-		-		-		-		-		-
65-		-		-		-		-		-		-		-		-
70-		-		-		-		-		-		-		-		-
75-		-		-		-		-		-		-		-		-
80-		-		-		-		-		-		-		-		-
85 and over		-		-		-		-		-		-		-		-

* **646** Anaemia of pregnancy - : **647** Pregnancy with malposition of foetus in uterus - : **652** Abortion with toxaemia, without mention of sepsis: Females 25,30: **660** Delivery without mention of complication: Females 25,25,25,25,30,35,35,35,35,40: **673** Delivery complicated by abnormality of bony pelvis: Female 30: **676** Delivery with laceration of perineum, without mention of other laceration - : **680** Puerperal urinary infection without other sepsis - : **683** Pyrexia of unknown origin during the puerperium - .

TABLE 17 - *continued*

Causes of death	685-689* XII 690-716 diseases of the skin and cellular tissue		690-698 Infections of skin and subcutaneous tissue		690 Boil and carbuncle		691* 692 Other cellulitis and abscess without mention of lymphangitis		693-697* 698 Other local infections of skin and subcutaneous tissue		700-716 Other diseases of skin and subcutaneous tissue		700* 701 Eczema		702, 703* 704 Pemphigus	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	136	256	48	75	6	5	37	56	5	9	88	181	2	3	16	18
0-	4	3	2	1	-	-	2	-	-	-	2	2	1	1	-	-
1-	2	1	1	-	-	-	-	-	1	-	1	1	-	-	-	-
5-	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-
10-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
15-	2	4	2	-	1	-	1	-	-	-	-	4	-	-	-	-
20-	2	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-
25-	4	2	2	1	1	-	1	-	-	1	2	1	-	-	-	-
30-	4	3	2	-	-	-	1	-	1	-	2	3	-	-	-	-
35-	6	6	3	-	-	-	3	-	-	-	3	6	1	-	1	-
40-	2	6	-	-	-	-	-	-	-	-	2	6	-	-	-	-
45-	6	7	3	2	1	-	2	2	-	-	3	5	-	-	1	1
50-	6	16	2	4	-	-	2	3	-	1	4	12	-	-	-	2
55-	11	14	2	3	-	-	2	2	-	1	9	11	-	-	1	2
60-	10	19	4	6	-	-	4	3	-	2	6	13	-	-	-	-
65-	13	14	4	5	1	-	3	5	-	-	9	9	-	-	-	-
70-	16	33	8	9	-	-	6	8	2	-	8	24	-	1	1	3
75-	21	45	6	9	1	1	4	8	1	-	15	36	-	-	2	4
80-	12	34	5	11	1	3	4	5	-	1	7	23	-	1	4	3
85 and over	13	48	-	24	-	1	-	20	-	3	13	24	-	-	6	3

Causes of death	705 Erythematous conditions		706-709* 710 Other hypertrophic and atrophic conditions of skin		711-714* 715 Chronic ulcer of skin		716* XIII 720-749 Diseases of the bones and organs of movement		720-727 Arthritis and rheumatism except rheumatic fever		720 Acute arthritis due to pyogenic organisms		721* 722 Rheumatoid arthritis and allied conditions		722·0 Rheumatoid arthritis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	15	31	23	50	17	64	662	1,396	349	1,010	4	20	222	717	205	708
0-	-	-	-	-	-	-	9	11	-	-	-	-	-	-	-	-
1-	1	-	-	1	-	-	6	9	-	1	-	1	-	-	-	-
5-	1	1	-	-	-	-	4	2	1	-	1	-	-	-	-	-
10-	-	-	-	-	-	-	19	4	1	1	-	-	1	-	1	-
15-	-	2	-	2	-	-	32	3	-	-	-	-	-	-	-	-
20-	-	-	-	-	-	-	13	3	-	1	-	-	-	1	-	1
25-	-	-	1	-	-	-	4	4	-	1	-	-	-	1	-	1
30-	-	3	1	-	-	-	2	5	1	2	-	-	1	1	1	1
35-	-	1	1	5	-	-	5	6	-	2	-	-	-	2	-	2
40-	-	2	2	4	-	-	14	11	5	7	-	-	4	7	3	7
45-	-	1	2	2	-	1	24	26	10	15	1	-	9	12	7	12
50-	-	2	3	5	1	-	32	32	15	23	-	-	12	21	11	20
55-	3	1	2	6	1	1	56	72	29	60	1	4	24	51	18	49
60-	1	4	-	7	3	2	71	139	44	121	1	-	34	100	32	99
65-	2	2	5	6	1	-	65	128	52	109	-	2	41	89	37	89
70-	1	3	4	7	1	7	84	206	60	161	-	3	43	128	43	128
75-	3	5	-	3	5	22	84	236	57	179	-	5	26	134	25	131
80-	3	2	-	2	-	14	64	237	37	158	-	2	18	87	18	86
85 and over	-	2	2	-	5	17	74	262	37	169	-	3	9	83	9	82

* **685** Puerperal eclampsia - : **686** Other forms of puerperal toxaemia: Female 30: **687** Cerebral haemorrhage in the puerperium: Female 25: **688** Other and unspecified complications of the puerperium: Females 25,35: **689** Mastitis and other disorders of lactation: Females 20,20: **691** Cellulitis of finger and toe: Females 0,70,80: **693** Other cellulitis and abcess with lymphangitis: Females 60,80: **694** Acute lymphadenitis - : **695** Impetigo - : **696** Infectious warts - : **697** Molluscum contagiosum - : **700** Seborrhoeic dermatitis: Female 50: **702** Occupational dermatitis - : **703** Other dermatitis: Males 0,60,75; Females 0,50,70,80: **706** Psoriasis and similar disorders: Males 55,60,65,70,75,75,75,75, Females 55,65,70,75: **707** Lichen planus - : **708** Pruritus and related conditions - : **709** Corns and callosities - : **711** Other dermatoses: Females 70,75: **712** Diseases of nail: Male 55: **713** Diseases of hair and hair follicles - : **714** Diseases of sweat and sebaceous glands - : **716** Other diseases of skin: Males 10,25,30; Females 25,50,85,85: **721** Acute non-pyogenic arthritis - .

TABLE 17 - *continued*

Causes of death	722·1 Spondylitis ankylo-poietica		723 Osteo-arthritis (arthrosis) and allied conditions		724, 725* 726 Muscular rheumatism		727* 730-738 Osteo-myelitis and other diseases of bone and joint		730 Osteo-myelitis and periostitis		731 Osteitis deformans		732* 733 Other diseases of bone		734* 735 Displacement of intervertebral disc	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	17	9	106	242	7	8	142	286	24	26	55	91	48	152	8	6
0-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-
1-	-	-	-	-	-	-	2	1	-	1	-	-	1	-	-	-
5-	-	-	-	-	-	-	2	-	1	-	-	-	1	-	-	-
10-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
20-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
25-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-
30-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-
35-	-	-	-	-	-	-	1	3	-	2	-	-	-	1	-	-
40-	1	-	-	-	1	-	3	3	3	1	-	-	-	1	-	1
45-	2	-	-	-	-	2	2	3	2	1	-	1	-	-	-	1
50-	1	1	3	1	-	-	8	3	3	-	-	-	2	-	2	2
55-	6	2	3	4	1	1	7	3	1	2	1	-	2	1	2	-
60-	2	1	7	17	1	1	10	9	1	2	3	2	3	3	2	1
65-	4	-	9	13	1	-	7	12	4	-	3	2	-	9	-	-
70-	-	-	15	30	1	-	15	32	1	4	10	12	3	15	1	-
75-	1	3	26	36	-	-	24	50	2	4	14	14	6	29	-	1
80-	-	1	15	63	2	1	22	73	2	4	9	37	11	31	-	-
85 and over	-	1	28	78	-	1	37	88	3	3	15	23	19	60	-	-

Causes of death	736, 737, 738* 740-749 Other diseases of musculo-skeletal system		740-743* 744 Other diseases of muscle, tendon and fascia		745 Curvature of spine		746-749* XIV 750-759 Congenital malformations		750 Monstrosity		751 Spina bifida and meningocele		752 Congenital hydro-cephalus		753 Other congenital malformations of nervous system and sense organs	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	171	100	147	73	21	20	2,413	2,145	92	119	243	365	90	92	58	76
0-	9	9	9	8	-	1	1,697	1,454	92	119	220	320	52	65	24	48
1-	4	7	4	7	-	-	145	169	-	-	13	30	22	16	14	12
5-	1	2	-	2	1	-	58	68	-	-	5	7	7	2	3	5
10-	17	3	16	2	1	1	45	34	-	-	2	2	3	4	5	3
15-	31	3	30	3	1	-	47	30	-	-	1	1	2	2	4	1
20-	13	1	13	1	-	-	39	25	-	-	1	1	-	1	2	2
25-	4	1	4	1	-	-	28	21	-	-	-	2	-	2	3	1
30-	1	2	1	2	-	-	31	8	-	-	-	1	-	-	-	-
35-	4	1	3	1	1	-	30	20	-	-	-	1	-	-	1	1
40-	6	1	4	-	2	-	30	27	-	-	-	-	-	-	-	-
45-	12	8	8	6	4	2	42	27	-	-	-	-	1	-	1	-
50-	9	6	8	4	-	2	33	36	-	-	-	-	1	-	-	-
55-	20	9	17	8	2	1	41	50	-	-	1	-	-	-	1	1
60-	17	9	14	7	2	2	37	40	-	-	-	-	2	-	-	-
65-	6	7	6	6	-	1	37	51	-	-	-	-	-	-	-	2
70-	9	13	5	10	4	3	35	26	-	-	-	-	-	-	-	-
75-	3	7	2	2	1	3	17	23	-	-	-	-	-	-	-	-
80-	5	6	3	3	2	-	11	21	-	-	-	-	-	-	-	-
85 and over	-	5	-	-	-	4	10	15	-	-	-	-	-	-	-	-

* **724** Other specified forms of arthritis: Males 60,75; Females 65,65: **725** Arthritis, unspecified: Males 75,75,75,75,80,80; Females 45,50,60,60,60,65,65,65,75,75,75,75,80,80,80,80,80,85,85,85: **727** Rheumatism, unspecified: Males 65,70; Female 85: **732** Osteochondrosis - : **734** Internal derangement of knee joint: Female 65: **736** Affection of sacro-iliac joint - : **737** Ankylosis of joint: Male 50: **738** Other diseases of joint: Males 1,35,55,60,75,75; Females 0,25,50,60,70,75,75,80,85,85: **740** Bunion: Female 80: **741** Synovitis, bursitis and tenosynovitis without mention of occupational origin: Females 75,85: **742** Synovitis, bursitis and tenosynovitis of occupational origin - : **743** Infective myositis and other inflammatory diseases of tendon and fascia - : **746** Flat foot - : **747** Hallux valgus and varus - : **748** Clubfoot: Female 40: **749** Other deformities: Males 50,55,60; Females 75,80,80.

TABLE 17 - *continued*

Causes of death	754 Congenital malformations of circulatory system		755 Cleft palate and harelip		756 Congenital malformations of digestive system		756·0 Congenital hypertrophic pyloric stenosis		756·1 Imperforate anus		756·2 Other		757 Congenital malformations of genito-urinary system		757·1 Polycystic disease of kidney	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**1,182**	**914**	**6**	**8**	**241**	**171**	**13**	**2**	**11**	**3**	**217**	**166**	**262**	**196**	**132**	139
0-	803	556	6	5	180	133	13	2	10	3	157	128	121	44	21	13
1-	73	80	-	3	16	11	-	-	1	-	15	11	5	7	2	3
5-	34	48	-	-	2	-	-	-	-	-	2	-	6	4	2	-
10-	32	22	-	-	-	1	-	-	-	-	-	1	1	2	-	1
15-	37	25	-	-	1	1	-	-	-	-	1	1	1	-	1	-
20-	22	20	-	-	-	-	-	-	-	-	-	-	9	-	3	-
25-	22	12	-	-	1	-	-	-	-	-	1	-	1	2	-	1
30-	21	4	-	-	2	-	-	-	-	-	2	-	8	3	7	1
35-	13	12	-	-	3	-	-	-	-	-	3	-	7	5	6	5
40-	16	12	-	-	-	1	-	-	-	-	-	1	13	13	10	12
45-	19	13	-	-	1	-	-	-	-	-	1	-	16	12	13	12
50-	18	12	-	-	2	1	-	-	-	-	2	1	11	22	10	19
55-	20	20	-	-	-	1	-	-	-	-	-	1	16	27	15	25
60-	16	25	-	-	6	-	-	-	-	-	6	-	9	10	8	8
65-	16	25	-	-	3	4	-	-	-	-	3	4	13	16	12	14
70-	17	10	-	-	5	-	-	-	-	-	5	-	11	11	10	9
75-	1	12	-	-	6	3	-	-	-	-	6	3	10	7	8	7
80-	1	4	-	-	4	9	-	-	-	-	4	9	4	6	4	5
85 and over	1	2	-	-	9	6	-	-	-	-	9	6	-	5	-	4

Causes of death	757·0;2;3 Others included under 757		758 Congenital malformations of bone and joint		759 Other and unspecified congenital malformations not elsewhere classified		**XV 760-776‡ Certain diseases of early infancy**		760·5-773·5 With immaturity		760-769 Birth injuries, asphyxia and infections of newborn		760 Intra-cranial and spinal injury at birth		761 Other birth injury	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	130	57	30	32	209	172	4,528	3,278	1,795	1,244	2,724	1,885	681	394	256	180
0-	100	31	19	19	180	145	4,528	3,278	1,795	1,244	2,724	1,885	681	394	256	180
1-	3	4	-	4	2	6	-	-	-	-	-	-	-	-	-	-
5-	4	4	1	-	-	2	-	-	-	-	-	-	-	-	-	-
10-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
20-	6	-	2	1	3	-	-	-	-	-	-	-	-	-	-	-
25-	1	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-
30-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-	1	-	3	-	3	1	-	-	-	-	-	-	-	-	-	-
40-	3	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
45-	3	-	-	1	4	1	-	-	-	-	-	-	-	-	-	-
50-	1	3	-	-	1	1	-	-	-	-	-	-	-	-	-	-
55-	1	2	1	-	2	1	-	-	-	-	-	-	-	-	-	-
60-	1	2	2	2	2	3	-	-	-	-	-	-	-	-	-	-
65-	1	2	-	-	5	4	-	-	-	-	-	-	-	-	-	-
70-	1	2	-	2	2	3	-	-	-	-	-	-	-	-	-	-
75-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
80-	-	1	-	1	2	1	-	-	-	-	-	-	-	-	-	-
85 and over	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-

‡ Note: The group 760-776 relates particularly to the causes of death within the first 28 days of life, but it includes also some deaths from the causes specified at all ages.

TABLE 17 - *continued*

Causes of death	762 Postnatal asphyxia and atelectasis		763 Pneumonia of newborn		764 Diarrhoea of newborn		765, 766* 767 Umbilical sepsis		768 Other sepsis of newborn		769 Neonatal disorders arising from maternal toxaemia		770-776 Other diseases peculiar to early infancy		770 Haemolytic disease of newborn (erythroblastosis)	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**1,337**	**938**	**297**	**234**	**32**	**26**	**1**	**3**	**32**	**23**	**88**	**85**	**1,804**	**1,393**	**156**	**142**
0-	1,337	938	297	234	32	26	1	3	32	23	88	85	1,804	1,393	156	142
1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Causes of death	771 Haemorrhagic disease of newborn		772 Nutritional maladjustment		773 Ill-defined diseases peculiar to early infancy		774 Immaturity with mention of any other subsidiary condition		776 Immaturity unqualified		**XVI 780-795 Symptoms, senility and ill-defined conditions**		780-789 Symptoms referable to systems or organs		780 Certain symptoms referable to nervous system and special senses	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**96**	**75**	2	4	**282**	**178**	20	8	**1,248**	**986**	1,302	2,805	**109**	**96**	7	6
0-	96	75	2	4	282	178	20	8	1,248	986	11	13	4	2	2	1
1-	-	-	-	-	-	-	-	-	-	-	-	4	-	2	-	1
5-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-
10-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	4	-	2	-	1	-
20-	-	-	-	-	-	-	-	-	-	-	5	2	2	-	1	-
25-	-	-	-	-	-	-	-	-	-	-	2	3	-	2	-	2
30-	-	-	-	-	-	-	-	-	-	-	5	1	2	-	-	-
35-	-	-	-	-	-	-	-	-	-	-	5	1	2	1	1	1
40-	-	-	-	-	-	-	-	-	-	-	2	3	2	2	-	1
45-	-	-	-	-	-	-	-	-	-	-	11	11	5	4	1	-
50-	-	-	-	-	-	-	-	-	-	-	6	4	2	2	-	-
55-	-	-	-	-	-	-	-	-	-	-	13	7	6	4	-	-
60-	-	-	-	-	-	-	-	-	-	-	14	13	5	7	1	-
65-	-	-	-	-	-	-	-	-	-	-	24	15	12	6	-	-
70-	-	-	-	-	-	-	-	-	-	-	59	56	16	7	-	-
75-	-	-	-	-	-	-	-	-	-	-	138	211	12	14	-	-
80-	-	-	-	-	-	-	-	-	-	-	289	589	18	13	-	-
85 and over	-	-	-	-	-	-	-	-	-	-	710	1,871	18	29	-	-

* **765** Ophthalmia neonatorum: Female 0; **766** Pemphigus neonatorum: Female 0.

TABLE 17 - *continued*

Causes of death	780·2 Convulsions		780·0;1;3;4;5;6;7;8;9, 781* 782 Symptoms referable to cardiovascular and lymphatic system		782·4 Acute heart failure, undefined		782·0;1;2;3;5;6;7;8;9, 783* 784 Symptoms referable to upper gastro-intestinal tract		785-789* 790-795 Senility and ill-defined diseases		790, 791* 792 Uraemia		793* 794 Senility without mention of psychosis		795 Ill-defined and unknown causes of mortality	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**7**	**6**	**57**	**58**	**51**	**56**	**20**	**17**	**1,193**	**2,709**	**45**	**36**	**1,092**	**2,620**	**56**	**52**
0-	2	1	1	-	1	-	-	1	7	11	-	-	-	-	7	11
1-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	2
5-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-
10-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	2	-
15-	1	-	-	-	-	-	-	-	2	-	1	-	-	-	1	-
20-	1	-	1	-	1	-	-	-	3	2	-	-	-	-	3	2
25-	-	2	-	-	-	-	-	-	2	1	-	-	-	-	2	1
30-	-	-	2	-	2	-	-	-	3	1	-	-	-	-	3	1
35-	1	1	1	-	1	-	-	-	3	-	-	-	-	-	3	-
40-	-	1	2	1	2	1	-	-	-	1	-	-	-	-	-	1
45-	1	-	2	3	2	3	1	-	6	7	-	1	-	-	6	6
50-	-	-	2	2	2	2	-	-	4	2	2	1	-	-	2	1
55-	-	-	5	2	5	2	-	1	7	3	2	-	-	-	5	3
60-	1	-	2	4	2	4	2	1	9	6	2	2	-	-	7	4
65-	-	-	8	3	6	3	3	1	12	9	1	5	5	2	6	2
70-	-	-	8	3	7	3	5	1	43	49	13	4	27	38	3	6
75-	-	-	5	12	3	12	4	-	126	197	8	3	113	189	5	5
80-	-	-	8	8	8	8	2	5	271	576	6	6	265	569	-	1
85 and over	-	-	9	20	9	18	3	7	692	1,842	10	14	682	1,822	-	6

Causes of death	XVII E800-E999 Accidents, poisonings and violence (external cause)		RAILWAY ACCIDENTS E800-E802 Railway accidents		E800 involving railroad employee		E801 involving passenger		M.V. TRAFFIC ACCIDENTS E802 involving other and unspecified person		E810-E825 Motor vehicle traffic accidents		E810 involving collision with railway train		E811* E812 to pedestrian	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**13,260**	**10,137**	**177**	**62**	**64**	**-**	**55**	**48**	**58**	**14**	**4,869**	**2,215**	**4**	**1**	**1,645**	**1,283**
0-	333	254	-	-	-	-	-	-	-	-	5	9	-	-	3	1
1-	425	256	4	1	-	-	1	-	3	1	182	85	-	-	150	70
5-	400	176	3	-	-	-	-	-	3	-	187	81	-	-	156	72
10-	316	128	7	3	-	-	3	1	4	2	138	62	-	-	56	39
15-	1,155	323	13	7	-	-	10	7	3	-	785	219	-	-	58	47
20-	1,111	269	20	12	4	-	10	12	6	-	654	107	-	-	65	8
25-	732	184	6	6	-	-	3	6	3	-	324	63	1	-	38	10
30-	591	211	13	2	2	-	7	2	4	-	221	56	-	-	27	10
35-	626	247	8	4	4	-	-	4	4	-	222	60	1	1	48	14
40-	734	329	16	4	9	-	4	2	3	2	204	60	-	-	51	20
45-	841	418	22	5	13	-	2	5	7	-	266	89	-	-	65	29
50-	794	463	14	3	8	-	3	3	3	-	240	112	-	-	72	44
55-	958	544	12	2	9	-	1	1	2	1	267	146	-	-	86	72
60-	978	626	23	2	13	-	5	-	5	2	280	157	1	-	107	103
65-	807	726	6	7	2	-	2	3	2	4	227	179	1	-	122	132
70-	629	922	4	3	-	-	1	1	3	2	190	234	-	-	141	190
75-	677	1,146	5	1	-	-	2	1	3	-	217	241	-	-	173	204
80-	605	1,319	1	-	-	-	1	-	-	-	167	171	-	-	145	146
85 and over	548	1,596	-	-	-	-	-	-	-	-	93	84	-	-	82	72

* 780·0; 1; 3; 4; 5; 6; 7; 8; 9 Others included under 780 - : **781** Other symptoms referable to nervous system and special senses: Males 55,70: **782·0; 1; 2; 3; 5; 6; 7; 8; 9** Others included under 782: Males 10,65,65,70,75,75; Females 85,85: **783** Symptoms referable to respiratory system: Males 15,45; Females 5,45: **785** Symptoms referable to abdomen and lower gastro-intestinal tract: Males 75,75,85; Females 55,60,85: **786** Symptoms referable to genito-urinary system: Males 65,70,70,75,80, 80,80,85,85,85; Females 60,70: **787** Symptoms referable to limbs and back - : **788** Other general symptoms: Males 0,80,80,80, 80,80,85; Females 1,65,65,70,70,75,85: **789** Abnormal urinary constituents of unspecified cause: Male 85; Female 75: **790** Nervousness and debility: Female 70: **791** Headache - : **793** Observation, without need for further medical care - : **E811** Motor vehicle traffic accident involving collision with street car - .

TABLE 17 - *continued*

Causes of death	MOTOR VEHICLE TRAFFIC ACCIDENTS E813 to pedal cyclist		E814 to rider or passenger of motorcycle in collision with non-motor vehicle or object		E815 to rider or passenger of motorcycle in collision with other motor vehicle		E816 Other motor vehicle traffic accident involving two or more motor vehicles		E817, E818, E819* E820 while boarding and alighting		E821 to rider of motorcycle not involving collision		E822 involving overturning in roadway		E823 involving running off roadway	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**344**	**60**	**25**	**-**	**592**	**52**	**1,301**	**549**	**8**	**18**	**207**	**17**	**90**	**30**	**531**	**140**
0-	-	-	-	-	-	1	1	5	-	-	-	-	-	1	1	1
1-	6	3	-	-	1	-	20	9	-	-	-	-	1	2	1	-
5-	15	2	-	-	-	-	9	5	1	-	-	-	-	-	4	-
10-	66	15	-	-	2	1	8	5	-	-	1	1	2	-	1	1
15-	39	6	7	-	301	28	155	79	-	-	100	12	11	5	94	34
20-	9	1	7	-	92	6	243	45	-	-	41	3	24	6	145	31
25-	10	-	1	-	35	3	130	31	-	-	9	1	10	1	80	11
30-	9	-	-	-	19	3	100	32	-	-	4	-	5	-	48	8
35-	7	3	1	-	20	1	94	28	1	1	8	-	6	1	34	9
40-	8	-	2	-	12	1	83	27	-	-	6	-	8	1	30	10
45-	13	4	1	-	21	3	106	40	-	-	12	-	9	2	30	5
50-	24	6	3	-	15	3	93	43	1	1	5	-	6	3	11	4
55-	32	10	1	-	32	1	84	51	2	3	7	-	5	2	14	5
60-	35	6	1	-	29	-	70	36	1	2	11	-	1	2	15	6
65-	32	3	-	-	5	-	47	34	1	-	1	-	2	1	12	4
70-	15	1	1	-	5	-	22	32	-	-	-	-	-	1	5	7
75-	15	-	-	-	1	1	19	25	1	4	2	-	-	1	3	2
80-	7	-	-	-	1	-	11	16	-	4	-	-	-	1	2	1
85 and over	2	-	-	-	1	-	6	6	-	3	-	-	-	-	1	1

Causes of death	M.V. TRAFFIC ACCIDENTS E824 Other non-collision motor vehicle traffic accident		E825 of unspecified nature		MOTOR VEHICLE NON-TRAFFIC ACCIDENTS E830-E835 Motor vehicle non-traffic accidents		E830 to pedestrian		E831* E832 to rider or passenger of motorcycle		E833, E834* E835 of other and unspecified nature		E840-E845 Other road vehicle accidents		E840, E841* E842 Accident to pedestrian caused by pedal cycle	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**42**	**26**	**66**	**33**	**63**	**13**	**31**	**8**	**13**	**1**	**16**	**1**	**48**	**26**	**3**	**9**
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-	2	-	1	1	5	3	5	3	-	-	-	-	-	1	-	-
5-	2	1	-	1	-	-	-	-	-	-	-	-	3	3	-	-
10-	1	-	1	-	-	-	-	-	-	-	-	-	3	1	-	-
15-	6	1	12	6	4	1	3	-	-	1	-	-	2	3	-	-
20-	9	3	17	3	9	1	2	1	3	-	4	-	1	2	-	-
25-	3	2	7	2	6	-	-	-	3	-	2	-	1	-	-	-
30-	3	1	3	2	5	-	1	-	2	-	2	-	4	-	-	-
35-	1	2	-	-	7	-	2	-	2	-	2	-	2	-	-	-
40-	1	-	2	1	6	-	5	-	-	-	1	-	1	1	-	-
45-	4	2	3	3	4	-	2	-	1	-	1	-	4	1	-	-
50-	2	3	6	4	-	1	-	1	-	-	-	-	1	-	-	-
55-	-	-	4	2	4	-	3	-	-	-	1	-	2	4	-	-
60-	4	-	4	2	9	2	5	1	2	-	2	-	4	2	-	1
65-	1	3	3	2	3	2	2	1	-	-	1	1	7	1	-	1
70-	1	3	-	-	1	1	1	-	-	-	-	-	5	1	-	1
75-	1	2	2	2	-	-	-	-	-	-	-	-	4	1	1	1
80-	1	3	-	-	-	1	-	-	-	-	-	-	3	4	1	4
85 and over	-	-	1	2	-	1	-	1	-	-	-	-	1	1	1	1

* **E817** Motor vehicle traffic accident to occupant of motor vehicle in collision with pedestrian or pedal cycle - : **E818** Motor vehicle traffic accident involving collision with animal or animal-drawn vehicle: Male 60; Female 25: **E819** Motor vehicle traffic accident involving collision with fixed or unspecified object: Males 15,15,20,20,30,30,30,35,40,45,45,50,50; Females 15,20,25,45, 50: **E831** Motor vehicle non-traffic accident to pedal cyclist - : **E833** Other motor vehicle non-traffic accident involving two or more motor vehicles: Males 15,25,35: **E834** Motor vehicle non-traffic accident while boarding and alighting: Females 60,70,80: **E840** Street car accident to pedestrian - : **E841** Other street car accident, except collision with motor vehicles - .

TABLE 17 - *continued*

Causes of death	E843 Accident to rider of pedal cycle not involving collision with motor vehicle		E844* E845 Other non-motor road vehicle accidents		E850-E858 Water transport accidents		E850 Submersion of occupant of small boat		E851 Other water transport injury by submersion		E852* E853 Other falls from one level to another in water transport		E854, E855, E856* E857 Other specified accidents in water transport		E858* E860-E866 Aircraft accidents	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**39**	**10**	**6**	**7**	**139**	**10**	**81**	**7**	**25**	**1**	**9**	-	**13**	**2**	**82**	**30**
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-	-	1	-	-	3	-	3	-	-	-	-	-	-	-	1	2
5-	2	1	1	2	4	1	4	1	-	-	-	-	-	-	-	-
10-	2	-	1	1	10	5	10	5	-	-	-	-	-	-	-	-
15-	2	1	-	2	20	-	17	-	3	-	-	-	-	-	2	-
20-	1	-	-	2	20	1	13	-	5	-	-	-	1	1	15	6
25-	1	-	-	-	18	1	8	1	7	-	1	-	2	-	8	4
30-	3	-	1	-	8	-	6	-	-	-	1	-	1	-	10	2
35-	2	-	-	-	11	-	5	-	1	-	2	-	3	-	12	4
40-	1	1	-	-	9	1	3	-	1	1	1	-	2	-	9	1
45-	4	1	-	-	10	-	3	-	4	-	1	-	-	-	13	2
50-	1	-	-	-	6	1	4	-	-	-	-	-	1	1	1	1
55-	2	4	-	-	6	-	-	-	2	-	2	-	1	-	6	2
60-	4	1	-	-	8	-	1	-	1	-	1	-	2	-	4	2
65-	6	-	1	-	6	-	4	-	1	-	-	-	-	-	-	3
70-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
75-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
80-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
85 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1

Causes of death	E860 Accident to personnel in military aircraft		E862-E866* E861 Injury to occupant by accident to commercial 'transport' aircraft		ACCIDENTAL POISONING E870-E888 Accidental poisoning by solid and liquid substances		E870* E871 by barbituric acid and derivatives		E872 by aspirin and salicylates		E873* E874 by other analgesic and soporific drugs		E875, E876, E877* E878 by other and unspecified drugs		E879* E880 by alcohol	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**15**	-	**49**	**28**	**369**	**499**	**257**	**374**	**14**	**24**	**33**	**42**	**26**	**40**	**14**	5
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-	-	-	1	2	9	15	1	-	3	3	3	4	1	5	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-	-	-	-	-	1	1	-	-	-	-	-	-	1	1	-	-
15-	2	-	-	-	9	9	4	6	-	-	1	2	2	-	-	-
20-	4	-	7	6	16	17	8	5	-	1	3	2	3	5	-	-
25-	3	-	5	4	11	11	7	8	-	1	1	2	1	-	-	-
30-	1	-	6	2	15	28	8	19	-	1	1	2	2	2	3	2
35-	2	-	5	3	22	37	11	25	-	1	3	5	2	5	2	-
40-	1	-	7	1	43	51	33	44	1	-	3	3	2	4	1	-
45-	2	-	7	2	42	53	35	40	2	2	1	4	2	7	-	-
50-	-	-	-	1	41	40	27	31	2	1	8	4	2	-	1	2
55-	-	-	6	2	50	56	32	45	2	3	5	4	4	3	6	-
60-	-	-	4	2	37	57	35	44	-	4	-	4	-	4	1	1
65-	-	-	-	3	30	51	26	44	2	3	1	2	1	2	-	-
70-	-	-	1	-	25	33	18	30	1	1	2	1	1	1	-	-
75-	-	-	-	-	11	27	7	24	-	1	1	1	2	1	-	-
80-	-	-	-	-	4	8	4	6	-	1	-	1	-	-	-	-
85 and over	-	-	-	-	3	5	1	3	1	1	-	1	-	-	-	-

* **E844** Accident to pedestrian caused by other non-motor road vehicle - : **E852** Fall on stairs and ladders in water transport: Males 50,60,60,65: **E854** Falls on same level in water transport: Males 20,55,60: **E855** Unspecified falls in water transport - : **E856** Machinery accident in water transport: Males 40,40,45: **E858** Water transport accident of unspecified cause: Male 45: **E862** Other injury in commercial 'transport' aircraft - : **E863** Injury to occupant by accident to other specified aircraft: Males 20, 20,20,20,30,30,35,35,40,45,45,50: **E864** Aircraft accident at airfield to person not in aircraft: Males 45,45: **E865** Aircraft accident elsewhere to person not in aircraft - : **E866** Other and unspecified aircraft accidents: Males 30,35,35,35; Females 35, 85: **E870** Accidental poisoning by morphine and other opium derivatives: Males 20,20; Females 20,30,50,55: **E873** Accidental poisoning by bromides - : **E875** Accidental poisoning by sulfonamides: Female 20: **E876** Accidental poisoning by strychnine: Male 70: **E877** Accidental poisoning by belladonna, hyoscine, and atropine - : **E879** Accidental poisoning by noxious foodstuffs - .

TABLE 17 - *continued*

Causes of death	ACCIDENTAL POISONING E881-E887* E888 by other and unspecified solid and liquid substances		E890-E895 Accidental poisoning by gases and vapours		E890 by utility (illuminating) gas		E891 by motor vehicle exhaust gas		E892 by other carbon monoxide gas		E893, E895* E894 by other specified gases and vapours		E900-E904 Accidental falls		E900 Fall on stairs	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**10**	-	**329**	**373**	**275**	**341**	**11**	**2**	**27**	**29**	**13**	-	**1,722**	**3,501**	**310**	**439**
0-	-	-	2	2	1	2	-	-	1	-	-	-	8	11	1	1
1-	-	-	2	3	1	2	-	-	-	1	1	-	35	21	7	3
5-	-	-	1	2	1	2	-	-	-	-	-	-	14	1	2	-
10-	-	-	5	5	4	3	-	-	1	2	-	-	17	2	-	-
15-	1	-	13	8	6	7	2	-	1	1	3	-	31	3	3	-
20-	-	-	13	2	11	2	-	-	-	-	2	-	42	6	1	-
25-	1	-	6	4	5	3	-	-	-	1	1	-	28	1	2	-
30-	1	-	9	4	8	4	-	-	1	-	-	-	34	4	1	1
35-	2	-	10	3	7	1	1	-	2	1	-	-	32	8	4	2
40-	2	-	12	3	8	3	2	-	-	-	1	-	57	5	6	1
45-	1	-	15	8	12	7	1	-	1	1	1	-	69	13	19	8
50-	-	-	18	11	15	8	2	1	1	2	-	-	58	30	14	9
55-	-	-	29	16	20	16	3	-	5	-	1	-	87	45	27	20
60-	-	-	37	21	31	16	-	-	3	5	2	-	115	77	32	24
65-	-	-	23	33	20	28	-	1	2	4	1	-	127	181	42	36
70-	-	-	21	48	19	47	-	-	2	1	-	-	155	327	27	51
75-	1	-	49	65	44	61	-	-	5	4	-	-	202	579	36	88
80-	-	-	33	69	32	67	-	-	1	2	-	-	279	884	49	98
85 and over	1	-	31	66	30	62	-	-	1	4	-	-	332	1,303	37	97

Causes of death	E901 Fall from ladders		E902 Other falls from one level to another		E903 Fall on same level		E904 Unspecified falls		E910-E936 Other accidents		†E910 Blow from falling or projected object or missile		E911 Accident caused by vehicle		E912 Accident caused by machinery	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**71**	**8**	**422**	**196**	**634**	**2,006**	**285**	**852**	**2,436**	**1,225**	**228**	**39**	**72**	-	**193**	3
0-	-	-	6	8	-	-	1	2	292	211	-	-	-	-	-	-
1-	-	-	27	15	1	2	-	1	169	111	2	3	-	-	1	2
5-	-	-	11	1	1	-	-	-	182	78	18	8	-	-	11	1
10-	1	-	14	-	2	1	-	1	127	47	29	12	-	-	6	-
15-	5	-	18	1	3	1	2	1	184	19	11	1	5	-	13	-
20-	2	-	34	4	-	1	5	1	151	11	14	-	7	-	8	-
25-	3	-	20	-	1	1	2	-	107	13	16	1	4	-	16	-
30-	3	-	24	-	1	2	5	1	101	25	21	2	9	-	16	-
35-	5	-	17	3	3	2	3	1	104	26	21	-	6	-	14	-
40-	5	-	33	-	9	4	4	-	112	22	20	-	4	-	11	-
45-	9	-	29	2	9	2	3	1	125	31	19	1	11	-	21	-
50-	6	-	22	2	15	11	1	8	139	49	20	4	5	-	27	-
55-	4	-	31	5	17	13	8	7	154	50	17	1	9	-	23	-
60-	13	-	24	3	28	39	18	11	140	66	16	2	9	-	18	-
65-	7	3	23	15	41	89	14	38	107	65	3	-	2	-	6	-
70-	5	3	21	17	77	174	25	82	71	87	1	1	-	-	1	-
75-	2	1	18	23	98	349	48	118	62	109	-	-	1	-	1	-
80-	1	-	21	39	143	513	65	234	56	100	-	1	-	-	-	-
85 and over	-	1	29	58	185	802	81	345	53	105	-	2	-	-	-	-

* **E881** Accidental poisoning by petroleum products - : **E882** Accidental poisoning by industrial solvents: Males 35,40,50; Females 20,30: **E883** Accidental poisoning by corrosive aromatics, acids and caustic alkalis: Males 25,35,45,60,70,70; Females 20, 35,50: **E884** Accidental poisoning by mercury and its compounds: Male 55: **E885** Accidental poisoning by lead and its compounds: Male 1; Females 1,1,1,15: **E886** Accidental poisoning by arsenic and antimony, and their compounds: Male 15: **E887** Accidental poisoning by fluorides - : **E893** Accidental poisoning by cyanide gas - : **E895** Accidental poisoning by unspecified gases and vapours: Males 15,40,60; Female 35.

† **E910** Includes 24 male and 24 female deaths resulting from the Aberfan disaster of 1966 which were registered in 1967.

TABLE 17 - *continued*

Causes of death	E913 Accident caused by cutting and piercing instruments		E914 Accident caused by electric current		E915 Accident caused by explosion of pressure vessel		E916 Accident caused by fire and explosion of combustible material		E917 Accident caused by hot substance, corrosive liquid and steam		E918* E919 Accident caused by firearm		E920* E921 Inhalation and ingestion of food causing obstruction or suffocation		E922 Inhalation and ingestion of other object causing obstruction or suffocation	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**20**	**12**	**102**	**18**	**8**	**1**	**306**	**391**	**45**	**35**	**55**	**8**	**291**	**208**	**19**	**1**
0-	-	-	1	1	-	-	7	6	4	1	-	-	148	94	8	-
1-	1	1	9	2	-	-	45	46	3	3	-	-	23	9	4	1
5-	3	1	5	-	-	-	14	18	1	-	3	-	1	2	2	-
10-	3	-	7	1	-	-	4	6	-	-	5	2	1	2	-	-
15-	3	1	20	1	1	-	5	4	-	-	12	1	10	2	-	-
20-	2	1	9	1	3	-	14	2	1	-	6	1	9	3	-	-
25-	1	1	10	-	1	-	3	3	-	-	3	-	6	1	-	-
30-	1	-	10	2	-	-	5	11	1	-	4	1	3	3	1	-
35-	1	1	5	2	-	-	11	4	3	1	2	2	7	5	1	-
40-	1	-	6	-	-	-	9	5	3	-	7	-	13	6	-	-
45-	1	-	6	1	1	-	13	8	2	-	2	1	9	5	-	-
50-	2	1	6	1	-	-	20	15	2	-	3	-	9	8	-	-
55-	-	1	3	-	-	-	17	12	3	1	2	-	10	14	-	-
60-	-	2	1	-	2	-	20	20	2	2	2	-	12	9	1	-
65-	-	1	1	2	-	1	26	18	3	3	2	-	13	9	1	-
70-	-	1	-	1	-	-	22	38	3	5	2	-	5	8	-	-
75-	-	-	2	1	-	-	21	62	7	4	-	-	10	5	-	-
80-	1	-	1	1	-	-	25	61	2	7	-	-	2	12	-	-
85 and over	-	-	-	1	-	-	25	52	5	8	-	-	-	11	1	-

Causes of death	E923 Foreign body entering other orifice		E924 Accidental mechanical suffocation in bed and cradle		†E925 Accidental mechanical suffocation in other and unspecified circumstances		E926 Lack of care of infants under 1 year of age		E927* E928 Other accidents caused by animals		E929 Accidental drowning and submersion		E930, E931* E932 Excessive cold		E933 Hunger, thirst and exposure	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**15**	**17**	**79**	**74**	**83**	**63**	**24**	**21**	**7**	**5**	**626**	**167**	**28**	**29**	**29**	**15**
0-	-	-	77	66	4	4	24	21	-	-	2	3	1	-	-	-
1-	-	-	1	7	3	3	-	-	-	-	59	21	-	-	-	-
5-	1	-	-	-	27	27	-	-	-	-	92	17	-	-	-	-
10-	1	-	-	-	23	14	-	-	-	-	31	10	-	-	-	-
15-	-	-	-	-	9	-	-	-	-	-	66	6	-	-	1	-
20-	-	-	-	-	4	1	-	-	-	-	55	1	2	-	1	-
25-	-	2	1	-	3	2	-	-	-	1	32	2	1	-	1	-
30-	1	2	-	-	1	1	-	-	-	-	22	2	-	-	1	-
35-	1	-	-	-	1	1	-	-	-	-	24	4	-	1	1	-
40-	1	-	-	-	1	2	-	-	1	-	22	4	-	-	3	-
45-	2	2	-	-	1	-	-	-	-	-	20	7	2	1	2	1
50-	-	-	-	-	1	1	-	-	2	-	29	11	1	-	1	2
55-	2	-	-	-	2	1	-	-	-	-	43	12	1	1	5	2
60-	2	2	-	-	1	1	-	-	-	-	39	18	4	4	2	-
65-	1	3	-	-	1	1	-	-	1	2	30	12	5	2	2	1
70-	3	2	-	-	-	3	-	-	1	2	28	13	2	2	3	5
75-	-	1	-	1	1	-	-	-	1	-	13	15	2	8	1	1
80-	-	1	-	-	-	-	-	-	1	-	11	4	1	3	3	1
85 and over	-	2	-	-	-	1	-	-	-	-	8	5	6	7	2	2

* E918 Accident caused by radiation - : E920 Foreign body entering eye and adnexa - : E927 Accidents caused by bites and stings of venomous animals and insects: Male 60; Females 35,40,40,55,60: E930 High and low air pressure - : E931 Excessive heat and insolation - .

† E925 Includes 48 male and 48 female deaths resulting from the Aberfan disaster of 1966 which were registered in 1967.

TABLE 17 - *continued*

Causes of death	E934* E935 Lightning		E936 Other and unspecified accidents		E940-E946* E940-E946 Complications due to non-therapeutic medical and surgical procedures		E950-E959 Therapeutic misadventure and late complications of therapeutic procedures		E950 Therapeutic misadventure in surgical treatment		E951-E959* E960-E965 Late effects of injury and poisoning		E960 Late effect of motor vehicle accident		E961* E962 Late effect of other accidental injury	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**6**	**-**	**199**	**113**	**2**	**7**	**24**	**23**	**1**	**1**	**91**	**18**	**17**	**6**	**51**	**11**
0-	-	-	16	15	1	-	2	1	-	-	-	-	-	-	-	-
1-	-	-	18	13	1	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	4	4	-	-	1	-	-	-	1	-	1	-	-	-
10-	-	-	17	-	-	-	-	1	-	-	-	-	-	-	-	-
15-	-	-	28	3	-	-	-	1	-	-	4	-	1	-	3	-
20-	1	-	15	1	-	2	-	2	-	-	2	-	-	-	2	-
25-	1	-	8	-	-	1	-	-	-	-	3	-	-	-	3	-
30-	1	-	4	1	-	3	-	-	-	-	4	-	2	-	2	-
35-	1	-	5	4	-	-	1	2	1	-	3	-	1	-	2	-
40-	-	-	10	3	-	-	1	2	-	-	5	-	1	-	2	-
45-	1	-	12	4	-	1	1	1	-	-	10	1	1	-	6	1
50-	1	-	10	6	-	-	2	1	-	-	11	4	3	3	4	1
55-	-	-	17	4	-	-	2	-	-	-	11	-	2	-	8	-
60-	-	-	8	5	-	-	4	5	-	-	11	3	3	1	6	1
65-	-	-	10	10	-	-	3	2	-	-	8	2	1	-	6	2
70-	-	-	-	6	-	-	3	3	-	1	9	-	1	-	3	-
75-	-	-	2	11	-	-	3	1	-	-	6	2	-	1	2	1
80-	-	-	9	9	-	-	1	1	-	-	2	5	-	1	1	4
85 and over	-	-	6	14	-	-	-	-	-	-	1	1	-	-	1	1

Causes of death	E963, E964* E965 Late effects of injuries due to war operations		E970-E979 Suicide and self-inflicted injury		E970 Suicide and self-inflicted poisoning by analgesic and soporific substances		E971 Suicide and self-inflicted poisoning by other solid and liquid substances		E972 Suicide and self-inflicted poisoning by gases in domestic use		E973 Suicide and self-inflicted poisoning by other gases		E974 Suicide and self-inflicted injury by hanging and strangulation		E975 Suicide and self-inflicted injury by submersion (drowning)	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**21**	**-**	**2,736**	**1,975**	**701**	**1,046**	**58**	**35**	**812**	**524**	**149**	**13**	**428**	**104**	**151**	**130**
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-	-	-	3	-	-	-	-	-	-	-	-	-	1	-	-	-
15-	-	-	74	39	16	20	3	1	24	10	4	1	11	1	-	-
20-	-	-	147	80	33	39	4	3	55	25	12	1	10	5	7	1
25-	-	-	197	73	43	35	6	-	74	23	15	-	23	4	3	2
30-	-	-	150	81	36	48	2	1	42	12	14	-	22	2	5	7
35-	-	-	182	92	54	48	5	3	42	23	18	-	28	4	2	4
40-	1	-	244	170	78	109	4	2	70	28	24	1	30	10	4	9
45-	3	-	253	202	74	118	2	4	75	46	15	-	36	11	13	12
50-	4	-	256	205	69	119	6	2	85	47	9	1	41	7	15	13
55-	1	-	325	218	89	104	7	3	89	59	10	5	60	11	19	20
60-	1	-	300	231	76	117	7	6	82	66	18	-	43	15	27	18
65-	1	-	256	195	66	98	5	4	68	59	4	1	49	12	21	14
70-	5	-	142	178	28	91	5	3	38	57	2	-	29	8	15	16
75-	4	-	116	116	29	52	-	2	36	35	3	2	15	10	12	11
80-	1	-	58	69	5	33	2	-	22	26	1	1	16	3	6	2
85 and over	-	-	33	26	5	15	-	1	10	8	-	-	14	1	2	1

* E934 Cataclysm - : E940 Generalized vaccinia following vaccination: Female 20: E941 Postvaccinal encephalitis - : E942 Other complications of smallpox vaccination - : E943 Post-immunization jaundice and hepatitis - : E944 Other complications of prophylactic inoculation: Males 0,1: E945 Complications of anaesthesia for non-therapeutic purpose - : E946 Other complications due to non-therapeutic medical and surgical procedures: Females 20,25,30,30,30,45: E951 Therapeutic misadventure in infusion or transfusion: Males 0,45,70,70,75; Females 0,20,40,45,60: E952 Therapeutic misadventure in local applications: Male 60; Female 60: E953 Therapeutic misadventure in administration of drugs or biologicals: Males 40,50,55,55,60,60,60,65,65,65,70,75,75,80; Females 10,20,35,40,50,60,60,60,65,65,70,70,80: E954 Therapeutic misadventure in anaesthesia: Male 5; Female 35: E955 Other and unspecified therapeutic misadventure: Males 0,50; Females 15,75: E956 Late complication of surgical operation - : E957 Late complication of amputation stump - : E958 Late complication of irradiation - : E959 Late complication of other forms of treatment - : E961 Late effect of accidental poisoning: Male 40; Female 60: E963 Late effect of self-inflicted injury - : E964 Late effect of injury purposely inflicted by another person: Male 60.

TABLE 17 - *continued*

Causes of death	E976 Suicide and self-inflicted injury by firearms and explosives		E977 Suicide and self-inflicted injury by cutting and piercing instruments		E978 Suicide and self-inflicted injury by jumping from high place		E979 Suicide and self-inflicted injury by other and unspecified means		E980-E985 Homicide and injury purposely inflicted by other persons (not in war)		E980 Non-accidental poisoning by another person		E981 Assault by firearm and explosive		E982 Assault by cutting and piercing instruments	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**179**	**14**	**69**	**16**	**70**	**38**	**119**	**55**	**172**	**160**	**9**	**16**	**27**	**21**	**45**	**25**
0-	-	-	-	-	-	-	-	-	23	20	-	3	-	-	1	1
1-	-	-	-	-	-	-	-	-	14	14	4	4	1	-	2	1
5-	-	-	-	-	-	-	-	-	4	10	1	1	-	3	2	1
10-	2	-	-	-	-	-	-	-	5	1	-	-	1	1	2	-
15-	10	1	1	-	2	1	3	4	13	14	-	2	1	1	6	-
20-	14	1	1	-	1	-	10	5	21	20	1	1	4	2	8	7
25-	16	2	1	2	4	1	12	4	17	7	1	-	1	1	4	2
30-	11	1	1	-	6	3	11	7	17	6	-	-	8	2	5	-
35-	13	-	4	1	5	2	11	7	10	11	-	-	2	4	2	2
40-	13	4	5	-	7	3	9	4	15	9	1	-	2	3	7	2
45-	15	1	6	1	2	6	15	3	7	11	-	-	3	-	1	3
50-	15	3	3	3	3	4	10	6	7	5	-	-	1	2	2	1
55-	17	1	12	4	9	4	13	7	3	5	-	-	1	-	1	2
60-	18	-	9	2	11	5	9	2	6	1	1	-	-	1	1	-
65-	14	-	12	-	8	4	9	3	4	5	-	-	2	-	-	2
70-	12	-	7	1	3	1	3	1	2	7	-	2	-	1	-	-
75-	7	-	5	1	8	1	1	2	2	4	-	1	-	-	-	-
80-	2	-	-	1	1	3	3	-	1	7	-	1	-	-	1	1
85 and over	-	-	2	-	-	-	-	-	1	3	-	1	-	-	-	-

Causes of death	E983 Assault by other means		E984* E985 Execution		E990-E999* E990-E999 Injury resulting from operations of war		XVII N800-N999 Alternative classification of accidents, poisonings and violence (nature of injury)		FRACTURES N800-N809 Fracture of skull, spine and trunk		FRACTURES N800 of vault of skull		FRACTURES N801 of base of skull		FRACTURES N802 of face bones	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**91**	**98**	-	-	**1**	-	**13,260**	**10,137**	**3,761**	**1,803**	**42**	**14**	**383**	**153**	**16**	**16**
0-	22	16	-	-	-	-	**333**	**254**	17	23	1	1	-	-	-	-
1-	7	9	-	-	-	-	**425**	**256**	151	65	2	3	13	8	-	-
5-	1	5	-	-	-	-	**400**	**176**	122	45	1	-	20	5	-	-
10-	2	-	-	-	-	-	**316**	**128**	123	51	3	-	13	7	-	-
15-	6	11	-	-	1	-	**1,155**	**323**	478	134	6	-	56	21	3	1
20-	8	10	-	-	-	-	**1,111**	**269**	413	67	6	-	53	7	2	-
25-	11	4	-	-	-	-	**732**	**184**	216	42	3	-	21	9	-	1
30-	4	4	-	-	-	-	**591**	**211**	170	38	-	-	17	5	-	1
35-	6	5	-	-	-	-	**626**	**247**	176	47	-	-	22	2	1	-
40-	5	4	-	-	-	-	**734**	**329**	182	35	1	1	20	4	1	1
45-	3	8	-	-	-	-	**841**	**418**	216	63	2	-	31	7	2	-
50-	4	2	-	-	-	-	**794**	**463**	204	86	3	-	17	11	-	2
55-	1	3	-	-	-	-	**958**	**544**	246	97	1	1	25	9	1	1
60-	4	-	-	-	-	-	**978**	**626**	253	111	5	-	21	5	1	1
65-	2	3	-	-	-	-	**807**	**726**	201	140	3	2	16	12	3	-
70-	2	4	-	-	-	-	**629**	**922**	169	188	2	2	19	17	-	-
75-	2	3	-	-	-	-	**677**	**1,146**	162	204	2	2	4	13	-	3
80-	-	5	-	-	-	-	**605**	**1,319**	141	202	1	2	5	3	2	4
85 and over	1	2	-	-	-	-	**548**	**1,596**	121	165	-	-	10	8	-	1

* E984 Injury by intervention of police - : E990 Injury due to war operations by gas and chemicals - : E991 Injury due to war operations by gunshot: Male 15: E992 Injury due to war operations by grenade and land mine - : E993 Injury due to war operations by bomb - : E994 Injury due to war operations by marine mine, depth charge, and torpedo - : E995 Injury due to war operations by explosion of artillery shell - : E996 Injury due to war operations by explosion of undetermined origin - : E997 Injury due to war operations by aircraft destruction - : E998 Injury due to war operations by other and unspecified means - : E999 Injury due to war operations but occurring after cessation of hostilities - .

TABLE 17 - *continued*

Causes of death	FRACTURES N803 Other and unqualified skull fractures		N804 Multiple fractures involving skull or face with other bones		N805 Fracture and fracture dislocation of vertebral column, without mention of spinal cord lesion		N806 Fracture and fracture dislocation of vertebral column with spinal cord lesion		N807 of rib(s), sternum and larynx		N808 of pelvis		N809 Multiple and ill-defined fractures of trunk		N810-N819 Fracture of upper limb	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**1,671**	**662**	**859**	**355**	**275**	**141**	**60**	**23**	**153**	**98**	**111**	**155**	**191**	**186**	**57**	**119**
0-	13	21	1	1	1	-	-	-	1	-	-	-	-	-	1	-
1-	97	41	21	11	10	2	3	-	-	-	1	-	4	-	-	1
5-	64	23	18	8	9	4	5	2	1	1	-	-	4	2	-	-
10-	73	25	26	12	6	3	1	-	-	-	-	2	1	2	1	-
15-	252	74	117	19	21	8	5	1	2	2	9	2	7	6	2	-
20-	201	35	105	18	19	2	5	-	7	2	1	1	14	2	2	-
25-	100	20	63	11	13	1	3	-	3	-	3	-	7	-	-	1
30-	80	18	49	10	11	1	3	-	4	1	3	1	3	1	-	-
35-	82	26	51	12	8	2	2	1	2	1	1	-	7	3	1	-
40-	86	15	45	5	8	5	3	1	3	-	4	-	11	3	2	-
45-	81	26	47	13	26	7	5	2	4	-	6	2	12	6	2	-
50-	92	32	51	18	19	6	-	2	6	5	7	5	9	5	1	-
55-	105	40	62	27	21	6	6	3	10	3	7	3	8	4	2	2
60-	95	33	58	35	23	12	5	2	17	4	7	8	21	11	6	5
65-	74	46	31	30	19	9	4	3	19	3	9	9	23	26	5	4
70-	51	49	39	44	14	13	2	4	19	9	7	20	16	30	3	17
75-	56	55	36	39	20	17	4	-	13	19	8	25	19	31	9	24
80-	38	57	21	27	16	25	1	1	21	21	19	34	17	28	9	29
85 and over	31	26	18	15	11	18	3	1	21	27	19	43	8	26	11	36

Causes of death	FRACTURES N810 of clavicle		N812 of humerus		N813 of radius and ulna		N814 of carpal bone(s)		N818 Other, multiple and ill-defined fractures of upper limb		N819 Multiple fractures involving both upper limbs and upper limb with rib(s) and sternum		N820-N829 Fracture of lower limb		N820 of neck of femur	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**3**	**4**	**25**	**70**	**3**	**11**	-	**6**	**3**	**8**	**22**	**20**	**936**	**2,811**	**396**	**1,509**
0-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
1-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-	-
10-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-
15-	-	-	1	-	-	-	-	-	-	-	1	-	9	5	-	-
20-	1	-	-	-	-	-	-	-	1	-	-	-	11	1	-	1
25-	-	-	-	-	-	-	-	-	-	-	-	1	8	2	-	-
30-	-	-	-	-	-	-	-	-	-	-	-	-	6	-	1	-
35-	-	-	-	-	-	-	-	-	1	-	-	-	9	3	-	-
40-	-	-	1	-	-	-	-	-	-	-	1	-	8	3	2	-
45-	-	-	-	-	-	-	-	-	-	-	2	-	16	2	1	-
50-	-	-	-	-	-	-	-	-	-	-	1	-	12	13	1	2
55-	-	-	1	1	1	-	-	-	-	1	-	-	28	17	8	7
60-	-	-	1	3	-	-	-	-	-	-	5	2	45	55	8	19
65-	1	-	-	2	-	-	-	-	-	-	4	2	56	130	26	49
70-	-	-	3	8	-	3	-	-	-	1	-	5	107	251	46	124
75-	1	-	3	15	-	3	-	2	-	1	4	3	161	461	68	245
80-	-	4	5	15	1	2	-	2	1	2	2	4	216	753	114	412
85 and over	-	-	9	26	-	3	-	2	-	2	2	3	239	1,112	121	650

TABLE 17 - *continued*

Causes of death	FRACTURES															
	N821 of other and unspecified parts of femur		N822 of patella		N823 of tibia and fibula		N824 of ankle		N825 of one or more tarsal and metatarsal bones		N826 of one or more phalanges of foot		N827 Other, multiple and ill-defined fractures of lower limb		N828 Multiple fractures involving both lower limbs, lower with upper limb and lower limb(s) with rib(s) and sternum	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**326**	**1,043**	**6**	**13**	**56**	**69**	**9**	**31**	**-**	**1**	**-**	**-**	**28**	**29**	**94**	**97**
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-
10-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
15-	4	1	-	-	-	2	-	-	-	-	-	-	1	-	3	-
20-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	5	-
25-	2	1	-	-	2	-	-	-	-	-	-	-	1	1	2	-
30-	1	-	-	-	1	-	-	-	-	-	-	-	2	-	1	-
35-	3	-	1	1	-	-	-	-	-	-	-	-	1	-	4	2
40-	3	-	1	-	-	-	-	2	-	-	-	-	-	-	2	1
45-	4	-	-	-	1	-	-	1	-	-	-	-	4	-	4	1
50-	4	2	1	1	2	6	-	-	-	-	-	-	1	-	3	2
55-	5	6	-	1	4	-	2	-	-	-	-	-	3	1	5	2
60-	11	18	-	-	7	3	2	6	-	-	-	-	4	-	11	5
65-	16	50	-	1	5	9	1	5	-	1	-	-	-	4	6	10
70-	34	89	1	2	10	6	1	5	-	-	-	-	3	7	12	18
75-	60	175	1	2	10	15	-	3	-	-	-	-	4	4	14	14
80-	75	290	1	3	6	13	2	7	-	-	-	-	3	3	12	20
85 and over	102	411	-	2	5	14	1	2	-	-	-	-	1	8	8	22

Causes of death	FRACTURES N829 of unspecified bones		N830-N839 Dislocation without fracture		N840-N848 Sprains and strains of joints and adjacent muscles		N850-N856 Head injury (excluding skull fracture)		N850, N851 Open wound, contusion and haematoma of scalp		N852 Concussion		N853 Cerebral laceration and contusion		N854 Subarachnoid, subdural, and extradural haemorrhage following injury (without mention of cerebral laceration or contusion)	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**21**	**19**	**31**	**20**	**7**	**2**	**876**	**488**	**22**	**17**	**36**	**29**	**326**	**151**	**125**	**127**
0-	-	-	-	-	-	-	12	15	-	-	-	-	1	3	6	8
1-	1	-	1	-	-	-	40	26	1	-	5	1	12	8	6	3
5-	1	1	3	-	-	-	36	24	-	1	3	1	18	15	2	2
10-	-	-	-	-	-	-	28	9	2	-	-	1	12	4	2	1
15-	1	2	1	1	-	-	108	27	2	1	3	2	51	12	6	2
20-	2	-	1	2	-	-	101	12	1	-	-	-	49	3	5	2
25-	1	-	2	2	1	-	47	8	-	-	3	-	20	4	2	1
30-	-	-	2	1	-	1	48	3	-	-	2	1	21	1	3	1
35-	-	-	2	-	-	-	41	10	2	-	3	-	13	1	2	1
40-	-	-	1	-	-	-	36	9	-	-	-	-	17	4	3	-
45-	2	-	4	3	-	-	42	17	1	1	1	3	13	6	4	3
50-	-	-	2	1	-	-	40	18	-	1	2	-	9	6	4	4
55-	1	-	1	2	1	-	37	25	1	-	2	-	12	8	8	8
60-	2	4	5	-	2	-	57	30	1	-	1	5	20	9	10	7
65-	2	1	3	1	-	-	54	43	4	1	3	3	17	10	10	15
70-	-	-	-	1	-	1	37	49	1	2	2	4	14	12	12	16
75-	4	3	1	2	1	-	45	65	1	2	1	5	13	17	19	20
80-	3	5	1	1	1	-	40	47	2	4	2	-	7	14	14	19
85 and over	1	3	1	3	1	-	27	51	3	4	3	3	7	14	7	14

TABLE 17 - *continued*

Causes of death	N855 Other and unspecified intracranial haemorrhage following injury (without mention of cerebral laceration or contusion)		N856 Head injury of other and unspecified nature		N860-N869 Internal injury of chest, abdomen and pelvis		N860 Traumatic pneumothorax and haemothorax		N861 Injury to heart and lung		N862 Injury to other and unspecified intrathoracic organs		N863 Injury to gastro-intestinal tract		N864 Injury to liver	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**68**	**55**	**299**	**109**	**1,894**	**559**	**114**	**32**	**276**	**77**	**594**	**157**	**41**	**21**	**105**	**36**
0-	3	2	2	2	5	3	-	-	-	1	2	-	1	-	1	-
1-	2	7	14	7	39	25	2	-	4	4	4	-	3	2	5	2
5-	2	-	11	5	62	22	2	-	4	-	10	1	3	1	10	5
10-	5	-	7	3	46	10	1	3	9	-	7	1	-	1	4	-
15-	9	2	37	8	250	59	14	2	37	7	61	16	4	-	22	6
20-	6	1	40	6	238	48	14	-	31	8	73	14	3	1	14	4
25-	5	2	17	1	153	21	6	-	22	1	59	6	2	-	7	1
30-	5	-	17	-	121	22	2	1	21	5	52	3	3	-	8	2
35-	2	-	19	8	112	16	2	1	16	4	46	4	1	-	4	1
40-	1	3	15	2	123	30	10	3	17	10	51	7	2	1	3	1
45-	6	1	17	3	149	28	11	-	14	6	49	9	6	-	8	3
50-	3	1	22	6	122	31	8	4	16	-	37	12	1	2	2	3
55-	4	1	10	8	132	45	8	4	31	4	41	17	2	-	7	3
60-	3	2	22	7	122	42	13	1	16	5	34	18	4	4	5	-
65-	3	3	17	11	77	45	6	2	12	7	25	18	1	1	3	2
70-	-	7	8	8	52	39	3	3	10	7	14	13	3	3	-	-
75-	1	9	10	12	39	35	4	3	10	4	12	8	-	2	-	2
80-	5	4	10	6	33	23	5	4	5	1	10	7	1	1	-	1
85 and over	3	10	4	6	19	15	3	1	1	3	7	3	1	2	2	-

Causes of death	N865 Injury to spleen		N866 Injury to kidney		N867 Injury to pelvic organs		N868 Injury to other and unspecified intra-abdominal organs		N869 Internal injury, unspecified or involving intrathoracic with intra-abdominal organs		N870-N879 Laceration and open wound of face, neck and trunk		N874 Open wound of neck		N875 Open wound of chest	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**38**	**28**	**10**	**2**	**16**	**11**	**155**	**41**	**545**	**154**	**131**	**36**	**90**	**26**	**6**	**2**
0-	-	-	-	-	-	-	-	1	1	1	-	1	-	1	-	-
1-	1	3	2	-	-	-	6	4	12	10	3	1	2	-	-	1
5-	2	2	2	-	1	-	10	2	18	11	6	1	4	1	-	-
10-	2	-	-	-	-	-	5	2	18	3	1	-	1	-	-	-
15-	5	6	3	-	1	1	31	6	72	15	5	2	2	2	1	-
20-	6	2	-	-	1	1	22	5	74	13	9	2	4	-	1	1
25-	-	1	1	2	1	-	13	2	42	8	8	5	5	5	-	-
30-	-	2	-	-	1	1	1	2	33	6	7	1	3	-	1	-
35-	3	1	-	-	-	-	8	-	32	5	9	2	7	1	2	-
40-	1	-	-	-	-	1	7	1	32	6	8	2	5	1	-	-
45-	3	1	1	-	1	-	9	1	47	8	13	-	8	-	1	-
50-	2	1	-	-	3	-	11	2	42	7	7	3	4	2	-	-
55-	6	2	-	-	1	2	8	2	28	11	12	4	9	4	-	-
60-	2	1	-	-	2	-	6	2	40	11	11	4	11	4	-	-
65-	3	2	-	-	-	1	5	3	22	9	12	1	11	1	-	-
70-	1	1	-	-	2	2	5	2	14	8	8	3	6	2	-	-
75-	1	3	-	-	1	1	3	-	8	12	6	2	4	1	-	-
80-	-	-	1	-	-	1	5	2	6	6	4	1	3	1	-	-
85 and over	-	-	-	-	1	-	-	2	4	4	2	1	1	-	-	-

TABLE 17 - *continued*

Causes of death	Rem. of N870-N879 Open wound of other sites of face, neck and trunk		N880-N888 Laceration and open wound of upper limb		N890-N898 Laceration and open wound of lower limb		N900-N908 Laceration and open wounds of multiple location		N910-N918 Superficial injury		N920-N929 Contusion and crushing with intact skin surface		N930-N936 Effects of foreign body entering through orifice		N933 Foreign body in pharynx and larynx	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**35**	**8**	**15**	**7**	**16**	**20**	**167**	**64**	**2**	**3**	**10**	**25**	**325**	**219**	**313**	**210**
0-	-	-	-	-	-	-	-	-	-	-	-	-	156	93	156	93
1-	1	-	1	-	-	-	3	1	-	-	-	-	28	10	26	9
5-	2	-	-	-	1	-	1	1	-	-	-	-	4	2	2	2
10-	-	-	-	-	3	-	1	1	-	-	-	-	2	2	2	2
15-	2	-	-	-	2	1	25	8	-	-	-	-	10	2	10	2
20-	4	1	3	-	-	1	13	3	-	-	-	-	10	3	10	3
25-	3	-	-	-	1	-	17	3	-	-	-	-	7	2	7	1
30-	3	1	1	-	1	-	12	4	-	-	1	-	5	5	5	3
35-	-	1	2	1	-	1	8	1	-	-	-	-	9	5	6	5
40-	3	1	1	-	-	-	10	3	-	-	-	2	13	6	13	6
45-	4	-	2	1	2	1	9	7	-	-	-	1	11	6	9	6
50-	3	1	-	1	-	3	19	3	-	-	-	-	9	8	9	8
55-	3	-	3	1	2	2	9	7	-	1	2	1	12	14	11	14
60-	-	-	-	-	2	-	14	4	1	-	1	-	14	10	14	9
65-	1	-	2	3	-	2	7	2	-	-	1	4	14	12	14	11
70-	2	1	-	-	-	4	5	3	-	-	-	3	7	9	5	9
75-	2	1	-	-	1	2	7	10	-	2	2	5	10	5	10	5
80-	1	-	-	-	-	3	6	1	-	-	1	5	3	13	3	12
85 and over	1	1	-	-	1	-	1	2	1	-	2	4	1	12	1	10

Causes of death	N934 Foreign body in bronchus and lung		N935 Foreign body in digestive tract		N936 Foreign body in genito-urinary tract		BURNS N940-N949 Burns		N941 confined to face, head and neck		N942 confined to trunk		N943 confined to upper limb(s), except wrist and hand		N945 confined to lower limb(s)	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**4**	**2**	**6**	**5**	**2**	**2**	**250**	**292**	**4**	**6**	**17**	**13**	**4**	**-**	**11**	**12**
0-	-	-	-	-	-	-	8	4	-	-	-	1	-	-	-	-
1-	1	1	1	-	-	-	17	29	1	1	-	-	-	-	-	-
5-	2	-	-	-	-	-	9	8	-	-	-	-	-	-	1	-
10-	-	-	-	-	-	-	1	4	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	6	2	1	-	-	-	-	-	-	-
20-	-	-	-	-	-	-	17	1	-	-	-	-	-	-	-	-
25-	-	-	-	-	-	1	2	2	-	-	-	-	-	-	-	-
30-	-	-	-	1	-	1	5	5	-	-	-	-	-	-	-	-
35-	-	-	3	-	-	-	9	6	-	-	-	-	-	-	-	-
40-	-	-	-	-	-	-	11	3	-	-	-	1	-	-	1	-
45-	-	-	1	-	1	-	12	5	1	-	-	-	-	-	-	-
50-	-	-	-	-	-	-	15	10	-	-	-	-	-	-	1	1
55-	-	-	1	-	-	-	18	11	-	1	-	-	1	-	-	-
60-	-	-	-	1	-	-	15	17	1	-	-	-	-	-	-	1
65-	-	-	-	1	-	-	19	16	-	-	2	-	1	-	1	1
70-	1	-	-	-	1	-	21	30	-	1	4	-	-	-	2	2
75-	-	-	-	-	-	-	24	49	-	1	4	2	2	-	2	-
80-	-	-	-	1	-	-	20	46	-	-	4	5	-	-	1	1
85 and over	-	1	-	1	-	-	21	44	-	2	3	4	-	-	2	6

TABLE 17 - *continued*

Causes of death	BURNS N946 involving face, head and neck, with limb(s)		N947 involving trunk with limb(s)		N948 involving face, head, and neck, with trunk and limb(s)		N949 involving other and unspecified parts		N950-N959 Injury to nerves and spinal cord, without bone injury		EFFECTS OF POISONING N960-N979 Effects of poisons		N960 by noxious foodstuffs		N961 by alcohol	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**11**	**8**	**39**	**59**	**92**	**93**	**72**	**101**	**41**	**25**	**2,559**	**2,662**	**-**	**-**	**15**	**8**
0-	-	-	1	-	4	2	3	1	-	-	5	7	-	-	-	-
1-	1	-	2	4	9	12	4	12	-	1	46	42	-	-	-	-
5-	-	-	2	1	2	4	4	3	2	-	8	13	-	-	-	-
10-	-	-	-	-	1	1	-	3	-	-	9	8	-	-	-	-
15-	1	-	-	-	1	-	3	2	2	-	71	53	-	-	-	-
20-	-	-	1	-	10	1	6	-	1	2	141	92	-	-	-	-
25-	-	-	-	1	1	-	1	1	-	-	158	76	-	-	-	-
30-	1	-	-	2	2	2	2	1	-	-	119	101	-	-	3	2
35-	-	-	-	1	5	1	4	4	3	-	156	118	-	-	2	-
40-	-	-	2	-	6	1	2	1	-	-	236	198	-	-	1	-
45-	1	-	3	-	5	2	2	3	1	3	231	232	-	-	-	-
50-	1	-	2	2	9	3	2	4	6	1	233	227	-	-	1	2
55-	1	1	3	3	5	2	8	4	5	1	280	248	-	-	6	-
60-	1	-	1	2	4	6	8	8	5	3	268	274	-	-	1	2
65-	1	-	1	4	6	3	7	8	5	4	209	252	-	-	-	1
70-	1	2	5	8	6	7	3	10	4	1	124	248	-	-	1	1
75-	-	2	5	12	4	14	7	18	2	3	133	201	-	-	-	-
80-	1	1	6	8	6	20	2	11	3	4	74	160	-	-	-	-
85 and over	1	2	5	11	6	12	4	7	2	2	58	112	-	-	-	-

Causes of death	EFFECTS OF POISONING N962 by petroleum products		N963 by industrial solvents		N964 by corrosive aromatics, acids, and caustic alkalis		N965 by mercury and its compounds		N966 by lead and its compounds		N967 by arsenic and antimony and their compounds		N968 by carbon monoxide		N969 by other gases and vapours	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**1**	**-**	**7**	**2**	**25**	**16**	**1**	**-**	**1**	**4**	**1**	**-**	**1,376**	**1,034**	**53**	**32**
0-	-	-	-	-	-	-	-	-	-	-	-	-	4	5	1	1
1-	-	-	-	-	-	-	-	-	1	3	-	-	27	23	10	4
5-	-	-	-	-	-	-	-	-	-	-	-	-	6	12	2	1
10-	-	-	-	-	-	-	-	-	-	-	-	-	8	7	-	-
15-	-	-	-	-	-	-	-	-	-	1	1	-	39	20	4	2
20-	-	-	-	1	-	1	-	-	-	-	-	-	83	29	5	1
25-	-	-	1	-	1	-	-	-	-	-	-	-	96	29	2	-
30-	-	-	-	1	-	-	-	-	-	-	-	-	66	21	-	1
35-	-	-	1	-	1	1	-	-	-	-	-	-	73	26	3	2
40-	-	-	2	-	1	-	-	-	-	-	-	-	105	34	4	-
45-	-	-	-	-	3	3	-	-	-	-	-	-	110	56	3	1
50-	-	-	1	-	3	2	-	-	-	-	-	-	117	66	-	-
55-	-	-	1	-	3	1	1	-	-	-	-	-	132	84	2	-
60-	-	-	1	-	3	4	-	-	-	-	-	-	144	91	3	1
65-	1	-	-	-	3	3	-	-	-	-	-	-	102	99	6	-
70-	-	-	-	-	4	-	-	-	-	-	-	-	64	117	2	4
75-	-	-	-	-	-	-	-	-	-	-	-	-	91	114	2	5
80-	-	-	-	-	1	-	-	-	-	-	-	-	62	113	1	6
85 and over	-	-	-	-	-	1	-	-	-	-	-	-	47	88	3	3

TABLE 17 - *continued*

Causes of death	EFFECTS OF POISONING															
	N970 by morphine and other opium derivatives		N971 by barbituric acid and derivatives		N972 by aspirin and salicylates		N973 by bromides		N974 by other analgesic and soporific drugs		N976 by strychnine		N977 by belladonna, hyoscine and atropine		N978 by venom	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**6**	**9**	**802**	**1,246**	**105**	**118**	**-**	**-**	**107**	**141**	**1**	**1**	**-**	**1**	**1**	5
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-	-	-	1	-	3	3	-	-	3	5	-	-	-	1	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	14	18	-	1	-	-	8	9	-	-	-	-	-	-
20-	2	1	33	40	2	2	-	-	10	9	-	-	-	-	-	-
25-	-	-	38	35	5	5	-	-	9	4	-	-	-	-	-	-
30-	-	1	40	60	2	4	-	-	4	7	-	-	-	-	-	-
35-	1	-	53	62	7	6	-	-	9	14	-	-	-	-	-	1
40-	-	1	91	135	15	7	-	-	11	17	-	-	-	-	-	2
45-	1	1	91	132	12	16	-	-	9	17	-	-	-	-	-	-
50-	-	2	86	126	10	16	-	-	11	12	-	-	-	-	-	-
55-	-	2	98	138	16	9	-	-	16	11	-	1	-	-	-	1
60-	1	-	96	144	8	15	-	-	5	13	-	-	-	-	1	1
65-	-	-	76	127	14	13	-	-	5	9	-	-	-	-	-	-
70-	-	1	42	110	4	11	-	-	3	3	1	-	-	-	-	-
75-	1	-	29	68	5	4	-	-	4	7	-	-	-	-	-	-
80-	-	-	9	37	-	2	-	-	-	2	-	-	-	-	-	-
85 and over	-	-	5	14	2	4	-	-	-	2	-	-	-	-	-	-

Causes of death	POISONING N979 by other and unspecified substances		N980-N989 Effects of weather, exposure and related conditions		N980 Effects of reduced temperature		N981 Effects of heat and insolation		N983 Caisson disease		N984 Effects of lightning		N985 Effects of hunger		N987 Effects of exposure, not elsewhere classified	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**55**	**42**	**64**	**45**	**27**	**29**	**-**	**-**	**-**	**-**	**6**	**-**	**2**	**1**	**28**	14
0-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
1-	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	5	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-
20-	6	7	4	-	2	-	-	-	-	-	1	-	-	-	1	-
25-	6	3	3	-	1	-	-	-	-	-	1	-	-	-	1	-
30-	4	4	2	-	-	-	-	-	-	-	1	-	-	-	1	-
35-	6	5	2	2	-	1	-	-	-	-	1	-	-	-	1	-
40-	6	2	3	-	-	-	-	-	-	-	-	-	1	-	2	-
45-	2	6	5	2	2	1	-	-	-	-	1	-	-	-	2	1
50-	4	1	3	2	1	-	-	-	-	-	1	-	-	-	1	2
55-	4	1	6	3	1	1	-	-	-	-	-	-	-	1	5	1
60-	2	3	6	4	4	4	-	-	-	-	-	-	-	-	2	-
65-	2	-	7	3	5	2	-	-	-	-	-	-	-	-	2	1
70-	3	1	5	7	2	2	-	-	-	-	-	-	-	-	3	5
75-	1	2	3	9	2	8	-	-	-	-	-	-	-	-	1	1
80-	1	-	4	4	1	3	-	-	-	-	-	-	-	-	3	1
85 and over	1	-	8	9	5	7	-	-	-	-	-	-	-	-	2	2

TABLE 17 - *continued*

Causes of death	N988 Effects of excessive exertion		N990-N999 Other and unspecified injuries and reactions		N990 Drowning		†N991 Asphyxia and strangulation		N992 Electrocution		N993 Injury due to radiation, except sunburn		N994 Other general effects of external causes		N995 Certain early complications of trauma	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**-**	**-**	**2,118**	**937**	**904**	**315**	**676**	**312**	**111**	**20**	**1**	**-**	**24**	**21**	**-**	2
0-	-	-	128	108	6	3	93	82	1	1	-	-	24	21	-	-
1-	-	-	94	55	63	23	16	23	9	3	-	-	-	-	-	-
5-	-	-	143	58	97	21	28	29	5	-	-	-	-	-	-	-
10-	-	-	100	42	41	15	39	14	7	1	-	-	-	-	-	-
15-	-	-	185	29	88	6	44	10	20	1	-	-	-	-	-	-
20-	-	-	147	35	84	4	23	13	9	1	-	-	-	-	-	-
25-	-	-	109	20	51	5	28	10	12	-	-	-	-	-	-	-
30-	-	-	91	30	35	9	26	5	10	2	-	-	-	-	-	-
35-	-	-	87	35	35	10	29	8	7	2	-	-	-	-	-	-
40-	-	-	100	38	30	14	34	15	6	1	-	-	-	-	-	-
45-	-	-	126	47	42	19	41	13	7	1	-	-	-	-	-	1
50-	-	-	121	56	48	24	42	12	9	1	-	-	-	-	-	-
55-	-	-	162	63	64	33	62	13	2	-	-	-	-	-	-	-
60-	-	-	151	67	68	36	45	16	3	-	1	-	-	-	-	-
65-	-	-	135	64	57	26	50	17	1	2	-	-	-	-	-	-
70-	-	-	87	68	43	29	29	13	-	1	-	-	-	-	-	-
75-	-	-	71	67	25	26	16	13	2	1	-	-	-	-	-	1
80-	-	-	49	27	17	6	17	4	1	1	-	-	-	-	-	-
85 and over	-	-	32	28	10	6	14	2	-	1	-	-	-	-	-	-

Causes of death	†N996 Injury of other and unspecified nature		N997 Reactions and complications due to non-therapeutic medical and surgical procedures		N998 Adverse reaction to injections, infusions, and transfusions for therapeutic purposes		N999 Adverse reaction to other therapeutic procedures	
Ages at death	M	F	M	F	M	F	M	F
All ages	**378**	**243**	**2**	**3**	**5**	**6**	**17**	**15**
0-	2	-	1	-	1	1	-	-
1-	5	6	1	-	-	-	-	-
5-	12	8	-	-	-	-	1	-
10-	13	11	-	-	-	-	-	1
15-	33	11	-	-	-	1	-	-
20-	31	15	-	1	-	1	-	-
25-	18	5	-	-	-	-	-	-
30-	20	13	-	1	-	-	-	-
35-	15	14	-	-	-	-	1	1
40-	29	6	-	-	-	1	1	1
45-	35	11	-	1	1	1	-	-
50-	20	18	-	-	-	-	2	1
55-	32	17	-	-	-	-	2	-
60-	31	10	-	-	-	1	3	4
65-	24	17	-	-	-	-	3	2
70-	12	22	-	-	2	-	1	3
75-	25	25	-	-	1	-	2	1
80-	13	15	-	-	-	-	1	1
85 and over	8	19	-	-	-	-	-	-

† N991 includes 48 male and 49 female deaths, N996 includes 21 male and 20 female deaths resulting from the Aberfan disaster of 1966 which were registered in 1967.

TABLE 17A. Death rates per million living, by sex and age, from principal causes, 1967

England and Wales

Causes of death	All causes		I 001-138 Infective and parasitic diseases		TUBERCULOSIS 001-019 All forms		TUBERCULOSIS 001-008 Respiratory system		TUBERCULOSIS 002 Pulmonary tuberculosis		020-029 Syphilis and its sequelae		022 Aneurysm of aorta		080-096 Diseases attributable to viruses	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**11,764**	**10,687**	**103**	**61**	**61**	**25**	**56**	**19**	**51**	**18**	**21**	**14**	**16**	**11**	**12**	**14**
0-	20,388	16,364	202	176	*14*	2	*5*	2	*5*	2	-	2	-	-	80	69
1-	832	704	46	43	*5*	6	2	-	2	-	-	-	-	-	27	28
5-	433	284	10	9	-	*1*	-	-	-	-	0	0	-	-	8	7
15-	964	418	10	7	*2*	2	2	*1*	2	*1*	0	-	0	-	5	4
25-	994	637	15	15	8	7	*5*	*4*	*5*	*4*	*2*	*1*	*1*	-	2	*5*
35-	2,300	1,673	43	33	29	19	25	17	24	16	*3*	*1*	2	*1*	6	8
45-	6,875	4,230	88	54	60	34	55	27	53	27	9	4	*5*	*3*	11	9
55-	20,593	10,013	206	81	141	38	131	32	117	30	39	16	27	10	14	18
65-	51,127	27,132	479	140	310	58	296	43	265	39	131	48	96	32	16	19
75-	112,398	75,314	586	271	340	106	322	88	299	82	195	105	163	91	25	38
85 and over	238,634	192,059	566	442	224	118	215	88	215	88	205	169	*176*	144	78	129

Causes of death	NEOPLASMS II 140-239 Neoplasms		140-205 Malignant neoplasms including neoplasms of lymphatic and haematopoietic tissues		140-148 Malignant neoplasm of buccal cavity and pharynx		150-159 Malignant neoplasm of digestive organs and peritoneum		150 Oesophagus		151 Stomach		153 Large intestine, except rectum		153.3 Sigmoid colon	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**2,559**	**2,061**	**2,531**	**2,031**	**40**	**25**	**836**	**759**	**65**	**49**	**316**	**221**	**164**	**229**	**54**	66
0-	**108**	**89**	80	74	-	-	*9*	*5*	-	-	-	-	-	-	-	-
1-	**106**	**84**	99	79	*1*	-	*2*	*4*	-	-	-	-	-	-	-	-
5-	**73**	**62**	67	58	-	*1*	*1*	*1*	-	-	0	-	-	-	-	-
15-	**107**	**68**	99	64	*1*	*1*	7	*4*	-	-	*2*	*1*	*1*	*1*	0	0
25-	**172**	**182**	163	173	*2*	*1*	23	28	0	*1*	10	9	*4*	9	*1*	*3*
35-	**500**	**726**	487	704	11	10	145	115	12	*4*	39	26	32	44	9	16
45-	**1,914**	**2,004**	1,877	1,964	32	17	569	408	49	23	210	95	104	135	29	43
55-	**6,129**	**3,713**	6,064	3,658	77	42	1,871	1,081	135	79	746	288	328	323	112	106
65-	**12,926**	**6,309**	12,829	6,237	163	68	4,185	2,541	319	176	1,665	752	792	707	272	207
75-	**19,225**	**10,023**	19,120	9,942	407	152	7,502	4,980	611	320	2,684	1,574	1,639	1,511	524	390
85 and over	**23,161**	**13,816**	22,995	13,685	800	192	10,029	7,481	839	427	2,966	2,236	2,546	2,516	878	659

Causes of death	NEOPLASMS 153.8 Large intestine (including colon), part unspecified		153.0-2;7;9 Others included under 153		154 Rectum		155 Biliary passages and of liver (stated to be primary site)		155.0 Liver		155.1;8 Others included under 155		156 Liver (secondary and unspecified)		157 Pancreas	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**27**	**36**	**83**	**127**	**129**	**106**	**29**	**35**	**12**	**6**	**17**	**28**	**16**	**14**	**104**	91
0-	-	-	-	-	-	-	*9*	*5*	*9*	*2*	-	*2*	-	-	-	-
1-	-	-	-	-	-	-	*1*	*1*	*1*	*1*	-	-	-	*1*	-	-
5-	-	-	-	-	-	-	0	0	0	0	-	-	0	-	0	-
15-	*1*	0	*1*	0	*1*	-	2	0	*1*	0	0	-	-	-	-	*1*
25-	*1*	*2*	*2*	*4*	*3*	*4*	*3*	*1*	*2*	0	0	*1*	-	*1*	*2*	*2*
35-	6	9	18	20	26	20	8	*3*	*5*	*2*	*3*	*1*	*4*	*3*	19	12
45-	17	23	58	70	74	65	27	17	11	4	15	13	14	9	78	53
55-	56	49	159	167	260	158	68	53	33	11	35	42	43	14	260	145
65-	122	122	397	378	623	343	140	131	53	22	87	109	72	53	517	331
75-	264	219	851	901	1,303	648	215	218	59	31	156	188	135	88	841	559
85 and over	410	383	1,259	1,473	2,185	1,138	254	236	*49*	*26*	205	210	*156*	169	995	674

TABLE 17A - *continued*

Causes of death	NEOPLASMS 160-165 Malignant neoplasm of respiratory system		161 Larynx		162 Bronchus and trachea, and of lung specified as primary		162.1 Bronchus and lung		163 Lung unspecified as to whether primary or secondary		170-181 Malignant neoplasm of breast and genito-urinary organs		170 Breast		171 Cervix uteri	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**1,032**	**200**	**25**	**6**	**695**	**125**	**694**	**124**	**304**	**64**	**328**	**787**	**4**	**412**		**99**
0-	-	-	-	-	-	-	-	-	-	-	*9*	*2*	-	-		-
1-	*1*	*1*	-	-	-	-	-	-	*1*	-	12	13	-	-		*1*
5-	-	*1*	-	-	-	-	-	-	-	*1*	2	*4*	-	-		-
15-	6	*2*	*1*	0	*2*	*1*	*2*	*1*	*2*	*1*	11	6	-	*1*		*1*
25-	15	8	*1*	-	8	*3*	8	*3*	6	*4*	24	65	-	42		11
35-	147	56	*3*	*1*	106	37	106	37	36	16	32	399	*1*	232		80
45-	854	231	17	*5*	569	151	568	150	260	67	113	1,079	*3*	582		199
55-	2,993	464	58	12	2,032	303	2,028	302	888	139	483	1,612	11	867		187
65-	5,773	697	138	20	3,898	436	3,890	431	1,705	227	1,642	2,205	14	1,079		233
75-	5,586	720	207	23	3,722	416	3,714	415	1,605	264	4,105	3,027	*31*	1,529		294
85 and over	3,493	641	254	48	2,156	313	2,156	313	995	228	6,859	4,037	39	2,306		324

Causes of death	NEOPLASMS 172 Corpus uteri		174 Uterus unspecified		175 Ovary, Fallopian tube and broad ligament		175.0 Ovary		176 Other and unspecified female genital organs		176.0 Vulva		177 Prostate		178 Testis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages		**43**		**12**		**133**		**132**		**22**		**16**	**165**		**9**	
0-		-		-		-		-		-		-	-		-	
1-		*1*		-		*1*		*1*		*1*		*1*	-		*1*	
5-		-		-		*2*		*1*		0		-	0		*0*	
15-		-		0		*3*		*3*		-		-	-		10	
25-		0		-		8		8		*1*		0	0		20	
35-		*5*		4		65		64		4		*2*	*1*		13	
45-		31		11		210		209		8		*5*	16		8	
55-		97		23		319		316		29		21	143		*7*	
65-		170		46		388		385		72		56	811		*11*	
75-		183		53		378		377		158		114	2,702		*10*	
85 and over		195		*52*		309		306		265		184	4,937		*10*	

Causes of death	NEOPLASMS 179 Other and unspecified male genital organs		180 Kidney		181 Bladder and other urinary organs		181.0;8 Bladder		190-199 Malignant neoplasm of other and unspecified sites		190, 191 Skin		190 Malignant melanoma of skin		193 Brain and other parts of nervous system	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**4**		**40**	**23**	**106**	**42**	**106**	**42**	**149**	**143**	**19**	**19**	**9**	**11**	**49**	**33**
0-	-		*9*	2	-	-	-	-	*31*	35	-	-	-	-	*26*	*32*
1-	-		*10*	*9*	*1*	2	*1*	2	31	28	-	*1*	-	-	26	21
5-	-		2	2	0	-	0	-	23	23	-	-	-	-	16	14
15-	*1*		*1*	0	-	-	-	-	29	22	*3*	*3*	2	*3*	9	8
25-	-		*3*	*1*	-	-	-	-	44	35	7	7	*5*	7	23	16
35-	*1*		9	*6*	8	4	8	4	79	67	14	16	11	15	43	25
45-	*3*		38	19	46	18	46	18	167	139	21	20	15	17	81	51
55-	8		115	41	200	48	198	45	356	263	35	21	17	15	143	87
65-	23		191	79	591	137	589	136	516	397	60	51	24	27	95	56
75-	39		204	116	1,119	314	1,112	311	751	559	145	84	26	30	39	23
85 and over	*107*		*137*	*70*	1,629	512	1,629	508	1,073	818	361	195	*88*	22	*10*	*4*

TABLE 17A - *continued*

Causes of death	NEOPLASMS															
	193.0 Brain		194 Thyroid gland		196 Bone		199 Other and unspecified sites		200-205 Neoplasms of lymphatic and haemato-poietic tissues		200 Lympho-sarcoma and reticulo-sarcoma		200.0 Reticulum cell sarcoma		200.1 Lympho-sarcoma	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**44**	**29**	**4**	**11**	**13**	**9**	**50**	**60**	**146**	**117**	**32**	**25**	**12**	**9**	**19**	**14**
0-	*16*	*15*	-	-	-	-	*2*	-	*31*	*32*	*5*	-	-	-	*5*	-
1-	13	*10*	-	-	*1*	*1*	*1*	*2*	51	32	*4*	*2*	-	-	*4*	*2*
5-	11	11	-	-	*4*	6	*1*	*1*	40	28	7	*4*	*1*	*0*	6	*3*
15-	7	6	-	-	11	7	*3*	*1*	45	31	11	*5*	*5*	*2*	*5*	*2*
25-	20	13	*0*	*1*	*4*	*4*	7	*4*	56	35	10	*4*	*5*	*2*	*4*	*2*
35-	39	23	*1*	*3*	*5*	*4*	9	15	74	57	17	7	9	*3*	8	*3*
45-	75	49	*4*	9	10	*5*	34	45	143	90	34	21	10	7	22	13
55-	132	80	9	19	23	11	115	106	284	196	66	45	25	17	37	24
65-	86	52	19	38	51	23	249	204	549	329	134	79	47	27	77	50
75-	33	20	38	58	71	38	391	319	769	504	154	111	56	46	89	57
85 and over	*10*	*4*	*10*	85	*98*	*55*	537	438	741	497	*127*	85	*39*	*29*	*78*	*41*

Causes of death	NEOPLASMS															
	201 Hodgkin's disease		203 Multiple myeloma (plasmo-cytoma)		204 Leukaemia and aleukaemia		204.0 Lymphatic leukaemia		204.1 Myeloid leukaemia		204.3 Acute leukaemia		210-229 Benign neoplasm		230-239 Neoplasm of unspecified nature	
Ages at Death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**24**	**14**	**19**	**19**	**66**	**55**	**16**	**10**	**11**	**11**	**33**	**29**	**14**	**18**	**15**	12
0-	-	-	-	-	*19*	*25*	-	-	-	-	*16*	*25*	*26*	*15*	*2*	-
1-	*1*	-	-	-	43	29	*2*	-	*1*	-	38	29	*3*	*1*	*5*	*5*
5-	*3*	*1*	-	-	30	23	*2*	*0*	*1*	*1*	26	22	*1*	*1*	*4*	*3*
15-	15	11	-	*0*	19	14	*1*	*0*	*2*	*1*	15	12	*5*	*1*	*4*	*3*
25-	24	15	*0*	*0*	19	15	*0*	*0*	*4*	*2*	14	9	*6*	*7*	*3*	*2*
35-	23	13	*5*	*3*	27	31	*1*	*0*	7	8	15	19	*6*	17	7	*6*
45-	36	14	19	12	48	36	7	*1*	9	10	28	21	18	24	19	15
55-	37	18	52	42	117	80	35	14	21	21	48	36	30	28	36	26
65-	62	29	87	72	247	129	87	29	46	36	86	56	43	43	55	29
75-	77	38	117	88	396	246	130	73	84	53	161	99	49	54	56	27
85 and over	*29*	*22*	*98*	*48*	468	309	*166*	*125*	*68*	*48*	205	114	*107*	*96*	*59*	*55*

Causes of death	NEOPLASMS		III		240-245		241		250-254		253		260		280-289	
	237 Unspecified nature of brain and other parts of nervous system		**240-289 Allergic, endocrine system, metabolic and nutritional diseases**		Allergic disorders		Asthma		Diseases of thyroid gland		Myxoedema and cretinism		Diabetes mellitus		Avito-minoses and other metabolic diseases	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**11**	**8**	**114**	**191**	**34**	**40**	**33**	**39**	**4**	**23**	**2**	**13**	**64**	**110**	**9**	13
0-	*2*	-	**96**	**62**	*21*	*7*	*2*	-	*5*	-	-	-	*2*	*2*	*26*	*20*
1-	*5*	*4*	**11**	**13**	*5*	*7*	*5*	*6*	-	-	-	-	*1*	*1*	*2*	*4*
5-	*3*	*2*	**21**	**16**	17	11	17	11	-	*0*	-	-	*2*	*2*	*1*	*3*
15-	*3*	*3*	**23**	**23**	17	17	17	17	*0*	*0*	-	-	*4*	*4*	*1*	*1*
25-	*3*	*2*	**29**	**38**	21	26	21	26	-	*1*	-	*0*	*6*	7	*2*	*2*
35-	7	*5*	**58**	**52**	26	35	26	35	*1*	*2*	*0*	*0*	24	10	*5*	*4*
45-	17	13	**95**	**97**	43	49	43	49	*3*	10	*0*	*2*	33	25	11	8
55-	31	21	**195**	**249**	63	69	62	68	7	29	*3*	14	102	122	18	18
65-	36	20	**458**	**654**	87	91	85	90	18	91	*8*	44	303	417	34	40
75-	*18*	*6*	**894**	**1,136**	95	93	95	93	39	143	*26*	90	701	818	48	69
85 and over	*10*	-	**1,044**	**1,366**	*68*	*70*	*68*	*66*	*39*	262	*29*	210	878	954	*59*	*66*

TABLE 17A - *continued*

Causes of death	IV 290-299 **Diseases of the blood and blood-forming organs**		290 Pernicious and other hyperchromic anaemias		290.0 Pernicious anaemia		292 Other anaemias of specified type		V 300-326 **Mental, psycho-neurotic and personality disorders**		300-309 Psychoses		304 Senile psychosis		VI 330-398 **Diseases of the nervous system and sense organs**	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**32**	**51**	**6**	**16**	**4**	**13**	**10**	**11**	**20**	**31**	**15**	**26**	**10**	**20**	**1,421**	**1,993**
0-	**24**	**35**	-	-	-	-	*14*	7	*49*	*40*	-	-	-	-	**421**	**335**
1-	**9**	**6**	-	-	-	-	*5*	*4*	*4*	7	-	-	-	-	**69**	**66**
5-	**4**	**3**	-	-	-	-	*2*	*2*	*3*	*3*	-	-	-	-	**23**	**17**
15-	**4**	**3**	-	*0*	-	-	*2*	*1*	*4*	*4*	*1*	*1*	-	-	**49**	**34**
25-	**4**	**4**	-	*0*	-	*0*	*2*	*0*	*3*	*3*	*1*	*1*	-	-	**73**	**66**
35-	**7**	**6**	*0*	*1*	*0*	*0*	*4*	*3*	*6*	*6*	*1*	*1*	-	-	**178**	**172**
45-	**16**	**17**	*1*	*2*	*0*	*2*	*6*	*5*	*8*	*6*	*3*	*3*	-	-	**497**	**484**
55-	**45**	**33**	*4*	*4*	*2*	*3*	16	11	*29*	*24*	19	17	*2*	*2*	**1,831**	**1,421**
65-	**112**	**140**	21	36	14	27	36	35	*58*	*53*	53	46	37	29	**6,331**	**5,035**
75-	**370**	**396**	90	149	77	122	87	74	*218*	*230*	214	222	202	206	**18,362**	**16,571**
85 and over	**966**	**877**	390	390	283	328	*107*	103	*615*	*733*	605	726	576	700	**42,410**	**40,969**

Causes of death	330-334 Vascular lesions affecting central nervous system		330 Subarachnoid haemorrhage		331 Cerebral haemorrhage		332 Cerebral embolism and thrombosis		334 Other and ill-defined vascular lesions affecting central nervous system		340-345 Inflammatory diseases of central nervous system		345 Multiple sclerosis		350-357 Other diseases of central nervous system	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**1,302**	**1,872**	**63**	**103**	**514**	**711**	**565**	**823**	**161**	**236**	**30**	**30**	**13**	**18**	**84**	**87**
0-	*21*	*15*	2	-	7	7	9	5	2	2	273	206	-	*5*	63	62
1-	*9*	4	2	-	*2*	*1*	*3*	*1*	2	2	33	30	*1*	-	22	26
5-	4	*5*	*3*	*3*	*0*	*1*	-	-	*0*	*1*	8	4	-	*0*	10	6
15-	15	16	11	11	*3*	*3*	*1*	*2*	*0*	*1*	6	*3*	*1*	*1*	26	13
25-	40	38	27	27	9	10	*3*	*1*	*1*	*1*	9	10	6	6	24	16
35-	121	123	57	74	52	37	11	13	*0*	*0*	27	25	19	22	27	23
45-	412	406	102	149	231	198	69	53	10	*6*	36	39	27	33	44	36
55-	1,635	1,275	157	211	849	681	541	336	87	47	53	54	33	46	134	88
65-	5,904	4,719	180	278	2,586	2,199	2,579	1,893	560	350	52	57	28	37	365	250
75-	17,559	15,928	189	317	5,923	5,759	8,724	7,681	2,723	2,170	46	38	*15*	*14*	742	594
85 and over	41,327	40,037	*146*	*243*	11,044	10,567	20,800	20,807	9,327	8,420	*39*	*22*	-	*4*	1,015	880

Causes of death	350 Paralysis agitans		352 Other cerebral paralysis		353 Epilepsy		356 Motor neurone disease and muscular atrophy		VII 400-468 **Diseases of the circulatory system**		400-402 Rheumatic fever		410-416 Chronic rheumatic heart disease		410 Diseases of mitral valve	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**29**	**36**	**13**	**18**	**16**	**11**	**15**	**11**	**4,425**	**3,934**	**0**	**0**	**83**	**151**	**54**	**109**
0-	-	-	-	-	*12*	7	*16*	*25*	**66**	**52**	-	-	-	2	-	2
1-	-	-	-	-	13	15	*3*	2	**9**	**6**	*1*	-	*1*	-	*1*	-
5-	-	-	0	-	*5*	*5*	0	0	**6**	**5**	-	*1*	*1*	*1*	*1*	*1*
15-	-	-	*1*	0	21	8	-	*1*	**28**	**22**	-	*1*	*3*	*5*	*2*	*4*
25-	-	0	0	*1*	21	11	*1*	*1*	**134**	**70**	-	*1*	22	25	12	19
35-	0	*1*	*1*	*1*	15	13	*5*	*3*	**810**	**251**	*1*	-	64	76	39	59
45-	2	*5*	*3*	*3*	17	12	14	8	**2,881**	**786**	-	0	133	179	89	136
55-	34	24	19	9	13	8	46	28	**8,294**	**2,902**	*1*	0	206	320	125	230
65-	172	123	66	52	22	15	70	40	**20,029**	**10,330**	-	0	274	415	176	281
75-	434	333	177	159	*21*	18	46	29	**45,094**	**31,892**	*2*	2	371	625	268	459
85 and over	400	409	351	339	*29*	*7*	*49*	*11*	**99,737**	**86,309**	-	-	498	674	322	471

TABLE 17A - *continued*

Causes of death	411 Diseases of aortic valve specified as rheumatic		416 Other heart disease specified as rheumatic		420-422 Arterio-sclerotic and degenerative heart disease		420 Arterio-sclerotic heart disease, including coronary disease		420.0 Arterio-sclerotic heart disease so described		420.1 Heart disease specified as involving coronary arteries		421 Chronic endocarditis not specified as rheumatic		421.1 of aortic valve, not specified as rheumatic	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**12**	**7**	**14**	**28**	**3,477**	**2,697**	**2,962**	**1,832**	**27**	**35**	**2,932**	**1,794**	**61**	**63**	**53**	**44**
0-	-	-	-	-	*16*	*10*	2	-	-	-	2	-	*2*	2	2	-
1-	-	-	-	-	2	2	-	-	-	-	-	-	*1*	-	-	-
5-	-	-	-	-	*1*	*1*	-	0	-	-	-	0	0	0	0	0
15-	*1*	-	0	*1*	8	4	*4*	2	-	-	4	2	*1*	0	*1*	0
25-	4	2	4	2	78	15	65	11	-	-	65	11	*6*	*1*	*6*	*1*
35-	10	2	11	13	642	100	617	91	-	-	617	91	13	5	11	2
45-	18	6	21	30	2,428	416	2,345	375	*3*	2	2,340	373	40	17	37	13
55-	33	13	39	65	6,935	1,947	6,634	1,776	17	8	6,614	1,766	127	49	112	33
65-	38	22	45	95	16,023	7,395	14,504	6,278	110	67	14,373	6,198	298	177	255	124
75-	39	39	54	92	33,553	21,886	25,251	14,416	486	334	24,721	14,054	529	512	440	352
85 and over	*68*	*55*	*49*	96	70,449	59,702	37,180	25,639	1,112	1,046	35,971	24,560	946	1,149	849	866

Causes of death	422 Other myocardial degeneration		422.1 With arterio-sclerosis		422.2 Other diseases included under 422		430-434 Other diseases of heart		433 Functional disease of heart		434 Other and unspecified diseases of heart		434.1 Congestive heart failure		434.2 Left ventricular failure	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**454**	**802**	**224**	**376**	**228**	**424**	**268**	**337**	**58**	**97**	**199**	**233**	**130**	**186**	**24**	**25**
0-	*12*	7	-	-	*12*	7	*35*	*30*	*5*	*5*	*19*	*15*	7	5	-	*2*
1-	*1*	*2*	-	-	*1*	*2*	*3*	*2*	-	*1*	*2*	*2*	*1*	*1*	-	-
5-	*1*	*1*	-	-	*1*	*1*	*2*	*1*	0	-	*1*	*1*	-	0	-	-
15-	*4*	*2*	-	-	*4*	*2*	*9*	*4*	*1*	0	*4*	*2*	*2*	0	*1*	0
25-	7	2	0	-	*6*	*2*	12	10	*2*	*1*	3	4	*1*	0	-	*1*
35-	13	*5*	*1*	-	11	4	26	17	*3*	*2*	12	11	5	5	*2*	0
45-	44	24	10	7	32	16	73	44	10	*6*	54	33	22	11	7	*3*
55-	174	122	76	51	97	65	333	181	53	48	253	122	116	78	37	15
65-	1,221	940	664	452	549	482	1,157	810	240	243	879	552	511	424	106	62
75-	7,773	6,958	3,970	3,426	3,798	3,525	3,697	2,964	910	874	2,750	2,065	2,073	1,723	317	217
85 and over	32,322	32,913	15,307	14,825	17,015	18,074	8,839	7,908	2,234	2,354	6,576	5,521	5,502	4,729	634	560

Causes of death	434.3;4 Others included under 434		440-443 Hypertensive heart disease		443 Other and unspecified hypertensive heart disease		444-447 Other hypertensive disease		444 Essential benign hypertension		445 Essential malignant hypertension		450-456 Diseases of arteries		450 General arterio-sclerosis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**45**	**20**	**130**	**180**	**125**	**175**	**75**	**76**	**49**	**61**	**17**	**6**	**294**	**355**	**184**	**274**
0-	*12*	7	-	-	-	-	-	-	-	-	-	-	2	-	-	-
1-	2	*1*	-	-	-	-	-	-	-	-	-	-	*1*	-	-	-
5-	*1*	0	-	-	-	-	-	0	-	-	-	0	*1*	-	-	-
15-	2	*1*	*1*	-	*1*	-	2	*1*	-	-	2	*1*	*3*	4	-	-
25-	2	*3*	4	*1*	*1*	*1*	6	*3*	*1*	0	5	*3*	6	8	-	-
35-	5	4	13	6	11	5	24	8	5	2	19	5	21	14	2	0
45-	24	17	52	33	47	28	69	27	24	12	45	13	69	30	10	5
55-	97	26	214	121	203	118	148	57	95	41	46	14	283	115	78	29
65-	259	61	677	538	664	527	293	201	233	171	30	13	1,123	543	536	320
75-	353	113	1,557	1,639	1,518	1,596	696	635	555	549	*11*	9	4,244	3,136	3,118	2,511
85 and over	429	206	2,293	2,917	2,224	2,829	1,561	1,370	1,034	1,068	-	4	14,410	12,077	13,093	10,917

TABLE 17A - *continued*

Causes of death	450.0 Without mention of gangrene		450.1 With mention of gangrene as a consequence		451 Aortic aneurism, non-syphilitic and dissecting aneurysm		460-468 Diseases of veins and other diseases of circulatory system		465 Pulmonary embolism and infarction		466 Other venous embolism and thrombosis		VIII 470-527 Diseases of the respiratory system		480-483 Influenza	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**166**	**254**	**18**	**20**	**89**	**60**	**97**	**138**	**46**	**54**	**40**	**65**	**1,639**	**1,096**	**16**	**20**
0-	-	-	-	-	-	-	*12*	*10*	*2*	-	*5*	*7*	**3,049**	**2,425**	*12*	*7*
1-	-	-	-	-	-	-	*2*	*1*	*1*	-	-	*1*	**168**	**152**	*1*	*1*
5-	-	-	-	-	-	-	0	-	0	-	-	-	**31**	**28**	*1*	*1*
15-	-	-	-	-	*1*	*1*	*3*	*3*	*1*	*1*	*1*	2	**30**	**25**	*1*	*1*
25-	-	-	-	-	*2*	*1*	5	7	*1*	2	3	4	**46**	**31**	3	*1*
35-	2	0	0	-	11	3	20	29	9	11	9	13	**108**	**84**	3	*1*
45-	8	*3*	2	*1*	39	12	56	56	25	22	24	24	**507**	**228**	9	5
55-	68	26	10	*3*	164	57	174	160	85	62	68	75	**2,336**	**627**	20	9
65-	463	297	73	23	494	179	482	428	223	169	203	199	**7,643**	**2,259**	62	37
75-	2,820	2,315	297	197	969	515	972	1,004	475	401	406	470	**19,131**	**8,583**	189	183
85 and over	12,185	10,162	907	755	1,054	910	1,688	1,661	946	637	634	847	**44,371**	**27,179**	517	508

Causes of death	480 Influenza with pneumonia		490-493 Pneumonia		490 Lobar pneumonia		491 Broncho-pneumonia		493 Pneumonia, other and unspecified		500-502 Bronchitis		500 Acute bronchitis		501 Bronchitis, unqualified	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**9**	**13**	**613**	**712**	**61**	**52**	**518**	**625**	**25**	**27**	**869**	**295**	**41**	**38**	**27**	**25**
0-	7	5	2,285	1,857	52	50	1,864	1,507	122	107	527	392	435	308	75	67
1-	-	*1*	118	106	*6*	*10*	100	82	*6*	4	27	30	20	22	*6*	*4*
5-	*1*	*1*	23	20	2	2	18	16	*1*	*1*	5	4	3	3	*1*	*1*
15-	*1*	*1*	19	14	*3*	2	14	10	*1*	*1*	4	6	2	*3*	*1*	*1*
25-	2	*1*	23	17	4	*1*	14	12	*1*	*1*	11	8	2	*1*	2	2
35-	2	*1*	43	38	14	*6*	23	28	3	2	43	27	5	7	2	2
45-	7	*3*	134	96	35	19	87	67	8	6	294	93	13	7	7	4
55-	12	7	467	278	88	42	351	219	23	13	1,584	274	41	19	37	19
65-	34	25	2,068	1,217	251	116	1,708	1,042	95	49	4,817	866	126	59	109	58
75-	113	113	8,334	5,847	672	394	7,354	5,240	281	197	9,354	2,153	396	261	312	178
85 and over	234	291	27,844	20,424	1,668	1,094	25,220	18,552	907	748	13,629	4,744	1,180	810	966	589

Causes of death	502 Chronic bronchitis		502.0 Bronchitis with emphysema		502.1 Other		510-527 Other diseases of respiratory system		522 Pulmonary congestion and hypostasis		523 Pneumo-coniosis due to silica and silicates (occupational)		525 Other chronic interstitial pneumonia		526 Bronchiectasis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**801**	**232**	**390**	**67**	**411**	**164**	**138**	**66**	**12**	**22**	**23**	**0**	**13**	**6**	**33**	**16**
0-	*16*	*17*	-	-	*16*	*17*	172	132	2	-	-	-	*26*	*25*	-	-
1-	*1*	4	*1*	*1*	1	2	14	9	-	-	-	-	2	*1*	-	*1*
5-	0	*1*	-	*1*	0	*1*	3	3	-	0	-	-	-	0	0	*1*
15-	2	*3*	*1*	*1*	*1*	2	5	4	-	-	-	-	0	0	2	2
25-	8	5	3	2	5	3	8	6	-	-	-	-	2	-	4	*3*
35-	36	18	20	8	16	10	18	18	-	0	*1*	-	*1*	2	10	7
45-	274	82	145	33	130	49	69	32	*1*	2	10	*1*	7	5	18	15
55-	1,506	237	827	86	679	152	265	63	4	*3*	61	*1*	26	9	69	29
65-	4,582	749	2,356	241	2,226	507	694	137	21	20	135	0	68	21	163	39
75-	8,647	1,714	3,748	443	4,898	1,272	1,242	395	191	161	179	*1*	123	34	286	79
85 and over	11,483	3,344	3,502	700	7,980	2,645	2,371	1,470	1,151	1,098	*117*	-	*59*	*29*	439	147

TABLE 17A - *continued*

Causes of death	527 Other diseases of lung and pleural cavity		527.1 Emphysema without mention of bronchitis		IX 530-587 Diseases of the digestive system		540-545 Diseases of stomach and duodenum		540 Ulcer of stomach		540.0 Without mention of perforation		540.1 With perforation		541 Ulcer of duodenum	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**48**	**15**	**41**	**10**	**295**	**304**	**108**	**63**	**49**	**38**	**37**	**31**	**13**	**7**	**53**	**21**
0-	120	84	*16*	*10*	**825**	**673**	*7*	*15*	*2*	*5*	*2*	*5*	-	-	-	*2*
1-	*4*	*2*	-	-	**66**	**51**	*1*	*1*	-	*1*	-	*1*	-	-	*1*	-
5-	*1*	*1*	-	-	**19**	**14**	*1*	*1*	*0*	*1*	*0*	*0*	-	*0*	*0*	-
15-	-	*1*	-	*0*	**14**	**15**	*1*	*1*	*1*	*1*	*1*	*0*	*0*	*1*	*0*	-
25-	*1*	*2*	*1*	*1*	**31**	**22**	10	*2*	*2*	*1*	*1*	*1*	*1*	-	8	*1*
35-	*5*	*5*	*4*	*3*	**72**	**62**	24	11	9	8	6	*5*	*3*	*3*	12	*2*
45-	28	7	24	*4*	**182**	**132**	53	21	27	10	19	7	8	*3*	22	9
55-	91	17	81	13	**494**	**298**	189	57	83	33	58	22	25	10	95	20
65-	274	42	253	36	**1,242**	**857**	526	172	235	100	178	79	57	20	261	60
75-	393	83	350	63	**2,700**	**2,021**	1,133	483	529	299	398	253	131	45	568	155
85 and over	478	151	400	99	**5,102**	**4,225**	2,098	1,112	1,083	689	907	597	*176*	92	888	368

Causes of death	541.0 Without mention of perforation		541.1 With perforation		560,561 Hernia of abdominal cavity		560 Hernia of abdominal cavity without mention of obstruction		561 Hernia of abdominal cavity with obstruction		570-578 Other diseases of intestines and peritoneum		570 Intestinal obstruction without mention of hernia		570.2 Mesenteric infarction	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**33**	**13**	**20**	**8**	**24**	**31**	**10**	**12**	**14**	**19**	**84**	**114**	**32**	**36**	**12**	**15**
0-	-	*2*	-	-	190	149	174	139	*16*	*10*	529	390	101	47	*12*	-
1-	-	-	*1*	-	*1*	*1*	*1*	*1*	-	*1*	45	34	*8*	*1*	*1*	-
5-	*0*	-	-	-	-	-	-	-	-	-	6	*5*	*3*	*1*	-	-
15-	*0*	-	-	-	-	*0*	-	*0*	-	-	6	7	*2*	*1*	*1*	*0*
25-	*6*	-	*2*	*1*	*1*	*0*	-	*0*	*1*	-	13	10	*5*	*2*	*1*	*1*
35-	7	*1*	*5*	*1*	*2*	*2*	*1*	*1*	*1*	*1*	18	22	*5*	*5*	*2*	*2*
45-	14	*5*	8	*4*	*9*	7	*3*	*2*	*6*	*5*	44	39	18	13	*5*	*6*
55-	55	8	40	12	21	21	8	7	13	15	121	97	48	26	24	11
65-	159	38	102	22	90	77	29	26	61	50	298	319	126	97	56	47
75-	361	96	207	59	297	262	95	77	202	185	723	749	310	261	113	112
85 and over	537	247	351	122	605	446	205	184	400	282	1,454	1,632	644	685	*166*	273

Causes of death	570.5 Others included under 570		571 Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over		572 Chronic enteritis and ulcerative colitis		572.1 Diverticulitis		580-587 Diseases of liver, gall bladder and pancreas		581 Cirrhosis of liver		584 Cholelithiasis		585 Cholecystitis and cholangitis, without mention of calculi	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**10**	**11**	**16**	**19**	**23**	**45**	**15**	**33**	**66**	**83**	**29**	**27**	**8**	**16**	**6**	**11**
0-	*16*	*5*	402	318	*2*	*7*	-	-	82	107	*7*	*7*	-	-	-	*2*
1-	*2*	-	37	32	*1*	*1*	-	-	13	*10*	*2*	*1*	-	-	-	-
5-	*1*	*1*	*2*	*3*	-	*0*	-	*0*	*9*	*6*	*1*	*1*	-	-	-	-
15-	*1*	*0*	*0*	*1*	*2*	*4*	-	-	*3*	*5*	*1*	*1*	-	*1*	-	-
25-	*1*	*1*	*1*	*1*	*5*	*5*	*0*	-	*5*	*7*	*1*	*2*	*0*	*0*	-	*1*
35-	*2*	*3*	*1*	*1*	*9*	*12*	*2*	*1*	*23*	*23*	*15*	*14*	*1*	*1*	*0*	*1*
45-	*7*	*4*	*4*	*3*	*12*	*17*	*3*	*7*	*66*	*60*	*38*	*38*	*4*	*4*	*3*	*1*
55-	*12*	*8*	*6*	*8*	*45*	*47*	*26*	*26*	*140*	*111*	*85*	*52*	*9*	*13*	*5*	*7*
65-	*32*	*28*	*20*	*26*	*97*	*151*	*73*	*115*	*274*	*258*	*118*	*94*	*43*	*49*	*24*	*32*
75-	*107*	*74*	*82*	*87*	*227*	*307*	*174*	*262*	*434*	*435*	*118*	*83*	*105*	*138*	*82*	*84*
85 and over	*302*	*228*	*215*	*236*	*410*	*545*	*390*	*475*	*712*	*840*	*59*	*66*	*234*	*247*	*273*	*284*

TABLE 17A - *continued*

Causes of death	587 Diseases of pancreas		587.0 Acute pancreatitis		X 590-637 Diseases of the genito-urinary system		590-594 Nephritis and nephrosis		592 Chronic nephritis		593 Nephritis not specified as acute or chronic		600-609 Other diseases of urinary system		600 Infections of kidney	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**15**	**16**	**10**	**11**	**208**	**153**	**61**	**50**	**33**	**29**	**22**	**16**	**68**	**97**	**50**	**78**
0-	63	94	-	-	**75**	**35**	*19*	*10*	-	*2*	*7*	*2*	56	*25*	*28*	*12*
1-	*9*	*9*	*1*	*1*	**6**	**7**	*2*	*3*	-	*1*	*1*	-	*5*	*4*	*2*	*3*
5-	*7*	*5*	*0*	-	**7**	**6**	*5*	*5*	*2*	*2*	*1*	*1*	*2*	*1*	*1*	*1*
15-	*1*	*2*	-	*0*	**24**	**15**	19	9	12	*4*	*4*	*3*	*5*	*5*	*3*	*5*
25-	*3*	*1*	*3*	*1*	**24**	**27**	19	13	14	7	*2*	*5*	*5*	12	*5*	10
35-	*4*	*2*	*3*	*2*	**48**	**49**	34	23	21	13	10	7	13	20	10	15
45-	13	7	11	*6*	**99**	**93**	65	38	34	20	21	16	32	47	25	38
55-	25	19	23	18	**237**	**168**	114	62	56	33	47	23	91	99	68	83
65-	54	41	46	34	**739**	**401**	202	130	101	75	82	43	267	258	194	203
75-	82	79	79	73	**2,668**	**972**	439	261	260	173	159	75	800	689	586	549
85 and over	*88*	133	*59*	107	**7,444**	**2,177**	741	578	390	361	332	199	2,215	1,547	1,756	1,245

Causes of death	600.0 Pyelitis, pyelocystitis and pyelor nephritis		610-617 Diseases of male genital organs		610 Hyperplasia of prostate		XII 690-716 Diseases of the skin and cellular tissue		XIII 720-749 Diseases of the bones and organs of movement		720-727 Arthritis and rheumatism except rheumatic fever		722 Rheumatoid arthritis and allied conditions		722.0 Rheumatoid arthritis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**50**	**76**	**79**	**-**	**76**	**-**	**6**	**10**	**28**	**56**	**15**	**41**	**9**	**29**	**9**	**29**
0-	*28*	*12*	-		-		**9**	**7**	**21**	**27**	-	-	-	-	-	-
1-	*2*	*3*	-		-		**1**	**1**	**3**	**6**	-	*1*	-	-	-	-
5-	*1*	*1*	-		-		**1**	**0**	**6**	**2**	*1*	*0*	*0*	-	*0*	-
15-	*3*	*5*	*0*		-		**1**	**1**	**13**	**2**	-	*0*	-	*0*	-	*0*
25-	*5*	10	-		-		**3**	**2**	**2**	**3**	*0*	*1*	*0*	*1*	*0*	*1*
35-	9	15	-		-		**3**	**4**	**6**	**6**	*2*	*3*	*1*	*3*	*1*	*3*
45-	25	36	*2*		*2*		**4**	**7**	**18**	**18**	8	12	7	10	*6*	10
55-	68	81	33		31		**8**	**11**	**46**	**69**	27	59	21	49	18	48
65-	190	198	270		257		**18**	**21**	**94**	**147**	70	118	53	95	50	95
75-	578	539	1,429		1,391		**54**	**66**	**243**	**394**	154	281	72	184	71	181
85 and over	1,727	1,227	4,488		4,361		**127**	**177**	**722**	**965**	361	622	*88*	306	*88*	302

Causes of death	730-738 Osteo-myelitis and other diseases of bone and joint		XIV 750-759 Congenital malformations		751 Spina bifida and meningocele		754 Congenital malformations of circulatory system		757 Congenital malformations of genito-urinary system		XV 760-776‡ Certain diseases of early infancy		760.5-773.5 With immaturity		760-769 Birth injuries, asphyxia and infections of newborn	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**6**	**12**	**102**	**86**	**10**	**15**	**50**	**37**	**11**	**8**	**192**	**132**	**76**	**50**	**116**	**76**
0-	-	*5*	**3,989**	**3,609**	517	794	1,888	1,380	284	109	**10,644**	**8,136**	4,220	3,088	6,403	4,679
1-	*1*	*1*	**85**	**104**	*8*	18	43	49	*3*	*4*	-	-	-	-	-	-
5-	*1*	-	**29**	**30**	*2*	*3*	18	20	*2*	*2*	-	-	-	-	-	-
15-	*0*	*0*	**24**	**16**	*1*	*1*	16	13	*3*	-	-	-	-	-	-	-
25-	-	*1*	**20**	**10**	-	*1*	14	*6*	*3*	*2*	-	-	-	-	-	-
35-	*1*	*2*	**19**	**16**	-	*0*	9	8	6	*6*	-	-	-	-	-	-
45-	*3*	*2*	**25**	**20**	-	-	12	8	9	11	-	-	-	-	-	-
55-	*6*	*4*	**28**	**29**	*0*	-	13	15	9	12	-	-	-	-	-	-
65-	14	19	**45**	**34**	-	-	21	15	15	12	-	-	-	-	-	-
75-	76	103	**46**	**37**	-	-	*3*	*13*	*23*	*11*	-	-	-	-	-	-
85 and over	361	324	**98**	**55**	-	-	*10*	*7*	-	*18*	-	-	-	-	-	-

‡ Note: The group 760-776 relates particularly to the cause of death within the first 28 days of life, but it includes also some deaths from the causes specified at all ages.

TABLE 17A - *continued*

Causes of death	760 Intra-cranial and spinal injury at birth		761 Other birth injury		762 Postnatal asphyxia and atelectasis		763 Pneumonia of newborn		770-776 Other diseases peculiar to early infancy		773 Ill-defined diseases peculiar to early infancy		776 Immaturity, unqualified		XVI 780-795 Symptoms, senility and ill-defined conditions	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**29**	**16**	**11**	**7**	**57**	**38**	**13**	**9**	**77**	**56**	**12**	**7**	**53**	**40**	**55**	**113**
0-	1,601	978	602	447	3,143	2,328	698	581	4,241	3,457	663	442	2,934	2,447	**26**	**32**
1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	**-**	**2**
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	**1**	**0**
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	**3**	**1**
25-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	**2**	**1**
35-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	**2**	**1**
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	**6**	**5**
55-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	**10**	**7**
65-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	**52**	**31**
75-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	**701**	**667**
85 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	**6,927**	**6,891**

Causes of death	790-795 Senility and ill-defined diseases		794 Senility without mention of psychosis		XVII E800-E999 Accidents, poisonings and violence (external cause)		MOTOR VEHICLE TRAFFIC ACCIDENTS									
							E810-E825 Motor vehicle traffic accidents		E812 to pedestrian		E813 to pedal cyclist		E815 to rider or passenger of motorcycle in collision with other motor vehicle		E816 Other motor vehicle traffic accident involving two or more motor vehicles	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**51**	**109**	**46**	**106**	**563**	**408**	**207**	**89**	**70**	**52**	**15**	**2**	**25**	**2**	**55**	**22**
0-	*16*	*27*	-	-	**783**	**630**	*12*	*22*	*7*	*2*	-	-	-	*2*	*2*	*12*
1-	-	*1*	-	-	**248**	**157**	106	52	87	43	*3*	*2*	*1*	-	12	6
5-	*1*	-	-	-	**199**	**89**	90	42	59	32	22	*5*	*1*	*0*	*5*	*3*
15-	*1*	*1*	-	-	**630**	**169**	400	93	34	16	13	*2*	109	10	111	35
25-	*2*	*1*	-	-	**438**	**136**	180	41	22	7	*6*	-	18	*2*	76	22
35-	*1*	*0*	-	-	**439**	**192**	138	40	32	11	*5*	*1*	10	*1*	57	18
45-	*3*	*3*	-	-	**536**	**280**	166	64	45	23	12	*3*	12	*2*	65	26
55-	*6*	*3*	-	-	**704**	**382**	199	99	70	57	24	*5*	22	*0*	56	28
65-	35	25	20	18	**902**	**723**	262	181	165	141	30	*2*	*6*	-	43	29
75-	652	645	621	632	**2,106**	**2,055**	631	344	522	292	*36*	-	*3*	*1*	49	34
85 and over	6,751	6,785	6,654	6,711	**5,346**	**5,878**	907	309	800	265	*20*	-	*10*	-	*59*	22

Causes of death	M.V.T. ACCIDENTS E823 involving running off roadway		ACCIDENTAL POISONING E870-E888 Accidental poisoning by solid and liquid substances		E871 by barbituric acid and derivatives		E890-E895 Accidental poisoning by gases and vapours		E890 by utility (illuminating) gas		E900-E904 Accidental falls		E900 Fall on stairs		E902 Other falls from one level to another	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**23**	**6**	**16**	**20**	**11**	**15**	**14**	**15**	**12**	**14**	**73**	**141**	**13**	**18**	**18**	**8**
0-	*2*	*2*	-	-	-	-	*5*	*5*	*2*	*5*	*19*	*27*	*2*	*2*	*14*	*20*
1-	*1*	-	*5*	*9*	*1*	-	*1*	*2*	*1*	*1*	20	13	*4*	*2*	16	*9*
5-	*1*	*0*	0	0	-	-	*2*	*2*	*1*	*1*	9	*1*	*1*	-	7	*0*
15-	66	19	7	7	*3*	*3*	7	*3*	*5*	*3*	20	*3*	*1*	-	14	*1*
25-	42	*7*	9	13	*5*	9	*5*	*3*	*4*	*2*	21	*2*	*1*	*0*	15	-
35-	21	*6*	21	29	14	23	7	*2*	*5*	*1*	29	*4*	*3*	*1*	16	*1*
45-	13	*3*	27	30	20	23	11	*6*	9	*5*	42	14	11	*5*	17	*1*
55-	11	*4*	32	37	24	29	24	12	19	10	73	40	21	14	20	*3*
65-	*11*	*5*	35	37	28	32	28	36	24	33	177	223	43	38	28	14
75-	*8*	*3*	*25*	29	*18*	25	135	112	125	107	790	1,220	140	155	64	52
85 and over	*10*	*4*	*29*	*18*	*10*	*11*	302	243	293	228	3,239	4,799	361	357	283	214

TABLE 17A - *continued*

Causes of death	E903 Fall on same level		E904 Unspecified falls		E910-E936 Other accidents		E916 Accident caused by fire and explosion of combustible material		E921 Inhalation and ingestion of food causing obstruction or suffocation		E929 Accidental drowning and submersion		E970-E979 Suicide and self-inflicted injury		E970 Suicide and self-inflicted poisoning by analgesic and soporific substance	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**27**	**81**	**12**	**34**	**103**	**49**	**13**	**16**	**12**	**8**	**27**	**7**	**116**	**80**	**30**	**42**
0-	-	-	*2*	*5*	686	524	*16*	*15*	348	233	*5*	*7*	-	-	-	-
1-	*1*	*1*	-	*1*	99	68	26	28	13	6	34	13	-	-	-	-
5-	*1*	*0*	-	*0*	86	36	*5*	*7*	*1*	*1*	34	8	*1*	-	-	-
15-	*1*	*1*	*2*	*1*	93	9	*5*	*2*	*5*	*1*	34	*2*	61	34	14	17
25-	*1*	*1*	2	*0*	69	13	*3*	*5*	*3*	*1*	18	*1*	115	53	26	29
35-	*4*	*2*	*2*	*0*	70	16	6	*3*	6	*4*	15	*3*	138	87	43	52
45-	8	*4*	*1*	*3*	87	25	11	7	*6*	*4*	16	*6*	167	129	47	75
55-	16	17	9	*6*	107	38	13	10	8	8	30	10	227	147	60	72
65-	74	115	24	53	112	67	30	25	*11*	*7*	36	11	250	164	59	83
75-	396	719	186	294	194	174	76	103	*20*	*14*	39	*16*	286	154	56	71
85 and over	1,805	2,954	790	1,271	517	387	244	192	-	*41*	*78*	*18*	322	96	*49*	*55*

Causes of death	E972 Suicide and self-inflicted poisoning by gases in domestic use		E974 Suicide and self-inflicted injury by hanging and strangulation		XVII N800-N999 Alternative classification of accidents, poisonings and violence (nature of injury)		FRACTURES N800-N809 Fracture of skull, spine and trunk		N801 of base of skull		N803 Other and unqualified skull fractures		N804 Multiple fractures involving skull or face with other bones		N805 Fracture and fracture dislocation of vertebral column, without mention of spinal cord lesion	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**34**	**21**	**18**	**4**	**563**	**408**	**160**	**73**	**16**	**6**	**71**	**27**	**36**	**14**	**12**	**6**
0-	-	-	-	-	**783**	**630**	40	57	-	-	*31*	52	*2*	*2*	*2*	-
1-	-	-	-	-	**248**	**157**	88	40	*8*	*5*	57	25	12	*7*	*6*	*1*
5-	-	-	0	-	**199**	**89**	68	28	9	*4*	38	14	12	6	*4*	*2*
15-	22	10	6	*2*	**630**	**169**	248	57	30	8	126	31	62	11	11	*3*
25-	38	12	15	*2*	**438**	**136**	128	28	13	*5*	60	13	37	*7*	*8*	*1*
35-	36	17	19	*5*	**439**	**192**	116	27	14	*2*	54	14	31	*6*	*5*	*2*
45-	52	30	25	*6*	**536**	**280**	138	47	16	*6*	57	18	32	10	15	*4*
55-	62	41	37	8	**704**	**382**	181	68	17	*5*	73	24	44	20	16	*6*
65-	67	51	49	9	**902**	**723**	232	144	22	13	78	42	44	32	21	10
75-	95	51	51	*11*	**2,106**	**2,055**	498	339	*15*	*13*	154	93	94	55	59	35
85 and over	*98*	*29*	*137*	*4*	**5,346**	**5,878**	1,180	608	*98*	*29*	302	96	*176*	*55*	*107*	*66*

Causes of death	FRACTURES N820-N829 Fracture of lower limb		N820 of neck of femur		N821 of other and unspecified parts of femur		N850-N856 Head injury (excluding skull fracture)		N853 Cerebral laceration and contusion		N856 Head injury of other and unspecified nature		N860-N869 Internal injury of chest, abdomen and pelvis		N861 Injury to heart and lung	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**40**	**113**	**17**	**61**	**14**	**42**	**37**	**20**	**14**	**6**	**13**	**4**	**80**	**23**	**12**	**3**
0-	-	-	-	-	-	-	*28*	*37*	*2*	*7*	*5*	*5*	*12*	*7*	-	*2*
1-	*1*	-	-	-	-	-	23	16	*7*	*5*	*8*	*4*	23	15	*2*	*2*
5-	*1*	*1*	-	-	-	-	18	10	8	*6*	*5*	*2*	30	9	*4*	-
15-	6	*2*	-	*0*	*2*	*0*	58	11	28	*4*	21	*4*	136	31	19	*4*
25-	*5*	*1*	*0*	-	*1*	*0*	31	*4*	14	*2*	11	*0*	91	15	14	*2*
35-	*5*	*2*	*1*	-	*2*	-	25	*6*	10	*2*	11	*3*	76	15	11	*5*
45-	9	*5*	*1*	*1*	*3*	*1*	27	11	*7*	*4*	13	*3*	89	19	10	*2*
55-	27	24	*6*	*8*	*6*	*8*	34	18	12	*6*	12	*5*	92	28	*17*	*3*
65-	102	167	45	76	31	61	57	40	19	10	16	*8*	81	37	14	*6*
75-	619	1,012	299	548	222	388	140	93	33	26	33	*15*	118	48	*25*	*4*
85 and over	2,332	4,096	1,180	2,394	995	1,514	263	188	*68*	*52*	*39*	*22*	*185*	*55*	*10*	*11*

TABLE 17A - *continued*

Causes of death	N862 Injury to other and unspecified intrathoracic organs		N869 Internal injury, unspecified or involving intrathoracic with intra-abdominal organs		N930-N936 Effects of foreign body entering through orifice		N933 Foreign body in pharynx and larynx		N940-N949 Burns		POISONING					
											N960-N979 Effects of poisons		N968 by carbon monoxide		N971 by barbituric acid and derivatives	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**25**	**6**	**23**	**6**	**14**	**9**	**13**	**8**	**11**	**12**	**109**	**107**	**58**	**42**	**34**	**50**
0-	5	-	2	2	367	231	367	231	*19*	*10*	*12*	*17*	*9*	*12*	-	-
1-	2	-	7	6	16	6	15	*6*	*10*	18	27	26	16	14	*1*	-
5-	*5*	*1*	10	4	2	*1*	*1*	*1*	3	4	*5*	6	4	6	-	-
15-	37	9	41	8	6	*1*	6	*1*	6	*1*	59	41	34	14	13	17
25-	37	3	25	5	4	2	4	*1*	2	2	92	61	54	17	26	33
35-	31	4	21	4	7	4	6	4	6	3	127	105	58	20	47	66
45-	28	7	29	*5*	7	4	6	4	9	*5*	152	146	74	39	58	82
55-	27	11	25	7	9	8	9	8	12	9	199	170	100	57	71	92
65-	24	14	23	7	13	9	*12*	9	25	20	209	219	104	95	74	104
75-	36	*13*	*23*	*15*	*21*	*15*	*21*	*14*	72	79	340	301	251	189	62	88
85 and over	*68*	*11*	*39*	*15*	*10*	*44*	*10*	*37*	205	162	566	413	459	324	*49*	*52*

Causes of death	N990-N999 Other and unspecified injuries and reactions		N990 Drowning		N991 Asphyxia and strangulation		N996 Injury of other and unspecified nature	
Ages at death	M	F	M	F	M	F	M	F
All ages	**90**	**38**	**38**	**13**	**29**	**13**	**16**	**10**
0-	301	268	*14*	7	219	204	*5*	-
1-	55	34	37	14	*9*	14	*3*	*4*
5-	67	29	38	11	19	13	7	6
15-	92	18	48	*3*	19	7	18	7
25-	66	17	28	*5*	18	*5*	13	*6*
35-	60	24	21	8	20	8	14	7
45-	81	33	29	14	27	8	18	9
55-	114	42	48	23	39	9	23	9
65-	139	58	63	24	50	13	23	17
75-	197	78	69	27	54	*14*	62	33
85 and over	312	103	98	22	*137*	7	78	70

TABLE 18A. Accidental poisoning and other non-transport accidents by place of occurrence, by sex and age, 1967

England and Wales

Note. The deaths in this table have been classified to the several forms of violence in accordance with the information furnished by H.M. Coroners. 'Open verdicts' are normally included with accidental deaths.

Deaths from poisoning will be analysed periodically in the *Statistical Review, Part III, Commentary*, to distinguish individual poisons stated to be responsible. These details can be obtained on request from the General Register Office.

Age-groups	Total		At work		Home		Farm		Mine and quarry		Industrial place and premises		Place for recreation and sport		Street and highway		Public building		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E870-E936. Non-transport accidents																								
All ages	**4,856**	**5,598**	**841**	**29**	**2,231**	**3,608**	**100**	**9**	**162**	**3**	**534**	**10**	**77**	**22**	**155**	**166**	**192**	**119**	**306**	**784**	**711**	**173**	**388**	**704**
0-	517	374	-	-	401	305	1	1	-	-	6	2	7	5	3	3	2	3	4	3	51	24	42	28
5-	347	136	-	-	59	40	16	2	8	2	25	-	25	5	8	1	67	59	4	1	130	25	5	1
15-	1,162	320	441	9	283	207	41	-	76	-	273	1	32	1	27	9	41	8	34	24	283	23	72	47
45-	1,156	623	369	11	472	430	28	-	74	1	216	5	6	2	41	15	45	12	33	39	146	42	95	77
65 and over	1,674	4,145	31	9	1,016	2,626	14	6	4	-	14	2	7	9	76	138	37	37	231	717	101	59	174	551
E870. Accidental poisoning by morphine and other opium derivatives																								
All ages	**2**	**4**	-	-	**2**	**3**	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	**1**
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	2	2	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
45-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E871. Accidental poisoning by barbituric acid and derivatives																								
All ages	**257**	**374**	**2**	**1**	**204**	**302**	-	-	-	-	-	-	-	-	**1**	-	**2**	**2**	**2**	**2**	**5**	**4**	**43**	**64**
0-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	71	107	2	1	56	87	-	-	-	-	-	-	-	-	-	-	1	1	-	2	2	1	12	16
45-	129	160	-	-	102	133	-	-	-	-	-	-	-	-	1	-	1	1	1	-	3	3	21	23
65 and over	56	107	-	-	45	82	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	10	25
E872. Accidental poisoning by aspirin and salicylates																								
All ages	**14**	**24**	-	-	**7**	**13**	-	-	-	-	-	-	-	-	-	-	**1**	-	**1**	-	**2**	-	**3**	**11**
0-	3	3	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	1	4	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2
45-	6	10	-	-	3	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	5
65 and over	4	7	-	-	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3
E873. Accidental poisoning by bromides																								
All ages	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E874. Accidental poisoning by other analgesic and soporific drugs																								
All ages	**33**	**42**	-	-	**22**	**29**	-	-	-	-	-	-	-	-	-	-	**1**	-	**1**	**1**	**9**	**12**		
0-	3	4	-	-	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
15-	12	16	-	-	10	12	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4		
45-	14	16	-	-	7	10	-	-	-	-	-	-	-	-	-	-	1	-	-	1	6	5		
65 and over	4	6	-	-	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3		
E875. Accidental poisoning by sulphonamides																								
All ages	-	**1**	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	**1**	-	-		
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
15-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-		
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
65 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

TABLE 18A - *continued*

Age-groups	Total		At work		Home		Farm		Mine and quarry		Industrial place and premises		Place for recreation and sport		Street and highway		Public building		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E876. Accidental poisoning by strychnine																								
All ages	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E877. Accidental poisoning by belladonna, hyoscine and atropine																								
All ages	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E878. Accidental poisoning by other and unspecified drugs																								
All ages	26	40	-	1	17	28	-	-	-	-	-	-	-	-	-	-	2	-	1	2	2	1	4	9
0-	1	5	-	-	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1
15-	12	16	-	-	6	9	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	1	3	4
45-	8	14	-	1	6	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3
65 and over	4	4	-	-	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
E879. Accidental poisoning by noxious foodstuffs																								
All ages	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E880. Accidental poisoning by alcohol																								
All ages	14	5	1	-	6	3	-	-	-	-	1	-	-	-	-	-	3	1	-	-	4	-	-	1
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	6	2	-	-	3	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-
45-	8	3	1	-	3	2	-	-	-	-	1	-	-	-	-	-	2	-	-	-	2	-	-	1
65 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E881. Accidental poisoning by petroleum products																								
All ages	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E882. Accidental poisoning by industrial solvents																								
All ages	3	2	1	-	1	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	2	2	1	-	-	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
45-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E883. Accidental poisoning by corrosive aromatics, acids and caustic alkalis																								
All ages	6	3	3	-	-	2	-	-	-	-	3	-	-	-	-	-	-	-	2	-	-	-	1	1
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
15-	2	2	2	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-
45-	2	1	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-
65 and over	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E884. Accidental poisoning by mercury and its compounds																								
All ages	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 18A - *continued*

Age-groups	Total		At work		Home		Farm		Mine and quarry		Industrial place and premises		Place for recreation and sport		Street and highway		Public building		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E885. Accidental poisoning by lead and its compounds																								
All ages	1	4	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
0-	1	3	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E886. Accidental poisoning by arsenic and antimony and their compounds																								
All ages	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E887. Accidental poisoning by fluorides																								
All ages	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E888. Accidental poisoning by other and unspecified solid and liquid substances																								
All ages	10	-	1	-	7	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	7	-	1	-	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
45-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E890. Accidental poisoning by utility (illuminating) gas																								
All ages	275	341	3	-	255	328	-	-	-	-	3	-	-	-	-	-	7	2	-	-	1	1	9	10
0-	2	4	-	-	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	5	5	-	-	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	45	20	2	-	35	18	-	-	-	-	2	-	-	-	-	-	3	1	-	-	1	-	4	1
45-	78	47	1	-	73	43	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	3	3
65 and over	145	265	-	-	140	258	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	1	2	6
E891. Accidental poisoning by motor vehicle exhaust gas																								
All ages	11	2	1	-	6	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	3	1
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	3	-
45-	6	1	-	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
65 and over	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E892. Accidental poisoning by other carbon monoxide gas																								
All ages	27	29	6	1	19	28	-	-	-	-	5	-	-	-	-	-	2	1	-	-	1	-	-	-
0-	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	1	2	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	4	3	2	-	2	3	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	10	8	4	1	5	7	-	-	-	-	3	-	-	-	-	-	1	1	-	-	1	-	-	-
65 and over	11	15	-	-	10	15	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
E893. Accidental poisoning by cyanide gas																								
All ages	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E894. Accidental poisoning by other specified gases and vapours																								
All ages	13	-	7	-	4	-	1	-	-	-	6	-	1	-	-	-	-	-	-	-	-	-	1	-
0-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	7	-	3	-	3	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	1	-
45-	4	-	4	-	-	-	1	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
65 and over	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 18A - *continued*

Age-groups	Total		At work		Home		Farm		Mine and quarry		Industrial place and premises		Place for recreation and sport		Street and highway		Public building		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E895. Accidental poisoning by unspecified gases and vapours																								
All ages	**3**	**1**	**1**	**-**	**-**	**1**	**-**	**-**	**-**	**-**	**1**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**2**	**-**
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	2	1	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
65 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
E870-E895. Accidental poisoning																								
All ages	**698**	**872**	**27**	**3**	**552**	**743**	**1**	**-**	**-**	**-**	**22**	**-**	**1**	**-**	**2**	**-**	**18**	**6**	**7**	**5**	**17**	**8**	**78**	**110**
0-	13	20	-	-	10	19	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-	-	1
5-	7	8	-	-	6	7	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1
15-	179	177	15	1	121	137	-	-	-	-	12	-	-	-	1	-	7	3	2	5	8	3	28	29
45-	269	262	12	2	207	214	1	-	-	-	9	-	1	-	1	-	6	3	2	-	7	4	35	41
65 and over	230	405	-	-	208	366	-	-	-	-	-	-	-	-	-	-	4	-	3	-	-	1	15	38
E900. Fall on stairs																								
All ages	**310**	**439**	**10**	**3**	**264**	**398**	**1**	**-**	**-**	**-**	**4**	**-**	**3**	**2**	**1**	**3**	**24**	**16**	**9**	**17**	**2**	**1**	**2**	**2**
0-	8	4	-	-	8	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	17	4	1	-	13	2	-	-	-	-	1	-	-	-	-	-	1	-	1	2	1	-	-	-
45-	92	61	8	1	70	57	1	-	-	-	3	-	-	-	1	-	13	4	3	-	-	-	1	-
65 and over	191	370	1	2	171	335	-	-	-	-	-	-	3	2	-	3	10	12	5	15	1	1	1	2
E901. Fall from ladders																								
All ages	**71**	**8**	**45**	**-**	**36**	**8**	**4**	**-**	**-**	**-**	**15**	**-**	**2**	**-**	**1**	**-**	**4**	**-**	**1**	**-**	**7**	**-**	**1**	**-**
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	23	-	18	-	7	-	4	-	-	-	6	-	-	-	-	-	2	-	-	-	3	-	1	-
45-	32	-	23	-	19	-	-	-	-	-	7	-	1	-	-	-	2	-	1	-	2	-	-	-
65 and over	15	8	4	-	10	8	-	-	-	-	1	-	1	-	1	-	-	-	-	-	2	-	-	-
E902. Other falls from one level to another																								
All ages	**422**	**196**	**165**	**3**	**137**	**114**	**9**	**-**	**5**	**-**	**127**	**-**	**6**	**3**	**16**	**2**	**24**	**1**	**39**	**64**	**53**	**5**	**6**	**7**
0-	33	23	-	-	28	20	-	-	-	-	1	-	1	1	2	1	-	-	-	-	1	1	-	-
5-	25	1	-	-	4	-	-	-	-	-	4	-	3	1	2	-	4	-	1	-	7	-	-	-
15-	146	8	84	1	22	1	3	-	1	-	65	-	2	1	5	-	11	1	3	2	33	1	1	2
45-	106	12	70	1	23	9	3	-	4	-	52	-	-	-	6	-	7	-	3	1	4	1	4	1
65 and over	112	152	11	1	60	84	3	-	-	-	5	-	-	-	1	1	2	-	32	61	8	2	1	4
E903. Fall on same level																								
All ages	**634**	**2,006**	**13**	**6**	**329**	**1,232**	**-**	**2**	**-**	**-**	**7**	**3**	**3**	**5**	**98**	**138**	**22**	**19**	**164**	**584**	**6**	**15**	**5**	**8**
0-	1	2	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	3	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
15-	17	11	4	1	1	3	-	-	-	-	3	-	1	-	5	5	2	1	4	1	1	1	-	-
45-	69	65	9	2	23	36	-	-	-	-	4	1	-	-	24	8	6	2	11	17	-	1	1	-
65 and over	544	1,927	-	3	303	1,190	-	2	-	-	-	2	2	5	69	125	13	16	149	566	4	13	4	8
E904. Unspecified falls																								
All ages	**285**	**852**	**9**	**1**	**110**	**331**	**-**	**-**	**-**	**-**	**7**	**-**	**-**	**-**	**5**	**5**	**1**	**3**	**13**	**40**	**5**	**5**	**144**	**468**
0-	1	3	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
5-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	21	4	6	-	2	1	-	-	-	-	4	-	-	-	3	-	-	-	1	-	2	-	9	3
45-	30	27	3	-	13	15	-	-	-	-	3	-	-	-	-	1	-	-	1	-	1	-	12	11
65 and over	233	817	-	1	94	313	-	-	-	-	-	-	-	-	2	4	1	3	11	40	2	5	123	452
E900-E904. Accidental falls																								
All ages	**1,722**	**3,501**	**242**	**13**	**876**	**2,083**	**14**	**2**	**5**	**-**	**160**	**3**	**14**	**10**	**121**	**148**	**75**	**39**	**226**	**705**	**73**	**26**	**158**	**485**
0-	43	32	-	-	38	27	-	-	-	-	1	-	1	1	2	1	-	-	-	-	1	1	-	2
5-	31	3	-	-	7	2	-	-	-	-	5	-	3	1	2	-	5	-	1	-	8	-	-	-
15-	224	27	113	2	45	7	7	-	1	-	79	-	3	1	13	5	16	2	9	5	40	2	11	5
45-	329	165	113	4	148	117	4	-	4	-	69	1	1	-	31	9	28	6	19	18	7	2	18	12
65 and over	1,095	3,274	16	7	638	1,930	3	2	-	-	6	2	6	7	73	133	26	31	197	682	17	21	129	466
***E910. Blow from falling object**																								
All ages	**228**	**39**	**163**	**2**	**16**	**11**	**4**	**1**	**54**	**-**	**91**	**-**	**7**	**3**	**13**	**5**	**19**	**17**	**3**	**1**	**20**	**1**	**1**	**-**
0-	2	3	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
5-	47	20	-	-	3	-	-	-	-	-	4	-	7	2	5	1	15	16	1	-	12	1	-	-
15-	103	4	96	-	3	3	3	-	33	-	52	-	-	-	5	1	2	-	1	-	4	-	-	-
45-	72	8	66	1	7	3	1	-	21	-	34	-	-	1	3	3	2	1	-	-	3	-	1	-
65 and over	4	4	1	1	2	2	-	1	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-

* E910 Includes 24 male and 24 female deaths resulting from the Aberfan disaster of 1966 which were registered in 1967.

TABLE 18A - *continued*

Age-groups	Total		At work		Home		Farm		Mine and quarry		Industrial place and premises		Place for recreation and sport		Street and highway		Public building		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E911. Accident caused by vehicle																								
All ages	**72**	**-**	**59**	**-**	**8**	**-**	**3**	**-**	**34**	**-**	**22**	**-**	**-**	**-**	**2**	**-**	**1**	**-**	**-**	**-**	**2**	**-**	**-**	**-**
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	35	-	32	-	1	-	1	-	16	-	15	-	-	-	1	-	-	-	-	-	1	-	-	-
45-	34	-	26	-	6	-	2	-	18	-	6	-	-	-	-	-	1	-	-	-	1	-	-	-
65 and over	3	-	1	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
E912. Accident caused by machinery																								
All ages	**193**	**3**	**169**	**-**	**3**	**-**	**42**	**1**	**38**	**-**	**90**	**-**	**4**	**2**	**-**	**-**	**1**	**-**	**1**	**-**	**13**	**-**	**1**	**-**
0-	1	2	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
5-	17	1	-	-	1	-	7	-	-	-	6	-	2	1	-	-	-	-	-	-	1	-	-	-
15-	78	-	73	-	-	-	16	-	16	-	32	-	2	-	-	-	1	-	1	-	9	-	1	-
45-	89	-	88	-	2	-	11	-	22	-	51	-	-	-	-	-	-	-	-	-	3	-	-	-
65 and over	8	-	8	-	-	-	7	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E913. Accident caused by cutting and piercing instruments																								
All ages	**20**	**12**	**4**	**-**	**9**	**6**	**1**	**-**	**-**	**-**	**2**	**-**	**-**	**-**	**-**	**1**	**1**	**1**	**1**	**1**	**3**	**-**	**3**	**3**
0-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
5-	6	1	-	-	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-
15-	9	4	2	-	3	1	-	-	-	-	1	-	-	-	-	-	-	-	1	1	2	-	2	2
45-	3	4	2	-	-	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1
65 and over	1	2	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E914. Accident caused by electric current																								
All ages	**102**	**18**	**43**	**1**	**43**	**16**	**1**	**1**	**4**	**-**	**32**	**-**	**-**	**-**	**-**	**-**	**6**	**-**	**1**	**-**	**15**	**1**	**-**	**-**
0-	10	3	-	-	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-
5-	12	1	-	-	7	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	3	-	-	-
15-	60	6	35	1	18	6	-	-	3	-	24	-	-	-	-	-	6	-	1	-	8	-	-	-
45-	16	2	8	-	7	2	1	-	1	-	6	-	-	-	-	-	-	-	-	-	1	-	-	-
65 and over	4	6	-	-	4	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
E915. Accident caused by explosion of pressure vessel																								
All ages	**8**	**1**	**8**	**-**	**-**	**1**	**1**	**-**	**-**	**-**	**6**	**-**	**-**	**-**	**-**	**-**	**1**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	5	-	5	-	-	-	1	-	-	-	3	-	-	-	-	-	1	-	-	-	-	-	-	-
45-	3	-	3	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
***E916. Accident caused by fire and explosion of combustible material**																								
All ages	**306**	**391**	**40**	**1**	**231**	**377**	**3**	**-**	**2**	**-**	**39**	**1**	**-**	**-**	**-**	**-**	**5**	**3**	**14**	**6**	**11**	**1**	**1**	**3**
0-	52	52	-	-	52	50	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
5-	18	24	-	-	13	24	3	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
15-	47	29	22	1	15	25	-	-	1	-	22	1	-	-	-	-	1	-	1	2	7	-	-	1
45-	70	55	17	-	50	53	-	-	1	-	15	-	-	-	-	-	1	-	2	1	1	-	-	1
65 and over	119	231	1	-	101	225	-	-	-	-	1	-	-	-	-	-	3	2	11	3	2	-	1	1
†E917. Accident caused by hot substance, corrosive liquid, and steam																								
All ages	**45**	**35**	**12**	**1**	**29**	**27**	**-**	**-**	**-**	**-**	**12**	**1**	**-**	**-**	**-**	**-**	**-**	**1**	**2**	**2**	**-**	**-**	**2**	**4**
0-	7	4	-	-	7	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	8	1	7	-	-	1	-	-	-	-	7	-	-	-	-	-	-	-	1	-	-	-	-	-
45-	9	3	5	1	2	2	-	-	-	-	5	1	-	-	-	-	-	-	-	-	-	-	2	-
65 and over	20	27	-	-	19	20	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	4
E918. Accident caused by radiation																								
All ages	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E919. Accident caused by firearm																								
All ages	**55**	**8**	**9**	**-**	**18**	**6**	**6**	**-**	**3**	**-**	**2**	**-**	**-**	**-**	**2**	**-**	**1**	**-**	**1**	**-**	**18**	**2**	**4**	**-**
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	8	2	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	1	-
15-	34	5	6	-	10	5	4	-	3	-	1	-	-	-	1	-	-	-	1	-	12	-	2	-
45-	9	1	3	-	2	1	1	-	-	-	1	-	-	-	1	-	1	-	-	-	2	-	1	-
65 and over	4	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*E916 Including burns by clothing: domestic fire M2, F33; gas fire M1, F23; electric fire M6, F39; other M32, F64. Burns by falling onto fire: domestic fire M11, F23; gas fire M4, F4; electric fire M5, F7; other M3, F1. Conflagration M89, F67. Other and unspecified means M153, F130.
†E917 Including scalds M31, F28.

TABLE 18A - *continued*

Age-groups	Total		At work		Home		Farm		Mine and quarry		Industrial place and premises		Place for recreation and sport		Street and highway		Public building		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E920. Foreign body entering eye and adnexa																								
All ages	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E921. Inhalation and ingestion of food causing obstruction or suffocation																								
All ages	291	208	4	1	185	122	-	-	-	-	3	2	6	2	2	-	8	2	26	43	10	4	51	33
0-	171	103	-	-	137	85	-	-	-	-	-	-	1	2	-	-	-	-	2	2	2	2	29	12
5-	2	4	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-
15-	48	20	2	-	21	7	-	-	-	-	1	-	4	-	1	-	3	-	10	8	2	-	6	5
45-	40	36	2	1	17	11	-	-	-	-	2	2	1	-	1	-	3	2	7	16	3	1	6	4
65 and over	30	45	-	-	10	16	-	-	-	-	-	-	-	-	-	-	2	-	7	16	2	1	9	12
E922. Inhalation and ingestion of other object causing obstruction or suffocation																								
All ages	19	1	-	-	15	1	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-
0-	12	1	-	-	11	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
5-	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
45-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
E923. Foreign body entering other orifice																								
All ages	15	17	-	-	5	8	-	-	-	-	-	-	-	-	-	-	1	-	4	3	-	-	5	6
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
15-	3	4	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-
45-	6	4	-	-	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2
65 and over	4	9	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	2	4
‡E924. Accidental mechanical suffocation in bed and cradle																								
All ages	79	74	-	-	76	72	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	2
0-	78	73	-	-	75	71	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	2
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
***E925. Accidental mechanical suffocation in other and unspecified circumstances**																								
All ages	83	63	11	3	21	18	3	-	4	-	5	-	-	-	-	-	43	44	-	-	7	-	-	1
0-	7	7	-	-	7	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
5-	50	41	-	-	1	-	-	-	1	-	2	-	-	-	-	-	41	41	-	-	5	-	-	-
15-	19	7	8	3	9	4	3	-	1	-	3	-	-	-	-	-	1	3	-	-	2	-	-	-
45-	5	3	3	-	2	3	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
65 and over	2	5	-	-	2	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E926. Lack of care of infants under 1 year of age																								
Under 1 year	24	21	-	-	15	11	-	-	-	-	-	-	-	-	-	1	1	-	-	1	3	4	5	4
E927. Accidents caused by bites and stings of venomous animals and insects																								
All ages	1	5	-	-	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
45-	1	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E928. Other accidents caused by animals																								
All ages	7	5	5	2	2	-	5	2	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	1	1	1	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
45-	2	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	4	4	2	1	2	-	2	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-

‡E924 Including accidental mechanical suffocation: in bed M23, F23; in cot, cradle etc. M56, F51.
* E925 Includes 48 male and 48 female deaths resulting from the Aberfan disaster of 1966 which were registered in 1967.

TABLE 18A - *continued*

Age-groups	Total		At work		Home		Farm		Mine and quarry		Industrial place and premises		Place for recreation and sport		Street and highway		Public building		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E929. Accidental drowning and submersion																								
All ages	626	167	25	-	32	33	8	1	15	2	37	2	40	3	-	-	6	1	2	3	475	117	11	5
0-	61	24	-	-	14	6	-	-	-	-	3	2	5	1	-	-	1	-	-	-	38	15	-	-
5-	123	27	-	-	-	1	2	1	7	2	5	-	13	1	-	-	1	-	-	-	93	22	2	-
15-	221	19	14	-	8	1	2	-	2	-	17	-	20	-	-	-	1	-	-	2	170	16	1	-
45-	131	48	9	-	6	9	3	-	3	-	8	-	2	-	-	-	1	-	1	1	102	33	5	5
65 and over	90	49	2	-	4	16	1	-	3	-	4	-	-	1	-	-	2	1	1	-	72	31	3	-
E930. High and low air pressure																								
All ages	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E931. Excessive heat and insolation																								
All ages	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E932. Excessive cold																								
All ages	28	29	2	-	17	21	-	-	-	-	-	-	1	-	-	2	-	-	-	-	6	-	4	6
0-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	3	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1
45-	8	6	-	-	4	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	-	1	-
65 and over	16	22	-	-	12	16	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	2	5
E933. Hunger, thirst and exposure																								
All ages	29	15	1	-	6	5	-	1	1	-	-	-	-	1	2	1	-	-	-	1	19	5	1	1
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	8	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-	1	-
45-	10	5	-	-	1	2	-	-	-	-	-	-	-	1	2	-	-	-	-	-	7	1	-	1
65 and over	11	10	-	-	3	3	-	1	1	-	-	-	-	-	-	1	-	-	-	1	7	4	-	-
E934. Cataclysm																								
All ages	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E935. Lightning																								
All ages	6	-	1	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-	-	2	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	2	-	-	-
45-	2	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
65 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E936. Other and unspecified accidents																								
All ages	199	113	16	2	71	43	7	-	2	1	10	1	2	-	9	6	5	5	14	13	17	4	62	40
0-	34	28	-	-	25	19	-	-	-	-	1	-	-	-	-	-	-	2	-	-	1	1	7	6
5-	21	4	-	-	11	3	3	-	-	-	-	-	-	-	1	-	2	1	2	-	1	-	1	-
15-	70	12	7	-	25	4	3	-	-	-	4	-	2	-	4	2	2	-	3	-	9	2	18	4
45-	47	19	9	2	5	3	1	-	2	1	5	1	-	-	2	2	1	-	2	2	6	1	23	9
65 and over	27	50	-	-	5	14	-	-	-	-	-	-	-	-	2	2	-	2	7	11	-	-	13	21
E910-E936. Other accidents																								
All ages	2,436	1,225	572	13	803	782	85	7	157	3	352	7	62	12	32	18	99	74	73	74	621	139	152	109
0-	461	322	-	-	353	259	1	1	-	-	4	2	6	4	1	2	2	3	4	3	48	23	42	25
5-	309	125	-	-	46	31	16	2	8	2	20	-	22	4	6	1	61	59	3	1	122	25	5	-
15-	759	116	313	6	117	63	34	-	75	-	182	1	29	-	13	4	18	3	23	14	235	18	33	13
45-	558	196	244	5	117	99	23	-	70	1	138	4	4	2	9	6	11	3	12	21	132	36	42	24
65 and over	349	466	15	2	170	330	11	4	4	-	8	-	1	2	3	5	7	6	31	35	84	37	30	47

TABLE 18C. Deaths from violent causes - external cause according to nature of injury, **1967** England and Wales

Intermediate List No.	External cause of injury		Total	Nature of injury (Intermediate List)												
				AN 138 Fracture of skull	AN 139 Fracture of spine and trunk	AN 140 Fracture of limbs	AN 141 Dislocation without fracture	AN 142 Sprains and strains of joints and adjacent muscles	AN 143 Head injury (excluding fracture)	AN 144 Internal injury of chest, abdomen and pelvis	AN 145 Laceration and open wounds	AN 146 Superficial injury, contusion and crushing with intact skin surface	AN 147 Effects of foreign body entering through orifice	AN 148 Burns	AN 149 Effects of poisons	AN 150* All other unspecified effects of external causes
	Total	M	**13,260**	2,971	790	993	31	7	876	1,894	329	12	325	250	2,559	2,223
		F	**10,137**	1,200	603	2,930	20	2	488	559	127	28	219	292	2,662	1,007
AE 138	Motor vehicle accidents (E810-E835)	M	**4,932**	2,130	468	210	15	1	461	1,305	105	4	2	12	1	218
		F	**2,228**	882	354	145	9	-	224	430	52	6	-	2	1	123
	to pedestrian (E812)	M	**1,645**	733	232	125	6	-	176	272	31	4	-	-	-	66
		F	**1,283**	519	262	96	4	-	140	170	23	2	-	-	-	67
	to pedal cyclist (E813)	M	**344**	184	25	7	1	-	37	69	1	-	-	-	-	20
		F	**60**	37	5	1	-	-	11	4	1	-	-	-	-	1
	to rider or passenger of motorcycle in collision with non-motor vehicle or object (E814)	M	**25**	14	1	2	-	-	-	8	-	-	-	-	-	-
		F	**-**	-	-	-	-	-	-	-	-	-	-	-	-	-
	to rider or pass'r of motor-cycle in collision with other motor vehicle (E815)	M	**592**	295	32	22	2	1	64	138	15	-	-	1	-	22
		F	**52**	22	3	2	1	-	7	15	2	-	-	-	-	-
	Other motor vehicle traffic accident involving two or more motor vehicles (E816)	M	**1,301**	424	99	31	3	-	104	528	41	-	-	5	-	66
		F	**549**	177	60	24	2	-	44	186	22	2	-	1	-	31
	to rider of m/cycle without antecedent collision (E821)	M	**207**	120	6	3	-	-	26	45	3	-	-	1	-	3
		F	**17**	12	-	-	-	-	2	2	-	-	-	-	-	1
	involving overturning in roadway (E822)	M	**90**	48	13	-	-	-	5	23	-	-	1	-	-	-
		F	**30**	15	6	-	-	-	1	7	-	-	-	-	-	1
	involving running off roadway (E823)	M	**531**	230	44	13	2	-	35	164	7	-	1	2	-	33
		F	**140**	59	12	6	2	-	12	33	3	-	-	1	-	12
	Other non-collision motor vehicle traffic acc: (E824)	M	**42**	25	3	1	-	-	5	5	-	-	-	1	1	1
		F	**26**	17	-	3	-	-	1	1	-	1	-	-	1	2
	Remainder of E810-E835	M	**155**	57	13	6	1	-	9	53	7	-	-	2	-	7
		F	**71**	24	6	13	-	-	6	12	1	1	-	-	-	8
AE 139	Other transport accidents	M	**446**	107	23	11	-	-	19	101	16	-	-	3	7	159
		F	**128**	37	7	5	-	-	9	18	2	1	-	-	2	47
AE 140	Accidental poisoning	M	**698**	-	-	-	-	-	-	-	-	-	-	-	698	-
		F	**872**	-	-	-	-	-	-	-	-	-	-	-	872	-
AE 141	Accidental falls	M	**1,722**	472	201	741	11	4	150	79	14	6	1	-	-	43
		F	**3,501**	211	232	2,752	6	2	180	34	17	20	-	-	-	47
AE 142	Accident caused by machinery	M	**193**	52	24	6	1	-	9	83	10	-	1	1	-	6
		F	**3**	1	1	-	-	-	-	1	-	-	-	-	-	-
AE 143	Accident caused by fire and explosion of combustible material	M	**306**	4	1	-	-	-	1	3	-	-	-	177	120	-
		F	**391**	-	-	-	-	-	-	-	-	-	-	249	140	2
AE 144	Accident caused by hot substance, corrosive liquid, steam and radiation	M	**45**	-	-	-	-	-	-	-	-	-	-	45	-	-
		F	**35**	-	-	-	-	-	-	-	-	-	-	35	-	-
AE 145	Accident caused by firearm	M	**55**	7	-	-	-	-	19	20	8	-	-	1	-	-
		F	**8**	1	-	-	-	-	2	3	2	-	-	-	-	-
AE 146	Accidental drowning and submersion	M	**626**	-	-	-	-	-	-	-	-	-	-	-	-	626
		F	**167**	-	-	-	-	-	-	-	-	-	-	-	-	167
*AE 147	All other accidental causes	M	**1,306**	115	51	22	2	2	79	167	27	2	321	5	2	511
		F	**669**	19	5	27	4	-	34	24	13	-	219	-	12	312
AE 148	Suicide and self-inflicted injury	M	**2,736**	47	17	1	2	-	112	78	119	-	-	5	1,720	635
		F	**1,975**	21	4	1	1	-	10	24	28	-	-	5	1,619	262
AE 149	Homicide and injury purposely inflicted by other persons (not in war)	M	**173**	36	5	1	-	-	20	54	27	-	-	1	9	20
		F	**160**	28	-	-	-	-	29	25	13	1	-	1	16	47
AE 150	Injury resulting from operations of war	M	**22**	1	-	1	-	-	6	4	3	-	-	-	2	5
		F	**-**	-	-	-	-	-	-	-	-	-	-	-	-	-

* AE147 includes 72 male and 72 female deaths, AN150 includes 69 male and 69 female deaths resulting from the Aberfan disaster of 1966 which were registered in 1967.

TABLE 18D. Deaths from road traffic accidents and from accidental falls - nature of injury according to external cause, sex and age, 1967

England and Wales

Nature of injury (Intermediate List)		External cause of injury by age							
		All ages	0-	5-	15-	25-	45-	65-	75 and over
Road vehicle accidents to pedestrians (ICD Nos. E812,E840,E842,E844)									
Total	**M**	**1,648**	**153**	**212**	**123**	**164**	**330**	**263**	**403**
	F	**1,292**	**71**	**111**	**55**	**54**	**249**	**324**	**428**
AN138 Fracture of skull	M	734	77	97	57	89	166	105	143
	F	522	41	51	31	26	110	122	141
AN139 Fracture of spine and trunk	M	233	16	23	11	7	37	49	90
	F	263	1	12	6	6	46	81	111
AN140 Fracture of limbs	M	126	1	3	3	6	16	34	63
	F	99	-	-	1	-	11	31	56
AN141 Dislocation without fracture	M	6	1	2	-	1	-	2	-
	F	4	-	-	-	1	1	1	1
AN142 Sprains and strains of joints and adjacent muscle	M	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-
AN143 Head injury (excluding fracture)	M	176	22	33	25	21	18	25	32
	F	142	12	19	6	6	24	33	42
AN144 Internal injury of chest, abdomen, and pelvis	M	272	28	47	21	28	74	33	41
	F	170	13	26	6	10	36	36	43
AN145 Laceration and open wounds	M	31	5	1	2	5	4	5	9
	F	23	1	1	2	1	6	3	9
AN146 Superficial injury, contusion and crushing with intact skin surface	M	4	-	-	-	-	1	-	3
	F	2	-	-	-	-	-	1	1
AN147 Effects of foreign body entering through orifice	M	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-
AN148 Burns	M	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-
AN149 Effects of poisons	M	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-
AN150 All other and unspecified effects of external causes	M	66	3	6	4	7	14	10	22
	F	67	3	2	3	4	15	16	24
Road accidents to pedal cyclists (ICD Nos. E813,E843)									
Total	**M**	**383**	**6**	**85**	**51**	**41**	**115**	**58**	**27**
	F	**70**	**4**	**18**	**8**	**4**	**32**	**4**	**-**
AN138 Fracture of skull	M	207	5	54	26	22	63	27	10
	F	45	3	11	3	4	21	3	-
AN139 Fracture of spine and trunk	M	28	-	1	4	3	7	11	2
	F	5	-	1	3	-	1	-	-
AN140 Fracture of limbs	M	13	-	1	-	2	7	-	3
	F	1	-	1	-	-	-	-	-
AN141 Dislocation without fracture	M	1	-	-	-	-	1	-	-
	F	-	-	-	-	-	-	-	-
AN142 Sprains and strains of joints and adjacent muscle	M	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-
AN143 Head injury (excluding fracture)	M	41	1	11	4	6	8	6	5
	F	13	-	4	1	-	7	1	-
AN144 Internal injury of chest, abdomen, and pelvis	M	70	-	16	14	6	20	9	5
	F	4	1	1	-	-	2	-	-
AN145 Laceration and open wounds	M	1	-	-	1	-	-	-	-
	F	1	-	-	-	-	1	-	-
AN146 Superficial injury, contusion and crushing with intact skin surface	M	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-
AN147 Effects of foreign body entering through orifice	M	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-
AN148 Burns	M	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-
AN149 Effects of poisons	M	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-
AN150 All other and unspecified effects of external causes	M	22	-	2	2	2	9	5	2
	F	1	-	-	1	-	-	-	-

TABLE 18D - *continued*

Nature of injury (Intermediate List)		External cause of injury by age							
		All ages	0-	5-	15-	25-	45-	65-	75 and over
Accident to rider or passenger of motor cycle (ICD Nos. E814,E815,E821)									
Total	**M**	**824**	**1**	**3**	**548**	**117**	**138**	**12**	**5**
	F	**69**	**1**	**2**	**49**	**9**	**7**	**-**	**1**
AN138 Fracture of skull	M	429	1	2	284	67	68	5	2
	F	34	1	2	27	2	1	-	1
AN139 Fracture of spine and trunk	M	39	-	-	23	6	9	1	-
	F	3	-	-	2	1	-	-	-
AN140 Fracture of limbs	M	27	-	-	10	2	13	1	1
	F	2	-	-	2	-	-	-	-
AN141 Dislocation without fracture	M	2	-	-	1	1	-	-	-
	F	1	-	-	1	-	-	-	-
AN142 Sprains and strains of joints and adjacent muscle	M	1	-	-	-	-	-	-	1
	F	-	-	-	-	-	-	-	-
AN143 Head injury (excluding fracture)	M	90	-	-	62	11	15	1	1
	F	9	-	-	7	1	1	-	-
AN144 Internal injury of chest, abdomen, and pelvis	M	191	-	1	136	27	24	3	-
	F	17	-	-	9	3	5	-	-
AN145 Laceration and open wounds	M	18	-	-	10	2	6	-	-
	F	2	-	-	-	2	-	-	-
AN146 Superficial injury, contusion and crushing with intact skin surface	M	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-
AN147 Effects of foreign body entering through orifice	M	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-
AN148 Burns	M	2	-	-	2	-	-	-	-
	F	-	-	-	-	-	-	-	-
AN149 Effects of poisons	M	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-
AN150 All other and unspecified effects of external causes	M	25	-	-	20	1	3	1	-
	F	1	-	-	1	-	-	-	-
Motor vehicle traffic accidents (ICD Nos. E810,E811,E816-E819, E822, E823)									
Total	**M**	**1,940**	**24**	**24**	**676**	**635**	**450**	**89**	**42**
	F	**726**	**18**	**11**	**202**	**162**	**201**	**79**	**53**
AN138 Fracture of skull	M	708	16	12	297	244	117	22	-
	F	255	12	6	81	75	53	17	11
AN139 Fracture of spine and trunk	M	161	2	1	39	40	59	11	9
	F	78	-	2	13	11	26	15	11
AN140 Fracture of limbs	M	44	-	-	8	14	15	3	4
	F	30	-	-	2	6	6	6	10
AN141 Dislocation without fracture	M	5	-	1	1	2	1	-	-
	F	4	-	-	2	1	1	-	-
AN142 Sprains and strains of joints and adjacent muscle	M	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-
AN143 Head injury (excluding fracture)	M	146	3	2	70	46	18	3	4
	F	57	3	1	17	7	15	11	3
AN144 Internal injury of chest, abdomen, and pelvis	M	718	3	5	214	240	196	40	20
	F	228	2	2	64	50	73	26	11
AN145 Laceration and open wounds	M	50	-	-	14	18	15	2	1
	F	25	-	-	10	2	10	1	2
AN146 Superficial injury, contusion and crushing with intact skin surface	M	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	2	-	-
AN147 Effects of foreign body entering through orifice	M	2	-	-	1	1	-	-	-
	F	-	-	-	-	-	-	-	-
AN148 Burns	M	7	-	-	1	1	2	2	1
	F	2	-	-	-	1	-	1	-
AN149 Effects of poisons	M	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-
AN150 All other and unspecified effects of external causes	M	99	-	3	31	29	27	6	3
	F	45	1	-	13	9	15	2	5

TABLE 18D - *continued*

Nature of injury (Intermediate List)		External cause of injury by age							
		All ages	0-	5-	15-	25-	45-	65-	75 and over
Accidental falls (ICD Nos. E900-E904)									
Total	**M**	**1,722**	**43**	**31**	**73**	**151**	**329**	**282**	**813**
	F	**3,501**	**32**	**3**	**9**	**18**	**165**	**508**	**2,766**
AN138 Fracture of skull	M	472	30	18	52	87	163	64	58
	F	211	15	2	4	5	42	53	90
AN139 Fracture of spine and trunk	M	201	-	1	4	14	46	45	91
	F	232	-	-	1	-	15	26	190
AN140 Fracture of limbs	M	741	1	-	2	5	44	124	565
	F	2,752	1	1	1	3	73	361	2,312
AN141 Dislocation without fracture	M	11	-	-	-	2	6	1	2
	F	6	-	-	-	-	2	1	3
AN142 Sprains and strains of joints and adjacent muscle	M	4	-	-	-	-	2	-	2
	F	2	-	-	-	1	-	1	-
AN143 Head injury (excluding fracture)	M	150	10	3	7	17	29	27	57
	F	180	12	-	-	3	20	37	108
AN144 Internal injury of chest, abdomen, and pelvis	M	79	1	5	7	15	26	9	16
	F	34	4	-	2	2	5	7	14
AN145 Laceration and open wounds	M	14	-	4	1	3	2	1	3
	F	17	-	-	1	1	3	5	7
AN146 Superficial injury, contusion and crushing with intact skin surface	M	6	-	-	-	1	1	1	3
	F	20	-	-	-	2	1	5	12
AN147 Effects of foreign body entering through orifice	M	1	-	-	-	-	-	-	1
	F	-	-	-	-	-	-	-	-
AN148 Burns	M	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-
AN149 Effects of poisons	M	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-
AN150 All other and unspecified effects of external causes	M	43	1	-	-	7	10	10	15
	F	47	-	-	-	1	4	12	30

TABLE 18E. Deaths from accidents in the home and residential institutions by cause, sex and age, and death rates per million living, **1967**

England and Wales

ICD No.	Cause of death		Deaths							Rates						
			All ages	0-	5-	15-	45-	65-	75 and over	All ages	0-	5-	15-	45-	65-	75 and over
E870-E936	**All accidents in the home and residential institutions**	**M**	**2,537**	**405**	**63**	**317**	**505**	**380**	**867**	**108**	**189**	**17**	**33**	**87**	**239**	**1,219**
		F	**4,392**	**308**	**41**	**231**	**469**	**636**	**2,707**	**177**	**151**	**12**	**25**	**75**	**279**	**1,840**
E870-E888	Accidental poisoning by solid and liquid substances	M	275	7	-	83	125	46	14	12	3	-	9	22	29	20
		F	390	14	-	120	164	64	28	16	7	-	13	26	28	19
E871	Accidental poisoning by barbituric acid and derivatives	M	206	1	-	56	103	37	9	9	0	-	6	18	23	13
		F	304	-	-	89	133	57	25	12	-	-	9	21	25	17
E872	Accidental poisoning by aspirin and salicylates	M	8	1	-	1	3	2	1	0	0	-	0	1	1	1
		F	13	2	-	2	5	2	2	1	1	-	0	1	1	1
E890-E895	Accidental poisoning by gases and vapours	M	284	3	6	40	84	40	111	12	1	2	4	14	25	156
		F	358	5	7	22	50	76	198	14	2	2	2	8	33	135
E900	Fall on stairs	M	273	8	2	14	73	65	111	12	4	1	1	13	41	156
		F	415	4	-	4	57	80	270	17	2	-	0	9	35	184
E901	Fall from ladders	M	37	-	-	7	20	8	2	2	-	-	1	3	5	3
		F	8	-	-	-	-	6	2	0	-	-	-	-	3	1
E902	Other falls from one level to another	M	176	28	5	25	26	31	61	7	13	1	3	4	19	86
		F	178	20	-	3	10	30	115	7	10	-	0	2	13	78
E903	Fall on same level	M	493	1	1	5	34	89	363	21	0	0	1	6	56	510
		F	1,816	2	1	4	53	216	1,540	73	1	0	0	9	95	1,048
E904	Unspecified falls	M	123	1	-	3	14	18	87	5	0	-	0	2	11	122
		F	371	1	1	1	15	59	294	15	0	0	0	2	26	200
E914	Accident caused by electric current	M	44	7	7	19	7	1	3	2	3	2	2	1	1	4
		F	16	3	-	6	2	3	2	1	1	-	1	0	1	1
E916	Accident caused by fire and explosion of combustible material	M	245	52	13	16	52	44	68	10	24	4	2	9	28	96
		F	383	50	24	27	54	55	173	15	25	7	3	9	24	118
	Burns by clothing	M	35	3	3	-	7	7	15	1	1	1	-	1	4	21
		F	155	17	11	9	17	20	81	6	8	3	1	3	9	55
	from domestic fire (open)	M	2	-	-	-	-	1	1	0	-	-	-	-	1	1
		F	33	5	5	2	2	3	16	1	2	1	0	0	1	11
	gas fire, stove, etc.	M	1	-	-	-	-	-	1	0	-	-	-	-	-	1
		F	23	-	3	2	3	4	11	1	-	1	0	0	2	7
	electric fire	M	6	1	1	-	1	2	1	0	0	0	-	0	1	1
		F	39	-	1	-	4	6	28	2	-	0	-	1	3	19
	other specified	M	15	-	1	-	4	3	7	1	-	0	-	1	2	10
		F	29	5	2	2	5	3	12	1	2	1	0	1	1	8
	not specified	M	11	2	1	-	2	1	5	0	1	0	-	0	1	7
		F	31	7	-	3	3	4	14	1	3	-	0	0	2	10
	Burns by falling into fire	M	23	-	-	-	4	8	11	1	-	-	-	1	5	15
		F	35	-	-	2	8	3	22	1	-	-	0	1	1	15
	Burns by conflagration	M	63	19	4	4	16	6	14	3	9	1	0	3	4	20
		F	65	13	7	1	13	12	19	3	6	2	0	2	5	13
	Burns by other specified means	M	92	20	4	9	18	20	21	4	9	1	1	3	13	30
		F	79	13	2	10	12	12	30	3	6	1	1	2	5	20
	Burns by means not specified	M	32	10	2	3	7	3	7	1	5	1	0	1	2	10
		F	49	7	4	5	4	8	21	2	3	1	1	1	4	14
E917	Accident caused by hot substance, corrosive liquid and steam	M	31	7	1	1	2	6	14	1	3	0	0	0	4	20
		F	29	4	-	1	2	5	17	1	2	-	0	0	2	12
E921	Inhalation and ingestion of food causing obstruction or suffocation	M	211	139	-	31	24	12	5	9	65	-	3	4	8	7
		F	165	87	4	15	27	14	18	7	43	1	2	4	6	12
E924	Accidental mechanical suffocation in bed or cradle	M	78	77	-	1	-	-	-	3	36	-	0	-	-	-
		F	72	71	-	-	-	-	1	3	35	-	-	-	-	1
E929	Accidental drowning and submersion	M	34	14	-	8	7	3	2	1	7	-	1	1	2	3
		F	36	6	1	3	10	7	9	1	3	0	0	2	3	6
Rem. E870-E936	Other accidents	M	233	61	28	64	37	17	26	10	28	8	7	6	11	37
		F	155	41	3	25	25	21	40	6	20	1	3	4	9	27

TABLE 19. Causes of death at different periods of life and Standardised Mortality Ratios, by sex, 1967

England and Wales, regions, Wales, conurbations, urban and rural aggregates outside conurbations, and hospital regions

Abbreviated List No.	Causes of death		England and Wales: All ages	Under 1 year	1-	5-	15-	25-	35-	45-	55-	65-	75 and over
			Age: All ages	Under 1 year	Years: 1-	5-	15-	25-	35-	45-	55-	65-	75 and over
	ALL CAUSES	Numbers M	277,178	8,673	1,427	1,559	3,467	3,003	7,118	20,981	56,632	81,430	92,888
		Numbers F	265,338	6,593	1,147	973	1,465	1,843	5,032	13,328	30,657	61,832	142,468
		Rates M	11,764	20,388	832	433	964	994	2,300	6,875	20,593	51,127	130,589
		Rates F	10,687	16,364	704	284	418	637	1,673	4,230	10,013	27,132	96,864
B1	Tuberculosis of respiratory system	M	1,321	2	4	-	6	15	76	168	361	471	218
		F	477	1	-	-	3	11	51	86	97	99	129
B2	Tuberculosis, other forms	M	112	4	5	-	2	10	13	16	27	23	12
		F	133	-	9	2	3	10	7	20	19	33	30
B3	Syphilis and its sequelae	M	499	-	-	1	1	5	10	27	106	209	140
		F	350	1	-	1	-	2	4	13	48	109	172
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	10	2	-	2	-	1	1	1	1	1	1
		F	6	-	-	2	1	-	-	-	1	1	1
B7	Scarlet fever and streptococcal sore throat	M	3	-	1	-	-	1	1	-	-	-	-
		F	3	-	1	1	-	-	-	-	1	-	-
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	16	14	2	-	-	-	-	-	-	-	-
		F	11	10	1	-	-	-	-	-	-	-	-
B10	Meningococcal infections	M	41	21	10	4	-	-	1	2	1	2	-
		F	39	14	11	1	1	-	3	3	3	3	-
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	60	12	30	13	3	1	-	-	1	-	-
		F	39	6	25	5	1	-	-	1	-	1	-
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	4	-	-	-	-	-	1	1	1	1	-
		F	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	361	31	27	17	23	12	29	54	68	56	44
		F	461	39	23	20	14	20	34	47	79	72	113
B18	Malignant neoplasm: (140-205)	M	59,634	34	169	243	355	492	1,508	5,729	16,675	20,432	13,997
		F	50,438	30	128	199	226	501	2,117	6,189	11,201	14,214	15,633
	stomach (151)	M	7,441	-	-	1	6	30	122	641	2,051	2,652	1,938
		F	5,495	-	-	-	4	25	77	298	883	1,713	2,495
	trachea, bronchus and lung (162, 163)	M	23,548	-	2	-	15	43	439	2,529	8,030	8,924	3,566
		F	4,704	-	-	2	6	23	159	687	1,354	1,510	963
	breast (170)	M	88	-	-	-	-	-	2	10	30	23	23
		F	10,231	-	-	-	5	121	697	1,835	2,654	2,459	2,460
	uterus (171-174)	F	3,838	-	2	-	4	38	267	762	946	1,025	794
	Leukaemia and aleukaemia (204)	M	1,549	8	73	108	68	58	83	148	321	393	289
		F	1,355	10	48	79	49	44	94	114	244	294	379
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	27,008	26	94	134	266	361	862	2,401	6,243	8,440	8,181
		F	24,815	20	78	118	158	250	823	2,493	5,120	7,213	8,542
B19	Benign and unspecified neoplasms	M	670	12	13	19	31	26	40	112	181	155	81
		F	726	6	9	12	14	25	68	124	167	163	138
B20	Diabetes mellitus	M	1,502	1	2	9	15	18	75	102	280	483	517
		F	2,720	1	2	8	14	21	31	78	374	951	1,240
B21	Anaemias	M	553	6	9	6	7	8	15	29	71	122	280
		F	1,054	4	6	6	7	4	12	37	65	248	665
B22	Vascular lesions affecting central nervous system	M	30,669	9	15	13	55	120	374	1,257	4,496	9,404	14,926
		F	46,478	6	6	17	57	110	371	1,280	3,904	10,755	29,972
B23	Non-meningococcal meningitis	M	229	95	27	11	4	4	9	11	28	24	16
		F	170	56	27	5	3	2	3	9	15	27	23
B24	Rheumatic fever	M	6	-	1	-	-	-	2	-	2	-	1
		F	12	-	-	3	2	2	-	1	1	1	2
B25	Chronic rheumatic heart disease	M	1,965	-	1	4	11	66	197	406	567	436	277
		F	3,749	1	-	4	17	72	230	565	981	946	933
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	69,803	1	-	-	13	197	1,908	7,156	18,243	23,101	19,184
		F	45,489	-	-	1	7	33	273	1,181	5,438	14,306	24,250
		M	12,113	6	3	5	17	38	79	254	828	2,419	8,464
		F	21,464	4	4	4	8	10	28	130	523	2,546	18,207
B27	Other diseases of heart	M	6,317	15	6	9	31	36	80	223	917	1,843	3,157
		F	8,356	12	4	4	15	29	52	139	553	1,846	5,702
B28	Hypertension with heart disease	M	3,067	-	-	-	4	13	40	159	589	1,079	1,183
		F	4,480	-	-	-	-	4	18	103	371	1,226	2,758
B29	Hypertension without mention of heart	M	1,771	-	-	-	7	19	75	212	408	466	584
		F	1,890	-	-	1	4	10	24	84	176	457	1,134
B46 (pt.)	Other circulatory diseases (450-468)	M	9,210	6	4	3	18	35	126	381	1,255	2,556	4,826
		F	12,223	4	1	-	25	43	129	272	842	2,212	8,695
B30	Influenza	M	375	5	1	2	2	9	9	27	54	98	168
		F	501	3	1	3	3	2	2	16	29	85	357
B31	Pneumonia	M	14,443	972	203	82	70	68	133	409	1,284	3,294	7,928
		F	17,683	748	172	68	48	48	115	301	852	2,774	12,557
B32	Bronchitis	M	20,487	224	46	17	16	34	133	897	4,356	7,672	7,092
		F	7,324	156	49	15	22	23	80	294	840	1,973	3,870
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	3,313	96	39	12	21	27	60	213	728	1,109	1,007
		F	1,703	68	25	11	15	18	55	106	200	317	888
B33	Ulcer of stomach and duodenum	M	2,400	1	1	2	4	28	65	148	490	791	870
		F	1,460	3	1	2	3	6	30	60	161	363	831
B34	Appendicitis	M	225	4	11	11	12	6	8	19	42	55	57
		F	191	3	5	7	3	4	8	14	18	43	86
B35	Intestinal obstruction and hernia	M	1,310	124	14	11	8	16	24	80	191	344	498
		F	1,660	79	4	5	4	7	23	62	146	398	934
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	963	173	64	6	10	21	33	48	143	200	265
		F	1,622	134	53	11	17	16	40	62	170	410	709
B37	Cirrhosis of liver	M	679	3	4	4	4	3	46	116	233	188	78
		F	671	3	1	2	5	7	41	119	160	215	118
B38	Nephritis and nephrosis	M	1,436	8	3	17	70	56	106	198	313	322	343
		F	1,241	4	5	16	32	39	68	120	190	297	470
B39	Hyperplasia of prostate	M	1,796	-	-	-	-	-	-	-	6	86	410	1,294
B40	Complications of pregnancy, childbirth and puerperium	F	172	-	-	-	50	77	44	1	-	-	-
B41	Congenital malformations	M	2,413	1,697	145	103	86	59	60	75	78	72	38
		F	2,145	1,454	169	102	55	29	47	63	90	77	59
B42	Birth injuries, postnatal asphyxia and atelectasis	M	2,274	2,274	-	-	-	-	-	-	-	-	-
		F	1,512	1,512	-	-	-	-	-	-	-	-	-
B43	Diarrhoea of newborn (764)	M	32	32	-	-	-	-	-	-	-	-	-
		F	26	26	-	-	-	-	-	-	-	-	-
	Other infections of newborn (763, 765-768)	M	330	330	-	-	-	-	-	-	-	-	-
		F	262	262	-	-	-	-	-	-	-	-	-
B44	Other diseases of early infancy and immaturity unqualified	M	1,892	1,892	-	-	-	-	-	-	-	-	-
		F	1,478	1,478	-	-	-	-	-	-	-	-	-
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	1,302	11	-	4	9	7	7	17	27	83	1,137
		F	2,805	13	4	1	2	4	4	15	20	71	2,671
B46 (Rem.)	All other diseases (Remainder 001-795)	M	8,312	223	142	213	286	229	414	793	1,564	2,073	2,375
		F	11,976	196	145	130	192	259	444	852	1,752	2,946	5,060
BE47	Motor vehicle accidents	M	4,932	5	187	325	1,452	556	439	510	560	421	477
		F	2,228	9	68	143	328	119	120	202	305	416	498
BE48	All other accidents	M	5,397	305	224	379	558	386	469	595	739	605	1,137
		F	5,774	225	154	150	111	109	174	256	410	847	3,338
BE49	Suicide and self-inflicted injury	M	2,736	-	-	3	221	347	426	509	625	398	207
		F	1,975	-	-	-	119	154	262	407	449	373	211
BE50	Homicide and operations of war	M	195	23	14	9	35	34	26	21	12	12	9
		F	160	20	14	11	34	13	20	16	6	12	14
BN47	Fractures, head injuries and internal injuries	M	7,524	35	231	422	1,612	769	690	804	928	761	1,272
		F	5,780	41	117	164	353	137	153	258	429	906	3,222
BN48	Burns	M	250	8	17	10	23	7	20	27	33	40	65
		F	292	4	29	12	3	7	9	15	28	46	139
BN49	Effects of poisons	M	2,559	5	46	17	212	277	392	464	548	333	265
		F	2,662	7	42	21	145	177	316	459	522	500	473
BN50	All other injuries	M	2,927	285	131	267	419	270	258	340	427	302	228
		F	1,403	202	68	107	91	74	98	149	191	196	227

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Northern: All ages	Northern: Age: Under 1 year	Northern: Age: Years: 1-	5-	15-	25-	35-	45-	55-	65-	75 and over	S.M.R. (England and Wales = 100)
		Numbers M	19,774	620	102	101	210	212	589	1,681	4,050	5,835	6,374	105
		F	17,603	499	72	69	98	134	361	1,026	2,246	4,393	8,705	108
	ALL CAUSES	Rates M	12,074	21,831	866	375	859	1,001	2,662	8,305	21,762	53,483	134,473	
		F	10,405	18,550	643	268	405	650	1,727	5,015	11,091	29,844	102,412	
B1	Tuberculosis of respiratory system	M	112	1	1	-	2	-	5	10	28	47	18	125
		F	36	-	-	-	-	1	5	7	6	11	6	118
B2	Tuberculosis, other forms	M	7	-	-	-	-	1	-	1	2	3	-	92
		F	8	-	1	-	2	-	1	-	1	1	2	93
B3	Syphilis and its sequelae	M	36	-	-	-	-	-	-	3	14	12	7	106
		F	17	-	-	-	-	-	-	-	3	5	9	79
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	544
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	3	2	-	-	-	-	-	1	-	-	-	432
		F	-	-	-	-	-	-	-	-	-	-	-	-
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B10	Meningococcal infections	M	3	1	1	-	-	-	-	-	-	1	-	106
		F	4	2	1	-	1	-	-	-	-	-	-	151
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	2	2	-	-	-	-	-	-	-	-	-	48
		F	6	1	4	1	-	-	-	-	-	-	-	223
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	1	-	-	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	366
B17	All other diseases classified as infective and parasitic	M	26	2	3	1	-	2	4	4	5	-	5	105
		F	23	5	-	1	1	-	3	2	5	2	4	77
B18	Malignant neoplasm: (140-205)	M	4,093	1	13	18	15	25	122	475	1,127	1,370	927	101
		F	3,190	-	8	21	14	33	147	459	725	890	893	100
	stomach (151)	M	589	-	-	-	-	3	9	71	168	216	122	117
		F	444	-	-	-	1	2	12	31	82	131	185	131
	trachea, bronchus and lung (162, 163)	M	1,631	-	-	-	1	4	36	223	553	586	228	102
		F	294	-	-	1	-	2	13	54	80	92	52	98
	breast (170)	M	3	-	-	-	-	-	-	-	-	2	1	50
		F	563	-	-	-	-	6	48	112	161	128	108	86
	uterus (171-174)	F	264	-	-	-	-	5	17	65	62	69	46	107
	Leukaemia and aleukaemia (204)	M	100	-	4	4	3	2	4	12	23	26	22	94
		F	78	-	3	8	4	3	4	7	12	14	23	89
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	1,770	1	9	14	11	16	73	169	383	540	554	97
		F	1,547	-	5	12	9	15	53	190	328	456	479	99
B19	Benign and unspecified neoplasms	M	43	2	-	1	-	2	6	6	8	14	4	94
		F	45	-	-	-	-	2	5	7	14	10	7	96
B20	Diabetes mellitus	M	118	-	-	2	1	1	6	5	22	48	33	116
		F	214	-	-	-	-	1	2	6	30	89	86	127
B21	Anaemias	M	33	-	-	-	-	1	-	1	2	9	20	88
		F	72	-	-	1	1	-	2	3	8	19	38	113
B22	Vascular lesions affecting central nervous system	M	2,433	-	2	2	5	10	24	98	331	780	1,181	118
		F	3,298	-	-	1	2	12	30	110	310	833	2,000	117
B23	Non-meningococcal meningitis	M	16	5	-	2	1	-	-	1	4	2	1	102
		F	12	4	1	-	-	-	1	1	2	3	-	107
B24	Rheumatic fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	1	-	-	-	-	-	-	122
B25	Chronic rheumatic heart disease	M	159	-	-	-	2	9	16	32	44	38	18	119
		F	236	-	-	-	1	5	27	49	63	45	46	99

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Northern: All ages	Northern: Age: Under 1 year	Northern: Age: Years: 1-	5-	15-	25-	35-	45-	55-	65-	75 and over	S.M.R. (England and Wales = 100)
B26	Arteriosclerotic heart disease including coronary disease (420)	M	5,268	-	-	-	-	14	164	577	1,398	1,744	1,371	112
		F	3,477	-	-	-	3	3	21	115	522	1,207	1,606	125
	Degenerative heart disease (421, 422)	M	736	-	1	-	-	4	2	17	34	153	525	91
		F	1,261	-	-	-	2	-	6	6	32	144	1,071	100
B27	Other diseases of heart	M	482	2	-	-	2	3	8	20	70	149	228	113
		F	550	1	-	1	2	-	6	11	40	128	361	109
B28	Hypertension with heart disease	M	186	-	-	-	-	1	2	13	22	67	81	90
		F	276	-	-	-	-	1	-	8	22	80	165	102
B29	Hypertension without mention of heart	M	103	-	-	-	-	3	4	17	15	25	39	86
		F	102	-	-	-	-	1	-	12	6	21	62	89
B46 (pt.)	Other circulatory diseases (450-468)	M	591	-	-	-	1	4	5	19	68	135	359	95
		F	772	1	1	-	2	3	7	19	55	133	551	105
B30	Influenza	M	11	1	-	-	-	-	-	1	2	2	5	43
		F	21	-	-	-	-	-	-	3	-	2	16	70
B31	Pneumonia	M	824	66	14	3	7	4	17	25	92	181	415	85
		F	872	75	13	2	6	5	5	21	51	144	550	82
B32	Bronchitis	M	1,430	6	3	-	-	1	10	72	342	548	448	103
		F	493	6	2	-	1	4	5	24	69	149	233	110
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	230	5	4	-	1	4	5	16	60	64	69	103
		F	117	3	2	-	1	2	4	14	15	16	60	111
B33	Ulcer of stomach and duodenum	M	172	-	-	-	1	3	5	12	29	71	51	106
		F	78	-	-	-	-	-	3	7	10	21	37	87
B34	Appendicitis	M	20	2	1	1	3	2	-	3	2	2	4	131
		F	8	-	-	-	-	-	-	1	1	1	6	67
B35	Intestinal obstruction and hernia	M	97	15	1	-	1	1	3	5	14	30	27	109
		F	118	9	-	-	-	1	2	7	15	22	62	116
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	59	12	6	-	-	-	2	4	7	14	14	90
		F	90	11	3	1	1	2	3	5	6	20	38	89
B37	Cirrhosis of liver	M	72	-	2	-	-	-	5	9	21	23	12	156
		F	47	-	-	-	-	-	3	5	13	16	10	109
B38	Nephritis and nephrosis	M	102	-	1	2	2	7	7	16	18	29	20	105
		F	84	-	-	1	3	3	4	9	22	23	19	107
B39	Hyperplasia of prostate	M	91	-	-	-	-	-	-	-	1	5	19	66	75
B40	Complications of pregnancy, childbirth and puerperium	F	7	-	-	-	-	2	5	-	-	-	-	58
B41	Congenital malformations	M	188	130	8	9	7	1	6	8	7	8	4	114
		F	139	95	8	8	5	1	3	9	3	5	2	95
B42	Birth injuries, postnatal asphyxia and atelectasis	M	148	148	-	-	-	-	-	-	-	-	-	95
		F	118	118	-	-	-	-	-	-	-	-	-	114
B43	Diarrhoea of newborn (764)	M	4	4	-	-	-	-	-	-	-	-	-	183
		F	4	4	-	-	-	-	-	-	-	-	-	225
	Other infections of newborn (763, 765-768)	M	23	23	-	-	-	-	-	-	-	-	-	102
		F	17	17	-	-	-	-	-	-	-	-	-	95
B44	Other diseases of early infancy and immaturity unqualified	M	141	141	-	-	-	-	-	-	-	-	-	109
		F	112	112	-	-	-	-	-	-	-	-	-	111
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	105	2	-	-	1	-	4	1	4	5	88	121
		F	181	1	1	-	-	1	-	3	1	4	170	111
B46 (Rem.)	All other diseases (Remainder 001-795)	M	577	21	10	15	16	13	35	63	98	141	165	102
		F	817	13	9	11	14	33	33	58	115	233	298	109
BE47	Motor vehicle accidents	M	356	1	18	17	87	35	44	44	40	28	42	105
		F	156	2	10	9	19	7	6	17	20	31	35	107
BE48	All other accidents	M	484	24	13	28	46	33	47	60	68	50	115	131
		F	438	17	8	11	13	7	10	17	37	66	252	123
BE49	Suicide and self-inflicted injury	M	180	-	-	-	9	25	29	35	47	23	12	96
		F	79	-	-	-	3	4	10	11	24	17	10	61
BE50	Homicide and operations of war	M	9	1	-	-	-	3	1	4	-	-	-	67
		F	6	2	-	-	-	-	2	1	-	1	-	55
BN47	Fractures, head injuries and internal injuries	M	607	3	23	22	100	53	59	74	80	58	135	118
		F	426	4	12	9	21	6	5	21	26	70	252	119
BN48	Burns	M	24	-	2	2	2	1	5	1	3	3	5	141
		F	26	2	3	2	-	-	2	1	4	6	6	142
BN49	Effects of poisons	M	168	1	-	-	12	22	36	35	38	17	7	96
		F	133	-	-	4	10	7	12	15	39	27	19	77
BN50	All other injuries	M	230	22	6	21	28	20	21	33	34	23	22	114
		F	94	15	3	5	4	5	9	9	12	12	20	101

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Tyneside Conurbation											
			Age											S.M.R. (England and Wales = 100)
			All ages	Under 1 year	Years 1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
		Numbers M	5,026	159	24	23	52	51	153	423	1,119	1,465	1,557	107
		F	4,459	121	21	13	23	31	91	268	612	1,082	2,197	104
	ALL CAUSES	Rates M	12,205	22,714	819	344	862	962	2,684	8,214	23,608	52,321	136,579	
		F	10,204	18,333	755	203	366	592	1,652	5,028	11,439	27,532	99,412	
B1	Tuberculosis of respiratory system	M	26	-	-	-	-	-	1	4	7	13	1	115
		F	6	-	-	-	-	-	-	1	2	2	1	75
B2	Tuberculosis, other forms	M	1	-	-	-	-	1	-	-	-	-	-	52
		F	4	-	-	-	2	-	-	-	-	1	1	178
B3	Syphilis and its sequelae	M	9	-	-	-	-	-	-	1	1	5	2	106
		F	5	-	-	-	-	-	-	-	-	2	3	88
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B10	Meningococcal infections	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	1	1	-	-	-	-	-	-	-	-	299
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	1	-	-	-	-	-	1	-	-	-	-	430
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	4	-	1	-	-	-	-	2	1	-	-	64
		F	2	-	-	-	-	-	-	1	-	-	1	26
	Malignant neoplasm:	M	1,185	-	-	4	3	5	29	126	367	382	269	116
	(140-205)	F	861	-	2	3	4	11	41	128	218	223	231	103
	stomach (151)	M	151	-	-	-	-	-	2	20	55	42	32	119
		F	111	-	-	-	1	-	6	7	22	33	42	124
	trachea, bronchus and lung (162, 163)	M	521	-	-	-	1	2	10	64	182	192	70	129
		F	92	-	-	-	-	1	3	14	31	27	16	116
B18	breast (170)	M	1	-	-	-	-	-	-	-	-	-	1	67
		F	162	-	-	-	-	2	12	35	45	34	34	94
	uterus (171-174)	F	78	-	-	-	-	2	4	21	23	17	11	121
	Leukaemia and aleukaemia (204)	M	20	-	-	-	-	1	-	4	7	2	6	75
		F	11	-	1	-	1	1	1	1	3	-	3	48
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	492	-	-	4	2	2	17	38	123	146	160	107
		F	407	-	1	3	2	5	15	50	94	112	125	99
B19	Benign and unspecified neoplasms	M	12	2	-	-	-	-	1	2	3	2	2	104
		F	13	-	-	-	-	-	2	2	4	5	-	105
B20	Diabetes mellitus	M	19	-	-	1	-	1	-	1	3	7	6	75
		F	42	-	-	-	-	-	-	1	4	20	17	95
B21	Anaemias	M	6	-	-	-	-	-	-	-	1	1	4	65
		F	17	-	-	-	1	-	-	1	1	4	10	102
B22	Vascular lesions affecting central nervous system	M	547	-	-	-	-	3	7	22	75	178	262	106
		F	776	-	-	-	1	3	7	25	85	193	462	105
B23	Non-meningococcal meningitis	M	4	2	-	-	-	-	-	1	-	-	1	102
		F	5	1	-	-	-	-	1	-	1	2	-	174
B24	Rheumatic fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B25	Chronic rheumatic heart disease	M	49	-	-	-	2	4	3	9	15	12	4	145
		F	64	-	-	-	-	1	8	7	19	15	14	102

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Tyneside Conurbation											
			Age											S.M.R. (England and Wales = 100)
			All ages	Under 1 year	Years 1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	1,263	-	-	-	-	3	42	137	344	421	316	106
		F	814	-	-	-	-	-	4	23	126	264	397	111
		M	154	-	1	-	-	-	1	6	8	28	110	77
		F	304	-	-	-	-	-	1	1	7	37	258	92
B27	Other diseases of heart	M	90	2	-	-	-	1	3	5	11	22	46	85
		F	130	-	-	-	-	-	3	3	7	36	81	99
B28	Hypertension with heart disease	M	60	-	-	-	-	1	1	7	6	20	25	116
		F	76	-	-	-	-	1	-	1	5	16	53	107
B29	Hypertension without mention of heart	M	30	-	-	-	-	1	1	6	4	5	13	100
		F	36	-	-	-	-	-	-	8	2	5	21	119
B46 (pt.)	Other circulatory diseases (450-468)	M	152	-	-	-	1	-	2	5	19	37	88	99
		F	208	1	1	-	1	2	1	4	15	35	148	108
B30	Influenza	M	3	-	-	-	-	-	-	-	-	2	1	48
		F	7	-	-	-	-	-	-	-	2	-	4	89
B31	Pneumonia	M	211	18	3	-	-	3	4	5	21	40	117	88
		F	212	15	4	1	2	1	-	5	11	38	135	76
B32	Bronchitis	M	428	1	1	-	-	-	2	16	113	163	132	123
		F	171	1	2	-	-	-	1	7	22	58	80	145
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	51	3	-	-	-	2	-	4	17	7	18	91
		F	30	1	-	-	-	-	-	2	6	6	15	109
B33	Ulcer of stomach and duodenum	M	39	-	-	-	-	-	2	4	8	16	9	96
		F	24	-	-	-	-	-	-	1	3	9	11	103
B34	Appendicitis	M	5	-	1	-	-	1	-	-	1	1	1	130
		F	1	-	-	-	-	-	-	-	-	-	1	32
B35	Intestinal obstruction and hernia	M	20	5	-	-	-	-	1	-	2	9	3	91
		F	34	1	-	-	-	-	-	2	2	4	25	128
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	13	1	1	-	-	-	1	2	2	4	2	80
		F	20	3	-	-	-	-	-	-	-	2	15	76
B37	Cirrhosis of liver	M	25	-	1	-	-	-	4	3	9	6	2	214
		F	18	-	-	-	-	-	1	1	4	7	5	158
B38	Nephritis and nephrosis	M	26	-	1	1	1	2	4	4	2	5	6	106
		F	23	-	-	-	1	1	-	4	3	5	9	112
B39	Hyperplasia of prostate	M	21	-	-	-	-	-	-	-	1	4	16	71
B40	Complications of pregnancy, childbirth and puerperium	F	3	-	-	-	-	1	2	-	-	-	-	96
B41	Congenital malformations	M	47	36	1	3	-	1	2	-	1	2	1	114
		F	42	30	2	3	1	-	-	3	1	-	2	115
B42	Birth injuries, postnatal asphyxia and atelectasis	M	40	40	-	-	-	-	-	-	-	-	-	104
		F	22	22	-	-	-	-	-	-	-	-	-	86
B43	Diarrhoea of newborn (764)	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
	Other infections of newborn (763, 765-768)	M	4	4	-	-	-	-	-	-	-	-	-	71
		F	5	5	-	-	-	-	-	-	-	-	-	113
B44	Other diseases of early infancy and immaturity unqualified	M	33	33	-	-	-	-	-	-	-	-	-	103
		F	28	28	-	-	-	-	-	-	-	-	-	112
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	18	-	-	-	1	-	2	1	1	2	11	85
		F	29	-	1	-	-	-	-	3	1	-	24	68
B46 (Rem.)	All other diseases (Remainder 001-795)	M	143	5	4	2	5	2	8	13	19	41	44	101
		F	238	4	2	1	3	7	13	19	37	59	93	121
BE47	Motor vehicle accidents	M	89	-	4	4	27	3	9	10	12	8	12	105
		F	40	-	3	1	4	1	2	5	6	9	9	105
BE48	All other accidents	M	129	7	5	8	8	8	12	16	23	12	30	140
		F	123	7	3	4	3	2	1	3	14	19	67	133
BE49	Suicide and self-inflicted injury	M	67	-	-	-	4	8	9	11	22	10	3	141
		F	22	-	-	-	-	-	3	5	6	4	4	65
BE50	Homicide and operations of war	M	2	-	-	-	-	1	1	-	-	-	-	59
		F	2	1	-	-	-	-	-	-	-	1	-	72
BN47	Fractures, head injuries and internal injuries	M	158	-	8	6	28	6	14	18	25	16	37	123
		F	109	1	5	1	5	1	-	5	9	19	63	117
BN48	Burns	M	7	-	-	1	-	-	2	-	-	2	2	165
		F	10	-	1	1	-	-	1	-	2	4	1	210
BN49	Effects of poisons	M	69	1	-	-	4	8	13	14	17	9	3	156
		F	36	-	-	-	1	1	2	5	12	7	8	79
BN50	All other injuries	M	53	6	1	5	7	6	2	5	15	3	3	105
		F	32	7	-	3	1	1	3	3	3	3	8	133

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Yorkshire and Humberside											
			Age											S.M.R. (England and Wales = 100)
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
		Numbers M	28,409	1,029	133	150	382	312	717	2,237	5,963	8,460	9,026	105
		F	26,452	792	146	118	157	201	503	1,338	3,169	6,531	13,497	104
	ALL CAUSES	Rates M	12,238	24,269	779	412	1,111	1,081	2,336	7,371	21,613	53,680	134,315	
		F	10,781	19,800	899	341	454	711	1,711	4,286	10,259	29,130	98,375	
B1	Tuberculosis of respiratory system	M	136	1	-	-	-	1	7	14	41	47	25	104
		F	30	-	-	-	-	-	2	7	7	4	10	64
B2	Tuberculosis, other forms	M	14	1	2	-	-	2	2	1	2	2	2	127
		F	9	-	-	-	-	2	-	4	2	1	-	69
B3	Syphilis and its sequelae	M	38	-	-	-	-	-	2	3	5	22	6	78
		F	25	-	-	-	-	-	-	1	3	9	12	74
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	1	-	-	-	-	-	-	-	-	1	-	101
		F	1	-	-	1	-	-	-	-	-	-	-	168
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	1	-	1	-	-	-	-	-	-	-	-	63
		F	1	1	-	-	-	-	-	-	-	-	-	91
B10	Meningococcal infections	M	5	4	1	-	-	-	-	-	-	-	-	122
		F	4	2	1	-	-	-	1	-	-	-	-	103
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	6	1	3	2	-	-	-	-	-	-	-	100
		F	1	-	-	1	-	-	-	-	-	-	-	26
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	39	7	4	3	2	1	1	4	5	7	5	110
		F	55	6	4	4	-	-	5	6	10	8	12	122
B18	Malignant neoplasm: (140-205)	M	5,852	1	20	23	44	44	131	591	1,690	2,013	1,295	100
		F	4,821	7	16	24	19	59	200	574	1,103	1,369	1,450	98
	stomach (151)	M	741	-	-	-	1	2	10	56	218	273	181	101
		F	535	-	-	-	1	7	8	29	80	167	243	101
	trachea, bronchus and lung (162, 163)	M	2,314	-	-	-	2	5	40	294	793	865	315	99
		F	403	-	-	-	-	4	9	64	115	123	88	87
	breast (170)	M	15	-	-	-	-	-	-	2	5	3	5	173
		F	918	-	-	-	-	14	67	156	259	203	219	92
	uterus (171-174)	F	426	-	-	-	-	3	23	83	101	126	90	113
	Leukaemia and aleukaemia (204)	M	157	-	8	10	8	7	10	9	32	40	33	103
		F	146	4	6	8	6	4	13	9	31	33	32	110
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	2,625	1	12	13	33	30	71	230	642	832	761	99
		F	2,393	3	10	16	12	27	80	233	517	717	778	99
B19	Benign and unspecified neoplasms	M	77	2	-	1	4	3	4	16	18	16	13	116
		F	88	-	1	3	-	2	11	21	17	19	14	124
B20	Diabetes mellitus	M	155	-	-	-	-	1	8	14	26	50	56	106
		F	270	-	1	2	2	5	1	9	33	92	125	103
B21	Anaemias	M	69	1	-	2	2	1	-	5	12	15	31	129
		F	101	2	1	2	-	-	-	2	9	21	64	100
B22	Vascular lesions affecting central nervous system	M	3,223	2	-	1	11	14	40	120	488	1,036	1,511	108
		F	4,720	2	1	1	6	14	40	115	434	1,114	2,993	107
B23	Non-meningococcal meningitis	M	21	13	-	1	1	-	1	1	1	2	1	93
		F	17	6	4	-	-	-	-	-	-	4	3	101
B24	Rheumatic fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B25	Chronic rheumatic heart disease	M	218	-	-	-	-	9	25	52	65	41	26	112
		F	402	-	-	-	3	13	25	66	106	106	83	110

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Yorkshire and Humberside											
			Age											S.M.R. (England and Wales = 100)
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	7,416	1	-	-	1	22	212	806	2,013	2,491	1,870	108
		F	4,913	-	-	-	3	28	154	646	1,687	2,395	1,870	113
		M	1,139	1	1	1	1	3	5	15	79	273	760	88
		F	1,896	-	-	1	1	2	1	9	45	297	1,540	94
B27	Other diseases of heart	M	595	3	-	2	2	2	5	23	88	172	298	97
		F	798	3	-	1	3	2	4	12	64	185	524	100
B28	Hypertension with heart disease	M	298	-	-	-	-	2	4	23	49	102	118	100
		F	443	-	-	-	-	-	4	11	31	150	247	104
B29	Hypertension without mention of heart	M	151	-	-	-	-	3	3	15	26	50	54	87
		F	212	-	-	-	2	1	1	4	16	66	122	117
B46 (pt.)	Other circulatory diseases (450-468)	M	910	3	1	-	1	1	10	30	111	261	492	102
		F	1,311	-	-	-	-	8	10	22	72	252	947	113
B30	Influenza	M	17	-	-	-	1	1	-	2	4	4	5	47
		F	16	1	-	-	-	1	-	-	1	2	11	34
B31	Pneumonia	M	1,336	141	20	10	3	8	15	42	135	310	652	96
		F	1,520	106	26	6	7	7	11	25	67	278	987	91
B32	Bronchitis	M	2,318	21	-	3	3	9	14	109	479	883	797	116
		F	876	24	8	4	7	1	11	40	114	213	454	125
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	309	34	6	1	2	6	9	23	68	78	82	95
		F	156	16	3	1	1	1	6	9	14	20	85	95
B33	Ulcer of stomach and duodenum	M	250	-	-	-	-	1	7	23	53	74	92	107
		F	117	1	-	-	-	1	5	2	17	34	57	84
B34	Appendicitis	M	19	1	-	1	1	-	-	4	4	3	5	86
		F	18	-	1	1	-	-	1	4	1	5	5	98
B35	Intestinal obstruction and hernia	M	144	21	-	-	1	1	3	10	19	37	52	113
		F	160	8	-	1	1	1	5	7	14	36	87	101
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	126	31	8	1	1	-	5	4	14	25	37	134
		F	153	21	9	3	2	4	6	5	11	33	59	98
B37	Cirrhosis of liver	M	74	-	-	-	-	1	7	14	22	20	10	110
		F	62	-	-	-	-	-	5	13	13	18	13	94
B38	Nephritis and nephrosis	M	140	2	-	1	6	7	10	19	32	31	32	99
		F	118	1	1	3	3	4	7	13	13	39	34	98
B39	Hyperplasia of prostate	M	181	-	-	-	-	-	-	-	6	39	136	105
B40	Complications of pregnancy, childbirth and puerperium	F	19	-	-	-	9	5	5	-	-	-	-	113
B41	Congenital malformations	M	235	168	8	9	7	6	10	7	9	3	8	98
		F	222	153	20	10	4	2	9	6	7	4	7	104
B42	Birth injuries, postnatal asphyxia and atelectasis	M	276	276	-	-	-	-	-	-	-	-	-	122
		F	169	169	-	-	-	-	-	-	-	-	-	112
B43	Diarrhoea of newborn (764)	M	8	8	-	-	-	-	-	-	-	-	-	251
		F	10	10	-	-	-	-	-	-	-	-	-	386
	Other infections of newborn (763, 765-768)	M	36	36	-	-	-	-	-	-	-	-	-	110
		F	33	33	-	-	-	-	-	-	-	-	-	127
B44	Other diseases of early infancy and immaturity unqualified	M	197	197	-	-	-	-	-	-	-	-	-	105
		F	185	185	-	-	-	-	-	-	-	-	-	126
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	109	-	-	-	-	2	-	-	1	2	104	88
		F	268	-	1	-	1	-	1	2	6	4	253	102
B46 (Rem.)	All other diseases (Remainder 001-795)	M	810	22	12	22	24	24	37	70	153	193	253	100
		F	1,181	14	16	19	21	24	35	82	162	297	511	102
BE47	Motor vehicle accidents	M	564	-	24	37	179	63	46	56	73	44	42	117
		F	255	1	5	20	39	13	11	34	47	46	39	117
BE48	All other accidents	M	588	29	20	28	56	37	46	70	92	75	135	111
		F	578	18	26	10	10	8	23	24	39	83	337	105
BE49	Suicide and self-inflicted injury	M	278	-	-	-	19	36	45	48	75	36	19	103
		F	199	-	-	-	9	15	29	53	45	33	15	102
BE50	Homicide and operations of war	M	30	1	2	1	10	1	3	3	5	2	2	157
		F	19	2	1	-	7	3	-	2	-	2	2	121
BN47	Fractures, head injuries and internal injuries	M	873	3	25	41	198	80	67	103	123	87	146	119
		F	618	4	11	22	44	13	14	41	51	92	326	112
BN48	Burns	M	20	1	1	2	1	1	2	2	2	4	4	82
		F	32	-	3	3	1	1	1	1	5	4	13	114
BN49	Effects of poisons	M	274	-	9	2	18	34	40	47	68	33	23	109
		F	262	1	10	1	10	18	38	53	51	43	37	100
BN50	All other injuries	M	293	26	11	21	47	22	31	25	52	33	25	102
		F	139	16	8	4	10	7	10	18	24	25	17	101

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		West Yorkshire Conurbation											
			Age											S.M.R. (England and Wales = 100)
			All ages	Under 1 year	Years 1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
		Numbers M	10,853	410	55	77	146	109	285	847	2,341	3,428	3,155	112
		F	10,707	313	67	42	49	75	185	517	1,298	2,735	5,426	108
	ALL CAUSES	Rates M	13,107	26,623	877	594	1,273	1,070	2,596	7,721	22,662	59,002	138,987	
		F	11,868	21,586	1,124	339	414	748	1,762	4,461	10,745	30,188	101,801	
B1	Tuberculosis of respiratory system	M	62	1	-	-	-	1	4	6	20	20	10	131
		F	16	-	-	-	-	-	2	4	4	2	4	69
B2	Tuberculosis, other forms	M	8	1	1	-	-	1	1	1	-	2	1	200
		F	1	-	-	-	-	1	-	-	-	-	-	20
B3	Syphilis and its sequelae	M	21	-	-	-	-	-	2	3	-	12	4	119
		F	9	-	-	-	-	-	-	-	2	3	4	68
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	1	-	-	-	-	-	-	-	450
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	1	-	1	-	-	-	-	-	-	-	-	171
		F	-	-	-	-	-	-	-	-	-	-	-	-
B10	Meningococcal infections	M	2	2	-	-	-	-	-	-	-	-	-	134
		F	1	1	-	-	-	-	-	-	-	-	-	70
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	4	-	2	2	-	-	-	-	-	-	-	185
		F	-	-	-	-	-	-	-	-	-	-	-	-
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	12	2	2	1	-	-	1	-	2	2	2	93
		F	22	1	4	1	-	-	2	3	3	1	7	128
B18	Malignant neoplasm: (140-205)	M	2,240	1	6	9	12	10	46	211	677	817	451	106
		F	1,892	3	6	8	5	17	71	222	442	556	562	99
	stomach (151)	M	292	-	-	-	-	2	3	17	95	106	69	111
		F	211	-	-	-	1	3	2	14	30	79	82	101
	trachea, bronchus and lung (162, 163)	M	938	-	-	-	-	1	20	110	313	376	118	110
		F	152	-	-	-	-	-	5	20	40	43	44	84
	breast (170)	M	3	-	-	-	-	-	-	1	-	2	-	96
		F	374	-	-	-	-	6	22	63	109	77	97	96
	uterus (171-174)	F	161	-	-	-	-	2	10	29	42	43	35	110
	Leukaemia and aleukaemia (204)	M	48	-	3	4	3	1	4	3	12	12	6	88
		F	40	2	3	1	1	-	1	4	11	10	7	79
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	959	1	3	5	9	6	19	80	257	321	258	101
		F	954	1	3	7	3	6	31	92	210	304	297	101
B19	Benign and unspecified neoplasms	M	38	-	-	1	2	1	1	8	9	9	7	159
		F	44	-	1	3	-	1	3	13	9	10	4	161
B20	Diabetes mellitus	M	48	-	-	-	-	-	3	2	10	17	16	91
		F	110	-	1	-	-	2	-	5	7	38	57	107
B21	Anaemias	M	29	1	-	1	-	-	-	1	3	5	18	154
		F	41	1	1	-	-	-	-	1	5	8	25	104
B22	Vascular lesions affecting central nervous system	M	1,210	-	-	-	5	5	17	45	186	416	536	115
		F	1,946	1	1	-	1	3	15	50	172	448	1,255	112
B23	Non-meningococcal meningitis	M	9	5	-	1	-	-	1	-	1	1	-	109
		F	7	1	2	-	-	-	-	-	-	3	1	111
B24	Rheumatic fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B25	Chronic rheumatic heart disease	M	81	-	-	-	-	5	10	19	24	17	6	115
		F	165	-	-	-	1	6	9	26	42	39	42	116

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		West Yorkshire Conurbation											
			Age											S.M.R. (England and Wales = 100)
			All ages	Under 1 year	Years 1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	2,920	-	-	-	1	10	94	311	784	1,041	679	118
		F	2,106	-	-	-	-	1	10	59	300	740	996	123
		M	386	-	-	1	1	1	2	3	28	107	243	96
		F	730	-	-	-	1	-	-	4	20	114	591	93
B27	Other diseases of heart	M	234	2	-	-	-	1	2	6	39	75	109	108
		F	341	1	-	-	-	-	-	6	29	91	214	110
B28	Hypertension with heart disease	M	110	-	-	-	-	2	1	10	21	33	43	103
		F	171	-	-	-	-	-	4	5	10	55	97	102
B29	Hypertension without mention of heart	M	58	-	-	-	-	2	-	8	11	15	22	93
		F	72	-	-	-	-	-	1	2	2	24	43	102
B46 (pt.)	Other circulatory diseases (450-468)	M	331	2	-	-	-	-	5	14	48	110	152	105
		F	480	-	-	-	-	4	4	6	24	108	334	106
B30	Influenza	M	6	-	-	-	-	-	-	1	3	-	2	46
		F	6	1	-	-	-	-	-	-	-	-	5	32
B31	Pneumonia	M	504	64	7	6	-	2	6	17	49	138	215	103
		F	645	49	15	4	3	4	5	12	23	112	418	99
B32	Bronchitis	M	880	7	-	1	2	3	4	41	186	333	303	122
		F	349	2	-	3	1	-	4	15	50	91	183	127
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	117	5	2	-	-	2	3	9	33	32	31	100
		F	54	6	-	-	1	2	2	4	10	29	85	
B33	Ulcer of stomach and duodenum	M	86	-	-	-	-	-	3	5	18	26	34	103
		F	48	1	-	-	-	1	2	1	7	14	22	88
B34	Appendicitis	M	6	-	-	1	-	-	-	3	1	-	1	76
		F	6	-	-	-	-	-	1	2	-	2	1	84
B35	Intestinal obstruction and hernia	M	51	7	-	-	-	1	1	4	8	14	16	112
		F	64	1	-	-	1	-	3	-	6	12	41	103
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	44	16	2	1	-	-	2	2	1	6	14	130
		F	63	7	4	2	-	-	2	2	8	15	23	104
B37	Cirrhosis of liver	M	32	-	-	-	-	1	2	6	9	8	6	130
		F	25	-	-	-	-	-	2	5	3	10	5	98
B38	Nephritis and nephrosis	M	58	1	-	1	2	-	2	9	11	16	16	115
		F	44	-	1	2	1	-	2	2	3	18	15	95
B39	Hyperplasia of prostate	M	42	-	-	-	-	-	-	-	-	9	33	70
B40	Complications of pregnancy, childbirth and puerperium	F	6	-	-	-	3	2	1	-	-	-	-	101
B41	Congenital malformations	M	94	71	4	5	1	-	3	4	1	-	5	108
		F	88	65	11	2	1	1	2	-	3	1	2	112
B42	Birth injuries, postnatal asphyxia and atelectasis	M	105	105	-	-	-	-	-	-	-	-	-	127
		F	70	70	-	-	-	-	-	-	-	-	-	127
B43	Diarrhoea of newborn (764)	M	6	6	-	-	-	-	-	-	-	-	-	514
		F	5	5	-	-	-	-	-	-	-	-	-	528
	Other infections of newborn (763, 765-768)	M	16	16	-	-	-	-	-	-	-	-	-	133
		F	15	15	-	-	-	-	-	-	-	-	-	157
B44	Other diseases of early infancy and immaturity unqualified	M	76	76	-	-	-	-	-	-	-	-	-	110
		F	69	69	-	-	-	-	-	-	-	-	-	128
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	28	-	-	-	-	1	-	-	1	2	24	66
		F	77	-	-	-	1	-	-	1	3	2	70	76
B46 (Rem.)	All other diseases (Remainder 001-795)	M	333	10	7	6	16	15	14	23	63	83	96	114
		F	524	8	4	7	7	9	13	25	65	132	254	117
BE47	Motor vehicle accidents	M	234	-	8	23	70	19	17	32	27	20	18	138
		F	96	1	1	6	12	5	6	9	16	24	16	117
BE48	All other accidents	M	206	9	11	16	22	12	18	22	32	30	34	110
		F	199	3	15	3	4	6	10	10	19	32	97	93
BE49	Suicide and self-inflicted injury	M	111	-	-	-	8	13	19	19	32	12	8	115
		F	91	-	-	-	5	10	9	23	17	19	8	124
BE50	Homicide and operations of war	M	14	-	2	1	4	1	1	2	3	-	-	206
		F	8	1	-	-	2	1	-	2	-	1	1	139
BN47	Fractures, head injuries and internal injuries	M	333	1	11	25	75	22	22	45	48	40	44	129
		F	200	2	2	7	12	5	7	10	18	41	96	94
BN48	Burns	M	6	1	-	1	-	-	-	-	-	3	1	69
		F	14	-	2	1	-	-	-	-	3	2	6	129
BN49	Effects of poisons	M	121	-	8	2	8	16	19	18	30	11	9	134
		F	133	-	7	-	5	14	15	25	26	25	16	134
BN50	All other injuries	M	105	7	2	12	21	7	14	12	16	8	6	102
		F	47	3	5	1	6	3	3	9	5	8	4	91

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		North Western											S.M.R. (England and Wales = 100)
			Age											
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
	ALL CAUSES	Numbers M	42,252	1,419	227	236	479	433	1,134	3,413	9,251	12,846	12,814	113
		Numbers F	41,559	1,056	183	140	196	301	785	2,235	5,138	10,302	21,223	112
		Rates M	13,020	23,377	915	449	1,024	1,079	2,709	8,050	23,843	57,891	143,494	
		Rates F	11,838	18,397	775	280	409	767	1,892	4,969	11,476	30,716	107,676	
B1	Tuberculosis of respiratory system	M	229	-	-	-	1	3	14	45	70	72	24	126
		F	70	1	-	-	1	5	7	14	16	19	7	104
B2	Tuberculosis, other forms	M	13	1	1	-	-	1	1	3	3	1	2	84
		F	14	-	2	1	-	-	-	2	2	4	3	74
B3	Syphilis and its sequelae	M	81	-	-	-	-	2	-	4	16	33	26	120
		F	43	1	-	-	-	1	-	-	8	17	16	88
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	1	-	-	-	-	-	1	-	-	-	-	72
		F	-	-	-	-	-	-	-	-	-	-	-	-
B7	Scarlet fever and streptococcal sore throat	M	1	-	-	-	-	-	1	-	-	-	-	243
		F	1	-	1	-	-	-	-	-	-	-	-	229
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	3	2	1	-	-	-	-	-	-	-	-	130
		F	1	1	-	-	-	-	-	-	-	-	-	63
B10	Meningococcal infections	M	1	-	1	-	-	-	-	-	-	-	-	17
		F	6	2	2	-	-	-	-	1	-	1	-	107
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	5	3	2	-	-	-	-	-	-	-	-	58
		F	2	-	2	-	-	-	-	-	-	-	-	35
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	1	-	-	-	-	-	-	-	-	1	-	181
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	55	4	4	3	4	2	6	11	5	11	5	110
		F	67	4	6	1	2	7	4	4	11	15	13	103
B18	Malignant neoplasm: (140-205)	M	8,577	1	25	27	42	68	243	866	2,483	2,932	1,890	105
		F	7,464	3	21	25	28	75	325	991	1,668	2,133	2,195	104
	stomach (151)	M	1,144	-	-	1	-	6	18	114	340	383	282	113
		F	922	-	-	-	-	1	13	53	155	318	382	119
	trachea, bronchus and lung (162, 163)	M	3,429	-	-	-	4	9	93	383	1,191	1,258	491	106
		F	702	-	-	1	2	8	35	110	195	199	152	104
	breast (170)	M	14	-	-	-	-	-	-	1	6	4	3	117
		F	1,443	-	-	-	1	17	99	272	369	329	356	99
	uterus (171-174)	F	605	-	1	-	-	3	45	151	158	147	100	111
	Leukaemia and aleukaemia (204)	M	187	-	13	13	4	8	8	21	50	53	17	88
		F	178	1	10	13	5	7	10	16	37	33	46	93
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	3,803	1	12	13	34	45	124	347	896	1,234	1,097	104
		F	3,614	2	10	11	20	39	123	389	754	1,107	1,159	103
B19	Benign and unspecified neoplasms	M	98	-	1	4	6	5	4	17	27	24	10	106
		F	105	-	1	1	2	7	10	16	22	22	24	102
B20	Diabetes mellitus	M	185	-	-	1	3	2	13	18	37	58	53	92
		F	397	1	-	1	-	3	5	10	71	154	152	104
B21	Anaemias	M	84	-	-	-	1	3	2	7	9	17	45	115
		F	207	-	1	-	-	-	1	7	7	58	133	142
B22	Vascular lesions affecting central nervous system	M	4,796	2	-	2	9	21	64	210	831	1,564	2,093	118
		F	7,203	-	2	2	14	18	56	237	642	1,866	4,366	112
B23	Non-meningococcal meningitis	M	39	16	3	2	1	2	1	3	4	4	3	121
		F	24	3	7	1	3	1	1	2	2	2	2	99
B24	Rheumatic fever	M	2	-	-	-	-	-	-	-	1	-	1	242
		F	1	-	-	-	-	-	-	-	1	-	-	59
B25	Chronic rheumatic heart disease	M	283	-	-	1	2	8	33	44	96	61	38	105
		F	596	1	-	-	3	10	40	109	177	130	126	112

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		North Western											S.M.R. (England and Wales = 100)
			Age											
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
B26	Arteriosclerotic heart disease including coronary disease (420)	M	10,665	-	-	-	2	37	304	1,207	3,001	3,612	2,502	112
		F	7,024	-	-	-	-	8	57	231	1,063	2,322	3,343	110
	Degenerative heart disease (421, 422)	M	1,768	-	-	1	3	8	19	41	136	389	1,171	112
		F	3,278	-	-	-	1	1	2	22	79	445	2,728	112
B27	Other diseases of heart	M	1,055	3	1	-	5	4	10	50	173	330	479	126
		F	1,522	2	-	-	2	8	10	29	118	378	975	132
B28	Hypertension with heart disease	M	427	-	-	-	1	2	6	21	97	157	143	104
		F	635	-	-	-	-	-	1	19	65	188	362	102
B29	Hypertension without mention of heart	M	212	-	-	-	2	3	15	44	54	36	58	89
		F	239	-	-	-	-	-	6	1	24	72	136	91
B46 (pt.)	Other circulatory diseases (450-468)	M	1,340	-	1	-	2	4	17	41	175	394	706	110
		F	1,911	-	-	-	5	4	23	51	125	349	1,354	114
B30	Influenza	M	114	1	-	-	-	-	5	8	19	38	43	228
		F	194	-	1	1	-	-	1	7	16	35	133	282
B31	Pneumonia	M	2,172	175	36	15	11	7	23	76	217	588	1,024	114
		F	2,852	134	33	16	2	13	20	54	189	501	1,890	117
B32	Bronchitis	M	3,718	57	9	3	1	6	33	175	900	1,441	1,093	134
		F	1,536	21	4	2	5	3	16	79	200	470	736	150
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	462	10	6	4	8	4	9	39	103	154	125	103
		F	272	12	3	2	2	5	11	20	32	49	136	115
B33	Ulcer of stomach and duodenum	M	386	-	-	1	-	4	14	19	94	127	127	120
		F	208	-	-	1	2	2	5	8	33	54	103	102
B34	Appendicitis	M	34	-	3	2	3	-	-	1	8	7	10	111
		F	33	1	1	1	-	-	4	-	2	13	11	124
B35	Intestinal obstruction and hernia	M	172	11	2	3	1	1	3	14	35	43	59	97
		F	241	11	-	2	-	2	4	13	19	80	110	104
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	158	43	12	1	1	6	5	6	24	27	33	120
		F	251	30	7	-	7	-	12	10	30	80	75	110
B37	Cirrhosis of liver	M	98	1	1	-	-	-	4	21	42	22	7	105
		F	104	-	-	-	2	1	5	22	20	38	16	108
B38	Nephritis and nephrosis	M	222	1	-	4	17	8	19	28	41	54	50	114
		F	202	1	1	5	4	4	10	22	34	42	79	116
B39	Hyperplasia of prostate	M	253	-	-	-	-	-	-	-	1	12	71	169	109
B40	Complications of pregnancy, childbirth and puerperium	F	20	-	-	-	5	8	7	-	-	-	-	85
B41	Congenital malformations	M	354	253	25	20	10	12	8	11	6	7	2	103
		F	331	225	22	18	10	7	6	9	13	14	7	107
B42	Birth injuries, postnatal asphyxia and atelectasis	M	330	330	-	-	-	-	-	-	-	-	-	101
		F	216	216	-	-	-	-	-	-	-	-	-	99
B43	Diarrhoea of newborn (764)	M	6	6	-	-	-	-	-	-	-	-	-	130
		F	2	2	-	-	-	-	-	-	-	-	-	53
	Other infections of newborn (763, 765-768)	M	53	53	-	-	-	-	-	-	-	-	-	111
		F	43	43	-	-	-	-	-	-	-	-	-	114
B44	Other diseases of early infancy and immaturity unqualified	M	378	378	-	-	-	-	-	-	-	-	-	138
		F	255	255	-	-	-	-	-	-	-	-	-	120
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	281	2	-	1	2	1	-	6	5	14	250	170
		F	660	6	1	-	-	-	-	1	3	24	625	175
B46 (Rem.)	All other diseases (Remainder 001-795)	M	1,202	24	18	22	45	36	65	128	250	315	299	107
		F	1,656	29	20	18	16	37	62	129	262	431	652	99
BE47	Motor vehicle accidents	M	729	1	37	62	182	79	63	81	86	68	70	110
		F	375	1	14	27	47	28	18	18	46	90	86	119
BE48	All other accidents	M	795	38	34	55	75	46	63	81	117	109	177	108
		F	966	46	28	13	9	15	13	45	62	150	585	121
BE49	Suicide and self-inflicted injury	M	384	-	-	-	30	44	63	84	73	63	27	103
		F	313	-	-	-	22	28	40	50	75	55	43	112
BE50	Homicide and operations of war	M	30	3	4	2	9	4	3	2	1	2	-	113
		F	19	4	3	2	2	-	3	2	1	1	1	84
BN47	Fractures, head injuries and internal injuries	M	1,101	5	46	81	201	98	95	112	135	135	193	109
		F	979	6	20	31	44	27	20	30	63	174	564	122
BN48	Burns	M	38	1	1	2	4	2	5	3	5	5	10	112
		F	55	-	3	2	-	2	1	5	8	10	24	135
BN49	Effects of poisons	M	390	1	4	3	32	38	56	80	80	51	45	112
		F	412	3	9	4	26	31	43	60	77	71	88	109
BN50	All other injuries	M	409	35	24	33	59	35	36	53	57	51	26	102
		F	227	42	13	5	10	11	10	20	36	41	39	114

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		South East Lancashire Conurbation											
			Age											S.M.R. (England and Wales = 100)
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
		Numbers M	15,229	554	98	91	175	146	431	1,261	3,537	4,528	4,408	114
		F	15,042	410	82	48	55	112	277	770	1,961	3,799	7,528	113
	ALL CAUSES	Rates M	12,936	24,513	1,072	484	1,047	1,010	2,768	7,996	25,121	57,829	142,194	
		F	11,803	19,159	944	269	318	792	1,821	4,625	12,083	31,242	106,478	
B1	Tuberculosis of respiratory system	M	88	-	-	-	1	1	5	20	25	28	8	135
		F	20	1	-	-	-	1	1	8	-	8	1	82
B2	Tuberculosis, other forms	M	8	-	1	-	-	1	-	2	2	1	1	144
		F	6	-	2	-	-	-	-	-	1	1	2	88
B3	Syphilis and its sequelae	M	23	-	-	-	-	-	-	2	5	6	10	96
		F	15	-	-	-	-	1	-	-	4	4	6	85
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	631
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	1	1	-	-	-	-	-	-	-	-	-	117
		F	-	-	-	-	-	-	-	-	-	-	-	-
B10	Meningococcal infections	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	48
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	4	3	1	-	-	-	-	-	-	-	-	127
		F	1	-	1	-	-	-	-	-	-	-	-	48
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	13	2	1	-	1	-	2	2	1	2	2	72
		F	26	-	3	-	-	4	-	2	6	8	3	110
B18	Malignant neoplasm: (140-205)	M	3,261	1	10	8	18	20	99	329	1,004	1,069	703	112
		F	2,787	1	8	9	8	29	116	343	654	819	800	108
	stomach (151)	M	420	-	-	-	-	3	7	47	129	128	106	116
		F	356	-	-	-	-	-	5	22	55	131	143	128
	trachea, bronchus and lung (162, 163)	M	1,341	-	-	-	3	5	49	140	475	467	202	116
		F	277	-	-	-	2	6	14	37	79	84	55	113
	breast (170)	M	3	-	-	-	-	-	-	-	3	-	-	70
		F	543	-	-	-	-	5	38	92	148	123	137	103
	uterus (171-174)	F	225	-	-	-	-	2	15	54	58	62	34	113
	Leukaemia and aleukaemia (204)	M	71	-	7	4	1	1	4	5	29	17	3	93
		F	63	-	3	5	1	3	3	7	18	7	16	91
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	1,426	1	3	4	14	11	39	137	368	457	392	110
		F	1,323	1	5	4	5	13	41	131	296	412	415	104
B19	Benign and unspecified neoplasms	M	33	-	-	1	3	4	1	1	12	9	2	99
		F	34	-	-	-	1	1	4	3	8	8	9	91
B20	Diabetes mellitus	M	63	-	-	-	-	-	6	8	11	21	17	88
		F	145	-	-	-	-	-	2	4	25	58	56	105
B21	Anaemias	M	29	-	-	-	1	-	1	2	3	5	17	112
		F	70	-	-	-	-	-	-	2	2	21	45	133
B22	Vascular lesions affecting central nervous system	M	1,696	1	-	-	4	7	22	71	307	543	741	118
		F	2,553	-	1	1	7	5	27	70	213	647	1,582	110
B23	Non-meningococcal meningitis	M	18	6	2	-	-	2	1	2	2	1	2	153
		F	12	1	5	1	1	-	-	1	1	1	1	135
B24	Rheumatic fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B25	Chronic rheumatic heart disease	M	115	-	-	1	1	6	15	12	46	20	14	118
		F	231	-	-	-	-	2	11	29	88	53	48	119

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		South East Lancashire Conurbation											
			Age											S.M.R. (England and Wales = 100)
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	3,661	-	-	-	1	11	110	448	1,129	1,209	753	108
		F	2,423	-	-	-	-	4	19	86	393	798	1,123	106
		M	629	-	-	-	1	1	9	19	50	155	394	114
		F	1,138	-	-	-	1	-	-	8	26	159	944	109
B27	Other diseases of heart	M	358	-	1	-	1	-	3	22	58	106	167	121
		F	529	-	-	-	-	3	2	13	46	150	315	127
B28	Hypertension with heart disease	M	133	-	-	-	-	1	3	7	27	47	46	91
		F	183	-	-	-	-	-	-	6	18	53	106	82
B29	Hypertension without mention of heart	M	67	-	-	-	1	1	7	14	20	10	14	79
		F	87	-	-	-	-	-	2	1	10	18	56	92
B46 (pt.)	Other circulatory diseases (450-468)	M	485	-	-	-	1	2	7	18	68	142	247	113
		F	755	-	-	-	2	3	9	25	49	136	531	125
B30	Influenza	M	30	1	-	-	-	-	1	3	5	9	11	169
		F	51	-	-	-	-	-	1	6	13	31	206	206
B31	Pneumonia	M	804	81	20	8	4	3	6	28	84	206	364	119
		F	1,062	62	18	5	-	6	4	19	69	192	687	121
B32	Bronchitis	M	1,449	16	4	-	-	3	15	69	373	552	417	148
		F	712	6	-	1	1	2	5	32	91	229	345	193
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	161	6	-	1	6	2	3	9	39	47	48	101
		F	112	5	2	1	-	3	5	9	15	18	54	131
B33	Ulcer of stomach and duodenum	M	145	-	-	-	-	2	6	9	39	44	45	127
		F	88	-	-	-	-	1	3	3	15	28	38	120
B34	Appendicitis	M	15	-	2	1	1	-	-	-	5	3	3	137
		F	10	-	-	1	-	-	1	-	-	5	3	104
B35	Intestinal obstruction and hernia	M	72	3	1	1	-	1	1	6	15	16	28	115
		F	97	2	-	1	-	1	3	6	9	36	39	116
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	62	20	4	1	-	2	1	4	10	5	15	131
		F	105	15	1	-	-	-	6	3	14	36	30	127
B37	Cirrhosis of liver	M	34	1	1	-	-	-	3	6	13	7	3	101
		F	38	-	-	-	-	-	4	10	7	11	6	109
B38	Nephritis and nephrosis	M	76	-	-	-	6	4	6	15	14	21	10	109
		F	57	-	1	2	-	1	2	6	13	13	19	90
B39	Hyperplasia of prostate	M	81	-	-	-	-	-	-	-	4	26	51	100
B40	Complications of pregnancy, childbirth and puerperium	F	8	-	-	-	2	3	3	-	-	-	-	94
B41	Congenital malformations	M	121	90	9	6	-	4	3	2	-	5	2	96
		F	117	75	9	8	2	3	3	3	7	5	2	103
B42	Birth injuries, postnatal asphyxia and atelectasis	M	139	139	-	-	-	-	-	-	-	-	-	115
		F	98	98	-	-	-	-	-	-	-	-	-	122
B43	Diarrhoea of newborn (764)	M	2	2	-	-	-	-	-	-	-	-	-	117
		F	1	1	-	-	-	-	-	-	-	-	-	72
	Other infections of newborn (763, 765-768)	M	19	19	-	-	-	-	-	-	-	-	-	108
		F	16	16	-	-	-	-	-	-	-	-	-	115
B44	Other diseases of early infancy and immaturity unqualified	M	143	143	-	-	-	-	-	-	-	-	-	142
		F	92	92	-	-	-	-	-	-	-	-	-	117
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	73	1	-	-	-	-	-	1	3	2	66	126
		F	235	3	-	-	-	-	1	3	5	223	173	
B46 (Rem.)	All other diseases (Remainder 001-795)	M	410	7	8	10	16	8	20	51	74	119	97	102
		F	590	10	11	5	6	14	20	42	108	149	225	97
BE47	Motor vehicle accidents	M	287	-	17	29	65	30	21	26	27	35	37	120
		F	139	-	6	8	17	14	6	7	16	41	24	122
BE48	All other accidents	M	263	9	13	24	30	14	22	27	31	31	62	100
		F	283	19	12	5	3	4	2	11	18	51	158	98
BE49	Suicide and self-inflicted injury	M	145	-	-	-	12	13	31	26	30	24	9	107
		F	108	-	-	-	3	7	15	16	26	25	16	106
BE50	Homicide and operations of war	M	13	2	3	-	1	3	1	-	1	2	-	134
		F	6	3	-	-	1	-	2	-	-	-	-	73
BN47	Fractures, head injuries and internal injuries	M	392	2	20	34	73	33	34	33	34	54	75	108
		F	306	2	9	9	16	11	7	11	21	71	149	106
BN48	Burns	M	16	1	-	1	3	1	-	2	2	2	4	132
		F	20	-	2	1	-	1	-	-	1	1	4	10	136
BN49	Effects of poisons	M	157	-	3	-	15	12	28	26	33	22	18	124
		F	132	-	3	2	4	9	15	15	28	27	29	96
BN50	All other injuries	M	143	8	10	18	17	14	13	18	20	14	11	98
		F	78	20	4	1	4	4	3	7	10	15	10	108

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Merseyside Conurbation											S.M.R. (England and Wales = 100)
			Age											
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
		Numbers M	7,776	304	49	45	95	85	209	645	1,698	2,440	2,206	113
		F	7,646	216	30	31	40	56	161	452	953	1,790	3,917	107
	ALL CAUSES	Rates M	11,897	24,320	919	393	921	1,001	2,629	8,113	24,257	60,546	138,742	
		F	10,694	18,305	591	281	371	677	1,968	5,238	11,650	28,594	100,436	
B1	Tuberculosis of respiratory system	M	49	-	-	-	-	2	4	5	18	13	7	148
		F	20	-	-	-	-	-	4	2	8	2	4	155
B2	Tuberculosis, other forms	M	2	-	-	-	-	-	1	-	1	-	-	69
		F	4	-	-	1	-	-	-	1	-	2	-	109
B3	Syphilis and its sequelae	M	21	-	-	-	-	-	-	1	5	6	9	171
		F	5	-	-	-	-	-	-	-	-	3	2	53
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	1	-	-	-	-	-	1	-	-	-	-	361
		F	-	-	-	-	-	-	-	-	-	-	-	-
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	1	-	1	-	-	-	-	-	-	-	-	203
		F	-	-	-	-	-	-	-	-	-	-	-	-
B10	Meningococcal infections	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	1	-	1	-	-	-	-	-	-	-	-	54
		F	-	-	-	-	-	-	-	-	-	-	-	-
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	1	-	-	-	-	-	-	-	-	1	-	978
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	17	-	2	3	2	2	1	4	1	2	-	177
		F	14	1	1	1	1	1	2	2	1	1	3	109
	Malignant neoplasm: (140-205)	M	1,750	-	7	6	8	15	51	179	496	625	363	118
		F	1,473	1	3	4	6	17	69	197	331	416	429	108
	stomach (151)	M	236	-	-	-	-	1	6	22	73	75	59	129
		F	155	-	-	-	-	-	5	12	27	51	60	105
	trachea, bronchus and lung (162, 163)	M	746	-	-	-	-	4	18	82	254	284	104	127
		F	181	-	-	-	-	2	9	33	48	47	42	142
B18	breast (170)	M	3	-	-	-	-	-	-	1	1	-	1	138
		F	273	-	-	-	-	4	23	57	66	63	60	99
	uterus (171-174)	F	113	-	-	-	-	-	9	31	33	26	14	109
	Leukaemia and aleukaemia (204)	M	35	-	3	3	-	2	2	2	5	15	3	87
		F	37	-	1	3	1	1	2	2	5	9	13	99
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	730	-	4	3	8	8	25	72	163	251	196	110
		F	714	1	2	1	5	10	21	62	152	220	240	106
B19	Benign and unspecified neoplasms	M	20	-	1	1	1	1	-	5	6	4	1	116
		F	28	-	-	1	-	2	2	7	6	6	4	141
B20	Diabetes mellitus	M	19	-	-	-	-	-	1	1	4	5	8	52
		F	69	-	-	1	-	1	-	5	12	18	32	94
B21	Anaemias	M	21	-	-	-	-	-	-	2	2	6	11	157
		F	38	-	-	-	-	-	-	4	-	10	24	134
B22	Vascular lesions affecting central nervous system	M	730	-	-	-	1	6	9	48	119	220	327	99
		F	1,190	-	-	1	1	4	9	53	108	288	726	96
B23	Non-meningococcal meningitis	M	8	5	-	-	1	-	-	1	-	1	-	123
		F	3	-	1	-	1	-	-	-	1	-	-	61
B24	Rheumatic fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B25	Chronic rheumatic heart disease	M	41	-	-	-	-	-	5	9	14	10	3	83
		F	122	-	-	-	2	6	10	32	29	25	18	120

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Merseyside Conurbation											S.M.R. (England and Wales = 100)
			Age											
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
B26	Arteriosclerotic heart disease including coronary disease (420)	M	2,008	-	-	-	1	6	62	226	555	712	446	117
		F	1,333	-	-	-	-	2	14	36	212	440	629	109
	Degenerative heart disease (421, 422)	M	200	-	-	-	1	2	3	9	17	52	116	71
		F	462	-	-	-	-	-	1	6	8	48	399	81
B27	Other diseases of heart	M	185	-	-	-	1	-	3	6	28	56	91	122
		F	329	1	-	-	-	1	2	9	19	66	231	147
B28	Hypertension with heart disease	M	78	-	-	-	-	-	1	6	17	34	20	105
		F	132	-	-	-	-	-	-	1	13	42	76	110
B29	Hypertension without mention of heart	M	28	-	-	-	1	2	2	8	7	3	5	64
		F	41	-	-	-	-	-	1	-	4	11	25	81
B46 (pt.)	Other circulatory diseases (450-468)	M	208	-	-	-	-	-	3	8	26	77	94	95
		F	272	-	-	-	-	-	2	10	23	54	183	83
B30	Influenza	M	13	-	-	-	-	-	1	1	4	2	5	143
		F	37	-	-	1	-	-	1	3	2	5	25	275
B31	Pneumonia	M	486	28	7	1	1	3	6	10	41	143	246	139
		F	721	27	4	2	1	2	4	6	38	124	513	151
B32	Bronchitis	M	692	15	2	1	-	1	3	27	169	282	192	138
		F	256	8	-	-	-	-	4	15	34	63	132	130
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	71	-	-	-	-	1	1	10	13	22	24	86
		F	46	2	-	-	1	-	2	2	6	7	26	100
B33	Ulcer of stomach and duodenum	M	72	-	-	1	-	1	1	1	18	28	22	123
		F	35	-	-	-	-	1	1	-	5	10	18	89
B34	Appendicitis	M	2	-	-	-	-	-	-	-	1	-	1	35
		F	7	-	-	-	-	-	1	-	1	3	2	134
B35	Intestinal obstruction and hernia	M	31	3	1	-	1	-	-	3	5	11	7	95
		F	41	3	-	-	-	1	3	2	12	20	91	
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	25	8	2	-	-	1	1	1	1	7	4	100
		F	52	3	3	-	3	-	1	3	5	14	20	117
B37	Cirrhosis of liver	M	23	-	-	-	-	-	1	7	10	5	-	134
		F	16	-	-	-	-	-	-	5	4	3	4	88
B38	Nephritis and nephrosis	M	36	-	-	-	4	1	4	3	7	6	11	100
		F	32	-	-	-	2	-	2	5	7	3	13	95
B39	Hyperplasia of prostate	M	38	-	-	-	-	-	-	-	2	11	25	91
B40	Complications of pregnancy, childbirth and puerperium	F	2	-	-	-	1	-	1	-	-	-	-	40
B41	Congenital malformations	M	81	58	6	5	4	3	1	3	-	1	-	112
		F	70	50	4	5	1	-	2	1	2	3	2	108
B42	Birth injuries, postnatal asphyxia and atelectasis	M	66	66	-	-	-	-	-	-	-	-	-	94
		F	43	43	-	-	-	-	-	-	-	-	-	92
B43	Diarrhoea of newborn (764)	M	1	1	-	-	-	-	-	-	-	-	-	102
		F	1	1	-	-	-	-	-	-	-	-	-	125
	Other infections of newborn (763, 765-768)	M	11	11	-	-	-	-	-	-	-	-	-	108
		F	7	7	-	-	-	-	-	-	-	-	-	87
B44	Other diseases of early infancy and immaturity unqualified	M	95	95	-	-	-	-	-	-	-	-	-	163
		F	53	53	-	-	-	-	-	-	-	-	-	116
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	37	-	-	-	-	1	-	2	2	1	31	124
		F	73	1	-	-	-	-	-	-	-	3	69	98
B46 (Rem.)	All other diseases (Remainder 001-795)	M	249	6	5	5	7	6	13	20	54	52	81	119
		F	300	6	2	5	1	8	9	21	44	65	139	92
BE47	Motor vehicle accidents	M	133	-	8	11	37	18	13	10	20	5	11	100
		F	74	-	4	5	9	4	3	4	8	15	22	118
BE48	All other accidents	M	167	7	6	10	14	5	11	17	29	27	41	117
		F	194	9	6	4	2	2	4	10	12	24	121	123
BE49	Suicide and self-inflicted injury	M	51	-	-	-	6	8	5	12	6	10	4	72
		F	47	-	-	-	8	5	8	9	8	3	6	87
BE50	Homicide and operations of war	M	7	1	-	1	4	-	1	-	-	-	-	129
		F	4	-	2	-	-	-	1	-	-	1	-	86
BN47	Fractures, head injuries and internal injuries	M	229	1	9	17	41	20	19	18	36	26	42	115
		F	210	1	5	6	7	5	3	8	12	31	132	133
BN48	Burns	M	5	-	-	-	-	-	1	-	1	1	2	77
		F	7	-	-	-	-	-	1	1	2	2	1	87
BN49	Effects of poisons	M	57	-	1	2	6	9	3	13	9	7	7	86
		F	68	1	4	2	10	5	10	11	8	5	12	93
BN50	All other injuries	M	67	7	4	3	14	2	7	8	9	8	5	84
		F	34	7	3	1	2	1	2	3	6	5	4	85

TABLE 19 - *continued*

East Midland

Abbreviated List No.	Causes of death		Age: All ages	Age: Under 1 year	Age: Years 1-	5-	15-	25-	35-	45-	55-	65-	75 and over	S.M.R. (England and Wales = 100)
		Numbers M	17,918	569	112	111	241	208	454	1,349	3,556	5,297	6,021	95
		F	16,542	479	68	56	104	118	354	838	2,040	3,891	8,594	99
	ALL CAUSES	Rates M	10,950	19,158	934	438	977	983	2,051	6,396	18,815	49,878	126,226	
		F	9,921	16,986	598	234	436	592	1,720	4,027	10,210	27,058	95,383	
B1	Tuberculosis of respiratory system	M	72	-	1	-	-	2	2	13	14	27	13	80
		F	27	-	-	-	-	-	2	3	6	7	9	88
B2	Tuberculosis, other forms	M	11	-	-	-	1	3	-	-	3	3	1	143
		F	9	-	1	-	-	1	1	1	-	3	2	104
B3	Syphilis and its sequelae	M	36	-	-	-	-	-	-	1	7	16	12	107
		F	24	-	-	-	-	1	-	-	7	6	10	109
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	251
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	1	-	-	-	-	-	-	-	488
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	1	1	-	-	-	-	-	-	-	-	-	89
		F	-	-	-	-	-	-	-	-	-	-	-	-
B10	Meningococcal infections	M	1	-	1	-	-	-	-	-	-	-	-	35
		F	2	-	-	1	-	-	1	-	-	-	-	75
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	6	1	2	2	1	-	-	-	-	-	-	143
		F	2	2	-	-	-	-	-	-	-	-	-	74
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	20	1	-	-	3	-	1	4	6	4	1	81
		F	41	3	1	2	2	1	3	3	8	6	12	136
B18	Malignant neoplasm: (140-205)	M	3,656	2	10	14	27	30	104	345	1,024	1,244	856	90
		F	3,151	1	8	9	21	30	142	392	756	867	925	98
	stomach (151)	M	469	-	-	-	-	2	13	33	139	164	118	93
		F	358	-	-	-	-	1	3	22	65	109	158	104
	trachea, bronchus and lung (162, 163)	M	1,373	-	-	-	1	3	27	150	496	510	186	86
		F	247	-	-	-	1	2	12	32	85	74	41	82
	breast (170)	M	5	-	-	-	-	-	-	1	4	-	-	84
		F	642	-	-	-	1	6	54	121	150	162	148	98
	uterus (171-174)	F	256	-	-	-	-	3	19	39	70	67	58	104
	Leukaemia and aleukaemia (204)	M	95	-	3	7	2	6	5	12	18	23	19	90
		F	89	1	5	1	5	3	8	8	18	20	20	102
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	1,714	2	7	7	24	19	59	149	367	547	533	94
		F	1,559	-	3	8	14	15	46	170	368	435	500	99
B19	Benign and unspecified neoplasms	M	53	2	3	4	4	-	1	7	17	11	4	116
		F	46	2	1	1	1	4	5	4	8	10	10	98
B20	Diabetes mellitus	M	105	-	1	2	-	3	4	9	14	35	37	103
		F	196	-	-	2	1	1	3	5	32	71	81	115
B21	Anaemias	M	44	1	2	-	2	-	-	1	9	9	20	118
		F	58	-	-	1	-	-	-	3	4	14	36	88
B22	Vascular lesions affecting central nervous system	M	2,046	-	1	-	1	12	16	80	322	666	948	99
		F	2,975	-	-	-	1	8	26	98	268	744	1,830	103
B23	Non-meningococcal meningitis	M	15	5	1	-	-	-	3	1	2	1	2	95
		F	13	9	3	-	-	-	-	-	1	-	-	114
B24	Rheumatic fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	1	-	-	-	-	-	-	-	125
B25	Chronic rheumatic heart disease	M	108	-	-	-	-	2	6	31	30	27	12	80
		F	246	-	-	-	1	6	14	33	72	58	62	102

TABLE 19 - *continued*

East Midland

Abbreviated List No.	Causes of death		Age: All ages	Age: Under 1 year	Age: Years 1-	5-	15-	25-	35-	45-	55-	65-	75 and over	S.M.R. (England and Wales = 100)
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	4,207	-	-	-	2	13	113	458	1,066	1,427	1,128	89
		F	2,520	-	-	-	1	2	27	58	329	789	1,314	89
		M	943	-	-	-	3	3	7	20	64	188	658	116
		F	1,373	1	1	-	1	-	2	8	37	189	1,134	104
B27	Other diseases of heart	M	512	1	-	1	1	4	7	14	90	144	250	120
		F	593	1	-	-	-	-	-	4	10	37	150	391	114
B28	Hypertension with heart disease	M	207	-	-	-	-	-	5	11	39	79	73	100
		F	309	-	-	-	-	-	1	5	31	93	179	111
B29	Hypertension without mention of heart	M	141	-	-	-	-	-	7	12	29	44	49	117
		F	143	-	-	-	2	4	3	6	16	29	83	121
B46 (pt.)	Other circulatory diseases (450-468)	M	628	1	-	3	1	4	8	29	82	175	325	101
		F	740	1	-	-	1	2	10	19	45	129	533	97
B30	Influenza	M	21	-	1	-	-	-	-	3	2	5	10	83
		F	16	-	-	-	-	-	-	-	-	5	11	51
B31	Pneumonia	M	858	51	15	6	4	6	9	24	66	185	492	88
		F	933	38	7	7	3	3	8	19	50	154	644	85
B32	Bronchitis	M	1,405	29	5	2	1	3	9	72	278	514	492	102
		F	469	24	5	1	3	4	8	21	57	122	224	102
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	202	8	3	-	-	2	7	16	47	55	64	90
		F	122	7	1	-	-	-	4	6	9	28	67	113
B33	Ulcer of stomach and duodenum	M	162	-	-	-	1	3	5	5	37	55	56	100
		F	70	-	-	-	1	-	1	3	8	17	40	77
B34	Appendicitis	M	12	-	2	1	-	-	-	1	3	3	2	78
		F	13	1	-	-	-	-	-	-	3	3	6	107
B35	Intestinal obstruction and hernia	M	105	9	3	-	-	1	3	5	12	27	45	118
		F	116	7	1	-	-	-	3	3	9	29	64	111
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	64	11	5	-	1	1	5	-	10	12	19	97
		F	106	9	3	1	-	2	-	1	15	26	49	103
B37	Cirrhosis of liver	M	37	-	-	1	-	1	2	6	15	9	3	80
		F	49	-	1	-	-	-	4	7	12	18	7	114
B38	Nephritis and nephrosis	M	109	-	-	2	7	6	7	13	25	25	24	111
		F	89	-	-	1	3	3	7	14	12	19	30	112
B39	Hyperplasia of prostate	M	111	-	-	-	-	-	-	-	3	29	79	92
B40	Complications of pregnancy, childbirth and puerperium	F	8	-	-	-	-	4	3	1	-	-	-	68
B41	Congenital malformations	M	160	112	11	6	7	5	6	4	4	4	1	95
		F	155	110	12	10	4	3	4	4	5	3	-	105
B42	Birth injuries, postnatal asphyxia and atelectasis	M	162	162	-	-	-	-	-	-	-	-	-	102
		F	120	120	-	-	-	-	-	-	-	-	-	114
B43	Diarrhoea of newborn (764)	M	2	2	-	-	-	-	-	-	-	-	-	89
		F	2	2	-	-	-	-	-	-	-	-	-	110
	Other infections of newborn (763, 765-768)	M	24	24	-	-	-	-	-	-	-	-	-	104
		F	17	17	-	-	-	-	-	-	-	-	-	93
B44	Other diseases of early infancy and immaturity unqualified	M	103	103	-	-	-	-	-	-	-	-	-	78
		F	94	94	-	-	-	-	-	-	-	-	-	91
B45	Senility without mention of psychosis; ill-defined and unknown causes	M	91	-	-	-	-	-	-	-	1	1	7	82	104
		F	189	-	-	-	-	-	1	2	1	6	179	110
B46 (Rem.)	All other diseases (Remainder 001-795)	M	561	14	16	15	24	15	35	47	103	152	140	99
		F	813	17	5	10	18	18	28	61	121	181	354	107
BE47	Motor vehicle accidents	M	369	-	15	28	108	39	29	43	44	35	28	109
		F	168	1	8	5	33	5	11	12	27	25	41	115
BE48	All other accidents	M	364	28	13	24	32	26	25	40	45	49	82	98
		F	396	12	10	2	1	2	14	15	26	64	250	108
BE49	Suicide and self-inflicted injury	M	175	-	-	-	9	22	27	31	43	31	12	93
BE50	Homicide and operations of war	F	118	-	-	-	3	13	13	21	28	24	16	91
		M	9	1	1	-	1	2	1	2	-	-	1	66
		F	8	-	-	1	3	1	1	-	-	1	1	74
BN47	Fractures, head injuries and internal injuries	M	543	1	20	37	109	56	47	60	65	63	85	105
		F	430	3	11	6	32	4	11	15	36	61	251	117
BN48	Burns	M	16	2	1	-	1	-	-	2	3	4	3	94
		F	20	-	2	1	-	-	1	1	-	4	11	107
BN49	Effects of poisons	M	132	-	1	-	6	17	21	25	31	19	12	75
BN50	All other injuries	F	153	-	1	-	5	14	20	25	29	36	23	88
		M	226	26	7	15	34	16	14	29	33	29	23	112
		F	87	10	4	1	3	3	7	7	16	13	23	94

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		West Midland											S.M.R. (England and Wales = 100)
			Age											
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
		Numbers M	26,828	1,026	193	174	405	329	785	2,314	5,903	7,639	8,060	103
		F	24,049	752	139	99	141	213	531	1,344	2,918	5,747	12,165	102
	ALL CAUSES	Rates M	10,658	21,600	1,027	447	1,009	976	2,256	7,087	21,419	53,457	132,131	
		F	9,430	16,711	779	269	365	681	1,631	4,232	9,949	28,764	98,742	
B1	Tuberculosis of respiratory system	M	149	-	1	-	2	2	8	20	46	49	21	118
		F	56	-	-	-	-	1	6	9	12	12	16	126
B2	Tuberculosis, other forms	M	12	1	1	-	-	-	-	3	3	2	2	106
		F	20	-	1	1	1	3	1	3	3	4	3	158
B3	Syphilis and its sequelae	M	41	-	-	-	-	-	2	5	4	20	10	89
		F	29	-	-	-	-	-	-	1	5	11	12	94
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	1	-	-	-	-	-	-	-	-	-	1	96
		F	-	-	-	-	-	-	-	-	-	-	-	-
B7	Scarlet fever and streptococcal sore throat	M	1	-	1	-	-	-	-	-	-	-	-	300
		F	-	-	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	2	2	-	-	-	-	-	-	-	-	-	114
		F	3	3	-	-	-	-	-	-	-	-	-	248
B10	Meningococcal infections	M	4	2	2	-	-	-	-	-	-	-	-	90
		F	7	2	2	-	-	-	1	-	1	1	-	169
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	10	2	4	3	1	-	-	-	-	-	-	152
		F	6	-	5	1	-	-	-	-	-	-	-	141
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	1	-	-	-	-	-	-	1	-	-	-	245
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	37	5	5	2	4	1	4	3	5	4	4	101
		F	44	5	4	3	1	2	3	8	8	3	7	99
B18	Malignant neoplasm: (140-205)	M	5,725	5	17	27	41	58	165	665	1,699	1,908	1,140	102
		F	4,606	2	19	22	18	57	234	602	1,046	1,300	1,306	100
	stomach (151)	M	769	-	-	-	-	2	19	88	218	263	179	110
		F	535	-	-	-	1	1	14	30	106	181	202	110
	trachea, bronchus and lung (162, 163)	M	2,225	-	-	-	2	6	55	288	805	808	263	99
		F	371	-	-	-	1	-	16	73	123	109	49	86
	breast (170)	M	9	-	-	-	-	-	1	1	2	3	2	108
		F	959	-	-	-	-	20	71	177	259	224	208	101
	uterus (171-174)	F	364	-	1	-	-	4	34	78	90	103	54	102
	Leukaemia and aleukaemia (204)	M	135	2	5	9	9	10	8	13	22	28	29	89
		F	128	-	5	9	4	7	7	7	27	26	36	100
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	2,587	3	12	18	30	40	82	275	652	808	667	102
		F	2,249	2	13	13	12	25	92	237	441	657	757	100
B19	Benign and unspecified neoplasms	M	48	1	1	3	3	1	1	11	12	7	8	72
		F	75	2	1	2	2	1	8	9	17	19	14	109
B20	Diabetes mellitus	M	177	-	-	1	4	4	15	14	37	56	46	126
		F	292	-	-	1	2	2	3	7	41	93	143	122
B21	Anaemias	M	40	1	1	1	1	1	3	1	2	10	19	79
		F	94	-	1	-	1	-	2	6	5	17	62	103
B22	Vascular lesions affecting central nervous system	M	3,124	1	4	3	11	14	41	157	501	976	1,416	113
		F	4,285	2	-	3	3	11	38	132	379	1,062	2,655	107
B23	Non-meningococcal meningitis	M	30	13	3	1	-	-	2	2	2	4	3	125
		F	16	6	3	2	-	-	-	-	1	2	2	93
B24	Rheumatic fever	M	2	-	-	-	-	-	1	-	1	-	-	321
		F	2	-	-	1	-	-	-	-	-	1	-	165
B25	Chronic rheumatic heart disease	M	239	-	1	-	1	12	33	53	65	51	23	123
		F	442	-	-	-	1	13	33	68	134	101	92	127

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		West Midland											S.M.R. (England and Wales = 100)
			Age											
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	6,310	-	-	-	2	24	215	700	1,763	1,973	1,633	96
		F	3,866	-	-	-	1	4	23	112	449	1,230	2,047	98
		M	1,146	1	-	-	1	6	13	25	94	258	748	107
		F	1,799	1	1	-	1	-	3	16	59	242	1,476	99
B27	Other diseases of heart	M	545	2	1	1	-	2	11	28	87	161	252	95
		F	745	1	1	-	1	4	6	18	57	185	472	104
B28	Hypertension with heart disease	M	363	-	-	-	1	3	8	22	91	121	117	129
		F	475	-	-	-	-	2	2	12	54	126	279	123
B29	Hypertension without mention of heart	M	194	-	-	-	2	2	17	24	53	48	48	116
		F	171	-	-	1	-	2	1	11	20	44	92	104
B46 (pt.)	Other circulatory diseases (450-468)	M	881	-	-	-	4	2	14	55	142	240	424	106
		F	1,005	-	-	-	3	6	15	23	79	210	669	96
B30	Influenza	M	46	2	-	-	-	4	2	9	8	8	13	133
		F	25	1	-	-	1	-	1	1	1	6	14	58
B31	Pneumonia	M	1,431	122	24	9	7	6	11	58	166	330	698	109
		F	1,595	80	15	4	1	6	14	36	90	259	1,090	104
B32	Bronchitis	M	2,040	27	9	-	3	1	17	125	522	737	599	108
		F	725	15	6	-	1	5	5	38	80	201	374	112
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	320	4	4	-	1	3	5	20	74	122	85	103
		F	156	2	-	1	3	3	4	16	23	30	74	102
B33	Ulcer of stomach and duodenum	M	262	-	-	-	-	-	8	24	60	84	86	118
		F	124	1	-	-	-	-	3	9	17	37	57	97
B34	Appendicitis	M	30	-	3	2	1	2	1	2	3	9	7	138
		F	20	1	-	3	-	2	2	1	4	1	6	115
B35	Intestinal obstruction and hernia	M	126	15	3	-	3	3	-	6	25	28	43	102
		F	155	7	1	-	-	3	1	8	17	37	81	106
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	94	23	6	-	-	2	6	5	19	13	20	100
		F	144	13	8	3	-	-	3	5	14	35	63	98
B37	Cirrhosis of liver	M	76	-	1	1	1	1	5	13	27	19	8	114
		F	64	-	-	1	-	2	5	13	17	17	9	102
B38	Nephritis and nephrosis	M	144	-	-	2	6	1	8	27	43	23	34	103
		F	133	1	1	-	4	8	12	19	16	30	42	117
B39	Hyperplasia of prostate	M	167	-	-	-	-	-	-	-	8	40	119	106
B40	Complications of pregnancy, childbirth and puerperium	F	26	-	-	-	9	9	8	-	-	-	-	139
B41	Congenital malformations	M	265	199	15	7	12	7	6	7	7	3	2	101
		F	241	168	25	10	5	2	4	5	7	11	4	105
B42	Birth injuries, postnatal asphyxia and atelectasis	M	305	305	-	-	-	-	-	-	-	-	-	122
		F	180	180	-	-	-	-	-	-	-	-	-	108
B43	Diarrhoea of newborn (764)	M	3	3	-	-	-	-	-	-	-	-	-	85
		F	4	4	-	-	-	-	-	-	-	-	-	140
	Other infections of newborn (763, 765-768)	M	52	52	-	-	-	-	-	-	-	-	-	143
		F	44	44	-	-	-	-	-	-	-	-	-	153
B44	Other diseases of early infancy and immaturity unqualified	M	180	180	-	-	-	-	-	-	-	-	-	86
		F	155	155	-	-	-	-	-	-	-	-	-	95
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	112	2	-	-	3	1	1	-	4	6	95	99
		F	231	1	-	1	-	2	1	1	1	4	220	98
B46 (Rem.)	All other diseases (Remainder 001-795)	M	748	23	20	31	27	22	33	81	143	182	186	94
		F	1,044	20	18	8	28	20	51	88	166	261	384	96
BE47	Motor vehicle accidents	M	552	-	24	37	176	78	31	49	59	54	44	106
		F	233	-	10	19	32	16	11	18	30	49	48	108
BE48	All other accidents	M	531	32	39	42	62	26	51	62	68	58	91	97
		F	560	34	15	12	11	9	12	19	37	79	332	108
BE49	Suicide and self-inflicted injury	M	244	-	-	1	25	32	44	33	60	35	14	86
		F	138	-	-	-	7	16	14	28	27	26	20	72
BE50	Homicide and operations of war	M	18	1	3	-	-	6	3	4	-	-	1	86
		F	14	1	2	-	4	2	1	2	1	1	-	84
BN47	Fractures, head injuries and internal injuries	M	819	3	27	48	191	99	60	91	94	90	116	106
		F	618	3	12	22	33	21	14	26	46	110	331	118
BN48	Burns	M	29	1	1	1	5	-	1	4	6	5	5	117
		F	22	1	2	-	-	2	-	-	2	3	12	82
BN49	Effects of poisons	M	207	2	9	1	24	23	41	28	45	22	12	79
		F	175	2	4	1	12	15	16	31	29	31	34	68
BN50	All other injuries	M	290	27	29	30	43	20	27	25	42	30	17	95
		F	130	29	9	8	9	5	8	10	18	11	23	93

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		West Midland Conurbation											
			Age											S.M.R. (England and Wales = 100)
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
		Numbers M	13,017	498	88	66	180	170	373	1,226	3,061	3,665	3,690	107
		F	11,515	384	64	47	68	111	251	706	1,402	2,771	5,711	101
	ALL CAUSES	Rates M	10,754	21,558	971	363	926	1,036	2,199	7,658	23,189	54,296	135,165	
		F	9,316	17,534	744	273	357	740	1,581	4,537	9,770	28,132	96,307	
B1	Tuberculosis of respiratory system	M	84	-	1	-	2	2	6	12	27	26	8	140
		F	27	-	-	-	-	1	5	4	5	3	9	124
B2	Tuberculosis, other forms	M	7	1	1	-	-	-	-	2	1	1	1	129
		F	11	-	1	-	1	-	1	2	2	2	2	179
B3	Syphilis and its sequelae	M	22	-	-	-	-	-	1	4	2	10	5	102
		F	12	-	-	-	-	-	-	-	3	5	4	80
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	2	2	-	-	-	-	-	-	-	-	-	235
		F	-	-	-	-	-	-	-	-	-	-	-	-
B10	Meningococcal infections	M	1	1	-	-	-	-	-	-	-	-	-	47
		F	2	2	-	-	-	-	-	-	-	-	-	100
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	4	2	1	1	-	-	-	-	-	-	-	127
		F	4	-	3	1	-	-	-	-	-	-	-	196
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	18	5	2	1	1	-	2	-	2	3	2	102
		F	21	1	4	1	-	2	2	5	2	1	3	97
B18	Malignant neoplasm: (140-205)	M	2,929	3	6	10	19	27	74	349	947	939	555	110
		F	2,290	1	5	13	7	27	112	320	525	641	639	102
	stomach (151)	M	409	-	-	-	-	2	10	52	129	132	84	125
		F	271	-	-	-	-	1	8	19	50	85	108	115
	trachea, bronchus and lung (162, 163)	M	1,214	-	-	-	1	3	34	161	468	404	143	114
		F	183	-	-	-	-	-	6	40	65	46	26	87
	breast (170)	M	4	-	-	-	-	-	1	1	1	-	1	102
		F	483	-	-	-	-	9	35	92	127	117	103	104
	uterus (171-174)	F	157	-	-	-	-	1	11	32	37	52	24	90
	Leukaemia and aleukaemia (204)	M	62	1	3	4	5	5	2	7	13	10	12	86
		F	62	-	-	6	2	3	4	3	12	13	19	100
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	1,240	2	3	6	13	17	27	128	336	393	315	104
		F	1,134	1	5	7	5	13	48	134	234	328	359	104
B19	Benign and unspecified neoplasms	M	27	1	-	1	2	1	1	7	5	2	7	85
		F	40	1	-	1	-	1	3	8	10	7	9	119
B20	Diabetes mellitus	M	76	-	-	-	2	1	8	5	20	21	19	116
		F	131	-	-	-	1	2	2	5	21	43	57	112
B21	Anaemias	M	16	-	1	1	1	1	1	1	1	2	7	68
		F	51	-	1	-	-	-	1	4	3	11	31	115
B22	Vascular lesions affecting central nervous system	M	1,461	-	1	-	7	5	19	87	244	440	658	114
		F	2,043	-	-	1	2	6	17	67	184	505	1,261	105
B23	Non-meningococcal meningitis	M	14	4	2	-	-	-	1	2	2	2	1	122
		F	8	2	1	1	-	-	-	-	1	2	1	96
B24	Rheumatic fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B25	Chronic rheumatic heart disease	M	117	-	-	-	-	3	20	27	32	26	9	126
		F	225	-	-	-	1	7	15	29	77	53	43	133

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		West Midland Conurbation											
			Age											S.M.R. (England and Wales = 100)
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	2,975	-	-	-	1	16	106	360	880	899	713	97
		F	1,739	-	-	-	-	2	10	55	168	587	917	90
		M	486	-	-	-	-	4	5	8	48	117	304	99
		F	787	1	1	-	-	-	-	7	29	100	649	90
B27	Other diseases of heart	M	254	1	1	1	-	1	5	17	43	77	108	96
		F	325	-	-	-	-	-	2	11	26	85	201	93
B28	Hypertension with heart disease	M	203	-	-	-	-	3	4	15	47	66	68	155
		F	258	-	-	-	-	2	2	5	29	68	152	137
B29	Hypertension without mention of heart	M	104	-	-	-	-	2	8	14	33	24	23	133
		F	88	-	-	-	-	1	1	8	11	26	41	110
B46 (pt.)	Other circulatory diseases (450-468)	M	371	-	-	-	1	1	9	31	56	109	164	97
		F	411	-	-	-	2	2	6	12	33	87	269	81
B30	Influenza	M	33	2	-	-	-	4	1	7	6	7	6	205
		F	9	1	-	-	1	-	1	-	1	1	4	43
B31	Pneumonia	M	767	57	13	4	2	5	4	35	103	179	365	126
		F	839	37	8	2	-	4	9	22	42	138	577	113
B32	Bronchitis	M	1,095	19	6	-	1	-	6	77	284	396	306	125
		F	414	12	6	-	-	4	4	22	47	118	201	132
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	153	4	3	-	1	4	4	12	32	51	42	105
		F	86	2	-	1	3	2	2	9	13	15	39	116
B33	Ulcer of stomach and duodenum	M	132	-	-	-	-	-	3	16	29	48	36	127
		F	61	1	-	-	-	-	-	5	12	18	25	98
B34	Appendicitis	M	17	-	2	1	1	1	1	1	2	5	3	165
		F	8	-	-	2	-	2	-	-	2	-	2	95
B35	Intestinal obstruction and hernia	M	60	10	-	-	2	2	-	3	8	13	22	104
		F	77	4	-	-	-	1	-	3	7	18	44	108
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	50	12	3	-	-	2	4	1	10	8	10	113
		F	71	7	3	2	-	-	1	2	8	17	31	99
B37	Cirrhosis of liver	M	42	-	1	-	1	1	3	10	14	8	4	132
		F	34	-	-	1	-	2	3	7	8	7	6	111
B38	Nephritis and nephrosis	M	65	-	-	-	5	-	5	14	23	10	8	98
		F	63	1	-	-	3	5	6	10	8	11	19	114
B39	Hyperplasia of prostate	M	80	-	-	-	-	-	-	-	4	22	54	112
B40	Complications of pregnancy, childbirth and puerperium	F	12	-	-	-	6	3	3	-	-	-	-	132
B41	Congenital malformations	M	109	81	6	4	3	3	3	3	3	2	1	86
		F	122	87	10	4	2	2	2	4	4	5	2	110
B42	Birth injuries, postnatal asphyxia and atelectasis	M	151	151	-	-	-	-	-	-	-	-	-	125
		F	92	92	-	-	-	-	-	-	-	-	-	115
B43	Diarrhoea of newborn (764)	M	2	2	-	-	-	-	-	-	-	-	-	118
		F	3	3	-	-	-	-	-	-	-	-	-	217
	Other infections of newborn (763, 765-768)	M	29	29	-	-	-	-	-	-	-	-	-	165
		F	20	20	-	-	-	-	-	-	-	-	-	144
B44	Other diseases of early infancy and immaturity unqualified	M	85	85	-	-	-	-	-	-	-	-	-	85
		F	82	82	-	-	-	-	-	-	-	-	-	105
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	39	2	-	-	3	-	1	-	3	3	27	76
		F	76	1	-	1	-	1	1	-	1	2	69	67
B46 (Rem.)	All other diseases (Remainder 001-795)	M	337	11	6	14	18	14	15	37	62	82	78	90
		F	474	8	8	4	15	10	21	46	75	105	182	90
BE47	Motor vehicle accidents	M	219	-	9	12	71	27	13	21	22	23	21	88
		F	127	-	4	8	17	9	8	7	15	32	27	121
BE48	All other accidents	M	245	13	22	16	24	13	22	30	33	24	48	94
		F	294	18	8	4	1	5	4	9	14	47	184	117
BE49	Suicide and self-inflicted injury	M	128	-	-	-	12	23	16	17	33	20	7	94
		F	71	-	-	-	4	7	6	16	16	11	11	75
BE50	Homicide and operations of war	M	8	-	1	-	-	4	2	1	-	-	-	79
		F	7	-	1	-	2	1	1	2	-	-	-	87
BN47	Fractures, head injuries and internal injuries	M	349	2	10	18	75	39	26	37	40	40	62	94
		F	331	1	5	9	15	12	9	10	22	68	180	131
BN48	Burns	M	15	-	1	-	2	-	1	3	3	3	2	128
		F	11	1	-	-	-	1	-	-	-	3	6	85
BN49	Effects of poisons	M	120	2	9	-	11	14	17	15	29	16	7	95
		F	100	2	4	1	5	8	8	19	16	14	23	80
BN50	All other injuries	M	116	9	12	10	19	14	9	14	16	8	5	79
		F	57	14	4	2	4	1	2	5	7	5	13	84

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		East Anglia											
			Age											S.M.R. (England and Wales = 100)
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
	ALL CAUSES	Numbers M	9,139	239	53	53	112	99	196	530	1,541	2,695	3,621	90
		F	8,413	168	32	35	53	62	128	343	909	1,825	4,858	92
		Rates M	11,329	17,970	998	458	793	928	1,920	5,527	16,823	46,951	121,919	
		F	10,448	13,333	635	315	456	652	1,360	3,472	9,352	23,887	91,316	
B1	Tuberculosis of respiratory system	M	21	-	-	-	-	-	1	1	6	8	5	45
		F	16	-	-	-	-	1	1	1	2	2	9	101
B2	Tuberculosis, other forms	M	1	-	-	-	-	-	1	-	-	-	-	26
		F	5	-	-	-	-	-	-	-	2	2	1	113
B3	Syphilis and its sequelae	M	17	-	-	-	-	1	1	-	1	6	8	93
		F	12	-	-	-	-	-	-	-	1	5	6	99
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	500
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B10	Meningococcal infections	M	2	1	1	-	-	-	-	-	-	-	-	155
		F	1	1	-	-	-	-	-	-	-	-	-	82
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	2	-	-	2	-	-	-	-	-	-	-	105
		F	1	-	-	1	-	-	-	-	-	-	-	82
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	10	-	-	-	1	-	2	1	2	-	4	80
		F	12	3	1	1	1	1	1	-	2	1	1	79
B18	Malignant neoplasm: (140-205)	M	1,935	1	8	6	13	12	40	145	482	688	540	90
		F	1,535	1	3	9	6	21	59	172	361	404	499	91
	stomach (151)	M	236	-	-	-	1	-	5	10	48	90	82	87
		F	154	-	-	-	-	1	4	2	27	34	86	82
	trachea, bronchus and lung (162, 163)	M	693	-	-	-	-	5	7	63	234	275	109	83
		F	113	-	-	-	-	-	1	16	43	32	21	72
	breast (170)	M	2	-	-	-	-	-	-	-	1	-	1	63
		F	346	-	-	-	-	5	24	59	88	85	85	102
	uterus (171-174)	F	117	-	-	-	-	1	4	17	40	24	31	92
	Leukaemia and aleukaemia (204)	M	56	-	6	3	5	-	5	5	10	10	12	102
		F	47	1	2	3	-	1	5	7	7	10	11	104
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	948	1	2	3	7	7	23	67	189	313	336	96
		F	758	-	1	6	6	13	21	71	156	219	265	90
B19	Benign and unspecified neoplasms	M	21	-	1	1	-	1	2	2	5	5	4	90
		F	24	-	-	-	-	-	3	4	5	7	5	100
B20	Diabetes mellitus	M	45	-	-	-	-	1	4	2	9	14	15	81
		F	81	-	-	-	-	-	-	2	8	29	42	87
B21	Anaemias	M	18	-	1	-	-	-	-	-	3	4	10	85
		F	30	-	1	-	1	-	1	1	-	10	16	81
B22	Vascular lesions affecting central nervous system	M	1,084	-	1	-	1	5	10	44	130	329	564	93
		F	1,566	-	-	1	4	1	10	31	122	376	1,021	96
B23	Non-meningococcal meningitis	M	10	5	3	-	-	1	-	-	1	-	-	133
		F	7	-	1	-	-	1	-	-	3	1	1	128
B24	Rheumatic fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B25	Chronic rheumatic heart disease	M	59	-	-	-	2	1	3	11	15	13	14	86
		F	100	-	-	-	-	2	7	15	13	27	36	80

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		East Anglia											
			Age											S.M.R. (England and Wales = 100)
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	2,229	-	-	-	1	-	46	165	462	782	773	88
		F	1,443	-	-	-	-	1	4	24	133	406	875	92
		M	515	-	1	1	-	2	1	13	28	104	365	107
		F	759	-	-	1	1	-	-	2	25	94	636	99
B27	Other diseases of heart	M	220	1	-	-	-	2	2	7	22	54	132	91
		F	219	1	-	-	-	1	-	2	12	49	153	75
B28	Hypertension with heart disease	M	105	-	-	-	-	-	2	6	19	23	55	91
		F	113	-	-	-	-	-	1	2	7	28	75	72
B29	Hypertension without mention of heart	M	47	-	-	-	-	-	1	6	13	12	15	72
		F	43	-	-	-	-	-	-	-	3	5	10	65
B46 (pt.)	Other circulatory diseases (450-468)	M	336	-	-	-	-	3	4	16	35	85	193	95
		F	358	-	-	-	-	1	3	8	29	61	256	83
B30	Influenza	M	16	-	-	-	-	-	-	1	2	4	9	113
		F	26	-	-	-	1	-	-	-	-	1	24	147
B31	Pneumonia	M	598	22	11	4	2	2	5	7	44	119	382	108
		F	699	13	7	1	2	2	1	13	22	101	537	113
B32	Bronchitis	M	449	3	2	-	-	1	2	13	67	181	180	59
		F	148	2	1	1	1	-	2	5	10	32	94	59
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	91	2	2	-	1	-	3	3	22	29	75	
		F	41	2	-	-	-	-	-	2	7	6	24	70
B33	Ulcer of stomach and duodenum	M	67	-	-	1	1	1	1	3	13	27	20	75
		F	60	-	-	-	-	2	-	-	5	18	35	118
B34	Appendicitis	M	8	-	-	1	-	-	1	1	2	2	1	98
		F	1	-	-	-	-	-	-	-	-	1	-	15
B35	Intestinal obstruction and hernia	M	56	4	-	2	-	1	3	5	6	17	18	116
		F	51	3	-	-	-	-	-	2	2	12	32	89
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	36	3	3	1	-	-	1	1	5	9	13	105
		F	31	1	1	-	-	1	1	-	5	6	16	56
B37	Cirrhosis of liver	M	16	-	-	-	-	-	2	2	4	6	2	68
		F	16	-	-	-	1	-	2	1	6	3	3	72
B38	Nephritis and nephrosis	M	37	1	-	-	1	2	1	4	9	9	10	72
		F	32	-	-	-	1	1	1	2	5	7	15	76
B39	Hyperplasia of prostate	M	89	-	-	-	-	-	-	-	2	21	66	124
B40	Complications of pregnancy, childbirth and puerperium	F	7	-	-	-	-	7	-	-	-	-	-	125
B41	Congenital malformations	M	57	36	3	4	3	-	1	-	2	5	3	74
		F	52	37	4	4	-	1	-	1	1	2	2	77
B42	Birth injuries, postnatal asphyxia and atelectasis	M	70	70	-	-	-	-	-	-	-	-	-	99
		F	50	50	-	-	-	-	-	-	-	-	-	107
B43	Diarrhoea of newborn (764)	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
	Other infections of newborn (763, 765-768)	M	12	12	-	-	-	-	-	-	-	-	-	117
		F	5	5	-	-	-	-	-	-	-	-	-	62
B44	Other diseases of early infancy and immaturity unqualified	M	52	52	-	-	-	-	-	-	-	-	-	89
		F	34	34	-	-	-	-	-	-	-	-	-	74
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	39	1	-	-	-	-	1	-	2	5	30	73
		F	74	-	1	-	-	-	-	1	-	-	72	73
B46 (Rem.)	All other diseases (Remainder 001-795)	M	287	5	4	9	8	10	11	20	51	79	90	95
		F	366	9	3	4	6	7	11	22	60	78	166	90
BE47	Motor vehicle accidents	M	168	-	5	12	52	18	18	17	17	13	16	95
		F	69	-	1	7	17	5	4	8	11	10	6	93
BE48	All other accidents	M	215	18	7	8	23	20	15	24	33	19	48	112
		F	254	6	7	4	7	2	8	3	23	25	169	127
BE49	Suicide and self-inflicted injury	M	92	-	-	-	2	15	11	10	26	22	6	97
		F	67	-	-	-	3	3	8	15	22	11	5	104
BE50	Homicide and operations of war	M	7	2	-	1	1	-	-	-	1	1	1	104
		F	4	-	1	1	-	1	-	1	-	-	-	77
BN47	Fractures, head injuries and internal injuries	M	289	1	5	13	57	31	31	30	37	26	58	106
		F	244	-	2	8	17	5	5	9	21	29	148	122
BN48	Burns	M	3	-	1	-	-	-	-	-	1	-	1	33
		F	14	-	3	-	1	-	1	-	2	-	7	141
BN49	Effects of poisons	M	63	-	-	-	1	8	6	11	19	10	8	71
		F	95	-	-	-	7	5	13	13	27	16	14	109
BN50	All other injuries	M	127	19	6	8	20	14	7	10	20	19	4	125
		F	41	6	4	4	2	1	1	5	6	1	11	89

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		South Eastern											
			Age											S.M.R. (England and Wales = 100)
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
	Numbers	M	93,475	2,759	441	470	1,164	1,043	2,287	6,804	18,664	26,739	33,104	94
		F	93,745	2,127	368	272	524	609	1,724	4,511	10,104	20,315	53,191	93
	ALL CAUSES Rates	M	11,279	18,344	736	389	995	822	2,115	6,187	19,208	47,578	126,255	
		F	10,536	14,905	646	237	418	582	1,600	3,908	9,207	24,473	92,042	
B1	Tuberculosis of respiratory system	M	403	-	-	-	-	6	26	46	98	153	74	86
		F	179	-	-	-	1	1	22	35	34	31	55	101
B2	Tuberculosis, other forms	M	38	-	1	-	-	1	9	5	8	10	4	95
		F	44	-	3	-	-	4	2	5	6	11	13	90
B3	Syphilis and its sequelae	M	189	-	-	1	-	2	4	8	46	72	56	106
		F	162	-	-	1	-	-	3	7	16	48	87	123
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	2	-	-	1	-	-	-	-	1	-	-	57
		F	3	-	-	1	1	-	-	-	1	-	-	140
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	8	8	-	-	-	-	-	-	-	-	-	143
		F	4	3	1	-	-	-	-	-	-	-	-	104
B10	Meningococcal infections	M	19	10	3	3	-	-	1	1	-	1	-	133
		F	8	2	3	-	-	-	-	1	1	1	-	58
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	23	2	15	4	1	-	-	-	1	-	-	110
		F	14	2	10	-	1	-	-	1	-	-	-	103
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	1	-	-	-	-	-	-	-	1	-	-	71
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	125	10	7	4	7	3	9	22	31	22	10	98
		F	151	7	4	8	6	4	10	17	26	27	42	89
B18	Malignant neoplasm: (140-205)	M	22,018	17	55	99	128	195	512	1,977	6,083	7,472	5,480	103
		F	18,801	12	45	62	86	175	744	2,227	4,075	5,228	6,147	100
	stomach (151)	M	2,399	-	-	-	4	13	35	204	631	850	662	90
		F	1,709	-	-	-	1	8	15	96	247	508	834	83
	trachea, bronchus and lung (162, 163)	M	9,112	-	2	-	4	7	132	858	3,031	3,505	1,573	109
		F	2,072	-	-	-	-	5	59	282	582	688	456	120
	breast (170)	M	26	-	-	-	-	-	-	4	6	8	8	83
		F	3,978	-	-	-	3	38	243	706	998	994	996	105
	uterus (171-174)	F	1,258	-	-	-	4	17	81	211	308	336	301	89
	Leukaemia and aleukaemia (204)	M	612	5	23	43	32	19	29	59	126	153	123	111
		F	496	2	12	27	18	16	35	43	66	117	160	99
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	9,869	12	30	56	88	156	316	852	2,289	2,956	3,114	102
		F	9,288	10	33	35	60	91	311	889	1,874	2,585	3,400	100
B19	Benign and unspecified neoplasms	M	238	3	5	3	10	11	14	41	65	58	28	100
		F	274	2	5	4	5	7	21	51	69	62	48	103
B20	Diabetes mellitus	M	491	-	1	3	3	5	18	28	88	144	201	91
		F	855	-	-	1	7	9	10	30	108	261	429	84
B21	Anaemias	M	195	2	5	2	1	2	8	12	23	44	96	98
		F	356	1	2	1	4	2	4	11	19	78	234	88
B22	Vascular lesions affecting central nervous system	M	9,421	4	3	3	16	31	126	377	1,271	2,635	4,955	85
		F	15,568	2	2	7	21	31	124	387	1,174	3,181	10,639	88
B23	Non-meningococcal meningitis	M	64	25	11	2	1	1	2	2	8	7	5	79
		F	60	21	5	2	-	-	1	4	6	13	8	98
B24	Rheumatic fever	M	1	-	-	-	-	-	1	-	-	-	-	47
		F	6	-	-	1	1	2	-	1	-	-	1	139
B25	Chronic rheumatic heart disease	M	633	-	-	3	2	16	55	130	183	144	100	90
		F	1,254	-	-	2	4	13	59	164	288	349	375	90

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		South Eastern											
			Age											S.M.R. (England and Wales = 100)
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	23,449	-	-	-	5	59	596	2,329	5,802	7,537	7,021	94
		F	15,898	-	-	1	-	7	73	316	1,587	4,563	9,351	92
		M	3,564	4	-	2	7	7	19	80	250	624	2,571	81
		F	7,475	2	1	2	1	6	9	35	136	690	6,593	90
B27	Other diseases of heart	M	2,024	2	4	2	15	15	28	60	268	570	1,060	89
		F	2,787	3	3	-	5	11	14	43	143	527	2,038	87
B28	Hypertension with heart disease	M	915	-	-	-	2	5	7	38	162	334	367	83
		F	1,515	-	-	-	-	-	8	37	100	356	1,014	89
B29	Hypertension without mention of heart	M	638	-	-	-	3	6	21	63	164	172	209	100
		F	665	-	-	-	-	1	9	22	58	140	435	92
B46 (pt.)	Other circulatory diseases (450-468)	M	3,251	2	2	-	8	13	47	140	486	917	1,636	98
		F	4,427	1	-	-	10	12	42	94	327	800	3,141	94
B30	Influenza	M	104	-	-	2	1	2	2	1	11	26	59	77
		F	158	-	-	-	1	1	-	3	9	25	119	82
B31	Pneumonia	M	5,386	281	55	25	24	25	41	129	413	1,152	3,241	103
		F	7,144	229	48	24	21	10	45	97	281	1,011	5,378	105
B32	Bronchitis	M	6,523	74	16	6	6	8	27	243	1,217	2,341	2,585	89
		F	2,378	53	16	4	3	5	22	70	245	568	1,392	86
B46 (pt.)	Other diseases of respiratory system (470-475, 510-527)	M	986	28	10	6	5	6	16	54	189	344	328	83
		F	605	19	12	6	7	4	20	27	71	125	314	94
B33	Ulcer of stomach and duodenum	M	808	-	1	-	1	13	17	39	156	251	330	94
		F	614	-	-	-	-	-	10	25	50	128	401	111
B34	Appendicitis	M	66	1	1	2	2	2	2	4	14	18	20	82
		F	78	-	3	2	1	1	-	8	5	13	43	109
B35	Intestinal obstruction and hernia	M	441	36	4	4	2	6	6	20	60	112	191	94
		F	618	26	1	2	3	-	6	17	48	132	383	98
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	309	37	22	2	3	9	6	22	43	70	95	90
		F	627	43	17	2	5	5	11	29	65	149	301	103
B37	Cirrhosis of liver	M	218	2	-	2	3	-	15	38	76	64	18	90
		F	238	2	-	1	2	3	12	39	56	78	45	96
B38	Nephritis and nephrosis	M	439	3	1	4	21	12	33	48	98	102	117	86
		F	412	1	2	4	9	9	20	26	60	99	182	89
B39	Hyperplasia of prostate	M	589	-	-	-	-	-	-	3	37	117	432	90
B40	Complications of pregnancy, childbirth and puerperium	F	66	-	-	-	17	36	13	-	-	-	-	107
B41	Congenital malformations	M	824	575	51	30	27	20	17	27	33	32	12	97
		F	733	484	58	29	19	10	13	19	44	28	29	97
B42	Birth injuries, postnatal asphyxia and atelectasis	M	710	710	-	-	-	-	-	-	-	-	-	89
		F	478	478	-	-	-	-	-	-	-	-	-	90
B43	Diarrhoea of newborn (764)	M	7	7	-	-	-	-	-	-	-	-	-	62
		F	2	2	-	-	-	-	-	-	-	-	-	22
	Other infections of newborn (763, 765-768)	M	100	100	-	-	-	-	-	-	-	-	-	87
		F	69	69	-	-	-	-	-	-	-	-	-	75
B44	Other diseases of early infancy and immaturity unqualified	M	627	627	-	-	-	-	-	-	-	-	-	95
		F	518	518	-	-	-	-	-	-	-	-	-	100
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	321	4	-	2	1	1	1	4	6	30	272	67
		F	736	3	-	-	1	-	-	3	7	18	704	67
B46 (rem.)	All other diseases (Remainder 001-795)	M	2,995	88	46	63	100	83	138	278	563	717	919	101
		F	4,454	67	51	49	70	86	166	294	590	1,054	2,021	99
BE47	Motor vehicle accidents	M	1,571	2	49	95	456	181	151	162	164	124	187	90
		F	713	3	26	34	92	36	45	77	90	106	204	87
BE48	All other accidents	M	1,658	86	70	90	191	141	158	178	226	177	341	86
		F	1,717	62	46	17	48	56	73	101	129	256	929	79
BE49	Suicide and self-inflicted injury	M	1,014	-	-	1	100	139	143	191	217	142	81	104
		F	821	-	-	-	60	59	104	182	178	153	85	114
BE50	Homicide and operations of war	M	69	9	3	4	12	17	11	4	2	4	3	100
		F	60	10	4	5	12	3	9	6	2	4	5	104
BN47	Fractures, head injuries and internal injuries	M	2,295	13	64	125	519	260	235	228	263	196	392	86
		F	1,675	19	33	38	113	49	66	91	131	236	899	77
BN48	Burns	M	82	2	6	1	8	3	5	9	9	16	23	92
		F	89	1	9	1	1	2	2	5	3	14	51	81
BN49	Effects of poisons	M	1,044	1	16	6	102	111	137	188	208	148	127	115
		F	1,113	1	15	4	62	73	130	209	212	201	206	114
BN50	All other injuries	M	891	81	36	58	130	104	86	110	129	87	70	86
		F	434	54	19	13	36	30	33	61	53	68	67	85

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Greater London											
			Age											S.M.R. (England and Wales = 100)
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
	Numbers	M	43,032	1,386	198	201	482	526	1,134	3,449	9,430	12,313	13,913	96
		F	42,255	1,084	170	113	249	312	856	2,203	4,907	9,193	23,168	91
	ALL CAUSES													
	Rates	M	11,433	19,942	770	406	839	1,053	2,276	6,454	20,150	48,381	123,342	
		F	10,264	16,424	696	241	406	648	1,704	3,900	9,455	23,645	86,967	
B1	Tuberculosis of respiratory system	M	230	-	-	-	-	4	16	26	49	91	44	106
		F	104	-	-	-	1	1	15	21	16	13	37	125
B2	Tuberculosis, other forms	M	27	-	-	-	-	1	7	5	3	8	3	147
		F	23	-	2	-	-	2	2	2	4	5	6	100
B3	Syphilis and its sequelae	M	86	-	-	1	-	2	2	3	21	31	26	106
		F	102	-	-	1	-	-	3	5	9	31	53	166
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	1	-	-	-	-	-	-	-	1	-	-	64
		F	2	-	-	-	1	-	-	-	1	-	-	205
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	4	4	-	-	-	-	-	-	-	-	-	164
		F	2	1	1	-	-	-	-	-	-	-	-	119
B10	Meningococcal infections	M	7	5	-	1	-	-	1	-	-	-	-	111
		F	6	1	3	-	-	-	-	1	1	-	-	97
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	6	-	5	-	1	-	-	-	-	-	-	67
		F	3	1	2	-	-	-	-	-	-	-	-	50
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	1	-	-	-	-	-	-	-	1	-	-	150
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	60	4	4	1	2	1	3	9	18	15	3	103
		F	54	4	-	2	2	2	5	7	9	9	14	69
B18	Malignant neoplasm: (140-205)	M	10,787	11	20	48	57	92	257	1,022	3,208	3,556	2,516	110
		F	8,788	5	23	33	42	83	369	1,034	1,996	2,408	2,795	100
	stomach (151)	M	1,149	-	-	-	1	7	23	109	329	385	295	94
		F	843	-	-	-	-	5	7	57	132	257	385	87
	trachea, bronchus and lung (162, 163)	M	4,720	-	-	-	1	3	70	446	1,627	1,766	807	122
		F	1,063	-	-	-	-	3	39	143	300	349	229	130
	breast (170)	M	11	-	-	-	-	-	-	1	3	5	2	76
		F	1,800	-	-	-	-	18	124	321	483	427	427	101
	uterus (171-174)	F	586	-	-	-	2	13	42	83	155	156	135	88
	Leukaemia and aleukaemia (204)	M	248	2	9	17	10	10	12	29	66	49	44	99
		F	240	1	10	17	8	6	19	19	36	44	80	104
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	4,659	9	11	31	45	72	152	437	1,183	1,351	1,368	106
		F	4,256	4	13	16	32	38	138	411	890	1,175	1,539	98
B19	Benign and unspecified neoplasms	M	118	2	2	1	2	7	8	22	33	25	16	107
		F	145	1	1	3	3	2	11	28	36	33	27	116
B20	Diabetes mellitus	M	213	-	-	1	1	-	7	13	48	68	75	87
		F	429	-	-	1	4	3	6	16	53	131	215	90
B21	Anaemias	M	83	1	5	-	1	1	3	4	11	19	38	93
		F	168	-	1	1	4	-	4	2	8	41	107	90
B22	Vascular lesions affecting central nervous system	M	3,630	2	2	1	7	14	65	192	557	1,046	1,744	73
		F	6,223	2	1	1	8	16	66	189	526	1,308	4,106	75
B23	Non-meningococcal meningitis	M	40	15	5	1	1	1	2	2	5	5	3	111
		F	34	12	2	1	-	-	-	4	4	8	3	123
B24	Rheumatic fever	M	1	-	-	-	-	-	1	-	-	-	-	102
		F	4	-	-	1	1	1	-	1	-	-	-	202
B25	Chronic rheumatic heart disease	M	374	-	-	2	2	9	35	75	115	83	53	115
		F	709	-	-	1	4	10	39	101	158	188	208	109

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Greater London											
			Age											S.M.R. (England and Wales = 100)
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	10,807	-	-	-	3	25	295	1,178	2,978	3,429	2,899	95
		F	7,304	-	-	-	-	1	34	164	801	2,076	4,228	91
		M	1,273	2	-	1	2	4	10	38	104	216	896	66
		F	2,797	2	1	1	1	4	5	20	46	256	2,461	73
B27	Other diseases of heart	M	886	-	3	2	10	11	16	31	122	253	438	87
		F	1,267	3	-	-	4	8	8	15	72	237	920	85
B28	Hypertension with heart disease	M	358	-	-	-	1	1	3	14	63	131	145	72
		F	593	-	-	-	-	-	3	12	35	138	405	75
B29	Hypertension without mention of heart	M	328	-	-	-	2	4	12	37	85	87	101	113
		F	366	-	-	-	-	-	6	12	32	73	243	109
B46 (pt.)	Other circulatory diseases (450-468)	M	1,447	1	2	-	6	6	19	79	240	404	690	97
		F	2,105	1	-	-	3	3	21	52	158	388	1,479	97
B30	Influenza	M	36	-	1	-	1	-	-	2	7	25	59	
		F	60	-	-	-	1	-	-	2	5	12	40	67
B31	Pneumonia	M	2,561	163	21	10	7	7	15	70	210	548	1,510	111
		F	3,511	130	22	5	4	3	16	52	126	486	2,667	112
B32	Bronchitis	M	3,349	39	9	2	2	3	19	121	650	1,195	1,309	101
		F	1,252	29	4	3	1	2	9	39	123	287	755	97
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	422	9	6	1	2	4	4	25	85	154	132	78
		F	272	6	7	1	3	1	5	13	32	49	155	91
B33	Ulcer of stomach and duodenum	M	404	-	-	-	-	8	5	16	86	125	164	104
		F	303	-	-	-	-	-	3	15	28	61	196	117
B34	Appendicitis	M	25	-	-	1	1	1	-	1	5	9	7	69
		F	29	-	2	1	-	1	-	4	2	5	14	87
B35	Intestinal obstruction and hernia	M	205	13	3	1	1	3	1	8	28	59	88	97
		F	316	15	-	-	1	-	4	9	27	66	194	108
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	138	22	8	-	-	3	3	9	20	36	37	90
		F	305	19	6	1	2	1	6	16	27	80	147	109
B37	Cirrhosis of liver	M	106	1	-	1	2	-	8	19	42	24	9	94
		F	110	-	-	-	-	3	6	19	21	40	21	95
B38	Nephritis and nephrosis	M	218	3	-	2	11	7	17	24	46	56	52	93
		F	192	1	-	2	5	3	9	15	33	48	76	89
B39	Hyperplasia of prostate	M	244	-	-	-	-	-	-	-	1	14	59	170	85
B40	Complications of pregnancy, childbirth and puerperium	F	46	-	-	-	11	26	9	-	-	-	-	158
B41	Congenital malformations	M	395	276	22	12	8	14	8	18	13	19	5	106
		F	343	218	33	12	7	3	5	11	24	15	15	103
B42	Birth injuries, postnatal asphyxia and atelectasis	M	373	373	-	-	-	-	-	-	-	-	-	107
		F	271	271	-	-	-	-	-	-	-	-	-	117
B43	Diarrhoea of newborn (764)	M	5	5	-	-	-	-	-	-	-	-	-	102
		F	1	1	-	-	-	-	-	-	-	-	-	25
	Other infections of newborn (763, 765-768)	M	48	48	-	-	-	-	-	-	-	-	-	95
		F	35	35	-	-	-	-	-	-	-	-	-	88
B44	Other diseases of early infancy and immaturity unqualified	M	318	318	-	-	-	-	-	-	-	-	-	110
		F	275	275	-	-	-	-	-	-	-	-	-	122
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	93	2	-	1	1	-	-	3	1	11	74	45
		F	211	2	-	-	-	-	-	2	2	5	200	42
B46 (Rem.)	All other diseases (Remainder 001-795)	M	1,370	40	25	28	35	45	60	143	270	332	392	102
		F	2,011	24	24	19	26	40	67	138	287	453	933	96
BE47	Motor vehicle accidents	M	615	2	19	42	161	74	51	54	67	58	87	77
		F	338	-	9	12	39	21	18	30	50	47	112	89
BE48	All other accidents	M	760	22	35	37	90	81	83	85	121	84	122	88
		F	688	18	25	9	26	34	42	54	73	119	288	68
BE49	Suicide and self-inflicted injury	M	538	-	-	1	54	79	90	100	106	69	39	119
		F	424	-	-	-	40	37	56	94	81	73	43	124
BE50	Homicide and operations of war	M	42	3	2	1	9	13	8	2	2	1	1	134
		F	34	7	1	2	5	1	4	4	1	4	5	128
BN47	Fractures, head injuries and internal injuries	M	967	8	27	56	196	132	99	84	123	88	154	79
		F	668	9	12	17	53	27	28	43	70	113	296	66
BN48	Burns	M	39	-	2	-	3	2	4	3	6	10	9	97
		F	43	-	5	1	1	1	2	5	3	4	21	85
BN49	Effects of poisons	M	601	1	11	5	62	72	84	112	113	80	61	142
		F	593	1	9	2	39	47	77	114	102	101	101	129
BN50	All other injuries	M	348	18	16	20	53	41	45	42	54	34	25	74
		F	180	15	9	3	17	18	13	20	30	25	30	77

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		South Western											S.M.R. (England and Wales = 100)
			Age											
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
		Numbers M	21,679	527	93	119	269	193	500	1,411	3,997	6,428	8,142	93
		F	21,519	392	79	76	103	102	354	904	2,280	4,855	12,374	96
	ALL CAUSES	Rates M	12,163	17,279	738	438	951	882	2,283	6,411	18,907	46,954	125,262	
		F	11,508	13,564	659	293	410	502	1,638	3,892	9,540	25,499	95,258	
B1	Tuberculosis of respiratory system	M	82	-	-	-	-	-	10	9	16	33	14	76
		F	28	-	-	-	1	1	5	3	5	6	7	73
B2	Tuberculosis, other forms	M	5	-	-	-	1	-	-	2	2	-	-	57
		F	13	-	-	-	-	-	1	3	2	3	4	123
B3	Syphilis and its sequelae	M	39	-	-	-	-	-	1	2	10	16	10	93
		F	24	-	-	-	-	-	-	2	1	5	16	81
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	1	-	-	-	-	1	-	-	-	-	-	131
		F	-	-	-	-	-	-	-	-	-	-	-	-
B7	Scarlet fever and streptococcal sore throat	M	1	-	-	-	-	1	-	-	-	-	-	463
		F	-	-	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-	248
B10	Meningococcal infections	M	5	2	-	1	-	-	-	1	1	-	-	165
		F	3	2	1	-	-	-	-	-	-	-	-	103
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	2	1	1	-	-	-	-	-	-	-	-	45
		F	6	1	4	-	-	-	-	-	-	1	-	208
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	31	1	2	4	-	3	2	2	6	3	8	110
		F	39	2	2	-	1	2	4	3	5	6	14	107
B18	Malignant neoplasm: (140-205)	M	4,473	2	11	20	23	35	114	391	1,148	1,583	1,146	91
		F	4,074	4	4	17	19	28	134	457	866	1,172	1,373	99
	stomach (151)	M	541	-	-	-	-	1	8	28	133	201	170	87
		F	429	-	-	-	-	3	5	18	56	121	226	93
	trachea, bronchus and lung (162, 163)	M	1,606	-	-	-	-	3	27	165	510	648	253	83
		F	342	-	-	-	2	1	9	34	90	134	72	90
	breast (170)	M	6	-	-	-	-	-	-	-	3	2	1	83
		F	838	-	-	-	-	8	46	142	223	203	216	102
	uterus (171-174)	F	316	-	-	-	-	1	20	67	63	87	78	103
	Leukaemia and aleukaemia (204)	M	132	1	5	14	2	4	9	14	25	34	24	106
		F	113	1	2	7	4	1	8	7	29	23	31	104
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	2,188	1	6	6	21	27	70	184	477	698	698	97
		F	2,036	3	2	10	13	14	46	189	405	604	750	100
B19	Benign and unspecified neoplasms	M	49	1	2	2	2	1	3	5	17	11	5	92
		F	39	-	-	1	1	2	2	6	6	12	9	68
B20	Diabetes mellitus	M	144	1	-	-	2	-	5	9	28	46	53	114
		F	243	-	-	-	1	-	4	6	31	87	114	106
B21	Anaemias	M	40	1	-	-	-	-	2	1	6	7	23	84
		F	61	1	-	1	-	-	1	-	4	12	42	68
B22	Vascular lesions affecting central nervous system	M	2,533	-	2	2	1	6	26	92	314	771	1,319	96
		F	3,985	-	1	-	4	5	29	79	306	873	2,688	100
B23	Non-meningococcal meningitis	M	19	6	4	1	-	-	-	-	4	3	1	109
		F	12	5	3	-	-	-	-	2	-	-	2	91
B24	Rheumatic fever	M	1	-	1	-	-	-	-	-	-	-	-	216
		F	1	-	-	-	-	-	-	-	-	-	1	108
B25	Chronic rheumatic heart disease	M	133	-	-	-	-	1	3	8	25	33	30	85
		F	223	-	-	1	1	2	11	22	55	63	68	74

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		South Western											S.M.R. (England and Wales = 100)
			Age											
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	5,518	-	-	-	-	7	110	465	1,362	1,888	1,686	95
		F	3,494	-	-	-	1	2	23	70	348	1,093	1,957	90
		M	1,437	-	-	-	1	3	8	26	90	272	1,037	134
		F	2,349	-	1	-	-	1	5	17	64	263	1,998	125
B27	Other diseases of heart	M	500	1	-	2	3	3	4	8	63	143	273	92
		F	678	-	-	-	-	1	1	6	7	50	128	485	94
B28	Hypertension with heart disease	M	281	-	-	-	-	-	-	2	13	45	101	120	107
		F	393	-	-	-	-	1	-	5	34	97	256	102
B29	Hypertension without mention of heart	M	149	-	-	-	-	1	5	19	30	40	54	101
		F	152	-	-	-	-	-	4	12	22	26	86	94
B46 (pt.)	Other circulatory diseases (450-468)	M	756	-	-	-	1	3	12	27	91	214	408	95
		F	1,008	1	-	-	2	4	9	19	72	170	731	96
B30	Influenza	M	22	1	-	-	-	1	-	1	4	3	12	69
		F	17	1	-	2	-	-	-	1	1	3	9	39
B31	Pneumonia	M	1,139	66	18	6	6	4	7	30	85	258	659	91
		F	1,317	39	14	5	2	1	8	13	54	206	975	87
B32	Bronchitis	M	1,197	4	2	1	2	3	10	32	236	468	439	69
		F	326	6	3	3	1	1	6	6	23	98	179	53
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	277	1	2	1	3	-	1	16	56	85	112	100
		F	129	2	3	1	-	1	4	8	13	24	73	91
B33	Ulcer of stomach and duodenum	M	171	-	-	-	-	2	2	12	26	61	68	84
		F	127	-	1	1	-	-	1	4	13	36	71	102
B34	Appendicitis	M	21	-	1	-	1	-	3	3	3	7	3	114
		F	10	-	-	-	2	-	-	-	1	2	5	63
B35	Intestinal obstruction and hernia	M	94	5	1	-	-	1	2	5	6	31	43	86
		F	116	3	1	-	-	-	2	3	14	23	70	83
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	70	7	1	1	3	2	2	3	9	20	22	89
		F	131	3	1	-	1	1	3	5	9	33	75	97
B37	Cirrhosis of liver	M	52	-	-	-	-	-	4	9	14	15	10	96
		F	46	-	-	-	-	-	4	8	13	12	9	85
B38	Nephritis and nephrosis	M	140	1	1	1	8	7	13	23	27	28	31	120
		F	92	-	-	1	3	5	4	8	12	21	38	90
B39	Hyperplasia of prostate	M	173	-	-	-	-	-	-	1	5	37	130	108
B40	Complications of pregnancy, childbirth and puerperium	F	9	-	-	-	6	2	1	-	-	-	-	74
B41	Congenital malformations	M	192	125	13	13	8	6	4	9	7	3	4	107
		F	159	114	8	7	4	1	5	7	6	5	2	100
B42	Birth injuries, postnatal asphyxia and atelectasis	M	150	150	-	-	-	-	-	-	-	-	-	90
		F	100	100	-	-	-	-	-	-	-	-	-	90
B43	Diarrhoea of newborn (764)	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-
	Other infections of newborn (763, 765-768)	M	18	18	-	-	-	-	-	-	-	-	-	53
		F	18	18	-	-	-	-	-	-	-	-	-	94
B44	Other diseases of early infancy and immaturity unqualified	M	92	92	-	-	-	-	-	-	-	-	-	66
		F	58	58	-	-	-	-	-	-	-	-	-	54
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	126	-	-	-	1	1	-	2	2	4	116	108
		F	304	-	-	-	-	-	1	-	5	298	123	
B46 (Rem.)	All other diseases (Remainder 001-795)	M	608	11	9	21	28	13	31	57	113	147	178	89
		F	954	10	16	7	6	21	34	70	164	227	399	96
BE47	Motor vehicle accidents	M	347	1	7	21	117	37	31	28	48	32	25	90
		F	150	1	7	11	29	5	8	8	18	36	27	85
BE48	All other accidents	M	355	27	14	20	40	32	33	35	42	34	78	83
		F	456	18	8	16	8	3	9	15	32	68	279	94
BE49	Suicide and self-inflicted injury	M	226	-	-	1	16	17	44	47	46	30	25	107
		F	156	-	-	-	6	11	25	33	34	38	9	102
BE50	Homicide and operations of war	M	10	2	1	1	1	-	1	1	2	1	-	68
		F	16	-	1	2	3	1	2	1	2	1	3	133
BN47	Fractures, head injuries and internal injuries	M	522	3	12	26	135	50	55	48	71	54	68	88
		F	454	1	9	16	30	6	11	13	31	78	259	94
BN48	Burns	M	23	-	1	2	-	-	-	5	3	3	9	114
		F	19	-	2	1	-	-	1	-	1	5	9	79
BN49	Effects of poisons	M	180	-	2	2	13	13	32	37	33	23	25	91
		F	204	-	2	5	7	9	24	32	38	48	39	98
BN50	All other injuries	M	213	27	7	13	26	23	22	21	31	17	26	94
		F	101	18	3	7	9	5	8	12	16	12	11	93

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Wales I (South East)												
			Age												S.M.R. (England and Wales = 100)
			All ages	Under 1 year	Years										
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over		
	ALL CAUSES	Numbers M	12,496	360	49	119	135	130	341	933	2,726	3,869	3,834		111
		F	10,515	255	50	96	58	83	213	575	1,299	2,741	5,145		109
		Rates M	13,082	22,086	729	799	947	1,101	2,621	7,623	23,808	57,065	139,927		
		F	10,686	16,558	782	670	420	729	1,693	4,663	10,613	30,902	104,361		
B1	Tuberculosis of respiratory system	M	79	-	-	-	-	1	3	6	29	21	19		145
		F	21	-	-	-	-	1	1	6	6	2	5		116
B2	Tuberculosis, other forms	M	10	1	-	-	-	2	-	1	3	2	1		219
		F	7	-	1	-	-	-	-	1	-	3	2		138
B3	Syphilis and its sequelae	M	15	-	-	-	-	-	-	1	2	7	5		73
		F	11	-	-	-	-	-	1	2	2	3	3		86
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-		-
		F	-	-	-	-	-	-	-	-	-	-	-		-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-		-
		F	-	-	-	-	-	-	-	-	-	-	-		-
B6	Dysentery, all forms	M	-	-	-	-	-	-	-	-	-	-	-		-
		F	-	-	-	-	-	-	-	-	-	-	-		-
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-		-
		F	-	-	-	-	-	-	-	-	-	-	-		-
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-		-
		F	-	-	-	-	-	-	-	-	-	-	-		-
B9	Whooping cough	M	1	1	-	-	-	-	-	-	-	-	-		160
		F	-	-	-	-	-	-	-	-	-	-	-		-
B10	Meningococcal infections	M	1	1	-	-	-	-	-	-	-	-	-		62
		F	3	1	1	-	-	-	-	-	1	-	-		195
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-		-
		F	-	-	-	-	-	-	-	-	-	-	-		-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-		-
		F	-	-	-	-	-	-	-	-	-	-	-		-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-		-
		F	-	-	-	-	-	-	-	-	-	-	-		-
B14	Measles	M	2	-	2	-	-	-	-	-	-	-	-		84
		F	1	-	-	1	-	-	-	-	-	-	-		65
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-		-
		F	-	-	-	-	-	-	-	-	-	-	-		-
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-		-
		F	-	-	-	-	-	-	-	-	-	-	-		-
B17	All other diseases classified as infective and parasitic	M	15	1	2	-	1	-	-	3	1	5	2		102
		F	24	2	1	-	-	3	1	3	3	4	7		136
B18	Malignant neoplasm: (140-205)	M	2,302	2	7	6	13	18	54	207	686	838	471		94
		F	1,838	-	3	8	12	20	99	218	409	552	517		97
	stomach (151)	M	380	-	-	-	-	1	5	27	110	145	92		124
		F	285	-	-	-	-	1	3	16	45	103	117		141
	trachea, bronchus and lung (162, 163)	M	804	-	-	-	-	1	14	75	296	324	94		83
		F	95	-	-	-	-	1	4	14	24	35	17		53
	breast (170)	M	6	-	-	-	-	-	1	-	3	1	1		167
		F	370	-	-	-	-	7	35	60	101	89	78		95
	uterus (171-174)	F	170	-	-	-	-	1	16	38	42	48	25		116
	Leukaemia and aleukaemia (204)	M	53	-	5	4	2	2	4	2	6	20	8		84
		F	50	-	2	3	1	2	4	7	10	9	12		97
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	1,059	2	2	2	11	14	30	103	271	348	276		96
		F	868	-	1	5	11	8	37	83	187	268	268		93
B19	Benign and unspecified neoplasms	M	31	1	-	-	-	2	3	4	9	7	5		113
		F	18	-	-	-	2	-	2	6	4	2	2		64
B20	Diabetes mellitus	M	51	-	-	-	1	-	2	2	10	23	13		83
		F	116	-	1	-	1	-	1	3	17	47	46		116
B21	Anaemias	M	21	-	-	1	-	-	-	1	4	3	12		95
		F	58	-	-	-	-	2	1	3	8	12	32		154
B22	Vascular lesions affecting central nervous system	M	1,310	-	1	-	-	3	18	53	213	432	590		106
		F	1,912	-	-	1	2	7	12	68	189	474	1,159		116
B23	Non-meningococcal meningitis	M	12	5	2	1	-	-	-	1	2	1	-		131
		F	8	2	-	-	-	-	-	-	-	1	5		122
B24	Rheumatic fever	M	-	-	-	-	-	-	-	-	-	-	-		-
		F	-	-	-	-	-	-	-	-	-	-	-		-
B25	Chronic rheumatic heart disease	M	99	-	-	-	-	4	14	22	29	20	10		123
		F	182	-	-	1	2	7	12	32	52	45	31		127

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Wales I (South East)												
			Age												S.M.R. (England and Wales = 100)
			All ages	Under 1 year	Years										
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over		
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	3,428	-	-	-	-	18	115	345	957	1,155	838		120
		F	2,041	-	-	-	-	2	13	76	279	748	923		124
		M	588	-	-	-	-	1	3	13	42	111	418		123
		F	827	-	-	-	-	-	-	13	37	127	650		112
B27	Other diseases of heart	M	249	-	-	-	2	1	5	10	38	83	110		98
		F	301	-	-	2	-	1	2	2	21	86	187		102
B28	Hypertension with heart disease	M	197	-	-	-	-	-	2	11	48	63	73		158
		F	217	-	-	-	-	-	-	4	15	76	122		136
B29	Hypertension without mention of heart	M	93	-	-	-	-	1	2	11	17	28	34		129
		F	108	-	-	-	-	1	-	6	6	30	65		159
B46 (pt.)	Other circulatory diseases (450-468)	M	354	-	-	-	-	1	7	18	46	91	191		96
		F	470	-	-	-	2	2	5	10	26	81	344		109
B30	Influenza	M	13	-	-	-	-	1	-	1	-	5	6		86
		F	8	-	-	-	-	-	-	-	1	2	5		45
B31	Pneumonia	M	491	37	6	3	3	4	2	11	55	112	258		85
		F	532	31	8	1	3	1	3	16	34	86	349		86
B32	Bronchitis	M	1,100	3	-	2	-	1	9	43	248	448	346		132
		F	264	6	3	-	-	-	1	9	26	86	133		99
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	361	3	-	-	-	-	5	21	95	145	92		267
		F	67	4	1	-	2	2	3	12	10	33	108		
B33	Ulcer of stomach and duodenum	M	80	1	-	-	-	-	5	9	15	29	21		82
		F	38	1	-	-	-	1	2	1	4	9	20		72
B34	Appendicitis	M	8	-	-	1	1	-	1	-	2	1	2		88
		F	5	-	-	-	-	1	1	-	1	-	2		71
B35	Intestinal obstruction and hernia	M	42	6	-	1	-	1	1	6	3	14	10		80
		F	55	4	-	-	-	-	-	2	7	14	28		92
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	28	5	1	-	-	1	-	2	7	8	4		72
		F	57	2	3	1	1	1	-	-	11	18	20		96
B37	Cirrhosis of liver	M	28	-	-	-	-	-	2	3	9	8	6		100
		F	31	1	-	-	-	1	1	7	7	10	4		120
B38	Nephritis and nephrosis	M	73	-	-	1	2	5	7	15	15	13	15		125
		F	50	-	-	1	1	2	3	5	10	11	17		108
B39	Hyperplasia of prostate	M	85	-	-	-	-	-	-	-	6	29	50		120
B40	Complications of pregnancy, childbirth and puerperium	F	7	-	-	-	3	3	1	-	-	-	-		102
B41	Congenital malformations	M	103	77	5	4	4	2	2	1	1	6	1		108
		F	86	51	10	5	4	2	2	3	4	3	2		103
B42	Birth injuries, postnatal asphyxia and atelectasis	M	88	88	-	-	-	-	-	-	-	-	-		99
		F	64	64	-	-	-	-	-	-	-	-	-		109
B43	Diarrhoea of newborn (764)	M	1	1	-	-	-	-	-	-	-	-	-		80
		F	1	1	-	-	-	-	-	-	-	-	-		99
	Other infections of newborn (763, 765-768)	M	9	9	-	-	-	-	-	-	-	-	-		70
		F	9	9	-	-	-	-	-	-	-	-	-		88
B44	Other diseases of early infancy and immaturity unqualified	M	90	90	-	-	-	-	-	-	-	-	-		122
		F	54	54	-	-	-	-	-	-	-	-	-		94
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	71	-	-	1	1	1	-	2	-	7	59		140
		F	101	1	-	-	-	1	-	1	1	3	94		107
B46 (Rem.)	All other diseases (Remainder 001-795)	M	349	13	4	11	9	10	21	32	53	100	96		103
		F	479	12	6	4	8	9	17	42	74	130	177		108
BE47	Motor vehicle accidents	M	193	-	6	10	66	20	17	23	16	18	17		97
		F	75	-	6	9	11	3	5	7	6	16	12		88
BE48	All other accidents	M	310	12	13	77	22	16	26	35	35	23	51		143
		F	301	8	4	62	1	6	11	14	16	37	142		145
BE49	Suicide and self-inflicted injury	M	105	-	-	-	9	15	14	19	29	12	7		94
		F	62	-	-	-	5	4	13	11	10	13	6		80
BE50	Homicide and operations of war	M	10	3	-	-	1	1	1	1	1	1	1		128
		F	6	1	2	-	-	-	1	1	-	-	1		96
BN47	Fractures, head injuries and internal injuries	M	340	3	7	18	70	31	28	44	40	40	59		112
		F	238	1	6	10	10	4	7	9	13	39	139		114
BN48	Burns	M	13	1	3	-	2	-	2	1	-	-	4		129
		F	11	-	2	-	-	-	-	2	2	-	5		103
BN49	Effects of poisons	M	82	-	5	3	4	8	20	11	20	7	4		79
		F	83	-	1	2	4	5	15	15	13	20	8		81
BN50	All other injuries	M	183	11	4	66	22	13	8	22	21	7	9		155
		F	112	8	3	59	3	4	8	7	4	7	9		206

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Wales II (remainder) Age All ages	Under 1 year	Years 1-	5-	15-	25-	35-	45-	55-	65-	75 and over	S.M.R. (England and Wales = 100)
		Numbers M	5,208	125	24	26	70	44	115	309	981	1,622	1,892	102
		F	4,941	73	10	12	31	20	79	214	554	1,232	2,716	102
	ALL CAUSES	Rates M	13,970	20,161	956	458	1,230	1,005	2,495	6,659	21,234	52,492	131,389	
		F	12,418	12,586	*478*	*220*	590	478	1,752	4,289	10,355	28,718	97,348	
B1	Tuberculosis of respiratory system	M	38	-	1	-	1	-	-	4	13	14	5	160
		F	14	-	-	-	-	-	-	1	3	5	5	168
B2	Tuberculosis, other forms	M	1	-	-	-	-	-	-	-	1	-	-	53
		F	4	-	-	-	-	-	1	1	1	1	-	174
B3	Syphilis and its sequelae	M	7	-	-	-	1	-	-	-	1	5	-	75
		F	3	-	-	-	-	-	-	-	2	-	1	46
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	1	-	-	1	-	-	-	-	-	-	-	620
		F	-	-	-	-	-	-	-	-	-	-	-	-
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	82
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B10	Meningococcal infections	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	167
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	2	-	1	-	-	1	-	-	-	-	-	223
		F	-	-	-	-	-	-	-	-	-	-	-	-
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	3	-	-	-	-	1	-	-	2	-	-	50
		F	5	2	-	-	-	-	-	1	1	-	1	64
	Malignant neoplasm: (140-205)	M	1,003	2	3	3	9	7	23	67	253	384	252	92
		F	958	-	1	2	3	3	33	97	192	299	328	106
	stomach (151)	M	173	-	-	-	-	-	-	10	46	67	50	126
		F	124	-	-	-	-	-	-	1	20	41	62	122
	trachea, bronchus and lung (162, 163)	M	361	-	-	-	-	1	-	8	30	121	147	54	85
		F	65	-	-	-	-	-	1	8	17	24	15	77
B18	breast (170)	M	2	-	-	-	-	-	-	1	-	-	1	125
		F	174	-	-	-	-	-	10	30	46	42	46	96
	uterus (171-174)	F	62	-	-	-	-	-	8	13	12	18	11	92
	Leukaemia and aleukaemia (204)	M	22	-	1	1	1	-	1	1	9	6	2	81
		F	30	-	1	-	2	-	-	3	7	9	8	127
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	445	2	2	2	7	7	14	25	77	164	145	90
		F	503	-	-	2	1	3	14	42	90	165	186	112
B19	Benign and unspecified neoplasms	M	12	-	-	-	-	2	-	2	3	3	2	-	104
		F	12	-	-	-	1	-	1	-	5	-	5	95
B20	Diabetes mellitus	M	31	-	-	-	1	1	-	1	9	9	10	111
		F	56	-	-	1	-	-	2	-	3	28	22	111
B21	Anaemias	M	9	-	-	-	-	-	-	-	1	4	4	86
		F	17	-	-	-	-	-	-	1	1	7	8	87
B22	Vascular lesions affecting central nervous system	M	699	-	1	-	-	4	9	26	95	215	349	119
		F	966	-	-	1	-	3	6	23	80	232	621	111
B23	Non-meningococcal meningitis	M	3	2	-	1	-	-	-	-	-	-	-	82
		F	1	-	-	-	-	-	-	-	-	1	-	36
B24	Rheumatic fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B25	Chronic rheumatic heart disease	M	34	-	-	-	-	1	2	4	6	7	8	6	100
		F	68	-	-	-	1	1	2	7	21	22	14	102

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Wales II (remainder) Age All ages	Under 1 year	Years 1-	5-	15-	25-	35-	45-	55-	65-	75 and over	S.M.R. (England and Wales = 100)
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	1,313	-	-	-	-	3	33	104	319	492	362	102
		F	813	-	-	-	1	1	4	25	82	261	439	96
		M	277	-	-	-	1	1	2	4	11	47	211	116
		F	447	-	-	-	-	-	-	2	9	55	381	110
B27	Other diseases of heart	M	135	-	-	1	1	-	-	3	18	37	75	111
		F	163	-	-	-	-	-	-	5	11	30	116	104
B28	Hypertension with heart disease	M	88	-	-	-	-	-	2	1	17	32	36	152
		F	104	-	-	-	-	-	1	-	12	32	59	124
B29	Hypertension without mention of heart	M	43	-	-	-	-	-	-	1	7	11	24	133
		F	55	-	-	-	-	-	-	7	3	19	26	157
B46 (pt.)	Other circulatory diseases (450-468)	M	163	-	-	-	-	-	2	6	19	44	92	92
		F	221	-	-	-	-	1	5	7	12	27	169	97
B30	Influenza	M	11	-	-	-	-	-	-	-	2	3	6	156
		F	20	-	-	-	-	-	-	1	-	4	15	214
B31	Pneumonia	M	208	11	4	1	3	2	3	7	11	59	107	76
		F	219	3	1	2	1	-	-	7	14	34	157	67
B32	Bronchitis	M	307	-	-	-	-	1	2	13	67	111	113	79
		F	109	1	1	-	-	-	4	2	16	34	51	81
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	75	1	2	-	-	-	-	3	15	33	21	123
		F	38	1	-	-	1	-	-	1	4	9	22	123
B33	Ulcer of stomach and duodenum	M	42	-	-	-	-	1	1	2	7	12	19	93
		F	24	-	-	-	-	-	-	1	4	9	10	89
B34	Appendicitis	M	7	-	-	-	-	-	-	-	1	3	3	175
		F	5	-	-	-	-	-	-	1	-	2	2	146
B35	Intestinal obstruction and hernia	M	33	2	-	1	-	-	-	4	11	5	10	137
		F	30	1	-	-	-	-	-	-	1	11	17	98
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	19	1	-	-	1	-	1	1	5	2	8	112
		F	32	1	1	-	-	-	1	2	4	10	13	110
B37	Cirrhosis of liver	M	8	-	-	-	-	-	-	1	3	2	2	67
		F	14	-	-	-	-	-	-	4	3	5	2	118
B38	Nephritis and nephrosis	M	30	-	-	-	-	-	1	1	5	5	8	10	118
		F	29	-	-	-	-	1	-	-	2	6	6	14	131
B39	Hyperplasia of prostate	M	57	-	-	-	-	-	-	-	-	2	8	47	160
B40	Complications of pregnancy, childbirth and puerperium	F	3	-	-	-	-	1	1	1	-	-	-	-	118
B41	Congenital malformations	M	35	22	6	1	1	-	-	1	2	1	1	96
		F	27	17	2	1	-	-	1	-	-	2	4	83
B42	Birth injuries, postnatal asphyxia and atelectasis	M	35	35	-	-	-	-	-	-	-	-	-	105
		F	17	17	-	-	-	-	-	-	-	-	-	77
B43	Diarrhoea of newborn (764)	M	1	1	-	-	-	-	-	-	-	-	-	214
		F	-	-	-	-	-	-	-	-	-	-	-	-
	Other infections of newborn (763, 765-768)	M	3	3	-	-	-	-	-	-	-	-	-	62
		F	7	7	-	-	-	-	-	-	-	-	-	183
B44	Other diseases of early infancy and immaturity unqualified	M	32	32	-	-	-	-	-	-	-	-	-	116
		F	13	13	-	-	-	-	-	-	-	-	-	60
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	47	-	-	-	-	-	-	-	1	2	3	41	181
		F	61	1	-	-	-	-	1	-	-	3	56	115
B46 (Rem.)	All other diseases (Remainder 001-795)	M	175	2	3	4	5	3	8	17	37	47	49	117
		F	212	5	1	-	5	4	7	6	38	54	92	98
BE47	Motor vehicle accidents	M	83	-	2	6	29	6	9	7	13	5	6	103
		F	34	-	1	2	9	1	1	3	10	7	-	90
BE48	All other accidents	M	97	11	1	7	11	9	5	10	13	11	19	106
		F	108	4	2	3	3	1	1	3	9	19	63	104
BE49	Suicide and self-inflicted injury	M	38	-	-	-	2	2	6	11	9	4	4	84
		F	22	-	-	-	1	1	6	3	6	3	2	66
BE50	Homicide and operations of war	M	3	-	-	-	-	-	2	-	-	1	-	98
		F	8	-	-	-	3	2	1	-	-	1	1	318
BN47	Fractures, head injuries and internal injuries	M	135	-	2	11	32	11	13	14	20	12	20	107
		F	98	-	1	2	9	2	-	3	11	17	53	94
BN48	Burns	M	2	-	-	-	-	-	-	-	1	-	1	46
		F	4	-	-	2	-	-	-	-	1	-	1	77
BN49	Effects of poisons	M	19	-	-	-	-	3	3	2	6	3	2	45
		F	32	-	-	-	2	-	5	6	7	7	5	71
BN50	All other injuries	M	65	11	1	2	10	3	6	12	8	6	6	137
		F	38	4	2	1	5	3	4	-	6	6	7	163

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Conurbations: All ages	Age: Under 1 year	Years: 1-	5-	15-	25-	35-	45-	55-	65-	75 and over	S.M.R. (England and Wales = 100)
		Numbers M	94,933	3,311	512	503	1,130	1,087	2,585	7,851	21,186	27,839	28,929	103
		F	91,624	2,528	434	294	484	697	1,821	4,916	11,133	21,370	47,947	99
	ALL CAUSES	Rates M	11,800	22,059	876	428	931	1,037	2,416	7,184	22,034	52,856	130,841	
		F	10,554	17,778	781	263	382	691	1,726	4,303	10,300	26,666	93,866	
B1	Tuberculosis of respiratory system	M	539	1	1	-	3	10	36	73	146	191	78	121
		F	193	1	-	-	1	3	27	40	35	30	56	115
B2	Tuberculosis, other forms	M	53	2	3	-	-	4	9	10	7	12	6	139
		F	49	-	5	1	3	3	3	5	7	11	11	105
B3	Syphilis and its sequelae	M	182	-	-	1	-	2	5	14	34	70	56	110
		F	148	-	-	1	-	1	3	5	18	48	72	121
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	2	-	-	-	-	-	1	-	1	-	-	59
		F	3	-	-	1	1	-	-	-	1	-	-	145
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	98
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	9	7	2	-	-	-	-	-	-	-	-	164
		F	2	1	1	-	-	-	-	-	-	-	-	53
B10	Meningococcal infections	M	10	8	-	1	-	-	1	-	-	-	-	71
		F	12	5	5	-	-	-	-	1	1	-	-	89
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	19	5	10	3	1	-	-	-	-	-	-	93
		F	8	1	6	1	-	-	-	-	-	-	-	60
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	3	-	-	-	-	-	1	-	1	1	-	217
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	124	13	12	6	6	3	9	17	25	24	9	101
		F	139	7	12	5	3	9	11	20	21	20	31	86
B18	Malignant neoplasm: (140-205)	M	22,152	16	49	85	117	169	556	2,216	6,699	7,388	4,857	111
		F	18,091	11	47	70	72	184	778	2,244	4,166	5,063	5,456	102
	stomach (151)	M	2,657	-	-	-	1	15	51	267	810	868	645	107
		F	1,947	-	-	-	2	9	33	131	316	636	820	101
	trachea, bronchus and lung (162, 163)	M	9,480	-	-	-	6	18	201	1,003	3,319	3,489	1,444	119
		F	1,948	-	-	-	2	12	76	287	563	596	412	117
	breast (170)	M	25	-	-	-	-	-	1	4	8	7	5	85
		F	3,635	-	-	-	-	44	254	660	978	841	858	101
	uterus (171-174)	F	1,320	-	-	-	2	20	91	250	348	356	253	97
	Leukaemia and aleukaemia (204)	M	484	3	25	32	19	20	24	50	132	105	74	93
		F	453	3	18	32	14	14	30	36	85	83	138	96
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	9,506	13	24	53	91	116	279	892	2,430	2,919	2,689	106
		F	8,788	8	29	38	52	85	294	880	1,876	2,551	2,975	101
B19	Benign and unspecified neoplasms	M	248	5	3	5	10	14	12	45	68	51	35	109
		F	304	2	2	8	4	7	25	61	73	69	53	119
B20	Diabetes mellitus	M	438	-	-	2	3	2	25	30	96	139	141	88
		F	926	-	1	2	5	8	10	36	122	308	434	97
B21	Anaemias	M	184	2	6	2	3	2	5	10	21	38	95	102
		F	385	1	3	1	5	-	5	14	19	95	242	105
B22	Vascular lesions affecting central nervous system	M	9,274	3	3	1	24	40	139	465	1,488	2,843	4,268	93
		F	14,731	3	3	4	20	37	141	454	1,288	3,389	9,392	91
B23	Non-meningococcal meningitis	M	93	37	9	2	2	3	5	8	10	10	7	119
		F	69	17	11	3	2	-	1	5	8	16	6	117
B24	Rheumatic fever	M	1	-	-	-	-	-	1	-	-	-	-	49
		F	4	-	-	1	1	1	-	1	-	-	-	96
B25	Chronic rheumatic heart disease	M	777	-	-	3	5	27	88	151	246	168	89	116
		F	1,516	-	-	1	8	32	92	224	413	373	373	115

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Conurbations: All ages	Age: Under 1 year	Years: 1-	5-	15-	25-	35-	45-	55-	65-	75 and over	S.M.R. (England and Wales = 100)
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	23,634	-	-	-	7	71	709	2,660	6,670	7,711	5,806	102
		F	15,719	-	-	-	-	10	91	423	2,000	4,905	8,290	99
		M	3,128	2	1	2	5	12	30	83	255	675	2,063	81
		F	6,218	3	2	1	3	4	7	46	136	714	5,302	83
B27	Other diseases of heart	M	2,007	5	5	3	12	14	32	87	301	589	959	98
		F	2,921	5	-	-	4	12	17	57	199	665	1,962	100
B28	Hypertension with heart disease	M	942	-	-	-	1	8	13	59	181	331	349	94
		F	1,413	-	-	-	-	3	9	30	110	372	889	90
B29	Hypertension without mention of heart	M	615	-	-	-	4	12	30	87	160	144	178	104
		F	690	-	-	-	-	1	11	31	61	157	429	104
B46 (pt.)	Other circulatory diseases (450-468)	M	2,994	3	2	-	9	9	45	155	457	879	1,435	100
		F	4,231	2	1	-	8	14	43	109	302	808	2,944	99
B30	Influenza	M	121	3	-	1	-	5	3	12	20	27	50	99
		F	170	2	-	1	2	-	2	8	14	32	109	97
B31	Pneumonia	M	5,333	411	71	29	14	23	41	165	508	1,254	2,817	114
		F	6,990	320	71	19	10	20	38	116	309	1,090	4,997	113
B32	Bronchitis	M	7,893	97	22	4	5	10	49	351	1,775	2,921	2,659	117
		F	3,154	58	12	7	3	8	27	130	367	846	1,696	123
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	975	27	11	2	9	15	15	69	219	313	295	89
		F	600	22	9	3	7	7	16	37	76	105	318	101
B33	Ulcer of stomach and duodenum	M	878	-	-	1	-	11	20	51	198	287	310	111
		F	559	2	-	-	-	3	9	25	70	140	310	109
B34	Appendicitis	M	70	-	5	4	3	3	1	5	15	18	16	93
		F	61	-	2	4	-	3	3	6	5	15	23	91
B35	Intestinal obstruction and hernia	M	439	41	5	2	4	7	4	24	66	122	164	102
		F	629	26	-	1	2	2	11	23	53	148	363	108
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	332	79	20	2	-	8	12	19	44	66	82	103
		F	616	54	17	5	5	1	16	26	62	164	266	109
B37	Cirrhosis of liver	M	262	2	3	1	3	2	21	51	97	58	24	113
		F	241	-	-	1	-	5	16	47	47	78	47	102
B38	Nephritis and nephrosis	M	479	4	1	4	29	14	38	69	103	114	103	99
		F	411	2	2	6	12	10	21	42	67	98	151	94
B39	Hyperplasia of prostate	M	506	-	-	-	-	-	-	1	25	131	349	89
B40	Complications of pregnancy, childbirth and puerperium	F	77	-	-	-	23	35	19	-	-	-	-	127
B41	Congenital malformations	M	847	612	48	35	16	25	20	30	18	29	14	103
		F	782	525	69	34	14	9	14	22	41	29	25	106
B42	Birth injuries, postnatal asphyxia and atelectasis	M	874	874	-	-	-	-	-	-	-	-	-	112
		F	596	596	-	-	-	-	-	-	-	-	-	115
B43	Diarrhoea of newborn (764)	M	16	16	-	-	-	-	-	-	-	-	-	146
		F	11	11	-	-	-	-	-	-	-	-	-	123
	Other infections of newborn (763, 765-768)	M	127	127	-	-	-	-	-	-	-	-	-	112
		F	98	98	-	-	-	-	-	-	-	-	-	109
B44	Other diseases of early infancy and immaturity unqualified	M	750	750	-	-	-	-	-	-	-	-	-	116
		F	599	599	-	-	-	-	-	-	-	-	-	118
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	288	5	-	1	5	2	3	7	11	21	233	70
		F	701	7	1	1	1	1	1	7	10	17	655	72
B46 (Rem.)	All other diseases (Remainder 001-795)	M	2,842	79	55	65	97	90	130	287	542	709	788	103
		F	4,137	60	51	41	58	88	143	291	616	963	1,826	99
BE47	Motor vehicle accidents	M	1,577	2	65	121	431	171	124	153	175	149	186	94
		F	814	1	27	40	98	54	43	62	111	168	210	104
BE48	All other accidents	M	1,770	67	92	111	188	133	168	197	269	208	337	98
		F	1,781	74	69	29	39	53	63	97	150	292	915	88
BE49	Suicide and self-inflicted injury	M	1,040	-	-	1	96	144	170	185	229	145	70	111
		F	763	-	-	-	60	66	97	163	154	135	88	109
BE50	Homicide and operations of war	M	86	6	8	3	18	22	14	5	6	3	1	129
		F	61	12	4	2	10	3	8	8	1	7	6	109
BN47	Fractures, head injuries and internal injuries	M	2,428	14	85	156	488	252	214	235	306	264	414	96
		F	1,824	16	38	49	108	61	54	87	152	343	916	90
BN48	Burns	M	88	2	3	3	8	3	8	8	12	21	20	105
		F	105	1	10	4	1	3	4	7	11	19	45	103
BN49	Effects of poisons	M	1,125	4	32	9	106	131	164	198	231	145	105	128
		F	1,062	4	27	7	64	84	127	189	192	179	189	113
BN50	All other injuries	M	832	55	45	68	131	84	90	99	130	75	55	84
		F	428	66	25	11	34	28	26	47	61	61	69	87

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Urban areas outside conurbations with populations of 100,000 and over: Age: All ages	Under 1 year	Years: 1-	5-	15-	25-	35-	45-	55-	65-	75 and over	S.M.R. (England and Wales = 100)
		Numbers M	36,853	1,170	162	175	430	380	947	2,860	7,896	10,902	11,931	107
		F	35,058	909	156	123	180	215	672	1,799	4,002	8,372	18,630	105
	ALL CAUSES	Rates M	12,161	21,389	757	374	890	994	2,379	7,309	22,211	54,592	142,375	
		F	10,966	17,582	765	273	387	599	1,742	4,436	9,988	28,671	101,915	
B1	Tuberculosis of respiratory system	M	192	-	1	-	-	1	14	25	51	67	33	116
		F	65	-	-	-	-	2	3	10	17	14	19	107
B2	Tuberculosis, other forms	M	13	-	1	-	2	2	-	2	5	1	-	92
		F	16	-	-	-	-	1	1	6	1	4	3	94
B3	Syphilis and its sequelae	M	68	-	-	-	-	-	-	4	17	28	19	110
		F	32	-	-	-	-	1	-	-	5	10	16	72
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	2	2	-	-	-	-	-	-	-	-	-	100
		F	3	3	-	-	-	-	-	-	-	-	-	217
B10	Meningococcal infections	M	7	4	2	1	-	-	-	-	-	-	-	135
		F	5	1	2	-	-	-	-	-	2	-	-	101
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	4	-	4	-	-	-	-	-	-	-	-	53
		F	7	1	2	3	-	-	-	-	-	1	-	141
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	44	4	3	3	4	1	2	7	7	6	7	96
		F	72	9	2	3	1	3	2	6	16	9	21	122
B18	Malignant neoplasm: (140-205)	M	8,029	5	24	30	62	62	205	803	2,304	2,746	1,788	108
		F	6,767	2	16	23	26	56	294	837	1,462	1,896	2,155	105
	stomach (151)	M	1,034	-	-	-	-	2	19	86	294	380	253	111
		F	790	-	-	-	1	3	13	36	135	239	363	113
	trachea, bronchus and lung (162, 163)	M	3,256	-	1	-	1	6	52	357	1,143	1,216	480	110
		F	619	-	-	-	1	5	20	96	184	197	116	103
	breast (170)	M	11	-	-	-	-	-	-	-	3	4	4	100
		F	1,366	-	-	-	2	13	90	242	341	326	352	104
	uterus (171-174)	F	541	-	-	-	-	4	45	121	116	146	109	110
	Leukaemia and aleukaemia (204)	M	196	1	1	11	12	14	13	18	32	51	36	100
		F	190	2	8	7	10	6	16	22	37	33	49	110
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	3,532	4	15	19	49	40	121	342	832	1,095	1,015	105
		F	3,261	-	8	16	12	25	110	320	649	955	1,166	103
B19	Benign and unspecified neoplasms	M	87	4	1	2	2	3	4	14	32	15	10	102
		F	75	-	-	1	3	3	8	9	17	17	17	81
B20	Diabetes mellitus	M	196	-	-	-	3	2	12	15	36	64	64	105
		F	340	1	1	-	1	-	3	8	51	134	141	99
B21	Anaemias	M	76	-	-	1	2	2	2	5	9	19	36	112
		F	130	-	1	2	-	-	2	4	7	34	80	98
B22	Vascular lesions affecting central nervous system	M	3,919	2	2	2	4	19	51	165	629	1,218	1,827	104
		F	6,121	2	-	2	6	14	48	173	505	1,425	3,946	105
B23	Non-meningococcal meningitis	M	32	17	4	1	1	1	1	1	3	2	1	111
		F	18	6	3	-	-	-	-	-	2	3	4	83
B24	Rheumatic fever	M	2	-	-	-	-	-	1	-	1	-	-	262
		F	2	-	-	1	-	-	-	-	1	-	-	129
B25	Chronic rheumatic heart disease	M	267	-	-	1	1	9	27	57	79	49	44	107
		F	542	-	-	-	3	10	41	91	127	151	119	113

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Urban areas outside conurbations with populations of 100,000 and over: Age: All ages	Under 1 year	Years: 1-	5-	15-	25-	35-	45-	55-	65-	75 and over	S.M.R. (England and Wales = 100)
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	9,476	-	-	-	2	31	244	1,002	2,542	3,116	2,539	109
		F	6,359	-	-	1	1	3	47	163	727	2,037	3,380	111
		M	1,452	-	-	-	1	5	5	37	130	316	958	100
		F	2,694	1	1	1	1	3	4	13	65	330	2,275	100
B27	Other diseases of heart	M	881	2	-	3	1	2	9	29	138	272	425	114
		F	1,083	1	1	2	2	4	5	18	68	265	717	103
B28	Hypertension with heart disease	M	446	-	-	-	-	-	5	28	86	147	180	118
		F	596	-	-	-	-	1	1	21	47	159	367	106
B29	Hypertension without mention of heart	M	199	-	-	-	1	2	10	25	43	53	65	90
		F	204	-	-	1	-	1	4	8	24	47	119	86
B46 (pt.)	Other circulatory diseases (450-468)	M	1,205	1	-	-	-	1	15	48	158	315	667	107
		F	1,610	2	-	-	4	8	16	33	102	293	1,152	105
B30	Influenza	M	50	-	1	-	-	1	2	5	4	14	23	108
		F	41	-	-	-	-	1	-	-	3	11	26	65
B31	Pneumonia	M	1,959	148	20	10	9	6	25	53	196	431	1,061	111
		F	2,287	150	17	5	7	4	9	52	119	364	1,560	103
B32	Bronchitis	M	2,910	28	2	5	3	4	17	135	604	1,110	1,002	115
		F	1,001	26	9	1	5	4	12	37	110	280	517	108
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	466	13	2	1	4	4	6	25	129	164	118	113
		F	226	14	2	1	-	3	6	16	35	48	101	105
B33	Ulcer of stomach and duodenum	M	306	1	-	-	2	-	16	18	57	107	105	103
		F	185	1	-	1	2	1	6	8	20	49	97	100
B34	Appendicitis	M	21	-	1	1	-	2	2	1	2	3	9	74
		F	31	2	-	-	-	1	1	1	1	7	18	128
B35	Intestinal obstruction and hernia	M	167	15	1	2	-	2	7	5	22	44	69	103
		F	225	18	1	1	-	2	6	6	22	57	112	107
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	125	22	7	1	-	1	3	4	25	33	29	104
		F	227	23	7	2	3	3	3	4	19	57	106	111
B37	Cirrhosis of liver	M	98	-	-	1	-	1	10	13	41	22	10	114
		F	86	-	-	-	1	1	5	11	18	30	20	100
B38	Nephritis and nephrosis	M	185	1	-	2	7	10	12	27	48	29	49	103
		F	168	1	1	3	4	2	12	20	27	42	56	106
B39	Hyperplasia of prostate	M	213	-	-	-	-	-	-	1	9	59	144	99
B40	Complications of pregnancy, childbirth and puerperium	F	21	-	-	-	5	9	6	1	-	-	-	96
B41	Congenital malformations	M	302	210	16	8	20	7	8	6	13	10	4	99
		F	258	163	26	19	11	3	8	8	8	7	5	95
B42	Birth injuries, postnatal asphyxia and atelectasis	M	319	319	-	-	-	-	-	-	-	-	-	112
		F	190	190	-	-	-	-	-	-	-	-	-	100
B43	Diarrhoea of newborn (764)	M	2	2	-	-	-	-	-	-	-	-	-	50
		F	7	7	-	-	-	-	-	-	-	-	-	214
	Other infections of newborn (763, 765-768)	M	61	61	-	-	-	-	-	-	-	-	-	147
		F	32	32	-	-	-	-	-	-	-	-	-	97
B44	Other diseases of early infancy and immaturity unqualified	M	237	237	-	-	-	-	-	-	-	-	-	100
		F	190	190	-	-	-	-	-	-	-	-	-	102
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	104	-	-	1	-	1	-	3	6	6	87	67
		F	249	1	1	-	-	-	-	2	-	10	235	71
B46 (Rem.)	All other diseases (Remainder 001-795)	M	1,004	25	16	29	26	25	52	70	218	238	305	97
		F	1,499	26	25	15	33	34	57	121	209	361	618	99
BE47	Motor vehicle accidents	M	582	-	24	32	167	61	52	59	61	58	68	92
		F	265	1	12	18	28	6	11	28	40	51	70	93
BE48	All other accidents	M	697	40	28	37	73	49	60	79	96	79	156	102
		F	837	29	25	17	12	11	18	29	55	116	525	115
BE49	Suicide and self-inflicted injury	M	419	-	-	-	29	60	65	84	94	60	27	120
		F	275	-	-	-	18	17	33	54	69	52	32	108
BE50	Homicide and operations of war	M	29	7	2	1	4	3	3	5	1	1	2	116
		F	17	6	1	-	3	3	-	1	1	1	1	83
BN47	Fractures, head injuries and internal injuries	M	913	5	31	43	184	89	85	98	104	93	181	95
		F	781	6	15	22	32	8	12	37	55	116	478	107
BN48	Burns	M	36	3	7	1	-	1	1	4	3	3	13	115
		F	62	1	8	4	-	2	1	1	5	13	27	168
BN49	Effects of poisons	M	428	-	5	2	38	53	64	78	98	52	38	131
		F	398	1	8	6	23	21	41	54	79	72	93	117
BN50	All other injuries	M	350	39	11	24	51	30	30	47	47	50	21	94
		F	153	28	7	3	6	6	8	20	26	19	30	85

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Urban areas outside conurbations with populations of 50,000 and under 100,000											S.M.R. (England and Wales = 100)
			Age											
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
		Numbers M	26,988	849	133	198	298	285	733	2,109	5,308	7,866	9,209	102
		F	26,645	634	119	145	149	184	504	1,323	2,947	6,099	14,541	99
	ALL CAUSES	Rates M	11,706	20,024	761	541	839	947	2,401	7,416	20,783	51,818	133,078	
		F	10,813	15,771	707	411	439	631	1,696	4,428	9,926	26,773	96,171	
B1	Tuberculosis of respiratory system	M	127	1	-	-	-	1	5	17	36	44	23	101
		F	40	-	-	-	-	1	5	9	6	10	9	85
B2	Tuberculosis, other forms	M	6	1	1	-	-	-	1	1	-	2	-	56
		F	12	-	1	-	-	3	-	2	2	3	1	91
B3	Syphilis and its sequelae	M	47	-	-	-	-	1	2	2	12	20	10	99
		F	48	-	-	-	-	-	-	3	9	16	20	136
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	2	1	-	1	-	-	-	-	-	-	-	204
		F	1	-	-	1	-	-	-	-	-	-	-	166
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	1	1	-	-	-	-	-	-	-	-	-	62
		F	2	2	-	-	-	-	-	-	-	-	-	177
B10	Meningococcal infections	M	6	4	1	-	-	-	-	1	-	-	-	146
		F	5	2	1	-	1	-	1	-	-	-	-	127
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	5	2	2	1	-	-	-	-	-	-	-	82
		F	5	2	3	-	-	-	-	-	-	-	-	125
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	29	3	5	1	2	2	1	5	5	1	4	83
		F	42	2	1	3	2	2	5	5	4	5	13	91
B18	Malignant neoplasm: (140-205)	M	5,687	1	13	26	31	43	153	556	1,549	1,958	1,357	100
		F	4,995	3	12	20	27	60	210	646	1,041	1,372	1,604	100
	stomach (151)	M	668	-	-	-	-	1	1	12	51	188	245	170	94
		F	490	-	-	-	-	1	6	24	79	135	245	89
	trachea, bronchus and lung (162, 163)	M	2,303	-	-	-	1	4	50	265	771	851	361	103
		F	441	-	-	1	1	2	16	61	119	139	102	95
	breast (170)	M	9	-	-	-	-	-	-	1	3	3	2	108
		F	1,045	-	-	-	1	13	70	201	251	252	257	103
	uterus (171-174)	F	407	-	-	-	-	5	32	95	96	104	75	107
	Leukaemia and aleukaemia (204)	M	158	-	3	15	6	4	10	16	26	52	26	106
		F	149	1	4	8	5	3	11	14	22	37	44	110
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	2,549	1	10	11	23	34	81	223	561	807	798	99
		F	2,463	2	8	11	20	36	75	251	474	705	881	99
B19	Benign and unspecified neoplasms	M	69	-	1	-	3	1	3	10	21	22	8	108
		F	68	-	2	-	-	4	6	10	17	20	9	95
B20	Diabetes mellitus	M	133	-	-	1	1	2	6	8	25	47	43	93
		F	264	-	-	1	1	5	3	8	46	97	103	96
B21	Anaemias	M	62	1	1	-	-	1	1	7	9	12	30	116
		F	113	-	-	1	-	-	1	3	7	22	79	106
B22	Vascular lesions affecting central nervous system	M	3,061	-	1	2	9	9	35	142	433	912	1,518	104
		F	4,692	-	-	2	5	15	34	114	378	1,041	3,103	100
B23	Non-meningococcal meningitis	M	17	5	6	1	1	-	-	-	1	3	-	75
		F	21	6	3	-	-	-	1	3	2	3	3	122
B24	Rheumatic fever	M	1	-	-	-	-	-	-	-	1	-	-	171
		F	1	-	-	-	-	1	-	-	-	-	-	83
B25	Chronic rheumatic heart disease	M	190	-	-	-	1	7	25	47	47	36	27	102
		F	334	-	-	-	-	7	16	59	91	82	79	90

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Urban areas outside conurbations with populations of 50,000 and under 100,000											S.M.R. (England and Wales = 100)
			Age											
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	6,814	-	-	-	-	12	197	697	1,700	2,223	1,985	103
		F	4,633	-	-	-	-	3	28	111	538	1,394	2,559	101
		M	1,155	1	-	-	-	4	6	22	80	215	827	99
		F	2,262	-	-	-	-	-	6	12	51	278	1,915	103
B27	Other diseases of heart	M	573	1	-	-	4	1	6	30	88	168	275	95
		F	794	1	1	-	3	-	10	10	42	180	547	94
B28	Hypertension with heart disease	M	287	-	-	-	-	1	1	20	62	102	101	98
		F	488	-	-	-	-	-	-	12	42	128	306	107
B29	Hypertension without mention of heart	M	170	-	-	-	-	1	5	17	46	50	51	101
		F	178	-	-	-	1	4	1	3	17	48	104	93
B46 (pt.)	Other circulatory diseases (450-468)	M	874	1	-	-	-	7	10	37	118	261	440	99
		F	1,246	-	-	-	3	5	16	24	103	225	870	100
B30	Influenza	M	40	-	-	-	1	1	-	2	11	10	15	111
		F	62	-	-	-	-	-	-	2	3	11	46	122
B31	Pneumonia	M	1,420	92	28	5	8	6	15	33	132	327	774	102
		F	1,635	59	17	7	6	4	9	14	62	266	1,191	91
B32	Bronchitis	M	1,979	22	3	-	1	5	14	91	389	747	707	101
		F	703	14	8	2	3	1	8	31	83	192	361	95
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	311	17	4	-	1	2	6	23	58	108	92	98
		F	166	7	-	1	3	1	7	10	15	36	86	97
B33	Ulcer of stomach and duodenum	M	235	-	1	1	1	2	10	14	44	74	88	102
		F	152	-	1	-	-	-	2	3	16	34	96	103
B34	Appendicitis	M	25	1	1	2	-	-	-	2	6	7	6	115
		F	17	-	-	1	-	-	1	4	4	3	4	88
B35	Intestinal obstruction and hernia	M	112	15	1	3	1	1	1	5	16	27	42	89
		F	150	4	-	2	-	1	1	10	10	37	85	89
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	116	23	7	2	3	3	2	6	14	24	32	124
		F	153	13	8	1	1	2	7	5	14	37	65	93
B37	Cirrhosis of liver	M	65	-	1	1	-	-	6	11	19	18	9	101
		F	73	-	1	-	-	-	3	15	22	20	12	110
B38	Nephritis and nephrosis	M	148	1	1	2	3	3	15	24	32	32	35	108
		F	117	-	-	1	5	2	7	10	14	29	49	94
B39	Hyperplasia of prostate	M	199	-	-	-	-	-	-	-	7	54	138	115
B40	Complications of pregnancy, childbirth and puerperium	F	14	-	-	-	5	5	4	-	-	-	-	82
B41	Congenital malformations	M	229	168	9	11	7	2	6	10	9	3	4	94
		F	201	143	17	6	6	5	5	4	6	5	4	92
B42	Birth injuries, postnatal asphyxia and atelectasis	M	213	213	-	-	-	-	-	-	-	-	-	92
		F	124	124	-	-	-	-	-	-	-	-	-	80
B43	Diarrhoea of newborn (764)	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-	-
	Other infections of newborn (763, 765-768)	M	17	17	-	-	-	-	-	-	-	-	-	75
		F	31	31	-	-	-	-	-	-	-	-	-	51
B44	Other diseases of early infancy and immaturity unqualified	M	185	185	-	-	-	-	-	-	-	-	-	115
		F	150	150	-	-	-	-	-	-	-	-	-	96
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	120	-	-	1	-	1	-	2	2	8	106	99
		F	278	-	1	-	-	-	1	-	1	10	265	95
B46 (Rem.)	All other diseases (Remainder 001-795)	M	849	24	14	21	28	28	50	84	144	210	246	106
		F	1,220	27	16	11	19	23	53	82	176	327	486	101
BE47	Motor vehicle accidents	M	498	-	17	32	131	62	51	52	55	38	60	104
		F	226	2	6	18	37	7	12	20	28	45	51	102
BE48	All other accidents	M	614	46	14	82	36	44	46	69	76	65	136	117
		F	722	40	17	65	13	9	15	32	47	89	395	123
BE49	Suicide and self-inflicted injury	M	277	-	-	-	21	29	50	58	61	38	20	106
		F	191	-	-	-	4	14	24	46	49	33	21	98
BE50	Homicide and operations of war	M	20	2	1	2	4	3	4	4	-	-	-	104
		F	14	-	3	2	4	-	2	1	1	1	-	88
BN47	Fractures, head injuries and internal injuries	M	744	3	18	42	140	82	73	77	84	73	152	102
		F	629	4	11	20	39	9	15	24	38	94	375	108
BN48	Burns	M	30	1	-	2	2	2	3	4	4	4	8	124
		F	24	1	2	1	1	-	1	-	3	3	12	81
BN49	Effects of poisons	M	275	-	-	-	21	22	49	56	55	36	36	112
		F	287	1	3	4	10	12	30	54	64	52	57	109
BN50	All other injuries	M	360	44	14	72	29	32	26	46	49	28	20	126
		F	213	36	10	60	8	9	7	21	20	19	23	152

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Urban areas outside conurbations with populations under 50,000											S.M.R. (England and Wales = 100)
			Age											
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
		Numbers M	62,295	1,737	293	318	732	621	1,511	4,392	11,808	18,743	22,140	100
		F	60,608	1,351	215	204	312	384	1,061	2,791	6,676	14,367	33,247	101
	ALL CAUSES	Rates M	12,324	19,257	808	401	983	982	2,284	6,811	19,832	51,877	131,707	
		F	11,206	15,764	621	268	425	620	1,629	4,135	9,838	27,757	98,161	
B1	Tuberculosis of respiratory system	M	260	-	2	-	1	2	13	34	70	94	44	88
		F	98	-	-	-	2	3	7	16	22	18	30	92
B2	Tuberculosis, other forms	M	20	-	-	-	-	3	-	2	9	3	3	82
		F	30	-	2	-	-	2	3	3	4	5	11	102
B3	Syphilis and its sequelae	M	97	-	-	-	-	1	1	5	23	39	28	86
		F	58	-	-	-	-	-	-	2	12	11	33	73
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	439
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	3	-	-	1	-	-	-	1	-	-	1	138
		F	2	-	-	-	-	-	-	-	-	1	1	150
B7	Scarlet fever and streptococcal sore throat	M	1	-	-	-	-	1	-	-	-	-	-	158
		F	1	-	-	-	-	-	-	-	1	-	-	152
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	3	3	-	-	-	-	-	-	-	-	-	89
		F	-	-	-	-	-	-	-	-	-	-	-	-
B10	Meningococcal infections	M	12	4	5	-	-	-	-	-	1	2	-	137
		F	9	2	2	-	-	-	1	2	-	2	-	107
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	17	1	11	4	1	-	-	-	-	-	-	133
		F	14	1	12	-	-	-	-	1	-	-	-	168
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	1	-	-	-	-	-	-	1	-	-	-	115
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	79	3	5	2	5	3	9	13	14	15	10	100
		F	103	9	3	5	2	4	11	6	19	21	23	101
B18	Malignant neoplasm: (140-205)	M	12,689	5	43	48	78	115	312	1,171	3,247	4,545	3,125	95
		F	11,061	7	26	44	49	94	442	1,296	2,348	3,267	3,488	98
	stomach (151)	M	1,721	-	-	-	2	9	22	132	434	669	453	103
		F	1,263	-	-	-	-	7	13	59	186	415	583	101
	trachea, bronchus and lung (162, 163)	M	4,588	-	-	-	5	9	79	518	1,481	1,814	682	87
		F	915	-	-	1	1	1	23	137	257	305	190	87
	breast (170)	M	25	-	-	-	-	-	1	1	8	6	9	127
		F	2,214	-	-	-	2	25	145	369	550	569	554	97
	uterus (171-174)	F	834	-	2	-	-	5	57	161	189	227	193	97
	Leukaemia and aleukaemia (204)	M	352	1	19	24	20	8	18	28	71	89	74	103
		F	314	1	9	17	13	9	21	21	51	86	86	104
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	6,003	4	24	24	51	89	192	492	1,253	1,967	1,907	99
		F	5,521	6	15	26	33	47	183	549	1,115	1,665	1,882	99
B19	Benign and unspecified neoplasms	M	145	1	4	7	7	4	13	23	35	35	16	99
		F	141	3	1	1	2	3	14	25	30	32	30	87
B20	Diabetes mellitus	M	375	1	-	-	3	7	16	30	61	112	145	110
		F	636	-	-	2	2	5	8	15	85	242	277	103
B21	Anaemias	M	116	1	1	1	1	1	3	5	19	26	58	92
		F	235	1	-	1	1	3	-	11	14	57	147	98
B22	Vascular lesions affecting central nervous system	M	7,491	2	5	4	8	20	81	260	1,022	2,335	3,754	107
		F	11,369	-	1	5	10	24	71	271	897	2,653	7,437	107
B23	Non-meningococcal meningitis	M	50	22	3	7	-	-	1	2	5	5	5	101
		F	35	16	5	1	1	-	-	1	1	4	6	94
B24	Rheumatic fever	M	1	-	-	-	-	-	-	-	-	-	1	76
		F	3	-	-	-	1	-	-	-	-	1	1	113
B25	Chronic rheumatic heart disease	M	407	-	-	-	3	14	34	90	100	104	62	94
		F	752	1	-	1	5	15	42	98	197	187	206	90

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Urban areas outside conurbations with populations under 50,000											S.M.R. (England and Wales = 100)
			Age											
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	15,886	-	-	-	3	46	426	1,475	3,955	5,390	4,591	101
		F	10,360	-	-	-	3	10	60	270	1,224	3,327	5,466	100
		M	3,289	2	1	3	8	8	20	55	185	638	2,369	117
		F	5,611	-	-	-	2	1	9	33	144	672	4,750	114
B27	Other diseases of heart	M	1,460	3	-	1	7	13	15	42	193	441	745	101
		F	1,916	1	-	1	3	6	15	39	148	395	1,308	100
B28	Hypertension with heart disease	M	704	-	-	-	2	3	12	22	127	276	262	101
		F	1,089	-	-	-	-	-	7	24	91	317	650	106
B29	Hypertension without mention of heart	M	433	-	-	-	-	2	12	50	91	119	159	109
		F	475	-	-	-	2	3	6	19	40	115	290	110
B46 (pt.)	Other circulatory diseases (450-468)	M	2,155	-	2	3	4	9	29	78	252	589	1,189	102
		F	2,731	-	-	-	4	10	24	51	177	480	1,985	98
B30	Influenza	M	91	1	-	1	-	1	3	4	15	23	43	107
		F	127	-	1	1	-	1	-	4	7	17	96	111
B31	Pneumonia	M	2,846	168	36	16	14	8	24	83	213	641	1,643	86
		F	3,496	133	32	15	9	8	29	63	185	547	2,475	87
B32	Bronchitis	M	4,359	38	13	5	1	7	31	204	896	1,680	1,484	94
		F	1,386	30	12	3	6	5	13	50	150	387	730	83
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	832	17	9	1	5	4	20	56	179	282	259	111
		F	373	13	5	2	1	2	15	23	38	63	211	97
B33	Ulcer of stomach and duodenum	M	553	-	-	-	-	7	11	37	106	186	206	102
		F	304	-	-	-	1	-	8	11	26	76	182	92
B34	Appendicitis	M	64	2	2	3	5	-	3	6	16	15	12	128
		F	43	1	1	1	-	-	2	2	5	11	20	100
B35	Intestinal obstruction and hernia	M	319	32	4	2	2	4	5	22	49	79	120	108
		F	375	14	2	-	-	2	2	13	31	91	220	100
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	204	29	12	-	3	2	9	9	32	47	61	95
		F	348	25	9	3	7	5	7	17	40	93	142	95
B37	Cirrhosis of liver	M	142	-	-	-	-	-	5	25	36	58	18	95
		F	140	2	-	1	3	1	7	23	36	45	22	94
B38	Nephritis and nephrosis	M	349	-	-	6	18	16	26	44	71	87	81	110
		F	285	1	1	3	5	16	14	26	40	75	104	102
B39	Hyperplasia of prostate	M	422	-	-	-	-	-	-	2	20	81	319	101
B40	Complications of pregnancy, childbirth and puerperium	F	32	-	-	-	6	17	9	-	-	-	-	87
B41	Congenital malformations	M	547	391	37	21	16	16	14	14	13	18	7	107
		F	475	321	25	26	13	5	14	19	20	21	11	103
B42	Birth injuries, postnatal asphyxia and atelectasis	M	434	434	-	-	-	-	-	-	-	-	-	90
		F	335	335	-	-	-	-	-	-	-	-	-	104
B43	Diarrhoea of newborn (764)	M	9	9	-	-	-	-	-	-	-	-	-	133
		F	4	4	-	-	-	-	-	-	-	-	-	72
	Other infections of newborn (763, 765-768)	M	64	64	-	-	-	-	-	-	-	-	-	92
		F	41	41	-	-	-	-	-	-	-	-	-	74
B44	Other diseases of early infancy and immaturity unqualified	M	363	363	-	-	-	-	-	-	-	-	-	91
		F	294	294	-	-	-	-	-	-	-	-	-	94
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	398	4	-	1	2	1	2	2	4	24	358	130
		F	830	4	-	-	-	2	2	3	5	19	795	129
B46 (Rem.)	All other diseases (Remainder 001-795)	M	1,861	42	20	47	62	45	89	185	349	482	540	100
		F	2,758	47	32	31	46	55	98	180	386	745	1,138	102
BE47	Motor vehicle accidents	M	1,034	1	32	66	319	121	93	111	127	75	89	98
		F	472	3	18	34	74	28	28	40	65	82	100	96
BE48	All other accidents	M	1,172	88	45	67	114	76	103	135	149	118	277	99
		F	1,306	42	20	22	21	16	36	55	80	195	819	100
BE49	Suicide and self-inflicted injury	M	502	-	-	-	33	56	73	92	121	75	52	85
		F	426	-	-	-	22	36	55	77	106	92	38	98
BE50	Homicide and operations of war	M	36	6	1	1	7	5	3	2	3	4	4	87
		F	28	-	5	1	9	2	2	2	2	-	5	81
BN47	Fractures, head injuries and internal injuries	M	1,620	4	41	80	355	161	143	187	207	148	294	99
		F	1,328	8	24	36	79	28	37	48	95	180	793	102
BN48	Burns	M	47	1	6	-	6	1	3	8	7	4	11	85
		F	59	1	6	1	1	2	1	6	5	7	29	90
BN49	Effects of poisons	M	415	1	4	5	27	40	68	73	92	54	51	75
		F	548	1	3	2	29	36	63	96	110	130	78	93
BN50	All other injuries	M	662	89	27	49	85	56	58	72	94	66	66	105
		F	297	35	10	18	17	16	20	24	43	52	62	96

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Rural districts: All ages	Under 1 year	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	S.M.R. (England and Wales = 100)
		Numbers M	56,109	1,606	327	365	877	630	1,342	3,769	10,434	16,080	20,679	90
		F	51,403	1,171	223	207	340	363	974	2,499	5,899	11,624	28,103	99
	ALL CAUSES	Rates M	10,945	18,250	862	456	1,097	960	2,034	5,903	17,922	45,527	122,289	
		F	10,124	14,091	626	278	487	589	1,575	3,972	9,757	26,412	97,818	
B1	Tuberculosis of respiratory system	M	203	-	-	-	2	1	8	19	58	75	40	70
		F	81	-	-	-	-	2	9	11	17	27	15	86
B2	Tuberculosis, other forms	M	20	1	-	-	-	1	3	1	6	5	3	82
		F	26	-	1	1	-	1	-	4	5	10	4	98
B3	Syphilis and its sequelae	M	105	-	-	-	1	1	2	2	20	52	27	94
		F	64	1	-	-	-	-	1	3	4	24	31	94
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	3	1	-	-	-	-	1	-	-	1	-	137
		F	-	-	-	-	-	-	-	-	-	-	-	-
B7	Scarlet fever and streptococcal sore throat	M	2	-	1	-	-	-	1	-	-	-	-	309
		F	1	-	-	1	-	-	-	-	-	-	-	159
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	1	1	-	-	-	-	-	-	-	-	-	29
		F	4	4	-	-	-	-	-	-	-	-	-	168
B10	Meningococcal infections	M	6	1	2	2	-	-	-	1	-	-	-	67
		F	8	4	1	1	-	-	1	-	-	1	-	97
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	15	4	3	5	1	1	-	-	-	1	-	114
		F	5	1	2	1	1	-	-	-	-	-	-	60
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	85	8	2	5	6	3	8	12	17	10	14	108
		F	105	12	5	4	6	2	5	10	19	17	25	113
	Malignant neoplasm: (140-205)	M	11,077	7	40	54	67	103	282	983	2,876	3,795	2,870	84
		F	9,524	7	27	42	52	107	393	1,166	2,184	2,616	2,930	96
	stomach (151)	M	1,361	-	-	1	2	3	18	105	325	490	417	82
		F	1,005	-	-	-	1	5	12	48	167	288	484	94
	trachea, bronchus and lung (162, 163)	M	3,921	-	1	-	2	6	57	386	1,316	1,554	599	76
		F	781	-	-	-	1	3	24	106	231	273	143	85
B18	breast (170)	M	18	-	-	-	-	-	-	4	6	3	3	93
		F	1,971	-	-	-	-	26	138	363	534	471	439	98
	uterus (171-174)	F	736	-	-	-	2	4	42	135	197	192	164	97
	Leukaemia and aleukaemia (204)	M	359	3	18	26	11	12	18	36	60	96	79	105
		F	249	3	9	15	7	12	16	21	49	55	62	92
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	5,418	4	21	27	52	82	189	452	1,167	1,652	1,772	90
		F	4,782	4	18	27	41	57	161	493	1,006	1,337	1,638	98
B19	Benign and unspecified neoplasms	M	121	2	4	5	9	4	8	20	25	32	12	83
		F	138	1	4	2	5	8	15	19	30	25	29	96
B20	Diabetes mellitus	M	360	-	2	6	5	5	16	19	62	121	124	107
		F	554	-	-	3	5	3	7	11	70	170	285	104
B21	Anaemias	M	115	2	1	2	1	2	4	2	13	27	61	91
		F	191	2	2	1	1	1	4	5	18	40	117	93
B22	Vascular lesions affecting central nervous system	M	6,924	2	4	4	10	32	68	225	924	2,096	3,559	99
		F	9,565	1	2	4	16	20	77	268	836	2,247	6,094	105
B23	Non-meningococcal meningitis	M	37	14	5	-	-	-	2	-	9	4	3	74
		F	27	11	5	1	-	2	1	-	2	1	4	77
B24	Rheumatic fever	M	1	-	1	-	-	-	-	-	-	-	-	76
		F	2	-	-	1	-	-	-	-	-	-	1	81
B25	Chronic rheumatic heart disease	M	324	-	1	-	1	9	23	61	95	79	55	76
		F	605	-	-	2	1	8	39	93	153	153	156	82

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Rural districts: All ages	Under 1 year	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	S.M.R. (England and Wales = 100)
B26	Arteriosclerotic heart disease including coronary disease (420)	M	13,993	1	-	-	1	37	332	1,322	3,376	4,661	4,263	90
		F	8,418	-	-	-	3	7	47	214	949	2,643	4,555	95
	Degenerative heart disease (421, 422)	M	3,089	1	1	-	3	9	18	57	178	575	2,247	110
		F	4,679	-	1	2	2	2	2	2	26	127	552	3,965	112
B27	Other diseases of heart	M	1,396	4	1	2	7	6	18	35	197	373	753	97
		F	1,642	4	2	1	3	7	5	15	96	341	1,168	101
B28	Hypertension with heart disease	M	688	-	-	-	1	1	9	30	133	223	291	100
		F	894	-	-	-	-	-	1	16	81	250	546	102
B29	Hypertension without mention of heart	M	354	-	-	-	2	2	18	33	68	100	131	90
		F	343	-	-	-	1	1	2	23	34	90	192	93
B46 (pt.)	Other circulatory diseases (450-468)	M	1,982	1	-	-	5	9	27	63	270	512	1,095	84
		F	2,405	-	-	-	6	6	30	55	158	406	1,744	101
B30	Influenza	M	73	1	-	-	1	1	1	4	4	24	37	86
		F	101	1	-	1	1	-	-	2	2	14	80	103
B31	Pneumonia	M	2,885	153	48	22	25	25	28	75	235	641	1,633	87
		F	3,275	86	35	22	16	12	30	56	177	507	2,334	94
B32	Bronchitis	M	3,346	39	6	3	6	8	22	116	692	1,214	1,240	73
		F	1,080	30	8	2	5	5	20	46	130	268	566	75
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	729	22	13	8	2	2	13	40	144	242	243	99
		F	338	12	9	4	4	5	11	20	36	65	172	101
B33	Ulcer of stomach and duodenum	M	428	-	-	-	1	8	8	28	85	137	161	79
		F	260	-	-	1	-	2	5	13	29	64	146	91
B34	Appendicitis	M	45	1	2	1	4	1	2	5	3	12	14	90
		F	39	-	2	1	3	-	1	1	3	7	21	103
B35	Intestinal obstruction and hernia	M	273	21	3	2	1	2	7	24	38	72	103	93
		F	281	17	1	1	2	-	3	10	30	63	154	86
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	186	20	18	1	4	7	7	10	28	30	61	87
		F	278	19	12	-	1	5	7	10	35	59	130	86
B37	Cirrhosis of liver	M	112	1	-	1	1	-	4	16	40	32	17	76
		F	131	1	-	-	1	-	10	23	37	42	17	99
B38	Nephritis and nephrosis	M	275	2	1	3	13	13	15	34	59	60	75	87
		F	260	-	1	3	6	9	14	22	42	53	110	106
B39	Hyperplasia of prostate	M	456	-	-	-	-	-	-	2	25	85	344	109
B40	Complications of pregnancy, childbirth and puerperium	F	28	-	-	-	11	11	6	-	-	-	-	79
B41	Congenital malformations	M	488	316	35	28	27	9	12	15	25	12	9	93
		F	429	302	32	17	11	7	6	10	15	15	14	94
B42	Birth injuries, postnatal asphyxia and atelectasis	M	434	434	-	-	-	-	-	-	-	-	-	87
		F	267	267	-	-	-	-	-	-	-	-	-	82
B43	Diarrhoea of newborn (764)	M	5	5	-	-	-	-	-	-	-	-	-	72
		F	2	2	-	-	-	-	-	-	-	-	-	36
	Other infections of newborn (763, 765-768)	M	61	61	-	-	-	-	-	-	-	-	-	85
		F	60	60	-	-	-	-	-	-	-	-	-	106
B44	Other diseases of early infancy and immaturity unqualified	M	357	357	-	-	-	-	-	-	-	-	-	86
		F	245	245	-	-	-	-	-	-	-	-	-	77
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	392	2	-	-	2	2	2	3	4	24	353	128
		F	747	1	1	-	1	1	-	3	4	15	721	136
B46 (Rem.)	All other diseases (Remainder 001-795)	M	1,756	53	37	51	73	41	93	167	311	434	496	95
		F	2,362	36	21	32	36	59	93	178	365	550	992	100
BE47	Motor vehicle accidents	M	1,241	2	49	74	404	141	119	135	142	101	74	115
		F	451	2	25	33	91	24	26	52	61	70	67	101
BE48	All other accidents	M	1,144	64	45	82	147	84	92	115	149	135	231	96
		F	1,128	40	23	17	26	20	42	43	78	155	684	99
BE49	Suicide and self-inflicted injury	M	498	-	-	2	42	58	68	90	120	80	38	84
		F	320	-	-	-	15	21	53	67	71	61	32	81
BE50	Homicide and operations of war	M	24	2	2	2	2	1	2	5	2	4	2	56
		F	40	2	1	6	8	5	8	4	1	3	2	122
BN47	Fractures, head injuries and internal injuries	M	1,819	9	56	101	445	185	175	207	227	183	231	110
		F	1,218	7	29	37	95	31	35	62	89	173	660	107
BN48	Burns	M	49	1	1	4	7	-	5	3	7	8	13	88
		F	42	-	3	2	-	-	2	1	4	4	26	72
BN49	Effects of poisons	M	316	-	5	1	20	31	47	59	72	46	35	57
		F	367	-	1	2	19	24	55	66	77	67	56	69
BN50	All other injuries	M	723	58	34	54	123	68	54	76	107	83	66	113
		F	312	37	16	15	26	15	37	37	41	45	43	109

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Newcastle Hospital Region: Age: All ages	Under 1 year	Years: 1-	5-	15-	25-	35-	45-	55-	65-	75 and over	S.M.R. (England and Wales = 100)
		Numbers M	18,232	586	87	95	192	202	554	1,583	3,782	5,377	5,774	105
		F	15,984	477	66	65	94	124	340	963	2,080	4,013	7,762	106
	ALL CAUSES	Rates M	12,026	22,281	799	382	851	1,034	2,702	8,438	21,874	52,923	131,227	
		F	10,204	19,157	638	273	422	652	1,758	5,076	11,040	29,292	98,628	
B1	Tuberculosis of respiratory system	M	109	1	1	-	2	-	5	10	27	46	17	131
		F	33	-	-	-	-	1	5	7	6	9	5	117
B2	Tuberculosis, other forms	M	7	-	-	-	-	1	-	1	2	3	-	99
		F	8	-	1	-	2	-	1	-	1	1	2	100
B3	Syphilis and its sequelae	M	33	-	-	-	-	-	-	3	14	11	5	105
		F	15	-	-	-	-	-	-	-	3	5	7	75
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	659
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	2	1	-	-	-	-	-	1	-	-	-	311
		F	-	-	-	-	-	-	-	-	-	-	-	-
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B10	Meningococcal infections	M	3	1	1	-	-	-	-	-	-	1	-	115
		F	4	2	1	-	1	-	-	-	-	-	-	163
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	1	1	-	-	-	-	-	-	-	-	-	26
		F	6	1	4	1	-	-	-	-	-	-	-	241
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	1	-	-	-	-	-	1	-	-	-	-	394
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	25	2	3	1	-	2	4	4	4	-	5	109
		F	21	5	-	1	1	-	3	2	4	2	3	76
B18	Malignant neoplasm: (140-205)	M	3,811	1	9	18	15	25	117	448	1,062	1,267	849	102
		F	2,925	-	6	21	14	31	136	426	670	815	806	99
	stomach (151)	M	548	-	-	-	-	3	9	68	159	195	114	117
		F	411	-	-	-	1	2	11	31	77	123	166	130
	trachea, bronchus and lung (162, 163)	M	1,542	-	-	-	1	4	36	212	525	553	211	104
		F	276	-	-	1	-	2	13	52	76	86	46	99
	breast (170)	M	3	-	-	-	-	-	-	-	-	2	1	54
		F	503	-	-	-	-	5	43	103	144	113	95	83
	uterus (171-174)	F	240	-	-	-	-	5	15	59	60	58	43	105
	Leukaemia and aleukaemia (204)	M	91	-	3	4	3	2	4	10	22	25	18	93
		F	67	-	2	8	4	2	4	5	12	11	19	83
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	1,627	1	6	14	11	16	68	158	356	492	505	96
		F	1,428	-	4	12	9	15	50	176	301	424	437	99
B19	Benign and unspecified neoplasms	M	38	2	-	-	-	1	5	6	8	13	3	90
		F	40	-	-	-	-	2	5	7	11	9	6	92
B20	Diabetes mellitus	M	106	-	-	2	1	1	6	5	20	40	31	112
		F	193	-	-	-	-	1	1	6	29	82	74	124
B21	Anaemias	M	31	-	-	-	-	1	-	1	2	8	19	89
		F	67	-	-	1	1	-	2	3	8	17	35	113
B22	Vascular lesions affecting central nervous system	M	2,205	-	2	1	4	10	18	95	306	700	1,069	115
		F	2,957	-	-	-	2	12	27	100	288	763	1,765	114
B23	Non-meningococcal meningitis	M	16	5	-	2	1	-	-	1	4	2	1	110
		F	12	4	1	-	-	-	1	1	2	3	-	115
B24	Rheumatic fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	1	-	-	-	-	-	-	132
B25	Chronic rheumatic heart disease	M	149	-	-	-	2	9	16	29	40	36	17	120
		F	224	-	-	-	1	5	27	47	63	40	41	101

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Newcastle Hospital Region: Age: All ages	Under 1 year	Years: 1-	5-	15-	25-	35-	45-	55-	65-	75 and over	S.M.R. (England and Wales = 100)
B26	Arteriosclerotic heart disease including coronary disease (420)	M	4,826	-	-	-	-	13	154	540	1,293	1,603	1,223	110
		F	3,138	-	-	-	3	3	19	115	479	1,096	1,423	121
	Degenerative heart disease. (421, 422)	M	628	-	1	-	-	4	2	16	32	138	435	83
		F	1,057	-	-	-	2	-	6	6	28	121	894	90
B27	Other diseases of heart	M	443	2	-	-	2	3	8	20	65	130	213	112
		F	508	1	-	-	2	-	6	11	39	117	332	109
B28	Hypertension with heart disease	M	177	-	-	-	-	1	2	12	22	65	75	92
		F	248	-	-	-	-	1	-	8	19	71	149	99
B29	Hypertension without mention of heart	M	96	-	-	-	-	3	4	16	14	24	35	86
		F	93	-	-	-	-	1	-	11	5	20	56	87
B46 (pt.)	Other circulatory diseases (450-468)	M	539	-	-	-	1	4	5	17	65	124	323	93
		F	715	1	1	-	2	3	7	18	50	121	512	105
B30	Influenza	M	11	1	-	-	-	-	-	1	2	2	5	47
		F	18	-	-	-	-	-	-	3	-	2	13	65
B31	Pneumonia	M	757	63	13	3	6	4	14	23	88	164	379	84
		F	817	75	13	2	6	3	3	20	47	137	511	83
B32	Bronchitis	M	1,368	6	3	-	-	1	10	69	325	526	428	106
		F	453	6	2	-	1	3	5	22	63	145	206	109
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	211	5	1	-	1	4	5	17	58	58	62	101
		F	104	3	1	-	1	2	4	11	14	13	55	107
B33	Ulcer of stomach and duodenum	M	163	-	-	-	1	3	5	11	28	67	48	108
		F	71	-	-	-	-	-	3	6	9	18	35	86
B34	Appendicitis	M	19	2	1	1	3	-	2	-	3	1	2	134
		F	7	-	-	-	-	-	-	-	1	1	5	63
B35	Intestinal obstruction and hernia	M	89	15	1	-	1	1	3	3	13	27	25	108
		F	107	7	-	-	-	1	2	7	15	17	58	113
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	56	12	5	-	-	-	2	4	7	13	13	92
		F	81	10	2	1	1	2	3	5	6	17	34	86
B37	Cirrhosis of liver	M	71	-	2	-	-	-	5	9	21	22	12	166
		F	46	-	-	-	-	-	3	5	12	16	10	115
B38	Nephritis and nephrosis	M	95	-	1	2	2	6	7	15	15	29	18	105
		F	78	-	-	1	3	3	3	9	21	22	16	107
B39	Hyperplasia of prostate	M	85	-	-	-	-	-	-	-	4	18	63	76
B40	Complications of pregnancy, childbirth and puerperium	F	6	-	-	-	-	2	4	-	-	-	-	54
B41	Congenital malformations	M	172	120	6	8	7	1	6	8	6	7	3	112
		F	133	90	8	8	5	-	3	9	3	5	2	98
B42	Birth injuries, postnatal asphyxia and atelectasis	M	140	140	-	-	-	-	-	-	-	-	-	97
		F	113	113	-	-	-	-	-	-	-	-	-	118
B43	Diarrhoea of newborn (764)	M	4	4	-	-	-	-	-	-	-	-	-	198
		F	4	4	-	-	-	-	-	-	-	-	-	244
	Other infections of newborn (763, 765-768)	M	22	22	-	-	-	-	-	-	-	-	-	106
		F	17	17	-	-	-	-	-	-	-	-	-	103
B44	Other diseases of early infancy and immaturity unqualified	M	132	132	-	-	-	-	-	-	-	-	-	110
		F	103	103	-	-	-	-	-	-	-	-	-	110
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	96	2	-	-	1	-	4	1	4	5	79	119
		F	167	1	1	-	-	1	-	3	1	4	156	111
B46 (Rem.)	All other diseases (Remainder 001-795)	M	535	21	8	13	15	11	34	59	90	130	154	102
		F	773	13	8	9	13	31	33	55	106	222	283	111
BE47	Motor vehicle accidents	M	320	1	17	16	76	31	41	40	31	26	41	102
		F	143	2	9	9	17	6	6	14	18	28	34	106
BE48	All other accidents	M	464	23	12	28	44	32	44	57	65	49	110	135
		F	397	17	8	11	12	6	10	14	35	60	224	120
BE49	Suicide and self-inflicted injury	M	167	-	-	-	7	25	28	34	44	21	10	96
		F	74	-	-	-	-	3	4	10	11	24	12	10	61
BE50	Homicide and operations of war	M	9	1	-	-	-	3	1	4	-	-	-	72
		F	6	2	-	-	-	-	2	1	-	1	-	60
BN47	Fractures, head injuries and internal injuries	M	557	3	22	21	87	49	55	68	69	55	128	117
		F	386	4	11	9	19	5	5	18	23	66	226	116
BN48	Burns	M	23	-	2	2	2	1	4	1	3	3	5	146
		F	26	2	3	2	-	-	2	1	4	6	6	153
BN49	Effects of poisons	M	163	1	-	-	12	22	34	35	36	16	7	101
		F	124	-	-	4	10	7	12	14	38	22	17	77
BN50	All other injuries	M	217	21	5	21	26	19	19	31	32	22	21	116
		F	84	15	3	5	3	4	9	7	12	7	19	98

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Leeds Hospital Region: Age: All ages	Under 1 year	Years: 1-	5-	15-	25-	35-	45-	55-	65-	75 and over	S.M.R. (England and Wales = 100)
		Numbers M	19,535	697	98	118	269	203	489	1,502	4,091	5,855	6,213	107
		F	19,077	523	105	74	110	134	339	929	2,276	4,756	9,831	112
	ALL CAUSES	Rates M	12,550	24,456	858	483	1,170	1,053	2,374	7,370	22,030	55,080	137,152	
		F	11,593	19,515	966	319	476	709	1,721	4,430	10,937	31,497	106,859	
B1	Tuberculosis of respiratory system	M	86	1	-	-	-	1	6	9	23	30	16	98
		F	24	-	-	-	-	-	2	5	6	5	6	77
B2	Tuberculosis, other forms	M	10	1	1	-	-	2	2	1	-	2	1	135
		F	5	-	-	-	-	1	-	2	1	1	-	57
B3	Syphilis and its sequelae	M	32	-	-	-	-	-	2	3	1	19	7	97
		F	17	-	-	-	-	-	-	1	2	5	9	75
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	1	1	-	-	-	-	-	-	-	-	-	151
		F	1	-	-	1	-	-	-	-	-	-	-	250
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	1	-	1	-	-	-	-	-	-	-	-	94
		F	-	-	-	-	-	-	-	-	-	-	-	-
B10	Meningococcal infections	M	2	2	-	-	-	-	-	-	-	-	-	73
		F	1	1	-	-	-	-	-	-	-	-	-	38
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	6	2	2	2	-	-	-	-	-	-	-	150
		F	1	-	-	1	-	-	-	-	-	-	-	38
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	21	3	2	1	-	1	1	2	2	5	4	88
		F	35	1	4	2	-	-	3	4	7	5	9	116
B18	Malignant neoplasm: (140-205)	M	3,972	1	17	16	27	26	84	395	1,146	1,385	875	101
		F	3,398	5	13	13	14	32	132	393	783	982	1,031	103
	stomach (151)	M	505	-	-	-	1	2	6	37	155	186	118	103
		F	369	-	-	-	1	4	4	18	57	126	159	104
	trachea, bronchus and lung (162, 163)	M	1,567	-	-	-	1	2	26	196	527	585	230	100
		F	266	-	-	-	-	3	7	35	75	82	64	86
	breast (170)	M	7	-	-	-	-	-	-	1	3	3	-	120
		F	653	-	-	-	-	9	46	118	189	137	154	97
	uterus (171-174)	F	299	-	-	-	-	3	17	54	70	95	60	118
	Leukaemia and aleukaemia (204)	M	110	-	7	6	6	5	8	7	22	29	20	107
		F	100	3	5	4	5	1	9	5	20	22	26	113
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	1,783	1	10	10	19	17	44	154	439	582	507	100
		F	1,711	2	8	9	8	12	49	163	372	520	568	106
B19	Benign and unspecified neoplasms	M	57	1	-	2	4	3	4	11	13	11	8	128
		F	61	-	1	3	-	1	6	16	11	15	8	127
B20	Diabetes mellitus	M	99	-	-	-	-	1	3	7	20	37	31	100
		F	197	-	1	1	1	3	1	7	15	69	99	112
B21	Anaemias	M	50	1	-	1	1	1	-	3	7	11	25	139
		F	64	1	1	-	-	-	-	1	7	15	39	95
B22	Vascular lesions affecting central nervous system	M	2,262	1	-	2	7	10	29	74	330	737	1,072	113
		F	3,472	2	1	1	3	7	26	92	311	793	2,236	117
B23	Non-meningococcal meningitis	M	12	7	-	1	1	-	1	-	1	1	-	79
		F	10	3	2	-	-	-	-	-	-	3	2	89
B24	Rheumatic fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B25	Chronic rheumatic heart disease	M	127	-	-	-	-	5	14	30	40	25	13	97
		F	274	-	-	-	2	11	17	44	71	67	62	111

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Leeds Hospital Region: Age: All ages	Under 1 year	Years: 1-	5-	15-	25-	35-	45-	55-	65-	75 and over	S.M.R. (England and Wales = 100)
B26	Arteriosclerotic heart disease including coronary disease (420)	M	5,254	-	-	-	1	14	154	560	1,427	1,762	1,336	114
		F	3,689	-	-	-	-	3	18	108	506	1,276	1,778	126
	Degenerative heart disease (421, 422)	M	814	-	1	1	1	3	2	9	52	205	540	104
		F	1,432	-	-	-	1	1	-	5	37	221	1,167	106
B27	Other diseases of heart	M	410	3	-	-	-	1	3	14	64	128	197	99
		F	588	1	-	1	2	-	2	9	43	141	389	110
B28	Hypertension with heart disease	M	174	-	-	-	-	2	2	15	31	58	66	86
		F	287	-	-	-	-	-	4	6	18	98	161	100
B29	Hypertension without mention of heart	M	108	-	-	-	-	2	1	11	22	35	37	93
		F	137	-	-	-	-	-	1	3	9	45	79	113
B46 (pt.)	Other circulatory diseases (450-468)	M	571	3	-	-	1	1	7	25	73	165	296	95
		F	848	-	-	-	-	6	6	16	47	182	591	109
B30	Influenza	M	8	-	-	-	-	-	-	1	4	-	3	33
		F	13	1	-	-	-	-	-	-	-	1	11	41
B31	Pneumonia	M	996	116	14	10	4	7	14	31	100	232	468	106
		F	1,198	85	25	4	6	7	10	17	54	210	780	106
B32	Bronchitis	M	1,475	11	-	1	3	6	9	66	307	557	515	109
		F	587	6	2	3	3	1	7	31	76	139	319	124
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	201	7	5	-	1	3	5	16	48	55	61	92
		F	96	6	2	-	-	1	4	6	11	15	51	87
B33	Ulcer of stomach and duodenum	M	160	-	-	-	-	-	5	16	36	41	62	101
		F	81	1	-	-	-	1	3	2	12	22	40	86
B34	Appendicitis	M	15	-	-	1	1	-	-	4	2	3	4	101
		F	14	-	1	-	-	-	1	2	-	5	5	113
B35	Intestinal obstruction and hernia	M	103	12	-	-	-	1	2	7	18	26	37	120
		F	115	4	-	-	1	-	5	2	8	27	68	108
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	75	20	6	1	-	-	4	2	4	13	25	118
		F	97	13	6	2	2	1	4	3	8	23	35	92
B37	Cirrhosis of liver	M	52	-	-	-	-	1	5	8	15	15	8	115
		F	41	-	-	-	-	-	5	6	9	13	8	93
B38	Nephritis and nephrosis	M	102	2	-	1	5	4	6	12	25	24	23	108
		F	90	1	1	3	1	2	7	9	7	29	30	111
B39	Hyperplasia of prostate	M	110	-	-	-	-	-	-	-	1	2	23	84	95
B40	Complications of pregnancy, childbirth and puerperium	F	15	-	-	-	5	4	6	-	-	-	-	133
B41	Congenital malformations	M	164	126	8	8	3	1	4	4	2	1	7	102
		F	148	105	12	6	4	2	5	3	3	3	5	104
B42	Birth injuries, postnatal asphyxia and atelectasis	M	174	174	-	-	-	-	-	-	-	-	-	115
		F	116	116	-	-	-	-	-	-	-	-	-	115
B43	Diarrhoea of newborn (764)	M	6	6	-	-	-	-	-	-	-	-	-	281
		F	6	6	-	-	-	-	-	-	-	-	-	346
	Other infections of newborn (763, 765-768)	M	27	27	-	-	-	-	-	-	-	-	-	123
		F	23	23	-	-	-	-	-	-	-	-	-	132
B44	Other diseases of early infancy and immaturity unqualified	M	139	139	-	-	-	-	-	-	-	-	-	110
		F	123	123	-	-	-	-	-	-	-	-	-	125
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	77	-	-	-	-	1	-	-	1	2	73	92
		F	165	-	1	-	1	-	1	1	3	3	155	94
B46 (Rem.)	All other diseases (Remainder 001-795)	M	575	14	10	15	20	19	22	40	101	148	186	105
		F	863	10	9	15	15	20	21	52	121	218	382	111
BE47	Motor vehicle accidents	M	403	-	12	30	129	42	26	47	57	29	31	125
		F	170	1	2	12	30	8	7	22	28	37	23	116
BE48	All other accidents	M	381	15	17	24	40	22	35	42	54	46	86	107
		F	414	6	20	6	9	7	15	19	30	61	241	112
BE49	Suicide and self-inflicted injury	M	200	-	-	-	13	22	36	33	59	22	15	111
		F	147	-	-	-	6	13	20	40	32	26	10	113
BE50	Homicide and operations of war	M	23	1	2	1	7	1	1	3	4	2	1	180
		F	14	2	1	-	4	2	-	2	-	1	2	133
BN47	Fractures, head injuries and internal injuries	M	601	1	15	33	142	50	41	75	90	56	98	122
		F	441	4	5	13	33	9	9	26	34	72	236	119
BN48	Burns	M	12	1	1	2	-	-	2	-	-	4	2	73
		F	23	-	2	3	-	-	-	5	3	10	122	
BN49	Effects of poisons	M	193	-	8	2	12	23	33	29	50	21	15	114
		F	193	-	10	-	7	16	25	41	40	33	21	110
BN50	All other injuries	M	201	14	7	18	35	14	22	21	34	18	18	104
		F	88	5	6	2	9	5	8	16	11	17	9	95

TABLE 19 - *continued*

Sheffield Hospital Region

Abbreviated List No.	Causes of death		Age: All ages	Age: Under 1 year	Age: Years 1-	5-	15-	25-	35-	45-	55-	65-	75 and over	S.M.R. (England and Wales = 100)
		Numbers M	25,419	854	148	128	330	298	639	2,005	5,138	7,492	8,387	97
		F	22,763	691	106	97	146	178	503	1,176	2,798	5,445	11,623	98
	ALL CAUSES	Rates M	11,160	20,728	888	363	964	1,015	2,073	6,827	19,447	50,383	125,931	
		F	9,804	17,673	671	291	441	643	1,756	4,055	10,007	27,049	92,540	
B1	Tuberculosis of respiratory system	M	113	-	1	-	-	2	2	17	30	42	19	90
		F	28	-	-	-	-	-	2	3	6	6	11	65
B2	Tuberculosis, other forms	M	13	-	1	-	1	3	-	-	4	2	2	121
		F	13	-	1	-	-	2	1	3	1	3	2	108
B3	Syphilis and its sequelae	M	40	-	-	-	-	-	-	1	10	19	10	85
		F	28	-	-	-	-	1	-	-	5	9	13	91
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	1	-	-	-	-	-	-	-	-	1	-	104
		F	1	-	-	-	-	-	-	-	-	1	-	180
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	1	-	-	-	-	-	-	-	350
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	1	1	-	-	-	-	-	-	-	-	-	64
		F	1	1	-	-	-	-	-	-	-	-	-	94
B10	Meningococcal infections	M	3	2	1	-	-	-	-	-	-	-	-	75
		F	5	1	1	1	-	-	2	-	-	-	-	134
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	6	1	3	1	1	-	-	-	-	-	-	103
		F	2	2	-	-	-	-	-	-	-	-	-	53
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	38	5	2	2	5	-	1	6	9	6	2	110
		F	56	6	1	4	2	1	5	5	11	9	12	133
B18	Malignant neoplasm: (140-205)	M	5,212	1	15	20	40	44	136	518	1,472	1,763	1,203	92
		F	4,295	3	11	19	24	54	202	542	1,020	1,184	1,236	96
	stomach (151)	M	675	-	-	-	-	2	16	52	192	244	169	96
		F	495	-	-	-	-	4	8	32	84	145	222	103
	trachea, bronchus and lung (162, 163)	M	1,988	-	-	-	2	5	38	241	706	735	261	89
		F	361	-	-	-	1	3	13	57	115	111	61	86
	breast (170)	M	13	-	-	-	-	-	-	2	6	-	5	156
		F	868	-	-	-	1	9	73	156	217	214	198	95
	uterus (171-174)	F	351	-	-	-	-	2	22	65	90	91	81	102
	Leukaemia and aleukaemia (204)	M	135	-	5	11	3	7	7	15	26	30	31	91
		F	131	2	6	4	4	6	12	12	29	32	24	107
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	2,401	1	10	9	35	30	75	208	542	754	737	94
		F	2,089	1	5	15	18	30	74	220	485	591	650	95
B19	Benign and unspecified neoplasms	M	68	2	3	2	4	1	2	12	20	12	10	106
		F	73	2	1	1	1	5	9	9	15	14	16	111
B20	Diabetes mellitus	M	151	-	1	2	-	2	9	12	22	47	56	106
		F	254	-	-	3	2	3	3	7	46	92	98	106
B21	Anaemias	M	52	-	2	1	3	-	-	3	12	10	21	100
		F	90	1	-	3	-	-	-	4	5	19	58	98
B22	Vascular lesions affecting central nervous system	M	2,906	1	-	-	6	16	26	119	460	955	1,323	101
		F	4,060	-	-	1	4	13	41	117	383	1,029	2,472	101
B23	Non-meningococcal meningitis	M	23	11	1	-	-	-	3	2	2	2	2	104
		F	17	10	5	-	-	-	-	-	-	1	1	107
B24	Rheumatic fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	1	-	-	-	-	-	-	-	89
B25	Chronic rheumatic heart disease	M	187	-	-	-	-	5	16	52	51	41	22	100
		F	348	-	-	-	2	7	21	52	99	93	74	104

TABLE 19 - *continued*

Sheffield Hospital Region

Abbreviated List No.	Causes of death		Age: All ages	Age: Under 1 year	Age: Years 1-	5-	15-	25-	35-	45-	55-	65-	75 and over	S.M.R. (England and Wales = 100)
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	6,107	1	-	-	2	20	162	683	1,591	2,050	1,598	92
		F	3,614	-	-	-	-	2	38	95	450	1,185	1,844	91
		M	1,224	1	-	-	3	2	9	24	82	242	861	108
		F	1,794	1	1	1	1	1	3	11	44	265	1,466	97
B27	Other diseases of heart	M	641	1	-	3	3	4	9	23	102	183	313	108
		F	741	3	-	1	1	2	6	12	54	177	485	102
B28	Hypertension with heart disease	M	295	-	-	-	-	-	6	18	45	110	116	102
		F	427	-	-	-	-	-	1	9	40	136	241	110
B29	Hypertension without mention of heart	M	157	-	-	-	-	1	6	15	26	50	59	94
		F	207	-	-	-	-	4	5	3	4	22	47	122	126
B46 (pt.)	Other circulatory diseases (450-468)	M	922	1	1	2	1	4	9	33	112	249	510	106
		F	1,132	1	-	-	1	3	13	20	66	183	845	107
B30	Influenza	M	27	-	1	-	1	1	-	4	2	9	9	76
		F	18	-	-	-	-	1	-	-	1	5	11	41
B31	Pneumonia	M	1,121	65	21	6	4	6	13	32	97	257	620	82
		F	1,195	53	6	7	4	4	11	27	62	214	807	78
B32	Bronchitis	M	2,136	39	4	3	1	6	14	110	433	785	741	111
		F	738	39	10	2	7	4	11	31	93	191	350	115
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	298	32	7	1	1	5	10	24	60	76	82	95
		F	178	17	3	1	1	-	5	10	13	31	97	118
B33	Ulcer of stomach and duodenum	M	234	-	-	-	-	3	7	12	48	88	76	103
		F	101	-	-	-	1	-	3	3	12	28	54	79
B34	Appendicitis	M	15	1	2	-	-	-	-	1	6	3	2	70
		F	16	1	-	1	-	-	-	2	4	3	5	94
B35	Intestinal obstruction and hernia	M	131	14	3	-	1	1	3	7	10	38	54	106
		F	155	11	1	1	-	1	2	8	15	38	78	106
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	110	22	8	-	2	1	5	2	18	24	28	120
		F	157	17	7	2	-	5	2	3	12	35	74	109
B37	Cirrhosis of liver	M	54	-	-	1	-	1	4	10	20	14	4	83
		F	65	-	1	-	-	-	4	14	14	21	11	108
B38	Nephritis and nephrosis	M	137	-	-	1	8	10	10	18	31	29	30	100
		F	112	-	-	1	5	5	8	18	17	26	32	101
B39	Hyperplasia of prostate	M	175	-	-	-	-	-	-	-	8	39	128	104
B40	Complications of pregnancy, childbirth and puerperium	F	12	-	-	-	4	5	3	-	-	-	-	73
B41	Congenital malformations	M	226	154	11	7	9	9	12	7	11	3	3	97
		F	213	146	20	12	4	4	8	6	8	3	2	104
B42	Birth injuries, postnatal asphyxia and atelectasis	M	248	248	-	-	-	-	-	-	-	-	-	112
		F	155	155	-	-	-	-	-	-	-	-	-	106
B43	Diarrhoea of newborn (764)	M	4	4	-	-	-	-	-	-	-	-	-	129
		F	6	6	-	-	-	-	-	-	-	-	-	238
	Other infections of newborn (763, 765-768)	M	31	31	-	-	-	-	-	-	-	-	-	97
		F	25	25	-	-	-	-	-	-	-	-	-	98
B44	Other diseases of early infancy and immaturity unqualified	M	156	156	-	-	-	-	-	-	-	-	-	85
		F	147	147	-	-	-	-	-	-	-	-	-	103
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	118	-	-	-	-	1	-	1	1	5	110	97
		F	284	-	-	-	-	-	1	3	4	7	269	118
B46 (Rem.)	All other diseases (Remainder 001-795)	M	748	19	17	21	27	19	47	73	151	178	196	95
		F	1,067	19	13	14	25	22	37	85	161	244	447	101
BE47	Motor vehicle accidents	M	500	-	27	30	145	56	44	53	60	46	39	106
		F	233	1	10	13	38	9	14	23	42	32	51	115
BE48	All other accidents	M	535	41	15	25	44	40	36	64	78	72	120	103
		F	527	23	14	6	3	4	21	20	35	82	319	103
BE49	Suicide and self-inflicted injury	M	243	-	-	-	15	35	35	47	53	42	16	92
		F	158	-	-	-	6	13	22	30	38	30	19	88
BE50	Homicide and operations of war	M	12	-	1	-	3	-	3	2	1	-	2	64
		F	13	-	-	1	6	2	1	-	-	2	1	87
BN47	Fractures, head injuries and internal injuries	M	768	3	30	38	154	78	69	85	95	88	128	107
		F	553	3	15	15	39	7	15	29	49	72	309	108
BN48	Burns	M	24	2	1	-	2	1	1	4	5	3	5	101
		F	28	-	3	1	1	1	2	2	-	5	13	107
BN49	Effects of poisons	M	207	-	2	-	11	28	28	43	47	29	19	84
		F	210	1	1	1	8	14	32	33	37	44	39	87
BN50	All other injuries	M	291	36	10	17	40	24	20	34	45	40	25	103
		F	140	20	5	3	5	6	9	9	29	25	29	108

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		East Anglia Hospital Region											
			Age											S.M.R. (England and Wales = 100)
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
	ALL CAUSES	Numbers M	9,561	247	57	56	121	101	205	553	1,612	2,813	3,796	89
		F	8,836	176	35	36	55	65	138	355	959	1,905	5,112	92
		Rates M	11,330	17,770	1,027	462	821	909	1,919	5,508	16,774	46,650	121,667	
		F	10,485	13,333	665	309	454	655	1,402	3,430	9,384	23,724	91,777	
B1	Tuberculosis of respiratory system	M	22	-	-	-	-	-	1	1	7	8	5	45
		F	16	-	-	-	-	1	1	1	2	2	9	96
B2	Tuberculosis, other forms	M	1	-	-	-	-	-	1	-	-	-	-	25
		F	5	-	-	-	-	-	-	-	2	2	1	108
B3	Syphilis and its sequelae	M	18	-	-	-	-	1	1	-	1	6	9	94
		F	12	-	-	-	-	-	-	-	1	5	6	95
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	477
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B10	Meningococcal infections	M	2	1	1	-	-	-	-	-	-	-	-	148
		F	1	1	-	-	-	-	-	-	-	-	-	78
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	3	-	1	2	-	-	-	-	-	-	-	151
		F	1	-	-	1	-	-	-	-	-	-	-	78
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	10	-	-	-	1	-	2	1	2	-	4	77
		F	12	3	1	1	1	1	1	-	2	1	1	75
B18	Malignant neoplasm: (140-205)	M	2,025	1	8	6	13	12	42	150	502	723	568	90
		F	1,623	1	3	9	7	21	63	178	379	420	542	91
	stomach (151)	M	245	-	-	-	1	-	5	10	50	93	86	86
		F	159	-	-	-	-	1	4	2	27	34	91	80
	trachea, bronchus and lung (162, 163)	M	734	-	-	-	-	5	8	64	248	292	117	84
		F	122	-	-	-	-	-	1	16	46	36	23	75
	breast (170)	M	2	-	-	-	-	-	-	-	1	-	1	60
		F	360	-	-	-	-	5	26	59	92	88	90	101
	uterus (171-174)	F	123	-	-	-	-	1	5	19	41	24	33	92
	Leukaemia and aleukaemia (204)	M	58	-	6	3	5	-	5	6	10	11	12	101
		F	48	1	2	3	-	1	5	7	7	10	12	101
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	986	1	2	3	7	7	24	70	193	327	352	95
		F	811	-	1	6	7	13	22	75	166	228	293	92
B19	Benign and unspecified neoplasms	M	22	-	1	2	-	1	2	2	5	5	4	90
		F	24	-	-	-	-	-	3	4	5	7	5	96
B20	Diabetes mellitus	M	49	-	-	-	-	1	4	3	9	15	17	84
		F	84	-	-	-	-	-	-	2	8	30	44	86
B21	Anaemias	M	21	1	1	-	-	-	-	-	3	5	11	95
		F	31	-	1	-	1	-	1	1	-	10	17	80
B22	Vascular lesions affecting central nervous system	M	1,131	-	1	-	1	5	10	45	137	339	593	92
		F	1,630	-	-	1	4	1	10	32	130	388	1,064	96
B23	Non-meningococcal meningitis	M	10	5	3	-	-	1	-	-	1	-	-	127
		F	7	-	1	-	-	1	-	-	3	1	1	122
B24	Rheumatic fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B25	Chronic rheumatic heart disease	M	61	-	-	-	-	2	2	3	11	15	13	15	85
		F	104	-	-	-	-	-	2	9	16	13	28	36	80

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		East Anglia Hospital Region											
			Age											S.M.R. (England and Wales = 100)
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
B26	Arteriosclerotic heart disease including coronary disease (420)	M	2,327	-	-	-	2	1	46	175	484	814	805	87
		F	1,518	-	-	-	-	1	4	25	141	431	916	92
	Degenerative heart disease (421, 422)	M	537	-	1	1	-	2	2	13	29	109	380	106
		F	796	-	-	1	1	-	-	2	27	99	666	99
B27	Other diseases of heart	M	240	1	-	-	-	2	2	7	27	59	142	94
		F	231	1	-	-	1	1	-	2	13	52	161	75
B28	Hypertension with heart disease	M	111	-	-	-	1	-	2	6	19	26	57	92
		F	125	-	-	-	-	-	1	2	9	29	84	76
B29	Hypertension without mention of heart	M	48	-	-	-	-	-	1	6	13	12	16	71
		F	44	-	-	-	-	-	-	3	5	10	26	64
B46 (pt.)	Other circulatory diseases (450-468)	M	351	-	-	-	-	3	5	16	38	91	198	94
		F	374	-	-	-	-	1	3	8	30	63	269	83
B30	Influenza	M	16	-	-	-	-	-	-	1	2	4	9	108
		F	26	-	-	-	-	-	-	-	-	1	24	141
B31	Pneumonia	M	627	22	11	4	2	2	5	7	45	125	404	108
		F	736	14	8	2	2	3	1	13	23	105	565	113
B32	Bronchitis	M	467	3	2	-	-	1	2	13	70	187	189	58
		F	154	2	1	1	1	1	2	5	10	34	97	58
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	93	2	2	-	1	-	3	3	23	30	29	73
		F	43	2	1	-	-	-	-	2	7	6	25	70
B33	Ulcer of stomach and duodenum	M	73	-	-	1	1	1	1	3	15	28	23	78
		F	61	-	-	-	-	-	2	-	-	5	18	36	115
B34	Appendicitis	M	8	-	-	1	-	-	1	1	2	2	1	94
		F	1	-	-	-	-	-	-	-	-	-	1	-	15
B35	Intestinal obstruction and hernia	M	59	5	-	2	-	1	3	5	6	18	19	116
		F	51	3	-	-	-	-	-	2	2	12	32	85
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	38	3	3	1	-	-	1	1	5	10	14	106
		F	37	2	1	-	-	1	2	-	6	7	18	64
B37	Cirrhosis of liver	M	16	-	-	-	-	-	2	2	4	6	2	65
		F	16	-	-	-	1	-	2	1	6	3	3	69
B38	Nephritis and nephrosis	M	39	1	-	-	1	2	1	5	10	9	10	72
		F	33	-	-	-	1	1	1	2	6	7	15	75
B39	Hyperplasia of prostate	M	89	-	-	-	-	-	-	-	2	21	66	118
B40	Complications of pregnancy, childbirth and puerperium	F	7	-	-	-	-	7	-	-	-	-	-	120
B41	Congenital malformations	M	59	36	4	5	3	-	1	-	2	5	3	73
		F	56	38	4	4	-	1	-	1	4	2	2	79
B42	Birth injuries, postnatal asphyxia and atelectasis	M	72	72	-	-	-	-	-	-	-	-	-	98
		F	54	54	-	-	-	-	-	-	-	-	-	110
B43	Diarrhoea of newborn (764)	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
	Other infections of newborn (763, 765-768)	M	12	12	-	-	-	-	-	-	-	-	-	-
		F	5	5	-	-	-	-	-	-	-	-	-	112
B44	Other diseases of early infancy and immaturity unqualified	M	55	55	-	-	-	-	-	-	-	-	-	59
		F	35	35	-	-	-	-	-	-	-	-	-	90
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	44	1	-	-	-	-	1	-	2	5	35	79
		F	85	-	1	-	-	-	-	1	1	-	82	80
B46 (Rem.)	All other diseases (Remainder 001-795)	M	300	6	6	10	8	10	12	21	54	80	93	95
		F	383	9	3	4	6	7	11	23	63	82	175	90
BE47	Motor vehicle accidents	M	179	-	5	12	56	18	21	18	17	14	18	97
		F	73	-	1	7	18	5	4	10	11	11	6	94
BE48	All other accidents	M	222	18	7	8	25	20	16	25	33	20	50	110
		F	262	6	8	4	7	2	9	3	23	25	175	125
BE49	Suicide and self-inflicted injury	M	97	-	-	-	3	15	11	12	27	23	6	98
		F	75	-	-	-	3	4	10	15	22	13	8	111
BE50	Homicide and operations of war	M	7	2	-	1	1	-	-	-	1	1	1	99
		F	4	-	1	1	-	1	-	1	-	-	-	74
BN47	Fractures, head injuries and internal injuries	M	301	1	5	13	61	31	33	32	37	27	61	106
		F	254	-	2	8	18	5	5	11	21	30	154	121
BN48	Burns	M	3	-	1	-	-	-	-	-	1	-	1	32
		F	14	-	3	-	1	-	1	-	2	-	7	134
BN49	Effects of poisons	M	70	-	-	-	2	8	7	13	20	12	8	75
		F	100	-	-	-	7	6	14	13	27	17	16	109
BN50	All other injuries	M	131	19	6	8	22	14	8	10	20	19	5	124
		F	46	6	5	4	2	1	3	5	6	2	12	96

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		North West Metropolitan Hospital Region											
			Age											S.M.R. (England and Wales = 100)
			All ages	Under 1 year	Years 1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
		Numbers M	21,665	711	89	117	278	281	626	1,835	4,676	6,048	7,004	86
		F	21,320	578	104	67	157	171	477	1,146	2,510	4,578	11,532	84
	ALL CAUSES	Rates M	10,376	18,810	590	384	872	1,035	2,297	6,617	19,024	42,442	105,801	
		F	9,504	16,145	726	232	498	650	1,758	3,934	9,029	21,779	79,149	
B1	Tuberculosis of respiratory system	M	91	-	-	-	-	1	6	14	26	27	17	76
		F	44	-	-	-	1	1	5	9	10	6	12	99
B2	Tuberculosis, other forms	M	11	-	-	-	-	1	2	3	3	2	-	109
		F	11	-	-	-	-	-	1	1	3	2	4	89
B3	Syphilis and its sequelae	M	47	-	-	-	-	1	2	1	13	18	12	104
		F	33	-	-	-	-	-	1	1	2	10	19	99
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	1	-	-	-	1	-	-	369
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	103
B10	Meningococcal infections	M	6	4	-	-	-	-	-	1	-	1	-	166
		F	1	-	-	-	-	-	-	1	-	-	-	29
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	8	-	5	3	-	-	-	-	-	-	-	153
		F	2	-	1	-	1	-	-	-	-	-	-	58
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	37	2	1	1	2	-	2	10	7	9	3	115
		F	30	2	-	2	-	1	3	3	4	5	10	70
B18	Malignant neoplasm: (140-205)	M	5,329	5	10	25	27	40	150	548	1,525	1,732	1,267	99
		F	4,540	2	14	20	26	49	208	553	1,029	1,192	1,447	96
	stomach (151)	M	578	-	-	-	-	7	11	47	158	194	161	86
		F	403	-	-	-	-	2	4	18	66	115	198	77
	trachea, bronchus and lung (162, 163)	M	2,243	-	-	-	1	-	35	240	784	800	383	106
		F	490	-	-	-	-	1	11	71	145	151	111	112
	breast (170)	M	1	-	-	-	-	-	-	-	1	-	-	13
		F	949	-	-	-	1	13	84	175	231	213	232	99
	uterus (171-174)	F	333	-	-	-	1	3	22	49	77	90	91	93
	Leukaemia and aleukaemia (204)	M	139	-	5	13	8	-	8	18	33	31	23	100
		F	116	-	4	8	5	4	10	8	17	30	30	92
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	2,368	5	5	12	18	33	96	243	549	707	700	97
		F	2,249	2	10	12	19	26	77	232	493	593	785	96
B19	Benign and unspecified neoplasms	M	74	-	-	1	4	6	4	15	18	22	4	123
		F	68	-	1	1	3	4	5	11	14	18	11	101
B20	Diabetes mellitus	M	106	-	-	-	2	1	4	5	19	28	47	78
		F	211	-	-	-	2	2	2	10	29	68	98	82
B21	Anaemias	M	42	1	1	-	1	1	1	6	4	9	18	83
		F	87	1	-	1	-	1	3	2	7	17	55	86
B22	Vascular lesions affecting central nervous system	M	2,004	1	-	-	2	13	36	111	302	561	978	72
		F	3,280	-	-	1	10	10	31	94	262	686	2,186	73
B23	Non-meningococcal meningitis	M	22	9	2	1	-	-	1	1	3	3	2	108
		F	15	6	-	1	-	-	-	2	1	4	1	97
B24	Rheumatic fever	M	1	-	-	-	-	-	1	-	-	-	-	186
		F	1	-	-	-	-	1	-	-	-	-	-	92
B25	Chronic rheumatic heart disease	M	168	-	-	-	-	6	17	32	56	35	22	95
		F	357	-	-	1	4	3	16	48	79	93	113	102

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		North West Metropolitan Hospital Region											
			Age											S.M.R. (England and Wales = 100)
			All ages	Under 1 year	Years 1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
B26	Arteriosclerotic heart disease including coronary disease (420)	M	5,395	-	-	-	-	14	144	581	1,508	1,724	1,424	85
		F	3,545	-	-	-	-	1	24	91	400	1,019	2,010	81
	Degenerative heart disease (421, 422)	M	710	-	-	2	3	4	6	20	57	121	497	64
		F	1,530	-	1	1	-	3	-	10	29	139	1,347	73
B27	Other diseases of heart	M	489	-	4	-	4	3	5	15	64	140	254	85
		F	664	2	1	-	-	1	4	5	37	128	486	82
B28	Hypertension with heart disease	M	192	-	-	-	-	1	3	7	37	69	75	69
		F	310	-	-	-	-	-	2	5	22	79	202	72
B29	Hypertension without mention of heart	M	167	-	-	-	1	2	6	21	43	42	52	104
		F	178	-	-	-	-	-	2	11	19	37	109	98
B46 (pt.)	Other circulatory diseases (450-468)	M	714	-	2	-	1	4	10	42	136	179	340	85
		F	1,052	1	-	-	2	1	15	18	87	183	745	89
B30	Influenza	M	16	-	-	-	-	-	-	-	3	4	9	47
		F	18	-	-	-	-	-	-	-	1	4	12	37
B31	Pneumonia	M	1,214	73	9	8	3	7	11	33	101	270	699	92
		F	1,599	70	16	5	3	5	12	24	63	217	1,184	93
B32	Bronchitis	M	1,485	9	4	1	2	2	8	61	283	530	585	80
		F	555	3	4	1	1	3	3	21	66	127	326	79
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	198	4	3	1	1	2	3	17	42	64	61	66
		F	126	2	4	1	2	-	5	6	15	35	56	78
B33	Ulcer of stomach and duodenum	M	209	-	-	-	-	5	4	16	45	59	80	96
		F	125	-	-	-	-	-	-	4	11	22	88	89
B34	Appendicitis	M	14	1	-	-	1	2	-	-	3	5	2	69
		F	18	-	2	-	1	1	-	3	1	2	8	100
B35	Intestinal obstruction and hernia	M	92	9	1	-	-	1	1	3	15	23	39	77
		F	144	7	-	1	2	-	1	8	11	24	90	91
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	74	14	5	2	1	-	1	7	13	12	19	85
		F	145	13	5	-	-	2	1	5	19	37	63	95
B37	Cirrhosis of liver	M	63	-	-	-	2	-	7	11	25	13	5	103
		F	47	-	-	1	-	3	2	9	9	14	9	75
B38	Nephritis and nephrosis	M	98	1	-	-	7	4	9	10	16	25	26	76
		F	101	-	1	-	1	-	5	5	13	31	45	86
B39	Hyperplasia of prostate	M	116	-	-	-	-	-	-	1	7	28	80	70
B40	Complications of pregnancy, childbirth and puerperium	F	21	-	-	-	5	13	3	-	-	-	-	135
B41	Congenital malformations	M	191	136	7	9	5	7	3	8	6	8	2	90
		F	202	140	16	7	5	2	5	4	10	8	5	106
B42	Birth injuries, postnatal asphyxia and atelectasis	M	193	193	-	-	-	-	-	-	-	-	-	96
		F	122	122	-	-	-	-	-	-	-	-	-	92
B43	Diarrhoea of newborn (764)	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-
	Other infections of newborn (763, 765-768)	M	28	28	-	-	-	-	-	-	-	-	-	44
		F	21	21	-	-	-	-	-	-	-	-	-	96
B44	Other diseases of early infancy and immaturity unqualified	M	174	174	-	-	-	-	-	-	-	-	-	104
		F	156	156	-	-	-	-	-	-	-	-	-	120
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	62	1	-	-	-	-	-	2	1	5	53	51
		F	159	2	-	-	-	-	-	1	-	6	150	57
B46 (Rem.)	All other diseases (Remainder 001-795)	M	743	18	10	14	25	21	46	77	144	170	218	99
		F	973	12	12	13	21	20	45	71	147	228	404	86
BE47	Motor vehicle accidents	M	380	1	8	26	106	50	41	47	43	28	30	86
		F	176	-	6	4	33	13	15	17	23	24	41	86
BE48	All other accidents	M	407	24	17	22	47	39	45	56	51	44	62	84
		F	417	14	18	4	15	17	22	36	41	72	178	76
BE49	Suicide and self-inflicted injury	M	274	-	-	1	25	39	45	51	55	38	20	112
		F	212	-	-	-	15	13	32	53	44	40	15	116
BE50	Homicide and operations of war	M	21	3	-	-	6	4	2	2	2	-	2	121
		F	20	1	1	2	3	1	4	3	1	1	3	138
BN47	Fractures, head injuries and internal injuries	M	545	4	8	31	121	68	63	66	64	53	67	81
		F	372	3	5	6	40	15	20	26	35	60	162	67
BN48	Burns	M	16	1	1	-	1	1	2	3	1	3	3	71
		F	20	-	4	-	1	1	-	2	-	3	9	73
BN49	Effects of poisons	M	300	-	4	3	28	31	42	60	62	44	26	131
		F	309	-	8	1	16	15	41	68	60	55	45	125
BN50	All other injuries	M	221	23	12	15	34	32	26	27	24	10	18	85
		F	124	12	8	3	9	13	12	13	14	19	21	97

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		North East Metropolitan Hospital Region											
			Age											S.M.R. (England and Wales = 100)
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
		Numbers M	17,328	551	93	104	200	159	454	1,374	3,507	5,041	5,845	91
		F	16,511	418	59	57	88	101	347	891	1,896	3,772	8,882	86
	ALL CAUSES	Rates M	10,964	19,266	815	451	829	773	2,201	6,546	18,865	46,763	116,434	
		F	9,729	15,424	544	260	369	507	1,689	4,043	9,020	23,708	80,526	
B1	Tuberculosis of respiratory system	M	80	-	-	-	-	1	4	9	14	35	17	89
		F	40	-	-	-	-	-	6	9	5	4	16	118
B2	Tuberculosis,other forms	M	5	-	-	-	-	-	1	1	1	1	1	66
		F	8	-	3	-	-	-	1	1	1	1	1	85
B3	Syphilis and its sequelae	M	29	-	-	-	-	-	1	1	7	12	8	85
		F	25	-	-	1	-	-	-	2	3	10	9	99
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	1	1	-	-	-	-	-	-	-	-	-	94
		F	-	-	-	-	-	-	-	-	-	-	-	-
B10	Meningococcal infections	M	4	2	-	2	-	-	-	-	-	-	-	147
		F	3	-	3	-	-	-	-	-	-	-	-	114
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	3	1	2	-	-	-	-	-	-	-	-	76
		F	4	1	3	-	-	-	-	-	-	-	-	154
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	25	2	1	1	3	-	3	4	6	3	2	102
		F	27	1	1	2	2	-	-	2	5	7	7	84
B18	Malignant neoplasm: (140-205)	M	4,232	3	12	21	27	34	124	406	1,228	1,409	968	104
		F	3,438	2	8	11	14	38	149	436	739	955	1,086	96
	stomach (151)	M	481	-	-	-	-	2	12	49	138	169	111	94
		F	367	-	-	-	-	3	5	32	57	108	162	93
	trachea, bronchus and lung (162, 163)	M	1,796	-	-	-	-	2	32	189	601	682	290	112
		F	350	-	-	-	-	1	18	57	90	106	78	106
	breast (170)	M	7	-	-	-	-	-	-	1	1	3	2	116
		F	736	-	-	-	-	5	53	137	189	189	163	102
	uterus (171-174)	F	196	-	-	-	1	7	9	34	46	56	43	72
	Leukaemia and aleukaemia (204)	M	104	-	4	8	5	5	8	10	22	21	21	99
		F	104	1	1	5	3	2	5	7	22	19	39	109
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	1,844	3	8	13	22	25	72	157	466	534	544	100
		F	1,685	1	7	6	10	20	59	169	335	477	601	95
B19	Benign and unspecified neoplasms	M	61	-	4	-	1	1	4	17	15	12	7	134
		F	62	-	2	1	1	1	3	18	14	10	12	122
B20	Diabetes mellitus	M	100	-	-	1	-	1	6	4	17	28	43	97
		F	205	-	-	-	2	1	3	8	27	63	101	105
B21	Anaemias	M	39	-	1	1	-	-	2	2	4	6	23	102
		F	61	-	-	-	-	-	-	-	2	12	47	79
B22	Vascular lesions affecting central nervous system	M	1,693	1	2	-	4	3	18	79	237	495	854	80
		F	2,823	1	-	2	1	5	24	84	214	624	1,868	83
B23	Non-meningococcal meningitis	M	13	4	3	-	-	-	-	1	1	2	2	85
		F	9	3	-	-	-	-	-	1	2	1	2	77
B24	Rheumatic fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	1	-	-	-	-	-	-	-	121
B25	Chronic rheumatic heart disease	M	141	-	-	-	-	2	16	32	34	37	20	105
		F	253	-	-	-	-	2	21	26	71	65	68	95

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		North East Metropolitan Hospital Region											
			Age											S.M.R. (England and Wales = 100)
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
B26	Arteriosclerotic heart disease including coronary disease (420)	M	4,343	-	-	-	2	9	118	485	1,097	1,418	1,214	91
		F	2,810	-	-	-	-	1	13	70	327	837	1,562	85
	Degenerative heart disease (421, 422)	M	508	1	-	-	2	-	4	16	54	104	327	60
		F	939	1	-	-	-	1	5	13	16	104	799	59
B27	Other diseases of heart	M	408	-	-	-	2	2	6	8	47	118	225	93
		F	532	1	1	-	3	3	3	7	27	108	379	87
B28	Hypertension with heart disease	M	160	-	-	-	-	1	1	7	23	61	67	76
		F	267	-	-	-	-	-	2	14	16	64	171	82
B29	Hypertension without mention of heart	M	92	-	-	-	2	1	8	14	28	39	76	
		F	124	-	-	-	-	-	2	4	6	26	86	90
B46 (pt.)	Other circulatory diseases (450-468)	M	540	1	-	-	2	2	11	25	61	157	281	85
		F	730	-	-	-	3	2	7	21	64	136	497	81
B30	Influenza	M	20	-	-	1	-	-	-	1	1	4	13	77
		F	23	-	-	-	1	-	-	-	2	5	15	63
B31	Pneumonia	M	909	62	9	1	8	4	6	29	57	170	563	91
		F	1,177	43	3	6	4	1	5	16	36	180	883	91
B32	Bronchitis	M	1,390	20	3	2	-	2	7	47	260	513	536	99
		F	498	14	1	-	-	1	8	11	47	123	293	94
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	178	5	2	1	-	2	3	7	37	53	68	78
		F	96	2	1	-	-	-	6	10	7	17	53	78
B33	Ulcer of stomach and duodenum	M	150	-	1	-	-	1	2	6	35	43	62	91
		F	107	-	-	-	-	-	2	2	10	24	69	101
B34	Appendicitis	M	14	-	1	1	-	-	1	3	2	4	2	91
		F	14	-	-	-	-	-	-	2	-	4	8	102
B35	Intestinal obstruction and hernia	M	84	5	-	-	-	-	1	5	8	26	39	93
		F	115	4	1	1	1	-	1	3	9	35	60	96
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	52	4	3	-	-	1	2	3	8	16	15	79
		F	118	4	2	1	1	-	4	10	11	28	57	102
B37	Cirrhosis of liver	M	38	1	-	1	-	-	5	8	5	12	6	82
		F	38	-	-	-	1	-	2	7	11	12	5	81
B38	Nephritis and nephrosis	M	87	-	-	2	9	2	11	7	19	17	20	89
		F	74	-	-	-	1	3	5	6	16	16	27	84
B39	Hyperplasia of prostate	M	115	-	-	-	-	-	-	1	5	21	88	92
B40	Complications of pregnancy, childbirth and puerperium	F	13	-	-	-	2	8	3	-	-	-	-	110
B41	Congenital malformations	M	164	114	11	3	8	3	6	6	8	3	2	102
		F	137	94	8	5	4	-	3	3	15	2	3	95
B42	Birth injuries, postnatal asphyxia and atelectasis	M	129	129	-	-	-	-	-	-	-	-	-	85
		F	89	89	-	-	-	-	-	-	-	-	-	88
B43	Diarrhoea of newborn (764)	M	1	1	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	47
	Other infections of newborn (763, 765-768)	M	23	23	-	-	-	-	-	-	-	-	-	-
		F	18	18	-	-	-	-	-	-	-	-	-	105
B44	Other diseases of early infancy and immaturity unqualified	M	136	136	-	-	-	-	-	-	-	-	-	103
		F	109	109	-	-	-	-	-	-	-	-	-	108
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	59	2	-	-	-	-	-	1	-	5	51	111
		F	105	-	-	-	-	-	-	1	-	2	102	65
B46 (Rem.)	All other diseases (Remainder 001-795)	M	594	19	12	16	19	15	23	60	105	151	174	50
		F	902	18	9	10	13	13	34	58	124	208	415	104
BE47	Motor vehicle accidents	M	264	1	10	20	74	31	25	23	19	29	32	105
		F	119	-	5	12	14	6	5	11	15	19	32	79
BE48	All other accidents	M	276	9	14	30	25	19	22	31	39	26	61	76
		F	250	11	6	4	6	9	10	8	22	44	130	75
BE49	Suicide and self-inflicted injury	M	153	-	-	-	10	19	17	31	39	22	15	60
		F	136	-	-	-	13	5	19	26	31	23	19	82
BE50	Homicide and operations of war	M	15	4	2	-	4	2	3	-	-	-	-	99
		F	12	2	2	-	1	1	1	1	1	3	-	114
BN47	Fractures, head injuries and internal injuries	M	397	4	16	31	84	46	38	38	38	38	64	110
		F	263	4	8	12	17	7	7	13	22	52	121	78
BN48	Burns	M	13	-	1	1	1	1	1	1	2	2	3	63
		F	19	-	1	1	-	1	1	1	1	2	11	76
BN49	Effects of poisons	M	159	-	4	-	9	11	23	29	33	20	30	91
		F	167	-	2	1	11	7	22	23	37	26	38	90
BN50	All other injuries	M	139	10	5	18	19	13	5	17	24	17	11	70
		F	68	9	2	2	6	6	5	9	9	9	11	70

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		South East Metropolitan Hospital Region											
			Age											S.M.R. (England and Wales = 100)
			All ages	Under 1 year	Years 1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
		Numbers M	20,500	521	76	101	231	198	435	1,329	3,863	6,041	7,705	104
	ALL CAUSES	F	21,336	398	68	57	98	106	328	859	2,132	4,714	12,576	107
		Rates M	12,495	17,542	642	422	923	927	2,032	6,096	20,005	53,938	147,889	
		F	12,108	14,164	604	251	396	513	1,538	3,753	9,757	28,552	109,834	
B1	Tuberculosis of respiratory system	M	90	-	-	-	-	1	9	8	23	33	16	96
		F	40	-	-	-	-	-	7	6	6	10	11	114
B2	Tuberculosis, other forms	M	4	-	-	-	-	-	-	-	-	3	1	51
		F	9	-	-	-	-	2	-	1	1	4	1	93
B3	Syphilis and its sequelae	M	46	-	-	-	-	-	-	-	8	17	21	130
		F	34	-	-	-	-	-	-	4	1	10	19	130
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	1	-	-	1	-	-	-	-	-	-	-	144
		F	1	-	-	1	-	-	-	-	-	-	-	235
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B10	Meningococcal infections	M	2	1	-	1	-	-	-	-	-	-	-	71
		F	3	1	-	-	-	-	-	-	1	1	-	110
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	3	-	2	-	-	-	-	-	1	-	-	73
		F	3	-	2	-	-	-	-	1	-	-	-	111
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	1	-	-	-	-	-	-	-	1	-	-	356
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	26	1	3	1	-	2	1	3	7	4	4	102
		F	31	1	-	1	1	1	5	4	4	6	8	93
	Malignant neoplasm: (140-205)	M	4,726	4	10	21	27	50	87	379	1,244	1,666	1,238	112
		F	4,173	2	8	17	18	26	152	435	883	1,205	1,427	112
	stomach (151)	M	509	-	-	-	1	3	8	36	120	191	150	96
		F	362	-	-	-	-	1	3	21	49	104	184	88
	trachea, bronchus and lung (162, 163)	M	1,969	-	1	-	3	3	21	174	647	769	351	118
		F	479	-	-	-	-	-	15	61	127	176	100	139
B18	breast (170)	M	8	-	-	-	-	-	-	1	2	2	3	128
		F	881	-	-	-	-	8	45	125	236	235	232	117
	uterus (171-174)	F	278	-	-	-	-	3	19	47	69	73	67	99
	Leukaemia and aleukaemia (204)	M	140	2	5	8	7	6	2	14	23	40	33	128
		F	108	-	3	11	6	3	9	5	8	25	38	109
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	2,100	2	4	13	16	38	56	154	452	664	701	109
		F	2,065	2	5	6	12	11	61	176	394	592	806	112
B19	Benign and unspecified neoplasms	M	38	1	1	-	3	2	1	3	11	7	9	80
		F	61	1	1	-	1	1	3	9	20	12	13	115
B20	Diabetes mellitus	M	92	-	1	-	1	1	2	5	11	30	41	86
		F	157	-	-	1	2	-	2	2	17	48	85	77
B21	Anaemias	M	35	1	1	-	-	-	2	1	3	9	18	88
		F	80	-	1	-	2	-	-	2	5	18	52	100
B22	Vascular lesions affecting central nervous system	M	2,186	1	-	2	5	4	26	71	275	621	1,181	99
		F	3,821	-	-	1	2	6	27	75	268	766	2,676	108
B23	Non-meningococcal meningitis	M	10	4	3	1	-	-	-	-	2	-	-	63
		F	15	4	-	1	-	-	-	1	2	4	3	124
B24	Rheumatic fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B25	Chronic rheumatic heart disease	M	109	-	-	-	1	1	9	19	25	26	28	78
		F	213	-	-	1	-	3	4	34	54	61	56	77

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		South East Metropolitan Hospital Region											
			Age											S.M.R. (England and Wales = 100)
			All ages	Under 1 year	Years 1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	5,273	-	-	-	-	10	129	496	1,233	1,714	1,691	106
		F	3,724	-	-	-	-	1	17	55	317	1,052	2,282	109
		M	810	1	-	-	-	1	4	14	42	129	619	92
		F	1,808	-	-	-	-	1	1	3	38	160	1,605	109
B27	Other diseases of heart	M	449	2	-	-	1	4	5	12	61	128	236	99
		F	666	-	-	-	-	5	4	11	34	125	487	105
B28	Hypertension with heart disease	M	239	-	-	-	1	2	1	10	40	91	94	109
		F	388	-	-	-	-	-	1	4	25	96	262	114
B29	Hypertension without mention of heart	M	121	-	-	-	2	-	4	11	34	25	45	96
		F	126	-	-	-	-	-	1	3	12	26	84	88
B46 (pt.)	Other circulatory diseases (450-468)	M	767	1	-	-	1	1	11	27	102	227	397	116
		F	1,055	-	-	-	2	3	10	18	72	197	753	113
B30	Influenza	M	29	-	-	-	-	-	-	-	-	5	8	108
		F	40	-	-	-	-	-	-	-	-	1	6	33
B31	Pneumonia	M	1,213	50	10	2	4	4	10	26	102	280	725	105
		F	1,543	45	14	7	6	1	7	15	60	247	1,141	117
B32	Bronchitis	M	1,410	23	4	1	1	2	3	52	249	500	575	115
		F	514	21	4	1	1	-	-	14	57	130	286	96
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	227	7	1	2	1	1	3	9	39	90	74	94
		F	137	5	1	2	2	1	4	5	19	26	72	96
B33	Ulcer of stomach and duodenum	M	182	-	-	-	1	5	3	6	29	65	73	107
		F	132	-	-	-	-	-	3	8	8	30	83	106
B34	Appendicitis	M	17	-	-	-	-	-	1	1	4	4	7	120
		F	19	-	-	-	-	-	-	1	2	6	10	107
B35	Intestinal obstruction and hernia	M	91	6	-	1	-	1	3	4	12	29	35	134
		F	130	5	-	-	-	-	1	2	9	25	88	97
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	69	11	7	-	-	2	1	4	9	15	20	104
		F	136	14	4	1	1	-	2	6	13	33	62	101
B37	Cirrhosis of liver	M	53	-	-	1	1	-	1	7	20	19	4	113
		F	60	1	-	-	1	-	3	6	16	24	9	110
B38	Nephritis and nephrosis	M	83	2	-	1	2	3	2	11	19	19	24	122
		F	81	-	-	-	-	1	2	6	13	14	45	81
B39	Hyperplasia of prostate	M	135	-	-	-	-	-	-	1	10	24	100	88
B40	Complications of pregnancy, childbirth and puerperium	F	12	-	-	-	4	5	3	-	-	-	-	104
B41	Congenital malformations	M	163	114	11	6	4	5	2	8	4	7	2	98
		F	123	85	10	3	5	1	2	5	2	7	3	97
B42	Birth injuries, postnatal asphyxia and atelectasis	M	145	145	-	-	-	-	-	-	-	-	-	82
		F	84	84	-	-	-	-	-	-	-	-	-	92
B43	Diarrhoea of newborn (764)	M	-	-	-	-	-	-	-	-	-	-	-	80
		F	-	-	-	-	-	-	-	-	-	-	-	-
	Other infections of newborn (763, 765-768)	M	12	12	-	-	-	-	-	-	-	-	-	-
		F	13	13	-	-	-	-	-	-	-	-	-	53
B44	Other diseases of early infancy and immaturity unqualified	M	99	99	-	-	-	-	-	-	-	-	-	72
		F	88	88	-	-	-	-	-	-	-	-	-	76
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	63	1	-	1	-	-	1	-	1	7	52	86
		F	162	-	-	-	-	-	-	-	2	6	154	66
B46 (Rem.)	All other diseases (Remainder 001-795)	M	613	13	5	16	14	16	24	48	111	150	216	74
		F	932	10	11	9	12	17	30	53	94	233	463	104
BE47	Motor vehicle accidents	M	316	-	7	24	91	31	28	28	34	27	46	105
		F	150	2	5	6	14	6	12	12	18	25	50	91
BE48	All other accidents	M	351	20	9	18	55	27	29	28	48	39	78	93
		F	401	13	7	5	12	12	7	18	24	66	237	92
BE49	Suicide and self-inflicted injury	M	191	-	-	-	14	18	33	37	44	27	18	93
		F	165	-	-	-	11	12	18	40	34	35	15	99
BE50	Homicide and operations of war	M	10	1	1	1	1	4	-	-	-	1	1	115
		F	6	3	-	-	1	1	-	-	-	-	1	73
BN47	Fractures, head injuries and internal injuries	M	487	3	11	28	109	46	45	43	60	42	100	53
		F	395	5	6	8	22	12	14	14	23	59	232	92
BN48	Burns	M	23	1	-	-	4	1	-	4	4	3	6	91
		F	25	-	2	-	-	-	-	2	1	3	17	130
BN49	Effects of poisons	M	178	-	2	-	19	16	27	29	35	29	21	115
		F	224	1	2	1	9	17	20	41	41	49	43	99
BN50	All other injuries	M	180	17	4	15	29	17	18	17	27	20	16	116
		F	78	12	2	2	7	2	3	13	11	15	11	88

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		South West Metropolitan Hospital Region											
			Age											S.M.R. (England and Wales = 100)
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
		Numbers M	18,879	550	95	82	234	228	430	1,288	3,805	5,331	6,836	97
		F	19,875	420	75	43	96	141	333	923	2,084	4,162	11,598	101
	ALL CAUSES	Rates M	11,654	18,771	813	347	946	1,081	2,035	5,985	19,942	48,288	132,738	
		F	11,424	15,000	675	192	394	692	1,583	4,084	9,662	25,502	102,456	
B1	Tuberculosis of respiratory system	M	90	-	-	-	-	2	5	12	20	34	17	97
		F	40	-	-	-	-	-	3	8	7	10	12	115
B2	Tuberculosis, other forms	M	14	-	-	-	-	-	5	1	2	4	2	179
		F	9	-	-	-	-	1	-	1	1	1	5	94
B3	Syphilis and its sequelae	M	35	-	-	1	-	1	1	2	10	13	7	100
		F	53	-	-	-	-	-	2	-	7	14	30	205
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	1	-	-	-	-	-	-	-	1	-	-	146
		F	-	-	-	-	-	-	-	-	-	-	-	-
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	4	4	-	-	-	-	-	-	-	-	-	366
		F	1	1	-	-	-	-	-	-	-	-	-	133
B10	Meningococcal infections	M	4	1	2	-	-	-	1	-	-	-	-	143
		F	1	1	-	-	-	-	-	-	-	-	-	37
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	3	-	1	1	1	-	-	-	-	-	-	74
		F	2	-	2	-	-	-	-	-	-	-	-	75
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	24	1	2	1	2	1	2	4	8	3	-	96
		F	27	3	1	1	-	2	1	3	5	4	7	82
B18	Malignant neoplasm: (140-205)	M	4,404	2	10	19	26	41	92	373	1,216	1,506	1,119	105
		F	3,783	4	9	6	13	39	138	447	831	1,063	1,233	103
	stomach (151)	M	456	-	-	-	3	-	3	41	113	168	128	87
		F	324	-	-	-	-	2	1	17	42	109	153	80
	trachea, bronchus and lung (162, 163)	M	1,832	-	1	-	-	2	23	150	590	738	328	111
		F	476	-	-	-	-	1	10	63	144	145	113	140
	breast (170)	M	7	-	-	-	-	-	-	-	1	3	3	113
		F	774	-	-	-	-	10	33	150	192	192	197	104
	uterus (171-174)	F	253	-	-	-	-	4	22	38	75	65	49	91
	Leukaemia and aleukaemia (204)	M	119	1	4	6	5	4	7	11	30	27	24	110
		F	92	1	4	1	2	2	6	11	11	20	34	94
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	1,990	1	5	13	18	35	59	171	482	570	636	105
		F	1,864	3	5	5	11	20	66	168	367	532	687	103
B19	Benign and unspecified neoplasms	M	26	1	-	-	1	1	2	3	7	8	3	56
		F	48	-	1	2	-	-	6	8	12	13	6	92
B20	Diabetes mellitus	M	112	-	-	-	-	1	5	10	28	35	33	106
		F	159	-	-	-	1	3	3	4	22	48	78	79
B21	Anaemias	M	44	-	2	-	-	1	2	2	8	11	18	112
		F	69	-	-	-	2	1	1	2	2	20	41	87
B22	Vascular lesions affecting central nervous system	M	1,849	1	1	1	5	5	22	62	246	490	1,016	85
		F	3,099	1	1	-	3	5	28	77	258	609	2,117	89
B23	Non-meningococcal meningitis	M	11	4	1	-	1	1	1	-	1	1	1	70
		F	8	2	2	-	-	-	-	-	-	2	2	67
B24	Rheumatic fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	1	1	-	1	-	-	-	354
B25	Chronic rheumatic heart disease	M	131	-	-	2	1	3	9	29	44	26	17	95
		F	264	-	-	-	-	3	10	36	55	70	90	97

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		South West Metropolitan Hospital Region											
			Age											S.M.R. (England and Wales = 100)
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
B26	Arteriosclerotic heart disease including coronary disease (420)	M	4,603	-	-	-	2	10	109	431	1,187	1,447	1,417	94
		F	3,336	-	-	-	-	3	10	56	321	954	1,992	99
	Degenerative heart disease (421, 422)	M	871	1	-	-	1	1	1	18	59	140	650	101
		F	1,875	1	-	-	1	-	-	6	30	171	1,666	115
B27	Other diseases of heart	M	357	-	-	2	5	4	5	13	50	95	183	80
		F	542	-	-	-	2	1	2	14	28	91	404	86
B28	Hypertension with heart disease	M	131	-	-	-	-	1	-	3	20	48	59	61
		F	277	-	-	-	-	-	1	2	18	50	206	83
B29	Hypertension without mention of heart	M	165	-	-	-	-	1	6	10	50	52	46	132
		F	172	-	-	-	-	-	-	2	13	40	114	122
B46 (pt.)	Other circulatory diseases (450-468)	M	710	-	-	-	3	3	5	25	111	211	352	109
		F	970	-	-	-	-	3	8	28	56	168	707	105
B30	Influenza	M	22	-	-	-	-	1	-	-	2	4	15	83
		F	56	-	-	-	-	-	-	2	3	7	44	148
B31	Pneumonia	M	1,131	65	14	5	8	4	6	27	99	236	667	110
		F	1,686	39	9	2	6	3	14	28	66	217	1,302	127
B32	Bronchitis	M	1,359	10	5	1	2	-	6	48	244	491	552	94
		F	505	5	3	1	-	-	7	16	51	124	298	93
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	219	5	3	1	2	1	3	13	38	83	70	94
		F	144	4	4	1	1	1	3	2	18	26	84	114
B33	Ulcer of stomach and duodenum	M	139	-	-	-	-	-	1	6	29	44	59	82
		F	145	-	-	-	-	-	2	8	12	34	89	133
B34	Appendicitis	M	10	-	-	1	-	-	-	-	1	4	4	64
		F	15	-	1	2	-	-	-	1	1	2	8	107
B35	Intestinal obstruction and hernia	M	93	7	3	1	2	3	-	6	16	15	40	101
		F	142	6	-	-	-	-	2	4	11	25	94	115
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	59	4	4	-	-	3	2	6	5	17	18	88
		F	130	6	1	-	2	-	2	5	16	32	66	109
B37	Cirrhosis of liver	M	30	1	-	-	-	-	2	4	15	7	1	63
		F	51	-	-	-	-	-	3	11	10	17	10	105
B38	Nephritis and nephrosis	M	97	-	-	-	2	3	8	11	24	25	24	96
		F	84	1	-	3	5	2	3	6	6	23	35	92
B39	Hyperplasia of prostate	M	121	-	-	-	-	-	-	-	7	26	88	94
B40	Complications of pregnancy, childbirth and puerperium	F	17	-	-	-	3	10	4	-	-	-	-	141
B41	Congenital malformations	M	158	108	11	7	3	4	-	3	7	11	4	96
		F	154	96	15	8	1	2	2	4	6	8	12	104
B42	Birth injuries, postnatal asphyxia and atelectasis	M	152	152	-	-	-	-	-	-	-	-	-	98
		F	110	110	-	-	-	-	-	-	-	-	-	106
B43	Diarrhoea of newborn (764)	M	5	5	-	-	-	-	-	-	-	-	-	229
		F	1	1	-	-	-	-	-	-	-	-	-	56
	Other infections of newborn (763, 765-768)	M	22	22	-	-	-	-	-	-	-	-	-	98
		F	7	7	-	-	-	-	-	-	-	-	-	39
B44	Other diseases of early infancy and immaturity unqualified	M	124	124	-	-	-	-	-	-	-	-	-	96
		F	105	105	-	-	-	-	-	-	-	-	-	104
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	74	-	-	1	1	-	-	1	-	6	65	79
		F	175	1	-	-	-	-	-	-	1	1	172	81
B46 (Rem.)	All other diseases (Remainder 001-795)	M	594	18	9	10	27	23	22	57	120	142	166	102
		F	948	14	13	9	12	20	28	57	137	226	432	108
BE47	Motor vehicle accidents	M	286	-	12	15	77	25	26	30	34	22	45	84
		F	145	-	6	5	16	9	6	15	17	20	51	91
BE48	All other accidents	M	334	14	15	12	33	31	41	32	53	41	62	89
		F	323	10	6	2	12	12	19	29	24	37	172	75
BE49	Suicide and self-inflicted injury	M	245	-	-	-	28	47	35	44	43	32	16	129
		F	184	-	-	-	12	20	21	39	39	35	18	130
BE50	Homicide and operations of war	M	16	-	-	1	1	6	5	2	-	1	-	119
		F	10	2	1	1	3	-	1	1	-	-	1	89
BN47	Fractures, head injuries and internal injuries	M	420	1	14	23	86	47	49	37	55	37	71	80
		F	315	4	7	6	18	11	11	18	26	33	181	74
BN48	Burns	M	17	-	3	-	1	-	2	-	1	5	5	97
		F	11	-	2	-	-	-	1	-	1	-	7	51
BN49	Effects of poisons	M	250	1	3	2	27	40	30	41	45	33	28	140
		F	250	-	-	1	17	21	30	50	44	45	42	131
BN50	All other injuries	M	194	12	7	3	25	22	26	30	29	21	19	96
		F	86	8	4	1	8	9	5	16	9	14	12	86

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Wessex Hospital Region											
			Age											S.M.R. (England and Wales = 100)
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
	Numbers	M	11,491	296	59	44	146	121	259	681	2,072	3,382	4,431	102
		F	11,297	218	45	34	64	60	164	482	1,118	2,424	6,688	99
	ALL CAUSES													
	Rates	M	12,221	17,412	868	321	1,016	989	2,111	5,457	18,717	52,761	148,691	
		F	11,192	13,457	698	261	452	506	1,344	3,682	8,930	25,597	102,107	
B1	Tuberculosis of respiratory system	M	49	-	-	-	-	-	5	3	11	22	8	91
		F	16	-	-	-	-	-	2	2	5	3	4	80
B2	Tuberculosis, other forms	M	3	-	1	-	-	-	1	-	1	-	-	66
		F	4	-	-	-	-	-	-	1	-	2	1	72
B3	Syphilis and its sequelae	M	24	-	-	-	-	-	-	2	6	9	7	118
		F	14	-	-	-	-	-	-	-	3	3	8	93
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B7	Scarlet fever and streptococcal sore throat	M	1	-	-	-	-	1	-	-	-	-	-	836
		F	-	-	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	2	2	-	-	-	-	-	-	-	-	-	315
		F	2	2	-	-	-	-	-	-	-	-	-	458
B10	Meningococcal infections	M	1	1	-	-	-	-	-	-	-	-	-	62
		F	-	-	-	-	-	-	-	-	-	-	-	-
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	2	-	2	-	-	-	-	-	-	-	-	85
		F	4	1	3	-	-	-	-	-	-	-	-	259
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	9	1	-	-	-	-	1	1	4	-	2	62
		F	16	-	-	-	2	-	1	3	4	1	5	83
	Malignant neoplasm: (140-205)	M	2,490	2	8	9	12	22	51	189	630	903	664	103
		F	2,156	3	2	12	9	12	71	248	429	622	748	101
	stomach (151)	M	282	-	-	-	-	1	2	21	75	97	86	93
		F	196	-	-	-	1	-	-	5	24	59	107	83
	trachea, bronchus and lung (162, 163)	M	960	-	-	-	-	-	19	68	300	401	172	101
		F	208	-	-	-	-	1	3	23	58	81	42	105
B18	breast (170)	M	3	-	-	-	-	-	-	1	1	1	-	84
		F	457	-	-	-	1	1	21	79	103	118	134	106
	uterus (171-174)	F	156	-	-	-	-	-	7	33	34	43	39	97
	Leukaemia and aleukaemia (204)	M	81	1	2	6	4	2	3	6	16	30	11	129
		F	73	-	-	4	3	2	2	12	7	23	20	129
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	1,164	1	6	3	8	19	27	93	238	374	395	106
		F	1,066	3	2	8	4	8	38	96	203	298	406	101
B19	Benign and unspecified neoplasms	M	31	-	-	1	-	1	4	1	12	7	5	114
		F	22	-	-	-	-	1	1	3	8	8	1	73
B20	Diabetes mellitus	M	66	-	-	-	-	1	2	3	11	19	30	108
		F	107	-	-	-	-	2	-	5	9	34	57	92
B21	Anaemias	M	25	-	-	-	-	-	1	1	5	6	12	110
		F	42	-	1	-	-	-	-	3	2	5	31	92
B22	Vascular lesions affecting central nervous system	M	1,341	-	1	-	-	1	18	42	150	390	739	106
		F	1,997	-	-	1	5	5	10	41	127	387	1,421	99
B23	Non-meningococcal meningitis	M	8	3	2	-	-	-	-	-	1	2	-	87
		F	7	5	-	-	-	-	-	-	1	1	-	101
B24	Rheumatic fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	204
B25	Chronic rheumatic heart disease	M	64	-	-	1	-	2	4	11	21	14	11	80
		F	111	-	-	-	-	-	6	12	20	43	30	70

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Wessex Hospital Region											
			Age											S.M.R. (England and Wales = 100)
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	2,908	-	-	-	-	5	63	226	656	985	973	102
		F	1,911	-	-	1	-	1	5	30	179	559	1,136	98
		M	563	-	-	-	1	1	3	9	34	118	397	112
		F	1,152	-	-	-	-	-	1	3	18	99	1,031	122
B27	Other diseases of heart	M	242	-	-	-	3	2	5	11	33	64	124	93
		F	328	-	1	-	-	1	1	2	18	62	243	90
B28	Hypertension with heart disease	M	152	-	-	-	-	-	-	9	34	53	56	121
		F	228	-	-	-	-	-	2	11	14	59	142	117
B29	Hypertension without mention of heart	M	79	-	-	-	-	1	4	11	15	23	25	109
		F	66	-	-	-	-	-	1	3	1	9	10	42
B46 (pt.)	Other circulatory diseases (450-468)	M	383	-	-	-	1	4	5	13	47	106	207	101
		F	476	-	-	-	2	1	3	7	38	78	347	89
B30	Influenza	M	14	-	-	1	-	1	2	-	-	4	6	91
		F	19	-	-	-	-	-	-	-	3	3	12	87
B31	Pneumonia	M	656	27	11	3	1	3	2	11	38	134	426	110
		F	763	21	6	2	1	-	6	8	35	112	572	99
B32	Bronchitis	M	709	11	-	2	1	2	3	26	149	253	262	85
		F	228	6	4	1	1	-	2	6	14	59	135	72
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	116	5	1	-	1	-	2	4	21	45	37	86
		F	80	4	2	1	1	1	-	1	10	18	42	110
B33	Ulcer of stomach and duodenum	M	103	-	-	-	-	-	6	2	12	37	46	105
		F	87	-	-	-	-	-	3	3	11	15	55	138
B34	Appendicitis	M	9	-	-	-	1	-	1	-	4	2	1	99
		F	13	-	-	-	1	-	-	1	1	1	9	160
B35	Intestinal obstruction and hernia	M	63	9	1	1	-	2	-	3	4	15	28	118
		F	56	3	-	-	-	-	1	-	5	15	32	78
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	40	4	2	-	2	2	-	1	4	8	17	102
		F	71	3	3	-	1	2	-	2	4	15	41	103
B37	Cirrhosis of liver	M	26	-	-	-	-	-	-	7	6	12	1	95
		F	33	1	-	-	-	-	1	2	11	10	8	118
B38	Nephritis and nephrosis	M	55	-	1	1	-	1	5	8	13	10	16	94
		F	55	-	-	-	2	2	3	2	9	11	26	104
B39	Hyperplasia of prostate	M	81	-	-	-	-	-	-	-	5	12	64	109
B40	Complications of pregnancy, childbirth and puerperium	F	3	-	-	-	2	1	-	-	-	-	-	43
B41	Congenital malformations	M	96	61	7	4	6	1	3	2	6	4	2	100
		F	79	48	6	5	1	4	1	2	6	2	4	92
B42	Birth injuries, postnatal asphyxia and atelectasis	M	67	67	-	-	-	-	-	-	-	-	-	74
		F	52	52	-	-	-	-	-	-	-	-	-	87
B43	Diarrhoea of newborn (764)	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
	Other infections of newborn (763, 765-768)	M	14	14	-	-	-	-	-	-	-	-	-	107
		F	8	8	-	-	-	-	-	-	-	-	-	77
B44	Other diseases of early infancy and immaturity unqualified	M	61	61	-	-	-	-	-	-	-	-	-	81
		F	42	42	-	-	-	-	-	-	-	-	-	72
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	44	-	-	-	-	-	-	-	2	5	37	81
		F	102	-	-	-	-	-	-	1	2	3	96	82
B46 (Rem.)	All other diseases (Remainder 001-795)	M	332	14	4	4	8	6	18	30	62	73	113	98
		F	511	10	6	5	9	13	18	40	69	126	215	100
BE47	Motor vehicle accidents	M	210	-	8	9	71	30	22	17	21	11	21	106
		F	75	-	3	5	10	1	6	16	10	10	14	81
BE48	All other accidents	M	248	13	10	7	25	20	18	23	30	23	79	114
		F	257	9	8	1	3	4	7	6	19	35	165	104
BE49	Suicide and self-inflicted injury	M	99	-	-	1	13	12	9	15	23	11	15	90
BE50	Homicide and operations of war	F	98	-	-	-	10	7	10	20	24	13	14	120
		M	5	1	-	-	-	-	1	-	1	2	-	64
		F	5	-	-	-	4	-	-	-	1	-	-	77
BN47	Fractures, head injuries and internal injuries	M	332	1	11	13	79	40	32	26	32	19	79	109
		F	236	-	6	4	11	3	9	13	18	28	144	95
BN48	Burns	M	9	-	1	-	-	-	-	1	-	3	4	89
		F	7	1	-	-	-	-	-	-	-	2	4	56
BN49	Effects of poisons	M	114	-	2	1	12	11	11	17	25	13	22	110
		F	139	-	3	-	9	8	13	25	26	20	35	125
BN50	All other injuries	M	107	13	4	3	18	11	7	11	18	12	10	91
		F	53	8	2	2	7	1	1	4	10	8	10	92

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Oxford Hospital Region											
			Age											S.M.R. (England and Wales = 100)
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
	Numbers	M	9,047	296	59	60	151	112	222	626	1,747	2,520	3,254	84
		F	8,439	230	37	34	51	57	162	442	913	1,787	4,726	78
	ALL CAUSES													
	Rates	M	10,098	18,160	912	459	1,103	961	1,899	5,261	16,575	41,244	114,577	
		F	8,771	14,935	602	274	377	505	1,392	3,539	7,653	19,790	75,616	
B1	Tuberculosis of respiratory system	M	29	-	-	-	-	1	1	3	9	8	7	57
		F	10	-	-	-	-	-	-	3	3	1	3	52
B2	Tuberculosis, other forms	M	3	-	-	-	-	-	-	-	2	1	-	70
		F	4	-	-	-	-	1	-	1	-	1	1	75
B3	Syphilis and its sequelae	M	18	-	-	-	-	-	-	2	3	9	4	93
		F	11	-	-	-	-	-	-	-	3	2	6	77
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	1	1	-	-	-	-	-	-	-	-	-	165
		F	-	-	-	-	-	-	-	-	-	-	-	-
B10	Meningococcal infections	M	4	1	2	-	-	-	-	1	-	-	-	258
		F	-	-	-	-	-	-	-	-	-	-	-	-
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	4	1	2	1	-	-	-	-	-	-	-	178
		F	-	-	-	-	-	-	-	-	-	-	-	-
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	8	3	1	-	-	-	-	-	1	3	-	58
		F	27	2	2	2	1	-	1	2	4	4	9	148
	Malignant neoplasm: (140-205)	M	2,002	2	8	9	14	20	44	182	551	662	510	87
		F	1,670	-	6	2	10	21	72	220	367	473	499	82
	stomach (151)	M	226	-	-	-	-	-	2	18	64	76	66	78
		F	159	-	-	-	-	-	2	5	22	43	87	71
B18	trachea, bronchus and lung (162, 163)	M	744	-	-	-	-	1	11	76	258	288	110	82
		F	142	-	-	-	-	1	5	16	43	53	24	75
	breast (170)	M	1	-	-	-	-	-	-	1	-	-	-	29
		F	383	-	-	-	1	3	25	67	100	101	86	93
	uterus (171-174)	F	131	-	-	-	2	2	9	28	27	33	30	85
	Leukaemia and aleukaemia (204)	M	64	1	3	6	4	6	1	2	8	16	17	107
		F	39	-	1	2	2	4	5	2	5	9	9	72
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	967	1	5	3	10	13	30	85	221	282	317	92
		F	816	-	5	-	5	11	26	102	170	234	263	81
B19	Benign and unspecified neoplasms	M	26	2	-	2	1	-	-	2	8	9	2	101
		F	22	1	-	-	-	1	5	4	1	4	6	76
B20	Diabetes mellitus	M	48	-	-	2	-	1	1	5	5	15	19	82
		F	91	-	-	-	-	1	2	2	13	24	49	82
B21	Anaemias	M	24	1	-	1	-	-	1	-	3	6	12	111
		F	35	-	-	-	-	-	-	2	2	10	21	80
B22	Vascular lesions affecting central nervous system	M	966	-	1	1	-	5	14	30	145	263	507	80
		F	1,439	-	1	2	2	2	12	39	108	320	953	75
B23	Non-meningococcal meningitis	M	2	1	-	-	-	-	-	-	-	-	1	23
		F	10	4	3	-	-	-	1	-	1	1	-	151
B24	Rheumatic fever	M	1	-	1	-	-	-	-	-	-	-	-	433
		F	-	-	-	-	-	-	-	-	-	-	-	-
B25	Chronic rheumatic heart disease	M	59	-	-	-	1	2	1	14	16	12	13	78
		F	111	-	-	-	-	4	3	13	25	31	35	74

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Oxford Hospital Region											
			Age											S.M.R. (England and Wales = 100)
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	2,172	-	-	-	-	13	61	209	525	689	675	80
		F	1,340	-	-	-	1	1	6	34	131	364	803	72
		M	430	1	-	-	-	1	2	8	24	86	308	90
		F	708	-	-	1	-	1	2	2	19	73	610	78
B27	Other diseases of heart	M	234	-	-	-	1	2	4	4	28	67	128	95
		F	251	-	-	-	-	-	6	16	53	176	72	
B28	Hypertension with heart disease	M	114	-	-	-	-	-	3	5	28	37	41	95
		F	142	-	-	-	-	-	-	3	13	36	90	77
B29	Hypertension without mention of heart	M	68	-	-	-	-	-	4	7	20	21	16	99
		F	38	-	-	-	-	-	-	4	5	9	20	49
B46 (pt.)	Other circulatory diseases (450-468)	M	309	-	-	1	1	1	8	14	44	87	153	86
		F	370	-	-	-	1	3	2	12	31	80	241	73
B30	Influenza	M	8	-	-	-	1	1	-	-	-	2	4	55
		F	9	-	-	-	-	-	-	-	-	3	6	43
B31	Pneumonia	M	577	31	9	6	2	6	6	14	37	119	347	102
		F	659	20	5	3	1	-	3	10	29	73	515	90
B32	Bronchitis	M	503	2	1	1	-	1	-	22	98	197	181	63
		F	184	7	1	1	-	1	3	4	20	28	119	61
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	103	5	-	1	1	-	3	7	22	25	39	80
		F	56	3	-	2	1	1	3	5	3	10	28	80
B33	Ulcer of stomach and duodenum	M	68	-	-	-	1	3	1	4	15	16	28	73
		F	50	-	-	-	-	-	-	1	4	12	33	83
B34	Appendicitis	M	9	-	-	1	-	-	-	1	-	2	5	104
		F	4	-	-	-	-	-	-	-	-	-	4	52
B35	Intestinal obstruction and hernia	M	55	6	-	1	-	-	2	2	9	12	23	108
		F	55	3	-	-	-	-	1	-	4	14	33	81
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	27	-	1	-	-	2	1	1	6	4	12	73
		F	51	3	2	-	1	1	1	1	8	12	22	78
B37	Cirrhosis of liver	M	23	-	-	-	-	-	-	6	10	5	2	88
		F	24	-	-	-	-	-	2	5	6	5	6	90
B38	Nephritis and nephrosis	M	56	-	-	1	1	1	2	8	13	15	15	101
		F	36	-	1	1	1	1	2	2	5	9	14	72
B39	Hyperplasia of prostate	M	60	-	-	-	-	-	-	-	3	16	41	85
B40	Complications of pregnancy, childbirth and puerperium	F	5	-	-	-	3	-	1	1	-	-	-	75
B41	Congenital malformations	M	97	72	7	2	4	2	4	-	3	3	-	106
		F	81	57	5	4	3	1	-	3	4	2	2	99
B42	Birth injuries, postnatal asphyxia and atelectasis	M	68	68	-	-	-	-	-	-	-	-	-	79
		F	59	59	-	-	-	-	-	-	-	-	-	103
B43	Diarrhoea of newborn (764)	M	1	1	-	-	-	-	-	-	-	-	-	83
		F	-	-	-	-	-	-	-	-	-	-	-	-
	Other infections of newborn (763, 765-768)	M	8	8	-	-	-	-	-	-	-	-	-	64
		F	8	8	-	-	-	-	-	-	-	-	-	81
B44	Other diseases of early infancy and immaturity unqualified	M	64	64	-	-	-	-	-	-	-	-	-	89
		F	46	46	-	-	-	-	-	-	-	-	-	82
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	39	-	-	-	-	1	-	-	2	5	31	75
		F	71	-	-	-	1	1	-	1	1	1	67	60
B46 (Rem.)	All other diseases (Remainder 001-795)	M	270	11	8	8	12	5	14	19	42	73	78	84
		F	407	7	2	7	3	8	19	33	55	82	191	84
BE47	Motor vehicle accidents	M	219	1	6	10	75	23	20	23	26	18	17	116
		F	97	1	5	4	18	2	4	8	16	14	25	110
BE48	All other accidents	M	162	13	12	10	21	10	12	18	21	13	32	78
		F	194	7	4	3	1	2	8	8	6	22	133	82
BE49	Suicide and self-inflicted injury	M	101	-	-	-	14	8	13	15	28	20	3	96
		F	53	-	-	-	2	5	4	12	10	14	6	68
BE50	Homicide and operations of war	M	7	1	-	2	1	3	-	-	-	-	-	94
		F	11	2	-	2	1	-	5	1	-	-	-	177
BN47	Fractures, head injuries and internal injuries	M	288	1	7	13	84	27	25	31	38	24	38	100
		F	241	3	7	5	16	2	8	9	20	27	144	102
BN48	Burns	M	7	-	-	-	1	-	-	1	1	1	3	72
		F	8	-	-	-	-	-	-	-	-	4	4	68
BN49	Effects of poisons	M	67	-	1	-	8	4	9	14	15	12	4	68
		F	63	-	-	-	2	7	6	11	10	17	10	60
BN50	All other injuries	M	127	14	10	9	18	13	11	10	21	14	7	114
		F	43	7	2	4	4	-	7	9	2	2	6	78

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		South Western Hospital Region										
			Age										S.M.R. (England and Wales = 100)
			All ages	Under 1 year	Years								
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over
		Numbers M	18,445	431	72	99	222	162	420	1,223	3,414	5,469	6,933	95
		F	18,497	321	65	62	80	87	288	780	1,955	4,185	10,674	99
	ALL CAUSES	Rates M	12,368	16,902	684	436	941	888	2,291	6,629	19,234	47,433	126,978	
		F	11,814	13,264	649	286	381	514	1,593	4,004	9,722	26,140	98,197	
B1	Tuberculosis of respiratory system	M	66	-	-	-	-	-	7	7	12	30	10	73
		F	23	-	-	-	-	-	2	3	4	4	6	72
B2	Tuberculosis, other forms	M	5	-	-	-	1	1	4	3	4	4	6	72
		F	12	-	-	-	1	-	-	2	2	-	-	68
							-	-	1	2	2	3	4	135
B3	Syphilis and its sequelae	M	33	-	-	-	-	-	1	2	10	11	9	93
		F	21	-	-	-	-	-	-	2	1	5	13	85
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	1	-	-	-	-	-	1	-	-	-	-	156
		F	-	-	-	-	-	-	-	-	-	-	-	-
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-	297
B10	Meningococcal infections	M	4	2	-	1	-	-	-	-	1	-	-	158
		F	3	2	1	-	-	-	-	-	-	-	-	124
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	2	1	1	-	-	-	-	-	-	-	-	-
		F	5	1	3	-	-	-	-	-	-	-	-	54
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	1	-	208
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	27	1	1	4	-	3	2	2	4	3	7	114
		F	38	2	2	-	1	2	3	3	5	6	14	124
	Malignant neoplasm: (140-205)	M	3,759	2	9	16	22	27	93	333	958	1,333	966	91
		F	3,510	3	4	12	16	22	99	396	752	1,006	1,200	101
	stomach (151)	M	460	-	-	-	-	1	6	23	110	175	145	88
		F	375	-	-	-	-	3	5	17	51	103	196	97
	trachea, bronchus and lung (162, 163)	M	1,334	-	-	-	-	3	20	141	422	539	209	82
		F	295	-	-	-	2	1	7	30	76	115	64	92
B18	breast (170)	M	5	-	-	-	-	-	-	-	3	1	1	82
		F	711	-	-	-	-	8	31	127	185	172	188	103
	uterus (171-174)	F	271	-	-	-	-	-	17	55	55	78	66	105
	Leukaemia and aleukaemia (204)	M	108	1	5	10	2	1	9	12	21	26	21	103
		F	89	1	2	4	3	1	6	6	25	16	25	97
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	1,852	1	4	6	20	22	58	157	402	592	590	98
		F	1,769	2	2	8	11	9	33	161	360	522	661	103
B19	Benign and unspecified neoplasms	M	40	1	2	2	2	1	2	5	13	9	3	90
		F	33	-	-	1	1	1	1	4	6	10	9	68
B20	Diabetes mellitus	M	126	1	-	-	2	-	3	8	25	41	46	119
		F	197	-	-	-	1	-	3	5	26	70	92	102
B21	Anaemias	M	36	-	-	-	-	-	1	1	4	7	23	90
		F	51	1	-	1	-	-	1	-	4	11	33	68
B22	Vascular lesions affecting central nervous system	M	2,159	-	1	1	1	1	6	23	83	267	654	1,123	97
		F	3,472	-	1	-	2	5	22	67	264	743	2,368	104
B23	Non-meningococcal meningitis	M	18	6	4	1	-	-	-	-	4	2	1	123
		F	11	4	3	-	-	-	-	2	-	-	2	100
B24	Rheumatic fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-
B25	Chronic rheumatic heart disease	M	112	-	-	-	-	-	3	8	22	26	31	22	86
		F	199	-	-	1	1	1	9	20	47	56	64	64	78

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		South Western Hospital Region										
			Age										S.M.R. (England and Wales = 100)
			All ages	Under 1 year	Years								
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	4,792	-	-	-	-	6	97	409	1,180	1,639	1,461	98
		F	3,046	-	-	-	1	1	22	58	306	955	1,703	94
		M	1,230	-	-	-	1	3	7	24	80	220	895	136
		F	1,994	-	1	-	-	1	5	16	53	223	1,695	127
B27	Other diseases of heart	M	414	1	-	2	2	2	2	5	58	118	224	90
		F	566	-	-	-	1	1	6	6	36	111	405	94
B28	Hypertension with heart disease	M	244	-	-	-	-	-	2	12	37	88	105	111
		F	338	-	-	-	-	1	-	4	29	83	221	105
B29	Hypertension without mention of heart	M	125	-	-	-	-	1	4	15	25	31	49	101
		F	130	-	-	-	-	-	2	12	18	22	76	96
B46 (pt.)	Other circulatory diseases (450-468)	M	652	-	-	-	-	1	10	24	83	185	349	97
		F	879	1	-	-	2	4	7	14	58	150	643	100
B30	Influenza	M	20	1	-	-	-	-	-	1	4	3	11	75
		F	14	1	-	2	-	-	-	1	-	1	9	39
B31	Pneumonia	M	933	53	12	6	4	2	7	24	70	216	539	89
		F	1,106	35	10	5	2	1	6	10	49	181	807	87
B32	Bronchitis	M	1,006	3	2	-	2	2	10	26	196	391	374	69
		F	265	6	3	2	1	1	6	5	18	81	142	51
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	247	1	2	1	2	-	1	13	53	75	99	106
		F	105	1	2	-	-	1	4	7	12	20	58	88
B33	Ulcer of stomach and duodenum	M	147	-	-	-	-	2	2	12	22	50	59	86
		F	105	-	1	1	-	-	1	4	8	31	59	101
B34	Appendicitis	M	16	-	1	-	1	-	2	2	3	4	3	104
		F	7	-	-	-	1	-	-	-	1	2	3	53
B35	Intestinal obstruction and hernia	M	75	2	-	-	-	-	2	3	6	25	37	81
		F	107	3	1	-	-	-	2	3	13	21	64	91
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	63	7	1	1	3	1	2	3	9	17	19	96
		F	114	3	1	-	-	1	3	5	8	27	66	101
B37	Cirrhosis of liver	M	43	-	-	-	-	-	4	6	11	12	10	95
		F	37	-	-	-	-	-	3	7	9	10	8	82
B38	Nephritis and nephrosis	M	116	1	1	1	8	5	10	18	23	22	27	119
		F	83	-	-	1	2	5	4	7	11	20	33	97
B39	Hyperplasia of prostate	M	147	-	-	-	-	-	-	1	5	34	107	109
B40	Complications of pregnancy, childbirth and puerperium	F	5	-	-	-	4	1	-	-	-	-	-	49
B41	Congenital malformations	M	165	105	11	12	7	5	3	9	7	2	4	110
		F	132	92	6	6	4	1	5	6	5	5	2	99
B42	Birth injuries, postnatal asphyxia and atelectasis	M	126	126	-	-	-	-	-	-	-	-	-	91
		F	79	79	-	-	-	-	-	-	-	-	-	85
B43	Diarrhoea of newborn (764)	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	63
	Other infections of newborn (763, 765-768)	M	14	14	-	-	-	-	-	-	-	-	-	69
		F	14	14	-	-	-	-	-	-	-	-	-	87
B44	Other diseases of early infancy and immaturity unqualified	M	72	72	-	-	-	-	-	-	-	-	-	62
		F	44	44	-	-	-	-	-	-	-	-	-	49
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	112	-	-	-	1	1	-	2	2	3	103	114
		F	267	-	-	-	-	-	-	-	-	4	263	129
B46 (Rem.)	All other diseases (Remainder 001-795)	M	525	8	8	18	25	12	24	50	100	131	149	91
		F	822	8	14	5	6	18	31	60	135	199	346	99
BE47	Motor vehicle accidents	M	289	-	6	18	95	35	25	24	41	25	20	90
		F	125	1	5	9	21	5	6	7	14	33	24	85
BE48	All other accidents	M	280	21	9	14	29	29	26	31	33	30	58	78
		F	386	17	6	14	7	3	9	14	27	57	232	95
BE49	Suicide and self-inflicted injury	M	195	-	-	-	13	14	39	43	39	26	21	110
		F	136	-	-	-	3	9	23	29	33	33	6	106
BE50	Homicide and operations of war	M	9	2	1	1	1	-	1	1	1	1	-	73
		F	12	-	1	2	2	1	-	1	1	1	3	120
BN47	Fractures, head injuries and internal injuries	M	421	2	10	20	107	47	44	42	57	43	49	85
		F	377	1	6	13	24	6	9	12	24	66	216	93
BN48	Burns	M	21	-	1	2	-	-	-	4	3	3	8	124
		F	19	-	2	1	-	-	1	-	1	5	9	94
BN49	Effects of poisons	M	160	-	2	2	12	11	28	33	29	21	22	96
		F	178	-	2	5	5	8	22	28	36	41	31	102
BN50	All other injuries	M	171	21	3	9	19	20	19	20	25	15	20	91
		F	85	17	2	6	4	4	6	11	14	12	9	93

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Welsh Hospital Region											
			Age											S.M.R. (England and Wales = 100)
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
	ALL CAUSES	Numbers M	17,704	485	73	145	205	174	456	1,242	3,707	5,491	5,726	108
		F	15,456	328	60	108	89	103	292	789	1,853	3,973	7,861	107
		Rates M	13,331	21,556	791	705	1,028	1,075	2,588	7,358	23,068	55,633	136,986	
		F	11,185	15,472	683	546	467	662	1,709	4,555	10,534	30,190	101,826	
B1	Tuberculosis of respiratory system	M	117	-	1	-	1	1	3	10	42	35	24	150
		F	35	-	-	-	-	1	1	7	9	7	10	132
B2	Tuberculosis, other forms	M	11	1	-	-	-	2	-	1	4	2	1	170
		F	11	-	1	-	-	-	1	2	1	4	2	149
B3	Syphilis and its sequelae	M	22	-	-	-	1	-	-	1	3	12	5	74
		F	14	-	-	-	-	-	1	2	4	3	4	73
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	1	-	-	1	-	-	-	-	-	-	-	177
		F	-	-	-	-	-	-	-	-	-	-	-	-
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	592
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	1	1	-	-	-	-	-	-	-	-	-	117
		F	-	-	-	-	-	-	-	-	-	-	-	-
B10	Meningococcal infections	M	1	1	-	-	-	-	-	-	-	-	-	45
		F	4	1	1	-	-	-	-	1	1	-	-	187
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	4	-	3	-	-	1	-	-	-	-	-	122
		F	1	-	-	1	-	-	-	-	-	-	-	47
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	18	1	2	-	2	-	-	3	3	5	2	87
		F	29	4	1	-	-	3	1	4	4	4	8	114
B18	Malignant neoplasm: (140-205)	M	3,305	4	10	9	22	25	77	274	939	1,222	723	93
		F	2,796	-	4	10	15	23	132	315	601	851	845	100
	stomach (151)	M	553	-	-	-	-	1	5	37	156	212	142	125
		F	409	-	-	-	-	1	3	17	65	144	179	135
	trachea, bronchus and lung (162, 163)	M	1,165	-	-	-	1	1	22	105	417	471	148	83
		F	160	-	-	-	-	1	5	22	41	59	32	61
	breast (170)	M	8	-	-	-	-	-	1	1	3	1	2	154
		F	544	-	-	-	-	7	45	90	147	131	124	95
	uterus (171-174)	F	232	-	-	-	-	1	24	51	54	66	36	108
	Leukaemia and aleukaemia (204)	M	75	-	6	5	3	2	5	3	15	26	10	83
		F	80	-	3	3	3	2	4	10	17	18	20	106
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	1,504	4	4	4	18	21	44	128	348	512	421	94
		F	1,371	-	1	7	12	11	51	125	277	433	454	100
B19	Benign and unspecified neoplasms	M	43	1	-	-	2	2	5	7	12	9	5	110
		F	30	-	-	-	3	-	3	6	9	2	7	74
B20	Diabetes mellitus	M	82	-	-	-	2	1	2	3	19	32	23	92
		F	172	-	1	1	1	-	3	3	20	75	68	115
B21	Anaemias	M	30	-	-	1	-	-	-	1	5	7	16	92
		F	75	-	-	-	-	2	1	4	9	19	40	131
B22	Vascular lesions affecting central nervous system	M	2,009	-	2	-	-	7	27	79	308	647	939	110
		F	2,878	-	-	2	2	10	18	91	269	706	1,780	114
B23	Non-meningococcal meningitis	M	15	7	2	2	-	-	-	1	2	1	-	117
		F	9	2	-	-	-	-	-	-	-	2	5	97
B24	Rheumatic fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B25	Chronic rheumatic heart disease	M	133	-	-	-	1	6	18	28	36	28	16	116
		F	250	-	-	1	3	8	14	39	73	67	45	120

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Welsh Hospital Region											
			Age											S.M.R. (England and Wales = 100)
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	4,741	-	-	-	-	21	148	449	1,276	1,647	1,200	114
		F	2,854	-	-	-	-	1	3	17	101	361	1,009	114
		M	865	-	-	-	-	1	2	5	17	53	158	629	120
		F	1,274	-	-	-	-	-	-	-	15	46	182	1,031	111
B27	Other diseases of heart	M	384	-	-	1	3	1	5	13	56	120	185	102
		F	464	-	-	2	-	2	2	7	32	116	303	103
B28	Hypertension with heart disease	M	285	-	-	-	-	-	4	12	65	95	109	156
		F	321	-	-	-	-	-	1	4	27	108	181	132
B29	Hypertension without mention of heart	M	136	-	-	-	-	1	2	12	24	39	58	130
		F	163	-	-	-	-	1	-	13	9	49	91	159
B46 (pt.)	Other circulatory diseases (450-468)	M	517	-	-	-	-	1	9	24	65	135	283	94
		F	691	-	-	-	2	3	10	17	38	108	513	105
B30	Influenza	M	24	-	-	-	-	1	-	1	2	8	12	108
		F	28	-	-	-	-	-	-	1	1	6	20	104
B31	Pneumonia	M	699	48	10	4	6	6	5	18	66	171	365	82
		F	751	34	9	3	4	1	3	23	48	120	506	79
B32	Bronchitis	M	1,407	3	-	2	-	2	11	56	315	559	459	115
		F	373	7	4	-	-	-	5	11	42	120	184	93
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	436	4	2	-	-	-	5	24	110	178	113	222
		F	105	5	1	-	1	2	2	4	16	19	55	113
B33	Ulcer of stomach and duodenum	M	122	1	-	-	-	1	6	11	22	41	40	86
		F	62	1	-	-	-	1	2	2	8	18	30	78
B34	Appendicitis	M	15	-	-	1	1	-	1	-	3	4	5	114
		F	10	-	-	-	-	1	1	1	1	2	4	96
B35	Intestinal obstruction and hernia	M	75	8	-	2	-	1	1	10	14	19	20	98
		F	85	5	-	-	-	-	-	2	8	25	45	94
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	47	6	1	-	1	1	1	3	12	10	12	85
		F	89	3	4	1	1	1	1	2	15	28	33	100
B37	Cirrhosis of liver	M	36	-	-	-	-	-	2	4	12	10	8	90
		F	45	1	-	-	-	1	1	11	10	15	6	120
B38	Nephritis and nephrosis	M	103	-	-	1	2	6	8	20	20	21	25	123
		F	79	-	-	1	2	2	3	7	16	17	31	115
B39	Hyperplasia of prostate	M	142	-	-	-	-	-	-	-	8	37	97	133
B40	Complications of pregnancy, childbirth and puerperium	F	10	-	-	-	4	4	2	-	-	-	-	106
B41	Congenital malformations	M	138	99	11	5	5	2	2	2	3	7	2	105
		F	113	68	12	6	4	2	3	3	4	5	6	97
B42	Birth injuries, postnatal asphyxia and atelectasis	M	123	123	-	-	-	-	-	-	-	-	-	101
		F	81	81	-	-	-	-	-	-	-	-	-	100
B43	Diarrhoea of newborn (764)	M	2	2	-	-	-	-	-	-	-	-	-	117
		F	1	1	-	-	-	-	-	-	-	-	-	72
	Other infections of newborn (763, 765-768)	M	12	12	-	-	-	-	-	-	-	-	-	68
		F	16	16	-	-	-	-	-	-	-	-	-	114
B44	Other diseases of early infancy and immaturity unqualified	M	122	122	-	-	-	-	-	-	-	-	-	120
		F	67	67	-	-	-	-	-	-	-	-	-	85
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	118	-	-	1	1	1	-	3	2	10	100	154
		F	162	2	-	-	-	1	1	1	1	6	150	110
B46 (Rem.)	All other diseases (Remainder 001-795)	M	524	15	7	15	14	13	29	49	90	147	145	108
		F	691	17	7	4	13	13	24	48	112	184	269	105
BE47	Motor vehicle accidents	M	276	-	8	16	95	26	26	30	29	23	23	99
		F	109	-	7	11	20	4	6	10	16	23	12	88
BE48	All other accidents	M	407	23	14	84	33	25	31	45	48	34	70	132
		F	409	12	6	65	4	7	12	17	25	56	205	131
BE49	Suicide and self-inflicted injury	M	143	-	-	-	11	17	20	30	38	16	11	91
		F	84	-	-	-	6	5	19	14	16	16	8	76
BE50	Homicide and operations of war	M	13	3	-	-	1	1	3	1	1	2	1	120
		F	14	1	2	-	3	2	2	1	-	1	2	159
BN47	Fractures, head injuries and internal injuries	M	475	3	9	29	102	42	41	58	60	52	79	111
		F	336	1	7	12	19	6	7	12	24	56	192	107
BN48	Burns	M	15	1	3	-	2	-	2	1	1	-	5	104
		F	15	-	2	2	-	-	-	2	3	-	6	94
BN49	Effects of poisons	M	101	-	5	3	4	11	23	13	26	10	6	69
		F	115	-	1	2	6	5	20	21	20	27	13	78
BN50	All other injuries	M	248	22	5	68	32	16	14	34	29	13	15	150
		F	150	12	5	60	8	7	12	7	10	13	16	193

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Birmingham Hospital Region: Age: All ages	Under 1 year	Years: 1-	5-	15-	25-	35-	45-	55-	65-	75 and over	S.M.R. (England and Wales = 100)
		Numbers M	26,828	1,026	193	174	405	329	785	2,314	5,903	7,639	8,060	103
		F	24,049	752	139	99	141	213	531	1,344	2,918	5,747	12,165	102
	ALL CAUSES	Rates M	10,658	21,600	1,027	447	1,009	976	2,256	7,087	21,419	53,457	132,131	
		F	9,430	16,711	779	269	365	681	1,631	4,232	9,949	28,764	98,742	
B1	Tuberculosis of respiratory system	M	149	-	1	-	2	2	8	20	46	49	21	118
		F	56	-	-	-	-	1	6	9	12	12	16	126
B2	Tuberculosis, other forms	M	12	1	1	-	-	-	-	3	3	2	2	106
		F	20	-	1	1	1	3	1	3	3	4	3	158
B3	Syphilis and its sequelae	M	41	-	-	-	-	-	2	5	4	20	10	89
		F	29	-	-	-	-	-	-	1	5	11	12	94
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	1	-	-	-	-	-	-	-	-	-	1	96
		F	-	-	-	-	-	-	-	-	-	-	-	-
B7	Scarlet fever and streptococcal sore throat	M	1	-	1	-	-	-	-	-	-	-	-	300
		F	-	-	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	2	2	-	-	-	-	-	-	-	-	-	114
		F	3	3	-	-	-	-	-	-	-	-	-	248
B10	Meningococcal infections	M	4	2	2	-	-	-	-	-	-	-	-	90
		F	7	2	2	-	-	-	1	-	1	1	-	169
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	10	2	4	3	1	-	-	-	-	-	-	152
		F	6	-	5	1	-	-	-	-	-	-	-	141
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	1	-	-	-	-	-	-	1	-	-	-	245
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	37	5	5	2	4	1	4	3	5	4	4	101
		F	44	5	4	3	1	2	3	8	8	3	7	99
B18	Malignant neoplasm: (140-205)	M	5,725	5	17	27	41	58	165	665	1,699	1,908	1,140	102
		F	4,606	2	19	22	18	57	234	602	1,046	1,300	1,306	100
	stomach (151)	M	769	-	-	-	-	2	19	88	218	263	179	110
		F	535	-	-	-	1	1	14	30	106	181	202	110
	trachea, bronchus and lung (162, 163)	M	2,225	-	-	-	2	6	55	288	805	806	263	99
		F	371	-	-	-	1	-	16	73	123	109	49	86
	breast (170)	M	9	-	-	-	-	-	1	1	2	3	2	108
		F	959	-	-	-	-	20	71	177	259	224	208	101
	uterus (171-174)	F	364	-	1	-	-	4	34	78	90	103	54	102
	Leukaemia and aleukaemia (204)	M	135	2	5	9	9	10	8	13	22	28	29	89
		F	128	-	5	9	4	7	7	7	27	26	36	100
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	2,587	3	12	18	30	40	82	275	652	808	667	102
		F	2,249	2	13	13	12	25	92	237	441	657	757	100
B19	Benign and unspecified neoplasms	M	48	1	1	3	3	1	1	11	12	7	8	72
		F	75	2	1	2	2	1	8	9	17	19	14	109
B20	Diabetes mellitus	M	177	-	-	1	4	4	15	14	37	56	46	126
		F	292	-	-	1	2	2	3	7	41	93	143	122
B21	Anaemias	M	40	1	1	1	1	1	3	1	2	10	19	79
		F	94	-	1	-	1	-	2	6	5	17	62	103
B22	Vascular lesions affecting central nervous system	M	3,124	1	4	3	11	14	41	157	501	976	1,416	113
		F	4,285	2	-	3	3	11	38	132	379	1,062	2,655	107
B23	Non-meningococcal meningitis	M	30	13	3	1	-	-	2	2	2	4	3	125
		F	16	6	3	2	-	-	-	-	1	2	2	93
B24	Rheumatic fever	M	2	-	-	-	-	-	1	-	1	-	-	321
		F	2	-	-	1	-	-	-	-	-	1	-	165
B25	Chronic rheumatic heart disease	M	239	-	1	-	1	12	33	53	65	51	23	123
		F	442	-	-	-	1	13	33	68	134	101	92	127

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Birmingham Hospital Region: Age: All ages	Under 1 year	Years: 1-	5-	15-	25-	35-	45-	55-	65-	75 and over	S.M.R. (England and Wales = 100)
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	6,310	-	-	-	2	24	215	700	1,763	1,973	1,633	96
		F	3,866	-	-	-	1	4	23	112	449	1,230	2,047	98
		M	1,146	1	-	-	1	6	13	25	94	258	748	107
		F	1,799	1	1	-	1	-	3	16	59	242	1,476	99
B27	Other diseases of heart	M	545	2	1	1	-	2	11	28	87	161	252	95
		F	745	1	1	-	1	4	6	18	57	185	472	104
B28	Hypertension with heart disease	M	363	-	-	-	1	3	8	22	91	121	117	129
		F	475	-	-	-	-	2	2	12	54	126	279	123
B29	Hypertension without mention of heart	M	194	-	-	-	2	2	17	24	53	48	48	116
		F	171	-	-	1	-	2	1	11	20	44	92	104
B46 (pt.)	Other circulatory diseases (450-468)	M	881	-	-	-	4	2	14	55	142	240	424	106
		F	1,005	-	-	-	3	6	15	23	79	210	669	96
B30	Influenza	M	46	2	-	-	-	4	2	9	8	8	13	133
		F	25	1	-	-	1	-	1	1	1	6	14	58
B31	Pneumonia	M	1,431	122	24	9	7	6	11	58	166	330	698	109
		F	1,595	80	15	4	1	6	14	36	90	259	1,090	104
B32	Bronchitis	M	2,040	27	9	-	3	1	17	125	522	737	599	108
		F	725	15	6	-	1	5	5	38	80	201	374	112
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	320	4	4	-	1	3	5	20	74	122	85	103
		F	156	2	-	1	3	3	4	16	23	30	74	102
B33	Ulcer of stomach and duodenum	M	262	-	-	-	-	-	8	24	60	84	86	118
		F	124	1	-	-	-	-	3	9	17	37	57	97
B34	Appendicitis	M	30	-	3	2	1	2	1	2	3	9	7	138
		F	20	1	-	3	-	2	2	1	4	1	6	115
B35	Intestinal obstruction and hernia	M	126	15	3	-	3	3	-	6	25	28	43	102
		F	155	7	1	-	-	3	1	8	17	37	81	106
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	94	23	6	-	-	2	6	5	19	13	20	100
		F	144	13	8	3	-	-	3	5	14	35	63	98
B37	Cirrhosis of liver	M	76	-	1	1	1	1	5	13	27	19	8	114
		F	64	-	-	1	-	2	5	13	17	17	9	102
B38	Nephritis and nephrosis	M	144	-	-	2	6	1	8	27	43	23	34	103
		F	133	1	1	-	4	8	12	19	16	30	42	117
B39	Hyperplasia of prostate	M	167	-	-	-	-	-	-	-	8	40	119	106
B40	Complications of pregnancy, childbirth and puerperium	F	26	-	-	-	9	9	8	-	-	-	-	139
B41	Congenital malformations	M	265	199	15	7	12	7	6	7	7	3	2	101
		F	241	168	25	10	5	2	4	5	7	11	4	105
B42	Birth injuries, postnatal asphyxia and atelectasis	M	305	305	-	-	-	-	-	-	-	-	-	122
		F	180	180	-	-	-	-	-	-	-	-	-	108
B43	Diarrhoea of newborn (764)	M	3	3	-	-	-	-	-	-	-	-	-	85
		F	4	4	-	-	-	-	-	-	-	-	-	140
	Other infections of newborn (763, 765-768)	M	52	52	-	-	-	-	-	-	-	-	-	143
		F	44	44	-	-	-	-	-	-	-	-	-	153
B44	Other diseases of early infancy and immaturity unqualified	M	180	180	-	-	-	-	-	-	-	-	-	86
		F	155	155	-	-	-	-	-	-	-	-	-	95
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	112	2	-	-	3	1	1	-	4	6	95	99
		F	231	1	-	1	-	2	1	1	1	4	220	98
B46 (Rem.)	All other diseases (Remainder 001-795)	M	748	23	20	31	27	22	33	81	143	182	186	94
		F	1,044	20	18	8	28	20	51	88	166	261	384	96
BE47	Motor vehicle accidents	M	552	-	24	37	176	78	31	49	59	54	44	106
		F	233	-	10	19	32	16	11	18	30	49	48	108
BE48	All other accidents	M	531	32	39	42	62	26	51	62	68	58	91	97
		F	560	34	15	12	11	9	12	19	37	79	332	108
BE49	Suicide and self-inflicted injury	M	244	-	-	1	25	32	44	33	60	35	14	86
		F	138	-	-	-	7	16	14	28	27	26	20	72
BE50	Homicide and operations of war	M	18	1	3	-	-	6	3	4	-	-	1	86
		F	14	1	2	-	4	2	1	2	1	1	-	84
BN47	Fractures, head injuries and internal injuries	M	819	3	27	48	191	99	60	91	94	90	116	106
		F	618	3	12	22	33	21	14	26	46	110	331	118
BN48	Burns	M	29	1	1	1	5	-	1	4	6	5	5	117
		F	22	1	2	-	-	2	-	-	2	3	12	82
BN49	Effects of poisons	M	207	2	9	1	24	23	41	28	45	22	12	79
		F	175	2	4	1	12	15	16	31	29	31	34	68
BN50	All other injuries	M	290	27	29	30	43	20	27	25	42	30	17	95
		F	130	29	9	8	9	5	8	10	18	11	23	93

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Manchester Hospital Region: All ages	Under 1 year	Years: 1-	5-	15-	25-	35-	45-	55-	65-	75 and over	S.M.R. (England and Wales = 100)
		Numbers M	29,696	948	156	159	320	287	782	2,351	6,569	8,980	9,144	115
		F	29,326	703	127	91	123	211	540	1,519	3,625	7,389	14,998	116
	ALL CAUSES	Rates M	13,550	23,292	948	458	1,041	1,078	2,726	8,060	24,330	58,161	146,774	
		F	12,399	18,260	812	276	392	808	1,916	4,932	11,652	31,890	112,093	
B1	Tuberculosis of respiratory system	M	153	-	-	-	1	1	9	31	48	47	16	122
		F	38	1	-	-	1	2	3	8	6	14	3	82
B2	Tuberculosis, other forms	M	10	-	1	-	-	1	-	3	2	1	2	95
		F	10	-	2	-	-	-	-	1	2	2	3	78
B3	Syphilis and its sequelae	M	46	-	-	-	-	2	-	3	10	19	12	98
		F	25	-	-	-	-	1	-	-	6	8	10	74
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B7	Scarlet fever and streptococcal sore throat	M	1	-	-	-	-	-	1	-	-	-	-	362
		F	1	-	1	-	-	-	-	-	-	-	-	341
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	2	2	-	-	-	-	-	-	-	-	-	130
		F	-	-	-	-	-	-	-	-	-	-	-	-
B10	Meningococcal infections	M	1	-	1	-	-	-	-	-	-	-	-	25
		F	5	1	2	-	-	-	-	1	-	1	-	133
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	4	3	1	-	-	-	-	-	-	-	-	70
		F	1	-	1	-	-	-	-	-	-	-	-	27
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	33	2	1	-	2	-	5	6	5	7	5	97
		F	43	1	4	-	-	6	1	2	9	12	8	97
B18	Malignant neoplasm: (140-205)	M	5,922	1	16	17	27	46	162	594	1,749	1,985	1,325	105
		F	5,159	2	15	17	13	49	224	666	1,152	1,495	1,526	105
	stomach (151)	M	793	-	-	1	-	4	11	82	237	267	191	113
		F	676	-	-	-	-	1	7	36	114	232	286	128
	trachea, bronchus and lung (162, 163)	M	2,329	-	-	-	4	5	66	260	824	831	339	103
		F	454	-	-	-	2	6	22	65	132	130	97	98
	breast (170)	M	10	-	-	-	-	-	-	-	4	4	2	120
		F	997	-	-	-	1	12	65	185	254	232	248	100
	uterus (171-174)	F	420	-	1	-	-	3	33	95	110	103	75	112
	Leukaemia and aleukaemia (204)	M	136	-	10	8	2	5	6	14	45	33	13	93
		F	121	1	7	9	2	6	7	12	27	20	30	93
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	2,654	1	6	8	21	32	79	238	639	850	780	105
		F	2,491	1	7	8	8	21	90	273	515	778	790	103
B19	Benign and unspecified neoplasms	M	63	-	-	3	4	4	3	7	19	16	7	99
		F	62	-	-	-	1	3	6	7	16	15	14	88
B20	Diabetes mellitus	M	142	-	-	1	-	2	10	17	31	45	36	101
		F	273	1	-	-	-	2	5	5	50	108	102	104
B21	Anaemias	M	48	-	-	-	1	2	2	4	5	7	27	94
		F	142	-	1	-	-	-	-	3	7	40	91	143
B22	Vascular lesions affecting central nervous system	M	3,551	2	-	-	6	12	44	140	601	1,188	1,558	125
		F	5,263	-	2	1	10	11	45	162	452	1,365	3,215	120
B23	Non-meningococcal meningitis	M	27	9	2	2	-	2	1	2	3	3	3	124
		F	16	1	5	1	2	1	-	1	1	2	2	97
B24	Rheumatic fever	M	1	-	-	-	-	-	-	-	-	-	1	176
		F	1	-	-	-	-	-	-	-	1	-	-	88
B25	Chronic rheumatic heart disease	M	210	-	-	1	1	1	7	22	30	72	46	31	113
		F	406	1	-	-	1	2	27	60	132	93	90	111

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Manchester Hospital Region: All ages	Under 1 year	Years: 1-	5-	15-	25-	35-	45-	55-	65-	75 and over	S.M.R. (England and Wales = 100)
B26	Arteriosclerotic heart disease including coronary disease (420)	M	7,516	-	-	-	1	22	219	837	2,153	2,526	1,758	114
		F	5,037	-	-	-	-	6	34	180	753	1,677	2,387	116
	Degenerative heart disease (421, 422)	M	1,374	-	-	1	1	6	13	30	104	296	923	125
		F	2,406	-	-	-	1	-	-	12	61	330	2,002	121
B27	Other diseases of heart	M	730	3	1	-	3	3	5	33	118	232	332	125
		F	1,004	1	-	-	1	6	8	16	85	258	629	128
B28	Hypertension with heart disease	M	286	-	-	-	1	2	4	13	66	101	99	100
		F	410	-	-	-	-	-	1	14	41	122	232	96
B29	Hypertension without mention of heart	M	162	-	-	-	1	1	12	35	39	30	44	98
		F	162	-	-	-	-	-	5	2	17	43	95	90
B46 (pt.)	Other circulatory diseases (450-468)	M	971	-	1	-	2	3	13	29	132	273	518	115
		F	1,395	-	-	-	5	4	19	37	82	254	994	122
B30	Influenza	M	76	1	-	-	-	-	1	5	12	28	29	219
		F	122	-	1	-	-	-	-	3	12	23	83	260
B31	Pneumonia	M	1,410	125	26	13	7	4	13	48	145	375	654	107
		F	1,818	92	25	13	-	8	13	40	131	327	1,169	110
B32	Bronchitis	M	2,566	37	6	2	1	3	23	126	625	980	763	133
		F	1,114	12	1	2	4	3	10	51	145	358	528	159
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	334	9	4	4	8	2	6	21	76	113	91	107
		F	199	8	3	2	1	4	8	18	24	37	94	123
B33	Ulcer of stomach and duodenum	M	268	-	-	-	-	3	12	16	63	84	90	119
		F	151	-	-	-	2	1	4	7	25	40	72	109
B34	Appendicitis	M	29	-	3	2	3	-	-	1	6	7	7	138
		F	21	-	-	1	-	-	3	-	1	9	7	115
B35	Intestinal obstruction and hernia	M	124	5	1	3	-	1	3	13	22	30	46	102
		F	179	5	-	2	-	2	3	8	14	65	80	113
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	114	30	9	1	1	2	3	5	22	16	25	126
		F	177	25	3	-	4	-	10	5	18	60	52	114
B37	Cirrhosis of liver	M	62	1	1	-	-	-	3	12	27	13	5	95
		F	75	-	-	-	2	1	4	15	14	29	10	114
B38	Nephritis and nephrosis	M	158	1	-	2	10	6	12	24	29	41	33	118
		F	141	1	1	5	1	3	5	14	26	34	51	118
B39	Hyperplasia of prostate	M	180	-	-	-	-	-	-	1	9	48	122	111
B40	Complications of pregnancy, childbirth and puerperium	F	16	-	-	-	3	8	5	-	-	-	-	102
B41	Congenital malformations	M	222	159	18	9	2	7	7	6	5	7	2	97
		F	216	140	14	12	6	7	3	7	11	11	5	105
B42	Birth injuries, postnatal asphyxia and atelectasis	M	231	231	-	-	-	-	-	-	-	-	-	106
		F	151	151	-	-	-	-	-	-	-	-	-	104
B43	Diarrhoea of newborn (764)	M	5	5	-	-	-	-	-	-	-	-	-	163
		F	1	1	-	-	-	-	-	-	-	-	-	40
	Other infections of newborn (763, 765-768)	M	41	41	-	-	-	-	-	-	-	-	-	130
		F	33	33	-	-	-	-	-	-	-	-	-	151
B44	Other diseases of early infancy and immaturity unqualified	M	237	237	-	-	-	-	-	-	-	-	-	131
		F	163	163	-	-	-	-	-	-	-	-	-	115
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	226	2	-	1	2	-	-	3	3	11	204	196
		F	555	4	1	-	-	-	-	1	3	20	526	217
B46 (Rem.)	All other diseases (Remainder 001-795)	M	801	12	10	15	29	24	40	87	172	225	187	103
		F	1,158	20	16	11	13	25	43	90	192	313	435	101
BE47	Motor vehicle accidents	M	514	1	26	44	125	52	39	55	59	58	55	114
		F	265	-	9	15	33	25	11	13	34	71	54	125
BE48	All other accidents	M	541	27	24	37	58	35	44	54	76	71	115	108
		F	664	35	19	9	6	11	9	31	42	106	396	122
BE49	Suicide and self-inflicted injury	M	282	-	-	-	19	28	49	58	60	49	19	110
		F	236	-	-	-	11	20	29	37	60	47	32	123
BE50	Homicide and operations of war	M	22	2	4	1	4	4	2	2	1	2	-	123
		F	12	4	1	-	2	-	2	2	-	-	1	80
BN47	Fractures, head injuries and internal injuries	M	755	4	32	53	141	65	62	76	88	101	133	110
		F	653	4	13	17	31	22	13	19	45	124	365	120
BN48	Burns	M	29	1	1	2	4	2	2	3	3	4	7	125
		F	43	-	3	2	-	2	-	4	4	7	21	155
BN49	Effects of poisons	M	284	1	3	1	24	23	45	56	63	38	30	119
		F	301	2	5	2	13	23	30	44	60	58	64	117
BN50	All other injuries	M	291	24	18	26	37	29	25	34	42	37	19	107
		F	180	33	8	3	8	9	8	16	27	35	33	134

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Liverpool Hospital Region: Age: All ages	Under 1 year	Years: 1-	5-	15-	25-	35-	45-	55-	65-	75 and over	S.M.R. (England and Wales = 100)
		Numbers M	12,848	474	72	77	163	148	362	1,075	2,746	3,951	3,780	114
	ALL CAUSES	F	12,572	360	56	49	73	92	250	730	1,540	2,982	6,440	106
		Rates M	11,954	23,010	823	408	964	1,063	2,772	8,225	23,754	59,324	143,726	
		F	10,696	18,557	672	270	413	678	1,862	5,144	11,399	28,812	100,312	
B1	Tuberculosis of respiratory system	M	77	-	-	-	-	2	5	14	23	25	8	141
		F	34	-	-	-	-	3	4	6	10	6	5	160
B2	Tuberculosis, other forms	M	3	1	-	-	-	-	1	-	1	-	-	63
		F	4	-	-	1	-	-	-	1	-	2	-	66
B3	Syphilis and its sequelae	M	35	-	-	-	-	-	-	1	6	14	14	173
		F	19	1	-	-	-	-	-	-	2	9	7	122
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	1	-	-	-	-	-	1	-	-	-	-	219
		F	-	-	-	-	-	-	-	-	-	-	-	-
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	1	-	1	-	-	-	-	-	-	-	-	124
		F	1	1	-	-	-	-	-	-	-	-	-	180
B10	Meningococcal infections	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	52
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	1	-	1	-	-	-	-	-	-	-	-	33
		F	1	-	1	-	-	-	-	-	-	-	-	51
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	1	-	-	-	-	-	-	-	-	1	-	593
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	23	2	3	3	2	2	1	5	1	4	-	145
		F	25	3	2	1	2	1	3	2	3	3	5	118
	Malignant neoplasm: (140-205)	M	2,720	-	10	10	15	22	84	275	754	968	582	111
		F	2,366	1	6	8	15	27	105	332	520	651	701	105
	stomach (151)	M	361	-	-	-	-	2	7	32	106	122	92	119
		F	255	-	-	-	-	-	6	17	42	87	103	105
	trachea, bronchus and lung (162, 163)	M	1,120	-	-	-	-	4	27	125	376	434	154	115
		F	254	-	-	1	-	2	13	46	63	70	59	121
B18	breast (170)	M	4	-	-	-	-	-	-	1	2	-	1	112
		F	456	-	-	-	-	6	36	87	116	100	111	100
	uterus (171-174)	F	191	-	-	-	-	-	12	57	48	47	27	112
	Leukaemia and aleukaemia (204)	M	54	-	3	5	2	3	2	7	6	20	6	82
		F	59	-	3	4	3	1	3	5	10	13	17	96
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	1,181	-	7	5	13	13	48	110	264	392	329	107
		F	1,151	1	3	3	12	18	35	120	241	334	384	104
B19	Benign and unspecified neoplasms	M	35	-	1	1	2	1	1	10	8	8	3	123
		F	45	-	1	1	1	4	4	9	8	7	10	138
B20	Diabetes mellitus	M	46	-	-	-	3	-	3	1	6	15	18	76
		F	128	-	-	1	-	1	-	5	22	47	52	106
B21	Anaemias	M	36	-	-	-	-	1	-	3	4	10	18	163
		F	66	-	-	-	-	-	1	4	-	18	43	141
B22	Vascular lesions affecting central nervous system	M	1,283	-	-	2	3	9	22	70	231	388	558	106
		F	2,002	-	-	1	4	7	12	77	191	514	1,196	98
B23	Non-meningococcal meningitis	M	12	7	1	-	1	-	-	1	1	1	-	112
		F	8	2	2	-	1	-	1	1	1	-	-	98
B24	Rheumatic fever	M	1	-	-	-	-	-	-	-	1	-	-	389
		F	-	-	-	-	-	-	-	-	-	-	-	-
B25	Chronic rheumatic heart disease	M	75	-	-	-	1	1	11	14	26	15	7	92
		F	193	-	-	-	2	8	13	50	45	38	37	115

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Liverpool Hospital Region: Age: All ages	Under 1 year	Years: 1-	5-	15-	25-	35-	45-	55-	65-	75 and over	S.M.R. (England and Wales = 100)
B26	Arteriosclerotic heart disease including coronary disease (420)	M	3,236	-	-	-	1	15	89	375	870	1,110	776	114
		F	2,061	-	-	-	-	2	23	51	318	662	1,005	102
	Degenerative heart disease (421, 422)	M	403	-	-	-	2	2	6	11	32	95	255	86
		F	900	-	-	-	-	1	2	10	18	117	752	96
B27	Other diseases of heart	M	331	-	-	-	2	1	5	17	57	100	149	132
		F	526	1	-	-	1	2	2	13	34	122	351	143
B28	Hypertension with heart disease	M	144	-	-	-	-	-	2	8	31	56	47	117
		F	237	-	-	-	-	-	-	5	26	69	137	120
B29	Hypertension without mention of heart	M	53	-	-	-	1	2	3	10	16	6	15	74
		F	79	-	-	-	-	-	1	-	7	29	42	94
B46 (pt.)	Other circulatory diseases (450-468)	M	383	-	-	-	-	1	4	12	44	127	195	106
		F	531	-	-	-	-	-	4	15	44	99	369	99
B30	Influenza	M	38	-	-	-	-	-	4	3	7	10	14	253
		F	72	-	-	1	-	-	1	4	4	12	50	325
B31	Pneumonia	M	769	50	10	2	4	3	10	28	73	215	374	133
		F	1,040	42	8	3	2	5	7	14	59	175	725	132
B32	Bronchitis	M	1,166	20	3	1	-	3	10	50	280	466	333	141
		F	431	9	3	-	1	-	6	28	58	113	213	132
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	132	1	2	-	-	2	3	18	28	42	36	97
		F	78	4	-	-	1	1	3	3	8	14	44	103
B33	Ulcer of stomach and duodenum	M	120	-	-	1	-	1	2	3	31	44	38	124
		F	58	-	-	1	-	1	1	1	9	14	31	90
B34	Appendicitis	M	5	-	-	-	-	-	-	1	-	2	-	53
		F	12	1	1	-	-	-	1	-	1	4	4	140
B35	Intestinal obstruction and hernia	M	50	6	1	-	1	-	-	3	13	13	13	93
		F	64	6	-	-	-	-	1	5	5	16	31	86
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	45	13	3	-	-	4	2	1	2	12	8	109
		F	75	5	4	-	3	-	2	5	12	21	23	102
B37	Cirrhosis of liver	M	36	-	-	-	-	-	1	9	15	9	2	127
		F	29	-	-	-	-	-	1	7	6	9	6	96
B38	Nephritis and nephrosis	M	66	-	-	2	7	2	7	4	13	13	18	131
		F	61	-	-	-	3	1	5	8	8	8	28	110
B39	Hyperplasia of prostate	M	73	-	-	-	-	-	-	-	3	23	47	106
B40	Complications of pregnancy, childbirth and puerperium	F	4	-	-	-	2	-	2	-	-	-	-	49
B41	Congenital malformations	M	133	94	7	11	8	5	1	5	1	1	-	112
		F	117	87	8	6	4	-	3	2	2	3	2	110
B42	Birth injuries, postnatal asphyxia and atelectasis	M	101	101	-	-	-	-	-	-	-	-	-	88
		F	67	67	-	-	-	-	-	-	-	-	-	88
B43	Diarrhoea of newborn (764)	M	1	1	-	-	-	-	-	-	-	-	-	62
		F	1	1	-	-	-	-	-	-	-	-	-	76
	Other infections of newborn (763, 765-768)	M	12	12	-	-	-	-	-	-	-	-	-	72
		F	10	10	-	-	-	-	-	-	-	-	-	76
B44	Other diseases of early infancy and immaturity unqualified	M	141	141	-	-	-	-	-	-	-	-	-	148
		F	95	95	-	-	-	-	-	-	-	-	-	127
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	58	-	-	-	-	1	-	3	2	3	49	118
		F	115	2	-	-	-	-	-	-	-	4	109	94
B46 (Rem.)	All other diseases (Remainder 001-795)	M	410	12	8	7	16	13	26	42	79	93	114	119
		F	502	9	4	7	3	12	19	39	70	120	219	94
BE47	Motor vehicle accidents	M	224	-	11	18	61	28	24	26	30	11	15	102
		F	115	1	5	12	14	4	7	6	13	20	33	112
BE48	All other accidents	M	258	12	10	18	17	11	19	27	42	39	63	110
		F	313	11	9	4	3	4	4	14	20	45	199	121
BE49	Suicide and self-inflicted injury	M	102	-	-	-	11	16	14	26	13	14	8	87
		F	79	-	-	-	11	8	11	13	15	10	11	89
BE50	Homicide and operations of war	M	8	1	-	1	5	-	1	-	-	-	-	90
		F	7	-	2	2	-	-	1	-	1	1	-	91
BN47	Fractures, head injuries and internal injuries	M	358	1	14	28	64	34	33	36	51	36	61	109
		F	340	2	7	14	13	6	7	12	19	51	209	131
BN48	Burns	M	9	-	-	-	-	-	3	-	2	1	3	84
		F	12	-	-	-	-	-	1	1	4	3	3	91
BN49	Effects of poisons	M	106	-	1	2	8	15	11	24	17	13	15	97
		F	114	1	4	2	13	8	13	16	17	15	25	95
BN50	All other injuries	M	119	12	6	7	22	6	11	19	15	14	7	90
		F	48	9	5	2	2	2	2	4	9	7	6	73

TABLE 20. Suspended

Note. Publication of Table 20 has been suspended. Instead, Table 21 has been enlarged to include a cause analysis according to the Registrar General's Abridged List as well as the Registrar General's Supplementary Abridged List, but with no age details. A further cause analysis by detail of age is given for England and Wales, regions, hospital regions, conurbations and national aggregates by type of area in Table 19.

All details which prior to this change appeared in Table 20 and also figures (based on the Registrar General's Abridged List, without age detail prior to 1963) for administrative areas not seperately shown in Table 21 are available at the General Register Office.

TABLE 21. Causes of death by sex, 1967, classified in accordance with the Abridged List and Supplementary Abridged List

England and Wales, regions, Wales, conurbations, hospital regions, Greater London, City of London, London and county boroughs, administrative counties

THE ABRIDGED LIST OF CAUSES OF DEATH adopted by the Registrar General in consultation with the Ministry of Health and its relation to the Detailed International Statistical Classification

No.	Registrar General's Abridged List	ICD No.
1	Tuberculosis, respiratory	001-008
2	Tuberculosis, other	010-019
3	Syphilitic disease	020-029
4	Diphtheria	055
5	Whooping cough	056
6	Meningococcal infections	057
7	Acute poliomyelitis	080
8	Measles	085
9	Other infective and parasitic diseases	030-054, 058-074, 081-084, 086-138
10	Malignant neoplasm, stomach	151
11	Malignant neoplasm, lung, bronchus	162,163
12	Malignant neoplasm, breast	170
13	Malignant neoplasm, uterus	171-174
14	Other malignant and lymphatic neoplasms	140-150, 152-161, 164,165, 175-203, 205
15	Leukaemia, aleukaemia	204
16	Diabetes	260
17	Vascular lesions of nervous system	330-334
18	Coronary disease, angina	420
19	Hypertension with heart disease	440-443
20	Other heart disease	410-416, 421-434
21	Other circulatory disease	444-468
22	Influenza	480-483
23	Pneumonia	490-493, 763
24	Bronchitis	500-502
25	Other diseases of respiratory system	470-475, 510-527
26	Ulcer of stomach and duodenum	540,541
27	Gastritis, enteritis and diarrhoea	543,571, 572,764
28	Nephritis and nephrosis	590-594
29	Hyperplasia of prostate	610
30	Pregnancy, childbirth, abortion	640-689
31	Congenital malformations	750-759
32	Other defined and ill-defined diseases	210-254, 270-326, 340-402, 530-539, 542, 544-570, 573-587, 600-609, 611-637, 690-749, 760-762, 765-795
33	Motor vehicle accidents	E810-835
34	All other accidents	E800-802 840-962
35	Suicide	E963,970-979
36	Homicide and operations of war	E964,965 980-999

THE SUPPLEMENTARY LIST OF SUBDIVISIONS OF THE REGISTRAR GENERAL'S ABRIDGED LIST OF CAUSES OF DEATH and its relation to the Detailed International Statistical Classification

No.		Registrar General's Supplementary Abridged List	ICD No.
9	(1)	Infectious hepatitis	092
14	(1)	Malignant neoplasm, mouth and pharynx	140-148
14	(2)	Malignant neoplasm, oesophagus	150
14	(3)	Malignant neoplasm, intestine and rectum	152-154
14	(4)	Malignant neoplasm, larynx	161
13	(1)	Malignant neoplasm, cervix uteri	171
14	(5)	Malignant neoplasm, prostate	177
14	(6)	Malignant neoplasm, bladder	181.0, 181.8
14	(7)	Malignant neoplasm, bone (including jaw-bone).	195
14	(8)	Lymphosarcoma, reticulosarcoma	200
14	(9)	Hodgkin's disease	201
32	(1)	Thyrotoxicosis	252
32	(2)	Multiple sclerosis	345
32	(3)	Rheumatic fever	400-402
20	(1)	Chronic rheumatic heart disease	410-416
21	(1)	Hypertension without mention of heart	444-447
25	(1)	Pneumoconiosis and chronic interstitial pneumonia	523-525
26	(1)	Ulcer of stomach	540
32	(4)	Appendicitis	550-553
32	(5)	Intestinal obstruction and hernia	560,561, 570
32	(6)	Cirrhosis of liver	581
32	(7)	Cholelithiasis, cholecystitis	584,585
30	(1)	Maternal sepsis (not abortion)	640,641, 681,682, 684
30	(2)	Toxaemias of pregnancy and puerperium	642,685, 686
30	(3)	Abortion	650-652
32	(8)	Rheumatoid arthritis and allied conditions	722
32	(9)	Birth injury	760,761
32	(10)	Postnatal asphyxia and atelectasis	762
23	(1)	Pneumonia of newborn	763
32	(11)	Ophthalmia, pemphigus, sepsis of newborn	765-768
32	(12)	Haemolytic disease of newborn	770
32	(13)	Immaturity (without other disease peculiar to early infancy)	774,776
32	(14)	Senility without psychosis	794
32	(15)	Ill-defined and unknown cause	780-789, 790-793, 795

TABLE 21 - *continued*

ENGLAND AND WALES, REGIONS AND CONURBATIONS

Registrar General's Abridged List		England and Wales	Northern			Yorkshire and Humberside			North Western				East Midland
			Total	Tyneside Conurbation	Remainder of Northern	Total	West Yorkshire Conurbation	Remainder of Yorkshire and Humberside	Total	South East Lancashire Conurbation	Merseyside Conurbation	Remainder of North Western	
1 Tuberculosis, respiratory	M	1,321	112	26	86	136	62	74	229	88	49	92	72
	F	477	36	6	30	30	16	14	70	20	20	30	27
2 Tuberculosis, other	M	112	7	1	6	14	8	6	13	8	2	3	11
	F	133	8	4	4	9	1	8	14	6	4	4	9
3 Syphilitic disease	M	499	36	9	27	38	21	17	81	23	21	37	36
	F	350	17	5	12	25	9	16	43	15	5	23	24
4 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
5 Whooping cough	M	16	-	-	-	1	1	-	3	1	1	1	1
	F	11	-	-	-	1	-	1	1	-	-	1	-
6 Meningococcal infections	M	41	3	-	3	5	2	3	1	-	-	1	1
	F	39	4	2	2	4	1	3	6	1	-	5	2
7 Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
8 Measles	M	60	2	-	2	6	4	2	5	4	1	-	6
	F	39	6	-	6	1	-	1	2	1	-	1	2
9 Other infective, etc., diseases	M	378	30	5	25	40	12	28	58	13	19	26	20
	F	471	24	2	22	56	23	33	68	27	14	27	43
10 Malignant neoplasm: stomach	M	7,441	589	151	438	741	292	449	1,144	420	236	488	469
	F	5,495	444	111	333	535	211	324	922	356	155	411	358
11 lung, bronchus	M	23,548	1,631	521	1,110	2,314	938	1,376	3,429	1,341	746	1,342	1,373
	F	4,704	294	92	202	403	152	251	702	277	181	244	247
12 breast	M	88	3	1	2	15	3	12	14	3	3	8	5
	F	10,231	563	162	401	918	374	544	1,443	543	273	627	642
13 uterus	F	3,838	264	78	186	426	161	265	605	225	113	267	256
14 Other malignant and lymphatic neoplasms	M	27,008	1,770	492	1,278	2,625	959	1,666	3,803	1,426	730	1,647	1,714
	F	24,815	1,547	407	1,140	2,393	954	1,439	3,614	1,323	714	1,577	1,559
15 Leukaemia, aleukaemia	M	1,549	100	20	80	157	48	109	187	71	35	81	95
	F	1,355	78	11	67	146	40	106	178	63	37	78	89
16 Diabetes	M	1,502	118	19	99	155	48	107	185	63	19	103	105
	F	2,720	214	42	172	270	110	160	397	145	69	183	196
17 Vascular lesions of nervous system	M	30,669	2,433	547	1,886	3,223	1,210	2,013	4,796	1,696	730	2,370	2,046
	F	46,478	3,298	776	2,522	4,720	1,946	2,774	7,203	2,553	1,190	3,460	2,975
18 Coronary disease, angina	M	69,803	5,268	1,263	4,005	7,416	2,920	4,496	10,665	3,661	2,008	4,996	4,207
	F	45,489	3,477	814	2,663	4,913	2,106	2,807	7,024	2,423	1,333	3,268	2,520
19 Hypertension with heart disease	M	3,067	186	60	126	298	110	188	427	133	78	216	207
	F	4,480	276	76	200	443	171	272	635	183	132	320	309
20 Other heart disease	M	20,395	1,377	293	1,084	1,952	701	1,251	3,106	1,102	426	1,578	1,563
	F	33,569	2,047	498	1,549	3,096	1,236	1,860	5,396	1,898	913	2,585	2,212
21 Other circulatory disease	M	10,981	694	182	512	1,061	389	672	1,552	552	236	764	769
	F	14,113	874	244	630	1,523	552	971	2,150	842	313	995	883
22 Influenza	M	375	11	3	8	17	6	11	114	30	13	71	21
	F	501	21	7	14	16	6	10	194	51	37	106	16
23 Pneumonia	M	14,740	843	214	629	1,369	518	851	2,217	820	493	904	881
	F	17,917	889	217	672	1,549	658	891	2,892	1,077	727	1,088	949
24 Bronchitis	M	20,487	1,430	428	1,002	2,318	880	1,438	3,718	1,449	692	1,577	1,405
	F	7,324	493	171	322	876	349	527	1,536	712	256	568	469
25 Other diseases of respiratory system	M	3,313	230	51	179	309	117	192	462	161	71	230	202
	F	1,703	117	30	87	156	54	102	272	112	46	114	122
26 Ulcer of stomach and duodenum	M	2,400	172	39	133	250	86	164	386	145	72	169	162
	F	1,460	78	24	54	117	48	69	208	88	35	85	70
27 Gastritis, enteritis and diarrhoea	M	995	63	13	50	134	50	84	164	64	26	74	66
	F	1,648	94	20	74	163	68	95	253	106	53	94	108
28 Nephritis and nephrosis	M	1,436	102	26	76	140	58	82	222	76	36	110	109
	F	1,241	84	23	61	118	44	74	202	57	32	113	89
29 Hyperplasia of prostate	M	1,796	91	21	70	181	42	139	253	81	38	134	111
30 Pregnancy, childbirth, abortion	F	172	7	3	4	19	6	13	20	8	2	10	8
31 Congenital malformations	M	2,413	188	47	141	235	94	141	354	121	81	152	160
	F	2,145	139	42	97	222	88	134	331	117	70	144	155
32 Other defined and ill-defined diseases	M	17,485	1,256	307	949	1,799	709	1,090	2,726	969	556	1,201	1,184
	F	22,283	1,531	405	1,126	2,253	929	1,324	3,505	1,277	603	1,625	1,513
33 Motor vehicle accidents	M	4,932	356	89	267	564	234	330	729	287	133	309	369
	F	2,228	156	40	116	255	96	159	375	139	74	162	168
34 All other accidents	M	5,397	484	129	355	588	206	382	795	263	167	365	364
	F	5,774	438	123	315	578	199	379	966	283	194	489	396
35 Suicide	M	2,736	180	67	113	278	111	167	384	145	51	188	175
	F	1,975	79	22	57	199	91	108	313	108	47	158	118
36 Homicide, operations of war	M	195	9	2	7	30	14	16	30	13	7	10	9
	F	160	6	2	4	19	8	11	19	6	4	9	8

TABLE 21 - *continued*

ENGLAND AND WALES, REGIONS AND CONURBATIONS

Registrar General's Supplementary Abridged List		England and Wales	Northern			Yorkshire and Humberside			North Western				East Midland
			Total	Tyneside Conurbation	Remainder of Northern	Total	West Yorkshire Conurbation	Remainder of Yorkshire and Humberside	Total	South East Lancashire Conurbation	Merseyside Conurbation	Remainder of North Western	
9(1) Infectious hepatitis	M	76	5	1	4	5	2	3	14	2	8	4	5
	F	135	8	1	7	24	11	13	23	12	3	8	9
14(1) Malignant neoplasm, mouth and pharynx	M	340	69	24	45	97	40	57	171	66	33	72	53
	F	613	51	12	39	68	29	39	104	43	16	45	34
14(2) Malignant neoplasm, oesophagus	M	1,524	95	21	74	126	49	77	252	88	51	113	91
	F	1,229	58	10	48	109	39	70	201	63	44	94	57
14(3) Malignant neoplasm, intestine and rectum	M	7,004	467	124	343	720	243	477	998	377	181	440	466
	F	6,426	528	138	390	801	300	501	1,241	465	246	530	553
14(4) Malignant neoplasm, larynx	M	597	40	14	26	60	11	49	100	44	12	44	31
	F	146	9	2	7	16	7	9	30	11	8	11	7
13(1) Malignant neoplasm, cervix uteri	F	2,449	188	52	136	286	110	176	410	156	80	174	167
14(5) Malignant neoplasm, prostate	M	3,888	244	67	177	353	128	225	498	182	98	218	264
14(6) Malignant neoplasm, bladder	M	2,494	171	56	115	250	121	129	344	133	79	132	146
	F	1,031	61	16	45	100	46	54	167	61	35	71	56
14(7) Malignant neoplasm, bone (including jaw bone)	M	310	25	8	17	35	14	21	43	17	10	16	29
	F	234	14	4	10	25	9	16	34	9	9	16	12
14(8) Lymphosarcoma, reticulosarcoma	M	761	25	7	18	63	22	41	84	24	19	41	69
	F	609	31	10	21	41	17	24	78	22	17	39	28
14(9) Hodgkin's disease	M	567	33	8	25	55	22	33	88	35	18	35	43
	F	342	26	7	19	46	15	31	61	20	16	25	24
32(1) Thyrotoxicosis	M	43	1	-	1	6	3	3	8	5	-	3	2
	F	219	6	1	5	19	7	12	39	10	7	22	16
32(2) Multiple sclerosis	M	305	24	5	19	30	10	20	59	26	7	26	15
	F	435	32	13	19	39	12	27	65	32	11	22	27
32(3) Rheumatic fever	M	6	-	-	-	-	-	-	2	-	-	2	-
	F	12	1	-	1	-	-	-	1	-	-	1	1
20(1) Chronic rheumatic heart disease	M	1,965	159	49	110	218	81	137	283	115	41	127	108
	F	3,749	236	64	172	402	165	237	596	231	122	243	246
21(1) Hypertension without mention of heart	M	1,771	103	30	73	151	58	93	212	67	28	117	141
	F	1,890	102	36	66	212	72	140	239	87	41	111	143
25(1) Pneumoconiosis and chronic inter-stitial pneumonia	M	857	79	17	62	58	22	36	118	40	14	64	33
	F	176	15	5	10	14	9	5	27	14	5	8	11
26(1) Ulcer of stomach	M	1,157	67	15	52	120	37	83	161	64	30	67	74
	F	938	47	18	29	72	26	46	123	50	24	49	46
32(4) Appendicitis	M	225	20	5	15	19	6	13	34	15	2	17	12
	F	191	8	1	7	18	6	12	33	10	7	16	13
32(5) Intestinal obstruction and hernia	M	1,310	97	20	77	144	51	93	172	72	31	69	105
	F	1,660	118	34	84	160	64	96	241	97	41	103	116
32(6) Cirrhosis of liver	M	679	72	25	47	74	32	42	98	34	23	41	37
	F	671	47	18	29	62	25	37	104	38	16	50	49
32(7) Cholelithiasis, cholecystitis	M	339	23	3	20	43	16	27	43	11	7	25	23
	F	687	60	7	53	73	29	44	114	40	16	58	61
30(1) Maternal sepsis (not abortion)	F	13	-	-	-	2	1	1	1	1	-	-	2
30(2) Toxaemias of pregnancy and puerperium	F	44	2	1	1	6	1	5	7	4	1	2	1
30(3) Abortion	F	34	1	-	1	3	2	1	5	1	-	4	-
32(8) Rheumatoid arthritis and allied conditions	M	222	14	2	12	20	6	14	43	21	4	18	17
	F	717	40	10	30	74	32	42	126	45	13	68	47
32(9) Birth injury	M	937	60	18	42	105	43	62	136	59	34	43	78
	F	574	38	9	29	51	20	31	93	47	17	29	54
32(10) Postnatal asphyxia and atelectasis	M	1,337	88	22	66	171	62	109	194	80	32	82	84
	F	938	80	13	67	118	50	68	123	51	26	46	66
23(1) Pneumonia of newborn	M	297	19	3	16	33	14	19	45	16	7	22	23
	F	234	17	5	12	29	13	16	40	15	6	19	16
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	33	4	1	3	3	2	1	8	3	4	1	1
	F	28	-	-	-	4	2	2	3	1	1	1	1
32(12) Haemolytic disease of newborn	M	156	9	1	8	16	6	10	35	11	13	11	14
	F	142	8	1	7	20	8	12	30	11	8	11	14
32(13) Immaturity (without other disease peculiar to early infancy)	M	1,268	102	25	77	144	60	84	276	110	64	102	57
	F	994	69	19	50	133	50	83	187	70	36	81	59
32(14) Senility without psychosis	M	1,092	83	9	74	98	24	74	251	65	31	155	82
	F	2,620	165	24	141	250	68	182	624	219	67	338	176
32(15) Ill-defined and unknown cause	M	210	22	9	13	11	4	7	30	8	6	16	9
	F	185	16	5	11	18	9	9	36	16	6	14	13

TABLE 21 - *continued*

REGIONS AND CONURBATIONS

Registrar General's Abridged List		West Midland			East Anglia	South Eastern				South Western	Wales		
		Total	West Midlands Conurbation	Remainder of West Midland		Total	Greater London	Outer Metropolitan Area	Remainder of South Eastern		Total	Wales I (South East)	Wales II (remainder)
1 Tuberculosis, respiratory	M	149	84	65	21	403	230	81	92	82	117	79	38
	F	56	27	29	16	179	104	35	40	28	35	21	14
2 Tuberculosis, other	M	12	7	5	1	38	27	4	7	5	11	10	1
	F	20	11	9	5	44	23	13	8	13	11	7	4
3 Syphilitic disease	M	41	22	19	17	189	86	49	54	39	22	15	7
	F	29	12	17	12	162	102	27	33	24	14	11	3
4 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
5 Whooping cough	M	2	2	-	-	8	4	-	4	-	1	1	-
	F	3	-	3	-	4	2	1	1	2	-	-	-
6 Meningococcal infections	M	4	1	3	2	19	7	5	7	5	1	1	-
	F	7	2	5	1	8	6	1	1	3	4	3	1
7 Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
8 Measles	M	10	4	6	2	23	6	9	8	2	4	2	2
	F	6	4	2	1	14	3	4	7	6	1	1	-
9 Other infective, etc., diseases	M	40	18	22	10	128	62	44	22	33	19	15	4
	F	44	21	23	13	154	56	43	55	39	30	24	6
10 Malignant neoplasm: stomach	M	769	409	360	236	2,399	1,149	595	655	541	553	380	173
	F	535	271	264	154	1,709	843	423	443	429	409	285	124
11 lung, bronchus	M	2,225	1,214	1,011	693	9,112	4,720	2,148	2,244	1,606	1,165	804	361
	F	371	183	188	113	2,072	1,063	504	505	342	160	95	65
12 breast	M	9	4	5	2	26	11	4	11	6	8	6	2
	F	959	483	476	346	3,978	1,800	1,067	1,111	838	544	370	174
13 uterus	F	364	157	207	117	1,258	586	311	361	316	232	170	62
14 Other malignant and lymphatic neoplasms	M	2,587	1,240	1,347	948	9,869	4,659	2,496	2,714	2,188	1,504	1,059	445
	F	2,249	1,134	1,115	758	9,288	4,256	2,411	2,621	2,036	1,371	868	503
15 Leukaemia, aleukaemia	M	135	62	73	56	612	248	184	180	132	75	53	22
	F	128	62	66	47	496	240	133	123	113	80	50	30
16 Diabetes	M	177	76	101	45	491	213	131	147	144	82	51	31
	F	292	131	161	81	855	429	220	206	243	172	116	56
17 Vascular lesions of nervous system	M	3,124	1,461	1,663	1,084	9,421	3,630	2,600	3,191	2,533	2,009	1,310	699
	F	4,285	2,043	2,242	1,566	15,568	6,223	4,139	5,206	3,985	2,878	1,912	966
18 Coronary disease, angina	M	6,310	2,975	3,335	2,229	23,449	10,807	5,804	6,838	5,518	4,741	3,428	1,313
	F	3,866	1,739	2,127	1,443	15,898	7,304	3,936	4,658	3,494	2,854	2,041	813
19 Hypertension with heart disease	M	363	203	160	105	915	358	250	307	281	285	197	88
	F	475	258	217	113	1,515	593	440	482	393	321	217	104
20 Other heart disease	M	1,930	857	1,073	794	6,221	2,533	1,649	2,039	2,070	1,382	936	446
	F	2,986	1,337	1,649	1,078	11,516	4,773	2,954	3,789	3,250	1,988	1,310	678
21 Other circulatory disease	M	1,075	475	600	383	3,889	1,775	999	1,115	905	653	447	206
	F	1,176	499	677	401	5,092	2,471	1,278	1,343	1,160	854	578	276
22 Influenza	M	46	33	13	16	104	36	21	47	22	24	13	11
	F	25	9	16	26	158	60	46	52	17	28	8	20
23 Pneumonia	M	1,480	795	685	609	5,476	2,603	1,478	1,395	1,156	709	498	211
	F	1,636	857	779	704	7,201	3,538	1,923	1,740	1,333	764	539	225
24 Bronchitis	M	2,040	1,095	945	449	6,523	3,349	1,517	1,657	1,197	1,407	1,100	307
	F	725	414	311	148	2,378	1,252	571	555	326	373	264	109
25 Other diseases of respiratory system	M	320	153	167	91	986	422	275	289	277	436	361	75
	F	156	86	70	41	605	272	150	183	129	105	67	38
26 Ulcer of stomach and duodenum	M	262	132	130	67	808	404	205	199	171	122	80	42
	F	124	61	63	60	614	303	145	166	127	62	38	24
27 Gastritis, enteritis and diarrhoea	M	97	52	45	36	316	143	85	88	70	49	29	20
	F	148	74	74	31	629	306	162	161	132	90	58	32
28 Nephritis and nephrosis	M	144	65	79	37	439	218	112	109	140	103	73	30
	F	133	63	70	32	412	192	99	121	92	79	50	29
29 Hyperplasia of prostate	M	167	80	87	89	589	244	152	193	173	142	85	57
30 Pregnancy, childbirth, abortion	F	26	12	14	7	66	46	13	7	9	10	7	3
31 Congenital malformations	M	265	109	156	57	824	395	228	201	192	138	103	35
	F	241	122	119	52	733	343	216	174	159	113	86	27
32 Other defined and ill-defined diseases	M	1,700	789	911	578	5,886	2,738	1,594	1,554	1,253	1,103	742	361
	F	2,039	944	1,095	653	7,828	3,582	2,111	2,135	1,703	1,258	875	383
33 Motor vehicle accidents	M	552	219	333	168	1,571	615	518	438	347	276	193	83
	F	233	127	106	69	713	338	187	188	150	109	75	34
34 All other accidents	M	531	245	286	215	1,658	760	411	487	355	407	310	97
	F	560	294	266	254	1,717	688	404	625	456	409	301	108
35 Suicide	M	244	128	116	92	1,014	538	238	238	226	143	105	38
	F	138	71	67	67	821	424	188	209	156	84	62	22
36 Homicide, operations of war	M	18	8	10	7	69	42	16	11	10	13	10	3
	F	14	7	7	4	60	34	17	9	16	14	6	8

TABLE 21 - *continued*

REGIONS AND CONURBATIONS

Registrar General's Supplementary Abridged List		West Midland			East Anglia	South Eastern				South Western	Wales		
		Total	West Midlands Conurbation	Remainder of West Midland		Total	Greater London	Outer Metropolitan Area	Remainder of South Eastern		Total	Wales I (South East)	Wales II (remainder)
9(1) Infectious hepatitis	M	5	1	4	-	30	18	10	2	6	6	5	1
	F	5	3	2	3	44	16	10	18	12	7	7	-
14(1) Malignant neoplasm, mouth and pharynx	M	97	42	55	35	310	156	77	77	62	46	32	14
	F	59	36	23	17	182	80	50	52	51	47	27	20
14(2) Malignant neoplasm, oesophagus	M	154	64	90	53	538	245	133	160	137	78	49	29
	F	108	43	65	46	430	198	116	116	131	89	51	38
14(3) Malignant neoplasm, intestine and rectum	M	730	369	361	258	2,394	1,092	612	690	563	408	292	116
	F	784	393	391	256	3,068	1,372	797	899	713	482	313	169
14(4) Malignant neoplasm, larynx	M	64	33	31	23	202	96	43	63	43	34	26	8
	F	15	8	7	7	46	20	11	15	10	6	5	1
13(1) Malignant neoplasm, cervix uteri	F	234	96	138	67	742	345	181	216	208	147	106	41
14(5) Malignant neoplasm, prostate	M	336	166	170	174	1,481	661	394	426	345	193	127	66
14(6) Malignant neoplasm, bladder	M	209	110	99	82	964	472	242	250	186	142	106	36
	F	81	40	41	33	410	203	102	105	71	52	33	19
14(7) Malignant neoplasm, bone (including jaw bone)	M	29	16	13	9	88	45	26	17	25	27	14	13
	F	28	14	14	8	78	42	15	21	28	7	6	1
14(8) Lymphosarcoma, reticulosarcoma	M	51	26	25	21	341	176	86	79	67	40	29	11
	F	54	27	27	21	272	138	73	61	58	26	18	8
14(9) Hodgkin's disease	M	53	22	31	19	199	88	52	59	37	40	25	15
	F	28	13	15	7	113	56	28	29	15	22	14	8
32(1) Thyrotoxicosis	M	3	-	3	2	14	8	6	-	2	5	2	3
	F	31	10	21	8	60	25	15	20	22	18	12	6
32(2) Multiple sclerosis	M	22	8	14	7	119	58	28	33	20	9	3	6
	F	38	19	19	18	165	59	48	58	44	7	7	-
32(3) Rheumatic fever	M	2	-	2	-	1	1	-	-	1	-	-	-
	F	2	-	2	-	6	4	1	1	1	-	-	-
20(1) Chronic rheumatic heart disease	M	239	117	122	59	633	374	128	131	133	133	99	34
	F	442	225	217	100	1,254	709	282	263	223	250	182	68
21(1) Hypertension without mention of heart	M	194	104	90	47	638	328	162	148	149	136	93	43
	F	171	88	83	43	665	366	154	145	152	163	108	55
25(1) Pneumoconiosis and chronic interstitial pneumonia	M	97	40	57	7	150	68	35	47	52	263	237	26
	F	9	5	4	7	60	35	8	17	22	11	7	4
26(1) Ulcer of stomach	M	131	61	70	47	413	202	112	99	87	57	37	20
	F	77	35	42	42	399	202	99	98	89	43	27	16
32(4) Appendicitis	M	30	17	13	8	66	25	19	22	21	15	8	7
	F	20	8	12	1	78	29	22	27	10	10	5	5
32(5) Intestinal obstruction and hernia	M	126	60	66	56	441	205	118	118	94	75	42	33
	F	155	77	78	51	618	316	141	161	116	85	55	30
32(6) Cirrhosis of liver	M	76	42	34	16	218	106	48	64	52	36	28	8
	F	64	34	30	16	238	110	56	72	46	45	31	14
32(7) Cholelithiasis, cholecystitis	M	36	14	22	10	103	48	26	29	29	29	13	16
	F	55	24	31	24	204	78	43	83	53	43	24	19
30(1) Maternal sepsis (not abortion)	F	1	1	-	-	6	3	2	1	-	1	1	-
30(2) Toxaemias of pregnancy and puerperium	F	9	4	5	2	11	7	2	2	4	2	1	1
30(3) Abortion	F	3	3	-	-	21	16	4	1	1	-	-	-
32(8) Rheumatoid arthritis and allied conditions	M	11	6	5	6	80	27	28	25	12	19	15	4
	F	70	41	29	30	231	107	68	56	60	39	27	12
32(9) Birth injury	M	142	64	78	28	277	146	75	56	63	48	40	8
	F	79	41	38	21	170	98	37	35	39	29	25	4
32(10) Postnatal asphyxia and atelectasis	M	163	87	76	42	433	227	118	88	87	75	48	27
	F	101	51	50	29	308	173	74	61	61	52	39	13
23(1) Pneumonia of newborn	M	49	28	21	11	90	42	31	17	17	10	7	3
	F	41	18	23	5	57	27	18	12	16	13	7	6
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	3	1	2	1	10	6	3	1	1	2	2	-
	F	3	2	1	-	12	8	1	3	2	3	2	1
32(12) Haemolytic disease of newborn	M	11	1	10	5	46	19	17	10	8	12	9	3
	F	17	7	10	3	42	22	9	11	6	2	1	1
32(13) Immaturity (without other disease peculiar to early infancy)	M	122	64	58	33	393	205	107	81	58	83	66	17
	F	96	51	45	23	340	184	89	67	34	53	44	9
32(14) Senility without psychosis	M	86	23	63	29	251	67	93	91	110	102	61	41
	F	217	68	149	72	675	184	254	237	292	149	93	56
32(15) Ill-defined and unknown cause	M	26	16	10	10	70	26	18	26	16	16	10	6
	F	14	8	6	2	61	27	10	24	12	13	8	5

TABLE 21 - *continued*

CONURBATIONS, URBAN AND RURAL AGGREGATES AND HOSPITAL REGIONS

Registrar General's Abridged List		Conurbations	Areas outside conurbations: Urban areas with populations of 100,000 and over	Areas outside conurbations: Urban areas with pop. of 50,000 and under 100,000	Areas outside conurbations: Urban areas with populations under 50,000	Areas outside conurbations: Rural districts	Hospital regions: Newcastle	Leeds	Sheffield	East Anglia	North West Metropolitan	North East Metropolitan	South East Metropolitan
1 Tuberculosis, respiratory	M	539	192	127	260	203	109	86	113	22	91	80	90
	F	193	65	40	98	81	33	24	28	16	44	40	40
2 Tuberculosis, other	M	53	13	6	20	20	7	10	13	1	11	5	4
	F	49	16	12	30	26	8	5	13	5	11	8	9
3 Syphilitic disease	M	182	68	47	97	105	33	32	40	18	47	29	46
	F	148	32	48	58	64	15	17	28	12	33	25	34
4 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
5 Whooping cough	M	9	2	1	3	1	-	1	1	-	-	1	-
	F	2	3	2	-	4	-	-	1	-	1	-	-
6 Meningococcal infections	M	10	7	6	12	6	3	2	3	2	6	4	2
	F	12	5	5	9	8	4	1	5	1	1	3	3
7 Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
8 Measles	M	19	4	5	17	15	1	6	6	3	8	3	3
	F	8	7	5	14	5	6	1	2	1	2	4	3
9 Other infective, etc., diseases	M	129	44	31	84	90	28	22	39	10	37	25	28
	F	143	72	43	107	106	22	36	58	13	32	27	32
10 Malignant neoplasm: stomach	M	2,657	1,034	668	1,721	1,361	548	505	675	245	578	481	509
	F	1,947	790	490	1,263	1,005	411	369	495	159	403	367	362
11 lung, bronchus	M	9,480	3,256	2,303	4,588	3,921	1,542	1,567	1,988	734	2,243	1,796	1,969
	F	1,948	619	441	915	781	276	266	361	122	490	350	479
12 breast	M	25	11	9	25	18	3	7	13	2	1	7	8
	F	3,635	1,366	1,045	2,214	1,971	503	653	868	360	949	736	881
13 uterus	F	1,320	541	407	834	736	240	299	351	123	333	196	278
14 Other malignant and lymphatic neoplasms	M	9,506	3,532	2,549	6,003	5,418	1,627	1,783	2,401	986	2,368	1,844	2,100
	F	8,788	3,261	2,463	5,521	4,782	1,428	1,711	2,089	811	2,249	1,685	2,065
15 Leukaemia, aleukaemia	M	484	196	158	352	359	91	110	135	58	139	104	140
	F	453	190	149	314	249	67	100	131	48	116	104	108
16 Diabetes	M	438	196	133	375	360	106	99	151	49	106	100	92
	F	926	340	264	636	554	193	197	254	84	211	205	157
17 Vascular lesions of nervous system	M	9,274	3,919	3,061	7,491	6,924	2,205	2,262	2,906	1,131	2,004	1,693	2,186
	F	14,731	6,121	4,692	11,369	9,565	2,957	3,472	4,060	1,630	3,280	2,823	3,821
18 Coronary disease, angina	M	23,634	9,476	6,814	15,886	13,993	4,826	5,254	6,107	2,327	5,395	4,343	5,273
	F	15,719	6,359	4,633	10,360	8,418	3,138	3,689	3,614	1,518	3,545	2,810	3,724
19 Hypertension with heart disease	M	942	446	287	704	688	177	174	295	111	192	160	239
	F	1,413	596	488	1,089	894	248	287	427	125	310	267	388
20 Other heart disease	M	5,912	2,600	1,918	5,156	4,809	1,220	1,351	2,052	838	1,367	1,057	1,368
	F	10,655	4,319	3,390	8,279	6,926	1,789	2,294	2,883	1,131	2,551	1,724	2,687
21 Other circulatory disease	M	3,609	1,404	1,044	2,588	2,336	635	679	1,079	399	881	632	888
	F	4,921	1,814	1,424	3,206	2,748	808	985	1,339	418	1,230	854	1,181
22 Influenza	M	121	50	40	91	73	11	8	27	16	16	20	29
	F	170	41	62	127	101	18	13	18	26	18	23	40
23 Pneumonia	M	5,443	2,012	1,436	2,905	2,944	775	1,020	1,152	638	1,238	929	1,224
	F	7,074	2,318	1,664	3,533	3,328	834	1,217	1,220	741	1,616	1,193	1,555
24 Bronchitis	M	7,893	2,910	1,979	4,359	3,346	1,368	1,475	2,136	467	1,485	1,390	1,410
	F	3,154	1,001	703	1,386	1,080	453	587	738	154	555	498	514
25 Other diseases of respiratory system	M	975	466	311	832	729	211	201	298	93	198	178	227
	F	600	226	166	373	338	104	96	178	43	126	96	137
26 Ulcer of stomach and duodenum	M	878	306	235	553	428	163	160	234	73	209	150	182
	F	559	185	152	304	260	71	81	101	61	125	107	132
27 Gastritis, enteritis and diarrhoea	M	348	127	116	213	191	60	81	114	38	74	53	69
	F	627	234	155	352	280	85	103	163	37	146	118	136
28 Nephritis and nephrosis	M	479	185	148	349	275	95	102	137	39	98	87	83
	F	411	168	117	285	260	78	90	112	33	101	74	81
29 Hyperplasia of prostate	M	506	213	199	422	456	85	110	175	89	116	115	135
30 Pregnancy, childbirth, abortion	F	77	21	14	32	28	6	15	12	7	21	13	12
31 Congenital malformations	M	847	302	229	547	488	172	164	226	59	191	164	163
	F	782	258	201	475	429	133	148	213	56	202	137	123
32 Other defined and ill-defined diseases	M	6,068	2,155	1,719	3,898	3,645	1,171	1,257	1,613	608	1,484	1,170	1,165
	F	7,740	2,696	2,217	5,193	4,437	1,436	1,576	2,070	687	1,794	1,507	1,632
33 Motor vehicle accidents	M	1,577	582	498	1,034	1,241	320	403	500	179	380	264	316
	F	814	265	226	472	451	143	170	233	73	176	119	150
34 All other accidents	M	1,770	697	614	1,172	1,144	464	381	535	222	407	276	351
	F	1,781	837	722	1,306	1,128	397	414	527	262	417	250	401
35 Suicide	M	1,040	419	277	502	498	167	200	243	97	274	153	191
	F	763	275	191	426	320	74	147	158	75	212	136	165
36 Homicide, operations of war	M	86	29	20	36	24	9	23	12	7	21	15	10
	F	61	17	14	28	40	6	14	13	4	20	12	6

TABLE 21 - *continued*

CONURBATIONS, URBAN AND RURAL AGGREGATES AND HOSPITAL REGIONS

Registrar General's Supplementary Abridged List		Conurbations	Areas outside conurbations: Urban areas with populations of 100,000 and over	Areas outside conurbations: Urban areas with pop. of 50,000 and under 100,000	Areas outside conurbations: Urban areas with populations under 50,000	Areas outside conurbations: Rural districts	Hospital regions: Newcastle	Leeds	Sheffield	East Anglia	North West Metropolitan	North East Metropolitan	South East Metropolitan
9(1) Infectious hepatitis	M	32	7	2	20	15	5	4	6	-	8	7	7
	F	46	22	13	31	23	6	16	18	3	12	4	5
14(1) Malignant neoplasm, mouth and pharynx	M	361	119	86	205	169	65	61	84	35	80	57	67
	F	216	89	47	150	111	46	50	51	20	40	34	37
14(2) Malignant neoplasm, oesophagus	M	518	207	154	307	338	87	88	119	53	120	113	118
	F	397	165	131	294	242	58	79	74	48	112	65	105
14(3) Malignant neoplasm, intestine and rectum	M	2,386	926	680	1,613	1,399	424	480	687	263	596	410	534
	F	2,914	1,105	853	1,915	1,639	487	549	738	281	733	584	673
14(4) Malignant neoplasm, larynx	M	210	100	59	126	102	32	35	58	23	42	35	53
	F	56	21	14	33	22	7	14	9	7	12	4	10
13(1) Malignant neoplasm, cervix uteri	F	839	367	259	529	455	171	202	236	71	190	107	172
14(5) Malignant neoplasm, prostate	M	1,302	464	350	895	877	231	235	336	187	363	269	311
14(6) Malignant neoplasm, bladder	M	971	314	232	521	456	160	188	198	87	232	191	212
	F	401	123	118	229	160	58	77	78	34	97	72	103
14(7) Malignant neoplasm, bone (including jaw bone)	M	110	40	22	70	68	24	22	35	9	17	23	15
	F	87	27	20	47	53	14	17	19	10	20	13	16
14(8) Lymphosarcoma, reticulosarcoma	M	274	105	71	187	124	24	41	82	21	86	64	64
	F	231	73	63	133	109	26	31	36	21	67	55	45
14(9) Hodgkin's disease	M	193	74	57	125	118	32	36	58	19	45	28	46
	F	127	39	22	88	66	24	28	42	7	32	18	22
32(1) Thyrotoxicosis	M	16	4	1	10	12	1	3	4	2	8	3	-
	F	60	23	20	56	60	4	9	25	8	14	11	10
32(2) Multiple sclerosis	M	114	25	31	88	47	22	18	25	8	38	19	18
	F	146	43	60	91	95	31	27	37	18	36	38	30
32(3) Rheumatic fever	M	1	2	1	1	1	-	-	-	-	1	-	-
	F	4	2	1	3	2	1	-	1	-	1	1	-
20(1) Chronic rheumatic heart disease	M	777	267	190	407	324	149	127	187	61	168	141	109
	F	1,516	542	334	752	605	224	274	348	104	357	253	213
21(1) Hypertension without mention of heart	M	615	199	170	433	354	96	108	157	48	167	92	121
	F	690	204	178	475	343	93	137	207	44	178	124	126
25(1) Pneumoconiosis and chronic interstitial pneumonia	M	201	129	71	262	194	78	40	47	8	49	20	26
	F	73	18	16	37	32	11	14	14	7	11	10	19
26(1) Ulcer of stomach	M	409	148	105	269	226	62	77	110	51	109	76	91
	F	355	129	94	185	175	43	43	70	43	79	77	83
32(4) Appendicitis	M	70	21	25	64	45	19	15	15	8	14	14	17
	F	61	31	17	43	39	7	14	16	1	18	14	19
32(5) Intestinal obstruction and hernia	M	439	167	112	319	273	89	103	131	59	92	84	91
	F	629	225	150	375	281	107	115	155	51	144	115	130
32(6) Cirrhosis of liver	M	262	98	65	142	112	71	52	54	16	63	38	53
	F	241	86	73	140	131	46	41	65	16	47	38	60
32(7) Cholelithiasis, cholecystitis	M	99	45	34	92	69	21	29	37	10	27	16	29
	F	194	86	84	183	140	54	49	86	24	31	41	54
30(1) Maternal sepsis (not abortion)	F	6	2	1	2	2	-	2	1	-	3	-	2
30(2) Toxaemias of pregnancy and puerperium	F	18	6	5	4	11	2	4	3	2	4	2	1
30(3) Abortion	F	22	3	4	3	2	1	2	1	-	9	5	2
32(8) Rheumatoid arthritis and allied conditions	M	66	33	20	58	45	11	15	24	7	23	14	13
	F	248	92	74	172	131	36	51	64	31	53	48	42
32(9) Birth injury	M	364	146	78	165	184	56	68	108	29	75	60	55
	F	232	80	36	127	99	37	36	60	22	49	26	29
32(10) Postnatal asphyxia and atelectasis	M	510	173	135	269	250	84	106	140	43	118	69	90
	F	364	110	88	208	168	76	80	95	32	73	63	55
23(1) Pneumonia of newborn	M	110	53	16	59	59	18	24	31	11	24	20	11
	F	84	31	29	37	53	17	19	25	5	17	16	12
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	17	8	1	5	2	4	3	-	1	4	3	1
	F	14	1	2	4	7	-	4	-	-	4	2	1
32(12) Haemolytic disease of newborn	M	51	20	19	28	38	8	12	19	5	10	10	8
	F	57	22	15	18	30	6	15	18	3	12	10	9
32(13) Immaturity (without other disease peculiar to early infancy)	M	528	156	120	242	222	101	99	96	36	116	95	62
	F	410	133	101	195	155	65	87	101	24	100	83	52
32(14) Senility without psychosis	M	219	80	97	348	348	74	70	109	33	44	51	49
	F	630	227	268	786	709	153	151	268	82	143	100	147
32(15) Ill-defined and unknown cause	M	69	24	23	50	44	22	7	9	11	18	8	14
	F	71	22	10	44	38	14	14	16	3	16	5	15

Registrar General's Abridged List		Hospital regions - continued								Greater London	City of London	Barking	Barnet
		South West Metropolitan	Wessex	Oxford	South Western	Welsh	Birmingham	Manchester	Liverpool				
1 Tuberculosis, respiratory	M	90	49	29	66	117	149	153	77	230	1	6	5
	F	40	16	10	23	35	56	38	34	104	-	-	5
2 Tuberculosis, other	M	14	3	3	5	11	12	10	3	27	1	-	-
	F	9	4	4	12	11	20	10	4	23	-	2	1
3 Syphilitic disease	M	35	24	18	33	22	41	46	35	86	-	3	1
	F	53	14	11	21	14	29	25	19	102	-	-	1
4 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
5 Whooping cough	M	4	2	1	-	1	2	2	1	4	-	-	-
	F	1	2	-	2	-	3	-	1	2	-	-	-
6 Meningococcal infections	M	4	1	4	4	1	4	1	-	7	-	-	-
	F	1	-	-	3	4	7	5	1	6	-	-	-
7 Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
8 Measles	M	3	2	4	2	4	10	4	1	6	-	-	1
	F	2	4	-	5	1	6	1	1	3	-	1	-
9 Other infective, etc., diseases	M	25	10	8	28	19	40	34	25	62	-	3	4
	F	27	16	27	38	30	44	44	25	56	-	1	5
10 Malignant neoplasm: stomach	M	456	282	226	460	553	769	793	361	1,149	1	32	36
	F	324	196	159	375	409	535	676	255	843	-	24	29
11 lung, bronchus	M	1,832	960	744	1,334	1,165	2,225	2,329	1,120	4,720	5	117	170
	F	476	208	142	295	160	371	454	254	1,063	-	22	41
12 breast	M	7	3	1	5	8	9	10	4	11	-	1	-
	F	774	457	383	711	544	959	997	456	1,800	2	27	84
13 uterus	F	253	156	131	271	232	364	420	191	586	-	15	24
14 Other malignant and lymphatic neoplasms	M	1,990	1,164	967	1,852	1,504	2,587	2,654	1,181	4,659	4	114	174
	F	1,864	1,066	816	1,769	1,371	2,249	2,491	1,151	4,256	2	86	175
15 Leukaemia, aleukaemia	M	119	81	64	108	75	135	136	54	248	-	5	10
	F	92	73	39	89	80	128	121	59	240	1	5	6
16 Diabetes	M	112	66	48	126	82	177	142	46	213	1	7	8
	F	159	107	91	197	172	292	273	128	429	2	18	16
17 Vascular lesions of nervous system	M	1,849	1,341	966	2,159	2,009	3,124	3,551	1,283	3,630	1	77	151
	F	3,099	1,997	1,439	3,472	2,878	4,285	5,263	2,002	6,223	2	108	281
18 Coronary disease, angina	M	4,603	2,908	2,172	4,792	4,741	6,310	7,516	3,236	10,807	7	237	446
	F	3,336	1,911	1,340	3,046	2,854	3,866	5,037	2,061	7,304	-	130	295
19 Hypertension with heart disease	M	131	152	114	244	285	363	286	144	358	-	7	18
	F	277	228	142	338	321	475	410	237	593	-	11	25
20 Other heart disease	M	1,359	869	723	1,756	1,382	1,930	2,314	809	2,533	3	51	125
	F	2,681	1,591	1,070	2,759	1,988	2,986	3,816	1,619	4,773	1	55	245
21 Other circulatory disease	M	875	462	377	777	653	1,075	1,133	436	1,775	3	32	65
	F	1,142	542	408	1,009	854	1,176	1,557	610	2,471	-	40	111
22 Influenza	M	22	14	8	20	24	46	76	38	36	-	1	-
	F	56	19	9	14	28	25	122	72	60	-	1	-
23 Pneumonia	M	1,152	669	584	946	709	1,480	1,447	777	2,603	4	43	117
	F	1,689	771	665	1,118	764	1,636	1,849	1,049	3,538	-	29	134
24 Bronchitis	M	1,359	709	503	1,006	1,407	2,040	2,566	1,166	3,349	2	104	136
	F	505	228	184	265	373	725	1,114	431	1,252	-	32	45
25 Other diseases of respiratory system	M	219	116	103	247	436	320	334	132	422	-	19	15
	F	144	80	56	105	105	156	199	78	272	-	6	5
26 Ulcer of stomach and duodenum	M	139	103	68	147	122	262	268	120	404	1	10	23
	F	145	87	50	105	62	124	151	58	303	-	4	6
27 Gastritis, enteritis and diarrhoea	M	64	40	28	63	49	97	119	46	143	-	2	6
	F	131	71	51	115	90	148	178	76	306	-	6	9
28 Nephritis and nephrosis	M	97	55	56	116	103	144	158	66	218	-	3	8
	F	84	55	36	83	79	133	141	61	192	-	4	2
29 Hyperplasia of prostate	M	121	81	60	147	142	167	180	73	244	-	7	10
30 Pregnancy, childbirth, abortion	F	17	3	5	5	10	26	16	4	46	-	1	1
31 Congenital malformations	M	158	96	97	165	138	265	222	133	395	-	8	9
	F	154	79	81	132	113	241	216	117	343	-	8	11
32 Other defined and ill-defined diseases	M	1,159	667	582	1,064	1,103	1,700	1,853	889	2,738	2	63	101
	F	1,678	881	735	1,461	1,258	2,039	2,525	1,004	3,582	1	82	126
33 Motor vehicle accidents	M	286	210	219	289	276	552	514	224	615	1	14	23
	F	145	75	97	125	109	233	265	115	338	-	-	19
34 All other accidents	M	334	248	162	280	407	531	541	258	760	-	13	34
	F	323	257	194	386	409	560	664	313	688	-	8	28
35 Suicide	M	245	99	101	195	143	244	282	102	538	-	6	21
	F	184	98	53	136	84	138	236	79	424	1	4	8
36 Homicide, operations of war	M	16	5	7	9	13	18	22	8	42	-	-	1
	F	10	5	11	12	14	14	12	7	34	-	-	1

Registrar General's Supplementary Abridged List		Hospital regions - continued								Greater London	City of London	Barking	Barnet
		South West Metropolitan	Wessex	Oxford	South Western	Welsh	Birmingham	Manchester	Liverpool				
9(1) Infectious hepatitis	M	6	1	3	4	6	5	6	8	18	-	2	2
	F	12	5	6	12	7	5	19	5	16	-	-	1
14(1) Malignant neoplasm, mouth and pharynx	M	57	34	30	55	46	97	120	52	156	-	5	3
	F	36	20	21	48	47	59	79	25	80	-	1	2
14(2) Malignant neoplasm, oesophagus	M	98	60	63	119	78	154	169	85	245	-	9	10
	F	100	41	34	115	89	108	134	67	198	-	3	8
14(3) Malignant neoplasm, intestine and rectum	M	448	309	245	465	408	730	696	309	1,092	1	24	44
	F	610	379	251	624	482	784	856	395	1,372	1	30	56
14(4) Malignant neoplasm, larynx	M	43	24	17	35	34	64	79	23	96	-	3	4
	F	13	6	3	9	6	15	21	10	20	-	-	1
13(1) Malignant neoplasm, cervix uteri	F	153	102	72	178	147	234	289	125	345	-	7	8
14(5) Malignant neoplasm, prostate	M	314	176	140	296	193	336	361	140	661	-	11	27
14(6) Malignant neoplasm, bladder	M	187	109	82	150	142	209	233	114	472	-	12	16
	F	89	35	27	59	52	81	114	55	203	-	3	11
14(7) Malignant neoplasm, bone (including jaw bone)	M	17	8	18	22	27	29	32	12	45	-	3	1
	F	15	12	4	25	7	28	18	16	42	-	-	2
14(8) Lymphosarcoma, reticulosarcoma	M	80	34	31	59	40	51	49	35	176	-	4	3
	F	67	26	24	52	26	54	48	31	138	-	3	11
14(9) Hodgkin's disease	M	41	31	17	33	40	53	57	31	88	-	3	4
	F	21	13	10	13	22	28	41	21	56	-	1	4
32(1) Thyrotoxicosis	M	2	-	2	2	5	3	8	-	8	-	-	2
	F	15	9	7	18	18	31	28	12	25	-	-	-
32(2) Multiple sclerosis	M	28	13	7	18	9	22	47	13	58	-	-	-
	F	27	24	19	38	7	38	46	19	59	-	2	-
32(3) Rheumatic fever	M	-	-	1	-	-	2	1	1	1	-	-	-
	F	3	1	-	1	-	2	1	-	4	-	-	-
20(1) Chronic rheumatic heart disease	M	131	64	59	112	133	239	210	75	374	1	9	9
	F	264	111	111	199	250	442	406	193	709	-	13	26
21(1) Hypertension without mention of heart	M	165	79	68	125	136	194	162	53	328	1	6	8
	F	172	66	38	130	163	171	162	79	366	-	6	16
25(1) Pneumoconiosis and chronic interstitial pneumonia	M	30	19	14	48	263	97	88	30	68	-	2	3
	F	10	9	5	19	11	9	18	9	35	-	1	1
26(1) Ulcer of stomach	M	69	53	33	76	57	131	113	49	202	-	4	10
	F	93	51	37	75	43	77	85	39	202	-	3	4
32(4) Appendicitis	M	10	9	9	16	15	30	29	5	25	-	-	1
	F	15	13	4	7	10	20	21	12	29	-	-	1
32(5) Intestinal obstruction and hernia	M	93	63	55	75	75	126	124	50	205	-	6	5
	F	142	56	55	107	85	155	179	64	316	-	13	10
32(6) Cirrhosis of liver	M	30	26	23	43	36	76	62	36	106	-	2	4
	F	51	33	24	37	45	64	75	29	110	-	2	3
32(7) Cholelithiasis, cholecystitis	M	17	14	10	21	29	36	30	13	48	-	1	3
	F	43	27	16	49	43	55	78	37	78	-	2	3
30(1) Maternal sepsis (not abortion)	F	1	-	1	-	1	1	1	-	3	-	-	-
30(2) Toxaemias of pregnancy and puerperium	F	2	1	1	4	2	9	5	2	7	-	1	-
30(3) Abortion	F	5	-	-	1	-	3	4	1	16	-	-	1
32(8) Rheumatoid arthritis and allied conditions	M	14	14	4	10	19	11	31	12	27	-	2	1
	F	59	21	22	55	39	70	97	29	107	-	1	4
32(9) Birth injury	M	58	20	26	55	48	142	97	40	146	-	1	1
	F	42	16	24	32	29	79	69	24	98	-	1	1
32(10) Postnatal asphyxia and atelectasis	M	94	47	42	71	75	163	134	61	227	-	3	7
	F	68	36	35	47	52	101	82	43	173	-	4	5
23(1) Pneumonia of newborn	M	21	13	7	13	10	49	37	8	42	-	-	2
	F	3	8	6	12	13	41	31	9	27	-	1	1
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	1	1	1	1	2	3	4	4	6	-	1	-
	F	4	-	2	2	3	3	2	1	8	-	-	-
32(12) Haemolytic disease of newborn	M	11	4	4	7	12	11	18	17	19	-	-	-
	F	6	4	5	5	2	17	18	12	22	-	-	1
32(13) Immaturity (without other disease peculiar to early infancy)	M	61	34	45	42	83	122	174	102	205	-	2	6
	F	61	30	30	24	53	96	118	70	184	-	8	9
32(14) Senility without psychosis	M	61	35	27	97	102	86	206	48	67	-	10	1
	F	166	90	64	258	149	217	524	108	184	-	3	7
32(15) Ill-defined and unknown cause	M	13	9	12	15	16	26	20	10	26	-	1	1
	F	9	12	7	9	13	14	31	7	27	-	-	2

TABLE 21 - *continued* LONDON BOROUGHS

Registrar General's Abridged List		Bexley	Brent	Bromley	Camden	Croydon	Ealing	Enfield	Greenwich	Hackney	Hammersmith	Haringey	Harrow
1 Tuberculosis, respiratory	M	7	8	6	9	16	4	4	7	9	9	6	3
	F	4	4	4	4	8	1	2	4	2	3	2	1
2 Tuberculosis, other	M	1	-	-	1	1	1	1	1	-	3	1	-
	F	-	2	1	1	-	1	-	-	2	-	-	-
3 Syphilitic disease	M	3	3	3	3	3	2	3	4	6	2	2	3
	F	-	4	1	3	11	1	1	1	3	3	3	1
4 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
5 Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	1	-	-
6 Meningococcal infections	M	-	-	-	-	-	-	1	-	-	-	1	-
	F	-	-	-	-	-	-	1	-	1	-	-	-
7 Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
8 Measles	M	-	-	1	-	-	-	-	-	-	1	-	-
	F	-	-	-	-	1	-	-	-	-	-	-	-
9 Other infective, etc., diseases	M	2	1	-	3	2	1	8	2	1	2	5	1
	F	-	1	3	2	2	3	4	-	1	3	2	2
10 Malignant neoplasm: stomach	M	28	48	28	39	45	50	40	41	37	27	46	23
	F	19	25	33	20	34	28	31	28	27	19	30	23
11 lung, bronchus	M	104	162	148	139	177	164	139	139	164	148	176	107
	F	23	37	41	27	48	22	32	51	31	41	27	22
12 breast	M	-	-	-	-	-	-	1	-	-	-	-	-
	F	46	58	76	47	80	75	63	58	52	43	70	50
13 uterus	F	8	22	18	17	13	28	21	14	11	15	31	17
14 Other malignant and lymphatic neoplasms	M	111	154	191	126	212	204	185	125	125	134	147	123
	F	97	165	161	123	174	152	154	119	120	133	166	131
15 Leukaemia, aleukaemia	M	10	10	10	5	7	8	11	8	11	6	10	3
	F	6	10	6	5	9	7	8	10	11	5	9	3
16 Diabetes	M	-	11	7	8	20	6	5	5	7	3	11	3
	F	7	18	11	9	20	16	11	10	17	5	17	10
17 Vascular lesions of nervous system	M	103	122	118	87	173	140	144	112	120	71	128	92
	F	161	205	207	140	307	198	245	168	175	163	207	190
18 Coronary disease, angina	M	304	387	413	335	472	470	417	362	357	327	337	296
	F	184	207	279	217	360	297	282	265	239	202	270	167
19 Hypertension with heart disease	M	19	19	18	8	6	12	17	20	9	5	12	6
	F	26	16	22	7	25	30	21	19	13	20	22	13
20 Other heart disease	M	65	80	77	49	93	109	81	48	73	61	69	46
	F	96	142	151	97	226	212	136	70	112	109	143	127
21 Other circulatory disease	M	48	76	76	53	82	81	69	45	55	56	58	45
	F	48	96	111	52	103	103	103	60	86	65	80	64
22 Influenza	M	-	3	-	1	4	-	3	-	-	-	-	-
	F	2	1	1	-	7	-	1	-	4	3	-	2
23 Pneumonia	M	73	66	109	75	156	100	77	75	94	84	75	38
	F	74	93	178	89	280	163	115	103	120	97	87	61
24 Bronchitis	M	73	101	97	85	163	116	108	92	112	107	108	68
	F	27	42	30	28	66	43	28	43	52	37	39	19
25 Other diseases of respiratory system	M	7	13	21	14	27	13	11	8	13	13	8	9
	F	5	12	6	9	9	10	7	8	6	7	6	6
26 Ulcer of stomach and duodenum	M	7	12	11	14	13	16	12	12	17	13	17	11
	F	4	8	12	11	17	8	13	10	8	10	7	6
27 Gastritis, enteritis and diarrhoea	M	5	8	3	7	8	5	8	4	1	3	4	7
	F	4	11	14	7	12	11	18	9	13	9	7	8
28 Nephritis and nephrosis	M	5	8	4	8	12	8	12	6	6	8	8	3
	F	4	6	4	4	10	9	4	7	7	7	7	4
29 Hyperplasia of prostate	M	9	8	14	1	13	5	10	11	5	4	7	6
30 Pregnancy, childbirth, abortion	F	2	1	-	2	4	-	1	2	3	4	2	-
31 Congenital malformations	M	10	18	15	13	19	24	7	15	19	6	14	6
	F	10	23	9	13	12	19	5	12	7	12	11	7
32 Other defined and ill-defined diseases	M	70	115	84	89	124	107	88	69	98	79	84	84
	F	70	118	122	109	197	142	98	109	129	93	114	78
33 Motor vehicle accidents	M	29	24	28	15	25	32	22	20	18	13	14	17
	F	9	12	14	8	18	13	14	12	9	7	12	12
34 All other accidents	M	15	25	19	36	23	22	23	23	31	29	25	12
	F	5	22	19	41	33	13	20	14	22	12	29	10
35 Suicide	M	7	14	13	32	20	15	12	11	10	20	16	9
	F	4	16	22	21	10	16	13	6	17	13	13	3
36 Homicide, operations of war	M	-	-	1	1	1	2	1	2	4	-	2	-
	F	-	1	2	1	2	-	2	-	3	1	1	-

TABLE 21 - *continued* LONDON BOROUGHS

Registrar General's Supplementary Abridged List		Bexley	Brent	Bromley	Camden	Croydon	Ealing	Enfield	Greenwich	Hackney	Hammersmith	Haringey	Harrow
9(1) Infectious hepatitis	M	1	-	-	2	-	-	-	2	-	-	-	1
	F	-	-	-	-	2	1	-	-	-	1	1	1
14(1) Malignant neoplasm, mouth and pharynx	M	3	5	4	9	5	6	5	3	3	5	1	2
	F	3	2	2	2	6	3	4	1	3	2	6	1
14(2) Malignant neoplasm, oesophagus	M	11	5	6	6	6	10	5	8	6	10	5	9
	F	2	8	6	9	10	8	6	5	7	7	9	6
14(3) Malignant neoplasm, intestine and rectum	M	31	45	51	25	51	49	46	29	23	23	41	39
	F	30	51	54	32	58	57	53	33	40	38	51	49
14(4) Malignant neoplasm, larynx	M	1	2	3	2	3	2	7	3	2	1	3	-
	F	-	2	-	2	2	1	1	-	-	2	-	-
13(1) Malignant neoplasm, cervix uteri	F	5	10	12	10	6	19	10	8	8	8	21	10
14(5) Malignant neoplasm, prostate	M	10	22	32	12	29	29	31	14	28	17	24	23
14(6) Malignant neoplasm, bladder	M	11	13	13	18	21	26	20	14	9	11	18	7
	F	5	10	5	3	10	6	3	8	3	3	8	7
14(7) Malignant neoplasm, bone (including jaw bone)	M	1	-	3	1	3	1	2	-	-	1	2	-
	F	1	-	3	2	1	1	1	2	1	2	2	1
14(8) Lymphosarcoma, reticulosarcoma	M	1	6	8	6	12	11	4	5	6	5	7	3
	F	5	4	4	3	7	3	5	4	4	4	5	2
14(9) Hodgkin's disease	M	3	2	3	3	5	3	3	3	2	2	2	-
	F	1	2	-	1	1	4	3	2	2	3	4	3
32(1) Thyrotoxicosis	M	-	-	-	2	-	1	1	-	-	-	1	-
	F	1	1	-	-	-	2	1	-	-	-	2	-
32(2) Multiple sclerosis	M	2	2	4	2	4	4	1	1	-	2	2	3
	F	3	-	4	3	3	3	4	1	1	-	4	1
32(3) Rheumatic fever	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	1	-	-	-
20(1) Chronic rheumatic heart disease	M	7	16	10	9	10	21	12	9	16	15	12	10
	F	16	37	20	27	25	30	14	15	36	23	20	17
21(1) Hypertension without mention of heart	M	5	15	11	1	12	24	10	7	5	16	7	9
	F	7	17	8	6	19	13	10	5	9	9	9	10
25(1) Pneumoconiosis and chronic inter-stitial pneumonia	M	-	3	3	9	4	4	1	-	1	-	2	1
	F	3	-	-	1	2	1	-	3	-	-	-	2
26(1) Ulcer of stomach	M	4	11	8	9	5	7	6	4	6	7	8	3
	F	2	5	9	9	12	4	12	6	5	6	3	4
32(4) Appendicitis	M	-	3	-	3	1	1	1	1	1	3	1	-
	F	-	1	2	2	1	-	-	1	1	1	1	-
32(5) Intestinal obstruction and hernia	M	9	7	7	3	12	7	9	5	8	4	4	7
	F	7	10	10	10	16	12	8	12	10	3	11	3
32(6) Cirrhosis of liver	M	1	3	6	7	-	5	4	3	1	1	2	3
	F	3	3	6	4	6	2	2	3	3	7	2	1
32(7) Cholelithiasis, cholecystitis	M	2	2	1	2	4	-	1	1	2	1	3	1
	F	-	2	3	1	3	3	3	4	2	-	-	-
30(1) Maternal sepsis (not abortion)	F	1	1	-	1	-	-	-	-	-	-	-	-
30(2) Toxaemias of pregnancy and puerperium	F	-	-	-	-	1	-	1	1	-	1	1	-
30(3) Abortion	F	-	-	-	-	2	-	-	-	2	1	-	-
32(8) Rheumatoid arthritis and allied conditions	M	-	1	1	2	1	1	-	-	-	2	2	1
	F	1	9	4	2	5	3	4	-	4	3	3	6
32(9) Birth injury	M	9	11	7	3	7	5	2	6	8	3	3	7
	F	3	6	5	3	5	5	-	1	6	4	6	3
32(10) Postnatal asphyxia and atelectasis	M	6	2	5	5	11	18	4	5	4	10	12	6
	F	2	6	4	5	6	10	3	5	8	5	5	5
23(1) Pneumonia of newborn	M	-	1	1	1	1	-	1	1	4	4	2	1
	F	-	1	-	-	1	2	-	-	4	-	2	1
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	-	1	-	-	-	-	1	-	-	1	-	1
	F	-	-	-	1	-	-	-	-	-	2	1	-
32(12) Haemolytic disease of newborn	M	-	-	2	1	-	2	1	-	-	-	-	-
	F	-	1	1	-	-	-	2	1	1	-	1	-
32(13) Immaturity (without other disease peculiar to early infancy)	M	4	10	2	7	8	12	11	5	17	4	9	4
	F	4	6	5	4	10	6	7	8	6	2	6	4
32(14) Senility without psychosis	M	1	-	2	2	5	2	1	1	2	3	1	1
	F	1	2	10	3	17	11	3	3	-	4	6	-
32(15) Ill-defined and unknown cause	M	-	-	-	3	4	-	-	1	-	1	-	1
	F	-	-	1	4	1	1	-	4	-	-	-	1

TABLE 21 - *continued*

LONDON BOROUGHS

Registrar General's Abridged List		Havering	Hillingdon	Hounslow	Islington	Kensington and Chelsea	Kingston-upon-Thames	Lambeth	Lewisham	Merton	Newham	Redbridge	Richmond-upon-Thames
1 Tuberculosis, respiratory	M	3	1	7	10	4	2	12	6	9	12	6	5
	F	3	3	3	1	2	-	3	5	1	7	3	2
2 Tuberculosis, other	M	1	1	-	3	1	-	2	-	-	-	-	1
	F	-	-	1	1	-	1	1	2	-	1	-	1
3 Syphilitic disease	M	4	1	2	1	1	1	6	8	2	1	2	1
	F	3	-	1	5	4	7	1	8	4	-	3	6
4 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
5 Whooping cough	M	1	-	-	-	1	-	1	-	-	-	-	-
	F	-	-	-	1	-	-	-	-	-	-	-	-
6 Meningococcal infections	M	-	-	1	-	-	-	1	-	-	1	1	-
	F	-	-	-	-	-	-	-	2	-	-	-	-
7 Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
8 Measles	M	-	-	-	-	-	-	1	-	-	-	-	1
	F	-	-	-	-	-	-	-	-	-	-	1	-
9 Other infective, etc., diseases	M	1	1	-	-	1	-	2	4	2	1	2	2
	F	2	-	2	1	2	2	-	1	1	1	2	-
10 Malignant neoplasm: stomach	M	18	31	40	31	22	16	49	42	31	66	32	22
	F	32	17	26	26	19	14	36	33	21	37	29	23
11 lung, bronchus	M	123	115	135	158	88	86	208	196	108	169	140	120
	F	15	27	32	35	34	19	58	42	19	43	26	31
12 breast	M	-	-	-	-	-	3	-	1	-	2	-	-
	F	42	54	42	45	63	35	68	63	46	60	68	45
13 uterus	F	6	18	17	15	18	17	36	21	14	16	24	13
14 Other malignant and lymphatic neoplasms	M	127	130	116	125	93	77	198	184	116	150	147	123
	F	107	104	98	130	109	86	168	156	94	140	128	118
15 Leukaemia, aleukaemia	M	5	3	5	3	6	9	8	12	8	7	10	11
	F	6	7	5	6	3	5	16	13	7	6	9	4
16 Diabetes	M	8	3	3	3	5	2	8	4	8	5	5	7
	F	11	15	12	16	12	6	7	10	7	16	23	15
17 Vascular lesions of nervous system	M	101	103	89	106	98	76	118	157	72	103	107	101
	F	179	166	131	152	152	136	216	301	157	185	198	193
18 Coronary disease, angina	M	273	268	329	253	214	209	426	438	289	341	332	257
	F	175	171	161	185	194	154	287	312	223	205	205	200
19 Hypertension with heart disease	M	7	11	10	9	6	10	12	15	6	15	15	8
	F	7	21	16	11	11	19	23	23	10	22	26	15
20 Other heart disease	M	44	53	97	118	77	38	106	79	50	82	91	78
	F	56	118	186	247	153	77	194	129	94	117	170	149
21 Other circulatory disease	M	26	42	38	61	45	43	80	60	49	48	47	43
	F	29	61	62	66	65	58	105	98	51	64	81	101
22 Influenza	M	1	-	2	-	1	-	2	1	-	2	-	4
	F	2	1	1	2	5	2	1	1	1	5	2	2
23 Pneumonia	M	55	50	58	102	56	45	109	129	69	72	77	59
	F	72	84	73	108	89	58	173	137	82	87	132	89
24 Bronchitis	M	74	64	76	102	66	61	159	132	70	132	88	75
	F	31	25	30	31	45	14	79	40	19	63	40	35
25 Other diseases of respiratory system	M	13	10	9	10	7	7	30	16	10	16	14	12
	F	10	3	11	8	11	6	15	9	6	12	12	10
26 Ulcer of stomach and duodenum	M	5	9	6	19	9	11	16	25	7	15	12	10
	F	6	6	10	9	4	6	16	12	11	8	17	11
27 Gastritis, enteritis and diarrhoea	M	2	4	1	5	3	2	8	7	6	6	2	-
	F	7	5	4	12	6	8	22	12	6	18	10	4
28 Nephritis and nephrosis	M	8	4	5	6	3	3	13	6	7	3	11	6
	F	4	6	5	4	5	2	7	6	5	5	10	6
29 Hyperplasia of prostate	M	4	3	8	4	8	8	12	10	4	13	7	6
30 Pregnancy, childbirth, abortion	F	-	2	1	4	-	-	1	1	1	3	-	-
31 Congenital malformations	M	11	11	7	6	15	5	20	15	7	17	10	10
	F	12	9	4	12	12	5	18	6	8	13	11	8
32 Other defined and ill-defined diseases	M	79	73	66	97	72	45	119	93	48	92	98	76
	F	120	86	96	116	127	55	168	127	88	108	148	88
33 Motor vehicle accidents	M	11	23	16	19	9	15	30	23	18	11	25	9
	F	5	7	5	15	7	8	15	19	6	12	12	10
34 All other accidents	M	15	20	20	34	25	8	44	25	13	24	16	10
	F	13	16	19	31	33	12	28	19	16	24	24	15
35 Suicide	M	5	11	4	20	32	8	27	18	18	15	18	15
	F	4	9	9	12	33	4	18	25	12	6	12	11
36 Homicide, operations of war	M	-	-	2	6	2	-	3	1	2	1	-	-
	F	1	-	-	6	-	-	2	-	2	2	-	-

TABLE 21 - *continued*

LONDON BOROUGHS

Registrar General's Supplementary Abridged List		Havering	Hillingdon	Hounslow	Islington	Kensington and Chelsea	Kingston-upon-Thames	Lambeth	Lewisham	Merton	Newham	Redbridge	Richmond-upon-Thames
9(1) Infectious hepatitis	M	-	1	-	-	-	-	-	-	-	1	2	-
	F	-	-	1	-	1	1	-	-	1	-	1	-
14(1) Malignant neoplasm, mouth and pharynx	M	4	2	5	6	4	1	8	5	4	4	2	7
	F	4	1	-	1	-	4	4	3	-	2	1	2
14(2) Malignant neoplasm, oesophagus	M	8	5	6	9	2	5	12	11	4	8	7	8
	F	2	2	4	5	6	5	9	7	3	3	5	5
14(3) Malignant neoplasm, intestine and rectum	M	25	36	34	22	15	18	41	44	26	27	39	28
	F	32	30	32	42	32	27	53	52	29	53	37	41
14(4) Malignant neoplasm, larynx	M	-	7	3	3	4	1	6	4	2	4	1	3
	F	-	1	-	-	-	1	1	-	1	-	-	1
13(1) Malignant neoplasm, cervix uteri	F	3	11	11	11	16	7	26	10	7	9	9	6
14(5) Malignant neoplasm, prostate	M	16	16	15	19	8	13	28	30	20	21	18	26
14(6) Malignant neoplasm, bladder	M	14	13	10	8	11	6	21	23	10	21	21	10
	F	6	6	-	8	13	5	6	9	3	7	6	5
14(7) Malignant neoplasm, bone (including jaw bone)	M	1	2	1	1	1	-	1	1	2	3	1	2
	F	-	2	2	1	1	1	1	3	-	4	-	1
14(8) Lymphosarcoma, reticulosarcoma	M	5	3	5	7	5	2	5	10	3	8	4	3
	F	-	5	1	3	2	2	6	3	6	8	4	4
14(9) Hodgkin's disease	M	3	2	2	1	2	3	2	4	2	4	3	3
	F	-	2	1	-	-	-	1	5	3	3	2	1
32(1) Thyrotoxicosis	M	-	-	-	-	-	-	1	-	-	-	-	-
	F	1	1	-	-	1	1	-	1	2	-	1	2
32(2) Multiple sclerosis	M	3	3	4	2	1	-	2	1	1	1	1	4
	F	3	3	1	1	2	3	2	-	1	1	2	3
32(3) Rheumatic fever	M	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	1	1	-	-	-	-	-	-	-
20(1) Chronic rheumatic heart disease	M	4	12	9	9	11	9	20	8	9	18	14	3
	F	10	24	18	25	28	9	42	18	16	23	18	13
21(1) Hypertension without mention of heart	M	-	10	4	18	8	8	21	12	8	5	9	11
	F	3	13	5	9	14	13	14	5	5	8	20	17
25(1) Pneumoconiosis and chronic interstitial pneumonia	M	3	4	1	3	-	1	5	1	1	-	2	-
	F	3	-	-	2	1	1	-	3	-	4	1	-
26(1) Ulcer of stomach	M	3	6	4	12	6	6	10	13	1	5	4	2
	F	6	2	7	7	3	4	10	8	6	5	10	9
32(4) Appendicitis	M	-	-	-	2	1	-	-	-	-	2	-	-
	F	-	-	3	-	-	-	3	-	3	1	2	-
32(5) Intestinal obstruction and hernia	M	1	7	5	7	6	1	8	7	5	10	3	7
	F	2	8	8	15	12	6	11	9	12	8	13	9
32(6) Cirrhosis of liver	M	1	1	3	3	9	1	6	4	-	2	4	3
	F	2	2	2	5	8	3	5	4	2	3	5	3
32(7) Cholelithiasis, cholecystitis	M	1	3	1	1	2	-	-	1	-	3	-	-
	F	4	1	-	6	4	-	4	1	-	2	5	3
30(1) Maternal sepsis (not abortion)	F	-	-	-	-	-	-	-	-	-	-	-	-
30(2) Toxaemias of pregnancy and puerperium	F	-	1	-	-	-	-	-	-	-	-	-	-
30(3) Abortion	F	-	-	-	3	-	-	-	-	-	1	-	-
32(8) Rheumatoid arthritis and allied conditions	M	2	-	-	1	-	1	-	-	1	-	4	1
	F	3	1	3	2	4	3	5	2	2	2	4	-
32(9) Birth injury	M	4	-	3	10	3	2	7	5	3	2	7	2
	F	1	2	3	4	3	3	4	5	2	2	3	3
32(10) Postnatal asphyxia and atelectasis	M	4	6	4	11	5	7	8	11	5	7	7	5
	F	5	2	8	7	11	3	11	4	2	6	2	1
23(1) Pneumonia of newborn	M	1	-	1	2	1	-	3	1	3	2	-	-
	F	1	2	1	1	-	-	-	1	1	1	1	-
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	1	1	-	-	1	-	-	-	-	-
32(12) Haemolytic disease of newborn	M	-	-	-	1	1	-	1	1	-	2	-	1
	F	1	1	2	1	1	-	2	1	1	-	1	2
32(13) Immaturity (without other disease peculiar to early infancy)	M	9	9	3	6	5	2	9	4	3	8	7	4
	F	7	5	5	3	8	1	14	4	4	12	9	1
32(14) Senility without psychosis	M	2	1	1	-	5	3	-	-	1	2	6	-
	F	7	8	5	8	17	3	8	5	2	4	9	5
32(15) Ill-defined and unknown cause	M	1	1	1	3	-	-	1	-	-	-	-	-
	F	-	-	-	3	1	1	-	-	-	-	-	1

TABLE 21 - *continued*

LONDON BOROUGHS AND COUNTY BOROUGHS

Registrar General's Abridged List		Southwark	Sutton	Tower Hamlets	Waltham Forest	Wandsworth	Westminster, City of	Barnsley	Barrow-in-Furness	Bath	Birkenhead	Birmingham	Blackburn
1 Tuberculosis, respiratory	M	16	7	9	4	8	9	5	3	3	6	35	4
	F	3	2	7	1	9	5	-	-	-	2	9	-
2 Tuberculosis, other	M	1	1	2	-	3	-	-	1	-	-	2	-
	F	3	-	-	1	1	-	1	-	1	-	5	-
3 Syphilitic disease	M	2	1	2	-	3	7	-	1	1	2	13	2
	F	9	4	1	4	6	3	-	-	-	-	8	1
4 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
5 Whooping cough	M	-	-	-	-	1	-	-	-	-	-	1	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
6 Meningococcal infections	M	-	-	-	-	1	-	1	-	-	-	-	-
	F	-	-	-	1	-	1	-	-	-	-	1	-
7 Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
8 Measles	M	-	-	-	-	-	1	-	-	-	-	2	-
	F	-	-	-	-	-	-	-	-	-	-	2	-
9 Other infective, etc., diseases	M	3	2	1	1	2	2	-	-	-	-	8	-
	F	6	2	-	1	3	1	-	-	2	1	11	2
10 Malignant neoplasm: stomach	M	46	21	36	38	59	28	16	15	13	27	197	23
	F	32	13	29	29	26	31	11	9	10	11	126	18
11 lung, bronchus	M	253	100	155	162	212	133	40	35	51	84	598	63
	F	42	20	26	31	56	42	5	4	9	16	100	9
12 breast	M	1	-	1	-	-	1	-	-	-	-	3	-
	F	74	34	39	63	74	54	10	11	17	32	217	33
13 uterus	F	26	15	13	15	20	28	8	5	13	16	79	9
14 Other malignant and lymphatic neoplasms	M	175	108	121	166	178	196	46	27	43	98	574	45
	F	165	102	104	148	171	170	34	41	56	80	563	51
15 Leukaemia, aleukaemia	M	8	4	8	5	9	13	1	3	2	4	22	4
	F	10	5	7	12	9	9	3	1	1	5	36	3
16 Diabetes	M	8	7	10	5	13	7	3	2	2	2	41	3
	F	15	9	17	18	27	6	2	4	3	7	59	9
17 Vascular lesions of nervous system	M	124	114	83	139	186	114	48	33	54	92	686	92
	F	256	183	123	252	307	179	64	55	111	149	991	137
18 Coronary disease, angina	M	366	223	276	392	402	352	92	123	145	206	1,386	186
	F	295	177	174	227	340	225	58	99	92	127	822	149
19 Hypertension with heart disease	M	14	7	4	9	13	11	6	2	6	5	84	8
	F	27	15	17	21	29	10	11	7	8	7	117	10
20 Other heart disease	M	99	93	69	83	165	81	36	49	36	43	402	69
	F	199	162	85	199	381	135	35	60	65	83	678	127
21 Other circulatory disease	M	71	38	39	48	98	55	16	10	16	31	207	21
	F	102	62	49	71	151	73	22	13	31	37	251	32
22 Influenza	M	1	1	-	2	6	1	-	1	-	1	16	-
	F	2	2	-	3	6	-	-	-	1	2	3	-
23 Pneumonia	M	110	42	68	63	151	102	29	24	45	63	374	70
	F	148	73	74	101	229	106	17	19	52	71	495	65
24 Bronchitis	M	191	72	124	133	165	93	43	23	44	60	464	62
	F	66	11	46	39	65	42	7	7	7	25	226	37
25 Other diseases of respiratory system	M	12	13	12	14	16	10	4	3	10	10	58	11
	F	11	8	7	7	16	8	-	-	4	3	32	3
26 Ulcer of stomach and duodenum	M	19	4	17	7	11	13	3	3	3	9	68	3
	F	16	7	6	9	13	12	2	-	3	3	35	3
27 Gastritis, enteritis and diarrhoea	M	7	3	2	6	2	6	4	-	1	5	32	5
	F	16	8	2	8	9	11	2	1	2	6	36	6
28 Nephritis and nephrosis	M	12	6	6	4	9	7	2	-	6	3	28	3
	F	11	4	5	7	12	9	2	2	-	5	32	4
29 Hyperplasia of prostate	M	7	7	4	12	10	7	6	3	3	3	42	6
30 Pregnancy, childbirth, abortion	F	3	-	1	1	4	1	-	-	1	-	6	-
31 Congenital malformations	M	19	6	14	13	19	7	2	1	8	7	44	6
	F	8	6	12	16	15	9	4	1	3	9	57	6
32 Other defined and ill-defined diseases	M	90	53	59	83	141	97	33	15	28	68	382	34
	F	133	68	73	130	165	98	25	19	28	77	463	54
33 Motor vehicle accidents	M	21	14	16	19	22	19	7	7	5	15	103	7
	F	14	9	9	9	13	4	3	7	6	10	61	3
34 All other accidents	M	48	9	22	24	42	31	11	9	13	17	117	12
	F	34	17	19	17	27	48	11	12	20	14	165	16
35 Suicide	M	30	8	10	10	44	39	3	5	3	5	63	8
	F	18	7	10	13	25	29	-	4	3	5	32	7
36 Homicide, operations of war	M	1	1	4	1	3	-	1	2	-	1	5	-
	F	1	-	1	1	1	3	1	-	-	2	2	-

TABLE 21 - *continued*

LONDON BOROUGHS AND COUNTY BOROUGHS

Registrar General's Supplementary Abridged List		Southwark	Sutton	Tower Hamlets	Waltham Forest	Wandsworth	Westminster, City of	Barnsley	Barrow-in-Furness	Bath	Birkenhead	Birmingham	Blackburn
9(1) Infectious hepatitis	M	-	1	-	1	1	1	-	-	-	-	-	-
	F	1	-	-	1	1	1	-	-	-	-	-	-
14(1) Malignant neoplasm, mouth and pharynx	M	8	3	3	9	7	15	2	-	2	5	23	4
	F	3	2	4	3	5	3	-	3	-	-	22	1
14(2) Malignant neoplasm, oesophagus	M	12	5	7	13	9	8	-	1	1	4	25	5
	F	13	4	6	5	8	12	1	3	3	9	19	5
14(3) Malignant neoplasm, intestine and rectum	M	45	22	26	42	38	42	18	8	10	27	158	10
	F	59	33	31	55	54	47	14	14	16	21	197	14
14(4) Malignant neoplasm, larynx	M	5	3	4	-	6	4	1	1	-	1	18	2
	F	-	-	1	1	2	-	-	-	2	-	2	-
13(1) Malignant neoplasm, cervix uteri	F	18	10	7	9	16	17	5	4	8	9	43	6
14(5) Malignant neoplasm, prostate	M	20	13	12	23	25	29	7	5	9	12	72	4
14(6) Malignant neoplasm, bladder	M	24	10	19	11	13	18	3	1	1	11	56	4
	F	10	5	6	4	11	8	2	3	2	2	16	1
14(7) Malignant neoplasm, bone (including jaw bone)	M	1	3	1	2	3	1	1	-	2	1	8	2
	F	3	1	1	-	1	1	-	-	-	-	6	-
14(8) Lymphosarcoma, reticulosarcoma	M	4	2	4	6	9	10	-	-	1	1	15	-
	F	-	5	6	6	7	6	1	1	4	3	16	1
14(9) Hodgkin's disease	M	6	4	-	1	5	3	2	2	-	4	9	1
	F	1	1	2	2	1	-	1	-	-	3	6	2
32(1) Thyrotoxicosis	M	-	-	-	-	-	-	1	-	-	-	-	-
	F	-	1	-	2	2	3	-	-	-	-	7	1
32(2) Multiple sclerosis	M	-	-	1	2	5	-	1	2	-	2	4	-
	F	2	-	1	3	2	-	-	1	2	3	10	-
32(3) Rheumatic fever	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	1
20(1) Chronic rheumatic heart disease	M	16	9	15	12	14	16	5	1	3	3	47	4
	F	32	10	26	24	23	31	9	8	7	5	101	15
21(1) Hypertension without mention of heart	M	23	10	5	10	18	11	1	1	2	5	51	2
	F	24	8	7	19	18	20	3	2	1	1	45	3
25(1) Pneumoconiosis and chronic inter-stitial pneumonia	M	2	1	2	2	3	4	1	-	-	1	14	-
	F	3	1	-	-	1	1	-	-	1	-	2	-
26(1) Ulcer of stomach	M	10	2	12	3	5	6	2	-	1	3	35	2
	F	8	4	5	8	9	7	2	-	3	1	21	-
32(4) Appendicitis	M	-	-	1	2	1	-	-	-	2	-	7	-
	F	1	1	1	1	-	2	-	-	-	-	1	1
32(5) Intestinal obstruction and hernia	M	5	6	3	10	15	6	3	1	4	1	22	1
	F	15	4	1	11	27	10	1	-	2	5	34	9
32(6) Cirrhosis of liver	M	2	1	3	3	2	16	-	1	-	2	21	2
	F	3	2	4	1	3	6	2	1	1	-	18	2
32(7) Cholelithiasis, cholecystitis	M	4	2	1	1	2	2	-	-	1	-	9	2
	F	5	2	3	5	2	2	-	-	2	2	7	2
30(1) Maternal sepsis (not abortion)	F	-	-	-	-	-	-	-	-	-	-	1	-
30(2) Toxaemias of pregnancy and puerperium	F	-	-	-	-	-	-	-	-	-	-	1	-
30(3) Abortion	F	2	-	-	1	2	1	-	-	1	-	2	-
32(8) Rheumatoid arthritis and allied conditions	M	-	-	-	2	-	1	-	-	-	1	5	-
	F	4	3	3	6	9	2	1	2	1	2	24	1
32(9) Birth injury	M	4	2	3	2	11	3	3	-	1	7	35	1
	F	4	2	1	2	3	2	1	1	-	3	17	-
32(10) Postnatal asphyxia and atelectasis	M	10	3	4	6	13	13	4	1	2	3	39	3
	F	6	2	5	6	14	5	4	-	1	4	28	2
23(1) Pneumonia of newborn	M	2	1	2	-	2	2	-	-	-	2	12	4
	F	1	-	2	2	-	-	-	1	2	-	8	1
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	-	-	-	-	-	-	-	-	-	-	1	-
	F	-	-	-	1	-	-	-	-	-	-	1	-
32(12) Haemolytic disease of newborn	M	2	1	-	-	3	-	-	-	-	1	1	-
	F	-	-	-	1	-	-	1	-	-	2	4	1
32(13) Immaturity (without other disease peculiar to early infancy)	M	9	3	3	6	9	5	1	1	2	11	29	6
	F	5	3	2	4	8	4	3	2	1	3	18	2
32(14) Senility without psychosis	M	-	5	-	6	2	1	-	-	-	5	8	3
	F	5	5	3	15	3	2	1	-	2	15	37	4
32(15) Ill-defined and unknown cause	M	2	-	2	-	2	1	1	-	-	2	10	2
	F	4	-	1	1	1	-	-	-	-	-	3	-

TABLE 21 - *continued*

COUNTY BOROUGHS

Registrar General's Abridged List		Blackpool	Bolton	Bootle	Bournemouth	Bradford	Brighton	Bristol	Burnley	Burton-upon-Trent	Bury	Canterbury	Carlisle
1 Tuberculosis, respiratory	M	4	6	-	4	6	9	13	5	1	2	-	3
	F	-	2	2	1	1	4	1	1	-	-	-	-
2 Tuberculosis, other	M	-	2	-	-	2	-	1	-	-	-	-	-
	F	-	-	-	1	-	1	-	-	-	-	-	-
3 Syphilitic disease	M	4	1	-	7	1	3	7	1	-	2	-	-
	F	2	1	-	2	-	-	2	1	-	2	-	2
4 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
5 Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	1	-	1	-	-	-
6 Meningococcal infections	M	-	-	-	-	1	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
7 Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
8 Measles	M	-	-	-	-	-	-	-	-	-	1	-	-
	F	-	-	-	-	-	-	1	-	1	-	-	-
9 Other infective, etc., diseases	M	2	-	2	1	4	-	3	-	-	-	1	-
	F	2	3	-	-	3	4	5	1	-	-	-	-
10 Malignant neoplasm: stomach	M	20	28	8	27	51	40	67	24	8	7	4	10
	F	34	26	7	31	32	26	65	11	1	6	2	10
11 lung, bronchus	M	110	80	41	89	176	102	233	38	23	25	21	44
	F	17	7	8	24	23	24	55	3	5	8	2	4
12 breast	M	2	-	-	-	2	1	-	-	-	-	1	-
	F	52	37	8	50	69	57	97	15	13	13	9	18
13 uterus	F	24	16	6	15	31	23	33	9	7	6	2	6
14 Other malignant and lymphatic neoplasms	M	112	88	34	93	151	136	251	46	24	29	17	38
	F	101	88	37	146	155	136	233	51	15	33	17	44
15 Leukaemia, aleukaemia	M	3	5	2	7	11	9	13	1	1	2	2	-
	F	5	4	2	8	10	5	7	2	1	1	-	4
16 Diabetes	M	7	3	2	6	8	5	22	3	4	-	-	1
	F	15	14	7	8	10	9	20	4	4	2	1	4
17 Vascular lesions of nervous system	M	170	130	29	142	196	126	311	70	30	46	28	55
	F	251	165	58	247	366	295	497	121	35	78	45	92
18 Coronary disease, angina	M	370	247	100	318	473	320	697	140	84	96	42	128
	F	244	146	70	281	408	225	450	113	39	69	35	82
19 Hypertension with heart disease	M	10	16	5	10	25	11	23	6	5	6	2	4
	F	16	13	9	21	29	32	35	6	9	2	2	4
20 Other heart disease	M	125	76	25	85	115	70	182	31	28	28	9	27
	F	195	96	43	172	245	176	296	59	39	50	31	51
21 Other circulatory disease	M	47	40	14	46	55	60	103	20	7	21	11	13
	F	73	48	10	49	106	66	130	24	11	46	25	30
22 Influenza	M	1	2	-	-	1	7	2	-	-	4	-	1
	F	1	2	4	-	4	6	1	2	1	4	-	1
23 Pneumonia	M	34	41	18	79	121	49	120	24	7	20	11	13
	F	37	61	32	90	125	86	189	34	4	13	19	10
24 Bronchitis	M	100	106	40	80	131	66	167	58	20	36	14	19
	F	37	54	16	21	57	37	42	24	8	15	5	10
25 Other diseases of respiratory system	M	12	19	1	10	22	20	28	8	3	5	-	6
	F	11	3	1	9	6	15	16	3	2	1	1	4
26 Ulcer of stomach and duodenum	M	13	10	5	11	11	10	23	6	5	7	1	16
	F	9	3	1	17	10	5	20	4	4	1	1	2
27 Gastritis, enteritis and diarrhoea	M	6	5	1	2	11	6	9	1	-	3	-	-
	F	4	7	3	15	17	7	31	1	1	3	3	3
28 Nephritis and nephrosis	M	2	3	-	2	9	3	8	4	4	-	1	4
	F	4	3	1	9	6	5	12	4	4	5	4	-
29 Hyperplasia of prostate	M	7	7	-	6	9	7	10	1	4	-	-	1
30 Pregnancy, childbirth, abortion	F	-	-	-	-	-	1	-	-	-	-	-	-
31 Congenital malformations	M	5	6	3	9	18	5	27	2	3	6	3	7
	F	3	3	5	8	19	4	19	4	1	4	2	4
32 Other defined and ill-defined diseases	M	82	69	25	77	121	64	121	37	33	26	5	24
	F	117	93	29	80	167	87	141	52	56	23	14	31
33 Motor vehicle accidents	M	13	21	12	19	43	13	42	11	6	9	4	10
	F	3	13	2	8	14	5	15	6	2	3	1	5
34 All other accidents	M	23	22	13	22	47	30	31	14	10	7	-	10
	F	42	23	16	37	42	64	58	15	2	15	3	11
35 Suicide	M	14	9	-	7	14	9	32	9	2	4	1	1
	F	14	6	3	15	5	5	23	4	1	3	1	5
36 Homicide, operations of war	M	1	1	1	-	1	1	1	-	-	-	-	-
	F	2	1	-	-	1	-	1	-	-	1	-	1

TABLE 21 - *continued*

COUNTY BOROUGHS

Registrar General's Supplementary Abridged List		Blackpool	Bolton	Bootle	Bournemouth	Bradford	Brighton	Bristol	Burnley	Burton-upon-Trent	Bury	Canterbury	Carlisle
9(1) Infectious hepatitis	M	1	-	1	-	-	-	-	-	-	-	-	-
	F	1	2	-	-	1	1	2	1	-	-	-	-
14(1) Malignant neoplasm, mouth and pharynx	M	2	8	1	2	8	5	5	1	-	1	1	1
	F	3	2	2	5	4	3	1	4	-	-	1	1
14(2) Malignant neoplasm, oesophagus	M	9	5	3	4	8	7	18	4	2	1	2	2
	F	6	5	4	6	9	6	14	-	-	2	-	3
14(3) Malignant neoplasm, intestine and rectum	M	30	16	5	29	40	34	56	16	4	12	7	8
	F	37	38	14	52	51	38	73	16	5	13	4	12
14(4) Malignant neoplasm, larynx	M	4	3	1	3	1	7	7	3	3	1	-	-
	F	-	1	1	1	1	4	1	1	-	-	-	-
13(1) Malignant neoplasm, cervix uteri	F	20	14	4	9	17	15	26	6	4	3	2	3
14(5) Malignant neoplasm, prostate	M	20	7	5	19	23	14	37	4	2	3	1	5
14(6) Malignant neoplasm, bladder	M	5	9	2	10	10	19	21	4	1	1	-	2
	F	5	5	1	4	10	6	9	3	1	1	-	2
14(7) Malignant neoplasm, bone (including jaw bone)	M	-	1	2	-	3	1	1	-	1	-	-	-
	F	2	-	-	3	-	-	4	1	-	-	-	-
14(8) Lymphosarcoma, reticulosarcoma	M	1	2	1	4	3	3	11	2	-	-	1	-
	F	2	1	-	5	2	2	8	2	-	-	1	-
14(9) Hodgkin's disease	M	1	1	1	-	4	1	6	1	1	-	1	-
	F	1	2	1	1	3	1	1	1	-	1	1	1
32(1) Thyrotoxicosis	M	1	1	-	-	-	-	-	-	-	1	-	-
	F	3	2	-	1	1	-	-	1	1	-	-	-
32(2) Multiple sclerosis	M	1	2	1	3	2	1	1	2	1	-	-	-
	F	-	3	-	3	2	2	4	2	2	-	-	2
32(3) Rheumatic fever	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
20(1) Chronic rheumatic heart disease	M	7	15	3	2	15	5	18	6	-	4	1	3
	F	15	17	4	21	21	11	37	3	1	5	1	8
21(1) Hypertension without mention of heart	M	7	4	-	4	6	6	14	3	3	2	1	2
	F	5	3	3	3	12	9	19	1	3	1	-	2
25(1) Pneumoconiosis and chronic interstitial pneumonia	M	5	7	-	2	1	2	5	2	-	-	-	-
	F	-	-	-	1	-	-	2	-	-	-	-	-
26(1) Ulcer of stomach	M	3	2	2	5	7	3	11	3	3	4	1	3
	F	6	1	1	12	4	4	16	2	3	1	-	1
32(4) Appendicitis	M	2	1	-	1	-	3	1	1	-	-	1	1
	F	1	2	-	3	-	2	1	-	-	-	-	-
32(5) Intestinal obstruction and hernia	M	11	6	1	7	11	4	5	3	2	4	-	2
	F	8	7	2	10	9	4	18	4	2	3	3	2
32(6) Cirrhosis of liver	M	4	2	1	6	7	3	6	-	3	2	-	2
	F	4	1	2	4	1	3	5	2	1	1	-	1
32(7) Cholelithiasis, cholecystitis	M	3	-	-	2	2	1	2	-	1	1	-	1
	F	2	7	1	-	4	4	7	1	1	-	1	4
30(1) Maternal sepsis (not abortion)	F	-	-	-	-	-	-	-	-	-	-	-	-
30(2) Toxaemias of pregnancy and puerperium	F	-	-	-	-	-	-	-	-	-	-	-	-
30(3) Abortion	F	-	-	-	-	-	-	-	-	-	-	-	-
32(8) Rheumatoid arthritis and allied conditions	M	1	2	-	2	1	1	-	1	-	1	-	-
	F	6	4	1	2	4	2	5	4	1	2	-	1
32(9) Birth injury	M	4	5	1	2	7	-	15	3	2	2	-	-
	F	3	1	1	-	3	-	7	-	3	1	-	1
32(10) Postnatal asphyxia and atelectasis	M	7	11	1	3	16	5	12	3	4	1	-	-
	F	1	6	2	1	18	1	9	1	-	1	1	1
23(1) Pneumonia of newborn	M	1	-	-	1	4	-	4	-	-	-	-	-
	F	2	2	-	-	3	1	2	2	1	1	-	-
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	1	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	1	-	-	-	-
32(12) Haemolytic disease of newborn	M	1	1	2	1	1	-	-	1	-	-	-	-
	F	-	-	-	1	3	-	1	1	-	2	-	2
32(13) Immaturity (without other disease peculiar to early infancy)	M	3	8	2	2	3	1	4	1	1	4	-	1
	F	3	3	1	4	4	-	-	2	-	-	-	-
32(14) Senility without psychosis	M	17	3	-	2	8	4	1	2	8	-	-	1
	F	41	5	2	1	22	8	4	6	18	-	1	2
32(15) Ill-defined and unknown cause	M	-	1	-	2	-	-	1	-	-	-	-	1
	F	2	1	1	3	1	2	3	1	-	-	-	-

TABLE 21 - *continued* COUNTY BOROUGHS

Registrar General's Abridged List		Chester	Coventry	Darlington	Derby	Dewsbury	Doncaster	Dudley	Eastbourne	Exeter	Gateshead	Gloucester	Great Yarmouth
1 Tuberculosis, respiratory	M	1	11	1	1	4	5	4	2	1	9	3	-
	F	1	4	1	2	1	-	2	-	3	-	-	1
2 Tuberculosis, other	M	-	-	-	3	-	-	-	-	-	1	-	-
	F	-	1	-	-	-	-	-	-	-	1	1	-
3 Syphilitic disease	M	-	7	2	3	1	-	1	1	1	-	3	-
	F	1	2	-	3	-	2	-	1	-	1	3	-
4 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
5 Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
6 Meningococcal infections	M	-	2	-	-	-	-	-	-	-	-	-	-
	F	-	-	1	-	-	-	1	-	-	-	-	-
7 Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
8 Measles	M	-	1	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
9 Other infective, etc., diseases	M	1	3	1	1	1	2	2	-	-	-	-	-
	F	1	1	-	1	1	-	1	-	1	-	-	1
10 Malignant neoplasm: stomach	M	2	38	16	19	14	8	29	8	6	22	15	5
	F	11	26	9	22	4	9	25	7	9	15	4	8
11 lung, bronchus	M	35	141	41	75	27	38	89	45	44	75	43	37
	F	12	19	9	18	3	10	10	15	11	10	6	6
12 breast	M	1	2	1	-	-	-	-	-	-	-	-	-
	F	14	57	20	28	17	19	32	26	23	14	20	10
13 uterus	F	10	26	10	16	2	8	6	10	8	6	7	9
14 Other malignant and lymphatic neoplasms	M	31	167	55	70	32	52	94	51	37	63	39	37
	F	28	130	52	67	18	36	81	57	42	61	35	24
15 Leukaemia, aleukaemia	M	-	9	5	4	1	4	4	3	4	1	2	-
	F	2	7	5	3	3	3	4	1	1	-	2	2
16 Diabetes	M	1	16	5	1	3	2	7	1	1	4	-	-
	F	7	21	10	6	6	5	10	2	6	2	7	3
17 Vascular lesions of nervous system	M	41	169	91	74	44	66	118	83	46	73	43	28
	F	68	224	112	127	50	79	164	155	71	88	78	55
18 Coronary disease, angina	M	78	463	153	221	85	121	184	142	115	154	103	93
	F	57	282	94	139	51	69	144	113	103	96	54	57
19 Hypertension with heart disease	M	2	17	3	4	5	4	15	5	7	5	7	4
	F	6	25	12	6	5	3	19	8	11	6	7	6
20 Other heart disease	M	31	121	33	61	24	42	55	50	34	35	39	44
	F	48	153	59	82	37	35	74	103	75	63	76	41
21 Other circulatory disease	M	15	63	26	41	20	16	38	20	28	18	10	13
	F	30	58	28	43	31	30	52	38	32	29	15	23
22 Influenza	M	2	1	-	-	-	1	1	-	-	-	2	-
	F	2	4	-	1	-	1	1	1	1	1	-	3
23 Pneumonia	M	18	65	24	59	17	24	47	19	31	27	26	39
	F	22	77	28	57	18	14	47	47	28	29	41	23
24 Bronchitis	M	34	134	44	67	36	45	71	26	27	55	23	31
	F	10	38	20	18	22	10	24	11	14	15	5	9
25 Other diseases of respiratory system	M	3	13	2	8	5	8	21	7	13	9	4	1
	F	2	8	3	4	2	5	7	6	2	4	2	-
26 Ulcer of stomach and duodenum	M	4	9	6	6	2	4	2	5	5	7	7	2
	F	2	4	1	3	-	3	2	2	6	3	3	2
27 Gastritis, enteritis and diarrhoea	M	3	5	1	3	2	3	1	3	3	-	2	1
	F	3	10	4	6	-	4	9	3	2	1	2	3
28 Nephritis and nephrosis	M	2	17	2	2	1	2	8	4	3	4	3	1
	F	1	11	1	5	1	4	3	-	-	1	5	-
29 Hyperplasia of prostate	M	2	6	4	1	2	3	6	6	6	2	2	-
30 Pregnancy, childbirth, abortion	F	-	-	-	1	-	-	-	1	-	-	-	-
31 Congenital malformations	M	4	25	5	3	3	1	5	5	6	4	5	2
	F	3	11	1	6	2	3	10	4	4	5	9	4
32 Other defined and ill-defined diseases	M	33	94	32	55	24	42	58	22	30	40	28	17
	F	28	109	55	53	30	44	75	32	36	50	39	12
33 Motor vehicle accidents	M	3	35	11	19	15	10	10	7	10	8	6	2
	F	3	14	2	6	1	6	9	3	3	4	5	2
34 All other accidents	M	5	35	11	22	6	20	22	9	10	11	6	11
	F	7	19	16	29	6	13	23	12	13	19	12	8
35 Suicide	M	2	23	10	9	3	5	8	7	4	9	6	4
	F	5	11	4	6	6	3	3	6	4	2	3	2
36 Homicide, operations of war	M	-	1	1	-	1	1	-	-	-	1	-	-
	F	-	2	-	-	-	-	-	-	-	-	-	-

TABLE 21 - *continued* COUNTY BOROUGHS

Registrar General's Supplementary Abridged List		Chester	Coventry	Darlington	Derby	Dewsbury	Doncaster	Dudley	Eastbourne	Exeter	Gateshead	Gloucester	Great Yarmouth
9(1) Infectious hepatitis	M	-	1	-	-	-	-	1	-	-	-	-	-
	F	-	-	-	1	1	-	-	-	-	1	-	-
14(1) Malignant neoplasm, mouth and pharynx	M	1	7	4	1	1	1	3	1	3	4	-	1
	F	-	2	2	1	-	2	2	1	-	2	2	-
14(2) Malignant neoplasm, oesophagus	M	5	5	5	6	1	4	8	1	2	2	6	2
	F	1	6	1	2	1	-	4	2	2	2	-	-
14(3) Malignant neoplasm, intestine and rectum	M	9	46	11	22	8	14	29	19	4	21	12	9
	F	9	47	12	26	8	18	29	25	15	20	15	4
14(4) Malignant neoplasm, larynx	M	-	4	1	4	-	-	2	-	-	-	2	3
	F	1	-	1	1	-	-	-	-	-	-	-	-
13(1) Malignant neoplasm, cervix uteri	F	2	18	5	10	1	7	5	4	7	4	6	5
14(5) Malignant neoplasm, prostate	M	3	19	8	7	6	5	16	9	11	9	4	9
14(6) Malignant neoplasm, bladder	M	2	19	4	3	7	5	6	7	1	8	3	1
	F	2	3	3	5	-	1	6	4	2	3	1	1
14(7) Malignant neoplasm, bone (including jaw bone)	M	-	-	-	1	2	2	-	-	-	-	1	2
	F	1	1	-	-	-	-	1	-	-	1	3	-
14(8) Lymphosarcoma, reticulosarcoma	M	2	4	-	2	-	1	-	-	1	2	3	2
	F	1	-	1	1	-	-	3	1	3	1	1	-
14(9) Hodgkin's disease	M	-	6	1	2	2	2	1	2	-	-	-	-
	F	-	-	-	-	-	-	1	-	-	3	-	-
32(1) Thyrotoxicosis	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	2	-	-	-	1	-	-	2	-	-	1
32(2) Multiple sclerosis	M	-	-	-	1	2	1	2	1	2	-	1	1
	F	1	2	1	-	-	1	3	1	1	2	2	-
32(3) Rheumatic fever	M	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	1	-	-	-	-	-	-	-	-
20(1) Chronic rheumatic heart disease	M	2	22	7	6	5	10	9	4	3	3	4	3
	F	8	26	5	14	7	2	16	4	10	8	6	2
21(1) Hypertension without mention of heart	M	1	9	2	4	5	2	6	1	4	1	2	-
	F	8	7	1	4	5	6	8	2	1	5	1	1
25(1) Pneumoconiosis and chronic interstitial pneumonia	M	1	4	-	-	-	1	7	-	3	4	-	-
	F	2	1	1	-	-	1	-	1	-	2	-	-
26(1) Ulcer of stomach	M	4	5	-	3	1	3	1	4	3	4	3	-
	F	1	1	-	2	-	1	1	1	3	3	-	-
32(4) Appendicitis	M	1	1	-	-	-	1	2	1	-	1	2	-
	F	-	1	1	2	-	-	-	1	-	-	-	-
32(5) Intestinal obstruction and hernia	M	1	8	-	6	1	9	3	3	1	-	2	1
	F	6	16	6	5	3	4	8	3	4	4	7	2
32(6) Cirrhosis of liver	M	2	3	1	-	1	-	3	1	1	1	1	1
	F	-	3	2	2	-	5	3	1	-	1	1	-
32(7) Cholelithiasis, cholecystitis	M	-	2	1	2	1	2	1	2	-	1	2	-
	F	4	2	1	4	1	1	-	2	-	1	-	-
30(1) Maternal sepsis (not abortion)	F	-	-	-	-	-	-	-	1	-	-	-	-
30(2) Toxaemias of pregnancy and puerperium	F	-	-	-	-	-	-	-	-	-	-	-	-
30(3) Abortion	F	-	-	-	-	-	-	-	-	-	-	-	-
32(8) Rheumatoid arthritis and allied conditions	M	1	1	1	-	-	1	-	-	-	1	-	-
	F	1	3	1	2	2	-	4	-	1	1	1	-
32(9) Birth injury	M	1	22	1	10	-	3	4	-	1	2	-	-
	F	1	13	2	2	1	-	6	1	-	1	2	-
32(10) Postnatal asphyxia and atelectasis	M	6	9	3	7	1	2	4	-	3	4	2	-
	F	1	4	3	3	1	4	1	-	1	1	-	2
23(1) Pneumonia of newborn	M	-	3	-	2	1	-	4	-	-	1	1	-
	F	-	1	2	1	-	-	1	-	-	1	1	-
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
32(12) Haemolytic disease of newborn	M	-	2	1	-	-	1	-	-	-	-	1	-
	F	-	2	-	1	-	1	-	-	-	-	1	-
32(13) Immaturity (without other disease peculiar to early infancy)	M	1	-	3	1	5	2	5	-	-	5	2	3
	F	2	1	3	1	7	4	1	1	1	2	2	1
32(14) Senility without psychosis	M	2	2	6	1	3	-	4	1	1	1	1	2
	F	1	10	12	4	2	3	8	-	2	4	3	5
32(15) Ill-defined and unknown cause	M	-	-	-	-	-	-	-	-	1	-	1	1
	F	-	1	-	1	-	-	-	-	1	-	-	-

TABLE 21 - *continued*

COUNTY BOROUGHS

Registrar General's Abridged List		Grimsby	Halifax	Hartlepool	Hastings	Huddersfield	Ipswich	Kingston-upon-Hull	Leeds	Leicester	Lincoln	Liverpool	Luton
1 Tuberculosis, respiratory	M	4	9	5	2	10	5	3	20	6	2	31	2
	F	-	2	4	1	2	4	3	7	4	1	12	1
2 Tuberculosis, other	M	-	1	-	-	-	-	-	2	1	-	1	1
	F	1	-	-	-	-	-	2	1	2	-	3	-
3 Syphilitic disease	M	1	-	1	1	1	-	2	13	3	1	11	1
	F	1	1	-	1	3	1	-	5	1	1	3	-
4 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
5 Whooping cough	M	-	-	-	-	-	-	-	-	-	-	1	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
6 Meningococcal infections	M	1	-	1	-	1	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	1	-	-	-	-
7 Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
8 Measles	M	-	-	-	-	1	-	-	1	-	-	1	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
9 Other infective, etc., diseases	M	1	1	3	-	1	2	1	3	2	1	11	3
	F	1	2	2	-	2	-	3	4	-	1	7	1
10 Malignant neoplasm: stomach	M	13	19	16	14	21	24	46	87	45	13	134	19
	F	7	17	15	9	16	13	42	61	34	8	92	11
11 lung, bronchus	M	45	55	52	42	68	61	168	318	155	41	406	83
	F	10	10	9	15	13	6	36	56	19	8	100	15
12 breast	M	1	-	-	-	-	-	1	-	-	-	3	-
	F	22	20	13	24	24	24	56	95	66	14	156	32
13 uterus	F	9	15	8	8	7	5	33	41	20	8	53	13
14 Other malignant and lymphatic neoplasms	M	57	55	48	53	61	73	161	293	161	43	376	70
	F	48	51	30	66	74	66	143	288	158	41	358	66
15 Leukaemia, aleukaemia	M	1	3	4	3	1	5	16	16	11	2	15	1
	F	1	2	2	2	2	3	11	10	8	4	17	8
16 Diabetes	M	3	1	2	-	2	3	7	10	9	3	12	2
	F	6	9	3	2	8	6	13	31	14	4	34	5
17 Vascular lesions of nervous system	M	50	104	55	81	89	72	144	290	207	53	375	75
	F	82	146	77	166	167	99	220	463	318	70	577	115
18 Coronary disease, angina	M	137	179	143	144	252	181	418	789	359	142	982	147
	F	101	167	79	110	171	129	283	592	218	77	718	106
19 Hypertension with heart disease	M	11	3	8	6	10	10	12	14	19	4	42	11
	F	21	1	8	12	10	3	23	35	27	3	68	11
20 Other heart disease	M	31	31	44	31	51	50	99	139	150	28	218	31
	F	52	44	45	121	94	42	206	269	290	48	490	63
21 Other circulatory disease	M	20	22	16	16	40	23	42	99	44	20	115	17
	F	42	34	23	29	48	29	80	126	72	17	164	38
22 Influenza	M	-	-	-	-	-	-	-	1	1	-	10	-
	F	-	-	-	-	-	2	1	2	3	-	10	-
23 Pneumonia	M	35	37	32	31	31	44	147	139	95	31	285	44
	F	25	38	23	62	38	34	113	203	108	27	413	41
24 Bronchitis	M	48	51	49	37	54	26	129	284	113	38	401	61
	F	15	11	20	18	28	10	57	107	51	16	147	18
25 Other diseases of respiratory system	M	6	5	3	5	12	10	13	35	17	1	47	13
	F	5	2	1	6	4	3	3	18	10	2	29	7
26 Ulcer of stomach and duodenum	M	4	5	2	5	12	4	15	30	12	5	41	10
	F	3	3	2	3	7	6	7	12	3	3	20	2
27 Gastritis, enteritis and diarrhoea	M	5	1	4	3	11	1	7	6	8	2	16	3
	F	3	3	4	7	5	3	8	21	15	4	27	10
28 Nephritis and nephrosis	M	1	2	7	2	8	3	14	15	10	4	22	2
	F	-	3	6	2	7	3	6	10	8	1	13	3
29 Hyperplasia of prostate	M	6	2	4	2	4	6	21	9	10	3	26	7
30 Pregnancy, childbirth, abortion	F	-	1	1	-	2	-	1	3	-	-	1	-
31 Congenital malformations	M	6	9	10	3	9	6	14	25	9	6	43	8
	F	8	-	2	1	11	6	12	23	13	6	36	9
32 Other defined and ill-defined diseases	M	42	46	37	30	58	44	93	213	114	37	303	50
	F	46	40	35	54	92	45	94	281	135	49	293	50
33 Motor vehicle accidents	M	12	14	14	5	18	10	23	53	28	3	62	8
	F	6	8	7	1	3	6	12	33	15	2	37	3
34 All other accidents	M	8	8	14	17	15	16	29	65	34	7	102	6
	F	8	6	17	16	14	24	34	64	47	11	126	13
35 Suicide	M	7	11	5	3	13	10	16	18	16	4	32	7
	F	3	7	2	1	7	1	11	28	14	6	27	10
36 Homicide, operations of war	M	-	2	-	-	3	-	1	3	-	1	4	1
	F	1	-	-	-	1	-	2	5	-	-	1	-

TABLE 21 - *continued*

COUNTY BOROUGHS

Registrar General's Supplementary Abridged List		Grimsby	Halifax	Hartlepool	Hastings	Huddersfield	Ipswich	Kingston-upon-Hull	Leeds	Leicester	Lincoln	Liverpool	Luton
9(1) Infectious hepatitis	M	-	1	1	-	-	-	-	-	-	-	4	-
	F	-	2	-	-	1	-	1	-	-	1	1	1
14(1) Malignant neoplasm, mouth and pharynx	M	2	1	1	-	2	6	3	9	7	4	20	-
	F	3	2	-	-	2	-	5	8	4	2	7	5
14(2) Malignant neoplasm, oesophagus	M	6	1	3	7	1	7	5	21	9	2	30	1
	F	3	3	2	9	2	4	7	7	2	3	17	5
14(3) Malignant neoplasm, intestine and rectum	M	17	16	10	18	15	16	47	68	47	7	95	14
	F	18	13	8	29	26	28	47	85	60	15	125	20
14(4) Malignant neoplasm, larynx	M	1	-	1	-	2	1	4	2	4	1	5	2
	F	-	-	-	-	1	-	1	2	1	-	3	-
13(1) Malignant neoplasm, cervix uteri	F	7	13	6	5	5	3	24	27	11	7	43	4
14(5) Malignant neoplasm, prostate	M	5	8	9	7	4	11	15	32	19	6	47	16
14(6) Malignant neoplasm, bladder	M	9	9	7	4	14	4	16	43	7	7	40	9
	F	1	2	2	3	2	3	6	19	9	2	19	1
14(7) Malignant neoplasm, bone (including jaw bone)	M	-	-	1	-	2	1	1	3	4	1	3	-
	F	-	-	-	-	2	-	2	2	2	-	6	1
14(8) Lymphosarcoma, reticulosarcoma	M	1	2	-	1	1	2	4	8	9	2	10	1
	F	1	3	1	-	-	2	2	7	4	1	9	3
14(9) Hodgkin's disease	M	-	1	1	2	2	-	3	6	3	1	8	2
	F	-	1	-	-	2	-	1	4	1	1	6	2
32(1) Thyrotoxicosis	M	-	-	-	-	1	-	-	-	1	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
32(2) Multiple sclerosis	M	-	-	1	-	1	1	-	2	1	2	3	1
	F	-	1	1	2	2	1	1	3	4	1	4	-
32(3) Rheumatic fever	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
20(1) Chronic rheumatic heart disease	M	4	1	7	2	10	9	7	23	9	1	24	3
	F	4	3	9	5	16	13	16	60	29	3	78	6
21(1) Hypertension without mention of heart	M	2	2	6	-	5	1	5	15	6	6	15	1
	F	11	1	3	3	3	7	7	22	12	5	27	2
25(1) Pneumoconiosis and chronic interstitial pneumonia	M	-	2	1	1	2	2	1	8	2	-	13	2
	F	1	-	-	-	1	-	-	3	1	-	2	-
26(1) Ulcer of stomach	M	1	4	2	2	5	3	8	12	5	4	14	4
	F	2	1	1	1	4	5	5	8	2	2	16	1
32(4) Appendicitis	M	-	-	-	-	1	1	1	1	-	1	1	-
	F	1	-	1	-	1	-	3	2	-	2	4	-
32(5) Intestinal obstruction and hernia	M	3	1	2	3	5	3	7	14	7	1	17	2
	F	5	3	-	3	5	3	9	30	10	2	21	3
32(6) Cirrhosis of liver	M	3	1	9	2	3	1	3	10	6	-	13	2
	F	3	2	-	1	2	-	5	9	2	-	12	1
32(7) Cholelithiasis, cholecystitis	M	2	1	-	1	1	-	3	1	4	-	6	-
	F	4	2	3	2	4	1	4	9	6	2	9	-
30(1) Maternal sepsis (not abortion)	F	-	-	-	-	-	-	-	1	-	-	-	-
30(2) Toxaemias of pregnancy and puerperium	F	-	1	-	-	-	-	-	-	-	-	-	-
30(3) Abortion	F	-	-	-	-	1	-	-	1	-	-	-	-
32(8) Rheumatoid arthritis and allied conditions	M	-	-	-	-	-	1	1	2	4	1	2	3
	F	1	2	2	4	4	2	2	7	4	1	5	1
32(9) Birth injury	M	1	3	1	3	2	3	13	20	6	-	17	3
	F	-	1	1	-	1	4	5	9	3	-	6	-
32(10) Postnatal asphyxia and atelectasis	M	2	3	2	-	5	7	9	16	10	5	16	3
	F	1	-	5	1	6	1	2	12	15	3	9	-
23(1) Pneumonia of newborn	M	-	1	2	-	2	1	2	1	1	-	4	3
	F	-	4	-	1	2	1	2	1	2	2	3	1
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	-	-	-	-	-	-	1	1	-	-	3	-
	F	-	-	-	-	-	-	-	2	-	-	1	-
32(12) Haemolytic disease of newborn	M	-	-	-	-	-	-	2	3	2	1	7	-
	F	-	1	-	-	1	3	2	2	1	1	4	1
32(13) Immaturity (without other disease peculiar to early infancy)	M	9	6	-	-	14	-	16	13	8	2	36	5
	F	2	4	1	-	7	-	10	10	11	2	19	2
32(14) Senility without psychosis	M	3	1	1	-	1	3	1	-	2	4	13	-
	F	11	-	2	3	6	4	1	11	11	7	29	13
32(15) Ill-defined and unknown cause	M	-	1	1	1	-	2	-	2	-	-	3	-
	F	-	-	-	-	2	-	1	3	-	1	4	-

TABLE 21 - *continued*

COUNTY BOROUGHS

Registrar General's Abridged List		Manchester	Middlesbrough	Newcastle-upon-Tyne	Northampton	Norwich	Nottingham	Oldham	Oxford	Plymouth	Portsmouth	Preston	Reading
1 Tuberculosis, respiratory	M	33	9	5	5	1	9	6	-	7	7	3	-
	F	9	1	4	2	1	1	-	-	2	1	4	-
2 Tuberculosis, other	M	2	1	-	-	-	2	-	-	-	-	-	-
	F	-	-	2	-	-	2	1	-	2	-	1	1
3 Syphilitic disease	M	7	2	2	2	1	2	2	1	4	1	1	-
	F	4	1	2	-	1	1	1	1	-	1	-	-
4 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
5 Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
6 Meningococcal infections	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	2	-	-	-
7 Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
8 Measles	M	1	-	-	-	-	1	-	-	-	-	-	-
	F	-	2	-	-	-	1	-	-	-	-	-	-
9 Other infective, etc., diseases	M	5	-	1	-	-	3	-	-	3	1	3	1
	F	8	1	1	1	1	5	2	5	4	4	1	2
10 Malignant neoplasm: stomach	M	104	19	47	17	19	53	33	17	40	37	17	16
	F	100	12	42	15	4	38	20	7	26	25	16	11
11 lung, bronchus	M	408	77	168	43	74	170	71	48	90	126	67	72
	F	104	10	29	8	7	37	8	12	22	25	10	12
12 breast	M	2	-	1	-	-	-	-	-	-	-	-	-
	F	124	14	59	26	29	52	19	27	45	58	27	43
13 uterus	F	66	12	22	12	10	32	10	11	24	15	13	10
14 Other malignant and lymphatic neoplasms	M	360	73	157	79	66	166	63	75	151	111	54	65
	F	311	70	148	74	65	184	57	51	130	115	60	52
15 Leukaemia, aleukaemia	M	13	5	10	4	6	12	-	5	6	9	3	4
	F	12	1	4	6	4	10	1	5	7	5	4	3
16 Diabetes	M	17	3	5	5	2	8	1	3	9	11	4	1
	F	42	8	16	8	6	21	8	5	19	10	5	8
17 Vascular lesions of nervous system	M	395	87	159	73	71	174	88	44	146	142	73	74
	F	670	111	230	144	117	296	120	76	211	213	111	113
18 Coronary disease, angina	M	874	212	419	176	189	330	147	135	387	336	169	160
	F	607	138	247	115	123	215	125	101	206	238	136	86
19 Hypertension with heart disease	M	30	4	17	14	7	21	2	5	18	27	6	8
	F	48	5	19	14	12	36	10	3	27	28	11	12
20 Other heart disease	M	280	58	69	83	69	143	72	25	104	76	38	58
	F	504	93	119	124	99	217	127	55	182	161	50	78
21 Other circulatory disease	M	128	30	65	29	23	85	43	18	45	53	22	32
	F	180	24	104	41	26	102	54	21	70	57	30	28
22 Influenza	M	9	-	-	-	1	7	-	-	-	1	4	1
	F	7	-	2	1	1	1	-	-	-	-	4	-
23 Pneumonia	M	188	53	66	59	32	72	78	39	71	83	25	48
	F	264	45	60	33	53	137	98	40	95	114	35	88
24 Bronchitis	M	410	52	137	47	38	192	88	34	90	135	48	32
	F	228	15	56	14	9	71	52	7	18	38	22	13
25 Other diseases of respiratory system	M	43	4	11	5	9	19	8	6	16	18	5	7
	F	31	4	14	5	5	15	7	6	7	15	2	2
26 Ulcer of stomach and duodenum	M	37	5	13	7	4	22	3	2	7	21	4	3
	F	16	3	8	1	5	9	6	3	7	12	2	2
27 Gastritis, enteritis and diarrhoea	M	15	2	4	1	2	10	4	1	2	8	3	-
	F	33	3	9	4	-	14	6	2	5	7	6	4
28 Nephritis and nephrosis	M	18	2	6	2	4	11	6	5	11	4	5	3
	F	14	3	12	2	5	8	3	2	7	4	5	2
29 Hyperplasia of prostate	M	17	5	6	7	7	8	4	5	12	3	5	4
30 Pregnancy, childbirth, abortion	F	1	-	3	1	-	3	-	-	1	-	2	-
31 Congenital malformations	M	35	7	15	3	3	14	-	6	11	12	5	10
	F	29	8	14	5	5	13	6	3	10	9	7	5
32 Other defined and ill-defined diseases	M	255	60	100	39	53	116	50	35	75	83	37	37
	F	329	64	137	56	44	210	56	53	88	99	54	43
33 Motor vehicle accidents	M	69	17	37	7	12	43	14	8	21	23	14	13
	F	36	6	9	6	7	13	6	6	6	9	6	5
34 All other accidents	M	73	28	45	12	13	34	19	13	23	34	9	15
	F	73	13	36	17	15	46	21	11	18	43	18	16
35 Suicide	M	40	15	27	11	6	26	11	10	14	16	13	11
	F	26	2	9	6	8	10	2	5	10	18	5	3
36 Homicide, operations of war	M	3	-	-	-	-	1	-	-	2	1	1	-
	F	3	1	-	-	-	2	-	-	2	-	-	1

TABLE 21 - *continued*

COUNTY BOROUGHS

Registrar General's Supplementary Abridged List		Manchester	Middlesbrough	Newcastle-upon-Tyne	Northampton	Norwich	Nottingham	Oldham	Oxford	Plymouth	Portsmouth	Preston	Reading
9(1) Infectious hepatitis	M	1	-	1	-	-	1	-	-	1	-	-	-
	F	3	1	1	-	-	1	1	1	1	2	-	-
14(1) Malignant neoplasm, mouth and pharynx	M	16	1	8	4	1	4	1	1	6	3	7	-
	F	10	3	5	2	1	4	2	2	6	1	2	1
14(2) Malignant neoplasm, oesophagus	M	27	6	5	6	7	9	2	5	7	2	5	4
	F	19	5	5	1	2	8	1	4	11	3	6	3
14(3) Malignant neoplasm, intestine and rectum	M	89	18	35	16	19	50	23	15	43	28	12	14
	F	90	26	40	31	24	61	17	12	45	43	15	16
14(4) Malignant neoplasm, larynx	M	15	1	5	2	1	2	2	-	2	3	3	1
	F	3	-	1	-	1	-	-	-	-	2	1	-
13(1) Malignant neoplasm, cervix uteri	F	45	10	10	6	5	24	4	6	19	11	7	6
14(5) Malignant neoplasm, prostate	M	44	8	22	15	10	23	10	9	20	18	3	12
14(6) Malignant neoplasm, bladder	M	29	8	19	6	10	24	4	6	14	7	5	3
	F	15	3	5	1	2	10	2	3	4	4	2	1
14(7) Malignant neoplasm, bone (including jaw bone)	M	6	2	3	3	1	2	1	1	-	2	1	2
	F	3	1	1	-	2	1	1	-	-	-	-	-
14(8) Lymphosarcoma, reticulosarcoma	M	2	-	3	2	-	6	1	5	1	4	1	2
	F	6	-	2	3	-	-	1	4	-	7	2	1
14(9) Hodgkin's disease	M	6	3	4	-	4	2	3	1	1	5	2	1
	F	2	1	1	-	1	3	1	1	1	-	3	-
32(1) Thyrotoxicosis	M	-	-	-	-	-	-	1	-	-	-	-	-
	F	2	-	-	-	-	1	-	1	1	1	-	1
32(2) Multiple sclerosis	M	12	-	3	1	-	2	1	-	3	1	-	-
	F	5	-	6	1	3	4	1	1	-	-	-	1
32(3) Rheumatic fever	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
20(1) Chronic rheumatic heart disease	M	24	4	19	5	6	8	5	2	14	5	7	3
	F	77	12	20	8	7	29	11	9	17	11	7	7
21(1) Hypertension without mention of heart	M	20	9	9	5	1	19	8	2	7	10	1	7
	F	22	1	16	5	3	17	11	4	5	8	3	1
25(1) Pneumoconiosis and chronic interstitial pneumonia	M	7	1	5	-	1	3	4	-	2	2	-	-
	F	3	-	1	-	1	3	5	-	-	1	-	-
26(1) Ulcer of stomach	M	14	2	5	4	2	10	1	2	3	13	3	2
	F	10	3	6	1	2	7	5	2	6	10	2	2
32(4) Appendicitis	M	2	-	1	-	2	-	2	-	-	-	-	1
	F	4	1	-	1	-	2	-	-	-	1	1	-
32(5) Intestinal obstruction and hernia	M	13	5	5	3	5	5	2	3	8	7	2	11
	F	23	5	15	5	1	18	7	2	5	8	8	5
32(6) Cirrhosis of liver	M	9	2	11	-	2	9	2	3	2	5	2	1
	F	9	1	7	3	3	5	1	1	2	4	1	2
32(7) Cholelithiasis, cholecystitis	M	3	1	1	1	-	4	-	-	1	1	1	1
	F	7	4	3	2	2	11	1	2	4	2	5	1
30(1) Maternal sepsis (not abortion)	F	-	-	-	1	-	1	-	-	-	-	-	-
30(2) Toxaemias of pregnancy and puerperium	F	1	-	1	-	-	1	-	-	1	-	-	-
30(3) Abortion	F	-	-	-	-	-	-	-	-	-	-	1	-
32(8) Rheumatoid arthritis and allied conditions	M	7	2	-	1	-	-	-	-	2	1	1	2
	F	11	-	3	-	3	5	2	1	8	3	-	1
32(9) Birth injury	M	14	4	6	5	3	12	9	2	1	1	2	-
	F	17	1	1	4	3	7	3	-	2	1	1	1
32(10) Postnatal asphyxia and atelectasis	M	21	-	10	2	4	9	1	1	4	6	2	1
	F	15	4	7	-	-	1	-	2	3	1	4	-
23(1) Pneumonia of newborn	M	1	5	-	1	1	1	-	-	2	-	1	-
	F	4	-	3	-	1	1	-	-	1	-	1	-
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	1	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
32(12) Haemolytic disease of newborn	M	3	2	1	-	1	1	-	-	1	-	-	-
	F	-	-	-	1	-	1	-	-	-	-	-	-
32(13) Immaturity (without other disease peculiar to early infancy)	M	23	9	6	2	1	3	4	1	4	4	2	3
	F	17	9	3	2	2	7	2	-	5	8	6	2
32(14) Senility without psychosis	M	11	4	2	-	2	3	4	-	6	-	1	-
	F	72	5	9	2	3	30	9	4	11	6	1	4
32(15) Ill-defined and unknown cause	M	3	1	5	-	1	1	-	2	2	1	-	-
	F	1	-	4	-	-	4	-	-	-	1	-	-

TABLE 21 - *continued* COUNTY BOROUGHS

Registrar General's Abridged List		Rochdale	Rotherham	St. Helens	Salford	Sheffield	Solihull	Southampton	Southend-on-Sea	Southport	South Shields	Stockport	Stoke-on-Trent
1 Tuberculosis, respiratory	M	3	2	7	6	11	1	8	2	1	2	4	11
	F	-	-	1	2	2	2	2	3	-	2	2	10
2 Tuberculosis, other	M	-	1	-	-	-	-	2	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-
3 Syphilitic disease	M	-	-	-	-	3	-	2	1	3	1	-	1
	F	3	-	-	-	3	-	1	1	5	-	-	4
4 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
5 Whooping cough	M	-	-	-	-	-	-	1	-	-	-	-	-
	F	-	-	-	-	1	-	-	-	-	-	-	1
6 Meningococcal infections	M	-	-	-	-	-	-	1	-	-	-	-	1
	F	-	-	-	-	-	-	-	-	-	-	-	1
7 Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
8 Measles	M	-	-	-	-	-	-	1	-	-	-	-	1
	F	-	-	-	-	-	2	-	-	-	-	-	-
9 Other infective, etc., diseases	M	1	-	-	1	8	-	-	-	-	1	1	-
	F	1	1	2	3	8	-	3	1	2	-	3	4
10 Malignant neoplasm: stomach	M	15	9	27	27	86	14	30	32	14	19	20	52
	F	22	6	17	30	59	6	18	24	10	16	23	41
11 lung, bronchus	M	46	46	55	106	303	35	109	91	50	69	67	140
	F	10	5	5	20	62	9	32	23	8	10	10	27
12 breast	M	-	1	-	-	2	-	-	-	-	-	-	1
	F	17	12	21	31	107	14	47	50	30	17	31	54
13 uterus	F	8	6	9	18	42	4	20	12	12	16	17	25
14 Other malignant and lymphatic neoplasms	M	54	49	69	94	288	45	140	106	55	59	101	159
	F	40	48	39	82	252	50	117	108	63	37	91	126
15 Leukaemia, aleukaemia	M	2	2	1	1	16	3	8	4	2	2	4	10
	F	6	4	3	5	16	4	7	10	6	-	5	10
16 Diabetes	M	4	5	8	4	11	3	4	6	4	4	6	7
	F	4	5	4	8	18	2	8	7	10	8	9	19
17 Vascular lesions of nervous system	M	84	67	52	80	335	49	107	145	85	52	106	157
	F	106	87	80	123	485	76	162	272	124	87	177	244
18 Coronary disease, angina	M	157	113	162	214	857	123	342	270	192	139	221	399
	F	107	79	101	152	524	57	209	232	146	79	143	269
19 Hypertension with heart disease	M	5	3	13	4	38	2	19	15	7	7	6	20
	F	3	6	6	10	43	5	25	28	10	13	12	24
20 Other heart disease	M	32	22	42	35	203	19	64	90	54	46	59	96
	F	66	40	80	75	333	41	104	152	138	70	135	172
21 Other circulatory disease	M	13	21	30	24	159	19	41	49	23	28	27	92
	F	21	33	28	47	239	9	52	57	47	30	43	92
22 Influenza	M	-	1	8	2	3	3	4	2	-	-	2	4
	F	8	1	6	11	2	-	5	-	1	-	2	-
23 Pneumonia	M	34	11	55	67	121	21	63	30	37	24	51	91
	F	44	16	60	81	123	20	75	31	45	20	76	83
24 Bronchitis	M	39	58	94	119	281	22	69	83	41	56	80	121
	F	17	18	30	49	108	5	24	38	21	23	30	39
25 Other diseases of respiratory system	M	4	5	12	12	31	6	13	9	11	6	9	46
	F	7	3	4	6	21	6	7	5	7	3	5	8
26 Ulcer of stomach and duodenum	M	7	1	6	14	29	4	15	8	9	10	13	14
	F	-	3	2	9	11	1	10	7	5	6	2	6
27 Gastritis, enteritis and diarrhoea	M	3	4	-	2	10	1	4	6	3	1	4	7
	F	2	2	1	5	15	7	9	5	1	1	6	7
28 Nephritis and nephrosis	M	3	4	4	7	10	3	7	6	2	2	6	10
	F	-	2	5	6	10	1	6	2	6	3	6	7
29 Hyperplasia of prostate	M	3	4	4	2	11	2	9	7	12	5	6	10
30 Pregnancy, childbirth, abortion	F	-	-	2	1	1	-	-	-	-	-	1	4
31 Congenital malformations	M	6	2	8	3	27	2	8	4	2	4	11	13
	F	3	3	3	10	22	7	9	8	3	6	11	14
32 Other defined and ill-defined diseases	M	37	29	44	69	153	24	65	60	47	30	57	71
	F	46	35	53	107	213	29	76	89	56	37	73	99
33 Motor vehicle accidents	M	9	8	10	14	46	11	23	15	7	8	18	30
	F	7	1	8	7	34	2	4	11	3	2	8	8
34 All other accidents	M	11	11	9	18	55	5	36	13	13	12	10	37
	F	15	11	15	14	56	16	10	25	27	9	16	35
35 Suicide	M	6	5	11	7	31	2	17	8	11	8	6	14
	F	12	3	7	12	25	3	12	17	7	1	9	-
36 Homicide, operations of war	M	2	-	-	1	3	-	1	1	-	1	-	4
	F	1	-	1	-	1	1	-	-	1	-	-	-

TABLE 21 - *continued* COUNTY BOROUGHS

Registrar General's Supplementary Abridged List		Rochdale	Rotherham	St. Helens	Salford	Sheffield	Solihull	Southampton	Southend-on-Sea	Southport	South Shields	Stockport	Stoke-on-Trent
9(1) Infectious hepatitis	M	-	-	-	-	1	-	-	-	-	-	-	-
	F	1	-	1	1	2	-	3	-	-	-	1	-
14(1) Malignant neoplasm, mouth and pharynx	M	1	1	3	6	11	1	4	4	3	3	4	13
	F	1	-	-	4	9	1	4	5	2	1	1	3
14(2) Malignant neoplasm, oesophagus	M	3	3	5	4	10	3	7	3	4	5	12	20
	F	4	2	1	3	8	2	3	7	4	-	3	10
14(3) Malignant neoplasm, intestine and rectum	M	12	11	17	28	78	12	39	24	14	12	24	37
	F	13	18	14	36	90	18	41	34	25	14	26	51
14(4) Malignant neoplasm, larynx	M	-	1	3	-	17	-	4	2	1	1	5	3
	F	1	-	-	-	2	-	-	-	-	1	-	2
13(1) Malignant neoplasm, cervix uteri	F	4	5	7	16	25	2	17	8	8	12	14	20
14(5) Malignant neoplasm, prostate	M	6	5	10	11	38	8	17	16	5	8	18	13
14(6) Malignant neoplasm, bladder	M	6	2	4	12	17	3	11	16	4	9	11	12
	F	2	-	1	6	8	2	3	8	2	4	4	1
14(7) Malignant neoplasm, bone (including jaw bone)	M	-	1	-	1	3	1	1	-	-	1	-	3
	F	-	-	-	1	2	-	1	-	-	1	1	2
14(8) Lymphosarcoma, reticulosarcoma	M	1	1	5	2	9	1	5	2	1	-	-	4
	F	1	-	-	3	4	1	4	2	3	1	2	3
14(9) Hodgkin's disease	M	3	-	2	1	9	2	2	1	3	-	4	3
	F	-	3	1	2	7	-	1	1	1	1	-	1
32(1) Thyrotoxicosis	M	-	-	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	2	2	-	2	1	1	1	-	1
32(2) Multiple sclerosis	M	-	1	-	3	2	-	2	1	-	-	-	-
	F	-	2	-	2	6	-	2	2	1	-	4	1
32(3) Rheumatic fever	M	-	-	-	-	-	-	-	-	-	-	-	2
	F	-	-	-	-	-	-	-	-	-	-	-	-
20(1) Chronic rheumatic heart disease	M	2	3	5	5	30	2	12	5	5	6	11	18
	F	6	7	13	12	57	7	8	13	5	6	15	42
21(1) Hypertension without mention of heart	M	1	1	1	3	12	6	9	5	1	2	1	10
	F	2	6	3	3	20	2	8	6	6	6	3	4
25(1) Pneumoconiosis and chronic inter-stitial pneumonia	M	1	-	8	3	2	1	-	-	-	2	1	21
	F	-	-	-	-	1	2	-	-	-	1	-	2
26(1) Ulcer of stomach	M	3	-	3	6	15	1	9	5	1	2	4	8
	F	-	3	2	5	9	-	5	4	3	5	1	3
32(4) Appendicitis	M	-	-	-	2	-	1	-	-	-	-	1	-
	F	-	-	3	-	-	-	2	2	-	1	1	1
32(5) Intestinal obstruction and hernia	M	3	6	4	7	7	3	5	8	2	2	5	5
	F	2	4	2	8	16	2	5	6	2	1	4	6
32(6) Cirrhosis of liver	M	2	2	2	5	4	1	2	3	3	2	1	2
	F	4	-	1	3	4	2	4	3	1	3	-	3
32(7) Cholelithiasis, cholecystitis	M	1	-	-	-	6	-	-	1	3	-	2	3
	F	1	2	1	3	6	1	1	-	5	1	4	2
30(1) Maternal sepsis (not abortion)	F	-	-	-	-	-	-	-	-	-	-	-	-
30(2) Toxaemias of pregnancy and puerperium	F	-	-	1	1	-	-	-	-	-	-	-	2
30(3) Abortion	F	-	-	1	-	1	-	-	-	-	-	-	-
32(8) Rheumatoid arthritis and allied conditions	M	1	1	2	-	2	-	-	-	1	1	2	-
	F	3	-	1	4	7	-	4	5	-	1	1	5
32(9) Birth injury	M	-	2	-	3	8	-	2	2	1	3	2	4
	F	2	2	-	4	3	-	-	1	-	3	2	-
32(10) Postnatal asphyxia and atelectasis	M	5	7	1	10	18	4	7	4	2	2	5	12
	F	2	4	2	5	14	2	5	1	1	-	5	9
23(1) Pneumonia of newborn	M	-	-	-	4	1	-	2	1	-	-	2	7
	F	3	1	-	1	4	1	-	-	-	-	-	1
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	-	-	-	-	-	-	1	-	-	-	1	1
	F	-	-	-	-	-	-	-	-	-	-	-	-
32(12) Haemolytic disease of newborn	M	1	-	-	1	2	-	-	-	-	-	-	-
	F	-	1	1	1	2	-	-	-	-	-	1	2
32(13) Immaturity (without other disease peculiar to early infancy)	M	7	-	8	5	16	1	3	5	2	4	6	7
	F	6	-	6	7	10	-	1	6	-	5	8	7
32(14) Senility without psychosis	M	1	-	7	11	2	1	-	-	1	-	4	-
	F	3	5	12	17	10	5	5	-	8	1	5	4
32(15) Ill-defined and unknown cause	M	1	-	2	-	-	-	2	-	2	1	1	1
	F	2	-	-	3	-	-	1	1	-	-	3	-

TABLE 21 - *continued*

COUNTY BOROUGHS

Registrar General's Abridged List		Sunderland	Tynemouth	Wakefield	Wallasey	Walsall	Warley	Warrington	West Bromwich	Wigan	Wolverhampton	Worcester	York
1 Tuberculosis, respiratory	M	9	3	-	4	7	9	3	16	5	6	1	1
	F	4	-	-	2	3	3	-	4	-	2	-	-
2 Tuberculosis, other	M	-	-	-	-	-	1	1	-	-	2	-	-
	F	-	-	-	-	1	3	-	1	1	1	-	2
3 Syphilitic disease	M	3	1	1	1	2	-	-	1	-	2	-	1
	F	1	-	-	-	-	1	-	1	-	2	-	1
4 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
5 Whooping cough	M	-	-	-	-	-	-	-	-	-	1	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
6 Meningococcal infections	M	-	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
7 Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
8 Measles	M	-	-	-	-	-	-	-	1	-	1	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1
9 Other infective, etc., diseases	M	3	-	-	2	1	2	-	1	-	3	1	-
	F	1	1	1	3	2	2	-	1	-	-	1	1
10 Malignant neoplasm: stomach	M	40	13	9	22	31	36	17	30	13	33	5	10
	F	34	10	7	13	28	27	9	15	9	20	7	14
11 lung, bronchus	M	114	44	35	47	84	99	54	98	41	126	38	46
	F	22	9	6	18	11	19	7	4	4	16	4	5
12 breast	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	32	17	17	27	26	36	18	45	18	63	13	20
13 uterus	F	12	13	4	8	12	14	8	4	10	22	5	6
14 Other malignant and lymphatic neoplasms	M	124	36	42	64	104	65	35	92	40	143	44	52
	F	103	37	26	62	71	93	45	59	36	117	38	53
15 Leukaemia, aleukaemia	M	6	-	3	3	7	6	2	4	4	9	2	5
	F	8	1	1	3	4	4	4	5	3	3	2	2
16 Diabetes	M	6	2	-	1	4	4	2	3	1	7	-	2
	F	17	3	7	7	10	16	11	13	4	13	2	7
17 Vascular lesions of nervous system	M	142	42	47	63	89	95	54	100	77	171	64	77
	F	185	69	50	117	141	134	63	124	99	231	94	86
18 Coronary disease, angina	M	294	97	106	193	217	246	119	210	142	265	73	159
	F	224	72	62	125	116	127	66	113	75	196	52	95
19 Hypertension with heart disease	M	13	7	3	6	18	22	2	13	8	21	8	2
	F	17	9	10	11	24	22	10	24	9	22	11	7
20 Other heart disease	M	56	21	37	39	58	65	41	57	48	121	34	50
	F	99	55	52	70	86	102	49	92	87	147	50	68
21 Other circulatory disease	M	32	9	21	24	29	45	26	34	20	49	23	21
	F	36	18	16	28	38	35	37	25	31	34	21	37
22 Influenza	M	-	3	1	-	3	1	1	-	5	9	-	1
	F	-	-	-	4	3	-	1	-	5	2	2	-
23 Pneumonia	M	78	19	23	25	77	60	34	54	21	117	9	52
	F	77	33	36	55	56	57	17	40	32	99	13	97
24 Bronchitis	M	114	31	43	42	98	105	57	102	64	126	31	49
	F	44	9	21	17	20	36	21	45	18	35	13	21
25 Other diseases of respiratory system	M	16	2	2	6	14	9	5	15	8	13	6	2
	F	3	-	1	4	9	7	4	8	6	5	-	1
26 Ulcer of stomach and duodenum	M	4	2	4	9	13	11	6	10	3	10	3	4
	F	2	2	2	4	2	3	6	9	1	4	2	1
27 Gastritis, enteritis and diarrhoea	M	2	-	4	1	4	3	1	4	1	1	2	2
	F	6	1	6	9	3	3	8	4	8	7	3	1
28 Nephritis and nephrosis	M	10	1	3	3	7	6	4	4	2	3	2	3
	F	7	-	2	5	5	6	2	3	1	6	1	4
29 Hyperplasia of prostate	M	8	2	2	3	5	3	3	12	2	4	2	-
30 Pregnancy, childbirth, abortion	F	-	-	-	-	-	2	-	3	2	1	1	1
31 Congenital malformations	M	11	4	3	7	7	8	4	15	3	14	3	2
	F	8	4	4	4	7	9	3	8	4	15	3	1
32 Other defined and ill-defined diseases	M	81	27	18	44	63	51	34	54	36	84	30	41
	F	90	41	27	66	70	58	31	80	44	94	24	50
33 Motor vehicle accidents	M	11	6	8	6	15	12	11	14	8	30	9	9
	F	9	3	1	5	9	6	5	11	4	15	6	6
34 All other accidents	M	30	11	7	6	13	18	12	20	11	32	2	9
	F	32	11	6	6	5	21	12	12	20	18	3	14
35 Suicide	M	10	6	3	8	11	8	2	9	3	14	3	8
	F	-	2	2	4	4	9	3	5	2	6	4	8
36 Homicide, operations of war	M	3	-	2	-	-	2	-	-	-	1	1	1
	F	-	-	-	1	1	1	-	-	-	2	-	-

TABLE 21 - *continued*

COUNTY BOROUGHS

Registrar General's Supplementary Abridged List		Sunderland	Tynemouth	Wakefield	Wallasey	Walsall	Warley	Warrington	West Bromwich	Wigan	Wolverhampton	Worcester	York
9(1) Infectious hepatitis	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	1	-	-	-	-	-	-
14(1) Malignant neoplasm, mouth and pharynx	M	5	1	3	2	7	-	3	1	1	5	2	2
	F	3	1	1	-	1	-	-	2	-	6	-	2
14(2) Malignant neoplasm, oesophagus	M	5	1	1	6	2	4	1	6	5	8	2	3
	F	3	2	-	3	4	3	1	3	-	5	3	3
14(3) Malignant neoplasm, intestine and rectum	M	47	8	17	16	33	25	15	22	4	53	11	13
	F	29	16	8	22	30	25	15	20	13	40	11	10
14(4) Malignant neoplasm, larynx	M	5	-	-	-	3	4	1	3	2	2	1	2
	F	1	-	-	2	-	1	-	2	-	3	-	2
13(1) Malignant neoplasm, cervix uteri	F	10	10	3	5	11	9	6	4	8	10	3	6
14(5) Malignant neoplasm, prostate	M	14	6	4	9	14	6	1	16	2	19	8	7
14(6) Malignant neoplasm, bladder	M	10	4	7	6	15	2	2	8	8	7	4	1
	F	7	1	1	3	3	2	3	3	2	5	4	3
14(7) Malignant neoplasm, bone (including jaw bone)	M	1	2	1	1	3	-	-	2	1	1	-	1
	F	-	1	-	-	-	3	-	-	-	1	-	-
14(8) Lymphosarcoma, reticulosarcoma	M	1	-	-	4	-	1	2	2	-	5	1	1
	F	1	1	-	4	1	-	1	1	-	1	1	2
14(9) Hodgkin's disease	M	3	-	-	1	3	1	-	-	-	3	3	-
	F	2	-	-	2	-	4	1	-	-	1	-	1
32(1) Thyrotoxicosis	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	2	-	-	-	-	-	1	-
32(2) Multiple sclerosis	M	2	-	-	-	1	-	2	-	-	1	-	1
	F	1	2	1	2	2	-	-	1	1	2	-	1
32(3) Rheumatic fever	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
20(1) Chronic rheumatic heart disease	M	9	4	1	4	5	14	2	12	6	16	3	6
	F	19	5	6	8	14	14	9	21	11	31	4	11
21(1) Hypertension without mention of heart	M	6	5	1	1	6	7	1	10	5	8	4	3
	F	8	2	3	4	7	3	2	10	3	8	4	4
25(1) Pneumoconiosis and chronic inter-stitial pneumonia	M	7	-	-	-	1	3	-	6	4	6	2	-
	F	-	-	-	1	-	-	-	-	-	1	-	-
26(1) Ulcer of stomach	M	-	2	1	5	5	5	2	4	-	3	1	3
	F	2	2	1	2	-	3	3	5	1	2	2	-
32(4) Appendicitis	M	1	2	-	-	1	2	-	2	-	1	-	1
	F	-	-	-	-	-	2	-	3	-	1	1	-
32(5) Intestinal obstruction and hernia	M	9	1	3	2	5	8	4	2	-	6	2	5
	F	8	2	3	6	3	4	1	8	-	12	1	7
32(6) Cirrhosis of liver	M	7	2	-	2	1	1	2	6	-	7	-	-
	F	5	-	1	1	3	1	-	1	2	2	1	1
32(7) Cholelithiasis, cholecystitis	M	1	-	2	1	2	1	-	-	1	-	-	1
	F	2	1	2	3	8	-	3	3	1	1	1	1
30(1) Maternal sepsis (not abortion)	F	-	-	-	-	-	-	-	-	-	-	-	-
30(2) Toxaemias of pregnancy and puerperium	F	-	-	-	-	-	-	-	2	-	1	1	1
30(3) Abortion	F	-	-	-	-	-	1	-	-	2	-	-	-
32(8) Rheumatoid arthritis and allied conditions	M	1	-	-	-	-	-	1	-	-	1	-	1
	F	1	2	-	3	2	5	2	1	2	2	2	2
32(9) Birth injury	M	7	2	2	4	5	5	1	3	-	9	1	-
	F	8	2	1	3	1	1	1	3	1	6	-	-
32(10) Postnatal asphyxia and atelectasis	M	7	1	-	1	4	6	2	9	1	9	4	3
	F	9	4	-	3	6	2	-	3	1	6	2	3
23(1) Pneumonia of newborn	M	1	2	1	1	1	5	-	-	-	1	-	2
	F	1	1	-	-	1	2	-	1	-	3	-	1
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	1	-	-	-	-	-	-	-
32(12) Haemolytic disease of newborn	M	1	-	-	3	-	-	1	-	1	-	-	1
	F	-	-	-	1	-	1	-	-	-	1	-	1
32(13) Immaturity (without other disease peculiar to early infancy)	M	6	3	1	4	12	3	7	2	2	7	1	6
	F	6	1	-	5	8	5	3	8	3	6	1	6
32(14) Senility without psychosis	M	-	-	-	3	-	3	1	3	8	2	2	-
	F	-	3	2	6	1	3	3	4	11	6	3	2
32(15) Ill-defined and unknown cause	M	-	-	1	-	1	-	-	3	1	1	1	-
	F	-	-	-	1	-	-	-	2	1	1	-	1

TABLE 21 - *continued* COUNTY BOROUGHS AND ADMINISTRATIVE COUNTIES

Registrar General's Abridged List		Cardiff	Merthyr Tydfil*	Newport (Mon.)	Swansea	Bedfordshire	Berkshire	Buckinghamshire	Cambridgeshire and Isle of Ely	Cheshire	Cornwall	Cumberland	Derbyshire
1 Tuberculosis, respiratory	M	12	3	4	8	9	2	11	3	26	4	4	13
	F	2	-	-	1	2	3	1	-	5	2	1	5
2 Tuberculosis, other	M	1	-	-	1	1	1	1	1	5	3	-	-
	F	-	-	-	-	-	-	2	1	2	2	-	-
3 Syphilitic disease	M	1	1	1	-	2	4	8	2	15	4	1	10
	F	-	-	-	-	3	2	2	1	5	3	1	3
4 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
5 Whooping cough	M	-	-	1	-	-	-	-	-	1	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
6 Meningococcal infections	M	1	-	-	-	2	1	1	-	-	1	-	-
	F	-	-	-	1	-	-	-	-	-	-	-	2
7 Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
8 Measles	M	-	1	-	-	-	1	1	1	-	1	-	3
	F	-	-	-	-	1	-	-	-	-	2	-	-
9 Other infective, etc., diseases	M	3	-	-	1	2	4	1	1	11	7	3	6
	F	3	1	-	3	2	5	5	2	8	6	2	6
10 Malignant neoplasm: stomach	M	62	14	19	43	38	55	51	45	149	65	52	98
	F	37	11	19	27	7	39	53	33	118	50	29	97
11 lung, bronchus	M	136	22	54	76	105	169	225	113	453	145	83	286
	F	23	4	8	9	17	35	55	17	83	28	14	61
12 breast	M	-	-	1	1	-	-	1	-	1	2	-	3
	F	79	13	14	32	54	78	119	65	229	85	34	149
13 uterus	F	25	6	8	18	13	25	30	30	82	31	20	43
14 Other malignant and lymphatic neoplasms	M	144	29	70	101	138	230	267	148	577	251	118	404
	F	150	22	46	88	130	217	271	141	551	251	98	328
15 Leukaemia, aleukaemia	M	2	3	3	1	12	17	17	10	32	14	9	18
	F	7	2	2	5	1	10	8	7	22	9	5	23
16 Diabetes	M	10	-	3	6	4	14	10	12	29	24	11	20
	F	10	2	5	11	10	17	23	24	45	36	17	49
17 Vascular lesions of nervous system	M	125	47	66	129	174	226	227	166	763	295	155	524
	F	244	53	83	182	248	382	353	273	1,076	429	237	666
18 Coronary disease, angina	M	416	118	178	296	313	492	615	368	1,570	617	339	1,115
	F	327	72	78	209	210	300	424	244	942	338	247	672
19 Hypertension with heart disease	M	31	5	9	18	10	13	33	29	65	46	13	47
	F	25	8	15	34	22	24	50	34	90	60	20	64
20 Other heart disease	M	89	27	63	71	78	167	163	103	387	356	132	313
	F	153	47	70	106	95	260	252	153	603	521	169	463
21 Other circulatory disease	M	42	22	17	37	51	73	109	59	228	86	55	201
	F	74	13	29	54	48	112	127	60	311	107	60	204
22 Influenza	M	-	2	-	-	2	1	-	1	22	2	1	4
	F	2	-	-	-	2	-	2	1	43	-	3	2
23 Pneumonia	M	112	26	20	49	39	121	181	111	312	86	45	167
	F	90	15	45	55	69	168	188	150	441	97	54	180
24 Bronchitis	M	151	43	52	114	91	115	138	89	450	104	71	358
	F	43	14	14	37	29	44	70	25	163	19	17	112
25 Other diseases of respiratory system	M	16	17	5	14	9	22	33	20	47	32	20	41
	F	14	-	2	9	13	11	22	7	36	17	12	23
26 Ulcer of stomach and duodenum	M	11	2	3	9	9	12	25	10	53	16	14	32
	F	7	1	3	4	4	11	18	9	33	11	6	18
27 Gastritis, enteritis and diarrhoea	M	1	-	4	4	2	7	11	5	21	7	5	15
	F	14	2	3	5	5	21	15	4	35	8	5	18
28 Nephritis and nephrosis	M	5	6	3	7	4	11	14	9	28	22	3	28
	F	5	2	-	6	10	7	12	4	19	14	7	27
29 Hyperplasia of prostate	M	7	4	6	2	18	9	20	12	47	23	10	20
30 Pregnancy, childbirth, abortion	F	1	-	1	-	1	2	2	1	2	1	-	2
31 Congenital malformations	M	13	-	9	5	17	23	22	10	59	20	6	35
	F	8	1	5	7	12	21	24	4	44	17	7	37
32 Other defined and ill-defined diseases	M	88	24	44	58	78	158	158	109	400	141	92	233
	F	119	39	50	89	126	205	216	133	609	191	123	263
33 Motor vehicle accidents	M	28	5	8	15	33	57	75	36	128	36	33	78
	F	14	8	2	7	8	17	28	12	49	7	11	36
*34 All other accidents	M	22	81	13	20	23	31	46	43	84	38	40	102
	F	31	76	5	18	26	54	47	49	99	60	27	83
35 Suicide	M	24	4	4	8	14	21	28	21	43	24	8	33
	F	11	3	3	3	10	14	20	15	38	14	3	28
36 Homicide, operations of war	M	3	-	-	1	1	2	3	3	1	-	-	1
	F	-	-	-	1	2	6	2	-	1	1	-	2

* Includes 141 deaths (71 male, 70 female) resulting from the Aberfan disaster of 1966 which were registered in 1967.

TABLE 21 - *continued* COUNTY BOROUGHS AND ADMINISTRATIVE COUNTIES

Registrar General's Supplementary Abridged List		Cardiff	Merthyr Tydfil	Newport (Mon.)	Swansea	Bedfordshire	Berkshire	Buckinghamshire	Cambridgeshire and Isle of Ely	Cheshire	Cornwall	Cumberland	Derbyshire
9(1) Infectious hepatitis	M	2	-	-	-	-	1	-	-	3	1	-	3
	F	1	-	-	1	1	2	1	-	3	3	2	3
14(1) Malignant neoplasm, mouth and pharynx	M	3	1	1	3	2	14	8	5	25	7	7	9
	F	6	-	3	2	4	2	9	5	19	9	3	3
14(2) Malignant neoplasm, oesophagus	M	10	1	4	6	10	13	22	3	31	20	11	27
	F	10	2	3	7	6	7	8	9	35	23	2	10
14(3) Malignant neoplasm, intestine and rectum	M	34	9	17	28	34	54	68	40	158	49	27	113
	F	43	10	12	38	48	70	92	44	195	75	35	104
14(4) Malignant neoplasm, larynx	M	3	-	2	1	-	3	2	2	11	5	2	7
	F	-	1	-	-	-	-	2	1	4	2	1	2
13(1) Malignant neoplasm, cervix uteri	F	12	5	4	13	9	15	17	18	52	18	15	28
14(5) Malignant neoplasm, prostate	M	18	3	8	12	24	38	28	29	85	44	17	63
14(6) Malignant neoplasm, bladder	M	12	2	8	18	11	22	25	14	64	21	9	34
	F	5	2	3	-	-	10	7	4	29	8	4	13
14(7) Malignant neoplasm, bone (including jaw bone)	M	-	-	-	2	-	3	5	-	8	4	1	3
	F	-	-	2	-	1	-	-	-	2	2	1	1
14(8) Lymphosarcoma, reticulosarcoma	M	6	-	2	2	6	2	5	5	13	10	3	8
	F	7	-	-	1	1	1	5	8	11	8	2	5
14(9) Hodgkin's disease	M	3	1	2	2	6	3	8	3	11	4	2	9
	F	2	-	1	2	-	3	7	-	5	3	3	5
32(1) Thyrotoxicosis	M	-	-	1	-	-	1	-	-	-	1	-	-
	F	-	1	1	-	-	1	-	1	4	2	1	3
32(2) Multiple sclerosis	M	-	-	-	-	2	5	2	-	4	1	1	3
	F	-	1	-	-	5	5	4	2	9	5	2	5
32(3) Rheumatic fever	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
20(1) Chronic rheumatic heart disease	M	12	2	3	8	8	9	15	12	36	9	6	30
	F	28	4	8	13	16	19	30	16	55	17	17	61
21(1) Hypertension without mention of heart	M	11	2	6	12	9	9	10	12	27	14	6	28
	F	7	6	6	6	7	9	6	6	32	13	6	32
25(1) Pneumoconiosis and chronic interstitial pneumonia	M	8	12	1	5	2	4	5	1	7	8	9	7
	F	3	-	-	1	-	1	5	2	4	6	1	3
26(1) Ulcer of stomach	M	3	1	1	3	6	6	13	8	33	10	7	13
	F	3	1	2	4	2	7	12	7	21	9	4	10
32(4) Appendicitis	M	-	-	-	2	1	2	3	1	5	-	2	4
	F	1	-	2	-	1	-	1	-	5	1	-	3
32(5) Intestinal obstruction and hernia	M	5	-	1	2	4	11	15	14	29	9	9	20
	F	6	-	2	9	11	14	17	11	30	9	7	25
32(6) Cirrhosis of liver	M	8	1	5	-	2	6	4	1	12	6	4	8
	F	3	1	2	4	6	4	6	4	17	7	5	10
32(7) Cholelithiasis, cholecystitis	M	1	-	-	1	-	3	2	-	2	2	1	4
	F	3	2	1	3	1	6	1	4	12	7	5	11
30(1) Maternal sepsis (not abortion)	F	-	-	-	-	-	1	-	-	-	-	-	-
30(2) Toxaemias of pregnancy and puerperium	F	-	-	-	-	1	1	1	1	1	1	-	-
30(3) Abortion	F	-	-	-	-	-	-	-	-	-	-	-	-
32(8) Rheumatoid arthritis and allied conditions	M	3	-	-	1	3	1	1	-	5	1	2	2
	F	8	2	2	1	5	6	4	1	21	7	3	8
32(9) Birth injury	M	8	-	-	-	5	2	11	5	13	9	1	18
	F	1	-	5	4	4	6	6	1	11	5	1	11
32(10) Postnatal asphyxia and atelectasis	M	6	-	2	3	2	14	14	4	23	3	7	15
	F	4	2	2	2	-	6	13	7	15	2	8	5
23(1) Pneumonia of newborn	M	3	-	1	-	-	2	4	2	6	-	-	12
	F	1	-	-	3	1	2	3	1	3	1	2	5
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	1	-	-	-	-	-	-	1	-	-	-	-
	F	-	-	-	1	-	-	-	-	1	-	-	-
32(12) Haemolytic disease of newborn	M	2	2	-	-	-	2	4	1	2	-	1	6
	F	1	-	-	-	1	-	1	-	3	1	1	2
32(13) Immaturity (without other disease peculiar to early infancy)	M	13	4	8	3	8	12	18	7	37	8	9	9
	F	9	1	1	2	17	11	12	1	11	6	2	13
32(14) Senility without psychosis	M	2	2	5	10	5	13	8	2	93	26	17	13
	F	4	6	6	11	13	48	16	11	212	29	30	15
32(15) Ill-defined and unknown cause	M	4	2	-	-	2	1	2	-	5	1	-	2
	F	-	1	-	1	1	-	4	-	4	1	2	2

TABLE 21 - *continued* ADMINISTRATIVE COUNTIES

Registrar General's Abridged List		Devonshire	Dorset	Durham	Essex	Gloucestershire	Hampshire	Herefordshire	Hertfordshire	Huntingdon and Peterborough	Kent	Lancashire	Leicestershire
1 Tuberculosis, respiratory	M	13	8	40	22	11	20	6	11	-	23	63	11
	F	7	3	13	12	3	6	3	7	-	10	24	3
2 Tuberculosis, other	M	-	-	4	-	-	1	-	-	-	1	1	1
	F	2	-	2	2	2	1	-	2	-	1	5	3
3 Syphilitic disease	M	3	1	8	7	6	10	-	12	-	17	28	2
	F	4	2	4	8	4	9	-	2	2	11	14	4
4 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
5 Whooping cough	M	-	-	-	-	-	1	-	-	-	-	1	1
	F	-	-	-	-	-	2	-	-	-	-	1	-
6 Meningococcal infections	M	1	-	1	1	1	-	-	1	-	2	1	-
	F	-	-	3	-	1	-	1	-	1	-	4	1
7 Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
8 Measles	M	-	-	-	3	-	1	-	5	1	2	2	-
	F	-	1	3	1	-	3	-	2	-	2	2	-
9 Other infective, etc., diseases	M	5	4	10	6	4	3	2	11	-	13	17	4
	F	4	3	7	12	6	6	2	9	3	14	18	7
10 Malignant neoplasm: stomach	M	94	61	169	131	69	119	18	101	33	183	387	56
	F	75	38	145	94	55	73	13	78	16	129	291	41
11 lung, bronchus	M	261	170	441	490	220	405	53	340	65	670	1,013	158
	F	71	38	81	97	33	83	14	70	6	149	223	32
12 breast	M	2	-	1	2	1	2	-	-	-	3	5	1
	F	144	79	139	237	114	202	22	189	28	304	461	105
13 uterus	F	45	29	57	61	50	70	9	55	6	108	187	27
14 Other malignant and lymphatic neoplasms	M	381	207	476	542	268	517	67	404	78	756	1,299	208
	F	363	187	435	529	269	417	64	388	59	744	1,272	211
15 Leukaemia, aleukaemia	M	25	15	23	36	16	36	5	35	7	62	80	13
	F	25	16	19	26	15	32	5	29	5	40	59	15
16 Diabetes	M	19	9	38	39	19	23	6	24	3	43	68	17
	F	40	31	71	57	25	47	10	39	6	65	132	27
17 Vascular lesions of nervous system	M	494	259	684	636	299	561	85	414	111	894	1,736	281
	F	770	366	855	994	501	822	130	704	140	1,381	2,599	401
18 Coronary disease, angina	M	1,001	519	1,508	1,339	710	1,206	181	913	248	1,960	3,841	514
	F	671	347	991	880	426	707	117	599	138	1,289	2,430	284
19 Hypertension with heart disease	M	55	21	60	53	33	63	7	49	9	93	168	30
	F	75	40	78	91	48	100	9	75	4	163	254	44
20 Other heart disease	M	366	151	347	363	284	372	67	257	71	625	1,238	216
	F	548	281	457	592	433	688	115	443	95	1,122	2,094	257
21 Other circulatory disease	M	195	91	203	199	117	203	38	157	45	353	583	90
	F	246	129	226	252	124	216	34	202	46	403	785	90
22 Influenza	M	4	1	4	7	3	9	-	4	-	10	39	-
	F	3	4	4	4	4	10	-	7	1	19	74	2
23 Pneumonia	M	161	139	210	323	178	248	38	235	41	481	675	87
	F	178	146	260	403	177	309	42	333	41	507	850	90
24 Bronchitis	M	195	122	454	378	133	256	42	240	40	515	1,234	145
	F	53	29	120	119	36	92	8	100	13	179	474	57
25 Other diseases of respiratory system	M	45	20	91	53	35	49	6	43	8	95	171	28
	F	14	12	41	22	11	33	4	12	5	47	95	22
26 Ulcer of stomach and duodenum	M	33	13	48	42	23	36	9	28	8	62	114	18
	F	20	13	15	24	14	26	-	24	9	52	75	11
27 Gastritis, enteritis and diarrhoea	M	11	5	19	17	11	20	2	15	2	27	60	9
	F	17	8	28	29	21	29	2	30	3	47	71	13
28 Nephritis and nephrosis	M	18	13	25	22	23	21	2	20	6	29	88	11
	F	15	7	25	21	15	22	2	24	5	30	80	14
29 Hyperplasia of prostate	M	36	30	17	42	19	28	2	24	13	55	90	18
30 Pregnancy, childbirth, abortion	F	-	1	2	3	-	2	2	2	1	1	8	-
31 Congenital malformations	M	25	15	54	54	29	45	16	35	6	50	125	24
	F	21	15	40	47	22	37	5	36	7	53	124	24
32 Other defined and ill-defined diseases	M	219	117	341	416	169	287	49	276	67	471	890	163
	F	381	152	456	483	194	407	62	349	58	616	1,173	242
33 Motor vehicle accidents	M	37	26	96	101	68	105	13	82	32	125	255	47
	F	27	14	40	36	29	34	8	34	5	54	142	26
34 All other accidents	M	53	50	123	85	59	95	16	83	34	114	289	31
	F	98	61	98	72	43	82	17	87	30	133	339	49
35 Suicide	M	42	18	41	58	31	38	3	43	8	72	131	19
	F	33	10	23	43	20	28	-	29	6	51	104	16
36 Homicide, operations of war	M	2	1	2	2	1	3	-	2	-	4	12	1
	F	4	1	3	2	3	3	-	4	-	2	4	1

TABLE 21 - *continued* ADMINISTRATIVE COUNTIES

Registrar General's Supplementary Abridged List		Devonshire	Dorset	Durham	Essex	Gloucestershire	Hampshire	Herefordshire	Hertfordshire	Huntingdon and Peterborough	Kent	Lancashire	Leicestershire
9(1) Infectious hepatitis	M	1	1	2	-	1	-	-	2	-	3	4	-
	F	2	-	1	2	2	-	-	4	2	2	4	-
14(1) Malignant neoplasm, mouth and pharynx	M	12	3	18	18	6	20	2	7	2	28	53	8
	F	14	2	12	8	6	8	1	6	1	14	41	3
14(2) Malignant neoplasm, oesophagus	M	26	14	24	41	19	29	6	25	6	32	74	9
	F	24	11	18	19	16	17	1	18	7	36	68	11
14(3) Malignant neoplasm, intestine and rectum	M	103	56	140	121	75	122	16	109	19	166	346	52
	F	124	65	164	195	112	137	24	127	17	221	449	69
14(4) Malignant neoplasm, larynx	M	8	3	8	12	7	8	1	6	1	24	35	4
	F	1	2	-	-	-	-	1	2	-	3	12	1
13(1) Malignant neoplasm, cervix uteri	F	29	21	42	34	27	41	3	31	4	75	121	19
14(5) Malignant neoplasm, prostate	M	66	29	68	82	29	76	13	65	17	137	170	34
14(6) Malignant neoplasm, bladder	M	34	20	42	45	25	49	4	37	6	75	108	15
	F	11	10	16	25	8	12	2	18	3	35	52	6
14(7) Malignant neoplasm, bone (including jaw bone)	M	4	3	6	7	4	3	-	6	-	7	16	2
	F	9	2	5	6	2	7	-	5	-	2	16	2
14(8) Lymphosarcoma, reticulosarcoma	M	10	5	9	20	9	15	1	12	5	22	32	13
	F	11	5	8	11	5	7	3	18	1	16	24	6
14(9) Hodgkin's disease	M	5	4	10	5	7	16	2	11	-	16	30	13
	F	5	3	8	2	-	6	2	5	-	10	26	10
32(1) Thyrotoxicosis	M	-	-	-	2	-	-	-	2	-	-	4	-
	F	6	3	2	5	2	1	1	2	-	6	15	3
32(2) Multiple sclerosis	M	3	1	10	9	2	4	-	6	-	5	22	-
	F	8	1	9	19	9	17	-	10	-	9	25	3
32(3) Rheumatic fever	M	-	-	-	-	-	-	-	-	-	-	1	-
	F	1	-	1	-	-	1	-	-	-	-	-	-
20(1) Chronic rheumatic heart disease	M	16	16	48	30	16	23	3	26	2	31	96	11
	F	35	13	64	66	30	50	4	57	13	62	203	27
21(1) Hypertension without mention of heart	M	25	18	22	33	11	32	5	29	2	43	97	21
	F	34	20	23	33	9	25	4	27	4	47	84	18
25(1) Pneumoconiosis and chronic interstitial pneumonia	M	3	6	42	8	6	10	2	8	-	13	54	2
	F	2	3	3	1	3	4	-	1	-	6	10	1
26(1) Ulcer of stomach	M	14	7	21	26	13	20	5	17	5	35	46	6
	F	13	10	9	15	10	12	-	16	8	36	39	8
32(4) Appendicitis	M	3	3	7	6	2	4	1	1	-	9	16	-
	F	1	1	-	3	2	5	2	9	-	11	10	2
32(5) Intestinal obstruction and hernia	M	15	15	31	26	12	23	4	11	4	31	51	14
	F	24	6	39	37	12	27	6	21	4	49	79	15
32(6) Cirrhosis of liver	M	11	7	10	14	6	3	1	7	3	23	26	4
	F	7	8	11	13	6	9	1	5	-	26	38	10
32(7) Cholelithiasis, cholecystitis	M	4	6	6	4	3	5	1	8	-	9	17	-
	F	10	7	19	12	3	16	2	8	5	22	40	7
30(1) Maternal sepsis (not abortion)	F	-	-	-	-	-	-	-	-	-	-	1	-
30(2) Toxaemias of pregnancy and puerperium	F	-	-	1	-	-	1	-	-	-	-	3	-
30(3) Abortion	F	-	-	1	1	-	-	-	2	-	-	1	-
32(8) Rheumatoid arthritis and allied conditions	M	2	2	3	3	-	8	1	6	-	8	14	2
	F	13	-	14	15	6	12	-	10	1	16	47	7
32(9) Birth injury	M	5	3	13	29	9	11	1	11	4	16	45	8
	F	4	3	8	8	6	15	2	5	2	8	30	11
32(10) Postnatal asphyxia and atelectasis	M	8	11	32	22	21	22	1	12	8	39	66	9
	F	7	6	25	22	6	18	4	10	2	25	43	10
23(1) Pneumonia of newborn	M	-	3	5	8	3	4	3	7	-	6	19	3
	F	1	3	4	4	3	5	3	1	2	7	16	1
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	-	-	1	1	1	-	-	-	-	1	1	-
	F	-	-	-	1	1	-	-	-	-	1	-	-
32(12) Haemolytic disease of newborn	M	-	-	1	6	2	4	-	2	-	2	10	-
	F	2	-	3	3	-	3	1	2	-	3	13	1
32(13) Immaturity (without other disease peculiar to early infancy)	M	3	3	26	29	13	20	4	19	7	33	96	7
	F	4	4	22	22	4	13	1	19	2	20	73	7
32(14) Senility without psychosis	M	40	4	21	19	7	19	3	27	8	25	55	34
	F	120	23	59	52	14	43	7	39	13	61	162	60
32(15) Ill-defined and unknown cause	M	5	1	5	4	1	2	-	6	1	7	5	3
	F	1	1	2	3	3	3	1	2	-	3	12	1

TABLE 21 - *continued* ADMINISTRATIVE COUNTIES

Registrar General's Abridged List		Lincolnshire (Parts of Holland)	Lincolnshire (Parts of Kesteven)	Lincolnshire (Parts of Lindsey)	Norfolk	Northamptonshire	Northumberland	Nottinghamshire	Oxfordshire	Rutland	Shropshire	Somerset	Staffordshire
1 Tuberculosis, respiratory	M	3	2	6	4	6	11	17	3	-	5	11	9
	F	2	-	2	3	4	2	4	1	-	1	2	5
2 Tuberculosis, other	M	-	-	1	-	2	-	2	-	-	-	-	2
	F	-	-	1	2	-	1	2	1	-	1	2	1
3 Syphilitic disease	M	-	3	1	11	2	6	8	1	-	1	6	7
	F	-	-	1	6	5	1	6	-	-	2	4	2
4 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
5 Whooping cough	M	-	-	-	-	-	-	-	1	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	1	-
6 Meningococcal infections	M	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	1	-	-
7 Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
8 Measles	M	-	-	-	-	1	-	1	2	-	-	-	-
	F	-	-	-	1	-	-	1	-	-	-	1	-
9 Other infective, etc., diseases	M	-	1	6	5	-	4	3	2	-	3	7	3
	F	1	5	6	1	5	6	11	6	-	2	9	8
10 Malignant neoplasm: stomach	M	24	17	38	58	41	77	95	32	2	42	76	111
	F	16	18	47	38	34	53	52	14	2	26	70	78
11 lung, bronchus	M	42	53	140	184	133	218	243	94	8	108	209	223
	F	2	11	29	31	23	55	36	23	-	27	42	38
12 breast	M	-	-	-	2	-	-	1	-	-	-	-	2
	F	23	29	68	104	56	79	106	47	7	54	126	123
13 uterus	F	11	11	31	30	34	41	45	9	-	28	48	43
14 Other malignant and lymphatic neoplasms	M	52	68	203	293	168	261	338	113	9	165	373	295
	F	47	75	160	212	138	220	259	99	14	152	331	278
15 Leukaemia, aleukaemia	M	3	6	13	17	7	15	15	9	1	10	24	15
	F	1	3	16	15	6	10	12	5	1	8	21	19
16 Diabetes	M	3	11	22	12	12	15	17	8	-	15	26	22
	F	6	14	21	23	22	24	29	3	1	23	31	44
17 Vascular lesions of nervous system	M	73	86	242	335	191	431	355	125	17	249	408	431
	F	121	118	307	441	268	568	506	159	19	325	666	554
18 Coronary disease, angina	M	144	195	503	576	401	853	724	290	22	429	838	818
	F	76	94	282	379	248	550	448	192	11	227	583	576
19 Hypertension with heart disease	M	6	4	32	25	27	29	34	4	-	19	41	48
	F	8	15	44	33	32	38	65	11	2	24	62	57
20 Other heart disease	M	51	108	204	266	140	271	292	74	24	155	269	248
	F	57	134	235	381	196	370	386	92	25	293	467	383
21 Other circulatory disease	M	30	44	74	106	77	100	130	42	5	72	162	142
	F	25	44	91	92	82	138	188	45	6	84	223	151
22 Influenza	M	2	1	1	8	3	1	4	1	-	2	6	2
	F	-	3	-	3	3	5	1	3	-	3	4	3
23 Pneumonia	M	35	47	84	193	68	106	166	82	13	96	178	179
	F	35	77	87	228	56	121	170	99	6	87	230	180
24 Bronchitis	M	34	50	124	120	101	211	287	60	5	105	188	237
	F	9	18	50	39	34	81	91	13	-	27	61	100
25 Other diseases of respiratory system	M	7	9	25	15	21	28	48	6	-	13	58	44
	F	2	7	17	6	7	12	27	7	-	2	26	22
26 Ulcer of stomach and duodenum	M	4	6	25	19	13	20	37	7	7	22	25	30
	F	-	2	11	14	9	12	12	5	-	8	20	14
27 Gastritis, enteritis and diarrhoea	M	3	1	16	10	6	15	9	1	-	2	15	11
	F	5	8	17	9	6	13	15	7	1	9	25	17
28 Nephritis and nephrosis	M	3	5	13	8	11	23	29	7	-	10	21	14
	F	3	5	5	7	8	11	16	7	-	8	13	21
29 Hyperplasia of prostate	M	5	6	23	26	6	19	25	10	2	13	31	21
30 Pregnancy, childbirth, abortion	F	-	-	2	2	-	-	1	-	-	1	2	3
31 Congenital malformations	M	8	9	18	14	15	26	35	16	2	20	34	40
	F	5	6	14	13	15	17	29	13	2	22	24	32
32 Other defined and ill-defined diseases	M	44	57	133	163	128	217	222	69	10	127	195	253
	F	47	69	174	183	121	220	283	88	8	138	294	281
33 Motor vehicle accidents	M	7	24	46	32	43	39	73	34	3	38	49	88
	F	3	3	15	20	21	23	39	14	-	9	21	25
34 All other accidents	M	12	15	38	52	36	88	64	13	2	42	42	61
	F	5	14	35	63	42	79	55	17	3	37	39	53
35 Suicide	M	9	5	8	25	12	16	35	7	-	14	38	22
	F	4	6	8	18	8	11	17	6	1	12	18	16
36 Homicide, operations of war	M	-	-	-	2	4	-	1	2	-	-	1	3
	F	-	-	-	3	-	1	3	1	-	-	1	3

TABLE 21 - *continued* ADMINISTRATIVE COUNTIES

Registrar General's Supplementary Abridged List		Lincolnshire (Parts of Holland)	Lincolnshire (Parts of Kesteven)	Lincolnshire (Parts of Lindsey)	Norfolk	Northamptonshire	Northumberland	Nottinghamshire	Oxfordshire	Rutland	Shropshire	Somerset	Staffordshire
9(1) Infectious hepatitis	M	-	-	-	-	-	1	1	1	-	-	1	-
	F	-	-	2	4	-	1	1	2	-	-	1	-
14(1) Malignant neoplasm, mouth and pharynx	M	3	3	13	12	4	8	9	2	-	6	13	8
	F	1	1	3	6	4	8	9	3	-	7	9	4
14(2) Malignant neoplasm, oesophagus	M	5	5	13	16	10	13	9	6	-	9	14	20
	F	-	4	5	13	10	9	7	4	-	11	19	13
14(3) Malignant neoplasm, intestine and rectum	M	16	14	67	83	38	59	102	35	1	44	98	93
	F	15	29	59	69	49	75	97	24	7	47	122	98
14(4) Malignant neoplasm, larynx	M	-	1	4	6	2	8	5	2	-	3	5	6
	F	-	-	1	3	1	1	1	1	-	3	3	-
13(1) Malignant neoplasm, cervix uteri	F	10	8	20	18	19	33	27	4	-	19	32	28
14(5) Malignant neoplasm, prostate	M	11	18	33	50	32	37	50	13	-	25	72	31
14(6) Malignant neoplasm, bladder	M	4	3	12	22	11	26	33	14	1	7	34	18
	F	3	1	9	12	1	6	7	6	-	5	13	10
14(7) Malignant neoplasm, bone (including jaw bone)	M	1	1	1	3	4	6	6	1	1	4	3	2
	F	-	-	3	3	1	3	5	1	-	2	1	4
14(8) Lymphosarcoma, reticulosarcoma	M	1	2	7	3	8	4	16	7	1	-	8	8
	F	1	-	3	6	3	6	4	8	-	3	12	8
14(9) Hodgkin's disease	M	3	-	3	2	5	5	8	2	-	4	9	3
	F	-	-	2	4	1	4	2	-	1	1	3	3
32(1) Thyrotoxicosis	M	-	-	-	-	1	1	-	-	-	-	1	2
	F	1	-	2	3	2	-	3	1	-	4	3	6
32(2) Multiple sclerosis	M	1	1	4	2	2	5	3	-	-	-	4	4
	F	-	1	2	8	2	3	7	2	-	4	8	3
32(3) Rheumatic fever	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	2
20(1) Chronic rheumatic heart disease	M	-	7	10	17	14	24	23	7	-	8	26	34
	F	4	7	19	24	25	34	44	14	1	15	32	59
21(1) Hypertension without mention of heart	M	1	8	13	11	26	20	21	8	1	14	40	19
	F	3	9	15	8	12	16	32	3	1	19	41	10
25(1) Pneumoconiosis and chronic interstitial pneumonia	M	-	-	1	-	5	6	14	1	-	3	18	13
	F	-	-	1	-	1	2	2	-	-	-	5	1
26(1) Ulcer of stomach	M	3	3	9	14	4	6	19	2	3	12	14	18
	F	-	1	8	11	6	6	7	5	-	5	15	11
32(4) Appendicitis	M	1	-	1	3	2	3	4	1	-	2	4	4
	F	-	-	2	1	1	2	1	-	-	1	1	4
32(5) Intestinal obstruction and hernia	M	6	7	6	17	15	16	23	2	-	9	19	24
	F	2	3	13	11	10	13	23	4	2	13	20	11
32(6) Cirrhosis of liver	M	1	-	7	4	6	15	4	3	-	6	8	12
	F	1	-	3	6	3	8	14	2	-	3	8	11
32(7) Cholelithiasis, cholecystitis	M	-	1	2	5	1	3	5	1	1	4	6	7
	F	3	-	9	8	2	9	13	3	-	4	12	6
30(1) Maternal sepsis (not abortion)	F	-	-	-	-	-	-	-	-	-	-	-	-
30(2) Toxaemias of pregnancy and puerperium	F	-	-	1	1	-	-	-	-	-	1	2	-
30(3) Abortion	F	-	-	-	-	-	-	-	-	-	-	-	-
32(8) Rheumatoid arthritis and allied conditions	M	3	-	1	5	-	-	4	-	-	1	5	-
	F	3	2	5	8	10	6	6	1	-	4	11	7
32(9) Birth injury	M	-	1	6	7	5	10	14	3	-	11	12	17
	F	-	1	4	7	6	5	10	1	-	8	3	9
32(10) Postnatal asphyxia and atelectasis	M	4	4	8	10	9	9	11	7	1	6	10	27
	F	2	4	1	8	10	5	13	1	-	7	14	9
23(1) Pneumonia of newborn	M	-	1	2	6	1	1	-	2	1	1	1	5
	F	-	-	1	-	1	1	3	1	-	3	1	9
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	-	-	-	-	1	1	-	-	-	-	-	-
	F	-	-	-	-	1	-	-	1	-	-	-	1
32(12) Haemolytic disease of newborn	M	-	-	-	1	-	-	4	-	-	1	2	4
	F	1	1	2	-	2	-	2	-	-	2	-	3
32(13) Immaturity (without other disease peculiar to early infancy)	M	2	-	9	7	5	17	18	3	-	3	3	20
	F	1	1	16	10	4	6	12	3	1	4	2	10
32(14) Senility without psychosis	M	5	8	22	11	4	18	13	5	1	12	9	17
	F	8	13	45	26	5	17	18	5	3	17	60	48
32(15) Ill-defined and unknown cause	M	-	-	2	2	4	6	1	3	-	-	2	6
	F	1	-	2	1	1	3	2	2	-	-	-	2

TABLE 21 - *continued* ADMINISTRATIVE COUNTIES

Registrar General's Abridged List		Suffolk, East	Suffolk, West	Surrey	Sussex, East	Sussex, West	Warwickshire	Westmorland	Wight, Isle of	Wiltshire	Worcestershire	Yorkshire, East Riding	Yorkshire, North Riding
1 Tuberculosis, respiratory	M	6	2	15	12	8	19	1	1	8	8	3	10
	F	6	1	7	5	6	1	2	1	6	7	1	2
2 Tuberculosis, other	M	-	-	-	-	3	3	-	-	1	2	-	1
	F	1	1	5	1	1	3	-	2	1	3	-	2
3 Syphilitic disease	M	1	2	11	4	6	6	-	3	3	-	1	9
	F	1	-	7	2	4	6	1	1	3	1	2	3
4 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
5 Whooping cough	M	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	1	-	-	-	-	-	-
6 Meningococcal infections	M	-	1	2	-	1	-	-	-	1	-	-	1
	F	-	-	1	1	-	2	-	-	-	-	-	-
7 Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
8 Measles	M	-	-	-	-	1	-	-	-	1	4	-	2
	F	-	-	1	1	-	1	-	-	1	-	-	-
9 Other infective, etc., diseases	M	2	-	11	3	2	6	1	1	-	5	3	3
	F	2	3	9	4	3	4	2	1	1	5	1	1
10 Malignant neoplasm: stomach	M	29	23	104	75	78	72	14	17	57	53	31	75
	F	30	12	83	44	58	56	10	14	36	40	17	44
11 lung, bronchus	M	103	56	419	249	295	196	29	44	199	174	102	176
	F	26	14	117	75	69	40	6	9	38	28	21	26
12 breast	M	-	-	-	1	4	1	-	-	1	-	-	-
	F	62	24	186	144	145	105	14	26	112	85	49	93
13 uterus	F	19	8	65	40	43	48	8	6	36	32	25	33
14 Other malignant and lymphatic neoplasms	M	167	86	512	301	365	305	45	87	248	244	157	217
	F	133	58	479	347	347	225	40	78	194	187	138	172
15 Leukaemia, aleukaemia	M	5	6	40	13	20	11	4	7	16	17	15	16
	F	4	7	21	15	9	8	3	1	14	8	13	16
16 Diabetes	M	8	5	29	19	16	26	3	7	16	12	9	19
	F	8	5	46	25	19	28	4	4	31	18	8	27
17 Vascular lesions of nervous system	M	193	108	542	360	388	302	52	131	244	329	200	355
	F	283	158	853	686	633	413	91	170	386	405	262	496
18 Coronary disease, angina	M	379	195	1,195	782	837	689	114	178	552	543	429	715
	F	234	139	801	617	616	417	89	111	336	312	260	489
19 Hypertension with heart disease	M	15	6	42	36	21	33	3	15	30	31	11	13
	F	12	9	73	54	48	39	13	16	33	44	14	34
20 Other heart disease	M	129	62	365	215	314	200	21	76	279	204	152	217
	F	180	87	762	489	543	279	60	117	378	282	219	337
21 Other circulatory disease	M	88	26	250	128	132	127	20	21	85	90	45	79
	F	99	26	333	201	156	156	23	28	91	125	76	105
22 Influenza	M	4	2	7	10	2	4	-	-	2	-	1	1
	F	14	1	21	8	8	1	1	-	1	2	1	4
23 Pneumonia	M	95	54	331	137	133	150	10	31	156	95	79	136
	F	120	55	419	194	207	207	10	36	138	129	88	119
24 Bronchitis	M	58	47	302	167	194	175	17	39	146	187	98	120
	F	25	18	105	58	63	42	11	19	47	59	32	52
25 Other diseases of respiratory system	M	15	13	60	36	37	35	7	4	25	18	11	25
	F	6	9	36	23	27	17	8	-	19	19	6	8
26 Ulcer of stomach and duodenum	M	14	6	42	25	16	28	4	4	21	24	18	21
	F	9	6	41	15	19	21	2	5	13	9	6	14
27 Gastritis, enteritis and diarrhoea	M	9	6	17	4	10	11	3	3	7	11	7	7
	F	6	3	30	14	19	18	2	2	14	12	5	14
28 Nephritis and nephrosis	M	5	1	29	11	10	13	2	3	13	13	4	11
	F	7	1	16	8	16	14	-	6	6	9	7	8
29 Hyperplasia of prostate	M	17	8	26	14	27	16	-	6	11	19	18	8
30 Pregnancy, childbirth, abortion	F	1	2	4	1	-	2	-	-	3	1	1	1
31 Congenital malformations	M	11	5	44	23	17	27	3	4	18	23	9	32
	F	8	5	43	14	23	28	2	2	18	12	10	21
32 Other defined and ill-defined diseases	M	71	54	310	167	163	194	21	36	161	133	113	154
	F	121	57	478	268	237	226	31	57	198	175	142	161
33 Motor vehicle accidents	M	26	18	104	41	42	96	12	7	59	42	38	54
	F	9	8	43	18	24	26	8	4	22	22	11	27
34 All other accidents	M	35	11	83	51	54	59	6	12	43	42	39	55
	F	41	24	72	82	74	81	13	14	53	53	42	57
35 Suicide	M	11	7	46	20	24	26	5	2	21	22	20	19
	F	10	7	36	26	27	21	5	12	20	11	7	10
36 Homicide, operations of war	M	2	-	3	-	-	-	-	-	2	1	1	1
	F	1	-	2	1	-	1	-	-	3	1	2	-

TABLE 21 - *continued* ADMINISTRATIVE COUNTIES

Registrar General's Supplementary Abridged List		Suffolk, East	Suffolk, West	Surrey	Sussex, East	Sussex, West	Warwickshire	Westmorland	Wight, Isle of	Wiltshire	Worcestershire	Yorkshire, East Riding	Yorkshire, North Riding
9(1) Infectious hepatitis	M	-	-	3	1	1	2	-	-	-	1	2	-
	F	1	-	3	1	2	1	1	-	-	1	-	1
14(1) Malignant neoplasm, mouth and pharynx	M	5	3	13	9	8	8	1	2	7	11	3	7
	F	2	2	9	6	4	5	-	-	3	3	2	10
14(2) Malignant neoplasm, oesophagus	M	9	3	25	21	21	18	3	2	13	16	8	10
	F	7	4	27	19	22	16	1	-	9	8	12	5
14(3) Malignant neoplasm, intestine and rectum	M	49	23	128	90	89	93	10	27	75	54	47	61
	F	52	18	165	128	120	65	15	36	70	77	49	62
14(4) Malignant neoplasm, larynx	M	6	3	9	6	9	6	2	3	4	5	2	6
	F	2	-	5	3	1	-	1	1	-	1	-	2
13(1) Malignant neoplasm, cervix uteri	F	9	5	33	18	24	33	6	4	20	22	11	22
14(5) Malignant neoplasm, prostate	M	33	15	90	37	72	35	7	12	32	39	27	26
14(6) Malignant neoplasm, bladder	M	17	8	42	22	43	27	3	12	15	20	15	20
	F	6	2	25	18	11	9	2	-	6	9	6	3
14(7) Malignant neoplasm, bone (including jaw bone)	M	1	1	3	1	-	-	1	-	4	4	2	1
	F	3	-	3	2	2	5	-	1	6	3	1	-
14(8) Lymphosarcoma, reticulosarcoma	M	4	-	23	9	11	5	-	4	9	4	6	3
	F	3	1	18	9	9	7	1	-	2	6	2	6
14(9) Hodgkin's disease	M	5	5	14	5	2	8	-	2	4	4	2	4
	F	2	-	5	1	6	5	1	2	1	4	1	1
32(1) Thyrotoxicosis	M	1	1	1	-	-	-	-	-	-	1	-	-
	F	3	-	5	2	4	3	1	1	3	3	-	1
32(2) Multiple sclerosis	M	1	2	9	3	5	9	1	1	2	-	2	1
	F	1	3	10	6	4	7	-	1	4	1	4	3
32(3) Rheumatic fever	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	1	-	-	-	-	-	-	-	-	-
20(1) Chronic rheumatic heart disease	M	7	3	26	16	10	26	2	7	15	20	10	17
	F	15	10	74	29	22	54	4	7	22	33	22	25
21(1) Hypertension without mention of heart	M	16	4	59	12	10	22	4	3	19	14	7	9
	F	13	1	56	16	17	27	5	2	13	10	4	8
25(1) Pneumoconiosis and chronic inter-stitial pneumonia	M	2	1	8	4	7	10	-	-	4	4	-	2
	F	1	3	1	-	3	-	-	-	-	-	-	4
26(1) Ulcer of stomach	M	10	5	19	7	8	13	3	1	9	12	11	10
	F	6	3	28	8	11	13	1	1	6	7	3	4
32(4) Appendicitis	M	-	1	1	2	3	3	-	-	5	3	2	2
	F	-	-	2	1	4	2	-	1	3	1	1	2
32(5) Intestinal obstruction and hernia	M	6	6	22	17	13	7	4	6	6	16	8	11
	F	16	3	27	15	22	17	2	3	12	12	8	14
32(6) Cirrhosis of liver	M	2	2	7	8	3	7	-	2	6	2	3	6
	F	2	1	11	10	4	7	-	3	6	4	4	3
32(7) Cholelithiasis, cholecystitis	M	5	-	1	7	4	1	-	1	3	4	3	7
	F	2	2	15	11	11	8	1	1	5	9	2	6
30(1) Maternal sepsis (not abortion)	F	-	-	1	-	-	-	-	-	-	-	-	-
30(2) Toxaemias of pregnancy and puerperium	F	-	-	-	-	-	-	-	-	-	1	-	-
30(3) Abortion	F	-	-	2	-	-	-	-	-	-	-	-	-
32(8) Rheumatoid arthritis and allied conditions	M	-	-	4	3	5	1	-	1	1	1	1	3
	F	8	7	17	9	6	6	-	-	7	4	2	5
32(9) Birth injury	M	1	5	13	5	8	19	2	2	7	4	1	8
	F	2	2	9	2	4	5	-	-	7	5	3	4
32(10) Postnatal asphyxia and atelectasis	M	6	3	22	9	8	19	2	-	16	6	6	9
	F	5	4	10	6	4	11	2	5	14	7	8	6
23(1) Pneumonia of newborn	M	1	-	5	-	1	4	-	2	3	3	1	2
	F	-	-	2	1	-	2	1	-	1	4	-	1
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	1	-	-	-	-	-	1	-	-	-
32(12) Haemolytic disease of newborn	M	1	1	5	1	-	2	-	-	2	1	-	2
	F	-	-	2	3	-	1	-	-	1	-	1	2
32(13) Immaturity (without other disease peculiar to early infancy)	M	3	5	13	4	3	14	-	1	17	13	2	13
	F	6	1	6	5	4	11	1	-	5	15	7	8
32(14) Senility without psychosis	M	-	1	25	15	12	12	3	4	15	9	22	9
	F	8	2	76	50	34	23	10	8	25	23	34	11
32(15) Ill-defined and unknown cause	M	2	1	2	3	3	1	-	1	1	2	2	2
	F	-	1	2	1	3	2	3	2	2	2	3	2

TABLE 21 - *continued* ADMINISTRATIVE COUNTIES

Registrar General's Abridged List		Yorkshire, West Riding	Anglesey	Breconshire	Caernarvonshire	Cardiganshire	Carmarthenshire	Denbighshire	Flintshire	Glamorgan	Merionethshire	Monmouthshire	Montgomeryshire
1 Tuberculosis, respiratory	M	47	1	5	15	4	2	4	7	34	3	11	1
	F	9	2	-	1	1	4	4	3	12	-	2	1
2 Tuberculosis, other	M	7	-	-	1	-	-	-	-	4	-	4	-
	F	1	1	-	1	-	1	-	1	4	1	2	-
3 Syphilitic disease	M	12	1	-	3	1	4	1	-	6	-	2	-
	F	6	-	-	-	-	4	2	-	5	1	2	-
4 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
5 Whooping cough	M	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
6 Meningococcal infections	M	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	1	-	1	-
7 Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
8 Measles	M	3	-	-	-	-	-	-	-	-	1	1	-
	F	-	-	-	-	-	-	-	-	1	-	-	-
9 Other infective, etc., diseases	M	9	2	2	-	1	1	-	1	6	-	2	-
	F	22	-	1	-	1	3	1	1	9	1	4	-
10 Malignant neoplasm: stomach	M	283	12	8	27	13	35	56	37	132	3	67	11
	F	186	5	2	33	14	34	24	15	111	13	44	2
11 lung, bronchus	M	707	21	13	64	21	74	107	82	286	17	143	13
	F	109	3	1	14	5	11	11	16	29	4	10	5
12 breast	M	8	-	-	1	-	-	-	-	2	-	2	-
	F	313	4	12	31	14	31	42	33	130	16	59	8
13 uterus	F	158	2	2	13	4	20	14	12	67	2	24	3
14 Other malignant and lymphatic neoplasms	M	926	35	24	82	34	104	109	84	400	22	187	20
	F	869	38	27	104	43	87	116	86	305	34	143	26
15 Leukaemia, aleukaemia	M	49	2	-	3	3	9	5	3	25	3	10	2
	F	49	3	1	3	3	2	5	8	25	-	6	5
16 Diabetes	M	67	5	1	4	2	7	6	4	17	1	7	1
	F	114	3	2	13	1	13	10	12	47	5	26	2
17 Vascular lesions of nervous system	M	1,224	54	39	120	47	163	161	123	524	37	217	44
	F	1,806	61	70	181	80	218	236	206	745	49	317	36
18 Coronary disease, angina	M	2,703	76	105	230	89	348	311	278	1,324	67	643	58
	F	1,711	43	58	130	64	202	216	169	808	31	287	43
19 Hypertension with heart disease	M	119	5	7	18	5	24	19	20	75	-	28	-
	F	181	4	4	25	5	22	22	26	81	6	28	4
20 Other heart disease	M	716	40	45	84	43	104	86	63	325	26	212	27
	F	1,132	63	72	124	79	138	149	97	471	40	253	36
21 Other circulatory disease	M	390	24	21	42	12	50	37	32	177	10	81	5
	F	512	18	22	81	30	78	57	36	215	11	93	10
22 Influenza	M	6	2	1	2	-	-	2	3	7	1	3	1
	F	4	2	-	4	-	-	5	5	5	1	1	1
23 Pneumonia	M	419	5	9	24	21	41	87	38	173	7	68	4
	F	511	9	6	34	20	28	66	52	228	9	72	7
24 Bronchitis	M	844	27	32	48	21	51	79	65	444	16	213	10
	F	312	9	10	22	9	14	31	20	87	6	45	1
25 Other diseases of respiratory system	M	123	5	14	12	6	59	16	13	201	7	35	9
	F	62	2	-	11	2	10	6	3	23	3	9	1
26 Ulcer of stomach and duodenum	M	83	4	2	6	7	8	10	8	28	-	17	2
	F	36	4	1	7	2	1	7	2	18	-	3	1
27 Gastritis, enteritis and diarrhoea	M	41	-	-	2	2	3	7	1	8	3	9	3
	F	54	-	2	10	2	7	4	7	18	5	7	2
28 Nephritis and nephrosis	M	49	5	5	7	3	4	4	2	28	4	15	3
	F	49	5	-	2	3	4	5	4	24	4	9	2
29 Hyperplasia of prostate	M	61	2	2	11	6	10	11	11	32	6	22	-
30 Pregnancy, childbirth, abortion	F	7	-	-	-	-	-	1	-	2	-	3	-
31 Congenital malformations	M	87	5	3	9	3	9	9	4	45	-	19	1
	F	86	2	-	2	-	7	7	8	43	2	15	2
32 Other defined and ill-defined diseases	M	640	40	15	48	30	75	78	76	294	23	144	14
	F	793	25	25	57	31	68	86	84	318	33	167	18
33 Motor vehicle accidents	M	214	5	9	19	8	20	13	24	67	4	41	3
	F	101	3	1	9	1	2	7	5	30	3	11	1
34 All other accidents	M	220	9	9	11	9	37	23	19	77	4	51	8
	F	216	10	7	16	8	29	22	25	94	11	41	3
35 Suicide	M	113	3	4	8	7	10	6	10	38	2	13	1
	F	76	2	2	5	2	3	7	1	24	1	13	1
36 Homicide, operations of war	M	10	-	-	-	1	-	-	1	1	-	5	1
	F	5	-	-	1	1	2	-	2	-	3	3	1

TABLE 21 - *continued* ADMINISTRATIVE COUNTIES

Registrar General's Supplementary Abridged List		Yorkshire, West Riding	Anglesey	Breconshire	Caernarvonshire	Cardiganshire	Carmarthenshire	Denbighshire	Flintshire	Glamorgan	Merionethshire	Monmouthshire	Montgomeryshire
9(1) Infectious hepatitis	M	1	-	1	-	1	-	-	-	2	-	-	-
	F	12	-	-	-	-	-	-	-	4	-	1	-
14(1) Malignant neoplasm, mouth and pharynx	M	35	1	-	-	3	5	3	5	13	-	6	-
	F	25	3	1	5	1	4	4	-	9	3	2	1
14(2) Malignant neoplasm, oesophagus	M	41	6	3	2	1	4	6	5	16	2	5	1
	F	46	2	1	10	4	6	9	6	13	1	9	3
14(3) Malignant neoplasm, intestine and rectum	M	244	9	8	27	8	32	26	12	118	7	46	6
	F	287	15	9	40	15	44	35	30	102	10	55	10
14(4) Malignant neoplasm, larynx	M	23	-	-	1	1	4	1	-	11	3	5	-
	F	6	-	-	1	-	1	-	-	2	-	1	-
13(1) Malignant neoplasm, cervix uteri	F	110	-	-	7	2	16	11	10	38	2	18	1
14(5) Malignant neoplasm, prostate	M	134	4	5	12	6	18	16	12	41	5	22	3
14(6) Malignant neoplasm, bladder	M	80	4	-	4	4	12	10	9	29	1	25	2
	F	30	2	-	4	2	1	3	3	13	3	9	1
14(7) Malignant neoplasm, bone (including jaw bone)	M	12	-	-	3	-	2	2	4	8	-	2	1
	F	13	-	-	-	-	-	-	-	3	1	1	-
14(8) Lymphosarcoma, reticulosarcoma	M	19	1	-	4	1	1	2	3	13	-	5	-
	F	14	-	-	3	-	-	2	1	7	-	3	-
14(9) Hodgkin's disease	M	19	-	1	3	1	-	4	4	10	1	6	1
	F	20	-	-	3	-	-	2	-	6	1	3	-
32(1) Thyrotoxicosis	M	3	-	-	1	-	-	-	2	-	-	1	-
	F	9	-	-	-	2	3	1	-	4	1	3	-
32(2) Multiple sclerosis	M	11	-	-	2	-	-	2	1	2	-	1	-
	F	13	-	-	-	-	-	-	-	5	-	1	-
32(3) Rheumatic fever	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
20(1) Chronic rheumatic heart disease	M	78	3	3	10	1	16	3	11	35	-	20	1
	F	142	8	6	7	6	15	19	16	85	5	23	1
21(1) Hypertension without mention of heart	M	71	9	8	9	5	9	3	4	29	4	16	-
	F	90	5	4	20	9	19	6	3	37	4	23	2
25(1) Pneumoconiosis and chronic interstitial pneumonia	M	39	1	13	6	2	29	4	6	149	3	20	3
	F	6	-	-	1	-	1	1	-	1	1	1	-
26(1) Ulcer of stomach	M	38	3	1	-	4	5	5	5	12	-	11	1
	F	21	2	1	5	1	1	5	1	12	-	3	1
32(4) Appendicitis	M	11	-	-	1	1	1	3	2	4	-	1	-
	F	8	-	1	-	-	-	4	1	1	-	-	-
32(5) Intestinal obstruction and hernia	M	55	1	3	5	5	2	8	7	21	1	8	1
	F	40	5	3	5	3	9	4	6	19	1	7	1
32(6) Cirrhosis of liver	M	30	2	-	-	2	2	2	1	6	-	6	-
	F	20	-	1	-	-	5	8	1	11	3	4	-
32(7) Cholelithiasis, cholecystitis	M	16	3	-	3	1	3	2	4	4	-	4	1
	F	22	2	1	3	2	2	3	5	9	1	3	1
30(1) Maternal sepsis (not abortion)	F	1	-	-	-	-	-	-	-	-	-	1	-
30(2) Toxaemias of pregnancy and puerperium	F	3	-	-	-	-	-	1	-	-	-	1	-
30(3) Abortion	F	-	-	-	-	-	-	-	-	-	-	-	-
32(8) Rheumatoid arthritis and allied conditions	M	9	-	-	1	-	3	-	3	6	-	2	-
	F	35	-	2	-	-	1	4	6	9	1	2	-
32(9) Birth injury	M	34	1	1	-	1	2	2	4	19	-	10	-
	F	17	-	2	-	-	1	1	1	7	1	5	-
32(10) Postnatal asphyxia and atelectasis	M	71	4	1	3	4	10	3	6	19	-	7	1
	F	40	1	-	1	1	5	3	2	14	1	10	1
23(1) Pneumonia of newborn	M	15	-	-	-	-	-	-	1	-	-	3	-
	F	10	-	-	-	-	-	1	3	2	-	1	-
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	1	-	-	-	-	-	-	-	1	-	-	-
	F	2	-	-	-	-	-	-	1	-	-	1	-
32(12) Haemolytic disease of newborn	M	6	1	-	1	-	1	1	-	4	-	-	-
	F	2	-	-	1	-	-	-	-	-	-	-	-
32(13) Immaturity (without other disease peculiar to early infancy)	M	41	2	1	1	2	2	2	3	19	2	16	-
	F	43	-	-	1	-	1	5	2	21	-	9	1
32(14) Senility without psychosis	M	35	9	1	2	2	2	3	5	33	8	6	5
	F	95	7	3	3	8	7	8	8	46	10	10	5
32(15) Ill-defined and unknown cause	M	2	1	-	-	-	1	2	1	3	1	-	-
	F	5	1	-	-	-	-	1	1	4	1	2	-

TABLE 21 - *continued*

ADMINISTRATIVE COUNTIES

Registrar General's Abridged List		Pembrokeshire	Radnorshire
1 Tuberculosis, respiratory	M	3	-
	F	2	-
2 Tuberculosis, other	M	-	-
	F	-	-
3 Syphilitic disease	M	1	-
	F	-	-
4 Diphtheria	M	-	-
	F	-	-
5 Whooping cough	M	-	-
	F	-	-
6 Meningococcal infections	M	-	-
	F	-	-
7 Acute poliomyelitis	M	-	-
	F	-	-
8 Measles	M	-	1
	F	-	-
9 Other infective, etc., diseases	M	-	-
	F	2	-
10 Malignant neoplasm: stomach	M	13	1
	F	13	5
11 lung, bronchus	M	26	10
	F	7	-
12 breast	M	1	-
	F	22	4
13 uterus	F	11	1
14 Other malignant and lymphatic neoplasms	M	50	9
	F	51	5
15 Leukaemia, aleukaemia	M	1	-
	F	1	2
16 Diabetes	M	8	-
	F	9	1
17 Vascular lesions of nervous system	M	94	19
	F	103	14
18 Coronary disease, angina	M	172	32
	F	90	27
19 Hypertension with heart disease	M	20	1
	F	12	-
20 Other heart disease	M	65	12
	F	73	17
21 Other circulatory disease	M	29	15
	F	26	7
22 Influenza	M	-	-
	F	2	-
23 Pneumonia	M	23	2
	F	27	1
24 Bronchitis	M	37	4
	F	11	-
25 Other diseases of respiratory system	M	5	2
	F	7	3
26 Ulcer of stomach and duodenum	M	3	2
	F	1	-
27 Gastritis, enteritis and diarrhoea	M	2	-
	F	1	1
28 Nephritis and nephrosis	M	2	-
	F	3	1
29 Hyperplasia of prostate	M	10	-
30 Pregnancy, childbirth, abortion	F	2	-
31 Congenital malformations	M	2	2
	F	4	-
32 Other defined and ill-defined diseases	M	47	5
	F	44	5
33 Motor vehicle accidents	M	6	1
	F	5	-
34 All other accidents	M	11	3
	F	11	2
35 Suicide	M	1	-
	F	3	-
36 Homicide, operations of war	M	-	-
	F	-	-

Registrar General's Supplementary Abridged List			Pembrokeshire	Radnorshire
9(1)	Infectious hepatitis	M	-	-
		F	-	-
14(1)	Malignant neoplasm, mouth and pharynx	M	2	-
		F	3	-
14(2)	Malignant neoplasm, oesophagus	M	5	1
		F	3	-
14(3)	Malignant neoplasm, intestine and rectum	M	18	3
		F	12	2
14(4)	Malignant neoplasm, larynx	M	2	-
		F	-	-
13(1)	Malignant neoplasm, cervix uteri	F	7	1
14(5)	Malignant neoplasm, prostate	M	7	1
14(6)	Malignant neoplasm, bladder	M	2	-
		F	1	-
14(7)	Malignant neoplasm, bone (including jaw bone)	M	1	2
		F	-	-
14(8)	Lymphosarcoma, reticulosarcoma	M	-	-
		F	2	-
14(9)	Hodgkin's disease	M	1	-
		F	2	-
32(1)	Thyrotoxicosis	M	-	-
		F	2	-
32(2)	Multiple sclerosis	M	1	-
		F	-	-
32(3)	Rheumatic fever	M	-	-
		F	-	-
20(1)	Chronic rheumatic heart disease	M	4	1
		F	6	-
21(1)	Hypertension without mention of heart	M	6	3
		F	5	1
25(1)	Pneumoconiosis and chronic interstitial pneumonia	M	-	1
		F	1	-
26(1)	Ulcer of stomach	M	1	1
		F	1	-
32(4)	Appendicitis	M	-	-
		F	-	-
32(5)	Intestinal obstruction and hernia	M	5	-
		F	3	2
32(6)	Cirrhosis of liver	M	1	-
		F	2	-
32(7)	Cholelithiasis, cholecystitis	M	2	-
		F	2	-
30(1)	Maternal sepsis (not abortion)	F	-	-
30(2)	Toxaemias of pregnancy and puerperium	F	-	-
30(3)	Abortion	F	-	-
32(8)	Rheumatoid arthritis and allied conditions	M	-	-
		F	1	-
32(9)	Birth injury	M	-	-
		F	-	1
32(10)	Postnatal asphyxia and atelectasis	M	6	-
		F	3	-
23(1)	Pneumonia of newborn	M	2	-
		F	2	-
32(11)	Ophthalmia, pemphigus, sepsis of newborn	M	-	-
		F	-	-
32(12)	Haemolytic disease of newborn	M	-	-
		F	-	-
32(13)	Immaturity (without other disease peculiar to early infancy)	M	4	1
		F	-	-
32(14)	Senility without psychosis	M	6	1
		F	6	1
32(15)	Ill-defined and unknown cause	M	1	-
		F	1	-

TABLE 22. Causes of death by month of occurrence, January to December, 1967

England and Wales

Notes 1. Totals for any period made up from this table will differ from the corresponding figures shown in other tables (except Table 16) which are tabulated according to date of registration.
2. Deaths occurring in the year but which were registered after 31st March of the following year are excluded.

ICD No.	Causes of death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
	ALL CAUSES	**M**	**27,295**	**22,473**	**23,843**	**22,945**	**22,875**	**20,865**	**20,620**	**20,282**	**20,409**	**21,928**	**24,472**	**30,850**
		F	**26,127**	**21,404**	**22,769**	**21,895**	**21,681**	**19,519**	**19,951**	**19,036**	**19,220**	**21,070**	**23,401**	**31,261**
001-138	**I Infective and parasitic diseases**	**M**	**240**	**232**	**220**	**212**	**202**	**186**	**169**	**178**	**183**	**177**	**221**	**236**
		F	**153**	**143**	**120**	**116**	**120**	**118**	**112**	**132**	**107**	**126**	**132**	**148**
001-008	Tuberculosis of respiratory system	M	140	124	128	111	116	104	100	87	96	88	112	132
		F	49	44	46	38	34	33	38	43	33	35	35	54
010	Tuberculosis of meninges and central nervous system	M	2	-	1	2	5	4	2	3	1	2	1	1
		F	1	2	4	3	2	1	2	2	4	1	1	2
011	Tuberculosis of intestines, peritoneum, and mesenteric glands	M	2	-	1	-	2	3	1	-	-	-	2	3
		F	-	-	-	2	1	1	-	-	1	1	1	2
012, 013	Tuberculosis of bones and joints	M	3	-	1	-	2	-	1	1	1	3	1	2
		F	3	4	-	2	3	3	2	1	2	6	1	2
014-019	Tuberculosis, all other forms	M	4	10	3	6	2	3	4	2	9	5	9	6
		F	7	13	4	2	5	5	6	8	6	2	4	8
020-029	Syphilis and its sequelae	M	35	47	38	45	44	42	33	44	40	39	45	50
		F	36	34	22	28	25	27	22	25	28	34	40	32
030-039	Gonococcal infection and other venereal diseases	M	-	-	2	-	-	-	-	1	-	1	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	1	-	-	-	-
041	Paratyphoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
042	Other Salmonella infections	M	2	-	1	-	-	3	-	1	1	-	1	-
		F	-	-	1	-	1	2	1	2	1	2	1	-
044	Brucellosis (undulant fever)	M	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-
045	Bacillary dysentery	M	2	2	1	1	-	-	-	-	-	-	-	1
		F	1	2	-	-	-	-	1	-	-	-	-	-
048	Unspecified forms of dysentery	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
049	Food poisoning (infection and intoxication)	M	-	-	-	-	-	-	-	-	1	-	-	-
		F	1	-	-	-	1	1	1	-	-	-	-	-
050	Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
051	Streptococcal sore throat	M	1	-	1	-	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	1	-	1	-	-	1
052	Erysipelas	M	-	1	-	1	-	-	-	1	-	-	-	-
		F	-	-	-	1	1	-	-	1	-	-	-	-
053, 054	Septicaemia, pyaemia, and bacterial toxaemia	M	4	3	2	2	2	3	3	7	8	4	4	5
		F	8	3	3	1	6	6	4	5	4	6	2	7
055	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	M	1	3	-	-	1	-	1	2	2	2	1	3
		F	-	-	-	-	-	1	-	3	4	1	-	2
057	Meningococcal infections	M	3	5	5	2	2	1	1	2	1	5	9	7
		F	4	7	4	2	2	3	1	4	1	3	3	5
061	Tetanus	M	1	1	1	1	1	1	-	2	1	1	-	-
		F	-	-	-	2	-	-	5	-	1	-	1	-
070	Vincent's infection	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
072	Leptospirosis icterohaemorrhagica (Weil's disease)	M	-	1	-	-	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
081	Late effects of acute poliomyelitis	M	-	-	2	1	-	-	1	1	-	1	1	-
		F	2	1	-	-	-	-	1	-	-	-	4	-
082	Acute infectious encephalitis	M	5	5	3	2	2	-	2	4	2	6	4	4
		F	3	2	3	3	5	4	2	8	4	7	3	2
083	Late effects of acute infectious encephalitis	M	1	-	1	6	4	1	3	4	1	3	6	2
		F	3	1	4	-	2	-	3	-	1	3	2	3
084	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	M	12	12	11	8	3	4	3	2	-	1	3	2
		F	8	3	5	9	4	4	2	-	1	-	1	2
086	Rubella (German measles)	M	-	-	-	-	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 22 - *continued*

ICD No.	Causes of death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
087	Chickenpox	M	3	-	3	1	2	1	1	1	-	-	1	4
		F	-	1	-	2	-	2	2	3	1	-	1	2
088	Herpes zoster	M	2	2	2	1	-	2	-	-	2	2	5	-
		F	2	4	6	6	1	1	3	4	4	7	5	7
089	Mumps	M	-	-	1	-	1	-	-	1	1	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	1	-
092	Infectious hepatitis	M	9	10	4	11	6	6	6	4	7	4	5	5
		F	13	9	10	7	13	13	12	14	5	9	18	10
093	Glandular fever (infectious mononucleosis)	M	-	1	-	1	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	1	-	-	-	1
096	Other diseases attributable to viruses	M	1	1	-	2	-	3	-	5	2	2	2	3
		F	3	4	3	1	6	3	2	2	1	4	3	2
100-108	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	M	1	-	-	-	1	-	-	-	-	-	1	1
		F	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of 001-138	All other diseases classified as infective and parasitic	M	5	4	8	8	5	5	7	3	6	8	6	4
		F	5	9	5	7	8	8	1	5	4	5	5	4
140-239	**II Neoplasms**	**M**	**5,149**	**4,594**	**5,044**	**4,909**	**5,062**	**4,910**	**5,016**	**5,065**	**4,920**	**5,135**	**5,169**	**5,536**
		F	**4,343**	**3,804**	**4,196**	**4,124**	**4,300**	**4,126**	**4,324**	**4,317**	**4,372**	**4,421**	**4,342**	**4,637**
140-148	Malignant neoplasm of buccal cavity and pharynx	M	76	60	75	73	87	76	90	81	88	70	79	89
		F	46	28	52	48	58	50	64	44	59	54	51	58
150	Malignant neoplasm of oesophagus	M	120	129	121	120	136	115	144	132	110	144	127	123
		F	103	87	89	111	108	110	117	99	110	108	100	92
151	Malignant neoplasm of stomach	M	648	584	631	600	632	602	631	605	634	635	625	645
		F	469	414	438	459	472	411	487	477	468	460	460	498
152-154	Malignant neoplasm of intestine, including rectum	M	601	534	586	563	610	566	594	554	567	624	579	652
		F	786	605	675	657	720	688	698	739	697	769	686	728
155, 156	Malignant neoplasm of biliary passages and of liver	M	88	74	75	85	85	96	85	108	89	93	101	101
		F	108	89	130	98	101	78	93	123	99	93	103	98
157-159	Malignant neoplasm of pancreas, peritoneum, and unspecified digestive organs	M	214	176	207	236	240	243	208	245	220	220	208	244
		F	192	186	189	220	200	210	210	208	211	241	208	222
160	Malignant neoplasm of nose, nasal cavities, middle ear, and accessory sinuses	M	8	10	6	10	14	12	10	10	6	11	7	11
		F	9	6	10	13	9	7	11	5	12	6	6	6
161	Malignant neoplasm of larynx	M	37	56	61	63	58	52	53	54	45	41	35	43
		F	12	10	9	8	12	10	11	13	15	15	15	16
162-165	Malignant neoplasm of lung and bronchus, trachea, mediastinum, and of thoracic organs (secondary)	M	2,038	1,797	1,979	1,933	1,922	1,936	1,956	2,003	1,911	1,986	2,059	2,165
		F	400	351	401	374	403	368	406	379	401	391	424	447
170	Malignant neoplasm of breast	M	6	8	14	9	4	9	9	6	7	5	5	8
		F	878	765	836	826	827	821	848	860	860	865	906	963
171-174	Malignant neoplasm of uterus	F	326	292	306	336	305	342	313	298	327	332	320	356
175, 176	Malignant neoplasm of other and unspecified female genital organs	F	346	269	321	301	309	334	321	322	345	304	349	328
177	Malignant neoplasm of prostate	M	374	285	344	287	302	308	289	326	299	333	364	389
178, 179	Malignant neoplasm of other and unspecified male genital organs	M	22	27	22	25	23	26	28	30	25	26	26	32
180	Malignant neoplasm of kidney	M	71	75	71	92	96	70	80	80	72	84	75	77
		F	41	52	54	43	53	40	54	49	49	43	38	49
181	Malignant neoplasm of bladder and other urinary organs	M	207	181	205	188	221	207	187	204	230	244	198	243
		F	78	78	93	93	84	97	91	83	93	90	79	97
190, 191	Malignant neoplasm of skin	M	25	39	34	33	45	42	40	36	38	45	42	36
		F	33	30	44	38	50	37	38	37	43	48	50	29
193	Malignant neoplasm of brain and other parts of nervous system	M	92	93	110	103	80	91	103	107	92	98	109	92
		F	71	64	73	70	73	75	59	69	68	61	68	81
196	Malignant neoplasm of bone (including jaw bone)	M	28	23	31	22	19	25	33	25	31	30	17	25
		F	20	26	18	14	27	17	23	22	13	13	20	23
201	Hodgkin's disease	M	56	41	43	57	39	50	50	42	42	42	51	56
		F	37	25	34	28	35	26	22	25	20	33	23	36
204	Leukaemia and aleukaemia	M	135	116	143	128	135	123	119	127	146	113	126	137
		F	90	102	126	98	126	107	107	129	121	130	102	118
Remainder of 140-205	Malignant neoplasm of all other and unspecified sites, including other neoplasms of lymphatic and haemato-poietic tissues	M	249	233	225	232	262	211	246	235	220	235	277	291
		F	248	263	239	237	275	235	295	290	295	280	277	312
210	Benign neoplasm of buccal cavity and pharynx	M	1	-	-	-	-	-	-	-	-	-	-	-
		F	-	1	-	-	-	-	1	-	-	-	1	1
211	Benign neoplasm of other parts of digestive system	M	3	-	5	2	1	-	2	1	2	2	2	2
		F	2	3	1	1	1	-	1	1	4	3	1	1

TABLE 22 - *continued*

ICD No.	Causes of death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
212	Benign neoplasm of respiratory system	M	3	5	7	1	4	1	-	5	1	1	5	3
		F	-	5	2	1	2	1	-	1	1	1	1	3
213	Benign neoplasm of breast	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	1	-	-	-	-	-	-	-
214-217	Benign neoplasm of female genital organs	F	13	14	5	9	10	16	11	5	7	6	11	12
218	Benign neoplasm of male genital organs	M	-	-	-	-	1	-	-	-	-	-	-	-
219	Benign neoplasm of kidney and other urinary organs	M	4	5	5	2	-	4	2	2	2	3	6	8
		F	-	2	3	3	1	2	-	2	2	1	1	2
220-222	Benign neoplasm of skin	M	-	-	-	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
223	Benign neoplasm of brain and other parts of nervous system	M	5	6	7	7	5	17	12	9	6	15	8	13
		F	9	14	12	9	9	12	11	15	16	24	14	16
224-229	Benign neoplasm of all other and unspecified organs and tissues	M	11	9	7	6	10	2	12	10	10	12	7	12
		F	9	8	14	8	4	5	10	3	9	9	6	14
230-239	Neoplasm of unspecified nature	M	27	28	30	32	31	26	33	27	27	23	31	39
		F	17	15	22	21	25	27	22	19	27	41	22	31
240-289	**III Allergic, endocrine system, metabolic, and nutritional diseases**	**M**	**270**	**215**	**236**	**222**	**215**	**222**	**228**	**200**	**183**	**216**	**224**	**298**
		F	**433**	**431**	**416**	**401**	**386**	**347**	**368**	**354**	**342**	**387**	**409**	**497**
241	Asthma	M	63	44	68	71	81	70	77	63	62	62	50	81
		F	80	83	89	101	70	81	91	76	72	82	70	90
Remainder of 240-245	Other allergic disorders	M	2	2	-	1	1	2	3	-	-	3	-	-
		F	-	1	2	-	5	-	-	1	1	2	-	1
250	Simple goitre	M	-	-	-	-	-	2	1	1	-	-	-	-
		F	-	-	1	-	1	3	1	-	1	2	-	1
251	Non-toxic nodular goitre	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	2	3	4	1	-	2	-	2	-	2	1
252	Thyrotoxicosis with or without goitre	M	6	6	1	2	3	5	4	3	2	5	4	3
		F	18	21	23	20	16	21	12	18	13	22	15	24
253, 254	Other diseases of thyroid gland	M	2	3	8	7	1	2	-	3	3	5	4	6
		F	35	38	23	20	32	20	24	22	30	29	24	40
260	Diabetes mellitus	M	162	136	133	117	104	112	119	113	97	113	133	181
		F	257	240	232	224	221	195	205	208	194	217	250	289
270-277	Diseases of other endocrine glands	M	14	8	6	7	10	11	5	5	5	10	10	9
		F	14	13	16	11	12	10	9	9	8	11	12	10
280-286	Avitaminoses, and other deficiency states	M	7	4	4	5	4	5	6	2	2	8	9	4
		F	10	13	10	6	10	2	7	4	4	6	9	14
287	Obesity, not specified as of endocrine origin	M	5	4	2	7	4	4	2	2	2	1	7	3
		F	15	14	8	4	13	5	11	11	9	8	21	11
288	Gout	M	2	-	5	2	2	2	2	-	3	-	2	1
		F	-	1	-	-	-	1	1	-	-	1	-	1
289	Other metabolic diseases	M	7	8	9	3	5	7	9	8	7	9	5	10
		F	4	5	9	11	5	9	5	5	8	7	6	15
290-299	**IV Diseases of the blood and blood-forming organs**	**M**	**66**	**76**	**61**	**61**	**73**	**60**	**55**	**60**	**54**	**61**	**61**	**71**
		F	**100**	**106**	**99**	**122**	**116**	**99**	**91**	**105**	**100**	**105**	**104**	**115**
290	Pernicious and other hyperchromic anaemias	M	11	17	9	13	18	9	11	11	12	12	8	9
		F	29	28	28	30	38	45	30	39	31	30	27	35
291	Iron deficiency anaemias (hyperchromic anaemias)	M	10	9	11	5	15	6	11	6	4	2	8	8
		F	24	27	15	28	25	12	12	15	25	18	20	20
292, 293	Other anaemias	M	23	34	26	23	28	24	18	32	25	27	24	32
		F	34	35	42	46	31	23	37	36	35	34	37	36
294-299	Other diseases of blood and blood-forming organs	M	22	16	15	20	12	21	15	11	13	20	21	22
		F	13	16	14	18	22	19	12	15	9	23	20	24
300-326	**V Mental, psychoneurotic, and personality disorders**	**M**	**54**	**40**	**39**	**32**	**41**	**28**	**41**	**31**	**35**	**40**	**37**	**59**
		F	**91**	**63**	**74**	**66**	**58**	**54**	**47**	**52**	**52**	**66**	**68**	**71**
300-309	Psychoses	M	39	30	26	27	25	24	30	26	29	28	24	38
		F	81	55	64	56	48	47	39	44	37	50	56	65
310-326	Psychoneuroses, and disorders of personality, including mental deficiency	M	15	10	13	5	16	4	11	5	6	12	13	21
		F	10	8	10	10	10	7	8	8	15	16	12	6
330-398	**VI Diseases of the nervous system and sense organs**	**M**	**3,441**	**2,750**	**3,042**	**2,846**	**2,800**	**2,428**	**2,468**	**2,409**	**2,503**	**2,668**	**2,844**	**3,465**
		F	**4,839**	**4,089**	**4,420**	**4,180**	**4,231**	**3,647**	**3,697**	**3,494**	**3,465**	**3,899**	**4,265**	**5,526**
330-334	Vascular lesions affecting central nervous system	M	3,165	2,517	2,787	2,608	2,578	2,224	2,245	2,206	2,289	2,440	2,594	3,182
		F	4,546	3,884	4,143	3,938	3,972	3,408	3,452	3,269	3,246	3,683	3,992	5,208
340	Meningitis, except meningococcal and tuberculous													
340·0	H. influenzae	M	3	-	2	1	2	2	-	1	-	5	3	1
		F	2	1	2	-	-	-	1	-	-	2	4	4
340·1	Pneumococcus	M	7	7	4	7	3	4	1	3	3	3	4	9
		F	8	3	9	2	6	5	2	2	-	2	5	7

TABLE 22 - *continued*

ICD No.	Causes of death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
340·2	Due to other specified organism	M	5	1	6	3	4	2	4	3	4	7	8	3
		F	3	1	3	6	1	6	1	-	-	1	2	3
340·3	Unspecified cause	M	12	9	15	10	7	7	11	2	8	5	8	8
		F	14	3	5	4	5	7	2	5	9	5	7	9
341-344	Other inflammatory diseases of central nervous system	M	11	10	15	12	17	14	20	11	19	15	10	13
		F	12	9	11	12	9	11	9	11	15	9	11	14
345	Multiple sclerosis	M	31	24	27	16	30	28	19	23	24	21	30	34
		F	36	25	42	32	42	34	37	29	28	43	38	50
350	Paralysis agitans	M	74	52	68	42	40	46	59	56	53	53	62	77
		F	83	61	74	69	73	67	70	79	70	54	86	97
351, 352	Cerebral spastic infantile paralysis, and other cerebral paralysis	M	39	34	28	43	33	28	22	26	20	31	27	38
		F	45	35	44	42	44	30	51	32	44	30	33	58
353	Epilepsy	M	34	34	39	34	30	22	38	22	24	24	36	29
		F	31	25	23	19	20	29	19	27	15	17	15	28
354-357	Other diseases of central nervous system	M	47	50	39	53	47	46	36	46	52	54	53	58
		F	51	32	56	48	50	41	44	33	35	40	57	40
365	Erythroedema polyneuritica	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	1	-	-	-	-	-	-	-	-	-	-
360-364, 366-369	Other diseases of nerves and peripheral ganglia	M	4	4	1	1	5	2	7	2	2	5	-	5
		F	3	3	2	2	1	3	6	3	2	2	5	2
370-379	Inflammatory diseases of eye	M	1	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
380-389	Other diseases and conditions of eye	M	-	1	-	-	-	-	-	2	-	3	2	1
		F	1	-	1	1	-	3	1	3	-	6	2	-
390-398	Diseases of ear and mastoid process	M	8	7	11	16	4	3	6	6	5	2	7	7
		F	4	6	5	5	8	3	2	1	1	5	8	6
400-468	**VII Diseases of the circulatory system**	**M**	**10,163**	**8,416**	**9,085**	**8,798**	**8,668**	**7,872**	**7,494**	**7,522**	**7,576**	**8,412**	**9,461**	**11,391**
		F	**9,802**	**8,000**	**8,377**	**8,189**	**7,942**	**7,096**	**7,235**	**6,789**	**6,820**	**7,650**	**8,876**	**11,628**
400-402	Rheumatic fever	M	2	1	-	-	-	-	-	-	-	2	-	1
		F	2	-	2	-	-	-	3	1	-	2	2	-
410-416	Chronic rheumatic heart disease	M	209	153	151	175	145	182	149	143	140	164	161	196
		F	384	303	308	346	317	267	307	251	239	287	332	444
420	Arteriosclerotic heart disease, including coronary disease	M	6,546	5,507	5,995	5,861	5,921	5,364	5,038	5,208	5,187	5,720	6,474	7,347
		F	4,400	3,559	3,876	3,737	3,736	3,398	3,371	3,201	3,352	3,611	4,272	5,288
421	Chronic endocarditis not specified as rheumatic	M	139	103	118	124	142	106	100	103	88	113	158	144
		F	159	122	117	122	121	107	119	119	113	131	150	192
422	Other myocardial degeneration	M	1,205	938	1,006	875	819	735	726	666	727	793	923	1,342
		F	2,132	1,745	1,758	1,681	1,576	1,454	1,452	1,370	1,285	1,524	1,721	2,394
430	Acute and sub-acute endocarditis	M	19	17	20	11	23	5	14	8	15	15	9	9
		F	8	8	11	8	10	5	8	2	8	4	12	5
431	Acute myocarditis not specified as rheumatic	M	5	5	10	3	4	6	6	8	15	5	4	12
		F	4	3	5	7	8	5	3	2	4	7	5	6
432	Acute pericarditis specified as non-rheumatic	M	2	4	3	4	2	3	-	2	1	-	4	2
		F	1	2	1	2	2	2	2	3	1	1	-	1
433	Functional disease of heart	M	146	122	116	121	113	99	90	84	96	106	118	158
		F	252	226	215	233	186	162	168	154	129	178	215	313
434	Other and unspecified diseases of heart	M	516	395	422	408	370	336	333	266	306	332	390	654
		F	586	482	472	486	464	382	414	388	390	455	503	801
440-447	Hypertensive disease	M	456	390	449	437	404	380	367	347	313	385	391	550
		F	665	534	560	565	494	447	475	423	404	521	541	782
450	General arteriosclerosis	M	485	391	364	368	337	320	332	277	279	334	381	514
		F	686	560	576	583	565	471	526	488	484	458	642	823
451-456	Other diseases of arteries	M	240	209	215	224	193	188	179	209	226	229	244	247
		F	207	178	188	142	172	130	124	142	143	187	179	217
460-466	Diseases of veins	M	187	172	212	184	192	143	156	197	181	207	201	208
		F	306	272	280	268	284	266	259	237	260	280	293	357
467	Other diseases of circulatory system	M	6	8	3	3	3	5	4	4	2	7	2	7
		F	10	6	7	9	6	-	3	8	6	3	9	4
468	Certain diseases of lymph nodes and lymph channels	M	-	1	1	-	-	-	-	-	-	-	1	-
		F	-	-	1	-	1	-	1	-	2	1	-	1
470-527	**VIII Diseases of the respiratory system**	**M**	**4,670**	**3,415**	**3,222**	**3,052**	**2,925**	**2,474**	**2,313**	**2,155**	**2,292**	**2,557**	**3,623**	**6,661**
		F	**3,453**	**2,309**	**2,278**	**2,095**	**1,950**	**1,553**	**1,529**	**1,488**	**1,538**	**1,804**	**2,478**	**5,467**
470-475	Acute upper respiratory infections	M	8	7	5	5	6	6	4	-	3	4	6	8
		F	9	3	5	2	4	7	2	5	4	7	5	12
480-483	Influenza	M	45	21	17	10	11	7	9	3	5	9	23	336
		F	39	18	21	16	10	7	2	7	2	8	31	553
490	Lobar pneumonia	M	166	122	129	138	114	108	100	90	74	88	117	215
		F	161	128	120	93	98	75	88	67	75	75	104	237
491	Bronchopneumonia	M	1,432	1,014	1,040	1,010	950	804	732	751	776	845	1,047	1,999
		F	1,935	1,287	1,327	1,241	1,157	899	934	913	938	1,080	1,380	2,727
492	Primary atypical pneumonia	M	24	16	26	17	22	19	17	7	11	17	21	25
		F	19	9	16	25	17	6	12	7	10	17	19	40

TABLE 22 - *continued*

ICD No.	Causes of death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
493	Pneumonia, other and unspecified	M	60	51	53	41	42	40	53	33	37	46	50	93
		F	86	53	52	51	47	57	51	37	46	37	54	111
500	Acute bronchitis	M	153	82	65	76	65	68	33	33	42	58	97	239
		F	160	77	58	71	56	36	36	32	44	63	91	263
501	Bronchitis unqualified	M	95	65	55	53	37	35	27	32	32	39	69	126
		F	98	67	48	51	31	23	21	35	29	41	62	131
502	Chronic bronchitis	M	2,299	1,749	1,564	1,434	1,448	1,162	1,116	997	1,090	1,207	1,903	3,171
		F	754	531	463	428	412	336	280	274	276	360	589	1,156
510	Hypertrophy of tonsils and adenoids	M	1	-	1	-	-	-	-	-	-	1	-	-
		F	1	-	1	-	-	-	1	-	-	-	1	-
511-517	Other diseases of upper respiratory tract	M	5	10	1	5	6	4	3	2	1	4	6	1
		F	5	1	5	3	2	5	-	2	3	-	5	2
518-522	Empyema, pleurisy, and pneumothorax	M	48	32	39	39	27	30	33	35	31	40	34	55
		F	82	58	69	55	42	47	39	40	50	44	55	79
523, 524	Silicosis and occupational pulmonary fibrosis	M	59	50	50	49	41	41	34	40	43	31	48	74
		F	-	-	-	1	6	1	1	-	2	-	1	2
525	Other chronic interstitial pneumonia	M	39	31	23	21	17	20	21	21	21	25	29	42
		F	25	12	16	8	10	4	10	13	11	13	15	28
526	Bronchiectasis	M	93	51	58	69	63	50	53	41	59	60	70	113
		F	37	37	42	24	24	31	29	31	20	33	30	73
527	Other diseases of lung and pleural cavity	M	143	114	96	85	76	80	78	70	67	83	103	164
		F	42	28	35	26	34	19	23	25	28	26	36	53
530-587	**IX Diseases of the digestive system**	**M**	**714**	**563**	**610**	**566**	**594**	**505**	**511**	**550**	**486**	**565**	**568**	**775**
		F	**689**	**603**	**687**	**628**	**588**	**587**	**591**	**549**	**598**	**639**	**676**	**760**
530-539	Diseases of buccal cavity and oesophagus	M	13	7	8	9	9	6	5	17	7	7	17	12
		F	7	12	15	14	10	14	7	9	8	10	10	21
540	Ulcer of stomach	M	133	90	104	88	95	82	65	90	81	100	94	147
		F	101	74	74	78	68	70	76	59	72	88	82	102
541	Ulcer of duodenum	M	141	106	115	123	98	81	80	73	70	79	116	162
		F	60	47	61	44	39	34	28	31	45	43	41	53
542	Gastrojejunal ulcer	M	2	1	3	2	2	1	1	6	1	3	1	3
		F	-	-	1	-	1	1	-	1	1	-	1	-
543	Gastritis and duodenitis	M	4	-	6	2	2	5	2	5	2	2	3	2
		F	2	4	4	3	2	3	3	6	1	3	2	4
544	Disorders of function of stomach	M	1	-	-	-	1	-	-	1	-	1	-	1
		F	1	2	3	-	1	-	1	2	1	1	1	2
545	Other diseases of stomach and duodenum	M	6	6	7	7	10	4	11	1	6	6	2	9
		F	6	4	7	3	1	4	5	4	6	2	5	3
550-553	Appendicitis	M	20	29	17	16	24	16	21	19	17	20	10	18
		F	12	14	11	20	16	16	16	15	15	15	24	18
560, 561	Hernia of abdominal cavity	M	50	48	57	50	40	43	41	47	50	54	36	50
		F	60	62	66	78	69	67	57	55	53	55	66	86
570	Intestinal obstruction, without mention of hernia	M	81	60	65	44	71	44	66	60	54	66	69	71
		F	88	63	95	81	66	73	69	61	71	83	69	75
571	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	M	44	22	37	35	33	23	37	28	20	23	25	58
		F	49	46	39	27	36	32	42	31	29	36	42	60
572-578	Other diseases of intestines and peritoneum	M	71	69	55	73	61	65	61	80	71	74	70	100
		F	123	122	141	105	110	114	120	128	114	132	139	143
580-583	Diseases of liver	M	77	62	74	58	80	65	61	57	50	65	63	91
		F	70	61	67	68	70	64	65	69	92	74	78	97
584-586	Diseases of gallbladder and biliary ducts	M	45	29	36	30	38	42	36	31	32	35	30	23
		F	75	64	73	71	59	65	75	54	56	62	76	66
587	Diseases of pancreas	M	26	34	26	29	30	28	24	35	25	30	32	28
		F	35	28	30	36	40	30	27	24	34	35	40	30
590-637	**X Diseases of the genito-urinary system**	**M**	**491**	**409**	**416**	**415**	**433**	**371**	**375**	**338**	**377**	**416**	**424**	**457**
		F	**359**	**263**	**349**	**311**	**321**	**308**	**333**	**282**	**299**	**320**	**311**	**354**
590	Acute nephritis	M	2	5	3	3	1	6	5	1	3	4	3	7
		F	1	1	3	-	6	6	3	3	1	3	2	2
591-594	Chronic, other and unspecified nephritis	M	133	126	116	111	131	108	100	101	113	104	118	145
		F	122	85	117	97	102	101	111	86	88	88	96	122
600-609	Other diseases of urinary system	M	164	138	142	151	121	133	121	87	101	136	146	171
		F	229	169	215	203	202	185	210	185	193	215	201	219
610	Hyperplasia of prostate	M	182	135	149	145	174	120	145	147	154	169	152	130
611-617	Other diseases of male genital organs	M	10	5	6	5	6	4	4	2	6	3	5	4
620, 621	Diseases of breast	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
622-626	Diseases of ovary, Fallopian tube, and parametrium	F	3	-	3	2	1	9	1	1	4	3	1	3
630-637	Diseases of uterus and other female genital organs	F	4	8	11	9	10	7	8	7	13	11	11	8

TABLE 22 - *continued*

ICD No.	Causes of death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
640-689	**XI Deliveries and complications of pregnancy, childbirth and the puerperium**	**F**	**18**	**12**	**25**	**14**	**13**	**12**	**11**	**9**	**14**	**18**	**15**	**14**
640	Pyelitis and pyelonephritis of pregnancy	F	-	-	-	1	-	-	-	-	-	-	-	-
641	Other infections of genito-urinary tract during pregnancy	F	-	-	-	-	-	-	-	-	-	-	-	-
642	Toxaemias of pregnancy	F	2	4	5	3	4	3	4	4	7	1	2	4
643-649	Other complications of pregnancy	F	2	1	4	3	3	1	2	1	3	5	4	-
650-652	Abortion	F	8	5	3	3	2	2	2	-	1	3	3	5
660-678	Delivery	F	5	2	9	4	3	6	2	2	3	5	3	3
680	Puerperal urinary infection without other sepsis	F	-	-	-	-	-	-	-	-	-	-	-	-
681, 683	Sepsis of childbirth and the puerperium, and pyrexia of unknown origin during the puerperium	F	-	-	1	-	-	-	-	-	-	1	-	-
682	Puerperal phlebitis and thrombosis	F	-	-	1	-	1	-	1	1	-	1	2	1
684	Puerperal pulmonary embolism	F	-	-	2	-	-	-	-	-	-	-	-	-
685, 686	Puerperal toxaemia	F	-	-	-	-	-	-	-	-	-	1	-	-
687	Cerebral haemorrhage in the puerperium	F	-	-	-	-	-	-	-	-	-	-	1	-
688, 689	Other complications of puerperium	F	1	-	-	-	-	-	-	1	-	1	-	1
690-716	**XII Diseases of the skin and cellular tissue**	**M**	**12**	**14**	**9**	**19**	**11**	**13**	**11**	**11**	**9**	**11**	**9**	**8**
		F	**23**	**18**	**23**	**22**	**16**	**13**	**14**	**25**	**27**	**28**	**25**	**25**
690-698	Infections of skin and subcutaneous tissue	M	6	4	2	7	3	4	2	4	3	5	4	4
		F	8	7	4	7	5	4	3	6	9	8	8	8
700-716	Other diseases of skin and subcutaneous tissue	M	6	10	7	12	8	9	9	7	6	6	5	4
		F	15	11	19	15	11	9	11	19	18	20	17	17
720-749	**XIII Diseases of the bones and organs of movement**	**M**	**63**	**51**	**52**	**65**	**65**	**45**	**55**	**51**	**45**	**47**	**58**	**64**
		F	**105**	**120**	**111**	**118**	**133**	**111**	**112**	**108**	**107**	**116**	**131**	**144**
720, 721	Acute arthritis	M	2	-	-	-	-	-	1	-	-	1	-	-
		F	1	2	-	-	1	4	4	2	2	2	2	-
722	Rheumatoid arthritis and allied conditions	M	18	20	11	12	26	19	19	18	13	19	25	23
		F	56	59	58	62	74	51	60	49	54	67	62	75
723	Osteo-arthritis (arthrosis) and allied conditions	M	12	4	12	17	8	7	7	10	5	5	9	11
		F	19	26	18	17	18	15	19	22	18	18	27	27
724, 725	Other and unspecified forms of arthritis	M	3	-	-	-	-	-	-	1	1	-	1	2
		F	2	3	2	2	2	1	1	-	2	2	3	2
726, 727	Muscular rheumatism, and rheumatism unspecified	M	-	3	1	-	-	1	1	-	1	-	-	1
		F	2	-	-	1	-	2	1	-	-	-	2	1
730	Osteomyelitis and periostitis	M	5	1	3	3	1	2	-	2	2	2	1	1
		F	1	1	3	2	3	4	2	1	3	1	1	5
731-749	Other diseases of musculoskeletal system	M	23	23	25	33	30	16	27	20	23	20	22	26
		F	24	29	30	34	35	34	25	34	28	26	34	34
750-759	**XIV Congenital malformations**	**M**	**213**	**186**	**196**	**210**	**230**	**190**	**214**	**175**	**192**	**185**	**212**	**216**
		F	**189**	**160**	**181**	**184**	**212**	**164**	**167**	**146**	**156**	**206**	**163**	**236**
750	Monstrosity	M	9	7	8	4	8	9	10	5	8	6	7	10
		F	12	10	6	8	9	12	16	11	9	12	6	9
751	Spina bifida and meningocele	M	25	15	17	21	23	19	28	26	17	17	10	28
		F	32	22	27	36	29	38	24	29	28	33	28	40
752	Congenital hydrocephalus	M	3	7	6	8	9	6	9	9	4	8	11	8
		F	14	4	9	4	17	8	6	4	9	5	8	4
753	Other congenital malformation of nervous system and sense organs	M	6	4	5	9	6	4	5	1	3	4	6	5
		F	5	4	11	7	6	6	9	2	7	4	6	11
754	Congenital malformations of circulatory system	M	109	91	95	104	117	87	88	82	96	103	113	101
		F	81	71	84	75	98	67	65	59	69	84	67	105
755	Cleft palate and harelip	M	1	1	-	1	1	-	-	1	-	-	1	-
		F	-	-	1	1	2	1	-	1	-	-	-	2
756	Congenital malformations of digestive system	M	18	23	25	20	21	25	26	16	17	13	22	18
		F	12	14	10	12	18	6	20	10	15	22	14	19
757	Congenital malformations of genito-urinary system	M	20	28	23	25	27	18	25	19	17	18	24	18
		F	15	18	17	22	15	11	14	10	4	27	16	30
758	Congenital malformations of bone and joint	M	3	2	4	1	-	6	2	2	4	3	2	1
		F	5	-	-	3	2	3	3	3	5	3	1	5
759	Other and unspecified congenital malformations, not elsewhere classified	M	19	8	13	17	18	16	21	14	26	13	16	27
		F	13	17	16	16	16	12	10	17	10	16	17	11
760-776	**XV Certain diseases of early infancy**	**M**	**403**	**375**	**399**	**361**	**367**	**392**	**390**	**364**	**351**	**403**	**358**	**385**
		F	**259**	**226**	**303**	**294**	**290**	**260**	**307**	**269**	**260**	**264**	**270**	**290**

TABLE 22 - *continued*

ICD No.	Causes of death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
760	Intracranial and spinal injury at birth	M	64	49	49	64	55	54	60	57	48	81	48	58
		F	27	35	31	37	33	28	37	40	24	34	40	31
761	Other birth injury	M	22	23	25	19	14	14	22	23	21	23	28	25
		F	16	10	19	15	24	11	18	11	20	10	13	20
762	Postnatal asphyxia and atelectasis	M	128	108	114	100	120	112	107	110	101	105	118	114
		F	72	63	90	84	87	72	88	78	77	74	69	87
763	Pneumonia of newborn	M	28	28	27	27	21	26	21	24	21	23	17	34
		F	25	19	26	22	17	21	14	17	15	14	19	24
764	Diarrhoea of newborn	M	2	1	3	3	1	2	3	3	8	3	1	2
		F	4	1	1	1	2	1	3	3	3	-	2	5
765-769	Other infections of newborn	M	7	9	19	12	12	11	9	8	5	12	10	6
		F	9	10	15	4	5	8	11	10	6	11	13	11
770	Haemolytic disease of newborn	M	12	15	16	15	14	23	4	11	13	9	11	15
		F	13	7	19	13	13	17	12	7	13	10	12	7
771	Haemorrhagic disease of newborn	M	9	8	8	11	9	8	8	10	5	8	7	5
		F	3	3	7	8	12	7	7	9	4	2	3	10
772, 773	Nutritional maladjustment and ill-defined diseases peculiar to early infancy	M	27	18	33	17	23	30	23	27	25	22	16	28
		F	17	9	8	22	17	15	20	17	10	15	13	20
774-776	Immaturity unqualified	M	104	116	105	93	98	112	133	91	104	117	102	98
		F	73	69	87	88	80	80	97	77	88	94	86	75
780-795	**XVI Symptoms, senility and ill-defined conditions**	**M**	**151**	**123**	**124**	**103**	**119**	**84**	**101**	**68**	**101**	**94**	**107**	**140**
		F	**319**	**252**	**265**	**266**	**204**	**216**	**191**	**192**	**187**	**187**	**216**	**339**
780-789	Symptoms referable to systems or organs	M	13	12	14	7	4	7	12	6	8	5	12	9
		F	10	6	8	9	5	11	9	8	8	4	6	16
792	Uraemia unqualified	M	9	1	8	3	1	2	3	1	2	6	6	3
		F	2	2	5	4	3	1	4	5	3	4	2	1
794	Senility without mention of psychosis	M	123	105	98	90	110	69	81	59	79	81	87	120
		F	303	242	251	247	189	200	172	175	168	176	204	319
790, 791, 793, 795*	Ill-defined and unknown causes of mortality	M	6	5	4	3	4	6	5	2	12	2	2	8
		F	4	2	1	6	7	4	6	4	8	3	4	3
E800-E999	**XVII Accidents, poisonings and violence (external cause)**	**M**	**1,195**	**1,014**	**1,088**	**1,074**	**1,070**	**1,085**	**1,179**	**1,105**	**1,102**	**1,013**	**1,096**	**1,088**
		F	**952**	**805**	**845**	**765**	**801**	**808**	**822**	**725**	**776**	**906**	**920**	**1,010**
E800-E802	Railway accidents	M	21	15	16	18	13	10	17	6	11	14	29	12
		F	4	4	4	1	1	2	5	1	3	4	31	1
E810-E825	Motor vehicle traffic accidents	M	418	389	386	376	374	351	420	402	433	345	366	350
		F	212	175	196	116	158	164	180	152	179	192	176	206
E830-E835	Motor vehicle non-traffic accidents	M	9	6	8	5	2*	3	11	3	5	3	8	4
		F	-	-	2	-	-	2	5	2	1	1	-	-
E840-E845	Other road vehicle accidents	M	2	3	5	3	2	3	4	4	4	6	4	7
		F	2	2	3	3	2	1	4	1	2	1	5	1
E850-E858	Water transport accidents	M	10	8	9	19	13	10	19	17	11	6	10	7
		F	-	-	1	5	-	3	1	-	-	-	-	-
E860-E866	Aircraft accidents	M	1	1	-	7	5	40	4	1	4	-	19	8
		F	1	-	-	-	-	39	-	-	-	-	18	-
E870-E895	Accidental poisoning	M	89	61	59	53	51	43	52	56	54	40	74	75
		F	96	81	65	74	61	62	61	55	83	63	89	113
E900-E904	Accidental falls	M	176	126	148	129	139	140	146	142	142	133	159	167
		F	331	294	285	303	285	264	286	256	265	284	312	365
E910-E936	Other accidents	M	201	184	206	203	198	221	232	212	189	161	178	204
		F	129	95	106	77	87	90	83	74	78	92	107	138
E940-E959	Complications due to medical and surgical procedures	M	1	2	3	3	1	3	-	3	4	1	1	5
		F	5	1	2	3	3	4	3	1	1	5	1	1
E960-E965	Late effects of injury and poisoning	M	9	8	7	9	7	7	12	6	9	6	5	7
		F	-	2	2	1	-	1	3	3	2	1	3	-
E970-E973	Suicide by poisoning	M	161	115	133	155	168	147	159	153	131	137	144	142
		F	126	121	140	141	149	128	132	138	121	153	133	147
E974	Suicide and self-inflicted injury by hanging and strangulation	M	31	35	39	40	35	42	31	31	38	32	42	28
		F	7	4	8	6	11	11	11	9	10	12	10	5
E975	Suicide and self-inflicted injury by submersion (drowning)	M	15	9	11	13	15	16	14	13	13	11	12	9
		F	14	7	13	11	11	12	12	9	6	9	15	13
E976-E979	Suicide by other and unspecified means	M	38	36	42	28	29	34	42	44	34	30	37	49
		F	13	4	7	10	15	10	13	15	11	10	11	5
*E980-E985	Homicide and injury purposely inflicted by other persons (not in war)	M	13	16	16	13	18	15	15	12	20	16	8	14
		F	12	15	11	14	18	15	23	9	14	7	9	15
E990-E999	Injury resulting from operations of war	M	-	-	-	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-

* The number of deaths assigned to this cause which occured in 1966 and were registered after 31st March 1967 were: June 1M, October 3F, November 1F, December 6M, 5F.

TABLE 22 SUPPLEMENT. Causes of accidental death occurring in the home and residential institutions by month of occurrence, January to December, **1967**

England and Wales

ICD No.	Causes of death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
E870-E936	**All accidents in the home and residential institutions**	M	**280**	**212**	**240**	**182**	**193**	**187**	**196**	**175**	**190**	**196**	**248**	**270**
		F	**447**	**392**	**370**	**358**	**344**	**307**	**329**	**309**	**333**	**362**	**386**	**492**
E870-E888	Accidental poisoning by solid and liquid substances	M	25	17	30	23	21	18	29	21	16	20	32	20
		F	35	35	39	32	30	29	37	28	40	28	24	38
E890-E895	Accidental poisoning by gases and vapours	M	48	30	18	18	19	13	15	25	25	13	30	47
		F	46	36	19	30	23	20	15	19	26	25	52	63
E900	Fall on stairs	M	38	17	28	20	15	27	23	17	26	14	21	33
		F	39	31	25	41	29	25	30	42	33	37	41	43
E901	Fall from ladders	M	1	2	-	2	2	9	8	3	2	4	2	4
		F	-	-	1	2	2	-	-	-	-	2	1	-
E902	Other falls from one level to another	M	14	13	18	12	14	14	19	15	20	16	8	14
		F	14	14	16	12	19	15	18	21	10	12	9	26
E903	Fall on same level	M	65	38	46	30	39	36	40	39	32	34	54	38
		F	173	162	156	144	149	141	161	130	152	132	155	154
E904	Unspecified falls	M	10	13	8	13	9	7	5	12	12	12	13	9
		F	35	38	35	39	30	19	19	22	19	42	30	56
E914	Accident caused by electric current	M	4	5	1	2	3	6	4	5	2	3	5	2
		F	1	1	3	-	1	1	1	3	-	3	2	1
E916	Accident caused by fire and explosion of combustible material	M	31	22	19	26	20	13	14	12	8	18	32	41
		F	62	36	42	32	27	17	12	15	16	26	40	58
E917	Accident caused by hot substance, corrosive liquid, and steam	M	1	3	7	1	2	4	1	2	2	1	5	2
		F	4	1	2	3	3	2	3	1	1	3	3	3
E921	Inhalation and ingestion of food causing obstruction or suffocation	M	16	18	18	14	20	16	15	9	19	16	20	35
		F	21	16	6	11	10	13	15	14	12	16	11	20
E924	Accidental mechanical suffocation in bed and cradle	M	7	14	13	2	7	6	2	3	4	8	6	6
		F	5	8	6	7	7	9	6	4	4	8	1	8
E929	Accidental drowning and submersion	M	1	4	6	5	3	2	3	1	5	1	2	1
		F	1	5	7	-	3	4	2	2	3	2	3	2
Rem. E870-E936	All other accidents	M	19	16	28	14	19	16	18	11	17	36	18	18
		F	11	9	13	5	11	12	10	8	17	26	14	20

TABLE 23. Stillbirths by sex and legitimacy (with rates per 1,000 total births), **1967**

England and Wales, regions, Wales, conurbations hospital regions, Greater London, City of London, London and county boroughs, urban and rural aggregates in each administrative county

Area	Legitimate		Illegitimate		Total	Stillbirths per 1,000 total births
	M	F	M	F		
SUMMARY						
ENGLAND AND WALES	**5,821**	**5,375**	**699**	**633**	**12,528**	**15**
Regions and conurbations:						
Northern	**406**	**435**	**39**	**39**	**919**	**16**
Tyneside Conurbation	103	100	10	9	222	16
Remainder of Northern	303	335	29	30	697	16
Yorkshire and Humberside	**639**	**550**	**81**	**68**	**1,338**	**16**
West Yorkshire Conurbation	250	197	35	32	514	16
Remainder of Yorkshire and Humberside	389	353	46	36	824	15
North Western	**976**	**818**	**107**	**111**	**2,012**	**17**
South East Lancashire Conurbation	371	298	45	40	754	17
Merseyside Conurbation	204	159	22	28	413	17
Remainder of North Western	401	361	40	43	845	16
East Midland	**419**	**401**	**57**	**50**	**927**	**16**
West Midland	**714**	**664**	**89**	**64**	**1,531**	**16**
West Midlands Conurbation	364	325	49	30	768	16
Remainder of West Midland	350	339	40	34	763	16
East Anglia	**158**	**137**	**15**	**18**	**328**	**12**
South Eastern	**1,773**	**1,643**	**226**	**210**	**3,852**	**13**
Greater London	801	757	129	119	1,806	13
Outer Metropolitan Area	557	473	49	41	1,120	12
Remainder of South Eastern	415	413	48	50	926	13
South Western	**385**	**375**	**55**	**39**	**854**	**14**
Wales	**351**	**352**	**30**	**34**	**767**	**17**
Wales I (South East)	262	246	22	21	551	17
Wales II (remainder)	89	106	8	13	216	17
Urban/Rural aggregates:						
Conurbations	2,093	1,836	290	258	4,477	15
Areas outside conurbations:						
Urban areas with populations of 100,000 and over	753	696	113	116	1,678	16
Urban areas with populations of 50,000 and under 100,000	563	581	59	64	1,267	16
Urban areas with populations under 50,000	1,274	1,151	133	107	2,665	15
Rural districts	1,138	1,111	104	88	2,441	14
Hospital regions:						
Newcastle	387	416	36	37	876	17
Leeds	405	365	54	51	875	15
Sheffield	605	556	78	60	1,299	16
East Anglia	171	143	16	18	348	12
North West Metropolitan	425	389	67	57	938	12
North East Metropolitan	381	330	32	35	778	14
South East Metropolitan	353	331	47	38	769	14
South West Metropolitan	307	318	41	44	710	13
Wessex	216	192	33	33	474	15
Oxford	224	189	26	19	458	13
South Western	301	310	43	32	686	14
Welsh	351	352	30	34	767	17
Birmingham	714	664	89	64	1,531	16
Manchester	662	522	76	68	1,328	16
Liverpool	319	298	31	43	691	17

TABLE 23 - *continued*

Area	Legitimate		Illegitimate		Total	Still-births per 1,000 total births
	M	F	M	F		
GREATER LONDON, CITY OF LONDON, LONDON AND COUNTY BOROUGHS						
Greater London	**801**	**757**	**129**	**119**	**1,806**	**13**
City of London	-	1	-	-	1	*38*
London Boroughs:						
Barking	17	14	-	1	32	14
Barnet	28	27	4	3	62	13
Bexley	20	28	2	3	53	14
Brent	37	46	8	8	99	16
Bromley	35	24	3	2	64	14
Camden	21	15	5	5	46	13
Croydon	50	29	2	6	87	15
Ealing	30	36	3	5	74	13
Enfield	26	16	1	3	46	11
Greenwich	24	24	3	3	54	15
Hackney	33	27	7	3	70	13
Hammersmith	12	21	5	4	42	10
Haringey	24	22	6	6	58	11
Harrow	17	17	1	1	36	11
Havering	25	36	1	2	64	15
Hillingdon	23	16	2	2	43	11
Hounslow	18	10	4	1	33	9
Islington	33	27	8	11	79	14
Kensington and Chelsea	9	16	2	7	34	11
Kingston upon Thames	13	12	2	1	28	13
Lambeth	43	47	11	4	105	15
Lewisham	34	22	5	3	64	12
Merton	15	18	-	3	36	13
Newham	30	36	5	5	76	15
Redbridge	16	19	3	2	40	11
Richmond upon Thames	14	8	4	-	26	10
Southwark	39	35	9	7	90	17
Sutton	12	12	-	3	27	11
Tower Hamlets	29	19	2	5	55	17
Waltham Forest	36	23	3	1	63	16
Wandsworth	27	45	10	4	86	14
Westminster, City of	11	9	8	5	33	9
County boroughs	**1,841**	**1,696**	**273**	**246**	**4,056**	**16**
Barnsley	11	10	-	-	21	16
Barrow-in-Furness	12	4	-	-	16	*14*
Bath	11	14	2	1	28	23
Birkenhead	20	16	3	4	43	17
Birmingham	152	146	26	19	343	16
Blackburn	10	9	4	2	25	13
Blackpool	18	20	4	2	44	22
Bolton	21	17	5	-	43	15
Bootle	15	15	3	3	36	25
Bournemouth	4	8	1	6	19	*11*
Bradford	43	33	11	11	98	17
Brighton	21	13	2	-	36	15
Bristol	39	40	6	6	91	13
Burnley	7	5	-	3	15	*12*
Burton upon Trent	5	3	1	3	12	*13*
Bury	14	10	1	1	26	20
Canterbury	5	5	-	-	10	*21*
Carlisle	13	17	1	3	34	28
Chester	10	12	1	-	23	21
Coventry	49	45	9	6	109	17
Darlington	5	11	-	1	17	*12*
Derby	16	18	4	4	42	18
Dewsbury	7	8	1	-	16	*16*
Doncaster	7	8	2	1	18	*14*
Dudley	24	22	5	1	52	15
Eastbourne	1	5	-	-	6	*8*
Exeter	8	7	1	-	16	*11*
Gateshead	14	16	3	-	33	19
Gloucester	8	15	1	2	26	16
Great Yarmouth	8	3	2	1	14	*18*
Grimsby	13	14	2	1	30	16
Halifax	17	8	3	-	28	16
Hartlepool	1	11	1	2	15	*16*
Hastings	27	18	4	4	53	22
Huddersfield	10	11	1	-	22	12
Ipswich	13	6	4	1	24	11
Kingston upon Hull	28	44	6	3	81	14
Leeds	67	60	7	10	144	16
Leicester	43	36	8	2	89	17
Lincoln	12	9	3	4	28	22
Liverpool	111	83	13	16	223	17
Luton	20	27	2	3	52	15
Manchester	104	89	18	15	226	20
Middlesbrough	23	33	1	4	61	20
Newcastle upon Tyne	38	29	3	2	72	18
Northampton	14	10	1	5	30	13
Norwich	12	8	-	-	20	11
Nottingham	36	38	10	11	95	16
Oldham	8	14	-	4	26	13
Oxford	6	9	2	1	18	*11*
Plymouth	31	24	5	6	66	16
Portsmouth	25	25	6	6	62	18
Preston	18	13	3	7	41	22
Reading	17	16	2	-	35	15
Rochdale	14	10	-	-	24	14
Rotherham	9	16	3	2	30	19
St. Helens	12	19	2	3	36	20
Salford	23	19	9	3	54	19
Sheffield	71	40	4	4	119	13
Solihull	10	9	-	-	19	*12*
Southampton	31	21	5	6	63	17
Southend-on-Sea	16	9	1	2	28	12
Southport	4	14	-	1	19	*16*
South Shields	7	13	1	2	23	13
Stockport	18	18	2	3	41	16
Stoke-on-Trent	32	35	6	5	78	17
Sunderland	35	37	2	4	78	20
Tynemouth	4	10	1	1	16	*13*
Wakefield	4	10	3	-	17	*18*
Wallasey	25	13	1	2	41	24
Walsall	37	30	3	1	71	20
Warley	29	20	3	1	53	17
Warrington	7	10	1	-	18	*13*
West Bromwich	22	22	4	2	50	16
Wigan	15	10	-	1	26	18
Wolverhampton	52	35	6	3	96	18
Worcester	7	11	1	1	20	16
York	11	11	5	3	30	17
Cardiff	28	26	5	6	65	14
Merthyr Tydfil	7	8	1	-	16	*17*
Newport, Mon.	13	15	-	2	30	14
Swansea	26	15	-	1	42	16

TABLE 23 - *continued*

Area	Legitimate		Illegitimate		Total	Still-births per 1,000 total births
	M	F	M	F		
ADMINISTRATIVE COUNTIES						

Note. The following figures relate to aggregates of urban districts (including municipal boroughs, but excluding county boroughs) and of rural districts in each administrative county.

Bedfordshire	U.D.	22	17	1	1	41	14
	R.D.	13	16	-	-	29	11
Berkshire	U.D.	14	12	4	2	32	12
	R.D.	42	29	4	3	78	12
Buckinghamshire	U.D.	37	26	2	3	68	12
	R.D.	20	22	1	-	43	9
Cambridgeshire and Isle of Ely	U.D.	17	6	1	2	26	12
	R.D.	20	17	2	2	41	17
Cheshire	U.D.	104	90	6	10	210	14
	R.D.	31	27	1	2	61	16
Cornwall	U.D.	23	23	4	1	51	16
	R.D.	21	11	1	2	35	16
Cumberland	U.D.	11	16	1	-	28	18
	R.D.	18	16	5	3	42	20
Derbyshire	U.D.	55	54	2	4	115	18
	R.D.	55	37	2	5	99	15
Devon	U.D.	18	24	3	2	47	12
	R.D.	25	19	3	2	49	14
Dorset	U.D.	33	20	1	3	57	18
	R.D.	18	12	5	2	37	18
Durham	U.D.	84	89	5	5	183	16
	R.D.	27	38	3	3	71	14
Essex	U.D.	106	74	7	9	196	13
	R.D.	29	40	3	2	74	13
Gloucestershire	U.D.	14	21	3	-	38	12
	R.D.	37	40	6	3	86	13
Hampshire	U.D.	63	69	8	8	148	13
	R.D.	31	27	4	3	65	10
Herefordshire	U.D.	13	10	-	1	24	19
	R.D.	12	10	-	-	22	18
Hertfordshire	U.D.	66	53	4	2	125	11
	R.D.	26	27	4	2	59	16
Huntingdon and Peterborough	U.D.	15	20	3	2	40	17
	R.D.	3	5	-	1	9	*7*
Kent	U.D.	96	90	15	14	215	14
	R.D.	43	45	4	4	96	12
Lancashire	U.D.	287	225	25	27	564	16
	R.D.	57	44	4	2	107	15
Leicestershire	U.D.	20	27	2	4	53	14
	R.D.	21	36	6	-	63	15
Lincolnshire (Holland)	U.D.	1	2	2	-	5	*7*
	R.D.	4	10	-	1	15	*16*
Lincolnshire (Kesteven)	U.D.	9	3	1	-	13	*14*
	R.D.	7	12	2	-	21	12
Lincolnshire (Lindsey)	U.D.	21	19	6	5	51	17
	R.D.	27	23	3	2	55	16
Norfolk	U.D.	4	3	-	-	7	*5*
	R.D.	30	28	2	3	63	12
Northamptonshire	U.D.	27	15	5	2	49	14
	R.D.	16	18	3	2	39	17
Northumberland	U.D.	47	31	3	4	85	14
	R.D.	15	5	-	-	20	13
Nottinghamshire	U.D.	63	57	5	5	130	17
	R.D.	29	27	2	1	59	14
Oxfordshire	U.D.	14	9	-	-	23	16
	R.D.	22	17	2	-	41	12
Rutland	U.D.	-	1	-	-	1	*8*
	R.D.	2	3	-	-	5	*14*
Shropshire	U.D.	13	13	3	1	30	15
	R.D.	28	28	5	3	64	17
Somerset	U.D.	30	21	6	7	64	14
	R.D.	27	31	1	-	59	12
Staffordshire	U.D.	73	62	4	4	143	17
	R.D.	34	42	4	2	82	14
Suffolk, East	U.D.	8	9	1	2	20	12
	R.D.	13	13	-	2	28	13
Suffolk, West	U.D.	5	8	-	-	13	*11*
	R.D.	10	11	-	2	23	13
Surrey	U.D.	61	52	3	4	120	10
	R.D.	20	25	1	1	47	15
Sussex, East	U.D.	20	18	2	-	40	13
	R.D.	14	11	1	-	26	10
Sussex, West	U.D.	23	26	4	2	55	15
	R.D.	21	10	1	3	35	13
Warwickshire	U.D.	41	40	4	5	90	14
	R.D.	27	26	2	3	58	14
Westmorland	U.D.	3	-	-	-	3	*5*
	R.D.	2	5	-	-	7	*12*
Wight, Isle of	U.D.	5	5	-	1	11	*10*
	R.D.	-	3	-	-	3	*12*
Wiltshire	U.D.	23	35	5	3	66	16
	R.D.	36	32	2	-	70	16
Worcestershire	U.D.	40	39	1	3	83	16
	R.D.	14	16	2	-	32	14
Yorkshire, E.R.	U.D.	11	12	2	2	27	14
	R.D.	14	16	-	2	32	16
Yorkshire, N.R.	U.D.	37	41	6	4	88	19
	R.D.	13	17	3	3	36	11
Yorkshire, W.R.	U.D.	184	146	14	12	356	16
	R.D.	67	54	5	6	132	14
Anglesey	U.D.	3	5	-	-	8	*18*
	R.D.	2	3	-	-	5	*8*
Breconshire	U.D.	2	2	-	-	4	*18*
	R.D.	3	9	-	-	12	*23*
Caernarvonshire	U.D.	9	7	1	1	18	*18*
	R.D.	6	9	-	1	16	*24*
Cardiganshire	U.D.	2	4	-	-	6	*28*
	R.D.	3	1	1	2	7	*15*
Carmarthenshire	U.D.	8	5	1	1	15	*19*
	R.D.	16	10	-	-	26	19
Denbighshire	U.D.	10	14	1	-	25	17
	R.D.	13	16	-	1	30	21
Flintshire	U.D.	6	12	2	-	20	14
	R.D.	8	12	1	2	23	16
Glamorgan	U.D.	82	79	7	6	174	20
	R.D.	28	33	3	1	65	16
Merionethshire	U.D.	2	3	1	-	6	*24*
	R.D.	3	-	-	1	4	*14*
Monmouthshire	U.D.	43	38	5	4	90	19
	R.D.	6	6	-	-	12	*10*
Montgomeryshire	U.D.	3	-	-	-	3	*12*
	R.D.	2	4	-	1	7	*19*
Pembrokeshire	U.D	10	6	1	1	18	*18*
	R.D.	7	7	-	1	15	*19*
Radnorshire	U.D.	-	2	-	1	3	*26*
	R.D.	-	1	-	1	2	*13*

TABLE 23A. Stillbirths by cause, sex and mother's age at maternity (with, for certain selected causes, rates per 1,000 total births), 1967

England and Wales

Note. In this Table stillbirths to mothers whose age was not stated have been distributed and included with those to mothers of stated ages.

ICD No.	Cause		Age of mother: All ages	Under 20*	20-	25-	30-	35-	40-	45 and over†
Y30-Y39	**ALL CAUSES**	**M**	**6,520**	**619**	**1,905**	**1,731**	**1,101**	**800**	**324**	**40**
		F	**6,008**	**582**	**1,844**	**1,551**	**1,016**	**718**	**274**	**23**
		P	**12,528**	**1,201**	**3,749**	**3,282**	**2,117**	**1,518**	**598**	**63**
Y30	**Chronic disease in mother**	**M**	**200**	**10**	**37**	**52**	**39**	**34**	**23**	**5**
		F	**186**	**11**	**35**	**51**	**31**	**35**	**21**	**2**
Y30·0	Syphilis	M	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-
Y30·1	Tuberculosis (any form)	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
Y30·2	Diabetes mellitus	M	68	3	13	22	12	12	5	1
		F	63	6	13	20	9	10	5	-
Y30·3	Chronic disease of circulatory system	M	110	4	18	21	25	20	18	4
		F	100	3	16	24	20	21	14	2
Y30·4	Chronic disease of genito-urinary system	M	11	2	3	5	-	1	-	-
		F	6	1	1	3	-	1	-	-
Y30·5	Other chronic disease	M	11	1	3	4	2	1	-	-
		F	16	1	5	4	2	3	1	-
Y31	**Acute disease in mother**	**M**	**12**	**1**	**6**	**3**	**1**	**1**	**-**	**-**
		F	**10**	**2**	**1**	**3**	**-**	**3**	**1**	**-**
Y31·0	Typhoid fever	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
Y31·1	Influenza	M	1	1	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-
Y31·2	Pneumonia (any form)	M	1	-	-	-	-	1	-	-
		F	3	1	-	-	-	1	1	-
Y31·3	Other acute respiratory disease	M	1	-	-	1	-	-	-	-
		F	1	-	-	1	-	-	-	-
Y31·4	Other acute disease or condition	M	9	-	6	2	1	-	-	-
		F	5	1	1	2	-	1	-	-
	0 Rubella	M	4	-	3	1	-	-	-	-
		F	-	-	-	-	-	-	-	-
	1 Other virus diseases	M	-	-	-	-	-	-	-	-
		F	2	-	1	-	-	1	-	-
	2 Others	M	5	-	3	1	1	-	-	-
		F	3	1	-	2	-	-	-	-
Y32	**Diseases and conditions of pregnancy and childbirth**	**M**	**1,081**	**109**	**317**	**254**	**203**	**142**	**48**	**8**
		F	**847**	**69**	**252**	**210**	**153**	**113**	**44**	**6**
Y32·0	Pregnancy interrupted by self or other person for non-therapeutic purposes	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
Y32·1	Ectopic gestation	M	-	-	-	-	-	-	-	-
		F	1	-	-	1	-	-	-	-
Y32·2	Haemorrhage without mention of placental condition	M	288	26	98	65	57	28	11	3
		F	194	11	60	46	35	32	8	2
Y32·3	Toxaemia with convulsions during pregnancy or labour (eclampsia)	M	29	4	10	9	3	3	-	-
		F	23	6	7	3	5	2	-	-
Y32·4	Other toxaemias of pregnancy	M	747	76	205	177	140	110	34	5
		F	606	49	179	152	110	78	34	4

* † See footnotes at end of table.

TABLE 23A – *continued*

ICD No.	Cause		Age of mother: All ages	Under 20*	20-	25-	30-	35-	40-	45 and over†
Y32·5	Infection (ante- and intra-partum)	M	17	3	4	3	3	1	3	-
		F	23	3	6	8	3	1	2	-
	0 Urinary infection	M	1	-	-	-	-	-	1	-
		F	4	1	2	1	-	-	-	-
	1 Others	M	16	3	4	3	3	1	2	-
		F	19	2	4	7	3	1	2	-
Y33	**Absorption of toxic substance from mother**	**M**	-	-	-	-	-	-	-	-
		F	**1**	-	-	**1**	-	-	-	-
Y33·0	Narcotic	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
Y33·1	Quinine	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
Y33·2	Other toxic substance	M	-	-	-	-	-	-	-	-
		F	1	-	-	1	-	-	-	-
Y34	**Difficulties in labour**	**M**	**419**	**39**	**114**	**121**	**73**	**50**	**20**	**2**
		F	**347**	**28**	**99**	**87**	**61**	**52**	**18**	**2**
Y34·0	Difficult labour with abnormality of bones of pelvis	M	1	-	-	1	-	-	-	-
		F	2	-	-	1	1	-	-	-
Y34·1	Difficult labour with disproportion, but no mention of abnormality, of pelvis	M	137	12	34	42	23	17	9	-
		F	150	10	49	34	34	19	4	-
Y34·2	Difficult labour with malposition of foetus	M	204	21	58	56	34	25	9	1
		F	139	17	35	38	17	21	10	1
Y34·3	Difficult labour with abnormality of forces of labour	M	36	4	12	9	5	5	1	-
		F	22	-	8	8	4	2	-	-
Y34·4	Difficult labour with operative delivery	M	8	-	3	3	2	-	-	-
		F	6	-	3	1	-	1	1	-
Y34·5	Difficult labour with abnormality of organs or tissues of pelvis	M	12	-	3	4	3	-	1	1
		F	12	-	1	2	2	5	2	-
Y34·6	Difficult labour without mention of underlying condition	M	21	2	4	6	6	3	-	-
		F	16	1	3	3	3	4	1	1
Y35	**Other causes in mother**	**M**	**17**	**2**	**6**	**6**	**2**	**1**	**-**	**-**
		F	**23**	**3**	**8**	**3**	**3**	**3**	**3**	**-**
Y35·0	Fall	M	6	1	2	2	-	1	-	-
		F	4	1	1	-	1	1	-	-
Y35·1	Other accident or violence	M	6	1	3	2	-	-	-	-
		F	7	-	5	1	1	-	-	-
Y35·2	Overexertion	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
Y35·3	Other and ill-defined causes in mother	M	5	-	1	2	2	-	-	-
		F	12	2	2	2	1	2	3	-
Y36	**Placental and cord conditions**	**M**	**2,265**	**200**	**665**	**594**	**410**	**270**	**114**	**12**
		F	**1,784**	**150**	**526**	**486**	**313**	**228**	**77**	**4**
Y36·0	Cord condition without mention of placental abnormality	M	518	63	150	129	94	53	27	2
		F	485	44	126	136	92	65	20	2
	0 Pressure on cord, compression of cord, strangulation of cord, thrombosis of cord	M	69	12	14	20	12	9	2	-
		F	82	6	20	25	20	8	3	-
	1 Prolapse of cord	M	145	17	38	29	35	14	10	2
		F	117	14	26	30	22	17	6	2
	2 Others	M	304	34	98	80	47	30	15	-
		F	286	24	80	81	50	40	11	-
Y36·1	Placenta praevia	M	68	3	14	22	18	8	2	1
		F	52	5	16	8	11	9	3	-
Y36·2	Premature separation of normally implanted placenta	M	739	61	220	204	129	91	30	4
		F	472	45	141	125	84	60	17	-

* † See footnotes at end of table.

TABLE 23A - *continued*

ICD No.	Cause		Age of mother							
			All ages	Under 20*	20-	25-	30-	35-	40-	45 and over†
Y36·3	Placenta praevia with cord abnormality	M	2	-	1	1	-	-	-	-
		F	-	-	-	-	-	-	-	-
Y36·4	Premature separation of normally implanted placenta with cord abnormality	M	3	-	1	1	1	-	-	-
		F	6	-	1	2	-	1	1	1
Y36·5	Placental infarct	M	116	10	32	28	21	19	5	1
		F	98	6	42	21	13	11	4	1
Y36·6	Other abnormality of placenta and cord	M	819	63	247	209	147	99	50	4
		F	671	50	200	194	113	82	32	-
Y37	**Birth injury**	**M**	**114**	**14**	**39**	**27**	**10**	**20**	**4**	-
		F	**83**	**12**	**28**	**20**	**16**	**3**	**4**	-
Y37·0	Birth injury with abnormality of bones of pelvis	M	2	1	1	-	-	-	-	-
		F	1	-	1	-	-	-	-	-
Y37·1	Birth injury with abnormality of organs or tissues of pelvis	M	-	-	-	-	-	-	-	-
		F	2	1	1	-	-	-	-	-
Y37·2	Birth injury with disproportion but no mention of abnormality of pelvis	M	5	-	4	-	-	1	-	-
		F	5	1	-	3	1	-	-	-
Y37·3	Birth injury with malposition of foetus	M	27	3	8	10	-	6	-	-
		F	19	1	11	3	1	1	2	-
Y37·4	Birth injury with abnormality of forces of labour	M	11	-	4	3	1	2	1	-
		F	7	1	-	3	2	1	-	-
Y37·5	Operation causing mutilation of foetus	M	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-
Y37·6	Other operation for delivery	M	6	-	2	-	1	2	1	-
		F	3	-	2	1	-	-	-	-
Y37·7	Birth injury with difficult labour but without mention of underlying condition	M	2	-	1	-	-	1	-	-
		F	1	-	1	-	-	-	-	-
Y37·8	Birth injury due to other or unspecified cause	M	61	10	19	14	8	8	2	-
		F	44	7	12	10	12	1	2	-
Y38	**Congenital malformations of foetus**	**M**	**895**	**102**	**295**	**241**	**137**	**81**	**33**	6
		F	**1,426**	**190**	**492**	**365**	**202**	**130**	**44**	3
Y38·0	Anencephalus	M	389	54	128	102	61	31	11	2
		F	925	131	324	245	127	77	21	-
	0 With mention of spina bifida or synonym	M	41	6	18	9	5	2	1	-
		F	116	18	43	33	13	7	2	-
	1 Without mention of spina bifida or synonym	M	348	48	110	93	56	29	10	2
		F	809	113	281	212	114	70	19	-
Y38·1	Hydrocephalus	M	174	16	51	48	32	22	5	-
		F	158	26	49	31	25	19	8	-
Y38·2	Spina bifida	M	102	7	41	30	12	11	1	-
		F	159	20	55	41	22	19	1	1
	0 With mention of hydrocephalus	M	69	5	27	22	7	7	1	-
		F	115	15	39	29	19	13	-	-
	1 Without mention of hydrocephalus	M	33	2	14	8	5	4	-	-
		F	44	5	16	12	3	6	1	1
Y38·3	Other malformation of the central nervous system	M	31	3	8	7	7	3	3	-
		F	54	3	20	20	6	3	2	-
	0 Mongolism	M	4	-	2	-	-	1	1	-
		F	6	-	1	2	-	2	1	-
	1 Microcephaly	M	5	1	1	-	3	-	-	-
		F	17	-	4	11	1	1	-	-
	2 Others	M	22	2	5	7	4	2	2	-
		F	31	3	15	7	5	-	1	-

* † See footnotes at end of table.

TABLE 23A - *continued*

ICD No.	Cause		Age of mother							
			All ages	Under 20*	20-	25-	30-	35-	40-	45 and over†
Y38·4	Malformation of the cardiovascular system	M	38	2	11	12	4	6	3	-
		F	34	4	9	6	8	4	3	-
	0 Tetralogy of Fallot	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
	1 Patent ductus arteriosus	M	8	-	2	3	1	2	-	-
		F	2	1	-	1	-	-	-	-
	2 Interventricular septal defect	M	3	-	-	2	1	-	-	-
		F	11	1	1	3	3	2	1	-
	3 Interauricular septal defect	M	4	-	2	2	-	-	-	-
		F	6	1	3	1	1	-	-	-
	4 Fibroelastosis cordis	M	2	-	1	-	-	1	-	-
		F	-	-	-	-	-	-	-	-
	5 Other malformations of heart	M	15	2	4	4	2	2	1	-
		F	12	1	3	1	3	2	2	-
	6 Coarctation of aorta	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
	7 Other circulatory malformations	M	6	-	2	1	-	1	2	-
		F	3	-	2	-	1	-	-	-
Y38·5	Malformation of other specified system	M	101	17	28	30	14	5	4	3
		F	51	3	18	12	8	3	5	2
	0 Digestive system	M	10	1	4	4	-	1	-	-
		F	6	1	2	-	2	-	1	-
	1 Genito-urinary system	M	36	7	11	12	3	-	1	2
		F	8	-	3	3	-	-	1	1
	2 Dwarf	M	6	1	-	3	1	1	-	-
		F	4	-	3	1	-	-	-	-
	3 Other skeletal	M	14	2	4	4	3	1	-	-
		F	7	1	2	2	1	1	-	-
	4 Respiratory system	M	4	-	-	1	2	1	-	-
		F	5	-	-	1	1	1	2	-
	5 Skin	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
	6 Muscle	M	4	-	1	1	1	-	1	-
		F	3	-	-	-	2	-	1	-
	7 Others	M	27	6	8	5	4	1	2	1
		F	18	1	8	5	2	1	-	1
Y38·6	Monster	M	15	1	9	1	2	1	1	-
		F	7	1	4	2	-	-	-	-
	0 Double monster	M	5	-	3	-	2	-	-	-
		F	3	-	2	1	-	-	-	-
	1 Monster N.O.S.	M	-	-	-	-	-	-	-	-
		F	1	-	-	1	-	-	-	-
	2 Others	M	10	1	6	1	-	1	1	-
		F	3	1	2	-	-	-	-	-
Y38·7	Other and unspecified malformations	M	45	2	19	11	5	2	5	1
		F	38	2	13	8	6	5	4	-
Y39	**Diseases of foetus and ill-defined causes**	**M**	**1,517**	**142**	**426**	**433**	**226**	**201**	**82**	**7**
		F	**1,301**	**117**	**403**	**325**	**237**	**151**	**62**	**6**
Y39·0	Syphilis	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
Y39.1	Infection other than syphilis	M	8	2	-	5	-	1	-	-
		F	9	1	2	5	1	-	-	-
Y39·2	Erythroblastosis	M	293	9	70	102	43	50	18	1
		F	243	11	53	76	46	44	12	1

* † See footnotes at end of table.

TABLE 23A - *continued*

ICD No.	Cause		Age of mother: All ages	Under 20*	20-	25-	30-	35-	40-	45 and over†
Y39·3	Other cause originated in the foetus	M	17	3	4	2	5	3	-	-
		F	7	-	2	4	1	-	-	-
Y39·4	Maceration, cause not specified	M	412	37	125	114	53	56	25	2
		F	374	32	134	79	63	43	21	2
Y39·5	Other ill-defined cause	M	466	53	139	117	71	61	22	3
		F	370	45	115	85	67	41	16	1
	0 Asphyxia	M	230	22	65	62	36	30	12	3
		F	169	23	50	38	31	18	8	1
	1 Atelectasis	M	40	6	14	8	5	5	2	-
		F	44	4	12	14	9	3	2	-
	2 Post-maturity	M	41	5	11	8	9	7	1	-
		F	35	4	13	5	7	5	1	-
	3 Prematurity	M	98	14	37	20	8	15	4	-
		F	67	8	25	12	10	9	3	-
	4 Others	M	57	6	12	19	13	4	3	-
		F	55	6	15	16	10	6	2	-
Y39·6	Cause unspecified	M	321	38	88	93	54	30	17	1
		F	298	28	97	76	59	23	13	2
Total live and still births		M	434,421	44,243	152,017	127,367	67,902	33,042	9,144	706
		F	410,271	41,500	143,388	119,717	64,494	31,561	8,976	635
		P	844,692	85,743	295,405	247,084	132,396	64,603	18,120	1,341
	Stillbirths per 1,000 total births									
Y30-Y39	**All causes**	M	15·0	14·0	12·5	13·6	16·2	24·2	35·4	56·7
		F	14·6	14·0	12·9	13·0	15·8	22·7	30·5	36·2
		P	14·8	14·0	12·7	13·3	16·0	23·5	33·0	47·0
Y30-Y35	**Maternal conditions**		3·7	3·2	3·0	3·2	4·3	6·7	9·8	18·6
Y30·2	Diabetes		0·2	0·1	0·1	0·2	0·2	0·3	0·6	0·7
Y30·3	Circulatory		0·2	0·1	0·1	0·2	0·3	0·6	1·8	4·5
Y32	Diseases of pregnancy		2·3	2·1	1·9	1·9	2·7	3·9	5·1	10·4
Y32·2	Haemorrhage N.E.C.		0·6	0·4	0·5	0·4	0·7	0·9	1·0	3·7
Y32·4	Other toxaemia		1·6	1·5	1·3	1·3	1·9	2·9	3·8	6·7
Y34	Difficulties in labour		0·9	0·8	0·7	0·8	1·0	1·6	2·1	3·0
Y34·2	Malposition		0·4	0·4	0·3	0·4	0·4	0·7	1·0	1·5
Y34·3	Abnormal forces		0·1	0·0	0·1	0·1	0·1	0·1	0·1	-
Y36	**Placental and cord conditions**		4·8	4·1	4·0	4·4	5·5	7·7	10·5	11·9
Y36·1	Placenta praevia		0·1	0·1	0·1	0·1	0·2	0·3	0·3	0·7
Y36·2	Placenta and placental separation		1·4	1·2	1·2	1·3	1·6	2·3	2·6	3·0
Y36·5	Placental infarct		0·3	0·2	0·3	0·2	0·3	0·5	0·5	1·5
Y37-Y39	**Foetal conditions**		6·3	6·7	5·7	5·7	6·3	9·1	12·6	16·4
Y37	Birth injury		0·2	0·3	0·2	0·2	0·2	0·4	0·4	-
Y38	Congenital malformation		2·7	3·4	2·7	2·5	2·6	3·3	4·2	6·7
Y38·0	Anencephalus		1·6	2·2	1·5	1·4	1·4	1·7	1·8	1·5
Y38·1	Hydrocephalus		0·4	0·5	0·3	0·3	0·4	0·6	0·7	-
Y38·2	Spina bifida		0·3	0·3	0·3	0·3	0·3	0·5	0·1	0·7
Y39	Other and ill-defined causes		3·3	3·0	2·8	3·1	3·5	5·4	7·9	9·7
Y39·2	Erythroblastosis		0·6	0·2	0·4	0·7	0·7	1·5	1·7	1·5
Y39·6	Unspecified		0·7	0·8	0·6	0·7	0·9	0·8	1·7	2·2

* Including the following stillbirths where the mother's age was under 16 years: Y30·4 Chronic disease of genito-urinary system 1M; Y32·3 Toxaemia with convulsions during pregnancy or labour eclampsia 1F; Y32·4 Other toxaemia of pregnancy 1F; Y34·1 Difficult labour with disproportion, but no mention of abnormality, of pelvis 1F; Y34·2 Difficult labour with malposition of foetus 2M, 2F; Y36·0 Cord condition without mention of placental abnormality 2M, 1F; Y36·2 Premature separation of normally implanted placenta 3M, 2F; Y36·5 Placental infarct 2F; Y36·6 Other abnormality of placenta and cord 3M, 1F; Y38·0 Anencephalus 1F; Y39·4 Maceration, cause not specified 1F; Y39·5 Other ill-defined cause 2F; Y39·6 Cause unspecified 1M.

† Including the following stillbirth where the mother's age was 50 years or over: Y39·4 Maceration, cause not specified 1M.

TABLE 23B. Legitimate stillbirths by cause and parity of mother (with, for certain selected causes, rates per 1,000 total births), 1967

England and Wales

ICD No.	Cause		Number of previous children of all marriages, live and still born: Total	0	1	2	3	4	5	6	7	8	9	10 and over
Y30-Y39	**ALL CAUSES**	M	5,821	2,279	1,306	941	570	308	188	94	58	30	21	26
		F	5,375	2,124	1,295	806	487	297	177	79	52	21	9	28
		P	11,196	4,403	2,601	1,747	1,057	605	365	173	110	51	30	54
Y30	**Chronic disease in mother**		355	140	76	46	45	20	11	7	3	4	1	2
Y30·0	Syphilis		-	-	-	-	-	-	-	-	-	-	-	-
Y30·1	Tuberculosis (any form)		-	-	-	-	-	-	-	-	-	-	-	-
Y30·2	Diabetes mellitus		122	42	34	22	11	6	3	2	-	-	1	1
Y30·3	Chronic disease of circulatory system		193	80	33	20	29	13	6	5	3	3	-	1
Y30·4	Chronic disease of genito-urinary system		16	10	2	1	2	1	-	-	-	-	-	-
Y30·5	Other chronic disease		24	8	7	3	3	-	2	-	-	1	-	-
Y31	**Acute disease in mother**		21	10	5	4	2	-	-	-	-	-	-	-
Y31·0	Typhoid fever		-	-	-	-	-	-	-	-	-	-	-	-
Y31·1	Influenza		2	1	1	-	-	-	-	-	-	-	-	-
Y31·2	Pneumonia (any form)		4	1	1	1	1	-	-	-	-	-	-	-
Y31·3	Other acute respiratory disease		2	2	-	-	-	-	-	-	-	-	-	-
Y31·4	Other acute disease or condition		13	6	3	3	1	-	-	-	-	-	-	-
	0 Rubella		4	1	2	1	-	-	-	-	-	-	-	-
	1 Other virus diseases		2	1	-	1	-	-	-	-	-	-	-	-
	2 Others		7	4	1	1	1	-	-	-	-	-	-	-
Y32	**Diseases and conditions of pregnancy and childbirth**		1,738	826	321	251	131	84	57	28	18	9	5	8
Y32·0	Pregnancy interrupted by self or other persons for non-therapeutic purposes		-	-	-	-	-	-	-	-	-	-	-	-
Y32·1	Ectopic gestation		1	-	1	-	-	-	-	-	-	-	-	-
Y32·2	Haemorrhage without mention of placental condition		424	135	87	87	42	26	22	14	3	2	2	4
Y32·3	Toxaemia with convulsions during pregnancy or labour (eclampsia)		46	30	8	4	3	1	-	-	-	-	-	-
Y32·4	Other toxaemias of pregnancy		1,233	645	221	158	83	56	29	13	14	7	3	4
Y32·5	Infection (ante- and intra-partum)		34	16	4	2	3	1	6	1	1	-	-	-
	0 Urinary infection		5	3	-	-	-	-	2	-	-	-	-	-
	1 Others		29	13	4	2	3	1	4	1	1	-	-	-
Y33	**Absorption of toxic substance from mother**		1	-	1	-	-	-	-	-	-	-	-	-
Y33·0	Narcotic		-	-	-	-	-	-	-	-	-	-	-	-
Y33·1	Quinine		-	-	-	-	-	-	-	-	-	-	-	-
Y33·2	Other toxic substance		1	-	1	-	-	-	-	-	-	-	-	-
Y34	**Difficulties in labour**		681	256	175	89	72	43	16	14	9	3	1	3
Y34·0	Difficult labour with abnormality of bones of pelvis		3	1	-	1	-	1	-	-	-	-	-	-
Y34·1	Difficult labour with disproportion, but no mention of abnormality, of pelvis		259	100	76	34	27	14	4	1	1	2	-	-
Y34·2	Difficult labour with malposition of foetus		301	108	78	36	31	20	7	10	7	1	1	2
Y34·3	Difficult labour with abnormality of forces of labour		51	19	10	10	5	4	1	2	-	-	-	-
Y34·4	Difficult labour with operative delivery		13	6	1	1	2	1	2	-	-	-	-	-
Y34·5	Difficult labour with abnormality of organs or tissues of pelvis		20	10	2	2	3	2	-	-	-	-	-	1
Y34·6	Difficult labour without mention of underlying condition		34	12	8	5	4	1	2	1	1	-	-	-
Y35	**Other causes in mother**		34	13	10	6	-	1	-	1	1	1	1	-
Y35·0	Fall		8	2	3	2	-	-	-	-	-	-	1	-
Y35·1	Other accident or violence		11	7	3	1	-	-	-	-	-	-	-	-
Y35·2	Overexertion		-	-	-	-	-	-	-	-	-	-	-	-
Y35·3	Other and ill-defined causes in mother		15	4	4	3	-	1	-	1	1	1	-	-
Y36	**Placental and cord conditions**		3,634	1,396	822	589	356	186	136	63	38	15	13	20
Y36·0	Cord condition without mention of placental abnormality		903	337	235	131	93	47	28	16	6	3	4	3
	0 Pressure on cord, compression of cord, strangulation of cord, thrombosis of cord		135	47	36	25	15	7	2	3	-	-	-	-
	1 Prolapse of cord		238	72	62	39	29	13	9	5	3	3	1	2
	2 Others		530	218	137	67	49	27	17	8	3	-	3	1
Y36·1	Placenta praevia		104	28	20	20	13	10	7	4	1	1	-	-
Y36·2	Premature separation of normally implanted placenta		1,069	356	243	205	109	56	51	19	9	5	3	13

TABLE 23B - *continued*

ICD No.	Cause	Number of previous children of all marriages, live and still born											
		Total	0	1	2	3	4	5	6	7	8	9	10 and over
Y36·3	Placenta praevia with cord abnormality	**2**	-	2	-	-	-	-	-	-	-	-	-
Y36·4	Premature separation of normally implanted placenta with cord abnormality	**8**	3	3	-	1	-	-	-	1	-	-	-
Y36·5	Placental infarct	**197**	81	49	33	12	6	7	4	1	3	1	-
Y36·6	Other abnormality of placenta and cord	**1,351**	591	270	200	128	67	43	20	20	3	5	4
Y37	**Birth injury**	**167**	**95**	**24**	**14**	**21**	**2**	**5**	**1**	**3**	-	**1**	1
Y37·0	Birth injury with abnormality of bones of pelvis	**3**	3	-	-	-	-	-	-	-	-	-	-
Y37·1	Birth injury with abnormality of organs or tissues of pelvis	**2**	2	-	-	-	-	-	-	-	-	-	-
Y37·2	Birth injury with disproportion but no mention of abnormality of pelvis	**10**	8	1	1	-	-	-	-	-	-	-	-
Y37·3	Birth injury with malposition of foetus	**43**	24	6	4	5	1	1	-	2	-	-	-
Y37·4	Birth injury with abnormality of forces of labour	**14**	4	2	2	4	-	1	-	-	-	1	-
Y37·5	Operation causing mutilation of foetus	**1**	1	-	-	-	-	-	-	-	-	-	-
Y37·6	Other operation for delivery	**8**	7	-	-	-	1	-	-	-	-	-	-
Y37·7	Birth injury with difficult labour but without mention of underlying condition	**3**	2	-	-	1	-	-	-	-	-	-	-
Y37·8	Birth injury due to other or unspecified cause	**83**	44	15	7	11	-	3	1	1	-	-	1
Y38	**Congenital malformation of foetus**	**2,102**	**876**	**572**	**285**	**173**	**101**	**42**	**22**	**11**	**9**	**4**	7
Y38·0	Anencephalus	**1,195**	525	311	160	100	56	19	10	5	3	3	3
	0 With mention of spina bifida or synonym	**142**	62	38	23	13	5	-	1	-	-	-	-
	1 Without mention of spina bifida or synonym	**1,053**	463	273	137	87	51	19	9	5	3	3	3
Y38·1	Hydrocephalus	**295**	115	72	56	23	14	6	4	3	1	-	1
Y38·2	Spina bifida	**238**	94	78	28	16	9	5	5	1	1	-	1
	0 With mention of hydrocephalus	**170**	68	52	21	11	7	4	5	1	1	-	-
	1 Without mention of hydrocephalus	**68**	26	26	7	5	2	1	-	-	-	-	1
Y38·3	Other malformation of the central nervous system	**82**	32	26	10	6	4	2	-	-	2	-	-
	0 Mongolism	**10**	2	4	2	1	1	-	-	-	-	-	-
	1 Microcephaly	**21**	8	8	3	1	1	-	-	-	-	-	-
	2 Others	**51**	22	14	5	4	2	2	-	-	2	-	-
Y38·4	Malformation of the cardiovascular system	**63**	23	14	6	8	7	2	1	1	-	-	1
	0 Tetralogy of Fallot	**-**	-	-	-	-	-	-	-	-	-	-	-
	1 Patent ductus arteriosus	**10**	4	3	1	-	2	-	-	-	-	-	-
	2 Interventricular septal defect	**13**	4	3	2	2	1	-	-	1	-	-	-
	3 Interauricular septal defect	**8**	7	-	1	-	-	-	-	-	-	-	-
	4 Fibroelastosis cordis	**2**	1	-	-	-	1	-	-	-	-	-	-
	5 Other malformations of heart	**21**	4	5	2	6	1	2	1	-	-	-	-
	6 Coarctation of aorta	**-**	-	-	-	-	-	-	-	-	-	-	-
	7 Other circulatory malformations	**9**	3	3	-	-	2	-	-	-	-	-	1
Y38·5	Malformation of other specified system or part	**134**	49	39	13	14	7	8	1	-	2	1	-
	0 Digestive system	**14**	6	4	2	2	-	-	-	-	-	-	-
	1 Genito-urinary system	**40**	16	11	4	4	3	2	-	-	-	-	-
	2 Dwarf	**9**	2	2	2	2	-	1	-	-	-	-	-
	3 Other skeletal	**17**	5	7	-	4	-	1	-	-	-	-	-
	4 Respiratory system	**9**	2	3	1	1	-	1	-	-	1	-	-
	5 Skin	**-**	-	-	-	-	-	-	-	-	-	-	-
	6 Muscle	**7**	-	3	2	-	-	2	-	-	-	-	-
	7 Others	**38**	18	9	2	1	4	1	1	-	1	1	-
Y38·6	Monster	**20**	11	8	-	-	-	-	1	-	-	-	-
	0 Double monster	**6**	1	5	-	-	-	-	-	-	-	-	-
	1 Monster N.O.S.	**1**	1	-	-	-	-	-	-	-	-	-	-
	2 Others	**13**	9	3	-	-	-	-	1	-	-	-	-
Y38·7	Other and unspecified malformations	**75**	27	24	12	6	4	-	-	1	-	-	1
Y39	**Diseases of foetus and ill-defined causes**	**2,463**	**791**	**595**	**463**	**257**	**168**	**98**	**37**	**27**	**10**	**4**	13
Y39·0	Syphilis	**-**	-	-	-	-	-	-	-	-	-	-	-
Y39·1	Infection other than syphilis	**9**	5	-	-	2	1	1	-	-	-	-	-
Y39·2	Erythroblastosis	**505**	36	131	152	83	55	28	9	6	-	1	4
Y39·3	Other cause originated in the foetus	**20**	9	5	2	1	-	1	1	1	-	-	-
Y39·4	Maceration, cause not specified	**702**	260	175	103	66	44	27	9	10	6	-	2
Y39·5	Other ill-defined cause	**712**	278	158	120	61	35	30	13	7	3	3	4
	0 Asphyxia	**345**	133	79	57	29	19	15	5	3	1	1	3
	1 Atelectasis	**71**	26	16	8	7	5	4	2	2	-	-	1
	2 Post-maturity	**67**	29	10	13	7	3	1	2	1	-	1	-
	3 Prematurity	**134**	56	31	20	13	6	4	-	1	2	1	-
	4 Others	**95**	34	22	22	5	2	6	4	-	-	-	-
Y39·6	Cause unspecified	**515**	203	126	86	44	33	11	5	3	1	-	3
Total legitimate live and still births	M	**397,938**	148,148	125,263	64,867	30,159	14,370	7,211	3,668	1,949	1,065	591	647
	F	**375,494**	137,983	118,685	61,722	28,824	13,713	7,014	3,569	1,869	1,001	530	584
	P	**773,432**	286,131	243,948	126,589	58,983	28,083	14,225	7,237	3,818	2,066	1,121	1,231

TABLE 23B - *continued*

ICD No.	Cause	Number of previous children of all marriages, live and still born											
		Total	0	1	2	3	4	5	6	7	8	9	10 and over
		Stillbirths per 1,000 total births											
Y30-Y39	**All causes** M	**14·6**	**15·4**	**10·4**	**14·5**	**18·9**	**21·4**	**26·1**	**25·6**	**29·8**	**28·2**	*35·5*	**40·1**
	All causes F	**14·3**	**15·4**	**10·9**	**13·1**	**16·9**	**21·7**	**25·2**	**22·1**	**27·8**	**21·0**	*17·0*	**47·8**
	All causes P	**14·5**	**15·4**	**10·7**	**13·8**	**17·9**	**21·5**	**25·7**	**23·9**	**28·8**	**24·7**	**26·8**	**43·8**
Y30-Y35	**Maternal conditions**	**3·7**	**4·4**	**2·4**	**3·1**	**4·2**	**5·3**	**5·9**	**6·9**	**8·1**	*8·2*	*7·1*	*10·5*
Y30·2	Diabetes	0·2	0·1	0·1	0·2	0·2	0·2	0·2	0·3	-	-	0·9	0·8
Y30·3	Circulatory	0·2	0·3	0·1	0·2	0·5	0·5	0·4	0·7	0·8	*1·5*	-	0·8
Y32	Diseases of pregnancy	2·2	2·9	1·3	2·0	2·2	3·0	4·0	3·9	4·7	*4·4*	*4·5*	*6·5*
Y32·2	Haemorrhage N.E.C.	0·5	0·5	0·4	0·7	0·7	0·9	1·5	*1·9*	0·8	*1·0*	*1·8*	*3·2*
Y32·4	Other toxaemia	1·6	2·3	0·9	1·2	1·4	2·0	2·0	*1·8*	*3·7*	*3·4*	*2·7*	*3·2*
Y34	Difficulties in labour	0·9	0·9	0·7	0·7	1·2	1·5	*1·1*	*1·9*	*2·4*	*1·5*	*0·9*	*2·4*
Y34·2	Malposition	0·4	0·4	0·3	0·3	0·5	0·7	0·5	*1·4*	*1·8*	*0·5*	*0·9*	*1·6*
Y34·3	Abnormal forces	0·1	*0·1*	*0·0*	*0·1*	*0·1*	*0·1*	*0·1*	*0·3*	-	-	-	-
Y36	**Placental and cord conditions**	**4·7**	**4·9**	**3·4**	**4·7**	**6·0**	**6·6**	**9·6**	**8·7**	**10·0**	*7·3*	*11·6*	**16·2**
Y36·1	Placenta praevia	0·1	0·1	0·1	0·2	0·2	0·4	0·5	0·6	0·3	*0·5*	-	-
Y36·2	Placenta and placental separation	1·4	1·2	1·0	1·6	1·8	2·0	3·6	*2·6*	*2·4*	*2·4*	*2·7*	*10·5*
Y36·5	Placental infarct	0·3	0·3	0·2	0·3	0·2	0·2	0·5	0·6	0·3	*1·5*	*0·9*	-
Y37-Y39	**Foetal conditions**	**6·1**	**6·2**	**4·9**	**6·0**	**7·6**	**9·6**	**10·2**	**8·3**	**10·7**	*9·2*	*8·0*	**17·0**
Y37	Birth injury	0·2	0·3	0·1	0·1	0·4	0·1	0·4	0·1	0·8	-	*0·9*	0·8
Y38	Congenital malformation	2·7	3·1	2·3	2·3	2·9	3·6	3·0	3·0	*2·9*	*4·4*	*3·6*	*5·7*
Y38·0	Anencephalus	1·5	1·8	1·3	1·3	1·7	2·0	*1·3*	*1·4*	*1·3*	*1·5*	*2·7*	*2·4*
Y38·1	Hydrocephalus	0·4	0·4	0·3	0·4	0·4	0·5	0·4	0·6	0·8	*0·5*	-	0·8
Y38·2	Spina bifida	0·3	0·3	0·3	0·2	0·3	0·3	0·4	0·7	0·3	*0·5*	-	0·8
Y39	Other and ill-defined causes	3·2	2·8	2·4	3·7	4·4	6·0	6·9	5·1	*7·1*	*4·8*	*3·6*	*10·5*
Y39·2	Erythroblastosis	0·7	0·1	0·5	1·2	1·4	2·0	2·0	*1·2*	*1·6*	-	*0·9*	*3·2*
Y39·6	Unspecified	0·7	0·7	0·5	0·7	0·7	1·2	0·8	0·7	0·8	*0·5*	-	*2·4*

TABLE 23C. Stillbirths by cause and month of occurrence (with, for certain selected causes, rates per 1,000 total births), **1967** — England and Wales

ICD No.	Cause		Total	Month of occurrence											
				Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Y30-Y39	**ALL CAUSES**	M	6,520	603	528	597	562	556	522	485	513	560	565	498	531
		F	6,008	527	535	557	534	525	440	517	427	498	467	483	498
		P	12,528	1,130	1,063	1,154	1,096	1,081	962	1,002	940	1,058	1,032	981	1,029
Y30	**Chronic disease in mother**		386	34	34	46	31	31	36	20	32	30	38	29	25
Y30·0	Syphilis		1	-	1	-	-	-	-	-	-	-	-	-	-
Y30·1	Tuberculosis (any form)		-	-	-	-	-	-	-	-	-	-	-	-	-
Y30·2	Diabetes mellitus		131	11	12	14	12	10	8	9	16	9	13	10	7
Y30·3	Chronic disease of circulatory system		210	14	18	28	17	18	22	9	12	18	23	15	16
Y30·4	Chronic disease of genito-urinary system		17	6	1	1	-	2	1	-	2	1	1	1	1
Y30·5	Other chronic disease		27	3	2	3	2	1	5	2	2	2	1	3	1
Y31	**Acute disease in mother**		22	1	1	-	4	-	3	3	1	2	3	1	3
Y31·0	Typhoid fever		-	-	-	-	-	-	-	-	-	-	-	-	-
Y31·1	Influenza		2	-	1	-	-	-	1	-	-	-	-	-	-
Y31·2	Pneumonia (any form)		4	-	-	-	2	-	-	-	-	2	-	-	-
Y31·3	Other acute respiratory disease		2	-	-	-	2	-	-	-	-	-	-	-	-
Y31·4	Other acute disease or condition		14	1	-	-	-	-	2	3	1	-	3	1	3
	0 Rubella		4	1	-	-	-	-	1	1	-	-	-	-	1
	1 Other virus diseases		2	-	-	-	-	-	-	1	-	-	-	-	1
	2 Others		8	-	-	-	-	-	1	1	1	-	3	1	1
Y32	**Diseases and conditions of pregnancy and childbirth**		1,928	156	181	184	174	177	140	150	149	171	167	123	156
Y32·0	Pregnancy interrupted by self or other person for non-therapeutic purposes		-	-	-	-	-	-	-	-	-	-	-	-	-
Y32·1	Ectopic gestation		1	-	1	-	-	-	-	-	-	-	-	-	-
Y32·2	Haemorrhage without mention of placental condition		482	36	50	53	34	40	29	35	38	42	52	35	38
Y32·3	Toxaemia with convulsions during pregnancy or labour (eclampsia)		52	4	6	3	4	2	3	5	5	5	5	6	4
Y32·4	Other toxaemias of pregnancy		1,353	114	118	119	133	132	107	106	104	122	108	79	111
Y32·5	Infection (ante- and intra-partum)		40	2	6	9	3	3	1	4	2	2	2	3	3
	0 Urinary infection		5	-	2	1	-	1	-	-	1	-	-	-	-
	1 Others		35	2	4	8	3	2	1	4	1	2	2	3	3
Y33	**Absorption of toxic substance from mother**		1	-	-	-	-	-	-	1	-	-	-	-	-
Y33·0	Narcotic		-	-	-	-	-	-	-	-	-	-	-	-	-
Y33·1	Quinine		-	-	-	-	-	-	-	-	-	-	-	-	-
Y33·2	Other toxic substance		1	-	-	-	-	-	-	1	-	-	-	-	-
Y34	**Difficulties in labour**		766	63	57	69	73	69	49	70	58	59	75	54	70
Y34·0	Difficult labour with abnormality of bones of pelvis		3	-	-	-	-	-	-	1	1	-	-	1	-
Y34·1	Difficult labour with disproportion, but no mention of abnormality, of pelvis		287	26	13	29	33	31	17	23	16	29	25	16	29
Y34·2	Difficult labour with malposition of foetus		343	22	33	28	24	25	25	37	30	24	37	26	32
Y34·3	Difficult labour with abnormality of forces of labour		58	6	5	3	8	7	4	3	7	3	4	5	3
Y34·4	Difficult labour with operative delivery		14	3	2	1	1	1	-	1	1	1	3	-	-
Y34·5	Difficult labour with abnormality of organs or tissues of pelvis		24	3	2	2	2	2	2	4	1	-	2	2	2
Y34·6	Difficult labour without mention of underlying condition		37	3	2	6	5	3	1	1	2	2	4	4	4
Y35	**Other causes in mother**		40	4	4	5	3	5	-	3	1	6	3	4	2
Y35·0	Fall		10	1	-	1	1	-	-	1	-	3	2	1	-
Y35·1	Other accident or violence		13	2	2	-	1	4	-	1	-	3	-	-	-
Y35·2	Overexertion		-	-	-	-	-	-	-	-	-	-	-	-	-
Y35·3	Other and ill-defined causes in mother		17	1	2	4	1	1	-	1	1	-	1	3	2
Y36	**Placental and cord conditions**		4,049	378	333	366	327	343	323	332	325	332	325	326	339
Y36·0	Cord condition without mention of placental abnormality		1,003	96	105	85	81	91	82	91	79	79	70	67	77
	0 Pressure on cord, compression of cord, strangulation of cord, thrombosis of cord		151	10	16	11	16	20	7	10	13	16	11	12	9
	1 Prolapse of cord		262	26	28	24	22	19	24	34	24	13	12	12	24
	2 Others		590	60	61	50	43	52	51	47	42	50	47	43	44
Y36·1	Placenta praevia		120	11	9	9	8	17	10	10	7	10	12	11	6
Y36·2	Premature separation of normally implanted placenta		1,211	107	101	114	95	117	76	94	102	100	99	96	110
Y36·3	Placenta praevia with cord abnormality		2	-	-	-	1	-	-	-	1	-	-	-	-
Y36·4	Premature separation of normally implanted placenta with cord abnormality		9	2	-	2	2	-	1	-	1	-	-	1	-
Y36·5	Placental infarct		214	16	18	15	12	16	20	15	19	21	23	26	13
Y36·6	Other abnormality of placenta and cord		1,490	146	100	141	128	102	134	122	116	122	121	125	133
Y37	**Birth injury**		197	14	14	27	14	18	11	12	25	19	18	9	16
Y37·0	Birth injury with abnormality of bones of pelvis		3	-	1	-	-	-	1	-	1	-	-	-	-
Y37·1	Birth injury with abnormality of organs or tissues of pelvis		2	-	-	-	-	-	-	-	1	-	1	-	-
Y37·2	Birth injury with disproportion but no mention of abnormality of pelvis		10	1	1	2	-	-	-	3	1	-	1	-	1
Y37·3	Birth injury with malposition of foetus		46	4	3	5	2	5	3	3	6	6	4	1	4

TABLE 23C - *continued*

ICD No.	Cause	Total	Month of occurrence											
			Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Y37·4	Birth injury with abnormality of forces of labour	18	1	2	1	-	-	3	1	2	1	2	2	3
Y37·5	Operation causing mutilation of foetus	1	-	-	-	-	-	-	-	1	-	-	-	-
Y37·6	Other operation for delivery	9	1	-	1	2	-	-	-	1	2	1	1	-
Y37·7	Birth injury with difficult labour but without mention of underlying condition	3	-	-	-	-	-	-	-	1	-	-	2	-
Y37·8	Birth injury due to other or unspecified cause	105	7	7	18	10	13	4	5	11	10	9	3	8
Y38	**Congenital malformation of foetus**	**2,321**	**221**	**194**	**217**	**221**	**195**	**162**	**198**	**156**	**190**	**168**	**205**	**194**
Y38·0	Anencephalus	1,314	129	115	114	138	97	94	106	96	107	90	120	108
	0 With mention of spina bifida or synonym	157	14	14	16	19	7	11	14	8	13	14	13	14
	1 Without mention of spina bifida or synonym	1,157	115	101	98	119	90	83	92	88	94	76	107	94
Y38·1	Hydrocephalus	332	31	33	30	27	38	17	32	22	27	21	25	29
Y38·2	Spina bifida	261	25	20	24	27	20	25	24	15	25	13	22	21
	0 With mention of hydrocephalus	184	19	13	17	24	12	20	16	13	15	9	13	13
	1 Without mention of hydrocephalus	77	6	7	7	3	8	5	8	2	10	4	9	8
Y38·3	Other malformation of the central nervous system	85	4	8	13	10	5	6	7	3	4	8	10	7
	0 Mongolism	10	-	1	2	3	1	1	-	-	-	1	1	-
	1 Microcephaly	22	-	2	2	2	1	1	4	1	2	2	3	2
	2 Others	53	4	5	9	5	3	4	3	2	2	5	6	5
Y38·4	Malformation of the cardiovascular system	72	5	5	8	5	3	2	6	2	10	14	4	8
	0 Tetralogy of Fallot	-	-	-	-	-	-	-	-	-	-	-	-	-
	1 Patent ductus arteriosus	10	-	-	-	1	-	-	1	1	3	1	-	3
	2 Interventricular septal defect	14	1	1	3	1	-	-	2	-	2	2	1	1
	3 Interauricular septal defect	10	2	-	-	1	1	-	-	-	3	2	1	-
	4 Fibroelastosis cordis	2	-	1	-	-	-	-	-	-	-	1	-	-
	5 Other malformations of heart	27	2	-	3	2	2	1	1	1	2	8	2	3
	6 Coarctation of aorta	-	-	-	-	-	-	-	-	-	-	-	-	-
	7 Other circulatory malformations	9	-	3	2	-	-	1	2	-	-	-	-	1
Y38·5	Malformation of other specified system or part	152	21	9	17	10	14	12	16	8	14	12	12	7
	0 Digestive system	16	2	-	1	-	2	-	4	2	-	2	1	2
	1 Genito-urinary system	44	4	3	6	1	5	4	3	2	9	3	3	1
	2 Dwarf	10	2	1	2	1	1	2	-	1	-	-	-	-
	3 Other skeletal	21	2	2	4	2	1	1	4	-	-	2	2	1
	4 Respiratory system	9	3	1	1	-	1	-	-	1	-	1	-	1
	5 Skin	-	-	-	-	-	-	-	-	-	-	-	-	-
	6 Muscle	7	3	1	-	2	-	-	-	1	-	-	-	-
	7 Others	45	5	1	3	4	4	5	5	1	5	4	6	2
Y38·6	Monster	22	2	1	4	2	5	-	1	1	1	1	2	2
	0 Double monster	8	2	1	3	-	1	-	-	-	1	-	-	-
	1 Monster N.O.S.	1	-	-	-	-	-	-	-	-	-	-	1	-
	2 Others	13	-	-	1	2	4	-	1	1	-	1	1	2
Y38·7	Other and unspecified malformations	83	4	3	7	2	13	6	6	9	2	9	10	12
Y39	**Diseases of foetus, and ill-defined causes**	2,818	259	245	240	249	243	238	213	193	249	235	230	224
Y39·0	Syphilis	-	-	-	-	-	-	-	-	-	-	-	-	-
Y39·1	Infection other than syphilis	17	-	-	-	1	2	-	2	2	6	2	2	-
Y39·2	Erythroblastosis	536	49	40	36	45	52	44	49	45	45	43	47	41
Y39·3	Other cause originated in the foetus	24	4	3	1	1	1	1	1	4	3	2	2	1
Y39·4	Maceration, cause not specified	786	74	69	77	76	65	74	59	53	57	68	55	59
Y39·5	Other ill-defined cause	836	73	64	60	79	85	68	48	56	88	75	74	66
	0 Asphyxia	399	40	38	28	42	35	29	21	23	46	33	31	33
	1 Atelectasis	84	7	8	6	8	9	11	8	5	6	5	6	5
	2 Post-maturity	76	4	-	5	13	6	8	4	10	5	9	8	4
	3 Prematurity	165	14	13	14	10	16	11	11	10	16	14	18	18
	4 Others	112	8	5	7	6	19	9	4	8	15	14	11	6
Y39·6	Cause unspecified	619	59	69	66	47	38	51	54	33	50	45	50	57
Total live and still births	M	434,421	37,143	35,364	40,728	37,114	38,426	35,953	36,407	35,307	35,452	34,867	32,705	34,955
	F	410,271	34,950	33,593	38,093	35,129	36,393	33,855	34,353	33,722	33,649	32,930	30,940	32,664
	P	844,692	72,093	68,957	78,821	72,243	74,819	69,808	70,760	69,029	69,101	67,797	63,645	67,619

Stillbirths per 1,000 total births

Y30-Y39	**All causes**	M	15·0	16·2	14·9	14·7	15·1	14·5	14·5	13·3	14·5	15·8	16·2	15·2	15·2
		F	14·6	15·1	15·9	14·6	15·2	14·4	13·0	15·0	12·7	14·8	14·2	15·6	15·2
		P	14·8	15·7	15·4	14·6	15·2	14·4	13·8	14·2	13·6	15·3	15·2	15·4	15·2
Y30-Y35	**Maternal conditions**		3·7	3·6	4·0	3·9	3·9	3·8	3·3	3·5	3·5	3·9	4·2	3·3	3·8
Y30.2	Diabetes		0·2	0·2	0·2	0·2	0·2	0·1	0·1	0·1	0·2	0·1	0·2	0·2	0·1
Y30.3	Circulatory		0·2	0·2	0·3	0·4	0·2	0·2	0·3	0·1	0·2	0·3	0·3	0·2	0·2
Y32	Diseases of pregnancy		2·3	2·2	2·6	2·3	2·4	2·4	2·0	2·1	2·2	2·5	2·5	1·9	2·3
Y32.2	Haemorrhage N.E.C.		0·6	0·5	0·7	0·7	0·5	0·5	0·4	0·5	0·6	0·6	0·8	0·5	0·6
Y32.4	Other toxaemia		1·6	1·6	1·7	1·5	1·8	1·8	1·5	1·5	1·5	1·8	1·6	1·2	1·6
Y34	Difficulties in labour		0·9	0·9	0·8	0·9	1·0	0·9	0·7	1·0	0·8	0·9	1·1	0·8	1·0
Y34.2	Malposition		0·4	0·3	0·5	0·4	0·3	0·3	0·4	0·5	0·4	0·3	0·5	0·4	0·5
Y34.3	Abnormal forces		0·1	0·1	0·1	0·0	0·1	0·1	0·1	0·0	0·1	0·0	0·1	0·1	0·0
Y36	**Placental and cord conditions**		4·8	5·2	4·8	4·6	4·5	4·6	4·6	4·7	4·7	4·8	4·8	5·1	5·0
Y36.1	Placenta praevia		0·1	0·2	0·1	0·1	0·1	0·2	0·1	0·1	0·1	0·1	0·2	0·2	0·1
Y36.2	Placenta and placental separation		1·4	1·5	1·5	1·4	1·3	1·6	1·1	1·3	1·5	1·4	1·5	1·5	1·6
Y36.5	Placental infarct		0·3	0·2	0·3	0·2	0·2	0·2	0·3	0·2	0·3	0·3	0·3	0·4	0·2
Y37-Y39	**Foetal conditions**		6·3	6·9	6·6	6·1	6·7	6·1	5·9	6·0	5·4	6·6	6·2	7·0	6·4
Y37	Birth injury		0·2	0·2	0·2	0·3	0·2	0·2	0·2	0·2	0·4	0·3	0·3	0·1	0·2
Y38	Congenital malformation		2·7	3·1	2·8	2·8	3·1	2·6	2·3	2·3	2·3	2·7	2·5	3·2	2·9
Y38.0	Anencephalus		1·6	1·8	1·7	1·4	1·9	1·3	1·3	1·5	1·4	1·5	1·3	1·9	1·6
Y38.1	Hydrocephalus		0·4	0·4	0·5	0·4	0·4	0·5	0·2	0·5	0·3	0·4	0·3	0·4	0·4
Y38.2	Spina bifida		0·3	0·3	0·3	0·3	0·4	0·3	0·4	0·3	0·2	0·4	0·2	0·3	0·3
Y39	Other and ill-defined causes		3·3	3·6	3·6	3·0	3·4	3·2	3·4	3·0	2·8	3·6	3·5	3·6	3·3
Y39.2	Erythroblastosis		0·6	0·7	0·6	0·5	0·6	0·7	0·6	0·7	0·7	0·7	0·6	0·7	0·6
Y39.6	Unspecified		0·7	0·8	1·0	0·8	0·7	0·5	0·7	0·8	0·5	0·7	0·7	0·8	0·8

TABLE 23D. Stillbirths by cause and area of residence of mother (with, for certain selected causes, rates per 1,000 total births), **1967**

England and Wales, regions, Wales, urban and rural aggregates, and hospital regions

ICD No.	Cause		England and Wales	Regions									Urban/Rural aggregates				
														Areas outside conurbations			
				Northern	Yorkshire and Humberside	North Western	East Midland	West Midland	East Anglia	South Eastern	South Western	Wales	Conurbations	Urban areas with population of 100,000 and over	Urban areas with population of 150,000 and under 100,000	Urban areas with populations under 50,000	Rural districts
Y30-Y39	**ALL CAUSES**	M	6,520	445	720	1,083	476	803	173	1,999	440	381	2,383	866	622	1,407	1,242
		F	6,008	474	618	929	451	728	155	1,853	414	386	2,094	812	645	1,258	1,199
		P	12,528	919	1,338	2,012	927	1,531	328	3,852	854	767	4,477	1,678	1,267	2,665	2,441
Y30	**Chronic disease in mother**		386	26	33	48	30	50	17	122	27	33	147	53	41	79	66
Y30·0	Syphilis		1	-	-	-	-	-	-	1	-	-	1	-	-	-	-
Y30·1	Tuberculosis (any form)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y30·2	Diabetes mellitus		131	12	6	22	9	21	7	34	10	10	46	16	10	34	25
Y30·3	Chronic disease of circulatory system		210	11	24	24	16	25	6	68	15	21	80	32	25	37	36
Y30·4	Chronic disease of genito-urinary system		17	1	1	1	2	3	2	5	1	1	7	3	2	3	2
Y30·5	Other chronic disease		27	2	2	1	3	1	2	14	1	1	13	2	4	5	3
Y31	**Acute disease in mother**		22	1	1	3	1	2	1	12	-	1	7	3	4	3	5
Y31·0	Typhoid fever		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y31·1	Influenza		2	1	-	-	-	-	-	1	-	-	-	-	-	1	1
Y31·2	Pneumonia (any form)		4	-	-	1	-	-	-	3	-	-	1	-	1	2	-
Y31·3	Other acute respiratory disease		2	-	-	-	-	1	-	1	-	-	1	-	-	-	1
Y31·4	Other acute disease or condition		14	-	1	2	1	1	1	7	-	1	5	3	3	-	3
	0 Rubella		4	-	1	1	-	-	-	2	-	-	-	1	1	-	2
	1 Other virus diseases		2	-	-	1	-	-	-	1	-	-	2	-	-	-	-
	2 Others		8	-	-	-	1	1	1	4	-	1	3	2	2	-	1
Y32	**Diseases and conditions of pregnancy and childbirth**		1,928	136	168	283	138	295	55	591	136	126	699	257	190	417	365
Y32·0	Pregnancy interrupted by self or other person for non-therapeutic purposes		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y32·1	Ectopic gestation		1	-	-	-	-	-	-	1	-	-	-	1	-	-	-
Y32·2	Haemorrhage without mention of placental condition		482	26	43	77	37	52	9	166	39	33	193	70	49	89	81
Y32·3	Toxaemia with convulsions during pregnancy or labour (eclampsia)		52	3	5	5	5	13	-	12	7	2	19	3	7	11	12
Y32·4	Other toxaemias of pregnancy		1,353	103	117	196	93	223	45	400	86	90	474	177	130	308	264
Y32·5	Infection (ante- and intra-partum)		40	4	3	5	3	7	1	12	4	1	13	6	4	9	8
	0 Urinary infection		5	-	-	-	1	2	1	1	-	-	2	2	-	-	1
	1 Others		35	4	3	5	2	5	-	11	4	1	11	4	4	9	7
Y33	**Absorption of toxic substance from mother**		1	-	-	-	-	-	-	-	-	1	-	-	-	1	-
Y33·0	Narcotic		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y33·1	Quinine		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y33·2	Other toxic substance		1	-	-	-	-	-	-	-	-	1	-	-	-	1	-
Y34	**Difficulties in labour**		766	61	89	96	68	108	25	217	49	53	276	99	78	162	151
Y34·0	Difficult labour with abnormality of bones of pelvis		3	-	-	-	-	1	-	2	-	-	1	-	-	-	2
Y34·1	Difficult labour with disproportion, but no mention of abnormality, of pelvis		287	24	31	35	29	42	8	79	19	20	96	42	30	59	60
Y34·2	Difficult labour with malposition of foetus		343	27	39	46	31	45	12	97	19	27	124	47	33	69	70
Y34·3	Difficult labour with abnormality of forces of labour		58	4	13	5	2	9	4	18	2	1	22	5	9	12	10
Y34·4	Difficult labour with operative delivery		14	2	-	2	-	2	-	6	2	-	4	1	1	7	1
Y34·5	Difficult labour with abnormality of organs or tissues of pelvis		24	1	1	2	2	6	1	7	2	2	13	2	3	4	2
Y34·6	Difficult labour without mention of underlying condition		37	3	5	6	4	3	-	8	5	3	16	2	2	11	6
Y35	**Other causes in mother**		40	3	4	11	5	3	2	6	4	2	11	4	3	7	15
Y35·0	Fall		10	-	1	5	1	1	-	1	1	-	5	1	1	1	2
Y35·1	Other accident or violence		13	2	2	3	-	2	-	1	3	-	3	1	1	3	5
Y35·2	Overexertion		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y35·3	Other and ill-defined causes in mother		17	1	1	3	4	-	2	4	-	2	3	2	1	3	8
Y36	**Placental and cord conditions**		4,049	297	495	617	298	444	112	1,273	283	230	1,457	533	399	848	812
Y36·0	Cord condition without mention of placental abnormality		1,003	57	110	156	66	114	33	328	72	67	327	111	106	252	207
	0 Pressure on cord, compression of cord, strangulation of cord, thrombosis of cord		151	9	19	22	13	18	3	45	13	9	43	20	19	39	30
	1 Prolapse of cord		262	16	25	37	18	35	10	86	20	15	89	32	31	64	46
	2 Others		590	32	66	97	35	61	20	197	39	43	195	59	56	149	131
Y36·1	Placenta praevia		120	14	11	24	11	9	2	34	8	7	41	17	15	21	26
Y36·2	Premature separation of normally implanted placenta		1,211	96	148	233	84	126	26	369	78	51	468	171	123	234	215

TABLE 23D - *continued*

ICD No.	Cause	England and Wales	Regions								Urban/Rural aggregates				
											Areas outside conurbations				
			Northern	Yorkshire and Humberside	North Western	East Midland	West Midland	East Anglia	South Eastern	South Western	Wales	Conurbations	Urban areas with population of 100,000 and over	Urban areas with population of 150,000 and under 100,000	Urban areas with population under 50,000	Rural districts
Y36·3	Placenta praevia with cord abnormality	2	-	1	-	-	-	-	-	1	-	1	-	-	-	1
Y36·4	Premature separation of normally implanted placenta with cord abnormality	9	-	-	1	-	1	-	5	1	1	2	1	2	3	1
Y36·5	Placental infarct	214	25	16	20	11	35	9	59	25	14	72	16	21	60	45
Y36·6	Other abnormality of placenta and cord	1,490	105	209	183	126	159	42	478	98	90	546	217	132	278	317
Y37	**Birth injury**	**197**	**11**	**18**	**32**	**18**	**34**	**7**	**53**	**15**	**9**	**57**	**32**	**28**	**47**	**33**
Y37·0	Birth injury with abnormality of bones of pelvis	3	-	-	-	1	1	1	-	-	-	1	-	-	1	1
Y37·1	Birth injury with abnormality of organs or tissues of pelvis	2	-	-	-	-	-	-	1	1	-	-	-	2	-	-
Y37·2	Birth injury with disproportion but no mention of abnormality of pelvis	10	-	2	1	2	1	-	2	2	-	2	2	2	3	1
Y37·3	Birth injury with malposition of foetus	46	3	2	5	7	10	-	15	3	1	17	5	5	5	14
Y37·4	Birth injury with abnormality of forces of labour	18	-	4	2	1	4	1	4	-	2	4	2	1	10	1
Y37·5	Operation causing mutilation of foetus	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-
Y37·6	Other operation for delivery	9	2	-	3	1	-	-	2	1	-	4	2	-	2	1
Y37·7	Birth injury with difficult labour but without mention of underlying condition	3	-	1	-	-	-	-	2	-	-	-	-	1	2	-
Y37·8	Birth injury due to other or unspecified cause	105	6	9	21	6	18	5	26	8	6	29	21	17	23	15
Y38	**Congenital malformation of foetus**	**2,321**	**181**	**246**	**408**	**178**	**235**	**53**	**687**	**164**	**169**	**771**	**316**	**260**	**500**	**474**
Y38·0	Anencephalus	1,314	103	125	257	100	133	27	374	91	104	440	173	150	279	272
	0 With mention of spina bifida or synonym	157	10	15	36	8	6	5	43	15	19	49	26	16	33	33
	1 Without mention of spina bifida or synonym	1,157	93	110	221	92	127	22	331	76	85	391	147	134	246	239
Y38·1	Hydrocephalus	332	31	48	58	27	22	10	98	20	18	109	33	36	84	70
Y38·2	Spina bifida	261	20	29	42	22	29	8	65	21	25	74	45	30	64	48
	0 With mention of hydrocephalus	184	14	22	28	15	19	5	49	13	19	49	32	21	49	33
	1 Without mention of hydrocephalus	77	6	7	14	7	10	3	16	8	6	25	13	9	15	15
Y38·3	Other malformation of the central nervous system	85	8	4	13	9	11	1	26	5	8	32	10	8	15	20
	0 Mongolism	10	2	1	1	2	1	-	1	-	2	3	-	-	3	4
	1 Microcephaly	22	1	1	3	2	3	1	8	1	2	9	2	4	1	6
	2 Others	53	5	2	9	5	7	-	17	4	4	20	8	4	11	10
Y38·4	Malformation of the cardiovascular system	72	3	14	9	6	11	1	19	6	3	24	11	10	10	17
	0 Tetralogy of Fallot	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1 Patent ductus arteriosus	10	-	5	-	-	2	-	3	-	-	5	-	1	3	1
	2 Interventricular septal defect	14	2	2	3	1	2	1	2	1	-	3	5	2	-	4
	3 Interauricular septal defect	10	-	1	2	-	1	-	4	2	-	3	3	2	1	1
	4 Fibroelastosis cordis	2	-	-	-	1	-	-	1	-	-	1	-	-	-	1
	5 Other malformations of heart	27	1	4	3	3	3	-	8	2	3	11	1	3	5	7
	6 Coarctation of aorta	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7 Other circulatory malformations	9	-	2	1	1	3	-	1	1	-	1	2	2	1	3
Y38·5	Malformation of other specified system or part	152	10	14	17	7	17	5	62	12	8	50	23	17	32	30
	0 Digestive system	16	1	-	5	1	2	-	3	3	1	5	3	1	6	1
	1 Genito-urinary system	44	4	5	1	3	6	1	18	5	1	18	6	2	8	10
	2 Dwarf	10	-	1	1	1	2	-	3	1	1	2	4	-	3	1
	3 Other skeletal	21	2	1	2	-	2	1	10	1	2	5	3	1	7	5
	4 Respiratory system	9	-	-	-	-	1	-	7	-	1	4	1	-	1	3
	5 Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6 Muscle	7	1	1	1	-	1	-	3	-	-	2	-	1	-	4
	7 Others	45	2	6	7	2	3	3	18	2	2	14	6	12	7	6
Y38·6	Monster	22	2	7	2	1	3	-	7	-	-	10	3	-	3	6
	0 Double monster	8	-	3	2	-	1	-	2	-	-	5	-	-	2	1
	1 Monster N.O.S.	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-
	2 Others	13	2	4	-	1	2	-	4	-	-	5	3	-	-	5
Y38·7	Other and unspecified malformations	83	4	5	10	6	9	1	36	9	3	32	18	9	13	11
Y39	**Diseases of foetus, and ill-defined causes**	**2,818**	**203**	**284**	**514**	**191**	**360**	**56**	**891**	**176**	**143**	**1,052**	**381**	**264**	**601**	**520**
Y39·0	Syphilis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y39·1	Infection other than syphilis	17	-	1	3	2	4	-	3	3	1	10	2	-	3	2
Y39·2	Erythroblastosis	536	47	53	91	39	64	7	170	42	23	196	78	54	111	97
Y39·3	Other cause originated in the foetus	24	2	5	3	1	2	1	6	2	2	6	2	3	8	5
Y39·4	Maceration, cause not specified	786	57	79	151	51	109	18	228	59	34	272	110	78	171	155
Y39·5	Other ill-defined cause	836	55	80	143	57	103	17	288	41	52	332	103	74	174	153
	0 Asphyxia	399	25	31	86	27	33	3	151	9	34	167	54	39	72	67
	1 Atelectasis	84	6	10	12	4	16	3	26	4	3	33	8	2	24	17
	2 Post-maturity	76	2	8	10	4	12	4	26	3	7	25	10	6	22	13
	3 Prematurity	165	14	21	21	10	25	4	48	16	6	61	13	17	38	36
	4 Others	112	8	10	14	12	17	3	37	9	2	46	18	10	18	20
Y39·6	Cause unspecified	619	42	66	123	41	78	13	196	29	31	236	86	55	134	108
Total live and still births	M	434,421	29,160	44,212	62,443	30,700	49,111	13,530	151,486	30,900	22,879	153,177	54,977	41,826	93,743	90,698
	F	410,271	27,623	41,278	58,493	28,730	46,507	13,244	143,674	29,128	21,594	144,340	52,138	39,564	88,717	85,512
	P	844,692	56,783	85,490	120,936	59,430	95,618	26,774	295,160	60,028	44,473	297,517	107,115	81,390	182,460	176,210

TABLE 23D - *continued*

ICD No.	Cause		England and Wales	Regions									Urban/Rural aggregates				
														Areas outside conurbations			
				Northern	Yorkshire and Humberside	North Western	East Midland	West Midland	East Anglia	South Eastern	South Western	Wales	Conurbations	Urban areas with population of 100,000 and over	Urban areas with population of 50,000 and under 100,000	Urban areas with populations under 50,000	Rural districts
			Stillbirths per 1,000 total births														
Y30-Y39	**All causes**	M	15·0	15·3	16·3	17·3	15·5	16·4	12·8	13·2	14·2	16·7	15·6	15·8	14·9	15·0	13·7
		F	14·6	17·2	15·0	15·9	15·7	15·7	11·7	12·9	14·2	17·9	14·5	15·6	16·3	14·2	14·0
		P	14·8	16·2	15·7	16·6	15·6	16·0	12·3	13.1	14·2	17·2	15·0	15·7	15·6	14·6	13·9
Y30-Y35	**Maternal conditions**		3·7	4·0	3·5	3·6	4·1	4·8	3·7	3,2	3·6	4·9	3·8	3·9	3·9	3·7	3·4
Y30·2	Diabetes		0·2	0·2	0·1	0·2	0·2	0·2	0·3	0·1	0·2	0·2	0·2	0·1	0·1	0·2	0·1
Y30·3	Circulatory		0·2	0·2	0·3	0·2	0·3	0·3	0·2	0·2	0·2	0·5	0·3	0·3	0·3	0·2	0·2
Y32	Diseases of pregnancy		2·3	2·4	2·0	2·3	2·3	3·1	2·1	2·0	2·3	2·8	2·3	2·4	2·3	2·3	2·1
Y32·2	Haemorrhage N.E.C.		0·6	0·5	0·5	0·6	0·6	0·5	0·3	0·6	0·6	0·7	0·6	0·7	0·6	0·5	0·5
Y32·4	Other toxaemia		1·6	1·8	1·4	1·6	1·6	2·3	1·7	1·4	1·4	2·0	1·6	1·7	1·6	1·7	1·5
Y34	Difficulties in labour		0·9	1·1	1·0	0·8	1·1	1·1	0·9	0·7	0·8	1·2	0·9	0·9	1·0	0·9	0·9
Y34·2	Malposition		0·4	0·5	0·5	0·4	0·5	0·5	0·4	0·3	0·3	0·6	0·4	0·4	0·4	0·4	0·4
Y34·3	Abnormal forces		0·1	0·1	0·2	0·0	0·0	0·1	0·1	0·1	0·0	0·0	0·1	0·0	0·1	0·1	0·1
Y36	**Placental and cord conditions**		4·8	5·2	5·8	5·1	5·0	4·6	4·2	4·3	4·7	5·2	4·9	5·0	4·9	4·6	4·6
Y36·1	Placenta praevia		0·1	0·2	0·1	0·2	0·2	0·1	0·1	0·1	0·1	0·2	0·1	0·2	0·2	0·1	0·1
Y36·2	Placenta and placental separation		1·4	1·7	1·7	1·9	1·4	1·3	1·0	1·3	1·3	1·1	1·6	1·6	1·5	1·3	1·2
Y36·5	Placental infarct		0·3	0·4	0·2	0·2	0·2	0·4	0·3	0·2	0·4	0·3	0·2	0·1	0·3	0·3	0·3
Y37-Y39	**Foetal conditions**		6·3	7·0	6·4	7·9	6·5	6·6	4·3	5·5	5·9	7·2	6·3	6·8	6·8	6·3	5·8
Y37	Birth injury		0·2	0·2	0·2	0·3	0·3	0·4	0·3	0·2	0·2	0·2	0·2	0·3	0·3	0·3	0·2
Y38	Congenital malformations		2·7	3·2	2·9	3·4	3·0	2·5	2·0	2·3	2·7	3·8	2·6	3·0	3·2	2·7	2·7
Y38·0	Anencephalus		1·6	1·8	1·5	2·1	1·7	1·4	1·0	1·3	1·5	2·3	1·5	1·6	1·8	1·5	1·5
Y38·1	Hydrocephalus		0·4	0·5	0·6	0·5	0·5	0·2	0·4	0·3	0·3	0·4	0·4	0·3	0·4	0·5	0·4
Y38·2	Spina bifida		0·3	0·4	0·3	0·3	0·4	0·3	0·3	0·2	0·3	0·6	0·2	0·4	0·4	0·4	0·3
Y39	Other ill-defined causes		3·3	3·6	3·3	4·3	3·2	3·8	2·1	3.0	2·9	3·2	3·5	3·6	3·2	3·3	3·0
Y39·2	Erythroblastosis		0·6	0·8	0·6	0·8	0·7	0·7	0·3	0·6	0·7	0·5	0·7	0·7	0·7	0·6	0·6
Y39·6	Unspecified		0·7	0·7	0·8	1·0	0·7	0·8	0·5	0·7	0·5	0·7	0·8	0·8	0·7	0·7	0·6

TABLE 23D - *continued*

ICD No.	Cause		Hospital regions													
			Newcastle	Leeds	Sheffield	East Anglia	North West Metropolitan	North East Metropolitan	South East Metropolitan	South West Metropolitan	Wessex	Oxford	South Western	Welsh	Birmingham	Manchester	Liverpool
Y30-Y39	**ALL CAUSES**	M	423	459	683	187	492	413	400	348	249	250	344	381	803	738	350
		F	453	416	616	161	446	365	369	362	225	208	342	386	728	590	341
		P	876	875	1,299	348	938	778	769	710	474	458	686	767	1,531	1,328	691
Y30	**Chronic disease in mother**		25	25	35	17	32	21	21	23	21	11	24	33	50	27	21
Y30·0	Syphilis		-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Y30·1	Tuberculosis (any form)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y30·2	Diabetes mellitus		12	3	12	7	8	9	5	5	4	5	8	10	21	12	10
Y30·3	Chronic disease of circulatory system		10	20	19	6	17	7	13	15	15	4	14	21	25	15	9
Y30·4	Chronic disease of genito-urinary system		1	-	2	2	2	1	-	1	1	1	1	1	3	-	1
Y30·5	Other chronic disease		2	2	2	2	5	4	3	1	1	1	1	1	1	-	1
Y31	**Acute disease in mother**		-	1	1	1	2	1	6	1	2	-	-	1	2	3	1
Y31·0	Typhoid fever		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y31·1	Influenza		-	-	-	-	-	-	1	-	-	-	-	-	-	1	-
Y31·2	Pneumonia (any form)		-	-	-	-	-	-	3	-	-	-	-	-	-	1	-
Y31·3	Other acute respiratory disease		-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Y31·4	Other acute disease or condition		-	1	1	1	2	1	2	1	1	-	-	1	1	1	1
	0 Rubella		-	1	-	-	1	-	-	1	-	-	-	-	-	-	1
	1 Other virus diseases		-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
	2 Others		-	-	1	1	1	-	2	-	1	-	-	1	1	-	-
Y32	**Diseases and conditions of pregnancy and childbirth**		128	116	167	59	137	114	120	113	77	85	106	126	295	201	84
Y32·0	Pregnancy interrupted by self or other person for non-therapeutic purposes		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y32·1	Ectopic gestation		-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Y32·2	Haemorrhage without mention of placental condition		26	31	44	10	37	34	24	38	20	26	30	33	52	47	30
Y32·3	Toxaemia with convulsions during pregnancy or labour (eclampsia)		2	2	7	1	4	3	2	3	1	2	5	2	13	3	2
Y32·4	Other toxaemias of pregnancy		97	82	112	47	94	75	92	68	53	54	68	90	223	149	49
Y32·5	Infection (ante- and intra-partum)		3	1	4	1	2	2	2	4	2	3	3	1	7	2	3
	0 Urinary infection		-	-	-	1	-	-	-	1	-	1	-	-	2	-	-
	1 Others		3	1	4	-	2	2	2	3	2	2	3	1	5	2	3

TABLE 23D - *continued*

ICD No.	Cause	Hospital regions														
		Newcastle	Leeds	Sheffield	East Anglia	North West Metropolitan	North East Metropolitan	South East Metropolitan	South West Metropolitan	Wessex	Oxford	South Western	Welsh	Birmingham	Manchester	Liverpool
Y33	**Absorption of toxic substance from mother**	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Y33·0	Narcotic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y33·1	Quinine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y33·2	Other toxic substance	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Y34	**Difficulties in labour**	**57**	**56**	**99**	**26**	**62**	**46**	**34**	**47**	**16**	**20**	**45**	**53**	**108**	**63**	**34**
Y34·0	Difficult labour with abnormality of bones of pelvis	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-
Y34·1	Difficult labour with disproportion, but no mention of abnormality, of pelvis	23	23	36	8	25	16	13	15	7	6	18	20	42	20	15
Y34·2	Difficult labour with malposition of foetus	25	21	49	13	27	23	15	20	6	10	16	27	45	34	12
Y34·3	Difficult labour with abnormality of forces of labour	4	7	7	4	6	1	3	5	1	3	2	1	9	3	2
Y34·4	Difficult labour with operative delivery	1	-	-	-	-	1	2	3	-	-	2	-	2	3	-
Y34·5	Difficult labour with abnormality of organs or tissues of pelvis	1	-	3	1	2	1	-	3	-	1	2	2	6	1	1
Y34·6	Difficult labour without mention of underlying condition	3	5	4	-	1	3	1	1	2	-	5	3	3	2	4
Y35	**Other causes in mother**	**1**	**2**	**8**	**2**	**3**	**1**	-	**2**	-	-	**4**	**2**	**3**	**9**	**3**
Y35·0	Fall	-	1	1	-	1	-	-	-	-	-	1	-	1	2	3
Y35·1	Other accident or violence	-	1	2	-	1	-	-	-	-	-	3	-	2	4	-
Y35·2	Overexertion	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y35·3	Other and ill-defined causes in mother	1	-	5	2	1	1	-	2	-	-	-	2	-	3	-
Y36	**Placental and cord conditions**	**286**	**315**	**462**	**121**	**282**	**290**	**243**	**239**	**176**	**130**	**213**	**230**	**444**	**375**	**243**
Y36·0	Cord condition without mention of placental abnormality	56	68	103	35	67	67	71	64	51	31	53	67	114	96	60
	0 Pressure on cord, compression of cord, strangulation of cord, thrombosis of cord	9	11	20	4	10	11	7	11	2	5	12	9	18	17	5
	1 Prolapse of cord	15	15	28	10	17	17	21	21	8	8	15	15	35	25	12
	2 Others	32	42	55	21	40	39	43	32	41	18	26	43	61	54	43
Y36·1	Placenta praevia	14	6	16	4	6	8	8	6	3	4	5	7	9	14	10
Y36·2	Premature separation of normally implanted placenta	93	97	132	28	88	87	71	62	43	39	61	51	126	132	101
Y36·3	Placenta praevia with cord abnormality	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Y36·4	Premature separation of normally implanted placenta with cord abnormality	-	-	-	-	2	-	1	2	-	-	1	1	1	-	1
Y36·5	Placental infarct	25	11	15	10	15	12	9	8	10	8	22	14	35	16	4
Y36·6	Other abnormality of placenta and cord	98	132	196	44	104	116	83	97	69	48	70	90	159	117	67
Y37	**Birth injury**	**10**	**10**	**22**	**7**	**13**	**13**	**11**	**6**	**6**	**11**	**13**	**9**	**34**	**24**	**8**
Y37·0	Birth injury with abnormality of bones of pelvis	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-
Y37·1	Birth injury with abnormality of organs or tissues of pelvis	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
Y37·2	Birth injury with disproportion but no mention of abnormality of pelvis	-	1	3	-	-	1	-	-	1	-	2	-	1	-	1
Y37·3	Birth injury with malposition of foetus	3	1	6	-	3	2	4	2	4	3	2	1	10	4	1
Y37·4	Birth injury with abnormality of forces of labour	-	1	3	1	1	2	1	-	-	1	-	2	4	1	1
Y37·5	Operation causing mutilation of foetus	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Y37·6	Other operation for delivery	2	-	1	-	1	1	-	-	-	-	1	-	-	2	1
Y37·7	Birth injury with difficult labour but without mention of underlying condition	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-
Y37·8	Birth injury due to other or unspecified cause	5	7	8	5	7	6	5	4	1	5	7	6	18	17	4
Y38	**Congenital malformation of foetus**	**172**	**164**	**246**	**55**	**162**	**124**	**143**	**129**	**85**	**92**	**137**	**169**	**235**	**254**	**154**
Y38·0	Anencephalus	99	86	131	29	89	71	76	65	49	51	74	104	133	145	112
	0 With mention of spina bifida or synonym	10	11	11	5	10	9	10	5	7	6	12	19	6	19	17
	1 Without mention of spina bifida or synonym	89	75	120	24	79	62	66	60	42	45	62	85	127	126	95
Y38·1	Hydrocephalus	28	28	46	10	21	18	23	21	7	15	17	18	22	42	16
Y38·2	Spina bifida	19	20	30	8	15	7	14	15	12	8	17	25	29	28	14
	0 With mention of hydrocephalus	13	16	20	5	9	6	9	15	7	7	11	19	19	18	10
	1 Without mention of hydrocephalus	6	4	10	3	6	1	5	-	5	1	6	6	10	10	4
Y38·3	Other malformation of the central nervous system	8	1	10	1	7	6	4	4	4	3	5	8	11	10	3
	0 Mongolism	2	-	3	-	-	-	-	-	1	-	-	2	1	1	-
	1 Microcephaly	1	1	2	1	2	3	2	-	-	1	1	2	3	3	-
	2 Others	5	-	5	-	5	3	2	4	3	2	4	4	7	6	3
Y38·4	Malformation of the cardiovascular system	2	12	7	1	4	2	3	3	6	6	3	3	11	8	1
	0 Tetralogy of Fallot	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
	1 Patent ductus arteriosus	-	5	-	-	-	-	2	1	-	-	-	-	-	-	-
	2 Interventricular septal defect	1	1	3	1	-	-	-	1	-	1	1	-	2	3	-
	3 Interauricular septal defect	-	1	-	-	-	-	-	-	5	-	1	-	1	1	1
	4 Fibroelastosis cordis	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	5 Other malformations of heart	1	4	2	-	3	2	-	1	1	3	1	3	3	3	-
	6 Coarctation of aorta	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7 Other circulatory malformations	-	1	2	-	1	-	-	-	-	1	-	-	3	1	-

TABLE 23D - *continued*

ICD No.	Cause		Newcastle	Leeds	Sheffield	East Anglia	North West Metropolitan	North East Metropolitan	South East Metropolitan	South West Metropolitan	Wessex	Oxford	South Western	Welsh	Birmingham	Manchester	Liverpool
			Hospital regions														
Y38·5	Malformation of other specified system or part		10	9	11	5	17	13	15	8	5	5	12	8	17	10	7
	0 Digestive system		1	-	1	-	-	-	1	2	-	-	3	1	2	4	1
	1 Genito-urinary system		4	3	4	1	5	4	5	2	-	3	5	1	6	-	1
	2 Dwarf		-	1	1	-	1	1	-	-	1	-	1	1	2	1	-
	3 Other skeletal		2	-	1	1	3	3	1	1	1	1	1	2	1	1	1
	4 Respiratory system		-	-	-	-	3	1	2	-	1	-	-	1	1	-	-
	5 Skin		-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	6 Muscle		1	1	-	-	-	1	2	-	-	-	-	-	1	-	1
	7 Others		2	4	4	3	5	3	4	3	2	1	2	2	3	4	3
Y38·6	Monster		2	5	3	-	-	1	1	2	-	3	-	-	3	2	-
	0 Double monster		-	3	-	-	-	-	-	1	-	1	-	-	1	2	-
	1 Monster N.O.S.		-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	2 Others		2	2	3	-	-	1	1	-	-	2	-	-	2	-	-
Y38·7	Other and unspecified malformations		4	3	8	1	9	6	7	11	2	1	9	3	9	9	1
Y39	**Diseases of foetus, and ill-defined causes**		**197**	**186**	**259**	**60**	**245**	**168**	**191**	**150**	**91**	**109**	**144**	**143**	**360**	**372**	**143**
Y39·0	Syphilis		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y39·1	Infection other than syphilis		-	1	1	-	3	-	-	-	-	1	3	1	4	2	1
Y39·2	Erythroblastosis		45	25	60	7	47	32	36	28	18	21	38	23	64	66	26
Y39·3	Other cause originated in the foetus		2	4	2	1	2	-	-	2	1	1	2	2	2	3	-
Y39·4	Maceration, cause not specified		56	56	65	18	61	32	47	47	31	35	44	34	109	117	34
Y39·5	Other ill-defined cause		53	52	79	19	77	63	58	48	28	26	35	52	103	91	52
	0 Asphyxia		25	17	37	4	42	35	22	24	15	18	7	34	33	47	39
	1 Atelectasis		5	8	7	3	6	8	8	2	2	-	4	3	16	10	2
	2 Post-maturity		2	5	6	5	7	3	7	5	2	2	3	7	12	7	3
	3 Prematurity		14	12	17	4	14	7	13	10	5	3	14	6	25	18	3
	4 Others		7	10	12	3	8	10	8	7	4	3	7	2	17	9	5
Y39·6	Cause unspecified		41	48	52	15	55	41	50	25	13	25	22	31	78	93	30
Total live and still births		M	25,724	29,245	42,789	14,238	38,825	29,488	29,034	28,406	16,698	17,816	25,787	22,879	49,111	41,742	21,118
		F	27,247	27,241	40,009	13,862	37,154	27,966	27,131	27,118	15,951	16,908	24,201	21,594	46,507	39,319	19,586
		P	52,971	56,486	82,789	28,100	75,979	57,454	56,165	55,524	32,649	37,724	49,988	44,473	95,618	81,061	40,702

Stillbirths per 1,000 total births

Y30-Y39	**All causes**	M	15·5	15·7	16·0	13·1	12·7	14·0	13·8	12·3	14·9	14·0	13·3	16·7	16·4	17·7	16·6
		F	17·6	15·3	15·4	11·6	12·0	13·1	13·6	13·3	14·1	12·3	14·1	17·9	15·7	15·0	17·4
		P	16·5	15·5	15·7	12·4	12·3	13·5	13·7	12·8	14·5	13·2	13·7	17·2	16·0	16·4	17·0
Y30-Y35	**Maternal conditions**		**4·0**	**3·5**	**3·7**	**3·7**	**3·1**	**3·2**	**3·2**	**3·3**	**3·6**	**3·3**	**3·6**	**4·9**	**4·8**	**3·7**	**3·5**
Y30·2	Diabetes		0·2	0·1	0·1	0·2	0·1	0·2	0·1	0·1	0·1	0·1	0·2	0·2	0·2	0·1	0·2
Y30·3	Circulatory		0·2	0·4	0·2	0·2	0·2	0·1	0·2	0·3	0·5	0·1	0·3	0·5	0·3	0·2	0·2
Y32	Diseases of pregnancy		2·4	2·1	2·0	2·1	1·8	2·0	2·1	2·0	2·4	2·4	2·1	2·8	3·1	2·5	2·1
Y32·2	Haemorrhage N.E.C.		0·5	0·5	0·5	0·4	0·5	0·6	0·4	0·7	0·6	0·7	0·6	0·7	0·5	0·6	0·7
Y32·4	Other toxaemia		1·8	1·5	1·4	1·7	1·2	1·3	1·6	1·2	1·6	1·6	1·4	2·0	2·3	1·8	1·2
Y34	Difficulties in labour		1·1	1·0	1·2	0·9	0·8	0·8	0·6	0·8	0·5	0·6	0·9	1·2	1·1	0·8	0·8
Y34·2	Malposition		0·5	0·4	0·6	0·5	0·4	0·4	0·3	0·4	0·2	0·3	0·3	0·6	0·5	0·4	0·3
Y34·3	Abnormal forces		0·1	0·1	0·1	0·1	0·1	0·0	0·1	0·1	0·0	0·1	0·0	0·0	0·1	0·0	0·0
Y36	**Placental and cord conditions**		**5·4**	**5·6**	**5·6**	**4·3**	**3·7**	**5·0**	**4·3**	**4·3**	**5·4**	**3·7**	**4·3**	**5·2**	**4·6**	**4·6**	**6·0**
Y36·1	Placenta praevia		0·3	0·1	0·2	0·1	0·1	0·1	0·1	0·1	0·1	0·1	0·1	0·2	0·1	0·2	0·2
Y36·2	Placenta and placental separation		1·8	1·7	1·6	1·0	1·2	1·5	1·3	1·1	1·3	1·1	1·2	1·1	1·3	1·6	2·5
Y36·5	Placental infarct		0·5	0·2	0·2	0·4	0·2	0·2	0·2	0·1	0·3	0·2	0·4	0·3	0·4	0·2	0·1
Y37-Y39	**Foetal conditions**		**7·2**	**6·4**	**6·4**	**4·3**	**5·5**	**5·3**	**6·1**	**5·1**	**5·6**	**6·1**	**5·9**	**7·2**	**6·6**	**8·0**	**7·5**
Y37	Birth injury		0·2	0·2	0·3	0·2	0·2	0·2	0·2	0·1	0·2	0·3	0·3	0·2	0·4	0·3	0·2
Y38	Congenital malformations		3·2	2·9	3·0	2·0	2·1	2·2	2·5	2·3	2·6	2·6	2·7	3·8	2·5	3·1	3·8
Y38·0	Anencephalus		1·9	1·5	1·6	1·0	1·2	1·2	1·4	1·2	1·5	1·5	1·5	2·3	1·4	1·8	2·8
Y38·1	Hydrocephalus		0·5	0·5	0·6	0·4	0·3	0·3	0·4	0·4	0·2	0·4	0·3	0·4	0·2	0·5	0·4
Y38·2	Spina bifida		0·4	0·4	0·4	0·3	0·2	0·1	0·2	0·3	0·4	0·2	0·3	0·6	0·3	0·3	0·3
Y39	Other ill-defined causes		3·7	3·3	3·1	2·1	3·2	2·9	3·4	2·7	2·8	3·1	2·9	3·2	3·8	4·6	3·5
Y39·2	Erythroblastosis		0·8	0·4	0·7	0·2	0·6	0·6	0·6	0·5	0·6	0·6	0·8	0·5	0·7	0·8	0·6
Y39·6	Unspecified		0·8	0·8	0·6	0·5	0·7	0·7	0·9	0·5	0·4	0·7	0·4	0·7	0·8	1·1	0·7

TABLE 23E. Stillbirths by cause and length of gestation, **1967** — England and Wales

ICD No.	Cause		Total	Duration of pregnancy (weeks) 28-29	30-31	32-33	34-35	36-37	38-39	40	41-42	43+	Not stated
		M	6,520	357	549	691	745	1,046	1,030	1,139	587	94	282
Y30-Y39	**ALL CAUSES**	F	6,008	312	475	654	733	969	902	1,083	522	96	262
		P	12,528	669	1,024	1,345	1,478	2,015	1,932	2,222	1,109	190	544
Y30	**Chronic disease in mother**		386	23	34	46	68	86	71	28	14	1	15
Y30·0	Syphilis		1	1	-	-	-	-	-	-	-	-	-
Y30·1	Tuberculosis (any form)		-	-	-	-	-	-	-	-	-	-	-
Y30·2	Diabetes mellitus		131	3	11	17	23	41	16	10	3	-	7
Y30·3	Chronic disease of circulatory system		210	18	16	20	38	41	48	16	9	-	4
Y30·4	Chronic disease of genito-urinary system		17	1	3	6	3	2	2	-	-	-	-
Y30·5	Other chronic disease		27	-	4	3	4	2	5	2	2	1	4
Y31	**Acute disease in mother**		22	4	-	1	1	6	5	4	1	-	-
Y31·0	Typhoid fever		-	-	-	-	-	-	-	-	-	-	-
Y31·1	Influenza		2	2	-	-	-	-	-	-	-	-	-
Y31·2	Pneumonia (any form)		4	-	-	-	-	1	1	2	-	-	-
Y31·3	Other acute respiratory disease		2	-	-	-	-	1	1	-	-	-	-
Y31·4	Other acute disease or condition		14	2	-	1	1	4	3	2	1	-	-
	0 Rubella		4	-	-	-	-	2	1	1	-	-	-
	1 Other virus diseases		2	1	-	-	-	1	-	-	-	-	-
	2 Others		8	1	-	1	1	1	2	1	1	-	-
Y32	**Diseases and conditions of pregnancy and childbirth**		1,928	136	202	262	272	370	294	217	89	16	70
Y32·0	Pregnancy interrupted by self or other person for non-therapeutic purposes		-	-	-	-	-	-	-	-	-	-	-
Y32·1	Ectopic gestation		1	-	-	-	-	1	-	-	-	-	-
Y32·2	Haemorrhage without mention of placental condition		482	55	62	89	56	61	77	46	14	4	18
Y32·3	Toxaemia with convulsions during pregnancy or labour (eclampsia)		52	5	6	5	12	10	7	2	1	-	4
Y32·4	Other toxaemias of pregnancy		1,353	73	129	168	203	294	202	158	67	11	48
Y32·5	Infection (ante- and intra-partum)		40	3	5	-	1	4	8	11	7	1	-
	0 Urinary infection		5	-	1	-	-	-	2	1	1	-	-
	1 Others		35	3	4	-	1	4	6	10	6	1	-
Y33	**Absorption of toxic substance from mother**		1	-	-	-	-	-	1	-	-	-	-
Y33·0	Narcotic		-	-	-	-	-	-	-	-	-	-	-
Y33·1	Quinine		-	-	-	-	-	-	-	-	-	-	-
Y33·2	Other toxic substance		1	-	-	-	-	-	1	-	-	-	-
Y34	**Difficulties in labour**		766	53	52	55	47	70	122	224	96	9	38
Y34·0	Difficult labour with abnormality of bones of pelvis		3	-	-	-	-	1	1	-	1	-	-
Y34·1	Difficult labour with disproportion, but no mention of abnormality, of pelvis		287	29	26	26	20	30	49	64	30	1	12
Y34·2	Difficult labour with malposition of foetus		343	21	18	26	24	29	49	110	44	4	18
Y34·3	Difficult labour with abnormality of forces of labour		58	1	3	-	-	4	9	26	10	1	4
Y34·4	Difficult labour with operative delivery		14	-	-	-	-	1	3	6	2	2	-
Y34·5	Difficult labour with abnormality of organs or tissues of pelvis		24	2	4	3	2	3	4	4	1	-	1
Y34·6	Difficult labour without mention of underlying condition		37	-	1	-	1	2	7	14	8	1	3
Y35	**Other causes in mother**		40	1	6	7	4	6	8	3	2	-	3
Y35·0	Fall		10	-	1	2	1	2	3	-	-	-	1
Y35·1	Other accident or violence		13	1	3	1	2	2	3	-	-	-	1
Y35·2	Overexertion		-	-	-	-	-	-	-	-	-	-	-
Y35·3	Other and ill-defined causes in mother		17	-	2	4	1	2	2	3	2	-	1
Y36	**Placental and cord conditions**		4,049	178	264	367	408	631	661	839	462	70	169
Y36·0	Cord condition without mention of placental abnormality		1,003	29	27	43	57	93	187	340	168	18	41
	0 Pressure on cord, compression of cord, strangulation of cord, thrombosis of cord		151	-	1	6	6	5	37	58	31	2	5
	1 Prolapse of cord		262	22	11	13	14	28	33	88	38	6	9
	2 Others		590	7	15	24	37	60	117	194	99	10	27
Y36·1	Placenta praevia		120	12	27	14	20	13	14	11	6	-	3

TABLE 23E - *continued*

ICD No.	Cause	Total	Duration of pregnancy (weeks) 28-29	30-31	32-33	34-35	36-37	38-39	40	41-42	43+	Not stated
Y36·2	Premature separation of normally implanted placenta	1,211	87	105	192	180	250	168	141	34	5	49
Y36·3	Placenta praevia with cord abnormality	2	-	-	1	-	1	-	-	-	-	-
Y36·4	Premature separation of normally implanted placenta with cord abnormality	9	-	-	1	1	1	2	3	-	-	1
Y36·5	Placental infarct	214	9	10	12	24	39	42	38	29	4	7
Y36·6	Other abnormality of placenta and cord	1,490	41	95	104	126	234	248	306	225	43	68
Y37	**Birth injury**	197	3	4	7	5	20	29	77	35	3	14
Y37·0	Birth injury with abnormality of bones of pelvis	3	-	-	-	-	1	-	1	1	-	-
Y37·1	Birth injury with abnormality of organs or tissues of pelvis	2	-	-	-	-	-	-	1	1	-	-
Y37·2	Birth injury with disproportion, but no mention of abnormality, of pelvis	10	-	-	-	-	-	1	6	1	-	2
Y37·3	Birth injury with malposition of foetus	46	1	1	2	-	5	10	18	7	1	1
Y37·4	Birth injury with abnormality of forces of labour	18	-	-	-	1	1	1	11	1	1	2
Y37·5	Operation causing mutilation of foetus	1	-	-	1	-	-	-	-	-	-	-
Y37·6	Other operation for delivery	9	-	-	-	-	-	1	5	1	1	1
Y37·7	Birth injury with difficult labour but without mention of underlying condition	3	-	-	-	-	-	-	1	2	-	-
Y37·8	Birth injury due to other or unspecified cause	105	2	3	4	4	13	16	34	21	-	8
Y38	**Congenital malformation of foetus**	2,321	97	214	287	355	407	334	357	144	32	94
Y38·0	Anencephalus	1,314	58	153	209	256	247	151	126	48	20	46
	0 With mention of spina bifida or synonym	157	5	20	29	28	33	16	10	7	1	8
	1 Without mention of spina bifida or synonym	1,157	53	133	180	228	214	135	116	41	19	38
Y38·1	Hydrocephalus	332	8	18	24	26	54	67	86	29	4	16
Y38·2	Spina bifida	261	5	7	18	17	34	63	71	30	5	11
	0 With mention of hydrocephalus	184	-	4	6	9	19	53	60	24	2	7
	1 Without mention of hydrocephalus	77	5	3	12	8	15	10	11	6	3	4
Y38·3	Other malformation of the central nervous system	85	3	8	11	10	10	12	16	8	2	5
	0 Mongolism	10	-	-	1	-	2	3	2	-	-	2
	1 Microcephaly	22	1	1	3	2	-	2	9	3	1	-
	2 Others	53	2	7	7	8	8	7	5	5	1	3
Y38·4	Malformation of the cardiovascular system	72	1	4	2	5	11	9	19	17	-	4
	0 Tetralogy of Fallot	-	-	-	-	-	-	-	-	-	-	-
	1 Patent ductus arteriosus	10	1	2	-	1	1	-	4	1	-	-
	2 Interventricular septal defect	14	-	-	1	1	2	3	1	5	-	1
	3 Interauricular septal defect	10	-	-	-	2	1	-	2	3	-	2
	4 Fibroelastosis cordis	2	-	1	-	-	-	-	-	1	-	-
	5 Other malformations of heart	27	-	1	1	1	4	6	9	5	-	-
	6 Coarctation of aorta	-	-	-	-	-	-	-	-	-	-	-
	7 Other circulatory malformations	9	-	-	-	-	3	-	3	2	-	1
Y38·5	Malformation of other specified system or part	152	7	15	14	23	25	23	28	8	1	8
	0 Digestive system	16	-	2	1	3	-	3	4	2	-	1
	1 Genito-urinary system	44	3	3	1	8	10	5	9	2	1	2
	2 Dwarf	10	-	1	1	-	2	3	2	-	-	1
	3 Other skeletal	21	1	2	4	1	3	2	4	2	-	2
	4 Respiratory system	9	-	1	-	1	2	3	2	-	-	-
	5 Skin	-	-	-	-	-	-	-	-	-	-	-
	6 Muscle	7	-	-	1	2	-	1	2	-	-	1
	7 Others	45	3	6	6	8	8	6	5	2	-	1
Y38·6	Monster	22	5	4	1	6	4	-	-	-	-	2
	0 Double monster	8	-	2	1	3	-	-	-	-	-	2
	1 Monster N.O.S.	1	-	-	-	1	-	-	-	-	-	-
	2 Others	13	5	2	-	2	4	-	-	-	-	-
Y38·7	Other and unspecified malformations	83	10	5	8	12	22	9	11	4	-	2
Y39	**Diseases of foetus, and ill-defined causes**	2,818	174	248	313	318	419	407	473	266	59	141
Y39·0	Syphilis	-	-	-	-	-	-	-	-	-	-	-
Y39·1	Infection other than syphilis	17	1	1	1	1	3	2	5	3	-	-
Y39·2	Erythroblastosis	536	31	65	84	89	120	90	34	4	-	19
Y39·3	Other cause originated in the foetus	24	-	1	1	3	6	2	6	1	1	3
Y39·4	Maceration, cause not specified	786	39	72	113	100	121	124	125	55	13	24
Y39·5	Other ill-defined cause	836	80	74	56	58	78	96	174	141	37	42
	0 Asphyxia	399	13	20	16	19	49	65	121	71	7	18
	1 Atelectasis	84	4	3	4	10	8	17	23	10	3	2
	2 Post-maturity	76	-	-	-	-	-	-	2	43	23	8
	3 Prematurity	165	51	38	30	22	11	4	1	-	2	6
	4 Others	112	12	13	6	7	10	10	27	17	2	8
Y39·6	Cause unspecified	619	23	35	58	67	91	93	129	62	8	53

TABLE 23F. Stillbirths by cause and birth weights, 1967 — England and Wales

ICD No.	Cause		Total	Birth weight											
				under 1·5lbs. 682g.	1·5lbs-682g.-	2·5lbs-1,136g-	3·5lbs-1,591g.-	4·5lbs-2,045g.-	5·5lbs-2,500g.-	6·5lbs-2,955g.-	7·5lbs-3,409g.-	8·5lbs 3,864g.-	9·5lbs-4,318g.-	10·5lbs-4,773g.-	Not stated
Y30-Y39	**ALL CAUSES**	M	6,520	182	551	835	857	823	793	699	510	241	100	55	874
		F	6,008	179	680	890	747	705	722	679	402	132	48	26	798
		P	12,528	361	1,231	1,725	1,604	1,528	1,515	1,378	912	373	148	81	1,672
Y30	**Chronic disease in mother**		386	11	49	71	54	43	31	40	20	11	11	9	36
Y30·0	Syphilis		1	-	-	1	-	-	-	-	-	-	-	-	-
Y30·1	Tuberculosis (any form)		-	-	-	-	-	-	-	-	-	-	-	-	-
Y30·2	Diabetes mellitus		131	2	6	16	12	11	16	18	8	9	11	6	16
Y30·3	Chronic disease of circulatory system		210	9	35	47	34	27	14	16	9	2	-	3	14
Y30·4	Chronic disease of genito-urinary system		17	-	7	2	4	1	-	1	1	-	-	-	1
Y30·5	Other chronic disease		27	-	1	5	4	4	1	5	2	-	-	-	5
Y31	**Acute disease in mother**		22	1	-	4	-	4	3	2	2	1	-	1	4
Y31·0	Typhoid fever		-	-	-	-	-	-	-	-	-	-	-	-	-
Y31·1	Influenza		2	-	-	1	-	-	-	-	-	-	-	-	1
Y31·2	Pneumonia (any form)		4	-	-	-	-	-	2	1	-	1	-	-	-
Y31·3	Other acute respiratory disease		2	-	-	-	-	1	-	-	-	-	-	-	1
Y31·4	Other acute disease or condition		14	1	-	3	-	3	1	1	2	-	-	1	2
	0 Rubella		4	1	-	1	-	-	-	-	-	-	-	1	1
	1 Other virus diseases		2	-	-	1	-	-	-	-	-	-	-	-	1
	2 Others		8	-	-	1	-	3	1	1	2	-	-	-	-
Y32	**Diseases and conditions of pregnancy and childbirth**		1,928	45	204	377	316	274	205	147	86	33	17	8	216
Y32·0	Pregnancy interrupted by self or other person for non-therapeutic purposes		-	-	-	-	-	-	-	-	-	-	-	-	-
Y32·1	Ectopic gestation		1	-	-	-	1	-	-	-	-	-	-	-	-
Y32·2	Haemorrhage without mention of placental condition		482	8	55	106	56	66	55	33	26	9	2	3	63
Y32·3	Toxaemia with convulsions during pregnancy or labour (eclampsia)		52	-	6	7	12	10	6	1	-	-	-	1	9
Y32·4	Other toxaemias of pregnancy		1,353	36	143	263	245	190	138	103	58	22	13	4	138
Y32·5	Infection (ante- and intra-partum)		40	1	-	1	2	8	6	10	2	2	2	-	6
	0 Urinary infection		5	1	-	-	-	2	2	-	-	-	-	-	-
	1 Others		35	-	-	1	2	6	4	10	2	2	2	-	6
Y33	**Absorption of toxic substance from mother**		1	-	-	-	-	-	1	-	-	-	-	-	-
Y33·0	Narcotic		-	-	-	-	-	-	-	-	-	-	-	-	-
Y33·1	Quinine		-	-	-	-	-	-	-	-	-	-	-	-	-
Y33·2	Other toxic substance		1	-	-	-	-	-	1	-	-	-	-	-	-

Y34	**Difficulties in labour**	766	29	56	68	67	76	85	99	70	52	23	22	119
Y34·0	Difficult labour with abnormality of bones of pelvis	3	-	-	-	-	-	-	1	2	-	-	-	-
Y34·1	Difficult labour with disproportion, but no mention of abnormality, of pelvis	287	28	39	36	30	28	23	16	9	16	6	12	44
Y34·2	Difficult labour with malposition of foetus	343	-	14	24	33	37	42	57	38	23	11	8	56
Y34·3	Difficult labour with abnormality of forces of labour	58	-	1	1	2	4	11	13	7	4	3	2	10
Y34·4	Difficult labour with operative delivery	14	-	-	-	-	1	1	4	3	2	1	-	2
Y34·5	Difficult labour with abnormality of organs or tissues of pelvis	24	1	2	6	1	4	1	4	2	1	-	-	2
Y34·6	Difficult labour without mention of underlying condition	37	-	-	1	1	2	7	4	9	6	2	-	5
Y35	**Other causes in mother**	40	1	2	2	10	2	5	5	1	1	2	-	9
Y35·0	Fall	10	1	-	1	2	-	2	3	-	-	-	-	1
Y35·1	Other accident or violence	13	-	1	-	5	2	1	1	1	-	-	-	2
Y35·2	Overexertion	-	-	-	-	-	-	-	-	-	-	-	-	-
Y35·3	Other and ill-defined causes in mother	17	-	1	1	3	-	2	1	-	1	2	-	6
Y36	**Placental and cord conditions**	4,049	75	278	448	497	552	617	506	368	130	43	18	517
Y36·0	Cord condition without mention of placental abnormality	1,003	5	27	53	75	95	183	201	154	48	17	7	138
	0 Pressure on cord, compression of cord, strangulation of cord, thrombosis of cord	151	-	2	6	4	14	29	32	26	7	3	-	28
	1 Prolapse of cord	262	-	10	22	19	24	33	59	48	10	6	3	28
	2 Others	590	5	15	25	52	57	121	110	80	31	8	4	82
Y36·1	Placenta praevia	120	-	15	20	18	18	14	11	7	2	1	-	14
Y36·2	Premature separation of normally implanted placenta	1,211	14	89	164	201	189	186	128	69	27	9	2	133
Y36·3	Placenta praevia with cord abnormality	2	-	-	-	1	-	1	-	-	-	-	-	-
Y36·4	Premature separation of normally implanted placenta with cord abnormality	9	-	-	2	1	1	-	1	2	-	-	-	2
Y36·5	Placental infarct	214	5	16	23	22	30	38	18	15	6	3	2	36
Y36·6	Other abnormality of placenta and cord	1,490	51	131	186	179	219	195	147	121	47	13	7	194
Y37	**Birth injury**	197	2	1	10	7	19	30	37	36	14	9	4	28
Y37·0	Birth injury with abnormality of bones of pelvis	3	-	-	-	-	-	1	1	-	1	-	-	-
Y37·1	Birth injury with abnormality of organs or tissues of pelvis	2	-	-	-	-	-	-	-	1	1	-	-	-
Y37·2	Birth injury with disproportion, but no mention of abnormality, of pelvis	10	1	-	-	-	-	2	-	1	1	2	1	2
Y37·3	Birth injury with malposition of foetus	46	-	-	3	2	7	8	8	7	3	2	-	6
Y37·4	Birth injury with abnormality of forces of labour	18	-	-	-	1	2	1	6	3	2	-	-	3
Y37·5	Operation causing mutilation of foetus	1	-	-	1	-	-	-	-	-	-	-	-	-
Y37·6	Other operation for delivery	9	-	-	-	-	2	-	2	1	1	1	-	2
Y37·7	Birth injury with difficult labour but without mention of underlying condition	3	-	-	-	-	-	-	1	1	-	1	-	-
Y37·8	Birth injury due to other or unspecified cause	105	1	1	6	4	8	18	19	22	5	3	3	15

TABLE 23F - *continued*

ICD No.	Cause	Total	Birth weight											
			under 1·5lbs. 682g.	1·5lbs-682g.-	2·5lbs-1,136g-	3·5lbs-1,591g.-	4·5lbs-2,045g.-	5·5lbs-2,500g.-	6·5lbs-2,955g.-	7·5lbs-3,409g.-	8·5lbs 3,864g.-	9·5lbs-4,318g.-	10·5lbs-4,773g.-	Not stated
Y38	**Congenital malformation of foetus**	**2,321**	**82**	**375**	**457**	**331**	**223**	**184**	**178**	**92**	**38**	**14**	**3**	**344**
Y38·0	Anencephalus	**1,314**	62	298	355	211	100	60	33	9	6	2	1	177
	0 With mention of spina bifida or synonym	**157**	12	41	41	24	8	6	3	1	1	1	-	19
	1 Without mention of spina bifida or synonym	**1,157**	50	257	314	187	92	54	30	8	5	1	1	158
Y38·1	Hydrocephalus	**332**	3	19	21	33	48	48	52	40	15	3	-	50
Y38·2	Spina bifida	**261**	6	13	16	21	27	44	55	26	8	3	1	41
	0 With mention of hydrocephalus	**184**	-	3	10	9	15	38	47	23	8	3	1	27
	1 Without mention of hydrocephalus	**77**	6	10	6	12	12	6	8	3	-	-	-	14
Y38·3	Other malformation of the central nervous system	**85**	3	14	11	15	9	8	5	-	3	1	-	16
	0 Mongolism	**10**	-	-	-	2	3	1	-	-	-	1	-	3
	1 Microcephaly	**22**	-	4	2	4	3	3	3	-	1	-	-	2
	2 Others	**53**	3	10	9	9	3	4	2	-	2	-	-	11
Y38·4	Malformation of the cardiovascular system	**72**	1	1	6	11	7	9	13	7	5	2	1	9
	0 Tetralogy of Fallot	**-**	-	-	-	-	-	-	-	-	-	-	-	-
	1 Patent ductus arteriosus	**10**	-	-	-	1	2	3	1	1	1	-	-	1
	2 Interventricular septal defect	**14**	-	-	3	3	1	2	2	1	1	-	-	1
	3 Interauricular septal defect	**10**	-	-	1	1	-	1	2	2	1	-	-	2
	4 Fibroelastosis cordis	**2**	-	-	1	-	-	-	-	-	-	1	-	-
	5 Other malformations of heart	**27**	1	1	1	5	3	3	5	2	1	1	-	4
	6 Coarctation of aorta	**-**	-	-	-	-	-	-	-	-	-	-	-	-
	7 Other circulatory malformations	**9**	-	-	-	1	1	-	3	1	1	-	1	1
Y38·5	Malformation of other specified system or part	**152**	2	13	23	23	22	10	14	6	-	2	-	37
	0 Digestive system	**16**	1	-	4	1	1	-	4	-	-	-	-	5
	1 Genito-urinary system	**44**	1	5	5	11	4	4	3	3	-	2	-	6
	2 Dwarf	**10**	-	-	-	2	-	3	-	1	-	-	-	4
	3 Other skeletal	**21**	-	1	6	1	2	2	4	-	-	-	-	5
	4 Respiratory system	**9**	-	-	1	-	7	-	-	-	-	-	-	1
	5 Skin	**-**	-	-	-	-	-	-	-	-	-	-	-	-
	6 Muscle	**7**	-	-	-	2	2	-	1	1	-	-	-	1
	7 Others	**45**	-	7	7	6	6	1	2	1	-	-	-	15
Y38·6	Monster	**22**	1	7	6	1	1	-	-	1	1	-	-	4
	0 Double monster	**8**	1	1	4	1	-	-	-	1	-	-	-	-
	1 Monster N.O.S.	**1**	-	-	-	-	-	-	-	-	-	-	-	1
	2 Others	**13**	-	6	2	-	1	-	-	-	1	-	-	3
Y38·7	Other and unspecified malformations	**83**	4	10	19	16	9	5	6	3	-	1	-	10
Y39	**Diseases of foetus, and ill-defined causes**	**2,818**	**115**	**266**	**288**	**322**	**335**	**354**	**364**	**237**	**93**	**29**	**16**	**399**
Y39·0	Syphilis	**-**	-	-	-	-	-	-	-	-	-	-	-	-
Y39·1	Infection other than syphilis	**17**	-	2	1	1	4	3	-	2	2	1	-	1
Y39·2	Erythroblastosis	**536**	31	31	50	73	97	64	68	39	15	5	1	62
Y39·3	Other cause originated in the foetus	**24**	-	1	-	2	3	4	2	3	2	3	-	4
Y39·4	Maceration, cause not specified	**786**	43	107	91	100	96	95	80	44	11	7	4	108
Y39·5	Other ill-defined cause	**836**	18	66	85	68	79	106	135	97	43	9	7	123
	0 Asphyxia	**399**	5	16	26	26	32	73	74	54	24	6	5	58
	1 Atelectasis	**84**	-	5	3	6	20	10	19	11	1	1	1	7
	2 Post-maturity	**76**	-	-	-	-	4	6	23	20	14	-	1	8
	3 Prematurity	**165**	10	33	43	28	14	3	2	-	-	-	-	32
	4 Others	**112**	3	12	13	8	9	14	17	12	4	2	-	18
Y39·6	Cause unspecified	**619**	23	59	61	78	56	82	79	52	20	4	4	101

TABLE 23G. Stillbirths by cause and place of confinement (with, for certain selected causes, rates per 1,000 total births), 1967

England and Wales

Note. Institutions described as other hospitals are mainly maternity homes.

ICD No.	Cause		Total	Place of occurrence			
				N.H.S. hospital	Other hospital	At home	Elsewhere
Y30-Y39	**ALL CAUSES**	**M**	**6,520**	**5,897**	**71**	**487**	**65**
		F	**6,008**	**5,428**	**75**	**447**	**58**
		P	**12,528**	**11,325**	**146**	**934**	**123**
Y30	**Chronic disease in mother**		**386**	**364**	**3**	**19**	**-**
Y30·0	Syphilis		**1**	1	-	-	
Y30·1	Tuberculosis (any form)		-	-	-	-	-
Y30·2	Diabetes mellitus		**131**	127	1	3	-
Y30·3	Chronic disease of circulatory system		**210**	199	1	10	-
Y30·4	Chronic disease of genito-urinary system		**17**	15	-	2	-
Y30·5	Other chronic disease		**27**	22	1	4	-
Y31	**Acute disease in mother**		**22**	**17**	-	**5**	**-**
Y31·0	Typhoid fever		-	-	-	-	-
Y31·1	Influenza		**2**	-	-	2	-
Y31·2	Pneumonia (any form)		**4**	3	-	1	-
Y31·3	Other acute respiratory disease		**2**	1	-	1	-
Y31·4	Other acute disease or condition		**14**	13	-	1	-
	0 Rubella		**4**	4	-	-	-
	1 Other virus diseases		**2**	2	-	-	-
	2 Others		**8**	7	-	1	-
Y32	**Diseases and conditions of pregnancy and childbirth**		**1,928**	**1,856**	**12**	**57**	**3**
Y32·0	Pregnancy interrupted by self or other person for non-therapeutic purposes		-	-	-	-	-
Y32·1	Ectopic gestation		**1**	1	-	-	-
Y32·2	Haemorrhage without mention of placental condition		**482**	463	1	16	2
Y32·3	Toxaemia with convulsions during pregnancy or labour (eclampsia)		**52**	50	-	2	-
Y32·4	Other toxaemias of pregnancy		**1,353**	1,308	10	34	1
Y32·5	Infection (ante- and intra-partum)		**40**	34	1	5	-
	0 Urinary infection		**5**	5	-	-	-
	1 Others		**35**	29	1	5	-
Y33	**Absorption of toxic substance from mother**		**1**	**1**	**-**	**-**	**-**
Y33·0	Narcotic		-	-	-	-	-
Y33·1	Quinine		-	-	-	-	-
Y33·2	Other toxic substance		**1**	1	-	-	-
Y34	**Difficulties in labour**		**766**	**645**	**5**	**106**	**10**
Y34·0	Difficult labour with abnormality of bones of pelvis		**3**	2	-	1	-
Y34·1	Difficult labour with disproportion, but no mention of abnormality, of pelvis		**287**	254	1	28	4
Y34·2	Difficult labour with malposition of foetus		**343**	282	3	54	4
Y34·3	Difficult labour with abnormality of forces of labour		**58**	41	1	14	2
Y34·4	Difficult labour with operative delivery		**14**	14	-	-	-
Y34·5	Difficult labour with abnormality of organs or tissues of pelvis		**24**	21	-	3	-
Y34·6	Difficult labour without mention of underlying condition		**37**	31	-	6	-
Y35	**Other causes in mother**		**40**	**32**	**-**	**8**	**-**
Y35·0	Fall		**10**	7	-	3	-
Y35·1	Other accident or violence		**13**	13	-	-	-
Y35·2	Overexertion		-	-	-	-	-
Y35·3	Other and ill-defined causes in mother		**17**	12	-	5	-
Y36	**Placental and cord conditions**		**4,049**	**3,657**	**63**	**293**	**36**
Y36·0	Cord condition without mention of placental abnormality		**1,003**	857	22	113	11
	0 Pressure on cord, compression of cord, strangulation of cord, thrombosis of cord		**151**	105	3	41	2
	1 Prolapse of cord		**262**	240	7	13	2
	2 Others		**590**	512	12	59	7
Y36·1	Placenta praevia		**120**	115	1	4	-
Y36·2	Premature separation of normally implanted placenta		**1,211**	1,171	11	23	6
Y36·3	Placenta praevia with cord abnormality		**2**	2	-	-	-
Y36·4	Premature separation of normally implanted placenta with cord abnormality		**9**	8	1	-	-
Y36·5	Placental infarct		**214**	159	4	46	5
Y36·6	Other abnormality of placenta and cord		**1,490**	1,345	24	107	14
Y37	**Birth injury**		**197**	**162**	**2**	**23**	**10**
Y37·0	Birth injury with abnormality of bones of pelvis		**3**	3	-	-	-
Y37·1	Birth injury with abnormality of organs or tissues of pelvis		**2**	2	-	-	-
Y37·2	Birth injury with disproportion, but no mention of abnormality, of pelvis		**10**	9	-	1	-
Y37·3	Birth injury with malposition of foetus		**46**	43	1	-	2
Y37·4	Birth injury with abnormality of forces of labour		**18**	12	-	6	-
Y37·5	Operation causing mutilation of foetus		**1**	1	-	-	-
Y37·6	Other operation for delivery		**9**	9	-	-	-
Y37·7	Birth injury with difficult labour but without mention of underlying condition		**3**	2	-	1	-
Y37·8	Birth injury due to other or unspecified cause		**105**	81	1	15	8
Y38	**Congenital malformation of foetus**		**2,321**	**2,137**	**30**	**139**	**15**
Y38·0	Anencephalus		**1,314**	1,237	15	57	5
	0 With mention of spina bifida or synonym		**157**	153	2	2	-
	1 Without mention of spina bifida or synonym		**1,157**	1,084	13	55	5

TABLE 23G - *continued*

ICD No.	Cause		Total	Place of occurrence			
				N.H.S. hospital	Other hospital	At home	Elsewhere
Y38·1	Hydrocephalus		332	294	6	30	2
Y38·2	Spina bifida		261	238	4	17	2
	0 With mention of hydrocephalus		184	173	1	9	1
	1 Without mention of hydrocephalus		77	65	3	8	1
Y38·3	Other malformation of the central nervous system		85	75	-	8	2
	0 Mongolism		10	9	-	1	-
	1 Microcephaly		22	19	-	2	1
	2 Others		53	47	-	5	1
Y38·4	Malformation of the cardiovascular system		72	64	2	6	-
	0 Tetralogy of Fallot		-	-	-	-	-
	1 Patent ductus arteriosus		10	9	1	-	-
	2 Interventricular septal defect		14	11	-	3	-
	3 Interauricular septal defect		10	9	-	1	-
	4 Fibroelastosis cordis		2	2	-	-	-
	5 Other malformations of heart		27	25	-	2	-
	6 Coarctation of aorta		-	-	-	-	-
	7 Other circulatory malformations		9	8	1	-	-
Y38·5	Malformation of other specified system or part		152	132	3	13	4
	0 Digestive system		16	13	-	3	-
	1 Genito-urinary system		44	39	2	2	1
	2 Dwarf		10	9	-	1	-
	3 Other skeletal		21	17	-	2	2
	4 Respiratory system		9	9	-	-	-
	5 Skin		-	-	-	-	-
	6 Muscle		7	6	-	-	1
	7 Others		45	39	1	5	-
Y38·6	Monster		22	22	-	-	-
	0 Double monster		8	8	-	-	-
	1 Monster N.O.S.		1	1	-	-	-
	2 Others		13	13	-	-	-
Y38·7	Other and unspecified malformations		83	75	-	8	-
Y39	**Diseases of foetus, and ill-defined causes**		2,818	2,454	31	284	49
Y39·0	Syphilis		-	-	-	-	-
Y39·1	Infection other than syphilis		17	16	1	-	-
Y39·2	Erythroblastosis		536	519	2	15	-
Y39·3	Other cause originated in the foetus		24	22	1	-	1
Y39·4	Maceration, cause not specified		786	680	15	86	5
Y39·5	Other ill-defined cause		836	702	10	109	15
	0 Asphyxia		399	356	8	29	6
	1 Atelectasis		84	64	-	18	2
	2 Post-maturity		76	70	1	5	-
	3 Prematurity		165	116	-	45	4
	4 Others		112	96	1	12	3
Y39·6	Cause unspecified		619	515	2	74	28
Total live and still births		M	434,421	328,627	10,166	91,117	4,511
		F	410,271	308,451	9,892	87,430	4,498
		P	844,692	637,078	20,058	178,547	9,009
			Stillbirths per 1,000 total births				
Y30-Y39	**All causes**	M	15·0	17·9	7·0	5·3	14·4
		F	14·6	17·6	7·6	5·1	12·9
		P	14·8	17·8	7·3	5·2	13·7
Y30-Y35	**Maternal conditions**		3·7	4·6	1·0	1·1	1·4
Y30·2	Diabetes		0·2	0·2	0·0	0·0	-
Y30·3	Circulatory		0·2	0·3	0·0	0·1	-
Y32	Diseases of pregnancy		2·3	2·9	0·6	0·3	0·3
Y32·2	Haemorrhage N.E.C.		0·6	0·7	0·0	0·1	0·2
Y32·4	Other toxaemia		1·6	2·1	0·5	0·2	0·1
Y34	Difficulties in labour		0·9	1·0	0·2	0·6	1·1
Y34·2	Malposition		0·4	0·4	0·1	0·3	0·4
Y34·3	Abnormal forces		0·1	0·1	0·0	0·1	0·2
Y36	**Placental and cord conditions**		4·8	5·7	3·1	1·6	4·0
Y36·1	Placenta praevia		0·1	0·2	0·0	0·0	-
Y36·2	Placenta and placental separation		1·4	1·8	0·5	0·1	0·7
Y36·5	Placental infarct		0·3	0·2	0·2	0·3	0·6
Y37-Y39	**Foetal conditions**		6·3	7·5	3·1	2·5	8·2
Y37	Birth injury		0·2	0·3	0·1	0·1	1·1
Y38	Congenital malformation		2·7	3·4	1·5	0·8	1·7
Y38·0	Anencephalus		1·6	1·9	0·7	0·3	0·6
Y38·1	Hydrocephalus		0·4	0·5	0·3	0·2	0·2
Y38·2	Spina bifida		0·3	0·4	0·2	0·1	0·2
Y39	Other and ill-defined causes		3·3	3·9	1·5	1·6	5·4
Y39·2	Erythroblastosis		0·6	0·8	0·1	0·1	-
Y39·6	Unspecified		0·7	0·8	0·1	0·4	3·1

TABLE 23H. Legitimate stillbirths by certain selected causes, parity of mother and number of previous stillbirths with rates per 1,000 total births, 1967

England and Wales

Parity - previous live and still births of all marriages	Number of previous stillbirths							Number of previous stillbirths						
	0	1	2	3	4	5-9	Total	0	1	2	3	4	5-9	Total
	All causes (Y30-Y39)							**Chronic and acute diseases in mother (Y30, Y31)**						
0	4,403	-	-	-	-	-	4,403	150	-	-	-	-	-	150
1	2,462	139	-	-	-	-	2,601	73	8	-	-	-	-	81
2	1,525	210	12	-	-	-	1,747	41	9	-	-	-	-	50
3	910	126	17	4	-	-	1,057	38	8	1	-	-	-	47
4	483	91	22	9	-	-	605	14	5	1	-	-	-	20
5-9	550	132	26	11	7	3	729	19	4	2	1	-	-	26
10 and over	37	12	4	-	-	1	54	2	-	-	-	-	-	2
Total	**10,370**	**710**	**81**	**24**	**7**	**4**	**11,196**	**337**	**34**	**4**	**1**	**-**	**-**	**376**
	Haemorrhage without mention of placental condition (Y32·2)							**Toxaemia and infection of pregnancy (Y32·3-·5)**						
0	135	-	-	-	-	-	135	691	-	-	-	-	-	691
1	83	4	-	-	-	-	87	204	29	-	-	-	-	233
2	77	10	-	-	-	-	87	132	24	8	-	-	-	164
3	37	4	-	1	-	-	42	77	9	1	2	-	-	89
4	21	4	1	-	-	-	26	46	11	-	1	-	-	58
5-9	34	9	-	-	-	-	43	53	9	7	1	2	2	74
10 and over	4	-	-	-	-	-	4	2	2	-	-	-	-	4
Total	**391**	**31**	**1**	**1**	**-**	**-**	**424**	**1,205**	**84**	**16**	**4**	**2**	**2**	**1,313**
	Difficult labour, birth injury (Y34, Y37)							**Placental and cord conditions (Y36)**						
0	351	-	-	-	-	-	351	1,396	-	-	-	-	-	1,396
1	196	3	-	-	-	-	199	769	53	-	-	-	-	822
2	95	8	-	-	-	-	103	523	66	-	-	-	-	589
3	90	3	-	-	-	-	93	320	29	7	-	-	-	356
4	37	4	2	2	-	-	45	146	33	6	1	-	-	186
5-9	45	7	-	1	-	-	53	202	52	5	5	1	-	265
10 and over	4	-	-	-	-	-	4	13	4	3	-	-	-	20
Total	**818**	**25**	**2**	**3**	**-**	**-**	**848**	**3,369**	**237**	**21**	**6**	**1**	**-**	**3,634**
	Anencephalus (Y38·0)							**Hydrocephalus, spina bifida, and other malformation of the central nervous system (Y38·1-·3)**						
0	525	-	-	-	-	-	525	241	-	-	-	-	-	241
1	301	10	-	-	-	-	311	169	7	-	-	-	-	176
2	142	18	-	-	-	-	160	86	8	-	-	-	-	94
3	80	20	-	-	-	-	100	37	8	-	-	-	-	45
4	50	6	-	-	-	-	56	26	1	-	-	-	-	27
5-9	33	6	1	-	-	-	40	18	10	1	1	-	-	30
10 and over	1	1	1	-	-	-	3	1	1	-	-	-	-	2
Total	**1,132**	**61**	**2**	**-**	**-**	**-**	**1,195**	**578**	**35**	**1**	**1**	**-**	**-**	**615**
	Other congenital malformation of foetus (Y38·4-·7)							**Erythroblastosis (Y39·2)**						
0	110	-	-	-	-	-	110	36	-	-	-	-	-	36
1	85	-	-	-	-	-	85	127	4	-	-	-	-	131
2	30	1	-	-	-	-	31	115	35	2	-	-	-	152
3	25	3	-	-	-	-	28	60	19	4	-	-	-	83
4	15	2	1	-	-	-	18	35	11	7	2	-	-	55
5-9	16	1	-	-	1	-	18	20	16	6	-	1	1	44
10 and over	2	-	-	-	-	-	2	1	2	-	-	-	1	4
Total	**283**	**7**	**1**	**-**	**1**	**-**	**292**	**394**	**87**	**19**	**2**	**1**	**2**	**505**
	Legitimate live and still births													
0	286,130	-	-	-	-	-	286,130							
1	240,470	3,476	-	-	-	-	243,946							
2	121,982	4,434	173	-	-	-	126,589							
3	55,407	3,301	255	20	-	-	58,983							
4	25,949	1,854	249	25	6	-	28,083							
5-9	25,546	2,388	406	84	34	9	28,467							
10 and over	949	208	51	8	6	12	1,234							
Total	**756,433**	**15,661**	**1,134**	**137**	**46**	**21**	**773,432**							

TABLE 23H - *continued*

Parity - previous live and still births of all marriages	Number of previous stillbirths							Number of previous stillbirths						
	0	1	2	3	4	5-9	Total	0	1	2	3	4	5-9	Total
	Stillbirths per 1,000 total births.													
	All causes (Y30-Y39)							**Chronic and acute diseases in mother Y30, Y31)**						
0	15·4	-	-	-	-	-	16·4	0·5	-	-	-	-	-	0·6
1	10·2	40·0	-	-	-	-	10·7	0·3	2·3	-	-	-	-	0·3
2	12·5	47·4	69·4	-	-	-	13·8	0·3	2·0	-	-	-	-	0·4
3	16·4	38·2	66·7	200·0	-	-	17·9	0·7	2·4	3·9	-	-	-	0·8
4	18·6	49·1	88·4	360·0	-	-	21·5	0·5	2·7	4·0	-	-	-	0·7
5-9	21·5	55·3	64·0	131·0	205·9	333·3	25·6	0·7	1·7	4·9	11·9	-	-	0·9
10 and over	39·0	57·7	78·4	-	-	83·3	43·8	2·1	-	-	-	-	-	1·6
Total	**13·7**	**45·3**	**71·4**	**175·2**	152·2	190·5	**14·5**	**0·4**	**2·2**	3·5	7·3	-	-	0·5
	Haemorrhage without mention of placental condition (Y32·2)							**Toxaemia and infection of pregnancy (Y32·3-·5)**						
0	0·5	-	-	-	-	-	0·5	2·4	-	-	-	-	-	2·6
1	0·3	1·2	-	-	-	-	0·4	0·8	8·3	-	-	-	-	1·0
2	0·6	2·3	-	-	-	-	0·7	1·1	5·4	46·2	-	-	-	1·3
3	0·7	1·2	-	50·0	-	-	0·7	1·4	2·7	3·9	100·0	-	-	1·5
4	0·8	2·2	4·0	-	-	-	0·9	1·8	5·9	-	40·0	-	-	2·1
5-9	1·3	3·8	-	-	-	-	1·5	2·1	3·8	17·2	11·9	58·8	222·2	2·6
10 and over	4·2	-	-	-	-	-	3·2	2·1	9·6	-	-	-	-	3·2
Total	**0·5**	**2·0**	0·9	7·3	-	-	**0·5**	**1·6**	**5·4**	14·1	29·2	43·5	95·2	**1·7**
	Difficult labour, birth injury (Y34, Y37)							**Placental and cord conditions (Y36)**						
0	1·2	-	-	-	-	-	1·3	4·9	-	-	-	-	-	5·2
1	0·8	0·9	-	-	-	-	0·8	3·2	15·2	-	-	-	-	3·4
2	0·8	1·8	-	-	-	-	0·8	4·3	14·9	-	-	-	-	4·7
3	1·6	0·9	-	-	-	-	1·6	5·8	8·8	27·5	-	-	-	6·0
4	1·4	2·2	8·0	80·0	-	-	1·6	5·6	17·8	24·1	40·0	-	-	6·6
5-9	1·8	2·9	-	11·9	-	-	1·9	7·9	21·8	12·3	59·5	29·4	-	9·3
10 and over	4·2	-	-	-	-	-	3·2	13·7	19·2	58·8	-	-	-	16·2
Total	**1·1**	**1·6**	1·8	21·9	-	-	**1·1**	**4·5**	**15·1**	**18·5**	43·8	21·7	-	**4·7**
	Anencephalus (Y38·0)							**Hydrocephalus, spina bifida, and other malformation of the central nervous system (Y38·1-·3)**						
0	1·8	-	-	-	-	-	2·0	0·8	-	-	-	-	-	0·9
1	1·3	2·9	-	-	-	-	1·3	0·7	2·0	-	-	-	-	0·7
2	1·2	4·1	-	-	-	-	1·3	0·7	1·8	-	-	-	-	0·7
3	1·4	6·1	-	-	-	-	1·7	0·7	2·4	-	-	-	-	0·8
4	1·9	3·2	-	-	-	-	2·0	1·0	0·5	-	-	-	-	1·0
5-9	1·3	2·5	2·5	-	-	-	1·4	0·7	4·2	2·5	11·9	-	-	1·1
10 and over	1·1	4·8	19·6	-	-	-	2·4	1·1	4·8	-	-	-	-	1·6
Total	**1·5**	**3·9**	1·8	-	-	-	**1·5**	**0·8**	**2·2**	0·9	7·3	-	-	0·8
	Other congenital malformation of foetus (Y38·4-·7)							**Erythroblastosis (Y39·2)**						
0	0·4	-	-	-	-	-	0·4	0·1	-	-	-	-	-	0·1
1	0·4	-	-	-	-	-	0·3	0·5	1·2	-	-	-	-	0·5
2	0·2	0·2	-	-	-	-	0·2	0·9	7·9	11·6	-	-	-	1·2
3	0·5	0·9	-	-	-	-	0·5	1·1	5·8	15·7	-	-	-	1·4
4	0·6	1·1	4·0	-	-	-	0·6	1·3	5·9	28·1	80·0	-	-	2·0
5-9	0·6	0·4	-	-	29·4	-	0·6	0·8	6·7	14·8	-	29·4	111·1	1·5
10 and over	2·1	-	-	-	-	-	1·6	1·1	9·6	-	-	-	83·3	3·2
Total	**0·4**	0·4	0·9	-	21·7	-	**0·4**	**0·5**	**5·6**	16·8	14·6	21·7	95·2	0·7

TABLE 23I. Stillbirths by cause, sex and year of occurrence (with, for certain selected causes, rates per 1,000 total births), 1961 to 1967

England and Wales

ICD No.	Cause		1961	1962	1963	1964	1965	1966	1967
Y30-Y39	**All Causes**	**M**	**8,076**	**7,957**	**7,884**	**7,566**	**7,200**	**6,857**	**6,520**
		F	**7,651**	**7,507**	**7,105**	**6,980**	**6,641**	**6,386**	**6,008**
		P	**15,727**	**15,464**	**14,989**	**14,546**	**13,841**	**13,243**	**12,528**
Y30	**Chronic disease in mother**	**M**	**254**	**245**	**294**	**257**	**267**	**244**	**200**
		F	**195**	**219**	**192**	**212**	**194**	**174**	**186**
Y30·0	Syphilis	M	5	6	3	5	2	4	-
		F	4	3	2	8	1	2	1
Y30·1	Tuberculosis (any form)	M	-	1	4	4	1	-	-
		F	-	2	1	1	-	1	-
Y30·2	Diabetes mellitus	M	72	63	73	63	75	64	68
		F	42	52	50	47	47	52	63
Y30·3	Chronic disease of circulatory system	M	136	137	189	158	145	144	110
		F	109	124	105	128	114	95	100
Y30·4	Chronic disease of genito-urinary system	M	14	10	6	11	10	12	11
		F	14	11	13	9	13	6	6
Y30·5	Other chronic disease	M	27	28	19	16	34	20	11
		F	26	27	21	19	19	18	16
Y31	**Acute disease in mother**	**M**	**36**	**37**	**36**	**17**	**13**	**14**	**12**
		F	**31**	**35**	**22**	**18**	**23**	**24**	**10**
Y31·0	Typhoid fever	M	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-
Y31·1	Influenza	M	25	12	7	7	3	2	1
		F	20	11	5	2	8	10	1
Y31·2	Pneumonia (any form)	M	-	3	7	3	3	1	1
		F	1	1	2	2	3	2	3
Y31·3	Other acute respiratory disease	M	2	2	3	-	1	1	1
		F	1	4	2	4	4	1	1
Y31·4	Other acute disease or condition	M	9	20	19	7	6	10	9
		F	9	19	13	10	8	11	5
	0 Rubella	M	1	11	8	-	1	3	4
		F	1	12	7	5	1	4	-
	1 Other virus diseases	M	3	2	4	3	-	1	-
		F	3	4	2	2	1	-	2
	2 Others	M	5	7	7	4	5	6	5
		F	5	3	4	3	6	7	3
Y32	**Diseases and conditions of pregnancy and childbirth**	**M**	**1,543**	**1,475**	**1,431**	**1,264**	**1,237**	**1,176**	**1,081**
		F	**1,265**	**1,154**	**1,087**	**1,029**	**937**	**902**	**847**
Y32·0	Pregnancy interrupted by self or other person for non-therapeutic purposes	M	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-
Y32·1	Ectopic gestation	M	1	-	2	-	2	-	-
		F	3	1	1	2	3	1	1
Y32·2	Haemorrhage without mention of placental condition	M	306	244	270	293	227	262	288
		F	220	188	216	216	193	186	194
Y32·3	Toxaemia with convulsions during pregnancy or labour (eclampsia)	M	24	38	35	25	27	33	29
		F	28	24	24	30	22	29	23
Y32·4	Other toxaemias of pregnancy	M	1,188	1,176	1,108	931	964	872	747
		F	991	928	828	765	709	672	606
Y32·5	Infection (ante- and intra-partum)	M	24	17	16	15	17	9	17
		F	23	13	18	16	10	14	23
	0 Urinary infection	M	10	4	5	4	7	2	1
		F	7	4	3	6	4	3	4
	1 Others	M	14	13	11	11	10	7	16
		F	16	9	15	10	6	11	19
Y33	**Absorption of toxic substance from mother**	**M**	**-**	**1**	**1**	**1**	**1**	**-**	**-**
		F	**1**	**2**	**1**	**-**	**-**	**-**	**1**
Y33·0	Narcotic	M	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-

TABLE 23I - *continued*

ICD No.	Cause		1961	1962	1963	1964	1965	1966	1967
Y33·1	Quinine	M	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-
Y33·2	Other toxic substance	M	-	1	1	1	1	-	-
		F	1	2	1	-	-	-	1
Y34	**Difficulties in labour**	**M**	**711**	**654**	**623**	**532**	**495**	**452**	**419**
		F	**569**	**509**	**425**	**451**	**376**	**361**	**347**
Y34·0	Difficult labour with abnormality of bones of pelvis	M	15	11	9	8	3	4	1
		F	8	7	6	7	3	2	2
Y34·1	Difficult labour with disproportion, but no mention of abnormality,of pelvis	M	154	148	147	110	162	153	137
		F	112	108	95	125	138	124	150
Y34·2	Difficult labour with malposition of foetus	M	388	322	313	271	215	203	204
		F	324	258	231	203	168	164	139
Y34·3	Difficult labour with abnormality of forces of labour	M	74	84	74	65	36	36	36
		F	63	58	43	53	20	18	22
Y34·4	Difficult labour with operative delivery	M	27	25	22	15	19	10	8
		F	13	19	5	13	6	12	6
Y34·5	Difficult labour with abnormality of organs or tissues of pelvis	M	11	14	15	13	18	15	12
		F	15	21	18	7	13	10	12
Y34·6	Difficult labour without mention of underlying condition	M	42	50	43	50	42	31	21
		F	34	38	27	43	28	31	16
Y35	**Other causes in mother**	**M**	**29**	**19**	**27**	**33**	**33**	**37**	**17**
		F	**23**	**32**	**27**	**14**	**17**	**20**	**23**
Y35·0	Fall	M	9	4	7	10	10	11	6
		F	9	10	5	4	5	3	4
Y35·1	Other accident or violence	M	4	5	6	8	7	10	6
		F	5	6	3	2	6	6	7
Y35·2	Overexertion	M	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-
Y35·3	Other and ill-defined causes in mother	M	16	10	14	15	16	16	5
		F	9	16	19	8	6	11	12
Y36	**Placental and cord conditions**	**M**	**2,263**	**2,370**	**2,479**	**2,403**	**2,416**	**2,334**	**2,265**
		F	**1,798**	**1,944**	**1,949**	**1,945**	**1,857**	**1,841**	**1,784**
Y36·0	Cord condition without mention of placental abnormality	M	710	664	648	599	598	543	518
		F	544	575	568	538	473	492	485
	0 Pressure on cord, compression of cord, strangulation of cord, thrombosis of cord	M	111	103	89	86	80	69	69
		F	97	101	97	108	65	78	82
	1 Prolapse of cord	M	215	207	214	181	166	147	145
		F	132	134	131	112	124	108	117
	2 Others	M	384	354	345	332	352	327	304
		F	315	340	340	318	284	306	286
Y36·1	Placenta praevia	M	122	89	97	97	82	86	68
		F	94	80	67	67	62	48	52
Y36·2	Premature separation of normally implanted placenta	M	653	746	782	766	769	775	739
		F	463	499	545	496	519	554	472
Y36·3	Placenta praevia with cord abnormality	M	4	5	3	6	3	4	2
		F	3	2	3	7	5	4	-
Y36·4	Premature separation of normally implanted placenta with cord abnormality	M	3	5	7	7	-	5	3
		F	2	8	6	2	4	1	6
Y36·5	Placental infarct	M	196	187	180	139	144	136	116
		F	186	162	163	138	122	116	98
Y36·6	Other abnormality of placenta and cord	M	575	674	762	789	820	785	819
		F	504	618	597	697	672	626	671
Y37	**Birth injury**	**M**	**231**	**220**	**201**	**189**	**152**	**121**	**114**
		F	**183**	**181**	**137**	**112**	**115**	**126**	**83**
Y37·0	Birth injury with abnormality of bones of pelvis	M	4	1	5	-	3	1	2
		F	2	1	2	1	2	3	1

TABLE 23I - *continued*

ICD No.	Cause		1961	1962	1963	1964	1965	1966	1967
Y37·1	Birth injury with abnormality of organs or tissues of pelvis	M	1	4	4	-	2	-	-
		F	-	1	-	-	-	-	2
Y37·2	Birth injury with disproportion but no mention of abnormality of pelvis	M	18	19	14	10	12	9	5
		F	11	12	7	5	8	4	5
Y37·3	Birth injury with malposition of foetus	M	77	63	52	50	34	25	27
		F	48	50	36	19	24	23	19
Y37·4	Birth injury with abnormality of forces of labour	M	26	17	18	14	20	7	11
		F	20	21	15	18	18	16	7
Y37·5	Operation causing mutilation of foetus	M	1	-	-	-	-	-	-
		F	-	-	-	-	-	-	1
Y37·6	Other operation of delivery	M	19	14	8	7	5	7	6
		F	10	11	8	1	7	8	3
Y37·7	Birth injury with difficult labour but without mention of underlying condition	M	2	7	5	6	5	8	2
		F	6	3	9	-	4	3	1
Y37·8	Birth injury due to other or unspecified cause	M	83	95	95	102	71	64	61
		F	86	82	60	68	72	69	44
Y38	**Congenital malformations of foetus**	**M**	**1,127**	**1,119**	**1,053**	**1,035**	**913**	**929**	**895**
		F	**1,950**	**1,738**	**1,715**	**1,656**	**1,638**	**1,535**	**1,426**
Y38·0	Anencephalus	M	454	452	419	454	376	396	389
		F	1,218	1,103	1,128	1,088	1,077	1,027	925
	0 With mention of spina bifida or synonym	M	47	55	45	63	37	53	41
		F	139	121	151	146	135	139	116
	1 Without mention of spina bifida or synonym	M	407	397	374	391	339	343	348
		F	1,079	982	977	942	942	888	809
Y38·1	Hydrocephalus	M	313	298	279	232	215	209	174
		F	258	229	204	204	165	154	158
Y38·2	Spina bifida	M	151	137	130	119	98	129	102
		F	250	174	190	181	192	175	159
	0 With mention of hydrocephalus	M	104	102	85	90	62	84	69
		F	166	127	122	133	147	120	115
	1 Without mention of hydrocephalus	M	47	35	45	29	36	45	33
		F	84	47	68	48	45	55	44
Y38·3	Other malformation of the central nervous system	M	33	40	37	41	43	36	31
		F	54	72	64	40	54	55	54
	0 Mongolism	M	9	8	14	7	4	10	4
		F	10	17	13	5	17	13	6
	1 Microcephaly	M	5	8	2	10	15	7	5
		F	13	10	12	7	8	8	17
	2 Others	M	19	24	21	24	24	19	22
		F	31	45	39	28	29	34	31
Y38·4	Malformation of the cardiovascular system	M	28	36	33	33	30	32	38
		F	24	26	26	30	30	29	34
	0 Tetralogy of Fallot	M	-	1	-	-	-	-	-
		F	-	1	-	1	-	1	-
	1 Patent ductus arteriosus	M	5	3	2	2	3	5	8
		F	1	3	1	2	1	2	2
	2 Interventricular septal defect	M	2	11	14	6	9	8	3
		F	7	6	5	10	7	9	11
	3 Interauricular septal defect	M	4	2	2	7	2	1	4
		F	2	1	2	3	7	4	6
	4 Fibroelastosis cordis	M	-	1	-	2	1	-	2
		F	-	-	2	-	1	-	-
	5 Other malformations of heart	M	13	16	12	13	11	14	15
		F	10	14	12	10	11	7	12
	6 Coarctation of aorta	M	1	1	2	-	3	1	-
		F	-	-	1	3	-	2	-
	7 Other circulatory malformations	M	3	1	1	3	1	3	6
		F	4	1	3	1	3	4	3

TABLE 23I - *continued*

ICD No.	Cause		1961	1962	1963	1964	1965	1966	1967
Y38·5	Malformation of other specified system	M	101	110	101	97	100	80	101
		F	98	93	58	61	72	52	51
	0 Digestive system	M	11	20	16	7	10	13	10
		F	9	15	8	5	7	3	6
	1 Genito-urinary system	M	19	23	24	28	28	21	36
		F	16	14	5	10	10	11	8
	2 Dwarf	M	2	3	3	-	2	2	6
		F	2	3	-	-	2	2	4
	3 Other skeletal	M	26	10	21	14	19	16	14
		F	26	17	18	11	13	20	7
	4 Respiratory system	M	2	4	2	1	4	2	4
		F	3	13	4	4	9	1	5
	5 Skin	M	-	-	1	1	-	-	-
		F	-	1	-	-	-	-	-
	6 Muscle	M	4	3	4	8	3	6	4
		F	-	-	1	3	2	-	3
	7 Others	M	37	47	30	38	34	20	27
		F	42	30	22	28	29	15	18
Y38·6	Monster	M	7	6	9	6	3	3	15
		F	12	7	13	13	11	13	7
	0 Double monster	M	2	3	7	1	1	1	5
		F	7	2	11	3	7	5	3
	1 Monster N.O.S.	M	-	-	-	2	1	-	-
		F	1	1	1	5	1	3	1
	2 Others	M	5	3	2	3	1	2	10
		F	4	4	1	5	3	5	3
Y38·7	Other and unspecified malformations	M	40	40	45	53	48	44	45
		F	36	34	32	39	37	30	38
Y39	**Diseases of foetus and ill-defined causes**	**M**	**1,882**	**1,817**	**1,739**	**1,835**	**1,673**	**1,550**	1,517
		F	**1,636**	**1,639**	**1,550**	**1,543**	**1,484**	**1,403**	1,301
Y39·0	Syphilis	M	-	-	2	-	1	1	-
		F	1	1	-	-	-	-	-
Y39·1	Infection other than syphilis	M	11	7	8	16	11	6	8
		F	3	9	9	8	13	7	9
Y39·2	Erythroblastosis	M	405	359	360	404	338	303	293
		F	343	312	303	329	313	282	243
Y39·3	Other cause originated in the foetus	M	40	24	26	20	19	15	17
		F	39	19	15	13	11	13	7
Y39·4	Maceration, cause not specified	M	541	513	505	531	451	409	412
		F	471	484	430	429	370	371	374
Y39·5	Other ill-defined cause	M	486	504	466	491	484	461	466
		F	414	497	452	437	443	413	370
	0 Asphyxia	M	178	196	208	208	209	219	230
		F	146	192	213	219	206	191	169
	1 Atelectasis	M	53	64	52	47	55	57	40
		F	43	57	44	35	48	38	44
	2 Post-maturity	M	67	63	39	48	51	44	41
		F	42	57	40	36	46	42	35
	3 Prematurity	M	130	116	109	120	104	97	98
		F	105	106	93	81	80	78	67
	4 Others	M	58	65	58	68	65	44	57
		F	78	85	62	66	63	64	55
Y39·6	Cause unspecified	M	399	410	372	373	369	355	321
		F	365	371	341	327	334	317	298
Total live and still births		M	425,844	439,590	446,360	458,638	450,390	444,119	434,421
		F	401,164	414,610	422,684	431,880	426,176	418,947	410,271
		P	827,008	854,200	869,044	890,518	876,566	863,066	844,692

TABLE 23I - *continued*

ICD No.	Cause		1961	1962	1963	1964	1965	1966	1967
			Stillbirths per 1,000 total births						
Y30-Y39	**All Causes**	**M**	**19·0**	**18·1**	**17·7**	**16·5**	**16·0**	**15·4**	**15·0**
		F	**19·1**	**18·1**	**16·8**	**16·2**	**15·6**	**15·2**	**14·6**
		P	**19·0**	**18·1**	**17·2**	**16·3**	**15·8**	**15·3**	**14·8**
Y30-Y35	**Maternal conditions**		**5·6**	**5·1**	**4·8**	**4·9**	**4·1**	**3·9**	**3·7**
Y30·2	Diabetes		0·1	0·1	0·1	0·1	0·1	0·1	0·2
Y30·3	Circulatory		0·3	0·3	0·3	0·3	0·3	0·3	0·2
Y32	Diseases of pregnancy		3·4	3·1	2·9	2·6	2·5	2·4	2·3
Y32·2	Haemorrhage N.E.C.		0·6	0·5	0·6	0·6	0·5	0·5	0·6
Y32·4	Other toxaemia		2·6	2·5	2·2	1·9	1·9	1·8	1·6
Y34	Difficulties in labour		1·5	1·4	1·2	1·1	1·0	0·9	0·9
Y34·2	Malposition		0·9	0·7	0·6	0·5	0·4	0·4	0·4
Y34·3	Abnormal forces		0·2	0·2	0·1	0·1	0·1	0·1	0·1
Y36	**Placental and cord conditions**		**4·9**	**5·1**	**5·1**	**4·9**	**4·9**	**4·8**	**4·8**
Y36·1	Placenta praevia		0·3	0·2	0·2	0·2	0·2	0·2	0·1
Y36·2	Placenta and placental separation		1·3	1·5	1·5	1·4	1·5	1·5	1·4
Y36·5	Placental infarct		0·5	0·4	0·4	0·3	0·3	0·3	0·3
Y37-Y39	**Foetal conditions**		**8·5**	**7·9**	**7·4**	**7·2**	**6·8**	**6·6**	**6·3**
Y37	Birth injury		0·5	0·5	0·4	0·3	0·3	0·3	0·2
Y38	Congenital malformations		3·7	3·3	3·2	3·0	2·9	2·9	2·7
Y38·0	Anencephalus		2·0	1·8	1·8	1·7	1·7	1·6	1·6
Y38·1	Hydrocephalus		0·7	0·6	0·6	0·5	0·4	0·4	0·4
Y38·2	Spina bifida		0·5	0·4	0·4	0·3	0·3	0·4	0·3
Y39	Other and ill-defined causes		4·3	4·1	3·8	3·8	3·6	3·4	3·3
Y39·2	Erythroblastosis		0·9	0·8	0·8	0·8	0·7	0·7	0·6
Y39·6	Unspecified		0·9	0·9	0·8	0·8	0·8	0·8	0·7

TABLE 24. Deaths at various periods in the first year of life and death rates per 1,000 live births, stillbirths and combined stillbirths and infant deaths per 1,000 total births, **1967**

England and Wales, regions, Wales, conurbations, urban and rural aggregates and hospital regions

Area	Infant deaths											Rates per 1,000 total births		
	Days		Weeks			Months				Total under 1 year	Still-births	Still-births plus infant deaths under 1 week	Still-births plus infant deaths under 1 year
	0	1-6	1	2	3	1-2	3-5	6-8	9-11				
ENGLAND AND WALES	5,279	3,666	732	409	348	1,990	1,639	718	485	15,266	12,528			
Regions and conurbations:														
Northern	**373**	**265**	**72**	**35**	**27**	**158**	**115**	**48**	**26**	**1,119**	919			
Tyneside Conurbation	97	62	19	11	7	34	31	12	7	280	222			
Remainder of Northern	276	203	53	24	20	124	84	36	19	839	697			
Yorkshire and Humberside	**586**	**401**	**99**	**55**	**40**	**268**	**220**	**87**	**65**	**1,821**	1,338			
West Yorkshire Conurbation	234	140	49	26	17	103	89	41	24	723	514			
Remainder of Yorkshire and Humberside	352	261	50	29	23	165	131	46	41	1,098	824			
North Western	**897**	**601**	**87**	**54**	**53**	**323**	**272**	**122**	**66**	**2,475**	2,012			
South East Lancashire Conurbation	341	231	32	29	18	126	111	52	24	964	754			
Merseyside Conurbation	218	108	23	9	14	69	54	14	11	520	413			
Remainder of North Western	338	262	32	16	21	128	107	56	31	991	845			
East Midland	**363**	**241**	**53**	**34**	**27**	**120**	**113**	**61**	**36**	**1,048**	927			
West Midland	**576**	**483**	**86**	**47**	**33**	**230**	**176**	**86**	**61**	**1,778**	1,531			
West Midlands Conurbation	306	224	37	19	18	120	82	48	28	882	768			
Remainder of West Midland	270	259	49	28	15	110	94	38	33	896	763			
East Anglia	**161**	**90**	**14**	**10**	**14**	**49**	**33**	**21**	**15**	**407**	328			
South Eastern	**1,737**	**1,172**	**230**	**128**	**119**	**615**	**519**	**205**	**161**	**4,886**	3,852			
Greater London	882	604	125	65	55	294	258	108	79	2,470	1,806			
Outer Metropolitan Area	471	331	59	38	31	187	140	50	44	1,351	1,120			
Remainder of South Eastern	384	237	46	25	33	134	121	47	38	1,065	926			
South Western	**300**	**231**	**46**	**21**	**20**	**106**	**105**	**52**	**38**	**919**	854			
Wales	**286**	**182**	**45**	**25**	**15**	**121**	**86**	**36**	**17**	**813**	767			
Wales I (South East)	204	151	32	18	11	90	73	23	13	615	551			
Wales II (remainder)	82	31	13	7	4	31	13	13	4	198	216			
Urban/Rural aggregates:														
Conurbations	2,078	1,369	285	159	129	746	625	275	173	5,839	4,477			
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	711	461	101	63	39	293	245	95	71	2,079	1,678			
Urban areas with populations of 50,000 and under 100,000	496	369	53	30	37	213	162	74	49	1,483	1,267			
Urban areas with populations under 50,000	1,020	783	165	81	82	394	321	141	101	3,088	2,665			
Rural districts	974	684	128	76	61	344	286	133	91	2,777	2,441			
Hospital Regions:														
Newcastle	355	244	69	34	25	154	111	46	25	1,063	876			
Leeds	385	284	71	36	25	172	150	58	39	1,220	875			
Sheffield	534	342	75	52	37	196	171	83	55	1,545	1,299			
East Anglia	165	96	15	10	14	52	34	21	16	423	348			
North West Metropolitan	472	321	68	36	24	153	126	49	40	1,289	938			
North East Metropolitan	360	221	38	29	29	119	96	42	35	969	778			
South East Metropolitan	320	197	42	22	22	120	118	47	31	919	769			
South West Metropolitan	338	257	45	23	21	122	101	39	24	970	710			
Wessex	171	126	24	14	16	67	58	21	17	514	474			
Oxford	175	122	27	11	19	74	49	23	26	526	458			
South Western	242	186	40	16	14	85	91	45	33	752	686			
Welsh	286	182	45	25	15	121	86	36	17	813	767			
Birmingham	576	483	86	47	33	230	176	86	61	1,778	1,531			
Manchester	563	412	56	43	36	220	187	90	44	1,651	1,328			
Liverpool	337	193	31	11	18	105	85	32	22	834	691			

Infant mortality per 1,000 live births										
Days		Weeks			Months				Total infant mortality	
0	1-6	1	2	3	1-2	3-5	6-8	9-11		
6.34	4.41	0.88	0.49	0.42	2.39	1.97	0.86	0.58	18.34	
6.68	4.74	1.29	0.63	0.48	2.83	2.06	0.86	0.47	20.03	
7.18	4.59	*1.41*	*0.81*	*0.52*	2.52	2.30	*0.89*	*0.52*	20.74	
6.52	4.79	1.25	0.57	0.47	2.93	1.98	0.85	*0.45*	19.81	
6.96	4.77	1.18	0.65	0.48	3.18	2.61	1.03	0.77	21.64	
7.62	4.56	1.60	0.85	*0.55*	3.35	2.90	1.34	0.78	23.54	
6.59	4.88	0.94	0.54	0.43	3.09	2.45	0.86	0.77	20.55	
7.54	5.05	0.73	0.45	0.45	2.72	2.29	1.03	0.55	20.81	
7.70	5.22	0.72	0.65	*0.41*	2.85	2.51	1.17	0.54	21.77	
9.02	4.47	0.95	*0.37*	*0.58*	2.86	2.24	*0.58*	*0.46*	21.52	
6.70	5.19	0.63	*0.32*	0.42	2.54	2.12	1.11	0.61	19.63	
6.20	4.12	0.91	0.58	0.46	2.05	1.93	1.04	0.62	17.91	
6.12	5.13	0.91	0.50	0.35	2.44	1.87	0.91	0.65	18.90	
6.65	4.87	0.80	*0.41*	*0.39*	2.61	1.78	1.04	0.61	19.16	
5.62	5.39	1.02	0.58	*0.31*	2.29	1.96	0.79	0.69	18.65	
6.09	3.40	*0.53*	*0.38*	*0.53*	1.85	1.25	0.79	*0.57*	15.39	
5.96	4.02	0.79	0.44	0.41	2.11	1.78	0.70	0.55	16.77	
6.57	4.50	0.93	0.48	0.41	2.19	1.92	0.80	0.59	18.39	
5.28	3.71	0.66	0.43	0.35	2.10	1.57	0.56	0.49	15.14	
5.67	3.50	0.68	0.37	0.49	1.98	1.79	0.69	0.56	15.72	
5.07	3.90	0.78	0.35	0.34	1.79	1.77	0.88	0.64	15.53	
6.54	4.16	1.03	0.57	*0.34*	2.77	1.97	0.82	*0.39*	18.60	
6.46	4.78	1.01	*0.57*	*0.35*	2.85	2.31	0.73	*0.41*	19.48	
6.76	2.56	*1.07*	0.58	*0.33*	2.56	*1.07*	*1.07*	*0.33*	16.32	
7.09	4.67	0.97	0.54	0.44	2.55	2.13	0.94	0.59	19.93	
6.74	4.37	0.96	0.60	0.37	2.78	2.32	0.90	0.67	19.72	
6.19	4.61	0.66	0.37	0.46	2.66	2.02	0.92	0.61	18.51	
5.67	4.35	0.92	0.45	0.46	2.19	1.79	0.78	0.56	17.18	
5.61	3.94	0.74	0.44	0.35	1.98	1.65	0.77	0.52	15.98	
6.81	4.68	1.32	0.65	0.48	2.96	2.13	0.88	0.48	20.41	
6.92	5.11	1.28	0.65	0.45	3.09	2.70	1.04	0.70	21.94	
6.55	4.20	0.92	0.64	0.45	2.40	2.10	1.02	0.67	18.96	
5.95	3.46	*0.54*	*0.36*	*0.50*	1.87	1.23	0.76	*0.58*	15.24	
6.29	4.28	0.91	0.48	0.32	2.04	1.68	0.65	0.53	17.18	
6.35	3.90	0.67	0.51	0.51	2.10	1.69	0.74	0.62	17.10	
5.78	3.56	0.76	0.40	0.40	2.17	2.13	0.85	0.56	16.59	
6.17	4.69	0.82	0.42	0.38	2.23	1.84	0.71	0.44	17.70	
5.31	3.92	0.75	*0.44*	*0.50*	2.08	1.80	0.65	*0.53*	15.98	
5.11	3.56	0.79	*0.32*	*0.55*	2.16	1.43	0.67	0.76	15.35	
4.91	3.77	0.81	*0.32*	*0.28*	1.72	1.85	0.91	0.67	15.25	
6.54	4.16	1.03	0.57	*0.34*	2.77	1.97	0.82	*0.39*	18.60	
6.12	5.13	0.91	0.50	0.35	2.44	1.87	0.91	0.65	18.90	
7.06	5.17	0.70	0.54	0.45	2.76	2.35	1.13	0.55	20.71	
8.42	4.82	0.77	*0.27*	*0.45*	2.62	2.12	0.80	0.55	20.84	

Rates per 1,000 total births		
Still-births	Still-births plus infant deaths under 1 week	Still-births plus infant deaths under 1 year
14.83	25.42	32.90
16.18	27.42	35.89
16.18	27.76	36.58
16.19	27.31	35.67
15.65	27.20	36.95
16.46	28.44	39.62
15.18	26.48	35.42
16.64	29.02	37.10
16.74	29.44	38.14
16.81	30.07	37.97
16.46	28.16	35.77
15.60	25.76	33.23
16.01	27.09	34.61
16.41	27.73	35.25
15.63	26.47	33.99
12.25	21.63	27.45
13.05	22.91	29.60
13.27	24.18	31.41
12.40	21.28	27.36
13.48	22.52	28.99
14.23	23.07	29.54
17.25	27.77	35.53
17.15	28.20	36.29
17.49	26.65	33.53
15.05	26.63	34.67
15.67	26.61	35.07
15.57	26.19	33.79
14.61	24.49	31.53
13.85	23.26	29.61
16.54	27.85	36.60
15.49	27.33	37.09
15.69	26.27	34.35
12.38	21.67	27.44
12.35	22.78	29.31
13.54	23.65	30.41
13.69	22.90	30.05
12.78	23.50	30.26
14.52	23.61	30.26
13.19	21.74	28.34
13.72	22.29	28.77
17.25	27.77	35.53
16.01	27.09	34.61
16.38	28.41	36.75
16.98	30.00	37.47

TABLE 24 SUPPLEMENT. Stillbirth rates and infant death rates in various age periods, 1906 to 1967

England and Wales

Period	Total infant mortality (under 1 year)	Infant mortality per 1,000 live births* at various ages									Stillbirths and infant deaths - rates per 1,000 total births†				
		Neonatal mortality (under 4 weeks)	Early neonatal mortality (under 1 week)	Late neonatal mortality (1 week and under 4 weeks)	Post-neonatal mortality (4 weeks and under 1 year)	Early neonatal period		Post-neonatal period			Stillbirths plus infant deaths under 1 year 'birth wastage'	Stillbirths (late foetal deaths at or over 28 weeks gestation)	Stillbirths plus infant deaths under 1 week 'perinatal mortality'	Infant deaths at 1 week and over	Stillbirths plus infant deaths under 4 weeks
						Under 1 day	1 day and under 1 week	4 weeks and under 3 months	3 months and under 6 months	6 months and under 1 year					
1906-1910	117·1	40·2	24·5	15·7	76·9	11·5	13·0	22·8	22·0	32·1	-	-	-	-	-
1911-1915	108·7	39·0	24·1	14·9	69·8	11·4	12·7	20·2	19·6	30·0	-	-	-	-	-
1916-1920	90·9	37·0	23·4	13·7	53·9	11·0	12·4	16·5	14·6	22·8	-	-	-	-	-
1921-1925	74·9	33·4	21·7	11·7	41·6	10·4	11·3	12·8	11·3	17·5	-	-	-	-	-
1926-1930	67·6	31·8	21·8	9·9	35·7	10·3	11·5	10·8	9·5	15·4	-	-	-	-	-
1931-1935	61·9	31·4	22·4	9·0	30·5	10·7	11·7	9·9	8·5	12·1	100·6	41·0	62·5	38·1	71·1
1936-1940	55·3	29·2	21·5	7·7	26·0	10·4	11·2	8·8	7·8	9·4	91·7	38·5	59·2	32·5	66·6
1941-1945	49·8	26·0	18·7	7·2	23·8	9·3	9·5	8·9	7·7	7·2	78·5	30·5	48·6	29·9	55·6
1946-1950	36·3	21·1	16·2	4·9	15·2	7·9	8·4	5·8	5·0	4·4	59·5	24·0	39·8	19·6	44·6
1951-1955	26·9	18·0	15·0	3·0	8·9	7·5	7·5	3·4	3·0	2·5	49·2	23·0	37·6	11·6	40·5
1956-1960	22·6	16·2	13·8	2·4	6·5	7·5	6·3	2·6	2·1	1·8	43·6	21·4	34·9	8·7	37·2
1961-1965	20.6	14.3	12.4	1.9	6.3	7.2	5.2	2.5	2.2	1.7	37.5	17.3	29.4	8.1	31.3
1931	65·7	31·5	22·1	9·5	34·2	10·4	11·7	10·8	9·2	14·2	104·5	40·9	62·1	42·4	71·2
1932	64·5	31·5	22·4	9·2	33·0	10·6	11·8	10·8	9·0	13·2	103·7	41·3	62·8	40·8	71·6
1933	62·7	32·1	22·9	9·3	30·6	11·0	11·8	9·8	8·6	12·2	102·5	41·4	63·4	39·1	72·3
1934	59·3	31·4	22·7	8·7	27·9	10·9	11·8	8·9	7·7	11·3	96·7	40·5	62·2	34·5	70·5
1935	57·0	30·4	22·0	8·4	26·6	10·7	11·3	9·1	7·7	9·8	95·4	40·7	61·9	33·5	69·9
1936	58·7	30·2	21·9	8·2	28·5	10·7	11·3	9·3	8·3	10·9	95·9	39·7	60·8	35·2	68·7
1937	57·7	29·7	22·0	7·8	28·0	10·8	11·2	9·4	8·3	10·3	94·4	39·0	60·2	34·2	67·6
1938	52·8	28·3	21·1	7·1	24·5	10·3	10·8	8·2	7·3	9·0	88·9	38·3	58·6	30·4	65·5
1939	50·6	28·3	21·2	7·1	22·2	10·3	10·9	7·9	7·0	7·3	86·9	38·1	58·5	28·4	65·3
1940	56·8	29·6	21·3	8·3	27·2	9·8	11·5	9·3	8·2	9·7	92·5	37·2	57·7	34·7	65·7
1941	60·0	29·0	20·7	8·3	31·1	10·1	10·6	11·3	9·7	10·1	92·4	34·8	54·7	37·7	62·7
1942	50·6	27·2	19·6	7·7	23·4	9·6	10·0	8·7	7·5	7·2	81·1	33·2	52·1	29·0	59·4
1943	49·1	25·2	18·3	6·9	23·9	9·1	9·2	8·8	7·8	7·3	77·5	30·1	47·9	29·6	54·6
1944	45·4	24·4	17·5	6·9	21·1	8·8	8·8	8·0	7·0	6·1	70·9	27·6	44·5	26·3	51·1
1945	46·0	24·8	18·0	6·8	21·3	9·0	9·0	8·2	7·0	6·1	73·4	27·6	45·2	28·1	51·8
1946	42·9	24·5	17·8	6·7	18·4	8·7	9·1	7·1	6·1	5·2	66·9	27·2	44·3	22·6	50·7
1947	41·4	22·7	16·5	6·2	18·6	7·8	8·7	6·9	6·0	5·7	65·0	24·1	40·3	24·6	46·4
1948	33·9	19·7	15·6	4·1	14·2	7·8	7·9	5·5	4·8	3·9	56·8	23·2	38·5	18·4	42·5
1949	32·4	19·3	15·6	3·7	13·0	7·6	8·0	4·8	4·4	3·8	54·6	22·7	38·0	16·7	41·5
1950	29·6	18·5	15·2	3·3	11·1	7·2	8·0	4·3	3·7	3·1	51·7	22·6	37·4	14·3	40·7
1951	29·7	18·8	15·5	3·3	10·9	7·5	8·0	4·1	3·6	3·2	52·2	23·0	38·2	14·0	41·5
1952	27·6	18·3	15·2	3·2	9·3	7·6	7·6	3·7	3·0	2·6	49·6	22·7	37·5	12·1	40·6
1953	26·8	17·7	14·8	2·9	9·1	7·4	7·4	3·4	3·0	2·7	48·6	22·4	36·9	11·7	39·7
1954	25·4	17·7	14·9	2·8	7·7	7·6	7·4	3·0	2·6	2·1	48·4	23·5	38·1	10·3	40·8
1955	24·9	17·3	14·6	2·6	7·6	7·6	7·0	2·9	2·6	2·1	47·5	23·2	37·4	10·0	40·0
1956	23·7	16·8	14·2	2·6	6·9	7·4	6·8	2·7	2·3	1·8	46·0	22·9	36·7	9·2	39·3
1957	23·1	16·5	14·1	2·4	6·7	7·6	6·5	2·6	2·1	1·9	45·1	22·5	36·2	8·8	38·5
1958	22·5	16·2	13·8	2·4	6·4	7·5	6·3	2·6	2·1	1·7	43·6	21·5	35·0	8·6	37·3
1959	22·2	15·9	13·6	2·3	6·3	7·6	6·0	2·4	2·1	1·8	42·6	20·8	34·1	8·5	36·3
1960	21·8	15·5	13·3	2·2	6·3	7·5	5·8	2·5	2·1	1·6	41·1	19·8	32·8	8·3	35·0
1961	21·4	15·3	13·3	2·1	6·1	7·6	5·7	2·4	2·0	1·7	40·0	19·0	32·0	8·0	34·1
1962	21·7	15·1	13·0	2·1	6·6	7·4	5·6	2·5	2·3	1·8	39·4	18·1	30·8	8·5	32·9
1963	21·1	14·3	12·3	2·0	6·9	7·2	5·1	2·7	2·4	1·8	38·0	17·2	29·3	8·7	31·3
1964	19·9	13·8	12·0	1·8	6·1	7·1	4·9	2·4	2·1	1·6	35·9	16·3	28·2	7·8	29·9
1965	19·0	13·0	11·3	1·7	6·0	6·6	4·7	2·4	2·1	1·6	34·5	15·8	26·9	7·6	28·6
1966	19.0	12.9	11.1	1.7	6.1	6.5	4.6	2.5	2.0	1.6	34.1	15.3	26.3	7.8	28.0
1967	18.3	12.5	10.7	1.8	5.8	6.3	4.4	2.4	2.0	1.4	32.9	14.8	25.4	7.5	27.2

* Rates based on related live births from 1926 to 1956.

† The births upon which these rates are based for successive calendar years are numbers registered up to 1938 inclusive, and numbers of occurrences from 1939.

TABLE 25. Deaths at various periods in the first year of life and death rates per 1,000 live births; stillbirths, and combined stillbirths and infant deaths per 1,000 total births, **1967**, and the four quarters thereof — England and Wales

		Infant deaths																		Stillbirths
		Under 30 minutes	30 minutes and under 1 day	Total under 1 day	Days 1	2	3	4	5	6	1 day and under 1 week	Weeks 1	2	3	Months 1-2	3-5	6-8	9-11	Total under 1 year	
All infants	**M**	**305**	**2,661**	**2,966**	**900**	**570**	**271**	**186**	**140**	**98**	**2,165**	**422**	**218**	**202**	**1,134**	**915**	**387**	**264**	**8,673**	**6,520**
	F	**302**	**2,011**	**2,313**	**640**	**356**	**203**	**138**	**87**	**77**	**1,501**	**310**	**191**	**146**	**856**	**724**	**331**	**221**	**6,593**	**6,008**
	P	**607**	**4,672**	**5,279**	**1,540**	**926**	**474**	**324**	**227**	**175**	**3,666**	**732**	**409**	**348**	**1,990**	**1,639**	**718**	**485**	**15,266**	**12,528**
March quarter		149	1,154	1,303	400	244	130	81	71	50	976	185	104	90	549	493	207	145	4,052	3,347
June quarter		157	1,202	1,359	395	242	115	78	46	39	915	195	106	101	435	384	166	115	3,776	3,139
September quarter		145	1,186	1,331	372	239	125	74	57	40	907	189	111	76	408	253	124	78	3,477	3,000
December quarter		156	1,130	1,286	373	201	104	91	53	46	868	163	88	81	598	509	221	147	3,961	3,042
Legitimate	M	250	2,330	2,580	794	531	241	173	130	92	1,961	372	190	180	1,025	836	362	245	7,751	5,821
	F	245	1,745	1,990	559	321	180	120	78	72	1,330	281	177	134	772	659	306	211	5,860	5,375
	P	495	4,075	4,570	1,353	852	421	293	208	164	3,291	653	367	314	1,797	1,495	668	456	13,611	11,196
Illegitimate	M	55	331	386	106	39	30	13	10	6	204	50	28	22	109	79	25	19	922	699
	F	57	266	323	81	35	23	18	9	5	171	29	14	12	84	65	25	10	733	633
	P	112	597	709	187	74	53	31	19	11	375	79	42	34	193	144	50	29	1,655	1,332

		Infant mortality per 1,000 live births																	Rates per 1,000 total births		
		Under 30 minutes	30 minutes and under 1 day	Total under 1 day	Days 1	2	3	4	5	6	1 day and under 1 week	Weeks 1	2	3	Months 1-2	3-5	6-8	9-11	Total	Still-births	Still-births plus infant deaths under 1 week	Still-births plus infant deaths under 1 year
All infants	**M**	**0.71**	**6.22**	**6.93**	**2.10**	**1.33**	**0.63**	**0.43**	**0.33**	**0.23**	**5.06**	**0.99**	**0.51**	**0.47**	**2.65**	**2.14**	**0.90**	**0.62**	**20.27**	**15.01**	**19.99**	**34.97**
	F	**0.75**	**4.97**	**5.72**	**1.58**	**0.88**	**0.50**	**0.34**	**0.22**	**0.19**	**3.71**	**0.77**	**0.47**	**0.36**	**2.12**	**1.79**	**0.82**	**0.55**	**16.31**	**14.64**	**18.30**	**30.71**
	P	**0.73**	**5.61**	**6.34**	**1.85**	**1.11**	**0.57**	**0.39**	**0.27**	**0.21**	**4.41**	**0.88**	**0.49**	**0.42**	**2.39**	**1.97**	**0.86**	**0.58**	**18.34**	**14.83**	**19.17**	**32.90**
March quarter		0.69	5.33	6.02	1.85	1.13	0.60	0.37	0.33	0.23	4.51	0.85	0.48	0.42	2.54	2.28	0.96	0.67	18.71	15.22	19.66	33.65
June quarter		0.73	5.62	6.36	1.85	1.13	0.54	0.36	0.22	0.18	4.28	0.91	0.50	0.47	2.04	1.80	0.78	0.54	17.67	14.47	18.69	31.89
September quarter		0.70	5.76	6.46	1.81	1.16	0.61	0.36	0.28	0.19	4.41	0.92	0.54	0.37	1.98	1.23	0.60	0.38	16.89	14.36	18.70	31.01
December quarter		0.80	5.76	6.56	1.90	1.03	0.53	0.46	0.27	0.23	4.43	0.83	0.45	0.41	3.05	2.60	1.13	0.75	20.21	15.28	19.64	35.18
Legitimate	M	0.64	5.94	6.58	2.02	1.35	0.61	0.44	0.33	0.23	5.00	0.95	0.48	0.46	2.61	2.13	0.92	0.62	19.77	14.63	19.56	34.11
	F	0.66	4.71	5.38	1.51	0.87	0.49	0.32	0.21	0.19	3.59	0.76	0.48	0.36	2.09	1.78	0.83	0.57	15.83	14.31	17.86	29.92
	P	0.65	5.35	6.00	1.78	1.12	0.55	0.38	0.27	0.22	4.32	0.86	0.48	0.41	2.36	1.96	0.88	0.60	17.86	14.48	18.73	32.07
Illegitimate	M	1.54	9.25	10.79	2.96	1.09	0.84	*0·36*	*0·28*	*0·17*	5.70	1.40	0.78	0.61	3.05	2.21	0.70	*0·53*	25.77	19.16	24.75	44.43
	F	1.67	7.79	9.46	2.37	1.03	0.67	*0·53*	*0·26*	*0·15*	5.01	0.85	*0·41*	*0·35*	2.46	1.90	0.73	*0·29*	21.47	18.20	23.12	39.28
	P	1.60	8.54	10.14	2.67	1.06	0.76	0.44	*0·27*	*0·16*	5.36	1.13	0.60	0.49	2.76	2.06	0.72	0.41	23.67	18.69	23.95	41.92

TABLE 25 SUPPLEMENT. Infant mortality rates per 1,000 live births for principal causes and at certain ages, and stillbirth rates per 1,000 total births, for year and quarters and quarterly percentages of the annual rates, 1967

England and Wales

Aetiological group	ICD No.	Cause of death	Annual rates	Quarterly rates				Quarterly rates per cent of annual rates*			
				March	June	Sept.	Dec.	March	June	Sept.	Dec.
Prenatal and natal group	760	Intracranial and spinal injury at birth	1.29	1.18	1.24	1.32	1.43	92	96	102	111
	761	Other birth injury (including maternal antepartum haemorrhage)	0.52	0.53	0.46	0.54	0.58	100	88	103	110
	762	Postnatal asphyxia and atelectasis	2.73	2.66	2.76	2.70	2.82	97	101	99	103
	769	Attributed to maternal toxaemia	0.21	0.26	0.17	0.17	0.22	127	81	84	108
	770	Erythroblastosis	0.36	0.37	0.45	0.30	0.30	104	125	84	84
	771	Haemorrhagic disease of newborn	0.21	0.17	0.26	0.22	0.17	81	125	109	84
	773	Ill-defined diseases of early infancy	0.55	0.51	0.57	0.61	0.53	92	102	110	96
	774; 776	Immaturity alone, or primary to disease other than of early infancy	2.72	2.57	2.61	2.85	2.86	94	96	105	105
		Total	**8.59**	**8.25**	**8.51**	**8.72**	**8.92**	**96**	**99**	**101**	**104**
Postnatal group	750-759	Congenital malformations	3.79	3.56	3.79	3.75	4.08	94	100	99	108
	001-138; 340; 391-393; 470-483 518,519; 690-698 765-768	Causes classified as infective and others mainly infective in origin	0.57	0.65	0.59	0.36	0.67	114	105	64	118
	490-493, 763 500-502	Pneumonia and bronchitis	3.16	3.88	2.71	2.03	4.07	123	86	64	129
	571, 764	Gastro-enteritis and diarrhoea of newborn	0.43	0.39	0.37	0.42	0.55	90	87	97	127
	E921-E925	Accidental mechanical suffocation from vomit, food, foreign body, or in cot	0.48	0.53	0.45	0.33	0.62	110	94	68	129
	E926, E980-E985	Lack of care, neglect (including foundlings), infanticide	0.11	0.10	0.10	0.09	0.14	96	93	83	130
	Rem. E800-E999	Other violent causes	0.12	0.15	0.13	0.08	0.11	129	107	70	91
		Total	**4.87**	**5.70**	**4.36**	**3.30**	**6.15**	**117**	**90**	**68**	**126**
Unclassified	140-239	Neoplasms	0.10	0.11	0.06	0.10	0.13	112	57	99	135
	Rem. of 001-E999	Other remaining causes	1.00	1.09	0.95	1.02	0.93	109	95	102	93
		Total	**1.10**	**1.21**	**1.01**	**1.12**	**1.06**	**110**	**92**	**102**	**97**
	774, 776	Immaturity alone, or primary to disease other than of early infancy	2.72	2.57	2.61	2.85	2.86	94	96	105	105
	760.5-773.5	Immaturity associated with other diseases of early infancy	3.65	3.42	3.55	3.76	3.90	94	97	103	107
		Total immaturity	**6.37**	**5.99**	**6.16**	**6.62**	**6.76**	**94**	**97**	**104**	**106**
		All causes, excluding immaturity	11.97	12.72	11.51	10.27	13.45	106	96	86	112
Stillbirths (late foetal deaths at or over 28 weeks' gestation)			14.83	15.22	14.47	14.36	15.28	103	98	97	103
Infant deaths			**18.34**	**18.71**	**17.67**	**16.89**	**20.21**	**102**	**96**	**92**	**110**
Infant deaths at ages under 1 week			10.75	10.53	10.64	10.87	10.99	98	99	101	102
Infant deaths at ages 1 week and under 4 weeks			1.79	1.75	1.88	1.83	1.69	98	105	102	95
Infant deaths at 4 weeks and under 1 year			5.81	6.44	5.15	4.19	7.52	111	89	72	130

*These percentages have been calculated using unrounded rates.

TABLE 26. Infant mortality from certain causes, 1967. Deaths of infants under 1 year and various sub-divisions of the first year, with rates per 1,000 live births. Deaths of illegitimate infants, and rates per 1,000 illegitimate live births

England and Wales, regions, Wales, conurbations, urban and rural aggregates and hospital regions

Area	Infant deaths							Rates per 1,000 live births						
	Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)	Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year per 1,000 illegit. live births
	All causes													
ENGLAND AND WALES	**15,266**	**10,434**	**1,990**	**1,639**	**718**	**485**	**1,655**	**18·34**	**12·54**	**2·39**	**1·97**	**0·86**	**0·58**	**23·67**
Regions and Conurbations:														
Northern	**1,119**	**772**	**158**	**115**	**48**	**26**	**109**	**20·03**	**13·82**	**2·83**	**2·06**	**0·86**	**0·47**	**26·20**
Tyneside Conurbation	280	196	34	31	12	7	33	20·74	14·52	2·52	2·30	0·89	0·52	28·77
Remainder of Northern	839	576	124	84	36	19	76	19·81	13·60	2·93	1·98	0·85	0·45	25·22
Yorkshire and Humberside	**1,821**	**1,181**	**268**	**220**	**87**	**65**	**207**	**21·64**	**14·03**	**3·18**	**2·61**	**1·03**	**0·77**	**28·85**
West Yorkshire Conurbation	723	466	103	89	41	24	103	23·54	15·17	3·35	2·90	1·34	0·78	33·22
Remainder of Yorkshire and Humberside	1,098	715	165	131	46	41	104	20·55	13·38	3·09	2·45	0·86	0·77	25·52
North Western	**2,475**	**1,692**	**323**	**272**	**122**	**66**	**302**	**20·81**	**14·23**	**2·72**	**2·29**	**1·03**	**0·55**	**28·72**
South East Lancashire Conurbation	964	651	126	111	52	24	136	21·77	14·70	2·85	2·51	1·17	0·54	28·42
Merseyside Conurbation	520	372	69	54	14	11	64	21·52	15·40	2·86	2·24	0·58	0·46	29·49
Remainder of North Western	991	669	128	107	56	31	102	19·63	13·25	2·54	2·12	1·11	0·61	28·66
East Midland	**1,048**	**718**	**120**	**113**	**61**	**36**	**95**	**17·91**	**12·27**	**2·05**	**1·93**	**1·04**	**0·62**	**20·52**
West Midland	**1,778**	**1,225**	**230**	**176**	**86**	**61**	**173**	**18·90**	**13·02**	**2·44**	**1·87**	**0·91**	**0·65**	**24·00**
West Midlands Conurbation	882	604	120	82	48	28	105	19·16	13·12	2·61	1·78	1·04	0·61	26·60
Remainder of West Midland	896	621	110	94	38	33	68	18·65	12·93	2·29	1·96	0·79	0·69	20·87
East Anglia	**407**	**289**	**49**	**33**	**21**	**15**	**35**	**15·39**	**10·93**	**1·85**	**1·25**	**0·79**	**0·57**	**18·04**
South Eastern	**4,886**	**3,386**	**615**	**519**	**205**	**161**	**568**	**16·77**	**11·62**	**2·11**	**1·78**	**0·70**	**0·55**	**21·25**
Greater London	2,470	1,731	294	258	108	79	352	18·39	12·89	2·19	1·92	0·80	0·59	23·03
Outer Metropolitan Area	1,351	930	187	140	50	44	117	15·14	10·42	2·10	1·57	0·56	0·49	20·78
Remainder of South Eastern	1,065	725	134	121	47	38	99	15·72	10·70	1·98	1·79	0·69	0·56	17·01
South Western	**919**	**618**	**106**	**105**	**52**	**38**	**96**	**15·53**	**10·44**	**1·79**	**1·77**	**0·88**	**0·64**	**21·02**
Wales	**813**	**553**	**121**	**86**	**36**	**17**	**70**	**18·60**	**12·65**	**2·77**	**1·97**	**0·82**	**0·39**	**23·33**
Wales I (South East)	615	416	90	73	23	13	50	19·48	13·17	2·85	2·31	0·73	0·41	23·65
Wales II (remainder)	198	137	31	13	13	4	20	16·32	11·29	2·56	1·07	1·07	0·33	22·55
Urban/Rural aggregates:														
Conurbations	5,839	4,020	746	625	275	173	793	19·93	13·72	2·55	2·13	0·94	0·59	26·06
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	2,079	1,375	293	245	95	71	234	19·72	13·04	2·78	2·32	0·90	0·67	21·39
Urban areas with populations of 50,000 and under 100,000	1,483	985	213	162	74	49	159	18·51	12·29	2·66	2·02	0·92	0·61	23·72
Urban areas with populations under 50,000	3,088	2,131	394	321	141	101	263	17·18	11·85	2·19	1·79	0·78	0·56	21·82
Rural districts	2,777	1,923	344	286	133	91	206	15·98	11·07	1·98	1·65	0·77	0·52	21·03
Hospital regions:														
Newcastle	1,063	727	154	111	46	25	107	20·41	13·96	2·96	2·13	0·88	0·48	27·63
Leeds	1,220	801	172	150	58	39	149	21·94	14·40	3·09	2·70	1·04	0·70	30·09
Sheffield	1,545	1,040	196	171	83	55	149	18·96	12·76	2·40	2·10	1·02	0·67	23·15
East Anglia	423	300	52	34	21	16	37	15·24	10·81	1·87	1·23	0·76	0·58	18·33
North West Metropolitan	1,289	921	153	126	49	40	168	17·18	12·27	2·04	1·68	0·65	0·53	22·26
North East Metropolitan	969	677	119	96	42	35	99	17·10	11·95	2·10	1·69	0·74	0·62	22·46
South East Metropolitan	919	603	120	118	47	31	99	16·59	10·89	2·17	2·13	0·85	0·56	19·93
South West Metropolitan	970	684	122	101	39	24	141	17·70	12·48	2·23	1·84	0·71	0·44	23·92
Wessex	514	351	67	58	21	17	49	15·98	10·91	2·08	1·80	0·65	0·53	17·21
Oxford	526	354	74	49	23	26	33	15·35	10·33	2·16	1·43	0·67	0·76	14·13
South Western	752	498	85	91	45	33	79	15·25	10·10	1·72	1·85	0·91	0·67	20·46
Welsh	813	553	121	86	36	17	70	18·60	12·65	2·77	1·97	0·82	0·39	23·33
Birmingham	1,778	1,225	230	176	86	61	173	18·90	13·02	2·44	1·87	0·91	0·65	24·00
Manchester	1,651	1,110	220	187	90	44	217	20·71	13·92	2·76	2·35	1·13	0·55	29·37
Liverpool	834	590	105	85	32	22	85	20·84	14·75	2·62	2·12	0·80	0·55	26·61

TABLE 26 - *continued*

Area	Infant deaths: Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)	Rates per 1,000 live births: Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year per 1,000 illegit. live births
	Pneumonia (490-493, 763)													
ENGLAND AND WALES	2,251	531	728	648	213	131	231	2·70	0·64	0·87	0·78	0·26	0·16	3·30
Regions and Conurbations:														
Northern	177	36	59	60	18	4	13	3·17	0·64	1·06	1·07	0·32	0·07	3·12
Tyneside Conurbation	41	8	13	12	6	2	2	3·04	0·59	0·96	0·89	0·44	0·15	1·74
Remainder of Northern	136	28	46	48	12	2	11	3·21	0·66	1·09	1·13	0·28	0·05	3·65
Yorkshire and Humberside	309	62	94	107	24	22	39	3·67	0·74	1·12	1·27	0·29	0·26	5·43
West Yorkshire Conurbation	140	27	43	50	10	10	22	4·56	0·88	1·40	1·63	0·33	0·33	7·09
Remainder of Yorkshire and Humberside	169	35	51	57	14	12	17	3·16	0·65	0·95	1·07	0·26	0·22	4·17
North Western	394	85	131	115	46	17	35	3·31	0·71	1·10	0·97	0·39	0·14	3·33
South East Lancashire Conurbation	174	31	58	55	23	7	20	3·93	0·70	1·31	1·24	0·52	0·16	4·18
Merseyside Conurbation	68	13	27	22	4	2	7	2·81	0·54	1·12	0·91	0·17	0·08	3·23
Remainder of North Western	152	41	46	38	19	8	8	3·01	0·81	0·91	0·75	0·38	0·16	2·25
East Midland	128	39	40	26	16	7	15	2·19	0·67	0·68	0·44	0·27	0·12	3·24
West Midland	292	90	89	70	29	14	21	3·10	0·96	0·95	0·74	0·31	0·15	2·91
West Midlands Conurbation	140	46	46	26	16	6	11	3·04	1·00	1·00	0·56	0·35	0·13	2·79
Remainder of West Midland	152	44	43	44	13	8	10	3·16	0·92	0·90	0·92	0·27	0·17	3·07
East Anglia	51	16	18	10	4	3	5	1·93	0·61	0·68	0·38	0·15	0·11	2·58
South Eastern	657	147	219	191	53	47	82	2·26	0·50	0·75	0·66	0·18	0·16	3·07
Greater London	362	69	122	118	31	22	57	2·69	0·51	0·91	0·88	0·23	0·16	3·73
Outer Metropolitan Area	171	49	56	41	9	16	11	1·92	0·55	0·63	0·46	0·10	0·18	1·95
Remainder of South Eastern	124	29	41	32	13	9	14	1·83	0·43	0·61	0·47	0·19	0·13	2·41
South Western	138	33	39	39	13	14	15	2·33	0·56	0·66	0·66	0·22	0·24	3·28
Wales	105	23	39	30	10	3	6	2·40	0·53	0·89	0·69	0·23	0·07	2·00
Wales I (South East)	82	14	31	28	6	3	3	2·60	0·44	0·98	0·89	0·19	0·10	1·42
Wales II (remainder)	23	9	8	2	4	-	3	1·90	0·74	0·66	0·16	0·33	-	3·38
Urban/Rural aggregates:														
Conurbations	925	194	309	283	90	49	119	3·16	0·66	1·05	0·97	0·31	0·17	3·91
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	382	84	122	121	33	22	40	3·62	0·80	1·16	1·15	0·31	0·21	3·66
Urban areas with populations of 50,000 and under 100,000	196	45	64	51	19	17	16	2·45	0·56	0·80	0·64	0·24	0·21	2·39
Urban areas with populations under 50,000	397	96	129	108	38	26	27	2·21	0·53	0·72	0·60	0·21	0·14	2·24
Rural districts	351	112	104	85	33	17	29	2·02	0·64	0·60	0·49	0·19	0·10	2·96
Hospital regions:														
Newcastle	173	35	58	58	18	4	13	3·32	0·67	1·11	1·11	0·35	0·08	3·36
Leeds	244	43	76	89	21	15	32	4·39	0·77	1·37	1·60	0·38	0·27	6·46
Sheffield	174	56	49	38	18	13	20	2·13	0·69	0·60	0·47	0·22	0·16	3·11
East Anglia	52	16	19	10	4	3	5	1·87	0·58	0·68	0·36	0·14	0·11	2·48
North West Metropolitan	184	41	57	55	17	14	32	2·45	0·55	0·76	0·73	0·23	0·19	4·24
North East Metropolitan	141	36	52	34	9	10	11	2·49	0·64	0·92	0·60	0·16	0·18	2·50
South East Metropolitan	118	23	35	40	10	10	12	2·13	0·42	0·63	0·72	0·18	0·18	2·42
South West Metropolitan	128	24	47	38	11	8	19	2·34	0·44	0·86	0·69	0·20	0·15	3·22
Wessex	69	21	23	17	4	4	6	2·14	0·65	0·71	0·53	0·12	0·12	2·11
Oxford	64	13	24	19	4	4	8	1·87	0·38	0·70	0·55	0·12	0·12	3·43
South Western	113	25	29	35	12	12	11	2·29	0·51	0·59	0·71	0·24	0·24	2·85
Welsh	105	23	39	30	10	3	6	2·40	0·53	0·89	0·69	0·23	0·07	2·00
Birmingham	292	90	89	70	29	14	21	3·10	0·96	0·95	0·74	0·31	0·15	2·91
Manchester	285	68	89	79	37	12	28	3·57	0·85	1·12	0·99	0·46	0·15	3·79
Liverpool	109	17	42	36	9	5	7	2·72	0·42	1·05	0·90	0·22	0·12	2·19

TABLE 26 - *continued*

Area	Infant deaths: Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)	Rates per 1,000 Live births: Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year per 1,000 illegit. live births
	Bronchitis (500-502)													
ENGLAND AND WALES	382	20	127	155	58	22	50	0·46	0·02	0·15	0·19	0·07	0·03	0·72
Regions and Conurbations:														
Northern	12	-	5	5	2	-	2	0·21	-	0·09	0·09	0·04	-	0·48
Tyneside Conurbation	2	-	-	1	1	-	-	0·15	-	-	0·07	0·07	-	-
Remainder of Northern	10	-	5	4	1	-	2	0·24	-	0·12	0·09	0·02	-	0·66
Yorkshire and Humberside	45	2	16	20	4	3	6	0·53	0·02	0·19	0·24	0·05	0·04	0·84
West Yorkshire Conurbation	9	1	4	2	2	-	3	0·29	0·03	0·13	0·07	0·07	-	0·97
Remainder of Yorkshire and Humberside	36	1	12	18	2	3	3	0·67	0·02	0·22	0·34	0·04	0·06	0·74
North Western	78	2	31	33	9	3	12	0·66	0·02	0·26	0·28	0·08	0·03	1·14
South East Lancashire Conurbation	22	-	10	8	3	1	4	0·50	-	0·23	0·18	0·07	0·02	0·84
Merseyside Conurbation	23	-	10	11	1	1	4	0·95	-	0·41	0·46	0·04	0·04	1·84
Remainder of North Western	33	2	11	14	5	1	4	0·65	0·04	0·22	0·28	0·10	0·02	1·12
East Midland	53	4	9	24	10	6	1	0·91	0·07	0·15	0·41	0·17	0·10	0·22
West Midland	42	2	13	13	10	4	6	0·45	0·02	0·14	0·14	0·11	0·04	0·83
West Midlands Conurbation	31	2	11	8	7	3	5	0·67	0·04	0·24	0·17	0·15	0·07	1·27
Remainder of West Midland	11	-	2	5	3	1	1	0·23	-	0·04	0·10	0·06	0·02	0·31
East Anglia	5	1	2	1	1	-	1	0·19	0·04	0·08	0·04	0·04	-	0·52
South Eastern	127	8	47	48	19	5	18	0·44	0·03	0·16	0·16	0·07	0·02	0·67
Greater London	68	4	24	26	13	1	10	0·51	0·03	0·18	0·19	0·10	0·01	0·65
Outer Metropolitan Area	29	1	10	13	2	3	5	0·33	0·01	0·11	0·15	0·02	0·03	0·89
Remainder of South Eastern	30	3	13	9	4	1	3	0·44	0·04	0·19	0·13	0·06	0·01	0·52
South Western	10	1	1	4	3	1	1	0·17	0·02	0·02	0·07	0·05	0·02	0·22
Wales	10	-	3	7	-	-	3	0·23	-	0·07	0·16	-	-	1·00
Wales I (South East)	9	-	3	6	-	-	3	0·29	-	0·10	0·19	-	-	1·42
Wales II (remainder)	1	-	-	1	-	-	-	0·08	-	-	0·08	-	-	-
Urban/Rural aggregates:														
Conurbations	155	7	59	56	27	6	26	0·53	0·02	0·20	0·19	0·09	0·02	0·85
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	54	4	18	23	6	3	6	0·51	0·04	0·17	0·22	0·06	0·03	0·55
Urban areas with populations of 50,000 and under 100,000	36	5	11	14	5	1	5	0·45	0·06	0·14	0·17	0·06	0·01	0·75
Urban areas with populations under 50,000	68	-	17	33	10	8	7	0·38	-	0·09	0·18	0·06	0·04	0·58
Rural districts	69	4	22	29	10	4	6	0·40	0·02	0·13	0·17	0·06	0·02	0·61
Hospital regions:														
Newcastle	12	-	5	5	2	-	2	0·23	-	0·10	0·10	0·04	-	0·52
Leeds	17	1	7	7	2	-	3	0·31	0·02	0·13	0·13	0·04	-	0·61
Sheffield	78	5	17	37	12	7	4	0·96	0·06	0·21	0·45	0·15	0·09	0·62
East Anglia	5	1	2	1	1	-	1	0·18	0·04	0·07	0·04	0·04	-	0·50
North West Metropolitan	12	1	5	4	1	1	3	0·16	0·01	0·07	0·05	0·01	0·01	0·40
North East Metropolitan	34	2	12	14	6	-	4	0·60	0·04	0·21	0·25	0·11	-	0·91
South East Metropolitan	44	2	18	14	8	2	6	0·79	0·04	0·32	0·25	0·14	0·04	1·21
South West Metropolitan	15	1	3	8	2	1	2	0·27	0·02	0·05	0·15	0·04	0·02	0·34
Wessex	17	1	6	7	3	-	2	0·53	0·03	0·19	0·22	0·09	-	0·70
Oxford	9	1	4	1	-	3	1	0·26	0·03	0·12	0·03	-	0·09	0·43
South Western	9	1	1	4	2	1	1	0·18	0·02	0·02	0·08	0·04	0·02	0·26
Welsh	10	-	3	7	-	-	3	0·23	-	0·07	0·16	-	-	1·00
Birmingham	42	2	13	13	10	4	6	0·45	0·02	0·14	0·14	0·11	0·04	0·83
Manchester	49	1	19	21	6	2	7	0·61	0·01	0·24	0·26	0·08	0·03	0·95
Liverpool	29	1	12	12	3	1	5	0·72	0·02	0·30	0·30	0·07	0·02	1·57

TABLE 26 - *continued*

Area	Infant deaths: Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)	Rates per 1,000 live births: Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year per 1,000 illegit. live births
	Gastro-enteritis (571, 764)													
ENGLAND AND WALES	357	58	113	96	56	31	32	0·43	0·07	0·14	0·12	0·07	0·04	0·46
Regions and Conurbations:														
Northern	31	8	13	7	2	1	3	0·55	0·14	0·23	0·13	0·04	0·02	0·72
Tyneside Conurbation	4	-	1	2	-	1	1	0·30	-	0·07	0·15	-	0·07	0·87
Remainder of Northern	27	8	12	5	2	-	2	0·64	0·19	0·28	0·12	0·05	-	0·66
Yorkshire and Humberside	70	18	17	16	15	4	4	0·83	0·21	0·20	0·19	0·18	0·05	0·56
West Yorkshire Conurbation	34	11	7	7	8	1	3	1·11	0·36	0·23	0·23	0·26	0·03	0·97
Remainder of Yorkshire and Humberside	36	7	10	9	7	3	1	0·67	0·13	0·19	0·17	0·13	0·06	0·25
North Western	79	8	32	21	11	7	7	0·66	0·07	0·27	0·18	0·09	0·06	0·67
South East Lancashire Conurbation	37	3	13	12	6	3	5	0·84	0·07	0·29	0·27	0·14	0·07	1·04
Merseyside Conurbation	12	2	9	1	-	-	1	0·50	0·08	0·37	0·04	-	-	0·46
Remainder of North Western	30	3	10	8	5	4	1	0·59	0·06	0·20	0·16	0·10	0·08	0·28
East Midland	24	4	7	10	1	2	1	0·41	0·07	0·12	0·17	0·02	0·03	0·22
West Midland	43	7	13	12	6	5	4	0·46	0·07	0·14	0·13	0·06	0·05	0·56
West Midlands Conurbation	24	5	9	5	3	2	3	0·52	0·11	0·20	0·11	0·07	0·04	0·76
Remainder of West Midland	19	2	4	7	3	3	1	0·40	0·04	0·08	0·15	0·06	0·06	0·31
East Anglia	4	-	-	1	3	-	-	0·15	-	-	0·04	0·11	-	-
South Eastern	84	9	23	25	14	13	13	0·29	0·03	0·08	0·09	0·05	0·04	0·49
Greater London	44	6	14	13	8	3	8	0·33	0·04	0·10	0·10	0·06	0·02	0·52
Outer Metropolitan Area	23	3	4	6	4	6	4	0·26	0·03	0·04	0·07	0·04	0·07	0·71
Remainder of South Eastern	17	-	5	6	2	4	1	0·25	-	0·07	0·09	0·03	0·06	0·17
South Western	11	1	4	2	2	2	-	0·19	0·02	0·07	0·03	0·03	0·03	-
Wales	11	3	4	2	2	-	-	0·25	0·07	0·09	0·05	0·05	-	-
Wales I (South East)	8	2	4	2	-	-	-	0·25	0·06	0·13	0·06	-	-	-
Wales II (remainder)	3	1	-	-	2	-	-	0·25	0·08	-	-	0·16	-	-
Urban/Rural aggregates:														
Conurbations	155	27	53	40	25	10	21	0·53	0·09	0·18	0·14	0·09	0·03	0·69
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	54	9	18	15	4	8	3	0·51	0·09	0·17	0·14	0·04	0·08	0·27
Urban areas with populations of 50,000 and under 100,000	38	2	14	12	5	5	3	0·47	0·02	0·17	0·15	0·06	0·06	0·45
Urban areas with populations under 50,000	65	13	19	16	12	5	1	0·36	0·07	0·11	0·09	0·07	0·03	0·08
Rural districts	45	7	9	13	10	6	4	0·26	0·04	0·05	0·07	0·06	0·03	0·41
Hospital regions:														
Newcastle	30	8	12	7	2	1	3	0·58	0·15	0·23	0·13	0·04	0·02	0·77
Leeds	45	12	13	10	8	2	3	0·81	0·22	0·23	0·18	0·14	0·04	0·61
Sheffield	49	10	11	16	8	4	2	0·60	0·12	0·13	0·20	0·10	0·05	0·31
East Anglia	5	-	-	2	3	-	-	0·18	-	-	0·07	0·11	-	-
North West Metropolitan	26	1	7	5	7	6	-	0·35	0·01	0·09	0·07	0·09	0·08	-
North East Metropolitan	8	1	1	3	1	2	1	0·14	0·02	0·02	0·05	0·02	0·04	0·23
South East Metropolitan	24	-	7	9	6	2	6	0·43	-	0·13	0·16	0·11	0·04	1·21
South West Metropolitan	16	6	5	4	-	1	5	0·29	0·11	0·09	0·07	-	0·02	0·85
Wessex	7	-	3	3	-	1	1	0·22	-	0·09	0·09	-	0·03	0·35
Oxford	3	1	1	-	-	1	-	0·09	0·03	0·03	-	-	0·03	-
South Western	11	1	4	2	2	2	-	0·22	0·02	0·08	0·04	0·04	0·04	-
Welsh	11	3	4	2	2	-	-	0·25	0·07	0·09	0·05	0·05	-	-
Birmingham	43	7	13	12	6	5	4	0·46	0·07	0·14	0·13	0·06	0·05	0·56
Manchester	60	6	21	17	9	7	6	0·75	0·08	0·26	0·21	0·11	0·09	0·81
Liverpool	19	2	11	4	2	-	1	0·47	0·05	0·27	0·10	0·05	-	0·31

TABLE 26 - *continued*

Area	Infant deaths: Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)	Rates per 1,000 live births: Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year per 1,000 illegit. live births
	Other diseases of infective origin (001-138, 340, 470-483, 518, 519, 690-698, 765-768)													
ENGLAND AND WALES	427	155	84	84	50	54	29	0·51	0·19	0·10	0·10	0·06	0·06	0·41
Regions and Conurbations:														
Northern	30	10	6	5	3	6	1	0·54	0·18	0·11	0·09	0·05	0·11	0·24
Tyneside Conurbation	5	2	1	1	1	-	-	0·37	0·15	0·07	0·07	0·07	-	-
Remainder of Northern	25	8	5	4	2	6	1	0·59	0·19	0·12	0·09	0·05	0·14	0·33
Yorkshire and Humberside	58	16	17	13	6	6	7	0·69	0·19	0·20	0·15	0·07	0·07	0·98
West Yorkshire Conurbation	24	7	6	6	3	2	4	0·78	0·23	0·20	0·20	0·10	0·07	1·29
Remainder of Yorkshire and Humberside	34	9	11	7	3	4	3	0·64	0·17	0·21	0·13	0·06	0·07	0·74
North Western	58	21	13	14	6	4	4	0·49	0·18	0·11	0·12	0·05	0·03	0·38
South East Lancashire Conurbation	21	8	4	7	1	1	1	0·47	0·18	0·09	0·16	0·02	0·02	0·21
Merseyside Conurbation	12	7	1	2	2	-	1	0·50	0·29	0·04	0·08	0·08	-	0·46
Remainder of North Western	25	6	8	5	3	3	2	0·50	0·12	0·16	0·10	0·06	0·06	0·56
East Midland	37	14	8	7	4	4	4	0·63	0·24	0·14	0·12	0·07	0·07	0·86
West Midland	51	18	11	7	5	10	1	0·54	0·19	0·12	0·07	0·05	0·11	0·14
West Midlands Conurbation	27	7	7	4	4	5	1	0·59	0·15	0·15	0·09	0·09	0·11	0·25
Remainder of West Midland	24	11	4	3	1	5	-	0·50	0·23	0·08	0·06	0·02	0·10	-
East Anglia	13	7	1	3	1	1	1	0·49	0·26	0·04	0·11	0·04	0·04	0·52
South Eastern	126	50	20	23	16	17	8	0·43	0·17	0·07	0·08	0·05	0·06	0·30
Greater London	66	33	10	10	6	7	7	0·49	0·25	0·07	0·07	0·04	0·05	0·46
Outer Metropolitan Area	27	8	5	4	5	5	1	0·30	0·09	0·06	0·04	0·06	0·06	0·18
Remainder of South Eastern	33	9	5	9	5	5	-	0·49	0·13	0·07	0·13	0·07	0·07	-
South Western	27	8	2	6	6	5	3	0·46	0·14	0·03	0·10	0·10	0·08	0·66
Wales	27	11	6	6	3	1	-	0·62	0·25	0·14	0·14	0·07	0·02	-
Wales I (South East)	21	8	5	5	2	1	-	0·67	0·25	0·16	0·16	0·06	0·03	-
Wales II (remainder)	6	3	1	1	1	-	-	0·49	0·25	0·08	0·08	0·08	-	-
Urban/Rural aggregates:														
Conurbations	155	64	29	30	17	15	14	0·53	0·22	0·10	0·10	0·06	0·05	0·46
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	65	23	14	14	7	7	5	0·62	0·22	0·13	0·13	0·07	0·07	0·46
Urban areas with populations of 50,000 and under 100,000	38	9	7	8	7	7	2	0·47	0·11	0·09	0·10	0·09	0·09	0·30
Urban areas with populations under 50,000	82	26	20	11	11	14	4	0·46	0·14	0·11	0·06	0·06	0·08	0·33
Rural districts	87	33	14	21	8	11	4	0·50	0·19	0·08	0·12	0·05	0·06	0·41
Hospital regions:														
Newcastle	28	9	6	5	3	5	-	0·54	0·17	0·12	0·10	0·06	0·10	-
Leeds	36	12	11	6	4	3	6	0·65	0·22	0·20	0·11	0·07	0·05	1·21
Sheffield	54	16	13	13	6	6	6	0·66	0·20	0·16	0·16	0·07	0·07	0·93
East Anglia	13	7	1	3	1	1	1	0·47	0·25	0·04	0·11	0·04	0·04	0·50
North West Metropolitan	34	20	5	3	4	2	3	0·45	0·27	0·07	0·04	0·05	0·03	0·40
North East Metropolitan	24	7	5	5	1	6	1	0·42	0·12	0·09	0·09	0·02	0·11	0·23
South East Metropolitan	17	4	2	6	4	1	1	0·31	0·07	0·04	0·11	0·07	0·02	0·20
South West Metropolitan	23	8	4	6	4	1	3	0·42	0·15	0·07	0·11	0·07	0·02	0·51
Wessex	17	6	2	3	3	3	-	0·53	0·19	0·06	0·09	0·09	0·09	-
Oxford	19	8	3	1	1	6	-	0·55	0·23	0·09	0·03	0·03	0·18	-
South Western	26	8	2	6	5	5	3	0·53	0·16	0·04	0·12	0·10	0·10	0·78
Welsh	27	11	6	6	3	1	-	0·62	0·25	0·14	0·14	0·07	0·02	-
Birmingham	51	18	11	7	5	10	1	0·54	0·19	0·12	0·07	0·05	0·11	0·14
Manchester	33	11	9	9	3	1	2	0·41	0·14	0·11	0·11	0·04	0·01	0·27
Liverpool	25	10	4	5	3	3	2	0·62	0·25	0·10	0·12	0·07	0·07	0·63

TABLE 26 - *continued*

Area	Infant deaths: Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)	Rates per 1,000 live births: Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year per 1,000 illegit. live births
	Accidental mechanical suffocation (E921-E925)													
ENGLAND AND WALES	401	25	162	138	52	24	42	0·48	0·03	0·19	0·17	0·06	0·03	0·60
Regions and Conurbations:														
Northern	30	-	14	10	5	1	1	0·54	-	0·25	0·18	0·09	0·02	0·24
Tyneside Conurbation	10	-	4	6	-	-	-	0·74	-	0·30	0·44	-	-	-
Remainder of Northern	20	-	10	4	5	1	1	0·47	-	0·24	0·09	0·12	0·02	0·33
Yorkshire and Humberside	35	1	15	12	6	1	4	0·42	0·01	0·18	0·14	0·07	0·01	0·56
West Yorkshire Conurbation	9	-	2	4	3	-	-	0·29	-	0·07	0·13	0·10	-	-
Remainder of Yorkshire and Humberside	26	1	13	8	3	1	4	0·49	0·02	0·24	0·15	0·06	0·02	0·98
North Western	60	3	25	24	6	2	9	0·50	0·03	0·21	0·20	0·05	0·02	0·86
South East Lancashire Conurbation	20	1	11	8	-	-	4	0·45	0·02	0·25	0·18	-	-	0·84
Merseyside Conurbation	10	-	5	5	-	-	1	0·41	-	0·21	0·21	-	-	0·46
Remainder of North Western	30	2	9	11	6	2	4	0·59	0·04	0·18	0·22	0·12	0·04	1·12
East Midland	33	3	11	12	6	1	2	0·56	0·05	0·19	0·21	0·10	0·02	0·43
West Midland	41	3	20	9	2	7	3	0·44	0·03	0·21	0·10	0·02	0·07	0·42
West Midlands Conurbation	14	-	8	3	-	3	1	0·30	-	0·17	0·07	-	0·07	0·25
Remainder of West Midland	27	3	12	6	2	4	2	0·56	0·06	0·25	0·12	0·04	0·08	0·61
East Anglia	21	2	7	6	2	4	3	0·79	0·08	0·26	0·23	0·08	0·15	1·55
South Eastern	115	12	44	40	14	5	11	0·39	0·04	0·15	0·14	0·05	0·02	0·41
Greater London	27	5	9	7	4	2	2	0·20	0·04	0·07	0·05	0·03	0·01	0·13
Outer Metropolitan Area	52	4	22	19	6	1	6	0·58	0·04	0·25	0·21	0·07	0·01	1·07
Remainder of South Eastern	36	3	13	14	4	2	3	0·53	0·04	0·19	0·21	0·06	0·03	0·52
South Western	35	-	11	16	7	1	8	0·59	-	0·19	0·27	0·12	0·02	1·75
Wales	31	1	15	9	4	2	1	0·71	0·02	0·34	0·21	0·09	0·05	0·33
Wales I (South East)	16	1	8	6	1	-	-	0·51	0·03	0·25	0·19	0·03	-	-
Wales II (remainder)	15	-	7	3	3	2	1	1·24	-	0·58	0·25	0·25	0·16	1·13
Urban/Rural aggregates:														
Conurbations	90	6	39	33	7	5	8	0·31	0·02	0·13	0·11	0·02	0·02	0·26
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	50	4	22	13	8	3	7	0·47	0·04	0·21	0·12	0·08	0·03	0·64
Urban areas with populations of 50,000 and under 100,000	69	2	25	29	11	2	9	0·86	0·02	0·31	0·36	0·14	0·02	1·34
Urban areas with populations under 50,000	108	6	46	40	10	6	10	0·60	0·03	0·26	0·22	0·06	0·03	0·83
Rural districts	84	7	30	23	16	8	8	0·48	0·04	0·17	0·13	0·09	0·05	0·82
Hospital regions:														
Newcastle	29	-	13	10	5	1	1	0·56	-	0·25	0·19	0·10	0·02	0·26
Leeds	16	-	3	9	4	-	1	0·29	-	0·05	0·16	0·07	-	0·20
Sheffield	50	4	23	14	7	2	4	0·61	0·05	0·28	0·17	0·09	0·02	0·62
East Anglia	21	2	7	6	2	4	3	0·76	0·07	0·25	0·22	0·07	0·14	1·49
North West Metropolitan	30	5	9	13	3	-	4	0·40	0·07	0·12	0·17	0·04	-	0·53
North East Metropolitan	13	1	6	4	1	1	2	0·23	0·02	0·11	0·07	0·02	0·02	0·45
South East Metropolitan	27	3	11	9	2	2	3	0·49	0·05	0·20	0·16	0·04	0·04	0·60
South West Metropolitan	16	1	6	6	2	1	-	0·29	0·02	0·11	0·11	0·04	0·02	-
Wessex	19	1	8	7	2	1	2	0·59	0·03	0·25	0·22	0·06	0·03	0·70
Oxford	19	1	7	6	5	-	4	0·55	0·03	0·20	0·18	0·15	-	1·71
South Western	28	-	8	12	7	1	5	0·57	-	0·16	0·24	0·14	0·02	1·30
Welsh	31	1	15	9	4	2	1	0·71	0·02	0·34	0·21	0·09	0·05	0·33
Birmingham	41	3	20	9	2	7	3	0·44	0·03	0·21	0·10	0·02	0·07	0·42
Manchester	45	3	18	18	4	2	8	0·56	0·04	0·23	0·23	0·05	0·03	1·08
Liverpool	16	-	8	6	2	-	1	0·40	-	0·20	0·15	0·05	-	0·31

TABLE 26 - *continued*

Area	Infant deaths: Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)	Rates per 1,000 live births: Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year per 1,000 illegit. live births
	Congenital malformations (750-759)													
ENGLAND AND WALES	3,151	2,190	442	292	143	84	216	3·79	2·63	0·53	0·35	0·17	0·10	3·09
Regions and Conurbations:														
Northern	225	169	29	15	8	4	16	4·03	3·03	0·52	0·27	0·14	0·07	3·85
Tyneside Conurbation	66	51	7	5	2	1	6	4·89	3·78	0·52	0·37	0·15	0·07	5·23
Remainder of Northern	159	118	22	10	6	3	10	3·75	2·79	0·52	0·24	0·14	0·07	3·32
Yorkshire and Humberside	321	216	58	23	12	12	22	3·81	2·57	0·69	0·27	0·14	0·14	3·07
West Yorkshire Conurbation	136	92	21	10	9	4	15	4·43	3·00	0·68	0·33	0·29	0·13	4·84
Remainder of Yorkshire and Humberside	185	124	37	13	3	8	7	3·46	2·32	0·69	0·24	0·06	0·15	1·72
North Western	478	346	58	41	22	11	27	4·02	2·91	0·49	0·34	0·18	0·09	2·57
South East Lancashire Conurbation	165	120	18	14	10	3	12	3·73	2·71	0·41	0·32	0·23	0·07	2·51
Merseyside Conurbation	108	79	12	10	3	4	8	4·47	3·27	0·50	0·41	0·12	0·17	3·69
Remainder of North Western	205	147	28	17	9	4	7	4·06	2·91	0·55	0·34	0·18	0·08	1·97
East Midland	222	160	23	18	16	5	17	3·79	2·73	0·39	0·31	0·27	0·09	3·67
West Midland	367	251	51	35	21	9	30	3·90	2·67	0·54	0·37	0·22	0·70	4·16
West Midlands Conurbation	168	115	19	18	11	5	16	3·65	2·50	0·41	0·39	0·24	0·11	4·05
Remainder of West Midland	199	136	32	17	10	4	14	4·14	2·83	0·67	0·35	0·21	0·08	4·30
East Anglia	73	48	13	7	2	3	4	2·76	1·82	0·49	0·26	0·08	0·11	2·06
South Eastern	1,059	731	149	108	42	29	70	3·64	2·51	0·51	0·37	0·14	0·10	2·62
Greater London	494	338	62	51	22	21	39	3·68	2·52	0·46	0·38	0·16	0·16	2·55
Outer Metropolitan Area	308	211	54	30	11	2	14	3·45	2·37	0·61	0·34	0·12	0·02	2·49
Remainder of South Eastern	257	182	33	27	9	6	17	3·79	2·69	0·49	0·40	0·13	0·09	2·92
South Western	239	161	35	27	9	7	19	4·04	2·72	0·59	0·46	0·15	0·12	4·16
Wales	167	108	26	18	11	4	11	3·82	2·47	0·59	0·41	0·25	0·09	3·67
Wales I (South East)	128	84	18	15	8	3	9	4·05	2·66	0·57	0·48	0·25	0·10	4·26
Wales II (remainder)	39	24	8	3	3	1	2	3·21	1·98	0·66	0·25	0·25	0·08	2·25
Urban/Rural aggregates:														
Conurbations	1,137	795	139	108	57	38	96	3·88	2·71	0·47	0·37	0·19	0·13	3·15
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	373	260	54	30	19	10	24	3·54	2·47	0·51	0·28	0·18	0·09	2·19
Urban areas with populations of 50,000 and under 100,000	311	216	53	25	12	5	27	3·88	2·70	0·66	0·31	0·15	0·06	4·03
Urban areas with populations under 50,000	712	507	96	63	35	11	43	3·96	2·82	0·53	0·35	0·19	0·06	3·57
Rural districts	618	412	100	66	20	20	26	3·56	2·37	0·58	0·38	0·12	0·12	2·65
Hospital regions:														
Newcastle	210	159	28	13	6	4	15	4·03	3·05	0·54	0·25	0·12	0·08	3·87
Leeds	231	159	36	18	11	7	20	4·15	2·86	0·65	0·32	0·20	0·13	4·04
Sheffield	300	211	42	22	15	10	20	3·68	2·59	0·52	0·27	0·18	0·12	3·11
East Anglia	74	48	14	7	2	3	4	2·67	1·73	0·50	0·25	0·07	0·11	1·98
North West Metropolitan	276	186	44	31	6	9	12	3·68	2·48	0·59	0·41	0·08	0·12	1·59
North East Metropolitan	208	146	25	19	12	6	13	3·67	2·58	0·44	0·34	0·21	0·11	2·95
South East Metropolitan	199	141	27	20	7	4	18	3·59	2·55	0·49	0·36	0·13	0·07	3·62
South West Metropolitan	204	133	31	23	12	5	17	3·72	2·43	0·57	0·42	0·22	0·09	2·88
Wessex	109	84	11	7	3	4	5	3·39	2·61	0·34	0·22	0·09	0·12	1·76
Oxford	129	87	18	14	8	2	7	3·76	2·54	0·53	0·41	0·23	0·06	3·00
South Western	197	130	30	24	7	6	17	4·00	2·64	0·61	0·49	0·14	0·12	4·40
Welsh	167	108	26	18	11	4	11	3·82	2·47	0·59	0·41	0·25	0·09	3·67
Birmingham	367	251	51	35	21	9	30	3·90	2·67	0·54	0·37	0·22	0·10	4·16
Manchester	299	214	39	24	17	5	16	3·75	2·68	0·49	0·30	0·21	0·06	2·17
Liverpool	181	133	20	17	5	6	11	4·52	3·32	0·50	0·42	0·12	0·15	3·44

TABLE 26 - *continued*

Area	Infant deaths: Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)	Rates per 1,000 live births: Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year per 1,000 illegit. live births
	Injury at birth (760, 761)													
ENGLAND AND WALES	1,511	1,508	2	-	-	1	169	1·82	1·81	0·00	-	-	0·00	2·42
Regions and Conurbations:														
Northern	98	96	1	-	-	1	9	1·75	1·72	0·02	-	-	0·02	2·16
Tyneside Conurbation	27	26	-	-	-	1	4	2·00	1·93	-	-	-	0·07	3·49
Remainder of Northern	71	70	1	-	-	-	5	1·68	1·65	0·02	-	-	-	1·66
Yorkshire and Humberside	156	156	-	-	-	-	18	1·85	1·85	-	-	-	-	2·51
West Yorkshire Conurbation	63	63	-	-	-	-	10	2·05	2·05	-	-	-	-	3·22
Remainder of Yorkshire and Humberside	93	93	-	-	-	-	8	1·74	1·74	-	-	-	-	1·96
North Western	229	229	-	-	-	-	32	1·93	1·93	-	-	-	-	3·04
South East Lancashire Conurbation	106	106	-	-	-	-	17	2·39	2·39	-	-	-	-	3·55
Merseyside Conurbation	51	51	-	-	-	-	6	2·11	2·11	-	-	-	-	2·76
Remainder of North Western	72	72	-	-	-	-	9	1·43	1·43	-	-	-	-	2·53
East Midland	132	132	-	-	-	-	14	2·26	2·26	-	-	-	-	3·02
West Midland	221	221	-	-	-	-	19	2·35	2·35	-	-	-	-	2·64
West Midlands Conurbation	105	105	-	-	-	-	12	2·28	2·28	-	-	-	-	3·04
Remainder of West Midland	116	116	-	-	-	-	7	2·41	2·41	-	-	-	-	2·15
East Anglia	49	49	-	-	-	-	3	1·85	1·85	-	-	-	-	1·55
South Eastern	447	446	1	-	-	-	57	1·53	1·53	0·00	-	-	-	2·13
Greater London	244	244	-	-	-	-	36	1·82	1·82	-	-	-	-	2·56
Outer Metropolitan Area	112	111	1	-	-	-	12	1·26	1·24	0·01	-	-	-	2·13
Remainder of South Eastern	91	91	-	-	-	-	9	1·34	1·34	-	-	-	-	1·55
South Western	102	102	-	-	-	-	10	1·72	1·72	-	-	-	-	2·19
Wales	77	77	-	-	-	-	7	1·76	1·76	-	-	-	-	2·33
Wales I (South East)	65	65	-	-	-	-	5	2·06	2·06	-	-	-	-	2·37
Wales II (remainder)	12	12	-	-	-	-	2	0·99	0·99	-	-	-	-	2·25
Urban/Rural aggregates:														
Conurbations	596	595	-	-	-	1	85	2·03	2·03	-	-	-	0·00	2·79
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	226	226	-	-	-	-	26	2·14	2·14	-	-	-	-	2·38
Urban areas with populations of 50,000 and under 100,000	114	112	2	-	-	-	8	1·42	1·40	0·02	-	-	-	1·19
Urban areas with populations under 50,000	292	292	-	-	-	-	26	1·62	1·62	-	-	-	-	2·16
Rural districts	283	283	-	-	-	-	24	1·63	1·63	-	-	-	-	2·45
Hospital regions:														
Newcastle	93	91	1	-	-	1	9	1·79	1·75	0·02	-	-	0·02	2·32
Leeds	104	104	-	-	-	-	14	1·87	1·87	-	-	-	-	2·83
Sheffield	168	168	-	-	-	-	16	2·06	2·06	-	-	-	-	2·49
East Anglia	51	51	-	-	-	-	3	1·84	1·84	-	-	-	-	1·49
North West Metropolitan	124	124	-	-	-	-	15	1·65	1·65	-	-	-	-	1·99
North East Metropolitan	86	86	-	-	-	-	13	1·52	1·52	-	-	-	-	2·95
South East Metropolitan	84	84	-	-	-	-	10	1·52	1·52	-	-	-	-	2·01
South West Metropolitan	100	99	1	-	-	-	14	1·82	1·81	0·02	-	-	-	2·37
Wessex	36	36	-	-	-	-	4	1·12	1·12	-	-	-	-	1·40
Oxford	50	50	-	-	-	-	4	1·46	1·46	-	-	-	-	1·71
South Western	87	87	-	-	-	-	9	1·76	1·76	-	-	-	-	2·33
Welsh	77	77	-	-	-	-	7	1·76	1·76	-	-	-	-	2·33
Birmingham	221	221	-	-	-	-	19	2·35	2·35	-	-	-	-	2·64
Manchester	166	166	-	-	-	-	26	2·08	2·08	-	-	-	-	3·52
Liverpool	64	64	-	-	-	-	6	1·60	1·60	-	-	-	-	1·88

TABLE 26 - *continued*

Area	Infant deaths: Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)	Rates per 1,000 live births: Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year per 1,000 illegit. live births
	Postnatal asphyxia, atelectasis (762)													
ENGLAND AND WALES	2,275	2,244	16	9	2	4	297	2·73	2·70	0·02	0·01	0·00	0·00	4·25
Regions and Conurbations:														
Northern	168	167	1	-	-	-	24	3·01	2·99	0·02	-	-	-	5·77
Tyneside Conurbation	35	35	-	-	-	-	7	2·59	2·59	-	-	-	-	6·10
Remainder of Northern	133	132	1	-	-	-	17	3·14	3·12	0·02	-	-	-	5·64
Yorkshire and Humberside	289	286	2	1	-	-	36	3·43	3·40	0·02	0·01	-	-	5·02
West Yorkshire Conurbation	112	110	1	1	-	-	14	3·65	3·58	0·03	0·03	-	-	4·51
Remainder of Yorkshire and Humberside	177	176	1	-	-	-	22	3·31	3·29	0·02	-	-	-	5·40
North Western	317	316	-	-	1	-	48	2·67	2·66	-	-	0·01	-	4·56
South East Lancashire Conurbation	131	131	-	-	-	-	21	2·96	2·96	-	-	-	-	4·39
Merseyside Conurbation	58	58	-	-	-	-	9	2·40	2·40	-	-	-	-	4·15
Remainder of North Western	128	127	-	-	1	-	18	2·54	2·52	-	-	0·02	-	5·06
East Midland	150	149	1	-	-	-	17	2·56	2·55	0·02	-	-	-	3·67
West Midland	264	260	1	1	1	1	34	2·81	2·76	0·01	0·01	0·01	0·01	4·72
West Midlands Conurbation	138	135	1	1	1	-	19	3·00	2·93	0·02	0·02	0·02	-	4·81
Remainder of West Midland	126	125	-	-	-	1	15	2·62	2·60	-	-	-	0·02	4·60
East Anglia	71	69	2	-	-	-	10	2·68	2·61	0·08	-	-	-	5·15
South Eastern	741	727	6	5	-	3	96	2·54	2·50	0·02	0·02	-	0·01	3·59
Greater London	400	393	3	3	-	1	67	2·98	2·93	0·02	0·02	-	0·01	4·38
Outer Metropolitan Area	192	190	-	2	-	-	16	2·15	2·13	-	0·02	-	-	2·84
Remainder of South Eastern	149	144	3	-	-	2	13	2·20	2·13	0·04	-	-	0·03	2·23
South Western	148	147	1	-	-	-	18	2·50	2·48	0·02	-	-	-	3·94
Wales	127	123	2	2	-	-	14	2·91	2·81	0·05	0·05	-	-	4·67
Wales I (South East)	87	85	-	2	-	-	11	2·76	2·69	-	0·06	-	-	5·20
Wales II (remainder)	40	38	2	-	-	-	3	3·30	3·13	0·16	-	-	-	3·38
Urban/Rural aggregates:														
Conurbations	874	862	5	5	1	1	137	2·98	2·94	0·02	0·02	0·00	0·00	4·50
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	283	280	1	1	-	1	42	2·68	2·66	0·01	0·01	-	0·01	3·84
Urban areas with populations of 50,000 and under 100,000	223	222	1	-	-	-	29	2·78	2·77	0·01	-	-	-	4·33
Urban areas with populations under 50,000	477	468	7	1	-	1	53	2·65	2·60	0·04	0·01	-	0·01	4·40
Rural districts	418	412	2	2	1	1	36	2·41	2·37	0·01	0·01	0·01	0·01	3·68
Hospital regions:														
Newcastle	160	159	1	-	-	-	24	3·07	3·05	0·02	-	-	-	6·20
Leeds	186	184	1	1	-	-	23	3·34	3·31	0·02	0·02	-	-	4·65
Sheffield	235	233	2	-	-	-	30	2·88	2·86	0·02	-	-	-	4·66
East Anglia	75	73	2	-	-	-	10	2·70	2·63	0·07	-	-	-	4·96
North West Metropolitan	191	187	1	3	-	-	27	2·55	2·49	0·01	0·04	-	-	3·58
North East Metropolitan	132	129	3	-	-	-	11	2·33	2·28	0·05	-	-	-	2·50
South East Metropolitan	145	144	-	-	-	1	18	2·62	2·60	-	-	-	0·02	3·62
South West Metropolitan	162	159	-	2	-	1	31	2·96	2·90	-	0·04	-	0·02	5·26
Wessex	83	81	1	-	-	1	9	2·58	2·52	0·03	-	-	0·03	3·16
Oxford	77	76	1	-	-	-	3	2·25	2·22	0·03	-	-	-	1·28
South Western	118	117	1	-	-	-	15	2·39	2·37	0·02	-	-	-	3·89
Welsh	127	123	2	2	-	-	14	2·91	2·81	0·05	0·05	-	-	4·67
Birmingham	264	260	1	1	1	1	34	2·81	2·76	0·01	0·01	0·01	0·01	4·72
Manchester	216	216	-	-	-	-	34	2·71	2·71	-	-	-	-	4·60
Liverpool	104	103	-	-	1	-	14	2·60	2·57	-	-	0·02	-	4·38

TABLE 26 - *continued*

Area	Infant deaths: Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)	Rates per 1,000 live births: Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year per 1,000 illegit. live births
	Haemolytic disease of newborn (770)													
ENGLAND AND WALES	**298**	**294**	**2**	**2**	-	-	**17**	**0·36**	**0·35**	*0·00*	*0·00*	-	-	*0·24*
Regions and Conurbations:														
Northern	**17**	**15**	**2**	-	-	-	**1**	*0·30*	*0·27*	*0·04*	-	-	-	*0·24*
Tyneside Conurbation	2	2	-	-	-	-	-	*0·15*	*0·15*	-	-	-	-	-
Remainder of Northern	15	13	2	-	-	-	1	*0·35*	*0·31*	*0·05*	-	-	-	*0·33*
Yorkshire and Humberside	**36**	**36**	-	-	-	-	**2**	**0·43**	**0·43**	-	-	-	-	*0·28*
West Yorkshire Conurbation	14	14	-	-	-	-	-	*0·46*	*0·46*	-	-	-	-	-
Remainder of Yorkshire and Humberside	22	22	-	-	-	-	2	0·41	0·41	-	-	-	-	*0·49*
North Western	**65**	**64**	-	**1**	-	-	**6**	**0·55**	**0·54**	-	*0·01*	-	-	*0·57*
South East Lancashire Conurbation	22	22	-	-	-	-	4	0·50	0·50	-	-	-	-	*0·84*
Merseyside Conurbation	21	21	-	-	-	-	-	0·87	0·87	-	-	-	-	-
Remainder of North Western	22	21	-	1	-	-	2	0·44	0·42	-	*0·02*	-	-	*0·56*
East Midland	**28**	**28**	-	-	-	-	**1**	**0·48**	**0·48**	-	-	-	-	*0·22*
West Midland	**28**	**28**	-	-	-	-	**3**	**0·30**	**0·30**	-	-	-	-	*0·42*
West Midlands Conurbation	8	8	-	-	-	-	1	*0·17*	*0·17*	-	-	-	-	*0·25*
Remainder of West Midland	20	20	-	-	-	-	2	0·42	0·42	-	-	-	-	*0·61*
East Anglia	**8**	**8**	-	-	-	-	-	*0·30*	*0·30*	-	-	-	-	-
South Eastern	**88**	**87**	-	**1**	-	-	**4**	**0·30**	**0·30**	-	*0·00*	-	-	*0·15*
Greater London	41	40	-	1	-	-	1	0·31	0·30	-	*0·01*	-	-	*0·07*
Outer Metropolitan Area	26	26	-	-	-	-	-	0·29	0·29	-	-	-	-	-
Remainder of South Eastern	21	21	-	-	-	-	3	0·31	0·31	-	-	-	-	*0·52*
South Western	**14**	**14**	-	-	-	-	-	*0·24*	*0·24*	-	-	-	-	-
Wales	**14**	**14**	-	-	-	-	-	*0·32*	*0·32*	-	-	-	-	-
Wales I (South East)	10	10	-	-	-	-	-	*0·32*	*0·32*	-	-	-	-	-
Wales II (remainder)	4	4	-	-	-	-	-	*0·33*	*0·33*	-	-	-	-	-
Urban/Rural aggregates:														
Conurbations	108	107	-	1	-	-	6	0·37	0·37	-	*0·00*	-	-	*0·20*
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	42	41	1	-	-	-	4	0·40	0·39	*0·01*	-	-	-	*0·37*
Urban areas with populations of 50,000 and under 100,000	34	33	1	-	-	-	2	0·42	0·41	*0·01*	-	-	-	*0·30*
Urban areas with populations under 50,000	46	45	-	1	-	-	3	0·26	0·25	-	*0·01*	-	-	*0·25*
Rural districts	68	68	-	-	-	-	2	0·39	0·39	-	-	-	-	*0·20*
Hospital regions:														
Newcastle	14	12	2	-	-	-	1	*0·27*	*0·23*	*0·04*	-	-	-	*0·26*
Leeds	27	27	-	-	-	-	2	0·49	0·49	-	-	-	-	*0·40*
Sheffield	37	37	-	-	-	-	1	0·45	0·45	-	-	-	-	*0·16*
East Anglia	8	8	-	-	-	-	-	*0·29*	*0·29*	-	-	-	-	-
North West Metropolitan	22	22	-	-	-	-	1	0·29	0·29	-	-	-	-	*0·13*
North East Metropolitan	20	20	-	-	-	-	-	0·35	0·35	-	-	-	-	-
South East Metropolitan	17	16	-	1	-	-	-	*0·31*	*0·29*	-	*0·02*	-	-	-
South West Metropolitan	17	17	-	-	-	-	-	*0·31*	*0·31*	-	-	-	-	-
Wessex	8	8	-	-	-	-	3	*0·25*	*0·25*	-	-	-	-	*1·05*
Oxford	9	9	-	-	-	-	-	*0·26*	*0·26*	-	-	-	-	-
South Western	12	12	-	-	-	-	-	*0·24*	*0·24*	-	-	-	-	-
Welsh	14	14	-	-	-	-	-	*0·32*	*0·32*	-	-	-	-	-
Birmingham	28	28	-	-	-	-	3	0·30	0·30	-	-	-	-	*0·42*
Manchester	36	35	-	1	-	-	6	0·45	0·44	-	*0·01*	-	-	*0·81*
Liverpool	29	29	-	-	-	-	-	0·72	0·72	-	-	-	-	-

TABLE 26 - *continued*

Area	Infant deaths: Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)	Rates per 1,000 live births: Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year per 1,000 illegit. live births
	Immaturity associated with diseases of early infancy (760-773)*													
ENGLAND AND WALES	**3,039**	**3,029**	**8**	**2**	-	-	**379**	**3·65**	**3·64**	*0·01*	*0·00*	-	-	**5·42**
Regions and conurbations:														
Northern	**233**	**233**	-	-	-	-	**29**	**4·17**	**4·17**	-	-	-	-	**6·97**
Tyneside Conurbation	50	50	-	-	-	-	7	3·70	3·70	-	-	-	-	*6·10*
Remainder of Northern	183	183	-	-	-	-	22	4·32	4·32	-	-	-	-	7·30
Yorkshire and Humberside	**336**	**335**	**1**	-	-	-	**44**	**3·99**	**3·98**	*0·01*	-	-	-	**6·13**
West Yorkshire Conurbation	131	131	-	-	-	-	20	4·27	4·27	-	-	-	-	6·45
Remainder of Yorkshire and Humberside	205	204	1	-	-	-	24	3·84	3·82	*0·02*	-	-	-	5·89
North Western	**432**	**432**	-	-	-	-	**62**	**3·63**	**3·63**	-	-	-	-	**5·90**
South East Lancashire Conurbation	174	174	-	-	-	-	25	3·93	3·93	-	-	-	-	5·22
Merseyside Conurbation	99	99	-	-	-	-	15	4·10	4·10	-	-	-	-	*6·91*
Remainder of North Western	159	159	-	-	-	-	22	3·15	3·15	-	-	-	-	6·18
East Midland	**214**	**214**	-	-	-	-	**25**	**3·66**	**3·66**	-	-	-	-	**5·40**
West Midland	**388**	**386**	**1**	**1**	-	-	**43**	**4·12**	**4·10**	*0·01*	*0·01*	-	-	**5·97**
West Midlands Conurbation	191	189	1	1	-	-	23	4·15	4·10	*0·02*	*0·02*	-	-	5·83
Remainder of West Midland	197	197	-	-	-	-	20	4·10	4·10	-	-	-	-	6·14
East Anglia	**89**	**89**	-	-	-	-	**13**	**3·37**	**3·37**	-	-	-	-	*6·70*
South Eastern	**993**	**990**	**3**	-	-	-	**122**	**3·41**	**3·40**	*0·01*	-	-	-	**4·56**
Greater London	529	528	1	-	-	-	74	3·94	3·93	*0·01*	-	-	-	4·84
Outer Metropolitan Area	265	264	1	-	-	-	27	2·97	2·96	*0·01*	-	-	-	4·80
Remainder of South Eastern	199	198	1	-	-	-	21	2·94	2·92	*0·01*	-	-	-	3·61
South Western	**200**	**199**	**1**	-	-	-	**26**	**3·38**	**3·36**	*0·02*	-	-	-	**5·69**
Wales	**154**	**151**	**2**	**1**	-	-	**15**	**3·52**	**3·45**	*0·05*	*0·02*	-	-	*5·00*
Wales I (South East)	107	106	-	1	-	-	11	3·39	3·36	-	*0·03*	-	-	*5·20*
Wales II (remainder)	47	45	2	-	-	-	4	3·87	3·71	*0·16*	-	-	-	*4·51*
Urban/Rural aggregates:														
Conurbations	1,174	1,171	2	1	-	-	164	4·01	4·00	*0·01*	*0·00*	-	-	5·39
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	417	416	1	-	-	-	58	3·95	3·95	*0·01*	-	-	-	5·30
Urban areas with populations of 50,000 and under 100,000	275	275	-	-	-	-	34	3·43	3·43	-	-	-	-	5·07
Urban areas with populations under 50,000	594	590	3	1	-	-	66	3·30	3·28	*0·02*	*0·01*	-	-	5·47
Rural districts	579	577	2	-	-	-	57	3·33	3·32	*0·01*	-	-	-	5·82
Hospital regions:														
Newcastle	221	221	-	-	-	-	29	4·24	4·24	-	-	-	-	7·49
Leeds	225	225	-	-	-	-	31	4·05	4·05	-	-	-	-	6·26
Sheffield	303	302	1	-	-	-	37	3·72	3·71	*0·01*	-	-	-	5·75
East Anglia	91	91	-	-	-	-	13	3·28	3·28	-	-	-	-	*6·44*
North West Metropolitan	277	277	-	-	-	-	38	3·69	3·69	-	-	-	-	5·04
North East Metropolitan	154	153	1	-	-	-	18	2·72	2·70	*0·02*	-	-	-	*4·08*
South East Metropolitan	179	178	1	-	-	-	19	3·23	3·21	*0·02*	-	-	-	*3·83*
South West Metropolitan	244	244	-	-	-	-	35	4·45	4·45	-	-	-	-	5·94
Wessex	111	110	1	-	-	-	14	3·45	3·42	*0·03*	-	-	-	*4·92*
Oxford	96	96	-	-	-	-	5	2·80	2·80	-	-	-	-	*2·14*
South Western	161	160	1	-	-	-	20	3·27	3·25	*0·02*	-	-	-	5·18
Welsh	154	151	2	1	-	-	15	3·52	3·45	*0·05*	*0·02*	-	-	*5·00*
Birmingham	388	386	1	1	-	-	43	4·12	4·10	*0·01*	*0·01*	-	-	5·97
Manchester	302	302	-	-	-	-	44	3·79	3·79	-	-	-	-	5·96
Liverpool	133	133	-	-	-	-	18	3·32	3·32	-	-	-	-	*5·64*

*Including some deaths shown elsewhere in this table.

TABLE 26 - *continued*

Area	Infant deaths: Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)	Rates per 1,000 live births: Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year per 1,000 illegit. live births
	Immaturity (774-776)													
ENGLAND AND WALES	**2,262**	**2,249**	**13**	-	-	-	**343**	**2·72**	**2·70**	*0·02*	-	-	-	**4·91**
Regions and Conurbations:														
Northern	**171**	**169**	**2**	-	-	-	20	**3·06**	**3·03**	*0·04*	-	-	-	**4·81**
Tyneside Conurbation	44	44	-	-	-	-	6	3·26	3·26	-	-	-	-	*5·23*
Remainder of Northern	127	125	2	-	-	-	14	3·00	2·95	*0·05*	-	-	-	*4·64*
Yorkshire and Humberside	**277**	**275**	**2**	-	-	-	**38**	**3·29**	**3·27**	*0·02*	-	-	-	**5·30**
West Yorkshire Conurbation	110	109	1	-	-	-	20	3·58	3·55	*0·03*	-	-	-	*6·45*
Remainder of Yorkshire and Humberside	167	166	1	-	-	-	18	3·12	3·11	*0·02*	-	-	-	*4·42*
North Western	**463**	**462**	**1**	-	-	-	**79**	**3·89**	**3·88**	*0·01*	-	-	-	**7·51**
South East Lancashire Conurbation	180	179	1	-	-	-	29	4·06	4·04	*0·02*	-	-	-	*6·06*
Merseyside Conurbation	100	100	-	-	-	-	17	4·14	4·14	-	-	-	-	*7·83*
Remainder of North Western	183	183	-	-	-	-	33	3·63	3·63	-	-	-	-	*9·27*
East Midland	**116**	**116**	-	-	-	-	**13**	**1·98**	**1·98**	-	-	-	-	*2·81*
West Midland	**218**	**218**	-	-	-	-	**25**	**2·32**	**2·32**	-	-	-	-	**3·47**
West Midlands Conurbation	115	115	-	-	-	-	16	2·50	2·50	-	-	-	-	*4·05*
Remainder of West Midland	103	103	-	-	-	-	9	2·14	2·14	-	-	-	-	*2·76*
East Anglia	**56**	**56**	-	-	-	-	**7**	**2·12**	**2·12**	-	-	-	-	*3·61*
South Eastern	**733**	**729**	**4**	-	-	-	**133**	**2·52**	**2·50**	*0·01*	-	-	-	**4·98**
Greater London	389	386	3	-	-	-	85	2·90	2·87	*0·02*	-	-	-	*5·56*
Outer Metropolitan Area	196	195	1	-	-	-	27	2·20	2·19	*0·01*	-	-	-	*4·80*
Remainder of South Eastern	148	148	-	-	-	-	21	2·18	2·18	-	-	-	-	*3·61*
South Western	**92**	**89**	**3**	-	-	-	**11**	**1·55**	**1·50**	*0·05*	-	-	-	*2·41*
Wales	**136**	**135**	**1**	-	-	-	**17**	**3·11**	**3·09**	*0·02*	-	-	-	*5·66*
Wales I (South East)	110	109	1	-	-	-	12	3·48	3·45	*0·03*	-	-	-	*5·68*
Wales II (remainder)	26	26	-	-	-	-	5	2·14	2·14	-	-	-	-	*5·64*
Urban/Rural aggregates:														
Conurbations	938	933	5	-	-	-	173	3·20	3·18	*0·02*	-	-	-	*5·68*
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	289	287	2	-	-	-	46	2·74	2·72	*0·02*	-	-	-	*4·20*
Urban areas with populations of 50,000 and under 100,000	221	221	-	-	-	-	34	2·76	2·76	-	-	-	-	*5·07*
Urban areas with populations under 50,000	437	434	3	-	-	-	48	2·43	2·41	*0·02*	-	-	-	*3·98*
Rural districts	377	374	3	-	-	-	42	2·17	2·15	*0·02*	-	-	-	*4·29*
Hospital regions:														
Newcastle	166	164	2	-	-	-	20	3·19	3·15	*0·04*	-	-	-	*5·17*
Leeds	186	185	1	-	-	-	29	3·34	3·33	*0·02*	-	-	-	*5·86*
Sheffield	197	196	1	-	-	-	21	2·42	2·40	*0·01*	-	-	-	*3·26*
East Anglia	60	60	-	-	-	-	9	2·16	2·16	-	-	-	-	*4·46*
North West Metropolitan	216	214	2	-	-	-	45	2·88	2·85	*0·03*	-	-	-	*5·96*
North East Metropolitan	178	176	2	-	-	-	31	3·14	3·11	*0·04*	-	-	-	*7·03*
South East Metropolitan	114	114	-	-	-	-	14	2·06	2·06	-	-	-	-	*2·82*
South West Metropolitan	122	122	-	-	-	-	31	2·23	2·23	-	-	-	-	*5·26*
Wessex	64	64	-	-	-	-	9	1·99	1·99	-	-	-	-	*3·16*
Oxford	75	74	1	-	-	-	5	2·19	2·16	*0·03*	-	-	-	*2·14*
South Western	66	64	2	-	-	-	8	1·34	1·30	*0·04*	-	-	-	*2·07*
Welsh	136	135	1	-	-	-	17	3·11	3·09	*0·02*	-	-	-	*5·66*
Birmingham	218	218	-	-	-	-	25	2·32	2·32	-	-	-	-	*3·47*
Manchester	292	291	1	-	-	-	53	3·66	3·65	*0·01*	-	-	-	*7·17*
Liverpool	172	172	-	-	-	-	26	4·30	4·30	-	-	-	-	*8·14*

TABLE 27. Causes of death at various ages under 5 years, 1967 — England and Wales

Note. Separate columns are not shown for those causes to which, as a rule, few deaths are assigned. To make the record complete, the classification numbers of such causes are printed as close as possible to the places where they would occur. Figures of deaths from these causes are shown in footnotes in which heavy-faced figures preceding the cause show the International Classification number, and the figures following it indicate the sex and age-group of the decedent. A dash (-) indicates that no deaths are assigned. The following abbreviations are used to denote age or age-groups:- 'D' to indicate day(s); 'W' week(s); 'M' month(s); 'Y' year(s).

Causes of death	All Causes		001-008 Tuberculosis of respiratory system		010-019 Tuberculosis, other forms		010 Tuberculosis of meninges and central nervous system		011, 012, 013,014-018* 019 Disseminated tuberculosis		020-029, 030-039* 040-049 Infectious diseases commonly arising in intestinal tract		045-048* 050-064 Other bacterial diseases		050, 055* 056.0 Whooping cough without mention of pneumonia	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	**10,100**	**7,740**	**6**	**1**	**9**	**9**	**6**	**8**	**3**	**1**	**3**	**2**	**63**	**54**	**5**	**6**
Days 0	2,966	2,313	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-6	2,165	1,501	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weeks 1	422	310	-	-	-	-	-	-	-	-	-	-	1	1	-	-
2	218	191	-	-	-	-	-	-	-	-	-	1	-	1	-	-
3	202	146	-	-	-	-	-	-	-	-	1	-	1	-	-	-
Months 1-2	1,134	856	-	-	-	-	-	-	-	-	1	1	11	10	1	-
3-5	915	724	1	1	2	-	-	-	2	-	-	-	7	16	2	4
6-8	387	331	1	-	2	-	1	-	1	-	-	-	12	6	2	-
9-11	264	221	-	-	-	-	-	-	-	-	-	-	10	4	-	1
Years 0	8,673	6,593	2	1	4	-	1	-	3	-	2	2	42	38	5	5
1	549	490	2	-	3	3	3	2	-	1	-	-	17	6	-	1
2	374	295	1	-	1	2	1	2	-	-	-	-	2	6	-	-
3	281	194	1	-	-	2	-	2	-	-	1	-	-	2	-	-
4	223	168	-	-	1	2	1	2	-	-	-	-	2	2	-	-

Causes of death	056.1 Whooping cough with pneumonia		057.0 Meningococcal meningitis		057.1 Acute and unspecified meningococcaemia		057.2,057.3, 061,070-074* 080-096 Diseases attributable to viruses		080, 081 Acute polio myelitis, including late effects		082, 083 Acute infectious encephalitis, including late effects		085.0 Measles, without mention of pneumonia		085.1 Measles, with pneumonia	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	**11**	**5**	**6**	**11**	**25**	**14**	**81**	**73**	-	-	**19**	**14**	**18**	**8**	**24**	**23**
Days 0	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
1-6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weeks 1	-	-	-	-	-	1	1	1	-	-	-	1	-	-	-	-
2	-	-	-	1	-	-	2	2	-	-	-	-	-	-	-	-
3	1	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-
Months 1-2	5	4	2	-	2	-	7	3	-	-	3	1	-	-	1	-
3-5	2	1	1	5	1	4	5	8	-	-	2	1	1	-	-	1
6-8	-	-	1	1	6	1	9	3	-	-	1	1	-	1	5	-
9-11	1	-	-	-	8	1	9	8	-	-	3	-	2	1	3	3
Years 0	9	5	4	7	17	7	34	28	-	-	10	4	3	2	9	4
1	2	-	1	-	6	3	21	20	-	-	7	6	5	3	6	9
2	-	-	1	2	-	2	12	9	-	-	1	1	6	-	3	6
3	-	-	-	1	-	1	8	11	-	-	1	2	2	2	3	2
4	-	-	-	1	2	1	6	5	-	-	-	1	2	1	3	2

* 011 Tuberculosis of intestines, peritoneum, and mesenteric glands - : **012,013** Tuberculosis of bones and joints - : 014-018 Tuberculosis, all other organs - : **020-029** Syphilis and its sequelae; Female OD: **030-039** Gonococcal infection and other venereal diseases - : **045-048** Dysentery, all forms: Males 3W, 1-2M: **050** Scarlet Fever - : **055** Diptheria - : 057.2 Chronic meningococcaemia - : **057.3** Other forms of meningoccal infection - : **061** Tetanus - : **070-074** Spirochaetal diseases, except syphilis - .

TABLE 27 - *continued*

Causes of death		086*		NEOPLASMS													
		087		089,100-108, 110-117, 120-138*				140-148*		160-165*							
		Chickenpox		140-239 Neoplasms		140-199 Malignant neoplasms		150-159 of digestive organs and peritoneum		170-181 of breast and genito-urinary organs		180 of kidney		190-199 of other and unspecified sites		192 of eye	
Ages at death		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years		**4**	**7**	**228**	**173**	**103**	**93**	**8**	**9**	**24**	**23**	**22**	**15**	**67**	**60**	**3**	**2**
Days	0	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	1-6	-	-	1	2	1	1	-	-	-	-	-	-	1	1	-	-
Weeks	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	1	1	1	1	-	1	-	-	-	1	-	1	-	-	-	-
	3	-	-	2	-	1	-	-	-	-	-	-	-	1	-	-	-
Months	1-2	-	-	11	4	7	2	2	-	2	-	2	-	3	2	-	-
	3-5	-	-	5	10	2	4	1	1	-	-	-	-	1	3	-	-
	6-8	-	-	7	6	3	3	1	-	1	-	1	-	1	3	-	-
	9-11	-	1	15	13	7	6	-	1	1	-	1	-	6	5	-	-
Years	0	2	2	46	36	21	17	4	2	4	1	4	1	13	14	-	-
	1	-	-	30	42	16	29	2	3	6	9	5	6	8	17	-	1
	2	1	2	50	38	24	18	2	3	4	6	3	2	17	8	2	-
	3	1	3	58	34	22	18	-	-	5	7	5	6	15	11	1	1
	4	-	-	44	23	20	11	-	1	5	-	5	-	14	10	-	-

Causes of death		NEOPLASMS															
		193 of brain and other parts of nervous system		195 of endocrine glands		195.0 of suprarenal		195.1,195.2, 195.3,196* 197 of connective tissue		200-205 Leukaemia, aleukaemia and reticuloses		200 Lympho-sarcoma and reticulo-sarcoma		204.0* 204.1 Myeloid leukaemia		204.2 Monocytic leukaemia	
Ages at death		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years		**55**	**47**	**6**	**2**	**5**	**2**	**-**	**4**	**100**	**65**	**9**	**3**	**2**	**-**	**2**	**-**
Days	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1-6	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Weeks	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Months	1-2	3	2	-	-	-	-	-	-	2	2	-	-	-	-	1	-
	3-5	1	3	-	-	-	-	-	-	1	3	-	-	-	-	-	-
	6-8	1	3	-	-	-	-	-	-	4	3	1	-	-	-	-	-
	9-11	5	4	-	-	-	-	-	1	6	5	1	-	-	-	-	-
Years	0	11	13	1	-	-	-	-	1	13	13	2	-	-	-	1	-
	1	7	11	1	-	1	-	-	2	11	9	-	1	-	-	-	-
	2	12	6	3	-	3	-	-	-	21	16	2	1	-	-	-	-
	3	11	9	1	1	1	1	-	-	32	15	3	1	1	-	-	-
	4	14	8	-	1	-	1	-	1	23	12	2	-	1	-	1	-

* 086 Rubella (German measles): Male 1Y: 089 Mumps: Male 1Y: 100-108 Typhus and other rickettsial diseases - : 110-117 Malaria - : 120-138 Other infective and parasitic diseases: Males 1-2M, 9-11M, 1Y; Female 3-5M: 140-148 Malignant neoplasm of buccal cavity and pharynx: Males 3Y, 4Y: 160-165 Malignant neoplasm of respiratory system: Males 2Y, 3Y; Female 2Y: 195.1 Malignant neoplasm of parathyroid gland - : 195.2 Malignant neoplasm of thymus: Male 1-6D: 195.3 Malignant neoplasm of pituitary gland and craniopharyngeal duct - : 196 Malignant neoplasm of bone: Male 3Y; Female 2Y: 204.0 Lymphatic leukaemia: Males 3Y, 3Y, 4Y, 4Y.

TABLE 27 - *continued*

Causes of death		NEOPLASMS															
		204.3 Acute leukaemia		204.4 Other and unspecified leukaemia		210-239 Benign and unspecified neoplasms		210-229 Benign neoplasm		230-239 Neoplasm of unspecified nature		223,237 of brain and central nervous system		240-245 Allergic disorders		250-254 Diseases of thyroid gland	
Ages at death		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years		**72**	**57**	**1**	**1**	**25**	**15**	**16**	**7**	**9**	**8**	**12**	**8**	**17**	**14**	**2**	**-**
Days	0	-	-	-	-	3	-	3	-	-	-	-	-	-	-	1	-
	1-6	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-
Weeks	1	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-
	2	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-
	3	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Months	1-2	1	2	-	-	2	-	2	-	-	-	-	-	6	1	-	-
	3-5	-	2	-	-	2	3	2	3	-	-	-	-	1	-	-	-
	6-8	2	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-
	9-11	4	3	-	-	2	2	1	2	1	-	1	1	-	-	-	-
Years	0	7	10	-	-	12	6	11	6	1	-	1	1	9	3	2	-
	1	7	7	1	-	3	4	2	-	1	4	2	3	3	2	-	-
	2	16	15	-	-	5	4	1	1	4	3	4	3	3	2	-	-
	3	26	14	-	-	4	1	1	-	3	1	4	1	1	5	-	-
	4	16	11	-	1	1	-	1	-	-	-	1	-	1	2	-	-

Causes of death		260 Diabetes mellitus		270-277 Diseases of other endocrine glands		280-289 Avitaminoses and other metabolic diseases		283, 286.0* 290-299 Diseases of the blood and blood-forming organs		290-293 Anaemias		294-299 Other diseases of blood and blood-forming organs		300-309, 310-318* 320-326 Mental, psycho-neurotic and personality disorders		325 Mental deficiency	
Ages at death		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years		**3**	**3**	**24**	**15**	**14**	**14**	**25**	**24**	**15**	**10**	**10**	**14**	**28**	**26**	**28**	**26**
Days	0	-	-	2	5	-	2	1	2	1	-	-	2	2	3	2	3
	1-6	-	-	7	2	-	-	1	3	-	-	1	3	5	2	5	2
Weeks	1	-	-	1	1	1	-	-	2	-	1	-	1	2	2	2	2
	2	-	-	2	1	1	1	-	-	-	-	-	-	1	-	1	-
	3	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Months	1-2	-	1	1	1	2	2	2	3	1	2	1	1	5	2	5	2
	3-5	-	-	-	1	6	-	1	1	1	-	-	1	4	2	4	2
	6-8	-	-	2	1	1	-	3	2	1	-	2	2	1	3	1	3
	9-11	1	-	1	1	-	3	2	1	2	1	-	-	1	2	1	2
Years	0	1	1	18	13	11	8	10	14	6	4	4	10	21	16	21	16
	1	-	-	3	1	2	3	6	5	4	4	2	1	1	3	1	3
	2	1	2	2	1	-	1	5	3	3	1	2	2	3	4	3	4
	3	-	-	-	-	1	1	2	1	2	1	-	-	2	1	2	1
	4	1	-	1	-	-	1	2	1	-	-	2	1	1	2	1	2

* 283 Active rickets - : 286.0 Steatorrhoea and sprue: Males 3-5M, 1Y; Females 1-2M, 1Y, 2Y: 300-309 Psychoses - : 310-318 Psychoneurotic disorders: Female 4Y.

TABLE 27 - *continued*

Causes of death	330-334 Vascular lesions affecting central nervous system		340-345 Inflammatory diseases of central nervous system		340 Meningitis, except meningo-coccal and tuberculous		350-357 Other diseases of central nervous system		351 Cerebral spastic infantile paralysis		353 Epilepsy		360-369,370-379,380-389* 390-398 Diseases of ear and mastoid process		400-402* 410-434 Diseases of the heart	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	**24**	**12**	**173**	**132**	**122**	**83**	**64**	**68**	**20**	**20**	**27**	**27**	**36**	**30**	32	25
Days 0	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
1-6	-	2	14	11	14	11	-	-	-	-	-	-	-	1	-	-
Weeks 1	1	-	17	11	16	10	-	-	-	-	-	-	-	-	-	-
2	1	-	7	3	6	3	-	-	-	-	-	-	-	-	-	-
3	-	-	10	5	9	3	-	-	-	-	-	-	-	-	-	-
Months 1-2	3	2	22	17	16	8	8	7	6	5	-	1	10	10	5	8
3-5	1	-	20	12	16	7	5	6	1	1	1	1	10	5	14	3
6-8	-	2	11	14	8	6	7	5	3	1	2	-	6	5	1	4
9-11	2	-	15	9	10	7	7	7	2	2	2	1	1	-	2	2
Years 0	9	6	116	83	95	56	27	25	12	9	5	3	27	21	22	17
1	6	4	32	25	18	12	7	13	2	3	2	7	6	5	4	5
2	5	2	15	13	7	7	11	18	1	5	8	9	1	4	4	1
3	2	-	4	8	1	5	8	7	1	2	5	5	-	-	2	-
4	2	-	6	3	1	3	11	5	4	1	7	3	2	-	-	2

Causes of death	410-416* 420-422 Arterio-sclerotic and degenerative heart disease		430-434 Other diseases of heart		440-468 Other diseases of the circulatory system		440-443, 444-447* 450-456 Diseases of arteries		460-468 Diseases of veins and other diseases of circulatory system		470-475 Acute upper respiratory infections		480-483 Influenza		490-493 Pneumonia	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	**10**	**8**	**21**	**16**	**10**	**5**	**2**	**-**	**8**	**5**	**38**	**26**	**6**	**4**	1,175	920
Days 0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-6	-	-	-	-	-	1	-	-	-	1	2	1	-	-	-	-
Weeks 1	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-
2	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-
3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Months 1-2	3	1	2	7	3	1	-	-	3	1	7	8	2	-	412	316
3-5	2	2	12	1	1	-	-	-	1	-	10	5	2	1	378	270
6-8	1	-	-	3	-	-	-	-	-	-	1	1	-	1	107	106
9-11	1	1	1	1	-	-	-	-	-	-	3	-	1	-	75	56
Years 0	7	4	15	12	6	4	1	-	5	4	23	15	5	3	972	748
1	2	2	2	3	3	-	1	-	2	-	5	6	1	1	108	94
2	1	1	2	-	-	1	-	-	-	1	3	3	-	-	55	33
3	-	-	2	-	1	-	-	-	1	-	4	1	-	-	25	25
4	-	1	-	1	-	-	-	-	-	-	3	1	-	-	15	20

* **360-369** Diseases of nerves and peripheral ganglia - : **370-379** Inflammatory diseases of eye - : **380-389** Other diseases and conditions of eye: Female 1Y: **400-402** Rheumatic fever: Male 3Y: **410-416** Chronic rheumatic heart disease: Male 2Y; Female 6-8M: **440-443** Hypertensive heart disease - : **444-447** Other hypertensive heart disease - .

TABLE 27 - *continued*

Causes of death	490 Lobar pneumonia		491 Broncho-pneumonia		492-493 Primary atypical, other and unspecified pneumonia		500-502 Bronchitis		510-527 Other diseases of respiratory system		518 Empyema		519,530-539* 540-545 Diseases of stomach and duodenum		543 Gastritis and duodenitis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	**32**	**36**	**964**	**740**	**179**	**144**	**270**	**207**	**97**	**67**	**5**	**6**	**4**	**7**	**1**	**3**
Days 0	-	-	-	-	-	-	-	1	4	1	-	-	-	-	-	-
1-6	-	-	-	-	-	-	3	-	2	1	-	1	2	-	-	-
Weeks 1	-	-	-	-	-	-	4	3	1	1	-	1	1	-	1	-
2	-	-	-	-	-	-	1	2	1	1	-	1	-	-	-	-
3	-	-	-	-	-	-	5	1	2	1	-	1	-	-	-	-
Months 1-2	11	9	329	256	72	51	77	50	25	28	1	1	-	4	-	1
3-5	8	6	309	214	61	50	89	66	22	13	1	1	-	1	-	1
6-8	-	3	92	87	15	16	32	26	12	4	-	-	-	1	-	1
9-11	3	2	63	50	9	4	13	9	4	3	1	-	-	-	-	-
Years 0	22	20	793	607	157	121	224	158	73	53	3	6	3	6	1	3
1	4	7	95	72	9	15	25	29	7	5	1	-	-	-	-	-
2	3	6	45	26	7	1	13	13	11	5	1	-	1	-	-	-
3	2	2	20	19	3	4	5	4	4	1	-	-	-	-	-	-
4	1	1	11	16	3	3	3	3	2	3	-	-	-	1	-	-

Causes of death	544* 550-553 Appendicitis		560-561 Hernia of abdominal cavity		570-578 Other diseases of intestines and peritoneum		570 Intestinal obstruction, without mention of hernia		570.0 Intussus-ception		570.3 Volvulus		571 Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over		580-587 Diseases of liver, gallbladder and pancreas	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	**15**	**8**	**82**	**62**	**302**	**213**	**56**	**21**	**17**	**10**	**21**	**7**	**234**	**180**	**58**	**60**
Days 0	-	-	46	36	-	-	-	-	-	-	-	-	-	-	-	1
1-6	2	1	19	14	12	6	7	4	-	-	5	4	-	-	4	5
Weeks 1	1	-	5	2	4	2	4	1	-	-	1	-	-	-	5	2
2	-	1	2	-	1	1	1	1	-	-	1	1	-	-	1	4
3	-	1	1	1	2	2	1	1	-	-	1	-	-	-	2	2
Months 1-2	-	-	5	5	89	48	17	2	3	-	7	1	70	43	8	12
3-5	-	-	2	1	65	45	11	2	7	2	4	-	53	43	10	10
6-8	-	-	1	1	37	27	2	4	1	4	1	-	33	23	4	6
9-11	1	-	-	-	15	26	-	4	-	3	-	-	15	19	1	1
Years 0	4	3	81	60	225	157	43	19	11	9	20	6	171	128	35	43
1	1	2	-	1	50	41	6	2	5	1	-	1	44	37	9	4
2	3	-	-	1	12	9	1	-	-	-	1	-	11	9	3	2
3	3	1	1	-	9	5	4	-	1	-	-	-	4	5	6	5
4	4	2	-	-	6	1	2	-	-	-	-	-	4	1	5	6

* 519 Pleurisy - : **530-539** Diseases of buccal cavity and oesophagus: Males 1-6D, 3-5M, 9-11M, 3Y; Females 2W, 6-8M, 1Y, 1Y: 544 Disorders of function of stomach - .

TABLE 27 - *continued*

Causes of death	587 Diseases of pancreas		590-594 Nephritis and nephrosis		600-609 Other diseases of urinary system		610-617, 615, 620-626 630-637* 690-698 Infections of skin and subcutaneous tissue		700-716 Other diseases of skin and subcutaneous tissue		720-749 Diseases of the bones and organs of movement		720-727* 730-738 Osteo-myelitis and other diseases of bone and joint		730* 740-749 Other diseases of musculo-skeletal system	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	**43**	**52**	**11**	**9**	**32**	**17**	**3**	**1**	**3**	**3**	**15**	**20**	**2**	**3**	**13**	16
Days 0	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-
1-6	3	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weeks 1	2	2	1	-	2	-	-	-	-	-	-	-	-	-	-	-
2	1	4	2	-	3	-	-	1	-	-	-	-	-	-	-	-
3	2	2	-	1	1	-	1	-	-	-	-	1	-	-	-	1
Months 1-2	7	12	4	1	8	5	1	-	1	-	3	-	-	-	3	-
3-5	10	6	-	-	6	3	-	-	1	2	3	7	-	1	3	6
6-8	2	5	1	1	4	2	-	-	-	-	2	1	-	-	2	1
9-11	-	1	-	1	-	-	-	-	-	-	1	1	-	-	1	1
Years 0	27	38	8	4	24	10	2	1	2	2	9	11	-	2	9	9
1	7	3	2	1	5	1	1	-	-	-	5	2	2	-	3	2
2	2	2	1	2	2	2	-	-	-	-	1	5	-	1	1	4
3	3	4	-	1	-	1	-	-	1	-	-	2	-	-	-	1
4	4	5	-	1	1	3	-	-	-	1	-	-	-	-	-	-

Causes of death	750-759 Congenital mal-formations		750 Monstrosity		751 Spina bifida and meningocele		752 Congenital hydro-cephalus		753.0* 753.1 Other congenital mal-formations of nervous system and sense organs		754.0 Tetralogy of Fallot		754.1 Patent ductus arteriosus (Botalli)		754.2 Inter-ventricular septal defect	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	**1,842**	**1,623**	**92**	**119**	**233**	**350**	**74**	**81**	**38**	**60**	**27**	**34**	**48**	**49**	100	102
Days 0	369	361	58	93	42	57	27	29	5	16	1	2	4	4	6	8
1-6	455	336	30	26	55	72	6	3	6	5	1	-	17	18	18	19
Weeks 1	185	144	2	-	29	43	1	2	1	4	3	3	4	3	15	14
2	92	90	1	-	14	31	1	2	-	3	-	2	4	5	4	8
3	95	63	1	-	13	20	1	5	2	2	2	2	5	3	3	4
Months 1-2	235	207	-	-	32	50	7	13	1	9	5	3	10	5	15	19
3-5	144	148	-	-	19	33	5	6	5	4	2	2	1	7	17	12
6-8	79	64	-	-	12	10	3	3	3	-	2	2	2	-	7	6
9-11	43	41	-	-	4	4	1	2	1	5	2	3	1	1	3	-
Years 0	1,697	1,454	92	119	220	320	52	65	24	48	18	19	48	46	88	90
1	58	74	-	-	5	13	12	9	4	4	2	2	-	2	3	5
2	39	48	-	-	3	10	4	4	6	4	2	5	-	-	3	-
3	30	22	-	-	3	3	4	1	2	2	4	3	-	-	4	6
4	18	25	-	-	2	4	2	2	2	2	1	5	-	1	2	1

* **610-617** Diseases of male genital organs - : **615** Redundant prepuce and phimosis - : **620-626** Diseases of breast, ovary, Fallopian tube, and parametrium - : **630-637** Diseases of uterus and other female genital organs - : **720-727** Arthritis and rheumatism, except rheumatic fever: Female 3Y: **730** Osteomyelitis and periostitis: Female 2Y: **753.0** Congenital cataract - .

TABLE 27 - *continued*

Causes of death	754.3 Inter-auricular septal defect		754.4 Fibro-elastosis cordis		754.5 Other and unspecified mal-formations of heart		754.6 Coarctation of aorta		754.7 Other circulatory mal-formations		755 Cleft palate and harelip		756.0 Congenital hypertrophic pyloric stenosis		756.1 Imperforate anus	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	**47**	**34**	**51**	**26**	**431**	**296**	**35**	**30**	**137**	**65**	**6**	**8**	**13**	**2**	**11**	**3**
Days 0	1	4	2	1	28	29	4	-	17	1	2	-	-	-	2	1
1-6	14	3	10	1	147	73	9	6	34	22	1	1	-	-	1	1
Weeks 1	4	5	6	2	35	23	4	4	25	9	-	2	-	-	4	-
2	6	2	2	-	24	17	5	2	7	3	-	-	1	1	-	-
3	2	-	-	-	20	13	4	1	6	2	1	-	3	-	1	-
Months 1-2	7	8	6	4	62	47	5	10	24	8	2	-	6	1	2	1
3-5	5	3	11	7	48	36	1	2	9	9	-	1	2	-	-	-
6-8	2	3	6	3	23	16	-	2	5	3	-	-	1	-	-	-
9-11	2	2	4	4	10	8	-	1	3	2	-	1	-	-	-	-
Years 0	43	30	47	22	397	262	32	28	130	59	6	5	13	2	10	3
1	2	1	1	4	14	13	2	-	3	3	-	2	-	-	1	-
2	-	2	1	-	12	12	1	1	2	2	-	1	-	-	-	-
3	1	-	1	-	5	6	-	-	1	-	-	-	-	-	-	-
4	1	1	1	-	3	3	-	1	1	1	-	-	-	-	-	-

Causes of death	756.2 Other congenital mal-formations of digestive system		757.0* 757.1 Polycystic disease of kidney		757.2* 757.3 Other congenital mal-formations of genito-urinary system		758.0* 758.1 Chrondo-dystrophy		758.2 Congenital mal-formations of skull		758.3 Brittle bones		758.4,758.5* 758.6 Other congenital mal-formations of bone and joint		759.0 Congenital mal-formations of respiratory system	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	**172**	**139**	**23**	**16**	**102**	**35**	**4**	**8**	**3**	**2**	**2**	**3**	**9**	**10**	**48**	**38**
Days 0	11	6	11	8	50	15	2	6	2	-	-	1	4	4	29	16
1-6	49	47	2	2	9	3	2	-	-	1	-	1	2	2	9	7
Weeks 1	32	20	3	-	10	2	-	1	-	-	1	-	1	1	2	1
2	10	10	-	-	7	-	-	-	-	-	-	-	-	-	-	-
3	13	6	3	1	7	3	-	-	-	-	-	-	2	-	-	-
Months 1-2	24	12	2	2	9	1	-	-	1	-	1	-	-	1	3	4
3-5	7	14	-	-	2	3	-	-	-	-	-	-	-	-	3	6
6-8	3	8	-	-	3	3	-	1	-	-	-	-	-	-	-	-
9-11	8	5	-	-	2	1	-	-	-	-	-	-	-	-	2	2
Years 0	157	128	21	13	99	31	4	8	3	1	2	2	9	8	48	36
1	5	8	-	2	2	2	-	-	-	-	-	-	-	1	-	-
2	3	3	1	-	1	1	-	-	-	-	-	1	-	1	-	-
3	5	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
4	2	-	1	-	-	1	-	-	-	1	-	-	-	-	-	2

* **757.0** Undescended testicle - : **757.2** Congenital malformations of external genital organs: Male 0D: **758.0** Congenital dislocation of hip: Male 3W: **758.4** Cervical rib - : **758.5** Congenital abnormalities of lumbosacral region - .

TABLE 27 - *continued*

Causes of death	759.1 Congenital malformations of skin		759.2 Congenital malformations of muscle		759.3 Other and unspecified congenital malformations		760-769 Birth injuries, asphyxia and infections of newborn		760.0 Intracranial and spinal injury at birth, without mention of immaturity		760.5 Intracranial and spinal injury at birth, with immaturity		761.0 Other birth injury, without mention of immaturity		761.5 Other birth injury, with immaturity	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	**4**	**3**	**13**	**17**	**117**	**93**	**2,724**	**1,885**	**378**	**191**	**303**	**203**	**109**	**93**	**147**	**87**
Days 0	-	1	8	15	52	44	1,346	984	163	105	142	103	77	74	109	62
1-6	1	-	3	2	29	21	1,078	668	185	73	149	91	28	17	35	25
Weeks 1	-	-	1	-	2	5	129	98	18	7	8	9	1	1	3	-
2	1	1	-	-	5	3	80	61	7	4	2	-	1	-	-	-
3	-	-	1	-	4	1	64	54	5	2	2	-	-	-	-	-
Months 1-2	1	1	-	-	10	8	15	11	-	-	-	-	1	1	-	-
3-5	-	-	-	-	7	3	7	5	-	-	-	-	-	-	-	-
6-8	-	-	-	-	7	4	2	2	-	-	-	-	-	-	-	-
9-11	-	-	-	-	-	-	3	2	-	-	-	-	1	-	-	-
Years 0	3	3	13	17	116	89	2,724	1,885	378	191	303	203	109	93	147	87
1	1	-	-	-	1	3	-	-	-	-	-	-	-	-	-	-
2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Causes of death	762.0 Postnatal asphyxia and atelectasis, without mention of immaturity		762.5 Postnatal asphyxia and atelectasis, with immaturity		763.0 Pneumonia of newborn, without mention of immaturity		763.5 Pneumonia of newborn, with immaturity		764.0 Diarrhoea of newborn, without mention of immaturity		764.5 Diarrhoea of newborn, with immaturity		765.0,765.5, 766.0,766.5* 767.0 Umbilical sepsis, without mention of immaturity		767.5* 768.0 Other sepsis of newborn, without mention of immaturity	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	**422**	**309**	**915**	**629**	**227**	**187**	**70**	**47**	**28**	**25**	**4**	**1**	**1**	**3**	**22**	**15**
Days 0	248	189	533	349	9	22	9	10	-	-	-	-	-	-	1	6
1-6	154	102	369	260	85	46	33	22	2	1	1	-	1	1	5	3
Weeks 1	7	6	6	12	54	44	13	5	8	7	1	1	-	-	6	4
2	1	-	3	4	41	35	8	7	12	8	2	-	-	1	1	2
3	-	-	1	-	38	40	7	3	6	9	-	-	-	-	4	-
Months 1-2	4	6	3	3	-	-	-	-	-	-	-	-	-	1	5	-
3-5	5	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
6-8	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9-11	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Years 0	422	309	915	629	227	187	70	47	28	25	4	1	1	3	22	15
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* **765.0** Ophthalmia neonatorum, without mention of immaturity: Female 1W: **765.5** Ophthalmia neonatorum, with immaturity - : **766.0** Pemphigus neonatorum, without mention of immaturity: Female 1-6D: **766.5** Pemphigus neonatorum, with immaturity - : **767.5** Umbilical sepsis, with immaturity - .

TABLE 27 - *continued*

Causes of death	768.5 Other sepsis of newborn, with immaturity		769.0 Neonatal disorders attributed to 'toxaemia' of pregnancy' without mention of immaturity		769.1 Neonatal disorders attributed to maternal diabetes, without mention of immaturity		769.2, 769.3, 769.4* 769.5 Neonatal disorders attributed to 'toxaemia of pregnancy' with immaturity		769.6 Neonatal disorders attributed to maternal diabetes, with immaturity		769.7, 769.8, 769.9* 770-776 Other diseases peculiar to early infancy		770.0 Erythroblastosis, without mention of nervous affection or immaturity		770.1 Kernicterus, without mention of immaturity	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	**10**	**8**	**10**	**8**	**9**	**2**	**49**	**52**	**9**	**10**	**1,804**	**1,393**	**103**	**99**	**7**	**6**
Days 0	2	3	8	5	4	2	32	37	5	10	1,161	880	74	73	-	1
1-6	4	4	1	3	5	-	16	15	4	-	548	440	25	22	3	5
Weeks 1	3	1	-	-	-	-	1	-	-	-	53	36	3	2	1	-
2	1	-	1	-	-	-	-	-	-	-	13	14	-	1	-	-
3	-	-	-	-	-	-	-	-	-	-	8	5	1	-	-	-
Months 1-2	-	-	-	-	-	-	-	-	-	-	17	16	-	1	1	-
3-5	-	-	-	-	-	-	-	-	-	-	4	2	-	-	2	-
6-8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9-11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Years 0	10	8	10	8	9	2	49	52	9	10	1,804	1,393	103	99	7	6
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Causes of death	770.2* 770.5 Erythroblastosis, without mention of nervous affection but with immaturity		770.6 Kernicterus with immaturity		770.7* 771.0 Haemorrhagic disease of newborn, without mention of immaturity		771.5 Haemorrhagic disease of newborn, with immaturity		772.0,772.5* 773.0 Ill-defined diseases peculiar to early infancy, without mention of immaturity		773.5 Ill-defined diseases peculiar to early infancy, with immaturity		774 Immaturity with mention of any other subsidiary condition		776 Immaturity unqualified	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	**41**	**37**	**5**	**-**	**64**	**48**	**32**	**27**	**75**	**44**	**207**	**134**	**20**	**8**	**1,248**	**986**
Days 0	29	27	-	-	16	20	6	9	23	20	129	64	2	2	882	664
1-6	12	9	5	-	37	22	22	15	40	15	70	63	7	5	327	283
Weeks 1	-	1	-	-	7	5	3	1	2	-	6	4	6	-	25	23
2	-	-	-	-	1	-	-	2	2	3	1	-	2	1	7	7
3	-	-	-	-	2	-	1	-	1	1	-	1	1	-	2	3
Months 1-2	-	-	-	-	-	1	-	-	6	5	1	1	2	-	5	6
3-5	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-
6-8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9-11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Years 0	41	37	5	-	64	48	32	27	75	44	207	134	20	8	1,248	986
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* **769.2** Attributed to maternal rubella, without mention of immaturity: Males 0D, 1-6D, 3W, 1-2M, 1-2M; Females 3-5M, 6-8M: **769.3** Attributed to toxoplasmosis, without mention of immaturity: Males 3-5M, 3-5M, 6-8M: **769.4** Attributed to other or unspecified diseases of mother during pregnancy, without mention of immaturity: Females 0D, 0D: **769.7** Attributed to maternal rubella, with immaturity - : **769.8** Attributed to toxoplasmosis, with immaturity - : **769.9** Attributed to other or unspecified diseases of mother during pregnancy, with immaturity: Males 0D, 0D, 0D; Females 0D, 0D, 0D, 0D, 0D, 1-6D, 1-6D, 1-6D, 1-6D: **770.2** Erythroblastosis with disorder of liver other than icterus gravis, without mention of immaturity - : **770.7** Erythroblastosis with disorder of liver other than icterus gravis, with immaturity - : **772.0** Nutritional maladjustment, without mention of immaturity: Males 1-2M, 1-2M; Females 1-6D, 1-2M, 1-2M, 3-5M: **772.5** Nutritional maladjustment, with immaturity - .

TABLE 27 - *continued*

Causes of death	780-795 Symptoms and ill-defined conditions		780-789 Symptoms referable to systems or organs		780.2 Convulsions		785.2* 790-795 Senility and ill-defined diseases		E800-E999 Accidents, poisonings, and violence		E800-E866 Transport accidents		E800-E802* E810-E825 Motor vehicle traffic accidents		E812 Motor vehicle traffic accident to pedestrian	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	**11**	**17**	**4**	**4**	**2**	**2**	**7**	**13**	**758**	**510**	**200**	**101**	**187**	**94**	**153**	**71**
Days 0	4	8	1	-	1	-	3	8	25	26	-	-	-	-	-	-
1-6	1	1	-	-	-	-	1	1	7	4	-	-	-	-	-	-
Weeks 1	1	-	-	-	-	-	1	-	3	3	-	-	-	-	-	-
2	-	-	-	-	-	-	-	-	6	3	-	-	-	-	-	-
3	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-
Months 1-2	1	-	-	-	-	-	1	-	126	72	1	2	1	2	-	-
3-5	2	1	2	-	1	-	-	1	86	78	1	3	1	3	1	-
6-8	1	1	-	1	-	1	1	-	40	34	1	1	1	1	1	-
9-11	1	2	1	1	-	-	-	1	35	29	2	3	2	3	1	1
Years 0	11	13	4	2	2	1	7	11	333	254	5	9	5	9	3	1
1	-	3	-	2	-	1	-	1	125	86	41	18	38	17	28	12
2	-	1	-	-	-	-	-	1	114	64	46	20	42	19	35	14
3	-	-	-	-	-	-	-	-	100	54	55	25	52	22	47	20
4	-	-	-	-	-	-	-	-	86	52	53	29	50	27	40	24

Causes of death	E830-E835 Motor vehicle non-traffic accidents		E840-E845 E850-E858 E860-E866* E870-E895 Accidental poisoning		E870-E888 Accidental poisoning by solid and liquid substances		E890-E895 Accidental poisoning by gases and vapours		E900-E904 Accidental falls		E910-E936 Other accidents		E916 Accident caused by fire and explosion of combustible material		E917 Accident caused by hot substance, corrosive liquid and steam	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	**5**	**3**	**13**	**20**	**9**	**15**	**4**	**5**	**43**	**32**	**461**	**322**	**52**	**52**	**7**	**4**
Days 0	-	-	-	-	-	-	-	-	-	-	21	25	-	-	-	-
1-6	-	-	-	-	-	-	-	-	-	-	5	4	-	-	-	-
Weeks 1	-	-	-	-	-	-	-	-	-	-	3	3	1	-	-	-
2	-	-	-	-	-	-	-	-	-	-	5	3	-	-	-	-
3	-	-	-	-	-	-	-	-	-	-	4	5	-	1	1	-
Months 1-2	-	-	1	-	-	-	1	-	3	1	112	61	1	1	1	-
3-5	-	-	-	1	-	-	-	1	1	3	82	67	2	1	-	-
6-8	-	-	-	1	-	-	-	1	3	1	34	27	-	-	1	1
9-11	-	-	1	-	-	-	1	-	1	6	26	16	3	3	1	-
Years 0	-	-	2	2	-	-	2	2	8	11	292	211	7	6	4	1
1	1	1	4	7	3	5	1	2	13	8	64	49	12	15	1	2
2	1	-	3	7	3	6	-	1	14	4	43	32	10	14	-	1
3	2	1	3	4	2	4	1	-	6	5	35	14	12	8	2	-
4	1	1	1	-	1	-	-	-	2	4	27	16	11	9	-	-

* 785.2 Jaundice (not of newborn) - : E800-E802 Railway accidents: Males 1Y, 2Y, 2Y, 4Y; Female 2Y: E840-E845 Other road vehicle accidents: Female 3Y: E850-E858 Water transport accidents: Males 2Y, 3Y, 4Y: E860-E866 Aircraft accidents: Male 1Y; Females 3Y, 4Y.

TABLE 27 - *continued*

Causes of death	E921-E925 Accidental mechanical suffocation		E926 Lack of care of infants under 1 year of age		E929 Accidental drowning and submersion		E940-E959 Accidents due to medical and surgical intervention		E940-E946 Complications due to non-therapeutic medical and surgical procedures		E950-E959, E960-E965, E970-E979* E980-E985 Homicide and injury purposely inflicted by other person (not in war)		E990-E999* N800-N829 Fractures		N800-N809 Fracture of skull, spine and trunk	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	**268**	**184**	**24**	**21**	**61**	**24**	**4**	**1**	**2**	**-**	**37**	**34**	**170**	**89**	**168**	**88**
Days 0	-	1	20	18	1	2	-	-	-	-	4	1	1	1	1	1
1-6	4	1	1	2	-	1	2	-	-	-	-	-	-	-	-	-
Weeks 1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	5	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-
3	3	4	-	-	-	-	-	-	-	-	1	-	1	-	1	-
Months 1-2	105	57	1	-	-	-	-	-	-	-	9	8	6	6	5	6
3-5	75	63	2	1	-	-	-	1	-	-	2	3	2	5	2	5
6-8	30	22	-	-	-	-	1	-	1	-	1	4	4	4	4	4
9-11	13	11	-	-	1	-	-	-	-	-	5	4	4	7	4	7
Years 0	237	164	24	21	2	3	3	1	1	-	23	20	18	23	17	23
1	21	15	-	-	13	6	-	-	-	-	3	4	33	17	33	17
2	6	3	-	-	19	8	-	-	-	-	8	1	42	13	41	13
3	1	1	-	-	16	2	-	-	-	-	1	6	41	15	41	14
4	3	1	-	-	11	5	1	-	1	-	2	3	36	21	36	21

Causes of death	N810-N819, N820-N829, N830-N839, N840-N848* N850-N856 Head injury (excluding skull fracture)		N860-N869 Internal injury of chest, abdomen and pelvis		N870-N879, N880-N888, N890-N898, N900-N908, N910-N918, N920-N929* N930-N936 Effects of foreign body entering through orifice		N940-N949 Burns		N950-N959* N960-N979 Effects of poisons		N980-N989* N990-N999 Other and unspecified injuries and reactions	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	**52**	**41**	**44**	**28**	**184**	**103**	**25**	**33**	**51**	**49**	**222**	**163**
Days 0	-	-	1	-	-	-	-	-	-	-	23	25
1-6	-	-	1	-	3	1	-	-	-	-	3	3
Weeks 1	-	-	-	1	2	1	1	-	-	-	-	1
2	-	-	-	-	3	3	-	-	-	-	3	-
3	-	-	-	-	2	2	1	1	-	-	1	2
Months 1-2	6	5	-	-	69	38	1	1	2	-	41	22
3-5	1	2	2	1	44	30	1	-	1	3	35	37
6-8	2	5	-	-	23	10	1	1	-	1	10	13
9-11	3	3	1	1	10	8	3	1	2	3	12	5
Years 0	12	15	5	3	156	93	8	4	5	7	128	108
1	17	8	9	4	18	7	7	6	11	20	29	24
2	7	5	12	8	6	1	2	9	13	13	29	14
3	7	8	10	7	1	1	6	7	11	6	20	9
4	9	5	8	6	3	1	2	7	11	3	16	8

* E950-E959 Therapeutic misadventure and late complications of therapeutic procedures: Males 1-6D, 1-6D; Female 3-5M: E960-E965 Late effects of injury and poisoning - : E970-E979 Suicide and self inflicted injury - : E990-E999 Injury resulting from operations of war - : N810-N819 Fracture of upper limb: Male 1-2M; Female 3Y: N820-N829 Fracture of lower limb: Male 2Y: N830-N839 Dislocation without fracture: Male 3Y: N840-N848 Sprains and strains of joints and adjacent muscles - : N870-N879 Laceration and open wound of face, neck and trunk: Males 1Y, 3Y, 4Y; Females 9-11M, 4Y: N880-N888 Laceration and open wound of upper limb: Male 3Y: N890-N898 Laceration and open wound of lower limb - : N900-N908 Laceration and open wounds of multiple location: Males 2Y, 2Y, 3Y; Female 3Y: N910-N918 Superficial injury - : N920-N929 Contusion and crushing with intact skin surface - : N950-N959 Injury to nerves and spinal cord without bone injury: Female 2Y: N980-N989 Effects of weather, exposure, and related conditions: Males 1-2M, 2Y.

TABLE 27 SUPPLEMENT. Infant death rates per 1,000 live births in various age periods, by sex, from principal causes, **1967**

England and Wales

Aetiological group	ICD No.	Cause of death		Infant mortality per 1,000 live births								
				Total infant mortality (under 1 year)	Neonatal mortality (under 4 weeks)	Early neonatal mortality (under 1 week)	Late neonatal mortality (1 week and under 4 weeks)	Post-neonatal mortality (4 weeks and under 1 year)	Early neo-natal period: Under 1 day	Early neo-natal period: 1 day and under 1 week	Post-neonatal period: 4 weeks and under 3 months	Post-neonatal period: 3 months and under 6 months	Post-neonatal period: 6 months and under 1 year
Prenatal and natal group	760	Intracranial and spinal injury at birth	M	1.59	1.59	1.49	0.10	-	0.71	0.78	-	-	-
			F	0.97	0.97	0.92	0.05	-	0.51	0.41	-	-	-
	761	Other birth injury (including maternal antepartum haemorrhage)	M	0.60	0.59	0.58	*0.01*	*0.00*	0.43	0.15	*0.00*	-	0.00
			F	0.45	0.44	0.44	*0.00*	*0.00*	0.34	0.10	*0.00*	-	-
	762	Postnatal asphyxia and atelectasis	M	3.12	3.09	3.05	*0.04*	*0.04*	1.83	1.22	*0.02*	*0.01*	*0.01*
			F	2.32	2.28	2.23	0.05	*0.04*	1.33	0.90	*0.02*	*0.01*	*0.01*
	769	Attributed to maternal toxaemia	M	0.21	0.19	0.19	*0.01*	*0.01*	0.12	0.06	*0.00*	*0.00*	*0.00*
			F	0.21	0.21	0.21	-	*0.00*	0.15	0.05	-	*0.00*	*0.00*
	770	Erythroblastosis	M	0.36	0.36	0.35	*0.01*	*0.01*	0.24	0.11	*0.00*	*0.00*	-
			F	0.35	0.35	0.34	*0.01*	*0.00*	0.25	0.09	*0.00*	-	-
	771	Haemorrhagic disease of newborn	M	0.22	0.22	0.19	*0.03*	*0.00*	0.05	0.14	-	*0.00*	-
			F	0.19	0.18	0.16	*0.02*	*0.00*	0.07	0.09	*0.00*	-	-
	773	Ill-defined diseases of early infancy	M	0.66	0.64	0.61	*0.03*	*0.02*	0.36	0.26	*0.02*	*0.00*	-
			F	0.44	0.42	0.40	*0.02*	*0.02*	0.21	0.19	*0.01*	*0.00*	-
	774,776	Immaturity alone, or primary to disease other than of early infancy	M	2.96	2.95	2.85	0.10	*0.02*	2.07	0.78	*0.02*	-	-
			F	2.46	2.44	2.36	0.08	*0.01*	1.65	0.71	*0.01*	-	-
		Total	**M**	**9.73**	**9.64**	**9.30**	**0.33**	**0.10**	**5.81**	**3.49**	**0.06**	*0.03*	*0.01*
			F	**7.39**	**7.30**	**7.05**	**0.25**	**0.08**	**4.51**	**2.55**	**0.06**	*0.01*	*0.01*
	750-759	Congenital malformations	M	3.97	2.80	1.93	0.87	1.17	0.86	1.06	0.55	0.34	0.29
			F	3.60	2.46	1.72	0.73	1.14	0.89	0.83	0.51	0.37	0.26
Postnatal group	001-138, 340; 391-393;470-483, 518,519; 690-698; 765-768	Causes classified as infective and others mainly infective in origin	M	0.64	0.19	0.07	0.12	0.44	*0.01*	0.06	0.14	0.12	0.17
			F	0.50	0.18	0.08	0.10	0.32	*0.03*	0.06	0.10	0.11	0.10
	490-493, 763, 500-502	Pneumonia and bronchitis	M	3.49	0.72	0.32	0.40	2.76	*0.04*	0.28	1.14	1.09	0.53
			F	2.82	0.60	0.25	0.35	2.22	0.08	0.17	0.91	0.83	0.49
	571, 764	Gastro-enteritis and diarrhoea of newborn	M	0.47	0.07	*0.01*	0.07	0.40	-	*0.01*	0.16	0.12	0.11
			F	0.38	0.06	*0.00*	0.06	0.32	-	*0.00*	0.11	0.11	0.10
	E921-E925	Accidental mechanical suffocation from vomit, food, foreign body, or in cot	M	0.55	*0.03*	*0.01*	*0.02*	0.52	-	*0.01*	0.25	0.18	0.10
			F	0.41	*0.03*	*0.00*	*0.02*	0.38	*0.00*	*0.00*	0.14	0.16	0.08
	E926, E980-E985	Lack of care, neglect, (including foundlings), infanticide	M	0.11	0.06	0.06	*0.00*	0.05	0.06	*0.00*	*0.02*	*0.01*	*0.01*
			F	0.10	0.05	0.05	-	0.05	*0.05*	*0.00*	*0.02*	*0.01*	*0.02*
	Rem. E800-E999	Other violent causes	M	0.11	*0.01*	*0.01*	*0.00*	0.10	*0.00*	*0.00*	*0.03*	*0.02*	0.06
			F	0.12	*0.02*	*0.02*	*0.00*	0.10	*0.01*	*0.00*	*0.02*	*0.03*	0.05
		Total	**M**	**5.38**	**1.10**	**0.48**	**0.62**	**4.28**	**0.11**	**0.37**	**1.75**	**1.54**	**0.99**
			F	**4.33**	**0.94**	**0.41**	**0.53**	**3.38**	**0.17**	**0.24**	**1.29**	**1.24**	**0.85**
Unclassified	140-239	Neoplasms	M	0.11	*0.02*	*0.01*	*0.01*	0.09	*0.01*	*0.00*	*0.03*	*0.01*	0.05
			F	0.09	*0.01*	*0.00*	*0.00*	0.08	-	*0.00*	*0.01*	*0.02*	0.05
	Rem. of 001-E999	Other remaining causes	M	1.09	0.41	0.28	0.13	0.68	0.14	0.13	0.27	0.22	0.18
			F	0.91	0.32	0.24	0.08	0.59	0.15	0.09	0.24	0.14	0.20
		Total	**M**	**1.19**	**0.43**	**0.29**	**0.14**	**0.77**	**0.15**	**0.14**	**0.30**	**0.24**	**0.23**
			F	**1.00**	**0.33**	**0.24**	**0.09**	**0.67**	**0.15**	**0.10**	**0.25**	**0.17**	**0.25**
	774, 776	Immaturity alone, or primary to disease other than of early infancy	M	2.96	2.95	2.85	0.10	*0.02*	2.07	0.78	*0.02*	-	-
			F	2.46	2.44	2.36	0.08	*0.01*	1.65	0.71	*0.01*	-	-
	760-5-773-5	Immaturity associated with diseases of early infancy	M	4.19	4.19	4.02	0.17	*0.01*	2.33	1.68	*0.01*	-	-
			F	3.08	3.06	2.94	0.13	*0.01*	1.68	1.26	*0.01*	*0.00*	-
		Total immaturity	**M**	**7.16**	**7.13**	**6.86**	**0.27**	*0.03*	**4.40**	**2.46**	*0.03*	-	-
			F	**5.54**	**5.51**	**5.30**	**0.21**	*0.03*	**3.33**	**1.97**	*0.02*	*0.00*	-
		All causes, excluding immaturity	M	13.11	6.83	5.13	1.70	6.28	2.53	2.60	2.62	2.14	1.52
			F	10.77	5.53	4.14	1.39	5.24	2.39	1.74	2.09	1.79	1.37

TABLE 28. **Weekly notifications of certain infectious diseases and deaths from certain causes, 1967**

England and Wales

Note. From 1st January 1967 the weekly tabulations relate to a weekly period ending on a Friday.

Week ended	Original notifications (including Port Health Districts)											Deaths*		
	Typhoid fever	Paratyphoid fever	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Dysentery	Measles	Acute poliomyelitis: Paralytic	Acute poliomyelitis: Non-paralytic	Food poisoning	Influenza and influenzal pneumonia	Pneumonia**	Bronchitis
Jan. 6	1	-	11	378	436	-	396	21,633	-	1	90	10	903	689
13	1	-	8	360	402	-	441	17,793	-	-	124	17	1,048	901
20	1	6	5	485	394	-	517	15,502	-	-	104	24	1,045	762
27	1	1	15	584	526	-	574	17,261	-	-	108	11	927	702
Feb. 3	3	-	11	638	633	-	604	20,874	1	-	136	12	949	680
10	1	-	14	682	524	-	637	25,557	-	-	113	6	741	563
17	1	-	9	655	410	-	835	26,177	-	1	190	10	770	585
24	1	-	11	628	478	-	743	27,067	-	-	105	9	861	642
Mar. 3	1	1	6	638	524	-	770	25,556	-	-	142	7	841	625
10	2	-	6	693	464	-	783	22,935	-	-	107	8	805	519
17	3	-	5	669	481	-	955	21,663	-	-	136	9	734	454
24	1	-	3	668	375	-	691	17,126	-	-	83	8	653	384
31	2	1	5	492	401	-	456	18,824	-	-	60	9	731	484
Apr. 7	3	4	8	456	375	1	409	18,789	-	-	109	9	724	487
14	1	-	6	366	481	-	472	14,175	-	-	106	8	697	474
21	3	1	8	419	460	-	434	10,802	2	-	102	6	786	451
28	2	1	10	475	593	-	584	9,250	1	-	99	3	697	453
May 5	7	2	6	563	601	-	685	9,538	-	-	137	5	650	446
12	2	2	6	573	593	-	828	10,536	-	-	92	4	701	479
19	-	1	6	476	451	-	800	10,670	1	-	128	6	686	421
26	1	1	8	490	463	-	820	10,146	2	-	108	1	653	411
June 2	3	1	3	428	388	-	544	8,212	-	-	75	6	586	441
9	4	2	3	334	546	-	628	9,159	1	-	79	3	586	399
16	3	-	6	417	556	-	486	7,254	-	-	94	2	576	374
23	1	2	8	309	612	-	514	6,230	-	1	144	2	539	359
30	-	1	8	293	740	-	514	5,763	-	-	132	3	535	340
July 7	3	-	10	303	783	1	499	5,451	-	-	364	6	534	333
14	5	2	3	283	750	-	447	5,181	-	-	219	2	616	329
21	2	1	7	222	745	-	336	5,026	1	-	175	3	580	341
28	2	2	9	209	734	-	292	4,459	-	-	170	1	496	275
Aug. 4	-	5	6	169	839	-	243	4,228	-	-	239	4	483	281
11	9	2	6	146	785	1	226	3,139	2	-	136	3	491	308
18	4	7	4	132	841	-	253	2,648	1	-	191	4	497	278
25	3	6	7	134	932	-	198	1,740	1	-	153	-	565	311
Sept. 1	3	6	1	95	955	-	208	1,192	1	-	183	2	486	275
8	5	1	2	119	1,008	-	216	1,055	1	-	160	1	480	290
15	1	4	8	110	988	-	248	807	1	1	127	2	555	297
22	6	7	1	173	1,015	-	214	650	-	-	186	-	545	360
29	6	9	7	199	876	-	225	869	-	-	232	2	622	364
Oct. 6	6	3	4	218	722	-	223	1,023	1	-	141	5	568	348
13	8	-	1	208	653	-	205	1,102	-	-	177	3	642	388
20	4	1	9	239	528	-	229	1,269	2	-	217	5	542	355
27	6	-	3	273	660	-	264	1,347	-	-	176	7	589	367
Nov. 3	3	-	2	253	682	-	246	1,356	-	-	168	5	600	397
10	3	3	10	312	656	1	326	1,111	-	-	208	2	604	535
17	-	4	5	382	838	1	270	1,255	1	-	116	11	706	546
24	1	4	7	399	843	1	409	1,273	-	-	91	13	831	674
Dec. 1	1	-	6	378	927	3	509	1,261	-	-	122	27	936	738
8	1	2	5	387	931	-	523	1,382	1	-	105	36	959	739
15	2	1	1	312	762	-	481	1,245	-	-	84	44	1,077	936
22	-	1	9	293	592	-	413	1,275	-	-	62	101	1,332	1,046
29	4	1	6	195	437	-	241	1,196	-	-	49	417	2,100	1,597
Totals	**137**	**99**	**334**	**19,312**	**33,389**	**9**	**24,064**	**461,032**	**21**	**4**	**7,154**	**904**	**37,860**	**26,233**

	Corrected notifications (excluding Port Health Districts)											Deaths†		
Totals‡	**138**	**92**	**293**	**19,302**	**33,531**	**6**	**22,044**	**460,236**	**16**	**3**	**5,018**	**876**	**32,657**	**27,811**

* The weekly deaths are compiled from returns furnished by Registrars of Births and Deaths.
† Classified according to the International Classification of Diseases (7th Revision 1955).
‡ These totals are for the period 1st January to 31st December.
** Except secondary to accidents and to other infections (including influenza).

TABLE 29. Cases of certain infectious diseases notified, 1957 to 1967 — England and Wales

Final numbers after correction (including original cases in Port Health Districts)*

Diseases	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
Typhoid fever	125	147	123	90	97	130	247	124	138	112	139
Paratyphoid fever	310	200	379	241	254	126	342	229	832	132	95
Plague	-	-	-	-	-	-	-	-	-	-	-
Cholera	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection	1,016	836	746	632	651	576	606	506	406	407	293
Scarlet fever	29,547	38,853	47,919	32,170	19,990	15,306	17,437	20,129	26,725	21,228	19,305
Whooping cough	85,018	33,404	33,253	58,030	24,470	8,348	34,737	31,596	12,945	19,417	33,533
Diphtheria	37	80	102	49	52	16	33	20	25	20	6
Erysipelas	3,589	3,293	3,203	2,956	2,237	1,789	1,740	1,740	1,759	1,361	1,420
Ophthalmia neonatorum	1,483	1,304	1,179	1,063	932	1,017	970	832	727	612	606
Dysentery	28,910	38,107	35,626	43,285	20,418	30,924	31,759	20,204	26,183	21,567	22,048
Malaria (contracted in England and Wales)	1	-	-	-	-	-	1	-	-	-	-
Relapsing fever	1	1	2	1	-	-	-	-	-	-	-
Smallpox	4	(1) 6	1	1	1	66	-	-	-	62	2
Measles	633,678	259,308	539,524	159,364	763,531	184,895	601,255	306,801	502,209	343,642	460,407
Acute Poliomyelitis (paralytic)	3,177	1,419	739	257	707	212	39	29	55	19	16
Acute Poliomyelitis (non-paralytic)	1,667	575	289	121	169	59	12	8	36	4	3
Acute Encephalitis (infective)	172	171	140	144	118	113	125	114	97	83	104
Acute Encephalitis (post-infectious)	155	119	140	117	158	119	165	143	71	114	114
Typhus fever	-	-	-	-	†1	-	‡2	-	-	-	-
Pneumonia (acute primary and acute influenzal)	32,732	22,323	26,816	14,563	18,466	12,542	14,181	9,258	7,983	8,029	5,972
Puerperal fever and pyrexia	11,834	10,814	10,699	8,896	8,337	7,147	6,486	6,027	5,190	4,594	4,175
Food poisoning	9,180	8,801	9,971	7,738	7,842	5,151	5,869	5,408	5,003	4,539	5,023
Anthrax	?	?	?	?	8	8	14	7	7	10	19

*Cases notified in Port Health Districts are not corrected for subsequent changes of diagnosis. When these notifications relate to quarantine diseases, they are distinguished in this table in brackets alongside the figures in which they are included.
†Not louse borne. ‡One case not louse borne.

TABLE 30. Cases of certain infectious diseases notified, by sex and age, **1967**

England and Wales, regions, Wales, conurbations, urban and rural aggregates outside conurbations, and hospital regions

Final numbers after correction.

Area	All ages		0-		1-		2-		3-		4-		5-		10-		15-		25 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Scarlet fever																					
ENGLAND AND WALES (excluding Port Health Districts)	**9,604**	**9,698**	**48**	**45**	**235**	**204**	**638**	**604**	**1,053**	**926**	**1,320**	**1,249**	**5,040**	**5,365**	**750**	**818**	**381**	**331**	**96**	**117**	**43**	**39**
Regions and conurbations:																						
Northern	**435**	**407**	**2**	**5**	**13**	**9**	**27**	**25**	**46**	**34**	**39**	**51**	**224**	**214**	**45**	**44**	**29**	**17**	**7**	**4**	**3**	**4**
Tyneside Conurbation	53	58	-	-	-	1	2	3	5	1	3	6	28	34	7	8	5	4	3	-	-	1
Remainder of Northern	382	349	2	5	13	8	25	22	41	33	36	45	196	180	38	36	24	13	4	4	3	3
Yorkshire and Humberside	**1,320**	**1,424**	**8**	**8**	**34**	**24**	**87**	**85**	**129**	**129**	**187**	**189**	**681**	**782**	**128**	**147**	**46**	**41**	**12**	**13**	**8**	**6**
West Yorkshire Conurbation	395	450	4	3	11	6	23	27	44	40	59	63	209	255	31	41	10	10	3	3	1	2
Remainder of Yorkshire and Humberside	925	974	4	5	23	18	64	58	85	89	128	126	472	527	97	106	36	31	9	10	7	4
North Western	**1,604**	**1,664**	**11**	**8**	**45**	**34**	**111**	**107**	**178**	**166**	**232**	**212**	**783**	**866**	**169**	**189**	**53**	**53**	**16**	**21**	**6**	**8**
South East Lancashire Conurbation	449	470	2	3	15	11	46	44	60	60	79	73	202	230	28	34	11	10	4	4	2	1
Merseyside Conurbation	389	454	5	1	8	7	23	27	40	34	30	38	193	241	71	70	14	20	3	11	2	5
Remainder of North Western	766	740	4	4	22	16	42	36	78	72	123	101	388	395	70	85	28	23	9	6	2	2
East Midland	**649**	**635**	**3**	**-**	**10**	**15**	**57**	**38**	**71**	**59**	**76**	**73**	**350**	**367**	**45**	**51**	**30**	**19**	**2**	**11**	**5**	**2**
West Midland	**1,041**	**1,035**	**5**	**4**	**28**	**22**	**80**	**66**	**106**	**86**	**135**	**129**	**587**	**592**	**64**	**79**	**33**	**42**	**2**	**11**	**1**	**4**
West Midlands Conurbation	577	564	2	2	21	11	47	34	58	41	82	71	316	323	33	53	18	22	-	4	-	3
Remainder of West Midland	464	471	3	2	7	11	33	32	48	45	53	58	271	269	31	26	15	20	2	7	1	1
East Anglia	**408**	**372**	**-**	**1**	**7**	**9**	**23**	**24**	**36**	**40**	**51**	**48**	**236**	**199**	**30**	**26**	**13**	**16**	**11**	**6**	**1**	**3**
South Eastern	**3,171**	**3,153**	**16**	**15**	**82**	**65**	**198**	**198**	**355**	**317**	**474**	**402**	**1,673**	**1,788**	**193**	**197**	**133**	**119**	**31**	**41**	**16**	**11**
Greater London	1,538	1,615	8	9	37	33	102	111	172	171	252	204	796	904	96	99	56	54	14	26	5	4
Outer Metropolitan Area	972	873	4	1	32	22	62	60	112	95	133	108	517	492	51	48	44	38	12	6	5	3
Remainder of South Eastern	661	665	4	5	13	10	34	27	71	51	89	90	360	392	46	50	33	27	5	9	6	4
South Western	**576**	**610**	**1**	**3**	**7**	**13**	**27**	**38**	**80**	**50**	**66**	**85**	**305**	**343**	**53**	**55**	**24**	**16**	**11**	**7**	**2**	**-**
Wales	**400**	**398**	**2**	**1**	**9**	**13**	**28**	**23**	**52**	**45**	**60**	**60**	**201**	**214**	**23**	**30**	**20**	**8**	**4**	**3**	**1**	**1**
Wales I (South East)	290	299	2	1	6	11	21	19	41	34	45	41	141	161	17	25	13	4	3	3	1	-
Wales II (remainder)	110	99	-	-	3	2	7	4	11	11	15	19	60	53	6	5	7	4	1	-	-	1
Urban/Rural aggregates:																						
Conurbations	3,401	3,611	21	18	92	69	243	246	379	347	505	455	1,744	1,987	266	305	114	120	27	48	10	16
Areas outside conurbations:																						
Urban areas with populations of 100,000 and over	1,377	1,357	7	2	24	33	93	75	175	127	184	198	722	758	94	96	56	55	19	12	3	1
Urban areas with populations of 50,000 and under 100,000	953	977	4	2	22	23	53	45	116	92	136	128	492	540	73	96	39	41	14	8	4	2
Urban areas with populations under 50,000	1,957	1,902	6	19	55	47	132	124	208	191	270	250	1,045	1,016	142	164	77	57	12	24	10	10
Rural districts	1,916	1,851	10	4	42	32	117	114	175	169	225	218	1,037	1,064	175	157	95	58	24	25	16	10
Hospital regions:																						
Newcastle	392	376	2	5	12	9	27	25	40	32	39	47	197	193	41	43	24	15	7	3	3	4
Leeds	823	916	7	7	22	12	51	61	88	83	120	115	421	503	73	90	30	29	8	11	3	5
Sheffield	1,062	1,076	3	1	22	23	81	54	101	102	130	134	570	612	94	104	47	31	6	13	8	2
East Anglia	438	392	-	1	8	9	27	25	37	41	54	53	246	208	35	27	19	18	11	7	1	3
North West Metropolitan	806	779	4	4	18	22	52	50	85	97	129	102	411	399	62	54	33	34	8	13	4	4
North East Metropolitan	892	853	5	4	32	18	51	56	91	76	125	98	479	505	54	49	43	37	10	8	2	2
South East Metropolitan	646	720	6	1	12	8	40	50	74	68	93	99	353	413	36	49	23	22	7	6	2	4
South West Metropolitan	454	467	-	1	13	10	25	26	56	48	73	61	245	272	22	26	15	14	2	9	3	-
Wessex	173	192	1	4	4	6	8	11	23	13	23	22	86	112	13	10	9	8	3	5	3	1
Oxford	361	323	1	1	4	5	32	26	50	26	48	43	191	196	18	17	8	6	3	2	6	1
South Western	509	507	1	3	6	13	25	24	72	43	59	74	267	280	46	51	24	14	9	5	-	-
Welsh	400	398	2	1	9	13	28	23	52	45	60	60	201	214	23	30	20	8	4	3	1	1
Birmingham	1,041	1,035	5	4	28	22	80	66	106	86	135	129	587	592	64	79	33	42	2	11	1	4
Manchester	908	890	2	6	28	18	70	68	109	109	161	132	438	455	63	67	23	24	10	8	4	3
Liverpool	699	774	9	2	17	16	41	39	69	57	71	80	348	411	106	122	30	29	6	13	2	5

TABLE 30 - *continued*

Area	All ages		0-		1-		2-		3-		4-		5-		10-		15-		25 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Whooping cough																					
ENGLAND AND WALES (excluding Port Health Districts)	**15,756**	**17,775**	**1,456**	**1,568**	**1,648**	**1,638**	**2,303**	**2,458**	**2,286**	**2,569**	**1,974**	**2,144**	**5,244**	**6,118**	**520**	**650**	**94**	**200**	**160**	**337**	**71**	**93**
Regions and conurbations:																						
Northern	**965**	**1,049**	**84**	**84**	**94**	**108**	**153**	**157**	**149**	**146**	**129**	**132**	**321**	**359**	**20**	**27**	**4**	**18**	**7**	**17**	**4**	**1**
Tyneside Conurbation	178	187	15	20	15	13	24	36	26	28	26	27	66	57	4	2	-	1	2	3	-	-
Remainder of Northern	787	862	69	64	79	95	129	121	123	118	103	105	255	302	16	25	4	17	5	14	4	1
Yorkshire and Humberside	**2,569**	**2,949**	**242**	**267**	**302**	**273**	**400**	**438**	**353**	**461**	**346**	**362**	**823**	**985**	**70**	**89**	**6**	**20**	**19**	**42**	**8**	**12**
West Yorkshire Conurbation	772	811	83	76	90	87	127	123	99	134	108	112	244	248	15	16	1	5	3	10	2	-
Remainder of Yorkshire and Humberside	1,797	2,138	159	191	212	186	273	315	254	327	238	250	579	737	55	73	5	15	16	32	6	12
North Western	**2,939**	**3,290**	**320**	**341**	**326**	**346**	**433**	**463**	**471**	**488**	**384**	**403**	**872**	**1,048**	**87**	**103**	**11**	**37**	**18**	**38**	**17**	**23**
South East Lancashire Conurbation	1,469	1,642	165	194	166	184	212	219	241	237	187	196	430	521	41	52	8	16	8	16	11	7
Merseyside Conurbation	518	603	57	53	50	70	84	102	95	92	65	71	149	188	10	9	1	4	3	8	4	6
Remainder of North Western	952	1,045	98	94	110	92	137	142	135	159	132	136	293	339	36	42	2	17	7	14	2	10
East Midland	**808**	**884**	**68**	**60**	**86**	**79**	**116**	**133**	**138**	**133**	**76**	**101**	**275**	**324**	**26**	**23**	**2**	**8**	**12**	**14**	**9**	**9**
West Midland	**1,569**	**1,776**	**145**	**136**	**186**	**164**	**242**	**284**	**229**	**282**	**190**	**217**	**512**	**589**	**34**	**59**	**14**	**14**	**16**	**27**	**1**	**4**
West Midlands Conurbation	697	838	78	75	82	83	105	133	110	141	89	105	216	271	5	22	6	3	6	4	-	1
Remainder of West Midland	872	938	67	61	104	81	137	151	119	141	101	112	296	318	29	37	8	11	10	23	1	3
East Anglia	**387**	**437**	**31**	**37**	**36**	**32**	**47**	**48**	**47**	**61**	**46**	**52**	**144**	**159**	**23**	**28**	**2**	**5**	**7**	**8**	**4**	**7**
South Eastern	**4,793**	**5,571**	**408**	**466**	**440**	**487**	**691**	**698**	**660**	**765**	**567**	**680**	**1,705**	**1,966**	**200**	**255**	**43**	**76**	**64**	**150**	**15**	**28**
Greater London	2,216	2,559	231	259	235	257	332	356	333	354	249	304	707	801	79	117	14	28	29	73	7	10
Outer Metropolitan Area	1,371	1,571	99	103	96	113	201	168	170	222	170	205	526	611	65	75	14	22	25	40	5	12
Remainder of South Eastern	1,206	1,441	78	104	109	117	158	174	157	189	148	171	472	554	56	63	15	26	10	37	3	6
South Western	**1,024**	**1,076**	**77**	**90**	**105**	**89**	**120**	**133**	**142**	**135**	**148**	**113**	**355**	**422**	**43**	**46**	**10**	**18**	**16**	**28**	**8**	**2**
Wales	**702**	**743**	**81**	**87**	**73**	**60**	**101**	**104**	**97**	**98**	**88**	**84**	**237**	**266**	**17**	**20**	**2**	**4**	**1**	**13**	**5**	**7**
Wales I (South East)	500	570	59	77	51	46	82	77	67	81	60	73	165	186	10	13	1	2	1	10	4	5
Wales II (remainder)	202	173	22	10	22	14	19	27	30	17	28	11	72	80	7	7	1	2	-	3	1	2
Urban/Rural aggregates:																						
Conurbations	5,850	6,640	629	677	638	694	884	969	904	986	724	815	1,812	2,086	154	218	30	57	51	114	24	24
Areas outside conurbations:																						
Urban areas with populations of 100,000 and over	2,484	2,801	241	262	293	275	356	394	376	436	307	339	793	943	68	71	16	28	23	42	11	11
Urban areas with populations of 50,000 and under 100,000	1,337	1,441	136	136	144	120	211	191	187	222	168	166	432	509	37	44	6	17	14	22	2	14
Urban areas with populations under 50,000	2,883	3,276	222	242	310	302	406	432	402	451	365	411	1,013	1,172	103	132	18	50	36	62	8	22
Rural districts	3,202	3,617	228	251	263	247	446	472	417	474	410	413	1,194	1,408	158	185	24	48	36	97	26	22
Hospital regions:																						
Newcastle	849	918	75	77	88	96	132	147	129	129	116	112	284	322	16	18	3	8	4	9	2	-
Leeds	1,163	1,904	148	164	191	190	257	286	231	310	214	238	506	611	41	54	5	14	14	32	6	5
Sheffield	1,746	1,901	160	158	192	158	256	278	253	276	207	228	588	686	57	59	4	14	18	28	11	16
East Anglia	401	467	33	39	37	35	48	50	50	67	47	56	149	169	24	30	2	6	7	8	4	7
North West Metropolitan	936	1,090	97	101	85	108	164	138	133	138	114	124	290	378	36	50	5	14	8	31	4	8
North East Metropolitan	1,197	1,371	98	97	115	114	163	182	167	214	146	160	427	496	47	51	14	16	19	36	1	5
South East Metropolitan	1,053	1,289	60	89	106	99	137	184	136	189	124	166	414	438	49	79	9	23	15	18	3	4
South West Metropolitan	858	987	97	114	74	97	119	99	133	122	107	115	275	344	29	41	5	11	15	38	4	6
Wessex	558	599	34	51	48	56	75	76	57	61	69	72	225	219	34	31	8	10	6	20	2	3
Oxford	473	532	41	39	33	35	76	54	75	80	47	80	172	199	18	17	2	9	6	16	3	3
South Western	857	888	67	75	94	78	98	112	123	113	120	89	293	352	31	35	10	10	13	22	8	2
Welsh	702	743	81	87	73	60	101	104	97	98	88	84	237	266	17	20	2	4	1	13	5	7
Birmingham	1,569	1,776	145	136	186	164	242	284	229	282	190	217	512	589	34	59	14	14	16	27	1	4
Manchester	2,187	2,402	241	264	253	246	314	317	331	353	278	291	665	762	69	90	10	39	14	29	12	11
Liverpool	757	908	79	77	73	102	121	147	142	137	107	112	207	287	18	16	1	8	4	10	5	12

TABLE 30 - *continued*

Area	All ages		0-		1-		2-		3-		4-		5-		10-		15-		25 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Diphtheria																					
ENGLAND AND WALES (excluding Port Health Districts)	**6**	**-**	**-**	**-**	**1**	**-**	**-**	**-**	**1**	**-**	**1**	**-**	**1**	**-**	**-**	**-**	**-**	**-**	**2**	**-**	**-**	**-**
Regions and conurbations:																						
Northern	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
Tyneside Conurbation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of Northern	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Yorkshire and Humberside	**1**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**1**	**-**	**-**	**-**
West Yorkshire Conurbation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of Yorkshire and Humberside	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
North Western	**4**	**-**	**-**	**-**	**1**	**-**	**-**	**-**	**1**	**-**	**-**	**-**	**1**	**-**	**-**	**-**	**-**	**-**	**1**	**-**	**-**	**-**
South East Lancashire Conurbation	4	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-
Merseyside Conurbation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of North Western	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
East Midland	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
West Midland	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
West Midlands Conurbation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of West Midland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
East Anglia	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
South Eastern	**1**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**1**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
Greater London	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Outer Metropolitan Area	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of South Eastern	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
South Western	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
Wales	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
Wales I (South East)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wales II (remainder)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Urban/Rural aggregates:																						
Conurbations	5	-	-	-	1	-	-	-	1	-	1	-	1	-	-	-	-	-	1	-	-	-
Areas outside conurbations:																						
Urban areas with populations of 100,000 and over	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Urban areas with populations of 50,000 and under 100,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Urban areas with populations under 50,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural districts	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hospital regions:																						
Newcastle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leeds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sheffield	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
East Anglia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North West Metropolitan	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
North East Metropolitan	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
South East Metropolitan	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
South West Metropolitan	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wessex	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oxford	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
South Western	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Welsh	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birmingham	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Manchester	4	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-
Liverpool	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 30 - *continued*

Area	All ages		0-		1-		2-		3-		4-		5-		10-		15-		25 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Measles																					
ENGLAND AND WALES (excluding Port Health Districts)	234,579	225,657	9,378	9,154	27,403	26,002	34,733	33,183	35,816	34,977	34,601	33,041	85,375	81,390	3,959	4,211	1,457	1,726	632	850	1,225	1,123
Regions and conurbations:																						
Northern	13,406	12,914	612	611	1,744	1,622	2,063	1,827	2,093	2,032	1,879	1,898	4,718	4,578	177	188	53	84	24	35	43	39
Tyneside Conurbation	2,181	2,141	126	106	331	319	384	301	357	343	284	315	654	700	27	24	14	26	2	5	2	2
Remainder of Northern	11,225	10,773	486	505	1,413	1,303	1,679	1,526	1,736	1,689	1,595	1,583	4,064	3,878	150	164	39	58	22	30	41	37
Yorkshire and Humberside	18,726	18,025	922	912	2,342	2,240	2,796	2,741	2,960	2,871	2,796	2,617	6,419	6,152	264	263	99	119	36	36	92	74
West Yorkshire Conurbation	5,691	5,362	296	289	746	672	950	830	897	903	832	795	1,849	1,771	77	44	25	40	9	8	10	10
Remainder of Yorkshire and Humberside	13,035	12,663	626	623	1,596	1,568	1,846	1,911	2,063	1,968	1,964	1,822	4,570	4,381	187	219	74	79	27	28	82	64
North Western	21,247	20,300	1,143	1,079	2,909	2,814	3,687	3,418	3,480	3,381	3,254	2,978	6,245	6,022	235	256	100	133	43	79	151	140
South East Lancashire Conurbation	7,196	6,867	371	386	1,044	998	1,308	1,260	1,235	1,217	1,143	1,022	1,961	1,840	56	64	20	24	15	17	43	39
Merseyside Conurbation	4,924	4,742	316	288	711	741	849	796	770	786	680	642	1,428	1,348	73	58	29	30	13	14	55	39
Remainder of North Western	9,127	8,691	456	405	1,154	1,075	1,530	1,362	1,475	1,378	1,431	1,314	2,856	2,834	106	134	51	79	15	48	53	62
East Midland	17,688	17,136	658	649	2,045	1,923	2,515	2,487	2,756	2,540	2,540	2,553	6,646	6,404	290	326	122	115	31	38	85	101
West Midland	23,566	22,588	980	1,000	2,892	2,743	3,483	3,438	3,663	3,591	3,396	3,253	8,541	7,991	354	291	115	125	50	67	92	89
West Midlands Conurbation	10,610	10,098	449	463	1,452	1,341	1,665	1,583	1,677	1,590	1,594	1,520	3,576	3,443	106	68	47	49	13	24	31	17
Remainder of West Midland	12,956	12,490	531	537	1,440	1,402	1,818	1,855	1,986	2,001	1,802	1,733	4,965	4,548	248	223	68	76	37	43	61	72
East Anglia	8,363	8,074	254	257	813	773	1,090	1,079	1,082	1,136	1,215	1,092	3,512	3,338	234	267	78	65	34	30	51	37
South Eastern	100,910	97,241	3,690	3,578	11,537	10,948	15,081	14,336	15,445	15,149	15,034	14,421	37,116	35,400	1,624	1,774	616	796	300	390	467	449
Greater London	36,534	35,582	1,697	1,560	4,712	4,391	5,867	5,680	5,527	5,522	5,517	5,301	12,206	11,949	573	613	207	282	101	155	127	129
Outer Metropolitan Area	37,766	36,339	1,114	1,128	3,871	3,831	5,471	5,122	5,891	5,743	5,700	5,562	14,626	13,791	610	642	217	245	109	130	157	145
Remainder of South Eastern	26,610	25,320	879	890	2,954	2,726	3,743	3,534	4,027	3,884	3,817	3,558	10,284	9,660	441	519	192	269	90	105	183	175
South Western	20,373	19,546	674	664	2,063	1,936	2,675	2,621	2,860	2,839	2,898	2,726	8,211	7,709	523	586	217	206	85	128	167	131
Wales	10,300	9,833	445	404	1,058	1,003	1,343	1,236	1,477	1,438	1,589	1,503	3,967	3,796	258	260	57	83	29	47	77	63
Wales I (South East)	6,819	6,481	346	307	760	703	936	830	1,060	1,055	1,080	1,032	2,470	2,356	86	108	29	39	12	18	40	33
Wales II (remainder)	3,481	3,352	99	97	298	300	407	406	417	383	509	471	1,497	1,440	172	152	28	44	17	29	37	30
Urban/Rural aggregates:																						
Conurbations	67,136	64,792	3,255	3,092	8,996	8,462	11,023	10,450	10,463	10,361	10,050	9,595	21,674	21,051	912	871	342	451	153	223	268	236
Areas outside conurbations:																						
Urban areas with populations of 100,000 and over	28,195	27,091	1,477	1,361	3,709	3,542	4,370	4,196	4,471	4,410	4,395	4,140	9,260	8,857	293	300	104	141	43	60	73	84
Urban areas with populations of 50,000 and under 100,000	22,936	22,151	928	907	2,764	2,671	3,443	3,380	3,673	3,534	3,549	3,412	8,084	7,655	219	272	107	154	49	78	120	88
Urban areas with populations under 50,000	56,737	54,389	2,014	2,054	6,395	6,014	8,246	7,762	8,855	8,573	8,444	8,134	21,234	20,035	712	869	342	402	141	184	354	362
Rural districts	59,575	57,234	1,704	1,740	5,539	5,313	7,651	7,395	8,354	8,099	8,163	7,760	25,123	23,792	1,823	1,899	562	578	246	305	410	353
Hospital regions:																						
Newcastle	12,324	11,885	588	589	1,607	1,511	1,895	1,696	1,935	1,849	1,736	1,748	4,306	4,201	155	155	48	70	19	29	35	37
Leeds	12,274	11,668	569	574	1,506	1,404	1,860	1,719	1,909	1,875	1,790	1,714	4,289	4,058	202	179	68	90	25	24	56	31
Sheffield	21,558	20,905	915	880	2,602	2,489	3,093	3,156	3,355	3,152	3,170	3,086	7,834	7,512	307	342	135	120	34	45	113	123
East Anglia	9,102	8,793	268	275	878	849	1,171	1,177	1,194	1,209	1,316	1,182	3,825	3,635	268	302	87	83	38	34	57	47
North West Metropolitan	21,836	21,074	854	807	2,547	2,455	3,400	3,152	3,332	3,165	3,351	3,295	7,733	7,429	308	367	122	188	64	98	125	118
North East Metropolitan	19,522	19,063	797	769	2,246	2,208	2,911	2,865	2,880	3,069	2,824	2,761	7,247	6,798	384	362	113	124	54	49	66	58
South East Metropolitan	21,275	20,437	766	726	2,465	2,250	3,170	2,986	3,280	3,130	3,115	3,062	7,892	7,568	318	381	136	175	51	80	82	79
South West Metropolitan	19,526	18,717	667	653	2,160	2,023	2,873	2,718	3,058	3,008	2,952	2,772	7,231	6,909	293	304	124	149	73	95	95	86
Wessex	12,725	12,026	401	429	1,400	1,344	1,782	1,716	1,916	1,833	1,845	1,680	4,916	4,538	220	257	127	112	49	57	69	60
Oxford	11,799	11,463	403	396	1,329	1,178	1,713	1,642	1,874	1,805	1,736	1,661	4,326	4,304	235	267	72	96	43	33	68	81
South Western	17,340	16,689	577	568	1,788	1,708	2,325	2,244	2,434	2,427	2,492	2,320	6,953	6,549	420	478	153	174	59	110	139	111
Welsh	10,300	9,833	445	404	1,058	1,003	1,343	1,236	1,477	1,438	1,589	1,503	3,967	3,796	258	260	57	83	29	47	77	63
Birmingham	23,566	22,588	980	1,000	2,892	2,743	3,483	3,438	3,663	3,591	3,396	3,253	8,541	7,991	354	291	115	125	50	67	92	89
Manchester	12,851	12,241	652	635	1,740	1,641	2,245	2,073	2,168	2,111	2,048	1,827	3,730	3,592	128	161	51	74	21	50	68	77
Liverpool	8,581	8,275	496	449	1,185	1,196	1,469	1,365	1,341	1,315	1,241	1,177	2,585	2,510	109	105	49	63	23	32	83	63

TABLE 30 - *continued*

Area	All ages		0-		1-		2-		3-		4-		5-		10-		15-		25 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Acute poliomyelitis (paralytic)																					
ENGLAND AND WALES (excluding Port Health Districts)	9	7	-	1	-	1	2	2	-	-	3	-	-	-	-	1	2	-	2	2	-	-
Regions and conurbations:																						
Northern	2	2	-	1	-	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Tyneside Conurbation	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of Northern	2	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Yorkshire and Humberside	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
West Yorkshire Conurbation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of Yorkshire and Humberside	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North Western	1	2	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
South East Lancashire Conurbation	1	2	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Merseyside Conurbation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of North Western	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
East Midland	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
West Midland	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
West Midlands Conurbation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of West Midland	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
East Anglia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
South Eastern	3	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	2	-	-
Greater London	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Outer Metropolitan Area	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of South Eastern	3	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	2	-	-
South Western	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Wales	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wales I (South East)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wales II (remainder)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Urban/Rural aggregates:																						
Conurbations	1	3	-	1	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Areas outside conurbations:																						
Urban areas with populations of 100,000 and over	1	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-
Urban areas with populations of 50,000 and under 100,000	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Urban areas with populations under 50,000	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural districts	4	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	1	1	-	-
Hospital regions:																						
Newcastle	2	2	-	1	-	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Leeds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sheffield	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
East Anglia	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
North West Metropolitan	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North East Metropolitan	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
South East Metropolitan	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
South West Metropolitan	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wessex	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Oxford	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
South Western	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Welsh	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birmingham	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Manchester	1	2	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Liverpool	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 30 - *continued*

Area	All ages		0-		1-		2-		3-		4-		5-		10-		15-		25 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Acute poliomyelitis (non-paralytic)																					
ENGLAND AND WALES (excluding Port Health Districts)	1	2	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
Regions and conurbations:																						
Northern	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tyneside Conurbation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of Northern	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Yorkshire and Humberside	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
West Yorkshire Conurbation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of Yorkshire and Humberside	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North Western	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
South East Lancashire Conurbation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Merseyside Conurbation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of North Western	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
East Midland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
West Midland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
West Midlands Conurbation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of West Midland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
East Anglia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
South Eastern	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
Greater London	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Outer Metropolitan Area	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of South Eastern	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
South Western	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wales	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wales I (South East)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wales II (remainder)	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Urban/Rural aggregates:																						
Conurbations	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Areas outside conurbations:																						
Urban areas with populations of 100,000 and over	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Urban areas with populations of 50,000 and under 100,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Urban areas with populations under 50,000	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural districts	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hospital regions:																						
Newcastle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leeds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sheffield	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
East Anglia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North West Metropolitan	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North East Metropolitan	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
South East Metropolitan	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
South West Metropolitan	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Wessex	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Oxford	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
South Western	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Welsh	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birmingham	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Manchester	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Liverpool	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 30 - *continued*

Area	All ages		0-		5-		15-		45-		65 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Typhoid fever													
ENGLAND AND WALES (excluding Port Health Districts)	86	52	9	6	29	5	35	30	9	7	4	4	-	-
Regions and conurbations:														
Northern	4	5	-	-	1	-	-	2	1	1	2	2	-	-
Tyneside Conurbation	1	1	-	-	-	-	-	1	-	-	1	-	-	-
Remainder of Northern	3	4	-	-	1	-	-	1	1	1	1	2	-	-
Yorkshire and Humberside	13	2	2	-	7	-	4	2	-	-	-	-	-	-
West Yorkshire Conurbation	10	2	2	-	4	-	4	2	-	-	-	-	-	-
Remainder of Yorkshire and Humberside	3	-	-	-	3	-	-	-	-	-	-	-	-	-
North Western	13	6	2	1	4	-	5	5	2	-	-	-	-	-
South East Lancashire Conurbation	5	3	1	-	1	-	3	3	-	-	-	-	-	-
Merseyside Conurbation	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Remainder of North Western	7	3	1	1	3	-	2	2	1	-	-	-	-	-
East Midland	2	3	-	-	-	1	-	1	-	-	2	1	-	-
West Midland	11	4	-	3	3	-	8	1	-	-	-	-	-	-
West Midlands Conurbation	10	4	-	3	2	-	8	1	-	-	-	-	-	-
Remainder of West Midland	1	-	-	-	1	-	-	-	-	-	-	-	-	-
East Anglia	4	-	1	-	-	-	3	-	-	-	-	-	-	-
South Eastern	35	31	4	2	12	4	13	18	6	6	-	1	-	-
Greater London	21	25	2	2	8	4	8	15	3	4	-	-	-	-
Outer Metropolitan Area	12	2	2	-	3	-	5	-	2	1	-	1	-	-
Remainder of South Eastern	2	4	-	-	1	-	-	3	1	1	-	-	-	-
South Western	2	-	-	-	1	-	1	-	-	-	-	-	-	-
Wales	2	1	-	-	1	-	1	1	-	-	-	-	-	-
Wales I (South East)	2	1	-	-	1	-	1	1	-	-	-	-	-	-
Wales II (remainder)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Urban/Rural aggregates:														
Conurbations	48	35	5	5	15	4	23	22	4	4	1	-	-	-
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	16	7	1	1	7	1	7	3	-	1	1	1	-	-
Urban areas with populations of 50,000 and under 100,000	5	4	1	-	2	-	1	2	1	1	-	1	-	-
Urban areas with populations under 50,000	10	5	2	-	4	-	1	2	3	1	-	2	-	-
Rural districts	7	1	-	-	1	-	3	1	1	-	2	-	-	-
Hospital regions:														
Newcastle	4	4	-	-	1	-	-	2	1	1	2	1	-	-
Leeds	11	2	2	-	5	-	4	2	-	-	-	-	-	-
Sheffield	3	3	-	-	2	1	-	1	-	-	1	1	-	-
East Anglia	4	1	1	-	-	-	3	1	-	-	-	-	-	-
North West Metropolitan	18	12	1	1	7	4	7	6	3	1	-	-	-	-
North East Metropolitan	5	8	-	-	-	-	2	6	3	2	-	-	-	-
South East Metropolitan	5	2	2	-	1	-	2	-	-	2	-	-	-	-
South West Metropolitan	3	6	-	1	2	-	1	4	-	1	-	-	-	-
Wessex	-	1	-	-	-	-	-	1	-	-	-	-	-	-
Oxford	5	1	1	-	2	-	1	-	-	-	1	1	-	-
South Western	2	-	-	-	1	-	1	-	-	-	-	-	-	-
Welsh	2	1	-	-	1	-	1	1	-	-	-	-	-	-
Birmingham	11	4	-	3	3	-	8	1	-	-	-	-	-	-
Manchester	12	7	2	1	4	-	5	5	1	-	1	-	-	-
Liverpool	1	-	-	-	-	-	-	-	1	-	-	-	-	-

TABLE 30 - *continued*

Area	All ages		0-		5-		15-		45-		65 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Paratyphoid fever													
ENGLAND AND WALES (excluding Port Health Districts)	42	50	6	5	7	10	24	23	3	11	1	1	1	-
Regions and conurbations:														
Northern	1	6	-	1	1	1	-	1	-	3	-	-	-	-
Tyneside Conurbation	-	1	-	-	-	-	-	1	-	-	-	-	-	-
Remainder of Northern	1	5	-	1	1	1	-	-	-	3	-	-	-	-
Yorkshire and Humberside	4	7	-	1	1	2	2	2	1	2	-	-	-	-
West Yorkshire Conurbation	2	3	-	1	-	1	2	1	-	-	-	-	-	-
Remainder of Yorkshire and Humberside	2	4	-	-	1	1	-	1	1	2	-	-	-	-
North Western	-	3	-	-	-	2	-	1	-	-	-	-	-	-
South East Lancashire Conurbation	-	2	-	-	-	2	-	-	-	-	-	-	-	-
Merseyside Conurbation	-	1	-	-	-	-	-	1	-	-	-	-	-	-
Remainder of North Western	-	-	-	-	-	-	-	-	-	-	-	-	-	-
East Midland	2	3	-	-	1	1	1	1	-	-	-	1	-	-
West Midland	9	5	1	1	-	-	8	3	-	1	-	-	-	-
West Midlands Conurbation	4	2	-	1	-	-	4	1	-	-	-	-	-	-
Remainder of West Midland	5	3	1	-	-	-	4	2	-	1	-	-	-	-
East Anglia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
South Eastern	21	22	4	2	4	4	11	12	2	4	-	-	-	-
Greater London	10	13	1	2	2	2	6	8	1	1	-	-	-	-
Outer Metropolitan Area	9	9	3	-	2	2	3	4	1	3	-	-	-	-
Remainder of South Eastern	2	-	-	-	-	-	2	-	-	-	-	-	-	-
South Western	3	1	-	-	-	-	2	-	-	1	1	-	-	-
Wales	2	3	1	-	-	-	-	3	-	-	-	-	1	-
Wales I (South East)	1	2	1	-	-	-	-	2	-	-	-	-	-	-
Wales II (remainder)	1	1	-	-	-	-	-	1	-	-	-	-	1	-
Urban/Rural aggregates:														
Conurbations	16	22	1	4	2	5	12	12	1	1	-	-	-	-
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	6	5	-	-	1	-	3	4	2	1	-	-	-	-
Urban areas with populations of 50,000 and under 100,000	1	2	-	-	-	-	-	2	-	-	1	-	-	-
Urban areas with populations under 50,000	10	12	5	-	2	2	3	2	-	7	-	1	-	-
Rural districts	9	9	-	1	2	3	6	3	-	2	-	-	1	-
Hospital regions:														
Newcastle	-	4	-	-	-	-	-	1	-	3	-	-	-	-
Leeds	2	8	-	2	-	3	2	1	-	2	-	-	-	-
Sheffield	4	3	-	-	2	1	1	2	1	-	-	-	-	-
East Anglia	-	1	-	-	-	-	-	-	-	-	-	1	-	-
North West Metropolitan	8	7	1	1	3	1	4	5	-	-	-	-	-	-
North East Metropolitan	4	2	-	1	-	1	3	-	1	-	-	-	-	-
South East Metropolitan	5	5	3	-	-	1	1	2	1	2	-	-	-	-
South West Metropolitan	1	4	-	-	1	-	-	3	-	1	-	-	-	-
Wessex	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Oxford	3	4	-	-	-	1	2	2	-	1	1	-	-	-
South Western	2	1	-	-	-	-	2	-	-	1	-	-	-	-
Welsh	2	3	1	-	-	-	-	3	-	-	-	-	1	-
Birmingham	9	5	1	1	-	-	8	3	-	1	-	-	-	-
Manchester	1	2	-	-	1	2	-	-	-	-	-	-	-	-
Liverpool	-	1	-	-	-	-	-	1	-	-	-	-	-	-

TABLE 30 - *continued*

Area	All ages		0-		1-		2-		3-		4-		5-		10-		15-		25 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Dysentery																					
ENGLAND AND WALES (excluding Port Health Districts)	10,772	11,272	551	447	903	677	970	843	793	751	763	731	3,124	2,789	844	750	605	1,036	2,017	2,990	202	258
Regions and conurbations:																						
Northern	781	744	35	31	48	48	59	41	42	42	43	35	220	201	52	56	52	62	220	220	10	8
Tyneside Conurbation	67	56	3	1	10	5	11	4	3	4	4	2	14	12	5	5	4	4	13	19	-	-
Remainder of Northern	714	688	32	30	38	43	48	37	39	38	39	33	206	189	47	51	48	58	207	201	10	8
Yorkshire and Humberside	1,660	1,759	132	102	176	139	170	149	123	127	106	112	424	341	106	92	63	152	321	498	39	47
West Yorkshire Conurbation	984	1,043	86	65	100	88	106	95	65	88	61	67	217	147	62	47	45	104	232	336	10	6
Remainder of Yorkshire and Humberside	676	716	46	37	76	51	64	54	58	39	45	45	207	194	44	45	18	48	89	162	29	41
North Western	2,463	2,543	132	95	223	178	263	224	225	209	223	204	704	626	159	138	122	238	389	601	23	30
South East Lancashire Conurbation	1,207	1,193	55	37	113	74	136	115	129	104	113	112	315	278	79	69	69	128	190	270	8	6
Merseyside Conurbation	307	331	31	25	44	41	46	31	36	43	24	26	67	59	17	10	14	32	28	62	-	2
Remainder of North Western	949	1,019	46	33	66	63	81	78	60	62	86	66	322	289	63	59	39	78	171	269	15	22
East Midland	404	449	9	15	33	19	33	33	30	17	20	17	111	132	47	53	34	49	76	90	11	24
West Midland	1,092	1,189	60	57	107	72	114	87	94	82	74	76	291	307	81	83	63	100	197	318	11	7
West Midlands Conurbation	392	391	31	28	37	30	41	26	30	25	17	22	88	83	19	18	30	47	99	112	-	-
Remainder of West Midland	700	798	29	29	70	42	73	61	64	57	57	54	203	224	62	65	33	53	98	206	11	7
East Anglia	353	423	14	10	15	11	16	23	23	17	15	17	131	116	43	45	18	28	52	119	26	37
South Eastern	2,999	3,135	131	99	232	155	228	209	183	190	191	192	931	812	275	226	183	301	585	868	60	83
Greater London	1,485	1,541	80	65	133	93	120	120	96	96	95	86	401	305	97	91	118	188	316	449	29	48
Outer Metropolitan Area	686	660	18	16	49	24	41	43	42	43	41	49	232	204	84	46	33	48	136	173	10	14
Remainder of South Eastern	828	934	33	18	50	38	67	46	45	51	55	57	298	303	94	89	32	65	133	246	21	21
South Western	892	881	31	33	65	50	75	70	62	55	76	68	287	231	71	51	61	93	145	210	19	20
Wales	128	149	7	5	4	5	12	7	11	12	15	10	25	23	10	6	9	13	32	66	3	2
Wales I (South East)	85	121	5	3	3	4	9	6	10	11	10	9	12	15	6	4	6	7	22	61	2	1
Wales II (remainder)	43	28	2	2	1	1	3	1	1	1	5	1	13	8	4	2	3	6	10	5	1	1
Urban/Rural aggregates:																						
Conurbations	4,442	4,555	286	221	437	331	460	394	359	360	314	315	1,102	884	279	240	280	500	878	1,248	47	62
Areas outside conurbations:																						
Urban areas with populations of 100,000 and over	1,844	1,890	104	91	177	119	182	152	163	125	165	144	572	494	120	119	88	171	266	469	7	6
Urban areas with populations of 50,000 and under 100,000	965	1,084	50	38	71	49	88	71	70	64	76	68	279	314	73	76	42	80	188	286	28	38
Urban areas with populations under 50,000	2,048	2,178	61	48	132	107	151	136	124	114	133	131	729	664	196	171	86	158	373	560	63	89
Rural districts	1,473	1,565	50	49	86	71	89	90	77	88	75	73	442	433	176	144	109	127	312	427	57	63
Hospital regions:																						
Newcastle	770	715	35	31	48	48	58	39	42	42	43	34	214	189	51	53	52	61	218	210	9	8
Leeds	1,248	1,333	99	79	122	105	128	114	96	97	82	83	292	226	82	71	52	122	262	394	33	42
Sheffield	806	872	42	37	86	52	75	64	55	46	43	45	242	250	70	75	44	79	131	195	18	29
East Anglia	356	424	14	10	15	11	16	23	23	18	15	17	131	116	44	45	18	28	54	119	26	37
North West Metropolitan	775	855	47	28	61	57	77	48	60	58	47	53	197	186	57	57	49	102	155	241	25	25
North East Metropolitan	793	845	31	33	69	42	51	59	43	46	49	41	261	196	64	58	45	85	157	248	23	37
South East Metropolitan	405	402	18	12	32	13	22	33	27	35	28	25	115	92	37	30	37	43	89	119	-	-
South West Metropolitan	518	481	13	11	36	22	37	34	32	28	27	34	171	145	54	32	29	34	108	124	11	17
Wessex	348	398	15	9	20	14	26	24	8	14	30	26	138	144	54	41	10	29	46	96	1	1
Oxford	369	331	11	11	23	10	24	28	23	17	19	23	128	100	31	21	36	28	70	89	4	4
South Western	701	735	27	29	57	48	67	59	54	47	68	60	215	189	50	40	39	74	109	170	15	19
Welsh	128	149	7	5	4	5	12	7	11	12	15	10	25	23	10	6	9	13	32	66	3	2
Birmingham	1,092	1,189	60	57	107	72	114	87	94	82	74	76	291	307	81	83	63	100	197	318	11	7
Manchester	2,047	2,106	88	63	171	129	205	181	182	159	194	173	615	540	134	124	101	196	336	515	21	26
Liverpool	416	437	44	32	52	49	58	43	43	50	29	31	89	86	25	14	21	42	53	86	2	4

TABLE 30 - *continued*

Area	All ages		0-		1-		2-		3-		4-		5-		10-		15-		25 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Meningococcal infection																					
ENGLAND AND WALES (excluding Port Health Districts)	**170**	**123**	**51**	**29**	**22**	**19**	**16**	**7**	**8**	**7**	**4**	**5**	**26**	**14**	**11**	**10**	**19**	**10**	**13**	**22**	**-**	**-**
Regions and conurbations:																						
Northern	**15**	**12**	**5**	**4**	**2**	**-**	**-**	**2**	**-**	**1**	**1**	**1**	**3**	**-**	**1**	**2**	**1**	**-**	**2**	**2**	**-**	**-**
Tyneside Conurbation	3	4	-	3	1	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
Remainder of Northern	12	8	5	1	1	-	-	2	-	-	-	1	2	-	1	2	1	-	2	2	-	-
Yorkshire and Humberside	**35**	**22**	**9**	**5**	**3**	**5**	**4**	**2**	**3**	**1**	**-**	**-**	**8**	**2**	**3**	**1**	**4**	**-**	**1**	**6**	**-**	**-**
West Yorkshire Conurbation	12	7	4	1	-	4	2	1	2	-	-	-	1	-	1	-	2	-	-	1	-	-
Remainder of Yorkshire and Humberside	23	15	5	4	3	1	2	1	1	1	-	-	7	2	2	1	2	-	1	5	-	-
North Western	**18**	**12**	**7**	**-**	**1**	**6**	**2**	**-**	**2**	**-**	**1**	**-**	**3**	**2**	**-**	**2**	**-**	**-**	**2**	**2**	**-**	**-**
South East Lancashire Conurbation	12	6	5	-	-	2	-	-	2	-	1	-	3	2	-	1	-	-	1	1	-	-
Merseyside Conurbation	3	1	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of North Western	3	5	-	-	1	3	1	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-
East Midland	**10**	**4**	**-**	**2**	**2**	**-**	**-**	**-**	**-**	**-**	**1**	**-**	**2**	**-**	**-**	**-**	**1**	**-**	**4**	**2**	**-**	**-**
West Midland	**15**	**17**	**8**	**8**	**3**	**2**	**1**	**1**	**-**	**2**	**-**	**-**	**2**	**2**	**-**	**1**	**1**	**1**	**-**	**-**	**-**	**-**
West Midlands Conurbation	3	12	2	5	-	2	1	1	-	1	-	-	-	2	-	-	-	1	-	-	-	-
Remainder of West Midland	12	5	6	3	3	-	-	-	-	1	-	-	2	-	-	1	1	-	-	-	-	-
East Anglia	8	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	3	-	2	1	-	-
South Eastern	**44**	**38**	**15**	**6**	**6**	**6**	**4**	**1**	**2**	**2**	**1**	**1**	**3**	**4**	**6**	**3**	**6**	**8**	**1**	**7**	**-**	**-**
Greater London	16	19	6	4	1	3	2	-	-	2	-	-	1	-	4	2	1	4	1	4	-	-
Outer Metropolitan Area	13	9	4	1	2	2	-	-	1	-	-	1	-	1	2	-	4	2	-	2	-	-
Remainder of South Eastern	15	10	5	1	3	1	2	1	1	-	1	-	2	3	-	1	1	2	-	1	-	-
South Western	**16**	**11**	**3**	**3**	**3**	**-**	**3**	**-**	**-**	**1**	**-**	**3**	**3**	**3**	**1**	**-**	**2**	**-**	**1**	**1**	**-**	**-**
Wales	**9**	**6**	**2**	**1**	**2**	**-**	**1**	**1**	**1**	**-**	**-**	**-**	**2**	**1**	**-**	**1**	**1**	**1**	**-**	**1**	**-**	**-**
Wales I (South East)	7	5	1	1	1	-	1	1	1	-	-	-	2	-	-	1	1	1	-	1	-	-
Wales II (remainder)	2	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Urban/Rural aggregates:																						
Conurbations	49	49	19	13	2	12	6	2	4	4	2	-	6	4	5	3	3	5	2	6	-	-
Areas outside conurbations:																						
Urban areas with populations of 100,000 and over	31	16	7	4	7	-	4	2	2	1	1	1	4	2	-	2	2	2	4	2	-	-
Urban areas with populations of 50,000 and under 100,000	19	14	4	1	2	4	2	-	1	1	-	-	4	1	1	1	5	1	-	5	-	-
Urban areas with populations under 50,000	44	29	14	7	8	3	1	2	1	1	1	1	8	5	3	2	6	2	2	6	-	-
Rural districts	27	15	7	4	3	-	3	1	-	-	-	3	4	2	2	2	3	-	5	3	-	-
Hospital regions:																						
Newcastle	13	11	4	4	2	-	-	2	-	1	1	-	3	-	1	2	-	-	2	2	-	-
Leeds	24	15	8	5	1	4	3	2	2	-	-	1	5	1	1	1	3	-	1	1	-	-
Sheffield	20	12	2	2	3	1	1	-	1	1	1	-	4	1	2	-	3	-	3	7	-	-
East Anglia	9	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	3	-	3	1	-	-
North West Metropolitan	5	12	2	2	-	2	1	-	-	2	-	-	-	-	-	1	1	2	1	3	-	-
North East Metropolitan	6	5	-	1	2	2	-	-	1	-	-	1	-	1	1	-	2	-	-	-	-	-
South East Metropolitan	14	8	6	1	1	1	1	-	-	-	-	-	2	1	2	-	2	2	-	3	-	-
South West Metropolitan	9	7	5	1	1	1	-	1	-	-	-	-	1	-	2	1	-	2	-	1	-	-
Wessex	7	6	-	1	2	-	1	-	1	-	1	1	-	2	-	1	2	1	-	-	-	-
Oxford	6	2	2	1	1	-	1	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-
South Western	15	9	3	2	3	-	3	-	-	1	-	2	3	3	1	-	1	-	1	1	-	-
Welsh	9	6	2	1	2	-	1	1	1	-	-	-	2	1	-	1	1	1	-	1	-	-
Birmingham	15	17	8	8	3	2	1	1	-	2	-	-	2	2	-	1	1	1	-	-	-	-
Manchester	13	9	5	-	1	3	-	-	2	-	1	-	3	2	-	2	-	-	1	2	-	-
Liverpool	5	3	2	-	-	3	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-

TABLE 30 - *continued*

Area	All ages		0-		5-		15-		45-		65 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Erysipelas													
ENGLAND AND WALES (excluding Port Health Districts)	**596**	**827**	**7**	**5**	**18**	**21**	**130**	**166**	**290**	**389**	**146**	**227**	**5**	**19**
Regions and conurbations:														
Northern	**25**	**29**	**-**	**1**	**1**	**-**	**9**	**7**	**10**	**15**	**5**	**4**	**-**	**2**
Tyneside Conurbation	6	10	-	-	-	-	2	-	3	7	1	2	-	1
Remainder of Northern	19	19	-	1	1	-	7	7	7	8	4	2	-	1
Yorkshire and Humberside	**71**	**106**	**1**	**2**	**1**	**7**	**15**	**16**	**34**	**53**	**19**	**28**	**1**	**-**
West Yorkshire Conurbation	26	37	-	-	-	3	8	5	6	18	12	11	-	-
Remainder of Yorkshire and Humberside	45	69	1	2	1	4	7	11	28	35	7	17	1	-
North Western	**78**	**84**	**-**	**-**	**3**	**3**	**19**	**18**	**41**	**38**	**15**	**19**	**-**	**6**
South East Lancashire Conurbation	26	43	-	-	1	1	4	11	16	19	5	10	-	2
Merseyside Conurbation	23	17	-	-	-	-	5	1	15	9	3	6	-	1
Remainder of North Western	29	24	-	-	2	2	10	6	10	10	7	3	-	3
East Midland	**50**	**48**	**-**	**-**	**1**	**1**	**12**	**12**	**23**	**22**	**14**	**12**	**-**	**1**
West Midland	**58**	**105**	**1**	**-**	**4**	**-**	**7**	**28**	**29**	**41**	**17**	**35**	**-**	**1**
West Midlands Conurbation	35	51	-	-	4	-	4	9	16	20	11	22	-	-
Remainder of West Midland	23	54	1	-	-	-	3	19	13	21	6	13	-	1
East Anglia	**15**	**38**	**1**	**1**	**1**	**1**	**2**	**8**	**7**	**19**	**4**	**8**	**-**	**1**
South Eastern	**225**	**298**	**3**	**-**	**6**	**8**	**48**	**59**	**115**	**145**	**51**	**79**	**2**	**7**
Greater London	129	153	3	-	1	2	24	24	77	81	23	43	1	3
Outer Metropolitan Area	45	86	-	-	2	5	10	18	23	41	10	19	-	3
Remainder of South Eastern	51	59	-	-	3	1	14	17	15	23	18	17	1	1
South Western	**54**	**83**	**1**	**1**	**-**	**-**	**16**	**10**	**21**	**37**	**14**	**34**	**2**	**1**
Wales	**20**	**36**	**-**	**-**	**1**	**1**	**2**	**8**	**10**	**19**	**7**	**8**	**-**	**-**
Wales I (South East)	17	30	-	-	-	1	2	6	9	15	6	8	-	-
Wales II (remainder)	3	6	-	-	1	-	-	2	1	4	1	-	-	-
Urban/Rural aggregates:														
Conurbations	245	311	3	-	6	6	47	50	133	154	55	94	1	7
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	83	132	2	1	-	2	17	29	45	67	19	32	-	1
Urban areas with populations of 50,000 and under 100,000	46	60	-	2	2	3	11	15	18	20	15	20	-	-
Urban areas with populations under 50,000	107	172	-	1	3	8	25	39	43	74	35	43	1	7
Rural districts	115	152	2	1	7	2	30	33	51	74	22	38	3	4
Hospital regions:														
Newcastle	23	27	-	1	1	-	8	6	9	14	5	4	-	2
Leeds	40	71	-	1	-	5	10	11	16	33	14	21	-	-
Sheffield	73	81	1	1	1	3	15	17	39	42	16	17	1	1
East Anglia	21	38	1	1	2	1	2	8	10	19	6	8	-	1
North West Metropolitan	56	78	-	-	1	3	11	16	32	41	11	15	1	3
North East Metropolitan	54	68	3	-	-	2	12	14	28	30	11	21	-	1
South East Metropolitan	50	66	-	-	2	2	11	9	25	31	11	23	1	1
South West Metropolitan	36	56	-	-	2	1	7	9	20	31	7	13	-	2
Wessex	23	21	-	-	-	-	7	8	9	6	7	7	-	-
Oxford	21	20	-	1	1	-	5	4	8	9	7	6	-	-
South Western	42	75	1	-	-	-	13	10	14	34	12	30	2	1
Welsh	20	36	-	-	1	1	2	8	10	19	7	8	-	-
Birmingham	58	105	1	-	4	-	7	28	29	41	17	35	-	1
Manchester	53	66	-	-	3	3	14	16	25	29	11	13	-	5
Liverpool	26	19	-	-	-	-	6	2	16	10	4	6	-	1

TABLE 30 - *continued*

Area	All ages		0-		5-		15-		45-		65 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Acute encephalitis (infective)													
ENGLAND AND WALES (excluding Port Health Districts)	58	46	10	7	19	13	23	22	5	4	1	-	-	-
Regions and conurbations:														
Northern	5	8	-	1	2	3	3	3	-	1	-	-	-	-
Tyneside Conurbation	1	2	-	-	-	1	1	1	-	-	-	-	-	-
Remainder of Northern	4	6	-	1	2	2	2	2	-	1	-	-	-	-
Yorkshire and Humberside	12	8	1	1	8	4	2	3	1	-	-	-	-	-
West Yorkshire Conurbation	9	4	-	1	8	2	1	1	-	-	-	-	-	-
Remainder of Yorkshire and Humberside	3	4	1	-	-	2	1	2	1	-	-	-	-	-
North Western	12	8	3	2	1	1	8	5	-	-	-	-	-	-
South East Lancashire Conurbation	4	4	1	2	1	-	2	2	-	-	-	-	-	-
Merseyside Conurbation	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of North Western	8	4	2	-	-	1	6	3	-	-	-	-	-	-
East Midland	3	-	-	-	-	-	2	-	1	-	-	-	-	-
West Midland	5	3	1	1	1	1	1	1	1	-	1	-	-	-
West Midlands Conurbation	4	1	1	-	-	1	1	-	1	-	1	-	-	-
Remainder of West Midland	1	2	-	1	1	-	-	1	-	-	-	-	-	-
East Anglia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
South Eastern	20	17	5	2	7	3	6	9	2	3	-	-	-	-
Greater London	7	4	2	-	3	-	2	4	-	-	-	-	-	-
Outer Metropolitan Area	4	7	1	-	1	1	2	4	-	2	-	-	-	-
Remainder of South Eastern	9	6	2	2	3	2	2	1	2	1	-	-	-	-
South Western	1	2	-	-	-	1	1	1	-	-	-	-	-	-
Wales	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wales I (South East)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wales II (remainder)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Urban/Rural aggregates:														
Conurbations	25	16	4	4	12	4	7	8	1	-	1	-	-	-
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	14	15	2	3	3	5	6	6	3	1	-	-	-	-
Urban areas with populations of 50,000 and under 100,000	5	2	2	-	1	1	2	1	-	-	-	-	-	-
Urban areas with populations under 50,000	6	6	2	-	2	2	2	2	-	2	-	-	-	-
Rural districts	8	7	-	-	1	1	6	5	1	1	-	-	-	-
Hospital regions:														
Newcastle	5	8	-	1	2	3	3	3	-	1	-	-	-	-
Leeds	9	5	-	1	8	3	1	1	-	-	-	-	-	-
Sheffield	6	3	1	-	-	1	3	2	2	-	-	-	-	-
East Anglia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North West Metropolitan	5	6	1	-	2	-	2	5	-	1	-	-	-	-
North East Metropolitan	4	4	-	-	2	1	2	2	-	1	-	-	-	-
South East Metropolitan	2	1	-	-	2	-	-	-	-	1	-	-	-	-
South West Metropolitan	2	-	2	-	-	-	-	-	-	-	-	-	-	-
Wessex	7	5	2	2	1	2	2	1	2	-	-	-	-	-
Oxford	-	1	-	-	-	-	-	1	-	-	-	-	-	-
South Western	1	2	-	-	-	1	1	1	-	-	-	-	-	-
Welsh	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birmingham	5	3	1	1	1	1	1	1	1	-	1	-	-	-
Manchester	8	5	2	2	1	1	5	2	-	-	-	-	-	-
Liverpool	4	3	1	-	-	-	3	3	-	-	-	-	-	-

TABLE 30 - *continued*

Area	All ages		0-		5-		15-		45-		65 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Acute encephalitis (post-infectious)													
ENGLAND AND WALES (excluding Port Health Districts)	68	46	18	13	34	22	10	10	5	1	-	-	1	-
Regions and conurbations:														
Northern	3	2	-	1	3	1	-	-	-	-	-	-	-	-
Tyneside Conurbation	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Remainder of Northern	2	2	-	1	2	1	-	-	-	-	-	-	-	-
Yorkshire and Humberside	9	4	4	1	4	1	1	2	-	-	-	-	-	-
West Yorkshire Conurbation	7	3	3	1	3	1	1	1	-	-	-	-	-	-
Remainder of Yorkshire and Humberside	2	1	1	-	1	-	-	1	-	-	-	-	-	-
North Western	4	6	1	3	3	1	-	1	-	1	-	-	-	-
South East Lancashire Conurbation	2	1	1	-	1	-	-	1	-	-	-	-	-	-
Merseyside Conurbation	-	3	-	2	-	1	-	-	-	-	-	-	-	-
Remainder of North Western	2	2	-	1	2	-	-	-	-	1	-	-	-	-
East Midland	5	3	-	-	3	1	2	2	-	-	-	-	-	-
West Midland	5	6	2	4	2	1	1	1	-	-	-	-	-	-
West Midlands Conurbation	3	3	2	2	1	1	-	-	-	-	-	-	-	-
Remainder of West Midland	2	3	-	2	1	-	1	1	-	-	-	-	-	-
East Anglia	-	3	-	-	-	3	-	-	-	-	-	-	-	-
South Eastern	30	17	7	4	13	10	6	3	4	-	-	-	-	-
Greater London	14	6	3	1	5	3	4	2	2	-	-	-	-	-
Outer Metropolitan Area	9	4	3	1	4	3	1	-	1	-	-	-	-	-
Remainder of South Eastern	7	7	1	2	4	4	1	1	1	-	-	-	-	-
South Western	6	2	-	-	5	1	-	1	-	-	-	-	1	-
Wales	6	3	4	-	1	3	-	-	1	-	-	-	-	-
Wales I (South East)	4	2	3	-	-	2	-	-	1	-	-	-	-	-
Wales II (remainder)	2	1	1	-	1	1	-	-	-	-	-	-	-	-
Urban/Rural aggregates:														
Conurbations	27	16	9	6	11	6	5	4	2	-	-	-	-	-
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	11	10	4	2	3	5	3	3	1	-	-	-	-	-
Urban areas with populations of 50,000 and under 100,000	3	3	1	2	2	1	-	-	-	-	-	-	-	-
Urban areas with populations under 50,000	10	9	3	2	6	6	-	-	1	1	-	-	-	-
Rural districts	17	8	1	1	12	4	2	3	1	-	-	-	1	-
Hospital regions:														
Newcastle	3	2	-	1	3	1	-	-	-	-	-	-	-	-
Leeds	7	4	3	1	3	1	1	2	-	-	-	-	-	-
Sheffield	6	3	1	-	3	1	2	2	-	-	-	-	-	-
East Anglia	1	3	-	-	1	3	-	-	-	-	-	-	-	-
North West Metropolitan	16	4	2	1	9	3	3	-	2	-	-	-	-	-
North East Metropolitan	2	2	1	2	1	-	-	-	-	-	-	-	-	-
South East Metropolitan	4	4	1	1	1	2	-	1	2	-	-	-	-	-
South West Metropolitan	4	3	2	-	-	1	2	2	-	-	-	-	-	-
Wessex	5	2	-	-	5	2	-	-	-	-	-	-	-	-
Oxford	2	2	1	-	-	2	1	-	-	-	-	-	-	-
South Western	3	2	-	-	2	1	-	1	-	-	-	-	1	-
Welsh	6	3	4	-	1	3	-	-	1	-	-	-	-	-
Birmingham	5	6	2	4	2	1	1	1	-	-	-	-	-	-
Manchester	4	3	1	1	3	-	-	1	-	1	-	-	-	-
Liverpool	-	3	-	2	-	1	-	-	-	-	-	-	-	-

C.B.H. 3478 - Dd. 203304 - 30 - 6/65

TABLE 30 - *continued*

Area	All ages		0-		5-		15-		45-		65 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Acute pneumonia (primary and influenzal)													
ENGLAND AND WALES (excluding Port Health Districts)	3,200	2,770	613	453	407	324	587	520	855	584	686	838	52	51
Regions and conurbations:														
Northern	184	126	34	14	19	13	32	27	52	27	36	34	11	11
Tyneside Conurbation	86	67	13	6	10	10	13	9	24	15	16	18	10	9
Remainder of Northern	98	59	21	8	9	3	19	18	28	12	20	16	1	2
Yorkshire and Humberside	707	615	193	138	63	60	128	116	166	118	152	179	5	4
West Yorkshire Conurbation	320	312	76	65	32	27	61	65	80	60	68	93	3	2
Remainder of Yorkshire and Humberside	387	303	117	73	31	33	67	51	86	58	84	86	2	2
North Western	384	316	94	55	46	35	59	61	106	58	69	98	10	9
South East Lancashire Conurbation	113	89	33	21	14	14	17	19	28	13	20	21	1	1
Merseyside Conurbation	176	140	48	24	17	10	29	29	46	28	30	43	6	6
Remainder of North Western	95	87	13	10	15	11	13	13	32	17	19	34	3	2
East Midland	163	145	23	20	32	27	31	21	47	33	28	42	2	2
West Midland	379	305	71	59	43	34	69	58	103	62	92	89	1	3
West Midlands Conurbation	148	104	28	22	14	7	32	19	50	31	23	25	1	-
Remainder of West Midland	231	201	43	37	29	27	37	39	53	31	69	64	-	3
East Anglia	135	117	20	14	18	22	18	13	38	25	34	40	7	3
South Eastern	870	806	120	90	132	88	166	174	259	191	187	256	6	7
Greater London	464	422	48	43	65	45	86	93	154	102	107	135	4	4
Outer Metropolitan Area	228	216	45	30	42	22	42	52	56	40	41	69	2	3
Remainder of South Eastern	178	168	27	17	25	21	38	29	49	49	39	52	-	-
South Western	245	209	33	37	36	28	59	28	58	45	53	61	6	10
Wales	133	131	25	26	18	17	25	22	26	25	35	39	4	2
Wales I (South East)	94	94	20	23	9	12	17	17	18	20	28	20	2	2
Wales II (remainder)	39	37	5	3	9	5	8	5	8	5	7	19	2	-
Urban/Rural aggregates:														
Conurbations	1,307	1,134	246	181	152	113	238	234	382	249	264	335	25	22
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	652	490	171	110	60	44	108	70	147	86	162	176	4	4
Urban areas with populations of 50,000 and under 100,000	176	174	29	37	25	17	36	35	50	39	33	42	3	4
Urban areas with populations under 50,000	522	507	84	74	87	81	85	94	139	97	119	154	8	7
Rural districts	543	465	83	51	83	69	120	87	137	113	108	131	12	14
Hospital regions:														
Newcastle	174	121	34	13	19	13	31	25	45	27	34	32	11	11
Leeds	560	488	151	109	48	44	100	88	132	91	126	153	3	3
Sheffield	288	247	64	49	35	35	56	46	79	52	50	62	4	3
East Anglia	148	130	20	15	21	26	18	14	41	27	41	45	7	3
North West Metropolitan	183	166	16	17	28	16	35	39	59	40	44	51	1	3
North East Metropolitan	278	247	52	43	46	30	54	49	74	52	49	72	3	1
South East Metropolitan	177	187	23	15	21	16	31	46	63	43	39	66	-	1
South West Metropolitan	124	129	17	10	18	15	20	22	41	37	27	43	1	2
Wessex	69	49	11	5	11	7	13	11	17	14	17	12	-	-
Oxford	90	66	4	2	23	10	30	13	21	22	11	18	1	1
South Western	211	185	31	35	30	26	46	24	46	34	52	57	6	9
Welsh	133	131	25	26	18	17	25	22	26	25	35	39	4	2
Birmingham	379	305	71	59	43	34	69	58	103	62	92	89	1	3
Manchester	178	151	42	27	24	23	26	29	51	26	31	43	4	3
Liverpool	208	168	52	28	22	12	33	34	57	32	38	56	6	6

TABLE 30 - *continued*

Area	All ages		0-		5-		15-		45-		65 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Food Poisoning													
ENGLAND AND WALES (excluding Port Health Districts)	2,381	2,637	576	501	514	484	830	864	271	367	129	331	61	90
Regions and conurbations:														
Northern	122	117	30	21	14	15	59	42	15	28	3	9	1	2
Tyneside Conurbation	9	7	3	1	2	1	1	3	3	1	-	1	-	-
Remainder of Northern	113	110	27	20	12	14	58	39	12	27	3	8	1	2
Yorkshire and Humberside	196	229	52	44	60	48	43	71	15	34	17	20	9	12
West Yorkshire Conurbation	119	137	32	31	45	30	28	43	8	22	5	11	1	-
Remainder of Yorkshire and Humberside	77	92	20	13	15	18	15	28	7	12	12	9	8	12
North Western	270	329	64	78	51	40	90	114	45	55	11	31	9	11
South East Lancashire Conurbation	113	139	33	37	23	15	29	43	15	22	6	15	7	7
Merseyside Conurbation	44	50	18	13	4	7	14	22	6	7	2	1	-	-
Remainder of North Western	113	140	13	28	24	18	47	49	24	26	3	15	2	4
East Midland	94	82	19	9	17	14	51	26	4	9	1	23	2	1
West Midland	172	155	47	39	34	20	64	57	18	23	5	12	4	4
West Midlands Conurbation	87	76	22	20	17	12	35	27	6	8	3	5	4	4
Remainder of West Midland	85	79	25	19	17	8	29	30	12	15	2	7	-	-
East Anglia	65	90	13	18	12	12	25	33	5	9	7	14	3	4
South Eastern	1,155	1,275	278	230	243	294	413	414	133	171	69	133	19	33
Greater London	633	621	168	139	147	133	200	218	81	82	35	30	2	19
Outer Metropolitan Area	256	237	51	51	36	34	136	90	26	28	5	29	2	5
Remainder of South Eastern	266	417	59	40	60	127	77	106	26	61	29	74	15	9
South Western	182	162	31	28	65	28	54	70	22	19	5	11	5	6
Wales	125	198	42	34	18	13	31	37	14	19	11	78	9	17
Wales I (South East)	98	96	39	31	10	8	27	34	12	12	4	7	6	4
Wales II (remainder)	27	102	3	3	8	5	4	3	2	7	7	71	3	13
Urban/Rural aggregates:														
Conurbations	1,005	1,030	276	241	238	198	307	356	119	142	51	63	14	30
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	434	519	121	98	100	86	136	178	51	86	16	66	10	5
Urban areas with populations of 50,000 and under 100,000	135	210	22	34	26	86	52	53	22	26	1	6	12	5
Urban areas with populations under 50,000	345	450	75	53	62	48	131	138	38	61	23	122	16	28
Rural districts	462	428	82	75	88	66	204	139	41	52	38	74	9	22
Hospital regions:														
Newcastle	117	113	28	20	12	14	58	41	15	27	3	9	1	2
Leeds	169	179	46	37	57	37	34	51	10	26	14	17	8	11
Sheffield	110	126	21	15	18	23	58	42	9	18	3	26	1	2
East Anglia	67	90	14	18	12	12	25	33	5	9	7	14	4	4
North West Metropolitan	375	394	99	88	109	89	109	140	39	49	13	25	6	3
North East Metropolitan	189	204	56	49	27	25	51	73	32	37	22	14	1	6
South East Metropolitan	285	360	60	41	75	146	116	108	28	35	5	16	1	14
South West Metropolitan	139	141	37	28	21	22	59	52	17	22	2	13	3	4
Wessex	117	157	22	14	16	12	25	33	18	27	25	60	11	11
Oxford	137	63	20	16	37	11	71	25	4	4	4	7	1	-
South Western	109	128	20	24	27	20	39	58	17	16	4	9	2	1
Welsh	125	198	42	34	18	13	31	37	14	19	11	78	9	17
Birmingham	172	155	47	39	34	20	64	57	18	23	5	12	4	4
Manchester	187	240	39	55	41	28	59	80	31	38	9	30	8	9
Liverpool	83	89	25	23	10	12	31	34	14	17	2	1	1	2

TABLE 30 - *continued*

Area	All ages		0-		1-		2-		5-		10-		15-		20-		25-		35-		45-		55-		65-		75 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Tuberculosis, respiratory																													
ENGLAND AND WALES (excluding Port Health Districts)	**7,253**	**3,770**	**31**	**32**	**46**	**44**	**175**	**152**	**198**	**174**	**148**	**158**	**343**	**284**	**529**	**409**	**1,001**	**742**	**1,006**	**615**	**1,272**	**481**	**1,394**	**296**	**798**	**223**	**287**	**143**	**25**	**17**
Regions and conurbations:																														
Northern	**639**	**349**	**2**	**1**	**3**	**3**	**7**	**6**	**10**	**13**	**10**	**11**	**28**	**23**	**35**	**37**	**60**	**62**	**97**	**64**	**143**	**74**	**139**	**30**	**71**	**17**	**33**	**7**	**1**	**1**
Tyneside Conurbation	204	122	1	1	-	1	2	3	5	6	5	4	7	12	16	11	19	24	30	18	44	23	39	13	27	4	8	1	1	1
Remainder of Northern	435	227	1	-	3	2	5	3	5	7	5	7	21	11	19	26	41	38	67	46	99	51	100	17	44	13	25	6	-	-
Yorkshire and Humberside	**827**	**377**	**4**	**3**	**3**	**-**	**12**	**13**	**21**	**18**	**31**	**19**	**45**	**29**	**68**	**34**	**131**	**90**	**123**	**59**	**140**	**52**	**145**	**20**	**75**	**22**	**27**	**18**	**2**	**-**
West Yorkshire Conurbation	457	205	4	1	2	-	7	11	16	11	23	10	27	17	39	23	76	58	80	22	79	24	61	11	30	10	11	7	2	-
Remainder of Yorkshire and Humberside	370	172	-	2	1	-	5	2	5	7	8	9	18	12	29	11	55	32	43	37	61	28	84	9	45	12	16	11	-	-
North Western	**1,080**	**547**	**2**	**3**	**8**	**5**	**23**	**20**	**27**	**30**	**14**	**20**	**53**	**57**	**85**	**61**	**150**	**113**	**136**	**96**	**208**	**56**	**207**	**41**	**129**	**30**	**34**	**15**	**4**	**-**
South East Lancashire Conurbation	462	228	1	2	3	2	8	7	11	11	6	9	21	25	36	35	82	58	63	31	83	30	85	13	48	2	14	3	1	-
Merseyside Conurbation	283	118	-	-	1	-	10	4	6	4	4	4	9	11	16	5	28	20	36	24	68	14	58	14	34	13	12	5	1	-
Remainder of North Western	335	201	1	1	4	3	5	9	10	15	4	7	23	21	33	21	40	35	37	41	57	12	64	14	47	15	8	7	2	-
East Midland	**390**	**211**	**-**	**4**	**2**	**5**	**14**	**11**	**12**	**17**	**9**	**14**	**21**	**15**	**41**	**26**	**46**	**43**	**55**	**24**	**64**	**23**	**76**	**15**	**31**	**6**	**18**	**7**	**1**	**1**
West Midland	**915**	**498**	**6**	**9**	**11**	**10**	**38**	**37**	**40**	**25**	**29**	**33**	**59**	**44**	**59**	**61**	**131**	**85**	**135**	**76**	**152**	**45**	**166**	**27**	**68**	**30**	**18**	**14**	**3**	**2**
West Midlands Conurbation	628	323	5	9	8	10	30	29	34	19	23	24	43	27	46	45	98	54	95	46	99	28	95	14	40	12	9	4	3	2
Remainder of West Midland	287	175	1	-	3	-	8	8	6	6	6	9	16	17	13	16	33	31	40	30	53	17	71	13	28	18	9	10	-	-
East Anglia	**145**	**60**	**-**	**-**	**-**	**-**	**1**	**-**	**-**	**2**	**2**	**1**	**11**	**7**	**12**	**11**	**17**	**10**	**16**	**12**	**23**	**9**	**24**	**3**	**28**	**2**	**10**	**3**	**1**	**-**
South Eastern	**2,554**	**1,380**	**15**	**11**	**15**	**18**	**61**	**54**	**60**	**51**	**40**	**49**	**104**	**82**	**191**	**148**	**389**	**284**	**349**	**226**	**427**	**169**	**483**	**123**	**299**	**92**	**112**	**64**	**9**	**9**
Greater London	1,594	856	11	8	13	10	41	38	27	34	24	30	66	60	126	99	261	185	217	129	269	99	281	70	189	53	62	33	7	8
Outer Metropolitan Area	516	287	3	3	2	6	8	11	22	13	11	14	20	12	36	27	70	60	82	54	86	32	107	27	46	18	23	10	-	-
Remainder of South Eastern	444	237	1	-	-	2	12	5	11	4	5	5	18	10	29	22	58	39	50	43	72	38	95	26	64	21	27	21	2	1
South Western	**292**	**166**	**-**	**1**	**-**	**1**	**7**	**6**	**13**	**7**	**7**	**6**	**10**	**19**	**16**	**12**	**38**	**23**	**44**	**29**	**47**	**26**	**49**	**16**	**43**	**11**	**16**	**8**	**2**	**1**
Wales	**411**	**182**	**2**	**-**	**4**	**2**	**12**	**5**	**15**	**11**	**6**	**5**	**12**	**8**	**22**	**19**	**39**	**32**	**51**	**29**	**68**	**27**	**105**	**21**	**54**	**13**	**19**	**7**	**2**	**3**
Wales I (South East)	287	122	2	-	2	1	8	3	8	7	5	3	10	7	15	13	30	22	37	20	44	19	76	12	35	10	13	2	2	3
Wales II (remainder)	124	60	-	-	2	1	4	2	7	4	1	2	2	1	7	6	9	10	14	9	24	8	29	9	19	3	6	5	-	-
Urban/Rural aggregates:																														
Conurbations	3,628	1,852	22	21	27	23	98	92	99	85	85	81	173	152	279	218	564	399	521	270	642	218	619	135	368	94	116	53	15	11
Areas outside conurbations:																														
Urban areas with populations of 100,000 and over	1,122	551	3	2	6	9	28	13	40	29	20	26	48	39	81	54	146	104	163	103	189	70	231	46	116	38	51	17	-	1
Urban areas with populations of 50,000 and under 100,000	562	290	1	2	3	4	8	4	15	14	9	8	31	15	40	34	81	60	64	51	105	44	113	23	69	19	23	12	-	-
Urban areas with populations under 50,000	1,145	657	2	5	7	5	25	20	26	26	19	24	50	49	82	69	126	119	142	114	208	93	256	59	147	42	50	29	5	3
Rural districts	796	420	3	2	3	3	16	23	18	20	15	19	41	29	47	34	84	60	116	77	128	56	175	33	98	30	47	32	5	2
Hospital regions:																														
Newcastle	625	346	2	1	3	3	7	6	10	13	10	11	27	23	34	36	58	62	95	64	140	73	136	30	69	16	33	7	1	1
Leeds	581	276	4	2	3	-	11	12	16	14	27	11	31	20	49	30	86	71	95	39	103	39	91	12	47	15	16	11	2	-
Sheffield	607	289	-	5	2	5	12	9	16	16	10	20	33	23	59	29	87	55	81	42	96	34	124	22	59	14	28	14	-	1
East Anglia	151	63	-	-	-	-	1	-	-	2	2	1	12	7	12	11	17	10	19	14	25	10	24	3	28	2	10	3	1	-
North West Metropolitan	779	427	5	4	8	6	32	23	23	17	12	11	39	25	59	57	128	103	113	62	109	47	129	30	86	24	31	13	5	5
North East Metropolitan	512	259	2	3	3	4	10	9	8	13	11	11	21	13	37	27	83	46	77	51	79	36	99	25	64	14	18	6	-	1
South East Metropolitan	454	260	2	1	1	2	3	7	8	3	4	9	23	14	27	23	62	47	55	48	96	30	93	33	56	22	22	21	2	-
South West Metropolitan	455	272	4	3	3	3	6	7	3	11	8	11	9	22	37	28	70	60	59	36	87	33	90	22	54	22	23	11	2	3
Wessex	183	83	1	-	-	1	8	1	4	4	1	1	3	3	20	8	19	13	24	18	26	14	32	10	31	4	14	6	-	-
Oxford	264	132	1	-	-	3	8	11	16	10	8	10	14	9	15	9	37	24	32	19	49	14	57	7	20	7	6	9	1	-
South Western	235	136	-	1	-	-	4	5	12	5	6	4	7	16	14	10	33	21	34	21	34	23	41	13	33	10	15	6	2	1
Welsh	411	182	2	-	4	2	12	5	15	11	6	5	12	8	22	19	39	32	51	29	68	27	105	21	54	13	19	7	2	3
Birmingham	915	498	6	9	11	10	38	37	40	25	29	33	59	44	59	61	131	85	135	76	152	45	166	27	68	30	18	14	3	2
Manchester	718	378	2	3	7	4	12	16	20	23	9	14	31	42	62	51	118	80	92	62	122	40	137	24	84	11	20	8	2	-
Liverpool	363	169	-	-	1	1	11	4	7	7	5	6	22	15	23	10	33	33	44	34	86	16	70	17	45	19	14	7	2	-

TABLE 30 - *continued*

Area	All ages		0-		1-		2-		5-		10-		15-		20-		25-		35-		45-		55-		65-		75 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Tuberculosis of meninges and central nervous system																													
ENGLAND AND WALES (excluding Port Health Districts)	**27**	**58**	**2**	**3**	**2**	**3**	**4**	**14**	**3**	**5**	**3**	**2**	**-**	**7**	**1**	**4**	**7**	**10**	**5**	**5**	**-**	**1**	**-**	**1**	**-**	**2**	**-**	**1**	**-**	**-**
Regions and conurbations:																														
Northern	**1**	**6**	**-**	**1**	**-**	**-**	**-**	**1**	**-**	**2**	**-**	**-**	**-**	**-**	**-**	**-**	**1**	**1**	**-**	**1**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
Tyneside Conurbation	1	5	-	1	-	-	-	1	-	1	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-
Remainder of Northern	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Yorkshire and Humberside	**3**	**5**	**-**	**1**	**-**	**-**	**1**	**1**	**1**	**1**	**1**	**-**	**-**	**1**	**-**	**-**	**-**	**1**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
West Yorkshire Conurbation	2	2	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of Yorkshire and Humberside	1	3	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
North Western	**4**	**7**	**1**	**-**	**-**	**-**	**1**	**1**	**-**	**1**	**-**	**1**	**-**	**1**	**-**	**1**	**1**	**-**	**1**	**-**	**-**	**-**	**-**	**-**	**-**	**1**	**-**	**1**	**-**	**-**
South East Lancashire Conurbation	2	4	1	-	-	-	-	1	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Merseyside Conurbation	1	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of North Western	1	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
East Midland	**2**	**5**	**-**	**-**	**-**	**1**	**-**	**1**	**1**	**-**	**1**	**-**	**-**	**-**	**-**	**-**	**-**	**1**	**-**	**2**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
West Midland	**2**	**13**	**-**	**1**	**-**	**1**	**-**	**4**	**-**	**1**	**-**	**1**	**-**	**2**	**-**	**1**	**2**	**2**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
West Midlands Conurbation	1	11	-	1	-	1	-	4	-	1	-	-	-	2	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of West Midland	1	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
East Anglia	**-**	**1**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**1**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
South Eastern	**13**	**14**	**1**	**-**	**1**	**1**	**1**	**2**	**1**	**-**	**1**	**-**	**-**	**3**	**1**	**2**	**3**	**3**	**4**	**1**	**-**	**-**	**-**	**1**	**-**	**1**	**-**	**-**	**-**	**-**
Greater London	8	7	-	-	1	-	-	1	1	-	-	-	-	2	-	1	2	1	4	1	-	-	-	1	-	-	-	-	-	-
Outer Metropolitan Area	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Remainder of South Eastern	5	6	1	-	-	-	1	1	-	-	1	-	-	1	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-
South Western	**1**	**4**	**-**	**-**	**1**	**-**	**-**	**2**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**1**	**-**	**1**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
Wales	**1**	**3**	**-**	**-**	**-**	**-**	**1**	**2**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**1**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
Wales I (South East)	-	3	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Wales II (remainder)	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Urban/Rural aggregates:																														
Conurbations	15	30	1	2	1	1	2	8	1	3	1	1	-	5	-	3	5	3	4	2	-	-	-	1	-	-	-	1	-	-
Areas outside conurbations:																														
Urban areas with populations of 100,000 and over	4	6	1	1	-	-	1	1	-	-	1	-	-	-	-	-	-	3	1	-	-	1	-	-	-	-	-	-	-	-
Urban areas with populations of 50,000 and under 100,000	3	5	-	-	-	1	-	-	-	2	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	2	-	-	-	-
Urban areas with populations under 50,000	3	10	-	-	1	1	-	-	2	-	-	-	-	2	-	1	-	3	-	3	-	-	-	-	-	-	-	-	-	-
Rural districts	2	7	-	-	-	-	1	5	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Hospital regions:																														
Newcastle	1	6	-	1	-	-	-	1	-	2	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-
Leeds	3	2	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sheffield	2	7	-	1	-	1	-	-	1	-	1	-	-	1	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
East Anglia	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
North West Metropolitan	7	5	-	-	1	-	-	1	1	-	-	-	-	1	1	1	3	1	1	1	-	-	-	-	-	-	-	-	-	-
North East Metropolitan	2	3	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-
South East Metropolitan	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
South West Metropolitan	3	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Wessex	2	4	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-
Oxford	-	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
South Western	1	3	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Welsh	1	3	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Birmingham	1	13	-	1	-	1	-	4	-	1	-	1	-	2	-	1	1	2	-	-	-	-	-	-	-	-	-	1	-	-
Manchester	3	5	1	-	-	-	-	1	-	1	-	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Liverpool	1	2	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-

TABLE 30 - *continued*

Area	All ages		0-		1-		2-		5-		10-		15-		20-		25-		35-		45-		55-		65-		75 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Tuberculosis, other forms																													
ENGLAND AND WALES (excluding Port Health Districts)	**957**	**1,141**	**3**	**-**	**4**	**4**	**19**	**27**	**36**	**37**	**41**	**32**	**55**	**60**	**86**	**116**	**245**	**293**	**179**	**221**	**123**	**119**	**78**	**72**	**56**	**93**	**24**	**59**	**8**	**8**
Regions and conurbations:																														
Northern	**45**	**82**	**-**	**-**	**1**	**-**	**-**	**3**	**1**	**5**	**2**	**7**	**1**	**4**	**5**	**6**	**11**	**15**	**12**	**20**	**3**	**6**	**3**	**5**	**3**	**6**	**2**	**5**	**1**	**-**
Tyneside Conurbation	15	37	-	-	-	-	-	2	1	2	1	5	1	1	2	2	3	6	3	7	3	3	-	2	-	4	1	3	-	-
Remainder of Northern	30	45	-	-	1	-	-	1	-	3	1	2	-	3	3	4	8	9	9	13	-	3	3	3	3	2	1	2	-	-
Yorkshire and Humberside	**109**	**117**	**1**	**-**	**-**	**1**	**1**	**-**	**4**	**-**	**5**	**4**	**11**	**13**	**9**	**13**	**26**	**34**	**20**	**22**	**16**	**10**	**3**	**5**	**7**	**10**	**4**	**4**	**2**	**1**
West Yorkshire Conurbation	67	51	1	-	-	-	1	-	1	-	3	3	9	7	4	5	17	14	14	7	9	5	3	3	4	4	-	2	1	1
Remainder of Yorkshire and Humberside	42	66	-	-	-	1	-	-	3	-	2	1	2	6	5	8	9	20	6	15	7	5	-	2	3	6	4	2	1	-
North Western	**117**	**122**	**-**	**-**	**1**	**-**	**4**	**2**	**6**	**2**	**8**	**2**	**6**	**4**	**12**	**16**	**35**	**42**	**20**	**17**	**13**	**7**	**6**	**8**	**5**	**11**	**1**	**11**	**-**	**-**
South East Lancashire Conurbation	48	36	-	-	-	-	2	1	1	1	4	-	2	1	3	6	17	15	10	5	5	2	2	-	2	1	-	4	-	-
Merseyside Conurbation	15	37	-	-	-	-	-	-	-	1	1	1	-	1	2	1	3	12	4	7	1	3	2	2	1	4	1	5	-	-
Remainder of North Western	54	49	-	-	1	-	2	1	5	-	3	1	4	2	7	9	15	15	6	5	7	2	2	6	2	6	-	2	-	-
East Midland	**64**	**81**	**-**	**-**	**1**	**1**	**1**	**-**	**5**	**4**	**5**	**4**	**3**	**6**	**6**	**7**	**12**	**22**	**13**	**15**	**7**	**12**	**3**	**1**	**7**	**7**	**-**	**2**	**1**	**-**
West Midland	**176**	**154**	**-**	**-**	**1**	**-**	**3**	**6**	**3**	**9**	**8**	**3**	**11**	**7**	**20**	**12**	**48**	**42**	**41**	**35**	**20**	**18**	**8**	**6**	**10**	**11**	**2**	**5**	**1**	**-**
West Midlands Conurbation	114	97	-	-	1	-	2	5	3	7	4	1	9	4	15	7	35	29	25	21	13	11	3	4	2	4	1	4	1	-
Remainder of West Midland	62	57	-	-	-	-	1	1	-	2	4	2	2	3	5	5	13	13	16	14	7	7	5	2	8	7	1	1	-	-
East Anglia	**17**	**27**	**-**	**-**	**-**	**-**	**-**	**1**	**1**	**-**	**1**	**-**	**1**	**-**	**-**	**1**	**4**	**6**	**1**	**7**	**5**	**-**	**2**	**4**	**2**	**3**	**-**	**4**	**-**	**1**
South Eastern	**327**	**395**	**2**	**-**	**-**	**1**	**8**	**12**	**11**	**11**	**9**	**11**	**19**	**19**	**31**	**46**	**96**	**101**	**49**	**71**	**42**	**42**	**35**	**31**	**15**	**26**	**9**	**19**	**1**	**5**
Greater London	191	235	1	-	-	1	8	4	5	8	2	6	12	12	23	31	54	58	31	43	24	26	18	17	10	16	2	9	1	4
Outer Metropolitan Area	85	95	1	-	-	-	-	7	5	3	4	3	6	5	4	9	27	24	10	19	11	10	6	7	5	4	6	4	-	-
Remainder of South Eastern	51	65	-	-	-	-	-	1	1	-	3	2	1	2	4	6	15	19	8	9	7	6	11	7	-	6	1	6	-	1
South Western	**50**	**83**	**-**	**-**	**-**	**-**	**2**	**2**	**4**	**3**	**1**	**1**	**3**	**3**	**3**	**8**	**4**	**16**	**9**	**20**	**9**	**10**	**8**	**3**	**3**	**9**	**3**	**7**	**1**	**1**
Wales	**52**	**80**	**-**	**-**	**-**	**1**	**-**	**1**	**1**	**3**	**2**	**-**	**-**	**4**	**-**	**7**	**9**	**15**	**14**	**14**	**8**	**14**	**10**	**9**	**4**	**10**	**3**	**2**	**1**	**-**
Wales I (South East)	34	60	-	-	-	-	-	-	-	2	-	-	-	3	-	5	5	12	11	10	7	12	5	9	4	5	1	2	1	-
Wales II (remainder)	18	20	-	-	-	1	-	1	1	1	2	-	-	1	-	2	4	3	3	4	1	2	5	-	-	5	2	-	-	-
Urban/Rural aggregates:																														
Conurbations	451	495	2	-	1	1	13	12	12	19	15	16	33	26	49	52	129	135	87	90	55	50	28	29	19	33	5	27	3	5
Areas outside conurbations:																														
Urban areas with populations of 100,000 and over	156	185	-	-	2	1	3	3	6	8	13	6	8	14	16	19	31	45	32	34	20	16	11	12	10	18	2	9	2	-
Urban areas with populations of 50,000 and under 100,000	76	101	1	-	1	-	-	3	2	1	5	2	3	3	3	10	21	32	14	27	13	8	5	4	6	7	2	4	-	-
Urban areas with populations under 50,000	147	180	-	-	-	-	3	2	11	4	4	4	7	7	11	20	43	46	24	33	16	18	15	13	7	24	6	8	-	-
Rural districts	127	180	-	-	-	2	-	7	5	5	4	4	4	10	7	15	21	35	22	37	19	27	19	14	14	11	9	11	3	3
Hospital regions:																														
Newcastle	44	81	-	-	1	-	-	3	1	5	2	7	1	4	5	6	10	14	12	20	3	6	3	5	3	6	2	5	1	-
Leeds	78	79	1	-	-	-	1	-	2	-	4	4	10	7	5	9	19	24	17	12	12	9	3	4	3	7	-	2	1	1
Sheffield	89	109	-	-	-	2	1	-	7	4	6	3	4	11	9	8	19	31	13	24	11	10	3	2	10	10	4	4	2	-
East Anglia	17	28	-	-	-	-	-	1	1	-	1	-	1	-	-	1	4	6	1	7	5	1	2	4	2	3	-	4	-	1
North West Metropolitan	124	148	-	-	-	-	2	5	3	5	3	2	9	8	14	19	41	35	20	26	12	19	11	14	6	5	2	6	1	4
North East Metropolitan	65	64	-	-	-	1	2	2	4	-	-	3	3	5	9	8	16	16	13	10	6	6	7	5	1	4	4	4	-	-
South East Metropolitan	52	66	-	-	-	-	-	1	4	3	1	2	4	3	2	5	10	17	6	16	9	6	10	5	4	4	2	4	-	-
South West Metropolitan	47	72	2	-	-	-	4	4	-	3	3	4	3	2	2	10	13	16	7	14	8	5	3	3	2	8	-	3	-	-
Wessex	20	28	-	-	-	-	-	-	1	1	1	-	1	1	3	5	3	5	3	6	4	4	3	1	-	3	1	1	-	1
Oxford	33	42	-	-	1	-	-	-	-	-	2	1	-	3	2	4	14	16	6	4	3	5	1	4	3	2	1	2	-	1
South Western	43	68	-	-	-	-	2	2	3	2	-	1	2	1	3	6	4	14	6	16	9	9	8	2	3	9	2	6	1	-
Welsh	52	80	-	-	-	1	-	1	1	3	2	-	-	4	-	7	9	15	14	14	8	14	10	9	4	10	3	2	1	-
Birmingham	176	154	-	-	1	-	3	6	3	9	8	3	11	7	20	12	48	42	41	35	20	18	8	6	10	11	2	5	1	-
Manchester	94	73	-	-	1	-	3	1	5	1	6	1	6	3	9	13	31	26	15	7	10	4	4	5	4	6	-	6	-	-
Liverpool	23	49	-	-	-	-	1	1	1	1	2	1	-	1	3	3	4	16	5	10	3	3	2	3	1	5	1	5	-	-

TABLE 30 SUPPLEMENT. Notification rates per 100,000 living for certain infectious diseases, by sex and age, 1967 — England and Wales

Age	Scarlet fever		Whooping cough		Acute poliomyelitis: Paralytic		Acute poliomyelitis: Non-paralytic		Measles		Diphtheria		Dysentery		Meningococcal infection	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**41**	**39**	**67**	**72**	*0·04*	*0·03*	*0·00*	*0·01*	**996**	**909**	*0·03*	-	**46**	**45**	**0·72**	**0·50**
Under 1 year	11	11	342	389	-	*0·25*	-	-	2,205	2,272	-	-	130	111	12	7·20
1-	55	50	385	402	-	*0·25*	-	*0·25*	6,406	6,381	*0·23*	-	211	166	5·14	*4·66*
2-	147	147	531	597	*0·46*	*0·49*	-	-	8,005	8,054	-	-	224	205	*3·69*	*1·70*
3-	244	226	530	628	-	-	-	-	8,310	8,548	*0·23*	-	184	184	*1·86*	*1·71*
4-	312	311	467	534	*0·71*	-	-	-	8,182	8,227	*0·24*	-	180	182	*0·95*	*1·25*
5-	262	294	273	335	-	-	*0·05*	-	4,443	4,459	*0·05*	-	163	153	1·35	*0·77*
10-	45	51	31	41	-	*0·06*	-	*0·06*	235	263	-	-	50	47	*0·65*	*0·62*
15-	11	9	3	6	*0·06*	-	-	-	41	49	-	-	17	30	*0·53*	*0·29*
25 and over	0·68	0·74	1·13	2·12	*0·01*	*0·01*	-	-	4	5	*0·01*	-	14	19	*0·09*	0·14

Age	Acute pneumonia (primary or influenzal)		Acute encephalitis: Infective		Acute encephalitis: Post-infectious		Enteric or typhoid fever		Para-typhoid fever		Erysipelas		Food poisoning	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**14**	**11**	**0·25**	**0·19**	**0·29**	**0·19**	**0·36**	**0·21**	**0·18**	**0.20**	**2·53**	**3·33**	**10**	**11**
Under 5 years	29	22	*0·47*	*0·34*	*0·84*	*0·64*	*0·42*	*0·30*	*0·28*	*0·25*	*0·33*	*0·25*	27	25
5-	11	9	*0·53*	*0·38*	0·94	0·64	0·80	*0·15*	*0·19*	*0·29*	*0·50*	0·61	14	14
15-	6	6	0·24	0·23	*0·10*	*0·11*	0·36	0·32	0·25	*0·24*	1·34	1·76	9	9
45-	15	9	*0·09*	*0·06*	*0·09*	*0·02*	*0·16*	*0·11*	*0·05*	*0·18*	5·00	6·26	5	6
65 and over	30	22	*0·04*	-	-	-	*0·17*	*0·11*	*0·04*	*0·03*	6·34	6.05	6	9

Age	Tuberculosis: Respiratory		Tuberculosis: Meninges and C.N.S.		Tuberculosis: Other	
	M	F	M	F	M	F
All ages	**31**	**15**	**0·11**	**0·23**	**4·06**	**4·60**
Under 5 years	12	11	*0·37*	0·98	1·21	1·52
5-	10	10	*0·17*	*0·20*	2·14	2·01
15-	24	20	*0·03*	*0·31*	3·92	5·02
25-	33	23	*0·20*	*0·25*	6·93	8·71
45-	46	13	-	*0·03*	3·46	3·07
65 and over	47	10	-	*0·08*	3·47	4·05

TABLE 31. Cases of certain infectious diseases notified, **1967**

England and Wales, regions, Wales, conurbations, urban and rural aggregates outside conurbations, hospital regions, counties, London and county boroughs

Area	Typhoid fever	Paratyphoid fever	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute poliomyelitis		Acute encephalitis		Acute pneumonia (primary and influenzal)	Puerperal pyrexia	Food poisoning	Tuberculosis		
											Paralytic	Non-paralytic	Infective	Post-infectious				Respiratory	Meninges and C.N.S.	Other
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21

(a) **Numbers originally notified**

***ENGLAND AND WALES** (including Port Health Districts):																				
Total	**142**	**96**	**324**	**19,325**	**33,617**	**9**	**1,427**	**604**	**24,009**	**460,396**	**21**	**3**	**106**	**115**	**6,033**	**4,196**	**7,310**	**11,111**	**94**	**2,114**
Total (excluding Port Health Districts)	141	96	324	19,322	33,615	9	1,427	604	24,005	460,225	21	3	106	115	6,031	4,194	7,305	11,090	94	2,113
Port Health Districts	1	-	-	3	2	-	-	-	4	171	-	-	-	-	2	2	5	21	-	1
Regions and Conurbations:																				
Northern	**9**	**7**	**28**	**843**	**2,014**	**-**	**56**	**12**	**1,736**	**26,315**	**5**	**-**	**14**	**4**	**310**	**83**	**358**	**985**	**7**	**128**
Tyneside Conurbation	2	1	7	113	367	-	16	1	232	4,322	1	-	3	1	153	6	21	323	6	54
Remainder of Northern	7	6	21	730	1,647	-	40	11	1,504	21,993	4	-	11	3	157	77	337	662	1	74
***Yorkshire and Humberside**	**19**	**11**	**58**	**2,751**	**5,567**	**1**	**177**	**38**	**3,560**	**36,738**	**2**	**-**	**21**	**13**	**1,361**	**291**	**736**	**1,211**	**8**	**226**
*West Yorkshire Conurbation	13	6	18	848	1,604	-	63	16	2,022	11,070	1	-	14	10	650	107	324	666	4	118
Remainder of Yorkshire and Humberside	6	5	40	1,903	3,963	1	108	22	1,538	25,668	1	-	7	3	711	184	412	545	4	108
***North Western**	**18**	**5**	**48**	**3,273**	**6,239**	**4**	**162**	**114**	**6,105**	**41,514**	**4**	**-**	**20**	**11**	**705**	**583**	**1,496**	**1,650**	**12**	**241**
*South East Lancashire Conurbation	7	2	20	924	3,124	4	69	35	2,750	14,058	3	-	8	3	205	173	600	691	6	83
*Merseyside Conurbation	1	1	7	840	1,122	-	41	73	904	9,662	1	-	-	3	317	314	457	422	3	53
Remainder of North Western	10	2	21	1,509	1,993	-	52	6	2,451	17,794	-	-	12	5	183	96	439	537	3	105
***East Midland**	**5**	**5**	**16**	**1,291**	**1,698**	**-**	**99**	**14**	**857**	**34,835**	**2**	**-**	**3**	**8**	**309**	**51**	**202**	**611**	**8**	**145**
***West Midland**	**15**	**15**	**31**	**2,079**	**3,344**	**-**	**162**	**286**	**2,328**	**46,174**	**1**	**-**	**8**	**8**	**683**	**394**	**357**	**1,441**	**15**	**331**
*West Midlands Conurbation	14	6	13	1,145	1,535	-	85	263	797	20,717	-	-	4	3	251	189	146	973	12	210
Remainder of West Midland	1	9	18	934	1,809	-	77	23	1,531	25,457	1	-	4	5	432	205	211	468	3	121
***East Anglia**	**4**	**-**	**9**	**774**	**822**	**-**	**53**	**5**	**729**	**16,444**	**-**	**-**	**-**	**3**	**252**	**107**	**180**	**205**	**1**	**43**
***South Eastern**	**64**	**43**	**90**	**6,328**	**10,379**	**4**	**523**	**100**	**6,476**	**198,137**	**6**	**2**	**37**	**51**	**1,671**	**2,396**	**3,228**	**3,940**	**34**	**727**
*Greater London	45	23	42	3,160	4,782	4	283	68	3,208	72,126	-	1	11	24	884	1,544	1,751	2,457	22	427
Outer Metropolitan Area	14	18	24	1,844	2,948	-	130	18	1,442	74,075	-	-	11	12	442	476	634	799	1	182
*Remainder of South Eastern	5	2	24	1,024	2,649	-	110	14	1,826	51,936	6	1	15	15	345	376	843	684	11	118
South Western	**3**	**4**	**29**	**1,188**	**2,110**	**-**	**139**	**25**	**1,906**	**39,932**	**1**	**-**	**3**	**8**	**473**	**213**	**367**	**457**	**5**	**135**
***Wales**	**4**	**6**	**15**	**795**	**1,442**	**-**	**56**	**10**	**308**	**20,136**	**-**	**1**	**-**	**9**	**267**	**76**	**381**	**590**	**4**	**137**
*Wales I (South East)	3	4	12	585	1,068	-	47	7	233	13,308	-	-	-	6	191	58	264	406	3	99
Wales II (remainder)	1	2	3	210	374	-	9	3	75	6,828	-	1	-	3	76	18	117	184	1	38

* For smallpox and anthrax cases notified see summary at end of table.

TABLE 31 - *continued*

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
Urban/Rural aggregates:																				
Conurbations	82	39	107	7,030	12,534	8	557	458	10,213	131,955	6	1	41	44	2,460	2,333	3,299	5,522	53	948
Areas outside Conurbations:																				
Urban areas with populations of 100,000 and over	24	12	60	2,732	5,352	1	220	59	3,874	55,298	3	1	29	22	1,180	546	1,170	1,670	10	348
Urban areas with populations of 50,000 and under 100,000	9	5	35	1,936	2,782	-	106	22	2,163	45,050	2	-	8	6	353	539	681	857	8	183
Urban areas with populations under 50,000	16	23	75	3,862	6,140	-	279	36	4,542	111,131	3	1	12	19	1,029	465	1,081	1,811	14	328
Rural districts	10	17	47	3,762	6,807	-	265	29	3,213	116,791	7	-	16	24	1,009	311	1,074	1,230	9	306
Hospital Regions:																				
Newcastle	8	4	25	769	1,767	-	52	12	1,694	24,204	5	-	14	4	295	82	349	968	7	126
Leeds	16	10	38	1,744	3,571	-	110	33	2,741	23,945	1	-	15	11	1,081	135	486	861	5	157
*Sheffield	7	7	36	2,147	3,648	1	156	19	1,664	42,455	3	-	9	9	542	198	435	906	10	199
*East Anglia	4	1	10	824	866	-	59	5	733	17,903	1	-	-	4	278	112	183	216	1	44
North West Metropolitan	30	15	21	1,584	2,029	3	135	33	1,681	42,912	-	-	10	23	348	763	931	1,216	17	272
*North East Metropolitan	13	6	11	1,746	2,573	-	122	21	1,673	38,587	1	-	8	4	523	405	741	768	5	130
*South East Metropolitan	6	11	25	1,368	2,340	1	116	30	865	41,725	1	-	4	8	362	574	761	713	-	119
*South West Metropolitan	9	4	17	924	1,847	-	92	10	1,151	38,254	-	1	2	7	253	444	442	728	7	120
Wessex	1	1	13	365	1,162	-	44	4	791	24,749	1	1	12	8	118	187	296	261	6	48
Oxford	6	7	8	683	1,012	-	40	5	743	23,223	3	-	1	4	156	38	188	399	2	76
South Western	3	3	26	1,018	1,750	-	119	22	1,526	34,043	-	-	3	5	415	203	259	372	4	113
*Welsh	4	6	15	795	1,442	-	56	10	308	20,136	-	1	-	9	267	76	381	590	4	137
*Birmingham	15	15	31	2,079	3,344	-	162	286	2,328	46,174	1	-	8	8	683	394	357	1,441	14	331
*Manchester	18	4	37	1,806	4,600	4	118	40	4,876	25,071	3	-	13	8	333	227	832	1,104	8	167
Liverpool	1	2	11	1,470	1,664	-	46	74	1,231	16,844	1	-	7	3	377	356	664	547	4	74

(b) **Final number after correction**

***ENGLAND AND WALES** (excluding Port Health Districts):																				
Total	**138**	**92**	**293**	**19,302**	**33,531**	**6**	**1,423**	**606**	**22,044**	**460,236**	**16**	**3**	**104**	**114**	**5,970**	**4,173**	**5,018**	**11,023**	**85**	**2,098**
Regions and Conurbations:																				
Northern	**9**	**7**	**27**	**842**	**2,014**	**-**	**54**	**13**	**1,525**	**26,320**	**4**	**-**	**13**	**5**	**310**	**83**	**239**	**988**	**7**	**127**
Tyneside Conurbation	2	1	7	111	365	-	16	1	123	4,322	1	-	3	1	153	6	16	326	6	52
Remainder of Northern	7	6	20	731	1,649	-	38	12	1,402	21,998	3	-	10	4	157	77	223	662	1	75
***Yorkshire and Humberside**	**15**	**11**	**57**	**2,744**	**5,518**	**1**	**177**	**37**	**3,419**	**36,751**	**-**	**-**	**20**	**13**	**1,322**	**292**	**425**	**1,204**	**8**	**226**
*West Yorkshire Conurbation	12	5	19	845	1,583	-	63	14	2,027	11,053	-	-	13	10	632	104	256	662	4	118
Remainder of Yorkshire and Humberside	3	6	38	1,899	3,935	1	114	23	1,392	25,698	-	-	7	3	690	188	169	542	4	108
***North Western**	**19**	**3**	**30**	**3,268**	**6,229**	**4**	**162**	**114**	**5,006**	**41,547**	**3**	**-**	**20**	**10**	**700**	**581**	**599**	**1,627**	**11**	**239**
*South East Lancashire Conurbation	8	2	18	919	3,111	4	69	35	2,400	14,063	3	-	8	3	202	173	252	690	6	84
*Merseyside Conurbation	1	1	4	843	1,121	-	40	73	638	9,666	-	-	-	3	316	314	94	401	2	52
Remainder of North Western	10	-	8	1,506	1,997	-	53	6	1,968	17,818	-	-	12	4	182	94	253	536	3	103
***East Midland**	**5**	**5**	**14**	**1,284**	**1,692**	**-**	**98**	**14**	**853**	**34,824**	**2**	**-**	**3**	**8**	**308**	**50**	**176**	**601**	**7**	**145**
***West Midland**	**15**	**14**	**32**	**2,076**	**3,345**	**-**	**163**	**287**	**2,281**	**46,154**	**1**	**-**	**8**	**11**	**684**	**391**	**327**	**1,413**	**15**	**330**
*West Midlands Conurbation	14	6	15	1,141	1,535	-	86	267	783	20,708	-	-	5	6	252	189	163	951	12	211
Remainder of West Midland	1	8	17	935	1,810	-	77	20	1,498	25,446	1	-	3	5	432	202	164	462	3	119
***East Anglia**	**4**	**-**	**9**	**780**	**824**	**-**	**53**	**5**	**776**	**16,437**	**-**	**-**	**-**	**3**	**252**	**108**	**155**	**205**	**1**	**44**
***South Eastern**	**66**	**43**	**82**	**6,324**	**10,364**	**1**	**523**	**-**	**6,134**	**198,151**	**5**	**2**	**37**	**47**	**1,676**	**-**	**2,430**	**3,934**	**27**	**722**
*Greater London	46	23	35	3,153	4,775	1	282	-	3,026	72,116	-	1	11	20	886	-	1,254	2,450	15	426
Outer Metropolitan Area	14	18	22	1,845	2,942	-	131	-	1,346	74,105	-	-	11	13	444	-	493	803	1	180
*Remainder of South Eastern	6	2	25	1,326	2,647	-	110	-	1,762	51,930	5	1	15	14	346	-	683	681	11	116
South Western	**2**	**4**	**27**	**1,186**	**2,100**	**-**	**137**	**-**	**1,773**	**39,919**	**1**	**-**	**3**	**8**	**454**	**-**	**344**	**458**	**5**	**133**
***Wales**	**3**	**5**	**15**	**798**	**1,445**	**-**	**56**	**-**	**277**	**20,133**	**-**	**1**	**-**	**9**	**264**	**-**	**323**	**593**	**4**	**132**
*Wales I (South East)	3	3	12	589	1,070	-	47	-	206	13,300	-	-	-	6	188	-	194	409	3	94
Wales II (remainder)	-	2	3	209	375	-	9	-	71	6,833	-	1	-	3	76	-	129	184	1	38

* For smallpox and anthrax cases notified see summary at end of table.

TABLE 31 - *continued*

Area	Typhoid fever	Paratyphoid fever	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute poliomyelitis		Acute encephalitis		Acute pneumonia (primary and influenza)	Puerperal pyrexia	Food poisoning	Tuberculosis		
											Paralytic	Non-paralytic	Infective	Post-infectious				Respiratory	Meninges and C.N.S.	Other
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
Urban/Rural aggregates:																				
Conurbations	83	38	98	7,012	12,490	5	556	458	8,997	131,928	4	1	41	43	2,441	2,324	2,035	5,480	45	946
Areas outside Conurbations:																				
Urban areas with populations of 100,000 and over	23	11	47	2,734	5,285	1	215	61	3,734	55,286	3	1	29	21	1,142	547	953	1,673	10	341
Urban areas with populations of 50,000 and under 100,000	9	3	33	1,930	2,778	-	106	22	2,049	45,087	2	-	7	6	350	534	345	852	8	177
Urban areas with populations under 50,000	15	22	73	3,859	6,159	-	279	36	4,226	111,126	2	1	12	19	1,029	465	795	1,802	13	327
Rural districts	8	18	42	3,767	6,819	-	267	28	3,038	116,809	5	-	15	25	1,008	393	890	1,216	9	307
Hospital Regions:																				
Newcastle	8	4	24	768	1,767	-	50	13	1,485	24,209	4	-	13	5	295	82	230	971	7	125
Leeds	13	10	39	1,739	3,517	-	111	32	2,581	23,942	-	-	14	11	1,048	135	348	857	5	157
*Sheffield	6	7	32	2,138	3,647	1	154	19	1,678	42,463	2	-	9	9	535	199	236	896	9	198
*East Anglia	5	1	10	830	868	-	59	5	780	17,895	1	-	-	4	278	112	157	214	1	45
North West Metropolitan	30	15	17	1,585	2,026	1	134	33	1,630	42,910	-	-	11	20	349	757	769	1,206	12	272
*North East Metropolitan	13	6	11	1,745	2,568	-	122	21	1,638	38,585	1	-	8	4	525	407	393	771	5	129
*South East Metropolitan	7	10	22	1,366	2,342	-	116	31	807	41,712	1	-	3	8	364	574	645	714	-	118
*South West Metropolitan	9	5	16	921	1,845	-	92	10	999	38,243	-	1	2	7	253	440	280	727	5	119
Wessex	1	1	13	365	1,157	-	44	4	746	24,751	1	1	12	7	118	182	274	266	6	48
Oxford	6	7	8	684	1,005	-	41	5	700	23,262	2	-	1	4	156	37	200	396	2	75
South Western	2	3	24	1,016	1,745	-	117	22	1,436	34,029	-	-	3	5	396	202	237	371	4	111
*Welsh	3	5	15	798	1,445	-	56	10	277	20,133	-	1	-	9	264	74	323	593	4	132
*Birmingham	15	14	32	2,076	3,345	-	163	287	2,281	46,154	1	-	8	11	684	391	327	1,413	14	330
*Manchester	19	3	22	1,798	4,589	4	119	40	4,153	25,092	3	-	13	7	329	225	427	1,096	8	167
Liverpool	1	1	8	1,473	1,665	-	45	74	853	16,856	-	-	7	3	376	356	172	532	3	72
ENGLAND	**135**	**87**	**278**	**18,594**	**32,086**	**6**	**1,367**	**596**	**21,767**	**440,103**	**16**	**2**	**104**	**105**	**5,706**	**4,099**	**4,695**	**10,430**	**81**	**1,966**
Bedfordshire	**2**	**1**	**2**	**176**	**240**	**-**	**9**	**5**	**452**	**4,783**	**-**	**-**	**-**	**-**	**27**	**73**	**56**	**72**	**2**	**30**
Luton C.B.	2	-	1	16	42	-	2	1	10	1,543	-	-	-	-	2	10	8	25	-	13
Total M.B's and U.D's	-	1	-	124	87	-	2	2	362	1,514	-	-	-	-	19	61	38	37	2	8
Total R.D's	-	-	1	36	111	-	5	2	80	1,726	-	-	-	-	6	2	10	10	-	9
Berkshire	**1**	**4**	**-**	**156**	**347**	**-**	**10**	**-**	**229**	**7,109**	**-**	**-**	**-**	**1**	**19**	**17**	**86**	**119**	**1**	**25**
Reading C.B.	-	2	-	38	86	-	3	-	4	1,150	-	-	-	-	9	4	24	41	-	9
Total M.B's and U.D's	-	-	-	30	52	-	2	-	65	1,103	-	-	-	-	2	6	21	23	1	3
Total R.D's	1	2	-	88	209	-	5	-	160	4,856	-	-	-	1	8	7	41	55	-	13
Buckinghamshire	**4**	**1**	**-**	**210**	**160**	**-**	**7**	**-**	**47**	**6,511**	**-**	**-**	**2**	**2**	**37**	**37**	**53**	**92**	**-**	**25**
Total M.B's and U.D's	3	-	-	101	43	-	4	-	22	3,019	-	-	-	-	8	3	4	70	-	20
Total R.D's	1	1	-	109	117	-	3	-	25	3,492	-	-	2	2	29	34	49	22	-	5

* For smallpox and anthrax cases notified see summary at end of table.

TABLE 31 - *continued*

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
Cambridgeshire and Isle of Ely	**-**	**-**	**2**	**127**	**220**	**-**	**14**	**-**	**121**	**2,760**	**-**	**-**	**-**	**-**	**33**	**2**	**22**	**21**	**-**	**7**
Total M.B's and U.D's	-	-	2	62	110	-	3	-	83	855	-	-	-	-	8	1	4	10	-	2
Total R.D's	-	-	-	65	110	-	11	-	38	1,905	-	-	-	-	25	1	18	11	-	5
Cheshire	**-**	**1**	**2**	**723**	**1,087**	**-**	**28**	**2**	**598**	**8,721**	**1**	**-**	**10**	**3**	**163**	**36**	**47**	**224**	**3**	**31**
Total C.B's	-	1	1	152	397	-	16	2	84	1,281	-	-	-	1	109	22	23	103	2	12
Birkenhead C.B.	-	-	-	76	195	-	9	-	8	353	-	-	-	1	67	9	9	38	1	6
Chester C.B.	-	-	-	14	27	-	-	-	28	269	-	-	-	-	2	2	1	6	1	-
Stockport C.B.	-	1	-	18	73	-	3	-	20	477	-	-	-	-	13	1	7	28	-	3
Wallasey C.B.	-	-	1	44	102	-	4	2	28	182	-	-	-	-	27	10	6	31	-	3
Total M.B's and U.D's	-	-	1	457	525	-	8	-	447	5,611	1	-	1	2	41	12	10	97	1	16
Total R.D's	-	-	-	114	165	-	4	-	67	1,829	-	-	9	-	13	2	14	24	-	3
Cornwall	**-**	**-**	**6**	**39**	**78**	**-**	**13**	**-**	**42**	**4,278**	**-**	**-**	**-**	**3**	**75**	**11**	**1**	**46**	**-**	**12**
Total M.B's and U.D's	-	-	3	15	50	-	8	-	37	2,550	-	-	-	1	38	8	1	27	-	5
Total R.D's	-	-	3	24	28	-	5	-	5	1,728	-	-	-	2	37	3	-	19	-	7
Cumberland	**-**	**-**	**1**	**79**	**102**	**-**	**7**	**1**	**52**	**2,429**	**-**	**-**	**-**	**-**	**12**	**12**	**7**	**59**	**1**	**13**
Carlisle C.B.	-	-	-	19	26	-	1	1	15	224	-	-	-	-	3	1	6	14	1	2
Total M.B's and U.D's	-	-	1	14	38	-	4	-	24	1,032	-	-	-	-	5	8	-	19	1	4
Total R.D's	-	-	-	46	38	-	2	-	13	1,173	-	-	-	-	4	3	1	26	-	7
Derbyshire	**2**	**2**	**3**	**336**	**635**	**-**	**40**	**1**	**399**	**9,404**	**-**	**-**	**2**	**1**	**71**	**7**	**64**	**135**	**3**	**28**
Derby C.B.	1	-	1	37	94	-	6	-	73	1,697	-	-	1	-	4	-	6	50	2	10
Total M.B's and U.D's	1	-	1	147	269	-	22	-	238	3,613	-	-	1	-	47	5	13	46	1	7
Total R.D's	-	2	1	152	272	-	12	1	88	4,094	-	-	-	1	20	2	45	39	-	11
Devon	**-**	**1**	**14**	**239**	**810**	**-**	**34**	**11**	**242**	**9,687**	**-**	**-**	**-**	**1**	**172**	**54**	**51**	**110**	**2**	**44**
Total C.B's	-	-	6	105	525	-	22	9	67	4,187	-	-	-	1	79	52	46	64	-	22
Exeter C.B.	-	-	1	66	16	-	2	9	50	788	-	-	-	-	7	15	16	17	-	8
Plymouth C.B.	-	-	5	39	509	-	20	-	17	3,399	-	-	-	1	72	37	30	47	-	14
Total M.B's and U.D's	-	1	8	38	81	-	6	1	168	2,466	-	-	-	-	33	1	3	30	1	13
Total R.D's	-	-	-	96	204	-	6	1	7	3,034	-	-	-	-	60	1	2	16	1	9
Dorset	**-**	**-**	**2**	**37**	**236**	**-**	**4**	**2**	**17**	**4,470**	**-**	**-**	**-**	**3**	**25**	**23**	**44**	**46**	**-**	**12**
Total M.B's and U.D's	-	-	1	24	132	-	2	2	16	2,701	-	-	-	1	14	22	31	32	-	8
Total R.D's	-	-	1	13	104	-	2	-	1	1,769	-	-	-	2	11	1	13	14	-	4
Durham	**3**	**2**	**16**	**409**	**1,077**	**-**	**26**	**6**	**707**	**13,040**	**1**	**-**	**9**	**5**	**197**	**58**	**79**	**591**	**4**	**65**
Total C.B's	-	-	3	130	496	-	6	2	111	4,280	-	-	1	3	132	13	62	301	-	42
Darlington C.B.	-	-	-	37	47	-	-	-	1	971	-	-	-	-	3	1	2	19	-	1
Gateshead C.B.	-	-	2	20	113	-	-	-	23	706	-	-	1	-	44	-	6	53	-	15
Hartlepool C.B.	-	-	-	3	28	-	1	-	16	346	-	-	-	-	5	-	11	17	-	-
South Shields C.B.	-	-	-	15	8	-	2	-	15	236	-	-	-	1	47	-	4	43	-	9
Sunderland C.B.	-	-	1	55	300	-	3	2	56	2,021	-	-	-	2	33	12	39	169	-	17
Total M.B's and U.D's	3	2	10	189	370	-	17	3	505	5,844	-	-	8	2	50	33	13	230	4	17
Total R.D's	-	-	3	90	211	-	3	1	91	2,916	1	-	-	-	15	12	4	60	-	6
Essex	**5**	**1**	**6**	**772**	**1,089**	**-**	**36**	**4**	**548**	**18,966**	**2**	**-**	**4**	**2**	**218**	**101**	**125**	**205**	**2**	**37**
Southend on Sea C.B.	1	1	-	166	103	-	11	3	45	1,459	-	-	4	-	28	3	24	29	1	7
Total M.B's and U.D's	4	-	5	471	814	-	20	-	392	13,268	-	-	-	1	158	29	44	127	1	22
Total R.D's	-	-	1	135	172	-	5	1	111	4,239	2	-	-	1	32	69	57	49	-	8
Gloucestershire	**2**	**1**	**4**	**573**	**562**	**-**	**51**	**8**	**928**	**9,395**	**-**	**-**	**3**	**1**	**97**	**115**	**111**	**159**	**1**	**38**
Total C.B's	2	1	1	344	374	-	24	4	825	3,952	-	-	3	-	62	75	89	83	-	16
Bristol C.B.	2	1	1	324	333	-	19	3	824	3,721	-	-	3	-	55	25	82	68	-	15
Gloucester C.B.	-	-	-	20	41	-	5	1	1	231	-	-	-	-	7	50	7	15	-	1
Total M.B's and U.D's	-	-	2	40	49	-	3	4	55	1,594	-	-	-	1	9	27	9	25	-	8
Total R.D's	-	-	1	189	139	-	24	-	48	3,849	-	-	-	-	26	13	13	51	1	14

TABLE 31 - *continued*

Area	Typhoid fever	Paratyphoid fever	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute poliomyelitis		Acute encephalitis		Acute pneumonia (primary and influenza)	Puerperal pyrexia	Food poisoning	Tuberculosis		
											Paralytic	Non-paralytic	Infective	Post-infectious				Respiratory	Meninges and C.N.S.	Other
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
*†Greater London	46	23	35	3,153	4,775	1	282	68	3,026	72,116	-	1	11	20	886	1,538	1,254	2,450	15	428
City of London	-	-	-	-	2	-	-	2	8	5	-	-	-	-	-	14	19	6	-	-
London boroughs:																				
*Barking	-	-	-	99	94	-	3	-	-	1,630	-	-	-	-	35	2	7	42	-	6
Barnet	5	-	1	74	136	-	5	2	39	2,694	-	-	-	-	21	74	68	88	-	19
Bexley	1	-	-	109	217	-	7	-	31	2,431	-	-	-	-	27	23	55	46	-	9
Brent	3	-	3	144	163	-	6	2	120	2,564	-	-	-	1	33	65	39	60	1	14
Bromley	1	-	-	95	218	-	11	3	29	4,299	-	-	-	-	30	29	13	39	-	4
Camden	-	-	2	31	58	-	7	4	58	1,126	-	-	-	1	15	17	42	119	2	16
Croydon	1	-	1	235	506	-	14	-	31	5,076	-	-	-	-	28	3	30	81	-	13
Ealing	5	-	5	124	131	-	10	-	333	3,389	-	-	1	-	31	10	6	142	2	47
Enfield	1	-	1	118	285	-	14	1	299	1,955	-	-	-	-	21	130	34	61	-	7
Greenwich	-	-	3	75	163	-	8	13	88	2,345	-	-	-	2	32	102	103	46	-	10
Hackney	3	-	2	48	153	-	13	6	122	1,417	-	-	-	-	19	101	59	93	1	19
Hammersmith	3	1	3	38	126	-	9	-	75	1,075	-	1	-	1	7	24	34	92	1	11
Haringey	3	2	-	162	131	1	12	3	43	1,627	-	-	2	-	26	6	29	85	1	19
Harrow	2	-	-	74	96	-	7	2	15	2,052	-	-	-	-	25	-	15	48	1	4
Havering	1	1	-	218	132	-	11	2	23	2,855	-	-	2	-	21	2	23	40	-	2
Hillingdon	1	1	-	137	107	-	5	1	62	3,481	-	-	1	4	23	145	290	54	-	15
Hounslow	1	1	2	85	112	-	7	-	16	1,535	-	-	-	5	9	63	9	81	-	21
Islington	1	8	-	89	120	-	20	4	271	1,426	-	-	2	1	30	137	62	139	1	21
Kensington and Chelsea	1	-	1	15	78	-	3	-	11	847	-	-	-	-	11	48	12	65	-	9
Kingston upon Thames	1	-	-	33	34	-	3	-	72	1,899	-	-	-	-	9	58	4	46	-	1
Lambeth	-	-	5	46	122	-	10	6	71	2,409	-	-	-	-	26	78	18	96	1	24
*Lewisham	3	3	2	175	130	-	16	5	105	2,574	-	-	-	-	43	74	25	103	-	13
Merton	-	-	-	60	117	-	4	-	20	1,777	-	-	1	-	21	2	3	41	-	3
Newham	-	1	-	59	218	-	3	1	10	2,417	-	-	1	1	23	4	2	79	1	22
Redbridge	1	2	-	138	202	-	7	2	543	2,695	-	-	-	1	32	17	24	55	-	6
Richmond upon Thames	3	-	-	73	52	-	9	1	3	1,400	-	-	-	-	27	1	3	53	-	11
Southwark	-	-	-	156	170	-	8	2	231	2,881	-	-	-	-	37	122	64	149	-	19
Sutton	-	1	1	99	67	-	5	1	31	2,134	-	-	-	-	18	66	25	22	-	1
Tower Hamlets	-	-	-	91	89	-	11	1	50	1,690	-	-	-	-	124	15	78	102	1	12
Waltham Forest	2	1	1	155	276	-	21	2	32	2,615	-	-	-	-	20	17	9	67	-	15
†Wandsworth	2	-	2	65	228	-	9	-	105	2,698	-	-	-	3	57	1	23	114	2	24
Westminster, City of	1	1	-	33	42	-	4	2	79	1,098	-	-	1	-	5	88	27	96	-	11

† Smallpox cases notified:- Greater London 1: Wandsworth L.B. 1. * Anthrax cases notified:- Greater London 2: Barking L.B. 1: Lewisham L.B. 1.

TABLE 31 - *continued*

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
Hampshire	1	1	9	322	834	-	36	2	735	21,048	1	1	12	6	96	164	210	223	5	29
Total C.B's	1	1	7	129	301	-	19	1	221	6,324	1	1	12	2	45	118	93	136	3	18
Bournemouth C.B.	1	1	-	22	60	-	5	1	109	1,645	-	-	-	-	6	6	4	38	-	5
Portsmouth C.B.	-	-	7	68	159	-	11	-	88	2,818	-	-	12	1	28	6	77	36	2	1
Southampton C.B.	-	-	-	39	82	-	3	-	24	1,861	1	1	-	1	11	106	12	62	1	12
Total M.B's and U.D's	-	-	2	115	347	-	9	-	374	8,889	-	-	-	4	30	38	21	57	1	7
Total R.D's	-	-	-	78	186	-	8	1	140	5,835	-	-	-	-	21	8	96	30	1	4
Herefordshire	-	-	1	59	93	-	4	-	299	723	-	-	-	-	12	6	33	26	-	7
Total M.B's and U.D's	-	-	-	29	24	-	2	-	150	235	-	-	-	-	3	5	8	18	-	4
Total R.D's	-	-	1	30	69	-	2	-	149	488	-	-	-	-	9	1	25	8	-	3
Hertfordshire	3	-	2	285	443	-	33	6	71	14,626	-	-	4	3	80	46	90	138	2	27
Total M.B's and U.D's	1	-	2	174	245	-	23	3	41	10,362	-	-	3	1	62	35	61	104	2	16
Total R.D's	2	-	-	111	198	-	10	3	30	4,264	-	-	1	2	18	11	29	34	-	11
Huntingdon and Peterborough	2	-	-	80	67	-	8	1	43	2,879	-	-	-	-	22	31	21	33	-	3
Total M.B's and U.D's	2	-	-	56	34	-	2	-	16	1,608	-	-	-	-	6	30	15	29	-	3
Total R.D's	-	-	-	24	33	-	6	1	27	1,271	-	-	-	-	16	1	6	4	-	-
*Kent	1	7	13	466	1,266	-	42	3	201	17,097	1	-	1	4	133	171	127	243	-	41
Canterbury C.B.	-	-	2	-	49	-	-	-	7	178	-	-	-	-	2	3	1	3	-	-
Total M.B's and U.D's	1	5	8	314	723	-	29	2	74	10,141	-	-	-	2	76	150	85	189	-	32
*Total R.D's	-	2	3	152	494	-	13	1	120	6,778	1	-	1	2	55	18	41	51	-	9
*Lancashire	19	2	27	2,516	5,074	4	133	112	4,200	32,264	2	-	9	6	532	545	539	1,395	8	207
*Total C.B's	16	1	19	1,232	2,861	4	65	107	1,809	15,222	-	-	7	2	339	524	310	935	4	128
Barrow in Furness C.B.	2	-	-	7	1	-	-	-	27	31	-	-	-	-	4	1	-	13	-	2
Blackburn C.B.	1	-	-	12	32	-	1	1	53	260	-	-	-	-	1	17	6	26	-	12
Blackpool C.B.	-	-	-	35	69	-	4	-	44	438	-	-	-	-	7	7	30	38	1	5
Bolton C.B.	-	-	1	63	96	-	7	-	53	666	-	-	-	-	32	-	64	41	-	8
Bootle C.B.	-	-	-	14	47	-	1	-	3	488	-	-	-	-	2	6	1	34	-	5
Burnley C.B.	1	-	1	93	136	-	3	-	23	226	-	-	-	-	5	10	1	18	-	6
Bury C.B.	-	-	1	5	29	-	5	-	10	343	-	-	-	-	-	1	-	13	-	2
*Liverpool C.B.	1	1	3	536	494	-	20	70	425	5,771	-	-	-	1	182	287	78	234	1	28
*Manchester C.B.	5	-	6	162	1,514	4	18	24	506	3,204	-	-	5	-	67	142	76	265	1	26
Oldham C.B.	1	-	-	20	87	-	2	7	118	649	-	-	-	-	7	2	2	48	-	5
Preston C.B.	4	-	-	62	54	-	2	1	467	279	-	-	-	-	10	1	25	55	-	12
Rochdale C.B.	-	-	6	14	44	-	-	-	13	434	-	-	-	-	3	2	5	50	-	6
St. Helens C.B.	-	-	-	74	39	-	-	-	29	484	-	-	-	-	3	1	14	22	-	-
Salford C.B.	1	-	-	17	99	-	1	4	21	494	-	-	2	-	1	11	8	45	-	4
Southport C.B.	-	-	-	84	71	-	-	-	11	807	-	-	-	-	8	1	-	12	-	5
Warrington C.B.	-	-	1	26	22	-	-	-	4	284	-	-	-	-	7	35	-	6	-	1
Wigan C.B.	-	-	-	8	27	-	1	-	2	364	-	-	-	1	-	-	1	15	1	1
Total M.B's and U.D's	3	1	5	1,063	1,982	-	64	2	2,246	13,937	2	-	1	3	182	20	198	413	4	71
Total R.D's	-	-	3	221	231	-	4	3	145	3,105	-	-	1	1	11	1	31	47	-	8
Leicestershire	1	1	4	251	324	-	21	9	32	6,234	1	-	-	1	35	23	29	133	1	50
Leicester C.B.	1	-	2	122	131	-	4	7	27	2,252	-	-	-	1	7	17	19	83	-	38
Total M.B's and U.D's	-	1	1	68	104	-	9	-	5	1,639	-	-	-	-	8	3	6	30	1	6
Total R.D's	-	-	1	61	89	-	8	2	-	2,343	1	-	-	-	20	3	4	20	-	6
Lincolnshire (Parts of Holland)	1	1	-	24	92	-	1	-	131	1,097	-	-	-	-	44	-	10	10	1	-
Total M.B's and U.D's	-	-	-	9	59	-	-	-	65	484	-	-	-	-	32	-	6	3	1	-
Total R.D's	1	1	-	15	33	-	1	-	66	613	-	-	-	-	12	-	4	7	-	-
Lincolnshire (Parts of Kesteven)	-	1	-	50	108	-	5	1	49	2,624	-	-	-	1	42	5	10	30	-	4
Lincoln C.B.	-	-	-	12	38	-	-	-	31	262	-	-	-	-	1	-	1	9	-	2
Total M.B's and U.D's	-	1	-	23	41	-	4	-	4	1,051	-	-	-	1	24	5	9	7	-	-
Total R.D's	-	-	-	15	29	-	1	1	14	1,311	-	-	-	-	17	-	-	14	-	2

* Anthrax cases notified:- Kent 1: Dartford R.D. 1, Lancashire 3: Liverpool C.B. 2: Manchester C.B. 1.

TABLE 31 - *continued*

Area	Typhoid fever	Paratyphoid fever	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute poliomyelitis		Acute encephalitis		Acute pneumonia (primary and influenzal)	Puerperal pyrexia	Food poisoning	Tuberculosis		
											Paralytic	Non-paralytic	Infective	Post-infectious				Respiratory	Meninges and C.N.S.	Other
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
Lincolnshire (Parts of Lindsey)	-	-	10	367	769	-	18	-	336	4,939	-	-	2	2	30	18	27	89	1	24
Grimsby C.B.	-	-	2	184	189	-	2	-	83	1,147	-	-	-	-	2	5	-	22	-	8
Total M.B's and U.D's	-	-	7	71	285	-	7	-	180	1,404	-	-	2	-	6	8	14	48	1	8
Total R.D's	-	-	1	112	295	-	9	-	73	2,388	-	-	-	2	22	5	13	19	-	8
Norfolk	2	-	4	346	406	-	14	2	45	5,307	-	-	-	3	115	49	29	66	1	15
Total C.B's	2	-	2	145	100	-	3	-	15	1,277	-	-	-	1	27	41	8	23	1	6
Great Yarmouth C.B.	-	-	2	6	1	-	1	-	8	152	-	-	-	-	-	1	-	10	-	2
Norwich C.B.	2	-	-	139	99	-	2	-	7	1,125	-	-	-	1	27	40	8	13	1	4
Total M.B's and U.D's	-	-	-	55	127	-	4	-	18	767	-	-	-	1	30	-	6	12	-	2
Total R.D's	-	-	2	146	179	-	7	2	12	3,263	-	-	-	1	58	8	15	31	-	7
***Northamptonshire**	1	-	2	199	245	-	10	-	53	6,038	-	-	-	-	37	5	25	64	1	18
Northampton C.B.	1	-	-	80	114	-	3	-	7	1,021	-	-	-	-	2	-	8	8	-	3
Total M.B's and U.D's	-	-	1	76	56	-	4	-	6	3,366	-	-	-	-	22	3	12	36	-	11
*Total R.D's	-	-	1	43	75	-	3	-	40	1,651	-	-	-	-	13	2	5	20	1	4
Northumberland	4	1	2	182	203	-	13	1	430	5,996	1	-	-	-	69	5	16	222	2	36
Total C.B's	2	1	2	54	80	-	5	1	31	1,323	1	-	-	-	30	3	5	126	1	24
Newcastle upon Tyne C.B.	2	1	1	44	67	-	5	-	31	937	1	-	-	-	28	1	5	95	1	21
Tynemouth C.B.	-	-	1	10	13	-	-	1	-	386	-	-	-	-	2	2	-	31	-	3
Total M.B's and U.D's	1	-	-	87	105	-	6	-	269	3,144	-	-	-	-	27	1	6	81	1	10
Total R.D's	1	-	-	41	18	-	2	-	130	1,529	-	-	-	-	12	1	5	15	-	2
Nottinghamshire	-	-	4	451	350	-	21	3	392	9,589	-	-	2	6	79	9	51	233	1	46
Nottingham C.B.	-	-	1	148	157	-	9	3	50	3,509	-	-	2	5	27	8	30	119	-	21
Total M.B's and U.D's	-	-	3	243	100	-	8	-	268	3,768	-	-	-	-	42	1	12	80	1	16
Total R.D's	-	-	-	60	93	-	4	-	74	2,312	-	-	-	1	10	-	9	34	-	9
Oxfordshire	1	2	5	77	304	-	3	3	121	4,406	1	-	-	2	41	10	23	130	-	19
Oxford C.B.	1	1	1	38	181	-	-	3	80	321	1	-	-	1	22	8	7	60	-	8
Total M.B's and U.D's	-	-	1	14	19	-	1	-	11	936	-	-	-	1	3	-	8	21	-	5
Total R.D's	-	1	3	25	104	-	2	-	30	3,149	-	-	-	-	16	2	8	49	-	6
Rutland	-	-	2	2	6	-	1	-	5	400	-	-	-	-	5	1	-	4	-	-
Oakham U.D.	-	-	1	-	-	-	-	-	-	111	-	-	-	-	1	1	-	3	-	-
Total R.D's	-	-	1	2	6	-	1	-	5	289	-	-	-	-	4	-	-	1	-	-
Shropshire	-	1	6	122	263	-	4	-	44	2,984	-	-	-	-	48	2	14	40	-	9
Total M.B's and U.D's	-	1	3	36	51	-	2	-	13	891	-	-	-	-	21	1	8	18	-	6
Total R.D's	-	-	3	86	212	-	2	-	31	2,093	-	-	-	-	27	1	6	22	-	3
Somerset	-	-	-	144	248	-	26	5	180	8,959	-	-	-	-	44	13	54	34	1	14
Bath C.B.	-	-	-	30	53	-	2	-	72	951	-	-	-	-	2	1	12	9	-	3
Total M.B's and U.D's	-	-	-	40	81	-	9	4	34	3,516	-	-	-	-	13	7	15	16	1	6
Total R.D's	-	-	-	74	114	-	15	1	74	4,492	-	-	-	-	29	5	27	9	-	5

* Anthrax cases notified:- Northamptonshire 2: Northampton R.D. 2.

TABLE 31 - *continued*

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
Staffordshire	-	2	7	601	1,202	-	24	14	358	17,029	-	-	2	4	254	143	85	458	4	99
Total C.B's	-	-	4	287	667	-	15	8	216	8,945	-	-	1	3	162	139	72	384	4	80
Burton upon Trent C.B.	-	-	-	1	19	-	-	-	13	437	-	-	-	1	2	2	-	12	-	2
Dudley C.B.	-	-	2	28	35	-	-	-	10	939	-	-	-	-	7	-	36	43	2	11
Stoke on Trent C.B.	-	-	2	63	271	-	4	3	143	2,843	-	-	1	2	90	133	27	82	-	11
Walsall C.B.	-	-	-	50	121	-	8	1	25	1,449	-	-	-	-	45	1	5	81	1	29
West Bromwich C.B.	-	-	-	67	68	-	-	2	9	1,088	-	-	-	-	2	-	-	66	1	13
Wolverhampton C.B.	-	-	-	78	153	-	3	2	16	2,179	-	-	-	-	16	3	4	100	-	14
Total M.B's and U.D's	-	1	3	219	317	-	4	6	117	4,608	-	-	1	1	65	3	8	54	-	8
Total R.D's	-	1	-	95	218	-	5	-	25	3,476	-	-	-	-	27	1	5	20	-	11
***Suffolk, East**	-	-	1	131	64	-	9	2	565	3,413	-	-	-	-	41	23	24	70	-	17
Ipswich C.B.	-	-	1	50	19	-	1	2	187	1,438	-	-	-	-	2	18	10	26	-	6
Total M.B's and U.D's	-	-	-	48	6	-	3	-	23	981	-	-	-	-	19	4	2	28	-	4
*Total R.D's	-	-	-	33	39	-	5	-	355	994	-	-	-	-	20	1	12	16	-	7
Suffolk, West	-	-	2	96	67	-	8	-	2	2,078	-	-	-	-	41	3	59	15	-	2
Total M.B's and U.D's	-	-	-	22	40	-	2	-	-	923	-	-	-	-	20	1	10	9	-	-
Total R.D's	-	-	2	74	27	-	6	-	2	1,155	-	-	-	-	21	2	49	6	-	2
***Surrey**	-	3	2	252	316	-	26	4	441	13,446	-	-	1	5	48	103	121	126	1	29
*Total M.B's and U.D's	-	2	2	209	192	-	17	4	343	10,395	-	-	1	5	26	103	92	103	1	22
Total R.D's	-	1	-	43	124	-	9	-	98	3,051	-	-	-	-	22	-	29	23	-	7
Sussex, East	1	-	4	290	178	-	24	5	122	10,085	-	-	2	2	62	53	258	88	-	22
Total C.B's	-	-	3	168	71	-	15	4	30	3,707	-	-	-	-	37	27	214	43	-	12
Brighton C.B.	-	-	1	148	62	-	8	4	21	2,546	-	-	-	-	33	13	147	26	-	5
Eastbourne C.B.	-	-	-	14	1	-	5	-	8	626	-	-	-	-	2	14	3	8	-	2
Hastings C.B.	-	-	2	6	8	-	2	-	1	535	-	-	-	-	2	-	64	9	-	5
Total M.B's and U.D's	1	-	1	61	62	-	6	-	72	3,214	-	-	2	-	8	19	16	25	-	6
Total R.D's	-	-	-	61	45	-	3	1	20	3,164	-	-	-	2	17	7	28	20	-	4
***Sussex, West**	1	-	2	136	266	-	11	-	125	5,685	-	-	-	-	26	51	19	30	-	5
*Total M.B's and U.D's	1	-	2	78	193	-	6	-	71	3,195	-	-	-	-	3	36	6	19	-	3
Total R.D's	-	-	-	58	73	-	5	-	54	2,490	-	-	-	-	23	15	13	11	-	2
***Warwickshire**	13	8	16	965	1,450	-	120	260	1,545	19,470	1	-	6	6	257	217	154	735	5	188
*Total C.B's	13	6	16	727	1,130	-	94	256	1,274	14,423	1	-	6	5	191	174	124	651	5	155
*Birmingham C.B.	13	4	10	561	778	-	56	254	648	9,783	-	-	5	4	109	163	94	536	5	118
Coventry C.B.	-	1	6	130	258	-	30	2	623	2,960	1	-	1	1	70	8	23	107	-	35
Solihull C.B.	-	1	-	36	94	-	8	-	3	1,680	-	-	-	-	12	3	7	8	-	2
Total M.B's and U.D's	-	1	-	155	198	-	20	-	211	2,844	-	-	-	-	25	15	4	63	-	26
Total R.D's	-	1	-	83	122	-	6	4	60	2,203	-	-	-	1	41	28	26	21	-	7
Westmorland	1	1	-	7	35	-	2	-	13	499	-	-	-	-	5	-	-	3	-	-
Total M.B's and U.D's	1	1	-	-	7	-	2	-	-	319	-	-	-	-	-	-	-	-	-	-
Total R.D's	-	-	-	7	28	-	-	-	13	180	-	-	-	-	5	-	-	3	-	-
Wight, Isle of	-	-	2	22	75	-	3	-	4	1,013	-	-	-	-	-	1	8	5	-	1
Total M.B's and U.D's	-	-	2	19	18	-	1	-	2	842	-	-	-	-	-	-	8	5	-	1
Isle of Wight R.D.	-	-	-	3	57	-	2	-	2	171	-	-	-	-	-	1	-	-	-	-
Wiltshire	-	2	1	161	237	-	10	-	376	4,390	1	-	-	-	44	13	83	76	1	17
Total M.B's and U.D's	-	2	-	59	119	-	8	-	121	2,363	1	-	-	-	20	9	29	38	1	6
Total R.D's	-	-	1	102	118	-	2	-	255	2,027	-	-	-	-	24	4	54	38	-	11
***Worcestershire**	2	3	2	329	337	-	11	13	35	5,948	-	-	-	1	113	23	41	154	5	27
*Total C.B's	1	-	1	179	148	-	7	13	17	2,003	-	-	-	1	80	4	26	90	2	24
*Warley C.B.	-	-	1	105	85	-	5	8	11	1,071	-	-	-	1	51	2	14	74	2	20
Worcester C.B.	1	-	-	74	63	-	2	5	6	932	-	-	-	-	29	2	12	16	-	4
Total M.B's and U.D's	1	2	1	123	153	-	3	-	16	2,617	-	-	-	-	15	17	14	49	1	2
Total R.D's	-	1	-	27	36	-	1	-	2	1,328	-	-	-	-	18	2	1	15	2	1
Yorkshire, East Riding	1	2	10	234	862	-	20	14	276	4,160	-	-	-	-	327	13	47	96	-	10
Kingston upon Hull C.B.	1	1	3	144	676	-	15	14	145	1,216	-	-	-	-	307	10	8	77	-	6
Total M.B's and U.D's	-	1	6	40	77	-	2	-	123	1,486	-	-	-	-	4	1	32	13	-	2
Total R.D's	-	-	1	50	109	-	3	-	8	1,458	-	-	-	-	16	2	7	6	-	2

* Anthrax cases notified:- Suffolk, East 1: Deben R.D. 1. Surrey 1: Chertsey U.D. 1. Sussex, West 1: Chichester M.B. 1. Warwickshire 1: Birmingham C.B. 1. Worcestershire 1: Warley C.B. 1.

TABLE 31 - *continued*

Area	Typhoid fever	Paratyphoid fever	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute poliomyelitis		Acute encephalitis		Acute pneumonia (primary and influenzal)	Puerperal pyrexia	Food poisoning	Tuberculosis		
											Paralytic	Non-paralytic	Infective	Post-infectious				Respiratory	Meninges and C.N.S.	Other
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
Yorkshire, North Riding	1	3	8	165	597	-	6	5	323	4,356	2	-	4	-	27	8	137	113	-	13
Middlesbrough C.B.	-	-	4	37	118	-	2	3	175	976	-	-	3	-	9	3	105	55	-	4
Total M.B's and U.D's	-	-	3	41	177	-	2	2	107	1,696	2	-	1	-	9	5	9	51	-	5
Total R.D's	1	3	1	87	302	-	2	-	41	1,684	-	-	-	-	9	-	23	7	-	4
*Yorkshire, West Riding	14	9	37	2,143	3,887	1	139	23	2,807	27,652	1	-	18	11	965	261	351	1,019	7	192
*Total C.B's	14	8	27	997	2,098	1	76	19	2,450	14,112	-	-	14	8	711	234	295	744	4	145
Barnsley C.B.	-	-	6	72	126	-	2	-	192	1,009	-	-	-	-	60	10	8	23	-	5
*Bradford C.B.	8	2	3	148	189	-	15	6	884	1,716	-	-	3	5	186	4	45	168	3	43
Dewsbury C.B.	-	-	2	2	41	-	-	-	33	322	-	-	-	-	-	-	1	16	-	7
Doncaster C.B.	-	-	2	23	26	-	1	-	3	613	-	-	-	-	1	80	-	25	-	2
Halifax C.B.	-	-	-	26	18	-	2	-	20	267	-	-	-	-	2	-	2	40	-	5
Huddersfield C.B.	3	1	3	71	120	-	3	-	86	1,102	-	-	9	3	21	1	17	104	-	30
*Leeds C.B.	1	1	6	283	763	-	14	8	889	3,292	-	-	-	-	273	87	165	199	-	19
Rotherham C.B.	-	-	-	47	213	-	8	-	10	418	-	-	-	-	15	14	1	13	-	1
Sheffield C.B.	2	3	2	240	431	1	27	5	249	4,066	-	-	2	-	146	27	38	133	1	27
Wakefield C.B.	-	1	1	22	22	-	2	-	-	69	-	-	-	-	-	9	1	10	-	3
York C.B.	-	-	2	63	149	-	2	-	84	1,238	-	-	-	-	7	2	17	13	-	3
Total M.B's and U.D's	-	1	9	734	1,000	-	42	3	223	9,066	1	-	3	2	218	20	48	220	3	29
Total R.D's	-	-	1	412	789	-	21	1	134	4,474	-	-	1	1	36	7	8	55	-	18
*WALES	3	5	15	798	1,445	-	56	10	277	20,133	-	1	-	9	264	74	323	593	4	132
Anglesey	-	1	-	5	27	-	-	-	12	813	-	-	-	1	1	-	2	6	1	3
Total M.B's and U.D's	-	-	-	-	8	-	-	-	3	109	-	-	-	1	-	-	-	3	-	1
Total R.D's	-	1	-	5	19	-	-	-	9	704	-	-	-	-	1	-	2	3	1	2
Breconshire	-	-	1	8	4	-	1	-	12	513	-	-	-	-	1	-	-	20	-	3
Total M.B's and U.D's	-	-	-	5	1	-	1	-	-	307	-	-	-	-	1	-	-	6	-	-
Total R.D's	-	-	1	3	3	-	-	-	12	206	-	-	-	-	-	-	-	14	-	3
Caernarvonshire	-	-	-	63	20	-	2	-	2	1,486	-	-	-	-	-	8	40	67	-	11
Total M.B's and U.D's	-	-	-	51	11	-	-	-	2	1,121	-	-	-	-	-	8	24	44	-	9
Total R.D's	-	-	-	12	9	-	2	-	-	365	-	-	-	-	-	-	16	23	-	2
Cardiganshire	-	-	-	7	2	-	-	1	4	310	-	-	-	1	27	-	4	16	-	2
Total M.B's and U.D's	-	-	-	1	-	-	-	-	1	89	-	-	-	1	15	-	3	8	-	2
Total R.D's	-	-	-	6	2	-	-	1	3	221	-	-	-	-	12	-	1	8	-	-
Carmarthenshire	-	-	-	40	83	-	4	2	17	1,029	-	-	-	-	33	3	1	32	-	11
Total M.B's and U.D's	-	-	-	22	26	-	1	2	11	599	-	-	-	-	24	1	-	9	-	2
Total R.D's	-	-	-	18	57	-	3	-	6	430	-	-	-	-	9	2	1	23	-	9

* Anthrax cases notified:- Yorkshire, West Riding 2: Bradford C.B. 1; Leeds C.B. 1.

TABLE 31 - *continued*

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
Denbighshire	-	1	-	71	157	-	2	2	14	1,387	-	1	-	-	15	5	73	43	-	10
Total M.B's and U.D's	-	1	-	43	90	-	2	2	8	860	-	1	-	-	6	5	71	29	-	3
Total R.D's	-	-	-	28	67	-	-	-	6	527	-	-	-	-	9	-	2	14	-	7
Flintshire	-	-	1	21	89	-	4	-	19	882	-	-	-	-	25	4	5	15	-	8
Total M.B's and U.D's	-	-	-	10	44	-	2	-	17	469	-	-	-	-	12	-	2	8	-	2
Total R.D's	-	-	1	11	45	-	2	-	2	413	-	-	-	-	13	4	3	7	-	6
*Glamorganshire	2	3	9	450	631	-	31	3	128	8,683	-	-	-	6	140	54	145	287	2	61
*Total C.B's	2	-	4	195	237	-	8	3	72	3,392	-	-	-	5	43	20	84	112	-	27
*Cardiff C.B.	2	-	1	71	84	-	2	3	64	1,948	-	-	-	5	39	4	61	77	-	16
Merthyr Tydfil C.B.	-	-	-	9	31	-	1	-	-	223	-	-	-	-	-	-	-	3	-	2
Swansea C.B.	-	-	3	115	122	-	5	-	8	1,221	-	-	-	-	4	16	23	32	-	9
*Total M.B's and U.D's	-	2	3	177	245	-	20	-	31	4,116	-	-	-	1	70	25	51	123	-	25
Total R.D's	-	1	2	78	149	-	3	-	25	1,175	-	-	-	-	27	9	10	52	2	9
Merionethshire	-	-	2	-	25	-	-	-	14	221	-	-	-	-	1	-	-	13	-	1
Total U.D's	-	-	2	-	8	-	-	-	5	121	-	-	-	-	-	-	-	9	-	-
Total R.D's	-	-	-	-	17	-	-	-	9	100	-	-	-	-	1	-	-	4	-	1
Monmouthshire	1	-	2	91	352	-	11	2	49	3,075	-	-	-	-	14	-	48	70	1	19
Newport C.B.	-	-	2	40	174	-	4	-	15	961	-	-	-	-	5	-	33	15	1	5
Total M.B's and U.D's	-	-	-	42	155	-	5	2	34	1,778	-	-	-	-	8	-	10	44	-	13
Total R.D's	1	-	-	9	23	-	2	-	-	336	-	-	-	-	1	-	5	11	-	1
Montgomeryshire	-	-	-	5	18	-	-	-	2	336	-	-	-	-	1	-	-	6	-	1
Total M.B's and U.D's	-	-	-	-	-	-	-	-	-	181	-	-	-	-	1	-	-	4	-	1
Total R.D's	-	-	-	5	18	-	-	-	2	155	-	-	-	-	-	-	-	2	-	-
Pembrokeshire	-	-	-	37	35	-	1	-	4	1,236	-	-	-	-	6	-	5	17	-	2
Total M.B's and U.D's	-	-	-	35	21	-	1	-	2	803	-	-	-	-	5	-	1	14	-	-
Total R.D's	-	-	-	2	14	-	-	-	2	433	-	-	-	-	1	-	4	3	-	2
Radnorshire	-	-	-	-	2	-	-	-	-	162	-	-	-	1	-	-	-	1	-	-
Total U.D's	-	-	-	-	2	-	-	-	-	114	-	-	-	-	-	-	-	-	-	-
Total R.D's	-	-	-	-	-	-	-	-	-	48	-	-	-	1	-	-	-	1	-	-

* Anthrax cases notified:- Glamorganshire 4: Cardiff C.B. 2; Pontypridd U.D. 2.

SUMMARY

Smallpox cases notified: Original - England and Wales 1: South Eastern 1: Greater London 1: South West Metropolitan Hospital Region 1:

Final - England and Wales 2: South Eastern 2: Greater London 2: South West Metropolitan Hospital Region 2:

Anthrax cases notified: Original - England and Wales 18: Yorkshire and Humberside 2: West Yorkshire Conurbation 2: North Western 3: South East Lancashire Conurbation 1: Merseyside Conurbation 2: East Midland 2: West Midland 2: West Midlands Conurbation 2: East Anglia 1: South Eastern 5: Greater London 2: Remainder of South Eastern 3: Wales I (South East) 3: Sheffield Hospital Region 4: East Anglia Hospital Region 1: North East Metropolitan Hospital Region 1: South East Metropolitan Hospital Region 2: South West Metropolitan Hospital Region 2: Welsh Hospital Region 3: Birmingham Hospital Region 2: Manchester Hospital Region 3:

Final - England and Wales 19: Yorkshire and Humberside 2: West Yorkshire Conurbation 2: North Western 3: South East Lancashire Conurbation 1: Merseyside Conurbation 2: East Midland 2: West Midland 2: West Midlands Conurbation 2: East Anglia 1: South Eastern 5: Greater London 2: Remainder of South Eastern 3: Wales I (South East) 4: Sheffield Hospital Region 4: East Anglia Hospital Region 1: North East Metropolitan Hospital Region 1: South East Metropolitan Hospital Region 2: South West Metropolitan Hospital Region 2: Welsh Hospital Region 4: Birmingham Hospital Region 2: Manchester Hospital Region 3:

TABLE 31 SUPPLEMENT. Corrected notifications and deaths assigned to a few uncommon infectious diseases, 1967

England and Wales

Notifications

ICD No.	Disease	Administrative area of assignment	County	Number of cases	
				Males	Females
043	Cholera	-	-	-	-
058	Plague	-	-	-	-
071	Relapsing fever	-	-	-	-
084	Smallpox	Wandsworth L.B.	Greater London	-	2
100-108	Typhus fever	-	-	-	-
110-117	Malaria (contracted in England and Wales)	-	-	-	-

Deaths

ICD No.	Disease		Administrative area of assignment	County	Date of Death
043	Cholera	M	-	-	-
		F	-	-	-
044	Brucellosis	M	Liverpool	Lancashire	26th January
		F	Stockport	Cheshire	14th January
055	Diphtheria	M	-	-	-
		F	-	-	-
058	Plague	M	-	-	-
		F	-	-	-
062	Anthrax	M	Bradford	Yorkshire, West Riding	29th March
		M	Manchester	Lancashire	23rd October
		F	-	-	-
071	Relapsing fever	M	-	-	-
		F	-	-	-
084	Smallpox	M	-	-	-
		F	-	-	-
094	Rabies	M	-	-	-
		F	Dartford	Kent	30th August
100-108	Typhus and other rickettsial diseases	M	-	-	-
		F	-	-	-
132	Actinomycosis	M	-	-	-
		F	-	-	-

TABLE 32. Quarterly air temperature, rainfall and sunshine, 1967

England and Wales

Note. The averages used for rainfall and rain-days are for the period 1916-50, while those for temperature and sunshine are for 1931-60

District	Air temperature (°F)			Rainfall		Sunshine	Air temperature (°F)			Rainfall		Sunshine
	Highest	Lowest	Difference from average daily mean	Percentage of average	Number of days difference from average	Percentage of average	Highest	Lowest	Difference from average daily mean	Percentage of average	Number of days difference from average	Percentage of average
	Quarter ended 31st March						Quarter ended 30th June					
England N.E.	66	15	+2·2	82	-8	127	76	19	-1·4	108	+8	86
England E.	67	13	+2·6	75	-6	126	78	18	-1·1	128	+4	91
Midland Counties	67	16	+2·4	94	-4	145	80	19	-1·1	123	+5	94
England S.E.	64	15	+2·3	111	-5	128	79	21	-0·9	149	+4	94
England N.W. and North Wales	65	10	+2.0	87	0	126	79	15	-1.0	138	+6	91
England S.W. and South Wales	65	16	+1.5	116	-2	114	79	21	-0.8	100	0	91
Mean	-	-	+2·2	94	-4	128	-	-	-1·1	124	+5	91
	Quarter ended 30th September						Quarter ended 31st December					
England N.E.	85	33	0·0	98	-1	98	69	13	-1·1	104	-5	126
England E.	86	31	+0·4	84	-1	97	69	12	-0·7	116	+5	118
Midland Counties	86	32	+0·2	93	+3	96	68	12	-0·5	112	+6	130
England S.E.	86	34	+0·4	99	0	99	70	8	-0·4	106	+6	113
England N.W. and North Wales	81	31	-0.1	122	+5	99	67	8	-0.7	119	+7	126
England S.W. and South Wales	83	34	-0.4	116	+5	95	69	12	-0.8	107	+8	103
Mean	-	-	+0·1	102	+2	97	-	-	-0·7	111	+5	119
	Year 1967											
England N.E.	85	13	-0·2	104	-7	105						
England E.	86	12	+0·2	101	+3	101						
Midland Counties	86	12	+0·2	104	+10	108						
England S.E.	86	8	+0·4	110	+6	104						
England N.W. and North Wales	81	8	+0·2	116	+18	105						
England S.W. and South Wales	83	12	-0·2	109	+13	99						
Mean	-	-	+0·1	107	+7	104						

TABLE 33. Rainfall, mean temperature and sunshine, 1914 to 1967

England and Wales

Year	Fall of rain in inches	Departure from average of 35 years (1916-1950)	Mean temperature of the air at sea level	Departure from average of 30 years (1921-1950)	Mean daily sunshine	Departure from average of 30 years (1921-1950)
	ins.	ins.	F.	F.	hours	hours
1914	38·1	+ 2·5	50·7	+0·6	4·27	+0·30
1915	38·8	+ 3·2	49·0	-1·1	4·10	+0·13
1916	40·1	+ 4·5	49·4	-0·7	3·61	-0·36
1917	34·5	- 1·1	48·3	-1·8	4·03	+0·06
1918	37·7	+ 2·1	50·0	-0·1	4·08	+0·11
1919	37·0	+ 1·4	48·2	-1·9	4·01	+0·04
1920	38·4	+ 2·8	50·2	+0·1	3·66	-0·31
1921	24·7	-10·9	51·8	+1·7	4·60	+0·63
1922	37·1	+ 1·5	48·7*	-1·4*	4·02	+0·05
1923	39·8	+ 4·2	49·2	-0·9	3·87	-0·10
1924	42·3	+ 6·7	49·5	-0·6	3·75	-0·22
1925	37·3	+ 1·7	49·4	-0·7	4·09	+0·12
1926	35·9	- 0·3	50·3	+0·2	3·77	-0·20
1927	43·3	+ 7·7	49·4	-0·7	3·61	-0·36
1928	40·4	+ 4·8	50·1	0·0	4·12	+0·15
1929	35·2	- 0·4	49·1	-1·0	4·52	+0·55
1930	41·4	+ 5·8	50·0	-0·1	3·84	-0·13
1931	38·4	+ 2·8	49·2	-0·9	3·60	-0·37
1932	36·3	+ 0·7	49·9	-0·2	3·53	-0·44
1933	28·6	- 7·1	50·6	+0·5	4·42	+0·45
1934	33·5	- 2·1	50·9	+0·8	4·08	+0·11
1935	39·8	+ 4·2	50·5	+0·4	4·13	+0·16
1936	38·4	+ 2·8	49·8	-0·3	3·56	-0·41
1937	38·8	+ 3·2	50·1	0·0	3·46	-0·51
1938	34·9	- 0·7	51·0	+0·9	3·84	-0·13
1939	39·9	+ 4·3	50·3	+0·2	3·97	0·00
1940	35·6	0·0	49·3	-0·8	4·18	+0·21
1941	33·8	- 1·8	49·2	-0·9	3·67	-0·30
1942	33·1	- 2·5	49·2	-0·9	3·90	-0·07
1943	32·8	- 2·8	51·0	+0·9	4·25	+0·29
1944	35·3	- 0·3	50·1	0·0	3·73	-0·24
1945	32·8	- 2·8	51·4	+1·3	3·81	-0·15
1946	41·6	+ 6·0	50·0	-0·1	3·83	-0·14
1947	32·4	- 3·2	50·1	0·0	3·97	0·00
1948	37·5	+ 1·9	50·9	+0·8	4·12	+0·16
1949	30·9	- 4·7	51·9	+1·8	4·63	+0·66
1950	40·2	+ 4·6	50·1	0·0	3·94	-0·02
1951	43·7	+ 8·1	49·7	-0·4	3·98	+0·01
1952	35·5	- 0·1	49·5	-0·6	4·10	+0·13
1953	29·8	- 5·8	50·7	+0·6	4·04	+0·08
1954	42·7	+ 7·1	49·6	-0·5	3·52	-0·44
1955	30·9	- 4·7	49·7	-0·4	4·47	+0·51
1956	34·0	- 1·6	48·9	-1·2	3·88	-0·08
1957	35·7	+ 0·1	51·0	+0·9	4·04	+0·08
1958	40·5	+ 4·9	49·8	-0·3	3·52	-0·44
1959	28·4	- 7·2	51·7*	+1.6*	4·67*	+0.71*
1960	46·1	+10·5	50·4	+0·3	3·84	-0·12
1961	34·7	- 1.2	50·9	+0·8	4·12	+0·16
1962	31·1	- 4·5	48·6	-1·5	4·16	+0·20
1963	33·5	- 2·1	48·2	-1·9	3·87	-0·09
1964	27·8	- 7·8	50·2	+0·1	3·83	-0·13
1965	39·1	+ 3·5	49·1	-1·2	3·67	-0·28
1966	40·3	+ 4·7	50·2	+0·1	3·63	-0·33
1967	38·7	+ 3·1	50·5	+0·4	4·11	+0·15

* Corrected figures.

TABLE 34. Meteorological observations, 1967

Kew Observatory, Richmond

Month	Temperature of the air				Rain collected in a gauge having a receiving surface 12 inches above the ground		Sunshine registered in hours		Atmospheric pollution	
	Highest for month	Lowest for month	Mean daily value	Departure from average of 90 years	Total	Departure from average of 90 years	Total	Departure from average of 80 years	Maximum for month	Mean
	°F	°F	°F	°F	ins.	ins.	hours	hours	mg/m$_3$	mg/m$_3$
January	55.9	26.4	41.5	+2.0	1.24	-0.74	63.8	+20.1	290	56
February	55.9	30.0	43.9	+3.8	2.03	+0.48	86.3	+26.2	411	53
March	62.2	32.7	46.7	+3.5	1.43	-0.12	170.1	+63.0	106	18
April	69.3	29.5	47.5	-0.2	1.91	+0.24	144.4	- 8.4	138	25
May	77.5	29.8	53.5	-0.4	3.87	+2.13	191.0	- 9.4	164	16
June	75.9	42.8	59.8	+0.2	2.07	+0.90	213.9	+10.2	80	18
July	84.7	49.3	66.1	+3.0	2.21	-0.20	244.8	+46.4	75	13
August	78.4	48.9	63.1	+0.9	1.61	-0.73	187.1	+ 1.1	91	19
September	71.6	42.1	58.7	+1.0	2.25	+0.25	120.5	-22.7	129	24
October	68.9	36.1	53.7	+3.3	3.56	+1.12	96.9	+ 1.6	143	21
November	59.7	28.8	43.7	-0.4	1.37	-0.99	68.2	+33.8	409	61
December	55.8	20.7	41.0	+0.4	2.12	-0.05	56.1	+17.9	191	53
Means	-	-	51.6	+1.4	SUM 25.67	+0.19	SUM 1643.1	+15.0	-	31

Additional meteorological information may be obtained from the Monthly Weather Reports and Annual Report of the Meteorological Office, and the annual volume of the British Rainfall Organisation, published by Her Majesty's Stationery Office.

APPENDIX A. Standardised Mortality Ratios (based on United Kingdom and Irish Republic experience), age, specific death rates and infant mortality rates from selected causes and estimated mid-year populations, **1967**

ICD No.	Causes of death	Country	S.M.R.		Death rates per million population								Deaths under 1 year per thousand live births		ICD No.
			All ages		All ages		1-4		5-14		15-24				
			M	F	M	F	M	F	M	F	M	F	M	F	
	All causes	**England and Wales**	**99**	**98**	**11,764**	**10,687**	**832.4**	**703.9**	**432.6**	**283.9**	**963.6**	**418.1**			
		Scotland	**110**	**111**	**12,277**	**10,738**	**991.3**	**685.0**	**494.8**	**312.3**	**964.8**	**438.0**			
		Northern Ireland	**97**	**103**	**10,631**	**9,086**	**1,021**	**675.2**	**504.1**	**175.2**	**862.1**	**360.8**			
		Irish Republic	**96**	**112**	**11,701**	**9,957**	**931.5**	**650.1**	**451.7**	**292.3**	**858.4**	**354.7**			
001-008	Tuberculosis of respiratory system	England and Wales	95	89	56.1	19.1	2·33	-	-	-	1·67	0·86	0·00	0·00	001-008
		Scotland	110	131	61.1	26.7	-	-	-	-	-	5·15			
		Northern Ireland	98	100	50.9	18·3	-	-	-	-	8·62	-			
		Irish Republic	174	272	98.2	48.5	-	-	-	-	4·29	-			
010-019	Tuberculosis, other forms	England and Wales	92	89	4.75	5.32	2·91	5·52	-	0·58	0·56	0·57	0·01	-	010-019
		Scotland	82	104	4·02	5·93	-	5·35	-	2·35	-	-	0·02	-	
		Northern Ireland	117	173	5·50	9·16	-	16·1	-	-	-	-	-	-	
		Irish Republic	254	265	12·4	13·9	7·70	16·1	10·0	-	-	-	-	-	
020-029	Syphilis and its sequelae	England and Wales	111	107	21.2	14.1	-	-	0·28	0·29	0·28	-	-	0.00	020-029
		Scotland	58	63	10.4	7.41	-	-	-	-	-	-	-	-	
		Northern Ireland	56	112	9·63	11·8	-	-	-	-	-	-	-	-	
		Irish Republic	11	20	2·06	2·08	-	-	-	-	-	-	-	-	
057	Meningococcal infections	England and Wales	77	97	1.74	1.57	5·83	6·75	1·11	0·29	-	0·29	-	-	057
		Scotland	266	133	6·43	2·22	35·6	10·7	-	-	-	-	-	-	
		Northern Ireland	200	208	5·50	3·93	15·0	16·1	6·91	-	-	-	-	-	
		Irish Republic	103	37	2·75	0·69	7·70	-	6·69	-	-	-	-	-	
080	Acute poliomyelitis	England and Wales	-	-	-	-	-	-	-	-	-	-	-	-	080
		Scotland	-	-	-	-	-	-	-	-	-	-	-	-	
		Northern Ireland	-	-	-	-	-	-	-	-	-	-	-	-	
		Irish Republic	-	-	-	-	-	-	-	-	-	-	-	-	
Rem. 001-138	Other infective and parasitic diseases	England and Wales	89	92	19.3	20.9	35.6	30.1	8.88	8.17	7.23	4·57	0·18	0·14	Rem. 001-138
		Scotland	132	130	28.5	28.5	50·8	37·5	6·72	11·7	12·8	2·58	0·38	0·41	
		Northern Ireland	192	161	42.6	35.3	45·1	48·2	13·8	21·9	-	8·59	0·58	0·43	
		Irish Republic	176	148	39.8	32.6	46·2	24·1	20·1	24·4	17·2	4·49	0·25	0·24	
140-148	Malignant neoplasm of - buccal cavity and pharynx	England and Wales	93	96	39.9	24.7	1·17	-	-	1·46	0·56	0·57	1·66	1·04	140-148
		Scotland	129	128	51.8	30.4	-	-	-	4·70	2·57	-	-	-	
		Northern Ireland	131	155	50.9	32.7	-	-	-	-	-	8·59	-	-	
		Irish Republic	149	100	65.3	20.8	-	-	-	-	4·29	-	-	-	
150	oesophagus	England and Wales	98	96	64.6	49.5	-	-	-	-	-	-	0·33	0·69	150
		Scotland	126	119	77.6	56.3	-	-	-	-	2·57	-	-	-	
		Northern Ireland	89	107	52.3	44.5	-	-	-	-	-	-	-	-	
		Irish Republic	89	147	58.4	60.3	-	-	-	-	-	-	-	-	
151	stomach	England and Wales	99	97	315.8	221.4	-	-	0·28	-	1·67	1·14	9·60	8·64	151
		Scotland	113	113	340.7	232.8	-	-	-	-	-	-	13·5	3·25	
		Northern Ireland	97	95	276.5	172·8	-	-	-	-	8·62	8·59	-	11·5	
		Irish Republic	104	131	329.0	237.1	-	-	3·35	-	-	4·49	26·5	20·3	
153	large intestine	England and Wales	98	98	163.6	228.9	-	-	-	-	1·39	0·86	3·64	8·64	153
		Scotland	124	119	194.1	252.4	-	-	-	-	-	-	10·1	6·50	
		Northern Ireland	90	100	134.8	188.5	-	-	-	-	-	-	47·1	34·4	
		Irish Republic	96	109	161.4	203.8	-	-	-	3·48	4·29	4·49	6·63	27·0	
154	rectum	England and Wales	102	101	129.1	105.9	-	-	-	-	0·83	-	2·98	4·49	154
		Scotland	103	105	122.6	100·8	-	-	-	-	-	-	-	6·57	
		Northern Ireland	93	88	105.9	74.6	-	-	-	-	-	-	-	48·3	
		Irish Republic	89	81	83.1	67.9	-	-	-	-	4·29	-	19·9	6·75	
161	larynx	England and Wales	99	90	25.3	5.88	-	-	-	-	0·56	0·29	0·66	-	161
		Scotland	105	128	25.3	7.78	-	-	-	-	-	-	3·38	-	
		Northern Ireland	78	218	17·9	11·8	-	-	-	-	-	-	-	-	
		Irish Republic	121	197	30.9	10·4	-	-	-	-	-	-	-	-	
162,163	trachea, bronchus, and lung	England and Wales	103	101	999.3	189.5	1·17	-	-	0·58	4·18	1·71	14·2	7·95	162, 163
		Scotland	115	109	1,058	191.3	-	-	-	-	5·13	2·58	44·0	9·75	
		Northern Ireland	64	68	540.6	106.0	-	-	-	-	8·62	-	11·8	11·5	
		Irish Republic	48	76	441.0	114.4	-	-	-	-	-	4·49	6·63	-	
170	breast	England and Wales	104	102	3·73	412.0	-	-	-	-	-	1·43	-	41·8	170
		Scotland	95	93	3.21	349.9	-	-	-	-	-	-	-	35·7	
		Northern Ireland	87	80	2·75	270.9	-	-	-	-	-	-	-	45·9	
		Irish Republic	39	89	1·37	292.5	-	-	-	-	-	-	-	33·8	
171	cervix uteri	England and Wales	-	102	-	98.6	-	0·61	-	-	-	0·57	-	11·1	171
		Scotland	-	102	-	92.7	-	-	-	-	-	-	-	16·2	
		Northern Ireland	-	69	-	56.3	-	-	-	-	-	8·59	-	11·5	
		Irish Republic	-	65	-	51.3	-	-	-	-	-	-	-	-	
172	corpus uteri	England and Wales	-	100	-	43.1	-	0.61	-	-	-	-	0·33	-	172
		Scotland	-	116	-	46.3	-	-	-	-	-	-	-	-	
		Northern Ireland	-	19	-	6·54	-	-	-	-	-	-	-	-	
		Irish Republic	-	101	-	34.7	-	-	-	-	-	-	-	13·5	
177	prostate	England and Wales	101	-	165·0	-	-	-	0·28	-	-	-	0·33	-	177
		Scotland	101	-	153.5	-	-	-	-	-	-	-	-	-	
		Northern Ireland	80	-	122.4	-	-	-	-	-	-	-	-	-	
		Irish Republic	95	-	172	-	-	-	-	-	-	-	-	-	

Death rates per million population														Deaths under 1 year per thousand live births		ICD No.
25-34		35-44		45-54		55-64		65-74		75-84		85 and over				
M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
994.6	636.5	2,300	1,673	6,875	4,230	20,593	10,013	51,127	27,132	112,398	75,314	238,634	192,059	20.3	16.3	
1,457	633.5	3,047	2,046	8,546	5,098	23,770	12,034	55,110	31,390	117,216	82,374	240,562	205,588	23.3	18.6	
1,001	837.2	2,497	1,718	7,628	4,079	19,797	10,713	48,165	29,863	107,430	78,727	218,571	181,587	24.6	22.0	
1,220	824	2,270	1,804	7,086	5,135	18,997	11,901	48,222	31,912	104,049	83,907	231,149	207,597	27.3	21.6	
4·97	3·80	24.6	17.0	55.0	27.3	131.6	31.7	295.7	43.0	321.9	88.7	214.6	88.4	0·00	0·00	001-008
10·1	22·7	39·4	25·0	66.9	48·5	181.4	52.8	297.7	46·5	289·1	53·4	199·2	224·2	-	-	
-	-	36·2	22·6	37·1	23·3	86·8	51·0	412·8	17·4	279·3	181·8	285·7	-	-	-	
19·9	-	58·0	38·1	120.4	104·2	207.7	147.9	596.1	167·9	469.8	129·6	229·9	77·5	-	0·03	
3·31	3·80	4·20	2·33	5·24	6.35	9.82	6·21	14.4	14.0	18·1	18.3	9·76	29·5	0·01	-	010-019
-	-	6·57	-	10·0	12·1	3·56	9·32	19·0	12·7	-	35·6	-	-	0·02	-	
-	-	12·1	11·3	-	11·7	14·5	-	-	51·3	-	36·4	571·4	-	-	-	
6·63	13·5	6·45	12·7	30·1	24·5	28·7	29·6	30·8	37·3	-	37·0	-	-	-	-	
1·66	0·69	3·23	1·33	8.85	4·13	38.2	15.7	131.2	47.8	195.5	104.2	204.6	169.4	-	0.00	020-029
-	-	3·28	-	10·0	3·03	32·0	12·4	44·3	29·6	85·0	62·3	99·6	44·8	-	-	
-	-	-	-	12·4	-	28·9	12·7	45·9	68·4	111·7	109·1	-	158·7	-	-	
-	-	-	-	12·0	-	-	14·8	10·3	9·33	-	-	-	-	-	-	
-	-	0·32	1·00	0·66	0·95	0·36	0·98	1·26	1·32	-	-	-	-	0·05	0·03	057
-	-	3·28	-	-	-	3·56	3·11	-	-	-	-	-	-	0·14	0·06	
-	-	-	-	-	-	-	-	-	-	55·9	-	-	-	0·06	0·12	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	0·03	0·03	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	080
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4·97	6·91	10·0	11·3	18·0	15·2	25·8	26·5	36·4	32·9	50·9	60·0	136·6	154·7	0·18	0·14	Rem. 001-138
6·76	3·25	6·56	15·6	23·4	18·2	35·6	28·0	50·7	50·7	51·0	80·1	199·2	134·5	0·38	0·41	
47·1	-	24·1	-	49·4	35·0	43·4	12·7	68·8	102·6	-	109·1	-	-	0·58	0·43	
13·3	20·3	38·7	12·7	36·1	18·4	35·8	29·6	92·5	84·0	111·9	74·1	114·9	310·1	0·25	0·24	
1·66	1·04	10·7	9·64	31·8	17·5	76·7	42·1	163·2	68·5	407·4	151·8	800·0	191·5	-	-	140-148
-	-	9·85	6·24	26·8	24·3	103·1	68·3	215·4	88·8	629·2	151·3	1,693	448·5	-	-	
-	-	-	22·6	37·1	11·7	57·9	101·9	321·1	102·6	670·4	145·5	1,143	476·2	-	-	
-	-	12·9	-	36·1	30·6	107·4	29·6	256·9	111·9	894·9	129·6	689·7	155·0	-	-	
0·33	0·69	11·6	3·99	48·8	23·5	135·3	78·7	319·0	175·5	611·0	320·2	839·0	427·3	-	-	150
-	-	9·85	12·5	26·8	33·4	195·6	99·4	418·1	207·1	765·2	409·4	1,494	448·5	-	-	
-	-	-	11·3	37·1	35·0	173·7	101·9	229·4	256·4	558·7	181·8	857·1	317·5	-	-	
-	-	6·45	12·7	54·2	55·1	179·1	162·7	318·6	261·2	357·9	388·9	344·8	387·6	-	-	
9·60	8·64	39·4	25·6	210·0	94·6	746·2	288·4	1,665	752·1	2,684	1,574	2,966	2,236	-	-	151
13·5	3·25	65·7	25·0	294·5	75·8	818·1	357·2	1,875	811·6	2,993	1,905	3,387	3,274	-	-	
-	11·5	108·6	33·9	321·4	104·9	723·6	394·9	1,560	735·0	2,123	1,200	2,571	1,746	-	-	
26·5	20·3	64·5	44·5	246·8	147·1	881·1	392·0	1,675	979·5	2,617	2,148	2,299	2,558	-	-	
3·64	8·64	32·3	44·2	104·2	135·2	327·6	323·0	793·6	707·4	1,641	1,511	2,546	2,516	-	-	153
10·1	6·50	32·8	31·2	123·8	185·0	398·4	329·2	1,026	862·3	2,177	2,056	3,088	3,005	-	-	
47·1	34·4	24·1	33·9	111·2	98·2	347·3	382·2	573·4	666·7	1,508	1,745	2,000	2,063	-	-	
6·63	27·0	19·3	31·8	114·4	128·7	322·3	384·6	791·4	988·8	1,566	1,444	2,184	2,016	-	-	
2·98	4·49	25·9	20·3	73·7	65·1	260·0	157·8	622·6	342·7	1,303	647·9	2,185	1,138	-	-	154
-	6·50	6·57	21·8	123·8	78·8	281·0	155·3	627·1	350·8	1,224	720·9	1,594	1,032	-	-	
-	-	48·3	22·6	123·6	23·3	202·6	191·1	481·7	307·7	1,173	509·1	2,000	952·4	-	-	
19·9	6·75	25·8	12·7	60·2	73·5	193·4	103·6	380·3	307·8	626·4	537·0	1,264	542·6	-	-	
0·66	-	2·91	1·33	17·0	5·40	58·2	12·4	138·1	19·7	207·0	23·3	253·7	47·9	-	-	161
3·38	-	9·85	6·24	13·4	9·10	53·4	21·7	126·7	25·4	238·1	17·8	597·7	44·8	-	-	
-	-	-	-	-	35·0	14·5	38·2	160·6	17·1	223·5	72·7	285·7	-	-	-	
-	-	-	-	12·0	30·6	71·6	37·0	164·4	37·3	290·8	-	459·8	77·5	-	-	
14·2	7·95	141·9	52·9	828·0	218·0	2,920	442·6	5,602	662·6	5,327	679·6	3,161	541·4	-	-	162, 163
44·0	9·75	223·3	78·0	953·6	276·0	3,447	416·2	6,037	655·2	5,340	809·9	2,988	717·6	-	-	
11·8	11·5	72·4	11·3	568·6	174·8	1,780	318·5	3,509	393·2	3,464	509·1	285·7	317·5	-	-	
6·63	-	103·2	31·8	475·6	202·2	158·3	399·4	2,292	391·8	2,058	407·4	1,149	620·2	-	-	
-	41·8	0·65	231·7	3·28	582·1	10·9	866·5	14·4	1,079	31·2	1,529	39·0	2,306	-	-	170
-	35·7	-	152·9	-	561·0	3·56	754·7	31·7	1,124	17·0	1,397	99·6	1,480	-	-	
-	45·9	-	203·4	-	512·8	28·9	636·9	-	974·4	-	945·4	-	1,270	-	-	
-	33·8	-	216·0	6·02	667·9	-	658·3	10·3	970·1	-	1,148	-	1,473	-	-	
-	11·1	-	80·1	-	199·3	-	187·5	-	233·0	-	293·5	-	324·1	-	-	171
-	16·2	-	62·4	-	203·2	-	220·5	-	249·4	-	213·6	-	179·4	-	-	
-	11·5	-	90·4	-	104·9	-	152·9	-	85·5	-	218·2	-	158·7	-	-	
-	-	-	76·2	-	122·5	-	118·3	-	130·6	-	203·7	-	77·5	-	-	
-	0·35	-	4·65	-	31·1	-	97·0	-	170·3	-	182·6	-	195·2	-	-	172
-	-	-	9·36	-	21·2	-	102·5	-	219·8	-	240·3	-	134·5	-	-	
-	-	-	-	-	-	-	38·2	-	34·2	-	-	-	-	-	-	
-	13·5	-	12·7	-	67·4	-	74·0	-	167·9	-	111·1	-	77·5	-	-	
0·33	-	0·65	-	16·1	-	142·5	-	810·6	-	2,699	-	4,937	-	-	-	177
-	-	-	-	10·0	-	170·7	-	810·8	-	2,755	-	4,084	-	-	-	
-	-	-	-	-	-	72·4	-	596·3	-	2,291	-	4,857	-	-	-	
-	-	-	-	36·1	-	207·7	-	883·9	-	2,461	-	2,184	-	-	-	

APPENDIX A - *continued*

ICD No.	Causes of death	Country	S.M.R. All ages		Death rates per million population: All ages		1-4		5-14		15-24	
			M	F	M	F	M	F	M	F	M	F
181	Malignant neoplasm of bladder and other urinary organs	England and Wales	105	100	106·5	42·2	*0·58*	*1·84*	*0·28*	-	-	-
		Scotland	96	122	91·6	46·3	-	-	-	-	-	-
		Northern Ireland	69	82	63·3	27·5	-	-	-	-	-	-
		Irish Republic	44	62	45·3	20·8	-	-	-	-	-	-
204	Leukaemia and aleukaemia	England and Wales	101	100	65·7	54·6	42·6	29·4	30·0	23·1	18·9	14·0
		Scotland	96	108	60·3	55·6	*30·5*	*26·8*	*31·3*	*16·4*	*15·4*	*23·2*
		Northern Ireland	94	103	57·8	49·7	*45·0*	*64·3*	*48·3*	-	-	*43·0*
		Irish Republic	91	87	59·8	41·6	*61·6*	*24·1*	*50·2*	*13·9*	*8·58*	*13·5*
Rem. 140-205	Other malignant neoplasms	England and Wales	99	99	452·2	555·0	52·5	46·0	36·6	33·0	70·3	43·7
		Scotland	116	108	503·5	560·8	*35·6*	*58·9*	*38·1*	*32·9*	71·8	54·1
		Northern Ireland	93	99	379·6	459·4	75·1	80·4	41·4	14·6	103·4	68·7
		Irish Republic	101	102	445·8	466·5	*53·9*	*40·1*	*20·1*	*20·9*	*81·5*	40·4
140-205	All malignant neoplasms and neoplasms of the lymphatic and haemato-poietic tissues	England and Wales	101	100	2,531	2,031	98·9	78·5	67·4	58·1	98·4	64·2
		Scotland	113	107	2,683	2,023	*66·1*	*85·6*	69·4	54·0	97·5	79·2
		Northern Ireland	81	89	1,805	1,501	120·1	144·7	89·8	14·6	120·7	*137·4*
		Irish Republic	77	98	1,893	1,622	*115·5*	*64·2*	73·6	*38·3*	103·0	*67·4*
260	Diabetes mellitus	England and Wales	96	93	63·8	109·6	*1·17*	*1·23*	*2·50*	*2·33*	*4·17*	*4·00*
		Scotland	140	154	87·2	164·9	-	-	*2·24*	*4·70*	*10·3*	*12·9*
		Northern Ireland	89	126	53·6	119·1	-	-	-	*7·30*	-	-
		Irish Republic	105	124	71·4	117·1	-	-	*3·35*	-	-	-
290-293	Anaemias	England and Wales	95	97	23·5	42·5	*5·25*	*3·68*	*1·66*	*2·04*	*1·95*	*2·00*
		Scotland	118	111	27·3	42·6	-	*5·35*	*2·24*	*2·35*	*2·57*	*5·15*
		Northern Ireland	142	124	33·0	43·2	-	*16·1*	*6·91*	-	*8·62*	-
		Irish Republic	125	127	33·7	45·1	-	-	-	*3·48*	*8·58*	*8·98*
330-334	Vascular lesions affecting central nervous system	England and Wales	98	97	1,302	1,872	*8·74*	*3·68*	*3·61*	*4·96*	15·3	16·3
		Scotland	123	132	1,522	2,230	*5·08*	*16·1*	*6·72*	*7·04*	*18·0*	*10·3*
		Northern Ireland	100	102	1,234	1,545	*30·0*	-	-	-	*8·62*	*17·2*
		Irish Republic	90	103	1,289	1,593	*7·70*	*16·1*	*16·7*	-	*30·0*	*4·49*
345	Multiple sclerosis	England and Wales	94	90	12·9	17·5	*1·17*	-	-	*0·29*	*0·56*	*1·43*
		Scotland	123	176	16·1	33·0	-	-	-	-	-	*5·15*
		Northern Ireland	162	138	*19·3*	*23·6*	-	-	-	-	*8·62*	-
		Irish Republic	147	127	17·9	20·8	-	-	-	-	-	*4·49*
400-402, 410-416	Rheumatic fever and chronic rheumatic heart disease	England and Wales	98	99	83·6	151·4	*1·17*	-	*1·11*	*2·04*	*3·06*	*5·42*
		Scotland	113	110	90·4	157·9	-	*5·35*	*4·48*	*4·70*	*12·8*	*2·58*
		Northern Ireland	115	114	85·3	145·3	-	-	*13·8*	-	*8·62*	*17·2*
		Irish Republic	99	92	78·3	115·1	-	-	-	*6·96*	*12·9*	*18·0*
420	Arteriosclerotic heart disease, including coronary disease	England and Wales	99	98	2,962	1,832	-	-	-	*0·29*	*3·61*	*2·00*
		Scotland	119	124	3,354	2,078	-	-	-	*2·35*	*12·8*	*7·73*
		Northern Ireland	111	113	2,960	1,681	-	-	-	-	-	*8·59*
		Irish Republic	83	95	2,466	1,421	-	-	-	-	-	-
421,422, 430-434	Other heart diseases	England and Wales	96	97	782·1	1,201	*5·25*	*4·91*	*3·88*	*2·33*	13·3	6·56
		Scotland	99	102	752·2	1,065	*5·08*	-	*2·24*	*2·35*	*12·8*	*7·73*
		Northern Ireland	119	130	928·5	1,242	-	*16·1*	-	-	*8·62*	-
		Irish Republic	152	152	1,418	1,508	-	*8·03*	*3·35*	*3·48*	*4·29*	*13·5*
440-447	Hypertensive disease	England and Wales	98	96	205·3	256·5	-	-	-	*0·29*	*3·06*	*1·14*
		Scotland	109	117	214·2	273·2	-	*5·35*	-	-	-	-
		Northern Ireland	87	125	165·1	260·5	-	-	-	-	*8·62*	-
		Irish Republic	127	131	274·1	277·3	-	-	-	-	*8·58*	-
450-468	Other circulatory diseases	England and Wales	101	100	390·9	492·2	*2·33*	*0·61*	*0·83*	-	*5·00*	*7·13*
		Scotland	97	110	349·6	466·7	*5·08*	-	-	-	*2·57*	*5·15*
		Northern Ireland	93	88	337·0	337·7	-	-	-	-	-	-
		Irish Republic	89	96	378·5	379·8	-	-	-	-	*4·29*	-
480-483	Influenza	England and Wales	102	98	15·9	20·2	*0·58*	*0·61*	*0·55*	*0·88*	*0·56*	*0·86*
		Scotland	30	46	*4·42*	8·15	-	-	*2·24*	-	-	*2·58*
		Northern Ireland	66	122	*9·63*	*19·6*	-	-	-	-	*8·62*	-
		Irish Republic	189	234	31·6	38·8	-	-	-	-	-	-
490-493	Pneumonia	England and Wales	107	106	613·2	712·4	118·3	105·5	22·8	19·8	19·5	*13·7*
		Scotland	68	66	369·3	381·8	142·3	*101·7*	*6·72*	*21·1*	*25·7*	*2·58*
		Northern Ireland	55	63	312·2	342·9	*60·1*	*32·2*	*20·7*	*14·6*	*8·62*	*8·59*
		Irish Republic	65	72	422·4	399·9	*146·3*	*112·4*	*23·4*	*34·8*	*25·8*	*8·98*
500-502	Bronchitis	England and Wales	103	100	869·4	294·9	26·8	30·1	*4·72*	*4·38*	*4·45*	*6·28*
		Scotland	86	79	679·1	206·5	*25·4*	*21·4*	*6·72*	*4·70*	*10·3*	*2·58*
		Northern Ireland	84	110	638·2	260·5	-	-	-	-	*8·62*	-
		Irish Republic	74	130	638·8	309·8	*15·4*	*16·1*	*6·69*	*3·48*	*4·29*	*8·98*
470-475, 510-527	Other respiratory diseases	England and Wales	100	97	140·6	68·7	22·7	15·3	*3·33*	*3·21*	*5·84*	*4·28*
		Scotland	108	76	143·9	47·8	*50·8*	*5·35*	-	*2·35*	*2·57*	*5·15*
		Northern Ireland	74	121	*96·3*	*70·7*	*15·0*	*32·2*	-	-	-	*8·59*
		Irish Republic	104	198	150·0	117·0	*7·70*	-	*10·0*	*3·48*	*12·9*	*4·49*
540,541	Ulcer of stomach and duodenum	England and Wales	99	101	101·9	58·8	*0·58*	*0·61*	*0·55*	*0·58*	*1·11*	*0·86*
		Scotland	114	94	109·7	48·6	-	-	-	-	*2·57*	-
		Northern Ireland	99	85	92·2	39·3	-	-	-	-	-	-
		Irish Republic	89	99	93·4	46·4	-	-	-	-	-	-

APPENDIX A - *continued*

Death rates per million population: 25-34		35-44		45-54		55-64		65-74		75-84		85 and over		Deaths under 1 year per thousand live births		ICD No.
M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
-	-	8·40	*4·32*	45·9	18·1	200·0	47·7	591·1	137·3	1,119	314·4	1,629	512·0	-	-	181
-	-	*3·28*	*6·24*	*56·9*	*21·2*	195·6	90·1	525·8	181·8	952·3	302·6	*1,594*	*448·5*	-	-	
-	-	*12·1*	-	*37·1*	*23·3*	*86·8*	*51·0*	458·7	*102·6*	*614·5*	*218·2*	*1,429*	*478·2*	-	-	
-	-	-	*6·35*	*12·0*	*18·4*	*136·1*	*66·6*	*185·0*	*37·3*	*492·2*	*203·7*	*459·8*	*155·0*	*0·03*	-	
19·2	15·2	26·8	31·3	48·2	36·2	116·7	79·7	246·8	129·0	395·9	246·0	468·3	309·4	*0·02*	*0·02*	204
10·1	*26·0*	*32·8*	*18·7*	*46·8*	*30·3*	106·7	74·5	228·0	139·5	374·1	320·4	*796·9*	*493·3*	*0·02*	*0·02*	
-	*22·9*	*60·3*	*11·3*	*49·4*	*58·3*	*159·2*	*63·7*	*68·8*	*170·9*	*335·2*	*218·2*	*857·1*	-	-	-	
19·9	*13·5*	*32·2*	*25·4*	*54·2*	*36·8*	*78·8*	*110·9*	*133·6*	*167·9*	*402·7*	*92·6*	*229·9*	-	*0·03*	-	
110·3	73·3	186·1	193·8	449·2	538·3	1,068	1,035	1,861	1,760	2,695	2,467	3,180	2,917	*0·06*	*0·05*	Rem. 140-205
125·1	*58·5*	203·6	246·4	475·2	564·0	1,216	1,093	2,214	1,864	3,486	2,688	5,180	3,902	*0·04*	*0·04*	
70·7	*91·7*	*217·1*	*180·8*	*395·6*	*407·9*	*853·8*	*929·9*	1,583	1,761	2,849	2,909	4,857	3,175	*0·06*	*0·06*	
112·7	*94·5*	*161·2*	*197·0*	*553·9*	*428·9*	*902·6*	1,220	2,025	1,922	2,752	2,241	4,023	3,411	*0·06*	*0·07*	
162·9	*173·1*	*487·3*	*703·9*	1,876	1,964	6,064	3,658	12,829	6,237	19,120	9,942	22,295	13,665	*0·08*	*0·07*	140-205
206·3	*162·4*	*597·5*	*676·9*	2,152	2,083	6,989	3,783	14,195	6,780	20,950	11,232	26,596	15,607	*0·06*	*0·06*	
129·6	*229·4*	*542·8*	*621·5*	1,681	1,585	4,501	3,401	9,541	5,607	15,810	8,873	21,143	10,952	*0·06*	*0·06*	
192·3	*209·3*	*425·5*	*667·1*	1,662	2,010	4,663	3,757	8,602	6,474	14,519	9,056	15,287	11,550	*0·01*	*0·07*	
5·96	7·26	24·2	10·3	33·4	24·8	101·8	122·2	303·3	417·3	701·4	818·0	887·8	954·0	*0·00*	*0·00*	260
13·5	-	*26·3*	*9·36*	*50·2*	*27·3*	167·2	270·2	437·1	701·7	918·3	1,344	*1,395*	986·7	*0·02*	-	
-	*22·9*	*12·1*	*11·3*	*37·1*	*11·7*	*86·8*	*165·6*	*344·0*	547·0	*446·9*	1,200	*1,714*	*1,111*	-	*0·06*	
-	-	*38·7*	-	*72·2*	*36·8*	*114·6*	184·9	370·0	550·4	581·7	1,222	*804·6*	*1,008*	-	-	
2·65	*1·38*	*4·85*	*3·99*	9·50	11·7	25·8	21·2	76·6	108·8	308·8	361·9	907·3	854·5	*0·01*	*0·01*	290-293
-	*9·75*	*3·28*	*15·6*	*10·0*	*12·1*	*32·0*	*37·3*	133·0	109·9	374·1	364·9	*996·1*	897·0	-	-	
-	*11·5*	*12·1*	*22·6*	-	-	*43·4*	*63·7*	*137·6*	*85·5*	*502·8*	*509·1*	*857·1*	*793·7*	-	-	
6·63	*13·5*	*6·45*	-	*6·02*	*12·3*	*57·3*	*81·4*	*164·4*	*158·6*	*402·7*	*481·5*	*229·9*	*310·1*	-	-	
39·7	38·4	120·9	123·4	411·9	406·2	1,635	1,275	5,904	4,719	17,559	15,928	41,327	40,037	*0·02*	*0·01*	330-334
67·6	65·0	147·7	234·0	485·2	558·0	2,095	1,767	7,361	6,805	22,515	21,112	48,610	52,698	*0·08*	*0·04*	
58·9	*45·9*	*72·4*	*101·7*	457·4	384·6	1,520	1,236	6,147	5,402	18,268	17,273	41,143	38,571	*0·12*	*0·06*	
59·7	*60·8*	*122·5*	*82·6*	565·9	569·9	1,605	1,524	6,115	5,793	14,855	16,870	29,770	34,186	-	*0·03*	
5·63	*5·53*	18·7	21·6	26·5	32·7	33·1	46·1	28·3	36·9	*14·8*	*14·2*	-	*3·68*	-	*0·00*	345
3·38	*9·75*	*9·85*	*37·4*	40·2	78·8	*56·9*	*80·7*	*38·0*	*67·6*	*17·0*	*17·8*	*99·6*	*89·7*	-	-	
11·8	*45·9*	*24·1*	*33·9*	*24·7*	*70·0*	*57·9*	*12·7*	*68·8*	*51·3*	*55·9*	*36·4*	-	-	-	-	
6·63	*13·5*	*19·3*	*25·4*	*36·1*	*30·6*	*50·1*	*66·6*	*92·5*	*65·3*	-	*37·0*	-	-	-	-	
21·9	25·6	64·3	76·5	133·0	179·3	206·9	320·7	273·7	415·1	371·2	626·2	497·6	674·0	-	*0·00*	400-402, 410-416
71·0	*26·0*	*95·2*	*109·2*	*160·6*	*200·1*	217·0	*360·3*	*228·0*	*455·4*	*357·1*	*649·7*	*199·2*	*941·8*	-	-	
70·7	*22·9*	*48·3*	*135·6*	*173·1*	*221·4*	*275·0*	*445·8*	*206·4*	*376·1*	*335·2*	*545·4*	*285·7*	*634·9*	-	-	
6·63	*27·0*	*77·4*	*44·5*	*90·3*	*165·4*	*157·6*	*207·1*	*339·2*	*363·8*	*514·5*	*740·7*	*459·8*	*1,163*	*0·03*	-	
65·2	*11·4*	*616·5*	*90·8*	*2,345*	*375·1*	*6,634*	*1,776*	*14,504*	*6,278*	*25,251*	*14,416*	*37,180*	*25,639*	*0·00*	-	420
118·3	*29·2*	*850·3*	*184·0*	*3,175*	*764·2*	*8,398*	*2,748*	*17,116*	*7,786*	*27,956*	*16,938*	*39,048*	*29,286*	-	-	
47·1	*22·9*	*663·4*	*146·9*	*3,164*	*489·5*	*7,583*	*2,318*	*16,491*	*7,590*	*26,872*	*15,818*	*32,286*	*26,190*	-	-	
79·6	*27·0*	*444·9*	*165·2*	*1,963*	*582·1*	*5,831*	*2,249*	*12,991*	*6,213*	*19,105*	*12,481*	*28,851*	*21,783*	-	-	
24·5	*13·5*	*51·4*	*26·6*	*156·6*	*85·4*	*634·9*	*351·1*	*2,676*	*1,927*	*11,996*	*10,433*	*42,098*	*41,974*	*0·05*	*0·04*	421,422
16·9	*6·50*	*52·5*	*25·0*	*214·2*	*63·7*	*636·7*	*397·5*	*2,559*	*2,025*	*11,955*	*10,894*	*49,108*	*45,073*	*0·02*	*0·02*	430-434
23·6	*34·4*	*72·6*	*67·8*	*160·7*	*104·9*	*709·1*	*560·5*	*3,142*	*2,684*	*15,698*	*15,381*	*53,143*	*48,571*	-	-	
13·3	*33·8*	*70·9*	*82·6*	*258·9*	*226·7*	*988·5*	*724·9*	*4,707*	*3,946*	*19,508*	*16,111*	*61,839*	*56,124*	-	*0·03*	
10·6	*4·84*	*37·2*	*14·0*	*121·6*	*59·4*	*362·5*	*178·7*	*970*	*738·1*	*2,252*	*2,275*	*3,854*	*4,287*	-	-	440-447
20·3	-	*68·9*	*21·8*	*153·9*	*81·9*	*330·8*	*248·5*	*1,134*	*891·9*	*2,381*	*2,403*	*4,781*	*6,324*	-	-	
-	*22·9*	*48·3*	*22·6*	*12·4*	*70·0*	*318·4*	*242·0*	*619·3*	*1,060*	*2,346*	*2,436*	*4,000*	*6,349*	-	*0·06*	
13·3	*6·75*	*45·1*	*12·7*	*174·6*	*134·8*	*408·3*	*281·1*	*1,244*	*942·2*	*3,020*	*3,037*	*5,287*	*5,581*	-	-	
11·6	*14·9*	*40·7*	*42·9*	*124·8*	*86·3*	*456·4*	*274·4*	*1,606*	*971·1*	*5,217*	*4,138*	*16,088*	*13,738*	*0·01*	*0·01*	450-468
6·76	*26·0*	*23·0*	*43·7*	*113·8*	*97·0*	*441·0*	*229·8*	*1,457*	*1,078*	*4,897*	*4,554*	*18,129*	*16,280*	*0·02*	-	
23·6	*11·5*	*12·1*	*11·3*	*86·5*	*93·2*	*434·2*	*242·0*	*1,399*	*1,043*	*5,196*	*3,273*	*14,571*	*12,381*	-	-	
6·63	*13·5*	*19·3*	*69·9*	*90·3*	*79·7*	*372·5*	*229·3*	*1,367*	*914·2*	*4,765*	*3,852*	*15,172*	*14,264*	*0·03*	*0·03*	
2·98	*0·69*	*2·91*	*0·66*	*8·85*	*5·08*	*19·6*	*9·47*	*61·5*	*37·3*	*188·9*	*182·6*	*517·1*	*508·3*	*0·01*	*0·01*	480-483
-	-	*3·28*	-	*6·69*	-	*10·7*	*6·21*	*12·7*	*38·0*	-	*62·3*	*199·2*	*134·5*	-	-	
-	-	-	-	-	-	-	*25·5*	*45·9*	*34·2*	*167·6*	*218·2*	*285·7*	*634·9*	-	*0·06*	
6·63	*6·75*	-	-	*12·0*	*12·3*	*28·7*	*37·0*	*123·3*	*102·6*	*290·8*	*407·4*	*1,379*	*1,008*	*0·06*	*0·07*	
22·5	*16·6*	*43·0*	*38·2*	*134·7*	*95·2*	*466·9*	*278·6*	*2,068*	*1,218*	*8,334*	*5,847*	*27,844*	*20,424*	*2·27*	*1·85*	490-493
27·1	*9·75*	*59·1*	*43·7*	*107·1*	*51·6*	*298·8*	*192·5*	*1,216*	*896·1*	*5,068*	*3,151*	*13,946*	*11,706*	*2·14*	*1·67*	
11·8	*22·9*	*36·2*	*33·9*	*37·1*	*23·3*	*231·5*	*203·8*	*894·5*	*735·0*	*3,464*	*2,909*	*13,143*	*11,429*	*2·85*	*2·37*	
26·5	*47·3*	*45·1*	*44·5*	*108·4*	*153·2*	*308·0*	*229·3*	*1,511*	*988·8*	*3,982*	*3,704*	*12,529*	*9,380*	*2·44*	*1·83*	
11·3	*7·95*	*43·0*	*26·6*	*293·9*	*93·0*	*1,584*	*274·0*	*4,817*	*866·2*	*9,354*	*2,153*	*13,629*	*4,744*	*0·52*	*0·39*	500-502
6·76	*13·0*	*59·1*	*37·4*	*327·9*	*133·4*	*1,537*	*307·5*	*3,908*	*5,580*	*6,802*	*1,584*	*9,065*	*2,915*	*0·40*	*0·34*	
11·8	-	*48·3*	*45·2*	*271·9*	*209·8*	*1,505*	*356·7*	*3,876*	*1,009*	*6,648*	*2,145*	*11,114*	*4,921*	*0·17*	-	
33·2	*13·5*	*51·6*	*63·5*	*319·1*	*122·5*	*1,397*	*421·6*	*3,320*	*1,054*	*5,772*	*2,981*	*9,195*	*6,047*	*0·10*	*0·03*	
8·94	*6·22*	*19·4*	*18·3*	*69·8*	*33·6*	*265·1*	*65·0*	*696·3*	*140·0*	*1,255*	*401·1*	*2,371*	*1,503*	*0·22*	*0·17*	470-475, 510-527
3·38	-	*29·5*	*25·0*	*66·9*	*30·3*	*188·5*	*65·2*	*829·8*	*152·2*	*1,854*	*275·9*	*2,391*	*672·7*	-	*0·09*	
23·6	-	*24·1*	*11·3*	*24·7*	*46·6*	*246·0*	*152·9*	*321·0*	*170·9*	*838·0*	*363·6*	*1,714*	*1,270*	*0·64*	*0·36*	
13·3	*20·3*	*38·7*	*38·1*	*60·2*	*91·9*	*336·7*	*96·2*	*698·9*	*363·8*	*1,432*	*1,056*	*1,149*	*2,481*	*0·16*	*0·07*	
9·27	*2·07*	*21·0*	*9·97*	*48·5*	*19·0*	*178·5*	*52·9*	*496·0*	*159·3*	*1,097*	*453·6*	*1,971*	*1,057*	*0·00*	*0·01*	540,541
16·9	-	*46·0*	*12·5*	*77·0*	*30·3*	*231·2*	*83·9*	*538·4*	*139·5*	*1,088*	*338·2*	*1,494*	*807·3*	*0·02*	*0·02*	
-	-	-	*33·9*	*37·1*	*35·0*	*246·0*	-	*504·6*	*102·6*	*1,061*	*400·0*	*1,714*	*1,111*	-	-	
33·2	-	*19·3*	*12·7*	*72·2*	*24·5*	*186·2*	*88·8*	*524·2*	*214·6*	*738·3*	*370·4*	*689·7*	*387·6*	-	*0·03*	

APPENDIX A - *continued*

ICD No.	Causes of death	Country	S.M.R. All ages		Death rates per million population: All ages		1-4		5-14		15-24	
			M	F	M	F	M	F	M	F	M	F
550-553	Appendicitis	England and Wales	103	98	9·55	7·69	6·41	3·07	3·05	2·04	3·34	0·86
		Scotland	63	133	5·63	9·64	-	-	4·48	4·70	-	10·3
		Northern Ireland	156	58	13·8	3·93	30·0	-	13·8	-	8·62	-
		Irish Republic	79	102	7·56	6·93	23·1	-	-	3·48	4·29	8·98
560,561, 570	Intestinal obstruction and hernia	England and Wales	99	98	55·6	66·8	8·16	2·45	3·05	1·46	2·22	1·14
		Scotland	116	122	61·9	73·8	-	-	2·24	2·35	5·13	2·58
		Northern Ireland	120	92	64·6	51·0	30·0	-	6·91	7·30	-	-
		Irish Republic	87	92	52·2	51·3	-	8·03	-	3·48	8·58	4·49
543,571, 572	Gastritis and duodenitis, enteritis and colitis (except diarrhoea of newborn)	England and Wales	94	99	41·0	65·3	37·3	32·5	1·66	3·21	2·78	4·85
		Scotland	110	101	47·0	61·2	50·8	32·1	2·24	2·35	2·57	2·58
		Northern Ireland	118	111	52·3	64·1	15·0	16·1	-	-	8·62	-
		Irish Republic	164	119	76·9	68·6	38·5	24·1	-	3·48	4·29	-
581	Cirrhosis of liver	England and Wales	91	96	28·9	26·9	2·33	0·61	1·11	0·29	1·11	1·43
		Scotland	175	143	52·6	38·2	-	-	-	-	-	-
		Northern Ireland	109	144	30·3	34·0	-	-	-	-	-	-
		Irish Republic	124	69	36·4	15·9	-	-	-	-	-	-
584,585	Cholelithiasis, cholecystitis	England and Wales	103	97	14·4	27·6	-	-	-	-	-	0·57
		Scotland	90	136	11·7	34·1	-	-	-	-	-	-
		Northern Ireland	85	76	11·0	17·0	-	-	-	-	-	-
		Irish Republic	69	101	10·3	22·9	-	-	-	-	-	-
Rem. 530-587	Other digestive diseases	England and Wales	94	99	44·4	50·9	11·7	11·7	9·99	6·13	3·61	5·14
		Scotland	126	102	56·7	48·6	20·3	5·35	4·48	7·04	15·4	7·73
		Northern Ireland	154	105	67·4	45·8	15·0	16·1	13·8	7·30	-	-
		Irish Republic	121	123	57·7	53·4	15·4	16·1	3·35	-	4·29	4·49
590-594	Nephritis and nephrosis	England and Wales	95	93	60·9	50·1	1·75	3·07	4·72	4·67	19·5	9·13
		Scotland	77	94	46·6	46·0	-	-	4·48	9·39	18·0	10·3
		Northern Ireland	104	109	60·5	48·4	-	-	6·91	-	8·62	-
		Irish Republic	212	238	133·9	105·0	23·1	-	6·69	6·96	34·3	22·5
610	Hyperplasia of prostate	England and Wales	99	-	76·2	-	-	-	-	-	-	-
		Scotland	101	-	71·9	-	-	-	-	-	-	-
		Northern Ireland	76	-	56·4	-	-	-	-	-	-	-
		Irish Republic	122	-	110·0	-	-	-	-	-	-	-
600-609, 611-637	Other diseases of the genito-urinary system	England and Wales	99	98	70·5	103·0	4·66	4·29	2·22	1·46	5·00	5·99
		Scotland	117	125	78·0	117·5	-	10·7	-	7·04	5·13	2·58
		Northern Ireland	101	108	67·4	91·6	-	-	-	-	-	-
		Irish Republic	91	88	69·4	74·9	7·70	8·03	-	3·48	4·29	4·49
640-689	Complications of pregnancy, childbirth, and the puerperium	England and Wales	-	95	-	6·85	-	-	-	-	-	14·3
		Scotland	-	113	-	8·15	-	-	-	-	-	10·3
		Northern Ireland	-	144	-	10·5	-	-	-	-	-	8·59
		Irish Republic	-	141	-	9·70	-	-	-	-	-	4·49
750-759	Congenital malformations	England and Wales	94	94	102·4	86·3	84·5	103·7	28·6	29·8	23·9	15·7
		Scotland	121	113	139·8	106·4	157·6	139·1	49·3	25·8	35·9	18·0
		Northern Ireland	110	131	144·4	146·6	225·2	144·7	55·2	29·2	25·9	17·2
		Irish Republic	143	144	181·0	160·0	123·0	144·0	36·8	13·9	21·5	26·9
760-776	Certain diseases of early infancy	England and Wales	96	97	192·2	132·1	-	-	-	-	-	-
		Scotland	109	106	234·3	149·7	-	-	-	-	-	-
		Northern Ireland	130	128	331·5	226·4	-	-	-	-	-	-
		Irish Republic	120	115	288·0	199·0	-	-	-	-	-	-
Rem. 210-795	All other diseases	England and Wales	93	96	304·0	432·3	89·2	97·5	56·3	35·3	82·6	47·7
		Scotland	92	86	286·1	344·3	91·5	58·9	56·0	32·9	59·0	61·8
		Northern Ireland	108	101	337·0	374·3	120·1	64·3	62·2	14·6	77·6	8·59
		Irish Republic	214	207	745·0	776·0	115·0	64·2	46·8	31·3	85·8	44·9
E963, E970-E979	Suicide	England and Wales	104	107	116·2	79·5	-	-	0·83	-	61·4	34·0
		Scotland	94	75	99·2	53·4	-	-	2·24	2·35	48·8	23·2
		Northern Ireland	89	68	88·0	44·5	-	-	13·8	-	43·1	17·2
		Irish Republic	37	20	37·1	12·5	-	-	-	-	21·5	4·49
E810-E845	Motor vehicle and other road transport accidents	England and Wales	99	101	211·4	90·8	109·0	54·6	91·9	42·9	404·5	95·0
		Scotland	107	103	224·6	89·0	91·5	37·5	147·8	70·4	320·7	90·2
		Northern Ireland	115	87	238·0	72·0	180·2	64·3	103·6	51·1	353·4	103·1
		Irish Republic	99	78	209·0	64·5	77·0	56·2	87·0	48·7	253·0	58·4
E870-E936 pt.	Accidents in the home and residential institutions	England and Wales	97	97	107·7	176·7	83·4	74·8	17·5	12·0	31·7	13·7
		Scotland	145	132	155·1	211·6	116·9	85·6	11·2	14·1	30·8	18·0
		Northern Ireland	67	68	74·3	102·1	15·0	16·1	20·7	-	17·2	-
		Irish Republic	87	112	104·0	173·0	100·0	56·2	13·4	17·4	8·58	8·98
Rem. E800-E999	Other violence	England and Wales	94	102	127·6	61·1	55·4	27·6	88·5	33·8	132·3	26·3
		Scotland	145	86	193·7	47·8	76·3	16·1	100·8	14·1	200·1	23·2
		Northern Ireland	85	83	111·4	44·5	105·1	32·2	55·2	7·30	112·1	-
		Irish Republic	127	101	170·0	54·8	53·9	16·1	83·6	41·8	172·0	18·0
Estimated mid-year population (in thousands)		England and Wales			23,562	24,829	1,716	1,630	3,604	3,427	3,597	3,504
		Scotland			2,489	2,898	197	187	447	426	390	388
		Northern Ireland			727	764	67	62	145	137	116	116
		Irish Republic			1,456	1,443	130	125	299	287	233	223

APPENDIX A - *continued*

Death rates per million population: 25-34		35-44		45-54		55-64		65-74		75-84		85 and over		Deaths under 1 year per thousand live births		ICD No.
M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1·99	1·38	2·59	2·66	6·23	4·44	15·3	5·88	34·5	18·9	75·6	50·0	107·3	95·8	0·01	0·01	550-553
-	-	6·57	6·24	6·69	-	10·7	3·11	19·0	21·1	17·0	80·1	99·6	134·5	-	-	
-	-	12·1	-	12·4	-	-	12·7	45·9	17·1	55·9	-	-	-	-	0·06	
6·63	-	6·45	-	-	18·4	14·4	7·40	30·8	-	-	37·0	-	77·5	-	-	
5·30	2·42	7·76	7·65	25·9	19·7	69·5	47·7	215·4	173·3	607·8	522·8	1,249	1,131	0·29	0·20	560,561, 570
-	3·25	6·57	6·24	46·8	27·3	71·1	71·4	266·0	207·1	714·2	631·9	1,793	1,615	0·26	0·13	
-	-	24·1	11·3	12·4	11·7	115·8	76·4	344·0	188·0	558·7	363·6	1,143	952·4	0·23	0·18	
-	-	19·3	12·7	30·1	30·6	78·8	51·8	267·2	186·6	357·9	425·9	1,149	1,008	0·10	0·03	
6·95	5·53	10·7	13·3	15·7	19·7	52·0	55·5	126·2	179·9	318·7	406·1	692·7	817·7	0·40	0·33	543,571, 572
6·76	3·25	9·85	9·36	26·8	24·3	64·0	65·2	101·4	181·8	425·1	382·7	398·4	762·4	0·58	0·45	
11·8	11·5	-	11·3	37·1	35·0	-	38·2	68·8	136·8	502·8	327·3	1,143	793·7	0·93	1·09	
-	-	6·45	6·35	30·1	24·5	28·7	66·6	185·0	139·9	156·6	351·9	114·9	232·6	2·22	1·49	
0·99	2·42	14·9	13·6	38·0	37·8	84·7	52·3	118·7	94·3	118·3	82·5	58·5	66·3	0·01	0·01	581
10·1	6·50	49·2	18·7	97·0	42·5	135·2	114·9	177·4	118·4	221·1	124·6	199·2	89·7	0·06	-	
11·8	11·5	12·1	-	37·1	35·0	101·3	63·7	137·6	205·1	167·6	145·4	285·7	158·7	-	-	
6·63	6·75	6·45	6·35	78·3	36·8	136·1	29·6	133·6	74·6	111·9	55·6	114·9	-	-	-	
0·33	1·04	1·29	1·66	6·88	5·40	14·5	20·6	67·2	81·6	187·3	221·8	507·3	526·7	-	-	584,585
-	3·25	6·57	3·12	3·35	3·03	17·8	34·2	57·0	135·3	170·1	293·7	199·2	583·0	-	-	
-	-	12·1	11·3	12·4	11·7	28·9	12·7	23·0	68·4	55·9	181·8	571·4	158·7	-	-	
-	-	6·45	6·35	6·02	6·13	21·5	37·0	41·1	84·0	89·5	222·2	229·9	387·6	-	-	
5·96	6·91	13·9	13·0	40·6	25·7	80·0	63·7	184·0	149·2	295·7	283·5	517·1	530·4	0·11	0·12	Rem. 530-587
13·5	6·50	13·1	18·7	66·9	33·4	81·8	49·7	221·7	164·9	442·1	320·4	896·5	448·5	0·16	0·09	
11·8	-	48·3	11·3	74·2	58·3	86·8	25·5	344·0	256·4	558·7	218·2	571·4	158·7	0·11	0·18	
26·5	6·75	12·9	12·7	78·3	24·5	64·5	96·2	246·7	307·8	558·3	240·7	229·9	542·6	0·03	0·03	
18·5	13·5	34·3	22·6	65·5	38·7	114·5	62·7	203·4	130·3	438·6	261·8	741·5	574·6	0·02	0·01	590-594
16·9	3·25	26·3	37·4	56·9	30·3	78·3	62·1	171·0	147·9	374·1	267·0	498·1	313·9	0·02	0·02	
11·8	-	48·3	11·3	-	-	115·8	89·2	252·3	256·4	614·5	363·6	2,000	634·9	-	-	
53·1	20·3	58·0	25·4	132·5	128·7	222·0	177·5	431·7	307·8	1,141	722·2	2,184	1,473	-	0·07	
-	-	-	-	1·97	-	31·3	-	257·4	-	1,391	-	4,361	-	-	-	610
-	-	-	-	-	-	24·9	-	240·7	-	1,513	-	4,483	-	-	-	
-	-	-	-	-	-	-	-	206·4	-	1,117	-	3,429	-	-	-	
-	-	-	-	6·02	-	21·5	-	349·4	-	1,923	-	4,138	-	-	-	
5·30	13·1	13·2	26·3	31·5	55·2	91·6	105·2	278·8	270·3	837·7	710·4	2,341	1,599	0·06	0·02	600-609, 611-637
6·76	9·75	19·7	53·0	16·7	75·8	103·1	136·6	304·1	363·5	1,122	783·2	2,988	2,063	0·12	0·04	
11·8	34·4	36·2	33·9	61·8	81·6	115·8	114·6	298·2	307·7	614·5	654·5	2,000	1,746	0·06	0·06	
13·3	27·0	6·45	31·8	36·1	49·0	86·0	96·2	246·7	251·9	760·6	685·2	2,069	852·7	0·06	-	
-	25·9	-	14·6	-	0·32	-	-	-	-	-	-	-	-	-	-	640-689
-	22·7	-	31·2	-	3·03	-	-	-	-	-	-	-	-	-	-	
-	45·9	-	33·9	-	-	-	-	-	-	-	-	-	-	-	-	
-	27·0	-	57·2	-	-	-	-	-	-	-	-	-	-	-	-	
19·5	10·0	19·4	15·6	24·6	20·0	28·4	29·4	45·2	33·8	46·0	36·7	97·6	55·2	3·97	3·60	750-759
16·9	13·0	39·4	12·5	26·8	30·3	28·5	12·4	19·0	16·9	51·0	8·90	-	-	4·88	4·64	
11·8	-	-	22·6	12·4	-	14·5	25·5	23·0	34·2	-	-	285·7	-	4·31	5·54	
26·5	13·5	25·8	25·4	24·1	12·3	35·8	7·40	20·6	18·7	-	37·0	-	-	6·76	6·43	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	10·6	8·11	760-776
-	-	-	-	-	-	-	-	-	-	-	-	-	-	11·7	8·67	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	14·0	10·5	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	13·3	9·72	
70·9	73·3	105·3	110·1	200·2	198·0	435·3	402·4	907·3	869·7	2,365	2,421	9,873	10,280	0·63	0·52	Rem. 210-795
98·1	52·0	108·3	121·7	220·8	218·3	433·9	372·7	969·2	866·5	2,398	2,136	7,272	7,176	0·58	0·60	
35·3	114·7	193·0	33·9	420·3	291·4	578·9	484·1	1,307	1,094	2,793	2,945	4,000	7,143	0·29	0·43	
92·8	101·3	199·9	127·1	397·4	245·1	680·5	628·7	1,953	1,539	7,069	6,278	33,908	31,783	0·89	0·61	
114·9	53·2	137·7	87·1	167·1	128·9	227·3	146·7	249·9	164·1	285·8	154·3	322·0	95·8	-	-	E963, E970-E979
115·0	35·7	159·6	65·5	164·0	106·1	192·1	136·6	190·0	71·9	187·1	53·4	99·6	-	-	-	
106·0	57·3	132·7	45·2	123·6	58·3	260·5	89·2	114·7	153·8	111·7	72·7	571·4	-	-	-	
33·2	20·3	45·1	19·1	66·2	24·5	100·3	22·2	92·5	28·0	67·1	18·5	-	-	-	-	
185·7	41·1	142·8	40·2	168·7	64·4	205·8	101·6	271·9	183·4	642·2	348·5	917·1	316·8	0·01	0·02	E810-E845
260·4	48·7	187·1	46·8	210·8	69·7	245·4	118·0	304·1	152·2	459·1	311·5	697·3	224·2	0·04	0·02	
176·7	45·9	168·9	56·5	346·1	46·6	303·9	127·4	367·0	119·7	558·7	72·7	285·7	-	-	-	
206·0	40·5	148·3	31·8	295·0	67·4	329·5	96·2	390·5	139·9	380·3	148·1	689·7	77·5	-	-	
23·8	22·5	42·7	38·6	65·5	54·0	110·9	97·7	238·6	278·6	867·3	1,256	3,307	4,420	0·61	0·46	E870-E936 pt.
50·7	22·7	88·6	71·7	117·1	94·0	152·9	139·8	278·7	257·8	1,139	1,602	4,084	6,593	1·49	1·03	
23·6	-	36·2	22·6	24·7	35·0	303·9	38·2	206·4	222·2	1,006	1,127	2,286	3,175	0·17	0·30	
33·2	27·0	38·7	12·7	12·0	24·5	100·3	81·4	154·2	307·8	1,052	1,759	2,874	5,349	0·60	0·58	
113·9	19·7	116·7	25·3	134·7	32·1	159·6	36·3	141·3	97·0	310·4	296·0	800·0	1,046	0·15	0·15	Rem. E800-E999
267·1	19·5	197·0	28·1	234·2	45·5	245·4	34·2	215·4	80·3	425·1	231·4	298·8	762·4	0·08	0·07	
129·6	22·9	84·4	11·3	74·2	101·3	245·4	12·7	160·6	68·4	558·7	436·4	1,429	1,587	-	0·06	
186·0	6·75	161·2	57·2	204·7	42·9	300·9	103·6	267·2	84·0	313·2	277·8	459·8	155·0	0·06	0·14	
3,020	2,894	3,095	3,008	3,052	3,151	2,750	3,062	1,593	2,279	609	1,199	102	272			
296	308	305	321	299	330	281	322	158	237	59	112	10	22			
85	87	83	88	81	86	69	78	44	58	18	28	4	6			
151	148	155	157	166	163	140	135	97	107	45	54	9	13			

APPENDIX B. Abridged life table, 1967 — England and Wales

Apart from its use as a basis for calculations of probabilities of death or survival, the life table represents one useful way of providing summary indices of mortality free from peculiarities in the sex and age structure of the population. These summary indices, whether it be the number surviving out of the specified number of births or the expectation of life beyond a specified age, are sex and age standardised. They summarise the individual age death rates for each sex. For this particular purpose the following life table has been constructed from the mortality experience of 1967. Though the functions are summary indices of the mortality of a particular year they will by the same token be sensitive to fluctuations in mortality from one year to another as a result of changes in the weather conditions, irregular incidence of epidemics, etc., and they are not reliable as a basis for calculations of the probabilities of survival over a period of years. Life table functions for use in such computations should be representative of the current level of mortality and should therefore be based on more than one year's experience. For this latter purpose another life table has been constructed based on the three years 1965 to 1967, a larger body of data more representative of the general mortality of recent years; this has been published in the *Registrar General's Quarterly Return* for the June Quarter 1968, No. 478 and will be published in Part II of the *Statistical Review* for 1967.

Males		Age	Females	
l_x	$\overset{o}{e}_x$	x	l_x	$\overset{o}{e}_x$
10,000	69·1	0	10,000	75·2
9,797	69·5	1	9,836	75·4
9,784	68·6	2	9,824	74·5
9,775	67·6	3	9,817	73·6
9,769	66·7	4	9,812	72·6
9,764	65·7	5	9,808	71·6
9,741	60·9	10	9,794	66·7
9,721	56·0	15	9,780	61·8
9,674	51·2	20	9,761	57·0
9,628	46·5	25	9,740	52·1
9,583	41·7	30	9,715	47·2
9,533	36·9	35	9,679	42·4
9,454	32·2	40	9,619	37·6
9,317	27·6	45	9,520	33·0
9,085	23·2	50	9,364	28·5
8,694	19·2	55	9,125	24·2
8,040	15·5	60	8,776	20·0
7,049	12·4	65	8,248	16·1
5,700	9·7	70	7,435	12·6
4,116	7·5	75	6,238	9·6
2,524	5·6	80	4,622	7·1
1,188	4·2	85	2,756	5·2

This abridged life table is constructed from the estimated *home* population and the total deaths in the year 1967.

The column headed l_x shows, for each sex, the numbers who would survive to exact age x out of 10,000 born who were subject throughout their lives to the recorded age death rates of the period.

Column $\overset{o}{e}_x$ is the 'expectation of life', that is, the average future lifetime which would be lived by persons aged exactly x, if likewise subject to those death rates.

APPENDIX C1. Tuberculosis of the respiratory system, death rates per million living, by sex and age, 1958 to 1967 — England and Wales

Year	Age-group										
	0-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75 and over
Males											
1958	3	1	2	6	13	38	85	166	401	572	416
1959	4	-	-	2	6	31	73	141	325	528	480
1960	1	-	-	3	1	19	55	121	297	493	437
1961	3	-	1	-	3	12	57	118	270	477	418
1962	1	1	-	1	3	11	45	96	249	487	409
1963	1	1	-	2	1	10	49	99	239	412	435
1964	1	-	1	2	3	8	34	87	183	363	411
1965	1	-	1	1	2	5	27	68	160	335	353
1966	2	-	-	1	1	6	25	69	177	314	396
1967	3	-	-	1	2	5	25	55	131	296	306
Females											
1958	3	1	1	6	14	48	58	51	69	99	101
1959	4	1	1	2	7	33	44	46	53	86	95
1960	3	1	1	3	3	26	40	42	44	77	91
1961	-	-	-	2	4	21	39	44	52	70	93
1962	1	1	-	1	2	17	31	38	49	68	82
1963	1	1	-	-	3	14	31	36	40	49	77
1964	3	-	1	1	1	9	25	25	33	48	76
1965	1	-	1	1	3	4	20	28	35	52	79
1966	1	-	-	1	1	6	22	30	41	54	71
1967	0	-	-	1	1	4	17	27	32	43	88

APPENDIX C2. Tuberculosis of the respiratory system, notification rates* per 100,000 living, by sex and age, 1958 to 1967 — England and Wales

Year	Age-group							
	All ages	0-4	5-14	15-24	25-34	35-44	45-64	65 and over
Males								
1958	76	25	21	89	86	81	108	87
1959	70	21	17	70	79	79	102	89
1960	60	24	15	59	65	68	89	77
1961	55	18	14	48	59	61	84	74
1962	52	18	14	44	60	59	77	69
1963	47	18	13	39	55	51	68	63
1964	43	16	13	34	50	49	63	62
1965	39	14	11	29	45	43	59	55
1966	35	12	10	27	38	38	53	56
1967	31	12	10	24	33	33	46	47
Females								
1958	43	25	24	97	79	47	26	17
1959	39	22	19	83	69	49	25	16
1960	33	20	18	63	60	39	23	15
1961	29	18	16	52	50	37	21	14
1962	26	18	16	43	44	32	19	14
1963	24	15	15	38	38	31	18	12
1964	21	15	12	30	34	27	16	12
1965	18	14	11	25	30	25	14	11
1966	17	11	11	23	28	23	13	11
1967	15	11	10	20	26	20	13	10

* Since 1956 notifications of tuberculosis used in this and subsequent tables are those returned to the General Register Office, and not, as in previous years, those returned to the Ministry of Health. There is a small but insignificant difference between the figures from the two sources. Cases of unstated age are omitted.

APPENDIX C3. Tuberculosis of respiratory system, death rates per million living, by sex and age, notification ratios (notification per 100 deaths) and Standardised Mortality Ratios, **1967**

England and Wales, regions, Wales, conurbations, urban and rural aggregates and hospital regions

Area	Males								Females								Persons	
	All ages	0-	5-	15-	25-	45-	65 and over	SMR	All ages	0-	5-	15-	25-	45-	65 and over	SMR	All ages	Notification ratio
ENGLAND AND WALES	**56**	3	-	2	**15**	**91**	**299**	**100**	**19**	0	-	1	**11**	**29**	**61**	**100**	**37**	613
Regions and Conurbations:																		
Northern	**68**	14	-	8	12	**98**	**415**	**125**	**21**	-	-	-	14	32	73	**118**	**44**	668
Tyneside Conurbation	63	-	-	-	9	111	355	115	14	-	-	-	-	28	49	75	38	1,019
Remainder of Northern	70	18	-	11	12	93	436	128	24	-	-	-	20	33	82	134	47	571
Yorkshire and Humberside	**59**	5	-	-	13	**95**	**320**	**104**	**12**	-	-	-	3	23	39	**64**	**35**	725
West Yorkshire Conurbation	75	13	-	-	24	122	371	131	18	-	-	-	10	34	42	89	45	849
Remainder of Yorkshire and Humberside	50	-	-	-	8	79	292	89	9	-	-	-	-	16	37	49	29	616
North Western	**71**	-	-	2	21	**142**	**308**	**126**	**20**	3	-	2	15	**33**	**49**	**104**	**44**	544
South East Lancashire Conurbation	75	-	-	6	20	151	329	135	16	9	-	-	7	24	47	82	44	639
Merseyside Conurbation	75	-	-	-	36	154	356	148	28	-	-	-	24	59	59	155	50	581
Remainder of North Western	65	-	-	-	14	129	275	111	20	-	-	5	17	30	46	100	42	439
East Midland	**44**	7	-	-	9	**68**	**260**	**80**	**16**	-	-	-	5	22	68	**88**	**30**	607
West Midland	**59**	4	-	5	15	**110**	**343**	**118**	**22**	-	-	-	11	**34**	**87**	**126**	**40**	689
West Midlands Conurbation	69	9	-	10	24	134	359	140	22	-	-	-	19	30	76	124	45	857
Remainder of West Midland	50	-	-	-	6	87	330	98	22	-	-	-	3	38	97	127	36	491
East Anglia	**26**	-	-	-	5	37	149	**45**	20	-	-	-	11	15	85	**101**	**23**	554
South Eastern	**49**	-	-	-	**15**	**70**	**275**	**86**	**20**	-	-	1	**11**	**31**	**61**	**101**	**34**	676
Greater London	61	-	-	-	20	75	368	106	25	-	-	2	16	34	76	125	42	734
Outer Metropolitan Area	32	-	-	-	10	59	193	65	13	-	-	-	4	23	54	76	23	692
Remainder of South Eastern	45	-	-	-	10	71	208	71	18	-	-	-	9	32	43	84	31	516
South Western	**46**	-	-	-	23	**58**	**233**	**76**	**15**	-	-	4	14	17	41	**73**	**30**	416
Wales	**88**	9	-	5	12	**158**	**420**	**150**	**25**	-	-	-	6	46	81	**132**	**56**	390
Wales I (South East)	83	-	-	-	16	148	420	145	21	-	-	-	8	49	51	116	52	409
Wales II (remainder)	102	32	-	18	-	184	419	160	35	-	-	-	-	39	141	168	67	354
Urban/Rural aggregates:																		
Conurbations	67	3	-	2	22	107	360	121	22	1	-	1	15	34	66	115	44	749
Areas outside conurbations:																		
Urban areas with populations of 100,000 and over	63	4	-	-	19	102	353	116	20	-	-	-	7	33	70	107	41	651
Urban areas with populations of 50,000 and under 100,000	55	5	-	-	10	98	303	101	16	-	-	-	10	25	50	85	35	510
Urban areas with populations under 50,000	51	4	-	1	12	84	261	88	18	-	-	3	8	28	56	92	34	503
Rural districts	40	-	-	3	7	63	220	70	16	-	-	-	9	23	58	86	28	428
Hospital regions:																		
Newcastle	72	15	-	9	12	103	433	131	21	-	-	-	16	34	65	117	46	684
Leeds	55	7	-	-	18	82	303	98	15	-	-	-	5	26	45	77	34	779
Sheffield	50	5	-	-	7	84	283	90	12	-	-	-	4	16	52	65	31	635
East Anglia	26	-	-	-	5	41	142	45	19	-	-	-	10	15	81	96	23	563
North West Metropolitan	44	-	-	-	13	76	211	76	20	-	-	3	11	33	51	99	31	893
North East Metropolitan	51	-	-	-	12	58	329	89	24	-	-	-	15	33	74	118	37	642
South East Metropolitan	55	-	-	-	23	75	299	96	23	-	-	-	17	27	75	114	38	549
South West Metropolitan	56	-	-	-	17	79	315	97	23	-	-	-	7	34	80	115	39	559
Wessex	52	-	-	-	20	59	319	91	16	-	-	-	8	27	44	80	33	409
Oxford	32	-	-	-	9	53	168	57	10	-	-	-	-	25	26	52	21	1,015
South Western	44	-	-	-	19	52	235	73	15	-	-	5	14	18	37	72	29	417
Welsh	88	9	-	5	12	158	420	150	25	-	-	-	6	46	81	132	56	390
Birmingham	59	4	-	5	15	110	343	118	22	-	-	-	11	34	87	126	40	689
Manchester	70	-	-	3	18	141	291	122	16	5	-	3	9	23	47	82	42	574
Liverpool	72	-	-	-	26	150	355	141	29	-	-	-	26	58	66	160	49	479

APPENDIX C4. Tuberculosis of respiratory system, notification rates per 100,000 living, by sex and age, and Standardised Notification Ratios, **1967**

England and Wales, regions, Wales, conurbations, urban and rural aggregates and hospital regions

Area	Males								Females								Persons
	All ages	0-	5-	15-	25-	45-	65 and over	SNR	All ages	0-	5-	15-	25-	45-	65 and over	SNR	
ENGLAND AND WALES	**31**	12	10	**24**	**33**	**46**	**47**	**100**	**15**	**11**	**10**	**20**	**23**	**13**	**10**	**100**	**23**
Regions and conurbations:																	
Northern	**39**	8	7	**26**	**36**	**73**	**66**	**129**	**21**	7	9	**25**	**30**	**26**	**10**	**136**	**30**
Tyneside Conurbation	50	8	15	38	45	84	89	162	28	15	16	37	39	34	8	185	38
Remainder of Northern	35	8	5	22	33	69	59	117	18	5	7	21	27	23	11	119	27
Yorkshire and Humberside	**36**	9	**14**	**33**	**43**	**49**	**45**	**116**	**15**	8	**11**	**18**	**26**	**12**	**11**	**102**	**25**
West Yorkshire Conurbation	55	17	30	58	74	66	51	179	23	16	17	34	39	15	12	152	38
Remainder of Yorkshire and Humberside	25	4	6	21	25	39	42	81	11	3	7	10	19	10	11	73	18
North Western	**33**	**11**	8	**29**	**35**	**51**	**52**	**109**	**16**	**10**	**10**	**25**	**26**	**11**	9	**104**	**24**
South East Lancashire Conurbation	39	11	9	34	48	56	57	129	18	10	11	35	30	13	3	119	28
Merseyside Conurbation	43	17	9	24	39	84	82	147	17	6	7	15	27	17	18	109	29
Remainder of North Western	24	8	6	28	22	33	38	77	13	11	10	21	22	7	9	89	18
East Midland	**24**	11	8	**25**	**23**	**35**	**32**	**78**	**13**	**14**	**13**	**17**	**17**	**9**	6	**83**	**18**
West Midland	**36**	**23**	**18**	**29**	**39**	**53**	**42**	**120**	**20**	**25**	**16**	**27**	**25**	**12**	**14**	**127**	**28**
West Midlands Conurbation	52	38	31	46	58	66	52	172	26	45	25	38	32	14	10	170	39
Remainder of West Midland	22	10	6	14	21	40	34	73	13	7	8	17	19	10	17	87	18
East Anglia	**18**	2	2	**16**	**16**	**25**	**44**	**58**	**8**	-	3	16	**12**	6	4	**49**	**13**
South Eastern	**31**	**12**	8	**23**	**34**	**44**	**50**	**100**	**16**	**12**	9	**18**	**24**	**13**	**11**	**102**	**23**
Greater London	42	20	10	33	48	55	68	134	21	18	14	26	32	16	13	136	31
Outer Metropolitan Area	21	5	8	15	22	33	34	69	11	8	7	11	17	10	8	72	16
Remainder of South Eastern	22	8	5	14	22	35	36	71	11	4	3	11	18	12	10	74	16
South Western	**16**	5	7	9	**19**	**22**	**29**	**53**	9	5	5	**12**	**12**	9	6	**60**	**13**
Wales	**31**	16	**10**	**17**	**27**	**53**	**52**	**100**	**13**	6	8	**14**	**19**	**14**	**10**	**88**	**22**
Wales I (South East)	30	14	9	18	27	51	50	98	12	5	7	15	18	13	9	82	21
Wales II (remainder)	33	19	14	16	26	57	55	107	15	10	11	13	22	16	11	102	24
Urban and rural aggregates:																	
Conurbations	45	20	16	37	51	61	65	146	21	19	15	29	32	16	11	141	33
Areas outside conurbations:																	
Urban areas with populations of 100,000 and over	37	14	13	27	40	56	59	121	17	9	12	20	28	14	12	114	27
Urban areas with populations of 50,000 and under 100,000	24	6	7	20	24	40	42	81	12	5	6	14	19	11	8	78	18
Urban areas with populations under 50,000	23	8	6	18	21	37	37	74	12	7	7	16	18	11	8	81	17
Rural districts	16	5	4	11	15	25	28	51	8	6	5	9	11	7	9	55	12
Hospital regions:																	
Newcastle	41	9	8	27	38	77	70	136	22	8	10	27	33	27	11	145	32
Leeds	37	13	18	35	45	50	42	122	17	10	11	22	29	12	11	111	27
Sheffield	27	7	7	27	28	39	40	87	12	10	11	16	17	10	9	82	20
East Anglia	18	1	2	16	17	25	42	58	8	-	3	15	12	6	4	50	13
North West Metropolitan	37	24	12	31	44	45	56	121	19	18	10	26	31	14	10	126	28
North East Metropolitan	32	11	8	24	39	45	52	105	15	12	11	17	24	14	7	101	24
South East Metropolitan	28	4	5	20	27	46	47	89	15	7	5	15	23	14	15	97	21
South West Metropolitan	28	9	5	19	31	44	48	91	16	9	10	21	23	13	12	103	22
Wessex	19	11	4	16	18	25	48	63	8	3	4	8	13	9	6	54	14
Oxford	29	11	18	21	30	47	29	95	14	18	16	13	19	9	11	90	21
South Western	16	3	8	9	18	21	28	51	9	5	4	12	12	9	6	58	12
Welsh	31	16	10	17	27	53	52	100	13	6	8	14	19	14	10	88	22
Birmingham	36	23	18	29	39	53	42	120	20	25	16	27	25	12	14	127	28
Manchester	33	10	8	30	38	46	48	107	16	12	11	30	26	10	5	107	24
Liverpool	34	11	6	27	29	63	64	115	14	5	7	14	25	12	16	95	24

APPENDIX D. Cancer, Standardised Mortality Ratios by sex for selected sites, **1967**

England and Wales, regions, Wales, conurbations, urban and rural aggregates and hospital regions

Area	All sites (140-205)		Buccal cavity and pharynx (140-148)		Oesophagus (150)		Stomach (151)		Intestine and rectum (152-154)		Larynx (161)		Trachea, bronchus and lung (162,163)	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
ENGLAND AND WALES	100	100	100	100	100	100	100	100	100	100	100	100	100	100
Regions:														
Northern	101	100	109	133	92	76	117	131	99	101	99	97	102	98
Yorkshire and Humberside	100	98	106	114	84	92	101	101	105	98	102	112	99	87
North Western	105	104	135	120	122	116	113	119	106	105	123	144	106	104
East Midland	90	98	83	87	88	74	93	104	98	104	77	75	86	82
West Midland	102	100	110	106	108	99	110	110	112	104	115	113	99	86
East Anglia	90	91	101	82	95	110	87	82	100	89	106	143	83	72
South Eastern	103	100	92	79	99	93	90	83	95	97	95	85	109	120
South Western	91	99	79	101	107	127	87	93	96	101	86	84	83	90
Wales	93	100	83	139	86	131	125	135	98	104	96	74	83	61
Conurbations:														
Tyneside	116	103	151	119	81	50	119	124	104	100	138	82	129	116
West Yorkshire	106	99	122	125	91	83	111	101	99	94	52	126	110	84
South East Lancashire	112	108	146	137	120	100	116	128	112	108	152	146	116	113
Merseyside	118	108	144	97	136	133	129	105	106	108	81	203	127	142
West Midlands	110	102	102	133	96	81	125	115	121	108	126	123	114	87
Greater London	110	100	102	75	98	92	94	87	96	93	98	79	122	130
Urban and rural aggregates:														
Conurbations	111	102	116	100	102	92	107	101	103	99	106	109	119	117
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	108	105	102	114	109	106	111	113	106	103	134	112	110	103
Urban areas with populations of 50,000 and under 100,000	100	100	96	77	106	106	94	89	102	101	104	97	103	95
Urban areas with populations under 50,000	95	98	97	109	89	106	103	101	102	100	94	101	87	87
Rural districts	84	96	80	92	100	101	82	94	89	99	77	77	76	85
Hospital regions:														
Newcastle	102	99	110	129	91	82	117	130	96	100	85	82	104	99
Leeds	101	103	99	125	87	99	103	104	104	100	89	146	100	86
Sheffield	92	96	94	94	83	68	96	103	104	99	103	69	89	86
East Anglia	90	91	96	92	91	109	86	80	97	93	101	136	84	75
North West Metropolitan	99	96	94	69	87	96	86	77	94	92	78	88	106	112
North East Metropolitan	104	96	88	78	108	74	94	93	85	97	86	39	112	106
South East Metropolitan	112	112	100	81	109	115	96	88	107	107	125	93	118	139
South West Metropolitan	105	103	86	80	91	111	87	80	91	98	103	122	111	140
Wessex	103	101	88	77	97	78	93	83	108	105	99	97	101	105
Oxford	87	82	82	85	106	68	78	71	90	73	73	51	82	75
South Western	91	101	83	113	111	133	88	97	94	106	84	90	82	92
Wales	93	100	83	139	86	131	125	135	98	104	96	74	83	61
Birmingham	102	100	110	106	108	99	110	110	112	104	115	113	99	86
Manchester	105	105	136	133	118	112	113	128	106	105	140	147	103	98
Liverpool	111	105	137	92	138	123	119	105	109	106	94	154	115	121

Area	Breast (170)		Cervix uteri (171)	Other parts of uterus (172-174)	Prostate (177)	Bladder (181·0, ·8)		Bone (including jaw bone) (196)		Lympho-sarcoma reticul-sarcoma (200)		Hodgkin's disease (201)		Leukaemia and aleukaemia (204)	
	M	F	F	F	M	M	F	M	F	M	F	M	F	M	F
ENGLAND AND WALES	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
Regions:															
Northern	50	86	119	86	93	101	96	118	92	48	80	85	115	94	89
Yorkshire and Humberside	173	92	119	103	94	103	101	115	109	84	69	99	137	103	110
North Western	117	99	118	98	97	102	116	102	103	81	90	114	127	88	93
East Midland	84	98	105	101	101	87	87	137	79	133	72	110	107	90	102
West Midland	108	101	101	103	97	91	89	95	126	68	96	91	84	89	100
East Anglia	63	102	83	108	115	89	93	81	102	78	103	96	62	102	104
South Eastern	83	105	82	100	105	110	105	80	91	126	121	99	90	111	99
South Western	83	102	107	95	101	88	82	100	150	110	117	84	56	106	104
Wales	154	95	107	109	83	95	92	149	54	90	77	123	116	83	106
Conurbations:															
Tyneside	67	94	125	112	103	132	96	150	101	53	98	82	119	75	48
West Yorkshire	96	96	119	96	97	138	118	129	104	81	74	110	119	88	79
South East Lancashire	70	103	123	96	101	111	117	113	75	64	70	125	114	93	91
Merseyside	138	99	121	88	106	130	126	125	138	97	102	122	169	87	99
West Midlands	102	104	85	99	104	103	91	110	129	73	98	79	80	86	100
Greater London	76	101	81	100	106	116	112	89	105	141	131	94	95	99	104
Urban and rural aggregates:															
Conurbations	85	101	97	98	104	118	111	106	106	106	108	99	105	93	96
Areas outside conurbations:															
Urban areas with populations of 100,000 and over	100	104	117	98	98	102	94	102	90	109	94	102	89	100	110
Urban areas with populations of 50,000 and under 100,000	108	103	108	107	94	98	114	74	86	98	104	105	65	106	110
Urban areas with populations under 50,000	127	97	97	98	100	92	98	102	90	111	98	102	117	103	104
Rural districts	93	98	94	103	98	82	79	99	114	74	91	96	97	105	92
Hospital regions:															
Newcastle	54	83	117	84	95	102	99	122	99	50	72	89	115	93	83
Leeds	120	97	125	106	93	114	116	108	111	81	77	96	124	107	113
Sheffield	156	95	107	93	92	84	86	119	90	113	66	107	134	91	107
East Anglia	60	101	84	107	118	90	91	77	122	75	98	92	59	101	101
North West Metropolitan	13	99	83	110	102	103	99	61	92	126	118	88	101	100	92
North East Metropolitan	116	102	62	91	100	111	97	109	79	124	128	73	75	99	109
South East Metropolitan	128	117	96	104	111	119	133	69	94	119	101	115	89	128	109
South West Metropolitan	113	104	87	99	114	106	117	79	89	151	152	104	86	110	94
Wessex	84	106	100	92	110	107	79	64	123	110	102	135	92	129	129
Oxford	29	93	74	106	92	84	64	151	43	106	98	78	74	107	72
South Western	82	103	109	97	103	84	81	105	159	115	125	89	58	103	97
Wales	154	95	107	109	83	95	92	149	54	90	77	123	116	83	106
Birmingham	108	101	101	103	97	91	89	95	126	68	96	91	84	89	100
Manchester	120	100	121	96	101	99	115	110	80	68	81	108	125	93	93
Liverpool	112	100	114	107	92	113	120	91	149	109	113	127	134	82	96

APPENDIX E. Diseases of the circulatory system and vascular lesions affecting the central nervous system, death rates per million living, by sex at ages 45-64 and 65 and over, 1967

England and Wales, regions, Wales, conurbations, urban and rural aggregates

Area	Total		Vascular lesions affecting central nervous system (330-334)		Chronic rheumatic heart disease and chronic endocarditis (410-416, 421)		Arterio-sclerotic heart disease (420)		Myocardial degeneration (422)		Other diseases of heart (430-434)		Hypertension with or without heart disease (440-447)	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Death rates at age 45-64														
ENGLAND AND WALES	13,377	7,080	992	834	249	282	4,378	1,065	105	72	196	111	236	118
Regions:														
Northern	14,752	8,037	1,104	1,032	260	322	5,084	1,565	67	47	232	125	172	118
Yorkshire and Humberside	14,153	7,256	1,049	884	285	308	4,865	1,288	79	56	192	122	195	100
North Western	15,596	8,215	1,282	979	251	352	5,182	1,442	139	79	275	164	266	121
East Midland	12,266	7,056	1,005	897	240	284	3,811	949	123	83	260	115	228	142
West Midland	13,647	6,977	1,093	836	272	368	4,091	918	121	85	191	123	316	159
East Anglia	11,045	6,388	928	781	208	148	3,344	801	149	133	155	71	235	87
South Eastern	12,294	6,491	796	693	229	230	3,973	845	82	47	158	83	206	96
South Western	12,533	6,756	941	817	222	187	4,234	887	181	149	165	121	248	155
Wales	15,020	7,568	1,175	1,031	316	392	5,235	1,323	91	103	209	112	343	152
Conurbations:														
Tyneside	15,592	8,240	981	1,030	344	290	4,863	1,395	*40*	*28*	*162*	*94*	233	*150*
West Yorkshire	14,967	7,668	1,085	938	296	330	5,141	1,517	*52*	*59*	211	148	235	*80*
South East Lancashire	16,074	8,306	1,266	861	281	395	5,283	1,457	144	64	268	179	228	106
Merseyside	15,672	8,358	1,117	958	254	387	5,224	1,475	*74*	*59*	227	167	254	*107*
West Midlands	14,676	7,048	1,133	839	253	384	4,245	746	140	90	205	124	373	177
Greater London	12,848	6,560	747	660	263	262	4,146	890	68	38	153	80	199	84
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	14,403	7,195	1,063	841	284	303	4,746	1,104	122	65	224	107	244	124
Urban areas with populations of 50,000 and under 100,000	13,740	7,168	1,065	826	256	282	4,441	1,089	107	76	219	87	269	124
Urban areas with populations under 50,000	13,062	6,994	1,034	863	228	252	4,378	1,104	119	97	189	138	234	129
Rural districts	11,635	6,807	941	895	207	239	3,849	943	113	84	190	90	216	125
Death rates at age 65 and over														
ENGLAND AND WALES	75,659	54,484	10,560	10,861	697	856	18,353	10,282	4,336	5,180	2,170	2,013	1,438	1,487
Regions:														
Northern	78,013	56,408	12,530	12,201	677	599	19,904	12,115	4,013	5,026	2,409	2,106	1,355	1,413
Yorkshire and Humberside	77,785	55,418	11,330	11,364	623	636	19,399	11,295	4,270	4,770	2,091	1,962	1,441	1,619
North Western	82,455	59,202	11,751	11,703	691	809	19,647	10,638	4,640	5,630	2,600	2,541	1,266	1,423
East Midland	73,541	53,378	10,487	11,005	728	817	16,602	8,991	5,023	5,353	2,560	2,313	1,592	1,642
West Midland	76,994	55,455	11,731	11,508	736	941	17,685	10,146	4,561	4,975	2,026	2,034	1,638	1,675
East Anglia	72,514	51,566	10,253	10,779	769	748	17,853	9,884	4,925	5,370	2,135	1,559	1,206	1,065
South Eastern	72,607	52,206	9,209	9,815	710	928	17,663	9,882	3,463	4,759	1,978	1,822	1,313	1,381
South Western	72,164	53,790	10,352	11,118	609	740	17,702	9,522	6,186	6,728	2,060	1,914	1,560	1,458
Wales	79,836	56,676	11,288	11,906	769	963	20,263	11,355	5,146	5,383	2,171	2,007	2,142	2,055
Conurbations:														
Tyneside	76,701	53,404	11,168	10,668	787	733	18,706	10,765	3,122	4,544	1,726	1,906	1,599	1,547
West Yorkshire	81,473	56,713	11,782	11,835	705	883	21,287	12,064	3,911	4,580	2,277	2,120	1,399	1,522
South East Lancashire	81,757	58,903	11,747	11,591	650	910	17,951	9,990	4,684	5,351	2,498	2,418	1,089	1,212
Merseyside	82,669	56,171	9,733	9,980	623	758	20,605	10,522	2,598	4,065	2,616	2,923	1,103	1,516
West Midlands	77,584	53,752	11,582	11,191	622	951	17,004	9,531	4,188	4,404	1,951	1,812	1,909	1,819
Greater London	71,402	49,391	7,596	8,263	795	1,068	17,228	9,621	2,603	3,683	1,881	1,766	1,263	1,311
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	80,540	56,870	10,741	11,312	765	946	19,947	11,409	4,056	5,110	2,459	2,068	1,570	1,457
Urban areas with populations of 50,000 and under 100,000	77,262	54,459	10,995	10,934	638	760	19,041	10,430	4,362	5,451	2,005	1,918	1,376	1,546
Urban areas with populations under 50,000	77,225	55,604	11,502	11,783	678	770	18,853	10,269	5,315	6,021	2,240	1,989	1,541	1,602
Rural districts	70,379	54,615	10,827	11,467	659	740	17,086	9,896	5,001	5,895	2,156	2,075	1,426	1,482

APPENDIX F1. Maternal deaths from principal causes, and associated maternal deaths, maternal mortality rates and associated maternal mortality rates per 100,000 total births, 1937 to 1967

England and Wales

	MATERNAL DEATHS (complications of pregnancy, childbirth and puerperium, including abortion)														ASSOCIATED MATERNAL DEATHS			
	Puerperal phlebitis thrombosis and embolism	Puerperal sepsis	Ante-partum haemorrhage	Post-partum haemorrhage	Toxaemia	Prolonged labour	Trauma, shock; other complication of delivery	Other causes	Total maternal causes other than abortion	Abortion				Abortion, all forms	Total maternal deaths*	Other than abortion	With abortion	Total	Total attributed to or associated with maternal causes
										Criminal		Other							
										With sepsis	Without mention of sepsis	With sepsis	Without mention of sepsis						
ICD No.	682, 684	640, 641, 681	643, 644, 670	671, 672	642, 685, 686	673, 674, 675	676, 677, 678	Rem. 640-8 660-689	640-8 660-689	651.2	650.2 652.2	Rem. 651	Rem. 650, 652	650-652	640-689				
1937	152	347	307		510		457		1,773	56	28	176	109	369	2,142	585	104	689	2,831
1938	178	277	312		472		503		1,742	54	26	173	101	354	2,096	449	81	530	2,626
1939	154	248	117	179	478		467		1,643	80	28	167	79	354	1,997	429	49	478	2,475
1940	134	195	106	180	398	125	111	124	1,373	43	33	116	76	268	1,641	368	56	424	2,065
1941	134	141	101	210	381	155	109	122	1,353	66	24	145	90	325	1,678	358	47	405	2,083
1942	128	151	87	198	410	158	94	133	1,359	64	12	175	62	313	1,672	363	49	412	2,084
1943	136	132	86	187	375	165	106	112	1,299	76	15	166	64	321	1,620	437	57	494	2,114
1944	107	105	84	179	328	176	87	113	1,179	75	7	168	63	313	1,492	383	52	435	1,927
1945	86	82	68	158	321	148	72	92	1,027	65	9	109	50	233	1,260	342	19	361	1,621
1946	102	53	85	162	359	117	83	91	1,052	41	5	69	42	157	1,209	353	37	390	1,599
1947	110	33	56	156	312	110	63	77	917	37	3	54	49	143	1,060	264	44	308	1,368
1948	67	33	46	115	249	66	55	55	686	34	4	55	32	125	811	231	16	247	1,058
1949	56	32	36	90	199	69	60	65	609	20	9	58	31	118	727	157	19	176	903
1950	62	26	44	38	185	42	54	66	517	25	21	39	18	103	620	180	21	201	821
1951	49	16	35	53	141	38	37	50	419	33	26	34	14	107	526	151	9	160	686
1952	52	10	19	39	122	32	43	56	373	19	28	28	15	90	463	153	8	161	624
1953	49	17	39	51	143	31	34	55	419	17	24	22	13	76	495	121	7	128	623
1954	51	13	32	44	104	32	41	53	370	10	25	22	19	76	446	116	5	121	567
1955	55	17	24	41	91	31	23	57	339	17	15	19	15	66	405	108	7	115	520
1956	32	13	33	24	93	34	15	58	302	20	16	20	16	72	374	119	6	125	499
1957	32	18	27	22	77	27	23	46	272	15	15	18	13	61	333	122	6	128	461
1958	40	13	25	33	66	21	20	47	265	8	12	27	16	63	328	94	4	98	426
1959	30	17	21	23	57	18	26	51	243	13	10	16	8	47	290	75	7	82	372
1960	27	8	25	19	63	26	36	44	248	12	18	21	11	62	310	70	5	75	385
1961	24	6	20	23	55	15	32	45	220	8	15	24	7	54	274	68	3	71	345
1962	34	12	23	20	53	20	23	57	242	11	18	17	11	57	299	75	2	77	376
1963	20	8	17	21	46	9	18	55	194	15	6	17	11	49	243	61	6	67	310
1964	22	10	7	12	34	13	26	53	177	13	11	16	10	50	227	54	1	55	282
1965	17	5	13	11	48	12	23	40	169	8	13	21	10	52	221	42	6	48	269
1966	11	9	13	14	38	16	23	46	170	12	18	17	6	53	223	53	3	56	279
1967	10	3	7	5	44	12	13	44	138	8	9	7	10	34	172	64	4	68	240

MATERNAL MORTALITY RATES (complications of pregnancy, childbirth and puerperium, including abortion)

															ASSOCIATED MATERNAL DEATHS			
1937	24	55	48		80		72		279	9	4	28	17	58	337	92	16	108	446
1938	28	43	48		73		78		270	8	4	27	16	55	324	70	13	82	407
1939	24	39	18	28	75		73		257	13	4	26	12	55	313	67	8	75	387
1940	22	32	17	29	65	20	18	20	224	7	5	19	12	44	268	60	9	69	337
1941	22	24	17	35	64	26	18	20	226	11	4	24	15	54	280	60	8	68	347
1942	19	22	13	29	61	23	14	20	202	9	*2*	26	9	46	248	54	7	61	309
1943	19	19	12	27	53	23	15	16	184	11	*2*	24	9	45	230	62	8	70	300
1944	14	14	11	23	42	23	11	15	153	10	*1*	22	8	41	193	50	7	56	249
1945	12	12	10	23	46	21	10	13	147	9	*1*	16	9	33	180	49	*3*	52	232
1946	12	6	10	19	43	14	10	11	125	5	*1*	8	5	19	143	42	*4*	46	190
1947	12	4	6	17	35	12	7	9	102	4	*0*	6	5	16	117	29	5	34	152
1948	8	4	6	14	31	8	7	7	86	4	*1*	7	4	16	102	29	*2*	31	133
1949	7	4	5	12	27	9	8	9	81	3	*1*	8	4	16	97	21	*3*	24	121
1950	9	4	6	5	26	6	8	9	72	4	3	5	3	14	87	25	3	28	115
1951	7	*2*	5	8	20	5	5	7	60	5	4	5	*2*	15	76	22	*1*	23	99
1952	8	*1*	3	6	18	5	6	8	54	3	4	4	*2*	13	67	22	*1*	23	91
1953	7	*2*	6	7	20	4	5	8	60	*2*	3	3	*2*	11	71	17	*1*	18	89
1954	7	*2*	5	6	15	5	6	8	54	*1*	4	3	*3*	11	65	17	*1*	18	82
1955	8	2	4	6	13	5	3	8	50	2	2	3	2	10	59	16	*1*	17	76
1956	4	*2*	5	3	13	5	*2*	8	42	3	*2*	3	*2*	10	52	17	*1*	17	70
1957	4	*2*	4	3	10	4	3	6	37	*2*	*2*	*2*	*2*	8	45	16	*1*	17	62
1958	5	*2*	3	4	9	3	3	6	35	*1*	*2*	4	*2*	8	43	12	*1*	13	56
1959	4	*2*	3	3	7	*2*	3	7	32	*2*	*1*	*2*	1	6	38	10	*1*	11	49
1960	3	*1*	3	*2*	8	3	4	5	31	*1*	*2*	3	*1*	8	39	9	*1*	9	48
1961	3	*1*	*2*	3	7	*2*	4	5	27	*1*	*2*	3	1	7	33	8	*0*	9	42
1962	4	*1*	3	*2*	6	*2*	3	7	28	*1*	*2*	*2*	*1*	7	35	9	*0*	9	44
1963	*2*	*1*	*2*	*2*	5	*1*	*2*	6	22	*2*	*1*	*2*	1	6	28	7	*1*	8	36
1964	*2*	*1*	*1*	*1*	4	*1*	3	6	20	*1*	*1*	*2*	*1*	6	25	6	*0*	6	32
1965	*2*	*1*	*1*	*1*	5	*1*	3	5	19	*1*	*1*	*2*	1	6	25	5	*1*	5	31
1966	*1*	*1*	*2*	*2*	4	*2*	3	5	20	*1*	*2*	*2*	1	6	26	6	*0*	7	32
1967	*1*	*0*	*1*	*1*	5	*1*	*2*	5	16	*1*	*1*	*1*	1	4	20	8	*0*	8	28

Note. Figures for 1937 and 1938 are based on live and stillbirth registrations, and from 1939 onwards on occurrences.
*Excludes the following cases in which it was stated that death followed the maternal condition after an interval of more than 12 months: 1951-40, 1952-35, 1953-32, 1954-34, 1955-34, 1956-25, 1957-16, 1958-22, 1959-21, 1960-26, 1961-11, 1962-20, 1963-24, 1964-25, 1965-9, 1966-17, 1967-11.

APPENDIX F2. Deaths certified as associated with pregnancy or childbearing but not assigned to those causes, 1967

England and Wales

ICD No.	Cause of death	All ages	15-19	20-24	25-29	30-34	35-39	40-44	45 and over
	All Causes	**68**	**1**	**19**	**16**	**17**	**7**	**7**	**1**
010	Tuberculous meningitis	1	-	-	-	1	-	-	-
023	Other cardiovascular syphilis	1	-	-	-	-	-	-	1
046.0	Amoebiasis without mention of liver abscess	1	-	1	-	-	-	-	-
087	Chickenpox	1	-	-	-	-	1	-	-
140-199	Malignant neoplasms	9	-	1	3	4	-	1	-
204.3	Acute leukaemia	2	-	-	1	-	1	-	-
216	Benign neoplasm of ovary	1	-	-	1	-	-	-	-
224	Benign neoplasm of endocrine glands	1	-	-	-	-	1	-	-
228	Haemangioma	1	-	-	1	-	-	-	-
241	Asthma	2	-	-	-	1	1	-	-
289.2	Other metabolic diseases	1	-	-	-	1	-	-	-
299	Other diseases of blood and blood forming organs	1	-	1	-	-	-	-	-
330	Subarachnoid haemorrhage	3	-	-	-	2	-	1	-
331	Cerebral haemorrhage	1	-	-	-	1	-	-	-
334	Other lesions of central nervous system	1	-	-	-	1	-	-	-
340.3	Meningitis with no organism specified as cause	1	-	1	-	-	-	-	-
353.2	Status epilepticus	1	-	1	-	-	-	-	-
353.3	Epilepsy, other and unspecified	1	-	-	1	-	-	-	-
410	Diseases of mitral valve	5	-	1	3	-	1	-	-
416	Other rheumatic heart disease	1	-	-	-	1	-	-	-
431	Acute myocarditis	4	-	2	1	-	-	1	-
443	Hypertensive heart disease	2	-	-	-	1	-	1	-
451	Aortic aneurysm	1	-	1	-	-	-	-	-
452	Other aneurysm, except of heart and aorta	1	-	-	-	1	-	-	-
456	Other arterial disease	1	-	-	-	1	-	-	-
491	Bronchopneumonia	2	-	-	-	1	1	-	-
492	Primary atypical pneumonia	1	-	-	1	-	-	-	-
560.4	Hernia of other specified site	1	-	1	-	-	-	-	-
561.4	Hernia of other specified site, with obstruction	1	-	-	-	-	-	1	-
570.2	Mesenteric infarction	1	-	1	-	-	-	-	-
570.5	Other intestinal obstruction	1	-	-	-	1	-	-	-
571.1	Gastro-enteritis and colitis	2	-	2	-	-	-	-	-
591	Nephritis with oedema	1	-	-	1	-	-	-	-
698	Other local infection of skin	1	-	-	1	-	-	-	-
754.1	Patent ductus arteriosus	1	-	-	-	-	-	1	-
754.2	Interventricular septal defect	1	1	-	-	-	-	-	-
754.4	Fibroelastosis cordis	1	-	1	-	-	-	-	-
754.7	Other circulatory malformation	1	-	1	-	-	-	-	-
E800-E999	Violence	8	-	4	2	-	1	1	-
	Associated with Abortion (included above)	**4**	**-**	**1**	**2**	**1**	**-**	**-**	**-**

APPENDIX G. Deaths from selected causes by sex and age; and deaths in which autopsy or operation was known to have been performed (and the percentage of such deaths to all deaths), 1967

England and Wales

ICD No.	Causes of death		Males					Females					Persons
			All ages	0-	15-	45-	65 and over	All ages	0-	15-	45-	65 and over	All ages
	ALL CAUSES	(a) number of deaths	**277,178**	**11,659**	**13,588**	**77,613**	**174,318**	**265,338**	**8,713**	**8,340**	**43,985**	**204,300**	**542,516**
		(b) autopsy or operation	**87,692**	**6,921**	**8,544**	**30,639**	**41,588**	**63,824**	**4,924**	**4,119**	**14,792**	**39,989**	**151,516**
		(c) percentage	**32**	**59**	**63**	**39**	**24**	**24**	**57**	**49**	**34**	**20**	**28**
001-008	Tuberculosis, respiratory	(a)	1,321	6	97	529	689	477	1	65	183	228	1,798
		(b)	506	1	41	210	254	189	-	32	75	82	695
		(c)	38	17	42	40	37	40	-	49	41	36	39
010-019	Tuberculosis, other	(a)	112	9	25	43	35	133	11	20	39	63	245
		(b)	65	4	12	26	23	82	6	12	29	35	147
		(c)	58	44	48	60	66	62	55	60	74	56	60
020-029	Syphilitic disease	(a)	499	1	16	133	349	350	2	6	61	281	849
		(b)	286	1	12	80	193	218	2	5	33	178	504
		(c)	57	100	75	60	55	62	100	83	54	63	59
056	Whooping cough	(a)	16	16	-	-	-	11	11	-	-	-	27
		(b)	3	3	-	-	-	4	4	-	-	-	7
		(c)	19	19	-	-	-	36	36	-	-	-	26
057	Meningococcal infections	(a)	41	35	1	3	2	39	26	4	6	3	80
		(b)	31	26	1	2	2	30	23	3	4	-	61
		(c)	76	74	100	67	100	77	88	75	67	-	76
080	Acute poliomyelitis	(a)	-	-	-	-	-	-	-	-	-	-	-
		(b)	-	-	-	-	-	-	-	-	-	-	-
		(c)	-	-	-	-	-	-	-	-	-	-	-
085	Measles	(a)	60	55	4	1	-	39	36	1	1	1	99
		(b)	25	23	2	-	-	18	18	-	-	-	43
		(c)	42	42	50	-	-	46	50	-	-	-	43
Rem. 001-138	Other diseases classified as infective or parasitic	(a)	378	80	69	126	103	471	86	69	128	188	849
		(b)	181	53	42	54	32	228	61	39	73	55	409
		(c)	48	66	61	43	31	48	71	57	57	29	48
151	Malignant neoplasm: stomach	(a)	7,441	1	158	2,692	4,590	5,495	-	106	1,181	4,208	12,936
		(b)	1,256	-	21	481	754	804	-	18	196	590	2,060
		(c)	17	-	13	18	16	15	-	17	17	14	16
162,163	Trachea, bronchus and lung	(a)	23,548	2	497	10,559	12,490	4,704	2	188	2,041	2,473	28,252
		(b)	4,638	1	85	2,084	2,468	1,023	-	44	445	534	5,661
		(c)	20	50	17	20	20	22	-	23	22	22	20
170	Breast	(a)	88	-	2	40	46	10,231	-	823	4,489	4,919	10,319
		(b)	10	-	-	5	5	1,509	-	118	714	677	1,519
		(c)	11	-	-	13	11	15	-	14	16	14	15
171-174	Uterus	(a)	-	-	-	-	-	3,838	2	309	1,708	1,819	3,838
		(b)	-	-	-	-	-	541	-	45	240	256	541
		(c)	-	-	-	-	-	14	-	15	14	14	14
204	Leukaemia and aleukaemia	(a)	1,549	189	209	469	682	1,355	137	187	358	673	2,904
		(b)	363	30	53	129	151	265	32	39	82	112	628
		(c)	23	16	25	28	22	20	23	21	23	17	22
Rem. 140-205	Other malignant and lymphatic neoplasms	(a)	27,008	254	1,489	8,644	16,621	24,815	216	1,231	7,613	15,755	51,823
		(b)	5,674	71	365	2,025	3,213	4,938	55	265	1,550	3,068	10,612
		(c)	21	28	25	23	19	20	25	22	20	19	20
260	Diabetes mellitus	(a)	1,502	12	108	382	1,000	2,720	11	66	452	2,191	4,222
		(b)	311	10	43	107	151	527	8	40	145	334	838
		(c)	21	83	40	28	15	19	73	61	32	15	20
330-334	Vascular lesions affecting central nervous system	(a)	30,669	37	549	5,753	24,330	46,478	29	538	5,184	40,727	77,147
		(b)	4,215	24	362	1,679	2,150	5,352	21	329	1,615	3,387	9,567
		(c)	14	65	66	29	9	12	72	61	31	8	12
420	Arteriosclerotic heart disease, including coronary disease	(a)	69,803	1	2,118	25,399	42,285	45,489	1	313	6,619	38,556	115,292
		(b)	29,014	1	1,473	12,799	14,741	14,215	1	204	2,779	11,231	43,229
		(c)	42	100	70	50	35	31	100	65	42	29	37
440-443	Hypertension with heart disease	(a)	3,067	-	57	748	2,262	4,480	-	22	474	3,984	7,547
		(b)	917	-	33	306	578	851	-	13	193	645	1,768
		(c)	30	-	58	41	26	19	-	59	41	16	23
410-416, 421-434	Other heart disease	(a)	20,395	49	555	3,195	16,596	33,569	37	461	2,891	30,180	53,964
		(b)	3,469	37	401	1,281	1,750	4,043	24	280	1,028	2,711	7,512
		(c)	17	76	72	40	11	12	65	61	36	9	14

ICD No.	Causes of death		Males					Females					Persons
			All ages	0-	15-	45-	65 and over	All ages	0-	15-	45-	65 and over	All ages
444-468	Other circulatory disease	(a)	10,981	13	280	2,256	8,432	14,113	6	235	1,374	12,498	25,094
		(b)	4,384	9	168	1,325	2,882	4,813	6	145	841	3,821	9,197
		(c)	40	69	60	59	34	34	100	62	61	31	37
480-483	Influenza	(a)	375	8	20	81	266	501	7	7	45	442	876
		(b)	44	4	12	18	10	26	5	5	7	9	70
		(c)	12	50	60	22	4	5	71	71	16	2	8
490-493, 763	Pneumonia	(a)	14,740	1,554	271	1,693	11,222	17,917	1,222	211	1,153	15,331	32,657
		(b)	4,145	1,191	153	751	2,050	3,537	914	100	436	2,087	7,682
		(c)	28	77	56	44	18	20	75	47	38	14	24
500-502	Bronchitis	(a)	20,487	287	183	5,253	14,764	7,324	222	125	1,134	5,843	27,811
		(b)	4,225	243	81	1,322	2,579	1,521	194	54	349	924	5,746
		(c)	21	85	44	25	17	21	87	43	31	16	21
470-475, 510-527	Other diseases of respiratory system	(a)	3,313	147	108	942	2,116	1,703	104	88	306	1,205	5,016
		(b)	1,570	130	65	491	884	536	90	44	134	268	2,106
		(c)	47	88	60	52	42	31	87	50	44	22	42
540, 541	Ulcer of stomach and duodenum	(a)	2,400	4	97	638	1,661	1,460	6	39	221	1,194	3,860
		(b)	1,505	3	74	460	968	853	4	33	173	643	2,358
		(c)	63	75	76	72	58	58	67	85	78	54	61
543,571, 572,764	Gastritis, Enteritis, and diarrhoea	(a)	995	275	64	191	465	1,648	224	73	232	1,119	2,643
		(b)	560	183	41	117	219	838	147	44	145	502	1,398
		(c)	56	67	64	61	47	51	66	60	63	45	53
590-594	Nephritis and nephrosis	(a)	1,436	28	232	511	665	1,241	25	139	310	767	2,677
		(b)	424	17	94	172	141	334	6	60	89	179	758
		(c)	30	61	41	34	21	27	24	43	29	23	28
610	Hyperplasia of prostate	(a)	1,796	-	-	92	1,704	-	-	-	-	-	1,796
		(b)	763	-	-	73	690	-	-	-	-	-	763
		(c)	42	-	-	79	40	-	-	-	-	-	42
640-689	Pregnancy, childbirth, abortion	(a)	-	-	-	-	-	172	-	171	1	-	172
		(b)	-	-	-	-	-	147	-	146	1	-	147
		(c)	-	-	-	-	-	85	-	85	100	-	85
750-759	Congenital malformations	(a)	2,413	1,945	205	153	110	2,145	1,725	131	153	136	4,558
		(b)	1,489	1,188	136	96	69	1,205	976	88	71	70	2,694
		(c)	62	61	66	63	63	56	57	67	46	51	59
Rem. 210-795	Other defined and ill-defined diseases	(a)	17,485	5,177	1,225	3,516	7,567	22,283	3,750	1,149	3,577	13,807	39,768
		(b)	6,946	2,487	678	1,600	2,181	7,626	1,702	642	1,629	3,653	14,572
		(c)	40	48	55	46	29	34	45	56	46	26	37
E810-E835	Motor vehicle accidents	(a)	4,932	517	2,447	1,070	898	2,228	240	567	507	914	7,160
		(b)	4,192	425	2,090	922	755	1,872	203	472	418	779	6,064
		(c)	85	82	85	86	84	84	85	83	82	85	85
E800-E802 E840-E962	All other accidents	(a)	5,397	908	1,413	1,334	1,742	5,774	529	394	666	4,185	11,171
		(b)	4,127	713	1,127	1,085	1,202	3,911	384	312	561	2,654	8,038
		(c)	76	79	80	81	69	68	73	79	84	63	72
E963, E970-E979	Suicide and self-inflicted injury	(a)	2,736	3	994	1,134	605	1,975	-	535	856	584	4,711
		(b)	2,187	2	796	913	476	1,641	-	439	720	482	3,828
		(c)	80	67	80	81	79	83	-	82	84	83	81
E964,E965 E980-E999	Homicide and operations of war	(a)	195	46	95	33	21	160	45	67	22	26	355
		(b)	167	41	83	26	17	127	38	49	17	23	294
		(c)	86	89	87	79	81	79	84	73	77	88	83

APPENDIX H1. Deaths from encephalitis certified as secondary to infectious disease by underlying cause, sex and age, **1967**

England and Wales

ICD No.	Cause of death		All deaths	Deaths from encephalitis secondary to infectious diseases										
				All ages	0-	1-	2-	3-	4-	5-9	10-14	15-24	25-44	45-64	65 and over
085	Measles	M	60	5	-	-	2	-	1	-	-	1	-	1	-
		F	39	2	-	-	-	1	1	-	-	-	-	-	-
087	Chicken Pox	M	17	2	-	-	-	-	-	1	-	-	1	-	-
		F	14	3	-	-	-	1	-	1	-	-	1	-	-
088	Herpes Zoster	M	18	2	-	-	-	-	-	-	-	-	1	-	1
		F	50	2	-	-	-	-	-	-	-	-	-	-	2
089	Mumps	M	4	2	-	1	-	-	-	1	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-
096	Other diseases attributable to viruses	M	19	1	-	-	-	-	-	-	-	-	1	-	-
		F	34	2	-	-	-	-	-	-	-	-	-	2	-
	Total	**M**	**118**	**12**	-	**1**	**2**	-	**1**	**2**	-	**1**	**3**	**1**	**1**
		F	**141**	**9**	-	-	-	**2**	**1**	**1**	-	-	**1**	**2**	**2**

APPENDIX H2. Deaths due to tetanus, by sex and age, showing cause of tetanus, **1967**

England and Wales

Age	Sex	Cause of tetanus
		(a) Assigned to tetanus (ICD No. 061)
21 years	M	Tetanus
21 years	M	Injury to thumb, trapped in a straw baling machine.
27 years	M	Tetanus
35 years	M	Stone penetrated his footwear and caused a blister.
37 years	M	Foot cut by grass cutter.
44 years	M	Pierced foot on bamboo cane.
44 years	F	Tetanus
53 years	F	Tetanus
58 years	F	Leg pierced by stick in garden.
59 years	M	Tetanus
60 years	F	Tetanus
65 years	F	Tetanus
73 years	M	Cut finger while gardening.
74 years	F	Varicose ulcer on leg infected while gardening.
74 years	F	Wound of elbow (grazed).
75 years	M	Tetanus
78 years	F	Tetanus
79 years	M	Tetanus
		(b) Assigned elsewhere
14 years	M	Compound fracture after collision with another boy.
44 years	F	Infection following laparotomy.
57 years	M	Injury to finger and arm following motor vehicle accident.
58 years	M	Penetrating injury of foot by cultivator.
59 years	F	Leg wound after striking leg on garden spade.
62 years	M	Chronic varicose leg ulcer.
71 years	F	Cut leg by broken bottle in garden.

APPENDIX H3. Deaths by cause, sex and age in which anaesthesia was mentioned, 1967

England and Wales

ICD No.	Cause of death	All ages		0-		5-		15-		25-		35-		45-		55-		65 and over	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	All causes	**67**	**80**	**1**	**3**	**5**	**1**	**2**	**5**	**3**	**8**	**6**	**10**	**6**	**7**	**13**	**12**	**31**	**34**
140-205	Malignant neoplasm including neoplasms of lymphatic and haematopoietic tissues	9	12	-	-	-	-	-	-	-	-	1	-	1	-	1	4	6	8
210-239	Benign neoplasms and neoplasms of unspecified nature	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
240-245	Allergic disorders	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
260	Diabetes mellitus	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
330-334	Vascular lesions affecting central nervous system	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1
370-389	Diseases of the eye	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
410-416	Chronic rheumatic heart disease	-	4	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	1
420-422	Arteriosclerotic and degenerative heart disease	7	6	-	-	-	-	-	-	-	-	-	1	1	-	2	-	4	5
450-456	Diseases of arteries	7	3	-	-	-	-	-	-	-	-	-	-	1	1	1	1	5	1
480-483	Influenza	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
500-502	Bronchitis	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
*530-539	Diseases of buccal cavity and oesophagus	4	2	-	-	1	-	1	1	1	-	1	-	-	-	-	1	-	-
540-545	Diseases of stomach and duodenum	5	1	-	-	-	-	-	-	-	-	-	-	1	-	3	-	1	1
550-553	Appendicitis	2	1	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
560,561, 570	Intestinal obstruction	4	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3
572	Chronic enteritis and ulcerative colitis	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1
580-587	Diseases of liver, gallbladder and pancreas	2	3	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-
590-617	Diseases of the urinary system	6	2	-	1	-	-	-	-	-	-	1	-	-	-	1	-	4	1
630-637	Diseases of uterus and other female genital organs	-	6	-	-	-	-	-	-	-	1	-	2	-	1	-	2	-	-
640-678	Deliveries and complications of pregnancy and childbirth	-	6	-	-	-	-	-	1	-	3	-	2	-	-	-	-	-	-
730-738	Osteomyelitis and other disease of bone and joint	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	2	2	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	1
Rem. 001-795	All other causes	8	16	-	-	2	-	1	3	-	2	-	2	1	1	3	2	1	6
E900-904	Accidental falls	3	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	4
Rem. E800-E999	All other accidents and violence	2	1	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-

* Includes the following deaths where dental anaesthesia was mentioned:- 4 males (ages 8,17,25,35) and 1 female (age 21).

APPENDIX H4. Deaths by cause and sex according to type of institution, etc., in which they occurred, **1967**

England and Wales

ICD No.	Cause of death	Total deaths		Psychiatric hospitals				Other hospitals and institutions for the care of the sick				Other institutions		At deceased person's own home		In other private houses and other places	
				N.H.S.		Other than N.H.S.		N.H.S.		Other than N.H.S.							
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	ALL CAUSES	**277,178**	**265,338**	**6,609**	**9,668**	**119**	**312**	**138,151**	**127,953**	**4,328**	**9,111**	**6,606**	**12,559**	**104,743**	**93,602**	**16,622**	**12,133**
001-138	**Infective and parasitic diseases**	**2,427**	**1,520**	**95**	**43**	**-**	**1**	**1,592**	**997**	**21**	**17**	**39**	**30**	**628**	**393**	**52**	**39**
001-008	Tuberculosis of respiratory system	1,321	477	37	18	-	-	836	325	11	5	30	7	388	116	19	6
010-019	Tuberculosis, other forms	112	133	6	1	-	-	87	113	2	1	-	-	13	16	4	2
020-029	Syphilis and its sequelae	499	350	22	4	-	-	302	169	6	2	5	8	146	149	18	18
030-039	Gonococcal infection and other venereal diseases	5	-	1	-	-	-	3	-	-	-	-	-	1	-	-	-
040-049	Infectious diseases commonly arising in the intestinal tract	22	23	2	3	-	-	18	18	-	-	-	-	2	2	-	-
050-064	Other bacterial diseases	129	127	2	3	-	-	108	99	1	-	1	-	10	19	7	6
070-074	Spirochaetal diseases, except syphilis	3	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-
080-096	Diseases attributed to viruses	275	355	25	12	-	1	190	243	-	9	3	15	53	71	4	4
100-108	Typhus and other rickettsial diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	4	-	-	-	-	-	3	-	1	-	-	-	-	-	-	-
120-138	Other infective and parasitic diseases	57	55	-	2	-	-	42	30	-	-	-	-	15	20	-	3
140-239	**Neoplasms**	**60,304**	**51,164**	**529**	**576**	**6**	**12**	**33,784**	**27,648**	**1,564**	**2,346**	**640**	**822**	**22,939**	**17,568**	**842**	**2,192**
140-148	Malignant neoplasm of buccal cavity and pharynx	940	613	14	7	-	1	451	299	37	29	22	12	401	232	15	33
150-159	Malignant neoplasm of digestive organs and peritoneum	19,694	18,843	185	213	1	5	10,474	9,646	544	851	230	368	7,968	6,827	292	933
160-165	Malignant neoplasm of respiratory system	24,312	4,977	186	42	2	-	13,347	3,031	500	180	193	46	9,718	1,481	366	197
170-181	Malignant neoplasm of breast and genito-urinary organs	7,736	19,531	65	223	1	6	4,343	9,842	288	1,028	142	309	2,813	7,322	84	801
190-199	Malignant neoplasm of other and unspecified sites	3,509	3,560	39	48	1	-	2,168	2,157	114	173	35	44	1,104	992	48	146
200-205	Neoplasm of lymphatic and haematopoietic tissue	3,443	2,914	22	26	-	-	2,490	2,121	73	71	12	29	812	601	34	66
210-229	Benign neoplasm	320	435	12	11	1	-	224	315	6	10	4	9	71	75	2	15
230-239	Neoplasm of unspecified nature	350	291	6	6	-	-	287	237	2	4	2	5	52	38	1	1
240-289	**Allergic, endocrine system, metabolic, and nutritional diseases**	**2,697**	**4,738**	**55**	**125**	**1**	**4**	**1,593**	**2,796**	**36**	**78**	**40**	**125**	**865**	**1,452**	**107**	**158**
240-245	Allergic disorders	793	990	11	13	1	-	309	401	9	11	8	12	396	487	59	66
250-254	Diseases of thyroid gland	90	579	3	12	-	-	63	331	1	13	2	16	18	190	3	17
260	Diabetes mellitus	1,502	2,720	37	87	-	4	996	1,785	24	47	25	91	382	648	38	58
270-277	Diseases of other endocrine glands	100	133	2	5	-	-	80	94	-	1	2	-	14	29	2	4
280-289	Avitaminoses, and other metabolic diseases	212	316	2	8	-	-	145	185	2	6	3	6	55	98	5	13
290-299	**Diseases of the blood and blood-forming organs**	**760**	**1,259**	**12**	**20**	**-**	**-**	**552**	**810**	**11**	**37**	**18**	**40**	**163**	**321**	**4**	**31**
300-326	**Mental, psychoneurotic, and personality disorders**	**475**	**762**	**173**	**279**	**3**	**3**	**218**	**345**	**5**	**16**	**10**	**25**	**47**	**87**	**19**	**7**
300-309	Psychoses	345	637	150	257	1	2	165	291	4	15	7	23	16	46	2	3
310-318	Psychoneurotic disorders	13	33	3	3	-	1	6	18	-	1	-	1	4	8	-	1
320-326	Disorders of character, behaviour, and intelligence	117	92	20	19	2	-	47	36	1	-	3	1	27	33	17	3
330-398	**Diseases of the nervous system and sense organs**	**33,489**	**49,477**	**993**	**1,368**	**14**	**55**	**19,309**	**25,988**	**740**	**2,269**	**1,368**	**3,155**	**10,489**	**15,185**	**576**	**1,457**
330-334	Vascular lesions affecting central nervous system	30,669	46,478	800	1,204	11	48	17,604	24,116	684	2,136	1,262	3,024	9,781	14,534	527	1,416
340-345	Inflammatory diseases of central nervous system	701	736	14	15	-	1	538	547	12	30	21	19	108	117	8	7
350-357	Other diseases of central nervous system	1,990	2,157	176	148	3	6	1,080	1,254	44	99	84	112	569	507	34	31
360-369	Diseases of nerves and peripheral ganglia	38	34	1	1	-	-	29	26	-	1	-	-	7	6	1	-
370-379	Inflammatory diseases of eye	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
380-389	Other diseases and conditions of eye	9	18	-	-	-	-	6	13	-	2	1	-	2	2	-	1
390-398	Diseases of ear and mastoid process	81	54	2	-	-	-	51	32	-	1	-	-	22	19	6	2

Appendix H4 - *continued*

ICD No.	Cause of death	Total deaths		Psychiatric hospitals				Other hospitals and institutions for the care of the sick				Other institutions		At deceased person's own home		In other private houses and other places	
				N.H.S.		Other than N.H.S.		N.H.S.		Other than N.H.S.							
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
400-468	**Diseases of the circulatory system**	**104,252**	**97,663**	**2,481**	**3,773**	**46**	**154**	**38,919**	**35,066**	**1,160**	**3,100**	**2,816**	**5,966**	**49,649**	**44,197**	**9,181**	**5,407**
400-402	Rheumatic fever	6	12	-	-	-	-	3	8	-	-	-	1	2	3	1	-
410-416	Chronic rheumatic heart disease	1,965	3,749	36	60	-	1	1,122	2,141	14	40	16	65	671	1,255	106	187
420-422	Arteriosclerotic and degenerative heart disease	81,916	66,953	1,882	2,705	42	122	27,565	21,052	818	2,213	2,157	4,311	41,150	32,476	8,302	4,074
430-434	Other diseases of heart	6,317	8,356	161	294	-	3	3,406	4,154	87	251	185	442	2,310	2,918	168	294
440-443	Hypertensive heart disease	3,067	4,480	105	184	-	4	1,062	1,322	37	131	89	230	1,591	2,362	183	247
444-447	Other hypertensive disease	1,771	1,890	60	78	-	1	795	646	26	45	45	97	737	915	108	108
450-456	Diseases of arteries	6,933	8,802	181	345	3	20	3,241	3,387	154	372	305	752	2,783	3,551	266	375
460-468	Diseases of veins and other diseases of circulatory system	2,277	3,421	56	107	1	3	1,725	2,356	24	48	19	68	405	717	47	122
470-527	**Diseases of the respiratory system**	**38,618**	**27,211**	**1,798**	**2,798**	**32**	**58**	**20,043**	**13,561**	**438**	**664**	**1,271**	**1,599**	**14,103**	**7,773**	**933**	**758**
470-475	Acute upper respiratory infections	59	62	3	4	-	1	22	20	1	1	1	3	24	25	8	8
480-483	Influenza	375	501	10	25	-	2	54	97	8	18	31	70	260	271	12	18
490-493	Pneumonia	14,443	17,683	1,395	2,464	21	42	8,900	9,795	215	457	551	1,045	3,057	3,522	304	358
500-502	Bronchitis	20,487	7,324	314	232	9	10	9,406	2,894	174	136	620	390	9,434	3,356	530	306
510-527	Other diseases of respiratory system	3,254	1,641	76	73	2	3	1,661	755	40	52	68	91	1,328	599	79	68
530-587	**Diseases of the digestive system**	6,961	7,555	123	144	2	3	5,540	5,730	106	136	59	150	1,036	1,253	95	139
530-539	Diseases of buccal cavity and oesophagus	116	135	4	13	-	-	91	90	3	5	2	5	13	21	3	1
540-545	Diseases of the stomach and duodenum	2,541	1,568	34	31	2	-	1,992	1,148	22	20	28	51	427	275	36	43
550-553	Appendicitis	225	191	3	1	-	-	200	167	5	2	1	5	15	12	1	4
560,561	Hernia of abdominal cavity	561	767	6	15	-	-	432	576	15	17	5	14	94	132	9	13
570-578	Other diseases of intestines and peritoneum	1,970	2,838	47	50	-	2	1,597	2,194	23	57	17	47	258	442	28	46
580-587	Diseases of liver, gallbladder and pancreas	1,548	2,056	29	34	-	1	1,228	1,555	38	35	6	28	229	371	18	32
590-637	**Diseases of the genito-urinary system**	**4,894**	**3,800**	**131**	**124**	**8**	**1**	**3,570**	**2,676**	**93**	**78**	**102**	**99**	**945**	**752**	**45**	**70**
590-594	Nephritis and nephrosis	1,436	1,241	28	35	1	-	1,025	786	18	22	12	28	335	337	17	33
600-609	Other diseases of urinary system	1,600	2,419	58	85	5	1	1,211	1,781	20	51	39	69	255	400	12	32
610-617	Diseases of male genital organs	1,858	-	45	-	2	-	1,334	-	55	-	51	-	355	-	16	-
620-626	Diseases of breast, ovary, Fallopian tube and parametrium	-	30	-	2	-	-	-	23	-	-	-	-	-	3	-	2
630-637	Diseases of uterus and other female genital organs	-	110	-	2	-	-	-	86	-	5	-	2	-	12	-	3
640-689	**Deliveries and complications of pregnancy, childbirth, and the puerperium**	**-**	**172**	**-**	**1**	**-**	**-**	**-**	**144**	**-**	**1**	**-**	**-**	**-**	**19**	**-**	**7**
640-649	Complications of pregnancy	-	73	-	1	-	-	-	59	-	-	-	-	-	12	-	1
650-652	Abortion	-	34	-	-	-	-	-	27	-	-	-	-	-	2	-	5
660	Delivery without mention of complication	-	10	-	-	-	-	-	10	-	-	-	-	-	-	-	-
670-678	Delivery with specified complication	-	37	-	-	-	-	-	33	-	1	-	-	-	2	-	1
680-689	Complication of the puerperium	-	18	-	-	-	-	-	15	-	-	-	-	-	3	-	-
690-716	**Diseases of the skin and cellular tissue**	**136**	**256**	**11**	**33**	**-**	**2**	**105**	**162**	**1**	**6**	**3**	**10**	**15**	**41**	**1**	**2**
690-698	Infections of skin and subcutaneous tissue	48	75	5	16	-	1	38	40	-	5	1	4	4	8	-	1
700-716	Other diseases of skin and subcutaneous tissue	88	181	6	17	-	1	67	122	1	1	2	6	11	33	1	1
720-749	**Diseases of the bones and organs of movement**	662	1,396	13	26	-	-	422	899	12	71	24	58	182	327	9	15
720-727	Arthritis and rheumatism, except rheumatic fever	349	1,010	6	13	-	-	209	618	8	51	12	44	108	276	6	8
730-738	Osteomyelitis and other disease of bone and joint	142	286	5	8	-	-	105	222	1	13	8	12	23	27	-	4
740-749	Other diseases of musculoskeletal system	171	100	2	5	-	-	108	59	3	7	4	2	51	24	3	3

Appendix H4 - *continued*

ICD No.	Cause of death	Total deaths		Psychiatric hospitals				Other hospitals and institutions for the care of the sick				Other institutions		At deceased person's own home		In other private houses and other places	
				N.H.S.		Other than N.H.S.		N.H.S.		Other than N.H.S.							
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
750-759	**Congenital malformations**	**2,413**	**2,145**	**32**	**27**	**5**	**3**	**2,022**	**1,778**	**15**	**21**	**3**	**12**	**255**	**254**	**81**	**50**
760-776	**Certain diseases of early infancy**	**4,528**	**3,278**	**-**	**-**	**-**	**-**	**4,297**	**3,116**	**50**	**27**	**1**	**1**	**135**	**102**	**45**	**32**
760-769	Birth injuries, asphyxia, and infections of the newborn	2,724	1,885	-	-	-	-	2,552	1,754	24	19	1	1	115	83	32	28
770-776	Other diseases peculiar to early infancy	1,804	1,393	-	-	-	-	1,745	1,362	26	8	-	-	20	19	13	4
780-795	**Symptoms, senility, and ill-defined conditions**	**1,302**	**2,805**	**19**	**54**	**1**	**9**	**439**	**734**	**24**	**157**	**135**	**402**	**627**	**1,358**	**57**	**91**
780-789	Symptoms referable to systems or organs	109	96	2	2	-	-	71	55	2	-	3	3	25	32	6	4
790-795	Senility and ill-defined diseases	1,193	2,709	17	52	1	9	368	679	22	157	132	399	602	1,326	51	87
E800-E999	**Accidents, poisonings, and violence (external cause)**	**13,260**	**10,137**	**144**	**277**	**1**	**7**	**5,746**	**5,503**	**52**	**87**	**77**	**65**	**2,665**	**2,520**	**4,575**	**1,678**
E800-E802	Railway accidents	177	62	-	1	-	-	44	3	-	-	-	-	-	-	133	58
E810-E825	Motor vehicle traffic accidents	4,869	2,215	9	1	-	-	2,914	1,478	26	11	4	-	29	10	1,887	715
E830-E835	Motor vehicle non-traffic accidents	63	13	-	1	-	-	35	6	1	1	-	-	2	2	25	3
E840-E845	Other road vehicle accidents	48	26	-	-	-	-	36	23	-	1	-	-	1	-	11	2
E850-E858	Water transport accidents	139	10	-	-	-	-	24	-	-	-	-	-	1	-	114	10
E860-E866	Aircraft accidents	82	30	-	-	-	-	6	1	2	-	-	-	1	1	73	28
E870-E888	Accidental poisoning by solid and liquid substances	369	499	5	3	-	-	101	166	-	-	1	1	215	284	47	45
E890-E895	Accidental poisoning by gases and vapours	329	373	1	-	-	-	41	42	-	1	-	-	227	294	60	36
E900-E904	Accidental falls	1,722	3,501	58	215	-	5	1,334	2,859	7	61	20	51	145	262	158	48
E910-E936	Other accidents	2,436	1,225	29	43	1	1	635	421	10	9	17	6	504	421	1,240	324
E940-E946	Complications due to non-therapeutic medical and surgical procedures	2	7	-	-	-	-	1	3	-	1	-	-	1	1	-	2
E950-E959	Therapeutic misadventure and late complications of therapeutic procedures	24	23	3	-	-	-	21	20	-	1	-	-	-	1	-	1
E960-E965	Late effects of injury and poisoning	91	18	6	-	-	-	55	14	1	1	1	-	27	3	1	-
E970-E979	Suicide and self-inflicted injury	2,736	1,975	29	13	-	1	435	434	4	-	34	7	1,456	1,152	778	368
E980-E985	Homicide and injury purposely inflicted by other persons (not in war)	172	160	4	-	-	-	64	33	-	-	-	-	56	89	48	38
E990-E999	Injury resulting from operations of war	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-

APPENDIX H5. Deaths by cause and sex, according to method of certification, **1967**

England and Wales

ICD No.	Cause of death	Total deaths		Coroner						Certifying medical practitioner								Uncertified	
				Inquest held				Post-mortem without inquest		After post-mortem		Operation mentioned on death certificate		Other examination mentioned on death certificate		No examination mentioned			
				With post-mortem		No post-mortem													
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	ALL CAUSES	**277,178**	**265,338**	**12,394**	**7,982**	**2,773**	**2,375**	**46,360**	**31,660**	**25,879**	**20,837**	**3,059**	**3,345**	**195**	**149**	**186,023**	**198,636**	**495**	**354**
001-008	Tuberculosis of respiratory system	1,321	477	52	10	14	1	274	84	168	84	12	11	-	-	800	268	1	1
010-019	Tuberculosis, other forms	112	133	1	-	1	-	22	16	38	62	4	4	-	1	46	50	-	-
020-029	Syphilis and its sequelae	499	350	3	1	-	-	169	163	100	51	14	3	-	1	212	131	1	-
040	Typhoid fever	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	10	6	1	-	-	-	1	4	4	1	-	-	-	-	4	1	-	-
050,051	Scarlet fever and streptococcal sore throat	3	3	1	-	-	-	1	2	-	-	-	-	-	-	1	1	-	-
056	Whooping cough	16	11	-	-	-	-	1	2	2	2	-	-	-	-	13	7	-	-
057	Meningococcal infections	41	39	2	1	-	-	18	15	11	14	-	-	-	-	10	9	-	-
080	Acute poliomyelitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	60	39	1	1	1	-	12	12	12	5	-	-	-	-	34	21	-	-
100-108	Typhus and other rickettsial diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	4	-	-	-	-	-	-	-	3	-	-	-	-	-	1	-	-	-
Rem. 001-138	All other diseases classified as infective and parasitic	361	461	17	18	6	2	61	79	91	122	1	1	1	-	184	239	-	-
140-205	Malignant neoplasms	59,634	50,438	251	50	39	13	3,029	1,794	6,812	4,802	1,849	2,434	172	133	47,458	41,198	24	14
210-239	Benign and unspecified neoplasms	670	726	17	7	2	4	97	166	166	160	20	42	7	3	360	343	1	1
260	Diabetes mellitus	1,502	2,720	6	3	2	1	113	179	175	313	17	32	-	-	1,188	2,188	1	4
290-293	Anaemias	553	1,054	5	2	-	1	40	49	120	155	-	-	-	-	388	847	-	-
330-334	Vascular lesions affecting central nervous system	30,669	46,478	76	33	11	11	2,403	3,358	1,732	1,957	4	4	1	-	26,401	41,069	41	46
340	Non-meningococcal meningitis	229	170	3	1	-	-	40	45	82	53	-	-	-	-	104	70	-	1
400-402	Rheumatic fever	6	12	1	-	-	-	4	1	1	3	-	1	-	1	-	6	-	-
410-416	Chronic rheumatic heart disease	1,965	3,749	23	20	3	-	522	726	334	550	24	56	1	1	1,058	2,392	-	4
420-422	Arteriosclerotic and degenerative heart disease	81,916	66,953	331	79	67	15	26,072	13,291	4,285	2,804	24	7	-	1	50,840	50,583	297	173
430-434	Other diseases of heart	6,317	8,356	25	10	3	2	386	302	451	410	6	3	-	1	5,430	7,610	16	18
440-443	Hypertension with heart disease	3,067	4,480	12	2	2	1	682	663	223	186	-	-	-	-	2,141	3,619	7	9
444-447	Hypertension without mention of heart	1,771	1,890	7	8	1	1	435	461	188	109	2	-	-	-	1,137	1,310	1	1
480-483	Influenza	375	501	1	2	-	-	39	20	4	4	-	-	-	-	331	475	-	-
490-493	Pneumonia	14,443	17,683	75	38	9	11	2,348	2,090	1,504	1,233	2	2	1	-	10,496	14,296	8	13
500-502	Bronchitis	20,487	7,324	267	29	47	2	2,680	1,086	1,271	405	7	1	-	-	16,193	5,794	22	7
540,541	Ulcer of stomach and duodenum	2,400	1,460	30	7	7	1	616	385	672	384	187	77	3	-	882	604	3	2
550-553	Appendicitis	225	191	7	5	3	-	51	43	67	59	28	23	-	-	69	61	-	-
560,561, 570	Intestinal obstruction and hernia	1,310	1,660	17	13	2	1	378	455	366	401	103	150	1	-	441	639	2	1
543,571, 572	Gastritis, duodenitis, enteritis,and colitis, except diarrhoea of the newborn	963	1,622	13	7	1	5	268	359	211	376	55	81	-	1	414	792	1	1
581	Cirrhosis of liver	679	671	38	26	13	5	127	102	157	176	3	4	1	1	340	356	-	1
590-594	Nephritis and nephrosis	1,436	1,241	6	4	-	1	97	101	319	226	2	3	1	-	1,010	906	1	-
610	Hyperplasia of prostate	1,796	-	15	-	1	-	208	-	235	-	305	-	1	-	1,030	-	1	-
640-689	Complications of pregnancy, childbirth, and the puerperium	-	172	-	36	-	5	-	81	-	29	-	1	-	-	-	20	-	-
750-759	Congenital malformations	2,413	2,145	10	5	4	4	469	383	967	764	43	53	-	1	913	931	7	4
760-762	Birth injuries, postnatal asphyxia and atelectasis	2,274	1,512	10	11	-	1	108	75	1,218	773	1	-	-	-	933	647	4	5
763-768	Infections of the newborn	362	288	-	1	1	-	90	83	159	121	-	-	1	-	111	82	-	1
769-776	Other diseases peculiar to early infancy, and immaturity unqualified	1,892	1,478	3	1	-	-	46	28	477	370	1	-	-	-	1,361	1,078	4	1

Appendix H5 - *continued*

ICD No.	Cause of death	Total deaths		Coroner						Certifying medical practitioner								Uncertified	
				Inquest held				Post-mortem without inquest		After post-mortem		Operation mentioned on death certificate		Other examination mentioned on death certificate		No examination mentioned			
				With post-mortem		No post-mortem													
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
780-795	Senility without mention of psychosis, ill-defined and unknown causes	1,302	2,805	38	38	8	9	16	42	18	19	1	1	-	-	1,212	2,689	9	7
Rem. 140-795	All other diseases	20,835	25,902	540	232	82	48	4,287	4,719	3,211	3,615	335	315	4	4	12,352	16,942	24	27
E810-E835	Motor vehicle accidents	4,932	2,228	4,190	1,872	735	353	1	-	-	-	1	-	-	-	2	2	3	1
E800-E802 E840-E962	All other accidents	5,397	5,774	3,945	3,641	1,137	1,511	149	195	25	39	8	36	-	-	118	341	15	11
E963 E970-E979	Suicide and self-inflicted injury	2,736	1,975	2,187	1,641	546	333	-	-	-	-	-	-	-	-	2	1	1	-
E964,E965 E980-E999	Homicide and operations of war	195	160	167	127	25	33	-	-	-	-	-	-	-	-	3	-	-	-

D 106858/1/137678 K.12 9/68 CL

GENERAL REGISTER OFFICE

STUDIES ON
MEDICAL AND POPULATION SUBJECTS

No. 22

A Glossary of Mental Disorders

Prepared by the Sub-committee on Classification of Mental Disorders of the Registrar General's Advisory Committee on Medical Nomenclature and Statistics

The Eighth Revision of the International Classification of Diseases, Injuries and Causes of Death (HMSO price 60*s* net) which came into operation on the 1st January, 1968 differs in a number of important respects from the version previously in use, and the section concerned with mental disorders is among those particularly affected. The Glossary is designed to assist users of that section by providing precise definition of the contents of each mental disorder category.

Price **6s.** (*By post* **6s. 5d.**)

Published by

HER MAJESTY'S STATIONERY OFFICE

and obtainable from the Government Bookshops in London (by post orders to P.O. Box 569, S.E.1), Edinburgh, Cardiff, Belfast, Manchester, Birmingham and Bristol, or through any bookseller

The Registrar General's Decennial Supplement England and Wales 1961

Area Mortality Tables

This report presents an analysis of deaths and death rates from all causes and principal causes of death in a number of geographical sub-divisions and local areas of England and Wales during the period 1959–63. The deaths have been classified to the areas of residence and are related to the populations of those areas as enumerated at the 1961 Census. The tabulations in this volume have been prepared in a form so that they are, as far as possible, comparable with those in the preceding volume, covering the period 1950–53.

Price **35s.** net (*By post* **36s. 7d.**)

Published by

HER MAJESTY'S STATIONERY OFFICE

and obtainable from the Government Bookshops in London (by post to P.O. Box 569, S.E.1), Edinburgh, Cardiff, Belfast, Manchester, Birmingham and Bristol, or through any bookseller

GENERAL REGISTER OFFICE

STUDIES ON MEDICAL AND POPULATION SUBJECTS

No. 21

Population Projections for the South East

by

Eric J. Thompson, BSC (ECON), FSS

This report gives, in some detail, an account of the preparation of the population projections made by the General Register Office in 1966 for South East England and describes the assumptions behind those projections. The period discussed is for the years 1964 to 1981.

The report discusses the projected changes in the population of the region as a whole and of its major sub-divisions and the migration assumptions incorporated in the projections. The assumptions on both migration and natural increase are compared with those made in previous Government estimates.

Price 4*s.* 6*d.* *(By post* 4*s.* 9*d.)*

Published by

HER MAJESTY'S STATIONERY OFFICE

and obtainable from the Government Bookshops in London (by post to P.O. Box 569, S.E.1), Edinburgh, Cardiff, Belfast, Manchester, Birmingham and Bristol, or through any bookseller

© *Crown copyright 1968*

Printed and published by
HER MAJESTY'S STATIONERY OFFICE

To be purchased from
49 High Holborn, London W.C.1
13A Castle Street, Edinburgh 2
109 St. Mary Street, Cardiff CF1 1JW
Brazennose Street, Manchester M60 8AS
50 Fairfax Street, Bristol BS1 3DE
258 Broad Street, Birmingham 1
7 Linenhall Street, Belfast BT2 8AY
or through any bookseller

Printed in England

SBN 11 690070 9